VITAL STATISTICS OF THE UNITED STATES

1983

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS
Hyattsville, Maryland: 1987

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*
PETER L. HURLEY, *Associate Director for Vital and Health Statistics Systems*
STEPHEN E. NIEBERDING, *Associate Director for Management*
GEORGE A. SCHNACK, *Associate Director for Data Processing and Services*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
SANDRA S. SMITH, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Systems and Programming Branch*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1983,* Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 87-1102. Public Health Service, Washington. U.S. Government Printing Office, 1987.

DHHS Publication No. (PHS) 87-1102

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1983

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1983.* Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1983. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	87	100	126	170	196	485	490	528
Geographic area:									
Counties	[1]1								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	[1]1	2	3			6	[2]7		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1]Deaths by place of occurrence and place of residence.
[2]Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29
Geographic area:													
Guam	1	2	3			6	7	8		[1]10	11	12	13
Puerto Rico	1	2		4			7	8	[1]9		11	12	13
Municipios									[1]9				
Virgin Islands	1	2	3		5		7	8		[1]10	11	12	13
Islands										[1]10			
Specified urban place										[1]10			
Years:													
1940–83	1												
1983 only		2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:													
Death rates	1												
Number of deaths	1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths									9	10			
Number of infant deaths			3	4	5	6			9	10	11	12	13
Number of neonatal deaths									9	10	11	12	13
Number of postneonatal deaths													13
Characteristics:													
Age:													
10-year age groups			3	4	5	6							
Detailed age groups (under 1 day–11 months)												12	
Cause of death:													
61 selected causes of infant mortality													13
72 selected causes				4	5	6							
Motor vehicle accidents							7						
Nontransport accidents								8					
Person injured							7						
Month		2									11		
Place of accident								8					
Race[2]		2	3		5	6	7	8		10	11	12	13
Sex		2	3	4	5	6	7	8				12	

[1] Deaths by place of occurrence and place of residence.
[2] Puerto Rico does not report race.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1983	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1983	87
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1983	100
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States: 1983	126
8–5.	Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1983	170
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1983	196
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1983	485
8–8.	Deaths from 72 selected causes for standard metropolitan statistical areas of the United States: 1983	490
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1983	528

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	2,022,190	2,019,201	40,627	26,507	30,752
White	1,768,208	1,765,582	28,301	18,603	21,650
All other	253,982	253,619	12,326	7,904	9,102
Black	233,232	233,124	11,242	7,277	8,001
Alabama	35,417	35,560	774	489	638
White	25,617	25,659	395	265	331
All other	9,800	9,901	378	224	307
Black	9,777	9,876	375	222	305
Autauga	140	267	7	4	8
White	99	183	3	1	4
All other	41	84	4	3	4
Black	41	82	4	3	4
Prattville, part	---	138	2	2	3
White	---	104	1	1	3
All other	---	34	1	1	-
Black	---	34	1	1	-
Prattville, total	---	140	2	2	3
White	---	105	1	1	3
All other	---	35	1	1	-
Black	---	35	1	1	-
Balance of county	---	129	5	2	5
White	---	79	2	-	1
All other	---	50	3	2	4
Black	---	48	3	2	4
Baldwin	732	783	15	9	14
White	614	668	4	4	11
All other	118	115	11	5	3
Black	118	115	11	5	3
Barbour	214	263	6	3	6
White	107	141	1	1	1
All other	107	122	5	2	5
Black	107	122	5	2	5
Eufaula	---	128	2	1	1
White	---	80	1	1	1
All other	---	48	1	-	-
Black	---	48	1	-	-
Balance of county	---	135	4	2	5
White	---	61	-	-	-
All other	---	74	4	2	5
Black	---	74	4	2	5
Bibb	89	164	5	3	1
White	68	130	3	1	-
All other	21	34	2	2	1
Black	21	34	2	2	1
Blount	180	315	2	-	4
Bullock	69	126	-	-	-
White	23	39	-	-	-
All other	46	87	-	-	-
Black	46	87	-	-	-
Butler	240	274	6	3	5
White	167	186	2	2	2
All other	73	88	4	1	3
Black	73	88	4	1	3
Calhoun	1,021	1,085	18	13	19
White	805	857	10	8	11
All other	216	228	8	5	8
Black	216	228	8	5	8
Anniston	---	493	8	5	10
White	---	339	3	3	4
All other	---	154	5	2	6
Black	---	154	5	2	6
Balance of county	---	592	10	8	9
White	---	518	7	5	7
All other	---	74	3	3	2
Black	---	74	3	3	2
Chambers	381	448	5	5	6
White	263	306	1	1	2
All other	118	142	4	4	4
Black	118	142	4	4	4
Cherokee	111	166	2	2	2
Chilton	213	319	2	-	4
White	184	283	2	-	3
All other	29	36	-	-	1
Black	29	36	-	-	1
Choctaw	93	154	3	2	4
White	53	87	1	1	4
All other	40	67	2	1	-
Black	40	67	2	1	-
Clarke	234	266	7	3	5
White	119	156	2	2	2
All other	115	110	5	1	3
Black	115	110	5	1	3
Clay	132	153	-	-	1
White	112	132	-	-	-
All other	20	21	-	-	1
Black	20	21	-	-	1
Alabama-Con.					
Clebume	69	120	3	2	3
Coffee	251	326	11	6	4
White	213	271	7	4	2
All other	38	55	4	2	2
Black	38	55	4	2	2
Enterprise, part	---	117	2	1	1
White	---	90	2	1	1
All other	---	27	-	-	-
Black	---	27	-	-	-
Enterprise, total	---	118	2	1	2
White	---	91	2	1	2
All other	---	27	-	-	-
Black	---	27	-	-	-
Balance of county	---	209	9	5	3
White	---	181	5	3	1
All other	---	28	4	2	2
Black	---	28	4	2	2
Colbert	439	463	7	6	9
White	350	378	3	2	7
All other	89	85	4	4	2
Black	89	85	4	4	2
Sheffield	---	128	4	3	-
White	---	99	2	1	-
All other	---	29	2	2	-
Black	---	29	2	2	-
Balance of county	---	335	3	3	9
White	---	279	1	1	7
All other	---	56	2	2	2
Black	---	56	2	2	2
Conecuh	107	185	3	1	4
White	56	105	1	1	-
All other	51	80	2	-	4
Black	51	80	2	-	4
Coosa	41	113	2	-	2
White	21	73	-	-	1
All other	20	40	2	-	1
Black	20	40	2	-	1
Covington	423	477	7	3	8
White	371	418	6	3	6
All other	52	59	1	-	2
Black	50	58	1	-	2
Andalusia	---	120	1	-	2
White	---	98	1	-	2
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	357	6	3	6
White	---	320	5	3	4
All other	---	37	1	-	2
Black	---	36	1	-	2
Crenshaw	125	174	3	3	3
White	82	128	1	1	2
All other	43	46	2	2	1
Black	43	46	2	2	1
Cullman	514	589	6	3	5
Cullman	---	173	2	1	2
Balance of county	---	416	4	2	3
Dale	225	294	10	7	7
White	186	245	5	4	5
All other	39	49	5	3	2
Black	39	48	5	3	2
Dothan, part	---	1	-	-	-
Enterprise, part	---	1	-	-	1
White	---	1	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Ozark	---	120	5	3	3
White	---	93	2	2	2
All other	---	27	3	1	1
Black	---	27	3	1	1
Balance of county	---	172	5	4	3
White	---	150	3	2	2
All other	---	22	2	2	1
Black	---	21	2	2	1
Dallas	584	542	22	14	15
White	255	236	6	5	5
All other	329	306	16	9	10
Black	329	306	16	9	10
Selma	---	330	11	8	11
White	---	156	2	2	4
All other	---	174	9	6	7
Black	---	174	9	6	7
Balance of county	---	212	11	6	4
White	---	80	4	3	1
All other	---	132	7	3	3
Black	---	132	7	3	3
De Kalb	385	502	12	6	8
Fort Payne	---	110	4	1	2
Balance of county	---	392	8	5	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Elmore	317	399	12	4	8
White	238	300	6	2	5
All other	79	99	6	2	3
Black	79	99	6	2	3
Prattville, part	---	2	-	-	-
White	---	1	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	397	12	4	8
White	---	299	6	2	5
All other	---	98	6	2	3
Black	---	98	6	2	3
Escambia	381	387	8	6	6
White	280	269	3	2	3
All other	101	118	5	4	3
Black	99	115	5	4	3
Etowah	1,073	1,051	11	6	17
White	912	882	9	4	13
All other	161	169	2	2	4
Black	160	168	2	2	4
Gadsden	---	644	6	4	7
White	---	495	4	2	3
All other	---	149	2	2	4
Black	---	149	2	2	4
Balance of county	---	407	5	2	10
Fayette	135	183	2	2	2
White	112	153	-	-	1
All other	23	30	2	2	1
Black	23	30	2	2	1
Franklin	286	298	9	7	2
Geneva	146	246	6	4	8
White	130	222	4	2	7
All other	16	24	2	2	1
Black	16	24	2	2	1
Greene	105	142	7	4	1
White	30	37	-	-	-
All other	75	105	7	4	1
Black	75	105	7	4	1
Hale	108	174	3	2	3
White	39	70	1	1	-
All other	69	104	2	1	3
Black	69	104	2	1	3
Henry	104	173	4	-	4
White	63	117	-	-	1
All other	41	56	4	-	3
Black	41	56	4	-	3
Houston	935	662	21	11	17
White	725	496	15	8	8
All other	210	166	6	3	9
Black	208	165	6	3	9
Dothan, part	---	437	18	9	12
White	---	307	14	8	5
All other	---	130	4	1	7
Black	---	129	4	1	7
Dothan, total	---	438	18	9	12
White	---	308	14	8	5
All other	---	130	4	1	7
Black	---	129	4	1	7
Balance of county	---	225	3	2	5
White	---	189	1	-	3
All other	---	36	2	2	2
Black	---	36	2	2	2
Jackson	349	448	11	7	3
Scottsboro	---	135	3	2	1
Balance of county	---	313	8	5	2
Jefferson	8,091	6,476	124	86	112
White	5,461	4,066	58	43	52
All other	2,630	2,410	66	43	60
Black	2,627	2,408	65	42	59
Bessemer	---	410	8	3	11
White	---	192	3	1	5
All other	---	218	5	2	6
Black	---	218	5	2	6
Birmingham	---	3,287	64	44	56
White	---	1,557	17	13	13
All other	---	1,730	47	31	43
Black	---	1,730	47	31	42
Fairfield	---	155	5	4	2
White	---	70	-	-	-
All other	---	85	5	4	2
Black	---	85	5	4	2
Homewood	---	178	3	2	1
Hoover, part	---	62	2	1	-
Hoover, total	---	62	2	1	-
Hueytown	---	129	-	-	5
Mountain Brook	---	163	2	2	-
Vestavia Hills	---	110	2	2	-
Alabama-Con.					
Balance of county	---	1,982	38	28	37
White	---	1,636	30	23	30
All other	---	346	8	5	7
Black	---	346	8	5	7
Lamar	122	174	3	3	1
White	109	159	1	1	1
All other	13	15	2	2	-
Black	13	15	2	2	-
Lauderdale	669	669	16	13	17
White	596	597	14	12	13
All other	73	72	2	1	4
Black	73	72	2	1	4
Florence	---	364	9	7	10
White	---	303	7	6	8
All other	---	61	2	1	2
Black	---	61	2	1	2
Balance of county	---	305	7	6	7
Lawrence	169	247	5	5	6
White	137	193	3	3	5
All other	32	54	2	2	1
Black	32	54	2	2	1
Lee	501	512	12	8	9
White	293	322	4	3	5
All other	208	190	8	5	4
Black	207	188	8	5	4
Auburn	---	120	1	1	3
White	---	68	-	-	1
All other	---	52	1	1	2
Black	---	50	1	1	2
Opelika	---	218	7	5	3
White	---	137	3	3	2
All other	---	81	4	2	1
Black	---	81	4	2	1
Phenix City, part	---	1	-	-	-
Balance of county	---	173	4	2	3
White	---	116	1	-	2
All other	---	57	3	2	1
Black	---	57	3	2	1
Limestone	306	367	6	5	8
White	257	303	4	4	7
All other	49	64	2	1	1
Black	49	64	2	1	1
Athens	---	141	-	-	3
White	---	113	-	-	2
All other	---	28	-	-	1
Black	---	28	-	-	1
Balance of county	---	226	6	5	5
White	---	190	4	4	5
All other	---	36	2	1	-
Black	---	36	2	1	-
Lowndes	46	110	5	2	1
White	6	22	-	-	-
All other	40	88	5	2	1
Black	40	88	5	2	1
Macon	416	262	5	2	8
White	146	56	-	-	1
All other	270	206	5	2	7
Black	270	206	5	2	7
Tuskegee	---	120	2	2	3
White	---	8	-	-	-
All other	---	112	2	2	3
Black	---	112	2	2	3
Balance of county	---	142	3	-	5
White	---	48	-	-	1
All other	---	94	3	-	4
Black	---	94	3	-	4
Madison	1,604	1,298	33	20	19
White	1,306	1,021	20	13	9
All other	298	277	13	7	10
Black	295	274	13	7	10
Huntsville	---	967	23	14	14
White	---	762	15	9	4
All other	---	205	10	5	10
Black	---	202	10	5	10
Balance of county	---	331	8	6	5
White	---	259	5	4	5
All other	---	72	3	2	-
Black	---	72	3	2	-
Marengo	218	244	6	3	5
White	78	89	1	1	1
All other	140	155	5	2	4
Black	140	155	5	2	4
Marion	227	273	3	2	3
Marshall	599	648	16	10	8
Albertville	---	104	4	2	-
Balance of county	---	544	12	8	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Mobile	3,370	3,166	70	50	62
White	2,234	2,080	26	16	29
All other	1,136	1,086	44	34	33
Black	1,131	1,083	42	33	32
Mobile	---	1,988	38	27	31
White	---	1,281	15	10	14
All other	---	707	23	17	17
Black	---	705	21	16	16
Prichard	---	369	17	14	12
White	---	107	1	-	-
All other	---	262	16	14	12
Black	---	262	16	14	12
Balance of county	---	809	15	9	19
White	---	692	10	6	15
All other	---	117	5	3	4
Black	---	116	5	3	4
Monroe	184	209	7	1	8
White	112	115	2	1	2
All other	72	94	5	-	6
Black	72	94	5	-	6
Montgomery	2,328	1,743	50	41	37
White	1,458	1,053	21	17	8
All other	870	690	29	24	29
Black	867	687	29	24	29
Montgomery	---	1,598	45	37	34
White	---	974	18	15	8
All other	---	624	27	22	26
Black	---	621	27	22	26
Balance of county	---	145	5	4	3
White	---	79	3	2	-
All other	---	66	2	2	3
Black	---	66	2	2	3
Morgan	880	726	16	10	12
White	585	641	14	9	10
All other	95	85	2	1	2
Black	95	85	2	1	2
Decatur	---	353	8	6	6
White	---	280	6	5	5
All other	---	73	2	1	1
Black	---	73	2	1	1
Balance of county	---	373	8	4	6
Perry	91	156	2	1	6
White	40	54	-	-	2
All other	51	102	2	1	4
Black	51	102	2	1	4
Pickens	170	239	3	-	4
White	89	147	1	-	2
All other	81	92	2	-	2
Black	81	92	2	-	2
Pike	229	275	5	2	6
White	140	168	4	2	2
All other	89	107	1	-	4
Black	89	107	1	-	4
Troy	---	116	1	-	2
White	---	70	1	-	1
All other	---	46	-	-	1
Black	---	46	-	-	1
Balance of county	---	159	4	2	4
White	---	98	3	2	1
All other	---	61	1	-	3
Black	---	61	1	-	3
Randolph	154	197	5	2	1
White	119	160	3	2	-
All other	35	37	2	-	1
Black	35	37	2	-	1
Russell	451	467	18	10	9
White	276	278	10	5	5
All other	175	189	8	5	4
Black	175	189	8	5	4
Phenix City, part	---	298	8	5	5
White	---	186	7	4	3
All other	---	112	1	1	2
Black	---	112	1	1	2
Phenix City, total	---	299	8	5	5
White	---	187	7	4	3
All other	---	112	1	1	2
Black	---	112	1	1	2
Balance of county	---	169	10	5	4
White	---	92	3	1	2
All other	---	77	7	4	2
Black	---	77	7	4	2
St. Clair	235	350	6	4	7
White	208	319	4	3	4
All other	27	31	2	1	3
Black	26	30	2	1	3
Shelby	346	420	11	7	7
White	288	359	6	3	5
All other	58	61	5	4	2
Black	58	61	5	4	2
Alabama-Con.					
Hoover, part	---	-	-	-	-
Balance of county	---	420	11	7	7
White	---	359	6	3	5
All other	---	61	5	4	2
Black	---	61	5	4	2
Sumter	88	161	8	6	7
White	25	47	3	2	1
All other	63	114	5	4	6
Black	63	114	5	4	6
Talladega	625	738	30	16	12
White	472	548	15	10	7
All other	153	190	15	6	5
Black	153	190	15	6	5
Sylacauga	---	180	3	1	4
White	---	135	1	-	2
All other	---	45	2	1	2
Black	---	45	2	1	2
Talladega	---	192	14	9	4
White	---	144	11	9	2
All other	---	48	3	-	2
Black	---	48	3	-	2
Balance of county	---	366	13	6	4
White	---	269	3	1	3
All other	---	97	10	5	1
Black	---	97	10	5	1
Tallapoosa	341	411	3	1	7
White	226	291	2	1	4
All other	115	120	1	-	3
Black	115	120	1	-	3
Alexander City	---	145	1	1	2
White	---	96	1	1	1
All other	---	49	-	-	1
Black	---	49	-	-	1
Balance of county	---	266	2	-	5
White	---	195	1	-	3
All other	---	71	1	-	2
Black	---	71	1	-	2
Tuscaloosa	1,301	1,034	23	17	22
White	898	728	10	8	9
All other	403	306	13	9	13
Black	403	306	13	9	13
Northport	---	141	4	4	2
White	---	108	3	3	1
All other	---	33	1	1	1
Black	---	33	1	1	1
Tuscaloosa	---	575	11	6	14
White	---	357	3	1	2
All other	---	218	8	5	12
Black	---	218	8	5	12
Balance of county	---	318	8	7	6
White	---	263	4	4	6
All other	---	55	4	3	-
Black	---	55	4	3	-
Walker	510	707	15	7	5
Jasper	---	155	7	3	1
White	---	122	2	1	1
All other	---	33	5	2	-
Black	---	33	5	2	-
Balance of county	---	552	8	4	4
Washington	80	152	5	2	1
White	56	108	2	2	1
All other	24	44	3	-	-
Black	24	42	3	-	-
Wilcox	131	189	4	1	8
White	58	74	-	-	1
All other	73	115	4	1	7
Black	73	115	4	1	7
Winston	184	209	1	1	2
Alaska [1]	1,889	1,897	149	79	66
White	1,339	1,342	90	49	42
All other	550	555	59	30	24
Black	58	60	11	8	6
Aleutian Islands	55	32	3	2	3
White	30	7	1	1	2
All other	25	25	2	1	1
Black	-	-	-	-	-
Anchorage, coext. with Anchorage city	756	664	44	29	30
White	569	549	29	18	21
All other	187	115	15	11	9
Black	40	39	8	6	3
Bethel	50	68	5	-	2
White	6	10	-	-	-
All other	44	58	5	-	2
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Bristol Bay borough	2	4	-	-	-
White	2	3	-	-	-
All other	-	1	-	-	-
Black	-	-	-	-	-
Dillingham	32	31	3	1	1
White	8	5	-	-	1
All other	24	26	3	1	-
Black	2	3	2	1	-
Fairbanks North Star borough	260	247	20	6	10
White	208	208	15	4	7
All other	52	39	5	2	3
Black	11	11	1	1	3
Fairbanks	---	228	16	4	7
White	---	190	11	2	4
All other	---	38	5	2	3
Black	---	11	1	1	3
Balance of area	---	19	4	2	3
White	---	18	4	2	3
All other	---	1	-	-	-
Black	---	-	-	-	-
Haines borough	3	4	-	-	-
White	3	4	-	-	-
All other	-	-	-	-	-
Black	-	-	-	-	-
Juneau, coext. with Juneau city	87	101	10	8	5
White	68	83	8	5	5
All other	19	18	2	1	-
Black	-	-	-	-	-
Kenai Peninsula borough	127	128	7	7	1
Ketchikan Gateway borough	65	62	5	2	1
White	44	46	4	2	1
All other	21	16	1	-	-
Black	2	2	-	-	-
Kobuk	27	35	6	2	-
White	7	5	-	-	-
All other	20	30	6	2	-
Black	-	-	-	-	-
Kodiak Island borough	41	47	3	1	1
White	28	34	2	1	1
All other	13	13	1	-	-
Black	1	2	-	-	-
Matanuska-Susitna borough	84	120	10	4	2
Nome	34	49	3	1	4
White	3	3	-	-	-
All other	31	46	3	1	4
Black	-	-	-	-	-
North Slope borough	29	30	4	4	1
White	10	4	-	-	-
All other	19	26	4	4	1
Black	-	-	-	-	-
Prince of Wales-Outer Ketchikan	13	23	3	3	-
White	6	8	1	1	-
All other	7	15	2	2	-
Black	-	-	-	-	-
Sitka borough	52	37	2	2	-
White	44	33	1	1	-
All other	8	4	1	1	-
Black	1	-	-	-	-
Skagway-Yakutat-Angoon	20	24	3	1	-
White	14	11	2	-	-
All other	6	13	1	1	-
Black	-	-	-	-	-
Southeast Fairbanks	17	25	3	-	1
White	14	20	3	-	1
All other	3	5	-	-	-
Black	-	-	-	-	-
Valdez-Cordova	55	53	3	2	-
White	45	36	3	2	-
All other	10	17	-	-	-
Black	-	1	-	-	-
Wade Hampton	15	26	2	-	1
White	-	2	1	-	-
All other	15	24	1	-	1
Black	-	-	-	-	-
Wrangell-Petersburg	24	39	5	5	1
White	20	29	3	3	-
All other	4	10	2	2	1
Black	-	1	-	-	-
Yukon-Koyukuk	41	48	5	1	2
White	16	14	-	-	-
All other	25	34	5	1	2
Black	-	-	-	-	-
Arizona	23,209	22,593	511	314	378
White	21,709	21,018	402	255	293
All other	1,500	1,575	109	59	85
Black	610	605	48	29	29
Apache	210	307	21	11	18
White	47	65	6	1	5
All other	163	242	15	10	13
Black	1	1	-	-	-
Cochise	590	714	22	16	14
Douglas	---	130	2	2	3
White	---	127	1	1	3
All other	---	3	1	1	-
Black	---	2	-	-	-
Sierra Vista	---	106	8	6	3
White	---	98	4	3	3
All other	---	8	4	3	-
Black	---	7	4	3	-
Balance of county	---	478	12	8	8
White	---	468	11	7	7
All other	---	10	1	1	1
Black	---	5	-	-	-
Coconino	389	329	19	11	16
White	272	227	13	8	8
All other	117	102	6	3	8
Black	7	6	-	-	2
Flagstaff	---	118	8	4	9
White	---	105	7	3	6
All other	---	13	1	1	3
Black	---	6	-	-	2
Balance of county	---	211	11	7	7
White	---	122	6	5	2
All other	---	89	5	2	5
Black	---	-	-	-	-
Gila	305	383	5	2	7
White	277	340	4	1	5
All other	28	43	1	1	2
Black	2	-	-	-	-
Graham	154	188	3	2	4
White	144	177	2	2	4
All other	10	11	1	-	-
Black	3	2	-	-	-
Greenlee	39	61	-	-	1
Maricopa	13,450	12,455	269	166	172
White	12,769	11,904	232	144	147
All other	681	551	37	22	25
Black	412	404	28	17	19
Chandler	---	211	10	8	5
White	---	198	10	8	5
All other	---	13	-	-	-
Black	---	7	-	-	-
Glendale	---	669	26	16	16
White	---	657	26	16	15
All other	---	12	-	-	1
Black	---	6	-	-	1
Mesa	---	1,359	19	12	29
White	---	1,345	18	11	27
All other	---	14	1	1	2
Black	---	7	1	1	1
Paradise Valley	---	24	1	-	-
Peoria	---	213	2	1	3
White	---	212	2	1	3
All other	---	1	-	-	-
Black	---	-	-	-	-
Phoenix	---	6,011	171	106	89
White	---	5,597	138	86	68
All other	---	414	33	20	21
Black	---	360	25	16	16
Scottsdale	---	1,034	7	5	6
Tempe	---	488	10	5	6
Balance of county	---	2,466	23	13	18
White	---	2,392	20	12	17
All other	---	74	3	1	1
Black	---	17	2	-	1
Mohave	495	652	10	5	9
Lake Havasu City	---	102	2	-	1
Balance of county	---	550	8	5	8
Navajo	292	397	22	8	18
White	191	219	5	2	6
All other	101	178	17	6	12
Black	8	11	-	-	1
Pima	5,063	4,527	87	57	73
White	4,803	4,277	68	48	58
All other	260	250	19	9	15
Black	120	114	13	7	7
Tucson	---	3,234	65	40	58
White	---	3,081	51	34	45
All other	---	153	14	6	13
Black	---	106	12	6	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Balance of county	---	1,293	22	17	15
White	---	1,196	17	14	13
All other	---	97	5	3	2
Black	---	8	1	1	-
Pinal	486	775	19	17	14
White	438	682	15	14	8
All other	48	93	4	3	6
Black	17	23	2	2	-
Casa Grande	---	119	8	8	2
White	---	112	8	8	2
All other	---	6	-	-	-
Black	---	5	-	-	-
Balance of county	---	657	11	9	12
White	---	570	7	6	6
All other	---	87	4	3	6
Black	---	18	2	2	-
Santa Cruz	99	138	3	2	4
Nogales	---	97	2	2	2
White	---	95	2	2	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Balance of county	---	41	1	-	2
White	---	40	1	-	2
All other	---	1	-	-	-
Black	---	-	-	-	-
Yavapai	869	957	11	6	8
Prescott	---	378	6	3	3
Balance of county	---	579	5	3	5
Yuma [2]	768	710	20	11	20
Yuma	---	391	10	5	13
White	---	373	10	5	13
All other	---	18	-	-	-
Black	---	17	-	-	-
Balance of county	---	319	10	6	7
White	---	289	9	6	6
All other	---	30	1	-	1
Black	---	8	-	-	-
Arkansas	23,063	23,154	373	216	256
White	19,203	19,255	237	146	168
All other	3,860	3,899	136	70	88
Black	3,801	3,874	132	67	87
Arkansas	308	301	4	2	2
White	228	223	3	1	2
All other	80	78	1	1	-
Black	80	77	1	1	-
Stuttgart	---	129	4	2	1
White	---	91	3	1	1
All other	---	38	1	1	-
Black	---	38	1	1	-
Balance of county	---	172	-	-	1
White	---	132	-	-	1
All other	---	40	-	-	-
Black	---	39	-	-	-
Ashley	166	259	4	4	1
White	117	182	2	2	-
All other	49	77	2	2	1
Black	49	77	2	2	1
Baxter	379	432	3	1	1
Benton	773	792	17	10	12
Rogers	---	214	7	6	2
Springdale, part	---	2	-	-	1
Balance of county	---	576	10	4	9
Boone	357	294	3	2	3
Bradley	156	181	3	1	1
White	112	128	-	-	1
All other	44	53	3	1	-
Black	44	53	3	1	-
Calhoun	41	66	-	-	-
White	29	45	-	-	-
All other	12	21	-	-	-
Black	12	21	-	-	-
Carroll	158	199	2	-	2
Chicot	203	190	8	3	2
White	87	73	2	2	1
All other	116	117	6	1	1
Black	116	117	6	1	1
Clark	164	240	-	-	4
White	145	185	-	-	3
All other	39	55	-	-	1
Black	39	55	-	-	1
Arkadelphia	---	96	-	-	1
White	---	75	-	-	-
All other	---	21	-	-	1
Black	---	21	-	-	1
Arkansas-Con.					
Balance of county	---	144	-	-	3
White	---	110	-	-	3
All other	---	34	-	-	-
Black	---	34	-	-	-
Clay	169	265	3	2	2
Clebume	160	201	3	2	1
Cleveland	19	91	2	1	-
White	19	81	2	1	-
All other	-	10	-	-	-
Black	-	10	-	-	-
Columbia	229	288	10	7	6
White	150	186	3	3	1
All other	79	102	7	4	5
Black	78	101	7	4	5
Magnolia	---	102	2	1	1
White	---	78	-	-	-
All other	---	24	2	1	1
Black	---	23	2	1	1
Balance of county	---	186	8	6	5
White	---	108	3	3	1
All other	---	78	5	3	4
Black	---	78	5	3	4
Conway	200	209	-	-	4
White	161	167	-	-	4
All other	39	42	-	-	-
Black	36	42	-	-	-
Craighead	737	569	8	6	5
Jonesboro	---	287	5	4	3
Balance of county	---	282	3	2	2
Crawford	261	359	2	1	3
Van Buren	---	153	1	1	-
Balance of county	---	206	1	-	3
Crittenden	369	426	12	6	7
White	177	207	3	3	2
All other	192	219	9	3	5
Black	192	219	9	3	5
West Memphis	---	228	5	3	5
White	---	118	2	2	2
All other	---	110	3	1	3
Black	---	110	3	1	3
Balance of county	---	198	7	3	2
White	---	89	1	1	-
All other	---	109	6	2	2
Black	---	109	6	2	2
Cross	150	198	5	4	4
White	105	143	2	1	3
All other	45	55	3	3	1
Black	45	55	3	3	1
Dallas	107	137	-	-	-
White	70	91	-	-	-
All other	37	46	-	-	-
Black	37	46	-	-	-
Desha	185	198	3	-	2
White	88	93	1	-	-
All other	97	105	2	-	2
Black	97	105	2	-	2
Drew	115	155	1	-	5
White	85	116	1	-	3
All other	30	39	-	-	2
Black	30	39	-	-	2
Faulkner	311	385	4	3	2
Conway	---	168	-	-	1
Balance of county	---	217	4	3	1
Franklin	119	154	2	1	1
Fulton	140	102	1	-	-
Garland	1,036	1,008	11	8	7
Hot Springs	---	723	5	3	3
White	---	648	4	2	3
All other	---	75	1	1	-
Black	---	74	1	1	-
Balance of county	---	285	6	5	4
Grant	56	134	1	1	-
Greene	328	323	3	2	5
Paragould	---	176	1	-	2
Balance of county	---	147	2	2	3
Hempstead	189	265	8	3	4
White	140	198	3	2	3
All other	49	67	5	1	1
Black	49	67	5	1	1
Hope	---	135	1	1	3
White	---	105	-	-	3
All other	---	30	1	1	-
Black	---	30	1	1	-
Balance of county	---	130	7	2	1
White	---	93	3	2	-
All other	---	37	4	-	1
Black	---	37	4	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Hot Spring	237	289	3	3	1
White	217	266	2	2	1
All other	20	23	1	1	-
Black	20	23	1	1	-
Malvern	---	150	3	3	-
White	---	134	2	2	-
All other	---	16	1	1	-
Black	---	16	1	1	-
Balance of county	---	139	-	-	1
Howard	149	167	2	2	1
White	111	134	1	1	1
All other	38	33	1	1	-
Black	37	32	1	1	-
Independence	331	317	5	4	2
Izard	106	165	-	-	1
Jackson	211	231	4	2	2
White	170	186	3	2	2
All other	41	45	1	-	-
Black	41	45	1	-	-
Jefferson	883	869	20	12	6
White	526	514	5	4	1
All other	357	355	15	8	5
Black	356	353	15	8	5
Pine Bluff	---	654	14	9	5
White	---	382	2	2	-
All other	---	272	12	7	5
Black	---	270	12	7	5
Balance of county	---	215	6	3	1
White	---	132	3	2	1
All other	---	83	3	1	-
Black	---	83	3	1	-
Johnson	158	213	2	1	1
Lafayette	100	125	1	1	2
White	62	79	-	-	1
All other	38	46	1	1	1
Black	38	46	1	1	1
Lawrence	157	220	-	-	2
Lee	117	172	3	1	4
White	37	72	1	1	1
All other	80	100	2	-	3
Black	80	100	2	-	3
Lincoln	35	115	1	1	1
White	22	76	-	-	-
All other	13	39	1	1	1
Black	13	39	1	1	1
Little River	81	123	2	2	2
White	60	89	-	-	1
All other	21	34	2	2	1
Black	21	34	2	2	1
Logan	169	238	2	1	1
Lonoke	134	341	7	3	8
White	115	302	7	3	8
All other	19	39	-	-	-
Black	19	39	-	-	-
Madison	81	114	1	1	3
Marion	148	126	-	-	1
Miller	515	375	6	2	7
White	399	285	5	2	4
All other	116	90	1	-	3
Black	116	90	1	-	3
Texarkana [3]	---	262	4	2	3
White	---	193	4	2	1
All other	---	69	-	-	2
Black	---	69	-	-	2
Balance of county	---	113	2	-	4
White	---	92	1	-	3
All other	---	21	1	-	1
Black	---	21	1	-	1
Mississippi	482	570	17	11	3
White	330	395	8	7	2
All other	152	175	9	4	1
Black	152	175	9	4	1
Blytheville	---	239	6	4	1
White	---	147	3	3	-
All other	---	92	3	1	1
Black	---	92	3	1	1
Balance of county	---	331	11	7	2
White	---	248	5	4	2
All other	---	83	6	3	-
Black	---	83	6	3	-
Monroe	135	187	1	1	1
White	81	104	1	1	-
All other	54	83	-	-	1
Black	54	83	-	-	1
Montgomery	31	123	1	-	-
Arkansas-Con.					
Nevada	141	152	1	-	1
White	101	113	-	-	-
All other	40	39	1	-	1
Black	40	39	1	-	1
Newton	21	79	3	2	-
Ouachita	327	371	6	3	3
White	214	241	2	2	-
All other	113	130	4	1	3
Black	113	130	4	1	3
Camden	---	197	2	-	3
White	---	129	-	-	-
All other	---	68	2	-	3
Black	---	68	2	-	3
Balance of county	---	174	4	3	-
White	---	112	2	2	-
All other	---	62	2	1	-
Black	---	62	2	1	-
Perry	28	89	1	-	-
Phillips	350	404	10	7	6
White	138	171	3	1	-
All other	212	233	7	6	6
Black	212	233	7	6	6
West Helena	---	115	3	2	-
White	---	56	2	1	-
All other	---	59	1	1	-
Black	---	59	1	1	-
Balance of county	---	289	7	5	6
White	---	115	1	-	-
All other	---	174	6	5	6
Black	---	174	6	5	6
Pike	97	108	1	-	-
Poinsett	95	259	5	2	1
Polk	159	191	4	3	2
Pope	343	356	5	1	9
Russellville	---	144	2	1	5
Balance of county	---	212	3	-	4
Prairie	48	109	-	-	1
White	40	89	-	-	1
All other	8	20	-	-	-
Black	8	20	-	-	-
Pulaski	4,708	2,835	59	39	39
White	3,739	2,183	34	24	19
All other	969	652	25	15	20
Black	963	650	25	15	20
Jacksonville	---	140	5	5	7
White	---	132	5	5	6
All other	---	8	-	-	1
Black	---	8	-	-	1
Little Rock	---	1,700	29	18	17
White	---	1,288	14	11	6
All other	---	412	15	7	11
Black	---	411	15	7	11
North Little Rock	---	659	14	10	10
White	---	507	8	5	5
All other	---	152	6	5	5
Black	---	152	6	5	5
Sherwood	---	40	1	-	-
Balance of county	---	296	10	6	5
White	---	216	6	3	2
All other	---	80	4	3	3
Black	---	79	4	3	3
Randolph	112	156	3	2	3
St. Francis	253	306	9	2	13
White	130	160	2	1	1
All other	123	146	7	1	12
Black	122	144	7	1	12
Forrest City	---	140	5	2	9
White	---	79	2	1	1
All other	---	61	3	1	8
Black	---	60	3	1	8
Balance of county	---	166	4	-	4
White	---	81	-	-	-
All other	---	85	4	-	4
Black	---	84	4	-	4
Saline	257	360	4	2	7
Benton	---	173	1	-	3
Balance of county	---	187	3	2	4
Scott	72	116	-	-	1
Searcy	41	107	1	-	1
Sebastian	1,376	853	16	9	7
Fort Smith	---	687	15	9	5
Balance of county	---	166	1	-	2
Sevier	199	178	1	-	-
Sharp	105	207	2	1	1
Stone	79	108	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	577	543	9	4	7
White	419	396	2	-	2
All other	158	147	7	4	5
Black	158	147	7	4	5
El Dorado	---	303	7	3	3
White	---	216	1	-	1
All other	---	87	6	3	2
Black	---	87	6	3	2
Balance of county	---	240	2	1	4
White	---	180	1	-	1
All other	---	60	1	1	3
Black	---	60	1	1	3
Van Buren	108	133	2	2	-
Washington	963	760	14	9	7
Fayetteville	---	259	4	4	3
Springdale, part	---	204	3	2	1
Springdale, total	---	206	3	2	2
Balance of county	---	297	7	3	3
White	489	520	11	8	6
Searcy	---	136	-	-	1
Balance of county	---	384	11	8	5
Woodruff	87	150	1	-	1
White	62	97	-	-	-
All other	25	53	1	-	1
Black	25	53	1	-	1
Yell	163	205	2	1	4
California	189,118	188,442	4,233	2,722	3,027
White	169,458	168,801	3,226	2,050	2,297
All other	19,660	19,641	1,007	672	730
Black	13,777	13,790	747	505	459
Alameda	9,498	9,013	185	104	114
White	7,412	6,999	97	48	58
All other	2,086	2,014	88	56	56
Black	1,704	1,648	69	44	34
Alameda	---	594	14	7	1
White	---	551	10	5	1
All other	---	43	4	2	-
Black	---	18	2	-	-
Albany	---	143	1	-	3
White	---	131	1	-	2
All other	---	12	-	-	1
Black	---	8	-	-	-
Berkeley	---	741	8	3	9
White	---	461	4	2	3
All other	---	280	4	1	6
Black	---	233	3	1	5
Fremont	---	651	18	10	10
White	---	609	15	9	8
All other	---	42	3	1	2
Black	---	13	3	1	-
Hayward	---	1,102	24	11	10
White	---	1,016	20	8	8
All other	---	86	4	3	2
Black	---	46	1	1	1
Livermore	---	297	5	1	4
Newark	---	112	5	3	6
White	---	106	3	1	5
All other	---	6	2	2	1
Black	---	4	1	1	-
Oakland	---	3,345	79	52	51
White	---	1,917	17	12	16
All other	---	1,428	62	40	35
Black	---	1,267	53	36	25
Piedmont	---	105	1	-	-
Pleasanton	---	149	1	1	-
San Leandro	---	948	9	5	4
White	---	917	8	4	2
All other	---	31	1	1	2
Black	---	9	-	-	2
Union City	---	180	11	4	7
White	---	156	9	3	2
All other	---	24	2	1	5
Black	---	17	2	1	1
Balance of county	---	646	9	7	9
White	---	604	4	3	8
All other	---	42	5	4	1
Black	---	27	4	3	-
Alpine	10	12	-	-	-
White	10	10	-	-	-
All other	-	2	-	-	-
Black	-	-	-	-	-
Amador	227	249	4	1	2
Butte	1,657	1,591	22	9	20
Chico	---	457	9	6	4
Paradise	---	399	3	1	4
Balance of county	---	735	10	2	12
California-Con.					
Calaveras	193	240	4	3	1
Colusa	115	155	3	1	2
Contra Costa	4,699	4,830	91	55	69
White	4,179	4,290	70	41	46
All other	520	540	21	14	23
Black	426	431	18	12	15
Antioch	---	261	7	4	2
White	---	257	7	4	2
All other	---	4	-	-	-
Black	---	1	-	-	-
Concord	---	646	20	11	10
El Cerrito	---	239	-	-	2
White	---	210	-	-	1
All other	---	29	-	-	1
Black	---	17	-	-	-
Lafayette	---	162	2	2	-
Martinez	---	235	3	3	3
Moraga Town	---	68	-	-	-
Pinole	---	52	-	-	2
White	---	47	-	-	2
All other	---	5	-	-	-
Black	---	2	-	-	-
Pittsburg	---	337	10	7	9
White	---	268	7	4	5
All other	---	69	3	3	4
Black	---	61	3	3	3
Pleasant Hill	---	180	2	1	3
Richmond	---	769	16	7	18
White	---	444	8	3	5
All other	---	325	8	4	13
Black	---	298	8	4	11
San Pablo	---	266	9	7	6
White	---	238	4	3	5
All other	---	28	5	4	1
Black	---	23	5	4	1
Walnut Creek	---	742	1	1	1
Balance of county	---	873	21	12	13
White	---	831	16	9	11
All other	---	42	5	3	2
Black	---	19	2	1	-
Del Norte	188	195	3	1	2
El Dorado	503	605	21	12	5
South Lake Tahoe	---	114	7	4	1
Balance of county	---	491	14	8	4
Fresno	4,398	3,995	114	76	79
White	4,025	3,643	87	61	67
All other	373	352	27	15	12
Black	238	230	18	13	8
Clovis	---	254	4	3	8
White	---	249	4	3	7
All other	---	5	-	-	1
Black	---	2	-	-	1
Fresno	---	2,640	77	48	49
White	---	2,365	51	34	39
All other	---	275	26	14	10
Black	---	202	18	13	6
Reedley	---	138	4	2	3
White	---	130	4	2	3
All other	---	8	-	-	-
Black	---	-	-	-	-
Sanger	---	153	3	1	5
White	---	147	3	1	5
All other	---	6	-	-	-
Black	---	-	-	-	-
Selma	---	139	4	3	2
White	---	130	3	2	2
All other	---	9	1	1	-
Black	---	5	-	-	-
Balance of county	---	671	22	19	12
White	---	622	22	19	11
All other	---	49	-	-	1
Black	---	21	-	-	1
Glenn	119	215	4	3	5
Humboldt	1,000	1,013	23	11	11
Arcata	---	113	3	1	-
Eureka	---	436	9	7	5
Balance of county	---	464	11	3	6
Imperial	689	727	14	12	17
Brawley	---	150	3	3	3
White	---	141	3	3	3
All other	---	9	-	-	-
Black	---	4	-	-	-
Calexico	---	80	4	4	1
White	---	76	3	3	1
All other	---	4	1	1	-
Black	---	-	-	-	-
El Centro	---	203	3	1	7
White	---	185	3	1	5
All other	---	18	-	-	2
Black	---	8	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Balance of county	---	294	4	4	6
White	---	272	4	4	5
All other	---	22	-	-	1
Black	---	4	-	-	-
Inyo	189	175	2	-	6
Kern	3,190	3,363	113	76	78
White	2,898	3,070	101	66	68
All other	292	293	12	10	10
Black	236	241	9	7	8
Bakersfield	---	1,945	67	47	40
White	---	1,740	59	41	34
All other	---	205	8	6	6
Black	---	191	7	5	5
Delano	---	148	6	5	2
White	---	95	5	4	1
All other	---	53	1	1	1
Black	---	19	1	1	-
Ridgecrest	---	137	2	1	1
Balance of county	---	1,133	38	23	35
White	---	1,100	35	20	32
All other	---	33	3	3	3
Black	---	29	1	1	3
Kings	472	551	19	12	9
Hanford	---	305	6	4	2
White	---	287	6	4	2
All other	---	18	-	-	-
Black	---	15	-	-	-
Balance of county	---	246	13	8	7
White	---	218	11	7	7
All other	---	28	2	1	-
Black	---	24	1	1	-
Lake	392	618	6	2	8
Lassen	129	185	4	1	2
Los Angeles	60,872	59,561	1,457	1,011	997
White	51,570	50,277	994	686	697
All other	9,302	9,284	463	325	300
Black	7,414	7,427	389	273	214
Alhambra	---	656	10	8	7
White	---	620	9	7	6
All other	---	36	1	1	1
Black	---	3	-	-	-
Arcadia	---	501	4	3	2
Artesia	---	101	1	-	3
White	---	98	-	-	3
All other	---	3	1	-	-
Black	---	1	-	-	-
Azusa	---	243	8	4	5
White	---	237	7	4	4
All other	---	6	1	-	1
Black	---	3	1	-	-
Baldwin Park	---	325	12	7	10
White	---	313	12	7	10
All other	---	12	-	-	-
Black	---	4	-	-	-
Bell	---	217	8	6	6
White	---	211	8	6	5
All other	---	6	-	-	1
Black	---	2	-	-	1
Bellflower	---	518	14	6	8
White	---	495	11	4	8
All other	---	23	3	2	-
Black	---	9	1	1	-
Bell Gardens	---	193	10	8	7
White	---	184	9	7	7
All other	---	9	1	1	-
Black	---	4	-	-	-
Beverly Hills	---	418	3	3	2
Burbank	---	884	9	5	10
White	---	871	8	4	9
All other	---	13	1	1	1
Black	---	5	1	1	-
Carson	---	456	15	12	7
White	---	319	6	6	1
All other	---	137	9	6	6
Black	---	92	6	4	3
Cerritos	---	150	3	2	2
White	---	114	2	2	1
All other	---	36	1	-	1
Black	---	11	-	-	-
Claremont	---	233	4	3	3
White	---	220	4	3	1
All other	---	13	-	-	2
Black	---	9	-	-	-
Commerce	---	47	3	1	2
White	---	44	2	1	1
All other	---	3	1	-	1
Black	---	2	1	-	-
California-Con.					
Compton	---	696	48	36	35
White	---	166	11	10	6
All other	---	530	37	26	29
Black	---	519	37	26	29
Covina	---	434	7	6	9
Cudahy	---	111	7	3	6
White	---	108	7	3	5
All other	---	3	-	-	1
Black	---	3	-	-	1
Culver City	---	364	2	1	2
White	---	328	2	1	1
All other	---	36	-	-	1
Black	---	16	-	-	-
Downey	---	713	11	7	8
White	---	696	9	5	6
All other	---	17	2	2	2
Black	---	3	-	-	-
Duarte	---	181	7	5	7
White	---	159	5	5	4
All other	---	22	2	-	3
Black	---	19	2	-	3
El Monte	---	588	27	20	22
White	---	576	27	20	22
All other	---	12	-	-	-
Black	---	4	-	-	-
El Segundo	---	103	-	-	-
Gardena	---	522	13	11	10
White	---	387	7	6	3
All other	---	135	6	5	7
Black	---	53	5	4	5
Glendale	---	1,413	19	13	11
White	---	1,389	18	12	11
All other	---	24	1	1	-
Black	---	5	-	-	-
Glendora	---	324	1	1	6
Hawaiian Gardens	---	48	-	-	2
White	---	46	-	-	-
All other	---	2	-	-	2
Black	---	-	-	-	-
Hawthorne	---	455	6	5	8
White	---	423	6	5	5
All other	---	32	-	-	3
Black	---	17	-	-	2
Hermosa Beach	---	93	-	-	2
Huntington Park	---	393	20	12	12
White	---	384	19	11	12
All other	---	9	1	1	-
Black	---	4	-	-	-
Inglewood	---	769	31	21	18
White	---	499	13	10	6
All other	---	270	18	11	12
Black	---	263	18	11	12
La Canada Flintridge	---	58	1	-	3
Lakewood	---	492	7	6	6
White	---	477	7	6	6
All other	---	15	-	-	-
Black	---	7	-	-	-
La Mirada	---	222	5	3	3
White	---	214	5	3	3
All other	---	8	-	-	-
Black	---	6	-	-	-
Lancaster	---	523	11	6	6
La Puente	---	370	15	10	8
White	---	345	12	8	7
All other	---	25	3	2	1
Black	---	13	2	2	-
La Verne	---	205	-	-	1
White	---	201	-	-	1
All other	---	4	-	-	-
Black	---	1	-	-	-
Lawndale	---	167	2	2	2
White	---	160	2	2	2
All other	---	7	-	-	-
Black	---	1	-	-	-
Lomita	---	184	2	1	2
White	---	179	2	1	2
All other	---	5	-	-	-
Black	---	1	-	-	-
Long Beach	---	3,946	95	68	55
White	---	3,623	60	43	32
All other	---	323	35	25	23
Black	---	231	28	21	13
Los Angeles	---	26,655	648	455	428
White	---	20,140	395	279	282
All other	---	6,415	253	176	146
Black	---	5,458	221	153	118
Lynwood	---	317	15	14	14
White	---	247	4	4	11
All other	---	70	11	10	3
Black	---	62	11	10	3
Manhattan Beach	---	184	4	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Maywood	---	135	6	6	6
White	---	132	6	6	6
All other	---	3	-	-	-
Black	---	2	-	-	-
Monrovia	---	317	8	7	5
White	---	286	5	4	4
All other	---	31	3	3	1
Black	---	29	3	3	1
Montebello	---	364	10	6	5
White	---	331	10	6	4
All other	---	33	-	-	1
Black	---	3	-	-	1
Monterey Park	---	327	4	2	3
White	---	247	2	1	3
All other	---	80	2	1	-
Black	---	-	-	-	-
Norwalk	---	551	13	6	10
White	---	530	13	6	8
All other	---	21	-	-	2
Black	---	8	-	-	-
Palmdale	---	240	8	4	6
White	---	230	7	4	6
All other	---	10	1	-	-
Black	---	8	1	-	-
Palos Verdes Estates	---	78	-	-	1
Paramount	---	250	11	7	9
White	---	238	8	4	9
All other	---	12	3	3	-
Black	---	6	2	2	-
Pasadena	---	1,391	30	21	17
White	---	1,185	17	14	11
All other	---	206	13	7	6
Black	---	178	11	6	6
Pico Rivera	---	342	9	2	9
White	---	340	9	2	8
All other	---	2	-	-	1
Black	---	-	-	-	-
Pomona	---	745	33	25	15
White	---	641	21	17	6
All other	---	104	12	8	9
Black	---	94	12	8	9
Rancho Palos Verdes	---	160	-	-	2
White	---	148	-	-	2
All other	---	12	-	-	-
Black	---	4	-	-	-
Redondo Beach	---	391	6	4	6
White	---	386	5	3	5
All other	---	5	1	1	1
Black	---	2	-	-	-
Rosemead	---	364	12	8	7
White	---	348	10	6	7
All other	---	16	2	2	-
Black	---	-	-	-	-
San Dimas	---	165	1	-	3
White	---	157	1	-	3
All other	---	8	-	-	-
Black	---	2	-	-	-
San Fernando	---	222	10	6	9
White	---	206	10	6	9
All other	---	16	-	-	-
Black	---	15	-	-	-
San Gabriel	---	428	10	7	4
White	---	417	8	5	4
All other	---	11	2	2	-
Black	---	1	-	-	-
San Marino	---	114	-	-	-
Santa Fe Springs	---	73	2	1	-
White	---	70	2	1	-
All other	---	3	-	-	-
Black	---	2	-	-	-
Santa Monica	---	990	7	6	2
White	---	947	6	5	-
All other	---	43	1	1	2
Black	---	24	1	1	-
Sierra Madre	---	98	-	-	1
South El Monte	---	84	4	2	-
White	---	83	4	2	-
All other	---	1	-	-	-
Black	---	-	-	-	-
South Gate	---	520	9	7	10
White	---	510	7	5	10
All other	---	10	2	2	-
Black	---	8	1	1	-
South Pasadena	---	186	1	1	2
White	---	175	1	1	2
All other	---	11	-	-	-
Black	---	1	-	-	-
Temple City	---	330	4	3	3
White	---	327	4	3	2
All other	---	3	-	-	1
Black	---	-	-	-	-
Torrance	---	1,059	16	8	17
White	---	1,006	15	8	15
All other	---	53	1	-	2
Black	---	9	-	-	-
West Covina	---	485	15	13	16
White	---	452	12	10	8
All other	---	33	3	3	8
Black	---	15	3	3	3
Whittier	---	1,079	29	17	25
White	---	1,067	29	17	18
All other	---	12	-	-	7
Black	---	1	-	-	-
Balance of county	---	2,701	91	65	41
White	---	2,479	67	46	35
All other	---	222	24	19	6
Black	---	159	18	13	2
Madera	392	536	9	6	10
Madera	---	312	7	5	6
White	---	289	6	5	6
All other	---	23	1	-	-
Black	---	21	1	-	-
Balance of county	---	224	2	1	4
White	---	217	2	1	4
All other	---	7	-	-	-
Black	---	6	-	-	-
Marin	1,660	1,931	24	14	22
White	1,621	1,777	16	10	17
All other	39	154	8	4	5
Black	26	127	6	2	4
Larkspur	---	45	-	-	1
Mill Valley	---	225	1	1	2
Novato	---	565	13	8	9
San Anselmo	---	115	-	-	1
San Rafael	---	512	3	2	3
Balance of county	---	469	7	3	6
Mariposa	97	131	4	2	-
Mendocino	698	656	13	8	6
Ukiah	---	249	1	-	1
Balance of county	---	407	12	8	5
Merced	831	958	42	28	31
White	776	897	36	24	27
All other	55	61	6	4	4
Black	40	42	3	1	1
Atwater	---	92	5	3	7
White	---	87	4	3	7
All other	---	5	1	-	-
Black	---	5	1	-	-
Los Banos	---	125	5	2	3
White	---	121	5	2	3
All other	---	4	-	-	-
Black	---	3	-	-	-
Merced	---	411	16	10	13
White	---	378	12	7	10
All other	---	33	4	3	3
Black	---	22	1	-	1
Balance of county	---	330	16	13	8
White	---	311	15	12	7
All other	---	19	1	1	1
Black	---	12	1	1	-
Modoc	78	106	1	1	1
Mono	43	39	1	1	2
Monterey	1,969	1,994	58	31	51
White	1,798	1,813	46	27	45
All other	171	181	12	4	6
Black	61	69	6	3	4
Marina	---	80	2	-	3
White	---	63	1	-	3
All other	---	17	1	-	-
Black	---	7	1	-	-
Monterey	---	245	3	-	3
White	---	223	2	-	3
All other	---	22	1	-	-
Black	---	9	-	-	-
Pacific Grove	---	165	1	1	3
Salinas	---	719	22	17	20
White	---	655	20	15	18
All other	---	64	2	2	2
Black	---	9	1	1	2
Seaside	---	187	13	4	11
White	---	127	5	2	7
All other	---	60	8	2	4
Black	---	39	4	2	2
Balance of county	---	598	17	9	11
White	---	582	17	9	11
All other	---	16	-	-	-
Black	---	3	-	-	-
Napa	1,063	889	13	5	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Napa	---	598	9	5	6
Balance of county	---	291	4	-	3
White	---	289	4	-	3
All other	---	2	-	-	-
Black	---	2	-	-	-
Nevada	532	561	9	2	4
Orange	12,190	12,612	310	202	211
White	11,816	12,225	279	181	188
All other	374	387	31	21	23
Black	112	111	13	9	9
Anaheim	---	1,525	42	24	38
White	---	1,472	37	21	35
All other	---	53	5	3	3
Black	---	11	2	-	2
Brea	---	188	4	2	4
Buena Park	---	385	8	4	6
White	---	370	8	4	6
All other	---	15	-	-	-
Black	---	-	-	-	-
Costa Mesa	---	553	10	7	15
White	---	535	7	6	14
All other	---	18	3	1	1
Black	---	7	1	1	-
Cypress	---	206	5	4	5
White	---	199	4	3	4
All other	---	7	1	1	1
Black	---	-	-	-	-
Fountain Valley	---	230	5	5	2
White	---	212	5	5	2
All other	---	18	-	-	-
Black	---	2	-	-	-
Fullerton	---	660	12	8	4
White	---	650	12	8	3
All other	---	10	-	-	1
Black	---	4	-	-	-
Garden Grove	---	828	21	15	12
White	---	797	19	13	11
All other	---	31	2	2	1
Black	---	2	-	-	-
Huntington Beach	---	937	25	13	15
White	---	910	22	11	13
All other	---	27	3	2	2
Black	---	6	3	2	1
Irvine	---	243	6	6	7
White	---	230	5	5	6
All other	---	13	1	1	1
Black	---	4	1	1	-
Laguna Beach	---	266	2	1	1
La Habra	---	344	13	11	6
White	---	335	13	11	5
All other	---	9	-	-	1
Black	---	2	-	-	-
La Palma	---	51	2	2	1
White	---	47	2	2	1
All other	---	4	-	-	-
Black	---	1	-	-	-
Los Alamitos	---	139	2	-	2
White	---	137	2	-	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Newport Beach	---	467	3	2	2
Orange	---	644	14	9	12
White	---	625	13	8	12
All other	---	19	1	1	-
Black	---	4	1	1	-
Placentia	---	147	7	5	1
White	---	137	5	3	1
All other	---	10	2	2	-
Black	---	2	1	1	-
San Clemente	---	242	8	6	5
San Juan Capistrano	---	148	3	1	1
Santa Ana	---	1,367	62	38	47
White	---	1,293	53	33	42
All other	---	74	9	5	5
Black	---	42	3	2	2
Seal Beach	---	497	1	1	-
Stanton	---	176	5	2	5
White	---	172	4	2	4
All other	---	4	1	-	1
Black	---	2	-	-	1
Tustin	---	270	11	8	5
White	---	263	11	8	1
All other	---	7	-	-	4
Black	---	5	-	-	2
Westminster	---	433	13	10	5
White	---	408	12	9	4
All other	---	25	1	1	1
Black	---	2	-	-	-
Yorba Linda	---	126	3	2	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Balance of county	---	1,540	23	16	10
White	---	1,527	23	16	10
All other	---	13	-	-	-
Black	---	5	-	-	-
Placer	1,096	1,004	16	8	13
Roseville	---	294	5	3	1
Balance of county	---	710	11	5	12
Plumas	134	151	1	-	-
Riverside	6,240	7,007	141	91	105
White	5,939	6,656	122	79	90
All other	301	351	19	12	15
Black	248	279	14	11	14
Banning	---	222	5	3	4
White	---	198	5	3	4
All other	---	24	-	-	-
Black	---	16	-	-	-
Corona	---	308	11	9	9
White	---	304	11	9	8
All other	---	4	-	-	1
Black	---	2	-	-	1
Hemet	---	1,124	6	5	5
Indio	---	227	9	6	4
White	---	208	7	5	4
All other	---	19	2	1	-
Black	---	17	1	1	-
Norco	---	89	3	1	5
White	---	87	2	1	4
All other	---	2	1	-	1
Black	---	1	-	-	1
Palm Desert	---	188	-	-	-
Palm Springs	---	504	7	4	5
White	---	486	6	3	5
All other	---	18	1	1	-
Black	---	14	1	1	-
Riverside	---	1,595	46	30	29
White	---	1,478	38	24	23
All other	---	117	8	6	6
Black	---	98	7	5	5
Balance of county	---	2,750	54	33	44
White	---	2,587	47	29	37
All other	---	163	7	4	7
Black	---	130	5	4	7
Sacramento	6,439	6,191	130	76	100
White	5,859	5,600	94	51	72
All other	580	591	36	25	28
Black	357	384	25	19	17
Folsom	---	115	2	1	3
White	---	115	2	1	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Sacramento	---	4,310	91	57	66
White	---	3,803	60	36	40
All other	---	507	31	21	26
Black	---	337	22	16	15
Balance of county	---	1,766	37	18	31
White	---	1,682	32	14	29
All other	---	84	5	4	2
Black	---	47	3	3	2
San Benito	149	211	4	1	2
Hollister	---	150	4	1	2
White	---	146	4	1	2
All other	---	4	-	-	-
Black	---	1	-	-	-
Balance of county	---	61	-	-	-
White	---	57	-	-	-
All other	---	4	-	-	-
Black	---	-	-	-	-
San Bernardino	8,015	7,312	202	135	131
White	7,597	6,951	168	111	111
All other	418	361	34	24	20
Black	330	291	31	22	17
Barstow	---	205	13	10	4
White	---	179	9	8	3
All other	---	26	4	2	1
Black	---	20	4	2	1
Chino	---	271	12	9	12
White	---	268	12	9	12
All other	---	3	-	-	-
Black	---	3	-	-	-
Colton	---	213	5	2	4
White	---	209	4	2	3
All other	---	4	1	-	1
Black	---	4	1	-	1
Fontana	---	516	19	11	8
White	---	482	18	10	6
All other	---	34	1	1	2
Black	---	28	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Loma Linda	---	107	1	1	-
White	---	100	1	1	-
All other	---	7	-	-	-
Black	---	2	-	-	-
Montclair	---	136	4	2	2
White	---	128	4	2	1
All other	---	8	-	-	1
Black	---	7	-	-	-
Ontario	---	576	20	11	12
White	---	551	19	10	11
All other	---	25	1	1	1
Black	---	16	-	-	-
Rancho Cucamonga	---	150	7	6	8
White	---	147	5	4	8
All other	---	3	2	2	-
Black	---	3	2	2	-
Redlands	---	362	6	5	1
White	---	352	4	4	-
All other	---	10	2	1	1
Black	---	6	1	1	1
Rialto	---	305	14	11	8
White	---	275	7	5	6
All other	---	30	7	6	2
Black	---	28	7	6	2
San Bernardino	---	1,335	38	24	27
White	---	1,192	24	14	18
All other	---	143	14	10	9
Black	---	130	13	9	8
Upland	---	368	7	5	1
White	---	358	7	5	1
All other	---	10	-	-	-
Black	---	5	-	-	-
Victorville	---	208	8	6	4
White	---	192	8	6	3
All other	---	16	-	-	1
Black	---	13	-	-	1
Balance of county	---	2,560	48	32	40
White	---	2,518	46	31	39
All other	---	42	2	1	1
Black	---	26	2	1	1
San Diego	14,408	14,061	306	193	260
White	13,570	13,231	228	143	192
All other	838	830	78	50	68
Black	546	545	63	40	42
Carlsbad	---	266	3	1	5
White	---	263	2	1	5
All other	---	3	1	-	-
Black	---	1	1	-	-
Chula Vista	---	831	18	10	13
White	---	796	11	5	12
All other	---	35	7	5	1
Black	---	17	7	5	1
Coronado	---	151	-	-	1
El Cajon	---	912	11	6	22
Escondido	---	845	12	5	13
White	---	835	11	5	12
All other	---	10	1	-	1
Black	---	1	-	-	1
Imperial Beach	---	104	10	5	12
White	---	99	8	4	10
All other	---	5	2	1	2
Black	---	4	2	1	2
La Mesa	---	563	9	4	6
Lemon Grove	---	180	1	-	3
White	---	180	1	-	2
All other	---	-	-	-	1
Black	---	-	-	-	1
National City	---	309	13	8	5
White	---	288	8	6	2
All other	---	21	5	2	3
Black	---	7	4	2	1
Oceanside	---	680	26	20	22
White	---	644	20	15	16
All other	---	36	6	5	6
Black	---	22	6	5	3
San Diego	---	6,395	141	94	116
White	---	5,776	92	61	70
All other	---	619	49	33	46
Black	---	460	39	26	29
San Marcos	---	253	4	3	4
Vista	---	467	8	7	2
White	---	459	7	7	2
All other	---	8	1	-	-
Black	---	3	1	-	-
Balance of county	---	2,105	50	30	36
White	---	2,037	46	27	31
All other	---	68	4	3	5
Black	---	22	2	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
San Francisco, coext. with San Francisco city	7,860	7,505	103	70	66
White	5,964	5,716	57	38	26
All other	1,896	1,789	46	32	40
Black	905	848	28	18	18
San Joaquin	3,038	3,213	72	47	56
White	2,648	2,808	50	31	35
All other	390	405	22	16	21
Black	203	209	7	4	11
Lodi	---	460	3	3	6
Manteca	---	244	4	3	4
White	---	242	3	2	4
All other	---	2	1	1	-
Black	---	-	-	-	-
Stockton	---	1,947	53	33	42
White	---	1,594	33	19	24
All other	---	353	20	14	18
Black	---	196	7	4	10
Tracy	---	222	3	1	1
White	---	214	3	1	-
All other	---	8	-	-	1
Black	---	6	-	-	1
Balance of county	---	340	9	7	3
White	---	319	9	7	3
All other	---	21	-	-	-
Black	---	5	-	-	-
San Luis Obispo	1,327	1,374	21	13	17
Arroyo Grande	---	195	4	4	2
Atascadero	---	146	1	-	6
San Luis Obispo	---	246	6	4	1
Balance of county	---	787	10	5	8
White	---	772	9	4	8
All other	---	15	1	1	-
Black	---	8	1	1	-
San Mateo	4,297	4,503	75	53	61
White	3,959	4,099	60	42	41
All other	338	404	15	11	20
Black	148	178	5	3	7
Belmont	---	169	4	3	1
Burlingame	---	354	5	4	3
Daly City	---	527	9	6	9
White	---	413	5	3	2
All other	---	114	4	3	7
Black	---	31	1	1	2
Foster City	---	85	3	2	1
White	---	73	3	2	1
All other	---	12	-	-	-
Black	---	1	-	-	-
Hillsborough	---	80	-	-	2
White	---	77	-	-	2
All other	---	3	-	-	-
Black	---	-	-	-	-
Menlo Park	---	360	2	2	2
White	---	328	-	-	2
All other	---	32	2	2	-
Black	---	26	1	1	-
Millbrae	---	171	1	1	1
White	---	163	1	1	1
All other	---	8	-	-	-
Black	---	1	-	-	-
Pacifica	---	196	9	6	2
White	---	172	7	4	2
All other	---	24	2	2	-
Black	---	9	-	-	-
Redwood City	---	585	9	3	8
White	---	559	9	3	5
All other	---	26	-	-	3
Black	---	14	-	-	1
San Bruno	---	217	6	5	8
White	---	208	4	4	6
All other	---	9	2	1	2
Black	---	4	-	-	1
San Carlos	---	209	-	-	2
San Mateo	---	772	11	9	12
White	---	725	9	7	10
All other	---	47	2	2	2
Black	---	24	-	-	-
South San Francisco	---	344	7	4	4
White	---	316	5	3	3
All other	---	28	2	1	1
Black	---	7	2	1	-
Balance of county	---	434	9	8	6
White	---	350	8	8	3
All other	---	84	1	-	3
Black	---	64	1	-	3
Santa Barbara	2,434	2,407	35	19	34
White	2,351	2,323	32	17	28
All other	83	84	3	2	6
Black	45	45	2	1	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Carpinteria	---	111	2	1	2
White	---	109	2	1	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Lompoc	---	237	5	2	9
White	---	230	5	2	8
All other	---	7	-	-	1
Black	---	3	-	-	1
Santa Barbara	---	1,205	11	7	12
White	---	1,171	10	6	10
All other	---	34	1	1	2
Black	---	20	1	1	2
Santa Maria	---	483	12	8	6
White	---	457	10	7	4
All other	---	26	2	1	2
Black	---	17	1	-	2
Balance of county	---	371	5	1	5
White	---	356	5	1	4
All other	---	15	-	-	1
Black	---	5	-	-	1
Santa Clara	8,470	7,832	207	117	127
White	7,826	7,261	164	94	97
All other	644	571	43	23	30
Black	243	187	14	7	13
Campbell	---	265	7	4	-
White	---	255	6	4	-
All other	---	10	1	-	-
Black	---	2	-	-	-
Cupertino	---	219	2	2	1
White	---	209	2	2	1
All other	---	10	-	-	-
Black	---	1	-	-	-
Gilroy	---	165	7	4	4
White	---	158	7	4	4
All other	---	7	-	-	-
Black	---	2	-	-	-
Los Altos	---	261	2	1	2
Los Gatos	---	299	5	5	2
Milpitas	---	156	13	7	3
White	---	129	8	2	2
All other	---	27	5	5	1
Black	---	11	-	-	-
Morgan Hill	---	121	2	-	6
White	---	113	2	-	6
All other	---	8	-	-	-
Black	---	1	-	-	-
Mountain View	---	373	7	3	4
White	---	339	3	2	3
All other	---	34	4	1	1
Black	---	6	3	1	1
Palo Alto	---	491	4	2	1
White	---	463	3	2	1
All other	---	28	1	-	-
Black	---	13	-	-	-
San Jose	---	3,893	125	67	78
White	---	3,537	96	51	60
All other	---	356	29	16	18
Black	---	127	10	6	8
Santa Clara	---	572	11	8	6
White	---	552	11	8	4
All other	---	20	-	-	2
Black	---	2	-	-	2
Saratoga	---	200	1	1	3
Sunnyvale	---	652	9	6	13
White	---	613	7	5	7
All other	---	39	2	1	6
Black	---	6	1	-	1
Balance of county	---	165	12	7	4
White	---	144	11	7	2
All other	---	21	1	-	2
Black	---	15	-	-	1
Santa Cruz	1,615	1,683	31	23	18
Santa Cruz	---	705	7	7	6
Watsonville	---	367	8	6	6
White	---	337	8	6	6
All other	---	30	-	-	-
Black	---	3	-	-	-
Balance of county	---	611	16	10	6
White	---	602	15	9	6
All other	---	9	1	1	-
Black	---	4	-	-	-
Shasta	1,160	1,079	17	12	16
Redding	---	602	7	6	11
Balance of county	---	477	10	6	5
Sierra	20	32	1	1	-
Siskiyou	348	390	4	1	3
Solano	1,585	1,629	45	26	24
White	1,380	1,406	32	18	13
All other	205	223	13	8	11
Black	147	160	12	7	8
California-Con.					
Benicia	---	91	2	1	1
White	---	85	1	-	-
All other	---	6	1	1	1
Black	---	4	-	-	-
Fairfield	---	328	13	7	5
White	---	298	12	6	3
All other	---	30	1	1	2
Black	---	16	1	1	2
Suisun City	---	65	1	1	-
White	---	55	1	1	-
All other	---	10	-	-	-
Black	---	2	-	-	-
Vacaville	---	270	10	7	6
White	---	255	6	5	4
All other	---	15	4	2	2
Black	---	13	4	2	-
Vallejo	---	752	16	7	9
White	---	595	9	3	3
All other	---	157	7	4	6
Black	---	123	7	4	6
Balance of county	---	123	3	3	3
White	---	118	3	3	3
All other	---	5	-	-	-
Black	---	2	-	-	-
Sonoma	2,845	2,884	41	18	37
White	2,794	2,829	40	17	37
All other	51	55	1	1	-
Black	28	32	1	1	-
Petaluma	---	374	3	1	1
Rohnert Park	---	139	2	2	2
Santa Rosa	---	1,255	21	10	17
Balance of county	---	1,116	15	5	17
White	---	1,103	15	5	17
All other	---	13	-	-	-
Black	---	8	-	-	-
Stanislaus	2,433	2,311	54	35	27
White	2,381	2,265	51	33	23
All other	52	46	3	2	4
Black	31	30	2	1	-
Ceres	---	166	2	1	2
White	---	163	2	1	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Modesto	---	1,262	26	14	17
White	---	1,227	23	12	13
All other	---	35	3	2	4
Black	---	22	2	1	-
Turlock	---	356	8	5	5
White	---	354	8	5	5
All other	---	2	-	-	-
Black	---	1	-	-	-
Balance of county	---	527	18	15	3
White	---	521	18	15	3
All other	---	6	-	-	-
Black	---	4	-	-	-
Sutter	315	429	5	1	3
Yuba City	---	328	5	1	3
White	---	312	5	1	3
All other	---	16	-	-	-
Black	---	1	-	-	-
Balance of county	---	101	-	-	-
White	---	99	-	-	-
All other	---	2	-	-	-
Black	---	1	-	-	-
Tehama	325	414	7	4	3
Trinity	117	139	2	1	2
Tulare	1,761	1,975	40	26	55
White	1,713	1,916	39	25	49
All other	48	59	1	1	6
Black	28	35	1	1	1
Porterville	---	395	8	7	12
White	---	387	8	7	10
All other	---	8	-	-	2
Black	---	1	-	-	1
Tulare	---	292	3	1	6
White	---	281	3	1	5
All other	---	11	-	-	1
Black	---	11	-	-	-
Visalia	---	527	5	2	9
White	---	519	5	2	7
All other	---	8	-	-	2
Black	---	5	-	-	-
Balance of county	---	761	24	16	28
White	---	729	23	15	27
All other	---	32	1	1	1
Black	---	18	1	1	-
Tuolumne	291	324	4	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Ventura	3,021	3,351	72	48	65
White	2,934	3,264	63	42	56
All other	87	87	9	6	9
Black	47	45	4	3	4
Camarillo	---	340	8	5	5
White	---	332	8	4	3
All other	---	8	2	1	2
Black	---	1	-	-	-
Oxnard	---	665	16	11	19
White	---	615	15	10	14
All other	---	50	1	1	5
Black	---	28	-	-	2
Port Hueneme	---	125	4	3	4
White	---	121	2	2	3
All other	---	4	2	1	1
Black	---	2	1	-	1
San Buenaventura (Ventura)	---	718	10	7	10
White	---	710	10	7	9
All other	---	8	-	-	1
Black	---	7	-	-	1
Santa Paula	---	175	1	1	6
White	---	174	1	1	6
All other	---	1	-	-	-
Black	---	-	-	-	-
Simi Valley	---	341	14	8	9
Thousand Oaks	---	325	7	5	-
Balance of county	---	682	12	8	12
White	---	656	9	5	12
All other	---	6	3	3	-
Black	---	4	3	3	-
Yolo	916	907	16	11	15
Davis	---	178	3	2	4
White	---	175	3	2	3
All other	---	3	-	-	1
Black	---	1	-	-	-
Woodland	---	301	7	6	2
White	---	297	7	6	2
All other	---	4	-	-	-
Black	---	3	-	-	-
Balance of county	---	428	6	3	9
White	---	406	5	2	9
All other	---	22	1	1	-
Black	---	8	1	1	-
Yuba	426	418	8	1	11
Colorado	19,981	19,549	548	322	516
White	19,197	18,802	500	287	465
All other	784	747	48	35	51
Black	627	611	42	29	41
Adams	1,083	1,286	43	26	47
White	1,042	1,260	40	25	43
All other	41	26	3	1	4
Black	25	17	3	1	1
Arvada, part	---	11	3	2	1
White	---	11	3	2	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Aurora, part	---	153	4	2	5
White	---	141	2	1	4
All other	---	12	2	1	1
Black	---	9	2	1	1
Brighton, part	---	111	1	-	4
White	---	111	1	-	4
All other	---	-	-	-	-
Black	---	-	-	-	-
Brighton, total	---	111	1	-	4
White	---	111	1	-	4
All other	---	-	-	-	-
Black	---	-	-	-	-
Broomfield, part	---	12	1	1	-
Commerce City	---	147	7	5	3
White	---	145	7	5	3
All other	---	2	-	-	-
Black	---	2	-	-	-
Northglenn	---	140	7	3	2
Thornton	---	146	6	5	7
Westminster, part	---	174	4	3	12
Westminster, total	---	190	7	5	14
Balance of county	---	392	10	5	13
White	---	386	10	5	11
All other	---	6	-	-	2
Black	---	1	-	-	-
Alamosa	93	87	1	1	3
Arapahoe	1,252	1,490	48	28	69
White	1,210	1,444	46	26	65
All other	42	46	2	2	4
Black	26	27	1	1	4
Colorado-Con.					
Aurora, part	---	607	32	20	40
White	---	575	30	18	37
All other	---	32	2	2	3
Black	---	21	1	1	3
Aurora, total	---	760	36	22	45
White	---	716	32	19	41
All other	---	44	4	3	4
Black	---	30	3	2	4
Englewood	---	365	3	2	9
Littleton, part	---	300	7	5	9
Littleton, total	---	301	7	5	9
Balance of county	---	218	6	1	11
Archuleta	20	32	1	-	-
Baca	43	60	-	-	1
Bent	76	76	2	2	1
Boulder	866	961	33	19	20
Boulder	---	382	10	5	7
Broomfield, part	---	56	3	1	3
Broomfield, total	---	73	5	2	5
Longmont	---	289	11	7	5
Balance of county	---	234	9	6	5
Chaffee	126	129	1	-	-
Cheyenne	23	23	1	1	-
Clear Creek	26	36	-	-	3
Conejos	56	60	-	-	2
Costilla	12	23	-	-	-
Crowley	13	40	-	-	2
Custer	6	8	-	-	1
Delta	232	281	2	1	3
Denver, coext. with Denver city	6,432	4,616	112	69	83
White	5,928	4,140	85	46	57
All other	504	476	27	23	26
Black	433	431	27	23	24
Dolores	5	9	1	-	1
Douglas	59	133	9	2	6
Littleton, part	---	1	-	-	-
Balance of county	---	132	9	2	6
Eagle	35	47	1	-	2
Elbert	18	40	1	1	2
El Paso	1,864	1,796	72	40	68
White	1,765	1,691	63	36	55
All other	99	105	9	4	13
Black	90	90	8	3	11
Colorado Springs	---	1,525	60	32	48
White	---	1,442	54	29	37
All other	---	83	6	3	11
Black	---	75	6	3	9
Balance of county	---	271	12	8	20
White	---	249	9	7	18
All other	---	22	3	1	2
Black	---	15	2	-	2
Fremont	379	381	4	2	3
Canon City	---	228	2	2	2
Balance of county	---	153	2	-	1
Garfield	140	150	3	1	3
Gilpin	3	10	-	-	-
Grand	24	27	1	-	-
Gunnison	47	41	2	1	2
Hinsdale	3	1	-	-	-
Huerfano	47	68	2	2	2
Jackson	5	4	-	-	1
Jefferson	1,525	1,967	68	42	48
Arvada, part	---	403	15	11	11
Arvada, total	---	414	18	13	12
Broomfield, part	---	5	1	-	2
Golden	---	171	2	1	4
Lakewood	---	748	20	14	12
Westminster, part	---	16	3	2	2
Wheat Ridge	---	287	6	5	3
Balance of county	---	337	21	9	14
Kiowa	19	22	-	-	-
Kit Carson	55	77	1	1	2
Lake	23	36	1	1	2
La Plata	210	200	6	6	10
Durango	---	98	4	4	5
White	---	98	4	4	5
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	102	2	2	5
White	---	96	2	2	5
All other	---	6	-	-	-
Black	---	-	-	-	-
Larimer	782	807	24	14	25
Fort Collins	---	346	14	7	11
Loveland	---	244	5	4	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Balance of county	---	217	5	3	7
Las Animas	161	182	4	1	4
Lincoln	59	48	2	2	-
Logan	170	189	5	4	4
Sterling	---	143	3	2	4
Balance of county	---	46	2	2	-
Mesa	779	683	15	9	20
Grand Junction	---	355	9	5	12
Balance of county	---	328	6	4	8
Mineral	7	7	-	-	-
Moffat	72	76	3	2	2
Montezuma	121	151	8	6	1
White	112	141	8	6	1
All other	9	10	-	-	-
Black	1	1	-	-	-
Montrose	185	198	5	2	4
Morgan	206	225	6	4	5
Otero	228	230	6	2	1
Ouray	5	11	-	-	1
Park	26	23	1	-	2
Phillips	39	45	-	-	-
Pitkin	35	21	1	-	-
Prowers	94	118	1	-	-
Pueblo	1,103	1,060	21	14	10
Pueblo	---	948	20	14	10
White	---	924	19	13	10
All other	---	24	1	1	-
Black	---	21	-	-	-
Balance of county	---	112	1	-	-
White	---	112	1	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Rio Blanco	36	36	-	-	1
Rio Grande	111	112	2	1	1
Routt	63	67	2	2	7
Saguache	10	36	1	-	-
San Juan	6	6	-	-	-
San Miguel	4	8	-	-	-
Sedgwick	17	33	-	-	-
Summit	28	16	2	1	4
Teller	25	51	-	-	5
Washington	36	57	-	-	-
Weld	665	736	21	10	30
Brighton, part	---	-	-	-	-
Greeley	---	358	11	4	17
White	---	353	9	3	15
All other	---	5	2	1	2
Black	---	2	1	-	-
Balance of county	---	378	10	6	13
White	---	374	10	6	13
All other	---	4	-	-	-
Black	---	2	-	-	-
Yuma	88	100	2	2	2
Connecticut	27,266	27,246	416	320	261
White	25,773	25,747	315	241	192
All other	1,493	1,499	101	79	69
Black	1,447	1,448	99	77	66
Fairfield	6,557	6,991	96	72	80
White	6,099	6,491	67	53	43
All other	458	500	29	19	37
Black	443	481	28	18	36
Bridgeport	---	1,552	32	20	34
White	---	1,338	21	13	14
All other	---	214	11	7	20
Black	---	212	11	7	19
Danbury	---	546	8	7	5
Darien town#	---	162	1	-	2
Fairfield town#	---	535	2	1	2
Greenwich town#	---	508	2	2	1
Norwalk	---	669	9	7	3
White	---	580	6	4	1
All other	---	89	3	3	2
Black	---	87	3	3	2
Shelton	---	243	5	5	1
Stamford	---	926	19	14	21
White	---	809	9	8	9
All other	---	117	10	6	12
Black	---	115	10	6	12
Stratford town#	---	514	5	4	1
Trumbull town#	---	254	3	3	1
Westport town#	---	173	2	2	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Balance of county	---	909	8	7	8
White	---	895	8	7	8
All other	---	14	-	-	-
Black	---	9	-	-	-
Hartford	7,375	6,996	113	90	64
White	6,934	6,570	82	64	46
All other	441	426	31	26	18
Black	429	415	31	26	16
Bristol	---	440	8	6	4
East Hartford town#	---	458	7	3	5
Enfield town#	---	281	5	5	1
Hartford	---	1,225	43	34	22
White	---	901	20	14	13
All other	---	324	23	20	9
Black	---	319	23	20	9
Manchester town#	---	433	3	2	3
New Britain	---	766	7	6	3
White	---	738	6	5	3
All other	---	28	1	1	-
Black	---	28	1	1	-
Newington town#	---	255	3	3	1
Plainville town#	---	145	1	1	2
Rocky Hill town#	---	116	3	2	1
Southington town#	---	254	4	3	3
West Hartford town#	---	745	4	2	4
Wethersfield town#	---	271	2	2	2
Windsor town#	---	225	3	2	-
White	---	220	3	2	-
All other	---	5	-	-	-
Black	---	4	-	-	-
Windsor Locks town#	---	101	1	1	2
Balance of county	---	1,281	19	18	11
White	---	1,245	15	15	9
All other	---	36	4	3	2
Black	---	36	4	3	1
Litchfield	1,219	1,450	18	15	10
Torrington	---	339	3	3	3
Balance of county	---	1,111	15	12	7
Middlesex	1,043	1,082	17	14	11
Middletown	---	341	5	4	4
White	---	324	4	4	3
All other	---	17	1	-	1
Black	---	17	1	-	1
Balance of county	---	741	12	10	7
New Haven	7,937	7,189	106	79	65
White	7,462	6,733	70	49	54
All other	475	456	36	30	11
Black	465	448	36	30	11
Ansonia	---	204	2	2	3
Branford town#	---	218	2	1	1
Derby	---	120	-	-	-
East Haven town#	---	234	1	1	-
Hamden town#	---	506	4	2	3
Meriden	---	547	8	5	9
Milford	---	432	5	3	1
Naugatuck	---	187	3	2	4
New Haven	---	1,349	40	32	14
White	---	1,069	17	12	10
All other	---	280	23	20	4
Black	---	278	23	20	4
North Haven town#	---	169	2	1	2
Orange town#	---	104	-	-	1
Wallingford town#	---	365	2	2	2
Waterbury	---	1,180	17	10	10
White	---	1,088	13	7	7
All other	---	92	4	3	3
Black	---	92	4	3	3
West Haven	---	517	10	8	5
White	---	493	4	3	2
All other	---	24	6	5	3
Black	---	24	6	5	3
Balance of county	---	1,057	10	10	10
New London	1,860	2,012	39	29	21
White	1,797	1,950	36	26	19
All other	63	62	3	3	2
Black	60	56	2	2	2
Groton	---	226	8	6	1
New London	---	290	5	5	4
White	---	264	2	2	2
All other	---	26	3	3	2
Black	---	24	2	2	2
Norwich	---	423	9	6	3
Balance of county	---	1,073	17	12	13
Tolland	486	662	7	6	3
Vernon town#	---	221	2	2	1
Balance of county	---	441	5	4	2
White	---	434	5	4	2
All other	---	7	-	-	-
Black	---	6	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windham	789	864	20	15	7
Willimantic [4]	---	2	-	-	-
Balance of county	---	862	20	15	7
Delaware	5,085	5,012	92	63	70
White	4,232	4,195	50	33	46
All other	853	817	42	30	24
Black	839	804	40	29	24
Kent	651	751	11	6	14
White	539	626	7	4	10
All other	112	125	4	2	4
Black	111	124	4	2	4
Dover	---	220	5	4	8
White	---	165	3	3	6
All other	---	55	2	1	2
Black	---	54	2	1	2
Balance of county	---	531	6	2	6
White	---	461	4	1	4
All other	---	70	2	1	2
Black	---	70	2	1	2
New Castle	3,327	3,143	66	48	49
White	2,764	2,639	37	25	34
All other	563	504	29	23	15
Black	557	500	27	22	15
Newark	---	192	5	4	2
Wilmington	---	1,100	36	27	21
White	---	717	9	6	11
All other	---	383	27	21	10
Black	---	382	26	21	10
Balance of county	---	1,851	25	17	26
White	---	1,744	24	16	22
All other	---	107	1	1	4
Black	---	105	1	1	4
Sussex	1,107	1,118	15	9	7
White	929	930	6	4	2
All other	178	188	9	5	5
Black	171	180	9	5	5
District of Columbia	8,412	6,764	180	132	132
White	3,195	1,905	20	19	16
All other	5,217	4,859	160	113	116
Black	5,149	4,824	159	113	115
Florida	114,477	113,195	1,816	1,144	1,455
White	102,250	101,040	1,090	707	888
All other	12,227	12,155	726	437	567
Black	12,069	12,014	721	435	551
Alachua	2,061	941	29	21	19
White	1,637	691	14	9	12
All other	424	250	15	12	7
Black	420	249	15	12	7
Gainesville	---	533	18	14	15
White	---	394	6	5	9
All other	---	139	12	9	6
Black	---	139	12	9	6
Balance of county	---	408	11	7	4
White	---	297	8	4	3
All other	---	111	3	3	1
Black	---	110	3	3	1
Baker	74	116	3	2	4
White	66	100	2	2	4
All other	8	16	1	-	-
Black	8	16	1	-	-
Bay	969	868	17	11	18
White	836	759	14	8	12
All other	133	109	3	3	6
Black	127	102	2	2	6
Panama City	---	469	9	7	10
White	---	384	6	4	5
All other	---	85	3	3	5
Black	---	82	2	2	5
Balance of county	---	399	8	4	8
Bradford	144	194	4	3	3
White	121	163	4	3	3
All other	23	31	-	-	-
Black	23	31	-	-	-
Brevard	2,535	2,647	45	30	33
White	2,368	2,458	34	24	18
All other	167	189	11	6	15
Black	162	184	10	6	15
Cocoa	---	155	7	5	8
White	---	111	7	5	5
All other	---	44	-	-	3
Black	---	44	-	-	3
Cocoa Beach	---	143	1	1	-
Florida-Con.					
Melbourne	---	531	8	5	11
White	---	489	7	5	4
All other	---	42	1	-	7
Black	---	42	1	-	7
Palm Bay	---	166	2	1	-
Rockledge	---	95	2	1	2
White	---	82	1	-	1
All other	---	13	1	1	1
Black	---	13	1	1	1
Titusville	---	343	6	4	1
White	---	318	4	3	-
All other	---	25	2	1	1
Black	---	25	2	1	1
Balance of county	---	1,214	19	13	11
White	---	1,153	13	10	8
All other	---	61	6	3	3
Black	---	57	5	3	3
Broward	11,657	12,421	149	96	133
White	10,816	11,566	75	54	76
All other	841	855	74	42	57
Black	831	845	74	42	56
Cooper City	---	55	1	-	2
Coral Springs	---	227	5	3	6
Dania	---	188	3	1	1
White	---	130	1	1	-
All other	---	58	2	-	1
Black	---	58	2	-	1
Davie	---	137	4	4	7
Deerfield Beach	---	655	7	2	5
White	---	606	2	1	2
All other	---	49	5	1	3
Black	---	49	5	1	3
Fort Lauderdale	---	2,330	51	34	29
White	---	2,045	17	12	9
All other	---	285	34	22	20
Black	---	284	34	22	20
Hallandale, part	---	749	6	6	3
White	---	704	3	3	-
All other	---	45	3	3	3
Black	---	44	3	3	3
Hallandale, total	---	753	6	6	3
White	---	708	3	3	-
All other	---	45	3	3	3
Black	---	44	3	3	3
Hollywood	---	1,710	17	11	15
Lauderdale Lakes	---	407	1	1	2
White	---	401	1	1	2
All other	---	6	-	-	-
Black	---	6	-	-	-
Lauderhill	---	400	4	4	2
White	---	386	1	1	2
All other	---	14	3	3	-
Black	---	14	3	3	-
Lighthouse Point	---	187	-	-	-
Margate	---	530	5	3	-
Miramar	---	283	5	3	6
North Lauderdale	---	100	2	2	3
Oakland Park	---	154	-	-	3
Pembroke Pines	---	299	2	1	2
Plantation	---	395	2	2	3
Pompano Beach	---	989	7	4	18
White	---	876	3	2	6
All other	---	113	4	2	12
Black	---	112	4	2	11
Sunrise	---	495	4	4	3
Tamarac	---	540	1	-	1
Wilton Manors	---	152	1	-	1
Balance of county	---	1,439	21	11	21
White	---	1,230	8	5	8
All other	---	209	13	6	13
Black	---	209	13	6	13
Calhoun	102	113	5	3	1
White	92	99	3	2	1
All other	10	14	2	1	-
Black	10	14	2	1	-
Charlotte	1,037	1,046	4	4	1
Citrus	920	997	11	6	6
Clay	419	514	10	2	7
Collier	1,110	1,031	17	9	18
Naples	---	327	4	2	2
Balance of county	---	704	13	7	16
White	---	666	12	7	15
All other	---	38	1	-	1
Black	---	37	1	-	1
Columbia	555	320	6	5	6
White	409	247	3	3	2
All other	146	73	3	2	4
Black	146	73	3	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Dade	18,036	16,662	297	195	347
White	15,635	14,346	117	83	163
All other	2,401	2,316	180	112	184
Black	2,374	2,292	180	112	181
Coral Gables	---	435	-	-	7
Hallandale, part	---	4	-	-	-
Hialeah	---	1,163	6	4	27
White	---	1,153	6	4	26
All other	---	10	-	-	1
Black	---	9	-	-	1
Homestead	---	204	8	5	6
White	---	154	3	3	2
All other	---	50	5	2	4
Black	---	50	5	2	3
Miami	---	4,746	119	78	134
White	---	3,768	42	32	52
All other	---	978	77	46	82
Black	---	971	77	46	81
Miami Beach	---	2,391	4	2	5
Miami Springs	---	141	1	1	1
North Miami	---	688	2	1	4
North Miami Beach	---	1,127	5	3	7
Opa-locka	---	157	3	3	6
White	---	67	-	-	1
All other	---	90	3	3	5
Black	---	90	3	3	5
South Miami	---	96	1	1	3
White	---	69	-	-	1
All other	---	27	1	1	2
Black	---	27	1	1	2
Balance of county	---	5,510	148	97	147
White	---	4,407	54	37	64
All other	---	1,103	94	60	83
Black	---	1,093	94	60	82
De Soto	227	225	6	6	1
White	202	192	3	3	-
All other	25	33	3	3	1
Black	25	33	3	3	1
Dixie	47	91	2	-	1
White	38	80	2	-	1
All other	9	11	-	-	-
Black	9	11	-	-	-
Duval	5,375	5,108	138	82	92
White	3,970	3,701	82	53	55
All other	1,405	1,407	56	29	37
Black	1,394	1,395	56	29	34
Jacksonville	---	4,801	130	77	87
White	---	3,423	77	50	51
All other	---	1,378	53	27	36
Black	---	1,370	53	27	33
Jacksonville Beach	---	159	3	1	-
Balance of county	---	148	5	4	5
White	---	134	3	2	4
All other	---	14	2	2	1
Black	---	11	2	2	1
Escambia	2,180	1,863	42	34	37
White	1,715	1,443	26	21	22
All other	465	420	16	13	15
Black	454	412	16	13	15
Pensacola	---	723	13	11	7
White	---	489	9	7	3
All other	---	234	4	4	4
Black	---	232	4	4	4
Balance of county	---	1,140	29	23	30
White	---	954	17	14	19
All other	---	186	12	9	11
Black	---	180	12	9	11
Flagler	104	158	1	1	4
White	94	140	-	-	3
All other	10	18	1	1	1
Black	10	18	1	1	1
Franklin	57	101	4	4	-
White	47	86	4	4	-
All other	10	15	-	-	-
Black	10	15	-	-	-
Gadsden	185	368	25	15	26
White	83	159	5	2	8
All other	102	209	20	13	18
Black	102	209	20	13	18
Gilchrist	35	69	1	1	2
Glades	29	63	2	-	-
White	22	52	2	-	-
All other	7	11	-	-	-
Black	5	7	-	-	-
Gulf	48	85	6	4	-
White	38	57	2	-	-
All other	10	28	4	4	-
Black	10	28	4	4	-
Florida-Con.					
Hamilton	73	89	-	-	6
White	52	62	-	-	3
All other	21	27	-	-	3
Black	21	27	-	-	3
Hardee	119	171	7	3	6
Hendry	144	186	7	4	13
White	100	135	2	1	9
All other	44	51	5	3	4
Black	40	43	5	3	4
Hernando	641	819	7	2	6
Highlands	693	732	10	8	6
White	637	679	6	4	4
All other	56	53	4	4	2
Black	54	53	4	4	2
Hillsborough	6,742	6,192	149	88	86
White	5,837	5,328	102	61	53
All other	905	864	47	27	33
Black	890	854	47	27	31
Plant City	---	193	9	7	4
White	---	144	4	4	-
All other	---	49	5	3	4
Black	---	48	5	3	4
Tampa	---	3,461	70	40	48
White	---	2,764	33	18	24
All other	---	697	37	22	24
Black	---	692	37	22	22
Temple Terrace	---	55	2	-	1
Balance of county	---	2,483	68	41	33
White	---	2,365	63	39	28
All other	---	118	5	2	5
Black	---	114	5	2	5
Holmes	105	184	1	1	-
Indian River	849	830	12	6	11
White	784	762	6	3	7
All other	65	68	6	3	4
Black	62	66	5	3	4
Vero Beach	---	316	3	2	3
Balance of county	---	515	9	4	8
White	---	456	4	1	4
All other	---	59	5	3	4
Black	---	58	5	3	4
Jackson	295	405	6	3	11
White	226	296	5	2	8
All other	69	109	3	1	3
Black	69	108	3	1	3
Jefferson	57	112	4	1	1
White	22	58	1	-	-
All other	35	54	3	1	1
Black	35	54	3	1	1
Lafayette	10	41	1	-	-
Lake	1,630	1,608	16	8	14
White	1,481	1,455	8	5	12
All other	149	153	8	3	2
Black	149	152	8	3	2
Leesburg	---	242	2	1	2
White	---	204	-	-	2
All other	---	38	2	1	-
Black	---	38	2	1	-
Balance of county	---	1,366	14	7	12
White	---	1,251	8	5	10
All other	---	115	6	2	2
Black	---	114	6	2	2
Lee	2,809	2,782	40	27	25
White	2,677	2,652	30	20	22
All other	132	130	10	7	3
Black	130	128	10	7	3
Cape Coral	---	449	6	4	-
Fort Myers	---	484	12	8	9
White	---	388	4	3	6
All other	---	96	8	5	3
Black	---	96	8	5	3
Balance of county	---	1,849	22	15	16
Leon	1,319	874	32	26	19
White	889	593	15	14	9
All other	430	281	17	12	10
Black	427	279	17	12	10
Tallahassee	---	626	22	16	11
White	---	403	7	6	3
All other	---	223	15	10	8
Black	---	221	15	10	8
Balance of county	---	248	10	10	8
White	---	190	8	8	6
All other	---	58	2	2	2
Black	---	58	2	2	2
Levy	207	245	4	1	1
White	179	216	3	1	-
All other	28	29	1	-	1
Black	28	29	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. *Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed* 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Liberty	20	59	1	1	1
White	16	52	1	1	1
All other	4	7	-	-	-
Black	4	7	-	-	-
Madison	88	158	3	2	4
White	58	102	1	1	2
All other	30	56	2	1	2
Black	30	56	2	1	2
Manatee	2,361	2,374	29	19	22
White	*2,241*	*2,242*	*26*	*18*	*13*
All other	120	132	3	1	9
Black	118	130	3	1	8
Bradenton	---	684	11	8	5
White	---	623	9	8	1
All other	---	61	2	-	4
Black	---	61	2	-	3
Balance of county	---	1,690	18	11	17
Marion	1,558	1,651	26	15	21
White	1,340	1,412	17	7	14
All other	*218*	*239*	*9*	*8*	*7*
Black	217	237	9	8	7
Ocala	---	557	9	5	7
White	---	440	4	-	3
All other	---	117	5	5	4
Black	---	116	5	5	4
Balance of county	---	1,094	17	10	14
White	---	972	13	7	11
All other	---	122	4	3	3
Black	---	121	4	3	3
Martin	973	949	8	2	9
Monroe	500	566	7	2	8
Key West	---	212	3	1	5
White	---	182	3	1	4
All other	---	30	-	-	1
Black	---	29	-	-	1
Balance of county	---	354	4	1	3
Nassau	159	261	7	5	3
White	123	203	4	4	3
All other	36	58	3	1	-
Black	36	58	3	1	-
Okaloosa	668	687	29	21	10
White	638	647	22	15	8
All other	30	40	7	6	2
Black	29	38	7	6	2
Fort Walton Beach	---	184	8	8	2
White	---	164	3	3	2
All other	---	20	5	5	-
Black	---	19	5	5	-
Balance of county	---	503	21	13	8
White	---	*483*	*19*	*12*	*6*
All other	---	20	2	1	2
Black	---	19	2	1	2
Okeechobee	188	230	3	3	2
Orange	4,793	4,189	82	47	66
White	4,253	3,678	62	41	43
All other	540	511	20	6	23
Black	531	505	20	6	22
Orlando	---	1,511	32	19	27
White	---	1,218	25	18	13
All other	---	293	7	1	14
Black	---	292	7	1	13
Winter Park	---	383	3	1	2
White	---	349	2	1	2
All other	---	34	1	-	-
Black	---	34	1	-	-
Balance of county	---	2,295	47	27	37
White	---	2,111	35	22	28
All other	---	184	12	5	9
Black	---	179	12	5	9
Osceola	761	722	11	6	6
Kissimmee	---	233	5	2	3
White	---	209	3	1	1
All other	---	24	2	1	2
Black	---	24	2	1	2
Balance of county	---	489	6	4	3
Palm Beach	7,820	7,996	103	62	81
White	7,177	7,313	50	32	47
All other	643	683	53	30	34
Black	637	678	53	30	34
Belle Glade	---	126	6	3	1
White	---	43	3	1	-
All other	---	83	3	2	1
Black	---	82	3	2	1
Boca Raton	---	696	4	4	6
Boynton Beach	---	639	9	6	5
White	---	595	1	1	-
All other	---	44	8	5	5
Black	---	44	8	5	5
Florida-Con.					
Delray Beach	---	638	7	3	5
White	---	565	4	3	2
All other	---	73	3	-	3
Black	---	73	3	-	3
Lake Worth	---	590	3	3	4
North Palm Beach	---	157	1	1	-
Palm Beach Gardens	---	103	2	2	1
Riviera Beach	---	265	7	5	4
White	---	135	-	-	-
All other	---	130	7	5	4
Black	---	130	7	5	4
West Palm Beach	---	1,103	21	10	22
White	---	891	6	3	9
All other	---	212	15	7	13
Black	---	211	15	7	13
Balance of county	---	3,679	43	25	33
White	---	3,556	26	14	28
All other	---	123	17	11	5
Black	---	120	17	11	5
Pasco	2,890	3,350	35	16	19
New Port Richey	---	278	2	1	2
Balance of county	---	3,072	33	15	17
Pinellas	12,643	12,183	101	74	74
White	12,087	11,639	74	55	60
All other	556	544	27	19	14
Black	542	533	26	18	12
Clearwater	---	1,671	12	11	9
Dunedin	---	560	-	-	3
Gulfport	---	244	-	-	2
Largo	---	946	9	5	5
Pinellas Park	---	468	2	2	4
St. Petersburg	---	4,505	49	35	29
White	---	4,079	27	21	20
All other	---	426	22	14	9
Black	---	420	21	13	7
Tarpon Springs	---	202	1	1	3
White	---	188	1	1	1
All other	---	14	-	-	2
Black	---	14	-	-	2
Balance of county	---	3,587	28	20	19
Polk	3,525	3,440	83	57	41
White	3,103	2,994	50	36	27
All other	422	446	33	21	14
Black	419	444	33	21	14
Bartow	---	167	5	5	1
White	---	113	1	1	-
All other	---	54	4	4	1
Black	---	54	4	4	1
Haines City	---	105	6	3	3
White	---	72	2	2	1
All other	---	*33*	*4*	*1*	*2*
Black	---	33	4	1	2
Lakeland	---	669	16	9	6
White	---	553	6	5	5
All other	---	116	10	4	1
Black	---	115	10	4	1
Winter Haven	---	335	5	4	7
White	---	280	-	-	3
All other	---	55	5	4	4
Black	---	55	5	4	4
Balance of county	---	2,164	51	36	24
White	---	1,976	41	28	18
All other	---	188	10	8	6
Black	---	187	10	8	6
Putnam	456	641	15	6	13
White	364	524	11	4	8
All other	92	117	4	2	5
Black	92	116	4	2	5
Palatka	---	136	1	-	3
White	---	88	1	-	-
All other	---	48	-	-	3
Black	---	48	-	-	3
Balance of county	---	505	14	6	10
White	---	436	10	4	8
All other	---	69	4	2	2
Black	---	68	4	2	2
St. Johns	570	643	11	7	9
White	467	534	7	4	3
All other	103	109	4	3	6
Black	103	109	4	3	6
St. Augustine	---	218	3	1	4
White	---	168	1	-	-
All other	---	50	2	1	4
Black	---	50	2	1	4
Balance of county	---	425	8	6	5
White	---	366	6	4	3
All other	---	59	2	2	2
Black	---	59	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
St. Lucie	1,032	1,196	35	27	17
White	864	1,007	22	16	12
All other	168	189	13	11	5
Black	168	188	13	11	5
Fort Pierce	---	527	21	16	7
White	---	363	8	5	3
All other	---	164	13	11	4
Black	---	164	13	11	4
Port St. Lucie	---	236	6	5	7
Balance of county	---	433	8	6	3
White	---	413	8	6	2
All other	---	20	-	-	1
Black	---	20	-	-	1
Santa Rosa	275	405	11	6	7
Sarasota	3,560	3,465	21	12	13
White	3,457	3,363	10	8	12
All other	103	102	11	4	1
Black	101	101	11	4	1
Sarasota	---	927	11	6	4
White	---	843	3	3	3
All other	---	84	8	3	1
Black	---	84	8	3	1
Venice	---	389	1	1	2
Balance of county	---	2,149	9	5	7
Seminole	1,397	1,499	22	15	26
White	1,219	1,304	15	11	17
All other	178	195	7	4	9
Black	177	195	7	4	8
Altamonte Springs	---	173	3	2	3
Casselberry	---	132	2	2	2
Longwood	---	89	1	1	1
Sanford	---	313	5	2	8
White	---	224	4	2	4
All other	---	89	1	-	4
Black	---	89	1	-	4
Winter Springs	---	82	1	-	-
Balance of county	---	710	10	8	12
Sumter	94	304	6	3	7
White	79	266	3	1	6
All other	15	38	3	2	1
Black	14	37	3	2	1
Suwannee	202	275	5	2	1
White	165	230	4	1	-
All other	37	45	1	1	1
Black	37	45	1	1	1
Taylor	107	155	1	1	1
White	82	111	-	-	1
All other	25	44	1	1	-
Black	25	44	1	1	-
Union	52	96	1	1	2
White	32	63	-	-	1
All other	20	33	1	1	1
Black	20	33	1	1	1
Volusia	3,842	3,918	29	14	26
White	3,522	3,623	19	10	17
All other	320	295	10	4	9
Black	318	293	10	4	8
Daytona Beach	---	867	14	6	6
White	---	697	6	3	4
All other	---	170	8	3	2
Black	---	170	8	3	2
De Land	---	333	3	2	2
White	---	296	3	2	1
All other	---	37	-	-	1
Black	---	37	-	-	1
New Smyrna Beach	---	276	-	-	2
White	---	254	-	-	-
All other	---	22	-	-	2
Black	---	22	-	-	2
Ormond Beach	---	480	1	-	1
Port Orange	---	220	-	-	2
South Daytona	---	147	2	1	1
Balance of county	---	1,595	9	5	12
Wakulla	44	93	5	4	-
White	29	72	4	3	-
All other	15	21	1	1	-
Black	15	21	1	1	-
Walton	144	237	2	-	2
White	126	216	2	-	2
All other	18	21	-	-	-
Black	17	19	-	-	-
Washington	156	182	2	2	-
White	127	155	1	1	-
All other	29	27	1	1	-
Black	29	27	1	1	-
Georgia	46,670	46,005	1,205	811	1,211
White	33,681	33,147	571	390	573
All other	12,989	12,858	634	421	638
Black	12,910	12,782	624	415	623
Appling	101	127	2	2	7
White	85	107	-	-	4
All other	16	20	2	2	3
Black	16	20	2	2	3
Atkinson	27	85	1	1	-
White	20	57	-	-	-
All other	7	28	1	1	-
Black	7	28	1	1	-
Bacon	77	97	-	-	1
White	65	83	-	-	-
All other	12	14	-	-	1
Black	12	14	-	-	1
Baker	8	42	1	1	-
White	6	26	-	-	-
All other	2	16	1	1	-
Black	2	16	1	1	-
Baldwin	440	287	6	3	5
White	286	184	3	1	2
All other	154	103	3	2	3
Black	153	102	3	2	3
Milledgeville	---	141	3	2	3
White	---	82	1	-	2
All other	---	59	2	2	1
Black	---	58	2	2	1
Balance of county	---	146	3	1	2
White	---	102	2	1	-
All other	---	44	1	-	2
Black	---	44	1	-	2
Banks	22	78	-	-	-
Barrow	158	213	5	2	3
White	135	179	2	1	2
All other	23	34	3	1	1
Black	23	34	3	1	1
Bartow	259	376	12	6	4
White	220	321	10	6	4
All other	39	55	2	-	-
Black	39	55	2	-	-
Ben Hill	203	199	4	2	1
White	135	130	2	1	1
All other	68	69	2	1	-
Black	68	69	2	1	-
Fitzgerald, part	---	130	1	-	-
White	---	75	-	-	-
All other	---	55	1	-	-
Black	---	55	1	-	-
Fitzgerald, total	---	131	1	-	-
White	---	76	-	-	-
All other	---	55	1	-	-
Black	---	55	1	-	-
Balance of county	---	69	3	2	1
White	---	55	2	1	1
All other	---	14	1	1	-
Black	---	14	1	1	-
Berrien	64	136	2	1	-
White	53	118	2	1	-
All other	11	18	-	-	-
Black	11	18	-	-	-
Bibb	1,842	1,492	32	25	40
White	1,154	913	11	8	16
All other	688	579	21	17	24
Black	686	578	21	17	24
Macon, part	---	1,313	28	22	34
White	---	766	8	6	13
All other	---	547	20	16	21
Black	---	546	20	16	21
Macon, total	---	1,317	28	22	34
White	---	769	8	6	13
All other	---	548	20	16	21
Black	---	547	20	16	21
Balance of county	---	179	4	3	6
White	---	147	3	2	3
All other	---	32	1	1	3
Black	---	32	1	1	3
Bleckley	89	105	1	1	2
White	71	89	1	1	-
All other	18	16	-	-	2
Black	18	16	-	-	2
Brantley	19	77	2	1	2
Brooks	136	170	2	2	10
White	104	119	1	1	3
All other	32	51	1	1	7
Black	32	51	1	1	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Bryan	13	86	3	3	2
White	9	63	2	2	-
All other	4	23	1	1	2
Black	4	22	1	1	2
Bulloch	280	279	4	1	13
White	195	210	1	-	5
All other	85	69	3	1	8
Black	85	69	3	1	7
Statesboro	---	128	-	-	9
White	---	92	-	-	3
All other	---	36	-	-	6
Black	---	36	-	-	5
Balance of county	---	151	4	1	4
White	---	118	1	-	2
All other	---	33	3	1	2
Black	---	33	3	1	2
Burke	132	191	6	4	5
White	78	97	-	-	2
All other	54	94	6	4	3
Black	54	93	6	4	3
Butts	119	138	4	3	4
White	90	104	2	2	3
All other	29	34	2	1	1
Black	29	34	2	1	1
Calhoun	80	85	-	-	3
White	38	37	-	-	1
All other	42	48	-	-	2
Black	42	48	-	-	2
Camden	56	98	6	4	4
White	37	62	2	1	3
All other	19	36	4	3	1
Black	19	36	4	3	1
Candler	168	107	2	1	2
White	110	67	1	1	1
All other	58	40	1	-	1
Black	58	40	1	-	1
Carroll	424	462	8	7	16
White	364	388	7	6	8
All other	60	74	1	1	8
Black	60	74	1	1	8
Carrollton	---	118	1	1	7
White	---	92	1	1	4
All other	---	26	-	-	3
Black	---	26	-	-	3
Balance of county	---	344	7	6	9
White	---	296	6	5	4
All other	---	48	1	1	5
Black	---	48	1	1	5
Catoosa	497	240	3	1	5
Charlton	59	52	-	-	3
White	43	38	-	-	-
All other	16	14	-	-	3
Black	16	13	-	-	3
Chatham	2,320	1,967	56	37	54
White	1,467	1,191	18	12	12
All other	853	776	38	25	42
Black	849	773	37	24	42
Savannah	---	1,568	47	30	49
White	---	842	12	7	8
All other	---	726	35	23	41
Black	---	724	35	23	41
Balance of county	---	399	9	7	5
White	---	349	6	5	4
All other	---	50	3	2	1
Black	---	49	2	1	1
Chattahoochee	151	31	4	4	4
White	118	17	1	1	1
All other	33	14	3	3	3
Black	30	14	3	3	2
Chattooga	141	228	3	3	3
Cherokee	223	345	10	6	9
Clarke	965	531	17	9	9
White	722	364	8	4	1
All other	243	167	9	5	8
Black	241	166	9	5	5
Athens	---	375	10	4	9
White	---	238	3	1	1
All other	---	137	7	3	8
Black	---	136	7	3	5
Balance of county	---	156	7	5	-
White	---	126	5	3	-
All other	---	30	2	2	-
Black	---	30	2	2	-
Clay	59	47	2	1	1
White	27	25	2	1	-
All other	32	22	-	-	1
Black	32	22	-	-	1
Georgia-Con.					
Clayton	631	804	25	17	44
White	577	736	17	13	36
All other	54	68	8	4	8
Black	51	64	8	4	6
College Park, part	---	32	2	1	2
White	---	27	-	-	1
All other	---	5	2	1	1
Black	---	5	2	1	1
Forest Park	---	142	3	2	6
Balance of county	---	630	20	14	36
Clinch	38	60	3	2	5
White	24	41	-	-	3
All other	14	19	3	2	2
Black	14	18	2	2	2
Cobb	1,644	1,707	58	45	53
White	1,545	1,592	54	43	43
All other	99	115	4	2	10
Black	95	108	3	1	9
Marietta	---	386	14	9	20
White	---	333	13	9	16
All other	---	53	1	-	4
Black	---	50	1	-	3
Smyrna	---	182	10	10	3
Balance of county	---	1,139	34	26	30
Coffee	233	265	9	2	9
White	176	210	6	2	4
All other	57	55	3	-	5
Black	57	55	3	-	5
Douglas	---	112	5	1	3
White	---	83	3	1	-
All other	---	29	2	-	3
Black	---	29	2	-	3
Balance of county	---	153	4	1	6
White	---	127	3	1	4
All other	---	26	1	-	2
Black	---	26	1	-	2
Colquitt	315	350	9	7	14
White	265	293	4	3	4
All other	50	57	5	4	10
Black	50	57	5	4	10
Moultrie	---	179	3	3	11
White	---	132	-	-	2
All other	---	47	3	3	9
Black	---	47	3	3	9
Balance of county	---	171	6	4	9
White	---	161	4	3	2
All other	---	10	2	1	1
Black	---	10	2	1	1
Columbia	56	241	7	4	6
White	39	202	4	3	5
All other	17	39	3	1	1
Black	17	37	3	1	1
Cook	155	142	6	5	5
White	126	108	5	4	-
All other	29	34	1	1	5
Black	29	33	1	1	5
Coweta	365	360	6	6	11
White	258	250	6	5	6
All other	107	110	2	1	5
Black	107	110	2	1	5
Newnan	---	144	1	1	3
White	---	86	-	-	1
All other	---	58	1	1	2
Black	---	58	1	1	2
Balance of county	---	216	7	5	8
White	---	164	6	5	5
All other	---	52	1	-	3
Black	---	52	1	-	3
Crawford	12	61	-	-	-
White	6	43	-	-	-
All other	6	18	-	-	-
Black	6	18	-	-	-
Crisp	207	206	3	3	6
White	134	128	-	-	-
All other	73	78	3	3	6
Black	73	78	3	3	6
Cordele	---	140	-	-	5
White	---	71	-	-	-
All other	---	69	-	-	5
Black	---	69	-	-	5
Balance of county	---	66	3	3	1
White	---	57	-	-	-
All other	---	9	3	3	1
Black	---	9	3	3	1
Dade	31	85	2	2	-
Dawson	11	46	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Decatur	249	265	14	10	8
White	148	152	5	4	2
All other	101	113	9	6	6
Black	100	112	8	6	6
Bainbridge	---	144	5	5	5
White	---	77	1	1	2
All other	---	67	4	4	3
Black	---	67	4	4	3
Balance of county	---	121	9	5	3
White	---	75	4	3	-
All other	---	46	5	2	3
Black	---	45	4	2	3
De Kalb	3,025	3,003	82	55	97
White	2,552	2,268	36	25	37
All other	473	735	46	30	60
Black	467	730	46	30	60
Atlanta, part	---	540	24	15	29
White	---	220	4	3	5
All other	---	320	20	12	24
Black	---	320	20	12	24
Decatur	---	495	15	10	31
White	---	255	3	3	7
All other	---	240	12	7	24
Black	---	239	12	7	24
Balance of county	---	1,968	43	30	37
White	---	1,793	29	19	25
All other	---	175	14	11	12
Black	---	171	14	11	12
Dodge	165	191	-	-	1
White	116	146	-	-	1
All other	49	45	-	-	-
Black	49	45	-	-	-
Dooly	92	129	4	2	2
White	52	70	-	-	1
All other	40	59	4	2	1
Black	39	58	3	1	1
Dougherty	948	716	28	20	31
White	546	396	9	6	7
All other	402	320	19	14	24
Black	402	320	19	14	24
Albany	---	641	25	18	28
White	---	342	7	5	5
All other	---	299	18	13	23
Black	---	299	18	13	23
Balance of county	---	75	3	2	3
White	---	54	2	1	2
All other	---	21	1	1	1
Black	---	21	1	1	1
Douglas	375	365	18	14	11
Early	101	126	5	4	5
White	60	68	1	1	2
All other	41	58	4	3	3
Black	40	57	3	2	3
Echols	6	15	-	-	-
White	5	11	-	-	-
All other	1	4	-	-	-
Black	1	4	-	-	-
Effingham	94	156	-	-	-
White	76	125	-	-	-
All other	18	31	-	-	-
Black	18	31	-	-	-
Elbert	132	197	5	2	4
White	102	148	2	1	1
All other	30	49	3	1	3
Black	29	48	2	1	3
Emanuel	156	229	7	5	2
White	116	176	4	3	1
All other	40	53	3	2	1
Black	40	52	3	2	1
Evans	85	83	4	3	3
White	65	55	1	1	1
All other	20	28	3	2	2
Black	20	28	3	2	2
Fannin	114	179	2	2	1
Fayette	42	167	2	2	6
Floyd	991	763	15	11	13
White	845	641	10	8	12
All other	146	122	5	3	1
Black	146	122	5	3	1
Rome	---	443	9	6	4
White	---	340	4	3	3
All other	---	103	5	3	1
Black	---	103	5	3	1
Balance of county	---	320	6	5	9
Forsyth	173	214	3	2	4
Georgia-Con.					
Franklin	145	152	4	1	4
White	122	134	2	1	1
All other	23	18	2	-	3
Black	23	18	2	-	3
Fulton	7,502	5,638	176	131	150
White	4,387	2,975	40	28	35
All other	3,115	2,663	136	103	115
Black	3,103	2,657	136	103	114
Atlanta, part	---	4,148	134	95	108
White	---	1,719	22	14	14
All other	---	2,429	112	81	94
Black	---	2,425	112	81	93
Atlanta, total	---	4,688	158	110	137
White	---	1,939	26	17	19
All other	---	2,749	132	93	118
Black	---	2,745	132	93	117
College Park, part	---	241	11	10	9
White	---	155	2	2	3
All other	---	86	9	8	6
Black	---	85	9	8	6
College Park, total	---	273	13	11	11
White	---	182	2	2	4
All other	---	91	11	9	7
Black	---	90	11	9	7
East Point	---	339	10	9	11
White	---	266	4	3	3
All other	---	73	6	6	8
Black	---	73	6	6	8
Roswell	---	146	2	1	3
Balance of county	---	764	19	16	19
White	---	693	10	8	12
All other	---	71	9	8	7
Black	---	71	9	8	7
Gilmer	70	104	2	-	3
Glascock	15	31	-	-	-
White	13	30	-	-	-
All other	2	1	-	-	-
Black	2	1	-	-	-
Glynn	613	528	16	12	17
White	436	384	6	5	7
All other	177	144	10	7	10
Black	175	142	10	7	10
Brunswick	---	249	10	7	8
White	---	136	3	2	1
All other	---	113	7	5	7
Black	---	111	7	5	7
Balance of county	---	279	6	5	9
White	---	248	3	3	6
All other	---	31	3	2	3
Black	---	31	3	2	3
Gordon	190	239	4	1	4
Grady	137	193	5	2	3
White	90	135	1	-	-
All other	47	58	4	2	3
Black	47	58	4	2	3
Greene	121	154	5	5	5
White	78	95	-	-	2
All other	43	59	5	5	3
Black	43	59	5	5	3
Gwinnett	634	858	22	17	33
Habersham	163	199	3	2	6
Hall	820	653	9	6	8
Gainesville	---	224	6	4	7
White	---	170	3	2	5
All other	---	54	3	2	2
Black	---	53	2	1	1
Balance of county	---	429	3	2	1
Hancock	37	104	4	1	5
White	13	39	-	-	1
All other	24	65	4	1	4
Black	24	65	4	1	4
Haralson	114	176	3	2	3
Harris	42	161	1	1	2
White	25	106	1	1	1
All other	17	55	-	-	1
Black	17	55	-	-	1
Hart	122	168	5	4	3
White	102	143	2	1	2
All other	20	25	3	3	1
Black	20	25	3	3	1
Heard	34	56	-	-	1
White	26	48	-	-	-
All other	8	8	-	-	1
Black	8	8	-	-	1
Henry	207	258	4	3	10
White	173	216	4	3	3
All other	34	42	-	-	7
Black	34	42	-	-	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Houston	411	476	21	16	12
White	324	374	13	9	3
All other	87	102	8	7	9
Black	85	100	8	7	7
Warner Robins	---	250	12	10	6
White	---	210	7	5	-
All other	---	40	5	5	6
Black	---	39	5	5	4
Balance of county	---	226	9	6	6
White	---	164	6	4	3
All other	---	62	3	2	3
Black	---	61	3	2	3
Irwin	86	99	1	-	2
White	64	73	1	-	1
All other	22	26	-	-	1
Black	21	25	-	-	1
Fitzgerald, part	---	1	-	-	-
Balance of county	---	98	1	-	2
White	---	72	1	-	1
All other	---	26	-	-	1
Black	---	25	-	-	1
Jackson	181	241	4	3	4
White	159	211	2	1	3
All other	22	30	2	2	1
Black	22	30	2	2	1
Jasper	46	68	3	3	2
White	31	44	-	-	1
All other	15	24	3	3	1
Black	15	24	3	3	1
Jeff Davis	82	96	1	1	6
White	67	82	-	-	4
All other	15	14	1	1	2
Black	15	14	1	1	2
Jefferson	134	190	4	2	6
White	60	102	1	1	1
All other	74	88	3	1	5
Black	73	88	3	1	5
Jenkins	62	97	1	-	2
White	34	59	-	-	1
All other	28	38	1	-	1
Black	28	38	1	-	1
Johnson	23	66	3	2	1
White	16	65	2	1	1
All other	7	21	1	1	-
Black	7	21	1	1	-
Jones	62	130	4	2	4
White	38	92	2	-	3
All other	24	38	2	2	1
Black	24	38	2	2	1
Macon, part	---	4	-	-	-
White	---	3	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	126	4	2	4
White	---	89	2	-	3
All other	---	37	2	2	1
Black	---	37	2	2	1
Lamar	63	107	1	-	2
White	45	73	-	-	-
All other	18	34	1	-	2
Black	18	34	1	-	2
Lanier	43	62	3	2	3
White	35	53	2	2	2
All other	8	9	1	-	1
Black	8	9	1	-	1
Laurens	557	359	8	6	11
White	364	219	-	-	6
All other	193	140	8	6	5
Black	193	140	8	6	5
Dublin	---	197	6	5	5
White	---	104	-	-	2
All other	---	93	6	5	3
Black	---	93	6	5	3
Balance of county	---	162	2	1	6
White	---	115	-	-	4
All other	---	47	2	1	2
Black	---	47	2	1	2
Lee	8	68	4	2	3
White	5	43	2	1	-
All other	3	25	2	1	3
Black	3	25	2	1	3
Liberty	129	174	23	18	16
White	70	89	9	8	7
All other	59	85	14	10	9
Black	58	84	14	10	9
Hinesville	---	51	5	4	11
White	---	38	3	2	6
All other	---	13	2	2	5
Black	---	13	2	2	5
Georgia-Con.					
Balance of county	---	123	18	14	5
White	---	51	6	6	1
All other	---	72	12	8	4
Black	---	71	12	8	4
Lincoln	30	78	2	-	-
White	22	50	2	-	-
All other	8	28	-	-	-
Black	7	28	-	-	-
Long	7	44	1	-	3
White	5	35	1	-	1
All other	2	9	-	-	2
Black	2	9	-	-	2
Lowndes	649	584	16	13	17
White	438	396	11	10	12
All other	211	188	5	3	5
Black	211	188	5	3	5
Valdosta	---	379	10	7	10
White	---	231	5	4	5
All other	---	148	5	3	5
Black	---	148	5	3	5
Balance of county	---	205	6	6	7
White	---	165	6	6	7
All other	---	40	-	-	-
Black	---	40	-	-	-
Lumpkin	65	69	2	1	1
McDuffie	134	176	6	5	2
White	75	104	1	1	1
All other	59	72	5	4	1
Black	59	72	5	4	1
McIntosh	35	98	1	1	2
White	28	60	-	-	1
All other	7	38	1	1	1
Black	7	38	1	1	1
Macon	127	125	3	1	4
White	52	57	1	-	1
All other	75	68	2	1	3
Black	75	68	2	1	3
Madison	43	134	1	-	1
White	31	121	1	-	-
All other	12	13	-	-	1
Black	12	13	-	-	1
Marion	36	54	-	-	1
White	19	33	-	-	-
All other	17	21	-	-	1
Black	17	21	-	-	1
Meriwether	141	210	6	3	3
White	97	136	3	1	-
All other	44	74	3	2	3
Black	43	73	3	2	3
Miller	75	67	2	1	-
White	50	52	1	1	-
All other	25	15	1	-	-
Black	25	15	1	-	-
Mitchell	137	203	6	3	7
White	72	118	3	2	1
All other	65	85	3	1	6
Black	65	85	3	1	6
Monroe	157	143	3	3	1
White	119	95	1	1	1
All other	38	48	2	2	-
Black	38	48	2	2	-
Montgomery	7	79	2	2	-
White	4	53	-	-	-
All other	3	26	2	2	-
Black	3	26	2	2	-
Vidalia, part	---	3	-	-	-
Balance of county	---	76	2	2	-
White	---	50	-	-	-
All other	---	26	2	2	-
Black	---	26	2	2	-
Morgan	51	108	-	-	-
White	22	56	-	-	-
All other	29	52	-	-	-
Black	29	52	-	-	-
Murray	92	153	2	1	3
Muscogee	1,694	1,558	37	24	31
White	1,094	1,015	17	12	16
All other	600	543	20	12	15
Black	596	536	20	12	15
Columbus	---	1,511	33	23	28
White	---	986	17	12	13
All other	---	525	16	11	15
Black	---	518	16	11	15
Balance of county	---	47	4	1	3
Newton	231	320	6	4	14
White	190	249	3	3	7
All other	41	71	3	1	7
Black	41	71	3	1	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Covington	---	145	5	4	6
White	---	99	3	3	1
All other	---	46	2	1	5
Black	---	46	2	1	5
Balance of county	---	175	1	-	8
White	---	150	-	-	6
All other	---	25	1	-	2
Black	---	25	1	-	2
Oconee	25	73	1	1	-
White	22	70	1	1	-
All other	3	3	-	-	-
Black	3	3	-	-	-
Oglethorpe	7	83	1	-	3
White	6	57	-	-	1
All other	1	26	1	-	2
Black	1	26	1	-	2
Paulding	134	206	9	7	8
Peach	122	145	3	2	6
White	69	73	1	1	1
All other	53	72	2	1	5
Black	53	71	2	1	5
Pickens	99	120	2	1	3
Pierce	76	122	3	3	1
White	59	95	1	1	1
All other	17	27	2	2	-
Black	17	27	2	2	-
Pike	22	76	3	3	2
White	10	49	1	1	-
All other	12	27	2	2	2
Black	12	27	2	2	2
Polk	236	362	7	5	11
White	205	318	4	3	6
All other	31	44	3	2	5
Black	31	43	3	2	5
Pulaski	124	119	3	-	-
White	89	82	-	-	-
All other	35	37	3	-	-
Black	34	37	3	-	-
Putnam	125	106	4	2	4
White	65	58	1	1	1
All other	60	48	3	1	3
Black	60	48	3	1	3
Quitman	9	30	1	1	1
White	7	17	-	-	-
All other	2	13	1	1	1
Black	2	13	1	1	1
Rabun	82	93	2	2	1
Randolph	101	127	2	2	3
White	44	55	1	1	-
All other	57	72	1	1	3
Black	57	72	1	1	3
Richmond	2,976	1,430	44	27	53
White	1,939	850	15	9	17
All other	1,037	580	29	18	36
Black	1,025	574	28	17	34
Augusta	---	730	15	10	37
White	---	360	3	1	12
All other	---	370	12	9	25
Black	---	368	12	9	23
Balance of county	---	700	29	17	16
White	---	490	12	8	5
All other	---	210	17	9	11
Black	---	206	16	8	11
Rockdale	265	268	4	-	2
Schley	11	43	1	1	-
White	7	29	1	1	-
All other	4	14	-	-	-
Black	4	14	-	-	-
Screven	113	156	1	-	3
White	65	83	-	-	1
All other	48	73	1	-	2
Black	48	73	1	-	2
Seminole	74	98	3	3	1
White	53	76	1	1	-
All other	21	22	2	2	1
Black	21	21	2	2	1
Spalding	466	495	15	10	4
White	349	366	4	3	3
All other	117	130	11	7	1
Black	117	130	11	7	1
Griffin	---	337	14	9	1
White	---	230	3	2	1
All other	---	107	11	7	-
Black	---	107	11	7	-
Balance of county	---	159	1	1	3
White	---	136	1	1	2
All other	---	23	-	-	1
Black	---	23	-	-	1
Stephens	214	207	3	2	-
White	190	176	3	2	-
All other	24	31	-	-	-
Black	24	31	-	-	-
Stewart	39	60	1	1	1
White	11	24	-	-	-
All other	28	36	1	1	1
Black	28	36	1	1	1
Sumter	356	334	17	8	5
White	195	168	2	1	2
All other	161	166	15	7	3
Black	161	166	15	7	3
Americus	---	219	12	6	4
White	---	102	2	1	2
All other	---	117	10	5	2
Black	---	117	10	5	2
Balance of county	---	115	5	2	1
White	---	66	-	-	-
All other	---	49	5	2	1
Black	---	49	5	2	1
Talbot	23	66	3	3	2
White	8	30	3	3	-
All other	15	36	-	-	2
Black	15	36	-	-	2
Taliaferro	4	32	2	1	2
White	3	18	1	1	1
All other	1	14	1	-	1
Black	1	14	1	-	1
Tattnall	84	182	5	4	3
White	61	148	2	2	3
All other	23	34	3	2	-
Black	23	34	3	2	-
Taylor	40	106	4	3	2
White	25	69	1	-	-
All other	15	37	3	3	2
Black	15	37	3	3	2
Telfair	120	149	-	-	3
White	89	108	-	-	2
All other	31	41	-	-	1
Black	31	41	-	-	1
Terrell	94	125	2	1	2
White	37	52	-	-	2
All other	57	73	2	1	-
Black	57	73	2	1	-
Thomas	472	434	13	5	8
White	319	293	7	4	6
All other	153	141	6	1	2
Black	152	140	5	1	2
Thomasville	---	220	6	2	5
White	---	130	3	2	3
All other	---	90	3	-	2
Black	---	89	2	-	2
Balance of county	---	214	7	3	3
White	---	163	4	2	3
All other	---	51	3	1	-
Black	---	51	3	1	-
Tift	359	276	8	4	6
White	267	203	3	-	1
All other	92	73	5	4	5
Black	88	70	5	4	5
Tifton	---	136	4	3	6
White	---	110	1	-	1
All other	---	26	3	3	5
Black	---	25	3	3	5
Balance of county	---	140	4	1	-
White	---	93	2	-	-
All other	---	47	2	1	-
Black	---	45	2	1	-
Toombs	230	199	3	3	8
White	175	161	1	1	4
All other	55	38	2	2	4
Black	55	38	2	2	4
Vidalia, part	---	89	2	2	2
White	---	69	1	1	1
All other	---	20	1	1	1
Black	---	20	1	1	1
Vidalia, total	---	92	2	2	2
White	---	72	1	1	1
All other	---	20	1	1	1
Black	---	20	1	1	1
Balance of county	---	110	1	1	6
White	---	92	-	-	3
All other	---	18	1	1	3
Black	---	18	1	1	3
Towns	68	63	1	-	-
Treutlen	22	72	2	1	-
White	17	54	-	-	-
All other	5	18	2	1	-
Black	5	18	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Troup	589	520	7	5	12
White	413	361	3	2	5
All other	176	159	4	3	7
Black	176	159	4	3	7
La Grange	---	309	6	5	6
White	---	202	2	2	2
All other	---	107	4	3	4
Black	---	107	4	3	4
Balance of county	---	211	1	-	6
White	---	159	1	-	3
All other	---	52	-	-	3
Black	---	52	-	-	3
Turner	76	99	4	2	6
White	54	77	-	-	4
All other	22	22	4	2	2
Black	22	22	4	2	2
Twiggs	59	91	2	-	2
White	35	52	2	-	1
All other	24	39	-	-	1
Black	24	39	-	-	1
Union	110	123	6	3	2
Upson	335	295	4	4	1
White	246	231	1	1	-
All other	89	64	3	3	1
Black	89	64	3	3	1
Walker	111	498	6	4	4
Walton	191	276	9	5	8
White	139	212	3	3	7
All other	52	64	6	2	1
Black	52	64	6	2	1
Ware	484	396	5	2	14
White	390	301	3	1	6
All other	94	95	2	1	8
Black	92	95	2	1	8
Waycross	---	257	3	1	10
White	---	172	1	-	2
All other	---	85	2	1	8
Black	---	85	2	1	8
Balance of county	---	139	2	1	4
Warren	15	67	2	1	1
White	7	29	-	-	-
All other	8	38	2	1	1
Black	8	38	2	1	1
Washington	182	201	5	3	4
White	96	97	1	1	1
All other	86	104	4	2	3
Black	86	104	4	2	3
Wayne	238	221	5	4	4
White	177	179	2	2	1
All other	61	42	3	2	3
Black	61	42	3	2	3
Webster	12	25	-	-	1
White	7	14	-	-	-
All other	5	11	-	-	1
Black	5	11	-	-	1
Wheeler	55	51	1	-	-
White	39	38	1	-	-
All other	16	13	-	-	-
Black	16	13	-	-	-
White	28	94	2	1	1
Whitfield	568	509	14	6	17
Dalton	---	225	5	2	8
White	---	196	3	1	6
All other	---	29	2	1	2
Black	---	29	2	1	2
Balance of county	---	284	9	4	9
Wilcox	34	80	-	-	2
White	23	61	-	-	1
All other	11	19	-	-	1
Black	11	19	-	-	1
Wilkes	129	125	1	-	-
White	81	79	-	-	-
All other	48	46	1	-	-
Black	48	46	1	-	-
Wilkinson	30	111	1	1	1
White	16	62	-	-	-
All other	14	49	1	1	1
Black	14	49	1	1	1
Worth	90	141	1	1	8
White	59	101	-	-	2
All other	31	40	1	1	6
Black	31	40	1	1	6
Hawaii	5,725	5,482	180	121	200
White	1,959	1,777	50	34	64
All other	3,766	3,705	130	87	136
Black	41	34	9	5	6

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Hawaii-Con.					
Hawaii	595	594	17	13	22
White	193	195	5	4	4
All other	342	399	12	9	18
Black	-	-	-	-	1
Hilo#	---	219	5	4	11
White	---	61	1	1	1
All other	---	158	4	3	10
Black	---	-	-	-	1
Balance of county	---	375	12	9	11
White	---	134	4	3	3
All other	---	241	8	6	8
Black	---	-	-	-	-
Honolulu	4,452	4,127	145	95	154
White	1,486	1,340	40	26	50
All other	2,966	2,787	105	69	104
Black	40	33	9	5	5
Aiea#	---	138	7	6	6
White	---	21	3	3	2
All other	---	117	4	3	4
Black	---	-	-	-	-
Ewa Beach#	---	105	7	4	7
White	---	33	2	2	-
All other	---	72	5	2	7
Black	---	1	1	-	-
Honolulu#	---	2,393	57	42	73
White	---	792	14	9	22
All other	---	1,601	43	33	51
Black	---	11	3	3	2
Kailua#	---	203	4	3	3
White	---	136	-	-	3
All other	---	67	4	3	-
Black	---	1	1	1	-
Kaneohe#	---	259	8	5	8
White	---	95	2	1	4
All other	---	164	6	4	4
Black	---	1	-	-	-
Mililani Town#	---	40	5	5	-
White	---	10	2	2	-
All other	---	30	3	3	-
Black	---	1	-	-	-
Mokapu# [5]	---	13	2	-	1
White	---	12	2	-	1
All other	---	1	-	-	-
Black	---	-	-	-	-
Pearl City#	---	123	6	2	6
White	---	25	1	-	1
All other	---	98	5	2	5
Black	---	3	-	-	-
Schofield Barracks#	---	23	4	3	6
White	---	13	2	2	4
All other	---	10	2	1	2
Black	---	7	1	-	2
Wahiawa#	---	129	6	3	11
White	---	28	2	1	5
All other	---	101	3	2	6
Black	---	1	1	-	1
Waipahu#	---	169	14	9	10
White	---	23	2	2	1
All other	---	146	12	7	9
Black	---	4	2	1	-
Balance of county [5]	---	532	26	13	23
White	---	152	8	4	7
All other	---	380	18	9	16
Black	---	3	-	-	-
Kalawao	2	4	-	-	-
White	-	1	-	-	-
All other	2	3	-	-	-
Black	-	-	-	-	-
Kauai	292	287	3	3	9
White	103	82	1	1	3
All other	189	205	2	2	6
Black	-	-	-	-	-
Maui	444	470	15	10	15
White	177	159	4	3	7
All other	267	311	11	7	8
Black	1	1	-	-	-
Kahului#	---	95	1	1	2
White	---	30	-	-	-
All other	---	65	1	1	2
Black	---	-	-	-	-
Wailuku#	---	85	3	1	2
White	---	21	1	1	2
All other	---	64	2	-	-
Black	---	-	-	-	-
Balance of county	---	290	11	8	11
White	---	108	3	2	5
All other	---	182	8	6	6
Black	---	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Idaho	6,936	7,241	203	109	133
White	6,818	7,116	194	105	128
All other	118	125	9	4	5
Black	16	18	4	3	1
Ada	1,476	1,230	32	20	20
Boise City	---	1,022	27	16	14
Balance of county	---	208	5	4	6
Adams	21	27	2	1	1
Bannock	435	388	13	6	6
Pocatello	---	304	11	4	4
Balance of county	---	84	2	2	2
Bear Lake	66	78	3	1	1
Benewah	66	76	1	-	-
Bingham	179	277	11	5	5
Blackfoot	---	91	1	1	1
Balance of county	---	186	10	4	4
White	---	157	8	4	4
All other	---	29	2	-	-
Black	---	-	-	-	-
Blaine	55	39	1	1	1
Boise	21	19	-	-	-
Bonner	172	197	2	1	4
Bonneville	519	384	17	8	8
Idaho Falls	---	309	12	7	5
Balance of county	---	75	5	1	3
Boundary	36	48	-	-	2
Butte	27	27	1	1	-
Camas	4	7	2	1	-
Canyon	649	714	24	11	19
Caldwell	---	184	4	2	3
White	---	181	4	2	3
All other	---	3	-	-	-
Black	---	2	-	-	-
Nampa	---	280	6	4	6
Balance of county	---	250	14	5	10
Caribou	44	50	2	2	2
Cassia	146	137	-	-	4
Clark	4	5	-	-	-
Clearwater	87	85	4	2	1
Custer	21	34	2	1	2
Elmore	75	98	8	4	5
Franklin	57	79	2	1	4
Fremont	53	72	3	2	1
Gem	103	121	5	1	1
Gooding	74	115	3	2	1
Idaho	126	155	1	-	1
Jefferson	52	109	5	3	3
Jerome	75	111	3	3	4
Kootenai	471	522	11	8	6
Coeur d'Alene	---	294	5	2	3
Balance of county	---	228	6	6	3
Latah	174	178	2	1	3
Moscow	---	85	-	-	3
Balance of county	---	93	2	1	-
Lemhi	58	60	-	-	3
Lewis	14	45	1	-	-
Lincoln	17	36	4	2	-
Madison	62	76	5	4	2
Rexburg	---	38	4	3	1
Balance of county	---	38	1	1	1
Minidoka	87	127	1	1	2
Nez Perce	367	338	5	3	4
Lewiston	---	288	3	2	4
Balance of county	---	50	2	1	-
White	---	38	1	1	-
All other	---	12	1	-	-
Black	---	-	-	-	-
Oneida	32	50	-	-	2
Owyhee	46	69	1	1	-
Payette	77	165	1	1	1
Power	39	53	4	1	1
Shoshone	146	174	4	1	4
Teton	16	25	2	2	-
Twin Falls	543	480	12	5	7
Twin Falls	---	253	7	3	2
Balance of county	---	227	5	2	5
Valley	62	57	1	1	1
Washington	82	110	2	1	1
Illinois	99,794	102,438	2,224	1,464	1,483
White	85,476	87,922	1,326	924	993
All other	14,318	14,516	898	540	490
Black	13,966	14,161	877	524	462
Illinois-Con.					
Adams	1,003	890	14	6	11
Quincy	---	665	6	1	10
Balance of county	---	225	8	5	1
Alexander	100	164	1	-	-
White	62	113	-	-	-
All other	38	51	1	-	-
Black	38	51	1	-	-
Bond	143	191	1	1	-
Boone	213	237	3	2	1
Belvidere	---	146	1	1	-
Balance of county	---	91	2	1	1
Brown	26	81	2	2	-
Bureau	447	440	6	5	6
Calhoun	24	62	4	3	-
Carroll	140	214	2	1	1
Cass	127	175	1	1	3
Champaign	1,291	949	23	12	14
White	1,197	851	18	12	10
All other	94	98	5	-	4
Black	92	95	5	-	4
Champaign	---	337	4	1	8
White	---	279	2	1	5
All other	---	58	2	-	3
Black	---	57	2	-	3
Rantoul	---	74	7	4	1
White	---	70	6	4	-
All other	---	4	1	-	1
Black	---	4	1	-	1
Urbana	---	260	5	2	-
White	---	228	4	2	-
All other	---	32	1	-	-
Black	---	30	1	-	-
Balance of county	---	278	7	5	5
Christian	333	438	7	4	5
Taylorville	---	157	2	-	1
Balance of county	---	281	5	4	4
Clark	119	226	2	2	3
Clay	135	193	3	3	3
Clinton	194	277	3	2	5
Centralia, part	---	34	-	-	-
Balance of county	---	243	3	2	5
Coles	531	517	5	-	10
Charleston	---	140	-	-	4
Mattoon	---	278	4	-	6
Balance of county	---	99	1	-	-
Cook	48,007	48,452	1,254	826	772
White	36,123	36,544	530	391	396
All other	11,884	11,908	724	435	376
Black	11,613	11,639	709	423	359
Alsip	---	101	3	2	2
Arlington Heights, part	---	504	3	2	12
Arlington Heights, total	---	504	3	2	12
Bartlett, part	---	34	1	1	-
Bellwood	---	140	2	1	3
White	---	110	1	1	1
All other	---	30	1	-	2
Black	---	30	1	-	2
Bensenville, part	---	6	1	1	-
Berwyn	---	667	3	2	1
Blue Island	---	264	3	2	5
White	---	252	3	2	3
All other	---	12	-	-	2
Black	---	12	-	-	2
Bridgeview	---	131	3	2	-
Brookfield	---	199	4	3	2
Buffalo Grove, part	---	71	2	2	2
Buffalo Grove, total	---	81	2	2	3
Burbank	---	237	3	2	1
Calumet City	---	362	8	7	7
Chicago, part	---	29,677	945	601	539
White	---	18,810	287	210	215
All other	---	10,867	658	391	324
Black	---	10,664	648	384	313
Chicago, total	---	29,677	945	601	539
White	---	18,810	287	210	215
All other	---	10,867	658	391	324
Black	---	10,664	648	384	313
Chicago Heights	---	294	9	4	8
White	---	229	2	1	1
All other	---	65	7	3	7
Black	---	65	7	3	7
Chicago Ridge	---	94	4	2	2
Cicero	---	770	11	8	10
Country Club Hills	---	43	-	-	2
White	---	39	-	-	2
All other	---	4	-	-	-
Black	---	3	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Crestwood	---	100	1	1	2
Deerfield, part	---	7	-	-	1
Des Plaines	---	640	9	7	7
Dolton	---	224	1	1	4
Elgin, part	---	52	3	3	2
White	---	49	2	2	2
All other	---	3	1	1	-
Black	---	3	1	1	-
Elk Grove Village, part	---	124	3	2	-
Elk Grove Village, total	---	124	3	2	-
Elmwood Park	---	311	2	2	2
Evanston	---	714	10	7	7
White	---	580	5	4	4
All other	---	134	5	3	3
Black	---	130	5	3	3
Evergreen Park	---	305	3	2	1
Forest Park	---	163	1	-	1
White	---	159	-	-	-
All other	---	4	1	-	1
Black	---	2	1	-	1
Franklin Park	---	159	2	2	1
Glenview	---	315	6	4	3
Glenwood	---	84	-	-	1
White	---	80	-	-	-
All other	---	4	-	-	1
Black	---	4	-	-	1
Hanover Park, part	---	59	5	3	2
Hanover Park, total	---	75	7	4	2
Harvey	---	298	18	11	9
White	---	130	4	3	2
All other	---	168	14	8	7
Black	---	167	14	8	7
Hazel Crest	---	102	1	1	4
White	---	98	1	1	2
All other	---	4	-	-	2
Black	---	4	-	-	2
Hickory Hills	---	114	1	1	1
Hinsdale, part	---	17	-	-	-
Hoffman Estates	---	137	2	1	3
Homewood	---	214	2	2	-
Justice	---	59	5	5	3
White	---	56	3	3	3
All other	---	3	2	2	-
Black	---	3	2	2	-
La Grange	---	164	-	-	6
La Grange Park	---	165	-	-	1
Lansing	---	256	5	5	1
Lincolnwood	---	99	1	-	-
Markham	---	81	2	1	1
White	---	32	1	-	1
All other	---	49	1	1	-
Black	---	48	1	1	-
Matteson	---	79	3	1	2
White	---	75	3	1	2
All other	---	4	-	-	-
Black	---	4	-	-	-
Maywood	---	204	8	5	4
White	---	86	1	1	-
All other	---	118	7	4	4
Black	---	118	7	4	4
Melrose Park	---	214	7	5	2
Midlothian	---	124	2	2	3
Morton Grove	---	185	1	-	1
Mount Prospect	---	340	6	6	4
Niles	---	424	-	-	2
Norridge	---	208	1	1	2
Northbrook	---	281	7	6	3
Northlake	---	146	2	1	1
Oak Forest	---	148	2	2	3
Oak Lawn	---	645	6	5	2
Oak Park	---	526	7	7	2
White	---	505	5	5	1
All other	---	21	2	2	1
Black	---	21	2	2	-
Orland Park	---	139	5	3	3
Palatine	---	242	9	6	4
Palos Heights	---	106	1	1	-
Palos Hills	---	129	3	2	-
Park Forest, part	---	157	5	4	3
White	---	143	4	3	3
All other	---	14	1	1	-
Black	---	14	1	1	-
Park Forest, total	---	162	5	4	3
White	---	148	4	3	3
All other	---	14	1	1	-
Black	---	14	1	1	-
Park Ridge	---	364	3	1	3
Prospect Heights	---	57	1	1	3
Riverdale	---	140	1	1	1
River Forest	---	113	2	1	1
River Grove	---	116	-	-	-
Illinois-Con.					
Rolling Meadows	---	106	5	3	3
Roselle, part	---	16	2	2	-
Sauk Village	---	49	4	3	-
Schaumburg, part	---	249	6	6	5
Schaumburg, total	---	251	6	6	5
Schiller Park	---	73	2	1	1
Skokie	---	596	5	3	3
South Holland	---	232	1	1	-
Streamwood	---	70	3	2	4
Summit	---	87	5	4	2
White	---	69	3	2	1
All other	---	18	2	2	1
Black	---	18	2	2	1
Tinley Park, part	---	183	4	3	6
Tinley Park, total	---	183	4	3	6
Westchester	---	189	-	-	4
Western Springs	---	83	1	1	-
Wheeling, part	---	126	1	1	1
Wheeling, total	---	128	1	1	1
Wilmette	---	204	-	-	-
Winnetka	---	90	-	-	-
Worth	---	106	3	3	-
Balance of county	---	2,349	42	29	35
White	---	2,100	30	20	27
All other	---	249	12	9	8
Black	---	244	11	8	8
Crawford	184	239	2	1	1
Cumberland	39	115	2	1	2
De Kalb	492	506	11	5	12
De Kalb	---	142	4	4	6
Balance of county	---	364	7	1	6
De Witt	132	191	2	1	2
Douglas	136	195	5	4	5
Du Page	3,875	4,045	94	65	69
White	3,829	3,997	89	61	63
All other	46	48	5	4	6
Black	26	23	5	4	3
Addison	---	130	3	2	2
Aurora, part	---	7	1	1	1
Bartlett, part	---	22	2	1	3
Bartlett, total	---	56	3	2	3
Batavia, part	---	-	-	-	-
Bensenville, part	---	145	4	3	1
Bensenville, total	---	151	5	4	1
Bloomingdale	---	143	2	2	1
Bolingbrook, part	---	8	2	2	-
White	---	6	1	1	-
All other	---	2	1	1	-
Black	---	2	1	1	-
Carol Stream	---	71	7	7	2
Chicago, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Darien	---	86	1	1	2
Downers Grove	---	391	4	2	5
Elk Grove Village, part	---	-	-	-	-
Elmhurst	---	348	2	2	4
Glendale Heights	---	58	6	5	1
White	---	57	6	5	-
All other	---	1	-	-	1
Black	---	1	-	-	-
Glen Ellyn	---	156	2	1	3
Hanover Park, part	---	16	2	1	-
Hinsdale, part	---	131	4	4	1
Hinsdale, total	---	148	4	4	1
Lisle	---	71	3	2	2
Lombard	---	256	4	3	4
Naperville, part	---	236	7	5	3
Naperville, total	---	238	7	5	3
Roselle, part	---	60	-	-	2
Roselle, total	---	76	2	2	2
St. Charles, part	---	1	-	-	-
Schaumburg, part	---	2	-	-	-
Villa Park	---	179	2	1	4
West Chicago	---	117	9	5	2
White	---	114	9	5	2
All other	---	3	-	-	-
Black	---	1	-	-	-
Westmont	---	195	4	2	3
Wheaton	---	287	7	3	3
Wood Dale	---	76	-	-	4
Woodridge	---	75	7	3	6
Balance of county	---	778	9	7	10
Edgar	231	273	2	1	7
Edwards	28	97	-	-	2
Effingham	372	291	5	1	3
Effingham	---	137	2	-	-
Balance of county	---	154	3	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Fayette	203	255	7	6	4
Ford	189	208	4	4	-
Franklin	471	602	6	4	3
Fulton	376	463	4	3	5
Canton	---	192	1	1	2
Balance of county	---	271	3	2	3
Gallatin	37	118	2	1	1
Greene	128	191	1	-	2
Grundy	192	237	4	2	1
Hamilton	92	123	-	-	3
Hancock	163	253	5	3	3
Hardin	68	70	2	2	1
Henderson	16	74	-	-	1
Henry	443	552	5	5	3
Kewanee	---	221	4	4	-
Balance of county	---	331	1	1	3
Iroquois	264	366	4	2	5
Jackson	525	475	14	7	11
White	461	412	9	5	9
All other	64	63	5	2	2
Black	62	62	5	2	1
Carbondale	---	176	5	-	5
White	---	137	2	-	3
All other	---	39	3	-	2
Black	---	39	3	-	1
Balance of county	---	299	9	7	6
Jasper	39	122	-	-	1
Jefferson	397	391	5	2	7
Mount Vernon	---	241	2	-	5
Balance of county	---	150	3	2	2
Jersey	175	211	2	2	1
Jo Daviess	108	204	3	2	2
Johnson	51	109	3	3	1
Kane	2,471	2,185	48	33	25
White	2,390	2,109	39	27	22
All other	81	76	9	6	3
Black	73	70	9	6	3
Aurora, part	---	762	16	10	11
White	---	718	14	9	9
All other	---	44	2	1	2
Black	---	41	2	1	2
Aurora, total	---	769	17	11	12
White	---	725	15	10	10
All other	---	44	2	1	2
Black	---	41	2	1	2
Batavia, part	---	131	3	2	2
Batavia, total	---	131	3	2	2
Carpentersville	---	102	2	2	-
Elgin, part	---	546	17	11	9
White	---	524	11	6	8
All other	---	22	6	5	1
Black	---	21	6	5	1
Elgin, total	---	598	20	14	11
White	---	573	13	8	10
All other	---	25	7	6	1
Black	---	24	7	6	1
St. Charles, part	---	128	1	1	1
St. Charles, total	---	129	1	1	1
Balance of county	---	516	9	7	2
Kankakee	939	922	21	18	18
White	805	777	12	10	12
All other	134	145	9	8	6
Black	134	145	9	8	6
Bourbonnais	---	64	3	2	3
Bradley	---	119	-	-	2
Kankakee	---	362	12	11	5
White	---	294	4	3	2
All other	---	68	8	8	3
Black	---	68	8	8	3
Balance of county	---	377	6	5	8
White	---	303	5	5	5
All other	---	74	1	-	3
Black	---	74	1	-	3
Kendall	89	204	4	2	2
Knox	678	591	9	7	4
Galesburg	---	364	6	4	4
Balance of county	---	227	3	3	-
Lake	3,059	2,772	59	42	58
White	2,858	2,584	45	32	50
All other	201	188	14	10	8
Black	195	181	12	8	7
Arlington Heights, part	---	-	-	-	-
Buffalo Grove, part	---	10	-	-	1
Deerfield, part	---	105	3	3	-
Deerfield, total	---	112	3	3	1
Highland Park	---	201	3	2	4
Lake Forest	---	100	1	1	3
Libertyville	---	132	1	1	3
Mundelein	---	106	2	1	2
North Chicago	---	132	5	3	3
White	---	73	1	1	2
All other	---	59	4	2	1
Black	---	59	4	2	1
Round Lake Beach	---	68	1	1	1
Waukegan	---	573	13	10	11
White	---	488	9	6	7
All other	---	85	4	4	4
Black	---	84	3	3	3
Wheeling, part	---	2	-	-	-
Zion	---	145	7	5	3
White	---	120	2	2	2
All other	---	25	5	3	1
Black	---	24	5	3	1
Balance of county	---	1,198	23	15	27
La Salle	1,150	1,179	23	16	14
La Salle	---	150	2	1	-
Ottawa	---	206	3	3	1
Peru	---	118	3	3	1
Streator, part	---	184	4	1	4
Streator, total	---	186	4	1	4
Balance of county	---	521	11	8	8
Lawrence	177	245	1	1	2
Lee	358	365	3	3	8
Dixon	---	191	1	1	5
Balance of county	---	174	2	2	1
Livingston	331	413	8	6	6
Pontiac	---	123	2	2	3
White	---	122	2	2	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Streator, part	---	2	-	-	-
Balance of county	---	288	6	4	3
Logan	284	347	3	2	3
Lincoln	---	222	1	-	2
Balance of county	---	125	2	2	1
McDonough	313	318	5	5	3
Macomb	---	180	3	3	1
Balance of county	---	138	2	2	2
McHenry	881	1,102	14	11	12
Crystal Lake	---	149	4	3	3
McHenry	---	151	3	3	1
Woodstock	---	147	-	-	-
Balance of county	---	655	7	5	8
McLean	824	853	9	6	11
Bloomington	---	423	2	-	5
Normal	---	164	2	2	4
Balance of county	---	266	5	4	2
Macon	1,355	1,179	33	21	16
White	1,269	1,085	19	11	14
All other	86	94	14	10	2
Black	84	93	14	10	2
Decatur	---	1,006	28	16	11
White	---	914	15	7	9
All other	---	92	13	9	2
Black	---	92	13	9	2
Balance of county	---	173	5	5	5
Macoupin	347	562	6	4	5
Madison	2,174	2,440	38	27	24
White	2,031	2,286	33	24	23
All other	143	154	5	3	1
Black	136	149	5	3	-
Alton	---	449	5	4	5
White	---	380	3	3	5
All other	---	69	2	1	-
Black	---	68	2	1	-
Collinsville, part	---	252	2	2	1
Collinsville, total	---	263	2	2	1
Edwardsville	---	157	2	2	1
Granite City	---	404	6	5	6
Wood River	---	130	1	1	1
Balance of county	---	1,048	22	13	10
Marion	515	516	9	7	6
Centralia, part	---	187	6	5	2
White	---	172	5	4	1
All other	---	15	1	1	1
Black	---	15	1	1	1
Centralia, total	---	221	6	5	2
White	---	206	5	4	1
All other	---	15	1	1	1
Black	---	15	1	1	1
Balance of county	---	329	3	2	4
Marshall	65	154	2	1	-
Mason	96	179	6	5	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Massac	158	209	-	-	1
Menard	78	136	2	1	2
Mercer	124	183	2	1	1
Monroe	94	216	1	1	4
Montgomery	411	362	4	2	2
Morgan	445	394	3	1	6
Jacksonville	---	269	2	1	3
Balance of county	---	125	1	-	3
Moultrie	111	162	3	2	4
Ogle	264	411	6	3	5
Peoria	2,249	1,702	46	29	21
White	2,126	1,581	24	16	15
All other	123	121	22	13	6
Black	121	120	21	13	6
Pekin, part	---	-	-	-	-
Peoria	---	1,100	39	25	15
White	---	983	18	12	9
All other	---	117	21	13	6
Black	---	116	20	13	6
Balance of county	---	602	7	4	6
Perry	274	294	2	2	1
Piatt	87	173	3	3	1
Pike	160	221	6	5	4
Pope	9	56	1	-	1
Pulaski	38	138	5	2	3
White	27	94	-	-	3
All other	11	44	5	2	-
Black	11	44	5	2	-
Putnam	7	38	2	2	1
Randolph	428	376	8	7	2
Richland	299	197	4	3	2
Rock Island	1,547	1,506	11	6	26
White	1,483	1,440	10	6	23
All other	64	66	1	-	3
Black	63	64	1	-	2
East Moline	---	205	2	-	8
White	---	193	2	-	7
All other	---	12	-	-	1
Black	---	12	-	-	-
Moline	---	414	2	1	10
Rock Island	---	518	6	4	5
White	---	475	5	4	3
All other	---	43	1	-	2
Black	---	43	1	-	2
Balance of county	---	369	1	1	3
St. Clair	2,547	2,590	81	51	36
White	1,939	1,864	44	30	8
All other	608	726	37	21	28
Black	607	725	37	21	28
Belleville	---	620	14	11	-
Cahokia	---	132	6	2	1
Collinsville, part	---	11	-	-	-
East St. Louis	---	658	32	18	24
White	---	61	2	1	-
All other	---	597	30	17	24
Black	---	597	30	17	24
Fairview Heights	---	105	1	-	-
O'Fallon	---	94	4	4	-
Balance of county	---	970	24	16	11
White	---	852	17	12	7
All other	---	118	7	4	4
Black	---	117	7	4	4
Saline	506	471	5	3	2
Harrisburg	---	178	3	1	1
Balance of county	---	293	2	2	1
Sangamon	2,248	1,612	33	20	20
White	2,134	1,508	24	13	15
All other	114	104	9	7	5
Black	111	102	8	6	5
Springfield	---	1,156	27	16	15
White	---	1,053	18	9	10
All other	---	103	9	7	5
Black	---	101	8	6	5
Balance of county	---	456	6	4	5
Schuyler	151	117	1	1	1
Scott	27	66	-	-	-
Shelby	108	207	5	2	1
Stark	36	74	1	-	1
Stephenson	453	476	8	5	5
Freeport	---	319	7	4	3
White	---	303	7	4	2
All other	---	16	-	-	1
Black	---	16	-	-	1
Balance of county	---	157	1	1	2
Tazewell	735	1,022	16	12	12
East Peoria	---	161	1	1	3
Morton	---	116	-	-	1
Pekin, part	---	327	7	6	3
Pekin, total	---	327	7	6	3
Washington	---	90	2	2	2
Balance of county	---	328	6	3	3
Union	210	226	1	1	1
Vermilion	1,214	978	14	9	12
Danville	---	498	8	6	8
White	---	450	5	4	6
All other	---	48	3	2	2
Black	---	46	3	2	2
Balance of county	---	480	6	3	4
Wabash	164	150	2	1	1
Warren	209	216	1	-	2
Monmouth	---	118	-	-	1
Balance of county	---	98	1	-	1
Washington	148	193	3	3	1
Wayne	168	243	2	-	2
White	203	256	3	-	2
Whiteside	470	537	6	1	8
Rock Falls	---	116	2	-	1
Sterling	---	144	-	-	4
Balance of county	---	277	4	1	3
Will	1,846	2,182	59	37	49
White	1,734	2,045	48	30	36
All other	112	137	11	7	13
Black	109	132	10	6	13
Bolingbrook, part	---	106	8	5	4
White	---	98	6	3	2
All other	---	8	2	2	2
Black	---	7	1	1	2
Bolingbrook, total	---	114	10	7	4
White	---	104	7	4	2
All other	---	10	3	3	2
Black	---	9	2	2	2
Joliet	---	894	20	11	21
White	---	802	12	6	10
All other	---	92	8	5	11
Black	---	90	8	5	11
Naperville, part	---	2	-	-	-
Park Forest, part	---	5	-	-	-
White	---	5	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Romeoville	---	58	2	1	1
Tinley Park, part	---	-	-	-	-
Balance of county	---	1,117	29	20	23
White	---	1,080	28	20	23
All other	---	37	1	-	-
Black	---	35	1	-	-
Williamson	739	670	4	3	7
Herrin	---	177	-	-	1
Marion	---	160	1	1	-
Balance of county	---	333	3	2	6
Winnebago	2,294	2,081	42	29	21
White	2,159	1,948	31	23	14
All other	135	133	11	6	7
Black	130	129	10	6	7
Loves Park	---	107	7	7	1
Rockford	---	1,389	26	16	16
White	---	1,276	15	10	9
All other	---	113	11	6	7
Black	---	110	10	6	7
Balance of county	---	585	9	6	4
Woodford	170	269	2	2	2
Indiana	47,961	47,747	923	610	631
White	44,583	44,359	762	513	507
All other	3,378	3,388	161	97	124
Black	3,341	3,352	160	97	121
Adams	136	216	6	5	4
Allen	2,826	2,287	56	38	49
White	2,658	2,120	46	32	42
All other	168	167	10	6	7
Black	167	167	10	6	7
Fort Wayne	---	1,764	47	32	36
White	---	1,600	37	26	29
All other	---	164	10	6	7
Black	---	164	10	6	7
Balance of county	---	523	9	6	13
Bartholomew	537	498	7	5	4
Columbus	---	307	6	4	2
Balance of county	---	191	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Benton	34	114	3	-	-
Blackford	102	170	1	1	3
Boone	242	331	5	5	1
Lebanon	---	146	4	4	-
Balance of county	---	185	1	1	1
Brown	37	90	2	1	1
Carroll	84	191	-	-	2
Cass	316	383	4	3	5
Logansport	---	235	3	2	1
Balance of county	---	148	1	1	4
Clark	674	771	13	11	6
Clarksville	---	158	2	2	-
Jeffersonville	---	305	8	6	3
White	---	276	6	5	1
All other	---	29	2	1	2
Black	---	29	2	1	1
Balance of county	---	308	3	3	3
Clay	247	307	2	1	2
Clinton	312	401	7	7	2
Frankfort	---	239	4	4	2
Balance of county	---	162	3	3	-
Crawford	26	97	-	-	2
Daviess	313	292	7	6	4
Washington	---	155	3	2	1
Balance of county	---	137	4	4	3
Dearborn	304	319	3	2	6
Decatur	194	238	4	2	4
De Kalb	231	279	8	4	2
Delaware	1,188	1,018	11	7	10
Muncie	---	721	9	5	9
White	---	670	8	4	8
All other	---	51	1	1	1
Black	---	51	1	1	1
Balance of county	---	297	2	2	1
Dubois	328	290	8	5	8
Elkhart	1,081	1,043	27	20	16
Elkhart	---	439	7	4	5
White	---	404	6	3	4
All other	---	35	1	1	1
Black	---	35	1	1	1
Goshen	---	217	3	3	3
Balance of county	---	387	17	13	8
Fayette	233	285	6	6	6
Connersville	---	222	4	4	2
Balance of county	---	63	2	2	4
Floyd	550	552	9	3	6
New Albany	---	434	5	1	6
Balance of county	---	118	4	2	-
Fountain	71	198	3	3	3
Franklin	51	147	4	1	2
Fulton	128	185	2	2	2
Gibson	250	316	5	2	1
Grant	751	671	16	11	6
Marion	---	426	10	6	2
White	---	393	9	5	2
All other	---	33	1	1	-
Black	---	33	1	1	-
Balance of county	---	245	6	5	4
Greene	264	324	7	3	6
Hamilton	427	563	3	2	6
Carmel	---	145	1	1	2
Noblesville	---	138	1	1	1
Balance of county	---	280	1	-	3
Hancock	324	341	5	3	5
Greenfield	---	139	1	-	2
Balance of county	---	208	4	3	3
Harrison	194	215	5	3	-
Hendricks	429	487	6	3	5
Henry	414	499	4	2	4
New Castle	---	229	1	1	3
Balance of county	---	270	3	1	1
Howard	715	715	18	8	5
Kokomo	---	570	14	6	5
Balance of county	---	145	4	2	-
Huntington	259	366	2	1	6
Huntington	---	176	1	-	4
Balance of county	---	190	1	1	2
Jackson	296	333	10	7	8
Seymour	---	151	5	4	4
Balance of county	---	182	5	3	4
Jasper	170	226	1	1	4
Jay	160	221	2	1	4
Jefferson	334	271	4	4	3
Indiana-Con.					
Madison	---	132	1	1	-
Balance of county	---	139	3	3	3
Jennings	103	146	-	-	5
Johnson	517	578	13	8	6
Franklin	---	154	3	2	-
Greenwood	---	218	5	3	5
Balance of county	---	206	5	3	1
Knox	608	475	3	2	6
Vincennes	---	258	1	-	1
Balance of county	---	217	2	2	5
Kosciusko	334	476	9	5	6
Warsaw	---	107	2	1	1
Balance of county	---	371	7	4	5
Lagrange	180	200	8	5	3
Lake	4,633	4,270	115	81	81
White	3,650	3,242	75	57	32
All other	983	1,028	40	24	49
Black	976	1,022	40	24	49
Crown Point	---	217	6	6	2
East Chicago	---	400	7	4	5
White	---	262	4	2	-
All other	---	138	3	2	5
Black	---	138	3	2	5
Gary	---	1,316	41	25	32
White	---	480	11	9	-
All other	---	836	30	16	32
Black	---	836	30	16	32
Griffith	---	115	1	-	3
Hammond	---	811	33	25	11
White	---	768	27	20	9
All other	---	43	6	5	2
Black	---	43	6	5	2
Highland	---	131	2	2	2
Hobart	---	222	4	4	-
Lake Station	---	114	3	3	1
Merrillville	---	247	4	3	2
Munster	---	144	-	-	1
Schererville	---	40	1	-	4
Balance of county	---	513	13	9	18
La Porte	979	994	12	7	12
La Porte	---	283	1	1	1
Michigan City	---	420	4	2	8
White	---	380	2	1	5
All other	---	40	2	1	3
Black	---	39	2	1	3
Balance of county	---	291	7	4	3
Lawrence	380	417	7	4	2
Bedford	---	179	3	2	-
Balance of county	---	238	4	2	2
Madison	1,100	1,250	16	12	11
White	1,050	1,197	13	10	10
All other	50	53	3	2	1
Black	50	53	3	2	1
Anderson	---	723	11	8	3
White	---	672	8	6	3
All other	---	51	3	2	-
Black	---	51	3	2	-
Elwood, part	---	119	1	1	2
Elwood, total	---	119	1	1	2
Balance of county	---	408	4	3	6
Marion	8,517	6,799	193	125	100
White	7,142	5,460	118	80	60
All other	1,375	1,339	75	45	40
Black	1,362	1,331	75	45	39
Beech Grove	---	153	-	-	1
Indianapolis	---	6,438	190	124	97
White	---	5,102	115	79	57
All other	---	1,336	75	45	40
Black	---	1,328	75	45	39
Lawrence	---	44	-	-	-
White	---	44	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Speedway	---	68	-	-	-
Balance of county	---	96	3	1	2
Marshall	314	374	8	5	6
Martin	27	99	1	1	1
Miami	207	315	5	3	2
Peru	---	165	2	1	1
Balance of county	---	150	3	2	1
Monroe	693	573	10	6	8
Bloomington	---	365	6	6	6
Balance of county	---	208	4	-	2
Montgomery	314	356	5	5	3
Crawfordsville	---	196	5	5	2
Balance of county	---	160	-	-	1
Morgan	298	409	10	6	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Martinsville	---	144	3	1	1
Balance of county	---	265	7	5	1
Newton	107	149	5	2	2
Noble	206	301	6	2	11
Ohio	23	54	-	-	-
Orange	166	203	3	3	1
Owen	48	153	2	1	2
Parke	70	178	3	3	1
Perry	165	187	2	-	1
Pike	51	156	1	1	3
Porter	778	776	17	10	7
Portage	---	150	-	-	4
Valparaiso	---	252	5	3	2
Balance of county	---	374	12	7	1
Posey	62	195	6	5	4
Pulaski	113	147	2	2	3
Putnam	222	261	4	3	-
Randolph	190	280	3	3	1
Ripley	145	221	5	3	2
Rush	162	212	6	4	3
St. Joseph	2,452	2,152	25	14	21
White	2,266	1,980	16	10	10
All other	186	172	9	4	11
Black	184	171	9	4	10
Mishawaka	---	390	-	-	8
South Bend	---	1,251	22	13	9
White	---	1,081	13	9	1
All other	---	170	9	4	8
Black	---	170	9	4	8
Balance of county	---	511	3	1	4
Scott	172	211	2	1	2
Shelby	263	364	7	5	8
Shelbyville	---	178	5	3	1
Balance of county	---	186	2	2	7
Spencer	84	198	2	2	2
Starke	173	225	2	2	4
Steuben	191	237	6	4	4
Sullivan	211	295	3	2	2
Switzerland	27	82	-	-	-
Tippecanoe	1,194	790	24	13	14
Lafayette	---	491	15	9	5
West Lafayette	---	108	3	-	3
Balance of county	---	191	6	4	6
Tipton	115	130	1	-	1
Elwood, part	---	-	-	-	-
Balance of county	---	130	1	-	1
Union	15	60	2	2	-
Vanderburgh	2,461	1,766	27	21	16
White	2,330	1,641	23	19	13
All other	131	125	4	2	3
Black	131	125	4	2	3
Evansville	---	1,670	26	20	16
White	---	1,548	22	18	13
All other	---	122	4	2	3
Black	---	122	4	2	3
Balance of county	---	96	1	1	-
Vermillion	193	239	4	4	1
Vigo	1,337	1,157	18	13	20
Terre Haute	---	807	12	9	17
Balance of county	---	350	6	4	3
Wabash	292	339	6	3	4
Wabash	---	141	2	-	-
Balance of county	---	198	4	3	4
Warren	76	93	2	1	-
Warrick	137	269	3	2	4
Washington	168	213	3	2	1
Wayne	794	753	12	8	7
Richmond	---	510	8	6	4
Balance of county	---	243	4	2	3
Wells	307	224	1	1	1
White	158	244	3	2	7
Whitley	197	230	4	2	4
Iowa	27,222	27,528	386	244	278
White	26,848	27,174	359	228	266
All other	374	354	27	16	12
Black	321	313	22	13	11
Adair	75	113	-	-	1
Adams	53	66	1	1	1
Allamakee	176	175	1	1	1
Iowa-Con.					
Appanoose	128	169	2	-	2
Audubon	59	100	-	-	1
Benton	148	246	2	-	2
Black Hawk	1,273	1,114	21	14	17
Cedar Falls	---	213	2	1	1
Waterloo	---	724	16	10	14
White	---	663	11	8	12
All other	---	61	5	2	2
Black	---	61	5	2	2
Balance of county	---	177	3	3	2
Boone	221	286	4	2	-
Boone	---	163	1	1	-
Balance of county	---	123	3	1	-
Bremer	183	188	-	-	1
Buchanan	135	217	6	5	2
Buena Vista	227	253	2	1	4
Butler	97	191	1	-	2
Calhoun	146	169	2	-	2
Carroll	220	245	2	2	6
Cass	200	213	3	2	3
Cedar	95	175	2	1	2
Cerro Gordo	594	446	2	2	1
Mason City	---	298	-	-	-
Balance of county	---	148	2	2	1
Cherokee	158	172	3	2	-
Chickasaw	104	142	3	2	1
Clarke	77	96	1	1	-
Clay	171	164	2	2	1
Spencer	---	113	1	1	-
Balance of county	---	51	1	1	1
Clayton	161	227	2	1	3
Clinton	606	614	2	1	6
Clinton	---	411	1	1	4
Balance of county	---	203	1	-	2
Crawford	147	198	6	5	-
Dallas	163	267	5	2	4
Davis	123	120	-	-	1
Decatur	142	141	1	-	1
Delaware	145	167	3	1	1
Des Moines	528	422	4	2	3
Burlington	---	303	1	1	1
Balance of county	---	119	3	1	2
Dickinson	147	157	1	1	-
Dubuque	932	802	13	12	6
Dubuque	---	639	10	9	5
Balance of county	---	163	3	3	1
Emmet	141	139	4	3	2
Fayette	210	273	2	1	1
Floyd	218	214	2	2	-
Franklin	115	130	-	-	-
Fremont	110	123	1	1	-
Greene	151	148	-	-	-
Grundy	86	134	3	2	2
Guthrie	117	166	2	1	1
Hamilton	121	195	-	-	-
Hancock	89	144	4	3	2
Hardin	184	231	-	-	-
Harrison	139	189	-	-	1
Henry	137	180	2	-	1
Howard	108	136	2	-	2
Humboldt	86	119	-	-	-
Ida	100	113	1	1	2
Iowa	125	169	5	2	2
Jackson	154	198	1	-	2
Jasper	237	377	3	1	5
Newton	---	183	1	-	2
Balance of county	---	194	2	1	3
Jefferson	156	177	-	-	2
Johnson	1,470	452	16	13	6
Iowa City	---	276	14	11	3
Balance of county	---	176	2	2	3
Jones	132	179	-	-	2
Keokuk	110	186	1	1	1
Kossuth	134	219	4	3	1
Lee	425	462	6	3	3
Fort Madison	---	169	2	-	2
Keokuk	---	155	3	3	1
Balance of county	---	138	1	-	-
Linn	1,398	1,286	27	17	17

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Cedar Rapids	---	910	20	14	13
Marion	---	144	2	1	1
Balance of county	---	232	5	2	3
Louisa	68	110	2	2	1
Lucas	112	125	-	-	3
Lyon	81	121	4	2	1
Madison	108	160	1	-	2
Mahaska	220	248	3	3	6
Oskaloosa	---	137	1	1	3
Balance of county	---	111	2	2	3
Marion	250	293	5	2	7
Marshall	480	439	4	3	3
Marshalltown	---	320	2	1	3
Balance of county	---	119	2	2	-
Mills	62	112	-	-	1
Mitchell	173	170	3	3	-
Monona	142	167	-	-	1
Monroe	96	125	1	1	2
Montgomery	152	147	-	-	-
Muscatine	279	361	7	5	6
Muscatine	---	229	7	5	5
Balance of county	---	132	-	-	1
O'Brien	175	196	1	1	-
Osceola	85	99	1	1	-
Page	240	253	5	2	2
Palo Alto	128	150	3	2	2
Plymouth	185	249	2	2	2
Pocahontas	108	131	1	1	-
Polk	3,379	2,463	52	35	42
White	3,234	2,326	45	29	36
All other	145	137	7	6	6
Black	135	130	7	6	6
Ankeny	---	84	4	2	2
Des Moines	---	1,909	41	28	32
White	---	1,779	34	22	26
All other	---	130	7	6	6
Black	---	125	7	6	6
Urbandale	---	37	-	-	1
West Des Moines	---	160	2	2	3
Balance of county	---	273	5	3	4
Pottawattamie	670	762	15	5	3
Council Bluffs	---	552	11	4	2
Balance of county	---	210	4	1	1
Poweshiek	173	175	-	-	-
Ringgold	81	73	1	1	-
Sac	113	178	3	3	-
Scott	1,210	1,233	24	15	16
Bettendorf	---	195	4	3	1
Davenport	---	898	18	10	11
Balance of county	---	140	2	2	4
Shelby	164	161	1	-	-
Sioux	174	228	7	5	2
Story	427	398	8	5	3
Ames	---	166	3	2	1
Balance of county	---	232	5	3	2
Tama	107	202	2	-	3
Taylor	68	126	1	-	2
Union	173	180	-	-	1
Van Buren	90	123	1	1	3
Wapello	475	487	7	7	2
Ottumwa	---	386	5	5	2
Balance of county	---	101	2	2	-
Warren	113	230	2	1	2
Indianola	---	92	2	1	-
Balance of county	---	138	-	-	2
Washington	176	226	3	2	1
Wayne	86	129	1	1	-
Webster	492	486	4	3	8
Fort Dodge	---	363	2	2	5
Balance of county	---	123	2	1	3
Winnebago	95	138	3	1	-
Winneshiek	170	224	2	1	-
Woodbury	1,357	971	21	10	17
Sioux City	---	805	15	6	16
Balance of county	---	166	6	4	1
Worth	48	108	-	-	2
Wright	150	177	2	1	2
Kansas	21,333	21,931	416	247	302
White	20,187	20,778	358	217	249
All other	1,146	1,153	58	30	53
Black	1,064	1,068	51	24	44
Kansas-Con.					
Allen	186	183	3	2	3
Anderson	99	131	1	-	-
Atchison	182	212	1	1	1
Atchison	---	146	1	1	1
White	---	129	1	1	-
All other	---	17	-	-	1
Black	---	17	-	-	-
Balance of county	---	66	-	-	-
Barber	63	85	1	1	-
Barton	312	308	3	2	5
Great Bend	---	162	2	1	4
Balance of county	---	146	1	1	1
Bourbon	303	249	4	1	2
Brown	130	174	5	2	-
Butler	303	360	6	2	7
El Dorado	---	138	1	-	2
Balance of county	---	222	5	2	5
Chase	25	40	-	-	-
Chautauqua	73	81	1	-	1
Cherokee	184	275	2	2	1
Cheyenne	34	49	-	-	1
Clark	36	42	-	-	1
Clay	117	131	-	-	-
Cloud	169	165	1	1	-
Coffey	56	102	2	2	1
Comanche	34	41	1	1	-
Cowley	409	435	7	2	1
Arkansas City	---	181	-	-	1
Winfield	---	153	4	1	-
Balance of county	---	101	3	1	-
Crawford	470	519	5	3	2
Pittsburg	---	246	2	1	1
Balance of county	---	273	3	2	1
Decatur	45	42	-	-	-
Dickinson	214	256	1	1	1
Doniphan	36	99	1	-	1
Douglas	343	364	5	3	2
Lawrence	---	258	5	3	1
White	---	225	3	2	-
All other	---	33	2	1	1
Black	---	32	2	1	-
Balance of county	---	106	-	-	1
Edwards	41	50	2	1	-
Elk	32	75	-	-	-
Ellis	289	201	2	2	2
Hays	---	122	1	1	1
Balance of county	---	79	1	1	1
Ellsworth	94	104	1	-	1
Finney	183	151	11	6	3
Garden City	---	135	10	6	2
White	---	132	10	6	2
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	16	1	-	1
Ford	252	209	4	4	3
Dodge City	---	144	2	2	1
Balance of county	---	65	2	2	2
Franklin	207	254	4	2	2
Ottawa	---	140	4	2	2
Balance of county	---	114	-	-	-
Geary	188	204	17	11	11
White	163	174	11	9	5
All other	25	30	6	2	6
Black	20	26	6	2	6
Junction City	---	163	13	10	7
White	---	139	10	8	2
All other	---	24	3	2	5
Black	---	21	3	2	5
Balance of county	---	41	4	1	4
White	---	35	1	1	3
All other	---	6	3	-	1
Black	---	5	3	-	1
Gove	24	30	-	-	1
Graham	34	53	1	1	1
Grant	40	43	-	-	3
Gray	16	47	1	1	1
Greeley	11	13	-	-	-
Greenwood	114	146	1	1	-
Hamilton	18	26	1	1	1
Harper	121	123	2	1	2
Harvey	332	252	3	2	5
Newton	---	152	2	2	4
Balance of county	---	100	1	-	1
Haskell	18	21	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Hodgeman	28	37	-	-	-
Jackson	69	126	1	1	2
Jefferson	125	163	4	4	2
Jewell	54	87	1	1	-
Johnson	1,333	1,596	36	23	27
Leawood	---	103	-	-	1
Lenexa	---	102	3	3	3
Merriam	---	72	4	3	-
Olathe	---	164	7	3	5
Overland Park	---	453	9	5	6
Prairie Village	---	168	-	-	-
Shawnee	---	122	7	6	5
Balance of county	---	412	6	3	7
Kearny	19	28	-	-	1
Kingman	104	107	1	-	-
Kiowa	51	47	-	-	2
Labette	302	311	6	5	3
Parsons	---	182	4	4	1
White	---	169	3	3	-
All other	---	13	1	1	1
Black	---	12	1	1	1
Balance of county	---	129	2	1	2
Lane	15	31	-	-	-
Leavenworth	475	431	7	3	4
White	427	396	7	3	3
All other	48	35	-	-	1
Black	48	35	-	-	1
Leavenworth	---	282	4	3	1
White	---	254	4	3	-
All other	---	28	-	-	1
Black	---	28	-	-	1
Balance of county	---	149	3	-	3
Lincoln	37	58	-	-	-
Linn	54	120	2	2	-
Logan	33	35	-	-	1
Lyon	294	300	10	4	3
Emporia	---	212	9	3	1
Balance of county	---	88	1	1	2
McPherson	236	254	5	4	4
McPherson	---	93	2	2	2
Balance of county	---	161	3	2	2
Marion	130	141	2	2	3
Marshall	133	170	3	1	1
Meade	34	48	1	-	-
Miami	175	227	8	6	2
Mitchell	105	97	1	-	-
Montgomery	492	542	11	6	6
Coffeyville	---	204	5	4	2
White	---	174	5	4	-
All other	---	30	-	-	2
Black	---	30	-	-	2
Independence	---	158	3	-	-
White	---	143	3	-	-
All other	---	15	-	-	-
Black	---	15	-	-	-
Balance of county	---	180	3	2	4
Morris	86	102	-	-	1
Morton	37	35	-	-	1
Nemaha	130	142	2	1	1
Neosho	211	246	-	-	6
Chanute	---	136	-	-	3
Balance of county	---	110	-	-	3
Ness	41	51	-	-	-
Norton	78	94	-	-	-
Osage	119	186	2	2	-
Osborne	83	109	-	-	-
Ottawa	88	94	-	-	1
Pawnee	72	87	2	-	4
Phillips	79	115	2	1	-
Pottawatomie	122	150	1	-	2
Manhattan, part	---	2	1	-	-
Balance of county	---	148	-	-	2
Pratt	113	119	3	1	1
Rawlins	30	45	1	-	-
Reno	553	588	11	6	5
Hutchinson	---	392	8	4	4
Balance of county	---	196	3	2	1
Republic	103	112	-	-	1
Rice	92	138	1	-	1
Riley	242	268	9	7	9
White	239	261	7	5	8
All other	3	7	2	2	1
Black	3	5	1	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Manhattan, part	---	187	6	6	8
Manhattan, total	---	189	7	6	8
Balance of county	---	81	3	1	1
White	---	80	3	1	1
All other	---	1	-	-	-
Black	---	-	-	-	-
Rooks	65	91	2	1	1
Rush	32	60	1	1	1
Russell	99	123	2	2	3
Saline	515	449	6	3	8
Salina	---	408	6	3	8
Balance of county	---	41	-	-	-
Scott	60	59	2	2	1
Sedgwick	3,431	2,830	91	59	63
White	3,177	2,578	75	49	51
All other	254	252	16	10	12
Black	234	232	15	9	10
Wichita	---	2,469	78	51	54
White	---	2,223	62	41	42
All other	---	246	16	10	12
Black	---	228	15	9	10
Balance of county	---	361	13	8	9
Seward	146	121	-	-	4
Liberal	---	112	-	-	4
White	---	111	-	-	3
All other	---	1	-	-	1
Black	---	1	-	-	1
Balance of county	---	9	-	-	-
Shawnee	1,765	1,323	26	13	18
White	1,630	1,200	19	9	15
All other	135	123	7	4	3
Black	122	115	5	2	3
Topeka	---	1,151	25	13	13
White	---	1,029	18	9	10
All other	---	122	7	4	3
Black	---	114	5	2	3
Balance of county	---	172	1	-	5
Sheridan	36	47	-	-	-
Sherman	87	95	-	-	-
Smith	53	70	-	-	-
Stafford	79	88	1	-	1
Stanton	14	14	-	-	1
Stevens	30	35	-	-	-
Sumner	226	285	4	2	2
Thomas	75	71	2	-	2
Trego	47	50	4	3	-
Wabaunsee	33	76	2	2	-
Wallace	7	14	-	-	1
Washington	83	115	1	-	1
Wichita	17	27	2	1	-
Wilson	156	183	-	-	-
Woodson	17	57	-	-	-
Wyandotte	1,845	1,666	37	19	34
White	1,455	1,266	23	12	19
All other	390	400	14	7	15
Black	382	393	14	7	13
Kansas City	---	1,557	36	19	33
White	---	1,169	22	12	18
All other	---	388	14	7	15
Black	---	381	14	7	13
Balance of county	---	109	1	-	1
Kentucky	33,752	34,224	632	431	474
White	31,076	31,524	544	378	389
All other	2,676	2,700	88	53	85
Black	2,654	2,678	88	53	83
Adair	135	181	4	3	4
Allen	91	170	3	1	3
Anderson	40	117	4	2	3
Ballard	43	120	-	-	1
Barren	453	350	1	1	6
Glasgow	---	164	1	1	1
Balance of county	---	186	-	-	5
Bath	38	97	-	-	1
Bell	344	376	1	-	3
Middlesborough	---	156	-	-	1
Balance of county	---	220	1	-	2
Boone	355	294	9	5	13
Florence	---	132	6	3	6
Balance of county	---	162	3	2	7
Bourbon	130	194	4	2	3
White	114	162	4	2	3
All other	16	32	-	-	-
Black	16	32	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Boyd	517	547	8	8	5
Ashland	---	361	8	8	3
Balance of county	---	186	-	-	2
Boyle	269	240	3	3	-
Danville	---	146	2	2	-
White	---	121	2	2	-
All other	---	25	-	-	-
Black	---	25	-	-	-
Balance of county	---	94	1	1	-
Bracken	34	94	2	2	-
Breathitt	84	160	6	4	2
Breckinridge	152	198	4	2	1
Bullitt	73	238	6	4	4
Butler	86	143	2	2	3
Caldwell	154	176	1	-	-
Calloway	299	319	3	2	3
Murray	---	123	1	-	1
Balance of county	---	196	2	2	2
Campbell	903	877	16	10	8
Fort Thomas	---	186	-	-	-
Newport	---	258	7	6	5
Balance of county	---	433	9	4	3
Carlisle	18	75	1	-	1
Carroll	102	113	3	1	2
Carter	75	212	8	7	6
Casey	68	140	-	-	2
Christian	583	559	24	20	16
White	456	417	14	14	4
All other	127	142	10	6	12
Black	127	142	10	6	12
Hopkinsville	---	359	17	14	7
White	---	252	9	9	1
All other	---	107	8	5	6
Black	---	107	8	5	6
Balance of county	---	200	7	6	9
White	---	165	5	5	3
All other	---	35	2	1	6
Black	---	35	2	1	6
Clark	239	243	4	4	1
Winchester	---	152	4	4	1
White	---	127	4	4	1
All other	---	25	-	-	-
Black	---	24	-	-	-
Balance of county	---	91	-	-	-
Clay	179	184	2	1	3
Clinton	78	118	-	-	-
Crittenden	81	104	1	1	1
Cumberland	85	104	1	1	1
Daviess	925	802	9	4	13
Owensboro	---	604	6	3	10
Balance of county	---	198	3	1	3
Edmonson	31	100	2	2	2
Elliott	28	55	2	-	1
Estill	96	143	3	1	1
Fayette, coext. with Lexington-Fayette	3,224	1,509	29	18	27
White	2,861	1,220	22	13	19
All other	363	289	7	5	8
Black	361	289	7	5	8
Fleming	100	131	1	1	2
Floyd	451	438	3	1	12
Franklin	377	366	6	4	3
Frankfort	---	262	2	2	3
White	---	236	1	1	3
All other	---	26	1	1	-
Black	---	26	1	1	-
Balance of county	---	104	4	2	-
Fulton	102	137	1	-	-
White	87	115	-	-	-
All other	15	22	1	-	-
Black	15	22	1	-	-
Gallatin	14	49	2	-	-
Garrard	78	117	2	2	1
Grant	61	111	-	-	2
Graves	328	425	5	3	2
Mayfield	---	181	-	-	-
White	---	159	-	-	-
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	244	5	3	2
Grayson	187	239	5	5	3
Green	95	114	1	-	-
Greenup	261	331	3	1	3
Hancock	20	72	2	2	-
Kentucky-Con.					
Hardin	507	457	27	19	17
White	482	422	18	13	12
All other	25	35	9	6	5
Black	21	29	9	6	5
Elizabethtown	---	134	2	1	3
Radcliff	---	64	2	1	2
White	---	57	2	1	1
All other	---	7	-	-	1
Black	---	4	-	-	1
Balance of county	---	259	23	17	12
White	---	245	14	11	8
All other	---	14	9	6	4
Black	---	13	9	6	4
Harlan	380	427	8	8	2
Harrison	174	175	3	2	3
Hart	83	154	2	-	1
Henderson	406	388	3	3	4
Henderson	---	289	-	-	2
White	---	249	-	-	2
All other	---	40	-	-	-
Black	---	40	-	-	-
Balance of county	---	99	3	3	2
Henry	48	158	3	2	2
Hickman	79	87	-	-	-
White	72	79	-	-	-
All other	7	8	-	-	-
Black	7	8	-	-	-
Hopkins	662	501	7	4	3
Madisonville	---	214	3	1	2
White	---	187	2	1	1
All other	---	27	1	-	1
Black	---	27	1	-	1
Balance of county	---	287	4	3	1
Jackson	27	91	1	1	3
Jefferson	7,890	6,667	138	97	100
White	6,697	5,532	99	76	66
All other	1,193	1,135	39	21	34
Black	1,184	1,129	39	21	34
Jeffersontown	---	55	1	-	-
Louisville	---	3,854	67	41	57
White	---	2,873	36	25	31
All other	---	981	31	16	26
Black	---	979	31	16	26
St. Matthews	---	197	2	2	2
Shively	---	199	2	1	1
Balance of county	---	2,362	66	53	40
White	---	2,212	59	48	32
All other	---	150	7	5	8
Black	---	146	7	5	8
Jessamine	63	170	5	5	7
Nicholasville	---	87	2	2	3
Balance of county	---	83	3	3	4
Johnson	140	220	3	3	3
Kenton	1,130	1,273	34	17	14
Covington	---	644	15	8	7
Erlanger	---	90	2	1	-
Balance of county	---	539	17	8	7
Knott	74	166	2	1	1
Knox	192	278	4	2	6
Larue	49	104	2	2	2
Laurel	292	321	10	9	10
Lawrence	253	173	4	3	-
Lee	45	104	5	2	-
Leslie	62	102	6	4	1
Letcher	211	267	7	6	3
Lewis	60	151	1	-	2
Lincoln	151	198	4	2	-
Livingston	82	91	1	1	-
Logan	196	259	3	3	1
Lyon	42	87	-	-	1
McCracken	1,150	725	10	5	6
White	1,056	648	8	3	3
All other	94	77	2	2	3
Black	92	76	2	2	3
Paducah	---	470	4	2	4
White	---	400	2	-	1
All other	---	70	2	2	3
Black	---	70	2	2	3
Balance of county	---	255	6	3	2
McCreary	54	163	2	2	4
McLean	49	96	-	-	1
Madison	400	401	9	5	10
Richmond	---	156	2	1	5
White	---	141	1	-	5
All other	---	15	1	1	-
Black	---	15	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Balance of county	---	245	7	4	5
Magoffin	41	100	2	1	-
Marion	164	190	3	3	3
Marshall	196	258	3	3	2
Martin	37	103	3	3	-
Mason	222	191	1	1	1
Meade	38	114	6	4	3
Menifee	23	55	2	1	-
Mercer	143	192	3	3	2
Metcalfe	32	106	2	1	1
Monroe	121	144	1	-	1
Montgomery	183	176	1	-	2
Morgan	103	136	1	1	5
Muhlenberg	287	351	4	2	2
Nelson	188	258	8	7	-
Nicholas	57	65	1	-	3
Ohio	174	224	3	2	2
Oldham	83	154	3	2	3
Owen	58	93	-	-	-
Owsley	18	52	1	1	-
Pendleton	31	102	1	-	-
Perry	348	313	5	4	4
Pike	674	634	19	17	8
Powell	31	85	2	2	2
Pulaski	558	467	6	4	5
Somerset	---	156	3	1	2
Balance of county	---	311	3	3	3
Robertson	12	36	-	-	-
Rockcastle	105	152	1	1	4
Rowan	278	136	1	1	2
Russell	118	138	1	-	1
Scott	112	165	2	2	3
Georgetown	---	83	1	1	1
White	---	66	1	1	1
All other	---	17	-	-	-
Black	---	17	-	-	-
Balance of county	---	82	1	1	2
Shelby	253	230	3	1	3
White	235	206	3	1	3
All other	18	24	-	-	-
Black	18	24	-	-	-
Simpson	106	157	2	-	4
White	99	139	1	-	3
All other	7	18	1	-	1
Black	7	18	1	-	1
Spencer	23	59	-	-	1
Taylor	216	200	3	2	2
Todd	59	154	-	-	-
White	53	139	-	-	-
All other	6	15	-	-	-
Black	6	15	-	-	-
Trigg	88	126	1	1	1
White	78	110	-	-	1
All other	10	16	1	1	-
Black	10	16	1	1	-
Trimble	16	53	2	1	-
Union	98	157	2	2	4
White	89	142	-	-	4
All other	9	15	2	2	-
Black	9	16	2	2	-
Warren	778	545	10	5	12
Bowling Green	---	360	6	4	8
White	---	319	5	3	5
All other	---	41	1	1	3
Black	---	41	1	1	2
Balance of county	---	185	4	1	4
Washington	52	107	-	-	-
White	47	99	-	-	-
All other	5	8	-	-	-
Black	5	8	-	-	-
Wayne	82	160	1	1	5
Webster	61	196	7	7	3
Whitley	298	328	8	3	3
Wolfe	30	66	2	-	-
Woodford	120	150	4	4	2
Louisiana [a]	36,637	36,409	1,115	741	746
White	24,742	24,495	491	333	330
All other	11,895	11,914	624	408	416
Black	11,796	11,819	615	402	408

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Acadia	397	543	19	15	18
White	314	433	14	10	9
All other	83	110	5	5	9
Black	83	110	5	5	9
Crowley	---	181	1	1	3
White	---	128	-	-	1
All other	---	53	1	1	2
Black	---	53	1	1	2
Eunice, part	---	2	-	-	-
Balance of parish	---	360	18	14	15
White	---	303	14	10	8
All other	---	57	4	4	7
Black	---	57	4	4	7
Allen	182	208	2	1	5
White	150	172	1	-	2
All other	32	36	1	1	3
Black	32	33	1	1	3
Ascension	275	375	18	9	5
White	183	261	9	4	4
All other	92	114	9	5	1
Black	90	114	9	5	1
Assumption	138	206	12	7	2
White	82	112	6	4	2
All other	56	94	6	3	-
Black	56	94	6	3	-
Avoyelles	363	452	10	4	6
White	281	353	7	3	1
All other	82	99	3	1	5
Black	82	99	3	1	5
Beauregard	235	291	11	7	5
White	188	233	10	6	3
All other	47	58	1	1	2
Black	47	58	1	1	2
De Ridder, part	---	123	4	3	4
White	---	74	3	2	2
All other	---	49	1	1	2
Black	---	49	1	1	2
De Ridder, total	---	124	4	3	4
White	---	75	3	2	2
All other	---	49	1	1	2
Black	---	49	1	1	2
Balance of parish	---	168	7	4	1
Bienville	198	221	4	2	3
White	77	129	1	-	1
All other	61	92	3	2	2
Black	61	92	3	2	2
Bossier	423	529	27	16	11
White	326	397	16	10	7
All other	97	132	11	6	4
Black	96	130	11	6	4
Bossier City	---	308	14	9	6
White	---	267	11	6	4
All other	---	41	3	3	2
Black	---	39	3	3	2
Shreveport, part	---	2	-	-	-
Balance of parish	---	219	13	7	5
White	---	128	5	4	3
All other	---	91	8	3	2
Black	---	91	8	3	2
Caddo	3,397	2,495	66	50	48
White	2,131	1,542	25	18	18
All other	1,266	953	41	32	30
Black	1,262	950	41	32	30
Shreveport, part	---	2,125	54	43	37
White	---	1,288	17	13	11
All other	---	838	37	30	26
Black	---	835	37	30	26
Shreveport, total	---	2,128	54	43	37
White	---	1,290	17	13	11
All other	---	838	37	30	26
Black	---	835	37	30	26
Balance of parish	---	369	12	7	11
White	---	254	8	5	7
All other	---	115	4	2	4
Black	---	115	4	2	4
Calcasieu	1,464	1,354	34	19	24
White	1,073	988	23	12	13
All other	391	366	11	7	11
Black	390	366	11	7	11
Lake Charles	---	734	10	5	11
White	---	452	4	3	1
All other	---	282	6	2	10
Black	---	282	6	2	10
Sulphur	---	179	2	2	5
Balance of parish	---	441	22	12	8
White	---	371	17	7	7
All other	---	70	5	5	1
Black	---	70	5	5	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Caldwell	78	94	2	1	3
White	66	82	2	1	3
All other	12	12	-	-	-
Black	12	12	-	-	-
Cameron	45	63	3	2	1
Catahoula	116	118	2	1	2
White	73	86	1	-	1
All other	43	32	1	1	1
Black	43	32	1	1	-
Claiborne	171	246	3	3	3
White	109	140	-	-	-
All other	62	106	3	3	3
Black	62	106	3	3	3
Concordia	143	220	8	2	4
White	75	110	3	1	2
All other	68	110	5	1	2
Black	68	110	5	1	2
De Soto	206	291	8	5	2
White	117	147	-	-	-
All other	89	144	8	5	2
Black	89	144	8	5	2
East Baton Rouge	3,063	2,518	91	59	37
White	1,933	1,530	38	26	10
All other	1,130	988	53	33	27
Black	1,123	980	52	33	26
Baker	---	80	3	2	-
White	---	63	2	1	-
All other	---	17	1	1	-
Black	---	17	1	1	-
Baton Rouge	---	2,120	77	48	30
White	---	1,215	28	19	5
All other	---	905	49	29	25
Black	---	899	48	29	24
Balance of parish	---	318	11	9	7
White	---	252	8	6	5
All other	---	66	3	3	2
Black	---	64	3	3	2
East Carroll	95	119	5	5	4
White	31	31	-	-	1
All other	64	88	5	5	3
Black	64	88	5	5	3
East Feliciana	142	111	-	-	-
White	80	62	-	-	-
All other	62	49	-	-	-
Black	62	49	-	-	-
Evangeline	309	343	12	6	5
White	253	281	5	3	2
All other	56	62	7	3	3
Black	56	62	7	3	3
Franklin	169	245	5	3	4
White	118	179	1	1	3
All other	51	66	4	2	1
Black	51	66	4	2	1
Grant	64	166	5	4	2
White	50	133	4	3	1
All other	14	33	1	1	1
Black	14	33	1	1	1
Iberia	476	545	27	23	17
White	331	359	8	8	6
All other	145	186	19	15	11
Black	145	186	19	15	11
New Iberia	---	312	16	12	10
White	---	205	3	3	3
All other	---	107	13	9	7
Black	---	107	13	9	7
Balance of parish	---	233	11	11	7
White	---	154	5	5	3
All other	---	79	6	6	4
Black	---	79	6	6	4
Iberville	226	340	6	6	4
White	104	172	2	2	1
All other	122	168	4	4	3
Black	121	168	4	4	3
Jackson	155	222	4	3	4
White	98	144	4	3	2
All other	57	78	-	-	2
Black	57	78	-	-	2
Jefferson	2,775	2,996	96	64	69
White	2,384	2,580	56	43	47
All other	391	416	40	21	22
Black	378	398	37	19	21
Gretna	---	311	11	5	8
White	---	246	6	3	6
All other	---	65	5	2	2
Black	---	63	4	1	2
Harahan	---	61	1	1	-
Kenner	---	282	8	6	9
White	---	217	1	1	3
All other	---	65	7	5	6
Black	---	65	7	5	6
Westwego	---	103	3	2	2
White	---	88	2	2	1
All other	---	15	1	-	1
Black	---	15	1	-	1
Balance of parish	---	2,239	73	50	50
White	---	1,969	46	36	37
All other	---	270	27	14	13
Black	---	254	25	13	12
Jefferson Davis	293	320	8	4	2
White	229	242	4	2	-
All other	64	78	4	2	2
Black	62	78	4	2	2
Jennings	---	137	3	1	1
White	---	101	2	1	-
All other	---	36	1	-	1
Black	---	36	1	-	1
Balance of parish	---	183	5	3	1
White	---	141	2	1	-
All other	---	42	3	2	1
Black	---	42	3	2	1
Lafayette	1,414	949	39	25	32
White	1,010	725	24	15	19
All other	404	224	15	10	13
Black	402	222	15	10	13
Lafayette	---	622	20	13	18
White	---	457	7	5	11
All other	---	165	13	8	7
Black	---	164	13	8	7
Balance of parish	---	327	19	12	14
White	---	268	17	10	8
All other	---	59	2	2	6
Black	---	58	2	2	6
Lafourche	511	548	24	19	9
White	444	457	10	9	5
All other	67	91	14	10	4
Black	66	88	14	10	4
Thibodaux	---	160	7	4	4
White	---	113	1	-	1
All other	---	47	6	4	3
Black	---	47	6	4	3
Balance of parish	---	388	17	15	5
La Salle	145	173	2	2	3
White	129	154	-	-	1
All other	16	19	2	2	2
Black	16	18	2	2	2
Lincoln	330	303	10	6	12
White	230	198	3	2	5
All other	100	105	7	4	7
Black	100	105	7	4	7
Ruston	---	130	4	2	7
White	---	83	1	1	4
All other	---	47	3	1	3
Black	---	47	3	1	3
Balance of parish	---	173	6	4	5
White	---	115	2	1	1
All other	---	58	4	3	4
Black	---	58	4	3	4
Livingston	275	422	12	8	11
Madison	122	162	6	3	4
White	50	65	1	-	1
All other	72	97	7	3	3
Black	72	97	7	3	3
Tallulah	---	129	7	3	3
White	---	42	1	-	1
All other	---	87	6	3	2
Black	---	87	6	3	2
Balance of parish	---	33	1	-	1
White	---	23	-	-	-
All other	---	10	1	-	1
Black	---	10	1	-	1
Morehouse	290	335	15	9	6
White	169	192	5	4	1
All other	121	143	10	5	5
Black	121	143	10	5	5
Bastrop	---	171	9	6	4
White	---	93	3	2	-
All other	---	78	6	4	4
Black	---	78	6	4	4
Balance of parish	---	164	6	3	2
White	---	99	2	2	1
All other	---	65	4	1	1
Black	---	65	4	1	1
Natchitoches	297	390	7	4	5
White	158	223	4	3	4
All other	139	167	3	1	1
Black	138	166	3	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Natchitoches	---	172	2	-	-
White	---	77	-	-	-
All other	---	95	2	-	-
Black	---	94	2	-	-
Balance of parish	---	218	5	4	5
White	---	146	4	3	4
All other	---	72	1	1	1
Black	---	72	1	1	1
Orleans, coext. with New Orleans city	7,233	6,049	183	135	125
White	3,919	3,062	25	20	27
All other	3,314	2,987	158	115	98
Black	3,275	2,954	154	112	98
Ouachita	1,403	1,193	25	15	30
White	936	821	11	6	16
All other	467	372	14	9	14
Black	467	372	14	9	14
Monroe	---	654	13	7	15
White	---	347	2	1	6
All other	---	307	11	6	9
Black	---	307	11	6	9
West Monroe	---	245	7	6	5
White	---	213	6	5	3
All other	---	32	1	1	2
Black	---	32	1	1	2
Balance of parish	---	294	5	2	10
White	---	261	3	-	7
All other	---	33	2	2	3
Black	---	33	2	2	3
Plaquemines	104	185	4	2	1
White	73	142	4	2	1
All other	31	43	-	-	-
Black	28	41	-	-	-
Pointe Coupee	181	241	4	3	8
White	95	142	3	2	4
All other	86	99	1	1	4
Black	86	99	1	1	3
Rapides	1,657	1,237	39	23	21
White	1,148	829	19	13	7
All other	509	408	20	10	14
Black	508	408	20	10	14
Alexandria	---	613	25	14	13
White	---	329	10	7	2
All other	---	284	15	7	11
Black	---	284	15	7	11
Pineville	---	171	5	4	4
White	---	136	4	3	3
All other	---	35	1	1	1
Black	---	35	1	1	1
Balance of parish	---	453	9	5	4
White	---	364	5	3	2
All other	---	89	4	2	2
Black	---	89	4	2	2
Red River	154	131	3	1	1
White	103	83	1	-	-
All other	51	48	2	1	1
Black	50	48	2	1	1
Richland	270	252	7	5	1
White	182	159	3	3	-
All other	88	93	4	2	1
Black	88	93	4	2	1
Sabine	202	257	6	5	-
White	156	200	3	3	-
All other	46	57	3	2	-
Black	46	57	3	2	-
St. Bernard	389	498	8	7	7
St. Charles	162	271	10	8	5
White	111	188	2	2	1
All other	51	83	8	6	4
Black	51	82	8	6	4
St. Helena	55	85	1	-	-
White	28	47	1	-	-
All other	27	38	-	-	-
Black	27	38	-	-	-
St. James	137	206	17	11	7
White	70	102	3	2	1
All other	67	104	14	9	6
Black	67	104	14	9	6
St. John the Baptist	223	236	7	3	11
White	164	143	4	1	4
All other	59	93	3	2	7
Black	59	93	3	2	7
St. Landry	711	849	26	17	24
White	459	522	11	8	5
All other	252	327	15	9	19
Black	252	327	15	9	19
Louisiana-Con.					
Eunice, part	---	150	6	3	2
White	---	115	4	3	-
All other	---	35	2	-	2
Black	---	35	2	-	2
Eunice, total	---	152	6	3	2
White	---	117	4	3	-
All other	---	35	2	-	2
Black	---	35	2	-	2
Opelousas	---	247	11	8	12
White	---	121	3	2	2
All other	---	126	8	6	10
Black	---	126	8	6	10
Balance of parish	---	452	9	6	10
White	---	286	4	3	3
All other	---	166	5	3	7
Black	---	166	5	3	7
St. Martin	164	323	15	11	10
White	112	212	5	4	4
All other	52	111	10	7	6
Black	52	111	10	7	6
St. Mary	370	462	13	10	17
White	254	302	5	2	8
All other	116	160	8	8	9
Black	114	159	8	8	8
Morgan City	---	119	5	3	5
White	---	95	3	1	3
All other	---	24	2	2	2
Black	---	24	2	2	2
Balance of parish	---	343	8	7	12
White	---	207	2	1	5
All other	---	136	6	6	7
Black	---	135	6	6	6
St. Tammany	776	846	25	18	18
White	658	714	21	15	16
All other	118	132	4	3	2
Black	117	130	4	3	1
Slidell	---	202	5	3	1
Balance of parish	---	644	20	15	17
White	---	534	16	12	15
All other	---	110	4	3	2
Black	---	108	4	3	1
Tangipahoa	793	858	25	11	11
White	565	587	12	9	4
All other	228	271	13	2	7
Black	228	271	13	2	7
Hammond	---	153	2	-	3
White	---	80	-	-	-
All other	---	73	2	-	3
Black	---	73	2	-	3
Balance of parish	---	705	23	11	8
White	---	507	12	9	4
All other	---	198	11	2	4
Black	---	198	11	2	4
Tensas	77	119	3	2	5
White	26	38	-	-	-
All other	51	81	3	2	5
Black	51	81	3	2	5
Terrebonne	704	661	25	12	27
White	525	525	17	7	14
All other	179	136	8	5	13
Black	165	125	7	4	11
Houma	---	313	10	4	14
White	---	232	5	1	6
All other	---	81	5	3	8
Black	---	79	5	3	6
Balance of parish	---	348	15	8	13
White	---	293	12	6	8
All other	---	55	3	2	5
Black	---	46	2	1	5
Union	146	217	2	2	3
White	107	160	1	1	1
All other	41	57	1	1	2
Black	41	57	1	1	2
Vermilion	391	435	12	7	4
White	337	372	8	5	2
All other	54	63	4	2	2
Black	53	62	4	2	2
Abbeville	---	132	5	2	1
White	---	97	2	1	-
All other	---	35	3	1	1
Black	---	34	3	1	1
Balance of parish	---	303	7	5	3
Vernon	194	277	14	9	13
White	164	243	9	5	10
All other	30	34	5	4	3
Black	30	34	5	4	3
De Ridder, part	---	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Balance of parish	---	276	14	9	13
White	---	242	9	5	10
All other	---	34	5	4	3
Black	---	34	5	4	3
Washington	440	541	14	12	10
White	313	383	9	8	5
All other	127	158	5	4	5
Black	126	157	5	4	5
Bogalusa	---	245	4	2	-
White	---	170	2	1	-
All other	---	75	2	1	-
Black	---	74	2	1	-
Balance of parish	---	296	10	10	10
White	---	213	7	7	5
All other	---	83	3	3	5
Black	---	83	3	3	5
Webster	420	516	10	7	4
White	290	345	3	3	3
All other	130	171	7	4	1
Black	130	171	7	4	1
Minden	---	219	3	3	-
White	---	126	1	1	-
All other	---	93	2	2	-
Black	---	93	2	2	-
Balance of parish	---	297	7	4	4
White	---	219	2	2	3
All other	---	78	5	2	1
Black	---	78	5	2	1
West Baton Rouge	69	169	5	5	4
White	39	81	3	3	1
All other	30	88	2	2	3
Black	30	88	2	2	3
West Carroll	79	138	1	-	1
White	71	117	-	-	1
All other	8	21	1	-	-
Black	8	21	1	-	-
West Feliciana	57	63	3	2	1
White	30	22	1	-	-
All other	27	41	2	2	1
Black	27	41	2	2	1
Winn	152	181	3	1	5
White	110	130	1	1	3
All other	42	51	2	-	2
Black	42	51	2	-	2
Maine	10,873	10,929	145	99	113
White	10,835	10,894	142	96	113
All other	38	35	3	3	-
Black	19	18	2	2	-
Androscoggin	1,024	1,010	12	6	7
Auburn	---	257	1	-	2
Lewiston	---	464	7	3	3
Balance of county	---	289	4	3	2
Aroostook	672	710	13	7	8
Presque Isle	---	86	3	1	-
Balance of county	---	624	10	6	8
Cumberland	2,556	2,115	25	16	19
Portland	---	799	8	6	10
South Portland	---	220	1	1	1
Westbrook	---	119	3	1	1
Balance of county	---	977	13	8	7
Franklin	204	232	6	5	4
Hancock	420	463	9	7	6
Kennebec	1,423	1,078	12	9	14
Augusta	---	268	7	5	2
Waterville	---	218	2	2	2
Balance of county	---	592	3	2	10
Knox	435	401	6	6	4
Lincoln	226	327	4	4	4
Oxford	452	555	10	6	10
Penobscot	1,219	1,129	15	11	8
Bangor	---	335	8	6	4
Balance of county	---	794	7	5	4
Piscataquis	169	185	2	1	1
Sagadahoc	204	244	4	3	3
Bath	---	104	1	1	1
Balance of county	---	140	3	2	2
Somerset	407	502	7	6	6
Waldo	184	294	6	1	3
Washington	301	371	1	-	4
York	977	1,313	13	11	12
Biddeford	---	259	2	1	3
Saco	---	118	1	1	-
Maine-Con.					
Balance of county	---	936	10	9	9
Maryland	34,556	35,056	752	521	552
White	27,222	27,424	383	259	302
All other	7,334	7,632	369	262	250
Black	7,160	7,437	359	257	239
Allegany	1,044	975	13	11	8
Cumberland	---	445	9	7	1
Balance of county	---	530	4	4	7
Anne Arundel	1,942	2,430	57	34	33
White	1,681	2,119	42	24	28
All other	261	311	15	10	5
Black	256	303	14	10	5
Annapolis	---	353	9	6	2
White	---	240	6	5	2
All other	---	113	3	1	-
Black	---	112	3	1	-
Balance of county	---	2,077	48	28	31
White	---	1,879	36	19	26
All other	---	198	12	9	5
Black	---	191	11	9	5
Baltimore	4,662	5,397	75	51	56
White	4,414	5,211	61	42	49
All other	248	186	14	9	7
Black	242	172	13	8	7
Baltimore city	11,564	9,756	230	153	173
White	7,017	5,300	48	34	43
All other	4,547	4,456	182	119	130
Black	4,500	4,428	180	118	129
Calvert	211	280	7	6	5
White	166	217	5	5	1
All other	45	63	2	1	4
Black	44	63	2	1	4
Caroline	89	255	3	2	4
White	72	210	2	1	3
All other	17	45	1	1	1
Black	17	45	1	1	1
Carroll	620	732	7	1	10
Cecil	474	477	8	6	1
Charles	299	463	13	7	8
White	216	333	6	4	3
All other	83	130	7	3	5
Black	82	127	7	3	5
Dorchester	316	374	4	4	8
White	237	280	2	2	5
All other	79	94	2	2	3
Black	78	93	2	2	3
Cambridge	---	170	3	3	6
White	---	112	1	1	3
All other	---	58	2	2	3
Black	---	57	2	2	3
Balance of county	---	204	1	1	2
White	---	168	1	1	2
All other	---	36	-	-	-
Black	---	36	-	-	-
Frederick	744	858	18	10	14
Frederick	---	343	8	6	2
White	---	302	5	3	1
All other	---	41	3	3	1
Black	---	39	3	3	1
Balance of county	---	515	10	4	12
White	---	484	9	4	11
All other	---	31	1	-	1
Black	---	31	1	-	1
Garrett	263	254	3	2	6
Harford	887	955	18	13	10
White	798	858	13	9	10
All other	89	97	5	4	-
Black	85	94	5	4	-
Aberdeen	---	110	2	1	2
White	---	82	-	-	2
All other	---	28	2	1	-
Black	---	27	2	1	-
Balance of county	---	845	16	12	8
White	---	776	13	9	8
All other	---	69	3	3	-
Black	---	67	3	3	-
Howard	424	639	10	8	10
White	377	562	9	5	7
All other	47	77	1	1	3
Black	42	71	1	1	2
Kent	186	214	2	2	9
White	153	167	1	1	5
All other	33	47	1	1	4
Black	33	47	1	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland-Con.					
Montgomery	4,183	3,923	80	58	61
White	3,755	3,559	57	41	46
All other	428	364	23	17	15
Black	369	292	20	15	10
Gaithersburg	---	281	12	7	8
White	---	243	7	5	8
All other	---	38	5	2	-
Black	---	30	3	1	-
Rockville	---	535	6	5	7
White	---	494	4	3	5
All other	---	41	2	2	2
Black	---	25	2	2	2
Takoma Park, part	---	120	4	3	2
White	---	96	3	2	1
All other	---	24	1	1	1
Black	---	23	1	1	-
Takoma Park, total	---	150	5	4	3
White	---	122	4	3	2
All other	---	28	1	1	1
Black	---	27	1	1	-
Balance of county	---	2,987	58	43	44
White	---	2,726	43	31	32
All other	---	261	15	12	12
Black	---	214	14	11	8
Prince George's	3,054	3,771	138	107	94
White	2,293	2,686	52	37	35
All other	761	1,085	86	70	59
Black	725	1,033	84	70	55
Bowie	---	126	4	3	2
College Park	---	119	2	2	-
White	---	111	2	2	-
All other	---	8	-	-	-
Black	---	7	-	-	-
Greenbelt	---	96	4	4	5
White	---	95	4	4	4
All other	---	1	-	-	1
Black	---	1	-	-	1
Hyattsville	---	476	12	7	14
White	---	382	4	1	4
All other	---	94	8	6	10
Black	---	85	8	6	10
Laurel	---	131	8	5	4
White	---	117	7	4	3
All other	---	14	1	1	1
Black	---	13	1	1	1
New Carrollton	---	49	-	-	-
White	---	43	-	-	-
All other	---	6	-	-	-
Black	---	4	-	-	-
Takoma Park, part	---	30	1	1	1
White	---	26	1	1	1
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	2,744	107	85	68
White	---	1,798	30	22	22
All other	---	946	77	63	46
Black	---	908	75	63	42
Queen Anne's	113	267	9	6	6
White	96	210	3	2	4
All other	17	57	6	4	2
Black	17	57	6	4	2
St. Mary's	344	401	13	11	10
White	271	320	8	6	8
All other	73	81	5	5	2
Black	72	81	5	5	2
Somerset	92	207	2	1	3
White	63	130	-	-	1
All other	29	77	2	1	2
Black	29	76	2	1	2
Talbot	569	351	6	6	2
White	446	275	4	4	2
All other	123	76	2	2	-
Black	123	76	2	2	-
Washington	1,140	1,030	16	9	9
Hagerstown	---	501	7	5	5
Balance of county	---	529	9	4	4
White	---	526	9	4	4
All other	---	3	-	-	-
Black	---	3	-	-	-
Wicomico	1,181	706	13	10	9
White	923	563	7	5	5
All other	258	143	6	5	4
Black	255	141	5	4	4
Salisbury	---	286	3	2	3
White	---	227	2	1	2
All other	---	59	1	1	1
Black	---	58	1	1	1
Maryland-Con.					
Balance of county	---	420	10	8	6
White	---	336	5	4	3
All other	---	84	5	4	3
Black	---	83	4	3	3
Worcester	155	341	7	5	3
White	119	252	4	3	1
All other	36	89	3	2	2
Black	36	89	3	2	2
Massachusetts	54,740	54,291	690	490	521
White	53,035	52,590	588	418	441
All other	1,705	1,701	102	72	80
Black	1,501	1,502	90	65	74
Barnstable	1,768	1,866	9	8	14
Barnstable town#	---	381	4	4	1
Balance of county	---	1,485	5	4	13
White	---	1,457	4	3	11
All other	---	28	1	1	2
Black	---	18	1	1	2
Berkshire	1,569	1,511	14	10	14
North Adams	---	209	2	2	2
Pittsfield	---	516	6	3	3
Balance of county	---	786	6	5	9
Bristol	4,333	4,690	53	36	46
White	4,248	4,598	50	33	46
All other	85	92	3	3	-
Black	79	85	3	3	-
Attleboro	---	341	5	2	4
Fairhaven town#	---	196	2	2	1
Fall River	---	1,091	10	8	13
New Bedford	---	1,190	16	12	11
White	---	1,122	14	10	11
All other	---	68	2	2	-
Black	---	65	2	2	-
North Attleborough town#	---	161	1	-	1
Somerset town#	---	159	1	-	-
Taunton	---	438	4	2	8
Balance of county	---	1,114	14	10	8
Dukes	101	111	2	1	1
Essex	6,044	6,275	79	51	60
White	5,995	6,223	75	50	56
All other	49	52	4	1	4
Black	43	44	3	1	3
Amesbury town#	---	164	3	3	5
Andover town#	---	177	1	-	1
Beverly	---	316	3	-	4
Danvers town#	---	257	2	2	-
Gloucester	---	279	-	-	6
Haverhill	---	555	17	9	5
Lawrence	---	713	9	8	8
White	---	704	8	7	7
All other	---	9	1	1	1
Black	---	7	1	1	-
Lynn	---	914	11	7	3
Lynnfield town#	---	77	-	-	-
Marblehead town#	---	164	2	1	1
Methuen town#	---	372	4	3	3
Newburyport	---	192	2	1	1
Peabody	---	387	4	4	3
Salem	---	430	3	1	2
Saugus town#	---	234	4	2	1
Swampscott town#	---	165	-	-	4
Balance of county	---	879	14	10	13
Franklin	538	646	8	4	8
Hampden	4,670	4,457	71	53	46
White	4,490	4,281	56	43	33
All other	180	176	15	10	13
Black	173	171	14	10	13
Agawam town#	---	217	2	2	2
Chicopee	---	613	10	6	4
Holyoke	---	593	11	10	2
White	---	587	11	10	2
All other	---	6	-	-	-
Black	---	5	-	-	-
Longmeadow town#	---	157	2	2	-
Springfield	---	1,561	31	22	22
White	---	1,400	17	12	9
All other	---	161	14	10	13
Black	---	159	14	10	13
Westfield	---	328	3	1	3
West Springfield town#	---	282	1	-	4
Balance of county	---	706	11	10	9
Hampshire	842	1,056	8	8	6
Amherst town#	---	102	-	-	2
Easthampton town#	---	166	4	4	1
Northampton	---	304	1	1	-
Balance of county	---	484	3	3	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts-Con.					
Middlesex	11,091	11,842	145	104	119
White	10,921	11,645	134	96	109
All other	170	197	11	8	10
Black	124	146	7	6	7
Arlington town#	---	552	7	7	1
Belmont town#	---	306	1	-	3
Billerica town#	---	183	6	4	3
Burlington town#	---	111	3	2	2
Cambridge	---	816	3	3	7
White	---	731	2	2	5
All other	---	85	1	1	2
Black	---	77	1	1	2
Chelmsford town#	---	212	2	2	1
Dracut town#	---	179	8	7	-
Everett	---	403	4	3	2
Framingham town#	---	565	5	4	5
Hudson town#	---	133	4	3	3
Lexington town#	---	239	-	-	-
Lowell	---	996	18	12	12
Malden	---	596	8	6	7
Marlborough	---	250	5	2	4
Medford	---	619	3	1	4
Melrose	---	287	1	1	1
Natick town#	---	251	6	5	6
Newton	---	684	9	5	4
Reading town#	---	169	-	-	-
Somerville	---	831	9	8	9
Stoneham town#	---	226	1	1	1
Tewksbury town#	---	165	-	-	-
Wakefield town#	---	242	2	1	2
Waltham	---	490	7	4	8
Watertown town#	---	369	3	3	3
Wilmington town#	---	105	1	1	-
Winchester town#	---	192	2	1	-
Woburn	---	246	6	5	5
Balance of county	---	1,425	21	13	26
White	---	1,408	20	12	24
All other	---	17	1	1	2
Black	---	12	1	1	1
Nantucket	59	64	3	2	-
Norfolk	4,468	5,425	60	52	33
White	4,429	5,376	57	50	31
All other	39	49	3	2	2
Black	32	30	3	2	1
Braintree town#	---	359	5	5	3
Brookline town#	---	576	12	12	3
Dedham town#	---	244	1	1	3
Holbrook town#	---	87	1	1	2
Milton town#	---	290	2	2	3
Needham town#	---	251	5	5	-
Norwood town#	---	276	2	2	1
Quincy	---	913	8	6	5
Randolph town#	---	249	4	2	-
Stoughton town#	---	229	3	3	1
Wellesley town#	---	222	-	-	-
Westwood town#	---	108	-	-	1
Weymouth town#	---	499	7	4	2
Balance of county	---	1,120	10	9	9
White	---	1,113	10	9	9
All other	---	7	-	-	-
Black	---	7	-	-	-
Plymouth	2,981	3,420	51	32	34
White	2,921	3,350	47	29	33
All other	60	70	4	3	1
Black	57	68	4	3	1
Abington town#	---	136	3	3	-
Brockton	---	939	17	8	11
Plymouth town#	---	348	6	4	5
Rockland town#	---	150	3	1	-
Scituate town#	---	144	1	1	2
Whitman town#	---	96	1	-	1
Balance of county	---	1,607	20	15	15
Suffolk	10,050	6,766	107	81	82
White	9,058	5,836	53	41	38
All other	992	930	54	40	44
Black	881	844	49	35	44
Boston	---	5,699	96	71	78
White	---	4,777	43	32	35
All other	---	922	53	39	43
Black	---	840	49	35	43
Chelsea	---	390	4	3	2
Revere	---	436	4	4	1
Winthrop town#	---	241	3	3	1
Worcester	6,226	6,162	80	48	58
White	6,171	6,105	74	45	57
All other	55	57	6	3	1
Black	48	50	5	3	1
Clinton town#	---	150	1	-	1
Fitchburg	---	438	4	3	3
Gardner	---	201	2	2	4
Leominster	---	307	6	3	1
Milford town#	---	199	5	3	4
Shrewsbury town#	---	203	7	4	-
Webster town#	---	186	4	3	-
Worcester	---	2,034	26	16	14
Balance of county	---	2,444	25	14	31
Michigan	75,472	76,684	1,569	1,062	831
White	65,040	66,214	1,047	700	652
All other	10,432	10,470	522	362	179
Black	10,141	10,185	506	356	168
Alcona	63	126	1	-	-
Alger	102	105	-	-	2
Allegan	482	660	8	5	3
Holland, part	---	40	-	-	-
Balance of county	---	620	8	5	3
Alpena	337	292	3	2	4
Alpena	---	148	1	1	2
Balance of county	---	144	2	1	2
Antrim	83	182	1	-	-
Arenac	133	166	4	3	1
Baraga	113	112	-	-	1
Barry	265	338	8	4	3
Bay	909	968	24	15	6
Bangor twp#	---	100	1	1	2
Bay City	---	466	12	8	2
Midland, part	---	-	-	-	-
Balance of county	---	402	11	6	2
Benzie	100	123	1	-	-
Berrien	1,389	1,479	41	23	15
White	1,175	1,265	14	11	10
All other	214	214	27	12	5
Black	210	211	27	12	5
Benton Harbor	---	166	19	10	2
White	---	49	-	-	-
All other	---	117	19	10	2
Black	---	117	19	10	2
Niles	---	195	2	1	3
White	---	180	1	1	3
All other	---	15	1	-	-
Black	---	15	1	-	-
Balance of county	---	1,118	20	12	10
White	---	1,036	13	10	7
All other	---	82	7	2	3
Black	---	79	7	2	3
Branch	339	388	8	5	2
Calhoun	1,386	1,318	35	25	12
White	1,283	1,206	24	15	10
All other	103	112	11	10	2
Black	98	107	11	10	2
Albion	---	90	5	4	-
White	---	75	3	3	-
All other	---	15	2	1	-
Black	---	15	2	1	-
Battle Creek	---	637	20	18	7
White	---	546	11	7	6
All other	---	91	9	9	1
Black	---	89	9	9	1
Balance of county	---	591	10	5	5
Cass	245	417	12	6	5
Charlevoix	126	206	4	2	2
Cheboygan	160	186	3	-	2
Chippewa	252	295	3	1	3
Sault Ste. Marie	---	166	2	-	2
Balance of county	---	129	1	1	1
White	---	120	1	1	1
All other	---	9	-	-	-
Black	---	-	-	-	-
Clare	242	294	12	2	2
Clinton	171	312	4	3	3
Lansing, part	---	1	-	-	1
Balance of county	---	311	4	3	2
White	---	309	4	3	2
All other	---	2	-	-	-
Black	---	1	-	-	-
Crawford	186	98	3	2	2
Delta	269	338	4	3	5
Escanaba	---	157	1	1	3
Balance of county	---	181	3	2	2
Dickinson	441	329	4	3	1
Eaton	348	561	11	7	15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Lansing, part	---	10	-	-	1
White	---	7	-	-	1
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	551	11	7	14
Emmet	521	239	2	1	1
Genesee	3,523	3,387	94	64	33
White	3,068	2,908	60	41	27
All other	455	479	34	23	6
Black	445	469	32	23	6
Burton	---	215	4	3	3
Flint	---	1,538	53	38	23
White	---	1,087	23	16	19
All other	---	451	30	22	4
Black	---	447	29	22	4
Flint twp#	---	278	5	3	-
Genesee twp#	---	140	2	2	-
Mount Morris twp#	---	144	5	2	2
White	---	139	4	2	1
All other	---	5	1	-	1
Black	---	3	-	-	1
Balance of county	---	1,072	25	16	5
White	---	1,055	23	16	4
All other	---	17	2	-	1
Black	---	16	2	-	1
Gladwin	94	208	3	2	4
Gogebic	242	252	2	1	3
Grand Traverse	717	431	7	7	6
Traverse City	---	165	1	1	4
Balance of county	---	266	6	6	2
Gratiot	420	408	8	6	5
Hillsdale	224	367	7	6	2
Houghton	376	424	6	2	-
Huron	280	377	6	4	7
Ingham	2,081	1,643	46	30	38
White	1,961	1,522	32	22	34
All other	120	121	14	8	4
Black	110	113	14	8	4
East Lansing	---	129	6	2	6
Lansing, part	---	929	30	21	21
White	---	818	17	13	19
All other	---	111	13	8	2
Black	---	106	13	8	2
Lansing, total	---	940	30	21	23
White	---	826	17	13	21
All other	---	114	13	8	2
Black	---	109	13	8	2
Meridian twp#	---	177	3	3	1
Balance of county	---	408	7	4	10
Ionia	255	383	9	4	8
Iosco	272	309	2	1	5
Iron	167	223	2	2	1
Isabella	271	299	5	3	4
Mount Pleasant	---	114	1	1	1
Balance of county	---	185	4	2	3
Jackson	1,253	1,310	29	18	12
White	1,188	1,244	23	15	10
All other	65	66	6	3	2
Black	65	66	6	3	2
Jackson	---	508	16	11	5
White	---	446	10	8	3
All other	---	62	6	3	2
Black	---	62	6	3	2
Balance of county	---	802	13	7	7
Kalamazoo	1,967	1,542	45	30	27
White	1,827	1,441	34	22	22
All other	140	101	11	8	5
Black	136	97	11	8	3
Kalamazoo	---	664	16	13	18
White	---	575	8	8	13
All other	---	89	8	5	5
Black	---	87	8	5	3
Kalamazoo twp#	---	170	6	2	2
Portage	---	188	12	8	1
Balance of county	---	520	11	7	6
Kalkaska	45	91	3	1	1
Kent	4,136	3,580	88	60	44
White	3,893	3,343	65	44	35
All other	243	237	23	16	9
Black	227	220	22	16	9
East Grand Rapids	---	69	1	1	-
Grand Rapids	---	1,960	53	37	18
White	---	1,740	30	21	9
All other	---	220	23	16	9
Black	---	207	22	16	9

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Grandville	---	77	3	3	2
Kentwood	---	125	4	2	3
Walker	---	89	2	2	1
Wyoming	---	390	11	5	7
Balance of county	---	870	14	10	13
Keweenaw	4	32	-	-	-
Lake	42	121	1	-	2
White	28	87	1	-	2
All other	14	34	-	-	-
Black	14	34	-	-	-
Lapeer	343	433	16	13	3
Leelanau	77	135	3	1	1
Lenawee	625	718	10	8	18
Adrian	---	232	4	4	9
Balance of county	---	486	6	4	9
Livingston	404	587	9	6	14
Luce	55	54	-	-	1
Mackinac	72	125	4	2	1
Macomb	3,722	4,975	78	63	47
White	3,618	4,878	74	59	43
All other	104	97	4	4	4
Black	93	77	4	4	2
Clinton twp#	---	339	7	4	3
East Detroit	---	447	7	7	3
Fraser	---	127	1	1	-
Harrison twp#	---	105	2	2	-
Mount Clemens	---	368	12	11	8
White	---	317	10	9	6
All other	---	51	2	2	2
Black	---	47	2	2	1
Roseville	---	405	7	6	6
St. Clair Shores	---	694	7	5	1
Shelby twp#	---	156	2	2	-
Sterling Heights	---	521	7	5	6
Warren	---	1,201	14	10	9
Balance of county	---	612	12	10	11
Manistee	249	287	4	3	2
Marquette	594	524	5	3	10
Marquette	---	178	3	1	3
Balance of county	---	346	2	2	7
Mason	285	295	11	6	2
Mecosta	211	278	4	3	5
Big Rapids	---	83	-	-	-
Balance of county	---	195	4	3	5
Menominee	277	285	5	5	2
Menominee	---	128	2	2	-
Balance of county	---	157	3	3	2
Midland	556	439	10	10	8
Midland, part	---	243	5	5	5
Midland, total	---	243	5	5	5
Balance of county	---	196	5	5	3
Missaukee	30	87	1	-	-
Monroe	644	992	19	12	17
Monroe	---	324	6	5	4
Balance of county	---	668	13	7	13
Montcalm	399	454	5	3	3
Montmorency	42	99	1	1	-
Muskegon	1,327	1,335	21	17	6
White	1,182	1,179	14	11	4
All other	145	156	7	6	2
Black	138	151	7	6	2
Muskegon	---	468	7	6	2
White	---	416	4	3	1
All other	---	52	3	3	1
Black	---	52	3	3	1
Muskegon Heights	---	148	3	2	1
White	---	67	-	-	-
All other	---	81	3	2	1
Black	---	81	3	2	1
Norton Shores	---	127	3	2	-
Balance of county	---	592	8	7	3
Newaygo	245	308	4	3	5
Oakland	8,004	7,376	124	89	61
White	7,533	7,040	108	76	56
All other	471	336	16	13	5
Black	449	317	16	13	4
Avon twp#	---	195	5	4	2
Berkley	---	137	2	-	3
Beverly Hills	---	67	-	-	-
Birmingham	---	212	-	-	2
Bloomfield twp#	---	248	-	-	-
Clawson	---	120	1	1	2
Farmington	---	160	-	-	-
Farmington Hills	---	398	5	4	-
Ferndale	---	293	6	4	3
Hazel Park	---	173	5	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Madison Heights	---	263	5	4	2
Novi	---	96	1	1	-
Oak Park	---	291	4	3	-
White	---	277	1	1	-
All other	---	14	3	2	-
Black	---	14	3	2	-
Pontiac	---	677	28	21	12
White	---	486	16	11	9
All other	---	191	12	10	3
Black	---	190	12	10	3
Royal Oak	---	646	5	5	5
Southfield	---	783	4	3	1
White	---	732	4	3	1
All other	---	51	-	-	-
Black	---	48	-	-	-
Troy	---	349	5	2	4
West Bloomfield twp#	---	191	2	2	1
Balance of county	---	2,077	46	33	21
White	---	2,053	46	33	21
All other	---	24	-	-	-
Black	---	20	-	-	-
Oceana	140	203	1	-	3
Ogemaw	261	216	1	1	3
Ontonagon	88	102	-	-	-
Osceola	159	193	3	2	3
Oscoda	46	107	-	-	-
Otsego	169	154	1	1	1
Ottawa	906	1,033	20	13	14
Georgetown twp#	---	93	1	1	1
Grand Haven	---	140	2	1	1
Holland, part	---	190	2	2	4
Holland, total	---	230	2	2	4
Balance of county	---	610	15	9	8
Presque Isle	107	153	2	1	2
Roscommon	54	226	1	-	-
Saginaw	1,920	1,709	40	30	19
White	1,690	1,472	23	19	15
All other	230	237	17	11	4
Black	222	231	15	11	4
Saginaw	---	741	25	19	8
White	---	537	10	9	4
All other	---	204	15	10	4
Black	---	201	14	10	4
Saginaw twp#	---	283	4	3	3
Balance of county	---	685	11	8	8
White	---	657	9	7	8
All other	---	28	2	1	-
Black	---	26	1	1	-
St. Clair	1,067	1,189	23	13	20
Port Huron	---	343	8	5	8
Balance of county	---	846	15	8	12
St. Joseph	412	485	14	11	13
Sanilac	260	379	2	-	6
Schoolcraft	97	98	1	1	2
Shiawassee	357	458	7	2	4
Owosso	---	141	3	2	1
Balance of county	---	317	4	-	3
Tuscola	278	434	7	6	2
Van Buren	393	609	15	11	8
Washtenaw	2,761	1,461	42	20	31
White	2,512	1,315	31	14	22
All other	249	146	11	6	9
Black	234	138	10	6	9
Ann Arbor	---	478	16	6	8
White	---	425	11	4	6
All other	---	53	5	2	2
Black	---	49	4	2	2
Ypsilanti	---	205	10	4	13
White	---	155	8	2	7
All other	---	50	2	2	6
Black	---	50	2	2	6
Ypsilanti twp#	---	208	10	4	1
White	---	190	7	3	-
All other	---	18	3	1	1
Black	---	17	3	1	1
Balance of county	---	570	6	6	9
White	---	545	5	5	9
All other	---	25	1	1	-
Black	---	22	1	1	-
Wayne	22,472	22,511	494	347	202
White	14,894	14,707	167	113	93
All other	7,578	7,804	327	234	109
Black	7,504	7,735	321	229	108
Allen Park	---	340	2	1	2
Canton twp#	---	160	6	3	2
Dearborn	---	1,010	12	7	6
Dearborn Heights	---	598	3	3	1
Detroit	---	13,201	354	255	121
White	---	6,050	56	40	20
All other	---	7,151	298	215	101
Black	---	7,113	296	213	101
Ecorse	---	140	6	4	2
White	---	85	2	1	2
All other	---	55	4	3	-
Black	---	55	4	3	-
Garden City	---	217	4	2	3
Grosse Pointe Farms	---	116	1	1	-
Grosse Pointe Park	---	129	2	2	1
Grosse Pointe Woods	---	161	-	-	-
Hamtramck	---	346	-	-	2
White	---	312	-	-	2
All other	---	34	-	-	-
Black	---	34	-	-	-
Harper Woods	---	233	-	-	2
Highland Park	---	336	12	7	-
White	---	113	-	-	-
All other	---	223	12	7	-
Black	---	222	12	7	-
Inkster	---	274	6	4	6
White	---	123	1	1	1
All other	---	151	5	3	5
Black	---	151	5	3	5
Lincoln Park	---	390	9	6	1
Livonia	---	758	14	11	3
Melvindale	---	112	-	-	1
Plymouth twp#	---	108	1	-	1
Redford twp#	---	548	10	8	4
River Rouge	---	136	3	1	2
White	---	87	1	-	1
All other	---	49	2	1	1
Black	---	49	2	1	-
Riverview	---	126	1	1	2
Romulus	---	165	2	1	7
White	---	132	2	1	7
All other	---	33	-	-	-
Black	---	33	-	-	-
Southgate	---	210	3	3	3
Taylor	---	410	6	4	8
Trenton	---	178	2	1	-
Wayne	---	175	3	2	4
Westland	---	631	11	7	4
Woodhaven	---	38	2	1	1
Wyandotte	---	337	1	-	5
Balance of county	---	928	18	12	8
Wexford	333	259	2	2	-
Cadillac	---	136	1	1	-
Balance of county	---	123	1	1	-
Minnesota	34,334	33,937	644	409	449
White	33,709	33,340	586	378	401
All other	625	597	58	31	48
Black	349	335	37	20	25
Aitkin	139	185	1	1	-
Anoka	628	819	36	20	25
Anoka	---	123	1	-	-
Blaine, part	---	77	8	4	6
Blaine, total	---	77	8	4	6
Columbia Heights	---	165	4	4	2
Coon Rapids	---	125	11	5	3
Fridley	---	135	1	1	3
Ramsey	---	16	-	-	2
Balance of county	---	178	11	6	9
Becker	259	294	4	1	5
Beltrami	257	264	12	8	7
White	227	233	10	8	5
All other	30	31	2	-	2
Black	1	-	-	-	-
Bemidji	---	119	1	-	2
Balance of county	---	145	11	8	5
White	---	115	9	8	3
All other	---	30	2	-	2
Black	---	-	-	-	-
Benton	145	249	8	4	2
St. Cloud, part	---	32	1	-	1
Balance of county	---	217	7	4	1
Big Stone	121	117	1	1	1
Blue Earth	530	443	11	5	5
Mankato, part	---	237	6	3	4
Mankato, total	---	237	6	3	4
Balance of county	---	206	5	2	1
Brown	318	300	8	5	2
New Ulm	---	143	4	2	1
Balance of county	---	157	4	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Carlton	258	292	3	3	6
Cloquet	---	139	1	1	4
Balance of county	---	153	2	2	2
Carver	215	242	6	3	2
Cass	147	257	7	5	3
Chippewa	118	183	4	4	1
Chisago	191	232	10	9	-
Clay	253	364	8	3	-
Moorhead	---	226	7	2	-
Balance of county	---	138	1	1	-
Clearwater	75	91	1	1	-
Cook	35	42	1	1	2
Cottonwood	134	148	-	-	1
Crow Wing	446	443	3	-	7
Brainerd	---	161	3	-	4
Balance of county	---	282	-	-	3
Dakota	611	969	25	17	30
Apple Valley	---	34	3	2	4
Burnsville	---	93	2	1	3
Eagan	---	51	3	2	2
Hastings, part	---	127	2	2	4
Hastings, total	---	127	2	2	4
Inver Grove Heights	---	71	2	2	4
Lakeville	---	49	3	2	3
Northfield, part	---	-	-	-	-
South St. Paul	---	147	2	2	2
West St. Paul	---	226	3	2	2
Balance of county	---	171	5	2	6
Dodge	59	151	1	1	1
Douglas	307	288	3	1	5
Faribault	189	230	5	3	2
Fillmore	214	274	5	2	4
Freeborn	363	361	5	5	2
Albert Lea	---	229	4	4	1
Balance of county	---	132	1	1	1
Goodhue	352	362	8	7	1
Red Wing	---	143	1	1	-
Balance of county	---	219	7	6	1
Grant	75	98	1	1	-
Hennepin	8,559	7,386	137	83	91
White	8,262	7,117	107	69	57
All other	297	269	30	14	34
Black	209	193	22	12	21
Bloomington	---	433	9	7	7
Brooklyn Center	---	183	3	1	1
Brooklyn Park	---	104	5	3	6
Crystal	---	163	6	1	2
Eden Prairie	---	60	4	3	3
Edina	---	392	3	1	2
Golden Valley	---	156	2	2	1
Hopkins	---	154	5	5	1
Maple Grove	---	50	3	2	-
Minneapolis	---	4,000	61	35	55
White	---	3,765	36	24	29
All other	---	235	25	11	26
Black	---	175	18	10	18
Minnetonka	---	180	2	2	-
New Hope	---	173	2	2	-
Plymouth	---	118	7	3	-
Richfield	---	278	8	6	4
Robbinsdale	---	142	-	-	3
St. Louis Park	---	356	7	4	3
Balance of county	---	444	10	6	3
Houston	120	189	4	3	-
Hubbard	167	142	2	1	2
Isanti	167	188	5	2	4
Itasca	334	375	5	4	4
Jackson	105	136	2	1	2
Kanabec	112	115	-	-	1
Kandiyohi	394	331	7	7	3
Willmar	---	149	2	2	1
Balance of county	---	182	5	5	2
Kittson	92	87	-	-	3
Koochiching	124	152	1	1	4
Lac qui Parle	89	118	1	1	-
Lake	91	92	-	-	-
Lake of the Woods	36	32	-	-	-
Le Sueur	134	212	2	2	1
Lincoln	110	97	-	-	2
Lyon	186	218	2	2	2
Marshall	---	74	-	-	1
Balance of county	---	144	2	2	1
McLeod	285	289	6	5	4
Mahnomen	43	59	2	1	-
White	34	49	2	1	-
All other	9	10	-	-	-
Black	-	-	-	-	-
Marshall	66	137	1	1	5
Martin	231	250	3	2	6
Fairmont	---	153	2	1	5
Balance of county	---	97	1	1	1
Meeker	207	229	2	1	4
Mille Lacs	205	191	7	5	3
Morrison	259	296	4	1	3
Mower	312	393	4	3	4
Austin	---	259	3	2	2
Balance of county	---	134	1	1	2
Murray	94	130	-	-	1
Nicollet	125	168	4	4	2
Mankato, part	---	-	-	-	-
Balance of county	---	168	4	4	2
Nobles	189	200	5	2	4
Worthington	---	105	3	2	2
Balance of county	---	95	2	-	2
Norman	104	141	-	-	-
Olmsted	1,513	599	17	12	7
Rochester	---	456	14	10	4
Balance of county	---	143	3	2	3
Otter Tail	499	572	4	4	6
Fergus Falls	---	152	-	-	3
Balance of county	---	420	4	4	3
Pennington	202	162	-	-	-
Pine	92	182	-	-	1
Pipestone	136	156	3	3	1
Polk	327	386	6	4	10
Pope	141	155	2	1	3
Ramsey	4,276	3,876	96	55	60
White	4,130	3,726	80	46	54
All other	146	150	16	9	6
Black	116	121	13	7	4
Blaine, part	---	-	-	-	-
Maplewood	---	216	7	4	5
Mounds View	---	44	6	2	-
New Brighton	---	137	4	1	1
North St. Paul	---	63	1	1	-
Roseville	---	261	8	4	7
St. Paul	---	2,772	48	29	38
White	---	2,631	33	21	32
All other	---	141	15	8	6
Black	---	114	13	7	4
Shoreview	---	56	5	3	1
White Bear Lake, part	---	139	10	8	2
White Bear Lake, total	---	143	10	8	2
Balance of county	---	188	7	3	6
Red Lake	30	42	-	-	-
Redwood	155	214	4	4	1
Renville	145	190	1	1	2
Rice	375	399	6	2	5
Faribault	---	196	2	1	3
Northfield, part	---	104	2	-	1
Northfield, total	---	104	2	-	1
Balance of county	---	99	2	1	1
Rock	91	89	-	-	2
Roseau	92	120	3	2	1
St. Louis	2,447	2,200	17	14	14
Duluth	---	1,067	6	6	9
Hibbing	---	244	4	3	2
Virginia	---	170	1	1	-
Balance of county	---	719	6	4	3
Scott	316	286	6	5	2
Sherburne	157	226	7	4	2
St. Cloud, part	---	65	-	-	-
Balance of county	---	161	7	4	2
Sibley	101	159	2	-	1
Steams	888	662	25	16	15
St. Cloud, part	---	193	14	9	4
St. Cloud, total	---	290	15	9	5
Balance of county	---	469	11	7	11
Steele	196	229	6	5	7
Owatonna	---	158	6	5	4
Balance of county	---	71	-	-	3
Stevens	91	97	-	-	-
Swift	119	145	3	3	1
Todd	173	260	4	2	3
Traverse	67	71	-	-	-
Wabasha	157	173	3	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Wadena	244	209	2	1	2
Waseca	145	183	7	4	3
Washington	374	579	13	8	16
Cottage Grove	---	44	1	-	3
Hastings, part	---	-	-	-	-
Oakdale	---	44	1	1	2
Stillwater	---	140	2	-	2
White Bear Lake, part	---	4	-	-	-
Woodbury	---	51	1	1	3
Balance of county	---	296	8	6	6
Watonwan	122	146	2	1	1
Wilkin	154	73	2	2	1
Winona	446	472	6	1	1
Winona	---	337	2	-	1
Balance of county	---	135	4	1	-
Wright	321	426	10	6	11
Yellow Medicine	153	148	4	3	-
Mississippi	23,314	23,942	665	408	615
White	14,823	15,338	242	159	237
All other	8,491	8,604	423	249	378
Black	8,428	8,544	418	246	376
Adams	479	418	12	6	7
White	243	197	3	2	-
All other	236	221	9	4	7
Black	236	221	9	4	7
Natchez	---	306	8	5	6
White	---	137	1	1	-
All other	---	169	7	4	6
Black	---	169	7	4	6
Balance of county	---	112	4	1	1
White	---	60	2	1	-
All other	---	52	2	-	1
Black	---	52	2	-	1
Alcorn	272	318	4	2	7
White	235	280	4	2	5
All other	37	38	-	-	2
Black	37	38	-	-	2
Corinth	---	150	1	1	4
White	---	123	1	1	2
All other	---	27	-	-	2
Black	---	27	-	-	2
Balance of county	---	168	3	1	3
Amite	56	145	4	3	-
White	29	82	2	1	-
All other	27	63	2	2	-
Black	27	63	2	2	-
Attala	203	240	4	4	5
White	139	161	2	2	2
All other	64	79	2	2	3
Black	64	79	2	2	3
Benton	19	69	4	3	4
White	13	44	1	1	1
All other	6	25	3	2	3
Black	6	25	3	2	3
Bolivar	411	466	19	10	13
White	153	189	2	2	-
All other	258	277	17	8	13
Black	258	277	17	8	13
Cleveland	---	135	6	5	3
White	---	76	2	2	-
All other	---	59	4	3	3
Black	---	59	4	3	3
Balance of county	---	331	13	5	10
White	---	113	-	-	-
All other	---	218	13	5	10
Black	---	218	13	5	10
Calhoun	109	166	2	1	5
White	83	122	-	-	2
All other	26	44	2	1	3
Black	26	44	2	1	3
Carroll	11	73	1	1	-
White	8	46	-	-	-
All other	3	27	1	1	-
Black	3	27	1	1	-
Chickasaw	121	181	5	4	8
White	85	126	5	4	1
All other	36	55	-	-	7
Black	36	55	-	-	7
Choctaw	58	95	2	1	4
White	38	67	1	-	2
All other	20	28	1	1	2
Black	20	28	1	1	2
Mississippi-Con.					
Claiborne	74	104	6	5	4
White	19	30	-	-	-
All other	55	74	6	5	4
Black	55	74	6	5	4
Clarke	145	207	4	1	4
White	83	122	1	-	2
All other	62	85	3	1	2
Black	61	84	3	1	2
Clay	160	202	5	5	6
White	91	116	1	1	-
All other	69	86	4	4	6
Black	69	86	4	4	6
Coahoma	410	423	28	17	11
White	172	165	3	2	-
All other	238	258	25	15	11
Black	236	257	25	15	11
Clarksdale	---	265	17	12	9
White	---	119	2	1	-
All other	---	146	15	11	9
Black	---	146	15	11	9
Balance of county	---	158	11	5	2
White	---	46	1	1	-
All other	---	112	10	4	2
Black	---	111	10	4	2
Copiah	181	262	3	1	4
White	111	154	2	1	2
All other	70	108	1	-	2
Black	70	108	1	-	2
Covington	117	178	4	2	9
White	89	129	-	-	4
All other	28	49	4	2	5
Black	28	49	4	2	5
De Soto	142	356	9	4	3
White	91	266	6	4	2
All other	51	90	3	-	1
Black	51	90	3	-	1
Forrest	779	653	15	11	10
White	562	480	8	6	7
All other	217	173	7	5	3
Black	215	171	7	5	3
Hattiesburg, part	---	425	12	9	6
White	---	287	5	4	4
All other	---	138	7	5	2
Black	---	136	7	5	2
Hattiesburg, total	---	427	12	9	6
White	---	289	5	4	4
All other	---	138	7	5	2
Black	---	136	7	5	2
Balance of county	---	228	3	2	4
White	---	193	3	2	3
All other	---	35	-	-	1
Black	---	35	-	-	1
Franklin	84	103	4	2	1
White	55	66	-	-	-
All other	29	37	4	2	1
Black	29	37	4	2	1
George	106	138	3	2	5
Greene	56	105	3	2	2
White	49	89	2	1	2
All other	7	16	1	1	-
Black	7	16	1	1	-
Grenada	232	224	2	1	4
White	152	142	1	1	2
All other	80	82	1	-	2
Black	80	82	1	-	2
Grenada	---	154	2	1	2
White	---	96	1	1	1
All other	---	58	1	-	1
Black	---	58	1	-	1
Balance of county	---	70	-	-	2
White	---	46	-	-	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Hancock	186	252	5	1	8
White	169	227	5	1	5
All other	17	25	-	-	1
Black	17	25	-	-	1
Harrison	1,593	1,309	33	18	40
White	1,307	1,075	23	11	25
All other	286	234	10	7	15
Black	277	225	8	5	15
Biloxi	---	337	11	9	11
White	---	278	8	6	9
All other	---	59	3	3	2
Black	---	56	1	1	2
Gulfport	---	478	12	6	12
White	---	372	6	2	6
All other	---	106	6	4	6
Black	---	103	6	4	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Balance of county	---	494	10	3	17
White	---	425	9	3	10
All other	---	69	1	-	7
Black	---	66	1	-	7
Hinds	3,687	2,062	58	43	69
White	2,070	1,147	18	13	18
All other	1,617	915	40	30	51
Black	1,610	914	40	30	50
Clinton	---	108	1	1	6
Jackson, part	---	1,685	51	37	45
White	---	941	17	12	13
All other	---	744	34	25	32
Black	---	743	34	25	32
Jackson, total	---	1,686	51	37	45
White	---	941	17	12	13
All other	---	745	34	25	32
Black	---	744	34	25	32
Balance of county	---	269	6	5	18
White	---	122	-	-	4
All other	---	147	6	5	14
Black	---	147	6	5	13
Holmes	210	274	14	8	5
White	48	76	1	1	-
All other	162	198	13	7	5
Black	162	198	13	7	5
Humphreys	98	133	8	5	3
White	22	37	1	1	-
All other	76	96	7	4	3
Black	76	96	7	4	3
Issaquena	14	25	1	-	-
White	4	9	-	-	-
All other	10	16	1	-	-
Black	9	16	1	-	-
Itawamba	122	195	2	-	4
Jackson	620	691	19	13	22
White	510	579	13	8	16
All other	110	112	6	5	6
Black	108	111	6	5	6
Moss Point	---	133	6	4	3
White	---	68	1	-	-
All other	---	65	5	4	3
Black	---	65	5	4	3
Ocean Springs	---	93	1	-	3
Pascagoula	---	202	4	2	9
White	---	171	3	1	7
All other	---	31	1	1	2
Black	---	30	1	1	2
Balance of county	---	263	8	7	7
Jasper	120	193	4	1	5
White	64	102	1	1	2
All other	56	91	3	-	3
Black	55	91	3	-	3
Jefferson	59	100	1	1	6
White	11	22	-	-	3
All other	48	78	1	1	3
Black	48	78	1	1	3
Jefferson Davis	92	130	3	-	2
White	51	63	-	-	1
All other	41	67	3	-	1
Black	41	67	3	-	1
Jones	623	621	12	7	18
White	446	469	3	3	8
All other	177	152	9	4	10
Black	177	150	9	4	10
Laurel	---	284	4	3	6
White	---	190	-	-	2
All other	---	94	4	3	4
Black	---	93	4	3	4
Balance of county	---	337	8	4	12
White	---	279	3	3	6
All other	---	58	5	1	6
Black	---	57	5	1	6
Kemper	74	121	2	1	3
White	40	67	-	-	-
All other	34	54	2	1	3
Black	34	52	2	1	3
Lafayette	201	210	7	5	5
White	142	141	3	1	1
All other	59	69	4	4	4
Black	59	69	4	4	4
Lamar	294	183	3	1	2
White	253	155	2	1	1
All other	41	28	1	-	1
Black	40	28	1	-	1
Hattiesburg, part	---	2	-	-	-
Mississippi-Con.					
Balance of county	---	181	3	1	2
White	---	153	2	1	1
All other	---	28	1	-	1
Black	---	28	1	-	1
Lauderdale	1,118	810	21	11	18
White	738	529	7	5	6
All other	380	281	14	6	12
Black	371	281	14	6	12
Meridian	---	563	15	9	16
White	---	344	5	4	4
All other	---	219	10	5	12
Black	---	219	10	5	12
Balance of county	---	247	6	2	2
White	---	185	2	1	2
All other	---	62	4	1	-
Black	---	62	4	1	-
Lawrence	95	142	1	1	6
White	66	99	-	-	-
All other	29	43	1	1	6
Black	29	43	1	1	6
Leake	165	234	5	3	4
White	112	153	1	1	3
All other	53	81	4	2	1
Black	49	71	3	1	1
Lee	943	536	11	9	9
White	751	422	4	3	7
All other	192	114	7	6	2
Black	192	114	7	6	2
Tupelo	---	263	4	2	4
White	---	217	2	1	4
All other	---	46	2	1	-
Black	---	46	2	1	-
Balance of county	---	273	7	7	5
White	---	205	2	2	3
All other	---	68	5	5	2
Black	---	68	5	5	2
Leflore	483	438	29	15	15
White	232	212	6	4	2
All other	251	226	23	11	13
Black	251	226	23	11	13
Greenwood	---	270	14	9	7
White	---	150	3	2	-
All other	---	120	11	7	7
Black	---	120	11	7	7
Balance of county	---	168	15	6	8
White	---	62	3	2	2
All other	---	106	12	4	6
Black	---	106	12	4	6
Lincoln	298	321	4	3	8
White	206	231	1	1	3
All other	92	90	3	2	5
Black	92	90	3	2	5
Brookhaven	---	184	3	2	3
White	---	127	1	1	-
All other	---	57	2	1	3
Black	---	57	2	1	3
Balance of county	---	137	1	1	5
White	---	104	-	-	3
All other	---	33	1	1	2
Black	---	33	1	1	2
Lowndes	435	451	13	10	14
White	303	298	6	4	9
All other	132	153	7	6	5
Black	132	153	7	6	5
Columbus	---	269	9	8	5
White	---	167	5	4	1
All other	---	102	4	4	4
Black	---	102	4	4	4
Balance of county	---	182	4	2	9
White	---	131	1	-	8
All other	---	51	3	2	1
Black	---	51	3	2	1
Madison	206	329	14	8	8
White	72	132	2	1	1
All other	134	197	12	7	7
Black	134	197	12	7	7
Canton	---	121	8	5	3
White	---	51	1	-	-
All other	---	70	7	5	3
Black	---	70	7	5	3
Balance of county	---	208	6	3	5
White	---	81	1	1	1
All other	---	127	5	2	4
Black	---	127	5	2	4
Marion	189	271	2	2	4
White	135	187	2	2	2
All other	54	84	-	-	2
Black	54	84	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Marshall	168	263	6	1	3
White	72	131	2	-	1
All other	96	132	4	1	2
Black	96	132	4	1	2
Monroe	312	396	14	11	8
White	217	271	7	5	7
All other	95	124	7	6	1
Black	95	124	7	6	1
Montgomery	154	159	5	2	5
White	92	100	2	1	2
All other	62	59	3	1	3
Black	62	59	3	1	3
Neshoba	158	269	5	1	5
White	117	205	2	1	4
All other	41	64	3	-	1
Black	23	43	1	-	1
Newton	179	237	2	2	5
White	134	168	-	-	2
All other	45	69	2	2	3
Black	45	66	2	2	3
Noxubee	118	141	6	3	10
White	36	46	1	1	1
All other	82	95	5	2	9
Black	82	95	5	2	9
Oktibbeha	221	219	9	6	11
White	125	118	4	3	2
All other	96	101	5	3	9
Black	96	101	5	3	9
Starkville	---	105	3	2	5
White	---	76	1	1	2
All other	---	29	2	1	3
Black	---	29	2	1	3
Balance of county	---	114	6	4	6
White	---	42	3	2	-
All other	---	72	3	2	6
Black	---	72	3	2	6
Panola	243	297	9	4	13
White	123	150	1	-	-
All other	120	147	8	4	13
Black	120	147	8	4	13
Pearl River	262	341	14	13	7
White	219	291	11	11	7
All other	43	50	3	2	-
Black	43	50	3	2	-
Picayune	---	132	4	4	2
White	---	103	3	3	2
All other	---	29	1	1	-
Black	---	29	1	1	-
Balance of county	---	209	10	9	5
Perry	66	90	1	-	-
White	51	69	-	-	-
All other	15	21	1	-	-
Black	15	21	1	-	-
Pike	466	468	15	11	12
White	304	305	5	4	5
All other	162	163	10	7	7
Black	162	163	10	7	7
McComb	---	236	3	3	2
White	---	169	1	1	-
All other	---	67	2	2	2
Black	---	67	2	2	2
Balance of county	---	232	12	8	10
White	---	136	4	3	5
All other	---	96	8	5	5
Black	---	96	8	5	5
Pontotoc	125	201	2	2	3
White	115	182	2	2	1
All other	10	19	-	-	2
Black	10	19	-	-	2
Prentiss	129	209	5	3	3
White	117	187	5	3	2
All other	12	22	-	-	1
Black	12	22	-	-	1
Quitman	124	146	5	1	4
White	35	63	-	-	-
All other	89	83	5	1	4
Black	89	83	5	1	4
Rankin	379	525	8	3	11
White	271	384	6	2	9
All other	108	141	2	1	2
Black	108	141	2	1	2
Jackson, part	---	1	-	-	-
Pearl	---	92	2	1	1
White	---	84	2	1	1
All other	---	8	-	-	-
Black	---	8	-	-	-
Balance of county	---	432	6	2	10
White	---	300	4	1	8
All other	---	132	2	1	2
Black	---	132	2	1	2
Scott	185	273	8	7	9
White	124	188	3	3	4
All other	61	85	5	4	5
Black	61	85	5	4	5
Sharkey	63	100	3	2	4
White	25	39	-	-	-
All other	38	61	3	2	4
Black	38	60	3	2	4
Simpson	182	238	8	7	4
White	134	166	4	3	1
All other	48	72	4	4	3
Black	46	71	4	4	3
Smith	64	143	2	2	4
White	57	118	1	1	2
All other	7	25	1	1	2
Black	7	25	1	1	2
Stone	75	98	1	-	3
White	55	76	-	-	1
All other	20	22	1	-	2
Black	20	22	1	-	1
Sunflower	262	321	10	7	10
White	87	120	2	2	2
All other	175	201	8	5	8
Black	175	201	8	5	8
Tallahatchie	111	183	7	4	8
White	53	90	1	-	3
All other	58	93	6	4	5
Black	58	93	6	4	5
Tate	120	169	5	5	4
White	80	114	3	3	1
All other	40	55	2	2	3
Black	40	55	2	2	3
Tippah	159	207	4	2	2
White	130	169	4	2	1
All other	29	38	-	-	1
Black	29	38	-	-	1
Tishomingo	129	202	6	5	5
Tunica	56	91	6	3	-
White	6	19	-	-	-
All other	50	72	6	3	-
Black	50	72	6	3	-
Union	206	193	4	1	3
White	176	167	3	1	3
All other	30	26	1	-	-
Black	30	26	1	-	-
Walthall	144	171	3	2	2
White	85	100	-	-	2
All other	59	71	3	2	-
Black	59	71	3	2	-
Warren	554	510	16	12	13
White	301	288	8	6	2
All other	253	222	8	6	11
Black	253	222	8	6	11
Vicksburg	---	347	13	10	10
White	---	179	6	5	1
All other	---	168	7	5	9
Black	---	168	7	5	9
Balance of county	---	163	3	2	3
White	---	109	2	1	1
All other	---	54	1	1	2
Black	---	54	1	1	2
Washington	821	754	28	16	24
White	320	291	-	-	5
All other	501	463	28	16	19
Black	498	459	28	16	19
Greenville	---	543	19	12	10
White	---	204	-	-	1
All other	---	339	19	12	9
Black	---	336	19	12	9
Balance of county	---	211	9	4	14
White	---	87	-	-	4
All other	---	124	9	4	10
Black	---	123	9	4	10
Wayne	140	171	5	4	9
White	99	125	3	3	5
All other	41	46	2	1	4
Black	41	46	2	1	4
Webster	104	126	4	1	6
White	84	105	1	-	3
All other	20	21	3	1	3
Black	20	21	3	1	3
Wilkinson	168	145	2	2	4
White	77	59	2	2	-
All other	91	86	-	-	4
Black	91	86	-	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Winston	197	255	8	4	2
White	135	166	3	1	-
All other	62	89	5	3	2
Black	61	88	5	3	2
Yalobusha	96	162	2	1	2
White	71	119	-	-	-
All other	25	43	2	1	2
Black	25	43	2	1	2
Yazoo	224	313	12	4	5
White	107	134	2	-	1
All other	117	179	10	4	4
Black	117	179	10	4	4
Yazoo City	---	175	9	4	2
White	---	61	1	-	-
All other	---	114	8	4	2
Black	---	114	8	4	2
Balance of county	---	138	3	-	3
White	---	73	1	-	1
All other	---	65	2	-	2
Black	---	65	2	-	2
Missouri	50,541	49,525	810	542	608
White	45,421	44,549	582	384	464
All other	5,120	4,976	228	158	144
Black	5,049	4,915	223	155	137
Adair	336	216	2	-	2
Kirksville	---	164	2	-	2
Balance of county	---	52	-	-	-
Andrew	81	132	2	1	1
Atchison	125	106	1	1	1
Audrain	340	299	3	1	4
Mexico	---	168	1	1	2
Balance of county	---	131	2	-	2
Barry	242	341	6	3	4
Barton	119	167	3	3	2
Bates	158	236	2	1	2
Benton	86	196	-	-	-
Bollinger	44	129	1	1	2
Boone	1,600	639	16	10	2
Columbia	---	423	10	7	1
White	---	375	8	5	1
All other	---	48	2	2	-
Black	---	48	2	2	-
Balance of county	---	216	6	3	1
Buchanan	1,126	968	12	7	13
St. Joseph	---	888	10	6	13
Balance of county	---	80	2	1	-
Butler	765	473	6	4	6
Poplar Bluff	---	281	3	2	2
Balance of county	---	192	3	2	4
Caldwell	62	127	-	-	2
Callaway	160	257	8	3	5
Fulton	---	122	2	1	1
White	---	103	2	1	1
All other	---	19	-	-	-
Black	---	19	-	-	-
Jefferson City, part	---	-	-	-	-
Balance of county	---	135	6	2	4
Camden	220	208	2	-	1
Cape Girardeau	782	495	5	4	5
Cape Girardeau	---	306	3	2	3
Balance of county	---	189	2	2	2
Carroll	82	168	-	-	1
Carter	23	51	-	-	2
Cass	209	390	10	7	4
Belton	---	69	2	1	-
Lee's Summit, part	---	-	-	-	-
Balance of county	---	321	8	6	4
Cedar	158	186	2	1	-
Chariton	67	156	2	2	1
Christian	88	194	1	1	3
Clark	41	114	2	1	1
Clay	1,144	1,037	22	16	18
Excelsior Springs, part	---	128	1	1	2
Excelsior Springs, total	---	134	1	1	2
Gladstone	---	150	4	3	1
Independence, part	---	1	-	-	-
Kansas City, part	---	388	10	7	10
Liberty	---	145	1	-	1
Balance of county	---	225	6	5	4
Clinton	182	172	2	2	1
Cole	716	471	11	7	5
Missouri-Con.					
Jefferson City, part	---	360	10	7	4
White	---	336	8	5	4
All other	---	24	2	2	-
Black	---	24	2	2	-
Jefferson City, total	---	360	10	7	4
White	---	336	8	5	4
All other	---	24	2	2	-
Black	---	24	2	2	-
Balance of county	---	111	1	-	1
Cooper	146	175	2	2	2
Crawford	146	189	2	1	1
Dade	101	134	1	1	-
Dallas	83	147	2	1	2
Daviess	66	123	1	-	-
De Kalb	48	133	1	1	2
Dent	133	178	-	-	2
Douglas	62	142	-	-	3
Dunklin	297	436	9	5	5
Kennett	---	141	5	3	1
Balance of county	---	295	4	2	4
Franklin	496	640	9	6	9
Gasconade	145	172	1	1	1
Gentry	87	113	-	-	2
Greene	2,598	1,687	21	13	24
Springfield	---	1,387	16	11	21
Balance of county	---	300	5	2	3
Grundy	158	175	-	-	-
Harrison	105	158	2	2	1
Henry	354	304	4	-	2
Hickory	19	81	-	-	1
Holt	96	108	1	1	-
Howard	123	141	2	1	-
Howell	385	343	5	3	6
Iron	141	133	6	2	2
Jackson	7,362	6,064	93	66	91
White	6,238	4,935	51	39	55
All other	1,124	1,129	42	27	36
Black	1,109	1,117	41	26	36
Blue Springs	---	106	1	1	1
Grandview	---	138	-	-	5
Independence, part	---	946	10	9	9
Independence, total	---	947	10	9	9
Kansas City, part	---	4,111	71	48	68
White	---	3,009	31	23	35
All other	---	1,102	40	25	33
Black	---	1,094	39	24	33
Kansas City, total	---	4,564	83	56	78
White	---	3,458	42	31	45
All other	---	1,106	41	25	33
Black	---	1,096	40	24	33
Lee's Summit, part	---	304	3	-	4
Lee's Summit, total	---	304	3	-	4
Raytown	---	254	4	4	-
Balance of county	---	206	4	4	4
Jasper	1,010	1,034	14	8	8
Carthage	---	150	1	1	2
Joplin, part	---	493	7	3	3
Joplin, total	---	527	7	3	3
Balance of county	---	391	6	4	3
Jefferson	559	919	25	13	9
Arnold	---	118	3	2	-
Balance of county	---	801	22	11	9
Johnson	209	251	6	5	4
Warrensburg	---	92	1	1	1
Balance of county	---	159	5	4	3
Knox	23	75	1	1	-
Laclede	256	297	4	-	3
Lafayette	323	393	7	4	2
Lawrence	383	341	6	5	2
Lewis	64	116	1	1	1
Lincoln	225	260	6	2	1
Linn	225	216	1	-	2
Livingston	215	199	6	6	2
McDonald	45	169	2	-	1
Macon	151	215	2	1	4
Madison	130	156	1	1	2
Maries	17	72	-	-	2
Marion	409	368	5	4	4
Hannibal, part	---	242	5	4	2
Hannibal, total	---	245	5	4	2
Balance of county	---	126	-	-	2
Mercer	38	68	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Miller	62	210	5	1	3
Mississippi	80	193	4	2	1
White	61	154	3	1	-
All other	19	39	1	1	1
Black	19	39	1	1	1
Moniteau	51	150	5	4	3
Monroe	63	123	1	-	-
Montgomery	71	133	4	2	1
Morgan	128	173	1	1	1
New Madrid	125	271	4	4	8
White	106	231	2	2	4
All other	19	40	2	2	4
Black	18	38	2	2	4
Sikeston, part	---	5	-	-	-
Balance of county	---	265	4	4	8
White	---	225	2	2	4
All other	---	40	2	2	4
Black	---	38	2	2	4
Newton	582	410	5	4	4
Joplin, part	---	34	-	-	-
Balance of county	---	376	5	4	4
Nodaway	173	244	6	4	-
Oregon	62	150	-	-	1
Osage	42	134	1	1	-
Ozark	33	99	-	-	2
Pemiscot	240	298	13	10	9
White	177	219	2	2	7
All other	63	79	11	8	2
Black	62	79	11	8	2
Perry	161	173	7	4	5
Pettis	438	443	6	5	4
Sedalia	---	314	5	4	4
Balance of county	---	129	1	1	-
Phelps	442	347	3	3	3
Rolla	---	123	1	1	-
Balance of county	---	224	2	2	3
Pike	172	192	1	1	4
Platte	88	230	6	3	2
Kansas City, part	---	65	2	1	-
Balance of county	---	165	4	2	2
Polk	166	239	4	2	1
Pulaski	156	184	9	8	5
White	152	175	6	5	5
All other	4	9	3	3	-
Black	4	9	3	3	-
Putnam	60	78	1	-	-
Ralls	26	87	1	1	-
Hannibal, part	---	3	-	-	-
Balance of county	---	84	1	1	-
Randolph	264	304	1	-	3
Moberly	---	210	-	-	2
Balance of county	---	94	1	-	1
Ray	153	208	3	1	1
Excelsior Springs, part	---	6	-	-	-
Balance of county	---	202	3	1	1
Reynolds	43	82	-	-	1
Ripley	78	143	1	1	2
St. Charles	785	785	22	16	13
St. Charles	---	281	8	6	8
St. Peters	---	51	4	3	-
Balance of county	---	453	10	7	5
St. Clair	129	137	2	1	-
Ste. Genevieve	106	134	2	2	1
St. Francois	507	539	12	8	3
St. Louis	8,217	8,100	135	102	105
White	7,595	7,397	92	67	73
All other	622	703	43	35	32
Black	615	693	42	35	29
Ballwin	---	72	3	2	4
Bellefontaine Neighbors	---	163	-	-	-
Berkeley	---	103	5	3	3
White	---	75	2	-	2
All other	---	28	3	3	1
Black	---	28	3	3	1
Bridgeton	---	134	2	2	-
Clayton	---	146	8	7	1
Crestwood	---	110	1	1	2
Creve Coeur	---	111	-	-	2
Ferguson	---	257	3	1	-
White	---	245	3	1	-
All other	---	12	-	-	-
Black	---	12	-	-	-
Florissant	---	442	6	4	8
Hazelwood	---	98	-	-	-
Jennings	---	214	3	2	3
White	---	185	1	1	2
All other	---	29	2	1	1
Black	---	29	2	1	1
Kirkwood	---	292	5	5	2
Maplewood	---	98	3	1	1
Overland	---	214	6	5	2
Richmond Heights	---	148	2	1	-
White	---	128	2	1	-
All other	---	20	-	-	-
Black	---	20	-	-	-
St. Ann	---	142	2	1	6
University City	---	417	11	10	8
White	---	294	2	1	3
All other	---	123	9	9	5
Black	---	123	9	9	5
Webster Groves	---	227	2	2	-
Balance of county	---	4,712	74	55	83
White	---	4,298	53	39	41
All other	---	414	21	16	22
Black	---	407	20	16	21
St. Louis city	8,105	6,376	132	87	91
White	5,504	4,003	30	20	34
All other	2,601	2,373	102	67	57
Black	2,590	2,365	100	65	56
Saline	260	326	4	2	2
Marshall	---	154	2	1	1
Balance of county	---	172	2	1	1
White	---	158	2	1	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Schuyler	34	72	-	-	-
Scotland	67	83	3	2	2
Scott	483	371	5	2	7
Sikeston, part	---	177	2	1	4
White	---	142	1	-	4
All other	---	35	1	1	-
Black	---	35	1	1	-
Sikeston, total	---	183	2	1	4
White	---	148	1	-	4
All other	---	35	1	1	-
Black	---	35	1	1	-
Balance of county	---	194	3	1	3
White	---	185	2	-	3
All other	---	9	1	1	-
Black	---	8	1	1	-
Shannon	36	93	2	2	1
Shelby	69	109	1	-	-
Stoddard	225	327	5	5	3
Stone	72	192	3	3	3
Sullivan	65	86	-	-	4
Taney	237	245	1	1	-
Texas	174	224	-	-	3
Vernon	215	240	1	-	3
Warren	55	171	6	6	2
Washington	114	173	3	1	7
Wayne	64	169	1	1	-
Webster	76	186	2	2	2
Worth	19	46	2	2	1
Wright	140	190	3	1	-
Montana	6,679	6,713	126	60	97
White	6,355	6,375	107	50	81
All other	324	338	19	10	16
Black	9	9	2	-	-
Beaverhead	66	77	-	-	-
Big Horn	62	84	4	4	2
White	38	45	-	-	1
All other	24	39	4	4	1
Black	-	-	-	-	-
Blaine	38	63	2	1	-
White	27	52	-	-	-
All other	11	11	2	1	-
Black	-	-	-	-	-
Broadwater	28	37	-	-	1
Carbon	85	90	3	3	-
Carter	12	14	1	1	-
Cascade	763	673	16	3	8
Great Falls	---	566	13	3	6
Balance of county	---	107	3	-	2
Chouteau	36	55	-	-	1
Custer	192	155	3	2	-
Daniels	25	33	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Dawson	86	87	-	-	3
Deer Lodge, coext. with Anaconda-Deer Lodge	123	140	1	1	-
Fallon	21	25	-	-	-
Fergus	143	157	1	1	2
Flathead	438	429	9	4	8
Kalispell	---	147	3	2	3
Balance of county	---	282	6	2	5
Gallatin	220	228	4	3	11
Bozeman	---	115	2	2	2
Balance of county	---	113	2	1	9
Garfield	13	14	-	-	-
Glacier	95	123	5	2	3
White	51	54	2	1	-
All other	44	69	3	1	3
Black	-	-	-	-	-
Golden Valley	1	8	-	-	1
Granite	15	27	-	-	-
Hill	136	138	5	1	4
White	119	118	4	1	2
All other	17	20	1	-	2
Black	-	-	-	-	-
Havre	---	93	2	1	-
Balance of county	---	45	3	-	4
White	---	32	2	-	2
All other	---	13	1	-	2
Black	---	-	-	-	-
Jefferson	31	57	-	-	-
Judith Basin	3	17	-	-	-
Lake	153	195	5	1	4
White	117	157	4	1	3
All other	36	38	1	-	1
Black	-	-	-	-	-
Lewis and Clark	426	364	7	3	3
Helena	---	232	4	3	2
Balance of county	---	132	3	-	1
Liberty	38	30	1	-	-
Lincoln	99	134	2	1	1
McCone	25	19	-	-	-
Madison	57	59	1	1	1
Meagher	26	38	1	-	-
Mineral	23	31	-	-	-
Missoula	642	473	11	2	9
Missoula	---	324	9	2	4
Balance of county	---	149	2	-	5
Musselshell	28	43	-	-	-
Park	139	150	2	1	1
Petroleum	6	7	-	-	-
Phillips	51	65	-	-	-
Pondera	53	67	2	1	2
Powder River	13	17	-	-	-
Powell	57	59	1	1	-
Prairie	22	27	-	-	-
Ravalli	164	220	2	1	4
Richland	57	81	4	2	3
Roosevelt	105	126	3	2	2
White	68	76	-	-	-
All other	37	50	3	2	2
Black	-	-	-	-	-
Rosebud	48	63	-	-	2
White	29	31	-	-	-
All other	19	32	-	-	2
Black	-	-	-	-	-
Sanders	68	100	2	-	1
Sheridan	58	61	1	1	-
Silver Bow	471	470	6	4	6
Butte-Silver Bow	---	445	6	4	4
Balance of county	---	25	-	-	2
Stillwater	57	73	1	1	1
Sweet Grass	33	40	1	1	-
Teton	44	56	1	-	-
Toole	45	55	1	1	-
Treasure	4	8	-	-	-
Valley	81	87	3	2	1
Wheatland	31	31	-	-	2
Wibaux	6	18	-	-	-
Yellowstone	917	715	13	7	10
Billings	---	462	11	5	5
Balance of county	---	253	2	2	5
Montana-Con.					
Yellowstone National Park	-	-	-	-	-
Nebraska	14,840	14,718	259	171	203
White	14,426	14,311	231	157	182
All other	414	407	28	14	21
Black	336	329	22	12	17
Adams	362	319	6	3	4
Hastings	---	261	6	3	4
Balance of county	---	58	-	-	-
Antelope	94	107	-	-	-
Arthur	1	4	-	-	-
Banner	1	4	-	-	-
Blaine	-	3	-	-	-
Boone	63	95	-	-	-
Box Butte	129	139	1	-	5
Boyd	35	49	1	1	-
Brown	38	46	-	-	1
Buffalo	340	269	4	2	5
Kearney	---	158	4	2	4
Balance of county	---	111	-	-	1
Burt	84	132	2	1	2
Butler	112	123	2	2	-
Cass	73	171	3	3	5
Cedar	56	122	2	1	-
Chase	43	49	1	1	2
Cherry	55	64	1	1	2
Cheyenne	92	105	4	3	2
Clay	38	94	3	3	-
Colfax	100	127	2	2	1
Cuming	101	121	1	1	3
Custer	170	188	1	-	1
Dakota	47	146	2	-	3
Dawes	87	78	3	3	3
Dawson	219	219	4	3	1
Deuel	14	36	1	1	2
Dixon	49	80	-	-	-
Dodge	342	374	3	-	2
Fremont	---	243	3	-	1
Balance of county	---	131	-	-	1
Douglas	4,369	3,298	69	36	48
White	4,037	2,984	49	25	34
All other	332	314	20	11	14
Black	307	297	20	11	14
Omaha	---	3,108	62	32	43
White	---	2,797	42	21	29
All other	---	311	20	11	14
Black	---	295	20	11	14
Balance of county	---	190	7	4	5
Dundy	39	35	-	-	-
Fillmore	63	98	-	-	-
Franklin	47	74	2	1	-
Frontier	20	31	-	-	1
Furnas	92	106	-	-	1
Gage	248	276	7	6	2
Beatrice	---	160	2	2	1
Balance of county	---	116	5	4	1
Garden	47	52	-	-	1
Garfield	34	32	1	-	-
Gosper	5	23	-	-	1
Grant	-	8	1	-	1
Greeley	25	58	-	-	1
Hall	608	488	8	8	4
Grand Island	---	391	7	7	3
Balance of county	---	97	1	1	1
Hamilton	78	86	3	1	3
Harlan	40	46	-	-	-
Hayes	-	6	-	-	-
Hitchcock	16	46	-	-	-
Holt	135	156	2	2	-
Hooker	21	13	-	-	-
Howard	67	83	-	-	1
Jefferson	81	119	-	-	1
Johnson	80	89	-	-	1
Kearney	48	69	-	-	-
Keith	103	104	2	2	2
Keya Paha	4	11	-	-	-
Kimball	50	54	-	-	-
Knox	97	139	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Lancaster	1,793	1,473	34	24	24
Lincoln	---	1,360	34	24	22
Balance of county	---	113	-	-	2
Lincoln	286	304	8	5	5
North Platte	---	214	6	4	5
Balance of county	---	90	2	1	-
Logan	-	8	-	-	-
Loup	1	13	-	-	-
McPherson	3	7	-	-	-
Madison	354	315	2	-	5
Norfolk	---	200	1	-	2
Balance of county	---	115	1	-	3
Merrick	62	86	-	-	1
Morrill	56	75	1	-	1
Nance	45	52	2	2	1
Nemaha	85	106	1	1	-
Nuckolls	74	86	1	1	1
Otoe	172	198	4	4	2
Pawnee	63	68	-	-	-
Perkins	53	45	1	1	-
Phelps	127	117	1	1	2
Pierce	131	92	2	2	2
Platte	207	250	7	6	6
Columbus	---	182	5	5	4
Balance of county	---	68	2	1	2
Polk	68	77	1	1	-
Red Willow	103	130	3	3	-
Richardson	154	179	1	1	2
Rock	22	28	1	1	1
Saline	144	166	1	-	2
Sarpy	213	321	13	10	11
Bellevue	---	125	3	3	6
Balance of county	---	196	10	7	5
Saunders	112	192	2	-	4
Scotts Bluff	398	334	5	5	5
Scottsbluff	---	154	1	1	3
Balance of county	---	180	4	4	2
Seward	131	144	1	1	2
Sheridan	89	106	2	1	3
Sherman	31	53	1	1	-
Sioux	3	16	1	1	-
Stanton	19	53	2	2	-
Thayer	60	90	1	1	1
Thomas	2	11	-	-	-
Thurston	94	95	5	2	3
White	82	67	2	2	3
All other	12	28	3	-	-
Black	-	1	-	-	-
Valley	86	84	3	2	1
Washington	146	158	4	1	1
Wayne	73	80	-	-	-
Webster	54	76	1	-	1
Wheeler	-	5	-	-	-
York	144	161	4	3	3
Nevada	6,995	6,378	153	83	117
White	6,531	5,941	123	69	90
All other	464	437	30	14	27
Black	333	314	26	11	22
Carson City city	313	285	3	3	5
Churchill	133	155	1	-	2
Clark	3,984	3,678	90	47	65
White	3,668	3,378	64	36	44
All other	316	300	26	11	21
Black	288	281	26	11	19
Henderson	---	179	6	4	1
Las Vegas	---	1,817	44	22	31
White	---	1,613	31	16	19
All other	---	204	13	6	12
Black	---	195	13	6	11
North Las Vegas	---	277	14	4	10
White	---	207	4	-	3
All other	---	70	10	4	7
Black	---	67	10	4	7
Balance of county	---	1,405	26	17	23
White	---	1,382	23	16	21
All other	---	23	3	1	2
Black	---	17	3	1	1
Nevada-Con.					
Douglas	44	101	4	4	5
Elko	129	121	6	6	2
Esmeralda	5	10	1	-	-
Eureka	3	5	-	-	-
Humboldt	62	67	2	1	2
Lander	21	25	-	-	1
Lincoln	22	24	-	-	-
Lyon	73	134	2	-	5
Mineral	53	72	1	-	1
White	46	60	-	-	-
All other	7	12	1	-	1
Black	1	4	-	-	1
Nye	67	92	5	3	3
Pershing	34	38	2	1	1
Storey	12	14	-	-	-
Washoe	1,937	1,468	34	17	29
White	1,847	1,402	34	17	20
All other	90	66	-	-	3
Black	34	20	-	-	1
Reno	---	987	20	11	14
Sparks	---	278	5	2	5
Balance of county	---	203	9	4	4
White	---	188	9	4	4
All other	---	15	-	-	-
Black	---	1	-	-	-
White Pine	103	89	2	1	2
New Hampshire	7,723	7,973	119	80	82
White	7,699	7,943	117	78	82
All other	24	30	2	2	-
Black	16	19	2	2	-
Belknap	416	443	5	2	5
Laconia	---	187	2	1	1
Balance of county	---	256	3	1	4
Carroll	245	296	2	1	4
Cheshire	455	563	11	11	7
Keene	---	209	3	3	2
Balance of county	---	354	8	8	5
Coos	390	414	5	4	-
Berlin	---	160	-	-	-
Balance of county	---	254	5	4	-
Grafton	880	552	4	2	7
Lebanon	---	104	2	1	-
Balance of county	---	448	2	1	7
Hillsborough	2,519	2,381	37	21	24
Manchester	---	1,056	12	6	8
Nashua	---	557	11	4	2
Balance of county	---	768	14	11	14
Merrimack	927	905	16	14	8
Concord	---	349	2	-	3
Balance of county	---	556	14	14	5
Rockingham	1,004	1,405	28	20	16
Portsmouth	---	214	3	3	-
Balance of county	---	1,191	25	17	16
Strafford	642	665	10	4	4
Dover	---	211	-	-	-
Rochester	---	199	3	2	3
Somersworth	---	91	1	-	-
Balance of county	---	164	6	2	1
Sullivan	245	349	1	1	7
Claremont	---	144	-	-	1
Balance of county	---	205	1	1	6
New Jersey	67,716	69,289	1,137	769	807
White	60,129	61,558	729	508	516
All other	7,587	7,731	408	261	291
Black	7,369	7,489	384	243	273
Atlantic	2,826	2,445	40	25	27
White	2,382	2,014	22	10	14
All other	444	431	18	15	13
Black	436	424	16	13	13
Atlantic City	---	798	9	9	10
White	---	497	1	1	2
All other	---	301	8	8	8
Black	---	299	8	8	8
Hammonton	---	148	4	1	2
Pleasantville	---	194	6	3	5
White	---	131	3	2	2
All other	---	63	3	1	3
Black	---	63	3	1	3
Somers Point	---	135	1	1	2
Ventnor City	---	171	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	999	20	11	8
Bergen	6,450	7,890	78	56	57
White	6,163	7,571	68	49	45
All other	287	319	10	7	12
Black	263	280	5	4	9
Bergenfield	---	259	2	1	2
Cliffside Park	---	245	1	1	1
Dumont	---	162	1	1	-
Elmwood Park	---	200	1	-	4
Englewood	---	254	1	1	3
White	---	156	-	-	-
All other	---	98	1	1	3
Black	---	97	1	1	3
Fair Lawn	---	320	5	4	1
Fairview	---	115	1	1	2
Fort Lee	---	337	2	2	2
White	---	333	2	2	2
All other	---	4	-	-	-
Black	---	1	-	-	-
Garfield	---	301	4	3	1
Glen Rock	---	90	-	-	1
Hackensack	---	386	9	6	6
White	---	316	6	4	3
All other	---	70	3	2	3
Black	---	70	3	2	3
Hasbrouck Heights	---	115	1	1	-
Hillsdale	---	77	-	-	1
Lodi	---	236	3	2	1
Lyndhurst twp#	---	209	3	1	1
New Milford	---	173	4	2	2
North Arlington	---	206	2	2	2
Oakland	---	71	1	1	1
Palisades Park	---	151	3	3	1
Paramus	---	208	2	2	-
Ramsey	---	93	-	-	-
Ridgefield	---	117	2	2	-
Ridgefield Park	---	132	-	-	-
Ridgewood	---	208	1	1	2
River Edge	---	112	1	1	1
Rutherford	---	187	1	-	-
Saddle Brook twp#	---	109	3	2	1
Teaneck twp#	---	350	7	6	2
White	---	291	7	6	-
All other	---	59	-	-	2
Black	---	58	-	-	2
Tenafly	---	123	-	-	-
Waldwick	---	79	1	1	1
Wallington	---	148	-	-	2
Westwood	---	109	-	-	-
Wyckoff twp#	---	102	-	-	-
Balance of county	---	1,906	16	9	16
White	---	1,871	15	8	15
All other	---	35	1	1	1
Black	---	22	1	1	-
Burlington	2,654	2,614	62	40	46
White	2,430	2,365	47	30	31
All other	224	249	15	10	15
Black	218	243	15	10	13
Burlington	---	141	4	3	2
White	---	116	4	3	1
All other	---	25	-	-	1
Black	---	25	-	-	1
Cinnaminson twp#	---	101	-	-	1
Delran twp#	---	88	1	1	1
Maple Shade twp#	---	202	-	-	5
Moorestown twp#	---	168	2	2	1
Mount Holly twp#	---	136	7	4	4
White	---	118	5	3	3
All other	---	18	2	1	1
Black	---	18	2	1	1
Pemberton twp#	---	176	10	6	2
White	---	156	7	6	1
All other	---	20	3	-	1
Black	---	20	3	-	1
Willingboro twp#	---	218	8	8	2
White	---	144	2	2	1
All other	---	74	6	6	1
Black	---	73	6	6	1
Balance of county	---	1,384	30	16	28
White	---	1,299	26	13	19
All other	---	85	4	3	9
Black	---	81	4	3	8
Camden	4,197	4,314	87	59	56
White	3,625	3,780	57	38	31
All other	572	534	30	21	25
Black	556	521	29	20	25
Bellmawr	---	134	3	2	-
Camden	---	853	35	21	27
White	---	482	13	8	5
All other	---	371	22	13	22
Black	---	366	22	13	22
Cherry Hill twp#	---	521	2	1	-
Collingswood	---	198	4	2	1
Gloucester twp#	---	223	2	2	1
Gloucester City	---	171	3	1	1
Haddon twp#	---	140	1	1	-
Haddonfield	---	145	2	1	-
Lindenwold	---	127	7	7	3
White	---	111	5	5	2
All other	---	16	2	2	1
Black	---	15	1	1	1
Pennsauken twp#	---	351	5	4	1
Voorhees twp#	---	61	3	2	1
White	---	59	3	2	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	1,390	20	15	21
White	---	1,286	15	10	19
All other	---	104	5	5	2
Black	---	102	5	5	2
Cape May	868	1,183	14	8	4
Ocean City	---	245	-	-	-
Balance of county	---	938	14	8	4
Cumberland	1,285	1,304	23	14	23
White	1,142	1,158	16	10	15
All other	143	146	7	4	8
Black	133	136	7	4	8
Bridgeton	---	267	8	4	4
White	---	197	4	2	2
All other	---	70	4	2	2
Black	---	67	4	2	2
Millville	---	296	4	2	4
Vineland	---	467	9	6	9
White	---	447	7	5	6
All other	---	20	2	1	3
Black	---	20	2	1	3
Balance of county	---	274	2	2	6
White	---	228	1	1	4
All other	---	46	1	1	2
Black	---	40	1	1	2
Essex	9,066	8,022	168	100	107
White	6,359	5,371	48	36	35
All other	2,707	2,651	120	64	72
Black	2,680	2,632	119	63	70
Belleville	---	336	6	4	3
Bloomfield	---	575	5	3	2
Cedar Grove twp#	---	99	-	-	1
East Orange	---	754	7	4	14
White	---	271	-	-	-
All other	---	483	7	4	14
Black	---	483	7	4	14
Irvington	---	601	10	6	7
White	---	475	4	4	1
All other	---	126	6	2	6
Black	---	124	6	2	6
Livingston twp#	---	194	3	3	2
Maplewood twp#	---	252	1	1	-
Millburn twp#	---	170	-	-	3
Montclair	---	386	3	2	8
White	---	270	2	1	2
All other	---	116	1	1	6
Black	---	116	1	1	6
Newark	---	2,916	112	61	46
White	---	1,203	16	10	11
All other	---	1,713	96	51	35
Black	---	1,703	95	50	35
Nutley	---	289	3	3	3
Orange	---	330	10	6	7
White	---	177	2	2	-
All other	---	153	8	4	7
Black	---	153	8	4	7
South Orange Village twp#	---	128	1	1	1
White	---	119	1	1	-
All other	---	9	-	-	1
Black	---	9	-	-	1
Verona	---	132	1	1	-
West Caldwell	---	71	-	-	1
West Orange	---	485	3	2	8
Balance of county	---	304	3	3	1
Gloucester	1,418	1,604	37	26	19
White	1,274	1,430	31	22	15
All other	144	174	6	4	4
Black	139	168	6	4	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Deptford twp#	---	156	1	1	-
White	---	148	1	1	-
All other	---	8	-	-	-
Black	---	7	-	-	-
Glassboro	---	93	6	5	3
White	---	70	5	4	2
All other	---	23	1	1	1
Black	---	23	1	1	1
Washington twp#	---	78	2	2	1
West Deptford twp#	---	94	3	2	1
Woodbury	---	168	6	3	6
White	---	143	4	2	5
All other	---	25	2	1	1
Black	---	24	2	1	1
Balance of county	---	1,015	19	13	8
White	---	906	17	12	6
All other	---	109	2	1	2
Black	---	105	2	1	2
Hudson	5,367	5,916	128	89	75
White	4,799	5,297	80	57	42
All other	568	619	48	32	33
Black	539	580	42	26	30
Bayonne	---	846	3	3	6
Harrison	---	121	1	1	-
Hoboken	---	368	9	8	4
White	---	353	9	8	2
All other	---	15	-	-	2
Black	---	12	-	-	2
Jersey City	---	2,451	81	54	47
White	---	1,894	36	25	18
All other	---	557	45	29	29
Black	---	527	42	26	27
Kearny	---	392	6	5	4
North Bergen twp#	---	539	5	1	2
Secaucus	---	134	3	1	1
Union City	---	440	8	7	5
White	---	432	7	6	5
All other	---	8	1	1	-
Black	---	5	-	-	-
Weehawken twp#	---	125	1	1	3
West New York	---	384	9	6	2
White	---	381	9	6	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	116	2	2	1
Hunterdon	539	689	8	7	4
Mercer	3,322	2,664	57	40	49
White	2,841	2,236	25	16	24
All other	481	428	32	24	25
Black	472	418	29	21	24
East Windsor twp#	---	104	2	1	2
Ewing twp#	---	19	1	1	3
White	---	19	1	1	2
All other	---	-	-	-	1
Black	---	-	-	-	1
Hamilton twp#	---	772	7	4	7
Princeton	---	132	1	1	4
White	---	120	-	-	4
All other	---	12	1	1	-
Black	---	11	-	-	-
Trenton	---	1,130	42	29	26
White	---	788	15	8	5
All other	---	342	27	21	21
Black	---	340	26	20	21
Balance of county	---	507	4	4	7
White	---	460	2	2	6
All other	---	47	2	2	1
Black	---	42	1	1	1
Middlesex	4,273	5,050	93	68	58
White	3,977	4,765	66	50	38
All other	296	285	27	18	20
Black	274	261	24	17	18
Carteret	---	201	4	3	-
East Brunswick twp#	---	467	7	7	2
Edison twp#	---	507	13	9	6
Highland Park	---	122	2	1	1
White	---	119	2	1	-
All other	---	3	-	-	1
Black	---	3	-	-	1
Metuchen	---	143	-	-	-
Middlesex	---	119	2	2	3
New Brunswick	---	356	7	4	11
White	---	273	-	-	2
All other	---	83	7	4	9
Black	---	81	7	4	9
North Brunswick twp#	---	163	3	2	2
Old Bridge twp#	---	296	6	5	2
New Jersey-Con.					
Perth Amboy	---	436	12	7	8
White	---	403	10	7	6
All other	---	33	2	-	2
Black	---	32	2	-	2
Piscataway twp#	---	216	8	6	3
White	---	184	5	3	3
All other	---	32	3	3	-
Black	---	26	3	3	-
Sayreville	---	256	3	-	3
South Plainfield	---	128	4	3	1
South River	---	140	3	3	1
Woodbridge twp#	---	754	8	7	7
Balance of county	---	746	11	9	8
White	---	723	10	8	7
All other	---	23	1	1	1
Black	---	19	1	1	1
Monmouth	4,981	4,975	71	54	47
White	4,549	4,529	50	38	34
All other	432	446	21	16	13
Black	420	428	21	16	12
Aberdeen twp#	---	96	1	1	2
White	---	87	1	1	2
All other	---	9	-	-	-
Black	---	9	-	-	-
Asbury Park	---	290	9	8	6
White	---	190	2	2	3
All other	---	100	7	6	3
Black	---	100	7	6	3
Eatontown	---	114	1	1	1
White	---	100	1	1	1
All other	---	14	-	-	-
Black	---	13	-	-	-
Freehold	---	153	2	1	4
White	---	126	-	-	4
All other	---	27	2	1	-
Black	---	27	2	1	-
Hazlet twp#	---	171	3	2	-
Howell twp#	---	186	4	2	2
Keansburg	---	185	5	4	1
Long Branch	---	324	7	6	6
White	---	268	3	2	3
All other	---	56	4	4	3
Black	---	56	4	4	3
Middletown twp#	---	458	6	4	1
Neptune twp#	---	394	9	5	6
White	---	322	3	1	3
All other	---	72	6	4	3
Black	---	71	6	4	3
Ocean twp#	---	170	1	1	-
Red Bank	---	221	2	2	1
White	---	187	2	2	1
All other	---	34	-	-	-
Black	---	34	-	-	-
Balance of county	---	2,213	21	17	17
White	---	2,111	20	16	14
All other	---	102	1	1	3
Black	---	95	1	1	2
Morris	3,390	2,961	46	33	45
White	3,288	2,875	42	30	41
All other	102	86	4	3	4
Black	92	73	4	3	2
Denville twp#	---	113	2	2	3
Dover	---	174	5	4	2
Hanover twp#	---	84	1	1	-
Madison	---	117	1	1	1
Morris twp#	---	131	1	-	1
Morristown	---	221	3	3	1
White	---	188	1	1	-
All other	---	33	2	2	1
Black	---	33	2	2	1
Parsippany-Troy Hills twp#	---	258	5	4	7
Pequannock twp#	---	99	1	-	1
Balance of county	---	1,764	27	18	29
White	---	1,736	25	17	27
All other	---	28	2	1	2
Black	---	19	2	1	1
Ocean	4,438	4,748	33	21	35
White	4,371	4,679	32	20	31
All other	67	69	1	1	4
Black	60	66	1	1	4
Brick twp#	---	561	6	5	4
Dover twp#	---	823	4	1	7
Jackson twp#	---	191	-	-	2
Lakewood twp#	---	615	4	3	5
White	---	579	3	2	4
All other	---	36	1	1	1
Black	---	36	1	1	1
Manchester twp#	---	564	-	-	-
Point Pleasant	---	239	2	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,755	17	11	14
White	---	1,738	17	11	12
All other	---	17	-	-	2
Black	---	15	-	-	2
Passaic	4,418	4,189	65	41	66
White	4,026	3,778	44	31	41
All other	392	411	21	10	25
Black	383	402	21	10	24
Clifton	---	907	7	4	6
Hawthorne	---	202	2	2	1
Little Falls twp#	---	108	-	-	1
Passaic	---	507	13	7	7
White	---	415	8	4	4
All other	---	92	5	3	3
Black	---	90	5	3	2
Paterson	---	1,214	31	20	37
White	---	908	15	13	17
All other	---	306	16	7	20
Black	---	304	16	7	20
Pompton Lakes	---	100	1	1	1
Ringwood	---	53	2	1	2
Totowa	---	142	1	1	-
Wanaque	---	88	-	-	-
Wayne twp#	---	352	4	3	2
West Paterson	---	88	-	-	2
Balance of county	---	428	4	2	7
Salem	670	664	16	13	9
White	587	568	8	6	6
All other	83	96	8	7	3
Black	83	96	8	7	3
Somerset	1,354	1,585	23	18	14
White	1,311	1,504	17	15	11
All other	43	81	6	3	3
Black	38	75	6	3	2
Bridgewater twp#	---	171	2	2	1
Franklin twp#	---	267	6	5	1
White	---	216	2	2	1
All other	---	51	4	3	-
Black	---	50	4	3	-
Manville	---	108	-	-	3
North Plainfield	---	152	1	1	2
Somerville	---	159	4	2	3
White	---	143	3	2	2
All other	---	16	1	-	1
Black	---	15	1	-	1
Balance of county	---	728	10	8	4
White	---	714	9	8	3
All other	---	14	1	-	1
Black	---	10	1	-	1
Sussex	755	828	17	12	12
Hopatcong	---	81	2	1	2
Balance of county	---	747	15	11	10
Union	4,729	4,860	61	38	51
White	4,213	4,252	32	20	39
All other	516	608	29	18	12
Black	504	595	27	17	12
Berkeley Heights twp#	---	59	2	-	1
Clark twp#	---	141	1	1	1
Cranford twp#	---	213	3	3	2
Elizabeth	---	1,073	17	14	20
White	---	925	8	6	15
All other	---	148	9	8	5
Black	---	145	8	7	5
Hillside twp#	---	204	3	2	1
White	---	169	1	1	1
All other	---	35	2	1	-
Black	---	33	2	1	-
Linden	---	392	5	1	2
White	---	357	2	1	1
All other	---	35	3	-	1
Black	---	34	2	-	1
New Providence	---	88	-	-	1
Plainfield	---	410	14	8	5
White	---	219	5	2	1
All other	---	191	9	6	4
Black	---	190	9	6	4
Rahway	---	254	2	1	4
White	---	218	-	-	2
All other	---	36	2	1	2
Black	---	36	2	1	2
Roselle	---	214	5	2	-
White	---	167	2	1	-
All other	---	47	3	1	-
Black	---	46	3	1	-
Roselle Park	---	122	1	1	-
Scotch Plains twp#	---	155	1	1	3
White	---	142	1	1	3
All other	---	13	-	-	-
Black	---	13	-	-	-
Springfield twp#	---	166	-	-	-
Summit	---	198	-	-	-
Union twp#	---	630	3	1	2
Westfield	---	241	3	2	3
Balance of county	---	300	1	1	6
White	---	297	1	1	6
All other	---	3	-	-	-
Black	---	3	-	-	-
Warren	716	784	10	7	3
Phillipsburg	---	211	2	1	-
Balance of county	---	573	8	6	3
New Mexico [7]	9,183	9,205	277	153	211
White	8,318	8,444	225	126	169
All other	865	761	52	27	42
Black	154	142	9	6	7
Bernalillo	3,392	2,752	89	51	53
White	3,204	2,655	78	45	48
All other	188	97	11	6	5
Black	58	46	4	2	1
Albuquerque	---	2,576	80	48	48
White	---	2,502	71	42	44
All other	---	74	9	6	4
Black	---	46	4	2	1
Balance of county	---	176	9	3	5
White	---	153	7	3	4
All other	---	23	2	-	1
Black	---	-	-	-	-
Catron	14	30	-	-	-
Chaves	488	503	15	10	12
Roswell	---	431	13	9	6
White	---	414	11	7	4
All other	---	17	2	2	2
Black	---	16	2	2	1
Balance of county	---	72	2	1	6
Cibola	118	118	2	1	5
White	84	77	2	1	4
All other	34	41	-	-	1
Black	2	-	-	-	-
Colfax	98	111	2	1	4
Curry	268	292	4	2	7
Clovis	---	256	4	2	6
White	---	239	4	2	4
All other	---	17	-	-	2
Black	---	17	-	-	2
Balance of county	---	36	-	-	1
White	---	35	-	-	1
All other	---	1	-	-	-
Black	---	-	-	-	-
De Baca	32	39	1	1	1
Dona Ana	502	563	15	10	14
Las Cruces	---	350	9	4	8
White	---	344	9	4	8
All other	---	6	-	-	-
Black	---	5	-	-	-
Balance of county	---	213	6	6	6
White	---	208	6	6	6
All other	---	5	-	-	-
Black	---	3	-	-	-
Eddy	425	458	12	5	10
Artesia	---	99	4	1	3
White	---	96	4	1	3
All other	---	3	-	-	-
Black	---	3	-	-	-
Carlsbad	---	276	6	3	6
White	---	275	6	3	6
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	83	2	1	1
White	---	83	2	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Grant	180	158	4	2	5
Guadalupe	49	32	1	1	-
Harding	3	11	-	-	-
Hidalgo	28	41	2	1	-
Lea	376	472	23	13	2
Hobbs	---	302	14	8	1
White	---	282	12	7	1
All other	---	20	2	1	-
Black	---	20	2	1	-
Balance of county	---	170	9	5	1
White	---	164	9	5	1
All other	---	6	-	-	-
Black	---	6	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Lincoln	133	116	5	3	3
Los Alamos	63	74	2	2	5
Luna	136	180	3	1	2
McKinley	381	363	23	15	14
White	101	109	2	1	2
All other	280	254	21	14	12
Black	3	3	-	-	-
Gallup	---	115	2	1	2
White	---	82	-	-	1
All other	---	33	2	1	1
Black	---	3	-	-	-
Balance of county	---	248	21	14	12
White	---	27	2	1	1
All other	---	221	19	13	11
Black	---	-	-	-	-
Mora	11	44	-	-	1
Otero	218	262	8	3	8
White	197	235	7	2	7
All other	21	27	1	1	1
Black	8	7	1	1	1
Alamogordo	---	156	3	1	4
White	---	148	2	-	3
All other	---	8	1	1	1
Black	---	5	1	1	1
Balance of county	---	106	5	2	4
White	---	87	5	2	4
All other	---	19	-	-	-
Black	---	2	-	-	-
Quay	114	131	2	1	2
Rio Arriba	184	231	13	7	4
White	173	210	8	5	4
All other	11	21	5	2	-
Black	1	1	-	-	-
Roosevelt	100	124	2	2	5
Sandoval	112	232	5	2	8
White	82	182	2	2	3
All other	30	50	3	-	5
Black	3	3	-	-	-
San Juan	467	458	16	6	18
White	298	304	10	5	6
All other	169	154	6	1	12
Black	5	4	-	-	-
Farmington	---	166	6	2	5
White	---	150	6	2	3
All other	---	16	-	-	2
Black	---	2	-	-	-
Balance of county	---	292	10	4	13
White	---	154	4	3	3
All other	---	138	6	1	10
Black	---	2	-	-	-
San Miguel	206	173	3	2	4
Las Vegas	---	125	2	1	2
White	---	125	2	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	48	1	1	2
White	---	48	1	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Santa Fe	561	512	5	1	19
Santa Fe	---	406	4	1	16
White	---	402	4	1	16
All other	---	4	-	-	-
Black	---	2	-	-	-
Balance of county	---	106	1	-	3
White	---	100	-	-	3
All other	---	6	1	-	-
Black	---	-	-	-	-
Sierra	129	148	3	3	-
Socorro	78	83	1	-	-
White	75	80	1	-	-
All other	3	3	-	-	-
Black	-	-	-	-	-
Taos	106	146	5	3	1
Torrance	38	61	2	1	1
Union	48	54	-	-	1
Valencia	125	233	9	3	2
White	124	228	9	3	2
All other	1	5	-	-	-
Black	1	3	-	-	-
New York	169,516	169,885	2,872	1,946	2,643
White	147,640	148,062	1,857	1,313	1,809
All other	21,876	21,823	1,015	633	834
Black	20,487	20,468	968	607	784
New York-Con.					
Albany	3,708	2,907	33	25	34
White	3,552	2,783	25	19	28
All other	156	124	8	6	6
Black	150	119	8	6	5
Albany	---	1,258	17	12	19
White	---	1,145	10	7	13
All other	---	113	7	5	6
Black	---	111	7	5	5
Cohoes	---	235	2	2	5
Watervliet	---	168	-	-	1
Balance of county	---	1,246	14	11	9
Allegany	374	469	4	1	11
Broome	2,231	2,052	46	29	27
Binghamton	---	797	16	9	14
Endicott	---	171	2	2	3
Johnson City	---	229	6	4	2
Vestal town#	---	211	8	8	2
Balance of county	---	644	14	6	6
Cattaraugus	842	917	16	11	17
Olean	---	239	4	3	3
Balance of county	---	678	12	8	14
Cayuga	702	745	7	5	9
Auburn	---	378	3	2	5
Balance of county	---	367	4	3	4
Chautauqua	1,559	1,622	23	13	27
Dunkirk	---	224	2	2	3
Fredonia	---	67	2	1	3
Jamestown	---	513	12	8	6
Balance of county	---	818	7	2	15
Chemung	1,018	947	13	7	15
Elmira	---	397	7	4	10
White	---	372	5	3	8
All other	---	25	2	1	2
Black	---	23	2	1	2
Balance of county	---	550	6	3	5
Chenango	351	457	8	5	10
Clinton	677	590	12	7	10
Plattsburgh	---	212	6	4	5
Balance of county	---	378	6	3	5
Columbia	569	634	5	2	8
Cortland	436	408	6	3	8
Cortland	---	205	2	1	5
Balance of county	---	203	4	2	3
Delaware	444	511	7	5	7
Dutchess	2,109	2,071	23	20	33
White	1,967	1,938	19	16	27
All other	142	133	4	4	6
Black	136	128	4	4	5
Beacon	---	152	1	1	5
White	---	141	1	1	5
All other	---	11	-	-	-
Black	---	10	-	-	-
Poughkeepsie	---	427	7	7	8
White	---	372	5	5	4
All other	---	55	2	2	4
Black	---	55	2	2	4
Balance of county	---	1,492	15	12	20
White	---	1,425	13	10	18
All other	---	67	2	2	2
Black	---	63	2	2	1
Erie	10,830	10,487	144	101	138
White	9,850	9,504	105	75	104
All other	980	983	39	26	34
Black	934	931	38	25	34
Buffalo	---	4,652	79	47	70
White	---	3,741	46	26	39
All other	---	911	33	21	31
Black	---	889	33	21	31
Depew	---	185	3	3	3
Hamburg	---	93	5	3	1
Kenmore	---	232	-	-	4
Lackawanna	---	274	2	2	3
White	---	260	2	2	1
All other	---	14	-	-	2
Black	---	14	-	-	2
Lancaster	---	126	-	-	2
Tonawanda	---	197	2	2	3
West Seneca town#	---	420	4	2	7
Balance of county	---	4,308	49	42	45
White	---	4,257	43	37	44
All other	---	51	6	5	1
Black	---	26	5	4	1
Essex	281	434	4	2	4
Franklin	471	497	6	6	5
Fulton	488	601	7	5	13
Gloversville	---	236	4	3	7
Balance of county	---	365	3	2	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Genesee	602	545	7	5	14
Batavia	---	186	1	-	5
Balance of county	---	359	6	5	9
Greene	360	456	4	4	5
Hamilton	19	58	-	-	-
Herkimer	570	692	9	6	6
Jefferson	975	982	11	7	19
Watertown	---	411	3	2	9
Balance of county	---	571	8	5	10
Lewis	197	257	4	4	3
Livingston	320	435	6	3	3
Madison	457	525	5	5	8
Oneida	---	129	-	-	1
Balance of county	---	396	5	5	7
Monroe	6,386	5,981	130	79	101
White	5,978	5,575	85	51	74
All other	408	406	45	28	27
Black	394	394	44	28	26
Brighton town#	---	290	5	2	3
Gates town#	---	185	3	2	1
Greece town#	---	581	11	10	6
Henrietta town#	---	141	5	4	4
Irondequoit town#	---	610	1	-	6
Penfield town#	---	188	-	-	2
Rochester	---	2,811	84	48	52
White	---	2,427	42	23	27
All other	---	384	42	25	25
Black	---	378	41	25	25
Balance of county	---	1,175	21	13	27
White	---	1,167	21	13	25
All other	---	8	-	-	2
Black	---	6	-	-	1
Montgomery	642	727	6	5	10
Amsterdam	---	391	3	2	2
Balance of county	---	336	3	3	8
Nassau	11,620	11,982	146	117	160
White	10,931	11,269	104	86	123
All other	689	713	42	31	37
Black	651	669	41	30	37
East Rockaway	---	93	3	-	5
Floral Park	---	173	-	-	2
Freeport	---	342	11	7	8
White	---	272	4	2	3
All other	---	70	7	5	5
Black	---	69	7	5	5
Garden City	---	218	-	-	1
Glen Cove	---	228	1	-	5
White	---	214	1	-	4
All other	---	14	-	-	1
Black	---	14	-	-	1
Hempstead	---	377	16	11	7
White	---	223	2	2	1
All other	---	154	14	9	6
Black	---	153	14	9	6
Long Beach	---	593	4	4	1
White	---	567	2	2	-
All other	---	26	2	2	1
Black	---	26	2	2	1
Lynbrook	---	249	5	5	-
Massapequa Park	---	162	1	1	4
Mineola	---	194	5	3	3
Rockville Centre	---	271	5	5	2
Valley Stream	---	420	5	4	5
Westbury	---	169	6	5	6
White	---	148	4	3	1
All other	---	21	2	2	5
Black	---	21	2	2	5
Balance of county	---	8,493	84	72	111
White	---	8,099	71	63	92
All other	---	394	13	9	19
Black	---	359	12	8	19
New York city	73,521	73,562	1,480	981	1,244
White	56,518	56,600	746	528	644
All other	17,003	16,962	734	453	600
Black	15,921	15,917	700	433	563
Bronx borough, Bronx county	---	12,543	308	196	256
White	---	9,474	170	117	128
All other	---	3,069	138	79	128
Black	---	3,004	134	78	126
Brooklyn borough, Kings county	---	22,237	585	386	476
White	---	16,608	254	168	231
All other	---	5,629	331	218	245
Black	---	5,440	325	215	238
Manhattan borough, New York county	---	16,015	230	148	214
White	---	11,052	125	92	104
All other	---	4,963	105	56	110
Black	---	4,483	94	50	100
New York-Con.					
Queens borough, Queens county	---	19,717	302	215	251
White	---	16,610	157	120	140
All other	---	3,107	145	95	111
Black	---	2,821	133	85	93
Staten Island borough, Richmond county	---	3,050	55	36	47
White	---	2,856	40	31	41
All other	---	194	15	5	6
Black	---	169	14	5	6
Niagara	2,266	2,303	28	21	28
White	2,174	2,207	24	19	25
All other	92	96	4	2	3
Black	70	74	4	2	3
Lockport	---	342	4	2	5
Niagara Falls	---	887	16	11	11
White	---	818	12	9	9
All other	---	69	4	2	2
Black	---	62	4	2	2
North Tonawanda	---	334	3	3	7
Balance of county	---	740	5	5	5
White	---	722	5	5	5
All other	---	18	-	-	-
Black	---	6	-	-	-
Oneida	2,611	2,600	42	27	45
Rome	---	375	13	6	17
Utica	---	1,106	16	11	11
Balance of county	---	1,119	13	10	17
White	---	1,113	13	10	17
All other	---	6	-	-	-
Black	---	6	-	-	-
Onondaga	4,661	4,083	84	54	61
White	4,432	3,856	53	33	50
All other	229	227	31	21	11
Black	208	202	29	20	11
Syracuse	---	2,003	51	36	28
White	---	1,795	22	15	18
All other	---	208	29	21	10
Black	---	194	28	20	10
Balance of county	---	2,080	33	18	33
White	---	2,061	31	18	32
All other	---	19	2	-	1
Black	---	8	1	-	1
Ontario	902	751	16	10	14
Canandaigua	---	153	2	1	2
Geneva, part	---	162	4	2	-
Geneva, total	---	162	4	2	-
Balance of county	---	436	10	7	12
White	---	435	10	7	12
All other	---	1	-	-	-
Black	---	1	-	-	-
Orange	2,401	2,359	34	26	44
White	2,289	2,227	25	21	33
All other	112	132	9	5	11
Black	109	128	9	5	11
Middletown	---	249	6	4	2
White	---	230	4	3	2
All other	---	19	2	1	-
Black	---	19	2	1	-
Newburgh	---	343	10	7	16
White	---	274	5	4	7
All other	---	69	5	3	9
Black	---	68	5	3	9
Balance of county	---	1,767	18	15	26
White	---	1,723	16	14	24
All other	---	44	2	1	2
Black	---	41	2	1	2
Orleans	329	390	3	2	6
Oswego	654	895	16	10	13
Fulton	---	135	2	2	4
Oswego	---	221	1	1	1
Balance of county	---	539	13	7	8
White	---	536	12	7	8
All other	---	3	1	-	-
Black	---	1	-	-	-
Otsego	713	609	5	5	12
Oneonta	---	141	-	-	1
Balance of county	---	468	5	5	11
White	---	466	5	5	11
All other	---	2	-	-	-
Black	---	2	-	-	-
Putnam	453	554	9	6	9
Carmel town#	---	191	5	4	4
Balance of county	---	363	4	2	5
White	---	362	4	2	5
All other	---	1	-	-	-
Black	---	1	-	-	-
Rensselaer	1,275	1,479	17	11	17
Troy	---	714	13	8	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Balance of county	---	765	4	3	10
White	---	762	4	3	10
All other	---	3	-	-	-
Black	---	3	-	-	-
Rockland	1,975	1,961	26	19	45
White	1,855	1,845	19	17	33
All other	120	116	7	2	12
Black	102	100	6	1	12
Spring Valley	---	156	4	1	8
White	---	134	1	-	3
All other	---	22	3	1	5
Black	---	19	2	-	5
Suffern	---	97	2	2	1
Balance of county	---	1,708	20	16	36
White	---	1,618	16	15	30
All other	---	90	4	1	6
Black	---	78	4	1	6
St. Lawrence	970	1,005	20	15	17
Massena	---	153	3	3	2
Ogdensburg	---	155	1	1	1
Potsdam	---	61	3	2	-
Balance of county	---	636	13	9	14
Saratoga	667	1,143	20	11	15
Saratoga Springs	---	275	3	2	4
Balance of county	---	868	17	9	11
Schenectady	1,782	1,622	24	19	17
Niskayuna town#	---	118	-	-	2
Rotterdam town#	---	231	1	1	-
Schenectady	---	958	19	16	14
Balance of county	---	315	4	2	1
Schoharie	210	294	8	7	4
Schuyler	126	152	-	-	4
Seneca	219	294	4	3	4
Geneva, part	---	-	-	-	-
Balance of county	---	294	4	3	4
White	---	291	4	3	4
All other	---	3	-	-	-
Black	---	3	-	-	-
Steuben	881	980	12	10	15
Corning	---	165	4	4	6
Hornell	---	131	2	1	-
Balance of county	---	684	6	5	9
Suffolk	10,403	10,032	154	108	161
White	9,838	9,493	122	90	128
All other	565	539	32	18	33
Black	533	510	30	18	30
Babylon	---	134	2	1	2
Lindenhurst	---	243	2	1	4
Patchogue	---	117	3	1	-
Balance of county	---	9,538	147	105	155
White	---	9,003	115	87	122
All other	---	535	32	18	33
Black	---	506	30	18	30
Sullivan	643	745	5	3	4
Tioga	190	335	7	4	4
Tompkins	541	545	10	9	8
Ithaca	---	166	2	2	4
White	---	154	1	1	2
All other	---	12	1	1	2
Black	---	12	1	1	2
Balance of county	---	379	8	7	4
Ulster	1,232	1,532	24	18	22
Kingston	---	379	4	3	5
Balance of county	---	1,153	20	15	17
Warren	895	552	8	5	1
Glens Falls	---	189	4	4	1
Balance of county	---	363	4	1	-
Washington	307	586	6	5	5
Wayne	525	746	13	12	18
Newark	---	120	-	-	1
Balance of county	---	626	13	12	17
Westchester	8,474	8,193	99	60	92
White	7,582	7,303	64	39	63
All other	892	890	35	21	29
Black	870	868	32	20	29
Dobbs Ferry	---	98	2	2	-
Harrison	---	133	-	-	-
Mamaroneck	---	183	-	-	1
Mount Vernon	---	723	8	5	13
White	---	446	1	1	3
All other	---	277	7	4	10
Black	---	275	7	4	10
New Rochelle	---	750	6	4	4
White	---	616	3	2	3
All other	---	134	3	2	1
Black	---	134	3	2	1
New York-Con.					
Ossining	---	179	3	1	4
White	---	156	-	-	3
All other	---	23	3	1	1
Black	---	23	3	1	1
Peekskill	---	224	2	2	6
White	---	202	1	1	5
All other	---	22	1	1	1
Black	---	22	1	1	1
Port Chester	---	259	1	1	3
White	---	226	1	1	1
All other	---	33	-	-	2
Black	---	33	-	-	2
Rye	---	140	-	-	1
Scarsdale	---	172	2	1	2
Tarrytown	---	99	-	-	1
White	---	89	-	-	1
All other	---	10	-	-	-
Black	---	10	-	-	-
White Plains	---	541	8	5	10
White	---	449	3	1	9
All other	---	92	5	4	1
Black	---	90	4	3	1
Yonkers	---	2,093	33	18	21
White	---	1,948	22	12	11
All other	---	145	11	6	10
Black	---	140	10	6	10
Yorktown town#	---	208	3	2	2
Balance of county	---	2,391	31	19	24
White	---	2,264	26	16	21
All other	---	127	5	3	3
Black	---	118	4	3	3
Wyoming	280	364	4	1	3
Yates	172	230	2	2	6
North Carolina	50,613	50,208	1,106	731	817
White	38,358	37,942	604	404	453
All other	12,255	12,266	502	327	364
Black	11,854	11,866	472	307	345
Alamance	766	883	15	8	10
White	627	718	10	5	6
All other	139	165	5	3	4
Black	139	165	5	3	4
Burlington	---	372	7	4	4
White	---	318	5	3	1
All other	---	54	2	1	3
Black	---	54	2	1	3
Balance of county	---	511	8	4	6
White	---	400	5	2	5
All other	---	111	3	2	1
Black	---	111	3	2	1
Alexander	103	203	4	4	-
Alleghany	80	85	-	-	-
Anson	199	281	9	6	3
White	117	164	3	3	-
All other	82	117	6	3	3
Black	81	116	6	3	3
Ashe	186	230	2	1	-
Avery	164	126	2	2	1
Beaufort	476	430	6	5	7
White	321	294	5	4	3
All other	155	136	1	1	4
Black	155	136	1	1	4
Bertie	109	224	7	2	2
White	45	105	2	1	1
All other	64	119	5	1	1
Black	64	119	5	1	1
Bladen	213	286	2	2	4
White	142	186	1	1	1
All other	71	100	1	1	3
Black	66	99	1	1	3
Brunswick	173	323	5	2	8
White	140	257	4	2	5
All other	33	66	1	-	3
Black	33	66	1	-	3
Buncombe	2,254	1,610	15	12	14
White	2,020	1,419	13	10	14
All other	234	191	2	2	-
Black	224	189	2	2	-
Asheville	---	806	8	7	5
White	---	634	6	5	5
All other	---	172	2	2	-
Black	---	170	2	2	-
Balance of county	---	804	7	5	9
Burke	537	554	13	9	13
Hickory, part	---	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Morganton	---	157	5	3	4
White	---	133	2	1	3
All other	---	24	3	2	1
Black	---	22	2	2	1
Balance of county	---	396	8	6	9
Cabarrus	865	817	13	8	12
White	751	701	12	8	11
All other	114	116	1	-	1
Black	114	116	1	-	1
Concord	---	253	2	2	4
White	---	211	2	2	3
All other	---	42	-	-	1
Black	---	42	-	-	1
Balance of county	---	564	11	6	8
White	---	490	10	6	8
All other	---	74	1	-	-
Black	---	74	1	-	-
Caldwell	351	499	11	5	10
Lenoir	---	187	3	2	2
White	---	162	2	1	1
All other	---	25	1	1	1
Black	---	25	1	1	1
Balance of county	---	312	8	3	8
Camden	15	52	1	-	1
White	6	37	1	-	-
All other	9	15	-	-	1
Black	9	15	-	-	1
Elizabeth City, part	---	-	-	-	-
Balance of county	---	52	1	-	1
White	---	37	1	-	-
All other	---	15	-	-	1
Black	---	15	-	-	1
Carteret	427	443	8	6	7
White	388	406	7	5	2
All other	39	37	1	1	5
Black	36	37	1	1	5
Caswell	71	203	7	6	2
White	43	121	3	2	-
All other	28	82	4	4	2
Black	28	82	4	4	2
Catawba	900	874	25	12	8
White	809	782	18	10	8
All other	91	92	7	2	-
Black	88	90	7	2	-
Hickory, part	---	301	6	2	3
White	---	256	1	-	3
All other	---	45	5	2	-
Black	---	43	5	2	-
Hickory, total	---	302	6	2	3
White	---	257	1	-	3
All other	---	45	5	2	-
Black	---	43	5	2	-
Balance of county	---	573	19	10	5
Chatham	208	319	6	4	4
White	150	221	2	1	2
All other	58	98	4	3	2
Black	58	98	4	3	2
Cherokee	185	181	1	1	1
Chowan	201	146	4	4	3
White	132	89	1	1	1
All other	69	57	3	3	2
Black	69	57	3	3	2
Clay	15	71	-	-	1
Cleveland	807	753	11	7	16
White	664	605	7	3	8
All other	143	148	4	4	8
Black	142	147	4	4	8
Shelby	---	225	1	1	7
White	---	174	1	1	2
All other	---	51	-	-	5
Black	---	51	-	-	5
Balance of county	---	528	10	6	9
White	---	431	6	2	6
All other	---	97	4	4	3
Black	---	96	4	4	3
Columbus	397	520	13	5	7
White	276	350	3	2	4
All other	121	170	10	3	3
Black	115	159	8	2	2
Craven	615	500	21	12	15
White	420	325	13	5	7
All other	195	175	8	7	8
Black	195	174	8	7	8
Havelock	---	42	7	4	8
White	---	35	4	2	3
All other	---	7	3	2	5
Black	---	6	3	2	5
North Carolina-Con.					
New Bern	---	179	3	3	3
White	---	98	-	-	-
All other	---	81	3	3	3
Black	---	81	3	3	3
Balance of county	---	279	11	5	4
White	---	192	9	3	4
All other	---	87	2	2	-
Black	---	87	2	2	-
Cumberland	1,666	1,350	86	60	53
White	1,039	880	42	32	22
All other	627	470	44	28	31
Black	582	447	44	28	29
Fayetteville	---	620	38	28	12
White	---	358	14	11	5
All other	---	262	24	17	7
Black	---	257	24	17	6
Balance of county	---	730	48	32	41
White	---	522	28	21	17
All other	---	208	20	11	24
Black	---	190	20	11	23
Currituck	24	119	3	3	8
White	19	101	3	3	7
All other	5	18	-	-	1
Black	5	17	-	-	1
Dare	89	124	2	1	1
Davidson	644	858	20	11	14
White	572	756	15	9	9
All other	72	102	5	2	5
Black	72	102	5	2	5
High Point, part	---	3	-	-	1
Lexington	---	177	6	2	4
White	---	133	3	1	-
All other	---	44	3	1	4
Black	---	44	3	1	4
Thomasville	---	158	5	3	3
White	---	121	4	2	2
All other	---	37	1	1	1
Black	---	37	1	1	1
Balance of county	---	520	9	6	6
Davie	117	197	2	2	2
White	106	182	1	1	2
All other	11	15	1	1	-
Black	11	15	1	1	-
Duplin	244	424	5	2	7
White	148	260	2	1	2
All other	96	164	3	1	5
Black	95	163	3	1	5
Durham	2,423	1,243	34	19	13
White	1,626	766	12	6	4
All other	797	477	22	13	9
Black	780	473	21	12	9
Chapel Hill, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Durham	---	991	28	18	10
White	---	552	7	5	2
All other	---	439	21	13	8
Black	---	435	20	12	8
Balance of county	---	252	6	1	3
White	---	214	5	1	2
All other	---	38	1	-	1
Black	---	38	1	-	1
Edgecombe	362	525	20	11	14
White	190	279	5	2	2
All other	172	246	15	9	12
Black	172	245	15	9	12
Rocky Mount, part	---	149	5	3	6
White	---	60	-	-	1
All other	---	89	5	3	5
Black	---	88	5	3	5
Balance of county	---	376	15	8	8
White	---	219	5	2	1
All other	---	157	10	6	7
Black	---	157	10	6	7
Forsyth	3,158	2,082	40	28	16
White	2,483	1,499	19	13	11
All other	675	583	21	15	5
Black	670	578	21	15	5
Winston-Salem	---	1,438	29	22	9
White	---	885	9	7	5
All other	---	553	20	15	4
Black	---	549	20	15	4
Balance of county	---	644	11	6	7
Franklin	208	299	4	3	5
White	126	185	1	1	3
All other	82	114	3	2	2
Black	82	114	3	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Gaston	1,085	1,365	28	20	25
White	935	1,184	21	16	20
All other	150	181	7	4	5
Black	149	179	7	4	5
Gastonia	---	618	15	9	9
White	---	505	10	6	6
All other	---	113	5	3	3
Black	---	111	5	3	3
Balance of county	---	747	13	11	16
White	---	679	11	10	14
All other	---	68	2	1	2
Black	---	68	2	1	2
Gates	27	99	3	3	4
White	10	47	-	-	1
All other	17	52	3	3	3
Black	17	52	3	3	3
Graham	14	52	1	1	1
Granville	274	337	7	2	2
White	158	193	3	1	-
All other	116	144	4	1	2
Black	116	144	4	1	2
Greene	49	138	5	2	3
White	30	82	1	1	1
All other	19	56	4	1	2
Black	19	56	4	1	2
Guilford	3,009	2,702	48	27	40
White	2,359	2,084	22	16	26
All other	650	618	26	11	14
Black	643	612	26	11	12
Greensboro	---	1,327	25	15	20
White	---	944	10	9	9
All other	---	383	15	6	11
Black	---	379	15	6	10
High Point, part	---	692	16	9	8
White	---	521	6	4	6
All other	---	171	10	5	2
Black	---	170	10	5	1
High Point, total	---	695	16	9	9
White	---	524	6	4	7
All other	---	171	10	5	2
Black	---	170	10	5	1
Balance of county	---	683	7	3	12
White	---	619	6	3	11
All other	---	64	1	-	1
Black	---	63	1	-	1
Halifax	608	615	18	11	14
White	312	310	6	2	3
All other	296	305	12	9	11
Black	291	298	12	9	10
Roanoke Rapids	---	162	2	2	2
White	---	136	1	1	1
All other	---	26	1	1	1
Black	---	26	1	1	1
Balance of county	---	453	16	9	12
White	---	174	5	1	2
All other	---	279	11	8	10
Black	---	272	11	8	9
Harnett	446	550	13	5	13
White	335	420	7	1	6
All other	111	130	6	4	7
Black	110	130	6	4	7
Haywood	432	459	4	2	6
Henderson	600	641	8	6	4
Hertford	297	254	6	4	6
White	142	111	-	-	-
All other	155	143	6	4	6
Black	154	142	6	4	6
Hoke	80	171	2	-	3
White	37	78	1	-	2
All other	43	93	1	-	
Black	41	87	-	-	1
Hyde	31	75	3	2	-
White	20	54	1	-	-
All other	11	21	2	2	-
Black	11	21	2	2	-
Iredell	701	769	9	4	5
White	597	642	7	3	3
All other	104	127	2	1	2
Black	104	127	2	1	2
Statesville	---	226	2	-	2
White	---	172	1	-	1
All other	---	54	1	-	1
Black	---	54	1	-	1
Balance of county	---	543	7	4	3
White	---	470	6	3	2
All other	---	73	1	1	1
Black	---	73	1	1	1
North Carolina-Con.					
Jackson	179	214	9	6	3
White	167	195	5	3	2
All other	12	19	4	3	1
Black	2	4	-	-	-
Johnston	382	661	11	9	10
White	305	535	7	6	7
All other	77	126	4	3	3
Black	76	124	4	3	3
Jones	15	85	2	-	4
White	9	59	1	-	2
All other	6	26	1	-	2
Black	6	26	1	-	2
Lee	337	358	10	9	3
White	272	283	6	6	3
All other	65	75	4	3	-
Black	64	75	4	3	-
Sanford	---	171	3	2	-
White	---	127	-	-	-
All other	---	44	3	2	-
Black	---	44	3	2	-
Balance of county	---	187	7	7	3
White	---	156	6	6	3
All other	---	31	1	1	-
Black	---	31	1	1	-
Lenoir	550	559	5	4	11
White	347	338	4	3	8
All other	203	221	1	1	3
Black	203	221	1	1	3
Kinston	---	309	2	2	3
White	---	169	1	1	-
All other	---	140	1	1	3
Black	---	140	1	1	3
Balance of county	---	250	3	2	8
White	---	169	3	2	8
All other	---	81	-	-	-
Black	---	81	-	-	-
Lincoln	267	337	8	7	6
McDowell	209	291	6	5	2
Macon	188	235	2	1	3
Madison	88	142	6	3	1
Martin	204	243	5	3	5
White	100	129	2	2	3
All other	104	114	3	1	2
Black	104	114	3	1	2
Mecklenburg	3,661	2,965	65	47	52
White	2,697	2,077	26	20	21
All other	964	888	39	27	31
Black	950	877	39	27	31
Charlotte	---	2,419	55	37	44
White	---	1,612	17	11	14
All other	---	807	38	26	30
Black	---	798	38	26	30
Balance of county	---	546	10	10	8
White	---	465	9	9	7
All other	---	81	1	1	1
Black	---	79	1	1	1
Mitchell	127	156	2	1	-
Montgomery	192	216	3	1	7
White	134	154	2	1	6
All other	58	62	1	-	1
Black	58	62	1	-	1
Moore	743	570	11	8	13
White	556	444	4	4	6
All other	187	126	7	4	7
Black	182	125	7	4	7
Nash	708	680	23	16	16
White	421	433	6	6	5
All other	287	247	17	10	11
Black	284	247	17	10	11
Rocky Mount, part	---	283	10	8	9
White	---	191	3	3	3
All other	---	92	7	5	6
Black	---	92	7	5	6
Rocky Mount, total	---	432	15	11	15
White	---	251	3	3	4
All other	---	181	12	8	11
Black	---	180	12	8	11
Balance of county	---	397	13	8	7
White	---	242	3	3	2
All other	---	155	10	5	5
Black	---	155	10	5	5
New Hanover	1,197	896	20	12	17
White	880	655	11	9	12
All other	317	241	9	3	5
Black	313	240	9	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Wilmington	---	505	11	6	11
White	---	305	5	5	7
All other	---	200	6	1	4
Black	---	199	6	1	4
Balance of county	---	391	9	6	6
Northampton	71	246	4	4	5
White	34	113	1	1	3
All other	37	133	3	3	2
Black	36	133	3	3	2
Onslow	427	459	35	18	21
White	331	381	22	12	15
All other	96	78	13	6	6
Black	91	75	13	6	4
Jacksonville	---	159	12	10	2
White	---	123	7	7	1
All other	---	36	5	3	1
Black	---	35	5	3	1
Balance of county	---	300	23	8	19
White	---	258	15	5	14
All other	---	42	8	3	5
Black	---	40	8	3	3
Orange	934	442	7	7	6
White	602	348	4	4	5
All other	332	94	3	3	1
Black	319	92	3	3	1
Chapel Hill, part	---	156	2	2	5
White	---	122	1	1	4
All other	---	34	1	1	1
Black	---	32	1	1	1
Chapel Hill, total	---	156	2	2	5
White	---	122	1	1	4
All other	---	34	1	1	1
Black	---	32	1	1	1
Balance of county	---	286	5	5	1
White	---	226	3	3	1
All other	---	60	2	2	-
Black	---	60	2	2	-
Pamlico	27	115	3	1	2
White	19	83	2	1	-
All other	8	32	1	-	2
Black	8	32	1	-	2
Pasquotank	420	270	4	4	5
White	286	167	3	3	2
All other	134	103	1	1	3
Black	134	103	1	1	3
Elizabeth City, part	---	180	2	2	3
White	---	107	2	2	-
All other	---	73	-	-	3
Black	---	73	-	-	3
Elizabeth City, total	---	180	2	2	3
White	---	107	2	2	-
All other	---	73	-	-	3
Black	---	73	-	-	3
Balance of county	---	90	2	2	2
White	---	60	1	1	2
All other	---	30	1	1	-
Black	---	30	1	1	-
Pender	144	223	2	2	2
White	83	137	1	1	-
All other	61	86	1	1	2
Black	61	86	1	1	2
Perquimans	20	95	2	2	3
White	12	54	2	2	2
All other	8	41	-	-	1
Black	8	41	-	-	1
Person	192	266	6	4	2
White	136	180	4	3	1
All other	56	86	2	1	1
Black	56	86	2	1	1
Pitt	1,044	740	20	16	15
White	608	450	7	5	8
All other	436	290	13	11	7
Black	435	290	13	11	7
Greenville	---	250	8	7	3
White	---	144	2	2	1
All other	---	106	6	5	2
Black	---	106	6	5	2
Balance of county	---	490	12	9	12
White	---	306	5	3	7
All other	---	184	7	6	5
Black	---	184	7	6	5
Polk	167	165	-	-	1
Randolph	508	787	17	13	7
Asheboro	---	187	2	1	2
White	---	169	2	1	-
All other	---	18	-	-	2
Black	---	18	-	-	2
High Point, part	---	-	-	-	-
Balance of county	---	600	15	12	5
Richmond	305	444	9	8	6
White	200	294	5	5	2
All other	105	150	4	3	4
Black	105	149	4	3	4
Robeson	826	921	23	15	15
White	421	442	1	-	-
All other	405	479	22	15	15
Black	239	256	7	6	6
Lumberton	---	205	4	4	3
White	---	135	-	-	-
All other	---	70	4	4	3
Black	---	52	3	3	2
Balance of county	---	716	19	11	12
White	---	307	1	-	-
All other	---	409	18	11	12
Black	---	204	4	3	4
Rockingham	601	803	19	17	8
White	473	650	12	10	3
All other	128	153	7	7	5
Black	128	153	7	7	5
Eden	---	156	4	3	-
White	---	146	3	2	-
All other	---	10	1	1	-
Black	---	10	1	1	-
Reidsville	---	194	6	5	-
White	---	131	2	1	-
All other	---	63	4	4	-
Black	---	63	4	4	-
Balance of county	---	453	9	9	8
White	---	373	7	7	3
All other	---	80	2	2	5
Black	---	80	2	2	5
Rowan	1,056	949	15	6	15
White	866	805	11	5	10
All other	190	144	4	1	5
Black	190	143	4	1	5
Salisbury	---	352	3	1	6
White	---	276	1	-	3
All other	---	76	2	1	3
Black	---	76	2	1	3
Balance of county	---	597	12	5	9
White	---	529	10	5	7
All other	---	68	2	-	2
Black	---	67	2	-	2
Rutherford	456	543	9	8	5
White	399	474	6	5	5
All other	57	69	3	3	-
Black	57	69	3	3	-
Sampson	386	503	11	9	8
White	241	329	4	2	3
All other	145	174	7	7	5
Black	139	169	5	5	5
Scotland	273	278	9	6	6
White	151	163	4	2	1
All other	122	115	5	4	5
Black	102	105	4	3	4
Laurinburg	---	138	2	2	3
White	---	72	1	1	-
All other	---	66	1	1	3
Black	---	63	-	-	2
Balance of county	---	140	7	4	3
White	---	91	3	1	1
All other	---	49	4	3	2
Black	---	42	4	3	2
Stanly	329	453	3	2	7
White	285	398	2	2	5
All other	44	55	1	-	2
Black	44	54	1	-	2
Albemarle	---	160	1	1	3
White	---	133	1	1	1
All other	---	27	-	-	2
Black	---	26	-	-	2
Balance of county	---	293	2	1	4
White	---	265	1	1	4
All other	---	28	1	-	-
Black	---	28	1	-	-
Stokes	153	271	4	4	2
Surry	495	539	13	6	-
Swain	161	139	3	3	1
White	135	111	-	-	1
All other	26	28	3	3	-
Black	5	4	-	-	-
Transylvania	148	171	4	2	3
Tyrrell	9	35	-	-	-
White	6	24	-	-	-
All other	3	11	-	-	-
Black	3	11	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Union	375	500	10	7	17
White	302	407	8	5	10
All other	73	93	2	2	7
Black	73	92	2	2	7
Monroe	---	169	2	1	4
White	---	124	1	-	1
All other	---	45	1	1	3
Black	---	45	1	1	3
Balance of county	---	331	8	6	13
White	---	283	7	5	9
All other	---	48	1	1	4
Black	---	47	1	1	4
Vance	298	356	8	7	4
White	167	201	4	3	1
All other	131	155	4	4	3
Black	131	155	4	4	3
Henderson	---	205	2	2	3
White	---	108	1	1	1
All other	---	97	1	1	2
Black	---	97	1	1	2
Balance of county	---	151	6	5	1
White	---	93	3	2	-
All other	---	58	3	3	1
Black	---	58	3	3	1
Wake	2,222	1,976	60	47	36
White	1,647	1,453	29	22	17
All other	575	523	31	25	19
Black	568	516	31	25	19
Cary	---	82	1	1	2
Garner	---	70	3	2	3
Raleigh	---	1,097	29	23	24
White	---	781	12	10	7
All other	---	316	17	13	17
Black	---	312	17	13	17
Balance of county	---	727	27	21	7
White	---	539	15	11	5
All other	---	188	12	10	2
Black	---	187	12	10	2
Warren	101	178	1	1	3
White	44	78	-	-	1
All other	57	100	1	1	2
Black	57	98	1	1	2
Washington	101	123	4	4	4
White	63	78	-	-	1
All other	38	45	4	4	3
Black	38	45	4	4	3
Watauga	268	233	-	-	2
Boone	---	60	-	-	-
Balance of county	---	173	-	-	2
Wayne	748	794	21	12	21
White	494	505	12	7	13
All other	254	289	9	5	8
Black	252	287	9	5	8
Goldsboro	---	347	10	7	7
White	---	174	5	4	3
All other	---	173	5	3	4
Black	---	171	5	3	4
Balance of county	---	447	11	5	4
White	---	331	7	3	0
All other	---	116	4	2	4
Black	---	116	4	2	4
Wilkes	378	489	8	5	7
Wilson	779	647	8	5	14
White	511	402	3	2	4
All other	268	245	5	3	10
Black	267	244	5	3	10
Wilson	---	402	5	4	11
White	---	240	2	2	3
All other	---	162	3	2	8
Black	---	161	3	2	8
Balance of county	---	245	3	1	3
White	---	162	1	-	1
All other	---	83	2	1	2
Black	---	83	2	1	2
Yadkin	170	269	2	1	2
Yancey	69	117	2	1	1
North Dakota	5,878	5,576	110	75	86
White	5,700	5,420	96	67	73
All other	178	156	14	8	13
Black	5	2	1	1	2
Adams	65	34	2	2	-
Barnes	148	164	-	-	-
Benson	22	68	2	2	2
White	11	46	-	-	-
All other	11	22	2	2	2
Black	-	-	-	-	-
North Dakota-Con.					
Billings	2	3	-	-	-
Bottineau	73	99	2	1	1
Bowman	33	35	1	1	-
Burke	12	49	-	-	-
Burleigh	645	349	10	9	7
Bismarck	---	312	10	9	7
Balance of county	---	37	-	-	-
Cass	1,196	596	9	7	8
Fargo	---	455	6	5	6
West Fargo	---	33	1	1	-
Balance of county	---	108	2	1	2
Cavalier	47	71	-	-	1
Dickey	107	91	1	-	-
Divide	31	41	-	-	-
Dunn	9	35	-	-	4
Eddy	41	54	-	-	1
Emmons	46	58	1	1	3
Foster	77	70	1	-	-
Golden Valley	18	30	1	1	-
Grand Forks	570	378	12	6	10
Grand Forks	---	265	8	4	7
Balance of county	---	113	4	2	3
Grant	28	30	1	1	1
Griggs	27	43	-	-	-
Hettinger	8	39	1	1	2
Kidder	16	30	1	-	1
La Moure	14	73	-	-	-
Logan	6	31	-	-	-
McHenry	32	93	3	3	1
McIntosh	74	78	1	-	-
McKenzie	44	57	4	1	3
White	40	51	4	1	3
All other	4	6	-	-	-
Black	-	-	-	-	-
McLean	74	116	2	1	3
Mercer	48	66	2	2	3
Morton	113	211	5	3	4
Mandan	---	111	2	1	4
Balance of county	---	100	3	2	-
Mountrail	89	108	3	2	1
White	80	93	1	1	1
All other	9	15	2	1	-
Black	-	-	-	-	-
Nelson	42	76	2	2	-
Oliver	8	14	-	-	1
Pembina	112	138	-	-	2
Pierce	90	60	-	-	2
Ramsey	147	128	-	-	4
Ransom	55	86	1	1	-
Renville	27	42	-	-	-
Richland	92	184	3	2	1
Rolette	82	103	4	1	2
White	43	50	-	-	1
All other	39	53	4	1	1
Black	-	-	-	-	-
Sargent	14	65	1	1	-
Sheridan	4	26	2	1	-
Sioux	14	24	2	1	1
White	3	6	-	-	-
All other	11	18	2	1	1
Black	-	-	-	-	-
Slope	2	8	-	-	-
Stark	168	161	13	10	1
Dickinson	---	119	10	8	1
Balance of county	---	42	3	2	-
Steele	7	32	-	-	2
Stutsman	215	227	-	-	-
Jamestown	---	181	-	-	-
Balance of county	---	46	-	-	-
Towner	42	43	-	-	-
Traill	114	117	1	1	1
Walsh	125	173	3	2	1
Ward	541	406	6	3	9
Minot	---	302	3	2	5
Balance of county	---	104	3	1	4
Wells	73	82	-	-	-
Williams	189	181	7	6	3
Williston	---	116	5	4	3
Balance of county	---	65	2	2	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio	97,369	97,551	1,775	1,217	1,265
White	87,531	87,741	1,325	917	990
All other	9,838	9,810	450	300	275
Black	9,653	9,632	437	292	262
Adams	219	255	3	2	3
Allen	1,221	1,020	16	11	16
White	1,159	952	12	8	15
All other	62	68	4	3	1
Black	62	67	4	3	1
Lima	---	602	11	8	7
White	---	540	7	5	6
All other	---	62	4	3	1
Black	---	61	4	3	1
Balance of county	---	418	5	3	9
Ashland	336	393	9	8	8
Ashland	---	205	5	5	1
Balance of county	---	188	4	3	7
Ashtabula	840	1,000	11	7	12
Ashtabula	---	287	5	3	5
Conneaut	---	155	2	1	3
Balance of county	---	558	4	3	4
Athens	376	452	6	3	4
Athens	---	95	2	1	3
White	---	93	2	1	1
All other	---	2	-	-	2
Black	---	2	-	-	2
Balance of county	---	357	4	2	1
Auglaize	329	385	16	14	5
Belmont	829	918	6	5	6
Brown	234	276	3	2	3
Butler	2,142	1,999	36	27	17
White	2,029	1,882	30	23	17
All other	113	117	6	4	-
Black	113	116	6	4	-
Fairfield	---	167	6	5	1
Hamilton	---	686	11	8	7
Middletown	---	444	9	8	3
White	---	390	6	5	3
All other	---	54	3	3	-
Black	---	54	3	3	-
Oxford	---	65	1	1	1
Balance of county	---	637	9	5	5
Carroll	83	228	3	2	3
Champaign	265	334	5	3	8
Urbana	---	140	3	1	3
Balance of county	---	194	2	2	5
Clark	1,402	1,475	25	15	16
White	1,256	1,320	17	11	13
All other	146	155	8	4	3
Black	143	152	7	4	3
Springfield	---	913	21	12	10
White	---	760	13	8	7
All other	---	153	8	4	3
Black	---	150	7	4	3
Balance of county	---	562	4	3	6
Clermont	483	870	22	17	23
Clinton	309	319	7	5	7
Wilmington	---	106	1	-	2
Balance of county	---	213	6	5	5
Columbiana	1,106	1,086	11	9	6
East Liverpool	---	235	2	2	1
Salem	---	124	2	1	2
Balance of county	---	727	7	6	3
Coshocton	302	340	8	7	8
Coshocton	---	159	2	1	5
Balance of county	---	181	6	6	3
Crawford	419	456	13	9	6
Bucyrus	---	155	5	2	2
Galion	---	130	3	3	2
Balance of county	---	171	5	4	2
Cuyahoga	16,612	15,581	257	185	191
White	13,296	12,331	126	96	97
All other	3,316	3,250	131	89	94
Black	3,267	3,210	128	87	90
Bay Village	---	139	-	-	1
Bedford	---	159	4	2	3
Bedford Heights	---	96	3	3	1
White	---	81	2	2	1
All other	---	15	1	1	-
Black	---	13	1	1	-
Berea	---	143	3	2	1
Brecksville	---	98	-	-	1
Broadview Heights	---	86	-	-	-
Brooklyn	---	134	1	-	-
Brook Park	---	154	1	1	7
Cleveland	---	6,932	171	119	113
White	---	4,240	73	58	39
All other	---	2,692	98	61	74
Black	---	2,669	96	60	73
Ohio-Con.					
Cleveland Heights	---	513	6	6	2
White	---	451	2	2	1
All other	---	62	4	4	1
Black	---	60	4	4	1
East Cleveland	---	327	14	10	8
White	---	112	-	-	-
All other	---	215	14	10	8
Black	---	215	14	10	8
Euclid	---	709	10	8	1
Fairview Park	---	185	1	1	-
Garfield Heights	---	342	3	2	1
White	---	315	2	1	-
All other	---	27	1	1	1
Black	---	27	1	1	1
Lakewood	---	611	5	4	7
Lyndhurst	---	164	1	1	2
Maple Heights	---	291	1	1	7
Mayfield Heights	---	353	-	-	1
Middleburg Heights	---	108	1	1	1
North Olmsted	---	243	5	4	5
North Royalton	---	106	2	-	2
Parma	---	951	3	2	8
Parma Heights	---	278	3	3	-
Richmond Heights	---	80	1	-	-
Rocky River	---	247	2	2	1
Seven Hills	---	105	-	-	1
Shaker Heights	---	279	2	2	1
White	---	224	1	1	-
All other	---	49	1	1	1
Black	---	49	1	1	1
Solon	---	84	-	-	-
South Euclid	---	289	1	-	3
Strongsville	---	148	2	2	1
University Heights	---	137	1	1	1
White	---	133	1	1	1
All other	---	4	-	-	-
Black	---	4	-	-	-
Warrensville Heights	---	126	7	7	1
White	---	56	1	1	-
All other	---	70	6	6	1
Black	---	69	6	6	1
Westlake	---	184	1	-	1
Balance of county	---	786	2	1	9
Darke	450	539	9	6	4
Greenville	---	223	-	-	1
Balance of county	---	316	9	6	3
Defiance	305	341	8	5	9
Defiance	---	154	4	3	6
Balance of county	---	187	4	2	3
Delaware	354	395	8	6	3
Delaware	---	168	3	2	-
Westerville, part	---	21	-	-	-
Balance of county	---	206	5	4	3
Erie	757	735	10	7	11
Sandusky	---	351	7	5	7
White	---	314	4	3	3
All other	---	37	3	2	4
Black	---	36	3	2	4
Vermilion, part	---	52	1	1	-
Vermilion, total	---	85	2	2	-
Balance of county	---	332	2	1	4
Fairfield	666	722	10	9	9
Columbus, part	---	-	-	-	-
Lancaster	---	344	6	5	2
Reynoldsburg, part	---	-	-	-	-
Balance of county	---	378	4	4	7
Fayette	285	282	7	5	4
Washington	---	169	3	2	3
Balance of county	---	113	4	3	1
Franklin	7,792	6,742	166	105	112
White	6,780	5,725	115	72	79
All other	1,012	1,017	51	33	33
Black	994	1,001	50	32	30
Bexley	---	103	-	-	-
Columbus, part	---	4,636	129	81	90
White	---	3,654	81	50	57
All other	---	982	48	31	33
Black	---	969	47	30	30
Columbus, total	---	4,636	129	81	90
White	---	3,654	81	50	57
All other	---	982	48	31	33
Black	---	969	47	30	30
Gahanna	---	81	4	2	-
Grove City	---	118	1	1	2
Reynoldsburg, part	---	105	2	1	4
Reynoldsburg, total	---	108	2	1	4
Upper Arlington	---	348	4	3	1
Westerville, part	---	151	1	1	1
Westerville, total	---	172	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Whitehall	---	159	3	2	2
Worthington	---	106	2	-	1
Balance of county	---	935	20	14	11
Fulton	226	300	6	4	3
Gallia	469	276	6	3	4
Geauga	359	469	4	4	6
Greene	776	840	17	10	16
White	712	775	15	9	13
All other	64	65	2	1	3
Black	62	63	2	1	3
Beavercreek	---	130	5	4	-
Dayton, part	---	3	-	-	-
Fairborn	---	212	8	2	6
Xenia	---	221	1	1	8
White	---	183	-	-	5
All other	---	38	1	1	3
Black	---	38	1	1	3
Balance of county	---	274	3	3	2
White	---	252	3	3	2
All other	---	22	-	-	-
Black	---	22	-	-	-
Guernsey	458	483	8	4	1
Cambridge	---	194	1	-	-
Balance of county	---	289	7	4	1
Hamilton	9,541	8,511	190	129	96
White	7,914	6,901	111	76	67
All other	1,627	1,610	79	53	29
Black	1,607	1,590	77	52	29
Cincinnati	---	4,632	127	83	58
White	---	3,282	57	36	33
All other	---	1,350	70	47	25
Black	---	1,335	68	46	25
Forest Park	---	95	6	5	3
White	---	71	2	2	2
All other	---	24	4	3	1
Black	---	24	4	3	1
Montgomery	---	55	1	-	2
North College Hill	---	155	2	-	-
Norwood	---	301	3	3	1
Reading	---	123	3	2	-
Sharonville	---	76	1	-	2
Springdale	---	73	1	-	-
Balance of county	---	3,001	46	36	30
White	---	2,775	41	33	27
All other	---	226	5	3	3
Black	---	222	5	3	3
Hancock	745	605	9	5	9
Findlay	---	387	5	3	5
Fostoria, part	---	40	2	2	-
Balance of county	---	178	2	-	4
Hardin	278	338	3	3	5
Harrison	164	182	-	-	2
Henry	184	240	4	1	7
Highland	313	412	5	1	7
Hocking	245	275	2	2	-
Holmes	199	197	6	4	5
Huron	359	417	10	6	9
Norwalk	---	132	6	5	5
Balance of county	---	285	4	1	4
Jackson	212	371	3	1	4
Jefferson	894	1,009	8	6	8
Steubenville	---	399	4	3	3
White	---	351	4	3	2
All other	---	48	-	-	1
Black	---	48	-	-	1
Balance of county	---	610	4	3	5
Knox	445	459	12	10	4
Mount Vernon	---	196	6	5	1
Balance of county	---	263	6	5	3
Lake	1,374	1,509	25	19	16
Eastlake	---	138	5	4	3
Mentor	---	234	1	-	4
Painesville	---	184	8	5	-
White	---	167	7	5	-
All other	---	17	1	-	-
Black	---	17	1	-	-
Wickliffe	---	128	2	2	1
Willoughby	---	184	3	3	-
Willowick	---	148	-	-	-
Balance of county	---	493	6	5	8
Lawrence	406	652	12	9	5
Ironton	---	192	4	2	-
Balance of county	---	460	8	7	5
Ohio-Con.					
Licking	870	1,024	12	6	16
Newark	---	505	8	5	9
Reynoldsburg, part	---	3	-	-	-
Balance of county	---	516	4	1	7
Logan	291	389	8	5	4
Bellefontaine	---	102	3	2	1
Balance of county	---	287	5	3	3
Lorain	1,917	2,010	50	35	26
White	1,797	1,881	45	31	23
All other	120	129	5	4	3
Black	116	125	5	4	3
Amherst	---	114	2	2	2
Avon Lake	---	78	2	2	2
Elyria	---	476	11	5	4
White	---	416	9	4	4
All other	---	60	2	1	-
Black	---	57	2	1	-
Lorain	---	614	16	12	10
White	---	566	13	9	7
All other	---	48	3	3	3
Black	---	47	3	3	3
North Ridgeville	---	100	4	4	2
Sheffield Lake	---	51	4	2	1
Vermilion, part	---	33	1	1	-
Balance of county	---	544	10	7	5
Lucas	5,486	4,663	84	54	60
White	4,940	4,126	59	38	42
All other	546	537	25	16	18
Black	537	530	25	16	18
Maumee	---	121	1	-	2
Oregon	---	182	2	1	1
Sylvania	---	123	1	1	1
Toledo	---	3,795	73	47	50
White	---	3,280	49	32	34
All other	---	515	24	15	16
Black	---	509	24	15	16
Balance of county	---	442	7	5	6
Madison	237	289	2	2	2
Mahoning	2,791	2,999	34	24	38
White	2,422	2,582	20	15	20
All other	369	417	14	9	18
Black	364	411	14	9	17
Alliance, part	---	1	-	-	-
Campbell	---	106	1	1	2
White	---	90	1	1	1
All other	---	16	-	-	1
Black	---	16	-	-	1
Struthers	---	147	2	1	1
Youngstown, part	---	1,423	22	15	24
White	---	1,045	8	6	8
All other	---	378	14	9	16
Black	---	373	14	9	16
Youngstown, total	---	1,427	22	15	24
White	---	1,048	8	6	8
All other	---	379	14	9	16
Black	---	374	14	9	16
Balance of county	---	1,322	9	7	11
Marion	643	620	9	7	5
Marion	---	365	4	2	4
Balance of county	---	255	5	5	1
Medina	746	750	11	8	14
Brunswick	---	129	4	3	2
Medina	---	169	2	1	3
Wadsworth	---	136	1	1	1
Balance of county	---	316	4	3	8
Meigs	162	232	5	3	4
Mercer	263	326	12	9	7
Miami	735	841	16	12	13
Piqua	---	234	5	4	4
Troy	---	171	5	4	5
Balance of county	---	436	6	4	4
Monroe	57	158	1	1	1
Montgomery	5,765	4,905	113	79	67
White	4,899	4,096	62	42	49
All other	866	809	51	37	18
Black	851	798	50	36	18
Centerville	---	93	2	2	3
Dayton, part	---	2,193	55	37	36
White	---	1,505	16	11	19
All other	---	688	39	26	17
Black	---	684	39	26	17
Dayton, total	---	2,196	55	37	36
White	---	1,508	16	11	19
All other	---	688	39	26	17
Black	---	684	39	26	17
Englewood	---	69	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Huber Heights	---	147	5	4	4
Kettering	---	505	8	6	5
Miamisburg	---	109	1	1	4
Vandalia	---	93	1	1	2
West Carrollton	---	88	1	1	1
Balance of county	---	1,608	38	26	12
White	---	1,508	28	17	11
All other	---	100	10	9	1
Black	---	99	10	9	1
Morgan	92	146	-	-	-
Morrow	159	200	5	4	6
Muskingum	1,093	896	13	8	9
Zanesville	---	454	3	1	2
White	---	423	3	1	2
All other	---	31	-	-	-
Black	---	31	-	-	-
Balance of county	---	442	10	7	7
Noble	56	119	1	1	1
Ottawa	245	384	4	2	4
Paulding	107	168	1	-	4
Perry	109	324	11	7	3
Pickaway	248	334	10	3	4
Circleville	---	136	3	2	-
Balance of county	---	198	7	1	4
Pike	162	238	2	2	7
Portage	690	882	19	15	13
Kent	---	138	4	4	2
Ravenna	---	156	3	2	2
Balance of county	---	588	12	9	9
Preble	159	348	4	2	3
Putnam	140	243	5	3	6
Richland	1,100	1,100	28	17	15
Mansfield	---	590	17	10	9
White	---	530	10	6	4
All other	---	60	7	4	5
Black	---	59	7	4	5
Balance of county	---	510	11	7	6
Ross	759	602	11	7	10
Chillicothe	---	298	4	3	4
Balance of county	---	304	7	4	6
Sandusky	431	473	2	2	5
Fremont	---	157	-	-	1
White	---	147	-	-	1
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	316	2	2	4
Scioto	921	914	16	11	21
Portsmouth	---	374	6	4	6
Balance of county	---	540	10	7	15
Seneca	332	525	7	5	11
Fostoria, part	---	141	2	1	1
White	---	138	2	1	1
All other	---	3	-	-	-
Black	---	3	-	-	-
Fostoria, total	---	193	5	4	1
White	---	189	5	4	1
All other	---	4	-	-	-
Black	---	3	-	-	-
Tiffin	---	185	4	3	5
Balance of county	---	199	1	1	5
Shelby	262	337	11	9	8
Sidney	---	175	5	4	7
Balance of county	---	162	6	5	1
Stark	3,856	3,560	53	36	36
White	3,623	3,303	37	24	32
All other	233	257	16	12	4
Black	231	255	15	11	4
Alliance, part	---	275	3	1	4
White	---	236	1	-	2
All other	---	39	2	1	2
Black	---	38	2	1	2
Alliance, total	---	276	3	1	4
White	---	237	1	-	2
All other	---	39	2	1	2
Black	---	38	2	1	2
Canton	---	1,182	27	23	11
White	---	1,017	18	15	10
All other	---	165	9	8	1
Black	---	165	9	8	1
Massillon	---	368	6	2	3
White	---	332	4	1	2
All other	---	36	2	1	1
Black	---	36	2	1	1
North Canton	---	118	2	2	4
Balance of county	---	1,617	15	8	14
Ohio-Con.					
Summit	4,892	4,932	92	62	52
White	4,396	4,429	65	47	33
All other	496	503	27	15	19
Black	491	494	26	15	19
Akron	---	2,577	58	38	33
White	---	2,123	32	24	15
All other	---	454	26	14	18
Black	---	451	25	14	18
Barberton	---	353	4	1	2
Cuyahoga Falls	---	444	9	6	2
Norton	---	86	1	1	1
Stow	---	147	4	4	2
Tallmadge	---	106	1	-	-
Balance of county	---	1,219	15	12	12
Trumbull	2,237	2,155	42	33	31
White	2,062	2,014	37	28	25
All other	175	141	5	5	6
Black	172	139	5	5	6
Girard	---	194	3	3	-
Niles	---	235	9	6	5
Warren	---	690	12	9	15
White	---	593	9	6	10
All other	---	97	3	3	5
Black	---	96	3	3	5
Youngstown, part	---	4	-	-	-
White	---	3	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	1,092	18	15	11
Tuscarawas	757	908	14	10	11
Dover	---	175	2	2	2
New Philadelphia	---	149	4	3	3
Balance of county	---	584	8	5	6
Union	223	255	2	2	2
Van Wert	235	268	1	-	2
Van Wert	---	119	1	-	1
Balance of county	---	149	-	-	1
Vinton	43	124	1	-	3
Warren	318	659	19	9	6
Franklin	---	103	5	3	1
Balance of county	---	556	14	6	5
Washington	525	599	10	7	5
Marietta	---	194	4	3	-
Balance of county	---	405	6	4	5
Wayne	558	683	6	4	13
Wooster	---	190	2	2	1
Balance of county	---	493	4	2	12
Williams	257	299	7	4	5
Wood	476	740	15	11	9
Bowling Green	---	110	1	1	1
Fostoria, part	---	12	1	1	-
Perrysburg	---	75	1	1	-
Balance of county	---	543	12	8	8
Wyandot	201	242	1	1	2
Oklahoma	28,527	29,438	618	389	480
White	25,645	26,485	486	308	312
All other	2,882	2,953	132	81	168
Black	1,920	1,948	81	51	47
Adair	117	194	1	-	-
White	90	143	1	-	-
All other	27	51	-	-	-
Black	-	-	-	-	-
Alfalfa	62	101	1	-	-
Atoka	127	154	-	-	-
White	119	144	-	-	-
All other	8	10	-	-	-
Black	5	7	-	-	-
Beaver	60	76	1	-	-
Beckham	223	248	3	2	2
Blaine	154	176	2	1	3
White	141	148	-	-	3
All other	13	28	2	1	-
Black	4	5	-	-	-
Bryan	277	379	6	3	5
Durant	---	184	4	2	-
White	---	181	4	2	-
All other	---	3	-	-	-
Black	---	-	-	-	-
Balance of county	---	195	2	1	5
Caddo	241	373	5	2	4
White	204	311	5	2	1
All other	37	62	-	-	3
Black	7	13	-	-	-
Canadian	223	403	6	6	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
El Reno	---	172	-	-	1
White	---	158	-	-	1
All other	---	14	-	-	-
Black	---	10	-	-	-
Oklahoma City, part	---	1	-	-	-
Yukon	---	128	2	2	3
Balance of county	---	102	4	4	3
Carter	500	506	11	7	5
White	447	449	11	7	4
All other	53	57	-	-	1
Black	35	40	-	-	-
Ardmore	---	324	5	4	1
White	---	283	5	4	1
All other	---	41	-	-	-
Black	---	30	-	-	-
Balance of county	---	182	6	3	4
White	---	166	6	3	3
All other	---	16	-	-	1
Black	---	10	-	-	-
Cherokee	249	286	5	4	4
White	182	235	4	3	-
All other	67	51	1	1	4
Black	4	5	-	-	-
Choctaw	164	223	2	1	-
White	141	181	1	1	-
All other	23	42	1	-	-
Black	17	27	-	-	-
Cimarron	45	44	-	-	-
Cleveland	657	694	23	18	14
Moore	---	164	8	6	5
Norman	---	404	13	10	5
Oklahoma City, part	---	19	-	-	-
Balance of county	---	107	2	2	4
Coal	79	101	3	2	-
White	74	95	3	2	-
All other	5	6	-	-	-
Black	2	3	-	-	-
Comanche	718	699	44	31	20
White	608	589	29	20	11
All other	110	110	15	11	9
Black	70	80	11	7	4
Lawton	---	558	37	27	18
White	---	461	23	17	9
All other	---	97	14	10	9
Black	---	75	10	6	4
Balance of county	---	141	7	4	2
White	---	128	6	3	2
All other	---	13	1	1	-
Black	---	5	1	1	-
Cotton	48	104	-	-	-
Craig	140	167	3	1	3
White	132	157	3	1	3
All other	8	10	-	-	-
Black	4	2	-	-	-
Creek	413	542	8	6	8
Sapulpa	---	221	2	1	2
White	---	195	2	1	2
All other	---	26	-	-	-
Black	---	22	-	-	-
Balance of county	---	321	6	5	6
Custer	260	241	10	6	10
Delaware	234	282	3	2	2
White	217	259	2	1	1
All other	17	23	1	1	1
Black	-	-	-	-	-
Dewey	45	83	1	1	2
Ellis	69	64	1	1	-
Garfield	719	615	14	8	12
Enid	---	503	9	5	7
Balance of county	---	112	5	3	5
Garvin	340	432	5	4	6
Grady	355	402	9	6	7
Chickasha	---	229	6	4	1
White	---	212	6	4	1
All other	---	17	-	-	-
Black	---	16	-	-	-
Balance of county	---	173	3	2	6
Grant	29	84	-	-	2
Greer	100	122	3	2	-
Harmon	39	54	1	-	2
Harper	63	67	1	-	2
Haskell	73	123	3	3	2
Hughes	184	213	-	-	3
White	163	186	-	-	1
All other	21	27	-	-	2
Black	10	6	-	-	-
Oklahoma-Con.					
Jackson	267	263	5	4	8
White	245	243	5	4	7
All other	22	20	-	-	1
Black	20	18	-	-	-
Altus	---	192	3	3	6
White	---	174	3	3	5
All other	---	18	-	-	1
Black	---	16	-	-	-
Balance of county	---	71	2	1	2
Jefferson	74	115	2	2	2
Johnston	93	143	3	3	3
White	85	130	2	2	2
All other	8	13	1	1	1
Black	3	6	1	1	1
Kay	565	601	12	4	10
Ponca City	---	343	8	3	4
Balance of county	---	258	4	1	6
Kingfisher	99	132	2	1	5
Kiowa	140	204	2	1	3
Latimer	120	127	2	2	-
White	105	114	2	2	-
All other	15	13	-	-	-
Black	2	2	-	-	-
Le Flore	270	470	5	3	3
White	263	445	4	2	2
All other	7	25	1	1	1
Black	2	11	-	-	-
Lincoln	182	285	6	2	1
Logan	247	300	3	2	6
White	216	261	3	2	4
All other	31	39	-	-	2
Black	28	38	-	-	1
Guthrie	---	206	2	2	6
White	---	180	2	2	4
All other	---	26	-	-	2
Black	---	25	-	-	1
Balance of county	---	94	1	-	-
White	---	81	1	-	-
All other	---	13	-	-	-
Black	---	13	-	-	-
Love	60	79	1	1	1
McClain	158	199	6	5	1
Oklahoma City, part	---	-	-	-	-
Balance of county	---	199	6	5	1
McCurtain	281	397	4	2	4
White	205	298	3	2	2
All other	76	99	1	-	2
Black	57	73	1	-	-
McIntosh	144	234	4	3	2
White	124	202	3	3	1
All other	20	32	1	-	1
Black	8	15	-	-	-
Major	73	88	1	1	2
Marshall	144	175	-	-	1
Mayes	277	357	6	1	3
White	263	326	4	-	1
All other	14	31	2	1	2
Black	-	1	-	-	-
Murray	154	170	6	3	2
Muskogee	1,000	781	18	14	6
White	817	613	13	11	6
All other	183	168	5	3	-
Black	154	146	4	2	-
Muskogee	---	533	12	10	3
White	---	411	9	8	3
All other	---	122	3	2	-
Black	---	110	2	1	-
Balance of county	---	248	6	4	3
White	---	202	4	3	3
All other	---	46	2	1	-
Black	---	36	2	1	-
Noble	104	160	3	2	-
Nowata	100	145	2	2	-
White	96	137	2	2	-
All other	4	8	-	-	-
Black	3	6	-	-	-
Okfuskee	75	156	-	-	1
White	44	117	-	-	-
All other	31	39	-	-	1
Black	13	26	-	-	-
Oklahoma	6,610	5,151	135	81	130
White	5,809	4,473	90	53	74
All other	801	678	45	28	56
Black	648	573	32	21	17
Bethany	---	168	5	4	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Del City	---	174	5	3	4
White	---	159	2	1	3
All other	---	15	3	2	1
Black	---	5	2	2	1
Edmond	---	234	9	5	7
Midwest City	---	333	7	4	16
White	---	321	6	3	7
All other	---	12	1	1	9
Black	---	8	1	1	2
Oklahoma City, part	---	3,924	100	61	90
White	---	3,354	63	37	52
All other	---	570	37	24	38
Black	---	494	28	18	11
Oklahoma City, total	---	3,944	100	61	90
White	---	3,371	63	37	52
All other	---	573	37	24	38
Black	---	496	28	18	11
The Village	---	4	-	-	-
Balance of county	---	314	9	4	10
White	---	242	6	3	4
All other	---	72	3	1	6
Black	---	63	-	-	3
Okmulgee	453	521	7	4	7
White	359	404	4	2	5
All other	94	117	3	2	2
Black	73	90	3	2	-
Okmulgee	---	242	2	1	4
White	---	172	-	-	3
All other	---	70	2	1	1
Black	---	61	2	1	-
Balance of county	---	279	5	3	3
White	---	232	4	2	2
All other	---	47	1	1	1
Black	---	29	1	1	-
Osage	201	322	4	3	5
White	184	290	2	2	1
All other	17	32	2	1	4
Black	6	10	1	1	-
Bartlesville, part	---	-	-	-	-
Sand Springs, part	---	2	-	-	-
Tulsa, part	---	6	-	-	-
White	---	4	-	-	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	314	4	3	6
White	---	284	2	2	1
All other	---	30	2	1	4
Black	---	8	1	1	-
Ottawa	301	388	6	3	6
White	290	374	6	3	3
All other	11	14	-	-	3
Black	-	-	-	-	-
Miami	---	173	2	2	-
White	---	170	2	2	-
All other	---	3	-	-	-
Black	---	-	-	-	-
Balance of county	---	215	4	1	6
White	---	204	4	1	3
All other	---	11	-	-	3
Black	---	-	-	-	-
Pawnee	122	159	2	1	2
Payne	407	447	3	3	7
Stillwater	---	188	3	3	5
Balance of county	---	259	-	-	2
Pittsburg	467	468	10	3	6
White	422	430	8	3	5
All other	45	38	2	-	1
Black	27	22	1	-	-
McAlester	---	260	4	-	2
White	---	235	3	-	2
All other	---	25	1	-	-
Black	---	16	1	-	-
Balance of county	---	208	6	3	4
White	---	195	5	3	3
All other	---	13	1	-	1
Black	---	6	-	-	-
Pontotoc	421	389	6	3	5
White	368	359	5	2	5
All other	53	30	1	1	-
Black	9	8	-	-	-
Ada	---	227	3	1	2
White	---	207	3	1	2
All other	---	20	-	-	-
Black	---	7	-	-	-
Balance of county	---	162	3	2	3
Pottawatomie	575	619	12	9	6
Oklahoma-Con.					
Oklahoma City, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shawnee	---	382	5	4	2
White	---	363	4	3	1
All other	---	19	1	1	1
Black	---	6	1	1	-
Balance of county	---	237	7	5	4
Pushmataha	104	134	3	2	-
White	99	125	3	2	-
All other	5	9	-	-	-
Black	-	1	-	-	-
Roger Mills	31	50	-	-	2
Rogers	288	315	7	2	6
White	242	286	6	1	5
All other	46	29	1	1	1
Black	3	1	-	-	-
Claremore	---	149	5	2	1
White	---	133	4	1	1
All other	---	16	1	1	-
Black	---	1	-	-	-
Balance of county	---	166	2	-	5
Seminole	235	355	4	3	2
White	195	285	1	1	1
All other	40	70	3	2	1
Black	20	27	-	-	1
Sequoyah	204	317	5	3	7
White	187	284	3	2	5
All other	17	33	2	1	2
Black	6	12	-	-	-
Stephens	430	481	9	5	5
Duncan	---	254	2	1	1
Balance of county	---	227	7	4	4
Texas	95	155	4	4	1
Tillman	125	160	4	3	-
White	107	140	4	3	-
All other	18	20	-	-	-
Black	17	20	-	-	-
Tulsa	4,710	3,882	99	57	75
White	4,216	3,449	71	39	53
All other	494	433	28	18	22
Black	406	375	22	14	12
Broken Arrow, part	---	205	8	5	6
Broken Arrow, total	---	219	8	5	7
Sand Springs, part	---	139	6	5	3
Sand Springs, total	---	141	6	5	3
Tulsa, part	---	3,128	77	44	58
White	---	2,716	49	26	40
All other	---	412	28	18	18
Black	---	368	22	14	11
Tulsa, total	---	3,134	77	44	58
White	---	2,720	49	26	40
All other	---	414	28	18	18
Black	---	370	22	14	11
Balance of county	---	410	8	3	8
White	---	395	8	3	6
All other	---	15	-	-	2
Black	---	4	-	-	1
Wagoner	206	315	3	3	9
White	178	274	3	3	4
All other	28	41	-	-	5
Black	23	30	-	-	2
Broken Arrow, part	---	14	-	-	1
Balance of county	---	301	3	3	8
White	---	260	3	3	4
All other	---	41	-	-	4
Black	---	30	-	-	2
Washington	499	481	9	7	4
Bartlesville, part	---	348	4	3	1
Bartlesville, total	---	348	4	3	1
Balance of county	---	133	5	4	3
White	---	126	5	4	1
All other	---	7	-	-	2
Black	---	2	-	-	-
Washita	113	162	7	4	1
Woods	139	164	-	-	-
Woodward	157	170	11	11	5
Woodward	---	117	7	7	4
Balance of county	---	53	4	4	1
Oregon	22,463	22,462	385	216	269
White	21,932	21,932	356	202	249
All other	531	530	29	14	20
Black	269	295	16	9	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oregon-Con.					
Baker	193	209	2	2	1
Benton	430	386	4	3	8
Albany, part	---	2	-	-	-
White	---	2	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Corvallis	---	230	4	3	5
Balance of county	---	154	-	-	3
Clackamas	1,832	1,784	32	18	13
Lake Oswego, part	---	156	-	-	1
Lake Oswego, total	---	160	-	-	2
Milwaukie, part	---	244	6	2	1
Milwaukie, total	---	245	6	2	2
Oregon City	---	167	5	4	-
Portland, part	---	11	1	1	-
West Linn	---	57	2	2	3
Balance of county	---	1,149	18	9	8
Clatsop	309	352	4	2	3
Columbia	176	306	6	2	9
Coos	581	620	11	8	4
Coos Bay	---	182	1	-	1
Balance of county	---	438	10	8	3
Crook	124	138	-	-	1
Curry	124	181	4	2	1
Deschutes	544	493	6	4	7
Bend	---	156	2	2	1
Balance of county	---	337	4	2	6
Douglas	779	764	9	2	5
Roseburg	---	217	2	-	1
Balance of county	---	547	7	2	4
Gilliam	12	14	-	-	-
Grant	57	77	1	1	-
Harney	47	52	-	-	1
Hood River	138	145	3	2	1
Jackson	1,206	1,184	15	9	17
Ashland	---	110	1	1	3
Medford	---	433	8	3	4
Balance of county	---	641	6	5	10
Jefferson	80	103	1	-	1
White	65	84	1	-	1
All other	15	19	-	-	-
Black	-	-	-	-	-
Josephine	567	599	11	9	8
Grants Pass	---	248	4	4	1
Balance of county	---	351	7	5	7
Klamath	481	484	8	5	5
Klamath Falls	---	197	3	3	-
Balance of county	---	287	5	2	5
Lake	67	71	-	-	1
Lane	1,979	1,941	38	17	29
Eugene	---	753	14	5	10
Springfield	---	304	11	5	9
Balance of county	---	884	13	7	10
Lincoln	402	451	4	3	2
Linn	593	716	11	5	5
Albany, part	---	211	4	2	1
Albany, total	---	213	4	2	1
Lebanon	---	121	2	1	1
Balance of county	---	384	5	2	3
Malheur	279	245	6	2	3
Marion	1,911	1,869	39	22	25
Salem, part	---	921	14	8	17
Salem, total	---	1,018	16	9	17
Woodburn	---	159	1	-	1
White	---	159	1	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	789	24	14	7
Morrow	31	53	1	1	-
Multnomah	6,179	5,508	92	51	60
White	5,818	5,134	71	40	49
All other	361	374	21	11	11
Black	255	268	13	8	7
Gresham	---	234	8	4	3
Lake Oswego, part	---	3	-	-	1
Milwaukie, part	---	1	-	-	1
Portland, part	---	4,251	75	43	46
White	---	3,909	56	32	36
All other	---	342	19	11	10
Black	---	257	13	8	6
Portland, total	---	4,330	79	45	48
White	---	3,985	60	34	37
All other	---	345	19	11	11
Black	---	257	13	8	7
Balance of county	---	1,019	9	4	9
Oregon-Con.					
Polk	218	365	8	5	2
Salem, part	---	97	2	1	-
Balance of county	---	268	6	4	2
Sherman	8	20	-	-	-
Tillamook	203	227	4	4	4
Umatilla	436	559	10	7	11
Pendleton	---	138	4	2	2
Balance of county	---	421	6	5	9
Union	188	198	7	5	2
La Grande	---	118	4	2	2
Balance of county	---	80	3	3	-
Wallowa	55	76	1	-	3
Wasco	210	205	4	2	2
City of the Dalles	---	135	-	-	-
Balance of county	---	70	4	2	2
Washington	1,636	1,601	36	18	29
Beaverton	---	248	8	3	13
Forest Grove	---	134	3	1	1
Hillsboro	---	218	2	2	2
Lake Oswego, part	---	1	-	-	-
Portland, part	---	68	3	1	2
Tigard	---	185	2	2	2
Balance of county	---	747	18	9	9
Wheeler	6	18	-	-	-
Yamhill	383	448	7	5	6
McMinnville	---	125	1	1	1
Newberg	---	111	1	-	2
Balance of county	---	212	5	4	3
Pennsylvania	121,488	121,459	1,784	1,243	1,583
White	110,609	110,637	1,331	935	1,203
All other	10,879	10,822	453	308	380
Black	10,664	10,630	435	296	360
Adams	503	659	6	5	10
Allegheny	17,750	16,071	221	170	157
White	16,009	14,381	146	107	109
All other	1,741	1,690	75	63	48
Black	1,716	1,669	75	63	46
Baldwin	---	203	1	1	2
Bellevue	---	123	1	1	2
Bethel Park	---	253	5	3	3
Brentwood	---	141	2	2	-
Carnegie	---	153	1	1	3
Castle Shannon	---	100	3	2	-
Clairton	---	161	4	2	4
White	---	134	4	2	2
All other	---	27	-	-	2
Black	---	27	-	-	2
Dormont	---	106	2	1	1
Duquesne	---	144	3	2	1
White	---	124	1	1	1
All other	---	20	2	1	-
Black	---	20	2	1	-
Elizabeth twp#	---	109	-	-	2
Harrison twp#	---	166	4	3	-
McCandless twp#	---	189	2	2	2
McKeesport	---	457	6	5	6
White	---	415	2	1	5
All other	---	42	4	4	1
Black	---	42	4	4	1
Monroeville	---	235	2	2	1
Mount Lebanon twp#	---	378	4	4	3
Munhall	---	186	1	-	1
North Versailles twp#	---	139	1	1	-
Penn Hills twp#	---	493	10	6	1
White	---	457	8	4	1
All other	---	36	2	2	-
Black	---	36	2	2	-
Pittsburgh	---	5,767	100	80	68
White	---	4,535	41	31	32
All other	---	1,232	59	49	36
Black	---	1,223	59	49	35
Plum	---	133	3	2	-
Ross twp#	---	315	5	5	-
Scott twp#	---	277	-	-	1
Shaler twp#	---	248	3	3	3
South Park twp#	---	63	3	3	1
Swissvale	---	152	2	2	-
Upper St. Clair twp#	---	91	2	1	-
West Mifflin	---	289	7	6	4
Whitehall	---	145	2	2	2
Wilkinsburg	---	299	1	1	-
White	---	243	1	1	-
All other	---	56	-	-	-
Black	---	56	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	4,556	41	27	46
White	---	4,371	39	25	38
All other	---	185	2	2	8
Black	---	179	2	2	7
Armstrong	698	885	12	7	11
Beaver	1,613	2,037	27	21	20
White	1,489	1,896	19	15	16
All other	124	141	8	6	4
Black	123	139	8	6	4
Aliquippa	---	254	5	4	4
White	---	182	2	2	1
All other	---	72	3	2	3
Black	---	71	3	2	3
Beaver Falls	---	157	5	4	-
White	---	130	-	-	-
All other	---	27	5	4	-
Black	---	27	5	4	-
Balance of county	---	1,626	17	13	16
Bedford	306	466	8	4	4
Berks	2,992	3,107	36	22	32
Muhlenberg twp#	---	115	-	-	1
Reading	---	997	14	8	11
White	---	944	10	5	8
All other	---	53	4	3	3
Black	---	52	4	3	3
Balance of county	---	1,995	22	14	20
Blair	1,918	1,614	24	17	16
Altoona	---	784	11	8	4
Balance of county	---	830	13	9	12
Bradford	761	572	9	3	12
Bucks	3,528	3,554	66	53	70
White	3,446	3,479	60	48	65
All other	82	75	6	5	5
Black	76	66	6	5	5
Bensalem twp#	---	296	9	8	10
Bristol	---	138	1	-	3
Bristol twp#	---	348	8	7	10
Falls twp#	---	250	6	5	3
Lower Southampton twp#	---	147	2	1	4
Middletown twp#	---	207	4	3	6
Northampton twp#	---	131	3	2	2
Upper Southampton twp#	---	116	-	-	-
Warminster twp#	---	209	2	2	3
Balance of county	---	1,712	31	25	29
White	---	1,689	29	23	27
All other	---	23	2	2	2
Black	---	19	2	2	2
Butler	1,134	1,379	17	11	17
Butler	---	218	2	2	3
Balance of county	---	1,161	15	9	14
Cambria	1,905	1,915	27	19	26
Johnstown	---	511	9	6	8
Balance of county	---	1,404	18	13	18
Cameron	40	89	1	-	1
Carbon	478	657	4	3	5
Centre	709	661	15	15	9
State College	---	102	1	1	1
Balance of county	---	559	14	14	8
Chester	2,380	2,475	47	33	39
White	2,190	2,276	37	25	32
All other	190	199	10	8	7
Black	182	193	7	6	7
Coatesville	---	202	6	5	4
White	---	152	1	-	-
All other	---	50	5	5	4
Black	---	49	4	4	4
Phoenixville	---	177	4	3	1
Tredyffrin twp#	---	158	-	-	-
West Chester	---	177	2	2	4
White	---	142	1	1	3
All other	---	35	1	1	1
Black	---	35	1	1	1
West Goshen twp#	---	114	1	-	1
Balance of county	---	1,647	34	23	29
White	---	1,555	32	22	27
All other	---	92	2	1	2
Black	---	89	2	1	2
Clarion	291	407	4	3	7
Clearfield	810	866	14	13	13
Clinton	324	370	3	3	6
Columbia	625	617	4	2	8
Berwick	---	165	1	-	1
Bloomsburg	---	116	1	-	1
Balance of county	---	336	2	2	6
Crawford	786	872	5	4	16
Meadville	---	225	-	-	3
Balance of county	---	647	5	4	13
Pennsylvania-Con.					
Cumberland	1,514	1,530	21	16	14
Carlisle	---	216	5	3	3
East Pennsboro twp#	---	144	3	3	-
Lower Allen twp#	---	93	2	2	-
Balance of county	---	1,077	11	8	11
Dauphin	2,860	2,238	45	33	47
White	2,604	1,977	31	24	28
All other	256	261	14	9	19
Black	250	257	14	9	18
Harrisburg	---	681	21	15	23
White	---	469	7	6	5
All other	---	212	14	9	18
Black	---	210	14	9	17
Lower Paxton twp#	---	281	7	3	4
Middletown	---	1	-	-	1
Susquehanna twp#	---	139	1	1	2
White	---	136	1	1	1
All other	---	3	-	-	1
Black	---	3	-	-	1
Swatara twp#	---	204	2	2	-
Balance of county	---	932	14	12	17
Delaware	5,385	5,842	66	49	65
White	4,900	5,367	51	35	50
All other	485	475	15	14	15
Black	480	463	14	13	14
Aston twp#	---	133	2	2	-
Chester	---	574	18	13	8
White	---	316	8	4	1
All other	---	258	10	9	7
Black	---	257	10	9	7
Darby	---	175	1	1	1
White	---	153	1	1	1
All other	---	22	-	-	-
Black	---	22	-	-	-
Darby twp#	---	63	-	-	-
White	---	35	-	-	-
All other	---	28	-	-	-
Black	---	28	-	-	-
Haverford twp#	---	523	1	-	7
Lansdowne	---	144	1	-	2
Marple twp#	---	307	3	3	3
Middletown twp#	---	184	1	1	1
Nether Providence twp#	---	119	2	1	3
Newtown twp#	---	98	-	-	-
Radnor twp#	---	203	-	-	1
Ridley twp#	---	213	1	1	2
Springfield twp#	---	276	1	1	-
Upper Chichester twp#	---	117	4	3	2
Upper Darby twp#	---	923	10	5	5
Yeadon	---	154	-	-	-
White	---	124	-	-	-
All other	---	30	-	-	-
Black	---	30	-	-	-
Balance of county	---	1,636	21	18	30
White	---	1,562	19	16	23
All other	---	74	2	2	7
Black	---	72	2	2	6
Elk	293	324	5	3	5
Erie	2,978	2,680	55	40	41
White	2,898	2,601	49	34	37
All other	80	79	6	6	4
Black	78	79	6	6	4
Erie	---	1,387	28	22	23
White	---	1,315	22	16	20
All other	---	72	6	6	3
Black	---	72	6	6	3
Millcreek twp#	---	344	3	2	2
Balance of county	---	949	24	16	16
Fayette	1,464	1,853	20	9	19
Connellsville	---	152	3	1	3
Uniontown	---	273	2	2	1
Balance of county	---	1,428	15	6	15
Forest	24	57	1	1	-
Franklin	969	1,005	17	15	6
Chambersburg	---	247	3	3	1
Balance of county	---	758	14	12	5
Fulton	105	122	1	1	-
Greene	282	392	4	4	5
Huntingdon	301	394	2	1	5
Indiana	645	797	8	6	10
Indiana	---	126	3	3	1
Balance of county	---	671	5	3	9
Jefferson	380	504	9	5	9
Juniata	97	189	2	1	2
Lackawanna	2,979	2,842	27	18	33
Carbondale	---	149	3	2	-
Dunmore	---	189	1	-	5
Scranton	---	1,326	16	13	11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	1,178	7	3	17
Lancaster	3,093	3,116	53	32	50
Columbia	---	137	3	2	-
Ephrata	---	82	2	1	5
Lancaster	---	668	20	11	10
White	---	636	16	9	8
All other	---	32	4	2	2
Black	---	31	3	1	2
Lancaster twp#	---	143	1	1	1
Manheim twp#	---	251	2	1	1
Balance of county	---	1,835	25	16	33
Lawrence	1,080	1,113	16	8	15
New Castle	---	481	5	4	4
Balance of county	---	632	11	4	11
Lebanon	1,121	1,041	14	8	13
Lebanon	---	326	6	4	5
Balance of county	---	715	8	4	8
Lehigh	3,590	2,590	24	16	26
Allentown	---	1,179	13	9	13
Bethlehem, part	---	218	1	1	1
Emmaus	---	101	-	-	-
Salisbury twp#	---	62	-	-	3
Whitehall twp#	---	167	-	-	-
Balance of county	---	863	10	6	9
Luzerne	4,170	4,170	36	31	37
Hazleton	---	393	6	6	3
Kingston	---	207	2	1	3
Nanticoke	---	219	1	1	-
Wilkes-Barre	---	766	5	5	9
Balance of county	---	2,585	22	18	22
Lycoming	1,316	1,217	15	11	13
Williamsport	---	359	5	3	1
Balance of county	---	858	10	8	12
McKean	482	546	6	4	4
Bradford	---	165	2	1	1
Balance of county	---	381	4	3	3
Mercer	1,374	1,297	18	12	10
Sharon	---	224	4	1	2
Balance of county	---	1,073	14	11	8
Mifflin	504	449	6	2	4
Monroe	671	652	9	7	8
Montgomery	6,778	5,986	99	73	93
White	6,308	5,715	88	67	81
All other	470	271	11	6	12
Black	452	256	9	5	11
Abington twp#	---	628	13	11	9
Cheltenham twp#	---	356	4	3	4
East Norriton twp#	---	98	-	-	1
Hatfield twp#	---	72	4	4	3
Lansdale	---	202	6	4	4
Lower Merion twp#	---	624	5	5	6
Lower Moreland twp#	---	71	1	1	-
Lower Providence twp#	---	92	3	3	4
Norristown	---	441	16	11	6
White	---	350	13	9	5
All other	---	91	3	2	1
Black	---	89	3	2	1
Plymouth twp#	---	131	1	1	1
Pottstown	---	309	5	1	5
White	---	285	3	1	5
All other	---	24	2	-	-
Black	---	24	2	-	-
Springfield twp#	---	255	1	-	2
Towamencin twp#	---	59	-	-	1
Upper Dublin twp#	---	122	-	-	3
Upper Merion twp#	---	165	3	3	3
Upper Moreland twp#	---	216	2	1	4
West Norriton twp#	---	95	2	2	1
Whitemarsh twp#	---	158	-	-	5
Balance of county	---	1,892	33	23	31
White	---	1,848	31	23	27
All other	---	44	2	-	4
Black	---	41	1	-	4
Montour	862	228	3	3	-
Northampton	1,288	2,130	21	15	17
Bethlehem, part	---	550	5	4	3
Bethlehem, total	---	768	6	5	4
Easton	---	346	9	5	4
White	---	328	8	4	4
All other	---	18	1	1	-
Black	---	17	1	1	-
Palmer twp#	---	104	-	-	-
Balance of county	---	1,130	7	6	10
Northumberland	883	1,268	10	5	6
Shamokin	---	177	3	1	-
Sunbury	---	192	2	2	1
Pennsylvania-Con.					
Balance of county	---	899	5	2	5
Perry	140	308	4	4	3
Philadelphia, coext. with Philadelphia city	20,358	20,015	429	272	360
White	13,767	13,224	159	104	127
All other	6,591	6,791	270	168	233
Black	6,504	6,717	263	164	228
Pike	87	215	-	-	3
Potter	164	184	1	-	5
Schuylkill	1,832	2,054	14	6	15
Pottsville	---	248	-	-	1
Balance of county	---	1,806	14	6	14
Snyder	134	273	3	2	2
Somerset	683	807	17	13	12
Sullivan	46	85	-	-	2
Susquehanna	245	356	7	4	6
Tioga	339	390	4	4	5
Union	379	302	6	3	9
Venango	663	647	5	3	5
Oil City	---	169	-	-	-
Balance of county	---	478	5	3	5
Warren	497	528	10	6	7
Warren	---	184	4	3	3
Balance of county	---	344	6	3	4
Washington	2,176	2,291	30	19	26
Canonsburg	---	134	2	2	4
Washington	---	256	2	2	4
White	---	228	2	2	2
All other	---	28	-	-	2
Black	---	27	-	-	-
Balance of county	---	1,901	26	15	18
Wayne	385	437	5	1	3
Westmoreland	3,591	3,916	47	44	43
Greensburg	---	244	3	3	4
Hempfield twp#	---	399	5	5	3
Jeannette	---	171	3	2	5
Latrobe	---	129	-	-	-
Lower Burrell	---	115	3	3	2
Monessen	---	169	2	2	-
White	---	152	1	1	-
All other	---	17	1	1	-
Black	---	17	1	1	-
Municipality of Murrysville	---	115	2	1	-
New Kensington	---	278	2	2	1
North Huntingdon twp#	---	210	3	3	5
Balance of county	---	2,086	24	23	23
Wyoming	184	216	5	5	5
York	2,546	2,590	34	20	36
White	2,475	2,518	33	20	35
All other	71	72	1	-	1
Black	70	72	1	-	1
Hanover	---	192	2	1	-
Springettsbury twp#	---	256	-	-	3
Spring Garden twp#	---	137	2	1	-
York	---	538	8	5	8
White	---	474	7	5	7
All other	---	64	1	-	1
Black	---	64	1	-	1
Balance of county	---	1,467	22	13	25
Rhode Island	9,496	9,307	147	114	98
White	9,235	9,050	124	98	83
All other	261	257	23	16	15
Black	215	211	19	14	14
Bristol	261	434	8	5	3
Barrington town#	---	123	-	-	1
Bristol town#	---	184	6	3	2
Warren town#	---	124	2	2	-
Balance of county	---	3	-	-	-
Kent	1,313	1,451	21	18	9
Coventry town#	---	186	1	1	3
Warwick	---	904	15	13	5
West Warwick town#	---	250	3	3	-
Balance of county	---	111	2	1	1
Newport	514	663	12	10	10
Middletown town#	---	111	-	-	1
Newport	---	292	6	6	4
White	---	273	5	5	2
All other	---	19	1	1	2
Black	---	17	-	-	1
Balance of county	---	260	6	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Rhode Island-Con.					
Providence	6,737	6,066	95	72	65
White	6,518	5,863	74	58	54
All other	219	203	21	14	11
Black	193	182	18	13	11
Central Falls	---	201	4	3	4
Cranston	---	750	8	7	5
Cumberland town#	---	230	4	4	3
East Providence	---	561	12	11	4
Johnston town#	---	201	1	1	1
North Providence town#	---	260	2	2	2
Pawtucket	---	866	11	8	7
Providence	---	1,805	42	28	26
White	---	1,649	28	20	20
All other	---	156	14	8	6
Black	---	141	12	8	6
Woonsocket	---	497	8	7	6
Balance of county	---	695	3	1	7
Washington	671	693	11	9	11
South Carolina	25,312	26,164	760	497	610
White	17,131	17,748	343	216	263
All other	8,181	8,416	417	281	347
Black	8,148	8,365	414	279	345
Abbeville	159	198	4	3	6
White	92	127	2	2	2
All other	67	71	2	1	4
Black	67	71	2	1	4
Aiken	602	929	13	9	30
White	403	683	8	5	15
All other	199	246	5	4	15
Black	199	246	5	4	15
Aiken	---	249	3	3	5
White	---	176	1	1	2
All other	---	73	2	2	3
Black	---	73	2	2	3
North Augusta	---	128	2	1	7
White	---	103	2	1	6
All other	---	25	-	-	1
Black	---	25	-	-	1
Balance of county	---	552	8	5	18
White	---	404	5	3	7
All other	---	148	3	2	11
Black	---	148	3	2	11
Allendale	92	112	7	2	2
White	23	39	2	1	-
All other	69	73	5	1	2
Black	69	73	5	1	2
Anderson	1,143	1,164	35	24	19
White	924	945	23	14	9
All other	219	219	12	10	10
Black	218	219	12	10	10
Anderson	---	470	13	7	4
White	---	357	8	3	2
All other	---	113	5	4	2
Black	---	113	5	4	2
Balance of county	---	694	22	17	15
White	---	588	15	11	7
All other	---	106	7	6	8
Black	---	106	7	6	8
Bamberg	125	147	3	1	5
White	63	76	-	-	-
All other	62	71	3	1	5
Black	62	71	3	1	5
Barnwell	133	187	7	6	6
White	65	98	2	1	3
All other	68	89	5	5	3
Black	68	89	5	5	3
Beaufort	432	499	23	14	21
White	255	302	14	10	12
All other	177	197	9	4	9
Black	176	195	9	4	9
Berkeley	200	528	22	14	12
White	125	336	10	5	7
All other	75	192	12	9	5
Black	75	191	12	9	5
Goose Creek	---	44	4	1	1
White	---	39	4	1	-
All other	---	5	-	-	1
Black	---	4	-	-	1
Hanahan	---	52	2	1	1
North Charleston, part	---	-	-	-	-
Balance of county	---	492	16	12	10
White	---	246	5	3	6
All other	---	186	11	9	4
Black	---	186	11	9	4
South Carolina-Con.					
Calhoun	44	107	1	1	3
White	16	49	-	-	2
All other	28	58	1	1	1
Black	27	57	1	1	1
Charleston	2,992	2,011	65	43	66
White	1,856	1,204	27	15	25
All other	1,136	807	38	28	41
Black	1,131	805	37	27	41
Charleston	---	858	17	12	19
White	---	441	5	2	6
All other	---	417	12	10	13
Black	---	417	12	10	13
Mount Pleasant	---	150	2	1	2
North Charleston, part	---	184	10	7	20
White	---	135	7	4	12
All other	---	49	3	3	8
Black	---	49	3	3	8
North Charleston, total	---	184	10	7	20
White	---	135	7	4	12
All other	---	49	3	3	8
Black	---	49	3	3	8
Balance of county	---	819	36	23	25
White	---	503	13	8	6
All other	---	316	23	15	19
Black	---	314	22	14	19
Cherokee	264	344	2	2	10
White	210	284	2	2	6
All other	54	60	-	-	4
Black	54	60	-	-	4
Gaffney	---	169	-	-	8
White	---	130	-	-	4
All other	---	39	-	-	4
Black	---	39	-	-	4
Balance of county	---	175	2	2	2
White	---	154	2	2	2
All other	---	21	-	-	-
Black	---	21	-	-	-
Chester	212	293	9	6	9
White	133	197	2	2	6
All other	79	96	7	4	3
Black	79	96	7	4	3
Chesterfield	280	371	13	7	11
White	189	265	9	5	4
All other	91	106	4	2	7
Black	91	106	4	2	7
Clarendon	209	251	15	10	11
White	78	96	3	3	4
All other	131	155	12	7	7
Black	131	155	12	7	7
Colleton	297	326	12	4	6
White	154	182	3	1	1
All other	143	144	9	3	5
Black	142	144	9	3	5
Darlington	461	574	19	12	22
White	297	365	7	5	8
All other	164	209	12	7	14
Black	164	209	12	7	14
Dillon	187	273	12	6	8
White	114	163	4	3	3
All other	73	110	8	3	5
Black	71	108	8	3	5
Dorchester	173	420	16	14	9
White	112	285	7	6	5
All other	61	135	9	8	4
Black	61	135	9	8	4
Edgefield	102	158	2	-	2
White	61	81	1	-	2
All other	41	77	1	-	-
Black	41	77	1	-	-
Fairfield	154	222	3	3	6
White	69	94	-	-	1
All other	85	128	3	3	5
Black	85	128	3	3	5
Florence	1,282	1,023	29	22	23
White	730	580	8	7	7
All other	552	443	21	15	16
Black	551	442	21	15	16
Florence	---	369	12	10	9
White	---	159	2	2	3
All other	---	210	10	8	6
Black	---	209	10	8	6
Balance of county	---	654	17	12	14
White	---	421	6	5	4
All other	---	233	11	7	10
Black	---	233	11	7	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Georgetown	313	338	12	6	5
White	174	186	4	3	1
All other	139	152	8	3	4
Black	139	152	8	3	4
Georgetown	---	113	4	2	1
White	---	63	2	1	-
All other	---	50	2	1	1
Black	---	50	2	1	1
Balance of county	---	225	8	4	4
White	---	123	2	2	1
All other	---	102	6	2	3
Black	---	102	6	2	3
Greenville	2,480	2,303	53	38	35
White	2,027	1,878	31	20	24
All other	453	425	22	18	11
Black	452	424	22	18	11
Greenville	---	667	11	8	12
White	---	436	2	2	6
All other	---	231	9	6	6
Black	---	230	9	6	6
Greer, part	---	129	1	1	2
White	---	117	1	1	2
All other	---	12	-	-	-
Black	---	12	-	-	-
Greer, total	---	160	1	1	4
White	---	139	1	1	3
All other	---	21	-	-	1
Black	---	21	-	-	1
Balance of county	---	1,507	41	29	21
White	---	1,325	28	17	16
All other	---	182	13	12	5
Black	---	182	13	12	5
Greenwood	598	490	15	10	6
White	421	341	6	4	2
All other	177	149	9	6	4
Black	177	149	9	6	4
Greenwood	---	261	6	3	5
White	---	167	1	-	1
All other	---	94	5	3	4
Black	---	94	5	3	4
Balance of county	---	229	9	7	1
White	---	174	5	4	1
All other	---	55	4	3	-
Black	---	55	4	3	-
Hampton	106	152	8	6	5
White	48	71	-	-	-
All other	58	81	8	6	5
Black	58	80	8	6	5
Horry	914	942	26	15	21
White	723	746	17	8	10
All other	191	196	9	7	11
Black	186	193	9	7	10
Conway	---	120	1	-	3
White	---	77	1	-	-
All other	---	43	-	-	3
Black	---	43	-	-	2
Myrtle Beach	---	158	5	2	4
White	---	133	3	-	3
All other	---	25	2	2	1
Black	---	24	2	2	1
Balance of county	---	664	20	13	14
White	---	536	13	8	7
All other	---	128	7	5	7
Black	---	126	7	5	7
Jasper	80	112	3	2	5
White	31	37	3	2	1
All other	49	75	-	-	4
Black	49	75	-	-	4
Kershaw	248	299	6	4	8
White	152	184	4	3	5
All other	96	115	2	1	3
Black	95	114	2	1	3
Lancaster	332	420	8	4	12
White	247	308	6	3	2
All other	85	112	2	1	10
Black	85	112	2	1	10
Laurens	389	500	12	7	8
White	276	357	5	2	2
All other	113	143	7	5	6
Black	113	143	7	5	6
Laurens	---	137	3	3	3
White	---	88	1	1	-
All other	---	49	2	2	3
Black	---	49	2	2	3
Balance of county	---	363	9	4	5
White	---	269	4	1	2
All other	---	94	5	3	3
Black	---	94	5	3	3
South Carolina-Con.					
Lee	94	151	8	3	6
White	36	71	2	2	1
All other	58	80	6	1	5
Black	58	80	6	1	5
Lexington	736	983	31	24	17
White	637	857	18	14	14
All other	99	126	13	10	3
Black	98	126	13	10	3
Cayce	---	70	2	2	-
White	---	58	1	1	-
All other	---	12	1	1	-
Black	---	12	1	1	-
West Columbia	---	184	5	4	2
White	---	170	2	2	2
All other	---	14	3	2	-
Black	---	14	3	2	-
Balance of county	---	729	24	18	15
White	---	629	15	11	12
All other	---	100	9	7	3
Black	---	100	9	7	3
McCormick	22	59	1	1	4
White	10	30	1	1	1
All other	12	29	-	-	3
Black	12	29	-	-	3
Marion	387	352	14	12	9
White	187	149	2	2	-
All other	200	203	12	10	9
Black	200	203	12	10	9
Marlboro	232	309	11	6	11
White	135	187	6	2	4
All other	97	122	5	4	7
Black	97	121	5	4	7
Newberry	262	328	14	10	7
White	180	223	2	2	2
All other	82	105	12	8	5
Black	82	105	12	8	5
Oconee	416	463	11	8	4
White	371	408	7	4	3
All other	45	55	4	4	1
Black	45	55	4	4	1
Orangeburg	746	763	19	7	14
White	378	383	-	-	2
All other	368	380	19	7	12
Black	368	380	19	7	11
Orangeburg	---	183	3	-	6
White	---	107	-	-	1
All other	---	76	3	-	5
Black	---	76	3	-	4
Balance of county	---	580	16	7	8
White	---	276	-	-	1
All other	---	304	16	7	7
Black	---	304	16	7	7
Pickens	453	584	16	13	13
Easley	---	137	3	3	2
White	---	118	2	2	1
All other	---	19	1	1	1
Black	---	19	1	1	1
Balance of county	---	447	13	10	11
Richland	3,213	2,256	55	42	37
White	2,103	1,410	22	15	15
All other	1,110	846	33	27	22
Black	1,106	841	32	26	22
Columbia	---	1,219	29	26	18
White	---	802	10	8	5
All other	---	417	19	18	13
Black	---	414	19	18	13
Balance of county	---	1,037	26	16	19
White	---	608	12	7	10
All other	---	429	14	9	9
Black	---	427	13	8	9
Saluda	78	151	3	2	7
White	63	114	1	-	-
All other	15	37	2	2	7
Black	15	37	2	2	7
Spartanburg	1,825	1,822	55	30	34
White	1,431	1,433	33	17	19
All other	394	389	22	13	15
Black	389	383	21	13	15
Greer, part	---	31	-	-	2
White	---	22	-	-	1
All other	---	9	-	-	1
Black	---	9	-	-	1
Spartanburg	---	539	10	5	12
White	---	359	4	3	5
All other	---	180	6	2	7
Black	---	178	6	2	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Balance of county	---	1,252	45	25	20
White	---	1,052	29	14	13
All other	---	200	16	11	7
Black	---	196	15	11	7
Sumter	634	699	28	20	18
White	324	370	10	6	9
All other	310	329	18	14	9
Black	309	329	18	14	9
Sumter	---	362	11	8	7
White	---	215	3	2	2
All other	---	147	8	6	5
Black	---	147	8	6	5
Balance of county	---	337	17	12	11
White	---	155	7	4	7
All other	---	182	10	8	4
Black	---	182	10	8	4
Union	262	334	6	4	6
White	180	228	3	2	5
All other	82	106	3	2	1
Black	80	104	3	2	1
Union	---	141	2	1	2
White	---	99	-	-	1
All other	---	42	2	1	1
Black	---	40	2	1	1
Balance of county	---	193	4	3	4
White	---	129	3	2	4
All other	---	64	1	1	-
Black	---	64	1	1	-
Williamsburg	219	334	6	2	13
White	74	124	1	-	-
All other	145	210	5	2	13
Black	145	210	5	2	13
York	730	883	27	18	18
White	553	673	12	7	9
All other	177	210	15	11	9
Black	176	209	15	11	9
Rock Hill	---	330	8	5	5
White	---	227	2	2	2
All other	---	103	6	3	3
Black	---	103	6	3	3
Balance of county	---	553	19	13	13
White	---	446	10	5	7
All other	---	107	9	8	6
Black	---	106	9	8	6
South Dakota [7]	6,581	6,628	135	73	95
White	6,190	6,200	88	66	72
All other	391	428	47	17	23
Black	5	5	1	-	-
Aurora	27	56	-	-	-
Beadle	205	199	4	2	2
Huron	---	158	3	1	2
Balance of county	---	41	1	1	-
Bennett	31	34	3	1	4
White	13	20	2	1	2
All other	18	14	1	-	2
Black	-	-	-	-	-
Bon Homme	72	89	2	2	-
Brookings	171	194	2	2	3
Brookings	---	111	1	1	2
Balance of county	---	83	1	1	1
Brown	378	312	5	2	6
Aberdeen	---	226	3	1	5
Balance of county	---	86	2	1	1
Brule	28	37	2	-	1
Buffalo	2	7	1	-	1
White	1	-	-	-	-
All other	1	7	1	-	1
Black	-	-	-	-	-
Butte	75	95	1	-	1
Campbell	5	25	-	-	-
Charles Mix	101	106	3	2	3
White	84	85	1	1	1
All other	17	21	2	1	2
Black	-	-	-	-	-
Clark	23	61	-	-	-
Clay	66	92	1	1	2
Vermillion	---	47	1	1	-
Balance of county	---	45	-	-	2
Codington	241	195	3	2	5
Watertown	---	165	2	2	5
Balance of county	---	30	1	-	-
South Dakota-Con.					
Corson	16	47	3	1	-
White	4	16	-	-	-
All other	12	31	3	1	-
Black	-	-	-	-	-
Custer	45	61	-	-	-
Davison	253	183	4	2	1
Mitchell	---	156	3	2	1
Balance of county	---	27	1	-	-
Day	48	100	1	-	-
Douel	57	68	-	-	1
Dewey	30	42	-	-	1
White	7	15	-	-	-
All other	23	27	-	-	1
Black	-	-	-	-	-
Douglas	34	40	-	-	-
Edmunds	55	61	1	-	-
Fall River	141	121	1	-	-
Faulk	33	43	1	1	1
Grant	87	112	3	2	1
Gregory	69	87	-	-	1
Haakon	21	25	2	2	-
Hamlin	40	68	1	-	-
Hand	52	57	1	1	3
Hanson	9	26	-	-	-
Harding	6	13	-	-	-
Hughes	116	111	6	5	-
Pierre	---	97	6	5	-
Balance of county	---	14	-	-	-
Hutchinson	124	119	-	-	1
Hyde	13	22	-	-	-
Jackson	14	31	2	-	1
White	11	19	-	-	-
All other	3	12	2	-	1
Black	-	1	-	-	-
Jerauld	30	28	-	-	-
Jones	4	14	-	-	-
Kingsbury	108	104	1	1	2
Lake	71	80	-	-	2
Lawrence	143	180	7	5	1
Lincoln	99	149	2	2	1
Sioux Falls, part	---	1	-	-	-
Balance of county	---	148	2	2	1
Lyman	13	39	2	2	2
White	11	32	-	-	1
All other	2	7	2	2	1
Black	-	-	-	-	-
McCook	50	83	-	-	1
McPherson	38	53	-	-	2
Marshall	52	75	1	1	-
Meade	181	140	2	1	4
Mellette	11	23	1	-	1
White	5	8	-	-	-
All other	6	15	1	-	1
Black	-	-	-	-	-
Miner	33	71	-	-	-
Minnehaha	1,477	906	13	9	8
Sioux Falls, part	---	729	10	7	5
Sioux Falls, total	---	730	10	7	5
Balance of county	---	177	3	2	3
Moody	57	70	-	-	1
Pennington	635	509	13	10	7
Rapid City	---	395	9	8	4
Balance of county	---	114	4	2	3
Perkins	26	49	-	-	1
Potter	34	38	-	-	1
Roberts	90	130	4	3	1
White	78	116	2	1	-
All other	12	14	2	2	1
Black	-	-	-	-	-
Sanborn	8	35	-	-	-
Shannon	61	95	14	3	7
White	2	3	-	-	-
All other	59	92	14	3	7
Black	-	-	-	-	-
Spink	56	96	1	1	-
Stanley	2	14	1	-	-
Sully	5	14	-	-	1
Todd	40	64	9	3	2
White	1	8	-	-	-
All other	39	56	9	3	2
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Tripp	66	77	2	-	2
Turner	98	149	1	1	-
Union	56	125	2	-	-
Walworth	114	105	2	1	4
Yankton	204	154	4	2	5
Yankton	---	121	3	1	4
Balance of county	---	33	1	1	1
Ziebach	31	20	-	-	-
White	20	10	-	-	-
All other	11	10	-	-	-
Black	-	-	-	-	-
Tennessee [7]	44,377	41,621	836	549	507
White	36,787	34,457	539	355	364
All other	7,590	7,164	297	194	143
Black	7,550	7,129	293	193	141
Anderson	638	563	9	5	10
Oak Ridge, part	---	217	4	2	4
Oak Ridge, total	---	220	4	2	4
Balance of county	---	346	5	3	6
Bedford	234	296	4	1	5
White	197	255	2	-	4
All other	37	41	2	1	1
Black	37	41	2	1	1
Shelbyville	---	156	2	1	3
White	---	127	-	-	2
All other	---	29	2	1	1
Black	---	29	2	1	1
Balance of county	---	140	2	-	2
Benton	157	176	3	1	3
Bledsoe	42	72	1	1	-
Blount	668	729	14	8	5
Maryville	---	235	3	2	-
Balance of county	---	494	11	6	5
Bradley	502	483	9	5	9
Cleveland	---	285	7	3	4
Balance of county	---	198	2	2	5
Campbell	303	348	8	4	6
Cannon	92	108	-	-	-
Carroll	239	322	3	3	-
White	221	293	3	3	-
All other	18	29	-	-	-
Black	18	29	-	-	-
Carter	378	522	9	6	9
Elizabethton	---	182	3	2	-
Johnson City, part	---	2	-	-	-
Balance of county	---	338	6	4	9
Cheatham	61	164	2	1	3
Chester	48	109	3	3	3
White	41	94	3	3	2
All other	7	15	-	-	1
Black	7	15	-	-	1
Claiborne	219	245	3	2	2
Clay	51	77	2	2	-
Cocke	204	290	6	6	1
Coffee	310	345	6	3	3
Tullahoma, part	---	163	-	-	-
Tullahoma, total	---	166	-	-	1
Balance of county	---	182	6	3	3
Crockett	42	156	2	-	3
White	36	137	1	-	2
All other	6	19	1	-	1
Black	6	19	1	-	1
Cumberland	297	266	3	2	2
Davidson	6,140	4,382	98	62	48
White	4,923	3,309	52	34	35
All other	1,217	1,073	46	28	13
Black	1,209	1,067	45	27	13
Nashville-Davidson	---	4,311	98	62	37
White	---	3,239	52	34	25
All other	---	1,072	46	28	12
Black	---	1,066	45	27	12
Balance of county	---	71	-	-	11
Decatur	85	116	-	-	1
De Kalb	126	148	4	2	1
Dickson	308	300	4	4	6
Dyer	329	344	7	4	3
White	282	293	7	4	3
All other	47	51	-	-	-
Black	47	51	-	-	-
Tennessee-Con.					
Dyersburg	---	189	6	4	2
White	---	150	6	4	2
All other	---	39	-	-	-
Black	---	39	-	-	-
Balance of county	---	155	1	-	1
Fayette	152	220	7	4	4
White	86	96	1	1	1
All other	66	124	6	3	3
Black	66	124	6	3	3
Fentress	123	158	4	3	1
Franklin	301	311	1	1	7
Tullahoma, part	---	3	-	-	1
Balance of county	---	308	1	1	6
Gibson	476	590	5	3	2
White	386	492	3	2	2
All other	90	98	2	1	-
Black	90	98	2	1	-
Humboldt	---	133	-	-	1
White	---	88	-	-	1
All other	---	45	-	-	-
Black	---	45	-	-	-
Balance of county	---	457	5	3	1
White	---	404	3	2	1
All other	---	53	2	1	-
Black	---	53	2	1	-
Giles	223	295	6	5	6
White	181	236	4	3	3
All other	42	59	2	2	3
Black	42	58	2	2	3
Grainger	57	137	3	1	2
Greene	513	494	6	6	3
Greeneville	---	178	1	1	2
Balance of county	---	316	5	5	1
Grundy	60	116	3	2	2
Hamblen	468	442	5	4	2
Morristown	---	238	3	2	1
Balance of county	---	204	2	2	1
Hamilton	3,007	2,597	44	31	30
White	2,433	2,031	27	20	16
All other	574	566	17	11	14
Black	570	563	17	11	14
Chattanooga	---	1,772	33	22	28
White	---	1,226	18	13	14
All other	---	546	15	9	14
Black	---	544	15	9	14
East Ridge	---	198	3	2	-
Red Bank	---	74	1	-	-
Balance of county	---	553	7	7	2
Hancock	39	70	1	-	-
Hardeman	165	231	5	1	2
White	113	158	3	1	1
All other	52	73	2	-	1
Black	52	73	2	-	1
Hardin	154	212	2	1	1
Hawkins	169	358	6	4	6
Kingsport, part	---	2	-	-	-
White	---	2	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	356	6	4	6
Haywood	184	206	2	2	4
White	85	104	1	1	1
All other	79	102	1	1	3
Black	79	102	1	1	3
Henderson	150	208	4	2	-
Henry	320	346	3	1	2
White	283	303	3	1	2
All other	37	43	-	-	-
Black	37	43	-	-	-
Paris	---	149	-	-	1
White	---	120	-	-	1
All other	---	29	-	-	-
Black	---	29	-	-	-
Balance of county	---	197	3	1	1
Hickman	111	162	-	-	2
Houston	98	79	-	-	-
Humphreys	108	169	3	1	1
Jackson	70	91	-	-	2
Jefferson	223	311	2	-	5
Johnson	98	133	1	-	3
Knox	3,679	2,724	50	35	32
White	3,374	2,453	42	30	26
All other	305	271	8	5	6
Black	299	268	7	5	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Knoxville	---	1,826	36	29	20
White	---	1,569	29	24	14
All other	---	257	7	5	6
Black	---	256	7	5	6
Balance of county	---	898	14	6	12
Lake	33	99	1	-	-
White	22	74	-	-	-
All other	11	25	1	-	-
Black	11	25	1	-	-
Lauderdale	167	287	8	4	3
White	113	199	5	3	3
All other	54	88	3	1	-
Black	54	88	3	1	-
Lawrence	296	350	2	2	5
Lawrenceburg	---	129	1	1	-
Balance of county	---	221	1	1	5
Lewis	53	81	3	1	4
Lincoln	188	248	5	4	2
White	167	224	3	3	2
All other	21	24	2	1	-
Black	21	24	2	1	-
Loudon	206	303	6	5	-
McMinn	393	399	7	5	1
Athens	---	117	1	1	1
Balance of county	---	282	6	4	-
McNairy	185	236	3	2	2
Macon	93	149	3	2	1
Madison	1,219	752	10	7	9
White	885	500	7	4	5
All other	334	252	3	3	4
Black	334	252	3	3	4
Jackson	---	559	7	5	7
White	---	360	5	3	4
All other	---	199	2	2	3
Black	---	199	2	2	3
Balance of county	---	193	3	2	2
White	---	140	2	1	1
All other	---	53	1	1	1
Black	---	53	1	1	1
Marion	186	251	6	5	2
Marshall	183	217	4	2	4
White	154	195	4	2	4
All other	29	22	-	-	-
Black	29	22	-	-	-
Maury	513	498	9	5	5
White	421	401	8	4	2
All other	92	97	1	1	3
Black	92	97	1	1	3
Columbia	---	249	2	1	4
White	---	202	2	1	2
All other	---	47	-	-	2
Black	---	47	-	-	2
Balance of county	---	249	7	4	1
White	---	199	6	3	-
All other	---	50	1	1	1
Black	---	50	1	1	1
Meigs	18	61	1	1	-
Monroe	198	263	4	-	3
Montgomery	575	591	23	16	15
White	458	469	17	13	11
All other	117	122	6	3	4
Black	114	119	5	3	4
Clarksville	---	377	20	15	7
White	---	276	14	12	5
All other	---	101	6	3	2
Black	---	98	5	3	2
Balance of county	---	214	3	1	8
White	---	193	3	1	6
All other	---	21	-	-	2
Black	---	21	-	-	2
Moore	5	27	-	-	-
Morgan	48	140	4	3	2
Obion	404	387	5	4	7
Union City	---	160	1	1	3
White	---	135	1	1	2
All other	---	25	-	-	1
Black	---	25	-	-	1
Balance of county	---	227	4	3	4
Overton	196	207	5	1	1
Perry	72	92	2	1	-
Pickett	5	40	-	-	1
Polk	90	140	-	-	-
Putnam	466	453	3	1	2
Tennessee-Con.					
Cookeville	---	182	1	-	-
Balance of county	---	271	2	1	2
Rhea	173	226	3	3	-
Roane	381	443	3	3	8
Oak Ridge, part	---	3	-	-	-
Balance of county	---	440	3	3	8
Robertson	276	310	2	1	6
White	235	261	1	1	6
All other	41	49	1	-	-
Black	41	49	1	-	-
Springfield	---	139	2	1	3
White	---	99	1	1	3
All other	---	40	1	-	-
Black	---	40	1	-	-
Balance of county	---	171	-	-	3
Rutherford	565	584	23	15	9
White	501	510	21	14	9
All other	64	74	2	1	-
Black	62	71	2	1	-
Murfreesboro	---	274	6	4	4
White	---	230	5	4	4
All other	---	44	1	-	-
Black	---	41	1	-	-
Balance of county	---	310	17	11	5
Scott	164	183	8	5	2
Sequatchie	78	75	1	-	1
Sevier	232	336	5	3	7
Shelby	8,662	6,579	213	151	107
White	5,196	3,598	51	36	36
All other	3,466	2,981	162	115	71
Black	3,458	2,973	162	115	70
Bartlett	---	20	2	1	2
Germantown	---	78	2	2	1
Memphis	---	6,144	198	137	101
White	---	3,277	41	27	31
All other	---	2,867	157	110	70
Black	---	2,860	157	110	69
Millington	---	75	4	4	-
White	---	56	3	3	-
All other	---	19	1	1	-
Black	---	19	1	1	-
Balance of county	---	262	7	7	3
White	---	174	3	3	3
All other	---	88	4	4	-
Black	---	88	4	4	-
Smith	126	149	2	-	1
Stewart	37	100	-	-	-
Sullivan	1,636	1,170	19	15	10
Bristol [4]	---	269	3	2	2
Kingsport, part	---	345	4	4	1
Kingsport, total	---	347	4	4	1
Balance of county	---	556	12	9	7
Sumner	481	601	12	8	5
Gallatin	---	194	3	1	3
White	---	154	2	-	3
All other	---	40	1	1	-
Black	---	40	1	1	-
Hendersonville	---	101	2	2	-
Balance of county	---	306	7	5	2
Tipton	250	297	10	5	10
White	147	197	3	1	6
All other	103	100	7	4	4
Black	103	100	7	4	4
Trousdale	65	77	-	-	-
White	56	64	-	-	-
All other	9	13	-	-	-
Black	9	13	-	-	-
Unicoi	87	161	3	3	-
Union	28	93	1	1	1
Van Buren	4	24	1	-	-
Warren	283	317	6	3	5
McMinnville	---	157	2	1	1
Balance of county	---	160	4	2	4
Washington	1,380	819	22	14	6
Johnson City, part	---	475	11	6	3
Johnson City, total	---	477	11	6	3
Balance of county	---	344	11	8	3
Wayne	84	129	1	1	1
Weakley	283	359	5	3	-
White	160	205	3	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Williamson	398	455	7	4	10
Franklin	---	176	3	3	3
White	---	140	3	3	1
All other	---	36	-	-	2
Black	---	36	-	-	2
Balance of county	---	279	4	1	7
Wilson	351	437	9	7	6
Lebanon	---	156	6	5	4
White	---	133	5	4	3
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of county	---	281	3	2	2
Texas	116,727	114,813	3,285	2,035	2,305
White	101,113	99,271	2,587	1,600	1,819
All other	15,614	15,542	678	435	486
Black	15,196	15,147	654	425	447
Anderson	345	433	8	4	6
White	257	335	7	3	3
All other	88	98	1	1	3
Black	88	98	1	1	3
Palestine	---	220	4	3	3
White	---	162	3	2	2
All other	---	58	1	1	1
Black	---	58	1	1	1
Balance of county	---	213	4	1	3
White	---	173	4	1	1
All other	---	40	-	-	2
Black	---	40	-	-	2
Andrews	106	94	5	4	2
Andrews	---	85	5	4	2
White	---	84	5	4	2
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	9	-	-	-
Angelina	606	601	8	5	10
White	523	528	6	3	8
All other	83	73	2	2	2
Black	83	73	2	2	2
Lufkin	---	289	4	3	7
White	---	228	2	1	5
All other	---	61	2	2	2
Black	---	61	2	2	2
Balance of county	---	312	4	2	3
White	---	300	4	2	3
All other	---	12	-	-	-
Black	---	12	-	-	-
Aransas	53	140	3	2	4
Archer	44	60	-	-	2
Wichita Falls, part	---	-	-	-	-
Balance of county	---	60	-	-	2
White	---	60	-	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Armstrong	31	28	4	3	-
Atascosa	164	217	4	2	2
Austin	198	234	2	2	6
White	157	188	2	2	4
All other	41	46	-	-	2
Black	41	46	-	-	2
Bailey	56	66	2	2	2
Bandera	30	85	2	1	-
Bastrop	176	282	6	5	1
White	150	236	4	3	1
All other	26	46	2	2	-
Black	23	46	2	2	-
Baylor	80	73	-	-	-
Bee	145	165	8	5	3
Beeville	---	103	5	4	2
White	---	97	5	4	2
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	62	3	1	1
White	---	61	3	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Bell	1,922	1,174	50	32	35
White	1,665	1,026	39	24	26
All other	257	148	11	8	9
Black	249	139	11	8	9
Belton	---	118	4	2	4
White	---	112	4	2	4
All other	---	6	-	-	-
Black	---	6	-	-	-
Texas-Con.					
Killeen	---	234	22	17	16
White	---	193	15	12	9
All other	---	41	7	5	7
Black	---	37	7	5	7
Temple	---	500	7	3	5
White	---	419	6	2	5
All other	---	81	1	1	-
Black	---	80	1	1	-
Balance of county	---	322	17	10	10
White	---	302	14	8	8
All other	---	20	3	2	2
Black	---	16	3	2	2
Bexar	8,796	7,457	221	133	142
White	8,057	6,782	200	124	126
All other	739	675	21	9	16
Black	701	639	19	9	16
San Antonio	---	6,355	179	104	117
White	---	5,733	165	99	103
All other	---	622	14	5	14
Black	---	601	13	5	14
Universal City	---	54	2	1	1
White	---	51	2	1	1
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	1,048	40	28	24
White	---	998	33	24	22
All other	---	50	7	4	2
Black	---	35	6	4	2
Blanco	48	61	1	1	-
Borden	4	6	1	1	-
Bosque	222	229	3	2	2
Bowie	707	744	12	5	11
White	549	580	5	2	6
All other	158	164	7	3	5
Black	158	163	7	3	5
Texarkana *	---	401	7	3	5
White	---	287	2	1	2
All other	---	114	5	2	3
Black	---	114	5	2	3
Balance of county	---	343	5	2	6
White	---	293	3	1	4
All other	---	50	2	1	2
Black	---	49	2	1	2
Brazoria	697	999	33	19	24
White	611	903	32	18	18
All other	86	96	1	1	6
Black	84	92	1	1	6
Alvin	---	136	3	2	1
Angleton	---	98	3	-	1
White	---	86	3	-	1
All other	---	12	-	-	-
Black	---	12	-	-	-
Freeport	---	81	3	2	5
White	---	71	2	1	3
All other	---	10	1	1	2
Black	---	10	1	1	2
Lake Jackson	---	74	2	2	2
Pearland, part	---	80	2	2	4
Pearland, total	---	81	2	2	4
Balance of county	---	530	20	11	11
White	---	459	20	11	7
All other	---	71	-	-	4
Black	---	68	-	-	4
Brazos	515	514	23	15	12
White	415	405	16	10	9
All other	100	109	7	5	3
Black	99	108	7	5	2
Bryan	---	373	18	12	7
White	---	289	13	8	5
All other	---	84	5	4	2
Black	---	84	5	4	2
College Station	---	87	3	2	4
Balance of county	---	54	2	1	1
White	---	47	2	1	1
All other	---	7	-	-	-
Black	---	7	-	-	-
Brewster	69	50	1	1	1
Briscoe	7	27	-	-	1
Brooks	70	60	-	-	-
Brown	388	428	7	5	3
Brownwood	---	276	5	3	2
White	---	267	5	3	2
All other	---	9	-	-	-
Black	---	9	-	-	-
Balance of county	---	152	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Burleson	99	171	3	1	4
White	87	142	3	1	1
All other	12	29	-	-	3
Black	12	29	-	-	3
Burnet	192	238	2	-	1
Caldwell	185	239	2	1	1
White	154	200	1	1	1
All other	31	39	1	-	-
Black	31	39	1	-	-
Calhoun	118	128	4	4	3
Port Lavaca	---	71	3	3	2
White	---	64	3	3	2
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	57	1	1	1
Callahan	75	141	1	1	-
Cameron	1,574	1,436	52	37	50
Brownsville	---	538	24	18	21
White	---	535	24	18	21
All other	---	3	-	-	-
Black	---	3	-	-	-
Harlingen	---	343	12	8	6
White	---	337	12	8	6
All other	---	6	-	-	-
Black	---	6	-	-	-
San Benito	---	150	4	4	7
White	---	150	4	4	7
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	405	12	7	16
White	---	405	12	7	16
All other	---	-	-	-	-
Black	---	-	-	-	-
Camp	143	144	1	1	3
White	100	108	-	-	1
All other	43	36	1	1	2
Black	43	36	1	1	2
Carson	31	65	1	1	-
Cass	271	319	6	6	8
White	205	240	5	5	6
All other	66	79	1	1	2
Black	65	78	1	1	2
Castro	52	69	4	2	3
Chambers	93	119	5	-	1
White	80	100	3	-	1
All other	13	19	2	-	-
Black	13	19	2	-	-
Baytown, part	---	-	-	-	-
Balance of county	---	119	5	-	1
White	---	100	3	-	1
All other	---	19	2	-	-
Black	---	19	2	-	-
Cherokee	397	435	5	3	8
White	337	366	4	3	6
All other	60	69	1	-	2
Black	60	69	1	-	2
Jacksonville	---	153	5	3	4
White	---	124	4	3	3
All other	---	29	1	-	1
Black	---	29	1	-	1
Balance of county	---	282	-	-	4
White	---	242	-	-	3
All other	---	40	-	-	1
Black	---	40	-	-	1
Childress	106	103	-	-	2
Clay	90	110	3	3	-
Cochran	27	49	1	1	-
Coke	26	43	2	-	-
Coleman	144	181	1	-	1
Collin	763	883	32	25	23
Carrollton, part	---	-	-	-	-
Dallas, part	---	7	-	-	-
Garland, part	---	-	-	-	-
McKinney	---	208	11	10	2
White	---	178	7	6	2
All other	---	30	4	4	-
Black	---	28	4	4	-
Plano, part	---	283	12	9	10
Plano, total	---	283	12	9	10
Richardson, part	---	14	-	-	-
Balance of county	---	371	9	6	11
Collingsworth	54	66	-	-	-
Colorado	236	236	5	5	1
White	199	183	4	4	1
All other	37	53	1	1	-
Black	37	53	1	1	-
Comal	343	405	9	3	4
New Braunfels, part	---	264	8	2	4
White	---	258	8	2	4
All other	---	6	-	-	-
Black	---	6	-	-	-
New Braunfels, total	---	265	8	2	4
White	---	259	8	2	4
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	141	1	1	-
Comanche	183	204	1	1	3
Concho	52	62	-	-	1
Cooke	284	305	5	3	3
Gainesville	---	203	3	1	2
White	---	190	3	1	1
All other	---	13	-	-	1
Black	---	13	-	-	1
Balance of county	---	102	2	2	1
Coryell	151	251	11	8	5
White	147	243	9	6	2
All other	4	8	2	2	3
Black	4	8	2	2	3
Copperas Cove	---	76	8	5	4
White	---	74	8	5	1
All other	---	2	-	-	3
Black	---	2	-	-	3
Balance of county	---	175	3	3	1
White	---	169	1	1	1
All other	---	6	2	2	-
Black	---	6	2	2	-
Cottle	45	52	-	-	1
Crane	30	34	-	-	2
Crockett	26	37	-	-	1
Crosby	49	78	1	1	2
Culberson	23	22	1	-	-
Dallam	23	82	3	2	1
Dallas	12,792	11,473	378	229	213
White	10,354	9,188	255	154	157
All other	2,438	2,285	123	75	56
Black	2,371	2,217	117	72	51
Balch Springs	---	90	3	1	-
Carrollton, part	---	139	3	1	8
Carrollton, total	---	161	6	3	15
Dallas, part	---	7,720	232	140	127
White	---	5,622	124	74	85
All other	---	2,098	108	66	42
Black	---	2,060	106	64	40
Dallas, total	---	7,728	232	140	127
White	---	5,630	124	74	85
All other	---	2,098	109	66	42
Black	---	2,060	106	64	40
De Soto	---	108	4	4	3
Duncanville	---	150	2	2	2
Farmers Branch	---	135	1	1	1
Garland, part	---	698	38	27	18
White	---	647	33	23	13
All other	---	51	5	4	5
Black	---	43	4	3	5
Garland, total	---	698	38	27	18
White	---	647	33	23	13
All other	---	51	5	4	5
Black	---	43	4	3	5
Grand Prairie, part	---	381	21	13	8
White	---	356	20	13	7
All other	---	25	1	-	1
Black	---	24	1	-	1
Grand Prairie, total	---	435	23	13	8
White	---	399	22	13	7
All other	---	36	1	-	1
Black	---	34	1	-	1
Grapevine, part	---	-	-	-	-
Irving	---	605	26	13	21
Lancaster	---	161	7	5	1
White	---	148	6	4	1
All other	---	13	1	1	-
Black	---	13	1	1	-
Mesquite	---	384	16	7	12
Richardson, part	---	305	5	2	4
Richardson, total	---	319	5	2	4
University Park	---	169	3	2	1
Balance of county	---	428	17	11	7
White	---	395	16	10	6
All other	---	33	1	1	1
Black	---	32	1	1	1
Dawson	105	149	6	4	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Lamesa	---	116	5	3	3
White	---	105	5	3	2
All other	---	11	-	-	1
Black	---	10	-	-	1
Balance of county	---	33	1	1	1
White	---	33	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Deaf Smith	98	140	11	7	6
Hereford	---	126	8	4	6
White	---	122	8	4	6
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	14	3	3	-
White	---	13	2	2	-
All other	---	1	1	1	-
Black	---	1	1	1	-
Delta	19	63	3	2	-
Denton	749	863	31	20	23
Carrollton, part	---	42	3	2	7
Dallas, part	---	1	-	-	-
Denton	---	348	6	5	5
White	---	315	6	5	5
All other	---	33	-	-	-
Black	---	31	-	-	-
Lewisville	---	153	10	6	1
Plano, part	---	-	-	-	-
The Colony	---	30	4	2	1
Balance of county	---	289	8	5	9
De Witt	215	266	4	3	5
White	185	226	4	3	3
All other	30	38	-	-	2
Black	30	38	-	-	2
Dickens	9	28	-	-	1
Dimmit	96	73	6	4	3
Donley	23	48	1	-	1
Duval	18	112	3	1	2
Eastland	294	324	2	1	5
Ector	815	800	30	19	17
Odessa	---	696	25	16	11
White	---	664	24	15	10
All other	---	32	1	1	1
Black	---	32	1	1	1
Balance of county	---	104	5	3	6
Edwards	12	22	1	1	-
Ellis	409	533	12	11	5
White	332	448	9	9	5
All other	77	85	3	2	-
Black	77	85	3	2	-
Ennis	---	130	7	6	1
White	---	95	5	5	1
All other	---	35	2	1	-
Black	---	35	2	1	-
Grand Prairie, part	---	-	-	-	-
Waxahachie	---	166	3	3	-
White	---	132	2	2	-
All other	---	34	1	1	-
Black	---	34	1	1	-
Balance of county	---	237	2	2	4
White	---	221	2	2	4
All other	---	16	-	-	-
Black	---	16	-	-	-
El Paso	2,944	2,706	105	59	64
White	2,861	2,625	99	54	56
All other	83	81	6	5	8
Black	71	68	5	4	7
El Paso	---	2,570	94	51	60
White	---	2,499	90	48	54
All other	---	71	4	3	6
Black	---	59	4	3	6
Balance of county	---	136	11	8	4
White	---	126	9	6	2
All other	---	10	2	2	2
Black	---	9	1	1	1
Erath	277	303	2	1	1
Stephenville	---	180	1	-	1
Balance of county	---	123	1	1	-
Falls	302	239	1	1	3
White	231	185	-	-	2
All other	71	54	1	1	1
Black	70	54	1	1	1
Fannin	321	356	5	3	2
Fayette	170	309	3	2	2
Fisher	59	79	3	2	-
Floyd	80	86	1	1	2
Foard	24	33	-	-	2
Fort Bend	486	727	27	16	28
White	418	595	18	10	20
All other	68	132	9	6	8
Black	64	124	8	5	6
Houston, part	---	14	-	-	-
White	---	12	-	-	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Missouri City, part	---	88	4	3	7
White	---	68	1	1	3
All other	---	20	3	2	4
Black	---	15	3	2	3
Missouri City, total	---	91	4	3	8
White	---	71	1	1	3
All other	---	20	3	2	5
Black	---	15	3	2	3
Rosenberg	---	133	5	3	7
White	---	124	5	3	6
All other	---	9	-	-	1
Black	---	9	-	-	1
Balance of county	---	492	18	10	14
White	---	391	12	6	11
All other	---	101	6	4	3
Black	---	98	5	3	2
Franklin	72	79	2	2	-
Freestone	206	222	2	2	1
White	170	174	-	-	-
All other	36	48	2	2	1
Black	36	48	2	2	1
Frio	102	105	6	2	4
Gaines	56	95	4	4	1
Galveston	1,960	1,699	38	23	24
White	1,491	1,343	30	18	19
All other	469	356	8	5	5
Black	460	351	8	5	4
Friendswood, part	---	46	2	2	-
Friendswood, total	---	56	2	2	-
Galveston	---	709	20	14	7
White	---	507	14	10	6
All other	---	202	6	4	1
Black	---	201	6	4	1
La Marque	---	127	1	-	3
White	---	99	1	-	3
All other	---	28	-	-	-
Black	---	28	-	-	-
League City	---	81	1	1	4
Texas City	---	331	3	1	6
White	---	249	2	1	3
All other	---	82	1	-	3
Black	---	81	1	-	2
Balance of county	---	405	11	5	4
White	---	364	10	4	3
All other	---	41	1	1	1
Black	---	40	1	1	1
Garza	35	59	3	3	1
Gillespie	194	195	4	3	2
Glasscock	11	9	3	-	-
Goliad	50	60	1	1	3
Gonzales	139	229	3	3	1
White	113	189	2	2	1
All other	26	40	1	1	-
Black	26	40	1	1	-
Gray	227	260	5	3	3
Pampa	---	213	4	3	1
Balance of county	---	47	1	-	2
Grayson	1,202	1,061	14	8	7
Denison	---	320	4	3	2
White	---	271	3	3	1
All other	---	49	1	-	1
Black	---	49	1	-	1
Sherman	---	364	4	3	2
White	---	329	4	3	2
All other	---	35	-	-	-
Black	---	34	-	-	-
Balance of county	---	377	6	2	3
Gregg	1,051	997	27	19	19
White	850	801	12	7	12
All other	201	196	15	12	7
Black	199	194	15	12	7
Kilgore, part	---	129	2	1	-
White	---	113	-	-	-
All other	---	16	2	1	-
Black	---	16	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Kilgore, total	---	165	3	1	1
White	---	148	1	-	1
All other	---	17	2	1	-
Black	---	17	2	1	-
Longview, part	---	578	18	14	16
White	---	460	8	6	10
All other	---	118	10	8	6
Black	---	116	10	8	6
Longview, total	---	580	18	14	16
White	---	462	8	6	10
All other	---	118	10	8	6
Black	---	116	10	8	6
Balance of county	---	290	7	4	3
White	---	228	4	1	2
All other	---	62	3	3	1
Black	---	62	3	3	1
Grimes	172	213	6	1	1
White	109	139	3	1	1
All other	63	74	3	-	-
Black	63	74	3	-	-
Guadalupe	290	404	10	4	10
New Braunfels, part	---	1	-	-	-
Seguin	---	172	5	3	6
White	---	139	3	1	3
All other	---	33	2	2	3
Black	---	32	2	2	3
Balance of county	---	231	5	1	4
Hale	329	345	9	5	11
Plainview	---	233	5	4	10
White	---	220	5	4	7
All other	---	13	-	-	3
Black	---	13	-	-	3
Balance of county	---	112	4	1	1
White	---	105	3	1	1
All other	---	7	1	-	-
Black	---	7	1	-	-
Hall	69	74	2	1	-
Hamilton	125	135	-	-	1
Hansford	26	33	-	-	-
Hardeman	98	96	1	-	1
Hardin	220	379	7	5	3
White	177	322	6	4	2
All other	43	57	1	1	1
Black	43	57	1	1	1
Harris	18,308	15,546	623	408	443
White	14,131	11,733	425	274	313
All other	4,177	3,813	198	134	130
Black	4,016	3,670	189	132	116
Baytown, part	---	422	13	10	15
White	---	389	10	8	12
All other	---	33	3	2	3
Black	---	33	3	2	3
Baytown, total	---	422	13	10	15
White	---	389	10	8	12
All other	---	33	3	2	3
Black	---	33	3	2	3
Bellaire	---	131	1	-	-
Deer Park	---	92	-	-	4
Friendswood, part	---	10	-	-	-
Houston, part	---	11,835	493	327	315
White	---	8,198	307	200	204
All other	---	3,637	186	127	111
Black	---	3,510	178	125	100
Houston, total	---	11,849	493	327	315
White	---	8,210	307	200	204
All other	---	3,639	186	127	111
Black	---	3,512	178	125	100
La Porte	---	117	6	3	5
White	---	107	6	3	3
All other	---	10	-	-	2
Black	---	8	-	-	1
Missouri City, part	---	3	-	-	1
White	---	3	-	-	-
All other	---	-	-	-	1
Black	---	-	-	-	-
Pasadena	---	658	23	16	21
White	---	655	23	16	20
All other	---	3	-	-	1
Black	---	2	-	-	1
Pearland, part	---	1	-	-	-
South Houston	---	81	3	1	1
White	---	80	3	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
West University Place	---	15	-	-	-
Balance of county	---	2,181	84	51	81
White	---	2,053	75	46	69
All other	---	128	9	5	12
Black	---	115	8	5	11
Harrison	448	573	17	7	7
White	261	354	11	4	3
All other	187	219	6	3	4
Black	187	218	6	3	4
Longview, part	---	2	-	-	-
Marshall	---	347	11	5	3
White	---	220	7	2	-
All other	---	127	4	3	3
Black	---	126	4	3	3
Balance of county	---	224	6	2	4
White	---	132	4	2	3
All other	---	92	2	-	1
Black	---	92	2	-	1
Hartley	61	34	-	-	-
Haskell	113	117	1	-	1
Hays	186	251	7	6	9
San Marcos	---	148	5	4	4
White	---	138	5	4	4
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	103	2	2	5
White	---	100	2	2	5
All other	---	3	-	-	-
Black	---	3	-	-	-
Hemphill	36	33	2	1	1
Henderson	367	524	5	4	5
White	328	472	5	4	5
All other	39	52	-	-	-
Black	39	52	-	-	-
Athens	---	158	2	2	1
White	---	130	2	2	1
All other	---	28	-	-	-
Black	---	28	-	-	-
Balance of county	---	366	3	2	4
Hidalgo	1,734	1,712	77	52	76
Edinburg	---	133	8	7	4
White	---	130	8	7	4
All other	---	3	-	-	-
Black	---	3	-	-	-
McAllen	---	391	18	11	12
White	---	391	18	11	12
All other	---	-	-	-	-
Black	---	-	-	-	-
Mercedes	---	75	2	2	1
White	---	75	2	2	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Mission	---	170	7	5	6
Pharr	---	128	6	3	8
White	---	128	6	3	8
All other	---	-	-	-	-
Black	---	-	-	-	-
Weslaco	---	198	3	1	5
White	---	198	3	1	5
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	617	33	23	40
White	---	616	33	23	40
All other	---	1	-	-	-
Black	---	-	-	-	-
Hill	369	422	3	-	1
White	329	382	3	-	1
All other	40	40	-	-	-
Black	40	40	-	-	-
Hockley	91	171	6	3	3
Levelland	---	114	3	2	1
White	---	107	1	1	1
All other	---	7	2	1	-
Black	---	7	2	1	-
Balance of county	---	57	3	1	2
White	---	54	3	1	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Hood	133	176	-	-	2
Hopkins	269	316	9	4	6
White	236	276	8	3	6
All other	33	40	1	1	-
Black	33	40	1	1	-
Sulphur Springs	---	186	4	2	4
White	---	160	3	1	4
All other	---	26	1	1	-
Black	---	26	1	1	-
Balance of county	---	130	5	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Houston	208	250	4	3	1
White	166	185	1	1	-
All other	42	65	3	2	1
Black	42	64	3	2	1
Howard	498	362	10	5	8
Big Spring	---	285	8	4	6
White	---	271	8	4	6
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	77	2	1	2
White	---	77	2	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Hudspeth	12	14	1	1	-
Hunt	506	622	9	5	7
White	444	557	7	3	4
All other	62	65	2	2	3
Black	61	64	2	2	3
Greenville	---	283	5	3	3
White	---	236	4	2	1
All other	---	47	1	1	2
Black	---	47	1	1	2
Balance of county	---	339	4	2	4
Hutchinson	188	239	5	2	3
Borger	---	162	3	2	1
Balance of county	---	77	2	-	2
Irion	1	10	-	-	-
Jack	98	134	3	3	-
Jackson	68	117	3	3	4
White	61	104	2	2	4
All other	7	13	1	1	-
Black	7	13	1	1	-
Jasper	311	361	6	4	9
White	259	300	6	4	5
All other	52	61	-	-	4
Black	52	61	-	-	4
Jeff Davis	8	13	1	1	1
Jefferson	2,633	2,331	50	39	45
White	1,994	1,645	20	15	22
All other	639	686	30	24	23
Black	632	680	29	23	22
Beaumont	---	1,144	28	21	29
White	---	718	9	6	12
All other	---	426	19	15	17
Black	---	423	19	15	17
Groves	---	157	-	-	2
Nederland	---	99	1	1	2
Port Arthur	---	743	17	14	8
White	---	498	7	5	2
All other	---	245	10	9	6
Black	---	242	9	8	5
Port Neches	---	81	2	2	1
Balance of county	---	107	2	1	3
White	---	93	1	1	3
All other	---	14	1	-	-
Black	---	14	1	-	-
Jim Hogg	18	55	-	-	-
Jim Wells	291	307	6	4	2
Alice	---	189	5	3	1
White	---	187	5	3	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	118	1	1	1
White	---	118	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Johnson	457	647	19	7	7
Burleson, part	---	99	5	3	5
Burleson, total	---	107	5	3	5
Cleburne	---	241	9	3	1
Balance of county	---	307	5	1	1
Jones	164	199	2	-	1
Abilene, part	---	4	-	-	-
Balance of county	---	195	2	-	1
White	---	187	2	-	-
All other	---	8	-	-	1
Black	---	8	-	-	1
Karnes	125	150	1	1	2
Kaufman	445	493	8	4	11
White	382	418	7	3	10
All other	63	75	1	1	1
Black	63	75	1	1	1
Dallas, part	---	-	-	-	-
Terrell	---	161	4	2	1
White	---	118	3	1	-
All other	---	43	1	1	1
Black	---	43	1	1	1
Balance of county	---	332	4	2	10
White	---	300	4	2	10
All other	---	32	-	-	-
Black	---	32	-	-	-
Kendall	68	108	-	-	-
Kenedy	3	4	-	-	-
Kent	8	14	-	-	2
Kerr	563	408	4	3	7
Kerrville	---	269	3	3	3
White	---	263	3	3	3
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	139	1	-	4
Kimble	40	57	1	1	1
King	4	6	-	-	-
Kinney	11	24	1	1	-
Kleberg	208	232	6	4	12
Corpus Christi, part	---	-	-	-	-
Kingsville	---	188	5	3	10
White	---	179	4	2	10
All other	---	9	1	1	-
Black	---	8	1	1	-
Balance of county	---	44	1	1	2
White	---	44	1	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Knox	58	92	4	4	1
Lamar	612	517	10	6	5
White	535	444	6	4	5
All other	77	73	4	2	-
Black	74	73	4	2	-
Paris	---	389	8	4	3
White	---	322	4	2	3
All other	---	67	4	2	-
Black	---	67	4	2	-
Balance of county	---	128	2	2	2
Lamb	141	195	6	3	3
Lampasas	105	151	1	-	1
La Salle	18	63	1	1	1
Lavaca	240	252	3	3	3
Lee	91	120	4	4	1
White	80	105	4	4	1
All other	11	15	-	-	-
Black	11	15	-	-	-
Leon	87	163	1	-	1
White	70	128	1	-	1
All other	17	35	-	-	-
Black	17	35	-	-	-
Liberty	441	478	13	11	8
White	379	405	10	9	5
All other	62	73	3	2	3
Black	61	73	3	2	3
Limestone	217	301	5	1	4
White	176	237	4	1	3
All other	41	64	1	-	1
Black	41	64	1	-	1
Lipscomb	6	33	1	1	-
Live Oak	39	72	2	-	-
Llano	155	200	3	2	-
Loving	1	2	-	-	-
Lubbock	1,950	1,434	56	31	31
White	1,811	1,305	44	24	26
All other	139	129	12	7	5
Black	135	125	12	7	5
Lubbock	---	1,177	46	25	28
White	---	1,056	34	18	23
All other	---	121	12	7	5
Black	---	118	12	7	5
Balance of county	---	257	10	6	3
White	---	249	10	6	3
All other	---	8	-	-	-
Black	---	7	-	-	-
Lynn	51	78	3	1	-
McCulloch	120	148	-	-	1
McLennan	1,769	1,716	47	31	33
White	1,473	1,414	27	16	22
All other	296	302	20	15	11
Black	295	302	20	15	11
Waco	---	1,235	37	27	26
White	---	983	18	12	16
All other	---	252	19	15	10
Black	---	252	19	15	10
Balance of county	---	481	10	4	7
White	---	431	9	4	6
All other	---	50	1	-	1
Black	---	50	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
McMullen	2	9	-	-	-
Madison	138	120	2	-	-
White	117	102	2	-	-
All other	21	18	-	-	-
Black	21	18	-	-	-
Marion	80	120	4	1	-
White	49	68	2	-	-
All other	31	52	2	1	-
Black	31	52	2	1	-
Martin	24	37	2	2	1
Mason	34	57	1	1	-
Matagorda	289	324	7	3	7
White	231	265	5	3	7
All other	58	59	2	-	-
Black	57	58	2	-	-
Bay City	---	169	5	2	7
White	---	136	3	2	7
All other	---	33	2	-	-
Black	---	33	2	-	-
Balance of county	---	155	2	1	-
White	---	129	2	1	-
All other	---	26	-	-	-
Black	---	25	-	-	-
Maverick	125	150	4	2	5
Eagle Pass	---	124	3	2	3
White	---	124	3	2	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	26	1	-	2
White	---	26	1	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Medina	128	204	5	1	7
Menard	13	37	-	-	-
Midland	571	627	36	26	18
Midland	---	561	26	18	13
White	---	484	23	16	9
All other	---	77	3	2	4
Black	---	77	3	2	4
Balance of county	---	66	10	8	5
Milam	199	283	5	1	7
White	162	230	4	-	3
All other	37	53	1	1	4
Black	37	53	1	1	4
Mills	70	76	-	-	-
Mitchell	126	141	1	1	5
Montague	253	285	1	-	3
Montgomery	642	951	22	7	16
Conroe	---	203	4	1	-
White	---	162	2	1	-
All other	---	41	2	-	-
Black	---	41	2	-	-
Houston, part	---	-	-	-	-
Balance of county	---	748	18	6	16
Moore	89	114	4	4	3
Dumas	---	91	3	3	2
Balance of county	---	23	1	1	1
Morris	157	175	2	-	4
White	126	133	-	-	1
All other	31	42	2	-	3
Black	31	42	2	-	3
Motley	4	22	-	-	-
Nacogdoches	500	451	6	4	5
White	402	371	4	3	1
All other	98	80	2	1	4
Black	98	80	2	1	4
Nacogdoches	---	241	5	4	3
White	---	188	3	3	-
All other	---	53	2	1	3
Black	---	53	2	1	3
Balance of county	---	210	1	-	2
White	---	183	1	-	1
All other	---	27	-	-	1
Black	---	27	-	-	1
Navarro	463	463	2	1	6
White	374	365	2	1	4
All other	89	98	-	-	2
Black	89	98	-	-	2
Corsicana	---	308	1	-	4
White	---	234	1	-	2
All other	---	74	-	-	2
Black	---	74	-	-	2
Balance of county	---	155	1	1	2
White	---	131	1	1	2
All other	---	24	-	-	-
Black	---	24	-	-	-
Texas-Con.					
Newton	108	156	2	2	1
White	83	116	-	-	1
All other	25	40	2	2	-
Black	25	40	2	2	-
Nolan	167	194	3	3	4
Sweetwater	---	148	2	2	3
White	---	139	1	1	2
All other	---	9	1	1	1
Black	---	9	1	1	-
Balance of county	---	46	1	1	1
White	---	46	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Nueces	2,296	1,960	54	34	51
White	2,187	1,852	54	34	47
All other	109	108	-	-	4
Black	107	106	-	-	3
Corpus Christi, part	---	1,721	45	29	44
White	---	1,621	45	29	40
All other	---	100	-	-	4
Black	---	98	-	-	3
Corpus Christi, total	---	1,722	46	29	44
White	---	1,622	46	29	40
All other	---	100	-	-	4
Black	---	98	-	-	3
Portland, part	---	4	-	-	-
Robstown	---	114	6	4	5
White	---	110	6	4	5
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	121	2	1	2
White	---	117	2	1	2
All other	---	4	-	-	-
Black	---	4	-	-	-
Ochiltree	69	80	3	1	3
Oldham	8	9	-	-	-
Orange	353	617	25	14	14
Orange	---	226	9	5	9
White	---	176	6	2	4
All other	---	50	3	3	5
Black	---	48	3	3	5
Vidor	---	149	10	7	1
Balance of county	---	242	6	2	4
Palo Pinto	261	310	5	4	5
Mineral Wells, part	---	193	2	2	3
White	---	185	2	2	3
All other	---	8	-	-	-
Black	---	8	-	-	-
Mineral Wells, total	---	193	2	2	3
White	---	185	2	2	3
All other	---	8	-	-	-
Black	---	8	-	-	-
Balance of county	---	117	3	2	2
Panola	189	225	3	1	2
White	146	177	2	1	1
All other	43	48	1	-	1
Black	42	48	1	-	1
Parker	290	393	7	3	4
Mineral Wells, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Weatherford	---	195	4	1	2
Balance of county	---	198	3	2	2
Parmer	63	76	3	2	2
Pecos	96	104	4	1	2
Polk	228	348	7	6	9
White	203	305	4	4	6
All other	25	43	3	2	3
Black	20	35	3	2	3
Potter	1,691	984	20	10	17
White	1,592	900	18	9	16
All other	99	84	2	1	1
Black	90	77	1	-	1
Amarillo, part	---	947	20	10	17
White	---	864	18	9	16
All other	---	83	2	1	1
Black	---	77	1	-	1
Amarillo, total	---	1,306	27	15	28
White	---	1,220	25	14	27
All other	---	86	2	1	1
Black	---	79	1	-	1
Balance of county	---	37	-	-	-
Presidio	16	42	-	-	1
Rains	20	77	2	2	-
Randall	146	442	8	6	12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occuring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Amarillo, part	---	359	7	5	11
Canyon	---	47	-	-	1
Balance of county	---	36	1	1	-
Reagan	9	25	2	1	2
Real	5	30	-	-	-
Red River	166	225	-	-	1
White	134	182	-	-	-
All other	32	43	-	-	1
Black	32	43	-	-	1
Reeves	82	92	4	1	1
Pecos	---	73	4	1	1
White	---	71	4	1	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	19	-	-	-
White	---	19	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Refugio	54	79	-	-	1
Roberts	2	5	-	-	-
Robertson	159	221	3	3	1
White	101	137	2	2	1
All other	58	84	1	1	-
Black	58	84	1	1	-
Rockwall	53	126	2	1	-
Dallas, part	---	-	-	-	-
Garland, part	---	-	-	-	-
Balance of county	---	126	2	1	-
White	---	118	2	1	-
All other	---	8	-	-	-
Black	---	8	-	-	-
Runnels	134	178	2	-	-
Rusk	391	485	8	3	9
White	301	379	6	2	5
All other	90	106	2	1	4
Black	90	106	2	1	4
Henderson	---	148	1	-	1
White	---	114	1	-	1
All other	---	34	-	-	-
Black	---	34	-	-	-
Kilgore, part	---	36	1	-	1
Balance of county	---	301	6	3	7
White	---	230	4	2	3
All other	---	71	2	1	4
Black	---	71	2	1	4
Sabine	72	106	3	2	1
White	68	91	3	2	1
All other	4	15	-	-	-
Black	4	15	-	-	-
San Augustine	69	121	3	2	-
White	44	81	1	1	-
All other	25	40	2	1	-
Black	25	40	2	1	-
San Jacinto	50	129	2	-	1
White	43	98	2	-	1
All other	7	31	-	-	-
Black	7	30	-	-	-
San Patricio	304	423	9	7	13
Corpus Christi, part	---	1	-	-	-
Portland, part	---	42	1	-	1
Portland, total	---	46	1	-	1
Balance of county	---	380	8	7	12
White	---	369	7	6	12
All other	---	11	1	1	-
Black	---	11	1	1	-
San Saba	57	86	3	1	-
Schleicher	17	23	-	-	-
Scurry	130	174	6	3	4
Snyder	---	143	6	3	2
White	---	136	6	3	2
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	31	-	-	2
White	---	31	-	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Shackelford	41	53	1	-	-
Shelby	190	284	3	3	4
White	152	232	1	1	2
All other	38	52	2	2	2
Black	38	52	2	2	2
Sherman	12	34	1	-	1
Smith	1,705	1,246	24	15	20
White	1,376	971	17	9	12
All other	329	275	7	6	8
Black	329	275	7	6	8
Texas-Con.					
Tyler	---	722	15	13	12
White	---	539	8	7	6
All other	---	183	7	6	6
Black	---	183	7	6	6
Balance of county	---	524	9	2	8
White	---	432	9	2	6
All other	---	92	-	-	2
Black	---	92	-	-	2
Somervell	53	62	-	-	1
Starr	99	127	4	4	3
Stephens	118	137	3	2	2
Sterling	13	11	-	-	-
Stonewall	28	28	-	-	-
Sutton	37	40	-	-	1
Swisher	62	88	3	1	3
Tarrant	7,322	6,772	207	145	131
White	6,415	5,868	156	109	92
All other	907	904	51	36	39
Black	879	879	50	35	37
Arlington	---	831	28	19	15
White	---	812	27	19	14
All other	---	19	1	-	1
Black	---	15	1	-	1
Bedford	---	121	4	2	-
Benbrook	---	63	2	-	-
Burleson, part	---	8	-	-	-
Euless	---	100	6	4	3
Forest Hill	---	65	6	6	1
White	---	51	1	1	1
All other	---	14	5	5	-
Black	---	14	5	5	-
Fort Worth	---	3,985	123	86	81
White	---	3,157	79	56	43
All other	---	828	44	30	38
Black	---	814	43	29	36
Grand Prairie, part	---	54	2	-	-
White	---	43	2	-	-
All other	---	11	-	-	-
Black	---	10	-	-	-
Grapevine, part	---	100	-	-	1
Grapevine, total	---	100	-	-	1
Haltom City	---	226	4	3	2
Hurst	---	188	5	4	7
North Richland Hills	---	116	8	5	1
Watauga	---	43	3	3	3
White Settlement	---	98	3	2	2
Balance of county	---	774	13	11	15
Taylor	1,169	997	32	22	18
Abilene, part	---	847	31	22	16
White	---	802	29	20	14
All other	---	45	2	2	2
Black	---	45	2	2	1
Abilene, total	---	851	31	22	16
White	---	806	29	20	14
All other	---	45	2	2	2
Black	---	45	2	2	1
Balance of county	---	150	1	-	2
Terrell	5	13	1	-	1
Terry	118	140	5	2	1
Brownfield	---	114	5	2	1
White	---	108	4	2	1
All other	---	6	1	-	-
Black	---	6	1	-	-
Balance of county	---	26	-	-	-
White	---	26	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Throckmorton	22	33	1	1	-
Titus	272	270	3	1	5
White	233	238	3	1	3
All other	39	32	-	-	2
Black	39	32	-	-	2
Mount Pleasant	---	170	3	1	5
White	---	143	3	1	3
All other	---	27	-	-	2
Black	---	27	-	-	2
Balance of county	---	100	-	-	-
Tom Green	929	799	20	14	18
San Angelo	---	731	19	13	17
White	---	693	16	12	17
All other	---	38	3	1	-
Black	---	36	3	1	-
Balance of county	---	68	1	1	1
Travis	2,935	2,622	69	35	55
White	2,528	2,224	50	27	42
All other	407	398	19	8	13
Black	402	389	19	8	11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Austin, part	---	2,242	62	32	44
White	---	1,858	43	24	32
All other	---	384	19	8	12
Black	---	377	19	8	10
Austin, total	---	2,243	62	32	44
White	---	1,859	43	24	32
All other	---	384	19	8	12
Black	---	377	19	8	10
Round Rock, part	---	1	-	-	-
Balance of county	---	379	7	3	11
White	---	365	7	3	10
All other	---	14	-	-	1
Black	---	12	-	-	1
Trinity	67	129	2	1	2
White	60	108	2	1	2
All other	7	21	-	-	-
Black	7	21	-	-	-
Tyler	151	206	1	-	2
White	138	194	1	-	1
All other	13	12	-	-	1
Black	9	12	-	-	1
Upshur	164	307	11	7	4
White	130	255	9	6	2
All other	34	52	2	1	2
Black	34	52	2	1	2
Upton	25	33	-	-	-
Uvalde	154	189	6	1	4
Uvalde	---	134	5	1	3
White	---	131	4	1	2
All other	---	3	1	-	1
Black	---	2	-	-	-
Balance of county	---	55	1	-	1
White	---	55	1	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Val Verde	224	250	16	9	7
Del Rio	---	221	13	8	7
White	---	216	13	8	6
All other	---	5	-	-	1
Black	---	5	-	-	-
Balance of county	---	29	3	1	-
White	---	28	2	-	-
All other	---	1	1	1	-
Black	---	1	1	1	-
Van Zandt	248	428	7	5	-
Victoria	647	506	16	6	14
Victoria	---	420	14	5	12
White	---	364	11	4	9
All other	---	56	3	1	3
Black	---	56	3	1	3
Balance of county	---	86	2	1	2
White	---	83	2	1	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Walker	255	251	4	3	4
White	187	179	3	3	3
All other	68	72	1	-	1
Black	68	72	1	-	1
Huntsville	---	143	2	1	2
White	---	106	1	1	1
All other	---	37	1	-	1
Black	---	37	1	-	1
Balance of county	---	108	2	2	2
White	---	73	2	2	2
All other	---	35	-	-	-
Black	---	35	-	-	-
Waller	111	189	5	3	6
White	83	131	3	2	4
All other	28	58	2	1	2
Black	26	58	2	1	2
Ward	101	121	7	1	4
Washington	305	285	4	3	6
White	227	215	2	1	3
All other	78	70	2	2	3
Black	77	69	2	2	3
Brenham	---	153	3	3	2
White	---	122	1	1	1
All other	---	31	2	2	1
Black	---	30	2	2	1
Balance of county	---	132	1	-	4
White	---	93	1	-	2
All other	---	39	-	-	2
Black	---	39	-	-	2
Webb	669	690	40	31	27
Laredo	---	673	38	29	27
Balance of county	---	17	2	2	-
Texas-Con.					
Wharton	383	402	8	3	7
White	296	310	5	2	5
All other	87	92	3	1	2
Black	87	92	3	1	2
El Campo	---	125	6	2	1
White	---	112	5	2	-
All other	---	13	1	-	1
Black	---	13	1	-	1
Balance of county	---	277	2	1	6
White	---	198	-	-	5
All other	---	79	2	1	1
Black	---	79	2	1	1
Wheeler	69	75	-	-	1
Wichita	1,199	1,099	20	14	17
White	1,095	1,002	19	14	12
All other	104	97	1	-	5
Black	103	96	1	-	5
Burkburnett	---	102	2	2	5
Wichita Falls, part	---	883	17	12	10
White	---	789	16	12	6
All other	---	94	1	-	4
Black	---	93	1	-	4
Wichita Falls, total	---	883	17	12	10
White	---	789	16	12	6
All other	---	94	1	-	4
Black	---	93	1	-	4
Balance of county	---	114	1	-	2
Wilbarger	194	220	9	6	2
Vernon	---	191	7	4	2
White	---	176	7	4	2
All other	---	15	-	-	-
Black	---	15	-	-	-
Balance of county	---	29	2	2	-
Willacy	73	128	7	4	3
Williamson	470	588	10	6	10
Austin, part	---	1	-	-	-
Round Rock, part	---	75	4	4	-
White	---	67	3	3	-
All other	---	8	1	1	-
Black	---	8	1	1	-
Round Rock, total	---	76	4	4	-
White	---	68	3	3	-
All other	---	8	1	1	-
Black	---	8	1	1	-
Taylor	---	146	-	-	1
White	---	122	-	-	-
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	366	6	2	9
White	---	348	6	2	8
All other	---	18	-	-	1
Black	---	18	-	-	1
Wilson	113	178	5	4	2
Winkler	70	87	4	2	1
Wise	190	236	3	1	3
Wood	290	368	-	-	3
White	261	333	-	-	3
All other	29	35	-	-	-
Black	29	35	-	-	-
Yoakum	40	61	3	2	-
Young	218	240	5	2	3
Zapata	37	62	-	-	5
Zavala	11	75	-	-	3
Utah	8,834	8,512	346	212	275
White	8,627	8,310	332	202	258
All other	207	202	14	10	17
Black	59	53	2	1	2
Beaver	34	47	-	-	1
Box Elder	172	194	3	3	2
Brigham City	---	85	3	3	1
White	---	83	2	2	1
All other	---	2	1	1	-
Black	---	-	-	-	-
Balance of county	---	109	-	-	1
Cache	291	310	16	13	5
Logan	---	135	12	10	1
Balance of county	---	175	4	3	4
Carbon	161	162	5	2	4
Daggett	3	3	-	-	-
Davis	501	608	33	25	26
Bountiful	---	188	4	2	3
Clearfield	---	69	3	3	3
White	---	67	3	3	2
All other	---	2	-	-	1
Black	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Utah-Con.					
Layton	---	107	8	6	8
Balance of county	---	244	18	14	12
Duchesne	81	85	9	6	2
Emery	43	69	3	2	3
Garfield	32	24	-	-	1
Grand	46	46	-	-	2
Iron	90	92	5	1	2
Cedar City	---	61	2	-	1
Balance of county	---	31	3	1	1
Juab	37	41	-	-	1
Kane	32	28	1	1	1
Millard	69	91	6	5	2
Morgan	14	24	-	-	1
Piute	7	19	1	-	-
Rich	5	9	1	-	-
Salt Lake	4,259	3,649	148	91	111
White	4,159	3,568	141	86	100
All other	100	81	7	5	11
Black	31	26	-	-	1
Midvale	---	68	3	1	3
Murray	---	180	4	-	5
Salt Lake City	---	1,635	37	22	50
White	---	1,584	35	21	43
All other	---	51	2	1	7
Black	---	20	-	-	1
Sandy City	---	134	9	7	13
South Salt Lake	---	111	5	2	-
West Jordan	---	68	5	4	7
Balance of county	---	1,453	85	55	33
White	---	1,431	81	51	31
All other	---	22	4	4	2
Black	---	5	-	-	-
San Juan	65	67	3	2	3
White	43	33	1	1	1
All other	22	34	2	1	2
Black	-	-	-	-	-
Sanpete	94	131	3	1	3
Sevier	97	120	4	2	5
Summit	30	46	1	1	-
Tooele	120	155	5	1	4
Tooele	---	112	5	1	1
Balance of county	---	43	-	-	3
Uintah	81	116	5	3	5
Utah	1,086	1,069	57	33	48
American Fork	---	87	4	-	2
Orem	---	207	19	10	14
Pleasant Grove	---	64	2	2	5
Provo	---	349	21	12	12
Springville	---	94	3	2	3
Balance of county	---	268	8	7	12
Wasatch	52	57	1	1	4
Washington	250	236	5	2	8
St. George	---	137	3	2	2
Balance of county	---	99	2	-	6
Wayne	1	12	-	-	-
Weber	1,082	1,002	31	17	31
Ogden	---	593	18	12	18
White	---	570	17	11	18
All other	---	23	1	1	-
Black	---	17	1	1	-
Roy	---	100	3	-	3
South Ogden	---	55	-	-	1
Balance of county	---	254	10	5	9
Vermont	4,683	4,590	69	49	43
White	4,677	4,584	67	48	42
All other	6	6	2	1	1
Black	6	6	2	1	1
Addison	141	198	6	4	5
Bennington	399	360	7	5	2
Caledonia	201	247	3	3	2
Chittenden	1,013	689	10	7	9
Burlington	---	295	2	1	3
South Burlington	---	50	1	1	-
Balance of county	---	344	7	5	6
Essex	19	60	2	1	2
Franklin	303	338	4	1	4
Grand Isle	12	42	3	2	-
Lamoille	149	143	4	4	2
Orange	113	204	2	2	4
Orleans	246	251	1	-	2
Rutland	658	677	8	7	4
Vermont-Con.					
Rutland	---	263	3	2	1
Balance of county	---	414	5	5	3
Washington	494	483	7	5	2
Windham	372	389	5	4	1
Windsor	563	509	7	4	4
Virginia	43,206	43,743	962	671	927
White	33,516	34,134	571	381	545
All other	9,690	9,609	391	290	382
Black	9,552	9,470	386	286	364
Accomack	206	459	7	7	8
White	143	313	4	4	1
All other	63	146	3	3	7
Black	62	146	3	3	7
Albemarle	955	328	6	4	10
White	730	273	5	3	6
All other	225	55	1	1	4
Black	220	53	1	1	4
Alexandria city	841	798	24	22	28
White	662	608	12	11	20
All other	179	190	12	11	8
Black	168	182	12	11	8
Alleghany	267	127	1	-	3
Amelia	35	95	4	4	1
White	19	56	2	2	1
All other	16	39	2	2	-
Black	16	39	2	2	-
Amherst	120	268	5	2	2
White	96	209	4	2	2
All other	24	57	1	-	-
Black	24	57	1	-	-
Appomattox	57	132	2	-	1
White	40	95	1	-	-
All other	17	37	1	-	1
Black	17	37	1	-	1
Arlington#	1,374	1,099	15	12	19
White	1,208	982	11	9	12
All other	166	117	4	3	7
Black	153	107	4	3	3
Augusta	130	423	3	3	3
Bath	25	44	-	-	-
Bedford	117	329	4	-	7
White	103	291	2	-	6
All other	14	38	2	-	1
Black	14	38	2	-	1
Bedford city [10]	193	111	-	-	-
White	167	93	-	-	-
All other	26	18	-	-	-
Black	26	18	-	-	-
Bland	15	62	2	2	-
Botetourt	66	208	2	2	5
Bristol city [11]	196	216	5	5	-
Brunswick	52	184	2	2	4
White	16	84	-	-	1
All other	36	100	2	2	3
Black	36	100	2	2	3
Buchanan	210	270	8	6	12
Buckingham	48	124	2	1	1
White	33	83	1	-	-
All other	15	41	1	1	1
Black	15	41	1	1	1
Buena Vista city [12]	18	83	-	-	-
Campbell	109	324	8	5	5
White	92	274	7	4	3
All other	17	50	1	1	2
Black	17	50	1	1	2
Caroline	56	165	3	3	3
White	29	86	-	-	2
All other	27	79	3	3	1
Black	27	79	3	3	1
Carroll	85	263	4	2	2
Charles City	25	58	4	2	2
White	12	16	1	-	1
All other	13	42	3	2	1
Black	13	39	3	2	1
Charlotte	55	148	2	1	-
White	34	101	-	-	-
All other	21	47	2	1	-
Black	21	47	2	1	-
Charlottesville city	452	346	7	2	12
White	392	259	6	1	7
All other	60	87	1	1	5
Black	60	87	1	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Chesapeake city	636	862	26	21	38
White	472	623	21	17	19
All other	164	239	5	4	19
Black	163	237	5	4	19
Chesterfield	465	723	23	14	21
White	405	642	20	11	19
All other	60	81	3	3	2
Black	58	78	2	2	2
Clarke	45	90	1	1	2
White	41	75	1	1	1
All other	4	15	-	-	1
Black	4	15	-	-	1
Clifton Forge city [10]	33	67	2	2	3
White	27	53	-	-	1
All other	6	14	2	2	2
Black	6	14	2	2	2
Colonial Heights city	62	151	2	1	3
Covington city [10]	19	97	1	-	3
White	17	84	1	-	3
All other	2	13	-	-	-
Black	2	13	-	-	-
Craig	15	46	-	-	1
Culpeper	221	240	1	1	5
White	190	193	-	-	4
All other	31	47	1	1	1
Black	31	47	1	1	1
Cumberland	28	92	1	-	1
White	8	45	-	-	-
All other	20	47	1	-	1
Black	20	47	1	-	1
Danville city	939	556	11	10	18
White	680	417	1	1	9
All other	259	139	10	9	9
Black	259	139	10	9	8
Dickenson	77	171	-	-	3
Dinwiddie	111	181	3	3	3
White	63	107	1	1	1
All other	48	74	2	2	2
Black	48	74	2	2	2
Emporia city [10]	224	78	3	2	-
White	99	42	1	1	-
All other	125	36	2	1	-
Black	125	36	2	1	-
Essex	150	94	1	1	1
White	86	54	-	-	1
All other	64	40	1	1	-
Black	64	40	1	1	-
Fairfax	2,011	2,626	78	58	63
White	1,846	2,433	63	44	45
All other	165	193	15	14	18
Black	131	147	14	13	17
Herndon	---	45	1	1	4
White	---	38	1	1	4
All other	---	7	-	-	-
Black	---	6	-	-	-
Vienna	---	90	-	-	4
Balance of county	---	2,491	77	57	55
White	---	2,311	62	43	38
All other	---	180	15	14	17
Black	---	136	14	13	16
Fairfax city	252	134	2	1	3
Falls Church city [10]	13	116	2	1	2
Fauquier	257	295	1	-	12
White	204	234	-	-	7
All other	53	61	1	-	5
Black	53	61	1	-	4
Floyd	47	116	-	-	1
Fluvanna	32	107	-	-	4
White	20	73	-	-	2
All other	12	34	-	-	2
Black	12	34	-	-	2
Franklin	216	299	6	4	7
White	177	250	4	3	7
All other	39	49	2	1	-
Black	39	49	2	1	-
Franklin city [10]	144	95	1	1	4
White	81	48	-	-	-
All other	63	47	1	1	4
Black	63	47	1	1	4
Frederick	56	248	3	2	1
Fredericksburg city	512	198	4	3	3
White	424	162	1	1	3
All other	88	36	3	2	-
Black	87	36	3	2	-
Galax city [10]	307	110	1	-	-
Giles	145	177	1	1	2
Virginia-Con.					
Gloucester	230	198	3	1	1
White	169	151	3	1	-
All other	61	47	-	-	1
Black	61	47	-	-	1
Goochland	34	107	3	1	2
White	23	66	3	1	-
All other	11	41	-	-	2
Black	11	41	-	-	2
Grayson	50	183	1	-	2
Greene	18	74	2	1	5
Greensville	34	121	4	2	2
White	16	50	-	-	-
All other	18	71	4	2	2
Black	18	71	4	2	2
Halifax	94	337	3	3	6
White	56	202	-	-	-
All other	38	135	3	3	6
Black	38	135	3	3	6
Hampton city	948	824	29	19	29
White	559	563	10	6	8
All other	389	261	19	13	21
Black	366	259	19	13	19
Hanover	184	391	8	6	6
White	148	334	6	4	5
All other	36	57	2	2	1
Black	36	56	2	2	1
Harrisonburg city	603	214	4	4	1
Henrico	1,904	1,682	25	17	24
White	1,610	1,489	17	10	10
All other	294	193	8	7	14
Black	290	188	8	7	13
Henry	59	389	6	3	5
White	41	295	3	2	4
All other	18	94	3	1	1
Black	18	94	3	1	1
Highland	12	35	1	-	-
Hopewell city	268	242	4	1	9
White	212	202	1	-	4
All other	56	40	3	1	5
Black	56	40	3	1	5
Isle of Wight	58	181	3	2	3
White	38	107	2	1	2
All other	20	74	1	1	1
Black	20	74	1	1	1
James City	99	144	10	8	4
White	61	88	4	3	1
All other	38	56	6	5	3
Black	38	56	6	5	3
King and Queen	22	73	1	-	3
White	15	33	-	-	1
All other	7	40	1	-	2
Black	7	39	1	-	2
King George	29	77	1	1	-
White	24	60	1	1	-
All other	5	17	-	-	-
Black	5	17	-	-	-
King William	23	87	-	-	2
White	14	58	-	-	1
All other	9	29	-	-	1
Black	9	29	-	-	1
Lancaster	211	157	3	1	-
White	171	116	-	-	-
All other	40	41	3	1	-
Black	40	41	3	1	-
Lee	202	296	2	-	3
Lexington city [10]	157	70	1	-	-
White	141	57	1	-	-
All other	16	13	-	-	-
Black	16	13	-	-	-
Loudoun	336	365	6	5	8
Louisa	81	190	1	-	5
White	51	126	1	-	3
All other	30	64	-	-	2
Black	30	64	-	-	2
Lunenburg	47	141	4	3	3
White	28	86	2	2	-
All other	19	55	2	1	3
Black	19	55	2	1	3
Lynchburg city	1,387	805	11	5	5
White	1,084	606	6	2	2
All other	303	199	5	3	3
Black	303	199	5	3	2
Madison	55	98	1	-	2
White	41	73	1	-	2
All other	14	25	-	-	-
Black	14	25	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Manassas city	294	101	2	2	2
White	262	90	2	2	2
All other	32	11	-	-	-
Black	31	11	-	-	-
Manassas Park city [18]	1	13	1	1	-
Martinsville city	433	188	-	-	4
White	336	136	-	-	1
All other	97	52	-	-	3
Black	97	52	-	-	3
Mathews	41	117	1	-	1
White	32	96	1	-	-
All other	9	21	-	-	1
Black	9	21	-	-	1
Mecklenburg	316	337	7	6	6
White	198	209	3	3	1
All other	118	128	4	3	5
Black	118	128	4	3	5
Middlesex	74	119	2	1	-
White	49	82	1	-	-
All other	25	37	1	1	-
Black	25	37	1	1	-
Montgomery	318	380	7	7	5
Blacksburg	---	76	-	-	-
Christiansburg	---	98	3	3	1
Balance of county	---	206	4	4	4
White	---	198	4	4	4
All other	---	8	-	-	-
Black	---	8	-	-	-
Nelson	60	151	1	1	1
White	43	118	1	1	-
All other	17	33	-	-	1
Black	17	33	-	-	1
New Kent	23	66	2	-	1
White	11	40	2	-	1
All other	12	26	-	-	-
Black	11	26	-	-	-
Newport News city	1,303	1,075	49	31	29
White	901	653	23	17	14
All other	402	422	26	14	15
Black	396	417	25	14	15
Norfolk city	2,823	2,228	82	54	54
White	1,718	1,327	42	23	30
All other	1,105	901	40	31	24
Black	1,086	886	39	30	24
Northampton	383	230	3	2	9
White	230	133	2	1	5
All other	153	97	1	1	4
Black	153	97	1	1	4
Northumberland	45	145	2	1	1
White	26	102	-	-	1
All other	19	43	2	1	-
Black	19	43	2	1	-
Norton city [10]	166	49	-	-	1
Nottoway	101	185	4	4	4
White	51	111	1	1	2
All other	50	74	3	3	2
Black	50	74	3	3	2
Orange	87	213	2	2	2
White	76	181	2	2	-
All other	11	32	-	-	2
Black	11	32	-	-	2
Page	142	200	3	1	1
Patrick	124	176	4	3	-
Petersburg city	668	456	16	13	19
White	372	208	4	3	-
All other	296	248	12	10	19
Black	296	247	12	10	17
Pittsylvania	180	578	10	8	13
White	128	419	6	4	4
All other	52	159	4	4	9
Black	52	159	4	4	9
Poquoson city [19]	7	49	1	-	-
Portsmouth city	1,402	1,091	34	27	23
White	871	600	9	6	9
All other	531	491	25	21	14
Black	522	489	25	21	14
Powhatan	34	86	-	-	1
White	26	66	-	-	1
All other	8	20	-	-	-
Black	8	20	-	-	-
Prince Edward	280	165	3	3	1
White	183	98	3	3	-
All other	97	67	-	-	1
Black	97	67	-	-	1
Virginia-Con.					
Prince George	53	98	4	3	6
White	32	65	4	3	2
All other	21	33	-	-	4
Black	19	33	-	-	4
Prince William	256	513	24	16	29
White	217	452	19	12	24
All other	39	61	5	4	5
Black	36	57	5	4	5
Pulaski	257	194	-	-	7
Pulaski [23]	---	2	-	-	1
Balance of county	---	192	-	-	6
White	---	180	-	-	6
All other	---	12	-	-	-
Black	---	12	-	-	-
Radford city	176	100	-	-	-
Rappahannock	18	60	1	1	1
White	15	52	1	1	1
All other	3	8	-	-	-
Black	3	8	-	-	-
Richmond	62	99	-	-	2
White	39	73	-	-	1
All other	23	26	-	-	1
Black	23	26	-	-	1
Richmond city	4,116	2,629	63	43	66
White	2,469	1,366	11	6	19
All other	1,647	1,263	52	37	47
Black	1,641	1,262	52	37	45
Roanoke	301	581	5	4	11
Roanoke city	1,623	1,187	27	22	17
White	1,396	955	11	9	11
All other	227	232	16	13	6
Black	226	232	16	13	6
Rockbridge	66	180	1	-	-
Rockingham	170	437	5	3	9
Russell	178	278	4	2	8
Salem city [22]	895	350	3	2	2
Scott	77	246	2	2	2
Shenandoah	265	338	3	2	5
Smyth	352	339	4	2	2
Southampton	61	182	4	2	3
White	28	87	2	2	-
All other	33	95	2	-	3
Black	33	95	2	-	3
South Boston city [20]	306	77	1	1	3
White	186	46	-	-	3
All other	120	31	1	1	-
Black	120	31	1	1	-
Spotsylvania	87	222	7	4	3
White	74	178	4	2	2
All other	13	44	3	2	1
Black	13	44	3	2	1
Stafford	97	255	10	7	4
Staunton city	382	240	1	1	4
White	358	213	1	1	3
All other	24	27	-	-	1
Black	24	26	-	-	1
Suffolk city	420	509	7	3	12
White	223	268	1	1	2
All other	197	241	6	2	10
Black	197	241	6	2	10
Surry	19	50	1	1	1
White	9	24	-	-	1
All other	10	26	1	1	-
Black	10	26	1	1	-
Sussex	31	121	10	6	1
White	14	53	1	1	-
All other	17	68	9	5	1
Black	17	68	9	5	1
Tazewell	355	440	10	2	10
Virginia Beach city	1,103	1,383	72	58	50
White	928	1,189	55	43	39
All other	175	194	17	15	11
Black	167	180	16	14	10
Warren	192	205	4	3	2
Front Royal	---	112	3	2	1
Balance of county	---	93	1	1	1
White	---	87	1	1	1
All other	---	6	-	-	-
Black	---	5	-	-	-
Washington	369	407	6	4	9
Waynesboro city	256	163	3	2	4
Westmoreland	55	184	2	2	2
White	42	137	1	1	-
All other	13	47	1	1	2
Black	13	47	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Williamsburg city [38]	214	98	2	1	4
White	154	81	-	-	2
All other	60	17	2	1	2
Black	60	17	2	1	2
Winchester city	658	249	1	-	2
Wise	277	407	4	4	4
Wythe	250	272	3	3	2
York	35	160	1	1	-
White	29	113	1	1	-
All other	6	47	-	-	-
Black	6	47	-	-	-
Washington	32,889	32,668	653	372	475
White	31,465	31,272	558	326	422
All other	1,424	1,396	95	46	53
Black	657	659	56	30	31
Adams	83	91	3	2	1
Asotin	136	171	3	3	1
Benton	550	588	15	12	14
Kennewick	---	223	7	5	5
Richland	---	188	4	3	8
Balance of county	---	157	4	4	1
Chelan	599	502	9	6	10
Wenatchee	---	258	3	3	5
Balance of county	---	244	6	3	5
Clallam	466	504	9	4	5
Port Angeles	---	181	3	-	-
Balance of county	---	323	6	4	5
Clark	1,312	1,390	23	13	15
Vancouver	---	633	9	5	5
Balance of county	---	757	14	8	10
Columbia	45	54	-	-	2
Cowlitz	701	678	16	7	5
Kelso	---	135	2	1	-
Longview	---	358	8	3	4
Balance of county	---	185	6	3	1
Douglas	75	156	1	1	2
Ferry	31	49	3	1	-
White	25	38	3	1	-
All other	6	11	-	-	-
Black	-	-	-	-	-
Franklin	182	226	5	3	11
Pasco	---	163	2	2	9
White	---	151	2	2	6
All other	---	12	-	-	3
Black	---	10	-	-	2
Balance of county	---	63	3	1	2
Garfield	28	27	-	-	-
Grant	285	360	9	5	8
Moses Lake	---	92	3	2	1
White	---	90	3	2	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	268	6	3	7
Grays Harbor	518	604	7	5	8
Aberdeen	---	196	1	1	2
Balance of county	---	408	6	4	6
Island	245	356	9	8	4
Oak Harbor	---	65	1	1	-
White	---	62	1	1	-
All other	---	3	-	-	-
Black	---	1	-	-	-
Balance of county	---	291	8	7	4
Jefferson	125	168	-	-	-
King	10,522	9,804	156	93	154
White	9,768	9,085	126	77	127
All other	754	719	30	16	27
Black	392	385	23	13	18
Auburn	---	246	5	4	3
Bellevue	---	419	4	2	6
Kent	---	137	4	1	5
Kirkland	---	151	4	3	4
Mercer Island	---	113	-	-	1
Redmond	---	106	1	1	5
Renton	---	277	2	1	5
Seattle	---	5,290	71	41	63
White	---	4,680	48	28	44
All other	---	610	23	13	19
Black	---	352	20	12	14
Balance of county	---	3,065	65	40	62
White	---	2,996	60	38	58
All other	---	69	5	2	4
Black	---	18	2	1	2
Kitsap	1,079	1,137	37	29	18
Washington-Con.					
Bremerton	---	438	19	18	4
White	---	417	15	14	1
All other	---	21	4	4	3
Black	---	13	4	4	1
Balance of county	---	699	18	11	14
Kittitas	188	200	2	2	4
Ellensburg	---	94	-	-	-
Balance of county	---	106	2	2	4
Klickitat	104	137	3	2	1
Lewis	446	521	9	4	5
Centralia	---	166	2	2	2
Balance of county	---	355	7	2	3
Lincoln	69	108	-	-	-
Mason	215	285	4	1	3
Okanogan	261	291	7	4	6
White	244	264	5	3	6
All other	17	27	2	1	-
Black	-	1	-	-	-
Pacific	161	216	4	2	3
Pend Oreille	62	89	1	1	1
Pierce	3,889	3,716	115	63	51
White	3,660	3,493	82	48	43
All other	229	223	33	15	8
Black	150	149	26	12	5
Puyallup	---	216	3	1	3
Tacoma	---	1,787	46	27	18
White	---	1,633	29	18	13
All other	---	154	17	9	5
Black	---	113	13	7	2
Balance of county	---	1,713	66	35	30
White	---	1,646	50	29	27
All other	---	67	16	6	3
Black	---	36	13	5	3
San Juan	56	70	1	1	-
Skagit	672	642	12	9	7
Mount Vernon	---	118	4	3	1
Balance of county	---	524	8	6	6
Skamania	23	38	1	1	2
Snohomish	2,057	2,300	41	20	37
White	2,028	2,259	36	19	34
All other	29	41	5	1	3
Black	7	15	-	-	2
Edmonds	---	221	2	-	3
Everett	---	620	13	6	10
Lynnwood	---	148	3	1	4
Mountlake Terrace	---	71	1	1	1
Balance of county	---	1,240	22	12	19
Spokane	3,432	2,943	68	33	39
White	3,342	2,873	64	32	36
All other	90	70	4	1	3
Black	37	35	2	1	2
Spokane	---	1,972	40	20	21
Balance of county	---	971	28	13	18
Stevens	184	238	4	2	3
Thurston	980	979	21	9	8
Lacey	---	176	3	2	-
Olympia	---	345	3	2	3
Balance of county	---	458	15	5	5
Wahkiakum	25	39	-	-	-
Walla Walla	644	489	7	4	2
Walla Walla	---	336	6	3	2
Balance of county	---	153	1	1	-
Whatcom	800	797	12	7	13
Bellingham	---	424	3	2	6
Balance of county	---	373	9	5	7
Whitman	184	246	3	1	4
Pullman	---	52	1	1	3
Balance of county	---	194	2	-	1
Yakima	1,455	1,479	33	14	28
Yakima	---	581	16	7	7
White	---	562	15	6	6
All other	---	19	1	1	1
Black	---	9	-	-	1
Balance of county	---	898	17	7	21
White	---	828	12	6	19
All other	---	70	5	1	2
Black	---	8	-	-	-
West Virginia	19,358	19,325	283	182	255
White	18,483	18,440	264	170	242
All other	875	885	19	12	13
Black	859	868	18	12	12
Barbour	117	184	9	5	5
Berkeley	707	498	9	6	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia-Con.					
Martinsburg	---	243	4	2	2
Balance of county	---	255	5	4	6
Boone	209	264	-	-	4
Braxton	91	135	1	-	2
Brooke	327	250	4	3	7
Weirton, part	---	39	-	-	1
Balance of county	---	211	4	3	6
Cabell	1,738	1,217	12	11	8
Huntington, part	---	848	5	5	5
Huntington, total	---	889	5	5	5
Balance of county	---	369	7	6	3
Calhoun	83	92	2	-	2
Clay	45	106	4	1	2
Doddridge	28	83	-	-	1
Fayette	491	701	5	3	11
Gilmer	59	103	2	2	1
Grant	119	106	1	-	1
Greenbrier	379	412	2	2	7
Hampshire	82	119	1	-	3
Hancock	65	382	2	2	10
Weirton, part	---	215	1	1	4
Weirton, total	---	254	1	1	5
Balance of county	---	167	1	1	6
Hardy	38	114	1	1	4
Harrison	1,084	896	12	10	6
Clarksburg	---	330	2	2	4
Balance of county	---	566	10	8	2
Jackson	160	194	1	1	1
Jefferson	215	278	3	2	3
Kanawha	2,627	2,215	31	19	31
White	2,466	2,059	26	16	27
All other	161	156	5	3	4
Black	159	151	5	3	3
Charleston	---	837	8	3	11
White	---	730	4	1	7
All other	---	107	4	2	4
Black	---	103	4	2	3
St. Albans	---	151	1	-	1
South Charleston	---	147	4	2	1
Balance of county	---	1,080	18	14	18
Lewis	183	228	3	2	1
Lincoln	71	190	5	2	4
Logan	429	484	11	8	5
McDowell	349	536	10	5	14
White	268	408	8	4	12
All other	81	128	2	1	2
Black	80	127	1	1	2
Marion	496	648	7	7	10
Fairmont	---	299	2	2	7
Balance of county	---	349	5	5	3
Marshall	322	402	6	5	1
Moundsville	---	165	2	2	1
Wheeling, part	---	1	-	-	-
Balance of county	---	236	4	3	-
Mason	245	287	3	1	3
Mercer	983	777	9	3	15
Bluefield [13]	---	231	1	-	2
White	---	177	1	-	2
All other	---	54	-	-	-
Black	---	54	-	-	-
Balance of county	---	546	8	3	13
Mineral	141	255	6	5	2
Mingo	202	372	10	3	7
Monongalia	1,123	562	9	5	9
Morgantown	---	258	5	3	3
Balance of county	---	304	4	2	6
Monroe	49	156	2	2	-
Morgan	97	121	1	1	1
Nicholas	173	238	3	2	-
Ohio	1,119	722	4	4	2
Wheeling, part	---	611	3	3	2
Wheeling, total	---	612	3	3	2
Balance of county	---	111	1	1	-
Pendleton	33	88	1	-	1
Pleasants	22	64	1	1	1
Pocahontas	83	103	-	-	1
Preston	202	285	5	5	2
Putnam	131	285	5	2	2
Raleigh	1,277	901	20	16	12
Beckley	---	328	6	3	8
White	---	264	3	2	5
All other	---	64	3	1	3
Black	---	64	3	1	3
Balance of county	---	573	14	13	4
Randolph	440	342	2	1	3
Ritchie	40	119	4	2	3
Roane	149	184	3	2	1
Summers	133	163	5	2	2
Taylor	130	156	3	3	-
Tucker	78	110	2	1	2
Tyler	69	113	2	2	-
Upshur	191	232	4	-	3
Wayne	320	357	11	8	5
Huntington, part	---	41	-	-	-
Balance of county	---	316	11	8	5
Webster	68	117	3	3	-
Wetzel	163	220	4	1	3
Wirt	16	46	2	2	-
Wood	1,082	844	10	8	18
Parkersburg	---	518	5	5	8
Vienna	---	113	1	-	2
Balance of county	---	213	4	3	8
Wyoming	85	269	5	-	5
Wisconsin	40,968	41,033	698	458	497
White	39,765	39,830	593	400	421
All other	1,203	1,203	105	58	66
Black	965	960	82	47	58
Adams	125	155	3	3	2
Ashland	257	241	2	1	2
Barron	440	440	6	4	5
Bayfield	96	136	1	-	-
Brown	1,583	1,259	27	18	12
Allouez town#	---	79	2	1	1
Ashwaubenon	---	88	1	1	1
De Pere	---	72	1	1	2
Green Bay	---	787	11	6	7
Balance of county	---	233	12	9	1
Buffalo	83	138	1	-	-
Burnett	98	147	-	-	4
Calumet	157	212	4	3	2
Appleton, part	---	18	-	-	1
Balance of county	---	194	4	3	1
Chippewa	415	476	6	5	5
Chippewa Falls	---	142	2	2	-
Eau Claire, part	---	1	-	-	-
Balance of county	---	333	4	3	5
Clark	237	374	5	2	1
Columbia	396	455	6	5	1
Crawford	133	174	4	2	2
Dane	2,827	2,102	46	26	33
White	2,787	2,074	44	26	31
All other	40	28	2	-	2
Black	29	18	1	-	2
Madison	---	1,187	24	17	13
Middleton	---	66	1	-	2
Sun Prairie	---	80	2	-	2
Balance of county	---	769	19	9	16
Dodge	692	690	8	7	9
Beaver Dam	---	164	1	1	4
Watertown, part	---	63	1	1	-
Balance of county	---	463	6	5	5
Door	216	256	5	5	2
Douglas	349	468	10	7	5
Superior	---	334	9	6	5
Balance of county	---	134	1	1	-
Dunn	202	251	4	2	5
Menomonie	---	108	-	-	-
Balance of county	---	143	4	2	5
Eau Claire	796	584	12	9	11
Eau Claire, part	---	418	7	5	6
Eau Claire, total	---	419	7	5	6
Balance of county	---	166	5	4	5
Florence	33	54	-	-	-
Fond du Lac	823	831	14	9	9
Fond du Lac	---	422	4	2	4
Balance of county	---	409	10	7	5
Forest	57	117	-	-	2
Grant	417	478	4	3	9
Green	350	286	6	3	5
Monroe	---	121	1	-	2
Balance of county	---	165	5	3	3
Green Lake	179	200	6	5	-
Iowa	158	186	3	3	-
Iron	38	89	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Jackson	142	160	4	4	-
Jefferson	381	560	13	8	4
Watertown, part	---	118	3	2	2
Watertown, total	---	181	4	3	2
Whitewater, part	---	1	-	-	-
Balance of county	---	441	10	6	2
Juneau	142	225	2	2	1
Kenosha	941	1,053	17	10	21
Kenosha	---	735	16	9	15
Balance of county	---	318	1	1	6
Kewaunee	118	171	-	-	3
La Crosse	1,222	797	14	8	11
La Crosse	---	540	9	3	5
Balance of county	---	257	5	5	6
Lafayette	100	165	-	-	1
Langlade	196	212	7	7	-
Lincoln	251	277	8	5	5
Manitowoc	741	804	12	9	9
Manitowoc	---	439	7	5	3
Two Rivers	---	137	2	1	2
Balance of county	---	228	3	3	4
Marathon	755	801	15	9	12
Marshfield, part	---	-	-	-	-
Wausau	---	354	5	2	3
Balance of county	---	447	10	7	9
Marinette	356	441	7	5	7
Marinette	---	173	2	2	3
Balance of county	---	268	5	3	4
Marquette	47	141	2	1	2
Menominee	11	43	5	2	1
White	-	3	-	-	-
All other	11	40	5	2	1
Black	-	-	-	-	-
Milwaukee	9,650	8,975	179	116	124
White	8,816	8,138	108	75	77
All other	834	837	71	41	47
Black	804	810	68	40	46
Brown Deer	---	58	-	-	-
Cudahy	---	120	4	3	-
Franklin	---	94	1	1	4
Glendale	---	207	1	1	1
Greendale	---	86	3	3	-
Greenfield	---	337	3	3	3
Milwaukee, part	---	6,022	147	91	102
White	---	5,203	76	50	55
All other	---	819	71	41	47
Black	---	797	68	40	46
Milwaukee, total	---	6,023	147	91	102
White	---	5,203	76	50	55
All other	---	820	71	41	47
Black	---	798	68	40	46
Oak Creek	---	86	1	1	2
St. Francis	---	86	1	1	1
Shorewood	---	162	1	1	-
South Milwaukee	---	168	3	2	-
Wauwatosa	---	577	6	4	4
West Allis	---	661	6	3	6
Whitefish Bay	---	81	2	2	-
Balance of county	---	230	-	-	1
Monroe	318	348	6	3	5
Oconto	240	315	4	3	2
Oneida	451	351	5	5	-
Outagamie	1,021	939	23	15	12
Appleton, part	---	442	8	2	5
Appleton, total	---	460	8	2	6
Kaukauna	---	94	3	3	-
Balance of county	---	403	12	10	7
Ozaukee	287	427	2	1	-
Mequon	---	117	-	-	-
Balance of county	---	310	2	1	-
Pepin	73	88	-	-	2
Pierce	109	220	3	1	2
Polk	346	355	2	1	3
Portage	335	374	7	5	2
Stevens Point	---	163	1	1	-
Balance of county	---	211	6	4	2
Price	141	163	4	2	5
Racine	1,339	1,364	17	10	25
White	1,267	1,293	11	8	17
All other	72	71	6	2	8
Black	69	69	6	2	8
Racine	---	801	13	7	15
White	---	736	7	5	7
All other	---	65	6	2	8
Black	---	64	6	2	8
Balance of county	---	563	4	3	10
Wisconsin-Con.					
Richland	158	179	1	1	-
Rock	1,148	1,200	17	8	14
Beloit	---	336	6	3	7
White	---	313	3	1	7
All other	---	23	3	2	-
Black	---	23	3	2	-
Janesville	---	368	4	1	6
Balance of county	---	496	7	4	1
Rusk	146	170	5	5	-
St. Croix	331	360	6	3	3
Sauk	437	447	6	4	5
Sawyer	126	178	3	2	2
White	109	156	-	-	-
All other	17	22	3	2	2
Black	1	-	-	-	-
Shawano	342	423	6	5	2
Sheboygan	950	963	10	4	11
Sheboygan	---	565	6	3	7
Balance of county	---	398	4	1	4
Taylor	170	187	7	3	3
Trempealeau	238	292	4	2	3
Vernon	250	288	3	2	1
Vilas	143	198	2	1	1
Walworth	543	691	9	8	8
Whitewater, part	---	66	-	-	-
Whitewater, total	---	67	-	-	-
Balance of county	---	615	9	8	8
Washburn	132	133	2	2	-
Washington	427	519	12	11	5
Germantown	---	32	-	-	-
Milwaukee, part	---	1	-	-	-
West Bend	---	189	7	6	3
Balance of county	---	297	5	5	2
Waukesha	1,753	1,746	21	15	18
Brookfield	---	223	1	-	-
Menomonee Falls	---	147	3	2	3
Muskego	---	95	2	2	-
New Berlin	---	145	1	1	-
Waukesha	---	352	4	3	7
Balance of county	---	784	10	7	8
Waupaca	467	570	12	8	6
Waushara	151	210	3	3	2
Winnebago	1,166	1,115	18	9	8
Appleton, part	---	-	-	-	-
Menasha	---	116	2	-	-
Neenah	---	183	3	1	2
Oshkosh	---	477	12	7	3
Balance of county	---	339	1	1	3
Wood	1,020	586	10	8	8
Marshfield, part	---	173	3	2	2
Marshfield, total	---	173	3	2	2
Wisconsin Rapids	---	200	5	4	3
Balance of county	---	213	2	2	3
Wyoming	2,992	3,161	101	52	69
White	2,918	3,090	97	49	63
All other	74	71	4	3	6
Black	21	21	1	1	-
Albany	157	154	5	-	4
Laramie	---	125	4	-	4
Balance of county	---	29	1	-	-
Big Horn	78	112	1	1	4
Campbell	105	116	5	2	7
Gillette	---	72	3	1	2
Balance of county	---	44	2	1	5
Carbon	121	131	2	-	5
Rawlins	---	63	1	-	3
White	---	62	1	-	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	68	1	-	2
Converse	48	67	2	-	-
Crook	24	52	5	5	-
Fremont	229	235	11	5	4
White	196	198	8	3	2
All other	33	37	3	2	2
Black	1	-	-	-	-
Goshen	94	131	1	-	3
Hot Springs	55	61	2	2	2
Johnson	59	62	1	1	2
Laramie	571	504	14	6	10
Cheyenne	---	434	12	6	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1983—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wyoming-Con.					
Balance of county	---	70	2	-	3
Lincoln	57	75	3	1	2
Natrona	421	413	9	6	8
Casper	---	322	6	4	5
Balance of county	---	91	3	2	3
Niobrara	29	31	1	-	1
Park	146	145	1	1	-
Platte	53	77	-	-	2
Sheridan	266	246	5	2	1
Sheridan	---	186	4	1	-
Wyoming-Con.					
Balance of county	---	60	1	1	1
Sublette	41	41	-	-	3
Sweetwater	191	212	19	11	5
Green River	---	47	9	5	1
Rock Springs	---	138	9	6	4
Balance of county	---	27	1	-	-
Teton	61	50	2	2	-
Uinta	67	84	8	4	2
Washakie	73	89	-	-	2
Weston	46	73	4	3	2

[1] Areas shown are census areas, the nearest equivalent of counties.
[2] Includes data for La Paz which became a new county on January 1, 1983.
[3] Includes data for Texarkana, Ark., only.
[4] Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
[5] There are 13 deaths to residents of Mokapu included in balance of Honolulu County
[6] Areas shown are parishes, the equivalent of counties.
[7] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[8] Includes data for Bristol, Tenn., only.
[9] Includes data for Texarkana, Tex., only.
[10] Independent city having population of less than 10,000 according to the 1980 census.
[11] Includes data for Bristol, Va., only.
[12] There are 115 deaths to residents of Pulaski included in Salem city.
[13] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
United States	2,019,201	40,627	11.2	26,507	7.3	30,752	8.5
White	1,765,582	28,301	9.7	18,603	6.4	21,650	7.5
All other	253,619	12,326	16.6	7,904	10.8	9,102	12.4
Black	233,124	11,242	19.2	7,277	12.4	8,001	13.7
Urban places	1,156,772	24,815	12.2	16,385	8.0	17,968	8.8
White	970,731	15,677	10.4	10,425	6.9	11,413	7.6
All other	186,041	9,138	17.0	5,960	11.1	6,555	12.2
Black	173,014	8,500	19.3	5,563	12.6	5,830	13.2
Balance of area	862,429	15,812	9.9	10,122	6.3	12,784	8.0
White	794,851	12,624	9.0	8,178	5.8	10,237	7.3
All other	67,578	3,188	16.1	1,944	9.8	2,547	12.8
Black	60,110	2,742	18.9	1,714	11.8	2,171	15.0
Metropolitan counties	1,464,770	30,651	11.1	20,290	7.4	22,715	8.3
White	1,267,250	20,754	9.6	13,814	6.4	15,614	7.3
All other	197,520	9,897	18.6	6,476	10.9	7,101	11.9
Black	183,024	9,175	19.1	6,038	12.5	6,298	13.1
Urban places	1,038,182	22,589	12.2	14,970	8.1	16,169	8.7
White	885,463	14,027	10.4	9,369	6.9	10,134	7.5
All other	172,719	8,572	17.1	5,601	11.2	6,035	12.0
Black	160,562	7,979	19.3	5,233	12.7	5,364	13.0
Balance of area	426,588	8,052	9.0	5,320	5.9	6,546	7.3
White	401,787	6,727	8.4	4,445	5.5	5,480	6.8
All other	24,801	1,325	14.0	875	9.2	1,066	11.2
Black	22,462	1,196	17.5	805	11.8	834	13.6
Nonmetropolitan counties	554,431	9,976	11.2	6,217	7.0	8,037	9.0
White	498,332	7,547	10.0	4,789	6.4	6,036	8.0
All other	56,099	2,429	17.6	1,428	10.4	2,001	14.5
Black	50,100	2,067	19.7	1,239	11.8	1,703	16.3
Urban places [1]	118,590	2,216	11.8	1,415	7.5	1,799	9.6
White	105,268	1,650	10.7	1,056	6.9	1,279	8.3
All other	13,322	566	16.5	359	10.4	520	15.1
Black	12,452	521	18.6	330	11.8	468	16.6
Balance of area	435,841	7,760	11.1	4,802	6.8	6,238	8.9
White	393,064	5,897	9.9	3,733	6.2	4,757	8.0
All other	42,777	1,863	18.0	1,069	10.3	1,481	14.3
Black	37,648	1,546	20.2	909	11.9	1,237	16.1
Alabama	35,560	774	13.1	489	8.3	638	10.8
White	25,659	396	10.3	265	6.9	331	8.6
All other	9,901	378	18.3	224	10.9	307	14.9
Black	9,876	375	18.5	222	10.9	305	15.0
Urban places	15,716	359	13.8	242	9.3	284	10.9
White	10,048	166	12.0	114	8.2	108	7.8
All other	5,668	193	15.9	128	10.6	176	14.5
Black	5,655	190	16.0	126	10.6	174	14.6
Balance of area	19,844	415	12.5	247	7.5	354	10.7
White	15,611	230	9.4	151	6.1	223	9.1
All other	4,233	185	21.7	96	11.3	131	15.4
Black	4,221	185	22.0	96	11.4	131	15.6
Metropolitan counties	21,393	458	12.4	312	8.5	388	10.5
White	15,347	233	9.6	160	6.6	202	8.3
All other	6,046	225	17.8	152	12.0	186	14.7
Black	6,031	222	17.9	150	12.1	184	14.8
Urban places	12,589	274	13.3	191	9.3	221	10.8
White	7,881	113	10.7	78	7.4	75	7.1
All other	4,718	161	16.2	113	11.4	146	14.7
Black	4,708	158	16.2	111	11.4	144	14.7
Balance of area	8,794	184	11.3	121	7.4	167	10.2
White	7,466	120	8.8	82	6.0	127	9.3
All other	1,328	64	23.9	39	14.5	40	14.9
Black	1,323	64	24.5	39	14.9	40	15.3
Nonmetropolitan counties	14,167	316	14.2	177	8.0	250	11.3
White	10,312	163	11.5	105	7.4	129	9.1
All other	3,855	153	19.1	72	9.0	121	15.1
Black	3,845	153	19.4	72	9.1	121	15.4
Urban places	3,117	85	15.7	51	9.4	63	11.6
White	2,167	53	16.2	36	11.0	33	10.1
All other	950	32	14.8	15	6.9	30	13.9
Black	947	32	15.2	15	7.1	30	14.3
Balance of area	11,050	231	13.8	126	7.5	187	11.2
White	8,145	110	10.1	69	6.3	96	8.8
All other	2,905	121	20.7	57	9.8	91	15.6
Black	2,898	121	20.9	57	9.9	91	15.8

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Alaska	1,697	149	12.4	79	6.6	66	5.5
White	1,342	90	10.7	49	5.8	42	5.0
All other	555	59	16.5	30	8.4	24	6.7
Black	60	11	21.0	8	15.2	6	11.4
Urban places	993	70	10.1	39	5.6	42	6.1
White	822	48	8.7	25	4.6	30	5.5
All other	171	22	15.3	14	9.7	12	8.4
Black	50	9	19.4	7	15.1	6	13.0
Balance of area	904	79	15.6	40	7.9	24	4.7
White	520	42	14.3	24	8.2	12	4.1
All other	384	37	17.3	16	7.5	12	5.6
Black	10	2	32.3	1	16.1	-	-
Metropolitan census areas [2]	664	44	8.8	29	5.8	30	6.0
White	549	29	7.4	18	4.6	21	5.3
All other	115	15	14.0	11	10.3	9	8.4
Black	39	8	21.7	6	16.3	3	8.1
Urban places	664	44	8.8	29	5.8	30	6.0
White	549	29	7.4	18	4.6	21	5.3
All other	115	15	14.0	11	10.3	9	8.4
Black	39	8	21.7	6	16.3	3	8.1
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1,233	105	15.0	50	7.2	36	5.2
White	793	61	13.6	31	6.9	21	4.7
All other	440	44	17.6	19	7.6	15	6.0
Black	21	3	19.2	2	12.8	3	19.2
Urban places	329	26	13.6	10	5.2	12	6.3
White	273	19	12.3	7	4.5	9	5.8
All other	56	7	19.1	3	8.2	3	8.2
Black	11	1	10.6	1	10.6	3	31.9
Balance of area	904	79	15.6	40	7.9	24	4.7
White	520	42	14.3	24	8.2	12	4.1
All other	384	37	17.3	16	7.5	12	5.6
Black	10	2	32.3	1	16.1	-	-
Arizona	22,593	511	9.5	314	5.8	378	7.0
White	21,018	402	8.9	255	5.7	283	6.5
All other	1,575	109	12.3	59	6.7	85	9.6
Black	605	48	20.7	29	12.5	29	12.5
Urban places	14,663	357	11.6	223	7.2	248	8.1
White	13,978	302	10.9	191	6.9	208	7.5
All other	685	55	17.9	32	10.4	40	13.1
Black	532	43	25.4	26	15.4	27	16.0
Balance of area	7,930	154	6.7	91	4.0	130	5.6
White	7,040	100	5.6	64	3.7	85	4.9
All other	890	54	9.3	27	4.7	45	7.8
Black	73	5	7.9	3	4.8	2	3.2
Metropolitan counties	16,982	356	9.2	223	5.7	245	6.3
White	16,161	300	8.6	192	5.5	205	5.9
All other	801	56	13.8	31	7.6	40	9.9
Black	518	41	20.7	24	12.1	26	13.1
Urban places	13,223	311	11.2	193	7.0	212	7.7
White	12,593	263	10.6	166	6.7	175	7.0
All other	630	48	17.0	27	9.6	37	13.1
Black	493	38	24.1	23	14.6	25	15.9
Balance of area	3,759	45	4.0	30	2.7	33	3.0
White	3,568	37	3.7	26	2.6	30	3.0
All other	171	8	6.4	4	3.2	3	2.4
Black	25	3	7.4	1	2.5	1	2.5
Nonmetropolitan counties	5,611	155	10.4	91	6.1	133	8.9
White	4,837	102	10.1	63	6.2	88	8.7
All other	774	53	11.0	28	5.8	45	9.4
Black	87	7	20.6	5	14.7	3	8.8
Urban places	1,440	46	15.0	30	9.8	36	11.7
White	1,385	39	13.8	25	8.9	33	11.7
All other	55	7	28.1	5	20.1	3	12.0
Black	39	5	43.5	3	26.1	2	17.4
Balance of area	4,171	109	9.2	61	5.1	97	8.2
White	3,452	63	8.6	38	5.2	55	7.5
All other	719	46	10.1	23	5.1	42	9.2
Black	48	2	8.9	2	8.9	1	4.4

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Arkansas	23,154	373	10.7	216	6.2	256	7.3
White	19,255	237	9.1	148	5.6	168	6.4
All other	3,899	136	15.3	70	7.9	88	9.9
Black	3,874	132	15.6	67	7.9	87	10.3
Urban places	8,615	149	10.8	95	6.9	99	7.2
White	6,893	85	9.2	59	6.4	51	5.5
All other	1,722	64	14.1	36	7.9	48	10.6
Black	1,709	62	14.4	35	8.1	47	10.9
Balance of area	14,539	224	10.6	121	5.7	157	7.4
White	12,362	152	9.0	87	5.2	117	6.9
All other	2,177	72	16.6	34	7.8	40	9.2
Black	2,165	70	16.8	32	7.7	40	9.6
Metropolitan counties	7,752	152	10.3	92	6.3	97	6.6
White	6,320	95	8.8	61	5.7	59	5.5
All other	1,432	57	14.0	31	7.6	38	9.3
Black	1,421	55	14.6	30	7.9	37	9.8
Urban places	5,375	103	10.7	69	7.2	62	6.4
White	4,275	63	9.7	47	7.2	31	4.8
All other	1,100	40	12.7	22	7.0	31	9.9
Black	1,092	39	13.3	22	7.5	30	10.2
Balance of area	2,377	49	9.7	23	4.5	35	6.9
White	2,045	32	7.7	14	3.4	28	6.8
All other	332	17	18.3	9	9.7	7	7.5
Black	329	16	19.0	8	9.5	7	8.3
Nonmetropolitan counties	15,402	221	10.9	124	6.1	159	7.8
White	12,935	142	9.2	85	5.5	109	7.0
All other	2,467	79	16.4	39	8.1	50	10.4
Black	2,453	77	16.5	37	7.9	50	10.7
Urban places	3,240	48	11.0	26	6.2	37	8.9
White	2,618	22	7.8	12	4.3	20	7.2
All other	622	24	17.1	14	10.0	17	12.1
Black	617	23	16.9	13	9.5	17	12.5
Balance of area	12,162	175	10.9	98	6.1	122	7.6
White	10,317	120	9.4	73	5.7	89	7.0
All other	1,845	55	16.2	25	7.3	33	9.7
Black	1,836	54	16.3	24	7.2	33	10.0
California	188,442	4,233	9.7	2,722	6.2	3,027	6.9
White	168,801	3,226	9.4	2,050	6.0	2,297	6.7
All other	19,641	1,007	11.0	672	7.3	730	8.0
Black	13,790	747	16.7	505	11.3	459	10.2
Urban places	154,725	3,498	11.1	2,282	7.2	2,507	7.9
White	136,418	2,567	10.6	1,661	6.8	1,823	7.5
All other	18,307	931	12.7	621	8.5	684	9.3
Black	13,035	696	19.2	470	13.0	431	11.9
Balance of area	33,717	735	6.1	440	3.7	520	4.3
White	32,383	659	6.5	389	3.8	474	4.7
All other	1,334	76	4.1	51	2.8	46	2.5
Black	755	51	6.0	35	4.1	28	3.3
Metropolitan counties	177,480	4,003	9.7	2,593	6.3	2,874	7.0
White	158,245	3,014	9.3	1,929	6.0	2,155	6.7
All other	19,235	989	11.1	664	7.4	719	8.0
Black	13,618	740	16.7	502	11.4	456	10.3
Urban places	151,398	3,414	11.1	2,229	7.2	2,447	7.9
White	133,246	2,492	10.6	1,612	6.8	1,769	7.5
All other	18,152	922	12.7	617	8.5	678	9.4
Black	12,947	693	19.3	470	13.1	428	11.9
Balance of area	26,082	589	5.6	364	3.5	427	4.1
White	24,999	522	5.9	317	3.6	386	4.4
All other	1,083	67	3.9	47	2.7	41	2.4
Black	671	47	5.7	32	3.9	28	3.4
Nonmetropolitan counties	10,962	230	10.1	129	5.7	153	6.7
White	10,556	212	10.4	121	5.9	142	7.0
All other	406	18	7.8	8	3.4	11	4.7
Black	172	7	11.7	3	5.0	3	5.0
Urban places	3,327	84	10.6	53	6.7	60	7.6
White	3,172	75	10.8	49	7.1	54	7.8
All other	155	9	9.2	4	4.1	6	6.1
Black	88	3	8.9	–	–	3	8.9
Balance of area	7,635	146	9.9	76	5.1	93	6.3
White	7,384	137	10.2	72	5.3	88	6.5
All other	251	9	6.7	4	3.0	5	3.7
Black	84	4	15.2	3	11.4	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Colorado	19,549	548	10.0	322	5.9	516	9.4
White	18,802	500	10.0	287	5.7	465	9.3
All other	747	48	10.7	35	7.8	51	11.4
Black	611	42	15.5	29	10.7	41	15.2
Urban places	13,385	386	11.4	237	7.0	340	10.0
White	12,711	343	11.4	205	6.8	294	9.8
All other	674	43	11.6	32	8.6	46	12.4
Black	580	39	16.2	28	11.6	39	16.2
Balance of area	6,164	162	7.8	85	4.1	176	8.5
White	6,091	157	7.8	82	4.1	171	8.5
All other	73	5	6.5	3	3.9	5	6.5
Black	31	3	10.4	1	3.5	2	6.9
Metropolitan counties	14,913	451	10.0	264	6.0	411	9.4
White	14,194	405	10.0	231	5.8	360	9.1
All other	719	46	10.8	33	7.8	51	12.0
Black	605	41	15.3	28	10.5	41	15.3
Urban places	12,561	368	11.3	224	6.9	317	9.7
White	11,887	325	11.2	192	6.6	271	9.3
All other	674	43	11.7	32	8.7	46	12.5
Black	580	39	16.2	28	11.7	39	16.2
Balance of area	2,352	83	7.5	40	3.6	94	8.5
White	2,307	80	7.6	39	3.7	89	8.5
All other	45	3	5.2	1	1.7	5	8.7
Black	25	2	7.4	–	–	2	7.4
Nonmetropolitan counties	4,636	97	8.9	58	5.3	105	9.6
White	4,608	95	8.9	56	5.2	105	9.8
All other	28	2	8.9	2	8.9	–	–
Black	6	1	33.3	1	33.3	–	–
Urban places	824	18	15.8	13	11.3	23	20.0
White	824	18	16.0	13	11.6	23	20.4
All other	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Balance of area	3,812	79	8.1	45	4.6	82	8.4
White	3,784	77	8.1	43	4.5	82	8.6
All other	28	2	10.1	2	10.1	–	–
Black	6	1	50.0	1	50.0	–	–
Connecticut	27,246	416	10.1	320	7.8	261	6.4
White	25,747	315	8.9	241	6.8	192	5.4
All other	1,499	101	17.6	79	13.7	69	12.0
Black	1,448	99	19.6	77	15.3	66	13.1
Urban places	19,771	310	10.6	232	8.0	196	6.7
White	18,361	215	9.1	158	6.7	129	5.4
All other	1,390	95	17.6	74	13.7	67	12.4
Black	1,355	93	19.1	72	14.8	65	13.4
Balance of area	7,475	106	8.9	88	7.3	65	5.4
White	7,386	100	8.6	83	7.1	63	5.4
All other	109	6	17.6	5	14.7	2	5.9
Black	93	6	31.9	5	26.6	1	5.3
Metropolitan counties	24,932	378	10.0	290	7.7	244	6.5
White	23,455	278	8.7	212	6.6	175	5.4
All other	1,477	100	17.6	78	13.7	69	12.1
Black	1,430	98	19.6	76	15.2	66	13.2
Urban places	19,430	307	10.7	229	8.0	193	6.7
White	18,044	212	9.1	155	6.6	126	5.4
All other	1,386	95	17.6	74	13.7	67	12.4
Black	1,351	93	19.2	72	14.8	65	13.4
Balance of area	5,502	71	7.8	61	6.7	51	5.6
White	5,411	66	7.5	57	6.5	49	5.6
All other	91	5	17.4	4	13.9	2	6.9
Black	79	5	31.6	4	25.3	1	6.3
Nonmetropolitan counties	2,314	38	11.6	30	9.2	17	5.2
White	2,292	37	11.5	29	9.0	17	5.3
All other	22	1	16.4	1	16.4	–	–
Black	18	1	28.6	1	28.6	–	–
Urban places	341	3	7.6	3	7.6	3	7.6
White	337	3	7.8	3	7.8	3	7.8
All other	4	–	–	–	–	–	–
Black	4	–	–	–	–	–	–
Balance of area	1,973	35	12.1	27	9.4	14	4.9
White	1,955	34	12.0	26	9.2	14	4.9
All other	18	1	19.2	1	19.2	–	–
Black	14	1	33.3	1	33.3	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Delaware	5,012	92	10.0	63	6.8	70	7.6
White	4,195	50	7.3	33	4.8	46	6.7
All other	817	42	17.6	30	12.6	24	10.1
Black	804	40	17.3	29	12.6	24	10.4
Urban places	1,512	48	18.9	35	14.4	31	12.8
White	1,060	16	12.6	12	9.5	18	14.2
All other	452	30	25.8	23	19.8	13	11.2
Black	449	28	24.4	22	19.2	13	11.3
Balance of area	3,500	46	6.8	28	4.1	39	5.7
White	3,135	34	6.1	21	3.8	28	5.0
All other	365	12	9.8	7	5.7	11	9.0
Black	355	12	10.3	7	6.0	11	9.5
Metropolitan counties	3,143	66	11.2	48	8.1	49	8.3
White	2,639	37	8.3	25	5.6	34	7.6
All other	504	29	20.1	23	16.0	15	10.4
Black	500	27	19.4	22	15.8	15	10.8
Urban places	1,292	41	20.6	31	15.6	23	11.5
White	895	13	13.1	9	9.0	12	12.0
All other	397	28	28.1	22	22.1	11	11.0
Black	395	26	26.3	21	21.3	11	11.1
Balance of area	1,851	25	6.4	17	4.3	26	6.6
White	1,744	24	6.9	16	4.6	22	6.3
All other	107	1	2.3	1	2.3	4	9.0
Black	105	1	2.5	1	2.5	4	9.9
Nonmetropolitan counties	1,869	26	7.8	15	4.5	21	6.3
White	1,556	13	5.5	8	3.4	12	5.0
All other	313	13	13.8	7	7.4	9	9.6
Black	304	13	14.2	7	7.8	9	9.8
Urban places	220	5	11.5	4	9.2	8	18.3
White	165	3	11.0	3	11.0	6	22.1
All other	55	2	12.2	1	6.1	2	12.2
Black	54	2	12.5	1	6.3	2	12.5
Balance of area	1,649	21	7.3	11	3.8	13	4.5
White	1,391	10	4.7	5	2.4	6	2.8
All other	258	11	14.2	6	7.7	7	9.0
Black	250	11	14.6	6	7.9	7	9.3
District of Columbia	6,764	180	19.3	132	14.1	132	14.1
White	1,905	20	11.6	19	11.1	16	9.3
All other	4,859	160	21.0	113	14.8	116	15.2
Black	4,824	159	21.3	113	15.1	115	15.4
Urban places	6,764	180	19.3	132	14.1	132	14.1
White	1,905	20	11.6	19	11.1	16	9.3
All other	4,859	160	21.0	113	14.8	116	15.2
Black	4,824	159	21.3	113	15.1	115	15.4
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Metropolitan counties	6,764	180	19.3	132	14.1	132	14.1
White	1,905	20	11.6	19	11.1	16	9.3
All other	4,859	160	21.0	113	14.8	116	15.2
Black	4,824	159	21.3	113	15.1	115	15.4
Urban places	6,764	180	19.3	132	14.1	132	14.1
White	1,905	20	11.6	19	11.1	16	9.3
All other	4,859	160	21.0	113	14.8	116	15.2
Black	4,824	159	21.3	113	15.1	115	15.4
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Florida	113,195	1,816	12.2	1,144	7.7	1,455	9.8
White	101,040	1,090	9.9	707	6.4	888	8.1
All other	12,155	726	18.5	437	11.2	567	14.5
Black	12,014	721	19.3	435	11.6	551	14.7
Urban places	60,180	919	11.0	592	7.1	761	9.1
White	52,605	485	8.8	335	6.1	416	7.6
All other	7,575	434	15.2	257	9.0	345	12.1
Black	7,509	431	15.7	255	9.3	332	12.1
Balance of area	53,015	897	13.6	552	8.4	694	10.5
White	48,435	605	11.0	372	6.8	472	8.6
All other	4,580	292	27.3	180	16.8	222	20.8
Black	4,505	290	29.0	180	18.0	219	21.9
Metropolitan counties	97,864	1,556	11.9	994	7.6	1,244	9.5
White	87,517	929	9.7	619	6.5	742	7.7
All other	10,347	627	18.1	375	10.8	502	14.5
Black	10,230	624	18.9	373	11.3	486	14.7
Urban places	58,185	879	10.9	565	7.0	732	9.1
White	50,919	461	8.7	320	6.0	395	7.4
All other	7,266	418	15.1	245	8.9	337	12.2
Black	7,203	416	15.6	243	9.1	324	12.2
Balance of area	39,679	677	13.6	429	8.6	512	10.3
White	36,598	468	11.0	299	7.0	347	8.1
All other	3,081	209	29.7	130	18.5	165	23.4
Black	3,027	208	32.2	130	20.2	162	25.1
Nonmetropolitan counties	15,331	260	14.0	150	8.1	211	11.3
White	13,523	161	11.4	88	6.2	146	10.3
All other	1,808	99	22.1	62	13.9	65	14.5
Black	1,784	97	22.3	62	14.2	65	14.9
Urban places	1,995	40	15.8	27	10.7	29	11.5
White	1,686	24	14.0	15	8.8	21	12.3
All other	309	16	19.5	12	14.6	8	9.8
Black	306	15	18.6	12	14.9	8	9.9
Balance of area	13,336	220	13.7	123	7.6	182	11.3
White	11,837	137	11.0	73	5.9	125	10.0
All other	1,499	83	22.7	50	13.7	57	15.6
Black	1,478	82	23.1	50	14.1	57	16.1
Georgia	46,005	1,205	13.4	811	9.0	1,211	13.5
White	33,147	571	9.9	390	6.8	573	10.0
All other	12,858	634	19.5	421	12.9	638	19.6
Black	12,782	624	19.8	415	13.2	623	19.8
Urban places	17,763	517	16.2	359	11.2	552	17.3
White	10,289	161	11.6	110	7.9	168	12.1
All other	7,474	356	19.7	249	13.8	384	21.3
Black	7,443	354	20.1	248	14.1	373	21.2
Balance of area	28,242	688	11.8	452	7.8	659	11.3
White	22,858	410	9.4	280	6.4	405	9.3
All other	5,384	278	19.2	172	11.9	254	17.6
Black	5,339	270	19.5	167	12.1	250	18.1
Metropolitan counties	24,764	704	12.9	494	9.1	715	13.1
White	17,512	342	9.9	240	6.9	331	9.6
All other	7,252	362	18.3	254	12.8	384	19.4
Black	7,201	359	18.9	251	13.2	371	19.5
Urban places	13,188	400	16.1	283	11.4	419	16.8
White	7,265	121	11.8	85	8.3	114	11.2
All other	5,923	279	19.0	198	13.5	305	20.8
Black	5,898	279	19.5	198	13.8	296	20.7
Balance of area	11,576	304	10.3	211	7.1	296	10.0
White	10,247	221	9.1	155	6.4	217	8.9
All other	1,329	83	16.1	56	10.9	79	15.3
Black	1,303	80	17.0	53	11.3	75	15.9
Nonmetropolitan counties	21,241	501	14.1	317	8.9	496	13.9
White	15,635	229	10.0	150	6.5	242	10.6
All other	5,606	272	21.4	167	13.2	254	20.0
Black	5,581	265	21.3	164	13.2	252	20.2
Urban places	4,575	117	16.5	76	10.7	133	18.8
White	3,024	40	10.8	25	6.8	54	14.6
All other	1,551	77	22.8	51	15.1	79	23.4
Black	1,545	75	22.7	50	15.1	77	23.3
Balance of area	16,666	384	13.5	241	8.4	363	12.7
White	12,611	189	9.8	125	6.5	188	9.8
All other	4,055	195	20.9	116	12.5	175	18.8
Black	4,036	190	20.8	114	12.5	175	19.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Hawaii	5,482	180	9.4	121	6.3	200	10.5
White	1,777	50	10.3	34	7.0	64	13.2
All other	3,705	130	9.1	87	6.1	136	9.5
Black	34	9	11.3	5	6.3	6	7.5
Urban places	3,994	128	9.6	88	6.6	146	10.9
White	1,300	34	10.1	24	7.1	46	13.6
All other	2,694	94	9.4	64	6.4	100	10.0
Black	30	9	12.6	5	7.0	6	8.4
Balance of area	1,488	52	9.0	33	5.7	54	9.4
White	477	16	10.8	10	6.8	18	12.2
All other	1,011	36	8.4	23	5.4	36	8.4
Black	4	–	–	–	–	–	–
Metropolitan counties	4,127	145	9.8	95	6.4	154	10.4
White	1,340	40	10.3	26	6.7	50	12.9
All other	2,787	105	9.7	69	6.4	104	9.6
Black	33	9	11.6	5	6.5	5	6.5
Urban places	3,595	119	9.8	82	6.7	131	10.7
White	1,188	32	9.8	22	6.7	43	13.2
All other	2,407	87	9.7	60	6.7	88	9.9
Black	30	9	12.8	5	7.1	5	7.1
Balance of area	532	26	10.2	13	5.1	23	9.1
White	152	8	12.6	4	6.4	7	11.2
All other	380	18	9.4	9	4.7	16	8.4
Black	3	–	–	–	–	–	–
Nonmetropolitan counties	1,355	35	8.0	26	5.9	46	10.5
White	437	10	10.5	8	8.4	14	14.7
All other	918	25	7.3	18	5.2	32	9.3
Black	1	–	–	–	–	1	38.5
Urban places	399	9	7.7	6	5.1	15	12.8
White	112	2	19.2	2	19.2	3	28.8
All other	287	7	6.6	4	3.8	12	11.3
Black	–	–	–	–	–	1	90.9
Balance of area	956	26	8.1	20	6.2	31	9.6
White	325	8	9.4	6	7.1	11	12.9
All other	631	18	7.6	14	5.9	20	8.5
Black	1	–	–	–	–	–	–
Idaho	7,241	203	10.8	109	5.8	133	7.1
White	7,116	194	10.7	105	5.8	128	7.1
All other	125	9	14.5	4	6.5	5	8.1
Black	18	4	43.0	3	32.3	1	10.8
Urban places	3,148	80	11.2	44	6.1	48	6.4
White	3,116	76	11.0	41	5.9	45	6.5
All other	32	4	16.1	3	12.1	1	4.0
Black	15	3	65.2	2	43.5	1	21.7
Balance of area	4,093	123	10.6	65	5.6	87	7.5
White	4,000	118	10.5	64	5.7	83	7.4
All other	93	5	13.5	1	2.7	4	10.8
Black	3	1	21.3	1	21.3	–	–
Metropolitan counties	1,230	32	10.4	20	6.5	20	6.5
White	1,220	32	10.9	20	6.8	19	6.5
All other	10	–	–	–	–	1	9.1
Black	5	–	–	–	–	1	37.0
Urban places	1,022	27	13.5	16	8.0	14	7.0
White	1,012	27	14.2	16	8.4	13	6.8
All other	10	–	–	–	–	1	10.5
Black	5	–	–	–	–	1	58.8
Balance of area	208	5	4.7	4	3.7	6	5.6
White	208	5	4.8	4	3.9	6	5.8
All other	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	6,011	171	10.9	89	5.7	113	7.2
White	5,896	162	10.7	85	5.6	109	7.2
All other	115	9	18.2	4	8.1	4	8.1
Black	13	4	60.6	3	45.5	–	–
Urban places	2,126	53	10.3	28	5.4	32	6.2
White	2,104	49	9.8	25	5.0	32	6.4
All other	22	4	26.1	3	19.6	–	–
Black	10	3	103.4	2	69.0	–	–
Balance of area	3,885	118	11.2	61	5.8	81	7.7
White	3,792	113	11.1	60	5.9	77	7.6
All other	93	5	14.6	1	2.9	4	11.7
Black	3	1	27.0	1	27.0	–	–

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Illinois	102,438	2,224	12.4	1,464	8.2	1,483	8.3
White	87,922	1,326	9.7	924	6.7	993	7.2
All other	14,516	898	21.4	540	12.9	490	11.7
Black	14,161	877	23.1	524	13.8	462	12.2
Urban places	71,964	1,749	13.6	1,143	8.9	1,121	8.7
White	58,297	888	10.0	624	7.0	651	7.3
All other	13,667	861	21.9	519	13.2	470	11.9
Black	13,348	841	23.5	504	14.1	445	12.4
Balance of area	30,474	475	9.4	321	6.4	362	7.2
White	29,625	438	9.2	300	6.3	342	7.1
All other	849	37	14.4	21	8.2	20	7.8
Black	815	36	17.0	20	9.5	17	8.0
Metropolitan counties	79,281	1,897	12.8	1,258	8.5	1,221	8.2
White	65,245	1,018	9.4	726	6.7	752	7.0
All other	14,036	879	21.6	532	13.1	469	11.5
Black	13,700	858	23.2	516	13.9	446	12.1
Urban places	65,930	1,669	13.8	1,101	9.1	1,037	8.6
White	52,504	819	9.9	586	7.1	564	7.1
All other	13,426	850	22.0	515	13.3	453	11.7
Black	13,112	830	23.6	500	14.2	431	12.2
Balance of area	13,351	228	8.3	157	5.7	184	6.7
White	12,741	199	7.8	140	5.5	168	6.6
All other	610	29	13.6	17	7.9	16	7.5
Black	588	28	15.8	16	9.0	15	8.5
Nonmetropolitan counties	23,157	327	10.8	206	6.8	262	8.7
White	22,677	308	10.6	198	6.8	241	8.3
All other	480	19	16.2	8	6.8	21	17.9
Black	461	19	19.8	8	8.3	16	16.6
Urban places	6,034	80	10.9	42	5.7	64	11.4
White	5,793	69	10.5	38	5.8	57	10.2
All other	241	11	14.6	4	5.3	17	22.6
Black	234	11	17.7	4	6.4	14	22.5
Balance of area	17,123	247	10.8	164	7.2	178	7.8
White	16,884	239	10.6	160	7.1	174	7.7
All other	239	8	19.0	4	9.5	4	9.5
Black	227	8	23.5	4	11.8	2	5.9
Indiana	47,747	923	11.4	610	7.5	631	7.8
White	44,359	762	10.7	513	7.2	507	7.1
All other	3,388	161	17.0	97	10.2	124	13.1
Black	3,352	160	18.1	97	11.0	121	13.7
Urban places	27,181	577	13.1	385	8.7	354	8.0
White	23,895	422	12.1	292	8.4	238	6.8
All other	3,286	155	17.1	93	10.2	116	12.8
Black	3,264	154	17.9	93	10.8	113	13.2
Balance of area	20,566	346	9.4	225	6.1	277	7.5
White	20,464	340	9.3	221	6.1	269	7.4
All other	102	6	14.2	4	9.4	8	18.9
Black	88	6	24.6	4	16.5	8	33.1
Metropolitan counties	32,175	678	11.7	447	7.7	437	7.6
White	28,973	522	10.7	354	7.2	318	6.5
All other	3,202	156	17.5	93	10.4	119	13.3
Black	3,175	155	18.5	93	11.1	116	13.9
Urban places	22,650	511	13.3	339	8.8	315	8.2
White	19,512	361	12.1	250	8.4	204	6.9
All other	3,138	150	17.4	89	10.3	111	12.9
Black	3,120	149	18.2	89	10.9	108	13.2
Balance of area	9,525	167	8.6	108	5.6	122	6.3
White	9,461	161	8.4	104	5.4	114	6.0
All other	64	6	20.3	4	13.5	8	27.0
Black	55	6	33.3	4	22.2	8	44.4
Nonmetropolitan counties	15,572	245	10.6	163	7.1	194	8.4
White	15,386	240	10.7	159	7.1	189	8.4
All other	186	5	8.7	4	7.0	5	8.7
Black	177	5	10.9	4	8.8	5	10.9
Urban places	4,531	66	11.7	46	8.1	39	6.9
White	4,383	61	11.7	42	8.1	34	6.5
All other	148	5	11.3	4	9.0	6	11.3
Black	144	5	12.7	4	10.1	5	12.7
Balance of area	11,041	179	10.3	117	6.7	155	8.9
White	11,003	179	10.4	117	6.8	155	9.0
All other	38	–	–	–	–	–	–
Black	33	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Iowa	27,528	386	8.9	244	5.6	278	6.4
White	27,174	359	8.6	228	5.5	266	6.4
All other	354	27	16.2	16	9.6	12	7.2
Black	313	22	21.8	13	12.9	11	10.9
Urban places	11,034	181	9.9	125	6.5	134	6.9
White	10,710	166	9.3	111	6.2	122	6.8
All other	324	25	17.3	14	9.7	12	8.3
Black	296	21	21.6	12	12.4	11	11.3
Balance of area	16,494	185	8.1	119	5.0	144	6.0
White	16,464	193	8.1	117	4.9	144	6.1
All other	30	2	9.0	2	9.0	-	-
Black	17	1	25.0	1	25.0	-	-
Metropolitan counties	9,313	191	10.4	122	6.6	126	6.9
White	9,023	167	9.7	109	6.4	115	6.7
All other	290	24	19.4	13	10.5	11	8.9
Black	264	21	24.4	12	13.9	10	11.6
Urban places	7,638	161	11.0	102	7.0	105	7.2
White	7,354	137	10.2	89	6.6	94	7.0
All other	284	24	20.0	13	10.8	11	9.2
Black	260	21	24.8	12	14.2	10	11.8
Balance of area	1,675	30	8.0	20	5.3	21	5.6
White	1,669	30	8.1	20	5.4	21	5.7
All other	6	-	-	-	-	-	-
Black	4	-	-	-	-	-	-
Nonmetropolitan counties	18,215	195	7.8	122	4.9	152	6.1
White	18,151	192	7.9	119	4.9	151	6.2
All other	64	3	6.9	3	6.9	1	2.3
Black	49	1	6.7	1	6.7	1	6.7
Urban places	3,396	30	6.5	23	4.9	29	6.2
White	3,356	29	6.8	22	5.0	28	6.4
All other	40	1	4.1	1	4.1	1	4.1
Black	36	-	-	-	-	1	8.0
Balance of area	14,819	165	8.2	99	4.9	123	6.1
White	14,795	163	8.1	97	4.8	123	6.1
All other	24	2	10.8	2	10.6	-	-
Black	13	1	40.0	1	40.0	-	-
Kansas	21,931	416	10.3	247	6.1	302	7.5
White	20,778	358	10.0	217	6.0	249	6.9
All other	1,153	58	13.0	30	6.7	53	11.9
Black	1,068	51	15.3	24	7.2	44	13.2
Urban places	10,869	264	11.2	162	6.9	181	7.7
White	9,857	214	10.9	135	6.9	133	6.8
All other	1,012	50	13.0	27	7.0	48	12.5
Black	964	45	15.1	23	7.7	40	13.4
Balance of area	11,062	152	9.0	85	5.0	121	7.2
White	10,921	144	8.6	82	5.0	116	7.1
All other	141	8	13.0	3	4.9	5	8.1
Black	104	6	17.1	1	2.9	4	11.4
Metropolitan counties	8,488	207	10.9	125	6.6	153	8.1
White	7,655	166	10.4	103	6.4	119	7.4
All other	833	41	13.9	22	7.5	34	11.5
Black	794	37	15.8	19	8.1	28	12.0
Urban places	6,757	175	11.4	106	6.9	123	8.0
White	5,950	134	10.7	84	6.7	90	7.2
All other	807	41	14.4	22	7.7	33	11.6
Black	770	37	16.2	19	8.3	27	11.8
Balance of area	1,731	32	8.8	19	5.2	30	8.3
White	1,705	32	9.1	19	5.4	29	8.2
All other	26	-	-	-	-	1	9.9
Black	24	-	-	-	-	1	18.9
Nonmetropolitan counties	13,443	209	9.7	122	5.7	149	6.9
White	13,123	192	9.6	114	5.7	130	6.5
All other	320	17	11.2	8	5.3	19	12.6
Black	274	14	14.0	5	5.0	16	16.0
Urban places	4,112	89	10.9	56	6.9	58	7.1
White	3,907	80	11.2	51	7.1	43	6.0
All other	205	9	9.0	5	5.0	15	15.0
Black	194	8	11.4	4	5.7	13	18.5
Balance of area	9,331	120	9.0	66	5.0	91	6.9
White	9,216	112	8.8	63	4.9	87	6.8
All other	115	8	15.6	3	5.8	4	7.8
Black	80	6	20.2	1	3.4	3	10.1

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Kentucky	34,224	632	11.6	431	7.9	474	8.7
White	31,524	544	11.0	378	7.7	389	7.9
All other	2,700	88	16.5	53	9.9	85	15.9
Black	2,678	88	18.1	53	10.9	83	17.0
Urban places	11,645	197	12.0	128	7.8	164	10.0
White	9,802	141	10.7	95	7.2	111	8.4
All other	1,843	56	17.1	33	10.1	53	16.2
Black	1,831	56	18.1	33	10.6	52	16.8
Balance of area	22,579	435	11.4	303	7.9	310	8.1
White	21,722	403	11.1	283	7.8	278	7.7
All other	857	32	15.6	20	9.8	32	15.6
Black	847	32	18.0	20	11.3	31	17.5
Metropolitan counties	14,561	301	12.1	206	8.3	226	9.1
White	12,728	243	11.5	172	8.1	168	7.8
All other	1,833	58	15.7	34	9.2	60	16.3
Black	1,822	58	17.0	34	10.0	60	17.6
Urban places	9,059	169	13.0	112	8.6	132	10.2
White	7,497	120	11.6	84	8.2	88	8.5
All other	1,562	49	18.3	28	10.5	44	16.4
Black	1,555	49	19.2	28	11.0	44	17.2
Balance of area	5,502	132	11.1	94	7.9	94	7.9
White	5,231	123	11.3	88	8.1	78	7.1
All other	271	9	8.9	6	5.9	16	15.9
Black	267	9	10.5	6	7.0	16	18.6
Nonmetropolitan counties	19,663	331	11.1	225	7.6	248	8.3
White	18,796	301	10.7	206	7.3	223	7.9
All other	867	30	18.2	19	11.6	25	15.2
Black	856	30	20.6	19	13.0	23	15.8
Urban places	2,586	28	8.0	16	4.6	32	9.2
White	2,305	21	7.3	11	3.8	23	8.0
All other	281	7	11.6	5	8.3	9	14.9
Black	276	7	12.9	5	9.2	8	14.7
Balance of area	17,077	303	11.5	209	7.9	216	8.2
White	16,491	280	11.1	195	7.7	200	7.9
All other	586	23	22.1	14	13.4	16	15.4
Black	580	23	25.1	14	15.3	15	16.4
Louisiana	36,409	1,115	13.5	741	9.0	746	9.0
White	24,495	481	9.8	333	6.6	330	6.6
All other	11,914	624	19.3	408	12.6	416	12.9
Black	11,819	615	19.9	402	13.0	408	13.2
Urban places	17,958	540	14.7	362	9.8	362	9.8
White	10,742	167	9.7	114	6.6	112	6.5
All other	7,216	373	19.1	248	12.7	250	12.8
Black	7,164	367	19.5	244	13.0	247	13.1
Balance of area	18,451	575	12.6	379	8.9	384	8.4
White	13,753	324	9.9	219	6.7	218	6.6
All other	4,698	251	19.6	160	12.5	166	13.0
Black	4,655	248	20.4	158	13.0	161	13.2
Metropolitan parishes [2]	22,312	683	13.4	464	9.1	448	8.8
White	14,862	293	9.7	204	6.8	205	6.8
All other	7,450	390	18.7	260	12.5	243	11.6
Black	7,381	382	19.2	255	12.8	240	12.0
Urban places	15,081	444	14.3	308	9.9	289	9.3
White	8,913	134	9.5	86	6.8	89	6.3
All other	6,168	310	18.4	212	12.5	200	11.8
Black	6,121	304	18.7	208	12.8	199	12.2
Balance of area	7,231	238	11.9	156	7.8	159	7.9
White	5,949	159	9.9	108	6.7	116	7.2
All other	1,282	80	20.2	48	12.1	43	10.8
Black	1,260	78	21.2	47	12.8	41	11.2
Nonmetropolitan parishes [2]	14,097	432	13.7	277	8.8	298	9.5
White	9,633	198	9.9	129	6.5	125	6.3
All other	4,464	234	20.4	148	12.9	173	15.1
Black	4,438	233	21.1	147	13.3	168	15.2
Urban places	2,877	96	16.4	54	9.2	73	12.5
White	1,829	33	10.3	18	5.6	23	7.2
All other	1,048	63	23.7	36	13.6	50	18.8
Black	1,043	63	24.9	36	14.2	48	19.0
Balance of area	11,220	336	13.1	223	8.7	225	8.8
White	7,804	165	9.8	111	6.6	102	6.1
All other	3,416	171	19.4	112	12.7	123	13.9
Black	3,395	170	20.0	111	13.1	120	14.1

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Maine	10,929	145	8.7	99	5.9	113	6.8
White	10,894	142	8.7	96	5.9	113	6.9
All other	35	3	9.3	3	9.3	–	–
Black	18	2	20.8	2	20.6	–	–
Urban places	3,247	44	10.6	28	6.7	29	7.0
White	3,231	42	10.3	26	6.4	29	7.1
All other	16	2	25.0	2	25.0	–	–
Black	13	2	66.7	2	66.7	–	–
Balance of area	7,682	101	8.1	71	5.7	84	6.7
White	7,663	100	8.1	70	5.7	84	6.8
All other	19	1	4.1	1	4.1	–	–
Black	5	–	–	–	–	–	–
Metropolitan counties	5,811	69	7.4	47	5.1	49	5.3
White	5,789	67	7.4	45	4.9	49	5.4
All other	22	2	11.6	2	11.6	–	–
Black	13	2	35.7	2	35.7	–	–
Urban places	2,675	32	9.3	20	5.8	25	7.2
White	2,662	30	8.9	18	5.3	25	7.4
All other	13	2	27.8	2	27.8	–	–
Black	11	2	74.1	2	74.1	–	–
Balance of area	3,136	37	6.4	27	4.6	24	4.1
White	3,127	37	6.5	27	4.7	24	4.2
All other	9	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	5,118	76	10.9	52	7.0	64	8.7
White	5,105	75	10.4	51	7.0	64	8.8
All other	13	1	8.7	1	8.7	–	–
Black	5	–	–	–	–	–	–
Urban places	572	12	17.1	8	11.4	4	5.7
White	569	12	17.3	8	11.5	4	5.8
All other	3	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Balance of area	4,546	64	9.6	44	6.6	60	9.0
White	4,536	63	9.6	43	6.6	60	9.2
All other	10	1	7.0	1	7.0	–	–
Black	3	–	–	–	–	–	–
Maryland	35,056	752	11.8	521	8.1	552	8.6
White	27,424	383	8.9	259	6.0	302	7.1
All other	7,632	369	17.5	262	12.4	250	11.8
Black	7,497	359	18.6	257	13.3	239	12.4
Urban places	13,927	324	15.0	220	10.2	237	10.9
White	8,905	114	10.9	81	7.8	66	6.2
All other	5,022	210	18.7	139	12.4	151	13.5
Black	4,949	206	19.4	137	12.9	149	14.1
Balance of area	21,129	428	10.1	301	7.1	315	7.4
White	18,519	269	8.3	178	5.5	216	6.7
All other	2,610	159	16.1	123	12.4	99	10.0
Black	2,488	153	17.6	120	13.8	90	10.4
Metropolitan counties	30,548	685	11.7	456	8.1	473	8.4
White	23,761	330	8.9	221	6.0	249	6.7
All other	6,787	335	17.1	235	12.0	224	11.4
Black	6,599	326	18.3	231	13.0	213	12.0
Urban places	13,128	310	15.2	209	10.2	226	11.0
White	8,264	106	11.1	76	7.9	80	8.3
All other	4,864	204	18.8	133	12.2	146	13.4
Black	4,795	200	19.5	131	12.8	144	14.0
Balance of area	17,420	355	9.8	247	6.8	247	6.8
White	15,497	224	8.2	145	5.3	169	6.2
All other	1,923	131	15.0	102	11.7	78	9.0
Black	1,804	126	16.7	100	13.2	69	9.1
Nonmetropolitan counties	4,508	87	11.9	65	8.9	79	10.8
White	3,663	53	9.1	38	6.5	53	9.1
All other	845	34	22.2	27	17.6	26	17.0
Black	838	33	22.5	26	17.7	26	17.7
Urban places	799	14	11.7	11	9.2	11	9.2
White	641	8	9.5	5	6.0	6	7.2
All other	158	6	16.9	6	16.9	5	14.1
Black	154	6	17.4	6	17.4	5	14.5
Balance of area	3,709	73	11.9	54	8.8	68	11.1
White	3,022	45	9.1	33	6.6	47	9.5
All other	687	28	23.8	21	17.9	21	17.9
Black	684	27	24.0	20	17.8	21	18.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Massachusetts	54,291	690	9.1	490	6.4	521	6.6
White	52,590	588	8.5	418	6.1	441	6.4
All other	1,701	102	14.1	72	9.9	80	11.1
Black	1,502	90	16.8	65	12.1	74	13.6
Urban places	41,420	548	9.9	390	7.0	376	6.5
White	39,853	451	9.3	322	6.6	302	6.2
All other	1,567	97	14.5	68	10.2	74	11.0
Black	1,389	85	16.7	61	12.0	70	13.7
Balance of area	12,871	142	6.9	100	4.8	145	7.0
White	12,737	137	6.8	96	4.8	139	6.9
All other	134	5	9.2	4	7.4	6	11.1
Black	113	5	17.8	4	14.2	4	14.2
Metropolitan counties	51,604	688	9.1	475	6.5	499	6.8
White	49,962	567	8.6	404	6.1	422	6.4
All other	1,642	101	14.2	71	10.0	76	10.7
Black	1,454	89	16.8	64	12.1	71	13.4
Urban places	41,039	544	9.9	386	7.0	375	6.8
White	39,487	447	9.3	318	6.6	302	6.3
All other	1,552	97	14.5	68	10.2	73	10.9
Black	1,375	85	16.8	61	12.0	69	13.6
Balance of area	10,565	124	6.8	89	4.9	123	6.8
White	10,475	120	6.8	86	4.9	120	6.8
All other	90	4	8.8	3	6.6	3	6.6
Black	79	4	17.3	3	13.0	2	8.7
Nonmetropolitan counties	2,687	22	7.3	15	5.0	23	7.8
White	2,628	21	7.2	14	4.8	19	6.5
All other	59	1	8.6	1	8.6	4	34.5
Black	48	1	13.7	1	13.7	3	41.1
Urban places	381	4	8.6	4	8.6	1	2.1
White	366	4	9.1	4	9.1	–	–
All other	15	–	–	–	–	1	35.7
Black	14	–	–	–	–	1	43.5
Balance of area	2,306	18	7.0	11	4.9	22	8.8
White	2,262	17	6.9	10	4.1	19	7.7
All other	44	1	11.4	1	11.4	3	34.1
Black	34	1	20.0	1	20.0	2	40.0
Michigan	76,684	1,569	11.8	1,062	8.0	831	6.2
White	66,214	1,047	9.8	700	6.4	652	6.0
All other	10,470	522	21.7	362	15.0	179	7.4
Black	10,185	506	23.1	356	16.2	166	7.6
Urban places	46,379	1,032	13.3	721	9.3	485	6.3
White	36,494	535	9.7	371	6.7	325	5.9
All other	9,885	497	22.2	350	15.6	160	7.2
Black	9,731	488	23.3	346	16.6	152	7.3
Balance of area	30,305	537	9.8	341	6.1	346	6.2
White	29,720	512	9.5	329	6.1	327	6.1
All other	585	25	14.7	12	7.0	19	11.2
Black	454	20	18.6	10	9.4	14	13.2
Metropolitan counties	61,692	1,343	12.3	919	8.4	665	6.1
White	51,460	828	9.6	560	6.5	491	5.7
All other	10,232	515	22.0	359	15.4	174	7.4
Black	10,041	501	23.1	354	16.3	163	7.5
Urban places	44,589	1,011	13.6	704	9.4	456	6.1
White	34,718	514	9.8	354	6.8	297	5.7
All other	9,871	497	22.4	350	15.8	159	7.2
Black	9,728	486	23.3	346	16.6	152	7.3
Balance of area	17,103	332	9.5	215	6.2	209	6.0
White	16,742	314	9.3	206	6.1	194	5.8
All other	361	18	15.3	9	7.6	15	12.7
Black	313	15	17.9	8	9.5	11	13.1
Nonmetropolitan counties	14,992	226	9.6	143	6.0	166	7.0
White	14,754	219	9.5	140	6.1	161	7.0
All other	238	7	10.1	3	4.3	5	7.2
Black	144	5	18.7	2	7.5	3	11.2
Urban places	1,790	21	7.4	17	6.0	29	10.2
White	1,776	21	7.9	17	6.4	28	10.5
All other	14	–	–	–	–	1	5.9
Black	3	–	–	–	–	–	–
Balance of area	13,202	205	9.8	126	6.1	137	6.6
White	12,978	198	9.8	123	6.1	133	6.6
All other	224	7	13.3	3	5.7	4	7.6
Black	141	5	22.4	2	9.0	3	13.5

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	33,937	644	9.8	409	6.2	449	6.8
White	33,340	566	9.6	378	6.2	401	6.6
All other	597	58	13.2	31	7.0	48	10.9
Black	335	37	22.5	20	12.2	25	15.2
Urban places	17,663	355	10.1	215	6.1	251	7.2
White	17,208	308	9.8	192	6.1	207	6.6
All other	455	47	13.1	23	6.4	44	12.3
Black	325	37	23.3	20	12.6	25	15.7
Balance of area	16,274	289	9.5	194	6.4	198	6.5
White	16,132	278	9.4	186	6.3	194	6.5
All other	142	11	13.5	8	9.8	4	4.9
Black	10	–	–	–	–	–	–
Metropolitan counties	19,501	427	9.9	263	6.1	287	6.7
White	19,032	377	9.5	237	6.0	246	6.2
All other	469	50	13.6	26	7.1	41	11.2
Black	324	37	22.9	20	12.4	25	15.5
Urban places	14,805	313	10.1	191	6.2	212	6.8
White	14,359	266	9.7	188	6.1	171	6.2
All other	446	47	13.5	23	6.6	41	11.8
Black	322	37	23.4	20	12.7	25	15.8
Balance of area	4,696	114	9.4	72	5.9	75	6.2
White	4,673	111	9.3	69	5.6	75	6.3
All other	23	3	14.7	3	14.7	–	–
Black	2	–	–	–	–	–	–
Nonmetropolitan counties	14,436	217	9.7	146	6.5	162	7.2
White	14,308	209	9.6	141	6.5	155	7.1
All other	128	8	11.0	5	6.9	7	9.6
Black	11	–	–	–	–	–	–
Urban places	2,658	42	10.3	24	5.9	39	9.6
White	2,649	42	10.6	24	6.1	36	9.1
All other	9	–	–	–	–	3	25.0
Black	3	–	–	–	–	–	–
Balance of area	11,578	175	9.5	122	6.7	123	6.7
White	11,459	167	9.4	117	6.6	119	6.7
All other	119	8	13.1	5	8.2	4	6.6
Black	8	–	–	–	–	–	–
Mississippi	23,942	665	15.1	408	9.3	615	14.0
White	15,338	242	10.7	159	7.0	237	10.5
All other	8,604	423	19.8	249	11.7	378	17.7
Black	8,544	418	20.0	246	11.8	376	18.0
Urban places	8,058	242	16.5	166	11.3	195	13.3
White	4,964	80	11.9	55	8.2	64	9.5
All other	3,094	162	20.3	111	13.9	131	16.4
Black	3,080	160	20.5	109	14.0	131	16.8
Balance of area	15,884	423	14.4	242	8.3	420	14.3
White	10,374	162	10.2	104	6.5	173	10.8
All other	5,510	261	19.5	138	10.3	247	18.5
Black	5,464	258	19.7	137	10.5	245	18.7
Metropolitan counties	5,293	133	11.1	82	6.8	154	12.8
White	3,754	71	9.5	39	5.2	76	10.2
All other	1,539	62	13.6	43	9.4	78	17.1
Black	1,528	60	13.7	41	9.3	76	17.3
Urban places	3,129	88	12.1	60	8.3	90	12.4
White	2,086	39	10.1	23	5.9	40	10.3
All other	1,043	49	14.4	37	10.9	50	14.7
Black	1,035	47	14.4	35	10.7	50	15.3
Balance of area	2,164	45	9.5	22	4.6	64	13.4
White	1,668	32	8.9	16	4.5	36	10.0
All other	496	13	11.1	6	5.1	28	23.9
Black	493	13	11.5	6	5.3	26	23.0
Nonmetropolitan counties	18,649	532	16.6	326	10.2	461	14.4
White	11,584	171	11.2	120	7.9	161	10.6
All other	7,065	361	21.5	206	12.3	300	17.9
Black	7,016	358	21.7	205	12.4	300	18.2
Urban places	4,929	154	20.7	106	14.3	105	14.1
White	2,878	41	14.4	32	11.2	24	8.4
All other	2,051	113	24.7	74	16.2	81	17.7
Black	2,045	113	24.9	74	16.3	81	17.9
Balance of area	13,720	378	15.4	220	9.0	356	14.5
White	8,706	130	10.5	88	7.1	137	11.1
All other	5,014	248	20.3	132	10.8	219	18.0
Black	4,971	245	20.5	131	10.9	219	18.3

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Missouri	49,525	810	10.7	542	7.2	608	8.0
White	44,549	582	9.2	394	6.1	464	7.4
All other	4,976	228	18.2	158	12.6	144	11.5
Black	4,915	223	19.1	155	13.3	137	11.8
Urban places	23,263	403	11.5	276	7.9	311	8.9
White	19,121	220	8.7	151	6.0	204	8.1
All other	4,142	183	18.7	126	12.7	107	10.9
Black	4,105	179	19.3	122	13.2	103	11.1
Balance of area	26,262	407	10.1	266	6.6	297	7.3
White	25,428	362	9.6	233	6.2	260	6.9
All other	834	45	16.4	33	12.0	37	13.5
Black	810	44	18.6	33	13.9	34	14.3
Metropolitan counties	29,813	528	10.4	361	7.1	398	7.9
White	25,430	334	8.4	228	5.8	268	6.8
All other	4,383	194	17.4	133	12.0	130	11.7
Black	4,340	189	18.1	130	12.5	123	11.8
Urban places	20,400	361	11.4	248	7.8	282	8.9
White	16,471	188	8.4	131	5.9	178	8.0
All other	3,929	173	18.5	117	12.5	104	11.1
Black	3,897	169	19.0	114	12.8	100	11.3
Balance of area	9,413	167	8.8	113	5.9	116	6.1
White	8,959	146	8.4	97	5.6	90	5.2
All other	454	21	12.0	16	9.1	26	14.8
Black	443	20	13.0	16	10.4	23	14.9
Nonmetropolitan counties	19,712	282	11.3	181	7.3	210	8.4
White	19,119	248	10.6	156	6.8	196	8.3
All other	593	34	23.7	25	17.4	14	9.8
Black	575	34	27.7	25	20.3	14	11.4
Urban places	2,863	42	12.0	28	8.0	29	8.3
White	2,650	32	10.4	20	6.5	26	8.5
All other	213	10	22.6	8	18.1	3	6.8
Black	208	10	25.1	8	20.1	3	7.5
Balance of area	16,849	240	11.2	153	7.1	181	8.5
White	16,469	216	10.6	136	6.7	170	8.3
All other	380	24	24.2	17	17.1	11	11.1
Black	367	24	28.9	17	20.5	11	13.3
Montana	6,713	126	9.0	60	4.3	97	6.9
White	6,375	107	8.6	50	4.0	81	6.5
All other	338	19	11.8	10	6.2	16	9.9
Black	9	2	28.2	–	–	–	–
Urban places	2,524	51	11.5	23	5.2	26	5.9
White	2,477	47	11.4	22	5.4	25	6.1
All other	47	4	12.1	1	3.0	1	3.0
Black	8	2	52.6	–	–	–	–
Balance of area	4,189	75	7.8	37	3.8	71	7.4
White	3,898	60	7.2	28	3.4	56	6.7
All other	291	15	11.7	9	7.0	15	11.7
Black	1	–	–	–	–	–	–
Metropolitan counties	1,388	29	8.4	10	2.9	18	5.2
White	1,363	26	8.2	10	3.1	17	5.9
All other	25	3	12.1	–	–	1	4.0
Black	7	2	43.5	–	–	–	–
Urban places	1,028	24	10.9	8	3.6	11	5.0
White	1,004	21	10.4	8	4.0	11	5.5
All other	24	3	16.4	–	–	–	–
Black	7	2	76.9	–	–	–	–
Balance of area	360	5	4.0	2	1.8	7	5.7
White	359	5	4.3	2	1.7	6	5.1
All other	1	–	–	–	–	1	15.4
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	5,325	97	9.1	50	4.7	79	7.4
White	5,012	81	8.7	40	4.3	64	6.9
All other	313	16	11.7	10	7.3	15	11.0
Black	2	–	–	–	–	–	–
Urban places	1,496	27	12.0	15	6.7	15	6.7
White	1,473	26	12.4	14	6.7	14	6.7
All other	23	1	6.8	1	6.8	1	6.8
Black	1	–	–	–	–	–	–
Balance of area	3,829	70	8.3	35	4.2	64	7.6
White	3,539	55	7.7	26	3.6	50	7.0
All other	290	15	12.3	9	7.4	14	11.5
Black	1	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Nebraska	14,718	259	9.9	171	6.5	203	7.7
White	14,311	231	9.5	157	6.5	182	7.5
All other	407	28	14.2	14	7.1	21	10.6
Black	329	22	16.6	12	9.0	17	12.8
Urban places	6,556	134	10.9	83	6.8	98	8.0
White	6,206	110	10.3	70	6.5	80	7.5
All other	350	24	15.6	13	8.5	18	11.7
Black	322	22	18.3	12	10.0	17	14.2
Balance of area	8,162	125	8.9	88	6.3	105	7.5
White	8,105	121	8.9	87	6.4	102	7.5
All other	57	4	9.1	1	2.3	3	6.8
Black	7	-	-	-	-	-	-
Metropolitan counties	5,238	118	9.7	70	5.8	88	7.1
White	4,892	94	9.0	57	5.4	69	6.6
All other	346	24	14.7	13	7.9	17	10.4
Black	323	22	16.9	12	9.2	17	13.1
Urban places	4,593	99	11.1	59	6.6	71	8.0
White	4,256	75	10.1	46	6.2	54	7.3
All other	337	24	16.5	13	8.9	17	11.7
Black	317	22	18.5	12	10.1	17	14.3
Balance of area	645	19	5.9	11	3.4	15	4.7
White	636	19	6.3	11	3.6	15	4.9
All other	9	-	-	-	-	-	-
Black	6	-	-	-	-	-	-
Nonmetropolitan counties	9,480	141	10.0	101	7.2	117	8.3
White	9,419	137	9.9	100	7.3	113	8.2
All other	61	4	11.8	1	2.9	4	11.8
Black	6	-	-	-	-	-	-
Urban places	1,963	35	10.4	24	7.1	27	8.0
White	1,950	35	10.7	24	7.3	26	7.9
All other	13	-	-	-	-	1	12.5
Black	5	-	-	-	-	-	-
Balance of area	7,517	106	9.9	77	7.2	90	8.4
White	7,469	102	9.7	76	7.2	87	8.3
All other	48	4	15.4	1	3.8	3	11.5
Black	1	-	-	-	-	-	-
Nevada	6,378	153	10.7	83	5.8	117	8.2
White	5,941	123	10.4	69	5.8	90	7.6
All other	437	30	12.0	14	5.6	27	10.8
Black	314	26	17.9	11	7.6	22	15.1
Urban places	3,823	92	9.6	46	4.8	66	8.9
White	3,487	69	9.1	36	4.7	44	5.8
All other	336	23	11.5	10	5.0	22	11.0
Black	285	23	17.0	10	7.4	19	14.1
Balance of area	2,555	61	13.0	37	7.9	51	10.9
White	2,454	54	12.9	33	7.9	46	11.0
All other	101	7	13.7	4	7.8	5	9.8
Black	29	3	28.0	1	9.3	3	28.0
Metropolitan counties	5,146	124	10.6	64	5.5	88	7.5
White	4,780	98	10.4	53	5.6	64	6.8
All other	366	26	11.7	11	5.0	24	10.8
Black	301	26	18.1	11	7.7	20	14.0
Urban places	3,538	69	9.7	43	4.7	61	6.7
White	3,210	66	9.1	33	4.6	39	5.4
All other	328	23	11.8	10	5.2	22	11.3
Black	283	23	17.1	10	7.4	19	14.1
Balance of area	1,608	35	14.0	21	8.4	27	10.8
White	1,570	32	14.4	20	9.0	25	11.2
All other	38	3	10.9	1	3.6	2	7.3
Black	18	3	34.1	1	11.4	1	11.4
Nonmetropolitan counties	1,232	29	10.9	19	7.2	29	10.9
White	1,161	25	10.6	16	6.8	26	11.0
All other	71	4	13.7	3	10.2	3	10.2
Black	13	-	-	-	-	2	87.0
Urban places	285	3	6.6	3	6.6	5	10.9
White	277	3	7.5	3	7.5	5	12.5
All other	8	-	-	-	-	-	-
Black	2	-	-	-	-	-	-
Balance of area	947	26	11.8	16	7.3	24	10.9
White	884	22	11.2	13	6.6	21	10.7
All other	63	4	16.9	3	12.7	3	12.7
Black	11	-	-	-	-	2	105.9

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	7,973	119	8.6	80	5.8	82	5.9
White	7,943	117	8.6	78	5.8	82	6.0
All other	30	2	8.3	2	8.3	-	-
Black	19	2	21.1	2	21.1	-	-
Urban places	3,461	39	7.3	20	3.8	20	3.8
White	3,466	39	7.5	20	3.9	20	3.9
All other	15	-	-	-	-	-	-
Black	12	-	-	-	-	-	-
Balance of area	4,492	80	9.4	60	7.1	62	7.3
White	4,477	78	9.3	58	6.9	62	7.4
All other	15	2	19.4	2	19.4	-	-
Black	7	2	64.5	2	64.5	-	-
Metropolitan counties	4,451	75	8.6	45	5.2	44	5.0
White	4,432	75	8.8	45	5.3	44	5.2
All other	19	-	-	-	-	-	-
Black	11	-	-	-	-	-	-
Urban places	2,328	30	7.7	15	3.9	13	3.3
White	2,317	30	8.0	15	4.0	13	3.5
All other	11	-	-	-	-	-	-
Black	9	-	-	-	-	-	-
Balance of area	2,123	45	9.3	30	6.2	31	6.4
White	2,115	45	9.4	30	6.3	31	6.5
All other	8	-	-	-	-	-	-
Black	2	-	-	-	-	-	-
Nonmetropolitan counties	3,522	44	8.7	35	6.9	38	7.5
White	3,511	42	8.4	33	6.6	38	7.6
All other	11	2	38.5	2	38.5	-	-
Black	8	2	142.9	2	142.9	-	-
Urban places	1,153	9	6.3	5	3.5	7	4.9
White	1,149	9	6.4	5	3.5	7	4.9
All other	4	-	-	-	-	-	-
Black	3	-	-	-	-	-	-
Balance of area	2,369	35	9.6	30	8.2	31	8.5
White	2,362	33	9.2	28	7.8	31	8.6
All other	7	2	55.6	2	55.6	-	-
Black	5	2	181.8	2	181.8	-	-
New Jersey	69,269	1,137	11.5	769	7.8	807	8.1
White	61,558	729	9.5	508	6.6	518	6.7
All other	7,731	408	18.3	261	11.7	291	13.0
Black	7,489	384	19.4	243	12.3	273	13.8
Urban places	49,849	869	12.4	583	8.3	598	8.5
White	42,991	503	10.0	357	7.1	335	6.6
All other	6,858	366	18.4	226	11.4	261	13.2
Black	6,668	347	19.3	212	11.8	247	13.8
Balance of area	19,440	268	9.3	186	6.4	211	7.3
White	18,567	226	8.6	151	5.7	181	6.9
All other	873	42	16.7	35	13.9	30	11.9
Black	801	37	20.1	31	16.8	26	14.1
Metropolitan counties	61,841	1,065	11.8	721	8.0	752	8.3
White	54,268	663	9.7	465	6.8	485	6.8
All other	7,573	402	18.4	256	11.7	287	13.1
Black	7,339	379	19.5	238	12.3	269	13.9
Urban places	46,530	851	12.7	572	8.6	573	8.6
White	39,734	486	10.3	347	7.4	314	6.7
All other	6,796	365	18.6	225	11.5	259	13.2
Black	6,628	346	19.5	211	11.9	245	13.8
Balance of area	15,311	214	9.1	149	6.3	179	7.6
White	14,534	177	8.3	118	5.5	151	7.1
All other	777	37	18.1	31	13.5	28	12.2
Black	711	33	19.7	27	16.1	24	14.3
Nonmetropolitan counties	7,448	72	8.2	48	5.5	55	6.3
White	7,290	66	8.0	43	5.2	51	6.2
All other	158	6	12.6	5	10.5	4	8.4
Black	150	5	13.2	5	13.2	4	10.5
Urban places [1]	3,319	18	5.1	11	3.1	23	6.5
White	3,257	17	5.2	10	3.0	21	6.4
All other	62	1	3.9	1	3.9	2	7.8
Black	60	1	4.6	1	4.6	2	9.3
Balance of area	4,129	54	10.4	37	7.1	32	6.1
White	4,033	49	9.8	33	6.6	30	6.0
All other	96	5	22.9	4	18.3	2	9.2
Black	90	4	24.4	4	24.4	2	12.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Mexico [3]	9,205	277	10.0	153	5.5	211	7.6
White	8,444	225	9.8	126	5.5	169	7.4
All other	761	52	11.2	27	5.8	42	9.0
Black	142	9	12.6	6	8.4	7	9.8
Urban places	5,258	147	8.8	81	5.4	107	7.1
White	5,059	131	9.7	70	5.2	95	7.0
All other	199	16	10.6	11	7.3	12	7.9
Black	119	9	16.0	6	10.6	5	8.9
Balance of area	3,947	130	10.3	72	5.7	104	8.2
White	3,385	94	8.9	56	5.9	74	7.8
All other	562	36	11.4	16	5.1	30	9.5
Black	23	-	-	-	-	2	13.1
Metropolitan counties	3,547	109	10.3	63	5.9	75	7.1
White	3,389	95	10.1	57	6.1	65	6.9
All other	158	14	11.5	6	4.9	10	8.2
Black	57	4	11.6	2	5.8	1	2.9
Urban places	2,926	89	10.7	52	6.2	56	6.7
White	2,846	80	10.6	46	6.1	52	6.9
All other	80	9	11.5	6	7.7	4	5.1
Black	51	4	13.2	2	6.6	1	3.3
Balance of area	621	20	8.8	11	4.8	19	8.3
White	543	15	8.1	11	6.0	13	7.0
All other	78	5	11.5	-	-	6	13.8
Black	6	-	-	-	-	-	-
Nonmetropolitan counties	5,658	168	9.9	90	5.3	136	8.0
White	5,055	130	9.6	69	5.1	104	7.7
All other	603	38	11.0	21	6.1	32	9.3
Black	85	5	13.4	4	10.7	6	16.1
Urban places	2,332	58	8.7	29	4.4	51	7.7
White	2,213	51	8.6	24	4.1	43	7.3
All other	119	7	9.6	5	6.9	8	11.0
Black	68	5	19.2	4	15.3	4	15.3
Balance of area	3,326	110	10.6	61	5.9	85	8.2
White	2,842	79	10.4	45	5.9	61	8.0
All other	484	31	11.4	16	5.9	24	8.8
Black	17	-	-	-	-	2	17.9
New York	169,885	2,872	11.6	1,946	7.8	2,643	10.6
White	148,062	1,857	9.9	1,313	7.0	1,609	9.6
All other	21,823	1,015	16.7	633	10.4	834	13.7
Black	20,468	988	18.1	607	11.4	784	14.7
Urban places	112,278	2,127	13.2	1,412	8.8	1,822	11.3
White	92,073	1,189	11.4	825	7.9	1,064	10.2
All other	20,205	938	16.7	587	10.5	758	13.5
Black	19,044	899	18.0	564	11.3	718	14.4
Balance of area	57,607	745	8.5	534	6.1	821	9.3
White	55,989	668	8.0	488	5.9	745	9.0
All other	1,618	77	16.0	46	9.5	76	15.8
Black	1,424	69	20.5	43	12.8	66	19.7
Metropolitan counties	152,952	2,847	11.8	1,788	8.0	2,374	10.6
White	131,368	1,642	10.0	1,160	7.1	1,553	9.5
All other	21,584	1,005	16.7	628	10.4	821	13.7
Black	20,277	959	18.1	603	11.4	776	14.7
Urban places	108,256	2,069	13.3	1,370	8.8	1,752	11.3
White	88,105	1,134	11.4	784	7.9	1,001	10.0
All other	20,151	935	16.7	586	10.5	751	13.5
Black	18,996	896	18.0	563	11.3	711	14.3
Balance of area	44,696	578	8.4	418	6.1	622	9.0
White	43,263	508	7.9	376	5.8	552	8.6
All other	1,433	70	18.3	42	9.8	70	16.3
Black	1,281	63	20.5	40	13.0	65	21.2
Nonmetropolitan counties	16,933	225	9.2	158	6.5	269	11.0
White	16,694	215	9.1	153	6.5	256	10.9
All other	239	10	12.1	5	6.0	13	15.7
Black	191	9	17.5	4	7.8	8	15.6
Urban places	4,022	58	11.3	42	8.2	70	13.7
White	3,968	55	11.4	41	8.5	63	13.1
All other	54	3	8.7	1	3.2	7	22.7
Black	48	3	13.3	1	4.4	7	31.1
Balance of area	12,911	167	8.7	116	6.0	199	10.3
White	12,726	160	8.5	112	6.0	193	10.3
All other	185	7	13.5	4	7.7	6	11.6
Black	143	6	20.8	3	10.4	1	3.5

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
North Carolina	50,208	1,106	13.2	731	8.7	817	9.7
White	37,942	604	10.5	404	7.0	453	7.9
All other	12,266	502	19.0	327	12.4	364	13.8
Black	11,868	472	19.6	307	12.7	345	14.3
Urban places	17,340	392	14.4	272	10.0	277	10.2
White	11,990	159	10.2	117	7.5	114	7.3
All other	5,350	233	20.0	155	13.3	163	14.0
Black	5,278	229	20.7	152	13.8	158	14.3
Balance of area	32,868	714	12.6	459	8.1	540	9.5
White	25,952	445	10.8	287	6.9	339	8.1
All other	6,916	269	18.2	172	11.7	201	13.6
Black	6,588	243	18.6	155	11.9	187	14.3
Metropolitan counties	24,085	577	12.8	379	8.4	397	8.8
White	18,817	333	10.3	230	7.1	243	7.5
All other	5,268	244	19.2	149	11.7	154	12.1
Black	5,196	243	20.5	148	12.5	148	12.5
Urban places	12,952	305	14.7	205	9.9	195	9.4
White	9,086	125	10.3	91	7.5	90	7.4
All other	3,866	180	20.8	114	13.2	105	12.1
Black	3,823	179	21.8	113	13.8	102	12.4
Balance of area	11,133	272	11.1	174	7.1	202	8.3
White	9,731	208	10.2	139	6.8	153	7.5
All other	1,402	64	15.7	35	8.6	49	12.0
Black	1,373	64	17.6	35	9.6	46	12.7
Nonmetropolitan counties	26,123	529	13.7	352	9.1	420	10.9
White	19,125	271	10.8	174	7.0	210	8.4
All other	6,998	258	18.9	178	13.0	210	15.4
Black	6,670	229	18.7	159	13.0	197	16.1
Urban places	4,988	87	13.5	67	10.4	82	12.7
White	2,904	34	9.8	26	7.5	24	7.0
All other	1,484	53	17.7	41	13.7	58	19.4
Black	1,455	50	17.6	39	13.7	56	19.7
Balance of area	21,735	442	13.7	285	8.8	338	10.5
White	16,221	237	11.0	148	6.9	186	8.6
All other	5,514	205	19.2	137	12.8	152	14.2
Black	5,215	179	19.0	120	12.7	141	15.0
North Dakota	5,576	110	8.9	75	6.1	86	6.9
White	5,420	96	8.5	67	5.9	73	6.5
All other	156	14	13.1	8	7.5	13	12.2
Black	2	1	7.4	1	7.4	2	14.8
Urban places	1,894	45	9.2	34	6.9	33	6.7
White	1,879	44	9.3	33	7.0	30	6.4
All other	15	1	6.2	1	5.2	3	15.5
Black	1	-	-	-	-	1	29.4
Balance of area	3,682	65	8.7	41	5.5	53	7.1
White	3,541	52	7.9	34	5.2	43	6.5
All other	141	13	14.8	7	8.0	10	11.4
Black	1	1	9.9	1	9.9	1	9.9
Metropolitan counties	1,634	36	8.1	25	5.6	29	6.5
White	1,528	34	8.0	23	5.4	26	6.1
All other	6	2	10.5	2	10.5	3	15.7
Black	1	1	17.2	1	17.2	1	17.2
Urban places	1,176	27	8.5	20	6.3	24	7.5
White	1,171	26	8.4	19	6.2	22	7.1
All other	5	1	9.1	1	9.1	2	18.2
Black	-	-	-	-	-	1	100.0
Balance of area	358	9	7.2	5	4.0	5	4.0
White	357	8	6.9	4	3.4	4	3.4
All other	1	1	12.3	1	12.3	1	12.3
Black	1	1	20.8	1	20.8	-	-
Nonmetropolitan counties	4,042	74	9.3	50	6.3	57	7.2
White	3,882	62	8.6	44	6.2	47	6.6
All other	150	12	13.7	6	6.8	10	11.4
Black	1	-	-	-	-	1	13.0
Urban places	718	18	10.5	14	8.1	9	5.2
White	708	18	11.0	14	8.5	8	4.9
All other	10	-	-	-	-	1	12.0
Black	1	-	-	-	-	-	-
Balance of area	3,324	56	9.0	36	5.8	48	7.7
White	3,184	44	8.1	30	5.5	39	7.2
All other	140	12	15.1	6	7.5	9	11.3
Black	-	-	-	-	-	1	18.9

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Ohio	97,551	1,775	11.2	1,217	7.7	1,265	8.0
White	87,741	1,325	9.8	917	6.8	990	7.3
All other	9,810	450	18.7	300	12.5	275	11.4
Black	9,632	437	19.5	292	13.1	262	11.7
Urban places	58,509	1,181	13.0	804	8.9	778	8.6
White	49,531	762	11.1	528	7.7	518	7.5
All other	8,978	419	19.2	276	12.7	260	11.9
Black	8,835	407	19.8	269	13.1	251	12.2
Balance of area	39,042	594	8.7	413	6.1	487	7.1
White	38,210	563	8.5	389	5.9	472	7.2
All other	832	31	13.9	24	10.8	15	6.7
Black	797	30	17.2	23	13.2	11	6.3
Metropolitan counties	77,644	1,456	11.5	1,000	7.9	981	7.7
White	68,201	1,015	9.8	705	6.8	716	6.9
All other	9,443	441	19.2	295	12.8	265	11.5
Black	9,296	429	18.9	288	13.3	253	11.7
Urban places	52,195	1,076	13.2	732	8.9	687	8.4
White	43,425	656	11.0	460	7.6	435	7.2
All other	8,770	412	19.4	272	12.8	252	11.9
Black	8,643	401	19.9	266	13.2	244	12.1
Balance of area	25,449	378	8.4	268	8.0	294	8.5
White	24,776	349	8.1	245	5.7	281	6.5
All other	673	29	16.2	23	12.8	13	7.3
Black	655	28	18.9	22	14.9	9	6.1
Nonmetropolitan counties	19,907	319	10.0	217	6.8	284	8.9
White	19,540	310	10.1	212	6.9	274	8.9
All other	367	9	8.8	5	4.9	10	9.7
Black	334	8	10.6	4	5.3	9	11.9
Urban places	6,314	103	11.9	72	8.3	91	10.5
White	6,106	96	11.9	68	8.4	83	10.3
All other	208	7	11.8	4	6.7	8	13.5
Black	192	6	12.3	3	6.2	7	14.4
Balance of area	13,593	216	9.3	145	6.3	193	8.3
White	13,434	214	9.4	144	6.3	191	8.4
All other	159	2	4.6	1	2.3	2	4.6
Black	142	2	7.4	1	3.7	2	7.4
Oklahoma	29,438	618	10.9	389	6.8	480	8.4
White	26,485	486	10.7	308	6.8	312	6.9
All other	2,953	132	11.3	81	6.9	168	14.4
Black	1,948	81	14.9	51	9.4	47	8.7
Urban places	14,652	365	11.3	234	7.3	272	8.4
White	13,211	271	10.7	174	6.9	176	7.0
All other	1,641	94	13.5	60	8.6	96	13.8
Black	1,339	71	16.0	44	9.9	33	7.4
Balance of area	14,586	253	10.3	155	6.3	208	8.4
White	13,274	215	10.8	134	6.7	136	6.8
All other	1,312	38	8.1	21	4.5	72	15.3
Black	609	10	10.1	7	7.1	14	14.1
Metropolitan counties	14,900	377	10.7	236	6.7	306	8.7
White	13,330	277	10.0	171	6.2	192	6.9
All other	1,570	100	13.4	65	8.7	114	15.3
Black	1,195	66	16.1	45	10.7	37	8.8
Urban places	11,032	298	11.3	188	7.1	232	8.8
White	9,786	211	10.3	131	6.4	143	7.0
All other	1,246	87	14.9	57	9.7	89	15.2
Black	1,029	65	16.9	42	10.9	31	8.1
Balance of area	3,868	79	9.1	48	5.5	74	8.5
White	3,544	66	9.3	40	5.6	49	6.9
All other	324	13	8.1	8	5.0	25	15.6
Black	166	3	8.0	3	8.0	6	16.0
Nonmetropolitan counties	14,538	241	11.1	153	7.0	174	8.0
White	13,155	209	11.9	137	7.8	120	6.8
All other	1,383	32	7.6	16	3.8	54	12.8
Black	753	13	10.8	6	5.0	10	8.3
Urban places	3,820	67	11.5	46	7.9	40	6.9
White	3,425	60	12.8	43	9.2	33	7.0
All other	395	7	6.2	3	2.7	7	6.2
Black	310	6	10.2	2	3.4	2	3.4
Balance of area	10,718	174	10.9	107	6.7	134	8.4
White	9,730	149	11.6	94	7.3	87	6.7
All other	988	25	8.1	13	4.2	47	15.2
Black	443	7	11.3	4	6.5	8	13.0

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Oregon	22,462	385	9.6	216	5.4	269	6.7
White	21,932	356	9.6	202	5.4	249	6.7
All other	530	29	10.1	14	4.9	20	6.9
Black	295	16	16.3	9	9.2	8	8.1
Urban places	10,946	196	10.2	108	5.6	138	7.1
White	10,534	179	10.0	96	5.5	122	7.0
All other	412	25	12.5	12	6.0	16	8.0
Black	274	16	18.5	9	10.4	8	9.2
Balance of area	11,516	187	9.1	108	5.2	131	6.3
White	11,398	183	9.3	106	5.4	127	6.4
All other	118	4	4.5	2	2.3	4	4.5
Black	21	-	-	-	-	-	-
Metropolitan counties	14,252	260	10.0	140	5.4	175	6.7
White	13,806	236	9.9	129	5.4	158	6.6
All other	446	24	10.9	11	5.0	17	7.7
Black	284	14	15.4	8	8.8	8	8.8
Urban places	8,755	166	10.7	88	5.7	120	7.7
White	8,361	144	10.5	77	5.6	104	7.6
All other	394	22	12.1	11	6.1	16	8.8
Black	267	14	16.7	8	9.6	8	9.6
Balance of area	5,497	94	9.0	52	5.0	55	5.3
White	5,445	92	9.1	52	5.2	54	5.4
All other	52	2	5.0	-	-	1	2.5
Black	17	-	-	-	-	-	-
Nonmetropolitan counties	8,210	125	9.0	76	5.5	94	6.7
White	8,126	120	9.0	73	5.5	91	6.9
All other	84	5	7.4	3	4.5	3	4.5
Black	11	2	28.2	1	14.1	-	-
Urban places	2,191	32	8.5	20	5.3	18	4.8
White	2,173	29	8.1	19	5.3	18	5.0
All other	18	3	16.0	1	5.3	-	-
Black	7	2	66.7	1	33.3	-	-
Balance of area	6,019	93	9.1	56	5.5	76	7.5
White	5,953	91	9.4	54	5.6	73	7.5
All other	66	2	4.1	2	4.1	3	6.2
Black	4	-	-	-	-	-	-
Pennsylvania	121,459	1,784	11.3	1,243	7.9	1,583	10.0
White	110,637	1,331	9.8	935	6.9	1,203	8.9
All other	10,822	453	20.0	308	13.6	380	16.8
Black	10,630	435	21.1	296	14.4	360	17.5
Urban places	63,557	1,060	13.7	743	9.6	849	10.9
White	53,584	633	11.1	452	7.9	507	8.9
All other	9,973	427	20.7	291	14.1	342	16.6
Black	9,825	413	21.7	282	14.8	331	17.4
Balance of area	57,902	724	9.0	500	6.2	734	9.1
White	57,053	698	8.9	483	6.2	696	8.9
All other	849	26	12.4	17	8.1	38	18.1
Black	805	22	14.3	14	9.1	29	18.9
Metropolitan counties	99,323	1,530	11.8	1,087	8.4	1,324	10.2
White	88,718	1,088	10.1	783	7.3	950	8.8
All other	10,605	442	19.9	304	13.7	374	16.9
Black	10,425	425	21.0	293	14.5	356	17.6
Urban places	60,093	1,023	13.8	717	9.6	820	11.0
White	50,199	601	11.1	429	8.0	480	8.9
All other	9,894	422	20.7	288	14.1	340	16.7
Black	9,749	408	21.6	279	14.8	329	17.4
Balance of area	39,230	507	9.1	370	6.7	504	9.1
White	38,519	487	9.1	354	6.6	470	8.7
All other	711	20	11.0	16	8.8	34	18.7
Black	676	17	12.6	14	10.4	27	20.0
Nonmetropolitan counties	22,136	254	8.0	156	5.5	259	9.2
White	21,919	243	8.7	152	5.5	253	9.1
All other	217	11	22.7	4	8.3	6	12.4
Black	205	10	27.0	3	8.1	4	10.8
Urban places	3,464	37	11.2	26	7.9	29	8.8
White	3,385	32	10.4	23	7.4	27	8.7
All other	79	5	24.0	3	14.4	2	9.6
Black	76	5	27.2	3	16.3	2	10.9
Balance of area	18,672	217	8.7	130	5.2	230	9.2
White	18,534	211	8.5	129	5.2	226	9.1
All other	138	6	21.7	1	3.6	4	14.5
Black	129	5	28.7	-	-	2	10.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Rhode Island	9,307	147	11.7	114	9.1	98	7.8
White	9,050	124	11.0	98	8.7	83	7.4
All other	257	23	17.2	16	11.9	15	11.2
Black	211	19	22.2	14	16.4	14	16.4
Urban places	7,545	125	12.8	99	10.2	74	7.6
White	7,311	103	12.1	84	9.9	62	7.3
All other	234	22	17.5	15	11.9	12	9.6
Black	208	18	22.0	13	15.9	11	13.4
Balance of area	1,762	22	7.7	15	5.3	24	8.4
White	1,739	21	7.6	14	5.1	21	7.6
All other	23	1	11.8	1	11.8	3	35.3
Black	3	1	29.4	1	29.4	3	88.2
Metropolitan counties	8,644	135	11.7	104	9.0	88	7.6
White	8,411	114	11.1	90	8.8	77	7.5
All other	233	21	16.6	14	11.1	11	8.7
Black	190	18	22.6	13	16.3	11	13.8
Urban places	7,142	119	13.0	93	10.2	69	7.6
White	6,930	98	12.3	79	9.9	59	7.4
All other	212	21	17.6	14	11.8	10	8.4
Black	188	18	23.3	13	16.9	10	13.0
Balance of area	1,502	16	6.7	11	4.6	19	7.9
White	1,481	16	6.9	11	4.7	18	7.7
All other	21	–	–	–	–	1	13.3
Black	2	–	–	–	–	1	37.0
Nonmetropolitan counties	663	12	11.3	10	9.4	10	9.4
White	639	10	10.1	8	8.1	6	6.1
All other	24	2	26.7	2	26.7	4	53.3
Black	21	1	17.9	1	17.9	3	53.6
Urban places	403	6	9.7	6	9.7	5	8.1
White	381	5	9.0	5	9.0	3	5.4
All other	22	1	15.4	1	15.4	2	30.8
Black	20	–	–	–	–	1	20.4
Balance of area	260	6	13.6	4	9.1	5	11.3
White	258	5	11.6	3	7.0	3	7.0
All other	2	1	100.0	1	100.0	2	200.0
Black	1	1	142.9	1	142.9	2	285.7
South Carolina	26,164	760	15.0	497	9.8	610	12.0
White	17,748	343	11.3	216	7.1	263	8.6
All other	8,416	417	20.5	281	13.8	347	17.1
Black	8,365	414	20.9	279	14.1	345	17.4
Urban places	7,454	169	13.0	116	8.9	162	12.5
White	4,974	67	9.8	41	6.0	69	10.0
All other	2,480	102	16.7	75	12.3	93	15.2
Black	2,469	102	17.1	75	12.6	91	15.3
Balance of area	18,710	591	15.6	381	10.1	448	11.9
White	12,774	276	11.7	175	7.4	194	8.2
All other	5,936	315	22.2	206	14.5	254	17.9
Black	5,916	312	22.5	204	14.7	254	18.3
Metropolitan counties	14,906	417	13.8	291	9.7	313	10.4
White	10,813	212	10.6	135	6.8	159	8.0
All other	4,093	205	20.1	156	15.3	154	15.1
Black	4,075	202	20.5	154	15.6	154	15.6
Urban places	5,810	134	12.7	97	9.2	123	11.6
White	3,895	56	9.9	37	6.5	57	10.0
All other	1,915	78	15.9	60	12.2	66	13.5
Black	1,907	78	16.4	60	12.6	66	13.9
Balance of area	9,096	283	14.5	194	9.9	190	9.7
White	6,918	156	10.9	98	6.9	102	7.1
All other	2,178	127	24.0	96	18.2	88	16.7
Black	2,168	124	24.3	94	18.4	88	17.3
Nonmetropolitan counties	11,258	343	16.6	206	10.0	297	14.4
White	6,935	131	12.5	81	7.7	104	9.9
All other	4,323	212	20.9	125	12.3	193	19.1
Black	4,310	212	21.2	125	12.5	191	19.1
Urban places	1,644	35	14.6	19	7.9	39	16.2
White	1,079	11	9.3	4	3.4	12	10.1
All other	565	24	19.7	15	12.3	27	22.2
Black	562	24	20.2	15	12.6	25	21.0
Balance of area	9,614	308	16.9	187	10.3	258	14.2
White	5,856	120	12.9	77	8.3	92	9.9
All other	3,758	188	21.1	110	12.3	166	18.6
Black	3,748	188	21.4	110	12.5	166	18.9

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
South Dakota [a]	6,628	135	10.8	73	5.8	95	7.6
White	6,200	88	8.3	56	5.3	72	6.8
All other	428	47	23.8	17	8.6	23	11.6
Black	5	1	10.0	–	–	–	–
Urban places	2,206	41	9.3	29	6.6	28	6.3
White	2,151	36	8.9	25	6.2	28	6.5
All other	55	5	12.9	4	10.3	2	5.1
Black	2	–	–	–	–	–	–
Balance of area	4,422	94	11.6	44	5.4	67	8.3
White	4,049	52	8.0	31	4.8	46	7.1
All other	373	42	26.4	13	8.2	21	13.2
Black	3	1	16.9	–	–	–	–
Metropolitan counties	906	19	6.7	9	4.6	8	4.1
White	895	12	6.5	8	4.3	8	4.3
All other	11	1	11.9	1	11.9	–	–
Black	–	–	–	–	–	–	–
Urban places	729	10	6.7	7	4.7	5	3.3
White	720	9	6.4	6	4.2	5	3.5
All other	9	1	12.8	1	12.8	–	–
Black	–	–	–	–	–	–	–
Balance of area	177	3	6.7	2	4.5	3	6.7
White	175	3	6.8	2	4.6	3	6.8
All other	2	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	5,722	122	11.5	64	6.0	87	8.2
White	5,305	76	8.7	48	5.5	64	7.4
All other	417	46	24.3	16	8.5	23	12.2
Black	5	1	11.8	–	–	–	–
Urban places	1,477	31	10.6	22	7.5	23	7.9
White	1,431	27	10.3	19	7.3	21	8.0
All other	46	4	12.9	3	9.6	2	6.4
Black	2	–	–	–	–	–	–
Balance of area	4,245	91	11.9	42	5.5	64	8.3
White	3,874	49	8.1	29	4.8	43	7.1
All other	371	42	26.5	13	8.2	21	13.3
Black	3	1	17.2	–	–	–	–
Tennessee [a]	41,621	836	12.8	549	8.4	507	7.7
White	34,457	539	10.7	355	7.0	364	7.2
All other	7,164	297	19.8	194	12.9	143	9.5
Black	7,129	293	20.3	193	13.4	141	9.8
Urban places	20,692	481	14.5	329	9.9	254	7.6
White	15,034	235	11.4	163	7.9	137	6.6
All other	5,658	246	19.8	166	13.3	117	9.3
Black	5,633	244	20.2	165	13.6	116	9.6
Balance of area	20,929	355	11.0	220	6.8	253	7.8
White	19,423	304	10.2	192	6.4	227	7.6
All other	1,506	51	20.6	28	11.3	26	10.5
Black	1,496	49	21.0	28	12.0	25	10.7
Metropolitan counties	24,762	587	13.5	401	9.2	337	7.8
White	19,186	328	10.6	226	7.3	217	7.0
All other	5,576	259	20.7	175	14.0	120	9.6
Black	5,546	255	21.2	174	14.5	118	9.8
Urban places	17,642	447	15.2	308	10.5	223	7.6
White	12,490	206	11.6	146	8.2	113	6.3
All other	5,152	241	20.7	162	13.9	110	9.5
Black	5,128	239	21.3	161	14.3	109	9.7
Balance of area	7,120	140	10.1	93	6.7	114	8.2
White	6,696	122	9.3	80	6.1	104	8.0
All other	424	18	21.1	13	15.2	10	11.7
Black	418	16	20.7	13	16.8	9	11.7
Nonmetropolitan counties	16,859	249	11.3	148	6.7	170	7.7
White	15,271	211	10.8	129	6.6	147	7.5
All other	1,588	38	15.2	19	7.6	23	9.2
Black	1,583	38	15.7	19	7.8	23	9.5
Urban places	3,050	34	9.1	21	5.6	31	8.3
White	2,544	29	10.1	17	5.9	24	8.4
All other	506	5	5.6	4	4.5	7	7.9
Black	505	5	5.8	4	4.7	7	8.1
Balance of area	13,809	215	11.7	127	6.9	139	7.6
White	12,727	182	10.9	112	6.7	123	7.3
All other	1,082	33	20.4	15	9.3	16	9.9
Black	1,078	33	21.1	15	9.6	16	10.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Texas	114,813	3,265	11.1	2,035	6.9	2,305	7.8
White	99,271	2,587	10.4	1,600	6.4	1,819	7.3
All other	15,542	678	14.7	435	9.4	486	10.5
Black	15,147	654	16.3	425	10.6	447	11.2
Urban places	73,672	2,373	11.7	1,511	7.4	1,581	7.8
White	61,734	1,799	10.9	1,138	6.9	1,199	7.2
All other	11,938	574	15.1	375	9.9	382	10.0
Black	11,621	555	16.8	367	11.1	349	10.6
Balance of area	41,141	892	9.7	524	5.7	724	7.9
White	37,537	788	9.4	464	5.5	620	7.4
All other	3,604	104	12.8	60	7.4	104	12.8
Black	3,526	99	14.3	58	8.4	98	14.1
Metropolitan counties	83,579	2,674	10.9	1,690	6.9	1,856	7.6
White	71,184	2,075	10.2	1,299	6.4	1,453	7.1
All other	12,395	599	14.6	391	9.5	403	9.8
Black	12,029	577	16.4	381	10.9	369	10.5
Urban places	68,256	2,193	11.6	1,404	7.4	1,450	7.7
White	55,112	1,644	10.8	1,043	6.8	1,092	7.1
All other	11,144	549	15.1	361	9.9	358	9.9
Black	10,833	531	16.9	353	11.2	328	10.4
Balance of area	17,323	481	8.7	286	5.2	406	7.4
White	16,072	431	8.5	258	5.1	361	7.2
All other	1,251	50	10.7	30	6.4	45	9.6
Black	1,198	46	12.5	28	7.6	41	11.2
Nonmetropolitan counties	31,234	591	11.6	345	6.8	449	8.8
White	28,087	512	11.2	301	6.6	366	8.0
All other	3,147	79	15.1	44	8.4	83	15.9
Black	3,118	77	15.7	44	9.0	78	15.9
Urban places	7,416	180	12.6	107	7.5	131	9.2
White	6,622	155	12.4	93	7.4	107	8.5
All other	794	25	14.1	14	7.9	24	13.5
Black	788	24	14.7	14	8.6	21	12.8
Balance of area	23,818	411	11.2	238	6.5	318	8.7
White	21,465	357	10.8	208	6.3	259	7.8
All other	2,353	54	15.6	30	8.7	59	17.1
Black	2,330	53	16.3	30	9.2	57	17.5
Utah	8,512	346	8.8	212	5.4	275	7.0
White	8,310	332	8.9	202	5.4	258	6.9
All other	202	14	7.1	10	5.1	17	8.6
Black	53	2	6.6	1	3.3	2	6.6
Urban places	4,639	173	8.9	101	5.2	156	8.0
White	4,535	168	9.1	98	5.3	146	7.9
All other	104	5	4.4	3	2.6	10	8.7
Black	42	1	4.8	1	4.8	1	4.8
Balance of area	3,873	173	8.7	111	5.6	119	6.0
White	3,775	164	8.6	104	5.4	112	5.9
All other	98	9	10.8	7	8.4	7	8.4
Black	11	1	10.8	-	-	1	10.8
Metropolitan counties	6,483	274	8.9	167	5.4	220	7.2
White	6,352	264	9.1	160	5.5	207	7.1
All other	131	10	6.7	7	4.7	13	8.7
Black	52	2	7.4	1	3.7	2	7.4
Urban places	4,221	153	8.7	88	4.9	151	8.6
White	4,124	149	9.0	84	5.1	141	8.6
All other	97	4	3.8	2	1.9	10	9.6
Black	42	1	5.3	1	5.3	1	5.3
Balance of area	2,262	121	9.2	81	6.2	69	5.3
White	2,228	115	9.1	76	6.0	66	5.2
All other	34	6	13.2	5	11.0	3	6.6
Black	10	1	12.0	-	-	1	12.0
Nonmetropolitan counties	2,029	72	8.2	45	5.1	55	6.2
White	1,958	68	8.2	42	5.0	51	6.1
All other	71	4	8.3	3	6.2	4	8.3
Black	1	-	-	-	-	-	-
Urban places	418	20	10.0	15	7.5	5	2.5
White	411	19	10.0	14	7.4	5	2.6
All other	7	1	9.6	1	9.6	-	-
Black	-	-	-	-	-	-	-
Balance of area	1,611	52	7.6	30	4.4	50	7.3
White	1,547	49	7.6	28	4.3	46	7.1
All other	64	3	7.9	2	5.3	4	10.6
Black	1	-	-	-	-	-	-
Vermont	4,590	69	8.7	49	6.2	43	5.4
White	4,584	67	8.5	48	6.1	42	5.3
All other	6	2	30.3	1	15.2	1	15.2
Black	6	2	87.0	1	43.5	1	43.5
Urban places	608	6	6.8	4	4.5	4	4.5
White	606	5	5.8	3	3.5	3	3.5
All other	2	1	66.7	1	66.7	1	66.7
Black	2	1	166.7	1	166.7	1	166.7
Balance of area	3,982	63	8.9	45	6.4	39	5.5
White	3,978	62	8.8	45	6.4	39	5.6
All other	4	1	19.6	-	-	-	-
Black	4	1	58.8	-	-	-	-
Metropolitan counties	689	10	5.5	7	3.8	9	4.9
White	687	9	5.0	6	3.3	8	4.4
All other	2	1	38.5	1	38.5	1	38.5
Black	2	1	125.0	1	125.0	1	125.0
Urban places	345	3	4.8	2	3.2	3	4.8
White	343	2	3.2	1	1.6	2	3.2
All other	2	1	83.3	1	83.3	1	83.3
Black	2	1	250.0	1	250.0	1	250.0
Balance of area	344	7	5.8	5	4.2	6	5.0
White	344	7	5.9	5	4.2	6	5.1
All other	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Nonmetropolitan counties	3,901	59	9.8	42	6.9	34	5.6
White	3,897	58	9.5	42	6.9	34	5.6
All other	4	1	25.0	-	-	-	-
Black	4	1	66.7	-	-	-	-
Urban places	263	3	11.8	2	7.9	1	3.9
White	263	3	12.0	2	8.0	1	4.0
All other	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Balance of area	3,638	56	9.5	40	6.8	33	5.6
White	3,634	55	9.4	40	6.9	33	5.7
All other	4	1	27.0	-	-	-	-
Black	4	1	76.9	-	-	-	-
Virginia	43,743	982	11.9	671	8.3	927	11.5
White	34,134	571	9.6	381	6.4	545	9.2
All other	9,609	391	18.3	290	13.6	382	17.9
Black	9,470	386	20.0	286	14.8	364	18.8
Urban places	18,817	511	14.0	370	10.2	467	12.6
White	13,284	253	10.9	178	7.7	235	10.1
All other	5,533	258	19.5	192	14.5	232	17.6
Black	5,463	255	21.0	190	15.6	218	17.9
Balance of area	24,926	451	10.2	301	6.8	460	10.4
White	20,850	318	8.8	203	5.6	310	8.6
All other	4,076	133	16.3	98	12.0	150	18.4
Black	4,007	131	18.3	96	13.4	146	20.4
Metropolitan counties	28,013	739	12.3	524	8.7	683	11.4
White	21,218	426	10.0	286	6.7	380	8.9
All other	6,795	313	18.2	238	13.8	303	17.6
Black	6,666	308	20.2	234	15.3	287	18.8
Urban places	17,177	492	14.3	355	10.3	446	13.0
White	11,835	237	11.0	165	7.7	221	10.3
All other	5,342	255	19.9	190	14.8	225	17.5
Black	5,277	252	21.3	188	15.9	211	17.9
Balance of area	10,836	247	9.7	169	6.6	237	9.3
White	9,383	189	8.9	121	5.7	159	7.5
All other	1,453	58	13.2	48	11.0	78	17.8
Black	1,389	56	16.2	46	13.3	76	22.0
Nonmetropolitan counties	15,730	223	10.7	147	7.1	244	11.7
White	12,916	145	8.7	95	5.7	165	9.9
All other	2,814	78	18.8	52	12.5	79	19.0
Black	2,804	78	19.3	52	12.8	77	19.0
Urban places	1,640	19	9.0	15	7.1	21	10.0
White	1,449	16	9.2	13	7.4	14	8.0
All other	191	3	8.3	2	5.5	7	19.3
Black	186	3	8.8	2	5.9	7	20.5
Balance of area	14,090	204	10.9	132	7.0	223	11.9
White	11,467	129	8.6	82	5.5	151	10.1
All other	2,623	75	19.8	50	13.2	72	19.0
Black	2,618	75	20.2	50	13.5	70	18.9

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Washington	32,668	653	9.5	372	5.4	475	6.9
White	31,272	558	9.2	326	5.4	422	7.0
All other	1,396	95	11.6	46	5.6	53	6.5
Black	659	58	18.5	30	9.9	31	10.2
Urban places	16,996	299	10.4	175	6.1	219	7.6
White	16,000	242	10.1	144	6.0	181	7.5
All other	996	57	12.2	31	6.6	38	8.1
Black	564	40	20.2	24	12.1	24	12.1
Balance of area	15,672	354	8.9	197	4.9	256	6.4
White	15,272	316	8.7	182	5.0	241	6.6
All other	400	38	10.8	15	4.3	15	4.3
Black	95	16	15.2	6	5.7	7	6.6
Metropolitan counties	25,339	526	9.5	296	5.3	388	7.0
White	24,093	439	9.1	254	5.3	337	7.0
All other	1,246	87	11.8	42	5.7	51	6.9
Black	639	55	18.7	30	10.2	31	10.5
Urban places	14,945	265	10.5	155	6.1	199	7.9
White	13,979	208	10.0	124	6.0	161	7.7
All other	966	57	12.8	31	7.0	38	8.5
Black	558	40	20.8	24	12.5	24	12.5
Balance of area	10,394	261	8.6	141	4.7	189	6.2
White	10,114	231	8.4	130	4.8	176	6.4
All other	280	30	10.2	11	3.7	13	4.4
Black	81	15	14.8	6	5.9	7	6.9
Nonmetropolitan counties	7,329	127	9.7	76	5.8	87	6.6
White	7,179	119	9.6	72	5.8	85	6.9
All other	150	8	10.2	4	5.1	2	2.6
Black	20	1	10.9	–	–	–	–
Urban places	2,051	34	9.9	20	5.8	20	5.8
White	2,021	34	10.5	20	6.2	20	6.2
All other	30	–	–	–	–	–	–
Black	6	–	–	–	–	–	–
Balance of area	5,278	93	9.6	56	5.8	67	6.9
White	5,158	85	9.3	52	5.7	65	7.1
All other	120	8	14.0	4	7.0	2	3.5
Black	14	1	26.3	–	–	–	–
West Virginia	19,325	283	10.9	182	7.0	255	9.9
White	18,440	264	10.7	170	6.9	242	9.8
All other	885	19	16.6	12	10.5	13	11.4
Black	868	18	17.7	12	11.8	12	11.8
Urban places	5,375	50	9.1	33	6.0	62	11.2
White	4,990	41	8.3	28	5.7	54	10.9
All other	385	9	16.0	5	8.9	8	14.2
Black	376	9	16.2	5	10.1	7	14.1
Balance of area	13,950	233	11.4	149	7.3	193	9.5
White	13,450	223	11.3	142	7.2	188	9.5
All other	500	10	17.2	7	12.0	5	8.6
Black	490	9	17.3	7	13.4	5	9.6
Metropolitan counties	6,975	93	10.3	69	7.6	86	9.5
White	6,701	87	10.1	65	7.5	81	9.4
All other	274	6	14.2	4	9.5	5	11.8
Black	268	6	16.1	4	10.8	4	10.8
Urban places	3,686	30	8.2	21	5.7	36	9.8
White	3,464	25	7.4	18	5.3	31	9.2
All other	222	5	17.1	3	10.2	5	17.1
Black	217	5	19.3	3	11.6	4	15.4
Balance of area	3,289	63	11.7	48	8.9	50	9.3
White	3,237	62	11.8	47	8.9	50	9.5
All other	52	1	7.7	1	7.7	–	–
Black	51	1	8.8	1	8.8	–	–
Nonmetropolitan counties	12,350	190	11.3	113	6.7	169	10.0
White	11,739	177	11.0	105	6.5	161	10.0
All other	611	13	18.0	8	11.1	8	11.1
Black	600	12	18.6	8	12.4	8	12.4
Urban places	1,689	20	10.8	12	6.5	26	14.0
White	1,526	16	10.1	10	6.3	23	14.5
All other	163	4	14.9	2	7.4	3	11.2
Black	161	4	16.9	2	8.5	3	12.7
Balance of area	10,661	170	11.3	101	6.7	143	9.5
White	10,213	161	11.1	95	6.5	138	9.5
All other	448	9	19.9	6	13.2	5	11.0
Black	439	8	19.6	6	14.7	5	12.3
Wisconsin	41,033	698	9.6	458	6.3	487	6.7
White	39,830	593	9.0	400	6.1	421	6.4
All other	1,203	105	15.4	58	8.5	66	9.7
Black	960	82	16.4	47	9.4	58	11.6
Urban places	20,677	374	10.3	231	6.4	268	7.4
White	19,661	285	9.4	180	6.0	210	7.0
All other	1,016	89	14.8	51	8.5	59	9.8
Black	939	81	16.6	46	9.4	57	11.6
Balance of area	20,356	324	8.9	227	6.2	218	6.0
White	20,169	308	8.7	220	6.2	211	5.9
All other	187	16	20.3	7	8.9	7	8.9
Black	21	1	10.0	1	10.0	1	10.0
Metropolitan counties	25,360	456	9.4	287	5.9	332	6.8
White	24,312	366	8.6	237	5.6	272	6.4
All other	1,048	90	14.6	50	8.1	60	9.8
Black	950	81	16.4	46	9.3	58	11.7
Urban places	18,329	344	10.4	210	6.3	244	7.4
White	17,318	256	9.4	160	5.9	188	6.8
All other	1,011	88	14.8	50	8.4	58	9.8
Black	939	81	16.6	46	9.4	57	11.7
Balance of area	7,031	112	7.3	77	5.0	88	5.7
White	6,994	110	7.2	77	5.1	86	5.6
All other	37	2	9.6	–	–	2	9.6
Black	11	–	–	–	–	1	14.9
Nonmetropolitan counties	15,673	242	10.1	171	7.1	155	6.5
White	15,518	227	9.7	163	7.0	149	6.4
All other	155	15	22.6	8	12.2	6	9.1
Black	10	1	20.0	1	20.0	–	–
Urban places	2,348	30	9.6	21	6.8	25	8.0
White	2,343	29	9.6	20	6.6	24	7.9
All other	5	1	12.7	1	12.7	1	12.7
Black	–	–	–	–	–	–	–
Balance of area	13,325	212	10.2	150	7.2	130	6.2
White	13,175	198	9.6	143	7.0	125	6.2
All other	150	14	24.2	7	12.1	5	8.7
Black	10	1	30.3	1	30.3	–	–
Wyoming	3,161	101	9.8	52	5.1	69	6.7
White	3,090	97	9.9	49	5.0	63	6.5
All other	71	4	7.9	3	5.9	6	11.9
Black	21	1	9.2	1	9.2	–	–
Urban places	1,387	48	11.1	23	5.3	26	6.0
White	1,358	47	11.3	22	5.3	25	6.0
All other	29	1	5.7	1	5.7	1	5.7
Black	20	1	11.9	1	11.9	–	–
Balance of area	1,774	53	8.9	29	4.9	43	7.2
White	1,732	50	8.9	27	4.8	38	6.8
All other	42	3	9.1	2	6.0	5	15.1
Black	1	–	–	–	–	–	–
Metropolitan counties	413	9	5.9	6	3.9	8	5.2
White	406	9	6.0	6	4.0	8	5.3
All other	5	–	–	–	–	–	–
Black	3	–	–	–	–	–	–
Urban places	322	6	5.0	4	3.3	5	4.1
White	317	6	5.1	4	3.4	5	4.2
All other	5	–	–	–	–	–	–
Black	3	–	–	–	–	–	–
Balance of area	91	3	9.1	2	6.0	3	9.1
White	91	3	9.3	2	6.2	3	9.3
All other	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–
Nonmetropolitan counties	2,748	92	10.5	46	5.3	61	7.0
White	2,682	88	10.7	43	5.2	55	6.7
All other	66	4	8.5	3	6.4	6	12.7
Black	18	1	10.6	1	10.6	–	–
Urban places	1,065	42	13.4	19	6.1	21	6.7
White	1,041	41	13.8	18	6.0	20	6.7
All other	24	1	6.8	1	6.8	1	6.8
Black	17	1	14.1	1	14.1	–	–
Balance of area	1,683	50	8.9	27	4.8	40	7.1
White	1,641	47	8.9	25	4.7	35	6.6
All other	42	3	9.3	2	6.2	5	15.4
Black	1	–	–	–	–	–	–

[1] Includes data for Brick Township and Dover Township (Ocean County), New Jersey, which had 1980 populations of 53,629 and 64,455, respectively. Ocean county is not designated as metropolitan.
[2] County equivalents.
[3] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	2,019,201	40,627	7,801	9,143	39,082	48,782	59,349	119,893	288,940	474,380	541,218	389,963	628
Male	1,071,923	22,969	4,512	5,655	28,847	34,848	38,388	75,396	179,808	279,674	266,761	134,851	412
Female	947,278	17,658	3,289	3,488	10,235	13,934	20,961	44,495	109,132	194,706	274,457	254,712	211
White	1,765,582	28,301	5,767	7,091	31,553	36,682	45,235	95,696	244,127	416,765	490,536	363,410	419
Male	931,779	16,131	3,340	4,424	23,483	26,465	29,419	60,782	153,252	247,705	241,819	124,877	282
Female	833,803	12,170	2,427	2,667	8,070	10,217	15,816	34,914	90,875	169,060	248,717	238,733	137
All other	253,619	12,326	2,034	2,052	7,529	12,100	14,114	24,197	44,813	57,615	50,682	25,953	204
Male	140,144	6,838	1,172	1,231	5,364	8,383	8,969	14,616	26,556	31,969	24,942	9,974	130
Female	113,475	5,488	862	821	2,165	3,717	5,145	9,581	18,257	25,646	25,740	15,979	74
Black	233,124	11,242	1,794	1,764	8,529	10,954	12,832	22,328	41,611	53,547	46,614	23,533	156
Male	127,911	6,258	1,029	1,069	4,623	7,596	8,194	13,529	24,716	29,399	22,477	8,918	102
Female	105,213	4,983	765	715	1,906	3,358	4,638	8,799	17,095	24,148	24,137	14,615	54
Metropolitan counties	1,464,770	30,651	5,545	6,494	28,387	37,737	45,045	90,523	215,791	341,331	388,430	276,378	460
Male	768,638	17,236	3,151	3,963	20,861	26,840	28,909	56,504	133,220	198,341	186,150	93,182	301
Female	696,132	13,415	2,394	2,531	7,526	10,897	16,136	34,019	82,571	142,990	200,280	183,214	159
White	1,267,250	20,754	3,974	4,908	22,494	27,759	33,562	70,722	179,576	297,221	346,526	257,497	317
Male	659,642	11,762	2,265	3,021	16,654	19,958	21,655	44,526	111,751	174,050	167,720	86,074	206
Female	607,608	8,992	1,709	1,887	5,780	7,801	11,907	26,196	67,825	123,171	180,806	171,423	111
All other	197,520	9,897	1,571	1,586	5,953	9,978	11,483	19,801	36,215	44,110	37,904	18,879	143
Male	108,996	5,474	888	942	4,207	6,882	7,254	11,978	21,469	24,291	18,430	7,088	95
Female	88,524	4,423	683	644	1,746	3,096	4,229	7,823	14,746	19,819	19,474	11,791	48
Black	183,024	9,175	1,428	1,405	5,399	9,258	10,690	18,481	34,020	41,154	34,850	17,122	104
Male	100,351	5,070	804	836	3,811	6,403	6,776	11,218	20,112	22,401	16,523	8,325	72
Female	82,673	4,105	622	569	1,588	2,855	3,854	7,263	13,908	18,753	18,327	10,797	32
Nonmetropolitan counties	554,431	9,976	2,256	2,649	10,695	11,045	14,304	29,370	73,149	133,049	154,788	112,987	168
Male	303,285	5,733	1,361	1,692	7,988	8,008	9,479	18,894	46,588	81,333	80,611	41,489	111
Female	251,146	4,243	895	957	2,709	3,037	4,825	10,476	26,561	51,716	74,177	71,498	52
White	498,332	7,547	1,793	2,183	9,119	8,923	11,673	24,974	64,551	119,544	142,010	105,913	102
Male	272,137	4,369	1,075	1,403	6,829	6,507	7,764	16,256	41,501	73,655	74,099	38,603	76
Female	226,195	3,178	718	780	2,290	2,416	3,909	8,718	23,050	45,889	67,911	67,310	26
All other	58,099	2,429	463	466	1,576	2,122	2,631	4,396	8,598	13,505	12,776	7,074	61
Male	31,148	1,364	288	289	1,157	1,501	1,715	2,638	5,087	7,678	6,512	2,886	35
Female	24,951	1,065	177	177	419	621	916	1,758	3,511	5,827	6,268	4,188	26
Black	50,100	2,087	368	379	1,130	1,696	2,202	3,847	7,791	12,399	11,764	6,411	52
Male	27,560	1,189	225	233	812	1,193	1,418	2,311	4,604	6,998	5,954	2,593	30
Female	22,540	878	143	146	318	503	784	1,536	3,187	5,395	5,810	3,818	22
Alabama	35,560	774	152	188	780	887	1,160	2,423	5,296	8,621	9,414	5,655	10
Male	19,145	424	84	113	575	631	755	1,537	3,336	5,271	4,574	1,843	2
Female	16,415	350	68	75	205	256	405	886	1,960	3,550	4,840	3,812	8
White	25,659	396	90	111	551	517	740	1,659	3,791	6,466	7,012	4,323	3
Male	13,868	223	48	69	413	350	499	1,087	2,461	3,946	3,404	1,368	–
Female	11,791	173	42	42	138	167	241	572	1,330	2,520	3,608	2,955	3
All other	9,901	378	62	77	229	370	420	764	1,505	2,355	2,402	1,332	7
Male	5,277	201	36	44	162	281	256	450	875	1,325	1,170	475	2
Female	4,624	177	26	33	67	89	164	314	630	1,030	1,232	857	5
Black	8,876	375	62	75	229	367	417	762	1,502	2,349	2,400	1,331	7
Male	5,262	199	36	42	162	278	255	448	873	1,324	1,169	474	2
Female	4,614	176	26	33	67	89	162	314	629	1,025	1,231	857	5
Metropolitan counties	21,393	458	97	104	478	517	729	1,479	3,313	5,312	5,536	3,367	3
Male	11,366	249	54	61	352	365	465	925	2,072	3,117	2,660	1,045	1
Female	10,027	209	43	43	126	152	264	554	1,241	2,195	2,876	2,322	2
White	15,347	233	59	57	338	393	470	1,005	2,339	3,850	4,098	2,594	1
Male	8,166	129	34	34	255	201	311	643	1,496	2,309	1,978	776	–
Female	7,181	104	25	23	83	102	159	362	843	1,541	2,120	1,818	1
All other	6,046	225	38	47	140	214	259	474	974	1,462	1,438	773	2
Male	3,200	120	20	27	97	164	154	282	576	808	682	269	1
Female	2,846	105	18	20	43	50	105	192	398	654	756	504	1
Black	6,031	222	38	46	140	213	258	472	973	1,459	1,436	772	2
Male	3,191	118	20	26	97	163	154	280	575	808	681	269	1
Female	2,840	104	18	20	43	50	104	192	398	651	755	504	1
Nonmetropolitan counties	14,167	316	55	84	302	370	431	944	1,983	3,509	3,878	2,288	7
Male	7,779	175	30	52	223	266	290	612	1,284	2,154	1,914	798	1
Female	6,388	141	25	32	79	104	141	332	719	1,355	1,964	1,490	6
White	10,312	163	31	54	213	214	270	654	1,452	2,616	2,914	1,729	2
Male	5,702	94	14	35	158	149	188	444	985	1,637	1,426	592	–
Female	4,610	69	17	19	55	65	82	210	467	979	1,488	1,137	2
All other	3,855	153	24	30	89	156	161	290	531	893	964	559	5
Male	2,077	81	16	17	65	117	102	168	299	517	488	206	1
Female	1,778	72	8	13	24	39	59	122	232	376	476	353	4
Black	3,845	153	24	29	89	154	159	290	529	890	964	559	5
Male	2,071	81	16	16	65	115	101	168	298	516	488	206	1
Female	1,774	72	8	13	24	39	58	122	231	374	476	353	4

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	1,897	149	27	36	173	190	151	233	321	307	205	104	1
Male	1,214	78	20	20	133	141	108	172	197	194	115	38	-
Female	683	71	7	16	40	49	43	61	124	113	90	66	1
White	1,342	90	22	28	99	136	117	168	249	218	141	73	1
Male	878	46	15	16	77	99	87	126	160	145	92	25	-
Female	464	44	7	12	22	37	30	42	89	73	59	48	1
All other	555	59	5	8	74	54	34	65	72	89	64	31	-
Male	336	32	5	4	56	42	21	46	37	49	33	11	-
Female	219	27	-	4	18	12	13	19	35	40	31	20	-
Black	60	11	-	-	5	5	6	3	9	9	9	3	-
Male	31	7	-	-	4	3	4	1	5	4	3	-	-
Female	29	4	-	-	1	2	2	2	4	5	6	3	-
Metropolitan census areas [1]	684	44	11	11	48	72	63	94	124	105	67	25	-
Male	411	22	6	6	34	52	43	60	74	69	36	7	-
Female	253	22	3	5	14	20	20	34	50	36	31	18	-
White	549	29	10	10	43	59	49	81	104	88	55	23	-
Male	353	13	7	6	30	42	36	56	64	61	31	7	-
Female	196	16	3	4	13	17	13	25	40	25	24	16	-
All other	115	15	1	1	5	13	14	13	20	19	12	2	-
Male	58	9	1	-	4	10	7	4	10	8	5	-	-
Female	57	6	-	1	1	3	7	9	10	11	7	2	-
Black	39	8	-	-	2	4	4	2	6	6	6	1	-
Male	20	6	-	-	2	2	3	-	3	3	1	-	-
Female	19	2	-	-	-	2	1	2	3	3	5	1	-
Nonmetropolitan census areas [1]	1,233	105	16	25	125	118	88	139	197	202	138	79	1
Male	803	56	12	14	99	89	65	112	123	125	78	29	-
Female	430	49	4	11	26	29	23	27	74	77	59	50	1
White	799	61	12	18	56	77	68	87	145	132	86	50	1
Male	525	33	8	10	47	57	51	70	96	84	51	18	-
Female	268	28	4	8	9	20	17	17	49	48	35	32	1
All other	440	44	4	7	69	41	20	52	52	70	52	29	-
Male	278	23	4	4	52	32	14	42	27	41	28	11	-
Female	162	21	-	3	17	9	6	10	25	29	24	18	-
Black	21	3	-	-	3	1	2	1	3	3	3	2	-
Male	11	1	-	-	2	1	1	1	2	1	2	-	-
Female	10	2	-	-	1	-	1	-	1	2	1	2	-
Arizona	22,593	511	131	164	531	690	737	1,355	3,198	5,799	5,939	3,507	31
Male	12,836	289	75	100	389	479	472	836	1,070	3,595	3,203	1,405	29
Female	9,757	222	56	64	142	211	265	519	1,228	2,204	2,736	2,102	8
White	21,018	402	101	125	428	559	607	1,202	3,018	5,505	5,700	3,345	26
Male	11,863	228	60	74	318	384	381	744	1,851	3,413	3,084	1,326	20
Female	9,155	174	41	51	110	175	226	458	1,167	2,092	2,636	2,019	6
All other	1,575	109	30	39	103	131	130	153	180	294	239	162	5
Male	973	61	15	26	71	95	91	92	119	182	139	79	3
Female	602	48	15	13	32	36	39	61	61	112	100	83	2
Black	605	48	5	9	18	33	28	54	88	142	121	63	-
Male	364	31	2	7	11	22	18	35	61	90	66	21	-
Female	241	17	3	2	7	11	8	19	25	52	55	42	-
Metropolitan counties	16,982	356	90	103	388	485	510	972	2,326	4,301	4,697	2,758	16
Male	9,406	193	54	61	271	325	309	601	1,397	2,607	2,481	1,096	11
Female	7,576	163	36	42	97	160	201	371	929	1,694	2,216	1,662	5
White	16,181	300	81	89	330	430	458	898	2,223	4,138	4,548	2,674	12
Male	8,934	161	50	51	247	287	279	557	1,328	2,503	2,398	1,064	9
Female	7,247	139	31	38	83	143	179	341	895	1,635	2,150	1,610	3
All other	801	56	9	14	38	55	52	74	103	163	149	84	4
Male	472	32	4	10	24	38	30	44	69	104	83	32	2
Female	329	24	5	4	14	17	22	30	34	59	66	52	2
Black	518	41	5	8	16	29	23	44	73	115	106	58	-
Male	303	25	2	6	10	19	15	29	50	73	56	18	-
Female	215	16	3	2	6	10	8	15	23	42	50	40	-
Nonmetropolitan counties	5,611	155	41	61	163	205	227	383	872	1,498	1,242	749	15
Male	3,430	86	21	39	118	154	163	235	573	988	722	309	12
Female	2,181	59	20	22	45	51	64	148	299	510	520	440	3
White	4,837	102	20	36	98	129	149	304	795	1,367	1,152	671	14
Male	2,929	67	10	23	71	97	102	187	523	910	666	262	11
Female	1,908	35	10	13	27	32	47	117	272	457	486	409	3
All other	774	53	21	25	65	76	78	79	77	131	90	78	1
Male	501	28	11	16	47	57	61	48	50	78	56	47	1
Female	273	24	10	9	18	19	17	31	27	53	34	31	-
Black	87	7	-	1	2	4	3	10	13	27	15	5	-
Male	61	6	-	1	1	3	3	6	11	17	10	3	-
Female	26	1	-	-	1	1	-	4	2	10	5	2	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	23,154	373	87	119	408	473	638	1,242	3,052	5,578	6,766	4,409	9
Male	12,857	228	51	76	294	335	412	814	2,008	3,441	3,491	1,700	7
Female	10,297	145	36	43	114	138	226	428	1,044	2,137	3,275	2,709	2
White	19,255	237	51	90	330	343	479	995	2,563	4,698	5,640	3,824	5
Male	10,778	144	30	61	242	248	320	674	1,724	2,954	2,923	1,454	4
Female	8,477	93	21	29	88	95	159	321	839	1,744	2,717	2,370	1
All other	3,899	136	36	29	78	130	159	247	489	880	1,126	585	4
Male	2,079	84	21	15	52	87	92	140	284	487	568	246	3
Female	1,820	52	15	14	26	43	67	107	205	393	558	339	1
Black	3,874	132	36	29	77	129	158	245	488	874	1,122	582	4
Male	2,065	81	21	15	51	86	91	139	282	484	566	246	3
Female	1,809	51	15	14	26	43	67	106	204	390	556	336	1
Metropolitan counties	7,752	152	35	39	160	193	230	457	1,062	1,818	2,156	1,444	6
Male	4,215	94	22	24	119	138	159	300	697	1,100	1,031	526	5
Female	3,537	58	13	15	41	55	71	157	365	718	1,125	918	1
White	6,320	95	29	27	126	132	175	358	877	1,498	1,763	1,249	5
Male	3,460	62	14	18	95	95	123	243	584	925	851	446	4
Female	2,860	33	9	9	31	37	52	115	293	571	912	797	1
All other	1,432	57	12	12	34	61	55	99	185	322	393	201	1
Male	755	32	8	6	24	43	38	57	113	175	180	80	1
Female	677	25	4	6	10	18	19	42	72	147	213	121	-
Black	1,421	55	12	12	34	60	55	98	182	319	392	201	1
Male	749	30	8	6	24	42	38	57	111	174	180	80	1
Female	672	25	4	6	10	18	19	41	71	145	212	121	-
Nonmetropolitan counties	15,402	221	52	80	248	280	408	785	1,990	3,760	4,610	2,965	3
Male	8,642	134	29	52	175	197	253	514	1,311	2,341	2,460	1,174	2
Female	6,760	87	23	28	73	83	155	271	679	1,419	2,150	1,791	1
White	12,935	142	28	63	204	211	304	637	1,886	3,202	3,877	2,581	-
Male	7,318	82	16	43	147	153	187	431	1,140	2,029	2,072	1,006	-
Female	5,617	60	12	20	57	58	107	206	546	1,173	1,805	1,573	-
All other	2,467	79	24	17	44	69	104	148	304	558	733	384	3
Male	1,324	52	13	9	28	44	56	83	171	312	388	166	2
Female	1,143	27	11	8	16	25	48	65	133	246	345	218	1
Black	2,453	77	24	17	43	69	103	147	304	555	730	381	3
Male	1,316	51	13	9	27	44	55	82	171	310	386	166	2
Female	1,137	26	11	8	16	25	48	65	133	245	344	215	1
California	168,442	4,233	885	985	4,325	5,866	6,494	11,619	27,082	41,805	48,309	36,640	189
Male	99,488	2,938	485	587	3,280	4,331	4,234	7,208	18,432	24,211	23,924	12,334	122
Female	68,956	1,895	400	408	1,045	1,535	2,260	4,411	10,650	17,594	24,385	24,306	67
White	168,601	3,226	716	818	3,602	4,779	5,261	9,657	23,666	37,702	44,588	34,647	139
Male	88,226	1,811	391	478	2,738	3,569	3,471	6,001	14,334	21,816	21,924	11,601	92
Female	80,575	1,415	325	340	864	1,210	1,790	3,656	9,332	15,886	22,664	23,046	47
All other	19,641	1,007	169	177	723	1,087	1,233	1,962	3,416	4,103	3,721	1,993	50
Male	11,260	527	94	109	542	762	763	1,207	2,098	2,395	2,000	733	30
Female	8,381	480	75	68	181	325	470	755	1,318	1,708	1,721	1,260	20
Black	13,790	747	125	121	532	659	926	1,481	2,547	2,860	2,934	1,241	17
Male	7,728	382	69	74	411	615	590	917	1,541	1,597	1,113	407	12
Female	6,062	365	56	47	121	244	336	564	1,006	1,263	1,221	834	5
Metropolitan counties	177,480	4,003	835	933	4,067	5,563	6,163	10,996	25,518	39,126	45,454	34,656	166
Male	93,281	2,201	453	550	3,088	4,104	4,015	6,835	15,459	22,552	22,313	11,607	104
Female	84,199	1,802	382	383	979	1,459	2,148	4,161	10,059	16,574	23,141	23,049	62
White	158,245	3,014	670	760	3,361	4,495	4,953	9,074	22,152	35,112	41,829	32,706	119
Male	82,265	1,681	360	444	2,558	3,355	3,269	5,651	13,384	20,213	20,381	10,894	75
Female	75,980	1,333	310	316	803	1,140	1,684	3,423	8,768	14,899	21,448	21,812	44
All other	19,235	989	165	173	706	1,068	1,210	1,922	3,366	4,014	3,625	1,950	47
Male	11,016	520	93	106	530	749	746	1,184	2,075	2,339	1,932	713	29
Female	8,219	469	72	67	176	319	464	738	1,291	1,675	1,693	1,237	18
Black	13,618	740	123	120	526	852	918	1,465	2,525	2,817	2,293	1,224	15
Male	7,637	381	68	73	407	609	585	910	1,532	1,572	1,086	403	11
Female	5,981	359	55	47	119	243	333	555	993	1,245	1,207	821	4
Nonmetropolitan counties	10,962	230	50	62	258	303	331	623	1,564	2,679	2,855	1,984	23
Male	6,205	137	32	37	192	227	219	373	973	1,659	1,611	727	18
Female	4,757	93	18	25	66	76	112	250	591	1,020	1,244	1,257	5
White	10,556	212	46	58	241	284	308	583	1,514	2,590	2,759	1,941	20
Male	5,961	130	31	34	180	214	202	350	950	1,603	1,543	707	17
Female	4,595	82	15	24	61	70	106	233	564	987	1,216	1,234	3
All other	406	18	4	4	17	19	23	40	50	89	96	43	3
Male	244	7	1	3	12	13	17	23	23	56	68	20	1
Female	162	11	3	1	5	6	6	17	27	33	28	23	2
Black	172	7	2	1	6	7	8	16	22	43	41	17	2
Male	91	1	1	1	4	6	5	7	9	25	27	4	1
Female	81	6	1	-	2	1	3	9	13	18	14	13	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	19,549	548	111	107	541	720	723	1,209	2,634	4,193	4,806	3,952	5
Male	10,535	328	67	65	399	523	458	737	1,619	2,495	2,415	1,426	3
Female	9,014	220	44	42	142	197	265	472	1,015	1,698	2,391	2,526	2
White	18,802	500	102	99	507	669	668	1,121	2,502	4,047	4,709	3,874	4
Male	10,098	299	62	60	372	489	423	695	1,534	2,412	2,368	1,392	2
Female	8,704	201	40	39	135	180	245	436	968	1,635	2,341	2,482	2
All other	747	48	9	8	34	51	55	88	132	148	97	78	1
Male	437	29	5	5	27	34	35	52	85	83	47	34	1
Female	310	19	4	3	7	17	20	36	47	63	50	44	-
Black	611	42	6	4	26	40	42	70	113	125	79	63	1
Male	366	24	5	3	21	27	29	43	76	70	38	31	1
Female	245	18	1	1	5	13	13	27	37	55	43	32	-
Metropolitan counties	14,913	451	85	85	417	571	549	973	2,117	3,182	3,524	2,956	3
Male	7,895	269	48	52	301	409	336	588	1,298	1,865	1,703	1,016	2
Female	7,018	182	37	33	116	162	213	375	821	1,317	1,821	1,940	1
White	14,194	405	78	77	385	521	497	889	1,888	3,043	3,432	2,879	2
Male	7,481	241	43	47	276	376	303	550	1,211	1,789	1,661	983	1
Female	6,713	164	35	30	109	145	194	339	777	1,254	1,771	1,896	1
All other	719	46	9	8	32	50	52	84	129	139	92	77	1
Male	414	28	5	5	25	33	33	48	85	76	42	33	1
Female	305	18	4	3	7	17	19	36	44	63	50	44	-
Black	605	41	6	4	26	40	42	69	112	122	79	63	1
Male	362	24	5	3	21	27	29	42	76	67	38	31	1
Female	243	17	1	1	5	13	13	27	36	55	43	32	-
Nonmetropolitan counties	4,636	97	26	22	124	149	174	236	517	1,011	1,282	996	2
Male	2,640	59	19	13	98	114	122	139	323	630	712	410	1
Female	1,996	38	7	9	26	35	52	97	194	381	570	586	1
White	4,608	95	26	22	122	148	171	232	514	1,004	1,277	995	2
Male	2,617	58	19	13	96	113	120	135	323	623	707	409	1
Female	1,991	37	7	9	26	35	51	97	191	381	570	586	1
All other	28	2	-	-	2	1	3	4	3	7	5	1	-
Male	23	1	-	-	2	1	2	4	-	7	5	1	-
Female	5	1	-	-	-	-	1	-	3	-	-	-	-
Black	6	1	-	-	-	-	-	1	1	3	-	-	-
Male	4	-	-	-	-	-	-	1	-	3	-	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
Connecticut	27,246	416	54	87	478	544	684	1,495	3,783	6,314	7,275	6,162	4
Male	14,008	245	37	59	364	398	439	901	2,343	3,654	3,549	2,018	1
Female	13,238	171	17	28	114	146	255	594	1,440	2,660	3,726	4,144	3
White	25,747	315	36	72	428	452	586	1,261	3,491	6,020	7,042	6,040	4
Male	13,125	180	25	49	326	335	365	797	2,158	3,494	3,425	1,970	1
Female	12,622	135	11	23	102	117	221	464	1,333	2,526	3,617	4,070	3
All other	1,499	101	18	15	50	92	108	174	292	294	233	122	-
Male	883	65	12	10	38	63	74	104	185	160	124	48	-
Female	616	36	6	5	12	29	34	70	107	134	109	74	-
Black	1,448	99	17	14	49	92	104	168	285	282	221	117	-
Male	853	64	12	10	37	63	71	102	181	151	115	47	-
Female	595	35	5	4	12	29	33	66	104	131	106	70	-
Metropolitan counties	24,932	378	51	76	418	505	641	1,326	3,488	5,751	6,663	5,631	4
Male	12,847	221	36	53	318	369	404	837	2,174	3,323	3,252	1,859	1
Female	12,085	157	15	23	100	136	237	489	1,314	2,428	3,411	3,772	3
White	23,455	278	33	62	369	413	536	1,154	3,199	5,461	6,435	5,511	4
Male	11,978	156	24	44	280	306	333	734	1,992	3,166	3,130	1,812	1
Female	11,477	122	9	18	89	107	203	420	1,207	2,295	3,305	3,699	3
All other	1,477	100	18	14	49	92	105	172	289	290	228	120	-
Male	869	65	12	9	38	63	71	103	182	157	122	47	-
Female	608	35	6	5	11	29	34	69	107	133	106	73	-
Black	1,430	98	17	13	48	92	102	166	282	279	217	116	-
Male	842	64	12	9	37	63	69	101	176	149	113	47	-
Female	588	34	5	4	11	29	33	65	104	130	104	69	-
Nonmetropolitan counties	2,314	38	3	11	60	39	53	109	295	563	612	531	-
Male	1,161	24	1	6	48	29	35	64	169	331	297	159	-
Female	1,153	14	2	5	14	10	18	45	126	232	315	372	-
White	2,292	37	3	10	59	39	50	107	292	559	607	529	-
Male	1,147	24	1	5	46	29	32	63	166	328	295	156	-
Female	1,145	13	2	5	13	10	18	44	126	231	312	371	-
All other	22	1	-	1	1	-	3	2	3	4	5	2	-
Male	14	-	-	1	-	-	3	1	3	3	2	1	-
Female	8	1	-	-	1	-	-	1	-	1	3	1	-
Black	18	1	-	1	1	-	2	2	3	3	4	1	-
Male	11	-	-	1	-	-	2	1	3	2	2	-	-
Female	7	1	-	-	1	-	-	1	-	1	2	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Delaware	5,012	92	21	32	69	125	127	328	788	1,229	1,291	889	2
Male	2,636	53	10	22	63	93	77	200	485	726	633	272	2
Female	2,376	39	11	10	26	32	50	128	303	502	658	617	-
White	4,195	50	10	18	74	90	96	249	631	1,033	1,126	817	1
Male	2,174	30	3	12	55	68	59	159	385	614	538	250	1
Female	2,021	20	7	6	19	22	37	90	246	419	588	567	-
All other	817	42	11	14	15	35	31	79	157	195	165	72	1
Male	462	23	7	10	8	25	18	41	100	112	95	22	1
Female	355	19	4	4	7	10	13	38	57	83	70	50	-
Black	804	40	11	14	15	34	30	77	157	193	183	69	1
Male	452	22	7	10	8	24	17	40	100	110	93	20	1
Female	352	18	4	4	7	10	13	37	57	83	70	49	-
Metropolitan counties	3,143	66	14	18	49	84	83	203	498	756	820	551	1
Male	1,637	38	7	14	34	61	49	124	299	442	399	169	1
Female	1,506	28	7	4	15	23	34	79	199	314	421	382	-
White	2,639	37	6	8	36	62	61	151	408	633	721	516	-
Male	1,356	25	1	6	28	46	38	99	243	369	342	157	-
Female	1,283	12	5	2	8	14	23	52	165	264	379	359	-
All other	504	29	8	10	13	22	22	52	90	123	99	35	1
Male	281	13	6	8	6	13	11	25	56	73	57	12	1
Female	223	16	2	2	7	9	11	27	34	50	42	23	-
Black	500	27	8	10	13	22	21	51	90	123	99	35	1
Male	278	12	6	8	6	13	10	24	56	73	57	12	1
Female	222	15	2	2	7	9	11	27	34	50	42	23	-
Nonmetropolitan counties	1,869	26	7	14	40	41	44	125	290	472	471	338	1
Male	999	15	3	8	29	32	28	76	186	284	234	103	1
Female	870	11	4	6	11	9	16	49	104	188	237	235	-
White	1,556	13	4	10	38	28	35	98	223	400	405	301	1
Male	818	5	2	8	27	20	21	60	142	245	196	93	1
Female	738	8	2	4	11	8	14	38	81	155	209	208	-
All other	313	13	3	4	2	13	9	27	67	72	66	37	-
Male	181	10	1	2	2	12	7	16	44	39	38	10	-
Female	132	3	2	2	-	1	2	11	23	33	28	27	-
Black	304	13	3	4	2	12	9	26	67	70	64	34	-
Male	174	10	1	2	2	11	7	16	44	37	36	8	-
Female	130	3	2	2	-	1	2	10	23	33	28	26	-
District of Columbia	6,764	180	13	24	130	270	311	546	1,219	1,529	1,517	1,013	12
Male	3,498	102	11	18	89	190	208	353	727	820	663	307	10
Female	3,266	78	2	6	41	80	103	193	492	709	854	706	2
White	1,905	20	2	4	14	27	35	61	224	385	597	531	5
Male	839	12	2	3	8	16	18	34	130	214	246	152	4
Female	1,066	8	-	1	6	11	17	27	94	171	351	379	1
All other	4,859	160	11	20	116	243	276	485	995	1,144	920	482	7
Male	2,659	90	9	15	81	174	190	319	597	606	417	155	6
Female	2,200	70	2	5	35	69	86	166	398	538	503	327	1
Black	4,824	159	11	19	116	239	272	484	990	1,140	911	476	7
Male	2,638	90	9	15	81	172	188	318	596	603	410	150	6
Female	2,186	69	2	4	35	67	84	166	394	537	501	326	1
Metropolitan counties	6,764	180	13	24	130	270	311	546	1,219	1,529	1,517	1,013	12
Male	3,498	102	11	18	89	190	208	353	727	820	663	307	10
Female	3,266	78	2	6	41	80	103	193	492	709	854	706	2
White	1,905	20	2	4	14	27	35	61	224	385	597	531	5
Male	839	12	2	3	8	16	18	34	130	214	246	152	4
Female	1,066	8	-	1	6	11	17	27	94	171	351	379	1
All other	4,859	160	11	20	116	243	276	485	995	1,144	920	482	7
Male	2,659	90	9	15	81	174	190	319	597	606	417	155	6
Female	2,200	70	2	5	35	69	86	166	398	538	503	327	1
Black	4,824	159	11	19	116	239	272	484	990	1,140	911	476	7
Male	2,638	90	9	15	81	172	188	318	596	603	410	150	6
Female	2,186	69	2	4	35	67	84	166	394	537	501	326	1
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	113,195	1,816	373	371	1,792	2,371	2,918	5,713	15,175	28,917	33,436	20,280	35
Male	63,007	1,050	206	238	1,291	1,697	1,900	3,615	9,446	17,471	17,906	8,161	26
Female	50,188	766	167	133	501	674	1,018	2,098	5,729	11,446	15,530	12,119	9
White	101,040	1,090	237	257	1,405	1,776	2,205	4,465	12,940	26,056	31,236	19,348	25
Male	56,138	633	141	163	1,035	1,300	1,454	2,840	8,117	15,843	16,625	7,768	19
Female	44,902	457	96	94	370	476	751	1,625	4,823	10,213	14,411	11,580	6
All other	12,155	726	136	114	387	595	711	1,248	2,235	2,861	2,200	932	10
Male	6,869	417	65	75	256	397	446	775	1,329	1,628	1,081	393	7
Female	5,288	309	71	39	131	188	265	473	906	1,233	1,119	539	3
Black	12,014	721	132	108	378	581	694	1,228	2,219	2,697	2,183	922	10
Male	6,787	414	62	75	251	387	436	765	1,321	1,613	1,070	386	7
Female	5,227	307	70	33	128	194	258	463	898	1,224	1,113	536	3
Metropolitan counties	97,864	1,556	301	318	1,551	2,094	2,523	4,855	12,934	24,547	29,193	17,966	28
Male	54,035	893	164	200	1,119	1,491	1,643	3,052	8,036	14,719	15,500	7,199	19
Female	43,829	663	137	118	432	603	880	1,803	4,898	9,828	13,693	10,767	7
White	87,517	929	184	220	1,217	1,571	1,901	3,787	11,016	22,141	27,342	17,190	19
Male	48,226	534	108	137	902	1,139	1,257	2,391	6,902	13,362	14,601	6,879	14
Female	39,291	395	76	83	315	432	644	1,396	4,114	8,779	12,741	10,311	5
All other	10,347	627	117	98	334	523	622	1,068	1,918	2,406	1,851	776	7
Male	5,809	359	56	63	217	352	386	661	1,134	1,357	899	320	5
Female	4,538	268	61	35	117	171	236	407	784	1,049	952	456	2
Black	10,230	624	114	93	329	514	609	1,049	1,903	2,386	1,835	767	7
Male	5,741	357	54	63	214	345	379	651	1,127	1,344	888	314	5
Female	4,489	267	60	30	115	169	230	398	776	1,042	947	453	2
Nonmetropolitan counties	15,331	260	72	53	241	277	393	858	2,241	4,370	4,243	2,314	9
Male	8,972	157	42	38	172	206	257	563	1,410	2,752	2,406	962	7
Female	6,359	103	30	15	69	71	136	295	831	1,618	1,837	1,352	2
White	13,523	161	53	37	188	205	304	678	1,924	3,915	3,894	2,158	6
Male	7,912	99	33	26	133	161	197	449	1,215	2,481	2,224	669	5
Female	5,611	62	20	11	55	44	107	229	709	1,434	1,670	1,269	1
All other	1,808	99	19	16	53	72	89	180	317	455	349	156	3
Male	1,060	58	9	12	39	45	60	114	195	271	182	73	2
Female	748	41	10	4	14	27	29	66	122	184	167	83	1
Black	1,784	97	18	15	50	67	85	179	316	451	348	155	3
Male	1,046	57	8	12	37	42	57	114	194	269	182	72	2
Female	738	40	10	3	13	25	28	65	122	182	166	83	1
Georgia	46,005	1,205	235	285	1,029	1,401	1,818	3,556	7,412	11,225	11,152	6,657	30
Male	24,679	687	137	175	761	957	1,205	2,276	4,671	6,581	5,108	2,101	20
Female	21,326	518	98	110	268	444	613	1,280	2,741	4,644	6,044	4,556	10
White	33,147	571	133	173	734	849	1,113	2,300	5,120	7,845	8,583	5,810	17
Male	17,821	314	78	108	554	592	764	1,523	3,334	4,839	3,961	1,741	13
Female	15,326	257	55	65	180	256	349	777	1,786	3,106	4,622	3,869	4
All other	12,858	634	102	112	295	553	705	1,256	2,292	3,280	2,569	1,047	13
Male	6,858	373	59	67	207	365	441	753	1,337	1,742	1,147	360	7
Female	6,000	261	43	45	88	188	264	503	955	1,538	1,422	687	6
Black	12,782	624	101	111	291	545	699	1,247	2,265	3,269	2,562	1,044	10
Male	6,817	367	58	66	203	361	438	750	1,333	1,734	1,142	359	6
Female	5,965	257	43	45	88	184	261	497	952	1,529	1,420	685	4
Metropolitan counties	24,764	704	139	172	575	874	1,090	2,030	4,140	5,805	5,716	3,503	16
Male	13,137	390	82	106	416	607	722	1,308	2,628	3,297	2,519	1,050	12
Female	11,627	314	57	66	159	267	368	722	1,512	2,508	3,197	2,453	4
White	17,512	342	71	109	416	518	653	1,266	2,783	4,019	4,349	2,975	11
Male	9,307	194	45	70	310	375	448	844	1,812	2,409	1,923	870	9
Female	8,205	148	26	39	106	143	207	422	971	1,610	2,426	2,105	2
All other	7,252	362	68	63	159	356	437	764	1,357	1,786	1,367	528	5
Male	3,830	196	37	36	106	232	275	464	816	888	596	160	3
Female	3,422	166	31	27	53	124	161	300	541	898	771	348	2
Black	7,201	359	68	63	156	349	432	756	1,351	1,775	1,362	525	5
Male	3,806	194	37	36	103	229	274	461	813	884	593	179	3
Female	3,395	165	31	27	53	120	158	295	538	891	769	346	2
Nonmetropolitan counties	21,241	501	96	113	454	527	728	1,526	3,272	5,420	5,436	3,154	14
Male	11,542	297	55	69	345	350	483	968	2,043	3,284	2,589	1,051	8
Female	9,699	204	41	44	109	177	245	558	1,229	2,136	2,847	2,103	6
White	15,635	229	62	64	318	330	460	1,034	2,337	3,926	4,234	2,635	6
Male	8,514	120	33	38	244	217	318	679	1,522	2,430	2,038	871	4
Female	7,121	109	29	26	74	113	142	355	815	1,496	2,196	1,764	2
All other	5,606	272	34	49	136	197	268	482	935	1,494	1,202	519	8
Male	3,028	177	22	31	101	133	165	289	521	854	551	180	4
Female	2,578	95	12	18	35	64	103	203	414	640	651	339	4
Black	5,581	265	33	48	135	196	267	491	934	1,488	1,200	519	5
Male	3,011	173	21	30	100	132	164	289	520	850	549	180	3
Female	2,570	92	12	18	35	64	103	202	414	638	651	339	2

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	5,482	160	34	37	146	188	213	386	851	1,274	1,263	868	2
Male	3,231	99	23	19	112	140	132	222	532	853	726	371	2
Female	2,251	61	11	18	34	48	81	164	319	421	557	517	-
White	1,777	50	12	8	58	91	83	113	270	446	379	266	1
Male	1,054	32	9	2	45	75	56	82	168	296	188	100	1
Female	723	18	3	6	13	16	27	31	102	150	191	166	-
All other	3,705	130	22	29	88	97	130	273	581	828	904	622	1
Male	2,177	67	14	17	67	65	76	140	364	557	538	271	1
Female	1,528	63	8	12	21	32	54	133	217	271	366	351	-
Black	34	9	-	-	6	4	1	5	5	3	-	-	1
Male	21	4	-	-	4	3	-	4	3	2	-	-	1
Female	13	5	-	-	2	1	1	1	2	1	-	-	-
Metropolitan counties	4,127	145	20	29	120	137	164	286	669	965	940	651	1
Male	2,423	84	14	15	91	97	99	164	414	646	530	268	1
Female	1,704	61	6	14	29	40	65	122	255	319	410	383	-
White	1,340	40	6	7	49	61	62	76	207	338	269	204	1
Male	781	27	5	2	36	48	42	54	126	219	141	78	1
Female	559	13	1	5	11	13	20	22	81	119	148	126	-
All other	2,787	105	14	22	71	76	102	210	462	627	651	447	-
Male	1,642	57	9	13	53	49	57	110	288	427	389	190	-
Female	1,145	48	5	9	18	27	45	100	174	200	262	257	-
Black	33	9	-	-	6	4	1	5	5	3	-	-	-
Male	20	4	-	-	4	3	-	4	3	2	-	-	-
Female	13	5	-	-	2	1	1	1	2	1	-	-	-
Nonmetropolitan counties	1,355	35	14	8	26	51	49	100	182	309	343	237	1
Male	806	15	9	4	21	43	33	58	118	207	196	103	1
Female	547	20	5	4	5	8	16	42	64	102	147	134	-
White	437	10	6	1	9	30	21	37	63	108	90	62	-
Male	273	5	4	-	7	27	14	28	42	77	47	22	-
Female	164	5	2	1	2	3	7	9	21	31	43	40	-
All other	918	25	8	7	17	21	28	63	119	201	253	175	1
Male	535	10	5	4	14	16	19	30	76	130	149	81	1
Female	383	15	3	3	3	5	9	33	43	71	104	94	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	7,241	203	44	67	181	199	205	387	866	1,657	1,886	1,544	2
Male	4,065	125	29	42	135	142	142	257	539	1,007	1,048	597	2
Female	3,176	78	15	25	46	57	63	130	327	650	838	947	-
White	7,116	194	41	63	174	190	193	372	849	1,643	1,871	1,524	2
Male	3,998	119	26	42	129	134	136	249	531	1,000	1,041	589	2
Female	3,118	75	15	21	45	56	57	123	318	643	830	935	-
All other	125	9	3	4	7	9	12	15	17	14	15	20	-
Male	67	6	3	-	6	8	6	8	8	7	7	8	-
Female	58	3	-	4	1	1	6	7	9	7	8	12	-
Black	18	4	1	1	1	1	-	1	2	1	3	3	-
Male	9	3	1	-	-	1	-	-	1	-	3	-	-
Female	9	1	-	1	1	-	-	1	1	1	-	3	-
Metropolitan counties	1,230	32	9	11	27	26	40	70	130	266	300	295	-
Male	673	15	7	8	21	17	28	47	89	183	158	102	-
Female	557	17	2	3	6	11	12	23	41	105	144	193	-
White	1,220	32	8	10	27	26	40	69	128	287	300	293	-
Male	669	15	6	8	21	16	28	47	88	183	158	101	-
Female	551	17	2	2	6	10	12	22	40	104	144	192	-
All other	10	-	1	1	-	2	-	1	2	1	-	2	-
Male	4	-	1	-	-	1	-	-	1	-	-	1	-
Female	6	-	-	1	-	1	-	1	1	1	-	1	-
Black	5	-	1	1	-	-	-	-	1	1	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	1	1	-	1	-
Nonmetropolitan counties	6,011	171	35	56	154	171	165	317	736	1,369	1,586	1,249	2
Male	3,392	110	22	34	114	125	114	210	450	824	882	495	2
Female	2,619	61	13	22	40	46	51	107	286	545	694	754	-
White	5,896	162	33	53	147	164	153	303	721	1,356	1,571	1,231	2
Male	3,329	104	20	34	108	118	108	202	443	817	885	468	2
Female	2,567	58	13	19	39	46	45	101	278	539	686	743	-
All other	115	9	2	3	7	7	12	14	15	13	15	18	-
Male	63	6	2	-	6	7	6	8	7	7	7	7	-
Female	52	3	-	3	1	-	6	6	8	6	8	11	-
Black	13	4	-	-	1	1	-	1	1	-	3	2	-
Male	8	3	-	-	-	1	-	-	1	-	3	-	-
Female	5	1	-	-	1	-	-	1	-	-	-	2	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	102,438	2,224	374	431	1,852	2,361	2,850	6,307	14,798	23,534	27,406	20,299	2
Male	53,410	1,261	209	258	1,365	1,695	1,826	3,982	9,230	13,733	13,136	6,723	2
Female	49,028	963	165	173	487	676	1,024	2,325	5,568	9,801	14,270	13,576	-
White	87,922	1,326	241	323	1,374	1,562	1,982	4,706	12,104	20,487	24,832	18,983	2
Male	45,338	758	130	202	1,020	1,130	1,281	2,972	7,633	12,072	11,940	6,216	2
Female	42,588	568	111	121	354	432	721	1,734	4,471	8,415	12,892	12,767	-
All other	14,516	898	133	108	478	799	868	1,601	2,694	3,047	2,574	1,316	-
Male	8,074	503	79	56	345	555	565	1,010	1,597	1,661	1,196	507	-
Female	6,442	395	54	52	133	244	303	591	1,097	1,386	1,378	809	-
Black	14,161	877	126	101	462	763	850	1,565	2,624	2,880	2,519	1,271	-
Male	7,865	489	77	50	332	544	558	991	1,550	1,620	1,164	490	-
Female	6,296	388	52	51	130	239	292	574	1,074	1,360	1,355	781	-
Metropolitan counties	79,281	1,897	314	337	1,487	2,019	2,437	5,330	12,037	18,438	20,439	14,546	2
Male	41,341	1,068	175	195	1,100	1,434	1,582	3,365	7,481	10,620	9,597	4,742	2
Female	37,940	829	139	142	387	585	875	1,965	4,556	7,816	10,842	9,804	-
White	65,245	1,018	187	234	1,019	1,237	1,588	3,763	9,419	15,486	17,975	13,317	2
Male	33,528	575	101	143	762	889	1,010	2,378	5,927	9,012	8,454	4,275	2
Female	31,717	443	86	91	257	348	578	1,385	3,492	6,474	9,521	9,042	-
All other	14,036	879	127	103	468	782	849	1,567	2,618	2,950	2,464	1,229	-
Male	7,813	493	74	52	338	545	552	987	1,554	1,608	1,143	467	-
Female	6,223	386	53	51	130	237	297	580	1,064	1,342	1,321	762	-
Black	13,700	858	123	97	452	766	833	1,533	2,552	2,890	2,411	1,185	-
Male	7,615	479	72	47	325	534	546	969	1,509	1,571	1,113	450	-
Female	6,085	379	51	50	127	232	287	564	1,043	1,319	1,298	735	-
Nonmetropolitan counties	23,157	327	60	94	365	342	413	977	2,761	5,096	6,967	5,753	-
Male	12,069	193	34	63	265	251	264	617	1,749	3,113	3,539	1,981	-
Female	11,088	134	26	31	100	91	149	360	1,012	1,985	3,428	3,772	-
White	22,677	308	54	89	355	325	394	943	2,685	5,001	6,857	5,666	-
Male	11,808	183	29	59	258	241	251	594	1,706	3,060	3,466	1,941	-
Female	10,869	125	25	30	97	84	143	349	979	1,941	3,371	3,725	-
All other	480	19	6	5	10	17	19	34	76	97	110	87	-
Male	261	10	5	4	7	10	13	23	43	53	53	40	-
Female	219	9	1	1	3	7	6	11	33	44	57	47	-
Black	461	19	6	4	10	17	17	32	72	90	108	86	-
Male	250	10	5	3	7	10	12	22	41	49	51	40	-
Female	211	9	1	1	3	7	5	10	31	41	57	46	-
Indiana	47,747	923	192	193	883	925	1,230	2,806	6,738	10,985	13,234	9,636	2
Male	24,967	529	116	125	629	662	839	1,756	4,152	6,410	6,481	3,267	1
Female	22,780	394	76	68	254	263	391	1,050	2,586	4,575	6,753	6,369	1
White	44,359	782	161	173	790	785	1,077	2,475	6,122	10,214	12,529	9,269	2
Male	23,071	439	88	115	565	558	740	1,560	3,777	5,966	6,152	3,100	1
Female	21,288	323	83	58	225	227	337	915	2,345	4,248	6,377	6,169	1
All other	3,388	161	31	20	93	140	153	331	616	771	705	367	-
Male	1,896	90	18	10	64	104	99	196	375	444	329	167	-
Female	1,492	71	13	10	29	36	54	135	241	327	376	200	-
Black	3,352	160	31	20	91	136	145	329	608	765	709	364	-
Male	1,879	90	18	10	62	103	95	196	371	442	327	165	-
Female	1,473	70	13	10	29	33	50	133	237	323	376	199	-
Metropolitan counties	32,175	678	139	135	602	673	832	2,013	4,703	7,350	8,855	6,184	1
Male	16,696	397	84	78	420	473	559	1,246	2,859	4,246	4,255	2,079	-
Female	15,479	281	55	57	182	200	273	767	1,844	3,104	4,600	4,115	1
White	28,973	522	110	116	513	542	688	1,696	4,121	6,631	8,190	5,845	1
Male	14,910	309	68	69	357	376	465	1,061	2,506	3,830	3,950	1,919	-
Female	14,063	213	42	47	156	166	221	635	1,615	2,801	4,240	3,926	1
All other	3,202	156	29	19	89	131	146	317	582	719	665	349	-
Male	1,786	88	16	9	63	97	94	185	353	416	305	160	-
Female	1,416	68	13	10	26	34	52	132	229	303	360	189	-
Black	3,175	155	29	19	88	128	139	315	578	714	664	346	-
Male	1,773	88	16	9	62	96	90	185	351	414	304	158	-
Female	1,402	67	13	10	26	32	49	130	227	300	360	188	-
Nonmetropolitan counties	15,572	245	53	58	281	252	398	793	2,035	3,635	4,379	3,442	1
Male	8,271	132	32	47	209	189	280	510	1,293	2,164	2,226	1,188	1
Female	7,301	113	21	11	72	63	118	283	742	1,471	2,153	2,254	-
White	15,386	240	51	57	277	243	391	779	2,001	3,583	4,339	3,424	1
Male	8,161	130	30	46	208	182	275	499	1,271	2,136	2,202	1,181	1
Female	7,225	110	21	11	69	61	116	280	730	1,447	2,137	2,243	-
All other	186	5	2	1	4	9	7	14	34	52	40	18	-
Male	110	2	2	1	1	7	5	11	22	28	24	7	-
Female	76	3	-	-	3	2	2	3	12	24	16	11	-
Black	177	5	2	1	3	8	6	14	30	51	38	18	-
Male	106	2	2	1	-	7	5	11	20	28	23	7	-
Female	71	3	-	-	3	1	1	3	10	23	16	11	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	27,528	388	90	99	430	412	470	1,156	3,095	5,861	8,012	7,514	3
Male	14,346	237	52	59	317	283	295	717	2,028	3,643	4,105	2,609	1
Female	13,182	149	38	40	113	129	175	439	1,067	2,218	3,907	4,905	2
White	27,174	359	84	96	416	386	451	1,119	3,050	5,796	7,948	7,466	3
Male	14,143	218	48	56	309	268	282	699	1,995	3,608	4,072	2,587	1
Female	13,031	141	36	40	107	118	169	420	1,055	2,188	3,876	4,879	2
All other	354	27	6	3	14	26	19	37	45	65	64	48	-
Male	203	19	4	3	8	15	13	18	33	35	33	22	-
Female	151	8	2	-	6	11	6	19	12	30	31	26	-
Black	313	22	5	3	11	19	17	34	39	55	61	47	-
Male	179	16	4	3	7	11	13	17	29	27	31	21	-
Female	134	6	1	-	4	8	4	17	10	28	30	26	-
Metropolitan counties	9,313	191	37	36	165	196	212	484	1,223	2,105	2,494	2,168	2
Male	4,776	118	24	22	121	137	129	304	779	1,254	1,196	692	-
Female	4,537	73	13	14	44	59	83	180	444	851	1,298	1,476	2
White	9,023	167	32	33	151	178	195	454	1,186	2,053	2,439	2,135	2
Male	4,608	101	20	19	113	125	117	289	752	1,228	1,167	677	-
Female	4,415	66	12	14	38	51	78	165	434	825	1,272	1,458	2
All other	290	24	5	3	14	20	17	30	37	52	55	33	-
Male	168	17	4	3	8	12	12	15	27	26	29	15	-
Female	122	7	1	-	6	8	5	15	10	26	26	18	-
Black	284	21	5	3	11	16	16	28	34	45	52	33	-
Male	152	15	4	3	7	9	12	14	25	21	27	15	-
Female	112	6	1	-	4	7	4	14	9	24	25	18	-
Nonmetropolitan counties	18,215	195	53	63	265	216	258	672	1,872	3,756	5,518	5,346	1
Male	9,570	119	28	37	196	146	166	413	1,249	2,389	2,909	1,917	1
Female	8,645	76	25	26	69	70	92	259	623	1,367	2,609	3,429	-
White	18,151	192	52	63	265	210	256	665	1,864	3,743	5,509	5,331	1
Male	9,535	117	28	37	196	143	185	410	1,243	2,380	2,905	1,910	1
Female	8,616	75	24	26	69	67	91	255	621	1,363	2,604	3,421	-
All other	64	3	1	-	-	6	2	7	8	13	9	15	-
Male	35	2	-	-	-	3	1	3	6	9	4	7	-
Female	29	1	1	-	-	3	1	4	2	4	5	8	-
Black	49	1	-	-	-	3	1	6	5	10	9	14	-
Male	27	1	-	-	-	2	1	3	4	6	4	6	-
Female	22	-	-	-	-	1	-	3	1	4	5	8	-
Kansas	21,931	416	90	86	397	400	454	1,027	2,623	4,791	6,276	5,366	5
Male	11,569	246	43	60	283	281	293	644	1,640	2,932	3,233	1,910	4
Female	10,362	170	47	26	114	119	161	383	983	1,859	3,043	3,456	1
White	20,778	358	80	78	367	362	401	944	2,412	4,562	6,022	5,188	4
Male	10,953	215	38	52	263	253	258	598	1,516	2,802	3,116	1,839	3
Female	9,825	143	42	26	104	109	143	346	896	1,760	2,906	3,349	1
All other	1,153	58	10	8	30	38	53	83	211	229	254	178	1
Male	616	31	5	8	20	28	35	46	124	130	117	71	1
Female	537	27	5	-	10	10	18	37	87	99	137	107	-
Black	1,068	51	10	5	26	32	48	72	201	216	238	168	1
Male	572	29	5	5	19	25	32	41	116	121	111	67	1
Female	496	22	5	-	7	7	16	31	85	95	127	101	-
Metropolitan counties	8,488	207	40	39	163	216	233	511	1,235	1,910	2,187	1,725	2
Male	4,507	114	23	26	132	153	146	306	761	1,155	1,082	607	2
Female	3,981	93	17	13	51	63	87	205	474	755	1,105	1,118	-
White	7,655	166	32	33	161	181	194	451	1,076	1,755	1,999	1,606	1
Male	4,054	93	19	20	116	126	123	272	672	1,066	990	558	1
Female	3,601	73	13	13	45	55	71	179	404	689	1,009	1,050	-
All other	833	41	8	6	22	35	39	60	159	155	188	119	1
Male	453	21	4	6	16	27	23	34	89	89	92	51	1
Female	380	20	4	-	6	8	16	26	70	66	96	68	-
Black	794	37	8	4	20	31	36	56	154	150	181	116	1
Male	434	20	4	4	16	25	22	32	86	86	88	50	1
Female	360	17	4	-	4	6	14	24	68	64	93	66	-
Nonmetropolitan counties	13,443	209	50	47	214	184	221	516	1,388	2,881	4,089	3,641	3
Male	7,062	132	20	34	151	128	147	338	879	1,777	2,151	1,303	2
Female	6,381	77	30	13	63	56	74	178	509	1,104	1,938	2,338	1
White	13,123	192	48	45	206	181	207	493	1,336	2,807	4,023	3,582	3
Male	6,899	122	19	32	147	127	135	326	844	1,736	2,126	1,283	2
Female	6,224	70	29	13	59	54	72	167	492	1,071	1,897	2,299	1
All other	320	17	2	2	8	3	14	23	52	74	66	59	-
Male	163	10	1	2	4	1	12	12	35	41	25	20	-
Female	157	7	1	-	4	2	2	11	17	33	41	39	-
Black	274	14	2	1	6	1	12	16	47	66	57	52	-
Male	138	9	1	1	3	-	10	9	30	35	23	17	-
Female	136	5	1	-	3	1	2	7	17	31	34	35	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	34,224	632	124	153	726	728	989	2,114	5,046	8,105	9,377	6,228	-
Male	18,824	363	71	94	529	541	653	1,394	3,273	4,917	4,725	2,264	-
Female	15,400	269	53	59	197	187	336	720	1,775	3,188	4,652	3,964	-
White	31,524	544	114	138	686	644	888	1,905	4,597	7,476	8,716	5,836	-
Male	17,356	314	66	84	496	476	585	1,278	3,008	4,559	4,376	2,114	-
Female	14,168	230	48	54	170	168	303	627	1,589	2,917	4,340	3,722	-
All other	2,700	88	10	15	60	84	101	209	451	629	661	392	-
Male	1,468	49	5	10	33	65	68	116	265	358	349	150	-
Female	1,232	39	5	5	27	19	33	93	186	271	312	242	-
Black	2,678	88	10	15	60	82	98	206	444	626	657	392	-
Male	1,456	49	5	10	33	65	68	114	261	356	345	150	-
Female	1,222	39	5	5	27	17	30	92	183	270	312	242	-
Metropolitan counties	14,561	301	47	60	274	333	390	952	2,298	3,511	3,865	2,530	-
Male	7,652	169	27	36	188	241	247	573	1,470	2,047	1,857	799	-
Female	6,909	132	20	24	88	92	143	379	828	1,464	2,008	1,731	-
White	12,728	243	41	52	234	277	314	802	1,988	3,072	3,428	2,281	-
Male	6,687	137	24	32	168	197	196	496	1,284	1,796	1,642	715	-
Female	6,041	106	17	20	66	80	118	306	702	1,276	1,784	1,566	-
All other	1,833	58	6	8	40	56	76	150	312	439	439	249	-
Male	965	32	3	4	18	44	51	77	186	251	215	84	-
Female	868	26	3	4	22	12	25	73	126	188	224	165	-
Black	1,822	58	6	8	40	56	75	149	309	437	435	249	-
Male	955	32	3	4	18	44	51	76	183	249	211	84	-
Female	867	26	3	4	22	12	24	73	126	188	224	165	-
Nonmetropolitan counties	19,663	331	77	93	452	395	599	1,162	2,750	4,584	5,512	3,698	-
Male	11,172	194	44	58	343	300	406	821	1,803	2,870	2,868	1,465	-
Female	8,491	137	33	35	109	95	193	341	947	1,724	2,644	2,233	-
White	18,796	301	73	86	432	367	574	1,103	2,611	4,404	5,290	3,555	-
Male	10,669	177	42	52	328	279	389	782	1,724	2,763	2,734	1,399	-
Female	8,127	124	31	34	104	88	185	321	887	1,641	2,556	2,156	-
All other	867	30	4	7	20	28	25	59	139	190	222	143	-
Male	503	17	2	6	15	21	17	39	79	107	134	66	-
Female	364	13	2	1	5	7	8	20	60	83	88	77	-
Black	856	30	4	7	20	26	23	57	135	189	222	143	-
Male	501	17	2	6	15	21	17	39	76	107	134	66	-
Female	355	13	2	1	5	5	6	19	57	82	88	77	-
Louisiana	36,409	1,115	211	248	1,024	1,175	1,345	2,572	5,896	8,709	9,119	5,174	21
Male	19,643	624	134	154	754	834	864	1,667	3,476	4,973	4,967	1,782	12
Female	16,766	491	77	94	270	341	481	905	2,216	3,736	4,752	3,392	9
White	24,495	491	109	139	623	663	767	1,566	3,773	5,911	6,552	3,891	10
Male	13,184	283	69	91	473	487	509	1,052	2,378	3,469	3,105	1,281	7
Female	11,311	208	40	48	150	196	258	514	1,395	2,442	3,447	2,610	3
All other	11,914	624	102	109	401	512	578	1,006	1,923	2,798	2,567	1,283	11
Male	6,459	341	65	63	281	387	355	615	1,100	1,504	1,262	501	5
Female	5,455	283	37	46	120	145	223	391	823	1,294	1,305	782	6
Black	11,819	615	99	106	392	503	570	993	1,912	2,784	2,556	1,278	11
Male	6,399	338	63	62	272	360	350	606	1,092	1,497	1,258	496	5
Female	5,420	277	36	44	120	143	220	387	820	1,287	1,298	782	6
Metropolitan parishes [1]	22,312	683	127	145	601	778	886	1,630	3,698	5,249	5,496	3,084	15
Male	11,822	382	79	89	431	547	569	1,040	2,183	2,951	2,520	1,023	8
Female	10,490	301	48	56	170	231	297	590	1,455	2,298	2,976	2,061	7
White	14,862	293	60	75	320	418	480	967	2,352	3,536	3,984	2,369	8
Male	7,774	165	37	50	234	277	327	640	1,455	2,029	1,797	757	6
Female	7,088	128	23	25	86	141	153	327	897	1,507	2,187	1,612	2
All other	7,450	390	67	70	281	360	386	663	1,286	1,713	1,512	715	7
Male	4,048	217	42	39	197	270	242	400	728	922	723	266	2
Female	3,402	173	25	31	84	90	144	263	558	791	789	449	5
Black	7,381	382	64	67	273	352	382	655	1,279	1,703	1,506	711	7
Male	4,003	215	40	38	189	263	239	384	722	918	721	262	2
Female	3,378	167	24	29	84	89	143	261	557	785	785	449	5
Nonmetropolitan parishes [1]	14,097	432	84	103	423	397	479	942	2,058	3,460	3,623	2,090	6
Male	7,821	242	55	65	323	287	295	627	1,295	2,022	1,847	759	4
Female	6,276	190	29	38	100	110	184	315	763	1,438	1,776	1,331	2
White	9,633	198	49	64	303	245	287	599	1,421	2,375	2,568	1,522	2
Male	5,410	118	32	41	239	190	182	412	923	1,440	1,308	524	1
Female	4,223	80	17	23	64	55	105	187	498	935	1,260	998	1
All other	4,464	234	35	39	120	152	192	343	637	1,085	1,055	568	4
Male	2,411	124	23	24	84	97	113	215	372	582	539	235	3
Female	2,053	110	12	15	36	55	79	128	265	503	516	333	1
Black	4,438	233	35	39	119	151	188	338	633	1,081	1,050	567	4
Male	2,396	123	23	24	83	97	111	212	370	579	537	234	3
Female	2,042	110	12	15	36	54	77	126	263	502	513	333	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	10,029	145	27	33	188	197	254	552	1,390	2,585	3,042	2,546	-
Male	5,678	84	21	20	144	138	171	348	891	1,520	1,510	831	-
Female	5,251	61	6	13	44	49	83	204	499	1,045	1,532	1,715	-
White	10,894	142	26	33	188	185	251	550	1,382	2,558	3,035	2,544	-
Male	5,657	82	21	20	144	136	168	346	889	1,516	1,505	830	-
Female	5,237	60	5	13	44	49	83	204	493	1,042	1,530	1,714	-
All other	35	3	1	-	-	2	3	2	8	7	7	2	-
Male	21	2	-	-	-	2	3	2	2	4	5	1	-
Female	14	1	1	-	-	-	-	-	6	3	2	1	-
Black	18	2	1	-	-	2	1	1	3	1	5	2	-
Male	11	1	-	-	-	2	1	1	-	1	4	1	-
Female	7	1	1	-	-	-	-	-	3	-	1	1	-
Metropolitan counties	5,811	69	13	13	102	100	137	284	753	1,383	1,628	1,329	-
Male	2,974	39	9	9	78	78	94	178	474	820	764	431	-
Female	2,837	30	4	4	24	22	43	106	279	563	864	898	-
White	5,789	67	12	13	102	99	134	283	749	1,379	1,624	1,327	-
Male	2,961	38	9	9	76	77	91	177	474	817	761	490	-
Female	2,828	29	3	4	24	22	43	106	275	562	863	897	-
All other	22	2	1	-	-	1	3	1	4	4	4	2	-
Male	13	1	-	-	-	1	3	1	-	3	3	1	-
Female	9	1	1	-	-	-	-	-	4	1	1	1	-
Black	13	2	1	-	-	1	1	1	2	-	3	2	-
Male	7	1	-	-	-	1	1	1	-	-	2	1	-
Female	6	1	1	-	-	-	-	-	2	-	1	1	-
Nonmetropolitan counties	5,118	78	14	20	86	87	117	268	637	1,182	1,414	1,217	-
Male	2,704	45	12	11	66	60	77	170	417	700	746	400	-
Female	2,414	31	2	9	20	27	40	98	220	482	668	817	-
White	5,105	75	14	20	86	86	117	267	633	1,179	1,411	1,217	-
Male	2,696	44	12	11	66	59	77	169	415	699	744	400	-
Female	2,409	31	2	9	20	27	40	98	218	480	667	817	-
All other	13	1	-	-	-	1	-	1	4	3	3	-	-
Male	8	1	-	-	-	1	-	1	2	1	2	-	-
Female	5	-	-	-	-	-	-	-	2	2	1	-	-
Black	5	-	-	-	-	1	-	-	1	1	2	-	-
Male	4	-	-	-	-	1	-	-	-	1	2	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Maryland	35,056	752	122	137	674	916	1,198	2,464	5,680	8,411	8,770	5,918	16
Male	18,437	411	74	81	480	644	773	1,555	3,465	4,894	4,183	1,866	11
Female	16,619	341	48	56	194	272	425	909	2,215	3,517	4,587	4,050	5
White	27,424	383	69	87	445	513	733	1,643	4,285	6,672	7,327	5,260	7
Male	14,096	209	45	52	327	367	469	1,036	2,626	3,908	3,437	1,615	5
Female	13,328	174	24	35	118	146	264	607	1,659	2,764	3,890	3,645	2
All other	7,632	369	53	50	229	403	465	821	1,395	1,739	1,443	658	9
Male	4,341	202	29	29	153	277	304	519	839	986	746	251	6
Female	3,291	167	24	21	76	126	161	302	556	753	697	405	3
Black	7,437	359	48	49	221	387	447	800	1,372	1,700	1,401	644	9
Male	4,233	198	26	28	148	271	293	504	827	984	723	245	6
Female	3,204	161	22	21	73	116	154	296	545	736	678	399	3
Metropolitan counties	30,548	665	101	123	588	825	1,070	2,195	5,053	7,292	7,610	5,013	15
Male	15,977	361	60	72	422	576	685	1,388	3,075	4,203	3,577	1,547	11
Female	14,571	304	41	51	164	249	385	807	1,978	3,089	4,033	3,466	4
White	23,761	330	55	78	380	445	630	1,437	3,782	5,778	6,368	4,471	7
Male	12,126	177	35	47	282	311	399	904	2,312	3,363	2,946	1,345	5
Female	11,635	153	20	31	98	134	231	533	1,470	2,415	3,422	3,126	2
All other	6,787	335	46	45	206	380	440	758	1,271	1,514	1,242	542	8
Male	3,851	184	25	25	140	265	286	484	763	840	631	202	6
Female	2,936	151	21	20	66	115	154	274	508	674	611	340	2
Black	6,599	326	42	44	199	365	422	737	1,248	1,475	1,203	530	8
Male	3,746	180	23	24	136	259	275	469	751	818	609	196	6
Female	2,853	146	19	20	63	106	147	268	497	657	594	334	2
Nonmetropolitan counties	4,508	87	21	14	86	91	128	269	627	1,119	1,160	903	1
Male	2,480	50	14	9	58	68	88	167	390	691	606	319	-
Female	2,048	37	7	5	30	23	40	102	237	428	554	584	1
White	3,663	53	14	9	65	68	103	206	503	894	959	789	-
Male	1,970	32	10	5	45	58	70	132	314	545	491	270	-
Female	1,693	21	4	4	20	12	33	74	189	349	468	519	-
All other	845	34	7	5	23	23	25	63	124	225	201	114	1
Male	490	18	4	4	13	12	18	35	76	146	115	49	-
Female	355	16	3	1	10	11	7	28	48	79	86	65	1
Black	838	33	6	5	22	22	25	63	124	225	198	114	1
Male	487	18	3	4	12	12	18	35	76	146	114	49	-
Female	351	15	3	1	10	10	7	28	48	79	84	65	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	54,291	690	119	148	790	871	1,232	2,827	7,291	12,415	15,157	12,738	13
Male	26,985	403	69	81	566	618	762	1,782	4,541	7,184	6,993	3,976	8
Female	27,326	287	50	67	224	253	470	1,065	2,750	5,231	8,164	8,760	5
White	52,590	588	105	127	734	777	1,133	2,655	6,965	12,107	14,874	12,514	11
Male	26,004	340	64	69	522	555	709	1,647	4,349	6,994	6,857	3,898	6
Female	26,586	248	41	58	212	222	424	1,008	2,622	5,113	8,017	8,616	5
All other	1,701	102	14	21	56	94	99	172	326	308	283	224	2
Male	961	63	5	12	44	63	53	115	198	190	136	80	2
Female	740	39	9	9	12	31	46	57	128	118	147	144	-
Black	1,502	90	13	17	50	79	89	158	285	277	240	203	1
Male	838	54	4	11	38	52	49	104	175	169	107	74	1
Female	664	36	9	6	12	27	40	54	110	108	133	129	-
Metropolitan counties	51,604	668	117	142	757	838	1,168	2,739	6,969	11,721	14,341	12,094	12
Male	25,592	389	68	79	544	595	733	1,709	4,359	6,757	6,571	3,771	7
Female	26,022	279	49	63	213	243	453	1,030	2,630	4,964	7,770	8,323	5
White	49,962	567	103	121	704	746	1,089	2,570	6,675	11,423	14,071	11,883	10
Male	24,654	327	63	67	502	534	681	1,595	4,169	6,574	6,439	3,698	5
Female	25,308	240	40	54	202	212	408	975	2,506	4,849	7,632	8,185	5
All other	1,642	101	14	21	53	92	97	169	314	298	270	211	2
Male	928	62	5	12	42	61	52	114	190	183	132	73	2
Female	714	39	9	9	11	31	45	55	124	115	138	138	-
Black	1,454	89	13	17	47	77	88	155	275	270	230	192	1
Male	809	53	4	11	38	50	48	103	166	165	103	67	1
Female	645	36	9	6	11	27	40	52	107	105	127	125	-
Nonmetropolitan counties	2,687	22	2	6	33	33	46	88	302	694	816	644	1
Male	1,383	14	1	2	22	23	29	53	182	427	422	207	1
Female	1,304	8	1	4	11	10	17	35	120	267	394	437	-
White	2,628	21	2	6	30	31	44	65	280	684	803	631	1
Male	1,350	13	1	2	20	21	28	52	174	420	418	200	1
Female	1,278	8	1	4	10	10	16	33	116	264	385	431	-
All other	59	1	-	-	3	2	2	3	12	10	13	13	-
Male	33	1	-	-	2	2	1	1	8	7	4	7	-
Female	26	-	-	-	1	-	1	2	4	3	9	6	-
Black	48	1	-	-	3	2	1	3	10	7	10	11	-
Male	29	1	-	-	2	2	1	1	7	4	4	7	-
Female	19	-	-	-	1	-	-	2	3	3	6	4	-
Michigan	76,684	1,569	271	351	1,480	1,966	2,291	4,785	11,561	18,228	19,803	14,396	3
Male	40,810	866	145	217	1,109	1,375	1,475	2,984	7,046	10,739	9,896	4,957	1
Female	35,874	703	126	134	371	591	816	1,781	4,515	7,489	9,907	9,439	2
White	66,214	1,047	191	257	1,128	1,310	1,634	3,748	9,551	15,939	17,897	13,509	3
Male	34,905	580	108	159	846	929	1,029	2,350	5,853	9,479	8,947	4,624	1
Female	31,309	467	83	98	282	381	605	1,398	3,698	6,460	8,950	8,885	2
All other	10,470	522	80	94	352	656	657	1,017	2,010	2,289	1,906	887	-
Male	5,905	286	37	58	263	446	446	634	1,193	1,260	949	333	-
Female	4,565	236	43	36	89	210	211	383	817	1,029	957	554	-
Black	10,185	506	76	91	337	638	641	985	1,952	2,233	1,856	870	-
Male	5,731	279	34	55	254	437	436	610	1,162	1,222	916	326	-
Female	4,454	227	42	36	83	201	205	375	790	1,011	940	544	-
Metropolitan counties	61,692	1,343	224	275	1,225	1,737	1,972	4,030	9,596	14,328	15,625	11,335	2
Male	32,618	740	117	170	914	1,218	1,273	2,509	5,938	8,345	7,620	3,873	1
Female	29,074	603	107	105	311	519	699	1,521	3,758	5,983	8,005	7,462	1
White	51,460	828	145	186	879	1,086	1,323	3,027	7,627	12,091	13,789	10,477	2
Male	26,848	457	80	114	658	774	830	1,883	4,669	7,119	6,708	3,557	1
Female	24,612	371	65	72	223	312	493	1,144	2,958	4,972	7,081	6,920	1
All other	10,232	515	79	89	346	651	649	1,003	1,969	2,237	1,836	858	-
Male	5,770	283	37	56	258	444	443	626	1,169	1,226	912	316	-
Female	4,462	232	42	33	88	207	206	377	800	1,011	924	542	-
Black	10,041	501	75	87	336	636	640	980	1,934	2,199	1,807	846	-
Male	5,654	277	34	54	253	436	435	607	1,150	1,203	893	312	-
Female	4,387	224	41	33	83	200	205	373	784	996	914	534	-
Nonmetropolitan counties	14,992	226	47	76	255	229	319	735	1,965	3,900	4,176	3,061	1
Male	8,192	126	28	47	195	157	202	475	1,208	2,394	2,276	1,084	-
Female	6,800	100	19	28	60	72	117	260	757	1,506	1,902	1,977	1
White	14,754	219	46	71	249	224	311	721	1,924	3,848	4,108	3,032	1
Male	8,057	123	28	45	190	155	199	467	1,184	2,360	2,239	1,067	-
Female	6,697	96	18	26	59	69	112	254	740	1,488	1,869	1,965	1
All other	238	7	1	5	6	5	8	14	41	52	70	29	-
Male	135	3	-	2	5	2	3	8	24	34	37	17	-
Female	103	4	1	3	1	3	5	6	17	18	33	12	-
Black	144	5	1	4	1	2	1	5	18	34	49	24	-
Male	77	2	-	1	1	1	1	3	12	19	23	14	-
Female	67	3	1	3	-	1	-	2	6	15	26	10	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	33,937	644	120	131	510	552	895	1,518	3,804	7,176	9,723	9,063	1
Male	18,045	347	74	80	375	389	445	979	2,436	4,418	5,066	3,436	-
Female	15,892	297	46	51	135	163	250	539	1,368	2,758	4,657	5,627	1
White	33,340	586	114	112	475	516	650	1,457	3,709	7,078	9,633	9,009	1
Male	17,712	316	69	69	350	366	417	943	2,379	4,360	5,024	3,417	-
Female	15,628	268	45	43	125	150	233	514	1,330	2,718	4,609	5,592	1
All other	597	58	6	19	35	36	45	61	95	98	90	54	-
Male	333	29	5	11	25	23	28	36	57	58	42	19	-
Female	264	29	1	8	10	13	17	25	38	40	48	35	-
Black	335	37	4	8	9	17	23	37	47	56	57	40	-
Male	179	16	3	5	7	12	12	25	30	29	27	13	-
Female	156	21	1	3	2	5	11	12	17	27	30	27	-
Metropolitan counties	19,501	427	64	76	299	394	475	982	2,407	4,099	5,359	4,918	1
Male	10,068	233	41	43	217	273	302	637	1,529	2,458	2,616	1,719	-
Female	9,433	194	23	33	82	121	173	345	878	1,641	2,743	3,199	1
White	19,032	377	58	62	281	367	440	930	2,396	4,019	5,286	4,875	1
Male	9,820	208	36	36	205	256	282	605	1,487	2,415	2,584	1,706	-
Female	9,212	169	22	26	76	111	158	325	849	1,604	2,702	3,169	1
All other	469	50	6	14	18	27	35	52	71	80	73	43	-
Male	248	25	5	7	12	17	20	32	42	43	32	13	-
Female	221	25	1	7	6	10	15	20	29	37	41	30	-
Black	324	37	4	8	7	15	22	37	46	54	56	38	-
Male	171	16	3	5	5	11	11	25	30	27	26	12	-
Female	153	21	1	3	2	4	11	12	16	27	30	26	-
Nonmetropolitan counties	14,436	217	56	55	211	158	220	538	1,397	3,077	4,364	4,145	-
Male	7,977	114	33	37	158	116	143	342	907	1,960	2,450	1,717	-
Female	6,459	103	23	18	53	42	77	194	490	1,117	1,914	2,428	-
White	14,308	209	56	50	194	149	210	527	1,373	3,059	4,347	4,134	-
Male	7,892	110	33	33	145	110	135	338	892	1,945	2,440	1,711	-
Female	6,416	99	23	17	49	39	75	189	481	1,114	1,907	2,423	-
All other	128	8	-	5	17	9	10	9	24	18	17	11	-
Male	85	4	-	4	13	6	8	4	15	15	10	6	-
Female	43	4	-	1	4	3	2	5	9	3	7	5	-
Black	11	-	-	-	2	2	1	-	1	2	1	2	-
Male	8	-	-	-	2	1	1	-	-	2	1	1	-
Female	3	-	-	-	-	1	-	-	1	-	-	1	-
Mississippi	23,942	685	138	158	565	603	777	1,483	3,410	5,645	6,430	4,036	32
Male	13,072	357	86	96	416	435	512	927	2,136	3,381	3,290	1,417	19
Female	10,870	308	52	62	149	168	265	556	1,274	2,264	3,140	2,619	13
White	15,338	242	59	92	350	282	421	907	2,278	3,672	4,335	2,895	5
Male	8,394	131	34	60	264	212	280	593	1,465	2,278	2,189	884	4
Female	6,944	111	25	32	86	70	141	314	813	1,394	2,146	1,811	1
All other	8,604	423	79	66	215	321	356	576	1,132	1,973	2,095	1,341	27
Male	4,678	226	52	36	152	223	232	334	671	1,103	1,101	533	15
Female	3,926	197	27	30	63	98	124	242	461	870	994	808	12
Black	8,544	418	78	65	212	317	351	570	1,122	1,963	2,086	1,336	26
Male	4,637	223	51	35	149	219	228	331	664	1,095	1,096	531	15
Female	3,907	195	27	30	63	98	123	239	458	868	990	805	11
Metropolitan counties	5,293	133	35	33	151	160	168	392	855	1,273	1,316	770	5
Male	2,911	70	20	13	110	117	115	246	525	782	638	272	3
Female	2,382	63	15	20	41	43	53	146	330	491	680	498	2
White	3,754	71	18	23	95	84	103	261	637	917	970	575	-
Male	2,055	42	11	9	72	64	70	172	396	582	445	192	-
Female	1,699	29	7	14	23	20	33	89	241	335	525	383	-
All other	1,539	62	17	10	56	76	65	131	218	356	348	195	5
Male	856	28	9	4	38	53	45	74	129	200	193	80	3
Female	683	34	8	6	18	23	20	57	89	156	155	115	2
Black	1,528	60	17	10	55	75	64	130	216	355	347	194	5
Male	849	27	9	4	37	52	44	74	128	200	192	79	3
Female	679	33	8	6	18	23	20	56	88	155	155	115	2
Nonmetropolitan counties	18,649	532	103	125	414	443	609	1,091	2,555	4,372	5,112	3,266	27
Male	10,161	287	66	83	306	318	397	681	1,611	2,599	2,652	1,145	16
Female	8,488	245	37	42	108	125	212	410	944	1,773	2,460	2,121	11
White	11,584	171	41	69	255	198	318	646	1,641	2,755	3,365	2,120	5
Male	6,339	89	23	51	192	148	210	421	1,069	1,896	1,744	692	4
Female	5,245	82	18	18	63	50	108	225	572	1,059	1,621	1,428	1
All other	7,065	361	62	56	159	245	291	445	914	1,617	1,747	1,146	22
Male	3,822	198	43	32	114	170	187	260	542	903	908	453	12
Female	3,243	163	19	24	45	75	104	185	372	714	839	693	10
Black	7,016	358	61	55	157	242	287	440	906	1,608	1,739	1,142	21
Male	3,788	196	42	31	112	167	184	257	536	895	904	452	12
Female	3,228	162	19	24	45	75	103	183	370	713	835	690	9

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	49,525	810	185	194	783	953	1,164	2,587	6,485	11,171	14,428	10,778	11
Male	25,779	479	88	131	559	658	753	1,633	4,031	6,622	7,142	3,676	7
Female	23,746	331	77	63	224	295	411	954	2,454	4,549	7,284	7,100	4
White	44,549	582	132	165	637	740	933	2,154	5,837	10,024	13,358	10,179	8
Male	23,059	350	73	113	458	503	600	1,358	3,544	5,987	6,617	3,451	5
Female	21,490	232	59	52	179	237	333	796	2,093	4,037	6,741	6,728	3
All other	4,976	228	33	29	146	213	231	433	848	1,147	1,068	597	3
Male	2,720	129	15	18	101	155	153	275	487	635	525	225	2
Female	2,256	99	18	11	45	58	78	158	361	512	543	372	1
Black	4,915	223	33	29	144	208	227	425	836	1,137	1,060	590	3
Male	2,685	125	15	18	100	152	152	271	480	630	518	222	2
Female	2,230	98	18	11	44	56	75	154	356	507	542	368	1
Metropolitan counties	29,813	528	96	114	521	659	765	1,730	4,125	6,688	8,467	6,112	8
Male	15,080	309	46	77	374	474	482	1,077	2,526	3,691	3,993	1,886	5
Female	14,733	219	50	37	147	185	283	653	1,599	2,857	4,474	4,226	3
White	25,430	334	65	87	388	455	558	1,326	3,358	5,692	7,554	5,608	5
Male	12,690	203	31	60	284	325	344	822	2,089	3,278	3,551	1,700	3
Female	12,740	131	34	27	104	130	214	504	1,269	2,414	4,003	3,908	2
All other	4,383	194	31	27	133	204	207	404	767	996	913	504	3
Male	2,390	106	15	17	90	149	138	255	437	553	442	186	2
Female	1,993	88	16	10	43	55	69	149	330	443	471	318	1
Black	4,340	189	31	27	132	200	206	399	760	990	905	498	3
Male	2,362	102	15	17	90	146	138	252	432	550	435	183	2
Female	1,978	87	16	10	42	54	68	147	328	440	470	315	1
Nonmetropolitan counties	19,712	282	69	80	262	294	399	857	2,360	4,483	5,959	4,664	3
Male	10,699	170	42	54	185	184	271	556	1,505	2,791	3,149	1,790	2
Female	9,013	112	27	26	77	110	128	301	855	1,692	2,810	2,874	1
White	19,119	248	67	78	249	285	375	828	2,279	4,332	5,804	4,571	3
Male	10,369	147	42	53	174	178	256	538	1,455	2,709	3,066	1,751	2
Female	8,750	101	25	25	75	107	119	292	824	1,623	2,738	2,820	1
All other	593	34	2	2	13	9	24	29	81	151	155	93	-
Male	330	23	-	1	11	6	15	20	50	82	83	39	-
Female	263	11	2	1	2	3	9	9	31	69	72	54	-
Black	575	34	2	2	12	8	21	26	76	147	156	92	-
Male	323	23	-	1	10	6	14	19	48	80	83	39	-
Female	252	11	2	1	2	2	7	7	28	67	72	53	-
Montana	6,713	126	38	47	178	194	211	345	872	1,525	1,723	1,455	1
Male	3,738	67	25	29	128	141	144	218	552	928	944	561	1
Female	2,975	59	11	18	50	53	67	127	320	597	779	894	-
White	6,375	107	30	42	150	154	185	308	820	1,463	1,682	1,433	1
Male	3,526	60	19	26	107	110	127	198	515	890	920	553	1
Female	2,849	47	11	16	43	44	58	110	305	573	762	880	-
All other	338	19	6	5	28	40	26	37	52	62	41	22	-
Male	212	7	6	3	21	31	17	20	37	38	24	8	-
Female	126	12	-	2	7	9	9	17	15	24	17	14	-
Black	9	2	-	-	-	-	-	1	1	2	2	1	-
Male	6	2	-	-	-	-	-	1	1	1	-	1	-
Female	3	-	-	-	-	-	-	-	-	1	2	-	-
Metropolitan counties	1,388	29	8	9	35	35	49	96	187	303	334	309	-
Male	760	18	6	4	27	27	27	61	122	179	172	117	-
Female	628	11	2	5	8	8	16	35	65	124	162	192	-
White	1,363	28	6	9	34	34	43	90	183	299	332	307	-
Male	745	16	4	4	26	26	27	58	120	177	172	115	-
Female	618	10	2	5	8	8	16	32	63	122	160	192	-
All other	25	3	2	-	1	1	-	6	4	4	2	2	-
Male	15	2	2	-	1	1	-	3	2	2	-	2	-
Female	10	1	-	-	-	-	-	3	2	2	2	-	-
Black	7	2	-	-	-	-	-	-	1	1	2	1	-
Male	4	2	-	-	-	-	-	-	1	-	-	1	-
Female	3	-	-	-	-	-	-	-	-	1	2	-	-
Nonmetropolitan counties	5,325	97	28	38	143	159	168	249	685	1,222	1,389	1,146	1
Male	2,978	49	19	25	101	114	117	157	430	749	772	444	1
Female	2,347	48	9	13	42	45	51	92	255	473	617	702	-
White	5,012	81	24	33	116	120	142	218	637	1,164	1,350	1,126	1
Male	2,781	44	15	22	81	84	100	140	395	713	749	439	1
Female	2,231	37	9	11	35	36	42	78	242	451	602	688	-
All other	313	16	4	5	27	39	26	31	48	58	39	20	-
Male	197	5	4	3	20	30	17	17	35	36	24	6	-
Female	116	11	-	2	7	9	9	14	13	22	15	14	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,718	259	73	58	227	206	267	638	1,624	3,077	4,344	3,945	2
Male	7,720	163	40	39	171	153	164	393	1,024	1,910	2,196	1,465	2
Female	6,998	96	33	17	56	53	103	245	600	1,167	2,148	2,480	-
White	14,311	231	65	48	205	185	247	602	1,559	2,999	4,268	3,902	1
Male	7,494	145	35	35	156	138	154	368	990	1,871	2,156	1,445	1
Female	6,817	86	30	13	49	47	93	234	568	1,128	2,112	2,457	-
All other	407	28	8	8	22	21	20	36	66	78	76	43	1
Male	226	18	5	4	15	15	10	25	34	39	40	20	1
Female	181	10	3	4	7	6	10	11	32	39	36	23	-
Black	329	22	6	7	14	18	14	28	59	59	62	39	1
Male	179	14	3	4	8	13	7	19	30	26	33	19	1
Female	150	8	3	3	6	5	7	9	29	31	29	20	-
Metropolitan counties	5,238	118	31	28	89	109	130	309	727	1,149	1,412	1,138	-
Male	2,699	69	13	20	68	82	76	197	451	689	647	387	-
Female	2,539	49	18	6	21	27	54	112	276	460	765	751	-
White	4,892	94	25	18	75	90	115	279	664	1,083	1,349	1,100	-
Male	2,512	54	10	16	59	68	68	177	420	657	614	369	-
Female	2,380	40	15	2	16	22	47	102	244	426	735	731	-
All other	346	24	6	8	14	19	15	30	63	66	63	38	-
Male	187	15	3	4	9	14	8	20	31	32	33	18	-
Female	159	9	3	4	5	5	7	10	32	34	30	20	-
Black	323	22	6	7	12	18	14	28	58	59	61	38	-
Male	174	14	3	4	7	13	7	19	29	28	32	18	-
Female	149	8	3	3	5	5	7	9	29	31	29	20	-
Nonmetropolitan counties	9,480	141	42	30	138	97	137	329	897	1,928	2,932	2,807	2
Male	5,021	94	27	19	103	71	88	196	573	1,221	1,549	1,078	2
Female	4,459	47	15	11	35	26	49	133	324	707	1,383	1,729	-
White	9,419	137	40	30	130	85	132	323	894	1,916	2,919	2,802	1
Male	4,982	91	25	19	97	70	66	191	570	1,214	1,542	1,076	1
Female	4,437	46	15	11	33	25	46	132	324	702	1,377	1,726	-
All other	61	4	2	-	8	2	5	6	3	12	13	5	1
Male	39	3	2	-	6	1	2	5	3	7	7	2	1
Female	22	1	-	-	2	1	3	1	-	5	6	3	-
Black	6	-	-	-	2	-	-	-	1	-	1	1	1
Male	5	-	-	-	1	-	-	-	1	-	1	1	1
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Nevada	6,378	153	23	29	168	251	293	552	1,228	1,582	1,368	723	8
Male	3,708	89	14	16	120	183	195	359	746	997	728	254	7
Female	2,670	64	9	13	48	68	98	193	482	585	640	469	1
White	5,941	123	15	22	143	205	256	493	1,150	1,511	1,318	697	8
Male	3,445	77	10	13	101	147	189	320	699	955	700	247	7
Female	2,496	46	5	9	42	58	67	173	451	556	618	450	1
All other	437	30	8	7	25	46	37	59	78	71	50	26	-
Male	263	12	4	3	19	36	26	39	47	42	28	7	-
Female	174	18	4	4	6	10	11	20	31	29	22	19	-
Black	314	26	5	2	13	36	27	41	62	55	37	10	-
Male	187	10	3	-	9	29	20	29	36	29	21	1	-
Female	127	16	2	2	4	7	7	12	26	26	16	9	-
Metropolitan counties	5,146	124	18	24	140	207	244	465	1,034	1,263	1,078	541	8
Male	2,994	73	10	14	98	151	158	306	625	807	571	174	7
Female	2,152	51	8	10	42	56	86	159	409	456	507	367	1
White	4,780	98	11	19	119	169	212	412	963	1,204	1,037	528	8
Male	2,771	63	7	12	82	119	136	270	583	772	547	173	7
Female	2,009	35	4	7	37	50	76	142	380	432	490	355	1
All other	366	26	7	5	21	38	32	53	71	59	41	13	-
Male	223	10	3	2	16	32	22	36	42	35	24	1	-
Female	143	16	4	3	5	6	10	17	29	24	17	12	-
Black	301	26	5	2	12	33	27	41	60	51	35	9	-
Male	181	10	3	-	8	27	20	29	35	28	20	1	-
Female	120	16	2	2	4	6	7	12	25	23	15	8	-
Nonmetropolitan counties	1,232	29	5	5	28	44	49	87	194	319	290	182	-
Male	714	16	4	2	22	32	37	53	121	190	157	80	-
Female	518	13	1	3	6	12	12	34	73	129	133	102	-
White	1,161	25	4	3	24	36	44	81	187	307	281	169	-
Male	674	14	3	1	19	28	33	50	116	183	153	74	-
Female	487	11	1	2	5	8	11	31	71	124	128	95	-
All other	71	4	1	2	4	8	5	6	7	12	9	13	-
Male	40	2	1	1	3	4	4	3	5	7	4	6	-
Female	31	2	-	1	1	4	1	3	2	5	5	7	-
Black	13	-	-	-	1	3	-	-	2	4	2	1	-
Male	6	-	-	-	1	2	-	-	1	1	1	-	-
Female	7	-	-	-	-	1	-	-	1	3	1	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	7,973	119	20	40	149	118	190	428	1,101	1,905	2,115	1,790	-
Male	4,185	77	8	28	101	81	126	269	688	1,141	1,066	560	-
Female	3,808	42	12	12	48	37	64	137	413	764	1,049	1,230	-
White	7,943	117	16	39	148	117	185	422	1,098	1,901	2,115	1,785	-
Male	4,148	76	6	28	100	80	123	287	685	1,139	1,066	558	-
Female	3,795	41	10	11	48	37	62	135	413	762	1,049	1,227	-
All other	30	2	4	1	1	1	5	4	3	4	-	5	-
Male	17	1	2	-	1	1	3	2	3	2	-	2	-
Female	13	1	2	1	-	-	2	2	-	2	-	3	-
Black	19	2	3	1	1	1	2	-	2	4	-	3	-
Male	12	1	2	-	1	1	1	-	2	2	-	2	-
Female	7	1	1	1	-	-	1	-	-	2	-	1	-
Metropolitan counties	4,451	75	12	28	98	80	115	263	640	1,025	1,163	954	-
Male	2,284	54	5	16	69	54	74	182	397	591	583	279	-
Female	2,167	21	7	10	29	26	41	81	243	434	600	675	-
White	4,432	75	8	25	97	80	112	259	638	1,022	1,163	953	-
Male	2,274	54	3	16	68	54	72	180	395	590	583	279	-
Female	2,158	21	5	9	29	26	40	79	243	432	600	674	-
All other	19	-	4	1	1	-	3	4	2	3	-	1	-
Male	10	-	2	-	1	-	2	2	2	1	-	-	-
Female	9	-	2	1	-	-	1	2	-	2	-	1	-
Black	11	-	3	1	1	-	-	-	2	3	-	1	-
Male	6	-	2	-	1	-	-	-	2	1	-	-	-
Female	5	-	1	1	-	-	-	-	-	2	-	1	-
Nonmetropolitan counties	3,522	44	8	14	51	38	75	163	461	880	952	836	-
Male	1,881	23	3	12	32	27	52	107	291	550	503	281	-
Female	1,641	21	5	2	19	11	23	56	170	330	449	555	-
White	3,511	42	8	14	51	37	73	163	460	879	952	832	-
Male	1,874	22	3	12	32	26	51	107	290	549	503	279	-
Female	1,637	20	5	2	19	11	22	56	170	330	449	553	-
All other	11	2	-	-	-	1	2	-	1	1	-	4	-
Male	7	1	-	-	-	1	1	-	1	1	-	2	-
Female	4	1	-	-	-	-	1	-	-	-	-	2	-
Black	8	2	-	-	-	1	2	-	-	1	-	2	-
Male	6	1	-	-	-	1	1	-	-	1	-	2	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
New Jersey	69,289	1,137	167	243	988	1,381	1,853	4,018	10,598	17,034	18,793	13,046	31
Male	35,711	623	93	149	717	982	1,147	2,429	6,525	9,797	8,948	4,273	28
Female	33,578	514	74	94	271	399	706	1,589	4,073	7,237	9,845	8,773	3
White	61,558	729	107	169	783	995	1,321	3,140	9,094	15,388	17,440	12,381	11
Male	31,472	405	60	107	578	722	808	1,918	5,638	8,887	8,312	4,027	10
Female	30,086	324	47	62	205	273	513	1,222	3,456	6,501	9,128	8,354	1
All other	7,731	408	60	74	205	386	532	878	1,504	1,646	1,353	665	20
Male	4,239	218	33	42	139	260	339	511	887	910	636	246	18
Female	3,492	190	27	32	66	126	193	367	617	736	717	419	2
Black	7,469	384	55	72	198	375	508	880	1,472	1,595	1,302	650	20
Male	4,102	205	32	40	133	252	324	502	869	886	603	238	18
Female	3,367	179	23	32	65	123	182	358	603	709	699	412	2
Metropolitan counties	61,641	1,065	151	225	898	1,287	1,694	3,740	9,700	14,939	16,403	11,708	31
Male	31,723	579	84	135	647	912	1,052	2,255	5,977	8,599	7,681	3,774	28
Female	30,118	486	67	90	251	375	642	1,485	3,723	6,340	8,722	7,934	3
White	54,268	663	93	152	699	907	1,169	2,879	8,219	13,335	15,082	11,059	11
Male	27,581	364	52	94	512	656	719	1,752	5,106	7,720	7,061	3,535	10
Female	26,687	299	41	58	187	251	450	1,127	3,113	5,615	8,021	7,524	1
All other	7,573	402	58	73	199	380	525	861	1,481	1,604	1,321	649	20
Male	4,142	215	32	41	135	256	333	503	871	879	620	239	18
Female	3,431	187	26	32	64	124	192	358	610	725	701	410	2
Black	7,339	379	55	71	193	369	499	845	1,449	1,553	1,272	634	20
Male	4,009	203	32	39	130	246	318	494	853	855	588	231	18
Female	3,330	176	23	32	63	121	181	351	596	698	684	403	2
Nonmetropolitan counties	7,448	72	16	18	90	94	159	278	898	2,095	2,390	1,338	-
Male	3,988	44	9	14	70	70	95	174	548	1,198	1,287	499	-
Female	3,460	28	7	4	20	24	64	104	350	897	1,123	839	-
White	7,290	66	14	17	84	68	152	261	875	2,053	2,358	1,322	-
Male	3,891	41	8	13	66	66	89	168	532	1,167	1,251	492	-
Female	3,399	25	6	4	18	22	63	95	343	886	1,107	830	-
All other	158	6	2	1	6	6	7	17	23	42	32	16	-
Male	97	3	1	1	4	4	6	8	16	31	16	7	-
Female	61	3	1	-	2	2	1	9	7	11	16	9	-
Black	150	5	-	1	5	6	7	15	23	42	30	16	-
Male	93	2	-	1	3	4	6	8	16	31	15	7	-
Female	57	3	-	-	2	2	1	7	7	11	15	9	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	9,205	277	74	72	358	388	371	640	1,232	2,029	2,227	1,534	5
Male	5,280	166	45	45	284	286	244	401	757	1,255	1,167	607	3
Female	3,925	111	29	27	72	102	127	239	475	774	1,040	927	2
White	8,444	225	55	65	280	318	302	564	1,140	1,928	2,104	1,461	4
Male	4,788	137	31	39	218	232	192	353	899	1,188	1,117	580	2
Female	3,656	88	24	26	62	86	110	211	441	738	987	881	2
All other	761	52	19	7	76	70	69	76	92	103	123	73	1
Male	492	29	14	6	68	54	52	48	58	67	70	27	1
Female	269	23	5	1	10	16	17	28	34	36	53	46	-
Black	142	9	1	-	4	6	6	14	27	28	34	13	-
Male	96	8	1	-	3	5	5	11	18	21	19	5	-
Female	46	1	-	-	1	1	1	3	9	7	15	8	-
Metropolitan counties	3,547	109	23	27	107	143	129	260	496	771	858	620	4
Male	2,010	64	14	17	82	106	82	167	308	493	449	226	2
Female	1,537	45	9	10	25	37	47	93	188	278	409	394	2
White	3,389	95	21	28	95	132	117	239	474	747	833	607	3
Male	1,908	57	12	16	74	97	73	152	293	478	432	223	1
Female	1,481	38	9	10	21	35	44	87	181	269	401	384	2
All other	158	14	2	1	12	11	12	21	22	24	25	13	1
Male	102	7	2	1	8	9	9	15	15	15	17	3	1
Female	56	7	-	-	4	2	3	6	7	9	8	10	-
Black	57	4	-	-	2	2	4	7	10	8	14	6	-
Male	35	4	-	-	1	2	3	6	6	5	7	1	-
Female	22	-	-	-	1	-	1	1	4	3	7	5	-
Nonmetropolitan counties	5,658	168	51	45	249	245	242	380	736	1,258	1,369	914	1
Male	3,270	102	31	28	202	180	162	234	449	762	738	381	1
Female	2,388	66	20	17	47	65	80	146	287	496	631	533	-
White	5,055	130	34	39	185	186	185	325	666	1,179	1,271	854	1
Male	2,880	80	19	23	144	135	119	201	406	710	695	357	1
Female	2,175	50	15	16	41	51	66	124	260	469	586	497	-
All other	603	38	17	6	64	59	57	55	70	79	98	60	-
Male	390	22	12	5	58	45	43	33	43	52	53	24	-
Female	213	16	5	1	6	14	14	22	27	27	45	36	-
Black	85	5	1	-	2	4	2	7	17	20	20	7	-
Male	61	4	1	-	2	3	2	5	12	16	12	4	-
Female	24	1	-	-	-	1	-	2	5	4	8	3	-
New York	169,885	2,872	491	620	2,633	4,188	5,337	10,304	23,936	38,548	48,355	34,568	33
Male	86,537	1,602	282	375	1,963	2,962	3,462	6,337	14,449	21,668	21,794	11,623	20
Female	83,348	1,270	209	245	670	1,226	1,875	3,967	9,487	16,880	24,561	22,945	13
White	148,062	1,857	340	472	1,940	2,849	3,664	7,729	19,741	33,937	42,711	32,795	27
Male	74,723	1,030	191	290	1,450	2,036	2,390	4,794	12,109	19,274	20,129	11,014	16
Female	73,339	827	149	182	490	813	1,274	2,935	7,632	14,663	22,582	21,781	11
All other	21,823	1,015	151	148	693	1,339	1,673	2,575	4,195	4,611	3,644	1,773	6
Male	11,814	572	91	85	513	926	1,072	1,543	2,340	2,394	1,665	609	4
Female	10,009	443	60	63	180	413	601	1,032	1,855	2,217	1,979	1,164	2
Black	20,468	968	140	130	649	1,286	1,591	2,427	3,999	4,311	3,356	1,605	6
Male	10,969	551	85	74	480	885	1,024	1,450	2,220	2,190	1,481	525	4
Female	9,499	417	55	56	169	401	567	977	1,779	2,121	1,875	1,080	2
Metropolitan counties	152,952	2,647	439	553	2,363	3,932	4,981	9,440	21,664	34,558	41,560	30,784	31
Male	77,695	1,465	255	332	1,750	2,781	3,241	5,779	13,038	19,289	19,390	10,356	19
Female	75,257	1,182	184	221	613	1,151	1,740	3,661	8,626	15,269	22,170	20,428	12
White	131,368	1,642	289	408	1,678	2,603	3,320	6,897	17,520	29,996	37,956	29,034	25
Male	66,025	898	164	248	1,243	1,864	2,178	4,261	10,726	16,926	17,748	9,754	15
Female	65,343	744	125	160	435	739	1,142	2,636	6,794	13,070	20,208	19,280	10
All other	21,584	1,005	150	145	685	1,329	1,661	2,543	4,144	4,562	3,604	1,750	6
Male	11,670	567	91	84	507	917	1,063	1,518	2,312	2,383	1,642	602	4
Female	9,914	438	59	61	178	412	598	1,025	1,832	2,199	1,962	1,148	2
Black	20,277	959	139	127	642	1,277	1,582	2,403	3,960	4,272	3,322	1,586	6
Male	10,852	547	85	73	475	877	1,018	1,432	2,198	2,166	1,459	516	4
Female	9,425	412	54	54	167	400	564	971	1,762	2,106	1,863	1,070	2
Nonmetropolitan counties	16,933	225	52	67	270	256	356	864	2,272	3,990	4,795	3,784	2
Male	8,842	137	27	43	213	181	221	558	1,411	2,379	2,404	1,267	1
Female	8,091	88	25	24	57	75	135	306	861	1,611	2,391	2,517	1
White	16,694	215	51	64	262	246	344	832	2,221	3,941	4,755	3,781	2
Male	8,698	132	27	42	207	172	212	533	1,383	2,348	2,381	1,260	1
Female	7,996	83	24	22	55	74	132	299	838	1,593	2,374	2,501	1
All other	239	10	1	3	8	10	12	32	51	49	40	23	-
Male	144	5	-	1	6	9	9	25	28	31	23	7	-
Female	95	5	1	2	2	1	3	7	23	18	17	16	-
Black	191	9	1	3	7	9	9	24	39	39	34	17	-
Male	117	4	-	1	5	8	6	18	22	24	22	7	-
Female	74	5	1	2	2	1	3	6	17	15	12	10	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	50,208	1,106	180	229	1,003	1,210	1,739	3,552	8,274	12,729	12,410	7,769	7
Male	27,632	649	106	149	734	648	1,152	2,313	5,439	7,702	5,933	2,603	5
Female	22,576	459	74	80	269	562	587	1,239	2,835	5,027	6,477	5,166	2
White	37,942	604	100	157	735	716	1,064	2,513	6,005	9,605	9,899	6,541	3
Male	20,875	360	58	102	557	503	716	1,684	4,044	5,945	4,766	2,137	3
Female	17,067	244	42	55	178	213	348	829	1,961	3,660	5,133	4,404	-
All other	12,266	502	80	72	268	494	675	1,039	2,269	3,124	2,511	1,228	4
Male	6,757	288	48	47	177	345	436	629	1,395	1,757	1,167	466	2
Female	5,509	214	32	25	91	149	239	410	874	1,367	1,344	762	2
Black	11,866	472	78	67	251	457	641	1,006	2,196	3,041	2,447	1,196	4
Male	6,529	275	48	43	165	325	410	608	1,353	1,705	1,141	454	2
Female	5,337	197	30	24	86	142	231	398	843	1,336	1,306	742	2
Metropolitan counties	24,085	577	88	109	515	593	853	1,760	4,033	5,928	5,956	3,692	2
Male	13,109	357	48	76	367	412	549	1,147	2,651	3,516	2,789	1,186	1
Female	10,976	220	40	33	148	181	304	622	1,382	2,412	3,157	2,476	1
White	18,817	333	56	75	398	388	547	1,316	3,037	4,639	4,884	3,149	1
Male	10,250	202	28	51	301	275	355	878	2,037	2,820	2,307	995	1
Female	8,567	131	28	24	97	113	192	438	1,000	1,819	2,577	2,148	-
All other	5,268	244	32	34	117	205	306	453	996	1,289	1,072	519	1
Male	2,859	155	20	25	66	137	194	269	614	696	482	191	-
Female	2,409	89	12	9	51	68	112	184	382	593	590	328	1
Black	5,196	243	31	31	113	198	297	444	985	1,273	1,068	512	1
Male	2,816	154	20	22	63	132	188	264	612	684	490	187	-
Female	2,380	89	11	9	50	66	109	180	373	589	578	325	1
Nonmetropolitan counties	26,123	529	92	120	488	617	886	1,783	4,241	6,801	6,454	4,107	5
Male	14,523	291	58	73	367	436	603	1,166	2,788	4,186	3,134	1,417	4
Female	11,600	238	34	47	121	181	283	617	1,453	2,615	3,320	2,690	1
White	19,125	271	44	82	337	328	517	1,197	2,968	4,966	5,015	3,398	2
Male	10,625	158	30	51	256	228	361	806	2,007	3,125	2,459	1,142	2
Female	8,500	113	14	31	81	100	156	391	961	1,841	2,556	2,256	-
All other	6,998	258	48	38	151	289	369	586	1,273	1,835	1,439	709	3
Male	3,898	133	28	22	111	208	242	360	781	1,061	675	275	2
Female	3,100	125	20	16	40	81	127	226	492	774	764	434	1
Black	6,670	229	47	36	138	269	344	562	1,211	1,768	1,379	684	3
Male	3,713	121	28	21	102	193	222	344	741	1,021	651	267	2
Female	2,957	108	19	15	36	76	122	218	470	747	728	417	1
North Dakota	5,576	110	13	20	116	100	108	241	570	1,236	1,636	1,428	-
Male	3,081	64	11	12	98	67	68	145	363	780	889	584	-
Female	2,495	46	2	8	18	33	40	96	207	456	747	842	-
White	5,420	96	12	19	96	94	99	226	550	1,201	1,616	1,411	-
Male	2,996	57	10	12	81	63	63	137	354	761	881	577	-
Female	2,424	39	2	7	15	31	36	89	196	440	735	834	-
All other	156	14	1	1	20	6	9	15	20	35	20	15	-
Male	85	7	1	-	17	4	5	8	9	19	8	7	-
Female	71	7	-	1	3	2	4	7	11	16	12	8	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Metropolitan counties	1,534	36	6	6	33	36	32	71	182	320	420	392	-
Male	814	20	6	6	28	25	18	37	121	194	210	149	-
Female	720	16	-	-	5	11	14	34	61	126	210	243	-
White	1,528	34	6	6	33	36	32	71	180	319	420	391	-
Male	812	20	6	6	28	25	18	37	120	193	210	149	-
Female	716	14	-	-	5	11	14	34	60	126	210	242	-
All other	6	2	-	-	-	-	-	-	2	1	-	1	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-
Female	4	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	4,042	74	7	14	83	64	78	170	388	916	1,216	1,034	-
Male	2,267	44	5	6	70	42	50	108	242	586	679	435	-
Female	1,775	30	2	8	13	22	28	62	146	330	537	599	-
White	3,892	62	6	13	63	58	67	155	370	882	1,196	1,020	-
Male	2,184	37	4	6	53	38	45	100	234	568	671	428	-
Female	1,708	25	2	7	10	20	22	55	138	314	525	592	-
All other	150	12	1	1	20	6	9	15	18	34	20	14	-
Male	83	7	1	-	17	4	5	8	8	18	8	7	-
Female	67	5	-	1	3	2	4	7	10	16	12	7	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	97,551	1,775	359	439	1,619	1,886	2,488	5,696	14,865	23,264	25,917	19,239	4
Male	50,884	1,008	211	274	1,177	1,279	1,583	3,557	9,201	13,553	12,554	6,507	2
Female	46,667	769	148	165	442	607	925	2,139	5,664	9,711	13,363	12,732	2
White	87,741	1,325	284	363	1,400	1,498	2,041	4,753	12,919	21,009	23,968	18,178	3
Male	45,494	742	165	224	1,027	1,038	1,297	2,998	8,023	12,291	11,576	6,114	1
Female	42,247	583	119	139	373	462	744	1,755	4,896	8,718	12,392	12,064	2
All other	9,810	450	75	76	219	388	447	943	1,946	2,255	1,949	1,061	1
Male	5,390	264	46	50	150	243	266	559	1,178	1,262	978	383	1
Female	4,420	186	29	26	69	145	181	384	768	993	971	678	-
Black	9,632	437	71	71	216	379	434	930	1,921	2,210	1,915	1,047	1
Male	5,292	255	45	48	149	238	260	551	1,161	1,237	958	389	1
Female	4,340	182	26	23	67	141	174	379	760	973	957	658	-
Metropolitan counties	77,644	1,456	268	326	1,278	1,536	2,052	4,717	12,111	18,509	20,504	14,861	4
Male	40,253	826	154	196	835	1,024	1,262	2,934	7,446	10,694	9,795	4,965	2
Female	37,391	630	114	130	343	514	770	1,783	4,665	7,815	10,709	9,916	2
White	68,201	1,015	197	256	1,067	1,154	1,616	3,794	10,237	16,349	18,638	13,875	3
Male	35,080	570	112	152	791	785	1,020	2,384	6,314	9,491	8,867	4,593	1
Female	33,121	445	85	104	276	369	596	1,410	3,923	6,858	9,771	9,282	2
All other	9,443	441	71	70	211	384	436	923	1,874	2,160	1,866	1,006	1
Male	5,173	256	42	44	144	239	262	550	1,132	1,203	928	372	1
Female	4,270	185	29	26	67	145	174	373	742	957	938	634	-
Black	9,298	429	68	65	209	375	428	910	1,854	2,129	1,840	992	1
Male	5,091	248	42	42	143	234	256	542	1,117	1,185	913	368	1
Female	4,207	181	26	23	66	141	170	368	737	944	927	624	-
Nonmetropolitan counties	19,907	319	91	113	341	348	436	979	2,754	4,755	5,413	4,358	-
Male	10,631	180	57	78	242	255	281	623	1,755	2,859	2,759	1,542	-
Female	9,276	139	34	35	99	93	155	356	999	1,896	2,654	2,816	-
White	19,540	310	87	107	333	344	425	959	2,682	4,660	5,330	4,303	-
Male	10,414	172	53	72	236	251	277	614	1,709	2,800	2,709	1,521	-
Female	9,126	138	34	35	97	93	148	345	973	1,860	2,621	2,782	-
All other	367	9	4	6	8	4	11	20	72	95	83	55	-
Male	217	8	4	6	6	4	4	9	46	59	50	21	-
Female	150	1	-	-	2	-	7	11	26	36	33	34	-
Black	334	8	3	6	7	4	8	20	67	81	75	55	-
Male	201	7	3	6	6	4	4	9	44	52	45	21	-
Female	133	1	-	-	1	-	4	11	23	29	30	34	-
Oklahoma	29,438	618	136	168	653	775	874	1,678	3,838	6,571	8,263	5,842	24
Male	15,696	357	82	110	474	548	551	1,066	2,416	3,933	4,130	2,015	16
Female	13,740	261	54	58	179	227	323	610	1,422	2,638	4,133	3,827	8
White	26,485	486	114	136	553	622	734	1,453	3,422	5,957	7,558	5,434	16
Male	14,122	285	68	88	400	441	469	946	2,177	3,604	3,770	1,864	10
Female	12,363	201	46	48	153	181	265	507	1,245	2,353	3,788	3,570	6
All other	2,953	132	22	32	100	153	140	223	416	614	705	408	8
Male	1,576	72	14	22	74	107	82	120	239	329	360	151	6
Female	1,377	60	8	10	26	46	58	103	177	285	345	257	2
Black	1,948	81	17	15	54	89	91	146	257	411	501	281	5
Male	1,019	47	11	9	41	61	51	75	146	220	250	105	3
Female	929	34	6	6	13	28	40	71	111	191	251	176	2
Metropolitan counties	14,900	377	79	111	368	471	507	964	2,104	3,240	3,973	2,694	14
Male	7,865	228	44	63	263	331	313	598	1,330	1,923	1,910	854	8
Female	7,035	149	35	48	103	140	194	366	774	1,317	2,063	1,840	6
White	13,330	277	63	88	309	372	424	828	1,874	2,947	3,616	2,523	9
Male	7,029	174	34	50	219	267	267	530	1,195	1,764	1,729	795	5
Female	6,301	103	29	38	90	105	157	298	679	1,183	1,887	1,728	4
All other	1,570	100	16	23	57	99	83	136	230	293	357	171	5
Male	836	54	10	13	44	64	46	68	135	159	181	59	3
Female	734	46	6	10	13	35	37	68	95	134	176	112	2
Black	1,185	68	13	13	40	72	60	106	163	233	286	137	4
Male	635	37	8	7	30	47	31	54	98	130	143	48	2
Female	560	31	5	6	10	25	29	52	65	103	143	89	2
Nonmetropolitan counties	14,538	241	57	57	287	304	367	712	1,734	3,331	4,290	3,148	10
Male	7,833	129	38	47	211	217	238	468	1,086	2,010	2,220	1,161	8
Female	6,705	112	19	10	76	87	129	244	648	1,321	2,070	1,987	2
White	13,155	209	51	48	244	250	310	625	1,548	3,010	3,942	2,911	7
Male	7,093	111	34	38	181	174	202	416	982	1,840	2,041	1,069	5
Female	6,062	98	17	10	63	76	108	209	566	1,170	1,901	1,842	2
All other	1,383	32	6	9	43	54	57	87	186	321	348	237	3
Male	740	18	4	9	30	43	36	52	104	170	179	92	3
Female	643	14	2	-	13	11	21	35	82	151	169	145	-
Black	753	13	4	2	14	17	31	40	84	178	215	144	1
Male	384	10	3	2	11	14	20	21	48	90	107	57	1
Female	369	3	1	-	3	3	11	19	46	88	108	87	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	22,482	385	98	114	422	502	581	1,129	2,905	5,366	6,115	4,845	–
Male	12,056	206	59	76	298	361	387	699	1,788	3,205	3,183	1,794	–
Female	10,406	179	39	38	124	141	194	430	1,117	2,161	2,932	3,051	–
White	21,932	356	88	110	394	463	551	1,073	2,822	5,256	6,013	4,806	–
Male	11,749	194	55	75	277	336	368	666	1,738	3,135	3,129	1,776	–
Female	10,183	162	33	35	117	127	183	407	1,084	2,121	2,884	3,030	–
All other	530	29	10	4	28	39	30	56	83	110	102	39	–
Male	307	12	4	1	21	25	19	33	50	70	54	18	–
Female	223	17	6	3	7	14	11	23	33	40	48	21	–
Black	295	16	5	2	14	18	14	29	51	72	55	19	–
Male	182	6	2	1	11	11	9	19	32	50	31	10	–
Female	113	10	3	1	3	7	5	10	19	22	24	9	–
Metropolitan counties	14,252	260	68	69	268	321	388	711	1,801	3,303	3,880	3,209	–
Male	7,519	142	40	44	187	230	258	435	1,119	1,959	1,934	1,173	–
Female	6,733	118	28	25	79	91	130	276	682	1,344	1,926	2,036	–
White	13,806	236	57	65	245	288	361	667	1,733	3,206	3,770	3,178	–
Male	7,251	131	38	43	171	209	241	409	1,078	1,893	1,883	1,159	–
Female	6,555	105	21	22	74	79	120	258	657	1,313	1,887	2,019	–
All other	446	24	9	4	21	33	25	44	68	97	90	31	–
Male	268	11	4	1	16	21	15	26	43	66	51	14	–
Female	178	13	5	3	5	12	10	18	25	31	39	17	–
Black	284	14	5	2	14	18	14	28	50	67	54	18	–
Male	176	5	2	1	11	11	9	18	32	48	30	9	–
Female	108	9	3	1	3	7	5	10	18	19	24	9	–
Nonmetropolitan counties	8,210	125	32	45	156	181	195	418	1,104	2,063	2,255	1,636	–
Male	4,537	64	19	32	111	131	131	264	669	1,246	1,249	621	–
Female	3,673	61	13	13	45	50	64	154	435	817	1,006	1,015	–
White	8,126	120	31	45	149	175	190	406	1,089	2,050	2,243	1,628	–
Male	4,498	63	19	32	106	127	127	257	662	1,242	1,246	617	–
Female	3,628	57	12	13	43	48	63	149	427	808	997	1,011	–
All other	84	5	1	–	7	6	5	12	15	13	12	8	–
Male	39	1	–	–	5	4	4	7	7	4	3	4	–
Female	45	4	1	–	2	2	1	5	8	9	9	4	–
Black	11	2	–	–	–	–	–	1	1	5	1	1	–
Male	6	1	–	–	–	–	–	1	–	2	1	1	–
Female	5	1	–	–	–	–	–	–	1	3	–	–	–
Pennsylvania	121,458	1,784	293	324	1,635	2,020	2,710	6,332	18,011	30,775	33,813	23,737	25
Male	62,823	989	168	210	1,225	1,391	1,725	3,946	11,238	17,792	16,014	8,114	13
Female	58,636	795	127	114	410	629	985	2,386	6,773	12,983	17,799	15,623	12
White	110,637	1,331	227	270	1,407	1,800	2,171	5,280	15,943	28,200	31,517	22,672	19
Male	56,983	747	132	182	1,053	1,114	1,388	3,329	10,002	16,425	14,913	7,687	11
Female	53,654	584	95	88	354	486	783	1,951	5,941	11,775	16,604	14,985	8
All other	10,822	453	66	54	228	420	539	1,052	2,068	2,575	2,296	1,065	6
Male	5,840	242	34	28	172	277	337	617	1,236	1,367	1,101	427	2
Female	4,982	211	32	26	56	143	202	435	832	1,208	1,195	638	4
Black	10,630	435	64	52	226	410	526	1,033	2,044	2,537	2,256	1,041	6
Male	5,723	235	32	27	171	273	326	604	1,221	1,341	1,076	413	2
Female	4,907	200	32	25	55	137	198	429	823	1,196	1,180	628	4
Metropolitan counties	99,323	1,530	231	258	1,324	1,706	2,265	5,303	14,978	25,100	27,302	19,304	22
Male	51,205	836	125	169	988	1,179	1,432	3,283	9,332	14,482	12,801	6,567	11
Female	48,118	694	106	89	336	527	833	2,020	5,646	10,618	14,501	12,737	11
White	88,718	1,088	167	204	1,098	1,291	1,734	4,268	12,935	22,574	25,074	18,289	16
Male	45,481	602	92	141	818	906	1,100	2,675	8,115	13,138	11,735	6,150	9
Female	43,237	486	75	63	280	385	634	1,593	4,820	9,436	13,339	12,119	7
All other	10,605	442	64	54	226	415	531	1,035	2,043	2,526	2,228	1,035	6
Male	5,724	234	33	28	170	273	332	608	1,217	1,344	1,066	417	2
Female	4,881	208	31	26	56	142	199	427	826	1,182	1,162	618	4
Black	10,425	425	62	52	224	405	518	1,016	2,022	2,493	2,190	1,012	6
Male	5,614	227	31	27	169	269	323	595	1,204	1,321	1,042	404	2
Female	4,811	198	31	25	55	136	195	421	818	1,172	1,148	608	4
Nonmetropolitan counties	22,136	254	62	66	311	314	445	1,029	3,033	5,675	6,511	4,433	3
Male	11,618	153	41	41	237	212	293	663	1,906	3,310	3,213	1,547	2
Female	10,518	101	21	25	74	102	152	366	1,127	2,365	3,298	2,886	1
White	21,919	243	60	66	309	309	437	1,012	3,008	5,626	6,443	4,403	3
Male	11,502	145	40	41	235	208	288	654	1,887	3,287	3,176	1,537	2
Female	10,417	98	20	25	74	101	149	358	1,121	2,339	3,265	2,866	1
All other	217	11	2	–	2	5	8	17	25	49	68	30	–
Male	116	8	1	–	2	4	5	9	19	23	35	10	–
Female	101	3	1	–	–	1	3	8	6	26	33	20	–
Black	205	10	2	–	2	5	8	17	22	44	66	29	–
Male	109	8	1	–	2	4	5	9	17	20	34	9	–
Female	96	2	1	–	–	1	3	8	5	24	32	20	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	9,907	147	14	24	114	142	199	439	1,259	2,296	2,623	2,119	-
Male	4,699	81	10	14	82	104	121	286	804	1,278	1,241	678	-
Female	4,608	66	4	10	32	38	77	152	454	958	1,382	1,435	-
White	9,050	124	11	21	99	132	189	417	1,212	2,184	2,582	2,079	-
Male	4,556	69	9	14	71	98	114	272	779	1,253	1,217	660	-
Female	4,494	55	2	7	28	34	75	145	433	931	1,365	1,419	-
All other	257	23	3	3	15	10	9	21	46	52	41	34	-
Male	143	12	1	-	11	6	7	14	25	25	24	18	-
Female	114	11	2	3	4	4	2	7	21	27	17	16	-
Black	211	19	3	3	13	9	7	14	43	42	30	28	-
Male	113	9	1	-	10	5	5	10	24	20	16	13	-
Female	98	10	2	3	3	4	2	4	19	22	14	15	-
Metropolitan counties	8,644	135	14	24	107	131	183	420	1,165	2,061	2,406	1,978	-
Male	4,384	77	10	14	77	95	110	278	750	1,199	1,135	639	-
Female	4,260	58	4	10	30	36	73	142	415	882	1,271	1,339	-
White	8,411	114	11	21	92	122	175	400	1,127	2,032	2,372	1,945	-
Male	4,253	66	9	14	66	90	104	265	729	1,174	1,115	621	-
Female	4,158	48	2	7	26	32	71	135	398	858	1,257	1,324	-
All other	233	21	3	3	15	9	8	20	38	49	34	33	-
Male	131	11	1	-	11	5	6	13	21	25	20	18	-
Female	102	10	2	3	4	4	2	7	17	24	14	15	-
Black	190	18	3	3	13	8	6	13	35	40	24	27	-
Male	102	8	1	-	10	4	4	9	20	20	13	13	-
Female	88	10	2	3	3	4	2	4	15	20	11	14	-
Nonmetropolitan counties	663	12	-	-	7	11	15	18	93	155	217	135	-
Male	315	4	-	-	5	9	11	8	54	79	106	39	-
Female	348	8	-	-	2	2	4	10	39	76	111	96	-
White	639	10	-	-	7	10	14	17	85	152	210	134	-
Male	303	3	-	-	5	8	10	7	50	79	102	39	-
Female	336	7	-	-	2	2	4	10	35	73	108	95	-
All other	24	2	-	-	-	1	1	1	8	3	7	1	-
Male	12	1	-	-	-	1	1	1	4	-	4	-	-
Female	12	1	-	-	-	-	-	-	4	3	3	1	-
Black	21	1	-	-	-	1	1	1	8	2	6	1	-
Male	11	1	-	-	-	1	1	1	4	-	3	-	-
Female	10	-	-	-	-	-	-	-	4	2	3	1	-
South Carolina	26,164	760	133	172	664	767	1,114	1,984	4,516	6,690	6,070	3,293	1
Male	14,249	398	64	116	463	556	709	1,218	2,823	3,981	2,851	1,049	1
Female	11,915	362	49	56	201	211	405	766	1,693	2,709	3,219	2,244	-
White	17,748	343	72	95	452	485	588	1,216	2,913	4,474	4,477	2,651	-
Male	9,720	186	46	65	325	344	369	766	1,907	2,780	2,127	805	-
Female	8,028	157	26	30	127	121	219	452	1,006	1,694	2,350	1,846	-
All other	8,416	417	61	77	212	302	526	786	1,603	2,216	1,593	642	1
Male	4,529	212	38	51	138	212	340	452	916	1,201	724	244	1
Female	3,887	205	23	26	74	90	186	314	687	1,015	869	398	-
Black	8,385	414	60	77	212	299	523	760	1,601	2,206	1,589	641	1
Male	4,512	210	37	51	138	210	339	448	916	1,197	721	244	1
Female	3,873	204	23	26	74	89	184	312	685	1,011	868	397	-
Metropolitan counties	14,806	417	71	100	375	463	598	1,163	2,595	3,686	3,485	1,952	1
Male	8,010	205	44	72	255	330	383	700	1,603	2,178	1,640	619	1
Female	6,896	212	27	28	120	133	235	463	992	1,508	1,845	1,333	-
White	10,813	212	41	69	284	305	368	781	1,806	2,605	2,718	1,644	-
Male	5,814	106	24	51	184	215	224	481	1,150	1,597	1,287	495	-
Female	4,999	106	17	18	80	90	144	300	656	1,008	1,431	1,149	-
All other	4,093	205	30	31	111	158	230	382	789	1,081	767	308	1
Male	2,196	99	20	21	71	115	139	219	453	581	353	124	1
Female	1,897	106	10	10	40	43	91	163	336	500	414	184	-
Black	4,076	202	29	31	111	157	230	379	788	1,076	763	308	1
Male	2,185	97	19	21	71	114	139	217	453	579	350	124	1
Female	1,890	105	10	10	40	43	91	162	335	497	413	184	-
Nonmetropolitan counties	11,258	343	62	72	289	304	516	821	1,921	3,004	2,585	1,341	-
Male	6,239	193	40	44	208	226	346	518	1,220	1,803	1,211	430	-
Female	5,019	150	22	28	81	78	170	303	701	1,201	1,374	911	-
White	6,935	131	31	26	168	160	220	437	1,107	1,869	1,759	1,007	-
Male	3,906	80	22	14	141	129	145	285	757	1,183	840	310	-
Female	3,029	51	9	12	47	31	75	152	350	686	919	697	-
All other	4,323	212	31	46	101	144	296	384	814	1,135	826	334	-
Male	2,333	113	18	30	67	97	201	233	463	620	371	120	-
Female	1,990	99	13	16	34	47	95	151	351	515	455	214	-
Black	4,310	212	31	46	101	142	293	381	813	1,132	826	333	-
Male	2,327	113	18	30	67	96	200	231	463	618	371	120	-
Female	1,983	99	13	16	34	46	93	150	350	514	455	213	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,628	135	33	26	125	115	135	309	776	1,356	1,682	1,735	1
Male	3,612	67	23	17	92	85	91	199	505	863	983	686	1
Female	3,016	68	10	9	33	30	44	110	271	493	699	1,049	–
White	6,200	88	22	21	88	81	106	259	711	1,290	1,632	1,701	1
Male	3,361	47	14	14	65	60	74	173	484	823	955	671	1
Female	2,839	41	8	7	23	21	32	86	247	467	677	1,030	–
All other	428	47	11	5	37	34	29	50	65	66	50	34	–
Male	251	20	9	3	27	25	17	26	41	40	28	15	–
Female	177	27	2	2	10	9	12	24	24	26	22	19	–
Black	5	1	–	–	–	–	–	–	1	1	–	2	–
Male	3	–	–	–	–	–	–	–	1	1	–	1	–
Female	2	1	–	–	–	–	–	–	–	–	–	1	–
Metropolitan counties	906	13	1	4	13	15	19	42	106	192	254	246	1
Male	472	5	1	2	9	9	15	33	74	123	125	75	1
Female	434	8	–	2	4	6	4	9	32	69	129	171	–
White	895	12	1	4	12	12	19	38	105	192	253	246	1
Male	464	4	1	2	8	7	15	30	74	123	124	75	1
Female	431	8	–	2	4	5	4	8	31	69	129	171	–
All other	11	1	–	–	1	3	–	4	1	–	1	–	–
Male	8	1	–	–	1	2	–	3	–	–	1	–	–
Female	3	–	–	–	–	1	–	1	1	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–
Nonmetropolitan counties	5,722	122	32	22	112	100	116	267	670	1,164	1,628	1,489	–
Male	3,140	62	22	15	83	76	76	166	431	740	858	611	–
Female	2,582	60	10	7	29	24	40	101	239	424	770	878	–
White	5,305	76	21	17	76	69	87	221	606	1,098	1,579	1,455	–
Male	2,897	43	13	12	57	53	59	143	390	700	831	596	–
Female	2,408	33	8	5	19	16	28	78	216	398	748	859	–
All other	417	46	11	5	36	31	29	46	64	66	49	34	–
Male	243	19	9	3	26	23	17	23	41	40	27	15	–
Female	174	27	2	2	10	8	12	23	23	26	22	19	–
Black	5	1	–	–	–	–	–	–	1	1	–	2	–
Male	3	–	–	–	–	–	–	–	1	1	–	1	–
Female	2	1	–	–	–	–	–	–	–	–	–	1	–
Tennessee	41,621	836	136	202	838	1,015	1,315	2,721	6,221	10,008	11,128	7,185	6
Male	22,361	480	78	124	615	712	833	1,752	3,909	5,894	5,447	2,512	5
Female	19,260	356	58	78	223	303	482	969	2,312	4,114	5,681	4,683	1
White	34,457	539	96	149	665	741	1,025	2,132	5,074	8,293	9,432	6,306	5
Male	18,574	315	57	94	490	525	653	1,420	3,276	4,960	4,635	2,145	4
Female	15,883	224	39	55	175	216	372	712	1,798	3,333	4,797	4,161	1
All other	7,164	297	40	53	173	274	290	589	1,147	1,715	1,696	889	1
Male	3,787	165	21	30	125	187	180	332	633	934	812	367	1
Female	3,377	132	19	23	48	87	110	257	514	781	884	522	–
Black	7,129	293	39	53	167	271	284	585	1,145	1,711	1,693	887	1
Male	3,771	163	21	30	121	185	178	330	633	931	811	367	1
Female	3,358	130	18	23	46	86	106	255	512	780	882	520	–
Metropolitan counties	24,762	587	83	122	520	661	807	1,671	3,852	5,898	6,387	4,171	5
Male	13,054	337	45	81	378	452	501	1,050	2,379	3,392	3,039	1,396	4
Female	11,708	250	38	41	142	209	306	621	1,473	2,504	3,348	2,775	1
White	19,186	328	51	77	379	435	561	1,221	2,931	4,569	5,111	3,518	5
Male	10,141	198	29	54	278	302	352	801	1,870	2,670	2,449	1,134	4
Female	9,045	130	22	23	101	133	209	420	1,061	1,899	2,662	2,384	1
All other	5,576	259	32	45	141	226	246	450	921	1,327	1,276	653	–
Male	2,913	139	16	27	100	150	149	249	509	722	590	262	–
Female	2,663	120	16	18	41	76	97	201	412	605	686	391	–
Black	5,546	255	31	45	137	224	241	446	919	1,323	1,274	651	–
Male	2,900	137	16	27	97	149	149	247	509	719	589	262	–
Female	2,646	118	15	18	40	75	93	199	410	604	685	389	–
Nonmetropolitan counties	16,859	249	53	80	318	354	508	1,050	2,369	4,112	4,741	3,024	1
Male	9,307	143	33	43	237	260	332	702	1,530	2,502	2,406	1,116	1
Female	7,552	106	20	37	81	94	176	348	839	1,610	2,333	1,908	–
White	15,271	211	45	72	286	306	464	911	2,143	3,724	4,321	2,788	–
Male	8,433	117	28	40	212	223	301	619	1,406	2,290	2,186	1,011	–
Female	6,838	94	17	32	74	83	163	292	737	1,434	2,135	1,777	–
All other	1,588	38	8	8	32	48	44	139	226	388	420	236	1
Male	874	26	5	3	25	37	31	83	124	212	222	105	1
Female	714	12	3	5	7	11	13	56	102	176	198	131	–
Black	1,583	38	8	8	30	47	43	139	226	388	419	236	1
Male	871	26	5	3	24	36	30	83	124	212	222	105	1
Female	712	12	3	5	6	11	13	56	102	176	197	131	–

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Texas	114,813	3,265	707	743	3,348	4,068	4,195	7,677	16,610	25,785	29,156	19,243	16
Male	63,128	1,853	398	457	2,517	3,014	2,758	4,889	10,599	15,473	14,460	6,678	12
Female	51,685	1,412	309	286	831	1,054	1,437	2,788	6,011	10,312	14,676	12,565	4
White	99,271	2,587	569	608	2,850	3,311	3,374	6,240	14,005	22,313	25,813	17,585	16
Male	54,459	1,475	325	373	2,164	2,491	2,248	4,005	9,040	13,555	12,760	6,011	12
Female	44,812	1,112	244	235	686	820	1,126	2,235	4,965	8,758	13,053	11,574	4
All other	15,542	678	138	135	498	757	821	1,437	2,605	3,472	3,343	1,658	-
Male	8,669	378	73	84	353	523	510	884	1,559	1,918	1,720	667	-
Female	6,873	300	65	51	145	234	311	553	1,046	1,554	1,623	991	-
Black	15,147	654	125	131	461	707	781	1,396	2,548	3,414	3,294	1,636	-
Male	8,432	362	69	81	326	490	486	861	1,525	1,862	1,691	659	-
Female	6,715	292	56	50	135	217	295	535	1,023	1,532	1,603	977	-
Metropolitan counties	83,579	2,674	526	583	2,696	3,398	3,435	6,070	12,718	18,411	20,121	12,940	7
Male	45,826	1,520	292	353	2,009	2,501	2,260	3,841	8,042	10,913	9,731	4,359	5
Female	37,753	1,154	234	230	687	897	1,175	2,229	4,676	7,498	10,390	8,581	2
White	71,164	2,075	420	469	2,259	2,741	2,726	4,855	10,559	15,689	17,632	11,752	7
Male	38,690	1,192	235	283	1,705	2,048	1,816	3,087	6,743	9,417	8,454	3,905	5
Female	32,294	883	185	186	554	693	910	1,768	3,816	6,272	9,178	7,847	2
All other	12,385	599	106	114	437	657	709	1,215	2,159	2,722	2,489	1,188	-
Male	6,936	328	57	70	304	453	444	754	1,299	1,496	1,277	454	-
Female	5,459	271	49	44	133	204	265	461	860	1,226	1,212	734	-
Black	12,029	577	96	111	402	610	670	1,176	2,107	2,668	2,444	1,168	-
Male	6,717	314	53	68	279	421	421	732	1,266	1,462	1,251	448	-
Female	5,312	263	43	43	123	189	249	444	839	1,206	1,193	720	-
Nonmetropolitan counties	31,234	591	181	160	652	670	760	1,607	3,892	7,374	9,035	6,303	9
Male	17,302	333	106	104	508	513	498	1,048	2,557	4,560	4,749	2,319	7
Female	13,932	258	75	56	144	157	262	559	1,335	2,814	4,286	3,984	2
White	28,097	512	149	139	591	570	648	1,385	3,446	6,624	8,181	5,833	9
Male	15,569	253	90	90	459	443	432	918	2,297	4,138	4,306	2,106	7
Female	12,518	229	59	49	132	127	216	467	1,149	2,486	3,875	3,727	2
All other	3,147	79	32	21	61	100	112	222	446	750	854	470	-
Male	1,733	50	16	14	49	70	66	130	260	422	443	213	-
Female	1,414	29	16	7	12	30	46	92	186	328	411	257	-
Black	3,118	77	29	20	59	97	111	220	441	746	850	468	-
Male	1,715	48	16	13	47	69	65	129	257	420	440	211	-
Female	1,403	29	13	7	12	28	46	91	184	326	410	257	-
Utah	8,512	346	93	89	226	299	299	480	1,007	1,781	2,246	1,643	3
Male	4,572	200	55	56	156	199	193	286	642	1,041	1,124	617	3
Female	3,940	146	38	33	70	100	106	194	365	740	1,122	1,026	-
White	8,310	332	90	86	207	280	280	459	972	1,755	2,227	1,619	3
Male	4,444	192	53	54	140	184	177	272	626	1,022	1,115	606	3
Female	3,866	140	37	32	67	96	103	187	346	733	1,112	1,013	-
All other	202	14	3	3	19	19	19	21	35	26	19	24	-
Male	128	8	2	2	16	15	16	14	16	19	9	11	-
Female	74	6	1	1	3	4	3	7	19	7	10	13	-
Black	53	2	-	1	2	4	5	6	11	7	7	8	-
Male	34	2	-	1	1	3	4	5	5	6	4	3	-
Female	19	-	-	-	1	1	1	1	6	1	3	5	-
Metropolitan counties	6,483	274	69	69	169	236	229	386	792	1,353	1,693	1,210	3
Male	3,431	155	42	44	118	154	141	234	506	794	809	433	3
Female	3,052	119	27	25	53	82	88	152	286	559	884	777	-
White	6,352	264	68	67	162	226	220	370	784	1,335	1,862	1,191	3
Male	3,351	149	41	42	110	147	134	223	493	781	804	424	3
Female	3,001	115	27	25	52	79	86	147	271	554	878	767	-
All other	131	10	1	2	7	10	9	16	28	18	11	19	-
Male	80	6	1	2	6	7	7	11	13	13	5	9	-
Female	51	4	-	-	1	3	2	5	15	5	6	10	-
Black	52	2	-	1	2	4	5	6	11	7	6	8	-
Male	33	2	-	1	1	3	4	5	5	6	3	3	-
Female	19	-	-	-	1	1	1	1	6	1	3	5	-
Nonmetropolitan counties	2,029	72	24	20	57	63	70	94	215	428	553	433	-
Male	1,141	45	13	12	40	45	52	52	136	247	315	184	-
Female	888	27	11	8	17	18	18	42	79	181	238	249	-
White	1,958	68	22	19	45	54	60	89	208	420	545	428	-
Male	1,093	43	12	12	30	37	43	49	133	241	311	182	-
Female	865	25	10	7	15	17	17	40	75	179	234	246	-
All other	71	4	2	1	12	9	10	5	7	8	8	5	-
Male	48	2	1	-	10	8	9	3	3	6	4	2	-
Female	23	2	1	1	2	1	1	2	4	2	4	3	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,590	69	14	24	98	89	106	232	562	1,025	1,301	1,070	-
Male	2,359	43	7	17	72	65	71	148	355	598	641	342	-
Female	2,231	26	7	7	26	24	35	84	207	427	660	728	-
White	4,584	67	14	24	98	89	106	232	561	1,023	1,301	1,069	-
Male	2,354	41	7	17	72	65	71	148	354	597	641	341	-
Female	2,230	26	7	7	26	24	35	84	207	426	660	728	-
All other	6	2	-	-	-	-	-	-	1	2	-	1	-
Male	5	2	-	-	-	-	-	-	1	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	6	2	-	-	-	-	-	-	1	2	-	1	-
Male	5	2	-	-	-	-	-	-	1	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Metropolitan counties	689	10	1	2	21	15	26	41	89	150	185	149	-
Male	346	4	-	-	16	12	15	23	55	86	88	47	-
Female	343	6	1	2	5	3	11	18	34	64	97	102	-
White	687	9	1	2	21	15	26	41	88	150	185	149	-
Male	344	3	-	-	16	12	15	23	54	86	88	47	-
Female	343	6	1	2	5	3	11	18	34	64	97	102	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	3,901	59	13	22	77	74	80	191	473	875	1,116	921	-
Male	2,013	39	7	17	56	53	56	125	300	512	553	295	-
Female	1,888	20	6	5	21	21	24	66	173	363	563	626	-
White	3,897	58	13	22	77	74	80	191	473	873	1,116	920	-
Male	2,010	38	7	17	56	53	56	125	300	511	553	294	-
Female	1,887	20	6	5	21	21	24	66	173	362	563	626	-
All other	4	1	-	-	-	-	-	-	-	2	-	1	-
Male	3	1	-	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	4	1	-	-	-	-	-	-	-	2	-	1	-
Male	3	1	-	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Virginia	43,743	962	164	179	827	1,052	1,402	2,987	7,018	10,871	11,112	7,161	8
Male	23,489	541	102	98	608	741	899	1,913	4,434	6,486	5,605	2,362	3
Female	20,254	421	62	81	219	311	503	1,074	2,584	4,385	5,607	4,799	5
White	34,134	571	105	116	609	709	1,012	2,121	5,226	8,420	9,116	6,123	6
Male	18,132	314	61	58	453	496	649	1,391	3,319	5,094	4,345	1,949	3
Female	16,002	257	44	58	156	213	363	730	1,907	3,326	4,771	4,174	3
All other	9,609	391	59	63	218	343	390	866	1,792	2,451	1,996	1,038	2
Male	5,357	227	41	40	155	245	247	522	1,115	1,392	960	413	-
Female	4,252	164	18	23	63	98	143	344	677	1,059	1,036	625	2
Black	9,470	386	54	60	208	328	380	843	1,777	2,421	1,976	1,035	2
Male	5,275	224	37	39	149	234	239	508	1,105	1,379	949	412	-
Female	4,195	162	17	21	59	94	141	335	672	1,042	1,027	623	2
Metropolitan counties	28,013	739	106	123	538	744	944	2,000	4,629	6,770	7,006	4,410	4
Male	14,770	419	63	69	395	512	583	1,285	2,873	3,946	3,254	1,390	1
Female	13,243	320	43	54	143	232	361	735	1,756	2,824	3,752	3,020	3
White	21,218	426	63	78	380	483	660	1,367	3,311	5,066	5,645	3,736	3
Male	11,038	238	33	41	286	332	410	886	2,075	2,971	2,632	1,133	1
Female	10,180	188	30	37	94	151	250	481	1,236	2,095	3,013	2,603	2
All other	6,795	313	43	45	158	261	284	633	1,318	1,704	1,361	674	1
Male	3,732	181	30	28	109	180	173	379	798	975	622	257	-
Female	3,063	132	13	17	49	81	111	254	520	729	739	417	1
Black	6,666	306	40	42	148	247	274	614	1,304	1,676	1,341	671	1
Male	3,654	176	28	27	103	169	165	366	788	963	611	256	-
Female	3,012	130	12	15	45	78	109	248	516	713	730	415	1
Nonmetropolitan counties	15,730	223	58	56	289	308	458	987	2,389	4,101	4,106	2,751	4
Male	8,719	122	39	29	213	229	313	648	1,561	2,540	2,051	972	2
Female	7,011	101	19	27	76	79	145	339	828	1,561	2,055	1,779	2
White	12,916	145	42	38	229	226	352	754	1,915	3,354	3,471	2,387	3
Male	7,094	76	28	17	167	164	239	505	1,244	2,123	1,713	816	2
Female	5,822	69	14	21	62	62	113	249	671	1,231	1,758	1,571	1
All other	2,814	78	16	18	60	82	106	233	474	747	635	364	1
Male	1,625	46	11	12	46	65	74	143	317	417	338	156	-
Female	1,189	32	5	6	14	17	32	90	157	330	297	208	1
Black	2,804	78	14	18	60	81	106	229	473	745	635	364	1
Male	1,621	46	9	12	46	65	74	142	317	416	338	156	-
Female	1,183	32	5	6	14	16	32	87	156	329	297	208	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	32,668	653	112	142	657	853	887	1,714	4,438	7,728	8,535	6,944	5
Male	17,415	380	68	88	469	620	565	1,067	2,725	4,620	4,358	2,432	3
Female	15,253	273	44	54	188	233	322	647	1,713	3,108	4,177	4,512	2
White	31,272	558	98	131	597	766	804	1,586	4,195	7,445	8,275	6,814	5
Male	16,551	326	58	80	449	559	513	988	2,569	4,437	4,193	2,378	3
Female	14,721	232	38	51	148	207	291	598	1,626	3,008	4,082	4,438	2
All other	1,396	95	16	11	60	87	83	128	243	283	260	130	-
Male	864	54	10	8	40	61	52	79	156	183	165	56	-
Female	532	41	6	3	20	26	31	49	87	100	95	74	-
Black	659	56	10	5	23	39	33	65	135	146	109	38	-
Male	399	25	6	3	13	28	23	42	89	88	66	16	-
Female	260	31	4	2	10	11	10	23	46	58	43	22	-
Metropolitan counties	25,339	526	90	113	515	684	722	1,352	3,450	5,894	6,567	5,422	4
Male	13,365	303	53	75	380	487	455	848	2,124	3,516	3,289	1,833	2
Female	11,974	223	37	38	135	197	267	504	1,326	2,378	3,278	3,589	2
White	24,093	439	78	103	462	608	649	1,232	3,231	5,652	6,335	5,302	4
Male	12,593	252	43	67	345	434	412	776	1,982	3,359	3,140	1,781	2
Female	11,500	187	33	36	117	174	237	456	1,249	2,293	3,195	3,521	2
All other	1,246	87	14	10	53	76	73	120	219	242	232	120	-
Male	772	51	10	8	35	53	43	72	142	157	149	52	-
Female	474	36	4	2	18	23	30	48	77	85	83	68	-
Black	639	55	9	4	23	38	33	64	130	143	103	37	-
Male	387	25	6	3	13	27	23	41	85	87	61	16	-
Female	252	30	3	1	10	11	10	23	45	56	42	21	-
Nonmetropolitan counties	7,329	127	22	29	142	169	165	362	988	1,834	1,968	1,522	1
Male	4,050	77	15	13	109	133	110	219	601	1,104	1,069	599	1
Female	3,279	50	7	16	33	36	55	143	387	730	899	923	-
White	7,179	119	20	28	135	158	155	354	964	1,793	1,940	1,512	1
Male	3,958	74	15	13	104	125	101	212	587	1,078	1,053	595	1
Female	3,221	45	5	15	31	33	54	142	377	715	887	917	-
All other	150	8	2	1	7	11	10	8	24	41	28	10	-
Male	92	3	-	-	5	8	9	7	14	26	16	4	-
Female	58	5	2	1	2	3	1	1	10	15	12	6	-
Black	20	1	1	1	-	1	-	1	5	3	6	1	-
Male	12	-	-	-	-	1	-	1	4	1	5	-	-
Female	8	1	1	1	-	-	-	-	1	2	1	1	-
West Virginia	19,325	283	49	85	306	360	541	1,074	2,928	4,952	5,301	3,448	-
Male	10,576	160	24	51	233	272	363	680	1,819	2,983	2,686	1,905	-
Female	8,749	123	25	34	73	88	178	394	1,107	1,969	2,615	2,143	-
White	18,440	264	45	80	286	341	516	1,039	2,775	4,750	5,050	3,284	-
Male	10,098	148	21	49	221	258	349	659	1,730	2,887	2,560	1,236	-
Female	8,342	116	24	31	65	83	167	380	1,045	1,863	2,490	2,058	-
All other	885	19	4	5	20	19	25	35	151	202	251	154	-
Male	478	12	3	2	12	14	14	21	69	116	126	69	-
Female	407	7	1	3	8	5	11	14	82	86	125	85	-
Black	868	18	4	3	19	19	20	34	150	199	249	153	-
Male	469	11	3	1	11	14	13	20	88	115	124	69	-
Female	399	7	1	2	8	5	7	14	62	84	125	84	-
Metropolitan counties	6,975	93	16	30	93	110	174	401	1,049	1,822	1,889	1,298	-
Male	3,705	47	7	19	65	82	120	259	646	1,093	909	458	-
Female	3,270	46	9	11	28	28	54	142	403	729	980	840	-
White	6,701	87	15	27	87	103	166	390	992	1,764	1,819	1,251	-
Male	3,569	45	7	17	62	77	116	250	613	1,065	877	440	-
Female	3,132	42	8	10	25	26	50	140	379	699	942	811	-
All other	274	6	1	3	6	7	8	11	57	58	70	47	-
Male	136	2	-	2	3	5	4	9	33	28	32	18	-
Female	138	4	1	1	3	2	4	2	24	30	38	29	-
Black	268	6	1	1	6	7	7	10	57	57	69	47	-
Male	133	2	-	1	3	5	4	8	33	28	31	18	-
Female	135	4	1	-	3	2	3	2	24	29	38	29	-
Nonmetropolitan counties	12,350	190	33	55	213	250	367	673	1,877	3,130	3,412	2,150	-
Male	6,871	113	17	32	158	190	243	421	1,173	1,890	1,777	847	-
Female	5,479	77	16	23	45	60	124	252	704	1,240	1,635	1,303	-
White	11,739	177	30	53	199	238	350	649	1,783	2,988	3,231	2,043	-
Male	6,529	103	14	32	159	181	233	409	1,117	1,802	1,683	796	-
Female	5,210	74	16	21	40	57	117	240	666	1,184	1,548	1,247	-
All other	611	13	3	2	14	12	17	24	94	144	181	107	-
Male	342	10	3	-	9	9	10	12	56	88	94	51	-
Female	269	3	-	2	5	3	7	12	38	56	87	56	-
Black	600	12	3	2	13	12	13	24	93	142	180	106	-
Male	336	9	3	-	8	9	9	12	55	87	93	51	-
Female	264	3	-	2	5	3	4	12	38	55	87	55	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1983—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	41,033	698	146	156	702	701	880	1,940	4,838	9,373	11,943	9,655	1
Male	21,852	396	85	100	531	503	573	1,205	3,084	5,678	6,180	3,516	1
Female	19,181	302	61	56	171	198	307	735	1,754	3,695	5,763	6,139	-
White	39,830	593	130	138	655	626	794	1,810	4,629	9,131	11,764	9,560	-
Male	21,189	338	77	91	498	457	515	1,132	2,955	5,544	6,098	3,484	-
Female	18,641	255	53	47	157	169	279	678	1,674	3,587	5,666	6,076	-
All other	1,203	105	16	18	47	75	86	130	209	242	179	95	1
Male	663	58	8	9	33	48	58	73	129	134	82	32	1
Female	540	47	8	9	14	29	28	57	80	108	97	63	-
Black	960	82	9	16	24	61	63	109	175	197	146	78	-
Male	533	46	4	8	17	39	42	62	109	112	66	28	-
Female	427	36	5	8	7	22	21	47	66	85	80	50	-
Metropolitan counties	25,360	456	91	100	444	484	627	1,285	3,170	5,744	7,244	5,715	-
Male	13,274	268	54	62	334	336	402	790	1,992	3,424	3,625	1,987	-
Female	12,086	188	37	38	110	148	225	495	1,178	2,320	3,619	3,728	-
White	24,312	366	78	83	408	417	555	1,167	2,985	5,534	7,085	5,634	-
Male	12,696	217	47	53	309	293	357	724	1,878	3,306	3,554	1,958	-
Female	11,616	149	31	30	99	124	198	443	1,107	2,228	3,531	3,676	-
All other	1,048	90	13	17	36	67	72	118	185	210	159	81	-
Male	578	51	7	9	25	43	45	66	114	118	71	29	-
Female	470	39	6	8	11	24	27	52	71	92	88	52	-
Black	950	81	9	16	23	60	62	109	174	194	145	77	-
Male	525	45	4	8	16	36	41	62	108	111	65	27	-
Female	425	36	5	8	7	22	21	47	66	83	80	50	-
Nonmetropolitan counties	15,673	242	55	56	258	217	253	655	1,668	3,629	4,699	3,940	1
Male	8,578	128	31	38	197	167	171	415	1,092	2,254	2,555	1,529	1
Female	7,095	114	24	18	61	50	82	240	576	1,375	2,144	2,411	-
White	15,518	227	52	55	247	209	239	643	1,644	3,597	4,679	3,926	-
Male	8,493	121	30	38	189	164	158	408	1,077	2,238	2,544	1,526	-
Female	7,025	106	22	17	58	45	81	235	567	1,359	2,135	2,400	-
All other	155	15	3	1	11	8	14	12	24	32	20	14	1
Male	85	7	1	-	8	3	13	7	15	16	11	3	1
Female	70	8	2	1	3	5	1	5	9	16	9	11	-
Black	10	1	-	-	1	1	1	-	1	3	1	1	-
Male	8	1	-	-	1	1	1	-	1	1	1	1	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Wyoming	3,161	101	27	26	125	129	119	178	420	691	788	556	1
Male	1,836	60	19	15	88	95	84	127	271	433	417	227	-
Female	1,325	41	8	11	37	34	35	51	149	258	371	329	1
White	3,090	97	26	24	116	123	117	175	413	674	776	548	1
Male	1,796	57	19	15	81	91	83	125	267	424	412	222	-
Female	1,294	40	7	9	35	32	34	50	146	250	364	326	1
All other	71	4	1	2	9	6	2	3	7	17	12	8	-
Male	40	3	-	-	7	4	1	2	4	9	5	5	-
Female	31	1	1	2	2	2	1	1	3	8	7	3	-
Black	21	1	1	2	1	-	1	1	2	3	7	2	-
Male	11	1	-	-	1	-	1	1	1	2	3	1	-
Female	10	-	1	2	-	-	-	-	1	1	4	1	-
Metropolitan counties	413	9	3	4	23	17	11	25	69	94	103	55	-
Male	243	5	3	3	16	15	8	20	38	53	55	27	-
Female	170	4	-	1	7	2	3	5	31	41	48	28	-
White	408	9	3	4	23	17	11	25	68	92	102	54	-
Male	240	5	3	3	16	15	8	20	38	51	55	26	-
Female	168	4	-	1	7	2	3	5	30	41	47	28	-
All other	5	-	-	-	-	-	-	-	1	2	1	1	-
Male	3	-	-	-	-	-	-	-	-	2	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Nonmetropolitan counties	2,748	92	24	22	102	112	108	153	351	597	685	501	1
Male	1,593	55	16	12	72	80	76	107	233	380	362	200	-
Female	1,155	37	8	10	30	32	32	46	118	217	323	301	1
White	2,682	88	23	20	93	106	108	150	345	582	674	494	1
Male	1,556	52	16	12	65	76	75	105	229	373	357	196	-
Female	1,126	36	7	8	28	30	31	45	116	209	317	298	1
All other	66	4	1	2	9	6	2	3	6	15	11	7	-
Male	37	3	-	-	7	4	1	2	4	7	5	4	-
Female	29	1	1	2	2	2	1	1	2	8	6	3	-
Black	18	1	1	2	1	-	1	1	2	2	6	1	-
Male	9	1	-	-	1	-	1	1	1	1	3	-	-
Female	9	-	1	2	-	-	-	-	1	1	3	1	-

[1] County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 305 areas	1,464,770	30,651	5,545	6,494	28,387	37,737	45,045	90,523	215,791	341,331	386,430	278,376	460
Male	768,638	17,236	3,151	3,963	20,861	26,840	28,909	56,504	133,220	198,341	186,150	93,162	301
Female	696,132	13,415	2,394	2,531	7,526	10,897	16,136	34,019	82,571	142,990	200,280	183,214	159
White	1,267,250	20,754	3,974	4,908	22,434	27,759	33,562	70,722	179,576	297,221	348,526	257,497	317
Male	659,642	11,762	2,265	3,021	16,654	19,958	21,655	44,526	111,751	174,050	167,720	86,074	206
Female	607,608	8,992	1,709	1,887	5,780	7,801	11,907	26,196	67,825	123,171	180,806	171,423	111
All other	197,520	9,897	1,571	1,586	5,953	9,978	11,483	19,801	36,215	44,110	37,904	18,879	143
Male	108,996	5,474	886	942	4,207	6,882	7,254	11,978	21,469	24,291	18,430	7,088	95
Female	88,524	4,423	685	644	1,746	3,096	4,229	7,823	14,746	19,819	19,474	11,791	48
Black	183,024	9,175	1,426	1,405	5,399	9,258	10,630	18,481	34,020	41,154	34,850	17,122	104
Male	100,351	5,070	804	836	3,811	6,403	6,776	11,218	20,112	22,401	16,523	6,325	72
Female	82,673	4,105	622	569	1,588	2,855	3,854	7,263	13,908	18,753	18,327	10,797	32
Abilene, Tex	1,337	35	6	12	32	52	37	78	149	312	362	262	-
Male	696	18	2	7	21	39	24	45	90	189	175	86	-
Female	641	17	4	5	11	13	13	33	59	123	187	176	-
White	1,282	33	5	12	31	45	35	72	139	303	354	253	-
Male	666	17	2	7	21	35	22	42	82	184	170	84	-
Female	616	16	3	5	10	10	13	30	57	119	184	169	-
All other	55	2	1	-	1	7	2	6	10	9	8	9	-
Male	30	1	-	-	-	4	2	3	8	5	5	2	-
Female	25	1	1	-	1	3	-	3	2	4	3	7	-
Black	54	2	1	-	1	7	2	5	10	9	8	9	-
Male	30	1	-	-	-	4	2	3	8	5	5	2	-
Female	24	1	1	-	1	3	-	2	2	4	3	7	-
Akron, Ohio	5,814	111	15	30	98	122	151	319	921	1,363	1,519	1,164	1
Male	3,027	62	5	23	74	78	100	193	562	782	730	418	-
Female	2,787	49	10	7	24	44	51	126	359	581	789	746	1
White	5,281	83	10	23	89	99	119	268	827	1,244	1,419	1,099	1
Male	2,744	47	4	16	70	64	77	163	503	721	682	397	-
Female	2,537	36	6	7	19	35	42	105	324	523	737	702	1
All other	533	28	5	7	9	23	32	51	94	119	100	65	-
Male	283	15	1	7	4	14	23	30	59	61	48	21	-
Female	250	13	4	-	5	9	9	21	35	58	52	44	-
Black	519	27	3	6	9	22	31	47	94	117	99	64	-
Male	278	15	1	6	4	14	23	27	59	61	47	21	-
Female	241	12	2	-	5	8	8	20	35	56	52	43	-
Albany, Ga	784	32	7	9	24	32	41	65	152	169	165	88	-
Male	413	17	5	5	19	18	24	47	90	98	68	22	-
Female	371	15	2	4	5	14	17	18	62	71	97	66	-
White	439	11	3	2	16	13	22	42	84	91	93	62	-
Male	245	5	2	2	11	9	12	34	56	57	40	17	-
Female	194	6	1	-	5	4	10	8	28	34	53	45	-
All other	345	21	4	7	8	19	19	23	68	78	72	26	-
Male	168	12	3	3	8	9	12	13	34	41	28	5	-
Female	177	9	1	4	-	10	7	10	34	37	44	21	-
Black	345	21	4	7	8	19	19	23	68	78	72	26	-
Male	168	12	3	3	8	9	12	13	34	41	28	5	-
Female	177	9	1	4	-	10	7	10	34	37	44	21	-
Albany-Schenectady-Troy, N.Y	7,878	100	20	33	110	129	154	384	1,047	1,896	2,236	1,765	4
Male	3,990	59	12	21	85	87	89	235	668	1,118	1,072	543	1
Female	3,888	41	8	12	25	42	65	149	379	778	1,164	1,222	3
White	7,658	87	18	28	104	119	144	361	1,011	1,847	2,192	1,741	4
Male	3,869	50	12	16	79	80	87	222	644	1,096	1,050	532	1
Female	3,787	37	6	12	25	39	57	139	367	751	1,142	1,209	3
All other	222	13	2	5	6	10	10	23	36	49	44	24	-
Male	121	9	-	5	6	7	2	13	24	22	22	11	-
Female	101	4	2	-	-	3	8	10	12	27	22	13	-
Black	212	13	2	3	5	10	9	23	35	47	43	22	-
Male	116	9	-	3	5	7	2	13	23	21	22	11	-
Female	96	4	2	-	-	3	7	10	12	26	21	11	-
Albuquerque, N. Mex	2,984	94	22	22	82	128	113	213	424	641	730	512	3
Male	1,690	56	13	13	62	95	75	133	265	406	387	183	2
Female	1,294	38	9	9	20	33	38	80	159	235	343	329	1
White	2,837	80	20	21	73	117	101	193	405	619	706	500	2
Male	1,595	49	11	12	56	86	66	119	252	392	370	181	1
Female	1,242	31	9	9	17	31	35	74	153	227	336	319	1
All other	147	14	2	1	9	11	12	20	19	22	24	12	1
Male	95	7	2	1	6	9	9	14	13	14	17	2	1
Female	52	7	-	-	3	2	3	6	6	8	7	10	-
Black	49	4	-	-	-	2	4	7	8	6	13	5	-
Male	31	4	-	-	-	2	3	6	5	4	7	-	-
Female	18	-	-	-	-	-	1	1	3	2	6	5	-
Alexandria, La	1,403	44	5	9	34	42	51	91	211	350	357	209	-
Male	767	21	4	7	24	35	28	57	132	208	177	74	-
Female	636	23	1	2	10	7	23	34	79	142	180	135	-
White	962	23	4	6	23	22	29	56	143	245	258	153	-
Male	526	14	3	5	16	16	17	37	90	148	126	54	-
Female	436	9	1	1	7	6	12	19	53	97	132	99	-
All other	441	21	1	3	11	20	22	35	68	105	99	56	-
Male	241	7	1	2	8	19	11	20	42	60	51	20	-
Female	200	14	-	1	3	1	11	15	26	45	48	36	-
Black	441	21	1	3	11	20	22	35	68	105	99	56	-
Male	241	7	1	2	8	19	11	20	42	60	51	20	-
Female	200	14	-	1	3	1	11	15	26	45	48	36	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Allentown-Bethlehem-Easton, Pa.-N.J	6,161	59	19	15	80	79	127	297	990	1,609	1,695	1,191	-
Male	3,214	36	9	9	59	57	77	186	632	914	840	395	-
Female	2,947	23	10	6	21	22	50	111	358	695	855	796	-
White	6,096	55	19	14	78	79	122	288	980	1,589	1,683	1,189	-
Male	3,177	34	9	9	58	57	74	178	625	908	831	394	-
Female	2,919	21	10	5	20	22	48	110	355	681	852	795	-
All other	65	4	-	1	2	-	5	9	10	20	12	2	-
Male	37	2	-	-	1	-	3	8	7	6	9	1	-
Female	28	2	-	1	1	-	2	1	3	14	3	1	-
Black	58	4	-	1	2	-	5	8	10	18	8	2	-
Male	31	2	-	-	1	-	3	7	7	5	5	1	-
Female	27	2	-	1	1	-	2	1	3	13	3	1	-
Altoona, Pa	1,614	24	3	1	19	14	35	85	216	413	454	350	-
Male	815	15	1	1	13	13	23	51	126	241	222	109	-
Female	799	9	2	-	6	1	12	34	90	172	232	241	-
White	1,601	24	3	1	17	14	33	83	213	411	452	350	-
Male	807	15	1	1	11	13	22	49	125	241	220	109	-
Female	794	9	2	-	6	1	11	34	88	170	232	241	-
All other	13	-	-	-	2	-	2	2	3	2	2	-	-
Male	8	-	-	-	2	-	1	2	1	-	2	-	-
Female	5	-	-	-	-	-	1	-	2	2	-	-	-
Black	13	-	-	-	2	-	2	2	3	2	2	-	-
Male	8	-	-	-	2	-	1	2	1	-	2	-	-
Female	5	-	-	-	-	-	1	-	2	2	-	-	-
Amarillo, Tex	1,426	28	9	14	38	54	49	105	232	320	362	215	-
Male	742	15	6	10	30	37	31	64	143	180	152	74	-
Female	684	13	3	4	8	17	18	41	89	140	210	141	-
White	1,339	26	8	11	32	49	43	93	221	304	345	207	-
Male	700	14	6	7	26	33	27	56	137	173	149	72	-
Female	639	12	2	4	6	16	16	37	84	131	196	135	-
All other	87	2	1	3	6	5	6	12	11	16	17	8	-
Male	42	1	-	3	4	4	4	8	6	7	3	2	-
Female	45	1	1	-	2	1	2	4	5	9	14	6	-
Black	79	1	1	2	4	5	5	11	10	16	16	8	-
Male	37	1	-	2	3	4	3	7	6	7	2	2	-
Female	42	-	1	-	1	1	2	4	4	9	14	6	-
Anaheim-Santa Ana-Garden Grove, Calif	12,612	310	53	67	294	395	395	820	1,935	2,500	3,285	2,552	6
Male	6,396	174	25	39	231	277	264	511	1,152	1,393	1,497	831	2
Female	6,216	136	28	28	63	118	131	309	783	1,107	1,788	1,721	4
White	12,225	279	49	60	271	367	366	774	1,876	2,427	3,234	2,517	5
Male	6,185	157	22	33	212	256	246	489	1,121	1,355	1,472	820	2
Female	6,040	122	27	27	59	111	120	285	755	1,072	1,762	1,697	3
All other	387	31	4	7	23	28	29	46	59	73	51	35	1
Male	211	17	3	6	19	21	18	22	31	38	25	11	-
Female	176	14	1	1	4	7	11	24	28	35	26	24	1
Black	111	13	1	3	8	17	6	16	15	15	11	6	-
Male	58	5	1	3	7	12	3	10	6	6	3	2	-
Female	53	8	-	-	1	5	3	6	9	9	8	4	-
Anchorage, Alaska	664	44	11	11	48	72	63	94	124	105	67	25	-
Male	411	22	8	6	34	52	43	60	74	69	36	7	-
Female	253	22	3	5	14	20	20	34	50	36	31	18	-
White	549	29	10	10	43	59	49	81	104	86	55	23	-
Male	353	13	7	6	30	42	36	56	64	61	31	7	-
Female	196	16	3	4	13	17	13	25	40	25	24	16	-
All other	115	15	1	1	5	13	14	13	20	19	12	2	-
Male	58	9	1	-	4	10	7	4	10	8	5	-	-
Female	57	6	-	1	1	3	7	9	10	11	7	2	-
Black	39	8	-	-	2	4	4	2	6	6	6	1	-
Male	20	6	-	-	2	2	3	-	3	3	1	-	-
Female	19	2	-	-	-	2	1	2	3	3	5	1	-
Anderson, Ind	1,250	16	3	2	23	17	30	82	172	308	372	225	-
Male	641	9	2	1	16	13	24	53	92	181	181	69	-
Female	609	7	1	1	7	4	6	29	80	127	191	156	-
White	1,197	13	2	2	22	16	30	76	165	296	359	216	-
Male	613	6	1	1	16	12	24	49	87	175	176	66	-
Female	584	7	1	1	6	4	6	27	78	121	183	150	-
All other	53	3	1	-	1	1	-	6	7	12	13	9	-
Male	28	3	1	-	-	1	-	4	5	6	5	3	-
Female	25	-	-	-	1	-	-	2	2	6	8	6	-
Black	53	3	1	-	1	1	-	6	7	12	13	9	-
Male	28	3	1	-	-	1	-	4	5	6	5	3	-
Female	25	-	-	-	1	-	-	2	2	6	8	6	-
Anderson, S.C	1,164	35	5	8	28	31	38	76	197	306	300	140	-
Male	634	16	3	5	17	21	25	50	119	191	141	46	-
Female	530	19	2	3	11	10	13	26	78	115	159	94	-
White	945	23	4	6	20	25	30	54	159	250	249	125	-
Male	513	11	2	3	11	16	19	39	100	156	118	38	-
Female	432	12	2	3	9	9	11	15	59	94	131	87	-
All other	219	12	1	2	8	6	8	22	38	56	51	15	-
Male	121	5	1	2	6	5	6	11	19	35	23	8	-
Female	98	7	-	-	2	1	2	11	19	21	28	7	-
Black	219	12	1	2	8	6	8	22	38	56	51	15	-
Male	121	5	1	2	6	5	6	11	19	35	23	8	-
Female	98	7	-	-	2	1	2	11	19	21	28	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ann Arbor, Mich	1,461	42	6	7	32	45	65	82	165	309	369	325	-
Male	761	25	3	5	22	29	43	54	118	171	176	115	-
Female	700	17	3	2	10	16	22	28	67	132	193	210	-
White	1,315	31	3	3	26	37	56	70	165	275	346	303	-
Male	672	19	2	2	19	24	35	43	107	150	166	105	-
Female	643	12	1	1	7	13	21	27	58	125	180	198	-
All other	146	11	3	4	6	8	9	12	20	28	23	22	-
Male	89	6	1	3	3	5	8	11	11	21	10	10	-
Female	57	5	2	1	3	3	1	1	9	7	13	12	-
Black	138	10	2	4	5	7	8	10	20	28	23	21	-
Male	84	5	-	3	3	5	7	9	11	21	10	10	-
Female	54	5	2	1	2	2	1	1	9	7	13	11	-
Anniston, Ala	1,085	18	5	3	28	31	41	65	179	281	259	175	-
Male	572	8	4	1	21	22	25	34	112	184	102	59	-
Female	513	10	1	2	7	9	16	31	67	97	157	116	-
White	857	10	3	3	21	17	33	51	140	223	218	136	-
Male	449	4	2	1	17	12	20	30	86	143	86	46	-
Female	408	6	1	2	4	5	13	21	54	80	132	90	-
All other	228	8	2	-	7	14	8	14	39	58	41	37	-
Male	123	4	2	-	4	10	5	4	26	41	16	11	-
Female	105	4	-	-	3	4	3	10	13	17	25	26	-
Black	228	8	2	-	7	14	8	14	39	58	41	37	-
Male	123	4	2	-	4	10	5	4	26	41	16	11	-
Female	105	4	-	-	3	4	3	10	13	17	25	26	-
Appleton-Oshkosh, Wis	2,266	45	7	6	55	37	40	116	262	520	651	527	-
Male	1,170	28	2	2	42	24	27	68	167	302	315	193	-
Female	1,096	17	5	4	13	13	13	48	95	218	336	334	-
White	2,240	43	7	6	52	35	40	113	259	515	646	524	-
Male	1,158	27	2	2	39	23	27	66	167	299	314	192	-
Female	1,082	16	5	4	13	12	13	47	92	216	332	332	-
All other	26	2	-	-	3	2	-	3	3	5	5	3	-
Male	12	1	-	-	3	1	-	2	-	3	1	1	-
Female	14	1	-	-	-	1	-	1	3	2	4	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asheville, N.C	1,752	21	3	6	35	35	52	91	245	412	475	377	-
Male	934	8	2	6	25	21	36	54	159	247	239	137	-
Female	818	13	1	-	10	14	16	37	86	165	236	240	-
White	1,559	19	3	5	29	27	49	81	209	367	423	347	-
Male	846	7	2	5	21	18	34	49	142	224	220	124	-
Female	713	12	1	-	8	9	15	32	67	143	203	223	-
All other	193	2	-	1	6	8	3	10	36	45	52	30	-
Male	88	1	-	1	4	3	2	5	17	23	19	13	-
Female	105	1	-	-	2	5	1	5	19	22	33	17	-
Black	191	2	-	1	6	8	3	10	35	45	52	29	-
Male	88	1	-	1	4	3	2	5	17	23	19	13	-
Female	103	1	-	-	2	5	1	5	18	22	33	16	-
Athens, Ga	979	23	6	6	23	31	33	72	145	222	241	177	-
Male	515	15	5	4	15	24	21	46	81	124	113	67	-
Female	464	8	1	2	8	7	12	26	64	98	128	110	-
White	766	12	5	4	18	19	13	55	108	170	207	155	-
Male	410	8	4	2	12	17	8	34	60	106	99	60	-
Female	356	4	1	2	6	2	5	21	48	64	108	95	-
All other	213	11	1	2	5	12	20	17	37	52	34	22	-
Male	105	7	1	2	3	7	13	12	21	18	14	7	-
Female	108	4	-	-	2	5	7	5	16	34	20	15	-
Black	212	11	1	2	5	11	20	17	37	52	34	22	-
Male	105	7	1	2	3	7	13	12	21	18	14	7	-
Female	107	4	-	-	2	4	7	5	16	34	20	15	-
Atlanta, Ga	14,567	432	74	100	374	562	695	1,223	2,327	3,260	3,372	2,139	9
Male	7,805	239	48	61	275	393	465	795	1,480	1,899	1,518	626	6
Female	6,762	193	26	39	99	169	230	428	847	1,361	1,854	1,513	3
White	10,644	224	39	67	272	354	415	781	1,603	2,385	2,655	1,882	7
Male	5,649	127	27	43	208	249	285	518	1,043	1,428	1,185	531	5
Female	4,995	97	12	24	64	105	130	263	560	937	1,470	1,331	2
All other	3,923	208	35	33	102	208	280	442	724	895	717	277	2
Male	2,156	112	21	18	67	144	180	277	437	471	333	95	1
Female	1,767	96	14	15	35	64	100	165	287	424	384	182	1
Black	3,895	207	35	33	101	205	276	438	720	890	714	274	2
Male	2,141	111	21	18	66	142	178	275	435	469	331	94	1
Female	1,754	96	14	15	35	63	98	163	285	421	383	180	1
Atlantic City, N.J	2,445	40	5	12	34	46	51	116	340	559	772	467	3
Male	1,248	22	1	8	24	31	33	67	210	311	383	155	3
Female	1,197	18	4	4	10	15	18	49	130	248	389	312	-
White	2,014	22	3	11	26	36	33	83	260	463	663	413	1
Male	1,031	11	1	8	17	24	22	47	165	266	323	146	1
Female	983	11	2	3	9	12	11	36	95	197	340	267	-
All other	431	18	2	1	8	10	18	33	80	96	109	54	2
Male	217	11	-	-	7	7	11	20	45	45	60	9	2
Female	214	7	2	1	1	3	7	13	35	51	49	45	-
Black	424	16	2	1	8	10	17	32	80	94	108	54	2
Male	214	10	-	-	7	7	11	19	45	44	60	9	2
Female	210	6	2	1	1	3	6	13	35	50	48	45	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Augusta, Ga.-S.C	2,600	64	14	19	58	90	115	235	473	653	550	327	2
Male	1,389	34	6	9	41	54	63	143	294	372	255	117	1
Female	1,211	30	8	10	17	36	52	92	179	281	295	210	1
White	1,735	27	7	9	47	49	60	129	313	428	407	258	1
Male	963	17	2	3	36	32	38	84	209	254	196	91	1
Female	772	10	5	6	11	17	22	45	104	174	211	167	-
All other	865	37	7	10	11	41	55	106	160	225	143	69	1
Male	426	17	4	6	5	22	25	59	85	118	59	26	-
Female	439	20	3	4	6	19	30	47	75	107	84	43	1
Black	857	36	7	10	11	39	55	104	159	223	143	69	1
Male	424	17	4	6	5	22	25	58	85	117	59	26	-
Female	433	19	3	4	6	17	30	46	74	106	84	43	1
Austin, Tex	3,461	86	25	22	124	160	140	211	454	752	854	633	-
Male	1,856	54	10	16	89	119	95	119	294	446	407	207	-
Female	1,605	32	15	6	35	41	45	92	160	306	447	426	-
White	3,000	66	19	19	107	134	116	180	376	660	742	581	-
Male	1,594	43	6	14	76	99	79	100	250	389	348	190	-
Female	1,406	23	13	5	31	35	37	80	126	271	394	391	-
All other	461	20	6	3	17	26	24	31	78	92	112	52	-
Male	262	11	4	2	13	20	16	19	44	57	59	17	-
Female	199	9	2	1	4	6	8	12	34	35	53	35	-
Black	452	20	5	3	17	24	21	31	77	91	111	52	-
Male	256	11	3	2	13	18	14	19	44	56	59	17	-
Female	196	9	2	1	4	6	7	12	33	35	52	35	-
Bakersfield, Calif	3,363	113	21	26	91	135	118	216	492	843	811	495	2
Male	1,931	65	12	16	69	97	84	138	297	503	455	194	1
Female	1,432	48	9	10	22	38	34	78	195	340	356	301	1
White	3,070	101	20	23	87	116	106	202	444	775	733	461	2
Male	1,746	59	11	13	65	87	77	126	266	465	401	175	1
Female	1,324	42	9	10	22	29	29	76	178	310	332	288	1
All other	293	12	1	3	4	19	12	14	48	68	78	34	-
Male	185	6	1	3	4	10	7	12	31	38	54	19	-
Female	108	6	-	-	-	9	5	2	17	30	24	15	-
Black	241	9	1	3	3	15	12	14	43	56	60	25	-
Male	149	4	1	3	3	8	7	12	29	31	40	11	-
Female	92	5	-	-	-	7	5	2	14	25	20	14	-
Baltimore, Md	19,909	397	62	64	377	529	675	1,393	3,320	4,872	5,018	3,191	11
Male	10,496	223	33	39	269	373	430	886	2,032	2,936	2,398	969	8
Female	9,413	174	29	25	108	156	245	507	1,288	2,036	2,620	2,222	3
White	14,758	180	32	38	229	261	379	841	2,334	3,669	4,011	2,778	4
Male	7,588	97	18	23	170	185	238	537	1,442	2,172	1,884	817	3
Female	7,170	83	14	15	59	76	141	304	892	1,497	2,127	1,961	1
All other	5,153	217	30	26	148	268	296	552	986	1,203	1,007	419	7
Male	2,910	126	15	16	99	188	192	349	590	664	514	152	5
Female	2,243	91	15	10	49	80	104	203	396	539	493	261	2
Black	5,093	213	28	26	148	262	288	547	980	1,192	993	409	7
Male	2,875	124	14	16	99	186	187	345	586	658	506	149	5
Female	2,218	89	14	10	49	76	101	202	394	534	487	260	2
Bangor, Maine	1,129	15	3	2	23	25	42	48	137	278	316	239	-
Male	568	7	1	1	16	20	31	27	84	165	139	77	-
Female	561	8	2	1	7	5	11	22	53	113	177	162	-
White	1,121	14	2	2	23	25	42	49	136	274	315	239	-
Male	564	7	1	1	16	20	31	27	84	162	138	77	-
Female	557	7	1	1	7	5	11	22	52	112	177	162	-
All other	8	1	1	-	-	-	-	-	1	4	1	-	-
Male	4	-	-	-	-	-	-	-	-	3	1	-	-
Female	4	1	1	-	-	-	-	-	1	1	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
Baton Rouge, La	3,484	128	32	27	107	163	158	281	584	813	773	420	-
Male	1,845	69	18	19	81	107	106	179	332	444	349	141	-
Female	1,639	57	14	8	26	56	52	102	252	369	424	279	-
White	2,252	60	15	10	65	86	84	160	367	541	561	303	-
Male	1,190	32	7	8	50	51	64	106	213	309	256	94	-
Female	1,062	28	8	2	15	35	20	54	154	232	305	209	-
All other	1,232	66	17	17	42	77	74	121	217	272	212	117	-
Male	655	37	11	11	31	56	42	73	119	135	93	47	-
Female	577	29	6	6	11	21	32	48	98	137	119	70	-
Black	1,224	65	17	17	41	77	74	118	215	271	212	117	-
Male	648	36	11	11	30	56	42	70	117	135	93	47	-
Female	576	29	6	6	11	21	32	48	98	136	119	70	-
Battle Creek, Mich	1,656	43	6	5	24	38	32	98	256	401	429	324	-
Male	896	29	4	4	19	25	20	64	164	239	219	109	-
Female	760	14	2	1	5	13	12	34	92	162	210	215	-
White	1,543	32	4	4	23	28	22	86	232	386	408	318	-
Male	830	22	2	3	18	20	13	56	148	233	209	106	-
Female	713	10	2	1	5	8	9	30	84	153	199	212	-
All other	113	11	2	1	1	10	10	12	24	15	21	6	-
Male	66	7	2	1	1	5	7	8	16	6	10	3	-
Female	47	4	-	-	-	5	3	4	8	9	11	3	-
Black	107	11	2	1	1	8	10	9	23	15	21	6	-
Male	62	7	2	1	1	5	7	5	15	6	10	3	-
Female	45	4	-	-	-	3	3	4	8	9	11	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bay City, Mich	968	24	3	3	12	21	18	54	125	259	275	174	-
Male	505	12	3	2	8	15	11	35	70	166	130	53	-
Female	463	12	-	1	4	6	7	19	55	93	145	121	-
White	963	24	3	3	12	21	18	52	125	257	274	174	-
Male	500	12	3	2	8	15	11	33	70	164	129	53	-
Female	463	12	-	1	4	6	7	19	55	93	145	121	-
All other	5	-	-	-	-	-	-	2	-	2	1	-	-
Male	5	-	-	-	-	-	-	2	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	2	-	2	1	-	-
Male	5	-	-	-	-	-	-	2	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaumont-Port Arthur-Orange, Tex	3,327	82	17	19	92	104	125	248	506	777	860	495	-
Male	1,783	44	10	12	68	68	85	156	306	447	419	168	-
Female	1,544	38	7	7	24	36	40	92	202	330	441	327	-
White	2,532	48	11	12	62	70	84	159	365	597	696	428	-
Male	1,336	31	6	7	48	42	61	95	225	350	328	143	-
Female	1,196	17	5	5	14	28	23	64	140	247	368	285	-
All other	795	34	6	7	30	34	41	89	143	180	164	67	-
Male	447	13	4	5	20	26	24	61	81	97	91	25	-
Female	348	21	2	2	10	8	17	28	62	83	73	42	-
Black	785	33	6	7	27	34	40	87	142	180	163	66	-
Male	441	13	4	5	17	26	24	59	80	97	91	25	-
Female	344	20	2	2	10	8	16	28	62	83	72	41	-
Bellingham, Wash	797	12	1	2	14	15	24	37	82	179	228	208	1
Male	411	5	-	2	10	13	15	18	51	101	122	73	1
Female	386	7	1	-	4	2	9	19	31	72	106	135	-
White	776	10	1	2	13	12	21	36	79	171	224	206	1
Male	393	3	-	2	9	10	13	17	46	99	119	72	1
Female	383	7	1	-	4	2	8	19	31	72	105	134	-
All other	21	2	-	-	1	3	3	1	3	2	4	2	-
Male	18	2	-	-	1	3	2	1	3	2	3	1	-
Female	3	-	-	-	-	-	1	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benton Harbor, Mich	1,479	41	10	3	20	32	51	75	209	334	407	297	-
Male	826	25	7	3	15	24	33	49	133	207	214	116	-
Female	653	16	3	-	5	8	18	26	76	127	193	181	-
White	1,265	14	7	1	12	25	38	54	169	291	368	286	-
Male	703	10	6	1	7	20	25	40	106	185	192	111	-
Female	562	4	1	-	5	5	13	14	63	106	176	175	-
All other	214	27	3	2	8	7	13	21	40	43	39	11	-
Male	123	15	1	2	8	4	8	9	27	22	22	5	-
Female	91	12	2	-	-	3	5	12	13	21	17	6	-
Black	211	27	3	2	7	7	13	20	40	43	38	11	-
Male	121	15	1	2	7	4	8	9	27	22	21	5	-
Female	90	12	2	-	-	3	5	11	13	21	17	6	-
Billings, Mont	715	13	-	4	23	19	23	49	97	156	171	160	-
Male	392	8	-	2	18	14	16	32	65	91	86	60	-
Female	323	5	-	2	5	5	7	17	32	65	85	100	-
White	709	12	-	4	23	19	23	48	97	154	171	158	-
Male	389	7	-	2	18	14	16	32	65	91	86	58	-
Female	320	5	-	2	5	5	7	16	32	63	85	100	-
All other	6	1	-	-	-	-	-	1	-	2	-	2	-
Male	3	1	-	-	-	-	-	-	-	-	-	2	-
Female	3	-	-	-	-	-	-	1	-	2	-	-	-
Black	3	1	-	-	-	-	-	-	-	1	-	1	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Biloxi-Gulfport, Miss	1,659	39	8	12	39	46	52	128	291	411	397	236	-
Male	974	24	6	7	30	33	37	84	180	271	209	93	-
Female	685	15	2	5	9	13	15	42	111	140	188	145	-
White	1,378	28	7	10	36	32	38	100	241	341	342	203	-
Male	808	18	6	6	28	23	26	66	149	230	176	80	-
Female	570	10	1	4	8	9	12	34	92	111	166	123	-
All other	281	11	1	2	3	14	14	28	50	70	55	35	-
Male	166	6	-	1	2	10	11	18	31	41	33	13	-
Female	115	5	1	1	1	4	3	8	19	29	22	22	-
Black	272	9	1	2	3	13	13	25	48	69	54	35	-
Male	161	5	-	1	2	9	10	18	30	41	32	13	-
Female	111	4	1	1	1	4	3	7	18	28	22	22	-
Binghamton, N.Y.-Pa	2,743	60	14	11	38	49	64	123	387	630	780	587	-
Male	1,465	39	9	6	30	33	38	75	254	367	389	225	-
Female	1,278	21	5	5	8	16	26	48	133	263	391	362	-
White	2,720	60	14	10	37	48	62	120	385	626	775	583	-
Male	1,452	39	9	5	30	32	37	72	253	364	388	223	-
Female	1,268	21	5	5	7	16	25	48	132	262	387	360	-
All other	23	-	-	1	1	1	2	3	2	4	5	4	-
Male	13	-	-	1	-	1	1	3	1	3	1	2	-
Female	10	-	-	-	1	-	1	-	1	1	4	2	-
Black	14	-	-	-	1	1	1	2	1	4	2	2	-
Male	9	-	-	-	-	1	1	2	1	3	-	1	-
Female	5	-	-	-	1	-	-	-	-	1	2	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Birmingham, Ala	7,953	156	27	25	152	168	244	530	1,184	1,992	2,198	1,287	-
Male	4,128	84	10	17	108	119	154	331	697	1,142	1,065	401	-
Female	3,825	72	17	8	44	49	90	199	487	850	1,133	886	-
White	5,380	77	16	14	96	88	143	330	782	1,377	1,495	962	-
Male	2,756	39	6	9	67	57	92	211	479	815	710	271	-
Female	2,624	38	10	5	29	31	51	119	303	562	785	691	-
All other	2,573	79	11	11	56	80	101	200	382	615	703	335	-
Male	1,372	45	4	8	41	62	62	120	218	327	355	130	-
Female	1,201	34	7	3	15	18	39	80	164	288	348	205	-
Black	2,570	78	11	11	56	80	100	200	382	614	703	335	-
Male	1,371	44	4	8	41	62	62	120	218	327	355	130	-
Female	1,199	34	7	3	15	18	38	80	164	287	348	205	-
Bismarck, N.Dak	560	15	2	2	13	11	20	26	60	119	172	120	-
Male	308	7	2	2	12	7	10	14	44	71	92	47	-
Female	252	8	-	-	1	4	10	12	16	48	80	73	-
White	558	14	2	2	13	11	20	26	59	119	172	120	-
Male	307	7	2	2	12	7	10	14	43	71	92	47	-
Female	251	7	-	-	1	4	10	12	16	48	80	73	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, Ind	573	10	1	3	9	10	16	34	73	132	155	130	-
Male	281	6	-	1	7	7	10	25	38	71	73	43	-
Female	292	4	1	2	2	3	6	9	35	61	82	87	-
White	561	9	1	3	8	10	16	34	69	130	153	128	-
Male	273	5	-	1	6	7	10	25	36	70	71	42	-
Female	288	4	1	2	2	3	6	9	33	60	82	86	-
All other	12	1	-	-	1	-	-	-	4	2	2	2	-
Male	8	1	-	-	1	-	-	-	2	1	2	1	-
Female	4	-	-	-	-	-	-	-	2	1	-	1	-
Black	12	1	-	-	1	-	-	-	4	2	2	2	-
Male	8	1	-	-	1	-	-	-	2	1	2	1	-
Female	4	-	-	-	-	-	-	-	2	1	-	1	-
Bloomington-Normal, Ill	853	9	5	7	21	18	18	45	105	185	233	207	-
Male	415	6	4	2	13	12	6	32	64	106	111	59	-
Female	438	3	1	5	8	6	12	13	41	79	122	148	-
White	832	9	4	7	20	17	18	42	104	181	228	209	-
Male	404	6	3	2	13	11	6	29	64	103	108	59	-
Female	428	2	1	5	7	6	12	13	40	78	120	144	-
All other	21	1	1	-	1	1	-	3	1	4	5	4	-
Male	11	-	1	-	-	1	-	3	-	3	3	-	-
Female	10	1	-	-	1	-	-	-	1	1	2	4	-
Black	20	1	1	-	1	1	-	3	1	4	5	3	-
Male	11	-	1	-	-	1	-	3	-	3	3	-	-
Female	9	1	-	-	1	-	-	-	1	1	2	3	-
Boise City, Idaho	1,230	32	9	11	27	28	40	70	130	288	300	295	-
Male	673	15	7	8	21	17	28	47	89	183	156	102	-
Female	557	17	2	3	6	11	12	23	41	105	144	193	-
White	1,220	32	8	10	27	26	40	69	128	287	300	293	-
Male	669	15	6	8	21	16	28	47	88	183	156	101	-
Female	551	17	2	2	6	10	12	22	40	104	144	192	-
All other	10	-	1	1	-	2	-	1	2	1	-	2	-
Male	4	-	1	-	-	1	-	-	1	-	-	1	-
Female	6	-	-	1	-	1	-	1	1	1	-	1	-
Black	5	-	1	1	-	-	-	-	1	1	-	1	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	1	-	-	-	-	1	1	-	1	-
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	33,728	442	76	99	503	568	808	1,901	4,577	7,499	9,372	7,875	8
Male	16,570	255	40	56	357	396	494	1,176	2,877	4,267	4,239	2,408	5
Female	17,158	187	36	43	146	172	314	725	1,700	3,232	5,133	5,467	3
White	32,430	366	69	82	454	497	737	1,763	4,323	7,257	9,155	7,720	7
Male	15,830	207	38	46	319	349	459	1,084	2,724	4,112	4,130	2,358	4
Female	16,600	159	31	36	135	148	278	679	1,599	3,145	5,025	5,362	3
All other	1,298	76	7	17	49	71	71	138	254	242	217	155	1
Male	740	48	2	10	38	47	35	92	153	155	109	50	1
Female	558	28	5	7	11	24	36	46	101	87	108	105	-
Black	1,132	66	7	14	43	59	62	124	219	218	182	138	-
Male	633	40	2	9	32	38	31	81	134	139	82	45	-
Female	499	26	5	5	11	21	31	43	85	79	100	93	-
Bradenton, Fla	2,374	29	4	12	17	40	40	74	263	595	805	495	-
Male	1,328	15	3	8	11	31	24	46	167	369	438	216	-
Female	1,046	14	1	4	6	9	16	28	96	226	367	279	-
White	2,242	26	3	8	13	35	34	62	240	571	778	472	-
Male	1,255	13	2	5	10	26	21	38	151	353	426	210	-
Female	987	13	1	3	3	9	13	24	89	218	352	262	-
All other	132	3	1	4	4	5	6	12	23	24	27	23	-
Male	73	2	1	3	1	5	3	8	16	16	12	6	-
Female	59	1	-	1	3	-	3	4	7	8	15	17	-
Black	130	3	1	4	4	5	5	11	23	24	27	23	-
Male	72	2	1	3	1	5	3	7	16	16	12	6	-
Female	58	1	-	1	3	-	2	4	7	8	15	17	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bremerton, Wash	1,137	37	6	6	29	45	28	56	138	264	306	222	-
Male	593	15	2	4	20	32	16	32	89	144	162	77	-
Female	544	22	4	2	9	13	12	24	49	120	144	145	-
White	1,100	32	5	6	29	42	26	52	133	258	299	218	-
Male	574	12	2	4	20	30	15	32	87	140	158	74	-
Female	526	20	3	2	9	12	11	20	46	118	141	144	-
All other	37	5	1	-	-	3	2	4	5	6	7	4	-
Male	19	3	-	-	-	2	1	-	2	4	4	3	-
Female	18	2	1	-	-	1	1	4	3	2	3	1	-
Black	18	4	1	-	-	2	1	1	2	3	3	1	-
Male	9	2	-	-	-	1	-	-	1	3	1	1	-
Female	9	2	1	-	-	1	1	1	1	-	2	-	-
Bridgeport-Stamford-Norwalk-Danbury, Conn	6,991	96	13	16	119	144	176	410	1,039	1,547	1,866	1,564	1
Male	3,470	55	7	10	94	106	113	257	613	879	862	474	-
Female	3,521	41	6	6	25	38	63	153	426	668	1,004	1,090	1
White	6,491	67	9	12	101	115	139	346	932	1,448	1,797	1,524	1
Male	3,194	35	6	8	81	84	88	220	556	832	823	461	-
Female	3,297	32	3	4	20	31	51	126	376	616	974	1,063	1
All other	500	29	4	4	18	29	37	64	107	99	69	40	-
Male	276	20	1	2	13	22	25	37	57	47	39	13	-
Female	224	9	3	2	5	7	12	27	50	52	30	27	-
Black	481	28	4	3	18	29	35	60	104	96	66	38	-
Male	268	20	1	2	13	22	24	37	55	45	36	13	-
Female	213	8	3	1	5	7	11	23	49	51	30	25	-
Brownsville-Harlingen-San Benito, Tex	1,436	52	12	11	46	49	52	77	197	343	376	220	1
Male	833	33	7	4	36	36	35	41	121	213	210	96	1
Female	603	19	5	7	10	13	17	36	76	130	166	124	-
White	1,427	52	12	11	46	49	52	76	197	340	372	219	1
Male	829	33	7	4	36	36	35	41	121	211	208	96	1
Female	598	19	5	7	10	13	17	35	76	129	164	123	-
All other	9	-	-	-	-	-	-	1	-	3	4	1	-
Male	4	-	-	-	-	-	-	-	-	2	2	-	-
Female	5	-	-	-	-	-	-	1	-	1	2	1	-
Black	9	-	-	-	-	-	-	1	-	3	4	1	-
Male	4	-	-	-	-	-	-	-	-	2	2	-	-
Female	5	-	-	-	-	-	-	1	-	1	2	1	-
Bryan-College Station, Tex	514	23	1	3	16	18	21	30	79	102	127	94	-
Male	279	14	1	1	16	16	11	20	51	59	58	32	-
Female	235	9	-	2	-	2	10	10	28	43	69	62	-
White	405	16	1	1	11	14	15	23	63	74	100	87	-
Male	221	11	1	-	11	13	9	15	41	44	47	29	-
Female	184	5	-	1	-	1	6	8	22	30	53	58	-
All other	109	7	-	2	5	4	6	7	16	28	27	7	-
Male	58	3	-	1	5	3	2	5	10	15	11	3	-
Female	51	4	-	1	-	1	4	2	6	13	16	4	-
Black	108	7	-	2	5	3	6	7	16	28	27	7	-
Male	57	3	-	1	5	2	2	5	10	15	11	3	-
Female	51	4	-	1	-	1	4	2	6	13	16	4	-
Buffalo, N.Y	12,790	172	31	43	160	203	295	701	1,998	3,249	3,413	2,521	4
Male	6,599	94	19	24	124	127	178	423	1,211	1,893	1,668	635	3
Female	6,191	78	12	19	36	76	117	278	787	1,356	1,745	1,886	1
White	11,711	129	23	34	135	148	227	586	1,768	3,016	3,215	2,428	2
Male	6,013	67	12	19	109	93	141	353	1,080	1,768	1,569	800	2
Female	5,698	62	11	15	26	55	86	233	688	1,248	1,646	1,628	-
All other	1,079	43	8	9	25	55	68	115	230	233	198	93	2
Male	586	27	7	5	15	34	37	70	131	125	99	35	1
Female	493	16	1	4	10	21	31	45	99	108	99	58	1
Black	1,005	42	7	9	22	52	64	106	219	216	179	87	2
Male	547	27	6	5	13	32	34	66	126	116	88	33	1
Female	458	15	1	4	9	20	30	40	93	100	91	54	1
Burlington, N.C	883	15	3	4	14	13	20	69	151	249	219	126	-
Male	493	10	1	3	9	9	14	40	108	147	111	41	-
Female	390	5	2	1	5	4	6	29	43	102	108	85	-
White	718	10	1	4	8	10	13	58	117	203	184	110	-
Male	395	5	-	3	5	7	11	36	81	122	93	32	-
Female	323	5	1	1	3	3	2	22	36	81	91	78	-
All other	165	5	2	-	6	3	7	11	34	46	35	16	-
Male	98	5	1	-	4	2	3	4	27	25	18	9	-
Female	67	-	1	-	2	1	4	7	7	21	17	7	-
Black	165	5	2	-	6	3	7	11	34	46	35	16	-
Male	98	5	1	-	4	2	3	4	27	25	18	9	-
Female	67	-	1	-	2	1	4	7	7	21	17	7	-
Burlington, Vt	689	10	1	2	21	15	26	41	89	150	185	149	-
Male	346	4	-	-	16	12	15	23	55	86	88	47	-
Female	343	6	1	2	5	3	11	18	34	64	97	102	-
White	687	9	1	2	21	15	26	41	88	150	185	149	-
Male	344	3	-	-	16	12	15	23	54	86	88	47	-
Female	343	6	1	2	5	3	11	18	34	64	97	102	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Canton, Ohio	3,788	56	8	18	48	61	100	216	558	880	1,051	792	-
Male	1,973	35	5	11	34	41	60	132	352	537	489	277	-
Female	1,815	21	3	7	14	20	40	84	206	343	562	515	-
White	3,529	40	7	17	45	54	90	188	508	824	994	762	-
Male	1,829	24	4	10	32	40	54	115	323	506	458	263	-
Female	1,700	16	3	7	13	14	36	73	185	318	536	499	-
All other	259	16	1	1	3	7	10	28	50	56	57	30	-
Male	144	11	1	1	2	1	6	17	29	31	31	14	-
Female	115	5	-	-	1	6	4	11	21	25	26	16	-
Black	257	15	1	1	3	7	10	28	50	56	56	30	-
Male	143	10	1	1	2	1	6	17	29	31	31	14	-
Female	114	5	-	-	1	6	4	11	21	25	25	16	-
Casper, Wyo	413	9	3	4	23	17	11	25	69	94	103	55	-
Male	243	5	3	3	16	15	8	20	38	53	55	27	-
Female	170	4	-	1	7	2	3	5	31	41	48	28	-
White	408	9	3	4	23	17	11	25	68	92	102	54	-
Male	240	5	3	3	16	15	8	20	38	51	55	26	-
Female	168	4	-	1	7	2	3	5	30	41	47	28	-
All other	5	-	-	-	-	-	-	-	1	2	1	1	-
Male	3	-	-	-	-	-	-	-	-	2	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Cedar Rapids, Iowa	1,286	27	1	6	22	25	19	71	168	282	330	335	-
Male	650	18	1	3	16	13	12	49	97	189	150	102	-
Female	636	9	-	3	6	12	7	22	71	93	180	233	-
White	1,268	26	-	6	20	22	18	70	165	279	327	333	-
Male	638	17	-	3	15	11	11	48	95	187	149	102	-
Female	628	9	-	3	5	11	7	22	70	92	178	231	-
All other	20	1	1	-	2	3	1	1	3	3	3	2	-
Male	12	1	1	-	1	2	1	1	2	2	1	-	-
Female	8	-	-	-	1	1	-	-	1	1	2	2	-
Black	18	1	1	-	2	3	1	1	3	1	3	2	-
Male	10	1	1	-	1	2	1	1	2	-	1	-	-
Female	8	-	-	-	1	1	-	-	1	1	2	2	-
Champaign-Urbana-Rantoul, Ill	949	23	6	9	14	22	26	63	148	181	246	211	-
Male	498	16	5	8	12	14	17	41	96	111	118	60	-
Female	451	7	1	1	2	8	9	22	52	70	128	151	-
White	851	18	5	8	14	18	21	49	130	159	228	201	-
Male	445	13	4	7	12	13	13	31	85	101	112	54	-
Female	406	5	1	1	2	5	8	18	45	58	116	147	-
All other	98	5	1	1	-	4	5	14	18	22	18	10	-
Male	53	3	1	1	-	1	4	10	11	10	6	6	-
Female	45	2	-	-	-	3	1	4	7	12	12	4	-
Black	95	5	1	1	-	3	5	13	18	21	18	10	-
Male	50	3	1	1	-	-	4	9	11	9	6	6	-
Female	45	2	-	-	-	3	1	4	7	12	12	4	-
Charleston-North Charleston, S.C	2,959	103	14	24	106	114	138	255	530	734	583	358	-
Male	1,652	58	10	18	73	86	80	162	339	440	278	108	-
Female	1,307	45	4	6	33	28	58	93	191	294	305	250	-
White	1,825	44	9	16	62	69	68	150	322	421	379	285	-
Male	1,011	25	6	12	39	49	35	94	213	279	181	78	-
Female	814	19	3	4	23	20	33	56	109	142	198	207	-
All other	1,134	59	5	8	44	45	70	105	208	313	204	73	-
Male	641	33	4	6	34	37	45	68	126	161	97	30	-
Female	493	26	1	2	10	8	25	37	82	152	107	43	-
Black	1,131	58	5	8	44	45	70	104	208	312	204	73	-
Male	639	32	4	6	34	37	45	67	126	161	97	30	-
Female	492	26	1	2	10	8	25	37	82	151	107	43	-
Charleston, W. Va	2,500	36	5	12	35	53	58	152	400	661	661	427	-
Male	1,327	14	3	8	27	35	48	97	248	400	299	148	-
Female	1,173	22	2	4	8	18	10	55	152	261	362	279	-
White	2,344	31	4	9	33	47	56	142	370	625	626	401	-
Male	1,252	12	3	6	26	30	47	88	232	365	283	140	-
Female	1,092	19	1	3	7	17	9	54	138	240	343	261	-
All other	156	5	1	3	2	6	2	10	30	36	35	26	-
Male	75	2	-	2	1	5	1	9	16	15	16	8	-
Female	81	3	1	1	1	1	1	1	14	21	19	18	-
Black	151	5	1	1	2	6	1	9	30	36	34	26	-
Male	72	2	-	1	1	5	1	8	16	15	15	8	-
Female	79	3	1	-	1	1	-	1	14	21	19	18	-
Charlotte-Gastonia, N.C	4,830	103	15	31	91	138	176	377	850	1,171	1,162	715	1
Male	2,575	69	8	23	63	99	110	241	557	659	537	208	1
Female	2,255	34	7	8	28	39	66	136	293	512	625	507	-
White	3,668	55	8	19	73	79	104	262	620	898	938	613	1
Male	1,956	37	3	14	52	60	63	167	419	521	436	189	1
Female	1,712	18	5	5	21	19	41	95	201	375	502	430	-
All other	1,162	48	7	12	18	59	72	115	230	275	224	102	-
Male	619	32	5	9	11	39	47	74	138	138	101	25	-
Female	543	16	2	3	7	20	25	41	92	137	123	77	-
Black	1,148	48	7	12	18	57	71	114	228	271	221	101	-
Male	612	32	5	9	11	38	47	73	138	135	99	25	-
Female	536	16	2	3	7	19	24	41	90	136	122	76	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charlottesville, Va	855	15	7	5	17	24	29	37	128	192	239	162	-
Male	455	7	3	2	10	15	16	28	83	110	120	61	-
Female	400	8	4	3	7	9	13	9	45	82	119	101	-
White	671	11	5	5	13	17	18	27	101	143	189	142	-
Male	353	6	2	2	9	10	9	19	66	82	93	55	-
Female	318	5	3	3	4	7	9	8	35	61	96	87	-
All other	184	4	2	-	4	7	11	10	27	49	50	20	-
Male	102	1	1	-	1	5	7	9	17	28	27	6	-
Female	82	3	1	-	3	2	4	1	10	21	23	14	-
Black	182	4	2	-	3	7	11	10	27	48	50	20	-
Male	102	1	1	-	1	5	7	9	17	28	27	6	-
Female	80	3	1	-	2	2	4	1	10	20	23	14	-
Chattanooga, Tenn.-Ga	3,746	62	16	24	56	89	113	283	578	945	965	615	-
Male	1,960	38	8	18	40	61	69	178	350	528	453	217	-
Female	1,786	24	8	6	16	28	44	105	228	417	512	398	-
White	3,136	44	14	18	47	64	95	229	473	762	843	547	-
Male	1,638	25	8	17	33	42	59	152	296	427	392	187	-
Female	1,498	19	6	1	14	22	36	77	177	335	451	360	-
All other	610	18	2	6	9	25	18	54	105	183	122	68	-
Male	322	13	-	1	7	19	10	26	54	101	61	30	-
Female	288	5	2	5	2	6	8	28	51	82	61	38	-
Black	607	18	2	6	9	25	17	54	103	183	122	68	-
Male	322	13	-	1	7	19	10	26	54	101	61	30	-
Female	285	5	2	5	2	6	7	28	49	82	61	38	-
Chicago, Ill	60,738	1,528	238	258	1,163	1,653	1,979	4,261	9,465	14,180	15,315	10,696	2
Male	31,817	859	125	152	870	1,183	1,281	2,691	5,882	8,144	7,120	3,508	2
Female	28,921	669	113	106	293	470	698	1,570	3,583	6,036	8,195	7,188	-
White	46,379	764	128	168	746	951	1,214	2,662	7,131	11,604	13,175	9,634	2
Male	24,915	424	62	106	567	694	779	1,810	4,495	6,738	6,133	3,107	2
Female	23,464	340	66	62	179	257	435	1,052	2,636	4,868	7,042	6,527	-
All other	12,359	764	110	90	417	702	765	1,399	2,334	2,576	2,140	1,062	-
Male	6,902	435	63	46	303	489	502	881	1,387	1,408	987	401	-
Female	5,457	329	47	44	114	213	263	518	947	1,168	1,153	661	-
Black	12,046	746	106	84	402	687	749	1,368	2,272	2,520	2,088	1,024	-
Male	6,715	423	61	41	291	479	496	865	1,344	1,373	957	385	-
Female	5,331	323	45	43	111	208	253	503	928	1,147	1,131	639	-
Chico, Calif	1,591	22	10	8	26	17	35	53	204	438	451	327	-
Male	864	11	6	6	20	9	22	33	110	263	247	137	-
Female	727	11	4	2	6	8	13	20	94	175	204	190	-
White	1,568	20	8	8	26	16	34	52	201	432	444	327	-
Male	852	10	6	6	20	8	21	32	107	261	244	137	-
Female	716	10	2	2	6	8	13	20	94	171	200	190	-
All other	23	2	2	-	-	1	1	1	3	6	7	-	-
Male	12	1	-	-	-	1	1	1	3	2	3	-	-
Female	11	1	2	-	-	-	-	-	-	4	4	-	-
Black	16	2	1	-	-	1	1	1	1	4	5	-	-
Male	8	1	-	-	-	1	1	1	1	2	1	-	-
Female	8	1	1	-	-	-	-	-	-	2	4	-	-
Cincinnati, Ohio-Ky.-Ind	12,803	293	48	40	181	237	308	764	1,857	3,058	3,542	2,475	-
Male	6,439	150	28	28	131	166	185	471	1,150	1,741	1,660	729	-
Female	6,364	143	20	12	50	71	123	293	707	1,317	1,882	1,746	-
White	11,136	214	36	30	156	187	247	613	1,543	2,629	3,196	2,285	-
Male	5,559	112	20	21	115	131	156	383	965	1,513	1,487	656	-
Female	5,577	102	16	9	41	56	91	230	578	1,116	1,709	1,629	-
All other	1,667	79	12	10	25	50	61	151	314	429	346	190	-
Male	880	38	8	7	16	35	29	88	185	228	173	73	-
Female	787	41	4	3	9	15	32	63	129	201	173	117	-
Black	1,643	77	12	9	25	49	58	149	309	424	343	188	-
Male	868	37	8	6	16	34	29	86	185	225	170	72	-
Female	775	40	4	3	9	15	29	63	124	199	173	116	-
Clarksville-Hopkinsville, Tenn.-Ky	1,150	47	12	8	35	44	38	94	178	250	258	186	-
Male	639	33	9	5	28	38	27	55	104	155	121	84	-
Female	511	14	3	3	7	6	11	39	74	95	137	122	-
White	886	31	9	6	31	31	27	64	143	196	203	145	-
Male	503	22	7	4	25	26	20	41	86	127	98	47	-
Female	383	9	2	2	6	5	7	23	57	69	105	98	-
All other	264	16	3	2	4	13	11	30	35	54	55	41	-
Male	136	11	2	1	3	12	7	14	18	28	23	17	-
Female	128	5	1	1	1	1	4	16	17	26	32	24	-
Black	261	15	3	2	4	13	10	29	35	54	55	41	-
Male	135	10	2	1	3	12	7	14	18	28	23	17	-
Female	126	5	1	1	1	1	3	15	17	26	32	24	-
Cleveland, Ohio	18,309	297	59	60	287	378	479	1,132	3,007	4,445	4,769	3,394	2
Male	9,475	165	36	34	207	244	311	685	1,848	2,581	2,235	1,128	1
Female	8,834	132	23	26	80	134	168	447	1,159	1,864	2,534	2,266	1
White	15,011	163	41	41	200	218	315	797	2,314	3,704	4,159	3,058	1
Male	7,626	83	26	27	143	144	208	490	1,411	2,144	1,940	1,010	-
Female	7,385	80	15	14	57	74	107	307	903	1,560	2,219	2,048	1
All other	3,298	134	18	19	87	160	164	335	693	741	610	336	1
Male	1,849	82	10	7	64	100	103	195	437	437	295	118	1
Female	1,449	52	8	12	23	60	61	140	256	304	315	218	-
Black	3,255	130	18	18	86	159	160	333	686	728	604	332	1
Male	1,818	79	10	7	64	99	99	194	430	427	291	117	1
Female	1,437	51	8	11	22	60	61	139	256	301	313	215	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado Springs, Colo	1,847	72	11	13	71	73	74	132	271	382	401	347	-
Male	973	44	9	8	53	47	41	77	172	219	182	121	-
Female	874	28	2	5	18	26	33	55	99	163	219	226	-
White	1,742	63	9	10	63	62	67	112	260	365	393	338	-
Male	912	39	7	5	47	41	35	64	167	212	180	115	-
Female	830	24	2	5	16	21	32	48	93	153	213	223	-
All other	105	9	2	3	8	11	7	20	11	17	8	9	-
Male	61	5	2	3	6	6	6	13	5	7	2	6	-
Female	44	4	-	-	2	5	1	7	6	10	6	3	-
Black	90	8	2	1	6	8	6	16	11	15	8	9	-
Male	52	4	2	1	5	5	5	11	5	6	2	6	-
Female	38	4	-	-	1	3	1	5	6	9	6	3	-
Columbia, Mo	639	16	1	3	18	18	17	30	76	109	168	184	-
Male	313	10	-	2	9	12	13	20	39	65	88	55	-
Female	326	6	1	1	7	7	4	10	37	44	80	129	-
White	588	14	1	3	14	15	13	24	67	104	157	176	-
Male	289	9	-	2	7	12	11	16	36	61	83	52	-
Female	299	5	1	1	7	3	2	8	31	43	74	124	-
All other	51	2	-	-	2	4	4	6	9	5	11	8	-
Male	24	1	-	-	2	-	2	4	3	4	5	3	-
Female	27	1	-	-	-	4	2	2	6	1	6	5	-
Black	51	2	-	-	2	4	4	6	9	5	11	8	-
Male	24	1	-	-	2	-	2	4	3	4	5	3	-
Female	27	1	-	-	-	4	2	2	6	1	6	5	-
Columbia, S.C	3,239	86	16	23	70	104	137	235	575	795	745	452	1
Male	1,673	41	9	17	48	74	83	138	338	430	341	153	1
Female	1,566	45	7	6	22	30	54	97	237	365	404	299	-
White	2,267	40	7	13	50	61	81	147	394	540	566	368	-
Male	1,161	18	4	10	34	45	51	87	240	298	258	116	-
Female	1,106	22	3	3	16	16	30	60	154	242	308	252	-
All other	972	46	9	10	20	43	56	88	181	255	179	84	1
Male	512	23	5	7	14	29	32	51	98	132	83	37	1
Female	460	23	4	3	6	14	24	37	83	123	96	47	-
Black	967	45	9	10	20	43	56	86	181	254	178	84	1
Male	509	22	5	7	14	29	32	50	98	132	82	37	1
Female	458	23	4	3	6	14	24	36	83	122	96	47	-
Columbus, Ga.-Ala	2,009	55	11	11	37	46	67	176	388	533	467	219	1
Male	1,057	34	4	5	25	31	49	119	245	308	168	68	1
Female	952	21	7	6	12	15	18	57	141	225	299	151	-
White	1,281	28	5	7	25	20	43	98	249	319	318	169	1
Male	667	16	2	2	16	12	32	70	158	189	117	52	1
Female	614	10	3	5	9	8	11	28	93	130	201	116	-
All other	728	27	6	4	12	26	24	78	137	214	149	51	-
Male	390	18	2	3	9	19	17	49	89	119	51	16	-
Female	338	11	4	1	3	7	7	29	48	95	98	35	-
Black	721	27	6	4	11	25	24	76	136	212	149	51	-
Male	386	16	2	3	8	18	17	49	88	118	51	16	-
Female	335	11	4	1	3	7	7	27	48	94	98	35	-
Columbus, Ohio	8,482	196	31	41	174	202	272	593	1,357	1,950	2,162	1,504	-
Male	4,413	121	19	22	127	140	162	378	837	1,096	1,033	478	-
Female	4,069	75	12	19	47	62	110	215	520	854	1,129	1,026	-
White	7,442	144	22	31	148	164	229	476	1,163	1,723	1,943	1,399	-
Male	3,821	82	13	16	108	113	136	303	721	973	920	436	-
Female	3,621	62	9	15	40	51	93	173	442	750	1,023	963	-
All other	1,040	52	9	10	26	38	43	117	194	227	219	105	-
Male	592	39	6	6	19	27	26	75	116	123	113	42	-
Female	448	13	3	4	7	11	17	42	78	104	106	63	-
Black	1,022	50	8	9	26	36	43	115	190	226	215	104	-
Male	583	38	6	6	19	25	26	74	112	123	112	42	-
Female	439	12	2	3	7	11	17	41	78	103	103	62	-
Corpus Christi, Tex	2,383	63	12	11	65	89	69	157	393	544	651	329	-
Male	1,374	37	7	8	53	74	49	97	257	321	340	131	-
Female	1,009	26	5	3	12	15	20	60	136	223	311	198	-
White	2,264	62	12	9	62	88	68	145	372	505	628	315	-
Male	1,306	36	7	8	50	71	48	91	244	303	328	122	-
Female	958	26	5	3	12	15	20	54	128	202	300	193	-
All other	119	1	-	2	3	3	1	12	21	39	23	14	-
Male	68	1	-	2	3	3	1	6	13	18	12	9	-
Female	51	-	-	-	-	-	-	6	8	21	11	5	-
Black	117	1	-	2	3	3	1	12	21	38	23	13	-
Male	68	1	-	2	3	3	1	6	13	18	12	9	-
Female	49	-	-	-	-	-	-	6	8	20	11	4	-
Cumberland, Md.-W. Va	1,230	19	-	3	11	17	26	62	193	322	334	243	-
Male	630	10	-	3	10	12	18	41	122	188	147	79	-
Female	600	9	-	-	1	5	8	21	71	134	187	164	-
White	1,213	19	-	3	11	15	25	61	190	319	328	242	-
Male	618	10	-	3	10	10	18	40	119	186	144	78	-
Female	595	9	-	-	1	5	7	21	71	133	184	164	-
All other	17	-	-	-	-	2	1	1	3	3	6	1	-
Male	12	-	-	-	-	2	-	1	3	2	3	1	-
Female	5	-	-	-	-	-	1	-	-	1	3	-	-
Black	17	-	-	-	-	2	1	1	3	3	6	1	-
Male	12	-	-	-	-	2	-	1	3	2	3	1	-
Female	5	-	-	-	-	-	1	-	-	1	3	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Dallas-Fort Worth, Tex	22,595	699	110	148	659	841	954	1,674	3,969	4,990	5,518	3,647	2
Male	12,070	397	61	83	466	613	595	1,025	2,127	2,989	2,566	1,147	1
Female	10,525	302	49	65	187	228	359	649	1,242	1,991	2,952	2,500	1
White	19,093	511	82	124	524	640	719	1,297	2,785	4,232	4,844	3,333	2
Male	10,094	294	44	67	389	481	453	796	1,760	2,575	2,219	1,021	1
Female	8,999	217	38	57	141	159	266	501	1,025	1,657	2,625	2,312	1
All other	3,502	188	28	24	129	201	235	377	584	748	674	314	-
Male	1,976	103	17	16	83	132	142	229	367	414	347	126	-
Female	1,526	85	11	8	46	69	93	148	217	334	327	188	-
Black	3,401	181	26	24	116	184	224	368	569	736	664	309	-
Male	1,913	97	15	16	75	120	135	223	359	406	342	125	-
Female	1,488	84	11	8	41	64	89	145	210	330	322	184	-
Danville, Va	1,134	21	3	5	16	15	45	57	184	293	300	195	-
Male	612	16	3	4	11	10	34	35	121	175	145	58	-
Female	522	5	-	1	5	5	11	22	63	118	155	137	-
White	838	7	2	3	14	9	31	37	124	210	229	170	-
Male	447	3	2	3	9	6	21	25	86	135	115	42	-
Female	389	4	-	-	5	3	10	12	38	75	114	128	-
All other	298	14	1	2	2	6	14	20	60	83	71	25	-
Male	165	13	1	1	2	4	13	10	35	40	30	16	-
Female	133	1	-	1	-	2	1	10	25	43	41	9	-
Black	298	14	1	2	2	6	14	20	60	83	71	25	-
Male	165	13	1	1	2	4	13	10	35	40	30	16	-
Female	133	1	-	1	-	2	1	10	25	43	41	9	-
Davenport-Rock Island-Moline, Iowa-Ill	3,291	40	10	11	59	58	80	173	470	789	888	712	1
Male	1,687	30	6	4	44	41	51	94	276	474	442	225	-
Female	1,604	10	4	7	15	17	29	79	194	315	446	487	1
White	3,178	30	7	11	57	51	78	156	448	766	871	702	1
Male	1,618	23	4	4	42	34	50	86	262	461	431	221	-
Female	1,560	7	3	7	15	17	28	70	186	305	440	481	1
All other	113	10	3	-	2	7	2	17	22	23	17	10	-
Male	69	7	2	-	2	7	1	8	14	13	11	4	-
Female	44	3	1	-	-	-	1	9	8	10	6	6	-
Black	111	10	3	-	2	7	2	17	20	23	17	10	-
Male	68	7	2	-	2	7	1	8	13	13	11	4	-
Female	43	3	1	-	-	-	1	9	7	10	6	6	-
Dayton, Ohio	6,934	150	28	30	139	149	198	472	1,125	1,679	1,754	1,210	-
Male	3,598	81	16	21	94	101	121	286	669	947	858	404	-
Female	3,336	69	12	9	45	48	77	186	456	732	896	806	-
White	6,032	96	22	22	111	112	156	380	949	1,476	1,586	1,122	-
Male	3,110	52	13	15	77	77	90	227	567	835	782	375	-
Female	2,922	44	9	7	34	35	66	153	382	641	804	747	-
All other	902	54	6	8	28	37	42	92	176	203	168	88	-
Male	488	29	3	6	17	24	31	59	102	112	78	29	-
Female	414	25	3	2	11	13	11	33	74	91	92	59	-
Black	889	53	6	7	28	37	41	90	175	201	164	87	-
Male	480	28	3	6	17	24	30	59	101	111	72	29	-
Female	409	25	3	1	11	13	11	31	74	90	92	58	-
Daytona Beach, Fla	3,918	29	6	5	48	67	64	160	498	1,052	1,182	807	-
Male	2,157	20	5	4	35	46	40	95	320	635	655	302	-
Female	1,761	9	1	1	13	21	24	65	178	417	527	505	-
White	3,623	19	4	4	42	56	54	143	440	967	1,116	778	-
Male	2,000	16	3	4	30	40	33	86	286	589	626	287	-
Female	1,623	3	1	-	12	16	21	57	154	378	490	491	-
All other	295	10	2	1	6	11	10	17	58	85	66	29	-
Male	157	4	2	-	5	6	7	9	34	46	29	15	-
Female	138	6	-	1	1	5	3	8	24	39	37	14	-
Black	293	10	2	-	6	11	10	17	58	85	66	29	-
Male	158	4	2	-	5	6	7	9	34	46	29	14	-
Female	137	6	-	-	1	5	3	8	24	39	37	14	-
Decatur, Ill	1,179	33	5	3	17	21	25	64	153	269	318	271	-
Male	587	24	4	1	11	14	14	33	96	164	145	81	-
Female	592	9	1	2	6	7	11	31	57	105	173	190	-
White	1,085	19	4	1	14	19	21	59	136	245	306	261	-
Male	530	14	3	-	10	13	12	31	84	149	137	77	-
Female	555	5	1	1	4	6	9	28	52	96	169	184	-
All other	94	14	1	2	3	2	4	5	17	24	12	10	-
Male	57	10	1	1	1	1	2	2	12	15	8	4	-
Female	37	4	-	1	2	1	2	3	5	9	4	6	-
Black	93	14	1	2	3	2	4	5	17	24	12	9	-
Male	56	10	1	1	1	1	2	2	12	15	8	3	-
Female	37	4	-	1	2	1	2	3	5	9	4	6	-
Denver-Boulder, Colo	10,463	313	56	61	294	412	395	891	1,503	2,231	2,432	2,073	2
Male	5,546	181	30	37	213	301	246	424	912	1,313	1,184	704	1
Female	4,917	132	26	24	81	111	149	267	591	918	1,248	1,369	1
White	9,886	279	50	56	270	374	353	632	1,391	2,116	2,356	2,007	2
Male	5,214	160	27	35	194	275	220	392	837	1,250	1,146	677	1
Female	4,672	119	23	21	76	99	133	240	554	866	1,210	1,330	1
All other	577	34	6	5	24	38	42	59	112	115	76	66	-
Male	332	21	-3	2	19	26	26	32	75	63	38	27	-
Female	245	13	3	3	5	12	16	27	37	52	38	39	-
Black	489	32	4	3	20	32	34	49	96	101	65	53	-
Male	293	19	3	2	16	22	23	28	67	56	32	25	-
Female	196	13	1	1	4	10	11	21	29	45	33	28	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, Iowa	2,693	54	11	9	45	68	61	147	357	648	691	602	-
Male	1,397	27	6	7	35	56	37	92	236	380	317	204	-
Female	1,296	27	5	2	10	12	24	55	121	268	374	398	-
White	2,556	47	10	8	40	59	55	138	341	616	657	585	-
Male	1,317	23	5	6	32	51	34	88	222	363	298	195	-
Female	1,239	24	5	2	8	8	21	50	119	253	359	390	-
All other	137	7	1	1	5	9	6	9	16	32	34	17	-
Male	80	4	1	1	3	5	3	4	14	17	19	9	-
Female	57	3	-	-	2	4	3	5	2	15	15	8	-
Black	130	7	1	1	5	8	5	9	15	30	32	17	-
Male	76	4	1	1	3	4	3	4	13	16	18	9	-
Female	54	3	-	-	2	4	2	5	2	14	14	8	-
Detroit, Mich	37,071	744	96	167	784	1,148	1,283	2,571	6,093	8,738	9,119	6,327	1
Male	19,702	401	52	102	588	802	826	1,591	3,706	5,029	4,374	2,231	-
Female	17,369	343	44	65	196	346	457	980	2,387	3,709	4,745	4,096	1
White	28,806	396	58	99	503	603	759	1,767	4,487	6,896	7,628	5,609	1
Male	15,085	214	35	61	375	430	474	1,096	2,748	4,044	3,633	1,975	-
Female	13,721	182	23	38	128	173	285	671	1,739	2,852	3,995	3,634	1
All other	8,265	348	38	68	281	545	524	804	1,606	1,842	1,491	718	-
Male	4,617	187	17	41	213	372	352	495	958	985	741	258	-
Female	3,648	161	21	27	68	173	172	309	648	857	750	462	-
Black	8,156	342	37	66	275	541	520	795	1,583	1,813	1,475	709	-
Male	4,554	186	17	39	210	370	348	487	945	969	731	252	-
Female	3,602	156	20	27	65	171	172	308	638	844	744	457	-
Dubuque, Iowa	802	13	2	1	19	9	15	30	100	182	238	193	-
Male	381	4	2	1	14	5	10	23	63	106	98	55	-
Female	421	9	-	-	5	4	5	7	37	76	140	138	-
White	801	13	2	1	19	9	14	30	100	182	238	193	-
Male	380	4	2	1	14	5	9	23	63	106	98	55	-
Female	421	9	-	-	5	4	5	7	37	76	140	138	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Duluth-Superior, Minn.-Wis	2,668	27	6	7	33	40	56	121	292	698	785	603	-
Male	1,426	15	2	6	21	31	35	76	199	423	408	210	-
Female	1,242	12	4	1	12	9	21	45	93	275	377	393	-
White	2,644	25	6	7	32	38	55	119	288	692	780	602	-
Male	1,416	13	2	6	21	31	34	76	198	420	408	209	-
Female	1,228	12	4	1	11	7	21	43	90	272	374	393	-
All other	24	2	-	-	1	2	1	2	4	6	5	1	-
Male	10	2	-	-	-	-	1	-	1	3	2	1	-
Female	14	-	-	-	1	2	-	2	3	3	3	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Eau Claire, Wis	1,080	18	6	6	20	10	29	46	104	249	310	262	-
Male	574	12	2	5	17	5	20	29	70	158	169	87	-
Female	486	6	4	1	3	5	9	17	34	91	141	175	-
White	1,054	17	6	5	19	9	27	46	104	249	310	262	-
Male	571	11	2	4	17	5	19	29	70	158	169	87	-
Female	483	6	4	1	2	4	8	17	34	91	141	175	-
All other	6	1	-	1	1	1	2	-	-	-	-	-	-
Male	3	1	-	1	-	-	1	-	-	-	-	-	-
Female	3	-	-	-	1	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, Tex	2,706	105	18	20	81	95	109	217	425	607	598	431	-
Male	1,475	56	5	13	60	63	73	139	280	361	290	135	-
Female	1,231	49	13	7	21	32	36	78	145	246	308	296	-
White	2,625	99	18	20	77	89	105	204	415	587	584	427	-
Male	1,424	53	5	13	57	60	70	131	273	347	281	134	-
Female	1,201	46	13	7	20	29	35	73	142	240	303	293	-
All other	81	6	-	-	4	6	4	13	10	20	14	4	-
Male	51	3	-	-	3	3	3	8	7	14	9	1	-
Female	30	3	-	-	1	3	1	5	3	6	5	3	-
Black	68	5	-	-	4	6	4	10	6	17	13	3	-
Male	44	3	-	-	3	3	3	6	6	11	8	1	-
Female	24	2	-	-	1	3	1	4	-	6	5	2	-
Elkhart, Ind	1,043	27	8	9	17	22	30	56	127	227	292	228	-
Male	535	17	4	4	10	18	22	36	67	115	155	87	-
Female	508	10	4	5	7	4	8	20	60	112	137	141	-
White	1,006	26	6	7	17	20	26	53	121	216	286	226	-
Male	519	16	3	4	10	17	20	34	64	111	153	87	-
Female	487	10	3	3	7	3	6	19	57	107	133	139	-
All other	37	1	2	2	-	2	4	3	6	9	6	2	-
Male	16	1	1	-	-	1	2	2	3	4	2	-	-
Female	21	-	1	2	-	1	2	1	3	5	4	2	-
Black	37	1	2	2	-	2	4	3	6	9	6	2	-
Male	16	1	1	-	-	1	2	2	3	4	2	-	-
Female	21	-	1	2	-	1	2	1	3	5	4	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Elmira, N.Y	947	13	3	4	12	10	18	39	127	222	284	215	-
Male	469	7	3	3	7	4	12	19	84	135	130	65	-
Female	478	6	-	1	5	6	6	20	43	87	154	150	-
White	916	11	3	4	12	10	18	37	123	215	276	207	-
Male	452	6	3	3	7	4	12	19	80	130	126	62	-
Female	464	5	-	1	5	6	6	18	43	85	150	145	-
All other	31	2	-	-	-	-	-	2	4	7	8	8	-
Male	17	1	-	-	-	-	-	-	4	5	4	3	-
Female	14	1	-	-	-	-	-	2	-	2	4	5	-
Black	29	2	-	-	-	-	-	-	4	7	8	8	-
Male	17	1	-	-	-	-	-	-	4	5	4	3	-
Female	12	1	-	-	-	-	-	-	-	2	4	5	-
Enid, Okla	615	14	2	4	14	21	14	34	66	129	206	111	-
Male	306	9	2	1	10	17	7	23	43	69	96	29	-
Female	309	5	-	3	4	4	7	11	23	60	110	82	-
White	586	14	2	4	13	18	12	31	64	120	203	105	-
Male	292	9	2	1	9	15	6	22	41	64	95	28	-
Female	294	5	-	3	4	3	6	9	23	56	108	77	-
All other	29	-	-	-	1	3	2	3	2	9	3	6	-
Male	14	-	-	-	1	2	1	1	2	5	1	1	-
Female	15	-	-	-	-	1	1	2	-	4	2	5	-
Black	28	-	-	-	1	3	2	3	1	9	3	6	-
Male	13	-	-	-	1	2	1	1	1	5	1	1	-
Female	15	-	-	-	-	1	1	2	-	4	2	5	-
Erie, Pa	2,680	55	8	8	40	41	49	109	404	668	739	559	-
Male	1,394	27	5	5	30	27	32	58	261	393	360	196	-
Female	1,286	28	3	3	10	14	17	51	143	275	379	363	-
White	2,601	49	6	7	40	35	44	103	382	654	728	553	-
Male	1,345	21	3	4	30	23	29	55	249	385	352	194	-
Female	1,256	28	3	3	10	12	15	48	133	269	376	359	-
All other	79	6	2	1	-	6	5	6	22	14	11	6	-
Male	49	6	2	1	-	4	3	3	12	8	8	2	-
Female	30	-	-	-	-	2	2	3	10	6	3	4	-
Black	79	6	2	1	-	6	5	6	22	14	11	6	-
Male	49	6	2	1	-	4	3	3	12	8	8	2	-
Female	30	-	-	-	-	2	2	3	10	6	3	4	-
Eugene-Springfield, Oreg	1,941	38	8	13	45	46	51	105	248	458	501	428	-
Male	1,075	23	8	9	31	36	41	74	157	268	253	175	-
Female	866	15	-	4	14	10	10	31	91	190	248	253	-
White	1,921	36	8	11	44	44	50	103	245	456	497	427	-
Male	1,064	23	8	8	31	34	40	74	156	266	250	174	-
Female	857	13	-	3	13	10	10	29	89	190	247	253	-
All other	20	2	-	2	1	2	1	2	3	2	4	1	-
Male	11	-	-	1	-	2	1	-	1	2	3	1	-
Female	9	2	-	1	1	-	-	2	2	-	1	-	-
Black	7	1	-	1	1	1	-	-	1	1	-	1	-
Male	4	-	-	1	-	1	-	-	-	1	-	1	-
Female	3	1	-	-	1	-	-	-	1	-	-	-	-
Evansville, Ind.-Ky	2,954	44	6	6	49	57	55	155	406	640	691	645	-
Male	1,480	24	5	1	34	42	40	103	251	385	422	193	-
Female	1,474	20	1	5	15	15	15	52	155	275	469	452	-
White	2,761	36	6	6	43	48	50	144	376	596	842	614	-
Male	1,370	20	5	1	31	34	38	98	232	336	397	178	-
Female	1,391	16	1	5	12	14	12	46	144	260	445	436	-
All other	193	8	-	-	6	9	5	11	30	44	49	31	-
Male	110	4	-	-	3	8	2	5	19	29	25	15	-
Female	83	4	-	-	3	1	3	6	11	15	24	16	-
Black	193	8	-	-	6	9	5	11	30	44	49	31	-
Male	110	4	-	-	3	8	2	5	19	29	25	15	-
Female	83	4	-	-	3	1	3	6	11	15	24	16	-
Fargo-Moorhead, N.Dak.-Minn	960	17	4	5	17	26	18	47	122	186	256	252	-
Male	526	10	4	4	12	18	15	27	80	127	127	102	-
Female	434	7	-	1	5	8	3	20	42	69	129	150	-
White	956	17	4	5	17	26	17	47	120	195	256	252	-
Male	523	10	4	4	12	18	14	27	79	126	127	102	-
Female	433	7	-	1	5	8	3	20	41	69	129	150	-
All other	4	-	-	-	-	-	1	-	2	1	-	-	-
Male	3	-	-	-	-	-	1	-	1	1	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fayetteville, N.C	1,350	86	11	11	62	58	63	122	249	313	250	125	-
Male	792	55	4	7	46	48	40	81	172	192	103	44	-
Female	558	31	7	4	16	10	23	41	77	121	147	81	-
White	880	42	5	6	41	30	31	84	171	214	174	82	-
Male	539	28	1	3	33	24	20	63	120	142	76	29	-
Female	341	14	4	3	8	6	11	21	51	72	98	53	-
All other	470	44	6	5	21	28	32	38	78	99	76	43	-
Male	253	27	3	4	13	24	20	18	52	50	27	15	-
Female	217	17	3	1	8	4	12	20	26	49	49	28	-
Black	447	44	5	3	20	24	29	36	74	94	76	42	-
Male	239	27	3	2	12	21	19	17	51	46	27	14	-
Female	208	17	2	1	8	3	10	19	23	48	49	28	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville-Springdale, Ark	1,552	31	9	10	26	30	30	79	189	377	466	304	1
Male	851	24	5	6	15	22	20	55	121	235	241	107	-
Female	701	7	4	4	11	8	10	24	68	142	225	197	1
White	1,543	29	9	9	26	30	30	78	189	376	464	302	1
Male	847	22	5	5	15	22	20	54	121	235	241	107	-
Female	696	7	4	4	11	8	10	24	68	141	223	195	1
All other	9	2	-	1	-	-	-	1	-	1	2	2	-
Male	4	2	-	1	-	-	-	1	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	1	2	2	-
Black	7	-	-	1	-	-	-	1	-	1	2	2	-
Male	2	-	-	1	-	-	-	1	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	1	2	2	-
Flint, Mich	3,645	101	28	18	81	82	124	204	665	880	947	635	-
Male	2,029	57	11	11	59	58	82	170	384	502	469	226	-
Female	1,616	44	17	7	22	24	42	114	281	378	478	409	-
White	3,365	67	15	14	59	58	88	236	570	786	869	603	-
Male	1,748	34	5	9	44	44	58	138	334	443	427	212	-
Female	1,617	33	10	5	15	14	30	98	236	343	442	391	-
All other	480	34	13	4	22	24	36	46	95	94	78	32	-
Male	281	23	6	2	15	14	24	32	50	59	42	14	-
Female	199	11	7	2	7	10	12	16	45	35	36	18	-
Black	469	32	13	4	22	23	34	48	95	91	75	32	-
Male	274	22	6	2	15	14	23	32	50	57	39	14	-
Female	195	10	7	2	7	9	11	16	45	34	36	18	-
Florence, Ala	1,132	23	4	8	28	28	29	75	166	272	298	201	-
Male	636	12	4	5	20	21	21	47	114	169	147	76	-
Female	496	11	-	3	8	7	8	28	52	103	151	125	-
White	975	17	4	6	25	20	24	65	143	233	261	177	-
Male	547	10	4	3	19	14	17	41	97	148	129	65	-
Female	428	7	-	3	6	6	7	24	46	85	132	112	-
All other	157	6	-	2	3	8	5	10	23	39	37	24	-
Male	89	2	-	2	1	7	4	6	17	21	18	11	-
Female	68	4	-	-	2	1	1	4	6	18	19	13	-
Black	157	6	-	2	3	8	5	10	23	39	37	24	-
Male	89	2	-	2	1	7	4	6	17	21	18	11	-
Female	68	4	-	-	2	1	1	4	6	18	19	13	-
Florence, S.C	1,023	29	5	5	24	35	33	89	190	256	239	118	-
Male	550	15	3	3	15	27	18	52	115	164	100	38	-
Female	473	14	2	2	9	8	15	37	75	92	139	80	-
White	580	8	1	3	11	20	17	51	95	143	150	81	-
Male	315	5	1	2	9	16	8	27	55	101	64	27	-
Female	265	3	-	1	2	4	9	24	40	42	86	54	-
All other	443	21	4	2	13	15	16	38	95	113	89	37	-
Male	235	10	2	1	6	11	10	25	60	63	36	11	-
Female	208	11	2	1	7	4	6	13	35	50	53	26	-
Black	442	21	4	2	13	15	16	38	95	113	88	37	-
Male	234	10	2	1	6	11	10	25	60	63	35	11	-
Female	208	11	2	1	7	4	6	13	35	50	53	26	-
Fort Collins, Colo	807	24	4	4	9	24	27	49	104	153	222	187	-
Male	421	16	3	4	6	19	16	32	64	91	106	64	-
Female	386	8	1	-	3	5	11	17	40	62	116	123	-
White	803	24	4	4	9	23	27	48	104	152	221	187	-
Male	418	16	3	4	6	18	16	31	64	90	106	64	-
Female	385	8	1	-	3	5	11	17	40	62	115	123	-
All other	4	-	-	-	-	1	-	1	-	1	1	-	-
Male	3	-	-	-	-	1	-	1	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fort Lauderdale-Hollywood, Fla	12,421	149	33	24	157	256	299	505	1,413	3,382	4,111	2,089	3
Male	6,972	84	21	16	106	172	192	315	853	1,973	2,323	914	3
Female	5,449	65	12	8	51	84	107	190	560	1,409	1,788	1,175	-
White	11,566	75	23	10	127	198	238	412	1,249	3,183	3,996	2,055	2
Male	6,450	41	14	5	85	129	155	254	742	1,864	2,263	896	2
Female	5,116	34	9	5	42	69	81	158	507	1,319	1,733	1,159	-
All other	855	74	10	14	30	58	63	93	164	199	115	34	1
Male	522	43	7	11	21	43	37	61	111	109	60	18	1
Female	333	31	3	3	9	15	26	32	53	90	55	16	-
Black	845	74	10	14	30	57	62	92	161	198	112	34	1
Male	516	43	7	11	21	43	37	60	109	108	58	18	1
Female	329	31	3	3	9	14	25	32	52	90	54	16	-
Fort Myers-Cape Coral, Fla	2,782	40	10	9	29	53	52	110	356	808	864	448	3
Male	1,648	25	4	6	23	37	39	66	237	512	508	188	3
Female	1,134	15	6	3	6	16	13	44	119	296	356	260	-
White	2,652	30	8	9	27	46	43	95	331	778	849	434	2
Male	1,569	19	4	6	22	31	32	58	220	495	500	180	2
Female	1,083	11	4	3	5	15	11	37	111	283	349	254	-
All other	130	10	2	-	2	7	9	15	25	30	15	14	1
Male	79	6	-	-	1	6	7	8	17	17	8	8	1
Female	51	4	2	-	1	1	2	7	8	13	7	6	-
Black	128	10	2	-	2	7	8	15	25	30	15	13	1
Male	78	6	-	-	1	6	6	8	17	17	8	8	1
Female	50	4	2	-	1	1	2	7	8	13	7	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark.-Okla	1,999	28	7	4	53	40	59	98	264	463	564	418	1
Male	1,118	14	4	2	43	31	39	59	181	294	292	158	1
Female	881	14	3	2	10	9	20	39	83	169	272	260	-
White	1,876	22	7	4	50	32	53	90	245	442	540	390	1
Male	1,055	11	4	2	42	26	36	54	168	281	281	149	1
Female	821	11	3	2	8	6	17	36	77	161	259	241	-
All other	123	6	-	-	3	8	6	8	19	21	24	28	-
Male	63	3	-	-	1	5	3	5	13	13	11	9	-
Female	60	3	-	-	2	3	3	3	6	8	13	19	-
Black	83	3	-	-	2	4	4	5	11	16	18	20	-
Male	44	-	-	-	1	3	3	4	8	11	8	6	-
Female	39	3	-	-	1	1	1	1	3	5	10	14	-
Fort Walton Beach, Fla	687	29	5	7	32	20	21	71	135	139	140	88	-
Male	412	17	3	4	28	15	14	47	86	91	74	33	-
Female	275	12	2	3	4	5	7	24	49	48	66	55	-
White	647	22	5	6	30	18	19	68	130	127	136	86	-
Male	386	12	3	4	26	14	13	45	83	82	71	33	-
Female	261	10	2	2	4	4	6	23	47	45	65	53	-
All other	40	7	-	1	2	2	2	3	5	12	4	2	-
Male	26	5	-	-	2	1	1	2	3	9	3	-	-
Female	14	2	-	1	-	1	1	1	2	3	1	2	-
Black	38	7	-	1	1	2	2	3	5	12	3	2	-
Male	24	5	-	-	1	1	1	2	3	9	2	-	-
Female	14	2	-	1	-	1	1	1	2	3	1	2	-
Fort Wayne, Ind	3,006	71	15	16	54	49	81	165	412	646	869	628	-
Male	1,510	42	7	12	39	33	50	102	247	346	423	209	-
Female	1,496	29	8	4	15	16	31	63	165	300	446	419	-
White	2,837	61	13	13	45	43	65	144	375	626	838	616	-
Male	1,421	37	7	10	32	28	40	92	226	335	412	202	-
Female	1,416	24	6	3	13	15	25	52	149	291	424	414	-
All other	169	10	2	3	9	6	16	21	37	20	33	12	-
Male	89	5	-	2	7	5	10	10	21	11	11	7	-
Female	80	5	2	1	2	1	6	11	16	9	22	5	-
Black	168	10	2	3	9	6	15	21	37	20	33	12	-
Male	88	5	-	2	7	5	9	10	21	11	11	7	-
Female	80	5	2	1	2	1	6	11	16	9	22	5	-
Fresno, Calif	3,995	114	16	22	128	132	113	204	531	878	1,018	831	8
Male	2,202	66	5	12	107	100	72	111	336	538	521	327	7
Female	1,793	48	11	10	21	32	41	93	195	340	497	504	1
White	3,643	87	14	18	122	114	102	181	482	793	945	780	5
Male	2,017	52	4	11	103	89	66	100	308	486	485	308	5
Female	1,626	35	10	7	19	25	36	81	174	307	460	472	-
All other	352	27	2	4	6	18	11	23	49	85	73	51	3
Male	185	14	1	1	4	11	6	11	28	52	36	19	2
Female	167	13	1	3	2	7	5	12	21	33	37	32	1
Black	230	18	2	-	2	14	7	17	32	62	50	24	2
Male	117	8	1	-	1	8	3	9	17	34	24	10	2
Female	113	10	1	-	1	6	4	8	15	28	26	14	-
Gadsden, Ala	1,051	11	2	3	18	21	32	71	129	296	284	184	-
Male	586	6	1	2	15	13	25	45	89	181	154	55	-
Female	465	5	1	1	3	8	7	26	40	115	130	129	-
White	882	9	1	1	15	15	26	55	105	252	245	158	-
Male	500	5	1	-	13	10	21	37	73	157	136	47	-
Female	382	4	-	1	2	5	5	18	32	95	109	111	-
All other	169	2	1	2	3	6	6	16	24	44	39	26	-
Male	86	1	-	2	2	3	4	8	16	24	18	8	-
Female	83	1	1	-	1	3	2	8	8	20	21	18	-
Black	168	2	1	1	3	6	6	16	24	44	39	26	-
Male	85	1	-	1	2	3	4	8	16	24	18	8	-
Female	83	1	1	-	1	3	2	8	8	20	21	18	-
Gainesville, Fla	941	29	5	8	23	41	31	42	149	229	235	149	-
Male	531	17	-	6	19	30	22	28	98	138	123	50	-
Female	410	12	5	2	4	11	9	14	51	91	112	99	-
White	691	14	2	5	19	28	19	27	111	158	184	124	-
Male	388	10	-	3	16	21	15	17	71	99	99	37	-
Female	303	4	2	2	3	7	4	10	40	59	85	87	-
All other	250	15	3	3	4	13	12	15	38	71	51	25	-
Male	143	7	-	3	3	9	7	11	27	39	24	13	-
Female	107	8	3	-	1	4	5	4	11	32	27	12	-
Black	249	15	3	3	4	13	12	15	38	70	51	25	-
Male	142	7	-	3	3	9	7	11	27	38	24	13	-
Female	107	8	3	-	1	4	5	4	11	32	27	12	-
Galveston-Texas City, Tex	1,699	38	12	11	41	59	62	125	315	406	407	223	-
Male	923	18	5	9	30	46	47	86	192	228	196	66	-
Female	776	20	7	2	11	13	15	39	123	178	211	157	-
White	1,343	30	6	10	31	45	48	102	239	321	330	181	-
Male	733	16	3	8	23	36	37	70	143	182	182	53	-
Female	610	14	3	2	8	9	11	32	96	139	168	128	-
All other	356	8	6	1	10	14	14	23	76	85	77	42	-
Male	190	2	2	1	7	10	10	16	49	46	34	13	-
Female	166	6	4	-	3	4	4	7	27	39	43	29	-
Black	351	8	6	1	9	13	14	22	75	85	76	42	-
Male	186	2	2	1	6	9	10	15	49	46	33	13	-
Female	165	6	4	-	3	4	4	7	26	39	43	29	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gary-Hammond-East Chicago, Ind	5,046	132	27	28	106	168	180	383	868	1,214	1,189	751	-
Male	2,775	67	21	17	69	121	122	229	545	720	579	285	-
Female	2,271	65	6	11	37	47	58	154	323	494	610	466	-
White	4,016	92	20	19	74	105	123	279	664	977	1,000	663	-
Male	2,199	51	14	13	50	72	83	169	434	576	493	244	-
Female	1,817	41	6	6	24	33	40	110	230	401	507	419	-
All other	1,030	40	7	9	32	63	57	104	204	237	189	88	-
Male	576	16	7	4	19	49	39	60	111	144	86	41	-
Female	454	24	-	5	13	14	18	44	93	93	103	47	-
Black	1,023	40	7	9	32	62	54	104	204	235	188	88	-
Male	572	16	7	4	19	48	37	60	111	144	85	41	-
Female	451	24	-	5	13	14	17	44	93	91	103	47	-
Glens Falls, N.Y	1,138	14	-	5	12	15	27	68	156	259	321	261	-
Male	574	7	-	3	8	11	15	34	100	151	154	91	-
Female	564	7	-	2	4	4	12	34	56	108	167	170	-
White	1,131	14	-	5	12	14	27	67	154	257	320	261	-
Male	571	7	-	3	8	10	15	34	99	150	154	91	-
Female	560	7	-	2	4	4	12	33	55	107	166	170	-
All other	7	-	-	-	-	1	-	1	2	2	1	-	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	4	-	-	-	-	-	-	1	1	1	1	-	-
Black	5	-	-	-	-	1	-	-	2	1	1	-	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Grand Forks, N.Dak.-Minn	764	18	2	1	14	12	12	30	77	159	213	226	-
Male	415	10	2	1	11	10	9	18	48	97	113	96	-
Female	349	8	-	-	3	2	3	12	29	62	100	130	-
White	760	17	2	1	13	12	12	30	77	158	213	225	-
Male	413	10	2	1	10	10	9	18	48	96	113	96	-
Female	347	7	-	-	3	2	3	12	29	62	100	129	-
All other	4	1	-	-	1	-	-	-	-	1	-	1	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Grand Rapids, Mich	4,613	108	23	23	72	116	89	242	555	1,003	1,290	1,092	-
Male	2,373	60	12	17	56	79	58	146	349	622	654	320	-
Female	2,240	48	11	6	16	37	31	96	206	381	636	772	-
White	4,372	85	17	18	67	95	80	215	511	953	1,256	1,075	-
Male	2,239	50	9	14	53	63	52	130	321	592	638	317	-
Female	2,133	35	8	4	14	32	28	85	190	361	618	758	-
All other	241	23	6	5	5	21	9	27	44	50	34	17	-
Male	134	10	3	3	3	16	6	16	28	30	16	3	-
Female	107	13	3	2	2	5	3	11	16	20	18	14	-
Black	222	22	6	5	5	17	9	23	37	49	33	16	-
Male	122	9	3	3	3	13	6	13	25	29	15	3	-
Female	100	13	3	2	2	4	3	10	12	20	18	13	-
Great Falls, Mont	673	16	8	5	12	16	20	47	90	147	163	149	-
Male	368	10	6	2	9	13	11	29	57	88	86	57	-
Female	305	6	2	3	3	3	9	18	33	59	77	92	-
White	654	14	6	5	11	15	20	42	86	145	161	149	-
Male	356	9	4	2	8	12	11	26	55	86	86	57	-
Female	298	5	2	3	3	3	9	16	31	59	75	92	-
All other	19	2	2	-	1	1	-	5	4	2	2	-	-
Male	12	1	2	-	1	1	-	3	2	2	-	-	-
Female	7	1	-	-	-	-	-	2	2	-	2	-	-
Black	4	1	-	-	-	-	-	-	1	-	2	-	-
Male	2	1	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Greeley, Colo	736	21	7	3	21	34	28	40	91	165	178	148	-
Male	417	13	4	2	17	25	17	26	57	103	93	60	-
Female	319	8	3	1	4	9	11	14	34	62	85	88	-
White	727	19	6	3	21	34	26	40	90	164	177	147	-
Male	414	12	4	2	17	25	16	26	56	103	93	60	-
Female	313	7	2	1	4	9	10	14	34	61	84	87	-
All other	9	2	1	-	-	-	2	-	1	1	1	1	-
Male	3	1	-	-	-	-	1	-	1	-	-	-	-
Female	6	1	1	-	-	-	1	-	-	1	1	1	-
Black	4	1	-	-	-	-	1	-	-	1	1	-	-
Male	2	1	-	-	-	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Green Bay, Wis	1,259	27	4	7	17	23	35	70	136	303	365	272	-
Male	660	16	3	6	13	19	22	44	78	169	194	96	-
Female	599	11	1	1	4	4	13	26	58	134	171	176	-
White	1,248	27	4	7	15	23	34	69	135	300	362	272	-
Male	658	16	3	6	12	19	22	44	78	168	194	96	-
Female	590	11	1	1	3	4	12	25	57	132	168	176	-
All other	11	-	-	-	2	-	1	1	1	3	3	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	9	-	-	-	1	-	1	1	1	2	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro--Winston-Salem--High Point, N.C	6,969	131	29	24	128	150	252	474	1,179	1,714	1,835	1,053	-
Male	3,765	79	18	16	92	108	162	315	773	1,001	854	347	-
Female	3,204	52	11	8	36	42	90	159	406	713	981	706	-
White	5,556	77	23	16	104	102	162	357	914	1,349	1,528	924	-
Male	3,000	43	14	11	81	80	106	248	607	805	709	296	-
Female	2,556	34	9	5	23	22	56	109	307	544	819	628	-
All other	1,413	54	6	8	24	48	90	117	265	365	307	129	-
Male	765	36	4	5	11	28	56	67	166	196	145	51	-
Female	648	18	2	3	13	20	34	50	99	169	162	78	-
Black	1,402	54	6	7	23	48	88	117	263	360	307	129	-
Male	756	36	4	4	10	28	54	67	166	191	145	51	-
Female	646	18	2	3	13	20	34	50	97	169	162	78	-
Greenville-Spartanburg, S.C	4,709	124	23	24	99	126	184	365	773	1,131	1,204	656	-
Male	2,499	57	12	17	71	87	118	220	482	659	584	192	-
Female	2,210	67	11	7	28	39	66	145	291	472	620	464	-
White	3,840	77	16	20	79	97	132	275	597	894	1,046	607	-
Male	2,051	38	8	15	63	68	87	172	361	540	508	171	-
Female	1,789	39	8	5	16	29	45	103	216	354	538	436	-
All other	869	47	7	4	20	29	52	90	176	237	158	49	-
Male	448	19	4	2	8	19	31	48	101	119	76	21	-
Female	421	28	3	2	12	10	21	42	75	118	82	28	-
Black	861	46	6	4	20	28	52	90	175	234	157	49	-
Male	443	19	3	2	8	18	31	48	101	117	75	21	-
Female	418	27	3	2	12	10	21	42	74	117	82	28	-
Hagerstown, Md	1,030	16	1	3	14	11	22	53	171	262	283	193	1
Male	553	6	1	2	9	9	14	34	108	155	155	59	1
Female	477	10	-	1	5	2	8	19	63	107	128	134	-
White	1,011	16	1	2	14	11	20	52	167	259	279	189	1
Male	542	6	1	1	9	9	12	34	106	153	152	58	1
Female	469	10	-	1	5	2	8	18	61	106	127	131	-
All other	19	-	-	1	-	-	2	1	4	3	4	4	-
Male	11	-	-	1	-	-	2	-	2	2	3	1	-
Female	8	-	-	-	-	-	-	1	2	1	1	3	-
Black	19	-	-	1	-	-	2	1	4	3	4	4	-
Male	11	-	-	1	-	-	2	-	2	2	3	1	-
Female	8	-	-	-	-	-	-	1	2	1	1	3	-
Hamilton-Middletown, Ohio	1,999	36	10	10	43	44	71	149	338	432	505	361	-
Male	1,058	20	5	1	34	31	46	94	216	252	240	119	-
Female	941	16	5	9	9	13	25	55	122	180	265	242	-
White	1,882	30	9	9	41	38	63	137	312	415	485	343	-
Male	996	16	4	1	33	29	42	88	200	239	232	112	-
Female	886	14	5	8	8	9	21	49	112	176	253	231	-
All other	117	6	1	1	2	6	8	12	26	17	20	18	-
Male	62	4	1	-	1	2	4	6	16	13	8	7	-
Female	55	2	-	1	1	4	4	6	10	4	12	11	-
Black	116	6	1	1	2	5	8	12	26	17	20	18	-
Male	61	4	1	-	1	1	4	6	16	13	8	7	-
Female	55	2	-	1	1	4	4	6	10	4	12	11	-
Harrisburg, Pa	4,076	70	4	13	60	74	83	213	596	978	1,142	843	-
Male	2,075	33	3	11	39	46	53	140	377	562	535	276	-
Female	2,001	37	1	2	21	28	30	73	219	416	607	567	-
White	3,793	55	3	13	48	60	71	181	540	907	1,094	821	-
Male	1,911	29	2	11	28	35	44	113	341	532	511	265	-
Female	1,882	26	1	2	20	25	27	68	199	375	583	556	-
All other	283	15	1	-	12	14	12	32	56	71	48	22	-
Male	164	4	1	-	11	11	9	27	36	30	24	11	-
Female	119	11	-	-	1	3	3	5	20	41	24	11	-
Black	275	15	1	-	12	13	11	32	55	67	47	22	-
Male	157	4	1	-	11	10	8	27	35	26	24	11	-
Female	118	11	-	-	1	3	3	5	20	41	23	11	-
Hartford-New Britain-Bristol, Conn	8,740	137	15	33	161	180	233	488	1,228	2,000	2,274	1,991	-
Male	4,541	78	13	22	122	127	145	306	778	1,187	1,113	670	-
Female	4,199	59	2	11	39	53	88	182	450	833	1,161	1,321	-
White	8,281	105	9	27	143	154	205	439	1,142	1,908	2,201	1,948	-
Male	4,265	60	7	18	108	109	127	276	718	1,115	1,075	652	-
Female	4,016	45	2	9	35	45	78	163	424	793	1,126	1,296	-
All other	459	32	6	6	18	26	28	49	86	92	73	43	-
Male	276	18	6	4	14	18	18	30	60	52	38	18	-
Female	183	14	-	2	4	8	10	19	26	40	35	25	-
Black	445	32	6	6	17	26	28	49	84	87	68	42	-
Male	266	18	6	4	13	18	18	30	59	48	34	18	-
Female	179	14	-	2	4	8	10	19	25	39	34	24	-
Hickory, N.C	1,077	29	3	6	31	20	35	92	171	264	271	155	-
Male	616	20	-	5	26	10	18	58	117	169	143	50	-
Female	461	9	3	1	5	10	17	34	54	95	128	105	-
White	969	22	2	5	28	18	29	75	155	245	245	145	-
Male	558	17	-	4	24	10	15	47	108	158	126	47	-
Female	413	5	2	1	4	8	14	28	47	87	119	98	-
All other	108	7	1	1	3	2	6	17	16	19	26	10	-
Male	60	3	-	1	2	-	3	11	9	11	17	3	-
Female	48	4	1	-	1	2	3	6	7	8	9	7	-
Black	105	7	1	1	3	2	6	15	16	18	26	10	-
Male	58	3	-	1	2	-	3	9	9	11	17	3	-
Female	47	4	1	-	1	2	3	6	7	7	9	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Honolulu, Hawaii	4,127	145	20	29	120	137	164	286	669	985	940	651	1
Male	2,423	84	14	15	91	97	99	164	414	646	530	268	1
Female	1,704	61	6	14	29	40	65	122	255	319	410	383	–
White	1,340	40	6	7	49	61	62	76	207	338	289	204	1
Male	781	27	5	2	38	48	42	54	126	219	141	78	1
Female	559	13	1	5	11	13	20	22	81	119	148	126	–
All other	2,787	105	14	22	71	76	102	210	462	627	651	447	–
Male	1,642	57	9	13	53	49	57	110	288	427	389	190	–
Female	1,145	48	5	9	18	27	45	100	174	200	262	257	–
Black	33	9	–	–	6	4	1	5	5	3	–	–	–
Male	20	4	–	–	4	3	–	4	3	2	–	–	–
Female	13	5	–	–	2	1	1	1	2	1	–	–	–
Houston, Tex	18,890	723	166	176	828	1,128	1,014	1,612	3,174	3,852	3,928	2,269	–
Male	10,764	412	88	102	634	834	687	1,055	1,998	2,281	1,927	746	–
Female	8,126	311	78	74	194	294	327	557	1,176	1,571	2,001	1,543	–
White	14,638	507	127	124	670	866	754	1,169	2,358	2,978	3,151	1,934	–
Male	8,310	277	67	76	519	650	519	764	1,506	1,792	1,590	610	–
Female	6,328	230	60	48	151	216	235	405	852	1,186	1,621	1,324	–
All other	4,252	216	39	52	158	262	260	443	816	874	777	355	–
Male	2,454	135	21	26	115	184	168	291	492	489	397	136	–
Female	1,798	81	18	26	43	78	92	152	324	385	380	219	–
Black	4,096	206	35	50	146	243	242	429	796	844	759	346	–
Male	2,357	129	20	25	105	171	156	283	478	471	387	132	–
Female	1,739	77	15	25	41	72	86	146	318	373	372	214	–
Huntington-Ashland, W. Va.-Ky.-Ohio	3,104	46	9	13	41	48	82	196	499	775	851	544	–
Male	1,711	33	2	6	31	36	51	122	333	459	426	212	–
Female	1,393	13	7	7	10	12	31	74	166	316	425	332	–
White	2,997	46	9	13	38	46	78	191	474	750	828	524	–
Male	1,658	33	2	6	29	35	50	120	319	445	416	203	–
Female	1,339	13	7	7	9	11	28	71	155	305	412	321	–
All other	107	–	–	–	3	2	4	5	25	25	23	20	–
Male	53	–	–	–	2	1	1	2	14	14	10	9	–
Female	54	–	–	–	1	1	3	3	11	11	13	11	–
Black	107	–	–	–	3	2	4	5	25	25	23	20	–
Male	53	–	–	–	2	1	1	2	14	14	10	9	–
Female	54	–	–	–	1	1	3	3	11	11	13	11	–
Huntsville, Ala	2,313	55	12	16	58	59	108	187	390	552	552	324	–
Male	1,282	32	8	9	41	39	72	116	257	316	276	116	–
Female	1,031	23	4	7	17	20	36	71	133	236	276	208	–
White	1,963	40	9	11	44	48	86	147	338	469	495	276	–
Male	1,094	24	7	7	32	31	58	88	226	275	248	98	–
Female	869	16	2	4	12	17	28	59	112	194	247	178	–
All other	350	15	3	5	14	11	22	40	52	83	57	48	–
Male	188	8	1	2	9	8	14	28	31	41	28	18	–
Female	162	7	2	3	5	3	8	12	21	42	29	30	–
Black	347	15	3	5	14	10	22	39	52	82	57	48	–
Male	186	8	1	2	9	7	14	27	31	41	28	18	–
Female	161	7	2	3	5	3	8	12	21	41	29	30	–
Indianapolis, Ind	9,872	242	43	44	198	206	268	639	1,471	2,220	2,672	1,868	1
Male	5,126	150	25	26	141	132	182	401	938	1,286	1,241	604	–
Female	4,746	92	18	18	57	74	86	238	533	934	1,431	1,264	1
White	8,515	167	33	40	171	165	216	506	1,224	1,903	2,377	1,712	1
Male	4,352	101	21	23	118	103	148	318	783	1,105	1,097	535	–
Female	4,163	66	12	17	53	62	68	188	441	798	1,280	1,177	1
All other	1,357	75	10	4	27	41	52	133	247	317	295	156	–
Male	774	49	4	3	23	29	34	83	155	181	144	69	–
Female	583	26	6	1	4	12	18	50	92	136	151	87	–
Black	1,347	75	10	4	27	41	50	132	244	315	295	154	–
Male	769	49	4	3	23	29	33	83	153	180	144	68	–
Female	578	26	6	1	4	12	17	49	91	135	151	86	–
Iowa City, Iowa	452	16	2	2	3	14	14	14	45	104	122	116	–
Male	228	10	2	1	1	10	10	11	27	53	66	37	–
Female	224	6	–	1	2	4	4	3	18	51	56	79	–
White	449	16	2	2	3	13	14	13	45	103	122	116	–
Male	226	10	2	1	1	9	10	10	27	53	66	37	–
Female	223	6	–	1	2	4	4	3	18	50	56	79	–
All other	3	–	–	–	–	1	–	1	–	1	–	–	–
Male	2	–	–	–	–	1	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	1	–	–	–
Jackson, Mich	1,310	29	5	7	25	30	35	71	180	306	342	279	1
Male	677	19	2	4	15	25	24	50	120	165	173	79	1
Female	633	10	3	3	10	5	11	21	60	141	169	200	–
White	1,244	23	5	7	23	25	32	68	173	293	323	271	1
Male	642	16	2	4	14	21	21	47	115	159	166	76	1
Female	602	7	3	3	9	4	11	21	58	134	157	195	–
All other	66	6	–	–	2	5	3	3	7	13	19	8	–
Male	35	3	–	–	1	4	3	3	5	6	7	3	–
Female	31	3	–	–	1	1	–	–	2	7	12	5	–
Black	66	6	–	–	2	5	3	3	7	13	19	8	–
Male	35	3	–	–	1	4	3	3	5	6	7	3	–
Female	31	3	–	–	1	1	–	–	2	7	12	5	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jackson, Miss	2,597	66	20	12	79	84	74	176	396	618	677	991	4
Male	1,346	32	10	2	57	61	47	103	241	365	301	125	2
Female	1,241	34	10	10	22	23	27	73	155	253	376	256	2
White	1,531	24	6	5	37	32	29	90	247	371	433	257	-
Male	759	13	2	-	28	25	18	56	153	225	170	69	-
Female	772	11	4	5	9	7	11	34	94	146	263	188	-
All other	1,066	42	14	7	42	52	45	86	149	247	244	124	4
Male	587	19	8	2	29	36	29	47	88	140	131	56	2
Female	469	23	6	5	13	16	16	39	61	107	113	68	2
Black	1,055	42	14	7	41	52	45	86	149	247	244	124	4
Male	586	19	8	2	28	36	29	47	88	140	131	56	2
Female	469	23	6	5	13	16	16	39	61	107	113	68	2
Jacksonville, Fla	6,642	169	29	36	137	197	242	492	1,185	1,589	1,571	1,011	4
Male	3,578	94	19	23	95	149	160	304	722	939	749	321	3
Female	3,064	75	10	13	42	48	82	188	443	650	822	690	1
White	5,025	104	18	20	108	142	161	341	856	1,211	1,217	847	2
Male	2,723	60	12	14	79	115	110	219	535	738	575	264	2
Female	2,302	44	6	6	27	27	51	122	321	473	642	583	-
All other	1,617	65	11	16	31	55	81	151	309	378	354	164	2
Male	855	34	7	9	16	34	50	85	187	201	174	57	1
Female	762	31	4	7	15	21	31	66	122	177	180	107	1
Black	1,605	65	11	15	31	53	80	148	306	377	353	164	2
Male	848	34	7	9	16	32	49	82	187	201	173	57	1
Female	757	31	4	6	15	21	31	66	119	176	180	107	1
Jacksonville, N.C	459	35	7	5	32	14	20	43	62	99	90	52	-
Male	293	22	5	3	29	11	18	29	37	71	50	18	-
Female	166	13	2	2	3	3	2	14	25	28	40	34	-
White	381	22	3	5	27	11	15	37	57	86	77	41	-
Male	245	14	2	3	24	9	13	26	32	64	45	13	-
Female	136	8	1	2	3	2	2	11	25	22	32	28	-
All other	78	13	4	-	5	3	5	6	5	13	13	11	-
Male	48	8	3	-	5	2	5	3	5	7	5	5	-
Female	30	5	1	-	-	1	-	3	-	6	8	6	-
Black	75	13	4	-	5	3	4	6	5	12	12	11	-
Male	47	8	3	-	5	2	4	3	5	7	5	5	-
Female	28	5	1	-	-	1	-	3	-	5	7	6	-
Janesville-Beloit, Wis	1,200	17	7	5	19	24	30	64	158	258	340	278	-
Male	608	10	7	3	15	16	20	38	93	147	167	92	-
Female	592	7	-	2	4	8	10	26	65	111	173	186	-
White	1,174	14	7	5	19	24	30	62	151	253	335	274	-
Male	597	8	7	3	15	16	20	37	88	145	166	92	-
Female	577	6	-	2	4	8	10	25	63	108	169	182	-
All other	26	3	-	-	-	-	-	2	7	5	5	4	-
Male	11	2	-	-	-	-	-	1	5	2	1	-	-
Female	15	1	-	-	-	-	-	1	2	3	4	4	-
Black	26	3	-	-	-	-	-	2	7	5	5	4	-
Male	11	2	-	-	-	-	-	1	5	2	1	-	-
Female	15	1	-	-	-	-	-	1	2	3	4	4	-
Jersey City, N.J	5,916	128	15	17	66	156	183	365	942	1,530	1,519	994	1
Male	3,086	63	9	8	50	113	120	231	583	872	727	310	-
Female	2,830	65	6	9	16	43	63	134	359	658	792	684	1
White	5,297	80	7	13	51	100	138	275	830	1,408	1,445	949	1
Male	2,757	39	5	6	39	80	89	173	521	814	686	295	-
Female	2,540	41	2	7	12	20	49	102	309	594	749	654	1
All other	619	48	8	4	15	56	45	90	112	122	74	45	-
Male	329	24	4	2	11	33	31	58	62	58	31	15	-
Female	290	24	4	2	4	23	14	32	50	64	43	30	-
Black	580	42	7	4	15	54	40	87	108	116	65	42	-
Male	302	19	4	2	11	32	28	57	60	53	23	13	-
Female	278	23	3	2	4	22	12	30	48	63	42	29	-
Johnson City-Kingsport-Bristol, Tenn.-Va	3,899	72	9	15	81	60	120	247	626	966	1,037	666	-
Male	2,116	39	5	9	57	38	80	170	399	574	497	248	-
Female	1,783	33	4	6	24	22	40	77	227	392	540	418	-
White	3,777	65	8	15	78	58	115	237	607	932	1,016	648	-
Male	2,057	35	4	9	56	37	76	167	386	556	488	243	-
Female	1,720	30	4	6	22	19	39	70	221	376	528	405	-
All other	122	7	1	-	3	4	5	10	19	34	21	18	-
Male	59	4	1	-	1	1	4	3	13	18	9	5	-
Female	63	3	-	-	2	3	1	7	6	16	12	13	-
Black	120	6	1	-	3	4	5	9	19	34	21	18	-
Male	57	3	1	-	1	1	4	2	13	18	9	5	-
Female	63	3	-	-	2	3	1	7	6	16	12	13	-
Johnstown, Pa	2,722	44	3	7	33	46	43	111	434	750	733	518	-
Male	1,501	28	2	5	24	33	32	72	281	478	378	188	-
Female	1,221	16	1	2	9	13	11	39	153	272	355	350	-
White	2,678	44	3	7	33	44	41	103	427	736	725	515	-
Male	1,476	28	2	5	24	31	30	68	278	470	373	167	-
Female	1,202	16	1	2	9	13	11	35	149	266	352	348	-
All other	44	-	-	-	-	2	2	8	7	14	8	3	-
Male	25	-	-	-	-	2	2	4	3	8	5	1	-
Female	19	-	-	-	-	-	-	4	4	6	3	2	-
Black	44	-	-	-	-	2	2	8	7	14	8	3	-
Male	25	-	-	-	-	2	2	4	3	8	5	1	-
Female	19	-	-	-	-	-	-	4	4	6	3	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, Mo	1,444	19	7	11	20	20	34	82	179	313	451	308	-
Male	730	15	5	7	12	13	22	52	103	188	217	96	-
Female	714	4	2	4	8	7	12	30	76	125	234	212	-
White	1,420	19	7	11	20	18	34	77	174	310	445	305	-
Male	721	15	5	7	12	12	22	50	101	186	216	95	-
Female	699	4	2	4	8	6	12	27	73	124	229	210	-
All other	24	-	-	-	-	2	-	5	5	3	6	3	-
Male	9	-	-	-	-	1	-	2	2	2	1	1	-
Female	15	-	-	-	-	1	-	3	3	1	5	2	-
Black	20	-	-	-	-	1	-	4	4	3	5	3	-
Male	7	-	-	-	-	1	-	1	2	2	-	1	-
Female	13	-	-	-	-	-	-	3	2	1	5	2	-
Kalamazoo-Portage, Mich	2,151	60	12	3	44	44	55	112	303	466	587	465	-
Male	1,077	30	8	2	34	33	38	62	173	281	281	135	-
Female	1,074	30	4	1	10	11	17	50	130	185	306	330	-
White	1,992	46	5	3	39	39	49	102	276	432	552	449	-
Male	984	22	3	2	31	30	33	56	159	258	261	129	-
Female	1,008	24	2	1	8	9	16	46	117	174	291	320	-
All other	159	14	7	-	5	5	6	10	27	34	35	16	-
Male	93	8	5	-	3	3	5	6	14	23	20	6	-
Female	66	6	2	-	2	2	1	4	13	11	15	10	-
Black	150	13	5	-	4	4	6	10	27	32	34	15	-
Male	85	7	3	-	2	2	5	6	14	21	19	6	-
Female	65	6	2	-	2	2	1	4	13	11	15	9	-
Kankakee, Ill	922	21	3	2	21	27	21	60	154	208	242	163	-
Male	471	13	-	-	13	22	12	37	96	113	107	58	-
Female	451	8	3	2	8	5	9	23	58	95	135	105	-
White	777	12	2	2	17	16	16	49	192	175	209	148	-
Male	383	8	-	-	9	12	8	30	83	95	90	48	-
Female	394	4	2	2	8	4	7	19	49	80	119	100	-
All other	145	9	1	-	4	11	6	11	22	33	33	15	-
Male	88	5	-	-	4	10	4	7	13	18	17	10	-
Female	57	4	1	-	-	1	2	4	9	15	16	5	-
Black	145	9	1	-	4	11	6	11	22	33	33	15	-
Male	88	5	-	-	4	10	4	7	13	18	17	10	-
Female	57	4	1	-	-	1	2	4	9	15	16	5	-
Kansas City, Mo.-Kans	11,191	207	40	43	231	285	340	711	1,618	2,462	2,961	2,290	3
Male	5,813	125	23	32	154	212	210	444	1,029	1,416	1,416	750	2
Female	5,378	82	17	11	77	73	130	267	589	1,046	1,545	1,540	1
White	9,614	148	23	34	172	232	267	570	1,331	2,120	2,636	2,079	2
Male	4,932	88	13	25	115	170	161	351	864	1,230	1,251	663	1
Female	4,682	60	10	9	57	62	106	219	467	890	1,385	1,416	1
All other	1,577	59	17	9	59	53	73	141	287	342	325	211	1
Male	881	37	10	7	39	42	49	93	165	186	185	87	1
Female	696	22	7	2	20	11	24	46	122	156	160	124	-
Black	1,551	57	17	9	59	52	71	139	279	339	323	205	1
Male	865	35	10	7	39	41	48	93	159	185	163	84	1
Female	686	22	7	2	20	11	23	46	120	154	160	121	-
Kenosha, Wis	1,053	17	4	2	24	22	27	57	147	253	285	215	-
Male	587	10	3	2	15	15	17	36	94	174	143	78	-
Female	466	7	1	-	9	7	10	21	53	79	142	137	-
White	1,028	13	4	2	24	19	26	54	141	249	284	212	-
Male	572	7	3	2	15	13	17	34	90	171	143	77	-
Female	456	6	1	-	9	6	9	20	51	78	141	135	-
All other	25	4	-	-	-	3	1	3	6	4	1	3	-
Male	15	3	-	-	-	2	-	2	4	3	-	1	-
Female	10	1	-	-	-	1	1	1	2	1	1	2	-
Black	21	3	-	-	-	3	-	2	5	4	1	3	-
Male	13	3	-	-	-	2	-	1	3	3	-	1	-
Female	8	-	-	-	-	1	-	1	2	1	1	2	-
Killeen-Temple, Tex	1,425	61	14	6	49	48	52	93	182	274	367	269	-
Male	785	35	7	2	39	30	32	52	125	176	182	105	-
Female	640	26	7	4	10	18	20	41	67	98	185	164	-
White	1,269	48	9	6	44	38	42	81	168	245	340	248	-
Male	701	29	5	2	37	25	27	45	112	154	167	88	-
Female	568	19	4	4	7	13	15	36	56	91	173	150	-
All other	156	13	5	-	5	10	10	12	24	29	27	21	-
Male	84	6	2	-	2	5	5	7	13	22	15	7	-
Female	72	7	3	-	3	5	5	5	11	7	12	14	-
Black	147	13	4	-	4	9	9	11	23	26	27	21	-
Male	80	6	2	-	1	5	5	6	12	21	15	7	-
Female	67	7	2	-	3	4	4	5	11	5	12	14	-
Knoxville, Tenn	4,109	74	14	11	78	93	102	271	639	1,008	1,100	718	1
Male	2,157	37	9	8	52	62	67	170	406	585	536	224	1
Female	1,952	37	5	3	26	31	35	101	233	423	564	494	-
White	3,771	66	12	10	71	87	85	243	570	934	1,014	678	1
Male	1,983	33	8	8	49	58	56	150	371	544	495	208	1
Female	1,788	33	4	2	22	29	27	93	199	390	519	470	-
All other	338	8	2	1	7	6	17	28	69	74	86	40	-
Male	174	4	1	-	3	4	9	20	35	41	41	16	-
Female	164	4	1	1	4	2	8	8	34	33	45	24	-
Black	333	7	1	1	5	6	16	28	69	74	86	40	-
Male	173	4	1	-	2	4	9	20	35	41	41	16	-
Female	160	3	-	1	3	2	7	8	34	33	45	24	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, Ind	645	19	3	3	12	17	17	56	127	207	206	170	-
Male	456	13	2	3	9	12	13	37	75	118	103	71	-
Female	389	6	1	-	3	5	4	19	52	89	103	107	-
White	805	19	2	3	12	14	16	50	118	200	199	172	-
Male	440	13	2	3	9	10	13	35	69	118	100	68	-
Female	365	6	-	-	3	4	3	15	49	82	99	104	-
All other	40	-	1	-	-	3	1	6	9	7	7	6	-
Male	16	-	-	-	-	2	-	2	6	-	3	3	-
Female	24	-	1	-	-	1	1	4	3	7	4	3	-
Black	40	-	1	-	-	3	1	6	9	7	7	6	-
Male	16	-	-	-	-	2	-	2	6	-	3	3	-
Female	24	-	1	-	-	1	1	4	3	7	4	3	-
La Crosse, Wis	797	14	2	1	12	12	19	39	64	219	227	188	-
Male	395	8	2	-	12	7	11	22	42	119	117	55	-
Female	402	6	-	1	-	5	8	17	22	100	110	133	-
White	796	13	2	1	12	12	19	39	64	219	227	188	-
Male	395	8	2	-	12	7	11	22	42	119	117	55	-
Female	401	5	-	1	-	5	8	17	22	100	110	133	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, La	949	39	8	8	27	37	40	81	137	220	234	118	-
Male	521	25	7	5	20	26	22	58	78	130	111	39	-
Female	428	14	1	3	7	11	18	23	59	90	123	79	-
White	725	24	6	6	16	26	31	56	89	171	191	99	-
Male	402	16	5	4	11	18	16	40	62	109	91	30	-
Female	323	8	1	2	5	8	15	16	37	62	100	69	-
All other	224	15	2	2	11	11	9	25	38	49	43	19	-
Male	119	9	2	1	9	8	6	18	16	21	20	9	-
Female	105	6	-	1	2	3	3	7	22	28	23	10	-
Black	222	15	2	2	10	11	9	25	38	48	43	19	-
Male	118	9	2	1	8	8	6	18	16	21	20	9	-
Female	104	6	-	1	2	3	3	7	22	27	23	10	-
Lafayette-West Lafayette, Ind	790	24	3	3	18	15	18	38	109	179	218	165	-
Male	411	12	2	2	15	11	14	22	71	108	107	47	-
Female	379	12	1	1	3	4	4	16	38	71	111	118	-
White	786	23	3	3	18	14	16	38	108	179	217	165	-
Male	410	12	2	2	15	11	14	22	71	108	106	47	-
Female	376	11	1	1	3	3	4	16	37	71	111	118	-
All other	4	1	-	-	-	1	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	3	1	-	-	-	1	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lake Charles, La	1,354	34	6	13	33	55	37	86	245	334	342	169	-
Male	739	21	3	9	27	30	21	61	150	192	166	59	-
Female	615	13	3	4	6	25	16	25	95	142	176	110	-
White	988	23	5	8	20	35	24	55	170	247	266	135	-
Male	520	13	3	6	16	17	13	37	106	138	125	46	-
Female	468	10	2	2	4	18	11	18	64	109	141	89	-
All other	366	11	1	5	13	20	13	31	75	87	76	34	-
Male	219	8	-	3	11	13	8	24	44	54	41	13	-
Female	147	3	1	2	2	7	5	7	31	33	35	21	-
Black	366	11	1	5	13	20	13	31	75	87	76	34	-
Male	219	8	-	3	11	13	8	24	44	54	41	13	-
Female	147	3	1	2	2	7	5	7	31	33	35	21	-
Lakeland-Winter Haven, Fla	3,440	83	13	6	66	63	101	213	501	875	932	587	-
Male	1,949	50	4	5	51	40	65	143	309	557	479	246	-
Female	1,491	33	9	1	15	23	36	70	192	318	453	341	-
White	2,994	50	11	4	57	51	80	168	422	768	837	548	-
Male	1,682	29	4	4	44	35	52	111	264	490	427	222	-
Female	1,312	21	7	-	13	16	28	57	158	278	410	324	-
All other	446	33	2	2	9	12	21	45	79	107	95	41	-
Male	267	21	-	1	7	5	13	32	45	67	52	24	-
Female	179	12	2	1	2	7	8	13	34	40	43	17	-
Black	444	33	2	2	9	12	21	44	79	107	94	41	-
Male	267	21	-	1	7	5	13	32	45	67	52	24	-
Female	177	12	2	1	2	7	8	12	34	40	42	17	-
Lancaster, Pa	3,116	53	8	11	49	54	71	140	350	719	885	776	-
Male	1,606	29	2	7	36	37	44	85	220	425	444	277	-
Female	1,510	24	6	4	13	17	27	55	130	294	441	499	-
White	3,066	47	8	11	48	49	68	134	342	711	876	772	-
Male	1,577	24	2	7	35	33	43	80	215	422	441	275	-
Female	1,489	23	6	4	13	16	25	54	127	289	435	497	-
All other	50	6	-	-	1	5	3	6	8	8	9	4	-
Male	29	5	-	-	1	4	1	5	5	3	3	2	-
Female	21	1	-	-	-	1	2	1	3	5	6	2	-
Black	45	3	-	-	1	5	3	6	8	7	8	4	-
Male	26	2	-	-	1	4	1	5	5	3	3	2	-
Female	19	1	-	-	-	1	2	1	3	4	5	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lansing-East Lansing, Mich	2,899	70	13	15	61	77	88	167	395	654	749	612	-
Male	1,475	39	9	7	41	53	45	108	231	378	367	197	-
Female	1,424	31	4	8	20	24	41	59	164	276	382	415	-
White	2,771	56	9	13	58	72	79	151	372	626	728	607	-
Male	1,403	31	7	5	39	48	42	100	217	359	360	195	-
Female	1,368	25	2	8	19	24	37	51	155	267	368	412	-
All other	128	14	4	2	3	5	7	16	23	28	21	5	-
Male	72	8	2	2	2	5	3	8	14	19	7	2	-
Female	56	6	2	-	1	-	4	8	9	9	14	3	-
Black	118	14	4	2	3	5	6	14	21	28	16	5	-
Male	67	8	2	2	2	5	2	7	13	19	5	2	-
Female	51	6	2	-	1	-	4	7	8	9	11	3	-
Laredo, Tex	690	40	2	9	26	27	27	39	81	140	181	117	1
Male	386	26	1	6	21	18	21	21	52	79	90	50	1
Female	304	14	1	3	5	9	6	18	29	61	91	67	-
White	690	40	2	9	26	27	27	39	81	140	181	117	1
Male	386	26	1	6	21	18	21	21	52	79	90	50	1
Female	304	14	1	3	5	9	6	18	29	61	91	67	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Las Cruces, N.Mex	563	15	1	5	25	15	16	47	72	130	128	108	1
Male	320	8	1	4	20	11	7	34	43	87	62	43	-
Female	243	7	-	1	5	4	9	13	29	43	66	65	1
White	552	15	1	5	22	15	16	46	69	128	127	107	1
Male	313	8	1	4	18	11	7	33	41	86	62	42	-
Female	239	7	-	1	4	4	9	13	28	42	65	65	1
All other	11	-	-	-	3	-	-	1	3	2	1	1	-
Male	7	-	-	-	2	-	-	1	2	1	-	1	-
Female	4	-	-	-	1	-	-	-	1	1	1	-	-
Black	8	-	-	-	2	-	-	-	2	2	1	1	-
Male	4	-	-	-	1	-	-	-	1	1	-	1	-
Female	4	-	-	-	1	-	-	-	1	1	1	-	-
Las Vegas, Nev	3,678	90	10	17	93	147	176	348	752	927	774	336	8
Male	2,184	54	6	10	66	112	116	236	449	599	420	109	7
Female	1,494	36	4	7	27	35	60	112	303	328	354	227	1
White	3,378	64	6	15	81	116	149	304	693	879	737	326	8
Male	2,006	44	4	10	58	87	97	205	415	572	399	108	7
Female	1,372	20	2	5	23	29	52	99	278	307	338	218	1
All other	300	26	4	2	12	31	27	44	59	48	37	10	-
Male	178	10	2	-	8	25	19	31	34	27	21	1	-
Female	122	16	2	2	4	6	8	13	25	21	16	9	-
Black	281	26	4	2	12	29	26	39	56	45	34	8	-
Male	167	10	2	-	8	23	19	28	33	24	19	1	-
Female	114	16	2	2	4	6	7	11	23	21	15	7	-
Lawrence, Kans	364	5	-	1	8	7	10	15	46	71	111	90	-
Male	176	2	-	1	5	5	7	9	26	44	48	29	-
Female	188	3	-	-	3	2	3	6	20	27	63	61	-
White	329	3	-	1	7	7	10	10	40	66	102	83	-
Male	161	2	-	1	5	5	7	7	23	41	42	28	-
Female	168	1	-	-	2	2	3	3	17	25	60	55	-
All other	35	2	-	-	1	-	-	5	6	5	9	7	-
Male	15	-	-	-	-	-	-	2	3	3	6	1	-
Female	20	2	-	-	1	-	-	3	3	2	3	6	-
Black	34	2	-	-	-	-	-	5	6	5	9	7	-
Male	15	-	-	-	-	-	-	2	3	3	6	1	-
Female	19	2	-	-	-	-	-	3	3	2	3	6	-
Lawton, Okla	699	44	6	5	26	28	30	52	100	125	159	124	-
Male	382	27	5	3	20	19	23	30	58	81	78	38	-
Female	317	17	1	2	6	9	7	22	42	44	81	86	-
White	589	29	4	4	21	19	25	41	87	108	141	110	-
Male	323	17	3	2	16	13	19	27	51	72	68	35	-
Female	266	12	1	2	5	6	6	14	36	36	73	75	-
All other	110	15	2	1	5	9	5	11	13	17	18	14	-
Male	59	10	2	1	4	6	4	3	7	9	10	3	-
Female	51	5	-	-	1	3	1	8	6	8	8	11	-
Black	80	11	2	1	4	7	4	8	9	8	14	12	-
Male	45	7	2	1	3	4	3	2	6	5	9	3	-
Female	35	4	-	-	1	3	1	6	3	3	5	9	-
Lewiston-Auburn, Maine	1,010	12	1	2	26	13	23	46	126	227	281	243	-
Male	535	7	-	1	23	12	15	37	81	145	132	82	-
Female	475	5	1	1	3	1	8	9	45	82	159	161	-
White	1,008	11	1	2	26	13	23	46	125	227	291	243	-
Male	534	6	-	1	23	12	15	37	81	145	132	82	-
Female	474	5	1	1	3	1	8	9	44	82	159	161	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lexington-Fayette, Ky	2,431	46	7	10	50	59	72	169	382	598	606	422	-
Male	1,330	24	5	11	33	41	43	94	243	368	320	148	-
Female	1,101	24	2	7	17	18	29	75	139	230	286	274	-
White	2,033	39	6	15	46	53	60	141	309	502	505	357	-
Male	1,113	21	4	9	31	36	35	79	197	309	266	126	-
Female	920	18	2	6	15	17	25	62	112	193	239	231	-
All other	398	9	1	3	4	6	12	28	73	96	101	65	-
Male	217	3	1	2	2	5	8	15	46	59	54	22	-
Female	181	6	-	1	2	1	4	13	27	37	47	43	-
Black	396	9	1	3	4	6	12	27	73	95	101	65	-
Male	215	3	1	2	2	5	8	14	46	58	54	22	-
Female	181	6	-	1	2	1	4	13	27	37	47	43	-
Lima, Ohio	1,916	38	5	8	29	29	32	89	255	429	552	450	-
Male	1,002	21	4	5	22	13	21	52	168	267	282	147	-
Female	914	17	1	3	7	16	11	37	87	162	270	303	-
White	1,846	34	4	7	29	25	28	81	243	414	538	443	-
Male	967	19	3	5	22	13	20	46	160	261	273	145	-
Female	879	15	1	2	7	12	8	35	83	153	265	298	-
All other	70	4	1	1	-	4	4	8	12	15	14	7	-
Male	35	2	1	-	-	-	1	6	8	6	9	2	-
Female	35	2	-	1	-	4	3	2	4	9	5	5	-
Black	69	4	1	1	-	3	4	8	12	15	14	7	-
Male	35	2	1	-	-	-	1	6	8	6	9	2	-
Female	34	2	-	1	-	3	3	2	4	9	5	5	-
Lincoln, Nebr	1,473	34	6	6	20	24	37	74	167	323	419	363	-
Male	737	18	1	5	14	19	24	47	103	201	180	125	-
Female	736	16	5	1	6	5	13	27	64	122	239	238	-
White	1,454	30	6	5	20	23	36	71	166	321	415	361	-
Male	725	17	1	4	14	18	23	44	103	199	178	124	-
Female	729	13	5	1	6	5	13	27	63	122	237	237	-
All other	19	4	-	1	-	1	1	3	1	2	4	2	-
Male	12	1	-	1	-	1	1	3	-	2	2	1	-
Female	7	3	-	-	-	-	-	-	1	-	2	1	-
Black	15	2	-	1	-	1	1	2	1	2	3	2	-
Male	10	-	-	1	-	1	1	2	-	2	2	1	-
Female	5	2	-	-	-	-	-	-	1	-	1	1	-
Little Rock-North Little Rock, Ark	3,195	63	13	12	51	92	105	204	470	747	865	572	1
Male	1,714	42	9	9	43	58	73	140	313	440	390	196	1
Female	1,481	21	4	3	8	34	32	64	157	307	475	376	-
White	2,535	38	7	10	38	60	79	151	370	602	688	491	1
Male	1,375	27	5	8	32	39	56	108	253	366	314	166	1
Female	1,160	11	2	2	6	21	23	43	117	236	374	325	-
All other	660	25	6	2	13	32	26	53	100	145	177	81	-
Male	339	15	4	1	11	19	17	32	60	74	76	30	-
Female	321	10	2	1	2	13	9	21	40	71	101	51	-
Black	658	25	6	2	13	31	26	53	100	145	176	81	-
Male	338	15	4	1	11	18	17	32	60	74	76	30	-
Female	320	10	2	1	2	13	9	21	40	71	100	51	-
Long Branch-Asbury Park, N.J	4,975	71	8	10	61	90	132	275	699	1,242	1,346	1,038	1
Male	2,544	41	4	9	43	73	87	161	414	713	659	339	1
Female	2,431	30	4	1	18	17	45	114	285	529	689	699	-
White	4,529	50	5	8	50	75	106	233	611	1,142	1,266	982	1
Male	2,298	29	2	7	37	60	70	141	358	660	620	313	1
Female	2,231	21	3	1	13	15	36	92	253	482	646	669	-
All other	446	21	3	2	11	15	26	42	88	100	82	56	-
Male	246	12	2	2	6	13	17	20	56	53	39	26	-
Female	200	9	1	-	5	2	9	22	32	47	43	30	-
Black	428	21	3	2	11	12	24	42	86	95	78	54	-
Male	237	12	2	2	6	10	17	20	55	53	36	24	-
Female	191	9	1	-	5	2	7	22	31	42	42	30	-
Longview-Marshall, Tex	1,570	44	5	8	40	50	55	95	200	371	483	239	-
Male	797	19	2	4	26	43	37	60	119	196	208	83	-
Female	773	25	3	4	14	7	18	35	81	175	255	156	-
White	1,155	23	4	5	30	40	31	69	153	257	339	204	-
Male	599	13	2	3	18	35	22	46	96	138	155	71	-
Female	556	10	2	2	12	5	9	23	57	119	184	133	-
All other	415	21	1	3	10	10	24	26	47	114	124	35	-
Male	198	6	-	1	8	8	15	14	23	58	53	12	-
Female	217	15	1	2	2	2	9	12	24	56	71	23	-
Black	412	21	1	3	10	10	24	26	46	114	122	35	-
Male	197	6	-	1	8	8	15	14	23	58	52	12	-
Female	215	15	1	2	2	2	9	12	23	56	70	23	-
Lorain-Elyria, Ohio	2,010	50	11	19	38	48	56	120	312	505	468	383	-
Male	1,055	35	5	11	33	32	33	67	181	307	219	132	-
Female	955	15	6	8	5	16	23	53	131	198	249	251	-
White	1,881	45	9	13	37	40	48	109	289	474	447	370	-
Male	988	32	3	8	32	28	30	62	167	292	210	124	-
Female	893	13	6	5	5	12	18	47	122	182	237	246	-
All other	129	5	2	6	1	8	8	11	23	31	21	13	-
Male	67	3	2	3	1	4	3	5	14	15	9	8	-
Female	62	2	-	3	-	4	5	6	9	16	12	5	-
Black	125	5	2	6	1	8	7	10	23	30	20	13	-
Male	66	3	2	3	1	4	3	4	14	15	9	8	-
Female	59	2	-	3	-	4	4	6	9	15	11	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, Calif	59,561	1,457	269	312	1,466	2,080	2,320	3,998	8,641	12,756	14,772	11,436	34
Male	30,649	803	155	181	1,115	1,546	1,498	2,512	5,241	7,192	6,845	3,548	13
Female	28,912	654	134	131	351	534	822	1,486	3,400	5,564	7,927	7,888	21
White	50,277	994	215	228	1,099	1,518	1,675	3,005	6,962	10,876	13,167	10,519	19
Male	25,443	547	111	134	827	1,153	1,117	1,899	4,217	6,149	6,065	3,223	7
Female	24,834	447	104	94	272	365	558	1,106	2,745	4,733	7,102	7,296	12
All other	9,284	463	74	84	367	562	645	993	1,679	1,880	1,605	917	15
Male	5,206	256	44	47	288	393	381	613	1,024	1,049	780	325	6
Female	4,078	207	30	37	79	169	264	380	655	831	825	592	9
Black	7,427	389	62	70	308	485	543	817	1,355	1,522	1,218	654	4
Male	4,124	215	37	39	251	348	331	506	805	833	543	215	1
Female	3,303	174	25	31	57	137	212	311	550	689	675	439	3
Louisville, Ky.-Ind	8,382	168	26	28	151	161	241	582	1,381	1,980	2,240	1,403	-
Male	4,282	106	12	15	100	128	154	352	850	1,132	1,017	416	-
Female	4,100	63	14	13	51	53	87	230	531	848	1,223	987	-
White	7,171	125	22	23	119	141	186	479	1,176	1,693	1,949	1,258	-
Male	3,654	80	11	13	87	99	117	301	724	970	887	365	-
Female	3,517	45	11	10	32	42	69	178	452	723	1,062	893	-
All other	1,211	44	4	5	32	40	55	103	205	287	291	145	-
Male	628	26	1	2	13	29	37	51	126	162	130	51	-
Female	583	18	3	3	19	11	18	52	79	125	161	94	-
Black	1,204	44	4	5	32	40	55	103	202	286	288	145	-
Male	621	26	1	2	13	29	37	51	123	161	127	51	-
Female	583	18	3	3	19	11	18	52	79	125	161	94	-
Lubbock, Tex	1,434	56	13	8	42	51	59	90	202	312	348	254	-
Male	785	33	7	7	35	39	41	51	121	194	163	94	-
Female	649	23	6	1	7	12	17	39	81	118	185	160	-
White	1,305	44	12	8	35	45	51	75	182	286	322	245	-
Male	707	26	7	7	30	33	36	42	105	182	149	90	-
Female	598	18	5	1	5	12	15	33	77	104	173	155	-
All other	129	12	1	-	7	6	7	15	20	26	26	9	-
Male	78	7	-	-	5	6	5	9	16	12	14	4	-
Female	51	5	1	-	2	-	2	6	4	14	12	5	-
Black	125	12	-	-	7	5	7	15	20	25	25	9	-
Male	76	7	-	-	5	5	5	9	16	12	13	4	-
Female	49	5	-	-	2	-	2	6	4	13	12	5	-
Lynchburg, Va	1,527	26	4	9	22	40	37	102	198	379	422	288	-
Male	819	16	3	6	17	28	29	69	132	220	212	87	-
Female	708	10	1	3	5	12	8	33	66	159	210	201	-
White	1,184	18	4	4	15	25	27	62	151	290	353	235	-
Male	622	11	3	1	13	17	22	43	99	171	176	66	-
Female	562	7	1	3	2	8	5	19	52	119	177	169	-
All other	343	8	-	5	7	15	10	40	47	89	69	53	-
Male	197	5	-	5	4	11	7	26	33	49	36	21	-
Female	146	3	-	-	3	4	3	14	14	40	33	32	-
Black	343	8	-	5	7	15	10	40	47	89	69	53	-
Male	197	5	-	5	4	11	7	26	33	49	36	21	-
Female	146	3	-	-	3	4	3	14	14	40	33	32	-
Macon, Ga	2,189	59	12	19	45	62	90	184	380	547	490	301	-
Male	1,133	32	7	12	32	45	57	109	256	297	209	77	-
Female	1,056	27	5	7	13	17	33	75	124	250	281	224	-
White	1,431	28	7	11	28	38	60	105	233	354	343	224	-
Male	772	17	6	8	21	33	39	66	168	210	147	57	-
Female	659	11	1	3	7	5	21	39	65	144	196	167	-
All other	758	31	5	8	17	24	30	79	147	193	147	77	-
Male	361	15	1	4	11	12	18	43	88	87	62	20	-
Female	397	16	4	4	6	12	12	36	59	106	85	57	-
Black	755	31	5	8	16	24	30	79	147	192	146	77	-
Male	359	15	1	4	10	12	18	43	88	87	61	20	-
Female	396	16	4	4	6	12	12	36	59	105	85	57	-
Madison, Wis	2,102	46	12	18	48	61	62	117	238	441	559	500	-
Male	1,091	28	8	9	33	43	42	77	151	258	266	176	-
Female	1,011	18	4	9	15	18	20	40	87	183	293	324	-
White	2,074	44	12	15	44	60	60	113	231	438	559	498	-
Male	1,074	27	8	7	30	42	40	74	147	258	266	175	-
Female	1,000	17	4	8	14	18	20	39	84	180	293	323	-
All other	28	2	-	3	4	1	2	4	7	3	-	2	-
Male	17	1	-	2	3	1	2	3	4	-	-	1	-
Female	11	1	-	1	1	-	-	1	3	3	-	1	-
Black	18	1	-	3	1	1	2	2	5	1	-	2	-
Male	11	-	-	2	1	1	2	2	2	-	-	1	-
Female	7	1	-	1	-	-	-	-	3	1	-	1	-
Manchester-Nashua, N.H	2,361	37	3	9	43	39	55	145	329	535	633	553	-
Male	1,177	24	1	6	32	25	34	101	206	294	293	161	-
Female	1,204	13	2	3	11	14	21	44	123	241	340	392	-
White	2,370	37	3	9	42	39	53	141	328	533	633	552	-
Male	1,171	24	1	6	31	25	33	99	205	293	293	161	-
Female	1,199	13	2	3	11	14	20	42	123	240	340	391	-
All other	11	-	-	-	1	-	2	4	1	2	-	1	-
Male	6	-	-	-	1	-	1	2	1	1	-	-	-
Female	5	-	-	-	-	-	1	2	-	1	-	1	-
Black	5	-	-	-	1	-	-	-	1	2	-	1	-
Male	3	-	-	-	1	-	-	-	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, Ohio	1,100	28	3	2	20	17	19	62	172	295	291	191	-
Male	577	17	1	1	19	10	8	39	107	169	146	60	-
Female	523	11	2	1	1	7	11	23	65	126	145	131	-
White	1,037	21	2	2	15	15	17	60	156	280	280	189	-
Male	542	13	1	1	14	8	7	37	98	162	142	59	-
Female	495	8	1	1	1	7	10	23	58	118	138	130	-
All other	63	7	1	-	5	2	2	2	16	15	11	2	-
Male	35	4	-	-	5	2	1	2	9	7	4	1	-
Female	28	3	1	-	-	-	1	-	7	8	7	1	-
Black	60	7	1	-	4	2	2	2	15	15	10	2	-
Male	33	4	-	-	4	2	1	2	8	7	4	1	-
Female	27	3	1	-	-	-	1	-	7	8	6	1	-
McAllen-Pharr-Edinburg, Tex	1,712	77	17	18	47	47	47	101	207	407	441	302	1
Male	964	33	10	11	34	33	32	72	135	245	236	122	1
Female	748	44	7	7	13	14	15	29	72	162	205	180	-
White	1,707	77	17	18	47	47	47	101	204	407	440	301	1
Male	961	33	10	11	34	33	32	72	132	245	236	122	1
Female	746	44	7	7	13	14	15	29	72	162	204	179	-
All other	5	-	-	-	-	-	-	-	3	-	1	1	-
Male	3	-	-	-	-	-	-	-	3	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	-	-	-	2	-	1	1	-
Male	2	-	-	-	-	-	-	-	2	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Medford, Oreg	1,184	15	9	4	19	17	27	62	137	311	328	255	-
Male	657	7	4	4	14	15	13	38	85	195	186	96	-
Female	527	8	5	-	5	2	14	24	52	116	142	159	-
White	1,178	15	9	4	18	17	27	62	137	308	328	255	-
Male	651	7	4	4	13	15	13	38	85	192	184	96	-
Female	527	8	5	-	5	2	14	24	52	116	142	159	-
All other	6	-	-	-	1	-	-	-	-	3	2	-	-
Male	6	-	-	-	1	-	-	-	-	3	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melbourne-Titusville-Cocoa, Fla	2,647	45	9	10	40	52	71	160	460	779	647	374	-
Male	1,504	26	6	7	29	38	46	102	287	490	350	123	-
Female	1,143	19	3	3	11	14	25	58	173	289	297	251	-
White	2,458	34	8	7	31	44	56	142	421	737	619	359	-
Male	1,400	20	5	6	23	33	38	90	265	464	339	117	-
Female	1,058	14	3	1	8	11	18	52	156	273	280	242	-
All other	189	11	1	3	9	8	15	18	39	42	28	15	-
Male	104	6	1	1	6	5	8	12	22	26	11	6	-
Female	85	5	-	2	3	3	7	6	17	16	17	9	-
Black	184	10	1	2	8	8	14	18	39	42	27	15	-
Male	102	6	1	1	5	5	7	12	22	26	11	6	-
Female	82	4	-	1	3	3	7	6	17	16	16	9	-
Memphis, Tenn.-Ark.-Miss	7,658	244	37	48	184	246	275	484	1,205	1,756	1,951	1,211	7
Male	3,956	126	18	29	140	172	168	280	719	976	913	409	6
Female	3,702	118	19	19	54	74	107	204	486	780	1,038	802	1
White	4,268	63	13	17	89	102	122	241	680	990	1,140	806	5
Male	2,152	37	6	8	65	74	70	143	420	560	520	245	4
Female	2,116	26	7	9	24	28	52	98	260	430	620	561	1
All other	3,390	181	24	31	105	144	153	243	525	766	811	405	2
Male	1,804	89	12	21	75	98	98	137	299	416	393	164	2
Female	1,586	92	12	10	30	46	55	106	226	350	418	241	-
Black	3,382	181	24	31	105	144	151	243	525	763	809	404	2
Male	1,800	89	12	21	75	98	97	137	299	414	392	164	2
Female	1,582	92	12	10	30	46	54	106	226	349	417	240	-
Miami, Fla	16,662	297	58	58	297	516	546	933	2,065	3,626	5,030	3,234	2
Male	8,944	165	27	35	212	374	349	592	1,281	2,087	2,505	1,315	2
Female	7,718	132	31	23	85	142	197	341	784	1,539	2,525	1,919	-
White	14,346	117	15	38	176	348	373	647	1,634	3,173	4,713	3,110	2
Male	7,607	64	10	22	128	254	238	415	1,031	1,824	2,359	1,260	2
Female	6,739	53	5	16	48	94	135	232	603	1,349	2,354	1,850	-
All other	2,316	180	43	20	121	168	173	286	431	453	317	124	-
Male	1,337	101	17	13	84	120	111	177	250	263	146	55	-
Female	979	79	26	7	37	48	62	109	181	190	171	69	-
Black	2,292	180	42	20	120	167	171	283	429	449	310	121	-
Male	1,320	101	16	13	84	119	109	176	248	261	141	52	-
Female	972	79	26	7	36	48	62	107	181	188	169	69	-
Midland, Tex	627	36	5	3	21	33	32	50	106	128	135	78	-
Male	318	20	1	1	13	20	21	32	68	75	49	18	-
Female	309	16	4	2	8	13	11	18	38	53	86	60	-
White	548	33	4	3	17	28	25	43	95	105	123	72	-
Male	279	20	-	1	10	19	16	29	64	62	41	17	-
Female	269	13	4	2	7	9	9	14	31	43	82	55	-
All other	79	3	1	-	4	5	7	7	11	23	12	6	-
Male	39	-	1	-	3	1	5	3	4	13	8	1	-
Female	40	3	-	-	1	4	2	4	7	10	4	5	-
Black	78	3	1	-	4	4	7	7	11	23	12	6	-
Male	39	-	1	-	3	1	5	3	4	13	8	1	-
Female	39	3	-	-	1	3	2	4	7	10	4	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee, Wis	11,667	214	38	39	173	224	293	587	1,617	2,589	3,329	2,564	-
Male	6,007	121	22	25	130	148	187	357	1,012	1,522	1,634	849	-
Female	5,660	93	16	14	43	76	106	230	605	1,067	1,695	1,715	-
White	10,819	143	26	26	150	170	234	492	1,468	2,415	3,193	2,502	-
Male	5,531	83	15	19	113	115	148	305	919	1,422	1,567	825	-
Female	5,288	60	11	7	37	55	86	187	549	993	1,626	1,677	-
All other	848	71	12	13	23	54	59	95	149	174	136	62	-
Male	476	38	7	6	17	33	39	52	93	100	67	24	-
Female	372	33	5	7	6	21	20	43	56	74	69	38	-
Black	816	68	8	13	20	51	55	93	145	170	131	62	-
Male	453	35	4	6	14	30	37	52	90	99	62	24	-
Female	363	33	4	7	6	21	18	41	55	71	69	38	-
Minneapolis-St. Paul, Minn.-Wis	15,175	345	51	61	226	329	373	788	1,920	3,105	4,118	3,658	1
Male	7,733	186	33	33	168	228	229	514	1,200	1,841	1,979	1,322	-
Female	7,442	159	18	28	58	101	144	274	720	1,264	2,139	2,336	1
White	14,739	298	46	47	211	304	339	740	1,855	3,033	4,050	3,815	1
Male	7,503	164	29	26	158	211	210	484	1,161	1,802	1,949	1,309	-
Female	7,236	134	17	21	53	93	129	256	694	1,231	2,101	2,506	1
All other	436	47	5	14	15	25	34	48	65	72	68	43	-
Male	230	22	4	7	10	17	19	30	39	39	30	13	-
Female	206	25	1	7	5	8	15	18	26	33	38	30	-
Black	320	36	4	8	7	15	22	37	48	53	54	38	-
Male	169	15	3	5	5	11	11	25	30	27	25	12	-
Female	151	21	1	3	2	4	11	12	16	26	29	26	-
Mobile, Ala	3,949	85	28	23	105	117	144	249	647	956	1,008	585	1
Male	2,116	49	18	9	75	86	88	166	397	561	500	167	-
Female	1,833	36	11	14	30	31	56	83	250	395	508	418	1
White	2,748	30	16	11	77	64	92	160	492	671	746	448	1
Male	1,473	17	10	5	56	44	57	111	272	398	374	129	-
Female	1,275	13	6	6	21	20	35	49	160	273	372	319	1
All other	1,201	55	13	12	28	53	52	89	215	285	262	137	-
Male	643	32	8	4	19	42	31	55	125	163	126	38	-
Female	558	23	5	8	9	11	21	34	90	122	136	99	-
Black	1,198	53	13	12	28	53	52	89	215	285	261	137	-
Male	642	31	8	4	19	42	31	55	125	163	126	38	-
Female	556	22	5	8	9	11	21	34	90	122	135	99	-
Modesto, Calif	2,311	54	8	12	53	63	57	118	298	565	626	456	1
Male	1,240	41	4	7	35	44	35	67	194	338	312	163	-
Female	1,071	13	4	5	18	19	22	51	104	227	314	293	1
White	2,265	51	8	11	52	60	53	112	289	558	620	452	1
Male	1,214	40	4	6	35	42	33	64	187	334	309	160	-
Female	1,051	11	4	5	17	18	20	48	102	222	311	292	1
All other	46	3	-	1	1	3	4	6	9	9	6	4	-
Male	26	1	-	1	-	2	2	3	7	4	3	3	-
Female	20	2	-	-	1	1	2	3	2	5	3	1	-
Black	30	2	-	-	-	3	2	4	6	6	5	2	-
Male	18	1	-	-	-	2	1	2	5	3	3	1	-
Female	12	1	-	-	-	1	1	2	1	3	2	1	-
Monroe, La	1,193	25	9	13	30	26	45	83	173	272	314	203	-
Male	612	11	7	10	21	16	29	51	96	152	154	65	-
Female	581	14	2	3	9	10	16	32	77	120	160	138	-
White	821	11	5	8	20	18	30	53	113	191	221	151	-
Male	419	5	4	7	15	10	23	35	57	114	106	43	-
Female	402	6	1	1	5	8	7	18	56	77	115	108	-
All other	372	14	4	5	10	8	15	30	60	81	93	52	-
Male	193	6	3	3	6	6	6	16	39	38	48	22	-
Female	179	8	1	2	4	2	9	14	21	43	45	30	-
Black	372	14	4	5	10	8	15	30	60	81	93	52	-
Male	193	6	3	3	6	6	6	16	39	38	48	22	-
Female	179	8	1	2	4	2	9	14	21	43	45	30	-
Montgomery, Ala	2,409	69	10	12	69	55	79	177	368	585	601	383	1
Male	1,226	33	5	8	55	39	48	103	235	333	262	105	-
Female	1,183	36	5	4	14	16	31	74	133	252	339	278	1
White	1,536	30	6	7	44	30	37	111	232	372	395	272	-
Male	795	17	3	6	37	21	25	69	159	212	181	65	-
Female	741	13	3	1	7	9	12	42	73	160	214	207	-
All other	873	39	4	5	25	25	42	66	136	213	206	111	1
Male	431	16	2	2	18	18	23	34	76	121	81	40	-
Female	442	23	2	3	7	7	19	32	60	92	125	71	1
Black	868	39	4	5	25	25	42	65	135	212	205	110	1
Male	427	16	2	2	18	18	23	33	75	121	80	39	-
Female	441	23	2	3	7	7	19	32	60	91	125	71	1
Muncie, Ind	1,018	11	2	4	19	23	23	50	154	228	299	205	-
Male	511	6	1	3	12	17	10	30	90	137	141	84	-
Female	507	5	1	1	7	6	13	20	64	91	158	141	-
White	965	10	2	4	18	21	20	46	147	214	285	198	-
Male	477	5	1	3	11	16	7	29	85	126	132	62	-
Female	488	5	1	1	7	5	13	17	62	88	153	136	-
All other	53	1	-	-	1	2	3	4	7	14	14	7	-
Male	34	1	-	-	1	1	3	1	5	11	9	2	-
Female	19	-	-	-	-	1	-	3	2	3	5	5	-
Black	51	1	-	-	1	1	3	4	7	14	14	6	-
Male	33	1	-	-	1	1	3	1	5	11	9	1	-
Female	18	-	-	-	-	-	-	3	2	3	5	5	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Muskegon-Norton Shores-Muskegon Heights, Mich	1,538	22	12	9	20	31	56	81	223	374	394	316	-
Male	818	14	4	6	14	21	41	59	135	214	196	114	-
Female	720	8	8	3	6	10	15	22	88	160	198	202	-
White	1,377	15	10	7	14	25	44	67	186	340	361	308	-
Male	723	10	4	4	10	17	29	48	115	195	179	112	-
Female	654	5	6	3	4	8	15	19	71	145	182	196	-
All other	161	7	2	2	6	6	12	14	37	34	33	8	-
Male	95	4	-	2	4	4	12	11	20	19	17	2	-
Female	66	3	2	-	2	2	-	3	17	15	16	6	-
Black	154	7	2	2	6	6	12	13	35	32	31	8	-
Male	91	4	-	2	4	4	12	10	19	18	16	2	-
Female	63	3	2	-	2	2	-	3	16	14	15	6	-
Nashville-Davidson, Tenn	7,239	157	13	34	155	200	254	501	1,055	1,690	1,872	1,301	1
Male	3,900	103	7	26	125	138	164	342	655	1,008	898	433	1
Female	3,333	54	6	8	30	62	90	159	400	682	974	868	-
White	5,879	105	11	26	126	144	192	388	837	1,363	1,555	1,131	1
Male	3,207	72	6	19	102	105	127	275	539	828	761	372	1
Female	2,672	33	5	7	24	39	65	113	298	535	794	759	-
All other	1,354	52	2	8	29	56	62	113	218	327	317	170	-
Male	693	31	1	7	23	33	37	67	116	180	137	61	-
Female	661	21	1	1	6	23	25	46	102	147	180	109	-
Black	1,345	51	2	8	27	54	62	111	218	326	317	169	-
Male	688	31	1	7	21	32	37	66	116	179	137	61	-
Female	657	20	1	1	6	22	25	45	102	147	180	108	-
Nassau-Suffolk, N.Y	22,014	300	60	85	347	429	606	1,399	3,459	4,972	5,947	4,388	12
Male	10,996	172	35	46	254	293	386	814	2,122	2,798	2,697	1,372	7
Female	11,018	128	25	39	93	136	220	585	1,337	2,174	3,250	3,026	5
White	20,762	226	47	75	301	364	522	1,244	3,236	4,705	5,721	4,311	10
Male	10,314	131	27	40	221	250	333	730	1,990	2,654	2,592	1,940	6
Female	10,448	95	20	35	80	114	189	514	1,246	2,051	3,129	2,971	4
All other	1,252	74	13	10	46	65	84	155	223	267	226	87	2
Male	682	41	8	6	33	43	53	84	132	144	105	32	1
Female	570	33	5	4	13	22	31	71	91	123	121	55	1
Black	1,179	71	11	8	44	63	77	146	212	252	210	83	2
Male	637	40	8	4	31	41	49	77	123	138	97	28	1
Female	542	31	3	4	13	22	28	69	89	114	113	55	1
New Bedford-Fall River, Mass	4,690	53	7	13	68	76	104	205	646	1,168	1,338	1,013	1
Male	2,392	29	6	8	50	60	61	133	399	674	646	325	1
Female	2,298	24	1	5	16	16	43	72	247	494	692	688	-
White	4,598	50	6	13	64	67	98	199	631	1,159	1,319	991	1
Male	2,337	26	6	8	48	53	57	127	390	670	637	314	1
Female	2,261	24	-	5	16	14	41	72	241	489	682	677	-
All other	92	3	1	-	2	9	6	6	15	9	19	22	-
Male	55	3	-	-	2	7	4	6	9	4	9	11	-
Female	37	-	1	-	-	2	2	-	6	5	10	11	-
Black	85	3	1	-	2	8	6	6	13	9	15	22	-
Male	50	3	-	-	2	6	4	6	7	4	7	11	-
Female	35	-	1	-	-	2	2	-	6	5	8	11	-
New Brunswick-Perth Amboy-Sayreville, N.J	5,050	93	10	14	84	124	108	331	934	1,312	1,210	830	-
Male	2,680	51	5	8	57	84	64	208	605	771	556	271	-
Female	2,370	42	5	6	27	40	44	123	329	541	654	559	-
White	4,765	66	10	11	73	109	95	310	863	1,262	1,164	802	-
Male	2,522	36	5	6	50	73	58	197	563	744	529	261	-
Female	2,243	30	5	5	23	36	37	113	300	518	635	541	-
All other	285	27	-	3	11	15	13	21	71	50	46	28	-
Male	158	15	-	2	7	11	6	11	42	27	27	10	-
Female	127	12	-	1	4	4	7	10	29	23	19	18	-
Black	261	24	-	2	10	14	11	20	66	43	43	28	-
Male	145	14	-	1	6	10	4	10	39	25	26	10	-
Female	116	10	-	1	4	4	7	10	27	18	17	18	-
New Haven-Waterbury-Meriden, Conn	7,189	106	18	22	94	128	186	328	938	1,701	2,002	1,665	1
Male	3,724	63	12	18	72	101	115	201	598	966	1,009	569	-
Female	3,465	43	6	4	22	27	71	127	340	735	993	1,096	1
White	6,733	70	10	18	81	98	150	275	855	1,615	1,926	1,634	1
Male	3,447	39	7	15	61	81	90	169	542	916	969	558	-
Female	3,286	31	3	3	20	17	60	106	313	699	957	1,076	1
All other	456	36	8	4	13	30	36	53	83	86	76	31	-
Male	277	24	5	3	11	20	25	32	56	50	40	11	-
Female	179	12	3	1	2	10	11	21	27	36	36	20	-
Black	448	36	7	4	13	30	35	52	82	85	74	30	-
Male	272	24	5	3	11	20	24	31	55	49	39	11	-
Female	176	12	2	1	2	10	11	21	27	36	35	19	-
New London-Norwich, Conn	2,012	39	5	5	44	53	46	100	283	503	521	411	2
Male	1,112	25	4	3	30	35	31	73	185	311	268	146	1
Female	900	14	1	2	14	18	15	27	98	192	253	265	1
White	1,950	36	5	5	44	46	42	94	270	490	511	405	2
Male	1,072	22	4	3	30	32	28	69	176	303	263	141	1
Female	878	14	1	2	14	14	14	25	94	187	248	264	1
All other	62	3	-	-	-	7	4	6	13	13	10	6	-
Male	40	3	-	-	-	3	3	4	9	8	5	5	-
Female	22	-	-	-	-	4	1	2	4	5	5	1	-
Black	56	2	-	-	-	7	4	5	12	11	9	6	-
Male	36	2	-	-	-	3	3	3	9	7	4	5	-
Female	20	-	-	-	-	4	1	2	3	4	5	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Orleans, La	10,389	312	49	55	260	381	495	787	1,763	2,436	2,529	1,388	14
Male	5,515	171	30	28	185	264	297	497	1,090	1,388	1,116	441	8
Female	4,874	141	19	27	75	97	198	290	673	1,048	1,413	947	6
White	6,830	108	18	28	123	180	235	443	1,113	1,615	1,845	1,115	7
Male	3,555	60	10	14	90	129	164	292	720	916	809	343	6
Female	3,275	48	8	14	33	51	71	151	393	697	1,036	772	1
All other	3,559	204	31	27	137	181	200	344	650	821	684	273	7
Male	1,960	111	20	14	95	135	133	205	370	470	307	98	2
Female	1,599	93	11	13	42	46	67	139	280	351	377	175	5
Black	3,505	197	28	24	132	173	196	340	647	814	678	269	7
Male	1,927	110	18	13	90	128	130	202	368	467	305	94	2
Female	1,578	87	10	11	42	45	66	138	279	347	373	175	5
New York, N.Y.-N.J	92,160	1,692	274	292	1,455	2,844	3,512	5,986	12,748	20,398	25,156	17,798	7
Male	46,755	928	156	179	1,076	2,057	2,330	3,698	7,539	11,048	11,589	6,150	5
Female	45,405	764	118	113	379	787	1,182	2,288	5,207	9,350	13,567	11,648	2
White	73,870	906	157	184	879	1,692	2,050	3,832	9,237	16,514	22,123	16,291	5
Male	36,948	501	87	118	646	1,259	1,383	2,412	5,598	9,061	10,240	5,639	4
Female	36,922	405	70	66	233	433	667	1,420	3,639	7,453	11,883	10,652	1
All other	18,290	786	117	108	576	1,152	1,462	2,154	3,509	3,884	3,033	1,507	2
Male	9,807	427	69	61	430	798	947	1,286	1,941	1,987	1,349	511	1
Female	8,483	359	48	47	146	354	515	868	1,568	1,897	1,684	996	1
Black	17,165	743	109	99	546	1,106	1,389	2,037	3,354	3,628	2,793	1,359	2
Male	9,095	409	64	57	408	764	904	1,212	1,844	1,808	1,190	434	1
Female	8,070	334	45	42	138	342	485	825	1,510	1,820	1,603	925	1
Newark, N.J	17,428	298	36	72	285	375	553	1,157	2,778	3,989	4,540	3,347	18
Male	8,805	155	19	43	201	262	349	683	1,698	2,275	2,048	1,055	17
Female	8,623	143	17	29	84	113	204	474	1,080	1,694	2,492	2,292	1
White	14,002	139	16	40	188	191	296	745	2,084	3,264	3,951	3,084	4
Male	6,910	76	7	24	138	139	177	440	1,288	1,880	1,777	960	4
Female	7,092	63	9	16	50	52	119	305	796	1,384	2,174	2,124	–
All other	3,426	159	20	32	97	184	257	412	694	705	589	263	14
Male	1,895	79	12	19	63	123	172	243	410	395	271	95	13
Female	1,531	80	8	13	34	61	85	169	284	310	318	168	1
Black	3,375	156	19	32	94	182	255	407	688	692	577	259	14
Male	1,866	77	12	19	61	121	171	240	406	388	264	94	13
Female	1,509	79	7	13	33	61	84	167	282	304	313	165	1
Newark, Ohio	1,024	12	6	7	15	16	33	57	162	237	275	204	–
Male	520	4	5	4	11	9	18	43	96	135	138	57	–
Female	504	8	1	3	4	7	15	14	66	102	137	147	–
White	999	11	6	7	15	16	32	55	155	234	266	202	–
Male	507	4	5	4	11	9	17	41	95	134	132	55	–
Female	492	7	1	3	4	7	15	14	60	100	134	147	–
All other	25	1	–	–	–	–	1	2	7	3	9	2	–
Male	13	–	–	–	–	–	1	2	1	1	6	2	–
Female	12	1	–	–	–	–	–	–	6	2	3	–	–
Black	23	1	–	–	–	–	1	2	7	3	7	2	–
Male	12	–	–	–	–	–	1	2	1	1	5	2	–
Female	11	1	–	–	–	–	–	–	6	2	2	–	–
Newburgh-Middletown, N.Y	2,359	34	12	8	44	59	78	140	346	559	615	484	–
Male	1,279	19	8	5	33	39	51	93	230	344	296	161	–
Female	1,080	15	4	3	11	20	27	47	116	215	319	303	–
White	2,227	25	10	7	38	50	71	122	319	533	595	457	–
Male	1,188	11	7	4	28	34	45	80	211	326	285	157	–
Female	1,039	14	3	3	10	16	26	42	108	207	310	300	–
All other	132	9	2	1	6	9	7	18	27	26	20	7	–
Male	91	8	1	1	5	5	6	13	19	18	11	4	–
Female	41	1	1	–	1	4	1	5	8	8	9	3	–
Black	126	9	2	–	5	9	7	18	25	26	20	7	–
Male	89	8	1	–	5	5	6	13	18	18	11	4	–
Female	39	1	1	–	–	4	1	5	7	8	9	3	–
Newport News-Hampton, Va	2,548	95	12	10	50	72	90	216	440	536	554	373	–
Male	1,382	52	8	5	33	51	42	135	275	387	274	120	–
Female	1,166	43	4	5	17	21	48	81	165	249	280	253	–
White	1,698	42	6	8	32	42	55	124	280	430	395	285	–
Male	913	24	2	5	22	32	24	79	179	265	193	88	–
Female	785	18	3	3	10	10	31	45	101	165	202	197	–
All other	850	53	7	2	18	30	35	92	160	206	159	88	–
Male	469	28	6	–	11	19	18	56	96	122	81	32	–
Female	381	25	1	2	7	11	17	36	64	84	78	56	–
Black	843	52	7	2	18	30	35	89	159	204	159	88	–
Male	465	28	6	–	11	19	18	54	95	121	81	32	–
Female	378	24	1	2	7	11	17	35	64	83	78	56	–
Norfolk-Virginia Beach-Portsmouth, Va.-N.C	6,192	224	30	25	109	171	206	443	1,146	1,548	1,504	785	1
Male	3,294	121	21	13	79	110	112	277	719	916	684	241	1
Female	2,898	103	9	12	30	61	94	166	427	632	820	544	–
White	4,108	131	12	14	67	94	123	253	700	1,011	1,079	623	1
Male	2,150	70	7	6	51	64	67	159	444	599	499	183	1
Female	1,958	61	5	8	16	30	56	94	256	412	580	440	–
All other	2,084	93	18	11	42	77	83	190	446	537	425	162	–
Male	1,144	51	14	7	28	46	45	118	275	317	185	58	–
Female	940	42	4	4	14	31	38	72	171	220	240	104	–
Black	2,050	91	16	10	41	74	79	187	441	530	421	160	–
Male	1,123	49	13	7	27	46	41	116	273	313	182	56	–
Female	927	42	3	3	14	28	38	71	168	217	239	104	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Northeast Pennsylvania	7,684	72	13	24	85	90	144	376	1,107	2,096	2,289	1,368	-
Male	3,872	44	8	13	66	63	92	237	703	1,202	1,007	437	-
Female	3,792	28	5	11	19	27	52	139	404	894	1,282	931	-
White	7,618	70	12	23	84	87	143	373	1,103	2,084	2,279	1,360	-
Male	3,844	43	7	13	65	61	91	234	700	1,194	1,002	434	-
Female	3,774	27	5	10	19	26	52	139	403	890	1,277	926	-
All other	46	2	1	1	1	3	1	3	4	12	10	8	-
Male	28	1	1	-	1	2	1	3	3	8	5	3	-
Female	18	1	-	1	-	1	-	-	1	4	5	5	-
Black	40	2	1	1	1	3	1	2	4	11	6	8	-
Male	25	1	1	-	1	2	1	2	3	8	3	3	-
Female	15	1	-	1	-	1	-	-	1	3	3	5	-
Ocala, Fla	1,651	26	7	6	51	30	47	96	257	446	487	218	-
Male	965	16	5	4	39	16	24	54	165	290	268	84	-
Female	686	10	2	2	12	14	23	42	92	156	199	134	-
White	1,412	17	3	3	44	21	43	79	216	388	409	189	-
Male	839	10	3	2	35	10	23	45	140	256	240	75	-
Female	573	7	-	1	9	11	20	34	76	132	169	114	-
All other	239	9	4	3	7	9	4	17	41	58	58	29	-
Male	126	6	2	2	4	6	1	9	25	34	28	9	-
Female	113	3	2	1	3	3	3	8	16	24	30	20	-
Black	237	9	4	3	7	9	4	16	40	58	58	29	-
Male	125	6	2	2	4	6	1	9	24	34	28	9	-
Female	112	3	2	1	3	3	3	7	16	24	30	20	-
Odessa, Tex	800	30	8	13	40	50	43	77	128	166	165	80	-
Male	486	20	6	8	27	42	29	53	90	101	85	25	-
Female	314	10	2	5	13	8	14	24	38	65	80	55	-
White	768	29	8	12	38	48	41	73	119	162	162	76	-
Male	467	19	6	7	25	40	28	50	87	99	83	23	-
Female	301	10	2	5	13	8	13	23	32	63	79	53	-
All other	32	1	-	1	2	2	2	4	9	4	3	4	-
Male	19	1	-	1	2	2	1	3	3	2	2	2	-
Female	13	-	-	-	-	-	1	1	6	2	1	2	-
Black	32	1	-	1	2	2	2	4	9	4	3	4	-
Male	19	1	-	1	2	2	1	3	3	2	2	2	-
Female	13	-	-	-	-	-	1	1	6	2	1	2	-
Oklahoma City, Okla	7,066	182	42	64	177	228	250	487	1,045	1,492	1,869	1,219	11
Male	3,692	109	20	36	132	161	150	301	640	855	897	386	5
Female	3,374	73	22	28	45	67	100	186	405	637	972	833	6
White	6,310	134	32	49	144	187	209	421	921	1,348	1,715	1,143	7
Male	3,290	84	16	28	106	130	129	266	571	775	826	356	3
Female	3,020	50	16	21	38	57	80	155	350	573	889	787	4
All other	756	48	10	15	33	41	41	66	124	144	154	76	4
Male	402	25	4	8	26	31	21	35	69	80	71	30	2
Female	354	23	6	7	7	10	20	31	55	64	83	46	2
Black	605	33	9	8	26	33	29	50	90	127	133	64	3
Male	315	17	4	4	19	25	12	27	49	72	60	25	1
Female	290	16	5	4	7	8	17	23	41	55	73	39	2
Olympia, Wash	979	21	2	6	16	22	19	45	132	215	270	231	-
Male	531	16	2	5	11	17	14	34	85	126	140	81	-
Female	448	5	-	1	5	5	5	11	47	89	130	150	-
White	967	21	2	6	15	21	18	43	132	212	267	230	-
Male	522	16	2	5	10	16	13	33	85	123	139	80	-
Female	445	5	-	1	5	5	5	10	47	89	128	150	-
All other	12	-	-	-	1	1	1	2	-	3	3	1	-
Male	9	-	-	-	1	1	1	1	-	3	1	1	-
Female	3	-	-	-	-	-	-	1	-	-	2	-	-
Black	4	-	-	-	-	1	1	1	-	1	-	-	-
Male	4	-	-	-	-	1	1	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Omaha, Nebr.-Iowa	4,381	97	30	24	82	97	104	266	654	944	1,183	920	-
Male	2,299	59	14	17	61	71	58	177	415	563	557	307	-
Female	2,082	38	16	7	21	26	46	89	239	381	606	613	-
White	4,046	77	24	17	69	78	90	238	590	878	1,103	882	-
Male	2,120	45	11	14	53	57	51	159	383	533	525	289	-
Female	1,926	32	13	3	16	21	39	79	207	345	578	593	-
All other	335	20	6	7	13	19	14	28	64	66	60	38	-
Male	179	14	3	3	8	14	7	18	32	30	32	18	-
Female	156	6	3	4	5	5	7	10	32	36	28	20	-
Black	316	20	6	6	12	17	13	27	59	59	59	38	-
Male	168	14	3	3	7	12	6	18	30	28	31	18	-
Female	148	6	3	3	5	5	7	9	29	33	28	20	-
Orlando, Fla	6,410	115	28	29	154	157	182	439	1,047	1,471	1,620	1,167	1
Male	3,457	66	12	16	112	103	108	268	648	901	798	424	1
Female	2,953	49	16	13	42	54	74	171	399	570	822	743	-
White	5,674	85	23	24	131	129	141	359	905	1,286	1,471	1,120	-
Male	3,042	50	10	13	95	84	87	221	569	795	725	403	-
Female	2,632	35	13	11	36	45	54	138	336	501	746	717	-
All other	736	30	5	5	23	28	41	80	142	185	149	47	1
Male	415	16	2	3	17	19	21	47	79	116	73	21	1
Female	321	14	3	2	6	9	20	33	63	69	76	26	-
Black	729	30	5	5	22	28	41	77	141	184	148	47	1
Male	410	16	2	3	16	19	21	44	79	116	72	21	1
Female	319	14	3	2	6	9	20	33	62	68	76	26	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Owensboro, Ky	802	9	2	5	12	20	12	58	100	199	222	163	-
Male	438	5	2	4	7	13	7	38	74	120	105	63	-
Female	364	4	-	1	5	7	5	20	26	79	117	100	-
White	759	9	2	5	12	20	10	51	93	190	212	155	-
Male	415	5	2	4	7	13	6	32	69	114	101	62	-
Female	344	4	-	1	5	7	4	19	24	76	111	93	-
All other	43	-	-	-	-	-	2	7	7	9	10	8	-
Male	23	-	-	-	-	-	1	6	5	6	4	1	-
Female	20	-	-	-	-	-	1	1	2	3	6	7	-
Black	43	-	-	-	-	-	2	7	7	9	10	8	-
Male	23	-	-	-	-	-	1	6	5	6	4	1	-
Female	20	-	-	-	-	-	1	1	2	3	6	7	-
Oxnard-Simi Valley-Ventura, Calif	3,351	72	23	20	99	114	125	194	442	766	838	657	1
Male	1,806	43	12	13	84	82	80	111	268	455	428	229	1
Female	1,545	29	11	7	15	32	45	83	174	311	410	428	-
White	3,264	63	22	20	96	106	118	188	426	749	827	648	1
Male	1,753	37	12	13	81	76	76	108	259	442	422	226	1
Female	1,511	26	10	7	15	30	42	80	167	307	405	422	-
All other	87	9	1	-	3	8	7	6	16	17	11	9	-
Male	53	6	-	-	3	6	4	3	9	13	6	3	-
Female	34	3	1	-	-	2	3	3	7	4	5	6	-
Black	45	4	-	-	1	8	4	2	7	9	5	5	-
Male	28	2	-	-	1	6	3	1	4	7	3	1	-
Female	17	2	-	-	-	2	1	1	3	2	2	4	-
Panama City, Fla	868	17	6	5	35	18	32	71	156	191	212	124	1
Male	499	14	5	4	27	13	21	48	98	118	101	50	-
Female	369	3	1	1	8	5	11	23	58	73	111	74	1
White	759	14	3	5	30	14	25	60	195	167	196	109	1
Male	435	11	3	4	24	10	16	43	88	101	93	42	-
Female	324	3	-	1	6	4	9	17	47	66	103	67	1
All other	109	3	3	-	5	4	7	11	21	24	16	15	-
Male	64	3	2	-	3	3	5	5	10	17	8	8	-
Female	45	-	1	-	2	1	2	6	11	7	8	7	-
Black	102	2	1	-	4	1	7	11	21	24	16	15	-
Male	60	2	1	-	3	1	5	5	10	17	8	8	-
Female	42	-	-	-	1	-	2	6	11	7	8	7	-
Parkersburg-Marietta, W. Va.-Ohio	1,489	22	2	7	33	25	41	84	204	331	395	335	-
Male	802	7	1	6	20	18	27	56	130	202	221	114	-
Female	687	15	1	1	13	7	14	38	74	129	174	221	-
White	1,464	20	2	7	32	25	41	82	195	331	389	330	-
Male	789	7	1	6	20	18	27	55	124	202	216	113	-
Female	675	13	1	1	12	7	14	37	71	129	173	217	-
All other	25	2	-	-	1	-	-	2	9	-	6	5	-
Male	13	-	-	-	-	-	-	1	6	-	5	1	-
Female	12	2	-	-	1	-	-	1	3	-	1	4	-
Black	23	2	-	-	1	-	-	2	8	-	5	5	-
Male	11	-	-	-	-	-	-	1	5	-	4	1	-
Female	12	2	-	-	1	-	-	1	3	-	1	4	-
Pascagoula-Moss Point, Miss	591	19	4	6	27	20	24	64	116	163	154	94	-
Male	388	9	2	3	18	16	17	41	72	98	77	35	-
Female	303	10	2	3	9	4	7	23	44	65	77	59	-
White	579	13	2	6	18	14	20	48	101	146	129	82	-
Male	334	7	1	3	13	12	14	34	65	87	66	32	-
Female	245	6	1	3	5	2	6	14	36	59	63	50	-
All other	112	6	2	-	9	6	4	16	15	17	25	12	-
Male	54	2	1	-	5	4	3	7	7	11	11	3	-
Female	58	4	1	-	4	2	1	9	8	6	14	9	-
Black	111	6	2	-	9	6	4	16	15	17	25	11	-
Male	53	2	1	-	5	4	3	7	7	11	11	2	-
Female	58	4	1	-	4	2	1	9	8	6	14	9	-
Paterson-Clifton-Passaic, N.J	4,189	65	12	15	62	92	118	255	551	946	1,149	921	3
Male	2,081	36	6	8	45	67	64	145	339	536	518	314	3
Female	2,108	29	6	7	17	25	54	110	212	410	631	607	-
White	3,778	44	10	10	47	64	72	192	476	870	1,092	900	1
Male	1,855	24	5	6	34	46	38	110	296	499	492	304	1
Female	1,923	20	5	4	13	18	34	82	180	371	600	596	-
All other	411	21	2	5	15	28	46	63	75	76	57	21	2
Male	226	12	1	2	11	21	26	35	43	37	26	10	2
Female	185	9	1	3	4	7	20	28	32	39	31	11	-
Black	402	21	1	4	15	28	44	61	73	75	57	21	2
Male	220	12	1	1	11	21	24	33	43	36	26	10	2
Female	182	9	-	3	4	7	20	28	30	39	31	11	-
Pensacola, Fla	2,268	53	9	7	72	68	84	153	380	578	568	295	1
Male	1,251	32	5	2	62	49	55	98	231	351	266	100	-
Female	1,017	21	4	5	10	19	29	55	149	227	302	195	1
White	1,822	35	5	5	59	52	63	114	298	469	455	266	1
Male	1,025	23	4	2	55	38	42	76	190	289	213	93	-
Female	797	12	1	3	4	14	21	38	108	180	242	173	1
All other	446	18	4	2	13	16	21	39	82	109	113	29	-
Male	226	9	1	-	7	11	13	22	41	62	53	7	-
Female	220	9	3	2	6	5	8	17	41	47	60	22	-
Black	437	18	4	1	13	15	20	37	81	107	112	29	-
Male	221	9	1	-	7	10	12	22	40	61	52	7	-
Female	216	9	3	1	6	5	8	15	41	46	60	22	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	2,993	64	8	7	50	47	71	149	388	699	874	636	-
Male	1,523	27	7	2	36	33	46	87	245	408	439	193	-
Female	1,470	37	1	5	14	14	25	62	143	291	435	443	-
White	2,868	42	6	7	49	44	65	136	366	671	856	628	-
Male	1,454	22	5	2	36	32	41	77	233	390	430	188	-
Female	1,414	20	1	5	13	12	24	59	133	281	426	440	-
All other	125	22	2	-	1	3	6	13	22	28	18	10	-
Male	69	5	2	-	-	1	5	10	12	18	9	7	-
Female	56	17	-	-	1	2	1	3	10	10	9	3	-
Black	122	21	2	-	1	3	6	13	22	26	18	10	-
Male	67	4	2	-	-	1	5	10	12	17	9	7	-
Female	55	17	-	-	1	2	1	3	10	9	9	3	-
Petersburg-Colonial Heights-Hopewell, Va	1,128	29	4	7	18	39	36	82	186	292	273	162	-
Male	632	20	1	4	11	30	21	49	128	175	139	54	-
Female	496	9	3	3	7	9	15	33	58	117	134	108	-
White	730	12	2	2	10	21	23	47	113	178	201	121	-
Male	400	10	-	1	6	15	18	30	79	109	98	34	-
Female	330	2	2	1	4	6	5	17	34	69	103	87	-
All other	398	17	2	5	8	18	13	35	73	114	72	41	-
Male	232	10	1	3	5	15	3	19	49	66	41	20	-
Female	166	7	1	2	3	3	10	16	24	48	31	21	-
Black	397	17	2	5	8	18	13	34	73	114	72	41	-
Male	232	10	1	3	5	15	3	19	49	66	41	20	-
Female	165	7	1	2	3	3	10	15	24	48	31	21	-
Philadelphia, Pa.-N.J	46,404	893	140	147	667	855	1,250	2,790	7,269	11,458	12,283	8,536	16
Male	23,707	493	76	94	503	647	776	1,727	4,484	6,517	5,567	2,816	7
Female	22,697	400	64	53	164	308	474	1,063	2,785	4,941	6,716	5,720	9
White	37,636	530	84	90	472	609	792	1,920	5,546	9,341	10,511	7,730	11
Male	19,034	297	51	60	353	423	496	1,218	3,474	5,376	4,769	2,512	5
Female	18,602	233	33	30	119	186	296	702	2,072	3,965	5,742	5,218	6
All other	8,768	363	56	57	195	346	458	870	1,723	2,117	1,772	806	5
Male	4,673	196	25	34	150	224	280	509	1,010	1,141	798	304	2
Female	4,095	167	31	23	45	122	178	361	713	976	974	502	3
Black	8,627	349	56	55	191	337	447	854	1,703	2,093	1,747	790	5
Male	4,591	192	25	33	147	221	274	501	999	1,122	780	295	2
Female	4,036	157	31	22	44	116	173	353	704	971	967	495	3
Phoenix, Ariz	12,455	269	66	81	267	356	368	743	1,711	3,134	3,477	1,971	12
Male	6,910	147	38	48	200	239	208	457	1,019	1,911	1,859	777	7
Female	5,545	122	28	33	67	117	160	286	692	1,223	1,618	1,194	5
White	11,904	232	60	70	243	320	337	691	1,630	3,018	3,379	1,915	9
Male	6,586	124	35	41	184	213	191	427	966	1,839	1,803	757	6
Female	5,318	108	25	29	59	107	146	264	664	1,179	1,576	1,158	3
All other	551	37	6	11	24	36	31	52	81	116	98	56	3
Male	324	23	3	7	16	26	17	30	53	72	56	20	1
Female	227	14	3	4	8	10	14	22	28	44	42	36	2
Black	404	28	4	7	13	26	14	36	63	93	78	42	-
Male	239	17	2	5	9	17	11	23	43	56	44	12	-
Female	165	11	2	2	4	9	3	13	20	37	34	30	-
Pine Bluff, Ark	869	20	6	7	16	21	28	62	121	196	241	151	-
Male	474	11	4	3	11	16	19	34	84	119	122	51	-
Female	395	9	2	4	5	5	9	28	37	77	119	100	-
White	514	5	2	3	10	13	13	40	83	104	137	104	-
Male	289	3	1	2	7	9	9	25	59	73	68	33	-
Female	225	2	1	1	3	4	4	15	24	31	69	71	-
All other	355	15	4	4	6	8	15	22	38	92	104	47	-
Male	185	8	3	1	4	7	10	9	25	46	54	18	-
Female	170	7	1	3	2	1	5	13	13	46	50	29	-
Black	353	15	4	4	6	8	15	22	37	91	104	47	-
Male	185	8	3	1	4	7	10	9	25	46	54	18	-
Female	168	7	1	3	2	1	5	13	12	45	50	29	-
Pittsburgh, Pa	24,315	325	34	43	294	383	524	1,267	3,829	6,357	6,595	4,657	7
Male	12,668	168	20	26	226	275	330	789	2,366	3,650	3,137	1,676	5
Female	11,647	157	14	17	68	108	194	478	1,463	2,707	3,458	2,981	2
White	22,313	236	25	33	265	321	429	1,096	3,466	5,933	6,097	4,407	5
Male	11,547	122	12	22	203	233	267	702	2,139	3,416	2,865	1,562	4
Female	10,766	114	13	11	62	88	162	394	1,327	2,517	3,232	2,845	1
All other	2,002	89	9	10	29	62	95	171	363	424	498	250	2
Male	1,121	46	8	4	23	42	63	87	227	234	272	114	1
Female	881	43	1	6	6	20	32	84	136	190	226	136	1
Black	1,970	88	7	10	29	61	93	168	359	419	491	243	2
Male	1,098	46	6	4	23	42	61	84	224	231	267	109	1
Female	872	42	1	6	6	19	32	84	135	188	224	134	1
Pittsfield, Mass	1,511	14	1	1	20	20	20	70	192	357	455	361	-
Male	751	7	1	1	11	12	15	45	114	217	213	115	-
Female	760	7	-	-	9	8	5	25	78	140	242	246	-
White	1,498	13	1	1	20	20	19	66	191	354	455	356	-
Male	741	6	1	1	11	12	14	42	114	216	213	111	-
Female	755	7	-	-	9	8	5	24	77	138	242	245	-
All other	15	1	-	-	-	-	1	4	1	3	-	5	-
Male	10	1	-	-	-	-	1	3	-	1	-	4	-
Female	5	-	-	-	-	-	-	1	1	2	-	1	-
Black	15	1	-	-	-	-	1	4	1	3	-	5	-
Male	10	1	-	-	-	-	1	3	-	1	-	4	-
Female	5	-	-	-	-	-	-	1	1	2	-	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, Maine	2,359	29	2	5	37	42	58	119	327	555	634	551	-
Male	1,221	18	1	5	27	31	39	72	218	325	314	171	-
Female	1,138	11	1	-	10	11	19	47	109	230	320	380	-
White	2,350	29	2	5	37	41	55	118	326	555	632	550	-
Male	1,215	18	1	5	27	30	36	71	218	325	313	171	-
Female	1,135	11	1	-	10	11	19	47	108	230	319	379	-
All other	9	-	-	-	-	1	3	1	1	-	2	1	-
Male	6	-	-	-	-	1	3	1	-	-	1	-	-
Female	3	-	-	-	-	-	-	-	1	-	1	1	-
Black	6	-	-	-	-	1	1	1	-	-	2	1	-
Male	4	-	-	-	-	1	1	1	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Portland, Oreg.-Wash	10,283	183	41	43	183	263	301	528	1,350	2,362	2,689	2,340	-
Male	5,347	99	24	26	124	184	201	325	849	1,382	1,311	822	-
Female	4,936	84	17	17	59	79	100	203	501	980	1,378	1,518	-
White	9,860	159	33	42	164	229	276	485	1,284	2,270	2,606	2,312	-
Male	5,090	87	20	26	109	163	187	298	807	1,318	1,265	810	-
Female	4,770	72	13	16	55	66	89	187	477	952	1,341	1,502	-
All other	423	24	8	1	19	34	25	43	66	92	83	28	-
Male	257	12	4	-	15	21	14	27	42	64	46	12	-
Female	166	12	4	1	4	13	11	16	24	28	37	16	-
Black	280	13	5	1	14	16	15	30	49	65	55	17	-
Male	173	5	2	-	11	9	10	20	32	46	30	8	-
Female	107	8	3	1	3	7	5	10	17	19	25	9	-
Portsmouth-Dover-Rochester, N.H.-Maine	3,383	51	16	21	71	61	74	188	474	813	917	697	-
Male	1,757	37	11	12	49	44	49	123	282	482	449	219	-
Female	1,626	14	5	9	22	17	25	65	192	331	468	478	-
White	3,372	51	12	20	71	61	73	189	472	812	916	696	-
Male	1,751	37	9	12	49	44	48	123	281	492	448	218	-
Female	1,621	14	3	8	22	17	25	65	191	330	468	478	-
All other	11	-	4	1	-	-	1	-	2	1	1	1	-
Male	6	-	2	-	-	-	1	-	1	-	1	1	-
Female	5	-	2	1	-	-	-	-	1	1	-	-	-
Black	9	-	3	1	-	-	-	-	2	1	1	1	-
Male	5	-	2	-	-	-	-	-	1	-	1	1	-
Female	4	-	1	1	-	-	-	-	1	1	-	-	-
Poughkeepsie, N.Y	2,071	23	3	10	32	32	55	143	296	487	569	420	1
Male	1,095	15	1	7	24	25	35	91	179	279	292	146	1
Female	976	8	2	3	8	7	20	52	117	208	277	274	-
White	1,938	19	2	9	31	22	45	126	273	464	539	407	1
Male	1,024	12	1	6	23	19	29	84	168	285	273	145	1
Female	914	7	1	3	8	3	16	42	107	199	266	262	-
All other	133	4	1	1	1	10	10	17	23	23	30	13	-
Male	71	3	-	1	1	6	6	7	13	14	19	1	-
Female	62	1	1	-	-	4	4	10	10	9	11	12	-
Black	128	4	1	1	1	10	10	17	21	23	27	13	-
Male	68	3	-	1	1	6	6	7	12	14	17	1	-
Female	60	1	1	-	-	4	4	10	9	9	10	12	-
Providence-Warwick-Pawtucket, R.I	8,644	135	14	24	107	131	183	420	1,165	2,081	2,406	1,978	-
Male	4,384	77	10	14	77	95	110	278	750	1,199	1,135	639	-
Female	4,260	58	4	10	30	36	73	142	415	882	1,271	1,339	-
White	8,411	114	11	21	92	122	175	400	1,127	2,032	2,372	1,945	-
Male	4,253	66	9	14	66	90	104	265	729	1,174	1,115	621	-
Female	4,158	48	2	7	26	32	71	135	398	858	1,257	1,324	-
All other	233	21	3	3	15	9	8	20	38	49	34	33	-
Male	131	11	1	-	11	5	6	13	21	25	20	18	-
Female	102	10	2	3	4	4	2	7	17	24	14	15	-
Black	190	18	3	3	13	8	6	13	35	40	24	27	-
Male	102	8	1	-	10	4	4	9	20	20	13	13	-
Female	88	10	2	3	3	4	2	4	15	20	11	14	-
Provo-Orem, Utah	1,069	57	19	9	32	26	35	49	117	227	283	216	-
Male	563	33	13	7	21	19	20	27	70	134	134	85	-
Female	506	24	6	2	11	7	15	21	47	93	149	131	-
White	1,061	57	19	9	30	25	34	47	115	227	283	215	-
Male	559	33	13	7	19	19	19	26	70	134	134	85	-
Female	502	24	6	2	11	6	15	21	45	93	149	130	-
All other	8	-	-	-	2	1	1	1	2	-	-	1	-
Male	4	-	-	-	2	-	1	1	-	-	-	-	-
Female	4	-	-	-	-	1	-	-	2	-	-	1	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,060	21	7	4	22	28	25	61	148	251	281	201	1
Male	538	15	2	1	12	17	16	39	91	139	138	67	1
Female	522	6	5	3	10	11	9	22	57	112	153	134	-
White	1,036	20	7	4	22	28	24	57	143	246	285	200	-
Male	523	14	2	1	12	17	16	37	87	134	136	67	-
Female	513	6	5	3	10	11	8	20	56	112	149	133	-
All other	24	1	-	-	-	-	1	4	5	5	6	1	1
Male	15	1	-	-	-	-	-	2	4	5	2	-	1
Female	9	-	-	-	-	-	1	2	1	-	4	1	-
Black	21	-	-	-	-	-	1	3	5	5	5	1	1
Male	14	-	-	-	-	-	-	2	4	5	2	-	1
Female	7	-	-	-	-	-	1	1	1	-	3	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, Wis	1,364	17	4	7	29	34	32	79	170	309	385	298	-
Male	761	14	2	4	19	28	21	50	112	193	199	119	-
Female	603	3	2	3	10	6	11	29	58	116	186	179	-
White	1,293	11	3	7	26	29	27	69	158	294	377	292	-
Male	723	9	2	4	18	23	19	44	104	185	197	118	-
Female	570	2	1	3	8	6	8	25	54	109	180	174	-
All other	71	6	1	-	3	5	5	10	12	15	8	6	-
Male	38	5	-	-	1	5	2	6	8	8	2	1	-
Female	33	1	1	-	2	-	3	4	4	7	6	5	-
Black	69	6	1	-	2	5	5	10	12	14	8	6	-
Male	37	5	-	-	1	5	2	6	8	7	2	1	-
Female	32	1	1	-	1	-	3	4	4	7	6	5	-
Raleigh-Durham, N.C	3,661	101	7	10	73	104	137	271	593	859	869	636	1
Male	1,884	63	3	5	46	69	89	176	370	496	374	193	-
Female	1,777	38	4	5	27	35	48	95	223	363	495	443	1
White	2,567	45	4	5	50	65	80	185	380	592	651	510	-
Male	1,279	27	1	1	33	42	52	123	246	337	273	142	-
Female	1,288	18	3	4	17	23	28	62	132	255	378	368	-
All other	1,094	56	3	5	23	39	57	86	213	267	218	126	1
Male	605	38	2	4	13	27	37	53	122	159	101	51	-
Female	489	20	1	1	10	12	20	33	91	108	117	75	1
Black	1,081	55	3	5	21	38	56	82	212	267	218	123	1
Male	598	35	2	4	12	26	36	52	122	159	101	49	-
Female	483	20	1	1	9	12	20	30	90	108	117	74	1
Reading, Pa	3,107	36	9	10	49	48	55	146	368	755	962	648	1
Male	1,606	18	6	8	35	33	37	93	230	450	463	232	1
Female	1,501	18	3	2	14	15	18	53	158	305	499	416	-
White	3,046	32	7	9	47	45	52	136	360	747	949	641	1
Male	1,572	15	5	8	34	32	36	85	224	446	457	229	1
Female	1,474	17	2	1	13	13	16	51	156	301	492	412	-
All other	61	4	2	1	2	3	3	10	8	8	13	7	-
Male	34	3	1	-	1	1	1	8	6	4	6	3	-
Female	27	1	1	1	1	2	2	2	2	4	7	4	-
Black	57	4	2	1	2	3	3	10	7	7	11	7	-
Male	32	3	1	-	1	1	1	8	5	4	5	3	-
Female	25	1	1	1	1	2	2	2	2	3	6	4	-
Redding, Calif	1,079	17	4	7	26	23	31	77	171	294	253	175	1
Male	628	11	2	3	20	18	24	46	100	181	150	72	1
Female	451	6	2	4	6	5	7	31	71	113	103	103	-
White	1,059	17	4	7	25	22	30	73	168	287	250	175	1
Male	614	11	2	3	20	17	23	44	99	175	147	72	1
Female	445	6	2	4	5	5	7	29	69	112	103	103	-
All other	20	-	-	-	1	1	1	4	3	7	3	-	-
Male	14	-	-	-	-	1	1	2	1	6	3	-	-
Female	6	-	-	-	1	-	-	2	2	1	-	-	-
Black	8	-	-	-	-	-	1	-	2	4	1	-	-
Male	6	-	-	-	-	-	1	-	1	3	1	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Reno, Nev	1,468	34	8	7	47	60	68	117	282	336	304	205	-
Male	810	19	4	4	32	39	42	70	176	208	151	65	-
Female	658	15	4	3	15	21	26	47	106	128	153	140	-
White	1,402	34	5	4	38	53	63	108	270	325	300	202	-
Male	785	19	3	2	24	32	39	65	168	200	148	65	-
Female	637	15	2	2	14	21	24	43	102	125	152	137	-
All other	66	-	3	3	9	7	5	9	12	11	4	3	-
Male	45	-	1	2	8	7	3	5	8	8	3	-	-
Female	21	-	2	1	1	-	2	4	4	3	1	3	-
Black	20	-	1	-	-	4	1	2	4	6	1	1	-
Male	14	-	1	-	-	4	1	1	2	4	1	-	-
Female	6	-	-	-	-	-	-	1	2	2	-	1	-
Richland-Kennewick-Pasco, Wash	794	20	5	6	25	31	23	51	117	212	180	124	-
Male	452	8	3	6	22	26	21	30	74	120	98	44	-
Female	342	12	2	-	3	5	2	21	43	92	82	80	-
White	780	20	5	6	25	31	21	51	115	207	177	122	-
Male	443	8	3	6	22	26	19	30	73	117	96	43	-
Female	337	12	2	-	3	5	2	21	42	90	81	79	-
All other	14	-	-	-	-	-	2	-	2	5	3	2	-
Male	9	-	-	-	-	-	2	-	1	3	2	1	-
Female	5	-	-	-	-	-	-	-	1	2	1	1	-
Black	10	-	-	-	-	-	2	-	1	4	2	1	-
Male	6	-	-	-	-	-	2	-	-	3	1	-	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-
Richmond, Va	5,742	128	16	31	113	138	177	394	926	1,379	1,484	952	2
Male	2,944	79	11	21	86	96	116	236	545	792	656	306	-
Female	2,798	49	7	10	27	42	61	158	381	587	828	646	2
White	4,019	60	9	17	63	79	107	234	590	959	1,139	761	1
Male	2,034	38	6	11	50	53	73	148	358	554	508	235	-
Female	1,985	22	3	6	13	26	34	86	232	405	631	526	1
All other	1,723	68	9	14	50	59	70	160	336	420	345	191	1
Male	910	41	5	10	36	43	43	88	187	238	148	71	-
Female	813	27	4	4	14	16	27	72	149	182	197	120	1
Black	1,710	67	9	14	47	58	70	157	335	419	342	191	1
Male	901	40	5	10	34	42	43	87	186	237	146	71	-
Female	809	27	4	4	13	16	27	70	149	182	196	120	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Riverside-San Bernardino-Ontario, Calif	14,319	343	88	94	339	406	465	785	1,997	3,383	3,787	2,613	21
Male	7,850	180	48	56	262	312	293	475	1,204	1,977	2,061	965	17
Female	6,469	163	38	38	77	94	172	310	793	1,406	1,726	1,648	4
White	13,607	290	74	80	307	365	420	722	1,887	3,249	3,655	2,541	17
Male	7,473	159	43	48	241	281	266	435	1,144	1,907	1,994	942	13
Female	6,134	131	31	32	66	84	154	287	743	1,342	1,661	1,599	4
All other	712	53	12	14	32	41	45	63	110	134	132	72	4
Male	377	21	5	8	21	31	27	40	60	70	67	23	4
Female	335	32	7	6	11	10	18	23	50	64	65	49	-
Black	570	45	10	11	20	32	38	48	84	113	107	60	2
Male	302	18	4	7	12	24	24	35	50	57	50	19	2
Female	268	27	6	4	8	8	14	13	34	56	57	41	-
Roanoke, Va	2,372	37	4	8	25	50	63	138	351	562	648	486	-
Male	1,243	19	1	4	19	31	50	92	235	333	297	162	-
Female	1,129	18	3	4	6	19	13	46	116	229	351	324	-
White	2,086	19	2	7	22	38	52	118	306	498	590	434	-
Male	1,095	8	-	4	17	23	41	78	204	302	273	144	-
Female	991	11	2	3	5	15	11	39	102	196	317	290	-
All other	286	18	2	1	3	12	11	20	45	64	58	52	-
Male	148	11	1	-	2	8	9	13	31	31	24	18	-
Female	138	7	1	1	1	4	2	7	14	33	34	34	-
Black	286	18	2	1	3	12	11	20	45	64	58	52	-
Male	148	11	1	-	2	8	9	13	31	31	24	18	-
Female	138	7	1	1	1	4	2	7	14	33	34	34	-
Rochester, Minn	599	17	4	4	14	5	20	27	62	120	171	155	-
Male	292	11	3	1	9	3	12	17	38	72	77	49	-
Female	307	6	1	3	5	2	8	10	24	48	94	106	-
White	592	16	3	4	13	5	20	26	61	119	170	155	-
Male	287	10	2	1	8	3	12	16	37	72	77	49	-
Female	305	6	1	3	5	2	8	10	24	47	93	106	-
All other	7	1	1	-	1	-	-	1	1	1	1	-	-
Male	5	1	1	-	1	-	-	1	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Black	3	1	-	-	-	-	-	-	-	1	1	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Rochester, N.Y	8,303	168	24	35	118	158	175	438	1,109	1,782	2,249	2,035	2
Male	4,164	91	13	26	79	101	102	276	673	1,058	1,097	647	1
Female	4,139	77	11	9	39	57	73	162	436	734	1,152	1,388	1
White	7,852	120	15	29	102	136	145	378	1,007	1,714	2,190	2,014	2
Male	3,901	59	7	22	69	84	84	234	618	1,013	1,069	641	1
Female	3,951	61	8	7	33	52	61	144	389	701	1,121	1,373	1
All other	451	48	9	6	16	22	30	60	102	78	59	21	-
Male	283	32	6	4	10	17	18	42	55	45	28	6	-
Female	186	16	3	2	6	5	12	18	47	33	31	15	-
Black	437	47	9	3	14	22	28	58	100	78	57	21	-
Male	256	31	6	3	9	17	17	42	54	45	26	6	-
Female	181	16	3	-	5	5	11	16	46	33	31	15	-
Rockford, Ill	2,318	45	11	13	41	37	74	129	313	489	633	533	-
Male	1,195	24	6	6	28	26	52	78	201	274	309	191	-
Female	1,123	21	5	7	13	11	22	51	112	215	324	342	-
White	2,184	34	11	10	35	33	65	113	283	469	608	523	-
Male	1,131	20	6	4	24	23	47	70	183	284	300	190	-
Female	1,053	14	5	6	11	10	18	43	100	205	308	333	-
All other	134	11	-	3	6	4	9	16	30	20	25	10	-
Male	64	4	-	2	4	3	5	8	18	10	9	1	-
Female	70	7	-	1	2	1	4	8	12	10	16	9	-
Black	129	10	-	3	6	4	9	16	30	19	25	7	-
Male	64	4	-	2	4	3	5	8	18	10	9	1	-
Female	65	6	-	1	2	1	4	8	12	9	16	6	-
Rock Hill, S.C	683	27	5	10	27	21	22	67	167	224	209	107	-
Male	483	12	5	9	13	16	15	34	108	144	93	34	-
Female	400	15	-	1	14	5	7	33	59	80	113	73	-
White	673	12	3	9	23	13	14	52	120	174	168	87	-
Male	372	5	3	9	11	9	9	29	81	112	75	29	-
Female	301	7	-	-	12	4	5	23	39	62	91	58	-
All other	210	15	2	1	4	8	8	15	47	50	40	20	-
Male	111	7	2	-	2	7	6	5	27	32	18	5	-
Female	99	8	-	1	2	1	2	10	20	18	22	15	-
Black	209	15	2	1	4	8	8	15	47	50	39	20	-
Male	111	7	2	-	2	7	6	5	27	32	18	5	-
Female	98	8	-	1	2	1	2	10	20	18	21	15	-
Sacramento, Calif	6,102	162	46	48	167	238	247	528	1,285	1,878	2,007	1,492	6
Male	4,430	88	27	33	128	169	161	322	767	1,159	1,049	522	5
Female	3,672	74	19	15	39	67	86	206	518	719	958	970	1
White	7,471	125	37	44	153	206	208	463	1,169	1,759	1,870	1,431	6
Male	4,032	68	21	29	115	145	131	281	693	1,078	962	504	5
Female	3,439	57	16	15	38	61	77	182	476	681	908	927	1
All other	631	37	9	4	14	30	39	65	116	119	137	61	-
Male	398	20	6	4	13	24	30	41	74	81	87	16	-
Female	233	17	3	-	1	6	9	24	42	38	50	43	-
Black	399	26	7	3	10	13	28	52	86	73	68	33	-
Male	250	14	5	3	9	13	23	33	55	50	38	7	-
Female	149	12	2	-	1	-	5	19	31	23	30	26	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw, Mich	1,709	40	6	9	30	53	47	119	253	374	469	309	-
Male	959	18	1	4	25	38	38	78	159	240	246	112	-
Female	750	22	5	5	5	15	9	41	94	134	223	197	-
White	1,472	23	5	8	23	39	30	87	210	322	430	295	-
Male	811	8	1	4	20	27	25	55	135	206	229	101	-
Female	661	15	4	4	3	12	5	32	75	116	201	194	-
All other	237	17	1	1	7	14	17	32	43	52	39	14	-
Male	148	10	-	-	5	11	13	23	24	34	17	11	-
Female	89	7	1	1	2	3	4	9	19	18	22	3	-
Black	231	15	1	1	6	13	17	31	43	51	39	14	-
Male	144	9	-	-	5	10	13	22	24	33	17	11	-
Female	87	6	1	1	1	3	4	9	19	18	22	3	-
St. Cloud, Minn	1,137	40	4	6	31	19	25	49	133	217	314	299	-
Male	631	24	2	5	25	13	20	30	88	139	164	121	-
Female	506	16	2	1	6	6	5	19	45	78	150	178	-
White	1,136	40	4	6	31	19	25	48	133	217	314	299	-
Male	630	24	2	5	25	13	20	29	88	139	164	121	-
Female	506	16	2	1	6	6	5	19	45	78	150	178	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Joseph, Mo	1,100	14	2	1	16	18	25	49	171	243	320	241	-
Male	554	9	1	1	15	12	20	29	106	138	154	69	-
Female	546	5	1	-	1	6	5	20	65	105	166	172	-
White	1,077	12	2	1	16	18	25	46	165	239	319	234	-
Male	544	9	1	1	15	12	20	26	104	136	153	67	-
Female	533	3	1	-	1	6	5	20	61	103	166	167	-
All other	23	2	-	-	-	-	-	3	6	4	1	7	-
Male	10	-	-	-	-	-	-	3	2	2	1	2	-
Female	13	2	-	-	-	-	-	-	4	2	-	5	-
Black	23	2	-	-	-	-	-	3	6	4	1	7	-
Male	10	-	-	-	-	-	-	3	2	2	1	2	-
Female	13	2	-	-	-	-	-	-	4	2	-	5	-
St. Louis, Mo.-Ill	22,343	446	76	84	384	487	544	1,342	3,138	5,203	6,328	4,306	5
Male	11,372	242	36	55	287	343	330	845	1,892	3,004	2,991	1,344	3
Female	10,971	204	40	29	97	144	214	497	1,246	2,199	3,337	2,962	2
White	18,360	258	46	56	269	285	347	987	2,459	4,280	5,489	3,881	3
Male	9,215	142	23	39	204	197	202	626	1,502	2,491	2,593	1,194	2
Female	9,145	116	23	17	65	88	145	361	957	1,789	2,896	2,687	1
All other	3,983	188	30	28	115	202	197	355	679	923	839	425	2
Male	2,157	100	13	16	83	146	128	219	390	513	398	150	1
Female	1,826	88	17	12	32	56	69	136	289	410	441	275	1
Black	3,957	184	30	28	113	200	197	350	678	920	833	422	2
Male	2,138	97	13	16	82	144	128	216	389	510	393	149	1
Female	1,819	87	17	12	31	56	69	134	289	410	440	273	1
Salem, Oreg	2,234	47	10	13	46	53	48	101	273	504	668	471	-
Male	1,189	26	5	7	36	33	27	59	162	308	345	181	-
Female	1,045	21	5	6	10	20	21	42	111	196	323	290	-
White	2,217	47	9	12	45	52	47	100	271	499	666	469	-
Male	1,182	26	5	7	36	32	26	58	160	307	345	180	-
Female	1,035	21	4	5	9	20	21	42	111	192	321	289	-
All other	17	-	1	1	1	1	1	1	2	5	2	2	-
Male	7	-	-	-	-	1	1	1	2	1	-	1	-
Female	10	-	1	1	1	-	-	-	-	4	2	1	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Salinas-Seaside-Monterey, Calif	1,994	59	10	6	42	70	69	120	257	438	525	397	2
Male	1,057	27	3	5	36	53	45	76	143	264	274	129	2
Female	937	31	7	1	6	17	24	44	114	174	251	268	-
White	1,813	46	8	4	36	65	59	101	230	403	484	375	2
Male	936	22	3	4	30	50	38	61	126	239	240	121	2
Female	877	24	5	-	6	15	21	40	104	164	244	254	-
All other	181	12	2	2	6	5	10	19	27	35	41	22	-
Male	121	5	-	1	6	3	7	15	17	25	34	8	-
Female	60	7	2	1	-	2	3	4	10	10	7	14	-
Black	69	6	2	-	3	4	4	15	13	8	5	9	-
Male	38	1	-	-	3	3	4	11	6	5	2	3	-
Female	31	5	2	-	-	1	-	4	7	3	3	6	-
Salisbury-Concord, N.C	1,766	28	5	4	26	28	51	116	274	497	474	263	-
Male	1,001	18	4	3	16	19	34	75	179	320	240	93	-
Female	765	10	1	1	10	9	17	41	95	177	234	170	-
White	1,506	23	4	4	24	20	37	94	228	419	415	240	-
Male	858	15	3	3	16	12	25	61	146	278	211	88	-
Female	648	8	1	1	8	8	12	33	80	141	204	152	-
All other	260	5	1	-	2	8	14	22	49	78	59	23	-
Male	143	3	1	-	-	7	9	14	33	42	29	5	-
Female	117	2	-	-	2	1	5	8	15	36	30	18	-
Black	259	5	1	-	2	8	14	22	47	78	59	23	-
Male	142	3	1	-	-	7	9	14	32	42	29	5	-
Female	117	2	-	-	2	1	5	8	15	36	30	18	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Salt Lake City-Ogden, Utah	5,414	217	50	60	137	210	194	338	675	1,126	1,410	994	3
Male	2,668	122	29	37	95	135	121	207	436	660	675	348	3
Female	2,546	95	21	23	42	75	73	131	239	466	735	646	-
White	5,291	207	49	58	132	201	186	323	649	1,108	1,399	976	3
Male	2,792	116	28	35	91	128	115	197	423	647	670	339	3
Female	2,499	91	21	23	41	73	71	126	226	461	729	637	-
All other	123	10	1	2	5	9	8	15	26	18	11	18	-
Male	76	6	1	2	4	7	6	10	13	13	5	9	-
Female	47	4	-	-	1	2	2	5	13	5	6	9	-
Black	50	2	-	1	2	4	4	5	11	7	6	8	-
Male	31	2	-	1	1	3	3	4	5	6	3	3	-
Female	19	-	-	-	1	1	1	1	6	1	3	5	-
San Angelo, Tex	799	20	3	3	29	32	15	44	115	185	226	133	-
Male	450	14	3	2	13	25	10	29	75	107	121	51	-
Female	349	6	-	1	10	7	5	15	40	78	105	82	-
White	761	17	3	3	20	30	15	40	108	176	219	130	-
Male	426	13	3	2	10	24	10	27	69	101	116	51	-
Female	335	4	-	1	10	6	5	13	39	75	103	79	-
All other	38	3	-	-	3	2	-	4	7	9	7	3	-
Male	24	1	-	-	3	1	-	2	6	6	5	-	-
Female	14	2	-	-	-	1	-	2	1	3	2	3	-
Black	36	3	-	-	3	1	-	3	7	9	7	3	-
Male	23	1	-	-	3	1	-	1	6	6	5	-	-
Female	13	2	-	-	-	-	-	2	1	3	2	3	-
San Antonio, Tex	8,266	240	50	39	267	267	294	574	1,267	1,886	1,999	1,401	2
Male	4,489	143	37	28	198	200	187	375	782	1,090	967	481	1
Female	3,777	97	13	11	69	67	107	199	485	776	1,032	920	1
White	7,541	217	44	32	243	233	259	514	1,159	1,693	1,837	1,308	2
Male	4,124	133	34	23	184	177	168	347	722	1,000	885	450	1
Female	3,417	84	10	9	59	56	91	167	437	693	952	858	1
All other	725	23	6	7	24	34	35	60	108	173	162	93	-
Male	385	10	3	5	14	23	19	28	60	90	82	31	-
Female	360	13	3	2	10	11	16	32	48	83	80	62	-
Black	688	21	5	7	21	31	31	54	104	171	153	90	-
Male	347	8	3	5	13	21	18	28	57	88	78	30	-
Female	341	13	2	2	8	10	13	26	47	83	77	60	-
San Diego, Calif	14,061	306	71	70	331	377	397	806	2,009	3,163	3,748	2,758	25
Male	7,348	163	44	38	244	274	242	494	1,160	1,802	1,906	966	15
Female	6,713	143	27	32	87	103	155	312	849	1,361	1,842	1,792	10
White	13,231	228	54	65	281	325	347	721	1,870	3,008	3,619	2,591	22
Male	6,903	126	36	34	208	240	206	446	1,084	1,711	1,847	950	15
Female	6,328	102	18	31	73	85	141	275	786	1,297	1,772	1,741	7
All other	830	78	17	5	50	52	50	85	139	155	129	67	3
Male	445	37	8	4	36	34	36	48	76	91	59	16	-
Female	385	41	9	1	14	18	14	37	63	64	70	51	3
Black	545	63	9	3	38	42	29	56	86	99	71	49	-
Male	288	31	2	2	27	30	23	33	49	52	29	10	-
Female	257	32	7	1	11	12	6	23	37	47	42	39	-
San Francisco-Oakland, Calif	27,782	478	82	111	458	820	997	1,703	4,041	6,135	7,257	5,663	37
Male	14,480	257	47	64	326	612	673	1,075	2,500	3,512	3,529	1,860	25
Female	13,302	221	35	47	132	208	324	628	1,541	2,623	3,728	3,803	12
White	22,861	300	59	76	316	587	727	1,239	3,149	5,013	6,241	5,159	21
Male	11,625	157	29	42	230	445	508	790	1,922	2,842	2,977	1,670	13
Female	11,256	143	24	34	86	142	219	449	1,227	2,171	3,264	3,489	8
All other	4,901	178	29	35	142	233	270	464	892	1,122	1,016	504	16
Male	2,855	100	18	22	96	167	165	285	578	670	552	190	12
Female	2,046	78	11	13	46	66	105	179	314	452	464	314	4
Black	3,232	126	21	21	102	185	198	341	668	715	564	285	6
Male	1,845	68	12	14	71	131	127	202	426	407	286	96	5
Female	1,387	58	9	7	31	54	71	139	242	308	278	189	1
San Jose, Calif	7,832	207	49	40	202	239	306	538	1,172	1,587	1,924	1,558	12
Male	4,010	115	29	23	148	171	198	350	705	859	888	515	9
Female	3,822	92	20	17	54	68	108	188	467	728	1,036	1,041	3
White	7,261	164	46	33	173	211	271	482	1,099	1,465	1,811	1,497	9
Male	3,660	92	27	18	125	152	173	313	662	788	816	488	6
Female	3,601	72	19	15	48	59	98	169	437	677	995	1,009	3
All other	571	43	3	7	29	28	35	56	73	122	113	59	3
Male	350	23	2	5	23	19	25	37	43	71	72	27	3
Female	221	20	1	2	6	9	10	19	30	51	41	32	-
Black	187	14	2	1	14	11	13	29	28	35	27	13	-
Male	112	8	2	-	12	9	10	17	17	17	13	7	-
Female	75	6	-	1	2	2	3	12	11	18	14	6	-
Santa Barbara-Santa Maria-Lompoc, Calif	2,407	35	-	13	49	72	68	113	301	489	671	593	3
Male	1,209	19	-	7	39	52	45	72	179	291	320	183	2
Female	1,198	16	-	6	10	20	23	41	122	198	351	410	1
White	2,323	32	-	13	47	69	62	107	292	472	650	577	2
Male	1,161	19	-	7	38	49	41	67	173	279	309	178	1
Female	1,162	13	-	6	9	20	21	40	119	193	341	399	1
All other	84	3	-	-	2	3	6	6	9	17	21	16	1
Male	48	-	-	-	1	3	4	5	6	12	11	5	1
Female	36	3	-	-	1	-	2	1	3	5	10	11	-
Black	45	2	-	-	2	2	3	4	6	7	9	9	1
Male	18	-	-	-	1	2	3	3	3	4	1	-	1
Female	27	2	-	-	1	-	-	1	3	3	8	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Cruz, Calif	1,683	31	5	6	26	41	56	70	188	379	469	410	2
Male	858	16	4	2	17	30	34	41	113	221	234	144	2
Female	825	15	1	4	9	11	22	29	75	158	235	266	-
White	1,633	30	5	6	25	36	54	69	180	367	459	400	2
Male	830	15	4	2	17	27	33	41	108	212	226	143	2
Female	803	15	1	4	8	9	21	28	72	155	233	257	-
All other	50	1	-	-	1	5	2	1	8	12	10	10	-
Male	28	1	-	-	-	3	1	-	5	9	8	1	-
Female	22	-	-	-	1	2	1	1	3	3	2	9	-
Black	12	-	-	-	1	3	1	-	3	2	-	2	-
Male	7	-	-	-	-	2	1	-	1	2	-	1	-
Female	5	-	-	-	1	1	-	-	2	-	-	1	-
Santa Rosa, Calif	2,884	41	5	14	45	78	95	127	322	652	847	656	2
Male	1,494	20	3	9	38	56	54	77	200	379	431	227	-
Female	1,390	21	2	5	7	22	41	50	122	273	416	429	2
White	2,829	40	5	14	44	76	91	123	313	639	838	644	2
Male	1,459	20	3	9	37	54	51	74	193	370	426	222	-
Female	1,370	20	2	5	7	22	40	49	120	269	412	422	2
All other	55	1	-	-	1	2	4	4	9	13	9	12	-
Male	35	-	-	-	1	2	3	3	7	9	5	5	-
Female	20	1	-	-	-	-	1	1	2	4	4	7	-
Black	32	1	-	-	1	1	1	1	5	9	5	6	-
Male	21	-	-	-	1	1	1	1	4	6	3	4	-
Female	11	1	-	-	-	-	-	-	1	3	2	4	-
Sarasota, Fla	3,465	21	8	9	21	22	40	86	343	928	1,274	712	1
Male	1,858	14	3	6	14	12	21	49	214	588	690	267	-
Female	1,607	7	5	3	7	10	19	37	129	360	584	445	1
White	3,363	10	8	8	20	16	36	74	334	893	1,258	705	1
Male	1,798	7	3	5	13	9	20	41	208	549	677	266	-
Female	1,565	3	5	3	7	7	16	33	126	344	581	439	1
All other	102	11	-	1	1	6	4	12	9	35	16	7	-
Male	60	7	-	1	1	3	1	8	6	19	13	1	-
Female	42	4	-	-	-	3	3	4	3	16	3	6	-
Black	101	11	-	1	1	6	4	12	9	34	16	7	-
Male	59	7	-	1	1	3	1	8	6	16	13	1	-
Female	42	4	-	-	-	3	3	4	3	16	3	6	-
Savannah, Ga	2,209	59	15	10	29	82	90	138	412	583	517	270	4
Male	1,151	32	8	8	21	60	60	88	257	308	230	75	4
Female	1,058	27	7	2	8	22	30	50	155	275	287	195	-
White	1,979	20	2	5	21	37	49	80	244	357	340	222	2
Male	711	10	-	3	16	27	32	56	149	211	155	50	2
Female	668	10	2	2	5	10	17	24	95	146	185	172	-
All other	830	39	13	5	8	45	41	58	168	226	177	48	2
Male	440	22	8	5	5	33	28	32	108	97	75	25	2
Female	390	17	5	-	3	12	13	26	60	129	102	23	-
Black	826	38	13	5	8	45	40	58	168	225	176	48	2
Male	439	21	8	5	5	33	28	32	108	97	75	25	2
Female	387	17	5	-	3	12	12	26	60	128	101	23	-
Seattle-Everett, Wash	12,104	197	35	43	232	313	351	656	1,689	2,819	3,134	2,633	2
Male	6,241	114	21	33	160	213	230	407	1,029	1,677	1,501	856	-
Female	5,863	83	14	10	72	100	121	249	660	1,142	1,633	1,777	2
White	11,344	162	29	37	209	272	313	584	1,547	2,666	2,972	2,551	2
Male	5,777	92	17	28	149	184	208	365	935	1,581	1,394	824	-
Female	5,567	70	12	9	60	88	105	219	612	1,085	1,578	1,727	2
All other	760	35	6	6	23	41	38	72	142	153	162	82	-
Male	464	22	4	5	11	29	22	42	94	96	107	32	-
Female	296	13	2	1	12	12	16	30	48	57	55	50	-
Black	400	23	2	3	12	26	18	43	84	98	73	18	-
Male	234	10	1	3	5	17	11	24	55	56	46	6	-
Female	166	13	1	-	7	9	7	19	29	42	27	12	-
Sharon, Pa	1,297	18	4	1	20	19	21	53	186	332	350	293	-
Male	688	8	2	1	13	11	12	29	117	202	173	120	-
Female	609	10	2	-	7	8	9	24	69	130	177	173	-
White	1,238	15	3	1	18	16	21	51	173	312	339	289	-
Male	663	7	2	1	13	10	12	28	112	192	168	118	-
Female	575	8	1	-	5	6	9	23	61	120	171	171	-
All other	59	3	1	-	2	3	-	2	13	20	11	4	-
Male	25	1	-	-	-	1	-	1	5	10	5	2	-
Female	34	2	1	-	2	2	-	1	8	10	6	2	-
Black	59	3	1	-	2	3	-	2	13	20	11	4	-
Male	25	1	-	-	-	1	-	1	5	10	5	2	-
Female	34	2	1	-	2	2	-	1	8	10	6	2	-
Sheboygan, Wis	963	10	2	2	11	11	22	41	112	216	305	231	-
Male	530	4	-	2	10	6	15	28	74	139	156	96	-
Female	433	6	2	-	1	5	7	13	38	77	149	135	-
White	962	10	2	2	11	11	22	41	112	215	305	231	-
Male	529	4	-	2	10	6	15	28	74	138	156	96	-
Female	433	6	2	-	1	5	7	13	38	77	149	135	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sherman-Denison, Tex	1,061	14	6	2	16	22	25	51	127	281	325	192	-
Male	569	6	4	1	11	18	17	40	91	157	151	73	-
Female	492	8	2	1	5	4	8	11	36	124	174	119	-
White	968	13	6	1	16	21	24	46	115	250	296	160	-
Male	515	5	4	-	11	18	16	38	81	140	134	68	-
Female	453	8	2	1	5	3	8	8	34	110	162	112	-
All other	93	1	-	1	-	1	1	5	12	31	29	12	-
Male	54	1	-	1	-	-	1	2	10	17	17	5	-
Female	39	-	-	-	-	1	-	3	2	14	12	7	-
Black	92	1	-	1	-	1	1	5	11	31	29	12	-
Male	53	1	-	1	-	-	1	2	9	17	17	5	-
Female	39	-	-	-	-	1	-	3	2	14	12	7	-
Shreveport, La	3,540	103	18	20	110	94	100	221	525	824	947	577	1
Male	1,823	64	10	11	73	69	66	137	305	437	447	204	-
Female	1,717	39	8	9	37	25	34	84	220	387	500	373	1
White	2,284	44	7	9	53	51	47	144	347	526	642	413	1
Male	1,162	25	5	6	36	36	30	93	207	293	284	147	-
Female	1,122	19	2	3	17	15	17	51	140	233	358	266	1
All other	1,256	59	11	11	57	43	53	77	178	298	305	164	-
Male	661	39	5	5	37	33	36	44	98	144	163	57	-
Female	595	20	6	6	20	10	17	33	80	154	142	107	-
Black	1,251	59	11	11	56	43	53	76	176	297	305	164	-
Male	657	39	5	5	36	33	36	44	96	143	163	57	-
Female	594	20	6	6	20	10	17	32	80	154	142	107	-
Sioux City, Iowa-Nebr	1,117	23	7	2	22	18	18	53	130	262	316	268	-
Male	569	15	4	2	15	12	6	27	88	152	162	86	-
Female	548	8	3	-	7	6	10	26	42	110	154	182	-
White	1,098	20	7	2	18	16	16	52	128	259	313	267	-
Male	560	13	4	2	13	12	6	27	87	150	160	86	-
Female	538	7	3	-	5	4	10	25	41	109	153	181	-
All other	19	3	-	-	4	2	-	1	2	3	3	1	-
Male	9	2	-	-	2	-	-	-	1	2	2	-	-
Female	10	1	-	-	2	2	-	1	1	1	1	1	-
Black	4	-	-	-	-	1	-	-	-	-	2	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	3	-	-	-	-	1	-	-	-	-	1	1	-
Sioux Falls, S. Dak	906	13	1	4	13	15	19	42	106	192	254	246	1
Male	472	5	1	2	9	9	15	33	74	123	125	75	1
Female	434	8	-	2	4	6	4	9	32	69	129	171	-
White	895	12	1	4	12	12	19	38	105	192	253	248	1
Male	464	4	1	2	8	7	15	30	74	123	124	75	1
Female	431	8	-	2	4	5	4	8	31	69	129	171	-
All other	11	1	-	-	1	3	-	4	1	-	1	-	-
Male	8	1	-	-	1	2	-	3	-	-	1	-	-
Female	3	-	-	-	-	1	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend, Ind	2,526	33	12	8	43	40	40	153	331	599	732	535	-
Male	1,320	22	5	2	26	31	26	92	199	361	370	186	-
Female	1,206	11	7	6	17	9	14	61	132	238	362	349	-
White	2,354	24	9	7	35	35	36	132	306	560	698	514	-
Male	1,222	18	4	2	20	27	25	78	178	338	357	175	-
Female	1,132	6	5	5	15	8	11	54	128	222	339	339	-
All other	172	9	3	1	8	5	4	21	25	39	36	21	-
Male	98	4	1	-	6	4	1	14	21	23	13	11	-
Female	74	5	2	1	2	1	3	7	4	16	23	10	-
Black	171	9	3	1	7	5	4	21	25	39	36	21	-
Male	97	4	1	-	5	4	1	14	21	23	13	11	-
Female	74	5	2	1	2	1	3	7	4	16	23	10	-
Spokane, Wash	2,943	68	9	14	54	65	76	127	365	692	788	684	1
Male	1,530	43	4	7	40	47	46	75	209	430	395	233	1
Female	1,413	25	5	7	14	18	30	52	156	262	393	451	-
White	2,873	64	7	13	49	62	72	120	356	681	771	677	1
Male	1,481	40	3	6	36	46	43	70	205	421	383	227	1
Female	1,392	24	4	7	13	16	29	50	151	260	388	450	-
All other	70	4	2	1	5	3	4	7	9	11	17	7	-
Male	49	3	1	1	4	1	3	5	4	9	12	6	-
Female	21	1	1	-	1	2	1	2	5	2	5	1	-
Black	35	2	2	-	4	-	1	1	6	8	7	4	-
Male	24	1	1	-	4	-	1	1	3	6	3	4	-
Female	11	1	1	-	-	-	-	-	3	2	4	-	-
Springfield, Ill	1,748	35	9	7	25	42	42	107	211	401	497	372	-
Male	865	24	7	5	17	28	27	71	122	212	231	121	-
Female	883	11	2	2	8	14	15	36	89	189	266	251	-
White	1,644	26	8	6	22	35	38	94	201	378	476	360	-
Male	809	16	6	5	16	23	26	61	117	204	220	115	-
Female	835	10	2	1	6	12	12	33	84	174	256	245	-
All other	104	9	1	1	3	7	4	13	10	23	21	12	-
Male	56	8	1	-	1	5	1	10	5	8	11	6	-
Female	48	1	-	1	2	2	3	3	5	15	10	6	-
Black	102	8	1	1	3	7	4	13	9	23	21	12	-
Male	55	7	1	-	1	5	1	10	5	8	11	6	-
Female	47	1	-	1	2	2	3	3	4	15	10	6	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, Mo	1,881	22	8	13	35	39	47	91	233	416	569	408	-
Male	942	14	5	7	27	23	26	60	156	239	262	123	-
Female	939	8	3	6	8	16	21	31	77	177	307	285	-
White	1,855	22	8	13	35	38	47	90	227	410	561	404	-
Male	929	14	5	7	27	22	26	60	154	236	257	121	-
Female	926	8	3	6	8	16	21	30	73	174	304	283	-
All other	26	-	-	-	-	1	-	1	6	6	8	4	-
Male	13	-	-	-	-	1	-	-	2	3	5	2	-
Female	13	-	-	-	-	-	-	1	4	3	3	2	-
Black	23	-	-	-	-	1	-	1	6	5	7	3	-
Male	13	-	-	-	-	1	-	-	2	3	5	2	-
Female	10	-	-	-	-	-	-	1	4	2	2	1	-
Springfield, Ohio	1,809	30	7	6	34	33	41	104	224	423	484	423	-
Male	933	20	4	5	26	24	23	69	133	254	232	143	-
Female	876	10	3	1	8	9	18	35	91	169	252	280	-
White	1,639	21	5	5	30	27	33	94	197	376	450	401	-
Male	849	15	3	4	25	19	20	65	117	228	215	138	-
Female	790	6	2	1	5	8	13	29	80	148	235	263	-
All other	170	9	2	1	4	6	8	10	27	47	34	22	-
Male	84	5	1	1	1	5	3	4	16	26	17	5	-
Female	86	4	1	-	3	1	5	6	11	21	17	17	-
Black	166	8	2	1	4	5	8	10	27	46	34	21	-
Male	83	4	1	1	1	5	3	4	16	26	17	5	-
Female	83	4	1	-	3	-	5	6	11	20	17	16	-
Springfield-Chicopee-Holyoke, Mass	5,513	79	13	14	67	86	120	283	781	1,258	1,450	1,361	1
Male	2,784	55	10	8	52	62	79	176	481	755	655	450	1
Female	2,729	24	3	6	15	24	41	107	300	503	795	911	-
White	5,333	64	8	13	65	78	103	269	749	1,225	1,418	1,341	-
Male	2,690	46	8	8	50	58	68	169	459	737	643	444	-
Female	2,643	18	-	5	15	20	35	100	290	488	775	897	-
All other	180	15	5	1	2	8	17	14	32	33	32	20	1
Male	94	9	2	-	2	4	11	7	22	18	12	6	1
Female	86	6	3	1	-	4	6	7	10	15	20	14	-
Black	172	14	4	1	2	7	17	14	31	31	31	19	1
Male	90	8	1	-	2	4	11	7	21	17	12	6	1
Female	82	6	3	1	-	3	6	7	10	14	19	13	-
State College, Pa	661	15	3	4	10	7	13	38	102	146	186	137	-
Male	329	7	1	3	9	3	8	27	58	80	90	43	-
Female	332	8	2	1	1	4	5	11	44	66	96	94	-
White	658	15	3	4	10	7	13	37	102	146	185	136	-
Male	326	7	1	3	9	3	8	26	58	80	89	42	-
Female	332	8	2	1	1	4	5	11	44	66	96	94	-
All other	3	-	-	-	-	-	-	1	-	-	1	1	-
Male	3	-	-	-	-	-	-	1	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	-	1	1	-
Male	3	-	-	-	-	-	-	1	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Steubenville-Weirton, Ohio-W. Va	1,641	14	6	3	23	28	39	103	267	462	427	269	-
Male	916	7	5	2	18	23	25	68	160	283	219	106	-
Female	725	7	1	1	5	5	14	35	107	179	208	163	-
White	1,570	14	5	3	22	28	35	96	256	447	402	262	-
Male	874	7	4	2	17	23	21	62	151	276	206	105	-
Female	696	7	1	1	5	5	14	34	105	171	196	157	-
All other	71	-	1	-	1	-	4	7	11	15	25	7	-
Male	42	-	1	-	1	-	4	6	9	7	13	1	-
Female	29	-	-	-	-	-	-	1	2	8	12	6	-
Black	71	-	1	-	1	-	4	7	11	15	25	7	-
Male	42	-	1	-	1	-	4	6	9	7	13	1	-
Female	29	-	-	-	-	-	-	1	2	8	12	6	-
Stockton, Calif	3,213	72	19	20	84	105	101	203	473	695	826	614	1
Male	1,832	39	14	12	59	75	66	121	324	425	462	235	-
Female	1,381	33	5	8	25	30	35	82	149	270	364	379	1
White	2,808	50	14	17	69	89	86	169	410	620	715	568	1
Male	1,563	31	9	11	49	66	55	102	282	371	378	209	-
Female	1,245	19	5	6	20	23	31	67	128	249	337	359	1
All other	405	22	5	3	15	16	15	34	63	75	111	46	-
Male	269	8	5	1	10	9	11	19	42	54	84	26	-
Female	136	14	-	2	5	7	4	15	21	21	27	20	-
Black	209	7	3	2	6	10	9	24	46	40	42	20	-
Male	124	1	3	-	4	4	7	15	31	26	24	9	-
Female	85	6	-	2	2	6	2	9	15	14	18	11	-
Syracuse, N.Y	5,503	105	13	30	78	96	116	299	793	1,273	1,519	1,178	3
Male	2,842	56	9	16	62	63	77	183	484	772	736	382	2
Female	2,661	49	4	14	16	33	39	116	309	501	783	796	1
White	5,268	73	13	26	70	86	102	277	748	1,221	1,483	1,167	2
Male	2,695	37	9	16	56	54	69	166	455	740	714	378	1
Female	2,573	36	4	10	14	32	33	111	293	481	769	789	1
All other	235	32	-	4	8	10	14	22	45	52	36	11	1
Male	147	19	-	-	6	9	8	17	29	32	22	4	1
Female	88	13	-	4	2	1	6	5	16	20	14	7	-
Black	206	29	-	4	4	8	14	21	40	48	30	7	1
Male	127	17	-	-	2	7	8	16	26	28	19	3	1
Female	79	12	-	4	2	1	6	5	14	20	11	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, Wash	3,716	115	24	21	80	103	126	228	517	837	944	721	-
Male	2,038	66	19	11	68	75	70	150	335	502	490	252	-
Female	1,678	49	5	10	12	28	56	78	182	335	454	469	-
White	3,493	82	19	19	68	84	113	204	474	797	927	706	-
Male	1,902	50	14	10	59	63	61	134	305	479	481	246	-
Female	1,591	32	5	9	9	21	52	70	169	318	446	460	-
All other	223	33	5	2	12	19	13	24	43	40	17	15	-
Male	136	16	5	1	9	12	9	16	30	23	9	6	-
Female	87	17	-	1	3	7	4	8	13	17	8	9	-
Black	149	26	4	1	6	9	9	16	34	23	11	10	-
Male	95	12	4	-	4	8	7	13	25	12	6	4	-
Female	54	14	-	1	2	1	2	3	9	11	5	6	-
Tallahassee, Fla	967	37	11	6	20	27	33	53	153	248	232	145	2
Male	516	24	7	4	16	16	19	33	91	139	118	47	2
Female	451	13	4	2	4	11	14	20	62	109	114	98	-
White	685	19	2	4	17	15	22	30	103	164	166	121	2
Male	384	13	2	2	13	12	14	20	66	96	88	38	2
Female	301	6	-	2	4	3	8	10	37	68	80	83	-
All other	302	18	9	2	3	12	11	23	50	84	66	24	-
Male	152	11	5	2	3	4	5	13	25	43	32	9	-
Female	150	7	4	-	-	8	6	10	25	41	34	15	-
Black	300	18	9	2	3	12	11	23	50	84	66	22	-
Male	151	11	5	2	3	4	5	13	25	43	32	8	-
Female	149	7	4	-	-	8	6	10	25	41	34	14	-
Tampa-St. Petersburg, Fla	21,725	285	37	60	249	324	462	885	2,684	5,461	6,703	4,558	7
Male	11,949	159	24	37	171	238	328	571	1,670	3,246	3,608	1,892	5
Female	9,776	126	13	23	78	88	134	314	1,024	2,215	3,095	2,666	2
White	20,265	209	28	45	210	262	378	718	2,413	5,103	6,446	4,449	5
Male	11,147	111	16	27	147	197	273	465	1,510	3,081	3,485	1,849	4
Female	9,118	97	10	18	63	65	105	253	903	2,042	2,961	2,600	1
All other	1,460	77	9	15	39	62	84	167	281	358	257	109	2
Male	802	48	6	10	24	41	55	106	160	185	123	43	1
Female	658	29	3	5	15	21	29	61	121	173	134	66	1
Black	1,438	76	9	14	39	61	79	164	277	351	257	109	2
Male	792	47	6	10	24	40	54	105	159	180	123	43	1
Female	646	29	3	4	15	21	25	59	118	171	134	66	1
Terre Haute, Ind	1,998	27	9	5	32	26	41	100	262	458	595	443	-
Male	1,005	13	5	5	24	21	24	57	147	263	282	154	-
Female	993	14	4	-	8	5	17	43	115	195	303	289	-
White	1,934	25	7	5	29	26	37	94	255	441	683	432	-
Male	969	13	3	5	21	21	21	54	142	256	286	147	-
Female	965	12	4	-	8	5	16	40	113	185	297	285	-
All other	64	2	2	-	3	-	4	6	7	17	12	11	-
Male	36	-	2	-	3	-	3	3	5	7	6	7	-
Female	28	2	-	-	-	-	1	3	2	10	6	4	-
Black	62	2	2	-	3	-	3	5	7	17	12	11	-
Male	36	-	2	-	3	-	3	3	5	7	6	7	-
Female	26	2	-	-	-	-	-	2	2	10	6	4	-
Texarkana, Tex.-Texarkana, Ark	1,242	20	4	9	34	32	40	68	164	306	328	237	-
Male	702	16	2	4	22	21	30	45	105	187	172	98	-
Female	540	4	2	5	12	11	10	23	59	119	156	139	-
White	954	10	-	4	25	22	29	49	128	237	258	192	-
Male	544	7	-	2	18	15	22	33	86	151	133	77	-
Female	410	3	-	2	7	7	7	16	42	86	125	115	-
All other	288	10	4	5	9	10	11	19	36	69	70	45	-
Male	158	9	2	2	4	6	8	12	19	36	39	21	-
Female	130	1	2	3	5	4	3	7	17	33	31	24	-
Black	287	10	4	5	9	10	11	19	38	68	70	45	-
Male	157	9	2	2	4	6	8	12	19	35	39	21	-
Female	130	1	2	3	5	4	3	7	17	33	31	24	-
Toledo, Ohio-Mich	7,079	128	25	41	122	120	199	395	1,070	1,606	1,971	1,401	1
Male	3,653	69	13	21	89	80	121	263	682	915	955	464	1
Female	3,426	59	12	20	33	40	78	132	408	691	1,016	937	-
White	6,514	100	17	37	110	102	168	350	959	1,476	1,851	1,343	1
Male	3,339	53	8	17	82	69	105	235	597	843	887	442	1
Female	3,175	47	9	20	28	33	63	115	362	633	964	901	-
All other	565	28	8	4	12	18	31	45	111	130	120	58	-
Male	314	16	5	4	7	11	16	28	65	72	68	22	-
Female	251	12	3	-	5	7	15	17	46	58	52	36	-
Black	554	27	8	4	12	17	29	45	110	127	119	56	-
Male	306	16	5	4	7	10	14	28	64	69	68	21	-
Female	248	11	3	-	5	7	15	17	46	58	51	35	-
Topeka, Kans	1,672	32	7	9	29	34	39	84	228	335	482	393	-
Male	885	14	3	6	26	26	27	50	159	202	230	142	-
Female	787	18	4	3	3	8	12	34	69	133	252	251	-
White	1,547	25	7	9	29	30	32	77	200	312	457	369	-
Male	814	11	3	6	26	22	24	48	139	186	216	133	-
Female	733	14	4	3	3	8	8	29	61	126	241	236	-
All other	125	7	-	-	-	4	7	7	28	23	25	24	-
Male	71	3	-	-	-	4	3	2	20	16	14	9	-
Female	54	4	-	-	-	-	4	5	8	7	11	15	-
Black	117	5	-	-	-	4	6	5	27	22	24	24	-
Male	69	3	-	-	-	4	3	1	20	16	13	9	-
Female	48	2	-	-	-	-	3	4	7	6	11	15	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, N.J	2,664	57	11	10	34	60	81	162	386	660	723	479	1
Male	1,399	33	7	4	25	40	47	93	240	407	347	155	1
Female	1,265	24	4	6	9	20	34	69	146	253	376	324	-
White	2,236	25	3	5	22	38	56	112	314	560	651	449	1
Male	1,154	15	3	3	20	25	33	64	191	348	312	139	1
Female	1,082	10	-	2	2	13	23	48	123	212	339	310	-
All other	428	32	8	5	12	22	25	50	72	100	72	30	-
Male	245	18	4	1	5	15	14	29	49	59	35	16	-
Female	183	14	4	4	7	7	11	21	23	41	37	14	-
Black	418	29	8	5	12	22	25	50	71	97	69	30	-
Male	239	17	4	1	5	15	14	29	48	58	32	16	-
Female	179	12	4	4	7	7	11	21	23	39	37	14	-
Tucson, Ariz	4,527	87	24	22	101	129	142	229	615	1,167	1,220	787	4
Male	2,496	46	16	13	71	86	101	144	378	696	622	319	4
Female	2,031	41	8	9	30	43	41	85	237	471	598	468	-
White	4,277	68	21	19	87	110	121	207	593	1,120	1,169	759	3
Male	2,348	37	15	10	63	74	88	130	362	664	595	307	3
Female	1,929	31	6	9	24	36	33	77	231	456	574	452	-
All other	250	19	3	3	14	19	21	22	22	47	51	28	1
Male	148	9	1	3	8	12	13	14	16	32	27	12	1
Female	102	10	2	-	6	7	8	8	6	15	24	16	-
Black	114	13	1	1	3	3	9	8	10	22	28	16	-
Male	64	8	-	1	1	2	4	6	7	17	12	6	-
Female	50	5	1	-	2	1	5	2	3	5	16	10	-
Tulsa, Okla	5,733	127	26	36	126	175	188	349	785	1,330	1,512	1,076	3
Male	3,031	74	16	23	62	120	119	218	513	811	712	340	3
Female	2,702	53	10	13	44	55	69	131	272	519	800	736	-
White	5,116	93	22	29	109	133	157	298	704	1,214	1,342	1,013	2
Male	2,700	58	12	19	69	97	101	192	462	750	619	319	2
Female	2,416	35	10	10	40	36	56	106	242	464	723	694	-
All other	617	34	4	7	17	42	31	51	81	116	170	63	1
Male	331	16	4	4	13	23	18	26	51	61	93	21	1
Female	286	18	-	3	4	19	13	25	30	55	77	42	-
Black	459	24	2	4	9	29	23	42	59	85	130	51	1
Male	248	13	2	2	7	16	13	22	39	45	70	18	1
Female	211	11	-	2	2	13	10	20	20	40	60	33	-
Tuscaloosa, Ala	1,034	23	7	9	14	25	33	79	171	258	241	173	1
Male	560	13	3	6	13	18	20	47	114	154	119	52	1
Female	474	10	4	3	1	7	13	32	57	104	122	121	-
White	728	10	4	1	13	16	23	57	110	180	181	133	-
Male	396	5	1	1	12	11	18	32	73	111	90	42	-
Female	332	5	3	-	1	5	5	25	37	69	91	91	-
All other	306	13	3	8	1	9	10	22	61	78	60	40	1
Male	164	8	2	5	1	7	2	15	41	43	29	10	1
Female	142	5	1	3	-	2	8	7	20	35	31	30	-
Black	306	13	3	8	1	9	10	22	61	78	60	40	1
Male	164	8	2	5	1	7	2	15	41	43	29	10	1
Female	142	5	1	3	-	2	8	7	20	35	31	30	-
Tyler, Tex	1,246	24	6	9	22	30	36	82	187	299	319	232	-
Male	700	15	5	7	21	21	22	52	117	179	169	92	-
Female	546	9	1	2	1	9	14	30	70	120	150	140	-
White	971	17	5	6	15	22	25	65	146	234	257	179	-
Male	546	11	4	4	14	16	15	42	95	144	136	85	-
Female	425	6	1	2	1	6	10	23	51	90	121	114	-
All other	275	7	1	3	7	8	11	17	41	65	62	53	-
Male	154	4	1	3	7	5	7	10	22	35	33	27	-
Female	121	3	-	-	-	3	4	7	19	30	29	26	-
Black	275	7	1	3	7	8	11	17	41	65	62	53	-
Male	154	4	1	3	7	5	7	10	22	35	33	27	-
Female	121	3	-	-	-	3	4	7	19	30	29	26	-
Utica-Rome, N.Y	3,292	51	5	15	50	40	53	158	448	819	834	819	-
Male	1,676	27	3	9	35	35	35	96	272	491	419	254	-
Female	1,616	24	2	6	15	5	18	62	176	328	415	565	-
White	3,240	47	3	15	46	40	52	148	438	810	826	815	-
Male	1,642	23	1	9	31	35	34	90	266	486	414	253	-
Female	1,598	24	2	6	15	5	18	58	172	324	412	562	-
All other	52	4	2	-	4	-	1	10	10	9	8	4	-
Male	34	4	2	-	4	-	1	6	6	5	5	1	-
Female	18	-	-	-	-	-	-	4	4	4	3	3	-
Black	51	4	2	-	4	-	1	10	10	8	8	4	-
Male	34	4	2	-	4	-	1	6	6	5	5	1	-
Female	17	-	-	-	-	-	-	4	4	3	3	3	-
Vallejo-Fairfield-Napa, Calif	2,518	58	15	18	52	69	89	146	361	583	643	482	2
Male	1,386	34	8	13	40	53	69	96	220	354	320	177	2
Female	1,132	24	7	5	12	16	20	50	141	229	323	305	-
White	2,290	45	13	15	44	61	71	123	319	537	599	482	1
Male	1,245	30	8	11	35	47	56	78	194	321	297	167	1
Female	1,045	15	5	4	9	14	15	45	125	216	302	295	-
All other	228	13	2	3	8	8	18	23	42	46	44	20	1
Male	141	4	-	2	5	6	13	18	26	33	23	10	1
Female	87	9	2	1	3	2	5	5	16	13	21	10	-
Black	162	12	-	3	8	5	15	19	32	28	31	11	-
Male	98	4	-	2	4	4	10	15	19	21	16	3	-
Female	64	8	-	1	2	1	5	4	13	7	15	8	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Victoria, Tex	506	16	-	3	16	20	23	28	75	120	120	85	-
Male	289	12	-	3	15	17	18	18	56	66	59	25	-
Female	217	4	-	-	1	3	5	10	19	54	61	60	-
White	447	13	-	3	16	19	22	24	63	107	102	78	-
Male	258	10	-	3	15	16	17	16	47	63	49	22	-
Female	189	3	-	-	1	3	5	8	16	44	53	56	-
All other	59	3	-	-	-	1	1	4	12	13	18	7	-
Male	31	2	-	-	-	1	1	2	9	3	10	3	-
Female	28	1	-	-	-	-	-	2	3	10	8	4	-
Black	59	3	-	-	-	1	1	4	12	13	18	7	-
Male	31	2	-	-	-	1	1	2	9	3	10	3	-
Female	28	1	-	-	-	-	-	2	3	10	8	4	-
Vineland-Millville-Bridgeton, N.J	1,304	23	2	10	19	26	33	65	203	329	374	220	-
Male	702	16	1	7	14	20	22	45	129	194	171	83	-
Female	602	7	1	3	5	6	11	20	74	135	203	137	-
White	1,158	16	1	7	18	22	25	53	181	282	351	202	-
Male	624	13	-	6	13	18	16	40	118	168	158	74	-
Female	534	3	1	1	5	4	9	13	63	114	193	128	-
All other	146	7	1	3	1	4	8	12	22	47	23	18	-
Male	78	3	1	1	1	2	6	5	11	26	13	9	-
Female	68	4	-	2	-	2	2	7	11	21	10	9	-
Black	136	7	1	3	1	4	7	12	21	44	20	16	-
Male	74	3	1	1	1	2	5	5	11	25	12	8	-
Female	62	4	-	2	-	2	2	7	10	19	8	8	-
Visalia-Tulare-Porterville, Calif	1,975	40	20	14	71	68	52	113	278	470	484	365	-
Male	1,114	22	5	8	58	57	40	69	169	290	265	131	-
Female	861	18	15	6	13	11	12	44	109	180	219	234	-
White	1,916	39	19	13	70	65	48	107	269	458	472	356	-
Male	1,078	22	5	7	58	54	37	65	164	283	255	128	-
Female	838	17	14	6	12	11	11	42	105	175	217	228	-
All other	59	1	1	1	1	3	4	6	9	12	12	9	-
Male	36	-	-	1	-	3	3	4	5	7	10	3	-
Female	23	1	1	-	1	-	1	2	4	5	2	6	-
Black	35	1	1	-	1	1	3	3	6	7	4	8	-
Male	17	-	-	-	-	1	2	2	2	4	3	3	-
Female	18	1	1	-	1	-	1	1	4	3	1	5	-
Waco, Tex	1,716	47	3	7	23	30	38	99	262	392	465	350	-
Male	943	22	3	3	20	21	22	63	170	251	243	125	-
Female	773	25	-	4	3	9	16	36	92	141	222	225	-
White	1,414	27	2	4	20	20	32	70	202	319	410	308	-
Male	785	11	2	1	18	13	19	47	139	211	215	109	-
Female	629	16	-	3	2	7	13	23	63	108	195	199	-
All other	302	20	1	3	3	10	6	29	60	73	55	42	-
Male	158	11	1	2	2	8	3	16	31	40	28	16	-
Female	144	9	-	1	1	2	3	13	29	33	27	26	-
Black	302	20	1	3	3	10	6	29	60	73	55	42	-
Male	158	11	1	2	2	8	3	16	31	40	28	16	-
Female	144	9	-	1	1	2	3	13	29	33	27	26	-
Washington, D.C.-Md.-Va	20,686	565	69	99	463	721	890	1,690	3,516	4,605	4,797	3,253	16
Male	10,644	303	46	58	336	504	572	1,073	2,092	2,525	2,140	983	12
Female	10,042	262	23	41	127	217	318	617	1,426	2,080	2,657	2,270	4
White	13,627	251	40	56	265	333	498	937	2,125	3,024	3,540	2,610	8
Male	6,710	136	26	33	194	226	264	579	1,255	1,667	1,560	765	5
Female	6,917	115	14	23	71	107	174	358	870	1,357	1,980	1,845	3
All other	7,059	314	29	43	198	388	452	753	1,393	1,581	1,257	643	8
Male	3,934	167	20	25	142	278	308	494	837	858	580	218	7
Female	3,125	147	9	18	56	110	144	259	556	723	677	425	1
Black	6,824	307	26	39	188	365	432	727	1,365	1,532	1,210	627	8
Male	3,798	165	18	23	135	262	296	474	822	833	553	210	7
Female	3,026	142	8	16	51	103	136	253	543	699	657	417	1
Waterloo-Cedar Falls, Iowa	1,114	21	5	7	16	19	33	65	152	241	308	246	1
Male	594	16	4	5	12	12	23	39	103	141	155	84	-
Female	520	5	1	2	4	7	10	26	49	100	153	162	1
White	1,052	16	5	5	13	17	26	56	146	232	296	239	1
Male	561	13	4	3	10	11	17	35	99	138	151	80	-
Female	491	3	1	2	3	6	9	21	47	94	145	159	1
All other	62	5	-	2	3	2	7	9	6	9	12	7	-
Male	33	3	-	2	2	1	6	4	4	3	4	4	-
Female	29	2	-	-	1	1	1	5	2	6	8	3	-
Black	62	5	-	2	3	2	7	9	6	9	12	7	-
Male	33	3	-	2	2	1	6	4	4	3	4	4	-
Female	29	2	-	-	1	1	1	5	2	6	8	3	-
Wausau, Wis	801	15	2	3	20	14	21	34	85	192	238	177	-
Male	442	7	2	1	15	13	10	19	52	125	131	67	-
Female	359	8	-	2	5	1	11	15	33	67	107	110	-
White	799	15	2	3	20	13	20	34	85	192	238	177	-
Male	441	7	2	1	15	12	10	19	52	125	131	67	-
Female	358	8	-	2	5	1	10	15	33	67	107	110	-
All other	2	-	-	-	-	1	1	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
West Palm Beach-Boca Raton, Fla	7,996	103	23	21	103	143	176	312	899	2,150	2,600	1,485	1
Male	4,517	55	11	13	69	112	116	193	559	1,315	1,447	827	-
Female	3,479	48	12	8	34	31	60	119	340	835	1,153	638	1
White	7,313	50	15	15	78	96	118	248	778	1,998	2,496	1,420	1
Male	4,116	25	8	9	57	81	75	147	483	1,227	1,397	807	-
Female	3,197	25	7	6	21	15	43	101	295	771	1,099	813	1
All other	683	53	8	6	25	47	58	64	121	152	104	45	-
Male	401	30	3	4	12	31	41	46	76	88	50	20	-
Female	282	23	5	2	13	16	17	18	45	64	54	25	-
Black	678	53	8	6	25	47	58	63	121	150	104	43	-
Male	398	30	3	4	12	31	41	46	76	86	50	19	-
Female	280	23	5	2	13	16	17	17	45	64	54	24	-
Wheeling, W. Va.-Ohio	2,042	16	7	2	23	27	39	83	275	556	577	437	-
Male	1,067	7	3	-	15	21	28	50	171	329	281	162	-
Female	975	9	4	2	8	6	11	33	104	227	296	275	-
White	2,011	15	7	2	21	27	37	82	272	552	566	430	-
Male	1,049	7	3	-	14	21	26	50	168	326	277	157	-
Female	962	8	4	2	7	6	11	32	104	226	289	273	-
All other	31	1	-	-	2	-	2	1	3	4	11	7	-
Male	18	-	-	-	1	-	2	-	3	3	4	5	-
Female	13	1	-	-	1	-	-	1	-	1	7	2	-
Black	29	1	-	-	2	-	2	1	3	2	11	7	-
Male	17	-	-	-	1	-	2	-	3	2	4	5	-
Female	12	1	-	-	1	-	-	1	-	-	7	2	-
Wichita, Kans	3,190	97	18	13	66	91	86	189	478	749	776	625	2
Male	1,705	57	10	8	48	63	54	111	278	462	402	210	2
Female	1,485	40	8	5	18	28	32	78	200	287	374	415	-
White	2,935	80	16	11	56	75	71	164	428	710	722	601	1
Male	1,571	48	9	6	42	52	46	95	252	442	379	199	1
Female	1,364	32	7	5	14	23	25	69	176	269	343	402	-
All other	255	17	2	2	10	16	15	25	50	39	54	24	1
Male	134	9	1	2	6	11	8	16	26	20	23	11	1
Female	121	8	1	-	4	5	7	9	24	19	31	13	-
Black	235	16	2	-	9	12	14	24	48	36	49	24	1
Male	123	9	1	-	6	9	8	15	24	18	21	11	1
Female	112	7	1	-	3	3	6	9	24	18	28	13	-
Wichita Falls, Tex	1,209	23	4	5	31	23	32	73	177	282	332	227	-
Male	651	15	3	3	24	18	19	50	122	162	160	75	-
Female	558	8	1	2	7	5	13	23	55	120	172	152	-
White	1,112	22	3	5	27	20	29	66	159	255	306	220	-
Male	593	15	3	3	21	15	18	46	110	148	145	71	-
Female	519	7	-	2	6	5	13	20	49	107	161	149	-
All other	97	1	1	-	4	3	3	7	18	27	26	7	-
Male	58	-	-	-	3	3	3	4	12	14	15	4	-
Female	39	1	1	-	1	-	-	3	6	13	11	3	-
Black	96	1	1	-	4	3	3	7	17	27	26	7	-
Male	57	-	-	-	3	3	3	4	11	14	15	4	-
Female	39	1	1	-	1	-	-	3	6	13	11	3	-
Williamsport, Pa	1,217	15	2	3	21	18	24	54	153	277	337	313	-
Male	648	9	2	1	15	13	17	31	106	170	176	108	-
Female	569	6	-	2	6	5	7	23	47	107	161	205	-
White	1,201	15	2	3	20	17	24	53	152	274	334	307	-
Male	641	9	2	1	15	12	17	31	106	168	174	108	-
Female	560	6	-	2	5	5	7	22	46	106	160	201	-
All other	16	-	-	-	1	1	-	1	1	3	3	6	-
Male	7	-	-	-	-	1	-	-	-	2	2	2	-
Female	9	-	-	-	1	-	-	1	1	1	1	4	-
Black	15	-	-	-	1	-	-	1	1	3	3	6	-
Male	6	-	-	-	-	-	-	-	-	2	2	2	-
Female	9	-	-	-	1	-	-	1	1	1	1	4	-
Wilmington, Del.-N.J.-Md	4,284	90	19	27	70	105	110	270	689	1,053	1,107	743	1
Male	2,246	52	10	17	47	76	67	166	414	622	533	241	1
Female	2,038	38	9	10	23	29	43	104	275	431	574	502	-
White	3,660	51	11	17	55	77	85	209	582	893	989	691	-
Male	1,893	31	4	9	40	59	54	136	352	523	465	220	-
Female	1,767	20	7	8	15	18	31	73	230	370	524	471	-
All other	624	39	8	10	15	28	25	61	107	160	118	52	1
Male	353	21	6	8	7	17	13	30	62	99	68	21	1
Female	271	18	2	2	8	11	12	31	45	61	50	31	-
Black	619	37	8	10	15	28	24	60	106	160	118	52	1
Male	350	20	6	8	7	17	12	29	62	99	68	21	1
Female	269	17	2	2	8	11	12	31	44	61	50	31	-
Wilmington, N.C	1,219	25	5	7	21	29	43	105	236	318	285	145	-
Male	689	12	3	4	13	16	25	72	162	195	136	51	-
Female	530	13	2	3	8	13	18	33	74	123	149	94	-
White	912	15	3	5	12	22	24	78	167	242	227	117	-
Male	524	8	2	3	10	11	13	56	118	156	109	38	-
Female	388	7	1	2	2	11	11	22	49	86	118	79	-
All other	307	10	2	2	9	7	19	27	69	76	58	28	-
Male	165	4	1	1	3	5	12	16	44	39	27	13	-
Female	142	6	1	1	6	2	7	11	25	37	31	15	-
Black	306	10	2	2	9	7	18	27	69	76	58	28	-
Male	164	4	1	1	3	5	11	16	44	39	27	13	-
Female	142	6	1	1	6	2	7	11	25	37	31	15	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Worcester-Fitchburg-Leominster, Mass	6,162	80	20	15	101	88	134	280	793	1,439	1,726	1,484	2
Male	3,085	43	11	6	74	65	84	179	488	844	818	473	-
Female	3,077	37	9	9	27	23	50	101	305	595	908	1,011	2
White	6,105	74	19	12	101	84	132	273	781	1,428	1,724	1,475	2
Male	3,056	42	10	4	74	62	83	173	482	839	816	471	-
Female	3,049	32	9	8	27	22	49	100	299	589	908	1,004	2
All other	57	6	1	3	-	4	2	7	12	11	2	9	-
Male	29	1	1	2	-	3	1	6	6	5	2	2	-
Female	28	5	-	1	-	1	1	1	6	6	-	7	-
Black	50	5	1	2	-	3	2	7	11	9	2	6	-
Male	26	1	1	2	-	2	1	6	6	4	2	1	-
Female	24	4	-	-	-	1	1	1	5	5	-	7	-
Yakima, Wash	1,479	33	6	11	38	32	34	67	203	350	391	314	-
Male	820	23	1	5	31	28	17	41	118	222	220	116	-
Female	659	10	5	6	7	6	17	26	85	128	171	198	-
White	1,390	27	6	10	28	30	26	59	191	333	373	307	-
Male	765	19	1	4	22	24	15	36	112	209	209	114	-
Female	625	8	5	6	6	6	11	23	79	124	164	193	-
All other	89	6	-	1	10	2	8	8	12	17	18	7	-
Male	55	4	-	1	9	2	2	5	6	13	11	2	-
Female	34	2	-	-	1	-	6	3	6	4	7	5	-
Black	17	-	-	-	-	-	-	-	2	6	6	3	-
Male	11	-	-	-	-	-	-	-	-	6	4	1	-
Female	6	-	-	-	-	-	-	-	2	-	2	2	-
York, Pa	3,249	40	11	13	45	50	79	170	463	757	890	731	-
Male	1,707	25	6	10	34	39	53	106	292	447	448	247	-
Female	1,542	15	5	3	11	11	26	64	171	310	442	484	-
White	3,171	39	9	12	43	45	76	160	452	739	872	724	-
Male	1,662	24	5	9	34	35	53	100	284	438	437	243	-
Female	1,509	15	4	3	9	10	23	60	168	301	435	481	-
All other	78	1	2	1	2	5	3	10	11	18	18	7	-
Male	45	1	1	1	-	4	-	6	8	9	11	4	-
Female	33	-	1	-	2	1	3	4	3	9	7	3	-
Black	77	1	2	1	2	5	2	10	11	18	18	7	-
Male	45	1	1	1	-	4	-	6	8	9	11	4	-
Female	32	-	1	-	2	1	2	4	3	9	7	3	-
Youngstown-Warren, Ohio	5,154	76	15	20	62	105	119	287	828	1,315	1,354	973	-
Male	2,733	48	9	12	46	74	76	183	503	761	651	380	-
Female	2,421	28	6	8	16	31	43	104	325	584	703	593	-
White	4,596	57	11	18	55	78	96	235	709	1,190	1,235	912	-
Male	2,437	38	7	10	41	58	62	155	440	683	589	354	-
Female	2,159	19	4	8	14	20	34	80	269	507	646	558	-
All other	558	19	4	2	7	27	23	52	119	125	119	61	-
Male	296	10	2	2	5	16	14	28	63	68	62	26	-
Female	262	9	2	-	2	11	9	24	56	57	57	35	-
Black	550	19	4	2	7	26	23	52	119	122	117	59	-
Male	293	10	2	2	5	16	14	28	63	67	61	25	-
Female	257	9	2	-	2	10	9	24	56	55	56	34	-
Yuba City, Calif	847	13	3	5	18	23	27	64	120	234	212	128	-
Male	497	7	-	3	12	17	16	38	77	156	119	52	-
Female	350	6	3	2	6	6	11	26	43	78	93	76	-
White	811	13	2	5	18	21	25	61	117	227	196	126	-
Male	476	7	-	3	12	17	15	36	75	151	109	51	-
Female	335	6	2	2	6	4	10	25	42	76	87	75	-
All other	36	-	1	-	-	2	2	3	3	7	16	2	-
Male	21	-	-	-	-	-	1	2	2	5	10	1	-
Female	15	-	1	-	-	2	1	1	1	2	6	1	-
Black	13	-	1	-	-	-	-	2	1	3	5	1	-
Male	9	-	-	-	-	-	-	2	1	2	3	1	-
Female	4	-	1	-	-	-	-	-	-	1	2	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,019,201	40,627	3,043	2,030	1,525	1,203	48,428	4,259	4,884	15,717	23,365	24,170	24,812	26,512
Male	1,071,923	22,969	1,684	1,170	933	725	27,481	2,532	3,123	11,362	17,485	17,582	17,266	17,489
Female	947,278	17,658	1,359	860	592	478	20,947	1,727	1,761	4,355	5,880	6,588	7,346	9,023
White	1,765,582	28,301	2,253	1,502	1,121	891	34,068	3,257	3,834	13,025	18,528	18,482	18,200	20,128
Male	931,779	16,131	1,256	863	683	538	19,471	1,961	2,463	9,462	14,021	13,593	12,872	13,374
Female	833,803	12,170	997	639	438	353	14,597	1,296	1,371	3,563	4,507	4,889	5,328	6,754
All other	253,619	12,326	790	528	404	312	14,360	1,002	1,050	2,692	4,837	5,688	6,412	6,384
Male	140,144	6,838	428	307	250	187	8,010	571	660	1,900	3,464	3,989	4,394	4,115
Female	113,475	5,488	362	221	154	125	6,350	431	390	792	1,373	1,699	2,018	2,269
Black	233,124	11,242	688	474	348	284	13,036	864	920	2,304	4,225	5,109	5,845	5,800
Male	127,911	6,259	372	270	218	169	7,288	494	575	1,619	3,004	3,580	4,016	3,771
Female	105,213	4,983	316	204	130	115	5,748	370	345	685	1,221	1,529	1,829	2,029
Shigellosis and amebiasis (004,006)	30	-	1	1	2	-	4	1	-	-	-	1	1	-
Male	17	-	-	-	-	-	-	1	-	-	-	1	1	-
Female	13	-	1	1	2	-	4	-	-	-	-	-	-	-
White	23	-	1	1	1	-	3	1	-	-	-	1	-	-
Male	15	-	-	-	-	-	-	1	-	-	-	1	-	-
Female	8	-	1	1	1	-	3	-	-	-	-	-	-	-
All other	7	-	-	-	1	-	1	-	-	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	5	-	-	-	1	-	1	-	-	-	-	-	-	-
Black	5	-	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	1	-	1	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	354	131	8	2	1	1	143	-	4	2	4	2	4	4
Male	172	77	7	1	1	-	86	-	4	2	3	1	3	3
Female	182	54	1	1	-	1	57	-	-	-	1	1	1	1
White	262	65	5	-	-	-	70	-	4	2	3	2	4	2
Male	117	36	4	-	-	-	40	-	4	2	2	1	3	2
Female	145	29	1	-	-	-	30	-	-	-	1	1	1	-
All other	92	66	3	2	1	1	73	-	-	-	1	-	-	2
Male	55	41	3	1	1	-	46	-	-	-	1	-	-	1
Female	37	25	-	1	-	1	27	-	-	-	-	-	-	1
Black	84	64	2	1	1	1	69	-	-	-	1	-	-	2
Male	51	41	2	1	1	-	45	-	-	-	1	-	-	1
Female	33	23	-	-	-	1	24	-	-	-	-	-	-	1
Tuberculosis (010-018)	1,779	1	-	3	-	-	4	2	2	6	12	29	45	47
Male	1,176	-	-	1	-	-	1	1	1	-	4	19	33	32
Female	603	1	-	2	-	-	3	1	1	6	8	10	12	15
White	1,119	-	-	2	-	-	2	2	1	2	5	9	14	14
Male	718	-	-	1	-	-	1	1	1	-	2	6	11	7
Female	401	-	-	1	-	-	1	1	-	2	3	3	3	7
All other	660	1	-	1	-	-	2	-	1	4	7	20	31	33
Male	458	-	-	-	-	-	-	-	-	-	2	13	22	25
Female	202	1	-	1	-	-	2	-	1	4	5	7	9	8
Black	577	-	-	-	-	-	-	-	1	4	6	19	29	29
Male	409	-	-	-	-	-	-	-	-	-	2	12	21	24
Female	168	-	-	-	-	-	-	-	1	4	4	7	8	5
Tuberculosis of respiratory system (010-012)	1,418	1	-	-	-	-	1	1	1	5	7	18	24	33
Male	982	-	-	-	-	-	-	1	1	-	1	13	18	23
Female	436	1	-	-	-	-	1	-	-	5	6	5	6	10
White	925	-	-	-	-	-	-	1	1	2	3	5	7	10
Male	616	-	-	-	-	-	-	1	1	-	1	4	7	6
Female	309	-	-	-	-	-	-	-	-	2	2	1	-	4
All other	493	1	-	-	-	-	1	-	-	3	4	13	17	23
Male	366	-	-	-	-	-	-	-	-	-	-	9	11	17
Female	127	1	-	-	-	-	1	-	-	3	4	4	6	6
Black	431	-	-	-	-	-	-	-	-	3	3	12	15	20
Male	327	-	-	-	-	-	-	-	-	-	-	8	10	17
Female	104	-	-	-	-	-	-	-	-	3	3	4	5	3
Other tuberculosis (013-018)	361	-	-	3	-	-	3	1	1	1	5	11	21	14
Male	194	-	-	1	-	-	1	-	-	-	3	6	15	9
Female	167	-	-	2	-	-	2	1	1	1	2	5	6	5
White	194	-	-	2	-	-	2	1	-	-	2	4	7	4
Male	102	-	-	1	-	-	1	-	-	-	1	2	4	1
Female	92	-	-	1	-	-	1	1	-	-	1	2	3	3
All other	167	-	-	1	-	-	1	-	1	1	3	7	14	10
Male	92	-	-	-	-	-	-	-	-	-	2	4	11	8
Female	75	-	-	1	-	-	1	-	1	1	1	3	3	2
Black	146	-	-	-	-	-	-	-	1	1	3	7	14	9
Male	82	-	-	-	-	-	-	-	-	-	2	4	11	7
Female	64	-	-	-	-	-	-	-	1	1	1	3	3	2
Whooping cough (033)	5	5	-	-	-	-	5	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	4	-	-	-	-	-	-	-
White	5	5	-	-	-	-	5	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	4	4	-	-	-	-	4	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	32,837	45,536	74,357	119,779	169,181	214,916	259,464	277,591	263,627	215,514	125,518	40,647	7,684	629
Male	20,899	28,707	46,681	75,130	104,678	130,217	149,457	146,888	119,875	82,165	39,822	10,927	1,737	412
Female	11,938	16,829	27,686	44,649	64,483	84,699	110,007	130,705	143,752	133,349	85,696	29,720	5,947	211
White	25,107	35,482	60,214	99,854	144,273	187,966	228,799	250,004	240,532	201,497	117,832	37,631	6,450	419
Male	16,045	22,534	38,248	63,255	89,997	114,930	132,775	132,738	109,081	78,292	37,038	9,974	1,373	282
Female	9,062	12,948	21,966	36,599	54,276	73,036	96,024	117,266	131,451	125,205	80,794	27,657	5,077	137
All other	7,730	10,054	14,143	19,925	24,888	26,950	30,665	27,587	23,095	14,017	7,688	3,016	1,234	204
Male	4,854	6,173	8,443	11,875	14,681	15,287	16,682	14,148	10,794	5,873	2,784	953	364	130
Female	2,876	3,881	5,700	8,050	10,207	11,663	13,983	13,439	12,301	8,144	4,902	2,063	870	74
Black	7,032	9,230	13,096	18,538	23,273	25,095	28,452	25,448	21,166	12,757	6,911	2,751	1,114	156
Male	4,423	5,710	7,819	11,066	13,650	14,138	15,261	12,804	9,673	5,307	2,459	833	319	102
Female	2,609	3,520	5,279	7,472	9,623	10,957	13,191	12,644	11,493	7,450	4,452	1,918	795	54
Shigellosis and amoebiasis (004,006)	-	2	2	2	3	3	3	2	3	2	-	1	-	-
Male	-	1	2	2	-	2	2	2	1	1	-	1	-	-
Female	-	1	-	-	3	1	1	-	2	1	-	-	-	-
White	-	-	2	2	2	2	3	2	2	2	-	1	-	-
Male	-	-	2	2	-	2	2	2	1	1	-	1	-	-
Female	-	-	-	-	2	-	1	-	1	1	-	-	-	-
All other	-	2	-	-	1	1	-	-	1	-	-	-	-	-
Male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	1	-	-	1	1	-	-	1	-	-	-	-	-
Black	-	1	-	-	1	1	-	-	1	-	-	-	-	-
Male	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	1	1	-	-	1	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	8	9	9	11	21	33	32	28	16	15	3	-
Male	2	1	4	3	3	8	11	12	14	6	2	3	1	-
Female	2	1	4	6	6	3	10	21	18	22	14	12	2	-
White	4	2	5	8	9	10	17	32	29	27	15	15	2	-
Male	2	1	3	2	3	7	9	12	13	6	2	3	-	-
Female	2	1	2	6	6	3	8	20	16	21	13	12	2	-
All other	-	-	3	1	-	1	4	1	3	1	1	-	1	-
Male	-	-	1	1	-	1	2	-	1	-	-	-	1	-
Female	-	-	2	-	-	-	2	1	2	1	1	-	-	-
Black	-	-	2	1	-	1	4	1	2	1	-	-	-	-
Male	-	-	-	1	-	1	2	-	-	-	-	-	-	-
Female	-	-	2	-	-	-	2	1	2	1	-	-	-	-
Tuberculosis (010-018)	60	88	110	152	154	198	238	221	196	119	68	22	3	3
Male	44	69	84	116	107	139	159	129	117	68	35	14	2	2
Female	16	19	26	36	47	59	79	92	79	51	33	8	1	1
White	19	37	56	90	97	145	159	164	147	90	51	14	1	-
Male	13	29	42	68	67	101	105	94	82	48	29	10	1	-
Female	6	8	14	22	30	44	54	70	65	42	22	4	-	-
All other	41	51	54	62	57	53	79	57	49	29	17	8	2	3
Male	31	40	42	48	40	38	54	35	35	20	6	4	1	2
Female	10	11	12	14	17	15	25	22	14	9	11	4	1	1
Black	38	50	51	53	52	45	65	46	38	27	15	6	1	2
Male	29	40	39	41	37	34	44	31	27	18	4	3	1	2
Female	9	10	12	12	15	11	21	15	11	9	11	3	-	-
Tuberculosis of respiratory system (010-012)	48	66	102	113	131	168	186	178	161	93	60	20	3	1
Male	37	57	80	92	96	119	130	112	98	56	31	14	2	1
Female	9	9	22	21	35	49	56	66	63	37	29	6	1	-
White	14	27	53	72	84	126	130	135	122	73	47	12	1	-
Male	11	25	40	56	61	88	91	80	68	39	26	10	1	-
Female	3	2	13	16	23	38	39	55	54	34	21	2	-	-
All other	32	39	49	41	47	42	56	43	39	20	13	8	2	1
Male	26	32	40	36	35	31	39	32	30	17	5	4	1	1
Female	6	7	9	5	12	11	17	11	9	3	8	4	1	-
Black	31	39	48	34	43	34	46	36	32	18	11	6	1	1
Male	26	32	37	30	32	27	31	29	25	15	3	3	1	1
Female	5	7	9	4	11	7	15	7	7	3	8	3	-	-
Other tuberculosis (013-018)	14	22	8	39	23	30	52	43	35	26	8	2	-	2
Male	7	12	4	24	11	20	29	17	19	12	4	-	-	1
Female	7	10	4	15	12	10	23	26	16	14	4	2	-	1
White	5	10	3	18	13	19	29	29	25	17	4	2	-	-
Male	2	4	2	12	6	13	14	14	14	9	3	-	-	-
Female	3	6	1	6	7	6	15	15	11	8	1	2	-	-
All other	9	12	5	21	10	11	23	14	10	9	4	-	-	2
Male	5	8	2	12	5	7	15	3	5	3	1	-	-	1
Female	4	4	3	9	5	4	8	11	5	6	3	-	-	1
Black	7	11	5	19	9	11	19	10	6	9	4	-	-	1
Male	3	8	2	11	5	7	13	2	2	3	1	-	-	1
Female	4	3	3	8	4	4	6	8	4	6	3	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–
White	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	3	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	299	62	27	29	16	11	145	21	9	16	10	8	6	5
Male	157	38	18	19	8	4	87	12	5	8	5	7	3	2
Female	142	24	9	10	8	7	58	9	4	8	5	1	3	3
White	229	50	25	18	12	8	113	15	7	13	8	3	3	1
Male	122	31	18	14	6	3	72	9	4	6	4	3	2	1
Female	107	19	7	4	6	5	41	6	3	7	4	–	1	–
All other	70	12	2	11	4	3	32	6	2	3	2	5	3	4
Male	35	7	–	5	2	1	15	3	1	2	1	4	1	1
Female	35	5	2	6	2	2	17	3	1	1	1	1	2	3
Black	67	11	2	9	4	3	29	6	2	3	2	5	3	4
Male	33	6	–	4	2	1	13	3	1	2	1	4	1	1
Female	34	5	2	5	2	2	16	3	1	1	1	1	2	3
Septicemia (038)	13,394	303	43	21	8	9	384	18	16	39	47	82	83	115
Male	6,417	179	24	12	5	8	228	9	9	20	26	35	42	66
Female	6,977	124	19	9	3	1	156	9	7	19	21	47	41	50
White	10,696	189	34	13	6	4	256	12	12	29	35	47	40	75
Male	5,119	120	19	8	5	4	156	8	7	18	23	19	17	51
Female	5,577	79	15	5	1	–	100	4	5	11	12	28	23	25
All other	2,698	104	9	8	2	5	128	6	4	10	12	35	43	42
Male	1,298	59	5	4	–	4	72	1	2	2	3	16	25	17
Female	1,400	45	4	4	2	1	56	5	2	8	9	19	18	25
Black	2,550	96	8	7	2	4	117	6	4	10	11	34	42	41
Male	1,221	56	4	4	–	3	67	1	2	2	3	16	24	17
Female	1,329	40	4	3	2	1	50	5	2	8	8	18	18	24
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	4	–	–	–	1	–	1	1	1	–	–	–	1	–
Male	3	–	–	–	–	–	–	1	1	–	–	–	1	–
Female	1	–	–	–	1	–	1	–	–	–	–	–	–	–
White	3	–	–	–	–	–	–	1	1	–	–	–	1	–
Male	3	–	–	–	–	–	–	1	1	–	–	–	1	–
Female	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Black	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Viral hepatitis (070)	863	20	2	3	2	1	28	9	2	25	48	51	41	38
Male	494	7	1	3	2	–	13	4	1	10	24	39	28	26
Female	369	13	1	–	–	1	15	5	1	15	24	12	13	12
White	683	8	1	2	1	1	14	7	1	17	33	27	32	29
Male	396	3	–	2	1	–	6	4	1	6	18	21	21	21
Female	287	6	1	–	–	1	8	3	–	11	15	6	11	8
All other	180	11	1	1	1	–	14	2	1	8	15	24	9	9
Male	98	4	1	1	1	–	7	–	–	4	6	18	7	5
Female	82	7	–	–	–	–	7	2	1	4	9	6	2	4
Black	135	4	–	1	–	–	5	1	1	8	13	19	6	6
Male	72	1	–	1	–	–	2	–	–	4	5	15	6	4
Female	63	3	–	–	–	–	3	1	1	4	8	4	2	4
Syphilis (090-097)	121	7	–	–	–	–	7	1	–	–	–	3	3	–
Male	68	4	–	–	–	–	4	–	–	–	–	3	2	–
Female	53	3	–	–	–	–	3	1	–	–	–	–	1	–
White	70	3	–	–	–	–	3	1	–	–	–	–	2	–
Male	35	2	–	–	–	–	2	–	–	–	–	–	1	–
Female	35	1	–	–	–	–	1	1	–	–	–	–	1	–
All other	51	4	–	–	–	–	4	–	–	–	–	3	1	–
Male	33	2	–	–	–	–	2	–	–	–	–	3	1	–
Female	18	2	–	–	–	–	2	–	–	–	–	–	–	–
Black	50	4	–	–	–	–	4	–	–	–	–	2	1	–
Male	32	2	–	–	–	–	2	–	–	–	–	2	1	–
Female	18	2	–	–	–	–	2	–	–	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	1	1	-	1	1	2	-	-	-	-
Male	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Female	-	-	-	-	1	1	-	1	-	-	-	-	-	-
White	-	-	-	-	1	1	-	1	1	2	-	-	-	-
Male	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Female	-	-	-	-	1	1	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	6	9	10	10	10	7	11	5	2	2	2	-	-
Male	2	3	1	4	6	5	2	3	2	-	-	-	-	-
Female	3	3	8	6	4	5	5	8	3	2	2	2	-	-
White	2	4	7	9	8	9	6	11	5	2	1	2	-	-
Male	-	2	1	4	4	4	1	3	2	-	-	-	-	-
Female	2	2	6	5	4	5	5	8	3	2	1	2	-	-
All other	3	2	2	1	2	1	1	-	-	-	1	-	-	-
Male	2	1	-	-	2	1	1	-	-	-	-	-	-	-
Female	1	1	2	1	-	-	-	-	-	-	1	-	-	-
Black	3	2	2	1	2	1	1	-	-	-	1	-	-	-
Male	2	1	-	-	2	1	1	-	-	-	-	-	-	-
Female	1	1	2	1	-	-	-	-	-	-	1	-	-	-
Septicemia (038)	153	216	388	657	1,018	1,279	1,651	2,013	2,032	1,791	1,045	302	58	4
Male	97	120	225	384	594	740	854	994	887	619	351	94	19	2
Female	56	96	163	273	424	539	797	1,019	1,145	1,172	694	208	39	2
White	95	125	268	460	752	993	1,288	1,676	1,714	1,571	933	260	34	2
Male	61	70	157	299	452	586	691	819	745	533	316	80	11	-
Female	34	55	109	161	300	407	597	857	969	1,038	617	180	23	2
All other	58	91	122	177	266	286	363	337	318	220	112	42	24	2
Male	36	50	68	85	142	154	163	175	142	86	35	14	8	2
Female	22	41	54	92	124	132	200	162	176	134	77	28	16	-
Black	54	84	112	170	253	268	347	318	301	207	110	39	20	2
Male	36	45	64	83	133	144	152	163	132	83	34	12	6	2
Female	18	39	48	87	120	124	195	155	169	124	76	27	14	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	38	42	61	78	83	91	95	62	39	22	8	2	-	-
Male	23	24	37	40	58	57	50	30	17	12	1	-	-	-
Female	15	18	24	38	25	34	45	32	22	10	7	2	-	-
White	31	34	42	70	72	76	75	57	36	20	8	2	-	-
Male	20	20	25	38	51	46	40	29	17	11	1	-	-	-
Female	11	14	17	32	21	30	35	28	19	9	7	2	-	-
All other	7	8	19	8	11	15	20	5	3	2	-	-	-	-
Male	3	4	12	2	7	11	10	1	-	1	-	-	-	-
Female	4	4	7	6	4	4	10	4	3	1	-	-	-	-
Black	6	7	14	7	8	10	12	4	2	2	-	-	-	-
Male	2	3	8	2	6	8	5	1	-	1	-	-	-	-
Female	4	4	6	5	2	2	7	3	2	1	-	-	-	-
Syphilis (090-097)	1	1	5	6	5	16	20	25	14	6	5	3	-	-
Male	1	1	4	3	4	9	10	11	6	5	4	1	-	-
Female	-	-	1	3	1	7	10	14	8	1	1	2	-	-
White	-	1	1	5	3	8	14	15	8	3	4	2	-	-
Male	-	1	1	2	3	3	5	9	2	2	3	1	-	-
Female	-	-	-	3	-	5	9	6	6	1	1	1	-	-
All other	1	-	4	1	2	8	6	10	6	3	1	1	-	-
Male	1	-	3	1	1	6	5	2	4	3	1	-	-	-
Female	-	-	1	-	1	2	1	8	2	-	-	1	-	-
Black	1	-	4	1	2	8	6	10	6	3	1	1	-	-
Male	1	-	3	1	1	6	5	2	4	3	1	-	-	-
Female	-	-	1	-	1	2	1	8	2	-	-	1	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,096-139)	4,969	209	32	21	16	12	290	57	47	69	97	180	241	225
Male	2,736	127	17	11	10	6	171	27	29	40	54	126	163	158
Female	2,233	82	15	10	6	6	119	30	18	29	43	54	78	67
White	3,969	141	26	12	12	9	200	44	37	52	72	125	145	154
Male	2,169	87	13	6	8	3	117	21	21	33	41	91	100	111
Female	1,800	54	13	6	4	6	83	23	16	19	31	34	45	43
All other	1,000	68	6	9	4	3	90	13	10	17	25	55	96	71
Male	567	40	4	5	2	3	54	6	8	7	13	35	63	47
Female	433	28	2	4	2	-	36	7	2	10	12	20	33	24
Black	913	57	5	9	2	3	76	11	8	14	22	53	96	68
Male	512	33	3	5	1	3	45	4	6	5	12	35	63	46
Female	401	24	2	4	1	-	31	7	2	9	10	18	33	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	442,966	132	136	166	172	180	788	664	654	960	1,333	1,991	3,167	5,163
Male	238,383	70	75	98	94	104	441	368	380	582	769	1,076	1,476	2,236
Female	204,603	62	61	68	78	76	345	296	274	378	564	915	1,691	2,927
White	390,009	105	120	139	146	149	659	555	530	826	1,099	1,671	2,572	4,275
Male	208,053	54	66	78	80	86	364	311	311	509	644	921	1,233	1,858
Female	181,956	51	54	61	66	63	295	244	219	317	455	750	1,339	2,417
All other	52,977	27	16	27	26	31	127	109	124	134	234	320	595	888
Male	30,330	16	9	20	14	18	77	57	69	73	125	155	243	378
Female	22,647	11	7	7	12	13	50	52	55	61	109	185	352	510
Black	48,754	20	10	24	20	28	102	95	105	102	199	271	509	777
Male	27,946	11	5	18	11	18	61	49	58	54	102	126	207	341
Female	20,808	9	5	6	9	12	41	46	47	48	97	145	302	436
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,486	1	-	-	-	1	2	6	5	12	16	29	47	103
Male	5,790	1	-	-	-	-	1	3	3	9	8	21	25	75
Female	2,696	-	-	-	-	1	1	3	2	3	8	8	22	28
White	7,070	1	-	-	-	1	2	5	3	9	8	18	27	62
Male	4,725	1	-	-	-	-	1	3	2	7	5	12	14	43
Female	2,345	-	-	-	-	1	1	2	1	2	3	6	13	19
All other	1,416	-	-	-	-	-	-	1	2	3	8	11	20	41
Male	1,065	-	-	-	-	-	-	-	1	2	3	9	11	32
Female	351	-	-	-	-	-	-	1	1	1	5	2	9	9
Black	1,288	-	-	-	-	-	-	1	2	1	5	9	14	36
Male	986	-	-	-	-	-	-	-	1	1	1	7	9	28
Female	302	-	-	-	-	-	-	1	1	-	4	2	5	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	113,884	11	10	9	4	1	35	15	17	36	100	229	433	777
Male	59,738	3	8	5	3	1	20	9	6	16	47	136	243	461
Female	54,126	8	2	4	1	-	15	6	11	20	53	93	190	316
White	89,010	7	10	7	4	-	28	10	13	26	72	177	314	596
Male	51,457	1	8	3	3	-	15	6	6	12	35	105	180	345
Female	47,553	6	2	4	1	-	13	4	7	14	37	72	134	253
All other	14,854	4	-	2	-	1	7	5	4	10	28	52	119	179
Male	8,281	2	-	2	-	1	5	3	-	4	12	31	63	116
Female	6,573	2	-	-	-	-	2	2	4	6	16	21	56	63
Black	13,357	2	-	2	-	1	5	2	3	6	23	44	98	144
Male	7,354	1	-	2	-	1	4	1	-	3	9	25	51	101
Female	6,003	1	-	-	-	-	1	1	3	3	14	19	47	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	119,962	8	1	2	3	3	18	9	9	17	39	65	212	728
Male	84,165	8	1	1	2	1	13	7	5	15	26	42	122	442
Female	35,797	1	-	1	1	2	5	2	4	2	13	23	90	286
White	106,091	5	-	2	3	1	11	8	8	16	34	53	165	601
Male	73,872	4	-	1	2	-	7	6	5	14	21	33	93	353
Female	32,219	1	-	1	1	1	4	2	3	2	13	20	72	248
All other	13,871	4	1	-	-	2	7	1	1	1	5	12	47	127
Male	10,293	4	1	-	-	1	6	1	-	1	5	9	29	89
Female	3,578	-	-	-	-	1	1	-	1	-	-	3	18	38
Black	12,951	1	1	-	-	2	4	1	1	1	5	11	40	118
Male	9,645	1	1	-	-	1	3	1	-	1	5	8	28	83
Female	3,306	-	-	-	-	1	1	-	1	-	-	3	14	35
Malignant neoplasm of breast (174-175)	38,247	1	-	-	-	-	1	6	1	2	21	142	512	979
Male	268	-	-	-	-	-	-	-	-	-	-	1	-	3
Female	37,979	1	-	-	-	-	1	6	1	2	21	141	512	976
White	34,324	1	-	-	-	-	1	5	1	2	15	105	412	800
Male	226	-	-	-	-	-	-	-	-	-	-	1	-	2
Female	34,098	1	-	-	-	-	1	5	1	2	15	104	412	798
All other	3,923	-	-	-	-	-	-	1	-	-	6	37	100	179
Male	42	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	3,881	-	-	-	-	-	-	1	-	-	6	37	100	178
Black	3,648	-	-	-	-	-	-	1	-	-	5	29	89	161
Male	38	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	3,610	-	-	-	-	-	-	1	-	-	5	29	89	160
Malignant neoplasms of genital organs (179-187)	48,709	4	1	3	5	1	14	10	9	47	138	245	344	519
Male	25,634	2	1	2	2	-	7	3	2	23	76	96	73	45
Female	23,075	2	-	1	3	1	7	7	7	24	62	149	271	474
White	41,391	3	1	3	5	1	13	9	9	39	115	198	270	418
Male	21,391	2	1	2	2	-	7	3	2	22	72	87	70	41
Female	20,000	1	-	1	3	1	6	6	7	17	43	111	200	377
All other	7,318	1	-	-	-	-	1	1	-	8	23	47	74	101
Male	4,243	-	-	-	-	-	-	-	-	1	4	9	3	4
Female	3,075	1	-	-	-	-	1	1	-	7	19	38	71	97
Black	6,935	1	-	-	-	-	1	1	-	6	21	41	66	56
Male	4,103	-	-	-	-	-	-	-	-	1	3	5	2	4
Female	2,832	1	-	-	-	-	1	1	-	5	18	36	64	82

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	214	212	270	349	447	488	517	488	364	231	143	32	8	-
Male	145	125	146	193	234	256	271	261	177	96	51	10	3	-
Female	69	87	124	156	213	232	246	227	187	135	92	22	5	-
White	131	143	198	274	383	420	459	430	323	208	135	30	6	-
Male	90	93	110	149	207	220	238	229	157	83	47	9	2	-
Female	41	50	88	125	176	200	221	201	166	125	88	21	4	-
All other	83	69	72	75	64	68	58	58	41	23	8	2	2	-
Male	55	32	36	44	27	36	33	32	20	13	4	1	1	-
Female	28	37	36	31	37	32	25	26	21	10	4	1	1	-
Black	82	65	67	64	58	62	53	50	37	19	5	2	1	-
Male	54	30	34	35	25	33	30	26	16	10	2	1	-	-
Female	28	35	33	29	33	29	23	24	21	9	3	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,249	13,767	24,768	41,811	56,684	66,644	70,219	61,094	44,324	26,788	11,045	2,510	304	63
Male	3,699	6,738	12,779	22,771	31,853	38,246	40,106	34,185	22,775	12,328	4,534	912	98	35
Female	4,550	7,031	11,989	19,040	24,831	28,398	30,113	26,909	21,549	14,460	6,511	1,598	206	28
White	6,709	11,166	20,871	35,733	49,272	59,037	62,390	55,030	40,287	24,816	10,181	2,254	245	31
Male	2,979	5,358	10,563	19,249	27,348	33,642	35,400	30,570	20,447	11,324	4,123	811	76	12
Female	3,730	5,808	10,108	16,484	21,924	25,395	26,990	24,460	19,840	13,492	6,058	1,443	169	19
All other	1,540	2,601	4,097	6,078	7,412	7,607	7,829	6,064	4,037	1,970	864	256	59	32
Male	720	1,378	2,216	3,522	4,505	4,604	4,706	3,615	2,328	1,002	411	101	22	23
Female	820	1,223	1,881	2,556	2,907	3,003	3,123	2,449	1,709	968	453	155	37	9
Black	1,368	2,356	3,755	5,639	6,919	7,095	7,282	5,608	3,688	1,783	791	232	53	26
Male	647	1,269	2,047	3,291	4,194	4,308	4,349	3,310	2,116	911	377	90	20	19
Female	721	1,087	1,708	2,347	2,725	2,787	2,933	2,298	1,572	872	414	142	33	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	202	386	642	1,124	1,369	1,369	1,162	897	533	374	159	42	3	4
Male	152	295	475	819	949	977	799	586	307	197	68	17	-	3
Female	50	91	167	305	420	392	363	311	226	177	90	25	3	1
White	118	235	440	881	1,157	1,216	1,034	814	495	355	148	40	2	1
Male	89	180	325	627	785	856	705	526	281	185	62	16	-	1
Female	29	55	115	254	372	360	329	288	214	170	88	24	2	-
All other	84	151	202	243	212	153	128	83	38	19	11	2	1	3
Male	63	115	150	192	164	121	94	60	26	12	7	1	-	2
Female	21	36	52	51	48	32	34	23	12	7	4	1	1	1
Black	71	140	185	224	202	140	117	73	35	16	11	2	1	3
Male	55	109	141	179	157	114	85	54	25	10	7	1	-	2
Female	16	31	44	45	45	26	32	19	10	6	4	1	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,450	2,607	5,077	9,143	13,109	16,423	18,819	17,676	13,948	9,073	3,889	873	115	16
Male	840	1,596	3,059	5,557	7,885	9,470	10,187	8,927	6,232	3,442	1,313	245	37	10
Female	610	1,011	2,018	3,586	5,224	6,953	8,632	8,751	7,716	5,631	2,576	628	78	6
White	1,091	2,018	4,062	7,552	11,068	14,212	16,450	15,816	12,850	8,401	3,578	777	92	7
Male	624	1,218	2,437	4,570	6,628	8,208	8,907	7,958	5,589	3,169	1,195	217	30	3
Female	467	800	1,625	2,982	4,439	6,004	7,543	7,858	7,061	5,232	2,383	560	62	4
All other	359	589	1,015	1,591	2,043	2,211	2,369	1,862	1,298	672	311	96	23	11
Male	216	378	622	987	1,257	1,262	1,280	969	643	273	118	28	7	7
Female	143	211	393	604	786	949	1,089	893	655	399	193	68	16	4
Black	306	505	892	1,450	1,864	2,031	2,150	1,691	1,163	580	274	87	21	8
Male	185	327	552	888	1,138	1,146	1,135	862	555	237	99	24	7	5
Female	121	178	340	562	726	885	1,015	829	608	353	175	63	14	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,876	3,995	8,226	14,476	19,276	21,995	20,700	14,908	8,478	3,593	1,090	219	16	15
Male	1,161	2,588	5,498	9,894	13,508	15,679	14,978	10,987	6,031	2,410	621	120	9	9
Female	715	1,407	2,730	4,582	5,768	6,316	5,722	3,921	2,447	1,183	469	99	7	6
White	1,499	3,201	6,875	12,412	16,859	19,685	18,653	13,668	7,767	3,339	1,009	201	14	3
Male	907	2,022	4,540	8,399	11,675	13,900	13,405	10,020	5,525	2,248	579	113	7	-
Female	592	1,179	2,335	4,013	5,184	5,795	5,248	3,648	2,242	1,091	430	88	7	3
All other	377	794	1,353	2,064	2,417	2,300	2,047	1,240	711	254	81	18	2	12
Male	254	566	958	1,495	1,833	1,779	1,573	967	506	162	42	7	2	9
Female	123	228	395	569	584	521	474	273	205	92	39	11	-	3
Black	349	746	1,263	1,953	2,290	2,159	1,902	1,134	624	230	72	17	1	10
Male	238	535	912	1,424	1,730	1,688	1,462	879	447	150	38	6	1	8
Female	111	211	371	529	560	471	440	255	177	80	34	11	-	2
Malignant neoplasm of breast (174-175)	1,512	2,082	3,223	4,545	5,190	5,053	4,807	3,980	2,984	1,983	921	272	29	2
Male	3	5	15	26	39	40	58	34	22	18	2	2	-	-
Female	1,509	2,077	3,208	4,519	5,151	5,013	4,749	3,946	2,962	1,965	919	270	29	2
White	1,249	1,746	2,778	4,044	4,683	4,600	4,412	3,681	2,783	1,872	857	254	22	2
Male	2	4	11	22	32	34	49	29	22	14	2	2	-	-
Female	1,247	1,742	2,767	4,022	4,651	4,566	4,363	3,652	2,761	1,858	855	252	22	2
All other	263	336	445	501	507	453	395	299	201	111	64	18	7	-
Male	1	1	4	4	7	6	9	5	-	4	-	-	-	-
Female	262	335	441	497	500	447	386	294	201	107	64	18	7	-
Black	240	308	407	460	478	430	367	291	194	103	62	18	7	-
Male	1	1	4	4	5	5	9	5	-	3	-	-	-	-
Female	239	307	403	456	473	425	358	286	194	100	62	18	7	-
Malignant neoplasms of genital organs (179-187)	664	1,034	1,756	3,014	4,829	6,585	8,038	8,209	6,666	4,327	1,844	371	38	8
Male	47	94	258	761	1,774	3,170	4,683	5,374	4,560	3,021	1,279	239	24	5
Female	617	940	1,498	2,253	3,055	3,415	3,355	2,835	2,086	1,306	565	132	14	3
White	520	811	1,467	2,487	4,057	5,590	6,766	6,970	5,773	3,892	1,646	311	24	6
Male	42	68	199	585	1,408	2,563	3,830	4,483	3,877	2,696	1,120	200	13	3
Female	478	743	1,268	1,902	2,649	3,027	2,936	2,487	1,896	1,196	526	111	11	3
All other	144	223	289	527	772	995	1,272	1,239	893	435	198	60	14	2
Male	5	26	59	176	386	607	853	891	703	325	159	39	11	2
Female	139	197	230	351	406	388	419	348	190	110	39	21	3	-
Black	127	194	264	487	735	957	1,230	1,189	857	414	190	55	13	1
Male	5	26	56	174	358	593	828	858	681	310	153	35	10	1
Female	122	168	208	313	377	364	402	331	176	104	37	20	3	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	18,555	4	8	7	10	12	41	31	10	15	22	27	52	102
Male	12,029	2	2	5	6	5	20	14	5	10	12	17	31	68
Female	6,526	2	6	2	4	7	21	17	5	5	10	10	21	34
White	16,846	1	6	4	10	10	31	27	5	11	10	19	31	83
Male	11,057	-	2	3	6	4	15	11	2	7	4	12	20	55
Female	5,889	1	4	1	4	6	16	16	3	4	6	7	11	28
All other	1,609	3	2	3	-	2	10	4	5	4	12	8	21	19
Male	972	2	-	2	-	1	5	3	3	3	8	5	11	13
Female	637	1	2	1	-	1	5	1	2	1	4	3	10	6
Black	1,495	3	2	3	-	2	10	4	4	2	12	8	17	18
Male	899	2	-	2	-	1	5	3	2	1	8	5	9	13
Female	596	1	2	1	-	1	5	1	2	1	4	3	8	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54,852	63	66	72	84	86	371	266	297	377	486	621	881	1,142
Male	29,250	37	32	39	40	55	203	136	174	223	274	375	550	673
Female	25,602	26	34	33	44	31	168	130	123	154	192	246	331	469
White	48,874	51	59	62	69	70	311	220	237	330	393	559	788	1,020
Male	25,998	29	29	30	29	47	164	112	138	199	232	337	497	603
Female	22,876	22	30	32	40	23	147	108	99	131	161	222	291	417
All other	5,978	12	7	10	15	16	60	46	60	47	73	62	93	122
Male	3,252	8	3	9	11	8	39	24	36	24	42	38	53	70
Female	2,726	4	4	1	4	8	21	22	24	23	31	24	40	52
Black	5,463	10	5	10	13	14	52	44	49	39	63	49	79	109
Male	2,974	7	2	9	9	6	33	23	28	21	36	29	46	64
Female	2,489	3	3	1	4	8	19	21	20	18	27	20	33	45
Leukemia (204-208)	16,820	37	43	69	61	63	273	269	238	299	287	310	396	390
Male	9,312	15	29	42	37	36	159	155	134	195	173	187	204	196
Female	7,508	22	14	27	24	27	114	114	104	104	114	123	192	194
White	15,231	34	38	57	51	53	233	229	203	263	244	263	272	332
Male	8,461	15	24	35	35	29	138	135	113	171	144	161	169	174
Female	6,770	19	14	22	16	24	95	94	90	92	100	102	103	158
All other	1,589	3	5	12	10	10	40	40	35	36	43	47	64	58
Male	851	-	5	7	2	7	21	20	21	24	29	26	35	22
Female	738	3	-	5	8	3	19	20	14	12	14	21	29	36
Black	1,394	3	2	9	7	9	30	33	30	26	36	41	54	49
Male	741	-	2	5	2	7	16	17	19	14	24	23	30	19
Female	653	3	-	4	5	2	14	16	11	12	12	18	24	30
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23,491	2	7	4	5	13	31	52	68	155	244	323	350	423
Male	12,197	2	2	4	4	6	18	41	51	91	153	201	228	273
Female	11,294	-	5	-	1	7	13	11	17	64	91	122	122	150
White	21,072	2	6	4	4	13	29	42	51	130	206	279	293	361
Male	10,866	2	2	4	3	6	17	35	43	77	131	173	190	242
Female	10,206	-	4	-	1	7	12	7	8	53	77	106	103	119
All other	2,419	-	1	-	1	-	2	10	17	25	36	44	57	62
Male	1,331	-	-	-	1	-	1	6	8	14	22	28	38	31
Female	1,088	-	1	-	-	-	1	4	9	11	14	16	19	31
Black	2,223	-	-	-	-	-	-	8	16	21	29	39	52	56
Male	1,206	-	-	-	-	-	-	4	7	12	16	24	34	28
Female	1,017	-	-	-	-	-	-	4	9	9	13	15	18	28
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,483	53	15	15	18	6	107	42	48	58	62	76	102	126
Male	2,985	29	7	9	8	2	55	21	25	37	28	40	57	69
Female	3,498	24	8	6	10	4	52	21	23	21	34	36	45	57
White	5,728	43	13	12	12	5	85	37	34	45	53	63	79	105
Male	2,639	26	6	7	6	1	46	16	18	28	23	34	47	58
Female	3,089	17	7	5	6	4	39	21	16	16	30	29	32	47
All other	755	10	2	3	6	1	22	5	14	13	9	13	23	21
Male	346	3	1	2	2	1	9	5	7	8	5	6	10	11
Female	409	7	1	1	4	-	13	-	7	5	4	7	13	10
Black	684	7	2	2	5	-	16	2	12	11	9	13	19	21
Male	307	3	1	1	1	-	6	2	6	6	5	6	9	11
Female	377	4	1	1	4	-	10	-	6	5	4	7	10	10
Diabetes mellitus (250)	36,246	4	5	2	1	1	13	11	27	32	97	230	354	492
Male	14,668	2	3	-	-	-	5	3	10	10	48	109	203	295
Female	21,578	2	2	2	1	1	8	8	17	22	49	121	151	197
White	29,987	3	4	1	1	-	9	9	19	27	71	186	269	387
Male	12,337	2	3	-	-	-	5	3	7	8	36	85	154	231
Female	17,650	1	1	1	1	-	4	6	12	19	35	101	115	156
All other	6,259	1	1	1	-	1	4	2	8	5	26	44	85	105
Male	2,331	-	-	-	-	-	-	-	3	2	12	24	49	64
Female	3,928	1	1	1	-	1	4	2	5	3	14	20	36	41
Black	5,790	-	1	1	-	1	3	2	8	5	26	42	83	98
Male	2,123	-	-	-	-	-	-	-	3	2	12	22	47	58
Female	3,667	-	1	1	-	1	3	2	5	3	14	20	36	40
Nutritional deficiencies (260-269)	2,656	34	3	1	1	-	39	3	2	5	2	3	9	11
Male	1,065	18	-	-	1	-	19	1	2	4	1	3	6	6
Female	1,591	16	3	1	-	-	20	2	-	1	1	-	3	5
White	2,252	16	1	1	-	-	18	2	1	2	1	1	6	8
Male	853	9	-	-	-	-	9	-	1	1	1	1	3	4
Female	1,399	7	1	1	-	-	9	2	-	1	-	-	3	4
All other	404	18	2	-	1	-	21	1	1	3	1	2	3	3
Male	212	9	-	-	1	-	10	1	1	3	-	2	3	2
Female	192	9	2	-	-	-	11	-	-	-	1	-	-	1
Black	372	16	2	-	1	-	19	1	1	3	1	2	3	3
Male	199	8	-	-	1	-	9	1	1	3	-	2	3	2
Female	173	8	2	-	-	-	10	-	-	-	1	-	-	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	193	399	731	1,375	2,036	2,574	3,082	2,947	2,398	1,608	729	161	20	2
Male	123	266	507	948	1,430	1,786	2,053	1,895	1,480	903	366	86	7	2
Female	70	133	224	427	606	788	1,029	1,052	918	705	363	75	13	-
White	165	350	647	1,223	1,826	2,350	2,813	2,742	2,239	1,523	684	147	19	1
Male	102	241	453	859	1,290	1,648	1,888	1,778	1,386	854	345	79	7	1
Female	63	109	194	364	536	702	925	964	853	669	339	68	12	-
All other	28	40	84	152	210	224	269	205	159	85	45	14	1	1
Male	21	25	54	89	140	138	165	117	94	49	21	7	-	1
Female	7	24	30	63	70	86	104	88	65	36	24	7	1	-
Black	27	44	76	140	194	213	257	191	140	79	44	13	1	1
Male	20	23	47	83	127	129	159	106	84	46	21	7	-	1
Female	7	21	29	57	67	84	98	85	56	33	23	6	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,476	2,072	3,266	5,243	6,698	7,403	7,668	6,741	4,947	3,127	1,370	355	59	8
Male	840	1,205	1,904	3,070	3,860	4,228	4,134	3,458	2,160	1,180	475	111	14	3
Female	636	867	1,362	2,173	2,838	3,175	3,532	3,283	2,787	1,947	895	244	45	5
White	1,312	1,777	2,808	4,563	5,915	5,644	6,839	6,079	4,526	2,898	1,278	323	49	5
Male	756	1,040	1,669	2,673	3,406	3,810	3,670	3,099	1,957	1,087	437	99	12	1
Female	556	737	1,139	1,890	2,509	2,634	3,169	2,980	2,569	1,811	841	224	37	4
All other	164	295	458	680	783	759	827	662	421	229	92	32	10	3
Male	84	165	235	397	454	418	464	359	203	93	38	12	2	2
Female	80	130	223	283	329	341	363	303	218	136	54	20	8	1
Black	145	272	422	633	722	692	776	610	382	204	82	27	9	3
Male	78	157	216	375	417	382	430	325	183	81	35	10	2	2
Female	67	115	206	258	305	310	346	285	199	123	47	17	7	1
Leukemia (204-208)	396	483	691	996	1,511	1,948	2,255	2,314	1,822	1,283	575	126	14	4
Male	221	269	392	581	911	1,179	1,302	1,273	896	585	241	51	6	2
Female	175	214	299	415	600	769	953	1,041	926	698	334	75	8	2
White	336	421	599	899	1,356	1,765	2,061	2,145	1,716	1,219	539	118	14	4
Male	186	238	340	534	815	1,072	1,205	1,187	844	553	227	47	6	2
Female	150	183	259	365	541	693	856	958	872	666	312	71	8	2
All other	60	62	92	97	155	183	194	169	106	64	36	8	-	-
Male	35	31	52	47	96	107	97	86	52	32	14	4	-	-
Female	25	31	40	50	59	76	97	83	54	32	22	4	-	-
Black	47	53	81	83	143	164	180	147	98	61	31	7	-	-
Male	28	25	45	41	90	92	87	75	49	30	13	4	-	-
Female	19	28	36	42	53	72	93	72	49	31	18	3	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	480	709	1,154	1,895	2,666	3,294	3,690	3,420	2,548	1,418	468	91	10	2
Male	312	418	671	1,115	1,497	1,717	1,912	1,651	1,067	570	168	41	1	1
Female	168	291	483	780	1,169	1,577	1,778	1,769	1,481	848	300	50	9	1
White	419	607	995	1,672	2,353	2,965	3,362	3,115	2,338	1,317	442	83	9	2
Male	271	347	589	980	1,309	1,551	1,741	1,490	966	518	156	38	1	1
Female	148	260	406	692	1,044	1,414	1,621	1,625	1,372	799	286	45	8	1
All other	61	102	159	223	313	329	328	305	210	101	26	8	1	-
Male	41	71	82	135	188	166	171	161	101	52	12	3	-	-
Female	20	31	77	88	125	163	157	144	109	49	14	5	1	-
Black	56	94	145	208	291	309	303	282	195	86	25	8	-	-
Male	37	66	74	123	172	159	154	146	92	44	11	3	-	-
Female	19	28	71	85	119	150	149	136	103	42	14	5	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	143	174	274	380	580	737	831	966	834	599	273	62	7	2
Male	78	88	133	208	306	372	391	424	344	199	98	10	-	2
Female	65	86	141	172	274	365	440	542	490	400	175	52	7	-
White	119	144	230	322	514	646	720	878	770	562	254	60	7	1
Male	66	78	110	180	273	330	338	393	313	188	90	10	-	1
Female	53	66	120	142	241	316	382	485	457	376	164	50	7	-
All other	24	30	44	58	66	91	111	88	64	37	19	2	-	1
Male	12	10	23	28	33	42	53	31	31	13	8	-	-	1
Female	12	20	21	30	33	49	58	57	33	24	11	2	-	-
Black	23	28	40	52	60	86	100	82	58	32	17	2	-	1
Male	11	9	22	24	30	39	47	28	28	10	7	-	-	1
Female	12	19	18	28	30	47	53	54	30	22	10	2	-	-
Diabetes mellitus (250)	572	784	1,294	2,378	3,522	4,574	5,611	5,838	5,085	3,322	1,570	377	59	4
Male	322	430	652	1,172	1,613	2,041	2,337	2,261	1,681	966	403	89	16	2
Female	250	354	642	1,206	1,909	2,533	3,274	3,577	3,404	2,356	1,167	288	43	2
White	418	558	939	1,746	2,723	3,727	4,659	4,990	4,422	3,024	1,428	331	44	1
Male	243	307	505	904	1,298	1,745	2,004	1,964	1,485	892	370	78	13	-
Female	175	251	434	842	1,425	1,982	2,655	3,026	2,937	2,132	1,058	253	31	1
All other	154	226	355	632	799	847	952	848	663	298	142	46	15	3
Male	79	123	147	268	315	296	333	297	196	74	33	11	3	2
Female	75	103	208	364	484	551	619	551	467	224	109	35	12	1
Black	142	216	334	582	743	786	871	765	624	278	126	42	12	2
Male	72	118	139	247	293	271	298	252	180	67	28	9	3	2
Female	70	98	195	335	450	515	573	513	444	211	98	33	9	-
Nutritional deficiencies (260-269)	12	18	27	42	93	130	240	328	492	536	404	201	57	2
Male	6	11	11	21	56	72	136	154	181	205	104	54	11	1
Female	6	7	16	21	37	58	104	174	311	331	300	147	46	1
White	10	12	22	31	69	105	183	274	425	483	369	186	43	1
Male	5	7	7	14	40	57	101	119	152	184	92	48	7	-
Female	5	5	15	17	29	48	82	155	273	299	277	138	36	1
All other	2	6	5	11	24	25	57	54	67	53	35	15	14	1
Male	1	4	4	7	16	15	35	35	29	21	12	8	4	1
Female	1	2	1	4	8	10	22	19	38	32	23	9	10	-
Black	2	6	5	11	24	25	51	51	65	46	28	14	10	1
Male	1	4	4	7	16	15	32	32	28	19	10	6	3	1
Female	1	2	1	4	8	10	19	19	37	27	18	8	7	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,487	38	23	12	16	7	96	36	45	50	76	79	67	56
Male	1,571	18	11	7	10	2	48	20	28	22	49	37	39	32
Female	1,916	20	12	5	6	5	48	16	17	28	27	42	28	24
White	2,766	18	3	3	4	3	31	16	25	16	25	19	27	27
Male	1,217	6	1	2	3	1	13	11	18	9	15	6	14	16
Female	1,569	12	2	1	1	2	18	5	9	7	10	11	13	11
All other	701	20	20	9	12	4	65	20	20	34	51	60	40	29
Male	354	12	10	5	7	1	35	9	12	13	34	29	25	16
Female	347	8	10	4	5	3	30	11	8	21	17	31	15	13
Black	665	14	19	9	12	4	58	19	17	34	50	59	40	29
Male	334	9	10	5	7	1	32	8	10	13	33	29	25	16
Female	331	5	9	4	5	3	26	11	7	21	17	30	15	13
Meningitis (320-322)	1,287	318	99	57	22	19	515	24	15	11	22	25	25	25
Male	670	177	54	32	12	10	285	15	7	6	16	18	16	15
Female	617	141	45	25	10	9	230	9	8	5	6	7	9	10
White	935	203	73	42	19	17	354	21	13	8	17	14	18	13
Male	486	116	38	25	12	8	199	13	6	5	13	9	10	9
Female	449	87	35	17	7	9	155	8	7	3	4	5	8	4
All other	352	115	26	15	3	2	161	3	2	3	5	11	7	12
Male	184	61	16	7	-	2	86	2	1	1	3	9	6	6
Female	168	54	10	8	3	-	75	1	1	2	2	2	1	6
Black	332	106	24	15	3	2	150	2	2	3	5	10	7	12
Male	175	58	16	7	-	2	81	1	1	1	3	8	6	6
Female	157	50	8	8	3	-	69	1	1	2	2	2	1	6
Major cardiovascular diseases (390-448)	981,098	1,119	189	97	67	54	1,526	203	229	570	935	1,635	2,795	5,099
Male	492,335	635	102	53	42	28	860	104	125	350	544	1,029	1,896	3,628
Female	488,763	484	87	44	25	26	666	99	104	220	391	606	899	1,470
White	875,077	762	130	70	49	43	1,054	150	165	410	648	1,120	1,916	3,735
Male	439,106	436	70	37	31	22	596	78	88	254	391	728	1,340	2,792
Female	435,971	326	60	33	18	21	458	72	77	156	257	392	576	943
All other	106,021	357	59	27	18	11	472	53	64	160	287	515	879	1,358
Male	53,229	199	32	16	11	6	264	26	37	96	153	301	556	831
Female	52,792	158	27	11	7	5	208	27	27	64	134	214	323	527
Black	98,520	323	50	24	14	10	421	44	53	150	265	476	830	1,259
Male	48,812	177	27	14	9	6	233	23	32	88	144	270	518	762
Female	49,708	146	23	10	5	4	188	21	21	62	121	206	312	497
Diseases of heart (390-398,402,404-429)	770,432	955	164	90	52	43	1,304	145	173	410	658	1,170	2,158	4,017
Male	402,727	538	84	50	34	22	728	75	100	281	400	777	1,597	3,045
Female	367,705	417	80	40	18	21	576	70	73	149	258	393	621	972
White	689,749	650	110	63	37	34	894	105	128	282	449	785	1,499	3,085
Male	360,951	389	54	34	24	16	497	54	73	178	285	538	1,097	2,411
Female	328,798	261	56	29	13	18	397	51	55	104	164	247	402	624
All other	80,683	305	54	27	15	9	410	40	45	128	209	385	659	982
Male	41,776	169	30	16	10	6	231	21	27	63	115	239	440	684
Female	38,907	136	24	11	5	3	179	19	18	45	94	146	219	346
Black	75,006	277	45	24	13	9	368	32	37	119	195	353	621	912
Male	38,311	152	25	14	9	6	206	18	22	75	110	213	409	581
Female	36,697	125	20	10	4	3	162	14	15	44	85	140	212	331
Rheumatic fever and rheumatic heart disease (390-398)	6,895	7	1	2	1	-	11	4	9	21	32	74	71	112
Male	2,199	5	-	2	1	-	8	1	7	15	15	40	35	48
Female	4,696	2	1	-	-	-	3	3	2	6	17	34	36	64
White	6,341	3	1	2	1	-	7	3	6	12	17	44	47	68
Male	1,996	1	-	2	1	-	4	-	5	8	9	25	21	38
Female	4,345	2	1	-	-	-	3	3	1	4	8	19	26	50
All other	554	4	-	-	-	-	4	1	3	9	15	30	24	24
Male	203	4	-	-	-	-	4	1	2	7	6	15	14	10
Female	351	-	-	-	-	-	-	-	1	2	9	15	10	14
Black	465	4	-	-	-	-	4	1	2	8	13	24	21	18
Male	166	4	-	-	-	-	4	1	1	6	6	11	13	7
Female	299	-	-	-	-	-	-	-	1	2	7	13	8	11
Hypertensive heart disease (402)	20,984	1	1	-	-	1	3	-	-	1	6	38	97	182
Male	9,106	-	1	-	-	1	2	-	-	1	5	30	78	126
Female	11,878	1	-	-	-	-	1	-	-	-	1	8	19	56
White	15,463	1	1	-	-	-	2	-	-	1	2	15	40	81
Male	6,458	-	1	-	-	-	1	-	-	1	1	13	34	65
Female	9,005	1	-	-	-	-	1	-	-	-	1	2	6	16
All other	5,521	-	-	-	-	1	1	-	-	-	4	23	57	101
Male	2,648	-	-	-	-	1	1	-	-	-	4	17	44	61
Female	2,873	-	-	-	-	-	-	-	-	-	-	6	13	40
Black	5,339	-	-	-	-	1	1	-	-	-	4	22	57	97
Male	2,546	-	-	-	-	1	1	-	-	-	4	16	44	58
Female	2,793	-	-	-	-	-	-	-	-	-	-	6	13	39
Hypertensive heart and renal disease (404)	3,073	-	-	-	-	-	-	-	-	-	4	6	7	15
Male	1,221	-	-	-	-	-	-	-	-	-	4	2	4	11
Female	1,852	-	-	-	-	-	-	-	-	-	-	4	3	4
White	2,365	-	-	-	-	-	-	-	-	-	1	1	5	4
Male	923	-	-	-	-	-	-	-	-	-	1	-	3	3
Female	1,442	-	-	-	-	-	-	-	-	-	-	1	2	1
All other	708	-	-	-	-	-	-	-	-	-	3	5	2	11
Male	298	-	-	-	-	-	-	-	-	-	3	2	1	8
Female	410	-	-	-	-	-	-	-	-	-	-	3	1	3
Black	688	-	-	-	-	-	-	-	-	-	3	5	2	11
Male	289	-	-	-	-	-	-	-	-	-	3	2	1	8
Female	397	-	-	-	-	-	-	-	-	-	-	3	1	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	52	55	65	132	183	259	340	479	517	503	291	85	19	2
Male	29	27	36	64	95	128	170	218	206	196	97	26	4	-
Female	23	28	29	68	88	131	170	261	311	307	194	59	15	2
White	28	30	37	92	150	217	299	438	472	470	269	79	18	1
Male	16	11	20	47	77	108	150	196	188	184	92	24	4	-
Female	12	19	17	45	73	109	149	242	286	286	177	55	14	1
All other	24	25	28	40	33	42	41	41	45	33	22	6	1	1
Male	13	16	16	17	18	20	20	22	20	12	5	2	-	-
Female	11	9	12	23	15	22	21	19	25	21	17	4	1	1
Black	23	23	27	39	32	38	38	38	43	29	21	5	1	1
Male	12	14	15	17	17	18	19	20	20	11	4	1	-	-
Female	11	9	12	22	15	21	19	18	23	18	17	4	1	1
Meningitis (320-322)	32	44	36	54	82	68	84	81	61	42	15	3	-	3
Male	19	26	21	29	48	41	37	30	19	15	4	1	-	2
Female	13	18	15	25	34	47	47	51	42	27	11	2	-	1
White	21	26	28	42	63	61	61	70	49	38	14	3	-	3
Male	12	15	17	22	37	32	29	24	12	15	4	1	-	2
Female	9	11	11	20	26	29	32	46	37	21	10	2	-	1
All other	11	18	8	12	19	27	23	11	12	6	1	-	-	-
Male	7	11	4	7	11	9	8	6	7	-	-	-	-	-
Female	4	7	4	5	8	18	15	5	5	6	1	-	-	-
Black	11	17	7	11	17	27	23	11	11	5	1	-	-	-
Male	7	10	4	7	10	9	8	6	7	-	-	-	-	-
Female	4	7	3	4	7	18	15	5	4	5	1	-	-	-
Major cardiovascular diseases (390-448)	9,043	15,355	27,883	47,583	72,914	99,136	130,212	151,486	157,600	137,725	84,944	28,591	5,477	163
Male	6,488	11,145	20,030	33,345	48,688	62,720	75,481	77,337	67,114	48,428	24,801	7,064	1,102	81
Female	2,555	4,210	7,853	14,238	24,226	36,416	54,751	74,149	90,486	89,297	60,143	21,527	4,375	82
White	8,804	11,928	22,428	39,443	61,955	86,491	114,662	136,788	144,410	129,382	80,163	26,656	4,671	100
Male	5,075	8,988	18,675	28,497	42,403	55,860	67,495	70,404	61,566	45,201	23,224	6,504	896	51
Female	1,729	2,940	5,751	10,946	19,552	30,631	47,167	66,384	82,844	84,181	56,939	20,152	3,775	49
All other	2,239	3,427	5,457	8,140	10,959	12,645	15,550	14,698	13,190	8,343	4,781	1,935	806	63
Male	1,413	2,157	3,355	4,848	6,265	6,860	7,966	6,933	5,548	3,227	1,577	560	206	30
Female	826	1,270	2,102	3,292	4,674	5,785	7,584	7,765	7,642	5,116	3,204	1,375	600	33
Black	2,075	3,218	5,124	7,634	10,299	11,839	14,517	13,827	12,148	7,642	4,330	1,787	740	42
Male	1,292	2,025	3,127	4,521	5,848	6,345	7,303	6,272	4,983	2,921	1,403	497	182	23
Female	783	1,193	1,997	3,113	4,451	5,494	7,214	7,355	7,165	4,721	2,927	1,290	558	19
Diseases of heart (390-398,402,404-429)	7,521	12,868	23,991	40,981	61,964	82,607	105,412	117,875	118,748	101,381	62,050	20,823	4,039	127
Male	5,711	9,805	17,884	29,556	42,409	53,458	62,255	61,302	51,725	36,712	18,750	5,325	841	71
Female	1,810	3,063	6,107	11,425	19,555	29,149	43,157	56,573	67,023	64,679	43,300	15,498	3,198	56
White	5,799	10,276	19,633	34,451	53,300	72,772	93,574	106,903	109,023	95,305	58,583	19,425	3,436	82
Male	4,571	8,095	15,105	25,559	37,318	48,002	56,085	56,050	47,503	34,332	17,558	4,907	686	47
Female	1,228	2,181	4,528	8,892	15,982	24,770	37,489	50,853	61,520	60,973	41,035	14,518	2,750	35
All other	1,722	2,592	4,358	6,530	8,664	9,835	11,838	10,972	9,725	6,086	3,457	1,398	603	45
Male	1,140	1,710	2,779	3,997	5,091	5,456	6,170	5,252	4,222	2,380	1,192	418	155	24
Female	582	882	1,579	2,533	3,573	4,379	5,668	5,720	5,503	3,706	2,265	980	448	21
Black	1,597	2,438	4,094	6,119	8,133	9,226	11,050	10,166	8,961	5,581	3,126	1,288	562	32
Male	1,038	1,598	2,587	3,717	4,737	5,064	5,655	4,744	3,796	2,151	1,057	374	140	19
Female	559	838	1,507	2,402	3,396	4,162	5,395	5,422	5,165	3,430	2,069	914	422	13
Rheumatic fever and rheumatic heart disease (390-398)	175	264	392	582	794	948	1,057	969	730	423	184	35	7	1
Male	71	91	143	214	304	336	297	252	198	91	37	4	1	1
Female	104	173	249	368	490	612	760	717	542	332	147	31	6	-
White	126	220	348	518	744	902	1,001	925	710	405	176	34	7	1
Male	54	79	129	198	283	318	276	239	182	87	35	4	1	1
Female	72	141	219	320	461	584	725	686	528	318	141	30	6	-
All other	49	44	44	64	50	46	56	44	20	18	8	1	-	-
Male	17	12	14	18	21	18	21	13	6	4	2	-	-	-
Female	32	32	30	46	29	28	35	31	14	14	6	1	-	-
Black	43	40	36	53	43	39	46	37	16	14	6	1	-	-
Male	15	10	10	15	19	13	16	11	3	3	2	-	-	-
Female	28	30	26	38	24	26	30	26	13	11	4	1	-	-
Hypertensive heart disease (402)	303	536	848	1,433	1,995	2,379	2,991	3,041	3,005	2,357	1,319	398	52	2
Male	205	344	545	885	1,201	1,292	1,341	1,218	934	567	249	64	8	1
Female	98	192	303	538	794	1,087	1,650	1,823	2,071	1,790	1,070	332	44	1
White	121	254	441	874	1,304	1,699	2,128	2,409	2,462	2,089	1,167	338	37	1
Male	92	185	310	568	829	964	955	962	740	480	202	53	3	-
Female	29	69	131	306	475	735	1,173	1,447	1,722	1,609	965	283	34	1
All other	162	282	407	559	691	680	663	632	543	268	152	60	15	1
Male	113	159	235	327	372	328	386	258	194	87	47	11	5	1
Female	69	123	172	232	319	352	477	376	349	181	105	49	10	-
Black	176	272	394	544	675	665	835	609	517	255	144	57	14	1
Male	108	152	226	319	360	321	370	244	182	81	44	10	5	1
Female	68	120	168	225	315	344	465	365	335	174	100	47	9	-
Hypertensive heart and renal disease (404)	14	26	43	68	165	257	357	499	578	550	350	91	23	-
Male	8	18	20	48	81	133	172	218	204	174	100	20	4	-
Female	6	8	23	40	84	124	185	281	374	376	250	71	19	-
White	5	11	15	44	91	158	258	391	482	479	319	82	19	-
Male	2	10	5	23	48	84	134	177	174	148	88	19	4	-
Female	3	1	10	21	43	74	124	214	308	331	231	63	15	-
All other	9	15	28	44	74	99	99	108	96	71	31	9	4	-
Male	6	8	15	25	33	49	38	41	30	26	12	1	-	-
Female	3	7	13	19	41	50	61	67	66	45	19	8	4	-
Black	9	15	28	43	71	97	96	103	93	66	31	9	4	-
Male	6	8	15	25	30	48	37	40	29	24	12	1	-	-
Female	3	7	13	18	41	49	59	63	64	42	19	8	4	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	552,492	38	8	4	9	3	62	29	11	36	80	316	925	2,315
Male	297,522	28	4	3	6	1	42	15	6	25	52	239	757	1,934
Female	254,970	10	4	1	3	2	20	14	5	11	28	77	168	381
White	505,927	27	6	3	9	2	47	22	7	30	64	239	715	1,938
Male	273,246	19	2	2	6	1	30	11	4	19	44	192	604	1,557
Female	232,681	8	4	1	3	1	17	11	3	11	20	47	114	286
All other	46,565	11	2	1	-	1	15	7	4	6	16	77	207	382
Male	24,276	9	2	1	-	-	12	4	2	6	8	47	153	267
Female	22,289	2	-	-	-	1	3	3	2	-	8	30	54	115
Black	42,751	7	1	-	-	1	9	6	4	4	16	72	191	344
Male	21,911	5	1	-	-	-	6	3	2	4	8	43	139	237
Female	20,840	2	-	-	-	1	3	3	2	-	8	29	52	107
Acute myocardial infarction (410)	288,300	26	4	3	6	1	40	13	8	22	53	204	581	1,477
Male	165,679	19	1	2	3	-	25	6	4	16	30	150	471	1,228
Female	120,621	7	3	1	3	1	15	7	4	6	23	54	110	249
White	262,549	18	4	3	6	-	31	9	4	19	41	148	458	1,249
Male	152,898	13	1	2	3	-	19	4	2	13	25	115	385	1,072
Female	109,651	5	3	1	3	-	12	5	2	6	16	33	73	177
All other	23,751	8	-	-	-	1	9	4	4	3	12	56	123	228
Male	12,781	6	-	-	-	-	6	2	2	3	5	35	86	156
Female	10,970	2	-	-	-	1	3	2	2	-	7	21	37	72
Black	21,775	5	-	-	-	1	6	4	4	2	12	54	115	208
Male	11,529	3	-	-	-	-	3	2	2	2	5	33	80	140
Female	10,246	2	-	-	-	1	3	2	2	-	7	21	35	68
Other acute and subacute forms of ischemic heart disease (411)	4,059	1	-	-	1	-	2	1	-	2	-	7	11	36
Male	2,501	1	-	-	1	-	2	-	-	1	-	5	7	27
Female	1,558	-	-	-	-	-	-	1	-	1	-	2	4	9
White	3,405	1	-	-	1	-	2	1	-	2	-	5	9	30
Male	2,132	1	-	-	1	-	2	-	-	1	-	4	5	23
Female	1,273	-	-	-	-	-	-	1	-	1	-	1	4	7
All other	654	-	-	-	-	-	-	-	-	-	-	2	2	6
Male	369	-	-	-	-	-	-	-	-	-	-	1	2	4
Female	285	-	-	-	-	-	-	-	-	-	-	1	-	2
Black	624	-	-	-	-	-	-	-	-	-	-	2	2	6
Male	350	-	-	-	-	-	-	-	-	-	-	1	2	4
Female	274	-	-	-	-	-	-	-	-	-	-	1	-	2
Angina pectoris (413)	744	-	-	-	-	-	-	-	-	-	1	2	2	4
Male	376	-	-	-	-	-	-	-	-	-	1	1	2	3
Female	368	-	-	-	-	-	-	-	-	-	-	1	-	1
White	667	-	-	-	-	-	-	-	-	-	1	1	1	3
Male	339	-	-	-	-	-	-	-	-	-	1	-	1	3
Female	328	-	-	-	-	-	-	-	-	-	-	1	-	-
All other	77	-	-	-	-	-	-	-	-	-	-	1	1	1
Male	37	-	-	-	-	-	-	-	-	-	-	1	1	-
Female	40	-	-	-	-	-	-	-	-	-	-	-	-	1
Black	70	-	-	-	-	-	-	-	-	-	-	1	1	-
Male	32	-	-	-	-	-	-	-	-	-	-	1	1	-
Female	38	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	261,389	11	4	1	2	2	20	15	3	12	28	103	331	798
Male	128,966	8	3	1	2	1	15	9	2	8	21	83	277	576
Female	132,423	3	1	-	-	1	5	6	1	4	5	20	54	122
White	239,306	8	2	-	2	2	14	12	3	9	22	85	250	551
Male	117,877	5	1	-	2	1	9	7	2	5	18	73	213	569
Female	121,429	3	1	-	-	1	5	5	1	4	4	12	37	82
All other	22,083	3	2	1	-	-	6	3	-	3	4	18	81	147
Male	11,089	3	2	1	-	-	6	2	-	3	3	10	64	107
Female	10,994	-	-	-	-	-	-	1	-	-	1	8	17	40
Black	20,282	2	1	-	-	-	3	2	-	2	4	15	73	132
Male	10,000	2	1	-	-	-	3	1	-	2	3	8	56	93
Female	10,282	-	-	-	-	-	-	1	-	-	1	7	17	39
Other diseases of endocardium (424)	8,372	24	2	3	2	2	33	5	10	17	21	34	56	71
Male	4,073	15	-	2	1	-	18	2	6	13	13	21	40	40
Female	4,299	9	2	1	1	2	15	3	4	4	8	13	16	31
White	7,675	22	1	2	2	2	29	4	6	13	13	28	37	60
Male	3,722	15	-	1	1	-	17	1	4	10	8	17	26	36
Female	3,953	7	1	1	1	2	12	3	2	3	5	11	11	24
All other	697	2	1	1	-	-	4	1	4	4	8	6	19	11
Male	351	-	-	1	-	-	1	1	2	3	5	4	14	4
Female	346	2	1	-	-	-	3	-	2	1	3	2	5	7
Black	613	2	-	1	-	-	3	-	4	3	7	6	18	10
Male	300	-	-	1	-	-	1	-	2	2	5	4	14	4
Female	313	2	-	-	-	-	2	-	2	1	2	2	4	6
All other forms of heart disease (415-423,425-429)	178,616	885	152	81	40	37	1,195	107	143	335	515	702	1,002	1,322
Male	88,606	490	79	43	26	20	658	57	81	207	311	445	823	866
Female	90,010	395	73	38	14	17	537	50	62	128	204	257	379	436
White	151,978	597	101	56	25	30	809	76	109	226	352	458	652	869
Male	74,606	334	51	29	16	15	445	42	60	140	222	291	409	602
Female	77,372	263	50	27	9	15	364	34	49	86	130	167	243	267
All other	26,638	288	51	25	15	7	386	31	34	109	163	244	350	453
Male	14,000	156	28	14	10	5	213	15	21	67	89	154	214	264
Female	12,638	132	23	11	5	2	173	16	13	42	74	90	136	189
Black	25,154	264	44	23	13	7	351	25	27	104	152	224	332	432
Male	13,099	143	24	13	9	5	194	14	17	63	84	137	198	267
Female	12,055	121	20	10	4	2	157	11	10	41	68	87	134	165

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	4,987	8,955	17,079	29,623	43,169	61,016	78,029	86,658	85,568	71,717	42,998	14,158	2,867	74
Male	4,037	7,203	13,295	22,100	31,810	40,458	47,227	46,182	38,150	26,477	13,194	3,712	562	45
Female	950	1,752	3,784	7,523	13,379	20,558	30,802	40,476	47,418	45,240	29,804	10,446	2,105	29
White	4,123	7,564	14,633	25,915	40,169	55,169	70,921	80,012	79,714	68,043	40,909	13,325	2,322	48
Male	3,441	6,244	11,667	19,808	28,809	37,177	43,523	42,988	35,584	25,007	12,468	3,462	470	29
Female	682	1,320	2,966	6,107	11,360	17,992	27,398	37,026	44,130	43,036	28,441	9,863	1,852	19
All other	884	1,391	2,446	3,708	5,020	5,847	7,108	6,646	5,854	3,674	2,089	833	345	26
Male	596	959	1,628	2,292	3,001	3,281	3,704	3,196	2,566	1,470	726	250	92	16
Female	288	432	818	1,416	2,019	2,566	3,404	3,450	3,288	2,204	1,363	583	253	10
Black	786	1,283	2,270	3,437	4,654	5,403	6,558	6,089	5,328	3,335	1,863	761	320	18
Male	529	878	1,496	2,093	2,745	2,994	3,348	2,837	2,272	1,921	635	225	83	13
Female	257	405	774	1,344	1,909	2,409	3,210	3,252	3,056	2,014	1,228	536	237	5
Acute myocardial infarction (410)	3,196	5,867	11,166	19,006	28,695	37,384	45,786	46,911	40,177	27,902	13,444	3,696	639	33
Male	2,582	4,724	8,739	14,205	20,164	24,820	27,843	25,257	18,699	10,992	4,458	1,095	151	20
Female	614	1,143	2,427	4,801	8,531	12,564	17,943	21,654	21,478	16,910	8,986	2,601	488	13
White	2,669	5,056	9,765	16,684	25,646	34,052	41,868	43,607	37,550	26,470	12,713	3,415	536	19
Male	2,241	4,168	7,804	12,903	18,487	22,939	25,835	23,657	17,526	10,379	4,191	997	128	10
Female	448	888	1,961	3,981	7,359	11,113	16,153	19,950	20,024	16,091	8,522	2,418	410	9
All other	507	811	1,401	2,122	2,849	3,332	3,798	3,304	2,627	1,432	731	281	103	14
Male	341	556	935	1,302	1,677	1,881	2,008	1,600	1,173	613	267	98	25	10
Female	166	255	466	820	1,172	1,451	1,790	1,704	1,454	819	464	183	78	4
Black	460	749	1,280	1,959	2,639	3,073	3,469	3,008	2,379	1,302	661	256	99	12
Male	302	513	848	1,181	1,527	1,715	1,809	1,420	1,040	550	236	89	23	9
Female	158	236	438	778	1,112	1,358	1,660	1,588	1,339	752	425	167	76	3
Other acute and subacute forms of ischemic heart disease (411)	86	143	264	324	468	538	549	526	444	360	206	75	16	1
Male	65	113	200	254	335	393	341	301	225	133	60	32	7	-
Female	21	30	64	70	133	145	208	225	219	227	146	43	9	1
White	64	122	210	258	386	441	458	453	384	315	187	65	12	1
Male	50	100	164	206	284	335	298	287	192	118	52	27	4	-
Female	14	22	46	52	102	106	160	166	192	197	135	38	8	1
All other	22	21	54	66	82	97	91	73	60	45	19	10	4	-
Male	15	13	36	48	51	58	43	34	33	15	8	5	3	-
Female	7	8	18	18	31	39	48	39	27	30	11	5	1	-
Black	18	20	52	61	81	93	87	71	58	44	18	9	4	-
Male	12	13	35	44	51	57	39	33	30	14	7	5	3	-
Female	6	7	17	17	30	36	48	38	28	30	11	4	1	-
Angina pectoris (413)	5	14	23	32	60	74	112	130	119	100	53	10	3	-
Male	3	11	14	18	41	49	62	63	50	37	18	2	1	-
Female	2	3	9	14	19	25	50	67	69	63	35	8	2	-
White	4	12	13	26	51	60	97	123	114	98	52	8	3	-
Male	2	10	9	16	35	42	56	59	49	36	16	1	1	-
Female	2	2	4	10	16	18	41	64	65	62	34	7	2	-
All other	1	2	10	6	9	14	15	7	5	2	1	2	-	-
Male	1	1	5	2	6	7	6	4	1	1	-	1	-	-
Female	-	1	5	4	3	7	9	3	4	1	1	1	-	-
Black	1	2	8	5	8	13	14	7	5	2	1	2	-	-
Male	1	1	4	1	5	6	5	4	1	1	-	1	-	-
Female	-	1	4	4	3	7	9	3	4	1	1	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,700	2,931	5,626	10,261	15,966	23,020	31,582	39,091	44,828	43,355	29,295	10,377	2,009	40
Male	1,387	2,355	4,342	7,623	11,270	15,196	18,981	20,561	19,176	15,315	8,858	2,583	403	25
Female	313	576	1,284	2,638	4,696	7,824	12,601	18,530	25,652	28,040	20,637	7,794	1,606	15
White	1,366	2,374	4,645	8,747	13,886	20,616	28,378	35,829	41,666	41,160	27,957	9,837	1,771	28
Male	1,148	1,968	3,690	6,683	10,003	13,861	17,334	19,003	17,817	14,474	8,207	2,437	339	19
Female	218	408	955	2,064	3,883	6,755	11,044	16,826	23,849	26,686	19,750	7,400	1,432	9
All other	334	557	981	1,514	2,080	2,404	3,204	3,262	3,162	2,195	1,338	540	238	12
Male	239	389	652	940	1,267	1,335	1,647	1,558	1,359	841	451	146	64	6
Female	95	168	329	574	813	1,069	1,557	1,704	1,803	1,354	887	394	174	6
Black	307	512	924	1,412	1,926	2,224	2,968	3,003	2,888	1,987	1,183	494	217	6
Male	214	351	609	867	1,162	1,216	1,495	1,380	1,201	756	392	130	57	4
Female	93	161	315	545	764	1,008	1,473	1,623	1,687	1,231	791	364	160	2
Other diseases of endocardium (424)	91	119	209	375	532	807	1,201	1,422	1,477	1,145	559	163	23	2
Male	50	74	142	240	354	533	652	672	610	396	156	34	6	1
Female	41	45	67	135	178	274	549	750	867	749	403	129	17	1
White	65	90	177	329	489	735	1,087	1,308	1,413	1,084	539	156	21	2
Male	37	56	124	215	319	493	592	622	585	372	149	32	6	1
Female	28	34	53	114	150	242	505	686	828	712	390	124	15	1
All other	26	29	32	46	63	72	104	114	64	61	20	7	2	-
Male	13	18	18	25	35	40	60	50	25	24	7	2	-	-
Female	13	11	14	21	28	32	44	64	39	37	13	5	2	-
Black	22	25	30	42	56	68	91	100	53	52	16	6	1	-
Male	9	16	16	24	31	37	48	42	18	20	6	1	-	-
Female	13	9	14	18	25	31	43	58	35	32	10	5	1	-
All other forms of heart disease (415-423,425-429)	1,951	2,968	5,420	8,880	13,289	17,200	21,777	25,286	27,390	25,199	16,640	5,980	1,267	48
Male	1,340	2,075	3,739	6,059	8,659	10,706	12,566	12,760	11,639	9,007	5,014	1,491	260	23
Female	611	893	1,681	2,821	4,630	6,494	9,211	12,526	15,751	16,192	11,626	4,488	1,007	25
White	1,359	2,137	4,019	6,771	10,523	14,108	16,169	21,856	24,242	23,205	15,483	5,482	1,030	30
Male	945	1,521	2,870	4,747	7,030	8,968	10,605	11,064	10,238	8,238	4,616	1,337	202	16
Female	414	616	1,149	2,024	3,493	5,143	7,564	10,794	14,004	14,967	10,867	4,155	828	14
All other	592	831	1,401	2,109	2,766	3,091	3,608	3,428	3,148	1,994	1,157	468	237	18
Male	395	554	869	1,312	1,629	1,740	1,961	1,696	1,401	769	398	154	58	7
Female	197	277	532	797	1,137	1,351	1,647	1,732	1,747	1,225	759	334	179	11
Black	561	801	1,336	2,000	2,634	2,954	3,424	3,228	2,954	1,859	1,066	454	223	13
Male	371	534	824	1,241	1,552	1,651	1,836	1,570	1,292	702	358	137	52	5
Female	190	267	512	759	1,082	1,303	1,588	1,658	1,662	1,157	708	317	171	8

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,739	4	-	-	1	-	5	2	-	3	7	19	27	43
Male	3,476	3	-	-	1	-	4	1	-	2	4	14	20	32
Female	4,263	1	-	-	-	-	1	1	-	1	3	5	7	11
White	6,092	2	-	-	1	-	3	1	-	1	6	10	12	19
Male	2,724	1	-	-	1	-	2	1	-	-	4	9	9	16
Female	3,368	1	-	-	-	-	1	-	-	1	2	1	3	3
All other	1,647	2	-	-	-	-	2	1	-	2	1	9	15	24
Male	752	2	-	-	-	-	2	-	-	2	-	5	11	16
Female	895	-	-	-	-	-	-	1	-	-	1	4	4	8
Black	1,582	1	-	-	-	-	1	1	-	2	1	9	14	22
Male	719	1	-	-	-	-	1	-	-	2	-	5	10	15
Female	863	-	-	-	-	-	-	1	-	-	1	4	4	7
Cerebrovascular diseases (430-438)	155,588	144	22	5	12	10	193	47	44	114	222	364	514	894
Male	62,847	87	15	3	6	6	117	24	18	61	115	190	260	457
Female	92,751	57	7	2	6	4	76	23	26	53	107	174	234	437
White	135,596	99	17	5	9	9	139	39	30	90	156	260	339	563
Male	53,968	62	13	3	5	6	89	20	12	53	82	137	190	301
Female	81,628	37	4	2	4	3	50	19	18	37	74	123	149	262
All other	20,002	45	5	-	3	1	54	8	14	24	66	104	175	311
Male	8,879	25	2	-	1	-	28	4	6	8	33	53	90	156
Female	11,123	20	3	-	2	1	26	4	8	16	33	51	85	155
Black	18,562	41	5	-	1	1	48	7	12	24	61	98	166	266
Male	8,139	21	2	-	-	-	23	4	6	8	31	48	85	143
Female	10,423	20	3	-	1	1	25	3	6	16	30	50	83	145
Intracerebral and other intracranial hemorrhage (431-432)	19,407	94	8	2	4	4	112	16	15	46	80	128	189	309
Male	8,717	58	3	1	1	2	65	10	6	24	41	75	111	164
Female	10,690	36	5	1	3	2	47	6	9	22	39	53	78	145
White	15,999	64	4	2	3	3	76	12	9	40	57	101	114	175
Male	7,017	41	1	1	-	2	45	7	4	23	29	59	66	91
Female	8,982	23	3	1	3	1	31	5	5	17	28	42	48	84
All other	3,408	30	4	-	1	1	36	4	6	6	23	27	75	134
Male	1,700	17	2	-	1	-	20	3	2	1	12	16	45	73
Female	1,708	13	2	-	-	1	16	1	4	5	11	11	30	61
Black	3,069	27	4	-	-	1	32	4	4	6	23	25	70	127
Male	1,515	14	2	-	-	-	16	3	2	1	12	14	40	68
Female	1,554	13	2	-	-	1	16	1	2	5	11	11	30	59
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	26,435	11	3	2	3	2	21	6	6	3	17	13	32	68
Male	10,583	6	3	1	1	1	12	3	2	1	7	6	20	35
Female	15,852	5	-	1	2	1	9	3	4	2	10	7	12	33
White	23,541	6	3	2	2	2	15	4	4	2	15	8	21	45
Male	9,311	4	3	1	1	1	10	3	1	1	7	2	13	24
Female	14,230	2	-	1	1	1	5	1	3	1	8	6	8	21
All other	2,894	5	-	-	1	-	6	2	2	1	2	5	11	23
Male	1,272	2	-	-	-	-	2	-	1	-	-	4	7	11
Female	1,622	3	-	-	1	-	4	2	1	1	2	1	4	12
Black	2,705	5	-	-	1	-	6	1	2	1	2	5	11	21
Male	1,168	2	-	-	-	-	2	-	1	-	-	4	7	11
Female	1,537	3	-	-	1	-	4	1	1	1	2	1	4	10
Cerebral embolism (434.1)	746	-	-	-	-	-	-	2	-	-	1	4	3	2
Male	296	-	-	-	-	-	-	-	-	-	-	2	2	1
Female	450	-	-	-	-	-	-	2	-	-	1	2	1	1
White	680	-	-	-	-	-	-	2	-	-	1	3	2	1
Male	267	-	-	-	-	-	-	-	-	-	-	2	1	-
Female	413	-	-	-	-	-	-	2	-	-	1	1	1	1
All other	66	-	-	-	-	-	-	-	-	-	-	1	1	1
Male	29	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	37	-	-	-	-	-	-	-	-	-	-	1	-	-
Black	62	-	-	-	-	-	-	-	-	-	-	1	1	1
Male	27	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	35	-	-	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	109,010	39	11	1	5	4	60	23	23	65	124	219	290	515
Male	43,251	23	9	1	4	3	40	11	10	36	67	107	147	257
Female	65,759	16	2	-	1	1	20	12	13	29	57	112	143	258
White	95,376	29	10	1	4	4	48	21	17	48	83	146	202	362
Male	37,373	17	9	1	4	3	34	10	7	29	46	74	110	188
Female	58,003	12	1	-	-	1	14	11	10	19	37	74	92	176
All other	13,634	10	1	-	1	-	12	2	6	17	41	71	88	153
Male	5,878	6	-	-	-	-	6	1	3	7	21	33	37	71
Female	7,756	4	1	-	1	-	6	1	3	10	20	38	51	82
Black	12,726	9	1	-	-	-	10	2	6	17	36	67	86	139
Male	5,429	5	-	-	-	-	5	1	3	7	19	30	37	63
Female	7,297	4	1	-	-	-	5	1	3	10	17	37	49	76
Atherosclerosis (440)	26,371	1	-	-	-	1	2	1	-	1	2	3	1	10
Male	10,042	-	-	-	-	-	-	1	-	-	1	2	-	10
Female	16,329	1	-	-	-	1	2	-	-	1	1	1	1	-
White	24,451	1	-	-	-	-	1	1	-	-	1	3	1	9
Male	9,165	-	-	-	-	-	-	1	-	-	-	2	-	9
Female	15,288	1	-	-	-	-	1	-	-	-	1	1	1	-
All other	1,920	-	-	-	-	1	1	-	-	1	1	-	-	1
Male	877	-	-	-	-	-	-	-	-	-	1	-	-	1
Female	1,043	-	-	-	-	1	1	-	-	1	-	-	-	-
Black	1,807	-	-	-	-	-	-	-	-	1	1	-	-	1
Male	823	-	-	-	-	-	-	-	-	-	1	-	-	1
Female	984	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	88	136	196	342	554	724	1,019	1,225	1,250	1,144	689	221	41	4
Male	52	79	118	197	302	377	488	557	512	430	220	55	8	4
Female	36	57	78	145	252	347	531	668	738	714	469	166	33	-
White	40	62	110	191	387	532	771	1,000	1,057	1,039	616	199	30	-
Male	22	41	71	116	224	287	381	472	432	382	199	49	7	-
Female	18	21	39	75	163	245	390	534	625	657	417	150	23	-
All other	48	74	86	151	167	192	248	219	193	105	73	22	11	4
Male	30	38	47	81	78	90	107	85	80	48	21	6	1	4
Female	18	36	39	70	89	102	141	134	113	57	52	16	10	-
Black	48	71	83	149	164	183	239	212	184	97	69	22	9	2
Male	30	36	46	80	77	84	104	82	76	43	20	6	-	2
Female	18	35	37	69	87	99	135	130	108	54	49	16	9	-
Cerebrovascular diseases (430-438)	1,258	2,065	3,036	4,926	7,891	11,909	18,159	25,312	29,528	27,061	16,092	5,120	822	27
Male	611	1,073	1,576	2,664	4,207	6,214	9,088	11,371	11,132	8,278	4,089	1,119	147	6
Female	647	992	1,460	2,262	3,684	5,695	9,061	13,941	18,396	18,783	12,003	4,001	675	21
White	834	1,362	2,138	3,660	6,070	9,666	15,203	22,372	26,631	25,279	15,107	4,734	668	16
Male	399	700	1,122	2,008	3,267	5,105	7,688	10,068	10,132	7,638	3,828	1,019	110	4
Female	435	662	1,016	1,654	2,803	4,561	7,515	12,304	16,699	17,641	11,281	3,715	578	12
All other	424	703	898	1,266	1,821	2,243	2,956	2,940	2,697	1,782	985	386	134	11
Male	212	373	454	658	940	1,109	1,410	1,303	1,000	640	263	100	37	2
Female	212	330	444	608	881	1,134	1,546	1,637	1,697	1,142	722	286	97	9
Black	389	655	839	1,167	1,716	2,083	2,763	2,730	2,486	1,627	894	360	119	8
Male	196	355	424	620	872	1,012	1,283	1,187	898	578	238	86	32	2
Female	193	300	415	567	844	1,071	1,470	1,543	1,588	1,049	656	274	87	6
Intracerebral and other intracranial hemorrhage (431-432)	471	742	962	1,377	1,792	2,177	2,611	2,914	2,640	1,600	781	216	26	3
Male	266	432	517	739	912	1,098	1,221	1,224	1,010	564	179	49	9	1
Female	205	310	445	638	880	1,079	1,390	1,690	1,630	1,236	602	167	17	2
White	269	411	647	1,020	1,394	1,782	2,264	2,613	2,398	1,663	735	197	20	2
Male	146	240	346	561	710	900	1,057	1,085	912	518	169	42	6	1
Female	123	171	301	459	684	882	1,207	1,528	1,486	1,145	566	155	14	1
All other	202	331	315	357	398	395	347	301	242	137	46	19	6	1
Male	120	192	171	178	202	198	164	139	98	46	10	7	3	-
Female	82	139	144	179	196	197	183	162	144	91	36	12	3	1
Black	188	312	294	321	358	347	305	263	206	119	39	18	6	-
Male	114	183	161	161	176	166	141	119	81	39	8	7	3	-
Female	74	129	133	160	182	181	164	144	127	80	31	11	3	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	69	190	295	641	1,166	1,815	2,998	4,426	5,349	5,138	3,038	955	184	5
Male	38	114	171	406	680	1,009	1,543	1,984	1,998	1,572	751	202	27	2
Female	31	76	124	235	486	806	1,455	2,442	3,351	3,566	2,287	753	157	3
White	46	121	208	477	919	1,528	2,514	3,963	4,898	4,828	2,876	893	156	-
Male	27	74	124	307	553	858	1,295	1,781	1,837	1,467	714	191	22	-
Female	19	47	84	170	366	670	1,219	2,182	3,061	3,361	2,162	702	134	-
All other	23	69	87	164	247	287	484	463	451	310	162	62	28	5
Male	11	40	47	99	127	151	248	203	161	105	37	11	5	2
Female	12	29	40	65	120	136	236	260	290	205	125	51	23	3
Black	21	68	80	155	238	269	445	437	423	282	149	60	24	5
Male	9	39	43	94	123	137	220	169	146	96	32	9	4	2
Female	12	29	37	61	115	132	225	248	277	186	117	51	20	3
Cerebral embolism (434.1)	6	20	10	23	40	80	109	129	143	94	62	17	1	-
Male	5	11	2	8	18	44	48	52	58	23	18	4	-	-
Female	1	9	8	15	22	36	61	77	85	71	44	13	1	-
White	5	14	7	19	35	72	99	123	135	86	58	17	1	-
Male	4	8	2	6	15	41	45	50	53	19	17	4	-	-
Female	1	6	5	13	20	31	54	73	82	67	41	13	1	-
All other	1	6	3	4	5	8	10	6	8	8	4	-	-	-
Male	1	3	-	2	3	3	3	2	5	4	1	-	-	-
Female	-	3	3	2	2	5	7	4	3	4	3	-	-	-
Black	1	5	3	4	5	7	8	5	8	8	4	-	-	-
Male	1	3	-	2	3	2	2	2	5	4	1	-	-	-
Female	-	2	3	2	2	5	7	3	3	4	3	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	712	1,113	1,769	2,865	4,893	7,837	12,441	17,843	21,396	20,029	12,211	3,932	611	19
Male	302	516	886	1,511	2,597	4,063	6,286	8,111	8,066	6,119	3,141	884	111	3
Female	410	597	883	1,374	2,296	3,774	6,155	9,732	13,330	13,910	9,070	3,048	500	16
White	514	816	1,276	2,144	3,722	6,284	10,326	15,673	19,400	18,702	11,438	3,627	511	14
Male	222	378	650	1,132	1,869	3,306	5,291	7,152	7,330	5,694	2,926	782	82	3
Female	292	438	626	1,012	1,793	2,978	5,035	8,521	12,070	13,068	8,512	2,845	429	11
All other	198	297	493	741	1,171	1,553	2,115	2,170	1,996	1,327	773	305	100	5
Male	80	138	236	379	608	757	995	959	736	485	215	82	29	-
Female	118	159	257	362	563	796	1,120	1,211	1,260	842	558	223	71	5
Black	179	270	462	707	1,115	1,460	2,004	2,025	1,847	1,218	702	282	89	3
Male	72	130	220	363	570	707	930	877	666	439	195	70	25	-
Female	107	140	242	344	545	753	1,074	1,148	1,181	779	507	212	64	3
Atherosclerosis (440)	22	66	174	325	667	1,109	2,082	3,286	4,988	5,932	5,023	2,148	523	4
Male	14	51	118	218	400	655	1,123	1,604	1,969	1,937	1,370	478	91	-
Female	8	17	56	107	267	454	959	1,682	3,019	3,995	3,653	1,670	432	4
White	18	58	139	267	558	961	1,840	2,967	4,604	5,672	4,828	2,040	482	1
Male	11	46	95	196	339	575	1,002	1,441	1,808	1,824	1,296	447	83	-
Female	7	12	44	81	219	386	838	1,526	2,796	3,848	3,532	1,593	399	1
All other	4	10	35	58	109	148	242	319	384	260	195	108	41	3
Male	3	5	23	32	61	80	121	163	161	113	74	31	8	-
Female	1	5	12	26	48	68	121	156	223	147	121	77	33	3
Black	3	10	35	55	105	142	230	306	382	244	179	97	36	-
Male	2	5	23	31	58	75	113	155	149	111	66	27	8	-
Female	1	5	12	24	47	67	117	151	213	133	113	70	30	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	20,958	15	3	2	2	-	22	8	12	42	46	79	95	129
Male	13,243	7	3	-	1	-	11	3	7	26	24	46	59	79
Female	7,715	8	-	2	1	-	11	5	5	16	22	33	36	50
White	19,189	10	3	2	2	-	17	4	7	37	36	62	65	89
Male	12,298	4	3	-	1	-	8	2	3	23	20	42	44	55
Female	6,891	6	-	2	1	-	9	2	4	14	16	20	21	34
All other	1,769	5	-	-	-	-	5	4	5	5	10	17	30	40
Male	945	3	-	-	-	-	3	1	4	3	4	4	15	24
Female	824	2	-	-	-	-	2	3	1	2	6	13	15	16
Black	1,561	4	-	-	-	-	4	4	4	4	7	16	27	36
Male	820	3	-	-	-	-	3	1	4	3	2	4	14	22
Female	741	1	-	-	-	-	1	3	-	1	5	12	13	14
Acute bronchitis and bronchiolitis (466)	552	87	10	3	1	-	101	3	1	3	4	6	1	9
Male	273	57	4	1	1	-	63	2	1	2	2	2	-	6
Female	279	30	6	2	-	-	38	1	-	1	2	4	1	3
White	481	56	7	3	1	-	67	2	-	3	4	4	1	6
Male	229	38	2	1	1	-	42	2	-	2	2	1	-	3
Female	252	18	5	2	-	-	25	-	-	1	2	3	1	3
All other	71	31	3	-	-	-	34	1	1	-	-	2	-	3
Male	44	19	2	-	-	-	21	-	1	-	-	1	-	3
Female	27	12	1	-	-	-	13	1	-	-	-	1	-	-
Black	59	25	2	-	-	-	27	1	1	-	-	2	-	3
Male	34	14	2	-	-	-	16	-	1	-	-	1	-	3
Female	25	11	-	-	-	-	11	1	-	-	-	1	-	-
Pneumonia and influenza (480-487)	55,854	769	111	61	39	21	1,001	69	61	118	152	248	329	373
Male	28,007	442	67	33	14	10	566	33	32	54	94	147	213	236
Female	27,847	327	44	28	25	11	435	36	29	64	58	101	116	137
White	49,996	465	71	44	30	16	626	51	49	93	120	157	190	240
Male	24,463	258	45	22	12	8	345	22	26	41	81	92	115	142
Female	25,533	207	26	22	18	8	281	29	23	52	39	65	75	98
All other	5,858	304	40	17	9	5	375	18	12	25	32	91	139	133
Male	3,544	184	22	11	2	2	221	11	6	13	13	55	98	94
Female	2,314	120	18	6	7	3	154	7	6	12	19	36	41	39
Black	5,234	279	35	14	8	5	341	16	10	23	29	85	133	124
Male	3,190	172	20	8	2	2	204	10	5	12	11	53	95	87
Female	2,044	107	15	6	6	3	137	6	5	11	18	32	38	37
Pneumonia (480-486)	54,423	763	108	57	38	21	987	68	59	112	151	243	325	367
Male	27,464	439	64	31	14	10	558	32	32	53	94	145	212	234
Female	26,959	324	44	26	24	11	429	36	27	59	57	98	113	133
White	48,616	460	68	41	30	16	615	51	48	88	119	153	187	236
Male	23,943	256	42	21	12	8	339	22	26	40	81	91	114	140
Female	24,673	204	26	20	18	8	276	29	22	48	38	62	73	96
All other	5,807	303	40	16	8	5	372	17	11	24	32	90	138	131
Male	3,521	183	22	10	2	2	219	10	6	13	13	54	98	94
Female	2,286	120	18	6	6	3	153	7	5	11	19	36	40	37
Black	5,194	278	35	13	7	5	338	15	9	22	29	84	132	122
Male	3,171	171	20	7	2	2	202	9	5	12	11	52	95	87
Female	2,023	107	15	6	5	3	136	6	4	10	18	32	37	35
Influenza (487)	1,431	6	3	4	1	-	14	1	2	6	1	5	4	6
Male	549	3	3	2	-	-	8	1	-	1	-	2	1	2
Female	888	3	-	2	1	-	6	-	2	5	1	3	3	4
White	1,380	5	3	3	-	-	11	-	1	5	1	4	3	4
Male	520	2	3	1	-	-	6	-	-	1	-	1	1	2
Female	860	3	-	2	-	-	5	-	1	4	1	3	2	2
All other	51	1	-	1	1	-	3	1	1	1	-	1	1	2
Male	29	1	-	1	-	-	2	1	-	-	-	1	-	-
Female	28	-	-	-	1	-	1	-	1	1	-	-	1	2
Black	40	1	-	1	1	-	3	1	1	1	-	1	1	2
Male	19	1	-	1	-	-	2	1	-	-	-	1	-	-
Female	21	-	-	-	1	-	1	-	1	1	-	-	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	68,246	52	29	15	9	5	110	32	61	96	88	113	123	183
Male	43,119	33	19	12	6	5	75	19	37	49	44	56	60	92
Female	23,127	19	10	3	3	-	35	13	24	47	44	57	63	91
White	61,709	38	20	5	5	1	69	18	30	54	60	70	63	120
Male	39,978	22	13	5	3	1	44	10	17	26	30	34	29	59
Female	21,731	16	7	-	2	-	25	8	13	28	30	36	34	61
All other	4,537	14	9	10	4	4	41	14	31	42	28	43	60	63
Male	3,141	11	6	7	3	4	31	9	20	23	14	22	31	33
Female	1,396	3	3	3	1	-	10	5	11	19	14	21	29	30
Black	4,068	11	9	8	4	4	36	11	28	40	25	42	56	60
Male	2,813	8	6	6	3	4	27	8	18	22	13	21	30	32
Female	1,255	3	3	2	1	-	9	3	10	18	12	21	28	28
Bronchitis, chronic and unspecified (490-491)	3,578	36	13	5	4	1	59	3	1	8	5	6	4	9
Male	2,139	22	9	5	1	1	38	2	-	4	3	4	2	3
Female	1,439	14	4	-	3	-	21	1	1	4	2	2	2	6
White	3,364	24	10	2	2	-	38	2	1	6	5	6	1	7
Male	1,995	13	8	2	-	-	23	2	-	4	3	4	1	3
Female	1,369	11	2	-	2	-	15	-	1	2	2	2	-	4
All other	214	12	3	3	2	1	21	1	-	2	-	-	3	2
Male	144	9	1	3	1	1	15	-	-	-	-	-	1	-
Female	70	3	2	-	1	-	6	1	-	2	-	-	2	2
Black	180	9	3	2	2	1	17	1	-	2	-	-	3	2
Male	120	6	1	2	1	1	11	-	-	-	-	-	1	-
Female	60	3	2	-	1	-	6	1	-	2	-	-	2	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	154	218	486	1,009	1,838	2,767	3,540	3,788	3,086	2,197	1,090	279	52	1
Male	100	137	334	710	1,370	2,016	2,497	2,503	1,776	1,071	372	87	15	–
Female	54	81	152	299	468	771	1,043	1,285	1,310	1,126	718	192	37	1
White	113	170	406	874	1,640	2,560	3,274	3,540	2,895	2,087	1,019	258	35	1
Male	72	106	282	630	1,255	1,891	2,339	2,373	1,691	1,025	345	82	10	–
Female	41	64	124	244	385	669	935	1,167	1,204	1,062	674	176	25	1
All other	41	48	80	135	198	227	266	248	191	110	71	21	17	–
Male	28	31	52	80	115	125	158	130	85	46	27	5	5	–
Female	13	17	28	55	83	102	108	118	106	64	44	16	12	–
Black	38	48	73	124	181	205	235	213	155	93	62	20	14	–
Male	26	31	47	73	104	110	138	104	64	38	24	4	4	–
Female	12	15	26	51	77	95	97	109	91	55	38	16	10	–
Acute bronchitis and bronchiolitis (466)	7	7	13	24	25	31	39	58	59	75	58	23	5	–
Male	2	2	7	15	17	17	21	34	19	33	18	8	2	–
Female	5	5	6	9	8	14	18	24	40	42	40	15	3	–
White	7	7	10	22	17	27	34	53	58	75	57	23	4	–
Male	2	2	5	13	12	15	19	31	18	33	18	8	1	–
Female	5	5	5	9	5	12	15	22	40	42	39	15	3	–
All other	–	–	3	2	8	4	5	5	1	–	1	–	1	–
Male	–	–	2	2	5	2	2	3	1	–	–	–	1	–
Female	–	–	1	–	3	2	3	2	–	–	1	–	–	–
Black	–	–	3	1	5	3	5	5	1	–	1	–	1	–
Male	–	–	2	1	2	1	2	3	1	–	–	–	1	–
Female	–	–	1	–	3	2	3	2	–	–	1	–	–	–
Pneumonia and influenza (480-487)	443	577	921	1,455	2,288	3,352	5,086	7,415	9,878	10,824	7,755	2,885	609	15
Male	292	368	591	955	1,512	2,167	3,133	4,165	4,929	4,643	2,792	919	157	9
Female	151	209	330	500	776	1,185	1,953	3,250	4,949	6,181	4,963	1,966	452	6
White	279	390	677	1,124	1,867	2,857	4,460	6,709	9,153	10,283	7,395	2,725	544	7
Male	170	241	427	730	1,220	1,837	2,725	3,738	4,505	4,382	2,631	852	137	4
Female	109	149	250	394	647	1,020	1,735	2,971	4,648	5,901	4,764	1,873	407	3
All other	164	187	244	331	421	495	626	706	725	541	360	160	65	8
Male	122	127	164	225	292	330	408	427	424	261	161	67	20	5
Female	42	60	80	106	129	165	218	279	301	280	199	93	45	3
Black	150	182	231	318	382	451	563	628	626	453	288	140	54	7
Male	112	125	159	217	268	300	366	376	356	223	130	60	17	4
Female	38	57	72	101	114	151	197	252	270	230	158	80	37	3
Pneumonia (480-486)	435	570	909	1,425	2,251	3,291	4,984	7,267	9,626	10,521	7,467	2,775	575	15
Male	290	365	587	934	1,495	2,139	3,073	4,102	4,828	4,530	2,707	891	154	9
Female	145	205	322	491	756	1,152	1,891	3,165	4,798	5,991	4,760	1,884	421	6
White	271	383	667	1,099	1,830	2,803	4,340	6,567	8,909	9,983	7,133	2,616	511	7
Male	168	238	424	712	1,203	1,812	2,668	3,678	4,408	4,270	2,549	824	134	4
Female	103	145	243	387	627	991	1,674	2,889	4,501	5,713	4,584	1,792	377	3
All other	164	187	242	326	421	488	624	700	717	538	354	159	64	8
Male	122	127	163	222	292	327	407	424	420	260	158	67	20	5
Female	42	60	79	104	129	161	217	276	297	278	196	92	44	3
Black	150	182	229	316	382	445	561	625	619	452	282	139	54	7
Male	112	125	158	215	268	297	365	375	353	222	127	60	17	4
Female	38	57	71	101	114	148	196	250	266	230	155	79	37	3
Influenza (487)	8	7	12	30	37	61	122	148	252	303	268	110	34	–
Male	2	3	4	21	17	28	60	63	101	113	85	28	3	–
Female	6	4	8	9	20	33	62	85	151	190	183	82	31	–
White	8	7	10	25	37	54	120	142	244	300	262	109	33	–
Male	2	3	3	18	17	25	59	60	97	112	82	28	3	–
Female	6	4	7	7	20	29	61	82	147	188	180	81	30	–
All other	–	–	2	5	–	7	2	6	8	3	6	1	1	–
Male	–	–	1	3	–	3	1	3	4	1	3	–	–	–
Female	–	–	1	2	–	4	1	3	4	2	3	1	1	–
Black	–	–	2	2	–	6	2	3	7	1	6	1	–	–
Male	–	–	1	2	–	3	1	1	3	1	3	–	–	–
Female	–	–	1	–	–	3	1	2	4	–	3	1	–	–
Chronic obstructive pulmonary diseases and allied conditions (490-496)	302	656	1,571	3,577	6,408	10,142	12,923	12,668	9,239	5,381	2,027	472	58	16
Male	143	338	883	2,203	4,040	6,537	8,635	8,733	6,251	3,458	1,190	235	28	13
Female	159	318	688	1,374	2,368	3,605	4,288	3,935	2,988	1,923	837	237	30	3
White	209	518	1,374	3,182	5,812	9,476	12,229	12,086	8,773	5,143	1,929	437	46	12
Male	99	259	777	1,931	3,629	6,070	8,087	8,301	5,905	3,295	1,128	220	19	8
Female	110	259	597	1,251	2,183	3,406	4,141	3,785	2,868	1,848	801	217	27	3
All other	93	138	197	395	596	666	695	582	466	238	98	35	12	4
Male	44	79	106	272	411	467	546	432	346	163	62	15	9	4
Female	49	59	91	123	185	199	147	150	120	75	36	20	3	–
Black	84	132	188	367	554	597	615	518	389	206	79	28	11	2
Male	41	73	103	256	382	421	485	389	282	142	47	11	8	2
Female	43	59	85	111	172	176	130	129	107	64	32	17	3	–
Bronchitis, chronic and unspecified (490-491)	16	36	82	177	296	501	586	602	508	406	187	74	12	–
Male	10	21	52	103	180	312	383	406	283	216	86	27	4	–
Female	6	15	30	74	116	189	203	196	225	190	101	47	8	–
White	12	30	73	158	278	470	561	574	495	390	176	71	10	–
Male	7	17	47	91	167	281	363	388	274	204	70	25	2	–
Female	5	13	26	67	111	179	198	186	221	186	97	46	8	–
All other	4	6	9	19	18	31	25	28	13	16	11	3	2	–
Male	3	4	5	12	13	21	20	18	9	12	7	2	2	–
Female	1	2	4	7	5	10	5	10	4	4	4	1	–	–
Black	3	4	9	18	16	25	22	25	10	12	8	3	2	–
Male	2	2	5	10	11	19	18	16	7	10	4	2	2	–
Female	1	2	4	6	5	6	4	9	3	2	4	1	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	13,293	6	–	1	–	–	7	–	–	–	5	6	8	28
Male	9,203	3	–	–	–	–	3	–	–	–	4	4	6	17
Female	4,090	3	–	1	–	–	4	–	–	–	1	2	2	11
White	12,588	5	–	–	–	–	5	–	–	–	5	4	3	17
Male	8,653	2	–	–	–	–	2	–	–	–	4	2	2	10
Female	3,935	3	–	–	–	–	3	–	–	–	1	2	1	7
All other	705	1	–	1	–	–	2	–	–	–	–	2	5	11
Male	550	1	–	–	–	–	1	–	–	–	–	2	4	7
Female	155	–	–	1	–	–	1	–	–	–	–	–	1	4
Black	624	1	–	1	–	–	2	–	–	–	–	2	4	11
Male	484	1	–	–	–	–	1	–	–	–	–	2	4	7
Female	140	–	–	1	–	–	1	–	–	–	–	–	–	4
Asthma (493)	3,561	5	13	8	3	4	33	21	57	76	68	89	97	100
Male	1,455	5	9	7	3	4	28	13	35	38	31	40	45	44
Female	2,106	–	4	1	–	–	5	8	22	38	37	49	52	56
White	2,751	5	7	3	1	1	17	8	28	40	42	52	48	62
Male	1,084	5	4	3	1	1	14	4	16	17	19	21	21	26
Female	1,667	–	3	–	–	–	3	4	12	23	23	31	27	36
All other	810	–	6	5	2	3	16	13	29	36	26	37	49	38
Male	371	–	5	4	2	3	14	9	19	21	12	19	24	18
Female	439	–	1	1	–	–	2	4	10	15	14	18	25	20
Black	732	–	6	4	2	3	15	10	26	35	24	36	48	36
Male	336	–	5	4	2	3	14	8	17	20	12	18	24	18
Female	396	–	1	–	–	–	1	2	9	15	12	18	24	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	45,814	5	3	1	2	–	11	8	3	12	10	12	14	46
Male	30,322	3	1	–	2	–	6	4	2	7	6	8	7	28
Female	15,492	2	2	1	–	–	5	4	1	5	4	4	7	18
White	43,006	4	3	–	2	–	9	8	1	8	8	8	11	34
Male	28,246	2	1	–	2	–	5	4	1	5	4	7	5	20
Female	14,760	2	2	–	–	–	4	4	–	3	4	1	6	14
All other	2,808	1	–	1	–	–	2	–	2	4	2	4	3	12
Male	2,076	1	–	–	–	–	1	–	1	2	2	1	2	8
Female	732	–	–	1	–	–	1	–	1	2	–	3	1	4
Black	2,532	1	–	1	–	–	2	–	2	3	1	4	1	11
Male	1,873	1	–	–	–	–	1	–	1	2	1	1	1	7
Female	659	–	–	1	–	–	1	–	1	1	–	3	–	4
Ulcer of stomach and duodenum (531-533)	6,369	11	2	1	–	–	14	1	3	3	9	16	29	45
Male	3,260	8	1	1	–	–	10	–	2	1	9	10	18	29
Female	3,109	3	1	–	–	–	4	1	1	2	–	6	11	16
White	5,752	8	2	–	–	–	10	1	3	1	7	15	15	35
Male	2,885	5	1	–	–	–	6	–	2	–	7	10	9	22
Female	2,867	3	1	–	–	–	4	1	1	1	–	5	6	13
All other	617	3	–	1	–	–	4	–	–	2	2	1	14	10
Male	375	3	–	1	–	–	4	–	–	1	2	–	9	7
Female	242	–	–	–	–	–	–	–	–	1	–	1	5	3
Black	547	3	–	–	–	–	3	–	–	2	2	1	13	9
Male	327	3	–	–	–	–	3	–	–	1	2	–	9	7
Female	220	–	–	–	–	–	–	–	–	1	–	1	4	2
Appendicitis (540-543)	526	2	1	3	3	–	9	8	8	9	10	4	8	8
Male	292	1	1	2	3	–	7	8	5	7	6	3	6	3
Female	234	1	–	1	–	–	2	–	3	2	4	1	2	5
White	428	2	1	3	2	–	8	6	7	7	7	4	6	5
Male	238	1	1	2	2	–	6	6	4	5	5	3	6	2
Female	190	1	–	1	–	–	2	–	3	2	2	1	–	3
All other	98	–	–	–	1	–	1	2	1	2	3	–	2	3
Male	54	–	–	–	1	–	1	2	1	2	1	–	–	1
Female	44	–	–	–	–	–	–	–	–	–	2	–	2	2
Black	91	–	–	–	1	–	1	2	–	2	3	–	–	2
Male	51	–	–	–	1	–	1	2	–	2	1	–	–	1
Female	40	–	–	–	–	–	–	–	–	–	2	–	–	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,094	105	11	5	7	5	133	11	10	9	15	17	25	29
Male	2,091	62	8	4	5	4	83	7	7	5	10	10	16	21
Female	3,003	43	3	1	2	1	50	4	3	4	5	7	9	8
White	4,416	74	9	5	5	4	97	8	6	5	9	8	20	17
Male	1,732	43	6	4	3	3	59	6	4	4	5	5	12	10
Female	2,684	31	3	1	2	1	38	2	2	1	4	4	8	7
All other	678	31	2	–	2	1	36	3	4	4	6	8	5	12
Male	359	19	2	–	2	1	24	1	3	1	5	5	4	11
Female	319	12	–	–	–	–	12	2	1	3	1	3	1	1
Black	635	30	2	–	2	1	35	3	3	4	5	8	5	11
Male	334	18	2	–	2	1	23	1	2	1	5	5	4	10
Female	301	12	–	–	–	–	12	2	1	3	–	3	1	1
Chronic liver disease and cirrhosis (571)	27,286	23	8	3	1	1	36	5	8	16	50	339	869	1,192
Male	17,530	13	6	2	1	–	22	3	–	7	20	219	600	825
Female	9,736	10	2	1	–	1	14	2	8	9	30	120	269	367
White	22,927	18	6	3	1	1	29	3	3	9	27	216	534	771
Male	14,823	10	4	2	1	–	17	2	–	5	13	154	393	558
Female	8,104	8	2	1	–	1	12	1	3	4	14	62	141	215
All other	4,339	5	2	–	–	–	7	2	5	7	23	123	335	421
Male	2,707	3	2	–	–	–	5	1	–	2	7	65	207	269
Female	1,632	2	–	–	–	–	2	1	5	5	16	58	128	152
Black	3,883	3	2	–	–	–	5	1	4	6	20	108	304	390
Male	2,429	3	2	–	–	–	5	–	–	2	7	58	184	251
Female	1,454	–	–	–	–	–	–	1	4	4	13	52	120	139

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	45	122	348	817	1,408	2,209	2,793	2,540	1,713	881	294	58	8	5
Male	28	73	206	538	921	1,474	1,882	1,841	1,239	629	190	37	7	4
Female	17	49	140	279	487	735	911	699	474	252	104	21	1	1
White	35	105	319	743	1,316	2,103	2,661	2,452	1,632	840	284	53	7	4
Male	20	58	188	492	844	1,392	1,874	1,774	1,174	599	195	34	6	3
Female	15	47	131	281	472	711	787	678	458	241	99	19	1	1
All other	10	17	27	74	92	106	132	88	81	41	10	5	1	1
Male	8	15	18	56	77	82	108	67	65	30	5	3	1	1
Female	2	2	9	18	15	24	24	21	16	11	5	2	-	-
Black	10	17	27	70	89	97	112	75	59	38	7	4	1	1
Male	8	15	18	53	74	76	91	57	44	28	2	2	1	1
Female	2	2	9	17	15	21	21	18	15	8	5	2	-	-
Asthma (493)	131	157	227	310	376	409	427	407	286	179	83	26	2	-
Male	48	64	80	127	152	168	189	158	106	59	25	4	1	-
Female	83	93	147	183	224	241	238	249	180	120	58	22	1	-
White	76	91	160	229	281	337	373	368	259	166	79	24	1	-
Male	31	36	61	89	118	137	159	143	91	54	23	4	-	-
Female	45	55	99	140	173	200	214	225	168	112	56	20	1	-
All other	55	66	67	81	85	72	54	39	27	13	4	2	1	-
Male	17	28	19	38	34	31	30	15	15	5	2	-	1	-
Female	38	38	48	43	51	41	24	24	12	8	2	2	-	-
Black	49	63	63	72	76	62	47	32	21	11	4	1	1	-
Male	15	25	19	35	30	27	25	11	10	5	2	-	1	-
Female	34	38	44	37	46	35	22	21	11	6	2	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	110	341	816	2,273	4,328	7,023	9,117	9,119	6,732	3,915	1,463	314	36	11
Male	57	180	545	1,435	2,787	4,583	6,081	6,328	4,623	2,554	889	167	16	9
Female	53	161	371	838	1,541	2,440	3,036	2,791	2,109	1,361	574	147	20	2
White	86	292	822	2,052	3,927	6,566	8,633	8,682	6,387	3,747	1,390	289	28	8
Male	41	148	481	1,269	2,500	4,250	5,691	5,996	4,366	2,438	841	157	11	6
Female	45	144	341	783	1,427	2,316	2,942	2,686	2,021	1,309	549	132	17	2
All other	24	49	94	221	401	457	484	427	345	168	73	25	8	3
Male	16	32	64	166	287	333	390	332	257	116	48	10	5	3
Female	8	17	30	55	114	124	94	95	88	52	25	15	3	-
Black	22	48	89	209	373	413	434	386	299	147	60	20	7	1
Male	16	31	61	158	267	299	351	305	221	99	39	7	4	1
Female	6	17	28	51	106	114	83	81	78	48	21	13	3	-
Ulcer of stomach and duodenum (531-533)	78	116	189	314	455	660	872	1,008	1,042	850	503	145	16	1
Male	55	73	124	200	276	426	510	531	457	334	153	34	7	1
Female	23	43	65	114	179	234	362	477	585	516	350	111	9	-
White	59	85	162	258	388	582	777	935	980	813	476	134	16	1
Male	41	49	107	171	233	382	443	487	424	316	138	30	7	1
Female	17	36	55	87	155	200	334	448	556	497	338	104	9	-
All other	20	31	27	58	67	78	95	73	62	37	27	11	-	-
Male	14	24	17	29	43	44	67	44	33	18	15	4	-	-
Female	6	7	10	27	24	34	28	29	29	19	12	7	-	-
Black	19	29	24	51	69	65	82	65	55	32	23	9	-	-
Male	14	22	16	26	39	36	58	37	28	17	11	3	-	-
Female	5	7	8	25	24	29	26	28	27	15	12	6	-	-
Appendicitis (540-543)	9	12	19	33	39	65	67	63	64	53	28	10	-	-
Male	6	6	13	20	21	44	34	30	27	22	11	4	-	-
Female	3	6	6	13	18	21	33	24	37	31	17	6	-	-
White	6	7	15	25	30	53	51	55	53	48	28	9	-	-
Male	5	4	11	16	19	33	25	35	21	19	10	3	-	-
Female	1	3	4	9	11	20	26	20	32	29	16	6	-	-
All other	3	5	4	8	9	12	16	8	11	5	2	1	-	-
Male	1	2	2	4	2	11	9	4	6	3	1	1	-	-
Female	2	3	2	4	7	1	7	4	5	2	1	-	-	-
Black	3	4	4	8	9	12	16	7	10	5	2	1	-	-
Male	1	1	2	4	2	11	9	4	5	3	1	1	-	-
Female	2	3	2	4	7	1	7	3	5	2	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	47	98	153	256	400	561	756	896	901	582	142	28	2
Male	22	25	45	68	133	213	278	331	356	292	134	28	5	2
Female	21	22	53	85	123	187	283	425	540	609	428	114	23	-
White	30	32	73	117	207	333	469	659	800	840	525	135	24	1
Male	14	18	29	53	104	178	231	278	308	283	121	28	3	1
Female	16	14	44	64	103	155	238	381	492	577	404	109	21	-
All other	13	15	25	36	49	67	92	97	96	61	37	7	4	1
Male	8	7	16	15	29	35	47	53	48	29	13	2	2	1
Female	5	8	9	21	20	32	45	44	48	32	24	5	2	-
Black	13	15	24	32	44	65	69	92	88	56	32	6	4	1
Male	8	7	15	13	25	35	46	50	43	26	10	2	2	1
Female	5	8	9	19	19	30	43	42	45	30	22	4	2	-
Chronic liver disease and cirrhosis (571)	1,759	2,308	3,132	3,920	4,132	3,614	2,733	1,726	944	351	104	17	2	9
Male	1,233	1,580	2,089	2,593	2,685	2,360	1,650	953	490	152	46	5	1	7
Female	526	728	1,043	1,327	1,447	1,254	1,083	773	464	199	58	12	1	2
White	1,258	1,782	2,547	3,340	3,637	3,249	2,528	1,630	896	343	100	15	2	8
Male	902	1,242	1,713	2,224	2,380	2,130	1,531	897	458	150	45	4	1	6
Female	356	540	834	1,116	1,257	1,119	997	733	438	193	55	11	1	2
All other	501	526	585	580	495	365	205	96	46	8	4	2	-	1
Male	331	338	376	369	305	230	119	56	22	2	1	1	-	1
Female	170	188	209	211	190	135	86	40	26	6	3	1	-	-
Black	445	455	537	525	449	318	179	81	42	8	3	2	-	1
Male	293	298	349	334	275	204	103	43	20	2	1	1	-	1
Female	152	157	188	191	174	114	76	38	22	6	2	1	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	2,969	3	1	-	1	1	6	-	-	-	6	7	20	17
Male	1,365	-	-	-	1	1	2	-	-	-	1	3	12	11
Female	1,604	3	1	-	-	-	4	-	-	-	5	4	8	6
White	2,684	2	1	-	1	-	4	-	-	-	6	5	12	15
Male	1,255	-	-	-	1	-	1	-	-	-	1	2	7	9
Female	1,429	2	1	-	-	-	3	-	-	-	5	3	5	6
All other	305	1	-	-	-	1	2	-	-	-	-	2	8	2
Male	130	-	-	-	-	1	1	-	-	-	-	1	5	2
Female	175	1	-	-	-	-	1	-	-	-	-	1	3	-
Black	262	1	-	-	-	1	2	-	-	-	-	1	8	2
Male	103	-	-	-	-	1	1	-	-	-	-	-	5	2
Female	159	1	-	-	-	-	1	-	-	-	-	1	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18,998	232	8	3	5	4	252	20	8	38	53	106	138	154
Male	9,312	121	5	2	3	1	132	7	5	18	28	62	75	86
Female	9,686	111	3	1	2	3	120	13	3	20	25	44	63	68
White	15,334	157	4	3	5	4	173	16	6	25	38	84	89	85
Male	7,548	86	2	2	3	1	94	5	3	11	23	37	48	46
Female	7,786	71	2	1	2	3	79	11	3	14	15	27	43	39
All other	3,664	75	4	-	-	-	79	4	2	11	15	42	49	69
Male	1,764	35	3	-	-	-	38	2	2	5	5	25	29	40
Female	1,900	40	1	-	-	-	41	2	-	6	10	17	20	29
Black	3,428	71	4	-	-	-	75	4	2	10	13	41	44	63
Male	1,648	33	3	-	-	-	36	2	2	5	5	24	27	38
Female	1,778	38	1	-	-	-	39	2	-	5	8	17	17	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	354	8	1	1	-	-	10	3	-	3	2	1	6	6
Male	171	4	-	1	-	-	5	1	-	2	2	1	3	4
Female	183	4	1	-	-	-	5	2	-	1	-	-	3	2
White	301	7	1	1	-	-	9	3	-	2	1	-	4	3
Male	143	3	-	1	-	-	4	1	-	1	1	-	2	3
Female	158	4	1	-	-	-	5	2	-	1	-	-	2	-
All other	53	1	-	-	-	-	1	-	-	1	1	1	2	3
Male	28	1	-	-	-	-	1	-	-	1	1	1	1	1
Female	25	-	-	-	-	-	-	-	-	-	-	-	1	2
Black	49	1	-	-	-	-	1	-	-	1	1	1	2	2
Male	26	1	-	-	-	-	1	-	-	1	1	1	1	1
Female	23	-	-	-	-	-	-	-	-	-	-	-	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,887	6	-	1	2	1	10	3	1	9	14	23	20	29
Male	882	3	-	1	-	-	4	1	-	5	6	10	13	12
Female	1,005	3	-	-	2	1	6	2	1	4	8	13	7	17
White	1,497	2	-	1	2	1	6	2	1	4	12	11	10	20
Male	675	1	-	1	-	-	2	-	-	2	5	4	6	7
Female	822	1	-	-	2	1	4	2	1	2	7	7	4	13
All other	390	4	-	-	-	-	4	1	-	5	2	12	10	9
Male	207	2	-	-	-	-	2	1	-	3	1	6	7	5
Female	183	2	-	-	-	-	2	-	-	2	1	6	3	4
Black	366	4	-	-	-	-	4	1	-	5	2	11	10	9
Male	194	2	-	-	-	-	2	1	-	3	1	5	7	5
Female	172	2	-	-	-	-	2	-	-	2	1	6	3	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16,757	218	7	1	3	3	232	14	7	24	37	82	112	119
Male	8,259	114	5	-	3	1	123	5	5	9	20	51	59	70
Female	8,498	104	2	1	-	2	109	9	2	15	17	31	53	49
White	13,536	148	3	1	3	3	158	11	5	19	25	53	75	62
Male	6,730	82	2	-	3	1	88	4	3	8	17	33	38	36
Female	6,806	66	1	1	-	2	70	7	2	11	8	20	37	26
All other	3,221	70	4	-	-	-	74	3	2	5	12	29	37	57
Male	1,529	32	3	-	-	-	35	1	2	1	3	18	21	34
Female	1,692	38	1	-	-	-	39	2	-	4	9	11	16	23
Black	3,011	66	4	-	-	-	70	3	2	4	10	29	32	52
Male	1,428	30	3	-	-	-	33	1	2	1	3	18	19	32
Female	1,583	36	1	-	-	-	37	2	-	3	7	11	13	20
Infections of kidney (590)	2,069	3	-	1	1	1	6	1	-	3	5	8	16	8
Male	715	1	-	1	1	1	4	1	-	-	2	4	8	1
Female	1,374	2	-	-	-	-	2	-	-	3	3	4	10	7
White	1,821	2	-	1	1	1	5	1	-	3	3	5	9	5
Male	619	1	-	1	1	1	4	1	-	-	2	3	3	1
Female	1,208	1	-	-	-	-	1	-	-	3	1	2	6	4
All other	268	1	-	-	-	-	1	-	-	-	2	3	7	3
Male	102	-	-	-	-	-	-	-	-	-	-	1	3	-
Female	166	1	-	-	-	-	1	-	-	-	2	2	4	3
Black	254	1	-	-	-	-	1	-	-	-	2	3	7	3
Male	96	-	-	-	-	-	-	-	-	-	-	1	3	-
Female	158	1	-	-	-	-	1	-	-	-	2	2	4	3
Hyperplasia of prostate (600)	572	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	572	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	501	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	501	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	71	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	71	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	69	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	69	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	25	41	55	113	175	243	354	494	549	473	307	90	14	-
Male	16	19	26	59	102	130	198	276	232	181	99	16	2	-
Female	9	22	29	54	73	113	156	218	317	292	208	74	12	-
White	21	33	43	89	144	216	318	443	502	443	292	85	13	-
Male	14	15	21	49	88	117	184	250	220	169	91	15	2	-
Female	7	18	22	40	56	99	134	193	282	274	201	70	11	-
All other	4	8	12	24	31	27	36	51	47	30	15	5	1	-
Male	2	4	5	10	14	13	14	26	12	12	8	1	-	-
Female	2	4	7	14	17	14	22	25	35	18	7	4	1	-
Black	4	8	10	20	28	20	30	45	44	25	11	5	1	-
Male	2	4	4	8	11	8	10	22	11	9	5	1	-	-
Female	2	4	6	12	15	12	20	23	33	16	6	4	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	189	268	452	834	1,212	1,728	2,480	3,042	3,230	2,666	1,572	461	92	5
Male	98	146	246	454	636	890	1,319	1,552	1,569	1,148	626	171	41	5
Female	91	122	206	380	576	838	1,161	1,490	1,661	1,518	946	290	51	-
White	117	172	309	557	872	1,294	1,945	2,527	2,787	2,383	1,389	413	62	1
Male	56	98	172	313	467	694	1,071	1,314	1,355	1,023	543	150	26	1
Female	61	74	137	244	405	600	874	1,213	1,432	1,370	846	263	36	-
All other	72	96	143	277	340	434	535	515	443	273	183	48	30	4
Male	42	48	74	141	169	196	248	238	214	125	83	21	15	4
Female	30	48	69	136	171	238	287	277	229	148	100	27	15	-
Black	63	91	134	262	319	410	498	487	414	255	184	43	30	4
Male	39	46	67	135	158	187	230	225	197	116	73	17	15	4
Female	24	45	67	127	161	223	268	262	217	139	91	26	15	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	4	7	21	21	38	43	56	55	48	21	6	-	-
Male	2	-	4	10	9	22	27	29	25	16	7	2	-	-
Female	1	4	3	11	12	16	16	27	30	32	14	4	-	-
White	2	4	5	14	17	28	35	54	49	47	19	5	-	-
Male	1	-	3	8	7	16	23	27	21	16	7	2	-	-
Female	1	4	2	6	10	12	12	27	28	31	12	3	-	-
All other	1	-	2	7	4	10	8	2	6	1	2	1	-	-
Male	1	-	1	2	2	6	4	2	4	-	-	-	-	-
Female	-	-	1	5	2	4	4	-	2	1	2	1	-	-
Black	1	-	2	7	3	10	7	2	6	1	1	1	-	-
Male	1	-	1	2	1	6	3	2	4	-	-	-	-	-
Female	-	-	1	5	2	4	4	-	2	1	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	32	47	96	101	158	254	328	297	253	131	43	13	2
Male	14	14	23	51	51	77	124	173	139	97	44	17	5	2
Female	9	18	24	45	50	81	130	155	158	156	87	26	8	-
White	14	26	33	58	68	130	194	287	249	225	118	40	8	1
Male	7	11	15	33	34	59	95	139	113	86	41	14	1	1
Female	7	15	18	25	34	71	99	128	136	139	77	26	7	-
All other	9	6	14	38	33	28	60	61	48	28	13	3	5	1
Male	7	3	8	18	17	18	29	34	26	11	3	3	4	1
Female	2	3	6	20	16	10	31	27	22	17	10	-	1	-
Black	5	6	13	35	32	27	57	58	43	27	13	2	5	1
Male	5	3	7	16	17	18	28	32	24	10	3	2	4	1
Female	-	3	6	19	15	9	29	26	19	17	10	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	163	232	398	717	1,090	1,592	2,183	2,658	2,878	2,365	1,420	412	79	3
Male	82	132	219	393	576	781	1,168	1,350	1,405	1,035	575	152	38	3
Female	81	100	179	324	514	741	1,015	1,308	1,473	1,330	845	260	43	-
White	101	142	271	485	787	1,136	1,716	2,206	2,489	2,121	1,252	368	54	-
Male	48	87	154	272	426	619	953	1,148	1,221	921	495	134	25	-
Female	53	55	117	213	361	517	763	1,058	1,268	1,200	757	234	29	-
All other	62	90	127	232	303	396	467	452	389	244	168	44	25	3
Male	34	45	65	121	150	172	215	202	184	114	60	18	11	3
Female	28	45	62	111	153	224	252	250	205	130	88	26	14	-
Black	57	85	119	220	284	373	434	427	365	227	150	40	25	3
Male	33	43	59	117	140	163	199	191	169	106	70	15	11	3
Female	24	42	60	103	144	210	235	236	196	121	80	25	14	-
Infections of kidney (590)	16	23	34	58	104	127	221	351	391	380	252	71	14	-
Male	5	8	12	22	35	48	86	136	135	120	63	21	6	-
Female	11	15	22	36	69	79	135	215	256	260	189	50	8	-
White	9	16	25	41	84	102	192	317	352	344	231	66	11	-
Male	4	7	8	16	27	39	78	119	117	108	53	18	5	-
Female	5	9	17	25	57	63	114	198	235	236	178	48	6	-
All other	7	7	9	17	20	25	29	34	39	36	21	5	3	-
Male	1	1	4	6	8	9	8	17	18	12	10	3	1	-
Female	6	6	5	11	12	16	21	17	21	24	11	2	2	-
Black	6	7	9	16	20	25	29	33	38	28	20	4	3	-
Male	1	1	4	6	8	9	8	16	18	9	9	2	1	-
Female	5	6	5	10	12	16	21	17	20	19	11	2	2	-
Hyperplasia of prostate (600)	-	-	2	5	17	33	61	95	134	128	67	26	4	-
Male	-	-	2	5	17	33	61	95	134	128	67	26	4	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	4	14	27	43	83	118	119	66	23	4	-
Male	-	-	-	4	14	27	43	83	118	119	66	23	4	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	2	1	3	6	18	12	16	9	1	3	-	-
Male	-	-	2	1	3	6	18	12	16	9	1	3	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	2	1	3	5	18	12	16	9	1	2	-	-
Male	-	-	2	1	3	5	18	12	16	9	1	2	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	290	...	...	...	...	...	...	...	-	27	87	76	57	36
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	290	...	...	...	...	...	...	...	-	27	87	76	57	36
White	170	...	...	...	...	...	...	...	-	15	45	50	31	23
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	170	...	...	...	...	...	...	...	-	15	45	50	31	23
All other	120	...	...	...	...	...	...	...	-	12	42	26	26	13
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	120	...	...	...	...	...	...	...	-	12	42	26	26	13
Black	107	...	...	...	...	...	...	...	-	10	41	23	22	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	107	...	...	...	...	...	...	...	-	10	41	23	22	10
Pregnancy with abortive outcome (630-638)	50	...	...	...	...	...	...	...	-	6	12	15	11	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	50	...	...	...	...	...	...	...	-	6	12	15	11	5
White	23	...	...	...	...	...	...	...	-	4	5	9	4	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	...	...	...	...	...	...	...	-	4	5	9	4	-
All other	27	...	...	...	...	...	...	...	-	2	7	6	7	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	27	...	...	...	...	...	...	...	-	2	7	6	7	5
Black	26	...	...	...	...	...	...	...	-	2	7	6	7	4
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	26	...	...	...	...	...	...	...	-	2	7	6	7	4
Other complications of pregnancy, childbirth, and the puerperium (640-676)	240	...	...	...	...	...	...	...	-	21	75	61	46	31
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	240	...	...	...	...	...	...	...	-	21	75	61	46	31
White	147	...	...	...	...	...	...	...	-	11	40	41	27	23
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	147	...	...	...	...	...	...	...	-	11	40	41	27	23
All other	93	...	...	...	...	...	...	...	-	10	35	20	19	8
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	93	...	...	...	...	...	...	...	-	10	35	20	19	8
Black	81	...	...	...	...	...	...	...	-	8	34	17	15	6
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	81	...	...	...	...	...	...	...	-	8	34	17	15	6
Congenital anomalies (740-759)	13,173	8,732	469	225	131	88	9,645	246	225	272	282	261	192	192
Male	7,013	4,711	258	115	67	47	5,198	136	118	158	154	146	111	102
Female	6,160	4,021	211	110	64	41	4,447	110	107	114	128	115	81	90
White	10,747	7,026	376	183	98	69	7,752	192	178	221	237	206	158	161
Male	5,718	3,803	201	95	49	36	4,184	107	91	127	135	116	93	86
Female	5,029	3,223	175	88	49	33	3,568	85	87	94	102	92	65	75
All other	2,426	1,706	93	42	33	19	1,893	54	47	51	45	53	34	31
Male	1,295	908	57	20	18	11	1,014	29	27	31	18	30	18	16
Female	1,131	798	36	22	15	8	879	25	20	20	26	23	16	15
Black	2,068	1,449	78	37	30	14	1,602	49	43	47	41	48	32	28
Male	1,108	770	44	17	17	8	856	26	25	28	17	27	17	14
Female	960	673	34	20	13	6	746	23	18	19	24	21	15	14
Certain conditions originating in the perinatal period (760-779)	19,310	19,157	73	25	10	4	19,269	9	4	3	4	4	3	-
Male	11,036	10,948	46	17	8	1	11,020	3	1	1	1	3	1	-
Female	8,274	8,209	27	8	2	3	8,249	6	3	2	3	1	2	-
White	12,816	12,715	49	15	7	2	12,788	5	4	-	4	4	3	-
Male	7,417	7,358	31	11	5	-	7,405	3	1	-	1	3	1	-
Female	5,399	5,357	18	4	2	2	5,383	2	3	-	3	1	2	-
All other	6,494	6,442	24	10	3	2	6,481	4	-	3	-	-	-	-
Male	3,619	3,590	15	6	3	1	3,615	-	-	1	-	-	-	-
Female	2,875	2,852	9	4	-	1	2,866	4	-	2	-	-	-	-
Black	6,100	6,051	23	9	3	2	6,088	3	-	3	-	-	-	-
Male	3,401	3,373	14	6	3	1	3,397	-	-	1	-	-	-	-
Female	2,699	2,678	9	3	-	1	2,691	3	-	2	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,371	5,326	20	8	4	1	5,359	2	2	1	2	3	1	-
Male	3,224	3,194	13	6	4	1	3,218	2	1	-	1	2	-	-
Female	2,147	2,132	7	2	-	-	2,141	-	1	1	1	1	1	-
White	3,885	3,859	13	6	2	-	3,874	2	2	-	2	3	1	-
Male	2,383	2,361	9	5	2	-	2,377	2	1	-	1	2	-	-
Female	1,502	1,492	4	1	-	-	1,497	-	1	-	1	1	1	-
All other	1,486	1,473	7	2	2	1	1,485	-	-	1	-	-	-	-
Male	841	833	4	1	2	1	841	-	-	-	-	-	-	-
Female	645	640	3	1	-	-	644	-	-	1	-	-	-	-
Black	1,374	1,361	7	2	2	1	1,373	-	-	1	-	-	-	-
Male	774	766	4	1	2	1	774	-	-	-	-	-	-	-
Female	600	595	3	1	-	-	599	-	-	1	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	13,939	13,831	53	17	6	3	13,910	7	2	2	2	1	2	-
Male	7,812	7,754	33	11	4	-	7,802	1	-	1	-	1	1	-
Female	6,127	6,077	20	6	2	3	6,108	6	2	1	2	-	1	-
White	8,931	8,862	36	9	5	2	8,914	3	2	-	2	1	2	-
Male	5,034	4,997	22	6	3	-	5,028	1	-	-	-	1	1	-
Female	3,897	3,865	14	3	2	2	3,886	2	2	-	2	-	1	-
All other	5,008	4,969	17	8	1	1	4,996	4	-	2	-	-	-	-
Male	2,778	2,757	11	5	1	-	2,774	-	-	1	-	-	-	-
Female	2,230	2,212	6	3	-	1	2,222	4	-	1	-	-	-	-
Black	4,726	4,690	16	7	1	1	4,715	3	-	2	-	-	-	-
Male	2,627	2,607	10	5	1	-	2,623	-	-	1	-	-	-	-
Female	2,099	2,083	6	2	-	1	2,092	3	-	1	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	7	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	-	-	...	...	...	...	...	...	...	...	...	...	-
White	6	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Black	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
White	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	-	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	...	...	...	...	...	...	...	...	...	...	-
Black	-	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	...	...	...	...	...	...	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	6	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	-	-	...	...	...	...	...	...	...	...	...	...	-
White	5	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Black	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Congenital anomalies (740-759)	165	154	175	202	234	226	210	198	141	94	40	10	7	4
Male	88	85	95	97	107	111	96	81	63	40	15	5	4	3
Female	77	69	80	105	127	115	114	115	78	54	25	5	3	1
White	132	127	148	184	203	208	191	177	130	88	38	10	3	3
Male	72	69	82	89	95	100	87	72	55	35	13	5	2	3
Female	60	58	66	95	108	108	104	105	75	53	25	5	1	-
All other	33	27	27	16	31	20	19	19	11	6	2	-	4	1
Male	16	16	13	8	12	11	9	9	8	5	2	-	2	-
Female	17	11	14	10	19	9	10	10	3	1	-	-	2	1
Black	29	24	25	17	30	17	18	18	10	6	2	-	2	-
Male	12	14	12	8	12	8	9	8	7	5	2	-	1	-
Female	17	10	13	9	18	9	9	10	3	1	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	2	1	2	-	1	1	1	-	1	-	-	-	1	4
Male	-	1	-	-	-	-	1	-	-	-	-	-	-	4
Female	2	-	2	-	1	1	-	-	1	-	-	-	1	-
White	2	1	1	-	-	1	1	-	1	-	-	-	-	1
Male	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Female	2	-	1	-	-	1	-	-	1	-	-	-	-	-
All other	-	-	1	-	1	-	-	-	-	-	-	-	1	3
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Female	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Black	-	-	1	-	1	-	-	-	-	-	-	-	1	3
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Female	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	1	1	2	-	1	1	1	-	1	-	-	-	1	4
Male	-	1	-	-	-	-	1	-	-	-	-	-	-	4
Female	1	-	2	-	1	1	-	-	1	-	-	-	1	-
White	1	1	1	-	-	1	1	-	1	-	-	-	-	1
Male	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Female	1	-	1	-	-	1	-	-	1	-	-	-	-	-
All other	-	-	1	-	1	-	-	-	-	-	-	-	1	3
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Female	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Black	-	-	1	-	1	-	-	-	-	-	-	-	1	3
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Female	-	-	1	-	1	-	-	-	-	-	-	-	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	29,626	5,927	191	54	32	13	6,217	64	64	258	515	723	704	645
Male	16,686	3,493	96	34	23	9	3,645	43	40	166	349	480	475	435
Female	12,962	2,444	95	20	9	4	2,572	21	24	92	166	243	229	210
White	22,387	3,961	122	30	18	7	4,158	53	38	200	381	550	490	442
Male	12,525	2,393	63	17	16	4	2,493	32	25	134	259	365	328	291
Female	9,862	1,568	59	13	2	3	1,665	21	13	66	122	184	162	151
All other	7,241	1,946	69	24	14	6	2,059	11	26	58	134	173	214	203
Male	4,141	1,090	33	17	7	5	1,152	11	15	32	90	114	147	144
Female	3,100	856	36	7	7	1	907	–	11	26	44	59	67	59
Black	5,787	1,748	61	23	11	5	1,848	9	21	49	121	169	197	189
Male	3,879	988	29	16	6	4	1,043	9	13	27	79	111	135	135
Female	2,908	760	32	7	5	1	805	–	8	22	42	58	62	54
All other diseases (Residual)	130,087	1,883	430	272	166	146	2,897	530	539	963	1,248	1,763	2,223	2,424
Male	64,936	1,038	241	151	91	86	1,607	281	274	580	752	1,085	1,419	1,488
Female	65,751	845	189	121	75	60	1,290	249	265	383	496	698	804	936
White	111,248	1,344	325	206	131	112	2,118	437	435	773	941	1,180	1,418	1,601
Male	54,305	747	186	110	65	68	1,176	235	230	479	591	732	923	992
Female	56,943	597	139	96	66	44	942	202	205	294	350	448	495	609
All other	18,839	539	105	66	35	34	779	93	104	190	307	583	805	823
Male	10,031	291	55	41	26	18	431	46	44	101	161	333	496	496
Female	8,808	248	50	25	9	16	348	47	60	89	146	250	309	327
Black	17,316	472	95	52	26	33	678	82	94	164	284	543	758	769
Male	9,182	258	52	31	19	18	378	41	37	85	146	312	467	469
Female	8,134	214	43	21	7	15	300	41	57	79	138	231	291	300
Accidents and adverse effects (E800-E949)	92,488	956	967	807	705	564	3,999	1,987	2,334	8,575	11,181	8,643	6,826	5,226
Male	63,902	550	525	479	480	363	2,397	1,301	1,647	6,476	8,896	7,103	5,422	4,099
Female	28,586	406	442	328	225	201	1,602	686	687	2,099	2,285	1,740	1,404	1,127
White	78,607	667	741	623	520	409	2,960	1,472	1,992	7,715	9,756	7,507	5,644	4,323
Male	54,074	378	412	375	354	270	1,789	987	1,331	5,818	7,788	6,074	4,494	3,384
Female	24,533	289	329	248	166	139	1,171	485	561	1,897	1,968	1,433	1,150	939
All other	13,881	289	226	184	185	155	1,039	515	442	860	1,425	1,336	1,182	903
Male	9,828	172	113	104	126	93	608	314	316	658	1,108	1,029	928	715
Female	4,053	117	113	80	59	62	431	201	126	202	317	307	254	188
Black	11,883	267	197	170	162	141	937	440	388	682	1,110	1,115	1,002	766
Male	8,385	160	98	93	113	84	548	271	276	524	861	856	799	613
Female	3,498	107	99	77	49	57	389	169	112	158	249	259	203	153
Motor vehicle accidents (E810-E825)	44,452	190	293	267	272	211	1,233	1,026	1,215	6,399	7,890	5,528	3,867	2,823
Male	31,907	100	153	152	179	135	719	666	807	4,638	6,169	4,358	2,964	2,130
Female	12,545	90	140	115	93	76	514	360	408	1,761	1,721	1,172	903	693
White	38,864	157	231	211	210	160	969	785	1,047	5,905	7,005	4,821	3,310	2,419
Male	27,781	87	120	125	135	102	569	514	666	4,279	5,485	3,793	2,526	1,814
Female	11,083	70	111	86	75	58	400	271	381	1,626	1,520	1,028	782	605
All other	5,588	33	62	56	62	51	264	241	168	494	885	707	557	404
Male	4,126	13	33	27	44	33	150	152	121	359	684	563	436	316
Female	1,462	20	29	29	18	18	114	89	47	135	201	144	121	88
Black	4,472	24	46	52	57	44	223	198	134	373	671	557	445	325
Male	3,349	10	26	23	40	27	126	124	98	272	521	449	369	263
Female	1,123	14	20	29	17	17	97	74	36	101	150	108	82	62
All other accidents and adverse effects (E800-E807,E826-E949)	48,036	766	674	540	433	353	2,766	961	1,119	2,176	3,291	3,315	2,959	2,403
Male	31,995	450	372	327	301	228	1,678	635	840	1,838	2,727	2,747	2,458	1,969
Female	16,041	316	302	213	132	125	1,088	326	279	338	564	568	501	434
White	39,749	510	510	412	310	249	1,991	667	845	1,810	2,751	2,688	2,334	1,904
Male	26,293	291	292	250	219	168	1,220	473	645	1,539	2,303	2,281	1,966	1,570
Female	13,450	219	218	162	91	81	771	214	200	271	448	405	368	334
All other	8,293	256	164	128	123	104	775	274	274	366	540	629	625	499
Male	5,702	159	80	77	82	60	458	162	195	299	424	466	492	399
Female	2,591	97	84	51	41	44	317	112	79	67	116	163	133	100
Black	7,411	243	151	118	105	97	714	242	254	309	439	558	557	441
Male	5,036	150	72	70	73	57	422	147	178	252	340	407	436	350
Female	2,375	93	79	48	32	40	292	95	76	57	99	151	121	91
Suicide (E950-E959)	28,295	...	...	...	...	...	...	10	195	1,677	3,168	3,365	2,973	2,328
Male	21,786	...	...	...	...	...	...	7	145	1,370	2,611	2,677	2,340	1,736
Female	6,509	...	...	...	...	...	...	3	50	307	557	688	633	592
White	26,157	...	...	...	...	...	...	9	161	1,491	2,800	3,016	2,682	2,131
Male	20,097	...	...	...	...	...	...	6	129	1,219	2,311	2,388	2,095	1,587
Female	6,060	...	...	...	...	...	...	3	32	272	489	628	587	544
All other	2,138	...	...	...	...	...	...	1	34	186	368	349	291	197
Male	1,689	...	...	...	...	...	...	1	16	151	300	289	245	149
Female	449	...	...	...	...	...	...	–	18	35	68	60	46	48
Black	1,623	...	...	...	...	...	...	–	27	119	280	271	234	145
Male	1,321	...	...	...	...	...	...	–	12	94	227	230	201	118
Female	302	...	...	...	...	...	...	–	15	25	53	41	33	27
Homicide and legal intervention (E960-E978)	20,191	193	118	99	57	46	513	144	213	1,642	3,395	3,453	2,748	1,965
Male	15,514	92	69	57	25	30	273	80	140	1,255	2,683	2,731	2,226	1,564
Female	4,677	101	49	42	32	16	240	64	73	387	712	722	522	401
White	11,235	104	64	49	28	25	270	95	138	833	1,760	1,617	1,420	1,117
Male	8,355	50	40	29	11	17	147	52	83	611	1,368	1,408	1,140	877
Female	2,880	54	24	20	17	8	123	43	59	222	392	409	280	240
All other	8,956	89	54	50	29	21	243	49	77	809	1,635	1,836	1,328	848
Male	7,159	42	29	28	14	13	126	28	57	644	1,315	1,323	1,086	687
Female	1,797	47	25	22	15	8	117	21	20	165	320	313	242	161
Black	8,494	81	46	49	27	20	223	43	73	765	1,561	1,547	1,274	812
Male	6,822	39	25	27	13	12	116	28	54	615	1,255	1,264	1,043	662
Female	1,672	42	21	22	14	8	107	17	19	150	306	283	231	150

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	619	753	959	1,436	1,942	2,223	2,567	2,702	2,445	2,238	1,550	682	240	82
Male	403	480	623	943	1,300	1,422	1,563	1,485	1,148	892	487	190	69	48
Female	216	273	336	493	642	801	1,004	1,237	1,297	1,346	1,063	492	171	34
White	414	513	702	1,078	1,505	1,722	2,008	2,127	1,973	1,912	1,342	562	157	60
Male	271	328	458	711	1,007	1,114	1,245	1,185	902	757	411	157	35	36
Female	143	185	244	367	498	608	763	962	1,071	1,155	931	405	122	24
All other	205	240	257	358	437	501	559	575	472	328	208	120	83	22
Male	132	152	165	232	293	308	318	300	246	135	76	33	34	12
Female	73	88	92	126	144	193	241	275	226	191	132	87	49	10
Black	194	231	249	342	424	480	539	557	443	318	201	111	77	18
Male	126	148	162	221	280	291	307	290	226	193	74	29	31	9
Female	68	83	87	121	144	189	232	267	217	185	127	82	46	9
All other diseases (Residual)	2,774	3,307	4,601	7,051	9,559	12,328	15,123	17,950	17,626	15,154	8,596	2,733	474	24
Male	1,675	1,967	2,608	4,111	5,507	6,913	8,018	8,925	7,680	5,846	2,742	742	120	16
Female	1,099	1,340	1,993	2,940	4,052	5,415	7,105	9,025	9,946	9,508	5,854	1,991	354	8
White	1,907	2,379	3,637	5,660	7,874	10,638	13,253	16,074	16,006	14,032	8,003	2,479	387	16
Male	1,141	1,412	2,137	3,292	4,555	5,964	7,038	7,980	6,941	5,174	2,541	665	96	11
Female	766	967	1,500	2,368	3,319	4,674	6,215	8,094	9,065	8,858	5,462	1,814	291	5
All other	867	928	1,164	1,391	1,685	1,690	1,870	1,876	1,620	1,122	593	254	87	8
Male	534	555	671	819	952	949	980	945	739	472	201	77	24	5
Female	333	373	493	572	733	741	890	931	881	650	392	177	63	3
Black	818	854	1,081	1,295	1,585	1,569	1,723	1,698	1,481	1,015	520	222	76	7
Male	510	520	620	768	902	866	881	840	655	426	174	61	20	4
Female	308	334	461	527	683	703	842	858	826	589	346	161	56	3
Accidents and adverse effects (E800-E949)	4,101	3,541	3,756	4,037	4,110	4,046	4,290	4,484	4,424	3,744	2,105	637	124	118
Male	3,105	2,649	2,756	2,896	2,821	2,575	2,494	2,420	2,123	1,581	786	219	35	101
Female	996	892	1,000	1,141	1,289	1,471	1,796	2,064	2,301	2,163	1,319	418	89	17
White	3,354	2,854	3,071	3,334	3,453	3,417	3,685	3,954	3,967	3,476	1,987	589	105	92
Male	2,526	2,134	2,256	2,377	2,357	2,154	2,124	2,109	1,883	1,451	735	197	25	81
Female	828	720	815	957	1,096	1,263	1,561	1,845	2,084	2,025	1,252	392	80	11
All other	747	687	685	703	657	629	605	530	457	268	118	48	19	26
Male	579	515	500	519	464	421	370	311	240	130	51	22	10	20
Female	168	172	185	184	193	208	235	219	217	138	67	26	9	6
Black	632	586	591	631	594	568	533	473	415	233	108	44	16	21
Male	493	451	430	468	416	374	320	269	214	113	48	20	8	15
Female	139	135	161	163	178	192	213	204	201	120	62	24	8	6
Motor vehicle accidents (E810-E825)	2,105	1,730	1,700	1,648	1,612	1,445	1,382	1,260	921	488	150	14	9	27
Male	1,504	1,246	1,183	1,127	1,049	885	795	713	538	287	100	6	1	24
Female	601	484	517	521	563	560	587	547	383	181	50	8	8	3
White	1,778	1,442	1,433	1,417	1,413	1,271	1,239	1,130	855	441	143	14	6	21
Male	1,258	1,035	991	946	909	765	696	630	494	269	95	6	-	19
Female	520	407	442	471	504	506	543	500	361	172	48	8	6	2
All other	327	288	267	231	199	174	143	130	66	27	7	-	3	6
Male	246	211	192	181	140	120	99	83	44	18	5	-	1	5
Female	81	77	75	50	59	54	44	47	22	9	2	-	2	1
Black	268	229	224	199	176	140	115	109	54	21	6	-	1	6
Male	208	175	166	158	126	95	81	67	36	14	4	-	-	5
Female	60	54	58	41	50	45	34	42	18	7	2	-	1	1
All other accidents and adverse effects (E800-E807,E826-E949)	1,996	1,811	2,056	2,389	2,498	2,601	2,908	3,224	3,503	3,276	1,955	623	115	91
Male	1,601	1,403	1,573	1,769	1,772	1,690	1,699	1,707	1,585	1,294	686	213	34	77
Female	395	408	483	620	726	911	1,209	1,517	1,918	1,982	1,269	410	81	14
White	1,576	1,412	1,638	1,917	2,040	2,146	2,446	2,824	3,112	3,035	1,844	575	89	71
Male	1,268	1,099	1,265	1,431	1,448	1,389	1,428	1,479	1,389	1,182	640	191	25	62
Female	308	313	373	486	592	757	1,018	1,345	1,723	1,853	1,204	384	74	9
All other	420	399	418	472	458	455	462	400	391	241	111	48	16	20
Male	333	304	308	338	324	301	271	228	196	112	48	22	9	15
Female	87	95	110	134	134	154	191	172	195	129	65	26	7	5
Black	366	357	367	432	418	426	416	364	361	212	102	44	15	15
Male	287	276	264	310	290	279	239	202	178	99	42	20	8	10
Female	79	81	103	122	128	147	179	162	183	113	60	24	7	5
Suicide (E950-E959)	1,978	1,729	1,900	1,977	1,696	1,509	1,415	1,123	748	367	105	17	-	15
Male	1,433	1,224	1,366	1,426	1,258	1,139	1,108	913	622	296	86	15	-	14
Female	545	505	534	551	438	370	307	210	126	71	19	2	-	1
White	1,844	1,605	1,811	1,878	1,629	1,453	1,359	1,084	719	355	101	17	-	12
Male	1,339	1,129	1,304	1,353	1,206	1,090	1,063	886	597	287	82	15	-	11
Female	505	476	507	525	423	363	296	198	122	68	19	2	-	1
All other	134	124	89	99	67	56	56	39	29	12	4	-	-	3
Male	94	95	62	73	52	49	45	27	25	9	4	-	-	3
Female	40	29	27	26	15	7	11	12	4	3	-	-	-	-
Black	108	93	73	73	52	50	42	25	19	8	3	-	-	1
Male	77	74	53	64	42	44	37	20	19	5	3	-	-	1
Female	31	19	20	9	10	6	5	5	-	3	-	-	-	-
Homicide and legal intervention (E960-E978)	1,512	1,065	883	757	597	412	290	255	155	80	34	14	1	63
Male	1,202	818	704	578	467	279	198	135	79	38	11	8	-	47
Female	310	247	179	179	130	133	92	120	76	44	23	6	1	16
White	894	627	537	461	373	271	194	169	111	59	30	11	1	49
Male	691	463	409	333	267	177	124	81	40	24	9	5	-	37
Female	203	164	128	128	106	94	70	88	62	35	21	6	1	12
All other	618	438	346	296	224	141	96	86	44	21	4	3	-	14
Male	511	355	295	245	200	102	74	54	30	12	2	3	-	10
Female	107	83	51	51	24	39	22	32	14	9	2	-	-	4
Black	582	408	321	283	213	134	91	82	43	21	4	3	-	11
Male	484	332	275	235	190	96	71	51	29	12	2	3	-	7
Female	98	76	46	48	23	38	20	31	14	9	2	-	-	4

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,117	56	31	23	14	3	127	26	49	164	348	423	384	275
Male	2,193	27	19	13	11	3	73	14	42	124	252	318	297	190
Female	924	29	12	10	3	–	54	12	7	40	96	105	87	85
White	2,327	20	19	13	5	1	58	15	36	128	253	313	267	205
Male	1,634	9	11	7	4	1	32	8	31	100	186	237	221	145
Female	693	11	8	6	1	–	26	7	5	28	67	76	66	59
All other	790	36	12	10	9	2	69	11	13	36	95	110	97	70
Male	559	18	8	6	7	2	41	6	11	24	66	81	76	44
Female	231	18	4	4	2	–	28	5	2	12	29	29	21	26
Black	699	34	9	10	8	2	63	11	12	31	78	97	86	63
Male	492	17	7	6	6	2	38	6	10	20	52	72	66	40
Female	207	17	2	4	2	–	25	5	2	11	26	25	20	23

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	230	165	195	190	123	111	82	77	62	39	24	4	-	19
Male	166	111	136	130	79	77	57	51	29	19	11	2	-	15
Female	64	54	59	60	44	34	25	26	33	20	13	2	-	4
White	169	124	142	153	91	94	68	66	53	33	20	3	-	16
Male	116	83	94	103	54	66	48	45	24	15	10	1	-	14
Female	53	41	48	50	37	28	20	21	29	18	10	2	-	2
All other	61	41	53	37	32	17	14	11	9	6	4	1	-	3
Male	50	28	42	27	25	11	9	6	5	4	1	1	-	1
Female	11	13	11	10	7	6	5	5	4	2	3	-	-	2
Black	53	38	47	32	30	15	12	11	8	5	3	1	-	3
Male	44	25	38	24	23	10	8	6	5	3	-	1	-	1
Female	9	13	9	8	7	5	4	5	3	2	3	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	19,145	424	84	113	575	631	755	1,537	3,336	5,271	4,574	1,843	16,415	350	68	75	205	256	405	686	1,960	3,550	4,840	3,812
White	13,668	223	48	69	413	350	499	1,067	2,461	3,946	3,404	1,368	11,791	173	42	42	138	167	241	572	1,330	2,520	3,608	2,955
All other	5,277	201	36	44	162	281	256	450	875	1,325	1,170	475	4,624	177	26	33	67	89	164	314	630	1,030	1,232	857
Black	5,262	199	36	42	162	278	255	448	873	1,324	1,169	474	4,614	176	26	33	67	89	162	314	629	1,025	1,231	857
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	4	3	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	45	-	-	-	-	1	1	8	4	13	11	7	18	-	-	-	1	-	1	2	2	3	6	3
White	22	-	-	-	-	-	1	4	1	5	8	3	11	-	-	-	-	-	-	1	1	1	6	2
All other	23	-	-	-	-	1	-	4	3	8	3	4	7	-	-	-	1	-	1	1	1	2	-	1
Black	23	-	-	-	-	1	-	4	3	8	3	4	7	-	-	-	1	-	1	1	1	2	-	1
Tuberculosis of respiratory system (010-012)	38	-	-	-	-	1	-	8	3	10	9	7	14	-	-	-	-	-	1	2	2	2	6	1
White	19	-	-	-	-	-	-	4	1	5	6	3	10	-	-	-	-	-	-	1	1	1	6	1
All other	19	-	-	-	-	1	-	4	2	5	3	4	4	-	-	-	-	-	1	1	1	1	-	-
Black	19	-	-	-	-	1	-	4	2	5	3	4	4	-	-	-	-	-	1	1	1	1	-	-
Other tuberculosis (013-018)	7	-	-	-	-	-	1	-	1	3	2	-	4	-	-	-	1	-	-	-	-	1	-	2
White	3	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	1	-	-	-	-	1	-	1
Black	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	1	-	-	-	-	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	1
White	2	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	2	-	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Black	2	-	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Septicemia (038)	99	4	-	1	-	1	4	3	10	27	35	14	124	3	1	-	-	1	3	2	14	31	42	27
White	63	2	-	1	-	-	1	1	5	20	23	10	84	1	-	-	-	-	2	1	5	23	30	22
All other	36	2	-	-	-	1	3	2	5	7	12	4	40	2	1	-	-	1	1	1	9	8	12	5
Black	36	2	-	-	-	1	3	2	5	7	12	4	40	2	1	-	-	1	1	1	9	8	12	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	1	1	2	2	1	-	-	13	-	-	-	2	1	1	1	4	2	2	-
White	6	-	-	-	-	-	1	2	2	1	-	-	9	-	-	-	-	1	1	-	3	2	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	2	-	-	1	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	2	-	-	1	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	36	3	-	2	-	2	2	4	6	6	9	2	32	2	2	-	2	1	2	2	3	5	10	3
White	21	1	-	1	-	-	-	2	2	6	8	1	21	2	2	-	-	1	1	-	2	3	8	2
All other	15	2	-	1	-	2	2	2	4	-	1	1	11	-	-	-	2	-	1	2	1	2	2	1
Black	15	2	-	1	-	2	2	2	4	-	1	1	11	-	-	-	2	-	1	2	1	2	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,125	-	7	11	21	36	107	362	988	1,418	940	237	3,338	1	5	11	14	44	128	334	699	963	796	342
White	3,016	-	6	6	15	24	81	266	733	1,070	657	158	2,536	1	5	5	7	29	86	241	530	746	623	263
All other	1,109	-	1	5	6	12	26	96	253	348	283	79	802	-	-	6	7	15	42	93	169	217	173	79
Black	1,106	-	1	4	6	11	26	96	252	348	283	79	797	-	-	6	7	15	41	93	168	214	173	79

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	71	-	-	-	2	-	2	14	16	26	9	2	55	-	-	1	1	-	2	2	14	14	16	5
White	55	-	-	-	2	-	-	9	11	23	8	2	46	-	-	-	-	-	2	1	12	11	15	5
All other	16	-	-	-	-	-	2	5	5	3	1	-	9	-	-	1	1	-	-	1	2	3	1	-
Black	16	-	-	-	-	-	2	5	5	3	1	-	8	-	-	1	1	-	-	1	1	3	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	866	-	-	-	4	3	26	75	189	294	214	61	831	1	-	-	2	5	6	51	130	268	248	120
White	585	-	-	-	2	-	15	53	117	206	150	42	623	1	-	-	1	1	5	30	87	199	206	93
All other	281	-	-	-	2	3	11	22	72	88	64	19	208	-	-	-	1	4	1	21	43	69	42	27
Black	281	-	-	-	2	3	11	22	72	88	64	19	207	-	-	-	1	4	1	21	43	68	42	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,628	-	-	-	1	2	33	169	490	621	279	33	532	-	-	-	-	2	13	59	162	164	112	19
White	1,289	-	-	-	-	1	25	127	386	494	220	26	438	-	-	-	-	1	8	50	137	143	87	12
All other	339	-	-	-	1	1	8	42	94	127	59	7	94	-	-	-	-	1	5	9	25	21	25	7
Black	339	-	-	-	1	1	8	42	94	127	59	7	94	-	-	-	-	1	5	9	25	21	25	7
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	2	2	1	-	602	-	-	-	1	16	49	108	143	146	94	45
White	2	-	-	-	-	-	-	-	1	1	-	-	464	-	-	-	-	11	31	81	112	117	77	35
All other	3	-	-	-	-	-	-	-	1	1	1	-	138	-	-	-	1	5	18	27	31	29	17	10
Black	3	-	-	-	-	-	-	-	1	1	1	-	137	-	-	-	1	5	18	27	31	28	17	10
Malignant neoplasms of genital organs (179-187)	465	-	1	-	1	3	1	6	45	154	183	71	405	-	-	1	3	7	23	42	79	121	94	35
White	264	-	1	-	1	3	1	2	21	101	101	33	269	-	-	-	1	6	13	29	49	91	59	21
All other	201	-	-	-	-	-	-	4	24	53	82	38	136	-	-	1	2	1	10	13	30	30	35	14
Black	201	-	-	-	-	-	-	4	24	53	82	38	136	-	-	1	2	1	10	13	30	30	35	14
Malignant neoplasms of urinary organs (188-189)	158	-	-	1	-	1	3	9	22	57	51	14	90	-	-	-	-	1	6	5	16	22	28	12
White	118	-	-	1	-	-	3	6	17	43	38	10	68	-	-	-	-	1	5	3	10	16	22	11
All other	40	-	-	-	-	1	-	3	5	14	13	4	22	-	-	-	-	-	1	2	6	6	6	1
Black	40	-	-	-	-	1	-	3	5	14	13	4	22	-	-	-	-	-	1	2	6	6	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	572	-	3	3	5	19	30	68	149	155	111	31	499	-	2	5	2	6	17	42	103	122	127	73
White	433	-	3	1	5	16	26	49	117	117	76	23	370	-	2	3	1	5	13	28	81	84	96	57
All other	139	-	-	2	-	3	4	17	32	38	35	8	129	-	-	2	1	1	4	14	22	38	31	16
Black	137	-	-	2	-	2	4	17	31	38	35	8	127	-	-	2	1	1	3	14	22	37	31	16
Leukemia (204-208)	156	-	3	5	2	6	5	5	33	45	38	14	133	-	2	4	4	5	8	9	21	38	25	17
White	121	-	2	3	2	3	5	4	27	33	30	12	107	-	2	2	3	3	6	8	19	28	21	15
All other	35	-	1	2	-	3	-	1	6	12	8	2	26	-	-	2	1	2	2	1	2	10	4	2
Black	34	-	1	1	-	3	-	1	6	12	8	2	26	-	-	2	1	2	2	1	2	10	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	204	-	-	2	6	2	7	18	40	64	54	11	191	-	1	-	1	2	4	16	31	68	52	16
White	149	-	-	1	3	1	6	16	26	52	34	10	151	-	1	-	1	1	3	11	23	57	40	14
All other	55	-	-	1	3	1	1	2	14	12	20	1	40	-	-	-	-	1	1	5	8	11	12	2
Black	55	-	-	1	3	1	1	2	14	12	20	1	40	-	-	-	-	1	1	5	8	11	12	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	49	1	1	2	1	1	1	5	11	7	14	5	60	-	1	-	1	2	2	2	8	17	18	9
White	38	1	-	2	1	1	1	3	8	4	12	5	43	-	-	-	1	1	2	2	5	14	10	8
All other	11	-	1	-	-	-	-	2	3	3	2	-	17	-	1	-	-	1	-	-	3	3	8	1
Black	11	-	1	-	-	-	-	2	3	3	2	-	17	-	1	-	-	1	-	-	3	3	8	1
Diabetes mellitus (250)	219	-	-	-	1	1	9	22	38	70	59	19	384	-	-	-	-	2	5	30	57	128	117	47
White	145	-	-	-	-	1	4	16	26	44	37	17	226	-	-	-	-	1	3	17	29	76	68	32
All other	74	-	-	-	1	-	5	6	12	26	22	2	158	-	-	-	-	1	2	13	28	50	49	15
Black	74	-	-	-	1	-	5	6	12	26	22	2	158	-	-	-	-	1	2	13	28	50	49	15
Nutritional deficiencies (260-269)	29	-	-	1	-	-	1	-	5	3	11	8	30	-	-	-	-	-	-	1	-	4	13	12
White	15	-	-	-	-	-	-	-	2	2	7	4	15	-	-	-	-	-	-	1	-	2	7	5
All other	14	-	-	1	-	-	1	-	3	1	4	4	15	-	-	-	-	-	-	-	-	2	6	7
Black	14	-	-	1	-	-	1	-	3	1	4	4	15	-	-	-	-	-	-	-	-	2	6	7
Anemias (280-285)	37	1	-	-	2	3	3	1	5	6	9	7	51	1	1	2	2	1	2	1	2	10	18	11
White	28	-	-	-	-	-	1	1	5	5	9	7	42	-	-	-	2	-	2	1	1	8	18	10
All other	9	1	-	-	2	3	2	-	-	1	-	-	9	1	1	2	-	1	-	-	1	2	-	1
Black	9	1	-	-	2	3	2	-	-	1	-	-	9	1	1	2	-	1	-	-	1	2	-	1
Meningitis (320-322)	11	5	-	-	-	-	-	3	1	2	-	-	9	3	2	-	1	-	-	-	2	-	1	-
White	8	2	-	-	-	-	-	3	1	2	-	-	5	-	2	-	1	-	-	-	1	-	1	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	8,260	11	3	2	20	73	210	581	1,426	2,561	2,308	1,064	8,069	13	2	3	17	31	101	263	709	1,640	2,803	2,483
White	6,177	3	1	1	8	37	134	419	1,068	1,911	1,775	820	5,877	6	2	3	9	14	54	149	438	1,124	2,113	1,964
All other	2,083	8	2	1	12	36	76	162	358	650	533	244	2,192	7	-	-	8	17	47	114	271	516	690	519
Black	2,076	7	2	1	12	35	76	162	357	649	533	243	2,190	7	-	-	8	17	47	114	271	514	690	519

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,629	11	3	2	11	56	175	492	1,218	2,111	1,770	779	5,818	11	2	2	10	22	70	194	546	1,240	2,046	1,673
White	5,051	3	1	1	1	27	119	375	933	1,612	1,377	602	4,331	5	2	2	6	10	43	120	349	863	1,604	1,326
All other	1,578	8	2	1	10	29	56	117	285	499	393	177	1,487	6	-	-	4	12	27	74	197	377	442	347
Black	1,574	7	2	1	10	28	56	117	284	499	393	176	1,485	6	-	-	4	12	27	74	197	375	442	347
Rheumatic fever and rheumatic heart disease (390-398)	21	-	-	-	1	2	4	3	2	5	3	1	46	-	-	-	-	-	3	4	6	17	12	4
White	17	-	-	-	-	1	2	3	2	5	3	1	37	-	-	-	-	-	3	4	6	11	10	3
All other	4	-	-	-	1	1	2	-	-	-	-	-	9	-	-	-	-	-	-	-	-	6	2	1
Black	4	-	-	-	1	1	2	-	-	-	-	-	9	-	-	-	-	-	-	-	-	6	2	1
Hypertensive heart disease (402)	175	-	-	-	-	1	5	6	43	42	51	25	224	-	-	-	-	-	4	6	22	55	71	66
White	90	-	-	-	-	-	2	2	20	20	31	15	131	-	-	-	-	-	1	1	8	34	41	46
All other	85	-	-	-	-	1	3	6	23	22	20	10	93	-	-	-	-	-	3	5	14	21	30	20
Black	85	-	-	-	-	1	3	6	23	22	20	10	93	-	-	-	-	-	3	5	14	21	30	20
Hypertensive heart and renal disease (404)	33	-	-	-	-	-	-	3	7	9	9	5	24	-	-	-	-	-	-	-	6	5	8	5
White	15	-	-	-	-	-	-	-	2	3	5	5	14	-	-	-	-	-	-	-	3	1	6	4
All other	18	-	-	-	-	-	-	3	5	6	4	-	10	-	-	-	-	-	-	-	3	4	2	1
Black	18	-	-	-	-	-	-	3	5	6	4	-	10	-	-	-	-	-	-	-	3	4	2	1
Ischemic heart disease (410-414)	4,565	1	-	-	1	20	114	385	878	1,505	1,199	461	3,696	-	-	-	-	3	32	114	349	837	1,326	1,039
White	3,719	-	-	-	-	16	91	307	707	1,226	988	384	2,933	-	-	-	-	1	23	79	248	622	1,098	861
All other	846	1	-	-	1	4	23	58	171	279	211	97	763	-	-	-	-	2	9	35	101	215	228	172
Black	845	1	-	-	1	4	23	58	170	279	211	97	761	-	-	-	-	2	9	35	101	213	228	172
Acute myocardial infarction (410)	3,164	-	-	-	1	16	93	283	658	1,072	778	262	2,291	-	-	-	-	3	22	76	261	601	835	491
White	2,575	-	-	-	-	12	75	234	535	871	635	213	1,785	-	-	-	-	1	16	50	184	443	690	400
All other	589	-	-	-	1	4	18	49	123	201	143	49	506	-	-	-	-	2	6	26	77	158	145	91
Black	588	-	-	-	1	4	18	49	122	201	143	49	505	-	-	-	-	2	6	26	77	157	145	91
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	2	4	4	8	7	1	23	-	-	-	-	-	2	4	3	4	5	5
White	19	-	-	-	-	-	2	3	3	5	6	-	13	-	-	-	-	-	2	3	1	-	3	4
All other	7	-	-	-	-	-	-	1	1	3	1	1	10	-	-	-	-	-	-	1	2	4	2	1
Black	7	-	-	-	-	-	-	1	1	3	1	1	10	-	-	-	-	-	-	1	2	4	2	1
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	1	3	-	5	-	-	-	-	-	-	1	-	-	1	3
White	3	-	-	-	-	-	-	-	-	-	3	-	5	-	-	-	-	-	-	1	-	-	1	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,371	1	-	-	-	4	19	78	216	424	411	218	1,377	-	-	-	-	-	8	33	85	232	485	534
White	1,122	-	-	-	-	4	14	70	169	350	344	171	1,130	-	-	-	-	-	5	25	63	179	404	454
All other	249	1	-	-	-	-	5	8	47	74	67	47	247	-	-	-	-	-	3	8	22	53	81	80
Black	249	1	-	-	-	-	5	8	47	74	67	47	246	-	-	-	-	-	3	8	22	52	81	80
Other diseases of endocardium (424)	61	-	-	-	1	-	1	2	10	25	15	7	53	-	-	-	-	1	-	2	9	11	20	10
White	46	-	-	-	-	-	1	1	6	21	13	4	39	-	-	-	-	1	-	1	5	10	13	9
All other	15	-	-	-	1	-	-	1	4	4	2	3	14	-	-	-	-	-	-	1	4	1	7	1
Black	15	-	-	-	1	-	-	1	4	4	2	3	14	-	-	-	-	-	-	1	4	1	7	1
All other forms of heart disease (415-423,425-429)	1,774	10	3	2	8	33	51	111	278	525	493	260	1,775	11	2	2	10	18	31	68	154	315	609	555
White	1,164	3	1	1	1	10	23	62	196	337	337	193	1,177	5	2	2	6	8	16	35	79	185	436	403
All other	610	7	2	1	7	23	28	49	82	188	156	67	598	6	-	-	4	10	15	33	75	130	173	152
Black	607	6	2	1	7	22	28	49	82	188	156	66	598	6	-	-	4	10	15	33	75	130	173	152
Hypertension with or without renal disease (401,403)	76	-	-	-	1	1	2	11	13	22	18	8	99	-	-	-	-	-	1	5	12	19	36	26
White	38	-	-	-	1	-	1	4	6	11	9	6	45	-	-	-	-	-	-	-	4	10	14	17
All other	38	-	-	-	-	1	1	7	7	11	9	2	54	-	-	-	-	-	1	5	8	9	22	9
Black	38	-	-	-	-	1	1	7	7	11	9	2	54	-	-	-	-	-	1	5	8	9	22	9
Cerebrovascular diseases (430-438)	1,247	-	-	-	7	11	28	66	148	340	436	211	1,847	2	-	1	7	8	27	57	132	328	621	662
White	838	-	-	-	6	7	12	33	89	213	321	157	1,261	1	-	1	3	4	10	25	75	213	419	510
All other	409	-	-	-	1	4	16	33	59	127	115	54	586	1	-	-	4	4	17	32	57	115	202	152
Black	408	-	-	-	1	4	16	33	59	126	115	54	586	1	-	-	4	4	17	32	57	115	202	152
Intracerebral and other intracranial hemorrhage (431-432)	179	-	-	-	3	1	18	17	36	49	37	18	192	2	-	-	1	4	5	16	30	49	58	27
White	111	-	-	-	3	-	8	8	21	32	30	9	138	1	-	-	1	3	2	6	19	35	48	21
All other	68	-	-	-	-	1	10	9	15	17	7	9	54	1	-	-	-	1	3	8	11	14	10	6
Black	68	-	-	-	-	1	10	9	15	17	7	9	54	1	-	-	-	1	3	8	11	14	10	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	241	-	-	-	1	3	2	6	35	62	91	41	275	-	-	-	-	1	3	6	13	42	94	113
White	173	-	-	-	1	2	2	4	26	42	64	32	193	-	-	-	-	-	1	2	9	29	62	90
All other	68	-	-	-	-	1	-	2	9	20	27	9	82	-	-	-	-	1	2	6	4	13	32	23
Black	68	-	-	-	-	1	-	2	9	20	27	9	82	-	-	-	-	1	2	6	4	13	32	23

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	824	-	-	-	3	7	8	43	77	228	308	150	1,378	-	-	1	6	3	19	33	69	237	468	521
White	551	-	-	-	2	5	2	21	42	138	227	114	928	-	-	1	2	1	7	15	47	149	308	398
All other	273	-	-	-	1	2	6	22	35	90	81	36	450	-	-	-	4	2	12	18	42	88	160	123
Black	272	-	-	-	1	2	6	22	35	89	81	36	450	-	-	-	4	2	12	18	42	88	160	123
Atherosclerosis (440)	101	-	-	-	-	-	-	2	6	16	31	46	192	-	-	-	-	-	-	3	6	20	67	96
White	82	-	-	-	-	-	-	2	4	11	24	41	160	-	-	-	-	-	-	2	3	13	53	89
All other	19	-	-	-	-	-	-	-	2	5	7	5	32	-	-	-	-	-	-	1	3	7	14	7
Black	19	-	-	-	-	-	-	-	2	5	7	5	32	-	-	-	-	-	-	1	3	7	14	7
Other diseases of arteries, arterioles, and capillaries (441-448)	207	-	-	-	1	5	5	10	41	72	53	20	113	-	-	-	-	1	3	4	13	33	33	28
White	168	-	-	-	-	3	2	5	36	64	44	14	80	-	-	-	-	-	1	2	7	25	23	22
All other	39	-	-	-	1	2	3	5	5	8	9	6	33	-	-	-	-	1	2	2	6	8	10	4
Black	39	-	-	-	1	2	3	5	5	8	9	6	33	-	-	-	-	1	2	2	6	8	10	4
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	391	4	1	3	1	5	10	18	43	75	115	116	396	8	1	1	1	4	1	7	24	54	121	173
White	284	1	1	1	1	2	7	7	25	56	88	95	312	1	-	1	1	3	1	5	17	45	101	136
All other	107	3	-	2	-	3	3	11	18	19	27	21	84	7	1	-	-	1	-	2	7	9	20	37
Black	107	3	-	2	-	3	3	11	18	19	27	21	84	7	1	-	-	1	-	2	7	9	20	37
Pneumonia (480-486)	385	4	1	3	1	5	10	18	43	72	113	115	385	8	1	1	1	4	1	6	23	52	118	169
White	280	1	1	1	1	2	7	7	25	54	87	94	304	1	-	1	1	3	1	4	16	44	99	133
All other	105	3	-	2	-	3	3	11	18	18	26	21	81	7	1	-	-	1	-	2	7	8	19	36
Black	105	3	-	2	-	3	3	11	18	18	26	21	81	7	1	-	-	1	-	2	7	8	19	36
Influenza (487)	6	-	-	-	-	-	-	-	-	3	2	1	11	-	-	-	-	-	-	1	1	2	3	4
White	4	-	-	-	-	-	-	-	-	2	1	1	8	-	-	-	-	-	-	1	1	1	2	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	742	-	-	1	1	1	7	39	107	275	262	49	293	-	-	-	2	1	-	19	59	99	83	30
White	655	-	-	-	1	1	6	32	93	249	236	37	270	-	-	-	1	1	-	14	56	93	78	27
All other	87	-	-	1	-	-	1	7	14	26	26	12	23	-	-	-	1	-	-	5	3	6	5	3
Black	87	-	-	1	-	-	1	7	14	26	26	12	23	-	-	-	1	-	-	5	3	6	5	3
Bronchitis, chronic and unspecified (490-491)	30	-	-	-	-	-	-	1	5	11	12	1	11	-	-	-	-	-	-	1	2	2	4	2
White	28	-	-	-	-	-	-	1	5	10	12	-	9	-	-	-	-	-	-	-	2	2	3	2
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Emphysema (492)	155	-	-	-	-	-	2	8	26	64	46	9	48	-	-	-	-	-	-	2	8	21	16	1
White	143	-	-	-	-	-	2	8	24	62	39	8	46	-	-	-	-	-	-	2	8	20	15	1
All other	12	-	-	-	-	-	-	-	2	2	7	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	12	-	-	-	-	-	-	-	2	2	7	1	2	-	-	-	-	-	-	-	-	1	1	-
Asthma (493)	15	-	-	1	1	-	2	2	2	4	1	2	18	-	-	-	2	-	-	3	5	3	3	2
White	10	-	-	-	1	-	2	1	1	3	1	1	12	-	-	-	1	-	-	1	4	1	3	2
All other	5	-	-	1	-	-	-	1	1	1	-	1	6	-	-	-	1	-	-	2	1	2	-	-
Black	5	-	-	1	-	-	-	1	1	1	-	1	6	-	-	-	1	-	-	2	1	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	542	-	-	-	-	1	3	28	74	196	203	37	216	-	-	-	-	1	-	13	44	73	60	25
White	474	-	-	-	-	1	2	22	63	174	184	28	203	-	-	-	-	1	-	11	42	70	57	22
All other	68	-	-	-	-	-	1	6	11	22	19	9	13	-	-	-	-	-	-	2	2	3	3	3
Black	68	-	-	-	-	-	1	6	11	22	19	9	13	-	-	-	-	-	-	2	2	3	3	3
Ulcer of stomach and duodenum (531-533)	50	-	-	-	-	1	2	7	12	14	12	2	48	-	-	-	-	-	-	1	6	17	16	8
White	36	-	-	-	-	-	1	4	11	10	9	1	34	-	-	-	-	-	-	1	2	13	11	7
All other	14	-	-	-	-	1	1	3	1	4	3	1	14	-	-	-	-	-	-	-	4	4	5	1
Black	14	-	-	-	-	1	1	3	1	4	3	1	14	-	-	-	-	-	-	-	4	4	5	1
Appendicitis (540-543)	10	-	-	1	-	-	-	-	1	3	3	2	3	-	-	-	-	-	1	1	1	-	-	-
White	6	-	-	-	-	-	-	-	1	2	1	2	1	-	-	-	-	-	1	-	-	-	-	-
All other	4	-	-	1	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	4	-	-	1	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	33	2	-	-	1	1	1	2	2	11	8	4	51	1	-	1	-	-	1	3	5	10	15	15
White	16	-	-	-	1	-	-	1	1	6	4	3	37	1	-	-	-	-	1	1	3	6	12	13
All other	17	2	-	-	-	1	1	1	1	5	4	1	14	-	-	1	-	-	-	2	2	4	3	2
Black	17	2	-	-	-	1	1	1	1	5	4	1	14	-	-	1	-	-	-	2	2	4	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	214	-	-	-	-	10	31	48	67	46	11	1	139	-	-	-	-	3	10	25	35	40	26	-
White	172	-	-	-	-	3	22	38	58	40	10	1	103	-	-	-	-	1	4	17	29	33	19	-
All other	42	-	-	-	-	7	9	10	9	6	1	-	36	-	-	-	-	2	6	8	6	7	7	-
Black	42	-	-	-	-	7	9	10	9	6	1	-	36	-	-	-	-	2	6	8	6	7	7	-
Cholelithiasis and other disorders of gallbladder (574-575)	26	-	-	-	-	-	-	1	6	6	8	4	29	-	-	-	-	-	-	2	2	6	8	11
White	23	-	-	-	-	-	-	1	5	6	8	3	22	-	-	-	-	-	-	1	2	4	4	11
All other	3	-	-	-	-	-	-	-	1	-	1	1	7	-	-	-	-	-	-	1	-	2	4	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	7	-	-	-	-	-	-	1	-	2	4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	186	5	-	2	-	2	2	7	18	51	63	36	200	2	-	-	-	1	5	10	26	46	63	47
White	114	3	-	1	-	1	2	3	13	38	36	18	114	1	-	-	-	-	1	4	11	24	41	32
All other	72	2	-	1	-	1	-	4	5	15	27	17	86	1	-	-	-	1	4	6	15	22	22	15
Black	72	2	-	1	-	1	-	4	5	15	27	17	86	1	-	-	-	1	4	6	15	22	22	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	-	-	-	-	-	-	1	4	4	7	2	21	-	-	-	-	-	-	2	1	4	10	4
White	12	-	-	-	-	-	-	1	1	3	5	2	14	-	-	-	-	-	-	2	1	2	5	4
All other	6	-	-	-	-	-	-	-	3	1	2	-	7	-	-	-	-	-	-	-	-	2	5	-
Black	6	-	-	-	-	-	-	-	3	1	2	-	7	-	-	-	-	-	-	-	-	2	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	166	5	-	2	-	2	2	6	14	46	56	33	178	2	-	-	-	1	5	8	25	41	53	43
White	101	3	-	1	-	1	2	2	12	33	31	16	100	1	-	-	-	-	1	2	10	22	36	28
All other	65	2	-	1	-	1	-	4	2	13	25	17	78	1	-	-	-	1	4	6	15	19	17	15
Black	65	2	-	1	-	1	-	4	2	13	25	17	78	1	-	-	-	1	4	6	15	19	17	15
Infections of kidney (590)	22	1	-	-	-	-	-	-	2	6	9	4	42	-	-	-	-	-	-	2	-	8	9	23
White	14	1	-	-	-	-	-	-	2	4	5	2	32	-	-	-	-	-	-	1	-	5	7	19
All other	8	-	-	-	-	-	-	-	-	2	4	2	10	-	-	-	-	-	-	1	-	3	2	4
Black	8	-	-	-	-	-	-	-	-	2	4	2	10	-	-	-	-	-	-	1	-	3	2	4
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	1	1	2	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	2	-	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	1	1	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	1	1	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Congenital anomalies (740-759)	106	71	8	3	10	3	3	-	4	1	2	1	104	70	5	2	4	3	4	3	2	4	6	1
White	79	54	5	1	7	2	3	-	4	-	2	1	63	45	1	-	3	-	2	2	-	4	5	1
All other	27	17	3	2	3	1	-	-	-	1	-	-	41	25	4	2	1	3	2	1	2	-	1	-
Black	27	17	3	2	3	1	-	-	-	1	-	-	40	24	4	2	1	3	2	1	2	-	1	-
Certain conditions originating in the perinatal period (760-779)	218	214	1	-	-	1	-	-	-	-	-	-	165	163	-	-	-	-	-	2	-	-	-	-
White	106	105	-	-	-	1	-	-	-	-	-	-	81	80	-	-	-	-	-	1	-	-	-	-
All other	110	109	1	-	-	-	-	-	-	-	-	-	84	83	-	-	-	-	-	1	-	-	-	-
Black	109	108	1	-	-	-	-	-	-	-	-	-	84	83	-	-	-	-	-	1	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	69	68	1	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
White	32	32	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	37	36	1	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	36	35	1	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	147	146	-	-	-	1	-	-	-	-	-	-	110	108	-	-	-	-	-	2	-	-	-	-
White	74	73	-	-	-	1	-	-	-	-	-	-	51	50	-	-	-	-	-	1	-	-	-	-
All other	73	73	-	-	-	-	-	-	-	-	-	-	59	58	-	-	-	-	-	1	-	-	-	-
Black	73	73	-	-	-	-	-	-	-	-	-	-	59	58	-	-	-	-	-	1	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	915	68	2	3	12	16	39	89	172	220	216	76	775	53	3	4	7	11	22	43	95	145	191	200
White	532	30	1	2	9	10	18	53	102	138	126	43	409	21	1	1	3	8	8	24	58	71	101	113
All other	383	38	1	1	3	6	21	36	70	82	92	33	366	32	2	3	4	3	14	19	37	74	90	87
Black	382	38	1	1	3	6	21	36	70	82	91	33	366	32	2	3	4	3	14	19	37	74	90	87
All other diseases (Residual)	1,182	15	10	10	27	36	61	100	172	262	321	148	1,219	10	11	12	21	25	43	62	127	227	387	294
White	797	9	7	7	14	17	34	59	116	183	242	109	863	5	9	9	14	14	19	34	80	165	282	232
All other	385	6	3	3	13	19	27	41	56	79	79	39	356	5	2	3	7	11	24	28	47	62	105	62
Black	385	6	3	3	13	19	27	41	56	79	79	39	355	5	2	3	7	11	24	28	47	62	104	62
Accidents and adverse effects (E800-E949)	1,423	11	43	67	349	259	151	139	150	113	112	29	602	16	27	32	97	71	47	40	54	71	77	70
White	1,022	6	25	44	281	169	110	100	113	74	79	21	436	8	19	19	80	59	35	30	36	41	55	54
All other	401	5	18	23	68	90	41	39	37	39	33	8	166	8	8	13	17	12	12	10	18	30	22	16
Black	396	5	18	22	68	89	40	37	37	39	33	8	165	8	8	13	17	12	11	10	18	30	22	16
Motor vehicle accidents (E810-E825)	741	5	18	40	244	147	92	61	59	39	31	5	292	4	11	14	81	52	29	28	26	26	15	6
White	562	5	12	28	203	103	68	48	43	24	23	5	224	1	7	10	69	44	22	20	20	15	13	3
All other	179	-	6	12	41	44	24	13	16	15	8	-	68	3	4	4	12	8	7	8	6	11	2	3
Black	177	-	6	11	41	44	23	13	16	15	8	-	67	3	4	4	12	8	6	8	6	11	2	3
All other accidents and adverse effects (E800-E807, E826-E949)	682	6	25	27	105	112	59	78	91	74	81	24	310	12	16	18	16	19	18	12	28	45	62	64
White	460	1	13	16	78	66	42	52	70	50	56	16	212	7	12	9	11	15	13	10	16	26	42	51
All other	222	5	12	11	27	46	17	26	21	24	25	8	98	5	4	9	5	4	5	2	12	19	20	13
Black	219	5	12	11	27	45	17	24	21	24	25	8	98	5	4	9	5	4	5	2	12	19	20	13
Suicide (E950-E959)	332	...	...	-	53	55	51	48	41	61	19	4	93	...	...	3	10	18	12	16	15	14	3	2
White	297	...	...	-	41	44	46	45	40	60	17	4	87	...	...	1	7	18	11	16	15	14	3	2
All other	35	...	...	-	12	11	5	3	1	1	2	-	6	...	...	2	3	-	1	-	-	-	-	-
Black	35	...	...	-	12	11	5	3	1	1	2	-	6	...	...	2	3	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	328	3	3	2	63	112	50	39	35	6	11	2	96	2	5	4	18	29	12	6	7	7	5	-
White	125	1	-	1	24	32	20	20	19	5	3	-	42	1	-	3	8	11	5	4	4	3	2	-
All other	201	2	3	1	39	80	30	19	16	1	8	2	54	1	5	1	10	18	7	2	3	4	3	-
Black	201	2	3	1	39	80	30	19	16	1	8	2	54	1	5	1	10	18	7	2	3	4	3	-
All other external causes (E980-E999)	58	1	2	2	13	10	8	7	8	3	2	-	14	-	-	-	2	3	2	5	1	-	1	-
White	41	1	1	1	10	5	6	7	5	3	2	-	11	-	-	-	1	3	2	4	1	-	-	-
All other	15	-	1	1	3	5	2	-	3	-	-	-	3	-	-	-	1	-	-	1	-	-	1	-
Black	15	-	1	1	3	5	2	-	3	-	-	-	3	-	-	-	1	-	-	1	-	-	1	-
ALASKA																								
All causes	1,214	78	20	20	133	141	108	172	197	194	115	36	683	71	7	16	40	49	43	61	124	113	90	68
White	878	46	15	16	77	99	87	126	160	145	82	25	484	44	7	12	22	37	30	42	89	73	59	48
All other	336	32	5	4	56	42	21	46	37	49	33	11	219	27	-	4	18	12	13	19	35	40	31	20
Black	31	7	-	-	4	3	4	1	5	4	3	-	29	4	-	-	1	2	2	2	4	5	6	3
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	8	-	-	-	-	-	1	2	2	1	1	1	5	-	-	-	-	-	1	-	1	1	1	1
White	6	-	-	-	-	-	1	2	1	-	1	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	1	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	8	2	-	1	-	-	1	-	1	-	3	-	5	2	-	-	-	-	-	3	-	-	-	-
White	4	1	-	1	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	4	1	-	-	-	-	-	-	-	-	3	-	3	1	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	208	1	3	-	4	4	11	32	57	62	26	8	162	-	1	1	1	7	12	24	52	39	20	5
White	162	1	3	-	2	3	10	25	45	47	20	6	113	-	1	1	-	5	10	16	39	29	10	2
All other	46	-	-	-	2	1	1	7	12	15	6	2	49	-	-	-	1	2	2	8	13	10	10	3
Black	5	-	-	-	-	-	-	1	2	2	-	-	5	-	-	-	-	1	-	1	1	-	2	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	-	-	-	-	-	1	2	2	2	-	-	3	-	-	-	-	-	-	1	1	1	-	-
White	6	-	-	-	-	-	1	2	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	50	-	-	-	-	1	2	7	13	16	8	3	36	-	-	-	-	1	4	6	7	11	5	2
White	35	-	-	-	-	-	2	3	9	13	6	2	22	-	-	-	-	-	3	3	5	6	4	1
All other	15	-	-	-	-	1	-	4	4	3	2	1	14	-	-	-	-	1	1	3	2	5	1	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69	-	-	-	-	1	1	15	19	23	9	1	33	-	-	-	-	-	2	3	16	9	3	-
White	57	-	-	-	-	1	-	14	16	17	8	1	25	-	-	-	-	-	1	1	14	7	2	-
All other	12	-	-	-	-	-	1	1	3	6	1	-	8	-	-	-	-	-	1	2	2	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	30	-	-	-	-	1	3	7	12	5	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	1	3	6	9	5	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	3	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	15	-	-	-	-	-	-	-	1	8	2	4	14	-	-	-	-	3	-	2	6	3	-	-
White	10	-	-	-	-	-	-	-	-	6	1	3	11	-	-	-	-	2	-	2	4	3	-	-
All other	5	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-	-	1	-	-	2	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	7	-	1	-	-	-	-	1	3	1	1	-	5	-	-	-	-	-	-	-	-	1	2	2
White	6	-	1	-	-	-	-	1	2	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	44	-	-	-	3	1	7	6	15	7	5	-	35	-	-	1	1	1	2	5	9	8	7	1
White	34	-	-	-	2	1	7	4	13	4	3	-	22	-	-	1	-	1	2	4	6	6	2	-
All other	10	-	-	-	1	-	-	2	2	3	2	-	13	-	-	-	1	-	-	1	3	2	5	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Leukemia (204-208)	5	-	2	-	1	-	-	-	-	2	-	-	2	-	1	-	-	-	1	-	-	-	-	-
White	4	-	2	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	1	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	1	-	-	-	1	-	1	4	3	1	-	4	-	-	-	-	1	-	-	1	1	1	-
White	10	1	-	-	-	1	-	1	4	2	1	-	2	-	-	-	-	1	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	10	-	-	1	-	1	1	1	4	1	-	1	17	-	-	-	-	1	-	1	6	2	6	2
White	9	-	-	1	-	1	1	1	3	1	-	1	14	-	-	-	-	1	-	1	5	1	4	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	3	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	1	-
White	4	1	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-446)	298	1	1	1	-	5	13	50	83	80	47	17	169	3	-	-	2	2	4	8	30	38	43	39
White	236	1	1	1	-	3	12	43	70	60	34	11	125	1	-	-	2	2	4	8	23	28	30	29
All other	62	-	-	-	-	2	1	7	13	20	13	6	44	2	-	-	-	-	-	-	7	12	13	10
Black	5	-	-	-	-	-	-	-	2	1	2	-	9	-	-	-	-	-	-	-	2	2	4	1
Diseases of heart (390-398,402,404-429)	249	1	1	1	-	4	13	45	79	61	32	12	122	2	-	-	2	1	4	4	24	28	33	24
White	201	1	1	1	-	2	12	40	66	45	24	9	88	-	-	-	2	1	4	4	18	20	22	17
All other	48	-	-	-	-	2	1	5	13	16	8	3	34	2	-	-	-	-	-	-	6	8	11	7
Black	5	-	-	-	-	-	-	-	2	1	2	-	8	-	-	-	-	-	-	-	1	2	4	1
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	1	2	-	-	-	-	4	-	-	-	-	-	-	-	2	2	-	-
White	3	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	169	-	-	-	-	1	10	35	68	48	21	6	75	-	-	-	-	-	2	3	14	18	22	16
White	153	-	-	-	-	1	9	32	57	34	15	5	57	-	-	-	-	-	2	3	13	12	15	12
All other	36	-	-	-	-	-	1	3	11	14	6	1	18	-	-	-	-	-	-	-	1	6	7	4
Black	4	-	-	-	-	-	-	-	1	1	2	-	5	-	-	-	-	-	-	-	-	2	3	-
Acute myocardial infarction (410)	89	-	-	-	-	1	2	19	35	19	10	3	34	-	-	-	-	-	2	2	5	8	13	4
White	74	-	-	-	-	1	2	18	30	12	8	3	25	-	-	-	-	-	2	2	5	5	8	3
All other	15	-	-	-	-	-	-	1	5	7	2	-	9	-	-	-	-	-	-	-	-	3	5	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	98	-	-	-	-	-	8	16	32	29	11	2	41	-	-	-	-	-	-	1	9	10	9	12
White	78	-	-	-	-	-	7	14	27	22	7	2	32	-	-	-	-	-	-	1	8	7	7	9
All other	19	-	-	-	-	-	1	2	5	7	4	-	9	-	-	-	-	-	-	-	1	3	2	3
Black	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	2	1	-
Other diseases of endocardium (424)	7	-	-	-	-	-	1	-	1	3	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	6	-	-	-	-	-	1	-	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	48	1	1	1	-	3	1	8	10	8	10	5	40	2	-	-	2	1	2	1	8	7	10	7
White	37	1	1	1	-	1	1	6	8	6	8	4	28	-	-	-	2	1	2	1	5	6	7	4
All other	11	-	-	-	-	2	-	2	2	2	2	1	12	2	-	-	-	-	-	-	3	1	3	3
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Hypertension with or without renal disease (401,403)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	34	-	-	-	-	1	-	3	2	13	12	3	36	1	-	-	-	1	-	3	5	9	9	8
White	26	-	-	-	-	1	-	2	2	11	8	2	28	1	-	-	-	1	-	3	4	6	7	6
All other	8	-	-	-	-	-	-	1	-	2	4	1	8	-	-	-	-	-	-	-	1	3	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	3	-	-	-	-	-	-	1	-	2	-	-	6	1	-	-	-	-	-	-	2	2	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	6	1	-	-	-	-	-	-	2	2	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	-	-	1	2
White	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	29	-	-	-	-	1	-	2	2	9	12	3	26	-	-	-	-	1	-	2	3	7	7	6
White	22	-	-	-	-	1	-	2	2	7	8	2	18	-	-	-	-	1	-	2	2	4	5	4
All other	7	-	-	-	-	-	-	-	-	2	4	1	8	-	-	-	-	-	-	-	1	3	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Atherosclerosis (440)	5	-	-	-	-	-	-	-	-	1	2	2	7	-	-	-	-	-	-	-	-	1	1	5
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4
All other	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	10	-	-	-	-	-	-	2	2	5	1	-	4	-	-	-	-	-	-	1	1	-	-	2
White	8	-	-	-	-	-	-	1	2	4	1	-	4	-	-	-	-	-	-	1	1	-	-	2
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	23	3	-	-	-	2	2	1	3	3	7	2	20	2	-	-	-	1	-	1	4	3	2	7
White	14	1	-	-	-	-	1	1	1	1	7	2	12	1	-	-	-	1	-	-	2	-	2	6
All other	9	2	-	-	-	2	1	-	2	2	-	-	8	1	-	-	-	-	-	1	2	3	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	23	3	-	-	-	2	2	1	3	3	7	2	19	2	-	-	-	1	-	1	4	2	2	7
White	14	1	-	-	-	-	1	1	1	1	7	2	12	1	-	-	-	1	-	-	2	-	2	6
All other	9	2	-	-	-	2	1	-	2	2	-	-	7	1	-	-	-	-	-	1	2	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	20	-	-	-	-	-	-	1	6	8	5	-	25	-	-	1	-	-	1	3	3	11	5	1
White	16	-	-	-	-	-	-	-	5	6	5	-	21	-	-	1	-	-	-	3	2	9	5	1
All other	4	-	-	-	-	-	-	1	1	2	-	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	7	-	-	-	-	-	-	-	4	2	1	-	4	-	-	-	-	-	-	-	1	2	1	-
White	6	-	-	-	-	-	-	-	4	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	12	-	-	-	-	-	-	1	1	6	4	-	17	-	-	-	-	-	1	2	2	6	3	1
White	10	-	-	-	-	-	-	-	1	5	4	-	14	-	-	-	-	-	-	2	1	7	3	1
All other	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	26	-	-	-	-	1	6	7	7	4	1	-	13	-	-	-	-	2	1	5	2	3	-	-
White	22	-	-	-	-	1	5	5	7	3	1	-	11	-	-	-	-	-	1	5	2	3	-	-
All other	4	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	-	-	-	-	-	-	-	2	1	-	1	7	-	-	-	-	-	-	1	1	2	1	2
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	6	-	-	-	-	-	-	1	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	3	-	-	-	-	-	-	-	1	1	-	1	7	-	-	-	-	-	-	1	1	2	1	2
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	1	-	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	1	1	-	-	---	---	---	---	---	---	---	---	---	---	---	---
White	2	-	-	-	-	-	-	-	1	1	-	-	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	19	18	-	-	-	1	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	12	11	-	-	-	1	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	22	22	-	-	-	-	-	-	-	-	-	-	28	27	-	1	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	9	8	-	1	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	12	12	-	-	-	-	-	-	-	-	-	-	23	22	-	1	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	8	7	-	1	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	37	21	-	-	1	6	1	1	1	1	2	1	31	20	-	-	1	2	-	-	3	2	1	1
White	23	14	-	-	-	6	1	-	1	1	-	-	17	13	-	-	-	2	-	-	1	-	-	-
All other	14	7	-	-	1	2	-	1	-	-	2	1	14	7	-	-	1	-	-	-	2	2	1	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	75	3	3	2	5	3	5	14	8	13	14	5	53	1	1	-	5	1	4	4	12	10	10	5
White	49	2	2	1	3	2	3	10	5	9	8	4	32	1	1	-	3	1	1	2	8	5	6	4
All other	26	1	1	1	2	1	2	4	3	4	6	1	21	-	-	-	2	-	3	2	4	5	4	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	1	-	1	-	-
Accidents and adverse effects (E800-E949)	334	4	9	11	97	88	42	50	14	12	7	-	93	1	4	12	24	19	15	8	5	1	-	4
White	240	3	6	10	60	67	33	33	12	10	6	-	62	-	4	10	12	16	11	4	2	-	-	3
All other	94	1	3	1	37	21	9	17	2	2	1	-	31	1	-	2	12	3	4	4	3	1	-	1
Black	8	1	-	-	3	1	1	-	-	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	98	-	3	3	35	32	7	9	4	2	3	-	40	-	-	9	12	9	7	1	2	-	-	-
White	83	-	3	3	29	27	5	7	4	2	3	-	29	-	-	8	7	8	4	1	1	-	-	-
All other	15	-	-	-	6	5	2	2	-	-	-	-	11	-	-	1	5	1	3	-	1	-	-	-
Black	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E849)	238	4	6	8	62	56	35	41	10	10	4	-	53	1	4	3	12	10	8	7	3	1	-	4
White	157	3	3	7	31	40	28	26	8	8	3	-	33	-	4	2	5	8	7	3	1	-	-	3
All other	79	1	3	1	31	16	7	15	2	2	1	-	20	1	-	1	7	2	1	4	2	1	-	1
Black	5	1	-	-	-	1	1	-	-	1	1	-	2	1	-	-	1	-	-	-	-	-	-	-
Suicide (E950-E959)	48	...	...	1	13	14	10	4	3	3	-	-	8	...	...	-	2	5	1	-	-	-	-	-
White	31	...	...	-	6	8	8	3	3	3	-	-	7	...	...	-	1	5	1	-	-	-	-	-
All other	17	...	...	1	7	6	2	1	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	39	-	1	1	6	8	14	6	3	-	-	-	18	1	-	-	4	8	2	2	1	-	-	-
White	22	-	-	-	3	5	10	2	2	-	-	-	10	-	-	-	4	4	-	1	1	-	-	-
All other	17	-	1	1	3	3	4	4	1	-	-	-	8	1	-	-	-	4	2	1	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other external causes (E980-E999)	16	-	-	1	7	4	1	3	1	1	-	-	3	-	-	-	1	-	1	-	1	-	-	-
White	10	-	-	1	3	2	1	1	1	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	6	-	-	-	4	2	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA																								
All causes	12,836	289	75	100	389	479	472	836	1,970	3,595	3,203	1,405	9,757	222	56	64	142	211	265	519	1,228	2,204	2,738	2,102
White	11,863	228	60	74	318	384	381	744	1,851	3,413	3,064	1,326	9,155	174	41	51	110	175	226	458	1,167	2,092	2,636	2,019
All other	973	61	15	26	71	95	91	92	119	182	139	79	602	48	15	13	32	36	39	61	61	112	100	83
Black	384	31	2	7	11	22	18	35	61	90	66	21	241	17	3	2	7	11	8	19	25	52	55	42
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	1	1	-
White	2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	18	-	1	-	-	-	-	-	4	6	3	4	13	-	-	-	1	1	-	-	1	5	2	2
White	15	-	1	-	-	-	-	-	4	5	2	3	8	-	-	-	-	1	-	-	-	4	1	2
All other	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	1	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	13	-	-	-	-	-	-	-	2	5	2	4	7	-	-	-	1	-	-	-	1	3	-	2
White	11	-	-	-	-	-	-	-	2	5	1	3	4	-	-	-	-	-	-	-	-	2	-	2
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	1	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	5	-	1	-	-	-	-	-	2	1	1	-	6	-	-	-	-	1	-	-	-	2	2	-
White	4	-	1	-	-	-	-	-	2	-	1	-	4	-	-	-	-	1	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	1	1	-
White	2	-	1	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	64	1	-	2	-	2	2	2	9	19	19	8	67	1	1	-	1	1	-	1	10	14	19	19
White	59	1	-	2	-	2	2	2	8	18	18	6	55	-	1	-	-	-	-	-	8	12	18	16
All other	5	-	-	-	-	-	-	-	1	1	1	2	12	1	-	-	1	1	-	1	2	2	1	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	-	1	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	10	1	-	1	-	1	-	-	3	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
White	9	-	-	1	-	1	-	-	3	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	46	2	2	2	2	4	3	5	7	9	8	2	39	-	-	1	5	-	-	4	9	11	7	2
White	41	2	1	1	1	4	3	5	5	9	8	2	37	-	-	1	3	-	-	4	9	11	7	2
All other	5	-	1	1	1	-	-	-	2	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,777	1	7	10	22	27	55	187	567	1,013	693	195	2,250	2	4	9	13	33	96	213	501	855	510	213
White	2,658	-	7	9	20	25	47	173	536	984	669	188	2,152	1	4	8	11	31	88	198	487	831	491	201
All other	119	1	-	1	2	2	8	14	31	29	24	7	98	1	-	1	2	2	8	15	14	24	19	12
Black	71	-	-	-	-	1	2	9	21	19	16	3	41	-	-	1	1	1	1	5	7	10	10	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	59	-	-	-	-	1	1	9	18	20	7	3	25	-	-	-	-	-	-	-	11	5	8	1
White	56	-	-	-	-	-	1	8	17	20	7	3	23	-	-	-	-	-	-	-	11	4	7	1
All other	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	687	-	-	1	-	5	19	36	132	248	192	54	498	-	-	-	1	4	9	41	84	144	146	68
White	647	-	-	1	-	4	15	33	123	234	186	51	470	-	-	-	-	3	9	36	81	139	140	61
All other	40	-	-	-	-	1	4	3	9	14	6	3	28	-	-	-	1	1	-	5	3	5	6	7
Black	20	-	-	-	-	-	1	2	4	9	4	-	9	-	-	-	-	-	-	-	3	1	2	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	910	1	1	-	-	-	6	78	239	377	186	22	447	-	-	-	-	3	9	44	138	146	89	18
White	886	-	1	-	-	-	6	74	229	372	182	22	438	-	-	-	-	3	9	42	136	142	86	18
All other	24	1	-	-	-	-	-	4	10	5	4	-	9	-	-	-	-	-	-	2	-	4	3	-
Black	21	-	-	-	-	-	-	3	10	4	4	-	5	-	-	-	-	-	-	2	-	1	2	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	2	2	-	408	1	-	1	-	8	30	54	104	107	73	30
White	4	-	-	-	-	-	-	-	-	2	2	-	397	1	-	1	-	8	28	50	102	106	72	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	2	4	2	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Malignant neoplasms of genital organs (179-187)	332	-	1	-	3	1	1	4	39	101	124	58	261	-	-	-	1	5	18	34	56	78	48	21
White	314	-	1	-	3	1	1	4	34	96	119	55	242	-	-	-	1	4	16	31	52	73	46	19
All other	18	-	-	-	-	-	-	-	5	5	5	3	19	-	-	-	-	1	2	3	4	5	2	2
Black	12	-	-	-	-	-	-	-	2	2	5	3	11	-	-	-	-	1	1	1	2	3	2	1
Malignant neoplasms of urinary organs (188-189)	162	-	-	-	-	3	4	10	27	62	42	14	79	-	1	-	-	-	4	4	18	21	19	12
White	156	-	-	-	-	3	3	10	26	60	40	14	75	-	1	-	-	-	3	4	18	19	18	12
All other	6	-	-	-	-	-	1	-	1	2	2	-	4	-	-	-	-	-	1	-	-	2	1	-
Black	5	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	383	-	2	4	9	10	16	39	73	121	86	23	328	1	1	4	7	7	18	27	60	95	69	41
White	364	-	2	3	9	10	15	35	68	119	81	22	310	-	1	4	6	7	19	26	57	91	66	39
All other	19	-	-	1	-	-	1	4	5	2	5	1	18	1	-	-	1	-	3	1	3	4	3	2
Black	8	-	-	-	-	-	-	2	3	2	1	-	8	-	-	-	1	-	-	1	-	2	2	-
Leukemia (204-208)	99	-	3	4	8	6	3	5	11	29	23	7	93	-	2	3	2	4	5	2	18	18	30	11
White	95	-	3	4	7	6	1	4	11	29	23	7	90	-	2	2	2	4	5	2	15	18	29	11
All other	4	-	-	-	1	-	2	1	-	-	-	-	3	-	-	1	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	141	-	-	1	2	1	5	6	28	53	31	14	111	-	-	1	2	2	5	7	14	41	28	11
White	136	-	-	1	1	1	5	5	28	52	29	14	107	-	-	1	2	2	5	7	13	39	27	11
All other	5	-	-	-	1	-	-	1	-	1	2	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	42	2	1	-	2	2	3	1	5	7	12	7	57	-	2	1	1	1	2	8	7	17	14	4
White	38	2	-	-	1	2	3	1	5	6	12	6	56	-	2	1	1	1	2	8	7	17	14	3
All other	4	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	192	-	-	1	2	3	12	17	30	62	54	11	236	2	-	-	1	1	7	14	38	62	63	50
White	164	-	-	1	1	3	9	13	27	51	49	10	209	1	-	-	1	1	7	9	31	54	57	48
All other	28	-	-	-	1	-	3	4	3	11	5	1	27	1	-	-	-	-	-	5	5	8	6	2
Black	6	-	-	-	1	-	-	2	1	1	-	1	11	-	-	-	-	-	-	1	1	3	4	2
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	-	3	6	8	17	-	-	-	-	-	-	2	-	1	6	8
White	16	-	-	-	-	-	-	-	-	2	6	8	15	-	-	-	-	-	-	2	-	-	6	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	1	1	-	-	-	1	2	1	1	2	13	-	-	-	-	-	1	-	4	1	4	3
White	8	-	1	1	-	-	-	-	2	1	1	2	10	-	-	-	-	-	-	-	3	1	4	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	1
Meningitis (320-322)	12	4	-	-	2	-	1	-	-	3	1	1	4	1	1	-	1	-	-	1	-	-	-	-
White	9	2	-	-	1	-	1	-	-	3	1	1	2	-	-	-	1	-	-	1	-	-	-	-
All other	3	2	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,311	5	4	6	12	29	75	325	830	1,604	1,640	780	4,410	5	2	9	6	14	44	122	358	927	1,520	1,403
White	5,071	3	4	5	10	21	63	302	795	1,539	1,576	752	4,213	4	2	8	4	11	34	104	333	880	1,471	1,362
All other	240	2	-	1	2	8	12	23	35	65	64	28	197	1	-	1	2	3	10	18	25	47	49	41
Black	128	-	-	-	-	3	6	9	28	39	34	9	111	-	-	-	1	2	3	9	12	28	31	25
Diseases of heart (390-398,402,404-429)	4,359	5	3	6	9	22	70	300	735	1,347	1,279	582	3,296	5	1	6	3	10	31	98	284	721	1,121	1,016
White	4,166	3	3	5	7	15	60	280	707	1,295	1,231	559	3,140	4	1	5	2	7	24	82	264	684	1,081	986
All other	193	2	-	1	2	7	10	20	28	52	48	23	156	1	-	1	1	3	7	16	20	37	40	30
Black	105	-	-	-	-	3	5	8	22	33	26	8	83	-	-	-	1	2	2	7	8	22	25	16
Rheumatic fever and rheumatic heart disease (390-398)	29	-	-	-	2	2	-	5	4	7	7	2	38	-	-	-	-	-	-	3	8	8	11	6
White	23	-	-	-	1	-	-	4	3	7	6	2	38	-	-	-	-	-	-	3	8	8	11	6
All other	6	-	-	-	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	67	-	-	-	-	1	2	5	10	20	16	4	67	-	-	-	-	-	-	6	11	16	14	20
White	57	-	-	-	-	-	2	4	8	25	14	3	61	-	-	-	-	-	-	4	9	15	14	19
All other	10	-	-	-	-	1	-	1	1	4	2	1	6	-	-	-	-	-	-	2	2	1	-	1
Black	9	-	-	-	-	-	-	1	1	4	2	1	5	-	-	-	-	-	-	2	1	1	-	1
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	-	-	-	-	1	2	3
White	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	-	1	2	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,384	1	1	2	1	10	53	236	595	1,058	994	432	2,400	-	-	2	1	1	20	68	208	543	845	712
White	3,277	-	1	2	1	10	49	220	576	1,025	968	424	2,307	-	-	2	1	1	16	59	197	519	817	695
All other	107	1	-	-	-	-	4	16	19	33	26	8	93	-	-	-	-	-	4	9	11	24	28	17
Black	62	-	-	-	-	-	2	7	14	19	17	3	54	-	-	-	-	-	1	5	6	14	19	9
Acute myocardial infarction (410)	1,655	1	-	1	-	7	33	118	305	572	468	151	1,092	-	-	2	1	1	10	30	110	312	401	225
White	1,608	-	-	1	-	7	30	112	300	553	456	147	1,049	-	-	2	1	1	8	28	103	301	387	220
All other	49	1	-	-	-	-	3	7	5	19	10	4	43	-	-	-	-	-	2	4	7	11	14	5
Black	22	-	-	-	-	-	2	1	1	11	6	1	23	-	-	-	-	-	1	3	4	3	8	4
Other acute and subacute forms of ischemic heart disease (411)	242	-	-	-	-	-	7	43	76	68	41	7	77	-	-	-	-	-	2	8	19	22	16	10
White	228	-	-	-	-	-	6	39	72	66	38	7	70	-	-	-	-	-	1	8	19	17	15	10
All other	14	-	-	-	-	-	1	4	4	2	3	-	7	-	-	-	-	-	1	-	-	5	1	-
Black	13	-	-	-	-	-	-	4	4	2	3	-	6	-	-	-	-	-	-	-	-	5	1	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,484	-	1	1	1	3	13	74	212	418	498	274	1,230	-	-	-	-	-	8	30	70	208	428	477
White	1,440	-	1	1	1	3	13	69	202	406	473	270	1,187	-	-	-	-	-	7	25	75	200	415	485
All other	44	-	-	-	-	-	-	5	10	12	13	4	43	-	-	-	-	-	1	5	4	8	13	12
Black	27	-	-	-	-	-	-	2	9	6	8	2	25	-	-	-	-	-	-	2	2	6	10	5
Other diseases of endocardium (424)	53	-	-	-	-	-	-	2	6	15	25	5	45	-	-	1	-	2	1	1	3	13	12	12
White	51	-	-	-	-	-	-	2	6	14	24	5	43	-	-	1	-	2	1	1	3	13	11	11
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	822	4	2	4	6	9	15	52	120	236	236	138	742	5	1	3	2	7	10	20	54	140	237	263
White	755	3	2	3	5	5	9	50	113	223	218	124	687	4	1	2	1	4	7	15	47	128	226	252
All other	67	1	-	1	1	4	6	2	7	13	18	14	55	1	-	1	1	3	3	5	7	12	11	11
Black	29	-	-	-	-	3	3	-	6	8	5	4	23	-	-	-	1	2	1	-	1	7	6	5
Hypertension with or without renal disease (401,403)	29	-	-	-	-	-	1	1	3	3	14	7	28	-	-	-	-	-	-	1	2	10	9	7
White	27	-	-	-	-	-	1	1	3	3	14	5	26	-	-	-	-	-	-	1	1	9	8	7
All other	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	632	-	1	-	2	5	3	20	58	166	245	132	825	-	-	3	2	4	12	18	59	150	311	266
White	592	-	1	-	2	4	1	17	51	154	232	130	792	-	-	3	2	4	9	16	57	141	303	257
All other	40	-	-	-	-	1	2	3	7	12	13	2	33	-	-	-	-	-	3	2	2	9	8	9
Black	18	-	-	-	-	-	1	1	4	5	7	-	23	-	-	-	-	-	1	2	2	6	5	7
Intracerebral and other intracranial hemorrhage (431-432)	104	-	-	-	1	3	1	4	23	37	26	9	118	-	-	-	-	-	4	7	19	34	30	24
White	93	-	-	-	1	2	-	3	21	34	24	8	106	-	-	-	-	-	4	5	18	29	28	22
All other	11	-	-	-	-	1	1	1	2	3	2	1	12	-	-	-	-	-	-	2	1	5	2	2
Black	4	-	-	-	-	-	1	-	1	1	1	-	10	-	-	-	-	-	-	2	1	3	2	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	81	-	-	-	-	-	-	5	6	16	37	17	95	-	-	-	1	-	-	-	4	18	46	26
White	76	-	-	-	-	-	-	4	4	16	35	17	92	-	-	-	1	-	-	-	4	18	44	25
All other	5	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	1	1	2
White	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	445	-	1	-	1	2	2	11	29	113	180	106	607	-	-	3	1	4	8	11	35	97	234	214
White	421	-	1	-	1	2	1	10	26	104	171	105	589	-	-	3	1	4	5	11	34	93	230	208
All other	24	-	-	-	-	-	1	1	3	9	9	1	18	-	-	-	-	-	3	-	1	4	4	6
Black	11	-	-	-	-	-	-	-	2	4	5	-	11	-	-	-	-	-	1	-	1	3	1	5
Atherosclerosis (440)	122	-	-	-	-	-	-	3	7	30	43	39	164	-	-	-	-	-	-	1	1	13	50	99
White	118	-	-	-	-	-	-	3	7	30	40	38	162	-	-	-	-	-	-	1	1	13	50	97
All other	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	169	-	-	-	1	2	1	1	27	58	59	20	96	-	1	-	1	-	1	4	12	33	29	15
White	168	-	-	-	1	2	1	1	27	57	59	20	93	-	1	-	-	-	1	4	10	33	29	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	2	-	1	-	-	2	-
White	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	1	-	1	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Pneumonia and influenza (480-487)	338	9	1	-	3	6	8	9	35	73	106	88	258	4	4	1	1	3	2	4	14	35	82	106
White	302	4	1	-	3	5	4	9	30	70	97	79	242	3	3	1	1	3	2	4	14	34	78	99
All other	36	5	-	-	-	1	4	-	5	3	9	9	16	1	1	-	-	-	-	-	-	1	4	9
Black	15	3	-	-	-	-	1	-	2	2	6	1	4	-	-	-	-	-	-	-	-	1	1	2
Pneumonia (480-486)	334	9	1	-	3	6	8	9	35	72	106	85	255	4	4	1	1	3	2	4	14	35	82	105
White	298	4	1	-	3	5	4	9	30	69	97	76	239	3	3	1	1	3	2	4	14	34	78	96
All other	36	5	-	-	-	1	4	-	5	3	9	9	16	1	1	-	-	-	-	-	-	1	4	9
Black	15	3	-	-	-	-	1	-	2	2	6	1	4	-	-	-	-	-	-	-	-	1	1	2
Influenza (487)	4	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	3
White	4	-	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	725	1	-	3	4	2	4	26	106	284	227	68	388	-	-	2	-	-	2	16	67	130	126	45
White	703	-	-	2	3	2	4	25	106	273	223	65	382	-	-	2	-	-	2	14	66	130	125	43
All other	22	1	-	1	1	-	-	1	-	11	4	3	6	-	-	-	-	-	-	2	1	-	1	2
Black	12	1	-	1	-	-	-	1	-	6	1	2	6	-	-	-	-	-	-	2	1	-	1	2
Bronchitis, chronic and unspecified (490-491)	24	1	-	-	-	-	-	1	3	6	10	3	13	-	-	-	-	-	-	-	3	1	6	3
White	21	-	-	-	-	-	-	1	3	6	9	2	13	-	-	-	-	-	-	-	3	1	6	3
All other	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	182	-	-	-	-	-	1	7	29	74	58	13	63	-	-	-	-	-	-	1	15	22	21	4
White	180	-	-	-	-	-	1	7	29	72	58	13	63	-	-	-	-	-	-	1	15	22	21	4
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	30	-	-	2	2	1	-	3	7	10	5	-	40	-	-	1	-	-	1	-	7	16	9	6
White	27	-	-	1	2	1	-	3	7	9	4	-	37	-	-	1	-	-	1	-	6	16	9	4
All other	3	-	-	1	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	2	-	-	1	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	-	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	489	-	-	1	2	1	3	15	67	194	154	52	272	-	-	1	-	-	1	15	42	91	90	32
White	475	-	-	1	1	1	3	14	67	188	152	50	269	-	-	1	-	-	1	13	42	91	89	32
All other	14	-	-	-	1	-	-	1	-	8	2	2	3	-	-	-	-	-	-	2	-	-	1	-
Black	6	-	-	-	-	-	-	1	-	3	1	1	3	-	-	-	-	-	-	2	-	-	1	-
Ulcer of stomach and duodenum (531-533)	46	-	-	-	-	-	1	1	4	14	17	9	25	-	-	-	-	1	2	-	2	7	6	7
White	45	-	-	-	-	-	1	1	4	13	17	9	25	-	-	-	-	1	2	-	2	7	6	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	3	-	-	-	-	-	2	2	5	2	5	28	-	-	1	-	-	2	1	4	2	8	10
White	16	2	-	-	-	-	-	2	2	5	1	4	28	-	-	1	-	-	2	1	4	2	8	10
All other	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	219	-	-	1	-	12	31	44	54	56	17	3	138	1	-	1	1	6	13	25	40	27	19	4
White	188	-	-	-	-	7	20	39	47	54	17	3	119	-	-	1	-	5	10	21	39	21	17	4
All other	31	-	-	1	-	5	11	5	7	2	-	-	19	1	-	-	1	1	3	4	1	6	2	-
Black	4	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	-	-	-	3	6	4	2	19	-	-	-	-	-	-	1	-	8	6	4
White	13	-	-	-	-	-	-	-	2	5	4	2	16	-	-	-	-	-	-	1	-	6	5	4
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	118	1	-	-	4	1	-	6	14	35	38	19	84	3	-	1	-	1	2	2	8	25	23	19
White	108	1	-	-	4	-	-	5	13	32	36	17	68	2	-	1	-	1	1	1	5	18	21	19
All other	10	-	-	-	-	1	-	1	1	3	2	2	15	1	-	-	-	-	1	1	3	7	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	1	-	4	2	-
Acute glomerulonephritis and nephratic syndrome (580-581)	3	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	1	2	-	3	-	8	-	-	-	-	1	-	1	-	2	3	1
White	6	-	-	-	-	-	-	1	2	-	3	-	8	-	-	-	-	1	-	1	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	109	-	-	-	3	1	-	5	11	35	35	19	75	3	-	1	-	-	2	1	8	22	20	18
White	99	-	-	-	3	-	-	4	10	32	33	17	60	2	-	1	-	-	1	-	5	15	18	18
All other	10	-	-	-	-	1	-	1	1	3	2	2	15	1	-	-	-	-	1	1	3	7	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	1	-	4	2	-
Infections of kidney (590)	6	-	-	-	-	-	-	-	-	1	3	2	18	-	-	-	-	-	-	1	-	4	8	5
White	4	-	-	-	-	-	-	-	-	-	2	2	18	-	-	-	-	-	-	1	-	4	8	5
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	2	4	-	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	2	3	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	106	77	8	5	4	2	4	1	1	1	2	1	93	60	10	6	1	1	3	-	6	6	-	-
White	92	66	8	5	2	2	3	1	1	1	2	1	82	53	9	4	1	-	3	-	6	6	-	-
All other	14	11	-	-	2	-	1	-	-	-	-	-	11	7	1	2	-	1	-	-	-	-	-	-
Black	3	2	-	-	1	-	-	-	-	-	-	-	4	2	1	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	110	110	-	-	-	-	-	-	-	-	-	-	85	84	1	-	-	-	-	-	-	-	-	-
White	89	89	-	-	-	-	-	-	-	-	-	-	67	66	1	-	-	-	-	-	-	-	-	-
All other	21	21	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	40	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	70	70	-	-	-	-	-	-	-	-	-	-	61	60	1	-	-	-	-	-	-	-	-	-
White	51	51	-	-	-	-	-	-	-	-	-	-	49	48	1	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	12	12	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	161	50	1	1	3	17	19	4	21	18	6	17	116	35	1	2	7	10	2	9	7	14	12	13
White	114	40	-	1	2	12	13	3	15	10	3	12	97	27	-	2	4	10	1	8	7	11	11	13
All other	47	10	1	-	1	5	6	1	6	8	3	5	19	8	1	-	3	-	1	1	-	3	1	-
Black	10	6	-	-	-	-	1	-	-	3	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	925	14	7	12	15	36	47	79	131	231	230	122	800	17	6	7	10	30	27	42	103	195	229	134
White	811	9	4	10	11	23	36	61	123	209	213	112	735	10	6	6	8	21	19	36	98	187	219	125
All other	114	5	3	2	4	13	11	18	8	22	17	10	65	7	-	1	2	9	8	6	5	8	10	9
Black	35	2	1	-	1	-	2	8	3	10	5	3	19	1	-	1	-	2	2	1	-	3	4	5
Accidents and adverse effects (E800-E949)	938	8	38	49	193	193	99	81	74	91	71	35	402	4	21	18	62	58	25	28	32	44	62	48
White	773	7	29	32	164	160	81	62	62	79	65	27	349	4	12	12	52	48	22	22	30	42	59	46
All other	165	1	9	17	29	33	18	19	12	12	6	8	53	-	9	6	10	10	3	6	2	2	3	2
Black	25	1	1	6	2	5	3	3	1	2	-	1	7	-	1	-	2	-	1	-	1	1	1	-
Motor vehicle accidents (E810-E825)	503	2	8	29	144	126	61	33	38	29	25	7	192	1	6	9	53	40	18	18	17	19	10	1
White	415	2	5	21	123	102	50	26	32	25	23	5	161	1	2	6	44	33	15	15	17	18	9	1
All other	88	-	3	8	21	24	11	7	6	4	2	2	31	-	4	3	9	7	3	3	-	1	1	-
Black	13	-	-	3	2	3	2	1	-	1	-	1	8	-	1	-	2	-	1	-	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	435	6	30	20	49	67	38	48	36	62	46	28	210	3	15	9	9	18	7	10	15	25	52	47
White	358	5	24	11	41	58	31	36	30	54	42	22	188	3	10	6	8	15	7	7	13	24	50	45
All other	77	1	6	9	8	9	7	12	6	8	4	6	22	-	5	3	1	3	-	3	2	1	2	2
Black	12	1	1	3	-	2	1	2	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Suicide (E950-E959)	380	...	...	2	72	80	63	33	46	37	32	12	120	...	...	4	18	28	27	14	17	9	3	-
White	339	...	...	1	60	70	53	29	45	34	32	12	109	...	...	2	15	26	24	14	16	9	3	-
All other	41	...	...	1	12	10	10	4	1	3	-	-	11	...	...	2	3	2	3	-	1	-	-	-
Black	8	...	...	-	1	5	1	1	-	-	-	-	3	...	...	-	1	1	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	200	-	3	3	47	56	41	11	19	11	2	1	54	1	3	1	9	18	6	8	1	2	3	1
White	151	-	3	3	34	40	34	10	13	5	2	1	41	1	1	1	5	12	6	7	1	2	3	1
All other	49	-	-	-	13	16	7	1	6	6	-	-	13	-	2	-	4	6	-	1	-	-	-	-
Black	21	-	-	-	4	8	1	-	5	3	-	-	5	-	1	-	2	2	-	-	-	-	-	-
All other external causes (E980-E999)	18	-	-	1	2	5	4	-	3	-	1	1	6	-	-	-	1	2	-	1	1	1	-	-
White	14	-	-	-	1	4	4	-	3	-	1	-	6	-	-	-	1	2	-	1	1	1	-	-
All other	4	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	12,857	228	51	78	294	335	412	814	2,008	3,441	3,491	1,700	10,297	145	38	43	114	138	228	428	1,044	2,137	3,275	2,709
White	10,778	144	30	61	242	248	320	674	1,724	2,954	2,923	1,454	8,477	93	21	29	88	95	159	321	839	1,744	2,717	2,370
All other	2,079	84	21	15	52	87	92	140	284	487	568	246	1,820	52	15	14	26	43	67	107	205	393	558	339
Black	2,065	81	21	15	51	86	91	139	282	484	566	246	1,809	51	15	14	26	43	67	106	204	390	556	336
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	2	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	-	1	-	-	3	4	4	1	7	-	-	-	-	-	-	-	1	1	4	1
White	10	-	-	-	-	-	-	-	1	4	4	1	5	-	-	-	-	-	-	-	1	-	4	-
All other	3	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	3	-	-	-	-	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Tuberculosis of respiratory system (010-012)	13	-	-	-	-	1	-	-	3	4	4	1	4	-	-	-	-	-	-	-	-	1	3	-
White	10	-	-	-	-	-	-	-	1	4	4	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	3	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	2	-	1	-	-	-	-	-	-	-	3	-	-	1	-	-	1	1	-	-	-	-
White	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Septicemia (038)	70	2	1	-	-	2	1	3	6	17	28	10	96	1	3	-	2	1	3	3	8	18	31	25
White	56	2	1	-	-	1	1	3	4	14	21	9	71	1	2	-	2	-	1	2	5	13	24	20
All other	14	-	-	-	-	1	-	-	2	3	7	1	25	-	1	-	-	1	2	1	3	5	7	5
Black	14	-	-	-	-	1	-	-	2	3	7	1	25	-	1	-	-	1	2	1	3	5	7	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	1	-	-	-	-	3	-	-	4	-	-	-	-	-	1	-	1	-	1	1
White	3	-	-	-	1	-	-	-	-	2	-	-	3	-	-	-	-	-	1	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	41	1	1	1	1	3	1	3	3	17	8	2	23	3	-	-	-	-	1	4	2	6	5	2
White	36	1	-	1	1	3	1	3	2	15	8	1	17	1	-	-	-	-	-	3	2	6	3	2
All other	5	-	1	-	-	-	-	-	1	2	-	1	6	2	-	-	-	-	1	1	-	-	2	-
Black	5	-	1	-	-	-	-	-	1	2	-	1	6	2	-	-	-	-	1	1	-	-	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,862	1	3	8	12	17	70	221	624	953	730	223	2,040	-	3	5	10	26	78	175	403	622	480	238
White	2,456	1	2	8	10	15	57	187	552	831	604	169	1,700	-	3	4	8	16	63	141	340	529	392	204
All other	406	-	1	-	2	2	13	34	72	122	126	34	340	-	-	1	2	10	15	34	63	93	88	34
Black	403	-	1	-	2	2	13	33	71	121	126	34	337	-	-	1	2	10	15	34	62	92	87	34

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	-	-	-	-	-	5	2	12	11	9	4	23	-	-	-	-	-	-	-	7	3	5	8
White	39	-	-	-	-	-	4	2	11	10	8	4	17	-	-	-	-	-	-	-	5	3	3	6
All other	4	-	-	-	-	-	1	-	1	1	1	-	6	-	-	-	-	-	-	-	2	-	2	2
Black	4	-	-	-	-	-	1	-	1	1	1	-	6	-	-	-	-	-	-	-	2	-	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	620	-	-	-	-	1	14	37	131	196	174	67	570	-	-	-	2	4	15	18	88	188	179	80
White	527	-	-	-	-	1	10	28	112	175	144	57	480	-	-	-	2	2	13	11	66	154	143	59
All other	93	-	-	-	-	-	4	9	19	21	30	10	110	-	-	-	-	2	2	5	20	34	36	11
Black	92	-	-	-	-	-	4	9	18	21	30	10	109	-	-	-	-	2	2	5	20	34	35	11
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,133	-	-	-	-	1	23	106	310	418	227	48	343	-	-	-	-	-	12	53	95	112	49	22
White	1,009	-	-	-	-	1	21	91	277	371	202	46	308	-	-	-	-	-	9	45	87	105	41	21
All other	124	-	-	-	-	-	2	15	33	47	25	2	35	-	-	-	-	-	3	8	8	7	8	1
Black	123	-	-	-	-	-	2	15	33	46	25	2	35	-	-	-	-	-	3	8	8	7	8	1
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	2	1	-	313	-	-	-	-	6	23	42	79	91	46	24
White	3	-	-	-	-	-	-	-	-	2	1	-	268	-	-	-	-	6	18	38	67	80	37	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	2	5	4	12	11	9	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	44	-	-	-	-	2	5	4	12	10	9	2
Malignant neoplasms of genital organs (179-187)	307	-	-	-	-	3	2	2	24	101	127	48	236	-	-	1	1	3	10	31	48	72	50	22
White	225	-	-	-	-	3	2	1	20	81	88	32	189	-	-	1	1	1	8	23	38	56	42	19
All other	82	-	-	-	-	-	-	1	4	20	41	16	47	-	-	-	-	2	2	8	8	16	8	3
Black	82	-	-	-	-	-	-	1	4	20	41	16	47	-	-	-	-	2	2	8	8	16	8	3
Malignant neoplasms of urinary organs (188-189)	119	-	-	-	-	-	5	9	23	39	39	4	58	-	-	2	-	-	1	1	10	12	23	9
White	107	-	-	-	-	-	4	8	17	38	36	4	49	-	-	2	-	-	1	-	8	12	19	7
All other	12	-	-	-	-	-	1	1	6	1	3	-	9	-	-	-	-	-	-	1	2	-	4	2
Black	12	-	-	-	-	-	1	1	6	1	3	-	9	-	-	-	-	-	-	1	2	-	4	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	397	-	2	2	6	8	14	45	82	118	87	33	332	-	2	1	3	8	14	22	57	95	78	52
White	342	-	2	2	6	8	11	39	77	98	71	28	270	-	2	1	3	4	12	14	49	77	64	44
All other	55	-	-	-	-	-	3	6	5	20	16	5	62	-	-	-	-	4	2	8	8	18	14	8
Black	54	-	-	-	-	-	3	5	5	20	16	5	61	-	-	-	-	4	2	8	7	18	14	8
Leukemia (204-208)	107	1	1	6	5	2	2	5	22	28	25	10	68	-	1	1	3	2	1	4	6	13	24	13
White	93	1	-	6	4	1	1	5	22	23	20	10	57	-	1	-	1	2	1	4	5	12	21	10
All other	14	-	1	-	1	1	1	-	-	5	5	-	11	-	-	1	2	-	-	-	1	1	3	3
Black	14	-	1	-	1	1	1	-	-	5	5	-	11	-	-	1	2	-	-	-	1	1	3	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	133	-	-	-	1	2	5	15	20	40	41	9	97	-	-	-	1	1	2	6	17	36	26	8
White	111	-	-	-	-	1	4	13	16	33	36	8	82	-	-	-	1	1	1	6	15	30	22	6
All other	22	-	-	-	1	1	1	2	4	7	5	1	15	-	-	-	-	-	1	-	2	6	4	2
Black	22	-	-	-	1	1	1	2	4	7	5	1	15	-	-	-	-	-	1	-	2	6	4	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	48	1	-	-	-	1	3	3	5	16	13	6	47	-	1	2	3	-	1	3	9	6	11	11
White	41	1	-	-	-	1	2	2	5	14	10	6	38	-	1	2	2	-	1	3	8	5	9	7
All other	7	-	-	-	-	-	1	1	-	2	3	-	9	-	-	-	1	-	-	-	1	1	2	4
Black	7	-	-	-	-	-	1	1	-	2	3	-	9	-	-	-	1	-	-	-	1	1	2	4
Diabetes mellitus (250)	142	-	-	-	-	1	4	13	28	40	43	13	208	-	-	1	-	5	7	13	20	51	78	33
White	116	-	-	-	-	-	3	11	23	34	33	12	151	-	-	1	-	4	4	8	14	40	54	26
All other	26	-	-	-	-	1	1	2	5	6	10	1	57	-	-	-	-	1	3	5	6	11	24	7
Black	26	-	-	-	-	1	1	2	5	6	10	1	57	-	-	-	-	1	3	5	6	11	24	7
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	1	1	2	5	18	-	-	-	-	-	-	1	1	2	4	10
White	8	-	-	-	-	-	-	-	1	1	2	4	14	-	-	-	-	-	-	1	-	2	4	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	-	3
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	-	3
Anemias (280-285)	21	-	1	1	-	1	1	1	2	5	5	4	13	-	-	-	-	-	-	-	-	2	2	9
White	17	-	-	-	-	-	1	-	2	5	5	4	11	-	-	-	-	-	-	-	-	2	2	7
All other	4	-	1	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	4	-	1	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Meningitis (320-322)	7	3	1	-	-	-	1	-	1	-	1	-	8	2	-	-	-	-	-	3	-	3	-	-
White	4	1	-	-	-	-	1	-	1	-	1	-	4	-	-	-	-	-	-	1	-	3	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	2	-	-	-	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	2	-	-	-	-
Major cardiovascular diseases (390-448)	5,896	12	4	3	8	24	111	334	881	1,681	1,808	1,018	5,482	2	-	2	5	23	55	117	381	1,040	2,033	1,824
White	4,994	8	1	2	8	13	88	282	782	1,451	1,514	867	4,526	1	-	2	1	13	30	71	289	820	1,701	1,596
All other	902	4	3	1	2	11	23	52	129	230	294	151	956	1	-	-	4	10	25	46	92	220	332	226
Black	899	4	3	1	2	11	23	52	129	229	292	151	950	1	-	-	4	10	25	45	92	219	331	223

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,697	11	4	3	5	19	91	294	766	1,376	1,386	736	3,920	2	-	1	1	17	42	90	297	795	1,416	1,259
White	4,036	7	1	2	4	9	77	254	662	1,214	1,169	697	3,274	1	-	1	-	10	21	56	231	641	1,200	1,113
All other	661	4	3	1	1	10	14	40	106	164	217	89	646	1	-	-	1	7	21	34	66	154	216	146
Black	659	4	3	1	1	10	14	40	106	163	216	88	643	1	-	-	1	7	21	34	66	153	215	145
Rheumatic fever and rheumatic heart disease (390-398)	18	-	-	-	-	-	1	2	5	6	5	-	22	-	-	-	-	-	1	1	1	6	8	5
White	17	-	-	-	-	-	1	2	5	4	5	-	20	-	-	-	-	-	-	1	1	5	8	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Hypertensive heart disease (402)	43	-	-	-	-	-	-	2	10	11	14	6	84	-	-	-	-	-	1	1	4	13	26	19
White	24	-	-	-	-	-	-	2	4	6	9	3	47	-	-	-	-	-	-	-	3	9	18	17
All other	19	-	-	-	-	-	-	-	6	5	5	3	17	-	-	-	-	-	1	1	1	4	8	2
Black	19	-	-	-	-	-	-	-	6	5	5	3	17	-	-	-	-	-	1	1	1	4	8	2
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	2	2	4	4	3	18	-	-	-	-	-	-	-	-	6	5	7
White	11	-	-	-	-	-	-	1	2	2	4	2	17	-	-	-	-	-	-	-	-	6	5	6
All other	4	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	3,123	-	-	-	1	10	59	206	526	942	908	472	2,412	-	-	-	-	8	20	45	184	526	862	767
White	2,749	-	-	-	1	6	53	184	468	840	772	424	2,058	-	-	-	-	6	12	31	145	438	747	679
All other	375	-	-	-	-	4	6	22	58	102	134	48	354	-	-	-	-	2	8	14	39	88	115	88
Black	374	-	-	-	-	4	6	22	58	101	134	48	352	-	-	-	-	2	8	14	39	87	115	87
Acute myocardial infarction (410)	2,109	-	-	-	1	8	52	170	422	669	567	220	1,293	-	-	-	-	6	15	37	130	345	479	281
White	1,881	-	-	-	1	6	46	150	382	596	492	208	1,088	-	-	-	-	5	8	25	104	291	410	245
All other	228	-	-	-	-	2	6	20	40	73	75	12	205	-	-	-	-	1	7	12	26	54	69	36
Black	227	-	-	-	-	2	6	20	40	72	75	12	203	-	-	-	-	1	7	12	26	53	69	35
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	1	-	-	2	4	1
White	2	-	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	1	-	-	2	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,009	-	-	-	-	2	7	36	104	271	336	252	1,110	-	-	-	-	2	4	8	54	178	379	485
White	862	-	-	-	-	-	7	34	88	242	277	216	961	-	-	-	-	1	3	6	41	144	333	433
All other	147	-	-	-	-	2	-	2	18	29	59	36	149	-	-	-	-	1	1	2	13	34	46	52
Black	147	-	-	-	-	2	-	2	18	29	59	36	149	-	-	-	-	1	1	2	13	34	46	52
Other diseases of endocardium (424)	26	-	-	-	1	-	1	-	4	8	8	4	41	-	-	-	-	-	1	2	3	10	16	9
White	24	-	-	-	1	-	1	-	4	8	6	4	37	-	-	-	-	-	-	2	3	9	14	9
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	1	-	-	1	2	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	1	-	-	1	2	-
All other forms of heart disease (415-423,425-429)	1,472	11	4	3	3	9	30	82	221	408	449	251	1,363	2	-	1	1	9	19	41	105	234	499	452
White	1,212	7	1	2	2	3	22	65	179	354	373	204	1,095	1	-	1	-	4	9	22	79	174	408	397
All other	260	4	3	1	1	6	8	17	42	54	76	47	268	1	-	-	1	5	10	19	26	60	91	55
Black	259	4	3	1	1	6	8	17	42	54	75	47	267	1	-	-	1	5	10	19	26	60	90	55
Hypertension with or without renal disease (401,403)	32	-	-	-	-	-	1	3	2	9	11	6	32	-	-	-	1	1	1	-	4	4	11	10
White	22	-	-	-	-	-	-	1	2	8	7	4	25	-	-	-	-	-	1	-	2	3	10	9
All other	10	-	-	-	-	-	1	2	-	1	4	2	7	-	-	-	1	1	-	-	2	1	1	1
Black	10	-	-	-	-	-	1	2	-	1	4	2	7	-	-	-	1	1	-	-	2	1	1	1
Cerebrovascular diseases (430-438)	921	1	-	-	3	4	17	34	85	229	325	223	1,282	-	-	1	3	5	10	26	73	215	515	434
White	722	1	-	-	2	3	9	24	64	169	263	187	1,013	-	-	1	1	3	7	14	50	153	413	371
All other	199	-	-	-	1	1	8	10	21	60	62	36	269	-	-	-	2	2	3	12	23	62	102	63
Black	198	-	-	-	1	1	8	10	21	60	61	36	266	-	-	-	2	2	3	11	23	62	102	61
Intracerebral and other intracranial hemorrhage (431-432)	105	-	-	-	-	4	6	11	20	25	24	15	78	-	-	-	-	1	2	4	11	15	25	20
White	79	-	-	-	-	3	2	7	15	18	21	13	65	-	-	-	-	1	1	2	6	13	24	18
All other	26	-	-	-	-	1	4	4	5	7	3	2	13	-	-	-	-	-	1	2	5	2	1	2
Black	26	-	-	-	-	1	4	4	5	7	3	2	13	-	-	-	-	-	1	2	5	2	1	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	84	-	-	-	1	-	1	4	8	18	31	21	142	-	-	-	-	-	1	2	4	17	67	51
White	63	-	-	-	1	-	1	2	5	12	25	17	104	-	-	-	-	-	1	-	1	11	51	40
All other	21	-	-	-	-	-	-	2	3	6	6	4	38	-	-	-	-	-	-	2	3	6	16	11
Black	21	-	-	-	-	-	-	2	3	6	6	4	38	-	-	-	-	-	-	2	3	6	16	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	1	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	732	1	-	-	2	-	10	19	57	186	270	187	1,057	-	-	1	3	4	7	19	58	182	421	362
White	580	1	-	-	1	-	6	15	44	139	217	157	841	-	-	1	1	2	5	12	43	126	337	312
All other	152	-	-	-	1	-	4	4	13	47	53	30	216	-	-	-	2	2	2	7	15	54	84	50
Black	151	-	-	-	1	-	4	4	13	47	52	30	213	-	-	-	2	2	2	6	15	54	84	48
Atherosclerosis (440)	103	-	-	-	-	-	2	2	8	13	42	36	182	-	-	-	-	-	-	1	1	6	66	106
White	81	-	-	-	-	-	2	2	7	10	35	25	158	-	-	-	-	-	-	1	1	5	58	93
All other	22	-	-	-	-	-	-	-	1	3	7	11	24	-	-	-	-	-	-	-	-	1	10	13
Black	22	-	-	-	-	-	-	-	1	3	7	11	24	-	-	-	-	-	-	-	-	1	10	13
Other diseases of arteries, arterioles, and capillaries (441-448)	143	-	-	-	-	1	-	1	28	52	44	17	68	-	-	-	-	-	2	-	6	20	23	15
White	133	-	-	-	-	1	-	1	27	50	40	14	58	-	-	-	-	-	1	-	5	18	20	12
All other	10	-	-	-	-	-	-	-	1	2	4	3	10	-	-	-	-	-	1	-	1	2	3	3
Black	10	-	-	-	-	-	-	-	1	2	4	3	10	-	-	-	-	-	1	-	1	2	3	3
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	344	6	-	-	2	2	7	12	23	56	121	113	241	3	2	-	3	1	4	3	12	32	77	104
White	291	4	-	-	1	1	3	9	19	45	106	103	213	3	1	-	1	1	3	2	11	26	67	98
All other	53	2	-	-	1	1	4	3	4	13	15	10	28	-	1	-	2	-	1	1	1	6	10	6
Black	52	2	-	-	1	1	4	3	4	12	15	10	27	-	1	-	2	-	1	1	1	5	10	6
Pneumonia (480-486)	338	6	-	-	2	2	7	12	23	56	120	110	231	3	2	-	3	1	4	3	12	32	71	100
White	285	4	-	-	1	1	3	9	19	43	105	100	203	3	1	-	1	1	3	2	11	26	61	94
All other	53	2	-	-	1	1	4	3	4	13	15	10	28	-	1	-	2	-	1	1	1	6	10	6
Black	52	2	-	-	1	1	4	3	4	12	15	10	27	-	1	-	2	-	1	1	1	5	10	6
Influenza (487)	6	-	-	-	-	-	-	-	-	2	1	3	10	-	-	-	-	-	-	-	-	-	6	4
White	6	-	-	-	-	-	-	-	-	2	1	3	10	-	-	-	-	-	-	-	-	-	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	497	-	-	1	1	1	2	13	68	171	189	51	193	-	-	-	-	3	1	9	32	58	65	25
White	464	-	-	-	1	1	2	13	57	159	181	50	180	-	-	-	-	2	1	9	29	56	59	24
All other	33	-	-	1	-	-	-	-	11	12	8	1	13	-	-	-	-	1	-	-	3	2	6	1
Black	33	-	-	1	-	-	-	-	11	12	8	1	13	-	-	-	-	1	-	-	3	2	6	1
Bronchitis, chronic and unspecified (490-491)	18	-	-	-	-	-	-	2	-	6	8	2	13	-	-	-	-	-	-	-	1	1	7	4
White	18	-	-	-	-	-	-	2	-	6	8	2	13	-	-	-	-	-	-	-	1	1	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	101	-	-	-	-	-	-	3	17	29	41	11	36	-	-	-	-	-	-	2	5	12	13	4
White	93	-	-	-	-	-	-	3	12	27	40	11	35	-	-	-	-	-	-	2	5	12	12	4
All other	8	-	-	-	-	-	-	-	5	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	8	-	-	-	-	-	-	-	5	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	16	-	-	1	-	1	2	2	2	5	2	1	14	-	-	-	-	3	-	1	2	2	5	1
White	14	-	-	-	-	1	2	2	2	4	2	1	9	-	-	-	-	2	-	1	-	2	3	1
All other	2	-	-	1	-	-	-	-	-	1	-	-	5	-	-	-	-	1	-	-	2	-	2	-
Black	2	-	-	1	-	-	-	-	-	1	-	-	5	-	-	-	-	1	-	-	2	-	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	362	-	-	-	1	-	-	6	49	131	138	37	130	-	-	-	-	-	1	6	24	43	40	16
White	339	-	-	-	1	-	-	6	43	122	131	36	123	-	-	-	-	-	1	6	23	41	37	15
All other	23	-	-	-	-	-	-	-	6	9	7	1	7	-	-	-	-	-	-	-	1	2	3	1
Black	23	-	-	-	-	-	-	-	6	9	7	1	7	-	-	-	-	-	-	-	1	2	3	1
Ulcer of stomach and duodenum (531-533)	29	2	-	-	-	-	1	1	3	5	10	7	19	-	-	-	-	-	-	1	2	2	5	9
White	27	2	-	-	-	-	1	1	3	4	9	7	17	-	-	-	-	-	-	1	1	1	5	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	1	-	-	-	1	1
White	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	32	-	1	-	1	1	-	2	3	7	12	5	38	4	-	-	-	-	1	-	-	8	14	11
White	23	-	1	-	1	-	-	1	3	5	9	3	33	3	-	-	-	-	1	-	-	6	12	11
All other	9	-	-	-	-	1	-	1	-	2	3	2	5	1	-	-	-	-	-	-	-	2	2	-
Black	9	-	-	-	-	1	-	1	-	2	3	2	5	1	-	-	-	-	-	-	-	2	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	118	-	-	-	-	3	11	24	41	28	10	1	72	-	-	-	-	-	6	10	12	19	16	9
White	100	-	-	-	-	-	8	19	37	26	9	1	65	-	-	-	-	-	4	8	11	19	15	8
All other	18	-	-	-	-	3	3	5	4	2	1	-	7	-	-	-	-	-	2	2	1	-	1	1
Black	18	-	-	-	-	3	3	5	4	2	1	-	7	-	-	-	-	-	2	2	1	-	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	20	-	-	-	-	-	-	-	1	5	9	5	24	-	-	-	-	1	-	3	2	1	6	11
White	16	-	-	-	-	-	-	-	1	5	7	5	19	-	-	-	-	-	-	3	1	-	6	9
All other	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	1	-	-	1	1	-	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	1	-	-	1	1	-	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	122	1	-	-	1	3	2	2	9	32	44	28	165	-	1	-	-	2	1	4	10	27	61	59
White	90	1	-	-	1	2	1	1	7	24	31	22	124	-	1	-	-	2	1	2	8	17	43	50
All other	32	-	-	-	-	1	1	1	2	8	13	6	41	-	-	-	-	-	-	2	2	10	18	9
Black	31	-	-	-	-	1	1	1	1	8	13	6	41	-	-	-	-	-	-	2	2	10	18	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	-	-	-	-	-	-	1	4	5	3	23	-	1	-	-	-	-	1	1	4	5	11
White	7	-	-	-	-	-	-	-	-	4	2	1	13	-	1	-	-	-	-	-	1	1	2	8
All other	6	-	-	-	-	-	-	-	1	-	3	2	10	-	-	-	-	-	-	1	-	3	3	3
Black	5	-	-	-	-	-	-	-	-	-	3	2	10	-	-	-	-	-	-	1	-	3	3	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	107	1	-	-	1	3	2	2	8	27	38	25	141	-	-	-	-	2	1	3	9	23	55	48
White	82	1	-	-	1	2	1	1	7	19	29	21	110	-	-	-	-	2	1	2	7	16	40	42
All other	25	-	-	-	-	1	1	1	1	8	9	4	31	-	-	-	-	-	-	1	2	7	15	6
Black	25	-	-	-	-	1	1	1	1	8	9	4	31	-	-	-	-	-	-	1	2	7	15	6
Infections of kidney (590)	7	-	-	-	-	1	-	-	-	1	2	3	13	-	-	-	1	-	-	-	1	1	8	2
White	6	-	-	-	-	1	-	-	-	1	2	2	11	-	-	-	1	-	-	-	-	1	7	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	1	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	1	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	-	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	70	49	1	4	3	1	-	1	4	2	3	2	40	21	3	1	4	2	3	1	4	1	-	-
White	56	39	1	2	2	1	-	1	4	2	2	2	29	14	3	-	3	2	2	1	3	1	-	-
All other	14	10	-	2	1	-	-	-	-	-	1	-	11	7	-	1	1	-	1	-	1	-	-	-
Black	13	9	-	2	1	-	-	-	-	-	1	-	10	6	-	1	1	-	1	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	93	93	-	-	-	-	-	-	-	-	-	-	58	57	-	-	1	-	-	-	-	-	-	-
White	53	53	-	-	-	-	-	-	-	-	-	-	39	38	-	-	1	-	-	-	-	-	-	-
All other	40	40	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	38	38	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	26	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	67	67	-	-	-	-	-	-	-	-	-	-	48	47	-	-	1	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	30	29	-	-	1	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	28	28	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	439	34	2	3	2	5	13	30	68	98	132	54	382	40	1	-	2	2	7	16	34	60	104	116
White	324	19	1	1	2	3	7	21	52	71	104	43	288	21	-	-	2	1	3	13	27	45	78	96
All other	115	15	1	2	-	2	6	9	14	27	28	11	96	19	1	-	-	1	4	2	7	15	26	20
Black	115	15	1	2	-	2	6	9	14	27	28	11	96	19	1	-	-	1	4	2	7	15	26	20
All other diseases (Residual)	709	8	6	2	9	16	26	41	105	168	217	111	655	4	4	3	8	14	17	33	66	133	215	158
White	586	7	6	1	7	11	21	33	89	135	184	92	552	3	3	2	5	8	11	28	51	114	182	145
All other	123	1	-	1	2	5	5	8	16	33	33	19	103	1	1	1	3	6	6	5	15	19	33	13
Black	123	1	-	1	2	5	5	8	16	33	33	19	103	1	1	1	3	6	6	5	15	19	33	13
Accidents and adverse effects (E800-E949)	825	13	27	46	169	149	84	71	77	86	67	32	337	7	18	27	59	34	16	20	25	35	49	47
White	670	5	14	39	151	123	64	61	64	68	51	27	282	7	7	16	52	30	15	15	20	32	44	44
All other	155	8	13	7	18	26	20	10	13	18	16	5	55	-	11	11	7	4	1	5	5	3	5	3
Black	153	8	13	7	17	26	19	10	13	18	16	5	55	-	11	11	7	4	1	5	5	3	5	3
Motor vehicle accidents (E810-E825)	410	1	9	19	124	93	49	28	29	27	23	5	155	3	5	9	51	22	11	8	10	20	15	1
White	349	1	3	17	112	79	40	27	24	22	17	5	141	3	3	7	46	20	11	6	9	20	15	1
All other	61	-	6	2	12	14	9	1	5	5	6	-	14	-	2	2	5	2	-	2	1	-	-	-
Black	59	-	6	2	11	14	8	1	5	5	6	-	14	-	2	2	5	2	-	2	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	415	12	18	27	45	56	35	43	48	59	44	27	182	4	13	18	8	12	5	12	15	15	34	46
White	321	4	11	22	39	44	24	34	40	46	34	22	141	4	4	9	6	10	4	9	11	12	29	43
All other	94	8	7	5	6	12	11	9	8	13	10	5	41	-	9	9	2	2	1	3	4	3	5	3
Black	94	8	7	5	6	12	11	9	8	13	10	5	41	-	9	9	2	2	1	3	4	3	5	3
Suicide (E950-E959)	226	...	...	3	44	49	35	15	23	32	22	3	51	...	...	-	9	9	9	3	12	5	3	1
White	207	...	...	3	37	46	31	14	21	31	21	3	46	...	...	-	6	8	9	3	12	5	3	-
All other	19	...	...	-	7	3	4	1	2	1	1	-	5	...	...	-	3	1	-	-	-	-	-	1
Black	19	...	...	-	7	3	4	1	2	1	1	-	5	...	...	-	3	1	-	-	-	-	-	1
Homicide and legal intervention (E960-E978)	176	-	-	3	36	51	36	19	15	7	8	1	42	1	-	1	6	11	8	4	5	4	1	1
White	94	-	-	3	18	24	26	10	8	3	2	-	28	1	-	1	4	5	7	3	5	1	-	1
All other	82	-	-	-	18	27	10	9	7	4	6	1	14	-	-	-	2	6	1	1	-	3	1	-
Black	81	-	-	-	18	26	10	9	7	4	6	1	14	-	-	-	2	6	1	1	-	3	1	-
All other external causes (E980-E999)	20	-	1	1	3	3	3	4	2	2	-	-	10	-	-	-	-	4	2	2	1	-	-	1
White	15	-	1	1	3	2	2	1	2	2	-	-	8	-	-	-	-	3	-	2	1	-	-	-
All other	5	-	-	-	-	1	1	3	-	-	-	-	4	-	-	-	-	1	2	-	-	-	-	1
Black	5	-	-	-	-	1	1	3	-	-	-	-	4	-	-	-	-	1	2	-	-	-	-	1
CALIFORNIA																								
All causes	99,486	2,338	485	587	3,280	4,331	4,234	7,208	16,432	24,211	23,924	12,334	88,956	1,895	400	408	1,045	1,535	2,260	4,411	10,850	17,594	24,385	24,306
White	88,226	1,811	391	478	2,738	3,569	3,471	6,001	14,334	21,816	21,924	11,601	80,575	1,415	325	340	864	1,210	1,790	3,656	9,332	15,886	22,864	23,046
All other	11,260	527	94	109	542	762	763	1,207	2,098	2,395	2,000	733	8,381	480	75	68	181	325	470	755	1,318	1,708	1,721	1,260
Black	7,728	382	69	74	411	615	590	917	1,541	1,587	1,113	407	6,082	365	56	47	121	244	336	564	1,006	1,269	1,221	834
Shigellosis and amoebiasis (004,006)	4	-	-	1	-	-	-	-	1	1	1	-	4	-	2	-	-	-	-	-	2	-	-	-
White	4	-	-	1	-	-	-	-	1	1	1	-	3	-	1	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	28	8	2	1	2	1	1	-	-	4	4	3	38	9	1	-	-	1	1	1	5	4	8	8
White	23	6	2	1	2	1	1	-	-	4	4	2	34	6	1	-	-	1	-	1	5	4	8	8
All other	3	2	-	-	-	-	-	-	-	-	-	1	4	3	-	-	-	-	1	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Tuberculosis (010-018)	115	-	-	2	2	5	6	13	28	23	23	12	60	1	1	1	1	1	1	2	11	7	18	16
White	81	-	-	2	1	5	3	11	21	14	16	8	46	-	1	1	1	-	-	1	10	5	15	12
All other	34	-	-	-	1	-	3	2	8	9	7	4	14	1	-	-	-	1	1	1	1	2	3	4
Black	19	-	-	-	1	-	3	2	5	5	1	2	7	-	-	-	-	1	-	-	-	-	2	4
Tuberculosis of respiratory system (010-012)	91	-	-	2	1	3	5	12	20	19	18	11	39	1	-	-	1	-	1	-	9	3	13	11
White	65	-	-	2	1	3	3	10	15	12	11	8	35	-	-	-	1	-	-	-	9	3	13	9
All other	26	-	-	-	-	-	2	2	5	7	7	3	4	1	-	-	-	-	1	-	-	-	-	2
Black	12	-	-	-	-	-	2	2	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-	2
Other tuberculosis (013-018)	24	-	-	-	1	2	1	1	9	4	5	1	21	-	1	1	-	1	-	2	2	4	5	5
White	16	-	-	-	-	2	-	1	6	2	5	-	11	-	1	1	-	-	-	1	1	2	2	3
All other	8	-	-	-	1	-	1	-	3	2	-	1	10	-	-	-	-	1	-	1	1	2	3	2
Black	7	-	-	-	1	-	1	-	2	2	-	1	5	-	-	-	-	1	-	-	-	-	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	10	4	1	1	1	1	1	-	1	-	-	-	10	2	3	-	2	-	-	2	-	-	1	-
White	5	2	1	-	1	-	-	-	1	-	-	-	8	1	2	-	2	-	-	2	-	-	1	-
All other	5	2	-	1	-	1	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	5	2	-	1	-	1	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	372	19	4	3	3	6	14	14	45	84	122	58	307	8	2	1	1	6	8	15	27	48	91	99
White	312	17	4	1	3	5	11	9	38	68	106	54	271	6	2	1	1	6	6	11	24	40	81	92
All other	60	2	-	2	-	1	3	5	9	18	16	4	36	2	-	-	-	-	2	4	3	8	10	7
Black	39	1	-	2	-	-	3	5	7	13	7	1	24	-	-	-	-	-	2	1	3	5	7	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	88	1	1	1	5	14	12	13	12	17	8	2	79	6	1	-	12	6	7	7	17	14	7	2
White	69	-	1	1	4	12	11	9	10	11	8	2	58	2	1	-	10	4	6	4	14	10	5	2
All other	17	1	-	-	1	2	1	4	2	6	-	-	21	4	-	-	2	2	1	3	3	4	2	-
Black	4	-	-	-	1	1	-	1	1	-	-	-	10	1	-	-	1	2	1	2	1	2	-	-
Syphilis (090-097)	9	-	-	-	-	3	-	2	-	1	2	1	8	-	-	-	-	1	-	-	1	5	1	-
White	5	-	-	-	-	1	-	1	-	1	1	1	6	-	-	-	-	1	-	-	-	5	-	-
All other	4	-	-	-	-	2	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 095-139)	336	16	11	6	15	32	44	48	50	62	41	11	212	8	6	6	7	9	17	13	55	41	33	17
White	286	14	8	5	13	29	38	37	42	56	34	10	186	7	5	6	4	7	13	11	50	35	32	16
All other	50	2	3	1	2	3	6	11	8	6	7	1	26	1	1	-	3	2	4	2	5	6	1	1
Black	32	1	3	-	1	3	6	9	3	3	3	-	20	1	1	-	2	2	3	1	4	4	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	22,376	15	49	97	157	324	654	1,761	5,076	7,076	5,437	1,694	20,576	7	38	82	96	283	757	1,997	4,552	5,819	4,726	2,211
White	18,823	8	41	79	135	271	533	1,470	4,407	6,359	4,939	1,574	18,684	6	30	72	81	238	619	1,709	4,082	5,372	4,409	2,059
All other	2,553	7	8	18	22	53	121	311	669	717	498	120	1,892	1	8	10	15	45	138	288	470	447	317	152
Black	1,735	3	7	13	13	27	77	218	480	524	301	67	1,314	1	3	4	9	26	83	201	342	321	224	99
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	590	-	-	-	3	4	18	86	180	173	91	34	324	-	1	-	2	2	8	37	83	107	63	20
White	506	-	-	-	3	1	15	61	152	157	83	33	296	-	1	-	2	2	6	27	80	99	59	20
All other	84	-	-	-	-	3	3	25	28	16	8	1	28	-	-	-	-	-	2	10	3	8	4	-
Black	53	-	-	-	-	-	-	17	19	10	6	1	13	-	-	-	-	-	-	3	2	5	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,625	1	-	4	8	49	123	434	1,243	1,839	1,466	454	5,112	-	1	6	4	26	104	292	846	1,443	1,537	850
White	4,857	-	-	4	6	40	82	322	1,045	1,618	1,318	421	4,583	-	1	4	2	23	75	234	743	1,286	1,427	786
All other	768	1	-	-	2	9	41	112	198	221	148	33	529	-	-	2	2	3	29	58	103	157	110	64
Black	452	-	-	-	1	3	20	66	127	146	75	13	347	-	-	-	1	2	13	33	69	114	74	42
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,551	3	1	2	5	22	169	687	2,057	2,655	1,625	322	4,093	-	1	1	1	15	107	442	1,136	1,402	790	195
White	6,693	1	1	2	5	17	135	566	1,785	2,398	1,483	300	3,742	-	1	1	1	10	86	396	1,024	1,304	736	181
All other	858	2	-	-	-	5	34	121	272	257	142	22	351	-	-	-	-	5	21	46	112	98	54	14
Black	829	-	-	-	-	4	27	101	209	192	83	11	243	-	-	-	-	2	14	38	92	81	30	6
Malignant neoplasm of breast (174-175)	25	-	-	-	-	-	-	4	8	7	5	1	3,920	-	-	3	2	75	246	584	1,041	997	657	315
White	23	-	-	-	-	-	-	4	7	6	5	1	3,565	-	-	3	2	64	201	500	937	943	621	294
All other	2	-	-	-	-	-	-	-	1	1	-	-	355	-	-	-	-	11	45	84	104	54	36	21
Black	-	-	-	-	-	-	-	-	-	-	-	-	273	-	-	-	-	7	31	65	80	43	31	16
Malignant neoplasms of genital organs (179-187)	2,379	-	-	1	13	22	11	29	249	690	937	424	2,258	-	1	4	7	27	103	242	527	655	495	197
White	2,113	-	-	1	13	19	10	27	214	606	833	388	2,034	-	1	4	6	22	83	206	484	606	458	184
All other	266	-	-	-	-	3	1	2	35	84	104	36	224	-	-	-	1	5	20	36	63	49	37	13
Black	218	-	-	-	-	-	1	2	34	75	83	23	156	-	-	-	-	3	14	22	39	37	31	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,125	1	2	4	4	3	32	80	238	332	307	121	598	–	3	3	4	2	9	43	103	162	155	114
White	1,057	–	2	4	1	1	31	78	222	308	292	118	560	–	3	3	3	1	9	37	97	154	144	109
All other	68	1	–	–	3	2	1	2	16	24	15	3	38	–	–	–	1	1	–	6	6	8	11	5
Black	53	1	–	–	2	2	1	1	10	22	11	2	28	–	–	–	1	–	–	4	4	7	9	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,909	7	26	36	58	125	185	293	688	809	522	159	2,423	5	15	30	30	64	110	229	530	592	518	296
White	2,636	4	22	26	51	105	163	272	618	742	484	149	2,208	4	13	26	23	57	102	195	482	551	476	277
All other	273	3	4	10	7	20	22	21	70	67	38	10	215	1	2	4	7	7	8	34	48	41	42	21
Black	174	2	4	8	5	11	15	15	43	43	21	6	146	1	2	2	4	3	3	27	35	29	28	12
Leukemia (204-208)	930	3	18	34	32	49	55	64	141	227	223	82	737	2	11	28	31	43	38	39	99	161	166	99
White	843	3	14	28	26	44	47	54	131	210	206	78	661	2	8	25	28	35	27	35	85	148	179	91
All other	87	–	4	6	6	5	8	10	10	17	17	4	76	–	3	3	3	8	11	4	14	15	7	8
Black	53	–	3	4	2	3	5	4	7	12	9	4	51	–	1	1	2	5	6	2	9	13	6	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,242	–	2	16	34	50	61	104	272	344	261	97	1,111	–	3	7	15	29	32	69	167	300	325	123
White	1,095	–	2	14	30	44	50	86	233	314	235	86	1,035	–	2	6	14	24	30	79	170	283	309	117
All other	147	–	–	2	4	6	11	18	39	30	26	11	76	–	1	1	1	5	2	10	17	17	16	6
Black	103	–	–	1	3	4	8	12	31	24	13	7	57	–	–	1	1	4	2	7	13	12	13	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	308	3	4	8	7	14	14	19	52	83	75	28	362	3	2	6	2	10	15	23	48	77	102	74
White	269	3	3	6	6	9	12	18	46	70	68	28	331	2	2	6	2	7	12	20	42	71	96	71
All other	39	–	1	2	1	5	2	1	6	13	7	–	31	1	–	–	–	3	3	3	6	6	6	3
Black	27	–	–	–	1	5	2	1	5	8	4	–	20	1	–	–	–	1	3	2	5	2	3	3
Diabetes mellitus (250)	1,108	–	–	2	8	28	50	92	204	292	322	109	1,581	–	–	3	7	29	41	78	259	408	476	281
White	945	–	–	1	8	26	43	72	169	247	280	99	1,311	–	–	3	7	27	37	61	195	325	400	246
All other	163	–	–	1	–	2	7	20	35	45	42	10	270	–	–	–	–	2	4	15	64	83	67	35
Black	104	–	–	1	–	1	6	15	22	28	26	4	207	–	–	–	–	2	3	12	52	62	49	27
Nutritional deficiencies (260-269)	69	1	–	1	–	1	1	1	6	14	19	25	122	–	–	–	–	–	–	–	4	11	37	70
White	58	–	–	–	–	1	1	1	5	13	16	21	112	–	–	–	–	–	–	–	4	10	35	63
All other	11	1	–	1	–	–	–	–	1	1	3	4	10	–	–	–	–	–	–	–	–	1	2	7
Black	6	1	–	1	–	–	–	–	1	–	2	1	6	–	–	–	–	–	–	–	–	1	2	3
Anemias (280-285)	135	2	2	7	7	8	4	7	10	25	35	28	173	4	4	3	4	8	5	5	17	29	39	55
White	112	–	–	6	3	6	2	4	8	23	34	26	149	1	2	2	3	4	2	3	14	27	38	53
All other	23	2	2	1	4	2	2	3	2	2	1	2	24	3	2	1	1	4	3	2	3	2	1	2
Black	17	–	2	–	4	2	2	1	2	2	1	1	19	–	2	1	1	4	3	2	3	1	–	2
Meningitis (320-322)	53	11	8	1	4	3	3	3	10	4	5	1	56	11	8	–	1	2	3	5	8	8	6	4
White	42	8	7	1	3	3	2	2	7	3	5	1	45	9	8	–	1	1	1	4	7	6	5	3
All other	11	3	1	–	1	–	1	1	3	1	–	–	11	2	–	–	–	1	2	1	1	2	1	1
Black	11	3	1	–	1	–	1	1	3	1	–	–	9	2	–	–	–	1	2	1	1	2	–	–
Major cardiovascular diseases (390-448)	43,185	67	29	35	91	294	955	2,795	7,182	11,552	12,643	7,525	43,948	41	32	32	46	115	372	1,003	3,339	7,562	14,240	17,134
White	38,937	49	19	25	64	226	751	2,333	6,285	10,443	11,624	7,108	40,230	33	23	24	32	87	273	769	2,814	6,679	13,167	16,291
All other	4,248	18	10	10	27	68	204	462	897	1,109	1,019	417	3,718	8	9	8	14	28	99	234	525	883	1,053	843
Black	2,791	13	5	7	23	54	158	354	667	732	542	238	2,759	4	6	5	11	27	84	192	425	878	762	565
Diseases of heart (390-398,402,404-429)	34,784	55	25	23	73	229	821	2,471	6,227	9,535	9,740	5,571	31,968	32	29	21	30	71	248	732	2,638	5,843	10,306	11,999
White	31,470	39	16	17	50	172	651	2,083	5,477	8,690	8,985	5,281	29,275	26	22	17	21	51	180	562	2,245	5,165	9,557	11,418
All other	3,314	16	9	6	23	57	170	388	750	845	755	290	2,693	6	7	4	9	20	68	170	393	678	749	581
Black	2,206	13	5	3	20	46	127	300	563	589	400	160	2,052	3	5	3	7	19	63	143	322	534	553	399
Rheumatic fever and rheumatic heart disease (390-398)	251	1	1	–	3	7	14	18	51	68	73	16	530	–	–	–	4	5	16	38	99	132	157	79
White	229	–	1	–	2	4	12	15	47	63	68	16	492	–	–	–	1	4	14	32	90	126	151	74
All other	22	1	–	–	1	3	2	3	4	3	5	–	38	–	–	–	3	1	2	6	9	6	6	5
Black	13	1	–	–	1	3	2	2	2	–	2	–	21	–	–	–	2	1	1	5	4	3	3	2
Hypertensive heart disease (402)	1,328	–	1	–	1	18	64	161	330	361	287	105	1,390	–	–	–	1	2	18	68	191	311	420	379
White	1,019	–	–	–	–	11	36	107	246	284	245	90	1,134	–	–	–	1	1	9	37	138	237	361	350
All other	309	–	1	–	1	7	28	54	84	77	42	15	256	–	–	–	–	1	9	31	53	74	59	29
Black	255	–	1	–	1	7	23	47	74	63	29	10	217	–	–	–	–	1	9	29	49	64	45	21
Hypertensive heart and renal disease (404)	91	–	–	–	–	–	3	4	14	22	31	17	142	–	–	–	–	1	3	3	8	25	42	60
White	76	–	–	–	–	–	2	3	11	19	25	16	114	–	–	–	–	1	2	1	6	16	33	55
All other	15	–	–	–	–	–	1	1	3	3	6	1	28	–	–	–	–	–	1	2	2	9	9	5
Black	10	–	–	–	–	–	1	1	1	2	5	–	22	–	–	–	–	–	1	2	2	7	7	3
Ischemic heart disease (410-414)	25,018	6	6	9	8	97	545	1,653	4,343	6,939	7,299	4,104	22,132	1	3	8	2	12	113	414	1,654	4,006	7,344	8,564
White	23,040	3	4	7	7	85	454	1,442	3,931	6,419	6,772	3,910	20,465	–	3	6	2	9	84	333	1,436	3,566	6,854	8,166
All other	1,978	3	2	2	1	12	91	211	412	520	527	194	1,667	1	–	2	–	3	29	81	218	440	490	398
Black	1,224	–	–	1	1	10	62	156	288	328	269	109	1,244	1	–	2	–	2	27	66	178	338	362	270
Acute myocardial infarction (410)	12,079	3	2	2	6	44	295	900	2,409	3,592	3,412	1,410	9,276	1	1	3	1	6	59	233	954	2,130	3,240	2,844
White	11,169	1	2	2	6	37	252	796	2,205	3,335	3,177	1,353	8,547	–	1	2	1	3	44	190	851	1,903	3,030	2,519
All other	910	2	–	–	–	7	43	104	204	257	235	57	729	1	–	1	–	3	15	43	103	227	210	125
Black	542	–	–	–	–	5	28	75	142	143	119	32	519	1	–	1	–	2	13	30	87	164	138	77

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	131	1	-	-	-	3	11	19	18	31	38	10	77	-	-	-	-	-	1	3	12	18	25	18
White	120	1	-	-	-	3	9	16	16	30	36	9	73	-	-	-	-	-	1	3	12	16	25	16
All other	11	-	-	-	-	-	2	3	2	1	2	1	4	-	-	-	-	-	-	-	-	2	-	2
Black	7	-	-	-	-	-	1	3	2	-	1	-	4	-	-	-	-	-	-	-	-	2	-	2
Angina pectoris (413)	23	-	-	-	-	-	-	1	4	5	8	5	25	-	-	-	-	-	-	-	2	7	10	6
White	20	-	-	-	-	-	-	1	3	4	7	5	24	-	-	-	-	-	-	-	2	6	10	6
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	12,785	2	4	7	2	50	239	733	1,912	3,311	3,841	2,679	12,754	-	2	5	1	6	53	178	686	1,851	4,069	5,896
White	11,791	1	2	5	1	45	193	629	1,707	3,050	3,552	2,543	11,821	-	2	4	1	6	39	140	571	1,641	3,789	5,625
All other	1,054	1	2	2	1	5	46	104	205	261	289	136	933	-	-	1	-	-	14	38	115	210	280	271
Black	673	-	-	1	1	5	35	78	144	184	148	77	728	-	-	1	-	-	14	36	89	171	224	191
Other diseases of endocardium (424)	450	3	1	1	1	4	4	22	60	115	154	85	525	-	2	-	1	3	7	10	25	87	200	189
White	414	3	1	-	1	3	3	18	57	104	145	79	486	-	2	-	1	3	4	7	21	82	187	180
All other	36	-	-	1	-	1	1	4	3	11	9	6	37	-	-	-	-	-	3	3	4	5	13	9
Black	18	-	-	-	-	1	1	3	2	5	4	2	24	-	-	-	-	-	3	3	3	4	6	5
All other forms of heart disease (415-423,425-429)	7,646	45	16	13	60	103	191	613	1,429	2,032	1,886	1,244	7,249	31	24	13	22	48	91	199	661	1,282	2,143	2,728
White	6,682	33	10	10	40	69	144	498	1,185	1,801	1,730	1,170	6,582	26	17	11	16	33	67	152	554	1,138	1,971	2,593
All other	954	12	6	3	20	34	47	115	244	231	166	74	667	5	7	2	6	15	24	47	107	144	172	135
Black	686	12	4	2	17	25	38	91	196	171	91	39	524	2	5	1	5	15	22	39	88	118	130	88
Hypertension with or without renal disease (401,403)	326	1	-	-	1	2	3	10	38	80	105	84	432	-	-	-	-	1	3	11	28	80	170	139
White	266	-	-	-	-	2	1	5	27	64	92	75	363	-	-	-	-	1	1	4	18	63	150	126
All other	60	1	-	-	1	-	2	5	11	16	13	9	69	-	-	-	-	-	2	7	10	17	20	13
Black	49	-	-	-	1	-	2	4	10	12	13	7	53	-	-	-	-	-	1	6	9	13	15	9
Cerebrovascular diseases (430-438)	5,792	11	4	8	13	48	106	259	644	1,330	2,021	1,347	8,099	7	2	9	16	36	110	238	559	1,302	3,049	3,763
White	5,080	10	3	5	11	39	81	198	538	1,128	1,815	1,253	8,290	6	1	6	11	30	84	185	452	1,137	2,812	3,561
All other	712	1	1	3	2	9	25	63	106	202	206	94	809	1	1	3	5	6	26	53	107	165	237	202
Black	443	-	-	3	2	7	20	46	72	127	111	55	559	1	1	2	4	6	18	40	82	113	160	131
Intracerebral and other intracranial hemorrhage (431-432)	824	8	1	3	3	18	42	80	160	216	215	78	1,083	5	2	1	6	9	38	70	159	235	340	216
White	674	7	-	2	2	11	30	52	133	180	184	73	935	5	1	1	4	8	27	52	121	205	314	196
All other	150	1	1	1	1	7	12	28	27	36	31	5	148	-	1	-	2	1	11	18	38	30	26	20
Black	79	-	-	1	1	5	11	19	16	16	9	1	88	-	1	-	2	1	8	13	23	17	12	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,023	1	1	2	2	4	12	28	105	232	382	254	1,727	-	-	2	1	4	1	25	82	233	596	802
White	916	1	1	2	2	3	9	22	91	197	351	237	1,591	-	-	-	-	3	-	20	46	203	556	763
All other	107	-	-	-	-	1	3	6	14	35	31	17	136	-	-	2	1	1	1	5	16	30	40	39
Black	69	-	-	-	-	1	2	5	13	20	20	8	102	-	-	1	1	1	-	4	14	24	31	25
Cerebral embolism (434.1)	28	-	-	-	-	-	-	1	3	6	14	4	40	-	-	1	-	-	-	2	5	7	17	8
White	27	-	-	-	-	-	-	1	3	6	13	4	37	-	-	1	-	-	-	2	4	6	16	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	3,917	2	2	3	8	26	52	150	376	876	1,410	1,011	6,249	2	-	5	9	23	71	141	333	827	2,096	2,737
White	3,463	2	2	1	7	25	42	121	311	745	1,267	939	5,727	1	-	4	7	19	57	111	281	723	1,926	2,594
All other	454	-	-	2	1	1	10	29	65	131	143	72	522	1	-	1	2	4	14	30	52	104	170	143
Black	294	-	-	2	1	1	7	22	43	91	81	46	367	1	-	1	1	4	10	23	44	71	117	95
Atherosclerosis (440)	697	-	-	1	-	-	1	8	47	153	323	364	1,627	-	1	-	-	1	-	5	33	143	446	994
White	642	-	-	1	-	-	1	8	39	134	309	350	1,549	-	-	-	-	1	-	3	31	134	417	962
All other	55	-	-	-	-	-	-	-	8	19	14	14	78	-	1	-	-	-	-	2	2	9	29	32
Black	40	-	-	-	-	-	-	-	8	13	9	10	55	-	-	-	-	-	-	2	2	8	25	18
Other diseases of arteries, arterioles, and capillaries (441-448)	1,386	-	-	3	4	15	24	47	226	454	454	159	822	2	-	2	-	6	11	17	81	194	269	239
White	1,270	-	-	2	3	13	17	41	204	427	423	149	753	1	-	1	-	4	8	15	68	180	251	224
All other	107	-	-	1	1	2	7	6	22	27	31	10	69	1	-	1	-	2	3	2	13	14	18	15
Black	53	-	-	1	-	1	7	4	14	11	9	6	40	-	-	-	-	2	2	1	10	8	9	8
Acute bronchitis and bronchiolitis (466)	40	10	-	-	-	1	2	1	4	11	4	7	43	3	-	-	1	1	3	2	4	5	8	16
White	31	7	-	-	-	-	1	1	2	9	4	7	41	2	-	-	1	1	3	1	4	5	8	16
All other	9	3	-	-	-	1	1	-	2	2	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Pneumonia and influenza (480-487)	2,915	37	11	5	20	39	49	95	258	571	862	868	3,159	26	18	10	9	21	40	68	164	341	923	1,539
White	2,629	25	9	5	17	27	35	74	228	510	878	821	2,966	17	14	9	8	18	29	59	141	314	877	1,480
All other	286	12	2	-	3	12	14	21	32	61	83	45	193	9	4	1	1	3	11	9	23	27	46	59
Black	190	8	1	-	1	11	11	18	24	43	47	26	125	6	2	-	1	2	11	7	17	17	31	31

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	2,894	37	11	5	20	39	49	95	258	568	953	857	3,111	26	17	10	9	20	40	68	158	335	910	1,518
White	2,608	25	9	5	17	27	35	74	226	507	870	812	2,920	17	14	9	8	17	29	59	135	306	865	1,459
All other	286	12	2	-	3	12	14	21	32	61	83	45	191	9	3	1	1	3	11	9	23	27	45	59
Black	190	8	1	-	1	11	11	18	24	43	47	26	123	6	1	-	1	2	11	7	17	17	30	31
Influenza (487)	21	-	-	-	-	-	-	-	-	3	9	9	48	-	1	-	-	1	-	-	6	6	13	21
White	21	-	-	-	-	-	-	-	-	3	9	9	46	-	-	-	-	1	-	-	6	6	12	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,177	1	3	9	7	9	28	104	592	1,375	1,528	514	2,868	4	1	2	9	15	37	106	454	967	882	388
White	3,848	1	2	5	5	8	17	83	520	1,271	1,445	487	2,719	4	-	1	8	9	29	96	417	931	851	370
All other	329	-	1	4	2	1	11	21	72	104	83	27	149	-	1	1	1	6	8	10	37	36	31	18
Black	209	-	1	3	2	1	10	18	54	59	50	10	106	-	1	1	1	6	6	9	30	21	19	12
Bronchitis, chronic and unspecified (490-491)	239	-	1	-	1	1	2	6	36	59	93	40	203	3	1	-	-	-	4	8	26	60	55	46
White	219	-	1	-	1	1	1	4	32	53	90	36	197	3	-	-	-	-	3	8	26	60	54	43
All other	20	-	-	-	-	-	1	2	4	6	3	4	6	-	1	-	-	-	1	-	-	-	1	3
Black	8	-	-	-	-	-	-	-	3	3	1	1	4	-	1	-	-	-	1	-	-	-	-	2
Emphysema (492)	1,029	-	-	-	-	-	5	32	161	356	377	96	606	-	-	-	-	-	3	25	99	216	194	68
White	962	-	-	-	-	-	5	25	147	331	361	92	590	-	-	-	-	-	3	24	97	212	189	64
All other	67	-	-	-	-	-	-	7	14	25	16	4	16	-	-	-	-	-	-	1	2	4	5	4
Black	45	-	-	-	-	-	-	7	12	14	9	2	11	-	-	-	-	-	-	1	2	2	3	3
Asthma (493)	190	1	2	8	6	5	13	15	45	40	40	15	289	-	-	-	8	15	22	27	66	72	55	24
White	144	1	1	4	4	4	6	10	33	33	34	14	242	-	-	-	7	9	19	19	53	59	52	24
All other	46	-	1	4	2	1	7	5	12	7	6	1	47	-	-	-	1	6	3	8	13	13	3	-
Black	30	-	1	3	2	1	7	4	8	2	1	1	32	-	-	-	1	6	2	7	8	7	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,719	-	-	1	-	3	8	51	350	920	1,018	363	1,770	1	-	2	1	-	8	46	263	619	578	250
White	2,523	-	-	1	-	3	5	44	308	854	960	345	1,690	1	-	1	1	-	4	45	241	600	556	239
All other	196	-	-	-	-	-	3	7	42	66	58	18	80	-	-	1	-	-	4	1	22	19	22	11
Black	126	-	-	-	-	-	3	7	31	40	39	6	59	-	-	1	-	-	3	1	20	12	15	7
Ulcer of stomach and duodenum (531-533)	371	1	-	-	1	3	9	28	65	109	106	49	371	1	-	2	-	1	4	15	41	84	113	110
White	325	-	-	-	1	2	7	26	54	94	94	47	348	1	-	2	-	1	2	13	34	76	110	107
All other	46	1	-	-	-	1	2	2	11	15	12	2	23	-	-	-	-	-	2	2	7	6	3	3
Black	31	1	-	-	-	1	2	1	10	7	9	-	16	-	-	-	-	-	-	2	6	3	3	2
Appendicitis (540-543)	30	1	2	4	1	2	-	3	6	3	6	2	31	-	-	1	1	2	1	2	5	4	6	9
White	29	1	2	4	1	2	-	3	5	3	6	2	26	-	-	1	1	-	-	1	4	4	6	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	2	1	1	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	196	8	1	2	2	5	4	4	7	41	64	58	288	6	1	1	2	1	1	10	17	42	96	111
White	170	7	1	2	1	4	1	4	5	34	57	54	270	6	1	1	2	-	1	9	16	36	91	107
All other	26	1	-	-	1	1	3	-	2	7	7	4	18	-	-	-	-	1	-	1	1	6	5	4
Black	20	1	-	-	1	1	2	-	1	7	5	2	13	-	-	-	-	1	-	1	1	5	3	2
Chronic liver disease and cirrhosis (571)	2,614	1	1	2	3	155	349	582	771	532	162	32	1,346	3	-	-	9	47	134	271	419	317	119	26
White	2,353	1	1	2	3	136	300	513	696	495	170	32	1,207	2	-	-	6	38	112	231	385	292	114	26
All other	261	-	-	-	-	19	49	69	75	37	12	-	139	1	-	-	3	9	22	40	34	25	5	-
Black	208	-	-	-	-	19	42	58	59	24	6	-	110	-	-	-	3	7	17	35	26	17	5	-
Cholelithiasis and other disorders of gallbladder (574-575)	136	-	1	-	-	2	1	5	13	33	48	33	130	-	-	-	1	-	1	5	11	26	43	43
White	118	-	1	-	-	2	1	4	12	29	43	26	115	-	-	-	1	-	1	5	7	22	39	40
All other	18	-	-	-	-	-	-	1	1	4	5	7	15	-	-	-	-	-	-	-	4	4	4	3
Black	5	-	-	-	-	-	-	-	-	1	2	2	13	-	-	-	-	-	-	-	3	3	4	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	658	6	1	-	6	10	14	33	93	152	205	137	845	13	1	-	3	8	18	18	65	146	206	165
White	559	4	1	-	5	9	9	25	78	127	181	119	552	8	1	-	1	7	13	15	51	117	187	152
All other	99	2	-	-	1	1	5	8	15	25	24	18	93	5	-	-	2	1	5	3	14	29	21	13
Black	65	1	-	-	1	1	5	5	12	16	12	12	61	5	-	-	-	1	2	3	9	20	13	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	12	-	1	-	-	-	-	-	-	2	4	5	16	1	-	-	1	1	1	-	3	2	4	3
White	11	-	1	-	-	-	-	-	-	1	4	5	14	1	-	-	1	1	-	-	3	2	4	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	78	-	-	-	1	2	1	2	11	16	29	15	98	-	1	-	-	-	5	4	11	22	31	24
White	64	-	-	-	-	1	1	2	8	13	25	13	88	-	1	-	-	-	5	3	9	19	28	23
All other	14	-	-	-	1	1	-	-	3	3	4	2	10	-	-	-	-	-	-	1	2	3	3	1
Black	10	-	-	-	1	1	-	-	2	3	2	1	7	-	-	-	-	-	-	1	2	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	568	6	-	-	5	8	13	31	82	134	172	117	531	12	-	-	2	7	12	14	51	122	173	138
White	484	4	-	-	5	8	8	23	70	113	152	101	450	7	-	-	-	6	8	12	39	96	155	127
All other	84	2	-	-	-	-	5	8	12	21	20	16	81	5	-	-	2	1	4	2	12	26	18	11
Black	55	1	-	-	-	-	5	5	10	13	10	11	54	5	-	-	-	1	2	2	7	18	12	7
Infections of kidney (590)	68	-	-	-	-	2	-	3	5	10	25	23	150	-	-	-	1	2	1	3	11	22	57	53
White	59	-	-	-	-	1	-	1	4	10	22	21	137	-	-	-	1	1	-	2	9	20	54	50
All other	9	-	-	-	-	1	-	2	1	-	3	2	13	-	-	-	-	1	1	1	2	2	3	3
Black	7	-	-	-	-	1	-	2	1	-	3	-	11	-	-	-	-	1	1	1	2	2	3	1
Hyperplasia of prostate (600)	50	-	-	-	-	-	-	-	4	2	18	26	...	...	...	...	...	...	...	...	...	...	...	...
White	50	-	-	-	-	-	-	-	4	2	18	28	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	35	...	...	-	8	16	11	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	-	5	11	7	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	3	5	4	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	3	2	3	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	30	...	...	-	5	14	11	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	20	...	...	-	4	9	7	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	1	5	4	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	2	3	-	...	...	...	...
Congenital anomalies (740-759)	810	548	60	22	31	29	22	24	28	24	17	7	716	466	47	31	30	20	21	18	26	26	19	11
White	668	451	45	17	27	25	19	19	24	19	16	6	591	376	40	27	26	15	17	14	23	25	17	11
All other	142	97	15	5	4	4	3	5	2	5	1	1	125	90	7	4	4	5	4	4	3	1	2	-
Black	80	52	8	4	3	4	1	3	2	3	-	-	81	55	5	4	2	5	3	4	1	-	2	-
Certain conditions originating in the perinatal period (760-779)	1,031	1,015	12	2	-	1	-	-	-	-	-	-	869	860	8	-	-	-	-	-	-	1	-	-
White	761	751	7	2	-	1	-	-	-	-	-	-	617	612	4	-	-	-	-	-	-	1	-	-
All other	270	264	5	-	-	-	-	-	-	-	-	-	252	248	4	-	-	-	-	-	-	-	-	-
Black	225	219	5	-	-	-	-	-	-	-	-	-	213	209	4	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	333	326	4	2	-	1	-	-	-	-	-	-	237	233	4	-	-	-	-	-	-	-	-	-
White	262	257	2	2	-	1	-	-	-	-	-	-	172	170	2	-	-	-	-	-	-	-	-	-
All other	71	69	2	-	-	-	-	-	-	-	-	-	65	63	2	-	-	-	-	-	-	-	-	-
Black	57	55	2	-	-	-	-	-	-	-	-	-	56	54	2	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	698	689	8	-	-	-	-	-	-	-	-	-	632	627	4	-	-	-	-	-	-	1	-	-
White	499	494	5	-	-	-	-	-	-	-	-	-	445	442	2	-	-	-	-	-	-	1	-	-
All other	199	195	3	-	-	-	-	-	-	-	-	-	187	185	2	-	-	-	-	-	-	-	-	-
Black	168	164	3	-	-	-	-	-	-	-	-	-	157	155	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	656	383	16	5	30	58	39	28	29	20	21	15	487	284	5	3	16	24	20	17	25	22	23	40
White	543	314	13	4	23	50	30	21	28	19	18	12	401	220	4	2	14	20	16	12	23	22	21	39
All other	113	69	3	1	7	8	9	7	1	1	3	3	86	64	1	1	2	4	4	5	2	-	2	1
Black	65	49	3	1	3	8	8	6	1	1	3	2	71	52	1	1	1	4	3	4	2	-	2	1
All other diseases (Residual)	5,726	112	49	53	121	289	331	422	837	1,285	1,405	816	5,882	82	50	58	87	161	222	335	623	1,128	1,649	1,487
White	5,076	85	39	46	105	234	268	347	732	1,164	1,283	769	5,319	63	42	48	70	124	167	276	548	1,026	1,559	1,402
All other	650	27	10	7	16	55	63	75	105	121	122	47	563	19	8	10	17	37	55	59	75	102	96	85
Black	455	18	6	4	11	48	53	59	81	73	69	31	402	11	7	8	12	29	40	42	52	84	64	53
Accidents and adverse effects (E800-E949)	6,770	57	192	268	1,654	1,572	823	577	571	482	355	185	2,837	31	147	138	445	429	260	191	256	303	343	290
White	5,946	49	168	228	1,497	1,357	712	496	485	418	327	175	2,473	23	122	113	396	334	218	153	238	283	314	276
All other	824	8	24	38	157	215	111	81	88	64	28	10	364	8	25	25	49	95	42	38	18	20	29	14
Black	556	4	16	21	99	164	79	65	60	29	10	6	241	6	18	16	26	68	29	24	15	11	16	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	3,532	11	74	155	1,186	859	405	270	232	190	110	34	1,341	8	55	90	339	248	143	64	128	120	94	33
White	3,138	9	63	131	1,092	782	360	225	197	162	100	31	1,178	8	48	73	307	210	126	64	122	110	81	30
All other	394	2	11	24	94	97	45	45	35	28	10	3	163	2	7	17	32	36	17	20	6	10	13	3
Black	245	2	9	13	55	64	27	36	25	9	4	1	78	1	6	12	16	14	6	8	3	4	6	1
All other accidents and adverse effects (E800-E807, E826-E949)	3,238	46	118	111	468	713	418	307	339	292	245	151	1,496	23	92	48	106	183	117	107	128	183	249	257
White	2,808	40	105	97	405	595	352	271	288	256	227	144	1,295	17	74	40	89	124	92	89	116	173	233	246
All other	430	6	13	14	63	118	66	36	51	36	18	7	201	6	18	8	17	59	25	18	12	10	16	11
Black	311	2	8	8	44	100	52	29	35	20	8	5	162	5	12	6	10	54	21	16	12	7	10	6
Suicide (E950-E959)	2,733	...	...	18	430	693	425	306	322	268	209	58	902	...	...	6	105	161	166	131	140	93	74	25
White	2,511	...	...	18	372	627	390	283	308	257	199	54	809	...	...	5	89	146	140	116	129	89	69	23
All other	222	...	...	-	58	66	35	23	14	11	10	4	93	...	...	1	16	15	26	13	11	4	5	2
Black	136	...	...	-	32	44	24	14	7	8	5	2	44	...	...	-	10	7	15	5	2	2	1	2
Homicide and legal intervention (E960-E978)	2,131	8	23	31	648	674	344	183	126	47	28	7	567	13	19	19	125	139	82	56	32	30	28	20
White	1,424	5	14	15	419	444	242	118	91	36	22	7	410	8	14	14	79	90	57	43	29	28	24	20
All other	707	3	9	16	229	230	102	65	35	11	6	-	157	5	5	5	46	49	25	13	3	2	4	-
Black	638	3	9	15	209	210	92	56	31	9	4	-	127	5	4	4	37	41	19	10	1	2	4	-
All other external causes (E980-E999)	180	2	2	1	24	53	35	22	25	8	4	2	93	3	5	3	14	16	11	14	11	4	9	2
White	153	2	2	-	19	45	31	18	22	8	4	2	76	-	5	2	12	12	9	12	10	4	8	2
All other	27	-	-	1	5	8	4	6	3	-	-	-	17	3	-	1	2	4	2	2	1	-	1	-
Black	19	-	-	1	4	6	3	4	1	-	-	-	14	3	-	1	1	4	2	1	1	-	-	-
COLORADO																								
All causes	10,535	328	67	65	399	523	458	737	1,619	2,495	2,415	1,428	9,014	220	44	42	142	197	265	472	1,015	1,698	2,391	2,526
White	10,098	299	62	60	372	489	423	685	1,534	2,412	2,368	1,392	8,704	201	40	39	135	180	245	436	968	1,635	2,341	2,482
All other	437	29	5	5	27	34	35	52	85	83	47	34	310	19	4	3	7	17	20	36	47	63	50	44
Black	368	24	5	3	21	27	29	43	76	70	36	31	245	18	1	1	5	13	13	27	37	55	43	32
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	-	-	1	1	3	1
White	2	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	-	-	1	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	3	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	78	-	1	-	3	2	-	7	14	20	20	12	65	1	-	-	1	-	2	4	6	11	18	22
White	73	-	1	-	3	1	-	4	13	20	19	12	60	1	-	-	-	-	1	4	4	10	18	22
All other	6	-	-	-	-	1	-	3	1	-	1	-	5	-	-	-	1	-	1	-	2	1	-	-
Black	6	-	-	-	-	1	-	3	1	-	1	-	2	-	-	-	1	-	-	-	-	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	5	-	-	-	1	1	-	1	-	1	-	1	3	-	-	-	1	-	-	-	-	2	-	-
White	4	-	-	-	1	-	-	1	-	1	-	1	3	-	-	-	1	-	-	-	-	2	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	25	3	-	1	1	-	-	1	4	8	6	1	28	1	-	-	1	2	2	4	3	5	9	1
White	23	2	-	1	1	-	-	1	4	7	6	1	28	1	-	-	1	2	2	4	3	5	9	1
All other	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	2,003	2	7	7	18	24	81	185	433	632	448	168	1,887	-	3	5	9	28	79	194	404	550	410	214
White	1,919	2	7	7	18	22	59	172	404	603	442	183	1,828	-	3	4	9	28	75	180	390	533	397	209
All other	84	-	-	-	-	2	2	13	29	29	6	3	68	-	-	1	-	-	4	14	14	17	13	5
Black	71	-	-	-	-	2	2	11	25	23	5	3	55	-	-	-	-	-	2	12	12	16	10	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	35	-	-	-	-	-	1	5	7	14	4	4	24	-	-	-	-	-	-	3	9	6	3	1
White	35	-	-	-	-	-	1	5	7	14	4	4	24	-	-	-	-	-	-	3	9	6	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	497	-	-	-	2	3	13	53	92	159	122	53	512	-	-	1	1	4	11	31	81	156	135	92
White	470	-	-	-	2	3	13	49	81	149	121	52	487	-	-	1	1	4	9	25	79	148	130	90
All other	27	-	-	-	-	-	-	4	11	10	1	1	25	-	-	-	-	-	2	6	2	8	5	2
Black	21	-	-	-	-	-	-	3	10	7	-	1	19	-	-	-	-	-	1	4	2	8	4	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	622	-	-	-	1	-	11	38	189	218	138	27	280	-	-	-	-	-	8	33	80	102	47	12
White	598	-	-	-	1	-	9	37	178	209	138	26	269	-	-	-	-	-	6	31	78	98	44	12
All other	24	-	-	-	-	-	2	1	11	9	-	1	11	-	-	-	-	-	-	2	2	4	3	-
Black	20	-	-	-	-	-	2	1	9	7	-	1	10	-	-	-	-	-	-	2	2	3	3	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	1	-	387	-	-	-	-	7	28	69	90	100	57	36
White	2	-	-	-	-	-	-	-	-	1	1	-	377	-	-	-	-	7	27	66	87	98	57	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	1	3	3	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	1	3	2	2	-	1
Malignant neoplasms of genital organs (179-187)	248	-	-	-	1	2	-	6	22	80	86	51	219	-	-	-	-	5	17	16	51	55	53	21
White	236	-	-	-	1	1	-	5	21	74	83	51	212	-	-	-	-	5	17	15	48	53	52	21
All other	12	-	-	-	-	1	-	1	1	6	3	-	7	-	-	-	-	-	-	1	3	2	1	-
Black	12	-	-	-	-	1	-	1	1	6	3	-	7	-	-	-	-	-	-	1	3	2	1	-
Malignant neoplasms of urinary organs (188-189)	93	-	-	-	-	-	4	9	17	28	22	13	54	-	-	1	-	-	2	5	6	15	13	12
White	91	-	-	-	-	-	4	9	16	27	22	13	52	-	-	1	-	-	2	4	6	15	12	12
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	283	2	6	3	7	11	22	44	62	71	37	18	254	-	2	1	4	7	11	25	52	73	57	22
White	270	2	6	3	7	10	22	38	59	69	36	18	249	-	2	1	4	7	11	25	51	72	55	21
All other	13	-	-	-	-	1	-	6	3	2	1	-	5	-	-	-	-	-	-	-	1	1	2	1
Black	12	-	-	-	-	1	-	5	3	2	1	-	5	-	-	-	-	-	-	-	1	1	2	1
Leukemia (204-208)	100	-	1	4	3	6	6	12	15	30	13	10	65	-	1	2	3	2	2	3	14	12	18	8
White	99	-	1	4	3	6	6	12	14	30	13	10	59	-	1	1	3	2	2	2	12	12	17	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	1	-	-	-	1	2	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	123	-	-	-	4	2	4	16	29	31	25	10	102	-	-	-	1	3	2	9	21	29	27	10
White	116	-	-	-	4	2	4	17	28	30	24	9	100	-	-	-	1	3	1	9	20	29	27	10
All other	5	-	-	-	-	-	-	1	1	1	1	1	2	-	-	-	-	-	1	-	1	-	-	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	-	2	-	1	-	2	2	6	8	8	3	42	-	1	-	-	-	2	5	1	12	8	13
White	32	-	2	-	1	-	2	2	6	8	8	3	41	-	1	-	-	-	2	5	1	12	8	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	135	-	-	-	2	-	4	10	23	46	38	12	169	-	-	-	1	3	5	8	29	35	58	30
White	128	-	-	-	1	-	3	10	23	43	35	11	160	-	-	-	1	3	5	7	26	34	57	27
All other	9	-	-	-	1	-	1	-	-	3	3	1	9	-	-	-	-	-	-	1	3	1	1	3
Black	6	-	-	-	1	-	-	-	-	3	1	1	7	-	-	-	-	-	-	1	2	1	1	2
Nutritional deficiencies (260-269)	10	-	-	-	-	-	-	1	-	1	5	3	26	-	-	-	-	-	-	1	1	3	9	12
White	9	-	-	-	-	-	-	1	-	1	4	3	24	-	-	-	-	-	-	1	1	3	8	11
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	17	-	-	-	2	1	1	-	-	6	2	5	13	-	-	1	-	1	-	-	1	1	3	6
White	16	-	-	-	1	1	1	-	-	6	2	5	13	-	-	1	-	1	-	-	1	1	3	6
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	9	2	1	-	-	-	2	-	1	3	-	-	11	2	1	1	1	1	-	-	-	1	3	1
White	7	2	1	-	-	-	2	-	-	2	-	-	11	2	1	1	1	1	-	-	-	1	3	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,240	14	4	3	7	29	104	265	717	1,105	1,225	767	4,038	9	1	1	9	19	37	96	287	654	1,306	1,619
White	4,104	14	3	3	7	25	92	246	682	1,077	1,203	752	3,921	8	1	1	8	17	31	85	271	626	1,279	1,594
All other	136	-	1	-	-	4	12	19	35	28	22	15	117	1	-	-	1	2	6	11	16	28	27	25
Black	120	-	1	-	-	2	11	17	32	26	17	14	101	1	-	-	1	2	5	8	14	25	25	20
Diseases of heart (390-398,402,404-429)	3,501	13	3	3	6	22	94	239	653	948	935	585	2,929	6	1	1	6	12	22	73	226	513	955	1,114
White	3,387	13	2	3	6	19	83	223	619	923	919	577	2,848	5	1	1	5	11	20	66	213	490	938	1,096
All other	114	-	1	-	-	3	11	16	34	25	16	8	81	1	-	-	1	1	2	7	13	23	17	18
Black	102	-	1	-	-	2	11	14	31	24	12	7	70	1	-	-	1	1	1	6	12	21	16	11
Rheumatic fever and rheumatic heart disease (390-398)	35	-	-	-	-	1	2	5	9	10	5	3	71	-	-	-	-	1	3	5	12	15	24	11
White	34	-	-	-	-	1	1	5	9	10	5	3	68	-	-	-	-	1	2	5	11	14	24	11
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hypertensive heart disease (402)	44	-	-	-	-	-	1	3	6	14	5	15	50	-	-	-	-	-	-	-	2	17	18	13
White	40	-	-	-	-	-	-	2	5	13	5	15	47	-	-	-	-	-	-	-	2	16	17	12
All other	4	-	-	-	-	-	1	1	1	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	1	1	1	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	1	-	3	2	9	-	-	-	-	-	-	-	-	2	1	6
White	4	-	-	-	-	-	-	-	-	-	3	1	7	-	-	-	-	-	-	-	-	2	-	5
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Ischemic heart disease (410-414)	2,608	-	-	-	2	8	75	188	511	728	713	385	1,907	-	-	-	-	3	10	47	153	365	616	713
White	2,535	-	-	-	2	6	69	176	485	714	701	382	1,865	-	-	-	-	3	9	44	146	349	608	706
All other	73	-	-	-	-	2	6	10	26	14	12	3	42	-	-	-	-	-	1	3	7	16	8	7
Black	63	-	-	-	-	1	6	8	23	13	9	3	36	-	-	-	-	-	1	3	7	14	8	3
Acute myocardial infarction (410)	1,479	-	-	-	-	8	42	134	313	439	392	147	906	-	-	-	-	1	7	31	98	221	306	240
White	1,443	-	-	-	-	5	40	128	305	431	387	147	891	-	-	-	-	1	6	30	95	214	306	239
All other	30	-	-	-	-	1	2	6	8	8	5	-	15	-	-	-	-	-	1	1	3	7	2	1
Black	24	-	-	-	-	1	2	4	6	8	3	-	14	-	-	-	-	-	1	1	3	6	2	1
Other acute and subacute forms of ischemic heart disease (411)	32	-	-	-	-	-	1	2	10	12	4	3	11	-	-	-	-	-	-	-	2	2	3	4
White	32	-	-	-	-	-	1	2	10	12	4	3	11	-	-	-	-	-	-	-	2	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,103	-	-	-	2	2	32	50	188	277	317	235	986	-	-	-	-	2	3	16	53	142	305	465
White	1,060	-	-	-	2	1	28	46	170	271	310	232	959	-	-	-	-	2	3	14	49	133	299	459
All other	43	-	-	-	-	1	4	4	18	6	7	3	27	-	-	-	-	-	-	2	4	9	6	6
Black	39	-	-	-	-	-	4	4	17	5	6	3	22	-	-	-	-	-	-	2	4	8	6	2
Other diseases of endocardium (424)	50	-	-	-	1	3	1	-	6	12	18	9	57	-	-	-	-	1	-	3	5	6	24	16
White	50	-	-	-	1	3	1	-	6	12	18	9	57	-	-	-	-	1	-	3	5	6	24	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	758	13	3	3	3	10	15	45	120	184	191	171	835	6	1	1	6	7	9	18	54	106	272	355
White	724	13	2	3	3	9	12	40	114	174	187	167	804	5	1	1	5	6	9	14	49	101	265	348
All other	34	-	1	-	-	1	3	5	6	10	4	4	31	1	-	-	1	1	-	4	5	5	7	7
Black	32	-	1	-	-	1	3	5	6	10	3	3	27	1	-	-	1	1	-	3	4	5	6	6
Hypertension with or without renal disease (401,403)	30	-	-	-	-	-	-	1	6	4	10	9	43	-	-	-	-	-	-	1	3	12	13	14
White	26	-	-	-	-	-	-	1	6	3	9	9	40	-	-	-	-	-	-	-	3	12	12	13
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	1	-	-	1	1
Cerebrovascular diseases (430-438)	478	1	1	-	1	6	8	13	45	96	186	121	772	2	-	-	3	8	13	19	50	93	256	330
White	465	1	1	-	1	5	7	12	44	95	183	116	746	2	-	-	3	5	10	17	47	89	249	324
All other	13	-	-	-	-	1	1	1	1	1	3	5	26	-	-	-	-	1	3	2	3	4	7	6
Black	10	-	-	-	-	-	-	1	1	1	2	5	22	-	-	-	-	1	3	1	2	3	6	6
Intracerebral and other intracranial hemorrhage (431-432)	50	1	-	-	1	2	-	4	12	12	13	5	89	-	-	-	1	2	2	5	11	21	26	21
White	48	1	-	-	1	2	-	4	12	12	12	4	83	-	-	-	1	2	2	5	9	21	23	20
All other	2	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	-	-	-	2	-	3	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	2	-	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	66	-	-	-	-	-	-	1	3	12	29	21	87	-	-	-	-	-	-	1	3	12	32	39
White	65	-	-	-	-	-	-	1	2	12	29	21	81	-	-	-	-	-	-	-	2	11	30	38
All other	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	-	1	1	1	2	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	-	1	2	1
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	-	-	2	-	2
White	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	359	-	1	-	-	4	8	8	29	72	142	95	592	2	-	-	2	4	11	13	36	58	198	268
White	349	-	1	-	-	3	7	7	29	71	140	91	579	2	-	-	2	3	8	12	36	58	196	264
All other	10	-	-	-	-	1	1	1	-	1	2	4	13	-	-	-	-	1	3	1	-	2	2	4
Black	7	-	-	-	-	-	-	1	-	1	1	4	11	-	-	-	-	1	3	-	-	1	2	4
Atherosclerosis (440)	96	-	-	-	-	-	-	1	1	20	42	32	220	-	-	-	-	-	-	1	2	13	59	145
White	93	-	-	-	-	-	-	1	1	20	40	31	216	-	-	-	-	-	-	1	2	13	57	143
All other	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	-	2	2
Black	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	-	2	2
Other diseases of arteries, arterioles, and capillaries (441-448)	135	-	-	-	-	1	2	11	12	37	52	20	74	1	-	-	-	1	2	2	6	23	23	16
White	131	-	-	-	-	1	2	9	12	36	52	19	71	1	-	-	-	1	1	1	6	22	23	16
All other	4	-	-	-	-	-	-	2	-	1	-	1	3	-	-	-	-	-	1	1	-	1	-	-
Black	3	-	-	-	-	-	-	2	-	-	-	1	2	-	-	-	-	-	1	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	1	-	-	-	-	-	-	-	7	1	2	-	-	-	-	-	1	-	-	3
White	2	1	-	-	1	-	-	-	-	-	-	-	7	1	2	-	-	-	-	-	1	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	370	9	2	-	1	6	7	9	27	61	121	127	372	8	-	1	-	4	4	9	18	39	93	196
White	348	9	2	-	1	5	5	6	24	59	116	121	363	7	-	1	-	3	3	8	18	37	93	193
All other	22	-	-	-	-	1	2	3	3	2	5	6	9	1	-	-	-	1	1	1	-	2	-	3
Black	20	-	-	-	-	1	2	3	3	2	4	5	8	1	-	-	-	1	1	1	-	2	-	2
Pneumonia (480-486)	365	9	1	-	1	6	7	9	26	61	121	124	358	8	-	1	-	4	4	9	18	38	90	188
White	344	9	1	-	1	5	5	6	23	59	116	119	349	7	-	1	-	3	3	8	18	34	90	185
All other	21	-	-	-	-	1	2	3	3	2	5	5	9	1	-	-	-	1	1	1	-	2	-	3
Black	19	-	-	-	-	1	2	3	3	2	4	4	8	1	-	-	-	1	1	1	-	2	-	2
Influenza (487)	5	-	1	-	-	-	-	-	1	-	-	3	14	-	-	-	-	-	-	-	-	3	3	8
White	4	-	1	-	-	-	-	-	1	-	-	2	14	-	-	-	-	-	-	-	-	3	3	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	619	-	1	-	1	2	1	11	88	232	210	75	340	-	1	-	-	1	2	15	69	116	88	48
White	608	-	1	-	1	2	1	11	84	228	206	74	331	-	1	-	-	1	2	15	65	114	88	47
All other	11	-	-	-	-	-	-	-	2	4	4	1	9	-	-	-	-	-	-	-	4	2	2	1
Black	10	-	-	-	-	-	-	-	2	4	3	1	9	-	-	-	-	-	-	-	4	2	2	1
Bronchitis, chronic and unspecified (490-491)	24	-	1	-	-	-	-	1	2	11	6	3	15	-	1	-	-	-	-	-	4	3	2	5
White	24	-	1	-	-	-	-	1	2	11	6	3	15	-	1	-	-	-	-	-	4	3	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	130	-	-	-	-	-	-	5	17	42	59	8	66	-	-	-	-	-	-	4	15	26	17	4
White	128	-	-	-	-	-	-	5	17	41	57	8	65	-	-	-	-	-	-	4	14	26	17	4
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	23	-	-	-	-	2	-	1	7	7	3	3	23	-	-	-	-	1	-	4	3	8	3	4
White	20	-	-	-	-	2	-	1	6	5	3	3	23	-	-	-	-	1	-	4	3	8	3	4
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	442	-	-	-	1	-	1	4	60	172	143	61	236	-	-	-	-	-	2	7	47	79	66	35
White	436	-	-	-	1	-	1	4	59	171	140	60	228	-	-	-	-	-	2	7	44	77	64	34
All other	6	-	-	-	-	-	-	-	1	1	3	1	8	-	-	-	-	-	-	-	3	2	2	1
Black	6	-	-	-	-	-	-	-	1	1	3	1	8	-	-	-	-	-	-	-	3	2	2	1
Ulcer of stomach and duodenum (531-533)	26	-	-	-	-	1	1	4	2	6	7	5	49	-	-	-	-	-	-	1	1	11	20	15
White	25	-	-	-	-	1	1	4	2	6	7	4	48	-	-	-	-	-	-	1	1	11	20	15
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	5	-	-	-	1	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	2
White	5	-	-	-	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	-	-	-	-	1	-	1	2	7	6	1	39	1	-	-	-	-	-	-	3	2	13	20
White	18	-	-	-	-	1	-	1	2	7	6	1	39	1	-	-	-	-	-	-	3	2	13	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	190	-	-	-	-	12	17	36	59	48	16	2	97	-	-	-	1	3	6	18	29	27	12	1
White	183	-	-	-	-	10	16	34	57	48	16	2	94	-	-	-	1	3	5	16	29	27	12	1
All other	7	-	-	-	-	2	1	2	2	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Black	4	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	1	-	1	4	6	4	17	-	-	-	-	-	1	-	2	-	3	11
White	15	-	-	-	-	-	1	-	-	4	6	4	16	-	-	-	-	-	1	-	2	-	3	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	81	-	-	-	-	2	1	3	6	22	25	22	87	-	-	-	1	3	3	-	8	24	28	20
White	76	-	-	-	-	2	1	2	5	21	25	20	86	-	-	-	1	3	3	-	8	23	28	20
All other	5	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	-	-	-	-	-	1	5	3	6	-	-	-	-	1	1	-	-	1	3	-
White	8	-	-	-	-	-	-	-	-	1	5	2	6	-	-	-	-	1	1	-	-	1	3	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	72	-	-	-	-	2	1	3	6	21	20	19	80	-	-	-	1	2	2	-	8	23	25	19
White	68	-	-	-	-	2	1	2	5	20	20	18	79	-	-	-	1	2	2	-	8	22	25	19
All other	4	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	8	-	-	-	-	-	-	-	2	3	1	2	11	-	-	-	-	-	-	1	2	2	2	4
White	8	-	-	-	-	-	-	-	2	3	1	2	11	-	-	-	-	-	-	1	2	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	2	2	1	---	---	---	---	---	---	---	---	---	---	---	---
White	5	-	-	-	-	-	-	-	-	2	2	1	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	106	81	7	2	3	1	2	-	5	3	1	1	65	42	5	4	2	3	-	1	1	3	2	2
White	101	78	7	2	2	1	2	-	5	2	1	1	60	39	3	4	2	3	-	1	1	3	2	2
All other	5	3	-	-	1	-	-	-	-	1	-	-	5	3	2	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	1	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	127	125	2	-	-	-	-	-	-	-	-	-	109	108	1	-	-	-	-	-	-	-	-	-
White	106	104	2	-	-	-	-	-	-	-	-	-	97	96	1	-	-	-	-	-	-	-	-	-
All other	21	21	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	33	2	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	30	28	2	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	92	92	-	-	-	-	-	-	-	-	-	-	95	94	1	-	-	-	-	-	-	-	-	-
White	76	76	-	-	-	-	-	-	-	-	-	-	84	83	1	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	12	12	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	181	67	2	1	17	13	14	5	6	19	15	21	119	34	1	2	3	6	6	8	10	10	15	23
White	167	63	2	1	14	13	12	5	5	17	14	21	113	33	1	2	3	6	5	6	8	10	15	23
All other	14	4	-	-	3	-	2	-	1	2	1	-	6	1	-	-	-	-	1	2	2	-	-	-
Black	10	4	-	-	3	-	1	-	-	1	-	-	6	1	-	-	-	-	1	2	2	-	-	-
All other diseases (Residual)	723	16	11	4	22	33	38	55	92	162	174	116	801	11	4	7	12	21	33	51	84	142	226	210
White	692	16	10	4	20	29	35	52	86	155	172	113	769	11	3	7	12	15	32	47	81	134	220	207
All other	31	-	1	-	2	4	3	3	6	7	2	3	32	-	1	-	-	6	1	4	3	8	6	3
Black	26	-	1	-	1	4	3	2	5	5	2	3	21	-	-	-	-	5	1	2	2	6	4	1
Accidents and adverse effects (E800-E949)	891	7	21	38	203	214	107	73	59	59	56	53	407	1	24	17	73	62	35	32	28	32	54	49
White	850	7	19	34	195	205	101	71	57	55	54	51	389	-	23	15	71	57	32	32	26	30	54	49
All other	41	-	2	4	8	9	6	2	2	4	2	2	18	1	1	2	2	5	3	-	2	2	-	-
Black	30	-	2	2	5	7	4	2	2	3	2	1	9	1	-	1	-	4	1	-	-	2	-	-
Motor vehicle accidents (E810-E825)	473	1	6	21	147	141	65	34	20	17	13	8	209	-	13	12	62	42	22	20	10	14	14	-
White	448	1	4	17	143	137	60	32	19	16	12	7	197	-	12	11	60	38	19	20	10	13	14	-
All other	25	-	2	4	4	4	5	2	1	1	1	1	12	-	1	1	2	4	3	-	-	1	-	-
Black	14	-	2	2	1	2	3	2	1	-	1	-	5	-	-	-	-	3	1	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	418	6	15	17	56	73	42	39	39	42	43	45	198	1	11	5	11	20	13	12	18	18	40	49
White	402	6	15	17	52	68	41	39	38	39	42	44	192	-	11	4	11	19	13	12	16	17	40	49
All other	16	-	-	-	4	5	1	-	1	3	1	1	6	1	-	1	-	1	-	-	2	1	-	-
Black	16	-	-	-	4	5	1	-	1	3	1	1	4	1	-	1	-	1	-	-	-	1	-	-
Suicide (E950-E959)	443	...	...	6	75	134	57	52	65	32	18	4	126	...	...	1	16	23	30	21	16	13	4	2
White	435	...	...	6	73	130	56	51	65	32	18	4	122	...	...	1	15	22	30	20	16	12	4	2
All other	8	...	...	-	2	4	1	1	-	-	-	-	4	...	...	-	1	1	-	1	-	1	-	-
Black	3	...	...	-	-	2	1	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	142	1	4	2	34	41	32	14	8	1	3	1	49	1	-	2	11	12	10	3	7	-	3	-
White	116	1	4	1	26	35	27	9	7	1	3	1	44	1	-	2	9	11	9	3	6	-	3	-
All other	26	-	-	1	8	6	5	5	1	-	-	-	5	-	-	-	2	1	1	-	1	-	-	-
Black	24	-	-	1	8	6	5	3	1	-	-	-	5	-	-	-	2	1	1	-	1	-	-	-
All other external causes (E980-E999)	22	-	1	-	5	6	6	2	1	-	1	-	16	-	-	-	-	3	7	-	3	2	1	-
White	20	-	-	-	4	6	6	2	1	-	1	-	15	-	-	-	-	3	6	-	3	2	1	-
All other	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	14,008	245	37	59	364	398	439	901	2,343	3,654	3,549	2,018	13,238	171	17	28	114	146	255	534	1,440	2,660	3,726	4,144
White	13,125	180	25	49	326	335	365	797	2,158	3,494	3,425	1,970	12,622	135	11	23	102	117	221	464	1,333	2,526	3,617	4,070
All other	883	65	12	10	38	63	74	104	185	160	124	48	616	36	6	5	12	29	34	70	107	134	109	74
Black	853	64	12	10	37	63	71	102	181	151	115	47	595	35	5	4	12	29	33	66	104	131	106	70
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	-	-	4	1	-	7	-	-	-	-	-	-	-	1	1	3	2
White	4	-	-	-	-	-	-	-	-	3	1	-	6	-	-	-	-	-	-	-	-	1	3	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	-	4	1	-	5	-	-	-	-	-	-	-	-	1	2	2
White	4	-	-	-	-	-	-	-	-	3	1	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	117	-	1	-	-	-	5	3	19	28	34	27	113	1	-	-	-	-	2	1	10	26	39	34
White	108	-	1	-	-	-	3	2	17	28	32	25	106	1	-	-	-	-	2	1	6	25	38	33
All other	9	-	-	-	-	-	2	1	2	-	2	2	7	-	-	-	-	-	-	-	4	1	1	1
Black	9	-	-	-	-	-	2	1	2	-	2	2	7	-	-	-	-	-	-	-	4	1	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	1	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	-	1	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	30	-	-	-	1	3	2	4	4	5	8	3	36	1	-	-	2	2	1	3	6	10	4	7
White	28	-	-	-	1	3	2	2	4	5	8	3	30	1	-	-	2	1	1	1	5	9	3	7
All other	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	1	-	2	1	1	1	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	1	-	2	1	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,496	1	3	10	14	33	79	252	768	1,135	885	306	3,130	-	1	8	15	31	116	254	651	877	742	441
White	3,291	1	3	8	14	31	74	226	704	1,075	856	299	2,984	-	-	5	15	29	105	224	613	838	722	431
All other	205	-	-	2	-	2	5	26	64	60	39	7	152	-	1	1	-	2	11	30	38	39	20	10
Black	196	-	-	2	-	2	5	25	61	57	38	6	148	-	1	1	-	2	11	27	38	39	20	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	111	-	-	-	-	1	4	8	40	23	28	9	38	-	-	-	-	1	-	3	8	14	6	6
White	103	-	-	-	-	1	4	6	37	20	26	9	35	-	-	-	-	1	-	2	6	14	6	6
All other	8	-	-	-	-	-	-	2	3	3	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	8	-	-	-	-	-	-	2	3	3	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	954	-	-	-	1	7	13	57	209	328	247	92	637	-	-	1	2	2	11	34	129	236	258	164
White	896	-	-	-	1	5	12	48	190	317	233	90	601	-	-	-	2	2	10	26	121	228	254	158
All other	58	-	-	-	-	2	1	9	19	11	14	2	36	-	-	1	-	-	1	8	8	8	4	6
Black	55	-	-	-	-	2	1	8	17	11	14	2	34	-	-	1	-	-	1	7	8	8	4	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,108	1	-	1	-	3	20	90	294	393	252	52	507	-	-	-	1	1	21	54	135	174	88	33
White	1,047	1	-	1	-	3	20	85	268	374	244	51	478	-	-	-	1	1	20	48	124	164	87	33
All other	59	-	-	-	-	-	-	5	26	19	8	1	29	-	-	-	-	-	1	6	11	10	1	-
Black	57	-	-	-	-	-	-	5	26	18	8	-	29	-	-	-	-	-	1	6	11	10	1	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	1	1	1	634	-	-	-	1	7	37	86	165	152	114	71
White	3	-	-	-	-	-	-	-	-	1	1	1	610	-	-	-	1	7	32	79	159	149	112	70
All other	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	5	7	6	3	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	-	5	6	6	3	2	1
Malignant neoplasms of genital organs (179-187)	385	-	-	-	1	2	2	7	37	103	158	75	332	-	-	-	2	6	16	27	73	94	76	37
White	358	-	-	-	1	2	2	7	31	95	146	72	314	-	-	-	2	4	15	24	71	88	73	36
All other	28	-	-	-	-	-	-	-	6	8	12	3	18	-	-	-	-	2	1	3	2	6	3	1
Black	28	-	-	-	-	-	-	-	6	8	12	3	18	-	-	-	-	2	1	3	2	6	3	1
Malignant neoplasms of urinary organs (188-189)	202	-	1	-	1	-	1	16	22	77	55	29	114	-	-	-	-	-	3	9	10	28	36	28
White	197	-	1	-	1	-	1	15	22	74	54	29	109	-	-	-	-	-	3	8	8	28	35	27
All other	5	-	-	-	-	-	-	1	-	3	1	-	5	-	-	-	-	-	-	1	2	-	1	1
Black	5	-	-	-	-	-	-	1	-	3	1	-	5	-	-	-	-	-	-	1	2	-	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	437	-	-	4	4	9	25	52	110	129	81	23	381	-	1	3	3	8	20	20	78	93	97	58
White	405	-	-	4	4	9	22	45	102	119	78	22	360	-	-	3	3	8	17	18	74	87	93	57
All other	32	-	-	-	-	-	3	7	8	10	3	1	21	-	1	-	-	-	3	2	4	6	4	1
Black	29	-	-	-	-	-	3	7	7	9	2	1	20	-	1	-	-	-	3	1	4	6	4	1
Leukemia (204-208)	131	-	2	5	4	5	7	9	22	32	31	14	115	-	-	2	3	1	5	10	18	21	30	25
White	124	-	2	3	4	5	6	8	21	30	31	14	111	-	-	2	3	1	5	10	17	21	27	25
All other	7	-	-	2	-	-	1	1	1	2	-	-	4	-	-	-	-	-	-	-	1	-	3	-
Black	7	-	-	2	-	-	1	1	1	2	-	-	4	-	-	-	-	-	-	-	1	-	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	167	-	-	-	3	6	7	13	34	49	44	11	179	-	-	-	3	5	3	11	35	65	37	19
White	160	-	-	-	3	6	7	12	33	45	43	11	168	-	-	-	3	5	3	9	33	59	35	19
All other	7	-	-	-	-	-	-	1	1	4	1	-	12	-	-	-	-	-	-	2	2	6	2	-
Black	6	-	-	-	-	-	-	1	1	3	1	-	12	-	-	-	-	-	-	2	2	6	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	60	-	1	2	3	-	4	4	11	19	7	9	63	-	-	1	1	-	3	1	7	12	23	15
White	60	-	1	2	3	-	4	4	11	19	7	9	62	-	-	1	1	-	2	1	7	12	23	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Diabetes mellitus (250)	228	-	-	-	1	3	15	15	39	63	64	28	296	-	-	-	-	1	5	6	33	70	111	70
White	211	-	-	-	1	3	13	13	35	59	62	25	279	-	-	-	-	1	4	5	28	66	106	69
All other	15	-	-	-	-	-	2	2	4	4	2	1	17	-	-	-	-	-	1	1	5	4	5	1
Black	15	-	-	-	-	-	2	2	4	4	2	1	17	-	-	-	-	-	1	1	5	4	5	1
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	2	3	1	20	-	-	-	-	-	-	-	-	2	4	14
White	6	-	-	-	-	-	-	-	-	2	3	1	20	-	-	-	-	-	-	-	-	2	4	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	28	-	-	1	-	-	1	2	4	6	6	8	16	-	-	-	1	-	-	-	4	2	3	6
White	23	-	-	-	-	-	-	1	2	6	6	8	15	-	-	-	-	-	-	-	4	2	3	6
All other	5	-	-	1	-	-	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	5	-	-	1	-	-	1	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis (320-322)	6	1	-	-	-	-	-	1	2	1	1	-	14	1	-	-	-	-	-	1	3	2	4	3
White	6	1	-	-	-	-	-	1	2	1	1	-	13	1	-	-	-	-	-	1	2	2	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	6,307	4	4	1	14	29	120	396	1,046	1,750	1,779	1,163	6,840	9	1	-	7	18	31	138	454	1,200	2,171	2,810
White	6,009	4	4	1	11	23	103	352	971	1,680	1,721	1,138	6,588	8	1	-	6	12	23	121	413	1,133	2,107	2,763
All other	298	-	-	-	3	6	17	44	75	70	58	25	252	1	-	-	1	6	8	17	41	67	64	47
Black	285	-	-	-	3	6	17	43	75	65	51	25	242	1	-	-	1	6	8	17	39	64	61	45

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,208	3	2	1	8	16	103	362	925	1,497	1,397	893	5,230	8	1	-	3	13	19	101	361	958	1,672	2,098
White	4,969	3	2	1	7	12	93	325	862	1,437	1,354	872	5,040	7	1	-	2	10	14	88	330	907	1,625	2,055
All other	239	-	-	-	1	4	10	37	63	60	43	21	190	1	-	-	1	3	5	13	31	51	47	38
Black	229	-	-	-	1	4	10	36	63	55	39	21	182	1	-	-	1	3	5	13	30	48	45	36
Rheumatic fever and rheumatic heart disease (390-396)	23	-	-	-	-	-	1	3	3	7	7	2	96	1	-	-	-	2	-	1	11	35	36	12
White	21	-	-	-	-	-	-	2	3	7	7	2	96	1	-	-	-	1	-	1	11	34	36	12
All other	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Hypertensive heart disease (402)	107	-	-	-	-	2	1	8	25	27	31	13	168	-	-	-	-	-	-	6	15	33	60	54
White	92	-	-	-	-	2	-	3	23	24	27	13	149	-	-	-	-	-	-	4	9	29	53	54
All other	15	-	-	-	-	-	1	5	2	3	4	-	19	-	-	-	-	-	-	2	6	4	7	-
Black	15	-	-	-	-	-	1	5	2	3	4	-	19	-	-	-	-	-	-	2	6	4	7	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	-	1	4	3	23	-	-	-	-	-	-	-	3	3	4	13
White	8	-	-	-	-	-	-	-	-	1	4	3	20	-	-	-	-	-	-	-	3	2	3	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Ischemic heart disease (410-414)	3,889	-	1	-	-	6	77	284	718	1,158	1,017	646	3,764	1	-	-	1	4	10	83	241	682	1,227	1,534
White	3,738	-	1	-	-	5	72	247	672	1,120	991	629	3,646	1	-	-	1	3	7	56	221	652	1,197	1,507
All other	151	-	-	-	-	1	5	17	46	39	26	17	118	-	-	-	-	1	3	7	20	30	30	27
Black	143	-	-	-	-	1	5	16	46	35	23	17	111	-	-	-	-	1	3	7	20	27	28	25
Acute myocardial infarction (410)	1,882	-	1	-	-	4	38	149	397	640	484	188	1,529	-	-	-	-	3	5	42	152	381	533	412
White	1,825	-	1	-	-	4	38	144	381	621	455	182	1,485	-	-	-	-	3	4	40	139	368	525	405
All other	57	-	-	-	-	-	2	5	16	19	9	6	44	-	-	-	-	-	1	2	13	13	8	7
Black	52	-	-	-	-	-	2	5	16	16	7	6	40	-	-	-	-	-	1	2	13	11	7	6
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1
White	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	12	-	-	-	-	-	-	-	-	1	7	4	7	-	-	-	-	-	-	-	-	4	2	1
White	12	-	-	-	-	-	-	-	-	1	7	4	7	-	-	-	-	-	-	-	-	4	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,992	-	-	-	-	2	39	115	320	517	545	454	2,225	1	-	-	1	1	5	21	89	295	692	1,120
White	1,898	-	-	-	-	1	36	103	290	497	528	443	2,151	1	-	-	1	-	3	18	82	278	670	1,100
All other	94	-	-	-	-	1	3	12	30	20	17	11	74	-	-	-	-	1	2	5	7	17	22	20
Black	91	-	-	-	-	1	3	11	30	19	16	11	71	-	-	-	-	1	2	5	7	16	21	19
Other diseases of endocardium (424)	55	-	-	-	1	3	1	1	9	16	13	11	73	-	-	-	-	1	-	4	3	15	28	22
White	54	-	-	-	1	3	1	-	9	16	13	11	73	-	-	-	-	1	-	4	3	15	28	22
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,126	3	1	1	7	5	23	86	170	267	325	218	1,104	6	1	-	2	6	9	27	88	190	317	458
White	1,056	3	1	1	6	2	20	73	155	269	312	214	1,056	5	1	-	1	5	7	23	83	175	308	448
All other	70	-	-	-	1	3	3	13	15	18	13	4	48	1	-	-	1	1	2	4	5	15	9	10
Black	68	-	-	-	1	3	3	13	15	17	12	4	47	1	-	-	1	1	2	4	4	15	9	10
Hypertension with or without renal disease (401,403)	57	-	-	-	1	1	2	5	12	13	10	13	58	-	-	-	1	-	-	1	4	16	13	23
White	55	-	-	-	1	-	2	4	12	13	10	13	54	-	-	-	1	-	-	1	3	15	12	22
All other	2	-	-	-	-	1	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	2	-	-	-	-	1	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Cerebrovascular diseases (430-438)	742	1	2	-	3	11	15	24	67	163	276	180	1,198	1	-	-	2	3	9	30	70	176	384	523
White	702	1	2	-	1	11	8	19	60	158	263	179	1,153	1	-	-	2	1	7	27	64	163	370	518
All other	40	-	-	-	2	-	7	5	7	5	13	1	45	-	-	-	-	2	2	3	6	13	14	5
Black	37	-	-	-	2	-	7	5	7	5	10	1	44	-	-	-	-	2	2	3	6	13	13	5
Intracerebral and other intracranial hemorrhage (431-432)	109	-	-	-	-	6	6	7	18	28	30	14	152	-	-	-	1	2	2	9	20	46	46	26
White	97	-	-	-	-	6	2	4	16	27	28	14	142	-	-	-	1	-	1	8	19	43	44	26
All other	12	-	-	-	-	-	4	3	2	1	2	-	10	-	-	-	-	2	1	1	1	3	2	-
Black	11	-	-	-	-	-	4	3	2	1	1	-	10	-	-	-	-	2	1	1	1	3	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	159	1	-	-	-	-	-	4	13	39	63	39	262	1	-	-	-	-	1	1	9	28	94	128
White	154	1	-	-	-	-	-	3	12	38	61	39	258	1	-	-	-	-	1	1	9	27	92	127
All other	5	-	-	-	-	-	-	1	1	1	2	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	5	-	-	-	-	-	-	1	1	1	2	-	4	-	-	-	-	-	-	-	-	1	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	471	-	2	-	3	5	9	13	36	95	181	127	783	-	-	-	1	1	6	20	40	102	244	369
White	449	-	2	-	1	5	6	12	32	92	173	126	752	-	-	-	1	1	5	18	35	93	234	365
All other	22	-	-	-	2	-	3	1	4	3	8	1	31	-	-	-	-	-	1	2	5	9	10	4
Black	20	-	-	-	2	-	3	1	4	3	6	1	30	-	-	-	-	-	1	2	5	9	9	4
Atherosclerosis (440)	120	-	-	-	-	-	-	1	9	19	43	49	227	-	-	-	-	-	-	1	10	22	62	132
White	114	-	-	-	-	-	-	1	9	16	41	47	222	-	-	-	-	-	-	1	7	21	61	132
All other	6	-	-	-	-	-	-	-	-	2	2	2	5	-	-	-	-	-	-	-	3	1	1	-
Black	6	-	-	-	-	-	-	-	-	2	2	2	4	-	-	-	-	-	-	-	2	1	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	180	-	-	-	2	1	-	4	33	59	53	28	127	-	-	-	1	2	3	5	9	28	40	39
White	169	-	-	-	2	-	-	3	28	56	53	27	119	-	-	-	1	1	2	4	9	27	39	36
All other	11	-	-	-	-	1	-	1	5	3	-	1	8	-	-	-	-	1	1	1	-	1	1	3
Black	11	-	-	-	-	1	-	1	5	3	-	1	8	-	-	-	-	1	1	1	-	1	1	3
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	3
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	404	3	2	-	2	5	4	8	25	65	143	147	423	4	1	-	1	1	2	4	14	53	110	233
White	388	2	1	-	2	5	4	6	22	64	138	144	412	3	1	-	1	-	1	2	13	52	109	230
All other	16	1	1	-	-	-	-	2	3	1	5	3	11	1	-	-	-	1	1	2	1	1	1	3
Black	15	1	1	-	-	-	-	2	3	1	4	3	10	1	-	-	-	1	-	2	1	1	1	3
Pneumonia (480-486)	400	3	2	-	2	5	4	8	25	64	142	145	411	4	1	-	-	1	2	4	14	52	107	226
White	384	2	1	-	2	5	4	6	22	63	137	142	400	3	1	-	-	-	1	2	13	51	106	223
All other	16	1	1	-	-	-	-	2	3	1	5	3	11	1	-	-	-	1	1	2	1	1	1	3
Black	15	1	1	-	-	-	-	2	3	1	4	3	10	1	-	-	-	1	-	2	1	1	1	3
Influenza (487)	4	-	-	-	-	-	-	-	-	1	1	2	12	-	-	-	1	-	-	-	-	1	3	7
White	4	-	-	-	-	-	-	-	-	1	1	2	12	-	-	-	1	-	-	-	-	1	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	517	-	1	1	1	2	-	9	79	181	173	70	312	-	-	-	-	1	6	8	54	86	108	49
White	498	-	-	-	1	1	-	6	72	177	172	69	302	-	-	-	-	-	5	4	53	85	107	48
All other	19	-	1	1	-	1	-	3	7	4	1	1	10	-	-	-	-	1	1	4	1	1	1	1
Black	19	-	1	1	-	1	-	3	7	4	1	1	10	-	-	-	-	1	1	4	1	1	1	1
Bronchitis, chronic and unspecified (490-491)	27	-	-	-	-	-	-	1	6	6	8	6	18	-	-	-	-	-	-	-	4	2	6	6
White	27	-	-	-	-	-	-	1	6	6	8	6	18	-	-	-	-	-	-	-	4	2	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	100	-	-	-	-	1	-	-	17	41	30	11	38	-	-	-	-	-	-	-	7	11	14	6
White	97	-	-	-	-	1	-	-	14	41	30	11	37	-	-	-	-	-	-	-	6	11	14	6
All other	3	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	19	-	1	1	-	1	-	4	4	3	4	1	26	-	-	-	-	1	2	3	8	5	6	1
White	11	-	-	-	-	-	-	2	2	3	4	-	22	-	-	-	-	-	1	1	8	5	6	1
All other	8	-	1	1	-	1	-	2	2	-	-	1	4	-	-	-	-	1	1	2	-	-	-	-
Black	8	-	1	1	-	1	-	2	2	-	-	1	4	-	-	-	-	1	1	2	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	371	-	-	-	1	-	-	4	52	131	131	52	230	-	-	-	-	-	4	5	35	68	82	36
White	363	-	-	-	1	-	-	3	50	127	130	52	225	-	-	-	-	-	4	3	35	67	81	35
All other	8	-	-	-	-	-	-	1	2	4	1	-	5	-	-	-	-	-	-	2	-	1	1	1
Black	8	-	-	-	-	-	-	1	2	4	1	-	5	-	-	-	-	-	-	2	-	1	1	1
Ulcer of stomach and duodenum (531-533)	42	-	-	1	-	1	-	3	3	10	16	8	44	-	-	-	-	-	2	-	5	9	9	19
White	40	-	-	1	-	-	-	3	3	10	15	8	42	-	-	-	-	-	2	-	4	8	9	18
All other	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Appendicitis (540-543)	4	-	-	-	1	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	-	4	1
White	4	-	-	-	1	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	-	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	-	-	-	-	-	-	-	-	7	6	9	43	-	1	-	-	1	-	1	-	7	10	23
White	20	-	-	-	-	-	-	-	-	6	6	8	43	-	1	-	-	1	-	1	-	7	10	23
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	249	-	-	-	-	10	21	37	83	61	34	3	148	-	-	-	-	2	16	22	37	40	26	5
White	230	-	-	-	-	5	16	33	80	60	33	3	138	-	-	-	-	2	12	20	33	40	26	5
All other	19	-	-	-	-	5	5	4	3	1	1	-	10	-	-	-	-	-	4	2	4	-	-	-
Black	19	-	-	-	-	5	5	4	3	1	1	-	10	-	-	-	-	-	4	2	4	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	-	-	3	4	11	6	17	-	-	-	-	-	-	1	1	2	7	6
White	24	-	-	-	-	-	-	-	3	4	11	6	17	-	-	-	-	-	-	1	1	2	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	119	1	-	-	-	4	4	2	17	31	29	31	105	3	-	1	-	-	-	4	6	22	38	31
White	109	1	-	-	-	2	3	2	13	31	26	31	93	2	-	1	-	-	-	2	5	18	34	31
All other	10	-	-	-	-	2	1	-	4	-	3	-	12	1	-	-	-	-	-	2	1	4	4	-
Black	10	-	-	-	-	2	1	-	4	-	3	-	12	1	-	-	-	-	-	2	1	4	4	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	4	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	1	1	-	2	3	1	2	9	-	-	-	-	-	-	-	1	2	2	4
White	8	-	-	-	-	-	1	-	1	3	1	2	8	-	-	-	-	-	-	-	1	1	2	4
All other	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	105	1	-	-	-	3	3	2	15	25	28	28	94	3	-	1	-	-	-	4	5	20	35	26
White	97	1	-	-	-	2	2	2	12	25	25	28	83	2	-	1	-	-	-	2	4	17	31	26
All other	8	-	-	-	-	1	1	-	3	-	3	-	11	1	-	-	-	-	-	2	1	3	4	-
Black	8	-	-	-	-	1	1	-	3	-	3	-	11	1	-	-	-	-	-	2	1	3	4	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	-	1	3	9	-	-	-	-	-	-	-	-	3	3	3
White	4	-	-	-	-	-	-	-	-	-	1	3	9	-	-	-	-	-	-	-	-	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	1	2	5	---	---	---	---	---	---	---	---	---	---	---	---
White	8	-	-	-	-	-	-	-	-	1	2	5	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	75	56	2	3	1	4	3	2	-	3	1	-	55	30	2	3	2	1	2	4	3	2	5	1
White	62	45	1	2	1	4	3	2	-	3	1	-	49	26	1	3	2	1	1	4	3	2	5	1
All other	13	11	1	1	-	-	-	-	-	-	-	-	6	4	1	-	-	-	1	-	-	-	-	-
Black	12	10	1	1	-	-	-	-	-	-	-	-	4	3	-	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	138	134	1	-	-	-	-	-	-	1	-	-	93	92	-	1	-	-	-	-	-	-	-	-
White	96	94	1	-	-	-	-	-	-	1	-	-	70	69	-	1	-	-	-	-	-	-	-	-
All other	40	40	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Black	40	40	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	40	40	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	96	94	1	-	-	-	-	-	-	1	-	-	72	71	-	1	-	-	-	-	-	-	-	-
White	69	67	1	-	-	-	-	-	-	1	-	-	55	54	-	1	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	234	37	3	-	19	61	34	19	12	16	17	14	161	19	3	2	10	29	21	11	17	11	15	23
White	192	25	1	-	18	49	24	17	12	17	16	13	133	13	3	1	8	21	19	8	15	8	15	22
All other	42	12	2	-	1	12	10	2	-	1	1	1	28	6	-	1	2	8	2	3	2	3	-	1
Black	42	12	2	-	1	12	10	2	-	1	1	1	28	6	-	1	2	8	2	3	2	3	-	1
All other diseases (Residual)	856	4	3	5	13	32	36	66	134	178	243	142	868	5	-	4	9	10	23	45	95	170	225	280
White	784	4	2	5	11	28	23	55	119	164	236	136	827	5	-	3	8	8	20	41	92	162	217	271
All other	72	-	1	-	2	3	13	11	15	14	7	6	39	-	-	1	1	2	3	4	3	8	8	9
Black	70	-	1	-	2	3	12	11	15	13	7	6	37	-	-	-	1	2	3	4	3	8	8	8
Accidents and adverse effects (E800-E949)	684	4	13	33	205	124	65	45	63	53	55	34	325	5	7	10	44	34	11	21	27	47	55	64
White	636	3	8	28	193	113	56	41	59	50	51	34	296	5	3	8	41	29	11	16	24	43	51	63
All other	58	1	5	5	12	11	9	4	4	3	4	-	29	-	4	2	3	5	-	3	3	4	4	1
Black	55	1	5	5	12	11	7	4	3	3	4	-	27	-	4	2	3	5	-	2	2	4	4	1
Motor vehicle accidents (E810-E825)	305	1	1	16	142	61	27	16	16	13	8	4	106	-	3	6	32	16	5	11	13	10	6	2
White	287	1	1	13	137	57	24	15	14	13	8	4	92	-	1	4	30	17	5	8	11	9	5	2
All other	18	-	-	3	5	4	3	1	2	-	-	-	14	-	2	2	2	1	-	3	2	1	1	-
Black	16	-	-	3	5	4	2	1	1	-	-	-	12	-	2	2	2	1	-	2	1	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	369	3	12	17	63	63	38	29	47	40	47	30	219	5	4	4	12	16	6	10	14	37	49	62
White	349	2	7	15	56	56	32	26	45	37	43	30	204	5	2	4	11	12	6	10	13	34	48	61
All other	40	1	5	2	7	7	6	3	2	3	4	-	15	-	2	-	1	4	-	-	1	3	3	1
Black	39	1	5	2	7	7	5	3	2	3	4	-	15	-	2	-	1	4	-	-	1	3	3	1
Suicide (E950-E959)	212	...	...	-	49	48	28	26	23	22	16	2	50	...	...	-	7	7	10	8	9	4	5	-
White	207	...	...	-	48	43	27	26	23	22	16	2	49	...	...	-	7	6	10	8	9	4	5	-
All other	5	...	...	-	1	3	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	5	...	...	-	1	3	1	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	108	-	3	2	38	36	17	7	4	1	-	-	32	1	-	-	14	6	4	1	3	2	1	-
White	60	-	2	2	19	20	9	5	2	1	-	-	25	1	-	-	10	4	3	1	3	2	1	-
All other	48	-	1	-	19	16	8	2	2	-	-	-	7	-	-	-	4	2	1	-	-	-	-	-
Black	47	-	1	-	18	16	8	2	2	-	-	-	7	-	-	-	4	2	1	-	-	-	-	-
All other external causes (E980-E999)	8	-	-	-	1	3	1	-	1	2	-	-	2	-	-	-	1	1	-	-	-	-	-	-
White	8	-	-	-	1	3	1	-	1	2	-	-	2	-	-	-	1	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE																								
All causes	2,636	53	10	22	63	93	77	200	485	726	633	272	2,376	39	11	10	26	32	50	128	303	502	658	617
White	2,174	30	8	12	55	66	59	159	385	614	538	250	2,021	20	7	6	19	22	37	90	246	419	588	567
All other	462	23	7	10	8	25	18	41	100	112	95	22	355	19	4	4	7	10	13	38	57	83	70	50
Black	452	22	7	10	8	24	17	40	100	110	93	20	352	18	4	4	7	10	13	37	57	83	70	49
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	1	-	1	1	-	-	4	-	-	-	-	-	-	-	-	1	3	-
White	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	1	-	-	-	-	-	-	3	-	1	1	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Septicemia (038)	33	1	-	-	-	1	-	-	6	11	13	1	29	-	-	-	-	1	1	-	4	5	7	11
White	24	1	-	-	-	-	-	-	5	7	10	1	22	-	-	-	-	-	-	-	4	1	6	11
All other	9	-	-	-	-	1	-	-	1	4	3	-	7	-	-	-	-	1	1	-	-	4	1	-
Black	8	-	-	-	-	1	-	-	1	3	3	-	7	-	-	-	-	1	1	-	-	4	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	9	-	-	-	-	-	1	1	1	4	2	-	8	-	-	-	-	-	1	2	1	3	1	-
White	6	-	-	-	-	-	-	-	1	4	1	-	4	-	-	-	-	-	1	1	-	2	-	-
All other	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	1	1	1	1	-
Black	3	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	1	1	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	647	-	-	3	3	8	22	55	156	210	148	41	566	-	-	3	4	3	22	62	118	171	134	49
White	536	-	-	3	3	7	18	45	124	173	128	35	476	-	-	2	3	2	18	47	103	140	115	46
All other	111	-	-	-	-	1	4	10	32	37	20	6	90	-	-	1	1	1	4	15	15	31	19	3
Black	109	-	-	-	-	1	3	10	32	37	19	6	90	-	-	1	1	1	4	15	15	31	19	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	-	1	2	3	4	-	-	5	-	-	-	-	-	-	1	3	-	1	-
White	7	-	-	-	-	-	1	1	3	2	-	-	3	-	-	-	-	-	-	1	2	-	-	-
All other	3	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	153	-	-	-	-	1	6	12	39	43	37	14	156	-	-	-	-	1	4	16	16	53	47	19
White	128	-	-	-	-	1	4	9	34	38	30	12	122	-	-	-	-	-	4	10	13	42	35	18
All other	25	-	-	-	-	-	2	3	5	5	7	2	34	-	-	-	-	1	-	6	3	11	12	1
Black	24	-	-	-	-	-	2	3	5	5	6	2	34	-	-	-	-	1	-	6	3	11	12	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	234	-	-	-	-	-	6	23	70	86	39	10	96	-	-	-	-	-	3	12	30	28	20	3
White	187	-	-	-	-	-	4	19	50	73	32	9	74	-	-	-	-	-	2	7	24	20	18	3
All other	47	-	-	-	-	-	2	4	20	13	7	1	22	-	-	-	-	-	1	5	6	8	2	-
Black	46	-	-	-	-	-	1	4	20	13	7	1	22	-	-	-	-	-	1	5	6	8	2	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	99	-	-	-	-	1	8	14	28	27	17	4
White	-	-	-	-	-	-	-	-	-	-	-	-	85	-	-	-	-	1	6	10	26	23	16	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	2	4	2	4	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	2	4	2	4	1	1
Malignant neoplasms of genital organs (179-187)	73	-	-	-	1	1	-	1	10	22	32	6	64	-	-	-	-	-	2	9	19	21	10	3
White	57	-	-	-	1	1	-	1	6	15	28	5	59	-	-	-	-	-	2	9	18	19	8	3
All other	16	-	-	-	-	-	-	-	4	7	4	1	5	-	-	-	-	-	-	-	1	2	2	-
Black	16	-	-	-	-	-	-	-	4	7	4	1	5	-	-	-	-	-	-	-	1	2	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	32	-	-	-	-	-	-	3	7	11	8	3	22	-	-	-	-	-	2	-	3	6	7	4
White	27	-	-	-	-	-	-	2	6	9	8	2	20	-	-	-	-	-	1	-	3	5	7	4
All other	5	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	1	-	-	1	-	-
Black	5	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	1	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	72	-	-	-	-	5	2	9	13	25	14	4	81	-	-	1	2	-	1	9	10	26	18	14
White	61	-	-	-	-	4	2	8	11	20	12	4	75	-	-	1	2	-	1	9	9	23	17	13
All other	11	-	-	-	-	1	-	1	2	5	2	-	6	-	-	-	-	-	-	-	1	3	1	1
Black	11	-	-	-	-	1	-	1	2	5	2	-	6	-	-	-	-	-	-	-	1	3	1	1
Leukemia (204-208)	31	-	-	2	2	-	4	3	4	6	7	3	22	-	-	2	1	-	2	1	2	5	6	1
White	30	-	-	2	2	-	4	3	4	5	7	3	20	-	-	1	1	-	2	1	2	4	6	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	42	-	-	1	-	1	3	2	10	13	11	1	21	-	-	-	1	1	-	-	7	5	6	1
White	39	-	-	1	-	1	3	2	10	11	11	-	18	-	-	-	-	1	-	-	6	4	6	1
All other	3	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	1	-	-	-	1	1	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	1	-	-	-	1	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	-	-	1	-	-	1	2	5	3	-	6	-	-	-	-	1	-	-	-	1	-	4
White	9	-	-	-	-	-	-	1	1	5	2	-	6	-	-	-	-	1	-	-	-	1	-	4
All other	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	51	-	1	-	-	3	1	2	8	21	12	5	77	-	-	-	-	-	-	2	11	22	20	22
White	41	-	1	-	-	3	-	1	6	15	10	5	64	-	-	-	-	-	-	1	7	17	18	21
All other	10	-	-	-	-	-	1	1	-	6	2	-	13	-	-	-	-	-	-	1	4	5	2	1
Black	10	-	-	-	-	-	1	1	-	6	2	-	13	-	-	-	-	-	-	1	4	5	2	1
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	4
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	2	-	-	-	-	-	-	-	-	1	-	1	8	-	-	-	1	-	-	-	-	2	3	2
White	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Meningitis (320-322)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,171	7	-	-	3	7	22	91	209	333	333	166	1,209	2	-	1	2	2	5	35	108	229	387	439
White	1,009	4	-	-	3	6	20	79	168	289	285	155	1,051	1	-	1	2	2	3	18	82	197	350	395
All other	162	3	-	-	-	1	2	12	41	44	48	11	158	1	-	-	-	-	2	17	26	32	37	43
Black	161	3	-	-	-	1	2	12	41	44	47	11	156	1	-	-	-	-	2	16	26	32	37	42
Diseases of heart (390-398,402,404-429)	1,002	4	-	-	2	5	20	82	185	289	280	135	965	1	-	1	2	-	4	30	82	182	300	343
White	868	2	-	-	2	5	19	73	151	249	240	127	838	1	-	1	2	-	2	15	72	165	268	312
All other	134	2	-	-	-	-	1	9	34	40	40	8	127	-	-	-	-	-	2	15	20	27	32	31
Black	134	2	-	-	-	-	1	9	34	40	40	8	126	-	-	-	-	-	2	14	20	27	32	31
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	1	-	-	2	-	-	13	-	-	-	-	-	-	1	7	2	2	1
White	3	-	-	-	-	-	1	-	-	2	-	-	11	-	-	-	-	-	-	-	6	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	54	-	-	-	-	-	1	6	13	19	11	4	47	-	-	-	-	-	-	2	7	13	11	14
White	40	-	-	-	-	-	1	4	9	15	7	4	38	-	-	-	-	-	-	2	5	10	8	13
All other	14	-	-	-	-	-	-	2	4	4	4	-	9	-	-	-	-	-	-	-	2	3	3	1
Black	14	-	-	-	-	-	-	2	4	4	4	-	9	-	-	-	-	-	-	-	2	3	3	1
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	610	-	-	-	1	1	12	54	123	185	161	73	473	-	-	-	-	-	1	21	48	99	156	148
White	547	-	-	-	1	1	12	50	107	163	144	69	412	-	-	-	-	-	1	11	37	87	142	134
All other	63	-	-	-	-	-	-	4	16	22	17	4	61	-	-	-	-	-	-	10	11	12	14	14
Black	63	-	-	-	-	-	-	4	16	22	17	4	61	-	-	-	-	-	-	10	11	12	14	14
Acute myocardial infarction (410)	358	-	-	-	-	-	5	39	85	120	85	24	280	-	-	-	-	-	1	14	33	68	80	64
White	323	-	-	-	-	-	5	37	73	108	77	23	220	-	-	-	-	-	1	8	25	68	73	55
All other	35	-	-	-	-	-	-	2	12	12	8	1	40	-	-	-	-	-	-	6	8	10	7	9
Black	35	-	-	-	-	-	-	2	12	12	8	1	40	-	-	-	-	-	-	6	8	10	7	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	1	-	-	1	1	4	2	-	2	-	-	-	-	-	-	-	-	1	1	-
White	8	-	-	-	1	-	-	1	1	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	242	-	-	-	-	1	7	14	37	60	74	49	211	-	-	-	-	-	-	7	15	30	75	84
White	215	-	-	-	-	1	7	12	33	50	66	46	191	-	-	-	-	-	-	3	12	28	69	79
All other	27	-	-	-	-	-	-	2	4	10	8	3	20	-	-	-	-	-	-	4	3	2	6	5
Black	27	-	-	-	-	-	-	2	4	10	8	3	20	-	-	-	-	-	-	4	3	2	6	5
Other diseases of endocardium (424)	11	-	-	-	-	1	-	-	1	4	3	2	7	-	-	-	-	-	1	-	-	2	3	1
White	10	-	-	-	-	1	-	-	1	4	2	2	7	-	-	-	-	-	1	-	-	2	3	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	322	4	-	-	1	3	6	22	48	79	103	56	423	1	-	1	2	-	2	6	30	76	128	179
White	267	2	-	-	1	3	5	19	34	65	86	52	369	1	-	1	2	-	-	2	24	64	112	163
All other	55	2	-	-	-	-	1	3	14	14	17	4	54	-	-	-	-	-	2	4	6	12	14	16
Black	55	2	-	-	-	-	1	3	14	14	17	4	54	-	-	-	-	-	2	4	6	12	14	16
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	-	1	2	-	4	1	7	-	-	-	-	-	-	-	-	1	2	4
White	6	-	-	-	-	-	-	-	2	-	3	1	6	-	-	-	-	-	-	-	-	1	2	3
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebrovascular diseases (430-438)	105	3	-	-	1	2	2	7	16	26	30	18	178	1	-	-	-	2	1	4	13	31	64	62
White	83	2	-	-	1	1	1	5	10	23	25	15	155	-	-	-	-	2	1	3	9	26	60	54
All other	22	1	-	-	-	1	1	2	6	3	5	3	23	1	-	-	-	-	-	1	4	5	4	8
Black	21	1	-	-	-	1	1	2	6	3	4	3	22	1	-	-	-	-	-	1	4	5	4	7
Intracerebral and other intracranial hemorrhage (431-432)	11	1	-	-	1	-	-	2	4	2	-	1	19	1	-	-	-	-	-	-	3	2	10	3
White	7	-	-	-	1	-	-	1	2	2	-	1	16	-	-	-	-	-	-	-	3	2	8	3
All other	4	1	-	-	-	-	-	1	2	-	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Black	4	1	-	-	-	-	-	1	2	-	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	1	-	-	-	-	-	2	5	5	6	6	39	-	-	-	-	-	-	-	2	6	17	14
White	19	1	-	-	-	-	-	2	3	3	5	5	34	-	-	-	-	-	-	-	-	6	16	12
All other	6	-	-	-	-	-	-	-	2	2	1	1	5	-	-	-	-	-	-	-	2	-	1	2
Black	6	-	-	-	-	-	-	-	2	2	1	1	5	-	-	-	-	-	-	-	2	-	1	2
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	69	1	-	-	-	2	2	3	7	19	24	11	119	-	-	-	-	2	1	4	8	22	37	45
White	57	1	-	-	-	1	1	2	5	18	20	9	104	-	-	-	-	2	1	3	6	17	36	39
All other	12	-	-	-	-	1	1	1	2	1	4	2	15	-	-	-	-	-	-	1	2	5	1	6
Black	11	-	-	-	-	1	1	1	2	1	3	2	14	-	-	-	-	-	-	1	2	5	1	5
Atherosclerosis (440)	17	-	-	-	-	-	-	-	1	1	7	8	38	-	-	-	-	-	-	-	-	2	12	22
White	16	-	-	-	-	-	-	-	-	1	7	8	34	-	-	-	-	-	-	-	-	2	12	20
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Other diseases of arteries, arterioles, and capillaries (441-448)	39	-	-	-	-	-	-	1	5	17	12	4	23	-	-	-	-	-	-	1	3	3	9	7
White	36	-	-	-	-	-	-	1	5	16	10	4	18	-	-	-	-	-	-	-	1	3	8	6
All other	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	1	2	-	1	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	1	2	-	1	1
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	59	1	-	1	-	1	-	3	2	14	17	20	41	-	-	1	-	-	-	2	3	5	12	16
White	47	-	-	1	-	-	-	1	-	13	13	19	37	-	-	1	-	-	-	2	2	4	11	17
All other	12	1	-	-	-	1	-	2	2	1	4	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	12	1	-	-	-	1	-	2	2	1	4	1	4	-	-	-	-	-	-	-	1	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	57	1	-	1	-	1	-	3	2	13	16	20	41	-	-	1	-	-	-	2	3	5	12	18
White	45	-	-	1	-	-	-	1	-	12	12	19	37	-	-	1	-	-	-	2	2	4	11	17
All other	12	1	-	-	-	1	-	2	2	1	4	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	12	1	-	-	-	1	-	2	2	1	4	1	4	-	-	-	-	-	-	-	1	1	1	1
Influenza (487)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	112	-	1	1	-	-	-	4	19	39	36	11	47	-	1	-	-	1	2	-	15	12	8	8
White	100	-	-	-	-	-	-	3	17	35	33	11	41	-	1	-	-	-	2	-	14	9	8	7
All other	12	-	1	1	-	-	-	1	2	4	3	-	6	-	-	-	-	1	-	-	1	3	-	1
Black	12	-	1	1	-	-	-	1	2	4	3	-	6	-	-	-	-	1	-	-	1	3	-	1
Bronchitis, chronic and unspecified (490-491)	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	41	-	-	-	-	-	-	2	11	13	12	3	11	-	-	-	-	-	1	-	5	3	1	1
White	38	-	-	-	-	-	-	2	9	12	12	3	10	-	-	-	-	-	1	-	5	2	1	1
All other	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	1	-	-	1	-	-	-	-	-	-	-	-	4	-	1	-	-	1	-	-	2	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	-	-	-	-	-	-	2	8	28	24	8	29	-	-	-	-	-	1	-	6	8	7	7
White	62	-	-	-	-	-	-	1	8	23	21	8	26	-	-	-	-	-	1	-	6	6	7	6
All other	7	-	-	-	-	-	-	1	-	3	3	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	7	-	-	-	-	-	-	1	-	3	3	-	3	-	-	-	-	-	-	-	-	2	-	1
Ulcer of stomach and duodenum (531-533)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	-	-	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	-	-	-	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	1	-	-	-	1	3	1	-	8	-	-	-	-	-	-	-	1	-	2	5
White	4	-	-	-	-	-	-	-	1	2	1	-	7	-	-	-	-	-	-	-	-	-	2	5
All other	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Chronic liver disease and cirrhosis (571)	52	-	-	-	-	2	2	14	18	14	1	1	27	-	-	-	-	-	5	6	10	3	3	-
White	43	-	-	-	-	1	1	12	16	11	1	1	19	-	-	-	-	-	3	4	7	3	2	-
All other	9	-	-	-	-	1	1	2	2	3	-	-	8	-	-	-	-	-	2	2	3	-	1	-
Black	9	-	-	-	-	1	1	2	2	3	-	-	8	-	-	-	-	-	2	2	3	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	1	1	1	-
White	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	24	1	-	-	-	-	-	2	5	2	11	3	24	-	-	-	-	-	1	2	2	7	6	6
White	17	-	-	-	-	-	-	2	3	2	7	3	20	-	-	-	-	-	1	1	1	6	5	6
All other	7	1	-	-	-	-	-	-	2	-	4	-	4	-	-	-	-	-	-	1	1	1	1	-
Black	7	1	-	-	-	-	-	-	2	-	4	-	4	-	-	-	-	-	-	1	1	1	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	23	1	-	-	-	-	-	2	5	2	11	2	20	-	-	-	-	-	1	2	1	6	4	6
White	16	-	-	-	-	-	-	2	3	2	7	2	17	-	-	-	-	-	1	1	1	5	3	6
All other	7	1	-	-	-	-	-	-	2	-	4	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	7	1	-	-	-	-	-	-	2	-	4	-	3	-	-	-	-	-	-	1	-	1	1	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
White	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	16	8	1	1	1	-	1	-	-	2	1	1	19	10	3	-	2	-	1	-	1	-	2	-
White	15	8	1	1	1	-	1	-	-	2	1	-	13	7	2	-	1	-	-	-	1	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	6	3	1	-	1	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	6	3	1	-	1	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	25	25	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	17	17	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	13	9	-	-	-	1	-	-	2	1	-	-	13	4	-	-	-	-	-	1	1	1	4	2
White	9	6	-	-	-	1	-	-	2	-	-	-	10	2	-	-	-	-	-	-	1	1	4	2
All other	4	3	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-	1	-	-	-	-
Black	4	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-
All other diseases (Residual)	168	1	3	3	7	8	5	14	32	44	35	16	153	-	-	-	3	5	6	7	19	26	51	36
White	125	-	-	2	5	7	4	7	20	36	31	13	140	-	-	-	3	4	4	7	15	23	49	35
All other	43	1	3	1	2	1	1	7	12	8	4	3	13	-	-	-	-	1	2	-	4	3	2	1
Black	39	1	3	1	2	1	1	6	12	7	4	1	13	-	-	-	-	1	2	-	4	3	2	1
Accidents and adverse effects (E800-E949)	140	-	4	9	34	33	13	9	16	10	9	3	71	-	4	4	10	13	4	4	3	12	11	6
White	102	-	1	3	33	21	8	5	12	10	6	3	54	-	2	2	7	7	3	4	3	10	10	6
All other	38	-	3	6	1	12	5	4	4	-	3	-	17	-	2	2	3	6	1	-	-	2	1	-
Black	37	-	3	6	1	11	5	4	4	-	3	-	17	-	2	2	3	6	1	-	-	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	79	-	-	2	29	16	8	5	11	2	5	1	34	-	2	3	9	7	2	3	1	4	3	-
White	71	-	-	2	28	12	7	4	10	2	5	1	26	-	1	2	7	5	1	3	1	4	2	-
All other	8	-	-	-	1	4	1	1	1	-	-	-	8	-	1	1	2	2	1	-	-	-	1	-
Black	8	-	-	-	1	4	1	1	1	-	-	-	8	-	1	1	2	2	1	-	-	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	61	-	4	7	5	17	5	4	5	8	4	2	37	-	2	1	1	6	2	1	2	8	8	6
White	31	-	1	1	5	9	1	1	2	8	1	2	28	-	1	-	-	2	2	1	2	6	8	6
All other	30	-	3	6	-	8	4	3	3	-	3	-	9	-	1	1	1	4	-	-	-	2	-	-
Black	29	-	3	6	-	7	4	3	3	-	3	-	9	-	1	1	1	4	-	-	-	2	-	-
Suicide (E950-E959)	53	...	...	1	7	19	5	3	9	3	6	1	13	...	...	-	2	5	1	1	3	1	-	-
White	52	...	...	1	7	18	4	3	9	3	6	1	12	...	...	-	1	5	1	1	3	1	-	-
All other	1	...	...	-	-	-	1	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	1	...	...	-	-	-	1	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	-	-	2	4	7	2	1	-	2	-	-	8	1	1	-	1	-	1	1	2	-	1	-
White	4	-	-	-	1	1	1	-	-	1	-	-	7	-	1	-	1	-	1	1	2	-	1	-
All other	14	-	-	2	3	6	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	14	-	-	2	3	6	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E989)	7	-	-	1	2	3	1	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	1	-
White	7	-	-	1	2	3	1	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA																								
All causes	3,498	102	11	18	89	190	208	353	727	820	683	307	3,266	78	2	6	41	80	103	193	492	709	854	706
White	839	12	2	3	8	16	18	34	130	214	246	152	1,066	8	-	1	6	11	17	27	94	171	351	379
All other	2,659	90	9	15	81	174	190	319	597	606	417	155	2,200	70	2	5	35	69	86	166	398	538	503	327
Black	2,638	90	9	15	81	172	188	318	596	603	410	150	2,186	69	2	4	35	67	84	166	394	537	501	326
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	-	-	1	4	3	3	1	2	9	-	-	-	-	1	-	1	1	1	4	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	14	-	-	-	-	-	1	4	3	3	1	2	8	-	-	-	-	1	-	1	1	1	3	1
Black	14	-	-	-	-	-	1	4	3	3	1	2	8	-	-	-	-	1	-	1	1	1	3	1
Tuberculosis of respiratory system (010-012)	9	-	-	-	-	-	1	2	2	3	-	1	5	-	-	-	-	1	-	-	1	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	9	-	-	-	-	-	1	2	2	3	-	1	4	-	-	-	-	1	-	-	1	-	1	1
Black	9	-	-	-	-	-	1	2	2	3	-	1	4	-	-	-	-	1	-	-	1	-	1	1
Other tuberculosis (013-018)	5	-	-	-	-	-	-	2	1	-	1	1	4	-	-	-	-	-	-	1	-	1	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	2	1	-	1	1	4	-	-	-	-	-	-	1	-	1	2	-
Black	5	-	-	-	-	-	-	2	1	-	1	1	4	-	-	-	-	-	-	1	-	1	2	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	40	-	-	-	-	-	1	4	10	8	11	6	59	-	-	-	-	-	-	3	12	17	15	12
White	11	-	-	-	-	-	-	1	3	3	3	1	14	-	-	-	-	-	-	-	-	5	4	5
All other	29	-	-	-	-	-	1	3	7	5	8	5	45	-	-	-	-	-	-	3	12	12	11	7
Black	29	-	-	-	-	-	1	3	6	5	8	5	45	-	-	-	-	-	-	3	12	12	11	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	16	-	-	-	-	3	5	2	1	2	2	1	8	1	-	-	-	-	2	-	1	2	1	1
White	6	-	-	-	-	3	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	10	-	-	-	-	-	3	2	1	2	2	-	7	1	-	-	-	-	2	-	1	2	1	-
Black	10	-	-	-	-	-	3	2	1	2	2	-	7	1	-	-	-	-	2	-	1	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	802	-	-	1	1	6	23	91	218	257	162	40	718	-	1	4	7	12	34	68	182	183	168	80
White	174	-	-	-	1	2	3	9	45	57	45	12	216	-	-	1	-	2	8	12	38	46	76	32
All other	628	-	-	1	-	4	20	82	173	200	117	28	502	-	1	3	7	10	26	54	144	137	92	28
Black	624	-	-	1	-	4	20	82	173	199	114	28	498	-	1	2	7	10	25	54	142	137	92	28
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	49	-	-	-	-	1	7	11	14	10	3	1	16	-	-	-	-	-	-	4	3	2	6	1
White	8	-	-	-	-	-	-	-	5	1	1	1	9	-	-	-	-	-	-	-	1	1	6	1
All other	41	-	-	-	-	1	7	11	9	9	2	-	7	-	-	-	-	-	-	4	2	1	-	-
Black	41	-	-	-	-	1	7	11	9	9	2	-	7	-	-	-	-	-	-	4	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	243	-	-	-	-	1	3	23	80	89	40	6	190	-	-	-	2	1	5	11	41	47	61	22
White	50	-	-	-	-	-	-	3	11	22	11	3	51	-	-	-	-	-	-	1	2	7	29	12
All other	193	-	-	-	-	1	3	20	69	67	29	3	138	-	-	-	2	1	5	10	39	40	32	10
Black	190	-	-	-	-	1	3	20	69	66	27	3	138	-	-	-	2	1	4	10	39	40	32	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	228	-	-	-	-	-	6	37	71	69	39	4	121	-	-	-	-	1	6	16	40	35	14	9
White	50	-	-	-	-	-	1	3	17	16	12	1	41	-	-	-	-	-	2	4	11	14	6	4
All other	178	-	-	-	-	-	7	34	54	53	27	3	80	-	-	-	-	1	4	12	29	21	8	5
Black	177	-	-	-	-	-	7	34	54	53	26	3	80	-	-	-	-	1	4	12	29	21	8	5
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	1	-	-	-	-	141	-	-	-	-	5	11	14	48	36	22	4
White	-	-	-	-	-	-	-	-	-	-	-	-	43	-	-	-	-	1	2	4	12	11	9	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	98	-	-	-	-	4	9	10	36	25	13	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	97	-	-	-	-	4	9	10	35	25	13	1
Malignant neoplasms of genital organs (179-187)	101	-	-	-	-	-	-	2	9	30	40	20	78	-	-	-	1	-	5	8	18	16	23	7
White	16	-	-	-	-	-	-	-	1	3	7	5	28	-	-	-	-	-	2	2	6	4	10	4
All other	85	-	-	-	-	-	-	2	8	27	33	15	50	-	-	-	1	-	3	6	12	12	13	3
Black	85	-	-	-	-	-	-	2	8	27	33	15	50	-	-	-	1	-	3	6	12	12	13	3
Malignant neoplasms of urinary organs (188-189)	24	-	-	-	-	-	-	1	6	8	8	1	21	-	1	-	-	-	-	1	-	9	8	2
White	6	-	-	-	-	-	-	-	1	3	2	-	6	-	-	-	-	-	-	-	-	2	3	1
All other	18	-	-	-	-	-	-	1	5	5	6	1	15	-	1	-	-	-	-	1	-	7	5	1
Black	18	-	-	-	-	-	-	1	5	5	6	1	15	-	1	-	-	-	-	1	-	7	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	92	-	-	1	-	2	3	10	22	31	17	6	103	-	-	3	4	4	4	8	24	25	20	11
White	20	-	-	-	-	1	1	-	4	7	6	1	26	-	-	-	-	1	2	-	5	5	9	4
All other	72	-	-	1	-	1	2	10	18	24	11	5	77	-	-	3	4	3	2	8	19	20	11	7
Black	72	-	-	1	-	1	2	10	18	24	11	5	75	-	-	2	4	3	2	8	18	20	11	7
Leukemia (204-208)	24	-	-	-	-	-	1	1	4	10	7	1	16	-	-	1	-	-	-	1	4	5	4	1
White	10	-	-	-	-	-	-	-	2	4	3	1	5	-	-	1	-	-	-	-	-	-	3	1
All other	14	-	-	-	-	-	1	1	2	6	4	-	11	-	-	-	-	-	-	1	4	5	1	-
Black	14	-	-	-	-	-	1	1	2	6	4	-	11	-	-	-	-	-	-	1	4	5	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	-	-	-	1	2	1	5	12	10	8	1	32	-	-	-	-	1	3	3	4	8	10	3
White	14	-	-	-	1	1	1	3	4	1	3	-	7	-	-	-	-	-	-	1	1	2	1	2
All other	26	-	-	-	-	1	-	2	8	9	5	1	25	-	-	-	-	1	3	2	3	6	9	1
Black	26	-	-	-	-	1	-	2	8	9	5	1	25	-	-	-	-	1	3	2	3	6	9	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	-	-	-	-	-	1	-	3	2	-	1	14	-	-	-	-	-	1	2	2	3	4	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	6	-	-	-	-	-	1	-	3	2	-	-	11	-	-	-	-	-	1	2	2	3	1	2
Black	6	-	-	-	-	-	1	-	3	2	-	-	11	-	-	-	-	-	1	2	2	3	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	42	-	-	-	-	3	-	7	7	12	9	4	78	-	-	-	-	3	1	3	20	18	15	18
White	8	-	-	-	-	-	-	-	1	2	2	3	11	-	-	-	-	-	-	-	4	2	2	3
All other	34	-	-	-	-	3	-	7	6	10	7	1	67	-	-	-	-	3	1	3	16	16	13	15
Black	34	-	-	-	-	3	-	7	6	10	7	1	67	-	-	-	-	3	1	3	16	16	13	15
Nutritional deficiencies (260-269)	6	-	-	-	-	-	1	-	1	1	1	2	7	-	-	-	-	-	-	-	1	1	1	4
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	5	-	-	-	-	-	1	-	1	1	1	1	5	-	-	-	-	-	-	-	1	1	-	3
Black	5	-	-	-	-	-	1	-	1	1	1	1	5	-	-	-	-	-	-	-	1	1	-	3
Anemias (280-285)	9	-	1	-	1	2	-	2	1	-	1	1	9	1	-	-	-	1	-	1	-	-	3	3
White	3	-	1	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	2	1
All other	6	-	-	-	1	2	-	2	1	-	-	-	6	1	-	-	-	1	-	1	-	-	1	2
Black	6	-	-	-	1	2	-	2	1	-	-	-	6	1	-	-	-	1	-	1	-	-	1	2
Meningitis (320-322)	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	1,273	1	-	2	2	13	44	117	269	342	316	166	1,616	1	-	-	4	5	22	60	177	350	458	441
White	391	-	-	1	-	1	3	16	45	100	137	87	560	-	-	-	1	1	2	4	35	87	191	259
All other	882	1	-	1	2	12	41	101	224	242	179	79	936	1	-	-	3	4	20	56	142	263	265	182
Black	872	1	-	1	2	12	40	100	224	240	176	76	933	1	-	-	3	4	20	56	141	262	264	182
Diseases of heart (390-398,402,404-429)	1,052	-	-	2	2	12	35	101	232	285	255	127	1,158	-	-	-	4	4	19	47	141	278	335	330
White	327	-	-	1	-	1	2	14	38	89	116	65	443	-	-	-	1	1	1	1	26	69	142	202
All other	725	-	-	1	2	11	33	87	194	196	139	62	715	-	-	-	3	3	18	46	115	209	193	128
Black	717	-	-	1	2	11	32	86	194	195	136	60	712	-	-	-	3	3	18	46	114	208	192	128
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	1	1	-	-	2	1	1	13	-	-	-	-	1	2	1	1	2	6	-
White	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	1	1	2	-
All other	3	-	-	-	-	1	1	-	-	1	-	-	9	-	-	-	-	1	2	1	-	1	4	-
Black	3	-	-	-	-	1	1	-	-	1	-	-	9	-	-	-	-	1	2	1	-	1	4	-
Hypertensive heart disease (402)	77	-	-	-	-	1	5	12	27	17	11	4	110	-	-	-	-	1	3	11	23	36	17	19
White	13	-	-	-	-	-	-	3	1	3	5	1	31	-	-	-	-	1	-	-	4	6	9	11
All other	64	-	-	-	-	1	5	9	26	14	6	3	79	-	-	-	-	-	3	11	19	30	8	8
Black	63	-	-	-	-	1	5	8	26	14	6	3	79	-	-	-	-	-	3	11	19	30	8	8
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	-	3	2	1	10	-	-	-	-	-	-	-	-	3	4	3
White	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	1	1	3
All other	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	-	-	2	3	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	-	-	2	3	-
Ischemic heart disease (410-414)	487	-	-	-	-	1	10	44	88	146	127	70	527	-	-	-	-	-	7	15	57	115	167	166
White	182	-	-	-	-	-	-	6	21	55	60	39	229	-	-	-	-	-	-	-	11	34	79	105
All other	305	-	-	-	-	1	10	38	67	91	67	31	298	-	-	-	-	-	7	15	46	81	88	61
Black	302	-	-	-	-	1	10	38	67	90	65	31	296	-	-	-	-	-	7	15	46	80	87	61
Acute myocardial infarction (410)	185	-	-	-	-	1	2	13	37	59	46	26	207	-	-	-	-	-	4	5	25	63	60	50
White	78	-	-	-	-	-	-	3	9	28	21	16	70	-	-	-	-	-	-	-	2	18	23	27
All other	107	-	-	-	-	1	2	10	28	31	25	10	137	-	-	-	-	-	4	5	23	45	37	23
Black	106	-	-	-	-	1	2	10	28	31	24	10	135	-	-	-	-	-	4	5	23	44	36	23
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	-	2	2	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	298	-	-	-	-	-	8	31	49	85	81	44	318	-	-	-	-	-	3	10	32	51	105	115
White	102	-	-	-	-	-	-	3	10	27	39	23	159	-	-	-	-	-	-	-	9	16	56	78
All other	196	-	-	-	-	-	8	28	39	58	42	21	157	-	-	-	-	-	3	10	23	35	49	37
Black	194	-	-	-	-	-	8	28	39	57	41	21	157	-	-	-	-	-	3	10	23	35	49	37
Other diseases of endocardium (424)	14	-	-	-	-	2	-	1	2	1	6	2	20	-	-	-	-	-	1	1	-	3	8	7
White	5	-	-	-	-	-	-	-	-	-	4	1	14	-	-	-	-	-	1	-	-	2	5	6
All other	9	-	-	-	-	2	-	1	2	1	2	1	6	-	-	-	-	-	-	1	-	1	3	1
Black	9	-	-	-	-	2	-	1	2	1	2	1	6	-	-	-	-	-	-	1	-	1	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	462	-	-	2	2	7	19	44	115	116	108	49	478	-	-	-	4	2	6	19	60	119	133	135
White	121	-	-	1	-	1	2	5	16	29	45	22	160	-	-	-	1	-	-	1	10	25	46	77
All other	341	-	-	1	2	6	17	39	99	87	63	27	318	-	-	-	3	2	6	18	50	94	87	58
Black	337	-	-	1	2	6	16	39	99	87	62	25	317	-	-	-	3	2	6	18	49	94	87	58
Hypertension with or without renal disease (401,403)	13	-	-	-	-	-	-	1	3	5	3	1	15	-	-	-	-	-	-	2	3	3	4	3
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	13	-	-	-	-	-	-	1	3	5	3	1	14	-	-	-	-	-	-	2	3	3	3	3
Black	13	-	-	-	-	-	-	1	3	5	3	1	14	-	-	-	-	-	-	2	3	3	3	3
Cerebrovascular diseases (430-438)	147	1	-	-	-	1	8	12	28	35	37	25	254	1	-	-	-	-	3	11	26	51	88	74
White	43	-	-	-	-	-	-	2	5	8	13	15	97	-	-	-	-	-	1	3	7	12	34	40
All other	104	1	-	-	-	1	8	10	23	27	24	10	157	1	-	-	-	-	2	8	19	39	54	34
Black	103	1	-	-	-	1	8	10	23	27	24	9	157	1	-	-	-	-	2	8	19	39	54	34
Intracerebral and other intracranial hemorrhage (431-432)	35	1	-	-	-	1	5	6	6	10	3	3	41	1	-	-	-	-	2	5	8	9	9	6
White	6	-	-	-	-	-	-	2	1	1	-	2	13	-	-	-	-	-	-	2	1	5	2	3
All other	29	1	-	-	-	1	5	4	5	9	3	1	28	1	-	-	-	-	2	4	7	4	7	3
Black	29	1	-	-	-	1	5	4	5	9	3	1	28	1	-	-	-	-	2	4	7	4	7	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	-	-	-	-	-	-	1	7	6	8	6	51	-	-	-	-	-	-	1	5	10	16	19
White	10	-	-	-	-	-	-	-	2	1	2	5	20	-	-	-	-	-	-	-	1	2	7	10
All other	18	-	-	-	-	-	-	1	5	5	6	1	31	-	-	-	-	-	-	1	4	8	9	9
Black	18	-	-	-	-	-	-	1	5	5	6	1	31	-	-	-	-	-	-	1	4	8	9	9
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	84	-	-	-	-	-	3	5	15	19	26	16	162	-	-	-	-	-	1	4	13	32	63	49
White	27	-	-	-	-	-	-	-	2	6	11	8	64	-	-	-	-	-	1	1	5	5	25	27
All other	57	-	-	-	-	-	3	5	13	13	15	8	98	-	-	-	-	-	-	3	8	27	38	22
Black	56	-	-	-	-	-	3	5	13	13	15	7	98	-	-	-	-	-	-	3	8	27	38	22
Atherosclerosis (440)	38	-	-	-	-	-	-	2	1	7	15	11	60	-	-	-	-	-	-	-	4	8	23	27
White	10	-	-	-	-	-	-	-	-	1	4	5	23	-	-	-	-	-	-	-	-	-	9	14
All other	28	-	-	-	-	-	-	2	1	6	11	6	37	-	-	-	-	-	-	-	4	6	14	13
Black	28	-	-	-	-	-	-	2	1	6	11	6	37	-	-	-	-	-	-	-	4	6	14	13
Other diseases of arteries, arterioles, and capillaries (441-448)	25	-	-	-	-	-	1	1	5	10	6	2	29	-	-	-	-	1	-	-	3	12	6	7
White	11	-	-	-	-	-	1	-	2	2	4	2	16	-	-	-	-	-	-	-	2	6	5	3
All other	14	-	-	-	-	-	-	1	3	8	2	-	13	-	-	-	-	1	-	-	1	6	1	4
Black	13	-	-	-	-	-	-	1	3	7	2	-	13	-	-	-	-	1	-	-	1	6	1	4
Acute bronchitis and bronchiolitis (466)	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	109	1	1	1	1	7	7	6	21	21	22	19	85	1	-	-	-	1	1	6	5	12	27	31
White	27	-	-	-	1	-	-	1	4	6	5	9	38	-	-	-	-	-	-	1	-	3	17	17
All other	81	1	1	1	-	7	7	5	17	15	17	10	47	1	-	-	-	1	1	5	5	9	10	14
Black	81	1	1	1	-	7	7	5	17	15	17	10	47	1	-	-	-	1	1	5	5	9	10	14
Pneumonia (480-486)	108	1	1	1	1	7	7	6	21	21	22	18	83	1	-	-	-	1	1	6	5	12	26	30
White	27	-	-	-	1	-	-	1	4	6	5	9	36	-	-	-	-	-	-	1	-	3	16	16
All other	81	1	1	1	-	7	7	5	17	15	17	10	47	1	-	-	-	1	1	5	5	9	10	14
Black	81	1	1	1	-	7	7	5	17	15	17	10	47	1	-	-	-	1	1	5	5	9	10	14
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	92	-	-	-	-	-	-	7	18	34	24	9	51	-	-	-	-	2	1	2	9	12	18	7
White	43	-	-	-	-	-	-	1	8	14	13	7	24	-	-	-	-	-	-	-	3	6	12	3
All other	49	-	-	-	-	-	-	6	10	20	11	2	27	-	-	-	-	2	1	2	6	6	6	4
Black	47	-	-	-	-	-	-	6	10	20	10	1	26	-	-	-	-	1	1	2	6	6	6	4
Bronchitis, chronic and unspecified (490-491)	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	17	-	-	-	-	-	-	2	3	4	6	2	12	-	-	-	-	1	-	-	1	5	3	2
White	9	-	-	-	-	-	-	-	2	1	4	2	9	-	-	-	-	-	-	-	1	3	3	2
All other	8	-	-	-	-	-	-	2	1	3	2	-	3	-	-	-	-	1	-	-	-	2	-	-
Black	8	-	-	-	-	-	-	2	1	3	2	-	2	-	-	-	-	-	-	-	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	4	-	-	-	-	-	-	1	2	1	-	-	7	-	-	-	-	1	1	1	1	1	2	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	7	-	-	-	-	1	1	1	1	1	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	7	-	-	-	-	1	1	1	1	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	68	-	-	-	-	-	-	4	13	26	18	7	31	-	-	-	-	-	-	1	7	5	13	5
White	31	-	-	-	-	-	-	1	5	11	9	5	14	-	-	-	-	-	-	-	2	2	9	1
All other	37	-	-	-	-	-	-	3	8	15	9	2	17	-	-	-	-	-	-	1	5	3	4	4
Black	35	-	-	-	-	-	-	3	8	15	8	1	17	-	-	-	-	-	-	1	5	3	4	4
Ulcer of stomach and duodenum (531-533)	12	1	-	-	-	-	1	1	2	3	2	2	15	-	-	-	-	-	-	-	3	-	9	3
White	2	-	-	-	-	-	1	-	-	1	-	-	8	-	-	-	-	-	-	-	-	-	5	3
All other	10	1	-	-	-	-	-	1	2	2	2	2	7	-	-	-	-	-	-	-	3	-	4	-
Black	10	1	-	-	-	-	-	1	2	2	2	2	7	-	-	-	-	-	-	-	3	-	4	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	1	-	1	1	2	3	2	11	-	-	-	-	-	-	-	1	3	4	3
White	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	2	-	2
All other	8	-	-	-	-	1	-	1	1	1	3	1	7	-	-	-	-	-	-	-	1	1	4	1
Black	8	-	-	-	-	1	-	1	1	1	3	1	7	-	-	-	-	-	-	-	1	1	4	1
Chronic liver disease and cirrhosis (571)	129	-	-	-	-	10	22	34	41	18	4	-	63	-	-	-	1	5	9	11	18	16	2	1
White	14	-	-	-	-	1	2	1	7	1	2	-	15	-	-	-	-	1	-	2	4	5	2	1
All other	115	-	-	-	-	9	20	33	34	17	2	-	48	-	-	-	1	4	9	9	14	11	-	-
Black	115	-	-	-	-	9	20	33	34	17	2	-	48	-	-	-	1	4	9	9	14	11	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	-	2	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	2	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	64	1	-	-	-	3	1	6	15	17	12	8	64	-	-	-	-	-	1	2	10	18	21	12
White	10	-	-	-	-	-	-	-	2	2	1	5	8	-	-	-	-	-	-	-	2	-	3	3
All other	54	1	-	-	-	3	1	6	13	15	11	3	56	-	-	-	-	-	1	2	8	18	18	9
Black	54	1	-	-	-	3	1	6	13	15	11	3	55	-	-	-	-	-	1	2	7	18	18	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	-	1	-	1	2	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	1	-	1	2	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	59	1	-	-	-	3	1	6	15	14	10	8	57	-	-	-	-	-	-	2	8	16	20	11
White	10	-	-	-	-	-	-	-	2	2	1	5	7	-	-	-	-	-	-	-	2	-	3	2
All other	49	1	-	-	-	3	1	6	13	12	9	3	50	-	-	-	-	-	-	2	6	16	17	9
Black	49	1	-	-	-	3	1	6	13	12	9	3	49	-	-	-	-	-	-	2	5	16	17	9
Infections of kidney (590)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	3	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	3	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	3	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-678)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	17	10	1	2	-	2	-	-	2	-	-	-	17	11	1	1	1	-	-	-	-	1	2	-
White	4	3	1	-	-	-	-	-	-	-	-	-	6	5	-	-	-	-	-	-	-	-	1	-
All other	13	7	-	2	-	2	-	-	2	-	-	-	11	6	1	1	1	-	-	-	-	1	1	-
Black	13	7	-	2	-	2	-	-	2	-	-	-	11	6	1	1	1	-	-	-	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	71	70	1	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	63	62	1	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
Black	63	62	1	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	13	13	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	58	57	1	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	53	52	1	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	53	52	1	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	66	14	1	1	5	15	12	3	1	4	6	3	45	15	-	-	-	8	4	1	3	1	3	10
White	6	1	-	-	-	1	-	-	-	-	1	2	11	1	-	-	-	1	1	1	-	1	-	6
All other	60	13	1	1	5	14	12	3	1	4	5	1	34	14	-	-	-	7	3	-	3	-	3	4
Black	60	13	1	1	5	14	12	3	1	4	5	1	33	13	-	-	-	7	3	-	3	-	3	4
All other diseases (Residual)	312	1	-	3	4	28	31	32	62	53	65	33	305	3	-	-	5	13	13	24	28	54	85	80
White	73	-	-	1	-	-	1	1	8	17	27	18	78	-	-	-	1	1	2	5	3	8	26	32
All other	239	1	-	2	4	28	30	31	54	36	38	15	227	3	-	-	4	12	11	19	25	46	59	48
Black	238	1	-	2	4	28	30	31	54	36	38	14	225	3	-	-	4	12	11	19	25	46	58	47
Accidents and adverse effects (E800-E949)	170	-	4	7	21	28	24	15	28	19	14	7	85	-	-	1	9	9	9	7	12	10	13	15
White	29	-	-	1	4	5	3	1	2	4	6	2	23	-	-	-	2	2	2	-	3	2	3	9
All other	141	-	4	6	17	23	21	14	26	15	8	5	62	-	-	1	7	7	7	7	9	8	10	6
Black	139	-	4	6	17	22	20	14	26	15	8	5	61	-	-	1	7	7	6	7	9	8	10	6
Motor vehicle accidents (E810-E825)	57	-	1	5	14	12	8	10	5	-	1	1	19	-	-	-	4	4	4	2	2	-	2	1
White	7	-	-	1	1	2	1	-	-	-	1	1	7	-	-	-	1	2	2	-	-	-	1	1
All other	50	-	1	4	13	10	7	10	5	-	-	-	12	-	-	-	3	2	2	2	2	-	1	-
Black	50	-	1	4	13	10	7	10	5	-	-	-	11	-	-	-	3	2	1	2	2	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	113	-	3	2	7	16	16	5	23	19	13	6	66	-	-	1	5	5	5	5	10	10	11	14
White	22	-	-	-	3	3	2	1	2	4	5	1	16	-	-	-	1	-	-	-	3	2	2	8
All other	91	-	3	2	4	13	14	4	21	15	8	5	50	-	-	1	4	5	5	5	7	8	9	6
Black	89	-	3	2	4	12	13	4	21	15	8	5	50	-	-	1	4	5	5	5	7	8	9	6
Suicide (E950-E959)	51	...	...	-	12	15	2	5	8	6	3	-	16	...	...	-	3	4	1	1	3	2	1	1
White	14	...	...	-	2	-	1	2	3	3	3	-	11	...	...	-	2	1	1	1	2	2	1	1
All other	37	...	...	-	10	15	1	3	5	3	-	-	5	...	...	-	1	3	-	-	1	-	-	-
Black	37	...	...	-	10	15	1	3	5	3	-	-	5	...	...	-	1	3	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	139	1	1	1	40	42	26	10	10	6	2	-	24	1	-	-	7	11	3	1	-	-	1	-
White	6	-	-	-	-	3	2	-	1	-	-	-	4	-	-	-	-	2	-	1	-	-	1	-
All other	133	1	1	1	40	39	24	10	9	6	2	-	20	1	-	-	7	9	3	-	-	-	-	-
Black	133	1	1	1	40	39	24	10	9	6	2	-	19	1	-	-	7	8	3	-	-	-	-	-
All other external causes (E980-E999)	27	-	-	-	2	11	6	5	2	1	-	-	13	-	-	-	4	5	1	1	1	1	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	25	-	-	-	2	11	6	4	2	-	-	-	12	-	-	-	4	5	-	1	1	1	-	-
Black	24	-	-	-	2	10	6	4	2	-	-	-	12	-	-	-	4	5	-	1	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	63,007	1,050	206	238	1,291	1,697	1,900	3,615	9,448	17,471	17,906	8,161	50,188	768	167	133	501	674	1,016	2,098	5,729	11,446	15,530	12,119
White	56,138	633	141	163	1,035	1,300	1,454	2,840	8,117	15,843	16,625	7,768	44,902	457	96	94	370	476	751	1,625	4,823	10,213	14,411	11,580
All other	6,869	417	65	75	256	397	446	775	1,329	1,628	1,081	393	5,286	309	71	39	131	198	265	473	906	1,233	1,119	539
Black	6,787	414	62	75	251	387	436	765	1,321	1,613	1,070	386	5,227	307	70	33	128	194	258	463	898	1,224	1,113	536
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	11	5	-	-	-	-	-	-	-	3	3	-	11	7	-	-	-	-	-	-	-	1	2	1
White	7	2	-	-	-	-	-	-	-	2	3	-	5	1	-	-	-	-	-	-	-	1	2	1
All other	4	3	-	-	-	-	-	-	-	1	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	4	3	-	-	-	-	-	-	-	1	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	84	-	-	-	-	3	10	19	21	23	14	4	28	-	-	-	1	2	3	2	2	9	9	-
White	50	-	-	-	-	-	3	6	12	15	11	3	16	-	-	-	-	1	1	1	1	7	5	-
All other	44	-	-	-	-	3	7	13	9	8	3	1	12	-	-	-	1	1	2	1	1	2	4	-
Black	44	-	-	-	-	3	7	13	9	8	3	1	12	-	-	-	1	1	2	1	1	2	4	-
Tuberculosis of respiratory system (010-012)	85	-	-	-	-	2	9	15	20	21	14	4	20	-	-	-	1	1	2	1	1	7	7	-
White	48	-	-	-	-	-	3	6	12	13	11	3	13	-	-	-	-	-	1	-	1	6	5	-
All other	37	-	-	-	-	2	6	9	8	8	3	1	7	-	-	-	1	1	1	1	-	1	2	-
Black	37	-	-	-	-	2	6	9	8	8	3	1	7	-	-	-	1	1	1	1	-	1	2	-
Other tuberculosis (013-018)	9	-	-	-	-	1	1	4	1	2	-	-	8	-	-	-	-	1	1	1	1	2	2	-
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	1	-	1	-	1	-	-
All other	7	-	-	-	-	1	1	4	1	-	-	-	5	-	-	-	-	-	1	-	1	1	2	-
Black	7	-	-	-	-	1	1	4	1	-	-	-	5	-	-	-	-	-	1	-	1	1	2	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	13	2	3	1	2	2	-	-	2	-	1	-	6	2	-	1	-	-	-	1	-	1	-	1
White	9	1	3	1	2	1	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	1	-	1
All other	4	1	-	-	-	1	-	-	2	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-
Black	4	1	-	-	-	1	-	-	2	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-
Septicemia (038)	272	11	2	-	1	1	9	11	33	68	80	56	274	8	-	-	2	4	7	11	20	41	93	88
White	228	5	1	-	1	1	5	9	23	58	73	52	224	6	-	-	-	1	3	6	14	31	84	79
All other	44	6	1	-	-	-	4	2	10	10	7	4	50	2	-	-	2	3	4	5	6	10	9	9
Black	44	6	1	-	-	-	4	2	10	10	7	4	50	2	-	-	2	3	4	5	6	10	9	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	29	-	-	-	3	2	4	4	4	6	5	1	22	-	-	-	1	1	-	3	4	5	5	3
White	23	-	-	-	2	1	4	2	2	6	5	1	22	-	-	-	1	1	-	3	4	5	5	3
All other	6	-	-	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	4	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-068,071-088, 098-139)	159	6	2	2	8	27	15	19	20	34	22	4	114	4	1	2	2	12	5	12	18	25	20	13
White	117	2	2	-	7	10	8	16	16	31	21	4	84	2	1	1	2	3	4	4	15	22	17	13
All other	42	4	-	2	1	17	7	3	4	3	1	-	30	2	-	1	-	9	1	8	3	3	3	-
Black	42	4	-	2	1	17	7	3	4	3	1	-	30	2	-	1	-	9	1	8	3	3	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,868	3	11	30	57	130	258	931	2,951	5,159	4,148	1,190	11,663	2	12	17	44	111	353	876	2,377	3,797	2,950	1,123
White	13,407	3	7	26	47	112	206	744	2,549	4,691	3,891	1,131	10,666	2	11	13	28	81	291	730	2,125	3,549	2,768	1,067
All other	1,461	-	4	4	10	18	52	187	402	468	257	59	997	-	1	4	16	30	62	146	252	248	182	56
Black	1,451	-	3	4	10	18	52	182	400	468	256	58	984	-	1	4	16	30	61	138	251	246	181	56

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	373	-	-	-	-	1	9	52	101	123	68	19	171	-	-	1	1	1	4	17	49	48	35	15
White	306	-	-	-	-	1	2	31	76	113	64	19	149	-	-	-	-	-	3	11	43	44	34	14
All other	67	-	-	-	-	-	7	21	25	10	4	-	22	-	-	1	1	1	1	6	6	4	1	1
Black	67	-	-	-	-	-	7	21	25	10	4	-	22	-	-	1	1	1	1	6	6	4	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,779	-	2	-	5	16	58	224	722	1,300	1,100	352	3,177	-	-	1	7	14	43	133	500	1,003	1,011	465
White	3,417	-	1	-	2	12	42	170	624	1,187	1,038	341	2,873	-	-	1	4	5	33	103	423	930	930	444
All other	362	-	1	-	3	4	16	54	98	113	62	11	304	-	-	-	3	9	10	30	77	73	81	21
Black	357	-	1	-	3	4	16	53	96	113	61	10	298	-	-	-	3	9	9	27	76	72	81	21
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,421	2	-	-	1	9	79	418	1,282	2,052	1,319	249	2,443	-	-	-	1	8	46	201	635	911	529	113
White	4,879	2	-	-	-	9	65	338	1,109	1,866	1,252	238	2,309	-	-	-	1	7	41	175	585	879	513	108
All other	542	-	-	-	1	-	14	80	183	186	67	11	134	-	-	-	-	1	5	26	50	32	15	5
Black	539	-	-	-	1	-	14	77	183	186	67	11	132	-	-	-	-	1	5	25	50	31	15	5
Malignant neoplasm of breast (174-175)	16	-	-	-	-	-	-	2	1	9	3	1	2,046	-	-	-	1	29	111	237	502	619	412	135
White	15	-	-	-	-	-	-	2	1	8	3	1	1,889	-	-	-	-	22	93	200	465	588	394	127
All other	1	-	-	-	-	-	-	-	-	1	-	-	157	-	-	-	1	7	18	37	37	31	18	8
Black	1	-	-	-	-	-	-	-	-	1	-	-	155	-	-	-	1	7	18	35	37	31	18	8
Malignant neoplasms of genital organs (179-187)	1,609	-	-	-	5	7	6	20	152	519	619	281	1,299	-	-	-	5	18	66	126	284	433	290	97
White	1,365	-	-	-	5	6	5	12	119	423	536	259	1,118	-	-	-	2	11	49	102	222	386	257	89
All other	244	-	-	-	-	1	1	8	33	96	83	22	181	-	-	-	3	7	17	24	42	47	33	8
Black	244	-	-	-	-	1	1	8	33	96	83	22	179	-	-	-	3	7	17	23	42	47	32	8
Malignant neoplasms of urinary organs (188-189)	854	-	-	-	-	5	6	33	135	281	300	94	350	-	1	-	-	2	2	17	48	107	110	63
White	803	-	-	-	-	3	3	29	125	266	289	88	323	-	1	-	-	1	2	15	44	96	104	60
All other	51	-	-	-	-	2	3	4	10	15	11	6	27	-	-	-	-	1	-	2	4	11	6	3
Black	51	-	-	-	-	2	3	4	10	15	11	6	27	-	-	-	-	1	-	2	4	11	6	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,538	1	3	10	21	53	64	116	321	464	388	97	1,230	2	7	7	15	22	51	69	234	361	294	127
White	1,434	1	2	10	18	52	58	105	294	437	369	90	1,145	2	6	6	11	21	46	75	216	358	280	123
All other	104	-	1	-	3	1	8	11	27	27	19	7	85	-	1	1	4	1	5	14	18	23	14	4
Black	103	-	1	-	3	1	8	10	27	27	19	7	84	-	1	1	4	1	5	13	18	23	14	4
Leukemia (204-208)	578	-	6	17	17	16	17	19	87	176	171	52	372	-	4	7	9	9	14	29	53	94	102	51
White	535	-	4	13	14	12	15	15	77	167	168	50	340	-	4	5	7	6	12	25	49	86	97	49
All other	43	-	2	4	3	4	2	4	10	9	3	2	32	-	-	2	2	3	2	4	4	8	5	2
Black	42	-	1	4	3	4	2	4	10	9	3	2	32	-	-	2	2	3	2	4	4	8	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	700	-	-	3	8	23	19	47	140	235	180	45	575	-	-	1	5	8	16	27	92	201	168	57
White	653	-	-	3	8	17	18	42	124	224	172	45	520	-	-	1	3	8	12	24	78	182	159	53
All other	47	-	-	-	-	6	1	5	16	11	8	-	55	-	-	-	2	-	4	3	14	19	9	4
Black	47	-	-	-	-	6	1	5	16	11	8	-	55	-	-	-	2	-	4	3	14	19	9	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	140	2	2	1	1	2	3	9	18	33	50	19	158	1	-	1	3	2	5	1	20	37	55	33
White	130	-	2	1	1	2	2	9	15	31	48	19	144	1	-	1	3	1	5	1	16	34	51	31
All other	10	2	-	-	-	-	1	-	3	2	2	-	14	-	-	-	-	1	-	-	4	3	4	2
Black	9	2	-	-	-	-	1	-	2	2	2	-	14	-	-	-	-	1	-	-	4	3	4	2
Diabetes mellitus (250)	832	-	-	1	3	9	35	42	134	269	259	80	1,004	-	-	3	3	5	16	50	120	275	345	187
White	714	-	-	1	3	7	24	29	100	235	238	77	798	-	-	2	2	3	13	32	70	212	292	172
All other	118	-	-	-	-	2	11	13	34	34	21	3	206	-	-	1	1	2	3	18	50	63	53	15
Black	117	-	-	-	-	1	11	13	34	34	21	3	204	-	-	1	1	2	3	18	50	61	53	15
Nutritional deficiencies (260-269)	74	2	-	-	-	2	-	5	5	13	23	24	66	1	-	-	-	-	1	3	4	9	21	27
White	57	1	-	-	-	-	-	3	2	11	17	23	60	-	-	-	-	-	1	1	3	8	20	27
All other	17	1	-	-	-	2	-	2	3	2	6	1	6	1	-	-	-	-	-	2	1	1	1	-
Black	17	1	-	-	-	2	-	2	3	2	6	1	6	1	-	-	-	-	-	2	1	1	1	-
Anemias (280-285)	94	2	4	1	3	5	3	3	7	13	35	18	111	1	5	2	2	7	1	5	9	18	32	29
White	69	-	-	-	-	2	1	-	5	11	33	17	88	1	1	1	-	-	-	3	8	14	32	28
All other	25	2	4	1	3	3	2	3	2	2	2	1	23	-	4	1	2	7	1	2	1	4	-	1
Black	25	2	4	1	3	3	2	3	2	2	2	1	23	-	4	1	2	7	1	2	1	4	-	1
Meningitis (320-322)	33	14	5	2	1	2	3	2	2	-	2	-	33	6	8	2	-	1	1	2	1	6	3	3
White	21	11	3	1	1	2	1	1	-	-	1	-	20	1	6	1	-	1	1	1	1	3	2	3
All other	12	3	2	1	-	-	2	1	2	-	1	-	13	5	2	1	-	-	-	1	-	3	1	-
Black	12	3	2	1	-	-	2	1	2	-	1	-	13	5	2	1	-	-	-	1	-	3	1	-
Major cardiovascular diseases (390-448)	29,556	28	8	6	28	111	456	1,383	4,121	8,609	9,806	4,899	25,213	19	7	4	24	49	179	517	1,850	5,029	9,067	8,465
White	27,074	16	5	3	19	67	353	1,116	3,612	7,864	9,240	4,777	22,796	11	6	3	11	25	94	362	1,447	4,330	8,384	8,121
All other	2,482	12	3	3	7	44	103	267	509	745	566	222	2,417	8	1	1	13	24	85	155	403	699	683	344
Black	2,458	11	3	3	6	43	100	265	507	740	561	218	2,404	7	1	-	13	24	85	155	399	697	681	341

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	24,037	22	8	5	17	84	396	1,217	3,580	7,183	7,680	3,833	18,745	18	6	1	16	25	121	376	1,432	3,914	6,710	6,123
White	22,174	15	5	3	12	54	314	1,011	3,188	6,652	7,251	3,667	17,087	11	5	1	7	15	66	271	1,143	3,495	6,249	5,882
All other	1,863	7	3	2	5	30	82	206	392	541	429	166	1,658	7	1	-	9	10	55	105	289	479	461	241
Black	1,843	6	3	2	5	29	80	205	390	538	424	163	1,650	6	1	-	9	10	55	105	285	478	461	239
Rheumatic fever and rheumatic heart disease (390-398)	135	-	-	2	1	4	6	5	28	44	39	6	303	-	-	1	1	3	13	18	44	109	78	36
White	126	-	-	1	1	1	5	3	26	44	39	6	286	-	-	1	-	3	7	15	42	108	74	36
All other	9	-	-	1	-	3	1	2	2	-	-	-	17	-	-	-	1	-	6	3	2	1	4	-
Black	9	-	-	1	-	3	1	2	2	-	-	-	17	-	-	-	1	-	6	3	2	1	4	-
Hypertensive heart disease (402)	628	-	-	-	1	3	37	49	143	177	159	59	664	-	-	-	-	1	7	34	82	158	223	159
White	468	-	-	-	-	1	19	30	95	140	131	52	498	-	-	-	-	-	2	11	43	114	186	142
All other	160	-	-	-	1	2	18	19	48	37	28	7	166	-	-	-	-	1	5	23	39	44	37	17
Black	159	-	-	-	1	2	18	19	48	36	28	7	166	-	-	-	-	1	5	23	39	44	37	17
Hypertensive heart and renal disease (404)	49	-	-	-	1	-	-	2	7	10	21	8	72	-	-	-	-	-	-	1	-	12	37	22
White	38	-	-	-	1	-	-	1	6	7	16	7	52	-	-	-	-	-	-	1	-	5	27	19
All other	11	-	-	-	-	-	-	1	1	3	5	1	20	-	-	-	-	-	-	-	-	7	10	3
Black	11	-	-	-	-	-	-	1	1	3	5	1	20	-	-	-	-	-	-	-	-	7	10	3
Ischemic heart disease (410-414)	18,286	-	-	-	2	39	257	888	2,700	5,684	5,925	2,791	13,114	-	-	-	2	4	52	226	947	2,825	4,891	4,166
White	17,234	-	-	-	2	32	216	765	2,498	5,384	5,668	2,689	12,232	-	-	-	1	4	31	177	807	2,537	4,635	4,039
All other	1,052	-	-	-	-	7	41	123	202	320	257	102	882	-	-	-	1	-	21	49	140	288	256	127
Black	1,041	-	-	-	-	6	39	122	201	317	254	102	877	-	-	-	1	-	21	49	137	287	256	126
Acute myocardial infarction (410)	9,084	-	-	-	2	20	140	532	1,533	3,081	2,619	957	5,650	-	-	-	1	2	28	127	570	1,594	2,239	1,288
White	8,619	-	-	-	2	17	121	463	1,433	2,936	2,722	925	5,475	-	-	-	-	2	16	103	490	1,472	2,138	1,253
All other	465	-	-	-	-	3	19	69	100	145	97	32	375	-	-	-	1	-	12	24	80	122	101	35
Black	460	-	-	-	-	3	18	68	100	143	96	32	372	-	-	-	1	-	12	24	78	121	101	35
Other acute and subacute forms of ischemic heart disease (411)	159	-	-	-	-	-	4	14	24	49	40	28	114	-	-	-	1	-	3	6	11	26	25	42
White	150	-	-	-	-	-	4	12	24	44	38	28	102	-	-	-	1	-	2	3	9	22	23	42
All other	9	-	-	-	-	-	-	2	-	5	2	-	12	-	-	-	-	-	1	3	2	4	2	-
Black	9	-	-	-	-	-	-	2	-	5	2	-	12	-	-	-	-	-	1	3	2	4	2	-
Angina pectoris (413)	22	-	-	-	-	-	-	1	1	13	7	-	23	-	-	-	-	-	-	-	3	1	10	9
White	22	-	-	-	-	-	-	1	1	13	7	-	21	-	-	-	-	-	-	-	2	-	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	9,021	-	-	-	-	19	113	341	1,142	2,541	3,059	1,806	7,127	-	-	-	-	2	21	93	383	1,204	2,617	2,627
White	8,443	-	-	-	-	15	91	289	1,040	2,371	2,901	1,736	6,634	-	-	-	-	2	13	71	306	1,043	2,464	2,735
All other	578	-	-	-	-	4	22	52	102	170	158	70	493	-	-	-	-	-	8	22	57	161	153	92
Black	572	-	-	-	-	3	21	52	101	169	156	70	491	-	-	-	-	-	8	22	56	161	153	91
Other diseases of endocardium (424)	289	-	-	-	2	3	6	8	28	86	109	47	241	-	-	-	-	1	1	6	12	41	90	90
White	272	-	-	-	1	1	5	8	25	83	106	43	223	-	-	-	-	-	-	4	12	38	81	88
All other	17	-	-	-	1	2	1	-	3	3	3	4	18	-	-	-	-	1	1	2	-	3	9	2
Black	16	-	-	-	1	2	1	-	3	3	2	4	18	-	-	-	-	1	1	2	-	3	9	2
All other forms of heart disease (415-423,425-429)	4,650	22	8	3	10	35	90	285	674	1,192	1,427	922	4,351	18	6	-	13	16	48	91	347	769	1,391	1,650
White	4,036	15	5	2	7	19	69	204	538	1,014	1,291	870	3,796	11	5	-	6	8	26	63	239	633	1,246	1,558
All other	614	7	3	1	3	16	21	61	136	178	136	52	555	7	1	-	7	8	22	28	108	136	145	92
Black	607	6	3	1	3	16	21	61	135	177	135	49	552	6	1	-	7	8	22	28	107	136	145	91
Hypertension with or without renal disease (401,403)	231	-	-	-	1	3	3	8	22	63	86	45	238	-	-	-	-	-	2	5	23	45	89	74
White	182	-	-	-	1	-	1	5	13	42	78	42	181	-	-	-	-	-	-	2	14	24	73	68
All other	49	-	-	-	-	3	2	3	9	21	8	3	57	-	-	-	-	-	2	3	9	21	16	6
Black	49	-	-	-	-	3	2	3	9	21	8	3	57	-	-	-	-	-	2	3	9	21	16	6
Cerebrovascular diseases (430-438)	3,804	6	-	-	6	19	49	128	361	930	1,488	816	4,994	1	-	3	5	21	51	122	336	880	1,854	1,721
White	3,334	1	-	-	4	10	32	77	269	781	1,384	776	4,388	-	-	2	3	10	26	79	243	713	1,667	1,643
All other	470	5	-	-	2	9	17	51	92	149	104	40	608	1	-	1	2	11	25	43	93	167	187	78
Black	466	5	-	-	1	9	16	50	92	149	104	39	603	1	-	-	2	11	25	43	93	166	185	77
Intracerebral and other intracranial hemorrhage (431-432)	492	4	-	-	2	7	14	42	73	154	145	51	603	-	-	2	3	11	13	43	88	153	194	96
White	416	1	-	-	2	6	5	25	59	132	136	50	495	-	-	1	2	5	7	25	63	132	173	87
All other	76	3	-	-	-	1	9	17	14	22	9	1	108	-	-	1	1	6	6	18	25	21	21	9
Black	75	3	-	-	-	1	8	17	14	22	9	1	105	-	-	-	1	6	6	18	25	21	19	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	823	1	-	-	1	2	2	15	78	187	316	220	1,090	1	-	1	-	1	5	13	46	168	418	437
White	743	-	-	-	1	-	1	9	64	157	300	211	974	-	-	1	-	1	2	8	32	128	380	422
All other	80	1	-	-	-	2	1	6	14	30	16	9	116	1	-	-	-	-	3	5	14	40	38	15
Black	79	1	-	-	-	2	1	6	14	30	16	8	115	1	-	-	-	-	3	5	14	39	38	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	23	-	-	-	-	-	-	1	1	9	9	3	28	-	-	-	-	-	-	-	-	7	11	10
White	19	-	-	-	-	-	-	-	-	9	7	3	26	-	-	-	-	-	-	-	-	7	10	9
All other	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,466	1	-	-	3	10	33	70	209	580	1,018	542	3,273	-	-	-	2	9	33	66	202	552	1,231	1,178
White	2,156	-	-	-	1	4	26	43	146	483	941	512	2,891	-	-	-	1	4	17	46	148	448	1,104	1,125
All other	310	1	-	-	2	6	7	27	63	97	77	30	382	-	-	-	1	5	16	20	54	106	127	53
Black	308	1	-	-	1	6	7	26	63	97	77	30	381	-	-	-	1	5	16	20	54	106	127	52
Atherosclerosis (440)	563	-	-	-	-	-	-	5	27	105	226	200	825	-	-	-	1	-	-	1	12	67	248	476
White	512	-	-	-	-	-	-	4	23	89	208	188	776	-	-	-	-	-	-	1	8	73	237	459
All other	51	-	-	-	-	-	-	1	4	16	18	12	47	-	-	-	1	-	-	-	4	14	11	17
Black	51	-	-	-	-	-	-	1	4	16	18	12	47	-	-	-	1	-	-	-	4	14	11	17
Other diseases of arteries, arterioles, and capillaries (441-448)	921	-	-	1	2	5	8	25	131	318	326	105	411	-	1	-	2	3	5	13	47	103	166	71
White	872	-	-	-	2	3	6	19	119	300	319	104	384	-	1	-	1	-	2	9	39	85	158	69
All other	49	-	-	1	-	2	2	6	12	18	7	1	47	-	-	-	1	3	3	4	8	18	8	2
Black	49	-	-	1	-	2	2	6	12	18	7	1	47	-	-	-	1	3	3	4	8	18	8	2
Acute bronchitis and bronchiolitis (466)	20	8	1	1	-	-	2	1	2	2	2	3	11	-	-	-	-	-	-	1	-	1	3	6
White	13	2	1	-	-	-	1	1	2	2	1	3	11	-	-	-	-	-	-	1	-	1	3	6
All other	7	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	4	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,285	22	5	1	7	12	25	49	126	253	429	356	1,027	15	4	3	6	8	14	27	58	143	351	396
White	1,124	9	2	1	7	5	14	29	91	224	400	342	928	5	1	2	6	6	8	17	46	126	330	381
All other	161	13	3	-	-	7	11	20	35	29	29	14	99	10	3	1	-	2	6	10	12	17	21	15
Black	160	13	3	-	-	7	11	20	35	29	29	13	89	10	3	1	-	2	6	10	12	17	21	15
Pneumonia (480-486)	1,268	22	5	1	7	11	25	47	124	250	425	351	1,005	15	4	3	6	8	14	27	57	139	347	383
White	1,110	9	2	1	7	5	14	27	90	221	397	337	907	5	1	2	6	6	8	17	45	123	326	368
All other	158	13	3	-	-	6	11	20	34	29	28	14	98	10	3	1	-	2	6	10	12	16	21	15
Black	157	13	3	-	-	6	11	20	34	29	28	13	98	10	3	1	-	2	6	10	12	16	21	15
Influenza (487)	17	-	-	-	-	1	-	2	2	3	4	5	22	-	-	-	-	-	-	-	1	4	4	13
White	14	-	-	-	-	-	-	2	1	3	3	5	21	-	-	-	-	-	-	-	1	3	4	13
All other	3	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,597	5	1	3	2	7	11	73	328	945	933	288	1,540	1	3	3	5	1	9	40	228	543	520	187
White	2,425	4	1	1	2	4	8	60	290	878	901	275	1,480	1	-	2	4	1	6	36	208	527	514	181
All other	172	1	-	2	-	3	3	13	38	67	32	13	60	-	3	1	1	-	3	4	20	16	6	6
Black	171	1	-	2	-	3	3	13	38	66	32	13	59	-	3	1	1	-	3	4	19	16	6	6
Bronchitis, chronic and unspecified (490-491)	134	3	1	1	1	1	-	8	12	44	47	16	107	-	2	-	-	-	1	3	11	32	41	17
White	127	3	1	1	1	1	-	6	11	40	47	16	104	-	-	-	-	-	1	3	11	31	41	17
All other	7	-	-	-	-	-	-	2	1	4	-	-	3	-	2	-	-	-	-	-	-	1	-	-
Black	7	-	-	-	-	-	-	2	1	4	-	-	3	-	2	-	-	-	-	-	-	1	-	-
Emphysema (492)	610	1	-	-	-	-	4	17	88	239	197	63	288	1	-	-	-	-	1	3	49	114	92	29
White	569	-	-	-	-	-	4	16	74	224	190	60	288	1	-	-	-	-	1	3	47	113	92	29
All other	41	1	-	-	-	-	-	1	14	15	7	3	3	-	-	-	-	-	-	-	2	1	-	-
Black	41	1	-	-	-	-	-	1	14	15	7	3	3	-	-	-	-	-	-	-	2	1	-	-
Asthma (493)	60	1	-	2	1	6	4	8	6	19	9	4	97	-	-	3	4	1	6	16	16	27	18	6
White	41	1	-	-	1	3	1	6	5	12	9	4	81	-	-	2	3	1	3	12	14	24	16	6
All other	19	-	-	2	-	3	3	2	1	7	1	-	16	-	-	1	1	-	3	4	2	3	2	-
Black	19	-	-	2	-	3	3	2	1	7	1	-	16	-	-	1	1	-	3	4	2	3	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,783	-	-	-	-	-	3	40	222	643	680	205	1,047	-	1	-	1	-	1	18	152	370	369	135
White	1,688	-	-	-	-	-	3	32	200	602	656	195	1,009	-	-	-	1	-	1	18	136	359	365	129
All other	105	-	-	-	-	-	-	8	22	41	24	10	38	-	1	-	-	-	-	-	16	11	4	6
Black	104	-	-	-	-	-	-	8	22	40	24	10	37	-	1	-	-	-	-	-	15	11	4	6
Ulcer of stomach and duodenum (531-533)	188	-	-	-	-	2	5	8	25	62	56	30	159	-	-	-	-	-	3	4	23	36	52	41
White	161	-	-	-	-	1	4	6	19	51	52	28	145	-	-	-	-	-	2	4	16	33	49	41
All other	27	-	-	-	-	1	1	2	6	11	4	2	14	-	-	-	-	-	1	-	7	3	3	-
Black	27	-	-	-	-	1	1	2	6	11	4	2	14	-	-	-	-	-	1	-	7	3	3	-
Appendicitis (540-543)	13	-	-	-	-	-	-	1	1	5	4	2	11	-	-	-	-	-	-	1	4	3	2	1
White	12	-	-	-	-	-	-	1	1	4	4	2	8	-	-	-	-	-	-	-	2	3	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	95	1	-	-	-	1	1	2	12	17	40	21	132	3	1	-	-	1	1	3	11	21	43	48
White	81	1	-	-	-	1	-	1	9	15	36	18	117	1	1	-	-	1	1	2	9	16	41	45
All other	14	-	-	-	-	-	1	1	3	2	4	3	15	2	-	-	-	-	-	1	2	5	2	3
Black	13	-	-	-	-	-	1	1	3	2	3	3	14	2	-	-	-	-	-	1	2	5	1	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	997	1	-	-	-	22	77	180	328	247	121	21	669	-	-	-	3	15	58	120	197	157	93	26
White	888	-	-	-	-	20	56	148	293	235	115	21	582	-	-	-	-	8	38	96	177	150	80	23
All other	109	1	-	-	-	2	21	32	35	12	6	-	87	-	-	-	3	7	20	24	20	7	3	3
Black	104	1	-	-	-	2	19	31	33	12	6	-	85	-	-	-	3	7	19	23	20	7	3	3
Cholelithiasis and other disorders of gallbladder (574-575)	84	-	-	-	-	-	3	4	3	21	31	22	87	-	-	-	-	1	1	2	5	25	27	26
White	77	-	-	-	-	-	1	3	2	19	30	22	80	-	-	-	-	1	1	2	5	21	25	25
All other	7	-	-	-	-	-	2	1	1	2	1	-	7	-	-	-	-	-	-	-	-	4	2	1
Black	7	-	-	-	-	-	2	1	1	2	1	-	7	-	-	-	-	-	-	-	-	4	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	494	5	-	-	2	10	10	19	43	109	176	119	429	9	-	-	-	3	4	13	38	75	155	134
White	414	3	-	-	1	6	4	11	31	93	160	105	348	4	-	-	-	1	4	8	21	58	130	121
All other	80	2	-	-	1	4	6	8	12	16	16	14	81	5	-	-	-	2	-	5	15	16	25	13
Black	78	2	-	-	1	4	6	8	12	16	15	13	81	5	-	-	-	2	-	5	15	16	25	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	17	-	-	-	1	1	1	1	2	4	4	3	8	-	-	-	-	-	-	-	1	-	3	4
White	12	-	-	-	-	-	-	-	1	4	4	3	7	-	-	-	-	-	-	-	1	-	3	3
All other	5	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	75	-	-	-	-	3	2	6	9	22	25	8	57	1	-	-	-	1	2	3	6	8	20	18
White	61	-	-	-	-	1	1	4	6	19	23	7	46	-	-	-	-	-	2	3	4	7	16	14
All other	14	-	-	-	-	2	1	2	3	3	2	1	11	1	-	-	-	1	-	-	2	1	4	2
Black	14	-	-	-	-	2	1	2	3	3	2	1	11	1	-	-	-	1	-	-	2	1	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	402	5	-	-	1	6	7	12	32	83	147	108	364	8	-	-	-	2	2	10	29	67	132	114
White	341	3	-	-	1	5	3	7	24	70	133	95	295	4	-	-	-	1	2	5	16	52	111	104
All other	61	2	-	-	-	1	4	5	8	13	14	13	69	4	-	-	-	1	-	5	13	15	21	10
Black	59	2	-	-	-	1	4	5	8	13	13	12	69	4	-	-	-	1	-	5	13	15	21	10
Infections of kidney (590)	41	-	-	-	-	-	-	1	8	9	13	10	66	-	-	-	-	1	2	2	5	9	20	27
White	38	-	-	-	-	-	-	-	7	8	13	10	54	-	-	-	-	-	1	2	2	6	18	25
All other	3	-	-	-	-	-	-	1	1	1	-	-	12	-	-	-	-	1	1	-	3	3	2	2
Black	3	-	-	-	-	-	-	1	1	1	-	-	12	-	-	-	-	1	1	-	3	3	2	2
Hyperplasia of prostate (600)	31	-	-	-	-	-	-	-	2	7	15	7	...	...	...	...	...	...	...	...	...	...	...	...
White	26	-	-	-	-	-	-	-	2	3	14	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	-	-	-	-	-	-	-	-	4	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	-	-	-	-	-	-	-	-	4	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	-	15	6	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	9	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	6	6	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	5	6	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	-	14	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	8	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	3	1	-	...	...	...	...
Congenital anomalies (740-759)	322	205	22	9	15	11	6	10	11	20	9	4	248	148	19	6	8	9	8	8	10	15	11	6
White	238	141	14	8	13	11	4	8	9	19	6	3	185	106	10	3	7	7	7	5	10	13	11	6
All other	84	64	8	1	2	-	2	2	2	1	1	1	63	42	9	3	1	2	1	3	-	2	-	-
Black	83	64	7	1	2	-	2	2	2	1	1	1	63	42	9	3	1	2	1	3	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	495	494	1	-	-	-	-	-	-	-	-	-	364	360	2	2	-	-	-	-	-	-	-	-
White	285	285	-	-	-	-	-	-	-	-	-	-	217	214	2	1	-	-	-	-	-	-	-	-
All other	210	209	1	-	-	-	-	-	-	-	-	-	147	146	-	1	-	-	-	-	-	-	-	-
Black	208	207	1	-	-	-	-	-	-	-	-	-	147	146	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	160	160	-	-	-	-	-	-	-	-	-	-	92	91	-	1	-	-	-	-	-	-	-	-
White	99	99	-	-	-	-	-	-	-	-	-	-	50	49	-	1	-	-	-	-	-	-	-	-
All other	61	61	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
Black	60	60	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	335	334	1	-	-	-	-	-	-	-	-	-	272	269	2	1	-	-	-	-	-	-	-	-
White	186	186	-	-	-	-	-	-	-	-	-	-	167	165	2	-	-	-	-	-	-	-	-	-
All other	149	148	1	-	-	-	-	-	-	-	-	-	105	104	-	1	-	-	-	-	-	-	-	-
Black	148	147	1	-	-	-	-	-	-	-	-	-	105	104	-	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	794	150	9	5	14	22	15	34	111	171	127	135	727	106	7	1	11	15	9	27	63	102	183	222
White	637	90	7	3	8	16	11	22	96	142	117	125	611	61	4	1	5	12	5	20	58	90	150	204
All other	157	60	2	2	6	6	4	12	15	29	10	10	116	45	3	-	6	3	4	7	5	12	13	18
Black	155	60	2	2	6	6	4	12	15	27	10	10	116	45	3	-	6	3	4	7	5	12	13	18
All other diseases (Residual)	3,745	54	31	27	63	94	137	248	560	893	1,070	569	3,694	48	27	27	40	77	83	181	429	759	1,177	866
White	3,212	38	21	22	49	60	99	169	449	787	868	533	3,230	26	13	20	22	43	49	111	359	673	1,094	820
All other	533	16	10	5	14	34	38	80	111	106	82	36	464	22	14	7	18	34	34	50	70	86	83	46
Black	526	16	9	5	14	34	38	79	111	104	79	36	456	21	13	6	18	34	32	50	69	85	82	46
Accidents and adverse effects (E800-E949)	3,323	24	89	134	716	649	415	313	313	258	264	138	1,500	19	62	52	212	171	131	113	132	215	255	136
White	2,771	16	65	85	627	548	346	242	256	209	242	129	1,305	11	36	38	191	144	113	94	113	193	239	131
All other	552	8	24	49	89	103	69	71	57	49	22	9	195	8	26	14	21	27	18	19	19	22	16	5
Black	533	8	24	49	85	99	64	70	56	45	22	9	185	8	26	10	20	24	17	19	19	21	16	5
Motor vehicle accidents (E810-E825)	1,834	2	27	68	519	405	223	186	165	119	102	32	791	6	23	29	175	129	84	71	68	92	100	13
White	1,565	2	20	49	465	340	190	132	134	100	96	32	711	5	10	27	160	110	74	63	59	90	99	13
All other	269	-	7	19	54	65	33	34	31	19	6	-	80	1	13	2	15	19	10	8	9	2	1	-
Black	260	-	7	19	52	64	29	34	30	18	6	-	73	1	13	1	14	16	9	8	9	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,469	22	62	66	197	244	192	147	148	139	162	106	709	13	39	23	37	42	47	42	64	123	155	123
White	1,206	14	45	38	162	206	156	110	122	109	146	97	594	6	26	11	31	34	39	31	54	103	140	118
All other	263	8	17	30	35	38	36	37	26	30	16	9	115	7	13	12	6	8	8	11	10	20	15	5
Black	273	8	17	30	33	35	35	36	26	27	16	9	112	7	13	9	6	8	8	11	10	20	15	5
Suicide (E950-E959)	1,270	...	...	5	158	262	177	133	182	169	150	34	460	...	...	2	37	93	73	69	61	71	39	15
White	1,209	...	...	5	146	239	167	130	175	163	150	34	442	...	...	-	34	88	71	67	59	71	37	15
All other	61	...	...	-	12	23	10	3	7	6	-	-	18	...	...	2	3	5	2	2	2	-	2	-
Black	58	...	...	-	12	20	10	3	7	6	-	-	14	...	...	2	3	5	-	2	1	-	1	-
Homicide and legal intervention (E960-E978)	985	6	8	9	197	295	208	104	68	45	13	4	313	6	9	4	78	75	46	22	35	16	13	9
White	583	2	6	5	88	176	124	70	45	29	8	4	205	2	4	4	43	45	31	14	28	13	12	9
All other	402	4	2	4	109	120	84	34	23	16	5	-	108	4	5	-	35	30	15	8	7	3	1	-
Black	400	4	2	4	109	119	84	34	23	15	5	-	106	4	5	-	34	30	15	7	7	3	1	-
All other external causes (E980-E999)	69	2	2	-	12	13	11	9	4	8	5	2	25	-	-	1	4	4	2	2	6	2	4	-
White	57	1	1	-	11	11	8	7	4	7	4	2	18	-	-	1	2	2	1	2	5	1	4	-
All other	12	1	1	-	1	2	3	2	-	1	1	-	7	-	-	-	2	2	1	-	1	1	-	-
Black	12	1	1	-	1	2	3	2	-	1	1	-	5	-	-	-	2	1	1	-	1	-	-	-
GEORGIA																								
All causes	24,679	687	137	175	761	957	1,205	2,276	4,671	6,581	5,108	2,101	21,326	518	98	110	268	444	613	1,280	2,741	4,644	6,044	4,558
White	17,821	314	78	108	554	692	784	1,523	3,334	4,839	3,961	1,741	15,326	257	55	65	180	256	349	777	1,786	3,106	4,622	3,869
All other	6,858	373	59	67	207	365	441	753	1,337	1,742	1,147	360	6,000	261	43	45	88	188	264	503	955	1,538	1,422	687
Black	6,817	367	58	66	203	361	438	750	1,333	1,734	1,142	359	5,965	257	43	45	88	184	261	497	952	1,529	1,420	685
Shigellosis and amebiasis (004,006)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	2	1	2	-	-	-	-	-	2	-	1	5	-	-	-	-	-	-	2	-	-	2	1
White	5	-	-	2	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	1	-	-	1	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	3	2	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Tuberculosis (010-018)	41	-	-	-	-	1	1	7	6	10	13	3	20	-	-	-	-	2	-	2	3	2	7	4
White	16	-	-	-	-	-	-	1	-	8	6	1	11	-	-	-	-	-	-	-	2	2	5	2
All other	25	-	-	-	-	1	1	6	6	2	7	2	9	-	-	-	-	2	-	2	1	-	2	2
Black	24	-	-	-	-	1	1	6	6	2	6	2	9	-	-	-	-	2	-	2	1	-	2	2
Tuberculosis of respiratory system (010-012)	35	-	-	-	-	-	1	7	5	8	11	3	16	-	-	-	-	2	-	2	2	2	5	3
White	16	-	-	-	-	-	-	1	-	8	6	1	9	-	-	-	-	-	-	-	2	2	4	1
All other	19	-	-	-	-	-	1	6	5	-	5	2	7	-	-	-	-	2	-	2	-	-	1	2
Black	19	-	-	-	-	-	1	6	5	-	5	2	7	-	-	-	-	2	-	2	-	-	1	2
Other tuberculosis (013-018)	6	-	-	-	-	1	-	-	1	2	2	-	4	-	-	-	-	-	-	-	1	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	6	-	-	-	-	1	-	-	1	2	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	5	-	-	-	-	1	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	2	-	1	-	-	-	-	1	-	-	8	2	3	1	-	-	-	1	1	-	-	-
White	3	-	2	-	-	-	-	-	-	1	-	-	6	1	3	1	-	-	-	-	1	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Septicemia (038)	177	4	1	-	2	2	2	17	30	47	51	21	226	3	-	-	-	5	1	12	28	54	68	59
White	98	3	-	-	2	1	1	8	16	23	27	17	144	2	-	-	-	4	1	4	12	24	48	49
All other	79	1	1	-	-	1	1	9	14	24	24	4	82	1	-	-	-	1	-	8	14	30	18	10
Black	79	1	1	-	-	1	1	9	14	24	24	4	81	1	-	-	-	1	-	8	14	29	18	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	1	-	-	3	1	2	-	-	3	2	11	-	-	-	1	-	1	-	4	2	3	-
White	11	-	1	-	-	3	1	2	-	-	2	2	8	-	-	-	1	-	-	-	4	1	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	1	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	3	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	72	4	-	1	5	8	9	8	12	17	8	-	45	3	1	-	1	2	4	5	9	11	4	5
White	49	1	-	1	3	4	5	6	9	12	8	-	30	1	1	-	-	2	2	3	5	8	3	5
All other	23	3	-	-	2	4	4	2	3	5	-	-	15	2	-	-	1	-	2	2	4	3	1	-
Black	23	3	-	-	2	4	4	2	3	5	-	-	15	2	-	-	1	-	2	2	4	3	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,213	1	8	30	38	68	196	523	1,360	1,735	1,015	240	3,984	3	3	17	21	82	159	456	880	1,162	858	349
White	3,878	1	5	18	29	47	135	359	1,005	1,283	792	203	2,972	-	1	13	16	53	111	328	656	855	662	277
All other	1,335	-	3	12	7	21	61	164	355	452	223	37	1,012	3	2	4	5	29	48	128	224	307	196	68
Black	1,328	-	3	12	7	20	60	163	353	450	223	37	1,003	3	2	4	5	26	48	127	223	304	196	65
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	139	-	-	-	-	6	9	20	46	37	18	3	64	-	-	-	-	1	2	5	16	18	14	10
White	86	-	-	-	-	3	4	10	27	26	13	3	52	-	-	-	-	1	1	3	12	12	14	8
All other	53	-	-	-	-	3	5	10	19	11	5	-	12	-	-	-	-	-	1	2	4	4	-	1
Black	53	-	-	-	-	3	5	10	19	11	5	-	12	-	-	-	-	-	1	2	4	4	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,118	-	1	-	3	10	51	114	277	386	230	85	957	1	-	1	2	8	19	79	167	297	263	120
White	775	-	-	-	3	8	25	59	193	259	176	53	669	-	-	1	1	4	12	48	108	206	195	94
All other	343	-	1	-	-	4	26	55	84	107	54	12	288	1	-	-	1	4	7	31	59	91	68	26
Black	338	-	1	-	-	3	25	54	84	106	54	12	286	1	-	-	1	4	7	31	58	91	68	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,043	-	1	3	1	6	53	237	676	714	310	42	666	-	-	1	1	2	17	107	214	190	105	29
White	1,607	-	1	2	1	4	42	173	526	560	258	40	548	-	-	1	1	2	14	90	172	162	85	21
All other	436	-	-	1	-	2	11	64	150	154	52	2	118	-	-	-	-	-	3	17	42	28	20	8
Black	435	-	-	1	-	2	11	64	149	154	52	2	118	-	-	-	-	-	3	17	42	28	20	8
Malignant neoplasm of breast (174-175)	5	-	-	-	-	1	-	1	1	2	-	-	700	-	-	3	1	16	62	98	169	192	116	43
White	4	-	-	-	-	1	-	1	1	1	-	-	536	-	-	2	-	10	45	67	136	145	96	35
All other	1	-	-	-	-	-	-	-	-	1	-	-	164	-	-	1	1	6	17	31	33	47	20	8
Black	1	-	-	-	-	-	-	-	-	1	-	-	162	-	-	1	1	5	17	31	33	46	20	8
Malignant neoplasms of genital organs (179-187)	561	-	-	-	2	4	1	12	58	213	204	67	448	-	-	-	-	18	13	63	93	136	92	33
White	347	-	-	-	2	3	1	8	29	114	135	55	316	-	-	-	-	7	7	46	72	96	63	25
All other	214	-	-	-	-	1	-	4	29	99	69	12	132	-	-	-	-	11	6	17	21	40	29	8
Black	214	-	-	-	-	1	-	4	29	99	69	12	129	-	-	-	-	9	6	16	21	40	29	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	212	-	-	3	1	2	6	12	37	86	50	15	133	-	-	1	-	-	3	9	16	48	35	21
White	163	-	-	1	1	2	3	9	28	65	43	11	98	-	-	1	-	-	3	6	11	30	29	18
All other	49	-	-	2	-	-	3	3	9	21	7	4	35	-	-	-	-	-	-	3	5	18	6	3
Black	48	-	-	2	-	-	3	3	9	20	7	4	35	-	-	-	-	-	-	3	5	18	6	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	696	1	2	7	16	20	58	80	163	210	115	24	619	1	2	8	6	21	30	66	129	170	137	49
White	533	1	-	3	11	13	46	59	123	165	89	23	449	-	1	6	3	18	24	48	91	117	99	42
All other	163	-	2	4	5	7	12	21	40	45	26	1	170	1	1	2	3	3	6	18	38	53	38	7
Black	163	-	2	4	5	7	12	21	40	45	26	1	169	1	1	2	3	3	6	18	38	52	38	7
Leukemia (204-208)	218	-	2	12	9	15	10	20	41	53	41	15	171	1	1	2	8	7	2	13	25	46	45	21
White	183	-	2	8	7	12	7	16	32	48	37	14	138	-	-	2	8	5	2	10	19	35	40	17
All other	35	-	-	4	2	3	3	4	9	5	4	1	33	1	1	-	-	2	-	3	6	11	5	4
Black	35	-	-	4	2	3	3	4	9	5	4	1	32	1	1	-	-	2	-	3	6	10	5	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	221	-	2	5	4	4	8	27	61	54	47	9	226	-	-	1	3	9	11	16	51	67	51	17
White	180	-	2	4	4	3	7	24	46	45	41	4	166	-	-	-	3	6	3	10	35	52	41	16
All other	41	-	-	1	-	1	1	3	15	9	6	5	60	-	-	1	-	3	8	6	16	15	10	1
Black	40	-	-	1	-	1	1	3	14	9	6	5	60	-	-	1	-	3	8	6	16	15	10	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	74	1	2	1	1	3	8	3	15	23	13	4	79	-	3	1	-	3	6	3	14	13	27	9
White	54	1	2	1	1	3	5	1	12	15	10	3	64	-	2	1	-	2	6	2	12	9	21	9
All other	20	-	-	-	-	-	3	2	3	8	3	1	15	-	1	-	-	1	-	1	2	4	6	-
Black	20	-	-	-	-	-	3	2	3	8	3	1	14	-	1	-	-	1	-	-	2	4	6	-
Diabetes mellitus (250)	308	-	1	-	1	9	11	35	71	92	65	23	477	-	-	-	1	6	21	31	82	139	134	63
White	196	-	1	-	-	5	5	23	42	60	44	16	294	-	-	-	1	4	10	9	38	88	92	52
All other	112	-	-	-	1	4	6	12	29	32	21	7	183	-	-	-	-	2	11	22	44	51	42	11
Black	112	-	-	-	1	4	6	12	29	32	21	7	183	-	-	-	-	2	11	22	44	51	42	11
Nutritional deficiencies (260-269)	36	4	-	-	2	1	-	2	2	4	9	12	56	2	1	-	-	-	-	1	2	5	20	25
White	17	1	-	-	-	1	-	1	1	2	5	6	44	1	1	-	-	-	-	1	1	5	13	22
All other	19	3	-	-	2	-	-	1	1	2	4	6	12	1	-	-	-	-	-	-	1	-	7	3
Black	19	3	-	-	2	-	-	1	1	2	4	6	12	1	-	-	-	-	-	-	1	-	7	3
Anemias (280-285)	46	-	2	2	5	5	1	3	2	7	15	4	62	1	1	2	2	4	-	4	6	8	18	18
White	21	-	-	2	1	-	-	-	1	3	10	4	36	1	-	-	-	-	-	2	5	3	14	11
All other	25	-	2	-	4	5	1	3	1	4	5	-	26	-	1	2	2	4	-	2	1	5	4	5
Black	25	-	2	-	4	5	1	3	1	4	5	-	26	-	1	2	2	4	-	2	1	5	4	5
Meningitis (320-322)	18	5	6	-	-	2	-	1	3	1	-	-	20	6	2	-	-	2	1	-	1	4	4	-
White	10	2	3	-	-	1	-	1	2	1	-	-	13	3	2	-	-	2	-	-	-	2	4	-
All other	8	3	3	-	-	1	-	-	1	-	-	-	7	3	-	-	-	-	1	-	1	2	-	-
Black	8	3	3	-	-	1	-	-	1	-	-	-	7	3	-	-	-	-	1	-	1	2	-	-
Major cardiovascular diseases (390-448)	10,933	19	11	12	20	100	326	974	2,102	3,312	2,779	1,275	10,969	8	6	10	14	48	142	421	1,133	2,390	3,688	3,095
White	8,144	7	7	6	10	56	200	665	1,510	2,436	2,190	1,056	7,937	2	2	5	4	21	65	219	667	1,513	2,806	2,632
All other	2,789	12	4	6	10	44	126	309	592	876	589	219	3,032	6	4	5	10	27	77	202	466	886	882	463
Black	2,778	12	4	6	10	44	125	307	591	872	587	218	3,018	6	4	5	10	26	76	200	464	881	882	462
Diseases of heart (390-398,402,404-429)	8,734	18	9	10	15	78	273	834	1,792	2,685	2,090	927	7,839	7	6	8	11	37	92	322	867	1,794	2,835	2,056
White	6,647	6	5	5	6	48	177	595	1,336	2,040	1,657	771	5,682	2	2	4	4	15	39	175	519	1,161	2,022	1,736
All other	2,087	12	4	5	9	30	96	239	456	645	433	156	2,157	5	4	4	7	22	53	147	348	633	813	316
Black	2,080	12	4	5	9	30	95	239	456	642	431	155	2,148	5	4	4	7	21	53	146	347	629	813	317
Rheumatic fever and rheumatic heart disease (390-398)	36	-	-	-	-	2	3	7	5	10	8	1	69	1	-	-	-	2	6	10	13	17	16	4
White	32	-	-	-	-	2	2	7	5	10	5	1	57	1	-	-	-	-	4	8	11	15	14	4
All other	4	-	-	-	-	-	1	-	-	-	3	-	12	-	-	-	-	2	2	2	2	2	2	-
Black	4	-	-	-	-	-	1	-	-	-	3	-	11	-	-	-	-	1	2	2	2	2	2	-
Hypertensive heart disease (402)	239	-	-	-	-	2	8	28	52	68	60	21	342	1	-	-	-	2	9	15	51	85	93	86
White	98	-	-	-	-	-	2	6	22	27	29	12	168	1	-	-	-	1	-	2	16	28	55	63
All other	141	-	-	-	-	2	6	22	30	41	31	9	174	-	-	-	-	1	9	13	33	57	38	23
Black	141	-	-	-	-	2	6	22	30	41	31	9	174	-	-	-	-	1	9	13	33	57	38	23
Hypertensive heart and renal disease (404)	45	-	-	-	-	-	1	1	9	13	14	7	41	-	-	-	-	-	-	1	4	9	15	12
White	26	-	-	-	-	-	-	-	3	8	9	6	21	-	-	-	-	-	-	-	1	1	9	10
All other	19	-	-	-	-	-	1	1	6	5	5	1	20	-	-	-	-	-	-	1	3	8	6	2
Black	19	-	-	-	-	-	1	1	6	5	5	1	20	-	-	-	-	-	-	1	3	8	6	2
Ischemic heart disease (410-414)	5,941	5	2	3	2	31	179	565	1,256	1,832	1,408	554	4,756	-	3	3	2	6	40	184	523	1,141	1,664	1,189
White	4,825	2	1	1	1	19	126	450	1,013	1,566	1,165	460	3,852	-	2	1	1	3	19	116	348	790	1,341	1,031
All other	1,116	3	1	2	1	12	53	115	243	366	224	94	1,104	-	1	2	1	3	21	68	175	351	323	158
Black	1,111	3	1	2	1	12	52	115	243	364	223	93	1,099	-	1	2	1	3	21	68	175	347	323	157
Acute myocardial infarction (410)	4,044	5	1	3	2	22	143	425	901	1,358	902	280	2,810	-	3	3	2	4	33	135	402	796	969	543
White	3,286	2	1	1	1	11	96	338	725	1,105	771	233	2,206	-	2	1	1	2	14	89	268	569	791	469
All other	758	3	-	2	1	11	45	87	176	253	131	47	704	-	1	2	1	2	19	46	134	227	198	74
Black	753	3	-	2	1	11	44	87	176	251	130	46	703	-	1	2	1	2	19	46	134	226	198	74

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	109	-	-	-	-	1	7	19	31	29	14	9	82	-	-	-	-	-	2	8	7	26	28	21
White	62	-	-	-	-	1	4	10	21	13	9	4	53	-	-	-	-	-	1	4	3	14	14	17
All other	47	-	-	-	-	-	3	8	10	16	5	5	39	-	-	-	-	-	1	4	4	12	14	4
Black	47	-	-	-	-	-	3	8	10	16	5	5	39	-	-	-	-	-	1	4	4	12	14	4
Angina pectoris (413)	5	-	-	-	-	-	-	-	1	2	2	-	9	-	-	-	-	-	-	1	-	3	1	4
White	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	-	-	-	-	2	1	4
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	1	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,783	-	1	-	-	8	29	122	323	543	491	265	1,745	-	-	-	-	2	5	40	114	316	646	621
White	1,475	-	-	-	-	7	24	102	266	447	405	223	1,386	-	-	-	-	1	4	23	77	205	535	541
All other	308	-	1	-	-	1	5	20	57	96	86	42	359	-	-	-	-	1	1	17	37	111	111	80
Black	308	-	1	-	-	1	5	20	57	96	86	42	355	-	-	-	-	1	1	17	37	108	111	79
Other diseases of endocardium (424)	82	-	1	-	-	-	2	2	17	31	24	5	79	-	-	-	-	1	-	3	5	15	30	25
White	60	-	-	-	-	-	1	-	14	19	23	3	66	-	-	-	-	-	-	1	5	12	28	20
All other	22	-	1	-	-	-	1	2	3	12	1	2	13	-	-	-	-	1	-	2	-	3	2	5
Black	22	-	1	-	-	-	1	2	3	12	1	2	13	-	-	-	-	1	-	2	-	3	2	5
All other forms of heart disease (415-423,425-429)	2,391	13	6	7	13	43	80	231	453	631	575	339	2,552	5	3	5	9	28	37	109	271	527	817	740
White	1,606	4	4	4	5	27	48	132	279	410	406	289	1,718	-	-	3	3	11	16	48	136	316	575	610
All other	785	9	2	3	8	16	34	99	174	221	169	50	834	5	3	2	6	15	21	61	135	212	242	130
Black	783	9	2	3	8	16	34	99	174	220	168	50	831	5	3	2	6	15	21	60	134	212	242	130
Hypertension with or without renal disease (401,403)	98	-	-	-	-	1	3	7	23	32	22	10	148	-	-	-	-	-	2	7	17	35	43	42
White	55	-	-	-	-	-	2	2	11	15	17	8	81	-	-	-	-	-	-	1	6	21	27	26
All other	43	-	-	-	-	1	1	5	12	17	5	2	65	-	-	-	-	-	2	6	11	14	16	16
Black	43	-	-	-	-	1	1	5	12	17	5	2	65	-	-	-	-	-	2	6	11	14	16	16
Cerebrovascular diseases (430-438)	1,682	1	2	1	4	15	42	115	229	474	538	271	2,576	-	-	2	3	10	45	89	223	513	858	832
White	1,131	1	2	1	3	5	17	55	124	291	412	220	1,849	-	-	1	-	5	23	41	123	291	642	723
All other	561	-	-	-	1	10	25	60	105	183	126	51	727	-	-	1	3	5	22	48	100	222	216	109
Black	558	-	-	-	1	10	25	58	105	182	126	51	722	-	-	1	3	5	21	47	99	221	216	109
Intracerebral and other intracranial hemorrhage (431-432)	262	-	-	1	2	5	23	53	42	57	63	16	327	-	-	-	1	7	17	32	52	80	85	53
White	159	-	-	1	2	1	8	20	21	42	49	14	214	-	-	-	-	3	9	13	31	43	69	46
All other	104	-	-	-	-	4	15	33	21	15	14	2	113	-	-	-	1	4	8	19	21	37	16	7
Black	103	-	-	-	-	4	15	32	21	15	14	2	113	-	-	-	1	4	8	19	21	37	16	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	240	-	-	-	-	-	1	7	30	62	87	53	436	-	-	-	-	-	3	4	29	80	165	155
White	181	-	-	-	-	-	-	5	13	41	74	48	347	-	-	-	-	-	1	3	15	55	134	139
All other	59	-	-	-	-	-	1	2	17	21	13	5	89	-	-	-	-	-	2	1	14	25	31	16
Black	59	-	-	-	-	-	1	2	17	21	13	5	89	-	-	-	-	-	2	1	14	25	31	16
Cerebral embolism (434.1)	14	-	-	-	-	-	-	-	2	7	5	-	13	-	-	-	-	-	-	1	1	5	4	2
White	12	-	-	-	-	-	-	-	1	6	5	-	9	-	-	-	-	-	-	1	1	3	3	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,176	1	2	-	2	10	18	55	155	348	383	202	1,800	-	-	2	2	3	25	52	141	348	604	622
White	780	1	2	-	1	4	9	30	89	202	284	158	1,278	-	-	1	-	2	13	24	76	190	436	537
All other	396	-	-	-	1	6	9	25	66	146	99	44	521	-	-	1	2	1	12	28	65	158	168	85
Black	394	-	-	-	1	6	9	24	66	145	99	44	516	-	-	1	2	1	11	27	64	157	168	85
Atherosclerosis (440)	147	-	-	-	-	-	-	3	12	30	56	46	268	-	-	-	-	-	1	-	12	22	109	124
White	113	-	-	-	-	-	-	2	7	19	43	42	216	-	-	-	-	-	1	-	7	15	82	111
All other	34	-	-	-	-	-	-	1	5	11	13	4	52	-	-	-	-	-	-	-	5	7	27	13
Black	33	-	-	-	-	-	-	1	4	11	13	4	52	-	-	-	-	-	-	-	5	7	27	13
Other diseases of arteries, arterioles, and capillaries (441-448)	262	-	-	1	1	6	8	15	46	91	73	21	140	1	-	-	-	1	2	3	14	35	43	41
White	198	-	-	-	1	3	4	11	32	71	61	15	109	-	-	-	-	1	2	2	12	25	33	34
All other	64	-	-	1	-	3	4	4	14	20	12	6	31	1	-	-	-	-	-	1	2	10	10	7
Black	64	-	-	1	-	3	4	4	14	20	12	6	31	1	-	-	-	-	-	1	2	10	10	7
Acute bronchitis and bronchiolitis (466)	8	2	-	-	-	-	-	1	2	1	2	1	6	2	-	-	-	-	-	-	-	2	2	-
White	6	-	-	-	-	-	-	-	2	1	2	1	5	1	-	-	-	-	-	-	-	2	2	-
All other	3	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	645	31	7	3	5	6	28	37	74	140	167	147	600	15	3	2	5	11	11	22	31	62	184	233
White	446	7	4	3	4	3	12	17	45	92	132	127	483	8	1	1	3	4	6	15	23	58	153	210
All other	199	24	3	-	1	3	16	20	29	48	35	20	117	7	2	1	2	7	5	7	8	24	31	23
Black	198	24	3	-	1	3	16	20	29	48	34	20	117	7	2	1	2	7	5	7	8	24	31	23

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	637	30	6	3	5	6	28	37	74	138	184	146	595	15	3	2	5	11	11	22	31	82	181	231
White	441	7	4	3	4	3	12	17	45	91	129	126	480	6	1	1	3	4	6	15	23	58	151	209
All other	196	23	2	-	1	3	16	20	29	47	35	20	115	7	2	1	2	7	5	7	8	24	30	22
Black	195	23	2	-	1	3	16	20	29	47	34	20	115	7	2	1	2	7	5	7	8	24	30	22
Influenza (487)	9	1	1	-	-	-	-	-	-	2	3	1	5	-	-	-	-	-	-	-	-	-	3	2
White	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	-	-	2	1
All other	3	1	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	1	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	994	1	-	2	4	3	7	36	213	378	280	70	456	-	1	-	3	5	6	24	89	140	137	51
White	843	-	-	1	-	-	6	22	171	327	252	64	409	-	1	-	2	2	4	21	76	129	124	50
All other	151	1	-	1	4	3	1	14	42	51	28	6	47	-	-	-	1	3	2	3	13	11	13	1
Black	150	1	-	1	4	3	1	14	42	50	28	6	46	-	-	-	1	3	2	3	13	11	12	1
Bronchitis, chronic and unspecified (490-491)	55	1	-	-	-	-	1	2	16	22	8	5	29	-	-	-	-	2	-	1	4	10	8	4
White	49	-	-	-	-	-	1	1	15	19	8	5	25	-	-	-	-	1	-	1	2	10	7	4
All other	6	1	-	-	-	-	-	1	1	3	-	-	4	-	-	-	-	1	-	-	2	-	1	-
Black	6	1	-	-	-	-	-	1	1	3	-	-	4	-	-	-	-	1	-	-	2	-	1	-
Emphysema (492)	224	-	-	-	-	1	1	5	47	91	67	12	79	-	-	-	1	-	2	5	21	26	15	9
White	198	-	-	-	-	-	1	2	41	79	64	11	74	-	-	-	1	-	2	5	20	25	12	9
All other	26	-	-	-	-	1	-	3	6	12	3	1	5	-	-	-	-	-	-	-	1	1	3	-
Black	26	-	-	-	-	1	-	3	6	12	3	1	5	-	-	-	-	-	-	-	1	1	3	-
Asthma (493)	43	-	-	1	4	2	1	5	12	13	4	1	55	-	-	-	2	3	3	7	17	9	11	3
White	22	-	-	-	-	-	1	1	7	9	3	1	35	-	-	-	1	1	1	5	10	5	9	3
All other	21	-	-	1	4	2	-	4	5	4	1	-	20	-	-	-	1	2	2	2	7	4	2	-
Black	21	-	-	1	4	2	-	4	5	4	1	-	20	-	-	-	1	2	2	2	7	4	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	672	-	-	1	-	-	4	24	138	252	201	52	283	-	1	-	-	-	1	11	47	95	103	35
White	574	-	-	1	-	-	3	18	108	220	177	47	275	-	1	-	-	-	1	10	44	89	96	34
All other	98	-	-	-	-	-	1	6	30	32	24	5	18	-	-	-	-	-	-	1	3	6	7	1
Black	97	-	-	-	-	-	1	6	30	31	24	5	17	-	-	-	-	-	-	1	3	6	6	1
Ulcer of stomach and duodenum (531-533)	51	-	-	-	-	2	1	5	5	20	13	4	69	-	-	-	-	1	2	3	9	9	23	22
White	44	-	-	-	-	2	1	5	3	17	11	4	54	-	-	-	-	-	1	1	7	5	19	21
All other	7	-	-	-	-	-	-	-	2	3	2	-	15	-	-	-	-	1	1	2	2	4	4	1
Black	7	-	-	-	-	-	-	-	2	3	2	-	15	-	-	-	-	1	1	2	2	4	4	1
Appendicitis (540-543)	11	-	2	-	2	-	-	1	1	2	2	1	11	-	-	-	-	-	1	-	1	3	3	3
White	8	-	1	-	2	-	-	1	-	1	2	1	7	-	-	-	-	-	1	-	-	2	2	2
All other	3	-	1	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	3	-	1	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	85	1	-	1	1	-	1	6	9	15	20	11	71	2	-	-	-	1	1	1	10	15	17	24
White	42	-	-	-	1	-	-	4	5	11	12	9	50	1	-	-	-	1	-	1	4	9	11	23
All other	23	1	-	1	-	-	1	2	4	4	8	2	21	1	-	-	-	-	1	-	6	6	6	1
Black	23	1	-	1	-	-	1	2	4	4	8	2	21	1	-	-	-	-	1	-	6	6	6	1
Chronic liver disease and cirrhosis (571)	370	1	-	-	1	13	41	109	122	62	18	3	209	-	-	2	-	14	28	40	60	38	23	4
White	282	1	-	-	-	6	25	81	98	53	15	3	140	-	-	-	-	2	11	28	43	31	21	4
All other	88	-	-	-	1	7	16	28	24	9	3	-	69	-	-	2	-	12	17	12	17	7	2	-
Black	88	-	-	-	1	7	16	28	24	9	3	-	69	-	-	2	-	12	17	12	17	7	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	33	-	-	-	-	-	-	3	6	11	9	4	47	-	-	-	-	1	-	1	4	9	20	12
White	29	-	-	-	-	-	-	2	5	9	9	4	34	-	-	-	-	1	-	1	3	5	12	12
All other	4	-	-	-	-	-	-	1	1	2	-	-	13	-	-	-	-	-	-	-	1	4	8	-
Black	4	-	-	-	-	-	-	1	1	2	-	-	13	-	-	-	-	-	-	-	1	4	8	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	234	2	1	2	1	6	7	6	40	62	70	36	250	1	-	1	4	3	2	11	25	65	86	52
White	127	1	1	-	1	2	4	3	17	34	42	22	131	1	-	1	1	2	-	1	8	29	55	33
All other	107	1	-	2	-	4	3	3	23	28	28	14	119	-	-	-	3	1	2	10	17	36	31	19
Black	107	1	-	2	-	4	3	3	23	28	28	14	119	-	-	-	3	1	2	10	17	36	31	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	1	-	1	1	-	-	4	-	-	1	-	-	-	1	1	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	34	-	-	-	1	2	-	1	6	11	10	3	23	-	-	-	1	1	-	-	5	7	4	5
White	21	-	-	-	1	1	-	1	1	8	7	2	8	-	-	-	1	1	-	-	-	3	1	2
All other	13	-	-	-	-	1	-	-	5	3	3	1	15	-	-	-	-	-	-	-	5	4	3	3
Black	13	-	-	-	-	1	-	-	5	3	3	1	15	-	-	-	-	-	-	-	5	4	3	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	197	2	1	2	-	4	6	5	33	50	60	33	223	1	-	-	3	2	2	10	19	58	81	47
White	105	1	1	-	-	1	4	2	18	25	35	20	121	1	-	-	-	1	-	1	8	26	53	31
All other	92	1	-	2	-	3	2	3	17	25	25	13	102	-	-	-	3	1	2	9	11	32	28	16
Black	92	1	-	2	-	3	2	3	17	25	25	13	102	-	-	-	3	1	2	9	11	32	28	16
Infections of kidney (590)	17	-	-	-	-	1	-	1	2	3	8	2	37	-	-	-	-	-	-	-	2	8	16	13
White	9	-	-	-	-	-	-	1	2	2	2	2	23	-	-	-	-	-	-	-	-	3	11	9
All other	8	-	-	-	-	1	-	-	-	1	6	-	14	-	-	-	-	-	-	-	2	3	5	4
Black	8	-	-	-	-	1	-	-	-	1	6	-	14	-	-	-	-	-	-	-	2	3	5	4
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	1	5	10	4	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	6	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	10	-	-	-	-	-	-	-	1	4	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	10	-	-	-	-	-	-	-	1	4	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	8	4	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	3	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	8	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Congenital anomalies (740-759)	175	104	16	9	11	9	4	7	7	4	2	2	168	107	9	9	8	6	5	4	6	5	6	3
White	116	67	11	6	7	5	2	6	4	4	2	2	118	78	7	5	4	4	4	2	3	3	6	2
All other	59	37	5	3	4	4	2	1	3	-	-	-	50	29	2	4	4	2	1	2	3	2	-	1
Black	57	35	5	3	4	4	2	1	3	-	-	-	50	29	2	4	4	2	1	2	3	2	-	1
Certain conditions originating in the perinatal period (760-779)	346	346	-	-	-	-	-	-	-	-	-	-	255	253	-	-	-	-	1	-	-	-	-	1
White	147	147	-	-	-	-	-	-	-	-	-	-	110	109	-	-	-	-	1	-	-	-	-	-
All other	199	199	-	-	-	-	-	-	-	-	-	-	145	144	-	-	-	-	-	-	-	-	-	1
Black	197	197	-	-	-	-	-	-	-	-	-	-	143	142	-	-	-	-	-	-	-	-	-	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	86	86	-	-	-	-	-	-	-	-	-	-	61	61	-	-	-	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	46	46	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
Black	46	46	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	260	260	-	-	-	-	-	-	-	-	-	-	194	192	-	-	-	-	1	-	-	-	-	1
White	107	107	-	-	-	-	-	-	-	-	-	-	80	79	-	-	-	-	1	-	-	-	-	-
All other	153	153	-	-	-	-	-	-	-	-	-	-	114	113	-	-	-	-	-	-	-	-	-	1
Black	151	151	-	-	-	-	-	-	-	-	-	-	113	112	-	-	-	-	-	-	-	-	-	1
Symptoms, signs, and ill-defined conditions (780-799)	271	93	3	1	4	12	10	17	35	43	30	21	244	68	5	-	2	5	6	8	17	30	48	55
White	135	41	1	1	2	5	4	10	18	21	16	14	143	28	1	-	1	-	4	3	11	18	35	43
All other	136	52	2	-	2	7	6	7	17	22	14	7	101	40	4	-	1	5	2	5	6	12	13	12
Black	135	51	2	-	2	7	6	7	17	22	14	7	100	39	4	-	1	5	2	5	6	12	13	12
All other diseases (Residual)	1,818	34	15	19	35	69	114	168	277	375	343	167	1,690	23	11	9	17	43	76	108	200	319	506	377
White	1,076	14	8	13	25	35	44	94	168	273	258	142	1,205	10	7	6	12	16	32	55	120	216	400	331
All other	542	20	7	6	10	34	70	74	109	102	85	25	485	13	4	3	5	27	44	53	80	103	106	46
Black	538	19	7	6	10	34	70	74	109	101	84	25	483	13	4	3	5	27	44	52	80	103	105	46
Accidents and adverse effects (E800-E949)	1,872	32	54	87	445	347	249	179	170	143	122	38	885	15	42	50	122	101	80	74	88	105	124	83
White	1,348	20	30	53	355	260	180	119	122	96	77	31	632	11	24	31	99	78	52	51	56	75	66	66
All other	526	12	24	34	90	87	69	60	48	47	45	8	253	4	18	19	23	23	28	23	32	30	38	15
Black	517	12	23	33	88	85	68	60	47	47	45	8	253	4	18	19	23	23	28	23	32	30	38	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	968	11	22	52	311	221	106	75	70	61	30	9	405	3	15	29	102	63	47	36	39	41	24	6
White	746	8	14	34	254	168	83	55	51	49	25	7	329	2	8	21	86	53	32	29	34	36	22	6
All other	222	3	8	18	57	55	23	20	19	12	5	2	76	1	7	8	16	10	15	7	5	5	2	-
Black	216	3	8	17	55	53	22	20	19	12	5	2	76	1	7	8	16	10	15	7	5	5	2	-
All other accidents and adverse effects (E800-E807, E828-E949)	904	21	32	35	134	128	143	104	100	82	92	30	460	12	27	21	20	38	33	38	49	64	100	77
White	600	12	16	19	101	94	97	64	71	47	52	24	303	9	16	10	13	25	20	22	22	39	64	62
All other	304	9	16	16	33	32	46	40	29	35	40	6	177	3	11	11	7	13	13	16	27	25	36	15
Black	301	9	15	16	33	32	46	40	28	35	40	6	177	3	11	11	7	13	13	16	27	25	36	15
Suicide (E950-E959)	500	...	...	-	82	118	90	70	63	50	24	3	152	...	...	1	21	43	26	21	23	7	9	1
White	449	...	...	-	75	96	86	63	58	48	22	3	142	...	...	1	18	41	24	20	21	7	9	1
All other	51	...	...	-	7	22	4	7	5	4	2	-	10	...	...	-	3	2	2	1	2	-	-	-
Black	50	...	...	-	6	22	4	7	5	4	2	-	7	...	...	-	3	2	-	-	2	-	-	-
Homicide and legal intervention (E960-E978)	457	-	3	3	85	158	94	49	34	13	14	1	171	5	7	5	31	50	28	24	9	5	6	1
White	177	-	1	1	27	50	45	27	14	4	7	-	60	-	2	-	14	14	11	9	4	1	4	1
All other	280	-	2	2	58	108	49	22	20	9	7	1	111	5	5	5	17	36	17	15	5	4	2	-
Black	279	-	2	2	57	106	49	22	20	9	7	1	110	4	5	5	17	36	17	15	5	4	2	-
All other external causes (E980-E999)	48	-	1	-	12	10	4	6	7	3	3	-	24	1	-	-	7	2	3	1	6	2	1	1
White	27	-	-	-	9	7	3	1	4	1	-	-	12	1	-	-	1	2	2	-	4	2	-	-
All other	21	-	1	-	3	3	1	5	3	2	3	-	12	-	-	-	6	-	1	1	2	-	1	1
Black	21	-	1	-	3	3	1	5	3	2	3	-	12	-	-	-	6	-	1	1	2	-	1	1
HAWAII																								
All causes	3,231	89	23	19	112	140	132	222	532	853	726	371	2,251	81	11	18	34	48	81	164	319	421	557	517
White	1,054	32	9	2	45	75	58	82	168	296	188	100	723	18	3	6	13	16	27	31	102	150	191	166
All other	2,177	57	14	17	67	65	76	140	364	557	538	271	1,528	63	8	12	21	32	54	133	217	271	366	351
Black	21	4	-	-	4	3	-	4	3	2	-	-	13	5	-	-	2	1	1	1	2	1	-	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	3	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	3	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	27	-	1	-	-	-	-	3	5	10	5	3	20	1	-	-	-	-	-	1	2	3	7	6
White	5	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	22	-	1	-	-	-	-	3	5	7	3	3	19	1	-	-	-	-	-	1	2	3	7	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	-	-	-	-	-	1	-	-	2	2	3	5	-	-	-	-	1	-	-	2	1	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	1	-	-	1	1	2	5	-	-	-	-	1	-	-	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	752	1	3	4	13	12	25	69	174	249	157	45	543	-	-	4	6	13	31	68	132	134	102	55
White	249	1	-	-	3	4	10	24	54	89	47	17	181	-	-	1	1	2	7	16	46	54	37	17
All other	503	-	3	4	10	8	15	45	120	160	110	28	362	-	-	3	5	11	24	50	86	80	65	38
Black	3	-	-	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	-	-	-	1	-	3	2	4	9	2	2	14	-	-	-	-	2	-	1	4	4	2	1
White	5	-	-	-	-	-	1	-	1	3	-	-	2	-	-	-	-	-	-	-	2	-	-	-
All other	18	-	-	-	1	-	2	2	3	6	2	2	12	-	-	-	-	2	-	1	2	4	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	255	-	-	1	-	2	5	26	69	83	50	19	153	-	-	-	1	1	6	10	29	38	39	30
White	56	-	-	-	-	-	1	5	13	20	13	4	42	-	-	-	-	-	3	3	6	11	12	7
All other	199	-	-	1	-	2	4	21	56	63	37	15	111	-	-	-	1	1	3	7	23	27	26	23
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	202	-	-	-	-	-	4	25	65	68	39	1	82	-	-	-	-	1	3	11	22	28	14	3
White	79	-	-	-	-	-	-	11	26	30	11	1	34	-	-	-	-	-	-	3	8	14	8	1
All other	123	-	-	-	-	-	4	14	39	38	28	-	48	-	-	-	-	1	3	8	14	14	6	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	-	1	4	9	20	35	21	7	3
White	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	-	1	6	17	8	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	63	-	-	-	1	4	8	14	18	13	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of genital organs (179-187)	56	-	-	-	1	1	1	-	3	20	23	7	65	-	-	-	1	-	7	10	17	14	13	3
White	27	-	-	-	-	1	1	-	1	10	10	4	18	-	-	-	-	-	2	-	3	7	4	2
All other	29	-	-	-	1	-	-	-	2	10	13	3	47	-	-	-	1	-	5	10	14	7	9	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	45	-	-	1	-	1	1	2	7	15	14	4	12	-	-	-	-	-	-	-	3	3	3	3
White	19	-	-	-	-	-	-	-	3	7	5	4	7	-	-	-	-	-	-	-	3	1	1	2
All other	26	-	-	1	-	1	1	2	4	8	9	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	88	-	2	1	4	4	4	10	10	29	16	8	66	-	-	2	-	3	5	10	12	11	16	7
White	35	-	-	-	1	2	2	6	5	14	3	2	24	-	-	1	-	1	1	3	3	6	7	2
All other	53	-	2	1	3	2	2	4	5	15	13	6	42	-	-	1	-	2	4	7	9	5	9	5
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	40	-	1	1	4	2	2	1	6	14	6	3	23	-	-	2	1	1	-	1	4	6	6	2
White	9	-	-	-	1	-	1	1	1	1	2	2	5	-	-	-	-	-	-	-	-	4	-	1
All other	31	-	1	1	3	2	1	-	5	13	4	1	18	-	-	2	1	1	-	1	4	2	6	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	1	-	-	3	2	5	3	10	11	7	1	28	-	-	-	2	1	1	3	6	9	3	3
White	19	1	-	-	1	1	4	1	4	4	3	-	12	-	-	-	1	1	-	1	4	3	1	1
All other	24	-	-	-	2	1	1	2	6	7	4	1	16	-	-	-	1	-	1	2	2	6	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	1	1	-	1	1	1	3	1	1	2	11	1	-	-	-	-	-	-	-	1	5	3	1
White	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	10	-	1	1	-	1	1	-	3	1	-	2	7	1	-	-	-	-	-	-	1	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	51	-	-	-	-	-	3	2	7	13	20	6	61	-	-	-	-	1	5	4	13	12	14	12
White	14	-	-	-	-	-	1	2	2	5	2	2	17	-	-	-	-	1	3	1	2	3	3	4
All other	37	-	-	-	-	-	2	-	5	8	18	4	44	-	-	-	-	-	2	3	11	9	11	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	1	-	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-	-	2	1
White	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,323	4	1	2	3	12	41	94	250	384	339	193	982	1	-	3	4	3	15	62	102	186	315	291
White	386	1	-	-	2	2	13	29	79	130	81	49	302	-	-	-	1	1	6	6	33	58	105	92
All other	937	3	1	2	1	10	28	65	171	254	258	144	680	1	-	3	3	2	9	56	69	128	210	199
Black	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,038	4	1	2	2	10	32	79	209	297	261	141	720	1	-	3	3	2	12	42	86	143	224	204
White	317	1	-	-	1	2	11	25	69	105	68	35	217	-	-	-	1	1	4	4	27	45	76	59
All other	721	3	1	2	1	8	21	54	140	192	193	106	503	1	-	3	2	1	8	38	59	98	148	145
Black	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	14	-	-	1	-	2	3	1	-	5	1	1	17	-	-	-	1	1	2	5	2	3	1	2
White	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	1	-	1	1	-	1	-
All other	11	-	-	1	-	2	3	1	-	3	-	1	13	-	-	-	1	-	2	4	1	3	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	22	-	-	-	-	-	1	3	3	5	7	3	16	-	-	-	-	-	-	1	1	5	3	6
White	5	-	-	-	-	-	-	-	-	2	2	1	5	-	-	-	-	-	-	1	1	2	-	1
All other	17	-	-	-	-	-	1	3	3	3	5	2	11	-	-	-	-	-	-	-	-	3	3	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	725	-	-	-	-	2	20	62	162	211	176	92	477	-	-	-	-	-	4	26	55	109	157	126
White	231	-	-	-	-	-	9	21	57	80	43	21	143	-	-	-	-	-	-	2	20	33	54	34
All other	494	-	-	-	-	2	11	41	105	131	133	71	334	-	-	-	-	-	4	24	35	76	103	92
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	364	-	-	-	-	-	10	36	98	107	81	32	223	-	-	-	-	-	3	15	26	57	80	42
White	116	-	-	-	-	-	3	12	31	39	27	4	62	-	-	-	-	-	-	-	6	20	27	9
All other	248	-	-	-	-	-	7	24	67	68	54	28	161	-	-	-	-	-	3	15	20	37	53	33
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	1	2	-	3	1	-	5	-	-	-	-	-	-	-	2	2	1	-
White	4	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	354	-	-	-	-	2	9	24	64	101	94	60	247	-	-	-	-	-	1	10	27	50	75	84
White	111	-	-	-	-	-	5	7	29	40	16	17	79	-	-	-	-	-	-	2	13	13	28	25
All other	243	-	-	-	-	2	4	17	38	61	78	43	168	-	-	-	-	-	1	8	14	37	49	59
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	13	-	-	-	-	-	1	1	2	4	3	2	14	-	-	-	-	1	-	2	3	2	2	4
White	4	-	-	-	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	9	-	-	-	-	-	1	1	1	2	3	1	10	-	-	-	-	1	-	2	3	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	284	4	1	1	2	6	7	12	42	72	74	43	193	1	-	3	2	-	6	8	25	24	59	65
White	74	1	-	-	1	2	2	4	11	19	22	12	60	-	-	-	1	-	4	-	5	9	19	22
All other	190	3	1	1	1	4	5	8	31	53	52	31	133	1	-	3	1	-	2	8	20	15	40	43
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	1	1	-	2	2	1	6	-	-	-	-	-	-	1	-	1	2	2
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	6	-	-	-	-	-	-	1	-	2	2	1	5	-	-	-	-	-	-	1	-	1	1	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	220	-	-	-	1	2	7	14	34	63	60	39	209	-	-	-	1	1	1	18	15	34	72	67
White	53	-	-	-	1	-	1	4	7	16	12	12	67	-	-	-	-	-	1	2	6	8	22	28
All other	167	-	-	-	-	2	6	10	27	47	48	27	142	-	-	-	1	1	-	16	9	26	50	39
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	53	-	-	-	1	1	2	4	13	23	9	-	37	-	-	-	-	-	1	5	3	7	15	6
White	12	-	-	-	1	-	-	3	2	2	4	-	11	-	-	-	-	-	1	-	2	1	6	1
All other	41	-	-	-	-	1	2	1	11	21	5	-	26	-	-	-	-	-	-	5	1	6	9	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	-	-	-	-	-	-	-	5	11	10	5	35	-	-	-	-	-	-	2	3	5	17	8
White	7	-	-	-	-	-	-	-	1	3	2	1	13	-	-	-	-	-	-	1	1	2	6	3
All other	24	-	-	-	-	-	-	-	4	8	8	4	22	-	-	-	-	-	-	1	2	3	11	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	136	-	-	-	-	1	5	10	16	29	41	34	137	-	-	-	1	1	-	11	9	22	40	53
White	34	-	-	-	-	-	1	1	4	11	6	11	43	-	-	-	-	-	-	1	3	5	10	24
All other	102	-	-	-	-	1	4	9	12	18	35	23	94	-	-	-	1	1	-	10	6	17	30	29
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	16	-	-	-	-	-	-	-	1	3	4	8	21	-	-	-	-	-	-	-	-	5	5	11
White	5	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-	-	-	-	-	4	1	3
All other	11	-	-	-	-	-	-	-	1	1	3	6	13	-	-	-	-	-	-	-	-	1	4	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	42	-	-	-	-	-	1	-	6	19	12	4	26	-	-	-	-	-	2	1	1	3	12	7
White	10	-	-	-	-	-	-	-	3	7	-	-	9	-	-	-	-	-	1	-	-	1	5	2
All other	32	-	-	-	-	-	1	-	3	12	12	4	17	-	-	-	-	-	1	1	1	2	7	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	124	2	-	-	-	-	2	3	11	32	45	29	79	2	1	-	1	1	3	1	3	5	19	43
White	25	1	-	-	-	-	1	2	1	9	8	3	24	1	1	-	-	-	1	-	2	2	6	11
All other	99	1	-	-	-	-	1	1	10	23	37	26	55	1	-	-	1	1	2	1	1	3	13	32
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (480-486)	121	2	-	-	-	-	2	3	10	32	43	29	78	2	1	-	1	1	3	1	2	5	19	43
White	25	1	-	-	-	-	1	2	1	9	8	3	24	1	1	-	-	-	1	-	2	2	6	11
All other	96	1	-	-	-	-	1	1	9	23	35	26	54	1	-	-	1	1	2	1	-	3	13	32
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Influenza (487)	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	98	-	-	1	1	2	-	1	13	32	37	11	55	-	-	2	2	1	1	2	9	15	15	8
White	33	-	-	-	-	-	-	-	5	14	10	4	22	-	-	-	-	-	-	-	2	7	8	5
All other	65	-	-	1	1	2	-	1	8	18	27	7	33	-	-	2	2	1	1	2	7	8	7	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	1	-	-	1
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	23	-	-	-	-	-	-	-	2	10	9	2	6	-	-	-	-	-	-	-	2	5	1	-
White	9	-	-	-	-	-	-	-	1	5	3	-	4	-	-	-	-	-	-	-	2	2	-	-
All other	14	-	-	-	-	-	-	-	1	5	6	2	4	-	-	-	-	-	-	-	-	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	11	-	-	1	1	1	-	1	3	2	2	-	13	-	-	2	2	-	1	2	1	2	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	11	-	-	1	1	1	-	1	3	2	2	-	11	-	-	2	2	-	1	2	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	-	-	-	-	1	-	-	7	19	26	8	32	-	-	-	-	1	-	-	5	8	13	5
White	22	-	-	-	-	-	-	-	3	8	7	4	16	-	-	-	-	-	-	-	-	5	8	3
All other	39	-	-	-	-	1	-	-	4	11	19	4	16	-	-	-	-	1	-	-	5	3	5	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	-	2	4	4	3	5	-	-	-	-	-	-	-	-	1	1	3
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	11	-	-	-	-	-	-	-	2	4	3	2	4	-	-	-	-	-	-	-	-	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	-	-	-	-	-	-	1	2	2	1	7	-	-	-	-	-	-	-	-	-	3	4
White	2	1	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	-	3	3
All other	5	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	40	-	-	-	-	1	2	6	14	12	5	-	20	-	-	1	-	-	-	2	7	7	2	1
White	19	-	-	-	-	-	-	4	7	6	2	-	12	-	-	-	-	-	-	1	6	5	-	-
All other	21	-	-	-	-	1	2	2	7	6	3	-	8	-	-	1	-	-	-	1	1	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	26	-	-	-	-	-	-	-	1	6	14	5	22	-	-	-	1	-	1	-	2	5	7	6
White	10	-	-	-	-	-	-	-	-	3	6	1	5	-	-	-	-	-	-	-	1	-	3	1
All other	16	-	-	-	-	-	-	-	1	3	8	4	17	-	-	-	1	-	1	-	1	5	4	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	-	-	-	-	-	-	-	1	6	12	5	19	-	-	-	1	-	1	-	2	4	5	6
White	9	-	-	-	-	-	-	-	-	3	5	1	5	-	-	-	-	-	-	-	1	-	3	1
All other	15	-	-	-	-	-	-	-	1	3	7	4	14	-	-	-	1	-	1	-	1	4	2	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	1	4
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	38	32	2	-	2	-	-	-	1	1	-	-	29	24	-	-	1	1	-	2	-	-	-	1
White	12	9	1	-	-	-	-	-	1	1	-	-	7	5	-	-	-	1	-	-	-	-	-	1
All other	26	23	1	-	2	-	-	-	-	-	-	-	22	19	-	-	1	-	-	2	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	44	44	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	30	30	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	34	34	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	42	12	-	-	3	2	5	3	6	7	3	-	30	12	2	1	-	6	2	-	2	1	3	1
White	17	3	-	-	-	2	2	3	2	3	1	-	11	1	1	1	-	3	1	-	2	-	2	-
All other	25	9	-	-	3	-	3	-	4	4	2	-	19	11	1	-	-	3	1	-	-	1	1	1
Black	1	-	-	-	1	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	249	1	6	-	6	7	8	14	22	69	66	50	206	5	4	2	2	5	9	11	29	30	49	60
White	85	-	2	-	-	6	4	5	7	23	22	16	67	2	-	2	1	1	2	2	6	15	16	20
All other	164	1	4	-	6	1	4	9	15	46	44	34	139	3	4	-	1	4	7	9	23	15	33	40
Black	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	236	2	7	9	58	60	27	17	11	16	16	11	74	1	2	3	9	4	7	8	10	8	7	15
White	116	2	5	2	29	39	19	6	2	3	3	6	27	1	1	-	6	1	3	2	1	2	4	6
All other	120	-	2	7	29	21	8	11	9	13	15	5	47	-	1	3	3	3	4	6	9	6	3	9
Black	5	-	-	-	2	3	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	114	-	3	6	41	28	14	7	2	4	6	3	28	1	-	-	5	2	5	5	4	4	1	1
White	54	-	1	1	17	18	10	4	-	1	-	2	11	1	-	-	3	-	3	1	1	-	1	1
All other	60	-	2	5	24	10	4	3	2	3	6	1	17	-	-	-	2	2	2	4	3	4	-	-
Black	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E849)	122	2	4	3	17	32	13	10	9	12	12	8	46	-	2	3	4	2	2	3	6	4	6	14
White	62	2	4	1	12	21	9	2	2	2	3	4	16	-	1	-	3	1	-	1	-	2	3	5
All other	60	-	-	2	5	11	4	8	7	10	9	4	30	-	1	3	1	1	2	2	6	2	3	9
Black	3	-	-	-	-	3	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Suicide (E950-E959)	74	...	...	2	11	25	11	8	6	3	6	3	20	...	...	-	2	5	3	3	2	2	3	-
White	30	...	...	-	1	13	5	3	5	2	1	-	8	...	...	-	-	3	1	1	-	2	1	-
All other	44	...	...	2	10	12	6	3	1	1	5	3	12	...	...	-	2	2	2	2	2	-	2	-
Black	1	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	29	-	1	-	5	12	5	3	1	1	1	-	20	1	1	2	4	5	4	1	-	1	1	-
White	15	-	1	-	4	6	1	3	-	-	-	-	9	-	-	2	2	1	3	1	-	-	-	-
All other	14	-	-	-	1	6	4	-	1	1	1	-	11	1	1	-	2	4	1	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	16	-	-	-	9	6	1	-	1	1	-	-	9	-	1	-	1	2	-	1	1	1	1	1
White	11	-	-	-	6	3	-	-	1	1	-	-	7	-	-	-	1	2	-	1	1	-	1	1
All other	7	-	-	-	3	3	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	4,065	125	29	42	135	142	142	257	539	1,007	1,048	597	3,176	78	15	25	46	57	63	130	327	650	838	947
White	3,998	119	26	42	129	134	136	249	531	1,000	1,041	589	3,118	75	15	21	45	56	57	123	318	643	830	935
All other	67	6	3	-	6	8	6	8	8	7	7	8	58	3	-	4	1	1	6	7	9	7	8	12
Black	9	3	1	-	-	1	-	-	1	-	3	-	9	1	-	1	1	-	-	1	1	1	-	3
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	17	-	-	-	1	-	-	2	2	3	6	3	14	-	-	-	-	-	-	-	4	3	3	4
White	17	-	-	-	1	-	-	2	2	3	6	3	13	-	-	-	-	-	-	-	4	3	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	-	-	1	-	-	1	-	1	1	2	1	5	-	-	-	-	-	1	2	-	1	-	1
White	6	-	-	1	-	-	1	-	1	1	1	1	5	-	-	-	-	-	1	2	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	784	1	3	4	6	11	20	51	155	253	200	80	661	-	1	3	3	10	20	62	144	214	133	71
White	780	1	3	4	6	11	20	51	154	252	199	79	651	-	1	2	3	10	20	60	142	212	130	71
All other	4	-	-	-	-	-	-	-	1	1	1	1	10	-	-	1	-	-	-	2	2	2	3	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	-	-	-	-	-	1	1	3	2	-	1	8	-	-	-	-	-	-	1	3	3	-	1
White	8	-	-	-	-	-	1	1	3	2	-	1	8	-	-	-	-	-	-	1	3	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	160	-	-	-	-	3	3	13	30	66	49	16	169	-	-	-	-	1	3	12	34	56	37	26
White	160	-	-	-	-	3	3	13	30	66	49	16	164	-	-	-	-	1	3	11	32	55	36	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	226	-	-	-	-	-	5	12	57	83	65	4	84	-	-	-	-	-	4	4	26	28	18	4
White	225	-	-	-	-	-	5	12	57	82	65	4	84	-	-	-	-	-	4	4	26	28	18	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	118	-	-	-	-	2	7	20	36	34	12	7
White	-	-	-	-	-	-	-	-	-	-	-	-	116	-	-	-	-	2	7	19	36	33	12	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	115	1	-	-	-	-	-	1	13	33	33	34	76	-	-	-	1	1	3	11	15	28	11	6
White	114	1	-	-	-	-	-	1	13	33	33	33	75	-	-	-	1	1	3	11	15	28	10	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	41	-	-	1	-	-	-	1	6	16	11	6	20	-	-	-	-	-	-	-	5	4	6	5
White	41	-	-	1	-	-	-	1	6	16	11	6	20	-	-	-	-	-	-	-	5	4	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	127	-	3	1	1	4	7	16	30	32	22	11	119	-	1	2	2	5	3	11	16	33	32	14
White	125	-	3	1	1	4	7	16	29	32	21	11	117	-	1	1	2	5	3	11	16	33	31	14
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Leukemia (204-208)	47	-	-	1	1	1	1	5	6	13	12	7	30	-	-	1	-	-	-	2	4	10	8	5
White	47	-	-	1	1	1	1	5	6	13	12	7	30	-	-	1	-	-	-	2	4	10	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	-	-	1	4	3	3	2	10	8	8	1	37	-	-	-	-	1	-	1	5	18	9	3
White	40	-	-	1	4	3	3	2	10	8	8	1	37	-	-	-	-	1	-	1	5	18	9	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	-	-	-	-	-	1	3	1	3	3	3	14	-	1	1	-	-	-	1	2	3	4	2
White	14	-	-	-	-	-	1	3	1	3	3	3	13	-	1	1	-	-	-	-	2	3	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diabetes mellitus (250)	56	-	-	-	-	2	3	2	5	15	21	8	68	-	-	-	-	3	2	4	9	18	18	14
White	54	-	-	-	-	2	3	2	5	14	20	8	64	-	-	-	-	3	1	4	7	17	18	14
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	2	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	-	2	3	5	-	-	-	-	-	-	-	1	1	1	2
White	5	-	-	-	-	-	-	-	-	-	2	3	5	-	-	-	-	-	-	-	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	1	-	-	-	-	1	1	1	2	5	-	-	-	-	-	-	-	-	1	-	4
White	6	-	-	1	-	-	-	-	1	1	1	2	5	-	-	-	-	-	-	-	-	1	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	1	1	-	-	1	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
White	4	1	1	-	-	1	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,755	6	1	-	5	15	30	100	246	487	526	337	1,525	1	-	1	3	6	12	28	91	264	498	621
White	1,735	5	-	-	5	14	29	98	240	485	523	334	1,508	1	-	1	3	6	10	27	89	262	494	615
All other	20	1	1	-	-	1	1	2	6	2	3	3	17	-	-	-	-	-	2	1	2	2	4	6
Black	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,406	6	1	-	4	10	26	89	225	402	408	234	1,091	-	-	1	2	6	9	20	73	211	361	406
White	1,387	5	-	-	4	9	25	87	219	400	406	231	1,076	-	-	1	2	6	7	19	71	209	358	403
All other	19	1	1	-	-	1	1	2	6	2	2	3	15	-	-	-	-	-	2	1	2	2	3	5
Black	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	-	-	1	2	2	5	3	18	-	-	-	-	-	-	2	-	6	7	1
White	13	-	-	-	-	-	-	1	2	2	5	3	18	-	-	-	-	-	-	2	-	6	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	9	-	-	-	-	-	-	-	-	4	1	4	23	-	-	-	-	-	-	-	1	3	8	11
White	9	-	-	-	-	-	-	-	-	4	1	4	22	-	-	-	-	-	-	-	1	3	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertensive heart and renal disease (404)	2	-	-	-	-	1	-	-	-	1	-	-	8	-	-	-	-	-	-	-	-	-	4	4
White	2	-	-	-	-	1	-	-	-	1	-	-	8	-	-	-	-	-	-	-	-	-	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,012	-	-	-	-	4	20	73	174	302	296	142	706	-	-	-	-	2	2	10	53	145	251	243
White	1,002	-	-	-	-	4	20	71	169	301	294	142	698	-	-	-	-	2	1	10	53	144	249	239
All other	10	-	-	-	-	-	-	2	5	1	2	-	8	-	-	-	-	-	1	-	-	1	2	4
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	651	-	-	-	-	3	17	58	136	203	175	59	364	-	-	-	-	2	1	6	39	94	134	88
White	649	-	-	-	-	3	17	56	132	202	174	59	362	-	-	-	-	2	1	6	39	93	134	87
All other	8	-	-	-	-	-	-	2	4	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	359	-	-	-	-	1	3	15	38	99	120	82	336	-	-	-	-	-	1	4	14	51	115	151
White	357	-	-	-	-	1	3	15	37	99	119	82	330	-	-	-	-	-	-	4	14	51	113	148
All other	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	1	-	-	-	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	15	1	-	-	-	-	1	-	1	1	6	5	21	-	-	-	1	-	1	1	-	8	2	8
White	15	1	-	-	-	-	1	-	1	1	6	5	20	-	-	-	1	-	1	1	-	7	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	355	5	1	-	4	5	5	15	48	92	100	80	315	-	-	1	1	4	6	7	19	47	89	141
White	346	4	-	-	4	4	4	15	47	91	100	77	310	-	-	1	1	4	5	6	17	47	88	141
All other	9	1	1	-	-	1	1	-	1	1	-	3	5	-	-	-	-	-	1	1	2	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	1	-	1	3	2	6	-	-	-	-	-	1	-	-	1	1	3
White	7	-	-	-	-	-	-	1	-	1	3	2	6	-	-	-	-	-	1	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	225	-	-	-	-	3	4	10	14	44	81	68	332	1	-	-	1	-	2	6	16	40	105	159
White	224	-	-	-	-	3	4	10	14	44	80	68	331	1	-	-	1	-	2	6	16	40	105	158
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	20	-	-	-	-	-	1	4	2	3	7	3	23	-	-	-	-	-	-	1	4	6	7	5
White	20	-	-	-	-	-	1	4	2	3	7	3	23	-	-	-	-	-	-	1	4	6	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	-	-	-	-	-	-	1	2	5	5	14	40	-	-	-	-	-	-	1	3	8	12	16
White	27	-	-	-	-	-	-	1	2	5	5	14	40	-	-	-	-	-	-	1	3	8	12	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	177	-	-	-	-	3	3	5	10	38	68	51	267	1	-	-	1	-	2	6	9	26	84	138
White	176	-	-	-	-	3	3	5	10	38	67	51	266	1	-	-	1	-	2	6	9	26	84	137
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	51	-	-	-	-	-	-	-	2	13	14	22	62	-	-	-	-	-	-	-	1	2	18	41
White	51	-	-	-	-	-	-	-	2	13	14	22	62	-	-	-	-	-	-	-	1	2	18	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	66	-	-	-	1	2	-	-	5	27	20	11	34	-	-	-	-	-	-	-	1	10	13	10
White	66	-	-	-	1	2	-	-	5	27	20	11	33	-	-	-	-	-	-	-	1	10	12	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	113	2	-	1	1	1	1	2	2	17	37	49	121	1	-	-	-	-	1	1	4	9	41	64
White	111	2	-	1	1	1	1	2	2	17	36	48	120	1	-	-	-	-	1	1	4	8	41	64
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	98	2	-	1	1	1	1	2	1	17	35	37	110	1	-	-	-	-	1	1	4	8	37	58
White	96	2	-	1	1	1	1	2	1	17	34	36	109	1	-	-	-	-	1	1	4	7	37	58
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	15	-	-	-	-	-	-	-	1	-	2	12	11	-	-	-	-	-	-	-	-	1	4	6
White	15	-	-	-	-	-	-	-	1	-	2	12	11	-	-	-	-	-	-	-	-	1	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	228	1	-	-	1	-	1	7	24	77	101	16	107	-	-	-	1	-	1	8	18	30	36	13
White	227	1	-	-	1	-	1	7	24	76	101	16	107	-	-	-	1	-	1	8	18	30	36	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	1	-	-	-	-	-	-	-	2	4	-	7	-	-	-	-	-	-	-	-	2	3	2
White	7	1	-	-	-	-	-	-	-	2	4	-	7	-	-	-	-	-	-	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	56	-	-	-	-	-	-	1	5	18	26	6	19	-	-	-	-	-	-	2	4	6	4	3
White	56	-	-	-	-	-	-	1	5	18	26	6	19	-	-	-	-	-	-	2	4	6	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	14	-	-	-	-	-	1	3	3	2	5	-	13	-	-	-	1	-	1	2	1	3	3	2
White	14	-	-	-	-	-	1	3	3	2	5	-	13	-	-	-	1	-	1	2	1	3	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	151	-	-	-	1	-	-	3	16	55	66	10	68	-	-	-	-	-	-	4	13	19	26	6
White	150	-	-	-	1	-	-	3	16	54	66	10	68	-	-	-	-	-	-	4	13	19	26	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	18	-	-	-	-	-	1	-	3	5	4	5	11	-	-	-	-	-	-	-	-	3	3	5
White	18	-	-	-	-	-	1	-	3	5	4	5	11	-	-	-	-	-	-	-	-	3	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	-	1	5	1	22	1	-	-	-	-	-	-	1	5	6	9
White	7	-	-	-	-	-	-	-	-	1	5	1	22	1	-	-	-	-	-	-	1	5	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	53	-	-	-	-	2	7	15	10	16	3	-	33	1	-	-	-	1	4	5	7	12	3	-
White	47	-	-	-	-	2	5	11	10	16	3	-	28	1	-	-	-	1	3	2	7	12	3	-
All other	6	-	-	-	-	-	2	4	-	-	-	-	4	-	-	-	-	-	1	3	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	1	2	1	1	1	4	-	-	-	-	-	-	-	-	2	2	-
White	6	-	-	-	-	-	-	1	2	1	1	1	4	-	-	-	-	-	-	-	-	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	28	-	-	-	-	-	-	2	5	7	11	3	23	-	-	-	-	-	-	-	2	5	6	10
White	28	-	-	-	-	-	-	2	5	7	11	3	21	-	-	-	-	-	-	-	2	4	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	25	-	-	-	-	-	-	2	5	4	11	3	22	-	-	-	-	-	-	-	2	4	6	10
White	25	-	-	-	-	-	-	2	5	4	11	3	20	-	-	-	-	-	-	-	2	3	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	1	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	1	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	36	25	3	1	2	2	-	-	1	1	-	1	36	25	2	2	2	1	-	-	1	1	-	2
White	34	24	2	1	2	2	-	-	1	1	-	1	34	23	2	2	2	1	-	-	1	1	-	2
All other	2	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	42	42	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	15	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	83	34	-	-	2	1	1	4	3	7	12	19	50	17	1	-	-	1	2	-	2	2	9	16
White	81	32	-	-	2	1	1	4	3	7	12	19	49	17	1	-	-	1	2	-	2	2	9	15
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	252	6	4	1	5	4	10	10	39	65	73	35	250	3	2	2	-	4	10	8	26	51	55	89
White	244	6	4	1	4	3	9	9	38	64	73	33	243	3	2	2	-	4	8	8	25	51	55	85
All other	8	-	-	-	1	1	1	1	1	1	-	2	7	-	-	-	-	-	2	-	1	-	-	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Accidents and adverse effects (E800-E949)	379	5	17	27	85	68	41	31	23	29	29	24	143	-	8	14	29	15	5	8	11	18	19	16
White	366	5	16	27	83	63	39	30	23	28	29	23	138	-	6	11	28	15	5	8	10	18	19	16
All other	13	-	1	-	2	5	2	1	-	1	-	1	5	-	-	3	1	-	-	-	1	-	-	-
Black	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	174	1	8	14	51	34	23	13	6	11	11	2	77	-	3	8	25	14	4	5	6	6	6	-
White	170	1	8	14	51	31	23	12	6	11	11	2	73	-	3	6	24	14	4	5	5	6	6	-
All other	4	-	-	-	-	3	-	1	-	-	-	-	4	-	-	2	1	-	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	205	4	9	13	34	34	18	18	17	18	18	22	66	-	5	6	4	1	1	3	5	12	13	16
White	196	4	8	13	32	32	16	18	17	17	18	21	65	-	5	5	4	1	1	3	5	12	13	16
All other	9	-	1	-	2	2	2	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	130	...	...	4	22	28	18	23	13	14	5	3	28	...	...	-	4	10	5	3	2	3	1	-
White	127	...	...	4	20	27	18	23	13	14	5	3	28	...	...	-	4	10	5	3	2	3	1	-
All other	3	...	...	-	2	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	19	-	-	-	3	6	6	2	-	1	1	-	8	-	-	1	3	4	-	-	-	-	-	-
White	18	-	-	-	2	6	6	2	-	1	1	-	7	-	-	1	3	3	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	9	-	-	1	1	1	1	1	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White	9	-	-	1	1	1	1	1	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	53,410	1,261	209	258	1,385	1,685	1,826	3,982	9,230	13,733	13,138	6,723	49,028	963	165	173	497	676	1,024	2,325	5,568	9,801	14,270	13,578
White	45,336	758	130	202	1,020	1,130	1,261	2,972	7,633	12,072	11,940	6,216	42,566	566	111	121	354	432	721	1,734	4,471	8,415	12,892	12,767
All other	8,074	503	79	56	345	555	565	1,010	1,597	1,661	1,198	507	6,442	395	54	52	133	244	303	591	1,097	1,386	1,378	809
Black	7,885	489	77	50	332	544	558	991	1,550	1,620	1,164	490	6,296	388	52	51	130	239	292	574	1,074	1,360	1,355	781
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	5	1	-	-	-	-	-	-	1	1	-	9	2	1	-	-	-	-	-	1	1	3	1
White	5	3	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	-	1	1	3	1
All other	3	2	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	54	-	-	-	1	5	8	6	9	10	10	5	30	-	-	1	1	1	-	-	3	10	6	8
White	22	-	-	-	-	1	1	1	3	6	6	4	22	-	-	-	1	-	-	-	2	7	6	6
All other	32	-	-	-	1	4	7	5	6	4	4	1	8	-	-	1	-	1	-	-	1	3	-	2
Black	31	-	-	-	1	4	7	5	5	4	4	1	8	-	-	1	-	1	-	-	1	3	-	2
Tuberculosis of respiratory system (010-012)	48	-	-	-	-	4	7	6	9	9	9	5	20	-	-	-	1	1	-	-	2	6	5	5
White	20	-	-	-	-	1	1	1	3	5	5	4	15	-	-	-	1	-	-	-	2	3	5	4
All other	28	-	-	-	-	3	6	5	6	4	4	1	5	-	-	-	-	1	-	-	-	3	-	1
Black	28	-	-	-	-	3	6	5	5	4	4	1	5	-	-	-	-	1	-	-	-	3	-	1
Other tuberculosis (013-018)	5	-	-	-	1	1	1	-	-	1	1	-	10	-	-	1	-	-	-	-	1	4	1	3
White	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	-	4	1	2
All other	3	-	-	-	1	1	1	-	-	-	-	-	3	-	-	1	-	-	-	-	1	-	-	1
Black	3	-	-	-	1	1	1	-	-	-	-	-	3	-	-	1	-	-	-	-	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	11	6	3	1	-	1	-	-	-	-	-	-	6	1	1	1	1	-	1	-	-	-	1	-
White	8	4	2	1	-	1	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	1	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	1	-	-	-	-	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	1	-	-	-	-	-
Septicemia (038)	328	9	4	2	1	9	9	16	57	79	84	58	335	5	1	-	2	5	3	13	36	57	102	111
White	245	9	3	1	-	3	4	7	42	62	72	48	272	3	-	-	1	2	2	11	22	40	89	102
All other	83	6	1	1	1	6	5	9	15	17	12	10	63	2	1	-	1	3	1	2	14	17	13	9
Black	82	6	1	1	1	6	5	9	15	17	11	10	63	2	1	-	1	3	1	2	14	17	13	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	-	2	1	2	4	2	3	-	22	-	-	-	4	1	-	2	4	5	6	-
White	11	-	-	-	-	2	1	1	4	-	3	-	14	-	-	-	2	-	-	2	3	2	5	-
All other	3	-	-	-	-	-	-	1	-	2	-	-	8	-	-	-	2	1	-	-	1	3	1	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	8	-	-	-	2	1	-	-	1	3	1	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	100	6	2	5	2	6	6	9	17	17	21	9	114	2	1	1	7	1	8	14	15	29	26	10
White	80	5	1	3	1	3	3	7	15	15	19	8	91	-	-	-	7	-	6	10	10	27	22	9
All other	20	1	1	2	1	3	3	2	2	2	2	1	23	2	1	1	-	1	2	4	5	2	4	1
Black	19	1	1	1	1	3	3	2	2	2	2	1	23	2	1	1	-	1	2	4	5	2	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,999	3	13	27	74	123	288	1,104	2,843	3,843	2,713	868	10,360	3	26	29	43	127	362	993	2,194	2,912	2,461	1,210
White	10,231	2	8	26	62	96	230	827	2,329	3,435	2,445	768	9,044	3	23	20	38	95	280	794	1,850	2,585	2,241	1,115
All other	1,768	1	5	1	12	25	58	277	514	508	268	99	1,316	-	3	9	5	32	82	199	344	327	220	95
Black	1,709	1	4	1	11	25	57	268	497	494	256	95	1,273	-	2	8	5	31	77	189	336	318	216	91
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	302	-	-	-	1	4	18	53	97	73	41	15	131	-	-	-	-	2	9	16	27	40	23	14
White	222	-	-	-	1	1	4	28	71	64	39	14	107	-	-	-	-	-	4	10	19	38	22	14
All other	80	-	-	-	-	3	14	25	26	9	2	1	24	-	-	-	-	2	5	6	8	2	1	-
Black	78	-	-	-	-	3	13	25	25	9	2	1	24	-	-	-	-	2	5	6	8	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,207	-	3	1	3	13	59	274	714	1,087	778	275	2,828	-	-	2	3	24	43	158	452	767	864	475
White	2,716	-	2	1	3	10	45	202	582	924	689	240	2,454	-	-	1	2	18	30	110	368	688	799	438
All other	489	-	1	-	-	3	14	72	122	163	79	35	374	-	-	1	1	6	13	48	84	99	65	37
Black	482	-	1	-	-	3	14	68	116	154	73	33	355	-	-	1	1	5	12	43	82	92	64	35
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,220	1	1	-	1	16	74	466	1,201	1,514	792	154	1,687	-	-	1	1	6	47	229	501	550	269	89
White	3,556	-	-	-	-	10	59	333	967	1,333	714	140	1,456	-	-	1	1	4	37	175	426	493	238	81
All other	664	1	1	-	1	6	15	133	234	181	78	14	231	-	-	-	-	2	10	54	75	57	25	8
Black	646	1	1	-	1	6	15	128	230	177	74	13	228	-	-	-	-	2	10	52	74	57	25	8
Malignant neoplasm of breast (174-175)	19	-	-	-	-	-	-	4	5	4	3	3	1,985	-	-	-	3	28	122	262	516	491	369	174
White	15	-	-	-	-	-	-	3	3	4	3	2	1,746	-	-	-	3	21	101	216	443	449	364	155
All other	4	-	-	-	-	-	-	1	2	-	-	1	239	-	-	-	-	7	21	46	73	48	25	19
Black	4	-	-	-	-	-	-	1	2	-	-	1	234	-	-	-	-	7	19	46	72	47	25	18
Malignant neoplasms of genital organs (179-187)	1,211	-	-	-	4	12	5	20	138	378	445	209	1,156	-	-	-	2	20	57	123	268	359	240	87
White	1,007	-	-	-	4	12	5	15	103	309	380	179	970	-	-	-	1	12	40	102	212	314	211	78
All other	204	-	-	-	-	-	-	5	35	69	65	30	186	-	-	-	1	8	17	21	56	45	29	9
Black	203	-	-	-	-	-	-	5	34	69	65	30	176	-	-	-	1	8	15	19	52	45	27	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	641	-	-	1	2	2	13	43	131	191	188	70	336	-	1	1	-	1	3	20	52	97	94	67
White	588	-	-	1	-	2	13	39	114	175	160	64	301	-	1	-	-	-	3	19	42	87	88	61
All other	53	-	-	-	2	-	-	4	17	16	8	6	35	-	-	1	-	1	-	1	10	10	6	6
Black	51	-	-	-	1	-	-	4	16	16	8	6	35	-	-	1	-	1	-	1	10	10	6	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,326	1	5	12	27	34	70	156	328	375	247	71	1,266	2	14	12	15	28	50	106	236	344	289	170
White	1,166	1	2	11	25	30	64	130	276	335	228	64	1,143	2	13	10	14	25	42	94	213	303	266	161
All other	160	-	3	1	2	4	6	26	52	40	19	7	123	-	1	2	1	3	8	12	23	41	23	9
Black	155	-	2	1	2	4	6	26	50	40	17	7	122	-	1	2	1	3	8	12	23	40	23	9
Leukemia (204-208)	469	1	4	13	20	24	16	36	83	138	98	36	400	1	10	12	12	4	17	32	41	95	110	66
White	417	1	4	13	16	17	12	32	77	123	90	32	355	1	8	8	12	3	13	24	37	84	101	64
All other	52	-	-	-	4	7	4	4	6	15	8	4	45	-	2	4	-	1	4	8	4	11	9	2
Black	51	-	-	-	4	7	4	4	6	14	8	4	41	-	1	3	-	1	4	7	4	11	8	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	604	-	-	-	16	18	33	52	146	163	121	35	571	-	1	1	7	14	14	47	101	149	169	68
White	542	-	-	-	13	16	28	45	129	168	112	34	512	-	1	-	5	12	10	44	90	135	152	63
All other	62	-	-	-	3	2	5	7	20	15	9	1	59	-	-	1	2	2	4	3	11	14	17	5
Black	59	-	-	-	3	2	5	7	18	15	9	-	58	-	-	1	2	2	4	3	11	14	17	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	134	2	2	6	2	4	7	8	22	33	35	13	187	3	1	3	7	6	7	13	21	58	41	27
White	116	2	2	3	2	4	6	7	19	29	31	11	160	2	1	3	5	5	3	9	16	49	40	27
All other	18	-	-	3	-	-	1	1	3	4	4	2	27	1	-	-	2	1	4	4	5	9	1	-
Black	18	-	-	3	-	-	1	1	3	4	4	2	26	-	-	-	2	1	4	4	5	9	1	-
Diabetes mellitus (250)	735	-	-	-	1	14	33	57	158	209	194	69	1,131	-	1	1	4	17	25	56	154	318	356	199
White	606	-	-	-	1	9	22	36	113	185	174	66	929	-	-	1	4	11	15	38	113	253	306	188
All other	129	-	-	-	-	5	11	21	45	24	20	3	202	-	1	-	-	6	10	18	41	65	50	11
Black	127	-	-	-	-	5	11	21	43	24	20	3	200	-	1	-	-	6	10	18	40	64	50	11
Nutritional deficiencies (260-269)	40	2	-	-	-	-	1	1	2	10	9	15	53	-	-	-	1	-	-	-	2	5	15	30
White	32	1	-	-	-	-	1	-	1	7	8	14	43	-	-	-	-	-	-	-	2	3	14	24
All other	8	1	-	-	-	-	-	1	1	3	1	1	10	-	-	-	1	-	-	-	-	2	1	6
Black	8	1	-	-	-	-	-	1	1	3	1	1	10	-	-	-	1	-	-	-	-	2	1	6
Anemias (280-285)	73	2	2	-	3	6	2	6	5	17	15	15	91	1	-	1	5	1	1	4	4	16	23	35
White	51	1	-	-	2	-	1	4	4	13	14	12	77	-	-	-	2	1	1	2	3	13	23	32
All other	22	1	2	-	1	6	1	2	1	4	1	3	14	1	-	1	3	-	-	2	1	3	-	3
Black	22	1	2	-	1	6	1	2	1	4	1	3	13	1	-	1	3	-	-	2	1	3	-	2
Meningitis (320-322)	44	12	11	-	2	-	2	4	5	5	2	1	30	10	3	1	1	1	-	2	4	2	4	2
White	31	6	8	-	2	-	1	3	3	5	2	1	18	7	1	-	-	-	-	1	2	1	4	2
All other	13	6	3	-	-	-	1	1	2	-	-	-	12	3	2	1	1	1	-	1	2	1	-	-
Black	13	6	3	-	-	-	1	1	2	-	-	-	12	3	2	1	1	1	-	1	2	1	-	-
Major cardiovascular diseases (390-448)	25,640	26	10	17	48	154	496	1,694	4,462	7,000	7,472	4,261	26,656	26	6	16	29	91	215	684	2,104	4,842	8,952	9,691
White	22,570	14	6	12	31	92	351	1,300	3,754	6,202	6,838	3,970	23,651	14	5	11	17	54	132	459	1,616	4,084	8,078	9,181
All other	3,070	12	4	5	17	62	145	394	708	798	634	291	3,005	12	1	5	12	37	83	225	488	758	874	510
Black	2,992	11	4	5	17	61	142	389	688	775	620	280	2,948	12	1	5	11	37	82	223	477	744	859	495
Diseases of heart (390-398,402,404-429)	21,230	22	8	11	37	125	427	1,517	3,940	5,868	5,912	3,345	20,619	21	5	10	22	65	154	521	1,717	3,902	6,934	7,268
White	18,714	12	4	7	22	78	315	1,183	3,336	5,230	5,402	3,125	18,243	12	4	7	12	40	95	359	1,323	3,305	6,235	6,851
All other	2,516	10	4	4	15	47	112	334	604	656	510	220	2,376	9	1	3	10	25	59	162	394	597	699	417
Black	2,455	9	4	4	15	47	110	329	585	638	503	211	2,333	9	1	3	9	25	59	160	386	586	689	406
Rheumatic fever and rheumatic heart disease (390-396)	92	-	-	-	2	2	1	10	33	29	12	3	225	-	-	-	-	3	8	18	37	63	66	30
White	81	-	-	-	1	1	1	9	29	25	12	3	206	-	-	-	-	3	6	13	32	61	62	29
All other	11	-	-	-	1	1	-	1	4	4	-	-	19	-	-	-	-	-	2	5	5	2	4	1
Black	10	-	-	-	1	1	-	1	4	3	-	-	19	-	-	-	-	-	2	5	5	2	4	1
Hypertensive heart disease (402)	528	-	-	-	1	8	20	65	145	147	103	39	721	-	-	-	-	5	17	32	76	174	244	173
White	337	-	-	-	-	2	5	32	88	101	77	32	544	-	-	-	-	-	4	13	43	118	209	157
All other	191	-	-	-	1	6	15	33	57	46	26	7	177	-	-	-	-	5	13	19	33	56	35	16
Black	190	-	-	-	1	6	15	33	57	46	26	6	176	-	-	-	-	5	13	19	33	55	35	16
Hypertensive heart and renal disease (404)	75	-	-	-	1	-	2	1	7	19	24	21	128	-	-	-	-	-	1	1	10	21	47	48
White	55	-	-	-	-	-	-	-	1	12	22	20	101	-	-	-	-	-	-	-	7	14	37	43
All other	20	-	-	-	1	-	2	1	6	7	2	1	27	-	-	-	-	-	1	1	3	7	10	5
Black	20	-	-	-	1	-	2	1	6	7	2	1	27	-	-	-	-	-	1	1	3	7	10	5
Ischemic heart disease (410-414)	14,893	-	-	-	3	41	259	934	2,555	4,213	4,389	2,499	14,575	1	1	-	1	17	71	275	1,061	2,656	5,042	5,450
White	13,790	-	-	-	2	29	220	810	2,333	3,906	4,121	2,369	13,371	1	1	-	-	10	54	214	882	2,375	4,646	5,188
All other	1,103	-	-	-	1	12	39	124	222	307	268	130	1,204	-	-	-	1	7	17	61	179	281	396	262
Black	1,065	-	-	-	1	12	37	122	211	296	264	122	1,160	-	-	-	1	7	17	60	174	276	390	255
Acute myocardial infarction (410)	8,116	-	-	-	1	27	165	603	1,698	2,599	2,155	868	6,463	1	1	-	1	11	46	198	706	1,589	2,304	1,606
White	7,538	-	-	-	1	20	145	532	1,578	2,418	2,028	816	5,876	1	1	-	-	7	37	154	597	1,424	2,134	1,521
All other	578	-	-	-	-	7	20	71	120	181	127	52	587	-	-	-	1	4	9	44	109	165	170	85
Black	554	-	-	-	-	7	19	70	113	173	124	48	574	-	-	-	1	4	9	44	106	160	167	83

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	202	-	-	-	-	2	7	34	58	57	31	12	104	-	-	-	-	-	3	9	17	20	32	23
White	170	-	-	-	-	2	5	28	46	52	28	9	89	-	-	-	-	-	3	6	13	18	28	21
All other	32	-	-	-	-	-	2	6	13	5	3	3	15	-	-	-	-	-	-	3	4	2	4	2
Black	31	-	-	-	-	-	1	6	13	5	3	3	14	-	-	-	-	-	-	2	4	2	4	2
Angina pectoris (413)	16	-	-	-	1	-	1	1	7	4	1	1	16	-	-	-	-	-	-	1	1	6	7	1
White	13	-	-	-	1	-	1	1	5	3	1	1	13	-	-	-	-	-	-	1	-	4	7	1
All other	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,559	-	-	-	1	12	86	296	791	1,553	2,202	1,618	7,992	-	-	-	-	6	22	67	337	1,041	2,699	3,820
White	6,089	-	-	-	-	7	69	249	704	1,433	2,064	1,543	7,393	-	-	-	-	3	14	53	272	929	2,477	3,645
All other	490	-	-	-	1	5	17	47	87	120	138	75	599	-	-	-	-	3	8	14	65	112	222	175
Black	477	-	-	-	1	5	17	46	83	117	137	71	589	-	-	-	-	3	8	14	63	112	219	170
Other diseases of endocardium (424)	182	-	-	2	-	1	3	12	26	56	57	25	196	-	-	1	-	2	4	6	18	39	76	50
White	172	-	-	2	-	1	1	10	25	54	55	24	170	-	-	-	-	2	2	4	16	32	66	46
All other	10	-	-	-	-	-	2	2	1	2	2	1	26	-	-	1	-	-	2	2	2	7	8	4
Black	10	-	-	-	-	-	2	2	1	2	2	1	25	-	-	1	-	-	2	2	2	7	8	3
All other forms of heart disease (415-423,425-429)	5,460	22	8	9	30	73	142	495	1,174	1,422	1,327	758	4,774	20	4	9	21	38	53	189	515	949	1,459	1,517
White	4,279	12	4	5	19	45	88	322	860	1,132	1,115	677	3,851	11	3	7	12	25	29	115	343	705	1,213	1,388
All other	1,181	10	4	4	11	28	54	173	314	290	212	81	923	9	1	2	9	13	24	74	172	244	246	129
Black	1,160	9	4	4	11	28	54	170	308	284	209	81	906	9	1	2	8	13	24	73	169	239	242	126
Hypertension with or without renal disease (401,403)	223	-	-	-	-	1	4	16	36	49	67	50	269	1	-	-	-	2	4	8	17	55	81	103
White	181	-	-	-	-	-	1	11	24	43	61	41	220	1	-	-	-	1	-	2	7	45	67	97
All other	42	-	-	-	-	1	3	5	12	6	6	9	49	-	-	-	-	1	4	4	10	10	14	6
Black	42	-	-	-	-	1	3	5	12	6	6	9	49	-	-	-	-	1	4	4	10	10	14	6
Cerebrovascular diseases (430-438)	3,126	4	2	6	10	24	64	129	360	769	1,117	651	4,614	4	-	5	7	21	49	146	318	746	1,572	1,746
White	2,693	2	2	5	8	11	26	81	280	659	1,021	598	4,109	1	-	4	5	11	31	90	243	614	1,438	1,672
All other	433	2	-	1	2	13	28	48	80	110	96	53	505	3	-	1	2	10	18	56	75	132	134	74
Black	419	2	-	1	2	12	27	48	79	105	92	51	491	3	-	1	2	10	17	56	72	129	130	71
Intracerebral and other intracranial hemorrhage (431-432)	519	1	-	3	2	8	31	60	93	127	154	40	630	2	-	-	2	6	15	59	80	135	196	135
White	407	-	-	2	2	3	14	34	67	109	139	37	533	1	-	-	1	3	12	38	61	111	176	130
All other	112	1	-	1	-	5	17	26	26	18	15	3	97	1	-	-	1	3	3	21	19	24	20	5
Black	106	1	-	1	-	4	17	26	25	16	13	3	92	1	-	-	1	3	3	21	18	22	18	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	663	1	1	-	1	1	2	25	60	169	244	159	989	1	-	-	1	1	4	17	59	140	356	410
White	588	1	1	-	1	-	2	16	50	142	228	147	906	-	-	-	1	1	2	9	47	122	329	395
All other	75	-	-	-	-	1	-	9	10	27	16	12	83	1	-	-	-	-	2	8	12	18	27	15
Black	74	-	-	-	-	1	-	9	10	26	16	12	80	1	-	-	-	-	2	8	11	18	26	14
Cerebral embolism (434.1)	13	-	-	-	-	-	-	-	2	4	6	1	22	-	-	1	-	-	-	-	4	4	4	9
White	11	-	-	-	-	-	-	-	2	3	5	1	21	-	-	1	-	-	-	-	4	3	4	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,931	2	1	3	7	15	21	44	205	469	713	451	2,973	1	-	4	4	14	30	70	175	487	1,016	1,192
White	1,687	1	1	3	5	8	10	31	161	405	649	413	2,649	-	-	3	3	7	17	43	131	378	929	1,138
All other	244	1	-	-	2	7	11	13	44	64	64	38	324	1	-	1	1	7	13	27	44	89	87	54
Black	237	1	-	-	2	7	10	13	44	62	62	36	318	1	-	1	1	7	12	27	43	88	86	52
Atherosclerosis (440)	457	-	-	-	-	-	1	4	25	88	174	165	825	-	-	-	-	-	-	-	15	61	257	492
White	428	-	-	-	-	-	-	4	24	78	163	159	788	-	-	-	-	-	-	-	12	51	243	483
All other	29	-	-	-	-	-	1	-	1	10	11	6	36	-	-	-	-	-	-	-	3	10	14	9
Black	28	-	-	-	-	-	1	-	1	10	10	6	35	-	-	-	-	-	-	-	3	10	14	8
Other diseases of arteries, arterioles, and capillaries (441-448)	604	-	-	-	1	4	10	28	101	208	202	50	329	-	1	1	-	3	8	11	37	78	106	82
White	554	-	-	-	1	3	9	21	90	192	191	47	290	-	1	-	-	2	6	8	31	69	95	78
All other	50	-	-	-	-	1	1	7	11	16	11	3	39	-	-	1	-	1	2	3	6	9	13	4
Black	48	-	-	-	-	1	1	7	11	16	9	3	38	-	-	1	-	1	2	3	6	9	12	4
Acute bronchitis and bronchiolitis (466)	16	5	-	1	-	-	2	-	1	4	4	1	16	2	-	-	-	-	1	-	1	6	2	6
White	16	4	-	1	-	-	2	-	1	4	3	1	16	2	-	-	-	-	1	-	1	4	2	6
All other	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Pneumonia and influenza (480-487)	1,467	26	7	2	13	14	25	45	144	283	508	402	1,392	21	10	5	10	11	14	22	61	155	399	684
White	1,248	13	5	1	11	10	10	25	109	232	456	376	1,256	8	6	4	7	4	11	18	49	133	371	645
All other	219	13	2	1	2	4	15	20	35	51	50	26	136	13	4	1	3	7	3	4	12	22	28	39
Black	218	13	2	1	2	4	15	20	35	51	50	25	131	13	4	1	3	7	3	4	12	22	27	35

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,453	28	7	2	13	14	25	45	143	279	504	395	1,370	21	10	4	10	11	14	22	81	152	389	676
White	1,236	13	5	1	11	10	10	25	109	228	456	369	1,235	8	6	4	7	4	11	18	49	130	361	637
All other	217	13	2	1	2	4	15	20	35	51	48	26	135	13	4	-	3	7	3	4	12	22	28	39
Black	216	13	2	1	2	4	15	20	35	51	48	25	130	13	4	-	3	7	3	4	12	22	27	35
Influenza (487)	14	-	-	-	-	-	-	-	1	4	2	7	22	-	-	1	-	-	-	-	-	3	10	8
White	12	-	-	-	-	-	-	-	1	4	-	7	21	-	-	-	-	-	-	-	-	3	10	8
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,937	1	4	3	9	8	15	59	268	652	694	226	987	2	-	2	6	10	10	50	152	316	314	125
White	1,767	-	1	-	6	1	10	45	222	611	658	213	880	1	-	1	2	1	5	32	124	297	303	114
All other	170	1	3	3	3	7	5	14	44	41	36	13	107	1	-	1	4	9	5	18	28	19	11	11
Black	167	1	3	2	3	7	5	14	43	41	35	13	104	1	-	1	4	9	5	18	27	18	10	11
Bronchitis, chronic and unspecified (490-491)	88	1	-	-	1	1	2	3	17	25	20	16	74	2	-	-	1	-	-	3	6	17	26	19
White	79	-	-	-	1	-	2	3	14	24	19	16	67	1	-	-	1	-	-	2	5	16	24	18
All other	7	1	-	-	-	1	-	-	3	1	1	-	7	1	-	-	-	-	-	1	1	1	2	1
Black	7	1	-	-	-	1	-	-	3	1	1	-	6	1	-	-	-	-	-	1	1	-	2	1
Emphysema (492)	484	-	-	-	2	-	2	15	75	183	156	51	203	-	-	-	-	-	2	8	42	75	57	19
White	452	-	-	-	2	-	1	11	66	174	149	48	188	-	-	-	-	-	-	6	40	70	56	16
All other	32	-	-	-	-	-	1	4	9	9	7	2	15	-	-	-	-	-	2	2	2	5	1	3
Black	31	-	-	-	-	-	1	4	9	9	6	2	15	-	-	-	-	-	2	2	2	5	1	3
Asthma (493)	78	-	4	3	6	7	6	6	10	15	16	3	88	-	-	2	4	9	5	16	12	13	16	9
White	43	-	1	-	3	1	4	1	5	11	14	3	51	-	-	1	1	1	2	6	6	10	15	9
All other	35	-	3	3	3	6	4	5	5	4	2	-	35	-	-	1	3	8	3	10	6	3	1	-
Black	34	-	3	2	3	6	4	5	5	4	2	-	35	-	-	1	3	8	3	10	6	3	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,289	-	-	-	-	-	9	35	164	429	502	156	624	-	-	-	1	1	3	23	82	211	216	76
White	1,193	-	-	-	-	-	9	30	137	402	478	145	574	-	-	-	-	-	3	18	73	201	208	71
All other	96	-	-	-	-	-	-	5	27	27	26	11	50	-	-	-	1	1	-	5	19	10	7	7
Black	95	-	-	-	-	-	-	5	26	27	26	11	48	-	-	-	1	1	-	5	18	10	6	7
Ulcer of stomach and duodenum (531-533)	195	-	-	-	1	1	4	20	30	64	52	23	150	-	-	-	-	3	1	3	16	29	57	41
White	170	-	-	-	1	1	3	14	25	59	45	22	136	-	-	-	-	3	1	2	15	24	53	38
All other	25	-	-	-	-	-	1	6	5	5	7	1	14	-	-	-	-	-	-	1	1	5	4	3
Black	24	-	-	-	-	-	1	6	4	5	7	1	14	-	-	-	-	-	-	1	1	5	4	3
Appendicitis (540-543)	15	-	-	1	-	2	-	2	3	2	2	3	9	-	-	-	-	-	-	1	-	4	4	-
White	11	-	-	1	-	2	-	1	3	1	1	2	7	-	-	-	-	-	-	1	-	4	2	-
All other	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	108	-	2	-	2	3	3	2	14	23	30	29	178	4	-	-	-	1	2	5	15	26	50	75
White	94	-	-	-	1	2	2	2	13	19	26	29	151	3	-	-	-	-	1	4	13	22	45	63
All other	14	-	2	-	1	1	1	-	1	4	4	-	27	1	-	-	-	1	1	1	2	4	5	12
Black	14	-	2	-	1	1	1	-	1	4	4	-	26	1	-	-	-	1	1	1	2	4	5	11
Chronic liver disease and cirrhosis (571)	908	1	-	-	1	64	129	200	249	194	59	9	461	-	-	1	2	18	52	90	137	95	48	18
White	724	1	-	-	1	35	77	155	219	170	57	9	354	-	-	1	-	6	29	69	112	77	43	17
All other	182	-	-	-	-	29	52	45	30	24	2	-	107	-	-	-	2	12	23	21	25	18	5	1
Black	179	-	-	-	-	29	51	45	30	22	2	-	103	-	-	-	2	12	22	19	24	18	5	1
Cholelithiasis and other disorders of gallbladder (574-575)	62	-	-	-	-	-	-	-	13	14	25	10	84	2	-	-	-	1	1	1	4	12	27	36
White	59	-	-	-	-	-	-	-	12	13	24	10	76	1	-	-	-	1	1	1	4	12	23	33
All other	3	-	-	-	-	-	-	-	1	1	1	-	8	1	-	-	-	-	-	-	-	-	4	3
Black	3	-	-	-	-	-	-	-	1	1	1	-	8	1	-	-	-	-	-	-	-	-	4	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	522	3	1	-	5	6	16	32	74	117	173	95	490	4	1	1	3	7	10	21	64	107	144	128
White	404	-	-	-	2	4	6	22	48	88	144	90	384	1	-	-	3	2	3	19	39	81	120	116
All other	118	3	1	-	3	2	10	10	26	29	29	5	106	3	1	1	-	5	7	2	25	26	24	12
Black	118	3	1	-	3	2	10	10	26	29	29	5	106	3	1	1	-	5	7	2	25	26	24	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	1	1	2	-	11	-	-	-	-	-	-	1	2	2	3	3
White	4	-	-	-	-	-	-	-	1	1	2	-	10	-	-	-	-	-	-	1	2	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	41	1	-	-	2	-	-	2	9	4	15	8	54	-	-	-	-	1	1	4	6	8	22	12
White	33	-	-	-	-	-	-	1	7	2	15	8	46	-	-	-	-	-	-	3	4	8	19	12
All other	8	1	-	-	2	-	-	1	2	2	-	-	8	-	-	-	-	1	1	1	2	-	3	-
Black	8	1	-	-	2	-	-	1	2	2	-	-	8	-	-	-	-	1	1	1	2	-	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	477	2	1	-	3	6	18	30	64	112	156	87	425	4	1	1	3	6	9	16	56	97	119	113
White	367	-	-	-	2	4	6	21	40	85	127	82	328	1	-	-	3	2	3	16	33	72	98	101
All other	110	2	1	-	1	2	10	9	24	27	29	5	97	3	1	1	-	4	6	1	23	25	21	12
Black	110	2	1	-	1	2	10	9	24	27	29	5	97	3	1	1	-	4	6	1	23	25	21	12
Infections of kidney (590)	49	-	-	-	-	-	-	3	5	14	18	9	63	1	-	-	-	1	1	4	5	9	21	21
White	44	-	-	-	-	-	-	2	3	13	17	9	56	-	-	-	-	-	1	2	5	8	20	20
All other	5	-	-	-	-	-	-	1	2	1	1	-	7	1	-	-	-	1	-	2	-	1	1	1
Black	5	-	-	-	-	-	-	1	2	1	1	-	7	1	-	-	-	1	-	2	-	1	1	1
Hyperplasia of prostate (600)	30	-	-	-	-	-	-	-	-	5	12	13	---	---	---	---	---	---	---	---	---	---	---	---
White	27	-	-	-	-	-	-	-	-	4	10	13	---	---	---	---	---	---	---	---	---	---	---	---
All other	3	-	-	-	-	-	-	-	-	1	2	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	3	-	-	-	-	-	-	-	-	1	2	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	14	---	---	-	4	4	6	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	9	---	---	-	2	4	3	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	-	2	-	3	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	-	2	-	3	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	-	2	1	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	-	1	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	-	1	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	10	---	---	-	2	3	5	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	8	---	---	-	2	3	3	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	-	2	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	-	2	-	---	---	---	---
Congenital anomalies (740-759)	355	237	22	11	17	16	15	6	6	13	8	4	307	200	23	13	19	10	7	8	10	10	6	3
White	267	178	14	8	11	14	12	4	5	12	6	3	246	156	19	12	14	8	4	5	9	10	6	3
All other	88	59	8	3	6	2	3	2	1	1	2	1	61	44	4	1	5	2	3	1	1	-	-	-
Black	84	56	8	2	6	2	3	2	1	1	2	1	59	42	4	1	5	2	3	1	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	613	612	1	-	-	-	-	-	-	-	-	-	484	483	1	-	-	-	-	-	-	-	-	-
White	371	371	-	-	-	-	-	-	-	-	-	-	281	280	1	-	-	-	-	-	-	-	-	-
All other	242	241	1	-	-	-	-	-	-	-	-	-	203	203	-	-	-	-	-	-	-	-	-	-
Black	234	233	1	-	-	-	-	-	-	-	-	-	200	200	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	165	165	-	-	-	-	-	-	-	-	-	-	109	109	-	-	-	-	-	-	-	-	-	-
White	113	113	-	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
All other	52	52	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Black	47	47	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	448	447	1	-	-	-	-	-	-	-	-	-	375	374	1	-	-	-	-	-	-	-	-	-
White	258	258	-	-	-	-	-	-	-	-	-	-	218	217	1	-	-	-	-	-	-	-	-	-
All other	190	189	1	-	-	-	-	-	-	-	-	-	157	157	-	-	-	-	-	-	-	-	-	-
Black	187	186	1	-	-	-	-	-	-	-	-	-	154	154	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	441	215	6	4	25	41	29	18	30	27	30	16	309	129	7	2	10	22	12	17	6	10	36	58
White	276	100	6	4	17	30	17	12	24	23	27	16	207	53	7	2	7	15	9	13	4	9	34	54
All other	165	115	-	-	8	11	12	6	6	4	3	-	102	76	-	-	3	7	3	4	2	1	2	4
Black	163	114	-	-	7	11	12	6	6	4	3	-	101	75	-	-	3	7	3	4	2	1	2	4
All other diseases (Residual)	2,785	50	28	35	77	98	141	226	402	634	680	424	3,251	33	14	21	43	61	100	162	380	602	953	882
White	2,327	33	21	29	59	63	87	161	336	553	602	383	2,779	19	13	14	24	34	73	117	305	526	849	805
All other	468	17	7	6	18	35	54	65	66	81	78	41	472	14	1	7	19	27	27	45	75	76	104	77
Black	457	17	6	6	17	35	54	65	63	79	75	40	466	14	1	7	19	27	27	44	74	76	103	74
Accidents and adverse effects (E800-E949)	2,602	25	75	111	590	519	279	222	245	237	182	116	1,176	20	60	60	172	128	86	93	100	120	176	161
White	2,164	12	47	92	536	418	211	171	201	203	163	109	969	10	33	46	152	97	74	69	84	107	163	154
All other	438	13	28	19	54	101	68	51	44	34	19	7	189	10	27	14	20	31	12	24	16	13	15	7
Black	421	12	28	17	48	97	68	50	42	34	18	7	180	10	26	14	19	28	10	22	16	13	15	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,210	1	20	48	394	287	134	102	89	76	45	14	478	2	13	35	131	76	53	47	42	40	27	12
White	1,075	1	15	42	367	245	116	89	77	68	41	14	422	2	10	27	118	64	49	37	38	39	26	12
All other	135	-	5	6	27	42	18	13	12	8	4	-	56	-	3	8	13	12	4	10	4	1	1	-
Black	126	-	5	5	22	40	18	12	12	8	4	-	49	-	3	8	12	9	3	8	4	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,392	24	55	63	196	232	145	120	156	161	137	102	700	18	47	25	41	52	33	46	58	80	151	149
White	1,089	11	32	50	169	173	95	82	124	135	122	95	567	8	23	19	34	33	25	32	46	68	137	142
All other	303	13	23	13	27	59	50	38	32	26	15	7	133	10	24	6	7	19	8	14	12	12	14	7
Black	295	12	23	12	26	57	50	38	30	26	14	7	131	10	23	6	7	19	7	14	12	12	14	7
Suicide (E950-E959)	668	...	...	3	167	195	121	107	88	87	77	23	274	...	...	-	37	58	44	42	50	26	14	3
White	600	...	...	3	143	171	114	102	87	84	74	22	245	...	...	-	31	52	35	38	49	25	12	3
All other	68	...	...	-	24	24	7	5	1	3	3	1	29	...	...	-	6	6	9	4	1	1	2	-
Black	64	...	...	-	24	21	7	4	1	3	3	1	24	...	...	-	5	6	7	4	1	-	1	-
Homicide and legal intervention (E960-E978)	959	6	10	18	286	297	139	103	58	28	11	2	249	6	6	9	59	68	38	17	12	14	16	6
White	362	4	4	11	102	99	55	42	23	14	5	2	112	3	2	2	24	21	22	10	7	8	9	4
All other	597	2	6	7	184	198	84	61	35	14	6	-	137	3	4	7	35	45	16	7	5	6	7	2
Black	587	2	6	6	181	196	83	58	35	14	6	-	137	3	4	7	35	45	16	7	5	6	7	2
All other external causes (E980-E999)	285	7	5	11	38	97	55	30	18	9	11	4	105	3	2	5	17	24	17	10	13	5	4	5
White	196	1	2	6	29	67	34	21	15	9	8	4	71	1	-	3	11	18	9	8	11	3	4	5
All other	89	6	3	5	9	30	21	9	3	-	3	-	34	2	2	2	6	6	8	2	2	2	-	-
Black	86	6	3	5	8	29	20	9	3	-	3	-	33	2	2	2	6	7	8	2	2	2	-	-
INDIANA																								
All causes	24,987	529	116	125	629	682	839	1,756	4,152	6,410	6,481	3,267	22,780	394	76	68	254	263	391	1,050	2,586	4,575	6,759	6,369
White	23,071	439	98	115	565	558	740	1,560	3,777	5,966	6,152	3,100	21,268	323	63	58	225	227	337	915	2,345	4,248	6,377	6,169
All other	1,896	90	18	10	64	104	99	196	375	444	329	167	1,492	71	13	10	29	36	54	135	241	327	376	200
Black	1,879	90	18	10	62	103	95	196	371	442	327	165	1,473	70	13	10	29	33	50	133	237	323	376	199
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	4	-	-	1	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	1
White	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	3	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	29	-	-	-	-	-	-	4	5	8	8	4	21	-	-	-	-	-	-	1	2	4	12	2
White	22	-	-	-	-	-	-	2	3	7	7	3	21	-	-	-	-	-	-	1	2	4	12	2
All other	7	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	22	-	-	-	-	-	-	4	3	8	6	1	17	-	-	-	-	-	-	1	2	3	9	2
White	16	-	-	-	-	-	-	2	2	7	5	-	17	-	-	-	-	-	-	1	2	3	9	2
All other	6	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	7	-	-	-	-	-	-	-	2	-	2	3	4	-	-	-	-	-	-	-	-	1	3	-
White	6	-	-	-	-	-	-	-	1	-	2	3	4	-	-	-	-	-	-	-	-	1	3	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	2	2	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	1	-	-	-
White	6	2	2	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	165	5	2	-	2	1	3	7	18	49	49	29	190	5	-	-	1	-	2	4	19	41	55	63
White	143	4	1	-	2	-	3	6	16	39	45	27	169	4	-	-	1	-	1	3	18	35	50	59
All other	22	1	1	-	-	1	-	1	2	10	4	2	21	1	-	-	-	-	1	1	3	6	5	4
Black	22	1	1	-	-	1	-	1	2	10	4	2	21	1	-	-	-	-	1	1	3	6	5	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	9	-	-	-	-	1	1	1	3	3	-	-	8	-	-	-	1	-	1	3	1	-	2	-
White	8	-	-	-	-	1	1	1	3	2	-	-	7	-	-	-	1	-	1	3	1	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Syphilis (090-097)	6	-	-	-	-	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 096-139)	46	1	1	1	2	7	5	3	6	10	8	2	36	1	-	1	1	3	2	2	4	6	7	7
White	42	-	1	1	2	6	4	2	6	10	8	2	31	1	-	1	1	3	1	1	3	7	6	7
All other	4	1	-	-	-	1	1	1	-	-	-	-	5	-	-	-	-	-	1	1	1	1	1	-
Black	4	1	-	-	-	1	1	1	-	-	-	-	5	-	-	-	-	-	1	1	1	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,559	2	7	9	41	47	148	502	1,311	1,786	1,270	428	4,712	1	1	12	28	58	145	474	1,035	1,292	1,127	599
White	5,091	2	7	9	38	46	133	442	1,181	1,647	1,189	397	4,367	1	1	11	24	52	128	421	961	1,202	1,051	517
All other	468	-	-	-	3	1	13	60	130	149	81	31	345	-	-	1	4	6	19	53	74	90	76	22
Black	468	-	-	-	3	1	13	60	130	149	81	31	338	-	-	1	4	6	16	52	73	89	76	21
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	127	1	-	-	-	-	4	14	39	39	25	5	58	-	-	-	1	-	1	8	13	14	15	6
White	114	1	-	-	-	-	4	11	32	37	24	5	54	-	-	-	1	-	1	6	13	13	15	5
All other	13	-	-	-	-	-	-	3	7	2	1	-	4	-	-	-	-	-	-	2	-	1	-	1
Black	13	-	-	-	-	-	-	3	7	2	1	-	4	-	-	-	-	-	-	2	-	1	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,326	-	-	1	3	6	29	117	310	415	321	124	1,223	-	1	1	2	6	14	67	212	332	375	213
White	1,192	-	-	1	3	6	27	98	270	378	294	115	1,143	-	1	-	1	5	12	60	202	308	350	204
All other	134	-	-	-	-	-	2	19	40	37	27	9	80	-	-	1	1	1	2	7	10	24	25	9
Black	134	-	-	-	-	-	2	19	40	37	27	9	79	-	-	1	1	1	2	7	10	24	25	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,066	-	-	-	1	3	33	222	604	739	397	67	832	-	-	1	-	2	19	113	227	296	139	35
White	1,902	-	-	-	1	3	29	194	553	683	375	64	764	-	-	1	-	2	16	96	207	277	128	35
All other	164	-	-	-	-	-	4	28	51	56	22	3	68	-	-	-	-	-	3	15	20	19	11	-
Black	164	-	-	-	-	-	4	28	51	56	22	3	68	-	-	-	-	-	3	15	20	19	11	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	-	-	3	2	-	809	-	-	-	-	13	47	129	212	195	149	64
White	5	-	-	-	-	-	-	-	-	3	2	-	756	-	-	-	-	10	43	118	197	186	139	63
All other	1	-	-	-	-	-	1	-	-	-	-	-	53	-	-	-	-	3	4	11	15	9	10	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	53	-	-	-	-	3	4	11	15	9	10	1
Malignant neoplasms of genital organs (179-187)	553	-	-	-	6	3	2	8	63	144	213	114	594	-	-	1	5	14	25	56	148	156	134	53
White	495	-	-	-	6	3	2	8	57	119	196	104	540	-	-	1	3	14	20	51	131	146	122	52
All other	58	-	-	-	-	-	-	-	6	25	17	10	54	-	-	-	2	-	5	5	17	12	12	1
Black	58	-	-	-	-	-	-	-	6	25	17	10	50	-	-	-	2	-	3	4	16	12	12	1
Malignant neoplasms of urinary organs (188-189)	307	-	2	-	2	2	2	28	53	110	72	36	151	-	-	-	-	-	1	11	31	40	45	23
White	288	-	2	-	1	2	2	26	47	104	70	34	140	-	-	-	-	-	1	9	30	37	42	21
All other	19	-	-	-	1	-	-	2	6	6	2	2	11	-	-	-	-	-	-	2	1	3	3	2
Black	19	-	-	-	1	-	-	2	6	6	2	2	11	-	-	-	-	-	-	2	1	3	3	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	679	1	3	5	13	18	45	67	156	191	129	45	604	-	-	5	11	10	21	61	117	142	148	89
White	630	1	3	5	12	18	41	66	141	177	124	42	551	-	-	5	10	9	18	52	111	128	136	82
All other	49	-	-	-	1	-	4	1	15	14	5	3	53	-	-	-	1	1	3	9	6	14	12	7
Black	49	-	-	-	1	-	4	1	15	14	5	3	52	-	-	-	1	1	2	9	6	14	12	7
Leukemia (204-208)	220	-	1	2	10	5	15	16	27	64	56	24	177	1	-	4	5	6	7	8	25	37	50	34
White	209	-	1	2	10	5	15	15	27	61	52	21	165	1	-	4	5	5	5	7	23	33	49	33
All other	11	-	-	-	-	-	-	1	-	3	4	3	12	-	-	-	-	1	2	1	2	4	1	1
Black	11	-	-	-	-	-	-	1	-	3	4	3	11	-	-	-	-	1	2	1	2	3	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	281	-	1	1	6	10	15	30	59	91	55	13	264	-	-	-	4	7	10	21	50	78	72	22
White	258	-	1	1	5	9	13	24	54	85	52	12	254	-	-	-	4	7	10	20	47	74	70	22
All other	25	-	-	-	1	1	2	6	5	6	3	1	10	-	-	-	-	-	-	1	3	4	2	-
Black	25	-	-	-	1	1	2	6	5	6	3	1	10	-	-	-	-	-	-	1	3	4	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	86	2	1	2	2	-	3	9	12	7	18	10	74	-	-	-	2	-	2	3	10	17	32	8
White	81	2	1	2	2	-	3	7	10	7	18	9	71	-	-	-	2	-	2	3	10	16	32	6
All other	5	-	-	-	-	-	-	2	2	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	5	-	-	-	-	-	-	2	2	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	418	-	-	-	2	7	23	23	84	101	120	58	644	-	-	-	2	5	6	35	90	181	238	107
White	377	-	-	-	2	5	20	21	70	95	110	54	580	-	-	-	2	5	6	28	76	144	218	101
All other	41	-	-	-	-	2	3	2	14	6	10	4	64	-	-	-	-	-	-	7	14	17	20	6
Black	40	-	-	-	-	2	3	2	13	6	10	4	64	-	-	-	-	-	-	7	14	17	20	6
Nutritional deficiencies (260-269)	25	-	-	-	-	-	-	1	1	2	4	17	52	1	1	1	-	-	-	3	2	4	20	20
White	23	-	-	-	-	-	-	1	1	1	4	16	46	-	1	1	-	-	-	3	2	4	18	17
All other	2	-	-	-	-	-	-	-	-	1	-	1	6	1	-	-	-	-	-	-	-	-	2	3
Black	2	-	-	-	-	-	-	-	-	1	-	1	6	1	-	-	-	-	-	-	-	-	2	3
Anemias (280-285)	49	-	-	1	1	2	1	1	3	3	28	9	48	-	-	1	-	-	-	2	5	5	19	16
White	45	-	-	1	1	-	1	1	3	3	26	9	45	-	-	1	-	-	-	2	5	5	16	16
All other	4	-	-	-	-	2	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	4	-	-	-	-	2	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	3	-
Meningitis (320-322)	14	3	4	1	1	-	1	1	-	2	-	1	11	1	2	-	-	-	-	1	3	3	1	-
White	12	3	3	1	-	-	1	1	-	2	-	1	10	1	1	-	-	-	-	1	3	3	1	-
All other	2	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	11,903	11	4	7	20	61	226	780	1,936	3,261	3,615	1,982	12,044	11	4	2	19	30	94	281	914	2,201	4,109	4,378
White	11,165	8	4	6	14	48	208	703	1,796	3,062	3,434	1,882	11,366	10	4	2	16	24	78	235	815	2,041	3,889	4,251
All other	738	3	-	1	6	13	18	77	140	199	181	100	678	1	-	-	3	6	16	46	99	160	220	127
Black	731	3	-	1	5	13	18	77	138	197	180	99	675	1	-	-	3	6	16	45	98	159	220	127
Diseases of heart (390-398,402,404-429)	9,450	8	3	5	15	49	192	689	1,704	2,689	2,702	1,394	8,751	8	3	2	13	23	74	222	741	1,707	2,947	3,009
White	8,889	7	3	5	9	38	178	627	1,598	2,532	2,569	1,323	8,262	8	3	2	11	18	63	189	663	1,589	2,798	2,917
All other	561	1	-	-	6	11	14	62	106	157	133	71	489	1	-	-	2	5	11	33	78	118	149	92
Black	557	1	-	-	5	11	14	62	105	156	133	70	487	1	-	-	2	5	11	33	77	117	149	92
Rheumatic fever and rheumatic heart disease (390-398)	49	-	-	-	-	1	2	5	14	17	7	3	117	-	-	-	1	1	9	9	21	28	27	20
White	44	-	-	-	-	1	1	3	12	17	7	3	116	-	-	-	1	1	9	9	21	28	27	20
All other	5	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	173	-	-	-	-	1	2	11	32	49	55	23	216	-	-	-	-	-	2	5	19	45	71	74
White	130	-	-	-	-	1	2	5	23	40	41	18	177	-	-	-	-	-	1	2	10	35	60	69
All other	43	-	-	-	-	-	-	6	9	9	14	5	39	-	-	-	-	-	1	3	9	10	11	5
Black	43	-	-	-	-	-	-	6	9	9	14	5	39	-	-	-	-	-	1	3	9	10	11	5
Hypertensive heart and renal disease (404)	52	-	-	-	-	-	-	1	3	8	22	18	88	-	-	-	-	-	-	2	4	9	34	40
White	48	-	-	-	-	-	-	1	2	7	21	17	79	-	-	-	-	-	-	1	2	9	28	39
All other	4	-	-	-	-	-	-	-	1	1	1	1	10	-	-	-	-	-	-	1	2	-	6	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	10	-	-	-	-	-	-	1	2	-	6	1
Ischemic heart disease (410-414)	7,313	-	-	-	1	25	153	549	1,353	2,110	2,088	1,034	6,350	-	-	-	2	2	33	145	550	1,274	2,191	2,152
White	6,943	-	-	-	1	20	144	505	1,286	2,000	2,003	984	6,028	-	-	-	2	1	25	124	502	1,199	2,088	2,086
All other	370	-	-	-	-	5	9	44	67	110	85	50	322	-	-	-	-	1	8	21	48	75	103	66
Black	367	-	-	-	-	5	9	44	66	109	85	49	320	-	-	-	-	1	8	21	47	74	103	66
Acute myocardial infarction (410)	4,140	-	-	-	-	16	108	385	904	1,286	1,083	349	2,927	-	-	-	2	2	23	98	384	738	1,060	639
White	3,968	-	-	-	-	11	103	361	871	1,228	1,057	337	2,799	-	-	-	2	1	17	88	335	703	1,025	627
All other	172	-	-	-	-	4	5	24	33	58	36	12	128	-	-	-	-	1	6	10	29	35	35	12
Black	169	-	-	-	-	4	5	24	32	57	36	11	128	-	-	-	-	1	6	10	29	35	35	12
Other acute and subacute forms of ischemic heart disease (411)	16	-	-	-	-	-	1	2	1	5	4	3	14	-	-	-	-	-	-	-	2	2	7	3
White	13	-	-	-	-	-	-	2	1	3	4	3	13	-	-	-	-	-	-	-	1	2	7	3
All other	3	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	1	2	-	-	1	13	-	-	-	-	-	-	-	1	2	6	4
White	4	-	-	-	-	-	-	1	2	-	-	1	13	-	-	-	-	-	-	-	1	2	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,153	-	-	-	1	10	44	161	446	819	991	681	3,396	-	-	-	-	-	10	47	183	532	1,118	1,506
White	2,958	-	-	-	1	9	41	141	412	769	942	643	3,203	-	-	-	-	-	8	38	165	492	1,050	1,452
All other	195	-	-	-	-	1	3	20	34	50	49	38	193	-	-	-	-	-	2	11	18	40	68	54
Black	195	-	-	-	-	1	3	20	34	50	49	38	192	-	-	-	-	-	2	11	18	39	68	54
Other diseases of endocardium (424)	107	-	-	1	1	4	4	2	13	31	41	10	109	-	-	-	-	-	2	-	10	21	41	35
White	100	-	-	1	-	4	3	2	12	29	39	10	107	-	-	-	-	-	2	-	9	20	41	35
All other	7	-	-	-	1	-	1	-	1	2	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	6	-	-	-	-	-	1	-	1	2	2	-	2	-	-	-	-	-	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,756	8	3	4	13	18	31	121	289	474	489	306	1,870	9	3	2	10	20	28	61	137	329	583	668
White	1,624	7	3	4	8	12	28	111	263	439	458	291	1,755	8	3	2	8	16	26	53	119	298	554	668
All other	132	1	-	-	5	6	3	10	26	35	31	15	115	1	-	-	2	4	2	8	18	31	29	20
Black	132	1	-	-	5	6	3	10	26	35	31	15	115	1	-	-	2	4	2	8	18	31	29	20
Hypertension with or without renal disease (401,403)	89	-	-	-	-	1	4	5	14	18	30	17	105	-	-	-	1	-	-	1	10	20	34	39
White	68	-	-	-	-	1	1	3	11	17	21	14	91	-	-	-	1	-	-	1	7	16	29	37
All other	21	-	-	-	-	-	3	2	3	1	9	3	14	-	-	-	-	-	-	-	3	4	5	2
Black	20	-	-	-	-	-	3	2	3	1	8	3	14	-	-	-	-	-	-	-	3	4	5	2
Cerebrovascular diseases (430-438)	1,702	1	1	2	2	9	21	62	157	410	637	400	2,442	2	1	-	4	5	19	49	139	367	898	958
White	1,578	1	1	1	2	7	20	51	132	375	604	384	2,294	2	1	-	3	4	14	39	122	332	844	939
All other	124	-	-	1	-	2	1	11	25	35	33	16	148	-	-	-	1	1	5	10	17	35	54	25
Black	123	-	-	1	-	2	1	11	25	34	33	16	147	-	-	-	1	1	5	9	17	35	54	25
Intracerebral and other intracranial hemorrhage (431-432)	236	-	1	2	1	7	7	24	29	69	62	34	242	1	1	-	-	2	3	16	34	55	85	45
White	208	-	1	1	1	6	7	16	23	66	55	32	215	1	1	-	-	2	2	11	30	48	76	44
All other	28	-	-	1	-	1	-	8	6	3	7	2	27	-	-	-	-	-	1	5	4	7	9	1
Black	28	-	-	1	-	1	-	8	6	3	7	2	27	-	-	-	-	-	1	5	4	7	9	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	263	-	-	-	-	-	2	12	23	70	91	65	347	-	-	-	-	-	4	2	13	52	146	130
White	247	-	-	-	-	-	2	10	21	63	88	63	322	-	-	-	-	-	2	-	12	47	133	128
All other	16	-	-	-	-	-	-	2	2	7	3	2	25	-	-	-	-	-	2	2	1	5	13	2
Black	16	-	-	-	-	-	-	2	2	7	3	2	25	-	-	-	-	-	2	2	1	5	13	2
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	1	3	1	-	5	-	-	-	-	-	-	1	-	-	2	2
White	5	-	-	-	-	-	-	-	1	3	1	-	5	-	-	-	-	-	-	1	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,198	1	-	-	1	2	12	26	104	268	483	301	1,848	1	-	-	4	3	12	30	92	260	665	781
White	1,118	1	-	-	1	1	11	25	87	243	460	289	1,752	1	-	-	3	2	10	27	80	237	633	759
All other	80	-	-	-	-	1	1	1	17	25	23	12	96	-	-	-	1	1	2	3	12	23	32	22
Black	79	-	-	-	-	1	1	1	17	24	23	12	95	-	-	-	1	1	2	2	12	23	32	22
Atherosclerosis (440)	352	-	-	-	-	-	1	2	12	58	144	135	549	-	-	-	-	-	-	2	8	48	170	321
White	337	-	-	-	-	-	1	2	11	57	140	126	530	-	-	-	-	-	-	1	7	45	162	315
All other	15	-	-	-	-	-	-	-	1	1	4	9	19	-	-	-	-	-	-	1	1	3	8	6
Black	15	-	-	-	-	-	-	-	1	1	4	9	19	-	-	-	-	-	-	1	1	3	8	6
Other diseases of arteries, arterioles, and capillaries (441-448)	310	2	-	-	3	2	8	22	49	86	102	36	197	-	-	-	1	2	1	7	16	59	60	51
White	293	-	-	-	3	2	8	20	44	81	100	35	189	-	-	-	1	2	1	5	16	59	56	49
All other	17	2	-	-	-	-	-	2	5	5	2	1	8	-	-	-	-	-	-	2	-	-	4	2
Black	16	2	-	-	-	-	-	2	4	5	2	1	8	-	-	-	-	-	-	2	-	-	4	2
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	-	2	2	10	2	-	-	1	-	1	-	1	-	2	3
White	4	-	-	-	-	-	-	-	-	-	2	2	9	1	-	-	1	-	1	-	1	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	580	11	6	-	2	5	9	18	47	107	183	192	618	17	2	1	4	2	4	14	31	62	181	300
White	536	11	4	-	2	4	7	14	40	97	174	183	593	15	2	1	4	2	4	12	30	60	170	293
All other	44	-	2	-	-	1	2	4	7	10	9	9	25	2	-	-	-	-	-	2	1	2	11	7
Black	44	-	2	-	-	1	2	4	7	10	9	9	25	2	-	-	-	-	-	2	1	2	11	7
Pneumonia (480-486)	567	11	6	-	2	5	9	18	46	104	181	185	593	17	2	1	4	2	3	14	31	61	174	284
White	524	11	4	-	2	4	7	14	39	94	172	177	568	15	2	1	4	2	3	12	30	59	163	277
All other	43	-	2	-	-	1	2	4	7	10	9	8	25	2	-	-	-	-	-	2	1	2	11	7
Black	43	-	2	-	-	1	2	4	7	10	9	8	25	2	-	-	-	-	-	2	1	2	11	7
Influenza (487)	13	-	-	-	-	-	-	-	1	3	2	7	25	-	-	-	-	-	1	-	-	1	7	16
White	12	-	-	-	-	-	-	-	1	3	2	6	25	-	-	-	-	-	1	-	-	1	7	16
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,125	1	-	-	1	2	3	28	185	396	411	118	577	1	-	2	1	3	1	26	99	208	156	80
White	1,070	1	-	-	1	1	2	28	148	376	399	114	552	1	-	2	1	3	1	23	91	201	151	78
All other	55	-	-	-	-	1	1	-	17	20	12	4	25	-	-	-	-	-	-	3	8	7	5	2
Black	54	-	-	-	-	1	-	-	17	20	12	4	25	-	-	-	-	-	-	3	8	7	5	2
Bronchitis, chronic and unspecified (490-491)	39	-	-	-	-	1	-	1	4	16	12	5	34	1	-	-	1	-	-	2	5	8	7	10
White	37	-	-	-	-	1	-	1	4	15	11	5	34	1	-	-	1	-	-	2	5	8	7	10
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	243	-	-	-	1	-	-	11	47	77	79	28	108	-	-	-	-	-	-	7	23	47	21	10
White	235	-	-	-	1	-	-	11	44	73	78	28	98	-	-	-	-	-	-	6	19	44	19	10
All other	8	-	-	-	-	-	-	-	3	4	1	-	10	-	-	-	-	-	-	1	4	3	2	-
Black	8	-	-	-	-	-	-	-	3	4	1	-	10	-	-	-	-	-	-	1	4	3	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	22	1	-	-	-	1	1	-	4	6	7	2	40	-	-	2	-	3	-	4	7	10	8	6
White	20	1	-	-	-	-	-	-	4	6	7	2	37	-	-	2	-	3	-	4	5	10	8	5
All other	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	821	-	-	-	-	-	2	16	110	297	313	83	385	-	-	-	-	-	1	13	64	143	120	54
White	778	-	-	-	-	-	2	16	96	282	303	79	383	-	-	-	-	-	1	11	62	139	117	53
All other	43	-	-	-	-	-	-	-	14	15	10	4	12	-	-	-	-	-	-	2	2	4	3	1
Black	43	-	-	-	-	-	-	-	14	15	10	4	12	-	-	-	-	-	-	2	2	4	3	1
Ulcer of stomach and duodenum (531-533)	63	-	-	-	-	1	1	2	4	20	26	9	76	-	-	-	-	-	-	1	4	17	34	20
White	57	-	-	-	-	1	1	2	3	18	25	7	72	-	-	-	-	-	-	1	4	15	32	20
All other	6	-	-	-	-	-	-	-	1	2	1	2	4	-	-	-	-	-	-	-	-	2	2	-
Black	6	-	-	-	-	-	-	-	1	2	1	2	4	-	-	-	-	-	-	-	-	2	2	-
Appendicitis (540-543)	5	-	-	-	-	1	-	-	-	3	1	-	10	-	-	-	-	-	1	-	2	1	2	4
White	5	-	-	-	-	1	-	-	-	3	1	-	10	-	-	-	-	-	1	-	2	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	-	1	1	-	1	-	1	4	8	14	13	79	2	1	-	-	1	2	1	8	11	29	24
White	41	-	1	1	-	1	-	1	4	7	14	12	75	2	1	-	-	1	2	1	7	10	27	24
All other	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	1	1	2	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	2	-
Chronic liver disease and cirrhosis (571)	326	1	-	-	-	5	38	53	110	69	27	3	165	-	-	-	-	3	9	22	58	47	23	3
White	307	1	-	-	-	3	35	50	102	66	27	3	142	-	-	-	-	3	5	19	48	42	22	3
All other	19	-	-	-	-	2	3	3	8	3	-	-	23	-	-	-	-	-	4	3	10	5	1	-
Black	19	-	-	-	-	2	3	3	8	3	-	-	19	-	-	-	-	-	3	3	8	4	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	37	-	-	-	-	1	1	2	3	9	9	12	31	-	1	-	-	-	1	-	2	4	7	16
White	36	-	-	-	-	1	1	1	3	9	9	12	30	-	1	-	-	-	1	-	2	4	6	16
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	220	3	-	-	-	1	2	10	25	54	85	40	253	3	-	1	3	1	1	5	23	60	81	75
White	200	2	-	-	-	1	1	8	18	51	80	39	229	1	-	1	2	1	-	5	17	52	77	73
All other	20	1	-	-	-	-	1	2	7	3	5	1	24	2	-	-	1	-	1	-	6	8	4	2
Black	20	1	-	-	-	-	1	2	7	3	5	1	24	2	-	-	1	-	1	-	6	8	4	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	-	-	1	2	7	2	25	1	-	-	2	-	-	-	2	10	6	4
White	9	-	-	-	-	-	-	-	1	2	4	2	21	-	-	-	2	-	-	-	-	10	6	3
All other	3	-	-	-	-	-	-	-	-	-	3	-	4	1	-	-	-	-	-	-	2	-	-	1
Black	3	-	-	-	-	-	-	-	-	-	3	-	4	1	-	-	-	-	-	-	2	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	206	9	-	-	-	1	2	10	24	52	76	36	226	2	-	1	1	1	1	5	20	50	74	71
White	189	2	-	-	-	1	1	8	17	49	74	37	206	1	-	1	-	1	-	5	16	42	70	70
All other	17	1	-	-	-	-	1	2	7	3	2	1	20	1	-	-	1	-	1	-	4	8	4	1
Black	17	1	-	-	-	-	1	2	7	3	2	1	20	1	-	-	1	-	1	-	4	8	4	1
Infections of kidney (590)	21	-	-	-	-	-	-	1	1	2	8	8	48	-	-	-	-	-	-	3	8	4	13	20
White	21	-	-	-	-	-	-	1	1	2	8	8	44	-	-	-	-	-	-	-	8	4	13	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	3	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	3	-	-	-	1
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	-	1	5	5	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	-	5	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	194	127	16	6	9	8	7	5	4	7	2	3	124	72	12	3	9	-	4	2	6	6	7	3
White	172	114	12	4	7	8	7	5	3	7	2	3	113	65	11	2	9	-	3	1	6	6	7	3
All other	22	13	4	2	2	-	-	-	1	-	-	-	11	7	1	1	-	-	1	1	-	-	-	-
Black	22	13	4	2	2	-	-	-	1	-	-	-	11	7	1	1	-	-	1	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	249	247	2	-	-	-	-	-	-	-	-	-	189	187	1	-	-	1	-	-	-	-	-	-
White	208	204	2	-	-	-	-	-	-	-	-	-	154	152	1	-	-	1	-	-	-	-	-	-
All other	43	43	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
Black	43	43	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	84	83	1	-	-	-	-	-	-	-	-	-	52	51	1	-	-	-	-	-	-	-	-	-
White	73	72	1	-	-	-	-	-	-	-	-	-	39	38	1	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	165	164	1	-	-	-	-	-	-	-	-	-	137	136	-	-	-	1	-	-	-	-	-	-
White	133	132	1	-	-	-	-	-	-	-	-	-	115	114	-	-	-	1	-	-	-	-	-	-
All other	32	32	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Black	32	32	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	239	74	3	1	11	20	11	10	18	24	38	29	225	58	2	1	5	8	7	5	14	21	33	71
White	204	55	2	1	8	15	9	8	18	24	37	27	204	46	1	1	3	8	7	3	12	20	33	70
All other	35	19	1	-	3	5	2	2	-	-	1	2	21	12	1	-	2	-	-	2	2	1	-	1
Black	33	19	1	-	2	5	2	2	-	-	-	2	21	12	1	-	2	-	-	2	2	1	-	1
All other diseases (Residual)	1,392	20	14	17	32	41	75	100	202	288	386	217	1,602	16	9	10	25	25	32	81	182	303	437	502
White	1,273	16	13	16	30	32	58	85	178	265	369	211	1,502	13	7	9	22	17	26	74	148	285	416	483
All other	119	4	1	1	2	9	17	15	24	23	17	6	100	3	2	1	3	8	6	7	14	18	19	19
Black	115	4	1	1	2	9	15	15	23	23	17	5	100	3	2	1	3	8	6	7	14	18	19	19
Accidents and adverse effects (E800-E949)	1,389	14	48	69	341	264	154	109	115	100	108	68	706	12	36	32	110	75	48	41	53	72	124	103
White	1,283	11	41	63	330	237	137	101	105	90	103	64	657	9	30	25	106	71	45	38	48	65	121	99
All other	106	3	7	6	11	27	17	8	10	10	5	2	49	3	6	7	4	4	3	3	5	7	3	4
Black	104	3	7	6	11	26	16	8	10	10	5	2	48	3	6	7	4	3	3	3	5	7	3	4
Motor vehicle accidents (E810-E825)	725	2	21	32	261	161	91	47	45	32	24	9	331	1	10	14	99	53	32	28	28	35	24	7
White	689	2	18	31	257	149	81	45	44	30	23	9	317	1	9	12	96	52	32	28	26	31	24	6
All other	36	-	3	1	4	12	10	2	1	2	1	-	14	-	1	2	3	1	-	-	2	4	-	1
Black	34	-	3	1	4	11	9	2	1	2	1	-	14	-	1	2	3	1	-	-	2	4	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	664	12	27	37	80	103	63	62	70	68	84	57	375	11	26	18	11	22	16	13	25	37	100	96
White	594	9	23	32	73	88	56	56	61	60	80	55	340	8	21	13	10	19	13	10	22	34	97	93
All other	70	3	4	5	7	15	7	6	9	8	4	2	35	3	5	5	1	3	3	3	3	3	3	3
Black	70	3	4	5	7	15	7	6	9	8	4	2	34	3	5	5	1	2	3	3	3	3	3	3
Suicide (E950-E959)	499	...	...	2	87	105	86	60	59	49	44	7	139	...	...	-	17	29	21	31	22	16	1	2
White	488	...	...	2	84	102	84	59	57	49	44	7	132	...	...	-	14	26	21	30	22	16	1	2
All other	11	...	...	-	3	3	2	1	2	-	-	-	7	...	...	-	3	3	-	1	-	-	-	-
Black	11	...	...	-	3	3	2	1	2	-	-	-	5	...	...	-	3	1	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	224	1	5	5	63	69	37	22	9	7	4	2	65	1	1	1	21	14	5	8	6	6	-	2
White	119	1	4	5	31	37	20	8	3	4	4	2	38	-	-	1	12	6	3	6	3	5	-	2
All other	105	-	1	-	32	32	17	14	6	3	-	-	27	1	1	-	9	8	2	2	3	1	-	-
Black	105	-	1	-	32	32	17	14	6	3	-	-	26	-	1	-	9	8	2	2	3	1	-	-
All other external causes (E980-E989)	46	-	-	3	11	12	6	3	6	1	3	1	14	1	2	-	2	4	2	1	1	1	-	-
White	37	-	-	3	11	8	4	2	4	1	3	1	11	-	1	-	2	3	2	1	1	1	-	-
All other	9	-	-	-	-	4	2	1	2	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Black	9	-	-	-	-	4	2	1	2	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	14,346	237	52	59	317	283	295	717	2,028	3,643	4,105	2,609	13,182	149	38	40	113	129	175	439	1,067	2,218	3,907	4,905
White	14,143	218	48	56	309	268	282	699	1,995	3,609	4,072	2,587	13,031	141	38	40	107	118	169	420	1,055	2,188	3,876	4,879
All other	203	19	4	3	8	15	13	18	33	35	33	22	151	8	2	-	6	11	6	19	12	30	31	26
Black	179	16	4	3	7	11	13	17	29	27	31	21	134	8	1	-	4	8	4	17	10	28	30	26
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	79	1	-	-	2	-	-	1	17	17	20	21	54	1	1	-	-	1	-	1	5	11	18	16
White	78	1	-	-	2	-	-	1	16	17	20	21	54	1	1	-	-	1	-	1	5	11	18	16
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	2	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	6	-	-	-	2	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-066,071-088, 098-139)	22	1	2	-	-	2	-	1	5	6	2	3	31	2	1	-	-	-	1	4	3	9	7	4
White	22	1	2	-	-	2	-	1	5	6	2	3	30	2	1	-	-	-	1	4	3	8	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,210	1	6	9	11	28	61	202	654	1,035	876	327	2,767	1	3	7	6	32	87	221	494	704	739	473
White	3,162	1	5	9	11	26	58	199	643	1,022	864	324	2,738	1	3	7	6	31	86	215	488	700	735	466
All other	48	-	1	-	-	2	3	3	11	13	12	3	29	-	-	-	-	1	1	6	6	4	4	7
Black	42	-	1	-	-	1	3	3	10	10	11	3	28	-	-	-	-	1	-	6	6	4	4	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	-	-	-	-	-	1	6	20	16	12	3	37	-	-	-	-	1	2	1	6	13	11	3
White	58	-	-	-	-	-	1	6	20	16	12	3	35	-	-	-	-	1	2	-	6	13	11	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	810	-	-	-	1	6	16	59	154	266	208	100	838	-	-	-	-	3	16	40	99	211	271	196
White	798	-	-	-	1	5	15	57	153	264	204	99	825	-	-	-	-	3	15	38	98	209	269	193
All other	12	-	-	-	-	1	1	2	1	2	4	1	11	-	-	-	-	-	1	2	1	2	2	3
Black	12	-	-	-	-	1	1	2	1	2	4	1	10	-	-	-	-	-	-	2	1	2	2	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,088	-	-	-	-	1	11	71	261	413	270	59	398	-	-	-	-	1	9	36	107	134	86	25
White	1,065	-	-	-	-	1	9	70	254	404	269	58	396	-	-	-	-	1	9	36	105	134	86	25
All other	21	-	-	-	-	-	2	1	7	9	1	1	2	-	-	-	-	-	-	-	2	-	-	-
Black	18	-	-	-	-	-	2	1	7	6	1	1	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	1	3	1	1	485	-	-	-	-	8	24	71	101	102	122	57
White	6	-	-	-	-	-	-	-	1	3	1	1	478	-	-	-	-	8	24	68	101	100	121	56
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	3	-	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	3	-	2	1	1
Malignant neoplasms of genital organs (179-187)	403	-	-	-	3	1	2	5	30	115	179	68	331	-	1	-	-	7	12	25	79	85	72	50
White	397	-	-	-	3	1	2	5	30	114	175	67	329	-	1	-	-	6	12	25	78	85	72	50
All other	6	-	-	-	-	-	-	-	-	1	4	1	2	-	-	-	-	1	-	-	1	-	-	-
Black	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	1	-	-	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	169	-	-	1	-	-	2	11	38	43	41	35	113	-	-	-	-	1	1	7	14	23	41	26
White	165	-	-	1	-	-	2	11	34	42	40	35	112	-	-	-	-	1	1	7	13	23	41	26
All other	4	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	343	1	3	4	3	8	19	30	83	85	77	30	265	1	1	6	1	5	14	19	54	62	55	47
White	341	1	2	4	3	8	19	30	82	85	77	30	263	1	1	6	1	5	14	19	53	62	54	47
All other	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Leukemia (204-208)	136	-	3	2	2	5	2	9	27	40	39	7	102	-	1	1	2	1	2	8	10	23	24	30
White	135	-	3	2	2	4	2	9	27	40	39	7	101	-	1	1	2	1	2	8	10	23	24	29
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	199	-	-	2	2	7	8	11	42	54	49	24	200	-	-	-	3	5	7	14	24	51	57	39
White	197	-	-	2	2	7	8	11	42	54	47	24	199	-	-	-	3	5	7	14	24	51	57	38
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	-	-	-	2	2	2	11	5	29	-	1	-	-	-	-	2	-	8	9	9
White	22	-	-	-	-	-	-	2	2	2	11	5	28	-	1	-	-	-	-	2	-	7	9	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	211	-	-	-	-	6	8	12	29	56	63	38	285	-	-	1	1	4	6	7	38	64	92	72
White	205	-	-	-	-	6	8	9	27	55	62	38	284	-	-	1	1	4	6	6	38	64	92	72
All other	6	-	-	-	-	-	-	3	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	-	1	7	5	6	42	1	-	-	-	-	-	-	-	4	7	30
White	19	-	-	-	-	-	-	-	1	7	5	6	41	-	-	-	-	-	-	-	-	4	7	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	26	-	-	1	1	1	1	-	2	7	5	8	22	-	-	-	-	1	-	-	-	-	15	6
White	23	-	-	-	1	-	1	-	1	7	5	8	21	-	-	-	-	-	-	-	-	-	15	6
All other	3	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	5	1	1	-	-	-	-	1	-	1	1	-	6	-	2	-	-	-	-	1	-	1	2	-
White	4	1	1	-	-	-	-	1	-	1	-	-	6	-	2	-	-	-	-	1	-	1	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,074	8	-	2	10	22	91	323	961	1,812	2,248	1,597	7,304	4	1	2	5	10	28	92	349	1,013	2,371	3,427
White	7,006	8	-	2	10	21	88	316	948	1,785	2,235	1,583	7,236	4	1	2	5	7	25	86	346	997	2,347	3,414
All other	68	-	-	-	-	1	3	7	13	17	13	14	68	-	-	-	-	3	3	6	3	16	24	13
Black	60	-	-	-	-	-	3	6	12	13	13	13	64	-	-	-	-	3	3	5	2	15	23	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,708	6	-	2	9	20	80	208	856	1,532	1,744	1,181	5,333	3	1	2	4	5	22	74	301	805	1,717	2,398
White	5,647	6	-	2	9	19	77	203	843	1,517	1,732	1,149	5,287	3	1	2	4	2	21	69	299	797	1,699	2,389
All other	61	-	-	-	-	1	3	5	13	15	12	12	46	-	-	-	-	3	1	5	2	8	18	9
Black	54	-	-	-	-	-	3	5	12	11	12	11	44	-	-	-	-	3	1	4	2	8	17	9
Rheumatic fever and rheumatic heart disease (390-398)	38	-	-	-	1	1	1	4	9	10	9	3	46	-	-	-	-	1	1	-	10	12	17	5
White	38	-	-	-	1	1	1	4	9	10	9	3	45	-	-	-	-	-	1	-	10	12	17	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hypertensive heart disease (402)	62	-	-	-	-	-	-	3	12	20	21	6	141	-	-	-	-	-	1	1	9	25	43	62
White	62	-	-	-	-	-	-	3	12	20	21	6	138	-	-	-	-	-	1	1	9	25	42	61
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Hypertensive heart and renal disease (404)	21	-	-	-	-	-	-	-	1	3	12	5	40	-	-	-	-	-	-	1	3	2	15	19
White	21	-	-	-	-	-	-	-	1	3	12	5	40	-	-	-	-	-	-	1	3	2	15	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,506	-	-	-	1	10	63	249	719	1,260	1,367	837	3,856	1	-	-	1	-	11	57	219	609	1,277	1,681
White	4,460	-	-	-	1	9	62	245	710	1,248	1,356	829	3,830	1	-	-	1	-	11	53	217	602	1,268	1,677
All other	46	-	-	-	-	1	1	4	9	12	11	8	26	-	-	-	-	-	-	4	2	7	9	4
Black	40	-	-	-	-	-	1	4	8	9	11	7	25	-	-	-	-	-	-	3	2	7	9	4
Acute myocardial infarction (410)	2,785	-	-	-	1	9	47	184	545	865	783	351	1,964	1	-	-	1	-	6	39	148	404	730	635
White	2,759	-	-	-	1	8	46	180	540	857	779	348	1,948	1	-	-	1	-	6	37	146	397	726	634
All other	26	-	-	-	-	1	1	4	5	8	4	3	16	-	-	-	-	-	-	2	2	7	4	1
Black	22	-	-	-	-	-	1	4	4	6	4	3	15	-	-	-	-	-	-	1	2	7	4	1
Other acute and subacute forms of ischemic heart disease (411)	18	-	-	-	-	-	1	-	5	5	4	3	12	-	-	-	-	-	-	1	-	4	4	3
White	18	-	-	-	-	-	1	-	5	5	4	3	12	-	-	-	-	-	-	1	-	4	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	1	-	2	2	1	5	-	-	-	-	-	-	-	-	2	1	2
White	6	-	-	-	-	-	-	1	-	2	2	1	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,697	-	-	-	-	1	15	64	169	388	578	482	1,875	-	-	-	-	-	5	17	71	199	542	1,041
White	1,677	-	-	-	-	1	15	64	165	384	571	477	1,865	-	-	-	-	-	5	15	71	199	537	1,038
All other	20	-	-	-	-	-	-	-	4	4	7	5	10	-	-	-	-	-	-	2	-	-	5	3
Black	18	-	-	-	-	-	-	-	4	3	7	4	10	-	-	-	-	-	-	2	-	-	5	3
Other diseases of endocardium (424)	47	-	-	-	1	-	1	1	9	13	15	7	54	1	-	-	-	1	1	1	3	10	19	18
White	47	-	-	-	1	-	1	1	9	13	15	7	52	1	-	-	-	-	1	1	3	10	19	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
All other forms of heart disease (415-423,425-429)	1,034	6	-	2	6	9	15	41	106	226	320	303	1,196	1	1	2	3	3	8	14	57	147	346	613
White	1,019	6	-	2	6	9	13	40	102	223	319	299	1,181	1	1	2	3	2	7	13	57	146	338	610
All other	15	-	-	-	-	-	2	1	4	3	1	4	15	-	-	-	-	1	1	1	-	1	8	3
Black	14	-	-	-	-	-	2	1	4	2	1	4	14	-	-	-	-	1	1	1	-	1	7	3
Hypertension with or without renal disease (401,403)	50	-	-	-	-	-	-	1	4	5	16	24	65	-	-	-	-	-	-	1	3	8	24	29
White	49	-	-	-	-	-	-	-	4	5	16	24	65	-	-	-	-	-	-	1	3	8	24	29
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	889	2	-	-	-	2	9	17	68	177	348	266	1,439	1	-	-	1	5	5	14	31	164	505	712
White	885	2	-	-	-	2	9	16	68	175	348	265	1,421	1	-	-	1	5	3	13	30	158	501	708
All other	4	-	-	-	-	-	-	1	-	2	-	1	18	-	-	-	-	-	2	1	1	6	4	4
Black	4	-	-	-	-	-	-	1	-	2	-	1	16	-	-	-	-	-	2	1	-	5	4	4
Intracerebral and other intracranial hemorrhage (431-432)	87	2	-	-	-	-	3	6	20	21	24	11	139	-	-	-	-	-	1	6	8	28	55	41
White	86	2	-	-	-	-	3	6	20	20	24	11	137	-	-	-	-	-	-	6	8	27	55	41
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	130	-	-	-	-	-	1	1	8	25	56	39	223	-	-	-	-	-	-	1	4	21	77	120
White	130	-	-	-	-	-	1	1	8	25	56	39	219	-	-	-	-	-	-	1	3	20	77	118
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	2	-	7	-	-	-	-	-	-	1	-	-	5	1
White	3	-	-	-	-	-	-	-	-	1	2	-	7	-	-	-	-	-	-	1	-	-	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	669	-	-	-	-	2	5	10	40	130	266	216	1,070	1	-	-	1	5	4	6	19	115	368	550
White	668	-	-	-	-	2	5	9	40	129	266	215	1,058	1	-	-	1	5	3	5	19	111	364	548
All other	3	-	-	-	-	-	-	1	-	1	-	1	12	-	-	-	-	-	1	1	-	4	4	2
Black	3	-	-	-	-	-	-	1	-	1	-	1	11	-	-	-	-	-	1	1	-	3	4	2
Atherosclerosis (440)	219	-	-	-	-	-	1	5	9	24	70	110	361	-	-	-	-	-	-	1	7	14	89	250
White	217	-	-	-	-	-	1	5	9	24	69	109	358	-	-	-	-	-	-	1	7	12	88	250
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	208	-	-	-	1	-	1	2	24	74	70	36	106	-	-	-	-	-	1	2	7	22	36	38
White	208	-	-	-	1	-	1	2	24	74	70	36	105	-	-	-	-	-	1	2	7	22	35	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	3	-
White	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	3	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	452	4	1	1	1	4	3	10	25	67	147	189	492	2	1	1	-	2	-	7	9	44	140	286
White	450	4	1	1	1	4	3	10	25	67	146	188	485	2	1	1	-	2	-	6	8	43	139	283
All other	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	1	1	1	1	3
Black	2	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	-	-	1	1	-	1	3
Pneumonia (480-486)	433	4	1	1	1	4	3	10	24	64	140	181	461	1	1	1	-	2	-	7	8	41	133	267
White	431	4	1	1	1	4	3	10	24	64	139	180	454	1	1	1	-	2	-	6	7	40	132	264
All other	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	1	1	1	1	3
Black	2	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	-	-	1	1	-	1	3
Influenza (487)	19	-	-	-	-	-	-	-	1	3	7	8	31	1	-	-	-	-	-	-	1	3	7	19
White	19	-	-	-	-	-	-	-	1	3	7	8	31	1	-	-	-	-	-	-	1	3	7	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	716	-	-	-	2	-	4	9	71	243	284	103	278	-	1	-	3	2	1	19	37	95	70	48
White	713	-	-	-	2	-	4	8	70	242	284	103	272	-	1	-	3	2	1	18	37	92	70	48
All other	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	-	1	-	3	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Bronchitis, chronic and unspecified (490-491)	28	-	-	-	-	-	-	-	1	10	9	8	18	-	-	-	-	-	-	1	2	4	5	6
White	28	-	-	-	-	-	-	-	1	10	9	8	18	-	-	-	-	-	-	1	2	4	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	141	-	-	-	-	-	-	-	20	43	60	18	44	-	-	-	-	-	1	4	5	18	8	8
White	141	-	-	-	-	-	-	-	20	43	60	18	43	-	-	-	-	-	1	4	5	17	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	22	-	-	-	1	-	1	4	-	5	6	5	36	-	1	-	2	2	-	1	7	10	4	9
White	21	-	-	-	1	-	1	3	-	5	6	5	35	-	1	-	2	2	-	1	7	9	4	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	525	-	-	-	1	-	3	5	50	185	209	72	178	-	-	-	1	-	-	13	23	63	53	25
White	523	-	-	-	1	-	3	5	49	184	209	72	176	-	-	-	1	-	-	12	23	62	53	25
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	47	-	-	-	-	1	1	1	5	13	13	13	56	-	-	-	-	-	-	1	2	11	18	24
White	47	-	-	-	-	1	1	1	5	13	13	13	56	-	-	-	-	-	-	1	2	11	18	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	1	-	-	-	-	1	-	2	6	9	4	52	-	-	-	-	-	1	1	4	9	17	20
White	22	1	-	-	-	-	1	-	2	6	8	4	51	-	-	-	-	-	1	1	3	9	17	20
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	146	-	-	-	-	3	9	25	39	45	17	8	77	-	-	-	1	1	4	12	20	19	15	5
White	141	-	-	-	-	3	9	23	38	43	17	8	75	-	-	-	1	1	4	10	20	19	15	5
All other	5	-	-	-	-	-	-	2	1	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	5	-	-	-	-	-	-	2	1	2	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	1	-	1	8	10	4	22	-	-	-	-	-	-	1	-	3	6	12
White	24	-	-	-	-	-	1	-	1	8	10	4	22	-	-	-	-	-	-	1	-	3	6	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	85	-	-	-	-	1	1	2	7	14	33	27	82	-	-	-	-	-	-	5	4	14	28	31
White	81	-	-	-	-	1	1	2	5	14	33	25	82	-	-	-	-	-	-	5	4	14	28	31
All other	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	1	-	2	1	2
White	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	1	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	-	1	1	2	-	1	7	5	13	-	-	-	-	-	-	1	2	1	5	4
White	17	-	-	-	-	1	1	2	-	1	7	5	13	-	-	-	-	-	-	1	2	1	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	65	-	-	-	-	-	-	-	7	12	24	22	63	-	-	-	-	-	-	3	2	11	22	25
White	61	-	-	-	-	-	-	-	5	12	24	20	63	-	-	-	-	-	-	3	2	11	22	25
All other	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	17	-	-	-	-	1	-	-	1	-	12	3	33	-	-	-	-	-	-	1	3	4	13	12
White	16	-	-	-	-	1	-	-	1	-	11	3	33	-	-	-	-	-	-	1	3	4	13	12
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	-	1	9	10	...	...	...	...	...	...	...	...	...	...	...	...
White	20	-	-	-	-	-	-	-	-	1	9	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	80	58	8	3	3	2	-	4	3	1	-	-	73	51	5	2	1	-	3	1	1	3	3	3
White	77	54	7	3	3	2	-	4	3	1	-	-	70	49	4	2	1	-	3	1	1	3	3	3
All other	3	2	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	116	113	2	1	1	-	-	-	-	-	-	-	52	51	1	-	-	-	-	-	-	-	-	-
White	103	103	2	1	1	-	-	-	-	-	-	-	48	48	1	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	30	28	-	1	1	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	28	24	-	1	1	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	88	85	2	-	-	-	-	-	-	-	-	-	35	34	1	-	-	-	-	-	-	-	-	-
White	82	79	2	-	-	-	-	-	-	-	-	-	32	31	1	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	77	31	-	-	-	4	1	1	7	10	11	12	68	25	-	-	1	1	-	-	4	4	7	26
White	76	30	-	-	-	4	1	1	7	10	11	12	65	23	-	-	1	1	-	-	4	4	6	26
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other diseases (Residual)	793	14	7	5	15	14	17	47	87	195	228	164	864	6	9	6	10	13	17	26	56	140	252	327
White	781	11	6	5	15	12	17	46	86	194	227	162	853	6	9	6	10	12	15	25	57	138	251	324
All other	12	3	1	-	-	2	-	1	1	1	1	2	11	-	-	-	-	1	2	1	1	2	1	3
Black	11	3	1	-	-	1	-	1	1	1	1	2	10	-	-	-	-	1	1	1	1	2	1	3
Accidents and adverse effects (E800-E949)	743	3	23	32	196	133	52	46	60	68	72	60	372	3	9	19	59	35	16	19	25	49	69	69
White	730	3	22	30	193	131	50	46	59	68	70	60	367	3	8	19	59	34	16	18	25	47	69	69
All other	13	-	1	2	3	2	2	-	1	-	2	-	5	-	1	-	-	1	-	1	-	2	-	-
Black	10	-	1	2	2	1	2	-	-	-	2	-	3	-	-	-	-	-	-	1	-	2	-	-
Motor vehicle accidents (E810-E825)	377	-	6	15	147	82	23	22	19	23	18	12	166	-	2	13	53	28	9	10	11	16	19	5
White	375	-	6	15	146	82	23	22	18	23	18	12	165	-	2	13	53	27	9	10	11	16	19	5
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	366	3	17	17	49	41	29	24	41	43	54	48	206	3	7	6	6	7	7	9	14	33	50	64
White	355	3	16	15	47	39	27	24	41	43	52	48	202	3	6	6	6	7	7	8	14	31	50	64
All other	11	-	1	2	2	2	2	-	-	-	2	-	4	-	1	-	-	-	-	1	-	2	-	-
Black	10	-	1	2	2	1	2	-	-	-	2	-	3	-	-	-	-	-	-	1	-	2	-	-
Suicide (E950-E959)	260	...	...	-	57	45	35	25	43	25	25	5	66	...	...	-	13	14	9	15	8	6	1	-
White	255	...	...	-	55	42	35	25	43	25	25	5	64	...	...	-	12	13	9	15	8	6	1	-
All other	5	...	...	-	2	3	-	-	-	-	-	-	2	...	...	-	1	1	-	-	-	-	-	-
Black	5	...	...	-	2	3	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	39	-	-	2	12	11	7	3	4	-	-	-	31	1	3	2	10	8	2	2	2	-	1	-
White	26	-	-	2	9	7	2	2	4	-	-	-	25	1	3	2	6	6	2	2	2	-	1	-
All other	13	-	-	-	3	4	5	1	-	-	-	-	6	-	-	-	4	2	-	-	-	-	-	-
Black	13	-	-	-	3	4	5	1	-	-	-	-	4	-	-	-	2	2	-	-	-	-	-	-
All other external causes (E980-E999)	22	2	2	3	4	4	2	1	-	4	-	-	8	-	-	-	2	2	-	-	1	1	1	1
White	20	-	2	3	4	4	2	1	-	4	-	-	8	-	-	-	2	2	-	-	1	1	1	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,569	246	43	60	283	281	293	644	1,640	2,932	3,233	1,910	10,362	170	47	26	114	110	161	383	983	1,859	3,043	3,456
White	10,953	215	38	52	263	253	258	598	1,516	2,802	3,116	1,839	9,825	143	42	26	104	109	143	346	896	1,760	2,906	3,349
All other	616	31	5	8	20	28	35	46	124	130	117	71	537	27	5	-	10	10	18	37	87	99	137	107
Black	572	29	5	5	19	25	32	41	116	121	111	67	496	22	5	-	7	7	16	31	85	95	127	101
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
White	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
White	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	69	1	1	-	1	1	1	2	9	19	19	10	69	1	1	-	1	1	2	3	4	10	25	21
White	59	1	1	-	-	-	-	2	9	19	17	10	63	1	1	-	1	1	2	3	4	8	21	21
All other	4	-	-	-	1	1	1	-	-	-	1	-	6	-	-	-	-	-	-	-	-	2	4	-
Black	4	-	-	-	1	1	1	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	3	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	-	-	2	1	1	-	6	-	-	-	2	1	-	-	-	3	-	-
White	4	-	-	-	-	-	-	-	2	1	1	-	5	-	-	-	2	-	-	-	-	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 088-139)	26	2	1	1	-	-	1	1	7	6	5	2	30	3	2	-	2	1	1	1	3	6	5	6
White	25	2	-	1	-	-	1	1	7	6	5	2	27	2	1	-	2	1	1	-	3	6	5	6
All other	1	-	1	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,464	-	4	10	10	23	50	174	496	808	685	224	2,112	2	4	4	8	24	62	183	402	587	535	301
White	2,331	-	4	8	8	22	47	163	451	761	654	213	2,010	2	4	4	8	21	56	174	373	562	515	291
All other	153	-	-	2	2	1	3	11	45	47	31	11	102	-	-	-	-	3	6	9	29	25	20	10
Black	144	-	-	2	2	1	3	10	42	43	30	11	95	-	-	-	-	2	5	7	29	24	19	9
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	53	-	-	-	-	-	-	8	18	13	10	4	31	-	-	-	-	1	-	-	10	9	4	7
White	50	-	-	-	-	-	-	7	18	11	10	4	30	-	-	-	-	1	-	-	10	8	4	7
All other	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	584	-	-	-	1	3	8	48	122	187	155	60	571	-	-	-	-	2	12	28	76	152	165	115
White	546	-	-	-	1	2	8	42	113	175	148	57	541	-	-	-	-	2	11	28	72	144	175	109
All other	38	-	-	-	-	1	-	6	9	12	7	3	30	-	-	-	-	-	1	1	4	8	10	6
Black	36	-	-	-	-	1	-	5	8	12	7	3	27	-	-	-	-	-	1	1	4	7	9	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	873	-	-	-	-	3	9	65	218	333	215	30	334	-	-	-	-	-	9	46	68	115	61	17
White	816	-	-	-	-	3	7	62	196	313	206	29	320	-	-	-	-	-	9	44	77	114	59	17
All other	57	-	-	-	-	-	2	3	22	20	9	1	14	-	-	-	-	-	-	2	9	1	2	-
Black	52	-	-	-	-	-	2	3	20	17	9	1	14	-	-	-	-	-	-	2	9	1	2	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	2	-	3	-	382	-	-	-	-	4	21	46	95	97	83	38
White	5	-	-	-	-	-	-	-	2	-	3	-	363	-	-	-	-	4	16	44	89	92	82	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	-	5	2	6	5	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	4	2	6	5	1	-
Malignant neoplasms of genital organs (179-187)	320	-	-	-	-	2	1	3	33	84	133	64	277	-	-	-	1	6	9	25	74	78	50	34
White	295	-	-	-	-	2	1	3	26	80	125	58	260	-	-	-	1	5	9	23	68	75	46	33
All other	25	-	-	-	-	-	-	-	7	4	8	6	17	-	-	-	-	1	-	2	6	3	4	1
Black	24	-	-	-	-	-	-	-	7	4	7	6	15	-	-	-	-	-	-	1	6	3	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	117	-	-	-	1	-	2	8	13	39	35	19	66	-	-	-	-	-	1	5	8	21	20	11
White	111	-	-	-	-	-	2	8	12	37	34	18	65	-	-	-	-	-	1	5	7	21	20	11
All other	6	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	6	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	242	-	-	4	6	10	16	21	48	65	51	21	243	2	3	2	5	6	8	19	35	62	60	43
White	231	-	-	4	5	10	16	21	45	61	48	21	232	2	3	2	5	5	8	18	33	59	58	41
All other	11	-	-	-	1	-	-	-	3	4	3	-	11	-	-	-	-	1	-	1	2	3	2	2
Black	10	-	-	-	1	-	-	-	3	3	3	-	11	-	-	-	-	1	-	1	2	3	2	2
Leukemia (204-208)	129	-	4	4	2	3	5	6	16	38	39	14	60	-	-	1	2	3	1	8	5	17	26	17
White	124	-	4	3	2	3	4	5	15	36	38	14	76	-	-	1	2	2	1	7	5	16	26	16
All other	5	-	-	1	-	-	1	1	1	-	1	-	4	-	-	-	-	1	-	1	-	1	-	1
Black	5	-	-	1	-	-	1	1	1	-	1	-	3	-	-	-	-	1	-	-	-	1	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	161	-	-	2	-	2	9	15	26	51	44	12	128	-	1	1	-	2	3	5	13	36	46	21
White	153	-	-	1	-	2	9	15	24	49	42	12	123	-	1	1	-	2	3	5	12	33	45	21
All other	8	-	-	1	-	-	-	-	2	3	2	-	5	-	-	-	-	-	-	-	1	3	1	-
Black	8	-	-	1	-	-	-	-	2	3	2	-	5	-	-	-	-	-	-	-	1	3	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	29	-	-	-	1	1	1	-	3	8	12	3	31	-	-	-	-	-	1	3	2	3	9	13
White	29	-	-	-	1	1	1	-	3	8	12	3	29	-	-	-	-	-	1	2	2	3	8	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Diabetes mellitus (250)	155	1	-	-	2	4	7	9	19	49	40	24	230	-	-	-	-	2	2	8	25	58	93	42
White	143	1	-	-	2	4	6	7	13	49	38	23	215	-	-	-	-	2	2	7	23	54	88	39
All other	12	-	-	-	-	-	1	2	6	-	2	1	15	-	-	-	-	-	-	1	2	4	5	3
Black	12	-	-	-	-	-	1	2	6	-	2	1	15	-	-	-	-	-	-	1	2	4	5	3
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	1	4	5	7	34	-	-	-	-	-	1	1	1	4	12	15
White	15	-	-	-	-	-	-	-	1	3	4	7	33	-	-	-	-	-	-	1	1	4	12	15
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Anemias (280-285)	20	-	-	2	-	1	1	-	3	4	7	2	22	-	-	-	-	-	-	-	1	5	8	8
White	18	-	-	2	-	-	1	-	3	3	7	2	22	-	-	-	-	-	-	-	1	5	8	8
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	-	1	-	-	1	-	3	-	2	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,452	9	3	3	14	19	78	274	782	1,414	1,699	1,176	5,343	8	2	3	7	14	29	78	229	809	1,761	2,303
White	5,209	8	2	3	13	13	67	253	714	1,362	1,640	1,134	5,101	7	1	3	7	13	25	69	293	784	1,682	2,236
All other	243	1	1	-	1	6	11	21	48	52	59	42	242	1	1	-	-	1	4	9	36	44	79	67
Black	227	1	1	-	1	5	9	18	45	48	57	41	226	1	1	-	-	-	3	9	35	42	72	69
Diseases of heart (390-398,402,404-429)	4,400	7	1	3	11	14	63	255	659	1,179	1,342	866	3,932	8	2	3	3	10	18	56	260	636	1,301	1,695
White	4,219	6	1	3	10	9	54	238	620	1,138	1,298	836	3,756	7	1	3	3	10	14	48	230	610	1,246	1,582
All other	187	1	-	-	1	5	9	17	39	41	44	30	176	1	1	-	-	-	4	8	30	26	59	53
Black	173	1	-	-	1	4	7	14	36	37	43	30	164	1	1	-	-	-	3	8	30	24	47	50
Rheumatic fever and rheumatic heart disease (390-398)	27	1	-	-	-	1	2	2	4	7	8	2	37	-	-	-	-	-	2	1	11	7	11	5
White	26	-	-	-	-	1	2	2	4	7	8	2	35	-	-	-	-	-	1	1	10	7	11	5
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Hypertensive heart disease (402)	44	-	-	-	-	-	1	2	6	7	18	10	100	-	-	-	-	-	1	1	5	10	41	42
White	42	-	-	-	-	-	1	2	4	7	18	10	90	-	-	-	-	-	-	-	4	10	37	39
All other	2	-	-	-	-	-	-	-	2	-	-	-	10	-	-	-	-	-	1	1	1	-	4	3
Black	2	-	-	-	-	-	-	-	2	-	-	-	8	-	-	-	-	-	-	1	1	-	3	3
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	-	-	3	3	4	4	15	-	-	-	-	-	-	-	1	3	5	6
White	13	-	-	-	-	-	-	-	3	3	4	3	13	-	-	-	-	-	-	-	-	2	5	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Ischemic heart disease (410-414)	3,460	-	-	-	-	8	45	211	535	941	1,080	640	2,697	-	-	-	1	3	12	32	187	467	911	1,084
White	3,333	-	-	-	-	6	39	200	510	909	1,047	622	2,592	-	-	-	1	3	12	27	167	450	878	1,054
All other	127	-	-	-	-	2	6	11	25	32	33	18	105	-	-	-	-	-	-	5	20	17	33	30
Black	116	-	-	-	-	1	4	9	23	29	32	18	98	-	-	-	-	-	-	5	20	16	29	28
Acute myocardial infarction (410)	2,152	-	-	-	-	6	36	168	394	617	653	278	1,370	-	-	-	1	3	8	19	143	307	493	396
White	2,079	-	-	-	-	4	31	159	379	604	632	270	1,318	-	-	-	1	3	8	18	129	297	480	382
All other	73	-	-	-	-	2	5	9	15	13	21	8	52	-	-	-	-	-	-	1	14	10	13	14
Black	65	-	-	-	-	1	3	8	13	12	20	8	48	-	-	-	-	-	-	1	14	9	11	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	3	1	2	1	4	-	-	-	-	-	-	-	-	-	1	3
White	7	-	-	-	-	-	-	-	3	1	2	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	3
White	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,298	-	-	-	-	2	9	43	138	322	423	361	1,320	-	-	-	-	-	4	13	44	160	417	682
White	1,244	-	-	-	-	2	8	41	128	303	411	351	1,267	-	-	-	-	-	4	9	38	153	397	666
All other	54	-	-	-	-	-	1	2	10	19	12	10	53	-	-	-	-	-	-	4	6	7	20	16
Black	51	-	-	-	-	-	1	1	10	17	12	10	50	-	-	-	-	-	-	4	6	7	18	15
Other diseases of endocardium (424)	41	-	-	-	-	1	2	6	6	12	9	5	53	-	-	-	-	-	-	1	6	12	16	18
White	39	-	-	-	-	-	2	6	6	11	9	5	52	-	-	-	-	-	-	1	5	12	16	18
All other	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other forms of heart disease (415-423,425-429)	814	6	1	3	11	4	13	34	105	209	223	205	1,030	8	2	3	2	7	3	21	50	137	317	480
White	760	6	1	3	10	2	10	28	93	201	212	184	974	7	1	3	2	7	1	19	44	129	301	460
All other	54	-	-	-	1	2	3	6	12	8	11	11	56	1	1	-	-	-	2	2	6	8	16	20
Black	52	-	-	-	1	2	3	5	11	8	11	11	53	1	1	-	-	-	2	2	6	7	15	19
Hypertension with or without renal disease (401,403)	37	-	-	-	-	-	-	1	3	10	10	12	42	-	-	-	-	-	1	-	8	3	15	15
White	33	-	-	-	-	-	-	-	3	10	9	11	41	-	-	-	-	-	1	-	7	3	15	15
All other	4	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	704	2	2	-	2	5	14	14	71	147	245	202	1,057	-	-	-	4	3	8	19	50	144	363	465
White	659	2	1	-	2	4	12	11	63	139	234	191	1,003	-	-	-	4	3	8	19	45	127	344	452
All other	45	-	1	-	-	1	2	3	8	8	11	11	54	-	-	-	-	-	-	-	5	17	19	13
Black	43	-	1	-	-	1	2	3	8	8	10	10	52	-	-	-	-	-	-	-	4	17	19	12
Intracerebral and other intracranial hemorrhage (431-432)	90	1	1	-	-	2	5	7	20	23	23	8	108	-	-	-	3	1	1	3	13	28	30	29
White	84	1	-	-	-	2	5	5	19	22	23	7	102	-	-	-	3	1	1	3	12	25	28	29
All other	6	-	1	-	-	-	-	2	1	1	-	1	6	-	-	-	-	-	-	-	1	3	2	-
Black	6	-	1	-	-	-	-	2	1	1	-	1	6	-	-	-	-	-	-	-	1	3	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	101	-	1	-	-	-	1	-	5	10	48	36	178	-	-	-	1	-	-	3	6	25	60	83
White	88	-	1	-	-	-	-	-	3	9	44	31	168	-	-	-	1	-	-	3	6	23	56	79
All other	13	-	-	-	-	-	1	-	2	1	4	5	10	-	-	-	-	-	-	-	-	2	4	4
Black	13	-	-	-	-	-	1	-	2	1	4	5	10	-	-	-	-	-	-	-	-	2	4	4
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	1	2	-	2	2	-	-	-	-	-	-	-	-	1	1	-
White	5	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	508	1	-	-	2	3	8	7	45	112	174	156	769	-	-	-	-	2	7	13	31	90	272	353
White	482	1	-	-	2	2	7	6	40	108	167	151	732	-	-	-	-	2	7	13	27	79	259	344
All other	26	-	-	-	-	1	1	1	5	6	7	5	37	-	-	-	-	-	-	-	4	11	13	9
Black	24	-	-	-	-	1	1	1	5	6	6	4	35	-	-	-	-	-	-	-	3	11	13	8
Atherosclerosis (440)	143	-	-	-	-	-	-	2	4	25	41	71	224	-	-	-	-	-	-	1	2	8	49	164
White	140	-	-	-	-	-	-	2	4	23	40	71	217	-	-	-	-	-	-	1	2	7	44	163
All other	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	1	5	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	1	5	1
Other diseases of arteries, arterioles, and capillaries (441-448)	168	-	-	-	1	-	1	2	25	53	61	25	88	-	-	-	-	1	2	2	9	17	33	24
White	164	-	-	-	1	-	1	2	24	52	59	25	84	-	-	-	-	-	2	1	9	17	31	24
All other	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	1	-	1	-	-	2	-
Black	4	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Acute bronchitis and bronchiolitis (466)	7	-	-	-	1	-	-	-	-	1	4	1	6	1	-	-	-	-	-	-	1	-	2	2
White	6	-	-	-	1	-	-	-	-	1	3	1	6	1	-	-	-	-	-	-	1	-	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	330	10	2	-	2	4	2	4	26	53	113	114	338	4	2	-	1	2	2	7	13	23	73	211
White	318	7	2	-	2	4	2	4	25	52	111	109	324	2	2	-	1	2	2	5	11	20	69	210
All other	12	3	-	-	-	-	-	-	1	1	2	5	14	2	-	-	-	-	-	2	2	3	4	1
Black	11	3	-	-	-	-	-	-	1	1	2	4	12	2	-	-	-	-	-	1	2	2	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	326	10	2	-	2	4	2	4	26	53	111	112	326	4	2	-	1	2	2	7	13	23	68	204
White	314	7	2	-	2	4	2	4	25	52	109	107	313	2	2	-	1	2	2	5	11	20	65	203
All other	12	3	-	-	-	-	-	-	1	1	2	5	13	2	-	-	-	-	-	2	2	3	3	1
Black	11	3	-	-	-	-	-	-	1	1	2	4	11	2	-	-	-	-	-	1	2	2	3	1
Influenza (487)	4	-	-	-	-	-	-	-	-	-	2	2	12	-	-	-	-	-	-	-	-	-	5	7
White	4	-	-	-	-	-	-	-	-	-	2	2	11	-	-	-	-	-	-	-	-	-	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	605	-	1	1	-	-	3	16	70	212	229	73	279	-	-	-	-	3	3	10	48	91	84	40
White	587	-	1	1	-	-	3	15	65	207	224	71	269	-	-	-	-	3	2	8	44	91	82	39
All other	18	-	-	-	-	-	-	1	5	5	5	2	10	-	-	-	-	-	1	2	4	-	2	1
Black	15	-	-	-	-	-	-	1	4	4	4	2	10	-	-	-	-	-	1	2	4	-	2	1
Bronchitis, chronic and unspecified (490-491)	36	-	-	-	-	-	-	-	2	19	10	5	21	-	-	-	-	-	-	-	1	10	1	9
White	35	-	-	-	-	-	-	-	2	19	10	4	20	-	-	-	-	-	-	-	1	10	1	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	96	-	-	-	-	-	-	2	12	35	37	10	29	-	-	-	-	-	-	-	4	8	11	6
White	94	-	-	-	-	-	-	2	12	34	36	10	29	-	-	-	-	-	-	-	4	8	11	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	15	-	1	1	-	-	1	1	3	1	5	2	24	-	-	-	-	2	2	3	8	4	3	2
White	14	-	1	1	-	-	1	1	3	1	4	2	19	-	-	-	-	2	1	2	6	4	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	1	2	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	1	2	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	458	-	-	-	-	-	2	13	53	157	177	56	205	-	-	-	-	1	1	7	35	69	69	23
White	444	-	-	-	-	-	2	12	49	153	174	55	201	-	-	-	-	1	1	6	33	69	68	23
All other	14	-	-	-	-	-	-	1	5	4	3	1	4	-	-	-	-	-	-	1	2	-	1	-
Black	11	-	-	-	-	-	-	1	4	3	2	1	4	-	-	-	-	-	-	1	2	-	1	-
Ulcer of stomach and duodenum (531-533)	34	-	-	-	-	-	-	-	7	11	12	4	36	-	-	-	-	-	2	1	4	4	10	15
White	34	-	-	-	-	-	-	-	7	11	12	4	33	-	-	-	-	-	2	1	4	3	10	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	1	-	-	-	-	-	-	2	3	9	9	44	-	-	-	-	1	-	4	2	5	11	21
White	22	-	-	-	-	-	-	-	1	3	9	9	42	-	-	-	-	1	-	4	2	4	11	20
All other	2	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic liver disease and cirrhosis (571)	102	-	1	-	-	4	7	15	31	32	9	3	72	-	-	-	-	1	6	11	19	19	11	5
White	97	-	1	-	-	4	7	12	30	31	9	3	65	-	-	-	-	1	4	9	17	18	11	5
All other	5	-	-	-	-	-	-	3	1	1	-	-	7	-	-	-	-	-	2	2	2	1	-	-
Black	4	-	-	-	-	-	-	2	1	1	-	-	6	-	-	-	-	-	2	1	2	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	-	-	-	-	5	12	1	15	-	-	-	-	-	-	-	-	-	8	7
White	17	-	-	-	-	-	-	-	-	4	12	1	14	-	-	-	-	-	-	-	-	-	7	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	112	-	-	-	-	2	-	5	6	30	38	31	117	-	-	-	-	-	2	2	16	18	34	45
White	104	-	-	-	-	1	-	5	5	29	36	28	102	-	-	-	-	-	2	1	13	15	31	40
All other	8	-	-	-	-	1	-	-	1	1	2	3	15	-	-	-	-	-	-	1	3	3	3	5
Black	5	-	-	-	-	1	-	-	1	1	1	1	14	-	-	-	-	-	-	-	3	3	3	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	4
White	2	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	1	-	1	1	4	4	-	13	-	-	-	-	-	-	-	3	3	6	1
White	10	-	-	-	-	-	-	1	1	4	4	-	13	-	-	-	-	-	-	-	3	3	6	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	99	-	-	-	-	1	-	3	5	26	34	30	100	-	-	-	-	-	2	2	19	15	28	40
White	92	-	-	-	-	1	-	3	4	25	32	27	85	-	-	-	-	-	2	1	10	12	25	35
All other	7	-	-	-	-	-	-	-	1	1	2	3	15	-	-	-	-	-	-	1	3	3	3	5
Black	4	-	-	-	-	-	-	-	1	1	1	1	14	-	-	-	-	-	-	-	3	3	3	5
Infections of kidney (590)	14	-	-	-	-	-	1	-	1	2	4	6	25	-	-	-	-	1	-	-	-	3	6	15
White	14	-	-	-	-	-	1	-	1	2	4	6	25	-	-	-	-	1	-	-	-	3	6	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	1	6	3	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	6	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	84	57	14	-	2	2	3	2	-	3	1	-	58	39	8	1	2	2	1	-	3	1	-	1
White	73	51	11	-	2	2	1	2	-	3	1	-	55	37	7	1	2	2	1	-	3	1	-	1
All other	11	6	3	-	-	-	2	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	10	5	3	-	-	-	2	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	106	104	1	-	-	1	-	-	-	-	-	-	73	73	-	-	-	-	-	-	-	-	-	-
White	94	92	1	-	-	1	-	-	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	33	-	-	-	1	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
White	32	31	-	-	-	1	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	72	71	1	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
White	62	61	1	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	183	44	2	-	1	3	6	13	17	27	40	30	170	17	-	1	1	2	2	5	8	22	43	69
White	152	39	2	-	1	2	3	12	9	22	35	27	146	12	-	1	1	1	2	4	7	17	35	66
All other	31	5	-	-	-	1	3	1	8	5	5	3	24	5	-	-	-	1	-	1	1	5	8	3
Black	31	5	-	-	-	1	3	1	8	5	5	3	23	5	-	-	-	1	-	1	1	5	7	3
All other diseases (Residual)	699	12	4	13	13	23	29	27	80	156	196	146	813	15	9	5	6	5	22	36	57	149	259	250
White	670	11	4	11	12	22	25	26	76	149	191	143	771	14	9	5	5	4	20	31	51	141	253	238
All other	29	1	-	2	1	1	4	1	4	7	5	3	42	1	-	-	1	1	2	5	6	8	6	12
Black	27	1	-	1	1	1	4	1	4	7	4	3	41	1	-	-	1	1	2	5	6	8	6	11
Accidents and adverse effects (E800-E949)	856	1	7	27	169	108	62	68	66	52	59	36	307	6	15	9	56	28	11	13	28	31	47	63
White	627	-	7	24	165	105	58	65	63	47	57	35	287	5	14	9	51	26	10	11	28	29	43	61
All other	29	1	-	3	4	3	4	3	3	5	2	1	20	1	1	-	5	2	1	2	-	2	4	2
Black	24	1	-	1	3	2	3	3	3	5	2	1	17	1	1	-	3	2	1	1	-	2	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	323	-	3	13	125	67	27	30	26	12	15	5	132	1	9	4	48	18	9	8	11	13	7	4
White	316	-	3	11	123	66	26	30	26	11	15	5	123	1	8	4	44	18	8	7	11	12	7	3
All other	7	-	-	2	2	1	1	-	-	1	-	-	9	-	1	-	4	-	1	1	-	1	-	1
Black	5	-	-	1	1	1	1	-	-	1	-	-	6	-	1	-	2	-	1	-	-	1	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	333	1	4	14	44	41	35	38	40	40	44	31	175	5	6	5	8	10	2	5	17	18	40	59
White	311	-	4	13	42	39	32	35	37	36	42	30	164	4	6	5	7	8	2	4	17	17	36	58
All other	22	1	-	1	2	2	3	3	3	4	2	1	11	1	-	-	1	2	-	1	-	1	4	1
Black	19	1	-	-	2	1	2	3	3	4	2	1	11	1	-	-	1	2	-	1	-	1	4	1
Suicide (E950-E959)	226	...	...	3	42	54	22	28	27	24	22	4	70	...	...	-	12	18	6	12	11	7	2	2
White	215	...	...	2	37	52	22	27	26	24	21	4	68	...	...	-	11	18	6	12	10	7	2	2
All other	11	...	...	1	5	2	-	1	1	-	1	-	2	...	...	-	1	-	-	-	1	-	-	-
Black	10	...	...	1	5	2	-	1	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	85	3	2	-	22	27	19	4	2	3	1	1	44	1	2	3	13	8	5	3	6	-	2	1
White	58	2	2	-	16	17	13	2	2	1	1	1	38	1	2	3	10	8	4	2	5	-	2	1
All other	27	1	-	-	6	10	6	2	-	2	-	-	6	-	-	-	3	-	1	1	1	-	-	-
Black	27	1	-	-	6	10	6	2	-	2	-	-	6	-	-	-	3	-	1	1	1	-	-	-
All other external causes (E980-E999)	13	-	-	-	3	4	-	1	1	2	1	-	7	-	-	-	2	2	1	2	-	-	-	-
White	11	-	-	-	3	3	-	1	1	1	1	-	7	-	-	-	2	2	1	2	-	-	-	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENTUCKY																								
All causes	18,824	363	71	94	529	541	653	1,394	3,273	4,917	4,725	2,264	15,400	289	53	59	197	187	336	720	1,775	3,188	4,652	3,964
White	17,356	314	66	84	496	476	585	1,278	3,008	4,559	4,376	2,114	14,168	230	48	54	170	168	303	627	1,589	2,917	4,340	3,722
All other	1,468	49	5	10	33	65	68	116	265	358	349	150	1,232	39	5	5	27	19	33	93	186	271	312	242
Black	1,456	49	5	10	33	65	68	114	261	356	345	150	1,222	39	5	5	27	17	30	92	183	270	312	242
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	18	-	-	-	-	-	-	1	1	6	8	2	12	-	-	-	-	-	1	-	-	4	3	4
White	15	-	-	-	-	-	-	1	1	6	5	2	10	-	-	-	-	-	1	-	-	4	3	2
All other	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Tuberculosis of respiratory system (010-012)	13	-	-	-	-	-	-	-	1	4	7	1	11	-	-	-	-	-	1	-	-	4	3	3
White	10	-	-	-	-	-	-	-	1	4	4	1	9	-	-	-	-	-	1	-	-	4	3	1
All other	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2
Other tuberculosis (013-018)	5	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	2	-	-	-	-	1	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-	1
White	4	2	1	-	-	-	-	1	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	110	5	-	1	1	1	2	5	28	18	35	14	107	4	-	-	-	3	-	5	10	18	32	35
White	102	5	-	1	1	1	1	5	27	16	32	13	90	3	-	-	-	2	-	5	8	18	25	29
All other	8	-	-	-	-	-	1	-	1	2	3	1	17	1	-	-	-	1	-	-	2	-	7	6
Black	8	-	-	-	-	-	1	-	1	2	3	1	17	1	-	-	-	1	-	-	2	-	7	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	3	-	-	-	-	2	-	1	-	-	-	-	10	-	-	-	1	2	-	1	2	3	1	-
White	3	-	-	-	-	2	-	1	-	-	-	-	8	-	-	-	-	2	-	-	2	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	43	1	-	1	1	1	4	3	9	14	5	4	33	-	-	2	1	1	4	3	6	6	6	4
White	38	1	-	-	1	1	4	2	8	13	4	4	30	-	-	2	1	1	3	2	6	5	6	4
All other	5	-	-	1	-	-	-	1	1	1	1	-	3	-	-	-	-	-	1	1	-	1	-	-
Black	5	-	-	1	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,132	1	5	17	18	44	127	381	988	1,315	954	282	3,184	1	7	9	25	39	126	310	669	901	784	333
White	3,768	1	5	16	16	40	116	343	904	1,210	861	256	2,920	1	6	9	22	38	118	271	613	826	715	301
All other	364	-	-	1	2	4	11	38	84	105	93	26	264	-	1	-	3	1	8	39	56	75	49	32
Black	361	-	-	1	2	4	11	37	83	104	93	26	262	-	1	-	3	1	8	38	56	74	49	32
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	90	-	-	-	1	1	5	16	21	28	13	5	42	-	-	-	-	-	1	4	8	13	9	7
White	80	-	-	-	1	1	4	13	18	27	12	4	36	-	-	-	-	-	-	4	5	11	9	7
All other	10	-	-	-	-	-	1	3	3	1	1	1	6	-	-	-	-	-	1	-	3	2	-	-
Black	10	-	-	-	-	-	1	3	3	1	1	1	6	-	-	-	-	-	1	-	3	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	920	-	-	-	1	4	26	73	211	292	235	78	846	-	1	-	2	9	10	48	128	274	257	117
White	838	-	-	-	-	4	25	68	191	258	217	75	755	-	1	-	2	8	10	40	111	245	238	102
All other	82	-	-	-	1	-	1	5	20	34	18	3	91	-	-	-	-	1	-	8	17	29	21	15
Black	81	-	-	-	1	-	1	5	19	34	18	3	90	-	-	-	-	1	-	8	17	28	21	15
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,641	-	-	-	-	1	39	173	506	576	301	41	595	-	-	-	1	2	25	68	160	201	104	34
White	1,512	-	-	-	-	1	35	158	470	537	274	37	547	-	-	-	1	2	24	58	149	187	96	30
All other	129	-	-	-	-	-	4	15	36	41	27	4	48	-	-	-	-	-	1	10	11	14	8	4
Black	127	-	-	-	-	-	4	14	36	40	27	4	48	-	-	-	-	-	1	10	11	14	8	4
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	-	2	-	511	-	-	-	-	10	41	76	124	115	102	43
White	-	-	-	-	-	-	-	-	-	-	-	-	473	-	-	-	-	10	38	67	116	108	93	41
All other	2	-	-	-	-	-	-	-	-	-	2	-	38	-	-	-	-	-	3	9	8	7	9	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	37	-	-	-	-	-	3	8	8	7	9	2
Malignant neoplasms of genital organs (179-187)	387	-	-	-	1	-	1	4	23	110	169	78	394	-	-	1	4	6	24	51	94	99	76	39
White	338	-	-	-	1	-	1	4	20	99	142	71	361	-	-	1	3	6	23	46	86	89	73	34
All other	49	-	-	-	-	-	-	-	3	11	27	8	33	-	-	-	1	-	1	5	8	10	3	5
Black	49	-	-	-	-	-	-	-	3	11	27	8	33	-	-	-	1	-	1	5	8	10	3	5
Malignant neoplasms of urinary organs (188-189)	202	-	-	-	1	2	3	16	40	68	51	21	102	-	1	-	-	-	-	5	18	39	29	10
White	184	-	-	-	-	2	2	15	38	64	46	17	97	-	1	-	-	-	-	5	18	36	29	8
All other	18	-	-	-	1	-	1	1	2	4	5	4	5	-	-	-	-	-	-	-	-	3	-	2
Black	18	-	-	-	1	-	1	1	2	4	5	4	5	-	-	-	-	-	-	-	-	3	-	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	555	1	1	12	5	22	30	78	129	135	108	34	401	-	4	6	11	7	13	39	84	82	104	51
White	501	1	1	11	5	20	27	67	115	125	99	30	374	-	4	6	10	7	12	34	76	76	100	49
All other	54	-	-	1	-	2	3	11	14	10	9	4	27	-	-	-	1	-	1	5	8	6	4	2
Black	54	-	-	1	-	2	3	11	14	10	9	4	27	-	-	-	1	-	1	5	8	6	4	2
Leukemia (204-208)	151	-	3	5	6	7	7	9	20	47	35	12	119	1	1	2	4	2	8	13	12	28	32	16
White	141	-	3	5	6	7	7	8	18	44	32	11	111	1	-	2	4	2	7	12	12	25	30	16
All other	10	-	-	-	-	-	-	1	2	3	3	1	8	-	1	-	-	-	1	1	-	3	2	-
Black	10	-	-	-	-	-	-	1	2	3	3	1	8	-	1	-	-	-	1	1	-	3	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	184	-	1	-	3	7	16	12	36	57	40	12	174	-	-	-	3	3	4	8	41	50	51	16
White	174	-	1	-	3	5	15	10	34	56	39	11	166	-	-	-	2	3	4	5	40	49	49	14
All other	10	-	-	-	-	2	1	2	2	1	1	1	8	-	-	-	1	-	-	1	1	1	2	2
Black	10	-	-	-	-	2	1	2	2	1	1	1	8	-	-	-	1	-	-	1	1	1	2	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	1	-	-	1	2	6	4	12	11	12	1	69	-	-	2	2	-	4	2	7	23	22	7
White	48	1	-	-	1	2	6	4	12	11	10	1	65	-	-	2	2	-	4	2	6	20	22	7
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	3	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	1	3	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	235	-	-	1	1	4	10	18	49	74	55	23	390	-	1	-	1	2	6	13	52	135	116	64
White	215	-	-	1	1	4	8	16	46	67	50	22	342	-	-	-	1	2	4	8	42	123	104	58
All other	20	-	-	-	-	-	2	2	3	7	5	1	48	-	1	-	-	-	2	5	10	12	12	6
Black	20	-	-	-	-	-	2	2	3	7	5	1	47	-	1	-	-	-	2	5	9	12	12	6
Nutritional deficiencies (260-269)	27	-	-	-	-	-	-	1	3	5	7	11	23	-	-	-	-	-	-	1	1	2	10	9
White	22	-	-	-	-	-	-	1	3	4	5	9	21	-	-	-	-	-	-	-	1	1	10	9
All other	5	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	1	-	1	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	1	-	1	-	-
Anemias (280-285)	34	-	-	1	-	2	2	1	6	7	8	7	40	-	-	1	-	-	-	-	5	6	12	16
White	28	-	-	-	-	-	2	1	5	6	7	7	38	-	-	-	-	-	-	-	5	6	12	15
All other	6	-	-	1	-	2	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	1
Black	6	-	-	1	-	2	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	1
Meningitis (320-322)	14	3	1	-	2	1	1	-	3	2	-	1	10	2	3	-	-	-	-	1	1	2	1	-
White	12	2	1	-	2	1	1	-	3	1	-	1	10	2	3	-	-	-	-	1	1	2	1	-
All other	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,747	9	4	2	13	51	191	585	1,468	2,468	2,590	1,366	8,054	4	2	3	13	23	67	224	657	1,517	2,864	2,880
White	8,132	7	4	1	12	41	171	548	1,357	2,297	2,417	1,277	7,452	4	2	3	12	18	55	198	582	1,387	2,671	2,520
All other	615	2	-	1	1	10	20	37	111	171	173	89	602	-	-	-	1	5	12	26	75	130	193	160
Black	612	2	-	1	1	10	20	37	110	170	172	89	600	-	-	-	1	5	11	26	74	130	193	160
Diseases of heart (390-398,402,404-429)	7,118	9	4	2	9	37	171	514	1,288	2,070	2,013	1,001	6,060	4	2	3	9	20	42	176	521	1,239	2,068	1,956
White	6,638	7	4	1	8	31	156	484	1,195	1,936	1,878	938	5,637	4	2	3	9	17	36	160	469	1,143	1,953	1,841
All other	480	2	-	1	1	6	15	30	93	134	135	63	423	-	-	-	-	3	6	16	52	96	135	115
Black	477	2	-	1	1	6	15	30	92	133	134	63	423	-	-	-	-	3	6	16	52	96	135	115
Rheumatic fever and rheumatic heart disease (390-398)	27	-	1	2	-	-	1	5	7	5	4	2	71	-	-	-	1	1	1	14	14	19	15	6
White	25	-	1	1	-	-	-	5	7	5	4	2	69	-	-	-	1	1	1	14	12	19	15	6
All other	2	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	2	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Hypertensive heart disease (402)	124	-	-	-	-	1	3	6	27	36	36	15	182	-	-	-	-	1	1	6	18	36	68	52
White	106	-	-	-	-	1	2	5	21	31	32	14	162	-	-	-	-	1	-	4	15	31	61	50
All other	18	-	-	-	-	-	1	1	6	5	4	1	20	-	-	-	-	-	1	2	3	5	7	2
Black	18	-	-	-	-	-	1	1	6	5	4	1	20	-	-	-	-	-	1	2	3	5	7	2
Hypertensive heart and renal disease (404)	23	-	-	-	-	-	-	-	2	5	6	10	28	-	-	-	-	-	-	-	1	4	18	5
White	17	-	-	-	-	-	-	-	1	3	6	7	24	-	-	-	-	-	-	-	1	4	14	5
All other	6	-	-	-	-	-	-	-	1	2	-	3	4	-	-	-	-	-	-	-	-	-	4	-
Black	6	-	-	-	-	-	-	-	1	2	-	3	4	-	-	-	-	-	-	-	-	-	4	-
Ischemic heart disease (410-414)	5,143	1	-	-	1	16	130	404	950	1,544	1,450	647	3,994	-	-	-	2	6	24	115	351	874	1,404	1,218
White	4,844	1	-	-	1	13	121	380	891	1,463	1,365	609	3,748	-	-	-	2	6	21	108	319	809	1,328	1,155
All other	299	-	-	-	-	3	9	24	59	81	85	38	246	-	-	-	-	-	3	7	32	65	76	63
Black	296	-	-	-	-	3	9	24	58	80	84	38	246	-	-	-	-	-	3	7	32	65	76	63
Acute myocardial infarction (410)	3,552	-	-	-	1	12	109	341	742	1,132	896	319	2,341	-	-	-	2	4	18	98	272	613	825	509
White	3,338	-	-	-	1	10	102	322	696	1,071	835	301	2,198	-	-	-	2	4	15	94	250	568	785	480
All other	214	-	-	-	-	2	7	19	46	61	61	18	143	-	-	-	-	-	3	4	22	45	40	29
Black	212	-	-	-	-	2	7	19	45	60	61	18	143	-	-	-	-	-	3	4	22	45	40	29
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	2	1	3	-	2	5	-	-	-	-	-	-	-	-	1	3	1
White	8	-	-	-	-	-	-	2	1	3	-	2	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	1	1	1	4	-	6	-	-	-	-	-	-	-	1	-	3	2
White	7	-	-	-	-	-	-	1	1	1	4	-	5	-	-	-	-	-	-	-	1	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,576	1	-	-	-	4	21	60	206	408	550	326	1,842	-	-	-	-	2	6	17	78	260	573	706
White	1,491	1	-	-	-	3	19	55	193	388	526	306	1,540	-	-	-	-	2	6	14	68	240	537	673
All other	85	-	-	-	-	1	2	5	13	20	24	20	102	-	-	-	-	-	-	3	10	20	36	33
Black	84	-	-	-	-	1	2	5	13	20	23	20	102	-	-	-	-	-	-	3	10	20	36	33
Other diseases of endocardium (424)	52	-	-	-	1	2	1	5	4	15	18	6	44	-	-	1	1	1	1	5	1	10	13	11
White	51	-	-	-	1	2	1	4	4	15	18	6	43	-	-	1	1	1	1	5	1	9	13	11
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,749	8	3	-	7	18	36	94	298	465	499	321	1,741	4	2	2	5	11	15	36	136	296	570	664
White	1,595	6	3	-	6	15	32	90	271	419	453	300	1,591	4	2	2	5	8	13	29	121	271	522	614
All other	154	2	-	-	1	3	4	4	27	46	46	21	150	-	-	-	-	3	2	7	15	25	48	50
Black	154	2	-	-	1	3	4	4	27	46	46	21	150	-	-	-	-	3	2	7	15	25	48	50
Hypertension with or without renal disease (401,403)	65	-	-	-	-	3	3	3	9	20	20	7	54	-	-	-	-	-	2	4	6	10	11	21
White	49	-	-	-	-	1	2	3	4	17	16	6	38	-	-	-	-	-	-	3	2	7	10	16
All other	16	-	-	-	-	2	1	-	5	3	4	1	16	-	-	-	-	-	2	1	4	3	1	5
Black	16	-	-	-	-	2	1	-	5	3	4	1	16	-	-	-	-	-	2	1	4	3	1	5
Cerebrovascular diseases (430-438)	1,213	-	-	-	3	6	15	52	138	278	448	271	1,592	-	-	-	4	3	23	36	112	221	642	551
White	1,107	-	-	-	3	7	11	46	126	248	416	252	1,452	-	-	-	3	1	19	30	95	193	593	518
All other	106	-	-	-	-	1	4	6	12	32	32	19	140	-	-	-	1	2	4	6	17	28	49	33
Black	106	-	-	-	-	1	4	6	12	32	32	19	139	-	-	-	1	2	3	6	17	28	49	33
Intracerebral and other intracranial hemorrhage (431-432)	117	-	-	-	1	6	3	9	27	30	25	16	159	-	-	-	1	-	8	8	30	30	53	29
White	105	-	-	-	1	5	1	8	25	27	24	14	141	-	-	-	1	-	6	6	25	28	52	25
All other	12	-	-	-	-	1	2	1	2	3	1	2	18	-	-	-	-	-	2	2	5	4	1	4
Black	12	-	-	-	-	1	2	1	2	3	1	2	17	-	-	-	-	-	1	2	5	4	1	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	177	-	-	-	-	-	1	5	22	37	69	43	239	-	-	-	-	-	1	6	11	24	96	101
White	160	-	-	-	-	-	1	4	21	34	60	40	220	-	-	-	-	-	1	6	10	22	89	92
All other	17	-	-	-	-	-	-	1	1	3	9	3	19	-	-	-	-	-	-	-	1	2	7	9
Black	17	-	-	-	-	-	-	1	1	3	9	3	19	-	-	-	-	-	-	-	1	2	7	9
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	3	-	-	7	-	-	-	-	-	-	-	1	-	4	2
White	4	-	-	-	-	-	-	1	-	3	-	-	7	-	-	-	-	-	-	-	1	-	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	915	-	-	-	2	2	11	37	89	208	354	212	1,187	-	-	-	3	3	14	22	70	167	489	419
White	838	-	-	-	2	2	9	33	80	182	332	188	1,084	-	-	-	2	1	12	18	59	145	448	399
All other	77	-	-	-	-	-	2	4	9	26	22	14	103	-	-	-	1	2	2	4	11	22	41	20
Black	77	-	-	-	-	-	2	4	9	26	22	14	103	-	-	-	1	2	2	4	11	22	41	20
Atherosclerosis (440)	137	-	-	-	-	-	-	4	7	20	47	59	214	-	-	-	-	-	-	3	4	15	81	111
White	132	-	-	-	-	-	-	4	7	19	46	56	203	-	-	-	-	-	-	2	4	15	75	107
All other	5	-	-	-	-	-	-	-	-	1	1	3	11	-	-	-	-	-	-	1	-	-	6	4
Black	5	-	-	-	-	-	-	-	-	1	1	3	11	-	-	-	-	-	-	1	-	-	6	4
Other diseases of arteries, arterioles, and capillaries (441-448)	214	-	-	-	1	3	2	12	26	80	62	28	134	-	-	-	-	-	-	5	14	32	42	41
White	206	-	-	-	1	2	2	11	25	79	61	25	122	-	-	-	-	-	-	3	12	29	40	38
All other	8	-	-	-	-	1	-	1	1	1	1	3	12	-	-	-	-	-	-	2	2	3	2	3
Black	8	-	-	-	-	1	-	1	1	1	1	3	11	-	-	-	-	-	-	2	1	3	2	3
Acute bronchitis and bronchiolitis (466)	4	2	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	4	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	499	9	3	3	3	9	4	14	43	98	170	143	453	5	2	2	2	1	3	5	22	52	144	215
White	465	7	2	3	3	7	4	14	41	92	157	135	431	4	1	2	2	1	3	4	16	50	138	210
All other	34	2	1	-	-	2	-	-	2	6	13	8	22	1	1	-	-	-	-	1	6	2	6	5
Black	34	2	1	-	-	2	-	-	2	6	13	8	22	1	1	-	-	-	-	1	6	2	6	5
Pneumonia (480-486)	488	9	3	3	3	9	4	13	43	94	167	140	445	5	2	2	2	1	3	5	22	50	142	211
White	454	7	2	3	3	7	4	13	41	88	154	132	423	4	1	2	2	1	3	4	16	48	136	206
All other	34	2	1	-	-	2	-	-	2	6	13	8	22	1	1	-	-	-	-	1	6	2	6	5
Black	34	2	1	-	-	2	-	-	2	6	13	8	22	1	1	-	-	-	-	1	6	2	6	5
Influenza (487)	11	-	-	-	-	-	-	1	-	4	3	3	8	-	-	-	-	-	-	-	-	2	2	4
White	11	-	-	-	-	-	-	1	-	4	3	3	8	-	-	-	-	-	-	-	-	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	936	-	-	-	4	3	5	33	158	338	308	87	395	-	-	-	-	1	6	20	79	123	109	57
White	896	-	-	-	2	3	4	30	147	327	300	83	381	-	-	-	-	1	6	19	78	116	106	55
All other	40	-	-	-	2	-	1	3	11	11	8	4	14	-	-	-	-	-	-	1	1	7	3	2
Black	38	-	-	-	2	-	1	3	10	11	7	4	14	-	-	-	-	-	-	1	1	7	3	2
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	2	-	-	-	11	15	11	6	19	-	-	-	-	-	-	1	3	7	5	3
White	43	-	-	-	2	-	-	-	10	14	11	6	19	-	-	-	-	-	-	1	3	7	5	3
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	172	-	-	-	-	1	2	9	43	62	44	11	73	-	-	-	-	-	2	6	19	16	17	13
White	166	-	-	-	-	1	2	8	42	60	44	9	72	-	-	-	-	-	2	6	19	16	16	13
All other	6	-	-	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	22	-	-	-	2	2	-	3	3	6	5	1	26	-	-	-	-	1	-	1	5	10	5	4
White	17	-	-	-	-	2	-	1	2	6	5	1	25	-	-	-	-	1	-	-	5	10	5	4
All other	5	-	-	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	5	-	-	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	697	-	-	-	-	-	3	21	101	255	248	69	277	-	-	-	-	-	4	12	52	90	82	37
White	670	-	-	-	-	-	2	21	93	247	240	67	265	-	-	-	-	-	4	12	51	83	80	35
All other	27	-	-	-	-	-	1	-	8	8	8	2	12	-	-	-	-	-	-	-	1	7	2	2
Black	26	-	-	-	-	-	1	-	8	8	7	2	12	-	-	-	-	-	-	-	1	7	2	2
Ulcer of stomach and duodenum (531-533)	49	-	-	-	-	-	3	4	11	11	11	8	45	-	-	-	-	1	2	1	7	8	12	14
White	45	-	-	-	-	-	2	4	10	10	11	8	44	-	-	-	-	1	2	1	7	7	12	14
All other	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	7	-	-	1	-	1	-	2	-	-	3	-	8	-	-	1	-	-	-	-	1	1	2	3
White	7	-	-	1	-	1	-	2	-	-	3	-	7	-	-	1	-	-	-	-	1	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	-	-	-	2	1	-	1	4	8	5	5	50	-	-	-	-	1	-	1	4	6	19	19
White	20	-	-	-	2	-	-	1	3	6	4	4	44	-	-	-	-	1	-	1	3	4	17	18
All other	6	-	-	-	-	1	-	-	1	2	1	1	6	-	-	-	-	-	-	-	1	2	2	1
Black	6	-	-	-	-	1	-	-	1	2	1	1	6	-	-	-	-	-	-	-	1	2	2	1
Chronic liver disease and cirrhosis (571)	239	-	-	-	-	7	24	61	68	57	22	-	110	-	-	1	-	3	7	23	29	27	18	4
White	225	-	-	-	-	6	24	58	63	53	21	-	100	-	-	1	-	3	7	18	25	26	16	4
All other	14	-	-	-	-	1	-	3	5	4	1	-	10	-	-	-	-	-	-	5	4	1	-	-
Black	13	-	-	-	-	1	-	3	4	4	1	-	10	-	-	-	-	-	-	5	4	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	26	-	-	-	-	-	-	-	5	7	11	3	37	-	-	-	1	-	1	-	2	11	12	10
White	24	-	-	-	-	-	-	-	5	6	11	2	34	-	-	-	1	-	1	-	1	10	11	10
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	180	5	-	-	1	1	2	5	29	32	56	49	153	3	-	-	1	1	3	5	19	34	49	38
White	158	5	-	-	1	1	2	3	25	26	50	45	126	1	-	-	1	1	3	3	12	29	41	35
All other	22	-	-	-	-	-	-	2	4	6	6	4	27	2	-	-	-	-	-	2	7	5	8	3
Black	22	-	-	-	-	-	-	2	4	6	6	4	27	2	-	-	-	-	-	2	7	5	8	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	1	-	1
White	4	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	-	-	1	-	-	2	3	6	4	15	-	-	-	-	-	1	1	-	5	2	6
White	15	-	-	-	-	1	-	-	2	2	6	4	14	-	-	-	-	-	1	1	-	4	2	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	160	5	-	-	1	-	2	5	27	29	47	44	136	3	-	-	1	1	2	4	19	28	47	31
White	139	5	-	-	1	-	2	3	23	24	41	40	111	1	-	-	1	1	2	2	12	25	39	28
All other	21	-	-	-	-	-	-	2	4	5	6	4	25	2	-	-	-	-	-	2	7	3	8	3
Black	21	-	-	-	-	-	-	2	4	5	6	4	25	2	-	-	-	-	-	2	7	3	8	3
Infections of kidney (590)	11	-	-	-	-	-	-	-	1	1	4	5	35	1	-	-	-	1	-	1	4	6	12	10
White	11	-	-	-	-	-	-	-	1	1	4	5	30	1	-	-	-	1	-	1	4	3	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	3	2	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	1	-	-	5	---	---	---	---	---	---	---	---	---	---	---	---
White	5	-	-	-	-	-	-	-	1	-	-	4	---	---	---	---	---	---	---	---	---	---	---	---
All other	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
Black	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	2	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	117	80	7	3	7	1	2	1	3	5	8	-	113	79	4	5	5	3	3	2	4	3	3	2
White	106	70	7	3	7	1	2	1	3	5	7	-	104	74	4	4	3	3	3	2	3	3	3	2
All other	11	10	-	-	-	-	-	-	-	-	1	-	9	5	-	1	2	-	-	-	1	-	-	-
Black	11	10	-	-	-	-	-	-	-	-	1	-	9	5	-	1	2	-	-	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	180	179	1	-	-	-	-	-	-	-	-	-	114	112	1	-	-	-	-	-	-	-	1	-
White	159	157	1	-	-	-	-	-	-	-	-	-	90	89	-	-	-	-	-	-	-	-	1	-
All other	22	22	-	-	-	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
Black	22	22	-	-	-	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	60	60	-	-	-	-	-	-	-	-	-	-	38	37	1	-	-	-	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	120	119	1	-	-	-	-	-	-	-	-	-	76	75	-	-	-	-	-	-	-	-	1	-
White	104	103	1	-	-	-	-	-	-	-	-	-	58	57	-	-	-	-	-	-	-	-	1	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	16	16	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	109	35	1	-	1	6	3	5	12	15	13	18	122	37	-	-	1	3	4	3	8	15	16	35
White	90	25	1	-	1	4	2	4	12	12	12	17	109	33	-	-	1	3	3	2	6	15	13	33
All other	19	10	-	-	-	2	1	1	-	3	1	1	13	4	-	-	-	-	1	1	2	-	3	2
Black	19	10	-	-	-	2	1	1	-	3	1	1	13	4	-	-	-	-	1	1	2	-	3	2
All other diseases (Residual)	1,179	22	11	9	22	33	41	91	198	274	307	171	1,108	13	8	10	15	14	31	46	105	218	326	324
White	1,065	20	10	9	22	28	31	72	177	251	283	162	1,025	10	8	9	13	13	26	37	92	198	313	306
All other	114	2	1	-	-	5	10	19	21	23	24	9	83	3	-	1	2	1	5	9	13	18	13	18
Black	113	2	1	-	-	5	10	19	21	23	23	9	82	3	-	1	2	1	5	9	12	18	13	18
Accidents and adverse effects (E800-E949)	1,252	9	36	48	352	233	127	111	107	95	87	47	517	6	20	22	86	56	35	28	47	55	88	74
White	1,167	9	34	43	338	217	118	106	94	87	76	45	475	6	19	20	83	50	33	28	42	47	76	71
All other	85	-	2	5	14	16	9	5	13	8	11	2	42	-	1	2	3	6	2	-	5	8	12	3
Black	84	-	2	5	14	16	9	4	13	8	11	2	41	-	1	2	3	5	2	-	5	8	12	3
Motor vehicle accidents (E810-E825)	592	1	11	26	224	135	57	46	34	30	20	8	225	2	13	16	68	35	23	11	22	17	18	2
White	565	1	10	24	221	128	51	44	31	29	18	8	213	2	13	14	66	33	21	11	21	16	14	2
All other	27	-	1	2	3	7	6	2	3	1	2	-	12	-	-	2	2	2	2	-	1	1	2	-
Black	26	-	1	2	3	7	6	1	3	1	2	-	11	-	-	2	2	1	2	-	1	1	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	660	8	25	22	128	98	70	65	73	65	67	39	292	4	7	6	18	21	12	17	25	38	72	72
White	602	8	24	19	117	89	67	62	63	58	58	37	262	4	6	6	17	17	12	17	21	31	62	69
All other	58	-	1	3	11	9	3	3	10	7	9	2	30	-	1	-	1	4	-	-	4	7	10	3
Black	58	-	1	3	11	9	3	3	10	7	9	2	30	-	1	-	1	4	-	-	4	7	10	3
Suicide (E950-E959)	375	...	...	4	58	76	52	44	48	42	42	9	108	...	...	-	18	18	18	15	25	12	2	1
White	361	...	...	3	57	71	50	41	47	41	42	9	107	...	...	-	17	18	17	15	25	12	2	1
All other	14	...	...	1	1	5	2	3	1	1	-	-	2	...	...	-	1	-	1	-	-	-	-	-
Black	14	...	...	1	1	5	2	3	1	1	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	196	-	-	2	42	57	43	20	18	12	1	1	78	1	3	1	23	12	12	8	8	2	7	1
White	148	-	-	2	29	41	34	18	13	9	1	1	56	1	3	1	9	7	11	8	7	1	7	1
All other	48	-	-	-	13	16	9	2	5	3	-	-	22	-	-	-	14	5	1	-	1	1	-	-
Black	48	-	-	-	13	16	9	2	5	3	-	-	21	-	-	-	14	4	1	-	1	1	-	-
All other external causes (E980-E999)	14	-	-	1	-	5	3	1	-	2	1	1	10	-	-	-	1	-	3	2	1	-	1	2
White	13	-	-	1	-	4	3	1	-	2	1	1	9	-	-	-	1	-	3	1	1	-	1	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,643	624	134	154	754	834	864	1,667	3,478	4,973	4,367	1,782	16,766	491	77	94	270	341	481	905	2,218	3,736	4,752	3,392
White	13,184	283	69	91	473	467	509	1,052	2,378	3,469	3,105	1,281	11,311	208	40	48	150	196	258	514	1,395	2,442	3,447	2,610
All other	6,459	341	65	63	281	367	355	615	1,100	1,504	1,262	501	5,455	283	37	46	120	145	223	391	823	1,294	1,305	782
Black	6,399	338	63	62	272	360	350	606	1,092	1,497	1,258	496	5,420	277	36	44	120	143	220	387	820	1,287	1,296	782
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
White	3	3	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	43	-	-	-	-	1	2	10	8	12	8	2	11	-	-	-	-	1	2	1	1	4	1	1
White	18	-	-	-	-	-	-	6	3	5	4	1	6	-	-	-	-	-	1	1	1	3	-	-
All other	24	-	-	-	-	1	2	4	5	7	4	1	5	-	-	-	-	1	1	-	-	1	1	1
Black	24	-	-	-	-	1	2	4	5	7	4	1	5	-	-	-	-	1	1	-	-	1	1	1
Tuberculosis of respiratory system (010-012)	38	-	-	-	-	-	1	10	8	11	6	2	7	-	-	-	-	-	1	1	1	2	1	1
White	16	-	-	-	-	-	-	6	3	4	2	1	5	-	-	-	-	-	1	1	1	2	-	-
All other	22	-	-	-	-	-	1	4	5	7	4	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	22	-	-	-	-	-	1	4	5	7	4	1	2	-	-	-	-	-	-	-	-	-	1	1
Other tuberculosis (013-018)	5	-	-	-	-	1	1	-	-	1	2	-	4	-	-	-	-	1	1	-	-	2	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	1	1	-	-	1	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	1	1	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	1	3	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
White	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	1	1	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	3	1	1	-	-	-	-	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Septicemia (038)	172	10	3	-	3	5	4	12	23	36	56	20	214	7	1	2	4	1	6	8	27	48	70	40
White	104	7	2	-	2	3	3	6	15	21	30	15	123	1	-	-	2	-	2	3	12	29	44	30
All other	68	3	1	-	1	2	1	6	8	15	26	5	91	6	1	2	2	1	4	5	15	19	26	10
Black	68	3	1	-	1	2	1	6	8	15	26	5	91	6	1	2	2	1	4	5	15	19	26	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	1	-	-	1	2	2	2	1	2	-	2	6	-	-	-	1	2	-	2	-	-	1	-
White	5	-	-	-	-	-	1	1	1	1	-	1	4	-	-	-	-	1	-	2	-	-	1	-
All other	8	1	-	-	1	2	1	1	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-	-
Black	7	1	-	-	1	2	1	-	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	49	6	-	3	2	3	3	7	5	9	7	4	47	4	2	3	1	4	3	6	8	8	5	3
White	31	2	-	1	2	3	2	4	5	5	5	2	31	2	2	3	1	2	-	3	6	6	4	2
All other	18	4	-	2	-	-	1	3	-	4	2	2	16	2	-	-	-	2	3	3	2	2	1	1
Black	18	4	-	2	-	-	1	3	-	4	2	2	16	2	-	-	-	2	3	3	2	2	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,268	1	5	21	21	43	136	401	1,070	1,405	927	238	3,402	-	3	14	17	58	158	306	755	973	798	315
White	2,981	-	4	15	14	30	88	265	761	989	648	167	2,398	-	1	11	9	31	90	212	530	686	580	247
All other	1,287	1	1	6	7	13	48	136	309	416	279	69	1,004	-	2	3	8	27	68	96	225	287	218	68
Black	1,275	1	1	6	7	13	48	134	305	412	279	67	988	-	2	3	8	26	68	94	223	282	213	68

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA.—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	105	-	-	-	-	-	2	12	34	36	17	4	54	-	-	1	-	1	1	6	18	11	8	8
White	72	-	-	-	-	-	1	3	25	26	14	3	38	-	-	1	-	1	-	4	8	9	7	8
All other	33	-	-	-	-	-	1	9	9	10	3	1	16	-	-	-	-	-	1	2	10	2	1	-
Black	33	-	-	-	-	-	1	9	9	10	3	1	16	-	-	-	-	-	1	2	10	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	972	-	-	-	1	13	23	96	248	315	216	60	882	-	-	-	-	6	19	63	152	229	276	115
White	643	-	-	-	-	7	12	60	160	202	152	50	588	-	-	-	-	4	8	44	97	144	188	82
All other	329	-	-	-	1	6	11	36	88	113	64	10	294	-	-	-	-	2	11	19	55	85	88	33
Black	328	-	-	-	1	6	11	36	88	113	64	9	286	-	-	-	-	2	11	18	55	83	85	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,682	-	-	2	2	2	49	179	514	583	312	47	629	-	-	-	1	2	18	69	195	217	102	25
White	1,216	-	-	2	2	1	31	115	372	434	222	37	465	-	-	-	1	1	12	47	146	162	75	21
All other	476	-	-	-	-	1	18	64	142	149	90	10	164	-	-	-	-	1	6	22	49	55	27	4
Black	469	-	-	-	-	1	18	63	139	148	90	10	163	-	-	-	-	1	6	22	49	54	27	4
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	2	-	-	-	543	-	-	-	-	16	53	73	122	141	93	45
White	2	-	-	-	-	-	-	-	2	-	-	-	391	-	-	-	-	8	34	53	87	101	70	38
All other	-	-	-	-	-	-	-	-	-	-	-	-	152	-	-	-	-	8	19	20	35	40	23	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	151	-	-	-	-	8	19	20	34	40	23	7
Malignant neoplasms of genital organs (179-187)	430	-	-	-	1	3	2	1	41	152	171	59	369	-	-	-	-	8	22	38	98	110	70	23
White	239	-	-	-	1	3	2	-	27	83	83	30	241	-	-	-	-	1	7	24	67	72	51	19
All other	191	-	-	-	-	-	-	1	14	69	78	29	128	-	-	-	-	7	15	14	31	38	19	4
Black	190	-	-	-	-	-	-	1	14	69	78	28	125	-	-	-	-	7	15	14	30	38	17	4
Malignant neoplasms of urinary organs (188-189)	159	-	1	-	1	1	4	13	35	52	38	14	105	-	1	2	1	1	1	3	22	30	37	7
White	119	-	1	-	-	-	2	12	27	40	27	10	74	-	-	2	-	-	-	3	16	24	24	5
All other	40	-	-	-	1	1	2	1	8	12	11	4	31	-	1	-	1	1	1	-	6	6	13	2
Black	40	-	-	-	1	1	2	1	8	12	11	4	31	-	1	-	1	1	1	-	6	6	13	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	588	1	3	11	9	14	33	66	137	185	104	25	536	-	1	6	3	11	31	38	111	150	119	65
White	442	-	3	7	6	10	22	49	107	139	82	17	392	-	1	4	2	7	21	24	78	115	88	52
All other	146	1	-	4	3	4	11	17	30	46	22	8	144	-	-	2	1	4	10	14	33	35	31	13
Black	144	1	-	4	3	4	11	16	29	46	22	8	142	-	-	2	1	3	10	14	33	34	31	13
Leukemia (204-208)	146	-	1	4	6	5	9	14	17	34	39	17	112	-	1	5	4	6	8	8	10	29	29	12
White	121	-	-	3	4	5	8	11	10	30	36	14	86	-	-	4	4	5	5	7	7	19	23	12
All other	25	-	1	1	2	-	1	3	7	4	3	3	26	-	1	1	-	1	3	1	3	10	6	-
Black	25	-	1	1	2	-	1	3	7	4	3	3	26	-	1	1	-	1	3	1	3	10	6	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	174	-	-	4	1	5	14	20	42	46	30	10	192	-	-	-	6	7	5	10	27	56	64	15
White	127	-	-	3	1	4	10	15	31	35	22	6	143	-	-	-	2	4	3	6	24	40	54	10
All other	47	-	-	1	-	1	4	5	11	13	8	4	49	-	-	-	6	3	2	4	3	16	10	5
Black	46	-	-	1	-	1	4	5	11	12	8	4	47	-	-	-	6	3	2	3	3	15	10	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	55	1	-	1	2	4	3	5	9	16	8	6	81	-	-	2	2	4	5	8	12	25	18	7
White	45	1	-	-	2	4	3	5	8	11	5	6	56	-	-	1	1	3	5	5	8	17	14	4
All other	10	-	-	1	-	-	-	-	1	5	3	-	25	-	-	1	1	1	-	1	6	8	4	3
Black	10	-	-	1	-	-	-	-	1	5	3	-	25	-	-	1	1	1	-	1	6	8	4	3
Diabetes mellitus (250)	313	-	-	-	-	9	13	30	64	97	74	26	535	-	1	-	2	8	16	25	87	152	178	66
White	184	-	-	-	-	3	8	9	37	60	48	19	303	-	-	-	1	3	5	6	42	88	117	41
All other	129	-	-	-	-	6	5	21	27	37	26	7	232	-	1	-	1	5	11	19	45	64	61	25
Black	129	-	-	-	-	6	5	21	27	37	26	7	232	-	1	-	1	5	11	19	45	64	61	25
Nutritional deficiencies (260-269)	25	-	-	-	1	-	-	2	4	8	6	3	18	-	-	-	-	-	-	-	-	4	8	6
White	10	-	-	-	-	-	-	1	1	4	2	2	13	-	-	-	-	-	-	-	-	2	6	5
All other	15	-	-	-	1	-	-	1	3	4	4	1	5	-	-	-	-	-	-	-	-	2	2	1
Black	15	-	-	-	1	-	-	1	3	4	4	1	5	-	-	-	-	-	-	-	-	2	2	1
Anemias (280-285)	31	-	2	1	2	-	1	1	5	6	7	6	47	3	2	1	3	3	4	2	2	5	13	9
White	14	-	-	-	-	-	-	-	3	4	3	4	30	2	-	-	1	-	2	2	-	4	13	6
All other	17	-	2	1	2	-	1	1	2	2	4	2	17	1	2	1	2	3	2	-	2	1	-	3
Black	17	-	2	1	2	-	1	1	2	2	4	2	17	1	2	1	2	3	2	-	2	1	-	3
Meningitis (320-322)	20	10	3	1	1	2	-	1	1	1	-	-	19	7	1	1	2	-	1	-	2	3	2	-
White	7	4	2	-	1	-	-	-	-	-	-	-	10	1	1	1	1	-	1	-	2	2	1	-
All other	13	6	1	1	-	2	-	1	1	1	-	-	9	6	-	-	1	-	-	-	-	1	1	-
Black	13	6	1	1	-	2	-	1	1	1	-	-	9	6	-	-	1	-	-	-	-	1	1	-
Major cardiovascular diseases (390-448)	8,605	19	9	6	26	87	228	700	1,601	2,422	2,399	1,104	8,502	18	2	3	18	29	123	319	901	1,871	2,665	2,351
White	5,909	7	6	4	12	42	139	441	1,081	1,685	1,707	782	5,748	6	1	1	7	13	55	144	507	1,152	2,066	1,798
All other	2,696	12	3	2	14	45	89	259	520	737	692	322	2,754	12	1	2	11	16	68	175	394	719	799	555
Black	2,683	12	3	2	13	45	87	258	518	735	689	320	2,749	12	1	2	11	16	67	175	393	718	797	555

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,892	17	9	5	22	68	189	588	1,338	1,974	1,835	844	6,374	17	2	2	15	22	77	241	723	1,430	2,145	1,698
White	4,618	6	6	3	10	32	123	394	929	1,392	1,319	601	4,310	5	1	1	6	10	32	107	410	904	1,555	1,279
All other	2,074	11	3	2	12	36	66	194	409	582	516	243	2,064	12	1	1	9	12	45	134	313	526	590	419
Black	2,064	11	3	2	11	36	65	193	407	580	514	242	2,058	12	1	1	9	12	44	134	312	525	586	419
Rheumatic fever and rheumatic heart disease (390-398)	14	-	-	1	2	2	-	1	3	3	1	1	36	-	-	-	-	3	7	1	6	13	5	1
White	9	-	-	1	-	1	-	1	3	2	1	-	18	-	-	-	-	1	2	-	3	8	3	1
All other	5	-	-	-	2	1	-	-	-	1	-	1	18	-	-	-	-	2	5	1	3	5	2	-
Black	5	-	-	-	2	1	-	-	-	1	-	1	18	-	-	-	-	2	5	1	3	5	2	-
Hypertensive heart disease (402)	304	-	-	-	-	-	5	25	64	112	67	31	366	-	-	-	-	-	11	30	55	102	110	58
White	126	-	-	-	-	-	-	7	23	44	38	14	141	-	-	-	-	-	-	6	11	37	49	38
All other	178	-	-	-	-	-	5	18	41	68	29	17	225	-	-	-	-	-	11	24	44	65	61	20
Black	178	-	-	-	-	-	5	18	41	68	29	17	224	-	-	-	-	-	11	24	44	64	61	20
Hypertensive heart and renal disease (404)	27	-	-	-	-	-	2	4	2	6	10	3	49	-	-	-	-	1	1	1	6	9	21	10
White	8	-	-	-	-	-	1	-	-	2	4	1	21	-	-	-	-	1	-	-	-	3	13	4
All other	19	-	-	-	-	-	1	4	2	4	6	2	28	-	-	-	-	-	1	1	6	6	8	6
Black	19	-	-	-	-	-	1	4	2	4	6	2	28	-	-	-	-	-	1	1	6	6	8	6
Ischemic heart disease (410-414)	4,684	1	-	-	2	35	128	442	955	1,360	1,227	531	3,926	-	-	-	4	6	36	135	435	913	1,966	1,090
White	3,500	-	-	-	2	19	97	325	705	1,036	918	395	2,830	-	-	-	3	4	23	67	276	628	1,024	605
All other	1,184	1	-	-	-	16	31	117	250	324	309	136	1,096	-	-	-	1	2	13	68	159	285	342	225
Black	1,179	1	-	-	-	16	31	116	249	322	309	135	1,092	-	-	-	1	2	12	68	158	285	340	225
Acute myocardial infarction (410)	2,815	-	-	-	1	29	96	322	645	853	665	203	2,039	-	-	-	3	5	30	94	295	581	672	358
White	2,131	-	-	-	1	16	79	241	481	659	507	146	1,475	-	-	-	2	3	18	56	189	413	510	284
All other	684	-	-	-	-	13	17	81	164	194	158	57	564	-	-	-	1	2	12	38	106	168	162	74
Black	682	-	-	-	-	13	17	80	163	194	158	57	562	-	-	-	1	2	11	38	105	168	162	74
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	1	1	3	1	3	1	-	9	-	-	-	-	-	1	2	3	2	-	1
White	5	-	-	-	-	-	1	1	1	2	-	-	4	-	-	-	-	-	1	1	1	1	-	-
All other	5	-	-	-	-	1	-	2	-	1	1	-	5	-	-	-	-	-	-	1	2	1	-	1
Black	5	-	-	-	-	1	-	2	-	1	1	-	5	-	-	-	-	-	-	1	2	1	-	1
Angina pectoris (413)	7	-	-	-	-	1	-	-	1	4	1	-	6	-	-	-	-	-	-	-	1	2	1	2
White	3	-	-	-	-	-	-	-	1	2	-	-	5	-	-	-	-	-	-	-	1	1	1	2
All other	4	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,852	1	-	-	1	4	31	117	306	500	500	328	1,872	-	-	-	1	1	5	39	136	328	693	669
White	1,361	-	-	-	1	3	17	83	222	373	411	249	1,346	-	-	-	1	1	4	10	85	213	513	519
All other	491	1	-	-	-	1	14	34	86	127	149	79	526	-	-	-	-	-	1	29	51	115	180	150
Black	488	1	-	-	-	1	14	34	86	125	149	78	524	-	-	-	-	-	1	29	51	115	178	150
Other diseases of endocardium (424)	61	-	1	-	2	2	1	3	9	19	19	5	73	-	-	-	1	-	1	3	6	20	25	17
White	43	-	1	-	-	-	1	3	8	12	15	3	55	-	-	-	-	-	1	1	5	14	23	11
All other	18	-	-	-	2	2	-	-	1	7	4	2	18	-	-	-	1	-	-	2	1	6	2	6
Black	17	-	-	-	2	2	-	-	1	7	3	2	18	-	-	-	1	-	-	2	1	6	2	6
All other forms of heart disease (415-423,425-429)	1,802	16	8	4	16	29	53	113	305	474	511	273	1,924	17	2	2	10	12	21	71	215	373	618	582
White	1,132	6	5	2	8	12	24	58	190	296	343	188	1,245	5	1	1	3	4	6	33	115	214	443	420
All other	670	10	3	2	8	17	29	55	115	178	168	85	679	12	1	1	7	8	15	38	100	159	175	162
Black	668	10	3	2	7	17	28	55	114	178	167	85	679	12	1	1	7	8	15	38	100	159	175	162
Hypertension with or without renal disease (401,403)	57	-	-	-	-	-	2	7	10	12	18	7	77	-	-	-	-	1	4	1	10	22	21	18
White	30	-	-	-	-	-	-	1	4	7	12	6	43	-	-	-	-	-	2	-	4	11	15	11
All other	27	-	-	-	-	-	2	6	6	5	6	1	34	-	-	-	-	1	2	1	6	11	6	7
Black	27	-	-	-	-	-	2	6	6	5	6	1	34	-	-	-	-	1	2	1	6	11	6	7
Cerebrovascular diseases (430-438)	1,193	2	-	1	4	17	31	69	182	323	384	180	1,632	1	-	-	3	6	40	67	123	342	564	486
White	721	1	-	1	2	8	12	26	96	193	260	122	1,100	1	-	-	1	3	20	31	71	190	397	386
All other	472	1	-	-	2	9	19	43	86	130	124	58	532	-	-	-	2	3	20	36	52	152	167	100
Black	469	1	-	-	2	9	18	43	86	130	123	57	532	-	-	-	2	3	20	36	52	152	167	100
Intracerebral and other intracranial hemorrhage (431-432)	148	1	-	-	1	9	10	26	29	33	33	6	166	1	-	-	1	4	14	16	28	37	41	24
White	80	1	-	-	1	6	3	5	16	19	26	3	109	1	-	-	-	3	6	6	18	24	30	21
All other	68	-	-	-	-	3	7	21	13	14	7	3	57	-	-	-	1	1	8	10	10	13	11	3
Black	67	-	-	-	-	3	6	21	13	14	7	3	57	-	-	-	1	1	8	10	10	13	11	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	181	1	-	-	-	-	2	8	24	50	65	31	261	-	-	-	-	-	2	3	17	42	104	93
White	110	-	-	-	-	-	1	5	14	23	44	23	187	-	-	-	-	-	1	2	13	22	75	74
All other	71	1	-	-	-	-	1	3	10	27	21	8	74	-	-	-	-	-	1	1	4	20	29	19
Black	71	1	-	-	-	-	1	3	10	27	21	8	74	-	-	-	-	-	1	1	4	20	29	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	2	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	861	-	-	1	3	8	19	35	128	240	285	142	1,201	-	-	-	2	2	24	48	78	261	418	368
White	529	-	-	1	1	2	8	16	65	151	189	96	801	-	-	-	1	-	13	23	40	143	291	290
All other	332	-	-	-	2	6	11	19	63	89	96	46	400	-	-	-	1	2	11	25	38	118	127	78
Black	330	-	-	-	2	6	11	19	63	89	95	45	400	-	-	-	1	2	11	25	38	118	127	78
Atherosclerosis (440)	291	-	-	-	-	-	5	24	44	54	104	60	306	-	-	-	-	-	1	8	23	51	93	130
White	205	-	-	-	-	-	3	12	33	40	73	44	220	-	-	-	-	-	-	4	13	33	64	108
All other	86	-	-	-	-	-	2	12	11	14	31	16	86	-	-	-	-	-	1	4	10	18	29	24
Black	86	-	-	-	-	-	2	12	11	14	31	16	86	-	-	-	-	-	1	4	10	18	29	24
Other diseases of arteries, arterioles, and capillaries (441-448)	172	-	-	-	-	2	1	12	27	59	58	13	113	-	-	1	-	-	1	2	22	26	42	19
White	135	-	-	-	-	2	1	8	19	53	43	9	75	-	-	-	-	-	1	2	9	14	35	14
All other	37	-	-	-	-	-	-	4	8	6	15	4	38	-	-	1	-	-	-	-	13	12	7	5
Black	37	-	-	-	-	-	-	4	8	6	15	4	38	-	-	1	-	-	-	-	13	12	7	5
Acute bronchitis and bronchiolitis (466)	7	1	-	-	-	-	-	-	-	3	1	2	6	2	-	-	-	-	-	-	1	1	1	1
White	4	-	-	-	-	-	-	-	-	1	1	2	4	1	-	-	-	-	-	-	1	1	-	1
All other	3	1	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	3	1	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	414	24	6	2	1	3	12	18	49	90	119	90	325	17	2	3	2	4	8	10	27	31	85	136
White	278	8	3	1	1	-	3	9	31	64	83	75	236	7	1	1	1	2	3	4	12	19	66	120
All other	136	16	3	1	-	3	9	9	18	26	36	15	89	10	1	2	1	2	5	6	15	12	19	16
Black	135	16	3	1	-	3	9	9	17	26	36	15	89	10	1	2	1	2	5	6	15	12	19	16
Pneumonia (480-486)	408	24	5	2	1	3	12	18	48	87	119	89	319	17	2	3	2	4	8	10	27	31	82	133
White	273	8	2	1	1	-	3	9	30	62	83	74	230	7	1	1	1	2	3	4	12	19	63	117
All other	135	16	3	1	-	3	9	9	18	25	36	15	89	10	1	2	1	2	5	6	15	12	19	16
Black	134	16	3	1	-	3	9	9	17	25	36	15	89	10	1	2	1	2	5	6	15	12	19	16
Influenza (487)	6	-	1	-	-	-	-	-	1	3	-	1	6	-	-	-	-	-	-	-	-	-	3	3
White	5	-	1	-	-	-	-	-	1	2	-	1	6	-	-	-	-	-	-	-	-	-	3	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	675	1	-	2	1	5	8	20	104	247	219	68	359	-	-	1	3	4	9	15	66	123	114	24
White	536	-	-	-	-	2	1	17	80	193	190	53	296	-	-	-	1	1	5	7	50	112	102	18
All other	139	1	-	2	1	3	7	3	24	54	29	15	63	-	-	1	2	3	4	8	16	11	12	6
Black	138	1	-	2	1	3	7	2	24	54	29	15	63	-	-	1	2	3	4	8	16	11	12	6
Bronchitis, chronic and unspecified (490-491)	46	1	-	-	-	-	-	4	3	19	13	6	14	-	-	-	1	1	-	-	2	4	5	1
White	38	-	-	-	-	-	-	4	3	15	13	3	13	-	-	-	1	-	-	-	2	4	5	1
All other	8	1	-	-	-	-	-	-	-	4	-	3	1	-	-	-	-	1	-	-	-	-	-	-
Black	8	1	-	-	-	-	-	-	-	4	-	3	1	-	-	-	-	1	-	-	-	-	-	-
Emphysema (492)	135	-	-	-	-	-	2	5	24	54	39	11	55	-	-	-	-	-	1	2	7	27	17	1
White	106	-	-	-	-	-	-	3	20	39	35	9	47	-	-	-	-	-	-	1	5	26	14	1
All other	29	-	-	-	-	-	2	2	4	15	4	2	8	-	-	-	-	-	1	1	2	1	3	-
Black	29	-	-	-	-	-	2	2	4	15	4	2	8	-	-	-	-	-	1	1	2	1	3	-
Asthma (493)	38	-	-	2	-	3	4	2	8	7	10	2	53	-	-	1	2	2	4	4	12	10	14	4
White	21	-	-	-	-	1	-	2	5	4	8	1	33	-	-	-	-	1	2	-	7	6	13	4
All other	17	-	-	2	-	2	4	-	3	3	2	1	20	-	-	1	2	1	2	4	5	4	1	-
Black	17	-	-	2	-	2	4	-	3	3	2	1	20	-	-	1	2	1	2	4	5	4	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	456	-	-	-	1	2	2	9	69	167	157	49	237	-	-	-	-	1	4	9	45	82	78	18
White	371	-	-	-	-	1	1	8	52	135	134	40	203	-	-	-	-	-	3	6	36	76	70	12
All other	85	-	-	-	1	1	1	1	17	32	23	9	34	-	-	-	-	1	1	3	9	6	8	6
Black	84	-	-	-	1	1	1	-	17	32	23	9	34	-	-	-	-	1	1	3	9	6	8	6
Ulcer of stomach and duodenum (531-533)	57	-	-	-	-	-	4	10	11	14	13	5	45	-	-	-	1	-	1	3	5	6	19	10
White	38	-	-	-	-	-	-	6	7	12	9	4	31	-	-	-	-	-	-	1	4	3	17	6
All other	19	-	-	-	-	-	4	4	4	2	4	1	14	-	-	-	1	-	1	2	1	3	2	4
Black	19	-	-	-	-	-	4	4	4	2	4	1	14	-	-	-	1	-	1	2	1	3	2	4
Appendicitis (540-543)	8	-	1	1	1	-	1	1	-	1	2	-	6	-	-	-	1	1	-	-	-	1	1	2
White	2	-	1	-	-	-	-	-	-	-	1	-	6	-	-	-	1	1	-	-	-	1	1	2
All other	6	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	-	1	1	-	-	-	2	5	9	11	4	55	2	-	-	-	-	-	3	10	5	25	10
White	18	-	-	1	-	-	-	2	1	5	5	3	35	-	-	-	-	-	-	1	8	2	16	8
All other	16	-	1	-	-	-	-	-	4	4	6	1	20	2	-	-	-	-	-	2	2	3	9	2
Black	16	-	1	-	-	-	-	-	4	4	6	1	20	2	-	-	-	-	-	2	2	3	9	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	278	-	2	-	3	10	40	70	78	52	21	1	143	-	-	-	2	8	10	22	42	31	21	7
White	201	-	-	-	2	5	22	46	59	46	19	1	104	-	-	-	1	2	4	16	36	24	16	5
All other	77	-	2	-	1	5	18	24	19	6	2	-	39	-	-	-	1	6	6	6	6	7	5	2
Black	76	-	2	-	1	5	18	23	19	6	2	-	38	-	-	-	1	6	6	5	6	7	5	2
Cholelithiasis and other disorders of gallbladder (574-575)	29	-	1	-	-	1	1	2	3	8	7	5	28	-	-	-	-	-	-	2	2	5	9	10
White	19	-	-	-	-	-	1	1	3	7	3	3	19	-	-	-	-	-	-	1	1	3	7	7
All other	10	-	1	-	-	1	-	1	-	1	4	2	9	-	-	-	-	-	-	1	1	2	2	3
Black	10	-	1	-	-	1	-	1	-	1	4	2	9	-	-	-	-	-	-	1	1	2	2	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	235	7	-	-	2	3	3	14	29	63	81	32	274	8	1	-	4	5	4	12	34	64	75	67
White	126	5	-	-	-	2	1	5	15	29	49	20	161	3	1	-	-	1	1	6	17	25	56	51
All other	109	2	-	-	2	1	2	9	14	34	32	12	113	5	-	-	4	4	3	6	17	39	19	16
Black	109	2	-	-	2	1	2	9	14	34	32	12	113	5	-	-	4	4	3	6	17	39	19	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	-	-	1	-	-	1	-	3	3	-	4	-	-	-	-	-	-	2	-	-	2	-
White	4	-	-	-	-	-	-	1	-	1	2	-	4	-	-	-	-	-	-	2	-	-	2	-
All other	4	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	28	-	-	-	-	-	-	1	-	10	10	6	21	-	-	-	-	-	-	-	3	6	4	8
White	15	-	-	-	-	-	-	-	-	5	4	6	14	-	-	-	-	-	-	-	1	3	4	6
All other	13	-	-	-	-	-	-	1	-	5	6	-	7	-	-	-	-	-	-	-	2	3	-	2
Black	13	-	-	-	-	-	-	1	-	5	6	-	7	-	-	-	-	-	-	-	2	3	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	199	7	-	-	1	3	3	12	29	50	68	26	249	8	1	-	4	5	4	10	31	58	69	59
White	107	5	-	-	-	2	1	4	15	23	43	14	143	3	1	-	-	1	1	4	16	22	50	45
All other	92	2	-	-	1	1	2	8	14	27	25	12	106	5	-	-	4	4	3	6	15	36	19	14
Black	92	2	-	-	1	1	2	8	14	27	25	12	106	5	-	-	4	4	3	6	15	36	19	14
Infections of kidney (590)	14	-	-	-	-	-	-	-	1	2	4	7	32	-	-	-	-	-	1	1	3	10	12	5
White	6	-	-	-	-	-	-	-	-	1	2	3	27	-	-	-	-	-	-	1	1	10	11	4
All other	8	-	-	-	-	-	-	-	1	1	2	4	5	-	-	-	-	-	1	-	2	-	1	1
Black	8	-	-	-	-	-	-	-	1	1	2	4	5	-	-	-	-	-	1	-	2	-	1	1
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	1	8	1	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	5	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	1	3	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	1	3	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Congenital anomalies (740-759)	157	117	7	7	8	4	4	3	1	3	2	1	151	114	9	3	5	4	2	2	4	3	4	1
White	98	72	5	3	6	3	1	2	1	3	1	1	89	65	5	1	2	3	1	2	3	3	3	1
All other	59	45	2	4	2	1	3	1	-	-	1	-	62	49	4	2	3	1	1	-	1	-	1	-
Black	59	45	2	4	2	1	3	1	-	-	1	-	59	46	4	2	3	1	1	-	1	-	1	-
Certain conditions originating in the perinatal period (760-779)	307	307	-	-	-	-	-	-	-	-	-	-	222	222	-	-	-	-	-	-	-	-	-	-
White	122	122	-	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
All other	185	185	-	-	-	-	-	-	-	-	-	-	138	138	-	-	-	-	-	-	-	-	-	-
Black	184	184	-	-	-	-	-	-	-	-	-	-	136	136	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	65	65	-	-	-	-	-	-	-	-	-	-	58	58	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	27	27	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	242	242	-	-	-	-	-	-	-	-	-	-	166	166	-	-	-	-	-	-	-	-	-	-
White	84	84	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	158	158	-	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Black	157	157	-	-	-	-	-	-	-	-	-	-	105	105	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	173	49	1	-	1	3	6	17	18	31	25	21	145	30	1	-	2	2	5	8	14	23	25	35
White	100	22	-	-	-	1	5	11	12	20	18	13	90	12	-	-	2	1	4	3	9	16	17	26
All other	73	27	1	-	1	2	1	6	7	11	9	8	55	18	1	-	-	1	1	5	5	7	8	9
Black	72	26	1	-	1	2	1	6	7	11	9	8	54	18	1	-	-	1	1	4	5	7	8	9
All other diseases (Residual)	1,113	44	11	12	31	44	57	104	160	265	264	101	1,210	36	8	14	26	49	44	71	147	255	322	235
White	720	23	8	10	18	17	23	58	108	185	167	75	617	17	5	4	12	23	21	34	97	179	232	191
All other	393	21	3	2	15	27	34	46	72	80	67	26	393	19	3	10	14	26	23	37	50	76	90	44
Black	387	20	3	2	14	26	34	46	72	79	66	25	390	18	3	10	14	25	22	37	50	76	90	44
Accidents and adverse effects (E800-E949)	1,542	19	70	89	420	328	176	135	110	98	69	27	573	18	41	42	93	77	36	35	42	69	72	48
White	1,038	7	34	52	306	228	118	88	73	63	47	21	392	5	22	23	67	59	30	26	29	43	51	37
All other	504	12	36	37	114	100	58	47	37	35	22	6	181	13	19	19	26	16	6	9	13	26	21	11
Black	488	12	34	36	107	95	58	47	36	35	22	6	177	13	18	17	26	18	6	9	13	25	21	11
Motor vehicle accidents (E810-E825)	726	2	29	38	264	166	77	55	44	27	25	1	254	2	10	22	75	51	21	19	15	23	14	2
White	515	1	17	25	201	120	43	41	34	13	19	1	201	1	8	13	58	45	20	15	12	17	11	1
All other	211	1	12	11	63	46	34	14	10	14	6	-	53	1	2	9	17	6	1	4	3	6	3	1
Black	204	1	12	11	58	44	34	14	10	14	6	-	53	1	2	9	17	6	1	4	3	6	3	1
All other accidents and adverse effects (E800-E807, E826-E849)	616	17	41	53	156	162	99	80	66	71	44	26	319	16	31	20	18	26	15	16	27	46	58	46
White	523	6	17	27	105	108	75	47	39	50	28	20	191	4	14	10	9	14	10	11	17	26	40	36
All other	293	11	24	26	51	54	24	33	27	21	16	6	128	12	17	10	9	12	5	5	10	20	18	10
Black	284	11	22	25	49	51	24	33	26	21	16	6	124	12	16	8	9	12	5	5	10	19	18	10
Suicide (E950-E959)	443	...	...	2	61	98	71	45	64	52	23	7	141	...	...	3	32	31	20	24	16	12	3	-
White	385	...	...	2	73	76	61	40	56	48	22	7	125	...	...	1	24	29	19	22	16	11	3	-
All other	58	...	...	-	8	22	10	5	8	4	1	-	16	...	...	2	8	2	1	2	-	1	-	-
Black	56	...	...	-	8	21	10	4	8	4	1	-	16	...	...	2	8	2	1	2	-	1	-	-
Homicide and legal intervention (E960-E978)	525	1	8	4	143	174	89	53	32	17	3	1	148	1	2	1	43	38	23	20	9	4	3	2
White	162	-	2	1	33	48	29	27	16	7	1	-	62	-	1	1	13	17	9	12	4	1	2	2
All other	363	1	6	3	110	126	60	26	16	10	2	1	86	1	1	-	30	22	14	8	5	3	1	-
Black	358	1	6	3	110	126	57	24	16	10	2	1	85	1	1	-	30	22	13	8	5	3	1	-
All other external causes (E980-E999)	16	-	1	1	3	5	-	1	1	1	2	-	8	-	-	-	2	5	-	-	1	-	-	-
White	11	-	-	1	3	2	-	1	1	-	2	-	6	-	-	-	2	3	-	-	1	-	-	-
All other	5	-	1	-	-	3	-	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	5	-	1	-	-	3	-	-	-	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
MAINE																								
All causes	5,678	84	21	20	144	136	171	348	891	1,520	1,510	831	5,251	61	6	13	44	49	83	204	499	1,045	1,532	1,715
White	5,657	82	21	20	144	136	168	346	889	1,516	1,505	830	5,237	60	5	13	44	49	83	204	493	1,042	1,530	1,714
All other	21	2	-	-	-	2	3	2	2	4	5	1	14	1	1	-	-	-	-	-	6	3	2	1
Black	11	1	-	-	-	2	1	1	-	1	4	1	7	1	1	-	-	-	-	-	3	-	1	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	1	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	26	-	-	-	-	-	1	1	5	6	9	4	24	1	-	-	-	-	-	1	-	2	13	7
White	26	-	-	-	-	-	1	1	5	6	9	4	24	1	-	-	-	-	-	1	-	2	13	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	16	-	1	-	-	-	1	-	3	7	4	-	16	-	-	-	-	-	1	1	3	4	2	5
White	16	-	1	-	-	-	1	-	3	7	4	-	16	-	-	-	-	-	1	1	3	4	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,353	-	-	2	-	19	24	96	283	460	352	117	1,159	-	-	5	1	13	40	90	204	355	297	154
White	1,349	-	-	2	-	19	24	95	282	460	350	117	1,156	-	-	5	1	13	40	90	201	355	297	154
All other	4	-	-	-	-	-	-	1	1	-	2	-	3	-	-	-	-	-	-	-	3	-	-	-
Black	3	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	42	-	-	-	-	-	-	6	15	13	7	1	13	-	-	1	-	-	1	1	3	5	1	1
White	42	-	-	-	-	-	-	6	15	13	7	1	13	-	-	1	-	-	1	1	3	5	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	306	-	-	-	-	4	6	22	65	86	87	36	341	-	-	-	-	1	3	17	50	106	113	51
White	305	-	-	-	-	4	6	22	65	86	86	36	340	-	-	-	-	1	3	17	49	106	113	51
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	491	-	-	-	-	4	10	38	130	186	106	17	181	-	-	-	-	1	5	20	41	68	37	9
White	489	-	-	-	-	4	10	37	130	186	105	17	181	-	-	-	-	1	5	20	41	68	37	9
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	207	-	-	-	-	2	8	24	46	62	47	18
White	1	-	-	-	-	-	-	-	-	-	1	-	206	-	-	-	-	2	8	24	45	62	47	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	160	-	-	1	-	-	-	2	12	51	61	33	133	-	-	-	-	1	14	9	30	37	28	18
White	159	-	-	1	-	-	-	2	11	51	61	33	133	-	-	-	-	1	14	9	30	37	28	18
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (189-189)	80	-	-	-	-	-	-	5	16	21	29	9	38	-	-	-	-	1	2	1	3	8	12	11
White	80	-	-	-	-	-	-	5	16	21	29	9	38	-	-	-	-	1	2	1	3	8	12	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	172	-	-	1	-	6	7	14	38	61	33	14	148	-	-	2	1	5	4	14	19	38	33	32
White	172	-	-	1	-	6	7	14	38	61	33	14	147	-	-	2	1	5	4	14	18	38	33	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	43	-	-	-	-	1	1	5	3	20	9	4	37	-	-	2	-	1	2	2	4	12	9	5
White	43	-	-	-	-	1	1	5	3	20	9	4	37	-	-	2	-	1	2	2	4	12	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	58	-	-	-	-	4	-	4	6	22	19	3	61	-	-	-	-	1	1	2	8	19	19	11
White	58	-	-	-	-	4	-	4	6	22	19	3	61	-	-	-	-	1	1	2	8	19	19	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	-	-	1	-	1	1	2	4	10	3	5	19	-	1	-	-	-	1	1	4	3	5	4
White	27	-	-	1	-	1	1	2	4	10	3	5	19	-	1	-	-	-	1	1	4	3	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	70	-	-	-	-	2	4	5	13	12	20	14	100	-	-	-	2	-	1	3	12	25	36	21
White	69	-	-	-	-	2	4	5	12	12	20	14	100	-	-	-	2	-	1	3	12	25	36	21
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	1	-	2	2	2	10	-	-	-	-	-	-	1	-	1	1	7
White	6	-	-	-	-	-	-	1	-	1	2	2	10	-	-	-	-	-	-	1	-	1	1	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	1	-	1	-	2	-	2	11	-	-	-	-	-	-	-	-	1	3	7
White	5	-	-	-	-	-	-	1	-	2	-	2	10	-	-	-	-	-	-	-	-	-	3	7
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	7	-	1	-	-	-	-	2	2	2	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	7	-	1	-	-	-	-	2	2	2	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,606	1	-	-	4	11	50	151	415	704	778	491	2,731	-	-	-	2	2	17	56	175	471	871	1,137
White	2,603	1	-	-	4	11	50	151	415	704	777	490	2,728	-	-	-	2	2	17	56	173	471	871	1,136
All other	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	2	-	-	1
Diseases of heart (390-398,402,404-429)	2,131	-	-	-	4	10	44	140	373	603	598	359	2,047	-	-	-	1	1	12	42	142	387	657	805
White	2,128	-	-	-	4	10	44	140	373	603	596	358	2,045	-	-	-	1	1	12	42	140	387	657	805
All other	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	2	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	2	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	1	-	2	1	3	4	1	25	-	-	-	-	-	-	2	4	6	8	5
White	12	-	-	-	-	1	-	2	1	3	4	1	24	-	-	-	-	-	-	2	3	6	8	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	23	-	-	-	-	2	-	2	4	5	8	2	51	-	-	-	-	-	-	-	-	6	19	24
White	23	-	-	-	-	2	-	2	4	5	8	2	51	-	-	-	-	-	-	-	-	8	19	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	-	3	2	3	8	-	-	-	-	-	-	-	-	-	3	5
White	8	-	-	-	-	-	-	-	-	3	2	3	8	-	-	-	-	-	-	-	-	-	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,667	-	-	-	3	2	34	115	299	471	473	270	1,511	-	-	-	-	-	6	26	112	298	485	584
White	1,664	-	-	-	3	2	34	115	299	471	471	269	1,510	-	-	-	-	-	6	26	111	298	485	584
All other	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Acute myocardial infarction (410)	947	-	-	-	2	2	22	75	202	283	252	109	760	-	-	-	-	-	3	20	75	203	254	205
White	945	-	-	-	2	2	22	75	202	283	251	108	759	-	-	-	-	-	3	20	74	203	254	205
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [2]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	33	-	-	-	-	-	1	5	8	11	5	3	6	-	-	-	-	-	-	-	1	3	1	1
White	33	-	-	-	-	-	1	5	8	11	5	3	6	-	-	-	-	-	-	-	1	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	-	1	7	-	-	-	-	-	1	-	1	-	3	2
White	2	-	-	-	-	-	-	-	-	1	-	1	7	-	-	-	-	-	1	-	1	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	885	-	-	-	1	-	11	35	89	176	216	157	738	-	-	-	-	-	2	6	35	92	227	376
White	884	-	-	-	1	-	11	35	89	176	215	157	738	-	-	-	-	-	2	6	35	92	227	376
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	27	-	-	-	-	-	-	2	4	10	9	2	28	-	-	-	-	-	-	1	1	2	14	10
White	27	-	-	-	-	-	-	2	4	10	9	2	28	-	-	-	-	-	-	1	1	2	14	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	394	-	-	-	1	5	10	19	65	111	102	81	424	-	-	-	1	1	6	13	25	73	128	177
White	394	-	-	-	1	5	10	19	65	111	102	81	424	-	-	-	1	1	6	13	25	73	128	177
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	-	2	3	6	3	24	-	-	-	-	-	-	1	-	4	5	14
White	14	-	-	-	-	-	-	-	2	3	6	3	24	-	-	-	-	-	-	1	-	4	5	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	301	1	-	-	-	1	5	9	28	60	114	83	493	-	-	-	1	1	5	12	30	62	153	229
White	301	1	-	-	-	1	5	9	28	60	114	83	493	-	-	-	1	1	5	12	30	62	153	229
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	41	1	-	-	-	-	1	3	5	10	11	10	70	-	-	-	1	1	2	2	10	15	18	21
White	41	1	-	-	-	-	1	3	5	10	11	10	70	-	-	-	1	1	2	2	10	15	18	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	42	-	-	-	-	-	-	1	5	8	17	11	87	-	-	-	-	-	-	2	3	9	27	46
White	42	-	-	-	-	-	-	1	5	8	17	11	87	-	-	-	-	-	-	2	3	9	27	46
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	217	-	-	-	-	1	4	5	18	42	85	62	334	-	-	-	-	-	3	8	17	38	106	162
White	217	-	-	-	-	1	4	5	18	42	85	62	334	-	-	-	-	-	3	8	17	38	106	162
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	66	-	-	-	-	-	1	2	3	10	21	29	109	-	-	-	-	-	-	-	2	8	30	69
White	66	-	-	-	-	-	1	2	3	10	21	29	108	-	-	-	-	-	-	-	2	8	30	68
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	94	-	-	-	-	-	-	-	9	28	40	17	58	-	-	-	-	-	-	1	1	10	26	20
White	94	-	-	-	-	-	-	-	9	28	40	17	58	-	-	-	-	-	-	1	1	10	26	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	162	1	-	-	-	1	-	5	12	32	51	60	205	1	-	-	1	1	-	3	10	18	50	121
White	161	1	-	-	-	1	-	5	12	31	51	60	204	1	-	-	1	1	-	3	10	18	49	121
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	145	1	-	-	-	1	-	5	8	31	48	51	177	1	-	-	1	1	-	3	10	18	38	105
White	144	1	-	-	-	1	-	5	8	30	48	51	176	1	-	-	1	1	-	3	10	18	37	105
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Influenza (487)	17	-	-	-	-	-	-	-	4	1	3	9	28	-	-	-	-	-	-	-	-	-	12	16
White	17	-	-	-	-	-	-	-	4	1	3	9	28	-	-	-	-	-	-	-	-	-	12	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	295	-	-	-	-	-	1	10	32	107	104	41	146	-	-	-	-	-	2	7	16	49	51	21
White	294	-	-	-	-	-	1	10	32	106	104	41	145	-	-	-	-	-	2	7	16	49	50	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	18	-	-	-	-	-	-	1	-	7	7	3	9	-	-	-	-	-	-	-	2	3	3	1
White	18	-	-	-	-	-	-	1	-	7	7	3	9	-	-	-	-	-	-	-	2	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	65	-	-	-	-	-	-	2	7	30	18	8	18	-	-	-	-	-	-	2	2	10	2	2
White	64	-	-	-	-	-	-	2	7	29	18	8	18	-	-	-	-	-	-	2	2	10	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	11	-	-	-	-	-	1	1	4	4	1	-	11	-	-	-	-	-	-	-	2	5	3	1
White	11	-	-	-	-	-	1	1	4	4	1	-	11	-	-	-	-	-	-	-	2	5	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	201	-	-	-	-	-	-	6	21	66	78	30	108	-	-	-	-	-	2	5	10	31	43	17
White	201	-	-	-	-	-	-	6	21	66	78	30	107	-	-	-	-	-	2	5	10	31	42	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	-	-	1	5	4	1	24	-	-	-	-	-	-	-	2	3	8	10
White	11	-	-	-	-	-	-	-	1	5	4	1	24	-	-	-	-	-	-	-	2	3	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	1	-	-	-	-	-	-	1	3	6	4	22	-	-	-	-	-	-	1	2	-	10	9
White	15	1	-	-	-	-	-	-	1	3	6	4	22	-	-	-	-	-	-	1	2	-	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	98	-	-	-	-	2	10	12	35	26	11	2	43	-	-	-	-	-	1	6	11	13	9	3
White	97	-	-	-	-	2	10	11	35	26	11	2	42	-	-	-	-	-	1	6	10	13	9	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	-	-	-	-	-	-	2	2	3	2	6	-	-	-	-	-	-	-	-	-	3	3
White	9	-	-	-	-	-	-	-	2	2	3	2	6	-	-	-	-	-	-	-	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	28	-	-	-	-	-	1	-	-	6	10	11	57	-	-	-	-	-	-	1	2	9	21	24
White	28	-	-	-	-	-	1	-	-	6	10	11	57	-	-	-	-	-	-	1	2	9	21	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-	-	-	-	-	3	4	1
White	5	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-	-	-	-	-	3	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	-	-	-	-	-	1	-	-	4	8	9	49	-	-	-	-	-	-	1	2	6	17	23
White	22	-	-	-	-	-	1	-	-	4	8	9	49	-	-	-	-	-	-	1	2	6	17	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	1	2	1	2
White	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	1	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	5	1	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	5	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	23	18	1	-	1	1	2	-	1	-	-	1	27	19	-	1	-	1	-	-	2	2	2	-
White	23	18	1	-	1	1	2	-	1	-	-	1	26	18	-	1	-	1	-	-	2	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	50	49	-	-	-	-	-	1	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	48	47	-	-	-	-	-	1	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	38	37	-	-	-	-	-	1	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	36	35	-	-	-	-	-	1	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	26	11	-	-	-	1	1	2	2	4	2	3	32	10	1	-	1	-	1	-	3	2	5	9
White	26	11	-	-	-	1	1	2	2	4	2	3	31	10	-	-	1	-	1	-	3	2	5	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	371	4	8	1	7	12	14	29	46	91	107	52	396	5	-	1	3	4	7	18	33	59	119	147
White	368	4	8	1	7	12	13	29	46	90	106	52	395	5	-	1	3	4	7	18	33	58	119	147
All other	3	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	315	1	9	15	95	55	38	14	21	25	26	16	129	-	4	6	22	18	5	4	11	19	18	22
White	313	1	9	15	95	55	38	14	21	25	26	16	128	-	4	6	22	18	5	4	11	18	18	22
All other	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	171	-	1	8	73	39	19	6	6	9	9	1	62	-	1	2	20	14	4	2	4	10	4	1
White	171	-	1	8	73	39	19	6	6	9	9	1	62	-	1	2	20	14	4	2	4	10	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	144	1	8	7	22	16	19	8	15	16	17	15	67	-	3	4	2	4	1	2	7	9	14	21
White	142	1	8	7	22	16	17	8	15	16	17	15	66	-	3	4	2	4	1	2	7	8	14	21
All other	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	120	...	...	-	31	27	17	13	12	11	8	1	39	...	...	-	9	9	5	7	2	5	2	-
White	120	...	...	-	31	27	17	13	12	11	8	1	39	...	...	-	9	9	5	7	2	5	2	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	22	-	-	1	5	4	6	3	1	1	1	-	5	-	-	-	2	1	2	-	-	-	-	-
White	21	-	-	1	5	3	6	3	1	1	1	-	5	-	-	-	2	1	2	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	-	-	1	1	-	-	-	1	-	-	5	-	-	-	-	-	-	3	2	-	-	-
White	3	-	-	-	1	1	-	-	-	1	-	-	5	-	-	-	-	-	-	3	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND																								
All causes	18,437	411	74	81	480	644	773	1,555	3,465	4,894	4,183	1,866	16,619	341	48	56	194	272	425	909	2,215	3,517	4,587	4,050
White	14,096	209	45	52	327	367	469	1,036	2,626	3,908	3,437	1,615	13,328	174	24	35	118	146	264	607	1,659	2,764	3,890	3,645
All other	4,341	202	29	29	153	277	304	519	839	986	746	251	3,291	167	24	21	76	126	161	302	556	753	697	405
Black	4,233	198	26	28	148	271	293	504	827	984	723	245	3,204	161	22	21	73	116	154	296	545	736	678	399
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
White	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	15	-	-	-	-	-	-	-	4	7	4	-	9	-	-	-	-	-	-	1	5	2	-	1
White	8	-	-	-	-	-	-	-	1	4	3	-	3	-	-	-	-	-	-	-	2	1	-	-
All other	7	-	-	-	-	-	-	-	3	3	1	-	6	-	-	-	-	-	-	1	3	1	-	1
Black	7	-	-	-	-	-	-	-	3	3	1	-	6	-	-	-	-	-	-	1	3	1	-	1
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	-	-	3	6	2	-	7	-	-	-	-	-	-	1	4	2	-	-
White	7	-	-	-	-	-	-	-	1	4	2	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	4	-	-	-	-	-	-	-	2	2	-	-	5	-	-	-	-	-	-	1	3	1	-	-
Black	4	-	-	-	-	-	-	-	2	2	-	-	5	-	-	-	-	-	-	1	3	1	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	1	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	166	7	1	-	3	2	6	8	23	41	51	24	224	3	-	-	2	8	2	10	23	40	70	68
White	113	5	1	-	3	1	4	4	10	27	39	19	164	2	-	-	1	5	1	6	12	27	51	59
All other	53	2	-	-	-	1	2	4	13	14	12	5	60	1	-	-	1	1	1	4	11	13	19	9
Black	53	2	-	-	-	1	2	4	13	14	12	5	60	1	-	-	1	1	1	4	11	13	19	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	12	-	-	-	1	3	1	3	1	2	1	-	3	-	-	-	-	-	2	-	1	-	-	-
White	5	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	7	-	-	-	1	2	1	2	-	1	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Black	7	-	-	-	1	2	1	2	-	1	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	43	1	-	1	3	4	5	4	11	8	4	2	50	4	-	2	2	3	5	2	9	11	8	4
White	23	-	-	1	2	1	1	1	9	4	3	1	33	3	-	2	1	-	2	-	5	10	6	4
All other	20	1	-	-	1	3	4	3	2	4	1	1	17	1	-	-	1	3	3	2	4	1	2	-
Black	20	1	-	-	1	3	4	3	2	4	1	1	16	1	-	-	1	2	3	2	4	1	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,586	2	4	9	23	48	134	477	1,157	1,473	984	274	3,878	1	3	9	23	44	161	422	917	1,071	859	367
White	3,506	1	4	7	17	33	80	337	868	1,169	771	219	3,133	1	3	4	15	27	115	304	746	872	727	319
All other	1,080	1	-	2	6	15	54	140	289	304	213	55	745	-	-	5	8	17	46	118	171	199	132	48
Black	1,051	1	-	1	6	14	48	135	288	296	208	55	719	-	-	5	8	14	43	113	166	196	127	46
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	148	-	-	-	-	1	8	18	46	49	18	6	61	-	-	-	1	-	4	6	13	21	9	7
White	97	-	-	-	-	-	3	9	27	36	17	5	45	-	-	-	1	-	2	2	8	18	7	7
All other	49	-	-	-	-	1	5	9	19	13	1	1	16	-	-	-	-	-	2	4	5	3	2	-
Black	49	-	-	-	-	1	5	9	19	13	1	1	15	-	-	-	-	-	1	4	5	3	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,193	1	2	-	2	9	38	121	308	370	284	78	991	-	-	1	-	9	18	68	190	263	300	142
White	884	-	2	-	1	5	20	75	221	288	210	62	787	-	-	-	-	6	13	42	157	199	250	120
All other	309	1	-	-	1	4	18	46	87	82	54	16	204	-	-	1	-	3	5	26	33	64	50	22
Black	298	1	-	-	1	4	15	45	85	78	53	16	196	-	-	1	-	3	4	25	32	62	48	21
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,637	-	-	-	-	2	36	175	496	577	302	48	714	-	-	-	-	3	20	92	225	229	114	30
White	1,286	-	-	-	-	2	20	130	387	455	250	42	581	-	-	-	-	3	15	71	180	196	93	23
All other	351	-	-	-	-	-	16	45	109	122	52	6	133	-	-	-	-	-	5	21	45	33	21	7
Black	341	-	-	-	-	-	13	44	109	120	48	6	128	-	-	-	-	-	5	21	44	33	18	6
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	3	1	2	-	-	727	-	-	-	1	14	56	98	201	179	121	57
White	4	-	-	-	-	-	-	2	-	2	-	-	592	-	-	-	1	9	37	77	161	154	102	51
All other	2	-	-	-	-	-	-	1	1	-	-	-	135	-	-	-	-	5	19	21	40	25	19	6
Black	2	-	-	-	-	-	-	1	1	-	-	-	132	-	-	-	-	3	19	21	39	25	19	6
Malignant neoplasms of genital organs (179-187)	470	-	-	-	-	1	2	14	55	152	169	77	410	-	-	-	2	6	22	55	108	120	67	30
White	321	-	-	-	-	1	1	8	32	117	108	54	307	-	-	-	1	3	14	36	88	87	54	26
All other	149	-	-	-	-	-	1	6	23	35	61	23	103	-	-	-	1	3	8	19	22	33	13	4
Black	148	-	-	-	-	-	1	6	23	34	61	23	98	-	-	-	1	3	7	17	21	32	13	4
Malignant neoplasms of urinary organs (188-189)	206	-	-	2	1	2	3	18	44	65	51	20	115	-	-	-	-	-	3	12	14	32	34	20
White	172	-	-	2	1	-	1	16	38	56	41	17	97	-	-	-	-	-	2	8	13	27	30	19
All other	34	-	-	-	-	2	2	2	6	9	10	3	18	-	-	-	-	-	1	6	1	5	4	1
Black	34	-	-	-	-	2	2	2	6	9	10	3	17	-	-	-	-	-	1	5	1	5	4	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	554	-	-	5	9	15	25	85	136	158	97	24	516	-	2	4	6	4	20	60	111	138	120	51
White	453	-	-	4	7	14	20	66	110	135	75	22	438	-	2	3	3	2	19	46	96	117	105	45
All other	101	-	-	1	2	1	5	19	26	23	22	2	78	-	-	1	3	2	1	14	15	21	15	6
Black	99	-	-	1	2	1	5	17	26	23	22	2	75	-	-	1	3	1	1	13	14	21	15	6
Leukemia (204-208)	158	1	2	1	9	8	11	23	21	39	31	13	138	1	1	2	7	4	12	9	19	32	38	13
White	124	1	2	1	7	6	6	16	17	29	28	11	117	1	1	1	5	1	8	6	17	29	37	11
All other	35	-	-	-	2	2	5	7	4	10	3	2	21	-	-	1	2	3	4	3	2	3	1	2
Black	33	-	-	-	2	2	5	6	4	9	3	2	21	-	-	1	2	3	4	3	2	3	1	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	215	-	-	1	2	10	11	20	50	61	52	8	206	-	-	2	6	4	6	22	36	57	56	17
White	165	-	-	-	1	5	9	15	36	51	42	6	169	-	-	-	4	3	5	18	28	45	49	17
All other	50	-	-	1	1	5	2	5	14	10	10	2	37	-	-	2	2	1	1	4	8	12	7	-
Black	47	-	-	-	1	4	2	5	13	10	10	2	37	-	-	2	2	1	1	4	8	12	7	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	74	1	1	-	1	2	5	8	16	19	13	8	81	-	2	-	2	3	4	2	9	20	27	22
White	55	1	-	-	1	1	3	3	13	15	13	5	77	-	-	-	1	2	3	1	8	18	23	21
All other	19	-	1	-	-	1	2	5	3	4	-	3	14	-	2	-	1	1	1	1	1	2	4	1
Black	18	-	1	-	-	1	2	4	3	4	-	3	14	-	2	-	1	1	1	1	1	2	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	269	-	-	-	-	13	9	22	59	83	59	24	437	-	-	-	-	3	6	22	71	118	144	73
White	197	-	-	-	-	9	5	15	43	62	43	20	307	-	-	-	-	2	2	13	39	74	117	60
All other	72	-	-	-	-	4	4	7	16	21	16	4	130	-	-	-	-	1	4	9	32	44	27	13
Black	71	-	-	-	-	4	4	7	15	21	16	4	128	-	-	-	-	1	4	9	32	42	27	13
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	-	1	4	3	23	1	-	-	-	-	-	-	-	3	9	10
White	8	-	-	-	-	-	-	-	-	-	3	3	21	1	-	-	-	-	-	-	-	2	8	10
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Anemias (280-285)	25	-	-	1	-	1	3	2	3	8	4	3	35	-	-	1	1	3	4	2	5	7	7	5
White	15	-	-	-	-	1	1	1	2	5	2	3	24	-	-	-	-	-	3	1	4	5	6	5
All other	10	-	-	1	-	-	2	1	1	3	2	-	11	-	-	1	1	3	1	1	1	2	1	-
Black	10	-	-	1	-	-	2	1	1	3	2	-	11	-	-	1	1	3	1	1	1	2	1	-
Meningitis (320-322)	14	3	1	-	-	-	1	-	2	3	2	1	8	3	2	-	-	-	-	-	-	1	1	1
White	11	3	1	-	-	-	1	-	2	2	-	1	3	2	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	-	-	-	-	-	1	2	-	5	1	2	-	-	-	-	-	-	1	-	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	5	1	2	-	-	-	-	-	-	1	-	1
Major cardiovascular diseases (390-448)	8,149	14	6	1	16	63	228	621	1,537	2,362	2,196	1,103	8,092	7	7	2	12	30	83	236	746	1,583	2,662	2,721
White	6,610	3	5	1	7	33	158	429	1,202	1,931	1,858	982	6,708	1	3	1	4	16	44	137	525	1,231	2,279	2,485
All other	1,539	11	1	-	9	30	70	192	335	431	338	121	1,384	6	4	1	8	14	39	99	221	352	383	256
Black	1,509	10	1	-	9	29	70	188	330	420	329	116	1,359	6	3	1	8	14	38	98	217	345	374	254
Diseases of heart (390-398,402,404-429)	6,832	13	4	-	14	47	169	559	1,377	1,991	1,766	860	6,300	6	7	2	8	19	66	183	615	1,292	2,079	2,020
White	5,543	3	4	-	6	25	141	395	1,080	1,632	1,490	766	5,226	1	3	1	3	11	33	107	439	1,022	1,778	1,828
All other	1,269	10	-	-	8	22	58	164	297	359	276	94	1,074	5	4	1	5	8	33	76	176	270	301	194
Black	1,266	10	-	-	8	21	58	161	292	352	270	93	1,055	5	3	1	5	8	32	76	174	264	294	192
Rheumatic fever and rheumatic heart disease (390-398)	34	1	-	-	1	3	3	4	7	8	5	2	59	-	1	-	-	1	2	5	12	20	10	8
White	28	-	-	-	1	1	3	4	5	7	5	2	51	-	1	-	-	-	-	3	10	20	10	7
All other	6	1	-	-	-	2	-	-	2	1	-	-	8	-	-	-	-	1	2	2	2	-	-	1
Black	6	1	-	-	-	2	-	-	2	1	-	-	8	-	-	-	-	1	2	2	2	-	-	1
Hypertensive heart disease (402)	315	-	-	-	1	5	13	46	79	87	58	26	325	-	-	-	-	-	8	17	45	81	93	81
White	183	-	-	-	1	2	6	17	45	53	37	22	213	-	-	-	-	-	2	6	19	47	70	69
All other	132	-	-	-	-	3	7	29	34	34	21	4	112	-	-	-	-	-	6	11	26	34	23	12
Black	132	-	-	-	-	3	7	29	34	34	21	4	110	-	-	-	-	-	5	11	25	34	23	12
Hypertensive heart and renal disease (404)	23	-	-	-	-	-	1	1	1	5	9	6	47	-	-	-	-	-	-	-	1	11	15	20
White	17	-	-	-	-	-	1	-	1	3	6	6	43	-	-	-	-	-	-	-	1	9	14	19
All other	6	-	-	-	-	-	-	1	-	2	3	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	6	-	-	-	-	-	-	1	-	2	3	-	4	-	-	-	-	-	-	-	-	2	1	1
Ischemic heart disease (410-414)	3,765	-	1	-	-	9	81	262	783	1,218	978	433	3,167	-	-	1	-	2	17	87	343	701	1,107	909
White	3,303	-	1	-	-	7	68	221	677	1,063	874	392	2,754	-	-	1	-	2	12	64	266	595	986	828
All other	462	-	-	-	-	2	13	41	106	155	104	41	413	-	-	-	-	-	5	23	77	106	121	81
Black	451	-	-	-	-	2	13	38	103	152	102	41	405	-	-	-	-	-	5	23	76	102	118	81
Acute myocardial infarction (410)	2,362	-	1	-	-	3	60	189	541	808	556	204	1,856	-	-	-	-	2	15	58	236	479	662	404
White	2,068	-	1	-	-	3	51	158	470	708	495	180	1,588	-	-	-	-	2	11	44	184	407	581	359
All other	296	-	-	-	-	-	9	31	71	100	61	24	268	-	-	-	-	-	4	14	52	72	81	45
Black	288	-	-	-	-	-	9	28	68	98	60	24	263	-	-	-	-	-	4	14	51	70	79	45
Other acute and subacute forms of ischemic heart disease (411)	25	-	-	-	-	-	-	2	7	6	4	6	13	-	-	-	-	-	-	2	1	1	5	4
White	23	-	-	-	-	-	-	2	6	6	4	5	12	-	-	-	-	-	-	1	1	1	5	4
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	-	1	3	3	3	16	-	-	-	-	-	-	-	2	3	5	6
White	8	-	-	-	-	-	-	-	-	2	3	3	14	-	-	-	-	-	-	-	1	3	5	5
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,388	-	-	-	-	6	21	71	234	401	415	220	1,282	-	-	1	-	-	2	27	104	218	435	495
White	1,206	-	-	-	-	4	17	61	201	347	372	204	1,140	-	-	1	-	-	1	19	80	184	395	460
All other	182	-	-	-	-	2	4	10	33	54	43	16	142	-	-	-	-	-	1	8	24	34	40	35
Black	159	-	-	-	-	2	4	10	32	53	42	16	139	-	-	-	-	-	1	8	24	32	39	35
Other diseases of endocardium (424)	62	-	-	-	-	1	2	5	11	16	21	6	62	-	1	-	-	-	2	3	6	7	25	18
White	55	-	-	-	-	-	2	5	10	15	17	6	52	-	-	-	-	-	2	1	6	6	21	16
All other	7	-	-	-	-	1	-	-	1	1	4	-	10	-	1	-	-	-	-	2	-	1	4	2
Black	4	-	-	-	-	1	-	-	1	1	1	-	9	-	-	-	-	-	-	2	-	1	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,633	12	3	-	12	29	99	241	496	657	695	387	2,640	6	5	1	8	16	37	71	208	472	829	984
White	1,957	3	3	-	4	15	61	148	342	491	551	338	2,113	1	2	-	3	9	17	33	137	345	677	887
All other	676	9	-	-	8	14	38	93	154	166	144	49	527	5	3	1	5	7	20	38	71	127	152	97
Black	667	9	-	-	8	13	38	93	152	162	143	48	518	5	3	1	5	7	20	38	71	125	148	96
Hypertension with or without renal disease (401,403)	57	-	1	1	-	2	3	3	5	17	16	9	70	-	-	-	-	-	1	4	8	15	26	16
White	42	-	1	1	-	1	1	1	4	13	12	8	48	-	-	-	-	-	-	1	3	13	19	12
All other	15	-	-	-	-	1	2	2	1	4	4	1	22	-	-	-	-	-	1	3	5	2	7	4
Black	15	-	-	-	-	1	2	2	1	4	4	1	21	-	-	-	-	-	1	3	5	2	6	4
Cerebrovascular diseases (430-438)	879	1	1	-	1	10	20	48	104	239	299	156	1,377	1	-	-	4	10	15	46	101	222	458	520
White	688	-	-	-	-	5	12	25	73	181	252	138	1,126	-	-	-	1	4	10	27	67	152	393	472
All other	193	1	1	-	1	5	8	23	31	58	47	18	251	1	-	-	3	6	5	19	34	70	65	48
Black	182	-	1	-	1	5	8	22	31	54	45	15	246	1	-	-	3	6	5	18	32	69	64	48
Intracerebral and other intracranial hemorrhage (431-432)	142	-	1	-	1	3	9	18	23	43	34	10	170	1	-	-	1	5	3	16	28	37	54	25
White	106	-	-	-	-	2	3	11	19	31	32	8	126	-	-	-	-	3	2	7	17	29	48	20
All other	36	-	1	-	1	1	6	7	4	12	2	2	44	1	-	-	1	2	1	9	11	8	6	5
Black	35	-	1	-	1	1	6	7	4	12	2	1	43	1	-	-	1	2	1	9	11	7	6	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	123	-	-	-	-	-	-	6	15	31	39	32	206	-	-	-	-	-	1	3	13	20	85	84
White	104	-	-	-	-	-	-	2	11	29	33	29	181	-	-	-	-	-	1	-	9	18	76	77
All other	19	-	-	-	-	-	-	4	4	2	6	3	25	-	-	-	-	-	-	3	4	2	9	7
Black	17	-	-	-	-	-	-	3	4	1	6	3	25	-	-	-	-	-	-	3	4	2	9	7
Cerebral embolism (434.1)	8	-	-	-	-	-	-	-	-	4	4	-	7	-	-	-	-	-	-	1	1	1	1	3
White	6	-	-	-	-	-	-	-	-	3	3	-	6	-	-	-	-	-	-	1	1	1	1	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	606	1	-	-	-	7	11	24	66	161	222	114	994	-	-	-	3	5	11	26	59	164	318	408
White	470	-	-	-	-	3	9	12	43	118	184	101	813	-	-	-	1	1	7	19	40	104	288	373
All other	136	1	-	-	-	4	2	12	23	43	38	13	181	-	-	-	2	4	4	7	19	60	50	35
Black	129	-	-	-	-	4	2	12	23	41	38	11	177	-	-	-	2	4	4	6	17	60	49	35
Atherosclerosis (440)	136	-	-	-	-	-	-	3	10	25	45	53	201	-	-	-	-	-	-	-	3	16	53	129
White	119	-	-	-	-	-	-	2	9	22	39	47	189	-	-	-	-	-	-	-	3	15	48	123
All other	17	-	-	-	-	-	-	1	1	3	6	6	12	-	-	-	-	-	-	-	-	1	5	6
Black	15	-	-	-	-	-	-	1	1	3	5	5	12	-	-	-	-	-	-	-	-	1	5	6
Other diseases of arteries, arterioles, and capillaries (441-448)	245	-	-	-	1	4	6	8	41	90	70	25	144	-	-	-	-	1	1	3	19	38	46	36
White	220	-	-	-	1	2	4	6	36	83	65	23	119	-	-	-	-	1	1	2	13	29	41	32
All other	25	-	-	-	-	2	2	2	5	7	5	2	25	-	-	-	-	-	-	1	6	9	5	4
Black	25	-	-	-	-	2	2	2	5	7	5	2	25	-	-	-	-	-	-	1	6	9	5	4
Acute bronchitis and bronchiolitis (466)	4	2	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	-	1
White	3	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	404	8	2	1	-	7	13	22	35	88	111	117	362	6	2	1	-	2	5	3	12	42	96	193
White	309	3	1	-	-	3	6	12	21	69	89	105	323	1	1	1	-	2	4	3	10	33	83	185
All other	95	5	1	1	-	4	7	10	14	19	22	12	39	5	1	-	-	-	1	-	2	9	13	8
Black	92	5	1	1	-	4	7	10	14	19	19	12	38	5	1	-	-	-	1	-	2	9	12	8
Pneumonia (480-486)	398	8	2	1	-	7	13	22	34	88	110	113	354	6	2	1	-	2	4	3	12	42	96	186
White	303	3	1	-	-	3	6	12	20	69	88	101	315	1	1	1	-	2	3	3	10	33	83	178
All other	95	5	1	1	-	4	7	10	14	19	22	12	39	5	1	-	-	-	1	-	2	9	13	8
Black	92	5	1	1	-	4	7	10	14	19	19	12	38	5	1	-	-	-	1	-	2	9	12	8
Influenza (487)	6	-	-	-	-	-	-	-	1	-	1	4	8	-	-	-	-	-	1	-	-	-	-	7
White	6	-	-	-	-	-	-	-	1	-	1	4	8	-	-	-	-	-	1	-	-	-	-	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	629	-	-	2	2	2	4	15	103	220	228	53	449	1	-	-	3	2	2	18	87	148	131	57
White	539	-	-	2	-	1	2	11	83	189	204	47	409	1	-	-	-	1	-	11	81	138	126	51
All other	90	-	-	-	2	1	2	4	20	31	24	6	40	-	-	-	3	1	2	7	6	10	5	6
Black	87	-	-	-	2	1	2	4	20	29	24	5	38	-	-	-	3	1	2	7	6	9	4	6
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	-	1	1	5	7	6	4	33	1	-	-	-	-	-	1	5	12	10	4
White	21	-	-	-	-	-	1	1	4	7	6	2	32	1	-	-	-	-	-	-	5	12	10	4
All other	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
Emphysema (492)	128	-	-	-	-	-	-	2	20	52	41	13	67	-	-	-	-	-	-	2	19	20	19	7
White	114	-	-	-	-	-	-	2	18	43	39	12	62	-	-	-	-	-	-	2	19	18	18	5
All other	14	-	-	-	-	-	-	-	2	9	2	1	5	-	-	-	-	-	-	-	-	2	1	2
Black	14	-	-	-	-	-	-	-	2	9	2	1	5	-	-	-	-	-	-	-	-	2	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	18	-	-	1	2	2	2	4	-	5	1	1	37	-	-	-	3	2	1	7	11	9	1	3
White	13	-	-	1	-	1	1	3	-	5	1	1	24	-	-	-	-	1	-	4	8	8	-	3
All other	5	-	-	-	2	1	1	1	-	-	-	-	13	-	-	-	3	1	1	3	3	1	1	-
Black	5	-	-	-	2	1	1	1	-	-	-	-	13	-	-	-	3	1	1	3	3	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	459	-	-	1	-	-	1	8	78	156	180	35	312	-	-	-	-	-	1	8	52	107	101	43
White	391	-	-	1	-	-	-	5	61	134	158	32	291	-	-	-	-	-	-	5	49	100	98	39
All other	68	-	-	-	-	-	1	3	17	22	22	3	21	-	-	-	-	-	1	3	3	7	3	4
Black	65	-	-	-	-	-	1	3	17	20	22	2	19	-	-	-	-	-	1	3	3	6	2	4
Ulcer of stomach and duodenum (531-533)	58	-	-	-	-	-	-	3	7	15	23	10	44	-	-	-	-	-	-	3	3	6	22	10
White	48	-	-	-	-	-	-	1	6	13	19	9	38	-	-	-	-	-	-	2	3	3	20	10
All other	10	-	-	-	-	-	-	2	1	2	4	1	6	-	-	-	-	-	-	1	-	3	2	-
Black	9	-	-	-	-	-	-	2	1	2	3	1	6	-	-	-	-	-	-	1	-	3	2	-
Appendicitis (540-543)	4	-	-	-	-	1	-	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	4	-	-	-	-	1	-	-	2	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	-	-	-	-	-	1	2	3	14	12	5	45	-	-	1	-	2	1	3	1	6	15	16
White	23	-	-	-	-	-	-	1	2	9	8	3	33	-	-	-	-	1	1	2	1	4	10	14
All other	14	-	-	-	-	-	1	1	1	5	4	2	12	-	-	1	-	1	-	1	-	2	5	2
Black	14	-	-	-	-	-	1	1	1	5	4	2	12	-	-	1	-	1	-	1	-	2	5	2
Chronic liver disease and cirrhosis (571)	291	-	-	-	2	14	38	59	92	58	28	2	169	-	-	-	-	14	18	37	44	31	18	7
White	215	-	-	-	1	6	20	43	74	50	20	1	114	-	-	-	-	2	8	28	29	25	15	7
All other	76	-	-	-	1	8	18	16	18	8	6	1	55	-	-	-	-	12	10	9	15	6	3	-
Black	73	-	-	-	1	8	18	16	18	8	5	1	54	-	-	-	-	12	10	9	15	5	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	1	-	8	2	34	-	-	-	-	1	-	-	3	6	16	8
White	9	-	-	-	-	-	-	-	1	-	6	2	31	-	-	-	-	-	-	-	3	6	15	7
All other	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	1	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	1	-	-	-	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	197	2	-	-	1	5	8	10	31	47	55	38	207	4	-	-	-	1	4	8	25	59	50	56
White	126	1	-	-	1	4	2	6	14	31	39	28	120	2	-	-	-	-	2	-	10	33	32	41
All other	71	1	-	-	-	1	6	4	17	16	16	10	87	2	-	-	-	1	2	8	15	26	18	15
Black	71	1	-	-	-	1	6	4	17	16	16	10	83	2	-	-	-	-	2	8	15	24	18	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	-	-	-	-	2	2	5	-	11	-	-	-	-	-	1	-	1	2	4	3
White	6	-	-	-	-	-	-	-	1	2	3	-	8	-	-	-	-	-	1	-	1	1	3	2
All other	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	186	2	-	-	1	5	8	10	29	44	49	38	193	4	-	-	-	1	3	8	24	56	45	52
White	119	1	-	-	1	4	2	6	13	28	36	28	109	2	-	-	-	-	1	-	9	31	28	38
All other	67	1	-	-	-	1	6	4	16	16	13	10	84	2	-	-	-	1	2	8	15	25	17	14
Black	67	1	-	-	-	1	6	4	16	16	13	10	81	2	-	-	-	-	2	8	15	24	17	13
Infections of kidney (590)	9	-	-	-	-	-	-	-	1	3	-	4	11	-	-	-	-	2	1	-	1	1	1	5
White	7	-	-	-	-	-	-	-	1	2	-	4	6	-	-	-	-	1	-	-	-	1	1	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	-	1	-	-	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	-	-	1	-	-	2
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	6	-	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	4	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Congenital anomalies (740-759)	115	74	5	6	4	5	2	4	2	4	7	2	95	64	8	3	3	4	2	1	2	2	6	-
White	79	48	3	5	3	2	1	3	2	4	6	2	58	38	5	2	1	3	2	-	2	-	5	-
All other	36	26	2	1	1	3	1	1	-	-	1	-	37	26	3	1	2	1	-	1	-	2	1	-
Black	33	26	1	1	1	2	1	1	-	-	-	-	36	25	3	1	2	1	-	1	-	2	1	-
Certain conditions originating in the perinatal period (760-779)	224	221	1	-	-	-	-	-	-	-	-	-	183	183	-	-	-	-	-	-	-	-	-	-
White	105	104	1	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
All other	119	117	-	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
Black	118	116	-	-	-	-	-	-	-	-	-	-	96	96	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	52	51	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	32	31	1	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	20	20	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	20	20	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	172	170	-	-	-	-	-	-	-	-	-	-	143	143	-	-	-	-	-	-	-	-	-	-
White	73	73	-	-	-	-	-	-	-	-	-	-	64	64	-	-	-	-	-	-	-	-	-	-
All other	99	97	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
Black	98	96	-	-	-	-	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	180	51	6	1	15	27	23	9	15	15	10	5	143	37	1	-	5	15	16	7	16	11	20	14
White	93	23	2	-	7	10	12	6	10	9	8	4	103	23	-	-	3	11	9	5	11	9	18	14
All other	87	28	4	1	8	17	11	3	5	6	2	1	40	14	1	-	2	4	7	2	5	2	2	-
Black	85	27	4	1	7	17	11	3	5	6	2	1	38	13	1	-	2	4	7	2	5	2	1	-
All other diseases (Residual)	1,233	15	12	7	28	66	57	123	197	306	280	140	1,318	14	13	9	24	28	30	86	158	270	339	347
White	871	12	9	6	19	28	23	66	139	231	220	120	1,022	8	10	7	7	14	13	56	105	216	276	310
All other	362	3	3	1	9	40	34	57	58	77	60	20	296	6	3	2	17	14	17	30	53	54	63	37
Black	356	2	2	1	9	40	34	57	58	76	57	20	292	5	3	2	17	13	17	30	53	54	61	37
Accidents and adverse effects (E800-E949)	960	7	24	40	219	182	127	82	93	77	66	41	470	9	8	23	73	57	38	23	48	58	74	59
White	703	3	14	23	189	133	84	49	69	52	53	33	349	4	1	15	58	34	27	18	39	40	59	54
All other	257	4	10	17	30	49	43	33	24	25	13	8	121	5	7	8	15	23	11	5	9	18	15	5
Black	247	4	9	17	28	49	40	30	23	25	13	8	114	5	7	8	14	21	10	5	8	17	15	4
Motor vehicle accidents (E810-E825)	488	1	5	18	163	119	71	36	31	24	16	2	192	3	-	18	57	36	24	13	21	9	10	3
White	373	-	2	14	145	86	47	21	21	22	13	1	157	1	-	12	47	27	21	9	20	9	8	3
All other	115	1	3	4	18	33	24	15	10	2	3	1	35	2	-	4	10	9	3	4	1	-	2	-
Black	107	1	3	4	17	33	21	12	9	2	3	1	33	2	-	4	9	8	3	4	1	-	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	472	6	19	22	56	63	56	46	62	53	50	39	278	6	8	7	16	21	14	10	27	49	64	56
White	330	3	12	9	44	47	37	28	48	30	40	32	192	3	1	3	11	7	6	9	19	31	51	51
All other	142	3	7	13	12	16	19	18	14	23	10	7	86	3	7	4	5	14	8	1	8	18	13	5
Black	140	3	6	13	11	16	19	18	14	23	10	7	81	3	7	4	5	13	7	1	7	17	13	4
Suicide (E950-E959)	361	...	...	4	76	98	61	40	49	28	22	3	115	...	...	3	15	20	20	18	20	14	5	-
White	314	...	...	4	60	77	50	31	42	25	22	3	97	...	...	2	11	15	18	18	17	13	5	-
All other	67	...	...	-	16	21	11	9	7	3	-	-	18	...	...	1	4	5	2	2	3	1	-	-
Black	62	...	...	-	14	19	11	8	7	3	-	-	15	...	...	1	2	4	2	2	3	1	-	-
Homicide and legal intervention (E960-E978)	292	1	8	7	80	93	43	31	18	7	4	-	90	3	2	1	23	26	17	4	7	4	3	-
White	76	-	3	3	15	20	14	10	7	3	1	-	43	2	1	1	12	7	8	3	5	1	3	-
All other	216	1	5	4	65	73	29	21	11	4	3	-	47	1	1	-	11	19	9	1	2	3	-	-
Black	213	1	5	4	65	72	28	20	11	4	3	-	46	1	-	-	11	19	9	1	2	3	-	-
All other external causes (E980-E999)	37	-	2	1	6	8	3	10	3	2	1	1	22	1	-	-	4	4	4	1	2	3	2	1
White	16	-	-	-	2	4	1	6	2	1	-	-	16	1	-	-	3	3	2	1	1	2	2	1
All other	21	-	2	1	4	4	2	4	1	1	1	1	6	-	-	-	1	1	2	-	1	1	-	-
Black	20	-	2	1	4	4	1	4	1	1	1	1	3	-	-	-	1	-	1	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	26,965	403	69	81	566	618	762	1,762	4,541	7,184	6,993	3,978	27,326	287	50	67	224	253	470	1,065	2,750	5,231	8,164	8,760
White	26,004	340	64	69	522	555	708	1,647	4,343	6,994	6,857	3,898	26,586	248	41	58	212	222	424	1,008	2,622	5,113	8,017	8,616
All other	961	63	5	12	44	63	53	115	198	190	136	80	740	39	9	9	12	31	46	57	128	118	147	144
Black	838	54	4	11	38	52	49	104	175	169	107	74	664	36	9	6	12	27	40	54	110	108	133	129
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	7	2	-	-	-	-	-	-	2	1	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	6	1	-	-	-	-	-	-	2	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	-	-	-	2	4	3	4	-	8	-	-	-	-	-	-	-	1	1	3	3
White	12	-	-	-	-	-	-	2	3	3	4	-	7	-	-	-	-	-	-	-	1	1	3	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	-	2	3	3	3	-	7	-	-	-	-	-	-	-	1	1	2	3
White	11	-	-	-	-	-	-	2	3	3	3	-	6	-	-	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	2	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	-	-	1	1	-	-
White	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Septicemia (038)	192	1	-	-	-	3	5	6	27	55	48	47	258	1	-	-	1	2	4	7	13	39	83	108
White	182	1	-	-	-	2	5	6	24	54	44	46	242	-	-	-	1	2	3	6	13	36	80	101
All other	10	-	-	-	-	1	-	-	3	1	4	1	16	1	-	-	-	-	1	1	-	3	3	7
Black	8	-	-	-	-	1	-	-	3	1	2	1	15	1	-	-	-	-	1	1	-	2	3	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	2	2	1	3	3	1	2	-	6	-	-	-	-	1	-	1	-	-	2	2
White	12	-	-	-	2	1	1	2	3	1	2	-	6	-	-	-	-	1	-	1	-	-	2	2
All other	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	70	2	1	-	-	8	6	3	19	15	11	5	57	1	-	-	1	-	1	5	10	22	9	8
White	64	2	1	-	-	8	3	3	18	15	11	5	55	1	-	-	1	-	1	5	9	22	8	8
All other	6	-	-	-	-	2	3	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	6	-	-	-	-	2	3	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,497	3	6	9	34	47	126	481	1,436	2,090	1,667	598	6,434	-	5	12	22	76	227	549	1,206	1,767	1,651	919
White	6,262	3	5	7	32	41	116	446	1,384	2,027	1,641	580	6,274	-	5	11	22	67	212	527	1,171	1,727	1,623	909
All other	235	-	1	2	2	6	10	35	72	63	26	18	160	-	-	1	-	9	15	22	35	40	28	10
Black	204	-	1	1	1	3	7	30	62	57	25	17	135	-	-	1	-	7	11	20	28	35	25	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	147	-	-	-	-	1	7	14	50	36	32	7	88	-	-	-	-	3	1	9	26	24	16	9
White	138	-	-	-	-	1	5	11	49	33	32	7	85	-	-	-	-	2	1	9	25	24	15	9
All other	9	-	-	-	-	-	2	3	1	3	-	-	3	-	-	-	-	1	-	-	1	-	1	-
Black	8	-	-	-	-	-	1	3	1	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,710	-	-	-	1	8	22	116	397	547	449	170	1,819	-	-	-	1	7	32	74	262	485	570	382
White	1,639	-	-	-	1	5	16	104	378	531	444	162	1,768	-	-	-	1	6	30	73	254	470	557	377
All other	71	-	-	-	-	3	6	12	21	16	5	8	45	-	-	-	-	1	2	1	8	15	13	5
Black	59	-	-	-	-	1	4	11	16	14	5	8	39	-	-	-	-	1	2	1	6	13	12	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,165	-	-	-	-	5	33	187	543	771	527	99	981	-	-	-	-	5	33	123	253	346	173	48
White	2,098	-	-	-	-	2	31	173	523	751	520	98	949	-	-	-	-	4	31	117	244	336	170	47
All other	67	-	-	-	-	3	2	14	20	20	7	1	32	-	-	-	-	1	2	6	9	10	3	1
Black	57	-	-	-	-	2	2	10	17	19	6	1	28	-	-	-	-	1	2	5	9	8	3	-
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	-	-	4	3	-	1,248	-	-	-	-	16	78	154	277	313	267	143
White	7	-	-	-	-	-	-	-	-	4	3	-	1,221	-	-	-	-	14	73	148	274	307	264	143
All other	-	-	-	-	-	-	-	-	-	-	-	-	27	-	-	-	-	2	5	6	3	6	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-	1	4	7	1	5	3	-
Malignant neoplasms of genital organs (179-187)	702	-	-	-	4	4	1	11	75	198	259	150	675	-	-	-	3	9	27	68	140	195	151	82
White	671	-	-	-	4	4	1	10	67	187	251	147	661	-	-	-	3	8	25	65	135	194	149	82
All other	31	-	-	-	-	-	-	1	8	11	8	3	14	-	-	-	-	1	2	3	5	1	2	-
Black	30	-	-	-	-	-	-	1	8	10	8	3	13	-	-	-	-	1	1	3	5	1	2	-
Malignant neoplasms of urinary organs (188-189)	344	-	-	-	-	-	2	17	79	96	98	52	247	-	-	-	-	2	2	7	33	72	79	52
White	336	-	-	-	-	-	2	17	76	94	98	49	242	-	-	-	-	1	2	7	31	71	79	51
All other	8	-	-	-	-	-	-	-	3	2	-	3	5	-	-	-	-	1	-	-	2	1	-	1
Black	7	-	-	-	-	-	-	-	2	2	-	3	5	-	-	-	-	1	-	-	2	1	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	871	1	1	5	12	18	31	95	184	271	182	71	840	-	2	4	9	20	35	76	141	211	228	114
White	847	1	1	3	12	18	31	93	173	267	177	71	822	-	2	3	9	20	34	74	136	208	226	112
All other	24	-	-	2	-	-	-	2	11	4	5	-	18	-	-	1	-	-	1	2	5	5	2	2
Black	22	-	-	1	-	-	-	2	11	3	5	-	16	-	-	1	-	-	1	2	3	5	2	2
Leukemia (204-208)	231	2	5	4	11	6	8	16	40	59	54	26	222	-	3	6	3	5	7	14	27	57	57	43
White	224	2	4	4	11	6	8	16	38	57	53	25	214	-	3	6	3	4	5	13	27	57	54	42
All other	7	-	1	-	-	-	-	-	2	2	1	1	8	-	-	-	-	1	2	1	-	-	3	1
Black	6	-	1	-	-	-	-	-	1	2	1	1	6	-	-	-	-	1	1	1	-	-	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	320	-	-	-	6	5	22	25	68	108	63	23	320	-	-	2	6	9	12	24	47	64	110	46
White	302	-	-	-	4	5	22	22	62	103	63	21	312	-	-	2	6	8	11	23	45	62	109	46
All other	18	-	-	-	2	-	-	3	6	5	-	2	8	-	-	-	-	1	1	1	2	2	1	-
Black	15	-	-	-	1	-	-	3	6	4	-	1	6	-	-	-	-	1	-	1	2	2	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	112	-	2	-	1	-	5	12	21	35	29	7	129	1	1	1	3	2	5	6	16	19	45	30
White	109	-	2	-	1	-	5	10	21	35	28	7	128	1	1	1	3	2	5	6	16	19	44	30
All other	3	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	375	-	-	1	1	9	10	23	56	108	122	45	535	-	-	-	1	2	8	12	68	115	194	135
White	355	-	-	1	1	9	10	20	53	98	119	44	512	-	-	-	1	2	8	11	61	111	188	130
All other	20	-	-	-	-	-	-	3	3	10	3	1	23	-	-	-	-	-	-	1	7	4	6	5
Black	19	-	-	-	-	-	-	3	2	10	3	1	22	-	-	-	-	-	-	1	7	4	5	5
Nutritional deficiencies (260-269)	10	-	-	-	-	-	1	-	1	4	2	2	38	-	-	-	-	-	-	-	-	-	12	26
White	10	-	-	-	-	-	1	-	1	4	2	2	37	-	-	-	-	-	-	-	-	-	12	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	39	-	-	1	2	1	2	1	5	9	9	9	42	-	-	1	1	-	1	-	5	5	10	18
White	39	-	-	1	2	1	2	1	5	9	9	9	40	-	-	1	-	-	1	-	4	5	10	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Meningitis (320-322)	13	2	1	-	-	-	1	-	2	3	3	1	11	2	1	-	-	-	-	-	1	3	2	2
White	12	2	1	-	-	-	-	-	2	3	3	1	11	2	1	-	-	-	-	-	1	3	2	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	12,492	8	2	4	24	55	227	775	2,129	3,484	3,565	2,217	13,932	7	2	4	12	35	81	243	932	2,323	4,572	5,720
White	12,168	5	2	4	22	49	218	734	2,052	3,405	3,497	2,179	13,633	6	2	4	12	28	67	224	879	2,274	4,492	5,644
All other	324	3	-	-	2	6	9	41	77	79	68	38	299	1	-	-	-	7	14	19	53	49	80	76
Black	280	2	-	-	2	5	9	38	69	71	49	34	268	1	-	-	-	6	13	18	47	45	71	67

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	10,527	8	2	2	19	43	207	705	1,909	3,010	2,892	1,728	10,707	6	2	4	9	27	59	190	774	1,916	3,534	4,185
White	10,265	5	2	2	18	38	199	670	1,845	2,947	2,837	1,701	10,480	5	2	4	9	20	50	175	726	1,876	3,464	4,129
All other	262	3	-	-	1	5	8	35	64	63	55	27	247	1	-	-	-	7	9	15	48	40	70	57
Black	229	2	-	-	1	5	8	32	60	59	37	24	222	1	-	-	-	6	9	15	42	37	61	51
Rheumatic fever and rheumatic heart disease (390-398)	48	-	-	-	2	1	2	5	7	16	12	3	130	-	-	-	-	2	-	9	23	34	45	17
White	45	-	-	-	2	1	2	4	6	15	12	3	125	-	-	-	-	1	-	7	23	34	44	16
All other	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	1	-	2	-	-	1	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	2	-	-	1	1
Hypertensive heart disease (402)	143	-	-	-	-	-	5	10	32	46	33	17	224	-	-	-	-	-	2	3	18	49	71	81
White	130	-	-	-	-	-	5	7	30	40	31	17	215	-	-	-	-	-	1	3	15	46	69	81
All other	13	-	-	-	-	-	-	3	2	6	2	-	9	-	-	-	-	-	1	-	3	3	2	-
Black	11	-	-	-	-	-	-	3	2	5	1	-	8	-	-	-	-	-	1	-	2	3	2	-
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	1	5	4	3	28	-	-	-	-	-	-	-	1	4	5	18
White	12	-	-	-	-	-	-	-	-	5	4	3	27	-	-	-	-	-	-	-	1	4	4	18
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	8,621	1	-	-	1	14	161	599	1,615	2,510	2,400	1,318	8,174	-	-	-	1	7	35	129	575	1,486	2,701	3,239
White	8,447	1	-	-	1	13	154	576	1,572	2,471	2,361	1,297	8,020	-	-	-	1	6	31	121	544	1,463	2,656	3,197
All other	174	-	-	-	-	1	7	23	43	39	39	21	154	-	-	-	-	1	4	8	31	23	45	42
Black	155	-	-	-	-	1	7	21	41	38	28	19	135	-	-	-	-	1	4	8	28	20	38	36
Acute myocardial infarction (410)	4,850	1	-	-	-	11	102	413	1,069	1,521	1,245	488	3,704	-	-	-	1	7	22	88	378	883	1,331	996
White	4,764	1	-	-	-	10	99	401	1,043	1,499	1,232	479	3,638	-	-	-	1	6	22	83	359	875	1,310	982
All other	86	-	-	-	-	1	3	12	26	22	13	9	66	-	-	-	-	1	-	3	19	8	21	14
Black	77	-	-	-	-	1	3	11	25	19	10	6	55	-	-	-	-	1	-	3	16	7	16	12
Other acute and subacute forms of ischemic heart disease (411)	16	-	-	-	-	-	-	-	6	5	5	-	10	-	-	-	-	-	-	-	-	2	3	5
White	15	-	-	-	-	-	-	-	5	5	5	-	10	-	-	-	-	-	-	-	-	2	3	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	-	-	2	4	2	-	14	-	-	-	-	-	-	-	2	-	7	5
White	8	-	-	-	-	-	-	-	2	4	2	-	14	-	-	-	-	-	-	-	2	-	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,747	-	-	-	1	3	59	188	538	980	1,148	830	4,446	-	-	-	-	-	13	43	195	601	1,360	2,233
White	3,660	-	-	-	1	3	55	175	522	963	1,122	816	4,358	-	-	-	-	-	9	39	189	586	1,336	2,205
All other	87	-	-	-	-	-	4	11	16	17	26	12	88	-	-	-	-	-	4	5	12	15	24	28
Black	77	-	-	-	-	-	4	10	15	17	19	11	80	-	-	-	-	-	4	5	12	13	22	24
Other diseases of endocardium (424)	93	-	-	-	-	-	7	5	10	24	24	23	139	-	-	-	-	-	-	1	7	24	58	49
White	93	-	-	-	-	-	7	5	10	24	24	23	138	-	-	-	-	-	-	1	7	23	58	49
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	1,608	7	2	2	16	28	32	86	244	409	419	364	2,012	6	2	4	8	18	22	48	150	319	654	781
White	1,538	4	2	2	15	24	31	78	227	392	405	358	1,935	5	2	4	8	13	18	43	136	306	633	767
All other	71	3	-	-	1	4	1	8	17	17	14	6	77	1	-	-	-	5	4	5	14	13	21	14
Black	61	2	-	-	1	4	1	8	16	17	7	5	73	1	-	-	-	5	4	5	12	13	19	14
Hypertension with or without renal disease (401,403)	67	-	-	-	1	-	1	2	7	16	20	20	124	-	-	-	-	-	-	4	6	18	37	59
White	66	-	-	-	-	-	1	2	7	16	20	20	120	-	-	-	-	-	-	3	6	17	36	58
All other	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	1	1
Black	1	-	-	-	1	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	1	1
Cerebrovascular diseases (430-438)	1,348	-	-	2	3	11	17	56	152	314	472	321	2,386	1	-	-	1	7	21	43	125	311	794	1,063
White	1,298	-	-	2	3	10	16	51	140	302	462	312	2,327	1	-	-	1	7	16	40	120	305	789	1,048
All other	50	-	-	-	-	1	1	5	12	12	10	9	39	-	-	-	-	-	5	3	5	6	5	15
Black	41	-	-	-	-	-	1	5	8	10	9	8	33	-	-	-	-	-	4	2	5	5	5	12
Intracerebral and other intracranial hemorrhage (431-432)	242	-	-	-	3	5	5	22	47	80	52	28	309	-	-	-	1	3	7	11	39	65	106	77
White	225	-	-	-	3	4	4	19	41	76	52	28	303	-	-	-	1	3	5	9	39	64	106	76
All other	17	-	-	-	-	1	1	3	6	4	-	2	6	-	-	-	-	-	2	2	-	1	-	1
Black	13	-	-	-	-	-	1	3	4	3	-	2	6	-	-	-	-	-	2	2	-	1	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	247	-	-	-	-	-	3	4	23	55	93	69	493	-	-	-	-	-	-	1	19	55	160	258
White	237	-	-	-	-	-	3	3	22	53	90	66	468	-	-	-	-	-	-	-	19	53	160	258
All other	10	-	-	-	-	-	-	1	1	2	3	3	5	-	-	-	-	-	-	1	-	2	-	2
Black	7	-	-	-	-	-	-	1	-	2	2	2	3	-	-	-	-	-	-	-	-	1	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	-	3	3	1	21	-	-	-	-	-	-	-	1	5	9	6
White	7	-	-	-	-	-	-	-	-	3	3	1	21	-	-	-	-	-	-	-	1	5	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	852	-	-	2	-	6	9	30	82	176	324	223	1,543	1	-	-	-	4	14	31	66	186	519	722
White	829	-	-	2	-	6	9	29	77	170	317	219	1,515	1	-	-	-	4	11	31	61	183	514	710
All other	23	-	-	-	-	-	-	1	5	6	7	4	28	-	-	-	-	-	3	-	5	3	5	12
Black	21	-	-	-	-	-	-	1	4	5	7	4	24	-	-	-	-	-	2	-	5	3	5	9
Atherosclerosis (440)	183	-	-	-	-	-	1	1	8	35	49	89	482	-	-	-	-	-	-	2	8	31	107	334
White	179	-	-	-	-	-	1	1	8	34	48	87	479	-	-	-	-	-	-	2	8	31	105	333
All other	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	2	1
Other diseases of arteries, arterioles, and capillaries (441-448)	367	-	-	-	1	1	1	11	53	109	132	59	253	-	-	-	2	1	1	4	19	47	100	79
White	360	-	-	-	1	1	1	10	52	106	130	59	247	-	-	-	2	1	1	4	19	45	98	77
All other	7	-	-	-	-	-	-	1	1	3	2	-	6	-	-	-	-	-	-	-	-	2	2	2
Black	6	-	-	-	-	-	-	1	1	2	2	-	6	-	-	-	-	-	-	-	-	2	2	2
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	-	2	-	1	2	4	-	-	-	-	-	-	-	1	-	-	3
White	5	-	-	-	-	-	-	-	2	-	1	2	4	-	-	-	-	-	-	-	1	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	888	7	2	1	4	2	8	22	61	140	307	331	1,021	3	2	1	1	3	6	14	29	97	304	561
White	859	6	2	1	4	1	6	18	59	138	301	324	998	3	2	1	1	3	6	14	28	93	299	548
All other	27	1	-	-	-	1	2	4	2	4	6	7	23	-	-	-	-	-	-	-	1	4	5	13
Black	26	1	-	-	-	1	2	4	1	4	6	7	21	-	-	-	-	-	-	-	-	4	5	12
Pneumonia (480-486)	876	7	2	1	4	2	8	22	60	140	305	324	1,013	3	2	1	1	3	6	14	28	96	303	556
White	850	6	2	1	4	1	6	18	58	138	299	318	990	3	2	1	1	3	6	14	27	92	298	543
All other	26	1	-	-	-	1	2	4	2	4	6	6	23	-	-	-	-	-	-	-	1	4	5	13
Black	25	1	-	-	-	1	2	4	1	4	6	6	21	-	-	-	-	-	-	-	-	4	5	12
Influenza (487)	10	-	-	-	-	-	-	-	1	-	2	7	8	-	-	-	-	-	-	-	1	1	1	5
White	9	-	-	-	-	-	-	-	1	-	2	6	8	-	-	-	-	-	-	-	1	1	1	5
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,061	-	1	1	1	2	4	32	125	357	393	144	651	-	1	1	1	-	3	24	72	197	232	120
White	1,041	-	1	1	1	1	4	29	121	352	388	142	641	-	1	1	1	-	1	22	70	195	231	119
All other	20	-	-	-	-	1	-	3	4	5	5	2	10	-	-	-	-	-	2	2	2	2	1	1
Black	19	-	-	-	-	1	-	3	4	5	4	2	9	-	-	-	-	-	2	2	1	2	1	1
Bronchitis, chronic and unspecified (490-491)	54	-	-	-	-	-	1	1	5	18	16	13	40	-	-	-	-	-	-	3	2	12	12	11
White	54	-	-	-	-	-	1	1	5	18	16	13	40	-	-	-	-	-	-	3	2	12	12	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	160	-	-	-	-	-	-	2	22	61	59	15	88	-	-	-	-	-	-	4	11	29	37	7
White	158	-	-	-	-	-	-	2	21	61	58	15	86	-	-	-	-	-	-	4	11	28	36	7
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Asthma (493)	35	-	-	1	1	2	2	10	5	8	2	4	55	-	1	1	1	-	3	4	6	13	19	7
White	31	-	-	1	1	1	2	8	5	7	2	4	48	-	1	1	1	-	1	2	5	12	19	6
All other	4	-	-	-	-	1	-	2	-	1	-	-	7	-	-	-	-	-	2	2	1	1	-	1
Black	4	-	-	-	-	1	-	2	-	1	-	-	6	-	-	-	-	-	2	2	-	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	812	-	1	-	-	-	1	19	93	270	316	112	468	-	-	-	-	-	-	13	53	143	164	95
White	798	-	1	-	-	-	1	18	90	266	312	110	467	-	-	-	-	-	-	13	52	143	164	95
All other	14	-	-	-	-	-	-	1	3	4	4	2	1	-	-	-	-	-	-	-	1	-	-	-
Black	13	-	-	-	-	-	-	1	3	4	3	2	1	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	52	-	1	-	-	-	1	2	10	13	17	8	80	-	-	-	-	1	1	2	3	13	29	31
White	51	-	1	-	-	-	1	2	9	13	17	8	77	-	-	-	-	-	1	2	3	12	29	30
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	-	-	1	-	1
Appendicitis (540-543)	5	-	-	-	-	-	-	-	1	1	2	1	11	-	-	-	-	-	-	-	2	3	3	3
White	5	-	-	-	-	-	-	-	1	1	2	1	11	-	-	-	-	-	-	-	2	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	56	2	-	1	-	1	1	3	6	13	18	11	93	-	1	-	-	-	1	-	6	11	23	51
White	54	2	-	1	-	1	1	3	5	12	18	11	88	-	1	-	-	-	1	-	5	10	22	49
All other	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	1	1	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	1	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	435	-	1	-	-	12	42	75	127	128	44	6	258	-	-	-	1	4	18	32	70	74	46	13
White	420	-	1	-	-	11	40	70	124	125	44	5	249	-	-	-	1	4	14	31	67	73	46	13
All other	15	-	-	-	-	1	2	5	3	3	-	1	9	-	-	-	-	-	4	1	3	1	-	-
Black	13	-	-	-	-	1	2	4	3	2	-	1	9	-	-	-	-	-	4	1	3	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	38	-	-	-	-	-	1	1	1	5	13	17	44	-	-	-	-	-	1	1	3	2	16	21
White	35	-	-	-	-	-	-	1	1	5	13	15	44	-	-	-	-	-	1	1	3	2	16	21
All other	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	255	3	-	-	1	4	7	12	29	58	85	56	313	3	-	1	-	2	4	7	25	49	109	113
White	243	2	-	-	1	2	6	12	27	57	80	56	292	3	-	1	-	1	3	7	20	46	103	108
All other	12	1	-	-	-	2	1	-	2	1	5	-	21	-	-	-	-	1	1	-	5	3	6	5
Black	11	1	-	-	-	2	1	-	2	-	5	-	20	-	-	-	-	1	1	-	4	3	6	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	1	-	-	1	-	1	6	-	-	-	-	1	1	-	-	2	1	1
White	3	-	-	-	-	-	1	-	-	1	-	1	6	-	-	-	-	1	1	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	1	-	-	-	1	2	1	2	23	-	-	-	-	1	-	-	2	3	8	9
White	6	-	-	-	1	-	-	-	-	2	1	2	21	-	-	-	-	-	-	-	1	3	8	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	245	3	-	-	-	4	6	12	28	55	84	53	284	3	-	1	-	-	3	7	23	44	100	103
White	234	2	-	-	-	2	5	12	27	54	79	53	265	3	-	1	-	-	2	7	19	41	94	98
All other	11	1	-	-	-	2	1	-	1	1	5	-	19	-	-	-	-	-	1	-	4	3	6	5
Black	10	1	-	-	-	2	1	-	1	-	5	-	18	-	-	-	-	-	1	-	4	3	6	5
Infections of kidney (590)	10	-	-	-	-	-	-	-	-	1	4	5	33	-	-	-	-	-	-	-	-	4	15	14
White	10	-	-	-	-	-	-	-	-	1	4	5	33	-	-	-	-	-	-	-	-	4	15	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	2	5	5	...	...	...	...	...	...	...	...	...	...	...	...
White	12	-	-	-	-	-	-	-	-	2	5	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	127	79	11	3	8	3	9	6	5	2	-	1	121	73	13	7	5	5	2	2	4	4	4	2
White	119	73	10	3	8	2	9	6	5	2	-	1	108	66	12	5	5	3	1	2	4	4	4	2
All other	8	6	1	-	-	1	-	-	-	-	-	-	13	7	1	2	-	2	1	-	-	-	-	-
Black	5	4	1	-	-	-	-	-	-	-	-	-	9	5	1	-	-	2	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	208	208	-	-	-	-	-	-	-	-	-	-	151	151	-	-	-	-	-	-	-	-	-	-
White	170	170	-	-	-	-	-	-	-	-	-	-	128	128	-	-	-	-	-	-	-	-	-	-
All other	38	38	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Black	32	32	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	42	42	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	164	164	-	-	-	-	-	-	-	-	-	-	126	126	-	-	-	-	-	-	-	-	-	-
White	132	132	-	-	-	-	-	-	-	-	-	-	105	105	-	-	-	-	-	-	-	-	-	-
All other	32	32	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Black	28	28	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	248	67	2	-	16	36	24	22	24	20	20	17	187	25	5	2	12	17	11	11	12	20	30	42
White	215	56	2	-	15	27	19	20	22	18	19	17	170	20	2	2	9	15	10	10	12	20	30	40
All other	33	11	-	-	1	9	5	2	2	2	1	-	17	5	3	-	3	2	1	1	-	-	-	2
Black	28	10	-	-	1	6	5	2	2	2	-	-	17	5	3	-	3	2	1	1	-	-	-	2
All other diseases (Residual)	1,900	14	15	12	28	48	76	130	275	473	493	334	2,038	15	9	7	20	20	41	66	182	366	623	669
White	1,821	11	14	11	25	41	68	119	266	458	481	325	1,969	15	6	7	20	17	38	79	167	357	612	651
All other	79	3	1	1	3	7	8	11	9	15	12	9	69	-	3	-	-	3	3	7	15	9	11	18
Black	72	2	-	1	3	7	8	11	9	13	10	8	65	-	3	-	-	3	2	7	15	9	10	18
Accidents and adverse effects (E800-E949)	1,222	6	22	39	304	202	115	88	113	125	111	98	683	3	8	25	102	41	34	48	59	82	136	144
White	1,158	5	20	31	291	192	110	83	102	121	108	95	656	2	8	19	99	39	31	43	58	81	133	142
All other	68	1	2	8	13	10	5	6	11	4	5	1	27	1	-	6	3	2	3	3	3	1	3	2
Black	57	1	2	8	10	8	5	6	10	3	3	1	24	1	-	5	3	1	3	3	2	1	3	2
Motor vehicle accidents (E810-E825)	545	1	6	18	215	113	43	33	39	41	21	15	211	1	2	12	74	26	10	18	22	17	24	5
White	520	1	5	15	206	107	43	32	35	41	20	15	204	1	2	10	73	25	10	17	20	17	24	5
All other	25	-	1	3	9	6	-	1	4	-	1	-	7	-	-	2	1	1	-	1	2	-	-	-
Black	21	-	1	3	7	4	-	1	4	-	1	-	7	-	-	2	1	1	-	1	2	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	677	5	16	21	89	89	72	56	74	84	90	81	472	2	6	13	28	15	24	28	37	65	112	139
White	636	4	15	16	85	85	67	51	67	80	86	80	452	1	6	9	26	14	21	26	36	64	109	137
All other	41	1	1	5	4	4	5	5	7	4	4	1	20	1	-	4	2	1	3	2	1	1	3	2
Black	36	1	1	5	3	4	5	5	6	3	2	1	17	1	-	3	2	-	3	2	-	1	3	2
Suicide (E950-E959)	422	...	...	3	92	114	62	44	45	35	15	12	108	...	...	1	19	24	16	14	21	7	6	1
White	409	...	...	3	88	109	62	43	44	33	15	12	107	...	...	1	19	23	16	14	20	7	6	1
All other	13	...	...	-	4	5	-	1	1	2	-	-	2	...	...	-	-	1	-	-	1	-	-	-
Black	11	...	...	-	4	5	-	1	1	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	151	3	-	5	43	48	22	15	10	1	2	-	52	-	-	4	18	15	2	2	5	4	2	-
White	108	2	-	4	24	38	16	14	6	1	2	-	43	-	-	4	14	12	1	2	5	4	1	-
All other	43	1	-	1	19	10	6	1	4	-	-	-	9	-	-	-	4	3	1	-	-	-	1	-
Black	38	1	-	1	17	9	5	1	4	-	-	-	9	-	-	-	4	3	1	-	-	-	1	-
All other external causes (E980-E999)	43	-	-	1	5	21	6	3	3	3	1	-	14	-	-	-	2	3	3	1	1	2	2	-
White	42	-	-	1	5	21	6	3	2	3	1	-	14	-	-	-	2	3	3	1	1	2	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN																								
All causes	40,810	866	145	217	1,109	1,375	1,475	2,984	7,046	10,739	9,896	4,957	35,874	703	126	134	371	591	816	1,781	4,515	7,489	9,907	9,439
White	34,905	580	108	159	846	929	1,029	2,350	5,853	9,479	8,947	4,624	31,309	487	83	98	282	381	605	1,398	3,698	6,460	8,950	8,885
All other	5,905	286	37	58	263	446	446	634	1,193	1,260	949	333	4,565	236	43	36	89	210	211	383	817	1,029	957	554
Black	5,731	279	34	55	254	437	436	610	1,162	1,222	916	326	4,454	227	42	36	83	201	205	375	790	1,011	940	544
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	2	1	-	-	-	-	-	1	1	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	3	2	-	-	-	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	25	-	-	-	-	-	-	3	3	5	9	5	14	-	-	-	1	1	-	1	3	3	5	-
White	18	-	-	-	-	-	-	2	2	4	6	4	7	-	-	-	-	-	-	-	2	2	3	-
All other	7	-	-	-	-	-	-	1	1	1	3	1	7	-	-	-	1	1	-	1	1	1	2	-
Black	7	-	-	-	-	-	-	1	1	1	3	1	7	-	-	-	1	1	-	1	1	1	2	-
Tuberculosis of respiratory system (010-012)	21	-	-	-	-	-	-	3	1	4	9	4	7	-	-	-	1	-	-	-	1	2	3	-
White	15	-	-	-	-	-	-	2	1	3	6	3	4	-	-	-	-	-	-	-	1	1	2	-
All other	6	-	-	-	-	-	-	1	-	1	3	1	3	-	-	-	1	-	-	-	-	1	1	-
Black	6	-	-	-	-	-	-	1	-	1	3	1	3	-	-	-	1	-	-	-	-	1	1	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	2	1	-	1	7	-	-	-	-	1	-	1	2	1	2	-
White	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	1	-	1	1	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	1	-	1	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	-	2	2	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
White	4	-	2	1	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	250	4	1	1	2	8	5	21	38	67	57	46	257	3	-	-	2	5	4	9	32	55	66	81
White	186	2	-	1	1	2	3	14	29	51	43	40	190	2	-	-	-	2	2	5	26	40	47	66
All other	64	2	1	-	1	6	2	7	9	16	14	6	67	1	-	-	2	3	2	4	6	15	19	15
Black	63	1	1	-	1	6	2	7	9	16	14	6	64	1	-	-	2	3	2	3	5	15	19	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	16	-	-	-	-	1	-	3	4	6	1	1	12	-	-	1	-	2	1	3	-	3	-	2
White	15	-	-	-	-	1	-	2	4	6	1	1	9	-	-	-	-	1	-	3	-	3	-	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	1	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	1	-	1	1	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	80	4	1	1	6	4	9	7	15	12	15	6	82	1	-	4	3	7	4	9	9	19	13	13
White	61	2	-	1	5	3	7	3	11	11	12	6	67	-	-	2	3	7	3	4	7	17	12	12
All other	19	2	1	-	1	1	2	4	4	1	3	-	15	1	-	2	-	-	1	5	2	2	1	1
Black	19	2	1	-	1	1	2	4	4	1	3	-	15	1	-	2	-	-	1	5	2	2	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,130	4	16	34	58	116	195	763	2,185	2,981	2,103	675	7,667	1	16	25	41	106	282	737	1,784	2,187	1,713	765
White	7,876	4	14	28	51	97	168	607	1,813	2,597	1,876	621	6,765	1	12	19	37	85	237	618	1,549	1,934	1,550	723
All other	1,254	-	2	6	7	19	27	156	372	384	227	54	902	-	4	6	4	21	45	119	245	253	163	42
Black	1,215	-	2	6	7	18	25	148	366	375	215	53	879	-	4	6	3	18	44	118	240	246	160	40
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	191	-	-	-	2	4	6	23	64	62	21	9	87	-	-	-	-	2	3	7	30	25	16	4
White	152	-	-	-	2	4	3	15	46	53	21	8	74	-	-	-	-	-	2	4	25	24	15	4
All other	39	-	-	-	-	-	3	8	18	9	-	1	13	-	-	-	-	2	1	3	5	1	1	-
Black	37	-	-	-	-	-	3	8	17	8	-	1	13	-	-	-	-	2	1	3	5	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,214	-	-	1	-	17	34	173	540	713	539	197	1,954	-	-	1	1	5	28	114	352	563	601	289
White	1,687	-	-	-	-	12	25	127	435	625	484	179	1,712	-	-	1	1	4	24	97	291	485	537	272
All other	327	-	-	1	-	5	9	46	105	88	55	18	242	-	-	-	-	1	4	17	61	78	64	17
Black	314	-	-	1	-	5	8	43	103	86	51	17	240	-	-	-	-	1	4	17	61	77	64	16
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,291	-	-	1	-	9	61	346	916	1,223	602	133	1,371	-	-	-	-	6	45	184	449	438	200	49
White	2,634	-	-	1	-	8	53	278	768	1,069	540	117	1,190	-	-	-	-	4	40	148	394	380	180	44
All other	457	-	-	-	-	1	8	68	148	154	62	16	181	-	-	-	-	2	5	36	55	58	20	5
Black	443	-	-	-	-	1	8	64	147	149	58	16	176	-	-	-	-	2	5	36	53	55	20	5
Malignant neoplasm of breast (174-175)	11	-	-	-	-	-	-	1	5	1	4	-	1,454	-	-	-	1	29	97	205	415	355	236	116
White	7	-	-	-	-	-	-	1	2	1	3	-	1,289	-	-	-	1	25	77	175	365	317	217	112
All other	4	-	-	-	-	-	-	-	3	-	1	-	165	-	-	-	-	4	20	30	50	38	19	4
Black	3	-	-	-	-	-	-	-	2	-	1	-	162	-	-	-	-	4	20	29	50	38	19	4
Malignant neoplasms of genital organs (179-187)	982	-	-	-	3	13	2	14	97	305	385	143	837	-	-	1	4	17	35	89	194	245	173	79
White	782	-	-	-	3	12	2	11	69	230	323	132	721	-	-	1	3	13	29	75	162	213	151	74
All other	180	-	-	-	-	1	-	3	28	75	62	11	116	-	-	-	1	4	6	14	32	32	22	5
Black	177	-	-	-	-	1	-	3	28	75	59	11	114	-	-	-	1	4	5	14	31	32	22	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	484	-	1	-	1	2	6	31	117	144	124	58	288	-	1	1	-	2	6	11	48	67	90	42
White	443	-	1	-	1	1	6	27	101	135	116	55	248	-	1	1	-	-	5	10	41	61	85	42
All other	41	-	-	-	-	1	-	4	16	9	8	3	22	-	-	-	-	2	1	1	7	6	5	-
Black	40	-	-	-	-	1	-	3	16	9	8	3	21	-	-	-	-	2	1	1	7	6	4	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,122	2	11	12	23	32	53	111	271	307	236	64	965	-	7	12	21	21	33	61	186	282	231	109
White	1,003	2	9	10	22	29	50	98	233	276	213	61	869	-	5	8	19	18	30	66	161	267	214	101
All other	119	-	2	2	1	3	3	13	38	31	23	3	96	-	2	4	2	3	3	15	27	15	17	8
Black	116	-	2	2	1	3	3	13	37	30	22	3	90	-	2	4	1	1	3	15	25	15	16	8
Leukemia (204-208)	379	2	4	14	21	19	14	15	66	91	91	42	274	1	7	10	8	12	20	18	35	67	63	33
White	345	2	4	11	17	16	12	12	57	85	88	41	245	1	5	8	7	9	16	16	32	60	59	32
All other	34	-	-	3	4	3	2	3	9	6	3	1	29	-	2	2	1	3	4	2	3	7	4	1
Black	33	-	-	3	4	3	1	3	9	6	3	1	27	-	2	2	1	2	4	2	3	7	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	476	-	-	6	8	20	19	49	109	135	101	29	437	-	1	-	6	12	15	28	83	145	103	44
White	423	-	-	6	6	15	17	38	102	123	88	28	389	-	1	-	6	12	14	27	78	127	92	42
All other	53	-	-	-	2	5	2	11	7	12	13	1	38	-	-	-	-	-	1	1	5	18	11	2
Black	52	-	-	-	2	4	2	11	7	12	13	1	36	-	-	-	-	-	1	1	5	17	10	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	69	1	1	-	3	2	-	3	20	18	15	6	80	1	-	3	3	2	2	7	8	14	22	18
White	60	1	1	-	3	2	-	3	17	14	14	5	66	-	-	2	3	2	1	4	7	10	19	18
All other	9	-	-	-	-	-	-	-	3	4	1	1	14	1	-	1	-	-	1	3	1	4	3	-
Black	9	-	-	-	-	-	-	-	3	4	1	1	14	1	-	1	-	-	1	3	1	4	3	-
Diabetes mellitus (250)	589	-	-	-	4	20	31	47	105	174	153	55	881	-	-	2	3	21	27	54	129	200	293	152
White	502	-	-	-	2	17	23	39	78	149	141	53	754	-	-	1	3	17	23	39	103	170	259	139
All other	87	-	-	-	2	3	8	8	27	25	12	2	127	-	-	1	-	4	4	15	26	30	34	13
Black	83	-	-	-	2	3	7	7	27	24	11	2	121	-	-	1	-	4	4	14	24	29	33	12
Nutritional deficiencies (260-269)	51	-	1	-	-	-	1	-	5	4	22	18	72	-	2	-	-	1	-	1	5	3	19	41
White	44	-	-	-	-	-	1	-	5	2	19	17	62	-	-	-	-	1	-	1	4	2	14	40
All other	7	-	1	-	-	-	-	-	-	2	3	1	10	-	2	-	-	-	-	-	1	1	5	1
Black	7	-	1	-	-	-	-	-	-	2	3	1	10	-	2	-	-	-	-	-	1	1	5	1
Anemias (280-285)	75	-	1	1	3	1	2	3	10	19	19	16	74	-	-	2	3	3	4	1	6	18	15	22
White	58	-	-	-	-	-	1	2	7	16	16	16	62	-	-	1	1	1	2	-	5	15	15	22
All other	17	-	1	1	3	1	1	1	3	3	3	-	12	-	-	1	2	2	2	1	1	3	-	-
Black	15	-	1	-	3	1	1	1	3	3	2	-	12	-	-	1	2	2	2	1	1	3	-	-
Meningitis (320-322)	20	7	1	1	1	1	1	1	2	2	2	1	21	8	2	2	-	-	-	1	2	2	3	1
White	16	4	1	1	1	-	1	1	2	2	2	1	17	4	2	2	-	-	-	1	2	2	3	1
All other	4	3	-	-	-	1	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	4	3	-	-	-	1	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	19,300	19	6	6	38	122	444	1,273	3,297	5,544	5,459	3,091	18,215	14	6	14	37	70	190	497	1,694	3,689	6,244	6,759
White	17,145	13	5	5	25	85	324	1,043	2,607	4,956	4,989	2,893	17,030	10	4	10	24	37	130	372	1,318	3,114	5,631	6,379
All other	2,155	6	1	1	14	37	120	230	490	588	470	198	2,185	4	2	4	13	33	60	125	376	575	613	380
Black	2,082	5	1	1	14	36	116	222	475	569	459	194	2,147	3	2	4	12	32	58	123	368	572	601	374
Diseases of heart (390-398,402,404-429)	15,867	16	6	5	25	98	379	1,140	2,898	4,655	4,305	2,340	14,560	13	4	9	24	50	131	385	1,358	2,985	4,726	4,874
White	14,131	11	5	4	17	71	293	947	2,496	4,169	3,947	2,171	12,895	9	2	7	16	27	57	295	1,067	2,534	4,253	4,597
All other	1,736	5	1	1	8	27	86	193	402	486	358	169	1,665	4	2	2	8	23	44	90	291	451	473	277
Black	1,685	4	1	1	8	26	83	186	390	471	350	165	1,641	3	2	2	7	22	43	89	285	448	465	275
Rheumatic fever and rheumatic heart disease (390-398)	78	-	-	-	2	5	7	5	18	22	14	5	204	-	-	1	5	5	13	29	30	62	41	15
White	69	-	-	-	-	4	6	5	17	20	13	4	184	-	-	-	4	3	9	26	27	58	40	17
All other	9	-	-	-	2	1	1	-	1	2	1	1	20	-	-	1	1	2	4	3	3	4	1	1
Black	8	-	-	-	2	1	1	-	1	2	-	1	19	-	-	1	1	1	4	3	3	4	1	1
Hypertensive heart disease (402)	260	-	-	-	-	2	12	28	64	74	56	24	319	-	-	-	-	1	6	15	45	68	102	82
White	184	-	-	-	-	1	4	10	43	54	50	22	245	-	-	-	-	-	3	6	26	46	86	78
All other	76	-	-	-	-	1	8	18	21	20	6	2	74	-	-	-	-	1	3	9	19	22	16	4
Black	75	-	-	-	-	1	8	18	21	20	6	1	74	-	-	-	-	1	3	9	19	22	16	4
Hypertensive heart and renal disease (404)	44	-	-	-	-	-	-	2	6	10	13	13	52	-	-	-	-	1	-	3	3	10	14	21
White	34	-	-	-	-	-	-	-	2	8	12	12	37	-	-	-	-	-	-	1	1	6	10	19
All other	10	-	-	-	-	-	-	2	4	2	1	1	15	-	-	-	-	1	-	2	2	4	4	2
Black	10	-	-	-	-	-	-	2	4	2	1	1	15	-	-	-	-	1	-	2	2	4	4	2
Ischemic heart disease (410-414)	11,728	-	-	1	1	39	245	823	2,104	3,523	3,267	1,725	10,472	-	-	1	2	13	59	222	913	2,134	3,541	3,587
White	10,859	-	-	1	1	33	217	754	1,924	3,255	3,061	1,613	9,562	-	-	1	2	10	46	188	777	1,879	3,241	3,416
All other	869	-	-	-	-	6	28	69	180	268	206	112	910	-	-	-	-	3	13	34	136	255	300	169
Black	838	-	-	-	-	6	25	64	172	259	202	110	896	-	-	-	-	3	13	33	132	252	295	168
Acute myocardial infarction (410)	6,692	-	-	1	-	24	168	606	1,403	2,155	1,689	646	4,978	-	-	-	1	10	35	164	623	1,208	1,739	1,196
White	6,243	-	-	1	-	22	147	558	1,295	2,018	1,598	606	4,546	-	-	-	1	8	26	138	543	1,079	1,609	1,142
All other	449	-	-	-	-	2	21	50	108	137	91	40	432	-	-	-	-	2	9	26	80	129	130	56
Black	430	-	-	-	-	2	19	45	103	134	88	39	425	-	-	-	-	2	9	25	78	127	128	56

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	31	-	-	-	-	-	-	4	10	9	5	3	27	-	-	1	-	-	-	-	7	5	6	8
White	30	-	-	-	-	-	-	4	10	8	5	3	25	-	-	1	-	-	-	-	5	5	6	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Angina pectoris (413)	24	-	-	-	-	-	1	4	6	7	5	1	7	-	-	-	-	-	1	-	-	1	3	2
White	20	-	-	-	-	-	1	3	4	6	5	1	7	-	-	-	-	-	1	-	-	1	3	2
All other	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,981	-	-	-	1	15	76	209	685	1,352	1,568	1,075	5,460	-	-	-	1	3	23	58	283	920	1,793	2,379
White	4,566	-	-	-	1	11	69	191	615	1,223	1,453	1,003	4,984	-	-	-	1	2	19	50	229	794	1,623	2,266
All other	415	-	-	-	-	4	7	18	70	129	115	72	476	-	-	-	-	1	4	8	54	126	170	113
Black	403	-	-	-	-	4	6	18	67	123	114	71	469	-	-	-	-	1	4	8	52	125	167	112
Other diseases of endocardium (424)	135	-	-	-	1	3	2	7	23	45	38	16	156	1	-	-	1	3	2	2	12	28	61	46
White	122	-	-	-	1	2	2	3	19	42	37	16	141	-	-	-	1	2	1	2	9	24	57	45
All other	13	-	-	-	-	1	-	4	4	3	1	-	15	1	-	-	-	1	1	-	3	4	4	1
Black	12	-	-	-	-	1	-	3	4	3	1	-	14	1	-	-	-	1	1	-	2	4	4	1
All other forms of heart disease (415-423,425-429)	3,622	16	6	4	21	49	113	275	683	981	917	557	3,357	12	4	7	16	27	51	114	355	683	987	1,120
White	2,863	11	5	3	15	31	64	175	491	790	774	504	2,726	9	2	6	9	12	28	72	227	521	819	1,020
All other	759	5	1	1	6	18	49	100	192	191	143	53	631	3	2	1	7	15	23	42	128	162	148	100
Black	742	4	1	1	6	17	49	99	188	185	140	52	623	2	2	1	6	15	22	42	127	162	145	99
Hypertension with or without renal disease (401,403)	139	-	-	-	-	1	6	6	19	36	40	31	167	-	-	1	-	-	-	4	19	26	62	55
White	109	-	-	-	-	1	4	4	8	29	33	30	132	-	-	-	-	-	-	-	13	18	51	50
All other	30	-	-	-	-	-	2	2	11	7	7	1	35	-	-	1	-	-	-	4	6	8	11	5
Black	30	-	-	-	-	-	2	2	11	7	7	1	34	-	-	1	-	-	-	4	5	8	11	5
Cerebrovascular diseases (430-438)	2,327	1	-	1	11	18	52	106	287	593	799	459	3,999	1	2	3	8	19	53	99	261	562	1,140	1,250
White	2,002	1	-	1	6	9	24	76	219	513	715	438	2,979	1	2	3	5	10	37	69	187	461	1,034	1,170
All other	325	-	-	-	5	9	28	30	68	80	84	21	419	-	-	-	3	9	16	30	74	101	106	80
Black	316	-	-	-	5	9	27	29	65	77	83	21	410	-	-	-	3	9	15	29	72	101	104	77
Intracerebral and other intracranial hemorrhage (431-432)	344	-	-	-	5	4	25	41	72	95	70	32	446	1	-	2	3	7	22	34	69	114	121	73
White	262	-	-	-	2	1	9	24	49	83	64	30	360	1	-	2	3	5	9	22	46	94	111	67
All other	82	-	-	-	3	3	16	17	23	12	6	2	86	-	-	-	-	2	13	12	23	20	10	6
Black	78	-	-	-	3	3	15	16	21	12	6	2	84	-	-	-	-	2	12	12	22	20	10	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	461	-	-	-	-	4	3	17	51	109	168	109	605	-	1	-	1	-	2	10	35	97	218	241
White	400	-	-	-	-	2	-	13	41	99	142	103	541	-	1	-	-	-	2	6	23	80	202	227
All other	61	-	-	-	-	2	3	4	10	10	26	6	64	-	-	-	1	-	-	4	12	17	16	14
Black	60	-	-	-	-	2	3	4	10	9	26	6	61	-	-	-	1	-	-	4	12	17	16	11
Cerebral embolism (434.1)	11	-	-	-	-	-	-	1	1	6	2	1	14	-	-	-	-	-	1	1	2	3	4	3
White	10	-	-	-	-	-	-	1	1	5	2	1	13	-	-	-	-	-	1	1	2	2	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,511	1	-	1	6	10	24	47	163	383	559	317	2,333	-	1	1	4	12	28	54	155	348	797	933
White	1,330	1	-	1	4	6	15	38	128	326	507	304	2,065	-	1	1	2	5	25	40	116	285	717	873
All other	181	-	-	-	2	4	9	9	35	57	52	13	268	-	-	-	2	7	3	14	39	63	80	60
Black	178	-	-	-	2	4	9	9	34	56	51	13	264	-	-	-	2	7	3	13	38	63	78	60
Atherosclerosis (440)	460	-	-	-	-	-	-	6	20	76	156	200	809	-	-	-	-	-	-	4	28	58	224	497
White	433	-	-	-	-	-	-	5	17	73	144	194	771	-	-	-	-	-	-	3	24	50	211	483
All other	27	-	-	-	-	-	-	1	3	3	14	6	38	-	-	-	-	-	-	1	2	8	13	14
Black	24	-	-	-	-	-	-	1	3	2	12	6	37	-	-	-	-	-	-	1	2	8	12	14
Other diseases of arteries, arterioles, and capillaries (441-448)	507	2	-	-	3	5	7	15	73	184	157	61	281	-	-	1	5	1	6	5	30	58	92	83
White	470	1	-	-	2	4	3	11	67	172	150	60	253	-	-	-	3	-	6	5	27	51	82	79
All other	37	1	-	-	1	1	4	4	6	12	7	1	28	-	-	1	2	1	-	-	3	7	10	4
Black	37	1	-	-	1	1	4	4	6	12	7	1	25	-	-	1	2	1	-	-	2	7	9	3
Acute bronchitis and bronchiolitis (466)	8	-	1	-	1	-	-	-	1	1	2	2	8	-	-	-	-	-	-	-	-	3	1	2
White	8	-	1	-	1	-	-	-	1	1	2	2	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (460-487)	1,070	12	1	2	8	11	27	44	111	229	354	271	1,033	2	3	2	1	8	19	27	61	126	282	502
White	906	7	1	1	5	5	15	31	84	194	311	252	926	1	2	2	1	5	14	21	47	107	258	468
All other	164	5	-	1	3	6	12	13	27	35	43	19	107	1	1	-	-	3	5	6	14	19	24	34
Black	162	5	-	1	3	6	12	13	26	34	43	19	106	1	1	-	-	3	5	6	13	19	24	34

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	1,036	12	1	2	8	10	27	44	108	218	347	259	972	2	3	1	1	8	17	27	59	123	270	451
White	873	7	1	1	5	4	15	31	82	183	304	240	867	1	2	1	1	5	12	21	45	104	247	428
All other	163	5	-	1	3	6	12	13	26	35	43	19	105	1	1	-	-	3	5	6	14	19	23	33
Black	161	5	-	1	3	6	12	13	25	34	43	19	104	1	1	-	-	3	5	6	13	19	23	33
Influenza (487)	34	-	-	-	-	1	-	-	3	11	7	12	61	-	-	1	-	-	2	-	2	3	12	41
White	33	-	-	-	-	1	-	-	2	11	7	12	59	-	-	1	-	-	2	-	2	3	11	40
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,583	-	4	4	2	-	10	45	206	540	558	214	884	-	-	1	5	10	10	39	161	332	224	102
White	1,429	-	1	2	-	-	8	37	169	502	505	205	816	-	-	-	4	6	3	35	143	318	208	99
All other	154	-	3	2	2	-	2	8	37	38	53	9	68	-	-	1	1	4	7	4	18	14	16	3
Black	147	-	3	2	2	-	2	8	37	36	48	9	66	-	-	1	1	4	7	4	18	13	15	3
Bronchitis, chronic and unspecified (490-491)	86	-	2	-	-	-	-	2	7	29	34	12	46	-	-	-	-	-	1	1	6	15	11	10
White	77	-	1	-	-	-	-	2	6	26	31	11	42	-	-	-	-	-	1	1	7	13	10	10
All other	9	-	1	-	-	-	-	-	1	3	3	1	4	-	-	-	-	-	-	-	1	2	1	-
Black	8	-	1	-	-	-	-	-	1	3	2	1	3	-	-	-	-	-	-	-	1	1	1	-
Emphysema (492)	371	-	-	-	-	-	1	13	46	134	118	57	166	-	-	-	-	-	1	8	38	63	47	9
White	344	-	-	-	-	-	1	12	38	130	109	54	158	-	-	-	-	-	-	8	37	60	44	9
All other	27	-	-	-	-	-	-	1	10	4	9	3	8	-	-	-	-	-	1	-	1	3	3	-
Black	25	-	-	-	-	-	-	1	10	4	7	3	8	-	-	-	-	-	1	-	1	3	3	-
Asthma (493)	51	-	2	4	1	-	6	2	6	16	9	5	76	-	-	1	5	8	5	10	16	19	9	3
White	38	-	-	2	-	-	5	1	5	12	8	5	55	-	-	-	4	4	1	7	10	17	9	3
All other	13	-	2	2	1	-	1	1	1	4	1	-	21	-	-	1	1	4	4	3	6	2	-	-
Black	13	-	2	2	1	-	1	1	1	4	1	-	21	-	-	1	1	4	4	3	6	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,075	-	-	-	1	-	3	28	145	361	397	140	596	-	-	-	-	2	3	20	99	235	157	80
White	970	-	-	-	-	-	2	22	120	334	357	135	561	-	-	-	-	2	1	19	89	228	145	77
All other	105	-	-	-	1	-	1	6	25	27	40	5	35	-	-	-	-	-	2	1	10	7	12	3
Black	101	-	-	-	1	-	1	6	25	25	38	5	34	-	-	-	-	-	2	1	10	7	11	3
Ulcer of stomach and duodenum (531-533)	120	-	-	-	-	-	1	6	17	31	43	22	122	-	-	-	-	1	1	4	17	19	36	44
White	108	-	-	-	-	-	1	4	16	25	43	19	117	-	-	-	-	-	1	4	15	17	36	44
All other	12	-	-	-	-	-	-	2	1	6	-	3	5	-	-	-	-	1	-	-	2	2	-	-
Black	12	-	-	-	-	-	-	2	1	6	-	3	5	-	-	-	-	1	-	-	2	2	-	-
Appendicitis (540-543)	8	-	-	-	-	-	2	1	-	3	1	1	7	-	-	-	-	-	-	-	1	2	1	3
White	8	-	-	-	-	-	2	1	-	3	1	1	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	85	1	1	-	-	-	2	3	6	28	26	17	117	1	-	-	1	-	3	1	11	16	35	49
White	73	1	1	-	-	-	2	2	5	24	21	17	104	1	-	-	-	-	2	1	11	12	31	46
All other	12	-	-	-	-	-	-	1	1	5	5	-	13	-	-	-	1	-	1	-	-	4	4	3
Black	12	-	-	-	-	-	-	1	1	5	5	-	13	-	-	-	1	-	1	-	-	4	4	3
Chronic liver disease and cirrhosis (571)	651	1	-	-	3	45	101	200	246	164	53	8	401	-	-	-	3	26	33	67	107	111	46	8
White	645	1	-	-	2	18	60	142	197	168	50	7	314	-	-	-	-	14	18	48	78	105	43	8
All other	206	-	-	-	1	27	41	58	49	26	3	1	87	-	-	-	3	12	15	19	29	6	3	-
Black	200	-	-	-	1	26	41	56	46	26	3	1	83	-	-	-	3	12	15	18	27	5	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	39	-	-	-	-	-	1	1	7	8	16	6	57	-	-	-	-	1	-	1	9	7	14	25
White	34	-	-	-	-	-	-	-	6	7	15	6	53	-	-	-	-	1	-	1	6	7	14	24
All other	5	-	-	-	-	-	1	1	1	1	1	-	4	-	-	-	-	-	-	-	3	-	-	1
Black	4	-	-	-	-	-	1	1	1	-	1	-	4	-	-	-	-	-	-	-	3	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	343	3	-	1	1	10	9	16	38	62	134	69	360	3	-	-	4	7	8	20	40	76	103	97
White	288	2	-	-	1	5	5	10	30	52	122	61	306	2	-	-	3	3	5	15	29	64	90	95
All other	55	1	-	1	-	5	4	6	8	10	12	8	54	1	-	-	1	4	3	5	11	14	13	2
Black	54	1	-	1	-	5	4	6	8	10	12	7	51	1	-	-	1	2	3	5	10	14	13	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	-	-	-	-	1	-	-	2	1	-	10	-	-	-	-	-	-	1	1	4	2	2
White	4	1	-	-	-	-	1	-	-	1	1	-	10	-	-	-	-	-	-	1	1	4	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	25	-	-	1	-	1	2	3	3	3	8	4	39	-	-	-	2	2	-	4	2	9	9	11
White	21	-	-	-	-	1	-	2	3	3	8	4	34	-	-	-	1	1	-	4	-	9	8	11
All other	4	-	-	1	-	-	2	1	-	-	-	-	5	-	-	-	1	1	-	-	2	-	1	-
Black	4	-	-	1	-	-	2	1	-	-	-	-	5	-	-	-	1	1	-	-	2	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	313	2	-	-	1	9	6	13	35	57	125	65	311	3	-	-	2	5	8	15	37	65	82	84
White	263	1	-	-	1	4	4	8	27	48	113	57	262	2	-	-	2	2	5	10	28	51	80	82
All other	50	1	-	-	-	5	2	5	8	9	12	8	49	1	-	-	-	3	3	5	9	14	12	2
Black	49	1	-	-	-	5	2	5	8	9	12	7	48	1	-	-	-	1	3	5	8	14	12	2
Infections of kidney (590)	18	-	2	-	-	-	-	-	1	6	6	3	44	-	-	-	1	-	-	1	3	11	13	15
White	18	-	2	-	-	-	-	-	-	5	6	3	38	-	-	-	-	-	-	1	2	11	13	11
All other	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	1	-	-	-	1	-	-	4
Black	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	1	-	-	-	1	-	-	4
Hyperplasia of prostate (600)	18	-	-	-	-	-	-	-	-	3	6	9	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	2	5	9	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	250	142	15	15	20	11	9	11	9	8	6	4	240	144	22	7	9	10	9	9	12	8	9	1
White	207	112	15	12	18	10	9	9	7	6	5	4	194	112	18	6	7	8	8	8	10	8	8	1
All other	43	30	-	3	2	1	-	2	2	2	1	-	46	32	4	1	2	2	1	1	2	-	1	-
Black	42	29	-	3	2	1	-	2	2	2	1	-	40	28	3	1	2	1	1	1	2	-	1	-
Certain conditions originating in the perinatal period (760-779)	464	460	4	-	-	-	-	-	-	-	-	-	386	385	1	-	-	-	-	-	-	-	-	-
White	293	292	1	-	-	-	-	-	-	-	-	-	237	237	-	-	-	-	-	-	-	-	-	-
All other	171	168	3	-	-	-	-	-	-	-	-	-	149	148	1	-	-	-	-	-	-	-	-	-
Black	170	167	3	-	-	-	-	-	-	-	-	-	145	144	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	143	143	-	-	-	-	-	-	-	-	-	-	107	107	-	-	-	-	-	-	-	-	-	-
White	106	106	-	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
All other	37	37	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	37	37	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	321	317	4	-	-	-	-	-	-	-	-	-	279	278	1	-	-	-	-	-	-	-	-	-
White	187	186	1	-	-	-	-	-	-	-	-	-	162	162	-	-	-	-	-	-	-	-	-	-
All other	134	131	3	-	-	-	-	-	-	-	-	-	117	116	1	-	-	-	-	-	-	-	-	-
Black	133	130	3	-	-	-	-	-	-	-	-	-	115	114	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	202	133	3	-	2	6	7	4	6	17	11	12	165	92	2	-	2	4	3	4	7	4	13	33
White	149	93	1	-	-	5	5	2	4	15	11	12	124	62	-	-	-	2	1	4	6	4	12	32
All other	53	40	2	-	2	1	2	2	2	2	-	-	41	30	2	-	2	2	2	-	1	-	1	1
Black	50	37	2	-	2	1	2	2	2	2	-	-	41	30	2	-	2	2	2	-	1	-	1	1
All other diseases (Residual)	2,431	40	32	29	43	164	150	172	376	524	601	300	2,276	28	21	19	40	91	81	135	285	434	594	550
White	1,945	25	24	22	30	82	73	120	297	460	536	276	1,909	20	10	14	27	46	53	96	223	370	548	502
All other	486	15	8	7	13	82	77	52	79	64	65	24	367	8	11	5	13	45	28	39	62	64	46	48
Black	473	15	7	7	13	80	77	50	76	61	64	23	359	6	11	5	13	43	27	39	59	62	46	48
Accidents and adverse effects (E800-E949)	2,058	29	50	99	509	404	225	166	176	149	166	85	908	12	42	45	127	83	51	84	71	113	127	151
White	1,784	17	38	77	473	348	190	137	151	127	145	81	788	9	31	35	119	66	43	58	63	98	120	146
All other	274	12	12	22	36	56	35	29	25	22	21	4	118	3	11	10	8	17	8	26	8	15	7	5
Black	254	12	10	20	31	52	34	26	24	21	20	4	111	3	11	10	7	17	7	24	7	13	7	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	1,029	3	16	55	368	232	124	67	56	44	48	16	391	1	18	27	104	59	34	53	25	37	28	7
White	927	3	16	43	346	203	106	59	51	37	45	16	353	1	15	24	100	51	30	40	24	35	26	7
All other	102	-	-	12	22	29	18	8	5	7	3	-	38	-	3	3	4	8	4	13	1	2	-	-
Black	92	-	-	10	19	26	15	7	5	7	3	-	32	-	3	3	3	8	3	11	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,029	26	34	44	141	172	101	99	120	105	118	69	515	11	24	18	23	24	17	31	46	76	101	144
White	857	14	22	34	127	145	82	78	100	90	100	65	435	8	18	11	19	15	13	18	39	63	94	139
All other	172	12	12	10	14	27	19	21	20	15	18	4	80	3	6	7	4	9	4	13	7	13	7	5
Black	162	12	10	10	12	26	19	19	19	14	17	4	79	3	6	7	4	9	4	13	6	13	7	5
Suicide (E950-E959)	839	...	...	4	181	197	106	119	96	75	50	11	242	...	...	2	32	43	46	52	36	19	11	1
White	746	...	...	2	158	173	93	109	88	67	46	10	224	...	...	-	28	39	43	51	35	17	10	1
All other	93	...	...	2	23	24	13	10	8	8	4	1	18	...	...	2	4	4	3	1	1	2	1	-
Black	87	...	...	2	20	24	12	10	7	8	3	1	14	...	...	2	2	4	3	1	-	1	1	-
Homicide and legal intervention (E960-E978)	751	3	1	16	210	233	132	67	59	23	5	2	207	4	8	4	48	78	25	15	11	9	4	1
White	222	2	-	6	59	64	36	26	17	10	1	1	91	2	4	3	18	32	8	7	6	7	3	1
All other	529	1	1	10	151	169	96	41	42	13	4	1	116	2	4	1	30	46	17	8	5	2	1	-
Black	526	1	1	10	150	169	95	41	41	13	4	1	115	2	4	1	29	46	17	8	5	2	1	-
All other external causes (E980-E999)	54	1	-	1	13	18	5	5	6	2	2	1	33	2	1	-	3	8	12	2	1	2	1	1
White	37	-	-	-	11	11	2	4	5	1	2	1	19	-	-	-	2	5	7	1	1	2	1	-
All other	17	1	-	1	2	7	3	1	1	1	-	-	14	2	1	-	1	3	5	1	-	-	-	1
Black	17	1	-	1	2	7	3	1	1	1	-	-	13	2	1	-	1	3	4	1	-	-	-	1
MINNESOTA																								
All causes	18,045	347	74	80	375	389	445	979	2,436	4,418	5,066	3,436	15,892	297	46	51	135	163	250	539	1,368	2,758	4,657	5,627
White	17,712	318	69	69	350	366	417	943	2,379	4,360	5,024	3,417	15,628	268	45	43	125	150	233	514	1,330	2,718	4,609	5,592
All other	333	29	5	11	25	23	28	36	57	58	42	19	264	29	1	8	10	13	17	25	38	40	48	35
Black	179	16	3	5	7	12	12	25	30	29	27	13	156	21	1	3	2	5	11	12	17	27	30	27
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
White	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	7	-	-	-	-	-	-	-	4	2	-	1	5	-	-	-	-	-	-	-	-	1	4	-
White	5	-	-	-	-	-	-	-	2	2	-	1	4	-	-	-	-	-	-	-	-	1	3	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	2	2	-	-	4	-	-	-	-	-	-	-	-	1	3	-
White	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	1	3	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	2	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	1	-	1	-
White	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	-	-	1	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	52	1	-	-	-	-	-	3	9	11	24	14	76	1	1	-	1	-	-	-	3	8	37	27
White	50	1	-	-	-	-	-	3	9	10	24	13	77	1	1	-	1	-	-	-	3	8	37	26
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	4	-	-	-	1	-	-	1	1	1	-	-	6	-	-	1	-	-	1	1	2	-	1	-
White	4	-	-	-	1	-	-	1	1	1	-	-	6	-	-	1	-	-	1	1	2	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 048-054,056-066,071-088, 098-139)	48	1	1	3	2	2	2	4	8	10	12	5	41	2	-	-	-	-	1	4	5	10	8	11
White	47	1	1	2	2	2	2	4	8	10	12	5	40	2	-	-	-	-	1	3	5	10	8	11
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,841	2	11	17	25	44	81	233	711	1,171	1,065	481	3,443	-	3	6	22	35	107	260	635	962	860	533
White	3,763	2	11	15	24	43	78	223	693	1,155	1,060	479	3,390	-	3	4	19	33	104	251	622	951	872	531
All other	56	-	-	2	1	1	3	10	18	16	5	2	53	-	-	2	3	2	3	9	13	11	8	2
Black	38	-	-	1	-	1	3	6	11	9	5	2	28	-	-	1	-	-	2	4	6	8	6	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	75	-	-	1	-	-	3	4	18	25	14	10	30	-	-	-	-	-	-	3	4	9	7	7
White	73	-	-	1	-	-	2	4	18	25	13	10	29	-	-	-	-	-	-	2	4	9	7	7
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,038	-	1	-	1	7	17	56	203	316	297	140	952	-	-	-	2	3	14	45	119	254	305	210
White	1,022	-	1	-	1	7	17	52	198	313	296	139	937	-	-	-	1	3	14	44	115	249	302	209
All other	16	-	-	-	-	-	-	4	7	3	1	1	15	-	-	-	1	-	-	1	4	5	3	1
Black	8	-	-	-	-	-	-	2	3	1	1	1	9	-	-	-	-	-	-	-	2	4	2	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,139	-	-	-	2	1	21	88	274	421	276	56	509	-	-	-	-	2	8	49	146	165	107	32
White	1,112	-	-	-	2	1	19	83	264	413	274	56	501	-	-	-	-	2	8	48	142	162	107	32
All other	27	-	-	-	-	-	2	5	10	8	2	-	8	-	-	-	-	-	-	1	4	3	-	-
Black	18	-	-	-	-	-	2	3	7	4	2	-	3	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	3	2	1	-	670	-	-	-	-	10	42	81	140	161	128	88
White	6	-	-	-	-	-	-	-	3	2	1	-	661	-	-	-	-	9	41	77	140	161	125	88
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	1	4	-	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	2	-	-	3	-
Malignant neoplasms of genital organs (179-187)	520	-	-	-	1	4	2	3	29	138	203	140	384	-	1	-	2	7	16	33	76	119	86	44
White	516	-	-	-	1	4	2	3	29	136	202	139	378	-	1	-	2	6	15	33	75	118	84	44
All other	4	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	1	1	-	1	1	2	-
Black	4	-	-	-	-	-	-	-	-	2	1	1	4	-	-	-	-	-	1	-	1	1	1	-
Malignant neoplasms of urinary organs (188-189)	237	-	-	-	-	-	7	20	43	63	66	38	121	-	-	1	-	-	3	3	18	36	35	25
White	236	-	-	-	-	-	7	20	42	63	66	38	121	-	-	1	-	-	3	3	18	36	35	25
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	408	1	6	5	8	21	13	37	85	100	94	38	412	-	1	2	9	9	14	25	80	94	112	66
White	403	1	6	3	7	20	13	37	85	99	94	38	406	-	1	1	8	9	14	25	77	93	112	66
All other	5	-	-	2	1	1	-	-	-	1	-	-	6	-	-	1	1	-	-	-	3	1	-	-
Black	3	-	-	1	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-	1	-	-	-
Leukemia (204-208)	189	1	4	8	9	7	12	8	19	37	53	31	151	-	1	3	4	-	6	6	22	43	40	26
White	189	1	4	8	9	7	12	8	19	37	53	31	146	-	1	2	4	-	5	5	21	42	40	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	-	-	1	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	1	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	228	-	-	3	4	4	6	17	37	69	61	28	214	-	-	-	5	4	4	15	30	61	60	35
White	226	-	-	3	4	4	6	16	37	67	61	28	211	-	-	-	4	4	4	14	30	61	60	34
All other	3	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	1	-	-	1	-	-	-	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	51	1	-	2	1	1	3	3	6	10	17	7	58	-	-	-	-	1	1	2	5	11	18	20
White	49	1	-	1	1	1	3	3	5	10	17	7	57	-	-	-	-	1	1	2	5	10	18	20
All other	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	276	-	-	-	2	8	9	18	44	78	80	37	304	-	-	-	-	5	4	17	30	88	93	67
White	272	-	-	-	2	8	9	18	42	77	78	37	289	-	-	-	-	5	4	15	28	85	88	66
All other	4	-	-	-	-	-	-	-	2	1	1	-	15	-	-	-	-	-	-	2	4	3	5	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	9	-	-	-	-	-	-	2	2	2	2	1
Nutritional deficiencies (260-269)	26	-	-	-	-	-	-	-	-	2	9	15	27	-	-	-	-	-	-	-	-	1	7	19
White	26	-	-	-	-	-	-	-	-	2	9	15	27	-	-	-	-	-	-	-	-	1	7	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	17	1	-	-	-	1	-	-	-	3	10	2	39	1	-	-	-	2	-	-	2	2	12	20
White	16	1	-	-	-	-	-	-	-	3	10	2	39	1	-	-	-	2	-	-	2	1	12	20
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	11	2	3	-	1	-	-	-	4	1	-	-	3	-	1	-	-	-	-	-	-	-	2	-
White	11	2	3	-	1	-	-	-	4	1	-	-	3	-	1	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,740	5	2	-	14	41	142	453	1,157	2,240	2,730	1,956	8,025	3	-	4	10	16	54	112	402	1,137	2,667	3,620
White	8,630	5	1	-	14	37	131	436	1,136	2,219	2,708	1,943	7,933	3	-	3	9	14	47	104	389	1,122	2,644	3,596
All other	110	-	1	-	-	4	11	17	21	21	22	13	92	-	-	1	1	2	7	8	13	15	23	22
Black	67	-	1	-	-	2	4	12	11	13	15	9	58	-	-	-	1	2	5	3	4	8	18	17
Diseases of heart (390-398,402,404-429)	6,879	3	2	-	11	34	123	409	1,017	1,867	2,053	1,360	5,676	3	-	3	4	12	41	85	325	889	1,917	2,397
White	6,791	3	1	-	11	30	115	395	999	1,850	2,037	1,350	5,609	3	-	3	4	11	34	81	315	879	1,899	2,380
All other	88	-	1	-	-	4	8	14	18	17	16	10	67	-	-	-	-	1	7	4	10	10	18	17
Black	51	-	1	-	-	2	3	10	9	9	10	7	42	-	-	-	-	1	5	2	2	6	13	13
Rheumatic fever and rheumatic heart disease (390-398)	51	-	-	-	-	2	1	4	11	12	14	7	92	-	-	1	-	1	4	5	8	28	24	21
White	50	-	-	-	-	2	1	4	11	11	14	7	89	-	-	1	-	1	2	4	8	28	24	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	2	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Hypertensive heart disease (402)	69	-	-	-	-	-	1	4	10	17	28	11	97	-	-	-	-	1	1	1	6	15	32	41
White	67	-	-	-	-	-	1	4	10	16	25	11	95	-	-	-	-	-	1	1	6	15	31	41
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	2	1	4	18	-	-	-	-	-	-	-	-	1	6	11
White	7	-	-	-	-	-	-	-	-	2	1	4	17	-	-	-	-	-	-	-	-	1	5	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	5,336	1	-	-	1	18	95	347	846	1,472	1,575	981	4,067	-	-	-	1	5	20	52	228	663	1,431	1,667
White	5,279	1	-	-	1	18	91	334	833	1,463	1,564	974	4,030	-	-	-	1	5	19	49	221	660	1,420	1,655
All other	57	-	-	-	-	-	4	13	13	9	11	7	37	-	-	-	-	-	1	3	7	3	11	12
Black	34	-	-	-	-	-	2	9	6	4	8	5	23	-	-	-	-	-	1	1	2	3	6	10
Acute myocardial infarction (410)	2,768	1	-	-	1	10	52	214	488	841	779	382	1,817	-	-	-	1	3	9	31	132	396	710	535
White	2,748	1	-	-	1	10	52	210	482	838	774	380	1,798	-	-	-	1	3	9	30	128	393	701	533
All other	20	-	-	-	-	-	-	4	6	3	5	2	19	-	-	-	-	-	-	1	4	3	9	2
Black	10	-	-	-	-	-	-	2	2	1	4	1	10	-	-	-	-	-	-	-	1	3	4	2
Other acute and subacute forms of ischemic heart disease (411)	32	-	-	-	-	-	-	1	8	13	6	4	13	-	-	-	-	-	-	-	-	1	5	7
White	32	-	-	-	-	-	-	1	8	13	6	4	13	-	-	-	-	-	-	-	-	1	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	-	3	1	3	3	11	-	-	-	-	-	-	-	-	3	2	6
White	8	-	-	-	-	-	-	-	2	1	3	2	11	-	-	-	-	-	-	-	-	3	2	6
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,526	-	-	-	-	8	43	132	347	617	787	592	2,226	-	-	-	-	2	11	21	96	263	714	1,119
White	2,491	-	-	-	-	8	39	123	341	611	781	588	2,208	-	-	-	-	2	10	19	93	263	712	1,109
All other	35	-	-	-	-	-	4	9	6	6	6	4	18	-	-	-	-	-	1	2	3	-	2	10
Black	23	-	-	-	-	-	2	7	4	3	4	3	13	-	-	-	-	-	1	1	1	-	2	8
Other diseases of endocardium (424)	66	-	-	-	-	-	1	4	14	13	19	15	105	-	-	-	-	1	2	1	7	15	37	42
White	65	-	-	-	-	-	1	3	14	13	19	15	103	-	-	-	-	1	1	1	7	14	37	42
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,350	2	2	-	10	14	25	50	138	351	418	342	1,297	3	-	2	3	4	14	26	78	167	387	615
White	1,323	2	1	-	10	10	21	50	131	345	414	339	1,275	3	-	2	3	4	11	26	73	161	382	610
All other	27	-	1	-	-	4	4	-	5	6	4	3	22	-	-	-	-	-	3	-	3	6	5	5
Black	14	-	1	-	-	2	1	-	3	3	2	2	12	-	-	-	-	-	2	-	-	2	5	3
Hypertension with or without renal disease (401,403)	67	1	-	-	-	-	-	4	8	23	21	10	81	-	-	-	-	-	-	1	3	8	33	36
White	65	1	-	-	-	-	-	4	8	22	20	10	81	-	-	-	-	-	-	1	3	8	33	36
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	1,202	1	-	-	1	7	14	31	69	224	504	427	1,809	-	-	1	4	3	12	24	69	183	596	917
White	1,275	1	-	-	1	7	12	28	60	221	500	425	1,761	-	-	-	3	2	12	20	61	178	592	913
All other	17	-	-	-	-	-	2	3	3	3	4	2	22	-	-	1	1	1	-	4	2	5	4	4
Black	12	-	-	-	-	-	1	2	2	3	3	1	13	-	-	-	1	1	-	1	1	2	4	3
Intracerebral and other intracranial hemorrhage (431-432)	137	1	-	-	-	4	4	9	17	35	45	22	149	-	-	1	1	1	-	5	16	38	58	29
White	134	1	-	-	-	4	3	7	17	35	45	22	147	-	-	-	1	1	-	5	16	37	58	29
All other	3	-	-	-	-	-	1	2	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	191	-	-	-	-	-	-	5	12	34	71	69	252	-	-	-	1	-	-	3	5	26	76	141
White	190	-	-	-	-	-	-	4	12	34	71	69	252	-	-	-	1	-	-	3	5	26	76	141
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	2	-	3	9	-	-	-	-	-	-	2	1	1	1	4
White	5	-	-	-	-	-	-	-	-	2	-	3	8	-	-	-	-	-	-	1	1	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	959	-	-	-	1	3	10	17	54	153	388	333	1,383	-	-	-	2	2	12	14	41	118	461	743
White	946	-	-	-	1	3	9	17	51	150	384	331	1,374	-	-	-	1	1	12	11	39	114	457	739
All other	13	-	-	-	-	-	1	-	3	3	4	2	19	-	-	-	1	1	-	3	2	4	4	4
Black	10	-	-	-	-	-	1	-	2	3	3	1	13	-	-	-	1	1	-	1	1	2	4	3
Atherosclerosis (440)	247	-	-	-	-	-	2	1	10	39	77	118	306	-	-	-	-	-	1	1	3	27	71	203
White	245	-	-	-	-	-	1	1	10	39	77	117	305	-	-	-	-	-	1	1	3	27	71	202
All other	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	255	-	-	-	2	-	3	8	39	87	75	41	159	-	-	-	2	1	-	1	8	30	50	67
White	254	-	-	-	2	-	3	8	39	87	74	41	157	-	-	-	2	1	-	1	7	30	49	67
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	-	1	1	2	1	6	-	-	-	-	-	-	-	1	1	2	2
White	5	-	-	-	-	-	-	-	1	1	2	1	6	-	-	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	656	3	6	-	3	1	5	11	27	79	219	302	649	4	1	-	2	3	2	5	16	58	170	388
White	643	3	4	-	3	1	5	10	27	78	211	301	642	3	1	-	2	3	2	5	16	56	168	388
All other	13	-	2	-	-	-	-	1	-	1	8	1	7	1	-	-	-	-	-	-	-	2	2	2
Black	7	-	1	-	-	-	-	1	-	-	5	-	3	-	-	-	-	-	-	-	-	2	-	1
Pneumonia (480-486)	612	3	6	-	3	1	5	11	25	75	203	280	580	4	1	-	1	3	2	4	16	48	152	349
White	599	3	4	-	3	1	5	10	25	74	195	279	575	3	1	-	1	3	2	4	16	47	151	347
All other	13	-	2	-	-	-	-	1	-	1	8	1	5	1	-	-	-	-	-	-	-	1	1	2
Black	7	-	1	-	-	-	-	1	-	-	5	-	2	-	-	-	-	-	-	-	-	1	-	1
Influenza (487)	44	-	-	-	-	-	-	-	2	4	16	22	69	-	-	-	1	-	-	1	-	10	18	39
White	44	-	-	-	-	-	-	-	2	4	16	22	67	-	-	-	1	-	-	1	-	9	17	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	690	-	-	1	1	-	2	15	60	218	266	107	316	-	-	1	2	5	1	6	45	93	115	48
White	688	-	-	1	1	-	2	15	79	217	266	107	315	-	-	1	2	5	1	6	45	92	115	48
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	30	-	-	-	1	-	-	-	1	10	12	6	23	-	-	-	-	-	-	-	1	9	6	7
White	30	-	-	-	1	-	-	-	1	10	12	6	22	-	-	-	-	-	-	-	1	8	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	124	-	-	-	-	-	-	3	17	41	49	14	61	-	-	-	-	-	1	4	15	18	17	6
White	124	-	-	-	-	-	-	3	17	41	49	14	61	-	-	-	-	-	1	4	15	18	17	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total x	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total x	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	21	-	-	1	-	-	1	1	3	5	6	4	34	-	-	-	2	5	-	-	1	6	15	5
White	21	-	-	1	-	-	1	1	3	5	6	4	34	-	-	-	2	5	-	-	1	6	15	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	515	-	-	-	-	-	1	11	59	162	199	83	198	-	-	1	-	-	-	2	28	60	77	30
White	513	-	-	-	-	-	1	11	58	161	199	83	198	-	-	1	-	-	-	2	28	60	77	30
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	65	-	-	-	-	-	-	5	11	18	15	16	44	-	-	-	-	-	-	-	2	6	12	24
White	64	-	-	-	-	-	-	5	11	17	15	16	44	-	-	-	-	-	-	-	2	6	12	24
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	6	-	-	-	-	-	-	1	1	3	2	1	3	-	-	-	-	-	-	1	1	-	-	1
White	6	-	-	-	-	-	-	1	1	3	2	1	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	53	1	1	-	-	1	-	1	5	12	13	19	47	3	-	-	1	-	-	2	2	6	7	26
White	52	1	1	-	-	1	-	1	4	12	13	19	46	3	-	-	1	-	-	2	2	6	7	25
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic liver disease and cirrhosis (571)	198	-	-	-	-	6	14	36	60	64	17	1	135	-	-	-	-	3	8	23	33	41	20	7
White	193	-	-	-	-	6	13	35	59	62	17	1	130	-	-	-	-	2	7	22	31	41	20	7
All other	5	-	-	-	-	-	1	1	1	2	-	-	5	-	-	-	-	1	1	1	2	-	-	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	30	-	-	-	-	1	-	-	1	7	12	9	33	-	-	-	-	-	-	2	1	4	12	14
White	28	-	-	-	-	-	-	-	1	7	11	9	33	-	-	-	-	-	-	2	1	4	12	14
All other	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	137	1	-	-	-	1	2	2	9	30	45	47	127	-	-	1	-	1	2	2	7	20	43	51
White	134	1	-	-	-	1	1	2	8	30	44	47	122	-	-	1	-	1	1	2	6	19	41	51
All other	3	-	-	-	-	-	1	-	1	-	1	-	5	-	-	-	-	-	1	-	1	1	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	-	-	1	-	2	7	15	-	-	-	-	-	-	1	-	5	3	6
White	10	-	-	-	-	-	-	-	1	-	2	7	15	-	-	-	-	-	-	1	-	5	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	126	1	-	-	-	1	2	2	8	30	42	40	111	-	-	1	-	1	2	1	7	15	40	44
White	123	1	-	-	-	1	1	2	7	30	41	40	106	-	-	1	-	1	1	1	6	14	38	44
All other	3	-	-	-	-	-	1	-	1	-	1	-	5	-	-	-	-	-	1	-	1	1	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	1	1	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	1	1	19	-	-	-	-	1	-	-	1	3	6	8
White	3	-	-	-	-	-	-	-	-	1	1	1	19	-	-	-	-	1	-	-	1	3	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	14	-	-	-	-	-	-	-	2	2	2	8	---	---	---	---	---	---	---	---	---	---	---	---
White	14	-	-	-	-	-	-	-	2	2	2	8	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	2	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	122	82	8	4	4	2	4	4	6	6	2	-	121	90	6	4	2	3	2	4	2	3	2	3
White	115	78	8	3	3	2	4	4	6	5	2	-	109	78	6	4	2	3	2	4	2	3	2	3
All other	7	4	-	1	1	-	-	-	-	1	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	4	2	-	1	-	-	-	-	-	1	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	162	162	-	-	-	-	-	-	-	-	-	-	119	119	-	-	-	-	-	-	-	-	-	-
White	147	147	-	-	-	-	-	-	-	-	-	-	109	109	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	42	42	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	120	120	-	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
White	109	109	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	372	61	2	-	2	8	6	4	41	94	71	83	327	47	2	-	-	1	1	7	19	53	70	127
White	356	56	2	-	2	7	4	4	39	89	70	83	316	43	2	-	-	1	1	7	18	52	68	126
All other	16	5	-	-	-	1	2	-	2	5	1	-	11	4	-	-	-	-	-	-	1	1	4	1
Black	6	2	-	-	-	-	1	-	1	2	-	-	5	2	-	-	-	-	-	-	-	1	1	1
All other diseases (Residual)	1,053	16	8	8	24	15	37	45	116	293	320	231	1,226	13	6	6	9	14	19	49	95	185	359	477
White	1,035	14	8	7	24	14	37	44	112	228	318	229	1,208	13	6	5	9	12	18	42	94	181	356	472
All other	18	2	-	1	-	1	-	1	4	5	2	2	18	-	-	1	-	2	1	1	1	4	3	5
Black	8	2	-	-	-	1	-	1	1	1	1	1	11	-	-	-	-	-	1	1	1	2	2	4
Accidents and adverse effects (E800-E949)	956	4	31	40	225	152	78	75	86	75	103	87	537	9	23	26	67	37	23	28	39	53	100	132
White	911	3	29	36	210	145	71	70	84	74	102	87	522	7	23	23	63	36	20	27	38	53	100	132
All other	45	1	2	4	15	7	7	5	2	1	1	-	15	2	-	3	4	1	3	1	1	-	-	-
Black	14	1	1	1	3	2	2	3	1	-	-	-	3	1	-	1	-	-	1	-	-	-	-	-
Motor vehicle accidents (E810-E825)	427	-	8	19	161	91	41	26	29	21	25	6	185	3	7	15	50	24	14	14	12	19	19	8
White	405	-	7	17	151	87	38	25	29	20	25	6	174	2	7	13	46	23	12	14	11	19	19	8
All other	22	-	1	2	10	4	3	1	-	1	-	-	11	1	-	2	4	1	2	-	1	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	529	4	23	21	64	61	37	49	57	54	78	81	352	6	16	11	17	13	9	14	27	34	81	124
White	506	3	22	19	59	58	33	45	55	54	77	81	348	5	16	10	17	13	8	13	27	34	81	124
All other	23	1	1	2	5	3	4	4	2	-	1	-	4	1	-	1	-	-	1	1	-	-	-	-
Black	12	1	1	1	3	2	1	2	1	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
Suicide (E950-E959)	347	...	...	9	55	83	47	58	34	40	25	2	97	...	...	2	10	19	18	16	15	10	7	-
White	340	...	...	2	53	83	45	57	34	39	25	2	93	...	...	1	10	17	18	15	15	10	7	-
All other	7	...	...	1	2	-	2	1	-	1	-	-	4	...	...	1	-	2	-	1	-	-	-	-
Black	4	...	...	1	1	-	1	1	-	-	-	-	1	...	...	1	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	46	1	-	1	10	14	6	4	7	2	1	-	29	1	2	-	4	9	5	4	3	-	-	-
White	31	-	-	1	5	8	5	4	6	1	1	-	24	1	1	-	4	8	4	3	2	-	-	-
All other	15	1	-	-	5	6	1	-	1	1	-	-	5	-	1	-	-	1	1	1	1	-	-	-
Black	8	-	-	-	3	4	-	-	-	1	-	-	5	-	1	-	-	1	1	1	1	-	-	-
All other external causes (E980-E999)	36	-	1	-	5	8	7	3	5	3	3	1	17	3	1	-	3	6	1	-	1	1	1	-
White	34	-	1	-	4	7	7	3	5	3	3	1	13	3	1	-	1	4	1	-	1	1	1	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	4	-	-	-	2	2	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	13,072	357	88	96	416	435	512	927	2,136	3,361	3,290	1,417	10,870	306	52	62	149	168	265	556	1,274	2,264	3,140	2,619
White	8,394	131	34	60	264	212	280	593	1,485	2,278	2,189	884	6,944	111	25	32	86	70	141	314	813	1,394	2,145	1,811
All other	4,678	226	52	36	152	223	232	334	671	1,103	1,101	533	3,926	197	27	30	63	98	124	242	461	870	994	808
Black	4,637	223	51	35	149	219	228	331	664	1,095	1,096	531	3,907	195	27	30	63	98	123	239	458	868	990	805
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	6	-	-	-	-	-	-	-	-	1	-	4	3	-	-	-	-	-	-	1	-	-	-
White	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	18	-	-	-	-	-	1	1	2	6	7	1	13	-	-	-	-	-	-	2	3	3	4	1
White	8	-	-	-	-	-	-	-	1	4	3	-	8	-	-	-	-	-	-	1	2	2	2	1
All other	10	-	-	-	-	-	1	1	1	2	4	1	5	-	-	-	-	-	-	1	1	1	2	-
Black	10	-	-	-	-	-	1	1	1	2	4	1	5	-	-	-	-	-	-	1	1	1	2	-
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	-	1	1	2	4	6	1	9	-	-	-	-	-	-	1	1	2	4	1
White	5	-	-	-	-	-	-	-	1	2	2	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	10	-	-	-	-	-	1	1	1	2	4	1	3	-	-	-	-	-	-	1	-	-	2	-
Black	10	-	-	-	-	-	1	1	1	2	4	1	3	-	-	-	-	-	-	1	-	-	2	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	1	2	1	-	-
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	69	10	-	-	1	-	4	3	6	17	21	7	101	3	2	1	2	2	-	3	8	23	26	31
White	42	3	-	-	1	-	3	1	6	10	14	4	53	-	-	-	1	-	-	2	4	11	15	20
All other	27	7	-	-	-	-	1	2	-	7	7	3	48	3	2	1	1	2	-	1	4	12	11	11
Black	26	7	-	-	-	-	1	1	-	7	7	3	48	3	2	1	1	2	-	1	4	12	11	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	10	-	-	-	3	1	1	1	1	3	-	-	6	-	-	1	-	-	-	1	1	2	-	1
White	3	-	-	-	1	-	1	-	1	-	-	-	4	-	-	1	-	-	-	-	1	2	-	-
All other	7	-	-	-	2	1	-	1	-	3	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	6	-	-	-	2	-	-	1	-	3	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Syphilis (090-097)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	37	4	1	1	3	2	1	8	4	8	6	1	23	3	1	-	-	3	-	1	2	6	2	5
White	21	3	-	1	3	-	-	2	2	5	4	1	14	2	-	-	-	1	-	1	2	3	2	3
All other	16	1	1	-	-	2	1	4	2	3	2	-	9	1	1	-	-	2	-	-	-	3	-	2
Black	15	1	-	-	-	2	1	4	2	3	2	-	9	1	1	-	-	2	-	-	-	3	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,642	-	5	4	14	22	76	196	581	911	664	167	1,950	-	3	6	11	36	61	183	407	553	458	211
White	1,769	-	1	3	10	14	44	129	419	621	426	102	1,329	-	2	5	8	18	54	113	302	378	313	140
All other	873	-	4	1	4	8	32	67	162	290	238	65	621	-	1	1	5	20	27	70	105	175	145	71
Black	872	-	4	1	4	8	32	67	162	290	237	65	619	-	1	1	5	20	27	69	105	174	145	71

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	55	-	-	-	-	-	5	12	15	14	8	1	26	-	-	-	-	1	-	2	5	2	12	4
White	35	-	-	-	-	-	4	7	8	10	6	-	22	-	-	-	-	1	-	-	5	2	11	3
All other	20	-	-	-	-	-	1	5	7	4	2	1	4	-	-	-	-	-	-	2	-	-	1	1
Black	20	-	-	-	-	-	1	5	7	4	2	1	4	-	-	-	-	-	-	2	-	-	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	571	-	-	-	1	6	15	41	127	176	164	41	530	-	-	-	3	5	16	23	80	156	152	94
White	350	-	-	-	-	4	6	25	81	114	96	24	338	-	-	-	3	2	9	16	52	90	103	63
All other	221	-	-	-	1	2	9	16	46	62	68	17	192	-	-	-	-	3	7	7	28	66	49	31
Black	220	-	-	-	1	2	9	16	46	62	67	17	192	-	-	-	-	3	7	7	28	66	49	31
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,038	-	-	-	-	1	32	99	283	415	196	31	343	-	-	-	-	3	6	41	85	125	82	21
White	765	-	-	-	-	1	17	67	199	308	151	22	250	-	-	-	-	1	4	30	66	93	44	10
All other	273	-	-	-	-	-	15	32	84	107	45	9	93	-	-	-	-	2	2	11	17	32	18	11
Black	273	-	-	-	-	-	15	32	84	107	45	9	93	-	-	-	-	2	2	11	17	32	18	11
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	-	1	315	-	-	-	-	8	23	40	89	78	55	22
White	1	-	-	-	-	-	-	-	-	1	-	-	239	-	-	-	-	3	16	23	75	61	45	16
All other	1	-	-	-	-	-	-	-	-	-	-	1	76	-	-	-	-	5	7	17	14	17	10	6
Black	1	-	-	-	-	-	-	-	-	-	-	1	76	-	-	-	-	5	7	17	14	17	10	6
Malignant neoplasms of genital organs (179-187)	335	-	-	-	2	2	-	4	25	115	142	45	220	-	-	-	4	6	13	21	56	55	48	17
White	157	-	-	-	2	2	-	3	14	51	64	21	120	-	-	-	1	2	6	12	29	37	25	8
All other	178	-	-	-	-	-	-	1	11	64	78	24	100	-	-	-	3	4	7	9	27	18	23	9
Black	178	-	-	-	-	-	-	1	11	64	78	24	100	-	-	-	3	4	7	9	27	18	23	9
Malignant neoplasms of urinary organs (188-189)	109	-	1	-	-	1	-	3	29	34	32	9	60	-	1	-	-	-	3	1	12	15	18	10
White	78	-	-	-	-	1	-	1	22	23	25	6	37	-	1	-	-	-	2	1	9	6	11	7
All other	31	-	1	-	-	-	-	2	7	11	7	3	23	-	-	-	-	-	1	-	3	9	7	3
Black	31	-	1	-	-	-	-	2	7	11	7	3	23	-	-	-	-	-	1	-	3	9	7	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	318	-	3	1	4	6	11	24	80	95	69	24	263	-	2	4	1	7	12	38	48	63	55	33
White	220	-	1	-	2	5	8	16	62	64	47	15	190	-	1	4	1	4	11	24	39	46	37	23
All other	98	-	2	1	2	1	3	8	18	31	22	9	73	-	1	-	-	3	1	14	9	17	18	10
Black	98	-	2	1	2	1	3	8	18	31	22	9	72	-	1	-	-	3	1	14	9	16	18	10
Leukemia (204-208)	106	-	1	3	6	5	5	7	16	26	24	13	93	-	-	2	2	4	5	8	15	27	27	3
White	84	-	-	3	5	1	5	5	13	21	19	12	82	-	-	1	1	1	4	3	11	20	18	3
All other	22	-	1	-	1	4	-	2	3	5	5	1	31	-	-	1	1	3	1	5	4	7	9	-
Black	22	-	1	-	1	4	-	2	3	5	5	1	30	-	-	1	1	3	1	4	4	7	9	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	108	-	-	-	1	1	8	6	26	35	29	2	100	-	-	-	1	2	3	9	17	32	29	7
White	79	-	-	-	1	-	4	5	20	29	18	2	71	-	-	-	-	2	2	4	14	23	19	7
All other	29	-	-	-	-	1	4	1	6	6	11	-	29	-	-	-	1	-	1	5	3	9	10	-
Black	29	-	-	-	-	1	4	1	6	6	11	-	29	-	-	-	1	-	1	5	3	9	10	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	34	-	-	-	1	1	-	2	6	6	13	5	34	-	-	-	-	1	-	1	7	9	12	4
White	24	-	-	-	-	1	-	1	5	4	11	2	21	-	-	-	-	1	-	1	5	7	5	2
All other	10	-	-	-	1	-	-	1	1	2	2	3	13	-	-	-	-	-	-	-	2	2	7	2
Black	9	-	-	-	-	-	-	1	1	2	2	3	13	-	-	-	-	-	-	-	2	2	7	2
Diabetes mellitus (250)	158	-	-	1	1	2	3	14	34	53	39	11	259	-	-	-	1	6	7	15	39	83	75	32
White	80	-	-	1	-	1	1	10	13	27	22	5	135	-	-	-	-	3	3	6	19	36	47	21
All other	78	-	-	-	1	1	2	4	21	26	17	6	124	-	-	-	1	3	4	9	20	47	28	11
Black	76	-	-	-	1	1	2	4	21	25	16	6	123	-	-	-	1	3	4	9	20	47	28	11
Nutritional deficiencies (260-269)	13	1	-	-	-	-	-	1	1	1	5	4	21	1	-	-	-	-	-	-	2	3	9	6
White	6	-	-	-	-	-	-	1	-	1	2	2	12	-	-	-	-	-	-	-	1	2	6	3
All other	7	1	-	-	-	-	-	-	1	-	3	2	9	1	-	-	-	-	-	-	1	1	3	3
Black	7	1	-	-	-	-	-	-	1	-	3	2	9	1	-	-	-	-	-	-	1	1	3	3
Anemias (280-285)	22	-	-	2	-	3	1	-	3	3	7	3	29	1	-	-	2	2	-	2	2	5	5	10
White	10	-	-	-	-	-	-	-	-	2	6	2	16	-	-	-	-	-	-	1	1	4	4	6
All other	12	-	-	2	-	3	1	-	3	1	1	1	13	1	-	-	2	2	-	1	1	1	1	4
Black	12	-	-	2	-	3	1	-	3	1	1	1	13	1	-	-	2	2	-	1	1	1	1	4
Meningitis (320-322)	11	2	4	-	-	-	1	-	-	2	2	-	6	4	2	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-
All other	9	2	4	-	-	-	1	-	-	1	1	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	9	2	4	-	-	-	1	-	-	1	1	-	4	4	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,544	8	6	7	14	58	129	385	898	1,530	1,681	820	5,484	13	4	3	13	25	70	191	514	1,074	1,857	1,715
White	3,782	3	1	2	3	17	65	271	648	1,059	1,167	543	3,611	2	2	1	5	3	25	92	297	644	1,297	1,242
All other	1,762	5	5	5	11	39	64	114	250	471	514	277	1,873	11	2	2	8	22	45	99	217	430	560	473
Black	1,749	5	5	5	11	39	63	113	248	466	512	275	1,868	11	2	2	8	22	45	99	216	430	558	471

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,384	8	6	5	9	47	106	330	749	1,243	1,286	586	4,041	12	4	2	11	19	45	148	417	822	1,328	1,229
White	3,079	3	1	1	3	13	62	247	556	892	903	390	2,683	1	2	-	3	2	18	75	250	501	936	894
All other	1,311	5	5	4	6	34	44	83	193	351	383	196	1,358	11	2	2	8	17	27	73	167	321	392	335
Black	1,302	5	5	4	6	34	44	82	191	347	382	195	1,355	11	2	2	8	17	27	73	166	321	391	334
Rheumatic fever and rheumatic heart disease (390-398)	15	-	-	-	-	1	3	2	2	5	1	1	27	-	-	-	-	1	3	5	6	3	7	2
White	9	-	-	-	-	-	-	2	2	3	1	1	21	-	-	-	-	-	3	4	5	-	7	2
All other	6	-	-	-	-	1	3	-	-	2	-	-	6	-	-	-	-	1	-	1	1	3	-	-
Black	6	-	-	-	-	1	3	-	-	2	-	-	6	-	-	-	-	1	-	1	1	3	-	-
Hypertensive heart disease (402)	114	-	-	-	-	-	2	7	20	30	35	19	186	-	-	-	-	1	2	9	15	43	59	57
White	44	-	-	-	-	-	-	3	9	11	14	7	81	-	-	-	-	-	-	1	3	11	31	35
All other	70	-	-	-	-	-	2	4	11	19	21	12	105	-	-	-	-	1	2	8	12	32	28	22
Black	69	-	-	-	-	-	2	4	10	19	21	12	105	-	-	-	-	1	2	8	12	32	28	22
Hypertensive heart and renal disease (404)	36	-	-	-	-	2	-	1	2	8	17	6	40	-	-	-	-	-	-	1	3	8	13	15
White	16	-	-	-	-	1	-	-	1	3	9	2	19	-	-	-	-	-	-	-	1	3	7	8
All other	20	-	-	-	-	1	-	1	1	5	8	4	21	-	-	-	-	-	-	1	2	5	6	7
Black	20	-	-	-	-	1	-	1	1	5	8	4	21	-	-	-	-	-	-	1	2	5	6	7
Ischemic heart disease (410-414)	2,922	-	-	1	1	24	74	243	524	882	829	359	2,453	1	-	-	2	6	23	73	267	535	814	730
White	2,191	-	-	-	-	7	53	187	415	656	627	245	1,715	-	-	-	1	-	11	39	177	348	595	543
All other	731	-	-	1	1	17	21	56	109	206	202	114	738	1	-	-	1	6	12	34	90	187	219	187
Black	724	-	-	1	1	17	21	55	108	203	201	113	736	1	-	-	1	6	12	34	89	187	218	187
Acute myocardial infarction (410)	2,109	-	-	1	1	20	68	206	428	656	526	199	1,487	1	-	-	2	5	19	59	215	396	490	296
White	1,594	-	-	-	-	5	48	160	346	495	408	132	1,002	-	-	-	1	-	8	32	143	256	346	215
All other	515	-	-	1	1	15	20	46	82	161	118	67	485	1	-	-	1	5	11	27	72	140	144	83
Black	511	-	-	1	1	15	20	45	82	159	118	66	483	1	-	-	1	5	11	27	71	140	143	83
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	-	1	3	2	2	10	-	-	-	-	-	-	-	-	1	2	7
White	7	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	-	-	-	-	1	1	6
Black	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	-	-	-	-	1	1	6
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	-	-	1	4	1
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	803	-	-	-	-	4	6	37	95	202	300	158	950	-	-	-	-	1	4	14	52	137	318	424
White	588	-	-	-	-	2	5	27	68	157	216	112	707	-	-	-	-	-	3	7	34	92	245	326
All other	215	-	-	-	-	2	1	10	27	45	84	46	243	-	-	-	-	1	1	7	18	45	73	98
Black	212	-	-	-	-	2	1	10	26	44	83	46	243	-	-	-	-	1	1	7	18	45	73	98
Other diseases of endocardium (424)	26	-	-	-	-	-	-	3	5	9	5	4	29	1	-	-	-	-	1	2	1	4	14	6
White	24	-	-	-	-	-	-	3	4	9	4	4	22	-	-	-	-	-	1	1	-	4	12	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	7	1	-	-	-	-	-	1	1	-	2	2
Black	2	-	-	-	-	-	-	-	1	-	1	-	7	1	-	-	-	-	-	1	1	-	2	2
All other forms of heart disease (415-423,425-429)	1,271	8	6	4	8	20	27	74	196	329	399	197	1,306	10	4	2	9	11	18	58	125	229	421	419
White	789	3	1	1	3	5	9	52	125	210	248	131	825	1	2	-	2	2	3	30	64	135	284	302
All other	482	5	5	3	5	15	18	22	71	119	151	66	481	9	2	2	7	9	13	28	61	94	137	117
Black	481	5	5	3	5	15	18	22	71	118	151	66	480	9	2	2	7	9	13	28	61	94	137	116
Hypertension with or without renal disease (401,403)	40	-	-	-	-	2	5	-	9	6	11	7	41	-	-	-	-	-	-	-	4	11	16	10
White	16	-	-	-	-	1	-	-	2	2	6	5	22	-	-	-	-	-	-	-	2	6	10	4
All other	24	-	-	-	-	1	5	-	7	4	5	2	19	-	-	-	-	-	-	-	2	5	6	6
Black	24	-	-	-	-	1	5	-	7	4	5	2	19	-	-	-	-	-	-	-	2	5	6	6
Cerebrovascular diseases (430-438)	897	-	-	2	4	7	17	48	119	220	308	171	1,179	1	-	1	1	5	24	39	79	212	442	374
White	528	-	-	1	-	3	3	19	70	120	208	105	750	1	-	1	1	1	7	15	38	115	305	266
All other	369	-	-	1	4	4	14	29	49	100	102	66	429	-	-	-	-	4	17	24	41	97	137	108
Black	365	-	-	1	4	4	13	29	49	99	101	65	427	-	-	-	-	4	17	24	41	97	136	107
Intracerebral and other intracranial hemorrhage (431-432)	102	-	-	-	2	3	6	14	24	28	20	6	122	1	-	-	1	1	11	21	16	25	33	13
White	59	-	-	-	-	1	2	7	14	14	16	4	70	1	-	-	1	-	2	11	9	14	22	10
All other	43	-	-	-	2	2	4	7	10	12	4	2	52	-	-	-	-	1	9	10	7	11	11	3
Black	43	-	-	-	2	2	4	7	10	12	4	2	52	-	-	-	-	1	9	10	7	11	11	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	126	-	-	-	-	-	2	3	15	29	50	27	162	-	-	-	-	1	1	3	7	23	72	54
White	83	-	-	-	-	-	-	1	10	17	41	14	104	-	-	-	-	1	1	2	2	10	51	37
All other	43	-	-	-	-	-	2	2	5	12	9	13	58	-	-	-	-	-	-	1	5	13	21	17
Black	41	-	-	-	-	-	1	2	5	12	9	12	58	-	-	-	-	-	-	1	5	13	21	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	8	-	-	-	-	1	-	1	1	2	1	2	7	-	-	-	-	-	-	1	1	1	3	1
White	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	1	-	3	1
All other	6	-	-	-	-	1	-	1	1	1	-	2	2	-	-	-	-	-	-	1	-	1	-	-
Black	6	-	-	-	-	1	-	1	1	1	-	2	2	-	-	-	-	-	-	1	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	661	-	-	2	2	3	9	30	79	163	237	136	888	-	-	1	-	3	12	14	55	163	334	306
White	384	-	-	1	-	2	1	11	46	88	148	87	571	-	-	1	-	-	4	2	26	91	229	216
All other	277	-	-	1	2	1	8	19	33	75	89	49	317	-	-	-	-	3	8	12	29	72	105	88
Black	275	-	-	1	2	1	8	19	33	74	88	49	315	-	-	-	-	3	8	12	29	72	104	87
Atherosclerosis (440)	121	-	-	-	-	-	-	5	5	27	41	43	149	-	-	-	-	-	-	1	3	13	44	88
White	78	-	-	-	-	-	-	3	5	18	21	31	110	-	-	-	-	-	-	1	2	10	29	66
All other	43	-	-	-	-	-	-	2	-	9	20	12	39	-	-	-	-	-	-	-	1	3	15	20
Black	43	-	-	-	-	-	-	2	-	9	20	12	39	-	-	-	-	-	-	-	1	3	15	20
Other diseases of arteries, arterioles, and capillaries (441-448)	102	-	-	-	1	-	1	2	16	34	35	13	74	-	-	-	1	1	1	3	11	16	27	14
White	87	-	-	-	-	-	-	2	15	27	31	12	46	-	-	-	1	-	-	1	5	12	17	10
All other	15	-	-	-	1	-	1	-	1	7	4	1	28	-	-	-	-	1	1	2	6	4	10	4
Black	15	-	-	-	1	-	1	-	1	7	4	1	28	-	-	-	-	1	1	2	6	4	10	4
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	4	1	-	-	-	-	-	-	-	-	3	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	256	7	4	4	1	6	5	13	22	56	71	66	263	7	1	1	2	-	1	7	14	33	95	102
White	171	2	2	3	1	4	1	10	16	36	47	49	204	-	-	1	2	-	-	5	11	26	74	85
All other	85	5	2	1	-	2	4	3	6	20	24	17	59	7	1	-	-	-	1	2	3	7	21	17
Black	85	5	2	1	-	2	4	3	6	20	24	17	58	7	1	-	-	-	1	2	3	7	20	17
Pneumonia (480-486)	255	7	4	4	1	6	5	13	22	56	70	66	261	7	1	1	2	-	1	7	14	32	95	101
White	170	2	2	3	1	4	1	10	16	36	46	49	202	-	-	1	2	-	-	5	11	25	74	84
All other	85	5	2	1	-	2	4	3	6	20	24	17	59	7	1	-	-	-	1	2	3	7	21	17
Black	85	5	2	1	-	2	4	3	6	20	24	17	58	7	1	-	-	-	1	2	3	7	20	17
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	449	2	1	-	-	1	3	16	73	142	164	46	186	-	-	-	-	1	2	14	26	59	57	27
White	358	-	-	-	-	-	-	11	54	121	137	35	154	-	-	-	-	-	2	8	22	50	49	23
All other	91	2	1	-	-	1	3	5	19	21	27	11	32	-	-	-	-	1	-	6	4	9	8	4
Black	89	2	1	-	-	1	3	5	18	21	26	11	32	-	-	-	-	1	-	6	4	9	8	4
Bronchitis, chronic and unspecified (490-491)	23	1	-	-	-	-	-	-	2	10	5	5	9	-	-	-	-	-	-	-	-	2	4	3
White	21	-	-	-	-	-	-	-	2	10	4	5	9	-	-	-	-	-	-	-	-	2	4	3
All other	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	65	-	-	-	-	-	-	3	6	25	25	8	17	-	-	-	-	-	-	-	2	7	6	2
White	54	-	-	-	-	-	-	2	5	22	22	3	16	-	-	-	-	-	-	-	2	7	6	1
All other	11	-	-	-	-	-	-	1	1	3	3	3	1	-	-	-	-	-	-	-	-	-	-	1
Black	11	-	-	-	-	-	-	1	1	3	3	3	1	-	-	-	-	-	-	-	-	-	-	1
Asthma (493)	14	-	1	-	-	1	1	1	2	4	4	-	21	-	-	-	-	1	-	6	4	4	5	1
White	5	-	-	-	-	-	-	-	-	3	2	-	10	-	-	-	-	-	-	1	2	2	4	1
All other	9	-	1	-	-	1	1	1	2	1	2	-	11	-	-	-	-	1	-	5	2	2	1	-
Black	9	-	1	-	-	1	1	1	2	1	2	-	11	-	-	-	-	1	-	5	2	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	347	1	-	-	-	-	2	12	63	103	130	35	139	-	-	-	-	-	2	8	20	46	42	21
White	278	-	-	-	-	-	-	9	47	86	109	27	119	-	-	-	-	-	2	7	18	39	35	18
All other	69	1	-	-	-	-	2	3	16	17	21	8	20	-	-	-	-	-	-	1	2	7	7	3
Black	67	1	-	-	-	-	2	3	15	17	20	8	20	-	-	-	-	-	-	1	2	7	7	3
Ulcer of stomach and duodenum (531-533)	29	-	-	-	-	-	2	1	4	6	13	3	23	-	-	-	-	-	-	1	3	3	9	7
White	20	-	-	-	-	-	1	-	3	2	11	3	18	-	-	-	-	-	-	1	2	2	9	4
All other	9	-	-	-	-	-	1	1	1	4	2	-	5	-	-	-	-	-	-	-	1	1	-	3
Black	9	-	-	-	-	-	1	1	1	4	2	-	5	-	-	-	-	-	-	-	1	1	-	3
Appendicitis (540-543)	6	-	-	-	-	-	-	-	1	2	2	1	4	-	-	-	1	-	-	-	-	2	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	1	-	-	-	-	2	-	-
Black	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	1	-	-	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	-	-	-	-	1	1	1	1	7	9	-	31	-	-	-	1	-	-	-	-	11	9	10
White	12	-	-	-	-	-	-	1	-	5	6	-	20	-	-	-	1	-	-	-	-	4	6	8
All other	8	-	-	-	-	1	1	-	1	2	3	-	11	-	-	-	-	-	-	-	-	7	3	1
Black	8	-	-	-	-	1	1	-	1	2	3	-	11	-	-	-	-	-	-	-	-	7	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	145	-	-	-	-	6	15	20	56	29	15	3	75	-	-	1	-	4	3	16	25	18	7	1
White	106	-	-	-	-	4	8	15	41	23	12	3	53	-	-	1	-	-	2	12	18	14	5	1
All other	39	-	-	-	-	2	7	5	15	6	3	-	22	-	-	-	-	4	1	4	7	4	2	-
Black	39	-	-	-	-	2	7	5	15	6	3	-	22	-	-	-	-	4	1	4	7	4	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	2	-	-	1	4	9	2	26	-	-	-	-	-	-	-	2	7	11	6
White	12	-	-	-	-	-	-	-	1	3	7	1	19	-	-	-	-	-	-	-	1	5	9	4
All other	6	-	-	-	-	2	-	-	-	1	2	1	7	-	-	-	-	-	-	-	1	2	2	2
Black	6	-	-	-	-	2	-	-	-	1	2	1	7	-	-	-	-	-	-	-	1	2	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	128	2	-	-	1	1	3	6	13	36	38	28	134	2	-	-	1	-	-	4	11	22	40	54
White	60	2	-	-	1	-	1	1	4	15	21	15	74	1	-	-	1	-	-	1	5	14	19	33
All other	68	-	-	-	-	1	2	5	9	21	17	13	60	1	-	-	-	-	-	3	6	8	21	21
Black	66	-	-	-	-	1	1	5	8	21	17	13	58	1	-	-	-	-	-	2	5	8	21	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	-	-	-	1	1	1	3	1	1	4	6	8	-	-	-	1	-	-	-	-	1	4	2
White	5	-	-	-	1	-	-	-	-	-	2	2	5	-	-	-	1	-	-	-	-	1	2	1
All other	13	-	-	-	-	1	1	3	1	1	2	4	3	-	-	-	-	-	-	-	-	-	2	1
Black	12	-	-	-	-	1	-	3	1	1	2	4	3	-	-	-	-	-	-	-	-	-	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	108	2	-	-	-	-	2	3	12	35	32	22	123	2	-	-	-	-	-	4	11	20	35	51
White	55	2	-	-	-	-	1	1	4	15	19	13	67	1	-	-	-	-	-	1	5	12	17	31
All other	53	-	-	-	-	-	1	2	8	20	13	9	56	1	-	-	-	-	-	3	6	8	18	20
Black	52	-	-	-	-	-	1	2	7	20	13	9	54	1	-	-	-	-	-	2	5	8	18	20
Infections of kidney (590)	10	-	-	-	-	-	-	-	1	5	1	3	29	-	-	-	-	-	1	2	1	4	8	13
White	6	-	-	-	-	-	-	-	-	4	-	2	20	-	-	-	-	-	1	1	1	3	5	9
All other	4	-	-	-	-	-	-	-	1	1	1	1	9	-	-	-	-	-	-	1	-	1	3	4
Black	4	-	-	-	-	-	-	-	1	1	1	1	9	-	-	-	-	-	-	1	-	1	3	4
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	1	1	3	3	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	6	-	-	-	-	-	-	-	1	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	-	-	-	-	-	-	-	1	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	87	56	8	1	3	4	2	4	3	4	1	1	86	62	6	2	3	2	-	1	2	4	1	3
White	50	33	3	-	2	2	1	2	2	3	1	1	47	31	4	1	1	1	-	1	1	3	1	3
All other	37	23	5	1	1	2	1	2	1	1	-	-	39	31	2	1	2	1	-	-	1	1	-	-
Black	37	23	5	1	1	2	1	2	1	1	-	-	39	31	2	1	2	1	-	-	1	1	-	-
Certain conditions originating in the perinatal period (760-779)	169	169	-	-	-	-	-	-	-	-	-	-	142	142	-	-	-	-	-	-	-	-	-	-
White	62	62	-	-	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
All other	107	107	-	-	-	-	-	-	-	-	-	-	89	89	-	-	-	-	-	-	-	-	-	-
Black	106	106	-	-	-	-	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	56	56	-	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	32	32	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Black	32	32	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	113	113	-	-	-	-	-	-	-	-	-	-	86	86	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
All other	75	75	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
Black	74	74	-	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	949	56	8	1	5	18	35	68	184	238	231	123	674	39	3	1	4	8	14	30	71	139	185	177
White	416	11	3	-	3	5	17	29	84	126	98	40	248	10	1	1	2	-	8	13	29	56	75	53
All other	533	45	5	1	2	13	18	39	80	112	133	83	426	29	2	-	2	8	6	17	42	83	110	124
Black	529	43	5	-	2	13	18	39	80	111	133	83	425	29	2	-	2	8	6	17	42	83	110	123
All other diseases (Residual)	707	15	5	4	16	21	40	53	104	175	198	76	682	13	6	12	9	13	21	39	72	146	193	157
White	451	5	3	4	10	11	23	31	63	112	140	49	465	8	2	6	5	6	8	23	49	92	149	117
All other	256	10	2	-	6	10	17	22	41	63	58	27	217	5	4	6	4	7	13	16	23	54	44	40
Black	254	10	2	-	6	10	17	21	40	63	58	27	214	4	4	6	4	7	13	16	23	53	43	40
Accidents and adverse effects (E800-E949)	1,092	18	40	67	263	184	126	90	100	92	72	39	440	12	23	31	66	42	34	28	43	48	67	45
White	669	5	19	43	185	107	79	52	62	57	40	20	276	3	12	15	44	26	21	20	26	30	48	31
All other	423	13	21	24	78	77	47	38	38	35	32	19	164	9	11	16	22	16	13	8	17	18	19	14
Black	415	13	21	24	77	74	45	38	37	34	32	19	162	9	11	16	22	16	12	8	16	18	19	14
Motor vehicle accidents (E810-E825)	525	2	11	32	167	107	68	39	43	30	23	4	191	1	12	13	53	25	21	13	23	14	16	-
White	366	2	8	23	131	71	43	25	28	19	13	3	139	-	7	10	39	18	17	10	18	8	11	-
All other	159	-	3	9	36	36	23	14	15	11	10	1	52	1	5	3	14	7	4	3	4	6	5	-
Black	156	-	3	9	36	34	23	14	15	10	10	1	51	1	5	3	14	7	3	3	4	6	5	-
All other accidents and adverse effects (E800-E807, E826-E949)	567	16	29	35	96	77	60	51	57	62	49	35	249	11	11	18	13	17	13	15	20	34	51	45
White	303	3	11	20	54	36	36	27	34	38	27	17	137	3	5	5	5	8	4	10	7	22	37	31
All other	264	13	18	15	42	41	24	24	23	24	22	18	112	8	6	13	8	9	9	5	13	12	14	14
Black	258	13	18	15	41	40	22	24	22	24	22	18	111	8	6	13	8	9	9	5	12	12	14	14
Suicide (E950-E959)	196	...	...	1	38	35	26	21	29	32	10	4	57	...	...	-	16	7	8	10	11	4	1	-
White	169	...	...	1	28	30	21	20	27	28	9	4	51	...	...	-	12	7	8	9	10	4	1	-
All other	27	...	...	-	9	5	5	1	2	4	1	-	6	...	...	-	4	-	-	1	1	-	-	-
Black	26	...	...	-	8	5	5	1	2	4	1	-	5	...	...	-	4	-	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	207	-	3	3	47	82	33	24	21	8	6	-	76	1	-	3	15	14	22	5	6	3	5	1
White	61	-	2	2	13	10	12	6	10	5	1	-	31	1	-	-	6	5	8	3	3	2	2	1
All other	146	-	1	1	34	52	21	18	11	3	5	-	45	-	-	3	9	9	14	2	3	1	3	-
Black	145	-	1	1	34	52	21	18	10	3	5	-	45	-	-	3	9	9	14	2	3	1	3	-
All other external causes (E980-E999)	27	1	-	-	5	7	4	-	6	2	1	-	6	1	-	-	2	1	1	-	1	-	-	-
White	18	1	-	-	2	6	2	-	3	2	1	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	9	-	-	-	3	1	2	-	3	-	-	-	4	1	-	-	2	-	-	-	1	-	-	-
Black	9	-	-	-	3	1	2	-	3	-	-	-	4	1	-	-	2	-	-	-	1	-	-	-
MISSOURI																								
All causes	25,779	479	66	131	559	658	753	1,633	4,031	6,622	7,142	3,676	23,746	331	77	63	224	295	411	954	2,454	4,549	7,284	7,100
White	23,059	350	73	113	458	503	600	1,358	3,544	5,987	6,617	3,451	21,490	232	59	52	179	237	333	796	2,093	4,037	6,741	6,728
All other	2,720	129	15	18	101	155	153	275	487	635	525	225	2,256	99	18	11	45	58	78	158	361	512	543	372
Black	2,685	125	15	18	100	152	152	271	480	630	518	222	2,230	98	18	11	44	56	75	154	356	507	542	368
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	1	-	-	7	2	-	-	-	-	-	-	-	-	2	3
White	2	1	-	-	-	-	-	-	-	1	-	-	6	1	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	17	-	-	-	-	-	-	-	-	10	3	4	10	-	-	-	-	-	-	-	2	-	5	3
White	15	-	-	-	-	-	-	-	-	8	3	4	7	-	-	-	-	-	-	-	1	-	4	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	-	-	-	-	8	3	4	7	-	-	-	-	-	-	-	1	-	4	2
White	14	-	-	-	-	-	-	-	-	7	3	4	7	-	-	-	-	-	-	-	1	-	4	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	2	1	-	1	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
White	4	2	1	-	1	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	201	4	2	2	2	1	4	10	30	45	64	36	166	1	-	-	-	2	2	6	17	28	52	58
White	171	4	2	2	2	1	4	7	24	37	57	31	130	1	-	-	-	1	2	4	11	20	42	49
All other	30	-	-	-	-	-	-	3	6	8	7	5	36	-	-	-	-	1	-	2	6	8	10	9
Black	30	-	-	-	-	-	-	3	6	8	7	5	36	-	-	-	-	1	-	2	6	8	10	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	-	-	1	3	-	4	1	-	5	-	-	-	1	-	-	-	1	3	-	-
White	9	-	-	-	-	-	1	3	-	4	1	-	4	-	-	-	-	-	-	-	1	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	48	-	2	2	1	1	1	5	7	15	12	2	52	-	2	-	3	3	2	2	9	15	11	5
White	41	-	1	2	1	-	1	4	5	14	12	1	47	-	2	-	3	2	2	2	9	13	10	4
All other	7	-	1	-	-	1	-	1	2	1	-	1	5	-	-	-	-	1	-	-	-	2	1	1
Black	7	-	1	-	-	1	-	1	2	1	-	1	5	-	-	-	-	1	-	-	-	2	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,651	2	3	20	24	46	108	440	1,231	1,844	1,481	452	4,966	-	5	12	21	53	151	417	1,031	1,380	1,240	656
White	4,997	1	3	17	22	42	90	356	1,071	1,641	1,341	413	4,462	-	4	10	14	46	129	366	905	1,243	1,151	612
All other	654	1	-	3	2	4	18	84	160	203	140	39	484	-	1	2	7	7	22	49	126	137	89	44
Black	650	1	-	3	2	4	18	84	159	202	138	39	476	-	1	2	8	6	21	46	125	136	89	44
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	134	-	-	2	-	1	6	14	32	45	27	7	49	-	-	-	-	-	1	4	16	16	9	3
White	109	-	-	1	-	1	4	7	28	41	23	6	43	-	-	-	-	-	1	2	14	14	9	3
All other	25	-	-	1	-	-	2	7	6	4	4	1	6	-	-	-	-	-	-	2	2	2	-	-
Black	25	-	-	1	-	-	2	7	6	4	4	1	5	-	-	-	-	-	-	1	2	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,359	-	1	-	-	3	29	94	306	422	380	124	1,313	-	-	-	-	9	21	70	211	373	383	246
White	1,170	-	1	-	-	3	26	77	258	362	330	113	1,150	-	-	-	-	6	18	54	168	330	345	229
All other	189	-	-	-	-	-	3	17	48	60	50	11	163	-	-	-	-	3	3	16	43	43	38	17
Black	187	-	-	-	-	-	3	17	48	59	49	11	158	-	-	-	-	2	3	14	42	42	36	17
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,083	-	-	-	1	4	29	187	533	804	454	71	854	-	-	-	-	3	25	102	250	260	151	63
White	1,870	-	-	-	-	4	22	149	469	730	430	66	785	-	-	-	-	3	22	92	223	239	146	60
All other	213	-	-	-	1	-	7	38	64	74	24	5	69	-	-	-	-	-	3	10	27	21	5	3
Black	212	-	-	-	1	-	7	38	64	74	23	5	69	-	-	-	-	-	3	10	27	21	5	3
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	2	3	-	-	892	-	-	-	2	14	46	124	204	230	177	95
White	4	-	-	-	-	-	-	1	2	1	-	-	803	-	-	-	1	13	36	115	189	202	161	86
All other	2	-	-	-	-	-	-	-	-	2	-	-	89	-	-	-	1	1	10	9	15	28	16	9
Black	2	-	-	-	-	-	-	-	-	2	-	-	88	-	-	-	1	1	9	9	15	28	16	9
Malignant neoplasms of genital organs (179-187)	576	-	-	-	2	1	4	5	51	165	237	111	546	-	-	-	2	12	20	41	114	146	147	64
White	492	-	-	-	2	1	4	2	40	138	204	103	487	-	-	-	1	10	16	36	102	129	139	54
All other	84	-	-	-	-	-	-	3	11	29	33	8	59	-	-	-	1	2	4	5	12	17	8	10
Black	84	-	-	-	-	-	-	3	11	29	33	8	59	-	-	-	1	2	4	5	12	17	8	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	271	-	-	-	1	-	9	15	46	89	78	37	165	-	-	-	-	1	4	4	25	45	54	32
White	252	-	-	-	1	-	2	15	42	84	73	35	149	-	-	-	-	-	3	3	21	40	51	31
All other	19	-	-	-	-	-	1	-	6	5	5	2	16	-	-	-	-	1	1	1	4	5	3	1
Black	19	-	-	-	-	-	1	-	6	5	5	2	16	-	-	-	-	1	1	1	4	5	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	726	2	1	10	10	20	22	76	176	182	173	54	649	-	5	3	7	6	22	50	133	159	179	85
White	654	1	1	9	9	20	19	65	156	166	160	48	601	-	4	1	6	6	21	45	118	148	169	83
All other	72	1	-	1	1	-	3	11	20	16	13	6	48	-	1	2	1	-	1	5	15	11	10	2
Black	71	1	-	1	1	-	3	11	19	16	13	6	48	-	1	2	1	-	1	5	15	11	10	2
Leukemia (204-208)	232	-	1	5	4	11	10	23	33	64	59	22	188	-	-	9	6	7	5	7	24	51	42	37
White	211	-	1	4	4	7	9	21	32	59	55	19	174	-	-	9	4	7	5	7	21	47	39	35
All other	21	-	-	1	-	4	1	2	1	5	4	3	14	-	-	-	2	-	-	-	3	4	3	2
Black	21	-	-	1	-	4	1	2	1	5	4	3	14	-	-	-	2	-	-	-	3	4	3	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	264	-	-	3	6	6	5	25	50	70	73	26	310	-	-	-	4	1	7	15	54	100	98	31
White	235	-	-	3	6	6	4	19	46	62	66	23	290	-	-	-	2	1	7	14	49	94	92	31
All other	29	-	-	-	-	-	1	6	4	8	7	3	20	-	-	-	2	-	-	1	5	6	6	-
Black	29	-	-	-	-	-	1	6	4	8	7	3	19	-	-	-	1	-	-	1	5	6	6	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	59	-	-	-	-	3	3	2	3	15	22	10	80	1	-	-	1	2	2	5	11	24	16	18
White	49	-	-	-	-	3	3	2	3	11	20	7	68	1	-	-	1	-	1	4	11	20	14	16
All other	9	-	-	-	-	-	-	-	-	4	2	3	12	-	-	-	-	2	1	1	-	4	2	2
Black	9	-	-	-	-	-	-	-	-	4	2	3	12	-	-	-	-	2	1	1	-	4	2	2
Diabetes mellitus (250)	291	-	-	-	1	2	11	22	54	82	77	32	511	-	1	-	-	9	7	24	71	117	197	85
White	254	-	-	-	1	1	9	20	48	77	69	29	434	-	1	-	-	8	5	21	50	97	176	76
All other	37	-	-	-	-	1	2	2	6	15	8	3	77	-	-	-	-	1	2	3	21	20	21	9
Black	37	-	-	-	-	1	2	2	6	15	8	3	76	-	-	-	-	1	2	3	21	19	21	9
Nutritional deficiencies (260-269)	37	1	-	-	-	-	-	-	2	7	8	19	52	-	-	-	-	-	1	-	-	4	15	32
White	34	-	-	-	-	-	-	-	2	7	7	18	47	-	-	-	-	-	1	-	-	3	14	29
All other	3	1	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	1	3
Black	3	1	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	1	3
Anemias (280-285)	35	-	1	-	2	1	1	1	5	8	9	7	41	-	-	1	2	1	1	1	1	3	18	13
White	26	-	-	-	-	1	-	-	3	8	7	7	31	-	-	-	-	1	1	1	1	2	14	11
All other	9	-	1	-	2	-	1	1	2	-	2	-	10	-	-	1	2	-	-	-	-	1	4	2
Black	9	-	1	-	2	-	1	1	2	-	2	-	10	-	-	1	2	-	-	-	-	1	4	2
Meningitis (320-322)	18	4	3	2	-	-	-	1	2	3	2	1	22	3	1	1	-	-	1	-	5	5	4	2
White	13	2	3	2	-	-	-	-	1	2	2	1	17	1	-	1	-	-	1	-	5	4	4	1
All other	5	2	-	-	-	-	-	1	1	1	-	-	5	2	1	-	-	-	-	-	-	1	-	1
Black	4	1	-	-	-	-	-	1	1	1	-	-	5	2	1	-	-	-	-	-	-	1	-	1
Major cardiovascular diseases (390-448)	11,715	11	3	2	16	50	204	660	1,725	3,097	3,772	2,175	12,287	11	2	2	13	31	77	263	822	2,040	4,254	4,771
White	10,712	9	2	2	12	37	156	555	1,530	2,818	3,527	2,064	11,257	9	1	2	9	23	51	191	677	1,803	3,938	4,552
All other	1,003	2	1	-	4	13	48	105	195	279	245	111	1,030	2	1	-	4	8	26	72	145	237	316	219
Black	988	2	1	-	4	13	48	101	194	275	241	109	1,021	2	1	-	4	8	25	72	143	235	315	216
Diseases of heart (390-398,402,404-429)	9,433	11	1	2	11	39	176	596	1,514	2,657	2,901	1,625	9,105	11	1	1	6	21	51	200	648	1,613	3,154	3,399
White	8,627	9	-	2	8	26	137	510	1,349	2,332	2,714	1,538	8,357	9	-	1	5	15	36	147	538	1,439	2,930	3,237
All other	806	2	1	-	3	11	39	86	165	225	187	87	748	2	1	-	1	6	15	53	110	174	224	162
Black	794	2	1	-	3	11	39	82	164	222	185	85	743	2	1	-	1	6	15	53	109	173	223	160
Rheumatic fever and rheumatic heart disease (390-398)	49	1	-	1	-	3	1	7	10	14	9	3	80	-	-	-	-	-	-	10	11	28	20	11
White	47	-	-	1	-	3	1	7	9	14	9	3	77	-	-	-	-	-	-	8	11	27	20	11
All other	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Hypertensive heart disease (402)	208	-	-	-	-	3	7	13	40	57	64	24	301	-	-	-	-	-	3	18	29	74	94	83
White	126	-	-	-	-	-	1	6	18	30	48	23	225	-	-	-	-	-	1	6	15	55	72	76
All other	82	-	-	-	-	3	6	7	22	27	16	1	76	-	-	-	-	-	2	12	14	19	22	7
Black	81	-	-	-	-	3	6	6	22	27	16	1	76	-	-	-	-	-	2	12	14	19	22	7
Hypertensive heart and renal disease (404)	44	-	-	-	-	-	-	1	3	10	13	17	82	-	-	-	-	-	1	3	2	7	26	43
White	39	-	-	-	-	-	-	1	2	9	13	14	73	-	-	-	-	-	-	1	1	5	24	42
All other	5	-	-	-	-	-	-	-	1	1	-	3	9	-	-	-	-	-	1	2	1	2	2	1
Black	4	-	-	-	-	-	-	-	1	-	-	3	9	-	-	-	-	-	1	2	1	2	2	1
Ischemic heart disease (410-414)	7,250	-	-	-	1	15	114	469	1,185	2,035	2,229	1,202	6,580	-	-	-	-	4	26	115	467	1,199	2,392	2,377
White	6,697	-	-	-	1	13	95	411	1,074	1,884	2,082	1,137	6,084	-	-	-	-	4	18	91	402	1,077	2,238	2,254
All other	553	-	-	-	-	2	19	58	111	151	147	65	496	-	-	-	-	-	8	24	65	122	154	123
Black	544	-	-	-	-	2	19	55	110	149	145	64	493	-	-	-	-	-	8	24	64	122	153	122
Acute myocardial infarction (410)	4,012	-	-	-	-	11	67	313	734	1,274	1,122	491	3,000	-	-	-	-	3	19	74	304	703	1,148	751
White	3,772	-	-	-	-	9	61	287	684	1,191	1,073	467	2,807	-	-	-	-	3	15	64	271	647	1,090	717
All other	240	-	-	-	-	2	6	26	50	83	49	24	193	-	-	-	-	-	4	10	33	56	58	34
Black	235	-	-	-	-	2	6	24	50	81	48	24	191	-	-	-	-	-	4	10	32	56	55	34

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	23	-	-	-	-	-	1	3	1	7	6	5	19	-	-	-	-	-	-	-	2	1	5	11
White	23	-	-	-	-	-	1	3	1	7	6	5	18	-	-	-	-	-	-	-	2	1	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Angina pectoris (413)	15	-	-	-	-	-	2	1	2	4	3	3	6	-	-	-	-	-	-	1	-	2	3	-
White	14	-	-	-	-	-	1	1	2	4	3	3	6	-	-	-	-	-	-	1	-	2	3	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,200	-	-	-	1	4	44	152	448	750	1,088	703	3,555	-	-	-	-	1	7	40	161	493	1,238	1,615
White	2,688	-	-	-	1	4	32	120	387	682	1,000	662	3,253	-	-	-	-	1	3	26	129	427	1,140	1,527
All other	312	-	-	-	-	-	12	32	61	68	98	41	302	-	-	-	-	-	4	14	32	66	98	88
Black	308	-	-	-	-	-	12	31	60	68	97	40	301	-	-	-	-	-	4	14	32	66	98	87
Other diseases of endocardium (424)	97	1	-	-	-	-	1	3	8	24	46	14	103	-	-	-	-	-	2	1	6	23	37	32
White	94	1	-	-	-	-	1	3	8	23	45	13	97	-	-	-	-	-	2	1	7	20	35	32
All other	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	1	3	2	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	1	3	2	-
All other forms of heart disease (415-423,425-429)	1,785	9	1	1	10	18	53	103	268	417	540	365	1,959	11	1	1	6	17	19	53	131	282	585	853
White	1,624	8	-	1	7	12	39	82	238	372	517	348	1,801	9	-	1	5	11	15	40	102	255	541	822
All other	161	1	1	-	3	6	14	21	30	45	23	17	158	2	1	-	1	6	4	13	29	27	44	31
Black	160	1	1	-	3	6	14	21	30	45	23	16	156	2	1	-	1	6	4	13	29	26	44	30
Hypertension with or without renal disease (401,403)	67	-	-	-	-	-	-	3	11	9	27	17	99	-	-	-	-	-	1	2	7	18	34	37
White	55	-	-	-	-	-	-	1	9	5	24	16	86	-	-	-	-	-	1	1	6	13	33	34
All other	12	-	-	-	-	-	-	2	2	4	3	1	11	-	-	-	-	-	-	1	1	5	1	3
Black	11	-	-	-	-	-	-	2	2	4	2	1	11	-	-	-	-	-	-	1	1	5	1	3
Cerebrovascular diseases (430-438)	1,625	-	2	-	5	7	24	50	145	378	618	396	2,482	-	1	-	2	6	24	58	139	337	884	1,090
White	1,468	-	2	-	4	5	17	34	122	333	575	376	2,251	-	1	-	1	4	13	41	109	289	809	983
All other	157	-	-	-	1	2	7	16	23	45	43	20	231	-	-	-	1	2	11	17	30	48	75	47
Black	155	-	-	-	1	2	7	16	23	44	42	20	228	-	-	-	1	2	10	17	29	47	75	47
Intracerebral and other intracranial hemorrhage (431-432)	209	-	-	-	2	1	10	24	35	60	58	19	288	-	1	-	2	1	7	24	35	64	84	50
White	167	-	-	-	1	-	6	16	27	52	50	15	226	-	1	-	1	1	4	14	26	52	78	49
All other	42	-	-	-	1	1	4	8	8	8	8	4	42	-	-	-	1	-	3	10	9	12	6	1
Black	41	-	-	-	1	1	4	8	8	8	7	4	42	-	-	-	1	-	3	10	9	12	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	308	-	1	-	-	1	3	7	25	69	127	75	466	-	-	-	-	-	1	3	23	65	174	200
White	275	-	1	-	-	1	3	3	20	62	115	70	426	-	-	-	-	-	-	2	18	59	156	191
All other	33	-	-	-	-	-	-	4	5	7	12	5	40	-	-	-	-	-	1	1	5	6	18	9
Black	32	-	-	-	-	-	-	4	5	6	12	5	39	-	-	-	-	-	-	1	5	6	18	9
Cerebral embolism (434.1)	19	-	-	-	-	1	-	1	1	5	7	4	24	-	-	-	-	-	-	1	-	2	13	8
White	18	-	-	-	-	1	-	1	1	4	7	4	23	-	-	-	-	-	-	1	-	1	13	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,069	-	1	-	3	4	11	18	84	244	426	298	1,724	-	-	-	-	5	16	30	81	206	613	772
White	1,008	-	1	-	3	3	8	14	74	215	403	287	1,576	-	-	-	-	3	9	24	65	177	562	735
All other	61	-	-	-	-	1	3	4	10	29	23	11	148	-	-	-	-	2	7	6	16	29	51	37
Black	61	-	-	-	-	1	3	4	10	29	23	11	146	-	-	-	-	2	7	6	15	28	51	37
Atherosclerosis (440)	253	-	-	-	-	-	-	2	12	39	105	95	417	-	-	-	1	-	-	1	10	29	122	254
White	244	-	-	-	-	-	-	2	11	37	100	94	402	-	-	-	1	-	-	-	10	28	114	249
All other	9	-	-	-	-	-	-	-	1	2	5	1	15	-	-	-	-	-	-	1	-	1	8	5
Black	9	-	-	-	-	-	-	-	1	2	5	1	15	-	-	-	-	-	-	1	-	1	8	5
Other diseases of arteries, arterioles, and capillaries (441-448)	337	-	-	-	-	4	4	9	43	114	121	42	184	-	-	1	4	4	1	2	18	43	60	51
White	318	-	-	-	-	4	2	8	39	111	114	40	159	-	-	1	2	4	1	2	14	34	52	49
All other	19	-	-	-	-	-	2	1	4	3	7	2	25	-	-	-	2	-	-	-	4	9	8	2
Black	18	-	-	-	-	-	2	1	4	3	7	2	24	-	-	-	2	-	-	-	4	9	8	1
Acute bronchitis and bronchiolitis (466)	7	2	-	-	-	-	-	-	1	-	1	3	6	-	1	-	-	-	-	-	-	1	-	4
White	6	1	-	-	-	-	-	-	1	-	1	3	5	-	1	-	-	-	-	-	-	-	-	4
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	727	11	-	2	1	4	8	26	56	128	255	236	773	3	3	3	1	3	9	7	25	78	240	401
White	665	7	-	2	1	3	5	22	46	113	240	226	727	2	1	1	1	2	6	7	21	73	229	384
All other	62	4	-	-	-	1	3	4	10	15	15	10	46	1	2	2	-	1	3	-	4	5	11	17
Black	61	4	-	-	-	1	3	4	10	15	14	10	46	1	2	2	-	1	3	-	4	5	11	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	709	11	-	2	1	4	8	25	55	127	246	230	745	3	3	3	1	2	8	7	24	74	235	385
White	647	7	-	2	1	3	5	21	45	112	231	220	699	2	1	1	1	1	5	7	20	69	224	368
All other	62	4	-	-	-	1	3	4	10	15	15	10	46	1	2	2	-	1	3	-	4	5	11	17
Black	61	4	-	-	-	1	3	4	10	15	14	10	46	1	2	2	-	1	3	-	4	5	11	17
Influenza (487)	18	-	-	-	-	-	-	1	1	1	9	6	28	-	-	-	-	1	1	-	1	4	5	16
White	18	-	-	-	-	-	-	1	1	1	9	6	28	-	-	-	-	1	1	-	1	4	5	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,137	-	-	-	2	3	8	27	141	398	411	147	582	-	-	-	1	5	8	23	79	204	175	87
White	1,075	-	-	-	-	1	7	25	127	379	396	140	554	-	-	-	1	5	6	21	73	193	171	84
All other	62	-	-	-	2	2	1	2	14	19	15	7	28	-	-	-	-	-	2	2	6	11	4	3
Black	62	-	-	-	2	2	1	2	14	19	15	7	27	-	-	-	-	-	1	2	6	11	4	3
Bronchitis, chronic and unspecified (490-491)	62	-	-	-	-	-	-	1	6	16	23	14	28	-	-	-	-	-	-	-	8	5	7	8
White	58	-	-	-	-	-	-	1	6	16	21	12	28	-	-	-	-	-	-	-	8	5	7	8
All other	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	215	-	-	-	-	-	3	6	32	81	74	17	70	-	-	-	-	-	-	5	7	30	20	8
White	207	-	-	-	-	-	2	7	30	79	72	17	68	-	-	-	-	-	-	4	6	30	20	8
All other	8	-	-	-	-	-	1	1	2	2	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	8	-	-	-	-	-	1	1	2	2	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Asthma (493)	20	-	-	-	2	3	3	2	8	5	5	1	49	-	-	-	1	5	6	2	5	14	13	3
White	23	-	-	-	-	1	3	2	8	5	5	1	44	-	-	-	1	5	4	2	4	13	13	2
All other	6	-	-	-	2	2	-	-	2	-	-	-	5	-	-	-	-	-	2	-	1	1	-	1
Black	6	-	-	-	2	2	-	-	2	-	-	-	4	-	-	-	-	-	1	-	1	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	831	-	-	-	-	-	2	16	95	284	309	115	435	-	-	-	-	-	2	16	59	155	135	68
White	787	-	-	-	-	-	2	15	85	277	288	110	414	-	-	-	-	-	2	15	55	145	131	66
All other	44	-	-	-	-	-	-	1	10	17	11	5	21	-	-	-	-	-	-	1	4	10	4	2
Black	44	-	-	-	-	-	-	1	10	17	11	5	21	-	-	-	-	-	-	1	4	10	4	2
Ulcer of stomach and duodenum (531-533)	75	-	-	-	-	-	2	3	13	20	29	8	90	-	-	-	-	1	3	4	4	17	38	25
White	72	-	-	-	-	-	2	3	12	18	29	8	82	-	-	-	-	-	3	4	4	13	33	25
All other	3	-	-	-	-	-	-	-	1	2	-	-	8	-	-	-	-	1	-	-	-	4	3	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	7	-	-	-	-	1	-	-	-	3	3	-
Appendicitis (540-543)	10	-	-	-	-	-	1	-	-	6	2	1	6	-	-	-	1	-	-	1	1	1	1	1
White	8	-	-	-	-	-	1	-	-	4	2	1	5	-	-	-	-	-	-	1	1	1	1	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	59	2	-	-	-	-	1	4	5	11	23	10	77	-	-	-	-	-	-	4	5	9	33	26
White	51	2	-	-	-	-	1	3	5	9	21	10	68	-	-	-	-	-	-	2	2	8	30	26
All other	5	-	-	-	-	-	-	1	-	2	2	-	9	-	-	-	-	-	-	2	3	1	3	-
Black	5	-	-	-	-	-	-	1	-	2	2	-	6	-	-	-	-	-	-	2	2	1	3	-
Chronic liver disease and cirrhosis (571)	256	-	-	-	-	7	28	44	84	56	34	3	167	-	1	-	-	5	10	20	54	42	29	6
White	219	-	-	-	-	4	21	35	72	51	32	3	141	-	1	-	-	2	5	16	45	39	28	5
All other	38	-	-	-	-	3	7	9	12	5	2	-	26	-	-	-	-	3	5	4	9	3	1	1
Black	37	-	-	-	-	3	7	9	11	5	2	-	25	-	-	-	-	3	5	4	8	3	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	-	1	-	1	6	17	7	45	-	-	-	-	-	1	-	2	7	15	20
White	30	-	-	-	-	-	1	-	1	6	15	7	41	-	-	-	-	-	1	-	2	6	15	17
All other	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	1	-	3
Black	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	1	-	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	214	-	1	-	1	4	2	10	25	41	71	59	250	2	-	-	-	3	5	9	16	44	97	74
White	180	-	1	-	1	2	1	9	20	33	60	53	216	2	-	-	-	3	3	7	12	33	68	68
All other	34	-	-	-	-	2	1	1	5	8	11	6	34	-	-	-	-	-	2	2	4	11	9	6
Black	34	-	-	-	-	2	1	1	5	8	11	6	34	-	-	-	-	-	2	2	4	11	9	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	1	-	1	1
White	6	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	-	-	-	1	2	1	1	3	1	11	6	30	1	-	-	-	-	1	1	-	4	9	14
White	20	-	-	-	1	-	1	1	3	1	8	5	29	1	-	-	-	-	1	-	-	4	9	14
All other	6	-	-	-	-	2	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	6	-	-	-	-	2	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	183	-	1	-	-	2	1	9	21	39	58	52	217	1	-	-	-	3	4	8	15	40	87	59
White	155	-	1	-	-	2	-	8	16	31	50	47	184	1	-	-	-	3	2	7	11	29	78	53
All other	28	-	-	-	-	-	1	1	5	8	8	5	33	-	-	-	-	-	2	1	4	11	9	6
Black	28	-	-	-	-	-	1	1	5	8	8	5	33	-	-	-	-	-	2	1	4	11	9	6
Infections of kidney (590)	16	-	-	-	-	2	-	1	-	2	5	6	31	-	-	-	1	1	1	1	3	4	11	9
White	15	-	-	-	-	1	-	1	-	2	5	6	28	-	-	-	1	1	-	1	3	2	11	9
All other	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	2	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	2	-	-
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	-	1	6	4	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	1	4	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	148	97	12	7	9	5	2	4	5	2	4	1	136	101	8	3	4	4	3	1	3	4	2	3
White	129	84	10	5	9	5	2	3	5	2	4	-	111	81	5	3	4	4	2	1	2	4	2	3
All other	19	13	2	2	-	-	-	1	-	-	-	1	25	20	3	-	-	-	1	-	1	-	-	-
Black	16	10	2	2	-	-	-	1	-	-	-	1	25	20	3	-	-	-	1	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	242	238	3	-	1	-	-	-	-	-	-	-	137	137	-	-	-	-	-	-	-	-	-	-
White	167	164	3	-	-	-	-	-	-	-	-	-	85	85	-	-	-	-	-	-	-	-	-	-
All other	75	74	-	-	1	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
Black	75	74	-	-	1	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	75	73	2	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
White	60	58	2	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	167	165	1	-	1	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
White	107	106	1	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
All other	60	59	-	-	1	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
Black	60	59	-	-	1	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,020	74	1	-	5	15	28	67	208	264	227	130	681	46	4	-	2	8	8	30	72	137	172	202
White	940	56	-	-	4	8	26	63	200	251	211	120	624	31	3	-	1	6	7	29	66	131	163	187
All other	80	18	1	-	1	6	2	4	8	13	16	10	57	15	1	-	1	2	1	1	6	6	9	15
Black	78	18	1	-	1	6	2	4	7	13	16	9	57	15	1	-	1	2	1	1	6	6	9	15
All other diseases (Residual)	1,456	16	19	13	16	33	52	87	226	339	414	241	1,548	15	10	9	18	31	35	60	135	281	502	452
White	1,270	9	14	13	13	24	28	69	192	306	383	219	1,387	11	9	8	14	22	29	50	114	241	463	426
All other	186	7	5	-	3	9	24	18	34	33	31	22	161	4	1	1	4	9	6	10	21	40	39	26
Black	184	7	5	-	2	9	24	18	33	33	31	22	160	4	1	1	4	9	6	10	21	40	39	25
Accidents and adverse effects (E800-E949)	1,390	12	35	68	294	241	164	107	130	122	147	67	724	4	31	24	107	71	42	42	48	83	136	136
White	1,233	8	31	58	269	224	144	87	115	105	127	62	645	2	26	21	101	65	37	36	40	69	120	128
All other	157	4	4	10	25	17	20	20	15	17	20	5	79	2	5	3	6	6	5	6	8	14	16	8
Black	155	4	4	10	25	16	20	20	14	17	20	5	78	2	5	3	6	6	5	6	8	14	16	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	666	1	13	34	202	153	83	52	46	32	40	10	267	1	12	11	83	54	32	18	20	14	18	4
White	614	1	12	29	187	143	77	42	43	31	40	9	245	-	10	10	79	51	29	16	17	12	17	4
All other	52	-	1	5	15	10	6	10	3	1	-	1	22	1	2	1	4	3	3	2	3	2	1	-
Black	51	-	1	5	15	9	6	10	3	1	-	1	22	1	2	1	4	3	3	2	3	2	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	724	11	22	34	92	68	81	55	84	90	107	57	457	3	19	13	24	17	10	24	28	69	116	132
White	619	7	19	29	82	61	67	45	72	74	87	53	400	2	16	11	22	14	8	20	23	57	103	124
All other	105	4	3	5	10	7	14	10	12	16	20	4	57	1	3	2	2	3	2	4	5	12	15	8
Black	104	4	3	5	10	7	14	10	11	16	20	4	56	1	3	2	2	3	2	3	5	12	15	8
Suicide (E950-E959)	524	...	...	6	87	112	77	73	55	67	36	10	158	...	...	2	16	32	29	20	31	15	10	3
White	490	...	...	5	76	102	71	72	52	67	34	10	150	...	...	1	16	28	28	19	31	14	10	3
All other	34	...	...	1	11	10	6	1	3	-	2	-	8	...	...	1	-	4	1	1	-	1	-	-
Black	31	...	...	1	11	9	5	1	2	-	2	-	7	...	...	1	-	3	1	1	-	1	-	-
Homicide and legal intervention (E960-E978)	326	2	2	4	87	113	44	32	22	10	7	3	101	1	5	4	29	21	8	11	5	3	8	4
White	138	-	2	2	38	31	25	16	9	8	5	2	59	1	2	3	11	10	8	8	5	2	6	2
All other	188	2	-	2	49	82	19	16	13	2	2	1	42	-	3	1	18	11	-	3	-	1	2	2
Black	188	2	-	2	49	82	19	16	13	2	2	1	42	-	3	1	18	11	-	3	-	1	2	2
All other external causes (E980-E999)	44	-	-	3	9	15	2	4	-	6	2	2	23	1	3	1	2	4	5	3	1	-	2	-
White	36	-	-	3	8	12	1	3	-	4	2	2	23	1	3	1	2	4	5	3	1	-	2	-
All other	8	-	-	-	1	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA																								
All causes	3,738	67	25	29	128	141	144	218	552	928	944	561	2,975	59	11	18	50	53	67	127	320	597	779	894
White	3,526	60	19	26	107	110	127	198	515	890	920	553	2,849	47	11	16	43	44	58	110	305	573	762	880
All other	212	7	6	3	21	31	17	20	37	38	24	8	126	12	-	2	7	9	9	17	15	24	17	14
Black	6	2	-	-	-	-	-	1	1	1	-	1	3	-	-	-	-	-	-	-	-	1	2	-
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	19	2	-	-	-	-	2	1	4	2	4	4	16	1	-	-	-	1	-	-	1	-	7	6
White	18	2	-	-	-	-	2	-	4	2	4	4	15	1	-	-	-	1	-	-	1	-	7	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total x	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total x	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 048-054,056-066,071-088, 098-139)	2	-	-	-	-	-	-	1	-	1	-	-	3	-	1	-	-	-	-	2	-	-	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	3	-	1	-	-	-	-	2	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	729	1	2	5	6	15	12	53	148	230	201	56	619	-	1	2	6	12	24	58	135	171	143	69
White	712	1	2	5	6	15	12	52	141	225	197	56	604	-	1	2	6	12	23	52	134	166	141	67
All other	17	-	-	-	-	-	-	1	7	5	4	-	15	-	-	-	-	-	1	4	1	5	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	11	-	-	-	-	-	-	2	5	1	3	-	10	-	-	-	-	-	-	-	5	2	2	1
White	10	-	-	-	-	-	-	2	4	1	3	-	10	-	-	-	-	-	-	-	5	2	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	177	-	-	-	-	2	2	17	42	54	47	13	171	-	-	-	1	-	2	14	28	53	55	16
White	169	-	-	-	-	2	2	17	39	51	45	13	169	-	-	-	1	-	2	14	28	52	55	17
All other	8	-	-	-	-	-	-	-	3	3	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	232	-	-	-	-	-	3	17	55	83	64	10	91	-	-	-	-	-	2	8	33	30	12	6
White	226	-	-	-	-	-	3	16	53	82	62	10	85	-	-	-	-	-	2	6	32	29	11	5
All other	6	-	-	-	-	-	-	1	2	1	2	-	6	-	-	-	-	-	-	2	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	1	-	-	-	1	-	111	-	-	-	-	1	7	19	25	24	20	15
White	2	-	-	-	-	-	1	-	-	-	1	-	110	-	-	-	-	1	7	19	25	23	20	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	99	-	-	-	-	4	1	2	6	30	38	18	81	-	-	-	-	1	-	7	21	24	16	12
White	98	-	-	-	-	4	1	2	6	29	38	18	79	-	-	-	-	1	-	5	21	24	16	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	49	-	-	1	-	-	1	5	11	18	10	3	10	-	-	-	-	-	1	-	1	4	1	3
White	49	-	-	1	-	-	1	5	11	18	10	3	10	-	-	-	-	-	1	-	1	4	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	93	1	1	1	3	7	3	4	22	26	19	6	78	-	1	-	1	4	6	4	16	20	17	9
White	93	1	1	1	3	7	3	4	22	26	19	6	74	-	1	-	1	4	5	4	16	18	16	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	30	-	1	1	1	-	-	3	3	10	7	4	33	-	-	1	2	4	3	2	2	7	9	3
White	29	-	1	1	1	-	-	3	2	10	7	4	33	-	-	1	2	4	3	2	2	7	9	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	-	-	2	2	2	1	3	4	8	12	2	34	-	-	1	2	2	3	2	4	7	11	2
White	36	-	-	2	2	2	1	3	4	8	12	2	34	-	-	1	2	2	3	2	4	7	11	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	1	-	1	-	-	-	4	1	1	13	-	-	-	-	1	3	-	1	2	4	2
White	8	-	-	1	-	1	-	-	-	4	1	1	13	-	-	-	-	1	3	-	1	2	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	39	-	-	-	-	-	1	4	5	8	15	5	63	-	-	-	1	-	-	2	5	22	28	5
White	37	-	-	-	-	-	1	4	5	7	15	5	55	-	-	-	1	-	-	1	4	19	25	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-	1	1	3	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	1	-	-	6	7	-	-	-	-	-	-	-	-	-	2	5
White	7	-	-	-	-	-	-	-	1	-	-	6	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	-	-	-	-	-	2	-	2	-	7	-	-	-	-	-	-	-	1	2	-	4
White	4	-	-	-	-	-	-	-	2	-	2	-	7	-	-	-	-	-	-	-	1	2	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,558	2	-	-	-	12	30	77	230	423	487	317	1,422	3	-	1	-	6	5	26	99	254	430	598
White	1,506	2	-	-	-	10	28	71	213	408	461	313	1,388	3	-	1	-	5	4	23	93	244	423	592
All other	52	-	-	-	-	2	2	6	17	15	6	4	34	-	-	-	-	1	1	3	6	10	7	6
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diseases of heart (390-398,402,404-429)	1,237	1	-	-	-	11	26	71	199	346	360	223	1,008	2	-	1	-	5	3	22	77	196	316	386
White	1,194	1	-	-	-	9	24	66	187	333	355	219	984	2	-	1	-	4	2	20	74	187	311	383
All other	43	-	-	-	-	2	2	5	12	13	5	4	24	-	-	-	-	1	1	2	3	9	5	3
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	1	2	1	-	24	-	-	-	-	-	1	2	1	9	7	4
White	4	-	-	-	-	-	-	-	1	2	1	-	24	-	-	-	-	-	1	2	1	9	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	13	-	-	-	-	-	-	1	2	5	4	1	18	-	-	-	-	-	-	-	1	4	6	7
White	13	-	-	-	-	-	-	1	2	5	4	1	18	-	-	-	-	-	-	-	1	4	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	889	-	-	-	-	7	19	54	147	257	271	134	652	1	-	-	-	-	2	14	53	144	202	236
White	862	-	-	-	-	6	18	52	139	249	267	131	638	1	-	-	-	-	1	12	53	139	199	233
All other	27	-	-	-	-	1	1	2	8	8	4	3	14	-	-	-	-	-	1	2	-	5	3	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	523	-	-	-	-	4	17	37	103	164	150	48	331	1	-	-	-	-	2	10	29	100	105	84
White	503	-	-	-	-	4	16	35	99	157	146	46	321	1	-	-	-	-	1	8	29	97	103	82
All other	20	-	-	-	-	-	1	2	4	7	4	2	10	-	-	-	-	-	1	2	-	3	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	-	-	3	2	1	7	-	-	-	-	-	-	-	-	-	2	5
White	6	-	-	-	-	-	-	-	-	3	2	1	7	-	-	-	-	-	-	-	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	359	-	-	-	-	3	2	17	44	90	118	85	314	-	-	-	-	-	-	4	24	44	85	147
White	352	-	-	-	-	2	2	17	40	89	118	84	310	-	-	-	-	-	-	4	24	42	94	146
All other	7	-	-	-	-	1	-	-	4	1	-	1	4	-	-	-	-	-	-	-	-	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	17	-	-	-	-	1	-	2	3	2	5	4	17	-	-	-	-	-	-	1	-	2	7	7
White	16	-	-	-	-	1	-	2	3	1	5	4	17	-	-	-	-	-	-	1	-	2	7	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	313	1	-	-	-	3	7	14	46	80	78	84	294	1	-	1	-	5	-	5	22	37	93	130
White	298	1	-	-	-	2	6	11	42	76	77	83	284	1	-	1	-	4	-	5	19	33	91	130
All other	15	-	-	-	-	1	1	3	4	4	1	1	10	-	-	-	-	1	-	-	3	4	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	1	1	3	1	1	13	-	-	-	-	-	-	-	2	3	3	5
White	7	-	-	-	-	-	-	1	1	3	1	1	12	-	-	-	-	-	-	-	2	2	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	213	1	-	-	-	1	3	4	22	48	69	65	296	1	-	-	-	1	2	3	19	42	84	144
White	205	1	-	-	-	1	3	3	18	46	68	65	290	1	-	-	-	1	2	3	16	42	82	143
All other	8	-	-	-	-	-	-	1	4	2	1	-	6	-	-	-	-	-	-	-	3	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	19	-	-	-	-	-	-	2	7	2	4	4	19	-	-	-	-	-	-	1	4	5	7	2
White	18	-	-	-	-	-	-	2	4	2	4	4	17	-	-	-	-	-	-	1	2	5	7	2
All other	3	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	-	-	-	-	-	-	1	3	9	5	10	58	-	-	-	-	-	-	-	1	7	19	31
White	26	-	-	-	-	-	-	-	3	8	5	10	58	-	-	-	-	-	-	-	1	7	19	31
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	165	1	-	-	-	1	3	1	12	37	60	50	218	1	-	-	-	1	2	2	14	30	58	110
White	162	1	-	-	-	1	3	1	11	36	59	50	214	1	-	-	-	1	2	2	13	30	56	109
All other	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	58	-	-	-	-	-	-	-	3	8	22	25	77	-	-	-	-	-	-	-	-	5	17	55
White	58	-	-	-	-	-	-	-	3	8	22	25	75	-	-	-	-	-	-	-	-	5	17	53
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	43	-	-	-	-	-	1	1	5	18	15	3	28	-	-	-	-	-	-	1	1	8	10	8
White	42	-	-	-	-	-	1	1	4	18	15	3	27	-	-	-	-	-	-	-	1	8	10	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	122	1	2	-	1	2	3	-	6	21	32	53	123	4	-	-	-	-	3	2	3	15	31	65
White	114	1	2	-	-	2	1	-	6	17	32	52	117	3	-	-	-	-	2	1	3	15	30	63
All other	8	-	-	-	1	-	2	-	-	4	-	1	6	1	-	-	-	-	1	1	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	114	1	2	-	1	2	3	-	6	21	30	47	105	4	-	-	-	-	2	2	2	13	25	57
White	106	1	2	-	-	2	1	-	6	17	30	46	99	3	-	-	-	-	1	1	2	13	24	55
All other	8	-	-	-	1	-	2	-	-	4	-	1	6	1	-	-	-	-	1	1	-	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	8	-	-	-	-	-	-	-	-	-	2	6	18	-	-	-	-	-	1	-	1	2	6	8
White	8	-	-	-	-	-	-	-	-	-	2	6	18	-	-	-	-	-	1	-	1	2	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	244	-	-	1	1	1	1	6	27	103	85	19	96	-	-	-	-	-	-	3	17	43	27	6
White	232	-	-	1	1	1	1	6	26	100	78	18	95	-	-	-	-	-	-	3	17	43	26	6
All other	12	-	-	-	-	-	-	-	1	3	7	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis, chronic and unspecified (490-491)	19	-	-	-	-	1	-	1	1	7	7	2	8	-	-	-	-	-	-	-	1	4	3	-
White	18	-	-	-	-	1	-	1	1	6	7	2	8	-	-	-	-	-	-	-	1	4	3	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	48	-	-	-	-	-	-	2	9	21	14	2	10	-	-	-	-	-	-	2	1	5	1	1
White	42	-	-	-	-	-	-	2	8	19	11	2	10	-	-	-	-	-	-	2	1	5	1	1
All other	6	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	11	-	-	1	1	-	1	-	1	3	4	-	6	-	-	-	-	-	-	-	2	-	4	-
White	11	-	-	1	1	-	1	-	1	3	4	-	6	-	-	-	-	-	-	-	2	-	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	166	-	-	-	-	-	-	3	16	72	60	15	72	-	-	-	-	-	-	1	13	34	19	5
White	161	-	-	-	-	-	-	3	16	72	56	14	71	-	-	-	-	-	-	1	13	34	18	5
All other	5	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	16	-	-	-	-	-	1	2	2	4	4	3	12	-	-	-	-	-	-	1	2	1	5	3
White	15	-	-	-	-	-	1	2	2	4	3	3	11	-	-	-	-	-	-	1	1	1	5	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	1	1	1	1	4	2	9	-	-	-	-	-	-	-	1	4	1	3
White	10	-	-	-	-	-	1	1	1	1	4	2	9	-	-	-	-	-	-	-	1	4	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	59	-	-	-	-	6	4	6	21	18	4	-	35	-	-	-	-	2	5	8	6	7	6	1
White	45	-	-	-	-	1	3	4	17	16	4	-	26	-	-	-	-	-	3	4	5	7	6	1
All other	14	-	-	-	-	5	1	2	4	2	-	-	9	-	-	-	-	2	2	4	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	1	1	1	4	-	14	-	-	-	-	-	-	-	1	1	6	6
White	7	-	-	-	-	-	-	1	1	1	4	-	12	-	-	-	-	-	-	-	-	1	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	-	-	-	-	-	-	3	3	10	13	15	19	-	-	-	-	-	1	-	2	5	4	7
White	41	-	-	-	-	-	-	1	3	10	12	15	16	-	-	-	-	-	-	-	1	4	4	7
All other	3	-	-	-	-	-	-	2	-	-	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	-	-	-	2	-	1	1	1	2	-	-	-	-	-	-	-	1	1	-	-
White	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	1	1	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	38	-	-	-	-	-	-	1	2	9	12	14	17	-	-	-	-	-	1	-	1	4	4	7
White	38	-	-	-	-	-	-	-	2	9	11	14	14	-	-	-	-	-	-	-	-	3	4	7
All other	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	24	14	4	-	-	1	-	1	1	2	1	-	27	16	2	1	1	1	1	-	2	2	-	1
White	22	14	3	-	-	-	-	1	1	2	1	-	23	12	2	1	1	1	1	-	2	2	-	1
All other	2	-	1	-	-	1	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	20	19	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	7	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	13	12	1	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	53	20	-	-	-	1	1	2	2	12	7	8	48	13	3	-	-	-	-	4	-	1	12	15
White	48	16	-	-	-	1	1	2	2	11	7	8	42	8	3	-	-	-	-	4	-	1	11	15
All other	5	4	-	-	-	-	-	-	-	1	-	-	6	5	-	-	-	-	-	-	-	-	1	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	232	5	2	2	6	3	9	13	43	45	57	47	219	2	3	3	2	2	7	9	24	42	56	69
White	215	5	2	1	6	-	8	12	40	41	54	46	209	2	3	2	1	2	6	7	23	39	56	68
All other	17	-	-	1	-	3	1	1	3	4	3	1	10	-	-	1	1	-	1	2	1	3	-	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	376	2	11	18	85	66	58	31	33	22	30	20	156	2	1	11	30	20	13	10	16	14	13	26
White	325	1	9	16	76	53	48	27	29	19	28	19	141	2	1	10	27	14	12	9	14	13	13	26
All other	51	1	2	2	9	13	10	4	4	3	2	1	15	-	-	1	3	6	1	1	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	191	1	1	5	60	42	32	16	14	10	5	5	80	-	1	10	23	15	7	6	8	7	2	1
White	167	1	1	4	54	33	29	13	14	8	5	5	70	-	1	9	20	11	7	6	7	6	2	1
All other	24	-	-	1	6	9	3	3	-	2	-	-	10	-	-	1	3	4	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	185	1	10	13	25	24	26	15	19	12	25	15	76	2	-	1	7	5	6	4	8	7	11	25
White	158	-	8	12	22	20	19	14	15	11	23	14	71	2	-	1	7	3	5	3	7	7	11	25
All other	27	1	2	1	3	4	7	1	4	1	2	1	5	-	-	-	-	2	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	118	...	...	2	20	22	15	14	18	16	8	3	21	...	...	-	5	4	1	2	3	5	1	-
White	107	...	...	2	14	21	15	11	17	16	8	3	17	...	...	-	3	4	-	1	3	5	1	-
All other	11	...	...	-	6	1	-	3	1	-	-	-	4	...	...	-	2	-	1	1	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	23	-	3	-	6	6	3	1	2	2	-	-	11	-	-	-	3	2	1	2	-	2	-	1
White	11	-	1	-	1	2	2	1	2	2	-	-	9	-	-	-	2	2	1	2	-	1	-	1
All other	12	-	2	-	5	4	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	11	-	-	-	3	4	2	1	1	-	-	-	4	-	-	-	1	-	1	-	1	1	-	-
White	10	-	-	-	3	3	2	1	1	-	-	-	4	-	-	-	1	-	1	-	1	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,720	163	40	39	171	153	164	393	1,024	1,910	2,196	1,465	6,998	96	33	17	56	53	103	245	600	1,167	2,148	2,480
White	7,494	145	35	35	156	138	154	368	990	1,871	2,156	1,445	6,817	86	30	13	49	47	93	234	568	1,128	2,112	2,457
All other	226	18	5	4	15	15	10	25	34	39	40	20	181	10	3	4	7	6	10	11	32	39	36	23
Black	179	14	3	4	8	13	7	19	30	28	33	19	150	8	3	3	6	5	7	9	29	31	29	20
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	38	1	1	-	-	-	-	2	10	7	11	6	24	1	-	-	-	-	-	1	3	9	5	5
White	34	1	1	-	-	-	-	2	10	6	10	4	21	1	-	-	-	-	-	1	2	8	5	4
All other	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	1	1	-	1
Black	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	1	1	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	20	1	-	-	-	2	1	-	3	5	5	3	21	2	-	-	-	-	1	1	1	3	5	8
White	19	-	-	-	-	2	1	-	3	5	5	3	19	1	-	-	-	-	1	1	1	3	4	8
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,558	-	5	3	7	16	32	83	300	495	438	179	1,398	-	9	1	8	14	38	111	253	377	363	224
White	1,522	-	5	2	7	16	32	79	290	488	427	178	1,366	-	7	1	7	13	37	109	249	365	357	221
All other	36	-	-	1	-	-	-	4	10	9	11	1	32	-	2	-	1	1	1	2	4	12	6	3
Black	31	-	-	1	-	-	-	4	10	7	8	1	28	-	2	-	1	1	-	-	4	10	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	28	-	-	-	-	1	-	2	2	12	9	2	17	-	-	-	-	-	-	1	3	9	2	2
White	28	-	-	-	-	1	-	2	2	12	9	2	17	-	-	-	-	-	-	1	3	9	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	425	-	-	-	-	1	9	22	88	143	111	51	370	-	-	-	-	2	4	19	57	87	124	77
White	414	-	-	-	-	1	9	21	86	139	107	51	362	-	-	-	-	2	4	19	56	85	121	75
All other	11	-	-	-	-	-	-	1	2	4	4	-	8	-	-	-	-	-	-	-	1	2	3	2
Black	10	-	-	-	-	-	-	1	2	3	4	-	8	-	-	-	-	-	-	-	1	2	3	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	469	-	-	-	-	-	4	29	119	173	114	30	185	-	-	-	-	-	6	24	53	56	34	12
White	456	-	-	-	-	-	4	26	114	170	112	30	181	-	-	-	-	-	6	24	52	53	34	12
All other	13	-	-	-	-	-	-	3	5	3	2	-	4	-	-	-	-	-	-	-	1	3	-	-
Black	12	-	-	-	-	-	-	3	5	3	1	-	4	-	-	-	-	-	-	-	1	3	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	252	-	-	-	-	4	15	33	52	71	55	22
White	1	-	-	-	-	-	-	-	1	-	-	-	248	-	-	-	-	4	14	32	51	70	55	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	211	-	-	-	1	3	-	1	22	51	81	52	193	-	-	-	1	3	6	14	36	61	48	24
White	209	-	-	-	1	3	-	1	22	51	80	51	186	-	-	-	1	3	6	13	36	57	46	24
All other	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	1	-	4	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	3	2	-
Malignant neoplasms of urinary organs (188-189)	106	-	-	-	-	1	-	2	18	30	37	18	63	-	2	-	1	-	2	4	8	15	13	18
White	106	-	-	-	-	1	-	2	18	30	37	18	60	-	-	-	1	-	2	4	8	14	13	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	167	-	2	1	3	5	9	15	33	41	44	14	159	-	4	-	1	3	2	12	20	42	42	33
White	160	-	2	-	3	5	9	15	31	39	42	14	158	-	4	-	1	3	2	12	20	42	41	33
All other	7	-	-	1	-	-	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	1	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Leukemia (204-208)	63	-	2	2	3	1	5	4	8	14	15	9	67	-	1	1	3	-	1	2	12	13	14	20
White	62	-	2	2	3	1	5	4	8	14	14	9	66	-	1	1	3	-	1	2	11	13	14	20
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	88	-	1	-	-	4	5	8	9	31	27	3	92	-	2	-	2	2	2	2	12	23	31	16
White	86	-	1	-	-	4	5	8	8	31	26	3	88	-	2	-	1	1	2	2	12	22	31	15
All other	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	1	1	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	1	1	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	-	-	-	-	-	2	1	2	4	2	17	-	-	-	-	-	1	1	1	5	5	4
White	11	-	-	-	-	-	-	2	1	2	4	2	17	-	-	-	-	-	1	1	1	5	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	123	-	-	-	1	3	4	9	15	33	35	23	140	-	-	-	-	2	2	7	20	28	52	31
White	117	-	-	-	1	2	4	9	15	30	33	23	134	-	-	-	-	2	2	7	17	25	51	30
All other	6	-	-	-	-	1	-	-	-	3	2	-	6	-	-	-	-	-	-	-	3	1	1	1
Black	4	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	-	-	-	2	-	-	1
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	1	4	4	12	-	-	-	-	-	-	-	1	1	1	9
White	9	-	-	-	-	-	-	-	-	1	4	4	12	-	-	-	-	-	-	-	1	1	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	10	-	-	-	1	-	-	-	-	2	4	3	18	-	-	1	1	-	-	-	-	2	9	5
White	10	-	-	-	1	-	-	-	-	2	4	3	16	-	-	1	-	-	-	-	-	1	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Meningitis (320-322)	3	1	2	-	-	-	-	-	-	-	-	-	4	-	2	-	1	-	-	-	-	1	-	-
White	3	1	2	-	-	-	-	-	-	-	-	-	4	-	2	-	1	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,777	8	2	1	4	18	39	174	466	938	1,197	910	3,765	1	3	3	6	13	18	66	192	518	1,288	1,857
White	3,691	8	2	-	4	14	34	161	471	917	1,178	902	3,690	1	2	3	6	12	14	60	177	502	1,267	1,846
All other	86	-	-	1	-	4	5	13	15	21	19	8	75	-	1	-	-	1	4	6	15	16	21	11
Black	71	-	-	1	-	3	3	11	13	16	16	8	68	-	1	-	-	1	3	6	14	14	19	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	2,995	6	1	1	3	15	36	158	424	779	928	642	2,692	1	2	2	9	11	13	53	156	399	925	1,067
White	2,925	8	1	-	3	11	31	146	412	766	910	637	2,571	1	2	2	3	10	11	48	142	386	906	1,060
All other	70	-	-	1	-	4	5	12	12	13	18	5	61	-	-	-	-	1	2	5	14	13	19	7
Black	56	-	-	1	-	3	3	10	10	9	15	5	55	-	-	-	-	1	2	5	13	11	17	6
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	1	-	1	5	5	3	2	41	-	-	-	-	1	1	6	11	6	7	9
White	17	-	-	-	-	1	-	1	5	5	3	2	39	-	-	-	-	1	1	6	9	6	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	25	-	-	-	-	-	-	3	5	8	5	4	47	-	-	-	-	-	1	-	5	6	17	18
White	25	-	-	-	-	-	-	3	5	8	5	4	41	-	-	-	-	-	1	-	1	6	15	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	4	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	4	-	2	-
Hypertensive heart and renal disease (404)	21	-	-	-	-	-	-	-	1	2	7	11	21	-	-	-	-	-	-	-	-	2	5	14
White	21	-	-	-	-	-	-	-	1	2	7	11	21	-	-	-	-	-	-	-	-	2	5	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	2,252	-	-	-	-	7	31	119	331	623	704	437	1,868	1	-	-	-	3	6	29	103	307	704	715
White	2,203	-	-	-	-	7	26	110	322	613	691	434	1,826	1	-	-	-	3	6	24	96	297	689	710
All other	49	-	-	-	-	-	5	9	9	10	13	3	42	-	-	-	-	-	-	5	7	10	15	5
Black	41	-	-	-	-	-	3	9	8	7	11	3	37	-	-	-	-	-	-	5	7	8	13	4
Acute myocardial infarction (410)	1,247	-	-	-	-	2	17	75	207	379	382	185	897	1	-	-	-	1	5	17	70	189	362	252
White	1,238	-	-	-	-	2	17	75	205	376	378	185	884	1	-	-	-	1	5	15	69	185	358	250
All other	9	-	-	-	-	-	-	-	2	3	4	-	13	-	-	-	-	-	-	2	1	4	4	2
Black	8	-	-	-	-	-	-	-	2	3	3	-	11	-	-	-	-	-	-	2	1	3	3	2
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	1	1	3	2	9	-	-	-	-	-	-	-	-	1	3	5
White	7	-	-	-	-	-	-	-	1	1	3	2	8	-	-	-	-	-	-	-	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	1	1	-	2	-	-	4	-	-	-	-	-	-	-	-	2	1	1
White	4	-	-	-	-	-	1	1	-	2	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	994	-	-	-	-	5	13	43	123	241	319	250	958	-	-	-	-	2	1	12	33	115	338	457
White	954	-	-	-	-	5	8	34	116	234	310	247	930	-	-	-	-	2	1	9	27	109	327	455
All other	40	-	-	-	-	-	5	9	7	7	9	3	28	-	-	-	-	-	-	3	6	6	11	2
Black	33	-	-	-	-	-	3	9	6	4	8	3	26	-	-	-	-	-	-	3	6	5	10	2
Other diseases of endocardium (424)	29	2	-	1	-	-	-	-	5	5	10	6	39	-	-	-	-	1	-	-	1	7	13	17
White	28	2	-	-	-	-	-	-	5	5	10	6	39	-	-	-	-	1	-	-	1	7	13	17
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	651	6	1	-	3	7	5	35	77	136	199	182	616	-	2	2	3	6	5	18	36	71	179	294
White	631	6	1	-	3	3	5	32	74	133	194	180	605	-	2	2	3	5	3	18	35	68	177	292
All other	20	-	-	-	-	4	-	3	3	3	5	2	11	-	-	-	-	1	2	-	1	3	2	2
Black	14	-	-	-	-	3	-	1	2	2	4	2	11	-	-	-	-	1	2	-	1	3	2	2
Hypertension with or without renal disease (401,403)	28	-	-	-	-	-	-	-	4	4	11	9	34	-	-	-	-	-	-	-	-	9	13	12
White	28	-	-	-	-	-	-	-	4	4	11	9	33	-	-	-	-	-	-	-	-	8	13	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	545	-	1	-	1	2	3	11	42	106	199	180	836	-	1	1	2	2	4	11	32	90	283	410
White	532	-	1	-	1	2	3	10	39	99	198	179	824	-	-	1	2	2	2	10	31	88	282	408
All other	13	-	-	-	-	-	-	1	3	7	1	1	12	-	1	-	-	-	2	1	1	2	1	4
Black	12	-	-	-	-	-	-	1	3	6	1	1	11	-	1	-	-	-	1	1	1	2	1	4
Intracerebral and other intracranial hemorrhage (431-432)	65	-	1	-	-	-	1	3	12	22	14	12	81	-	1	-	-	1	2	5	6	14	26	26
White	64	-	1	-	-	-	1	2	12	22	14	12	79	-	-	-	-	1	1	5	6	14	26	26
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	77	-	-	-	-	-	-	-	6	13	31	27	108	-	-	-	-	-	-	2	5	12	32	57
White	75	-	-	-	-	-	-	-	5	12	31	27	106	-	-	-	-	-	-	1	5	11	32	57
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	2	-	2	1	6	-	-	-	-	-	-	-	1	-	3	2
White	5	-	-	-	-	-	-	-	2	-	2	1	6	-	-	-	-	-	-	-	1	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	398	-	-	-	1	2	2	8	22	71	152	140	641	-	-	1	2	1	2	4	20	64	222	325
White	388	-	-	-	1	2	2	8	20	65	151	139	633	-	-	1	2	1	1	4	19	63	221	321
All other	10	-	-	-	-	-	-	-	2	6	1	1	8	-	-	-	-	-	1	-	1	1	1	4
Black	9	-	-	-	-	-	-	-	2	5	1	1	8	-	-	-	-	-	1	-	1	1	1	4
Atherosclerosis (440)	111	-	-	-	-	-	-	2	2	17	25	65	202	-	-	-	-	-	-	-	2	12	45	143
White	109	-	-	-	-	-	-	2	2	17	25	63	201	-	-	-	-	-	-	-	2	12	44	143
All other	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	98	-	-	-	-	1	-	3	14	32	34	14	61	-	-	-	1	-	1	2	2	8	22	25
White	97	-	-	-	-	1	-	3	14	31	34	14	61	-	-	-	1	-	1	2	2	8	22	25
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	-	-	-	3	2	4	-	-	-	-	-	-	-	1	1	1	1
White	5	-	-	-	-	-	-	-	-	-	3	2	4	-	-	-	-	-	-	-	1	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	248	3	-	1	-	-	-	5	11	37	87	104	300	2	-	-	2	-	1	6	8	21	90	170
White	243	2	-	1	-	-	-	4	11	37	85	103	292	2	-	-	2	-	1	4	7	20	90	166
All other	5	1	-	-	-	-	-	1	-	-	2	1	8	-	-	-	-	-	-	2	1	1	-	4
Black	5	1	-	-	-	-	-	1	-	-	2	1	7	-	-	-	-	-	-	2	1	1	-	3
Pneumonia (480-486)	235	2	-	1	-	-	-	5	11	32	85	99	271	2	-	-	2	-	1	4	8	18	85	151
White	230	1	-	1	-	-	-	4	11	32	83	98	264	2	-	-	2	-	1	2	7	17	85	148
All other	5	1	-	-	-	-	-	1	-	-	2	1	7	-	-	-	-	-	-	2	1	1	-	3
Black	5	1	-	-	-	-	-	1	-	-	2	1	7	-	-	-	-	-	-	2	1	1	-	3
Influenza (487)	13	1	-	-	-	-	-	-	-	5	2	5	29	-	-	-	-	-	-	2	-	3	5	19
White	13	1	-	-	-	-	-	-	-	5	2	5	28	-	-	-	-	-	-	2	-	3	5	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	375	-	-	-	-	1	-	12	46	138	136	42	148	-	-	-	-	-	1	5	28	51	40	23
White	367	-	-	-	-	-	-	11	45	137	134	40	146	-	-	-	-	-	1	5	27	50	40	23
All other	8	-	-	-	-	1	-	1	1	1	2	2	2	-	-	-	-	-	-	-	1	1	-	-
Black	7	-	-	-	-	1	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	-	-	1	5	10	4	4	10	-	-	-	-	-	-	-	1	3	2	4
White	24	-	-	-	-	-	-	1	5	10	4	4	10	-	-	-	-	-	-	-	1	3	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	81	-	-	-	-	1	-	2	6	33	36	3	28	-	-	-	-	-	-	2	10	9	5	2
White	80	-	-	-	-	-	-	2	6	33	36	3	28	-	-	-	-	-	-	2	10	9	5	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	12	-	-	-	-	-	-	1	2	5	4	-	17	-	-	-	-	-	1	-	1	8	5	2
White	12	-	-	-	-	-	-	1	2	5	4	-	17	-	-	-	-	-	1	-	1	8	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	258	-	-	-	-	-	-	8	33	90	92	35	93	-	-	-	-	-	-	3	16	31	28	15
White	251	-	-	-	-	-	-	7	32	89	90	33	91	-	-	-	-	-	-	3	15	30	28	15
All other	7	-	-	-	-	-	-	1	1	1	2	2	2	-	-	-	-	-	-	-	1	1	-	-
Black	6	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	28	-	-	-	-	-	-	1	-	13	11	3	30	-	-	-	-	-	-	2	2	5	13	8
White	27	-	-	-	-	-	-	1	-	12	11	3	29	-	-	-	-	-	-	2	1	5	13	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	2	1	1	-	1	-	1	1	2	6	2	23	-	-	1	-	-	-	1	1	5	5	10
White	16	2	1	1	-	1	-	-	1	2	6	2	23	-	-	1	-	-	-	1	1	5	5	10
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	79	-	-	-	-	4	5	18	19	24	9	-	41	-	-	-	-	1	7	5	13	7	8	2
White	75	-	-	-	-	4	4	18	17	23	9	-	39	-	-	-	-	1	6	5	13	6	6	2
All other	4	-	-	-	-	-	1	-	2	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	2	-	6	3	16	-	-	-	-	-	1	1	1	1	8	4
White	11	-	-	-	-	-	-	-	2	-	6	3	16	-	-	-	-	-	1	1	1	1	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	66	3	-	-	-	-	-	-	3	10	27	23	65	-	-	-	1	-	-	3	4	7	24	26
White	64	3	-	-	-	-	-	-	3	10	27	21	61	-	-	-	1	-	-	2	4	6	23	25
All other	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	1	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	1	-	-	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	-	1	3	2	10	-	-	-	-	-	-	1	-	1	4	4
White	6	-	-	-	-	-	-	-	-	1	3	2	9	-	-	-	-	-	-	1	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	57	3	-	-	-	-	-	-	1	8	24	21	54	-	-	-	1	-	-	2	4	6	19	22
White	55	3	-	-	-	-	-	-	1	8	24	19	51	-	-	-	1	-	-	1	4	5	19	21
All other	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	1	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	1	-	-	-	1
Infections of kidney (590)	5	-	-	-	-	-	-	-	-	2	1	2	10	-	-	-	-	-	1	-	-	1	3	5
White	5	-	-	-	-	-	-	-	-	2	1	2	10	-	-	-	-	-	1	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	61	36	8	2	3	2	1	2	1	4	1	1	33	21	5	2	1	-	1	-	1	1	-	1
White	57	32	8	2	3	2	1	2	1	4	1	1	33	21	5	2	1	-	1	-	1	1	-	1
All other	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	74	72	2	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
White	66	65	1	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
All other	8	7	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	6	5	1	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	30	29	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	27	26	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	44	43	1	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
White	39	39	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
All other	5	4	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	5	4	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	107	24	1	-	2	1	2	6	13	21	18	19	116	9	-	-	1	2	1	4	6	11	23	59
White	101	19	1	-	2	1	2	6	13	21	18	18	111	6	-	-	1	2	1	4	5	10	23	59
All other	6	5	-	-	-	-	-	-	-	-	-	1	5	3	-	-	-	-	-	-	1	1	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
All other diseases (Residual)	509	9	3	6	8	6	16	26	52	126	159	98	537	6	4	2	8	1	17	13	44	90	170	182
White	491	9	3	5	6	6	15	24	47	124	157	95	522	6	4	2	6	-	15	13	41	87	166	182
All other	18	-	-	1	2	-	1	2	5	2	2	3	15	-	-	-	2	1	2	-	3	3	4	-
Black	15	-	-	1	1	-	1	1	5	1	2	3	12	-	-	-	2	1	2	-	3	2	2	-
Accidents and adverse effects (E800-E949)	413	3	11	23	109	64	38	37	37	32	25	32	176	1	9	6	22	14	7	10	11	17	34	45
White	400	3	10	22	105	61	38	35	36	32	25	32	165	1	9	3	21	12	7	10	10	17	32	43
All other	13	-	1	1	4	3	-	2	1	-	-	-	11	-	-	3	1	2	-	-	1	-	2	2
Black	5	-	-	1	1	2	-	-	-	-	-	-	6	-	-	2	-	1	-	-	1	-	-	2
Motor vehicle accidents (E810-E825)	196	1	4	7	77	36	22	20	9	11	5	4	73	1	6	6	21	10	3	5	4	7	7	3
White	190	1	3	7	74	35	22	19	9	11	5	4	68	1	6	3	20	9	3	5	4	7	7	3
All other	6	-	1	-	3	1	-	1	-	-	-	-	5	-	-	3	1	1	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	217	2	7	16	32	28	16	17	28	21	20	28	103	-	3	-	1	4	4	5	7	10	27	42
White	210	2	7	15	31	28	16	16	27	21	20	28	97	-	3	-	1	3	4	5	6	10	25	40
All other	7	-	-	1	1	2	-	1	1	-	-	-	6	-	-	-	-	1	-	-	1	-	2	2
Black	3	-	-	1	-	1	-	-	-	-	-	-	4	-	-	-	-	1	-	-	1	-	-	2
Suicide (E950-E959)	119	...	...	-	26	23	17	13	18	14	5	3	28	...	...	-	1	4	4	7	6	4	2	-
White	117	...	...	-	25	23	17	13	18	14	4	3	27	...	...	-	1	4	3	7	6	4	2	-
All other	2	...	...	-	1	-	-	-	-	-	1	-	1	...	...	-	-	-	1	-	-	-	-	-
Black	1	...	...	-	-	-	-	-	-	-	1	-	1	...	...	-	-	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	30	-	2	2	7	9	7	2	1	-	-	-	10	1	1	1	2	2	-	1	-	1	1	-
White	12	-	-	2	-	4	4	1	1	-	-	-	7	1	1	-	1	1	-	1	-	1	1	-
All other	18	-	2	-	7	5	3	1	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-
Black	16	-	2	-	5	5	3	1	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-
All other external causes (E980-E999)	16	-	2	-	3	3	2	-	4	2	-	-	6	-	-	-	2	-	2	-	2	-	-	-
White	13	-	1	-	2	2	2	-	4	2	-	-	4	-	-	-	1	-	1	-	2	-	-	-
All other	3	-	1	-	1	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
NEVADA																								
All causes	3,708	89	14	16	120	183	195	359	746	997	728	254	2,670	64	9	13	48	68	98	193	482	585	640	469
White	3,445	77	10	13	101	147	169	320	699	955	700	247	2,496	46	5	9	42	58	87	173	451	558	618	450
All other	263	12	4	3	19	36	26	39	47	42	28	7	174	18	4	4	6	10	11	20	31	29	22	19
Black	187	10	3	-	9	29	20	29	36	29	21	1	127	16	2	2	4	7	7	12	26	26	16	9
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	27	-	-	-	-	-	1	-	4	8	8	6	26	2	1	-	-	-	1	1	3	6	7	5
White	22	-	-	-	-	-	-	-	4	5	7	6	22	1	1	-	-	-	-	1	2	6	7	4
All other	5	-	-	-	-	-	1	-	-	3	1	-	4	1	-	-	-	-	1	-	1	-	-	1
Black	3	-	-	-	-	-	1	-	-	2	-	-	3	1	-	-	-	-	1	-	1	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	10	3	-	-	-	1	1	-	-	3	1	1	4	-	-	1	-	-	1	-	1	1	-	-
White	9	2	-	-	-	1	1	-	-	3	1	1	4	-	-	1	-	-	1	-	1	1	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	800	-	3	1	5	12	26	83	204	269	170	27	661	-	-	1	-	12	31	76	186	204	109	42
White	757	-	2	-	4	9	25	78	192	257	163	27	627	-	-	1	-	9	29	72	176	196	104	40
All other	43	-	1	1	1	3	1	5	12	12	7	-	34	-	-	-	-	3	2	4	10	8	5	2
Black	34	-	-	-	-	3	1	5	10	9	6	-	29	-	-	-	-	3	1	1	10	8	5	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	-	-	-	-	-	1	8	6	5	4	-	13	-	-	-	-	-	1	2	1	8	-	1
White	24	-	-	-	-	-	1	8	6	5	4	-	13	-	-	-	-	-	1	2	1	8	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	186	-	1	-	-	4	6	17	39	69	41	9	132	-	-	-	-	-	6	8	29	41	40	8
White	175	-	1	-	-	3	5	17	35	67	38	9	128	-	-	-	-	-	5	6	29	40	40	8
All other	11	-	-	-	-	1	1	-	4	2	3	-	4	-	-	-	-	-	1	2	-	1	-	-
Black	9	-	-	-	-	1	1	-	4	-	3	-	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	299	-	-	-	1	2	6	32	100	97	55	6	171	-	-	-	-	1	5	20	57	70	15	3
White	284	-	-	-	1	2	6	30	94	90	55	6	166	-	-	-	-	1	5	20	54	69	15	2
All other	15	-	-	-	-	-	-	2	6	7	-	-	5	-	-	-	-	-	-	-	3	1	-	1
Black	12	-	-	-	-	-	-	2	4	6	-	-	5	-	-	-	-	-	-	-	3	1	-	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	118	-	-	-	-	4	5	22	42	26	11	8
White	1	-	-	-	-	-	-	-	1	-	-	-	113	-	-	-	-	3	5	21	41	25	10	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	-	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	1	1	1	-
Malignant neoplasms of genital organs (179-187)	69	-	-	-	-	-	1	5	6	25	30	2	70	-	-	-	-	2	7	10	17	16	12	6
White	64	-	-	-	-	-	1	5	6	23	27	2	63	-	-	-	-	-	7	9	16	16	10	5
All other	5	-	-	-	-	-	-	-	-	2	3	-	7	-	-	-	-	2	-	1	1	-	2	1
Black	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	2	-	-	1	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	45	-	-	-	-	1	1	4	11	17	8	3	18	-	-	-	-	-	-	-	7	4	5	2
White	42	-	-	-	-	-	1	3	10	17	8	3	15	-	-	-	-	-	-	-	5	4	4	2
All other	3	-	-	-	-	1	-	1	1	-	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	3	-	-	-	-	1	-	1	1	-	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	106	-	1	1	-	3	8	11	28	33	17	4	92	-	-	-	-	3	5	13	27	25	12	7
White	102	-	1	-	-	3	8	10	27	32	17	4	85	-	-	-	-	3	4	13	24	22	12	7
All other	4	-	-	1	-	-	-	1	1	1	-	-	7	-	-	-	-	-	1	-	3	3	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	7	-	-	-	-	-	1	-	3	3	-	-
Leukemia (204-208)	22	-	1	-	1	2	-	3	5	3	6	1	17	-	-	1	-	1	1	1	2	4	5	2
White	19	-	-	-	1	1	-	3	5	3	5	1	16	-	-	1	-	1	1	1	2	3	5	2
All other	3	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	48	-	-	-	3	-	3	3	8	20	9	2	30	-	-	-	-	1	1	-	4	10	9	5
White	46	-	-	-	2	-	3	2	8	20	9	2	28	-	-	-	-	1	1	-	4	9	8	5
All other	2	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	-	-	-	1	2	-	2	2	4	-	10	-	-	-	-	1	2	1	-	2	3	1
White	11	-	-	-	-	1	2	-	2	2	4	-	10	-	-	-	-	1	2	1	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	36	-	-	-	-	-	1	6	8	12	5	4	55	-	-	-	-	1	1	2	11	14	15	11
White	34	-	-	-	-	-	1	6	7	12	5	3	53	-	-	-	-	1	-	2	11	13	15	11
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	1	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	1	1	1	8	-	-	-	-	-	-	-	-	-	4	3
White	2	-	-	-	-	-	-	-	-	1	-	1	8	-	-	-	-	-	-	-	-	-	4	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	-	-	-	-	4	3	1	6	-	1	1	-	1	-	-	1	-	2	-
White	8	-	-	-	-	-	-	-	-	4	3	1	4	-	-	1	-	1	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,508	1	-	-	-	10	37	141	337	476	360	145	1,115	3	-	-	2	1	12	43	154	217	369	314
White	1,421	1	-	-	-	8	31	123	316	456	344	141	1,057	2	-	-	1	1	10	35	143	207	356	302
All other	87	-	-	-	-	2	6	18	21	20	16	4	58	1	-	-	1	-	2	8	11	10	13	12
Black	65	-	-	-	-	2	6	13	17	14	12	1	48	1	-	-	1	-	2	7	10	10	11	6
Diseases of heart (390-398,402,404-429)	1,268	1	-	-	-	8	35	126	300	404	282	111	821	3	-	-	1	-	6	29	123	161	279	210
White	1,197	1	-	-	-	7	30	112	283	386	269	108	778	2	-	-	1	-	6	23	113	154	269	210
All other	71	-	-	-	-	1	5	14	17	18	13	3	43	1	-	-	-	-	-	6	10	7	10	9
Black	52	-	-	-	-	1	5	11	14	12	9	-	36	1	-	-	-	-	-	6	9	7	9	4
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	-	-	1	3	5	3	-	8	-	-	-	-	-	-	2	4	2	-	-
White	12	-	-	-	-	-	-	1	3	5	3	-	8	-	-	-	-	-	-	2	4	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	79	-	-	-	-	1	3	9	27	31	6	2	59	-	-	-	-	-	-	4	21	8	14	12
White	67	-	-	-	-	1	2	6	24	26	6	2	56	-	-	-	-	-	-	3	19	8	14	12
All other	12	-	-	-	-	-	1	3	3	5	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	11	-	-	-	-	-	1	3	3	4	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	2	1	-
White	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	818	1	-	-	-	5	24	86	197	258	177	69	460	-	-	-	-	-	3	12	57	102	175	111
White	782	1	-	-	-	4	21	77	189	251	170	68	439	-	-	-	-	-	3	10	53	96	166	109
All other	36	-	-	-	-	1	3	9	8	7	7	1	21	-	-	-	-	-	-	2	4	4	9	2
Black	23	-	-	-	-	1	3	6	5	4	4	-	19	-	-	-	-	-	-	2	3	4	9	1
Acute myocardial infarction (410)	413	1	-	-	-	2	10	45	105	133	88	29	211	-	-	-	-	-	1	3	30	59	83	35
White	398	1	-	-	-	2	9	38	102	131	87	28	203	-	-	-	-	-	1	3	28	58	80	33
All other	15	-	-	-	-	-	1	7	3	2	1	1	8	-	-	-	-	-	-	-	2	1	3	2
Black	9	-	-	-	-	-	1	5	2	1	-	-	6	-	-	-	-	-	-	-	1	1	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	-	4	1	-	3	-	-	-	-	-	-	-	-	1	2	-
White	5	-	-	-	-	-	-	-	-	4	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	400	-	-	-	-	3	14	41	92	121	88	40	245	-	-	-	-	-	2	9	27	42	90	75
White	379	-	-	-	-	2	12	39	87	116	82	40	233	-	-	-	-	-	2	7	25	40	84	75
All other	21	-	-	-	-	1	2	2	5	5	6	-	12	-	-	-	-	-	-	2	2	2	6	-
Black	14	-	-	-	-	1	2	1	3	3	4	-	12	-	-	-	-	-	-	2	2	2	6	-
Other diseases of endocardium (424)	10	-	-	-	-	-	-	-	2	5	2	1	13	-	-	-	-	-	-	-	2	2	6	3
White	7	-	-	-	-	-	-	-	1	3	2	1	13	-	-	-	-	-	-	-	2	2	6	3
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	345	-	-	-	-	2	8	30	70	104	93	38	278	3	-	-	1	-	3	11	39	45	83	93
White	325	-	-	-	-	2	7	28	65	100	87	36	259	2	-	-	1	-	3	8	35	42	82	86
All other	20	-	-	-	-	-	1	2	5	4	6	2	19	1	-	-	-	-	-	3	4	3	1	7
Black	16	-	-	-	-	-	1	2	5	3	5	-	14	1	-	-	-	-	-	3	4	3	-	3
Hypertension with or without renal disease (401,403)	5	-	-	-	-	1	-	-	1	-	2	1	11	-	-	-	-	-	-	-	2	3	3	3
White	3	-	-	-	-	-	-	-	-	-	2	1	11	-	-	-	-	-	-	-	2	3	3	3
All other	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	177	-	-	-	-	1	2	13	23	51	64	23	232	-	-	-	1	1	6	19	24	40	73	74
White	165	-	-	-	-	1	1	9	20	51	61	22	219	-	-	-	-	1	4	11	23	39	70	71
All other	12	-	-	-	-	-	1	4	3	-	3	1	13	-	-	-	1	-	2	2	1	1	3	3
Black	9	-	-	-	-	-	1	2	2	-	3	1	10	-	-	-	1	-	2	1	1	1	2	2
Intracerebral and other intracranial hemorrhage (431-432)	29	-	-	-	-	-	-	6	6	11	5	1	40	-	-	-	-	-	3	6	9	9	8	5
White	25	-	-	-	-	-	-	4	5	11	4	1	39	-	-	-	-	-	3	5	9	9	8	5
All other	4	-	-	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	10	-	-	-	-	-	1	2	2	-	3	2	16	-	-	-	-	-	-	-	3	3	5	5
White	8	-	-	-	-	-	-	1	2	-	3	2	16	-	-	-	-	-	-	-	3	3	5	5
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	136	-	-	-	-	1	1	5	14	40	56	19	175	-	-	-	1	1	3	7	12	28	59	64
White	130	-	-	-	-	1	1	4	12	40	54	18	163	-	-	-	-	1	1	6	11	27	56	61
All other	6	-	-	-	-	-	-	1	2	-	2	1	12	-	-	-	1	-	2	1	1	1	3	3
Black	5	-	-	-	-	-	-	1	1	-	2	1	9	-	-	-	1	-	2	-	1	1	2	2
Atherosclerosis (440)	16	-	-	-	-	-	-	1	1	3	6	5	36	-	-	-	-	-	-	1	2	9	9	15
White	15	-	-	-	-	-	-	1	1	2	6	5	35	-	-	-	-	-	-	1	2	8	9	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	42	-	-	-	-	-	-	1	12	18	6	5	15	-	-	-	-	-	-	-	3	4	5	3
White	41	-	-	-	-	-	-	1	12	17	6	5	14	-	-	-	-	-	-	-	3	3	5	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	75	-	-	1	1	2	2	4	9	22	23	11	75	2	-	-	2	1	2	2	9	14	20	23
White	70	-	-	1	1	1	2	4	9	20	22	10	70	2	-	-	2	-	2	2	8	11	20	23
All other	5	-	-	-	-	1	-	-	-	2	1	1	5	-	-	-	-	1	-	-	1	3	-	-
Black	3	-	-	-	-	1	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	3	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	74	-	-	1	1	2	2	4	8	22	23	11	75	2	-	-	2	1	2	2	9	14	20	23
White	69	-	-	1	1	1	2	4	8	20	22	10	70	2	-	-	2	-	2	2	8	11	20	23
All other	5	-	-	-	-	1	-	-	-	2	1	1	5	-	-	-	-	1	-	-	1	3	-	-
Black	3	-	-	-	-	1	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	3	-	-
Influenza (487)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	189	-	-	-	-	1	2	6	32	74	60	14	124	-	-	-	-	-	1	6	22	51	35	9
White	184	-	-	-	-	1	2	4	31	73	60	13	121	-	-	-	-	-	1	5	21	50	35	9
All other	5	-	-	-	-	-	-	2	1	1	-	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	3	-	-	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	2	1	1	2	5	-	-	-	-	-	-	-	3	1	1	-
White	6	-	-	-	-	-	-	-	2	1	1	2	5	-	-	-	-	-	-	-	3	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	35	-	-	-	-	-	1	1	4	13	13	3	27	-	-	-	-	-	-	1	7	11	7	1
White	34	-	-	-	-	-	1	1	4	13	13	2	27	-	-	-	-	-	-	1	7	11	7	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	12	-	-	-	-	1	-	-	5	5	1	-	11	-	-	-	-	-	-	-	4	5	-	2
White	11	-	-	-	-	1	-	-	4	5	1	-	11	-	-	-	-	-	-	-	4	5	-	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	136	-	-	-	-	-	1	5	21	55	45	9	81	-	-	-	-	-	1	5	8	34	27	6
White	133	-	-	-	-	-	1	3	21	54	45	9	78	-	-	-	-	-	1	4	7	33	27	6
All other	3	-	-	-	-	-	-	2	-	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	-	2	1	-	5	2	9	-	-	-	-	-	-	1	2	2	1	3
White	10	-	-	-	-	-	-	2	1	-	5	2	9	-	-	-	-	-	-	1	2	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	2	1	-	4	1	2	3	-	-	-	-	-	-	-	1	-	1	1
White	10	-	-	-	-	-	2	1	-	4	1	2	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	96	-	-	-	-	3	16	26	32	13	5	1	61	-	-	1	-	2	5	15	22	13	3	-
White	85	-	-	-	-	2	11	23	31	12	5	1	55	-	-	-	-	2	4	12	21	13	3	-
All other	11	-	-	-	-	1	5	3	1	1	-	-	6	-	-	1	-	-	1	3	1	-	-	-
Black	6	-	-	-	-	-	2	3	-	1	-	-	3	-	-	1	-	-	1	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-	2
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	28	-	-	-	-	-	1	-	4	5	10	8	38	2	-	-	-	1	-	-	6	8	14	7
White	27	-	-	-	-	-	1	-	4	4	10	8	35	1	-	-	-	1	-	-	6	8	12	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	-	-	-	-	-	1	-	4	5	10	8	36	2	-	-	-	-	-	-	5	8	14	7
White	27	-	-	-	-	-	1	-	4	4	10	8	33	1	-	-	-	-	-	-	5	8	12	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	4	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	31	21	2	1	-	1	1	2	2	1	-	-	20	16	2	-	-	-	2	-	-	-	-	-
White	27	19	1	1	-	1	-	2	2	1	-	-	17	13	2	-	-	-	2	-	-	-	-	-
All other	4	2	1	-	-	-	1	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	2	1	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	33	33	-	-	-	-	-	-	-	-	-	-	20	19	-	1	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	20	20	-	-	-	-	-	-	-	-	-	-	14	13	-	1	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	51	21	-	-	1	4	3	2	2	7	4	7	40	14	1	-	1	-	-	1	2	1	8	12
White	47	19	-	-	1	4	3	1	2	7	3	7	32	9	1	-	1	-	-	1	2	1	7	10
All other	4	2	-	-	-	-	-	1	-	-	1	-	8	5	-	-	-	-	-	-	-	-	1	2
Black	3	2	-	-	-	-	-	1	-	-	-	-	6	5	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	235	7	-	2	4	9	18	18	59	55	44	19	177	3	1	1	3	5	10	22	29	40	36	27
White	221	6	-	2	2	7	17	17	55	53	43	19	159	2	-	1	2	5	8	18	27	35	35	26
All other	14	1	-	-	2	2	1	1	4	2	1	-	18	1	1	-	1	-	2	4	2	5	1	1
Black	10	1	-	-	2	2	-	-	2	2	1	-	11	1	-	-	1	-	1	2	2	3	-	1
Accidents and adverse effects (E800-E949)	286	1	9	9	72	72	36	24	26	16	16	3	108	2	2	4	21	21	12	9	16	9	7	5
White	246	1	7	7	62	61	29	18	24	16	16	3	97	1	1	2	19	18	10	9	16	9	7	5
All other	40	-	2	2	10	11	7	6	2	-	-	-	11	1	1	2	2	3	2	-	-	-	-	-
Black	22	-	2	-	4	8	5	2	1	-	-	-	5	-	1	-	-	3	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	157	-	3	3	49	46	18	16	9	7	5	-	70	1	-	4	16	15	10	4	11	5	3	1
White	131	-	2	2	43	39	12	11	9	7	5	-	62	1	-	2	14	13	8	4	11	5	3	1
All other	26	-	1	1	6	7	6	5	-	-	-	-	8	-	-	2	2	2	2	-	-	-	-	-
Black	12	-	1	-	2	4	4	1	-	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	129	1	6	6	23	26	18	8	17	9	11	3	38	1	2	-	5	6	2	5	5	4	4	4
White	115	1	5	5	19	22	17	7	15	9	11	3	35	-	1	-	5	5	2	5	5	4	4	4
All other	14	-	1	1	4	4	1	1	2	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
Black	10	-	1	-	2	4	1	1	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Suicide (E950-E959)	163	...	...	1	23	43	25	30	16	16	6	-	48	...	...	-	7	10	12	8	7	2	2	-
White	151	...	...	1	21	36	25	29	15	16	6	-	47	...	...	-	7	10	12	8	6	2	2	-
All other	12	...	...	-	2	7	1	1	1	-	-	-	1	...	...	-	-	-	-	-	1	-	-	-
Black	7	...	...	-	-	5	1	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	75	2	-	1	10	21	18	9	8	3	1	1	38	-	-	3	11	10	5	3	4	1	-	1
White	55	1	-	1	7	13	15	8	4	3	1	1	31	-	-	3	9	7	5	3	3	-	-	1
All other	20	1	-	-	3	8	3	1	4	-	-	-	7	-	-	-	2	3	-	-	1	1	-	-
Black	20	1	-	-	3	8	3	1	4	-	-	-	4	-	-	-	2	1	-	-	1	-	-	-
All other external causes (E980-E999)	13	-	-	-	4	3	1	4	-	-	-	-	8	-	-	-	-	1	1	2	3	-	-	1
White	10	-	-	-	3	2	1	3	-	-	-	-	8	-	-	-	-	1	1	2	3	-	-	1
All other	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE																								
All causes	4,165	77	8	28	101	81	126	289	688	1,141	1,066	560	3,808	42	12	12	46	37	64	137	413	764	1,049	1,230
White	4,148	76	6	28	100	80	123	287	685	1,139	1,066	558	3,795	41	10	11	48	37	62	135	413	762	1,049	1,227
All other	17	1	2	-	1	1	3	2	3	2	-	2	13	1	2	1	-	-	2	2	-	2	-	3
Black	12	1	2	-	1	1	1	-	2	2	-	2	7	1	1	1	-	-	1	-	-	2	-	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
White	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	31	-	-	1	-	-	1	3	4	8	9	5	22	-	-	-	-	-	-	-	2	6	7	7
White	31	-	-	1	-	-	1	3	4	8	9	5	22	-	-	-	-	-	-	-	2	6	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	13	2	-	1	-	-	1	1	1	3	2	2	17	-	-	1	-	-	1	1	2	4	3	5
White	13	2	-	1	-	-	1	1	1	3	2	2	17	-	-	1	-	-	1	1	2	4	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	934	-	1	3	3	8	20	80	222	310	209	78	912	-	2	3	6	8	22	70	181	264	212	144
White	931	-	1	3	3	8	20	79	221	310	209	77	909	-	2	3	6	8	21	69	181	263	212	144
All other	3	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	-	-	1	1	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	-	-	-	-	-	1	2	8	8	5	-	12	-	-	-	-	-	-	1	4	4	3	-
White	23	-	-	-	-	-	1	2	7	8	5	-	12	-	-	-	-	-	-	1	4	4	3	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	257	-	-	-	-	-	4	19	63	84	69	18	266	-	-	-	2	-	4	11	41	83	73	52
White	257	-	-	-	-	-	4	19	63	84	69	18	265	-	-	-	2	-	3	11	41	83	73	52
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	323	-	-	-	-	-	6	35	87	114	64	17	139	-	-	-	-	1	2	13	36	54	23	10
White	322	-	-	-	-	-	6	35	87	114	64	16	138	-	-	-	-	1	2	13	36	53	23	10
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	162	-	-	-	-	3	6	17	39	34	37	26
White	-	-	-	-	-	-	-	-	-	-	-	-	162	-	-	-	-	3	6	17	39	34	37	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	87	-	-	-	1	1	1	2	6	29	29	18	108	-	-	-	3	-	2	7	28	36	19	13
White	87	-	-	-	1	1	1	2	6	29	29	18	108	-	-	-	3	-	2	7	28	36	19	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	42	-	-	-	-	-	-	3	10	15	10	4	25	-	-	-	-	-	-	1	2	5	12	5
White	42	-	-	-	-	-	-	3	10	15	10	4	25	-	-	-	-	-	-	1	2	5	12	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	114	-	1	2	2	4	5	5	32	34	22	7	133	-	1	2	1	4	3	15	20	37	23	27
White	114	-	1	2	2	4	5	5	32	34	22	7	133	-	1	2	1	4	3	15	20	37	23	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	35	-	-	1	-	1	-	4	6	12	5	6	27	-	1	1	-	-	2	1	4	3	6	9
White	35	-	-	1	-	1	-	4	6	12	5	6	27	-	1	1	-	-	2	1	4	3	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	52	-	-	-	-	2	3	10	10	14	5	8	40	-	-	-	-	-	3	4	7	8	16	2
White	51	-	-	-	-	2	3	9	10	14	5	8	39	-	-	-	-	-	3	3	7	8	16	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	-	1	-	-	-	1	4	6	4	4	5	20	-	-	-	-	-	-	-	7	2	6	5
White	25	-	1	-	-	-	1	4	6	4	4	5	20	-	-	-	-	-	-	-	7	2	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	66	-	-	-	-	1	1	7	12	24	13	8	87	-	-	-	-	-	1	5	5	29	24	23
White	66	-	-	-	-	1	1	7	12	24	13	8	87	-	-	-	-	-	1	5	5	29	24	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	-	-	-	2	4
White	3	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	1	-	9	-	-	-	-	-	-	-	-	2	2	5
White	1	-	-	-	-	-	-	-	-	-	1	-	9	-	-	-	-	-	-	-	-	2	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,938	-	-	2	1	12	40	119	316	560	563	325	1,939	1	-	-	2	7	12	28	137	336	629	787
White	1,935	-	-	2	1	12	40	119	315	558	563	325	1,938	1	-	-	2	7	12	28	137	336	629	786
All other	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,570	-	-	1	1	10	34	107	285	468	417	247	1,424	1	-	-	1	4	8	22	112	254	488	534
White	1,568	-	-	1	1	10	34	107	285	466	417	247	1,423	1	-	-	1	4	8	22	112	254	488	533
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	-	1	2	1	4	3	1	20	-	-	-	-	-	1	2	3	5	7	2
White	12	-	-	-	-	-	1	2	1	4	3	1	20	-	-	-	-	-	1	2	3	5	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	20	-	-	-	-	-	-	1	2	9	6	2	39	-	-	-	-	-	-	-	-	9	10	20
White	20	-	-	-	-	-	-	1	2	9	6	2	39	-	-	-	-	-	-	-	-	9	10	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	1	1	2	8	-	-	-	-	-	-	-	-	1	5	2
White	4	-	-	-	-	-	-	-	-	1	1	2	8	-	-	-	-	-	-	-	-	1	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,155	-	-	-	-	6	22	81	225	342	304	175	993	-	-	-	-	1	4	11	78	176	349	374
White	1,153	-	-	-	-	6	22	81	225	340	304	175	993	-	-	-	-	1	4	11	78	176	349	374
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	701	-	-	-	-	6	18	63	163	221	160	70	498	-	-	-	-	-	2	9	51	113	179	144
White	699	-	-	-	-	6	18	63	163	219	160	70	498	-	-	-	-	-	2	9	51	113	179	144
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	451	-	-	-	-	-	4	18	61	120	143	105	491	-	-	-	-	1	2	2	26	62	169	229
White	451	-	-	-	-	-	4	18	61	120	143	105	491	-	-	-	-	1	2	2	26	62	169	229
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	18	-	-	1	-	-	-	1	4	5	6	1	20	-	-	-	-	-	1	-	3	3	9	4
White	18	-	-	1	-	-	-	1	4	5	6	1	20	-	-	-	-	-	1	-	3	3	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (416-423,425-429)	361	-	-	-	1	4	11	22	53	107	97	66	344	1	-	-	1	3	2	9	28	60	108	132
White	361	-	-	-	1	4	11	22	53	107	97	66	343	1	-	-	1	3	2	9	28	60	108	131
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	2	-	4	4	4	16	-	-	-	-	-	-	-	1	2	6	7
White	14	-	-	-	-	-	-	2	-	4	4	4	16	-	-	-	-	-	-	-	1	2	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	249	-	-	1	-	2	5	9	23	58	104	47	368	-	-	-	1	1	4	5	18	58	98	183
White	248	-	-	1	-	2	5	9	22	58	104	47	368	-	-	-	1	1	4	5	18	58	98	183
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial homorrhage (431-432)	44	-	-	-	-	2	4	3	9	7	13	6	62	-	-	-	1	-	1	1	6	16	16	21
White	43	-	-	-	-	2	4	3	8	7	13	6	62	-	-	-	1	-	1	1	6	16	16	21
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	45	-	-	-	-	-	-	2	5	15	17	6	49	-	-	-	-	-	-	-	1	9	15	24
White	45	-	-	-	-	-	-	2	5	15	17	6	49	-	-	-	-	-	-	-	1	9	15	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	160	-	-	1	-	-	1	4	9	36	74	35	255	-	-	-	-	1	3	4	11	32	67	137
White	160	-	-	1	-	-	1	4	9	36	74	35	255	-	-	-	-	1	3	4	11	32	67	137
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	45	-	-	-	-	-	1	1	1	11	14	17	83	-	-	-	-	-	-	-	1	7	23	52
White	45	-	-	-	-	-	1	1	1	11	14	17	83	-	-	-	-	-	-	-	1	7	23	52
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	60	-	-	-	-	-	-	-	7	19	24	10	48	-	-	-	-	2	-	1	5	15	14	11
White	60	-	-	-	-	-	-	-	7	19	24	10	48	-	-	-	-	2	-	1	5	15	14	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	1	-	-	-	2
White	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	1	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	116	-	-	-	2	-	3	4	14	19	33	41	122	1	1	-	1	-	-	1	5	7	30	76
White	116	-	-	-	2	-	3	4	14	19	33	41	122	1	1	-	1	-	-	1	5	7	30	76
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	112	-	-	-	2	-	3	4	14	19	31	39	109	1	1	-	1	-	-	1	4	6	27	68
White	112	-	-	-	2	-	3	4	14	19	31	39	109	1	1	-	1	-	-	1	4	6	27	68
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	4	-	-	-	-	-	-	-	-	-	2	2	13	-	-	-	-	-	-	-	1	1	3	8
White	4	-	-	-	-	-	-	-	-	-	2	2	13	-	-	-	-	-	-	-	1	1	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	191	-	-	1	-	-	-	2	20	63	85	20	101	-	-	-	-	-	1	3	23	29	29	16
White	191	-	-	1	-	-	-	2	20	63	85	20	100	-	-	-	-	-	1	3	23	28	29	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	12	-	-	-	-	-	-	-	2	6	3	1	3	-	-	-	-	-	-	-	-	1	1	1
White	12	-	-	-	-	-	-	-	2	6	3	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	33	-	-	-	-	-	-	-	3	10	18	2	28	-	-	-	-	-	1	2	6	10	3	6
White	33	-	-	-	-	-	-	-	3	10	18	2	27	-	-	-	-	-	1	2	6	9	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	3	-	-	1	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	3	-	2	1
White	3	-	-	1	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	3	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	143	-	-	-	-	-	-	2	14	47	63	17	64	-	-	-	-	-	-	1	14	18	23	8
White	143	-	-	-	-	-	-	2	14	47	63	17	64	-	-	-	-	-	-	1	14	18	23	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	15	-	-	-	-	-	-	-	4	8	2	1	14	-	-	-	-	-	-	-	1	3	4	6
White	15	-	-	-	-	-	-	-	4	8	2	1	14	-	-	-	-	-	-	-	1	3	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	-	1	1	5	13	-	-	-	-	-	1	-	-	1	4	7
White	6	-	-	-	-	-	-	-	-	1	1	4	13	-	-	-	-	-	1	-	-	1	4	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	76	-	-	-	-	1	6	16	22	24	7	-	32	-	-	-	-	1	2	7	8	8	6	-
White	76	-	-	-	-	1	6	16	22	24	7	-	32	-	-	-	-	1	2	7	8	8	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	12	-	-	-	-	-	-	-	1	4	5	2	6	-	-	-	-	-	-	1	-	2	2	1
White	12	-	-	-	-	-	-	-	1	4	5	2	6	-	-	-	-	-	-	1	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	-	-	-	-	-	1	2	-	11	12	6	27	-	-	-	-	-	-	-	2	7	12	6
White	32	-	-	-	-	-	1	2	-	11	12	6	27	-	-	-	-	-	-	-	2	7	12	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	-	-	-	-	-	1	2	-	10	12	6	22	-	-	-	-	-	-	-	1	7	8	6
White	31	-	-	-	-	-	1	2	-	10	12	6	22	-	-	-	-	-	-	-	1	7	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	27	20	-	1	2	1	1	-	2	-	-	-	21	11	2	1	2	-	-	-	-	3	1	1
White	27	20	-	1	2	1	1	-	2	-	-	-	21	11	2	1	2	-	-	-	-	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	34	34	-	-	-	-	-	-	-	-	-	-	21	19	2	-	-	-	-	-	-	-	-	-
White	33	33	-	-	-	-	-	-	-	-	-	-	20	18	2	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	22	22	-	-	-	-	-	-	-	-	-	-	17	15	2	-	-	-	-	-	-	-	-	-
White	21	21	-	-	-	-	-	-	-	-	-	-	16	14	2	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	21	15	-	-	-	-	1	-	-	2	2	1	22	8	1	-	-	2	-	1	-	-	1	9
White	21	15	-	-	-	-	1	-	-	2	2	1	22	8	1	-	-	2	-	1	-	-	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	272	2	-	3	3	4	14	15	38	69	78	46	263	1	-	3	7	4	6	11	23	50	57	101
White	271	2	-	3	3	4	13	15	38	69	78	46	261	1	-	3	7	4	6	11	23	50	57	99
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	228	2	5	14	66	36	19	23	15	16	22	10	111	1	3	4	25	9	14	7	10	7	13	18
White	220	2	3	14	65	35	17	22	14	16	22	10	107	1	2	3	25	9	13	6	10	7	13	18
All other	8	-	2	-	1	1	2	1	1	-	-	-	4	-	1	1	-	-	1	1	-	-	-	-
Black	4	-	2	-	1	1	-	-	-	-	-	-	3	-	1	1	-	-	1	-	-	-	-	-
Motor vehicle accidents (E810-E825)	134	-	-	10	55	25	8	12	4	4	11	5	59	1	1	1	21	6	10	5	4	4	3	3
White	132	-	-	10	55	24	8	11	4	4	11	5	57	1	1	1	21	6	9	4	4	4	3	3
All other	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	94	2	5	4	11	11	11	11	11	12	11	5	52	-	2	3	4	3	4	2	6	3	10	15
White	88	2	3	4	10	11	9	11	10	12	11	5	50	-	1	2	4	3	4	2	6	3	10	15
All other	6	-	2	-	1	-	2	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	3	-	2	-	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Suicide (E950-E959)	90	...	...	2	20	14	17	11	7	10	9	-	19	...	...	-	3	3	3	1	4	2	1	2
White	90	...	...	2	20	14	17	11	7	10	9	-	19	...	...	-	3	3	3	1	4	2	1	2
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	9	1	-	-	3	1	-	1	2	1	-	-	8	-	-	-	2	3	1	-	1	-	1	-
White	9	1	-	-	3	1	-	1	2	1	-	-	8	-	-	-	2	3	1	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E990-E999)	5	-	-	-	1	2	-	-	1	-	1	-	3	-	1	-	-	-	-	-	-	1	1	-
White	5	-	-	-	1	2	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	35,711	623	93	149	717	982	1,147	2,429	6,525	9,797	8,948	4,273	33,578	514	74	94	271	399	708	1,589	4,073	7,237	9,845	8,773
White	31,472	405	60	107	578	722	808	1,918	5,638	8,887	8,312	4,027	30,086	324	47	62	205	273	513	1,222	3,456	6,501	9,128	8,354
All other	4,239	218	33	42	139	260	339	511	887	910	636	246	3,492	190	27	32	66	126	193	367	617	736	717	419
Black	4,102	205	32	40	133	252	324	502	869	886	603	238	3,387	179	23	32	65	123	182	358	603	709	699	412
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	4	1	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	1	1
White	2	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	31	-	-	-	1	8	4	4	7	5	-	-	21	-	-	-	1	2	3	2	4	3	5	1
White	12	-	-	-	1	1	2	-	4	4	-	-	13	-	-	-	-	-	1	1	2	3	5	1
All other	19	-	-	-	-	7	2	4	3	1	-	-	8	-	-	-	1	2	2	1	2	-	-	-
Black	19	-	-	-	-	7	2	4	3	1	-	-	6	-	-	-	1	1	1	1	2	-	-	-
Tuberculosis of respiratory system (010-012)	23	-	-	-	-	4	3	3	7	5	-	-	18	-	-	-	1	1	3	2	4	3	3	1
White	10	-	-	-	-	-	2	-	4	4	-	-	11	-	-	-	-	-	1	1	2	3	3	1
All other	13	-	-	-	-	4	1	3	3	1	-	-	7	-	-	-	1	1	2	1	2	-	-	-
Black	13	-	-	-	-	4	1	3	3	1	-	-	5	-	-	-	1	-	1	1	2	-	-	-
Other tuberculosis (013-018)	8	-	-	-	1	4	1	1	-	-	-	-	3	-	-	-	-	1	-	-	-	-	2	-
White	2	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	6	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	6	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	3	-	-	1	-	-	-	1	-	-	-	3	1	-	-	1	-	-	-	-	-	-	1
White	4	3	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Septicemia (038)	296	9	1	-	1	3	10	18	35	79	68	51	360	6	-	1	-	6	2	11	31	59	133	111
White	240	4	1	-	1	1	9	9	25	68	78	44	304	3	-	-	-	1	1	4	23	50	118	104
All other	56	5	-	-	-	2	1	9	10	11	10	7	56	3	-	1	-	5	1	7	8	9	15	7
Black	56	5	-	-	-	2	1	9	10	11	10	7	56	3	-	1	-	5	1	7	8	9	15	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	25	-	-	-	2	6	1	1	8	6	1	-	10	-	-	-	-	-	-	1	3	3	3	-
White	22	-	-	-	1	4	1	1	8	6	1	-	9	-	-	-	-	-	-	1	3	2	3	-
All other	3	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	1	-	-	-	-	-	2	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	-	-	-	2	1	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	91	2	2	3	3	25	10	11	13	10	10	2	74	3	1	-	3	6	9	5	16	17	10	4
White	63	1	2	3	1	12	4	11	10	9	9	1	53	1	-	-	1	1	4	2	14	17	9	4
All other	28	1	-	-	2	13	6	-	3	1	1	1	21	2	1	-	2	5	5	3	2	-	1	-
Black	27	1	-	-	2	13	6	-	3	1	1	-	21	2	1	-	2	5	5	3	2	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,685	1	8	33	40	79	194	682	2,111	2,880	2,038	616	7,915	1	9	14	35	74	284	744	1,751	2,312	1,891	800
White	7,688	1	4	27	37	69	147	555	1,810	2,585	1,878	575	7,108	1	7	11	28	57	227	608	1,537	2,119	1,757	756
All other	997	-	4	6	3	10	47	127	301	295	160	41	807	-	2	3	7	17	57	136	214	193	134	44
Black	956	-	3	6	3	8	41	125	296	285	147	39	782	-	2	3	7	17	51	131	208	189	131	43

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	214	-	-	-	-	-	7	25	67	76	29	8	98	-	-	-	-	-	5	10	32	26	18	7
White	167	-	-	-	-	-	3	14	51	69	23	7	90	-	-	-	-	-	4	8	30	24	17	7
All other	47	-	-	-	-	-	4	11	16	9	6	1	8	-	-	-	-	-	1	2	2	2	1	-
Black	47	-	-	-	-	-	4	11	16	9	6	1	8	-	-	-	-	-	1	2	2	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,470	-	-	-	1	8	51	176	601	821	621	191	2,298	-	1	-	1	7	28	141	405	675	708	332
White	2,179	-	-	-	1	7	38	137	503	741	575	177	2,061	-	1	-	1	4	22	116	334	601	664	318
All other	291	-	-	-	-	1	13	39	98	80	46	14	237	-	-	-	-	3	6	25	71	74	44	14
Black	271	-	-	-	-	-	10	37	97	75	40	12	226	-	-	-	-	3	4	23	68	71	43	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,971	-	1	-	3	3	57	268	845	1,086	598	106	1,431	-	-	-	1	4	40	173	399	475	273	66
White	2,621	-	-	-	2	2	43	220	725	972	559	98	1,283	-	-	-	1	3	30	140	353	443	250	63
All other	350	-	1	-	1	1	14	48	120	116	39	8	148	-	-	-	-	1	10	33	46	32	23	3
Black	340	-	1	-	1	1	12	48	117	115	35	8	145	-	-	-	-	1	10	33	45	32	21	3
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	-	-	6	6	-	-	1,526	-	-	-	-	22	97	202	396	414	280	115
White	11	-	-	-	-	-	-	-	5	6	-	-	1,379	-	-	-	-	17	82	164	360	384	264	108
All other	1	-	-	-	-	-	-	-	1	-	-	-	147	-	-	-	-	5	15	38	36	30	16	7
Black	1	-	-	-	-	-	-	-	1	-	-	-	145	-	-	-	-	5	14	38	35	30	16	7
Malignant neoplasms of genital organs (179-187)	883	-	1	-	4	7	4	13	100	253	335	165	924	-	-	-	4	13	53	99	235	260	179	81
White	757	-	1	-	3	7	4	11	79	204	295	153	812	-	-	-	3	10	36	83	207	235	164	74
All other	126	-	-	-	1	-	-	2	21	49	40	12	112	-	-	-	1	3	17	16	28	25	15	7
Black	123	-	-	-	1	-	-	2	21	47	39	12	108	-	-	-	1	3	15	15	27	25	15	7
Malignant neoplasms of urinary organs (188-189)	494	-	-	-	-	1	11	37	96	162	141	46	241	-	1	-	1	1	2	14	38	76	71	37
White	450	-	-	-	-	-	5	32	88	150	132	43	218	-	1	-	1	-	2	12	33	69	66	34
All other	44	-	-	-	-	1	6	5	8	12	9	3	23	-	-	-	-	1	-	2	5	7	5	3
Black	43	-	-	-	-	1	6	5	8	12	8	3	22	-	-	-	-	1	-	2	5	6	5	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	911	1	2	15	10	26	32	104	242	264	166	49	760	1	3	9	10	15	40	68	155	197	175	87
White	836	1	-	12	9	23	28	90	222	247	155	49	690	1	2	7	8	13	33	54	141	188	162	81
All other	75	-	2	3	1	3	4	14	20	17	11	-	70	-	1	2	2	2	7	14	14	9	13	6
Black	72	-	2	3	1	2	4	14	20	15	11	-	66	-	1	2	2	2	6	12	14	9	13	5
Leukemia (204-208)	286	-	2	8	10	10	12	19	59	89	56	21	233	-	3	5	11	7	8	11	27	64	65	32
White	265	-	2	6	10	9	11	17	55	83	53	19	208	-	2	4	7	6	8	9	23	55	62	32
All other	21	-	-	2	-	1	1	2	4	6	3	2	25	-	1	1	4	1	-	2	4	9	3	-
Black	20	-	-	2	-	1	1	2	4	6	2	2	25	-	1	1	4	1	-	2	4	9	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	444	-	2	10	12	24	20	40	95	119	92	30	404	-	1	-	7	5	11	26	64	125	122	43
White	402	-	1	9	12	21	15	34	82	113	86	29	367	-	1	-	7	4	10	22	56	120	108	39
All other	42	-	1	1	-	3	5	6	13	6	6	1	37	-	-	-	-	1	1	4	8	5	14	4
Black	39	-	-	1	-	3	4	6	12	6	6	1	37	-	-	-	-	1	1	4	8	5	14	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	93	-	-	1	1	6	5	8	16	19	25	12	104	-	-	2	-	1	2	7	13	30	35	14
White	80	-	-	1	1	5	4	5	13	16	24	11	95	-	-	2	-	1	1	7	10	28	32	14
All other	13	-	-	-	-	1	1	3	3	3	1	1	9	-	-	-	-	-	1	-	3	2	3	-
Black	13	-	-	-	-	1	1	3	3	3	1	1	9	-	-	-	-	-	1	-	3	2	3	-
Diabetes mellitus (250)	595	-	-	-	3	12	21	36	124	192	142	65	832	-	-	1	3	11	11	32	115	220	272	167
White	514	-	-	-	1	7	17	27	100	176	128	58	696	-	-	1	1	10	6	20	88	178	236	156
All other	81	-	-	-	2	5	4	9	24	16	14	7	136	-	-	-	2	1	5	12	27	42	36	11
Black	79	-	-	-	2	5	3	9	24	16	14	6	133	-	-	-	2	1	5	12	27	39	36	11
Nutritional deficiencies (260-269)	30	-	-	-	-	1	-	-	-	5	9	15	52	-	-	-	-	-	-	-	2	5	18	27
White	25	-	-	-	-	1	-	-	-	4	5	15	48	-	-	-	-	-	-	-	2	4	17	25
All other	5	-	-	-	-	-	-	-	-	1	4	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	5	-	-	-	-	-	-	-	-	1	4	-	3	-	-	-	-	-	-	-	-	1	1	1
Anemias (280-285)	58	-	-	3	3	1	4	4	7	12	16	8	58	-	2	1	2	2	-	6	8	10	17	10
White	41	-	-	1	1	-	2	3	4	12	12	6	47	-	-	-	-	1	-	5	5	10	17	9
All other	17	-	-	2	2	1	2	1	3	-	4	2	11	-	2	1	2	1	-	1	3	-	-	1
Black	17	-	-	2	2	1	2	1	3	-	4	2	10	-	1	1	2	1	-	1	3	-	-	1
Meningitis (320-322)	26	10	3	-	1	3	1	1	1	3	3	-	30	6	4	2	-	-	3	-	1	5	7	2
White	15	7	3	-	1	-	1	-	1	1	1	-	22	4	1	2	-	-	2	-	1	4	7	1
All other	11	3	-	-	-	3	-	1	-	2	2	-	8	2	3	-	-	-	1	-	-	1	-	1
Black	11	3	-	-	-	3	-	1	-	2	2	-	8	2	3	-	-	-	1	-	-	1	-	1
Major cardiovascular diseases (390-448)	17,190	19	4	5	28	91	361	1,055	3,108	4,937	4,972	2,601	17,533	11	6	5	22	55	129	409	1,408	3,383	5,891	6,202
White	15,664	12	3	4	23	87	270	866	2,764	4,522	4,670	2,458	16,024	6	6	5	16	38	82	310	1,158	3,010	5,471	5,923
All other	1,526	7	1	1	5	24	91	189	344	415	302	143	1,509	5	-	-	6	19	47	99	250	383	420	279
Black	1,478	7	1	1	5	23	85	185	334	403	290	140	1,473	5	-	-	6	19	46	98	247	368	407	276

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	14,387	15	2	2	18	62	305	941	2,728	4,208	4,022	2,076	13,831	8	6	3	15	33	90	299	1,151	2,764	4,609	4,851
White	13,154	10	1	2	15	48	232	781	2,443	3,862	3,784	1,971	12,693	4	6	3	10	23	54	226	961	2,472	4,290	4,643
All other	1,233	5	1	–	3	14	73	160	285	346	238	105	1,138	4	–	–	5	10	36	73	190	292	319	208
Black	1,191	5	1	–	3	13	67	156	277	336	228	102	1,109	4	–	–	5	10	36	72	187	282	307	205
Rheumatic fever and rheumatic heart disease (390-398)	117	–	–	–	1	3	6	15	30	39	16	7	226	–	–	–	1	2	3	23	44	81	57	15
White	112	–	–	–	–	2	6	15	28	39	15	7	213	–	–	–	–	1	2	20	42	78	57	13
All other	5	–	–	–	1	1	–	–	2	–	1	–	13	–	–	–	1	1	1	3	2	3	–	2
Black	5	–	–	–	1	1	–	–	2	–	1	–	13	–	–	–	1	1	1	3	2	3	–	2
Hypertensive heart disease (402)	332	–	–	–	1	3	17	27	86	100	61	37	469	–	–	–	–	1	3	19	58	115	165	108
White	251	–	–	–	1	2	7	20	60	79	53	29	388	–	–	–	–	1	1	8	43	91	145	99
All other	81	–	–	–	–	1	10	7	26	21	8	8	81	–	–	–	–	–	2	11	15	24	20	9
Black	80	–	–	–	–	1	10	7	25	21	8	8	78	–	–	–	–	–	2	11	15	22	19	9
Hypertensive heart and renal disease (404)	37	–	–	–	–	–	1	–	9	11	10	6	67	–	–	–	–	–	1	2	6	11	32	15
White	29	–	–	–	–	–	–	–	5	10	9	5	54	–	–	–	–	–	–	1	5	7	27	14
All other	8	–	–	–	–	–	1	–	4	1	1	1	13	–	–	–	–	–	1	1	1	4	5	1
Black	8	–	–	–	–	–	1	–	4	1	1	1	11	–	–	–	–	–	1	1	1	3	4	1
Ischemic heart disease (410-414)	11,429	1	–	–	1	29	224	751	2,229	3,392	3,217	1,580	10,189	–	–	2	1	6	50	193	843	2,064	3,420	3,609
White	10,601	1	–	–	1	25	184	639	2,038	3,160	3,037	1,514	9,430	–	–	2	1	3	31	152	711	1,881	3,203	3,466
All other	828	–	–	–	–	4	40	112	191	232	180	66	759	–	–	–	–	3	19	41	132	203	217	143
Black	795	–	–	–	–	4	37	108	186	223	170	64	738	–	–	–	–	3	19	40	129	197	208	141
Acute myocardial infarction (410)	6,039	–	–	–	–	18	130	473	1,351	1,932	1,588	544	4,458	–	–	1	1	4	37	115	518	1,154	1,554	1,074
White	5,638	–	–	–	–	15	111	399	1,256	1,817	1,514	525	4,133	–	–	1	1	1	24	87	448	1,061	1,472	1,038
All other	401	–	–	–	–	3	19	74	95	115	74	19	325	–	–	–	–	3	13	28	70	93	82	36
Black	383	–	–	–	–	3	18	71	93	111	67	18	315	–	–	–	–	3	13	28	69	89	77	36
Other acute and subacute forms of ischemic heart disease (411)	114	–	–	–	–	–	5	18	37	35	12	7	53	–	–	–	–	–	–	5	14	14	12	8
White	106	–	–	–	–	–	4	17	31	35	12	7	44	–	–	–	–	–	–	4	11	11	10	8
All other	8	–	–	–	–	–	1	1	6	–	–	–	9	–	–	–	–	–	–	1	3	3	2	–
Black	8	–	–	–	–	–	1	1	6	–	–	–	8	–	–	–	–	–	–	–	3	3	2	–
Angina pectoris (413)	14	–	–	–	–	–	–	3	3	–	6	2	10	–	–	–	–	–	–	–	1	–	3	6
White	13	–	–	–	–	–	–	2	3	–	6	2	10	–	–	–	–	–	–	–	1	–	3	6
All other	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,262	1	–	–	1	11	89	257	838	1,425	1,611	1,027	5,668	–	–	1	–	2	13	73	310	896	1,851	2,521
White	4,844	1	–	–	1	10	69	221	748	1,308	1,505	980	5,243	–	–	1	–	2	7	61	251	789	1,718	2,414
All other	418	–	–	–	–	1	20	36	90	117	106	47	425	–	–	–	–	–	6	12	59	107	133	107
Black	403	–	–	–	–	1	18	35	87	112	103	46	415	–	–	–	–	–	6	12	57	105	129	105
Other diseases of endocardium (424)	150	1	–	–	–	3	4	8	22	54	44	14	135	–	–	–	1	1	4	6	13	20	58	32
White	140	1	–	–	–	2	2	8	21	49	43	14	127	–	–	–	1	1	3	6	12	19	55	30
All other	10	–	–	–	–	1	2	–	1	5	1	–	8	–	–	–	–	–	1	–	1	1	3	2
Black	8	–	–	–	–	1	1	–	–	5	1	–	8	–	–	–	–	–	1	–	1	1	3	2
All other forms of heart disease (415-423,425-429)	2,322	13	2	2	15	24	53	140	352	612	674	432	2,745	8	6	1	12	23	29	56	187	473	877	1,072
White	2,021	8	1	2	13	17	33	99	291	525	627	402	2,481	4	6	1	8	17	17	39	148	416	803	1,021
All other	301	5	1	–	2	7	20	41	61	87	47	30	264	4	–	–	4	6	12	17	39	57	74	51
Black	295	5	1	–	2	6	18	41	60	86	47	29	261	4	–	–	4	6	12	17	39	56	73	50
Hypertension with or without renal disease (401,403)	99	–	–	–	–	1	3	2	14	19	36	24	116	–	–	–	–	–	3	6	14	16	30	47
White	78	–	–	–	–	1	–	–	10	16	31	20	97	–	–	–	–	–	3	4	10	13	25	42
All other	21	–	–	–	–	–	3	2	4	3	5	4	19	–	–	–	–	–	–	2	4	3	5	5
Black	21	–	–	–	–	–	3	2	4	3	5	4	19	–	–	–	–	–	–	2	4	3	5	5
Cerebrovascular diseases (430-438)	1,942	4	2	2	10	24	47	86	235	474	691	366	2,854	3	–	1	4	20	30	91	204	490	1,007	1,004
White	1,712	2	2	2	8	14	32	80	189	422	644	337	2,551	2	–	1	3	11	24	69	156	415	923	947
All other	230	2	–	–	2	10	15	26	46	52	47	29	303	1	–	–	1	9	6	22	48	75	84	57
Black	225	2	–	–	2	10	15	26	44	50	46	29	296	1	–	–	1	9	5	22	48	70	83	57
Intracerebral and other intracranial hemorrhage (431-432)	331	2	–	–	4	10	22	33	65	74	95	26	383	2	–	–	2	3	10	28	56	94	115	73
White	270	1	–	–	3	5	12	20	51	68	86	24	328	2	–	–	2	2	8	21	39	82	103	69
All other	61	1	–	–	1	5	10	13	14	6	9	2	55	–	–	–	–	1	2	7	17	12	12	4
Black	59	1	–	–	1	5	10	13	13	5	9	2	52	–	–	–	–	1	2	7	17	10	11	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	369	–	–	–	–	1	5	12	33	97	152	68	584	–	–	–	–	–	2	7	32	98	219	226
White	330	–	–	–	–	1	4	10	27	83	141	64	526	–	–	–	–	–	2	7	24	76	205	212
All other	39	–	–	–	–	–	1	2	6	14	11	4	58	–	–	–	–	–	–	–	8	22	14	14
Black	38	–	–	–	–	–	1	2	6	13	11	4	56	–	–	–	–	–	–	–	8	20	14	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	15	-	-	-	-	-	2	2	-	3	4	4	17	-	-	-	-	-	-	-	2	6	5	4
White	13	-	-	-	-	-	2	1	-	3	4	3	16	-	-	-	-	-	-	-	2	6	4	4
All other	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,227	2	2	2	6	13	18	39	137	300	440	268	1,870	1	-	1	2	17	18	56	114	292	668	701
White	1,099	1	2	2	5	8	14	29	111	268	413	246	1,681	-	-	1	1	9	14	41	91	251	611	662
All other	128	1	-	-	1	5	4	10	26	32	27	22	189	1	-	-	1	8	4	15	23	41	57	39
Black	126	1	-	-	1	5	4	10	25	32	26	22	187	1	-	-	1	8	3	15	23	40	57	39
Atherosclerosis (440)	315	-	-	-	-	-	-	10	44	79	93	89	469	-	-	-	-	-	-	2	18	55	161	233
White	293	-	-	-	-	-	-	10	41	72	84	86	447	-	-	-	-	-	-	2	13	49	154	229
All other	22	-	-	-	-	-	-	-	3	7	9	3	22	-	-	-	-	-	-	-	5	6	7	4
Black	22	-	-	-	-	-	-	-	3	7	9	3	22	-	-	-	-	-	-	-	5	6	7	4
Other diseases of arteries, arterioles, and capillaries (441-448)	447	-	-	1	-	4	6	16	87	157	130	46	263	-	-	1	3	2	6	11	21	68	84	67
White	427	-	-	-	-	4	6	15	81	150	127	44	236	-	-	1	3	2	1	9	18	61	79	62
All other	20	-	-	1	-	-	-	1	6	7	3	2	27	-	-	-	-	-	5	2	3	7	5	5
Black	19	-	-	1	-	-	-	1	6	7	2	2	27	-	-	-	-	-	5	2	3	7	5	5
Acute bronchitis and bronchiolitis (466)	6	1	-	-	-	-	-	-	-	2	2	1	11	-	1	-	-	-	-	-	2	2	2	4
White	5	1	-	-	-	-	-	-	-	2	1	1	9	-	-	-	-	-	-	-	1	2	2	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	852	15	4	4	4	13	28	37	78	189	243	236	828	2	3	-	6	7	9	22	49	106	262	362
White	753	6	4	4	3	8	10	27	65	171	228	227	758	1	1	-	3	4	7	13	41	89	253	346
All other	99	9	-	-	1	5	18	10	13	18	15	9	70	1	2	-	3	3	2	9	8	17	9	16
Black	96	8	-	-	1	5	18	10	13	18	14	8	66	1	2	-	3	3	2	9	7	14	9	16
Pneumonia (480-486)	849	15	4	4	4	13	28	37	78	189	242	234	820	2	3	-	6	7	9	22	49	106	260	356
White	750	6	4	4	3	8	10	27	65	171	227	225	750	1	1	-	3	4	7	13	41	89	251	340
All other	99	9	-	-	1	5	18	10	13	18	15	9	70	1	2	-	3	3	2	9	8	17	9	16
Black	96	8	-	-	1	5	18	10	13	18	14	8	66	1	2	-	3	3	2	9	7	14	9	16
Influenza (487)	3	-	-	-	-	-	-	-	-	-	1	2	8	-	-	-	-	-	-	-	-	-	2	6
White	3	-	-	-	-	-	-	-	-	-	1	2	8	-	-	-	-	-	-	-	-	-	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,160	1	2	2	6	5	5	30	160	405	403	160	731	1	-	1	2	6	4	28	105	274	216	94
White	1,060	-	-	1	3	1	1	25	143	378	373	154	682	1	-	1	-	4	4	26	89	263	202	92
All other	100	1	2	1	3	4	4	5	17	27	30	6	49	-	-	-	2	2	-	2	16	11	14	2
Black	97	-	2	1	3	4	4	5	17	27	28	6	48	-	-	-	2	2	-	2	16	11	13	2
Bronchitis, chronic and unspecified (490-491)	73	1	-	-	-	-	-	-	6	28	22	16	49	-	-	1	-	-	-	1	5	18	12	12
White	65	-	-	-	-	-	-	-	5	24	20	16	47	-	-	1	-	-	-	1	4	18	11	12
All other	8	1	-	-	-	-	-	-	1	4	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	7	-	-	-	-	-	-	-	1	4	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	269	-	-	-	1	-	1	13	44	91	96	23	125	1	-	-	-	1	-	4	18	51	41	9
White	253	-	-	-	1	-	-	12	41	87	89	23	117	1	-	-	-	1	-	4	17	49	37	8
All other	16	-	-	-	-	-	1	1	3	4	7	-	8	-	-	-	-	-	-	-	1	2	4	1
Black	15	-	-	-	-	-	1	1	3	4	6	-	8	-	-	-	-	-	-	-	1	2	4	1
Asthma (493)	40	-	2	1	5	6	3	4	10	4	4	2	57	-	-	-	2	5	3	6	12	9	14	6
White	23	-	-	-	2	1	1	3	7	3	4	2	44	-	-	-	-	3	3	4	8	8	12	6
All other	17	-	2	1	3	4	2	1	3	1	-	-	13	-	-	-	2	2	-	2	4	1	2	-
Black	17	-	2	1	3	4	2	1	3	1	-	-	13	-	-	-	2	2	-	2	4	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	798	-	-	1	-	-	1	13	100	282	281	119	500	-	-	-	-	-	1	17	70	196	149	67
White	739	-	-	1	-	-	-	10	90	264	260	113	474	-	-	-	-	-	1	17	60	188	142	66
All other	59	-	-	-	-	-	1	3	10	18	21	6	26	-	-	-	-	-	-	-	10	8	7	1
Black	58	-	-	-	-	-	1	3	10	18	20	6	26	-	-	-	-	-	-	-	10	8	7	1
Ulcer of stomach and duodenum (531-533)	112	-	-	-	1	4	3	3	13	28	44	16	95	-	-	-	-	-	-	6	11	27	28	23
White	102	-	-	-	1	2	1	3	11	27	41	16	89	-	-	-	-	-	-	3	10	26	28	22
All other	10	-	-	-	-	2	2	-	2	1	3	-	6	-	-	-	-	-	-	3	1	1	-	1
Black	8	-	-	-	-	2	2	-	1	1	2	-	5	-	-	-	-	-	-	2	1	1	-	1
Appendicitis (540-543)	8	-	-	-	1	-	-	1	-	4	1	1	3	-	-	-	-	-	-	-	-	1	1	1
White	7	-	-	-	1	-	-	-	-	4	1	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	70	5	2	-	-	-	2	2	4	16	19	20	118	2	-	1	-	-	1	1	6	18	42	47
White	55	3	2	-	-	-	-	-	2	13	16	19	107	1	-	-	-	-	1	1	5	17	37	45
All other	15	2	-	-	-	-	2	2	2	3	3	1	11	1	-	1	-	-	-	-	1	1	5	2
Black	15	2	-	-	-	-	2	2	2	3	3	1	11	1	-	1	-	-	-	-	1	1	5	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Chronic liver disease and cirrhosis (571)	716	-	-	-	-	36	76	118	227	176	79	4	428	1	-	1	-	20	42	74	119	109	48	14
White	601	-	-	-	-	28	45	95	193	163	73	4	355	1	-	-	-	9	29	48	103	104	47	14
All other	115	-	-	-	-	8	31	23	34	13	6	-	73	-	-	1	-	11	13	26	16	5	1	-
Black	113	-	-	-	-	8	31	22	34	13	5	-	72	-	-	1	-	11	13	26	16	4	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	45	-	-	-	-	1	-	3	5	7	15	14	56	-	-	-	-	-	-	1	8	8	14	25
White	41	-	-	-	-	-	-	3	4	7	14	13	53	-	-	-	-	-	-	1	7	7	13	25
All other	4	-	-	-	-	1	-	-	1	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	4	-	-	-	-	1	-	-	1	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	388	3	-	-	1	6	12	19	42	100	138	67	389	4	-	-	1	6	11	14	43	81	132	97
White	313	3	-	-	1	1	10	13	32	77	117	59	312	3	-	-	1	4	5	9	26	65	114	85
All other	75	-	-	-	-	5	2	6	10	23	21	8	77	1	-	-	-	2	6	5	17	16	18	12
Black	73	-	-	-	-	5	2	5	10	22	21	8	76	1	-	-	-	2	6	5	16	16	18	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	1	-	2	1	2	1	6	1	-	-	-	-	-	-	-	-	3	2
White	7	-	-	-	-	-	1	-	2	1	2	1	6	1	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	35	-	-	-	1	1	4	1	2	6	16	4	38	-	-	-	1	1	2	2	6	6	11	9
White	29	-	-	-	1	-	4	1	2	6	13	2	29	-	-	-	1	-	2	1	2	6	9	8
All other	6	-	-	-	-	1	-	-	-	-	3	2	9	-	-	-	-	1	-	1	4	-	2	1
Black	6	-	-	-	-	1	-	-	-	-	3	2	8	-	-	-	-	1	-	1	3	-	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	348	3	-	-	-	5	7	18	38	93	120	62	345	3	-	-	-	5	9	12	37	75	118	86
White	277	3	-	-	-	1	5	12	28	70	102	56	277	2	-	-	-	4	3	8	24	59	102	75
All other	69	-	-	-	-	4	2	6	10	23	18	6	68	1	-	-	-	1	6	4	13	16	16	11
Black	67	-	-	-	-	4	2	5	10	22	18	6	68	1	-	-	-	1	6	4	13	16	16	11
Infections of kidney (590)	15	-	-	-	-	-	-	-	1	3	6	5	36	-	-	-	-	1	1	1	3	2	12	16
White	11	-	-	-	-	-	-	-	-	2	5	4	30	-	-	-	-	-	-	1	1	2	10	16
All other	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	1	1	-	2	-	2	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	1	1	-	2	-	2	-
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	1	2	6	6	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	1	2	6	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Congenital anomalies (740-759)	181	117	9	4	8	7	4	5	14	10	2	1	208	138	11	8	5	3	10	11	6	5	7	2
White	150	96	6	3	8	6	1	5	14	8	2	1	163	103	9	7	4	2	9	9	6	5	7	2
All other	31	21	3	1	-	1	3	-	-	2	-	-	43	35	2	1	1	1	1	2	-	-	-	-
Black	27	18	3	1	-	1	2	-	-	2	-	-	40	32	2	1	1	1	1	2	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	332	331	1	-	-	-	-	-	-	-	-	-	246	242	2	1	1	-	-	-	-	-	-	-
White	210	210	-	-	-	-	-	-	-	-	-	-	150	147	1	1	1	-	-	-	-	-	-	-
All other	122	121	1	-	-	-	-	-	-	-	-	-	96	95	1	-	-	-	-	-	-	-	-	-
Black	115	114	1	-	-	-	-	-	-	-	-	-	90	89	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	113	112	1	-	-	-	-	-	-	-	-	-	77	75	1	-	1	-	-	-	-	-	-	-
White	73	73	-	-	-	-	-	-	-	-	-	-	45	43	1	-	1	-	-	-	-	-	-	-
All other	40	39	1	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	38	37	1	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	219	219	-	-	-	-	-	-	-	-	-	-	169	167	1	1	-	-	-	-	-	-	-	-
White	137	137	-	-	-	-	-	-	-	-	-	-	105	104	-	1	-	-	-	-	-	-	-	-
All other	82	82	-	-	-	-	-	-	-	-	-	-	64	63	1	-	-	-	-	-	-	-	-	-
Black	77	77	-	-	-	-	-	-	-	-	-	-	61	60	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	254	72	3	2	28	44	30	14	16	17	18	9	209	59	4	3	11	18	14	12	15	17	22	34
White	183	39	2	2	23	35	20	10	12	15	16	8	148	26	1	1	7	12	13	9	12	15	19	33
All other	71	33	1	-	5	9	10	4	4	2	2	1	61	33	3	2	4	6	1	3	3	2	3	1
Black	70	32	1	-	5	9	10	4	4	2	2	1	60	32	3	2	4	6	1	3	3	2	3	1
All other diseases (Residual)	2,125	21	10	13	65	119	109	161	324	506	526	277	2,214	23	6	16	24	54	70	122	252	422	614	611
White	1,773	14	6	8	49	68	61	101	261	454	482	268	1,858	14	5	13	18	31	47	81	223	381	569	576
All other	352	7	4	5	6	51	48	60	63	52	46	9	256	9	1	3	6	23	23	41	29	41	45	35
Black	346	7	4	4	6	50	48	60	62	51	44	9	248	8	-	3	6	23	22	39	27	41	45	34
Accidents and adverse effects (E800-E949)	1,462	7	37	71	368	289	144	122	136	121	106	77	748	11	21	34	106	68	61	48	76	81	142	97
White	1,218	4	22	50	316	245	113	89	105	106	97	71	638	9	14	16	91	54	46	39	67	73	135	92
All other	264	3	15	21	52	44	31	33	31	15	9	6	110	2	7	18	15	14	15	9	9	8	7	5
Black	254	3	15	20	48	42	30	32	31	15	8	6	104	2	6	18	14	12	15	9	9	8	6	4
Motor vehicle accidents (E810-E825)	696	2	12	34	256	139	67	49	57	44	25	10	308	2	4	20	79	44	30	28	33	27	36	5
White	603	1	10	22	230	126	56	33	49	43	24	9	275	2	3	12	72	38	28	24	31	27	33	5
All other	93	1	2	12	26	13	11	16	8	1	1	1	33	-	1	8	7	6	2	4	2	-	3	-
Black	89	1	2	11	24	13	11	15	8	1	1	1	30	-	1	8	6	5	2	4	2	-	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	766	5	25	37	112	150	77	73	79	77	81	67	438	9	17	14	27	24	31	20	43	54	106	92
White	615	3	12	28	86	119	57	56	56	63	73	62	361	7	11	4	19	16	18	15	36	46	102	87
All other	171	2	13	9	26	31	20	17	23	14	8	5	77	2	6	10	8	8	13	5	7	8	4	5
Black	165	2	13	9	24	29	19	17	23	14	7	5	74	2	5	10	8	7	13	5	7	8	4	4
Suicide (E950-E959)	433	...	...	3	82	105	61	44	54	48	28	8	131	...	...	-	13	21	25	24	19	15	12	2
White	386	...	...	2	68	93	54	39	50	45	28	7	122	...	...	-	11	19	22	22	19	15	12	2
All other	47	...	...	1	14	12	7	5	4	3	-	1	9	...	...	-	2	2	3	2	-	-	-	-
Black	45	...	...	1	12	12	7	5	4	3	-	1	7	...	...	-	2	2	1	2	-	-	-	-
Homicide and legal intervention (E960-E978)	328	2	6	5	72	107	53	47	17	11	5	-	107	2	4	2	30	30	13	5	5	7	6	3
White	174	1	4	1	31	62	30	28	4	7	5	-	67	2	2	1	21	21	4	1	2	6	4	3
All other	154	1	2	4	41	45	23	19	13	4	-	-	40	-	2	1	9	9	9	4	3	1	2	-
Black	153	1	2	4	41	44	23	19	13	4	-	-	40	-	2	1	9	9	9	4	3	1	2	-
All other external causes (E980-E999)	36	-	-	-	7	10	9	3	2	3	-	1	20	-	-	-	2	7	2	3	2	3	-	1
White	26	-	-	-	6	6	5	3	1	3	-	1	15	-	-	-	1	6	2	1	1	3	-	1
All other	10	-	-	-	1	4	4	-	1	-	-	-	5	-	-	-	1	1	-	2	1	-	-	-
Black	8	-	-	-	1	3	4	-	-	-	-	-	4	-	-	-	1	1	-	2	-	-	-	-
NEW MEXICO																								
All causes	5,260	166	45	45	284	286	244	401	757	1,255	1,187	607	3,825	111	29	27	72	102	127	239	475	774	1,040	927
White	4,768	137	31	39	218	232	192	353	699	1,188	1,117	580	3,856	88	24	26	62	86	110	211	441	738	987	881
All other	492	29	14	6	66	54	52	48	58	67	70	27	269	23	5	1	10	16	17	28	34	36	53	46
Black	96	8	1	-	3	5	5	11	18	21	19	5	46	1	-	-	1	1	1	3	9	7	15	8
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	1	-	1	4	-	1	1	5	-	-	-	-	-	-	1	-	-	2	2
White	6	-	-	-	-	1	-	-	3	-	1	1	3	-	-	-	-	-	-	1	-	-	-	2
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	1	-	1	4	-	1	1	4	-	-	-	-	-	-	1	-	-	1	2
White	6	-	-	-	-	1	-	-	3	-	1	1	3	-	-	-	-	-	-	1	-	-	-	2
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	17	-	-	-	1	-	-	2	3	3	6	2	16	-	3	-	-	-	1	1	3	1	2	5
White	15	-	-	-	1	-	-	1	3	3	5	2	13	-	2	-	-	-	-	1	3	1	2	4
All other	2	-	-	-	-	-	-	1	-	-	1	-	3	-	1	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	2	1	-	-	1	-	-	1	-	-	3	-	-	-	1	-	-	-	1	1	-	-
White	3	-	-	1	-	-	1	-	-	1	-	-	3	-	-	-	1	-	-	-	1	1	-	-
All other	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	17	1	-	1	1	-	1	2	2	3	3	3	13	-	-	-	1	-	1	-	2	1	5	3
White	14	-	-	1	-	-	1	2	1	3	3	3	12	-	-	-	1	-	1	-	2	1	4	3
All other	3	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	974	-	2	4	7	16	23	94	193	320	239	76	881	4	2	5	6	21	37	98	182	280	173	71
White	919	-	2	4	5	14	22	89	183	302	228	70	842	4	2	5	5	17	35	88	175	269	170	70
All other	55	-	-	-	2	2	1	5	10	18	11	6	39	-	-	-	1	4	2	10	7	11	3	1
Black	23	-	-	-	-	-	1	2	7	8	4	3	6	-	-	-	-	-	-	2	2	2	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	-	-	-	-	-	-	1	5	6	2	1	14	-	-	-	-	-	1	1	2	9	-	1
White	15	-	-	-	-	-	-	1	5	6	2	1	14	-	-	-	-	-	1	1	2	9	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	258	-	-	-	-	2	7	30	40	95	69	15	226	-	-	-	1	3	6	20	37	71	60	28
White	232	-	-	-	-	1	6	28	36	86	63	12	217	-	-	-	1	2	5	17	36	69	59	28
All other	26	-	-	-	-	1	1	2	4	9	6	3	9	-	-	-	-	1	1	3	1	2	1	-
Black	11	-	-	-	-	-	1	1	2	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	284	-	-	-	-	1	2	25	75	116	55	10	144	-	-	-	-	-	6	8	43	50	35	2
White	275	-	-	-	-	-	2	23	71	115	54	10	141	-	-	-	-	-	6	6	43	49	35	2
All other	9	-	-	-	-	1	-	2	4	1	1	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	6	-	-	-	-	-	-	1	3	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	152	-	-	-	-	9	10	28	32	50	12	11
White	-	-	-	-	-	-	-	-	-	-	-	-	144	-	-	-	-	6	10	26	31	48	12	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	3	-	2	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	117	-	-	-	1	2	-	-	13	27	43	31	113	-	-	-	-	3	6	19	25	33	20	6
White	109	-	-	-	1	2	-	-	12	25	41	28	108	-	-	-	-	3	5	18	24	31	20	6
All other	8	-	-	-	-	-	-	-	1	2	2	3	5	-	-	-	-	-	1	1	1	2	-	-
Black	4	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	48	-	-	-	-	-	-	7	10	10	15	6	27	-	-	-	-	-	-	3	8	9	4	3
White	48	-	-	-	-	-	-	7	10	10	15	6	25	-	-	-	-	-	-	2	7	9	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	157	-	1	-	3	5	9	18	37	42	32	10	124	-	1	3	3	1	5	14	25	33	30	8
White	151	-	1	-	2	5	9	18	36	39	31	10	118	-	1	3	2	1	5	14	23	31	29	8
All other	6	-	-	-	1	-	-	-	1	3	1	-	6	-	-	-	1	-	-	-	2	2	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Leukemia (204-208)	43	-	1	3	2	2	2	3	7	11	10	2	38	4	1	2	1	4	-	2	6	5	4	9
White	39	-	1	3	1	2	2	2	7	9	10	2	35	4	1	2	1	4	-	1	5	5	4	8
All other	4	-	-	-	1	-	-	1	-	2	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	52	-	-	1	1	4	3	10	6	13	13	1	43	-	-	-	1	1	3	3	4	20	8	3
White	50	-	-	1	1	4	3	10	6	12	12	1	40	-	-	-	1	1	3	3	4	18	7	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	-	-	-	-	-	1	1	4	7	1	2	19	1	-	-	-	-	1	2	5	1	8	1
White	14	-	-	-	-	-	1	1	4	5	1	2	17	1	-	-	-	-	1	1	4	1	8	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	96	-	-	-	1	4	2	8	17	32	25	7	120	-	-	-	1	1	1	6	26	33	35	17
White	92	-	-	-	1	3	2	8	16	30	25	7	105	-	-	-	1	1	1	6	21	28	31	16
All other	4	-	-	-	-	1	-	-	1	2	-	-	15	-	-	-	-	-	-	-	5	5	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Nutritional deficiencies (260-269)	12	1	-	-	-	-	-	-	-	2	4	5	11	-	-	-	-	-	-	-	-	2	2	7
White	11	-	-	-	-	-	-	-	-	2	4	5	8	-	-	-	-	-	-	-	-	1	2	5
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	-	-	1	2	8	-	-	-	-	-	-	1	-	2	1	4
White	2	-	-	-	-	-	-	-	-	-	-	2	7	-	-	-	-	-	-	1	-	1	1	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	3	-	-	-	-	1	-	1	1	-	-	12	6	1	-	-	1	-	1	-	1	1	1
White	4	2	-	-	-	-	1	-	-	1	-	-	10	5	1	-	-	1	-	-	-	1	1	1
All other	2	1	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,838	3	3	1	10	26	40	107	292	509	541	306	1,572	1	1	2	5	6	16	46	119	269	551	553
White	1,752	2	3	1	9	24	31	98	276	496	518	294	1,502	1	-	2	5	8	12	44	109	258	530	533
All other	86	1	-	-	1	2	9	9	16	13	23	12	70	-	1	-	-	-	6	2	10	10	21	20
Black	30	-	-	-	1	1	2	4	6	4	10	2	26	-	-	-	-	-	1	-	4	4	11	6
Diseases of heart (390-398,402,404-429)	1,470	3	2	1	9	21	37	94	259	430	391	223	1,116	1	1	2	4	7	11	27	95	199	394	377
White	1,400	2	2	1	8	19	29	87	247	419	372	214	1,070	1	-	2	4	7	8	27	87	191	378	365
All other	70	1	-	-	1	2	8	7	12	11	19	9	46	-	1	-	-	-	3	-	8	8	16	12
Black	26	-	-	-	1	1	2	3	5	4	6	2	15	-	-	-	-	-	-	-	3	2	6	4
Rheumatic fever and rheumatic heart disease (390-398)	16	-	-	1	-	1	1	-	5	7	1	-	33	-	-	-	1	1	3	2	9	6	8	3
White	13	-	-	1	-	-	1	-	5	5	1	-	29	-	-	-	1	1	2	2	6	6	8	3
All other	3	-	-	-	-	1	-	-	-	2	-	-	4	-	-	-	-	-	1	-	3	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	21	-	1	-	-	-	1	4	6	2	3	4	32	-	-	-	-	-	-	-	3	10	12	7
White	19	-	1	-	-	-	-	4	5	2	3	4	31	-	-	-	-	-	-	-	2	10	12	7
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	1	-	-	2	-
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	1	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	883	-	-	-	1	5	16	48	155	269	257	132	650	-	-	-	-	1	4	15	47	119	236	228
White	864	-	-	-	1	5	15	47	151	265	250	130	632	-	-	-	-	1	3	15	44	117	227	225
All other	19	-	-	-	-	-	1	1	4	4	7	2	18	-	-	-	-	-	1	-	3	2	9	3
Black	10	-	-	-	-	-	-	1	2	2	3	2	10	-	-	-	-	-	-	-	3	1	4	2
Acute myocardial infarction (410)	503	-	-	-	-	4	10	32	104	163	133	57	322	-	-	-	-	1	2	10	30	73	126	80
White	489	-	-	-	-	4	10	31	100	159	128	57	310	-	-	-	-	1	1	10	27	72	120	79
All other	14	-	-	-	-	-	-	1	4	4	5	-	12	-	-	-	-	-	1	-	3	1	6	1
Black	8	-	-	-	-	-	-	1	2	2	3	-	7	-	-	-	-	-	-	-	3	-	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	376	-	-	-	1	1	6	16	50	106	121	75	328	-	-	-	-	-	2	5	17	45	110	147
White	371	-	-	-	1	1	5	16	50	106	119	73	320	-	-	-	-	-	2	5	17	44	107	145
All other	5	-	-	-	-	-	1	-	-	-	2	2	6	-	-	-	-	-	-	-	-	1	3	2
Black	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	1	1	1
Other diseases of endocardium (424)	24	-	-	-	-	1	-	2	5	7	6	3	19	-	-	-	-	-	-	-	1	7	9	2
White	23	-	-	-	-	1	-	1	5	7	6	3	19	-	-	-	-	-	-	-	1	7	9	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	524	3	1	-	8	14	19	40	88	144	123	84	381	1	1	2	3	5	4	9	35	57	127	137
White	479	2	1	-	7	13	13	35	81	139	111	77	356	1	-	2	3	5	3	9	34	51	120	128
All other	45	1	-	-	1	1	6	5	7	5	12	7	25	-	1	-	-	-	1	-	1	6	7	9
Black	14	-	-	-	1	1	1	2	2	2	5	-	5	-	-	-	-	-	-	-	-	1	2	2
Hypertension with or without renal disease (401,403)	25	-	-	-	-	-	-	2	4	4	10	5	24	-	-	-	-	-	-	3	1	3	12	5
White	24	-	-	-	-	-	-	2	4	4	9	5	23	-	-	-	-	-	-	2	1	3	12	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	239	-	1	-	1	4	2	9	20	46	102	54	337	-	-	-	1	1	7	16	19	51	113	129
White	226	-	1	-	1	4	1	8	16	44	100	51	317	-	-	-	1	1	4	15	17	49	108	122
All other	13	-	-	-	-	-	1	1	4	2	2	3	20	-	-	-	-	-	3	1	2	2	5	7
Black	2	-	-	-	-	-	-	-	1	-	1	-	11	-	-	-	-	-	1	-	1	2	5	2
Intracerebral and other intracranial hemorrhage (431-432)	35	-	1	-	1	3	2	3	6	8	10	1	32	-	-	-	1	1	4	3	4	3	8	8
White	32	-	1	-	1	3	1	3	4	8	10	1	28	-	-	-	1	1	1	3	3	3	8	8
All other	3	-	-	-	-	-	1	-	2	-	-	-	4	-	-	-	-	-	3	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	-	-	-	-	-	-	-	1	1	11	3	34	-	-	-	-	-	1	-	2	7	11	13
White	16	-	-	-	-	-	-	-	1	1	11	3	30	-	-	-	-	-	1	-	2	6	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,439,435-438)	188	-	-	-	-	1	-	6	13	37	81	50	269	-	-	-	-	-	2	13	12	41	93	108
White	178	-	-	-	-	1	-	5	11	35	79	47	257	-	-	-	-	-	2	12	11	40	89	103
All other	10	-	-	-	-	-	-	1	2	2	2	3	12	-	-	-	-	-	-	1	1	1	4	5
Black	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	1	1	4	1
Atherosclerosis (440)	45	-	-	-	-	-	-	1	1	7	20	16	60	-	-	-	-	-	-	-	-	6	24	30
White	45	-	-	-	-	-	-	1	1	7	20	16	59	-	-	-	-	-	-	-	-	6	24	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	59	-	-	-	-	1	1	1	8	22	18	8	33	-	-	-	-	-	-	-	4	9	8	12
White	57	-	-	-	-	1	1	-	8	22	17	8	33	-	-	-	-	-	-	-	4	9	8	12
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	-	-	1
White	2	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	148	5	2	1	-	-	2	10	8	28	40	52	131	5	1	-	1	1	1	1	5	18	34	64
White	130	5	1	-	-	-	-	8	5	26	35	50	115	3	1	-	1	-	1	-	5	16	30	58
All other	18	-	1	1	-	-	2	2	3	2	5	2	16	2	-	-	-	1	-	1	-	2	4	6
Black	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	148	5	2	1	-	-	2	10	8	28	40	52	127	5	1	-	1	1	1	1	5	18	33	61
White	130	5	1	-	-	-	-	8	5	26	35	50	111	3	1	-	1	-	1	-	5	16	29	55
All other	18	-	1	1	-	-	2	2	3	2	5	2	16	2	-	-	-	1	-	1	-	2	4	6
Black	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	246	2	-	-	-	-	2	6	30	92	94	19	152	-	-	-	1	-	2	8	26	46	43	26
White	237	1	-	-	-	-	1	5	30	89	91	19	149	-	-	-	1	-	1	8	26	45	42	26
All other	9	1	-	-	-	-	1	1	-	3	3	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	5	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	11	1	-	-	-	-	-	-	-	3	6	1	9	-	-	-	-	-	-	-	6	-	1	2
White	9	-	-	-	-	-	-	-	-	3	5	1	9	-	-	-	-	-	-	-	6	-	1	2
All other	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	64	-	-	-	-	-	-	1	7	34	20	2	24	-	-	-	-	-	1	2	4	9	8	-
White	63	-	-	-	-	-	-	1	7	33	20	2	24	-	-	-	-	-	1	2	4	9	8	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	10	1	-	-	-	-	2	1	-	2	3	1	19	-	-	-	1	-	1	3	4	5	3	2
White	9	1	-	-	-	-	1	1	-	2	3	1	18	-	-	-	1	-	-	3	4	5	3	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	161	-	-	-	-	-	-	4	23	53	65	15	100	-	-	-	-	-	-	3	12	32	31	22
White	158	-	-	-	-	-	-	3	23	51	63	15	98	-	-	-	-	-	-	3	12	31	30	22
All other	5	-	-	-	-	-	-	1	-	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	16	-	1	-	-	-	1	1	1	9	1	2	16	1	-	-	-	-	1	1	-	5	6	2
White	14	-	-	-	-	-	1	1	1	8	1	2	16	1	-	-	-	-	1	1	-	5	6	2
All other	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	4	-	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	1	-	-	-	-	-	-	-	1	7	1	16	-	-	-	-	-	-	-	-	4	6	6
White	9	1	-	-	-	-	-	-	-	1	6	1	16	-	-	-	-	-	-	-	-	4	6	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	136	-	-	-	-	9	20	34	42	21	10	-	54	-	-	-	-	4	5	13	15	15	1	1
White	109	-	-	-	-	4	14	25	38	19	9	-	47	-	-	-	-	3	2	11	14	15	1	1
All other	27	-	-	-	-	5	6	9	4	2	1	-	7	-	-	-	-	1	3	2	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	19	-	-	-	-	-	-	-	4	7	4	4	12	-	-	-	-	1	1	-	1	1	4	4
White	15	-	-	-	-	-	-	-	2	5	4	4	11	-	-	-	-	1	1	-	1	1	3	4
All other	4	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	1	-	-	-	1	-	3	4	12	10	9	31	-	-	-	-	-	1	1	3	3	11	12
White	37	1	-	-	-	1	-	3	3	11	9	9	25	-	-	-	-	-	-	-	2	2	9	12
All other	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	-	1	1	1	1	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	2	1	1	5	-	-	-	-	-	1	-	1	-	-	3
White	4	-	-	-	-	-	-	-	-	2	1	1	4	-	-	-	-	-	-	-	1	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	1	-	-	-	1	-	3	4	8	9	8	25	-	-	-	-	-	-	1	1	3	11	9
White	31	1	-	-	-	1	-	3	3	7	8	8	21	-	-	-	-	-	-	-	1	2	9	9
All other	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	2	-	2	---	---	---	---	---	---	---	---	---	---	---	---
White	3	-	-	-	-	-	-	-	-	2	-	1	---	---	---	---	---	---	---	---	---	---	---	---
All other	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	2	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	1	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	1	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Congenital anomalies (740-759)	51	33	4	2	5	1	1	-	2	2	1	-	48	33	4	-	2	2	2	1	2	1	-	1
White	45	29	3	2	5	1	1	-	2	2	-	-	42	28	4	-	2	1	2	1	2	1	-	1
All other	6	4	1	-	-	-	-	-	-	-	1	-	6	5	-	-	-	1	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	66	66	-	-	-	-	-	-	-	-	-	-	39	38	1	-	-	-	-	-	-	-	-	-
White	55	55	-	-	-	-	-	-	-	-	-	-	29	28	1	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	25	25	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	41	41	-	-	-	-	-	-	-	-	-	-	31	30	1	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	179	34	1	-	1	4	2	8	22	34	45	28	114	12	2	-	-	1	1	6	14	16	25	37
White	149	28	1	-	1	3	2	8	17	27	34	28	96	10	2	-	-	1	1	5	14	14	20	29
All other	30	6	-	-	-	1	-	-	5	7	11	-	18	2	-	-	-	-	-	1	-	2	5	8
Black	5	2	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	429	8	4	3	9	28	24	35	50	91	114	63	369	6	5	5	6	9	13	30	52	52	102	89
White	385	5	3	2	9	23	18	30	45	84	108	58	342	4	5	5	6	9	13	24	47	51	96	82
All other	44	3	1	1	-	5	6	5	5	7	6	5	27	2	-	-	-	-	-	6	5	1	6	7
Black	5	-	-	-	-	-	-	2	-	3	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Accidents and adverse effects (E800-E949)	613	5	24	26	162	119	76	54	53	49	26	17	195	3	9	13	29	33	25	15	11	18	22	17
White	482	5	17	24	114	94	57	44	47	42	21	16	171	3	6	12	26	28	23	12	7	17	20	17
All other	131	-	7	2	48	25	19	10	6	7	5	1	24	-	3	1	3	5	2	3	4	1	2	-
Black	10	-	1	-	1	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	370	1	9	20	122	86	48	32	24	17	8	2	118	2	5	9	23	29	20	12	6	9	3	1
White	288	1	5	19	85	66	39	26	23	15	6	2	100	2	3	8	20	24	18	10	3	8	3	1
All other	82	-	4	1	37	20	9	6	1	2	2	-	18	-	2	1	3	5	2	2	3	1	-	-
Black	6	-	1	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	243	4	15	6	40	33	28	22	29	32	18	15	76	1	4	4	6	4	5	3	5	9	19	16
White	194	4	12	5	29	28	18	18	24	27	15	14	71	1	3	4	6	4	5	2	4	9	17	16
All other	49	-	3	1	11	5	10	4	5	5	3	1	5	-	1	-	-	-	-	1	1	-	2	-
Black	4	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	201	...	...	3	52	45	24	23	20	20	10	4	47	...	...	2	10	12	8	4	5	3	2	1
White	178	...	...	2	47	35	20	21	19	20	10	4	43	...	...	2	8	10	8	4	5	3	2	1
All other	23	...	...	1	5	10	4	2	1	-	-	-	4	...	...	-	2	2	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	85	-	2	1	26	29	13	5	4	4	1	-	20	1	-	-	6	4	5	1	1	-	1	1
White	73	-	1	1	19	26	13	5	3	4	1	-	13	-	-	-	2	3	4	1	1	-	1	1
All other	12	-	1	-	7	3	-	-	1	-	-	-	7	1	-	-	4	1	1	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	31	1	-	-	9	3	10	5	1	-	1	1	12	-	-	-	1	3	3	1	1	2	1	-
White	23	1	-	-	7	3	6	3	1	-	1	1	10	-	-	-	1	2	3	1	1	2	-	-
All other	8	-	-	-	2	-	4	2	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
NEW YORK																								
All causes	86,537	1,602	282	375	1,963	2,962	3,462	6,337	14,449	21,668	21,794	11,623	83,348	1,270	209	245	670	1,226	1,875	3,967	9,487	16,880	24,561	22,945
White	74,723	1,030	191	290	1,450	2,036	2,390	4,794	12,109	19,274	20,120	11,014	73,339	827	149	182	490	813	1,274	2,935	7,632	14,663	22,582	21,761
All other	11,814	572	91	85	513	926	1,072	1,543	2,340	2,394	1,665	609	10,009	443	60	63	180	413	601	1,032	1,855	2,217	1,979	1,164
Black	10,969	551	85	74	480	885	1,024	1,450	2,220	2,190	1,481	525	9,499	417	55	56	169	401	567	977	1,779	2,121	1,875	1,080
Shigellosis and amoebiasis (004,006)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	11	9	-	1	-	-	-	1	-	-	-	-	11	4	-	-	-	1	-	-	1	1	2	2
White	5	3	-	1	-	-	-	1	-	-	-	-	9	3	-	-	-	1	-	-	1	1	1	2
All other	6	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-018)	137	-	-	-	-	17	17	26	29	20	21	7	70	-	-	-	2	7	9	10	5	19	10	8
White	74	-	-	-	-	6	2	11	17	12	19	7	40	-	-	-	-	2	4	4	2	13	8	7
All other	63	-	-	-	-	11	15	15	12	8	2	-	30	-	-	-	2	5	5	6	3	6	2	1
Black	60	-	-	-	-	11	14	15	11	7	2	-	28	-	-	-	2	5	5	6	3	6	1	-
Tuberculosis of respiratory system (010-012)	110	-	-	-	-	9	12	21	25	18	19	6	52	-	-	-	1	5	4	7	4	15	9	7
White	64	-	-	-	-	4	1	8	17	11	17	6	29	-	-	-	-	1	2	2	1	10	7	6
All other	46	-	-	-	-	5	11	13	8	7	2	-	23	-	-	-	1	4	2	5	3	5	2	1
Black	44	-	-	-	-	5	11	13	7	6	2	-	21	-	-	-	1	4	2	5	3	5	1	-
Other tuberculosis (013-018)	27	-	-	-	-	8	5	5	4	2	2	1	18	-	-	-	1	2	5	3	1	4	1	1
White	10	-	-	-	-	2	1	3	-	1	2	1	11	-	-	-	-	1	2	2	1	3	1	1
All other	17	-	-	-	-	6	4	2	4	1	-	-	7	-	-	-	1	1	3	1	-	1	-	-
Black	16	-	-	-	-	6	3	2	4	1	-	-	7	-	-	-	1	1	3	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	16	1	4	3	-	2	1	1	3	1	-	-	19	2	4	1	1	2	2	1	2	2	2	-
White	14	1	4	2	-	2	-	1	3	1	-	-	13	1	3	1	1	1	-	1	1	2	2	-
All other	2	-	-	1	-	-	1	-	-	-	-	-	6	1	1	-	-	1	2	-	1	-	-	-
Black	2	-	-	1	-	-	1	-	-	-	-	-	6	1	1	-	-	1	2	-	1	-	-	-
Septicemia (038)	445	9	1	1	3	11	18	16	62	110	131	83	521	6	2	1	3	8	11	18	60	94	162	156
White	374	3	1	1	3	3	10	15	49	95	114	81	447	5	1	1	2	5	6	12	49	78	148	141
All other	71	6	-	-	-	8	8	1	14	15	17	2	74	1	1	-	1	3	5	6	12	16	14	15
Black	70	6	-	-	-	8	8	1	14	15	16	2	73	1	1	-	1	3	5	6	12	15	14	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	40	2	-	-	4	7	5	3	8	6	4	1	30	1	-	-	1	4	3	5	4	6	3	3
White	39	2	-	-	3	4	4	2	7	6	4	1	22	1	-	-	1	4	1	4	1	4	3	3
All other	7	-	-	-	1	3	1	1	1	-	-	-	8	-	-	-	-	-	2	1	3	2	-	-
Black	6	-	-	-	-	3	1	1	1	-	-	-	6	-	-	-	-	-	2	1	2	1	-	-
Syphilis (090-097)	4	1	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	1	1	-	1	-
White	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	347	12	-	2	9	73	92	40	37	38	33	11	174	2	2	1	5	21	14	22	29	34	26	18
White	253	9	-	1	7	49	59	27	29	34	30	8	126	2	2	-	1	9	7	11	24	29	24	17
All other	94	3	-	1	2	24	33	13	8	4	3	3	48	-	-	1	4	12	7	11	5	5	2	1
Black	85	2	-	-	2	24	32	12	5	3	3	2	46	-	-	1	4	12	7	10	5	5	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,128	3	38	48	95	222	511	1,626	4,270	6,022	4,692	1,599	18,181	5	17	46	54	211	653	1,660	3,950	5,231	4,468	1,986
White	16,594	2	30	41	74	175	398	1,244	3,532	5,321	4,268	1,507	16,066	3	13	39	50	177	507	1,341	3,269	4,643	4,124	1,900
All other	2,534	1	8	7	21	47	113	382	738	701	424	92	2,115	2	4	7	4	34	146	319	581	588	344	86
Black	2,335	1	7	5	17	41	105	351	698	643	382	85	1,991	1	3	6	3	33	126	296	552	565	322	84
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	544	-	-	-	3	7	27	79	171	164	75	18	235	-	-	-	1	1	12	27	72	59	44	19
White	422	-	-	-	-	2	15	52	135	142	59	17	191	-	-	-	-	-	5	14	63	50	41	18
All other	122	-	-	-	3	5	12	27	36	22	16	1	44	-	-	-	1	1	7	13	9	9	3	1
Black	105	-	-	-	1	4	10	24	32	20	13	1	38	-	-	-	-	1	4	12	9	9	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,597	1	1	2	3	37	128	447	1,266	1,756	1,446	509	5,173	2	-	-	1	20	88	268	845	1,460	1,635	834
White	4,822	1	1	1	2	28	96	342	1,019	1,520	1,328	483	4,559	1	-	-	1	16	62	211	692	1,283	1,489	804
All other	775	-	-	1	1	9	32	105	247	236	118	26	614	1	-	-	-	4	26	57	153	197	146	30
Black	684	-	-	-	-	8	28	89	232	201	101	25	581	-	-	-	-	4	21	54	145	190	138	29
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,189	-	-	1	6	17	135	632	1,620	2,145	1,340	303	3,116	-	-	1	-	11	88	336	849	1,085	567	179
White	5,346	-	-	1	6	9	95	466	1,343	1,907	1,232	287	2,784	-	-	1	-	11	68	273	745	984	534	168
All other	853	-	-	-	-	8	40	166	277	238	108	16	332	-	-	-	-	-	20	63	104	101	33	11
Black	807	-	-	-	-	8	40	160	265	223	96	15	308	-	-	-	-	-	18	56	99	95	30	10
Malignant neoplasm of breast (174-175)	33	-	-	-	-	-	1	1	5	11	9	6	3,585	-	-	-	1	56	218	510	894	891	669	346
White	29	-	-	-	-	-	1	-	5	10	8	5	3,201	-	-	-	1	48	177	426	767	826	625	331
All other	4	-	-	-	-	-	-	1	-	1	1	1	384	-	-	-	-	8	41	84	127	65	44	15
Black	3	-	-	-	-	-	-	1	-	1	1	-	368	-	-	-	-	8	38	78	124	63	42	15
Malignant neoplasms of genital organs (179-187)	2,038	-	-	-	9	12	10	35	200	614	804	354	2,000	-	-	2	6	30	86	214	478	610	427	149
White	1,728	-	-	-	7	9	9	23	157	512	689	322	1,723	-	-	2	5	22	63	169	404	527	390	141
All other	310	-	-	-	2	3	1	12	43	102	115	32	277	-	-	-	1	8	23	45	72	83	37	8
Black	301	-	-	-	2	2	1	11	42	100	112	31	263	-	-	-	1	8	20	43	66	82	35	8
Malignant neoplasms of urinary organs (188-189)	1,034	1	4	1	-	4	8	62	189	336	300	129	556	-	-	1	3	4	7	31	84	152	169	85
White	962	-	4	1	-	3	7	51	170	316	284	126	497	-	-	1	2	4	6	25	72	133	173	81
All other	72	1	-	-	-	1	1	11	19	20	16	3	59	-	-	-	1	-	1	6	12	19	16	4
Black	64	1	-	-	-	-	1	10	18	18	14	2	56	-	-	-	1	-	1	6	9	19	16	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,017	-	17	17	28	61	105	213	494	559	373	149	1,920	2	8	21	17	49	88	160	386	522	476	191
White	1,774	-	12	14	22	54	89	174	414	507	343	144	1,684	2	7	17	17	42	73	129	315	455	445	182
All other	243	-	5	3	6	7	16	39	80	52	30	5	236	-	1	4	-	7	15	31	71	67	31	9
Black	227	-	4	3	6	6	15	37	75	50	27	4	222	-	1	3	-	6	15	28	69	61	30	9
Leukemia (204-208)	681	1	14	24	24	31	34	62	105	165	146	75	645	1	7	20	16	21	32	43	85	153	170	97
White	623	1	11	21	21	27	29	53	94	157	138	71	585	-	4	18	16	17	25	38	74	138	161	94
All other	58	-	3	3	3	4	5	9	11	8	8	4	60	1	3	2	-	4	7	5	11	15	9	3
Black	53	-	3	2	3	4	4	8	11	8	7	3	52	1	2	2	-	4	4	5	10	15	6	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	985	-	2	3	22	53	63	95	220	272	199	56	951	-	2	1	9	19	34	71	159	279	291	86
White	888	-	2	3	16	43	57	83	195	250	187	52	842	-	2	-	8	17	28	56	137	247	266	81
All other	97	-	-	-	6	10	6	12	25	22	12	4	109	-	-	1	1	2	6	15	22	32	25	5
Black	91	-	-	-	5	9	6	11	23	22	11	4	103	-	-	1	1	2	5	14	21	31	23	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	263	1	1	4	7	11	19	24	46	68	58	24	342	2	4	3	4	9	13	27	44	79	100	57
White	233	1	1	4	6	7	15	19	43	61	53	23	294	1	4	3	3	6	10	18	36	69	91	53
All other	30	-	-	-	1	4	4	5	3	7	5	1	48	1	-	-	1	3	3	9	8	10	9	4
Black	26	-	-	-	1	4	4	5	2	7	3	-	44	1	-	-	1	3	3	8	7	10	8	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,262	-	-	1	6	18	46	90	267	382	349	103	1,775	-	-	2	9	15	35	72	276	431	593	342
White	1,035	-	-	-	4	13	29	53	202	333	306	95	1,435	-	-	1	6	9	21	37	201	348	499	313
All other	227	-	-	1	2	5	17	37	65	49	43	8	340	-	-	1	3	6	14	35	75	83	94	29
Black	217	-	-	1	2	5	17	37	62	47	38	8	327	-	-	1	3	6	14	35	72	82	87	27
Nutritional deficiencies (260-269)	49	-	-	-	-	1	-	1	2	10	19	16	57	3	-	1	-	-	1	2	2	5	21	22
White	42	-	-	-	-	-	-	1	1	10	17	13	54	2	-	1	-	-	1	2	2	5	19	22
All other	7	-	-	-	-	1	-	-	1	-	2	3	3	1	-	-	-	-	-	-	-	-	2	-
Black	7	-	-	-	-	1	-	-	1	-	2	3	3	1	-	-	-	-	-	-	-	-	2	-
Anemias (280-285)	125	3	3	4	11	7	3	6	14	20	28	26	134	1	6	3	6	9	7	3	8	23	33	35
White	97	1	2	3	4	4	1	4	13	16	23	26	105	1	1	1	3	6	2	2	6	21	28	34
All other	28	2	1	1	7	3	2	2	1	4	5	-	29	-	5	2	3	3	5	1	2	2	5	1
Black	26	2	1	1	7	3	2	2	1	2	5	-	28	-	5	1	3	3	5	1	2	2	5	1
Meningitis (320-322)	51	5	6	2	1	4	5	6	5	9	5	2	44	6	4	-	1	2	5	1	6	7	7	5
White	40	4	6	2	-	1	3	6	4	7	4	2	25	4	2	-	1	2	2	-	4	2	4	4
All other	11	1	-	-	1	3	2	-	1	2	1	-	19	2	2	-	-	-	3	1	2	5	3	1
Black	11	1	-	-	1	3	2	-	1	2	1	-	19	2	2	-	-	-	3	1	2	5	3	1
Major cardiovascular diseases (390-448)	42,350	39	11	17	79	208	792	2,678	6,985	11,521	12,581	7,424	45,913	31	13	8	35	134	335	1,166	3,582	8,443	15,565	16,596
White	38,073	24	7	14	55	148	592	2,102	6,008	10,334	11,727	7,058	41,255	22	10	5	26	79	208	816	2,743	7,249	14,334	15,758
All other	4,277	15	4	3	24	60	200	576	977	1,187	864	366	4,658	9	3	3	9	55	127	350	839	1,194	1,231	838
Black	3,914	15	4	3	23	60	184	542	925	1,083	762	312	4,439	9	2	2	9	53	122	336	805	1,144	1,172	785
Diseases of heart (390-398,402,404-429)	36,342	32	8	10	46	159	680	2,386	6,275	10,015	10,522	6,204	37,528	24	10	5	23	80	236	922	3,007	7,140	12,790	13,285
White	32,789	21	4	9	30	113	527	1,908	5,450	9,029	9,804	5,890	33,810	18	8	2	16	50	153	664	2,328	6,165	11,790	12,612
All other	3,553	11	4	1	16	46	153	478	825	986	718	314	3,715	6	2	3	7	30	83	258	679	975	1,000	673
Black	3,243	11	4	1	15	46	144	448	779	895	630	269	3,541	6	1	2	7	29	81	250	651	935	952	627
Rheumatic fever and rheumatic heart disease (390-398)	216	-	-	-	6	7	15	28	56	68	24	12	456	-	-	-	4	10	17	39	92	139	113	42
White	194	-	-	-	4	4	10	22	54	66	24	10	416	-	-	-	2	5	14	34	79	135	109	38
All other	22	-	-	-	2	3	5	6	2	2	-	2	40	-	-	-	2	5	3	5	13	4	4	4
Black	20	-	-	-	2	3	4	5	2	2	-	2	37	-	-	-	2	4	3	5	12	4	3	4
Hypertensive heart disease (402)	605	-	-	-	-	6	15	61	120	180	160	63	861	-	-	-	-	1	12	33	98	200	295	222
White	489	-	-	-	-	2	11	32	93	146	143	62	691	-	-	-	-	-	3	14	63	148	253	210
All other	116	-	-	-	-	4	4	29	27	34	17	1	170	-	-	-	-	1	9	19	35	52	42	12
Black	110	-	-	-	-	4	4	27	25	33	16	1	163	-	-	-	-	1	9	17	35	52	38	11
Hypertensive heart and renal disease (404)	68	-	-	-	-	1	1	3	10	18	20	15	92	-	-	-	-	2	-	2	11	19	32	26
White	51	-	-	-	-	1	-	1	5	12	18	14	67	-	-	-	-	1	-	1	5	10	28	22
All other	17	-	-	-	-	-	1	2	5	6	2	1	25	-	-	-	-	1	-	1	6	9	4	4
Black	17	-	-	-	-	-	1	2	5	6	2	1	25	-	-	-	-	1	-	1	6	9	4	4
Ischemic heart disease (410-414)	31,067	1	-	2	6	72	493	2,007	5,398	8,652	9,115	5,317	31,319	-	2	-	4	30	142	705	2,439	5,927	10,795	11,271
White	28,237	1	-	2	5	60	409	1,642	4,732	7,830	8,493	5,060	28,387	-	2	-	2	18	92	507	1,898	5,160	9,980	10,726
All other	2,830	-	-	-	1	12	84	365	666	822	622	257	2,932	-	-	-	2	12	50	198	543	767	815	545
Black	2,558	-	-	-	1	12	78	339	626	741	544	216	2,789	-	-	-	2	12	48	192	521	732	778	504
Acute myocardial infarction (410)	14,492	1	-	-	5	43	260	1,066	2,836	4,376	4,129	1,775	12,407	-	2	-	2	19	80	348	1,248	2,909	4,469	3,329
White	13,493	1	-	-	4	38	230	919	2,592	4,100	3,909	1,699	11,396	-	2	-	1	10	54	269	1,095	2,641	4,194	3,189
All other	999	-	-	-	1	5	30	147	244	276	220	76	1,011	-	-	-	1	9	26	79	213	268	275	140
Black	886	-	-	-	1	5	26	132	224	250	186	62	962	-	-	-	1	9	24	77	200	253	262	136
Other acute and subacute forms of ischemic heart disease (411)	180	-	-	-	-	1	3	14	39	55	44	24	137	-	-	-	-	1	3	7	17	28	35	46
White	169	-	-	-	-	-	3	14	34	52	43	23	132	-	-	-	-	1	2	7	16	25	35	46
All other	11	-	-	-	-	1	-	-	5	3	1	1	5	-	-	-	-	-	1	-	1	3	-	-
Black	10	-	-	-	-	1	-	-	5	2	1	1	5	-	-	-	-	-	1	-	1	3	-	-
Angina pectoris (413)	20	-	-	-	-	-	-	-	3	7	7	3	14	-	-	-	-	-	-	2	-	2	6	4
White	20	-	-	-	-	-	-	-	3	7	7	3	13	-	-	-	-	-	-	1	-	2	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,375	-	-	2	1	28	230	927	2,520	4,214	4,935	3,515	18,761	-	-	-	2	10	59	348	1,174	2,988	6,285	7,892
White	14,555	-	-	2	1	22	176	709	2,103	3,671	4,534	3,335	16,846	-	-	-	1	7	38	230	845	2,492	5,745	7,487
All other	1,820	-	-	-	-	6	54	218	417	543	401	180	1,915	-	-	-	1	3	23	118	329	496	540	405
Black	1,662	-	-	-	-	6	52	207	397	489	357	153	1,821	-	-	-	1	3	23	114	320	476	516	368
Other diseases of endocardium (424)	272	1	-	1	3	8	6	19	47	85	71	32	280	1	-	1	2	1	7	5	21	63	109	70
White	249	1	-	1	2	5	5	15	39	81	67	32	259	1	-	-	1	-	5	4	18	60	103	67
All other	23	-	-	-	1	1	1	4	8	4	4	-	21	-	-	1	1	1	2	1	3	3	6	3
Black	23	-	-	-	1	1	1	4	8	4	4	-	20	-	-	1	1	1	2	1	3	3	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	4,114	30	8	7	31	67	150	268	644	1,012	1,132	785	4,518	23	8	4	13	36	58	138	346	792	1,446	1,654
White	3,569	19	4	6	19	41	92	196	527	894	1,059	712	3,990	17	6	2	11	26	39	104	267	652	1,317	1,549
All other	545	11	4	1	12	26	58	72	117	118	73	53	528	6	2	2	2	10	19	34	79	140	129	105
Black	515	11	4	1	11	26	56	71	113	109	64	49	507	6	1	1	2	10	19	34	74	135	123	102
Hypertension with or without renal disease (401,403)	295	-	-	-	-	5	11	21	41	78	80	59	334	-	-	-	-	2	8	10	40	80	92	102
White	222	-	-	-	-	4	5	10	23	56	70	54	244	-	-	-	-	-	1	4	20	51	73	95
All other	73	-	-	-	-	1	6	11	18	22	10	5	90	-	-	-	-	2	7	6	20	29	19	7
Black	68	-	-	-	-	1	5	11	18	21	9	3	88	-	-	-	-	2	7	6	20	29	17	7
Cerebrovascular diseases (430-438)	4,058	7	2	7	27	37	88	220	470	984	1,400	834	6,355	6	3	3	9	43	78	209	443	967	2,175	2,418
White	3,546	3	2	5	20	25	54	144	363	822	1,309	799	5,639	3	2	3	7	24	44	130	322	806	2,000	2,297
All other	510	4	-	2	7	12	34	76	107	142	91	35	716	3	1	-	2	19	34	79	121	161	175	121
Black	473	4	-	2	7	12	29	73	102	131	83	30	678	3	1	-	2	18	31	73	116	153	167	114
Intracerebral and other intracranial hemorrhage (431-432)	686	6	-	3	13	14	35	81	136	161	178	59	820	5	2	1	4	15	31	60	126	166	238	172
White	549	2	-	2	9	8	20	47	108	134	165	54	678	2	1	1	2	10	17	29	89	137	225	165
All other	137	4	-	1	4	6	15	34	28	27	13	5	142	3	1	-	2	5	14	31	37	29	13	7
Black	122	4	-	1	4	6	13	32	24	24	11	3	126	3	1	-	2	5	12	27	33	25	13	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	790	-	-	1	1	-	3	19	74	176	306	210	1,263	-	1	1	1	2	3	11	52	155	469	568
White	736	-	-	1	1	-	2	13	63	160	293	203	1,180	-	1	1	1	-	-	8	43	141	439	546
All other	54	-	-	-	-	-	1	6	11	16	13	7	83	-	-	-	-	2	3	3	9	14	30	22
Black	46	-	-	-	-	-	1	6	11	13	10	7	79	-	-	-	-	2	3	3	9	13	28	21
Cerebral embolism (434.1)	8	-	-	-	-	-	2	-	-	-	6	-	30	-	-	-	-	1	-	2	3	6	9	9
White	7	-	-	-	-	-	1	-	-	-	6	-	26	-	-	-	-	-	-	2	3	5	8	8
All other	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	1	-	-	-	1	1	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	1	-	-	-	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,572	1	2	3	19	23	48	120	260	627	910	565	4,242	1	-	1	4	25	44	136	262	640	1,459	1,669
White	2,254	1	2	2	10	17	31	84	192	528	845	542	3,755	1	-	1	4	14	27	91	187	523	1,328	1,578
All other	318	-	-	1	3	6	17	36	68	99	65	23	487	-	-	-	-	11	17	45	75	117	131	91
Black	302	-	-	1	3	6	14	35	67	94	62	20	469	-	-	-	-	10	16	43	74	114	125	87
Atherosclerosis (440)	668	-	-	-	1	-	1	13	46	132	253	222	1,096	-	-	-	-	-	-	4	34	128	300	632
White	602	-	-	-	-	-	1	11	37	113	226	214	1,030	-	-	-	-	-	-	3	27	110	282	608
All other	66	-	-	-	1	-	-	2	9	19	27	8	66	-	-	-	-	-	-	1	7	16	18	24
Black	64	-	-	-	1	-	-	2	9	19	26	7	66	-	-	-	-	-	-	1	7	16	18	24
Other diseases of arteries, arterioles, and capillaries (441-448)	989	-	1	-	5	7	12	38	153	332	336	105	602	1	-	-	3	9	13	21	58	130	208	159
White	914	-	1	-	5	6	5	29	135	314	318	101	532	1	-	-	3	5	10	15	46	117	189	146
All other	75	-	-	-	-	1	7	9	18	18	18	4	70	-	-	-	-	4	3	6	12	13	19	13
Black	66	-	-	-	-	1	6	8	17	17	14	3	66	-	-	-	-	4	3	6	11	11	18	13
Acute bronchitis and bronchiolitis (466)	21	3	-	-	-	1	1	1	3	2	4	6	26	3	1	-	-	1	1	1	-	3	5	11
White	19	2	-	-	-	1	-	1	3	2	4	6	24	2	1	-	-	1	1	1	-	2	5	11
All other	2	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	2,535	36	11	3	21	64	78	107	228	440	808	740	2,735	25	7	5	12	44	31	65	121	301	817	1,307
White	2,154	19	7	2	12	20	44	67	172	364	739	708	2,482	15	6	5	10	25	19	42	86	252	756	1,264
All other	381	17	4	1	9	44	34	40	56	76	67	32	253	10	1	-	2	19	12	23	35	49	59	43
Black	353	16	3	-	9	44	34	40	56	68	58	24	232	8	1	-	2	19	11	23	34	45	54	35
Pneumonia (480-486)	2,517	35	11	3	21	64	78	107	228	438	800	731	2,699	25	6	5	12	43	31	64	120	293	809	1,291
White	2,137	18	7	2	12	20	44	67	172	362	734	699	2,446	15	5	5	10	24	19	41	85	244	750	1,248
All other	380	17	4	1	9	44	34	40	56	76	66	32	253	10	1	-	2	19	12	23	35	49	59	43
Black	353	16	3	-	9	44	34	40	56	68	58	24	232	8	1	-	2	19	11	23	34	45	54	35
Influenza (487)	18	1	-	-	-	-	-	-	-	2	6	9	36	-	1	-	-	1	-	1	1	8	8	16
White	17	1	-	-	-	-	-	-	-	2	5	9	36	-	1	-	-	1	-	1	1	8	8	16
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,807	1	3	3	11	11	26	81	412	893	965	401	1,718	1	3	6	13	12	41	95	244	539	490	274
White	2,591	1	2	2	7	5	16	64	366	828	915	385	1,571	1	2	3	8	5	20	74	219	508	475	256
All other	216	-	1	1	4	6	10	17	46	65	50	16	147	-	1	3	5	7	21	21	25	31	15	18
Black	193	-	1	1	4	6	10	16	40	59	42	14	137	-	1	3	4	7	20	21	25	28	13	15
Bronchitis, chronic and unspecified (490-491)	128	-	2	-	-	-	2	8	20	30	45	21	102	1	1	-	-	-	1	2	11	21	29	36
White	118	-	1	-	-	-	2	7	18	29	43	18	96	1	1	-	-	-	-	2	10	20	28	34
All other	10	-	1	-	-	-	-	1	2	1	2	3	6	-	-	-	-	-	1	-	1	1	1	2
Black	9	-	1	-	-	-	-	1	1	1	2	3	5	-	-	-	-	-	1	-	1	-	1	2
Emphysema (492)	709	-	-	-	-	4	5	17	105	264	224	90	349	-	1	-	-	1	2	18	59	126	106	36
White	651	-	-	-	-	1	2	13	96	246	207	86	332	-	-	-	-	1	2	14	55	123	104	33
All other	58	-	-	-	-	3	3	4	9	18	17	4	17	-	1	-	-	-	-	4	4	3	2	3
Black	55	-	-	-	-	3	3	4	9	18	14	4	16	-	1	-	-	-	-	4	4	3	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	102	-	1	3	11	4	12	15	20	18	14	4	204	-	-	6	11	10	31	36	36	32	30	12
White	72	-	1	2	7	2	8	10	12	14	13	3	139	-	-	3	7	4	13	23	28	24	27	10
All other	30	-	-	1	4	2	4	5	8	4	1	1	65	-	-	3	4	6	18	13	8	8	3	2
Black	29	-	-	1	4	2	4	4	8	4	1	1	63	-	-	3	4	6	17	13	8	8	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,868	1	-	-	-	3	7	41	267	581	682	286	1,063	-	1	-	2	1	7	39	138	350	325	190
White	1,750	1	-	-	-	2	4	34	240	539	652	278	1,004	-	1	-	1	-	5	35	126	341	316	179
All other	118	-	-	-	-	1	3	7	27	42	30	8	59	-	-	-	1	1	2	4	12	19	9	11
Black	100	-	-	-	-	1	3	7	22	36	25	6	53	-	-	-	-	1	2	4	12	17	7	10
Ulcer of stomach and duodenum (531-533)	341	1	-	-	3	6	7	18	45	88	106	67	308	-	-	-	1	2	3	13	32	61	88	106
White	303	1	-	-	2	4	5	12	38	79	97	65	287	-	-	-	1	2	3	8	29	58	85	101
All other	38	-	-	-	1	2	2	6	7	9	9	2	19	-	-	-	-	-	-	5	3	3	3	5
Black	31	-	-	-	1	2	2	5	6	8	6	1	16	-	-	-	-	-	-	4	3	2	3	4
Appendicitis (540-543)	22	-	1	-	1	-	1	4	5	4	4	2	15	-	-	-	-	-	-	2	1	3	5	4
White	18	-	1	-	-	-	-	4	5	3	4	1	13	-	-	-	-	-	-	1	1	3	4	4
All other	4	-	-	-	1	-	1	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	4	-	-	-	1	-	1	-	-	1	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	157	7	-	1	2	5	4	5	15	32	57	29	200	1	-	-	-	1	1	7	12	31	65	82
White	132	2	-	1	1	4	2	4	13	28	51	26	183	1	-	-	-	-	-	5	8	26	65	78
All other	25	5	-	-	1	1	2	1	2	4	6	3	17	-	-	-	-	1	1	2	4	5	-	4
Black	24	5	-	-	1	1	2	1	2	4	6	2	17	-	-	-	-	1	1	2	4	5	-	4
Chronic liver disease and cirrhosis (571)	1,976	-	-	-	8	158	318	438	538	370	123	23	1,024	-	1	-	2	74	132	200	254	217	114	30
White	1,465	-	-	-	4	94	176	300	424	329	116	22	779	-	1	-	1	36	70	131	204	191	110	29
All other	511	-	-	-	4	64	142	138	114	41	7	1	251	-	-	-	1	38	62	69	50	26	4	1
Black	496	-	-	-	4	61	137	133	113	40	7	1	243	-	-	-	1	37	61	66	49	24	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	95	-	-	-	-	-	5	5	12	27	30	16	134	-	-	-	-	1	1	7	11	16	42	56
White	89	-	-	-	-	-	5	4	12	25	28	15	117	-	-	-	-	-	-	4	8	14	36	55
All other	6	-	-	-	-	-	-	1	-	2	2	1	17	-	-	-	-	1	1	3	3	2	6	1
Black	5	-	-	-	-	-	-	1	-	2	1	1	15	-	-	-	-	1	1	2	3	2	6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	632	4	-	-	4	10	21	32	84	135	211	131	663	3	-	1	1	15	11	23	78	126	215	190
White	523	4	-	-	2	4	9	21	60	115	166	122	551	2	-	1	-	7	5	13	56	93	199	175
All other	109	-	-	-	2	6	12	11	24	20	25	9	112	1	-	-	1	8	6	10	22	33	16	15
Black	101	-	-	-	2	6	12	11	23	18	23	6	110	1	-	-	1	8	6	10	22	32	16	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	17	-	-	-	-	1	-	-	-	5	10	1	13	-	-	-	-	1	1	-	2	1	6	2
White	15	-	-	-	-	-	-	-	-	5	9	1	9	-	-	-	-	-	-	-	1	-	6	2
All other	2	-	-	-	-	1	-	-	-	-	1	-	4	-	-	-	-	1	1	-	1	1	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	4	-	-	-	-	1	1	-	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	81	1	-	-	2	1	8	4	10	13	27	15	60	-	-	1	-	4	3	-	9	9	18	16
White	62	1	-	-	1	-	4	4	6	12	20	14	46	-	-	1	-	2	1	-	4	8	15	15
All other	19	-	-	-	1	1	4	-	4	1	7	1	14	-	-	-	-	2	2	-	5	1	3	1
Black	18	-	-	-	1	1	4	-	4	1	7	-	14	-	-	-	-	2	2	-	5	1	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	534	3	-	-	2	8	13	28	74	117	174	115	590	3	-	-	1	10	7	23	67	116	191	172
White	446	3	-	-	1	4	5	17	54	98	157	107	496	2	-	-	-	5	4	13	51	85	178	158
All other	88	-	-	-	1	4	8	11	20	19	17	8	94	1	-	-	1	5	3	10	16	31	13	14
Black	81	-	-	-	1	4	8	11	19	17	15	6	92	1	-	-	1	5	3	10	16	30	13	13
Infections of kidney (590)	49	-	-	-	-	1	2	1	2	9	24	10	74	-	-	-	1	1	2	4	7	7	28	24
White	44	-	-	-	-	1	1	-	1	8	23	10	65	-	-	-	-	1	-	3	5	6	26	24
All other	5	-	-	-	-	-	1	1	1	1	1	-	9	-	-	-	1	-	2	1	2	1	2	-
Black	5	-	-	-	-	-	1	1	1	1	1	-	9	-	-	-	1	-	2	1	2	1	2	-
Hyperplasia of prostate (600)	50	-	-	-	-	-	-	1	3	9	16	21	...	...	...	...	...	...	...	...	...	...	...	...
White	47	-	-	-	-	-	-	-	3	9	15	20	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	1	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	1	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	41	...	...	-	11	25	5	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	21	...	...	-	6	11	4	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	20	...	...	-	5	14	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	20	...	...	-	5	14	1	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	6	6	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	3	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	3	6	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	3	6	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	28	...	...	-	5	19	4	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	-	3	11	4	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	2	8	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	2	8	-	-	...	...	...	...
Congenital anomalies (740-759)	498	310	37	24	14	22	17	18	16	17	12	9	427	256	28	17	24	17	15	13	22	19	12	6
White	390	228	32	20	11	19	14	14	14	16	11	9	353	204	23	15	22	10	13	13	19	17	11	6
All other	108	82	5	4	3	3	3	4	2	1	1	-	74	52	3	2	2	7	2	-	3	2	1	-
Black	103	80	4	4	3	3	2	3	2	1	1	-	67	45	3	2	2	7	2	-	3	2	1	-
Certain conditions originating in the perinatal period (760-779)	827	823	4	-	-	-	-	-	-	-	-	-	671	666	5	-	-	-	-	-	-	-	-	-
White	542	540	2	-	-	-	-	-	-	-	-	-	413	410	3	-	-	-	-	-	-	-	-	-
All other	285	283	2	-	-	-	-	-	-	-	-	-	258	256	2	-	-	-	-	-	-	-	-	-
Black	274	272	2	-	-	-	-	-	-	-	-	-	248	246	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	232	232	-	-	-	-	-	-	-	-	-	-	166	165	1	-	-	-	-	-	-	-	-	-
White	155	155	-	-	-	-	-	-	-	-	-	-	107	106	1	-	-	-	-	-	-	-	-	-
All other	77	77	-	-	-	-	-	-	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
Black	71	71	-	-	-	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	595	591	4	-	-	-	-	-	-	-	-	-	505	501	4	-	-	-	-	-	-	-	-	-
White	387	385	2	-	-	-	-	-	-	-	-	-	306	304	2	-	-	-	-	-	-	-	-	-
All other	208	206	2	-	-	-	-	-	-	-	-	-	199	197	2	-	-	-	-	-	-	-	-	-
Black	203	201	2	-	-	-	-	-	-	-	-	-	191	189	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	862	241	17	7	87	190	126	63	48	39	25	16	582	162	15	5	44	96	74	48	38	40	29	30
White	587	124	7	4	66	141	85	47	39	31	25	16	404	87	7	5	28	71	49	34	33	34	26	29
All other	275	117	10	3	21	49	41	16	9	8	-	-	178	75	8	-	16	25	25	14	5	6	3	1
Black	263	114	8	3	19	47	39	16	8	8	-	-	165	70	6	-	15	25	23	12	5	6	3	-
All other diseases (Residual)	4,818	62	39	38	127	418	423	417	686	932	1,054	621	4,787	58	28	50	88	176	212	281	536	849	1,264	1,244
White	3,864	41	27	31	99	247	255	286	555	798	961	563	4,011	38	21	37	60	90	121	193	411	735	1,143	1,161
All other	954	21	12	7	28	171	168	131	131	134	93	58	776	20	7	13	28	86	91	88	125	114	121	83
Black	909	19	12	6	28	167	166	123	129	122	84	53	752	19	6	12	27	85	90	86	124	109	118	76
Accidents and adverse effects (E800-E949)	3,533	21	78	163	772	617	392	288	358	315	328	198	1,841	15	56	79	222	143	129	109	178	240	342	325
White	2,995	15	54	124	672	520	305	240	298	275	300	192	1,578	13	42	55	185	115	105	82	147	212	309	311
All other	538	6	24	39	100	97	87	48	62	40	28	6	263	2	14	24	37	28	24	27	31	28	33	14
Black	469	6	24	35	85	87	82	42	58	35	28	6	237	2	14	21	32	26	22	24	28	24	31	12
Motor vehicle accidents (E810-E825)	1,590	3	18	89	520	329	173	104	144	99	78	33	647	-	15	43	151	81	66	51	75	80	65	19
White	1,381	3	12	65	469	284	140	93	126	84	75	30	576	-	10	32	137	75	58	43	68	76	60	17
All other	209	-	6	24	51	45	33	11	18	15	3	3	71	-	5	11	14	6	8	8	7	4	5	2
Black	184	-	6	20	43	39	32	10	16	12	3	3	63	-	5	9	12	6	8	7	5	3	5	2
All other accidents and adverse effects (E800-E807, E826-E949)	1,943	18	60	74	252	288	219	184	214	216	250	165	1,194	15	41	36	71	62	63	58	103	160	277	306
White	1,614	12	42	59	203	236	165	147	170	191	225	162	1,002	13	32	23	48	40	47	39	79	136	249	294
All other	329	6	18	15	49	52	54	37	44	25	25	3	192	2	9	13	23	22	16	19	24	24	28	12
Black	305	6	18	15	42	48	50	32	42	23	25	3	174	2	9	12	20	20	14	17	23	21	28	10
Suicide (E950-E959)	1,053	...	...	10	201	237	157	139	130	99	59	21	301	...	...	1	20	76	49	54	38	30	24	9
White	960	...	...	10	172	211	142	127	123	97	57	21	275	...	...	-	17	70	42	50	35	30	22	9
All other	93	...	...	-	29	26	15	12	7	2	2	-	26	...	...	1	3	6	7	4	3	-	2	-
Black	82	...	...	-	27	22	14	10	5	2	2	-	17	...	...	1	3	3	6	2	2	-	-	-
Homicide and legal intervention (E960-E978)	1,608	5	16	33	439	539	304	135	88	24	18	5	381	13	9	11	97	91	57	38	28	13	17	4
White	872	3	4	22	215	288	179	72	54	16	13	4	227	6	4	7	51	52	34	24	20	10	14	3
All other	736	2	12	11	224	251	125	63	34	8	5	1	154	7	5	4	46	39	23	14	8	3	3	1
Black	708	2	12	9	216	241	121	60	33	8	5	1	148	7	5	4	44	37	23	13	7	3	3	1
All other external causes (E980-E999)	424	3	12	10	58	102	71	64	48	26	21	9	148	4	6	4	13	28	23	19	17	10	11	13
White	258	-	4	5	31	65	39	43	24	21	19	7	99	3	3	2	7	16	19	9	12	8	9	11
All other	166	3	8	5	27	37	32	21	24	5	2	2	49	1	3	2	6	12	4	10	5	2	2	2
Black	158	3	7	5	27	35	30	21	23	4	2	1	48	1	3	2	6	12	4	9	5	2	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	27,632	648	106	149	734	848	1,152	2,313	5,439	7,702	5,933	2,603	22,576	458	74	80	269	362	587	1,239	2,835	5,027	6,477	5,166
White	20,875	380	58	102	557	593	716	1,684	4,044	5,945	4,766	2,137	17,087	244	42	55	178	213	348	829	1,961	3,660	5,133	4,404
All other	6,757	288	48	47	177	345	436	629	1,395	1,757	1,167	466	5,509	214	32	25	91	149	239	410	874	1,367	1,344	762
Black	6,529	275	48	43	165	325	410	609	1,353	1,705	1,141	454	5,337	197	30	24	86	142	231	398	843	1,338	1,306	742
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	3	-	-	-	-	-	-	-	-	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	44	-	-	-	-	-	7	7	7	11	8	4	18	-	-	-	-	-	1	1	3	8	4	1
White	14	-	-	-	-	-	1	2	3	3	3	2	10	-	-	-	-	-	-	-	-	6	3	1
All other	30	-	-	-	-	-	6	5	4	8	5	2	8	-	-	-	-	-	1	1	3	2	1	-
Black	26	-	-	-	-	-	6	4	3	6	5	2	8	-	-	-	-	-	1	1	3	2	1	-
Tuberculosis of respiratory system (010-012)	38	-	-	-	-	-	6	7	6	8	8	3	11	-	-	-	-	-	1	1	1	4	3	1
White	12	-	-	-	-	-	1	2	2	2	3	2	7	-	-	-	-	-	-	-	-	3	3	1
All other	26	-	-	-	-	-	5	5	4	6	5	1	4	-	-	-	-	-	1	1	1	1	-	-
Black	22	-	-	-	-	-	5	4	3	4	5	1	4	-	-	-	-	-	1	1	1	1	-	-
Other tuberculosis (013-018)	6	-	-	-	-	-	1	-	1	3	-	1	7	-	-	-	-	-	-	-	2	4	1	-
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	3	-	-
All other	4	-	-	-	-	-	1	-	-	2	-	1	4	-	-	-	-	-	-	-	2	1	1	-
Black	4	-	-	-	-	-	1	-	-	2	-	1	4	-	-	-	-	-	-	-	2	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Septicemia (038)	181	6	2	-	1	3	4	11	27	51	50	26	193	6	1	-	2	1	4	13	16	43	58	51
White	114	1	1	-	1	2	3	7	19	33	36	17	118	2	1	-	-	-	1	6	7	22	42	37
All other	67	5	1	-	-	1	1	4	14	18	14	9	75	4	-	-	2	1	3	7	9	21	14	14
Black	65	5	1	-	-	1	1	4	14	17	13	9	73	4	-	-	2	1	3	6	9	20	14	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	-	2	1	1	1	-	-	9	-	-	-	1	-	2	-	2	3	1	-
White	4	-	-	-	-	-	1	1	1	1	-	-	5	-	-	-	-	-	2	-	1	2	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	1	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	1	1	1	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	70	4	2	1	2	7	4	6	12	13	14	5	70	-	1	2	3	3	9	8	15	14	12	3
White	39	3	1	1	1	3	-	4	9	5	9	3	43	-	1	-	2	-	2	6	8	12	9	3
All other	31	1	1	-	1	4	4	2	3	8	5	2	27	-	-	2	1	3	7	2	7	2	3	-
Black	30	1	1	-	1	4	4	1	3	8	5	2	25	-	-	2	1	3	7	1	6	2	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,865	4	3	12	23	70	170	567	1,486	1,987	1,199	343	4,503	1	2	6	21	66	193	479	1,011	1,291	995	437
White	4,500	3	-	10	18	52	118	438	1,104	1,548	938	271	3,487	-	1	4	15	49	137	357	783	994	787	360
All other	1,365	1	3	2	5	18	52	129	382	439	261	72	1,016	1	1	2	6	17	56	122	228	297	208	77
Black	1,340	1	3	2	5	17	52	125	372	432	258	72	991	1	1	2	6	17	54	118	221	292	202	76

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	147	-	-	-	-	3	8	22	42	48	23	1	75	-	-	-	1	-	2	3	17	22	17	13
White	102	-	-	-	-	2	3	10	26	38	22	1	60	-	-	-	-	-	1	3	11	18	14	13
All other	45	-	-	-	-	1	5	12	16	10	1	-	15	-	-	-	1	-	1	-	6	4	3	-
Black	45	-	-	-	-	1	5	12	16	10	1	-	14	-	-	-	1	-	1	-	5	4	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,271	-	-	-	-	13	40	128	303	425	283	78	1,098	-	-	-	3	9	24	84	190	336	292	159
White	941	-	-	-	-	8	24	99	220	316	212	62	788	-	-	-	2	4	18	62	134	238	210	120
All other	330	-	-	-	-	5	16	29	83	109	71	16	310	-	-	-	1	5	6	22	56	98	82	39
Black	323	-	-	-	-	5	16	26	82	107	70	16	301	-	-	-	1	5	6	20	55	97	77	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,240	-	-	-	-	3	62	248	703	820	345	59	672	-	-	-	1	-	21	87	208	213	112	30
White	1,802	-	-	-	-	3	43	195	540	666	299	56	572	-	-	-	1	-	19	68	174	183	100	27
All other	438	-	-	-	-	-	19	53	163	154	46	3	100	-	-	-	-	-	2	19	34	30	12	3
Black	431	-	-	-	-	-	19	52	159	152	46	3	99	-	-	-	-	-	2	19	33	30	12	3
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	-	1	3	2	1	883	-	-	-	-	17	64	136	235	239	133	59
White	6	-	-	-	-	-	-	-	1	2	2	1	695	-	-	-	-	13	39	103	193	190	108	49
All other	1	-	-	-	-	-	-	-	-	1	-	-	188	-	-	-	-	4	25	33	42	49	25	10
Black	1	-	-	-	-	-	-	-	-	1	-	-	183	-	-	-	-	4	24	32	41	47	25	10
Malignant neoplasms of genital organs (179-187)	659	-	-	-	3	5	1	11	73	213	247	106	546	-	-	-	3	14	26	69	124	154	115	41
White	427	-	-	-	3	5	-	7	43	136	159	74	404	-	-	-	2	10	16	46	90	114	91	35
All other	232	-	-	-	-	-	1	4	30	77	88	32	142	-	-	-	1	4	10	23	34	40	24	6
Black	229	-	-	-	-	-	1	4	30	75	87	32	139	-	-	-	1	4	10	23	32	39	24	6
Malignant neoplasms of urinary organs (188-189)	252	-	-	-	-	1	2	19	51	83	68	28	127	-	-	1	-	1	2	7	25	39	37	15
White	219	-	-	-	-	-	2	17	42	71	62	25	99	-	-	-	-	1	1	4	18	33	28	14
All other	33	-	-	-	-	1	-	2	9	12	6	3	28	-	-	1	-	-	1	3	7	6	9	1
Black	33	-	-	-	-	1	-	2	9	12	6	3	28	-	-	1	-	-	1	3	7	6	9	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	805	3	1	6	7	24	39	92	211	253	129	40	669	1	2	4	8	15	40	62	132	177	157	71
White	637	2	-	4	6	19	30	75	159	208	103	31	527	-	1	3	6	13	30	45	103	130	135	61
All other	168	1	1	2	1	5	9	17	52	45	26	9	142	1	1	1	2	2	10	17	29	47	22	10
Black	165	1	1	2	1	5	9	17	50	45	25	9	138	1	1	1	2	2	9	16	29	46	22	9
Leukemia (204-208)	187	1	2	6	6	9	4	20	40	48	41	10	183	-	-	1	3	3	8	17	34	35	59	23
White	148	1	-	6	4	6	4	17	31	39	32	8	143	-	-	1	2	3	7	16	26	28	41	19
All other	39	-	2	-	2	3	-	3	9	9	9	2	40	-	-	-	1	-	1	1	8	7	18	4
Black	38	-	2	-	2	3	-	3	9	8	9	2	39	-	-	-	1	-	1	1	8	7	17	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	297	-	-	-	7	12	14	27	62	94	61	20	250	-	-	-	2	7	6	14	46	76	73	26
White	218	-	-	-	5	9	12	18	42	72	47	13	199	-	-	-	2	5	6	10	34	60	60	22
All other	79	-	-	-	2	3	2	9	20	22	14	7	51	-	-	-	-	2	-	4	12	16	13	4
Black	75	-	-	-	2	2	2	9	17	22	14	7	50	-	-	-	-	2	-	4	11	16	13	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	77	1	-	2	4	2	6	6	15	24	13	4	96	1	1	-	2	4	5	10	15	19	32	7
White	60	1	-	1	2	2	6	4	13	19	9	3	73	1	-	-	-	4	4	7	11	13	26	7
All other	17	-	-	1	2	-	-	2	2	5	4	1	23	-	1	-	2	-	1	3	4	6	6	-
Black	17	-	-	1	2	-	-	2	2	5	4	1	23	-	1	-	2	-	1	3	4	6	6	-
Diabetes mellitus (250)	355	1	-	-	1	12	18	30	87	105	84	17	496	-	-	1	2	12	15	24	99	143	136	64
White	239	1	-	-	1	7	10	22	52	71	62	13	307	-	-	-	-	8	14	16	45	76	99	49
All other	116	-	-	-	-	5	8	8	35	34	22	4	189	-	-	1	2	4	1	8	54	67	37	15
Black	113	-	-	-	-	5	8	8	33	33	22	4	184	-	-	1	2	4	1	8	50	66	37	15
Nutritional deficiencies (260-269)	29	-	-	-	-	1	-	1	4	8	9	6	37	-	-	-	-	-	-	-	3	3	16	15
White	20	-	-	-	-	-	-	1	3	4	8	4	29	-	-	-	-	-	-	-	2	2	14	11
All other	9	-	-	-	-	1	-	-	1	4	1	2	8	-	-	-	-	-	-	-	1	1	2	4
Black	9	-	-	-	-	1	-	-	1	4	1	2	8	-	-	-	-	-	-	-	1	1	2	4
Anemias (280-285)	40	1	-	3	3	2	-	2	8	10	5	6	62	-	1	-	5	3	5	-	5	7	28	10
White	22	-	-	1	1	-	-	-	6	5	5	4	34	-	-	-	-	-	1	-	2	5	19	7
All other	18	1	-	2	2	2	-	2	2	5	-	2	28	-	1	-	5	3	4	-	3	2	7	3
Black	18	1	-	2	2	2	-	2	2	5	-	2	27	-	1	-	5	3	4	-	3	2	7	2
Meningitis (320-322)	24	8	4	4	1	1	1	3	-	-	2	-	11	2	1	-	-	2	1	-	1	-	2	2
White	9	4	-	3	1	-	-	-	-	-	1	-	7	1	1	-	-	1	-	-	-	-	2	2
All other	15	4	4	1	-	1	1	3	-	-	1	-	4	1	-	-	-	1	1	-	1	-	-	-
Black	14	4	4	-	-	1	1	3	-	-	1	-	4	1	-	-	-	1	1	-	1	-	-	-
Major cardiovascular diseases (390-448)	12,838	17	3	6	21	82	317	977	2,641	3,952	3,265	1,557	11,810	16	5	8	21	34	111	375	1,105	2,599	4,016	3,520
White	10,012	11	2	4	13	37	213	704	2,029	3,061	2,649	1,289	9,055	7	3	6	12	15	51	210	709	1,845	3,184	3,013
All other	2,826	6	1	2	8	45	104	273	612	891	616	268	2,755	9	2	2	9	19	60	165	396	754	832	507
Black	2,733	6	1	2	8	43	95	270	593	855	600	260	2,673	8	2	2	8	18	59	160	382	734	806	494

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	10,322	15	2	6	16	69	272	849	2,277	3,244	2,461	1,091	8,495	15	4	4	12	26	74	288	860	1,999	2,642	2,371
White	8,190	9	1	4	9	31	187	643	1,791	2,563	2,047	905	6,592	6	3	3	6	10	33	161	572	1,455	2,289	2,054
All other	2,132	6	1	2	7	38	85	206	486	681	434	186	1,903	9	1	1	6	16	41	127	288	544	553	317
Black	2,055	6	1	2	7	36	78	203	458	652	422	180	1,847	8	1	1	5	16	40	124	276	529	537	308
Rheumatic fever and rheumatic heart disease (390-398)	40	-	-	-	1	2	1	10	10	10	6	-	119	-	-	1	-	2	5	12	27	36	23	13
White	29	-	-	-	-	-	-	8	7	8	6	-	102	-	-	1	-	-	4	8	23	31	22	13
All other	11	-	-	-	1	2	1	2	3	2	-	-	17	-	-	-	-	2	1	4	4	5	1	-
Black	11	-	-	-	1	2	1	2	3	2	-	-	17	-	-	-	-	2	1	4	4	5	1	-
Hypertensive heart disease (402)	300	-	-	-	-	9	16	35	74	78	59	29	385	-	-	-	-	1	6	13	37	106	125	97
White	151	-	-	-	-	-	4	11	33	38	43	22	232	-	-	-	-	-	2	1	15	56	83	75
All other	149	-	-	-	-	9	12	24	41	40	16	7	153	-	-	-	-	1	4	12	22	50	42	22
Black	149	-	-	-	-	9	12	24	41	40	16	7	153	-	-	-	-	1	4	12	22	50	42	22
Hypertensive heart and renal disease (404)	54	-	-	-	1	-	-	-	9	21	18	5	86	-	-	-	-	-	-	2	11	22	26	25
White	29	-	-	-	-	-	-	-	2	10	13	4	55	-	-	-	-	-	-	-	2	13	19	21
All other	25	-	-	-	1	-	-	-	7	11	5	1	31	-	-	-	-	-	-	2	9	9	7	4
Black	25	-	-	-	1	-	-	-	7	11	5	1	31	-	-	-	-	-	-	2	9	9	7	4
Ischemic heart disease (410-414)	7,611	-	-	-	3	28	200	646	1,807	2,464	1,752	711	5,458	1	-	-	-	8	34	177	596	1,369	1,862	1,411
White	6,297	-	-	-	2	17	154	516	1,488	2,038	1,493	589	4,378	1	-	-	-	2	18	116	426	1,033	1,544	1,238
All other	1,314	-	-	-	1	11	46	130	319	426	259	122	1,080	-	-	-	-	6	16	61	170	336	318	173
Black	1,258	-	-	-	1	11	40	127	307	403	250	119	1,036	-	-	-	-	6	15	59	162	321	306	169
Acute myocardial infarction (410)	4,949	-	-	-	2	13	148	461	1,259	1,647	1,077	342	3,156	-	-	-	-	4	22	125	403	930	1,089	573
White	4,141	-	-	-	1	8	111	376	1,052	1,372	941	280	2,527	-	-	-	-	1	14	84	291	722	913	502
All other	808	-	-	-	1	5	37	85	207	275	136	62	629	-	-	-	-	3	8	41	112	208	186	71
Black	770	-	-	-	1	5	31	82	199	259	132	61	606	-	-	-	-	3	7	39	106	202	179	70
Other acute and subacute forms of ischemic heart disease (411)	43	-	-	-	-	1	2	4	12	11	10	3	37	-	-	-	-	-	1	2	7	4	11	12
White	29	-	-	-	-	1	1	3	7	9	7	1	22	-	-	-	-	-	-	1	4	3	6	8
All other	14	-	-	-	-	-	1	1	5	2	3	2	15	-	-	-	-	-	1	1	3	1	5	4
Black	13	-	-	-	-	-	1	1	5	2	2	2	15	-	-	-	-	-	1	1	3	1	5	4
Angina pectoris (413)	18	-	-	-	-	1	-	3	2	6	4	2	21	-	-	-	-	-	-	1	1	7	11	1
White	12	-	-	-	-	-	-	1	1	4	4	2	12	-	-	-	-	-	-	-	-	3	8	1
All other	6	-	-	-	-	1	-	2	1	2	-	-	9	-	-	-	-	-	-	1	1	4	3	-
Black	5	-	-	-	-	1	-	2	1	1	-	-	9	-	-	-	-	-	-	1	1	4	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,601	-	-	-	1	13	50	178	534	800	661	364	2,244	1	-	-	-	4	11	49	185	428	741	825
White	2,115	-	-	-	1	8	42	136	428	653	541	306	1,817	1	-	-	-	1	4	31	131	305	617	727
All other	486	-	-	-	-	5	8	42	106	147	120	58	427	-	-	-	-	3	7	18	54	123	124	98
Black	470	-	-	-	-	5	8	42	102	141	116	56	408	-	-	-	-	3	7	18	52	114	119	95
Other diseases of endocardium (424)	109	-	-	-	-	2	6	13	17	38	24	9	96	1	-	1	1	-	3	3	8	21	36	22
White	78	-	-	-	-	-	5	9	11	24	21	8	76	1	-	1	-	-	1	2	5	15	30	21
All other	31	-	-	-	-	2	1	4	6	14	3	1	20	-	-	-	1	-	2	1	3	6	6	1
Black	30	-	-	-	-	2	-	4	6	14	3	1	19	-	-	-	-	-	2	1	3	6	6	1
All other forms of heart disease (415-423,425-429)	2,208	15	2	6	11	28	49	145	360	633	622	337	2,351	13	4	2	11	15	26	81	181	445	770	803
White	1,606	9	1	4	7	14	24	99	250	445	471	282	1,749	4	3	1	6	8	8	34	101	307	591	686
All other	602	6	1	2	4	14	25	46	110	188	151	55	602	9	1	1	5	7	18	47	80	138	179	117
Black	582	6	1	2	4	12	25	46	104	182	148	52	589	8	1	1	5	7	18	46	78	138	175	112
Hypertension with or without renal disease (401,403)	111	-	-	-	-	1	2	7	22	35	27	17	135	-	-	-	-	-	-	7	20	41	43	24
White	55	-	-	-	-	-	-	2	10	16	15	12	69	-	-	-	-	-	-	2	10	19	23	15
All other	56	-	-	-	-	1	2	5	12	19	12	5	66	-	-	-	-	-	-	5	10	22	20	9
Black	54	-	-	-	-	1	2	5	11	18	12	5	66	-	-	-	-	-	-	5	10	22	20	9
Cerebrovascular diseases (430-438)	1,865	2	-	-	4	9	31	108	256	512	597	346	2,676	1	1	3	8	7	34	70	183	487	970	912
White	1,327	2	-	-	3	4	17	47	163	349	455	287	2,006	1	-	2	5	5	16	40	96	322	747	772
All other	538	-	-	-	1	5	14	61	93	163	142	59	670	-	1	1	3	2	18	30	87	165	223	140
Black	525	-	-	-	1	5	13	61	93	157	138	57	651	-	1	1	3	2	18	28	83	162	215	138
Intracerebral and other intracranial hemorrhage (431-432)	228	1	-	-	2	3	14	36	51	52	52	17	280	1	-	1	3	4	12	24	43	78	77	37
White	140	1	-	-	2	-	6	11	37	35	36	12	203	1	-	-	1	4	4	12	25	61	62	33
All other	88	-	-	-	-	3	8	25	14	17	16	5	77	-	-	1	2	-	8	12	18	17	15	4
Black	86	-	-	-	-	3	8	25	14	15	16	5	77	-	-	1	2	-	8	12	18	17	15	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	326	-	-	-	-	1	2	13	35	91	112	72	488	-	-	1	2	-	6	6	17	80	187	189
White	246	-	-	-	-	-	-	5	16	64	94	67	385	-	-	1	2	-	4	1	11	58	147	161
All other	80	-	-	-	-	1	2	8	19	27	18	5	103	-	-	-	-	-	2	5	6	22	40	28
Black	78	-	-	-	-	1	2	8	19	25	18	5	100	-	-	-	-	-	2	5	6	22	38	27

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	6	-	-	-	-	-	-	1	1	-	2	2	10	-	-	-	-	-	-	-	-	2	4	4
White	4	-	-	-	-	-	-	1	1	-	1	1	9	-	-	-	-	-	-	-	-	2	3	4
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,305	1	-	-	2	5	15	58	169	369	431	255	1,898	-	1	1	3	3	16	40	123	327	702	682
White	937	1	-	-	1	4	11	30	109	250	324	207	1,409	-	-	1	2	1	8	27	60	201	535	574
All other	368	-	-	-	1	1	4	28	60	119	107	48	489	-	1	-	1	2	8	13	63	126	167	108
Black	359	-	-	-	1	1	3	28	60	117	103	46	473	-	1	-	1	2	8	11	59	123	161	107
Atherosclerosis (440)	250	-	-	-	-	-	2	4	37	49	75	83	321	-	-	-	-	-	-	3	12	31	103	172
White	191	-	-	-	-	-	2	4	24	36	56	69	255	-	-	-	-	-	-	1	8	22	83	141
All other	59	-	-	-	-	-	-	-	13	13	19	14	66	-	-	-	-	-	-	2	4	9	20	31
Black	59	-	-	-	-	-	-	-	13	13	19	14	63	-	-	-	-	-	-	2	4	9	19	29
Other diseases of arteries, arterioles, and capillaries (441-448)	290	-	1	-	1	3	10	9	49	112	85	20	183	-	-	1	1	1	3	7	30	41	58	41
White	249	-	1	-	1	2	7	8	41	97	76	16	133	-	-	1	1	-	2	6	23	27	42	31
All other	41	-	-	-	-	1	3	1	8	15	9	4	50	-	-	-	-	1	1	1	7	14	16	10
Black	40	-	-	-	-	1	2	1	8	15	9	4	46	-	-	-	-	-	1	1	7	12	15	10
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-	1	-	1	-	4
White	3	1	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-	1	-	1	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	723	8	3	1	3	9	12	39	72	179	214	183	671	7	3	2	3	3	5	14	40	88	206	300
White	547	3	-	-	3	2	4	18	41	136	178	162	556	3	2	2	3	3	5	4	31	66	171	266
All other	176	5	3	1	-	7	8	21	31	43	36	21	115	4	1	-	-	-	-	10	9	22	35	34
Black	171	4	3	1	-	7	7	20	31	43	36	19	111	3	1	-	-	-	-	10	9	21	35	32
Pneumonia (480-486)	719	8	3	1	3	9	12	38	72	178	212	183	655	7	3	2	3	3	5	14	39	84	204	291
White	544	3	-	-	3	2	4	18	41	135	176	162	540	3	2	2	3	3	5	4	30	62	169	257
All other	175	5	3	1	-	7	8	20	31	43	36	21	115	4	1	-	-	-	-	10	9	22	35	34
Black	170	4	3	1	-	7	7	19	31	43	36	19	111	3	1	-	-	-	-	10	9	21	35	32
Influenza (487)	4	-	-	-	-	-	-	1	-	1	2	-	16	-	-	-	-	-	-	-	1	4	2	9
White	3	-	-	-	-	-	-	-	-	1	2	-	16	-	-	-	-	-	-	-	1	4	2	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,057	2	2	1	-	6	6	43	204	420	304	69	439	1	-	1	2	2	8	30	81	153	113	48
White	896	1	-	-	-	2	2	37	165	364	264	61	391	1	-	-	1	1	4	27	70	140	102	45
All other	161	1	2	1	-	4	4	6	39	56	40	8	48	-	-	1	1	1	4	3	11	13	11	3
Black	154	-	2	1	-	4	3	6	36	54	40	8	43	-	-	-	1	-	4	3	9	12	11	3
Bronchitis, chronic and unspecified (490-491)	58	1	1	-	-	-	-	3	8	22	18	5	31	1	-	-	-	1	-	1	3	12	6	7
White	47	-	-	-	-	-	-	2	5	20	15	5	30	1	-	-	-	1	-	1	3	11	6	7
All other	11	1	1	-	-	-	-	1	3	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	10	-	1	-	-	-	-	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	177	1	-	-	-	2	-	7	42	78	38	9	57	-	-	-	-	-	-	7	14	21	14	1
White	149	1	-	-	-	1	-	6	31	70	33	7	55	-	-	-	-	-	-	7	13	20	14	1
All other	28	-	-	-	-	1	-	1	11	8	5	2	2	-	-	-	-	-	-	-	1	1	-	-
Black	27	-	-	-	-	1	-	1	10	8	5	2	2	-	-	-	-	-	-	-	1	1	-	-
Asthma (493)	38	-	1	1	-	4	1	3	8	13	7	-	47	-	-	1	2	1	8	6	9	13	6	1
White	25	-	-	-	-	1	-	2	5	11	6	-	30	-	-	-	1	-	4	4	5	11	4	1
All other	13	-	1	1	-	3	1	1	3	2	1	-	17	-	-	1	1	1	4	2	4	2	2	-
Black	12	-	1	1	-	3	1	1	3	1	1	-	14	-	-	-	1	-	4	2	3	2	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	784	-	-	-	-	-	5	30	146	307	241	55	304	-	-	-	-	-	-	16	55	107	87	39
White	675	-	-	-	-	-	2	27	124	263	210	49	276	-	-	-	-	-	-	15	49	98	78	36
All other	109	-	-	-	-	-	3	3	22	44	31	6	28	-	-	-	-	-	-	1	6	9	9	3
Black	105	-	-	-	-	-	2	3	20	43	31	6	27	-	-	-	-	-	-	1	5	9	9	3
Ulcer of stomach and duodenum (531-533)	71	1	-	-	1	-	2	5	10	28	13	11	74	-	-	-	-	-	-	2	9	14	28	21
White	55	1	-	-	-	-	2	3	8	21	12	8	62	-	-	-	-	-	-	2	6	10	26	18
All other	16	-	-	-	1	-	-	2	2	7	1	3	12	-	-	-	-	-	-	-	3	4	2	3
Black	16	-	-	-	1	-	-	2	2	7	1	3	12	-	-	-	-	-	-	-	3	4	2	3
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	59	3	-	1	2	-	3	2	8	9	19	12	68	-	-	1	-	-	-	1	4	14	19	29
White	36	1	-	-	1	-	2	1	4	5	12	10	58	-	-	1	-	-	-	1	4	10	13	29
All other	23	2	-	1	1	-	1	1	4	4	7	2	10	-	-	-	-	-	-	-	-	4	6	-
Black	22	2	-	1	1	-	1	1	3	4	7	2	9	-	-	-	-	-	-	-	-	3	6	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	357	-	-	-	-	20	46	95	108	65	20	3	202	-	-	-	3	12	26	47	42	42	25	5
White	282	-	-	-	-	10	30	77	90	55	17	3	138	-	-	-	2	4	8	34	33	31	21	5
All other	75	-	-	-	-	10	16	18	18	10	3	-	64	-	-	-	1	8	18	13	9	11	4	-
Black	71	-	-	-	-	10	14	18	17	10	2	-	63	-	-	-	1	8	18	13	9	11	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	30	-	-	-	-	-	-	3	3	7	11	6	44	-	-	-	-	-	-	4	3	10	10	17
White	26	-	-	-	-	-	-	3	3	6	9	5	36	-	-	-	-	-	-	4	2	8	7	15
All other	4	-	-	-	-	-	-	-	-	1	2	1	8	-	-	-	-	-	-	-	1	2	3	2
Black	4	-	-	-	-	-	-	-	-	1	2	1	8	-	-	-	-	-	-	-	1	2	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	257	4	-	1	2	1	7	10	37	68	82	45	285	5	1	2	1	4	3	16	41	67	79	66
White	167	3	-	1	2	-	3	6	14	38	64	36	171	3	1	2	1	4	2	7	21	30	49	51
All other	90	1	-	-	-	1	4	4	23	30	18	9	114	2	-	-	-	-	1	9	20	37	30	15
Black	87	1	-	-	-	1	3	4	22	29	18	9	110	1	-	-	-	-	1	9	18	37	30	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	-	1	2	3
White	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	24	-	-	-	-	-	1	1	2	7	6	7	30	-	1	1	-	-	-	2	5	7	6	8
White	16	-	-	-	-	-	-	1	1	4	5	5	19	-	1	1	-	-	-	1	4	4	2	6
All other	8	-	-	-	-	-	1	-	1	3	1	2	11	-	-	-	-	-	-	1	1	3	4	2
Black	7	-	-	-	-	-	-	-	1	3	1	2	11	-	-	-	-	-	-	1	1	3	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	231	4	-	1	2	1	6	9	35	60	76	37	249	5	-	1	1	4	3	14	36	59	71	55
White	149	3	-	1	2	-	3	5	13	33	59	30	148	3	-	1	1	4	2	6	17	26	45	43
All other	82	1	-	-	-	1	3	4	22	27	17	7	101	2	-	-	-	-	1	8	19	33	26	12
Black	80	1	-	-	-	1	3	4	21	26	17	7	97	1	-	-	-	-	1	8	17	33	26	11
Infections of kidney (590)	19	-	-	-	-	-	-	2	5	3	7	2	43	-	-	-	-	-	-	-	5	10	15	13
White	14	-	-	-	-	-	-	2	3	3	5	1	33	-	-	-	-	-	-	-	3	6	12	12
All other	5	-	-	-	-	-	-	-	2	-	2	1	10	-	-	-	-	-	-	-	2	4	3	1
Black	5	-	-	-	-	-	-	-	2	-	2	1	10	-	-	-	-	-	-	-	2	4	3	1
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	1	3	5	3	...	...	...	...	...	...	...	...	...	...	...	...
White	7	-	-	-	-	-	-	-	1	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	-	-	-	-	-	-	-	-	3	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	-	-	-	-	-	-	-	-	3	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Congenital anomalies (740-759)	188	133	11	5	5	10	6	4	6	5	1	2	122	86	4	3	1	7	2	1	9	3	4	2
White	136	94	9	5	4	4	4	4	6	4	1	1	91	61	3	2	-	5	1	1	9	3	4	2
All other	52	39	2	-	1	6	2	-	-	1	-	1	31	25	1	1	1	2	1	-	-	-	-	-
Black	49	36	2	-	1	6	2	-	-	1	-	1	27	22	1	1	1	1	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	307	304	3	-	-	-	-	-	-	-	-	-	236	235	1	-	-	-	-	-	-	-	-	-
White	154	153	1	-	-	-	-	-	-	-	-	-	120	119	1	-	-	-	-	-	-	-	-	-
All other	153	151	2	-	-	-	-	-	-	-	-	-	116	116	-	-	-	-	-	-	-	-	-	-
Black	148	146	2	-	-	-	-	-	-	-	-	-	109	109	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	71	70	1	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
White	44	43	1	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	236	234	2	-	-	-	-	-	-	-	-	-	182	181	1	-	-	-	-	-	-	-	-	-
White	110	110	-	-	-	-	-	-	-	-	-	-	88	87	1	-	-	-	-	-	-	-	-	-
All other	126	124	2	-	-	-	-	-	-	-	-	-	94	94	-	-	-	-	-	-	-	-	-	-
Black	123	121	2	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	209	97	1	1	7	11	12	7	16	23	16	17	165	60	1	-	-	5	5	8	11	16	28	31
White	134	56	1	1	4	6	7	5	12	18	12	11	96	27	-	-	-	2	1	4	5	13	18	26
All other	75	41	-	-	3	5	5	2	4	5	4	6	69	33	1	-	-	3	4	4	6	3	10	5
Black	73	40	-	-	3	5	5	2	4	5	3	6	64	30	1	-	-	2	3	4	6	3	10	5
All other diseases (Residual)	1,821	33	16	13	32	52	98	180	327	443	427	200	1,765	22	12	17	24	50	88	98	197	335	524	418
White	1,288	19	11	11	19	26	47	115	215	326	336	163	1,299	13	5	12	12	18	29	60	123	249	423	355
All other	533	14	5	2	13	26	51	65	112	117	91	37	466	9	7	5	12	32	39	38	74	86	101	63
Black	517	14	5	2	12	24	50	61	111	115	87	36	455	8	6	5	11	32	38	38	73	86	97	61
Accidents and adverse effects (E800-E949)	1,951	14	49	92	455	312	242	181	221	191	127	66	805	11	34	31	119	81	63	62	76	114	116	97
White	1,374	2	30	60	362	208	149	128	143	137	101	53	587	5	21	22	93	50	42	43	51	89	90	81
All other	577	12	19	32	93	104	93	53	78	54	26	13	218	6	13	9	26	31	21	19	25	25	26	16
Black	542	10	19	29	85	96	88	49	76	54	26	12	211	6	13	9	23	30	20	19	25	24	25	16
Motor vehicle accidents (E810-E825)	925	3	22	43	329	170	114	77	67	59	30	10	360	2	12	22	95	53	46	34	24	36	22	14
White	706	2	13	33	271	124	79	60	45	44	25	9	283	-	8	19	79	34	34	28	20	32	15	14
All other	219	1	9	10	58	46	35	17	22	15	5	1	77	2	4	3	16	19	12	6	4	4	7	-
Black	199	-	9	8	53	41	30	16	21	15	5	1	73	2	4	3	14	18	11	6	4	4	7	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,026	11	27	49	126	142	128	104	154	132	97	56	445	9	22	9	24	28	17	28	52	78	94	83
White	668	-	17	27	91	84	70	68	98	93	76	44	304	5	13	3	14	16	8	15	31	57	75	67
All other	358	11	10	22	35	58	58	36	56	39	21	12	141	4	9	6	10	12	9	13	21	21	19	16
Black	343	10	10	21	32	55	56	33	55	39	21	11	138	4	9	6	9	12	9	13	21	20	18	16
Suicide (E950-E959)	568	...	...	4	93	92	94	78	96	69	32	10	180	...	...	2	24	32	29	34	30	20	7	2
White	505	...	...	4	78	76	83	74	88	64	28	10	171	...	...	2	21	30	27	32	30	20	7	2
All other	63	...	...	-	15	16	11	4	8	5	4	-	9	...	...	-	3	2	2	2	-	-	-	-
Black	57	...	...	-	12	13	11	4	8	5	4	-	9	...	...	-	3	2	2	2	-	-	-	-
Homicide and legal intervention (E960-E978)	430	5	7	1	70	148	94	46	34	19	2	3	132	3	3	4	29	35	30	8	5	9	4	2
White	192	2	2	-	41	62	30	23	15	13	2	1	66	1	1	2	13	17	16	4	1	6	3	2
All other	238	3	5	1	29	86	64	23	19	6	-	2	66	2	2	2	16	18	14	4	4	3	1	-
Black	228	3	5	1	29	82	61	21	18	6	-	2	62	2	2	2	16	17	12	3	4	3	1	-
All other external causes (E980-E999)	32	1	-	-	8	7	1	7	3	3	1	-	17	1	-	-	2	2	2	3	6	-	1	-
White	21	-	-	-	5	4	1	5	3	3	-	-	12	-	-	-	2	1	1	3	4	-	1	-
All other	11	1	-	-	3	3	-	2	-	-	1	-	5	1	-	-	-	1	1	-	2	-	-	-
Black	10	1	-	-	3	3	-	1	-	-	1	-	5	1	-	-	-	1	1	-	2	-	-	-
NORTH DAKOTA																								
All causes	3,081	64	11	12	98	67	68	145	363	780	889	584	2,495	46	2	8	18	33	40	96	207	456	747	842
White	2,998	57	10	12	81	63	63	137	354	761	881	577	2,424	39	2	7	15	31	36	89	196	440	735	834
All other	85	7	1	-	17	4	5	8	9	19	8	7	71	7	-	1	3	2	4	7	11	16	12	8
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	9	-	-	-	-	-	-	1	2	1	-	5	10	-	-	1	1	-	-	-	-	2	2	4
White	9	-	-	-	-	-	-	1	2	1	-	5	10	-	-	1	1	-	-	-	-	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	9	1	-	-	-	-	2	1	2	3	-	-	5	-	-	-	-	-	-	1	1	2	1	-
White	8	1	-	-	-	-	2	1	2	2	-	-	5	-	-	-	-	-	-	1	1	2	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	636	-	2	1	5	4	7	29	120	189	189	80	562	-	-	-	-	9	19	53	97	159	133	92
White	622	-	2	1	4	4	7	26	117	188	186	77	550	-	-	-	-	9	18	50	95	155	133	90
All other	14	-	-	-	1	-	-	3	3	1	3	3	12	-	-	-	-	-	1	3	2	4	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	-	-	-	-	4	2	2	2	8	-	-	-	-	-	1	-	-	5	1	1
White	10	-	-	-	-	-	-	-	4	2	2	2	8	-	-	-	-	-	1	-	-	5	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	188	-	-	-	-	-	2	12	27	66	61	20	145	-	-	-	-	1	1	9	15	44	40	35
White	187	-	-	-	-	-	2	12	27	65	61	20	140	-	-	-	-	1	1	8	15	42	40	33
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	1	-	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	173	-	-	-	-	-	1	11	44	68	35	14	57	-	-	-	-	-	2	9	14	21	9	2
White	166	-	-	-	-	-	1	9	43	68	33	12	55	-	-	-	-	-	2	8	13	21	9	2
All other	7	-	-	-	-	-	-	2	1	-	2	2	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	127	-	-	-	-	1	9	20	30	28	22	17
White	1	-	-	-	-	-	-	-	-	-	-	1	125	-	-	-	-	1	8	19	30	28	22	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	88	-	1	-	-	1	-	-	9	19	39	19	76	-	-	-	-	2	3	6	21	20	18	6
White	87	-	1	-	-	1	-	-	9	19	39	18	75	-	-	-	-	2	3	6	20	20	18	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	33	-	-	-	-	-	1	-	10	10	6	6	18	-	-	-	-	-	1	1	2	6	2	6
White	33	-	-	-	-	-	1	-	10	10	6	6	17	-	-	-	-	-	1	1	2	5	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	58	-	-	1	2	-	3	4	15	11	16	4	87	-	-	-	-	4	2	6	7	27	19	22
White	52	-	-	1	2	-	3	3	13	11	15	4	86	-	-	-	-	4	2	6	7	26	19	22
All other	4	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	44	-	1	-	2	2	-	1	4	13	14	7	15	-	-	-	-	1	-	-	5	2	6	1
White	43	-	1	-	1	2	-	1	4	13	14	7	15	-	-	-	-	1	-	-	5	2	6	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	-	-	-	1	1	-	1	7	10	16	7	29	-	-	-	-	-	-	2	3	6	16	2
White	43	-	-	-	1	1	-	1	7	10	16	7	29	-	-	-	-	-	-	2	3	6	16	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	-	-	-	-	-	-	-	1	3	1	6	-	-	1	1	-	-	1	-	2	1	-
White	5	-	-	-	-	-	-	-	-	1	3	1	6	-	-	1	1	-	-	1	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	43	-	-	-	-	-	1	3	3	12	16	8	68	-	-	-	1	1	1	1	5	23	18	18
White	38	-	-	-	-	-	1	1	2	10	16	8	63	-	-	-	1	1	1	1	3	20	18	18
All other	5	-	-	-	-	-	-	2	1	2	-	-	5	-	-	-	-	-	-	-	2	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	2	2
White	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	2	1	1	2	5	1	-	-	-	-	-	-	-	1	1	2
White	6	-	-	-	-	-	-	-	2	1	1	2	5	1	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,522	-	-	-	4	3	19	66	176	418	500	336	1,297	1	2	1	1	6	5	23	61	190	446	561
White	1,506	-	-	-	4	3	17	65	174	410	499	334	1,287	1	2	1	1	5	4	21	57	182	437	556
All other	16	-	-	-	-	-	2	1	2	8	1	2	30	-	-	-	-	1	1	2	4	8	9	5
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,225	-	-	-	3	1	16	58	154	344	400	249	934	1	2	1	-	6	2	18	47	145	334	378
White	1,212	-	-	-	3	1	15	57	152	336	400	248	913	1	2	1	-	5	2	16	44	139	329	374
All other	13	-	-	-	-	-	1	1	2	8	-	1	21	-	-	-	-	1	-	2	3	6	5	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	-	-	1	1	1	-	7	-	-	-	-	-	-	1	-	2	2	2
White	3	-	-	-	-	-	-	-	1	1	1	-	7	-	-	-	-	-	-	1	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	20	-	-	-	-	-	-	1	1	8	6	4	29	-	-	-	-	-	-	-	1	9	11	8
White	20	-	-	-	-	-	-	1	1	8	6	4	29	-	-	-	-	-	-	-	1	9	11	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	1	-	-	1	1	5	-	-	-	-	-	-	-	-	-	1	4
White	3	-	-	-	-	-	-	1	-	-	1	1	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	922	-	-	-	-	-	13	48	120	278	293	170	650	-	-	-	-	1	1	13	30	101	249	255
White	910	-	-	-	-	-	12	47	119	270	293	169	635	-	-	-	-	1	1	11	28	96	247	251
All other	12	-	-	-	-	-	1	1	1	8	-	1	15	-	-	-	-	-	-	2	2	5	2	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	595	-	-	-	-	-	11	33	90	199	188	74	358	-	-	-	-	1	-	9	26	77	150	95
White	588	-	-	-	-	-	10	32	89	193	188	74	351	-	-	-	-	1	-	9	25	73	150	93
All other	9	-	-	-	-	-	1	1	1	6	-	-	7	-	-	-	-	-	-	-	1	4	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	322	-	-	-	-	-	2	15	29	79	103	94	291	-	-	-	-	-	1	4	4	24	99	159
White	319	-	-	-	-	-	2	15	29	77	103	93	283	-	-	-	-	-	1	2	3	23	97	157
All other	3	-	-	-	-	-	-	-	-	2	-	1	8	-	-	-	-	-	-	2	1	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	14	-	-	-	-	-	-	1	-	1	8	4	13	-	-	-	-	1	-	-	-	1	3	8
White	14	-	-	-	-	-	-	1	-	1	8	4	13	-	-	-	-	1	-	-	-	1	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	263	-	-	-	3	1	3	7	32	56	91	70	230	1	2	1	-	4	1	4	16	32	68	101
White	262	-	-	-	3	1	3	7	31	56	91	70	224	1	2	1	-	3	1	4	15	31	65	101
All other	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	1	-	-	1	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	10	-	-	-	-	1	-	-	-	6	2	1	8	-	-	-	-	-	-	-	1	2	2	3
White	10	-	-	-	-	1	-	-	-	6	2	1	8	-	-	-	-	-	-	-	1	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	205	-	-	-	1	-	2	6	13	51	69	63	271	-	-	-	1	-	3	5	12	34	85	131
White	202	-	-	-	1	-	1	6	13	51	68	62	266	-	-	-	1	-	2	5	11	33	83	131
All other	3	-	-	-	-	-	1	-	-	-	1	1	5	-	-	-	-	-	1	-	1	1	2	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	25	-	-	-	-	-	-	2	3	6	7	7	20	-	-	-	1	-	-	1	1	4	5	8
White	25	-	-	-	-	-	-	2	3	6	7	7	19	-	-	-	1	-	-	1	-	4	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	-	-	-	-	-	-	-	-	8	10	10	44	-	-	-	-	-	-	-	-	7	13	24
White	28	-	-	-	-	-	-	-	-	8	10	10	44	-	-	-	-	-	-	-	-	7	13	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	150	-	-	-	1	-	2	4	10	37	50	46	206	-	-	-	-	-	3	4	11	22	67	99
White	147	-	-	-	1	-	1	4	10	37	49	45	202	-	-	-	-	-	2	4	11	21	65	99
All other	3	-	-	-	-	-	1	-	-	-	1	1	4	-	-	-	-	-	1	-	-	1	2	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	42	-	-	-	-	-	-	-	2	4	14	22	53	-	-	-	-	-	-	-	1	-	17	35
White	42	-	-	-	-	-	-	-	2	4	14	22	52	-	-	-	-	-	-	-	1	-	16	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	40	-	-	-	-	1	1	2	7	13	15	1	31	-	-	-	-	-	-	-	-	9	8	14
White	40	-	-	-	-	1	1	2	7	13	15	1	28	-	-	-	-	-	-	-	-	8	7	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	90	-	-	-	-	-	1	1	3	11	29	45	83	-	-	-	-	-	1	1	4	7	23	47
White	89	-	-	-	-	-	1	1	3	11	28	45	79	-	-	-	-	-	-	1	3	6	22	47
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	84	-	-	-	-	-	1	1	3	11	26	42	73	-	-	-	-	-	1	1	3	5	20	43
White	83	-	-	-	-	-	1	1	3	11	25	42	69	-	-	-	-	-	-	1	2	4	19	43
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	6	-	-	-	-	-	-	-	-	-	3	3	10	-	-	-	-	-	-	-	1	2	3	4
White	6	-	-	-	-	-	-	-	-	-	3	3	10	-	-	-	-	-	-	-	1	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	119	-	-	-	1	-	-	2	10	44	38	24	43	-	-	-	-	-	-	3	6	15	12	7
White	114	-	-	-	1	-	-	2	10	42	37	22	41	-	-	-	-	-	-	3	5	15	12	6
All other	5	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	18	-	-	-	-	-	-	1	1	8	4	4	7	-	-	-	-	-	-	1	2	2	1	1
White	17	-	-	-	-	-	-	1	1	7	4	4	6	-	-	-	-	-	-	1	2	2	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	9	-	-	-	1	-	-	1	2	2	3	-	4	-	-	-	-	-	-	-	1	2	1	-
White	8	-	-	-	1	-	-	1	2	2	2	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	91	-	-	-	-	-	-	-	7	34	30	20	30	-	-	-	-	-	-	2	2	10	10	6
White	88	-	-	-	-	-	-	-	7	33	30	18	30	-	-	-	-	-	-	2	2	10	10	6
All other	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	-	-	-	1	-	2	5	-	13	-	-	-	-	-	-	-	-	2	4	7
White	8	-	-	-	-	-	-	1	-	2	5	-	13	-	-	-	-	-	-	-	-	2	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	-	-	3	4	10	-	-	-	-	-	-	-	1	-	4	5
White	7	-	-	-	-	-	-	-	-	-	3	4	10	-	-	-	-	-	-	-	1	-	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	34	-	-	-	-	1	2	4	7	13	5	2	23	-	-	-	-	1	1	3	7	4	7	-
White	28	-	-	-	-	1	-	4	5	11	5	2	20	-	-	-	-	1	-	2	6	4	7	-
All other	6	-	-	-	-	-	2	-	2	2	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	-	-	-	1	1	-	-	3	2	2	3	-	-	-	-	-	-	-	-	-	1	2
White	9	-	-	-	-	1	1	-	-	3	2	2	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	33	-	-	-	-	-	-	-	1	10	13	9	26	-	-	-	-	-	1	-	3	4	10	8
White	32	-	-	-	-	-	-	-	1	9	13	9	26	-	-	-	-	-	1	-	3	4	10	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	-	-	-	-	-	-	-	1	10	11	9	24	-	-	-	-	-	1	-	3	3	9	8
White	30	-	-	-	-	-	-	-	1	9	11	9	24	-	-	-	-	-	1	-	3	3	9	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	21	14	1	2	1	-	1	1	1	-	-	-	12	11	-	-	-	-	-	-	-	-	-	1
White	19	12	1	2	1	-	1	1	1	-	-	-	11	10	-	-	-	-	-	-	-	-	-	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	34	34	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	21	21	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	36	8	1	-	1	-	1	1	1	6	5	12	30	8	-	-	-	-	1	1	-	1	9	10
White	34	7	-	-	1	-	1	1	1	6	5	12	25	5	-	-	-	-	1	-	-	1	8	10
All other	2	1	1	-	-	-	-	-	-	-	-	-	5	3	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	174	2	2	1	7	1	6	13	14	35	59	34	179	3	-	1	2	5	5	3	13	30	57	60
White	170	2	2	1	6	1	6	12	13	34	59	34	178	3	-	1	2	5	5	3	13	30	56	60
All other	4	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	193	3	5	7	57	45	14	13	11	14	10	14	72	-	-	3	10	7	3	3	8	14	10	14
White	179	3	5	7	48	43	13	12	11	14	9	14	68	-	-	3	7	6	3	3	8	14	10	14
All other	14	-	-	-	9	2	1	1	-	-	1	-	4	-	-	-	3	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	96	1	2	3	34	31	6	2	5	6	4	2	31	-	-	-	7	6	1	3	6	5	2	1
White	86	1	2	3	27	29	6	2	5	6	3	2	27	-	-	-	4	5	1	3	6	5	2	1
All other	10	-	-	-	7	2	-	-	-	-	1	-	4	-	-	-	3	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	97	2	3	4	23	14	8	11	6	8	6	12	41	-	-	3	3	1	2	-	2	9	8	13
White	93	2	3	4	21	14	7	10	6	8	6	12	41	-	-	3	3	1	2	-	2	9	8	13
All other	4	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	57	...	...	1	15	6	10	5	7	5	6	2	10	...	...	-	2	2	2	2	1	-	1	-
White	53	...	...	1	12	6	10	5	7	5	5	2	10	...	...	-	2	2	2	2	1	-	1	-
All other	4	...	...	-	3	-	-	-	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	-	-	-	4	2	2	4	1	-	-	1	5	-	-	1	-	2	1	1	-	-	-	-
White	11	-	-	-	2	1	2	4	1	-	-	1	4	-	-	-	-	2	1	1	-	-	-	-
All other	3	-	-	-	2	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	8	-	-	-	2	4	1	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	6	-	-	-	1	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OHIO																								
All causes	50,884	1,006	211	274	1,177	1,279	1,563	3,557	9,201	13,553	12,554	6,507	46,667	769	148	165	442	607	925	2,139	5,664	9,711	13,363	12,732
White	45,494	742	165	224	1,027	1,036	1,297	2,998	8,023	12,291	11,576	6,114	42,247	583	119	139	373	462	744	1,755	4,896	8,718	12,392	12,064
All other	5,390	264	46	50	150	243	266	559	1,178	1,262	978	393	4,420	186	29	26	69	145	181	384	768	993	971	668
Black	5,292	255	45	48	149	238	260	551	1,161	1,237	958	389	4,340	182	26	23	67	141	174	379	760	973	957	658
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	-	-	1	-	-	-	1	1	-	-	6	1	-	-	-	-	-	1	-	-	-	4
White	3	-	-	-	1	-	-	-	1	1	-	-	5	-	-	-	-	-	-	1	-	-	-	4
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	54	-	-	-	-	1	1	3	9	15	15	10	19	-	-	-	-	-	-	3	3	4	5	4
White	42	-	-	-	-	1	-	3	8	11	13	6	13	-	-	-	-	-	-	-	2	2	5	4
All other	12	-	-	-	-	-	1	-	1	4	2	4	6	-	-	-	-	-	-	3	1	2	-	-
Black	12	-	-	-	-	-	1	-	1	4	2	4	6	-	-	-	-	-	-	3	1	2	-	-
Tuberculosis of respiratory system (010-012)	50	-	-	-	-	1	1	3	8	14	15	8	13	-	-	-	-	-	-	1	2	4	2	4
White	40	-	-	-	-	1	-	3	8	10	13	5	10	-	-	-	-	-	-	-	2	2	2	4
All other	10	-	-	-	-	-	1	-	-	4	2	3	3	-	-	-	-	-	-	1	-	2	-	-
Black	10	-	-	-	-	-	1	-	-	4	2	3	3	-	-	-	-	-	-	1	-	2	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	1	1	-	2	6	-	-	-	-	-	-	2	1	-	3	-
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	2	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	2	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	-	2	1	2	1	-	-	-	-	1	-	6	2	-	-	1	-	-	-	1	2	-	-
White	7	-	2	1	2	1	-	-	-	-	1	-	6	2	-	-	1	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	283	7	-	1	1	3	11	17	33	67	85	58	337	5	3	1	2	2	6	14	34	68	92	110
White	227	6	-	1	1	1	7	10	25	54	75	47	283	3	3	1	2	1	5	10	28	51	85	94
All other	56	1	-	-	-	2	4	7	8	13	10	11	54	2	-	-	-	1	1	4	6	17	7	16
Black	56	1	-	-	-	2	4	7	8	13	10	11	54	2	-	-	-	1	1	4	6	17	7	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	13	-	-	-	-	2	2	2	3	3	1	-	7	1	-	-	1	1	1	-	1	1	1	-
White	12	-	-	-	-	2	1	2	3	3	1	-	4	-	-	-	-	1	1	-	1	1	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	95	2	1	1	4	9	10	9	19	16	16	6	108	2	3	3	3	12	7	15	10	21	20	12
White	82	1	-	1	3	6	8	8	17	15	18	5	87	1	2	2	3	8	3	11	9	19	18	11
All other	13	1	1	-	1	3	2	1	2	1	-	1	21	1	1	1	-	4	4	4	1	2	2	1
Black	13	1	1	-	1	3	2	1	2	1	-	1	21	1	1	1	-	4	4	4	1	2	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,969	1	19	43	71	111	315	1,021	2,935	3,976	2,650	821	10,106	9	12	32	43	117	344	986	2,277	2,809	2,337	1,138
White	10,598	1	15	33	65	101	278	858	2,555	3,536	2,391	765	9,129	8	12	27	37	100	292	836	2,036	2,556	2,175	1,050
All other	1,365	-	4	10	6	10	37	163	380	440	259	56	977	1	-	5	6	17	52	152	241	253	162	88
Black	1,339	-	4	10	6	10	34	161	374	430	255	55	964	1	-	5	6	17	52	149	236	250	161	87
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	304	-	-	-	-	3	12	44	91	103	42	9	112	-	-	1	-	-	4	14	34	23	21	15
White	254	-	-	-	-	3	7	28	77	95	38	8	100	-	-	1	-	-	2	8	30	23	21	15
All other	50	-	-	-	-	-	5	16	14	8	6	1	12	-	-	-	-	-	2	6	4	-	-	-
Black	49	-	-	-	-	-	4	16	14	8	6	1	12	-	-	-	-	-	2	6	4	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,003	-	1	2	6	16	67	257	679	1,042	686	237	2,676	2	1	-	3	17	40	161	476	736	765	475
White	2,648	-	1	2	6	15	58	215	590	915	622	224	2,397	2	1	-	1	15	33	126	424	642	718	435
All other	355	-	-	-	-	1	9	42	89	127	74	13	279	-	-	-	2	2	7	35	52	94	47	40
Black	342	-	-	-	-	1	9	40	86	120	73	13	274	-	-	-	2	2	7	33	51	92	47	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,467	-	-	-	1	8	86	433	1,341	1,563	861	174	1,786	1	1	-	-	4	40	218	560	571	310	81
White	3,960	-	-	-	1	7	78	360	1,166	1,394	789	165	1,618	1	1	-	-	4	37	189	498	525	288	75
All other	507	-	-	-	-	1	8	73	175	169	72	9	168	-	-	-	-	-	3	29	62	46	22	6
Black	500	-	-	-	-	1	8	73	173	166	70	9	168	-	-	-	-	-	3	29	62	46	22	6
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	1	1	3	6	1	-	1,905	-	-	-	-	25	115	268	494	514	329	160
White	9	-	-	-	-	-	-	-	3	5	1	-	1,725	-	-	-	-	21	93	226	449	482	306	148
All other	3	-	-	-	-	-	1	1	-	1	-	-	180	-	-	-	-	4	22	42	45	32	23	12
Black	3	-	-	-	-	-	1	1	-	1	-	-	176	-	-	-	-	4	22	41	44	31	23	11
Malignant neoplasms of genital organs (179-187)	1,235	-	1	1	3	5	7	17	131	408	455	207	1,176	1	-	-	4	22	65	132	276	323	264	89
White	1,054	-	1	1	2	5	7	12	107	343	389	187	1,042	1	-	-	3	17	56	114	238	291	241	81
All other	181	-	-	-	1	-	-	5	24	65	66	20	134	-	-	-	1	5	9	18	38	32	23	8
Black	179	-	-	-	1	-	-	5	24	65	65	19	132	-	-	-	1	5	9	18	36	32	23	8
Malignant neoplasms of urinary organs (188-189)	592	-	2	1	2	1	9	38	126	190	170	53	362	2	-	-	1	2	4	23	56	109	112	53
White	544	-	-	-	2	1	7	31	115	176	162	50	340	1	-	-	-	2	4	23	52	103	104	51
All other	48	-	2	1	-	-	2	7	11	14	8	3	22	1	-	-	1	-	-	-	4	6	8	2
Black	47	-	2	1	-	-	2	7	10	14	8	3	21	1	-	-	1	-	-	-	4	6	7	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,324	1	7	22	26	35	75	161	338	358	221	82	1,148	2	6	16	18	24	49	103	223	269	268	150
White	1,205	1	6	18	24	31	73	151	295	328	199	79	1,052	2	6	15	16	22	43	91	200	266	252	139
All other	119	-	1	4	2	4	2	10	43	28	22	3	96	-	-	1	2	2	6	12	23	23	16	11
Black	119	-	1	4	2	4	2	10	43	28	22	3	96	-	-	1	2	2	6	12	23	23	16	11
Leukemia (204-208)	431	-	6	13	20	12	20	18	81	132	87	42	372	1	4	11	10	12	14	32	56	77	97	58
White	393	-	5	9	17	10	16	17	76	120	84	39	344	1	4	11	10	10	13	30	53	71	89	52
All other	38	-	1	4	3	2	4	1	5	12	3	3	28	-	-	-	-	2	1	2	3	6	8	6
Black	37	-	1	4	3	2	3	1	5	12	3	3	28	-	-	-	-	2	1	2	3	6	8	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	595	-	2	4	13	31	38	52	145	176	117	17	569	-	-	4	7	11	13	37	102	167	171	57
White	531	-	2	3	13	29	32	44	126	160	109	13	511	-	-	-	7	9	11	29	92	153	158	54
All other	64	-	-	1	-	2	6	8	19	16	8	4	58	-	-	4	-	2	2	8	10	14	15	3
Black	63	-	-	1	-	2	5	8	19	16	8	4	57	-	-	4	-	2	2	8	9	14	15	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	150	-	-	2	5	6	2	7	25	44	38	21	171	-	1	2	1	4	2	10	16	40	58	37
White	135	-	-	2	4	6	2	7	19	43	31	21	155	-	1	2	1	2	2	10	15	34	52	36
All other	15	-	-	-	1	-	-	-	6	1	7	-	16	-	-	-	-	2	-	-	1	6	6	1
Black	15	-	-	-	1	-	-	-	6	1	7	-	16	-	-	-	-	2	-	-	1	6	6	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	859	-	-	-	3	11	26	64	170	287	228	70	1,313	-	1	1	5	16	17	44	172	399	416	242
White	737	-	-	-	1	7	23	49	142	249	200	66	1,141	-	1	1	4	13	16	34	143	343	362	224
All other	122	-	-	-	2	4	3	15	28	38	28	4	172	-	-	-	1	3	1	10	29	56	54	18
Black	121	-	-	-	2	4	3	15	28	37	28	4	170	-	-	-	1	3	1	10	28	56	53	18
Nutritional deficiencies (260-269)	47	1	-	-	1	-	-	-	3	7	21	14	95	-	-	-	1	-	-	-	4	17	27	46
White	40	1	-	-	1	-	-	-	2	6	17	13	90	-	-	-	1	-	-	-	4	14	26	45
All other	7	-	-	-	-	-	-	-	1	1	4	1	5	-	-	-	-	-	-	-	-	3	1	1
Black	7	-	-	-	-	-	-	-	1	1	4	1	5	-	-	-	-	-	-	-	-	3	1	1
Anemias (280-285)	68	1	1	-	3	3	6	1	6	8	15	24	102	1	1	1	1	3	4	-	5	13	33	40
White	54	1	1	-	1	1	4	-	2	8	14	22	89	1	-	-	1	-	2	-	3	13	29	40
All other	14	-	-	-	2	2	2	1	4	-	1	2	13	-	1	1	-	3	2	-	2	-	4	-
Black	14	-	-	-	2	2	2	1	4	-	1	2	13	-	1	1	-	3	2	-	2	-	4	-
Meningitis (320-322)	22	5	4	-	-	-	1	1	5	4	1	1	22	4	2	-	1	2	-	-	1	4	7	1
White	12	2	2	-	-	-	-	1	2	3	1	1	19	4	2	-	-	2	-	-	1	3	6	1
All other	10	3	2	-	-	-	1	-	3	1	-	-	3	-	-	-	1	-	-	-	-	1	1	-
Black	10	3	2	-	-	-	1	-	3	1	-	-	3	-	-	-	1	-	-	-	-	1	1	-
Major cardiovascular diseases (390-448)	24,120	16	13	9	38	124	482	1,530	4,295	6,637	6,894	4,082	24,739	20	8	3	32	79	181	576	2,144	4,709	8,069	8,918
White	22,091	12	11	5	28	102	408	1,337	3,798	6,102	6,415	3,873	22,673	18	6	2	24	53	136	447	1,797	4,201	7,497	8,492
All other	2,029	4	2	4	10	22	74	193	497	535	479	209	2,066	2	2	1	8	26	45	129	347	508	572	426
Black	1,995	3	2	4	10	21	73	190	489	528	467	206	2,032	2	1	1	8	26	43	129	345	495	564	418
Diseases of heart (390-398,402,404-429)	19,893	16	12	8	30	96	422	1,381	3,762	5,627	5,396	3,143	18,870	19	5	2	23	48	120	451	1,778	3,784	6,138	6,502
White	18,219	12	10	4	20	77	360	1,210	3,349	5,182	5,016	2,979	17,250	17	4	1	16	28	93	359	1,501	3,378	5,690	6,163
All other	1,674	4	2	4	10	19	62	171	413	445	380	164	1,620	2	1	1	7	20	27	92	277	406	448	339
Black	1,646	3	2	4	10	19	61	168	406	439	370	164	1,593	2	1	1	7	20	27	92	275	396	441	331
Rheumatic fever and rheumatic heart disease (390-398)	92	-	-	-	1	-	8	9	24	26	18	6	257	-	-	-	-	1	9	28	53	72	77	17
White	87	-	-	-	-	-	7	9	24	25	16	6	241	-	-	-	-	1	7	26	48	68	75	16
All other	5	-	-	-	1	-	1	-	-	1	2	-	16	-	-	-	-	-	2	2	5	4	2	1
Black	5	-	-	-	1	-	1	-	-	1	2	-	16	-	-	-	-	-	2	2	5	4	2	1
Hypertensive heart disease (402)	525	-	-	-	-	9	14	60	123	152	119	48	663	-	-	-	-	1	2	41	72	141	198	208
White	388	-	-	-	-	5	4	36	87	114	103	39	539	-	-	-	-	-	1	25	41	107	173	192
All other	137	-	-	-	-	4	10	24	36	38	16	9	124	-	-	-	-	1	1	16	31	34	25	16
Black	136	-	-	-	-	4	9	24	36	38	16	9	123	-	-	-	-	1	1	16	31	33	25	16
Hypertensive heart and renal disease (404)	85	-	-	-	-	1	-	2	7	23	27	25	146	-	-	-	-	1	-	1	9	28	40	67
White	72	-	-	-	-	-	-	2	5	19	24	22	113	-	-	-	-	-	-	1	7	13	34	58
All other	13	-	-	-	-	1	-	-	2	4	3	3	33	-	-	-	-	1	-	-	2	15	6	9
Black	12	-	-	-	-	1	-	-	2	4	2	3	33	-	-	-	-	1	-	-	2	15	6	9
Ischemic heart disease (410-414)	15,326	2	2	1	4	49	307	1,098	3,005	4,448	4,158	2,252	13,387	-	-	-	2	15	61	265	1,289	2,819	4,470	4,466
White	14,254	2	2	1	3	45	276	985	2,720	4,160	3,908	2,152	12,368	-	-	-	2	8	51	214	1,108	2,565	4,169	4,251
All other	1,072	-	-	-	1	4	31	113	285	288	250	100	1,019	-	-	-	-	7	10	51	181	254	301	215
Black	1,052	-	-	-	1	4	31	110	279	284	243	100	997	-	-	-	-	7	10	51	179	248	294	210
Acute myocardial infarction (410)	7,995	2	1	1	2	36	189	726	1,794	2,483	2,018	743	5,813	-	-	-	-	6	42	173	793	1,523	1,988	1,288
White	7,554	2	1	1	2	33	172	672	1,681	2,354	1,917	719	5,425	-	-	-	-	3	38	146	700	1,420	1,884	1,234
All other	441	-	-	-	-	3	17	54	113	129	101	24	388	-	-	-	-	3	4	27	93	103	104	54
Black	430	-	-	-	-	3	17	54	110	126	96	24	377	-	-	-	-	3	4	27	93	97	99	54
Other acute and subacute forms of ischemic heart disease (411)	60	-	1	-	-	-	1	6	16	18	12	6	28	-	-	-	-	1	1	-	4	9	5	8
White	55	-	1	-	-	-	1	6	14	16	11	6	27	-	-	-	-	1	1	-	4	9	5	7
All other	5	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Angina pectoris (413)	12	-	-	-	-	-	-	-	3	3	4	2	16	-	-	-	-	1	-	-	1	3	4	7
White	12	-	-	-	-	-	-	-	3	3	4	2	15	-	-	-	-	1	-	-	1	3	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	7,259	-	-	-	2	13	117	366	1,192	1,944	2,124	1,501	7,530	-	-	-	2	7	18	92	491	1,284	2,473	3,163
White	6,633	-	-	-	1	12	103	307	1,022	1,787	1,976	1,425	6,901	-	-	-	2	3	12	68	403	1,133	2,277	3,003
All other	626	-	-	-	1	1	14	59	170	157	148	76	629	-	-	-	-	4	6	24	88	151	196	160
Black	617	-	-	-	1	1	14	56	167	156	146	76	618	-	-	-	-	4	6	24	86	149	194	155
Other diseases of endocardium (424)	189	-	-	-	2	2	4	11	33	47	64	26	198	-	1	-	-	3	1	4	17	28	75	69
White	174	-	-	-	2	2	4	9	30	44	59	24	190	-	1	-	-	3	1	4	17	26	73	65
All other	15	-	-	-	-	-	-	2	3	3	5	2	8	-	-	-	-	-	-	-	-	2	2	4
Black	14	-	-	-	-	-	-	2	3	3	4	2	8	-	-	-	-	-	-	-	-	2	2	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	3,676	14	10	7	23	35	89	201	570	931	1,010	786	4,219	19	4	2	21	27	47	112	338	696	1,278	1,675
White	3,244	10	8	3	15	25	69	169	483	820	906	736	3,799	17	3	1	14	16	33	89	280	599	1,166	1,581
All other	432	4	2	4	8	10	20	32	87	111	104	50	420	2	1	1	7	11	14	23	58	97	112	94
Black	427	3	2	4	8	10	20	32	86	109	103	50	416	2	1	1	7	11	14	23	58	96	112	91
Hypertension with or without renal disease (401,403)	159	-	-	-	-	2	7	9	27	30	44	40	207	-	-	-	-	1	1	5	22	40	72	66
White	132	-	-	-	-	1	7	4	20	25	37	38	180	-	-	-	-	-	1	3	18	31	65	62
All other	27	-	-	-	-	1	-	5	7	5	7	2	27	-	-	-	-	1	-	2	4	9	7	4
Black	26	-	-	-	-	-	-	5	7	5	7	2	27	-	-	-	-	1	-	2	4	9	7	4
Cerebrovascular diseases (430-438)	2,844	-	1	-	6	18	42	97	342	688	1,033	616	4,415	-	3	1	8	27	56	103	288	707	1,516	1,704
White	2,603	-	1	-	6	18	34	85	281	626	967	585	4,060	-	2	1	7	22	38	71	232	627	1,420	1,640
All other	241	-	-	-	-	1	8	12	61	62	66	31	355	-	1	-	1	5	18	32	56	80	98	64
Black	237	-	-	-	-	1	8	12	60	61	65	30	350	-	-	-	1	5	16	32	56	78	98	64
Intracerebral and other intracranial hemorrhage (431-432)	368	-	1	-	2	5	15	22	86	110	87	40	509	-	1	1	4	5	17	25	65	114	180	97
White	326	-	1	-	2	4	11	19	70	100	81	38	439	-	1	1	4	3	7	13	54	100	167	89
All other	42	-	-	-	-	1	4	3	16	10	6	2	70	-	-	-	-	2	10	12	11	14	13	8
Black	41	-	-	-	-	1	4	3	15	10	6	2	69	-	-	-	-	2	10	12	11	13	13	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	521	-	-	-	1	2	4	13	58	126	194	123	779	-	-	-	-	1	4	13	40	110	272	339
White	490	-	-	-	1	2	4	11	52	115	187	118	724	-	-	-	-	1	4	11	31	96	254	327
All other	31	-	-	-	-	-	-	2	6	11	7	5	55	-	-	-	-	-	-	2	9	14	18	12
Black	28	-	-	-	-	-	-	2	6	10	6	4	55	-	-	-	-	-	-	2	9	14	18	12
Cerebral embolism (434.1)	15	-	-	-	-	-	-	-	-	6	7	2	25	-	-	-	-	1	-	1	1	5	12	5
White	15	-	-	-	-	-	-	-	-	6	7	2	23	-	-	-	-	1	-	-	1	5	12	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,940	-	-	-	3	12	23	62	198	446	745	451	3,102	-	2	-	4	20	35	64	182	478	1,054	1,263
White	1,772	-	-	-	3	12	19	55	159	405	692	427	2,874	-	1	-	3	17	27	47	146	426	987	1,220
All other	168	-	-	-	-	-	4	7	39	41	53	24	228	-	1	-	1	3	8	17	36	52	67	43
Black	168	-	-	-	-	-	4	7	39	41	53	24	224	-	-	-	1	3	6	17	36	51	67	43
Atherosclerosis (440)	541	-	-	-	-	1	1	6	30	75	208	220	848	-	-	-	-	-	1	3	15	71	214	544
White	497	-	-	-	-	1	1	4	26	65	191	209	815	-	-	-	-	-	1	2	12	66	204	530
All other	44	-	-	-	-	-	-	2	4	10	17	11	33	-	-	-	-	-	-	1	3	5	10	14
Black	44	-	-	-	-	-	-	2	4	10	17	11	33	-	-	-	-	-	-	1	3	5	10	14
Other diseases of arteries, arterioles, and capillaries (441-448)	683	-	-	1	2	6	10	37	134	217	213	63	399	1	-	-	1	3	3	14	41	107	127	102
White	640	-	-	1	2	5	6	34	122	204	204	62	368	1	-	-	1	3	3	12	34	99	118	97
All other	43	-	-	-	-	1	4	3	12	13	9	1	31	-	-	-	-	-	-	2	7	8	9	5
Black	42	-	-	-	-	1	4	3	12	13	8	1	29	-	-	-	-	-	-	2	7	7	8	5
Acute bronchitis and bronchiolitis (466)	21	3	-	1	-	-	1	1	2	2	1	10	12	4	-	-	-	-	-	1	1	2	3	1
White	19	3	-	1	-	-	1	1	1	2	1	9	8	1	-	-	-	-	-	1	-	2	3	1
All other	2	-	-	-	-	-	-	-	1	-	-	1	4	3	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	4	3	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (460-487)	1,165	17	2	2	5	11	19	40	116	223	380	349	1,140	5	3	4	6	7	10	17	54	127	347	560
White	1,049	11	1	2	4	6	16	32	95	196	358	328	1,067	4	2	3	6	3	7	15	49	119	327	532
All other	116	6	1	-	1	5	3	8	21	27	22	21	73	1	1	1	-	4	3	2	5	8	20	28
Black	116	6	1	-	1	5	3	8	21	27	22	21	71	1	1	1	-	4	3	2	5	8	18	28
Pneumonia (480-486)	1,130	17	2	2	5	11	19	40	115	218	370	330	1,084	5	3	4	6	7	10	16	49	122	329	533
White	1,015	11	1	2	4	6	16	32	94	192	348	309	1,011	4	2	3	6	3	7	14	44	114	309	505
All other	115	6	1	-	1	5	3	8	21	26	22	21	73	1	1	1	-	4	3	2	5	8	20	28
Black	115	6	1	-	1	5	3	8	21	26	22	21	71	1	1	1	-	4	3	2	5	8	18	28
Influenza (487)	35	-	-	-	-	-	-	-	1	5	10	19	56	-	-	-	-	-	-	1	5	5	18	27
White	34	-	-	-	-	-	-	-	1	4	10	19	56	-	-	-	-	-	-	1	5	5	18	27
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,145	3	5	3	3	5	6	57	352	746	720	245	1,085	2	1	-	3	4	5	54	184	370	333	129
White	1,987	2	3	-	2	5	3	48	316	704	679	225	1,036	2	1	-	-	3	3	50	176	354	323	124
All other	158	1	2	3	1	-	3	9	36	42	41	20	49	-	-	-	3	1	2	4	8	16	10	5
Black	155	1	2	3	1	-	3	9	36	41	40	19	47	-	-	-	3	1	1	4	8	15	10	5
Bronchitis, chronic and unspecified (490-491)	147	3	1	-	-	1	-	7	21	52	46	16	78	1	1	-	1	-	-	-	15	20	24	16
White	137	2	-	-	-	1	-	6	20	50	43	15	73	1	1	-	-	-	-	-	15	18	22	16
All other	10	1	1	-	-	-	-	1	1	2	3	1	5	-	-	-	1	-	-	-	-	2	2	-
Black	10	1	1	-	-	-	-	1	1	2	3	1	5	-	-	-	1	-	-	-	-	2	2	-
Emphysema (492)	440	-	-	-	-	-	3	13	88	167	128	41	189	1	-	-	-	-	1	12	38	70	57	12
White	413	-	-	-	-	-	1	13	78	161	123	37	182	1	-	-	-	-	1	12	35	66	57	10
All other	27	-	-	-	-	-	2	-	10	6	5	4	7	-	-	-	-	-	-	-	1	4	-	2
Black	25	-	-	-	-	-	2	-	10	6	4	3	7	-	-	-	-	-	-	-	1	4	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	64	-	3	3	3	4	1	6	18	14	7	5	94	-	-	-	2	4	4	11	21	24	19	9
White	51	-	2	-	2	4	-	4	17	12	7	3	84	-	-	-	-	3	2	9	20	23	18	9
All other	13	-	1	3	1	-	1	2	1	2	-	2	10	-	-	-	2	1	2	2	1	1	1	-
Black	13	-	1	3	1	-	1	2	1	2	-	2	9	-	-	-	2	1	1	2	1	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,494	-	1	-	-	-	2	31	225	513	539	183	724	-	-	-	-	-	-	31	112	256	233	92
White	1,388	-	1	-	-	-	2	25	201	481	506	170	697	-	-	-	-	-	-	29	106	247	226	89
All other	106	-	-	-	-	-	-	6	24	32	33	13	27	-	-	-	-	-	-	2	6	9	7	3
Black	107	-	-	-	-	-	-	6	24	31	33	13	26	-	-	-	-	-	-	2	6	8	7	3
Ulcer of stomach and duodenum (531-533)	162	1	-	-	1	-	3	7	25	46	55	24	134	-	-	-	-	-	1	6	6	21	54	46
White	146	-	-	-	-	-	3	6	21	42	50	24	125	-	-	-	-	-	-	6	5	17	51	46
All other	16	1	-	-	1	-	-	1	4	4	5	-	9	-	-	-	-	-	1	-	1	4	3	-
Black	16	1	-	-	1	-	-	1	4	4	5	-	9	-	-	-	-	-	1	-	1	4	3	-
Appendicitis (540-543)	17	-	-	-	-	1	2	-	2	4	5	3	9	-	-	1	-	-	-	-	3	4	-	1
White	16	-	-	-	-	1	2	-	2	4	4	3	8	-	-	1	-	-	-	-	2	4	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	94	-	-	1	-	-	2	5	9	29	28	20	148	3	2	-	-	2	1	3	10	22	49	56
White	81	-	-	-	-	-	2	1	8	27	27	16	137	2	2	-	-	2	1	2	8	20	47	53
All other	13	-	-	1	-	-	-	4	1	2	1	4	11	1	-	-	-	-	-	1	2	2	2	3
Black	13	-	-	1	-	-	-	4	1	2	1	4	11	1	-	-	-	-	-	1	2	2	2	3
Chronic liver disease and cirrhosis (571)	666	3	-	-	-	17	58	133	209	175	62	9	371	-	-	-	1	13	27	59	109	101	55	6
White	570	2	-	-	-	10	40	103	184	163	59	9	306	-	-	-	1	8	18	45	89	87	52	6
All other	96	1	-	-	-	7	18	30	25	12	3	-	65	-	-	-	-	5	9	14	20	14	3	-
Black	93	1	-	-	-	7	17	29	25	12	2	-	65	-	-	-	-	5	9	14	20	14	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	79	-	-	-	-	1	-	2	11	20	32	13	80	-	-	-	-	1	2	1	10	18	24	24
White	71	-	-	-	-	1	-	2	7	19	30	12	74	-	-	-	-	1	2	-	7	18	23	23
All other	8	-	-	-	-	-	-	-	4	1	2	1	6	-	-	-	-	-	-	1	3	-	1	1
Black	7	-	-	-	-	-	-	-	4	-	2	1	6	-	-	-	-	-	-	1	3	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	463	4	-	2	1	5	4	16	50	129	162	90	515	7	-	1	3	3	7	15	47	101	168	183
White	406	2	-	2	1	4	1	14	41	113	146	82	438	5	-	1	3	3	6	14	28	80	145	153
All other	57	2	-	-	-	1	3	2	9	16	16	8	77	2	-	-	-	-	1	1	19	21	23	10
Black	56	2	-	-	-	1	3	2	9	16	15	8	76	2	-	-	-	-	1	1	19	21	22	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	-	-	1	-	-	-	-	1	4	3	1	10	-	-	-	-	-	-	-	3	1	2	4
White	9	-	-	1	-	-	-	-	1	3	3	1	7	-	-	-	-	-	-	-	1	1	2	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	45	1	-	-	-	1	2	3	6	19	13	6	52	-	-	1	-	-	1	3	7	14	12	14
White	33	-	-	-	-	1	-	3	3	12	8	6	43	-	-	1	-	-	1	3	4	11	11	12
All other	12	1	-	-	-	-	2	-	3	1	5	-	9	-	-	-	-	-	-	-	3	3	1	2
Black	12	1	-	-	-	-	2	-	3	1	5	-	9	-	-	-	-	-	-	-	3	3	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	408	3	-	1	1	4	2	13	43	112	146	83	453	7	-	-	3	3	6	12	37	86	154	145
White	364	2	-	1	1	3	1	11	37	98	135	75	388	5	-	-	3	3	5	11	23	68	132	138
All other	44	1	-	-	-	1	1	2	6	14	11	8	65	2	-	-	-	-	1	1	14	18	22	7
Black	43	1	-	-	-	1	1	2	6	14	10	8	64	2	-	-	-	-	1	1	14	18	21	7
Infections of kidney (590)	41	-	-	-	1	-	-	2	6	3	12	17	69	-	-	-	-	1	4	3	10	9	25	17
White	36	-	-	-	1	-	-	2	5	3	10	15	65	-	-	-	-	-	3	3	10	8	25	16
All other	5	-	-	-	-	-	-	-	1	-	2	2	4	-	-	-	-	1	1	-	-	1	-	1
Black	5	-	-	-	-	-	-	-	1	-	2	2	4	-	-	-	-	1	1	-	-	1	-	1
Hyperplasia of prostate (600)	30	-	-	-	-	-	-	-	-	5	13	12	...	...	...	...	...	...	...	...	...	...	...	...
White	29	-	-	-	-	-	-	-	-	4	13	12	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Congenital anomalies (740-759)	335	225	16	21	21	15	11	3	6	5	8	4	320	201	20	12	13	13	9	6	17	15	12	2
White	283	194	10	16	20	11	11	3	6	4	6	2	280	178	14	9	11	11	9	5	17	14	10	2
All other	52	31	6	5	1	4	-	-	-	1	2	2	40	23	6	3	2	2	-	1	-	1	2	-
Black	49	29	6	4	1	4	-	-	-	1	2	2	38	22	5	3	2	2	-	1	-	1	2	-
Certain conditions originating in the perinatal period (760-779)	497	494	3	-	-	-	-	-	-	-	-	-	343	341	1	-	-	1	-	-	-	-	-	-
White	344	341	3	-	-	-	-	-	-	-	-	-	244	242	1	-	-	1	-	-	-	-	-	-
All other	153	153	-	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
Black	149	149	-	-	-	-	-	-	-	-	-	-	97	97	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	138	138	-	-	-	-	-	-	-	-	-	-	77	76	-	-	-	1	-	-	-	-	-	-
White	111	111	-	-	-	-	-	-	-	-	-	-	58	57	-	-	-	1	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	26	26	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	359	356	3	-	-	-	-	-	-	-	-	-	266	265	1	-	-	-	-	-	-	-	-	-
White	233	230	3	-	-	-	-	-	-	-	-	-	186	185	1	-	-	-	-	-	-	-	-	-
All other	126	126	-	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-
Black	123	123	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	931	128	24	20	92	110	87	86	112	120	94	58	657	88	15	9	40	53	32	51	63	84	93	128
White	758	98	16	13	75	80	63	67	99	111	85	51	556	59	10	7	33	43	25	37	53	78	88	122
All other	173	30	8	7	17	30	24	19	13	9	9	7	101	29	5	2	7	10	7	14	10	6	5	6
Black	171	30	7	7	17	30	24	18	13	9	9	7	98	28	5	-	7	10	7	14	10	6	5	6
All other diseases (Residual)	2,841	72	33	29	83	90	94	173	448	642	760	419	3,061	53	16	30	32	56	93	142	335	578	900	825
White	2,467	52	30	26	73	69	69	131	369	572	689	387	2,726	38	15	28	25	36	69	115	279	522	826	772
All other	374	20	3	3	10	21	25	42	77	70	71	32	335	15	1	2	7	20	24	27	56	56	74	53
Black	368	19	3	3	10	21	25	42	75	69	70	31	328	15	1	2	7	19	22	26	56	54	74	52
Accidents and adverse effects (E800-E949)	2,368	14	81	124	580	417	244	202	209	205	185	107	1,216	13	55	58	172	114	90	63	100	129	207	215
White	2,146	10	68	112	545	382	220	170	177	184	174	104	1,098	11	45	50	155	97	79	57	88	119	192	205
All other	222	4	13	12	35	35	24	32	32	21	11	3	118	2	10	8	17	17	11	6	12	10	15	10
Black	212	3	13	11	35	32	24	32	31	17	11	3	110	2	9	7	15	16	10	5	12	9	15	10
Motor vehicle accidents (E810-E825)	1,150	3	22	63	410	266	118	78	70	63	43	14	476	2	15	28	139	80	53	29	48	33	33	16
White	1,069	2	19	57	392	246	107	69	65	59	39	14	432	2	13	27	124	73	45	26	45	30	31	16
All other	81	1	3	6	18	20	11	9	5	4	4	-	44	-	2	1	15	7	8	3	3	3	2	-
Black	73	-	3	5	18	17	11	9	4	2	4	-	39	-	1	1	14	6	7	2	3	3	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,218	11	59	61	170	151	126	124	139	142	142	93	740	11	40	30	33	34	37	34	52	96	174	199
White	1,077	8	49	55	153	136	113	101	112	125	135	90	666	9	32	23	31	24	34	31	43	89	161	189
All other	141	3	10	6	17	15	13	23	27	17	7	3	74	2	8	7	2	10	3	3	9	7	13	10
Black	139	3	10	6	17	15	13	23	27	15	7	3	71	2	8	6	1	10	3	3	9	6	13	10
Suicide (E950-E959)	904	...	...	5	166	200	111	130	107	109	61	14	284	...	...	3	44	53	46	46	41	30	16	5
White	826	...	...	4	150	174	101	121	100	101	61	13	262	...	...	3	42	44	43	41	41	29	14	5
All other	78	...	...	1	16	26	10	9	7	8	-	1	22	...	...	-	2	9	3	5	-	1	2	-
Black	76	...	...	1	15	26	9	9	7	8	-	1	19	...	...	-	2	8	2	5	-	1	1	-
Homicide and legal intervention (E960-E978)	403	6	7	8	88	127	61	42	31	21	8	4	157	4	3	4	28	39	32	19	5	13	10	-
White	192	3	3	4	43	57	31	19	16	7	6	3	97	3	2	2	17	21	19	13	3	8	9	-
All other	211	3	4	4	45	70	30	23	15	14	2	1	60	1	1	2	11	18	13	6	2	5	1	-
Black	209	3	4	4	45	69	30	22	15	14	2	1	59	1	1	2	11	17	13	6	2	5	1	-
All other external causes (E980-E999)	35	2	-	1	7	9	4	3	3	4	1	1	24	2	1	-	5	8	3	2	1	-	1	1
White	28	-	-	1	6	8	3	3	2	4	1	-	20	-	-	-	5	8	2	2	1	-	1	1
All other	7	2	-	-	1	1	1	-	1	-	-	1	4	2	1	-	-	-	1	-	-	-	-	-
Black	7	2	-	-	1	1	1	-	1	-	-	1	4	2	1	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,698	357	82	110	474	548	551	1,066	2,416	3,933	4,130	2,015	13,740	261	54	58	179	227	323	610	1,422	2,638	4,133	3,827
White	14,122	285	68	88	400	441	469	946	2,177	3,604	3,770	1,884	12,363	201	46	48	153	181	265	507	1,245	2,353	3,788	3,570
All other	1,576	72	14	22	74	107	82	120	239	329	360	151	1,377	60	8	10	26	46	58	103	177	285	345	257
Black	1,019	47	11	9	41	61	51	75	146	220	250	105	929	34	6	6	13	28	40	71	111	191	251	176
Shigellosis and amebiasis (004,005)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	13	-	-	-	-	-	1	2	2	3	4	1	8	-	-	-	1	-	1	-	1	2	3	-
White	7	-	-	-	-	-	-	-	-	3	3	1	3	-	-	-	1	-	-	-	-	-	2	-
All other	6	-	-	-	-	-	1	2	2	-	1	-	5	-	-	-	-	-	1	-	1	2	1	-
Black	4	-	-	-	-	-	1	2	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	1	1	2	3	3	1	7	-	-	-	1	-	1	-	1	2	2	-
White	7	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	1	-	-	-	-	-	1	-
All other	4	-	-	-	-	-	1	1	2	-	-	-	5	-	-	-	-	-	1	-	1	2	1	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	89	2	-	-	-	-	1	4	18	24	25	15	76	2	-	-	-	-	1	-	5	17	22	29
White	77	1	-	-	-	-	1	3	16	20	21	15	63	2	-	-	-	-	-	-	3	15	18	25
All other	12	1	-	-	-	-	-	1	2	4	4	-	13	-	-	-	-	-	1	-	2	2	4	4
Black	9	1	-	-	-	-	-	-	2	2	4	-	12	-	-	-	-	-	-	-	2	2	4	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	1	-	-	-	1	1	1	4	2	1	-	8	1	-	-	2	-	-	-	2	2	1	-
White	9	-	-	-	-	1	1	-	4	2	1	-	7	-	-	-	2	-	-	-	2	2	1	-
All other	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	35	1	-	1	1	1	1	4	4	8	12	2	30	-	2	-	-	3	1	5	4	6	6	3
White	31	1	-	1	1	1	1	4	2	7	11	2	26	-	1	-	-	3	1	5	2	6	5	3
All other	4	-	-	-	-	-	-	-	2	1	1	-	4	-	1	-	-	-	-	-	2	-	1	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	1	-	-	-	-	-	1	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,316	1	6	20	23	33	63	261	692	1,115	840	262	2,752	1	4	11	10	40	112	247	583	768	658	317
White	3,007	-	5	20	19	28	56	234	633	1,028	744	240	2,490	1	4	10	9	35	95	213	533	699	596	294
All other	309	1	1	-	4	5	7	27	59	87	96	22	262	-	-	1	1	5	17	34	50	69	62	23
Black	227	1	-	-	3	4	6	21	37	62	77	16	176	-	-	1	1	4	14	24	30	45	39	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	65	-	-	-	-	-	-	9	17	18	11	10	29	-	-	-	-	-	-	5	7	7	7	3
White	63	-	-	-	-	-	-	8	17	18	11	9	25	-	-	-	-	-	-	3	6	6	7	3
All other	2	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	-	-	2	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	2	1	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	702	-	-	-	-	3	12	48	157	230	184	68	680	-	1	-	-	3	17	41	107	185	219	107
White	619	-	-	-	-	2	10	43	136	209	157	62	607	-	1	-	-	2	14	33	90	167	198	102
All other	83	-	-	-	-	1	2	5	21	21	27	6	73	-	-	-	-	1	3	8	17	18	21	5
Black	60	-	-	-	-	1	2	4	12	17	20	4	52	-	-	-	-	1	3	6	11	14	13	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,360	-	-	-	-	2	22	136	347	511	299	43	531	-	-	-	1	-	20	51	167	163	94	34
White	1,250	-	-	-	-	1	18	120	320	475	276	40	489	-	-	-	1	-	17	47	158	148	84	33
All other	110	-	-	-	-	1	4	16	27	36	23	3	42	-	-	-	-	-	3	4	9	15	10	1
Black	81	-	-	-	-	1	3	15	16	24	19	3	29	-	-	-	-	-	3	2	6	11	6	1
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	3	-	-	467	-	-	-	1	13	33	60	107	136	81	36
White	3	-	-	-	-	-	-	-	-	3	-	-	422	-	-	-	1	11	30	52	102	127	68	31
All other	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	-	2	3	8	5	9	13	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	34	-	-	-	-	1	2	7	4	6	9	5
Malignant neoplasms of genital organs (179-187)	376	-	-	-	2	4	2	-	29	116	160	63	294	-	-	-	1	8	15	25	71	77	67	30
White	324	-	-	-	2	3	2	-	26	101	135	55	253	-	-	-	1	8	11	22	65	64	59	23
All other	52	-	-	-	-	1	-	-	3	15	25	8	41	-	-	-	-	-	4	3	6	13	8	7
Black	48	-	-	-	-	-	-	-	3	14	24	7	25	-	-	-	-	-	3	2	4	6	6	4
Malignant neoplasms of urinary organs (188-189)	134	-	-	-	-	1	5	8	23	45	38	14	89	-	1	1	-	-	2	5	17	27	22	14
White	127	-	-	-	-	1	5	7	20	45	36	13	80	-	1	1	-	-	2	4	14	25	21	12
All other	7	-	-	-	-	-	-	1	3	-	2	1	9	-	-	-	-	-	-	1	3	2	1	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	1	-	1	-	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	387	1	6	8	10	18	16	37	72	99	86	34	371	-	1	5	5	9	19	33	70	97	86	46
White	355	-	5	8	9	16	16	36	67	93	73	32	336	-	1	4	4	9	17	27	62	90	79	43
All other	32	1	1	-	1	2	-	1	5	6	13	2	35	-	-	1	1	-	2	6	8	7	7	3
Black	21	1	-	-	1	2	-	-	5	2	9	1	21	-	-	1	1	-	2	3	4	4	4	2
Leukemia (204-208)	139	-	-	12	7	4	4	10	17	46	24	15	116	1	1	5	1	4	3	9	19	23	32	18
White	133	-	-	12	5	4	4	9	17	43	24	15	111	1	1	5	1	3	2	9	18	21	32	18
All other	6	-	-	-	2	-	-	1	-	3	-	-	5	-	-	-	-	1	1	-	1	2	-	-
Black	3	-	-	-	2	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	150	-	-	-	4	1	2	13	30	47	38	15	175	-	-	-	1	3	3	18	18	53	50	29
White	133	-	-	-	3	1	1	11	30	41	32	14	167	-	-	-	1	2	2	16	18	51	48	29
All other	17	-	-	-	1	-	1	2	-	6	6	1	8	-	-	-	-	1	1	2	-	2	2	-
Black	12	-	-	-	-	-	1	2	-	4	5	-	5	-	-	-	-	1	1	1	-	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	-	-	-	1	-	-	1	7	8	4	4	44	-	-	-	2	3	1	3	4	11	11	9
White	23	-	-	-	1	-	-	1	7	7	4	3	40	-	-	-	2	2	1	3	4	11	10	7
All other	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	1	-	-	-	-	1	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	1	-	-	-	-	1	1
Diabetes mellitus (250)	187	-	-	-	2	6	8	16	28	53	51	22	298	-	-	1	1	6	10	13	43	71	102	49
White	153	-	-	-	2	5	6	12	21	43	43	21	245	-	-	1	-	6	10	8	30	53	93	44
All other	34	-	-	-	-	1	2	4	7	10	8	1	51	-	-	-	1	-	-	5	13	18	9	5
Black	17	-	-	-	-	1	-	4	2	6	2	1	29	-	-	-	1	-	-	2	7	12	4	3
Nutritional deficiencies (260-269)	18	-	-	-	-	-	-	-	1	5	6	6	24	-	-	-	-	-	-	-	-	4	6	14
White	14	-	-	-	-	-	-	-	1	5	3	5	23	-	-	-	-	-	-	-	-	3	6	14
All other	4	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	22	-	2	-	2	-	2	1	1	2	6	6	27	-	-	-	-	1	1	1	2	9	8	5
White	20	-	1	-	2	-	1	1	1	2	6	6	21	-	-	-	-	-	-	1	-	8	7	5
All other	2	-	1	-	-	-	1	-	-	-	-	-	6	-	-	-	-	1	1	-	2	1	1	-
Black	2	-	1	-	-	-	1	-	-	-	-	-	5	-	-	-	-	-	1	-	2	1	1	-
Meningitis (320-322)	7	2	1	-	-	-	-	-	1	1	1	1	18	6	2	1	-	-	-	1	-	3	2	2
White	6	2	-	-	-	-	-	-	1	1	1	1	13	5	1	1	-	-	-	-	-	2	2	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-	1	-	1	-	1
Black	1	-	1	-	-	-	-	-	-	-	-	-	5	1	1	-	-	-	-	1	-	1	-	1
Major cardiovascular diseases (390-448)	7,238	13	2	2	15	41	159	429	1,147	1,947	2,269	1,210	7,167	7	2	4	8	15	55	167	512	1,229	2,555	2,610
White	6,605	12	1	1	11	33	134	387	1,035	1,785	2,083	1,119	6,531	7	2	3	7	10	45	137	446	1,089	2,347	2,436
All other	633	1	1	1	4	8	25	42	112	162	186	91	636	-	-	1	1	5	10	30	66	140	208	174
Black	425	1	1	-	3	4	17	28	72	110	128	61	486	-	-	1	-	3	9	26	42	97	164	123

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,879	8	2	1	12	30	142	388	1,030	1,636	1,736	891	5,234	6	1	2	5	8	45	124	409	956	1,880	1,795
White	5,365	7	1	-	9	22	118	353	935	1,506	1,588	823	4,755	6	1	1	4	4	36	105	360	841	1,718	1,677
All other	514	1	1	1	3	8	24	35	95	130	148	68	479	-	-	1	1	4	9	19	49	115	162	118
Black	343	1	1	-	2	4	16	23	63	90	101	42	351	-	-	1	-	3	8	18	29	80	129	82
Rheumatic fever and rheumatic heart disease (390-398)	21	-	-	-	-	1	-	4	7	6	3	-	41	-	-	-	-	1	1	3	5	16	11	4
White	19	-	-	-	-	1	-	2	7	6	3	-	41	-	-	-	-	1	1	3	5	16	11	4
All other	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	75	-	-	-	-	1	2	13	12	14	19	14	122	-	-	-	-	1	-	5	10	21	44	41
White	63	-	-	-	-	1	1	12	7	13	18	11	99	-	-	-	-	-	-	3	7	14	39	36
All other	12	-	-	-	-	-	1	1	5	1	1	3	23	-	-	-	-	1	-	2	3	7	5	5
Black	11	-	-	-	-	-	1	1	5	1	-	3	21	-	-	-	-	1	-	2	2	6	5	5
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	4	2	6	1	17	-	-	-	-	-	-	-	2	-	13	2
White	12	-	-	-	-	-	-	-	3	2	6	1	12	-	-	-	-	-	-	-	2	-	8	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	-	5	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	4	-
Ischemic heart disease (410-414)	4,411	-	-	-	-	15	99	297	797	1,262	1,331	609	3,586	1	-	1	2	2	27	80	292	729	1,293	1,157
White	4,053	-	-	-	-	11	81	273	729	1,166	1,220	572	3,280	1	-	-	2	1	21	71	260	652	1,189	1,081
All other	358	-	-	-	-	4	18	24	68	96	111	37	306	-	-	1	-	1	6	9	32	77	104	76
Black	231	-	-	-	-	1	13	17	39	62	77	22	222	-	-	1	-	1	5	9	20	58	80	50
Acute myocardial infarction (410)	2,692	-	-	-	-	5	58	186	544	806	796	297	1,919	-	-	1	2	1	19	51	189	482	699	475
White	2,462	-	-	-	-	3	47	170	497	742	727	276	1,751	-	-	-	2	-	14	46	165	432	647	445
All other	230	-	-	-	-	2	11	16	47	64	69	21	168	-	-	1	-	1	5	5	24	50	52	30
Black	134	-	-	-	-	-	8	11	22	36	44	11	125	-	-	1	-	1	4	5	15	38	42	19
Other acute and subacute forms of ischemic heart disease (411)	204	-	-	-	-	1	8	19	48	60	49	19	109	-	-	-	-	1	3	10	12	21	38	23
White	187	-	-	-	-	1	8	18	44	54	44	18	98	-	-	-	-	1	3	9	11	16	34	23
All other	17	-	-	-	-	-	-	1	4	6	5	1	11	-	-	-	-	-	-	1	1	5	4	-
Black	14	-	-	-	-	-	-	1	3	5	4	1	9	-	-	-	-	-	-	1	1	4	3	-
Angina pectoris (413)	6	-	-	-	-	-	-	1	-	3	2	-	6	-	-	-	-	-	-	-	2	2	1	1
White	6	-	-	-	-	-	-	1	-	3	2	-	4	-	-	-	-	-	-	-	1	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,509	-	-	-	-	9	33	91	205	393	484	293	1,552	1	-	-	-	-	5	19	89	224	555	658
White	1,398	-	-	-	-	7	26	84	188	367	447	278	1,427	1	-	-	-	-	4	16	83	203	507	612
All other	111	-	-	-	-	2	7	7	17	26	37	15	125	-	-	-	-	-	1	3	6	21	48	46
Black	83	-	-	-	-	1	5	5	14	19	29	10	86	-	-	-	-	-	1	3	3	13	35	31
Other diseases of endocardium (424)	50	1	-	-	1	-	4	3	10	18	8	5	52	1	-	-	-	-	2	1	2	17	16	13
White	42	1	-	-	1	-	3	3	6	17	6	5	48	1	-	-	-	-	2	1	2	15	15	12
All other	8	-	-	-	-	-	1	-	4	1	2	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	5	-	-	-	-	-	-	-	3	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other forms of heart disease (415-423,425-429)	1,309	7	2	1	11	13	37	71	200	334	369	262	1,416	4	1	1	3	4	15	35	98	173	503	578
White	1,176	6	1	-	8	9	33	63	183	302	335	234	1,275	4	1	1	2	2	12	27	84	144	456	542
All other	133	1	1	1	3	4	4	8	17	32	34	28	141	-	-	-	1	2	3	8	14	29	47	36
Black	94	1	1	-	2	3	2	4	15	26	23	17	101	-	-	-	-	1	3	7	7	16	39	27
Hypertension with or without renal disease (401,403)	41	-	-	-	-	-	-	5	2	7	15	12	53	-	-	-	-	-	-	2	4	12	20	15
White	31	-	-	-	-	-	-	4	2	6	11	8	42	-	-	-	-	-	-	1	2	11	17	11
All other	10	-	-	-	-	-	-	1	-	1	4	4	11	-	-	-	-	-	-	1	2	1	3	4
Black	8	-	-	-	-	-	-	-	-	1	3	4	11	-	-	-	-	-	-	1	2	1	3	4
Cerebrovascular diseases (430-438)	1,002	5	-	1	2	10	15	31	85	228	383	241	1,511	-	1	-	1	6	9	33	86	210	539	626
White	917	5	-	1	1	10	14	27	72	202	357	227	1,393	-	1	-	1	5	8	24	76	191	504	583
All other	85	-	-	-	1	-	1	4	13	26	26	14	118	-	-	-	-	1	1	9	10	19	35	43
Black	56	-	-	-	1	-	1	3	7	16	17	11	84	-	-	-	-	-	1	6	8	13	26	30
Intracerebral and other intracranial hemorrhage (431-432)	96	4	-	1	1	3	3	5	23	24	26	6	138	-	1	-	1	3	5	12	18	29	47	22
White	88	4	-	1	1	3	3	5	20	21	24	6	126	-	1	-	1	3	5	6	17	27	45	21
All other	8	-	-	-	-	-	-	-	3	3	2	-	12	-	-	-	-	-	-	6	1	2	2	1
Black	7	-	-	-	-	-	-	-	2	3	2	-	7	-	-	-	-	-	-	4	-	2	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	111	-	-	-	-	1	-	3	12	26	37	32	199	-	-	-	-	-	-	1	10	23	64	101
White	104	-	-	-	-	1	-	3	11	23	34	32	185	-	-	-	-	-	-	1	10	21	60	93
All other	7	-	-	-	-	-	-	-	1	3	3	-	14	-	-	-	-	-	-	-	-	2	4	8
Black	4	-	-	-	-	-	-	-	1	1	2	-	12	-	-	-	-	-	-	-	-	2	4	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	-	1	2	7	-	-	-	-	-	-	-	-	-	4	3
White	3	-	-	-	-	-	-	-	-	-	1	2	7	-	-	-	-	-	-	-	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	792	1	-	-	1	6	12	23	50	178	319	201	1,167	-	-	-	-	3	4	20	58	158	424	500
White	722	1	-	-	-	6	11	19	41	158	296	187	1,075	-	-	-	-	2	3	17	49	143	395	466
All other	70	-	-	-	1	-	1	4	9	20	21	14	92	-	-	-	-	1	1	3	9	15	29	34
Black	45	-	-	-	1	-	1	3	4	12	13	11	65	-	-	-	-	-	1	2	8	9	22	23
Atherosclerosis (440)	145	-	-	-	-	-	-	1	5	22	70	47	268	1	-	-	-	-	-	4	4	29	79	151
White	131	-	-	-	-	-	-	-	4	20	63	44	249	1	-	-	-	-	-	4	2	25	73	144
All other	14	-	-	-	-	-	-	1	1	2	7	3	19	-	-	-	-	-	-	-	2	4	6	7
Black	11	-	-	-	-	-	-	1	-	1	6	3	13	-	-	-	-	-	-	-	1	3	4	5
Other diseases of arteries, arterioles, and capillaries (441-448)	171	-	-	-	1	1	2	4	25	54	65	19	101	-	-	2	2	1	1	4	9	22	37	23
White	161	-	-	-	1	1	2	3	22	51	64	17	92	-	-	2	2	1	1	3	6	21	35	21
All other	10	-	-	-	-	-	-	1	3	3	1	2	9	-	-	-	-	-	-	1	3	1	2	2
Black	7	-	-	-	-	-	-	1	2	2	1	1	7	-	-	-	-	-	-	1	2	-	2	2
Acute bronchitis and bronchiolitis (466)	5	-	1	-	-	-	-	-	3	-	1	-	5	2	-	-	-	-	-	-	-	-	2	1
White	4	-	1	-	-	-	-	-	2	-	1	-	4	1	-	-	-	-	-	-	-	-	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	410	4	1	2	1	4	9	8	28	75	143	135	463	5	5	2	3	1	2	5	16	52	141	231
White	375	3	1	1	1	3	6	7	28	66	134	125	433	4	4	2	3	-	2	4	13	47	134	220
All other	35	1	-	1	-	1	3	1	-	9	9	10	30	1	1	-	-	1	-	1	3	5	7	11
Black	27	1	-	1	-	1	2	1	-	6	7	8	14	1	-	-	-	-	-	1	1	3	4	4
Pneumonia (480-486)	403	4	-	2	1	4	8	8	27	75	142	132	452	5	5	2	3	1	1	4	16	52	140	223
White	369	3	-	1	1	3	5	7	27	66	133	123	423	4	4	2	3	-	1	3	13	47	133	213
All other	34	1	-	1	-	1	3	1	-	9	9	9	29	1	1	-	-	1	-	1	3	5	7	10
Black	28	1	-	1	-	1	2	1	-	6	7	7	14	1	-	-	-	-	-	1	1	3	4	4
Influenza (487)	7	-	1	-	-	-	1	-	1	-	1	3	11	-	-	-	-	-	1	1	-	-	1	8
White	6	-	1	-	-	-	1	-	1	-	1	2	10	-	-	-	-	-	1	1	-	-	1	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	691	-	1	1	-	2	2	22	90	243	282	68	325	-	-	-	4	-	6	13	54	126	91	31
White	666	-	1	1	-	2	2	20	86	236	252	66	306	-	-	-	3	-	5	12	49	123	86	28
All other	25	-	-	-	-	-	-	2	4	7	10	2	19	-	-	-	1	-	1	1	5	3	5	3
Black	14	-	-	-	-	-	-	-	4	3	6	1	12	-	-	-	1	-	1	1	4	2	2	1
Bronchitis, chronic and unspecified (490-491)	27	-	1	-	-	-	-	3	2	8	11	2	16	-	-	-	1	-	-	-	1	3	9	2
White	27	-	1	-	-	-	-	3	2	8	11	2	16	-	-	-	1	-	-	-	1	3	9	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	158	-	-	-	-	-	-	4	21	50	64	19	51	-	-	-	-	-	1	3	7	25	15	-
White	153	-	-	-	-	-	-	4	20	49	61	19	49	-	-	-	-	-	1	3	7	24	14	-
All other	5	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Asthma (493)	17	-	-	1	-	2	1	-	2	5	6	-	36	-	-	-	3	-	3	5	6	5	7	7
White	15	-	-	1	-	2	1	-	1	4	6	-	28	-	-	-	2	-	2	4	3	4	6	7
All other	2	-	-	-	-	-	-	-	1	1	-	-	8	-	-	-	1	-	1	1	3	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	1	-	1	1	2	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	489	-	-	-	-	-	1	15	65	180	181	47	222	-	-	-	-	-	2	5	40	93	60	22
White	471	-	-	-	-	-	1	13	63	175	174	45	213	-	-	-	-	-	2	5	38	92	57	19
All other	18	-	-	-	-	-	-	2	2	5	7	2	9	-	-	-	-	-	-	-	2	1	3	3
Black	11	-	-	-	-	-	-	-	2	3	6	1	4	-	-	-	-	-	-	-	2	-	1	1
Ulcer of stomach and duodenum (531-533)	36	-	-	-	-	-	2	2	4	10	13	5	38	-	-	-	-	2	-	2	3	5	9	17
White	33	-	-	-	-	-	1	2	3	10	12	5	32	-	-	-	-	2	-	2	1	5	7	15
All other	3	-	-	-	-	-	1	-	1	-	1	-	6	-	-	-	-	-	-	-	2	-	2	2
Black	2	-	-	-	-	-	1	-	-	-	1	-	4	-	-	-	-	-	-	-	2	-	1	1
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	3	1	1	-	-	-	1	5	5	12	8	38	-	-	-	-	-	2	1	3	5	11	16
White	29	2	1	-	-	-	-	-	4	5	10	7	36	-	-	-	-	-	2	1	2	5	11	15
All other	7	1	-	1	-	-	-	1	1	-	2	1	2	-	-	-	-	-	-	-	1	-	-	1
Black	5	1	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	176	-	-	-	-	5	25	40	48	37	19	2	96	1	-	-	1	4	12	22	24	17	13	2
White	149	-	-	-	-	2	20	33	42	32	18	2	72	1	-	-	-	-	10	14	18	14	13	2
All other	27	-	-	-	-	3	5	7	6	5	1	-	24	-	-	-	1	4	2	8	6	3	-	-
Black	9	-	-	-	-	-	3	2	2	2	-	-	7	-	-	-	-	1	-	3	3	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	21	-	-	-	-	-	-	-	1	6	10	4	25	-	-	-	-	1	-	1	3	6	5	9
White	20	-	-	-	-	-	-	-	-	6	10	4	22	-	-	-	-	1	-	1	1	5	5	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	175	2	-	2	1	1	5	11	16	37	59	41	200	3	1	-	3	-	5	4	12	38	58	76
White	152	2	-	2	1	1	3	10	10	31	55	37	177	3	1	-	2	-	3	4	11	30	49	74
All other	23	-	-	-	-	-	2	1	6	6	4	4	23	-	-	-	1	-	2	-	1	8	9	2
Black	17	-	-	-	-	-	1	1	4	5	3	3	16	-	-	-	-	-	1	-	1	6	6	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	1	-	-	-	-	4	1	-	4	-	1	-	-	-	-	-	1	-	1	1
White	4	-	-	-	1	-	-	-	-	2	1	-	4	-	1	-	-	-	-	-	1	-	1	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	-	-	1	1	1	1	3	5	4	25	-	-	-	1	-	1	2	1	5	6	9
White	12	-	-	-	-	1	1	-	1	2	3	4	24	-	-	-	1	-	-	2	1	5	6	9
All other	4	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	153	2	-	2	-	-	4	10	15	30	53	37	171	3	-	-	2	-	4	2	10	33	51	66
White	136	2	-	2	-	-	2	10	9	27	51	33	149	3	-	-	1	-	3	2	9	25	42	64
All other	17	-	-	-	-	-	2	-	6	3	2	4	22	-	-	-	1	-	1	-	1	8	9	2
Black	12	-	-	-	-	-	1	-	4	2	2	3	16	-	-	-	-	-	1	-	1	6	6	2
Infections of kidney (590)	26	-	-	-	-	-	1	1	-	6	11	7	33	-	-	-	-	-	-	2	1	5	14	11
White	24	-	-	-	-	-	1	1	-	6	11	5	32	-	-	-	-	-	-	2	1	4	14	11
All other	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	2	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	2	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	109	81	8	4	3	3	1	3	2	3	1	-	92	56	8	1	7	6	2	-	2	6	4	-
White	89	67	7	2	3	1	1	3	1	3	1	-	81	50	7	1	5	6	2	-	2	4	4	-
All other	20	14	1	2	-	2	-	-	1	-	-	-	11	6	1	-	2	-	-	-	-	2	-	-
Black	12	7	1	1	-	2	-	-	1	-	-	-	10	5	1	-	2	-	-	-	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	160	157	3	-	-	-	-	-	-	-	-	-	109	106	3	-	-	-	-	-	-	-	-	-
White	126	123	3	-	-	-	-	-	-	-	-	-	80	78	2	-	-	-	-	-	-	-	-	-
All other	34	34	-	-	-	-	-	-	-	-	-	-	29	28	1	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	19	18	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	57	56	1	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
White	48	47	1	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	103	101	2	-	-	-	-	-	-	-	-	-	84	81	3	-	-	-	-	-	-	-	-	-
White	78	76	2	-	-	-	-	-	-	-	-	-	60	58	2	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	24	23	1	-	-	-	-	-	-	-	-	-
Black	18	18	-	-	-	-	-	-	-	-	-	-	16	15	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	215	61	3	3	6	22	13	13	19	23	16	33	176	45	1	1	6	13	9	7	7	13	24	50
White	178	46	2	-	5	18	12	11	16	22	14	31	147	31	1	-	5	11	8	6	6	11	23	45
All other	37	15	1	3	1	4	1	2	3	1	2	2	29	14	-	1	1	2	1	1	1	2	1	5
Black	19	8	1	-	-	3	-	1	2	1	-	2	10	4	-	-	1	2	-	-	-	-	1	2
All other diseases (Residual)	895	15	6	8	23	29	30	79	133	204	248	120	989	15	6	9	15	25	34	42	85	172	310	275
White	792	13	5	8	19	23	28	67	113	181	224	111	871	8	5	8	11	21	24	33	69	152	285	254
All other	103	2	1	-	4	6	2	12	20	23	24	9	118	7	1	1	4	4	10	9	16	20	25	21
Black	58	2	1	-	-	3	1	6	10	13	14	8	75	3	-	-	2	3	7	6	10	12	17	15
Accidents and adverse effects (E800-E949)	1,201	12	39	62	274	240	143	109	113	83	72	50	511	10	17	27	84	60	43	40	41	55	66	67
White	1,048	12	34	48	241	195	129	97	106	71	65	46	449	9	16	21	75	50	37	30	38	51	58	64
All other	153	-	5	14	33	45	14	12	7	12	7	4	62	1	1	6	9	10	6	10	3	4	8	3
Black	70	-	4	7	15	20	4	4	2	8	4	2	35	-	1	4	2	6	4	5	3	3	5	1
Motor vehicle accidents (E810-E825)	644	5	17	33	182	155	77	60	52	25	29	8	255	6	5	18	67	42	38	23	20	20	11	5
White	559	5	15	28	157	128	70	52	46	22	27	8	223	5	5	15	61	38	33	13	20	18	10	5
All other	85	-	2	5	25	27	7	8	6	3	2	-	32	1	-	3	6	4	5	10	-	2	1	-
Black	31	-	1	2	11	11	1	2	1	1	1	-	12	-	-	1	-	2	3	5	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	557	7	22	29	92	85	66	49	61	58	43	42	256	4	12	9	17	18	5	17	21	35	55	62
White	489	7	19	20	84	67	59	45	60	49	38	38	226	4	11	6	14	12	4	17	18	33	48	59
All other	68	-	3	9	8	18	7	4	1	9	5	4	30	-	1	3	3	6	1	-	3	2	7	3
Black	39	-	3	5	4	9	3	2	1	7	3	2	23	-	1	3	2	4	1	-	3	2	5	1
Suicide (E950-E959)	333	...	...	1	71	88	34	40	33	26	32	9	103	...	...	-	16	20	20	21	10	12	4	-
White	313	...	...	1	63	81	31	38	33	25	32	9	97	...	...	-	14	19	18	21	9	12	4	-
All other	20	...	...	-	8	5	3	2	-	1	-	-	6	...	...	-	2	1	2	-	1	-	-	-
Black	9	...	...	-	3	2	3	1	-	-	-	-	3	...	...	-	1	1	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	211	2	6	-	48	68	43	17	14	1	6	3	70	1	3	1	14	24	5	10	3	2	4	2
White	136	1	4	-	28	42	28	14	10	1	5	2	50	1	2	1	14	12	2	7	3	1	4	2
All other	75	1	2	-	20	26	15	3	4	-	1	1	20	-	1	-	-	12	3	3	-	1	-	-
Black	57	-	1	-	17	20	11	2	3	-	1	1	13	-	1	-	-	7	2	2	-	1	-	-
All other external causes (E980-E999)	24	-	1	3	2	6	6	1	1	3	1	-	9	-	-	-	1	2	-	3	1	2	-	-
White	23	-	1	3	2	5	6	1	1	3	1	-	7	-	-	-	-	2	-	3	1	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
OREGON																								
All causes	12,056	206	59	76	298	361	387	699	1,786	3,205	3,183	1,794	10,406	179	39	38	124	141	194	430	1,117	2,161	2,992	3,051
White	11,749	194	55	75	277	336	368	666	1,738	3,135	3,129	1,776	10,183	162	33	35	117	127	183	407	1,084	2,121	2,884	3,030
All other	307	12	4	1	21	25	19	33	50	70	54	18	223	17	6	3	7	14	11	23	33	40	48	21
Black	182	6	2	1	11	11	9	19	32	50	31	10	113	10	3	1	3	7	5	10	19	22	24	9
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-	1	3
White	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	9	-	-	-	-	-	-	-	1	3	3	2	8	-	1	-	-	-	-	-	1	2	4	-
White	9	-	-	-	-	-	-	-	1	3	3	2	7	-	-	-	-	-	-	-	1	2	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	7	-	-	-	-	-	-	-	1	2	2	2	6	-	-	-	-	-	-	-	-	2	4	-
White	7	-	-	-	-	-	-	-	1	2	2	2	6	-	-	-	-	-	-	-	-	2	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	2	-	-	-	-	-	-	-	-	-	-	5	-	1	1	1	-	-	-	1	-	-	1
White	2	2	-	-	-	-	-	-	-	-	-	-	5	-	1	1	1	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	35	3	1	1	-	-	-	2	7	6	12	3	41	-	1	-	-	1	2	3	7	8	8	11
White	34	3	1	1	-	-	-	2	7	6	12	2	39	-	1	-	-	-	2	2	7	8	8	11
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	1	-	-	1	-	3	1	-	-	4	-	-	-	-	-	-	-	-	2	1	1
White	6	-	-	1	-	-	1	-	3	1	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	19	2	-	1	-	1	2	1	4	2	2	4	25	3	-	-	-	1	1	-	4	4	10	2
White	18	2	-	1	-	1	1	1	4	2	2	4	24	3	-	-	-	1	1	-	4	4	10	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,646	-	7	6	21	26	64	191	505	918	658	250	2,303	-	6	7	15	17	79	188	472	730	517	272
White	2,582	-	7	6	18	26	62	179	495	896	645	248	2,263	-	5	7	15	16	76	183	460	718	514	269
All other	64	-	-	-	3	-	2	12	10	22	13	2	40	-	1	-	-	1	3	5	12	12	3	3
Black	50	-	-	-	3	-	2	9	7	16	10	1	22	-	-	-	-	-	1	2	10	5	2	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	45	-	-	-	1	1	-	7	10	17	6	3	30	-	-	-	-	-	-	2	8	9	8	3
White	44	-	-	-	1	1	-	6	10	17	6	3	29	-	-	-	-	-	-	2	7	9	8	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	641	-	1	-	-	3	13	50	115	202	181	76	542	-	-	-	2	2	7	24	78	157	165	107
White	629	-	1	-	-	3	13	49	113	198	178	74	535	-	-	-	2	2	7	24	75	155	164	106
All other	12	-	-	-	-	-	-	1	2	4	3	2	7	-	-	-	-	-	-	-	3	2	1	1
Black	9	-	-	-	-	-	-	-	2	4	2	1	4	-	-	-	-	-	-	-	3	-	-	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	935	-	-	-	1	1	12	74	219	393	195	40	482	-	-	-	1	-	9	58	132	197	70	15
White	913	-	-	-	1	1	12	70	216	381	192	40	476	-	-	-	1	-	9	56	132	195	69	14
All other	22	-	-	-	-	-	-	4	3	12	3	-	6	-	-	-	-	-	-	2	-	2	1	1
Black	15	-	-	-	-	-	-	3	2	9	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	448	-	-	-	1	3	33	46	118	125	81	41
White	-	-	-	-	-	-	-	-	-	-	-	-	438	-	-	-	1	2	32	44	116	122	80	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	1	1	2	2	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	2	1	-
Malignant neoplasms of genital organs (179-187)	302	-	-	-	1	4	2	5	22	75	118	75	245	-	-	-	1	5	11	23	49	81	55	20
White	293	-	-	-	1	4	1	4	21	73	114	75	239	-	-	-	1	5	9	22	47	80	55	20
All other	9	-	-	-	-	-	1	1	1	2	4	-	6	-	-	-	-	-	2	1	2	1	-	-
Black	7	-	-	-	-	-	1	-	-	2	4	-	4	-	-	-	-	-	1	-	2	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	148	-	1	-	-	1	1	10	31	48	41	15	85	-	-	-	-	-	1	2	11	29	25	17
White	145	-	1	-	-	1	1	9	31	46	41	15	85	-	-	-	-	-	1	2	11	29	25	17
All other	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	303	-	3	4	10	12	23	29	55	95	54	18	250	-	2	3	5	4	12	17	45	69	53	40
White	294	-	3	4	8	12	22	26	52	95	54	18	244	-	2	3	5	4	12	17	44	65	53	39
All other	9	-	-	-	2	-	1	3	3	-	-	-	6	-	-	-	-	-	-	-	1	4	-	1
Black	8	-	-	-	2	-	1	3	2	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Leukemia (204-208)	120	-	2	1	6	3	5	8	21	34	30	10	90	-	4	4	2	1	5	4	11	22	24	13
White	115	-	2	1	6	3	5	7	20	33	28	10	89	-	3	4	2	1	5	4	11	22	24	13
All other	5	-	-	-	-	-	-	1	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	152	-	-	1	2	1	8	8	32	54	33	13	131	-	-	-	3	2	1	12	20	41	36	16
White	149	-	-	1	1	1	8	8	32	53	32	13	128	-	-	-	3	2	1	12	17	41	36	16
All other	3	-	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	3	-	-	-
Black	3	-	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	3	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	34	-	-	-	-	1	1	1	5	5	16	5	28	-	1	-	1	2	1	2	2	6	6	7
White	34	-	-	-	-	1	1	1	5	5	16	5	28	-	1	-	1	2	1	2	2	6	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	129	-	-	-	1	2	7	12	18	32	41	16	198	-	-	-	3	3	5	11	34	56	53	33
White	126	-	-	-	1	2	7	12	17	31	41	15	189	-	-	-	3	3	5	9	33	53	51	32
All other	3	-	-	-	-	-	-	-	1	1	-	1	9	-	-	-	-	-	-	2	1	3	2	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	1	-	2	2	-
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	-	1	-	7	9	-	-	-	-	-	-	-	-	2	1	6
White	8	-	-	-	-	-	-	-	-	1	-	7	9	-	-	-	-	-	-	-	-	2	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	18	1	-	-	2	2	-	-	-	4	4	5	18	-	-	-	-	-	-	-	-	1	7	10
White	14	-	-	-	-	1	-	-	-	4	4	5	18	-	-	-	-	-	-	-	-	1	7	10
All other	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	2	1	1	1	-	-	-	-	-	-	1	8	3	1	-	-	1	-	-	-	1	2	-
White	5	1	1	1	1	-	-	-	-	-	-	1	7	3	1	-	-	1	-	-	-	-	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	5,576	7	3	3	8	26	90	266	802	1,554	1,719	1,098	5,231	4	1	-	5	15	24	102	350	901	1,738	2,091
White	5,472	7	3	3	8	24	87	259	783	1,525	1,685	1,088	5,143	4	1	-	5	14	23	95	334	885	1,703	2,079
All other	104	-	-	-	-	2	3	7	19	29	34	10	88	-	-	-	-	1	1	7	16	16	35	12
Black	60	-	-	-	-	2	3	3	12	19	16	5	44	-	-	-	-	1	-	4	7	9	16	7
Diseases of heart (390-398,402,404-429)	4,371	6	3	2	5	22	79	239	701	1,256	1,271	787	3,615	2	1	-	4	10	18	75	275	666	1,210	1,354
White	4,295	6	3	2	5	21	76	232	688	1,233	1,252	779	3,552	2	1	-	4	9	17	68	265	655	1,185	1,346
All other	76	-	-	-	-	1	3	7	15	23	19	8	63	-	-	-	-	1	1	7	10	11	25	8
Black	44	-	-	-	-	1	3	3	10	16	8	3	32	-	-	-	-	1	-	4	5	5	12	5
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	1	-	1	2	9	5	3	1	63	-	-	-	-	-	2	4	11	16	20	10
White	22	-	-	-	1	-	1	2	9	5	3	1	62	-	-	-	-	-	2	4	10	16	20	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	58	-	-	-	-	1	2	-	9	21	18	7	107	-	-	-	-	-	2	2	10	19	41	33
White	57	-	-	-	-	1	2	-	9	20	18	7	105	-	-	-	-	-	2	1	10	19	40	33
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	-	4	6	3	19	-	-	-	-	-	-	1	-	2	8	8
White	13	-	-	-	-	-	-	-	-	4	6	3	19	-	-	-	-	-	-	1	-	2	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,486	1	-	-	-	13	57	203	586	1,027	1,002	597	2,611	1	-	-	1	1	7	50	213	514	873	951
White	3,431	1	-	-	-	12	57	197	575	1,014	986	589	2,565	1	-	-	1	1	7	46	205	504	854	946
All other	55	-	-	-	-	1	-	6	11	13	16	8	46	-	-	-	-	-	-	4	8	10	19	5
Black	32	-	-	-	-	1	-	3	7	11	7	3	26	-	-	-	-	-	-	2	4	5	11	4
Acute myocardial infarction (410)	1,402	1	-	-	-	7	19	85	251	436	415	188	971	1	-	-	-	-	3	27	107	222	355	256
White	1,386	1	-	-	-	6	19	83	245	434	411	187	957	1	-	-	-	-	3	24	105	219	350	255
All other	16	-	-	-	-	1	-	2	6	2	4	1	14	-	-	-	-	-	-	3	2	3	5	1
Black	6	-	-	-	-	1	-	-	3	1	-	1	4	-	-	-	-	-	-	1	1	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	-	1	1	3	2	2	6	-	-	-	-	-	-	-	-	-	1	5
White	9	-	-	-	-	-	-	1	1	3	2	2	6	-	-	-	-	-	-	-	-	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	1	1	3	2	4	-	-	-	-	-	-	1	1	1	1	-
White	7	-	-	-	-	-	-	-	1	1	3	2	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,088	-	-	-	-	6	38	117	333	587	582	405	1,630	-	-	-	1	1	4	22	105	291	516	690
White	2,029	-	-	-	-	6	38	113	328	576	570	398	1,599	-	-	-	1	1	4	22	99	284	502	686
All other	39	-	-	-	-	-	-	4	5	11	12	7	31	-	-	-	-	-	-	-	6	7	14	4
Black	26	-	-	-	-	-	-	3	4	10	7	2	21	-	-	-	-	-	-	-	3	5	9	4
Other diseases of endocardium (424)	85	-	-	-	-	1	5	4	7	19	25	24	82	-	-	-	-	-	1	3	4	14	29	31
White	82	-	-	-	-	1	4	4	7	17	25	24	78	-	-	-	-	-	1	2	3	14	27	31
All other	3	-	-	-	-	-	1	-	-	2	-	-	4	-	-	-	-	-	-	1	1	-	2	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
All other forms of heart disease (415-423,425-429)	707	5	3	2	4	7	14	30	90	180	217	155	733	1	1	-	3	9	6	15	37	101	239	321
White	690	5	3	2	4	7	12	29	86	173	214	155	723	1	1	-	3	8	5	14	37	100	236	318
All other	17	-	-	-	-	-	2	1	4	7	3	-	10	-	-	-	-	1	1	1	-	1	3	3
Black	10	-	-	-	-	-	2	-	3	4	1	-	3	-	-	-	-	1	-	1	-	-	-	1
Hypertension with or without renal disease (401,403)	33	-	-	-	-	-	1	1	3	12	10	6	44	-	-	-	-	-	-	1	5	15	13	10
White	33	-	-	-	-	-	1	1	3	12	10	6	44	-	-	-	-	-	-	1	5	15	13	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	818	1	-	1	3	4	8	19	67	197	316	202	1,190	2	-	-	1	5	6	20	54	173	424	505
White	795	1	-	1	3	3	8	19	64	191	304	201	1,168	2	-	-	1	5	6	20	51	168	414	501
All other	23	-	-	-	-	1	-	-	3	6	12	1	22	-	-	-	-	-	-	-	3	5	10	4
Black	15	-	-	-	-	1	-	-	2	3	8	1	11	-	-	-	-	-	-	-	1	4	4	2
Intracerebral and other intracranial hemorrhage (431-432)	103	1	-	1	2	2	6	7	13	21	40	10	109	1	-	-	-	4	3	3	10	20	47	21
White	101	1	-	1	2	2	6	7	12	21	39	10	106	1	-	-	-	4	3	3	9	20	45	21
All other	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	123	-	-	-	-	-	1	1	9	37	46	29	160	-	-	-	-	-	-	1	8	29	50	72
White	119	-	-	-	-	-	1	1	9	35	44	29	156	-	-	-	-	-	-	1	8	26	50	71
All other	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	3	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	2	-	1
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	1	2	-	7	-	-	-	-	-	-	-	1	1	3	2
White	4	-	-	-	-	-	-	1	-	1	2	-	7	-	-	-	-	-	-	-	1	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	586	-	-	-	1	2	1	10	45	138	228	163	914	1	-	-	1	1	3	16	35	123	324	410
White	571	-	-	-	1	1	1	10	43	134	219	162	899	1	-	-	1	1	3	16	33	121	316	407
All other	17	-	-	-	-	1	-	-	2	4	9	1	15	-	-	-	-	-	-	-	2	2	8	3
Black	13	-	-	-	-	1	-	-	2	3	6	1	8	-	-	-	-	-	-	-	1	2	4	1
Atherosclerosis (440)	172	-	-	-	-	-	-	1	9	24	64	74	287	-	-	-	-	-	-	1	7	22	67	190
White	168	-	-	-	-	-	-	1	8	24	62	73	285	-	-	-	-	-	-	1	5	22	67	190
All other	4	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	182	-	-	-	-	-	2	6	22	65	58	29	95	-	-	-	-	-	-	5	9	25	24	32
White	181	-	-	-	-	-	2	6	22	65	57	29	94	-	-	-	-	-	-	5	8	25	24	32
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	1	1	-	-	5	-	1	-	1	-	-	-	-	-	2	1
White	3	1	-	-	-	-	-	-	1	1	-	-	5	-	1	-	1	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	294	-	-	1	1	3	1	6	24	55	98	105	339	-	1	-	-	2	4	3	10	37	98	184
White	291	-	-	1	1	3	1	5	23	54	98	105	334	-	1	-	-	2	4	1	10	37	97	182
All other	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	-	-	2	-	-	1	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	279	-	-	1	1	3	1	6	22	51	93	101	311	-	1	-	-	1	3	3	9	33	88	173
White	276	-	-	1	1	3	1	5	21	50	93	101	306	-	1	-	-	1	3	1	9	33	87	171
All other	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	-	-	2	-	-	1	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Influenza (487)	15	-	-	-	-	-	-	-	2	4	5	4	28	-	-	-	-	1	1	-	1	4	10	11
White	15	-	-	-	-	-	-	-	2	4	5	4	28	-	-	-	-	1	1	-	1	4	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	607	-	1	1	1	1	1	10	79	218	224	71	347	-	-	1	2	-	3	13	54	143	103	28
White	603	-	1	1	1	1	1	10	78	215	224	71	343	-	-	1	2	-	3	13	54	140	102	28
All other	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	4	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis, chronic and unspecified (490-491)	36	-	1	-	-	-	1	-	3	11	11	9	20	-	-	-	-	-	1	1	3	6	6	3
White	35	-	1	-	-	-	1	-	3	10	11	9	20	-	-	-	-	-	1	1	3	6	6	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	141	-	-	-	-	-	-	3	25	50	53	10	78	-	-	-	-	-	2	1	18	36	16	5
White	141	-	-	-	-	-	-	3	25	50	53	10	78	-	-	-	-	-	2	1	18	36	16	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	24	-	-	1	1	-	-	1	2	9	8	2	36	-	-	-	1	-	-	5	6	10	9	5
White	24	-	-	1	1	-	-	1	2	9	8	2	36	-	-	-	1	-	-	5	6	10	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	406	-	-	-	-	1	-	6	49	148	152	50	213	-	-	1	1	-	-	6	27	91	72	15
White	403	-	-	-	-	1	-	6	48	146	152	50	209	-	-	1	1	-	-	6	27	88	71	15
All other	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Ulcer of stomach and duodenum (531-533)	44	-	-	-	-	-	1	3	7	12	13	8	32	-	-	-	-	-	-	3	3	6	9	11
White	43	-	-	-	-	-	1	3	7	12	13	7	32	-	-	-	-	-	-	3	3	6	9	11
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	1	-	-	1	-
White	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	-	-	-	-	-	1	1	1	2	10	4	23	-	-	-	-	-	1	-	-	2	6	14
White	19	-	-	-	-	-	1	1	1	2	10	4	23	-	-	-	-	-	1	-	-	2	6	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	191	-	-	-	-	4	18	32	70	53	13	1	106	-	-	-	-	2	9	22	38	23	11	1
White	180	-	-	-	-	2	17	29	67	51	13	1	102	-	-	-	-	2	8	20	37	23	11	1
All other	11	-	-	-	-	2	1	3	3	2	-	-	4	-	-	-	-	-	1	2	1	-	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	-	1	1	1	-	8	4	18	-	-	-	-	-	-	-	1	2	8	7
White	15	-	-	-	-	-	1	1	1	-	8	4	17	-	-	-	-	-	-	-	1	1	8	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	74	-	1	-	-	1	2	3	13	15	26	13	75	-	-	-	-	-	-	2	4	14	24	31
White	69	-	1	-	-	1	2	2	11	13	26	13	70	-	-	-	-	-	-	2	3	14	21	30
All other	5	-	-	-	-	-	-	1	2	2	-	-	5	-	-	-	-	-	-	-	1	-	3	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	1	-	-	-	-	-	2	-	2	-	9	-	-	-	-	-	-	-	-	2	3	4
White	5	-	1	-	-	-	-	-	2	-	2	-	9	-	-	-	-	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	69	-	-	-	-	1	2	3	11	15	24	13	64	-	-	-	-	-	-	2	4	12	20	26
White	64	-	-	-	-	1	2	2	9	13	24	13	59	-	-	-	-	-	-	2	3	12	17	25
All other	5	-	-	-	-	-	-	1	2	2	-	-	5	-	-	-	-	-	-	-	1	-	3	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Infections of kidney (590)	7	-	-	-	-	-	-	-	3	1	-	3	10	-	-	-	-	-	-	-	-	4	4	2
White	7	-	-	-	-	-	-	-	3	1	-	3	10	-	-	-	-	-	-	-	-	4	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	2	1	3	---	---	---	---	---	---	---	---	---	---	---	---
White	6	-	-	-	-	-	-	-	-	2	1	3	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	-	2	3	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	-	3	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	2	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
Pregnancy with abortive outcome (630-638)	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	-	1	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Other complications of pregnancy, childbirth, and the puerperium (640-676)	---	---	---	---	---	---	---	---	---	---	---	---	4	---	---	-	2	2	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	-	2	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	2	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	-	1	-	-	-	---	---	---	---
Congenital anomalies (740-759)	84	50	8	1	6	4	2	3	3	3	3	1	64	41	6	-	3	1	1	2	3	3	3	1
White	80	47	8	1	6	3	2	3	3	3	3	1	60	38	6	-	3	1	-	2	3	3	3	1
All other	4	3	-	-	-	1	-	-	-	-	-	-	4	3	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	75	73	1	1	-	-	-	-	-	-	-	-	64	63	1	-	-	-	-	-	-	-	-	-
White	71	69	1	1	-	-	-	-	-	-	-	-	57	56	1	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	23	1	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	22	21	1	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	51	50	-	1	-	-	-	-	-	-	-	-	52	51	1	-	-	-	-	-	-	-	-	-
White	49	48	-	1	-	-	-	-	-	-	-	-	47	46	1	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	165	49	1	-	2	3	3	6	20	27	32	22	149	50	1	-	2	3	1	4	8	17	28	35
White	157	47	1	-	2	3	3	5	18	25	32	21	142	44	1	-	2	2	1	4	8	17	28	35
All other	8	2	-	-	-	-	-	1	2	2	-	1	7	6	-	-	-	1	-	-	-	-	-	-
Black	4	1	-	-	-	-	-	1	1	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	715	6	8	5	12	19	19	41	96	181	208	120	788	9	3	2	4	11	19	33	71	157	241	238
White	691	6	7	4	12	18	18	38	92	174	203	119	773	8	2	2	3	9	16	32	70	154	239	236
All other	24	-	1	1	-	1	1	3	4	7	5	1	15	1	1	-	1	2	3	1	1	3	2	-
Black	18	-	1	1	-	1	1	2	3	5	3	1	7	-	-	-	1	1	2	-	-	3	-	-
Accidents and adverse effects (E800-E949)	838	8	24	49	177	170	94	72	71	73	66	34	348	4	11	20	66	48	21	22	33	28	36	59
White	797	7	21	49	167	158	89	68	69	72	64	33	335	4	10	19	64	45	20	20	32	27	35	59
All other	41	1	3	-	10	12	5	4	2	1	2	1	13	-	1	1	2	3	1	2	1	1	1	-
Black	14	-	1	-	2	5	-	2	1	1	2	-	5	-	1	-	-	1	-	-	1	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	416	3	7	21	125	99	52	30	27	25	23	4	172	2	4	14	57	30	15	9	16	12	10	3
White	397	3	6	21	118	96	50	27	26	25	21	4	165	2	4	13	55	29	14	8	15	12	10	3
All other	19	-	1	-	7	3	2	3	1	-	2	-	7	-	-	1	2	1	1	1	1	-	-	-
Black	4	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	422	5	17	28	52	71	42	42	44	48	43	30	176	2	7	6	9	18	6	13	17	16	26	56
White	400	4	15	28	49	62	39	41	43	47	43	29	170	2	6	6	9	16	6	12	17	15	25	56
All other	22	1	2	-	3	9	3	1	1	1	-	1	6	-	1	-	-	2	-	1	-	1	1	-
Black	10	-	1	-	2	4	-	1	1	1	-	-	4	-	1	-	-	1	-	-	-	1	1	-
Suicide (E950-E959)	326	...	...	1	49	68	61	36	46	31	22	12	86	...	...	-	9	12	16	13	18	7	9	2
White	315	...	...	1	46	66	57	36	44	31	22	12	83	...	...	-	9	11	15	12	18	7	9	2
All other	11	...	...	-	3	2	4	-	2	-	-	-	3	...	...	-	-	1	1	1	-	-	-	-
Black	4	...	...	-	1	1	1	-	1	-	-	-	2	...	...	-	-	-	1	1	-	-	-	-
Homicide and legal intervention (E960-E978)	72	-	2	3	14	21	15	10	4	3	-	-	43	-	3	7	7	13	4	3	3	3	-	-
White	61	-	2	3	11	17	13	10	2	3	-	-	35	-	1	5	6	10	4	3	3	3	-	-
All other	11	-	-	-	3	4	2	-	2	-	-	-	8	-	2	2	1	3	-	-	-	-	-	-
Black	7	-	-	-	3	1	1	-	2	-	-	-	6	-	2	1	1	2	-	-	-	-	-	-
All other external causes (E980-E999)	27	1	1	1	3	9	3	2	4	1	1	1	17	-	-	-	3	6	3	3	-	1	1	-
White	25	1	1	1	3	9	3	1	3	1	1	1	15	-	-	-	2	5	3	3	-	1	1	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA																								
All causes	62,823	989	166	210	1,225	1,391	1,725	3,946	11,238	17,792	16,014	8,114	58,636	795	127	114	410	629	985	2,386	6,773	12,983	17,799	15,623
White	56,983	747	132	182	1,053	1,114	1,388	3,329	10,002	16,425	14,913	7,687	53,654	584	95	88	354	486	783	1,951	5,941	11,775	16,604	14,985
All other	5,840	242	34	28	172	277	337	617	1,236	1,367	1,101	427	4,982	211	32	26	56	143	202	435	832	1,208	1,195	638
Black	5,723	235	32	27	171	273	328	604	1,221	1,341	1,076	413	4,907	200	32	25	55	137	198	429	823	1,196	1,180	628
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	1	-	-	-	-	-	-	1	2	1	2	4	-	-	-	-	-	1	-	-	-	-	3
White	7	1	-	-	-	-	-	-	1	2	1	2	4	-	-	-	-	-	1	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	58	-	-	-	-	1	4	8	7	12	15	11	26	-	-	-	-	2	2	3	2	6	9	2
White	43	-	-	-	-	-	1	3	5	12	12	10	16	-	-	-	-	1	1	1	1	4	6	2
All other	15	-	-	-	-	1	3	5	2	-	3	1	10	-	-	-	-	1	1	2	1	2	3	-
Black	14	-	-	-	-	1	3	5	2	-	2	1	10	-	-	-	-	1	1	2	1	2	3	-
Tuberculosis of respiratory system (010-012)	55	-	-	-	-	1	4	8	6	11	14	11	15	-	-	-	-	-	-	3	-	5	6	1
White	40	-	-	-	-	-	1	3	4	11	11	10	10	-	-	-	-	-	-	1	-	4	4	1
All other	15	-	-	-	-	1	3	5	2	-	3	1	5	-	-	-	-	-	-	2	-	1	2	-
Black	14	-	-	-	-	1	3	5	2	-	2	1	5	-	-	-	-	-	-	2	-	1	2	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	1	1	1	-	11	-	-	-	-	2	2	-	2	1	3	1
White	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	1	1	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	1	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	1	1	-	1	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	1	-	-	-	-	-	-	-	-	-	4	-	1	-	1	1	-	1	-	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Septicemia (038)	521	3	2	-	2	2	9	22	78	140	170	93	651	6	1	1	3	4	5	16	57	142	228	188
White	431	3	2	-	2	1	4	15	61	114	149	80	535	4	-	1	3	3	2	14	39	106	192	171
All other	90	-	-	-	-	1	5	7	17	26	21	13	116	2	1	-	-	1	3	2	18	36	36	17
Black	88	-	-	-	-	1	5	7	17	25	20	13	115	2	1	-	-	1	3	2	17	36	36	17
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	11	-	-	-	-	-	1	2	4	3	-	1	8	1	-	-	-	1	-	1	1	1	2	1
White	8	-	-	-	-	-	1	1	2	3	-	1	8	1	-	-	-	1	-	1	1	1	2	1
All other	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	6	1	-	-	-	-	-	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	4	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	120	1	-	3	2	12	12	12	21	28	23	8	111	5	-	3	3	5	3	11	25	22	22	12
White	95	1	-	3	2	9	6	8	18	21	19	8	89	3	-	3	2	3	1	8	17	21	19	12
All other	25	-	-	-	-	3	6	4	3	5	4	-	22	2	-	-	1	2	2	3	8	1	3	-
Black	25	-	-	-	-	3	6	4	3	5	4	-	21	2	-	-	1	2	2	3	7	1	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,320	4	13	29	72	117	268	1,049	3,510	4,781	3,412	1,062	12,677	4	7	20	46	136	394	1,052	2,755	3,687	3,098	1,477
White	12,940	4	12	24	63	102	228	885	3,156	4,354	3,122	988	11,651	3	7	16	43	119	343	902	2,500	3,390	2,918	1,409
All other	1,380	-	1	5	9	15	40	164	354	427	290	74	1,026	1	-	4	3	17	51	150	255	297	180	68
Black	1,353	-	1	5	9	15	37	164	349	417	283	72	1,013	1	-	4	3	15	49	145	255	294	179	68
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	355	-	-	-	1	1	8	43	129	113	43	17	120	-	-	-	-	2	1	8	38	28	26	17
White	310	-	-	-	1	1	6	33	110	103	40	16	111	-	-	-	-	2	1	7	35	26	23	17
All other	45	-	-	-	-	-	2	10	19	10	3	1	9	-	-	-	-	-	-	1	3	2	3	-
Black	45	-	-	-	-	-	2	10	19	10	3	1	9	-	-	-	-	-	-	1	3	2	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,857	-	1	1	2	13	65	257	958	1,295	965	299	3,473	-	-	-	3	14	56	162	559	1,019	1,079	581
White	3,470	-	1	1	2	11	48	213	846	1,188	879	281	3,193	-	-	-	3	12	41	138	508	915	1,018	558
All other	387	-	-	-	-	2	17	44	112	107	86	18	280	-	-	-	-	2	15	24	51	104	61	23
Black	371	-	-	-	-	2	15	44	110	101	81	17	274	-	-	-	-	1	13	21	51	104	61	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,732	-	-	1	3	6	68	429	1,344	1,721	963	197	2,016	-	-	1	4	8	57	205	573	704	355	109
White	4,276	-	-	1	2	3	53	357	1,210	1,573	890	187	1,805	-	-	-	4	7	43	173	497	651	331	99
All other	456	-	-	-	1	3	15	72	134	148	73	10	211	-	-	1	-	1	14	32	76	53	24	10
Black	451	-	-	-	1	3	15	72	133	146	71	10	209	-	-	1	-	1	14	30	76	53	24	10
Malignant neoplasm of breast (174-175)	19	-	-	-	-	-	1	-	5	7	2	4	2,451	-	-	-	2	25	140	307	649	636	455	237
White	16	-	-	-	-	-	1	-	4	5	2	4	2,267	-	-	-	2	21	128	271	599	585	431	230
All other	3	-	-	-	-	-	-	-	1	2	-	-	184	-	-	-	-	4	12	36	50	51	24	7
Black	3	-	-	-	-	-	-	-	1	2	-	-	183	-	-	-	-	4	12	36	50	50	24	7
Malignant neoplasms of genital organs (179-187)	1,366	-	-	-	9	4	2	14	132	434	542	228	1,307	-	-	1	-	22	45	132	315	403	270	119
White	1,182	-	-	-	9	3	2	8	113	369	474	203	1,204	-	-	1	-	17	41	111	294	373	252	115
All other	184	-	-	-	-	1	-	6	19	65	68	25	103	-	-	-	-	5	4	21	21	30	18	4
Black	184	-	-	-	-	1	-	6	19	65	68	25	103	-	-	-	-	5	4	21	21	30	18	4
Malignant neoplasms of urinary organs (188-189)	733	-	-	2	1	1	6	37	162	221	209	93	380	-	-	1	2	2	5	21	60	93	114	82
White	696	-	-	-	1	1	6	34	153	211	202	87	344	-	-	1	2	2	4	15	53	85	107	75
All other	37	-	-	2	-	-	-	3	9	10	7	6	36	-	-	-	-	-	1	6	7	8	7	7
Black	37	-	-	2	-	-	-	3	9	10	7	6	36	-	-	-	-	-	1	6	7	8	7	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,992	3	7	15	31	56	75	174	502	606	388	135	1,797	1	6	6	16	36	59	134	360	500	474	205
White	1,824	3	6	13	25	53	72	152	464	555	358	123	1,665	1	6	5	14	34	57	114	323	468	449	194
All other	168	-	1	2	6	3	3	22	38	51	30	12	132	-	-	1	2	2	2	20	37	32	25	11
Black	165	-	1	2	6	3	2	22	38	50	30	11	130	-	-	1	2	2	2	20	37	31	24	11
Leukemia (204-208)	526	1	4	8	18	16	21	36	95	135	133	59	441	3	1	9	14	17	18	40	60	97	129	52
White	489	1	4	7	17	14	20	33	87	123	126	57	415	2	1	7	13	15	17	34	58	94	121	52
All other	37	-	-	1	1	2	1	3	8	12	7	2	26	1	-	2	1	2	1	6	2	3	8	-
Black	35	-	-	1	1	2	1	3	8	12	7	2	25	1	-	2	1	1	1	6	2	3	8	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	740	-	1	2	7	20	22	59	183	249	167	30	692	-	-	2	5	10	13	43	141	207	196	75
White	677	-	1	2	6	16	20	55	169	227	151	30	647	-	-	2	5	9	11	39	133	193	186	69
All other	63	-	-	-	1	4	2	4	14	22	16	-	45	-	-	-	-	1	2	4	8	14	10	6
Black	62	-	-	-	1	4	2	4	14	21	16	-	44	-	-	-	-	1	2	4	8	13	10	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	202	1	1	1	4	5	11	15	42	50	55	16	237	1	-	1	2	2	3	21	30	51	86	40
White	193	1	1	1	3	5	8	14	41	49	53	16	221	1	-	-	2	1	2	17	28	49	81	40
All other	9	-	-	-	1	-	3	1	1	1	2	-	16	-	-	1	-	1	1	4	2	2	5	-
Black	9	-	-	-	1	-	3	1	1	1	2	-	16	-	-	1	-	1	1	4	2	2	5	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	976	-	-	-	1	10	30	51	218	311	253	102	1,532	-	-	-	2	13	26	65	189	426	523	288
White	886	-	-	-	1	8	21	41	187	294	236	98	1,375	-	-	-	1	9	20	51	166	398	466	274
All other	90	-	-	-	-	2	9	10	31	17	17	4	157	-	-	-	1	4	6	14	23	38	57	14
Black	90	-	-	-	-	2	9	10	31	17	17	4	156	-	-	-	1	4	6	14	23	38	57	13
Nutritional deficiencies (260-269)	67	-	-	-	-	-	1	-	5	16	25	20	102	-	-	-	-	-	1	2	5	16	21	57
White	57	-	-	-	-	-	1	-	5	12	23	16	85	-	-	-	-	-	-	2	3	14	18	48
All other	10	-	-	-	-	-	-	-	-	4	2	4	17	-	-	-	-	-	1	-	2	2	3	9
Black	10	-	-	-	-	-	-	-	-	4	2	4	17	-	-	-	-	-	1	-	2	2	3	9
Anemias (280-285)	78	1	1	4	3	3	4	1	3	22	19	17	107	1	-	1	3	1	-	5	15	21	32	28
White	69	1	-	3	1	2	3	1	3	22	16	17	92	1	-	1	1	-	-	3	13	19	28	26
All other	9	-	1	1	2	1	1	-	-	-	3	-	15	-	-	-	2	1	-	2	2	2	4	2
Black	9	-	1	1	2	1	1	-	-	-	3	-	15	-	-	-	2	1	-	2	2	2	4	2
Meningitis (320-322)	37	8	6	2	-	3	-	2	4	7	2	3	25	3	5	-	1	-	2	-	4	5	3	2
White	32	6	6	2	-	3	-	2	3	5	2	3	19	2	4	-	-	-	2	-	4	2	3	2
All other	5	2	-	-	-	-	-	-	1	2	-	-	6	1	1	-	1	-	-	-	-	3	-	-
Black	5	2	-	-	-	-	-	-	1	2	-	-	6	1	1	-	1	-	-	-	-	3	-	-
Major cardiovascular diseases (390-448)	29,972	31	14	10	49	144	544	1,715	5,059	8,846	8,619	4,933	31,542	22	11	5	21	77	196	650	2,459	6,301	10,799	10,898
White	28,089	20	10	10	40	116	478	1,543	4,636	8,343	8,159	4,727	29,493	12	9	4	19	52	147	540	2,150	5,769	10,177	10,610
All other	1,883	11	4	-	9	28	66	172	423	503	460	206	2,049	10	2	1	2	25	49	110	309	532	622	396
Black	1,841	11	4	-	8	27	62	166	417	491	451	202	2,020	10	2	1	1	25	48	110	305	527	611	379
Diseases of heart (390-398,402,404-429)	25,074	26	13	8	43	117	479	1,546	4,477	7,516	6,911	3,930	24,837	19	10	3	16	51	130	523	2,029	5,160	8,440	8,453
White	23,550	18	9	8	36	93	428	1,399	4,138	7,115	6,536	3,763	23,319	10	8	2	15	39	101	449	1,805	4,756	7,980	8,151
All other	1,524	8	4	-	7	24	51	147	339	401	375	167	1,518	9	2	1	1	12	29	74	224	404	460	302
Black	1,490	8	4	-	7	23	48	142	333	393	368	163	1,495	9	2	1	-	12	28	74	222	399	452	296
Rheumatic fever and rheumatic heart disease (390-398)	160	-	-	-	-	4	9	17	42	45	33	10	349	-	-	-	-	3	8	31	73	113	86	29
White	147	-	-	-	-	3	8	17	38	41	30	10	324	-	-	-	-	3	7	27	70	108	81	28
All other	13	-	-	-	-	1	1	-	4	4	3	-	19	-	-	-	-	-	1	4	3	5	5	1
Black	13	-	-	-	-	1	1	-	4	4	3	-	18	-	-	-	-	-	1	4	3	5	4	1
Hypertensive heart disease (402)	399	-	-	-	-	3	8	30	88	128	100	42	668	-	-	-	-	2	3	10	57	155	262	179
White	339	-	-	-	-	1	5	23	70	112	90	38	590	-	-	-	-	2	1	7	49	132	236	163
All other	60	-	-	-	-	2	3	7	18	16	10	4	78	-	-	-	-	-	2	3	8	23	26	16
Black	59	-	-	-	-	2	3	6	18	16	10	4	78	-	-	-	-	-	2	3	8	23	26	16
Hypertensive heart and renal disease (404)	64	-	-	-	-	-	-	5	2	15	25	17	102	-	-	-	-	1	-	3	6	15	35	42
White	60	-	-	-	-	-	-	4	2	14	24	16	91	-	-	-	-	-	-	-	3	15	34	39
All other	4	-	-	-	-	-	-	1	-	1	1	1	11	-	-	-	-	1	-	3	3	-	1	3
Black	4	-	-	-	-	-	-	1	-	1	1	1	11	-	-	-	-	1	-	3	3	-	1	3
Ischemic heart disease (410-414)	17,673	1	-	-	6	52	324	1,118	3,260	5,490	4,823	2,596	16,101	-	-	-	1	12	51	301	1,317	3,532	5,583	5,303
White	16,830	1	-	-	6	45	294	1,036	3,068	5,274	4,607	2,496	15,294	-	-	-	1	9	39	265	1,209	3,302	5,323	5,145
All other	843	-	-	-	-	7	30	82	192	216	216	100	807	-	-	-	-	3	12	36	108	230	260	158
Black	816	-	-	-	-	6	27	79	189	208	211	96	791	-	-	-	-	3	11	36	105	227	254	154
Acute myocardial infarction (410)	10,564	1	-	-	3	39	221	816	2,293	3,581	2,657	952	8,041	-	-	-	1	9	31	226	918	2,268	2,847	1,741
White	10,077	1	-	-	3	35	203	764	2,168	3,446	2,543	913	7,587	-	-	-	1	8	27	204	840	2,110	2,714	1,683
All other	487	-	-	-	-	4	18	52	125	135	114	39	454	-	-	-	-	1	4	22	78	158	133	58
Black	475	-	-	-	-	3	18	51	123	131	110	39	445	-	-	-	-	1	4	22	76	156	129	57
Other acute and subacute forms of ischemic heart disease (411)	65	-	-	-	-	-	1	7	11	25	14	7	71	-	-	-	-	-	-	2	4	14	22	29
White	64	-	-	-	-	-	1	7	10	25	14	7	68	-	-	-	-	-	-	2	4	11	22	29
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Angina pectoris (413)	31	-	-	-	-	-	-	4	3	8	6	10	24	-	-	-	-	-	1	1	2	4	11	5
White	27	-	-	-	-	-	-	2	3	6	6	10	21	-	-	-	-	-	-	1	2	3	10	5
All other	4	-	-	-	-	-	-	2	-	2	-	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	7,013	-	-	-	3	13	102	291	953	1,876	2,146	1,627	7,965	-	-	-	-	3	19	72	393	1,246	2,703	3,528
White	6,662	-	-	-	3	10	90	263	887	1,797	2,044	1,566	7,618	-	-	-	-	1	12	58	363	1,178	2,577	3,428
All other	351	-	-	-	-	3	12	28	66	79	102	61	347	-	-	-	-	2	7	14	30	68	126	100
Black	338	-	-	-	-	3	9	27	65	76	101	57	341	-	-	-	-	2	7	14	30	67	124	97
Other diseases of endocardium (424)	255	-	-	-	1	2	6	12	39	82	67	46	296	-	1	-	-	-	4	10	25	59	122	75
White	237	-	-	-	-	1	5	9	37	79	63	43	278	-	1	-	-	-	3	7	19	52	121	75
All other	18	-	-	-	1	1	1	3	2	3	4	3	18	-	-	-	-	-	1	3	6	7	1	-
Black	18	-	-	-	1	1	1	3	2	3	4	3	18	-	-	-	-	-	1	3	6	7	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	6,523	25	13	8	36	56	132	364	1,046	1,756	1,863	1,219	7,327	19	9	3	15	33	64	168	551	1,286	2,352	2,825
White	5,937	17	9	8	30	43	116	310	923	1,595	1,722	1,160	6,742	10	7	2	14	25	51	143	455	1,147	2,185	2,701
All other	586	8	4	-	6	13	16	54	123	161	141	59	585	9	2	1	1	8	13	25	96	139	167	124
Black	580	8	4	-	6	13	16	53	120	161	139	59	579	9	2	1	-	8	13	25	96	137	166	122
Hypertension with or without renal disease (401,403)	223	1	-	-	-	2	4	14	33	60	74	35	241	-	-	-	-	-	2	10	22	57	80	70
White	193	-	-	-	-	2	2	12	26	52	66	33	208	-	-	-	-	-	2	5	14	46	73	68
All other	30	1	-	-	-	-	2	2	7	8	8	2	33	-	-	-	-	-	-	5	8	11	7	2
Black	29	1	-	-	-	-	2	2	7	7	8	2	33	-	-	-	-	-	-	5	8	11	7	2
Cerebrovascular diseases (430-438)	3,342	4	1	2	4	19	48	117	392	890	1,195	670	5,067	3	1	2	3	20	59	105	341	906	1,833	1,792
White	3,074	2	1	2	3	15	39	99	326	816	1,127	644	4,643	2	1	2	2	11	39	76	271	809	1,703	1,726
All other	268	2	-	-	1	4	9	18	66	74	68	26	424	1	-	-	1	9	20	29	70	97	130	66
Black	264	2	-	-	1	4	8	18	66	72	67	26	418	1	-	-	1	9	20	29	68	97	127	65
Intracerebral and other intracranial hemorrhage (431-432)	476	4	-	-	2	6	17	44	93	143	126	41	605	3	1	1	1	3	17	29	87	163	187	113
White	417	2	-	-	2	5	10	34	78	129	117	40	533	2	1	1	1	2	8	24	69	147	173	105
All other	59	2	-	-	-	1	7	10	15	14	9	1	72	1	-	-	-	1	9	5	18	16	14	8
Black	58	2	-	-	-	1	6	10	15	14	9	1	71	1	-	-	-	1	9	5	17	16	14	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	586	-	1	1	-	2	3	7	70	162	218	122	871	-	-	-	-	1	6	9	53	136	319	347
White	537	-	1	1	-	1	3	5	58	147	207	114	819	-	-	-	-	1	4	6	44	125	302	337
All other	49	-	-	-	-	1	-	2	12	15	11	8	52	-	-	-	-	-	2	3	9	11	17	10
Black	48	-	-	-	-	1	-	2	12	15	10	8	51	-	-	-	-	-	2	3	8	11	17	10
Cerebral embolism (434.1)	22	-	-	-	-	1	-	-	1	8	8	4	36	-	-	-	-	-	-	2	2	9	13	10
White	22	-	-	-	-	1	-	-	1	8	8	4	34	-	-	-	-	-	-	-	2	9	13	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,258	-	-	1	2	10	28	66	228	577	843	503	3,555	-	-	1	2	16	36	65	199	598	1,314	1,322
White	2,098	-	-	1	1	8	26	60	189	532	795	486	3,257	-	-	1	1	8	27	46	156	528	1,215	1,274
All other	160	-	-	-	1	2	2	6	39	45	48	17	298	-	-	-	1	8	9	19	43	70	99	48
Black	158	-	-	-	1	2	2	6	39	43	48	17	294	-	-	-	1	8	9	19	43	70	96	47
Atherosclerosis (440)	530	-	-	-	-	-	1	9	26	97	179	218	926	-	-	-	-	1	1	2	16	77	278	653
White	507	-	-	-	-	-	1	9	23	91	173	210	888	-	-	-	-	1	1	2	14	65	263	542
All other	23	-	-	-	-	-	-	-	3	6	6	8	38	-	-	-	-	-	-	-	2	12	13	11
Black	23	-	-	-	-	-	-	-	3	6	6	8	38	-	-	-	-	-	-	-	2	12	13	11
Other diseases of arteries, arterioles, and capillaries (441-448)	803	-	-	-	2	6	12	29	131	283	260	80	471	-	-	-	2	5	4	10	51	101	170	126
White	765	-	-	-	1	6	8	24	123	269	257	77	435	-	-	-	2	1	4	8	46	93	158	123
All other	38	-	-	-	1	-	4	5	8	14	3	3	36	-	-	-	-	4	-	2	5	8	12	5
Black	35	-	-	-	1	-	4	4	8	13	2	3	36	-	-	-	-	4	-	2	5	8	12	5
Acute bronchitis and bronchiolitis (466)	8	-	-	-	1	-	-	-	2	1	1	3	11	-	-	-	-	-	-	2	-	1	5	3
White	7	-	-	-	1	-	-	-	1	1	1	3	11	-	-	-	-	-	-	2	-	1	5	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,354	11	5	2	6	18	22	40	110	264	435	441	1,307	8	3	3	5	6	12	20	55	195	401	598
White	1,240	8	4	1	6	13	20	32	93	241	399	423	1,220	4	2	3	3	3	9	16	50	176	372	581
All other	114	3	1	1	-	5	2	8	17	23	36	18	87	4	1	-	2	3	3	4	5	19	29	17
Black	111	3	1	1	-	5	2	8	17	23	34	17	87	4	1	-	2	3	3	4	5	19	29	17
Pneumonia (480-486)	1,342	11	5	2	6	18	22	40	109	260	431	438	1,278	8	3	3	4	6	12	20	54	194	393	580
White	1,228	8	4	1	6	13	20	32	92	237	395	420	1,191	4	2	3	2	3	9	16	49	175	364	563
All other	114	3	1	1	-	5	2	8	17	23	36	18	87	4	1	-	2	3	3	4	5	19	29	17
Black	111	3	1	1	-	5	2	8	17	23	34	17	87	4	1	-	2	3	3	4	5	19	29	17
Influenza (487)	12	-	-	-	-	-	-	-	1	4	4	3	29	-	-	-	1	-	-	-	1	1	8	18
White	12	-	-	-	-	-	-	-	1	4	4	3	29	-	-	-	1	-	-	-	1	1	8	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,336	2	2	2	7	4	8	56	338	824	799	294	1,193	1	-	1	4	3	10	34	160	447	385	148
White	2,215	2	1	1	3	2	4	51	314	784	772	281	1,127	-	-	-	3	1	9	26	152	426	365	145
All other	121	-	1	1	4	2	4	5	24	40	27	13	66	1	-	1	1	2	1	8	8	21	20	3
Black	118	-	1	1	4	2	4	5	24	40	27	10	66	1	-	1	1	2	1	8	8	21	20	3
Bronchitis, chronic and unspecified (490-491)	79	2	-	-	-	-	-	3	9	27	19	19	65	1	-	-	-	-	-	2	7	16	19	20
White	77	2	-	-	-	-	-	3	9	26	18	19	63	-	-	-	-	-	-	2	7	15	19	20
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	411	-	-	-	-	-	1	16	58	171	132	33	183	-	-	-	-	-	-	5	29	69	59	21
White	400	-	-	-	-	-	1	15	56	166	130	32	178	-	-	-	-	-	-	5	27	69	57	20
All other	11	-	-	-	-	-	-	1	2	5	2	1	5	-	-	-	-	-	-	-	2	-	2	1
Black	11	-	-	-	-	-	-	1	2	5	2	1	5	-	-	-	-	-	-	-	2	-	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	51	-	2	2	6	4	4	1	10	12	7	3	86	-	-	1	3	2	7	6	16	15	25	11
White	37	-	1	1	2	2	2	1	9	10	6	3	76	-	-	-	2	-	7	2	14	15	25	11
All other	14	-	1	1	4	2	2	-	1	2	1	-	10	-	-	1	1	2	-	4	2	-	-	-
Black	14	-	1	1	4	2	2	-	1	2	1	-	10	-	-	1	1	2	-	4	2	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,795	-	-	-	1	-	3	36	261	614	641	239	659	-	-	-	1	1	3	21	108	347	282	96
White	1,701	-	-	-	1	-	1	32	240	582	618	227	610	-	-	-	1	1	2	17	104	327	264	94
All other	94	-	-	-	-	-	2	4	21	32	23	12	49	-	-	-	-	-	1	4	4	20	18	2
Black	91	-	-	-	-	-	2	4	21	32	23	9	49	-	-	-	-	-	1	4	4	20	18	2
Ulcer of stomach and duodenum (531-533)	162	-	-	-	-	1	4	6	22	52	43	34	165	-	1	-	-	2	2	5	11	33	61	50
White	147	-	-	-	-	1	3	4	19	48	42	30	157	-	1	-	-	1	2	5	9	31	58	50
All other	15	-	-	-	-	-	1	2	3	4	1	4	8	-	-	-	-	1	-	-	2	2	3	-
Black	15	-	-	-	-	-	1	2	3	4	1	4	8	-	-	-	-	1	-	-	2	2	3	-
Appendicitis (540-543)	9	-	-	1	2	-	-	1	1	2	1	1	7	-	1	-	-	-	1	-	-	3	2	-
White	6	-	-	1	1	-	-	-	1	1	1	1	6	-	1	-	-	-	-	-	-	3	2	-
All other	3	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	117	4	2	-	-	-	1	1	14	23	38	34	166	2	-	-	-	2	2	4	10	25	58	63
White	104	2	1	-	-	-	1	1	12	20	34	33	153	2	-	-	-	2	1	2	7	23	56	60
All other	13	2	1	-	-	-	-	-	2	3	4	1	13	-	-	-	-	-	1	2	3	2	2	3
Black	13	2	1	-	-	-	-	-	2	3	4	1	13	-	-	-	-	-	1	2	3	2	2	3
Chronic liver disease and cirrhosis (571)	876	-	1	-	1	27	79	156	269	259	77	7	501	-	-	1	-	15	30	91	140	128	84	12
White	765	-	1	-	1	19	56	122	243	241	75	7	418	-	-	-	-	6	18	66	115	117	84	12
All other	111	-	-	-	-	8	23	34	26	18	2	-	83	-	-	1	-	9	12	25	25	11	-	-
Black	110	-	-	-	-	8	23	33	26	18	2	-	82	-	-	1	-	9	12	25	25	10	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	71	-	-	-	-	1	-	-	12	17	20	21	84	-	-	-	-	2	1	4	5	11	36	25
White	67	-	-	-	-	1	-	-	11	17	19	19	78	-	-	-	-	1	1	1	5	10	35	25
All other	4	-	-	-	-	-	-	-	1	-	1	2	6	-	-	-	-	1	-	3	-	1	1	-
Black	4	-	-	-	-	-	-	-	1	-	1	2	6	-	-	-	-	1	-	3	-	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	621	13	2	-	1	5	7	20	70	155	209	139	685	6	-	-	2	9	6	17	70	152	227	196
White	538	8	2	-	1	4	3	15	54	131	190	130	604	6	-	-	2	7	6	13	59	126	203	182
All other	83	5	-	-	-	1	4	5	16	24	19	9	81	-	-	-	-	2	-	4	11	26	24	14
Black	82	5	-	-	-	1	4	5	16	24	19	8	81	-	-	-	-	2	-	4	11	26	24	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	-	-	-	2	3	1	12	2	-	-	-	-	-	1	2	2	2	3
White	5	-	-	-	-	-	-	-	-	1	3	1	11	2	-	-	-	-	-	1	2	1	2	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	33	-	-	-	-	-	-	-	4	7	13	9	44	-	-	-	-	4	-	-	2	12	16	10
White	30	-	-	-	-	-	-	-	3	5	13	9	40	-	-	-	-	3	-	-	2	11	16	8
All other	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	1	-	-	-	1	-	2
Black	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	1	-	-	-	1	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	582	13	2	-	1	5	7	20	66	146	193	129	629	4	-	-	2	5	6	16	66	138	209	183
White	503	8	2	-	1	4	3	15	51	125	174	120	553	4	-	-	2	4	6	12	55	114	185	171
All other	79	5	-	-	-	1	4	5	15	21	19	9	76	-	-	-	-	1	-	4	11	24	24	12
Black	78	5	-	-	-	1	4	5	15	21	19	8	76	-	-	-	-	1	-	4	11	24	24	12
Infections of kidney (590)	27	-	-	-	-	-	-	1	-	8	9	9	38	-	-	-	1	-	-	-	1	8	18	8
White	23	-	-	-	-	-	-	1	-	7	8	7	34	-	-	-	1	-	-	-	1	7	17	8
All other	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Hyperplasia of prostate (600)	39	-	-	-	-	-	-	-	2	6	17	14	...	...	...	...	...	...	...	...	...	...	...	...
White	34	-	-	-	-	-	-	-	1	5	15	13	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	-	-	-	-	-	-	-	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	-	-	-	-	-	-	-	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	4	6	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	4	6	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	4	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Congenital anomalies (740-759)	319	226	15	13	18	13	4	10	8	10	1	1	289	196	17	6	7	13	4	5	12	14	11	4
White	274	195	13	10	15	12	3	6	8	10	1	1	247	171	16	2	6	11	3	3	8	13	10	4
All other	45	31	2	3	3	1	1	4	-	-	-	-	42	25	1	4	1	2	1	2	4	1	1	-
Black	41	29	-	3	3	1	1	4	-	-	-	-	38	21	1	4	1	2	1	2	4	1	1	-
Certain conditions originating in the perinatal period (760-779)	492	489	3	-	-	-	-	-	-	-	-	-	410	406	2	-	1	-	-	-	1	-	-	-
White	364	362	2	-	-	-	-	-	-	-	-	-	280	279	1	-	-	-	-	-	-	-	-	-
All other	128	127	1	-	-	-	-	-	-	-	-	-	130	127	1	-	1	-	-	-	1	-	-	-
Black	124	123	1	-	-	-	-	-	-	-	-	-	126	123	1	-	1	-	-	-	1	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	130	129	1	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-
White	100	100	-	-	-	-	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-
All other	30	29	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	27	26	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	362	360	2	-	-	-	-	-	-	-	-	-	330	326	2	-	1	-	-	-	1	-	-	-
White	264	262	2	-	-	-	-	-	-	-	-	-	211	210	1	-	-	-	-	-	-	-	-	-
All other	98	98	-	-	-	-	-	-	-	-	-	-	119	116	1	-	1	-	-	-	1	-	-	-
Black	97	97	-	-	-	-	-	-	-	-	-	-	115	112	1	-	1	-	-	-	1	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,545	134	4	2	11	25	54	170	365	402	275	103	1,038	89	4	-	2	14	28	57	167	235	250	187
White	999	85	2	1	5	17	27	87	225	279	188	83	688	62	4	-	1	9	13	21	98	145	184	150
All other	546	49	2	1	6	8	27	83	140	123	87	20	348	27	-	-	1	5	15	36	69	90	66	37
Black	539	48	2	1	6	8	27	82	139	122	85	19	343	26	-	-	1	5	14	35	68	90	66	36
All other diseases (Residual)	4,072	37	17	19	62	99	149	214	596	1,147	1,155	577	3,775	27	25	14	46	59	84	171	400	800	1,143	1,006
White	3,615	34	14	17	56	75	110	174	492	1,046	1,064	533	3,345	22	19	12	41	45	58	128	333	707	1,028	951
All other	457	3	3	2	6	24	39	40	104	101	91	44	430	5	6	2	5	14	25	43	67	93	115	55
Black	451	3	3	2	6	24	39	39	104	100	89	42	423	4	6	2	5	14	25	43	66	92	112	54
Accidents and adverse effects (E800-E949)	2,816	19	64	112	648	507	272	205	288	278	267	156	1,387	10	38	50	174	139	88	80	125	192	268	223
White	2,510	13	52	101	615	450	232	169	241	247	244	146	1,240	7	25	39	164	116	75	68	114	170	251	211
All other	306	6	12	11	33	57	40	36	47	31	23	10	147	3	13	11	10	23	13	12	11	22	17	12
Black	295	6	12	10	32	57	38	33	45	30	22	10	142	2	13	10	10	21	13	12	11	21	17	12
Motor vehicle accidents (E810-E825)	1,333	2	21	55	473	298	139	102	92	77	60	14	511	3	7	21	139	83	48	38	57	58	51	6
White	1,246	2	19	49	452	284	127	91	81	73	54	14	481	2	5	19	132	74	46	37	53	56	51	6
All other	87	-	2	6	21	14	12	11	11	4	6	-	30	1	2	2	7	9	2	1	4	2	-	-
Black	81	-	2	5	21	14	11	9	10	4	5	-	28	-	2	2	7	7	2	1	4	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,483	17	43	57	175	209	133	103	196	201	207	142	876	7	31	29	35	56	40	42	68	134	217	217
White	1,264	11	33	52	163	166	105	78	160	174	190	132	759	5	20	20	32	42	29	31	61	114	200	205
All other	219	6	10	5	12	43	28	25	36	27	17	10	117	2	11	9	3	14	11	11	7	20	17	12
Black	214	6	10	5	11	43	27	24	35	26	17	10	116	2	11	8	3	14	11	11	7	20	17	12
Suicide (E950-E959)	1,020	...	...	5	192	224	150	132	142	100	65	10	324	...	...	3	36	76	50	45	55	44	12	3
White	938	...	...	5	175	194	135	124	136	95	62	10	303	...	...	3	33	69	46	43	52	42	12	3
All other	82	...	...	-	17	30	15	8	4	5	3	-	21	...	...	-	3	7	4	2	3	2	-	-
Black	80	...	...	-	17	28	15	8	4	5	3	-	19	...	...	-	3	7	4	2	2	1	-	-
Homicide and legal intervention (E960-E978)	454	2	11	4	122	134	73	45	37	20	5	-	165	6	10	3	36	35	26	16	12	10	9	2
White	199	-	8	1	45	50	29	22	23	17	3	-	101	3	4	3	17	18	18	11	9	9	8	1
All other	255	2	3	3	77	84	44	23	14	3	2	-	64	3	6	-	19	17	8	5	3	1	1	1
Black	254	2	3	3	77	83	44	23	14	3	2	-	63	3	6	-	19	16	8	5	3	1	1	1
All other external causes (E980-E999)	107	-	2	1	21	36	18	11	9	6	1	2	57	-	1	2	10	6	8	8	7	7	5	1
White	83	-	-	1	17	30	14	8	7	4	1	1	44	-	1	1	9	4	4	7	7	6	3	1
All other	24	-	2	-	4	6	4	3	2	2	-	1	13	-	-	1	1	2	4	1	-	1	2	-
Black	24	-	2	-	4	6	4	3	2	2	-	1	13	-	-	1	1	2	4	1	-	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,699	81	10	14	82	104	121	286	804	1,278	1,241	678	4,608	66	4	10	32	38	77	152	454	958	1,382	1,435
White	4,556	69	9	14	71	98	114	272	779	1,253	1,217	680	4,494	55	2	7	28	34	75	145	433	931	1,365	1,419
All other	143	12	1	-	11	6	7	14	25	25	24	18	114	11	2	3	4	4	2	7	21	27	17	16
Black	113	9	1	-	10	5	5	10	24	20	16	13	98	10	2	3	3	4	2	4	19	22	14	15
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	36	2	-	-	-	-	1	1	5	6	14	7	28	1	-	-	1	-	-	1	1	6	5	11
White	35	1	-	-	-	-	1	1	5	6	14	7	25	-	-	-	1	-	-	1	1	6	5	11
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	8	2	-	-	-	-	-	-	1	4	-	1	8	-	-	-	-	-	-	1	2	2	3	-
White	7	1	-	-	-	-	-	-	1	4	-	1	7	-	-	-	-	-	-	1	2	2	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,205	-	3	2	6	18	21	74	299	353	313	116	1,088	-	-	5	4	14	34	66	207	326	282	150
White	1,174	-	3	2	6	15	19	69	293	343	311	113	1,059	-	-	3	4	13	33	65	197	318	279	147
All other	31	-	-	-	-	3	2	5	6	10	2	3	29	-	-	2	-	1	1	1	10	8	3	3
Black	22	-	-	-	-	2	1	3	6	7	1	2	27	-	-	2	-	1	1	1	9	7	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	33	-	-	-	-	-	-	2	9	11	9	2	18	-	-	-	-	-	-	2	3	6	2	5
White	32	-	-	-	-	-	-	1	9	11	9	2	18	-	-	-	-	-	-	2	3	6	2	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	339	-	-	-	1	2	3	17	91	103	91	31	303	-	-	-	-	1	3	6	42	89	99	63
White	332	-	-	-	1	1	3	15	88	103	90	31	293	-	-	-	-	1	3	6	39	84	97	63
All other	7	-	-	-	-	1	-	2	3	-	1	-	10	-	-	-	-	-	-	-	3	5	2	-
Black	5	-	-	-	-	1	-	1	3	-	-	-	9	-	-	-	-	-	-	-	3	4	2	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	398	-	-	1	-	1	4	38	118	122	90	24	179	-	-	-	-	3	6	16	51	58	35	10
White	387	-	-	1	-	1	3	37	115	118	90	22	177	-	-	-	-	3	6	16	49	58	35	10
All other	11	-	-	-	-	-	1	1	3	4	-	2	2	-	-	-	-	-	-	-	2	-	-	-
Black	8	-	-	-	-	-	-	1	3	2	-	2	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	196	-	-	-	-	3	11	18	46	51	43	24
White	1	-	-	-	-	-	-	-	1	-	-	-	193	-	-	-	-	3	11	18	44	51	43	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Malignant neoplasms of genital organs (179-187)	134	-	-	-	1	1	-	-	17	37	51	27	115	-	-	-	-	4	5	11	18	34	31	12
White	129	-	-	-	1	1	-	-	17	34	50	26	110	-	-	-	-	3	4	11	16	34	31	11
All other	5	-	-	-	-	-	-	-	-	3	1	1	5	-	-	-	-	1	1	-	2	-	-	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	1	1	-	2	-	-	1
Malignant neoplasms of urinary organs (188-189)	66	-	-	-	-	1	-	2	14	20	19	10	27	-	-	1	-	-	-	1	5	3	13	4
White	66	-	-	-	-	1	-	2	14	20	19	10	26	-	-	-	-	-	-	1	5	3	13	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	120	-	1	1	1	7	8	10	27	32	24	9	140	-	-	3	1	2	3	8	24	49	33	17
White	116	-	1	1	1	7	7	10	27	29	24	9	135	-	-	2	1	2	3	8	23	47	32	17
All other	4	-	-	-	-	-	1	-	-	3	-	-	5	-	-	1	-	-	-	-	1	2	1	-
Black	4	-	-	-	-	-	1	-	-	3	-	-	5	-	-	1	-	-	-	-	1	2	1	-
Leukemia (204-208)	39	-	2	-	3	1	3	1	4	10	10	5	36	-	-	1	1	-	3	-	6	9	9	7
White	38	-	2	-	3	-	3	1	4	10	10	5	35	-	-	1	1	-	3	-	6	9	9	6
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	75	-	-	-	-	5	3	4	18	18	19	8	74	-	-	-	2	1	3	4	12	27	17	8
White	73	-	-	-	-	4	3	3	18	18	19	8	72	-	-	-	2	1	3	3	12	26	17	8
All other	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	-	-	-	-	1	-	2	3	9	7	1	13	-	-	-	-	1	-	2	2	-	3	5
White	23	-	-	-	-	1	-	2	3	9	7	1	13	-	-	-	-	1	-	2	2	-	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	85	-	-	-	-	2	1	7	12	28	24	11	127	-	-	-	-	2	2	7	12	39	41	24
White	81	-	-	-	-	2	1	6	11	28	23	10	122	-	-	-	-	2	2	6	12	36	40	24
All other	4	-	-	-	-	-	-	1	1	-	1	1	5	-	-	-	-	-	-	1	-	3	1	-
Black	4	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-	2	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	-	1	2	2
White	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	-	-	-	1	-	-	-	1	3	2	9	-	-	-	-	-	-	1	-	3	2	3
White	6	-	-	-	-	1	-	-	-	1	3	1	9	-	-	-	-	-	-	1	-	3	2	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	-	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,245	2	-	-	3	8	40	133	347	658	662	392	2,432	-	-	1	-	6	13	32	151	412	823	994
White	2,197	2	-	-	3	7	38	131	334	651	646	385	2,387	-	-	1	-	5	13	30	142	401	812	983
All other	48	-	-	-	-	1	2	2	13	7	16	7	45	-	-	-	-	1	-	2	9	11	11	11
Black	39	-	-	-	-	1	1	1	12	5	12	7	41	-	-	-	-	1	-	2	8	11	9	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,873	1	-	-	1	5	34	122	316	569	528	297	1,866	-	-	-	-	3	7	20	127	331	622	756
White	1,835	1	-	-	1	5	32	120	304	563	515	294	1,830	-	-	-	-	2	7	18	121	324	613	745
All other	38	-	-	-	-	-	2	2	12	6	13	3	36	-	-	-	-	1	-	2	6	7	9	11
Black	31	-	-	-	-	-	1	1	11	4	11	3	34	-	-	-	-	1	-	2	6	7	8	10
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	-	1	1	1	4	3	3	25	-	-	-	-	-	1	1	7	3	7	6
White	13	-	-	-	-	-	1	1	1	4	3	3	24	-	-	-	-	-	1	1	7	3	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	24	-	-	-	-	-	2	-	7	8	6	1	29	-	-	-	-	-	-	1	5	5	11	7
White	24	-	-	-	-	-	2	-	7	8	6	1	28	-	-	-	-	-	-	1	4	5	11	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	1	3	-	12	-	-	-	-	-	-	-	-	3	1	8
White	5	-	-	-	-	-	-	-	1	1	3	-	12	-	-	-	-	-	-	-	-	3	1	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,587	-	-	-	-	2	23	102	267	471	459	263	1,505	-	-	-	-	1	3	14	99	277	507	604
White	1,556	-	-	-	-	2	22	101	257	466	448	260	1,478	-	-	-	-	1	3	13	95	272	500	594
All other	31	-	-	-	-	-	1	1	10	5	11	3	27	-	-	-	-	-	-	1	4	5	7	10
Black	26	-	-	-	-	-	-	1	9	4	9	3	26	-	-	-	-	-	-	1	4	5	7	9
Acute myocardial infarction (410)	940	-	-	-	-	2	15	70	185	302	262	104	742	-	-	-	-	1	3	9	74	185	271	199
White	927	-	-	-	-	2	14	69	179	300	260	103	728	-	-	-	-	1	3	8	71	181	268	196
All other	13	-	-	-	-	-	1	1	6	2	2	1	14	-	-	-	-	-	-	1	3	4	3	3
Black	11	-	-	-	-	-	-	1	6	2	1	1	14	-	-	-	-	-	-	1	3	4	3	3
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	1	2	-
White	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	643	-	-	-	-	-	8	32	81	168	195	159	758	-	-	-	-	-	-	5	25	90	234	404
White	625	-	-	-	-	-	8	32	77	165	186	157	745	-	-	-	-	-	-	5	24	89	230	397
All other	18	-	-	-	-	-	-	-	4	3	9	2	13	-	-	-	-	-	-	-	1	1	4	7
Black	15	-	-	-	-	-	-	-	3	2	8	2	12	-	-	-	-	-	-	-	1	1	4	6
Other diseases of endocardium (424)	16	1	-	-	-	1	-	1	2	6	4	1	15	-	-	-	-	-	1	-	1	3	6	4
White	16	1	-	-	-	1	-	1	2	6	4	1	15	-	-	-	-	-	1	-	1	3	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	228	-	-	-	1	2	8	18	38	79	53	29	280	-	-	-	-	2	2	4	15	40	90	127
White	221	-	-	-	1	2	7	17	36	78	51	29	273	-	-	-	-	1	2	3	14	38	89	126
All other	7	-	-	-	-	-	1	1	2	1	2	-	7	-	-	-	-	1	-	1	1	2	1	1
Black	5	-	-	-	-	-	1	-	2	-	2	-	7	-	-	-	-	1	-	1	1	2	1	1
Hypertension with or without renal disease (401,403)	20	-	-	-	-	-	-	1	3	6	6	4	28	-	-	-	-	1	1	1	-	4	8	13
White	20	-	-	-	-	-	-	1	3	6	6	4	28	-	-	-	-	1	1	1	-	4	8	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	241	-	-	-	1	3	5	8	17	52	90	65	404	-	-	1	-	2	4	10	13	61	145	168
White	235	-	-	-	1	2	5	8	17	51	89	62	396	-	-	1	-	2	4	10	11	57	143	168
All other	6	-	-	-	-	1	-	-	-	1	1	3	8	-	-	-	-	-	-	-	2	4	2	-
Black	5	-	-	-	-	1	-	-	-	1	-	3	6	-	-	-	-	-	-	-	1	4	1	-
Intracerebral and other intracranial hemorrhage (431-432)	45	-	-	-	1	-	-	5	5	11	16	7	57	-	-	1	-	-	1	2	3	16	18	16
White	45	-	-	-	1	-	-	5	5	11	16	7	56	-	-	1	-	-	1	2	3	15	18	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	-	-	-	-	-	-	-	2	9	19	10	76	-	-	-	-	-	-	1	2	10	29	34
White	40	-	-	-	-	-	-	-	2	9	19	10	74	-	-	-	-	-	-	1	1	9	29	34
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	156	-	-	-	-	3	5	3	10	32	55	48	270	-	-	-	-	2	3	7	8	35	98	117
White	150	-	-	-	-	2	5	3	10	31	54	45	265	-	-	-	-	2	3	7	7	33	96	117
All other	6	-	-	-	-	1	-	-	-	1	1	3	5	-	-	-	-	-	-	-	1	2	2	-
Black	5	-	-	-	-	1	-	-	-	1	-	3	4	-	-	-	-	-	-	-	1	2	1	-
Atherosclerosis (440)	52	-	-	-	-	-	1	-	4	14	15	18	81	-	-	-	-	-	-	1	3	7	29	41
White	50	-	-	-	-	-	1	-	3	14	15	17	81	-	-	-	-	-	-	1	3	7	29	41
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	59	1	-	-	1	-	-	2	7	17	23	8	53	-	-	-	-	-	1	-	8	9	19	16
White	57	1	-	-	1	-	-	2	7	17	21	8	52	-	-	-	-	-	1	-	7	9	19	16
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	95	1	1	-	-	-	1	1	6	21	31	33	135	3	1	-	-	-	-	3	7	9	33	79
White	92	1	1	-	-	-	1	1	6	19	31	32	132	1	-	-	-	-	-	3	7	9	33	79
All other	3	-	-	-	-	-	-	-	-	2	-	1	3	2	1	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	3	2	1	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	94	1	1	-	-	-	1	1	6	20	31	33	134	3	1	-	-	-	-	3	7	9	32	79
White	91	1	1	-	-	-	1	1	6	18	31	32	131	1	-	-	-	-	-	3	7	9	32	79
All other	3	-	-	-	-	-	-	-	-	2	-	1	3	2	1	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	3	2	1	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	197	-	-	-	-	-	-	8	23	70	65	31	109	-	-	-	-	-	2	3	16	30	35	23
White	191	-	-	-	-	-	-	8	22	68	63	30	106	-	-	-	-	-	2	2	16	29	34	23
All other	6	-	-	-	-	-	-	-	1	2	2	1	3	-	-	-	-	-	-	1	-	1	1	-
Black	5	-	-	-	-	-	-	-	1	2	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis, chronic and unspecified (490-491)	9	-	-	-	-	-	-	-	-	3	2	4	8	-	-	-	-	-	-	-	2	1	3	2
White	9	-	-	-	-	-	-	-	-	3	2	4	8	-	-	-	-	-	-	-	2	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	49	-	-	-	-	-	-	3	8	17	18	3	10	-	-	-	-	-	-	-	2	5	3	-
White	47	-	-	-	-	-	-	3	8	16	17	3	10	-	-	-	-	-	-	-	2	5	3	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	6	-	-	-	-	-	-	2	1	2	1	-	8	-	-	-	-	-	-	1	-	2	2	3
White	6	-	-	-	-	-	-	2	1	2	1	-	6	-	-	-	-	-	-	-	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	133	-	-	-	-	-	-	3	14	48	44	24	83	-	-	-	-	-	2	2	12	22	27	18
White	129	-	-	-	-	-	-	3	13	47	43	23	82	-	-	-	-	-	2	2	12	21	27	18
All other	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	17	-	-	-	1	1	1	1	3	5	3	2	11	-	-	-	-	-	-	1	1	1	4	4
White	17	-	-	-	1	1	1	1	3	5	3	2	11	-	-	-	-	-	-	1	1	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	2	-	-	-	-	1	-	-	1	6	2	12	-	-	-	-	-	-	-	1	3	3	5
White	12	2	-	-	-	-	1	-	-	1	6	2	12	-	-	-	-	-	-	-	1	3	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	82	-	-	-	-	3	6	19	29	16	7	2	39	-	-	-	-	1	3	7	11	9	8	-
White	81	-	-	-	-	3	6	18	29	16	7	2	38	-	-	-	-	1	3	7	10	9	8	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	1	3	2	-	7	-	-	-	-	-	-	-	2	-	2	3
White	6	-	-	-	-	-	-	-	1	3	2	-	7	-	-	-	-	-	-	-	2	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	36	1	-	-	-	-	-	1	5	7	15	7	33	1	-	1	-	-	1	-	-	9	10	11
White	34	1	-	-	-	-	-	1	5	7	14	6	31	-	-	-	-	-	1	-	-	9	10	11
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	3
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	1	-	-	-	-	-	1	5	6	14	7	29	1	-	1	-	-	1	-	-	9	10	7
White	32	1	-	-	-	-	-	1	5	6	13	6	27	-	-	-	-	-	1	-	-	9	10	7
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	23	18	1	1	-	1	1	-	-	-	1	-	26	16	-	1	3	2	1	-	-	3	-	-
White	20	15	1	1	-	1	1	-	-	-	1	-	23	14	-	1	2	2	1	-	-	3	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	43	42	1	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	8	7	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	7	6	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	35	34	1	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	8	7	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	7	6	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	9	9	-	1	1	1	-	-	1	-	1	-	9	4	-	-	1	-	-	-	1	1	-	2
White	8	3	-	1	1	1	-	-	1	-	1	-	7	3	-	-	1	-	-	-	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	281	3	2	2	6	4	9	18	41	73	67	56	354	3	2	1	5	3	9	17	26	85	105	98
White	265	3	2	2	5	3	9	15	38	70	65	53	346	2	2	1	4	2	9	15	26	83	105	97
All other	16	-	-	-	1	1	-	3	3	3	2	3	8	1	-	-	1	1	-	2	-	2	-	1
Black	11	-	-	-	1	1	-	2	3	3	-	1	4	1	-	-	-	1	-	1	-	-	-	1
Accidents and adverse effects (E800-E949)	168	2	2	8	39	27	21	8	20	17	13	11	81	1	1	1	11	2	3	3	8	15	19	17
White	159	2	2	8	34	27	19	8	19	16	13	11	78	1	-	1	10	2	3	3	7	15	19	17
All other	9	-	-	-	5	-	2	-	1	1	-	-	3	-	1	-	1	-	-	-	1	-	-	-
Black	9	-	-	-	5	-	2	-	1	1	-	-	3	-	1	-	1	-	-	-	1	-	-	-
Motor vehicle accidents (E810-E825)	75	-	-	6	28	17	6	3	9	4	-	2	26	-	1	1	8	1	1	2	4	2	6	-
White	71	-	-	6	24	17	6	3	9	4	-	2	24	-	-	1	8	1	1	2	3	2	6	-
All other	4	-	-	-	4	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	4	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	93	2	2	2	11	10	15	5	11	13	13	9	55	1	-	-	3	1	2	1	4	13	13	17
White	88	2	2	2	10	10	13	5	10	12	13	9	54	1	-	-	2	1	2	1	4	13	13	17
All other	5	-	-	-	1	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	5	-	-	-	1	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Suicide (E950-E959)	76	...	...	-	19	26	11	10	5	2	2	1	23	...	...	-	3	4	4	5	5	2	-	-
White	74	...	...	-	18	26	10	10	5	2	2	1	22	...	...	-	2	4	4	5	5	2	-	-
All other	2	...	...	-	1	-	1	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	2	...	...	-	1	-	1	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	28	2	-	-	6	10	6	3	1	-	-	-	10	-	-	-	3	3	3	1	-	-	-	-
White	21	2	-	-	2	9	6	1	1	-	-	-	9	-	-	-	3	2	3	1	-	-	-	-
All other	7	-	-	-	4	1	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	6	-	-	-	3	1	-	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other external causes (E980-E999)	5	-	-	-	1	1	1	-	1	-	-	1	4	-	-	-	-	-	1	2	1	-	-	-
White	5	-	-	-	1	1	1	-	1	-	-	1	4	-	-	-	-	-	1	2	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA																								
All causes	14,249	398	84	116	463	556	709	1,218	2,823	3,981	2,851	1,049	11,915	362	49	56	201	211	405	766	1,693	2,709	3,219	2,244
White	9,720	186	46	65	325	344	369	766	1,907	2,780	2,127	805	8,028	157	26	30	127	121	219	452	1,006	1,694	2,350	1,848
All other	4,529	212	38	51	138	212	340	452	916	1,201	724	244	3,887	205	23	26	74	90	186	314	687	1,015	869	398
Black	4,512	210	37	51	138	210	339	448	916	1,197	721	244	3,873	204	23	26	74	89	184	312	685	1,011	868	397
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-016)	24	-	-	-	-	2	3	3	3	6	6	1	8	-	-	-	2	-	-	2	3	-	-	1
White	8	-	-	-	-	-	-	1	2	3	2	-	3	-	-	-	-	-	-	1	2	-	-	-
All other	16	-	-	-	-	2	3	2	1	3	4	1	5	-	-	-	2	-	-	1	1	-	-	1
Black	16	-	-	-	-	2	3	2	1	3	4	1	5	-	-	-	2	-	-	1	1	-	-	1
Tuberculosis of respiratory system (010-012)	19	-	-	-	-	1	2	3	3	3	6	1	6	-	-	-	2	-	-	1	3	-	-	-
White	7	-	-	-	-	-	-	1	2	2	2	-	3	-	-	-	-	-	-	1	2	-	-	-
All other	12	-	-	-	-	1	2	2	1	1	4	1	3	-	-	-	2	-	-	-	1	-	-	-
Black	12	-	-	-	-	1	2	2	1	1	4	1	3	-	-	-	2	-	-	-	1	-	-	-
Other tuberculosis (013-018)	5	-	-	-	-	1	1	-	-	3	-	-	2	-	-	-	-	-	-	1	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	1	1	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	4	-	-	-	-	1	1	-	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	-	1	2	-	-	1	1	-	1	-	-	10	3	3	1	1	-	-	1	1	-	-	-
White	2	-	-	2	-	-	-	-	-	-	-	-	8	3	1	1	1	-	-	1	1	-	-	-
All other	4	-	1	-	-	-	1	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	4	-	1	-	-	-	1	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Septicemia (038)	107	2	2	-	1	-	4	8	17	27	31	14	117	2	-	1	2	1	1	8	8	21	37	36
White	56	1	2	-	-	-	2	1	7	15	18	10	67	-	-	-	-	1	-	1	4	12	24	25
All other	51	1	-	-	1	-	2	8	10	12	13	4	50	2	-	1	2	-	1	7	4	9	13	11
Black	50	1	-	-	1	-	2	7	10	12	13	4	50	2	-	1	2	-	1	7	4	9	13	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	-	-	3	-	1	-	5	-	-	-	1	-	-	-	1	2	1	-
White	4	-	-	-	-	-	-	-	3	-	1	-	4	-	-	-	-	-	-	-	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 096-139)	43	2	-	1	2	3	8	2	6	11	7	1	45	5	-	-	3	3	2	5	5	11	9	2
White	23	2	-	-	-	-	4	1	3	7	5	1	26	4	-	-	1	1	-	1	4	6	8	1
All other	20	-	-	1	2	3	4	1	3	4	2	-	19	1	-	-	2	2	2	4	1	5	1	1
Black	20	-	-	1	2	3	4	1	3	4	2	-	19	1	-	-	2	2	2	4	1	5	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,952	1	10	11	15	37	102	302	795	979	565	135	2,288	2	3	7	12	32	110	267	546	664	477	168
White	2,049	1	7	8	12	26	61	202	559	670	396	107	1,648	2	3	3	10	19	75	190	377	442	388	139
All other	903	-	3	3	3	11	41	100	236	309	169	28	640	-	-	4	2	13	35	77	169	222	89	29
Black	900	-	3	3	3	11	41	98	236	308	169	28	637	-	-	4	2	13	34	76	169	221	89	29
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	96	-	-	-	-	1	7	16	30	27	12	3	33	-	-	-	-	3	3	3	8	6	6	4
White	57	-	-	-	-	-	4	6	20	17	7	3	23	-	-	-	-	3	-	1	5	4	6	4
All other	39	-	-	-	-	1	3	10	10	10	5	-	10	-	-	-	-	-	3	2	3	2	-	-
Black	39	-	-	-	-	1	3	10	10	10	5	-	10	-	-	-	-	-	3	2	3	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	670	-	-	-	1	7	19	68	173	219	138	45	624	1	-	-	3	3	9	55	124	202	165	62
White	449	-	-	-	-	4	9	41	115	146	100	34	418	1	-	-	3	2	6	42	73	112	128	51
All other	221	-	-	-	1	3	10	27	58	73	38	11	206	-	-	-	-	1	3	13	51	90	37	11
Black	221	-	-	-	1	3	10	27	58	73	38	11	205	-	-	-	-	1	3	13	51	89	37	11
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,124	-	-	-	-	4	24	133	366	403	172	22	362	-	1	-	-	-	18	61	120	93	51	18
White	829	-	-	-	-	4	11	94	268	297	135	20	289	-	1	-	-	-	14	46	95	72	45	16
All other	295	-	-	-	-	-	13	39	98	106	37	2	73	-	-	-	-	-	4	15	25	21	6	2
Black	294	-	-	-	-	-	13	38	98	106	37	2	73	-	-	-	-	-	4	15	25	21	6	2
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	2	2	-	1	447	-	-	-	-	8	39	71	123	112	75	19
White	2	-	-	-	-	-	-	-	1	1	-	-	335	-	-	-	-	1	28	54	95	82	61	14
All other	3	-	-	-	-	-	-	-	1	1	-	1	112	-	-	-	-	7	11	17	28	30	14	5
Black	3	-	-	-	-	-	-	-	1	1	-	1	112	-	-	-	-	7	11	17	28	30	14	5
Malignant neoplasms of genital organs (179-187)	350	-	-	-	-	2	1	4	54	132	121	36	280	-	-	-	-	8	16	32	61	83	57	13
White	198	-	-	-	-	2	-	1	24	73	69	29	178	-	-	-	-	6	9	19	40	54	42	8
All other	152	-	-	-	-	-	1	3	30	59	52	7	102	-	-	-	-	2	7	13	21	39	15	5
Black	152	-	-	-	-	-	1	3	30	59	52	7	101	-	-	-	-	2	7	12	21	39	15	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	95	-	-	-	1	-	4	7	28	33	20	2	74	-	-	-	-	-	1	3	13	23	25	9
White	73	-	-	-	-	-	2	7	21	24	16	1	58	-	-	-	-	-	-	2	8	18	24	6
All other	22	-	-	-	1	-	2	-	7	9	2	1	16	-	-	-	-	-	1	1	5	5	1	3
Black	22	-	-	-	1	-	2	-	7	9	2	1	16	-	-	-	-	-	1	1	5	5	1	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	372	1	7	6	6	13	30	43	98	99	56	13	265	1	1	5	4	7	17	27	59	63	58	23
White	275	1	4	4	5	10	25	32	76	67	41	10	193	1	1	3	2	6	14	17	37	45	46	21
All other	97	-	3	2	1	3	5	11	22	32	15	3	72	-	-	2	2	1	3	10	22	18	12	2
Black	95	-	3	2	1	3	5	10	22	31	15	3	71	-	-	2	2	1	2	10	22	18	12	2
Leukemia (204-208)	101	-	3	4	2	5	5	9	21	29	18	5	70	-	1	2	4	2	5	5	7	24	9	11
White	73	-	3	4	2	3	3	5	18	20	11	4	51	-	1	-	4	1	3	3	3	17	8	11
All other	28	-	-	-	-	2	2	4	3	9	7	1	19	-	-	2	-	1	2	2	4	7	1	-
Black	28	-	-	-	-	2	2	4	3	9	7	1	19	-	-	2	-	1	2	2	4	7	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	139	-	-	1	5	5	12	22	23	35	28	8	133	-	-	-	1	1	2	10	31	48	31	9
White	93	-	-	-	5	3	7	16	16	25	15	6	103	-	-	-	1	-	1	6	21	38	28	8
All other	46	-	-	1	-	2	5	6	7	10	13	2	30	-	-	-	-	1	1	4	10	10	3	1
Black	46	-	-	1	-	2	5	6	7	10	13	2	30	-	-	-	-	1	1	4	10	10	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	-	-	3	2	-	2	3	2	17	8	-	36	1	-	1	-	1	-	4	11	12	4	2
White	21	-	-	-	1	-	1	2	2	9	6	-	24	-	-	-	-	1	-	2	9	6	4	2
All other	16	-	-	3	1	-	1	1	-	8	2	-	12	1	-	1	-	-	-	2	2	6	-	-
Black	16	-	-	3	1	-	1	1	-	8	2	-	12	1	-	1	-	-	-	2	2	6	-	-
Diabetes mellitus (250)	185	-	-	-	-	4	10	12	41	57	46	15	303	-	-	2	4	3	8	20	62	82	86	36
White	119	-	-	-	-	2	6	4	28	33	36	10	131	-	-	-	1	3	2	7	19	32	46	21
All other	66	-	-	-	-	2	4	8	13	24	10	5	172	-	-	2	3	-	6	13	43	50	40	15
Black	66	-	-	-	-	2	4	8	13	24	10	5	172	-	-	2	3	-	6	13	43	50	40	15
Nutritional deficiencies (260-269)	26	-	-	-	-	1	1	-	4	13	6	1	21	1	-	-	-	1	-	-	-	3	8	8
White	6	-	-	-	-	-	-	-	1	3	2	-	12	-	-	-	-	1	-	-	-	-	5	6
All other	20	-	-	-	-	1	1	-	3	10	4	1	9	1	-	-	-	-	-	-	-	3	3	2
Black	19	-	-	-	-	1	1	-	3	9	4	1	9	1	-	-	-	-	-	-	-	3	3	2
Anemias (280-285)	15	1	1	1	2	1	-	1	2	4	2	-	16	-	1	1	1	-	-	-	4	2	4	3
White	7	-	-	-	-	-	-	1	2	2	2	-	7	-	-	1	-	-	-	-	2	2	2	-
All other	8	1	1	1	2	1	-	-	-	2	-	-	9	-	1	-	1	-	-	-	2	-	2	3
Black	8	1	1	1	2	1	-	-	-	2	-	-	9	-	1	-	1	-	-	-	2	-	2	3
Meningitis (320-322)	8	2	-	-	-	-	-	1	1	1	3	-	7	3	-	1	-	-	-	-	-	3	-	-
White	4	-	-	-	-	-	-	-	1	1	2	-	4	1	-	1	-	-	-	-	-	2	-	-
All other	4	2	-	-	-	-	-	1	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Black	4	2	-	-	-	-	-	1	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	6,374	11	-	3	14	48	195	510	1,336	2,068	1,604	585	6,230	11	7	4	16	29	108	255	752	1,448	2,039	1,561
White	4,524	7	-	1	9	22	96	318	910	1,478	1,223	460	4,258	4	5	1	6	14	48	132	404	876	1,471	1,297
All other	1,850	4	-	2	5	26	99	192	426	590	381	125	1,972	7	2	3	10	15	60	123	348	572	568	264
Black	1,848	4	-	2	5	26	99	191	426	589	381	125	1,967	7	2	3	10	15	59	122	347	571	567	264
Diseases of heart (390-398,402,404-429)	5,130	11	-	2	12	43	162	439	1,123	1,674	1,224	446	4,643	11	7	2	13	25	78	184	584	1,129	1,485	1,025
White	3,776	7	-	1	7	21	90	286	811	1,251	950	352	3,163	4	5	1	5	12	35	105	333	722	1,088	853
All other	1,354	4	-	1	5	22	72	147	312	423	274	94	1,360	7	2	1	8	13	43	79	251	407	397	172
Black	1,352	4	-	1	5	22	72	146	312	422	274	94	1,377	7	2	1	8	13	43	78	250	407	396	172
Rheumatic fever and rheumatic heart disease (390-398)	20	-	-	-	-	-	-	2	5	6	6	1	33	-	-	-	-	-	3	5	9	9	7	-
White	17	-	-	-	-	-	-	2	4	5	5	1	29	-	-	-	-	-	2	4	8	9	6	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	1	1	1	-	1	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	1	1	1	-	1	-
Hypertensive heart disease (402)	128	-	-	-	-	1	6	7	29	48	31	6	228	-	-	-	-	-	3	7	34	72	75	37
White	64	-	-	-	-	1	1	1	10	27	19	5	102	-	-	-	-	-	-	1	7	32	37	25
All other	64	-	-	-	-	-	5	6	19	21	12	1	126	-	-	-	-	-	3	6	27	40	38	12
Black	64	-	-	-	-	-	5	6	19	21	12	1	126	-	-	-	-	-	3	6	27	40	38	12
Hypertensive heart and renal disease (404)	29	-	-	-	-	1	3	1	3	7	10	4	37	-	-	-	-	-	-	1	6	7	13	10
White	11	-	-	-	-	-	-	-	2	1	6	2	18	-	-	-	-	-	-	-	2	2	6	8
All other	18	-	-	-	-	1	3	1	1	6	4	2	19	-	-	-	-	-	-	1	4	5	7	2
Black	18	-	-	-	-	1	3	1	1	6	4	2	19	-	-	-	-	-	-	1	4	5	7	2
Ischemic heart disease (410-414)	3,603	1	-	-	-	20	115	320	814	1,201	850	282	2,830	-	-	-	-	11	36	112	377	731	957	606
White	2,829	1	-	-	-	11	79	228	629	956	701	224	2,088	-	-	-	-	6	16	68	234	511	733	520
All other	774	-	-	-	-	9	36	92	185	245	149	58	742	-	-	-	-	5	20	44	143	220	224	86
Black	773	-	-	-	-	9	36	91	185	245	149	58	740	-	-	-	-	5	20	43	142	220	224	86
Acute myocardial infarction (410)	2,437	-	-	-	-	14	91	251	600	839	510	132	1,689	-	-	-	-	9	25	87	272	491	560	245
White	1,921	-	-	-	-	9	65	180	464	673	429	101	1,220	-	-	-	-	5	11	54	175	348	426	201
All other	516	-	-	-	-	5	26	71	136	166	81	31	469	-	-	-	-	4	14	33	97	143	134	44
Black	515	-	-	-	-	5	26	70	136	166	81	31	467	-	-	-	-	4	14	32	96	143	134	44

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	71	-	-	-	-	-	5	9	18	18	17	4	57	-	-	-	-	1	2	6	8	22	10	8
White	39	-	-	-	-	-	1	5	12	11	8	2	25	-	-	-	-	1	-	2	2	10	6	4
All other	32	-	-	-	-	-	4	4	6	7	9	2	32	-	-	-	-	-	2	4	6	12	4	4
Black	32	-	-	-	-	-	4	4	6	7	9	2	32	-	-	-	-	-	2	4	6	12	4	4
Angina pectoris (413)	7	-	-	-	-	-	1	-	1	3	1	1	7	-	-	-	-	-	-	-	4	1	1	1
White	7	-	-	-	-	-	1	-	1	3	1	1	6	-	-	-	-	-	-	-	3	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,088	1	-	-	-	6	18	60	195	341	322	145	1,077	-	-	-	-	1	9	19	93	217	386	352
White	862	1	-	-	-	2	12	43	152	269	263	120	837	-	-	-	-	-	5	12	54	152	300	314
All other	226	-	-	-	-	4	6	17	43	72	59	25	240	-	-	-	-	1	4	7	39	65	86	38
Black	226	-	-	-	-	4	6	17	43	72	59	25	240	-	-	-	-	1	4	7	39	65	86	38
Other diseases of endocardium (424)	60	-	-	-	1	2	-	1	6	20	20	10	53	-	-	-	-	-	2	1	5	16	19	10
White	45	-	-	-	-	-	-	1	4	15	17	8	35	-	-	-	-	-	-	-	2	11	13	9
All other	15	-	-	-	1	2	-	-	2	5	3	2	18	-	-	-	-	-	2	1	3	5	6	1
Black	15	-	-	-	1	2	-	-	2	5	3	2	18	-	-	-	-	-	2	1	3	5	6	1
All other forms of heart disease (415-423,425-429)	1,290	10	-	2	11	19	38	102	266	392	307	143	1,362	11	7	2	13	14	34	58	153	294	414	362
White	810	6	-	1	7	9	10	54	162	247	202	112	891	4	5	1	5	6	17	32	80	157	293	291
All other	480	4	-	1	4	10	28	48	104	145	105	31	471	7	2	1	8	8	17	26	73	137	121	71
Black	479	4	-	1	4	10	28	48	104	144	105	31	470	7	2	1	8	8	17	26	73	137	120	71
Hypertension with or without renal disease (401,403)	41	-	-	-	-	1	3	3	10	10	9	5	71	-	-	-	-	-	2	3	17	20	22	7
White	21	-	-	-	-	-	-	-	5	4	7	5	23	-	-	-	-	-	-	1	5	6	7	4
All other	20	-	-	-	-	1	3	3	5	6	2	-	48	-	-	-	-	-	2	2	12	14	15	3
Black	20	-	-	-	-	1	3	3	5	6	2	-	48	-	-	-	-	-	2	2	12	14	15	3
Cerebrovascular diseases (430-438)	971	-	-	-	1	3	28	66	166	307	307	93	1,361	-	-	2	3	3	26	60	141	269	443	420
White	544	-	-	-	1	-	5	25	62	164	215	72	875	-	-	-	1	2	12	20	61	131	307	341
All other	427	-	-	-	-	3	23	41	104	143	92	21	486	-	-	2	2	1	14	40	80	132	136	79
Black	427	-	-	-	-	3	23	41	104	143	92	21	485	-	-	2	2	1	13	40	80	132	136	79
Intracerebral and other intracranial hemorrhage (431-432)	161	-	-	-	-	2	13	27	36	43	35	5	171	-	-	1	1	-	6	16	29	43	46	29
White	73	-	-	-	-	-	1	7	11	24	26	4	96	-	-	-	1	-	1	4	15	24	29	22
All other	88	-	-	-	-	2	12	20	25	19	9	1	75	-	-	1	-	-	5	12	14	19	17	7
Black	88	-	-	-	-	2	12	20	25	19	9	1	75	-	-	1	-	-	5	12	14	19	17	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	124	-	-	-	-	-	1	3	22	39	45	14	199	-	-	-	1	-	1	8	15	33	53	88
White	77	-	-	-	-	-	-	1	10	21	33	12	131	-	-	-	-	-	-	1	3	19	38	70
All other	47	-	-	-	-	-	1	2	12	18	12	2	68	-	-	-	1	-	1	7	12	14	15	18
Black	47	-	-	-	-	-	1	2	12	18	12	2	68	-	-	-	1	-	1	7	12	14	15	18
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	1	-	-	11	-	-	-	-	-	-	-	1	4	1	5
White	1	-	-	-	-	-	-	-	-	1	-	-	9	-	-	-	-	-	-	-	1	3	1	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	684	-	-	-	1	1	14	36	107	224	227	74	980	-	-	1	1	3	19	36	96	183	343	298
White	393	-	-	-	1	-	4	17	41	118	156	56	639	-	-	-	-	2	11	15	42	85	239	245
All other	291	-	-	-	-	1	10	19	66	106	71	18	341	-	-	1	1	1	8	21	54	98	104	53
Black	291	-	-	-	-	1	10	19	66	106	71	18	340	-	-	1	1	1	7	21	54	98	104	53
Atherosclerosis (440)	89	-	-	-	-	-	-	4	6	25	21	33	171	-	-	-	-	-	1	1	4	21	59	65
White	69	-	-	-	-	-	-	4	5	20	16	24	135	-	-	-	-	-	1	-	2	10	45	77
All other	20	-	-	-	-	-	-	-	1	5	5	9	36	-	-	-	-	-	-	1	2	11	14	8
Black	20	-	-	-	-	-	-	-	1	5	5	9	36	-	-	-	-	-	-	1	2	11	14	8
Other diseases of arteries, arterioles, and capillaries (441-448)	143	-	-	1	1	1	2	4	31	52	43	8	84	-	-	-	-	1	1	7	6	15	30	24
White	114	-	-	-	1	1	1	3	27	39	35	7	62	-	-	-	-	-	-	6	3	7	24	22
All other	29	-	-	1	-	-	1	1	4	13	8	1	22	-	-	-	-	1	1	1	3	8	6	2
Black	29	-	-	1	-	-	1	1	4	13	8	1	21	-	-	-	-	1	1	1	3	7	6	2
Acute bronchitis and bronchiolitis (466)	7	2	1	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	1	1
White	5	1	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	373	9	1	1	2	6	12	14	67	90	94	77	290	8	1	2	2	7	5	15	18	42	84	106
White	241	3	1	1	-	2	4	10	37	55	71	57	216	4	-	1	-	1	2	9	8	32	65	94
All other	132	6	-	-	2	4	8	4	30	35	23	20	74	4	1	1	2	6	3	6	10	10	19	12
Black	132	6	-	-	2	4	8	4	30	35	23	20	73	4	1	1	2	5	3	6	10	10	19	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	371	9	1	1	2	6	12	14	67	90	92	77	281	8	1	2	2	6	4	14	18	42	81	103
White	239	3	1	1	-	2	4	10	37	55	69	57	209	4	-	1	-	1	2	8	8	32	62	91
All other	132	6	-	-	2	4	8	4	30	35	23	20	72	4	1	1	2	5	2	6	10	10	19	12
Black	132	6	-	-	2	4	8	4	30	35	23	20	71	4	1	1	2	4	2	6	10	10	19	12
Influenza (487)	2	-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	1	1	1	-	-	3	3
White	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	1	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	512	-	1	1	1	4	7	23	106	194	137	38	215	1	-	1	1	-	6	14	38	70	55	29
White	437	-	1	-	-	1	6	18	85	165	126	35	182	1	-	1	1	-	3	11	30	61	47	27
All other	75	-	-	1	1	3	1	5	21	29	11	3	33	-	-	-	-	-	3	3	8	9	8	2
Black	75	-	-	1	1	3	1	5	21	29	11	3	32	-	-	-	-	-	3	3	8	8	8	2
Bronchitis, chronic and unspecified (490-491)	21	-	-	-	-	-	-	3	3	8	7	-	13	1	-	-	-	-	1	1	2	3	2	3
White	19	-	-	-	-	-	-	2	3	7	7	-	10	1	-	-	-	-	1	-	1	3	1	3
All other	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Emphysema (492)	112	-	-	-	-	-	3	4	19	49	28	9	28	-	-	-	-	-	-	3	5	10	9	1
White	104	-	-	-	-	-	2	4	16	46	27	9	26	-	-	-	-	-	-	3	4	10	8	1
All other	8	-	-	-	-	-	1	-	3	3	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	8	-	-	-	-	-	1	-	3	3	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Asthma (493)	22	-	1	1	-	4	1	4	6	4	1	-	29	-	-	1	1	-	4	4	6	7	5	1
White	10	-	1	-	-	1	1	2	3	1	1	-	16	-	-	1	1	-	1	2	2	5	4	-
All other	12	-	-	1	-	3	-	2	3	3	-	-	13	-	-	-	-	-	3	2	4	2	1	1
Black	12	-	-	1	-	3	-	2	3	3	-	-	13	-	-	-	-	-	3	2	4	2	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	357	-	-	-	1	-	3	12	78	133	101	29	145	-	-	-	-	-	1	6	25	50	39	24
White	304	-	-	-	-	-	3	10	63	111	91	26	130	-	-	-	-	-	1	6	23	43	34	23
All other	53	-	-	-	1	-	-	2	15	22	10	3	15	-	-	-	-	-	-	-	2	7	5	1
Black	53	-	-	-	1	-	-	2	15	22	10	3	14	-	-	-	-	-	-	-	2	6	5	1
Ulcer of stomach and duodenum (531-533)	35	-	-	-	-	1	1	4	3	9	10	7	37	-	-	-	-	-	1	2	4	8	16	6
White	27	-	-	-	-	-	-	4	3	6	9	5	29	-	-	-	-	-	-	1	2	7	14	5
All other	8	-	-	-	-	1	1	-	-	3	1	2	8	-	-	-	-	-	1	1	2	1	2	1
Black	8	-	-	-	-	1	1	-	-	3	1	2	8	-	-	-	-	-	1	1	2	1	2	1
Appendicitis (540-543)	5	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	1	1	2	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	-	-	-	-	-	-	-	7	16	12	3	26	-	-	-	-	-	1	-	1	7	9	8
White	24	-	-	-	-	-	-	-	4	10	8	2	18	-	-	-	-	-	-	-	1	6	5	6
All other	14	-	-	-	-	-	-	-	3	6	4	1	8	-	-	-	-	-	1	-	-	1	4	2
Black	13	-	-	-	-	-	-	-	3	6	3	1	8	-	-	-	-	-	1	-	-	1	4	2
Chronic liver disease and cirrhosis (571)	187	-	1	-	-	11	22	56	43	48	6	-	122	1	-	-	1	7	13	25	37	24	11	3
White	138	-	1	-	-	6	10	47	31	37	6	-	86	1	-	-	-	3	6	16	27	21	9	3
All other	49	-	-	-	-	5	12	9	12	11	-	-	36	-	-	-	1	4	7	9	10	3	2	-
Black	48	-	-	-	-	5	12	9	12	10	-	-	35	-	-	-	1	4	7	9	9	3	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	1	4	4	2	3	17	-	-	-	-	-	1	-	3	5	7	1
White	11	-	-	-	-	-	-	-	3	4	1	3	12	-	-	-	-	-	-	-	1	5	5	1
All other	3	-	-	-	-	-	-	1	1	-	1	-	5	-	-	-	-	-	1	-	2	-	2	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	5	-	-	-	-	-	1	-	2	-	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	118	4	-	-	-	1	1	6	14	33	36	23	121	2	-	-	1	1	3	8	14	40	37	15
White	56	3	-	-	-	1	-	2	4	18	20	8	60	1	-	-	1	1	1	1	7	16	23	9
All other	62	1	-	-	-	-	1	4	10	15	16	15	61	1	-	-	-	-	2	7	7	24	14	6
Black	62	1	-	-	-	-	1	4	10	15	16	15	61	1	-	-	-	-	2	7	7	24	14	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	1	-	-	6	-	-	-	-	-	-	-	-	5	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	3	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	-	1	-	-	2	7	5	2	12	-	-	-	1	-	-	1	1	4	2	3
White	8	-	-	-	-	1	-	-	-	4	2	1	5	-	-	-	1	-	-	1	1	1	-	1
All other	9	-	-	-	-	-	-	-	2	3	3	1	7	-	-	-	-	-	-	-	-	3	2	2
Black	9	-	-	-	-	-	-	-	2	3	3	1	7	-	-	-	-	-	-	-	-	3	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	99	4	-	-	-	-	1	6	11	25	31	21	103	2	-	-	-	1	3	7	13	31	34	12
White	47	3	-	-	-	-	-	2	4	13	18	7	51	1	-	-	-	1	1	-	6	12	22	8
All other	52	1	-	-	-	-	1	4	7	12	13	14	52	1	-	-	-	-	2	7	7	19	12	4
Black	52	1	-	-	-	-	1	4	7	12	13	14	52	1	-	-	-	-	2	7	7	19	12	4
Infections of kidney (590)	16	-	-	-	1	-	-	-	2	5	4	4	18	-	-	-	-	-	-	1	2	5	6	4
White	12	-	-	-	1	-	-	-	1	4	3	3	12	-	-	-	-	-	-	-	1	3	5	3
All other	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	1	2	1	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	1	2	1	1
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	2	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
Congenital anomalies (740-759)	105	65	19	3	6	5	6	2	-	3	-	2	103	72	8	4	3	2	6	1	2	3	1	1
White	63	39	8	-	3	3	5	2	-	2	-	1	52	34	4	2	2	2	5	-	-	2	1	-
All other	42	26	5	3	3	2	1	-	-	1	-	1	51	38	4	2	1	-	1	1	2	1	-	1
Black	42	26	5	3	3	2	1	-	-	1	-	1	50	38	4	2	1	-	1	1	2	1	-	-
Certain conditions originating in the perinatal period (760-779)	221	220	1	-	-	-	-	-	-	-	-	-	181	181	-	-	-	-	-	-	-	-	-	-
White	95	94	1	-	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
All other	126	126	-	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Black	124	124	-	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	55	54	1	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
White	28	27	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	166	166	-	-	-	-	-	-	-	-	-	-	146	146	-	-	-	-	-	-	-	-	-	-
White	67	67	-	-	-	-	-	-	-	-	-	-	58	58	-	-	-	-	-	-	-	-	-	-
All other	99	99	-	-	-	-	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-
Black	99	99	-	-	-	-	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	218	54	2	2	5	10	16	20	42	40	15	11	152	40	1	-	4	3	14	8	14	24	22	22
White	114	24	-	1	3	7	4	12	21	25	11	6	79	17	1	-	3	2	6	3	7	12	9	19
All other	104	30	2	1	2	3	12	8	21	15	4	5	73	23	-	-	1	1	8	5	7	12	13	3
Black	103	30	1	1	2	3	12	8	21	15	4	5	73	23	-	-	1	1	8	5	7	12	13	3
All other diseases (Residual)	874	14	9	8	20	40	67	89	153	205	179	90	882	19	9	8	17	23	45	67	107	165	250	178
White	530	5	4	5	9	20	28	45	88	133	125	68	565	6	1	3	9	8	14	30	67	107	178	142
All other	344	9	5	3	11	20	39	44	65	72	54	22	317	13	2	5	8	15	31	37	40	58	72	36
Black	343	9	5	3	11	20	39	44	65	72	53	22	316	13	2	5	8	15	31	37	40	57	72	36
Accidents and adverse effects (E800-E949)	1,244	9	38	77	306	246	153	102	116	108	57	32	475	8	22	22	96	54	44	40	41	48	49	51
White	803	6	19	44	227	166	85	56	72	67	37	24	319	4	11	15	72	35	30	28	17	24	38	45
All other	441	3	19	33	79	80	68	46	44	41	20	8	156	4	11	7	24	19	14	12	24	24	11	6
Black	437	3	19	33	79	78	67	46	44	41	19	8	155	3	11	7	24	19	14	12	24	24	11	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	634	-	14	39	214	158	70	46	34	36	19	4	226	-	8	15	70	39	28	24	12	16	12	2
White	445	-	8	24	163	115	45	22	25	23	17	3	169	-	4	13	56	28	21	21	5	11	8	2
All other	189	-	6	15	51	43	25	24	9	13	2	1	57	-	4	2	14	11	7	3	7	5	4	-
Black	188	-	6	15	51	43	24	24	9	13	2	1	57	-	4	2	14	11	7	3	7	5	4	-
All other accidents and adverse effects (E800-E807, E826-E949)	610	9	24	38	92	88	83	56	82	72	38	28	249	8	14	7	26	15	16	16	29	32	37	49
White	358	6	11	20	64	51	40	34	47	44	20	21	150	4	7	2	16	7	9	7	12	13	30	43
All other	252	3	13	18	28	37	43	22	35	28	18	7	99	4	7	5	10	8	7	9	17	19	7	6
Black	249	3	13	18	28	35	43	22	35	28	17	7	98	3	7	5	10	8	7	9	17	19	7	6
Suicide (E950-E959)	238	...	...	2	42	72	40	24	26	20	11	1	92	...	...	1	12	16	23	17	14	9	-	-
White	211	...	...	2	38	62	33	21	23	20	11	1	87	...	...	1	11	15	23	17	12	8	-	-
All other	27	...	...	-	4	10	7	3	3	-	-	-	5	...	...	-	1	1	-	-	2	1	-	-
Black	27	...	...	-	4	10	7	3	3	-	-	-	5	...	...	-	1	1	-	-	2	1	-	-
Homicide and legal intervention (E960-E978)	241	2	2	1	42	60	57	30	28	16	3	-	79	-	-	-	17	26	13	5	4	8	4	2
White	109	-	1	1	20	22	23	16	15	9	2	-	35	-	-	-	6	12	4	1	3	8	1	-
All other	132	2	1	-	22	38	34	14	13	7	1	-	44	-	-	-	11	14	9	4	1	-	3	2
Black	132	2	1	-	22	38	34	14	13	7	1	-	44	-	-	-	11	14	9	4	1	-	3	2
All other external causes (E980-E999)	12	-	-	-	2	4	1	2	2	1	-	-	5	1	-	-	3	1	-	-	-	-	-	-
White	12	-	-	-	2	4	1	2	2	1	-	-	4	-	-	-	3	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA																								
All causes	3,612	67	23	17	92	85	91	199	505	863	983	686	3,016	68	10	9	33	30	44	110	271	493	899	1,049
White	3,361	47	14	14	65	60	74	173	464	823	955	671	2,839	41	8	7	23	21	32	86	247	467	877	1,030
All other	251	20	9	3	27	25	17	26	41	40	28	15	177	27	2	2	10	9	12	24	24	26	22	19
Black	3	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	1	-	1	2	-	4	-	-	-	-	-	1	-	2	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	1	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	6	-	-	-	-	-	-	1	2	-	1	2	15	1	-	-	-	-	2	-	3	1	5	3
White	5	-	-	-	-	-	-	-	2	-	1	2	13	1	-	-	-	-	1	-	2	1	5	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	5	-	-	-	1	-	-	-	2	1	-	1	10	1	-	-	1	-	1	-	2	3	2	-
White	4	-	-	-	1	-	-	-	2	1	-	-	8	-	-	-	1	-	1	-	2	2	2	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	726	-	3	3	7	8	10	50	142	247	196	60	564	-	1	3	4	5	9	56	124	139	155	87
White	700	-	3	2	5	8	10	46	138	241	190	57	563	-	1	3	4	5	9	49	119	133	155	85
All other	26	-	-	1	2	-	-	4	4	6	6	3	21	-	-	-	-	-	-	7	5	6	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	-	-	-	1	-	-	1	1	5	2	-	6	-	-	-	-	-	-	-	2	2	1	1
White	10	-	-	-	1	-	-	1	1	5	2	-	6	-	-	-	-	-	-	-	2	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	184	-	-	-	1	-	-	12	30	64	63	14	191	-	-	-	-	1	1	9	28	52	67	33
White	176	-	-	-	-	-	-	11	29	62	61	13	185	-	-	-	-	1	1	8	27	49	67	32
All other	8	-	-	-	1	-	-	1	1	2	2	1	6	-	-	-	-	-	-	1	1	3	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	235	-	-	-	1	1	3	16	64	84	47	9	56	-	-	-	-	-	2	9	20	11	10	4
White	229	-	-	-	1	1	3	15	63	82	45	9	56	-	-	-	-	-	2	9	20	11	10	4
All other	6	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	119	-	-	-	-	-	3	19	31	26	27	13
White	-	-	-	-	-	-	-	-	-	-	-	-	117	-	-	-	-	-	3	18	30	26	27	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	97	-	-	-	-	1	-	1	10	28	34	23	65	-	-	-	-	1	1	8	14	14	16	11
White	94	-	-	-	-	1	-	-	10	28	33	22	57	-	-	-	-	1	1	4	12	12	16	11
All other	3	-	-	-	-	-	-	1	-	-	1	1	8	-	-	-	-	-	-	4	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	-	-	-	2	7	13	15	4	16	-	-	-	1	-	-	1	1	5	6	2
White	39	-	-	-	-	-	-	1	7	13	14	4	16	-	-	-	1	-	-	1	1	5	6	2
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	82	-	1	-	1	4	3	12	18	21	20	2	70	-	-	2	2	1	1	10	15	13	16	10
White	77	-	1	-	1	4	3	12	16	19	20	1	66	-	-	2	2	1	1	9	14	12	16	9
All other	5	-	-	-	-	-	-	-	2	2	-	1	4	-	-	-	-	-	-	1	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	31	-	2	2	3	1	1	1	5	6	7	3	21	-	-	1	-	2	-	-	3	5	2	8
White	30	-	2	2	2	1	1	1	5	6	7	3	21	-	-	1	-	2	-	-	3	5	2	8
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	46	-	-	1	-	1	3	5	7	16	8	5	40	-	1	-	1	-	1	-	10	11	11	5
White	45	-	-	-	-	1	3	5	7	16	8	5	39	-	1	-	1	-	1	-	10	11	10	5
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	-	-	-	1	-	-	2	1	5	4	3	12	-	-	1	-	-	-	2	2	3	2	2
White	15	-	-	-	1	-	-	2	-	5	4	3	11	-	-	-	-	-	-	2	2	3	2	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	41	-	-	-	-	1	2	3	4	12	12	7	55	-	-	-	1	-	3	2	8	10	19	12
White	35	-	-	-	-	-	1	2	3	11	11	7	48	-	-	-	1	-	2	1	7	7	19	11
All other	6	-	-	-	-	1	1	1	1	1	1	-	7	-	-	-	-	-	1	1	1	3	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	1	-	6
White	1	-	-	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	1	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	2	-	-	-	-	-	-	-	-	-	2	-	10	-	-	-	-	1	-	-	1	2	3	3
White	2	-	-	-	-	-	-	-	-	-	2	-	9	-	-	-	-	1	-	-	1	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,786	3	2	-	3	8	21	74	254	434	542	445	1,668	1	-	-	2	5	7	26	75	245	561	746
White	1,719	3	1	-	3	8	19	69	234	414	534	434	1,624	1	-	-	2	3	7	21	69	237	549	735
All other	67	-	1	-	-	-	2	5	20	20	8	11	44	-	-	-	-	2	-	5	6	8	12	11
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,479	2	2	-	3	6	20	67	227	366	450	336	1,246	-	-	-	-	5	4	18	60	185	426	548
White	1,420	2	1	-	3	6	18	62	208	348	443	328	1,214	-	-	-	-	3	4	16	54	181	418	538
All other	59	-	1	-	-	-	2	5	19	18	7	7	32	-	-	-	-	2	-	2	6	4	8	10
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	1	1	-	1	1	2	1	1	18	-	-	-	-	1	-	2	1	3	9	2
White	7	-	-	-	1	1	-	1	1	1	1	1	18	-	-	-	-	1	-	2	1	3	9	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	9	-	-	-	-	-	-	1	1	2	1	4	30	-	-	-	-	-	-	-	1	3	7	19
White	8	-	-	-	-	-	-	1	1	2	1	3	30	-	-	-	-	-	-	-	1	3	7	19
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	-	-	-	1	-	2	5
White	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,112	-	-	-	-	2	14	50	171	297	346	232	891	-	-	-	-	2	4	12	40	146	320	367
White	1,080	-	-	-	-	2	14	46	157	290	343	228	873	-	-	-	-	1	4	11	38	144	316	359
All other	32	-	-	-	-	-	-	4	14	7	3	4	18	-	-	-	-	1	-	1	2	2	4	8
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	715	-	-	-	-	2	13	35	124	208	230	103	488	-	-	-	-	1	4	7	26	99	202	149
White	690	-	-	-	-	2	13	31	112	204	227	101	477	-	-	-	-	1	4	6	24	98	198	146
All other	25	-	-	-	-	-	-	4	12	4	3	2	11	-	-	-	-	-	-	1	2	1	4	3
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	1	-	2	2	2	2	-	-	-	-	-	-	-	-	-	1	1
White	7	-	-	-	-	-	-	1	-	2	2	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	389	-	-	-	-	-	1	14	47	86	114	127	399	-	-	-	-	1	-	5	14	46	117	216
White	382	-	-	-	-	-	1	14	45	83	114	125	392	-	-	-	-	-	-	5	14	45	117	211
All other	7	-	-	-	-	-	-	-	2	3	-	2	7	-	-	-	-	1	-	-	-	1	-	5
Black	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	15	-	-	-	-	-	-	1	-	3	7	4	12	-	-	-	-	-	-	-	-	2	4	6
White	15	-	-	-	-	-	-	1	-	3	7	4	12	-	-	-	-	-	-	-	-	2	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	334	2	2	-	2	3	6	14	54	62	95	94	287	-	-	-	-	2	-	4	17	31	84	149
White	309	2	1	-	2	3	4	13	49	52	91	92	274	-	-	-	-	1	-	3	14	29	80	147
All other	25	-	1	-	-	-	2	1	5	10	4	2	13	-	-	-	-	1	-	1	3	2	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	-	1	2	1	3	10	-	-	-	-	-	-	1	-	2	6	1
White	7	-	-	-	-	-	-	-	1	2	1	3	10	-	-	-	-	-	-	1	-	2	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	225	1	-	-	-	2	1	6	20	50	70	75	325	1	-	-	2	-	3	7	11	49	111	141
White	219	1	-	-	-	2	1	6	19	49	69	72	314	1	-	-	2	-	3	4	11	46	107	140
All other	6	-	-	-	-	-	-	-	1	1	1	3	11	-	-	-	-	-	-	3	-	3	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	27	1	-	-	-	2	1	1	3	9	5	5	28	-	-	-	-	-	1	3	1	7	9	7
White	26	1	-	-	-	2	1	1	3	9	5	4	27	-	-	-	-	-	1	2	1	7	9	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	-	-	-	-	-	-	1	4	7	8	14	47	1	-	-	-	-	-	-	-	5	19	22
White	33	-	-	-	-	-	-	1	4	6	8	14	47	1	-	-	-	-	-	-	-	5	19	22
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	164	-	-	-	-	-	-	4	13	34	57	56	249	-	-	-	2	-	2	4	10	37	82	112
White	160	-	-	-	-	-	-	4	12	34	56	54	239	-	-	-	2	-	2	2	10	34	78	111
All other	4	-	-	-	-	-	-	-	1	-	1	2	10	-	-	-	-	-	-	2	-	3	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	42	-	-	-	-	-	-	-	3	4	11	24	56	-	-	-	-	-	-	-	1	2	7	46
White	40	-	-	-	-	-	-	-	3	3	11	23	56	-	-	-	-	-	-	-	1	2	7	46
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	33	-	-	-	-	-	-	1	3	12	10	7	31	-	-	-	-	-	-	-	3	7	11	10
White	33	-	-	-	-	-	-	1	3	12	10	7	30	-	-	-	-	-	-	-	3	8	11	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	126	1	-	-	-	-	1	2	3	13	49	57	118	2	-	1	1	-	-	1	2	7	33	71
White	120	1	-	-	-	-	1	2	3	10	46	57	115	2	-	1	1	-	-	-	2	6	33	70
All other	6	-	-	-	-	-	-	-	-	3	3	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	120	1	-	-	-	-	1	2	2	12	49	53	111	1	-	1	1	-	-	1	2	7	32	66
White	114	1	-	-	-	-	1	2	2	9	46	53	108	1	-	1	1	-	-	-	2	6	32	65
All other	6	-	-	-	-	-	-	-	-	3	3	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	6	-	-	-	-	-	-	-	1	1	-	4	7	1	-	-	-	-	-	-	-	-	1	5
White	6	-	-	-	-	-	-	-	1	1	-	4	7	1	-	-	-	-	-	-	-	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	133	-	1	-	-	1	-	3	15	44	52	17	51	-	-	-	1	-	-	-	8	14	20	8
White	130	-	1	-	-	1	-	3	15	43	50	17	48	-	-	-	1	-	-	-	7	14	19	7
All other	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	8	-	1	-	-	-	-	-	-	1	4	2	3	-	-	-	-	-	-	-	-	1	1	1
White	8	-	1	-	-	-	-	-	-	1	4	2	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	35	-	-	-	-	-	-	3	6	13	11	2	10	-	-	-	-	-	-	-	3	5	1	1
White	34	-	-	-	-	-	-	3	6	13	10	2	8	-	-	-	-	-	-	-	2	5	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	5	-	-	-	-	1	-	-	1	1	2	-	3	-	-	-	1	-	-	-	-	-	2	-
White	5	-	-	-	-	1	-	-	1	1	2	-	3	-	-	-	1	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	85	-	-	-	-	-	-	-	8	29	35	13	35	-	-	-	-	-	-	-	5	8	16	6
White	83	-	-	-	-	-	-	-	8	28	34	13	34	-	-	-	-	-	-	-	5	8	16	5
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	18	-	-	-	-	-	-	-	6	2	5	5	17	-	-	-	-	-	-	-	1	-	6	10
White	17	-	-	-	-	-	-	-	6	1	5	5	17	-	-	-	-	-	-	-	1	-	6	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	-	-	-	-	1	-	1	1	3	4	9	-	-	-	-	-	-	-	-	-	5	4
White	9	-	-	-	-	-	1	-	-	1	3	4	8	-	-	-	-	-	-	-	-	-	4	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	43	-	-	-	-	3	2	10	10	12	6	-	28	-	-	-	2	2	1	3	7	10	3	-
White	35	-	-	-	-	1	2	6	8	12	6	-	17	-	-	-	-	1	-	-	5	9	2	-
All other	8	-	-	-	-	2	-	4	2	-	-	-	11	-	-	-	2	1	1	3	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	41	-	-	-	-	1	-	1	-	8	16	15	34	-	-	-	-	-	1	1	4	7	9	12
White	39	-	-	-	-	1	-	-	-	7	16	15	28	-	-	-	-	-	1	-	3	5	8	11
All other	2	-	-	-	-	-	-	1	-	1	-	-	6	-	-	-	-	-	-	1	1	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	1	-	-	-	2	-	1	4	-	-	-	-	-	-	-	-	2	2	-
White	4	-	-	-	-	1	-	-	-	2	-	1	4	-	-	-	-	-	-	-	-	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	37	-	-	-	-	-	-	1	-	6	16	14	29	-	-	-	-	-	1	1	4	5	7	11
White	35	-	-	-	-	-	-	-	-	5	16	14	23	-	-	-	-	-	1	-	3	3	6	10
All other	2	-	-	-	-	-	-	1	-	1	-	-	6	-	-	-	-	-	-	1	1	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
White	1	-	-	-	-	-	-	-	-	-	-	1	---	---	---	---	---	---	---	---	---	---	---	---
All other	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Black	-	-	-	-	-	-	-	-	-	-	-	-	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	-	---	---	-	-	-	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	23	14	2	1	1	1	1	-	1	1	1	-	30	21	3	-	-	-	1	1	4	-	-	-
White	21	13	2	1	1	1	-	-	1	1	1	-	28	19	3	-	-	-	1	1	4	-	-	-
All other	2	1	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	25	25	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	15	15	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	16	-	-	1	-	1	-	4	6	7	3	33	12	-	-	1	1	1	1	2	3	3	9
White	25	9	-	-	1	-	-	-	2	4	6	3	16	-	-	-	1	-	-	-	2	2	2	9
All other	13	7	-	-	-	-	1	-	2	2	1	-	17	12	-	-	-	1	1	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	211	6	4	1	2	2	8	16	29	48	53	42	173	3	1	-	1	2	2	6	16	35	51	56
White	195	5	2	1	2	2	7	12	25	46	51	42	158	2	1	-	1	2	1	2	11	33	50	55
All other	16	1	2	-	-	-	1	4	4	2	2	-	15	1	-	-	-	-	1	4	5	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	251	1	9	12	53	40	29	23	23	16	23	21	97	4	4	3	15	9	8	9	5	8	14	18
White	195	-	5	10	40	27	20	19	17	15	20	21	77	1	3	3	9	6	4	8	5	7	13	18
All other	56	1	4	2	13	13	9	4	6	1	3	-	20	3	1	-	6	3	4	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	127	-	4	5	39	23	16	11	12	4	9	4	52	2	4	2	10	8	7	7	3	4	4	1
White	98	-	1	4	31	15	12	10	10	4	7	4	38	-	3	2	6	5	3	7	3	4	4	1
All other	29	-	3	1	8	8	4	1	2	-	2	-	14	2	1	-	4	3	4	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	124	1	5	7	14	17	13	12	11	12	14	17	45	2	-	1	5	1	1	2	2	4	10	17
White	97	-	4	6	9	12	8	9	7	11	13	17	39	1	-	1	3	1	1	1	2	3	9	17
All other	27	1	1	1	5	5	5	3	4	1	1	-	6	1	-	-	2	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	73	...	...	-	17	12	13	9	6	11	4	1	11	...	...	-	3	2	3	1	2	-	-	-
White	61	...	...	-	10	9	11	9	6	11	4	1	9	...	...	-	2	1	3	1	2	-	-	-
All other	12	...	...	-	7	3	2	-	-	-	-	-	2	...	...	-	1	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	16	-	1	-	4	5	1	3	1	-	1	-	10	-	-	1	1	3	3	-	2	-	-	-
White	6	-	-	-	-	1	1	2	1	-	1	-	5	-	-	-	-	2	2	-	1	-	-	-
All other	10	-	1	-	4	4	-	1	-	-	-	-	5	-	-	1	1	1	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	-	2	3	1	-	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
White	3	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	4	-	-	-	1	2	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	22,361	480	78	124	615	712	833	1,752	3,909	5,894	5,447	2,512	19,260	356	58	78	223	303	482	989	2,312	4,114	5,681	4,683
White	18,574	315	57	94	490	525	653	1,420	3,276	4,960	4,635	2,145	15,883	224	39	55	175	218	372	712	1,798	3,333	4,797	4,161
All other	3,787	165	21	30	125	187	180	332	633	934	812	367	3,377	132	19	23	48	87	110	257	514	781	884	522
Black	3,771	163	21	30	121	185	178	330	633	931	811	367	3,358	130	18	23	46	86	106	255	512	780	882	520
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	9	3	-	-	-	-	-	-	-	1	3	2
White	1	-	-	-	-	-	-	-	-	-	-	1	7	2	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	35	-	-	-	-	-	3	3	8	10	6	5	13	-	-	-	-	-	1	-	1	2	5	4
White	27	-	-	-	-	-	3	2	6	8	3	5	10	-	-	-	-	-	1	-	1	2	3	3
All other	8	-	-	-	-	-	-	1	2	2	3	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	8	-	-	-	-	-	-	1	2	2	3	-	3	-	-	-	-	-	-	-	-	-	2	1
Tuberculosis of respiratory system (010-012)	29	-	-	-	-	-	3	2	7	6	6	5	11	-	-	-	-	-	-	-	1	2	5	3
White	23	-	-	-	-	-	3	1	5	6	3	5	9	-	-	-	-	-	-	-	1	2	3	3
All other	6	-	-	-	-	-	-	1	2	-	3	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	6	-	-	-	-	-	-	1	2	-	3	-	2	-	-	-	-	-	-	-	-	-	2	-
Other tuberculosis (013-018)	6	-	-	-	-	-	-	1	1	4	-	-	2	-	-	-	-	-	1	-	-	-	-	1
White	4	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	6	1	2	1	-	-	1	-	-	1	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	2	-	-	-	1	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Septicemia (038)	83	2	2	-	-	-	3	7	10	20	25	14	95	3	1	1	-	1	2	11	11	17	27	21
White	59	1	1	-	-	-	2	3	8	12	20	12	64	1	-	1	-	-	1	4	8	13	20	16
All other	24	1	1	-	-	-	1	4	2	8	5	2	31	2	1	-	-	1	1	7	3	4	7	5
Black	24	1	1	-	-	-	1	4	2	8	5	2	31	2	1	-	-	1	1	7	3	4	7	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	15	-	-	-	2	-	-	3	4	3	3	-	11	-	-	1	1	-	1	2	1	3	2	-
White	12	-	-	-	1	-	-	3	3	2	3	-	7	-	-	-	-	-	-	1	1	3	2	-
All other	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	1	1	-	1	1	-	-	-	-
Black	3	-	-	-	1	-	-	-	1	1	-	-	4	-	-	1	1	-	1	1	-	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	56	1	4	-	2	3	3	6	11	10	10	6	51	3	1	1	2	5	-	5	8	8	11	7
White	44	-	2	-	2	2	3	4	10	9	7	5	40	1	1	1	-	5	-	5	5	7	11	4
All other	12	1	2	-	-	1	-	2	1	1	3	1	11	2	-	-	2	-	-	-	3	1	-	3
Black	12	1	2	-	-	1	-	2	1	1	3	1	11	2	-	-	2	-	-	-	3	1	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,828	-	5	15	30	45	132	453	1,158	1,614	1,083	293	3,881	1	6	8	16	55	169	386	918	1,074	891	357
White	3,990	-	5	13	25	36	105	375	962	1,341	891	237	3,232	-	5	8	10	40	140	304	762	904	745	314
All other	838	-	-	2	5	9	27	78	196	273	192	56	649	1	1	-	6	15	29	82	156	170	146	43
Black	837	-	-	2	5	9	27	78	196	272	192	56	642	1	1	-	6	15	27	81	154	170	145	42

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	112	-	-	1	1	-	2	15	37	27	23	6	56	-	-	-	-	1	-	6	15	10	11	13
White	85	-	-	1	-	-	2	8	27	23	19	5	47	-	-	-	-	1	-	2	12	10	10	12
All other	27	-	-	-	1	-	-	7	10	4	4	1	9	-	-	-	-	-	-	4	3	-	1	1
Black	27	-	-	-	1	-	-	7	10	4	4	1	9	-	-	-	-	-	-	4	3	-	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,036	-	-	-	1	10	32	83	217	349	271	73	1,003	-	-	1	3	4	24	65	190	277	308	131
White	824	-	-	-	1	5	23	68	178	271	223	55	810	-	-	1	1	4	17	50	149	222	257	109
All other	212	-	-	-	-	5	9	15	39	78	48	18	193	-	-	-	2	-	7	15	41	55	51	22
Black	212	-	-	-	-	5	9	15	39	78	48	18	192	-	-	-	2	-	7	15	40	55	51	22
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,973	-	-	-	3	2	39	238	590	720	328	53	664	-	-	-	-	4	17	103	221	204	84	31
White	1,694	-	-	-	3	1	28	204	493	629	289	47	565	-	-	-	-	2	16	82	193	168	74	30
All other	279	-	-	-	-	1	11	34	97	91	39	6	99	-	-	-	-	2	1	21	28	36	10	1
Black	279	-	-	-	-	1	11	34	97	91	39	6	98	-	-	-	-	2	1	20	28	36	10	1
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	-	5	1	-	648	-	-	-	-	14	53	95	179	152	125	30
White	3	-	-	-	-	-	-	-	-	2	1	-	546	-	-	-	-	6	42	77	155	134	104	28
All other	3	-	-	-	-	-	-	-	-	3	-	-	102	-	-	-	-	8	11	18	24	18	21	2
Black	3	-	-	-	-	-	-	-	-	3	-	-	101	-	-	-	-	6	11	18	23	18	21	2
Malignant neoplasms of genital organs (179-187)	527	-	-	-	3	2	2	4	48	163	220	85	492	1	-	1	1	9	26	48	130	150	91	35
White	387	-	-	-	3	2	2	2	33	118	166	61	390	-	-	1	1	6	19	39	103	128	69	26
All other	140	-	-	-	-	-	-	2	15	45	54	24	102	1	-	-	-	3	7	9	27	24	22	9
Black	140	-	-	-	-	-	-	2	15	45	54	24	100	1	-	-	-	3	6	9	27	24	21	9
Malignant neoplasms of urinary organs (188-189)	212	-	-	-	-	-	-	6	48	73	61	24	135	-	-	2	1	-	-	6	23	31	48	24
White	183	-	-	-	-	-	-	5	42	63	51	22	111	-	-	2	-	-	-	6	15	24	42	22
All other	29	-	-	-	-	-	-	1	6	10	10	2	24	-	-	-	1	-	-	-	8	7	6	2
Black	29	-	-	-	-	-	-	1	6	10	10	2	24	-	-	-	1	-	-	-	8	7	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	571	-	3	8	7	15	41	70	140	164	98	25	504	-	2	2	4	12	28	37	96	138	130	55
White	472	-	3	7	5	12	37	57	117	136	75	23	429	-	1	2	2	10	26	28	79	122	107	52
All other	99	-	-	1	2	3	4	13	23	28	23	2	75	-	1	-	2	2	2	9	17	16	23	3
Black	98	-	-	1	2	3	4	13	23	27	23	2	73	-	1	-	2	2	1	9	17	16	23	2
Leukemia (204-208)	159	-	2	5	12	8	7	13	28	44	30	10	163	-	4	2	2	4	15	12	24	34	51	15
White	146	-	2	4	12	8	5	12	26	43	24	10	151	-	4	2	1	4	15	10	23	31	47	14
All other	13	-	-	1	-	-	2	1	2	1	6	-	12	-	-	-	1	-	-	2	1	3	4	1
Black	13	-	-	1	-	-	2	1	2	1	6	-	12	-	-	-	1	-	-	2	1	3	4	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	232	-	-	1	3	8	9	24	50	69	51	17	216	-	-	-	5	7	6	14	40	78	43	23
White	196	-	-	1	1	8	8	19	45	56	43	14	183	-	-	-	5	7	5	10	33	67	35	21
All other	36	-	-	-	2	-	1	5	4	13	8	3	33	-	-	-	-	-	1	4	7	11	8	2
Black	36	-	-	-	2	-	1	5	4	13	8	3	33	-	-	-	-	-	1	4	7	11	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	1	-	1	-	2	7	2	13	9	16	1	68	-	-	1	2	1	4	5	14	15	16	10
White	46	1	-	1	-	1	6	1	11	8	16	1	53	-	-	-	1	1	2	3	12	11	15	8
All other	8	-	-	-	-	1	1	1	2	1	2	-	15	-	-	1	1	-	2	2	2	4	1	2
Black	8	-	-	-	-	1	1	1	2	1	2	-	15	-	-	1	1	-	2	2	2	4	1	2
Diabetes mellitus (250)	237	-	-	-	-	8	9	28	44	81	47	20	409	-	-	-	-	1	8	19	54	138	128	61
White	179	-	-	-	-	6	6	22	35	60	32	18	298	-	-	-	-	1	4	11	33	95	99	55
All other	58	-	-	-	-	2	3	6	9	21	15	2	111	-	-	-	-	-	4	8	21	43	29	6
Black	58	-	-	-	-	2	3	6	9	21	15	2	110	-	-	-	-	-	4	8	21	43	29	5
Nutritional deficiencies (260-269)	27	1	-	-	-	-	1	2	2	11	4	6	28	1	-	-	-	-	-	-	2	-	9	16
White	22	1	-	-	-	-	1	1	2	9	3	5	26	1	-	-	-	-	-	-	1	-	8	16
All other	5	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	5	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	-	-	1	-	1	-
Anemias (280-285)	34	1	1	2	1	-	2	5	2	5	11	4	36	-	1	-	2	-	2	-	3	6	13	9
White	23	1	-	1	-	-	-	2	2	4	9	4	29	-	1	-	1	-	1	-	2	4	12	8
All other	11	-	1	1	1	-	2	3	-	1	2	-	7	-	-	-	1	-	1	-	1	2	1	1
Black	11	-	1	1	1	-	2	3	-	1	2	-	7	-	-	-	1	-	1	-	1	2	1	1
Meningitis (320-322)	12	2	1	1	2	1	-	1	3	-	-	1	6	2	-	-	-	-	-	2	-	1	1	-
White	9	1	1	1	2	-	-	-	3	-	-	1	4	2	-	-	-	-	-	1	-	-	1	-
All other	3	1	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	3	1	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	10,343	14	5	3	24	71	243	736	1,779	2,937	3,012	1,518	10,121	15	3	5	17	45	94	293	845	2,090	3,492	3,222
White	8,695	7	4	3	18	51	188	586	1,484	2,498	2,569	1,298	8,377	10	2	4	10	20	67	191	610	1,660	2,944	2,859
All other	1,648	7	1	-	6	20	57	150	295	449	443	220	1,744	5	1	1	7	25	27	102	235	430	548	363
Black	1,642	7	1	-	5	20	56	148	295	446	442	220	1,742	5	1	1	6	25	27	102	235	429	548	363

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	8,105	13	5	2	17	64	211	640	1,523	2,343	2,214	1,072	7,208	14	3	3	14	31	61	223	661	1,599	2,466	2,133
White	6,889	7	4	2	12	45	165	523	1,293	2,009	1,903	925	5,995	9	2	3	9	18	42	148	478	1,293	2,095	1,898
All other	1,216	6	1	–	5	19	46	117	230	334	311	147	1,213	5	1	–	5	13	19	75	183	306	371	235
Black	1,212	6	1	–	5	19	45	115	230	334	310	147	1,212	5	1	–	5	13	19	75	183	305	371	235
Rheumatic fever and rheumatic heart disease (390-398)	38	–	1	–	1	3	1	4	12	9	7	–	59	–	–	–	1	2	2	7	15	18	11	3
White	33	–	1	–	1	2	1	3	10	8	7	–	53	–	–	–	–	1	2	5	14	18	10	3
All other	5	–	–	–	–	1	–	1	2	1	–	–	6	–	–	–	1	1	–	2	1	–	1	–
Black	5	–	–	–	–	1	–	1	2	1	–	–	6	–	–	–	1	1	–	2	1	–	1	–
Hypertensive heart disease (402)	181	–	–	–	1	5	7	21	28	56	51	12	255	–	–	–	–	1	3	11	29	66	85	60
White	88	–	–	–	–	–	–	8	13	25	35	7	161	–	–	–	–	–	–	3	10	38	61	49
All other	93	–	–	–	1	5	7	13	15	31	16	5	94	–	–	–	–	1	3	8	19	28	24	11
Black	90	–	–	–	1	5	7	13	15	31	16	5	94	–	–	–	–	1	3	8	19	28	24	11
Hypertensive heart and renal disease (404)	20	–	–	–	–	–	–	2	1	4	10	3	39	–	–	–	–	–	–	–	5	8	14	12
White	13	–	–	–	–	–	–	–	–	3	8	2	25	–	–	–	–	–	–	–	2	7	6	10
All other	7	–	–	–	–	–	–	2	1	1	2	1	14	–	–	–	–	–	–	–	3	1	8	2
Black	7	–	–	–	–	–	–	2	1	1	2	1	14	–	–	–	–	–	–	–	3	1	6	2
Ischemic heart disease (410-414)	6,161	–	–	–	1	29	161	510	1,226	1,830	1,650	753	5,026	–	–	–	1	5	33	155	468	1,133	1,793	1,438
White	5,467	–	–	–	1	25	135	436	1,082	1,637	1,483	667	4,345	–	–	–	1	4	21	108	363	958	1,580	1,310
All other	694	–	–	–	–	4	26	74	144	193	167	86	681	–	–	–	–	1	12	47	105	175	213	128
Black	692	–	–	–	–	4	26	73	144	193	166	86	680	–	–	–	–	1	12	47	105	174	219	120
Acute myocardial infarction (410)	3,970	–	–	–	1	19	112	374	870	1,246	998	350	2,845	–	–	–	1	4	22	111	314	758	1,004	631
White	3,580	–	–	–	1	17	88	327	786	1,139	899	313	2,513	–	–	–	1	4	13	80	257	665	911	582
All other	390	–	–	–	–	2	14	47	84	107	99	37	332	–	–	–	–	–	9	31	57	93	93	49
Black	389	–	–	–	–	2	14	46	84	107	99	37	332	–	–	–	–	–	9	31	57	93	93	49
Other acute and subacute forms of ischemic heart disease (411)	57	–	–	–	–	–	–	4	11	20	13	9	64	–	–	–	–	–	–	1	5	19	22	17
White	38	–	–	–	–	–	–	4	7	12	8	7	37	–	–	–	–	–	–	1	3	10	12	11
All other	19	–	–	–	–	–	–	–	4	8	5	2	27	–	–	–	–	–	–	–	2	9	10	6
Black	19	–	–	–	–	–	–	–	4	8	5	2	27	–	–	–	–	–	–	–	2	9	10	6
Angina pectoris (413)	3	–	–	–	–	–	–	–	1	1	1	–	5	–	–	–	–	–	–	–	1	2	1	1
White	3	–	–	–	–	–	–	–	1	1	1	–	4	–	–	–	–	–	–	–	1	1	1	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,131	–	–	–	–	10	49	132	344	563	639	394	2,112	–	–	–	–	1	11	43	148	354	766	789
White	1,846	–	–	–	–	8	37	105	288	485	575	347	1,791	–	–	–	–	–	8	27	102	282	656	716
All other	285	–	–	–	–	2	12	27	56	78	63	47	321	–	–	–	–	1	3	16	46	72	110	73
Black	284	–	–	–	–	2	12	27	56	78	62	47	320	–	–	–	–	1	3	16	46	71	110	73
Other diseases of endocardium (424)	70	1	–	–	2	–	2	5	9	19	24	8	64	–	–	–	1	–	1	3	6	18	23	12
White	64	1	–	–	2	–	2	4	8	17	22	8	55	–	–	–	1	–	1	3	6	15	20	9
All other	6	–	–	–	–	–	–	1	1	2	2	–	9	–	–	–	–	–	–	–	–	3	3	3
Black	6	–	–	–	–	–	–	1	1	2	2	–	9	–	–	–	–	–	–	–	–	3	3	3
All other forms of heart disease (415-423,425-429)	1,635	12	4	2	12	27	40	98	247	425	472	296	1,765	14	3	3	11	23	22	47	138	356	540	608
White	1,224	6	3	2	8	18	27	72	180	319	348	241	1,356	9	2	3	7	13	18	29	83	257	418	517
All other	411	6	1	–	4	9	13	26	67	106	124	55	409	5	1	–	4	10	4	18	55	99	122	91
Black	409	6	1	–	4	9	12	25	67	106	124	55	409	5	1	–	4	10	4	18	55	99	122	91
Hypertension with or without renal disease (401,403)	83	–	–	–	–	–	1	4	15	22	28	13	86	–	–	–	–	1	–	2	6	14	36	27
White	58	–	–	–	–	–	–	3	10	16	21	8	67	–	–	–	–	–	–	1	3	10	27	26
All other	25	–	–	–	–	–	1	1	5	6	7	5	19	–	–	–	–	1	–	1	3	4	9	1
Black	25	–	–	–	–	–	1	1	5	6	7	5	19	–	–	–	–	1	–	1	3	4	9	1
Cerebrovascular diseases (430-438)	1,718	1	–	1	5	5	23	77	185	448	630	343	2,387	1	–	2	2	13	33	60	148	421	844	863
White	1,367	–	–	1	5	4	16	52	133	350	520	286	1,953	1	–	1	1	2	25	35	108	315	707	758
All other	351	1	–	–	–	1	7	25	52	98	110	57	434	–	–	1	1	11	8	25	40	106	137	105
Black	350	1	–	–	–	1	7	25	52	97	110	57	434	–	–	1	1	11	8	25	40	106	137	105
Intracerebral and other intracranial hemorrhage (431-432)	181	–	–	–	1	2	8	34	34	51	39	12	241	–	–	1	1	5	11	22	40	39	91	31
White	129	–	–	–	1	2	4	22	25	37	28	10	192	–	–	1	–	–	9	9	30	34	81	28
All other	52	–	–	–	–	–	4	12	9	14	11	2	49	–	–	–	1	5	2	13	10	5	10	3
Black	52	–	–	–	–	–	4	12	9	14	11	2	49	–	–	–	1	5	2	13	10	5	10	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	253	–	–	–	–	–	4	3	32	70	85	59	345	–	–	1	–	–	–	–	12	61	129	142
White	203	–	–	–	–	–	2	3	21	52	72	53	282	–	–	–	–	–	–	–	7	42	109	124
All other	50	–	–	–	–	–	2	–	11	18	13	6	63	–	–	1	–	–	–	–	5	19	20	18
Black	50	–	–	–	–	–	2	–	11	18	13	6	63	–	–	1	–	–	–	–	5	19	20	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	1	4	2	-	8	-	-	-	-	-	1	-	-	2	2	3
White	6	-	-	-	-	-	-	-	-	4	2	-	8	-	-	-	-	-	1	-	-	2	2	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,277	1	-	1	4	3	11	40	118	323	504	272	1,793	1	-	-	1	8	21	38	96	319	622	687
White	1,029	-	-	1	4	2	10	27	87	257	418	223	1,471	1	-	-	1	2	15	26	71	237	515	603
All other	248	1	-	-	-	1	1	13	31	66	86	49	322	-	-	-	-	6	6	12	25	82	107	84
Black	247	1	-	-	-	1	1	13	31	65	86	49	322	-	-	-	-	6	6	12	25	82	107	84
Atherosclerosis (440)	187	-	-	-	-	-	1	7	16	33	66	64	300	-	-	-	-	-	-	2	11	29	97	161
White	161	-	-	-	-	-	1	5	13	28	58	56	254	-	-	-	-	-	-	2	9	21	78	144
All other	26	-	-	-	-	-	-	2	3	5	8	8	46	-	-	-	-	-	-	-	2	8	19	17
Black	26	-	-	-	-	-	-	2	3	5	8	8	46	-	-	-	-	-	-	-	2	8	19	17
Other diseases of arteries, arterioles, and capillaries (441-448)	250	-	-	-	2	2	7	8	40	91	74	26	140	-	-	-	1	-	-	6	19	27	49	38
White	220	-	-	-	1	2	4	3	35	85	67	23	108	-	-	-	-	-	-	5	12	21	37	33
All other	30	-	-	-	1	-	3	5	5	6	7	3	32	-	-	-	1	-	-	1	7	6	12	5
Black	29	-	-	-	-	-	3	5	5	6	7	3	31	-	-	-	-	-	-	1	7	6	12	5
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	587	6	-	4	3	9	7	21	55	117	204	161	536	5	-	-	3	8	3	7	33	62	174	241
White	499	4	-	3	2	4	5	16	47	99	177	142	474	5	-	-	1	5	3	7	27	51	153	222
All other	88	2	-	1	1	5	2	5	8	18	27	19	62	-	-	-	2	3	-	-	6	11	21	19
Black	88	2	-	1	1	5	2	5	8	18	27	19	61	-	-	-	2	3	-	-	6	11	20	19
Pneumonia (480-486)	575	6	-	3	2	9	6	20	53	115	203	158	528	5	-	-	3	8	3	7	33	61	170	238
White	488	4	-	3	1	4	4	15	45	97	176	139	467	5	-	-	1	5	3	7	27	50	149	220
All other	87	2	-	-	1	5	2	5	8	18	27	19	61	-	-	-	2	3	-	-	6	11	21	18
Black	87	2	-	-	1	5	2	5	8	18	27	19	60	-	-	-	2	3	-	-	6	11	20	18
Influenza (487)	12	-	-	1	1	-	1	1	2	2	1	3	8	-	-	-	-	-	-	-	-	1	4	3
White	11	-	-	-	1	-	1	1	2	2	1	3	7	-	-	-	-	-	-	-	-	1	4	2
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	893	-	-	-	1	1	8	26	154	333	281	89	393	-	-	1	-	2	4	26	82	128	98	52
White	820	-	-	-	1	1	6	24	141	300	260	87	367	-	-	-	-	1	3	22	77	122	95	47
All other	73	-	-	-	-	-	2	2	13	33	21	2	26	-	-	1	-	1	1	4	5	6	3	5
Black	72	-	-	-	-	-	2	2	13	32	21	2	26	-	-	1	-	1	1	4	5	6	3	5
Bronchitis, chronic and unspecified (490-491)	44	-	-	-	1	-	1	3	14	10	8	7	29	-	-	1	-	-	1	2	6	8	9	2
White	42	-	-	-	1	-	-	3	14	9	8	7	26	-	-	-	-	-	1	2	5	7	9	2
All other	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	1	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	1	-	-	-	-	1	1	-	-
Emphysema (492)	147	-	-	-	-	-	-	3	18	62	51	13	54	-	-	-	-	-	-	3	10	24	11	6
White	135	-	-	-	-	-	-	3	17	54	48	13	53	-	-	-	-	-	-	3	9	24	11	6
All other	12	-	-	-	-	-	-	-	1	8	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	12	-	-	-	-	-	-	-	1	8	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	27	-	-	-	-	1	3	-	6	12	4	1	35	-	-	-	-	2	2	4	6	10	9	2
White	19	-	-	-	-	1	2	-	4	10	1	1	26	-	-	-	-	1	1	2	6	8	7	1
All other	8	-	-	-	-	-	1	-	2	2	3	-	9	-	-	-	-	1	1	2	-	2	2	1
Black	8	-	-	-	-	-	1	-	2	2	3	-	9	-	-	-	-	1	1	2	-	2	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	675	-	-	-	-	-	4	20	116	249	218	68	275	-	-	-	-	-	1	17	60	86	69	42
White	624	-	-	-	-	-	4	18	106	227	203	66	262	-	-	-	-	-	1	15	57	83	68	38
All other	51	-	-	-	-	-	-	2	10	22	15	2	13	-	-	-	-	-	-	2	3	3	1	4
Black	50	-	-	-	-	-	-	2	10	21	15	2	13	-	-	-	-	-	-	2	3	3	1	4
Ulcer of stomach and duodenum (531-533)	72	-	-	-	-	-	2	8	11	21	17	13	61	-	-	-	-	-	2	2	6	11	23	17
White	61	-	-	-	-	-	1	6	8	18	17	11	52	-	-	-	-	-	1	2	5	9	20	15
All other	11	-	-	-	-	-	1	2	3	3	-	2	9	-	-	-	-	-	1	-	1	2	3	2
Black	11	-	-	-	-	-	1	2	3	3	-	2	9	-	-	-	-	-	1	-	1	2	3	2
Appendicitis (540-543)	12	-	-	1	-	-	-	-	4	2	3	2	6	-	-	-	1	-	-	1	1	1	1	1
White	9	-	-	1	-	-	-	-	4	-	3	1	4	-	-	-	1	-	-	1	1	-	-	1
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	2	1	-	-	-	1	3	9	8	19	6	66	1	-	-	1	-	-	-	7	15	23	19
White	35	2	1	-	-	-	-	2	6	5	14	5	54	1	-	-	-	-	-	-	4	12	21	16
All other	14	-	-	-	-	-	1	1	3	3	5	1	12	-	-	-	1	-	-	-	3	3	2	3
Black	14	-	-	-	-	-	1	1	3	3	5	1	12	-	-	-	1	-	-	-	3	3	2	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	241	1	-	-	1	2	35	61	65	53	18	5	150	-	-	-	1	6	13	24	32	33	30	11
White	204	-	-	-	-	2	24	53	60	44	16	5	129	-	-	-	-	2	6	23	28	30	29	11
All other	37	1	-	-	1	-	11	8	5	9	2	-	21	-	-	-	1	4	7	1	4	3	1	-
Black	36	1	-	-	1	-	10	8	5	9	2	-	21	-	-	-	1	4	7	1	4	3	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	35	-	-	-	-	1	1	1	3	12	9	8	44	-	-	-	-	-	-	1	5	9	14	15
White	31	-	-	-	-	1	1	1	3	11	6	8	41	-	-	-	-	-	-	-	5	9	12	15
All other	4	-	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	4	-	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	1	-	-	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	166	3	1	1	1	6	2	8	21	39	65	39	217	3	-	-	1	3	3	10	16	44	81	56
White	137	1	-	1	-	3	1	4	15	25	55	32	167	2	-	-	-	2	2	5	11	31	62	52
All other	49	2	1	-	1	3	1	4	6	14	10	7	50	1	-	-	1	1	1	5	5	13	19	4
Black	49	2	1	-	1	3	1	4	6	14	10	7	50	1	-	-	1	1	1	5	5	13	19	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	1	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	32	-	-	-	-	1	-	-	4	9	12	6	35	-	-	-	1	-	1	4	2	6	14	7
White	19	-	-	-	-	-	-	-	3	4	9	3	21	-	-	-	-	-	1	1	1	3	10	5
All other	13	-	-	-	-	1	-	-	1	5	3	3	14	-	-	-	1	-	-	3	1	3	4	2
Black	13	-	-	-	-	1	-	-	1	5	3	3	14	-	-	-	1	-	-	3	1	3	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	154	3	1	1	1	5	2	8	17	30	53	33	177	3	-	-	-	3	2	6	13	37	66	47
White	118	1	-	1	-	3	1	4	12	21	46	29	142	2	-	-	-	2	1	4	10	27	51	45
All other	36	2	1	-	1	2	1	4	5	9	7	4	35	1	-	-	-	1	1	2	3	10	15	2
Black	36	2	1	-	1	2	1	4	5	9	7	4	35	1	-	-	-	1	1	2	3	10	15	2
Infections of kidney (590)	24	-	-	1	-	-	-	-	-	2	14	7	43	-	-	-	-	-	-	1	1	8	18	15
White	19	-	-	1	-	-	-	-	-	2	12	4	36	-	-	-	-	-	-	1	1	6	16	12
All other	5	-	-	-	-	-	-	-	-	-	2	3	7	-	-	-	-	-	-	-	-	2	2	3
Black	5	-	-	-	-	-	-	-	-	-	2	3	7	-	-	-	-	-	-	-	-	2	2	3
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	-	4	4	3	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	3	4	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	5	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	5	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Congenital anomalies (740-759)	131	90	8	9	4	2	3	2	5	4	4	-	126	82	5	3	4	8	3	6	5	4	5	1
White	103	69	7	7	4	2	3	1	4	3	3	-	108	67	5	3	4	8	3	6	3	3	5	1
All other	28	21	1	2	-	-	-	1	1	1	1	-	18	15	-	-	-	-	-	-	2	1	-	-
Black	28	21	1	2	-	-	-	1	1	1	1	-	18	15	-	-	-	-	-	-	2	1	-	-
Certain conditions originating in the perinatal period (760-779)	254	253	1	-	-	-	-	-	-	-	-	-	151	149	1	1	-	-	-	-	-	-	-	-
White	159	158	1	-	-	-	-	-	-	-	-	-	86	85	-	1	-	-	-	-	-	-	-	-
All other	95	95	-	-	-	-	-	-	-	-	-	-	65	64	1	-	-	-	-	-	-	-	-	-
Black	95	95	-	-	-	-	-	-	-	-	-	-	64	63	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	63	63	-	-	-	-	-	-	-	-	-	-	28	27	1	-	-	-	-	-	-	-	-	-
White	44	44	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-
Black	19	19	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	191	190	1	-	-	-	-	-	-	-	-	-	123	122	-	1	-	-	-	-	-	-	-	-
White	115	114	1	-	-	-	-	-	-	-	-	-	65	64	-	1	-	-	-	-	-	-	-	-
All other	76	76	-	-	-	-	-	-	-	-	-	-	58	58	-	-	-	-	-	-	-	-	-	-
Black	76	76	-	-	-	-	-	-	-	-	-	-	57	57	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	473	65	3	-	4	7	12	38	89	120	91	43	436	57	2	1	4	3	11	16	52	74	106	110
White	394	44	-	-	3	4	8	34	82	105	77	36	342	25	-	1	4	2	8	13	39	60	90	100
All other	79	21	3	-	1	3	4	4	7	15	14	7	94	32	2	-	-	1	3	3	13	14	16	10
Black	77	19	3	-	1	3	4	4	7	15	14	7	93	31	2	-	-	1	3	3	13	14	16	10
All other diseases (Residual)	1,293	15	10	17	9	44	65	111	204	302	322	193	1,346	16	12	10	16	36	43	64	126	283	393	347
White	1,067	9	6	14	6	30	47	91	161	253	265	164	1,074	12	10	6	12	27	29	33	85	226	330	304
All other	226	6	4	3	3	14	18	20	43	49	37	29	272	4	2	4	4	9	14	31	41	57	63	43
Black	226	6	4	3	3	14	18	20	43	49	37	29	271	4	2	4	4	9	14	30	41	57	63	43
Accidents and adverse effects (E800-E949)	1,504	22	32	66	362	284	160	135	149	105	115	54	692	13	22	41	109	73	71	50	57	67	106	83
White	1,261	15	25	46	317	234	154	114	124	90	98	44	587	10	13	29	99	62	59	42	48	59	92	74
All other	243	7	7	20	45	50	26	21	25	15	17	10	105	3	9	12	10	11	12	8	9	8	14	9
Black	241	7	7	20	43	50	26	21	25	15	17	10	100	3	8	12	9	10	10	8	9	8	14	9
Motor vehicle accidents (E810-E825)	764	5	7	30	258	177	87	62	58	40	32	8	307	2	6	27	90	47	43	26	21	20	19	6
White	657	5	5	24	232	147	74	51	51	36	24	8	278	2	3	24	81	42	38	26	19	18	18	5
All other	107	-	2	6	26	30	13	11	7	4	8	-	31	-	3	3	9	5	5	-	2	2	1	1
Black	106	-	2	6	25	30	13	11	7	4	8	-	29	-	3	3	8	5	4	-	2	2	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	740	17	25	36	104	107	93	73	91	65	83	46	385	11	16	14	19	26	28	24	36	47	87	77
White	604	10	20	22	85	87	80	63	73	54	74	36	311	8	10	5	18	20	21	16	29	41	74	69
All other	136	7	5	14	19	20	13	10	18	11	9	10	74	3	6	9	1	6	7	8	7	6	13	8
Black	135	7	5	14	18	20	13	10	18	11	9	10	71	3	5	9	1	5	6	8	7	6	13	8
Suicide (E950-E959)	466	...	...	1	75	98	52	52	73	55	45	15	136	...	...	1	17	27	27	23	22	12	6	1
White	439	...	...	-	73	84	52	50	71	50	44	15	130	...	...	1	15	26	25	22	22	12	6	1
All other	27	...	...	1	2	14	-	2	2	5	1	-	6	...	...	-	2	1	2	1	-	-	-	-
Black	24	...	...	1	1	12	-	2	2	5	1	-	6	...	...	-	2	1	2	1	-	-	-	-
Homicide and legal intervention (E960-E978)	347	-	2	-	88	115	58	33	25	11	9	4	90	1	2	2	17	21	15	11	9	7	3	1
White	169	-	2	-	30	54	35	19	16	8	3	1	52	-	-	-	8	10	11	11	6	3	1	1
All other	178	-	-	-	58	61	23	14	9	3	6	3	38	1	2	2	9	11	4	-	3	4	2	-
Black	178	-	-	-	58	61	23	14	9	3	6	3	38	1	2	2	9	11	4	-	3	4	2	-
All other external causes (E980-E999)	51	-	2	2	6	13	4	7	7	5	5	-	19	-	-	-	4	5	4	4	1	-	-	1
White	45	-	2	2	6	10	4	6	7	3	5	-	17	-	-	-	4	3	4	4	1	-	-	1
All other	6	-	-	-	-	3	-	1	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	6	-	-	-	-	3	-	1	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-
TEXAS																								
All causes	63,128	1,853	398	457	2,517	3,014	2,758	4,889	10,599	15,473	14,480	6,678	51,685	1,412	309	286	831	1,054	1,437	2,788	6,011	10,312	14,676	12,565
White	54,459	1,475	325	373	2,164	2,491	2,248	4,005	9,040	13,555	12,760	6,011	44,812	1,112	244	235	686	820	1,126	2,235	4,965	8,758	13,053	11,574
All other	8,669	378	73	84	353	523	510	884	1,559	1,918	1,720	667	6,873	300	65	51	145	234	311	553	1,046	1,554	1,623	991
Black	8,432	362	69	81	326	490	486	861	1,525	1,882	1,691	659	6,715	292	56	50	135	217	295	535	1,023	1,532	1,603	977
Shigellosis and amebiasis (004,006)	4	-	-	-	-	1	-	1	1	-	-	1	3	-	2	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	1	-	-	1	-	-	1	3	-	2	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	5	1	-	-	-	1	-	-	-	1	-	11	5	-	-	-	-	-	-	-	1	1	4
White	3	1	-	-	-	-	1	-	-	-	1	-	10	5	-	-	-	-	-	-	-	-	1	4
All other	5	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	87	-	-	-	-	3	4	14	20	25	14	7	41	-	-	-	1	1	3	7	6	10	6	7
White	68	-	-	-	-	2	2	11	15	21	11	6	36	-	-	-	1	1	2	7	5	8	6	6
All other	19	-	-	-	-	1	2	3	5	4	3	1	5	-	-	-	-	-	1	-	1	2	-	1
Black	17	-	-	-	-	-	1	3	5	4	3	1	5	-	-	-	-	-	1	-	1	2	-	1
Tuberculosis of respiratory system (010-012)	71	-	-	-	-	2	2	14	19	18	10	6	31	-	-	-	-	-	1	5	4	9	6	6
White	56	-	-	-	-	1	1	11	14	17	7	5	26	-	-	-	-	-	-	5	3	7	6	5
All other	15	-	-	-	-	1	1	3	5	1	3	1	5	-	-	-	-	-	1	-	1	2	-	1
Black	14	-	-	-	-	-	1	3	5	1	3	1	5	-	-	-	-	-	1	-	1	2	-	1
Other tuberculosis (013-018)	16	-	-	-	-	1	2	-	1	7	4	1	10	-	-	-	1	1	2	2	2	1	-	1
White	12	-	-	-	-	1	1	-	1	4	4	1	10	-	-	-	1	1	2	2	2	1	-	1
All other	4	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	1	2	-	-	-	-	-	-	-	-	7	1	2	1	-	-	-	-	1	1	1	-
White	5	2	1	2	-	-	-	-	-	-	-	-	7	1	2	1	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	445	20	6	1	5	4	7	30	94	96	124	58	462	9	1	3	1	9	5	15	63	79	141	136
White	359	17	5	1	5	2	6	22	77	82	96	46	381	7	1	2	1	6	3	13	41	63	123	121
All other	86	3	1	-	-	2	1	8	17	14	28	12	81	2	-	1	-	3	2	2	22	16	18	15
Black	83	3	-	-	-	2	1	8	17	14	26	12	79	1	-	1	-	2	2	2	22	16	18	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	51	-	2	-	3	8	5	3	9	14	5	2	22	1	1	1	2	1	3	4	1	4	2	2
White	40	-	1	-	2	3	4	3	9	11	5	2	20	1	1	1	2	1	3	3	1	4	1	2
All other	11	-	1	-	1	5	1	-	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	11	-	1	-	1	5	1	-	-	3	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Syphilis (090-097)	5	2	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	1	4	-
White	5	2	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	169	18	3	2	8	17	14	11	32	24	30	10	118	4	3	6	3	9	6	11	20	23	21	10
White	146	13	3	2	7	14	11	10	29	17	30	10	98	3	3	7	2	7	6	6	15	20	19	9
All other	23	5	-	-	1	3	3	1	3	7	-	-	20	1	-	1	1	2	-	5	4	3	2	1
Black	22	4	-	-	1	3	3	1	3	7	-	-	20	1	-	1	1	2	-	5	4	3	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,883	2	26	48	93	166	379	1,160	3,093	4,193	2,948	775	10,399	3	25	39	56	180	485	1,099	2,227	2,859	2,386	1,040
White	11,072	2	25	40	84	146	325	963	2,615	3,638	2,547	687	9,057	3	21	31	42	138	392	935	1,926	2,501	2,135	933
All other	1,811	-	1	8	9	20	54	197	478	555	401	88	1,342	-	4	8	14	42	93	164	301	358	251	107
Black	1,768	-	1	8	8	16	52	190	469	545	393	86	1,292	-	4	8	11	35	84	155	292	353	246	104
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	300	-	-	1	-	-	14	34	94	89	48	20	137	-	-	-	2	4	3	12	35	35	29	17
White	251	-	-	1	-	-	10	27	75	78	42	18	119	-	-	-	1	2	2	9	33	31	26	15
All other	49	-	-	-	-	-	4	7	19	11	6	2	18	-	-	-	1	2	1	3	2	4	3	2
Black	48	-	-	-	-	-	3	7	19	11	6	2	17	-	-	-	1	1	1	3	2	4	3	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,825	-	2	1	3	25	77	242	659	925	712	179	2,587	-	-	-	4	22	58	175	398	744	780	406
White	2,355	-	2	1	3	19	59	194	532	788	605	152	2,189	-	-	-	1	14	49	152	321	616	677	359
All other	470	-	-	-	-	6	18	48	127	137	107	27	398	-	-	-	3	8	9	23	77	128	103	47
Black	454	-	-	-	-	5	17	46	123	133	104	26	382	-	-	-	2	5	6	20	76	126	100	47
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,748	-	-	-	2	11	107	491	1,256	1,736	907	138	1,943	-	1	-	-	-	58	230	593	639	934	88
White	4,096	-	-	-	2	10	94	391	1,149	1,519	807	124	1,746	-	-	-	-	-	43	194	523	592	312	82
All other	652	-	-	-	-	1	13	100	207	217	100	14	197	-	1	-	-	-	15	36	70	47	22	6
Black	639	-	-	-	-	-	13	99	203	213	97	14	191	-	1	-	-	-	13	36	67	46	22	6
Malignant neoplasm of breast (174-175)	10	-	-	-	-	-	-	-	4	3	3	-	1,777	-	-	-	2	46	156	283	459	424	313	94
White	10	-	-	-	-	-	-	-	4	3	3	-	1,563	-	-	-	1	38	126	238	416	373	286	85
All other	-	-	-	-	-	-	-	-	-	-	-	-	214	-	-	-	1	8	30	45	43	51	27	9
Black	-	-	-	-	-	-	-	-	-	-	-	-	206	-	-	-	1	8	29	41	42	50	27	8
Malignant neoplasms of genital organs (179-187)	1,297	1	-	1	4	10	3	23	140	389	508	218	1,152	-	1	1	7	28	69	151	298	321	235	101
White	1,064	1	-	1	4	10	3	20	114	314	406	191	968	-	1	1	4	23	55	125	195	278	195	91
All other	233	-	-	-	-	-	-	3	26	75	102	27	184	-	-	-	3	5	14	26	43	43	40	10
Black	231	-	-	-	-	-	-	3	26	74	101	27	178	-	-	-	2	5	13	25	42	43	38	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	595	-	2	-	1	6	12	44	127	194	151	58	330	-	2	2	-	5	7	26	45	91	93	59
White	532	-	2	-	1	4	11	38	115	171	134	56	283	-	2	2	-	1	6	21	32	78	88	53
All other	63	-	-	-	-	2	1	6	12	23	17	2	47	-	-	-	-	4	1	5	13	13	5	6
Black	61	-	-	-	-	2	1	5	12	23	16	2	46	-	-	-	-	3	1	5	13	13	5	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,844	1	7	19	34	60	98	209	467	536	328	85	1,432	2	14	15	22	44	83	138	286	341	325	152
White	1,623	1	7	15	31	53	90	185	410	468	283	80	1,276	2	12	11	19	38	68	120	266	302	300	138
All other	221	-	-	4	3	7	8	24	57	68	45	5	156	-	2	4	3	6	15	18	30	39	25	14
Black	216	-	-	4	3	6	8	22	56	67	45	5	149	-	2	4	2	6	14	17	27	39	25	13
Leukemia (204-208)	548	-	14	19	31	31	26	49	87	122	127	42	434	1	7	20	10	16	33	31	54	89	103	70
White	492	-	13	17	26	28	20	44	75	113	120	36	385	1	6	17	8	11	28	28	47	80	96	63
All other	56	-	1	2	5	3	6	5	12	9	7	6	49	-	1	3	2	5	5	3	7	9	7	7
Black	53	-	1	2	4	2	6	5	12	9	7	5	47	-	1	3	2	4	4	3	7	9	7	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	716	-	1	7	18	23	42	68	159	199	164	35	607	-	-	1	9	15	18	53	109	175	174	53
White	649	-	1	5	17	22	38	64	141	184	147	30	528	-	-	-	8	11	15	48	93	151	155	47
All other	67	-	-	2	1	1	4	4	18	15	17	5	79	-	-	1	1	4	3	5	16	24	19	6
Black	66	-	-	2	1	1	4	3	18	15	17	5	76	-	-	1	1	3	3	5	16	23	19	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	144	3	1	1	1	7	5	9	26	37	39	15	170	4	3	4	2	4	3	15	24	41	45	25
White	127	3	-	1	1	5	4	6	23	34	35	15	149	3	2	3	2	3	3	13	23	34	42	21
All other	17	-	1	-	-	2	1	3	3	3	4	-	21	1	1	1	-	1	-	2	1	7	3	4
Black	17	-	1	-	-	2	1	3	3	3	4	-	20	-	1	1	-	1	-	2	1	7	3	4
Diabetes mellitus (250)	793	-	1	3	4	22	38	64	142	216	235	68	1,208	-	-	2	6	15	29	64	203	341	373	175
White	674	-	1	2	3	17	34	54	115	194	195	59	888	-	-	1	5	12	26	51	154	270	319	150
All other	119	-	-	1	1	5	4	10	27	22	40	9	220	-	-	1	1	3	3	13	49	71	54	25
Black	116	-	-	1	1	5	3	10	28	22	39	9	218	-	-	1	1	3	3	13	49	70	53	25
Nutritional deficiencies (260-269)	65	2	-	-	-	-	2	1	3	17	25	15	99	3	-	-	-	-	2	1	5	11	35	42
White	53	2	-	-	-	-	2	-	2	11	22	14	86	2	-	-	-	-	2	1	5	9	28	39
All other	12	-	-	-	-	-	-	1	1	6	3	1	13	1	-	-	-	-	-	-	-	2	7	3
Black	12	-	-	-	-	-	-	1	1	6	3	1	13	1	-	-	-	-	-	-	-	2	7	3
Anemias (280-285)	93	1	3	4	3	7	5	-	8	15	28	19	119	1	2	4	3	8	2	5	8	17	37	32
White	71	-	1	3	1	-	2	-	7	14	26	17	96	1	1	1	-	4	2	3	4	14	37	29
All other	22	1	2	1	2	7	3	-	1	1	2	2	23	-	1	3	3	4	-	2	4	3	-	3
Black	22	1	2	1	2	7	3	-	1	1	2	2	23	-	1	3	3	4	-	2	4	3	-	3
Meningitis (320-322)	52	14	12	3	1	3	3	5	6	4	1	-	55	13	11	1	-	-	3	6	5	8	7	1
White	41	12	10	3	1	1	1	3	6	3	1	-	41	10	9	1	-	-	2	4	5	3	6	1
All other	11	2	2	-	-	2	2	2	-	1	-	-	14	3	2	-	-	-	1	2	-	5	1	-
Black	10	2	2	-	-	1	2	2	-	1	-	-	14	3	2	-	-	-	1	2	-	5	1	-
Major cardiovascular diseases (390-448)	26,586	68	18	19	71	244	695	1,950	4,616	7,388	7,585	3,930	24,980	63	15	19	50	129	272	789	2,073	4,739	8,569	8,250
White	23,136	55	14	14	55	190	547	1,572	3,936	6,477	6,721	3,553	21,697	47	8	13	34	87	184	565	1,595	3,927	7,596	7,639
All other	3,450	13	4	5	16	54	148	378	680	911	864	377	3,283	16	7	6	16	42	88	234	478	812	973	611
Black	3,388	12	4	5	15	50	145	372	664	897	851	373	3,240	16	6	6	15	41	87	232	470	802	960	605
Diseases of heart (390-398,402,404-429)	21,655	55	19	15	52	198	618	1,733	4,093	6,134	5,858	2,884	18,318	54	12	16	29	82	188	594	1,669	3,693	6,311	5,688
White	18,935	45	9	12	38	152	493	1,424	3,520	5,409	5,226	2,605	15,890	42	6	11	19	52	125	416	1,302	3,078	5,591	5,246
All other	2,720	10	4	3	14	46	125	309	573	725	632	279	2,428	12	6	5	10	30	63	178	367	615	720	422
Black	2,671	10	4	3	13	43	124	304	560	713	622	275	2,398	12	5	5	10	29	63	177	363	606	710	418
Rheumatic fever and rheumatic heart disease (390-398)	99	1	-	-	-	3	4	12	31	24	18	6	150	-	-	-	3	4	7	22	20	46	41	7
White	86	1	-	-	-	2	4	9	27	22	16	5	133	-	-	-	2	1	4	19	19	44	37	7
All other	13	-	-	-	-	1	-	3	4	2	2	1	17	-	-	-	1	3	3	3	1	2	4	-
Black	11	-	-	-	-	1	-	3	3	2	1	1	17	-	-	-	1	3	3	3	1	2	4	-
Hypertensive heart disease (402)	568	-	-	-	-	9	21	57	172	149	124	36	665	-	-	-	-	3	13	33	78	145	244	148
White	413	-	-	-	-	5	12	35	126	118	87	30	461	-	-	-	-	1	3	11	44	91	185	125
All other	155	-	-	-	-	4	9	22	46	31	37	6	204	-	-	-	-	2	10	22	34	54	59	23
Black	152	-	-	-	-	4	9	21	44	31	37	6	202	-	-	-	-	2	10	22	33	53	59	23
Hypertensive heart and renal disease (404)	65	-	-	-	1	-	2	1	7	15	18	21	79	-	-	-	-	-	2	1	3	13	35	25
White	41	-	-	-	-	-	-	-	4	8	11	18	58	-	-	-	-	-	1	-	-	9	27	21
All other	24	-	-	-	1	-	2	1	3	7	7	3	21	-	-	-	-	-	1	1	3	4	8	4
Black	23	-	-	-	1	-	2	1	3	7	7	2	21	-	-	-	-	-	1	1	3	4	8	4
Ischemic heart disease (410-414)	13,730	1	-	2	13	83	366	1,170	2,568	4,000	3,780	1,745	10,828	-	1	1	1	18	78	302	935	2,269	3,840	3,383
White	12,463	1	-	1	10	63	314	1,003	2,303	3,671	3,482	1,613	9,707	-	1	1	1	10	53	219	768	1,981	3,489	3,184
All other	1,267	-	-	1	3	20	52	167	265	329	298	132	1,121	-	-	-	-	8	25	83	167	288	351	199
Black	1,243	-	-	1	3	20	51	165	257	322	295	129	1,108	-	-	-	-	7	25	82	165	287	345	197
Acute myocardial infarction (410)	8,685	-	-	1	10	51	226	764	1,784	2,698	2,295	855	6,093	-	1	1	1	13	51	192	649	1,462	2,235	1,488
White	7,928	-	-	-	8	40	199	688	1,615	2,470	2,120	787	5,500	-	1	1	1	5	40	151	546	1,310	2,048	1,399
All other	757	-	-	1	2	11	27	76	169	228	175	68	593	-	-	-	-	8	11	41	103	152	189	89
Black	743	-	-	1	2	11	27	75	165	222	173	67	585	-	-	-	-	7	11	41	102	151	184	89

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	32	-	-	-	-	-	2	3	5	9	10	3	21	-	-	-	-	-	-	2	-	7	3	9
White	29	-	-	-	-	-	2	2	5	8	9	3	17	-	-	-	-	-	-	1	-	6	2	6
All other	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	1	-	1	1	1
Black	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	1	-	1	1	1
Angina pectoris (413)	17	-	-	-	-	-	-	-	2	4	6	5	15	-	-	-	-	-	-	-	2	2	7	4
White	16	-	-	-	-	-	-	-	2	3	6	5	13	-	-	-	-	-	-	-	2	2	6	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,996	1	-	1	3	32	138	403	777	1,289	1,469	882	4,699	-	-	-	-	5	27	108	284	798	1,595	1,882
White	4,490	1	-	1	2	23	113	313	681	1,190	1,347	818	4,177	-	-	-	-	5	13	67	220	663	1,435	1,774
All other	506	-	-	-	1	9	25	90	96	99	122	64	522	-	-	-	-	-	14	41	64	135	160	108
Black	496	-	-	-	1	9	24	89	92	98	121	62	517	-	-	-	-	-	14	40	63	135	159	106
Other diseases of endocardium (424)	193	-	-	1	2	3	5	13	37	55	56	21	187	2	1	2	-	-	6	5	16	42	62	51
White	171	-	-	-	2	3	3	12	32	51	48	20	168	2	1	2	-	-	6	5	11	38	56	47
All other	22	-	-	1	-	-	2	1	5	4	8	1	19	-	-	-	-	-	-	-	5	4	6	4
Black	21	-	-	1	-	-	2	1	5	3	8	1	19	-	-	-	-	-	-	-	5	4	6	4
All other forms of heart disease (415-423,425-429)	7,000	53	13	12	38	100	220	480	1,278	1,891	1,862	1,055	6,409	52	10	13	25	57	82	231	617	1,178	2,089	2,054
White	5,761	43	9	11	26	79	160	365	1,028	1,539	1,582	919	5,363	40	4	8	16	40	58	162	460	915	1,797	1,862
All other	1,239	10	4	1	10	21	60	115	250	352	280	136	1,046	12	6	5	9	17	24	69	157	263	292	192
Black	1,221	10	4	1	9	18	60	113	248	348	274	136	1,031	12	5	5	9	17	24	69	156	256	288	190
Hypertension with or without renal disease (401,403)	148	-	-	-	1	1	5	11	19	45	39	27	191	-	-	-	1	1	1	13	20	41	54	60
White	111	-	-	-	1	1	1	6	16	33	29	24	147	-	-	-	1	-	1	7	13	27	41	57
All other	37	-	-	-	-	-	4	5	3	12	10	3	44	-	-	-	-	1	-	6	7	14	13	3
Black	37	-	-	-	-	-	4	5	3	12	10	3	43	-	-	-	-	1	-	6	7	14	13	2
Cerebrovascular diseases (430-438)	3,684	12	3	2	13	42	65	182	981	916	1,918	750	5,279	8	3	3	17	34	73	168	336	855	1,638	1,944
White	3,088	9	3	-	11	34	47	123	290	761	1,132	678	4,577	4	2	2	12	28	51	122	239	696	1,627	1,794
All other	596	3	-	2	2	8	18	59	91	155	186	72	702	4	1	1	5	6	22	46	97	159	211	150
Black	584	2	-	2	2	7	16	58	89	153	183	72	692	4	1	1	4	6	22	45	93	159	208	149
Intracerebral and other intracranial hemorrhage (431-432)	487	11	-	1	3	20	28	72	94	110	117	31	587	5	1	2	6	10	24	51	82	142	159	105
White	393	9	-	-	3	18	20	44	76	96	97	30	492	3	1	1	4	8	15	35	64	123	139	99
All other	94	2	-	1	-	2	8	28	18	14	20	1	95	2	-	1	2	2	9	16	18	19	20	6
Black	89	1	-	1	-	2	8	27	17	13	19	1	91	2	-	1	2	2	9	15	15	19	20	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	480	-	1	1	-	3	5	14	57	138	160	101	651	1	2	1	-	4	7	9	36	89	247	255
White	400	-	1	-	-	2	4	9	45	113	132	94	565	-	1	1	-	3	6	6	21	75	216	236
All other	80	-	-	1	-	1	1	5	12	25	28	7	86	1	1	-	-	1	1	3	15	14	31	19
Black	79	-	-	1	-	1	1	5	12	25	27	7	86	1	1	-	-	1	1	3	15	14	31	19
Cerebral embolism (434.1)	13	-	-	-	-	-	2	1	1	4	3	2	20	-	-	-	1	1	-	-	4	6	2	6
White	12	-	-	-	-	-	1	1	1	4	3	2	18	-	-	-	1	1	-	-	2	6	2	6
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,704	1	2	-	10	19	30	95	229	664	1,038	616	4,021	2	-	-	10	19	42	108	214	618	1,430	1,578
White	2,283	-	2	-	8	14	22	69	168	548	900	552	3,502	1	-	-	7	16	30	81	152	492	1,270	1,453
All other	421	1	-	-	2	5	8	26	61	116	138	64	519	1	-	-	3	3	12	27	62	126	160	125
Black	415	1	-	-	2	4	6	26	60	115	137	64	513	1	-	-	2	3	12	27	61	126	157	124
Atherosclerosis (440)	521	-	-	-	-	-	-	12	32	94	198	185	844	-	-	-	-	-	1	3	20	72	255	493
White	464	-	-	-	-	-	-	11	28	84	170	171	780	-	-	-	-	-	1	2	18	61	235	463
All other	57	-	-	-	-	-	-	1	4	10	28	14	64	-	-	-	-	-	-	1	2	11	20	30
Black	57	-	-	-	-	-	-	1	4	10	28	14	64	-	-	-	-	-	-	1	2	11	20	30
Other diseases of arteries, arterioles, and capillaries (441-448)	578	1	2	2	5	3	7	12	91	199	172	84	348	1	-	-	3	12	9	21	28	78	111	85
White	536	1	2	2	5	3	6	8	82	190	164	75	303	1	-	-	2	7	6	18	23	65	102	79
All other	40	-	-	-	-	-	1	4	9	9	8	9	45	-	-	-	1	5	3	3	5	13	9	6
Black	39	-	-	-	-	-	1	4	8	9	8	9	43	-	-	-	1	5	2	3	5	12	9	6
Acute bronchitis and bronchiolitis (466)	13	9	-	-	-	-	-	-	-	1	-	3	11	4	-	-	-	1	1	-	-	-	1	4
White	11	7	-	-	-	-	-	-	-	1	-	3	11	4	-	-	-	1	1	-	-	-	1	4
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,445	36	10	7	11	33	30	63	138	259	471	387	1,455	38	11	2	14	19	22	30	68	173	399	679
White	1,247	25	9	4	10	25	23	39	108	226	421	357	1,328	34	9	1	7	16	14	25	51	156	367	648
All other	198	11	1	3	1	8	7	24	30	33	50	30	127	4	2	1	7	3	8	5	17	17	32	31
Black	193	11	1	3	1	7	6	23	30	33	48	30	126	4	2	1	7	3	8	5	17	17	32	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,420	36	9	7	11	32	28	63	134	254	482	384	1,413	37	11	2	13	18	21	29	67	165	392	658
White	1,222	25	8	4	10	24	21	39	104	221	412	354	1,289	33	9	1	6	15	14	24	50	149	361	627
All other	198	11	1	3	1	8	7	24	30	33	50	30	124	4	2	1	7	3	7	5	17	16	31	31
Black	183	11	1	3	1	7	6	23	30	33	48	30	123	4	2	1	7	3	7	5	17	16	31	30
Influenza (487)	25	-	1	-	-	1	2	-	4	5	9	3	42	1	-	-	1	1	1	1	1	8	7	21
White	25	-	1	-	-	1	2	-	4	5	9	3	39	1	-	-	1	1	-	1	1	7	6	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,310	5	3	3	3	8	13	66	378	847	745	239	1,214	-	1	5	7	7	14	70	200	425	345	140
White	2,128	5	2	2	2	5	6	59	338	769	694	229	1,133	-	-	2	4	6	10	57	186	405	326	137
All other	182	-	1	1	1	3	7	8	42	58	51	10	81	-	1	3	3	1	4	13	14	20	19	3
Black	178	-	1	1	1	3	7	8	42	55	50	10	77	-	-	3	3	1	4	12	14	20	18	2
Bronchitis, chronic and unspecified (490-491)	111	4	1	1	-	-	1	3	20	32	38	13	80	-	-	-	1	-	1	5	8	18	28	19
White	103	4	1	1	-	-	-	3	16	31	34	13	72	-	-	-	-	-	-	4	6	17	26	19
All other	8	-	-	-	-	-	1	-	4	1	2	-	8	-	-	-	1	-	1	1	2	1	2	-
Black	8	-	-	-	-	-	1	-	4	1	2	-	8	-	-	-	1	-	1	1	2	1	2	-
Emphysema (492)	509	-	-	-	-	-	3	16	95	185	166	44	220	-	-	-	-	-	1	13	48	83	58	17
White	483	-	-	-	-	-	-	15	88	178	158	44	209	-	-	-	-	-	-	12	45	79	56	17
All other	26	-	-	-	-	-	3	1	7	7	8	-	11	-	-	-	-	-	1	1	3	4	2	-
Black	25	-	-	-	-	-	3	1	7	7	7	-	11	-	-	-	-	-	1	1	3	4	2	-
Asthma (493)	72	-	1	1	2	6	5	7	13	19	13	5	102	-	1	5	5	6	7	16	14	22	18	8
White	53	-	-	1	1	3	4	6	6	17	11	4	75	-	-	2	3	5	5	11	11	18	14	6
All other	19	-	1	-	1	3	1	1	7	2	2	1	27	-	1	3	2	1	2	5	3	4	4	2
Black	19	-	1	-	1	3	1	1	7	2	2	1	25	-	-	3	2	1	2	5	3	4	4	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,618	1	1	1	1	2	4	40	250	611	530	177	812	-	-	-	1	1	5	36	130	302	241	96
White	1,489	1	1	-	1	2	2	34	226	569	491	168	777	-	-	-	1	1	5	30	124	291	230	95
All other	129	-	-	1	-	-	2	6	24	46	39	9	35	-	-	-	-	-	-	6	6	11	11	1
Black	126	-	-	1	-	-	2	6	24	45	39	9	33	-	-	-	-	-	-	5	6	11	10	1
Ulcer of stomach and duodenum (531-533)	182	1	-	1	1	1	9	13	22	58	50	26	146	1	-	-	-	-	3	4	15	24	57	42
White	158	1	-	1	1	1	8	9	18	52	44	23	136	1	-	-	-	-	2	4	13	22	54	40
All other	24	-	-	-	-	-	1	4	4	6	6	3	10	-	-	-	-	-	1	-	2	2	3	2
Black	24	-	-	-	-	-	1	4	4	6	6	3	9	-	-	-	-	-	1	-	2	1	3	2
Appendicitis (540-543)	18	-	-	-	1	1	1	-	5	5	3	2	14	1	-	-	1	-	1	-	2	1	5	3
White	12	-	-	-	1	1	1	-	3	2	2	2	12	1	-	-	1	-	-	-	1	1	5	3
All other	6	-	-	-	-	-	-	-	2	3	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	6	-	-	-	-	-	-	-	2	3	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	119	3	3	2	1	1	4	4	16	32	33	20	177	1	-	-	-	-	-	2	14	39	60	61
White	94	2	3	2	-	-	2	2	16	27	26	14	159	1	-	-	-	-	-	2	12	35	52	57
All other	25	1	-	-	1	1	2	2	-	5	7	6	18	-	-	-	-	-	-	-	2	4	8	4
Black	24	-	-	-	1	1	2	2	-	5	7	6	17	-	-	-	-	-	-	-	1	4	8	4
Chronic liver disease and cirrhosis (571)	874	3	1	-	3	32	106	192	267	181	75	12	462	2	1	-	1	14	41	74	145	109	68	7
White	783	3	1	-	3	28	88	168	243	166	71	12	402	2	1	-	1	8	29	62	127	101	64	7
All other	91	-	-	-	-	4	20	24	24	15	4	-	60	-	-	-	-	6	12	12	18	8	4	-
Black	88	-	-	-	-	4	20	23	22	15	4	-	55	-	-	-	-	6	11	11	16	7	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	72	-	-	-	1	2	4	3	12	12	25	13	74	1	-	-	3	-	-	3	4	13	28	22
White	65	-	-	-	1	1	4	2	10	11	23	13	65	1	-	-	3	-	-	3	3	10	25	20
All other	7	-	-	-	-	1	-	1	2	1	2	-	9	-	-	-	-	-	-	-	1	3	3	2
Black	7	-	-	-	-	1	-	1	2	1	2	-	9	-	-	-	-	-	-	-	1	3	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	581	17	1	-	2	11	15	24	65	142	192	112	662	8	1	3	2	6	15	22	64	117	209	213
White	484	14	-	-	2	8	8	19	56	118	162	97	555	7	1	3	2	5	13	17	48	89	175	195
All other	97	3	1	-	-	3	7	5	9	24	30	15	107	1	-	-	-	3	2	5	16	28	34	18
Black	95	3	1	-	-	3	6	5	8	24	30	15	101	1	-	-	-	3	1	5	15	28	34	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	1	-	-	-	2	-	1	3	2	2	3	15	-	-	1	-	-	-	-	1	2	7	4
White	14	1	-	-	-	2	-	1	3	2	2	3	15	-	-	1	-	-	-	-	1	2	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	-	-	-	-	-	1	1	4	11	8	4	51	-	-	-	-	-	4	2	5	9	11	20
White	21	-	-	-	-	-	-	-	3	7	7	4	42	-	-	-	-	-	4	2	3	5	9	19
All other	8	-	-	-	-	-	1	1	1	4	1	-	9	-	-	-	-	-	-	-	2	4	2	1
Black	8	-	-	-	-	-	1	1	1	4	1	-	9	-	-	-	-	-	-	-	2	4	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	536	16	1	-	2	9	14	22	58	129	182	105	586	8	1	2	2	8	11	20	58	106	191	189
White	449	13	-	-	2	6	8	18	50	109	153	90	498	7	1	2	2	5	9	15	44	82	159	172
All other	89	3	1	-	-	3	6	4	8	20	29	15	98	1	-	-	-	3	2	5	14	24	32	17
Black	87	3	1	-	-	3	5	4	7	20	29	15	92	1	-	-	-	3	1	5	13	22	32	15
Infections of kidney (590)	50	-	-	-	-	1	-	1	2	5	24	17	117	-	-	-	-	-	-	-	7	21	37	52
White	41	-	-	-	-	-	-	1	2	3	21	14	103	-	-	-	-	-	-	-	6	15	33	49
All other	9	-	-	-	-	1	-	-	-	2	3	3	14	-	-	-	-	-	-	-	1	6	4	3
Black	9	-	-	-	-	1	-	-	-	2	3	3	14	-	-	-	-	-	-	-	1	6	4	3
Hyperplasia of prostate (600)	24	-	-	-	-	-	-	-	-	2	9	13	...	...	...	...	...	...	...	...	...	...	...	...
White	20	-	-	-	-	-	-	-	-	2	7	11	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	-	7	11	5	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	19	...	...	-	5	9	5	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	21	...	...	-	7	9	5	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	-	5	8	5	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Congenital anomalies (740-759)	481	363	27	17	11	22	8	8	6	5	11	2	446	311	31	18	13	11	10	16	8	12	11	5
White	412	311	22	15	8	21	6	6	5	5	10	2	377	266	24	15	10	9	6	14	7	11	11	4
All other	69	52	5	2	3	1	2	2	1	-	1	-	69	45	7	3	3	2	4	2	1	1	-	1
Black	66	49	5	2	3	1	2	2	1	-	1	-	65	42	6	3	3	2	4	2	1	1	-	1
Certain conditions originating in the perinatal period (760-779)	870	861	9	-	-	-	-	-	-	-	-	-	618	612	3	2	1	-	-	-	-	-	-	-
White	668	662	6	-	-	-	-	-	-	-	-	-	455	452	2	1	-	-	-	-	-	-	-	-
All other	202	199	3	-	-	-	-	-	-	-	-	-	163	160	1	1	1	-	-	-	-	-	-	-
Black	198	195	3	-	-	-	-	-	-	-	-	-	160	158	-	1	1	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	276	274	2	-	-	-	-	-	-	-	-	-	202	201	-	-	1	-	-	-	-	-	-	-
White	226	226	-	-	-	-	-	-	-	-	-	-	170	170	-	-	-	-	-	-	-	-	-	-
All other	50	48	2	-	-	-	-	-	-	-	-	-	32	31	-	-	1	-	-	-	-	-	-	-
Black	50	48	2	-	-	-	-	-	-	-	-	-	32	31	-	-	1	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	594	587	7	-	-	-	-	-	-	-	-	-	416	411	3	2	-	-	-	-	-	-	-	-
White	442	436	6	-	-	-	-	-	-	-	-	-	285	282	2	1	-	-	-	-	-	-	-	-
All other	152	151	1	-	-	-	-	-	-	-	-	-	131	129	1	1	-	-	-	-	-	-	-	-
Black	148	147	1	-	-	-	-	-	-	-	-	-	128	127	-	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2,499	244	17	15	57	83	76	162	395	590	554	301	1,874	193	13	3	23	34	36	102	178	332	505	453
White	2,137	198	13	14	50	69	66	138	335	513	481	257	1,583	150	8	3	18	27	30	85	158	274	435	393
All other	362	46	4	1	7	14	10	26	60	77	73	44	291	43	5	-	5	7	6	17	20	58	70	60
Black	355	42	4	1	6	14	10	26	59	76	73	44	288	42	4	-	5	7	6	17	20	58	70	59
All other diseases (Residual)	3,577	93	43	34	89	120	160	313	558	805	912	450	3,638	77	41	34	56	84	123	184	423	646	1,043	923
White	3,057	76	27	26	73	96	122	254	476	698	801	408	3,145	61	34	29	48	55	82	146	353	551	942	844
All other	520	17	16	8	16	24	38	59	82	107	111	42	493	16	7	5	10	29	41	38	70	97	101	79
Black	503	16	15	8	14	23	36	57	81	102	110	41	484	16	6	4	9	28	40	35	69	97	101	79
Accidents and adverse effects (E800-E949)	5,161	65	196	265	1,335	1,163	591	439	384	320	246	159	2,092	45	130	119	987	272	174	131	149	199	252	234
White	4,521	53	172	216	1,201	1,027	511	375	335	276	217	134	1,851	40	109	104	349	236	156	114	129	175	223	216
All other	640	12	24	49	134	136	80	64	49	44	29	19	241	5	21	15	38	36	18	17	20	24	29	18
Black	603	12	22	46	123	127	75	61	48	43	28	18	226	5	18	15	34	31	17	17	20	22	29	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	2,818	16	73	118	944	706	342	241	178	106	71	23	1,050	8	60	58	330	193	106	76	72	80	51	16
White	2,500	15	61	105	859	629	297	206	151	94	63	20	937	8	53	51	301	170	92	68	63	70	45	16
All other	318	1	12	13	85	77	45	35	27	12	8	3	113	-	7	7	29	23	14	8	9	10	6	-
Black	296	1	10	12	78	70	42	34	27	11	8	3	102	-	5	7	25	19	13	8	9	10	6	-
All other accidents and adverse effects (E800-E807, E826-E949)	2,343	49	123	147	391	457	249	198	206	214	175	130	1,042	37	70	61	57	79	68	55	77	119	201	218
White	2,021	38	111	111	342	398	214	169	184	182	154	114	914	32	56	53	48	66	64	46	66	105	178	200
All other	322	11	12	36	49	59	35	29	22	32	21	16	128	5	14	8	9	13	4	9	11	14	23	18
Black	307	11	12	34	45	57	33	27	21	32	20	15	124	5	13	8	9	12	4	9	11	12	23	18
Suicide (E950-E959)	1,556	...	...	16	330	388	238	173	181	126	80	24	458	...	...	2	81	88	97	71	70	39	9	1
White	1,469	...	...	15	299	361	228	165	177	122	80	22	441	...	...	2	77	84	92	68	69	39	9	1
All other	87	...	...	1	31	27	10	8	4	4	-	2	17	...	...	-	4	4	5	3	1	-	-	-
Black	76	...	...	1	27	25	7	7	4	3	-	2	14	...	...	-	3	3	5	3	-	-	-	-
Homicide and legal intervention (E960-E978)	1,844	14	14	14	468	645	328	177	116	51	14	3	465	8	11	14	102	139	77	48	27	22	16	1
White	1,293	8	9	10	341	449	221	124	81	39	9	2	331	7	5	13	67	96	57	32	25	17	11	1
All other	551	6	5	4	127	196	107	53	35	12	5	1	134	1	6	1	35	43	20	16	2	5	5	-
Black	525	6	5	4	121	186	102	51	33	11	5	1	129	1	6	1	35	42	18	14	2	5	5	-
All other external causes (E980-E999)	62	2	-	-	15	21	15	3	4	2	-	-	39	2	1	2	7	10	5	5	1	3	2	1
White	56	1	-	-	13	18	15	3	4	2	-	-	32	1	1	1	5	9	4	5	1	2	2	1
All other	6	1	-	-	2	3	-	-	-	-	-	-	7	1	-	1	2	1	1	-	-	1	-	-
Black	4	-	-	-	1	3	-	-	-	-	-	-	7	1	-	1	2	1	1	-	-	1	-	-
UTAH																								
All causes	4,572	200	55	56	156	199	193	286	642	1,041	1,124	617	3,940	146	38	33	70	100	106	194	365	740	1,122	1,026
White	4,444	192	53	54	140	184	177	272	626	1,022	1,115	606	3,866	140	37	32	67	96	103	187	346	733	1,112	1,013
All other	128	8	2	2	16	15	16	14	16	19	9	11	74	6	1	1	3	4	3	7	19	7	10	13
Black	34	2	-	1	1	3	4	5	5	6	4	3	19	-	-	-	1	1	1	1	6	1	3	5
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
White	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
White	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	29	1	-	-	-	1	-	4	7	7	5	4	31	-	-	-	-	-	1	1	3	9	6	11
White	27	1	-	-	-	1	-	4	5	7	5	4	28	-	-	-	-	-	1	1	3	9	5	9
All other	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	1	-	1	-	-	-	-	3	4	1	2	10	1	-	-	-	1	-	-	3	1	4	-
White	10	-	-	1	-	-	-	-	2	4	1	2	10	1	-	-	-	1	-	-	3	1	4	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	767	1	1	3	8	13	17	53	143	238	213	77	715	2	3	8	10	18	40	79	138	182	162	73
White	752	1	1	3	8	13	16	52	139	232	211	76	697	2	3	8	10	17	39	76	130	180	161	71
All other	15	-	-	-	-	-	1	1	4	6	2	1	18	-	-	-	-	1	1	3	8	2	1	2
Black	5	-	-	-	-	-	-	1	1	2	1	-	5	-	-	-	-	-	1	1	3	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	-	-	-	-	-	2	2	1	1	7	1	3	-	-	-	-	-	1	-	1	-	1	-
White	12	-	-	-	-	-	1	1	1	1	7	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	205	-	-	-	1	1	3	14	45	71	51	19	171	-	1	-	-	1	6	14	21	49	46	33
White	198	-	-	-	1	1	3	14	43	69	49	18	167	-	1	-	-	1	6	14	20	49	45	31
All other	7	-	-	-	-	-	-	-	2	2	2	1	4	-	-	-	-	-	-	-	1	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	180	-	-	-	2	1	3	14	38	68	48	6	82	-	-	-	-	-	2	11	23	18	22	6
White	178	-	-	-	2	1	3	14	37	67	48	6	79	-	-	-	-	-	2	11	20	18	22	6
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	3	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	148	-	-	-	-	3	13	19	43	39	24	7
White	-	-	-	-	-	-	-	-	-	-	-	-	142	-	-	-	-	2	13	18	40	38	24	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	1	3	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	128	-	-	-	-	-	-	3	12	29	47	37	88	-	-	-	1	1	4	12	19	25	22	4
White	128	-	-	-	-	-	-	3	12	29	47	37	86	-	-	-	1	1	4	11	19	24	22	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	32	-	-	-	-	-	3	4	3	12	8	2	16	-	-	-	-	1	-	2	4	3	1	5
White	32	-	-	-	-	-	3	4	3	12	8	2	16	-	-	-	-	1	-	2	4	3	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	115	1	1	1	1	6	2	10	28	34	27	4	121	1	1	6	7	8	8	11	19	25	23	12
White	112	1	1	1	1	6	2	10	28	31	27	4	120	1	1	6	7	8	8	10	19	25	23	12
All other	3	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	40	-	-	2	2	3	2	2	6	9	12	2	45	1	1	2	2	3	4	5	2	12	11	2
White	40	-	-	2	2	3	2	2	6	9	12	2	45	1	1	2	2	3	4	5	2	12	11	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	-	2	2	2	4	10	14	13	6	41	-	-	-	-	1	2	5	6	11	12	4
White	52	-	-	-	2	2	2	4	9	14	13	6	41	-	-	-	-	1	2	5	6	11	12	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	1	-	2	2	1	-	2	3	5	1	19	-	-	2	-	-	2	-	2	3	8	2
White	17	-	1	-	2	2	1	-	2	3	5	1	19	-	-	2	-	-	2	-	2	3	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	76	-	-	-	-	3	5	3	14	22	18	11	104	-	-	-	-	4	1	6	9	29	28	27
White	75	-	-	-	-	3	5	3	14	22	17	11	101	-	-	-	-	4	1	6	8	28	28	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	-	-	-	2	3
White	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	-	-	-	-	-	1	7	-	9	-	-	-	1	-	-	-	1	-	6	1
White	8	-	-	-	-	-	-	-	-	1	7	-	9	-	-	-	1	-	-	-	1	-	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	4	-	-	-	-	-	1	1	-	-	-	6	2	3	-	-	-	-	-	1	-	-	-
White	5	4	-	-	-	-	-	-	1	-	-	-	6	2	3	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,983	5	4	2	1	12	53	114	308	525	603	355	1,805	4	-	3	4	8	11	43	111	323	640	658
White	1,951	5	4	2	-	11	51	111	301	517	599	349	1,782	4	-	2	4	8	11	42	105	319	635	652
All other	32	-	-	-	1	1	2	3	7	8	4	6	23	-	-	1	-	-	-	1	6	4	5	6
Black	9	-	-	-	-	-	-	2	2	2	2	1	8	-	-	-	-	-	-	-	2	1	2	3
Diseases of heart (390-398,402,404-429)	1,616	5	4	2	-	12	48	97	270	442	469	268	1,324	4	-	3	2	7	9	34	93	253	451	468
White	1,590	5	4	2	-	11	46	94	263	437	465	262	1,309	4	-	2	2	7	9	33	89	249	448	466
All other	26	-	-	-	-	1	2	3	7	5	4	4	15	-	-	1	-	-	-	1	4	4	3	2
Black	9	-	-	-	-	-	-	2	2	2	2	1	5	-	-	-	-	-	-	-	2	1	1	1
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	-	1	-	-	7	8	4	2	56	-	-	1	-	-	-	5	7	19	14	10
White	22	-	-	-	-	1	-	-	7	8	4	2	56	-	-	1	-	-	-	5	7	19	14	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	28	-	-	-	-	1	1	3	6	2	11	4	49	-	-	-	-	-	-	2	7	4	18	18
White	27	-	-	-	-	1	-	3	6	2	11	4	47	-	-	-	-	-	-	2	5	4	18	18
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,044	-	1	-	-	9	38	64	173	300	311	148	760	-	-	-	-	1	5	16	46	150	275	267
White	1,029	-	1	-	-	8	37	62	168	298	310	145	753	-	-	-	-	1	5	15	45	148	273	266
All other	15	-	-	-	-	1	1	2	5	2	1	3	7	-	-	-	-	-	-	1	1	2	2	1
Black	6	-	-	-	-	-	-	2	1	2	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Acute myocardial infarction (410)	588	-	-	-	-	2	16	38	118	183	171	60	366	-	-	-	-	-	4	11	33	85	155	78
White	581	-	-	-	-	2	16	37	115	183	170	58	361	-	-	-	-	-	4	10	32	84	154	77
All other	7	-	-	-	-	-	-	1	3	-	1	2	5	-	-	-	-	-	-	1	1	1	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	1	1	3	2	5	1	1	5	-	-	-	-	-	-	1	1	2	-	1
White	14	-	-	-	-	1	1	3	2	5	1	1	5	-	-	-	-	-	-	1	1	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	440	-	1	-	-	6	21	23	53	112	139	85	387	-	-	-	-	1	1	4	12	61	120	188
White	432	-	1	-	-	5	20	22	51	110	139	84	385	-	-	-	-	1	1	4	12	60	119	188
All other	8	-	-	-	-	1	1	1	2	2	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	19	-	-	-	-	-	-	3	4	3	6	3	16	-	-	-	-	-	-	-	1	4	4	7
White	19	-	-	-	-	-	-	3	4	3	6	3	16	-	-	-	-	-	-	-	1	4	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	503	5	3	2	-	1	9	27	80	129	137	109	439	4	-	2	2	6	4	11	32	76	139	163
White	493	5	3	2	-	1	9	26	78	126	134	108	433	4	-	1	2	6	4	11	31	74	138	162
All other	10	-	-	-	-	-	-	1	2	3	3	1	6	-	-	1	-	-	-	-	1	2	1	1
Black	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	1	-	-	1
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	1	5	5	2	1	13	-	-	-	-	-	-	1	-	4	4	4
White	14	-	-	-	-	-	-	1	5	5	2	1	13	-	-	-	-	-	-	1	-	4	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	254	-	-	-	1	-	4	13	25	49	96	66	378	-	-	-	2	1	2	4	15	56	159	139
White	246	-	-	-	-	-	4	13	25	46	96	64	370	-	-	-	2	1	2	4	13	56	157	135
All other	8	-	-	-	1	-	-	-	-	3	-	2	8	-	-	-	-	-	-	-	2	-	2	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Intracerebral and other intracranial hemorrhage (431-432)	34	-	-	-	-	-	1	6	6	9	8	4	47	-	-	-	1	1	-	1	5	10	21	8
White	34	-	-	-	-	-	1	6	6	9	8	4	45	-	-	-	1	1	-	1	4	10	20	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	-	-	-	-	-	-	1	3	6	11	11	42	-	-	-	1	-	1	-	1	7	19	13
White	32	-	-	-	-	-	-	1	3	6	11	11	42	-	-	-	1	-	1	-	1	7	19	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	-	3	-	6	-	-	-	-	-	-	-	1	2	2	1
White	4	-	-	-	-	-	-	1	-	-	3	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	184	-	-	-	1	-	3	5	16	34	74	51	283	-	-	-	-	-	1	3	8	37	117	117
White	178	-	-	-	-	-	3	5	16	31	74	49	277	-	-	-	-	-	1	3	7	37	116	113
All other	6	-	-	-	1	-	-	-	-	3	-	2	6	-	-	-	-	-	-	-	1	-	1	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Atherosclerosis (440)	30	-	-	-	-	-	-	1	1	5	12	11	65	-	-	-	-	-	-	1	-	5	20	39
White	30	-	-	-	-	-	-	1	1	5	12	11	65	-	-	-	-	-	-	1	-	5	20	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	69	-	-	-	-	-	1	2	7	24	24	11	25	-	-	-	-	-	-	3	3	5	6	8
White	69	-	-	-	-	-	1	2	7	24	24	11	25	-	-	-	-	-	-	3	3	5	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	104	8	1	-	1	1	1	1	5	18	39	29	146	1	-	-	1	2	1	1	9	20	44	67
White	102	8	1	-	1	1	-	1	5	18	39	28	143	1	-	-	1	2	1	-	8	20	43	67
All other	2	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	-	1	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	104	8	1	-	1	1	1	1	5	18	39	29	140	1	-	-	-	2	1	1	9	19	42	65
White	102	8	1	-	1	1	-	1	5	18	39	28	137	1	-	-	-	2	1	-	8	19	41	65
All other	2	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	-	1	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	-	-	-	1	2	2
White	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	1	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	191	1	2	-	-	-	-	8	27	78	53	22	94	-	-	1	-	2	1	3	17	35	28	7
White	189	1	1	-	-	-	-	8	27	77	53	22	94	-	-	1	-	2	1	3	17	35	28	7
All other	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	13	1	2	-	-	-	-	-	2	4	2	2	5	-	-	-	-	-	-	-	1	2	2	-
White	12	1	1	-	-	-	-	-	2	4	2	2	5	-	-	-	-	-	-	-	1	2	2	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	37	-	-	-	-	-	-	1	7	10	14	5	9	-	-	-	-	-	-	-	2	6	1	-
White	37	-	-	-	-	-	-	1	7	10	14	5	9	-	-	-	-	-	-	-	2	6	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	11	-	-	-	-	-	-	1	1	5	2	2	19	-	-	1	-	1	-	1	3	2	9	2
White	11	-	-	-	-	-	-	1	1	5	2	2	19	-	-	1	-	1	-	1	3	2	9	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	130	-	-	-	-	-	-	6	17	59	35	13	61	-	-	-	-	1	1	2	11	25	16	5
White	129	-	-	-	-	-	-	6	17	58	35	13	61	-	-	-	-	1	1	2	11	25	16	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	-	1	1	2	3	3	2	13	-	-	-	-	-	-	-	-	4	3	6
White	10	-	-	-	-	-	-	-	2	3	3	2	13	-	-	-	-	-	-	-	-	4	3	6
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	-	4	2	1	24	-	-	-	1	1	-	2	-	4	8	8
White	7	-	-	-	-	-	-	-	-	4	2	1	24	-	-	-	1	1	-	2	-	4	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	62	-	-	-	-	7	4	9	22	12	7	1	40	-	1	-	-	2	3	12	12	6	4	-
White	57	-	-	-	-	6	3	8	22	11	7	1	37	-	1	-	-	2	2	11	11	6	4	-
All other	5	-	-	-	-	2	1	1	-	1	-	-	3	-	-	-	-	-	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	1	-	-	1	1	-	12	-	-	-	-	-	-	-	-	4	5	3
White	3	-	-	-	-	-	1	-	-	1	1	-	11	-	-	-	-	-	-	-	-	4	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	43	1	-	-	-	-	-	2	3	13	10	14	43	-	1	1	1	2	1	1	-	12	18	6
White	43	1	-	-	-	-	-	2	3	13	10	14	42	-	1	1	1	2	1	1	-	12	18	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	-	-	-	-	-	-	-	-	2	4	2	6	-	-	-	-	-	-	-	-	3	3	-
White	8	-	-	-	-	-	-	-	-	2	4	2	6	-	-	-	-	-	-	-	-	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	1	-	-	-	-	-	2	2	10	6	12	37	-	1	1	1	2	1	1	-	9	15	6
White	33	1	-	-	-	-	-	2	2	10	6	12	36	-	1	1	1	2	1	1	-	9	15	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Infections of kidney (590)	2	-	1	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	2	2
White	2	-	1	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	55	44	4	1	2	1	1	-	1	-	1	-	50	33	5	2	1	3	1	2	1	1	1	-
White	54	43	4	1	2	1	1	-	1	-	1	-	48	31	5	2	1	3	1	2	1	1	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	77	77	-	-	-	-	-	-	-	-	-	-	65	64	-	-	1	-	-	-	-	-	-	-
White	74	74	-	-	-	-	-	-	-	-	-	-	61	60	-	-	1	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	34	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
White	34	34	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	43	43	-	-	-	-	-	-	-	-	-	-	42	41	-	-	1	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	38	37	-	-	1	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	60	34	1	-	1	3	-	1	2	3	4	11	72	30	1	-	1	4	-	1	4	7	8	16
White	59	33	1	-	1	3	-	1	2	3	4	11	71	30	-	-	1	4	-	1	4	7	8	16
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	368	11	6	8	10	9	13	27	45	69	108	60	399	4	10	1	3	11	10	17	35	78	117	113
White	350	10	6	8	10	8	10	24	43	66	107	58	398	4	10	1	2	11	10	17	35	78	117	113
All other	16	1	-	-	-	1	3	3	2	3	1	2	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	438	7	28	34	82	81	54	40	30	31	29	21	190	4	13	13	29	23	18	12	16	15	27	20
White	411	7	27	32	75	74	48	37	30	31	29	20	181	4	13	13	27	21	18	11	14	15	26	19
All other	27	-	1	2	7	7	6	3	-	-	-	1	9	-	-	-	2	2	-	1	2	-	1	1
Black	7	-	-	1	-	2	2	1	-	-	-	1	3	-	-	-	1	1	-	-	1	-	-	-
Motor vehicle accidents (E810-E825)	202	1	8	16	57	43	26	10	12	11	11	7	99	4	4	6	25	19	9	4	12	7	6	3
White	184	1	8	15	52	38	21	9	12	11	11	6	94	4	4	6	23	18	9	4	11	7	6	2
All other	18	-	-	1	5	5	5	1	-	-	-	1	5	-	-	-	2	1	-	-	1	-	-	1
Black	4	-	-	-	-	2	1	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	236	6	20	18	25	38	28	30	18	20	18	14	91	-	9	7	4	4	9	8	4	8	21	17
White	227	6	19	17	23	36	27	28	18	20	18	14	87	-	9	7	4	3	9	7	3	8	20	17
All other	9	-	1	1	2	2	1	2	-	-	-	-	4	-	-	-	-	1	-	1	1	-	1	-
Black	3	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Suicide (E950-E959)	172	...	...	2	33	49	30	18	19	6	11	3	40	...	...	-	7	11	7	9	1	5	-	-
White	161	...	...	2	27	46	30	17	19	6	10	3	39	...	...	-	7	10	7	9	1	5	-	-
All other	11	...	...	-	6	3	-	1	-	-	1	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	4	...	...	-	1	1	-	1	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	39	3	5	4	10	10	3	2	1	-	1	-	23	1	1	2	7	4	4	4	-	-	-	-
White	36	3	5	4	9	9	2	2	1	-	1	-	23	1	1	2	7	4	4	4	-	-	-	-
All other	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	31	1	1	1	6	7	9	2	3	1	-	-	8	-	-	-	-	2	4	1	1	-	-	-
White	29	-	1	1	5	7	9	2	3	1	-	-	7	-	-	-	-	2	3	1	1	-	-	-
All other	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,359	43	7	17	72	85	71	148	355	598	641	342	2,231	26	7	7	26	24	35	84	207	427	660	728
White	2,354	41	7	17	72	85	71	148	354	597	641	341	2,230	26	7	7	26	24	35	84	207	426	660	728
All other	5	2	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	2	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	10	1	-	-	-	-	-	1	2	2	2	2	16	-	-	-	-	-	-	-	-	1	7	8
White	10	1	-	-	-	-	-	1	2	2	2	2	16	-	-	-	-	-	-	-	-	1	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	529	-	-	5	1	7	18	44	106	165	135	48	506	-	2	1	4	6	18	43	98	127	134	73
White	529	-	-	5	1	7	18	44	106	165	135	48	506	-	2	1	4	6	18	43	98	127	134	73
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	-	-	-	-	-	1	2	3	3	5	-	8	-	-	-	-	-	-	-	2	3	1	2
White	14	-	-	-	-	-	1	2	3	3	5	-	8	-	-	-	-	-	-	-	2	3	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	130	-	-	-	-	1	2	14	23	37	43	10	133	-	-	-	-	1	-	7	18	38	44	25
White	130	-	-	-	-	1	2	14	23	37	43	10	133	-	-	-	-	1	-	7	18	38	44	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	165	-	-	-	-	-	2	14	47	64	28	10	74	-	-	-	-	-	4	11	25	17	12	5
White	165	-	-	-	-	-	2	14	47	64	28	10	74	-	-	-	-	-	4	11	25	17	12	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	92	-	-	-	-	1	5	15	22	19	18	12
White	-	-	-	-	-	-	-	-	-	-	-	-	92	-	-	-	-	1	5	15	22	19	18	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	61	-	-	1	-	-	-	-	5	15	24	16	65	-	-	-	-	1	3	4	14	21	15	7
White	61	-	-	1	-	-	-	-	5	15	24	16	65	-	-	-	-	1	3	4	14	21	15	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	34	-	-	-	-	-	1	2	6	11	12	2	19	-	-	-	-	-	-	-	3	6	8	2
White	34	-	-	-	-	-	1	2	6	11	12	2	19	-	-	-	-	-	-	-	3	6	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	60	-	-	2	-	4	6	7	12	16	9	4	57	-	1	-	2	2	4	4	8	13	13	10
White	60	-	-	2	-	4	6	7	12	16	9	4	57	-	1	-	2	2	4	4	8	13	13	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	26	-	-	2	-	2	2	2	4	4	7	3	25	-	1	1	1	1	1	1	3	3	7	6
White	26	-	-	2	-	2	2	2	4	4	7	3	25	-	1	1	1	1	1	1	3	3	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	-	-	-	1	-	4	3	6	15	7	3	33	-	-	-	1	-	1	1	3	7	16	4
White	39	-	-	-	1	-	4	3	6	15	7	3	33	-	-	-	1	-	1	1	3	7	16	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	-	-	2	4	2	1	7	-	-	-	-	-	-	1	-	1	2	3
White	9	-	-	-	-	-	-	-	2	4	2	1	7	-	-	-	-	-	-	1	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	33	-	-	-	-	1	1	3	2	11	8	7	57	-	-	-	-	2	1	5	7	17	16	9
White	33	-	-	-	-	1	1	3	2	11	8	7	57	-	-	-	-	2	1	5	7	17	16	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	1	1	3	3
White	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	1	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,044	1	-	-	4	3	14	59	147	313	326	177	1,114	-	2	-	-	2	9	18	61	197	377	448
White	1,041	1	-	-	4	3	14	59	146	312	326	176	1,113	-	2	-	-	2	9	18	61	196	377	448
All other	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	869	1	-	-	4	1	11	57	134	280	247	134	834	-	2	-	-	1	9	15	48	156	273	330
White	866	1	-	-	4	1	11	57	133	279	247	133	833	-	2	-	-	1	9	15	48	155	273	330
All other	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	-	-	-	1	-	1	4	2	1	16	-	-	-	-	1	2	-	4	4	2	3
White	9	-	-	-	-	-	1	-	1	4	2	1	16	-	-	-	-	1	2	-	4	4	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	24	-	-	-	-	-	-	4	7	7	3	3	19	-	-	-	-	-	-	-	1	4	9	5
White	24	-	-	-	-	-	-	4	7	7	3	3	19	-	-	-	-	-	-	-	1	4	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	1	3	-	5	-	-	-	-	-	-	-	-	1	1	3
White	4	-	-	-	-	-	-	-	-	1	3	-	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	603	-	-	-	1	-	8	47	101	203	173	70	524	-	-	-	-	-	3	12	32	117	167	193
White	601	-	-	-	1	-	8	47	100	202	173	70	524	-	-	-	-	-	3	12	32	117	167	193
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	355	-	-	-	-	-	6	34	74	124	90	27	247	-	-	-	-	-	2	8	15	77	81	64
White	353	-	-	-	-	-	6	34	73	123	90	27	247	-	-	-	-	-	2	8	15	77	81	64
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
White	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	244	-	-	-	1	-	2	13	27	78	81	42	271	-	-	-	-	-	1	4	17	39	85	125
White	244	-	-	-	1	-	2	13	27	78	81	42	271	-	-	-	-	-	1	4	17	39	85	125
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	9	-	-	-	-	-	-	-	2	3	1	3	14	-	-	-	-	-	-	-	1	2	5	6
White	9	-	-	-	-	-	-	-	2	3	1	3	14	-	-	-	-	-	-	-	1	2	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	220	1	-	-	3	1	2	6	23	62	65	57	256	-	2	-	-	-	4	3	10	28	89	120
White	218	1	-	-	3	1	2	6	23	62	65	56	255	-	2	-	-	-	4	3	10	27	89	120
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Hypertension with or without renal disease (401,403)	5	-	-	-	-	-	-	1	-	3	1	-	12	-	-	-	-	-	-	-	1	2	3	6
White	5	-	-	-	-	-	-	1	-	3	1	-	12	-	-	-	-	-	-	-	1	2	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	127	-	-	-	-	2	3	1	9	20	61	31	198	-	-	-	-	1	-	2	8	27	79	81
White	127	-	-	-	-	2	3	1	9	20	61	31	198	-	-	-	-	1	-	2	8	27	79	81
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	16	-	-	-	-	-	1	-	2	3	8	2	15	-	-	-	-	1	-	1	1	2	6	4
White	16	-	-	-	-	-	1	-	2	3	8	2	15	-	-	-	-	1	-	1	1	2	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	-	-	-	-	-	-	1	3	1	11	6	43	-	-	-	-	-	-	-	1	6	19	17
White	22	-	-	-	-	-	-	1	3	1	11	6	43	-	-	-	-	-	-	-	1	6	19	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	89	-	-	-	-	2	2	-	4	16	42	23	139	-	-	-	-	-	-	1	6	18	54	60
White	89	-	-	-	-	2	2	-	4	16	42	23	139	-	-	-	-	-	-	1	6	18	54	60
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	25	-	-	-	-	-	-	-	2	2	11	10	46	-	-	-	-	-	-	-	2	4	13	27
White	25	-	-	-	-	-	-	-	2	2	11	10	46	-	-	-	-	-	-	-	2	4	13	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	18	-	-	-	-	-	-	-	2	8	6	2	24	-	-	-	-	-	-	1	2	8	9	4
White	18	-	-	-	-	-	-	-	2	8	6	2	24	-	-	-	-	-	-	1	2	8	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	83	1	-	-	-	1	-	2	8	13	30	28	77	1	-	-	1	-	-	1	4	6	22	42
White	83	1	-	-	-	1	-	2	8	13	30	28	77	1	-	-	1	-	-	1	4	6	22	42
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	77	1	-	-	-	1	-	2	8	13	26	26	73	1	-	-	1	-	-	1	4	6	20	40
White	77	1	-	-	-	1	-	2	8	13	26	26	73	1	-	-	1	-	-	1	4	6	20	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	6	-	-	-	-	-	-	-	-	-	4	2	4	-	-	-	-	-	-	-	-	-	2	2
White	6	-	-	-	-	-	-	-	-	-	4	2	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	133	-	-	-	-	-	2	7	22	30	50	22	79	-	-	-	1	-	-	3	9	30	21	15
White	133	-	-	-	-	-	2	7	22	30	50	22	79	-	-	-	1	-	-	3	9	30	21	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	5	-	-	-	-	-	-	-	-	3	1	1	3	-	-	-	-	-	-	-	-	-	-	3
White	5	-	-	-	-	-	-	-	-	3	1	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	19	-	-	-	-	-	1	-	1	6	7	4	11	-	-	-	-	-	-	1	3	4	3	-
White	19	-	-	-	-	-	1	-	1	6	7	4	11	-	-	-	-	-	-	1	3	4	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	8	-	-	-	-	-	1	1	2	1	1	2	5	-	-	-	1	-	-	-	1	-	2	1
White	8	-	-	-	-	-	1	1	2	1	1	2	5	-	-	-	1	-	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	101	-	-	-	-	-	-	6	19	20	41	15	60	-	-	-	-	-	-	2	5	26	18	11
White	101	-	-	-	-	-	-	6	19	20	41	15	60	-	-	-	-	-	-	2	5	26	16	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	-	-	2	1	2	2	7	-	-	-	-	-	-	-	1	2	2	2
White	7	-	-	-	-	-	-	-	2	1	2	2	7	-	-	-	-	-	-	-	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	-	-	-	-	-	-	-	2	3	-	9	-	-	-	-	-	-	-	-	2	1	6
White	5	-	-	-	-	-	-	-	-	2	3	-	9	-	-	-	-	-	-	-	-	2	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	43	-	1	-	-	1	1	10	18	5	7	-	17	-	-	-	-	-	2	2	6	5	2	-
White	43	-	1	-	-	1	1	10	18	5	7	-	17	-	-	-	-	-	2	2	6	5	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	-	-	-	1	1
White	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	-	-	-	-	-	-	-	2	4	3	6	21	-	-	-	-	-	-	1	2	2	7	9
White	15	-	-	-	-	-	-	-	2	4	3	6	21	-	-	-	-	-	-	1	2	2	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	-	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	-	-	-	-	-	-	-	2	4	1	6	17	-	-	-	-	-	-	1	1	2	6	7
White	13	-	-	-	-	-	-	-	2	4	1	6	17	-	-	-	-	-	-	1	1	2	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	1	-	-	-	-	13	-	-	-	-	-	-	-	-	1	3	9
White	1	-	-	-	-	-	-	1	-	-	-	-	13	-	-	-	-	-	-	-	-	1	3	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	18	13	1	-	2	-	-	-	-	1	1	-	11	10	-	-	-	-	-	-	-	-	1	-
White	18	13	1	-	2	-	-	-	-	1	1	-	11	10	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	19	19	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	10	7	-	1	-	-	-	1	-	-	1	-	12	1	-	-	1	1	1	-	-	-	2	6
White	9	6	-	1	-	-	-	1	-	-	1	-	12	1	-	-	1	1	1	-	-	-	2	6
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	148	-	-	1	4	4	2	3	14	32	52	36	175	3	-	1	3	7	1	5	13	20	48	74
White	148	-	-	1	4	4	2	3	14	32	52	36	175	3	-	1	3	7	1	5	13	20	48	74
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	159	1	4	9	44	27	16	14	17	7	13	7	74	1	3	3	15	4	1	5	4	13	9	16
White	159	1	4	9	44	27	16	14	17	7	13	7	74	1	3	3	15	4	1	5	4	13	9	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	71	-	1	4	30	12	9	7	3	-	4	1	23	-	-	-	12	2	-	2	3	4	-	-
White	71	-	1	4	30	12	9	7	3	-	4	1	23	-	-	-	12	2	-	2	3	4	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	88	1	3	5	14	15	7	7	14	7	9	6	51	1	3	3	3	2	1	3	1	9	9	16
White	88	1	3	5	14	15	7	7	14	7	9	6	51	1	3	3	3	2	1	3	1	9	9	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	66	...	...	1	13	20	12	3	10	3	3	1	8	...	...	-	1	1	2	-	1	1	2	-
White	66	...	...	1	13	20	12	3	10	3	3	1	8	...	...	-	1	1	2	-	1	1	2	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	9	-	-	-	4	1	3	-	1	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
White	9	-	-	-	4	1	3	-	1	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	23,489	541	102	98	608	741	896	1,913	4,434	6,486	5,305	2,362	20,254	421	62	81	219	311	506	1,074	2,584	4,385	5,807	4,799
White	18,132	314	61	58	453	496	649	1,391	3,319	5,094	4,345	1,949	16,002	257	44	58	156	213	363	730	1,907	3,326	4,771	4,174
All other	5,357	227	41	40	155	245	247	522	1,115	1,392	960	413	4,252	164	18	23	63	98	143	344	677	1,059	1,036	625
Black	5,275	224	37	39	149	234	239	508	1,105	1,379	949	412	4,195	162	17	21	59	94	141	335	672	1,042	1,027	623
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	20	-	-	-	-	-	-	1	3	7	5	4	12	-	-	-	-	-	1	-	1	4	4	2
White	13	-	-	-	-	-	-	-	2	4	4	3	5	-	-	-	-	-	-	-	-	2	3	-
All other	7	-	-	-	-	-	-	1	1	3	1	1	7	-	-	-	-	-	1	-	1	2	1	2
Black	7	-	-	-	-	-	-	1	1	3	1	1	6	-	-	-	-	-	1	-	1	2	-	2
Tuberculosis of respiratory system (010-012)	12	-	-	-	-	-	-	1	1	5	3	2	9	-	-	-	-	-	1	-	1	1	4	2
White	8	-	-	-	-	-	-	-	1	3	3	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	4	-	-	-	-	-	-	1	-	2	-	1	6	-	-	-	-	-	1	-	1	1	1	2
Black	4	-	-	-	-	-	-	1	-	2	-	1	5	-	-	-	-	-	1	-	1	1	-	2
Other tuberculosis (013-018)	8	-	-	-	-	-	-	-	2	2	2	2	3	-	-	-	-	-	-	-	-	3	-	-
White	5	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-	-	2	-	-
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	9	2	3	-	2	1	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	8	2	3	-	2	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	191	5	6	-	1	1	3	12	31	57	46	29	183	2	2	2	1	3	5	15	27	36	45	45
White	127	2	3	-	1	-	2	7	20	41	32	19	119	2	2	1	-	2	2	7	18	17	33	35
All other	64	3	3	-	-	1	1	5	11	16	14	10	64	-	-	1	1	1	3	8	9	19	12	10
Black	64	3	3	-	-	1	1	5	11	16	14	10	63	-	-	1	1	1	3	8	9	19	11	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	-	1	-	2	3	1	1	-	3	-	-	-	-	-	-	1	1	1	-	-
White	6	-	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	62	-	2	1	1	5	7	6	10	11	14	5	42	1	3	-	-	3	2	3	7	5	11	7
White	46	-	2	1	-	1	3	4	8	11	11	5	31	1	3	-	-	2	1	1	5	3	8	7
All other	16	-	-	-	1	4	4	2	2	-	3	-	11	-	-	-	-	1	1	2	2	2	3	-
Black	16	-	-	-	1	4	4	2	2	-	3	-	11	-	-	-	-	1	1	2	2	2	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,482	3	8	16	30	63	160	544	1,376	1,880	1,072	330	4,477	1	2	18	24	61	199	447	1,026	1,307	950	441
White	4,179	2	8	11	20	49	116	405	1,021	1,443	850	254	3,620	1	2	13	18	47	162	330	820	1,056	803	367
All other	1,303	1	-	5	10	14	44	139	355	437	222	76	857	-	-	5	6	14	37	117	206	251	147	74
Black	1,281	1	-	5	9	12	42	134	350	433	220	75	843	-	-	5	6	13	37	113	204	246	146	73
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	159	-	-	-	-	1	6	22	57	56	13	4	69	-	-	-	-	1	2	7	16	19	14	10
White	120	-	-	-	-	1	5	13	41	45	12	3	56	-	-	-	-	1	2	4	12	16	12	9
All other	39	-	-	-	-	-	1	9	16	11	1	1	13	-	-	-	-	-	-	3	4	3	2	1
Black	38	-	-	-	-	-	1	9	16	10	1	1	12	-	-	-	-	-	-	3	4	2	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,247	-	-	-	1	13	46	136	300	429	247	75	1,138	-	-	1	3	3	29	70	207	349	297	179
White	934	-	-	-	-	7	33	102	225	320	190	57	873	-	-	1	3	2	20	50	150	258	243	146
All other	313	-	-	-	1	6	13	34	75	109	57	18	265	-	-	-	-	1	9	20	57	91	54	33
Black	308	-	-	-	1	5	13	32	74	109	56	18	257	-	-	-	-	1	9	17	56	88	53	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,017	-	-	-	-	3	41	200	617	751	337	68	831	-	-	-	-	2	35	93	246	287	140	28
White	1,563	-	-	-	-	1	27	147	451	603	277	57	693	-	-	-	-	2	31	69	202	247	123	19
All other	454	-	-	-	-	2	14	53	166	148	60	11	138	-	-	-	-	-	4	24	44	40	17	9
Black	451	-	-	-	-	2	13	53	165	147	60	11	137	-	-	-	-	-	4	24	43	40	17	9
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	1	2	-	2	-	801	-	-	-	1	16	66	128	197	198	131	66
White	5	-	-	-	-	-	-	1	2	-	2	-	664	-	-	-	1	13	51	96	168	165	112	58
All other	-	-	-	-	-	-	-	-	-	-	-	-	137	-	-	-	-	3	15	32	29	31	19	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	137	-	-	-	-	3	15	32	29	31	19	8
Malignant neoplasms of genital organs (179-187)	589	-	-	-	2	4	2	13	61	209	209	89	496	-	-	-	1	12	22	53	127	153	98	30
White	386	-	-	-	2	4	-	9	34	133	143	61	393	-	-	-	1	8	20	35	97	124	84	24
All other	203	-	-	-	-	-	2	4	27	76	66	28	103	-	-	-	-	4	2	18	30	29	14	6
Black	202	-	-	-	-	-	2	4	27	76	65	28	101	-	-	-	-	4	2	17	30	28	14	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	241	-	-	-	1	-	8	22	47	68	71	24	142	-	1	1	-	-	2	9	28	35	42	24
White	201	-	-	-	-	-	3	17	40	55	65	21	121	-	1	1	-	-	2	8	24	26	36	23
All other	40	-	-	-	1	-	5	5	7	13	6	3	21	-	-	-	-	-	-	1	4	9	6	1
Black	40	-	-	-	1	-	5	5	7	13	6	3	21	-	-	-	-	-	-	1	4	9	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	738	2	2	4	14	23	36	97	191	223	106	40	624	1	1	6	13	12	21	57	132	174	143	64
White	574	1	2	3	10	22	31	75	146	172	85	27	504	1	1	4	11	10	20	47	104	137	116	53
All other	164	1	-	1	4	1	5	22	45	51	21	13	120	-	-	2	2	2	1	10	28	37	27	11
Black	158	1	-	1	4	1	5	21	43	49	21	12	119	-	-	2	2	2	1	10	28	37	27	10
Leukemia (204-208)	220	1	5	8	8	8	11	17	47	64	36	15	142	-	-	8	2	9	15	17	26	25	26	13
White	187	1	5	5	5	6	8	13	40	57	33	14	115	-	-	7	-	8	10	11	23	21	23	11
All other	33	-	-	3	3	2	3	4	7	7	3	1	27	-	-	1	2	1	5	6	3	4	3	2
Black	29	-	-	3	2	1	2	3	7	7	3	1	26	-	-	1	2	-	5	6	3	4	3	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	266	-	1	4	4	11	10	36	54	80	51	15	234	-	-	2	4	6	7	13	47	69	59	27
White	209	-	1	3	3	8	9	28	42	58	43	14	201	-	-	-	2	3	6	10	40	62	54	24
All other	57	-	-	1	1	3	1	8	12	22	8	1	33	-	-	2	2	3	1	3	7	7	5	3
Black	55	-	-	1	1	3	1	7	11	22	8	1	33	-	-	2	2	3	1	3	7	7	5	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	68	1	-	2	1	4	2	10	12	19	14	3	73	-	1	2	2	1	3	5	9	17	21	12
White	58	-	-	2	1	3	2	10	8	15	14	3	58	-	1	2	2	-	1	5	7	11	17	12
All other	10	1	-	-	-	1	-	-	4	4	-	-	15	-	-	-	-	1	2	-	2	6	4	-
Black	10	1	-	-	-	1	-	-	4	4	-	-	14	-	-	-	-	-	2	-	2	6	4	-
Diabetes mellitus (250)	267	-	-	-	-	9	26	27	70	71	48	16	399	-	-	-	-	6	13	21	61	112	126	60
White	186	-	-	-	-	5	18	15	48	51	38	11	250	-	-	-	-	4	5	11	34	68	85	43
All other	81	-	-	-	-	4	8	12	22	20	10	5	149	-	-	-	-	2	8	10	27	44	41	17
Black	81	-	-	-	-	4	8	12	22	20	10	5	148	-	-	-	-	2	7	10	27	44	41	17
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	1	3	2	6	7	38	-	-	-	-	1	3	1	2	3	14	14
White	14	-	-	-	-	-	-	-	1	2	5	6	27	-	-	-	-	1	3	1	1	1	10	10
All other	5	-	-	-	-	-	-	1	2	-	1	1	11	-	-	-	-	-	-	-	1	2	4	4
Black	5	-	-	-	-	-	-	1	2	-	1	1	11	-	-	-	-	-	-	-	1	2	4	4
Anemias (280-285)	27	-	1	1	1	2	-	2	5	6	7	2	37	-	-	-	1	2	2	3	5	5	12	6
White	19	-	-	1	-	1	-	-	4	4	7	2	25	-	-	-	1	1	1	-	3	4	10	5
All other	8	-	1	-	1	1	-	2	1	2	-	-	12	-	-	-	-	1	1	3	2	1	2	1
Black	7	-	1	-	1	1	-	1	1	2	-	-	12	-	-	-	-	1	1	3	2	1	2	1
Meningitis (320-322)	20	5	3	1	-	3	2	2	1	2	1	-	16	4	3	1	-	-	-	1	2	3	3	1
White	15	3	3	1	-	2	1	2	1	2	-	-	6	-	2	1	-	-	-	1	1	-	1	-
All other	5	2	-	-	-	1	1	-	-	-	1	-	12	4	1	-	-	-	-	-	1	3	2	1
Black	5	2	-	-	-	1	1	-	-	-	1	-	11	3	1	-	-	-	-	-	1	3	2	1
Major cardiovascular diseases (390-448)	10,537	18	6	6	20	69	220	768	1,958	3,189	2,925	1,378	10,300	14	5	3	14	37	114	316	929	2,089	3,548	3,228
White	8,398	15	4	2	11	40	164	579	1,498	2,528	2,413	1,144	8,224	11	3	2	8	24	71	193	622	1,535	2,914	2,839
All other	2,139	3	2	4	9	29	56	189	460	641	512	234	2,076	3	2	1	6	13	43	123	307	554	634	389
Black	2,107	3	2	3	9	25	52	183	455	634	507	234	2,059	3	2	1	6	13	42	121	306	545	630	389
Diseases of heart (390-398,402,404-429)	8,559	16	6	5	15	55	195	673	1,721	2,632	2,227	1,014	7,597	12	5	3	9	23	83	235	725	1,644	2,583	2,275
White	6,901	13	4	1	8	33	143	515	1,350	2,139	1,854	841	6,120	10	3	2	4	11	52	137	504	1,242	2,133	2,022
All other	1,658	3	2	4	7	22	52	158	371	493	373	173	1,477	2	2	1	5	12	31	98	221	402	450	253
Black	1,632	3	2	3	7	18	48	152	368	489	369	173	1,468	2	2	1	5	12	31	96	220	399	447	253
Rheumatic fever and rheumatic heart disease (390-398)	37	-	-	-	-	1	1	6	10	11	5	3	77	-	-	-	-	1	1	9	16	28	15	7
White	34	-	-	-	-	-	1	6	10	9	5	3	70	-	-	-	-	1	1	6	14	27	15	6
All other	3	-	-	-	-	1	-	-	-	2	-	-	7	-	-	-	-	-	-	3	2	1	-	1
Black	3	-	-	-	-	1	-	-	-	2	-	-	7	-	-	-	-	-	-	3	2	1	-	1
Hypertensive heart disease (402)	176	-	-	-	-	4	3	11	35	53	52	18	255	-	-	-	-	1	4	19	16	50	86	79
White	95	-	-	-	-	-	2	3	16	33	27	14	164	-	-	-	-	-	2	3	7	28	60	64
All other	81	-	-	-	-	4	1	8	19	20	25	4	91	-	-	-	-	1	2	16	9	22	26	15
Black	80	-	-	-	-	4	1	8	19	20	24	4	90	-	-	-	-	1	2	15	9	22	26	15
Hypertensive heart and renal disease (404)	31	-	-	-	-	-	2	-	3	10	8	8	44	-	-	-	-	-	-	-	4	12	8	20
White	17	-	-	-	-	-	-	-	2	7	5	3	26	-	-	-	-	-	-	-	2	7	6	11
All other	14	-	-	-	-	-	2	-	1	3	3	5	18	-	-	-	-	-	-	-	2	5	2	9
Black	14	-	-	-	-	-	2	-	1	3	3	5	18	-	-	-	-	-	-	-	2	5	2	9
Ischemic heart disease (410-414)	6,142	-	-	-	2	23	148	505	1,329	1,968	1,529	638	4,757	-	-	-	1	8	46	141	481	1,162	1,670	1,246
White	5,097	-	-	-	2	17	117	403	1,079	1,638	1,310	531	3,924	-	-	-	-	4	31	100	358	904	1,404	1,123
All other	1,045	-	-	-	-	6	31	102	250	330	219	107	833	-	-	-	1	4	15	41	123	258	266	125
Black	1,026	-	-	-	-	3	28	98	248	326	216	107	829	-	-	-	1	4	15	41	123	257	263	125
Acute myocardial infarction (410)	3,459	-	-	-	1	10	92	295	809	1,169	786	297	2,440	-	-	-	1	5	32	86	295	718	850	453
White	2,896	-	-	-	1	9	69	235	657	985	688	252	2,007	-	-	-	-	2	20	56	231	560	729	409
All other	563	-	-	-	-	1	23	60	152	184	98	45	433	-	-	-	1	3	12	30	64	158	121	44
Black	555	-	-	-	-	-	21	59	152	182	96	45	430	-	-	-	1	3	12	30	64	157	119	44

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	387	-	-	-	-	1	15	60	97	103	88	23	232	-	-	-	-	2	5	11	35	53	74	52
White	272	-	-	-	-	-	11	46	64	72	65	14	173	-	-	-	-	1	3	7	21	37	63	41
All other	115	-	-	-	-	1	4	14	33	31	23	9	59	-	-	-	-	1	2	4	14	16	11	11
Black	112	-	-	-	-	1	4	13	31	31	23	9	59	-	-	-	-	1	2	4	14	16	11	11
Angina pectoris (413)	14	-	-	-	-	-	-	1	1	6	4	2	12	-	-	-	-	-	-	2	1	1	6	2
White	12	-	-	-	-	-	-	1	1	6	3	1	9	-	-	-	-	-	-	1	-	-	6	2
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	1	1	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,282	-	-	-	1	12	41	149	422	690	651	316	2,073	-	-	-	-	1	9	42	150	390	740	741
White	1,917	-	-	-	1	8	37	121	357	575	554	264	1,735	-	-	-	-	1	8	36	106	307	606	671
All other	365	-	-	-	-	4	4	28	65	115	97	52	338	-	-	-	-	-	1	6	44	83	134	70
Black	357	-	-	-	-	2	3	28	65	113	96	52	337	-	-	-	-	-	1	6	44	83	133	70
Other diseases of endocardium (424)	91	1	-	-	-	2	1	6	17	25	30	9	95	-	-	-	1	1	4	4	13	10	39	23
White	83	1	-	-	-	2	1	4	16	24	27	8	80	-	-	-	1	-	3	4	8	8	34	22
All other	8	-	-	-	-	-	-	2	1	1	3	1	15	-	-	-	-	1	1	-	5	2	5	1
Black	8	-	-	-	-	-	-	2	1	1	3	1	15	-	-	-	-	1	1	-	5	2	5	1
All other forms of heart disease (415-423,425-429)	2,082	15	6	5	13	25	40	145	327	565	609	338	2,369	12	5	3	7	12	28	62	195	382	765	898
White	1,575	12	4	1	6	14	22	99	227	428	480	282	1,856	10	3	2	3	6	15	24	115	268	614	786
All other	507	3	2	4	7	11	18	46	100	137	123	56	513	2	2	1	4	6	13	38	80	114	151	102
Black	501	3	2	3	7	10	17	44	99	137	123	56	509	2	2	1	4	6	13	37	79	112	151	102
Hypertension with or without renal disease (401,403)	65	-	-	-	-	-	1	4	12	15	21	12	87	-	-	-	-	1	4	3	9	23	24	23
White	41	-	-	-	-	-	1	1	5	9	15	10	52	-	-	-	-	1	3	-	4	11	14	19
All other	24	-	-	-	-	-	-	3	7	6	6	2	35	-	-	-	-	-	1	3	5	12	10	4
Black	24	-	-	-	-	-	-	3	7	6	6	2	35	-	-	-	-	-	1	3	5	12	10	4
Cerebrovascular diseases (430-438)	1,417	2	-	1	3	12	21	71	161	366	527	253	2,079	1	-	-	4	11	25	66	164	351	766	688
White	1,046	2	-	1	2	6	17	46	94	251	418	209	1,602	-	-	-	3	10	14	45	92	230	626	580
All other	371	-	-	-	1	6	4	25	67	115	109	44	477	1	-	-	1	1	11	21	72	121	140	108
Black	367	-	-	-	1	6	4	25	66	112	108	44	469	1	-	-	1	1	10	21	72	115	139	108
Intracerebral and other intracranial hemorrhage (431-432)	210	1	-	1	-	6	7	27	41	60	55	12	220	1	-	-	2	2	10	14	44	52	67	28
White	149	1	-	1	-	3	5	17	23	42	46	11	158	-	-	-	1	2	5	10	25	36	60	19
All other	61	-	-	-	-	3	2	10	18	18	9	1	62	1	-	-	1	-	5	4	19	16	7	9
Black	60	-	-	-	-	3	2	10	18	17	9	1	59	1	-	-	1	-	5	4	19	13	7	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	242	-	-	-	-	1	4	10	17	61	108	41	353	-	-	-	1	1	2	6	16	60	139	134
White	187	-	-	-	-	-	3	5	10	44	87	38	279	-	-	-	1	1	1	4	11	43	107	111
All other	55	-	-	-	-	1	1	5	7	17	21	3	74	-	-	-	-	-	1	2	5	17	26	23
Black	54	-	-	-	-	1	1	5	6	17	21	3	74	-	-	-	-	-	1	2	5	17	26	23
Cerebral embolism (434.1)	5	-	-	-	-	-	-	1	-	-	3	1	7	-	-	-	-	-	-	-	1	1	2	3
White	5	-	-	-	-	-	-	1	-	-	3	1	5	-	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	960	1	-	-	3	5	10	33	103	245	361	199	1,499	-	-	-	1	8	13	46	103	238	564	523
White	705	1	-	-	2	3	9	23	61	165	282	159	1,160	-	-	-	1	7	8	31	56	150	457	448
All other	255	-	-	-	1	2	1	10	42	80	79	40	339	-	-	-	-	1	5	15	47	88	107	75
Black	253	-	-	-	1	2	1	10	42	78	79	40	334	-	-	-	-	1	4	15	47	85	106	75
Atherosclerosis (440)	217	-	-	-	-	-	1	1	17	54	71	73	362	-	-	-	-	-	1	5	9	35	111	201
White	171	-	-	-	-	-	1	1	11	44	55	59	300	-	-	-	-	-	1	5	5	26	83	180
All other	46	-	-	-	-	-	-	-	6	10	16	14	62	-	-	-	-	-	-	-	4	9	28	21
Black	46	-	-	-	-	-	-	-	6	10	16	14	62	-	-	-	-	-	-	-	4	9	28	21
Other diseases of arteries, arterioles, and capillaries (441-448)	279	-	-	-	2	2	2	19	47	102	79	28	175	1	-	-	1	2	1	7	22	36	64	41
White	239	-	-	-	1	1	2	16	38	85	71	25	150	1	-	-	1	2	1	6	17	26	58	38
All other	40	-	-	-	1	1	-	3	9	17	8	1	25	-	-	-	-	-	-	1	5	10	6	3
Black	38	-	-	-	1	1	-	3	8	17	7	1	25	-	-	-	-	-	-	1	5	10	6	3
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	-	-	4	1
White	1	1	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	4	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	654	3	3	-	1	6	12	21	72	125	242	169	606	9	2	2	4	4	7	12	23	73	197	273
White	518	1	1	-	1	1	5	12	52	98	197	150	517	7	2	-	2	2	5	7	17	53	166	256
All other	136	2	2	-	-	5	7	9	20	27	45	19	89	2	-	2	2	2	2	5	6	20	31	17
Black	134	2	1	-	-	5	7	9	20	27	44	19	86	2	-	1	2	2	2	5	6	19	31	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	636	3	3	-	1	6	12	21	71	124	233	162	584	9	1	2	3	4	7	10	23	71	191	263
White	500	1	1	-	1	1	5	12	51	97	188	143	498	7	1	-	2	2	5	6	17	51	160	247
All other	136	2	2	-	-	5	7	9	20	27	45	19	86	2	-	2	1	2	2	4	6	20	31	16
Black	134	2	1	-	-	5	7	9	20	27	44	19	84	2	-	1	1	2	2	4	6	19	31	16
Influenza (487)	18	-	-	-	-	-	-	-	1	1	9	7	22	-	1	-	1	-	-	2	-	2	6	10
White	18	-	-	-	-	-	-	-	1	1	9	7	19	-	1	-	-	-	-	1	-	2	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	899	2	-	-	4	3	7	35	146	339	276	87	501	1	1	-	1	1	2	27	105	164	136	63
White	780	2	-	-	2	1	4	25	122	293	255	76	454	-	-	-	-	-	2	24	93	149	126	60
All other	119	-	-	-	2	2	3	10	24	46	21	11	47	1	1	-	1	1	-	3	12	15	10	3
Black	119	-	-	-	2	2	3	10	24	46	21	11	46	1	1	-	1	1	-	3	11	15	10	3
Bronchitis, chronic and unspecified (490-491)	43	-	-	-	-	-	1	1	6	15	14	6	34	1	-	-	-	-	-	3	3	9	8	10
White	40	-	-	-	-	-	1	1	6	15	13	4	29	-	-	-	-	-	-	2	2	7	8	10
All other	3	-	-	-	-	-	-	-	-	-	1	2	5	1	-	-	-	-	-	1	1	2	-	-
Black	3	-	-	-	-	-	-	-	-	-	1	2	5	1	-	-	-	-	-	1	1	2	-	-
Emphysema (492)	164	1	-	-	-	-	2	4	30	74	33	20	85	-	-	-	-	-	1	5	22	30	19	8
White	148	1	-	-	-	-	1	2	26	70	31	17	82	-	-	-	-	-	1	5	21	29	18	8
All other	16	-	-	-	-	-	1	2	4	4	2	3	3	-	-	-	-	-	-	-	1	1	1	-
Black	16	-	-	-	-	-	1	2	4	4	2	3	3	-	-	-	-	-	-	-	1	1	1	-
Asthma (493)	34	1	-	-	4	3	1	8	7	6	3	1	41	-	1	-	1	1	1	6	11	11	8	1
White	18	1	-	-	2	1	1	2	5	3	2	1	26	-	-	-	-	-	1	4	6	8	6	1
All other	16	-	-	-	2	2	-	6	2	3	1	-	15	-	1	-	1	1	-	2	5	3	2	-
Black	16	-	-	-	2	2	-	6	2	3	1	-	14	-	1	-	1	1	-	2	4	3	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	658	-	-	-	-	-	3	22	103	244	226	60	341	-	-	-	-	-	-	13	69	114	101	44
White	574	-	-	-	-	-	1	20	85	205	209	54	317	-	-	-	-	-	-	13	64	105	94	41
All other	84	-	-	-	-	-	2	2	18	39	17	6	24	-	-	-	-	-	-	-	5	9	7	3
Black	84	-	-	-	-	-	2	2	18	39	17	6	24	-	-	-	-	-	-	-	5	9	7	3
Ulcer of stomach and duodenum (531-533)	46	-	-	-	-	-	2	2	12	10	13	7	74	-	-	-	-	-	1	3	6	18	27	19
White	38	-	-	-	-	-	2	2	8	9	12	6	68	-	-	-	-	-	1	3	4	18	25	17
All other	8	-	-	-	-	-	-	-	4	2	1	1	6	-	-	-	-	-	-	-	2	-	2	2
Black	8	-	-	-	-	-	-	-	4	2	1	1	6	-	-	-	-	-	-	-	2	-	2	2
Appendicitis (540-543)	7	-	-	-	1	-	-	-	1	3	-	2	5	-	-	-	-	-	-	-	-	4	-	1
White	4	-	-	-	1	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-	3	-	-
All other	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	2	1	-	-	-	2	-	2	10	12	9	69	2	-	-	1	-	-	3	4	17	22	20
White	29	2	-	-	-	-	-	-	1	8	11	7	50	-	-	-	-	-	-	1	3	12	17	17
All other	9	-	1	-	-	-	2	-	1	2	1	2	19	2	-	-	1	-	-	2	1	5	5	3
Black	9	-	1	-	-	-	2	-	1	2	1	2	17	2	-	-	1	-	-	2	1	4	4	3
Chronic liver disease and cirrhosis (571)	340	-	-	-	1	10	41	77	109	78	23	1	209	-	-	-	1	9	12	33	77	48	26	3
White	275	-	-	-	1	6	34	57	90	64	22	1	163	-	-	-	1	5	6	25	63	36	24	3
All other	65	-	-	-	-	4	7	20	19	14	1	-	46	-	-	-	-	4	6	8	14	12	2	-
Black	64	-	-	-	-	4	7	20	19	13	1	-	45	-	-	-	-	4	6	7	14	12	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	30	-	-	-	-	1	2	3	3	5	10	6	36	-	-	-	-	-	-	1	4	3	17	11
White	27	-	-	-	-	1	2	3	1	5	9	6	24	-	-	-	-	-	-	-	2	2	11	9
All other	3	-	-	-	-	-	-	-	2	-	1	-	12	-	-	-	-	-	-	1	2	1	6	2
Black	3	-	-	-	-	-	-	-	2	-	1	-	12	-	-	-	-	-	-	1	2	1	6	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	193	3	-	-	1	-	2	9	24	54	61	39	221	-	1	-	-	1	4	11	22	44	83	55
White	134	2	-	-	1	-	2	4	13	34	48	30	151	-	1	-	-	-	2	6	16	31	55	40
All other	59	1	-	-	-	-	-	5	11	20	13	9	70	-	-	-	-	1	2	5	6	13	28	15
Black	58	1	-	-	-	-	-	5	11	19	13	9	70	-	-	-	-	1	2	5	6	13	28	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	-	-	-	-	2	5	8	2	23	-	-	-	-	1	-	-	1	7	11	3
White	12	-	-	-	-	-	-	-	1	1	8	2	18	-	-	-	-	-	-	-	1	7	8	2
All other	5	-	-	-	-	-	-	-	1	4	-	-	5	-	-	-	-	1	-	-	-	-	3	1
Black	5	-	-	-	-	-	-	-	1	4	-	-	5	-	-	-	-	1	-	-	-	-	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	2	-	-	1	-	2	9	21	49	53	37	198	-	1	-	-	-	4	11	21	37	72	52
White	121	2	-	-	1	-	2	4	11	33	40	28	133	-	1	-	-	-	2	6	15	24	47	38
All other	53	-	-	-	-	-	-	5	10	16	13	9	65	-	-	-	-	-	2	5	6	13	25	14
Black	52	-	-	-	-	-	-	5	10	15	13	9	65	-	-	-	-	-	2	5	6	13	25	14
Infections of kidney (590)	7	-	-	-	-	-	-	-	-	2	5	-	24	-	-	-	-	1	2	1	5	2	6	7
White	4	-	-	-	-	-	-	-	-	1	3	-	20	-	-	-	-	1	2	-	3	2	5	7
All other	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	1	2	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	1	2	-	1	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	-	1	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Congenital anomalies (740-759)	144	99	16	3	7	5	5	3	2	-	4	-	148	100	9	3	7	5	4	5	5	4	5	1
White	100	70	9	3	5	1	5	3	2	-	2	-	121	83	7	3	5	5	2	4	4	4	3	1
All other	44	29	7	-	2	4	-	-	-	-	2	-	27	17	2	-	2	-	2	1	1	-	2	-
Black	41	28	5	-	2	4	-	-	-	-	2	-	26	16	2	-	2	-	2	1	1	-	2	-
Certain conditions originating in the perinatal period (760-779)	302	302	-	-	-	-	-	-	-	-	-	-	203	202	1	-	-	-	-	-	-	-	-	-
White	160	160	-	-	-	-	-	-	-	-	-	-	100	100	-	-	-	-	-	-	-	-	-	-
All other	142	142	-	-	-	-	-	-	-	-	-	-	103	102	1	-	-	-	-	-	-	-	-	-
Black	140	140	-	-	-	-	-	-	-	-	-	-	103	102	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	53	53	-	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	22	22	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	21	21	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	249	249	-	-	-	-	-	-	-	-	-	-	158	157	1	-	-	-	-	-	-	-	-	-
White	129	129	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
All other	120	120	-	-	-	-	-	-	-	-	-	-	84	83	1	-	-	-	-	-	-	-	-	-
Black	119	119	-	-	-	-	-	-	-	-	-	-	84	83	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	197	62	3	1	7	10	9	16	17	36	23	10	204	54	1	-	2	4	5	3	11	21	33	70
White	133	37	-	-	7	7	6	10	12	22	20	9	147	31	-	-	1	1	3	2	9	14	27	59
All other	64	25	3	1	-	3	3	6	5	14	3	1	57	23	1	-	1	3	2	1	2	7	6	11
Black	63	25	2	1	-	3	3	6	5	14	3	1	57	23	1	-	1	3	2	1	2	7	6	11
All other diseases (Residual)	1,561	20	12	6	23	38	82	119	301	402	357	201	1,470	16	7	12	14	41	43	79	166	299	420	373
White	1,139	10	6	3	15	16	56	76	204	303	282	168	1,119	12	6	9	9	22	26	44	112	223	347	309
All other	422	10	6	3	8	22	26	43	97	99	75	33	351	4	1	3	5	19	17	35	54	76	73	64
Black	420	10	6	3	8	22	26	43	97	99	73	33	347	4	1	3	5	18	17	34	53	76	72	64
Accidents and adverse effects (E800-E949)	1,449	7	34	49	335	274	172	141	177	123	95	42	614	11	19	32	97	58	39	44	63	79	88	84
White	1,074	2	21	28	274	206	129	94	121	92	74	33	484	9	13	23	75	46	32	33	49	59	69	76
All other	375	5	13	21	61	68	43	47	56	31	21	9	130	2	6	9	22	12	7	11	14	20	19	8
Black	369	5	13	21	60	66	42	46	56	31	20	9	124	2	5	8	19	12	7	10	14	20	19	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	674	2	9	24	227	165	82	58	49	31	24	3	246	4	4	14	71	40	30	21	19	22	18	3
White	519	1	5	15	191	124	57	41	34	27	21	3	210	3	3	11	62	35	28	16	14	20	15	3
All other	155	1	4	9	36	41	25	17	15	4	3	-	36	1	1	3	9	5	2	5	5	2	3	-
Black	153	1	4	9	36	40	25	16	15	4	3	-	32	1	1	2	7	5	2	4	5	2	3	-
All other accidents and adverse effects (E800-E807, E826-E949)	775	5	25	25	108	109	90	83	128	92	71	39	368	7	15	18	26	18	9	23	44	57	70	81
White	555	1	16	13	83	82	72	53	87	65	53	30	274	6	10	12	13	11	4	17	35	39	54	73
All other	220	4	9	12	25	27	18	30	41	27	18	9	94	1	5	6	13	7	5	6	9	18	16	8
Black	216	4	9	12	24	26	17	30	41	27	17	9	92	1	4	6	12	7	5	6	9	18	16	8
Suicide (E950-E959)	551	...	...	5	96	130	77	69	71	57	37	9	166	...	...	4	27	38	26	26	17	22	3	1
White	483	...	...	3	83	107	67	61	67	54	32	9	147	...	...	2	23	34	24	25	16	19	3	1
All other	68	...	...	2	13	23	10	8	4	3	5	-	19	...	...	2	4	4	2	3	1	3	-	-
Black	64	...	...	2	11	21	10	8	4	3	5	-	18	...	...	2	4	4	2	3	1	2	-	-
Homicide and legal intervention (E960-E978)	328	3	2	5	72	98	62	41	23	15	6	1	103	2	5	2	21	32	19	7	6	5	3	1
White	147	3	-	3	26	42	30	19	13	9	2	-	56	-	2	2	11	14	12	5	4	4	2	-
All other	181	-	2	2	46	56	32	22	10	6	4	1	47	2	3	-	10	18	7	2	2	1	1	1
Black	176	-	2	2	44	55	31	21	10	6	4	1	45	2	3	-	9	17	7	2	2	1	1	1
All other external causes (E980-E999)	19	-	2	2	4	6	1	1	1	-	-	-	6	1	-	-	-	1	-	3	-	-	1	-
White	11	-	1	-	2	7	1	-	-	-	-	-	3	-	-	-	-	1	-	1	-	-	1	-
All other	8	-	1	2	2	1	-	1	1	-	-	-	3	1	-	-	-	-	-	2	-	-	-	-
Black	8	-	1	2	2	1	-	1	1	-	-	-	3	1	-	-	-	-	-	2	-	-	-	-
WASHINGTON																								
All causes	17,415	380	68	88	489	620	565	1,067	2,725	4,620	4,358	2,432	15,253	273	44	54	188	233	322	647	1,713	3,108	4,177	4,512
White	16,551	326	58	80	449	559	513	988	2,569	4,437	4,193	2,376	14,721	232	38	51	148	207	291	598	1,626	3,008	4,082	4,438
All other	864	54	10	8	40	61	52	79	156	183	165	56	532	41	6	3	20	26	31	49	87	100	95	74
Black	399	25	6	3	13	28	23	42	89	88	66	16	260	31	4	2	10	11	10	23	48	58	43	22
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	1	-	-	-	-	1	-	-	-	3	-	3	1	-	-	-	-	-	-	-	-	1	1
White	5	1	-	-	-	-	1	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	12	-	-	-	-	-	-	-	6	3	3	-	7	-	-	-	-	-	1	1	1	2	2	-
White	10	-	-	-	-	-	-	-	5	2	3	-	6	-	-	-	-	-	1	1	1	1	2	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	9	-	-	-	-	-	-	-	6	1	2	-	7	-	-	-	-	-	1	1	1	2	2	-
White	8	-	-	-	-	-	-	-	5	1	2	-	6	-	-	-	-	-	1	1	1	1	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	61	1	-	-	-	-	-	4	13	20	16	7	77	3	-	-	-	1	2	3	7	17	27	17
White	55	1	-	-	-	-	-	4	10	18	15	7	75	3	-	-	-	1	1	3	6	17	27	17
All other	6	-	-	-	-	-	-	-	3	2	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	5	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	4	1	-	-	-	-	1	-	1	1	-	-	5	-	-	-	-	-	1	-	1	2	-	1
White	4	1	-	-	-	-	1	-	1	1	-	-	5	-	-	-	-	-	1	-	1	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	35	1	-	1	-	5	1	3	6	7	7	4	36	1	-	3	-	2	2	3	7	4	7	7
White	31	1	-	-	-	4	1	3	5	7	6	4	35	1	-	3	-	2	2	2	7	4	7	7
All other	4	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,853	-	8	15	25	37	94	298	825	1,292	925	334	3,431	-	6	5	20	42	121	297	776	989	761	414
White	3,683	-	7	14	22	35	91	278	785	1,240	886	325	3,315	-	6	5	19	38	114	278	750	956	744	405
All other	170	-	1	1	3	2	3	20	40	52	39	9	116	-	-	-	1	4	7	19	26	33	17	9
Black	85	-	-	-	1	-	2	11	25	25	17	4	63	-	-	-	-	2	4	12	16	18	8	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	79	-	-	-	-	1	-	7	21	31	17	2	54	-	-	-	1	-	1	3	14	19	12	4
White	76	-	-	-	-	1	-	6	20	30	17	2	51	-	-	-	-	-	1	2	13	19	12	4
All other	3	-	-	-	-	-	-	1	1	1	-	-	3	-	-	-	1	-	-	1	1	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	974	-	-	-	-	2	22	70	227	326	227	100	845	-	-	-	2	3	13	39	149	235	232	172
White	908	-	-	-	-	2	21	65	207	306	212	95	809	-	-	-	2	2	12	35	139	225	226	168
All other	66	-	-	-	-	-	1	5	20	20	15	5	36	-	-	-	-	1	1	4	10	10	6	4
Black	29	-	-	-	-	-	1	3	9	8	6	2	19	-	-	-	-	-	1	2	6	5	3	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,390	-	-	-	-	2	19	123	356	510	318	62	676	-	-	-	-	1	14	71	215	219	126	30
White	1,334	-	-	-	-	2	18	113	343	491	306	61	653	-	-	-	-	1	14	67	207	212	124	28
All other	56	-	-	-	-	-	1	10	13	19	12	1	23	-	-	-	-	-	-	4	8	7	2	2
Black	31	-	-	-	-	-	1	6	10	9	5	-	12	-	-	-	-	-	-	3	5	3	1	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	629	-	-	-	1	7	45	90	157	176	110	43
White	1	-	-	-	-	-	-	-	-	1	-	-	610	-	-	-	1	7	41	87	155	171	107	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	-	4	3	2	5	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	3	3	1	4	2	1
Malignant neoplasms of genital organs (179-187)	391	-	-	-	-	-	1	6	35	121	145	83	416	-	-	-	1	4	15	37	98	135	84	42
White	381	-	-	-	-	-	1	6	34	119	139	82	398	-	-	-	1	2	13	34	93	131	82	42
All other	10	-	-	-	-	-	-	-	1	2	6	1	18	-	-	-	-	2	2	3	5	4	2	-
Black	8	-	-	-	-	-	-	-	1	1	5	1	8	-	-	-	-	1	-	2	3	2	-	-
Malignant neoplasms of urinary organs (188-189)	210	-	-	-	-	1	2	18	29	75	51	34	110	-	-	-	-	1	4	5	16	29	34	21
White	207	-	-	-	-	1	2	17	29	73	51	34	107	-	-	-	-	1	4	5	16	27	33	21
All other	3	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	428	-	2	9	15	19	31	35	94	119	79	25	387	-	5	3	7	14	18	29	70	105	85	51
White	410	-	2	8	13	18	31	34	90	114	77	23	381	-	5	3	7	14	18	27	70	103	83	51
All other	18	-	-	1	2	1	-	1	4	5	2	2	6	-	-	-	-	-	-	2	-	2	2	-
Black	9	-	-	-	1	-	-	1	4	2	-	1	4	-	-	-	-	-	-	-	-	2	2	-
Leukemia (204-208)	158	-	6	5	6	5	9	17	22	32	41	15	113	-	1	1	5	4	6	8	16	21	27	24
White	155	-	5	5	5	5	9	16	22	32	41	15	109	-	1	1	5	3	6	7	16	20	27	23
All other	3	-	1	-	1	-	-	1	-	-	-	-	4	-	-	-	-	1	-	1	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	222	-	-	1	4	7	10	22	41	77	47	13	201	-	-	1	3	8	5	15	41	50	51	27
White	211	-	-	1	4	6	9	21	40	74	43	13	197	-	-	1	3	8	5	14	41	48	50	27
All other	11	-	-	-	-	1	1	1	1	3	4	-	4	-	-	-	-	-	-	1	-	2	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	43	1	-	1	1	-	1	5	6	11	13	4	40	1	-	-	1	4	2	2	3	8	12	7
White	40	1	-	1	-	-	1	5	6	10	12	4	40	1	-	-	1	4	2	2	3	8	12	7
All other	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	256	-	-	1	1	10	16	14	42	73	63	36	339	-	-	3	-	5	5	17	44	90	105	70
White	238	-	-	1	1	10	16	10	36	68	61	35	322	-	-	3	-	4	5	17	39	84	101	69
All other	18	-	-	-	-	-	-	4	6	5	2	1	17	-	-	-	-	1	-	-	5	6	4	1
Black	9	-	-	-	-	-	-	3	4	2	-	-	11	-	-	-	-	1	-	-	4	3	3	-
Nutritional deficiencies (260-269)	17	-	-	-	-	-	1	-	1	4	4	7	42	-	-	-	-	-	1	-	1	3	12	25
White	16	-	-	-	-	-	1	-	1	4	3	7	42	-	-	-	-	-	1	-	1	3	12	25
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	23	-	-	1	-	-	1	-	4	2	7	8	37	-	-	-	-	1	-	2	2	8	16	8
White	21	-	-	-	-	-	-	-	4	2	7	8	36	-	-	-	-	-	-	2	2	8	16	8
All other	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	6	2	-	-	-	3	-	-	-	-	-	1	7	1	1	-	-	-	1	-	-	3	-	1
White	6	2	-	-	-	3	-	-	-	-	-	1	7	1	1	-	-	-	1	-	-	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,885	10	4	2	15	49	120	437	1,228	2,260	2,303	1,457	7,399	5	2	1	6	18	42	144	515	1,318	2,379	2,969
White	7,567	9	3	2	12	43	104	410	1,162	2,173	2,218	1,431	7,205	3	2	1	3	17	40	132	481	1,277	2,326	2,923
All other	318	1	1	-	3	6	16	27	66	87	85	26	194	2	-	-	3	1	2	12	34	41	53	46
Black	155	-	-	-	1	3	9	19	39	44	34	6	97	2	-	-	2	-	-	6	17	29	26	15
Diseases of heart (390-398,402,404-429)	6,274	7	4	2	11	36	103	373	1,074	1,885	1,743	1,034	5,413	4	2	1	6	9	27	113	413	986	1,752	2,100
White	6,030	7	3	2	8	36	88	351	1,020	1,819	1,676	1,020	5,274	3	2	1	3	9	26	105	385	960	1,712	2,068
All other	244	-	1	-	3	2	15	22	54	66	67	14	139	1	-	-	3	-	1	8	28	26	40	32
Black	121	-	-	-	1	-	9	16	31	36	25	3	74	1	-	-	2	-	-	5	15	20	20	11
Rheumatic fever and rheumatic heart disease (390-398)	45	-	-	-	1	2	3	5	6	10	15	3	95	-	-	-	-	2	-	8	19	25	34	7
White	43	-	-	-	1	2	2	5	6	9	15	3	94	-	-	-	-	2	-	8	18	25	34	7
All other	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	87	-	-	-	-	-	1	8	15	31	21	11	148	-	-	-	-	-	-	2	15	28	50	53
White	78	-	-	-	-	-	1	6	14	26	20	11	140	-	-	-	-	-	-	2	14	28	47	51
All other	9	-	-	-	-	-	-	2	1	5	1	-	8	-	-	-	-	-	-	-	1	2	3	2
Black	5	-	-	-	-	-	-	2	-	3	-	-	6	-	-	-	-	-	-	-	1	2	2	1
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	-	-	5	4	6	18	-	-	-	-	-	-	-	-	-	13	5
White	15	-	-	-	-	-	-	-	-	5	4	6	17	-	-	-	-	-	-	-	-	-	12	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,570	1	-	-	4	19	79	288	831	1,421	1,258	669	3,527	-	-	-	-	-	18	73	273	689	1,169	1,325
White	4,421	1	-	-	1	18	70	271	796	1,380	1,225	659	3,437	-	-	-	-	-	17	68	259	650	1,142	1,301
All other	149	-	-	-	3	1	9	17	35	41	33	10	90	-	-	-	-	-	1	5	14	19	27	24
Black	72	-	-	-	1	-	5	13	18	22	10	3	43	-	-	-	-	-	-	3	7	13	14	6
Acute myocardial infarction (410)	2,466	1	-	-	2	9	46	183	512	819	653	241	1,628	-	-	-	-	-	11	49	167	390	597	414
White	2,381	1	-	-	1	9	42	172	489	794	636	237	1,586	-	-	-	-	-	10	46	161	378	583	408
All other	85	-	-	-	1	-	4	11	23	25	17	4	42	-	-	-	-	-	1	3	6	12	14	6
Black	36	-	-	-	-	-	2	8	11	10	5	-	20	-	-	-	-	-	-	1	2	8	7	2
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	-	2	-	3	3	4	5	-	-	-	-	-	-	-	1	1	3	-
White	12	-	-	-	-	-	-	2	-	3	3	4	5	-	-	-	-	-	-	-	1	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	13	-	-	-	-	-	-	1	-	7	4	1	12	-	-	-	-	-	-	-	1	2	4	5
White	13	-	-	-	-	-	-	1	-	7	4	1	12	-	-	-	-	-	-	-	1	2	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,079	-	-	-	2	10	33	102	319	592	598	423	1,882	-	-	-	-	-	7	24	104	276	565	906
White	2,015	-	-	-	-	9	28	96	307	576	582	417	1,834	-	-	-	-	-	7	22	96	269	552	888
All other	64	-	-	-	2	1	5	6	12	16	16	6	48	-	-	-	-	-	-	2	8	7	13	18
Black	36	-	-	-	1	-	3	5	7	12	5	3	23	-	-	-	-	-	-	2	5	5	7	4
Other diseases of endocardium (424)	100	1	-	-	1	3	2	5	11	28	36	13	104	-	-	-	1	2	1	2	7	17	33	41
White	95	1	-	-	1	3	1	5	10	26	35	13	102	-	-	-	-	2	1	2	6	17	33	41
All other	5	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,457	5	4	2	5	14	18	67	211	390	409	332	1,521	4	2	1	5	5	8	28	99	247	453	669
White	1,378	5	3	2	5	13	14	64	194	373	377	328	1,484	3	2	1	3	5	8	25	88	242	444	663
All other	79	-	1	-	-	1	4	3	17	17	32	4	37	1	-	-	2	-	-	3	11	5	9	6
Black	40	-	-	-	-	-	3	1	13	9	14	-	24	1	-	-	1	-	-	2	7	5	4	4
Hypertension with or without renal disease (401,403)	46	-	-	-	-	-	1	5	7	9	14	10	67	-	-	-	-	-	-	-	8	16	17	26
White	45	-	-	-	-	-	1	5	7	9	13	10	63	-	-	-	-	-	-	-	7	14	16	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	2	1	-
Cerebrovascular diseases (430-438)	1,096	3	-	-	3	10	13	49	95	250	390	283	1,485	1	-	-	-	8	14	27	74	245	486	630
White	1,036	2	-	-	3	6	13	45	87	231	374	275	1,443	-	-	-	-	8	13	23	70	235	475	619
All other	60	1	-	-	-	4	-	4	8	19	16	8	42	1	-	-	-	-	1	4	4	10	11	11
Black	27	-	-	-	-	3	-	2	5	7	8	2	15	1	-	-	-	-	-	1	1	4	5	3
Intracerebral and other intracranial hemorrhage (431-432)	149	2	-	-	-	4	6	11	24	41	44	17	175	1	-	-	-	-	5	9	19	42	55	44
White	142	1	-	-	-	2	6	11	22	40	43	17	167	-	-	-	-	-	5	6	18	42	52	44
All other	7	1	-	-	-	2	-	-	2	1	1	-	8	1	-	-	-	-	-	3	1	-	3	-
Black	3	-	-	-	-	1	-	-	1	-	1	-	4	1	-	-	-	-	-	-	1	-	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	160	-	-	-	-	-	-	5	14	34	68	39	209	-	-	-	-	1	-	3	5	32	79	89
White	152	-	-	-	-	-	-	4	13	31	65	39	208	-	-	-	-	1	-	3	5	32	79	88
All other	8	-	-	-	-	-	-	1	1	3	3	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	6	-	-	-	-	1	-	-	2	2	-	1	6	-	-	-	-	-	-	-	-	1	4	1
White	6	-	-	-	-	1	-	-	2	2	-	1	6	-	-	-	-	-	-	-	-	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	781	1	-	-	3	5	7	33	55	173	278	226	1,095	-	-	-	-	7	9	15	50	170	348	496
White	736	1	-	-	3	3	7	30	50	158	266	218	1,062	-	-	-	-	7	8	14	47	160	340	486
All other	45	-	-	-	-	2	-	3	5	15	12	8	33	-	-	-	-	-	1	1	3	10	8	10
Black	19	-	-	-	-	2	-	2	3	5	5	2	11	-	-	-	-	-	-	1	-	4	3	3
Atherosclerosis (440)	211	-	-	-	-	-	-	-	11	35	70	95	283	-	-	-	-	-	-	1	7	32	77	166
White	208	-	-	-	-	-	-	-	10	34	70	94	278	-	-	-	-	-	-	1	7	30	76	164
All other	3	-	-	-	-	-	-	-	1	1	-	1	5	-	-	-	-	-	-	-	-	2	1	2
Black	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	2	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	258	-	-	-	1	1	3	10	41	81	86	35	151	-	-	-	-	1	1	3	13	38	47	47
White	248	-	-	-	1	1	2	9	38	80	85	32	147	-	-	-	-	-	1	3	12	38	47	46
All other	10	-	-	-	-	-	1	1	3	1	1	3	4	-	-	-	-	1	-	-	1	1	-	1
Black	5	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	1	-	1	-	6	-	1	-	-	-	-	-	-	-	1	4
White	2	-	-	-	-	-	-	-	1	-	1	-	6	-	1	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	443	6	-	2	1	9	5	6	27	78	147	162	560	2	1	-	-	3	4	9	22	39	163	317
White	422	5	-	2	1	9	3	5	25	74	139	159	542	2	1	-	-	2	4	6	20	38	157	312
All other	21	1	-	-	-	-	2	1	2	4	8	3	18	-	-	-	-	1	-	3	2	1	6	5
Black	9	1	-	-	-	-	1	1	-	3	2	1	4	-	-	-	-	-	-	2	-	-	1	1
Pneumonia (480-486)	417	6	-	2	1	9	5	6	26	72	138	152	509	2	1	-	-	3	4	8	20	35	151	285
White	396	5	-	2	1	9	3	5	24	68	130	149	492	2	1	-	-	2	4	5	19	34	145	280
All other	21	1	-	-	-	-	2	1	2	4	8	3	17	-	-	-	-	1	-	3	1	1	6	5
Black	9	1	-	-	-	-	1	1	-	3	2	1	4	-	-	-	-	-	-	2	-	-	1	1
Influenza (487)	26	-	-	-	-	-	-	-	1	6	9	10	51	-	-	-	-	-	-	1	2	4	12	32
White	26	-	-	-	-	-	-	-	1	6	9	10	50	-	-	-	-	-	-	1	1	4	12	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	891	-	-	-	2	4	2	19	114	339	314	97	536	-	1	-	1	2	4	18	77	205	161	69
White	864	-	-	-	2	3	2	19	108	330	307	93	532	-	1	-	1	2	3	18	77	203	160	67
All other	27	-	-	-	-	1	-	-	6	9	7	4	6	-	-	-	-	-	1	-	-	2	1	2
Black	14	-	-	-	-	1	-	-	4	4	4	1	2	-	-	-	-	-	1	-	-	-	-	1
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	-	-	-	1	3	17	15	9	36	-	1	-	-	-	-	-	3	8	11	13
White	43	-	-	-	-	-	-	1	2	17	15	8	35	-	1	-	-	-	-	-	3	7	11	13
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	193	-	-	-	-	-	-	3	21	81	78	10	100	-	-	-	-	1	1	3	18	43	25	9
White	191	-	-	-	-	-	-	3	21	80	77	10	99	-	-	-	-	1	-	3	18	43	25	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	36	-	-	-	1	3	2	2	5	14	8	1	36	-	-	-	1	1	-	1	8	8	9	8
White	33	-	-	-	1	2	2	2	5	13	7	1	35	-	-	-	1	1	-	1	8	8	9	7
All other	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	617	-	-	-	1	1	-	13	85	227	213	77	366	-	-	-	-	-	3	14	48	146	118	39
White	597	-	-	-	1	1	-	13	80	220	208	74	363	-	-	-	-	-	3	14	48	145	115	38
All other	20	-	-	-	-	-	-	-	5	7	5	3	3	-	-	-	-	-	-	-	-	1	1	1
Black	11	-	-	-	-	-	-	-	4	3	3	1	1	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum (531-533)	62	-	-	-	-	-	-	1	10	13	22	16	65	-	-	-	-	-	1	2	10	10	26	16
White	59	-	-	-	-	-	-	1	10	11	22	15	64	-	-	-	-	-	1	2	10	10	25	16
All other	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	3	1
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	-	-	-	-	1	1	2	4	9	9	8	52	-	-	-	-	-	-	2	4	6	16	24
White	30	-	-	-	-	1	1	1	4	9	8	6	52	-	-	-	-	-	-	2	4	6	16	24
All other	4	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	262	-	-	-	-	9	21	35	93	69	27	8	192	-	-	-	1	5	15	39	60	48	20	4
White	244	-	-	-	-	9	16	32	87	65	27	8	175	-	-	-	1	4	12	34	58	43	19	4
All other	18	-	-	-	-	-	5	3	6	4	-	-	17	-	-	-	-	1	3	5	2	5	1	-
Black	4	-	-	-	-	-	1	-	2	1	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	1	1	2	5	5	16	-	-	-	-	-	-	-	-	1	5	10
White	14	-	-	-	-	-	-	1	1	2	5	5	16	-	-	-	-	-	-	-	-	1	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	123	2	1	-	-	3	2	4	14	30	39	28	115	1	-	-	1	3	1	1	4	19	42	43
White	116	1	1	-	-	2	2	4	11	29	38	28	111	1	-	-	1	3	1	1	3	19	40	42
All other	7	1	-	-	-	1	-	-	3	1	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	-	-	-	2	6	3	3	20	-	-	-	1	1	-	-	-	1	11	6
White	13	-	-	-	-	-	-	-	2	5	3	3	20	-	-	-	1	1	-	-	-	1	11	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	107	2	1	-	-	3	2	4	12	24	36	23	93	1	-	-	-	2	1	1	4	18	29	37
White	101	1	1	-	-	2	2	4	9	24	35	23	89	1	-	-	-	2	1	1	3	18	27	36
All other	6	1	-	-	-	1	-	-	3	-	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
Infections of kidney (590)	11	-	-	-	-	-	1	1	1	3	3	2	18	-	-	-	-	-	-	-	3	3	5	7
White	11	-	-	-	-	-	1	1	1	3	3	2	18	-	-	-	-	-	-	-	3	3	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	4	4	---	---	---	---	---	---	---	---	---	---	---	---
White	6	-	-	-	-	-	-	-	-	-	3	3	---	---	---	---	---	---	---	---	---	---	---	---
All other	2	-	-	-	-	-	-	-	-	-	1	1	---	---	---	---	---	---	---	---	---	---	---	---
Black	2	-	-	-	-	-	-	-	-	-	1	1	---	---	---	---	---	---	---	---	---	---	---	---
Complications of pregnancy, childbirth, and the puerperium (630-676)	---	---	---	---	---	---	---	---	---	---	---	---	5	---	---	-	2	2	1	-	---	---	---	---
White	---	---	---	---	---	---	---	---	---	---	---	---	3	---	---	-	1	1	1	-	---	---	---	---
All other	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	1	1	-	-	---	---	---	---
Black	---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	-	1	1	-	-	---	---	---	---

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	132	87	8	4	5	7	5	6	4	2	4	-	102	57	6	5	5	3	2	4	7	6	5	2
White	121	80	6	3	5	6	5	6	4	2	4	-	96	53	5	5	5	3	2	4	7	5	5	2
All other	11	7	2	1	-	1	-	-	-	-	-	-	6	4	1	-	-	-	-	-	-	1	-	-
Black	3	1	1	-	-	1	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	148	144	4	-	-	-	-	-	-	-	-	-	107	105	-	-	-	1	1	-	-	-	-	-
White	124	121	3	-	-	-	-	-	-	-	-	-	95	93	-	-	-	1	1	-	-	-	-	-
All other	24	23	1	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	16	15	1	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	47	3	-	-	-	-	-	-	-	-	-	37	35	-	-	-	1	1	-	-	-	-	-
White	44	42	2	-	-	-	-	-	-	-	-	-	32	30	-	-	-	1	1	-	-	-	-	-
All other	6	5	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	5	4	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	98	97	1	-	-	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
White	80	79	1	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
All other	18	18	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	154	100	3	-	3	2	-	3	8	11	10	13	143	86	-	-	1	2	5	3	4	7	17	36
White	136	86	3	-	2	2	-	2	8	11	9	12	129	55	-	-	1	2	4	3	4	5	17	36
All other	18	14	-	-	1	-	-	1	-	-	1	1	14	11	-	-	-	-	1	-	-	2	-	-
Black	6	5	-	-	-	-	-	-	-	-	1	-	5	4	-	-	-	-	-	-	-	1	-	-
All other diseases (Residual)	1,092	19	8	12	24	33	38	61	163	241	318	175	1,189	18	6	12	14	28	23	44	105	232	322	385
White	1,038	13	7	12	23	29	32	55	151	238	308	170	1,134	13	6	11	14	22	22	40	91	227	312	376
All other	54	6	1	-	1	4	6	6	12	3	10	5	55	5	-	1	-	6	1	4	14	5	10	9
Black	23	2	1	-	-	3	2	3	8	1	2	1	21	4	-	1	-	2	-	-	8	2	3	1
Accidents and adverse effects (E800-E949)	1,174	5	28	42	291	271	151	89	91	81	75	49	492	9	17	21	77	55	43	33	34	70	61	72
White	1,101	4	27	38	275	254	139	84	88	75	70	46	453	6	13	20	69	52	32	29	33	67	61	71
All other	73	1	1	4	16	17	12	5	3	6	5	3	39	3	4	1	8	3	11	4	1	3	-	1
Black	26	1	1	2	4	7	4	2	-	3	-	2	16	3	4	1	2	1	3	1	-	1	-	-
Motor vehicle accidents (E810-E825)	564	-	14	22	200	136	69	34	28	33	20	8	219	2	6	10	60	33	23	17	13	33	16	6
White	526	-	13	20	189	124	66	33	27	28	18	7	200	2	4	9	56	31	18	14	12	32	16	6
All other	38	-	1	2	11	12	3	1	1	4	2	1	19	-	2	1	4	2	5	3	1	1	-	-
Black	10	-	1	-	1	4	2	-	-	2	-	-	4	-	2	1	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	610	5	14	20	91	135	82	55	63	48	55	41	273	7	11	11	17	22	20	16	21	37	45	66
White	575	4	14	18	86	130	73	51	61	46	52	39	253	4	9	11	13	21	14	15	21	35	45	65
All other	35	1	-	2	5	5	9	4	2	2	3	2	20	3	2	-	4	1	6	1	-	2	-	1
Black	16	1	-	2	3	3	2	2	-	1	-	2	12	3	2	-	1	1	3	1	-	1	-	-
Suicide (E950-E959)	471	...	...	5	86	114	68	59	47	55	31	6	145	...	...	1	16	36	34	17	19	15	6	1
White	441	...	...	5	78	100	66	59	44	53	30	6	138	...	...	1	15	33	32	17	18	15	6	1
All other	30	...	...	-	8	14	2	-	3	2	1	-	7	...	...	-	1	3	2	-	1	-	-	-
Black	11	...	...	-	2	6	-	-	2	1	-	-	2	...	...	-	1	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	149	-	3	1	33	48	28	16	12	7	1	-	67	2	3	3	21	20	5	6	6	-	-	1
White	102	-	-	1	28	34	23	5	8	4	1	-	51	-	2	2	15	16	4	5	6	-	-	1
All other	47	-	3	-	7	14	5	11	4	3	-	-	16	2	1	1	6	4	1	1	-	-	-	-
Black	20	-	2	-	4	6	4	2	-	2	-	-	10	2	-	-	4	3	1	-	-	-	-	-
All other external causes (E980-E999)	40	-	1	1	2	15	7	3	3	6	1	-	9	-	-	-	1	-	5	-	1	-	2	-
White	39	-	1	1	2	15	7	3	3	5	1	-	8	-	-	-	1	-	4	-	1	-	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,576	160	24	51	233	272	363	680	1,819	2,983	2,686	1,305	8,749	129	25	34	73	88	178	394	1,107	1,969	2,615	2,143
White	10,098	148	21	49	221	258	349	659	1,730	2,867	2,560	1,236	8,342	116	24	31	65	83	167	380	1,045	1,883	2,490	2,058
All other	478	12	3	2	12	14	14	21	89	116	126	69	407	7	1	3	8	5	11	14	62	86	125	85
Black	469	11	3	1	11	14	13	20	88	115	124	69	399	7	1	2	8	5	7	14	62	84	125	84
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	12	-	-	-	-	-	-	-	1	4	4	3	2	-	-	-	-	-	-	-	2	-	-	-
White	11	-	-	-	-	-	-	-	1	4	3	3	2	-	-	-	-	-	-	-	2	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	-	-	1	4	4	2	2	-	-	-	-	-	-	-	2	-	-	-
White	10	-	-	-	-	-	-	-	1	4	3	2	2	-	-	-	-	-	-	-	2	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	77	-	-	1	-	-	1	3	15	21	20	16	62	-	-	-	-	1	-	1	4	12	20	24
White	73	-	-	1	-	-	1	2	15	20	19	15	59	-	-	-	-	1	-	1	3	12	18	24
All other	4	-	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-	1	-	2	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-	1	-	2	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	18	-	-	-	-	1	2	2	6	5	2	-	14	-	-	1	-	1	-	-	2	5	2	3
White	16	-	-	-	-	1	2	2	5	5	1	-	13	-	-	1	-	1	-	-	2	5	1	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,197	-	1	8	8	25	45	171	489	760	529	161	1,789	-	3	5	9	19	73	167	405	498	440	170
White	2,112	-	1	7	8	24	43	166	470	737	507	149	1,714	-	3	5	7	18	70	162	388	476	419	166
All other	85	-	-	1	-	1	2	5	19	23	22	12	75	-	-	-	2	1	3	5	17	22	21	4
Black	84	-	-	1	-	1	2	4	19	23	22	12	74	-	-	-	2	1	2	5	17	22	21	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	47	-	-	1	-	1	3	4	14	11	8	5	17	-	-	-	-	-	1	3	4	6	3	-
White	43	-	-	1	-	-	3	4	12	11	8	4	16	-	-	-	-	-	1	2	4	6	3	-
All other	4	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	491	-	-	-	2	7	4	30	99	169	146	34	447	-	-	-	2	2	6	25	68	131	151	62
White	465	-	-	-	2	7	4	29	95	159	137	32	421	-	-	-	2	2	5	22	62	125	143	60
All other	26	-	-	-	-	-	-	1	4	10	9	2	26	-	-	-	-	-	1	3	6	6	8	2
Black	25	-	-	-	-	-	-	-	4	10	9	2	25	-	-	-	-	-	-	3	6	6	8	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	846	-	-	-	-	-	13	82	248	325	146	32	320	-	-	-	-	2	10	33	95	111	55	14
White	825	-	-	-	-	-	11	80	243	319	143	29	306	-	-	-	-	2	10	33	90	106	51	14
All other	21	-	-	-	-	-	2	2	5	6	3	3	14	-	-	-	-	-	-	-	5	5	4	-
Black	21	-	-	-	-	-	2	2	5	6	3	3	14	-	-	-	-	-	-	-	5	5	4	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	1	-	-	-	-	1	315	-	-	-	-	7	25	38	89	75	59	22
White	2	-	-	-	-	-	1	-	-	-	-	1	306	-	-	-	-	6	24	38	86	74	57	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	1	-	3	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	1	-	3	1	2	1
Malignant neoplasms of genital organs (179-187)	231	-	-	-	-	2	1	1	15	70	100	42	201	-	1	-	-	5	9	28	47	56	40	14
White	221	-	-	-	-	2	1	1	14	68	96	39	192	-	1	-	-	5	9	28	46	52	37	14
All other	10	-	-	-	-	-	-	-	1	2	4	3	9	-	-	-	-	-	-	1	1	4	3	-
Black	10	-	-	-	-	-	-	-	1	2	4	3	9	-	-	-	-	-	-	1	1	4	3	-
Malignant neoplasms of urinary organs (188-189)	98	-	-	-	-	-	3	5	20	36	27	7	57	-	1	-	-	-	-	1	15	14	16	10
White	94	-	-	-	-	-	3	5	19	35	25	7	56	-	1	-	-	-	-	1	14	14	16	10
All other	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	306	-	-	3	4	7	13	34	77	90	59	19	263	-	1	3	7	2	15	29	60	58	58	30
White	294	-	-	2	4	7	13	32	74	88	57	17	252	-	1	3	5	2	14	29	59	54	56	29
All other	12	-	-	1	-	-	-	2	3	2	2	2	11	-	-	-	2	-	1	-	1	4	2	1
Black	12	-	-	1	-	-	-	2	3	2	2	2	11	-	-	-	2	-	1	-	1	4	2	1
Leukemia (204-208)	86	-	1	2	2	4	6	8	4	25	23	11	64	-	-	2	-	-	4	4	10	13	25	6
White	84	-	1	2	2	4	6	8	4	24	22	11	63	-	-	2	-	-	4	4	10	12	25	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	90	-	-	2	-	4	1	7	12	34	20	10	105	-	-	-	-	1	3	5	17	34	33	12
White	84	-	-	2	-	4	1	7	9	33	19	9	102	-	-	-	-	1	3	5	17	33	31	12
All other	6	-	-	-	-	-	-	-	3	1	1	1	3	-	-	-	-	-	-	-	-	1	2	-
Black	6	-	-	-	-	-	-	-	3	1	1	1	3	-	-	-	-	-	-	-	-	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	30	-	-	-	3	2	1	2	5	3	11	3	31	1	-	-	1	1	1	2	6	10	6	3
White	27	-	-	-	1	2	1	2	5	2	11	3	30	1	-	-	1	1	1	2	5	10	6	3
All other	3	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Diabetes mellitus (250)	158	-	-	-	-	2	10	8	23	55	40	20	264	-	-	-	1	3	5	8	47	72	84	44
White	149	-	-	-	-	2	10	8	22	54	38	15	243	-	-	-	1	2	4	7	43	66	79	41
All other	9	-	-	-	-	-	-	-	1	1	2	5	21	-	-	-	-	1	1	1	4	6	5	3
Black	9	-	-	-	-	-	-	-	1	1	2	5	21	-	-	-	-	1	1	1	4	6	5	3
Nutritional deficiencies (260-269)	14	-	-	-	-	-	-	-	2	-	3	9	13	-	-	-	-	-	-	-	1	3	3	6
White	11	-	-	-	-	-	-	-	2	-	1	8	13	-	-	-	-	-	-	-	1	3	3	6
All other	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	17	-	-	-	-	-	3	2	2	3	3	4	19	-	-	-	-	-	-	-	2	5	8	4
White	16	-	-	-	-	-	3	2	1	3	3	4	18	-	-	-	-	-	-	-	2	4	8	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	6	1	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	6	1	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,135	8	-	3	4	23	123	314	880	1,512	1,461	807	4,704	3	-	1	3	9	41	126	419	979	1,631	1,492
White	4,890	8	-	3	4	21	117	304	826	1,446	1,393	768	4,491	3	-	1	3	9	39	123	392	942	1,551	1,428
All other	245	-	-	-	-	2	6	10	54	66	68	39	213	-	-	-	-	-	2	3	27	37	80	64
Black	242	-	-	-	-	2	6	10	53	65	67	39	211	-	-	-	-	-	2	3	27	36	80	63

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	4,264	5	-	3	4	21	112	288	771	1,278	1,171	611	3,616	3	-	-	2	7	27	98	333	785	1,232	1,129
White	4,067	5	-	3	4	19	106	278	729	1,222	1,118	583	3,444	3	-	-	2	7	25	95	313	752	1,167	1,080
All other	197	-	-	-	-	2	6	10	42	56	53	28	172	-	-	-	-	-	2	3	20	33	65	49
Black	196	-	-	-	-	2	6	10	41	56	53	28	170	-	-	-	-	-	2	3	20	32	65	48
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	-	-	4	3	4	4	5	2	33	-	-	-	-	2	2	1	10	6	12	-
White	22	-	-	-	-	-	4	3	4	4	5	2	33	-	-	-	-	2	2	1	10	6	12	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	83	-	-	-	-	-	8	11	11	22	19	12	93	-	-	-	-	-	1	3	6	31	31	21
White	73	-	-	-	-	-	8	7	9	22	16	11	83	-	-	-	-	-	-	3	5	30	28	19
All other	10	-	-	-	-	-	-	4	2	-	3	1	10	-	-	-	-	-	1	-	1	1	5	2
Black	10	-	-	-	-	-	-	4	2	-	3	1	10	-	-	-	-	-	1	-	1	1	5	2
Hypertensive heart and renal disease (404)	11	-	-	-	-	-	1	-	-	4	5	1	19	-	-	-	-	-	1	-	2	3	5	8
White	11	-	-	-	-	-	1	-	-	4	5	1	15	-	-	-	-	-	1	-	1	2	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Ischemic heart disease (410-414)	2,940	1	-	-	1	7	58	200	545	926	800	402	2,425	-	-	-	-	1	9	56	239	549	825	746
White	2,832	1	-	-	1	7	55	197	522	894	768	387	2,312	-	-	-	-	1	9	55	224	528	781	714
All other	108	-	-	-	-	-	3	3	23	32	32	15	113	-	-	-	-	-	-	1	15	21	44	32
Black	108	-	-	-	-	-	3	3	23	32	32	15	111	-	-	-	-	-	-	1	15	20	44	31
Acute myocardial infarction (410)	1,655	1	-	-	-	5	44	142	375	534	414	140	1,136	-	-	-	-	1	7	39	160	331	374	224
White	1,597	1	-	-	-	5	41	140	359	517	398	136	1,078	-	-	-	-	1	7	38	147	318	353	214
All other	58	-	-	-	-	-	3	2	16	17	16	4	58	-	-	-	-	-	-	1	13	13	21	10
Black	58	-	-	-	-	-	3	2	16	17	16	4	57	-	-	-	-	-	-	1	13	12	21	10
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	-	-	-	2	5	3	4	11	-	-	-	-	-	-	2	-	1	4	4
White	13	-	-	-	-	-	-	-	2	5	3	3	10	-	-	-	-	-	-	2	-	1	3	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	3	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
White	4	-	-	-	-	-	-	-	3	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,267	-	-	-	1	2	14	58	165	387	382	258	1,275	-	-	-	-	-	2	15	79	217	444	518
White	1,218	-	-	-	1	2	14	57	158	372	366	248	1,221	-	-	-	-	-	2	15	77	209	422	496
All other	49	-	-	-	-	-	-	1	7	15	16	10	54	-	-	-	-	-	-	-	2	8	22	22
Black	49	-	-	-	-	-	-	1	7	15	16	10	53	-	-	-	-	-	-	-	2	8	22	21
Other diseases of endocardium (424)	47	-	-	-	-	1	-	3	5	14	17	7	35	1	-	-	-	-	-	1	4	10	10	9
White	47	-	-	-	-	1	-	3	5	14	17	7	35	1	-	-	-	-	-	1	4	10	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,161	4	-	3	3	13	41	71	206	308	325	187	1,011	2	-	-	2	4	14	37	72	186	349	345
White	1,082	4	-	3	3	11	38	68	189	284	307	175	966	2	-	-	2	4	13	35	69	176	335	330
All other	79	-	-	-	-	2	3	3	17	24	18	12	45	-	-	-	-	-	1	2	3	10	14	15
Black	78	-	-	-	-	2	3	3	16	24	18	12	45	-	-	-	-	-	1	2	3	10	14	15
Hypertension with or without renal disease (401,403)	27	-	-	-	-	-	-	1	6	9	8	3	33	-	-	-	-	-	1	-	1	6	14	11
White	25	-	-	-	-	-	-	1	5	9	8	2	29	-	-	-	-	-	1	-	1	5	11	11
All other	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	1	3	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	-	1	3	-
Cerebrovascular diseases (430-438)	613	2	-	-	-	1	9	17	72	171	206	135	846	-	-	1	1	2	9	22	69	156	323	263
White	574	2	-	-	-	1	9	17	63	162	193	127	816	-	-	1	1	2	9	22	62	153	313	253
All other	39	-	-	-	-	-	-	-	9	9	13	8	30	-	-	-	-	-	-	-	7	3	10	10
Black	37	-	-	-	-	-	-	-	9	8	12	8	30	-	-	-	-	-	-	-	7	3	10	10
Intracerebral and other intracranial hemorrhage (431-432)	75	1	-	-	-	-	2	7	19	21	16	7	86	-	-	-	-	-	-	3	12	24	32	15
White	70	1	-	-	-	-	2	7	16	21	16	7	83	-	-	-	-	-	-	3	10	23	32	15
All other	5	-	-	-	-	-	-	-	3	-	2	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	4	-	-	-	-	-	-	-	3	-	1	-	3	-	-	-	-	-	-	-	2	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	102	-	-	-	-	-	1	2	13	26	42	18	123	-	-	-	-	1	-	3	5	20	53	41
White	98	-	-	-	-	-	1	2	11	26	41	17	115	-	-	-	-	1	-	3	4	20	50	37
All other	4	-	-	-	-	-	-	-	2	-	1	1	8	-	-	-	-	-	-	-	1	-	3	4
Black	4	-	-	-	-	-	-	-	2	-	1	1	8	-	-	-	-	-	-	-	1	-	3	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	436	1	-	-	-	1	6	8	40	124	146	110	637	-	-	1	1	1	9	16	52	112	238	207
White	406	1	-	-	-	1	6	8	36	115	136	103	618	-	-	1	1	1	9	16	48	110	231	201
All other	30	-	-	-	-	-	-	-	4	9	10	7	19	-	-	-	-	-	-	-	4	2	7	6
Black	29	-	-	-	-	-	-	-	4	8	10	7	19	-	-	-	-	-	-	-	4	2	7	6
Atherosclerosis (440)	102	-	-	-	-	-	-	2	13	12	35	40	136	-	-	-	-	-	-	-	6	10	44	76
White	88	-	-	-	-	-	-	2	12	12	33	39	131	-	-	-	-	-	-	-	6	10	42	73
All other	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	-	-	-	2	3
Black	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	-	-	-	2	3
Other diseases of arteries, arterioles, and capillaries (441-448)	129	1	-	-	-	1	2	6	18	42	41	18	73	-	-	-	-	-	4	6	10	22	18	13
White	126	1	-	-	-	1	2	6	17	41	41	17	71	-	-	-	-	-	4	6	10	22	18	11
All other	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
White	3	1	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	231	1	-	-	1	-	2	7	18	47	89	66	204	3	-	1	-	1	1	6	14	26	62	90
White	228	1	-	-	1	-	2	7	18	47	87	65	199	3	-	1	-	1	1	6	12	25	61	89
All other	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	-	2	1	1	1
Black	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	-	2	1	1	1
Pneumonia (480-486)	223	1	-	-	1	-	2	7	17	47	87	61	200	3	-	1	-	1	1	6	14	26	61	87
White	220	1	-	-	1	-	2	7	17	47	85	60	195	3	-	1	-	1	1	6	12	25	60	86
All other	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	-	2	1	1	1
Black	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	-	2	1	1	1
Influenza (487)	8	-	-	-	-	-	-	-	1	-	2	5	4	-	-	-	-	-	-	-	-	-	1	3
White	8	-	-	-	-	-	-	-	1	-	2	5	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	552	-	-	-	-	-	2	14	101	208	178	49	255	2	-	-	-	1	1	9	53	106	56	27
White	532	-	-	-	-	-	2	14	101	198	169	48	246	2	-	-	-	-	1	9	53	103	54	24
All other	20	-	-	-	-	-	-	-	-	10	9	1	9	-	-	-	-	1	-	-	-	3	2	3
Black	20	-	-	-	-	-	-	-	-	10	9	1	8	-	-	-	-	1	-	-	-	2	2	3
Bronchitis, chronic and unspecified (490-491)	29	-	-	-	-	-	-	-	7	9	9	4	17	1	-	-	-	-	1	-	2	7	3	3
White	29	-	-	-	-	-	-	-	7	9	9	4	15	1	-	-	-	-	1	-	2	7	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Emphysema (492)	69	-	-	-	-	-	-	-	14	48	24	3	40	-	-	-	-	-	-	1	8	19	9	3
White	69	-	-	-	-	-	-	-	14	48	24	3	39	-	-	-	-	-	-	1	8	18	9	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	5	-	-	-	-	-	-	1	3	1	-	-	13	-	-	-	-	1	-	2	4	2	2	2
White	5	-	-	-	-	-	-	1	3	1	-	-	12	-	-	-	-	-	-	2	4	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	429	-	-	-	-	-	2	13	77	150	145	42	185	1	-	-	-	-	-	6	39	78	42	19
White	409	-	-	-	-	-	2	13	77	140	136	41	180	1	-	-	-	-	-	6	39	76	41	17
All other	20	-	-	-	-	-	-	-	-	10	9	1	5	-	-	-	-	-	-	-	-	2	1	2
Black	20	-	-	-	-	-	-	-	-	10	9	1	5	-	-	-	-	-	-	-	-	2	1	2
Ulcer of stomach and duodenum (531-533)	23	-	-	-	-	1	1	-	4	8	8	1	25	-	-	-	-	-	-	-	-	4	7	14
White	23	-	-	-	-	1	1	-	4	8	8	1	25	-	-	-	-	-	-	-	-	4	7	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	2	-	-	-	-	-	1	1	9	6	5	30	-	-	-	-	-	1	1	2	6	9	11
White	24	2	-	-	-	-	-	1	1	9	6	5	29	-	-	-	-	-	1	1	2	6	9	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	139	-	-	-	-	4	15	29	39	34	16	2	59	-	-	-	-	1	3	9	19	22	5	-
White	134	-	-	-	-	4	13	27	38	34	16	2	56	-	-	-	-	1	3	8	17	22	5	-
All other	5	-	-	-	-	-	2	2	1	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	5	-	-	-	-	-	2	2	1	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	1	-	2	3	3	2	24	-	-	-	-	-	-	1	2	3	11	7
White	10	-	-	-	-	-	1	-	1	3	3	2	24	-	-	-	-	-	-	1	2	3	11	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	111	-	-	-	2	4	1	1	14	29	40	20	113	-	-	-	-	2	2	6	12	23	43	25
White	104	-	-	-	2	4	1	1	12	28	37	19	106	-	-	-	-	2	2	5	12	20	40	25
All other	7	-	-	-	-	-	-	-	2	1	3	1	7	-	-	-	-	-	-	1	-	3	3	-
Black	7	-	-	-	-	-	-	-	2	1	3	1	7	-	-	-	-	-	-	1	-	3	3	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-
White	3	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	1	-	-	-	1	1	6	-	12	-	-	-	-	-	-	1	1	3	4	3
White	7	-	-	-	1	-	-	-	1	-	5	-	11	-	-	-	-	-	-	1	1	2	4	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	99	-	-	-	1	4	-	1	13	27	34	19	99	-	-	-	-	2	2	5	11	18	39	22
White	94	-	-	-	1	4	-	1	11	27	32	18	93	-	-	-	-	2	2	4	11	16	36	22
All other	5	-	-	-	-	-	-	-	2	-	2	1	6	-	-	-	-	-	-	1	-	2	3	-
Black	5	-	-	-	-	-	-	-	2	-	2	1	6	-	-	-	-	-	-	1	-	2	3	-
Infections of kidney (590)	6	-	-	-	-	1	-	-	-	-	2	3	8	-	-	-	-	-	-	1	-	1	1	5
White	6	-	-	-	-	1	-	-	-	-	2	3	8	-	-	-	-	-	-	1	-	1	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	3	5	2	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	3	5	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	51	33	6	4	1	1	-	2	4	-	-	-	46	27	4	2	5	1	1	-	3	2	1	-
White	49	32	5	4	1	1	-	2	4	-	-	-	45	26	4	2	5	1	1	-	3	2	1	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	80	79	1	-	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
White	73	72	1	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	26	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	54	53	1	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	47	46	1	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	108	24	-	1	1	2	3	2	15	20	22	18	89	19	2	-	4	1	1	-	4	12	19	27
White	99	21	-	1	1	1	3	2	14	19	21	16	87	18	2	-	4	1	1	-	4	12	19	26
All other	9	3	-	-	-	1	-	-	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	1
Black	9	3	-	-	-	1	-	-	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	1
All other diseases (Residual)	665	9	4	4	11	9	25	43	106	182	181	91	602	12	7	12	5	6	16	27	78	142	153	144
White	636	9	4	4	11	7	23	41	104	173	174	86	571	12	7	12	4	4	15	25	72	136	146	138
All other	29	-	-	-	-	2	2	2	2	9	7	5	31	-	-	-	1	2	1	2	6	6	7	6
Black	29	-	-	-	-	2	2	2	2	9	7	5	31	-	-	-	1	2	1	2	6	6	7	6
Accidents and adverse effects (E800-E949)	580	2	11	24	140	131	68	44	52	45	42	21	250	1	8	10	32	22	18	15	22	30	51	41
White	555	1	9	23	139	125	66	43	51	42	36	20	232	1	8	7	31	22	16	14	21	23	48	41
All other	25	1	2	1	1	6	2	1	1	3	6	1	18	-	-	3	1	-	2	1	1	7	3	-
Black	22	1	2	-	1	6	1	1	1	3	5	1	15	-	-	2	1	-	-	1	1	7	3	-
Motor vehicle accidents (E810-E825)	319	-	4	10	114	79	37	26	20	14	11	4	112	-	6	5	24	15	16	10	11	16	7	2
White	308	-	4	10	113	74	36	26	20	13	9	3	104	-	6	4	23	15	15	9	11	13	6	2
All other	11	-	-	-	1	5	1	-	-	1	2	1	8	-	-	1	1	-	1	1	-	3	1	-
Black	10	-	-	-	1	5	1	-	-	1	1	1	6	-	-	-	1	-	-	1	-	3	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	261	2	7	14	26	52	31	18	32	31	31	17	138	1	2	5	8	7	2	5	11	14	44	39
White	247	1	5	13	26	51	30	17	31	29	27	17	128	1	2	3	8	7	1	5	10	10	42	39
All other	14	1	2	1	-	1	1	1	1	2	4	-	10	-	-	2	-	-	1	-	1	4	2	-
Black	12	1	2	-	-	1	-	1	1	2	4	-	9	-	-	2	-	-	-	-	1	4	2	-
Suicide (E950-E959)	207	...	...	2	38	40	34	18	31	24	18	2	44	...	...	-	4	7	7	12	6	5	2	1
White	199	...	...	2	35	39	34	18	28	24	17	2	44	...	...	-	4	7	7	12	6	5	2	1
All other	8	...	...	-	3	1	-	-	3	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	7	...	...	-	2	1	-	-	3	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	84	-	-	3	19	21	14	12	7	6	2	-	38	1	1	2	7	11	5	2	3	3	1	2
White	75	-	-	3	13	20	14	12	5	6	2	-	30	1	-	2	4	11	3	2	3	3	1	-
All other	9	-	-	-	6	1	-	-	2	-	-	-	8	-	1	-	3	-	2	-	-	-	-	2
Black	9	-	-	-	6	1	-	-	2	-	-	-	7	-	1	-	3	-	1	-	-	-	-	2
All other external causes (E980-E999)	23	-	-	-	4	4	10	5	-	-	-	-	4	1	-	-	1	-	1	1	-	-	-	-
White	23	-	-	-	4	4	10	5	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
WISCONSIN																								
All causes	21,852	396	85	100	531	503	573	1,205	3,084	5,678	6,160	3,516	19,181	302	61	56	171	198	307	735	1,754	3,695	5,763	6,139
White	21,189	338	77	91	498	457	515	1,132	2,955	5,544	6,098	3,484	18,641	255	53	47	157	169	279	678	1,674	3,587	5,666	6,076
All other	663	58	8	9	33	46	58	73	129	134	62	32	540	47	8	9	14	29	28	57	80	108	97	63
Black	533	46	4	8	17	39	42	62	109	112	66	28	427	36	5	8	7	22	21	47	66	85	80	50
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	1	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	5	1	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	11	-	-	-	-	1	1	1	-	4	1	3	9	-	-	-	-	-	-	-	2	2	3	2
White	8	-	-	-	-	-	-	1	-	3	1	3	6	-	-	-	-	-	-	-	1	2	2	1
All other	3	-	-	-	-	1	1	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	2	-	-	-	-	1	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Tuberculosis of respiratory system (010-012)	9	-	-	-	-	-	-	1	-	4	1	3	5	-	-	-	-	-	-	-	-	2	1	2
White	8	-	-	-	-	-	-	1	-	3	1	3	4	-	-	-	-	-	-	-	-	2	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	2	-	-	-	-	1	1	-	-	-	-	-	4	-	-	-	-	-	-	-	2	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	2	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	3	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
White	4	-	3	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	116	3	-	-	2	1	6	8	13	25	36	22	116	5	2	-	1	2	2	2	5	28	30	39
White	109	3	-	-	2	1	5	8	12	23	34	21	112	5	1	-	1	2	2	2	5	26	30	38
All other	7	-	-	-	-	-	1	-	1	2	2	1	4	-	1	-	-	-	-	-	-	2	-	1
Black	7	-	-	-	-	-	1	-	1	2	2	1	3	-	1	-	-	-	-	-	-	1	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	1	-	1	-	-	-	-	-	-	5	-	-	-	-	1	-	1	-	1	2	-
White	2	-	-	1	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	55	3	1	-	2	2	2	5	8	14	11	7	65	1	1	2	4	2	6	3	7	12	19	8
White	55	3	1	-	2	2	2	5	8	14	11	7	60	1	-	2	4	2	4	3	7	11	18	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	-	-	-	2	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,806	-	7	9	29	52	108	322	965	1,631	1,229	454	4,156	2	10	5	19	49	109	347	778	1,162	1,110	565
White	4,657	-	7	9	27	49	92	307	924	1,587	1,207	448	4,037	2	9	5	17	42	101	326	755	1,133	1,086	561
All other	149	-	-	-	2	3	16	15	41	44	22	6	119	-	1	-	2	7	8	21	23	29	24	4
Black	135	-	-	-	1	3	14	15	37	42	18	5	104	-	-	-	1	6	6	19	22	25	22	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	93	-	-	-	-	-	1	7	28	35	13	9	43	-	-	-	-	-	-	6	11	11	8	7
White	87	-	-	-	-	-	-	7	24	34	13	9	42	-	-	-	-	-	-	5	11	11	8	7
All other	6	-	-	-	-	-	1	-	4	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	5	-	-	-	-	-	1	-	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,289	-	-	-	2	7	26	81	254	434	355	130	1,118	-	-	-	1	3	7	53	152	311	369	222
White	1,252	-	-	-	1	7	22	79	243	421	350	129	1,092	-	-	-	1	3	7	49	148	303	361	220
All other	37	-	-	-	1	-	4	2	11	13	5	1	26	-	-	-	-	-	-	4	4	8	8	2
Black	33	-	-	-	-	-	3	2	10	13	4	1	24	-	-	-	-	-	-	3	4	7	8	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,496	-	-	-	1	-	28	124	385	589	315	54	590	-	-	-	-	3	19	72	150	201	110	35
White	1,438	-	-	-	1	-	20	114	369	574	307	53	571	-	-	-	-	3	18	67	143	200	105	35
All other	58	-	-	-	-	-	8	10	16	15	8	1	19	-	-	-	-	-	1	5	7	1	5	-
Black	54	-	-	-	-	-	7	10	15	14	7	1	15	-	-	-	-	-	1	4	6	-	4	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	2	1	-	950	-	-	-	-	14	34	99	204	227	191	81
White	4	-	-	-	-	-	-	-	1	2	1	-	826	-	-	-	-	12	31	95	199	221	188	80
All other	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	2	3	4	5	6	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	2	3	4	5	6	3	1
Malignant neoplasms of genital organs (179-187)	589	-	-	-	-	3	1	7	50	180	228	122	469	-	-	-	1	8	16	40	100	192	122	50
White	575	-	-	-	-	3	1	7	49	174	222	119	452	-	-	-	-	5	15	38	98	127	119	50
All other	14	-	-	-	-	-	-	-	1	6	4	3	17	-	-	-	1	3	1	2	2	5	3	-
Black	12	-	-	-	-	-	-	-	1	5	3	3	14	-	-	-	1	2	-	2	2	4	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	279	-	-	-	-	1	4	14	62	84	73	41	144	-	-	-	-	-	1	7	23	40	42	31
White	274	-	-	-	-	1	3	14	60	82	73	41	141	-	-	-	-	-	1	7	23	39	41	30
All other	5	-	-	-	-	-	1	-	2	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	1	-	1	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	592	-	6	4	14	16	29	62	102	183	130	46	508	-	5	2	11	5	17	45	70	134	136	83
White	580	-	6	4	13	16	28	61	100	179	127	46	493	-	4	2	10	5	17	41	68	129	134	83
All other	12	-	-	-	1	-	1	1	2	4	3	-	15	-	1	-	1	-	-	4	2	5	2	-
Black	11	-	-	-	1	-	1	1	2	4	2	-	12	-	-	-	-	-	-	4	2	4	2	-
Leukemia (204-208)	226	-	1	5	5	15	9	12	32	61	55	31	173	2	5	3	3	10	8	11	26	35	43	27
White	222	-	1	5	5	14	9	11	31	60	55	31	164	2	5	3	3	8	7	10	24	34	41	27
All other	4	-	-	-	-	1	-	1	1	1	-	-	9	-	-	-	-	2	1	1	2	1	2	-
Black	4	-	-	-	-	1	-	1	1	1	-	-	7	-	-	-	-	2	-	1	2	1	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	238	-	-	-	7	10	10	15	51	63	61	21	261	-	-	-	3	6	7	14	42	71	89	29
White	225	-	-	-	7	8	9	14	47	61	59	20	256	-	-	-	3	6	5	14	41	69	89	29
All other	13	-	-	-	-	2	1	1	4	2	2	1	5	-	-	-	-	-	2	-	1	2	-	-
Black	12	-	-	-	-	2	1	1	4	2	2	-	5	-	-	-	-	-	2	-	1	2	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	38	1	-	-	-	1	2	6	5	6	12	5	40	1	-	-	1	1	1	2	3	8	13	10
White	36	1	-	-	-	1	2	6	5	5	11	5	40	1	-	-	1	1	1	2	3	8	13	10
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	282	-	-	-	-	7	14	16	51	81	75	38	409	-	1	1	1	5	8	8	43	103	142	97
White	270	-	-	-	-	6	11	15	49	78	73	38	394	-	1	1	1	5	8	8	40	95	138	97
All other	12	-	-	-	-	1	3	1	2	3	2	-	15	-	-	-	-	-	-	-	3	8	4	-
Black	10	-	-	-	-	1	3	-	2	2	2	-	7	-	-	-	-	-	-	-	1	4	2	-
Nutritional deficiencies (260-269)	34	1	-	1	1	1	-	-	3	3	16	8	54	-	-	-	-	-	-	1	2	3	11	37
White	34	1	-	1	1	1	-	-	3	3	16	8	53	-	-	-	-	-	-	1	1	3	11	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Anemias (280-285)	39	-	-	-	1	1	-	1	7	5	10	14	38	-	-	1	-	-	-	-	3	6	12	16
White	37	-	-	-	1	-	-	-	7	5	10	14	37	-	-	1	-	-	-	-	3	5	12	16
All other	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	12	2	4	-	-	-	-	-	1	2	2	1	12	2	3	1	-	-	-	1	1	-	4	-
White	11	2	4	-	-	-	-	-	-	2	2	1	12	2	3	1	-	-	-	1	1	-	4	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,828	11	6	5	9	56	174	525	1,470	2,867	3,522	2,183	10,327	6	6	2	6	22	61	180	597	1,765	3,442	4,240
White	10,586	6	5	5	6	50	160	487	1,409	2,805	3,486	2,167	10,105	5	5	1	6	14	50	160	559	1,720	3,389	4,196
All other	242	5	1	-	3	6	14	38	61	62	36	16	222	1	1	1	-	8	11	20	38	45	53	44
Black	190	3	1	-	3	6	9	31	49	48	27	13	185	-	1	-	-	8	9	18	32	36	44	37
Diseases of heart (390-398,402,404-429)	8,765	10	5	4	6	50	153	478	1,289	2,390	2,757	1,623	7,646	6	6	2	3	16	44	126	493	1,388	2,549	3,013
White	8,558	5	4	4	4	45	142	442	1,239	2,336	2,728	1,609	7,474	5	5	1	3	10	34	111	462	1,351	2,511	2,981
All other	207	5	1	-	2	5	11	36	50	54	29	14	172	1	1	1	-	6	10	15	31	37	38	32
Black	161	3	1	-	2	5	6	30	40	41	21	12	146	-	1	-	-	6	8	13	26	30	33	29
Rheumatic fever and rheumatic heart disease (390-398)	31	-	-	-	-	1	-	3	11	12	4	-	96	-	-	-	-	2	3	9	16	28	30	10
White	30	-	-	-	-	1	-	3	10	12	4	-	92	-	-	-	-	2	2	8	14	26	30	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	2	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Hypertensive heart disease (402)	156	-	-	-	-	5	7	13	32	53	33	13	201	-	-	-	-	-	4	2	17	48	64	66
White	137	-	-	-	-	4	5	10	25	49	32	12	191	-	-	-	-	-	3	1	14	44	63	66
All other	19	-	-	-	-	1	2	3	7	4	1	1	10	-	-	-	-	-	1	1	3	4	1	-
Black	19	-	-	-	-	1	2	3	7	4	1	1	10	-	-	-	-	-	1	1	3	4	1	-
Hypertensive heart and renal disease (404)	23	-	-	-	-	-	-	-	-	7	9	7	33	-	-	-	-	-	-	-	2	5	13	13
White	22	-	-	-	-	-	-	-	-	6	9	7	33	-	-	-	-	-	-	-	2	5	13	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	6,584	-	-	-	-	28	108	376	977	1,827	2,070	1,200	5,464	-	-	-	-	3	17	76	329	984	1,885	2,170
White	6,460	-	-	-	-	26	101	349	953	1,786	2,051	1,192	5,360	-	-	-	-	1	14	68	310	962	1,860	2,145
All other	124	-	-	-	-	2	5	27	24	39	19	8	104	-	-	-	-	2	3	8	19	22	25	25
Black	94	-	-	-	-	2	1	21	19	30	14	7	85	-	-	-	-	2	3	6	15	15	21	23
Acute myocardial infarction (410)	3,582	-	-	-	-	17	59	256	630	1,120	1,082	416	2,484	-	-	-	-	-	12	56	197	606	927	686
White	3,526	-	-	-	-	16	57	242	618	1,103	1,073	417	2,437	-	-	-	-	-	11	50	188	592	916	680
All other	56	-	-	-	-	1	2	14	12	17	9	1	47	-	-	-	-	-	1	6	9	14	11	6
Black	36	-	-	-	-	1	-	10	9	11	5	-	33	-	-	-	-	-	1	4	7	9	8	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	41	-	-	-	-	-	4	3	6	15	8	5	26	-	-	-	-	-	-	2	6	5	6	5
White	39	-	-	-	-	-	4	2	6	14	8	5	23	-	-	-	-	-	-	1	5	5	6	4
All other	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Angina pectoris (413)	10	-	-	-	-	1	-	-	2	2	3	2	5	-	-	-	-	-	-	-	1	1	3	-
White	10	-	-	-	-	1	-	-	2	2	3	2	5	-	-	-	-	-	-	-	1	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,951	-	-	-	-	10	43	117	339	690	977	775	2,949	-	-	-	-	3	5	18	125	372	947	1,479
White	2,885	-	-	-	-	9	40	105	327	669	967	768	2,895	-	-	-	-	1	3	17	116	364	933	1,461
All other	66	-	-	-	-	1	3	12	12	21	10	7	54	-	-	-	-	2	2	1	9	8	14	18
Black	56	-	-	-	-	1	1	10	10	18	9	7	49	-	-	-	-	2	2	1	7	6	13	18
Other diseases of endocardium (424)	97	1	-	-	-	1	1	5	18	26	30	15	104	-	-	-	-	-	3	-	6	24	45	26
White	95	1	-	-	-	-	1	5	18	26	30	14	102	-	-	-	-	-	1	-	6	24	45	26
All other	2	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	2	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,874	9	5	4	6	15	39	81	251	465	611	388	1,748	6	6	2	3	11	17	39	123	301	512	728
White	1,814	4	4	4	4	14	35	75	233	455	602	384	1,696	5	5	1	3	7	14	34	116	290	500	721
All other	60	5	1	-	2	1	4	6	18	10	9	4	52	1	1	1	-	4	3	5	7	11	12	7
Black	44	3	1	-	2	1	3	6	13	6	6	3	47	-	1	-	-	4	3	5	6	11	11	6
Hypertension with or without renal disease (401,403)	83	-	-	-	-	1	1	1	8	18	34	20	92	-	-	-	-	-	1	4	2	14	36	35
White	82	-	-	-	-	1	1	1	8	18	34	19	89	-	-	-	-	-	1	3	2	14	35	34
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Cerebrovascular diseases (430-438)	1,387	1	1	1	3	3	17	32	113	311	537	368	2,013	-	-	-	2	6	14	45	88	297	703	858
White	1,359	1	1	1	2	2	15	30	103	305	532	367	1,976	-	-	-	2	4	14	41	83	291	692	849
All other	28	-	-	-	1	1	2	2	10	6	5	1	37	-	-	-	-	2	-	4	5	6	11	9
Black	24	-	-	-	1	1	2	1	8	5	5	1	28	-	-	-	-	2	-	4	4	5	8	5
Intracerebral and other intracranial hemorrhage (431-432)	158	1	-	-	1	2	6	14	25	47	48	14	209	-	-	-	2	3	7	16	29	44	73	35
White	149	1	-	-	1	1	4	13	21	47	47	14	198	-	-	-	2	1	7	14	27	42	71	34
All other	9	-	-	-	-	1	2	1	4	-	1	-	11	-	-	-	-	2	-	2	2	2	2	1
Black	8	-	-	-	-	1	2	1	3	-	1	-	10	-	-	-	-	2	-	2	2	2	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	210	-	-	-	-	-	1	4	23	43	78	61	311	-	-	-	-	-	1	4	6	34	110	156
White	207	-	-	-	-	-	1	4	21	42	78	61	306	-	-	-	-	-	1	4	6	32	107	156
All other	3	-	-	-	-	-	-	-	2	1	-	-	5	-	-	-	-	-	-	-	-	2	3	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	5	-	-	-	-	-	-	-	-	2	3	-
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	4	1	-	11	-	-	-	-	-	-	-	-	5	5	1
White	6	-	-	-	-	-	-	-	1	4	1	-	11	-	-	-	-	-	-	-	-	5	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,013	-	1	1	2	1	10	14	64	217	410	293	1,482	-	-	-	-	3	6	25	53	214	515	666
White	997	-	1	1	1	1	10	13	60	212	406	292	1,461	-	-	-	-	3	6	23	50	212	509	658
All other	16	-	-	-	1	-	-	1	4	5	4	1	21	-	-	-	-	-	-	2	3	2	6	8
Black	14	-	-	-	1	-	-	-	3	5	4	1	13	-	-	-	-	-	-	2	2	1	3	5
Atherosclerosis (440)	269	-	-	-	-	1	-	5	15	40	93	115	392	-	-	-	-	-	-	2	9	29	89	276
White	265	-	-	-	-	1	-	5	14	39	91	115	388	-	-	-	-	-	-	2	2	22	87	275
All other	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	324	-	-	-	-	1	3	9	45	108	101	57	184	-	-	-	1	-	2	3	11	43	66	58
White	322	-	-	-	-	1	2	9	45	107	101	57	178	-	-	-	1	-	1	3	10	42	64	57
All other	2	-	-	-	-	-	1	-	-	1	-	-	6	-	-	-	-	-	1	-	1	1	2	1
Black	2	-	-	-	-	-	1	-	-	1	-	-	6	-	-	-	-	-	1	-	1	1	2	1
Acute bronchitis and bronchiolitis (466)	7	1	1	-	-	-	-	-	1	1	1	2	4	-	-	-	-	-	1	-	-	-	1	2
White	7	1	1	-	-	-	-	-	1	1	1	2	4	-	-	-	-	-	1	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	650	6	8	-	1	5	5	14	49	115	219	228	610	5	-	1	1	2	8	9	12	57	172	343
White	634	5	7	-	1	4	5	14	46	110	217	225	599	3	-	1	-	2	8	8	11	54	172	340
All other	16	1	1	-	-	1	-	-	3	5	2	3	11	2	-	-	1	-	-	1	1	3	-	3
Black	13	1	1	-	-	1	-	-	2	3	2	3	6	2	-	-	-	-	-	1	-	3	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	627	6	8	-	1	5	5	13	48	114	209	218	584	5	-	1	1	2	8	9	12	54	165	327
White	611	5	7	-	1	4	5	13	45	109	207	215	573	3	-	1	-	2	8	8	11	51	165	324
All other	16	1	1	-	-	1	-	-	3	5	2	3	11	2	-	-	1	-	-	1	1	3	-	3
Black	13	1	1	-	-	1	-	-	2	3	2	3	6	2	-	-	-	-	-	1	-	3	-	-
Influenza (487)	23	-	-	-	-	-	-	1	1	1	10	10	26	-	-	-	-	-	-	-	-	3	7	16
White	23	-	-	-	-	-	-	1	1	1	10	10	26	-	-	-	-	-	-	-	-	3	7	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	865	-	1	1	4	3	4	20	84	291	354	104	362	-	-	-	1	-	5	13	52	128	113	52
White	856	-	1	1	3	2	4	20	82	287	352	104	358	-	-	-	1	-	5	13	50	125	112	52
All other	10	-	-	-	1	1	-	-	2	4	2	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	8	-	-	-	1	1	-	-	1	3	2	-	4	-	-	-	-	-	-	-	2	1	1	-
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	-	-	-	-	3	13	22	7	15	-	-	-	-	-	-	2	2	2	4	5
White	45	-	-	-	-	-	-	-	3	13	22	7	15	-	-	-	-	-	-	2	2	2	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	177	-	-	-	-	-	2	4	22	58	78	13	84	-	-	-	-	-	2	4	8	35	27	8
White	176	-	-	-	-	-	2	4	22	57	78	13	84	-	-	-	-	-	2	4	8	35	27	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	34	-	1	1	4	3	-	3	4	7	8	3	38	-	-	-	1	-	3	2	8	11	6	7
White	32	-	1	1	3	2	-	3	4	7	8	3	35	-	-	-	1	-	3	2	6	10	6	7
All other	2	-	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	610	-	-	-	-	-	2	13	55	213	246	81	225	-	-	-	-	-	-	5	34	78	76	32
White	603	-	-	-	-	-	2	13	53	210	244	81	224	-	-	-	-	-	-	5	34	78	75	32
All other	7	-	-	-	-	-	-	-	2	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	57	-	-	-	-	-	1	1	9	11	19	16	59	-	-	-	-	-	-	1	3	7	20	28
White	54	-	-	-	-	-	1	1	7	11	18	16	58	-	-	-	-	-	-	1	3	7	19	28
All other	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	5	-	-	-	-	-	1	1	1	1	-	1	3	-	-	-	-	-	-	-	-	1	1	1
White	5	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	1	1	1	-	-	-	-	5	10	21	8	58	1	-	-	-	-	-	2	2	4	22	27
White	46	1	1	1	-	-	-	-	5	10	20	8	57	-	-	-	-	-	-	2	2	4	22	27
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	256	-	-	-	-	8	18	44	72	81	29	4	160	-	-	-	-	3	11	34	47	56	25	4
White	248	-	-	-	-	5	17	42	70	81	29	4	170	-	-	-	-	2	9	30	45	55	25	4
All other	8	-	-	-	-	3	1	2	2	-	-	-	10	-	-	-	-	1	2	4	2	1	-	-
Black	5	-	-	-	-	2	-	2	1	-	-	-	5	-	-	-	-	1	1	1	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	-	-	-	-	-	-	1	4	4	13	9	28	-	-	-	-	-	-	1	2	5	4	16
White	31	-	-	-	-	-	-	1	4	4	13	9	28	-	-	-	-	-	-	1	2	5	4	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	180	3	1	-	1	1	4	5	16	32	64	53	152	3	-	-	2	-	1	4	15	29	50	54
White	171	2	1	-	1	-	3	5	14	31	63	51	144	3	-	-	1	-	1	4	14	21	47	53
All other	9	1	-	-	-	1	1	-	2	1	1	2	8	-	-	-	1	-	-	-	1	2	3	1
Black	8	1	-	-	-	-	1	-	2	1	1	2	6	-	-	-	1	-	-	-	1	1	2	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	1	-	-	1	2	5	5	20	-	-	-	1	-	-	1	3	3	7	5
White	12	-	-	-	-	-	-	-	1	2	4	5	19	-	-	-	-	-	-	1	3	3	7	5
All other	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	164	3	1	-	1	-	4	5	15	30	57	48	131	3	-	-	1	-	1	3	12	20	42	49
White	157	2	1	-	1	-	3	5	13	29	57	46	124	3	-	-	1	-	1	3	11	18	39	48
All other	7	1	-	-	-	-	1	-	2	1	-	2	7	-	-	-	-	-	-	-	1	2	3	1
Black	7	1	-	-	-	-	1	-	2	1	-	2	5	-	-	-	-	-	-	-	1	1	2	1
Infections of kidney (590)	19	-	-	-	-	-	-	-	1	4	7	7	23	-	-	-	-	-	-	-	-	5	9	9
White	19	-	-	-	-	-	-	-	1	4	7	7	22	-	-	-	-	-	-	-	-	4	9	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	13	-	-	-	-	-	-	-	-	3	2	8	...	...	...	...	...	...	...	...	...	...	...	...
White	13	-	-	-	-	-	-	-	-	3	2	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	145	87	11	4	9	3	3	6	7	8	4	3	125	68	17	8	3	2	4	3	5	5	7	3
White	133	78	10	4	9	3	3	5	6	8	4	3	112	58	16	6	3	2	4	3	5	5	7	3
All other	12	9	1	-	-	-	-	1	1	-	-	-	13	10	1	2	-	-	-	-	-	-	-	-
Black	9	7	-	-	-	-	-	1	1	-	-	-	7	4	1	2	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	179	177	1	-	-	1	-	-	-	-	-	-	137	137	-	-	-	-	-	-	-	-	-	-
White	160	158	1	-	-	1	-	-	-	-	-	-	118	118	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	69	68	1	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
White	63	62	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	110	109	-	-	-	1	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-
White	97	96	-	-	-	1	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	12	12	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	132	79	3	-	1	2	2	4	5	13	7	16	138	47	3	1	1	1	1	4	1	8	16	55
White	112	60	3	-	1	1	2	4	5	13	7	16	124	35	3	-	1	1	1	4	1	8	15	55
All other	20	19	-	-	-	1	-	-	-	-	-	-	14	12	-	1	-	-	-	-	-	-	1	-
Black	17	16	-	-	-	1	-	-	-	-	-	-	11	9	-	1	-	-	-	-	-	-	1	-
All other diseases (Residual)	1,330	14	6	11	18	30	47	83	164	305	395	257	1,390	14	5	9	14	26	33	57	119	241	428	444
White	1,279	12	5	10	17	27	42	75	157	296	384	254	1,342	13	4	7	13	24	32	50	112	228	422	437
All other	51	2	1	1	1	3	5	8	7	9	11	3	48	1	1	2	1	2	1	7	7	13	6	7
Black	44	1	1	1	1	2	4	8	6	7	10	3	38	1	1	2	1	2	1	5	5	10	4	6
Accidents and adverse effects (E800-E949)	1,084	3	28	58	299	180	106	78	83	105	92	51	481	9	11	20	81	38	29	31	30	49	98	85
White	1,035	2	25	50	287	172	98	75	81	103	92	50	460	8	9	18	77	34	28	28	30	48	97	83
All other	49	1	3	8	12	8	8	3	2	2	-	1	21	1	2	2	4	4	1	3	-	1	1	2
Black	25	-	-	7	3	4	4	2	2	2	-	1	12	1	1	2	2	1	-	2	-	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	545	2	10	26	212	110	57	35	28	36	24	5	212	1	4	11	65	29	17	17	17	18	27	6
White	522	1	8	22	205	107	53	34	27	36	24	5	201	1	3	9	63	25	16	16	17	18	27	6
All other	23	1	2	4	7	3	4	1	1	-	-	-	11	-	1	2	2	4	1	1	-	-	-	-
Black	8	-	-	4	-	1	2	-	1	-	-	-	6	-	1	2	1	1	-	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	539	1	18	32	87	70	49	43	55	69	68	46	269	8	7	9	16	9	12	14	13	31	71	79
White	513	1	17	28	82	65	45	41	54	67	68	45	259	7	6	9	14	9	12	12	13	30	70	77
All other	26	-	1	4	5	5	4	2	1	2	-	1	10	1	1	-	2	-	-	2	-	1	1	2
Black	17	-	-	3	3	3	2	2	1	2	-	1	6	1	-	-	1	-	-	1	-	1	1	1
Suicide (E950-E959)	493	...	...	3	121	113	53	51	52	53	35	12	124	...	...	3	15	27	13	24	22	14	5	1
White	477	...	...	3	115	109	50	49	51	53	35	12	120	...	...	2	14	26	13	24	21	14	5	1
All other	16	...	...	-	6	4	3	2	1	-	-	-	4	...	...	1	1	1	-	-	1	-	-	-
Black	9	...	...	-	1	4	2	1	1	-	-	-	1	...	...	1	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	95	3	1	5	24	25	19	11	3	1	2	1	60	-	1	1	17	12	14	7	3	3	2	-
White	66	2	1	5	16	14	14	9	2	1	1	1	47	-	1	1	13	7	11	6	3	3	2	-
All other	29	1	-	-	8	11	5	2	1	-	1	-	13	-	-	-	4	5	3	1	-	-	-	-
Black	24	-	-	-	7	11	4	1	1	-	-	-	9	-	-	-	2	4	2	1	-	-	-	-
All other external causes (E980-E999)	30	-	2	1	8	8	3	2	4	2	-	-	7	-	-	1	3	2	-	-	-	-	-	1
White	28	-	1	1	8	7	3	2	4	2	-	-	7	-	-	1	3	2	-	-	-	-	-	1
All other	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING																								
All causes	1,836	60	19	15	88	95	84	127	271	433	417	227	1,325	41	8	11	37	34	35	51	149	258	371	329
White	1,796	57	19	15	81	91	83	125	267	424	412	222	1,294	40	7	9	35	32	34	50	146	250	364	326
All other	40	3	-	-	7	4	1	2	4	9	5	5	31	1	1	2	2	2	1	1	3	8	7	3
Black	11	1	-	-	1	-	1	1	1	2	3	1	10	-	1	2	-	-	-	-	1	1	4	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	-	-	-	-	-	-	-	1	4	1	1	8	-	-	-	-	-	-	1	2	2	2	1
White	7	-	-	-	-	-	-	-	1	4	1	1	8	-	-	-	-	-	-	1	2	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	3	1	-	-	1	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-	1	1
White	3	1	-	-	1	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	336	-	1	2	4	2	11	35	66	114	77	24	251	1	2	1	3	4	6	18	57	71	61	27
White	329	-	1	2	4	2	11	35	65	111	75	23	250	1	2	1	3	4	6	18	56	71	61	27
All other	7	-	-	-	-	-	-	-	1	3	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	1	-	1	-
White	4	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	79	-	-	-	-	1	3	7	15	30	19	4	58	1	-	-	-	-	1	1	13	16	17	9
White	77	-	-	-	-	1	3	7	14	30	18	4	57	1	-	-	-	-	1	1	12	16	17	9
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	114	-	-	-	1	-	1	13	28	49	17	5	44	-	-	-	-	-	-	6	13	18	4	3
White	110	-	-	-	1	-	1	13	29	47	16	4	44	-	-	-	-	-	-	6	13	18	4	3
All other	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	44	-	-	-	-	-	1	6	13	11	9	4
White	-	-	-	-	-	-	-	-	-	-	-	-	44	-	-	-	-	-	1	6	13	11	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	35	-	-	-	-	-	1	1	5	5	14	9	22	-	-	-	-	2	1	1	5	6	5	2
White	35	-	-	-	-	-	1	1	5	5	14	9	22	-	-	-	-	2	1	1	5	6	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	16	-	-	-	-	-	-	1	5	7	3	-	12	-	-	-	-	-	-	-	2	6	2	2
White	16	-	-	-	-	-	-	1	5	7	3	-	12	-	-	-	-	-	-	-	2	6	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54	-	1	1	2	-	2	7	8	15	14	4	45	-	1	1	2	2	1	4	5	8	15	6
White	53	-	1	1	2	-	2	7	8	14	14	4	45	-	1	1	2	2	1	4	5	8	15	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	15	-	-	-	-	1	1	3	1	3	5	1	5	-	1	-	1	-	2	-	-	-	1	-
White	15	-	-	-	-	1	1	3	1	3	5	1	5	-	1	-	1	-	2	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	-	-	1	1	-	3	3	3	3	5	-	19	-	-	-	-	-	-	-	5	6	7	1
White	19	-	-	1	1	-	3	3	3	3	5	-	19	-	-	-	-	-	-	-	5	6	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	-	-	-	-	-	-	-	-	4	2	-	6	-	-	-	-	-	1	-	-	-	-	5
White	6	-	-	-	-	-	-	-	-	4	2	-	6	-	-	-	-	-	1	-	-	-	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	23	-	-	-	1	1	-	1	5	6	7	2	31	-	-	-	-	1	3	2	4	9	7	5
White	22	-	-	-	1	1	-	1	4	6	7	2	29	-	-	-	-	1	3	2	4	7	7	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	1	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	2	4
White	1	1	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	689	1	-	-	-	4	22	42	116	194	195	115	589	1	1	-	-	4	5	8	56	117	212	195
White	677	1	-	-	-	4	21	42	115	189	194	111	584	1	1	-	-	4	5	8	54	112	206	193
All other	12	-	-	-	-	-	1	-	1	5	1	4	15	-	-	-	-	-	-	-	2	5	6	2
Black	3	-	-	-	-	-	1	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	3	1
Diseases of heart (390-398,402,404-429)	558	-	-	-	-	2	21	39	103	163	160	70	443	1	1	-	-	2	4	5	46	81	160	143
White	549	-	-	-	-	2	20	39	103	158	159	68	433	1	1	-	-	2	4	5	44	79	154	143
All other	9	-	-	-	-	-	1	-	-	5	1	2	10	-	-	-	-	-	-	-	2	2	6	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	-	-	1	-	-	-	1	-	11	-	-	-	-	-	-	1	2	2	5	1
White	2	-	-	-	-	-	1	-	-	-	1	-	11	-	-	-	-	-	-	1	2	2	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	8	-	-	-	-	-	1	1	1	3	1	1	12	-	-	-	-	-	-	-	-	2	3	7
White	8	-	-	-	-	-	1	1	1	3	1	1	11	-	-	-	-	-	-	-	-	2	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	389	-	-	-	-	-	13	32	86	121	107	40	248	-	-	-	-	1	1	3	32	50	85	78
White	383	-	-	-	-	-	12	32	86	118	106	39	244	-	-	-	-	1	1	3	31	49	83	78
All other	6	-	-	-	-	-	1	-	-	3	1	1	4	-	-	-	-	-	-	-	1	1	2	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	275	-	-	-	-	-	10	27	66	80	73	19	140	-	-	-	-	1	1	1	22	36	53	26
White	271	-	-	-	-	-	9	27	66	77	73	19	137	-	-	-	-	1	1	1	21	35	52	26
All other	4	-	-	-	-	-	1	-	-	3	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	123	-	-	-	-	-	3	5	19	41	34	21	107	-	-	-	-	-	-	2	10	14	31	50
White	121	-	-	-	-	-	3	5	19	41	33	20	106	-	-	-	-	-	-	2	10	14	30	50
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	12	-	-	-	-	-	-	-	-	7	5	-	11	-	-	-	-	-	-	1	2	1	3	4
White	12	-	-	-	-	-	-	-	-	7	5	-	10	-	-	-	-	-	-	1	2	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	137	-	-	-	-	2	6	6	16	32	46	29	161	1	1	-	-	1	3	-	10	26	64	55
White	134	-	-	-	-	2	6	6	16	30	46	28	157	1	1	-	-	1	3	-	9	25	62	55
All other	3	-	-	-	-	-	-	-	-	2	-	1	4	-	-	-	-	-	-	-	1	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	2	4	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	2	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	82	1	-	-	-	1	1	1	12	18	21	27	112	-	-	-	-	2	1	2	8	25	41	33
White	79	1	-	-	-	1	1	1	11	18	21	25	110	-	-	-	-	2	1	2	8	24	41	32
All other	3	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Intracerebral and other intracranial hemorrhage (431-432)	8	1	-	-	-	-	1	-	2	3	1	-	10	-	-	-	-	2	-	-	2	3	2	1
White	8	1	-	-	-	-	1	-	2	3	1	-	10	-	-	-	-	2	-	-	2	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	-	-	-	-	-	-	-	3	4	2	2	8	-	-	-	-	-	-	-	-	2	2	5
White	10	-	-	-	-	-	-	-	2	4	2	2	8	-	-	-	-	-	-	-	-	2	2	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	62	-	-	-	-	1	-	1	7	11	17	25	92	-	-	-	-	-	1	2	6	20	37	26
White	60	-	-	-	-	1	-	1	7	11	17	23	91	-	-	-	-	-	1	2	6	19	37	26
All other	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Atherosclerosis (440)	20	-	-	-	-	-	-	-	-	2	3	15	24	-	-	-	-	-	-	-	-	2	8	14
White	20	-	-	-	-	-	-	-	-	2	3	15	24	-	-	-	-	-	-	-	-	2	8	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	28	-	-	-	-	1	-	2	1	10	11	3	12	-	-	-	-	-	-	1	-	5	2	4
White	28	-	-	-	-	1	-	2	1	10	11	3	11	-	-	-	-	-	-	1	-	5	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	62	1	-	-	-	1	1	2	4	8	18	27	47	3	-	1	-	1	-	-	1	4	15	22
White	61	1	-	-	-	1	1	2	4	8	17	27	47	3	-	1	-	1	-	-	1	4	15	22
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	60	1	-	-	-	1	1	2	4	8	18	25	45	3	-	1	-	1	-	-	1	4	14	21
White	59	1	-	-	-	1	1	2	4	8	17	25	45	3	-	1	-	1	-	-	1	4	14	21
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	99	-	-	-	-	-	-	3	20	35	30	11	52	-	-	1	-	1	2	2	8	16	15	7
White	99	-	-	-	-	-	-	3	20	35	30	11	52	-	-	1	-	1	2	2	8	16	15	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	-	1	3	2	-
White	2	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	-	1	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	14	-	-	-	-	-	-	1	5	2	5	1	5	-	-	-	-	-	-	-	-	1	3	1
White	14	-	-	-	-	-	-	1	5	2	5	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	-	1	1	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	-	1	1	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	83	-	-	-	-	-	-	2	15	32	24	10	36	-	-	-	-	-	1	2	7	11	9	6
White	83	-	-	-	-	-	-	2	15	32	24	10	36	-	-	-	-	-	1	2	7	11	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	4	-	-	-	-	-	1	-	1	-	2	-	3	-	-	-	-	-	-	1	-	1	1	-
White	4	-	-	-	-	-	1	-	1	-	2	-	3	-	-	-	-	-	-	1	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	-	1	-	-	-	-	-	-	-	2	2	7	-	-	-	1	-	-	-	1	-	2	3
White	5	-	1	-	-	-	-	-	-	-	2	2	5	-	-	-	-	-	-	-	1	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	21	-	-	-	-	-	-	5	9	5	1	1	14	-	-	-	1	-	4	2	2	2	3	-
White	21	-	-	-	-	-	-	5	9	5	1	1	14	-	-	-	1	-	4	2	2	2	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	1	-	1	-	-	-	-	2	4	6	4	14	-	-	-	-	-	-	-	1	1	7	5
White	18	1	-	1	-	-	-	-	2	4	6	4	14	-	-	-	-	-	-	-	1	1	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	1	-	1	-	-	-	-	2	3	5	4	12	-	-	-	-	-	-	-	1	1	6	4
White	16	1	-	1	-	-	-	-	2	3	5	4	12	-	-	-	-	-	-	-	1	1	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	1	-	2	1	8	-	-	-	-	-	-	-	3	1	2	2
White	4	-	-	-	-	-	-	-	1	-	2	1	8	-	-	-	-	-	-	-	3	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	21	14	2	-	-	-	1	-	-	1	3	-	11	7	1	1	-	1	-	-	1	-	-	-
White	21	14	2	-	-	-	1	-	-	1	3	-	11	7	1	1	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	19	19	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	14	14	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	30	18	-	-	-	1	2	1	1	-	3	4	28	7	-	-	3	1	-	-	-	2	5	9
White	30	18	-	-	-	1	2	1	1	-	3	4	28	7	-	-	3	1	-	-	-	2	5	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	158	4	3	3	1	7	3	12	16	38	40	31	104	-	-	1	1	1	3	9	7	25	25	32
White	151	3	3	3	-	6	3	11	15	37	39	31	100	-	-	1	1	-	3	8	7	24	25	31
All other	7	1	-	-	1	1	-	1	1	1	1	-	4	-	-	-	-	1	-	1	-	1	-	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	220	-	12	7	55	58	28	17	13	12	16	2	73	3	4	6	20	9	2	3	3	3	10	10
White	215	-	12	7	53	56	28	16	13	12	16	2	68	3	3	4	19	8	2	3	3	3	10	10
All other	5	-	-	-	2	2	-	1	-	-	-	-	5	-	1	2	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	124	-	7	3	41	35	15	10	7	3	3	-	38	1	1	5	14	8	-	2	3	2	2	-
White	119	-	7	3	39	33	15	9	7	3	3	-	34	1	1	3	13	7	-	2	3	2	2	-
All other	5	-	-	-	2	2	-	1	-	-	-	-	4	-	-	2	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	96	-	5	4	14	23	13	7	6	9	13	2	35	2	3	1	6	1	2	1	-	1	8	10
White	96	-	5	4	14	23	13	7	6	9	13	2	34	2	2	1	6	1	2	1	-	1	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	80	...	...	-	21	14	9	8	16	5	6	1	25	...	...	-	6	6	5	4	2	2	-	-
White	77	...	...	-	18	14	9	8	16	5	6	1	25	...	...	-	6	6	5	4	2	2	-	-
All other	3	...	...	-	3	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	20	-	-	2	3	7	6	1	-	1	-	-	6	-	-	-	2	3	1	-	-	-	-	-
White	18	-	-	2	2	6	6	1	-	1	-	-	5	-	-	-	2	3	-	-	-	-	-	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	-	-	2	-	-	-	-	-	1	-	3	-	-	-	-	1	2	-	-	-	-	-
White	3	-	-	-	2	-	-	-	-	-	1	-	3	-	-	-	-	1	2	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1983

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	2,022,190	35,417	1,889	23,209	23,063	189,116	19,961	27,286	5,085	8,412
Shigellosis and amebiasis (004,006)	30	2	-	1	-	8	-	-	-	-
Certain other intestinal infections (007-009)	355	6	-	5	5	63	-	1	-	2
Tuberculosis (010-018)	1,781	60	3	30	20	177	8	12	8	26
Tuberculosis of respiratory system (010-012)	1,419	50	2	19	18	133	5	10	7	15
Other tuberculosis (013-018)	362	10	1	11	2	44	3	2	1	11
Whooping cough (033)	5	-	-	-	-	1	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	6	-	-	-	-	1	-	-	-	-
Meningococcal infection (036)	300	6	1	5	4	19	4	3	4	3
Septicemia (038)	13,407	216	11	136	160	671	150	230	62	126
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	-	-	-	1	-	-	-	-
Viral hepatitis (070)	869	21	3	11	9	160	7	8	1	8
Syphilis (090-097)	121	2	-	-	-	18	1	2	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4,985	69	10	82	61	550	56	65	16	37
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	443,435	7,375	336	5,048	4,834	43,157	3,989	6,686	1,257	2,185
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,497	122	10	82	64	913	62	149	20	82
Malignant neoplasms of digestive organs and peritoneum (150-159)	113,962	1,675	83	1,185	1,174	10,783	1,027	1,799	317	565
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	120,045	2,163	90	1,381	1,451	11,694	928	1,641	349	503
Malignant neoplasm of breast (174-175)	38,288	591	30	421	314	3,957	404	634	100	213
Malignant neoplasms of genital organs (179-187)	48,753	863	23	600	534	4,673	471	731	142	240
Malignant neoplasms of urinary organs (188-189)	18,563	241	10	240	180	1,732	154	321	63	60
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54,918	1,055	72	713	735	5,358	542	826	155	320
Leukemia (204-208)	16,882	280	4	192	162	1,674	168	243	51	93
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23,529	385	14	254	220	2,363	233	342	60	109
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,497	112	2	100	88	671	76	130	17	35
Diabetes mellitus (250)	36,280	599	23	429	357	2,689	307	523	130	130
Nutritional deficiencies (260-269)	2,658	60	2	34	30	190	37	27	5	12
Anemias (280-285)	3,490	89	2	22	35	311	31	44	11	21
Meningitis (320-322)	1,294	19	9	18	15	106	21	19	2	8
Major cardiovascular diseases (390-448)	982,402	16,260	488	10,119	11,386	87,425	8,478	13,161	2,362	3,153
Diseases of heart (390-398,402,404-429)	771,532	12,400	372	8,009	8,673	66,886	6,586	10,437	1,954	2,497
Rheumatic fever and rheumatic heart disease (390-398)	6,922	68	5	68	38	793	114	124	13	28
Hypertensive heart disease (402)	21,016	398	2	140	109	2,747	96	277	103	203
Hypertensive heart and renal disease (404)	3,076	58	-	10	35	232	16	31	4	15
Ischemic heart disease (410-414)	553,332	8,222	270	6,079	5,584	47,311	4,654	7,623	1,063	1,214
Acute myocardial infarction (410)	286,773	5,446	126	2,669	3,472	21,404	2,462	3,360	609	519
Other acute and subacute forms of ischemic heart disease (411)	4,072	43	2	382	10	203	45	5	12	3
Angina pectoris (413)	744	9	-	4	7	48	5	20	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	261,743	2,724	142	2,824	2,095	25,658	2,142	4,238	442	691
Other diseases of endocardium (424)	8,383	118	10	106	64	978	113	125	16	48
All other forms of heart disease (415-423,425-429)	178,801	3,586	85	1,606	2,843	14,925	1,593	2,257	753	969
Hypertension with or without renal disease (401,403)	7,743	174	-	62	60	757	73	121	13	35
Cerebrovascular diseases (430-438)	155,740	3,071	68	1,491	2,174	14,941	1,282	1,952	275	449
Intracerebral and other intracranial hemorrhage (431-432)	19,449	371	9	233	172	1,917	147	256	26	93
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28,460	513	7	187	217	2,769	156	425	65	80
Cerebral embolism (434.1)	746	5	-	8	4	69	7	4	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	109,085	2,182	52	1,063	1,781	10,186	970	1,267	183	269
Atherosclerosis (440)	26,378	296	12	288	284	2,522	317	355	54	100
Other diseases of arteries, arterioles, and capillaries (441-446)	21,009	319	16	269	195	2,219	220	296	66	78
Acute bronchitis and bronchiolitis (466)	552	4	-	7	3	85	8	6	1	2
Pneumonia and influenza (480-487)	55,889	802	43	610	584	6,111	751	843	105	211
Pneumonia (480-486)	54,458	788	42	604	567	6,041	733	828	104	211
Influenza (487)	1,431	14	1	6	17	70	18	15	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	66,298	1,024	45	1,149	689	7,050	982	829	164	168
Bronchitis, chronic and unspecified (490-491)	3,582	40	3	39	35	441	42	47	4	3
Emphysema (492)	13,303	197	10	256	135	1,645	196	143	55	35
Asthma (493)	3,571	35	2	73	29	493	47	43	6	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	45,842	752	30	781	490	4,481	677	596	99	116
Ulcer of stomach and duodenum (531-533)	6,377	93	3	73	51	751	74	85	7	31
Appendicitis (540-543)	529	14	-	2	6	66	7	8	2	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,099	80	1	48	70	487	60	64	13	24
Chronic liver disease and cirrhosis (571)	27,302	344	40	368	181	3,961	284	390	84	227
Cholelithiasis and other disorders of gallbladder (574-575)	2,993	55	-	37	45	271	33	49	7	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19,028	383	11	206	261	1,809	176	228	49	148
Acute glomerulonephritis and nephrotic syndrome (580-581)	355	4	1	3	2	28	2	6	1	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,689	38	-	14	33	179	15	20	4	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16,784	341	10	189	246	1,102	159	200	44	134
Infections of kidney (590)	2,093	69	1	24	18	216	18	12	8	3
Hyperplasia of prostate (600)	573	6	2	6	3	50	5	9	1	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	293	7	-	3	4	35	2	1	-	2
Pregnancy with abortive outcome (630-638)	52	-	-	-	2	5	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	241	7	-	3	2	30	2	-	-	2
Congenital anomalies (740-759)	13,258	255	27	211	100	1,543	191	134	30	94
Certain conditions originating in the perinatal period (760-779)	19,326	367	44	201	126	1,901	244	235	60	224
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,379	119	11	66	33	569	51	65	14	54
Other conditions originating in the perinatal period (760-766,770-779)	13,947	248	33	135	93	1,332	193	170	46	170
Symptoms, signs, and ill-defined conditions (780-799)	29,685	1,706	68	288	827	1,123	293	395	23	125
All other diseases (Residual)	130,214	2,369	120	1,722	1,360	11,655	1,565	1,728	330	745
Accidents and adverse effects (E800-E949)	93,016	2,032	483	1,423	1,191	9,620	1,334	966	230	313
Motor vehicle accidents (E810-E825)	44,695	1,043	139	726	585	4,848	687	381	128	85
All other accidents and adverse effects (E800-E807,E826-E949)	48,321	989	344	697	606	4,772	647	585	104	218
Suicide (E950-E959)	28,342	421	56	514	272	3,654	573	247	58	84
Homicide and legal intervention (E960-E978)	20,265	413	54	254	219	2,738	198	124	28	186
All other external causes (E980-E999)	3,129	77	21	23	29	274	40	10	10	49

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1983—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	114,477	46,670	5,725	6,936	99,794	47,961	27,222	21,333	33,752	36,637
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	19	15	1	3	19	7	3	5	5	8
Tuberculosis (010-018)	122	62	9	3	82	50	5	5	28	55
Tuberculosis of respiratory system (010-012)	105	51	9	3	67	39	3	5	22	46
Other tuberculosis (013-018)	17	11	-	-	15	11	2	-	6	9
Whooping cough (033)	-	-	-	1	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	21	13	2	2	17	7	3	-	7	8
Septicemia (038)	546	415	49	29	632	361	144	120	214	395
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	51	23	3	2	33	15	8	10	12	19
Syphilis (090-097)	4	5	-	-	4	7	1	-	-	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	275	123	13	10	200	80	55	54	71	93
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	28,141	9,314	1,317	1,346	21,801	10,281	5,853	4,409	7,106	7,706
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	544	206	39	16	419	180	96	81	130	160
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,813	2,093	414	314	5,939	2,576	1,614	1,122	1,723	1,841
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,784	2,713	288	290	5,757	2,893	1,447	1,151	2,172	2,351
Malignant neoplasm of breast (174-175)	2,032	714	99	112	1,973	819	479	360	497	548
Malignant neoplasms of genital organs (179-187)	2,870	1,041	122	185	2,320	1,154	728	577	764	790
Malignant neoplasms of urinary organs (188-189)	1,185	352	58	61	952	459	278	172	297	284
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,707	1,346	159	235	2,516	1,269	604	479	919	1,130
Leukemia (204-208)	944	391	66	68	802	387	226	203	261	253
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,262	458	72	65	1,123	544	379	264	343	371
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	281	154	25	28	319	141	47	50	120	137
Diabetes mellitus (250)	1,867	788	115	120	1,810	1,079	503	382	620	849
Nutritional deficiencies (260-269)	137	90	5	9	90	74	67	52	51	43
Anemias (280-285)	208	108	8	8	158	96	50	44	70	77
Meningitis (320-322)	70	38	4	6	65	25	12	4	20	40
Major cardiovascular diseases (390-448)	55,901	22,302	2,448	3,206	51,155	24,158	14,285	10,582	16,639	17,169
Diseases of heart (390-398,402,404-429)	43,796	16,876	1,885	2,449	40,980	18,338	10,938	8,147	13,039	13,313
Rheumatic fever and rheumatic heart disease (390-398)	456	107	32	26	299	165	86	60	95	50
Hypertensive heart disease (402)	1,341	598	39	31	1,235	387	207	144	294	667
Hypertensive heart and renal disease (404)	115	88	3	9	201	140	61	28	50	76
Ischemic heart disease (410-414)	32,197	10,831	1,290	1,687	28,806	13,810	8,288	6,015	9,064	8,627
Acute myocardial infarction (410)	15,301	7,074	634	1,018	14,206	7,110	4,741	3,439	5,898	4,677
Other acute and subacute forms of ischemic heart disease (411)	296	202	10	5	303	26	30	8	13	19
Angina pectoris (413)	47	15	2	4	31	20	9	5	12	13
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,553	3,540	644	660	14,266	6,654	3,508	2,583	3,141	3,716
Other diseases of endocardium (424)	538	167	27	32	355	226	98	87	94	137
All other forms of heart disease (415-423,425-429)	9,149	5,085	494	664	10,084	3,610	2,198	1,813	3,442	3,756
Hypertension with or without renal disease (401,403)	474	250	13	13	483	195	120	77	115	132
Cerebrovascular diseases (430-438)	8,885	4,348	441	540	7,563	4,185	2,345	1,746	2,798	2,841
Intracerebral and other intracranial hemorrhage (431-432)	1,125	607	92	40	1,108	485	220	196	281	316
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,926	689	68	61	1,617	615	355	262	419	444
Cerebral embolism (434.1)	51	29	1	3	34	11	12	7	10	6
All other and late effects of cerebrovascular diseases (430,433,435-438)	5,783	3,023	280	436	4,804	3,074	1,758	1,281	2,088	2,073
Atherosclerosis (440)	1,378	420	37	112	1,263	924	593	371	341	602
Other diseases of arteries, arterioles, and capillaries (441-448)	1,368	409	72	92	966	516	299	241	346	281
Acute bronchitis and bronchiolitis (466)	35	15	1	1	34	12	6	13	6	13
Pneumonia and influenza (480-487)	2,315	1,228	207	223	2,809	1,202	960	653	942	751
Pneumonia (480-486)	2,273	1,216	203	197	2,776	1,163	911	637	922	739
Influenza (487)	42	13	4	26	33	39	49	16	20	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,197	1,463	155	317	2,857	1,708	983	869	1,332	1,039
Bronchitis, chronic and unspecified (490-491)	245	87	5	14	155	74	44	54	84	62
Emphysema (492)	912	319	31	70	673	361	178	130	243	194
Asthma (493)	158	95	24	27	160	64	57	40	51	90
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,882	962	95	206	1,869	1,209	704	645	974	693
Ulcer of stomach and duodenum (531-533)	356	121	18	28	330	142	104	70	85	105
Appendicitis (540-543)	24	24	-	3	19	13	4	4	16	16
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	225	144	14	29	278	120	75	71	76	91
Chronic liver disease and cirrhosis (571)	1,894	588	65	80	1,334	487	220	185	353	423
Cholelithiasis and other disorders of gallbladder (574-575)	174	84	4	9	137	68	42	31	63	53
Nephritis, nephrotic syndrome, and nephrosis (580-589)	921	487	53	47	976	475	152	217	336	513
Acute glomerulonephritis and nephrotic syndrome (580-581)	23	8	1	-	13	4	9	6	6	12
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	136	56	5	1	92	37	28	21	32	49
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	762	423	47	46	873	434	115	190	298	452
Infections of kidney (590)	104	58	6	4	111	68	49	40	43	46
Hyperplasia of prostate (600)	30	21	-	4	31	9	20	9	7	10
Complications of pregnancy, childbirth, and the puerperium (630-676)	22	14	-	2	14	3	3	4	3	9
Pregnancy with abortive outcome (630-638)	4	1	-	-	4	1	1	1	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	18	13	-	2	10	2	2	3	2	8
Congenital anomalies (740-759)	551	347	75	52	618	287	143	126	216	306
Certain conditions originating in the perinatal period (760-779)	857	613	79	57	1,043	442	159	157	272	551
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	253	149	17	14	258	137	40	52	83	136
Other conditions originating in the perinatal period (760-766,770-779)	604	464	62	43	785	305	119	105	189	415
Symptoms, signs, and ill-defined conditions (780-799)	1,574	508	74	127	718	468	123	345	218	317
All other diseases (Residual)	7,478	3,365	470	458	5,890	2,978	1,639	1,461	2,262	2,338
Accidents and adverse effects (E800-E949)	5,102	2,777	328	528	3,529	2,108	1,071	933	1,765	2,162
Motor vehicle accidents (E810-E825)	2,813	1,383	146	265	1,554	1,070	512	440	793	1,004
All other accidents and adverse effects (E800-E807,E826-E949)	2,289	1,394	182	263	1,975	1,038	559	493	972	1,158
Suicide (E950-E959)	1,756	663	99	154	1,121	627	325	296	490	593
Homicide and legal intervention (E960-E978)	1,321	628	49	31	1,168	292	69	135	277	674
All other external causes (E980-E999)	98	70	29	9	389	61	29	17	26	22

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1983—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	10,873	34,556	54,740	75,472	34,334	23,314	50,541	6,679	14,840	6,995
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	-	-	-
Certain other intestinal infections (007-009)	1	5	9	10	6	9	8	5	1	-
Tuberculosis (010-018)	4	20	22	41	14	30	26	2	3	5
Tuberculosis of respiratory system (010-012)	3	16	19	29	10	24	21	2	3	4
Other tuberculosis (013-018)	1	4	3	12	4	6	5	-	-	1
Whooping cough (033)	-	-	-	-	-	-	1	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	1	1	-	-	-	-	-
Meningococcal infection (036)	2	2	6	7	6	2	7	1	-	-
Septicemia (038)	48	377	460	497	147	162	392	32	59	56
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	1	1	-	-	-	-	-
Viral hepatitis (070)	3	12	20	28	10	15	17	1	3	4
Syphilis (090-097)	1	-	1	3	4	2	2	1	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	34	91	129	152	110	60	109	6	41	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,476	8,220	13,196	16,569	7,435	4,431	11,012	1,306	3,035	1,467
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	54	194	240	275	111	79	196	19	44	35
Malignant neoplasms of digestive organs and peritoneum (150-159)	635	2,150	3,595	4,137	2,005	1,084	2,724	337	816	321
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	661	2,292	3,181	4,575	1,695	1,330	3,059	316	688	465
Malignant neoplasm of breast (174-175)	209	697	1,270	1,438	688	302	928	114	256	113
Malignant neoplasms of genital organs (179-187)	291	835	1,402	1,780	920	536	1,141	173	406	141
Malignant neoplasms of urinary organs (188-189)	117	307	600	750	365	164	453	56	166	64
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	317	1,032	1,767	2,086	824	557	1,429	168	327	206
Leukemia (204-208)	75	301	477	628	361	187	468	61	138	41
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	117	412	664	902	468	192	614	64	192	81
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	161	250	141	119	57	149	23	31	24
Diabetes mellitus (250)	170	704	912	1,467	579	415	608	101	261	94
Nutritional deficiencies (260-269)	17	32	49	122	54	32	84	12	21	12
Anemias (280-285)	16	60	83	148	61	47	76	12	26	15
Meningitis (320-322)	9	22	25	44	15	16	44	3	7	6
Major cardiovascular diseases (390-448)	5,351	16,227	26,509	37,866	16,841	10,751	24,201	2,990	7,568	3,033
Diseases of heart (390-398,402,404-429)	4,186	13,093	21,251	29,887	12,613	8,244	18,668	2,252	5,639	2,450
Rheumatic fever and rheumatic heart disease (390-398)	36	93	174	277	153	40	133	24	53	26
Hypertensive heart disease (402)	79	625	355	564	165	297	500	31	69	177
Hypertensive heart and renal disease (404)	16	73	40	99	23	75	129	4	44	7
Ischemic heart disease (410-414)	3,187	6,847	16,852	21,775	9,455	5,272	13,969	1,545	4,130	1,499
Acute myocardial infarction (410)	1,710	4,159	8,622	11,412	4,601	3,555	7,083	864	2,144	751
Other acute and subacute forms of ischemic heart disease (411)	42	34	16	53	37	17	38	12	16	8
Angina pectoris (413)	9	25	22	30	22	7	22	1	7	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,426	2,629	8,182	10,280	4,795	1,693	6,826	669	1,963	739
Other diseases of endocardium (424)	50	118	240	282	171	48	213	32	66	27
All other forms of heart disease (415-423,425-429)	818	5,337	3,590	6,690	2,646	2,524	3,744	618	1,277	714
Hypertension with or without renal disease (401,403)	38	126	189	299	147	79	174	20	61	17
Cerebrovascular diseases (430-438)	798	2,298	3,759	5,652	3,097	2,010	4,121	510	1,386	436
Intracerebral and other intracranial hemorrhage (431-432)	106	307	558	781	291	205	497	36	151	79
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	129	338	751	1,057	455	276	786	86	189	25
Cerebral embolism (434.1)	2	14	29	25	13	13	42	2	12	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	561	1,639	2,421	3,789	2,338	1,516	2,796	386	1,034	329
Atherosclerosis (440)	176	395	678	1,266	548	257	655	138	313	53
Other diseases of arteries, arterioles, and capillaries (441-448)	153	375	692	762	436	161	583	70	169	77
Acute bronchitis and bronchiolitis (466)	2	6	9	14	11	5	13	1	8	-
Pneumonia and influenza (480-487)	364	764	1,913	2,081	1,312	477	1,505	243	547	149
Pneumonia (480-486)	319	747	1,895	1,986	1,196	474	1,459	216	504	148
Influenza (487)	45	17	18	95	116	3	46	27	43	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	441	1,065	1,708	2,439	1,006	691	1,741	335	521	329
Bronchitis, chronic and unspecified (490-491)	27	54	94	131	55	30	95	27	34	13
Emphysema (492)	84	192	243	533	186	74	282	59	110	67
Asthma (493)	20	54	90	125	55	95	81	18	28	22
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	310	765	1,281	1,649	710	492	1,283	231	349	227
Ulcer of stomach and duodenum (531-533)	32	104	133	241	108	53	172	27	57	18
Appendicitis (540-543)	3	6	16	14	11	9	16	2	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	84	152	201	100	50	136	19	39	14
Chronic liver disease and cirrhosis (571)	142	432	691	1,234	349	211	495	92	126	160
Cholelithiasis and other disorders of gallbladder (574-575)	15	43	81	94	62	41	84	21	27	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	85	395	569	696	267	264	496	64	134	72
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	5	9	15	3	4	9	1	3	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	19	29	62	27	27	61	8	17	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	71	371	531	619	237	233	426	55	114	68
Infections of kidney (590)	8	19	45	63	21	37	47	4	17	7
Hyperplasia of prostate (600)	6	7	12	16	15	9	11	3	6	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	2	6	3	1	7	4	-	3
Pregnancy with abortive outcome (630-638)	-	2	-	2	-	-	1	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	2	4	3	1	6	4	-	2
Congenital anomalies (740-759)	49	186	288	480	289	153	337	36	95	46
Certain conditions originating in the perinatal period (760-779)	68	324	364	834	298	299	436	27	133	56
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	65	70	244	69	112	136	10	46	23
Other conditions originating in the perinatal period (760-766,770-779)	52	259	294	590	209	187	300	17	87	33
Symptoms, signs, and ill-defined conditions (780-799)	55	320	427	342	696	1,635	1,724	103	220	93
All other diseases (Residual)	751	2,533	4,010	4,622	2,342	1,327	3,103	439	1,045	440
Accidents and adverse effects (E800-E949)	449	1,420	1,869	2,885	1,482	1,539	2,161	575	605	488
Motor vehicle accidents (E810-E825)	237	676	731	1,388	592	731	968	310	275	299
All other accidents and adverse effects (E800-E807,E826-E949)	212	744	1,138	1,517	890	808	1,195	265	330	189
Suicide (E950-E959)	158	496	522	1,076	437	241	682	139	139	232
Homicide and legal intervention (E960-E978)	23	364	201	949	71	274	430	35	44	127
All other external causes (E980-E999)	8	53	57	87	58	29	69	15	20	23

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1983—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	7,723	67,716	9,183	169,516	50,613	5,878	97,369	28,527	22,463	121,488	9,496
Shigellosis and amebiasis (004,006)	-	-	1	1	1	-	-	-	-	1	-
Certain other intestinal infections (007-009)	4	8	3	23	4	3	10	3	6	11	1
Tuberculosis (010-018)	1	46	19	210	63	3	70	21	17	87	4
Tuberculosis of respiratory system (010-012)	1	37	11	164	50	3	62	18	13	71	3
Other tuberculosis (013-018)	-	9	2	46	13	-	8	3	4	16	1
Whooping cough (033)	-	-	-	-	-	-	1	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	1	-	-	-	-	-	-
Meningococcal infection (036)	1	9	1	33	4	1	12	2	7	8	1
Septicemia (038)	52	650	31	948	371	18	616	156	77	1,188	58
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	1	-	-	-	-	-	-
Viral hepatitis (070)	-	32	9	71	15	2	21	17	10	23	4
Syphilis (090-097)	1	6	-	6	2	-	4	3	2	9	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	26	144	33	527	139	15	208	64	44	233	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,759	15,858	1,778	37,797	10,492	1,325	22,165	5,810	4,919	27,132	2,319
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	32	301	30	794	222	19	420	90	78	468	49
Malignant neoplasms of digestive organs and peritoneum (150-159)	504	4,620	467	10,901	2,383	373	5,882	1,338	1,180	7,327	650
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	424	4,241	406	9,402	2,957	259	6,302	1,818	1,382	6,801	588
Malignant neoplasm of breast (174-175)	166	1,474	140	3,656	894	137	1,931	456	452	2,464	202
Malignant neoplasms of genital organs (179-187)	187	1,753	220	4,072	1,221	179	2,431	647	553	2,692	248
Malignant neoplasms of urinary organs (188-189)	68	709	76	1,589	382	56	961	213	227	1,119	97
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	234	1,559	275	4,000	1,477	160	2,478	710	546	3,816	261
Leukemia (204-208)	54	431	81	1,389	394	66	783	237	214	987	75
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	90	770	83	1,984	562	76	1,169	301	287	1,458	149
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	41	186	35	610	179	10	322	65	60	445	34
Diabetes mellitus (250)	157	1,412	217	3,017	853	119	2,168	467	333	2,519	217
Nutritional deficiencies (260-269)	9	81	23	107	70	5	141	42	14	170	7
Anemias (280-285)	11	116	11	254	107	11	167	44	34	184	16
Meningitis (320-322)	3	51	18	99	34	2	46	24	14	59	4
Major cardiovascular diseases (390-448)	3,780	34,413	3,375	87,614	24,833	2,698	48,730	14,000	10,806	61,263	4,761
Diseases of heart (390-398,402,404-429)	2,913	27,957	2,557	79,382	18,997	2,211	38,633	10,811	7,963	49,707	3,824
Rheumatic fever and rheumatic heart disease (390-398)	32	321	46	673	161	11	347	61	68	502	40
Hypertensive heart disease (402)	54	818	53	1,435	689	50	1,186	193	161	1,051	57
Hypertensive heart and renal disease (404)	12	102	4	159	141	8	233	26	33	169	17
Ischemic heart disease (410-414)	2,082	21,500	1,492	62,179	13,216	1,600	28,601	7,756	6,111	33,542	3,155
Acute myocardial infarction (410)	1,173	10,455	813	26,761	8,219	982	13,668	4,447	2,359	18,496	1,725
Other acute and subacute forms of ischemic heart disease (411)	4	167	3	302	77	4	78	317	11	126	4
Angina pectoris (413)	2	23	1	31	39	2	28	9	10	57	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	903	10,855	675	35,085	4,881	612	14,827	2,983	3,731	14,863	1,422
Other diseases of endocardium (424)	37	248	41	557	210	34	395	97	167	557	34
All other forms of heart disease (415-423,425-429)	696	4,968	921	8,379	4,580	508	7,871	2,678	1,423	13,886	521
Hypertension with or without renal disease (401,403)	28	207	52	626	250	19	371	93	78	465	51
Cerebrovascular diseases (430-438)	610	4,785	571	10,301	4,532	495	7,251	2,436	2,007	8,331	646
Intracerebral and other intracranial hemorrhage (431-432)	106	703	69	1,500	506	53	877	217	210	1,060	105
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	94	964	50	2,033	814	71	1,291	302	270	1,436	115
Cerebral embolism (434.1)	3	32	2	37	16	4	40	9	11	56	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	407	3,066	450	6,731	3,196	367	5,043	1,908	1,516	5,779	425
Atherosclerosis (440)	128	795	105	1,724	569	98	1,397	403	466	1,459	132
Other diseases of arteries, arterioles, and capillaries (441-448)	101	669	90	1,581	485	75	1,078	257	272	1,301	108
Acute bronchitis and bronchiolitis (466)	7	17	6	45	9	1	33	9	8	20	1
Pneumonia and influenza (480-487)	235	1,685	274	5,219	1,392	175	2,316	854	639	2,661	238
Pneumonia (480-486)	218	1,672	270	5,166	1,372	160	2,225	838	598	2,620	235
Influenza (487)	17	13	4	53	20	15	91	16	41	41	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	283	1,889	398	4,482	1,521	165	3,203	990	959	3,537	322
Bronchitis, chronic and unspecified (490-491)	15	125	19	226	89	3	221	42	54	140	17
Emphysema (492)	58	387	87	1,046	245	21	621	196	221	593	60
Asthma (493)	11	94	31	308	91	13	159	52	58	133	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	199	1,283	261	2,902	1,096	128	2,202	700	626	2,671	231
Ulcer of stomach and duodenum (531-533)	29	203	31	643	148	23	292	69	76	328	30
Appendicitis (540-543)	3	11	5	39	6	2	26	4	7	16	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	181	25	355	125	18	248	71	44	288	26
Chronic liver disease and cirrhosis (571)	101	1,128	188	3,002	584	72	1,035	262	301	1,392	128
Cholelithiasis and other disorders of gallbladder (574-575)	17	100	33	221	72	11	158	47	33	157	14
Nephritis, nephrotic syndrome, and nephrosis (580-589)	60	762	67	1,294	544	66	977	357	142	1,314	75
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	13	3	30	9	1	19	10	2	18	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	73	9	140	53	3	99	38	12	76	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	52	676	55	1,124	482	62	859	309	128	1,220	69
Infections of kidney (590)	5	49	5	122	63	4	113	59	18	63	5
Hyperplasia of prostate (600)	6	15	4	50	12	4	30	6	6	39	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	4	5	42	7	-	8	3	5	9	1
Pregnancy with abortive outcome (630-638)	-	-	2	13	1	-	1	1	1	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	4	3	29	6	-	7	2	4	9	-
Congenital anomalies (740-759)	36	326	88	968	311	38	670	195	146	640	47
Certain conditions originating in the perinatal period (760-779)	42	522	93	1,526	546	62	842	262	157	918	92
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	170	29	416	128	23	216	79	42	218	24
Other conditions originating in the perinatal period (760-766,770-779)	33	352	64	1,110	418	39	626	183	115	700	68
Symptoms, signs, and ill-defined conditions (780-799)	40	434	307	1,454	368	64	1,591	374	314	2,615	12
All other diseases (Residual)	516	4,194	791	9,558	3,607	372	5,908	1,811	1,521	7,907	647
Accidents and adverse effects (E800-E949)	341	2,172	890	5,247	2,781	286	3,460	1,704	1,183	4,133	275
Motor vehicle accidents (E810-E825)	178	980	569	2,146	1,299	140	1,552	902	576	1,783	117
All other accidents and adverse effects (E800-E807,E826-E949)	162	1,192	321	3,101	1,482	146	1,908	802	587	2,350	158
Suicide (E950-E959)	111	554	263	1,325	758	72	1,170	426	419	1,349	97
Homicide and legal intervention (E960-E978)	18	414	118	2,017	563	20	558	279	118	607	35
All other external causes (E980-E999)	8	43	44	590	47	11	50	27	44	169	8

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1983—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	25,312	6,581	44,377	116,727	8,834	4,683	43,206	32,889	19,358	40,968	2,992
Shigellosis and amebiasis (004,006)	1	-	2	7	-	-	1	-	-	1	-
Certain other intestinal infections (007-009)	5	3	12	17	1	-	4	8	1	6	1
Tuberculosis (010-018)	31	6	56	126	6	1	34	20	13	20	1
Tuberculosis of respiratory system (010-012)	25	4	45	99	6	1	23	18	12	14	1
Other tuberculosis (013-018)	6	2	11	27	-	-	11	4	1	6	-
Whooping cough (033)	-	-	-	1	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	16	1	9	13	1	1	9	2	-	7	-
Septicemia (038)	215	22	199	919	65	23	381	143	139	227	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	2	27	76	3	1	12	10	3	8	-
Syphilis (090-097)	2	-	4	10	-	-	2	5	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	78	12	126	295	21	4	101	89	27	114	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,946	1,313	9,489	23,763	1,542	1,041	8,784	7,450	4,007	8,923	533
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	125	16	182	436	19	22	229	133	65	139	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,249	377	2,185	5,498	395	273	2,378	1,850	947	2,402	122
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,390	304	2,900	6,771	269	242	2,758	2,132	1,198	2,072	141
Malignant neoplasm of breast (174-175)	444	119	698	1,842	152	88	606	633	312	862	40
Malignant neoplasms of genital organs (179-187)	595	162	1,072	2,502	222	126	1,083	815	421	1,040	57
Malignant neoplasms of urinary organs (188-189)	158	56	378	942	48	52	377	322	157	419	26
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	594	149	1,179	3,340	249	119	1,334	829	566	1,104	90
Leukemia (204-208)	141	47	386	1,047	88	49	334	307	148	393	16
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	250	84	509	1,385	102	70	485	429	193	492	34
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	67	30	139	325	36	17	137	89	58	77	9
Diabetes mellitus (250)	472	95	674	2,028	185	85	683	600	423	691	54
Nutritional deficiencies (260-269)	43	8	59	167	9	9	58	64	27	89	6
Anemias (280-285)	25	11	78	216	16	2	61	67	38	78	6
Meningitis (320-322)	16	4	28	109	11	4	35	12	7	23	1
Major cardiovascular diseases (390-448)	12,327	3,405	21,544	52,355	3,892	2,232	20,673	15,283	9,799	21,170	1,245
Diseases of heart (390-398,402,404-429)	9,492	2,682	16,073	40,580	3,026	1,772	16,003	11,657	7,881	16,431	982
Rheumatic fever and rheumatic heart disease (390-398)	43	17	111	280	82	25	113	142	57	123	11
Hypertensive heart disease (402)	344	37	453	1,240	77	43	425	231	174	355	22
Hypertensive heart and renal disease (404)	64	9	62	148	4	9	75	34	30	55	-
Ischemic heart disease (410-414)	6,332	1,978	11,739	24,920	1,849	1,193	10,806	8,053	5,331	12,080	651
Acute myocardial infarction (410)	4,084	1,186	7,121	14,974	983	622	5,829	4,073	2,815	6,093	429
Other acute and subacute forms of ischemic heart disease (411)	134	6	121	50	17	7	653	14	18	68	1
Angina pectoris (413)	19	3	9	33	4	4	26	26	8	14	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,101	783	4,468	9,863	845	560	4,298	3,940	2,490	5,905	221
Other diseases of endocardium (424)	108	28	155	405	41	25	171	200	73	198	18
All other forms of heart disease (415-423,425-429)	2,601	613	3,553	13,587	973	477	4,413	2,997	2,216	3,620	282
Hypertension with or without renal disease (401,403)	103	16	172	345	27	17	154	111	62	170	9
Cerebrovascular diseases (430-438)	2,272	550	4,347	9,061	644	326	3,494	2,607	1,431	3,407	180
Intracerebral and other intracranial hemorrhage (431-432)	320	53	481	1,090	85	34	423	325	157	354	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	312	76	642	1,146	80	62	601	377	224	513	18
Cerebral embolism (434.1)	11	1	17	35	9	1	13	11	-	17	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,629	420	3,207	6,790	470	229	2,457	1,894	1,050	2,523	146
Atherosclerosis (440)	249	89	512	1,377	96	74	584	495	229	660	39
Other diseases of arteries, arterioles, and capillaries (441-448)	211	58	440	992	99	43	438	413	196	502	35
Acute bronchitis and bronchiolitis (466)	9	2	6	25	1	1	6	7	7	11	-
Pneumonia and influenza (480-487)	654	247	1,195	2,923	257	169	1,272	1,005	425	1,252	106
Pneumonia (480-486)	643	235	1,173	2,855	251	159	1,231	926	416	1,204	102
Influenza (487)	11	12	22	68	6	10	41	79	9	48	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	697	191	1,392	3,564	291	214	1,360	1,446	818	1,222	139
Bronchitis, chronic and unspecified (490-491)	32	12	78	191	17	7	80	82	49	60	5
Emphysema (492)	128	48	224	742	46	29	235	293	131	263	16
Asthma (493)	50	8	64	174	30	14	74	74	17	71	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	487	123	1,026	2,457	198	164	971	997	621	828	113
Ulcer of stomach and duodenum (531-533)	68	36	148	334	27	17	118	128	42	112	5
Appendicitis (540-543)	8	3	19	34	4	1	11	5	2	10	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	61	21	122	293	31	14	104	84	49	105	11
Chronic liver disease and cirrhosis (571)	288	73	432	1,355	106	63	532	458	200	432	36
Cholelithiasis and other disorders of gallbladder (574-575)	29	8	90	150	16	7	67	29	34	57	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	228	72	422	1,269	92	34	416	241	222	339	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	1	7	29	2	-	4	4	4	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	28	6	70	84	15	4	38	37	19	37	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	193	65	345	1,156	75	30	374	200	199	299	22
Infections of kidney (590)	33	3	67	169	7	14	31	30	15	42	10
Hyperplasia of prostate (600)	7	-	11	23	1	3	7	8	10	13	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	-	9	23	3	-	4	3	3	4	-
Pregnancy with abortive outcome (630-638)	-	-	-	3	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	-	9	20	2	-	4	3	3	4	-
Congenital anomalies (740-759)	191	46	289	962	130	24	257	240	100	268	11
Certain conditions originating in the perinatal period (760-779)	389	50	473	1,488	167	25	473	254	153	303	20
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	85	21	112	471	68	5	88	91	48	101	3
Other conditions originating in the perinatal period (760-766,770-779)	304	29	361	1,015	99	20	385	163	105	202	17
Symptoms, signs, and ill-defined conditions (780-799)	371	74	925	4,438	132	21	387	301	204	267	57
All other diseases (Residual)	1,668	383	2,847	7,320	800	333	2,953	2,299	1,270	2,714	250
Accidents and adverse effects (E800-E949)	1,691	348	2,332	7,434	659	234	2,106	1,641	863	1,580	308
Motor vehicle accidents (E810-E825)	849	184	1,156	3,954	310	97	944	765	456	758	174
All other accidents and adverse effects (E800-E807,E826-E949)	842	164	1,176	3,480	349	137	1,162	876	397	822	134
Suicide (E950-E959)	331	60	622	2,044	222	80	706	608	256	620	104
Homicide and legal intervention (E960-E978)	321	23	449	2,350	62	8	416	217	114	148	26
All other external causes (E980-E999)	16	9	63	104	38	1	25	49	29	34	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						
	Total, 305 areas	Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N.Mex.	Alexandria, La.
All causes	1,464,770	1,337	5,814	784	7,878	2,984	1,403
Shigellosis and amebiasis (004,006)	25	-	-	-	-	1	-
Certain other intestinal infections (007-009)	259	-	2	-	1	1	-
Tuberculosis (010-018)	1,331	-	1	1	4	4	3
Tuberculosis of respiratory system (010-012)	1,052	-	1	-	4	4	3
Other tuberculosis (013-018)	279	-	-	1	-	-	-
Whooping cough (033)	3	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	-	-	-	-	-	-
Meningococcal infection (036)	217	-	-	-	-	1	1
Septicemia (038)	10,302	10	53	5	65	13	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-
Measles (055)	3	-	-	-	-	-	-
Viral hepatitis (070)	665	2	4	1	1	3	1
Syphilis (090-097)	94	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3,745	2	10	1	16	11	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	329,538	265	1,342	166	1,780	646	277
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,635	5	28	4	31	9	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	85,470	65	350	38	498	164	65
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	89,396	56	387	45	447	153	81
Malignant neoplasm of breast (174-175)	29,534	28	104	12	173	64	22
Malignant neoplasms of genital organs (179-187)	35,364	28	133	18	200	72	31
Malignant neoplasms of urinary organs (188-189)	13,624	12	78	6	80	36	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39,982	47	155	22	198	87	34
Leukemia (204-208)	12,220	8	32	7	63	31	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17,313	16	80	14	90	28	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,821	5	22	-	40	5	4
Diabetes mellitus (250)	26,084	21	140	16	146	58	45
Nutritional deficiencies (260-269)	1,803	2	11	5	12	3	3
Anemias (280-285)	2,483	1	9	2	14	2	2
Meningitis (320-322)	950	1	1	-	2	7	3
Major cardiovascular diseases (390-448)	704,607	607	2,687	323	4,118	1,126	658
Diseases of heart (390-398,402,404-429)	558,012	459	2,138	236	3,392	862	527
Rheumatic fever and rheumatic heart disease (390-398)	5,281	3	23	1	35	15	1
Hypertensive heart disease (402)	16,581	7	57	12	67	17	37
Hypertensive heart and renal disease (404)	1,971	-	10	1	6	1	5
Ischemic heart disease (410-414)	400,238	299	1,502	169	2,666	493	354
Acute myocardial infarction (410)	196,497	199	771	74	1,151	241	246
Other acute and subacute forms of ischemic heart disease (411)	2,923	-	7	-	27	1	-
Angina pectoris (413)	549	-	4	-	3	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	200,275	100	720	95	1,485	250	107
Other diseases of endocardium (424)	6,111	6	21	6	31	10	3
All other forms of heart disease (415-423,425-429)	127,830	144	525	47	587	326	127
Hypertension with or without renal disease (401,403)	5,672	7	22	9	39	16	8
Cerebrovascular diseases (430-438)	107,974	116	374	70	496	188	106
Intracerebral and other intracranial hemorrhage (431-432)	14,594	18	53	11	80	29	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19,365	8	67	16	95	11	17
Cerebral embolism (434.1)	516	-	2	1	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	73,499	90	252	42	320	146	76
Atherosclerosis (440)	17,867	13	101	4	114	34	4
Other diseases of arteries, arterioles, and capillaries (441-448)	15,082	12	52	4	77	28	11
Acute bronchitis and bronchiolitis (466)	400	-	2	-	5	3	-
Pneumonia and influenza (480-487)	39,697	35	128	15	220	82	37
Pneumonia (480-486)	38,940	35	122	15	217	82	37
Influenza (487)	757	-	6	-	3	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	47,465	59	186	30	275	124	61
Bronchitis, chronic and unspecified (490-491)	2,624	2	11	2	17	2	4
Emphysema (492)	9,737	7	34	5	68	20	10
Asthma (493)	2,613	5	10	4	8	13	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	32,491	45	133	19	182	89	43
Ulcer of stomach and duodenum (531-533)	4,622	4	17	4	28	9	5
Appendicitis (540-543)	368	-	-	-	1	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,600	6	14	1	18	8	1
Chronic liver disease and cirrhosis (571)	21,745	7	54	13	106	62	14
Cholelithiasis and other disorders of gallbladder (574-575)	2,053	2	7	2	9	9	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13,395	14	53	4	62	28	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	242	1	2	-	3	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,355	-	6	1	7	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11,798	13	45	3	52	23	18
Infections of kidney (590)	1,384	1	3	1	9	1	1
Hyperplasia of prostate (600)	378	-	1	1	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	215	-	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	38	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	177	-	-	-	-	-	-
Congenital anomalies (740-759)	9,863	13	42	7	42	31	15
Certain conditions originating in the perinatal period (760-779)	14,892	16	46	17	52	42	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4,019	3	16	4	8	10	3
Other conditions originating in the perinatal period (760-766,770-779)	10,873	13	30	13	44	32	14
Symptoms, signs, and ill-defined conditions (780-799)	19,349	86	455	32	41	79	14
All other diseases (Residual)	95,250	68	348	58	459	291	95
Accidents and adverse effects (E800-E949)	62,751	75	126	49	251	198	74
Motor vehicle accidents (E810-E825)	29,685	36	66	23	110	116	33
All other accidents and adverse effects (E800-E807,E826-E949)	33,066	39	60	26	141	82	41
Suicide (E950-E959)	21,155	21	40	11	78	86	12
Homicide and legal intervention (E960-E978)	16,755	13	7	19	16	34	23
All other external causes (E980-E999)	2,519	1	-	-	6	13	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anchorage, Alaska	Anderson, Ind.	Anderson, S.C.	Ann Arbor, Mich.
All causes	6,161	1,614	1,426	12,612	664	1,250	1,164	1,461
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	5	-	1	-	1
Tuberculosis (010-016)	5	-	5	9	1	1	-	1
Tuberculosis of respiratory system (010-012)	5	-	4	7	1	-	-	1
Other tuberculosis (013-016)	-	-	1	2	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	2	-
Septicemia (038)	48	12	6	43	4	13	13	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	1	5	1	1	-	1
Syphilis (090-097)	-	-	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	-	3	36	6	1	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,493	322	280	3,029	155	270	227	338
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	5	5	63	7	3	5	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	394	82	69	757	31	59	52	86
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	350	96	72	804	50	79	68	96
Malignant neoplasm of breast (174-175)	140	31	25	296	15	23	16	28
Malignant neoplasms of genital organs (179-187)	132	28	31	326	14	27	28	38
Malignant neoplasms of urinary organs (188-189)	67	17	10	122	2	12	16	20
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	247	29	45	350	27	44	23	37
Leukemia (204-208)	52	18	8	129	4	14	3	16
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	84	16	15	182	5	9	16	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	7	4	49	-	2	5	5
Diabetes mellitus (250)	121	38	12	152	12	49	14	39
Nutritional deficiencies (260-269)	13	3	5	9	-	1	-	-
Anemias (280-285)	7	5	2	19	2	4	1	1
Meningitis (320-322)	2	1	-	4	4	-	-	2
Major cardiovascular diseases (390-448)	3,218	902	722	5,882	155	637	539	659
Diseases of heart (390-398,402,404-429)	2,669	745	581	4,537	130	487	407	507
Rheumatic fever and rheumatic heart disease (390-398)	21	7	8	62	4	8	2	4
Hypertensive heart disease (402)	51	16	7	81	1	17	11	6
Hypertensive heart and renal disease (404)	9	4	-	13	-	3	1	1
Ischemic heart disease (410-414)	1,724	573	331	3,523	89	375	302	391
Acute myocardial infarction (410)	1,050	305	253	1,991	37	175	165	178
Other acute and subacute forms of ischemic heart disease (411)	3	9	-	6	-	1	-	-
Angina pectoris (413)	5	1	-	6	-	1	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	666	264	78	1,520	52	198	117	211
Other diseases of endocardium (424)	36	8	4	60	5	8	3	7
All other forms of heart disease (415-423,425-429)	828	137	231	798	31	76	88	98
Hypertension with or without renal disease (401,403)	32	6	6	32	-	4	9	7
Cerebrovascular diseases (430-438)	382	106	99	977	17	112	107	103
Intracerebral and other intracranial hemorrhage (431-432)	57	18	13	142	4	9	10	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	75	18	7	153	3	21	19	14
Cerebral embolism (434.1)	6	2	-	6	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	244	68	79	676	10	82	77	73
Atherosclerosis (440)	72	29	27	170	2	25	9	28
Other diseases of arteries, arterioles, and capillaries (441-448)	63	16	9	166	6	9	7	14
Acute bronchitis and bronchiolitis (466)	-	1	-	7	-	-	-	-
Pneumonia and influenza (480-487)	127	25	35	451	12	13	28	39
Pneumonia (480-488)	127	22	35	447	12	13	28	38
Influenza (487)	-	3	-	4	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	173	63	61	463	24	42	52	56
Bronchitis, chronic and unspecified (490-491)	8	4	2	20	3	-	4	-
Emphysema (492)	18	12	21	88	7	4	14	11
Asthma (493)	8	2	2	18	-	-	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	139	45	36	337	14	38	32	44
Ulcer of stomach and duodenum (531-533)	19	2	4	64	1	3	1	5
Appendicitis (540-543)	-	-	1	6	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	5	4	38	1	-	3	3
Chronic liver disease and cirrhosis (571)	60	14	18	216	18	17	8	13
Cholelithiasis and other disorders of gallbladder (574-575)	7	6	2	11	-	2	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	79	9	9	72	1	12	11	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	3	10	-	1	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	77	9	6	62	1	11	10	13
Infections of kidney (590)	5	2	1	11	-	1	1	-
Hyperplasia of prostate (600)	-	-	-	4	2	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	3	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	1	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	2	-	-	-	-
Congenital anomalies (740-759)	28	5	13	105	10	7	7	16
Certain conditions originating in the perinatal period (760-779)	27	15	7	149	17	8	19	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	2	3	45	5	3	5	2
Other conditions originating in the perinatal period (760-766,770-779)	21	13	4	98	12	5	14	15
Symptoms, signs, and ill-defined conditions (780-799)	38	8	7	64	11	12	45	20
All other diseases (Residual)	349	101	77	699	45	78	68	111
Accidents and adverse effects (E800-E949)	195	52	96	611	135	59	77	71
Motor vehicle accidents (E810-E825)	105	17	55	312	59	27	41	38
All other accidents and adverse effects (E800-E807,E826-E949)	90	35	41	299	76	32	36	33
Suicide (E950-E959)	82	11	26	288	29	20	19	31
Homicide and legal intervention (E960-E978)	15	3	24	108	18	1	22	10
All other external causes (E980-E999)	4	1	-	5	-	-	-	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Anniston, Ala.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Athens, Ga.	Atlanta, Ga.	Atlantic City, N.J.	Augusta, Ga.-S.C.	Austin, Tex.
All causes	1,085	2,268	1,752	979	14,567	2,445	2,600	3,461
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	1
Certain other intestinal infections (007-009)	-	-	-	-	5	-	-	1
Tuberculosis (010-018)	5	-	1	-	18	5	5	4
Tuberculosis of respiratory system (010-012)	3	-	-	-	13	3	4	3
Other tuberculosis (013-018)	2	-	1	-	5	2	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	1	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	2	-	1	-
Septicemia (038)	3	11	10	11	168	14	15	31
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	-	-	8	-	2	2
Syphilis (090-097)	-	-	-	-	2	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	6	6	4	45	4	11	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	240	515	367	180	3,060	562	512	747
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	6	5	6	65	6	13	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	54	129	94	34	701	161	119	186
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	70	121	73	49	875	158	149	198
Malignant neoplasm of breast (174-175)	24	55	36	22	268	37	43	67
Malignant neoplasms of genital organs (179-187)	18	68	56	24	336	71	80	90
Malignant neoplasms of urinary organs (188-189)	7	32	14	6	122	30	15	30
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41	58	54	29	408	56	74	87
Leukemia (204-208)	9	23	11	4	135	24	16	39
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	23	24	6	150	19	23	36
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	6	4	2	49	3	9	9
Diabetes mellitus (250)	19	40	19	20	230	53	39	60
Nutritional deficiencies (260-269)	2	4	6	1	32	1	4	4
Anemias (280-285)	-	4	4	2	32	2	3	5
Meningitis (320-322)	1	2	1	1	15	1	3	3
Major cardiovascular diseases (390-448)	558	1,158	827	479	6,411	1,273	1,213	1,465
Diseases of heart (390-398,402,404-429)	416	907	630	363	4,867	1,005	946	1,049
Rheumatic fever and rheumatic heart disease (390-398)	1	7	6	3	40	12	8	7
Hypertensive heart disease (402)	14	8	14	8	284	45	43	46
Hypertensive heart and renal disease (404)	1	3	1	-	10	6	3	3
Ischemic heart disease (410-414)	250	706	422	221	2,906	769	590	612
Acute myocardial infarction (410)	172	361	238	141	1,833	334	378	353
Other acute and subacute forms of ischemic heart disease (411)	2	2	1	2	9	2	1	2
Angina pectoris (413)	-	-	2	-	4	1	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	76	343	181	78	1,060	432	210	255
Other diseases of endocardium (424)	3	17	10	5	45	10	14	14
All other forms of heart disease (415-423,425-429)	147	166	177	126	1,582	163	288	387
Hypertension with or without renal disease (401,403)	7	6	9	5	84	9	7	9
Cerebrovascular diseases (430-438)	108	186	150	98	1,227	193	214	301
Intracerebral and other intracranial hemorrhage (431-432)	5	20	17	7	201	32	49	43
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	33	28	23	152	39	39	29
Cerebral embolism (434.1)	-	1	1	1	9	2	2	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	71	132	104	67	865	120	124	228
Atherosclerosis (440)	13	39	23	8	107	32	24	80
Other diseases of arteries, arterioles, and capillaries (441-448)	14	20	16	5	126	34	22	26
Acute bronchitis and bronchiolitis (466)	-	-	1	-	6	1	-	3
Pneumonia and influenza (480-487)	21	67	82	34	378	54	54	86
Pneumonia (480-486)	21	66	81	33	375	54	53	86
Influenza (487)	-	1	1	1	3	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	46	64	59	29	456	92	87	109
Bronchitis, chronic and unspecified (490-491)	2	7	6	1	36	2	5	6
Emphysema (492)	11	19	6	12	95	10	23	19
Asthma (493)	-	8	-	1	34	4	4	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	33	30	47	15	291	76	55	73
Ulcer of stomach and duodenum (531-533)	1	6	6	2	40	10	13	7
Appendicitis (540-543)	-	1	-	-	6	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	5	4	4	41	12	10	11
Chronic liver disease and cirrhosis (571)	13	25	23	18	214	37	34	34
Cholelithiasis and other disorders of gallbladder (574-575)	-	4	3	-	21	3	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	14	11	7	159	23	24	35
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	3	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	1	1	21	2	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	14	10	6	135	21	21	33
Infections of kidney (590)	2	3	2	-	10	2	6	6
Hyperplasia of prostate (600)	1	2	-	1	4	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	5	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	5	-	-	-
Congenital anomalies (740-759)	6	13	12	7	140	8	23	32
Certain conditions originating in the perinatal period (760-779)	9	17	12	9	220	25	29	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	10	3	4	49	10	7	7
Other conditions originating in the perinatal period (760-766,770-779)	6	7	9	5	171	15	22	25
Symptoms, signs, and ill-defined conditions (780-799)	12	16	5	15	142	23	28	59
All other diseases (Residual)	51	161	139	73	1,141	121	238	279
Accidents and adverse effects (E800-E949)	47	85	93	60	977	87	151	267
Motor vehicle accidents (E810-E825)	23	44	41	38	493	45	62	154
All other accidents and adverse effects (E800-E807,E826-E949)	24	41	52	22	484	42	89	113
Suicide (E950-E959)	14	34	40	12	255	19	41	79
Homicide and legal intervention (E960-E978)	17	2	11	8	261	8	39	73
All other external causes (E980-E999)	1	-	2	-	13	3	4	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Bakersfield, Calif.	Baltimore, Md.	Bangor, Maine	Baton Rouge, La.	Battle Creek, Mich.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Bellingham, Wash.
All causes	3,363	19,909	1,129	3,484	1,656	968	3,327	797
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	3	-	1	-	-	-	-
Tuberculosis (010-018)	4	11	-	2	2	-	3	-
Tuberculosis of respiratory system (010-012)	2	10	-	-	1	-	3	-
Other tuberculosis (013-018)	2	1	-	2	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	1	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	-	-	-	-
Septicemia (038)	21	268	5	34	9	3	15	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	9	-	4	1	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	14	43	4	7	3	-	6	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	710	4,759	269	750	380	223	692	171
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	121	5	16	7	2	15	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	169	1,258	65	173	99	58	145	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	191	1,325	67	226	101	59	210	48
Malignant neoplasm of breast (174-175)	69	394	31	69	29	19	56	13
Malignant neoplasms of genital organs (179-187)	74	485	34	70	57	12	65	20
Malignant neoplasms of urinary organs (188-189)	32	188	13	31	8	6	22	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	91	611	34	98	44	51	97	29
Leukemia (204-208)	34	154	9	31	11	9	33	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	225	11	38	24	7	49	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	99	4	18	2	1	11	3
Diabetes mellitus (250)	48	421	10	74	49	10	67	12
Nutritional deficiencies (260-269)	3	20	1	3	5	-	2	2
Anemias (280-285)	8	36	1	6	1	1	10	2
Meningitis (320-322)	3	12	-	5	1	-	4	-
Major cardiovascular diseases (390-448)	1,483	9,142	534	1,519	778	544	1,505	403
Diseases of heart (390-398,402,404-429)	1,196	7,561	436	1,187	641	430	1,187	299
Rheumatic fever and rheumatic heart disease (390-398)	10	52	3	5	5	1	4	3
Hypertensive heart disease (402)	39	416	6	131	22	1	20	8
Hypertensive heart and renal disease (404)	8	35	6	8	5	-	4	1
Ischemic heart disease (410-414)	908	3,597	316	760	466	377	645	219
Acute myocardial infarction (410)	382	2,389	181	321	244	176	305	82
Other acute and subacute forms of ischemic heart disease (411)	4	24	1	2	1	-	4	-
Angina pectoris (413)	-	19	3	4	-	-	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	522	1,165	131	433	221	201	334	136
Other diseases of endocardium (424)	11	61	4	11	8	3	6	5
All other forms of heart disease (415-423,425-429)	220	3,400	101	272	135	48	508	63
Hypertension with or without renal disease (401,403)	15	77	3	11	12	3	7	4
Cerebrovascular diseases (430-438)	202	1,157	71	227	93	52	237	68
Intracerebral and other intracranial hemorrhage (431-432)	27	172	10	33	18	3	38	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	48	113	16	21	12	13	27	5
Cerebral embolism (434.1)	2	8	-	-	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	125	864	46	173	63	35	172	55
Atherosclerosis (440)	34	127	13	69	15	46	51	20
Other diseases of arteries, arterioles, and capillaries (441-448)	36	220	11	25	17	11	23	12
Acute bronchitis and bronchiolitis (466)	-	1	1	-	-	-	-	-
Pneumonia and influenza (480-487)	105	435	46	85	57	9	79	20
Pneumonia (480-486)	104	430	38	84	42	9	75	16
Influenza (487)	1	5	10	1	15	-	4	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	135	596	50	95	75	44	76	31
Bronchitis, chronic and unspecified (490-491)	9	34	1	3	4	1	5	1
Emphysema (492)	39	85	10	18	18	15	19	6
Asthma (493)	6	32	2	9	-	2	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	87	445	37	65	53	26	52	23
Ulcer of stomach and duodenum (531-533)	11	65	1	9	5	3	5	1
Appendicitis (540-543)	1	2	1	1	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	46	3	10	6	-	5	2
Chronic liver disease and cirrhosis (571)	61	250	13	34	19	17	46	5
Cholelithiasis and other disorders of gallbladder (574-575)	5	25	-	5	4	1	5	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	37	271	11	52	11	10	39	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	8	2	7	-	1	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	261	9	45	11	9	36	5
Infections of kidney (590)	2	9	1	5	-	1	6	-
Hyperplasia of prostate (600)	-	5	1	1	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	-	1	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	2	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	-	-	1	-
Congenital anomalies (740-759)	31	112	7	42	12	4	28	6
Certain conditions originating in the perinatal period (760-779)	55	199	9	56	24	16	41	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	46	1	16	6	4	18	1
Other conditions originating in the perinatal period (760-766,770-779)	38	153	8	40	18	12	23	4
Symptoms, signs, and ill-defined conditions (780-799)	27	205	9	32	12	4	178	6
All other diseases (Residual)	207	1,570	72	241	93	35	185	60
Accidents and adverse effects (E800-E949)	239	755	53	244	73	25	198	41
Motor vehicle accidents (E810-E825)	151	327	24	122	32	11	114	24
All other accidents and adverse effects (E800-E807,E826-E949)	88	428	29	122	41	14	84	17
Suicide (E950-E959)	68	248	15	58	19	9	53	14
Homicide and legal intervention (E960-E978)	50	284	5	88	8	8	51	-
All other external causes (E980-E999)	3	26	1	2	6	-	4	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Benton Harbor, Mich.	Billings, Mont.	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bismarck, N.Dak.	Bloomington, Ind.	Bloomington-Normal, Ill.
All causes	1,479	715	1,659	2,743	7,953	560	573	853
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	-	-	-	2	3	-	1	-
Tuberculosis (010-018)	1	1	2	2	15	1	-	1
Tuberculosis of respiratory system (010-012)	1	1	1	2	12	1	-	1
Other tuberculosis (013-018)	-	-	1	-	3	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	1	-	-	1
Septicemia (038)	13	3	7	9	65	2	1	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	4	-	8	-	-	-
Syphilis (090-097)	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	1	3	7	20	2	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	288	155	374	609	1,813	142	127	183
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	1	4	12	32	2	1	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	67	44	78	179	435	38	35	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	84	30	157	151	542	29	25	56
Malignant neoplasm of breast (174-175)	25	17	21	60	153	10	12	16
Malignant neoplasms of genital organs (179-187)	38	19	38	56	216	24	15	12
Malignant neoplasms of urinary organs (188-189)	19	7	12	21	60	4	9	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31	15	40	70	221	22	14	20
Leukemia (204-208)	11	12	13	23	57	7	8	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	10	11	37	97	6	8	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	2	4	16	18	1	-	4
Diabetes mellitus (250)	25	12	22	50	125	9	13	13
Nutritional deficiencies (260-269)	3	2	6	2	17	-	2	-
Anemias (280-285)	4	2	3	7	19	-	1	1
Meningitis (320-322)	-	-	-	-	6	1	2	-
Major cardiovascular diseases (390-448)	745	298	777	1,427	3,399	264	289	434
Diseases of heart (390-398,402,404-429)	579	233	661	1,114	2,531	199	201	319
Rheumatic fever and rheumatic heart disease (390-398)	1	3	4	16	21	-	2	5
Hypertensive heart disease (402)	18	6	13	23	102	5	3	12
Hypertensive heart and renal disease (404)	2	1	3	5	10	-	4	2
Ischemic heart disease (410-414)	432	164	375	912	1,666	157	147	232
Acute myocardial infarction (410)	179	76	257	426	933	94	77	114
Other acute and subacute forms of ischemic heart disease (411)	1	3	1	1	17	-	-	1
Angina pectoris (413)	-	-	-	2	2	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	252	85	117	483	714	63	70	116
Other diseases of endocardium (424)	10	6	8	9	33	2	-	4
All other forms of heart disease (415-423,425-429)	116	53	258	149	689	35	45	64
Hypertension with or without renal disease (401,403)	3	-	11	12	62	2	3	4
Cerebrovascular diseases (430-438)	118	51	84	212	668	52	67	78
Intracerebral and other intracranial hemorrhage (431-432)	10	4	18	25	88	4	7	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	10	17	39	117	15	7	29
Cerebral embolism (434.1)	-	1	1	1	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	100	36	48	147	483	33	53	33
Atherosclerosis (440)	22	9	9	49	49	4	13	23
Other diseases of arteries, arterioles, and capillaries (441-448)	23	5	12	40	69	7	5	10
Acute bronchitis and bronchiolitis (466)	1	-	1	1	-	-	-	1
Pneumonia and influenza (480-487)	48	25	32	72	196	9	11	30
Pneumonia (480-486)	48	23	31	72	194	9	11	30
Influenza (487)	-	2	1	-	2	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58	36	63	95	259	23	14	24
Bronchitis, chronic and unspecified (490-491)	8	3	9	5	14	-	-	2
Emphysema (492)	11	3	6	24	44	1	1	-
Asthma (493)	3	-	4	2	8	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	36	30	44	64	193	20	12	22
Ulcer of stomach and duodenum (531-533)	6	4	5	12	26	4	1	1
Appendicitis (540-543)	-	-	-	-	2	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	1	8	20	1	2	3
Chronic liver disease and cirrhosis (571)	18	11	17	38	87	-	7	3
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	2	5	18	-	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	9	16	26	87	9	8	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	2	3	10	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	7	14	23	77	8	6	8
Infections of kidney (590)	1	-	3	6	17	-	-	1
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	-	-
Congenital anomalies (740-759)	8	8	10	12	44	5	3	7
Certain conditions originating in the perinatal period (760-779)	26	2	15	36	80	9	4	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	1	6	3	24	6	-	-
Other conditions originating in the perinatal period (760-766,770-779)	15	1	9	33	56	3	4	4
Symptoms, signs, and ill-defined conditions (780-799)	9	10	14	15	363	4	6	9
All other diseases (Residual)	113	52	115	155	670	38	34	62
Accidents and adverse effects (E800-E949)	67	55	114	92	346	24	27	38
Motor vehicle accidents (E810-E825)	28	35	54	35	164	10	14	22
All other accidents and adverse effects (E800-E807,E826-E949)	39	20	60	57	182	14	13	16
Suicide (E950-E959)	13	21	35	29	99	9	13	8
Homicide and legal intervention (E960-E978)	7	-	10	7	113	1	3	5
All other external causes (E980-E999)	-	3	4	2	14	2	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Boise City, Idaho	Boston-Lowell-Brockton-Lawrence-Haverhill, Mass.	Bradenton, Fla.	Bremerton, Wash.	Bridgeport-Stamford-Norwalk-Danbury, Conn.	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.
All causes	1,230	33,728	2,374	1,137	6,991	1,436	514	12,790
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	3	2	-	-	-	-	1
Tuberculosis (010-018)	-	13	1	1	3	3	4	9
Tuberculosis of respiratory system (010-012)	-	11	-	1	3	3	4	8
Other tuberculosis (013-018)	-	2	1	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	-	3	-	-	-
Septicemia (038)	9	281	7	9	49	18	5	95
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	16	1	1	2	1	-	2
Syphilis (090-097)	-	1	-	-	-	1	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	84	3	4	21	3	1	25
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	253	8,143	560	255	1,762	253	97	2,879
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	152	13	6	37	7	2	61
Malignant neoplasms of digestive organs and peritoneum (150-159)	60	2,219	155	62	482	62	25	817
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	66	2,024	140	73	423	75	25	811
Malignant neoplasm of breast (174-175)	18	770	48	16	173	14	12	248
Malignant neoplasms of genital organs (179-187)	28	809	67	28	197	25	8	302
Malignant neoplasms of urinary organs (188-189)	9	368	27	14	76	13	2	109
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41	1,093	57	25	201	30	16	266
Leukemia (204-208)	14	290	14	10	69	12	1	112
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	418	39	21	104	15	6	153
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	135	6	3	35	1	2	47
Diabetes mellitus (250)	14	572	39	19	131	41	12	251
Nutritional deficiencies (260-269)	3	34	1	1	6	1	1	12
Anemias (280-285)	4	45	2	1	19	3	1	20
Meningitis (320-322)	2	15	5	-	6	3	-	5
Major cardiovascular diseases (390-448)	560	16,085	1,128	497	3,415	552	226	6,745
Diseases of heart (390-398,402,404-429)	422	13,052	871	408	2,651	434	144	5,279
Rheumatic fever and rheumatic heart disease (390-398)	6	122	9	4	26	3	-	51
Hypertensive heart disease (402)	1	243	24	13	64	5	1	99
Hypertensive heart and renal disease (404)	1	27	5	4	8	-	1	15
Ischemic heart disease (410-414)	302	10,281	619	276	2,024	324	108	4,464
Acute myocardial infarction (410)	155	5,269	317	162	908	225	69	2,447
Other acute and subacute forms of ischemic heart disease (411)	1	16	1	1	2	-	-	15
Angina pectoris (413)	-	16	-	1	-	1	2	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	146	4,980	301	112	1,114	98	37	2,000
Other diseases of endocardium (424)	4	130	5	8	39	7	1	33
All other forms of heart disease (415-423,425-429)	108	2,249	209	103	490	95	33	617
Hypertension with or without renal disease (401,403)	2	111	12	2	23	4	4	43
Cerebrovascular diseases (430-438)	98	2,198	190	68	546	91	61	1,105
Intracerebral and other intracranial hemorrhage (431-432)	4	322	18	9	80	6	7	123
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	453	63	8	100	12	6	324
Cerebral embolism (434.1)	-	19	2	3	1	-	-	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	89	1,404	107	48	365	73	48	655
Atherosclerosis (440)	18	351	23	8	104	13	12	168
Other diseases of arteries, arterioles, and capillaries (441-448)	20	379	32	11	91	10	5	150
Acute bronchitis and bronchiolitis (466)	-	7	-	-	3	-	-	4
Pneumonia and influenza (480-487)	38	1,212	52	36	168	25	4	337
Pneumonia (480-486)	33	1,202	52	34	165	22	4	335
Influenza (487)	5	10	-	2	3	3	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	59	1,068	110	52	202	33	14	413
Bronchitis, chronic and unspecified (490-491)	1	57	4	1	6	3	-	22
Emphysema (492)	15	139	28	13	40	6	5	100
Asthma (493)	3	64	-	-	10	-	-	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	40	806	78	38	146	24	9	273
Ulcer of stomach and duodenum (531-533)	7	88	9	4	28	3	2	51
Appendicitis (540-543)	1	13	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	83	3	1	13	4	2	36
Chronic liver disease and cirrhosis (571)	14	438	26	12	103	15	3	193
Cholelithiasis and other disorders of gallbladder (574-575)	1	51	7	1	12	2	-	22
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	379	13	10	48	14	2	86
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	6	-	-	3	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	25	2	2	6	1	-	10
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	348	11	8	40	12	2	76
Infections of kidney (590)	1	25	6	2	3	-	1	16
Hyperplasia of prostate (600)	1	5	-	-	2	-	-	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	-	1	-	1	-	3
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	-	1	-	1	-	3
Congenital anomalies (740-759)	9	184	6	12	29	15	3	63
Certain conditions originating in the perinatal period (760-779)	12	235	15	19	54	20	14	90
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	41	6	3	15	14	4	26
Other conditions originating in the perinatal period (760-766,770-779)	7	194	9	16	39	6	10	64
Symptoms, signs, and ill-defined conditions (780-799)	13	290	103	5	107	189	43	60
All other diseases (Residual)	86	2,566	156	77	409	78	27	721
Accidents and adverse effects (E800-E949)	77	1,155	74	78	228	98	38	381
Motor vehicle accidents (E810-E825)	28	434	46	40	91	55	20	165
All other accidents and adverse effects (E800-E807,E826-E949)	49	721	28	39	137	43	18	216
Suicide (E950-E959)	33	316	22	26	66	18	6	114
Homicide and legal intervention (E960-E978)	5	154	13	6	55	28	5	76
All other external causes (E980-E999)	1	50	4	3	6	5	1	29

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Burlington, N.C.	Burlington, Vt.	Canton, Ohio	Casper, Wyo.	Cedar Rapids, Iowa	Champaign-Urbana-Rantoul, Ill.	Charleston-North Charleston, S.C.	Charleston, W. Va.
All causes	883	889	3,788	413	1,286	949	2,959	2,500
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	2	1
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	-	-	-	-	-	-	2	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	1	1	-
Septicemia (038)	5	3	13	3	9	3	27	20
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	1	-	-	1	3	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	3	1	8	1	1	3	11	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	185	169	881	87	304	222	654	565
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	2	19	2	4	4	24	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	38	42	199	22	69	70	166	125
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	51	38	232	22	76	51	216	187
Malignant neoplasm of breast (174-175)	18	16	80	6	33	25	54	29
Malignant neoplasms of genital organs (179-187)	16	19	85	8	34	19	73	62
Malignant neoplasms of urinary organs (188-189)	8	7	59	3	8	6	12	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	27	105	13	41	29	64	78
Leukemia (204-208)	5	8	47	4	17	10	18	23
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	10	55	7	22	8	27	31
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	-	16	1	1	5	8	9
Diabetes mellitus (250)	10	13	101	5	24	26	63	43
Nutritional deficiencies (260-269)	-	4	9	-	6	1	10	1
Anemias (280-285)	3	-	8	-	1	6	1	5
Meningitis (320-322)	1	1	3	-	-	-	3	1
Major cardiovascular diseases (390-448)	461	315	1,948	151	635	443	1,286	1,276
Diseases of heart (390-398,402,404-429)	343	255	1,545	119	478	331	1,023	1,030
Rheumatic fever and rheumatic heart disease (390-398)	2	5	18	2	7	3	8	5
Hypertensive heart disease (402)	18	12	43	-	5	6	42	34
Hypertensive heart and renal disease (404)	2	-	14	-	1	4	8	4
Ischemic heart disease (410-414)	271	157	1,190	81	338	251	684	615
Acute myocardial infarction (410)	153	83	598	43	143	116	357	307
Other acute and subacute forms of ischemic heart disease (411)	-	3	3	-	-	1	100	6
Angina pectoris (413)	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	118	71	589	38	185	134	226	301
Other diseases of endocardium (424)	4	2	27	4	10	6	14	11
All other forms of heart disease (415-423,425-429)	48	79	253	32	117	81	267	361
Hypertension with or without renal disease (401,403)	6	1	16	-	6	13	7	9
Cerebrovascular diseases (430-438)	92	49	286	24	107	64	199	175
Intracerebral and other intracranial hemorrhage (431-432)	17	7	39	1	18	8	23	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	6	62	1	6	11	28	30
Cerebral embolism (434.1)	-	-	1	1	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	52	36	184	21	83	45	147	122
Atherosclerosis (440)	14	8	52	2	29	26	31	32
Other diseases of arteries, arterioles, and capillaries (441-448)	6	2	49	6	15	9	26	30
Acute bronchitis and bronchiolitis (466)	-	1	1	-	-	2	-	1
Pneumonia and influenza (480-487)	19	21	80	11	43	29	77	41
Pneumonia (480-486)	19	21	75	11	40	28	75	41
Influenza (487)	-	-	5	-	3	1	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	24	28	136	30	57	32	82	101
Bronchitis, chronic and unspecified (490-491)	3	2	12	3	2	4	3	5
Emphysema (492)	2	7	23	2	11	10	21	18
Asthma (493)	2	1	8	1	6	3	6	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	18	93	24	38	15	52	76
Ulcer of stomach and duodenum (531-533)	1	-	11	-	6	2	10	4
Appendicitis (540-543)	-	-	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	6	11	1	5	5	6	8
Chronic liver disease and cirrhosis (571)	5	8	28	3	10	5	35	32
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	9	1	1	1	-	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	3	41	3	10	9	30	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	4	-	5	3	6	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	3	35	3	5	6	24	23
Infections of kidney (590)	3	-	5	1	-	-	4	1
Hyperplasia of prostate (600)	1	-	-	-	-	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	1	-
Congenital anomalies (740-759)	2	4	21	2	10	6	27	12
Certain conditions originating in the perinatal period (760-779)	6	2	24	5	11	10	57	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	1	11	1	3	2	10	5
Other conditions originating in the perinatal period (760-766,770-779)	4	1	13	4	8	8	47	11
Symptoms, signs, and ill-defined conditions (780-799)	7	6	34	9	5	11	33	22
All other diseases (Residual)	81	55	191	41	88	57	212	151
Accidents and adverse effects (E800-E949)	38	33	141	40	37	43	223	108
Motor vehicle accidents (E810-E825)	13	11	50	25	15	18	116	58
All other accidents and adverse effects (E800-E807,E826-E949)	25	22	91	15	22	25	107	50
Suicide (E950-E959)	9	13	43	13	13	16	52	26
Homicide and legal intervention (E960-E978)	6	1	21	3	6	7	38	15
All other external causes (E980-E999)	1	1	2	2	3	1	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte-Gastonia, N.C.	Charlottesville, Va.	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Chico, Calif.	Cincinnati, Ohio-Ky.-Ind.	Clarksville-Hopkinsville, Tenn.-Ky.	Cleveland, Ohio
All causes	4,830	855	3,746	60,738	1,591	12,603	1,150	18,309
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	14	1	1	1	2
Tuberculosis (010-018)	1	2	2	60	1	15	2	10
Tuberculosis of respiratory system (010-012)	1	2	1	50	-	14	2	8
Other tuberculosis (013-018)	-	-	1	10	1	1	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	2	11	-	2	1	2
Septicemia (038)	30	7	20	470	9	81	7	154
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	1	22	1	2	1	5
Syphilis (090-097)	-	-	1	2	-	1	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	1	6	130	1	28	4	46
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,025	195	850	13,655	379	3,014	235	4,266
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	4	17	288	9	69	6	84
Malignant neoplasms of digestive organs and peritoneum (150-159)	220	43	188	3,778	104	760	53	1,127
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	306	65	262	3,590	112	892	66	1,158
Malignant neoplasm of breast (174-175)	80	9	77	1,281	23	264	15	385
Malignant neoplasms of genital organs (179-187)	110	24	65	1,418	39	322	30	487
Malignant neoplasms of urinary organs (188-189)	39	6	28	593	18	120	5	160
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	143	30	110	1,532	34	339	36	462
Leukemia (204-208)	47	4	30	518	15	89	10	152
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	10	59	657	25	145	14	231
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	1	14	194	2	41	1	47
Diabetes mellitus (250)	95	10	48	1,056	31	259	24	425
Nutritional deficiencies (260-269)	7	1	4	55	1	11	1	22
Anemias (280-285)	12	1	8	90	2	29	1	36
Meningitis (320-322)	5	-	1	45	-	6	1	11
Major cardiovascular diseases (390-448)	2,350	387	1,877	30,311	714	6,244	505	9,032
Diseases of heart (390-398,402,404-429)	1,811	286	1,507	24,861	545	5,041	375	7,367
Rheumatic fever and rheumatic heart disease (390-398)	13	4	8	198	11	48	1	70
Hypertensive heart disease (402)	73	3	26	882	7	345	11	248
Hypertensive heart and renal disease (404)	14	-	4	74	2	17	2	33
Ischemic heart disease (410-414)	1,230	206	1,174	16,368	386	3,626	264	5,683
Acute myocardial infarction (410)	695	99	451	7,772	171	1,385	172	2,055
Other acute and subacute forms of ischemic heart disease (411)	2	7	3	273	1	10	-	12
Angina pectoris (413)	1	-	-	19	1	3	-	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	532	100	720	6,304	213	2,228	92	3,611
Other diseases of endocardium (424)	25	5	10	209	11	53	2	60
All other forms of heart disease (415-423,425-429)	456	68	285	7,150	128	954	95	1,273
Hypertension with or without renal disease (401,403)	27	5	11	244	8	38	4	69
Cerebrovascular diseases (430-438)	430	81	297	4,124	115	894	103	1,216
Intracerebral and other intracranial hemorrhage (431-432)	60	10	28	711	13	114	8	158
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	59	14	34	938	12	164	21	236
Cerebral embolism (434.1)	2	-	2	22	-	4	1	9
All other and late effects of cerebrovascular diseases (430,433,435-438)	309	57	233	2,453	90	612	73	813
Atherosclerosis (440)	37	6	24	589	19	140	5	167
Other diseases of arteries, arterioles, and capillaries (441-448)	45	9	38	493	27	131	18	213
Acute bronchitis and bronchiolitis (466)	2	-	1	16	-	2	-	4
Pneumonia and influenza (480-487)	125	25	99	1,608	64	392	30	433
Pneumonia (480-486)	123	22	99	1,599	62	381	28	423
Influenza (487)	2	3	-	9	2	11	2	10
Chronic obstructive pulmonary diseases and allied conditions (490-496)	154	24	115	1,502	76	428	31	507
Bronchitis, chronic and unspecified (490-491)	8	2	12	72	1	23	3	37
Emphysema (492)	38	4	16	299	24	57	5	111
Asthma (493)	7	-	4	107	1	23	3	33
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	103	18	83	1,024	50	325	20	326
Ulcer of stomach and duodenum (531-533)	15	3	12	208	3	41	4	61
Appendicitis (540-543)	2	-	1	12	1	4	-	6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	1	19	151	9	34	4	50
Chronic liver disease and cirrhosis (571)	70	9	41	1,018	28	153	19	269
Cholelithiasis and other disorders of gallbladder (574-575)	5	1	6	82	2	17	3	32
Nephritis, nephrotic syndrome, and nephrosis (580-589)	54	10	42	632	10	129	7	196
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	7	-	3	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	1	5	53	1	23	-	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	47	9	37	572	9	103	7	184
Infections of kidney (590)	5	1	6	64	1	27	2	10
Hyperplasia of prostate (600)	2	1	3	15	-	6	-	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	14	-	1	-	3
Pregnancy with abortive outcome (630-638)	-	-	-	4	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	10	-	-	-	3
Congenital anomalies (740-759)	30	7	18	406	11	112	8	106
Certain conditions originating in the perinatal period (760-779)	53	6	33	768	5	136	30	148
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	1	9	180	2	38	12	38
Other conditions originating in the perinatal period (760-766,770-779)	38	5	24	588	3	98	18	110
Symptoms, signs, and ill-defined conditions (780-799)	33	5	34	444	10	64	29	115
All other diseases (Residual)	342	74	234	3,618	124	897	78	1,213
Accidents and adverse effects (E800-E949)	242	55	172	2,055	80	434	85	654
Motor vehicle accidents (E810-E825)	116	29	79	876	44	177	37	251
All other accidents and adverse effects (E800-E807,E826-E949)	126	26	93	1,179	36	257	48	403
Suicide (E950-E959)	54	15	32	690	21	169	18	237
Homicide and legal intervention (E960-E978)	78	13	40	980	5	54	15	190
All other external causes (E980-E999)	6	-	4	340	1	9	3	13

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Cumberland, Md.-W. Va.	Dallas-Fort Worth, Tex.
All causes	1,847	639	3,239	2,009	8,482	2,383	1,230	22,595
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	1
Certain other intestinal infections (007-009)	-	-	1	1	1	-	-	4
Tuberculosis (010-018)	2	-	3	2	3	4	-	22
Tuberculosis of respiratory system (010-012)	-	-	3	2	2	4	-	18
Other tuberculosis (013-018)	2	-	-	-	1	-	-	4
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	1	-	1	-	2
Septicemia (038)	6	5	30	16	77	16	10	165
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	1	3	1	-	16
Syphilis (090-097)	-	-	-	-	-	-	-	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	4	-	9	5	15	5	5	41
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	401	121	658	415	1,926	519	295	4,793
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	3	21	8	35	16	10	103
Malignant neoplasms of digestive organs and peritoneum (150-159)	113	20	166	86	462	128	62	1,126
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	85	37	177	129	616	157	86	1,391
Malignant neoplasm of breast (174-175)	48	15	69	32	181	37	31	423
Malignant neoplasms of genital organs (179-187)	53	13	69	46	167	63	36	472
Malignant neoplasms of urinary organs (188-189)	15	7	28	19	54	21	13	197
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	17	72	55	216	54	37	660
Leukemia (204-208)	10	4	25	19	71	20	8	176
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	5	31	21	102	21	12	245
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	2	7	7	33	11	7	66
Diabetes mellitus (250)	27	11	55	52	182	68	21	361
Nutritional deficiencies (260-269)	4	2	6	2	14	4	-	35
Anemias (280-285)	2	1	3	6	8	4	-	43
Meningitis (320-322)	1	-	-	2	2	1	1	22
Major cardiovascular diseases (390-448)	745	268	1,482	991	4,005	1,066	640	10,121
Diseases of heart (390-398,402,404-429)	546	219	1,167	746	3,162	858	514	7,777
Rheumatic fever and rheumatic heart disease (390-398)	10	1	3	1	21	9	1	52
Hypertensive heart disease (402)	11	5	45	11	78	16	10	444
Hypertensive heart and renal disease (404)	1	-	9	1	48	9	2	25
Ischemic heart disease (410-414)	420	155	788	547	2,066	490	347	4,529
Acute myocardial infarction (410)	161	64	504	280	1,040	280	161	2,493
Other acute and subacute forms of ischemic heart disease (411)	27	-	2	109	6	4	2	2
Angina pectoris (413)	-	-	3	-	4	1	-	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	232	91	290	158	1,016	205	184	2,030
Other diseases of endocardium (424)	9	-	14	7	42	10	11	77
All other forms of heart disease (415-423,425-429)	95	58	297	179	907	324	143	2,650
Hypertension with or without renal disease (401,403)	8	4	16	11	28	12	5	65
Cerebrovascular diseases (430-438)	143	51	247	181	607	154	90	1,777
Intracerebral and other intracranial hemorrhage (431-432)	9	10	37	23	75	27	5	229
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	11	27	54	97	8	8	206
Cerebral embolism (434.1)	1	-	-	-	2	1	1	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	115	30	183	104	433	118	76	1,335
Atherosclerosis (440)	27	4	21	32	112	21	11	316
Other diseases of arteries, arterioles, and capillaries (441-448)	21	8	31	21	96	21	20	188
Acute bronchitis and bronchiolitis (466)	1	-	1	-	2	-	-	5
Pneumonia and influenza (480-487)	84	27	135	57	183	45	24	534
Pneumonia (480-486)	82	26	134	57	173	44	24	520
Influenza (487)	2	1	1	-	10	1	-	14
Chronic obstructive pulmonary diseases and allied conditions (490-496)	81	25	96	60	296	81	46	817
Bronchitis, chronic and unspecified (490-491)	3	1	1	4	11	3	2	59
Emphysema (492)	15	5	15	7	72	26	5	126
Asthma (493)	1	1	8	6	11	4	1	46
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	62	18	72	43	202	48	38	584
Ulcer of stomach and duodenum (531-533)	9	2	6	6	25	5	1	69
Appendicitis (540-543)	2	-	3	-	3	1	-	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	2	9	5	15	5	-	46
Chronic liver disease and cirrhosis (571)	34	3	46	24	87	38	15	274
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	6	2	12	2	2	36
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	5	33	14	90	23	15	217
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	2	-	-	6
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	3	1	10	3	2	16
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	5	30	13	78	20	13	195
Infections of kidney (590)	1	1	4	2	6	5	-	41
Hyperplasia of prostate (600)	-	-	-	1	3	-	1	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	7
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	-	7
Congenital anomalies (740-759)	20	9	20	17	66	14	7	195
Certain conditions originating in the perinatal period (760-779)	28	5	54	29	90	31	9	318
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	3	9	4	18	11	3	93
Other conditions originating in the perinatal period (760-766,770-779)	21	2	45	25	72	20	6	225
Symptoms, signs, and ill-defined conditions (780-799)	23	17	37	20	331	49	8	540
All other diseases (Residual)	138	59	239	132	552	161	74	1,476
Accidents and adverse effects (E800-E949)	123	29	193	91	311	126	31	1,344
Motor vehicle accidents (E810-E825)	84	12	98	40	138	70	21	709
All other accidents and adverse effects (E800-E807,E826-E949)	39	17	85	51	173	56	10	635
Suicide (E950-E959)	66	23	53	27	109	37	13	440
Homicide and legal intervention (E960-E978)	16	4	45	15	28	52	4	506
All other external causes (E980-E999)	2	-	1	6	4	6	1	25

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Danville, Va.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Daytona Beach, Fla.	Decatur, Ill.	Denver-Boulder, Colo.	Des Moines, Iowa	Detroit, Mich.
All causes	1,134	3,291	6,934	3,918	1,179	10,483	2,693	37,071
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	-	-	-	1	1
Tuberculosis (010-018)	2	2	2	2	1	5	1	26
Tuberculosis of respiratory system (010-012)	-	2	2	2	-	5	-	19
Other tuberculosis (013-018)	2	-	-	-	1	-	1	7
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	3	-	4
Septicemia (038)	3	22	44	25	5	88	15	312
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	-	2	-	2	-	16
Syphilis (090-097)	-	-	-	-	-	1	-	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	2	12	8	1	34	6	76
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	227	759	1,615	903	240	2,160	610	8,222
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	10	29	17	2	36	13	150
Malignant neoplasms of digestive organs and peritoneum (150-159)	51	209	383	229	58	565	155	2,017
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	66	203	511	279	70	495	197	2,390
Malignant neoplasm of breast (174-175)	21	61	152	83	25	245	33	727
Malignant neoplasms of genital organs (179-187)	39	77	177	100	27	227	62	887
Malignant neoplasms of urinary organs (188-189)	4	33	74	35	12	87	39	358
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	80	158	91	23	293	57	973
Leukemia (204-208)	10	31	42	29	11	94	18	298
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	55	89	40	12	118	36	424
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	10	25	3	6	43	6	65
Diabetes mellitus (250)	17	72	134	58	20	151	51	684
Nutritional deficiencies (260-269)	2	8	10	3	1	19	5	52
Anemias (280-285)	-	4	10	7	1	14	11	78
Meningitis (320-322)	2	3	6	1	-	13	3	15
Major cardiovascular diseases (390-448)	603	1,664	3,414	2,058	650	4,331	1,311	18,545
Diseases of heart (390-398,402,404-429)	457	1,299	2,731	1,585	483	3,377	1,117	15,125
Rheumatic fever and rheumatic heart disease (390-398)	2	13	28	12	6	59	12	130
Hypertensive heart disease (402)	6	43	72	68	8	44	14	311
Hypertensive heart and renal disease (404)	1	5	11	7	1	13	6	46
Ischemic heart disease (410-414)	337	988	1,825	1,182	324	2,261	781	10,576
Acute myocardial infarction (410)	213	541	908	563	119	1,169	567	5,491
Other acute and subacute forms of ischemic heart disease (411)	6	7	6	4	1	8	9	22
Angina pectoris (413)	-	1	1	3	1	3	1	17
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	118	439	910	612	209	1,102	204	5,046
Other diseases of endocardium (424)	3	6	29	9	7	55	9	125
All other forms of heart disease (415-423,425-429)	108	244	766	307	137	925	295	3,937
Hypertension with or without renal disease (401,403)	2	17	27	21	14	40	4	140
Cerebrovascular diseases (430-438)	120	262	492	347	126	620	130	2,573
Intracerebral and other intracranial hemorrhage (431-432)	8	34	74	38	15	86	21	405
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	52	88	80	30	78	16	532
Cerebral embolism (434.1)	-	-	3	-	-	3	1	10
All other and late effects of cerebrovascular diseases (430,433,435-438)	99	176	327	229	81	453	92	1,626
Atherosclerosis (440)	13	58	80	41	16	179	27	395
Other diseases of arteries, arterioles, and capillaries (441-448)	11	28	84	64	11	115	33	312
Acute bronchitis and bronchiolitis (466)	-	-	4	1	-	6	1	3
Pneumonia and influenza (480-487)	29	96	144	81	14	384	68	915
Pneumonia (480-486)	29	96	142	77	13	380	68	903
Influenza (487)	-	-	2	4	1	4	-	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	38	125	244	152	47	506	104	1,049
Bronchitis, chronic and unspecified (490-491)	5	6	18	5	3	21	5	46
Emphysema (492)	9	37	53	37	13	98	31	223
Asthma (493)	-	4	8	6	6	29	6	59
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	78	165	104	25	380	62	721
Ulcer of stomach and duodenum (531-533)	4	10	17	10	3	40	7	105
Appendicitis (540-543)	-	-	2	1	-	8	-	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	10	20	8	2	27	6	88
Chronic liver disease and cirrhosis (571)	20	35	69	75	13	168	34	794
Cholelithiasis and other disorders of gallbladder (574-575)	1	8	10	13	3	15	3	29
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	28	67	37	6	90	21	347
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	1	2	-	1	3	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	6	9	5	1	11	5	25
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	21	57	30	5	78	13	318
Infections of kidney (590)	1	5	7	2	-	13	5	22
Hyperplasia of prostate (600)	-	-	3	3	-	1	1	6
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	2	-	1	1	3
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	2	-	1	1	2
Congenital anomalies (740-759)	3	14	41	12	8	102	15	202
Certain conditions originating in the perinatal period (760-779)	15	19	85	8	15	138	27	431
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	8	16	2	2	26	8	119
Other conditions originating in the perinatal period (760-766,770-779)	11	11	69	6	13	112	19	312
Symptoms, signs, and ill-defined conditions (780-799)	7	15	161	9	27	175	17	142
All other diseases (Residual)	73	172	386	227	59	837	185	2,267
Accidents and adverse effects (E800-E949)	42	131	248	116	48	629	109	1,202
Motor vehicle accidents (E810-E825)	20	73	124	58	25	311	50	559
All other accidents and adverse effects (E800-E807,E826-E949)	22	58	124	58	23	317	59	643
Suicide (E950-E959)	13	54	82	60	7	318	48	540
Homicide and legal intervention (E960-E978)	15	18	68	22	2	126	13	743
All other external causes (E980-E999)	-	6	2	9	-	23	8	71

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Eau Claire, Wis.	El Paso, Tex.	Elkhart, Ind.	Elmira, N.Y.	Enid, Okla.	Erie, Pa.
All causes	802	2,668	1,060	2,706	1,043	947	615	2,680
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	2	-	1	-	-	-	1
Tuberculosis of respiratory system (010-012)	-	1	-	1	-	-	-	1
Other tuberculosis (013-018)	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	-	-	-	-	-	1
Septicemia (038)	-	12	6	31	2	5	3	21
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	7	-	1	1	-
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	2	7	1	6	3	3	2	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	180	565	227	528	200	221	124	548
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	3	8	8	-	4	1	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	49	163	68	117	45	60	30	147
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	43	149	44	138	61	69	30	151
Malignant neoplasm of breast (174-175)	10	43	21	44	20	11	11	50
Malignant neoplasms of genital organs (179-187)	23	72	20	63	20	31	14	62
Malignant neoplasms of urinary organs (188-189)	11	29	10	17	14	6	3	26
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	19	57	41	75	24	22	20	56
Leukemia (204-208)	5	17	7	37	9	8	10	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	32	10	29	7	10	5	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	11	2	9	6	6	1	10
Diabetes mellitus (250)	23	50	9	68	18	24	9	55
Nutritional deficiencies (260-269)	1	5	3	5	1	-	1	1
Anemias (280-285)	2	4	1	6	4	1	1	1
Meningitis (320-322)	1	-	-	2	-	-	-	2
Major cardiovascular diseases (390-448)	431	1,359	543	1,116	566	469	324	1,409
Diseases of heart (390-398,402,404-429)	342	1,086	434	850	427	382	251	1,110
Rheumatic fever and rheumatic heart disease (390-398)	3	4	3	20	7	2	6	9
Hypertensive heart disease (402)	17	25	10	40	6	7	8	21
Hypertensive heart and renal disease (404)	2	-	5	3	2	-	2	2
Ischemic heart disease (410-414)	237	730	324	565	320	315	167	662
Acute myocardial infarction (410)	101	314	147	231	187	120	119	438
Other acute and subacute forms of ischemic heart disease (411)	-	2	-	1	-	-	2	8
Angina pectoris (413)	1	4	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	135	410	177	333	132	195	46	416
Other diseases of endocardium (424)	3	12	2	14	8	9	2	21
All other forms of heart disease (415-423,425-429)	80	315	90	208	84	49	66	195
Hypertension with or without renal disease (401,403)	4	10	-	6	5	3	4	10
Cerebrovascular diseases (430-438)	63	199	83	203	101	56	49	232
Intracerebral and other intracranial hemorrhage (431-432)	5	26	13	35	13	7	5	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	29	9	34	18	10	8	42
Cerebral embolism (434.1)	1	1	-	1	2	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	42	143	61	133	68	39	36	162
Atherosclerosis (440)	12	32	12	32	22	18	13	29
Other diseases of arteries, arterioles, and capillaries (441-448)	10	32	14	25	11	10	7	22
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	2	1
Pneumonia and influenza (480-487)	15	128	34	52	24	14	15	62
Pneumonia (480-486)	14	121	34	51	24	13	15	61
Influenza (487)	1	5	-	1	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	23	88	59	113	42	45	13	95
Bronchitis, chronic and unspecified (490-491)	1	8	2	4	3	1	1	5
Emphysema (492)	4	23	14	18	12	13	4	20
Asthma (493)	-	3	4	7	1	1	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	18	54	39	84	26	30	6	68
Ulcer of stomach and duodenum (531-533)	1	6	3	2	2	5	-	10
Appendicitis (540-543)	-	1	-	-	-	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	5	1	6	2	-	3	9
Chronic liver disease and cirrhosis (571)	7	34	17	62	5	7	6	36
Cholelithiasis and other disorders of gallbladder (574-575)	1	4	-	4	5	1	-	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	16	17	62	5	6	5	28
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	4	2	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	-	12	14	62	5	6	5	26
Infections of kidney (590)	3	-	2	5	-	-	-	5
Hyperplasia of prostate (600)	-	1	-	-	1	-	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	7	14	4	33	8	6	2	17
Certain conditions originating in the perinatal period (760-779)	6	17	11	45	15	4	6	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	5	6	23	4	2	3	12
Other conditions originating in the perinatal period (760-766,770-779)	4	12	5	22	11	2	3	13
Symptoms, signs, and ill-defined conditions (780-799)	1	31	8	42	3	6	3	21
All other diseases (Residual)	51	167	49	223	65	75	45	180
Accidents and adverse effects (E800-E949)	31	89	44	178	47	31	36	96
Motor vehicle accidents (E810-E825)	18	40	19	107	30	17	13	36
All other accidents and adverse effects (E800-E807,E826-E949)	13	49	25	71	17	14	23	60
Suicide (E950-E959)	12	42	14	57	17	13	7	25
Homicide and legal intervention (E960-E978)	2	5	1	42	2	1	5	9
All other external causes (E980-E998)	-	5	3	1	-	1	1	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Eugene-Springfield, Oreg.	Evansville, Ind.-Ky.	Fargo-Moorhead, N.Dak.-Minn.	Fayetteville, N.C.	Fayetteville-Springdale, Ark.	Flint, Mich.	Florence, Ala.	Florence, S.C.
All causes	1,941	2,954	860	1,350	1,552	3,845	1,132	1,023
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	1	-	-
Tuberculosis (010-018)	1	5	-	3	4	-	1	3
Tuberculosis of respiratory system (010-012)	1	4	-	2	3	-	-	3
Other tuberculosis (013-018)	-	1	-	1	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	2	-	-	2
Septicemia (038)	4	20	8	17	11	25	7	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	1	-	-	-	2	-	-
Syphilis (090-097)	-	1	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-069,071-089,098-139)	4	5	5	2	6	12	3	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	430	678	213	261	323	827	224	185
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	14	1	6	4	15	10	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	109	153	52	58	93	218	54	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	115	208	45	96	94	228	56	59
Malignant neoplasm of breast (174-175)	40	56	19	21	23	56	22	19
Malignant neoplasms of genital organs (179-187)	45	73	26	21	23	94	25	24
Malignant neoplasms of urinary organs (188-189)	18	28	11	11	12	48	9	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48	75	35	26	45	111	25	19
Leukemia (204-208)	20	33	10	5	16	21	8	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	40	14	17	13	36	15	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	13	1	5	6	5	8	1
Diabetes mellitus (250)	27	49	8	14	24	85	11	27
Nutritional deficiencies (260-269)	1	8	-	1	4	5	5	-
Anemias (280-285)	6	2	-	4	-	4	4	3
Meningitis (320-322)	3	3	-	2	-	4	1	-
Major cardiovascular diseases (390-448)	938	1,463	484	604	787	1,846	523	559
Diseases of heart (390-398,402,404-429)	681	1,163	367	445	598	1,497	384	432
Rheumatic fever and rheumatic heart disease (390-398)	10	9	1	2	8	15	1	2
Hypertensive heart disease (402)	13	26	5	26	4	40	8	25
Hypertensive heart and renal disease (404)	1	12	-	2	4	1	1	3
Ischemic heart disease (410-414)	541	830	257	299	418	1,150	291	228
Acute myocardial infarction (410)	221	531	136	186	261	662	218	137
Other acute and subacute forms of ischemic heart disease (411)	2	1	-	1	-	4	1	2
Angina pectoris (413)	1	4	-	1	-	-	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	317	294	121	111	157	484	72	87
Other diseases of endocardium (424)	9	11	11	3	10	11	2	10
All other forms of heart disease (415-423,425-429)	107	275	93	113	154	280	81	164
Hypertension with or without renal disease (401,403)	10	13	5	8	9	17	4	4
Cerebrovascular diseases (430-438)	179	221	81	127	161	330	120	111
Intracerebral and other intracranial hemorrhage (431-432)	23	33	6	16	15	38	10	42
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	58	14	33	21	53	46	17
Cerebral embolism (434.1)	1	1	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	125	131	61	78	125	238	64	52
Atherosclerosis (440)	45	38	11	13	15	68	7	5
Other diseases of arteries, arterioles, and capillaries (441-448)	23	28	20	11	14	34	8	7
Acute bronchitis and bronchiolitis (466)	-	2	1	-	1	-	-	-
Pneumonia and influenza (480-487)	45	85	33	17	50	109	32	15
Pneumonia (480-486)	44	82	29	17	47	104	32	15
Influenza (487)	1	3	4	-	3	5	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	79	85	22	42	54	135	23	23
Bronchitis, chronic and unspecified (490-491)	3	6	-	1	2	9	1	-
Emphysema (492)	33	15	4	8	14	23	5	1
Asthma (493)	6	4	2	1	3	7	-	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	37	70	16	32	35	96	17	19
Ulcer of stomach and duodenum (531-533)	8	9	1	1	6	13	2	3
Appendicitis (540-543)	2	-	1	-	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	7	2	3	3	14	2	5
Chronic liver disease and cirrhosis (571)	25	24	8	18	13	46	7	6
Cholelithiasis and other disorders of gallbladder (574-575)	2	7	2	2	-	6	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	36	7	9	21	34	8	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	5	-	-	2	6	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	30	7	9	18	28	6	10
Infections of kidney (590)	-	1	-	-	1	4	2	2
Hyperplasia of prostate (600)	-	2	1	1	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	16	13	7	23	11	30	9	9
Certain conditions originating in the perinatal period (760-779)	14	26	7	43	8	55	12	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	6	3	9	4	21	3	7
Other conditions originating in the perinatal period (760-766,770-779)	11	20	4	34	4	34	9	8
Symptoms, signs, and ill-defined conditions (780-799)	19	29	19	20	21	18	91	6
All other diseases (Residual)	132	189	73	96	86	218	68	50
Accidents and adverse effects (E800-E949)	114	127	46	115	75	154	65	67
Motor vehicle accidents (E810-E825)	72	56	15	61	44	78	38	31
All other accidents and adverse effects (E800-E807,E826-E949)	42	71	31	54	31	76	29	36
Suicide (E950-E959)	38	35	10	23	20	44	13	8
Homicide and legal intervention (E960-E978)	7	12	1	23	3	43	6	11
All other external causes (E980-E999)	2	6	-	1	2	3	1	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Collins, Colo.	Fort Lauderdale-Hollywood, Fla.	Fort Myers-Cape Coral, Fla.	Fort Smith, Ark.-Okla.	Fort Walton Beach, Fla.	Fort Wayne, Ind.	Fresno, Calif.	Gadsden, Ala.
All causes	807	12,421	2,782	1,999	687	3,006	3,995	1,051
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	-	-	-	1	2	-
Tuberculosis (010-018)	-	10	3	1	-	3	5	1
Tuberculosis of respiratory system (010-012)	-	9	3	1	-	3	4	-
Other tuberculosis (013-018)	-	1	-	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	-	-	1	-	1
Septicemia (038)	4	53	10	8	2	12	25	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	8	1	1	-	-	4	-
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	32	2	4	1	6	5	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	185	3,009	673	383	165	645	833	239
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	57	10	6	3	15	12	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	43	813	167	75	38	174	205	55
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	33	825	214	132	46	168	205	64
Malignant neoplasm of breast (174-175)	21	232	53	28	16	56	63	23
Malignant neoplasms of genital organs (179-187)	27	333	72	47	14	74	94	22
Malignant neoplasms of urinary organs (188-189)	6	143	33	11	8	34	36	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	22	327	58	53	23	68	125	46
Leukemia (204-208)	15	123	29	11	9	28	46	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	156	37	20	6	28	47	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	39	6	9	-	12	7	2
Diabetes mellitus (250)	12	196	61	24	11	64	57	16
Nutritional deficiencies (260-269)	1	11	11	4	2	9	5	1
Anemias (280-285)	1	27	7	2	3	7	2	2
Meningitis (320-322)	-	3	-	2	1	3	4	-
Major cardiovascular diseases (390-448)	375	6,192	1,354	993	289	1,571	1,871	552
Diseases of heart (390-398,402,404-429)	299	5,018	1,073	755	244	1,179	1,392	445
Rheumatic fever and rheumatic heart disease (390-398)	2	63	15	5	1	12	15	3
Hypertensive heart disease (402)	-	77	29	13	3	20	78	5
Hypertensive heart and renal disease (404)	-	15	2	4	8	16	4	1
Ischemic heart disease (410-414)	222	3,938	771	502	166	891	1,076	342
Acute myocardial infarction (410)	98	1,756	356	282	67	382	427	215
Other acute and subacute forms of ischemic heart disease (411)	1	78	-	1	1	2	27	1
Angina pectoris (413)	-	4	1	4	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	122	2,100	414	215	98	507	621	125
Other diseases of endocardium (424)	5	78	13	3	3	20	23	4
All other forms of heart disease (415-429,425-429)	70	847	243	228	63	220	196	90
Hypertension with or without renal disease (401,403)	4	43	8	3	1	14	18	1
Cerebrovascular diseases (430-438)	52	862	185	203	34	306	291	91
Intracerebral and other intracranial hemorrhage (431-432)	2	116	18	10	7	41	33	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	189	46	23	2	34	57	23
Cerebral embolism (434.1)	-	6	-	-	1	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	44	551	121	170	24	231	199	52
Atherosclerosis (440)	8	103	50	16	5	37	125	8
Other diseases of arteries, arterioles, and capillaries (441-448)	12	166	38	16	5	35	45	7
Acute bronchitis and bronchiolitis (466)	-	3	-	-	-	2	2	-
Pneumonia and influenza (480-487)	25	244	61	58	11	55	92	29
Pneumonia (480-486)	25	242	59	58	11	53	89	28
Influenza (487)	-	2	2	-	-	2	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	36	461	89	49	23	74	159	29
Bronchitis, chronic and unspecified (490-491)	2	25	3	3	-	3	16	-
Emphysema (492)	11	110	18	15	5	15	24	5
Asthma (493)	2	18	6	-	1	5	9	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	21	308	62	31	17	51	110	24
Ulcer of stomach and duodenum (531-533)	1	31	5	3	1	7	13	4
Appendicitis (540-543)	-	3	-	1	-	1	4	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	25	4	6	1	8	12	3
Chronic liver disease and cirrhosis (571)	6	157	53	19	8	25	81	7
Cholelithiasis and other disorders of gallbladder (574-575)	3	21	5	4	1	2	8	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	123	15	19	10	28	28	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	4	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	15	2	2	1	3	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	104	13	17	9	25	25	3
Infections of kidney (590)	-	14	2	1	1	6	2	-
Hyperplasia of prostate (600)	-	3	-	-	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	-	2	2
Pregnancy with abortive outcome (630-639)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	-	-	-	2	2
Congenital anomalies (740-759)	6	49	12	8	13	20	42	4
Certain conditions originating in the perinatal period (760-779)	11	75	20	15	15	34	52	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	20	4	4	4	10	15	1
Other conditions originating in the perinatal period (760-766,770-779)	10	55	16	11	11	24	37	2
Symptoms, signs, and ill-defined conditions (780-799)	9	59	23	125	6	24	24	12
All other diseases (Residual)	54	809	180	109	42	188	260	83
Accidents and adverse effects (E800-E949)	41	421	106	100	61	138	254	45
Motor vehicle accidents (E810-E825)	27	233	54	55	37	70	144	26
All other accidents and adverse effects (E800-E807,E826-E949)	14	188	52	45	24	68	110	19
Suicide (E950-E959)	18	203	42	31	19	44	72	12
Homicide and legal intervention (E960-E978)	4	132	31	17	1	14	63	15
All other external causes (E980-E999)	1	3	6	5	-	2	3	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Glens Falls, N.Y.	Grand Forks, N.Dak.-Minn.	Grand Rapids, Mich.	Great Falls, Mont.	Greeley, Colo.
All causes	941	1,699	5,046	1,138	764	4,613	673	736
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	3	-	-	-	-	-
Tuberculosis (010-018)	-	2	10	1	-	1	-	-
Tuberculosis of respiratory system (010-012)	-	1	7	1	-	1	-	-
Other tuberculosis (013-018)	-	1	3	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	2	-	1	1	-	-
Septicemia (038)	10	16	25	4	5	12	2	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	1	-	-
Viral hepatitis (070)	1	1	2	-	-	2	-	1
Syphilis (090-097)	1	1	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-066,071-088,098-139)	3	9	14	3	3	13	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	203	396	1,068	269	178	1,015	128	133
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	8	21	10	3	23	4	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	53	100	293	70	50	252	31	35
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	64	138	277	72	23	228	30	29
Malignant neoplasm of breast (174-175)	14	27	69	23	21	99	14	9
Malignant neoplasms of genital organs (179-187)	24	31	106	32	25	99	20	14
Malignant neoplasms of urinary organs (188-189)	5	12	48	13	5	49	2	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	47	145	20	33	142	15	23
Leukemia (204-208)	6	15	32	14	7	48	7	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	18	57	15	10	75	3	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	2	14	3	2	12	3	3
Diabetes mellitus (250)	20	33	156	22	9	79	2	16
Nutritional deficiencies (260-269)	2	1	7	2	-	7	1	-
Anemias (280-285)	3	9	9	1	1	6	-	-
Meningitis (320-322)	1	1	1	-	-	5	-	-
Major cardiovascular diseases (390-448)	409	777	2,507	597	386	2,317	324	335
Diseases of heart (390-398,402,404-429)	301	644	1,997	470	293	1,703	245	272
Rheumatic fever and rheumatic heart disease (390-398)	2	3	11	1	1	17	3	7
Hypertensive heart disease (402)	12	11	49	13	12	36	8	6
Hypertensive heart and renal disease (404)	-	5	10	2	6	10	-	-
Ischemic heart disease (410-414)	203	441	1,568	379	198	1,211	176	213
Acute myocardial infarction (410)	100	210	631	190	114	662	104	126
Other acute and subacute forms of ischemic heart disease (411)	-	3	6	-	-	2	1	1
Angina pectoris (413)	-	1	1	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	103	227	930	189	83	547	71	86
Other diseases of endocardium (424)	5	4	16	4	3	16	2	7
All other forms of heart disease (415-423,425-429)	79	180	343	71	73	413	56	39
Hypertension with or without renal disease (401,403)	5	6	22	7	-	11	-	2
Cerebrovascular diseases (430-438)	80	103	357	92	68	385	53	49
Intracerebral and other intracranial hemorrhage (431-432)	16	15	44	11	6	48	6	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	9	63	11	8	105	4	4
Cerebral embolism (434.1)	3	-	1	1	1	4	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	47	79	249	69	53	238	43	42
Atherosclerosis (440)	16	11	88	22	14	151	24	3
Other diseases of arteries, arterioles, and capillaries (441-446)	7	13	43	6	11	57	2	9
Acute bronchitis and bronchiolitis (466)	-	-	1	-	-	3	-	1
Pneumonia and influenza (480-487)	28	36	103	39	23	164	20	30
Pneumonia (480-486)	25	33	99	37	23	151	18	30
Influenza (487)	3	3	4	2	-	13	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	45	127	42	16	160	34	32
Bronchitis, chronic and unspecified (490-491)	2	-	6	4	2	22	4	2
Emphysema (492)	4	11	43	10	4	28	6	11
Asthma (493)	3	5	3	2	-	7	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22	28	75	26	10	103	22	18
Ulcer of stomach and duodenum (531-533)	2	4	10	5	1	14	-	1
Appendicitis (540-543)	-	-	1	1	1	1	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	3	7	2	6	13	1	3
Chronic liver disease and cirrhosis (571)	11	22	93	17	11	55	10	10
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	8	2	2	10	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	10	48	6	2	34	4	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	6	-	-	4	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	9	42	6	2	29	4	1
Infections of kidney (590)	1	2	4	-	-	4	-	-
Hyperplasia of prostate (600)	-	1	1	-	1	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	-	-
Congenital anomalies (740-759)	11	14	37	7	3	37	3	4
Certain conditions originating in the perinatal period (760-779)	14	16	72	8	8	55	3	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	3	4	27	3	3	15	2	1
Other conditions originating in the perinatal period (760-766,770-779)	11	12	45	5	5	40	1	7
Symptoms, signs, and ill-defined conditions (780-799)	15	16	42	6	4	34	6	11
All other diseases (Residual)	74	124	262	47	57	277	61	52
Accidents and adverse effects (E800-E949)	59	89	280	40	35	192	47	64
Motor vehicle accidents (E810-E825)	31	41	117	18	10	113	28	33
All other accidents and adverse effects (E800-E807,E826-E949)	28	48	143	22	25	79	19	31
Suicide (E950-E959)	16	34	53	13	7	61	15	21
Homicide and legal intervention (E960-E978)	11	34	87	1	2	24	3	4
All other external causes (E980-E999)	2	1	12	-	-	2	3	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro–Winston-Salem–High Point, N.C.	Greenville-Spartanburg, S.C.	Hagerstown, Md.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Hickory, N.C.
All causes	1,259	6,969	4,709	1,030	1,999	4,076	8,740	1,077
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	–	–	1	–	–	1	–	–
Tuberculosis (010-018)	–	12	4	–	2	5	4	1
Tuberculosis of respiratory system (010-012)	–	9	3	–	1	4	3	–
Other tuberculosis (013-018)	–	3	1	–	1	1	1	1
Whooping cough (033)	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–
Meningococcal infection (036)	1	–	3	–	–	–	–	1
Septicemia (038)	9	69	52	9	7	55	90	6
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–
Measles (055)	–	1	–	–	–	–	–	–
Viral hepatitis (070)	–	1	1	–	–	1	4	–
Syphilis (090-097)	–	–	1	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	1	25	19	1	4	8	14	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	259	1,541	1,011	217	495	863	2,071	192
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	27	24	11	7	11	37	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	70	364	234	47	118	229	579	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69	448	266	57	151	231	508	48
Malignant neoplasm of breast (174-175)	26	138	108	20	41	87	212	19
Malignant neoplasms of genital organs (179-187)	23	177	126	22	64	93	220	25
Malignant neoplasms of urinary organs (188-189)	13	54	35	2	22	31	81	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	190	136	23	51	112	265	26
Leukemia (204-208)	8	46	35	10	17	26	80	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	97	47	15	24	43	89	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	36	14	–	9	17	44	5
Diabetes mellitus (250)	30	111	75	25	42	76	160	21
Nutritional deficiencies (260-269)	–	5	9	–	1	7	8	–
Anemias (280-285)	5	9	3	1	1	6	13	2
Meningitis (320-322)	1	8	5	–	–	–	8	–
Major cardiovascular diseases (390-448)	664	3,400	2,263	572	940	2,084	4,220	582
Diseases of heart (390-398,402,404-429)	497	2,572	1,761	477	736	1,623	3,355	452
Rheumatic fever and rheumatic heart disease (390-398)	5	24	11	2	9	20	43	1
Hypertensive heart disease (402)	3	80	61	17	29	31	81	14
Hypertensive heart and renal disease (404)	5	14	7	2	7	4	8	1
Ischemic heart disease (410-414)	371	1,846	1,182	333	526	1,031	2,484	320
Acute myocardial infarction (410)	253	1,124	771	164	251	524	1,123	233
Other acute and subacute forms of ischemic heart disease (411)	2	5	7	–	–	7	3	2
Angina pectoris (413)	–	6	–	1	–	3	4	–
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	116	711	404	168	275	497	1,354	94
Other diseases of endocardium (424)	6	28	22	4	6	18	34	3
All other forms of heart disease (415-423,425-429)	107	580	498	119	159	519	705	104
Hypertension with or without renal disease (401,403)	3	39	24	4	3	20	39	7
Cerebrovascular diseases (430-438)	117	646	385	67	138	330	811	77
Intracerebral and other intracranial hemorrhage (431-432)	14	68	55	8	12	27	88	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	130	46	14	18	40	147	15
Cerebral embolism (434.1)	1	2	1	–	–	2	1	–
All other and late effects of cerebrovascular diseases (430,433,435-438)	83	446	283	45	107	261	375	56
Atherosclerosis (440)	20	72	37	17	44	72	106	11
Other diseases of arteries, arterioles, and capillaries (441-448)	27	71	36	7	19	39	109	15
Acute bronchitis and bronchiolitis (466)	–	1	3	1	1	1	2	–
Pneumonia and influenza (480-487)	32	190	103	27	48	107	265	29
Pneumonia (480-486)	29	186	100	27	46	106	261	28
Influenza (487)	3	4	3	–	2	1	4	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	236	150	34	73	164	233	31
Bronchitis, chronic and unspecified (490-491)	4	7	9	3	8	4	11	4
Emphysema (492)	12	49	28	5	12	19	42	7
Asthma (493)	3	11	7	–	3	4	17	–
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	12	169	106	26	50	137	163	20
Ulcer of stomach and duodenum (531-533)	4	24	8	3	5	12	23	2
Appendicitis (540-543)	–	1	1	1	1	1	2	–
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	17	16	2	7	7	18	1
Chronic liver disease and cirrhosis (571)	16	74	56	8	20	44	145	13
Cholelithiasis and other disorders of gallbladder (574-575)	–	12	6	2	1	4	14	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	66	37	11	12	41	85	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	3	1	–	–	–	–	–
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	4	1	–	2	2	8	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	59	35	11	10	39	77	14
Infections of kidney (590)	1	12	5	1	5	1	5	2
Hyperplasia of prostate (600)	2	–	1	–	–	–	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	1	–	–	–	1	–	–
Pregnancy with abortive outcome (630-638)	–	–	–	–	–	–	–	–
Other complications of pregnancy, childbirth, and the puerperium (640-676)	–	1	–	–	–	1	–	–
Congenital anomalies (740-759)	9	27	38	7	13	29	43	9
Certain conditions originating in the perinatal period (760-779)	12	67	65	8	15	31	84	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	19	20	2	3	9	29	4
Other conditions originating in the perinatal period (760-766,770-779)	8	54	45	4	12	22	55	7
Symptoms, signs, and ill-defined conditions (780-799)	6	45	59	8	27	33	121	7
All other diseases (Residual)	84	455	313	60	124	252	586	68
Accidents and adverse effects (E800-E949)	37	336	274	24	88	143	347	52
Motor vehicle accidents (E810-E825)	15	187	130	15	33	65	132	32
All other accidents and adverse effects (E800-E807,E826-E949)	22	149	144	9	55	78	215	20
Suicide (E950-E959)	28	116	65	8	44	55	83	24
Homicide and legal intervention (E960-E978)	5	65	45	2	10	27	45	11
All other external causes (E980-E999)	3	6	3	–	4	–	2	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Honolulu, Hawaii	Houston, Tex.	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Iowa City, Iowa	Jackson, Mich.	Jackson, Miss.
All causes	4,127	18,890	3,104	2,913	9,872	452	1,310	2,587
Shigellosis and amebiasis (004,006)	-	2	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	-	-	1	-	1	1
Tuberculosis (010-018)	7	27	3	1	18	-	-	1
Tuberculosis of respiratory system (010-012)	7	21	3	1	16	-	-	1
Other tuberculosis (013-018)	-	6	-	-	2	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	6	-	1	1	-	-	-
Septicemia (038)	39	171	20	17	109	2	8	30
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	12	-	2	7	-	-	3
Syphilis (090-097)	-	1	-	-	1	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-068,071-088,098-139)	10	71	2	5	10	-	3	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	975	4,016	681	500	2,265	108	261	541
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	75	6	6	39	5	2	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	309	895	179	114	576	25	67	142
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	220	1,276	198	165	689	24	64	151
Malignant neoplasm of breast (174-175)	71	321	57	37	159	8	19	46
Malignant neoplasms of genital organs (179-187)	93	381	72	47	266	13	31	58
Malignant neoplasms of urinary organs (188-189)	43	155	28	16	89	5	13	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	110	506	77	69	257	15	34	61
Leukemia (204-208)	44	158	27	22	72	3	12	29
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	51	249	37	24	118	10	19	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	44	19	7	29	-	4	9
Diabetes mellitus (250)	85	318	50	47	194	8	31	61
Nutritional deficiencies (260-269)	4	13	7	2	19	1	2	8
Anemias (280-285)	7	33	7	8	16	-	2	3
Meningitis (320-322)	1	24	2	1	8	-	1	3
Major cardiovascular diseases (390-448)	1,700	7,758	1,606	1,018	4,572	217	669	1,119
Diseases of heart (390-398,402,404-429)	1,294	6,175	1,278	777	3,467	160	500	872
Rheumatic fever and rheumatic heart disease (390-398)	22	35	8	7	31	1	5	6
Hypertensive heart disease (402)	26	219	31	23	125	6	8	55
Hypertensive heart and renal disease (404)	2	17	8	2	10	-	1	8
Ischemic heart disease (410-414)	894	3,638	867	543	2,465	126	344	548
Acute myocardial infarction (410)	432	1,834	461	365	1,169	53	189	405
Other acute and subacute forms of ischemic heart disease (411)	10	3	2	4	8	-	-	-
Angina pectoris (413)	2	6	-	1	4	1	3	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	450	1,793	404	173	1,284	72	152	141
Other diseases of endocardium (424)	20	68	11	6	44	2	5	6
All other forms of heart disease (415-423,425-429)	330	2,202	333	196	792	25	137	249
Hypertension with or without renal disease (401,403)	5	47	9	10	43	2	5	7
Cerebrovascular diseases (430-438)	320	1,253	250	184	783	33	113	192
Intracerebral and other intracranial hemorrhage (431-432)	67	188	21	24	100	4	15	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	47	208	51	37	101	6	13	31
Cerebral embolism (434.1)	-	1	-	-	1	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	206	856	178	123	581	23	85	137
Atherosclerosis (440)	29	147	40	21	160	15	38	28
Other diseases of arteries, arterioles, and capillaries (441-448)	52	136	29	26	99	7	13	20
Acute bronchitis and bronchiolitis (466)	1	6	1	-	2	-	-	-
Pneumonia and influenza (480-487)	159	446	57	44	275	16	28	82
Pneumonia (480-486)	158	437	56	41	269	15	27	82
Influenza (487)	1	9	1	3	6	1	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	117	532	124	56	457	14	55	85
Bronchitis, chronic and unspecified (490-491)	3	28	11	2	21	3	3	-
Emphysema (492)	23	124	26	12	85	2	18	10
Asthma (493)	18	35	3	4	13	-	2	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	73	345	84	38	338	9	32	71
Ulcer of stomach and duodenum (531-533)	12	53	11	8	36	1	8	5
Appendicitis (540-543)	-	7	2	-	2	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	44	6	5	22	-	3	5
Chronic liver disease and cirrhosis (571)	49	263	30	30	107	6	16	27
Cholelithiasis and other disorders of gallbladder (574-575)	5	20	4	6	12	-	2	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	188	22	19	104	1	9	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	6	-	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	10	6	-	4	-	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	30	172	16	19	98	1	7	16
Infections of kidney (590)	5	14	2	3	11	-	5	5
Hyperplasia of prostate (600)	-	1	1	1	2	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	1	-	-	-	-
Congenital anomalies (740-759)	49	194	19	18	93	7	9	19
Certain conditions originating in the perinatal period (760-779)	65	357	22	28	112	8	11	37
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	71	5	8	33	3	-	13
Other conditions originating in the perinatal period (760-766,770-779)	53	286	17	20	79	5	11	24
Symptoms, signs, and ill-defined conditions (780-799)	60	309	35	118	80	4	9	75
All other diseases (Residual)	349	1,205	193	132	666	34	84	201
Accidents and adverse effects (E800-E949)	228	1,471	117	167	368	20	56	151
Motor vehicle accidents (E810-E825)	98	794	52	85	185	7	30	71
All other accidents and adverse effects (E800-E807,E826-E949)	132	677	65	82	181	13	26	80
Suicide (E950-E959)	74	460	41	40	166	4	21	35
Homicide and legal intervention (E960-E978)	38	781	16	23	78	-	11	49
All other external causes (E980-E999)	22	19	4	4	31	1	-	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Jacksonville, Fla.	Jacksonville, N.C.	Janesville-Beloit, Wis.	Jersey City, N.J.	Johnson City-Kingsport-Bristol, Tenn.-Va.	Johnstown, Pa.	Joplin, Mo.	Kalamazoo-Portage, Mich.
All causes	6,642	459	1,200	5,916	3,899	2,722	1,444	2,151
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	3	1	-	1
Tuberculosis (010-018)	7	-	-	7	3	1	1	2
Tuberculosis of respiratory system (010-012)	7	-	-	6	3	1	1	2
Other tuberculosis (013-018)	-	-	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	2	-	-	-	-	-
Septicemia (038)	51	7	11	53	17	16	7	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	1	-	4	2	1	1	-
Syphilis (090-097)	-	-	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-066,071-088,098-139)	13	2	2	14	11	4	2	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,544	82	263	1,282	799	563	266	497
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	46	2	4	32	15	12	8	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	357	16	79	364	172	165	68	126
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	497	27	77	341	232	135	91	131
Malignant neoplasm of breast (174-175)	111	2	21	118	69	60	27	40
Malignant neoplasms of genital organs (179-187)	185	10	32	138	87	49	32	60
Malignant neoplasms of urinary organs (188-189)	55	3	10	52	39	31	8	29
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	183	10	19	120	108	71	25	61
Leukemia (204-208)	45	5	13	50	29	18	10	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	65	7	8	47	48	22	19	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	3	2	18	15	6	7	3
Diabetes mellitus (250)	124	5	12	150	57	81	20	46
Nutritional deficiencies (260-269)	14	-	4	7	5	4	11	7
Anemias (280-285)	8	-	1	13	6	5	4	4
Meningitis (320-322)	1	1	2	9	2	-	2	-
Major cardiovascular diseases (390-448)	2,964	184	592	3,024	1,848	1,415	696	1,027
Diseases of heart (390-398,402,404-429)	2,312	136	452	2,556	1,432	1,181	537	793
Rheumatic fever and rheumatic heart disease (390-398)	14	2	8	29	14	12	7	13
Hypertensive heart disease (402)	134	2	7	45	39	34	11	20
Hypertensive heart and renal disease (404)	9	1	-	5	6	6	4	2
Ischemic heart disease (410-414)	1,422	105	380	2,142	1,010	901	387	625
Acute myocardial infarction (410)	712	49	197	964	582	435	246	261
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	5	8	2	5	5
Angina pectoris (413)	3	-	1	2	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	705	56	182	1,171	419	464	136	359
Other diseases of endocardium (424)	14	-	6	22	29	9	10	8
All other forms of heart disease (415-423,425-429)	719	26	51	313	334	219	118	125
Hypertension with or without renal disease (401,403)	26	2	5	13	13	9	8	12
Cerebrovascular diseases (430-438)	505	34	88	363	316	152	124	168
Intracerebral and other intracranial hemorrhage (431-432)	69	7	3	62	31	26	14	28
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	97	1	15	73	53	26	13	24
Cerebral embolism (434.1)	2	-	-	2	-	3	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	337	26	70	226	232	97	96	115
Atherosclerosis (440)	67	8	26	41	39	34	9	23
Other diseases of arteries, arterioles, and capillaries (441-448)	54	4	21	51	48	39	18	31
Acute bronchitis and bronchiolitis (466)	2	-	-	1	1	-	-	-
Pneumonia and influenza (480-487)	164	9	55	126	160	52	53	67
Pneumonia (480-486)	161	9	53	126	155	50	62	64
Influenza (487)	3	-	2	-	5	2	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	271	12	50	156	155	69	53	81
Bronchitis, chronic and unspecified (490-491)	21	2	6	9	9	6	5	2
Emphysema (492)	54	1	9	34	19	26	4	10
Asthma (493)	10	-	3	6	7	1	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	186	9	32	107	120	56	42	66
Ulcer of stomach and duodenum (531-533)	21	1	5	18	12	6	5	9
Appendicitis (540-543)	1	-	1	1	2	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	1	4	19	14	5	5	4
Chronic liver disease and cirrhosis (571)	147	8	12	120	40	26	13	21
Cholelithiasis and other disorders of gallbladder (574-575)	6	1	1	6	8	4	4	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	58	9	12	70	36	25	16	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	2	1	3	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	1	1	6	10	2	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	53	8	11	62	25	20	11	7
Infections of kidney (590)	10	-	-	1	6	1	-	-
Hyperplasia of prostate (600)	5	-	-	2	1	2	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	-	1	1	-	2	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	-	-	1	1	-	1	-
Congenital anomalies (740-759)	43	8	4	39	25	12	6	18
Certain conditions originating in the perinatal period (760-779)	75	13	5	62	41	22	9	33
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	-	2	12	8	8	5	11
Other conditions originating in the perinatal period (760-766,770-779)	61	13	3	50	33	14	4	22
Symptoms, signs, and ill-defined conditions (780-799)	88	10	4	63	102	14	68	10
All other diseases (Residual)	417	39	84	415	247	227	83	150
Accidents and adverse effects (E800-E949)	350	52	47	143	196	103	67	100
Motor vehicle accidents (E810-E825)	185	33	24	45	90	40	36	38
All other accidents and adverse effects (E800-E807,E826-E949)	165	19	23	98	106	63	31	62
Suicide (E950-E959)	112	5	23	42	66	32	10	36
Homicide and legal intervention (E960-E978)	96	5	2	63	12	3	3	7
All other external causes (E980-E999)	14	1	-	6	6	2	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kankakee, Ill.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Killeen-Temple, Tex.	Knoxville, Tenn.	Kokomo, Ind.	La Crosse, Wis.	Lafayette, La.
All causes	922	11,191	1,053	1,425	4,109	845	797	949
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	4	-	-	2	-	-	1
Tuberculosis (010-018)	1	4	2	1	3	-	-	-
Tuberculosis of respiratory system (010-012)	1	3	2	1	3	-	-	-
Other tuberculosis (013-018)	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	1	-	-	1
Septicemia (038)	4	107	6	16	9	6	5	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	-	2	5	-	1	-
Syphilis (090-097)	-	1	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	29	5	1	8	-	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	190	2,469	239	252	678	175	178	205
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	45	3	2	9	6	2	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	59	626	65	47	217	38	48	49
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	56	678	74	70	289	42	38	63
Malignant neoplasm of breast (174-175)	19	250	18	17	58	14	16	19
Malignant neoplasms of genital organs (179-187)	22	249	21	21	92	21	25	19
Malignant neoplasms of urinary organs (188-189)	7	91	8	5	36	8	8	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	330	30	69	96	24	24	23
Leukemia (204-208)	2	87	5	7	40	9	6	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	133	15	14	41	13	11	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	37	2	2	6	2	-	5
Diabetes mellitus (250)	21	184	20	13	64	21	13	12
Nutritional deficiencies (260-269)	-	17	1	-	7	1	2	1
Anemias (280-285)	1	23	2	5	4	5	-	-
Meningitis (320-322)	-	7	-	-	2	-	1	-
Major cardiovascular diseases (390-448)	471	5,117	545	653	1,689	423	387	420
Diseases of heart (390-398,402,404-429)	381	3,953	430	530	1,334	330	313	329
Rheumatic fever and rheumatic heart disease (390-398)	4	35	2	7	13	4	4	2
Hypertensive heart disease (402)	13	107	5	2	24	1	9	16
Hypertensive heart and renal disease (404)	1	18	4	-	7	-	-	1
Ischemic heart disease (410-414)	297	2,806	329	300	1,008	239	237	172
Acute myocardial infarction (410)	120	1,313	138	213	612	126	83	86
Other acute and subacute forms of ischemic heart disease (411)	3	12	-	1	2	-	-	-
Angina pectoris (413)	3	3	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	171	1,478	191	86	394	113	153	86
Other diseases of endocardium (424)	3	58	6	7	16	4	4	6
All other forms of heart disease (415-423,425-429)	63	929	85	214	266	82	59	132
Hypertension with or without renal disease (401,403)	10	41	-	1	20	4	3	4
Cerebrovascular diseases (430-438)	55	901	84	87	401	71	56	69
Intracerebral and other intracranial hemorrhage (431-432)	8	110	3	10	48	5	11	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	128	25	7	55	8	7	14
Cerebral embolism (434.1)	-	6	1	1	3	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	42	657	55	69	295	58	38	49
Atherosclerosis (440)	13	121	16	17	69	12	10	9
Other diseases of arteries, arterioles, and capillaries (441-448)	12	101	15	18	45	6	5	9
Acute bronchitis and bronchiolitis (466)	2	4	-	-	1	-	-	1
Pneumonia and influenza (480-487)	15	301	22	45	92	10	25	17
Pneumonia (480-486)	15	294	22	44	92	9	25	17
Influenza (487)	-	7	-	1	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	478	33	33	133	31	25	30
Bronchitis, chronic and unspecified (490-491)	-	35	-	2	10	1	1	10
Emphysema (492)	7	87	5	3	23	9	6	9
Asthma (493)	3	18	1	1	9	1	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	339	27	27	91	20	16	9
Ulcer of stomach and duodenum (531-533)	2	35	-	3	12	2	-	2
Appendicitis (540-543)	1	4	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	22	2	2	9	6	6	4
Chronic liver disease and cirrhosis (571)	9	101	17	13	37	7	12	10
Cholelithiasis and other disorders of gallbladder (574-575)	-	12	-	2	5	1	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	113	9	12	25	18	9	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	15	1	1	-	1	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	96	8	11	25	17	8	11
Infections of kidney (590)	-	11	-	-	7	4	1	3
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	-	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	-	1	-	-	-
Congenital anomalies (740-759)	5	72	8	14	32	3	5	15
Certain conditions originating in the perinatal period (760-779)	15	90	5	28	30	7	6	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	24	1	8	12	-	2	8
Other conditions originating in the perinatal period (760-766,770-779)	13	66	4	18	18	7	4	6
Symptoms, signs, and ill-defined conditions (780-799)	4	303	9	119	303	22	5	10
All other diseases (Residual)	70	738	58	70	274	46	60	67
Accidents and adverse effects (E800-E949)	50	489	43	88	183	44	38	61
Motor vehicle accidents (E810-E825)	27	234	27	60	102	27	11	38
All other accidents and adverse effects (E800-E807,E826-E949)	23	255	16	28	81	17	27	23
Suicide (E950-E959)	10	213	19	32	69	10	12	26
Homicide and legal intervention (E960-E978)	10	165	7	21	30	-	2	13
All other external causes (E980-E999)	1	17	1	1	7	-	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lafayette-West Lafayette, Ind.	Lake Charles, La.	Lakeland-Winter Haven, Fla.	Lancaster, Pa.	Lansing-East Lansing, Mich.	Laredo, Tex.	Las Cruces, N.Mex.	Las Vegas, Nev.
All causes	790	1,354	3,440	3,116	2,899	690	583	3,676
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	2	2	1	-	-
Tuberculosis (010-016)	-	2	5	5	2	4	2	2
Tuberculosis of respiratory system (010-012)	-	2	5	5	1	3	2	2
Other tuberculosis (013-016)	-	-	-	-	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	1	1	-	-	-	-
Septicemia (038)	7	15	13	21	19	5	4	24
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	1	-	-	1	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	-	4	5	2	7	5	2	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	184	311	775	648	681	142	128	865
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	6	14	9	10	-	1	22
Malignant neoplasms of digestive organs and peritoneum (150-159)	40	72	211	174	162	47	28	186
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	43	101	238	139	175	31	29	298
Malignant neoplasm of breast (174-175)	14	18	64	79	83	11	9	69
Malignant neoplasms of genital organs (179-187)	29	27	81	65	61	14	18	75
Malignant neoplasms of urinary organs (188-189)	7	13	38	30	28	11	3	38
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	58	81	88	92	15	22	107
Leukemia (204-208)	6	8	16	29	31	5	8	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	8	32	35	39	8	10	48
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	6	7	9	9	-	-	11
Diabetes mellitus (250)	13	27	61	56	66	29	12	57
Nutritional deficiencies (260-269)	2	1	2	1	7	2	1	5
Anemias (280-285)	2	4	8	6	4	-	1	12
Meningitis (320-322)	1	1	3	1	1	2	1	-
Major cardiovascular diseases (390-448)	360	619	1,595	1,700	1,330	254	204	1,547
Diseases of heart (390-398,402,404-429)	279	486	1,243	1,350	996	203	138	1,248
Rheumatic fever and rheumatic heart disease (390-398)	2	2	8	7	12	2	1	13
Hypertensive heart disease (402)	5	23	56	30	30	4	3	69
Hypertensive heart and renal disease (404)	-	1	5	2	5	-	1	5
Ischemic heart disease (410-414)	228	338	958	808	716	129	80	757
Acute myocardial infarction (410)	106	178	462	418	394	71	30	360
Other acute and subacute forms of ischemic heart disease (411)	1	1	2	2	4	-	-	8
Angina pectoris (413)	-	-	1	1	2	2	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	121	159	493	387	318	56	50	386
Other diseases of endocardium (424)	3	11	15	17	10	2	2	15
All other forms of heart disease (415-423,425-429)	41	111	201	486	221	66	51	369
Hypertension with or without renal disease (401,403)	6	6	18	16	19	-	2	12
Cerebrovascular diseases (430-438)	49	96	240	248	213	45	44	233
Intracerebral and other intracranial hemorrhage (431-432)	8	14	24	21	42	11	5	49
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	5	51	39	23	12	2	15
Cerebral embolism (434.1)	-	-	1	1	4	-	-	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	30	77	164	187	144	22	37	166
Atherosclerosis (440)	10	16	59	53	73	1	12	34
Other diseases of arteries, arterioles, and capillaries (441-448)	16	14	35	33	29	5	8	20
Acute bronchitis and bronchiolitis (466)	2	-	1	1	-	-	-	-
Pneumonia and influenza (480-487)	19	21	65	62	79	14	18	71
Pneumonia (480-486)	18	21	64	59	74	13	18	71
Influenza (487)	1	-	1	3	5	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	40	55	120	99	107	13	26	176
Bronchitis, chronic and unspecified (490-491)	-	-	3	6	2	-	3	11
Emphysema (492)	8	8	32	10	30	2	7	43
Asthma (493)	1	7	3	4	4	2	-	15
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	40	82	79	71	9	16	107
Ulcer of stomach and duodenum (531-533)	3	4	8	14	6	-	-	7
Appendicitis (540-543)	-	-	1	-	1	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	4	8	9	14	4	4	5
Chronic liver disease and cirrhosis (571)	7	13	39	24	31	9	6	56
Cholelithiasis and other disorders of gallbladder (574-575)	2	5	5	1	8	2	-	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	10	16	22	24	7	6	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	2	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	6	5	4	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	9	10	15	19	6	5	33
Infections of kidney (590)	1	1	2	1	4	-	-	2
Hyperplasia of prostate (600)	-	2	1	3	2	-	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	2	-	-	1	-	1
Pregnancy with abortive outcome (630-639)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	2	-	-	1	-	1
Congenital anomalies (740-759)	7	10	17	20	23	13	8	33
Certain conditions originating in the perinatal period (760-779)	9	9	45	22	38	25	4	30
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	21	6	12	14	1	10
Other conditions originating in the perinatal period (760-766,770-779)	6	6	24	16	26	11	3	20
Symptoms, signs, and ill-defined conditions (780-799)	16	13	122	31	21	42	21	42
All other diseases (Residual)	50	88	232	187	195	52	50	231
Accidents and adverse effects (E800-E949)	31	80	186	120	146	44	43	208
Motor vehicle accidents (E810-E825)	14	41	96	60	77	21	34	120
All other accidents and adverse effects (E800-E807,E826-E949)	17	39	90	60	69	23	9	88
Suicide (E950-E959)	15	37	48	43	60	7	11	109
Homicide and legal intervention (E960-E978)	2	11	40	5	11	12	6	63
All other external causes (E980-E999)	2	-	10	-	1	-	3	15

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lawrence, Kans.	Lawton, Okla.	Lewiston-Auburn, Maine	Lexington-Fayette, Ky.	Lima, Ohio	Lincoln, Nebr.	Little Rock-North Little Rock, Ark.	Long Branch-Asbury Park, N.J.
All causes	364	699	1,010	2,431	1,916	1,473	3,195	4,975
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	1	-	1	1
Tuberculosis (010-018)	-	-	-	2	-	-	2	1
Tuberculosis of respiratory system (010-012)	-	-	-	2	-	-	2	1
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	1	-	1	-
Septicemia (038)	5	2	6	25	5	6	31	54
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	-	3	-	-	2	5
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	2	1	6	6	3	10	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	72	156	223	558	429	289	748	1,148
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	1	3	9	4	2	15	28
Malignant neoplasms of digestive organs and peritoneum (150-159)	20	30	56	132	130	84	167	348
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	19	53	63	163	105	64	233	308
Malignant neoplasm of breast (174-175)	6	17	21	50	33	23	57	91
Malignant neoplasms of genital organs (179-187)	16	20	25	73	50	40	100	111
Malignant neoplasms of urinary organs (188-189)	1	4	8	17	21	12	25	44
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	4	20	25	69	44	33	94	123
Leukemia (204-208)	1	7	8	23	19	14	27	34
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	4	14	22	23	17	30	61
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	1	2	12	8	2	16	17
Diabetes mellitus (250)	6	8	13	34	43	38	44	108
Nutritional deficiencies (280-269)	1	-	-	2	2	1	1	7
Anemias (280-285)	-	-	2	4	2	3	5	7
Meningitis (320-322)	-	-	-	1	1	1	3	6
Major cardiovascular diseases (390-448)	158	286	527	1,164	1,021	730	1,527	2,499
Diseases of heart (390-398,402,404-429)	123	222	426	947	793	509	1,128	1,901
Rheumatic fever and rheumatic heart disease (390-398)	1	-	-	8	4	7	6	25
Hypertensive heart disease (402)	1	3	6	35	16	9	19	47
Hypertensive heart and renal disease (404)	1	1	2	6	4	-	3	6
Ischemic heart disease (410-414)	82	165	354	569	567	371	657	1,556
Acute myocardial infarction (410)	35	87	168	398	258	114	336	795
Other acute and subacute forms of ischemic heart disease (411)	1	19	22	-	-	2	-	4
Angina pectoris (413)	1	-	-	-	1	-	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	45	79	166	171	308	255	321	754
Other diseases of endocardium (424)	-	2	3	7	10	10	9	14
All other forms of heart disease (415-423,425-429)	38	31	61	322	192	112	434	253
Hypertension with or without renal disease (401,403)	1	8	3	9	2	4	5	23
Cerebrovascular diseases (430-438)	23	45	60	173	159	156	299	417
Intracerebral and other intracranial hemorrhage (431-432)	4	9	4	20	22	16	40	67
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1	3	8	26	33	13	56	89
Cerebral embolism (434.1)	-	-	1	1	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	18	33	47	124	104	127	202	261
Atherosclerosis (440)	5	3	25	10	45	35	61	108
Other diseases of arteries, arterioles, and capillaries (441-448)	6	8	13	25	22	26	34	50
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	1	1	-
Pneumonia and influenza (480-487)	12	22	33	36	43	48	73	160
Pneumonia (480-486)	12	22	25	36	35	46	72	160
Influenza (487)	-	-	8	-	8	2	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	13	31	42	89	57	58	96	151
Bronchitis, chronic and unspecified (490-491)	1	-	3	1	3	2	6	13
Emphysema (492)	-	3	8	20	10	19	18	50
Asthma (493)	1	2	3	6	3	2	4	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	11	26	28	62	41	35	68	81
Ulcer of stomach and duodenum (531-533)	3	-	3	3	3	5	6	13
Appendicitis (540-543)	-	-	2	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	2	4	4	3	10	13
Chronic liver disease and cirrhosis (571)	4	9	12	34	11	21	31	79
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	2	2	2	2	6	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	10	5	26	14	10	39	63
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	3	2	2	2	1	5	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	6	3	24	12	9	34	58
Infections of kidney (590)	1	-	-	2	-	1	3	5
Hyperplasia of prostate (600)	-	-	-	-	-	-	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	12	2	23	17	4	24	24
Certain conditions originating in the perinatal period (760-779)	3	18	4	25	15	23	26	44
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	5	3	6	1	4	3	15
Other conditions originating in the perinatal period (760-766,770-779)	2	13	1	19	14	19	23	29
Symptoms, signs, and ill-defined conditions (780-799)	23	15	7	22	14	10	33	8
All other diseases (Residual)	33	53	61	167	120	130	196	302
Accidents and adverse effects (E800-E949)	14	37	47	105	78	52	158	169
Motor vehicle accidents (E810-E825)	6	17	30	48	40	26	66	76
All other accidents and adverse effects (E800-E807,E826-E949)	8	20	17	57	38	26	92	93
Suicide (E950-E959)	6	18	12	40	11	22	47	43
Homicide and legal intervention (E960-E978)	3	17	1	19	7	2	50	21
All other external causes (E980-E999)	-	1	1	3	-	6	4	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Longview-Marshall, Tex.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	1,570	2,010	59,561	8,382	1,434	1,527	2,189	2,102
Shigellosis and amebiasis (004,006)	-	-	6	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	24	2	-	-	-	-
Tuberculosis (010-018)	1	1	66	5	-	1	5	1
Tuberculosis of respiratory system (010-012)	-	1	52	4	-	1	4	-
Other tuberculosis (013-018)	1	-	16	1	-	-	1	1
Whooping cough (033)	-	-	1	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	1	-	-	-	-	-
Meningococcal infection (036)	-	-	4	2	-	-	1	1
Septicemia (038)	8	8	110	56	5	11	17	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	1	-	-	-	-	-
Viral hepatitis (070)	-	-	63	3	2	-	1	-
Syphilis (090-097)	-	-	7	1	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	-	5	197	16	6	1	5	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	305	457	13,182	1,992	274	319	421	450
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	10	286	42	5	11	14	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	75	119	3,414	490	54	81	73	129
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	84	134	3,482	617	75	76	134	109
Malignant neoplasm of breast (174-175)	22	46	1,276	159	22	33	31	38
Malignant neoplasms of genital organs (179-187)	41	39	1,421	216	31	44	34	50
Malignant neoplasms of urinary organs (188-189)	18	17	503	85	11	7	17	19
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	37	51	1,534	237	49	44	72	54
Leukemia (204-208)	14	22	496	66	9	11	21	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	19	766	90	18	12	25	25
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	6	162	34	5	4	6	3
Diabetes mellitus (250)	21	40	926	145	25	21	36	23
Nutritional deficiencies (260-269)	6	4	17	20	5	1	3	3
Anemias (280-285)	2	2	93	26	4	-	4	4
Meningitis (320-322)	2	1	37	6	1	-	2	3
Major cardiovascular diseases (390-448)	701	970	26,847	3,932	671	778	1,070	1,011
Diseases of heart (390-398,402,404-429)	511	788	22,660	3,016	536	591	763	799
Rheumatic fever and rheumatic heart disease (390-398)	2	12	212	33	9	4	2	6
Hypertensive heart disease (402)	13	13	1,322	101	6	14	12	13
Hypertensive heart and renal disease (404)	2	3	72	15	-	10	4	2
Ischemic heart disease (410-414)	355	621	14,226	2,022	261	406	459	601
Acute myocardial infarction (410)	196	279	6,436	1,172	146	222	317	266
Other acute and subacute forms of ischemic heart disease (411)	2	17	29	1	1	21	1	1
Angina pectoris (413)	-	-	11	6	-	2	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	157	325	7,752	843	114	161	140	313
Other diseases of endocardium (424)	5	5	211	21	5	8	9	11
All other forms of heart disease (415-423,425-429)	134	114	6,615	826	255	149	277	166
Hypertension with or without renal disease (401,403)	5	9	274	43	4	2	21	10
Cerebrovascular diseases (430-438)	161	148	4,559	681	102	150	207	159
Intracerebral and other intracranial hemorrhage (431-432)	12	17	620	69	6	20	25	19
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	34	921	113	9	49	24	24
Cerebral embolism (434.1)	-	3	13	3	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	112	94	3,005	496	87	81	157	116
Atherosclerosis (440)	13	25	816	106	17	17	51	23
Other diseases of arteries, arterioles, and capillaries (441-448)	11	20	536	84	12	18	28	20
Acute bronchitis and bronchiolitis (466)	-	-	16	1	-	-	1	-
Pneumonia and influenza (480-487)	30	30	1,802	200	25	51	50	70
Pneumonia (480-486)	30	29	1,790	200	25	51	50	67
Influenza (487)	-	1	12	-	-	-	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	48	56	1,843	317	51	49	80	73
Bronchitis, chronic and unspecified (490-491)	3	1	135	16	4	3	2	3
Emphysema (492)	7	12	451	64	13	2	14	24
Asthma (493)	1	5	125	7	2	1	2	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	37	38	1,132	230	32	43	42	36
Ulcer of stomach and duodenum (531-533)	4	7	246	25	8	3	11	8
Appendicitis (540-543)	1	-	22	5	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	4	113	22	5	4	7	6
Chronic liver disease and cirrhosis (571)	12	31	1,394	119	8	20	38	30
Cholelithiasis and other disorders of gallbladder (574-575)	1	7	89	15	2	4	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	36	366	82	9	6	40	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	8	3	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	72	5	1	-	4	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	35	288	74	8	6	36	11
Infections of kidney (590)	4	3	61	11	-	2	5	4
Hyperplasia of prostate (600)	-	2	21	2	-	-	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	15	2	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	-	14	2	-	1	-	-
Congenital anomalies (740-759)	11	18	519	63	13	8	20	26
Certain conditions originating in the perinatal period (760-779)	17	19	752	86	31	9	33	19
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	12	10	256	24	16	4	11	6
Other conditions originating in the perinatal period (760-766,770-779)	5	9	496	62	15	5	22	13
Symptoms, signs, and ill-defined conditions (780-799)	116	33	313	63	30	18	19	12
All other diseases (Residual)	95	123	3,044	561	94	106	136	146
Accidents and adverse effects (E800-E949)	111	92	2,704	358	92	74	119	103
Motor vehicle accidents (E810-E825)	60	45	1,318	142	49	45	55	58
All other accidents and adverse effects (E800-E807,E826-E949)	51	47	1,386	217	43	29	64	45
Suicide (E950-E959)	22	34	1,092	124	38	22	33	55
Homicide and legal intervention (E960-E978)	26	19	1,402	79	31	13	29	9
All other external causes (E980-E999)	2	2	57	4	-	1	6	8

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester-Nashua, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Medford, Oreg.	Melbourne-Titusville-Cocoa, Fla.	Memphis, Tenn.-Ark.-Miss.	Miami, Fla.	Midland, Tex.
All causes	2,381	1,100	1,712	1,184	2,647	7,858	16,862	627
Shigellosis and amebiasis (004,006)	-	-	1	-	-	1	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	3	6	-
Tuberculosis (010-018)	1	1	6	2	1	10	33	-
Tuberculosis of respiratory system (010-012)	1	1	6	2	1	6	23	-
Other tuberculosis (013-018)	-	-	-	-	-	4	10	-
Whooping cough (033)	-	1	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	1	1	5	-
Septicemia (038)	13	2	18	4	12	55	73	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	1	8	6	-
Syphilis (090-097)	-	-	-	-	-	1	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	-	8	1	4	23	58	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	562	238	268	290	642	1,846	3,750	129
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	4	6	5	13	45	106	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	162	67	63	78	169	383	1,054	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	132	60	67	66	222	487	960	31
Malignant neoplasm of breast (174-175)	47	34	19	27	44	134	344	12
Malignant neoplasms of genital organs (179-187)	56	24	42	29	54	199	395	15
Malignant neoplasms of urinary organs (188-189)	24	7	11	11	31	62	180	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	68	25	47	24	63	213	386	17
Leukemia (204-208)	10	13	15	9	23	54	136	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	30	4	18	11	23	69	179	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	6	3	2	9	23	54	1
Diabetes mellitus (250)	44	30	32	14	59	102	318	7
Nutritional deficiencies (260-269)	3	2	4	2	7	6	9	1
Anemias (280-285)	3	2	5	1	3	16	23	2
Meningitis (320-322)	1	1	1	1	4	4	17	1
Major cardiovascular diseases (390-448)	1,154	577	729	563	1,237	3,596	8,000	261
Diseases of heart (390-398,402,404-429)	878	463	576	424	947	2,595	6,509	194
Rheumatic fever and rheumatic heart disease (390-398)	8	8	2	4	9	20	65	2
Hypertensive heart disease (402)	16	6	13	5	26	142	228	2
Hypertensive heart and renal disease (404)	2	3	-	1	4	10	10	-
Ischemic heart disease (410-414)	624	373	402	312	739	1,529	4,677	145
Acute myocardial infarction (410)	362	215	239	129	352	803	2,091	102
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	2	3	1	28	-
Angina pectoris (413)	-	1	-	-	-	1	5	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	261	157	163	181	384	724	2,553	42
Other diseases of endocardium (424)	7	3	5	5	15	20	87	3
All other forms of heart disease (415-423,425-429)	221	70	154	97	154	874	1,442	42
Hypertension with or without renal disease (401,403)	6	4	3	3	9	33	70	4
Cerebrovascular diseases (430-438)	184	88	112	112	209	821	1,121	47
Intracerebral and other intracranial hemorrhage (431-432)	26	12	17	9	20	114	154	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	10	22	11	51	134	299	9
Cerebral embolism (434.1)	1	-	1	-	2	3	4	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	123	66	72	92	136	570	664	26
Atherosclerosis (440)	60	15	21	12	44	61	123	10
Other diseases of arteries, arterioles, and capillaries (441-448)	26	7	17	12	28	66	177	6
Acute bronchitis and bronchiolitis (466)	1	-	-	2	1	1	3	-
Pneumonia and influenza (480-487)	69	16	52	36	51	176	334	14
Pneumonia (480-486)	66	16	51	37	50	175	332	14
Influenza (487)	3	-	1	1	1	1	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	102	48	30	57	97	233	459	22
Bronchitis, chronic and unspecified (490-491)	3	3	-	4	4	10	33	1
Emphysema (492)	17	6	10	14	20	40	114	6
Asthma (493)	5	5	-	1	6	8	35	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	77	34	20	38	67	175	277	14
Ulcer of stomach and duodenum (531-533)	9	5	7	3	9	22	59	1
Appendicitis (540-543)	-	-	-	-	1	4	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	5	1	7	17	45	1
Chronic liver disease and cirrhosis (571)	35	8	18	9	58	62	237	10
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	1	4	3	12	17	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	8	21	4	15	89	185	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	2	-	-	2	10	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	1	-	-	2	23	30	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	7	19	4	13	64	145	5
Infections of kidney (590)	-	1	2	1	1	7	17	2
Hyperplasia of prostate (600)	1	-	-	-	1	2	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	2	5	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	2	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	2	3	-
Congenital anomalies (740-759)	16	11	14	10	17	62	98	10
Certain conditions originating in the perinatal period (760-779)	14	10	42	3	20	123	151	23
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	24	1	6	15	44	8
Other conditions originating in the perinatal period (760-766,770-779)	11	7	18	2	14	108	107	15
Symptoms, signs, and ill-defined conditions (780-799)	11	13	164	27	10	205	72	6
All other diseases (Residual)	154	60	102	76	188	501	1,211	46
Accidents and adverse effects (E800-E949)	91	35	118	53	109	382	729	54
Motor vehicle accidents (E810-E825)	52	21	63	25	65	163	372	27
All other accidents and adverse effects (E800-E807,E826-E949)	39	14	55	28	44	199	356	27
Suicide (E950-E959)	34	16	19	25	53	101	273	18
Homicide and legal intervention (E960-E978)	9	6	22	1	23	157	407	7
All other external causes (E980-E999)	1	1	-	-	2	5	5	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.-Wis.	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Norton Shores-Muskegon Heights, Mich.
All causes	11,667	15,175	3,949	2,311	1,193	2,409	1,018	1,538
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	-	2	-	-	-	-
Tuberculosis (010-018)	10	6	6	-	-	3	1	1
Tuberculosis of respiratory system (010-012)	6	4	6	-	-	3	1	-
Other tuberculosis (013-018)	4	2	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (036)	1	4	1	-	-	-	-	-
Septicemia (038)	80	75	24	7	14	11	15	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	6	5	1	1	-	-	-
Syphilis (090-097)	1	2	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	39	49	2	2	8	1	2	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,641	3,381	838	504	248	520	207	331
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	48	61	14	5	2	7	1	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	697	882	198	122	46	122	42	77
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	654	857	261	153	64	146	73	95
Malignant neoplasm of breast (174-175)	279	330	69	32	13	48	14	29
Malignant neoplasms of genital organs (179-187)	288	377	90	62	24	50	17	30
Malignant neoplasms of urinary organs (188-189)	108	148	24	22	6	18	10	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	317	387	97	65	73	90	31	44
Leukemia (204-208)	103	159	26	18	9	14	9	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	149	180	59	25	11	23	10	21
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	54	19	9	1	4	6	6
Diabetes mellitus (250)	178	282	71	31	18	32	21	33
Nutritional deficiencies (260-269)	26	25	3	1	-	4	2	5
Anemias (280-285)	17	22	14	2	2	6	-	7
Meningitis (320-322)	4	9	2	1	2	1	1	2
Major cardiovascular diseases (390-448)	5,925	7,094	1,869	1,058	609	1,027	503	772
Diseases of heart (390-398,402,404-429)	4,668	5,345	1,491	779	508	782	365	585
Rheumatic fever and rheumatic heart disease (390-398)	42	81	9	10	1	5	6	5
Hypertensive heart disease (402)	162	77	78	14	9	31	9	6
Hypertensive heart and renal disease (404)	9	10	11	5	1	2	3	3
Ischemic heart disease (410-414)	3,455	4,067	848	571	178	492	276	465
Acute myocardial infarction (410)	1,532	1,655	433	327	135	322	126	196
Other acute and subacute forms of ischemic heart disease (411)	41	21	1	1	-	1	-	2
Angina pectoris (413)	1	8	2	-	-	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,881	2,383	412	243	43	169	150	268
Other diseases of endocardium (424)	48	73	14	24	2	3	7	6
All other forms of heart disease (415-423,425-429)	952	1,037	531	155	317	259	64	100
Hypertension with or without renal disease (401,403)	43	70	16	7	3	5	2	4
Cerebrovascular diseases (430-438)	936	1,270	290	209	78	194	101	130
Intracerebral and other intracranial hemorrhage (431-432)	122	130	42	20	8	23	8	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	188	163	61	47	4	17	19	19
Cerebral embolism (434.1)	5	5	-	2	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	621	972	187	140	66	154	74	100
Atherosclerosis (440)	143	232	33	26	13	21	16	33
Other diseases of arteries, arterioles, and capillaries (441-448)	135	177	39	37	7	15	19	20
Acute bronchitis and bronchiolitis (466)	2	4	1	1	-	1	-	1
Pneumonia and influenza (480-487)	358	530	64	115	29	52	26	46
Pneumonia (480-486)	357	484	63	111	23	51	26	42
Influenza (487)	1	46	1	4	-	1	-	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	362	460	135	94	34	61	34	65
Bronchitis, chronic and unspecified (490-491)	12	25	-	7	2	3	1	2
Emphysema (492)	64	89	27	20	14	10	7	13
Asthma (493)	21	23	3	4	-	1	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	265	323	105	63	18	47	25	49
Ulcer of stomach and duodenum (531-533)	33	44	18	7	2	8	7	3
Appendicitis (540-543)	1	6	1	1	1	-	2	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	36	10	10	1	10	5	4
Chronic liver disease and cirrhosis (571)	121	171	45	37	16	31	7	15
Cholelithiasis and other disorders of gallbladder (574-575)	18	19	2	5	3	5	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	99	114	37	12	15	18	3	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	2	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	10	3	2	1	3	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	81	104	32	10	12	14	3	10
Infections of kidney (590)	11	14	7	7	3	2	5	2
Hyperplasia of prostate (600)	4	2	1	1	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	-	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	-	-	-	-	-	-
Congenital anomalies (740-759)	81	123	25	22	7	18	5	14
Certain conditions originating in the perinatal period (760-779)	101	146	45	27	12	38	3	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	28	33	6	8	-	18	2	3
Other conditions originating in the perinatal period (760-766,770-779)	73	113	39	19	12	20	1	11
Symptoms, signs, and ill-defined conditions (780-799)	77	444	64	5	12	200	10	3
All other diseases (Residual)	833	1,084	268	140	69	162	84	94
Accidents and adverse effects (E800-E949)	342	629	240	162	66	132	39	54
Motor vehicle accidents (E810-E825)	152	237	128	80	27	74	18	28
All other accidents and adverse effects (E800-E807,E826-E949)	190	392	112	82	39	58	21	26
Suicide (E950-E959)	168	243	62	30	17	26	16	23
Homicide and legal intervention (E960-E978)	67	56	61	15	10	34	8	12
All other external causes (E980-E999)	13	34	9	2	-	2	2	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Nashville-Davidson, Tenn.	Nassau-Suffolk, N.Y.	New Bedford-Fall River, Mass.	New Brunswick-Perth Amboy-Sayreville, N.J.	New Haven-Waterbury-Meriden, Conn.	New London-Norwich, Conn.	New Orleans, La.	New York, N.Y.-N.J.
All causes	7,233	22,014	4,690	5,050	7,189	2,012	10,389	92,160
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	1
Certain other intestinal infections (007-009)	1	1	1	-	-	-	3	11
Tuberculosis (010-016)	10	20	1	3	3	-	28	150
Tuberculosis of respiratory system (010-012)	9	17	-	2	2	-	24	111
Other tuberculosis (013-018)	1	3	1	1	1	-	4	39
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	12	-	-	-	-	1	20
Septicemia (038)	35	162	31	37	71	7	123	424
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	9	1	4	-	-	5	47
Syphilis (090-097)	1	-	-	-	-	1	2	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	16	52	8	12	20	5	29	350
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,522	5,511	1,090	1,260	1,733	497	2,266	19,663
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	110	17	19	49	10	47	439
Malignant neoplasms of digestive organs and peritoneum (150-159)	353	1,549	324	357	456	124	573	5,964
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	490	1,392	290	351	401	142	705	4,615
Malignant neoplasm of breast (174-175)	122	586	101	107	159	45	165	1,824
Malignant neoplasms of genital organs (179-187)	180	583	121	140	180	38	223	2,136
Malignant neoplasms of urinary organs (188-189)	50	250	52	53	108	23	69	773
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	181	571	117	119	234	63	320	2,118
Leukemia (204-208)	49	202	32	33	61	19	68	652
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	74	268	36	81	85	33	96	1,042
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	109	17	15	31	7	42	281
Diabetes mellitus (250)	111	401	74	112	154	39	279	1,613
Nutritional deficiencies (260-269)	10	13	-	5	5	3	18	36
Anemias (280-285)	11	32	6	9	7	2	19	135
Meningitis (320-322)	2	8	1	1	5	-	9	69
Major cardiovascular diseases (390-448)	3,546	11,259	2,524	2,499	3,475	973	4,711	48,460
Diseases of heart (390-398,402,404-429)	2,726	9,389	1,944	1,965	2,817	758	3,888	42,070
Rheumatic fever and rheumatic heart disease (390-398)	12	123	7	35	39	10	17	330
Hypertensive heart disease (402)	77	212	30	42	91	19	259	786
Hypertensive heart and renal disease (404)	9	33	4	8	11	2	21	70
Ischemic heart disease (410-414)	1,987	7,798	1,677	1,595	1,911	595	2,482	36,890
Acute myocardial infarction (410)	1,337	2,672	973	717	884	217	1,319	15,196
Other acute and subacute forms of ischemic heart disease (411)	102	19	4	20	1	-	7	62
Angina pectoris (413)	3	3	-	1	11	1	2	14
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	545	5,104	700	857	1,035	377	1,154	21,618
Other diseases of endocardium (424)	31	77	17	28	34	10	42	229
All other forms of heart disease (415-423,425-429)	610	1,146	209	257	740	122	867	3,765
Hypertension with or without renal disease (401,403)	24	68	19	17	23	16	49	303
Cerebrovascular diseases (430-438)	681	1,399	424	306	496	150	783	4,658
Intracerebral and other intracranial hemorrhage (431-432)	82	195	83	47	56	20	105	807
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	91	344	96	52	109	36	165	760
Cerebral embolism (434.1)	3	7	2	2	2	-	3	24
All other and late effects of cerebrovascular diseases (430,433,435-438)	505	853	243	205	329	94	510	3,067
Atherosclerosis (440)	42	173	82	159	66	33	98	737
Other diseases of arteries, arterioles, and capillaries (441-448)	73	230	55	55	71	16	93	692
Acute bronchitis and bronchiolitis (466)	1	4	-	1	-	-	5	17
Pneumonia and influenza (480-487)	185	535	139	108	239	57	184	3,069
Pneumonia (480-486)	182	531	137	106	236	54	179	3,059
Influenza (487)	3	4	2	2	3	3	5	10
Chronic obstructive pulmonary diseases and allied conditions (490-496)	204	567	141	115	236	77	275	1,877
Bronchitis, chronic and unspecified (490-491)	13	29	10	8	17	7	18	98
Emphysema (492)	26	135	25	29	24	11	55	485
Asthma (493)	20	26	8	7	15	1	31	204
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	143	377	98	71	180	58	171	1,090
Ulcer of stomach and duodenum (531-533)	20	78	6	10	26	2	36	300
Appendicitis (540-543)	6	9	-	2	4	1	4	16
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	41	14	19	16	10	21	168
Chronic liver disease and cirrhosis (571)	79	322	66	91	77	26	168	1,991
Cholelithiasis and other disorders of gallbladder (574-575)	13	28	7	14	8	1	11	121
Nephritis, nephrotic syndrome, and nephrosis (580-589)	71	190	33	57	64	16	151	636
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	4	1	-	1	-	2	20
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	22	1	6	4	2	14	84
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	55	164	31	51	59	14	135	532
Infections of kidney (590)	17	11	1	5	4	1	3	47
Hyperplasia of prostate (600)	1	7	1	1	4	-	4	30
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	1	-	-	-	1	33
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	12
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	1	-	-	-	1	21
Congenital anomalies (740-759)	42	126	14	32	34	15	88	475
Certain conditions originating in the perinatal period (760-779)	75	165	27	51	54	14	165	900
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	55	6	14	12	2	31	244
Other conditions originating in the perinatal period (760-766,770-779)	57	110	21	37	42	12	134	656
Symptoms, signs, and ill-defined conditions (780-799)	84	137	44	33	115	31	58	1,068
All other diseases (Residual)	513	1,114	228	317	491	105	757	4,994
Accidents and adverse effects (E800-E949)	399	728	159	172	232	82	474	2,466
Motor vehicle accidents (E810-E825)	204	386	75	79	83	49	176	848
All other accidents and adverse effects (E800-E807,E826-E949)	195	342	84	93	149	43	298	1,618
Suicide (E950-E959)	114	227	39	46	48	28	165	509
Homicide and legal intervention (E960-E978)	86	112	13	13	32	2	272	1,690
All other external causes (E980-E999)	12	21	3	6	1	-	11	480

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Newark, N.J.	Newark, Ohio	Newburgh-Middletown, N.Y.	Newport News-Hampton, Va.	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	Northeast Pennsylvania	Ocala, Fla.	Odessa, Tex.
All causes	17,428	1,024	2,359	2,548	6,192	7,864	1,651	800
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	5	-	-	1	2	-	-	-
Tuberculosis (010-018)	19	-	6	4	7	4	2	-
Tuberculosis of respiratory system (010-012)	14	-	5	3	5	3	1	-
Other tuberculosis (013-018)	5	-	1	1	2	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	-	2	-	1	-	-
Septicemia (038)	204	6	17	24	56	51	11	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	1	1	-	-	-	-
Syphilis (090-097)	3	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	50	2	4	8	17	14	7	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,156	244	567	664	1,478	1,607	391	144
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	66	5	12	10	30	35	6	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,165	62	141	155	365	500	104	29
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,055	71	170	198	438	332	126	55
Malignant neoplasm of breast (174-175)	436	18	47	63	124	143	23	8
Malignant neoplasms of genital organs (179-187)	482	27	63	64	148	165	50	10
Malignant neoplasms of urinary organs (188-189)	180	10	27	20	50	69	20	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	407	23	70	98	193	213	31	20
Leukemia (204-208)	128	11	15	26	54	60	10	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	217	17	22	30	78	90	17	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	3	12	8	13	22	9	6
Diabetes mellitus (250)	388	21	43	35	95	177	23	6
Nutritional deficiencies (260-269)	21	-	-	5	5	7	1	-
Anemias (280-285)	33	1	3	5	7	11	5	2
Meningitis (320-322)	14	1	2	2	4	-	1	-
Major cardiovascular diseases (390-448)	8,432	522	1,153	1,075	2,835	4,194	799	230
Diseases of heart (390-398,402,404-429)	6,867	407	965	857	2,214	3,533	563	166
Rheumatic fever and rheumatic heart disease (390-398)	64	3	11	5	10	37	9	1
Hypertensive heart disease (402)	214	9	20	16	76	82	24	3
Hypertensive heart and renal disease (404)	38	1	-	5	12	14	2	-
Ischemic heart disease (410-414)	5,289	327	801	575	1,483	2,227	442	115
Acute myocardial infarction (410)	2,599	205	404	305	792	1,287	172	70
Other acute and subacute forms of ischemic heart disease (411)	11	2	9	40	128	6	7	-
Angina pectoris (413)	9	-	-	5	4	5	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,670	120	388	225	559	927	269	44
Other diseases of endocardium (424)	71	3	9	3	12	51	6	4
All other forms of heart disease (415-423,425-429)	1,171	64	124	253	621	1,122	80	45
Hypertension with or without renal disease (401,403)	60	2	8	9	32	18	7	2
Cerebrovascular diseases (430-438)	1,238	88	135	156	464	477	174	51
Intracerebral and other intracranial hemorrhage (431-432)	184	4	20	29	71	66	12	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	282	27	27	21	91	87	39	5
Cerebral embolism (434.1)	9	-	-	1	1	3	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	763	57	88	105	301	321	122	37
Atherosclerosis (440)	105	15	24	25	65	98	26	7
Other diseases of arteries, arterioles, and capillaries (441-448)	162	10	21	28	60	68	29	2
Acute bronchitis and bronchiolitis (466)	6	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	468	18	56	94	168	118	28	21
Pneumonia (480-486)	467	17	56	93	165	116	28	21
Influenza (487)	1	1	-	1	3	2	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	433	38	71	71	187	187	75	35
Bronchitis, chronic and unspecified (490-491)	24	10	3	2	5	8	1	-
Emphysema (492)	97	5	16	16	23	42	9	5
Asthma (493)	32	1	1	6	16	5	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	280	22	51	47	143	132	64	30
Ulcer of stomach and duodenum (531-533)	58	4	12	13	11	18	6	-
Appendicitis (540-543)	3	-	-	1	2	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	1	6	7	15	19	2	-
Chronic liver disease and cirrhosis (571)	299	7	44	29	73	93	15	8
Cholelithiasis and other disorders of gallbladder (574-575)	27	2	2	2	5	9	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	224	8	21	36	69	85	7	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	1	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	2	3	3	3	9	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	198	6	17	33	66	76	6	6
Infections of kidney (590)	16	1	3	4	4	4	-	1
Hyperplasia of prostate (600)	4	1	1	1	-	3	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	-	-	2	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	-	-	2	1	-	-	-
Congenital anomalies (740-759)	95	6	11	25	65	41	11	10
Certain conditions originating in the perinatal period (760-779)	143	3	23	47	116	36	10	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	59	-	7	4	16	13	9	5
Other conditions originating in the perinatal period (760-766,770-779)	84	3	16	43	100	23	7	5
Symptoms, signs, and ill-defined conditions (780-799)	123	13	8	24	69	19	10	108
All other diseases (Residual)	1,204	64	140	189	448	639	92	47
Accidents and adverse effects (E800-E949)	571	40	107	97	271	224	105	99
Motor vehicle accidents (E810-E825)	225	19	57	42	114	113	76	48
All other accidents and adverse effects (E800-E807,E826-E949)	346	21	50	55	157	111	29	51
Suicide (E950-E959)	132	11	31	32	89	63	23	26
Homicide and legal intervention (E960-E978)	176	6	11	37	73	13	15	23
All other external causes (E980-E999)	10	1	4	3	4	5	-	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Oklahoma City, Okla.	Olympia, Wash.	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Siml Valley-Ventura, Calif.	Panama City, Fla.	Parkersburg-Marietta, W. Va.-Ohio
All causes	7,066	979	4,381	6,410	802	3,351	868	1,489
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	2	1	1	8	-	3	2	-
Tuberculosis of respiratory system (010-012)	1	-	1	7	-	3	2	-
Other tuberculosis (013-018)	1	1	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	4	-	-	-	-
Septicemia (038)	48	4	26	37	6	10	10	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	3	-	3	1	1
Syphilis (090-097)	2	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	12	1	17	18	2	7	1	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,551	226	988	1,498	174	777	221	316
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	30	3	28	29	6	8	8	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	345	43	258	376	39	200	59	87
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	504	53	272	437	50	207	75	93
Malignant neoplasm of breast (174-175)	136	29	80	132	7	74	14	24
Malignant neoplasms of genital organs (179-187)	159	30	102	169	22	84	19	29
Malignant neoplasms of urinary organs (188-189)	54	13	55	56	9	30	12	18
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	177	30	97	165	24	96	17	30
Leukemia (204-208)	56	13	34	59	8	33	7	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	90	12	60	75	9	45	10	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	3	6	19	3	18	3	5
Diabetes mellitus (250)	109	13	74	94	16	38	9	35
Nutritional deficiencies (260-269)	9	-	4	19	-	4	3	4
Anemias (280-285)	19	1	8	13	2	10	2	5
Meningitis (320-322)	6	-	2	2	-	4	-	1
Major cardiovascular diseases (390-448)	3,246	479	2,121	3,017	374	1,494	370	745
Diseases of heart (390-398,402,404-429)	2,433	377	1,672	2,341	287	1,144	301	588
Rheumatic fever and rheumatic heart disease (390-398)	12	2	19	28	-	13	2	4
Hypertensive heart disease (402)	39	4	24	48	5	75	7	6
Hypertensive heart and renal disease (404)	6	-	3	5	1	6	-	1
Ischemic heart disease (410-414)	1,574	282	1,312	1,652	215	692	206	418
Acute myocardial infarction (410)	906	141	590	763	108	307	139	252
Other acute and subacute forms of ischemic heart disease (411)	139	-	-	68	-	2	-	1
Angina pectoris (413)	3	-	2	5	-	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	529	151	720	816	107	382	67	164
Other diseases of endocardium (424)	34	5	12	25	3	20	3	9
All other forms of heart disease (415-423,425-429)	768	74	302	583	63	338	83	148
Hypertension with or without renal disease (401,403)	18	2	19	20	2	10	2	10
Cerebrovascular diseases (430-438)	605	79	312	498	65	254	52	105
Intracerebral and other intracranial hemorrhage (431-432)	58	7	42	58	5	30	7	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	93	5	64	89	7	43	4	16
Cerebral embolism (434.1)	1	-	1	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	453	67	205	351	53	180	41	75
Atherosclerosis (440)	114	10	71	95	13	47	7	30
Other diseases of arteries, arterioles, and capillaries (441-448)	76	11	47	63	7	39	8	14
Acute bronchitis and bronchiolitis (466)	4	-	1	4	1	1	1	1
Pneumonia and influenza (480-487)	200	25	133	146	26	100	17	33
Pneumonia (480-486)	199	25	129	146	26	96	17	32
Influenza (487)	1	-	4	-	-	4	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	234	45	145	249	41	129	36	54
Bronchitis, chronic and unspecified (490-491)	11	2	8	10	2	7	4	6
Emphysema (492)	42	10	27	50	14	33	8	13
Asthma (493)	12	2	8	7	1	6	-	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	169	31	102	182	24	81	24	32
Ulcer of stomach and duodenum (531-533)	17	4	17	22	2	6	1	5
Appendicitis (540-543)	1	-	1	1	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	2	7	14	1	11	1	2
Chronic liver disease and cirrhosis (571)	86	19	58	102	8	47	11	6
Cholelithiasis and other disorders of gallbladder (574-575)	11	2	6	18	1	4	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	84	6	30	46	11	24	9	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	3	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	4	7	-	2	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	75	6	26	39	11	19	9	16
Infections of kidney (590)	13	-	8	7	1	7	3	3
Hyperplasia of prostate (600)	2	1	-	1	-	2	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	2	-	1	2	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	2	-	1	2	-
Congenital anomalies (740-759)	67	5	32	33	1	36	6	6
Certain conditions originating in the perinatal period (760-779)	88	8	46	47	4	28	8	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	23	7	12	15	1	12	4	5
Other conditions originating in the perinatal period (760-766,770-779)	65	1	34	32	3	16	4	11
Symptoms, signs, and ill-defined conditions (780-799)	74	14	46	45	6	25	7	38
All other diseases (Residual)	488	66	327	446	72	236	56	77
Accidents and adverse effects (E800-E949)	431	45	184	342	32	204	55	75
Motor vehicle accidents (E810-E825)	229	17	90	202	15	115	21	37
All other accidents and adverse effects (E800-E807,E826-E949)	202	28	94	140	17	89	34	38
Suicide (E950-E959)	125	12	48	90	11	80	17	22
Homicide and legal intervention (E960-E978)	95	2	35	67	5	30	10	5
All other external causes (E980-E999)	10	1	12	1	-	12	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pascagoula-Moss Point, Miss.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights-Hopewell, Va.	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.
All causes	691	4,189	2,268	2,983	1,128	48,404	12,455	669
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	3	-
Tuberculosis (010-016)	-	7	2	1	-	49	12	1
Tuberculosis of respiratory system (010-012)	-	7	2	-	-	39	8	1
Other tuberculosis (013-018)	-	-	-	1	-	10	4	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	1	-	-
Meningococcal infection (036)	-	-	-	-	-	3	2	-
Septicemia (038)	11	52	9	17	10	654	60	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	1	2	1	-	9	7	-
Syphilis (090-097)	-	-	-	1	-	6	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	9	2	6	1	120	47	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	156	987	513	685	254	10,807	2,866	194
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	22	11	17	6	206	54	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	30	303	134	177	60	2,889	662	56
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	59	224	170	187	85	2,893	766	47
Malignant neoplasm of breast (174-175)	6	63	27	63	17	977	246	6
Malignant neoplasms of genital organs (179-187)	15	117	47	81	22	1,054	334	24
Malignant neoplasms of urinary organs (188-189)	6	45	15	23	12	424	134	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	103	65	82	36	1,440	405	42
Leukemia (204-208)	6	32	12	31	7	362	106	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	58	32	44	9	562	159	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	14	4	6	2	168	56	4
Diabetes mellitus (250)	8	103	39	49	20	607	247	13
Nutritional deficiencies (260-269)	-	5	2	5	4	71	14	-
Anemias (280-285)	1	6	4	6	2	77	13	-
Meningitis (320-322)	-	3	2	7	3	31	10	1
Major cardiovascular diseases (390-448)	302	2,143	1,076	1,478	521	21,440	5,488	455
Diseases of heart (390-398,402,404-429)	249	1,758	830	1,123	387	17,211	4,328	340
Rheumatic fever and rheumatic heart disease (390-398)	3	24	5	11	2	179	39	1
Hypertensive heart disease (402)	6	39	26	17	11	466	57	7
Hypertensive heart and renal disease (404)	4	2	3	9	4	59	7	-
Ischemic heart disease (410-414)	179	1,419	558	800	281	10,910	3,371	217
Acute myocardial infarction (410)	117	692	286	457	126	6,562	1,495	107
Other acute and subacute forms of ischemic heart disease (411)	1	3	1	3	21	85	236	-
Angina pectoris (413)	-	3	-	3	-	23	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	61	721	269	337	134	4,240	1,637	110
Other diseases of endocardium (424)	4	26	18	17	3	176	61	3
All other forms of heart disease (415-423,425-429)	53	246	222	269	86	5,421	791	112
Hypertension with or without renal disease (401,403)	2	14	15	13	3	156	29	2
Cerebrovascular diseases (430-438)	36	292	173	281	119	3,092	861	91
Intracerebral and other intracranial hemorrhage (431-432)	2	41	30	39	16	434	129	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	69	21	25	16	493	115	17
Cerebral embolism (434.1)	-	-	2	1	-	18	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	29	182	120	216	87	2,147	611	70
Atherosclerosis (440)	12	33	36	35	3	476	134	17
Other diseases of arteries, arterioles, and capillaries (441-448)	3	46	22	26	9	505	138	5
Acute bronchitis and bronchiolitis (466)	-	2	-	-	1	12	5	-
Pneumonia and influenza (480-487)	13	96	48	96	32	1,071	293	11
Pneumonia (480-486)	12	96	47	94	32	1,067	290	11
Influenza (487)	1	-	1	2	-	4	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	21	104	85	127	29	1,260	621	17
Bronchitis, chronic and unspecified (490-491)	1	11	3	5	-	69	21	2
Emphysema (492)	2	27	15	32	9	196	129	7
Asthma (493)	1	9	3	3	-	58	39	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	57	64	87	20	937	432	8
Ulcer of stomach and duodenum (531-533)	1	12	7	16	1	120	38	3
Appendicitis (540-543)	2	2	-	-	-	6	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	13	4	12	4	103	32	2
Chronic liver disease and cirrhosis (571)	8	83	30	21	21	582	169	4
Cholelithiasis and other disorders of gallbladder (574-575)	-	1	6	4	2	50	18	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	31	20	44	11	514	111	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	1	-	3	2	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	2	2	3	-	28	8	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	28	18	40	11	483	101	6
Infections of kidney (590)	2	4	1	2	2	26	14	1
Hyperplasia of prostate (600)	-	-	-	-	1	14	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	7	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	7	1	-
Congenital anomalies (740-759)	7	29	21	19	3	275	99	4
Certain conditions originating in the perinatal period (760-779)	8	28	26	38	19	461	96	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	14	12	5	104	26	4
Other conditions originating in the perinatal period (760-766,770-779)	3	23	12	24	14	357	72	6
Symptoms, signs, and ill-defined conditions (780-799)	38	22	12	11	9	1,660	104	11
All other diseases (Residual)	51	244	140	181	92	3,070	941	49
Accidents and adverse effects (E800-E949)	45	126	148	119	59	1,570	654	44
Motor vehicle accidents (E810-E825)	16	49	81	42	24	631	319	17
All other accidents and adverse effects (E800-E807,E826-E949)	29	77	67	77	35	939	335	27
Suicide (E950-E959)	4	21	37	31	12	520	262	10
Homicide and legal intervention (E960-E978)	4	39	25	10	13	432	135	12
All other external causes (E980-E999)	1	2	3	2	-	87	10	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.-Wash.	Portsmouth-Dover-Rochester, N.H.-Maine	Poughkeepsie, N.Y.	Providence-Warwick-Pawtucket, R.I.	Provo-Orem, Utah
All causes	24,315	1,511	2,359	10,283	3,383	2,071	8,644	1,069
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-008)	2	1	-	1	3	-	-	-
Tuberculosis (010-018)	8	2	1	3	2	1	3	-
Tuberculosis of respiratory system (010-012)	7	2	-	2	2	1	2	-
Other tuberculosis (013-018)	1	-	1	1	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	3	-	-	1	-
Septicemia (038)	193	16	16	40	25	10	53	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	1	1	4	-	3	3	-
Syphilis (090-097)	1	-	-	2	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	41	8	11	18	15	3	15	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,570	343	574	2,263	815	466	2,125	176
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	103	4	12	37	12	13	46	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,489	78	139	556	216	122	596	45
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,462	85	160	651	214	112	547	18
Malignant neoplasm of breast (174-175)	485	32	44	221	75	49	178	22
Malignant neoplasms of genital organs (179-187)	534	45	72	244	84	71	232	28
Malignant neoplasms of urinary organs (188-189)	225	22	30	98	30	16	82	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	747	46	68	238	111	50	241	29
Leukemia (204-208)	200	12	20	94	29	13	70	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	325	19	31	124	44	20	133	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	83	11	11	25	15	10	33	5
Diabetes mellitus (250)	563	29	28	133	50	40	203	23
Nutritional deficiencies (260-269)	27	2	5	9	3	-	7	3
Anemias (280-285)	27	1	3	19	2	5	14	4
Meningitis (320-322)	10	1	2	4	2	1	4	2
Major cardiovascular diseases (390-448)	12,605	737	1,122	4,951	1,645	1,074	4,345	493
Diseases of heart (390-398,402,404-429)	10,400	586	862	3,686	1,293	889	3,485	399
Rheumatic fever and rheumatic heart disease (390-398)	114	4	7	44	20	10	34	12
Hypertensive heart disease (402)	197	9	13	92	32	11	51	7
Hypertensive heart and renal disease (404)	23	3	1	23	1	2	15	1
Ischemic heart disease (410-414)	7,500	430	639	2,816	929	730	2,883	240
Acute myocardial infarction (410)	3,575	255	317	1,019	529	426	1,587	127
Other acute and subacute forms of ischemic heart disease (411)	13	-	4	5	9	1	5	3
Angina pectoris (413)	7	1	2	6	1	-	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,905	174	316	1,786	390	309	1,288	110
Other diseases of endocardium (424)	82	17	11	91	20	6	29	7
All other forms of heart disease (415-423,425-429)	2,484	123	191	620	291	124	473	122
Hypertension with or without renal disease (401,403)	93	7	9	27	8	8	45	4
Cerebrovascular diseases (430-438)	1,686	96	186	896	234	143	588	71
Intracerebral and other intracranial hemorrhage (431-432)	242	19	29	104	40	20	92	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	319	10	44	132	31	25	103	6
Cerebral embolism (434.1)	14	-	1	4	2	1	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,091	67	112	656	161	97	392	54
Atherosclerosis (440)	218	24	34	208	54	20	124	8
Other diseases of arteries, arterioles, and capillaries (441-448)	228	24	31	134	56	20	103	21
Acute bronchitis and bronchiolitis (466)	4	-	-	6	4	-	1	-
Pneumonia and influenza (480-487)	563	49	90	323	94	57	213	37
Pneumonia (480-486)	548	49	84	294	88	57	211	36
Influenza (487)	15	-	6	29	6	-	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	740	61	88	402	120	82	282	35
Bronchitis, chronic and unspecified (490-491)	11	3	12	25	7	11	17	3
Emphysema (492)	121	7	18	95	26	13	54	3
Asthma (493)	31	3	3	27	6	6	13	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	577	48	55	255	81	52	198	27
Ulcer of stomach and duodenum (531-533)	46	6	9	37	9	11	25	2
Appendicitis (540-543)	2	-	-	4	2	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	4	10	18	9	5	21	6
Chronic liver disease and cirrhosis (571)	327	16	31	148	40	27	111	7
Cholelithiasis and other disorders of gallbladder (574-575)	34	2	2	9	6	2	13	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	267	14	12	71	25	13	67	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	2	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	1	8	1	2	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	246	14	11	63	24	11	61	9
Infections of kidney (590)	8	-	1	7	2	3	4	-
Hyperplasia of prostate (600)	5	1	1	3	2	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	9	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	3	-	-	-	-
Congenital anomalies (740-759)	103	7	7	64	20	14	47	23
Certain conditions originating in the perinatal period (760-779)	183	9	18	69	26	10	71	21
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	4	2	22	10	2	16	9
Other conditions originating in the perinatal period (760-766,770-779)	148	5	16	47	16	8	55	12
Symptoms, signs, and ill-defined conditions (780-799)	261	11	9	150	22	6	15	15
All other diseases (Residual)	1,405	114	172	689	221	107	593	66
Accidents and adverse effects (E800-E949)	755	45	79	512	146	91	238	98
Motor vehicle accidents (E810-E825)	316	19	42	247	88	47	95	45
All other accidents and adverse effects (E800-E807,E826-E949)	439	26	37	265	60	44	141	53
Suicide (E950-E959)	287	16	47	165	47	21	84	18
Homicide and legal intervention (E960-E978)	88	3	6	76	2	7	38	2
All other external causes (E980-E999)	57	1	2	32	8	1	7	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pueblo, Colo.	Racine, Wis.	Raleigh-Durham, N.C.	Reading, Pa.	Redding, Calif.	Reno, Nev.	Richland-Kennewick-Pasco, Wash.	Richmond, Va.
All causes	1,060	1,364	3,661	3,107	1,079	1,488	794	5,742
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	1	-	-	-	1
Tuberculosis (010-018)	-	-	4	1	1	1	-	3
Tuberculosis of respiratory system (010-012)	-	-	4	-	-	-	-	1
Other tuberculosis (013-018)	-	-	-	1	1	1	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-
Septicemia (038)	7	2	28	26	2	16	2	79
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	2	-	-	1	-	1
Syphilis (090-097)	-	-	1	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	3	7	9	4	1	5	1	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	197	292	802	717	260	325	171	1,335
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	9	19	11	8	10	1	35
Malignant neoplasms of digestive organs and peritoneum (150-159)	39	81	180	175	46	71	56	340
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	59	70	222	192	84	99	40	381
Malignant neoplasm of breast (174-175)	13	25	77	70	15	25	12	89
Malignant neoplasms of genital organs (179-187)	31	34	88	82	28	37	14	148
Malignant neoplasms of urinary organs (188-189)	6	14	32	34	14	15	11	47
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	21	34	115	92	44	44	21	190
Leukemia (204-208)	9	12	34	21	13	6	6	45
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	13	35	40	8	18	10	60
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	2	6	10	8	6	2	17
Diabetes mellitus (250)	18	28	60	69	11	16	13	85
Nutritional deficiencies (260-269)	4	2	4	4	3	3	2	4
Anemias (280-285)	-	4	7	3	1	1	2	12
Meningitis (320-322)	5	-	4	1	-	3	-	4
Major cardiovascular diseases (390-448)	459	730	1,658	1,639	440	599	349	2,676
Diseases of heart (390-398,402,404-429)	349	568	1,239	1,342	336	489	277	2,049
Rheumatic fever and rheumatic heart disease (390-398)	4	1	20	13	8	4	1	11
Hypertensive heart disease (402)	11	11	51	34	9	43	6	47
Hypertensive heart and renal disease (404)	1	1	7	7	2	2	2	6
Ischemic heart disease (410-414)	242	466	808	815	224	315	215	1,325
Acute myocardial infarction (410)	116	207	432	445	88	126	113	662
Other acute and subacute forms of ischemic heart disease (411)	-	-	34	3	2	-	1	37
Angina pectoris (413)	1	1	6	1	1	-	1	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	125	258	336	366	123	189	100	620
Other diseases of endocardium (424)	6	2	16	19	9	3	3	22
All other forms of heart disease (415-423,425-429)	85	87	337	454	84	122	50	638
Hypertension with or without renal disease (401,403)	9	13	15	20	3	3	2	22
Cerebrovascular diseases (430-438)	81	107	301	200	78	84	57	463
Intracerebral and other intracranial hemorrhage (431-432)	8	9	40	24	7	8	9	54
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	21	41	46	12	3	4	59
Cerebral embolism (434.1)	-	2	2	-	3	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	51	75	218	130	56	72	44	349
Atherosclerosis (440)	12	19	60	36	12	7	9	92
Other diseases of arteries, arterioles, and capillaries (441-448)	8	23	43	41	11	16	4	50
Acute bronchitis and bronchiolitis (466)	-	1	1	1	1	-	-	-
Pneumonia and influenza (480-487)	36	30	113	72	39	39	23	166
Pneumonia (480-486)	35	24	112	71	38	39	22	161
Influenza (487)	1	6	1	1	1	-	1	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	64	30	110	82	78	77	47	180
Bronchitis, chronic and unspecified (490-491)	-	1	13	7	8	-	-	8
Emphysema (492)	9	8	12	22	18	8	10	34
Asthma (493)	1	1	5	3	2	3	1	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	54	20	80	50	50	66	36	125
Ulcer of stomach and duodenum (531-533)	6	3	6	11	2	8	4	15
Appendicitis (540-543)	-	-	-	1	-	1	-	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	2	14	11	1	5	5	13
Chronic liver disease and cirrhosis (571)	19	13	40	28	22	39	14	77
Cholelithiasis and other disorders of gallbladder (574-575)	2	2	4	2	4	-	1	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	7	43	31	6	10	6	46
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	1	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	4	3	2	1	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	6	39	27	4	9	4	42
Infections of kidney (590)	1	1	2	-	2	2	3	5
Hyperplasia of prostate (600)	1	1	-	3	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	2	-	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	1	-	-
Congenital anomalies (740-759)	5	9	32	16	6	12	6	27
Certain conditions originating in the perinatal period (760-779)	13	7	57	11	7	11	10	74
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	5	13	3	2	5	3	11
Other conditions originating in the perinatal period (760-766,770-779)	9	2	44	8	5	6	7	63
Symptoms, signs, and ill-defined conditions (780-799)	27	10	37	20	8	17	2	57
All other diseases (Residual)	83	96	326	177	67	98	42	414
Accidents and adverse effects (E800-E949)	65	45	172	118	66	95	54	235
Motor vehicle accidents (E810-E825)	26	26	70	57	41	60	29	82
All other accidents and adverse effects (E800-E807,E826-E949)	39	19	102	61	25	35	25	153
Suicide (E950-E959)	14	25	66	38	34	56	30	99
Homicide and legal intervention (E960-E978)	7	11	44	10	8	17	4	89
All other external causes (E980-E999)	6	3	4	-	1	3	1	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Riverside-San Bernardino-Ontario, Calif.	Roanoke, Va.	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Rock Hill, S.C.	Sacramento, Calif.	Saginaw, Mich.
All causes	14,319	2,372	599	8,303	2,318	883	8,102	1,709
Shigellosis and amebiasis (004,006)	1	-	-	-	-	1	1	-
Certain other intestinal infections (007-009)	4	-	-	-	-	1	4	-
Tuberculosis (010-018)	8	2	-	3	-	-	6	2
Tuberculosis of respiratory system (010-012)	8	2	-	3	-	-	5	1
Other tuberculosis (013-018)	-	-	-	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	2	-	4	1
Septicemia (038)	43	23	-	91	10	4	46	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	1	-	4	-	-	8	2
Syphilis (090-097)	2	-	-	1	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	19	7	2	21	7	3	25	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,008	468	145	1,861	477	193	1,891	389
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	69	8	1	28	5	4	37	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	735	119	42	524	111	51	455	88
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	833	122	27	468	115	47	567	91
Malignant neoplasm of breast (174-175)	257	42	19	180	42	16	160	30
Malignant neoplasms of genital organs (179-187)	320	59	11	181	54	27	192	47
Malignant neoplasms of urinary organs (188-189)	131	25	7	92	20	2	75	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	405	51	14	221	79	28	232	43
Leukemia (204-208)	111	21	12	85	24	8	81	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	147	21	12	82	27	10	92	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	58	12	1	18	10	-	29	2
Diabetes mellitus (250)	211	45	11	131	44	16	143	25
Nutritional deficiencies (260-269)	11	1	-	10	4	3	11	2
Anemias (280-285)	19	5	1	12	7	1	12	2
Meningitis (320-322)	13	2	-	5	3	-	3	-
Major cardiovascular diseases (390-448)	6,702	1,195	289	3,919	1,192	447	3,571	869
Diseases of heart (390-398,402,404-429)	5,160	926	208	3,081	928	320	2,709	666
Rheumatic fever and rheumatic heart disease (390-398)	43	6	1	33	9	4	44	6
Hypertensive heart disease (402)	97	24	2	60	12	9	55	6
Hypertensive heart and renal disease (404)	15	3	-	6	2	1	10	1
Ischemic heart disease (410-414)	4,277	616	170	2,271	738	208	2,027	509
Acute myocardial infarction (410)	1,881	313	87	1,307	291	137	1,021	256
Other acute and subacute forms of ischemic heart disease (411)	7	62	-	61	-	1	4	-
Angina pectoris (413)	4	2	-	2	2	-	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,405	239	83	901	443	70	1,000	252
Other diseases of endocardium (424)	69	12	5	41	7	3	47	5
All other forms of heart disease (415-423,425-429)	659	285	30	670	162	95	526	139
Hypertension with or without renal disease (401,403)	41	12	3	42	8	1	28	5
Cerebrovascular diseases (430-438)	1,170	197	40	614	184	92	633	147
Intracerebral and other intracranial hemorrhage (431-432)	152	15	8	87	25	15	82	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	232	42	7	94	31	7	88	32
Cerebral embolism (434.1)	4	2	-	2	1	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	782	138	25	431	127	70	462	99
Atherosclerosis (440)	161	40	4	100	38	29	98	33
Other diseases of arteries, arterioles, and capillaries (441-448)	170	20	14	82	34	5	105	18
Acute bronchitis and bronchiolitis (466)	17	-	1	2	1	-	2	-
Pneumonia and influenza (480-487)	539	74	19	304	61	19	216	37
Pneumonia (480-486)	536	67	18	296	57	18	211	36
Influenza (487)	3	7	1	8	4	1	5	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	575	71	22	288	76	26	401	38
Bronchitis, chronic and unspecified (490-491)	25	6	3	8	4	-	19	2
Emphysema (492)	150	9	4	40	15	6	80	7
Asthma (493)	46	3	-	14	3	2	28	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	354	53	15	226	54	18	276	27
Ulcer of stomach and duodenum (531-533)	61	7	4	36	6	6	27	5
Appendicitis (540-543)	9	1	-	3	2	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	42	10	1	20	6	-	27	3
Chronic liver disease and cirrhosis (571)	253	37	5	92	24	12	169	34
Cholelithiasis and other disorders of gallbladder (574-575)	15	6	1	9	5	-	9	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	103	21	1	88	16	8	62	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	2	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	5	-	5	3	-	6	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	95	16	1	81	13	8	56	16
Infections of kidney (590)	16	-	-	5	2	-	7	1
Hyperplasia of prostate (600)	3	1	-	1	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	-	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	-	-	-	-	-	1	-
Congenital anomalies (740-759)	95	16	6	58	21	6	53	15
Certain conditions originating in the perinatal period (760-779)	167	19	9	73	20	17	66	22
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	44	2	6	18	7	2	11	5
Other conditions originating in the perinatal period (760-766,770-779)	123	17	3	55	13	15	55	17
Symptoms, signs, and ill-defined conditions (780-799)	100	25	11	54	8	8	66	7
All other diseases (Residual)	893	157	46	686	161	42	557	108
Accidents and adverse effects (E800-E949)	811	107	27	340	97	47	396	74
Motor vehicle accidents (E810-E825)	452	39	10	136	53	26	220	31
All other accidents and adverse effects (E800-E807,E826-E949)	359	68	17	204	44	21	176	43
Suicide (E950-E959)	267	41	17	98	39	9	173	24
Homicide and legal intervention (E960-E978)	192	18	-	42	13	13	96	30
All other external causes (E980-E999)	48	-	-	12	3	-	18	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	St. Cloud, Minn.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.	Salinas-Seaside-Monterey, Calif.	Salisbury-Concord, N.C.	Salt Lake City-Ogden, Utah	San Angelo, Tex.
All causes	1,137	1,100	22,343	2,234	1,994	1,766	5,414	799
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	3	2	-	-	1	-
Tuberculosis (010-018)	-	-	11	-	-	4	7	2
Tuberculosis of respiratory system (010-012)	-	-	8	-	-	4	7	2
Other tuberculosis (013-018)	-	-	3	-	-	-	-	-
Whooping cough (033)	-	-	1	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	2	3	1	-	1	-
Septicemia (038)	3	8	183	8	10	5	33	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	7	-	1	-	3	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	2	42	3	4	4	15	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	219	249	5,082	488	442	353	971	148
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	5	92	7	11	10	13	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	71	52	1,323	119	98	79	249	44
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	39	71	1,406	124	126	98	191	36
Malignant neoplasm of breast (174-175)	21	24	440	41	47	34	96	8
Malignant neoplasms of genital organs (179-187)	26	31	536	57	51	36	136	14
Malignant neoplasms of urinary organs (188-189)	11	12	210	24	16	14	31	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	23	37	583	68	49	50	144	23
Leukemia (204-208)	12	6	203	24	22	13	54	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	11	279	34	22	19	57	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	2	62	5	6	2	23	2
Diabetes mellitus (250)	19	18	429	34	24	33	116	17
Nutritional deficiencies (260-269)	1	-	29	3	7	2	4	-
Anemias (280-285)	5	1	35	4	7	3	9	2
Meningitis (320-322)	-	1	23	-	-	1	8	-
Major cardiovascular diseases (390-448)	600	524	10,960	1,110	878	891	2,374	406
Diseases of heart (390-398,402,404-429)	471	374	8,702	818	611	678	1,849	258
Rheumatic fever and rheumatic heart disease (390-398)	9	2	68	14	10	3	49	-
Hypertensive heart disease (402)	10	3	346	24	11	14	58	3
Hypertensive heart and renal disease (404)	-	3	50	3	3	5	1	-
Ischemic heart disease (410-414)	361	295	6,831	619	497	478	1,143	145
Acute myocardial infarction (410)	185	148	3,242	236	226	346	560	89
Other acute and subacute forms of ischemic heart disease (411)	2	-	5	2	1	-	11	-
Angina pectoris (413)	2	-	5	3	-	3	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	172	147	3,579	378	210	127	571	55
Other diseases of endocardium (424)	5	2	95	16	15	10	21	4
All other forms of heart disease (415-423,425-429)	86	69	1,312	142	135	170	577	104
Hypertension with or without renal disease (401,403)	6	5	96	7	8	10	13	1
Cerebrovascular diseases (430-438)	88	102	1,667	212	199	162	393	119
Intracerebral and other intracranial hemorrhage (431-432)	6	16	226	23	24	22	50	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	9	386	36	53	41	53	7
Cerebral embolism (434.1)	2	1	7	-	-	-	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	71	76	1,048	153	122	99	284	106
Atherosclerosis (440)	19	28	255	45	30	20	65	21
Other diseases of arteries, arterioles, and capillaries (441-448)	16	15	240	28	30	21	54	11
Acute bronchitis and bronchiolitis (466)	1	1	4	-	2	-	1	-
Pneumonia and influenza (480-487)	35	36	639	49	75	68	145	14
Pneumonia (480-486)	32	36	635	46	74	65	144	14
Influenza (487)	3	-	4	3	1	3	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	32	41	708	73	78	49	178	38
Bronchitis, chronic and unspecified (490-491)	-	2	37	8	6	1	11	-
Emphysema (492)	10	-	149	15	17	11	35	9
Asthma (493)	1	1	31	4	4	2	20	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	21	38	491	46	51	35	112	28
Ulcer of stomach and duodenum (531-533)	5	4	78	8	9	9	18	1
Appendicitis (540-543)	1	-	6	-	1	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	1	58	5	5	6	18	2
Chronic liver disease and cirrhosis (571)	12	8	227	27	47	12	70	10
Cholelithiasis and other disorders of gallbladder (574-575)	2	2	44	7	2	1	7	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	9	185	16	16	17	52	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	7	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	2	20	2	1	4	9	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	7	158	14	15	13	43	2
Infections of kidney (590)	1	1	18	2	3	-	6	1
Hyperplasia of prostate (600)	1	-	7	1	-	2	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	2	1	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	2	1	-	1	1	-
Congenital anomalies (740-759)	13	5	154	23	17	11	80	3
Certain conditions originating in the perinatal period (760-779)	18	6	221	15	21	6	89	12
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	4	57	3	5	2	35	4
Other conditions originating in the perinatal period (760-766,770-779)	15	2	164	12	16	4	54	8
Symptoms, signs, and ill-defined conditions (780-799)	14	61	211	28	12	26	87	11
All other diseases (Residual)	54	60	1,407	153	141	115	534	38
Accidents and adverse effects (E800-E949)	63	41	887	98	132	94	359	54
Motor vehicle accidents (E810-E825)	42	17	327	48	73	43	170	23
All other accidents and adverse effects (E800-E807,E826-E949)	21	24	560	50	59	51	189	31
Suicide (E950-E959)	22	13	280	47	37	38	145	11
Homicide and legal intervention (E960-E978)	-	4	300	7	16	11	47	13
All other external causes (E980-E999)	3	-	38	4	-	2	29	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	San Antonio, Tex.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.	Santa Barbara-Santa Maria-Lompoc, Calif.	Santa Cruz, Calif.	Santa Rosa, Calif.	Sarasota, Fla.
All causes	8,266	14,061	27,782	7,832	2,407	1,683	2,884	3,465
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	4	8	3	-	1	-	-
Tuberculosis (010-018)	12	9	29	8	4	1	-	2
Tuberculosis of respiratory system (010-012)	8	7	18	4	1	-	-	2
Other tuberculosis (013-018)	4	2	11	4	3	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	5	2	-	1	1	1
Septicemia (038)	126	47	148	32	9	7	15	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	16	21	5	1	1	4	1
Syphilis (090-097)	3	-	2	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	25	32	125	26	7	2	11	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,723	3,412	6,602	1,750	585	383	706	921
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	37	68	161	40	10	10	16	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	422	822	1,793	394	143	89	182	216
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	458	961	1,763	461	150	108	186	280
Malignant neoplasm of breast (174-175)	128	356	591	173	45	40	65	69
Malignant neoplasms of genital organs (179-187)	199	368	699	193	75	33	67	115
Malignant neoplasms of urinary organs (188-189)	64	150	257	67	23	14	26	38
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	212	396	835	246	77	52	100	98
Leukemia (204-208)	84	122	223	73	22	15	26	38
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	119	169	340	103	40	22	38	41
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	53	107	37	9	5	18	12
Diabetes mellitus (250)	163	156	365	113	30	23	35	41
Nutritional deficiencies (260-269)	9	28	35	7	4	1	7	4
Anemias (280-285)	8	27	49	12	4	3	8	6
Meningitis (320-322)	5	6	14	6	2	1	2	1
Major cardiovascular diseases (390-448)	3,580	6,256	12,604	3,516	1,113	773	1,302	1,718
Diseases of heart (390-398,402,404-429)	2,907	4,642	9,432	2,720	816	574	956	1,250
Rheumatic fever and rheumatic heart disease (390-398)	27	63	134	39	10	9	10	13
Hypertensive heart disease (402)	118	107	433	135	16	34	36	15
Hypertensive heart and renal disease (404)	11	14	43	13	2	-	4	6
Ischemic heart disease (410-414)	1,621	3,669	6,960	1,699	469	366	678	1,005
Acute myocardial infarction (410)	926	1,720	2,764	761	189	171	262	533
Other acute and subacute forms of ischemic heart disease (411)	3	55	15	1	1	1	5	2
Angina pectoris (413)	2	5	5	3	2	-	2	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	690	1,889	4,156	934	277	194	409	468
Other diseases of endocardium (424)	25	85	173	39	11	10	24	22
All other forms of heart disease (415-423,425-429)	1,105	704	1,689	795	308	155	204	189
Hypertension with or without renal disease (401,403)	16	69	115	28	8	5	12	11
Cerebrovascular diseases (430-438)	530	1,146	2,347	613	224	153	251	377
Intracerebral and other intracranial hemorrhage (431-432)	79	141	307	73	17	17	24	49
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	77	231	422	95	56	26	34	61
Cerebral embolism (434.1)	3	3	18	7	-	-	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	371	771	1,600	438	161	110	192	264
Atherosclerosis (440)	62	210	360	70	32	17	42	45
Other diseases of arteries, arterioles, and capillaries (441-448)	63	189	350	85	33	24	41	35
Acute bronchitis and bronchiolitis (466)	3	7	15	2	-	1	2	1
Pneumonia and influenza (480-487)	235	438	851	304	80	55	118	79
Pneumonia (480-486)	235	433	848	301	78	54	115	79
Influenza (487)	-	5	3	3	2	1	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	219	610	989	299	93	67	99	118
Bronchitis, chronic and unspecified (490-491)	7	48	62	16	6	2	12	3
Emphysema (492)	50	125	219	67	30	18	35	16
Asthma (493)	12	47	78	21	7	5	9	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	150	390	630	195	50	42	43	95
Ulcer of stomach and duodenum (531-533)	23	67	100	31	8	7	8	12
Appendicitis (540-543)	6	1	5	5	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	30	42	82	16	5	2	13	5
Chronic liver disease and cirrhosis (571)	128	260	690	168	48	33	43	28
Cholelithiasis and other disorders of gallbladder (574-575)	11	32	38	7	2	3	5	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	130	92	211	51	10	8	24	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	5	2	1	-	-	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	14	19	4	1	1	5	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	123	73	190	46	9	7	18	15
Infections of kidney (590)	16	22	34	8	1	4	2	4
Hyperplasia of prostate (600)	1	1	9	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	4	2	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	1	2	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	2	2	-	-	-	-
Congenital anomalies (740-759)	84	133	177	76	11	14	20	9
Certain conditions originating in the perinatal period (760-779)	105	114	203	71	11	12	9	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	32	22	52	23	1	1	-	2
Other conditions originating in the perinatal period (760-766,770-779)	73	92	151	48	10	11	9	6
Symptoms, signs, and ill-defined conditions (780-799)	250	90	156	60	13	16	22	89
All other diseases (Residual)	610	906	2,038	532	171	121	208	226
Accidents and adverse effects (E800-E949)	425	730	1,147	429	123	85	131	83
Motor vehicle accidents (E810-E825)	244	379	426	207	67	48	72	33
All other accidents and adverse effects (E800-E807,E826-E949)	181	351	721	222	56	37	59	50
Suicide (E950-E959)	131	301	554	178	50	40	55	35
Homicide and legal intervention (E960-E978)	193	141	296	72	13	13	14	10
All other external causes (E980-E999)	2	22	69	4	-	-	3	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Savannah, Ga.	Seattle-Everett, Wash.	Sharon, Pa.	Sheboygan, Wis.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.	Sioux Falls, S.Dak.
All causes	2,209	12,104	1,297	963	1,061	3,540	1,117	906
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	3	-	-	-	-	-	-
Tuberculosis (010-018)	2	10	-	-	-	4	-	-
Tuberculosis of respiratory system (010-012)	2	10	-	-	-	3	-	-
Other tuberculosis (013-018)	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-
Septicemia (038)	14	54	16	5	4	40	7	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	2	-	-	-	3	-	-
Syphilis (090-097)	1	1	-	-	-	2	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	5	30	1	1	1	8	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	478	2,814	288	219	205	761	238	193
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	47	2	5	3	17	4	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	122	720	93	64	45	165	57	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	147	785	64	28	59	220	61	53
Malignant neoplasm of breast (174-175)	27	258	22	25	21	67	28	16
Malignant neoplasms of genital organs (179-187)	33	298	28	31	21	75	35	23
Malignant neoplasms of urinary organs (188-189)	23	108	17	11	6	28	8	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	75	318	39	34	34	125	20	31
Leukemia (204-208)	18	105	12	11	5	15	12	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	175	11	10	11	49	13	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	38	4	2	3	15	1	5
Diabetes mellitus (250)	38	197	30	18	16	66	30	12
Nutritional deficiencies (260-269)	1	22	4	2	3	3	-	2
Anemias (280-285)	4	23	3	3	-	5	1	1
Meningitis (320-322)	3	4	2	-	-	3	-	-
Major cardiovascular diseases (390-448)	1,026	5,435	664	508	571	1,726	583	485
Diseases of heart (390-398,402,404-429)	777	4,176	530	379	475	1,432	434	397
Rheumatic fever and rheumatic heart disease (390-398)	1	56	7	6	2	1	6	4
Hypertensive heart disease (402)	31	104	4	27	9	40	14	4
Hypertensive heart and renal disease (404)	2	11	2	1	1	6	-	-
Ischemic heart disease (410-414)	557	2,640	429	264	325	921	342	314
Acute myocardial infarction (410)	382	1,269	253	106	145	406	176	135
Other acute and subacute forms of ischemic heart disease (411)	2	3	1	-	1	4	-	3
Angina pectoris (413)	4	6	-	-	-	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	169	1,362	175	158	179	509	165	176
Other diseases of endocardium (424)	10	75	5	6	3	8	2	2
All other forms of heart disease (415-423,425-429)	176	1,290	89	75	135	456	70	73
Hypertension with or without renal disease (401,403)	18	40	7	4	4	13	10	2
Cerebrovascular diseases (430-438)	188	897	100	82	78	239	121	78
Intracerebral and other intracranial hemorrhage (431-432)	27	106	13	7	12	38	17	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	28	140	20	10	9	29	25	10
Cerebral embolism (434.1)	2	4	2	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	131	647	65	65	55	170	78	58
Atherosclerosis (440)	19	178	14	24	8	17	7	2
Other diseases of arteries, arterioles, and capillaries (441-448)	24	144	13	19	8	26	11	6
Acute bronchitis and bronchiolitis (466)	2	2	-	2	1	2	1	-
Pneumonia and influenza (480-487)	56	424	44	26	27	61	27	36
Pneumonia (480-486)	56	407	42	24	26	61	26	35
Influenza (487)	-	17	2	2	1	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	78	524	34	18	34	87	48	20
Bronchitis, chronic and unspecified (490-491)	4	36	3	3	2	2	2	1
Emphysema (492)	21	97	7	4	11	13	7	5
Asthma (493)	3	25	3	2	-	6	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	50	366	21	9	21	66	38	14
Ulcer of stomach and duodenum (531-533)	3	42	9	4	2	9	3	9
Appendicitis (540-543)	-	1	-	1	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	29	1	5	2	12	3	2
Chronic liver disease and cirrhosis (571)	29	197	10	14	11	38	10	14
Cholelithiasis and other disorders of gallbladder (574-575)	4	11	1	4	1	4	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	91	15	9	7	46	4	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	3	-	-	1	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	11	-	2	-	3	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	77	15	7	6	41	4	3
Infections of kidney (590)	1	12	2	2	2	1	2	1
Hyperplasia of prostate (600)	-	2	-	-	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	1	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	-	1	1	-
Congenital anomalies (740-759)	13	85	8	6	6	31	7	6
Certain conditions originating in the perinatal period (760-779)	30	71	6	2	5	52	8	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	28	2	-	2	11	2	1
Other conditions originating in the perinatal period (760-766,770-779)	20	43	4	2	3	41	6	5
Symptoms, signs, and ill-defined conditions (780-799)	13	103	3	10	19	44	8	5
All other diseases (Residual)	195	936	84	62	66	210	63	56
Accidents and adverse effects (E800-E949)	115	588	47	26	51	192	49	33
Motor vehicle accidents (E810-E825)	41	260	22	11	29	88	25	14
All other accidents and adverse effects (E800-E807,E826-E949)	74	328	25	15	22	104	24	19
Suicide (E950-E959)	31	224	17	12	12	48	11	8
Homicide and legal intervention (E960-E978)	37	109	3	1	11	64	6	1
All other external causes (E980-E999)	2	19	1	-	-	1	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Chicopee-Holyoke, Mass.	State College, Pa.	Steubenville-Weirton, Ohio-W. Va.
All causes	2,526	2,843	1,748	1,861	1,809	5,513	661	1,641
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	-	-
Tuberculosis (010-016)	-	2	1	2	6	3	-	3
Tuberculosis of respiratory system (010-012)	-	2	1	2	6	3	-	2
Other tuberculosis (013-016)	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	2	-	1
Septicemia (038)	17	13	5	10	12	41	3	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	-	1	-	-	-	-
Syphilis (090-097)	1	1	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	8	7	6	4	-	10	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	575	603	400	423	372	1,286	155	387
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	12	8	6	6	29	1	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	139	158	92	104	104	357	34	105
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	148	172	106	144	94	272	37	93
Malignant neoplasm of breast (174-175)	48	49	45	32	29	137	8	38
Malignant neoplasms of genital organs (179-187)	72	70	31	38	39	148	20	51
Malignant neoplasms of urinary organs (188-189)	29	26	19	12	23	66	8	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	62	65	44	49	45	167	29	49
Leukemia (204-208)	21	18	15	15	19	46	8	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	33	40	23	13	64	10	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	4	4	6	5	26	2	4
Diabetes mellitus (250)	52	68	32	25	47	96	22	35
Nutritional deficiencies (260-269)	5	6	2	-	6	8	3	2
Anemias (280-285)	4	5	2	-	2	6	-	1
Meningitis (320-322)	2	1	1	-	3	1	1	-
Major cardiovascular diseases (390-448)	1,306	1,406	671	831	951	2,699	337	885
Diseases of heart (390-398,402,404-429)	983	1,048	650	603	700	2,142	269	712
Rheumatic fever and rheumatic heart disease (390-398)	12	14	2	6	9	17	4	10
Hypertensive heart disease (402)	18	14	19	6	24	29	6	9
Hypertensive heart and renal disease (404)	2	2	5	2	3	1	-	5
Ischemic heart disease (410-414)	745	705	482	433	502	1,685	173	538
Acute myocardial infarction (410)	362	378	218	245	272	772	98	281
Other acute and subacute forms of ischemic heart disease (411)	2	2	2	1	2	3	-	3
Angina pectoris (413)	1	4	1	-	1	3	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	380	321	261	187	227	907	75	254
Other diseases of endocardium (424)	15	20	9	3	14	23	3	4
All other forms of heart disease (415-423,425-429)	191	293	133	153	148	387	73	146
Hypertension with or without renal disease (401,403)	18	17	14	7	10	17	4	1
Cerebrovascular diseases (430-438)	231	255	167	176	192	409	63	133
Intracerebral and other intracranial hemorrhage (431-432)	23	34	22	17	21	47	6	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	41	26	40	83	87	5	13
Cerebral embolism (434.1)	-	2	-	1	1	4	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	178	178	119	118	87	271	52	96
Atherosclerosis (440)	41	45	18	29	32	76	7	7
Other diseases of arteries, arterioles, and capillaries (441-448)	33	41	22	16	17	55	4	12
Acute bronchitis and bronchiolitis (466)	-	-	-	1	-	2	-	1
Pneumonia and influenza (480-487)	58	97	42	46	41	185	13	45
Pneumonia (480-486)	54	89	41	46	40	184	13	43
Influenza (487)	4	8	1	-	1	1	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	59	164	71	101	69	173	26	54
Bronchitis, chronic and unspecified (490-491)	2	4	6	8	4	5	-	2
Emphysema (492)	15	36	30	13	19	25	2	14
Asthma (493)	4	5	6	4	1	4	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38	119	29	76	45	139	23	37
Ulcer of stomach and duodenum (531-533)	12	10	4	4	5	10	-	6
Appendicitis (540-543)	-	-	1	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	13	5	6	7	23	-	1
Chronic liver disease and cirrhosis (571)	23	35	29	11	24	81	1	18
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	2	2	3	6	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	25	8	12	17	48	7	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	6	-	1	2	1	-	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	18	8	11	15	47	7	14
Infections of kidney (590)	4	2	1	-	4	6	-	-
Hyperplasia of prostate (600)	-	-	1	-	-	4	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	14	29	11	7	12	25	8	5
Certain conditions originating in the perinatal period (760-779)	15	21	17	9	11	42	9	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	4	6	1	5	7	1	3
Other conditions originating in the perinatal period (760-766,770-779)	8	17	11	8	6	35	8	4
Symptoms, signs, and ill-defined conditions (780-799)	46	40	26	144	15	36	1	9
All other diseases (Residual)	144	185	113	109	102	391	31	78
Accidents and adverse effects (E800-E949)	102	127	57	88	62	225	27	54
Motor vehicle accidents (E810-E825)	40	49	16	50	32	79	15	23
All other accidents and adverse effects (E800-E807,E826-E949)	62	78	41	38	30	146	12	31
Suicide (E950-E959)	19	52	18	30	17	61	12	20
Homicide and legal intervention (E960-E978)	16	21	12	7	15	16	-	5
All other external causes (E980-E999)	1	1	5	1	-	-	-	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Texarkana, Ark.	Toledo, Ohio-Mich.
All causes	3,213	5,503	3,716	967	21,725	1,998	1,242	7,079
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	2	-	5	-	2	-
Tuberculosis (010-018)	4	7	3	-	19	1	-	4
Tuberculosis of respiratory system (010-012)	4	6	2	-	17	1	-	4
Other tuberculosis (013-018)	-	1	1	-	2	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	2	1	-	-
Septicemia (038)	17	39	14	5	93	23	9	29
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	1	2	-	8	-	1	1
Syphilis (090-097)	1	-	1	-	2	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	14	8	2	45	6	3	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	726	1,271	763	236	4,903	414	253	1,534
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	13	17	12	76	5	5	30
Malignant neoplasms of digestive organs and peritoneum (150-159)	160	339	196	49	1,307	105	46	390
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	211	339	220	68	1,504	124	78	455
Malignant neoplasm of breast (174-175)	58	113	62	27	375	40	14	110
Malignant neoplasms of genital organs (179-187)	90	139	80	36	536	46	24	165
Malignant neoplasms of urinary organs (188-189)	28	63	27	5	218	13	14	66
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	89	150	91	21	460	54	52	170
Leukemia (204-208)	27	42	34	7	186	10	10	63
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	73	36	11	241	17	10	85
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	16	10	4	57	6	5	10
Diabetes mellitus (250)	68	100	68	12	310	48	17	144
Nutritional deficiencies (260-269)	2	6	6	1	23	3	1	9
Anemias (280-285)	4	6	10	8	38	8	2	17
Meningitis (320-322)	2	5	2	-	5	1	-	1
Major cardiovascular diseases (390-448)	1,420	2,659	1,824	377	10,857	1,018	583	3,686
Diseases of heart (390-398,402,404-429)	1,098	2,005	1,361	275	8,382	704	463	2,877
Rheumatic fever and rheumatic heart disease (390-398)	10	28	9	1	89	1	2	19
Hypertensive heart disease (402)	27	56	24	15	299	10	9	60
Hypertensive heart and renal disease (404)	3	4	2	1	21	12	-	25
Ischemic heart disease (410-414)	884	1,508	1,001	162	6,060	520	258	2,230
Acute myocardial infarction (410)	331	727	519	100	2,725	277	186	1,247
Other acute and subacute forms of ischemic heart disease (411)	3	9	4	-	16	1	-	3
Angina pectoris (413)	1	-	4	1	11	-	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	549	772	474	61	3,308	242	72	977
Other diseases of endocardium (424)	21	32	28	7	84	7	6	35
All other forms of heart disease (415-423,425-429)	153	377	297	89	1,819	154	198	506
Hypertension with or without renal disease (401,403)	12	24	15	7	98	5	2	45
Cerebrovascular diseases (430-438)	221	446	328	79	1,789	197	99	582
Intracerebral and other intracranial hemorrhage (431-432)	31	67	35	14	223	16	11	62
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	87	40	9	419	36	15	101
Cerebral embolism (434.1)	-	1	1	2	13	1	-	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	156	291	252	64	1,134	144	73	417
Atherosclerosis (440)	43	109	78	7	340	94	13	108
Other diseases of arteries, arterioles, and capillaries (441-448)	46	75	42	9	268	18	6	74
Acute bronchitis and bronchiolitis (466)	1	1	-	-	7	-	-	5
Pneumonia and influenza (480-487)	97	169	75	23	431	54	22	171
Pneumonia (480-486)	97	162	68	23	426	48	22	164
Influenza (487)	-	7	7	-	5	6	-	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	141	206	177	28	876	76	41	254
Bronchitis, chronic and unspecified (490-491)	10	7	7	3	68	3	6	29
Emphysema (492)	26	35	29	6	182	13	12	51
Asthma (493)	8	5	8	2	20	3	5	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	97	159	133	17	606	57	18	161
Ulcer of stomach and duodenum (531-533)	9	25	10	5	75	3	3	24
Appendicitis (540-543)	-	1	2	-	3	-	-	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	21	9	2	32	8	4	9
Chronic liver disease and cirrhosis (571)	72	65	52	11	309	17	9	80
Cholelithiasis and other disorders of gallbladder (574-575)	6	7	3	6	32	1	-	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	23	53	23	7	163	13	14	61
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	2	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	4	1	1	26	1	1	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	49	22	6	135	12	13	52
Infections of kidney (590)	1	5	-	-	19	2	-	10
Hyperplasia of prostate (600)	2	3	2	-	4	-	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	2	-	-	-	-	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	2	-	-	-	-	2
Congenital anomalies (740-759)	28	37	39	14	90	10	5	36
Certain conditions originating in the perinatal period (760-779)	31	49	45	17	145	12	11	59
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	16	1	44	2	2	22
Other conditions originating in the perinatal period (760-766,770-779)	25	43	29	16	101	10	9	37
Symptoms, signs, and ill-defined conditions (780-799)	22	37	43	19	560	24	67	49
All other diseases (Residual)	202	393	233	97	1,386	136	76	402
Accidents and adverse effects (E800-E949)	210	218	186	68	749	85	71	277
Motor vehicle accidents (E810-E825)	107	96	92	39	408	41	42	137
All other accidents and adverse effects (E800-E807,E826-E949)	103	122	96	29	341	44	29	140
Suicide (E950-E959)	52	66	72	17	321	20	21	114
Homicide and legal intervention (E960-E978)	28	14	24	7	149	5	16	54
All other external causes (E980-E998)	2	6	4	1	7	3	2	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Fairfield-Napa, Calif.	Victoria, Tex.
All causes	1,672	2,664	4,527	5,733	1,034	1,246	3,292	2,518	506
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	1	-	2	-	1	-
Tuberculosis (010-018)	-	1	7	7	5	1	-	2	2
Tuberculosis of respiratory system (010-012)	-	1	6	7	4	-	-	2	2
Other tuberculosis (013-018)	-	-	1	-	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	2	-	-	-	-	-	-
Septicemia (038)	8	21	39	33	6	6	15	13	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	2	5	-	2	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	8	11	16	17	3	2	4	5	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	358	629	1,044	1,208	220	285	733	609	117
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	10	17	14	2	2	25	9	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	67	184	251	275	45	63	210	142	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	94	159	290	402	53	86	174	169	38
Malignant neoplasm of breast (174-175)	33	68	95	89	22	23	74	55	8
Malignant neoplasms of genital organs (179-187)	53	61	116	133	30	36	83	65	8
Malignant neoplasms of urinary organs (188-189)	16	23	47	39	13	5	40	20	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	34	74	132	155	35	42	68	87	18
Leukemia (204-208)	18	17	42	49	9	13	27	23	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	33	54	52	11	15	32	39	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	10	21	22	3	3	14	11	3
Diabetes mellitus (250)	37	46	57	71	15	26	75	36	9
Nutritional deficiencies (260-269)	4	1	9	7	4	2	5	5	2
Anemias (280-285)	4	4	5	6	4	1	7	4	2
Meningitis (320-322)	-	2	1	5	-	2	-	1	-
Major cardiovascular diseases (390-448)	806	1,310	1,912	2,756	453	614	1,755	1,111	228
Diseases of heart (390-398,402,404-429)	612	1,102	1,469	2,198	342	465	1,376	809	185
Rheumatic fever and rheumatic heart disease (390-398)	4	10	11	12	-	1	11	8	1
Hypertensive heart disease (402)	14	57	54	63	10	7	28	26	7
Hypertensive heart and renal disease (404)	3	3	2	6	1	1	4	2	-
Ischemic heart disease (410-414)	420	677	1,067	1,869	246	299	1,058	609	137
Acute myocardial infarction (410)	181	259	509	793	168	198	539	300	86
Other acute and subacute forms of ischemic heart disease (411)	-	67	6	12	1	-	8	2	-
Angina pectoris (413)	1	-	-	-	-	1	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	238	351	552	864	79	100	510	306	51
Other diseases of endocardium (424)	5	14	19	20	3	3	20	13	1
All other forms of heart disease (415-423,425-429)	166	341	322	428	82	154	255	151	39
Hypertension with or without renal disease (401,403)	9	15	17	14	10	7	13	11	-
Cerebrovascular diseases (430-438)	131	150	283	435	81	124	264	224	35
Intracerebral and other intracranial hemorrhage (431-432)	24	21	38	46	14	7	28	28	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	29	35	57	10	16	50	33	5
Cerebral embolism (434.1)	-	3	1	2	-	1	-	2	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	84	97	209	330	57	100	186	161	23
Atherosclerosis (440)	29	18	80	54	14	11	60	27	6
Other diseases of arteries, arterioles, and capillaries (441-448)	25	25	63	55	6	7	42	40	2
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	3	-	-
Pneumonia and influenza (480-487)	53	62	168	169	16	32	84	98	14
Pneumonia (480-486)	53	61	166	164	16	31	81	91	14
Influenza (487)	-	1	2	5	-	1	3	7	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58	73	254	204	34	35	94	107	7
Bronchitis, chronic and unspecified (490-491)	4	2	8	4	-	1	4	4	-
Emphysema (492)	8	12	51	52	9	6	34	27	5
Asthma (493)	5	4	22	9	-	4	4	12	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	42	55	173	139	25	24	52	64	2
Ulcer of stomach and duodenum (531-533)	7	10	17	10	2	4	23	12	2
Appendicitis (540-543)	-	-	-	2	-	-	2	3	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	7	5	18	1	5	8	3	1
Chronic liver disease and cirrhosis (571)	15	42	59	58	7	12	30	40	8
Cholelithiasis and other disorders of gallbladder (574-575)	-	5	4	15	1	2	11	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	24	39	65	18	10	32	19	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	5	12	1	-	2	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	21	33	53	17	10	30	17	2
Infections of kidney (590)	2	2	3	10	2	2	3	4	-
Hyperplasia of prostate (600)	1	2	1	1	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	2	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	-	-	-	1	-
Congenital anomalies (740-759)	8	18	37	46	6	3	20	22	3
Certain conditions originating in the perinatal period (760-779)	19	36	33	49	13	13	27	22	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	8	10	13	4	5	9	8	2
Other conditions originating in the perinatal period (760-766,770-779)	13	28	23	36	9	8	18	14	3
Symptoms, signs, and ill-defined conditions (780-799)	34	16	35	100	77	11	18	20	4
All other diseases (Residual)	116	202	357	366	57	65	171	171	37
Accidents and adverse effects (E800-E949)	69	82	236	315	64	67	117	120	34
Motor vehicle accidents (E810-E825)	31	37	126	161	29	39	56	59	17
All other accidents and adverse effects (E800-E807,E826-E949)	38	45	110	154	35	28	61	61	17
Suicide (E950-E959)	25	20	101	109	11	23	31	54	9
Homicide and legal intervention (E960-E978)	10	24	55	54	10	15	8	18	7
All other external causes (E980-E999)	2	2	7	2	2	1	2	4	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Vineland-Millville-Bridgeton, N.J.	Visalia-Tulare-Porterville, Calif.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo-Cedar Falls, Iowa	Wausau, Wis.	West Palm Beach-Boca Raton, Fla.	Wheeling, W. Va.-Ohio	Wichita, Kans.
All causes	1,304	1,975	1,716	20,686	1,114	801	7,996	2,042	3,190
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	4	1	1	-	-	-
Tuberculosis (010-018)	-	1	1	34	-	-	3	3	-
Tuberculosis of respiratory system (010-012)	-	1	1	22	-	-	3	3	-
Other tuberculosis (013-018)	-	-	-	12	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	6	-	-	-	-	-
Septicemia (038)	13	4	13	207	3	2	43	13	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	2	1	10	1	-	5	1	5
Syphilis (090-097)	-	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	1	5	76	4	2	22	1	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	275	446	339	5,169	260	171	2,019	440	782
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	7	7	148	7	1	27	10	18
Malignant neoplasms of digestive organs and peritoneum (150-159)	68	98	75	1,349	73	47	568	125	175
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	88	119	95	1,307	69	28	546	119	203
Malignant neoplasm of breast (174-175)	19	36	20	528	21	23	157	42	59
Malignant neoplasms of genital organs (179-187)	24	52	30	532	31	23	233	40	60
Malignant neoplasms of urinary organs (188-189)	13	15	16	181	13	5	112	21	33
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	35	63	62	677	26	22	206	48	94
Leukemia (204-208)	9	26	16	192	15	15	68	17	43
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	30	18	255	5	7	102	18	47
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	11	4	86	2	1	28	3	9
Diabetes mellitus (250)	20	32	22	342	8	10	107	55	44
Nutritional deficiencies (260-269)	5	3	-	27	3	2	5	2	4
Anemias (280-285)	1	5	3	41	-	-	15	6	7
Meningitis (320-322)	2	-	2	17	3	1	2	1	-
Major cardiovascular diseases (390-448)	691	892	878	8,807	578	410	4,074	1,070	1,475
Diseases of heart (390-398,402,404-429)	577	687	665	6,861	412	315	3,142	852	1,150
Rheumatic fever and rheumatic heart disease (390-398)	2	12	2	60	5	5	33	9	11
Hypertensive heart disease (402)	15	19	6	352	6	2	76	5	18
Hypertensive heart and renal disease (404)	9	1	2	44	-	2	5	2	4
Ischemic heart disease (410-414)	354	529	514	3,861	323	217	2,412	852	882
Acute myocardial infarction (410)	231	237	348	1,815	192	104	1,161	342	493
Other acute and subacute forms of ischemic heart disease (411)	2	6	2	50	-	-	45	-	-
Angina pectoris (413)	-	-	-	5	-	1	2	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	121	286	164	1,991	131	112	1,204	310	368
Other diseases of endocardium (424)	5	13	5	100	1	4	40	4	16
All other forms of heart disease (415-423,425-429)	192	113	136	2,444	77	85	576	180	237
Hypertension with or without renal disease (401,403)	2	9	8	67	8	10	29	7	11
Cerebrovascular diseases (430-438)	90	154	168	1,360	110	68	683	163	234
Intracerebral and other intracranial hemorrhage (431-432)	9	14	14	237	12	9	80	25	39
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	32	39	254	22	9	190	18	42
Cerebral embolism (434.1)	-	1	-	7	-	1	2	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	67	107	115	862	76	49	411	120	152
Atherosclerosis (440)	9	26	17	319	27	8	113	30	43
Other diseases of arteries, arterioles, and capillaries (441-448)	13	16	20	200	19	9	107	18	37
Acute bronchitis and bronchiolitis (466)	-	2	-	5	-	-	1	2	2
Pneumonia and influenza (480-487)	22	55	55	491	25	15	112	50	59
Pneumonia (480-486)	22	55	54	477	22	15	111	50	56
Influenza (487)	-	-	1	14	3	-	1	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	42	93	51	573	45	32	275	67	117
Bronchitis, chronic and unspecified (490-491)	-	4	4	27	3	1	17	12	6
Emphysema (492)	8	20	17	143	8	7	89	14	12
Asthma (493)	2	5	3	27	6	1	14	1	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	32	64	27	376	28	23	175	40	95
Ulcer of stomach and duodenum (531-533)	3	6	6	65	6	2	14	3	13
Appendicitis (540-543)	-	-	1	7	-	-	2	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	6	3	55	5	1	14	8	9
Chronic liver disease and cirrhosis (571)	17	29	14	441	8	6	103	23	39
Cholelithiasis and other disorders of gallbladder (574-575)	-	2	4	23	2	-	11	8	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	21	26	255	5	4	55	28	30
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	-	3	-	-	2	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	4	5	24	2	-	6	3	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	16	21	228	3	4	47	24	25
Infections of kidney (590)	-	4	1	11	-	2	4	-	5
Hyperplasia of prostate (600)	-	1	2	5	1	-	1	2	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	2	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	2	-	-	-	-	-
Congenital anomalies (740-759)	10	15	8	152	8	3	39	9	39
Certain conditions originating in the perinatal period (760-779)	9	20	24	331	11	7	48	9	39
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	9	3	73	1	5	13	1	15
Other conditions originating in the perinatal period (760-766,770-779)	6	11	21	258	10	2	33	8	24
Symptoms, signs, and ill-defined conditions (780-799)	12	6	33	250	8	7	53	24	32
All other diseases (Residual)	69	110	106	1,548	58	66	469	119	216
Accidents and adverse effects (E800-E949)	69	143	67	928	49	38	278	56	146
Motor vehicle accidents (E810-E825)	35	94	25	425	16	21	154	19	69
All other accidents and adverse effects (E800-E807,E826-E949)	34	49	42	503	33	17	124	37	77
Suicide (E950-E959)	17	32	25	350	15	15	124	27	67
Homicide and legal intervention (E960-E978)	3	29	21	302	6	1	68	5	29
All other external causes (E980-E999)	-	4	1	65	1	-	4	7	8

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Wichita Falls, Tex.	Williamsport, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester-Fitchburg-Leominster, Mass.	Yakima, Wash.	York, Pa.	Youngstown-Warren, Ohio	Yuba City, Calif.
All causes	1,209	1,217	4,264	1,219	6,162	1,479	3,249	5,154	847
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	-	-	-	-	2	1	1	-	-
Tuberculosis (010-018)	1	-	3	1	2	1	1	7	1
Tuberculosis of respiratory system (010-012)	1	-	3	1	2	1	1	6	1
Other tuberculosis (013-018)	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	2	-	-	-	-	1	-
Septicemia (038)	12	13	47	7	70	5	20	33	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	2	-	1	1	-
Syphilis (090-097)	-	-	1	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	4	-	11	1	11	7	3	8	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	249	257	1,067	304	1,406	303	757	1,190	227
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	2	17	6	20	7	6	24	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	51	70	280	67	373	78	213	328	52
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	85	67	293	88	329	83	184	296	70
Malignant neoplasm of breast (174-175)	10	22	86	24	153	29	75	110	17
Malignant neoplasms of genital organs (179-187)	26	23	96	39	168	34	80	135	20
Malignant neoplasms of urinary organs (188-189)	15	15	54	13	60	15	27	49	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	34	48	139	46	188	29	102	137	35
Leukemia (204-208)	11	5	47	4	47	10	34	43	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	5	55	17	68	18	36	68	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	9	17	5	36	2	13	20	1
Diabetes mellitus (250)	23	29	125	16	94	24	62	123	17
Nutritional deficiencies (260-269)	1	1	5	-	4	3	9	15	1
Anemias (280-285)	3	3	10	2	16	2	7	10	2
Meningitis (320-322)	-	-	2	-	3	2	5	2	-
Major cardiovascular diseases (390-448)	577	636	2,025	551	3,034	726	1,712	2,682	368
Diseases of heart (390-398,402,404-429)	444	504	1,663	407	2,516	551	1,395	2,085	277
Rheumatic fever and rheumatic heart disease (390-398)	-	6	12	2	20	11	10	9	4
Hypertensive heart disease (402)	14	8	107	10	26	9	30	43	4
Hypertensive heart and renal disease (404)	-	4	4	2	5	-	5	9	-
Ischemic heart disease (410-414)	256	317	907	261	1,956	415	864	1,591	206
Acute myocardial infarction (410)	166	175	515	195	937	236	621	987	119
Other acute and subacute forms of ischemic heart disease (411)	1	2	15	-	2	-	2	11	3
Angina pectoris (413)	1	-	-	-	2	2	3	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	88	140	377	86	1,015	177	238	591	84
Other diseases of endocardium (424)	6	5	14	10	32	4	22	19	7
All other forms of heart disease (415-423,425-429)	168	164	619	102	477	112	464	414	58
Hypertension with or without renal disease (401,403)	7	9	12	3	21	7	9	20	7
Cerebrovascular diseases (430-438)	109	102	255	115	350	127	222	422	63
Intracerebral and other intracranial hemorrhage (431-432)	7	12	25	13	42	18	17	49	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	14	64	18	54	25	30	64	13
Cerebral embolism (434.1)	1	-	1	-	3	-	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	81	76	165	84	251	84	175	307	40
Atherosclerosis (440)	7	7	46	23	65	17	50	100	11
Other diseases of arteries, arterioles, and capillaries (441-448)	10	14	40	3	82	24	36	55	10
Acute bronchitis and bronchiolitis (466)	1	-	1	-	-	4	-	2	-
Pneumonia and influenza (480-487)	40	22	68	18	235	53	72	112	20
Pneumonia (480-486)	39	21	68	18	233	49	72	110	20
Influenza (487)	1	1	-	-	2	4	-	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	39	136	46	190	61	105	153	34
Bronchitis, chronic and unspecified (490-491)	1	2	4	-	12	7	6	8	3
Emphysema (492)	2	7	44	8	32	14	18	22	10
Asthma (493)	-	2	3	2	7	3	5	8	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	28	85	36	139	37	76	115	20
Ulcer of stomach and duodenum (531-533)	5	4	8	3	12	2	14	15	5
Appendicitis (540-543)	-	-	-	-	2	-	2	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	6	13	2	17	5	2	15	1
Chronic liver disease and cirrhosis (571)	21	10	77	20	64	16	25	66	14
Cholelithiasis and other disorders of gallbladder (574-575)	2	3	4	-	12	-	4	10	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	15	26	16	74	12	34	59	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	2	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	1	2	2	2	2	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	15	24	14	70	10	32	56	8
Infections of kidney (590)	1	-	5	1	7	2	1	7	-
Hyperplasia of prostate (600)	-	1	1	-	1	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	1	-
Congenital anomalies (740-759)	6	6	36	7	28	6	10	20	6
Certain conditions originating in the perinatal period (760-779)	12	9	48	11	34	10	20	44	2
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	2	10	1	6	3	4	10	2
Other conditions originating in the perinatal period (760-766,770-779)	8	7	38	10	28	7	16	34	-
Symptoms, signs, and ill-defined conditions (780-799)	23	7	17	12	42	17	16	22	5
All other diseases (Residual)	85	85	254	97	446	88	182	266	50
Accidents and adverse effects (E800-E949)	61	41	168	70	230	79	126	184	53
Motor vehicle accidents (E810-E825)	29	23	96	27	110	48	65	74	30
All other accidents and adverse effects (E800-E807,E826-E949)	32	18	92	43	120	31	61	110	23
Suicide (E950-E959)	14	21	59	18	69	34	34	50	19
Homicide and legal intervention (E960-E978)	15	-	18	11	15	12	7	34	7
All other external causes (E980-E999)	1	-	10	-	2	-	3	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	2,019,201	1,779	121	19,924	442,986	113,864	119,962	38,247	48,709	18,555	16,820	86,829	36,246	981,098	770,432	6,895	24,057	552,492	186,988
Urban places	1,156,772	1,153	81	12,301	255,101	66,853	68,732	22,787	27,718	10,467	9,234	49,310	20,838	559,730	441,034	4,039	15,293	315,324	106,378
Balance of area	882,429	626	40	7,623	187,885	47,011	51,230	15,460	20,991	8,088	7,586	37,519	15,408	421,368	329,398	2,856	8,764	237,168	80,610
Metropolitan counties	1,464,770	1,331	94	15,223	329,538	85,470	89,396	29,534	35,364	13,624	12,220	63,930	26,084	704,607	558,012	5,281	18,652	400,238	133,941
Urban places	1,038,182	1,052	72	11,293	230,718	60,621	62,205	20,751	24,886	9,424	8,360	44,451	18,641	500,116	396,259	3,692	14,014	283,120	95,433
Balance of area	426,588	279	22	3,930	98,820	24,849	27,191	8,783	10,478	4,200	3,840	19,479	7,443	204,491	161,753	1,589	4,538	117,118	38,508
Nonmetropolitan counties	554,431	448	27	4,701	113,448	28,394	30,568	8,713	13,345	4,931	4,600	22,899	10,162	276,491	212,420	1,614	5,505	152,254	53,047
Urban places	118,590	101	9	1,008	24,383	6,232	6,527	2,036	2,832	1,043	854	4,859	2,197	59,614	44,775	347	1,279	32,204	10,945
Balance of area	435,841	347	18	3,693	89,065	22,162	24,039	6,677	10,513	3,888	3,746	18,040	7,965	216,877	167,645	1,267	4,226	120,050	42,102
Alabama	35,560	63	2	327	7,463	1,697	2,160	607	870	248	289	1,592	603	16,329	12,447	67	456	8,261	3,663
Urban places	15,716	30	1	149	3,364	811	945	313	396	116	116	667	283	7,075	5,279	37	231	3,359	1,652
Balance of area	19,844	33	1	178	4,099	886	1,215	294	474	132	173	925	320	9,254	7,168	30	225	4,902	2,011
Metropolitan counties	21,393	37	1	202	4,690	1,094	1,389	402	515	158	160	972	341	9,630	7,349	47	301	4,799	2,202
Urban places	12,599	26	1	122	2,760	686	774	260	326	99	93	522	221	5,641	4,213	31	193	2,663	1,326
Balance of area	8,794	11	-	80	1,930	408	615	142	189	59	67	450	120	3,989	3,136	16	108	2,136	876
Nonmetropolitan counties	14,167	26	1	125	2,773	603	771	205	355	90	129	620	262	6,699	5,098	20	155	3,462	1,461
Urban places	3,117	4	-	27	604	125	171	53	70	17	23	145	62	1,434	1,066	6	38	686	326
Balance of area	11,050	22	1	98	2,169	478	600	152	285	73	106	475	200	5,265	4,032	14	117	2,786	1,135
Autauga	267	-	-	-	51	12	13	3	4	4	1	14	4	123	103	-	6	67	30
Prattville, part	138	-	-	-	34	9	7	3	2	3	1	9	1	59	51	-	4	32	15
Prattville, total	140	-	-	-	35	9	7	3	3	3	1	9	1	60	52	-	4	32	16
Balance of county	129	-	-	-	17	3	6	-	2	1	-	5	3	64	52	-	2	35	15
Baldwin	783	3	-	5	172	33	54	11	21	5	4	44	6	386	332	3	24	193	112
Barbour	269	1	-	1	47	11	11	3	8	1	-	13	6	99	67	1	7	32	27
Eufaula	128	-	-	1	25	5	8	2	4	-	-	6	4	55	39	1	3	16	19
Balance of county	135	1	-	-	22	6	3	1	4	1	-	7	2	44	28	-	4	16	8
Bibb	164	-	-	1	23	7	4	1	1	-	-	10	1	84	70	-	1	50	19
Blount	315	1	-	2	77	18	21	5	10	1	3	19	7	149	115	-	-	87	28
Bullock	128	-	-	-	23	2	11	1	1	-	1	7	3	77	57	-	6	36	15
Butler	274	-	-	-	61	15	15	3	13	2	6	7	3	132	97	1	2	49	45
Calhoun	1,085	5	-	7	240	54	70	24	18	7	9	58	19	558	416	1	15	250	150
Anniston	493	3	-	3	110	21	32	14	10	4	3	26	12	260	189	1	6	101	81
Balance of county	592	2	-	4	130	33	38	10	8	3	6	32	7	298	227	-	9	149	69
Chambers	448	-	-	3	90	22	27	13	7	4	2	15	10	209	168	2	3	123	40
Cherokee	166	-	-	2	21	7	5	2	3	2	-	2	4	90	69	-	2	50	17
Chilton	319	-	-	2	64	6	18	8	7	3	6	16	7	160	124	1	4	93	26
Choctaw	154	1	-	-	26	4	5	4	5	-	2	6	4	83	63	-	1	42	20
Clarke	266	-	-	1	42	11	8	3	7	1	-	12	6	132	114	-	1	87	26
Clay	153	1	-	2	33	5	11	2	4	3	2	6	5	82	46	-	1	35	10
Cleburne	120	-	-	1	30	5	9	4	2	-	1	9	2	54	36	-	7	15	14
Coffee	326	-	-	3	55	15	17	4	7	-	1	11	4	173	137	-	1	83	53
Enterprise, part	117	-	-	-	23	5	8	1	3	-	-	6	3	55	44	-	1	26	17
Enterprise, total	118	-	-	-	23	5	8	1	3	-	-	6	3	55	44	-	1	26	17
Balance of county	209	-	-	3	32	10	9	3	4	-	1	5	1	118	93	-	-	57	36
Colbert	463	1	-	4	95	23	22	12	11	4	3	20	5	209	153	1	6	125	21
Sheffield	128	1	-	3	32	8	8	3	3	1	3	6	1	52	38	-	4	30	4
Balance of county	335	-	-	1	63	15	14	9	8	3	-	14	4	157	115	1	2	95	17
Conecuh	185	-	-	2	32	8	10	1	4	2	-	7	3	106	81	-	-	65	16
Coosa	113	-	-	3	24	6	7	-	3	-	1	7	3	41	26	1	-	17	8
Covington	477	3	-	3	81	16	17	4	12	3	6	23	6	214	159	-	2	103	54
Andalusia	120	-	-	-	21	6	2	-	2	1	2	8	1	59	45	-	-	28	17
Balance of county	357	3	-	3	60	10	15	4	10	2	4	15	5	155	114	-	2	75	37
Crenshaw	174	-	-	-	25	6	2	4	4	-	1	8	4	96	73	1	1	48	23
Cullman	589	2	-	9	135	24	50	16	16	-	7	22	6	272	205	-	-	143	62
Cullman	173	-	-	3	36	3	12	9	3	-	2	7	1	83	49	-	-	35	14
Balance of county	416	2	-	6	99	21	38	7	13	-	5	15	5	189	156	-	-	108	48
Dale	294	1	-	1	64	14	23	6	8	-	1	12	4	131	104	1	5	62	36
Dothan, part	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozark	120	-	-	-	23	5	8	3	3	-	-	4	-	61	50	1	5	27	17
Balance of county	172	1	-	1	40	9	14	3	5	-	1	8	4	70	54	-	-	35	19
Dallas	542	4	-	11	116	29	32	6	12	-	6	31	8	225	160	-	8	80	72
Selma	330	3	-	7	64	19	10	4	6	-	2	23	5	144	105	-	5	54	46
Balance of county	212	1	-	4	52	10	22	2	6	-	4	8	3	81	55	-	3	26	26
De Kalb	502	1	-	-	104	12	34	10	12	5	7	24	0	240	193	1	6	144	42
Fort Payne	110	-	-	-	27	4	6	6	1	1	2	7	3	55	43	-	1	33	9
Balance of county	392	1	-	-	77	8	28	4	11	4	5	17	5	185	150	1	5	111	33
Elmore	399	1	-	4	92	24	27	5	7	2	-	27	9	190	154	-	1	112	41
Prattville, part	2	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1
Balance of county	397	1	-	4	91	24	27	5	6	2	-	27	9	189	153	-	1	112	40
Escambia	387	-	-	3	89	22	25	6	14	2	5	15	16	176	147	-	1	94	52
Etowah	1,051	1	-	5	239	55	64	23	22	6	6	63	16	552	445	3	6	342	94
Gadsden	644	1	-	5	142	35	40	13	12	2	3	37	7	346	285	3	3	216	63
Balance of county	407	-	-	-	97	20	24	10	10	4	3	26	9	206	160	-	3	126	31
Fayette	183	1	-	3	44	8	11	2	11	-	1	11	3	97	75	1	3	54	17
Franklin	298	-	-	-	59	16	13	3	6	3	1	17	4	158	126	-	9	105	12
Geneva	246	-	-	4	39	11	13	-	4	3	1	7	3	139	105	-	6	71	28
Greene	142	-	-	-	31	9	7	4	4	1	3	3	5	57	43	-	1	18	24
Hale	174	-	-	2	29	6	4	1	6	3	3	6	1	81	57	-	-	33	24
Henry	173	1	-	1	29	1	11	2	4	1	1	9	3	79	64	-	2	50	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	7,739	155,598	26,371	20,958	55,854	68,246	6,369	27,266	18,998	290	13,173	19,310	29,628	155,822	44,452	48,036	28,295	20,191	3,117
Urban places	4,667	87,635	14,598	11,796	32,553	37,060	3,714	17,994	10,722	185	7,664	12,186	16,047	91,425	19,852	25,760	15,543	14,719	2,144
Balance of area	3,072	67,963	11,773	9,162	23,301	29,186	2,655	9,272	8,276	105	5,509	7,124	13,581	64,397	24,600	22,276	12,752	5,472	973
Metropolitan counties	5,672	107,974	17,867	15,082	39,697	47,465	4,622	21,745	13,395	215	9,863	14,892	19,349	113,470	29,685	33,066	21,155	16,755	2,519
Urban places	4,174	76,549	12,667	10,467	28,043	32,925	3,946	16,666	9,602	164	6,899	11,181	13,867	81,879	17,553	23,074	14,162	13,935	2,000
Balance of area	1,498	31,425	5,200	4,615	10,654	14,540	1,276	5,079	3,793	51	2,984	3,711	5,482	31,597	12,132	9,992	6,993	2,820	519
Nonmetropolitan counties	2,067	47,624	8,504	5,876	16,157	18,781	1,747	5,521	5,603	75	3,310	4,418	10,279	42,352	14,767	14,970	7,140	3,436	598
Urban places	493	11,085	1,931	1,329	3,510	4,135	368	1,328	1,120	21	765	1,005	2,180	9,552	2,299	2,686	1,381	784	144
Balance of area	1,574	36,538	6,573	4,547	12,647	14,646	1,379	4,193	4,483	54	2,545	3,413	8,099	32,800	12,468	12,284	5,759	2,652	454
Alabama	175	3,094	299	320	787	1,035	98	353	386	7	210	381	1,690	2,884	1,033	992	425	422	70
Urban places	92	1,417	129	158	345	455	51	182	167	3	100	196	761	1,378	334	414	176	225	27
Balance of area	83	1,677	164	162	442	580	47	171	219	4	110	185	929	1,506	699	578	249	197	43
Metropolitan counties	118	1,801	173	189	485	654	71	234	202	5	135	237	946	1,807	576	556	287	284	33
Urban places	79	1,116	111	122	284	371	43	149	135	3	81	152	571	1,125	250	322	148	195	19
Balance of area	39	685	62	67	201	283	28	85	67	2	54	85	375	682	326	234	139	89	14
Nonmetropolitan counties	57	1,293	120	131	322	381	27	119	184	2	75	144	744	1,077	457	436	138	138	37
Urban places	13	301	18	36	81	84	8	33	32	-	19	44	190	253	84	92	28	30	8
Balance of area	44	992	102	95	241	297	19	86	152	2	56	100	554	824	373	344	110	108	29
Autauga	-	16	2	2	4	10	2	3	2	-	-	2	9	24	16	7	6	3	1
Prattville, part	-	6	1	1	2	7	1	3	2	-	-	2	2	9	8	3	4	1	-
Prattville, total	-	6	1	1	2	7	1	3	2	-	-	2	2	9	8	3	4	1	-
Balance of county	-	10	1	1	2	3	1	-	-	-	-	-	7	15	8	4	2	2	1
Baldwin	2	42	2	8	13	23	1	8	5	-	4	7	10	65	32	23	14	6	-
Barbour	2	27	-	3	2	8	-	5	3	1	1	3	35	28	8	10	-	4	1
Eufaula	1	14	-	1	1	6	-	1	1	-	1	1	13	10	3	4	-	1	1
Balance of county	1	13	-	2	1	2	-	4	2	1	-	2	22	18	5	6	-	3	-
Bibb	-	12	-	2	3	8	-	2	1	1	4	2	6	13	7	6	2	-	-
Blount	-	29	2	3	4	6	-	3	5	-	1	-	5	25	20	7	2	1	-
Bullock	2	14	1	3	1	5	-	1	1	-	1	-	1	9	-	2	2	-	-
Butler	1	33	-	1	12	5	2	-	5	-	1	2	10	18	7	7	2	6	1
Calhoun	7	108	13	14	21	46	1	13	7	1	6	9	12	61	23	24	14	17	1
Anniston	4	53	6	6	10	22	-	6	4	1	2	3	7	25	7	9	5	3	1
Balance of county	3	55	7	6	11	24	1	7	3	-	4	6	5	36	16	15	9	14	-
Chambers	1	34	3	3	12	11	1	3	12	-	2	5	13	43	8	17	5	4	-
Cherokee	1	16	2	2	6	3	1	4	1	-	1	1	4	11	9	5	-	3	-
Chilton	-	31	3	2	5	9	1	-	6	-	-	-	12	19	8	18	7	2	1
Choctaw	-	17	2	1	1	3	-	-	3	-	-	1	4	12	6	5	2	3	-
Clarke	-	14	4	-	8	12	-	1	3	-	2	3	4	24	9	9	5	4	1
Clay	-	14	1	1	5	4	-	1	1	-	-	-	10	16	5	5	3	-	-
Cleburne	6	9	1	2	2	7	-	2	2	-	1	1	4	8	2	-	2	2	-
Coffee	-	28	4	4	5	15	-	-	7	-	1	6	5	23	9	7	5	4	4
Enterprise, part	-	10	-	1	3	5	-	-	1	-	-	2	3	7	6	3	3	1	2
Enterprise, total	-	10	-	1	3	5	-	-	1	-	-	2	3	7	6	3	4	1	2
Balance of county	-	18	4	3	2	10	-	-	6	-	1	4	2	16	3	4	2	3	2
Colbert	2	46	4	4	13	13	1	3	3	-	2	4	50	27	10	11	8	3	1
Sheffield	1	10	2	1	2	5	-	2	1	-	-	3	14	7	1	2	1	-	1
Balance of county	1	36	2	3	11	8	1	1	2	-	2	1	36	20	9	9	7	3	-
Conecuh	-	21	2	2	6	5	-	-	1	-	1	-	2	12	5	4	1	4	1
Coosa	-	12	1	2	1	-	-	-	1	-	-	-	20	7	3	6	3	1	-
Covington	2	48	3	2	6	15	-	5	4	-	2	3	76	27	17	8	8	-	1
Andalusia	1	12	1	-	1	3	-	2	1	-	1	-	19	4	2	2	3	-	1
Balance of county	1	36	2	2	5	12	-	3	3	-	1	3	57	23	15	6	3	-	-
Crenshaw	2	15	3	3	5	5	1	2	-	-	1	2	2	17	3	6	1	4	-
Cullman	-	44	12	11	21	20	-	3	3	-	3	2	8	51	27	17	7	3	-
Cullman	-	20	7	7	6	4	-	-	1	-	2	-	2	20	9	4	2	-	-
Balance of county	-	24	5	4	15	16	-	3	2	-	1	2	6	31	18	13	5	3	-
Dale	-	20	5	2	6	11	1	3	1	-	1	6	16	20	14	6	4	4	-
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ozark	-	9	1	1	2	6	1	-	-	-	-	3	7	10	3	2	-	2	-
Balance of county	-	11	4	1	4	5	-	3	1	-	1	3	9	10	11	4	3	2	-
Dallas	3	58	2	2	13	6	-	7	11	-	3	12	15	70	10	20	5	6	-
Selma	1	36	-	2	11	5	-	4	4	-	1	8	6	44	3	14	3	4	-
Balance of county	2	22	2	-	2	1	-	3	7	-	2	4	9	26	7	6	2	2	-
De Kalb	2	39	2	4	9	13	-	2	7	-	7	3	30	38	13	16	6	3	2
Fort Payne	-	10	1	1	1	1	-	-	-	-	2	-	7	9	4	1	-	-	-
Balance of county	2	29	1	3	8	12	-	2	7	-	5	3	23	29	9	15	6	3	2
Elmore	2	30	3	1	12	9	2	2	2	-	5	2	12	25	19	6	4	3	-
Prattville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	30	3	1	12	9	2	2	2	-	5	2	12	25	19	6	4	3	-
Escambia	-	25	2	2	8	17	-	5	2	-	3	6	6	28	12	5	3	7	1
Etowah	1	91	8	7	29	29	4	7	4	2	4	3	12	72	26	19	12	15	-
Gadsden	-	53	4	4	20	17	3	7	3	1	3	2	6	42	10	12	8	9	-
Balance of county	1	38	4	3	9	12	1	-	1	1	1	1	6	30	16	7	4	6	-
Fayette	2	17	1	2	-	6	-	2	1	-	-	2	7	2	6	7	1	-	1
Franklin	2	23	5	2	6	10	-	3	5	-	2	5	1	27	4	7	1	2	4
Geneva	1	27	3	3	7	4	1	3	2	-	4	2	3	21	7	5	1	1	-
Greene	-	13	-	1	6	3	1	-	3	-	1	4	17	5	3	3	2	-	1
Hale	-	18	4	2	2	3	1	-	2	-	1	3	27	11	5	6	-	-	-
Henry	-	10	1	4	4	6	-	2	1	-	-	1	16	20	3	3	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Houston	662	-	-	12	117	32	34	1	14	6	-	30	15	243	191	2	11	139	39
Dothan, part	437	-	-	8	77	17	27	1	9	3	-	20	10	157	120	1	7	87	25
Dothan, total	438	-	-	8	78	17	28	1	9	3	-	20	10	157	120	1	7	87	25
Balance of county	225	-	-	4	40	15	7	-	5	3	-	10	5	86	71	1	4	52	14
Jackson	448	1	-	1	89	19	27	5	13	3	3	19	14	210	157	-	3	120	34
Scottsboro	135	-	-	-	19	3	8	-	-	1	1	6	6	73	57	-	1	41	15
Balance of county	313	1	-	1	70	16	19	5	13	2	2	13	8	137	100	-	2	79	19
Jefferson	6,476	15	1	78	1,506	377	440	136	183	50	46	272	112	2,890	2,091	20	104	1,373	604
Bessemer	410	-	-	6	86	18	28	10	10	4	4	12	10	179	129	4	5	83	37
Birmingham	3,287	12	1	44	731	194	193	56	114	28	17	129	69	1,414	1,015	10	63	639	303
Fairfield	155	-	-	1	33	13	8	1	3	-	-	8	2	73	51	-	-	27	24
Homewood	178	-	-	2	49	8	14	7	8	-	1	11	-	82	64	1	3	38	22
Hoover, part	62	-	-	-	10	2	2	-	1	-	2	3	1	33	25	-	-	21	4
Hoover, total	62	-	-	-	10	2	2	-	1	-	2	3	1	33	25	-	-	21	4
Hueytown	129	-	-	-	29	6	9	2	3	-	2	7	1	66	52	-	1	37	14
Mountain Brook	163	-	-	1	42	11	7	10	5	2	3	4	2	71	44	-	1	31	12
Vestavia Hills	110	-	-	2	32	12	7	5	2	2	2	2	1	44	31	-	1	23	7
Balance of county	1,982	3	-	22	494	113	172	45	37	14	17	96	26	868	680	5	30	474	171
Lamar	174	-	-	1	34	10	9	2	7	-	1	5	1	84	58	-	1	44	13
Lauderdale	669	-	-	6	129	31	34	10	14	5	5	30	8	314	231	-	3	166	62
Florence	364	-	-	4	76	20	20	7	7	4	3	15	3	168	119	-	2	80	37
Balance of county	305	-	-	2	53	11	14	3	7	1	2	15	3	146	112	-	1	86	25
Lawrence	247	-	-	1	62	14	17	4	7	5	6	9	6	112	75	-	2	63	10
Lee	512	1	-	6	110	19	37	9	14	5	4	22	10	241	192	2	3	115	72
Auburn	120	-	-	2	27	4	7	5	5	1	2	3	1	51	33	-	1	12	20
Opelika	218	-	-	2	43	10	17	1	3	3	2	7	4	109	92	1	1	58	32
Phenix City, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	173	1	-	2	40	5	13	3	6	1	-	12	5	81	67	1	1	45	20
Limestone	367	-	-	4	77	22	22	8	8	2	3	12	6	174	140	1	2	84	53
Athens	141	-	-	-	38	13	9	3	5	2	2	4	2	66	51	-	1	29	21
Balance of county	226	-	-	4	39	9	13	5	3	-	1	8	4	108	89	1	1	55	32
Lowndes	110	-	-	3	7	1	-	1	1	-	1	3	2	36	24	-	4	12	8
Macon	262	-	-	3	65	20	11	5	12	3	1	13	6	126	93	-	11	54	28
Tuskegee	120	-	-	1	28	11	3	2	6	-	1	5	4	58	40	-	4	28	8
Balance of county	142	-	-	2	37	9	8	3	6	3	-	8	2	68	53	-	7	26	20
Madison	1,298	1	-	14	296	59	104	22	31	12	9	59	31	516	390	3	18	271	98
Huntsville	967	1	-	13	232	48	81	18	25	9	8	43	23	378	288	3	11	200	74
Balance of county	331	-	-	1	64	11	23	4	6	3	1	16	8	138	102	-	7	71	24
Marengo	244	-	-	5	38	6	7	5	8	1	3	8	3	119	83	1	6	43	33
Marion	273	-	-	4	54	16	7	6	8	3	3	11	2	133	112	-	7	78	27
Marshall	648	-	-	7	127	33	39	7	8	2	10	28	10	328	247	3	5	188	51
Albertville	104	-	-	1	15	6	5	1	1	-	1	1	2	54	42	1	1	31	9
Balance of county	544	-	-	6	112	27	34	6	7	2	9	27	8	274	205	2	4	157	42
Mobile	3,168	3	-	27	666	165	207	58	69	19	22	126	65	1,483	1,159	6	65	655	433
Mobile	1,988	1	-	17	427	117	127	43	37	12	15	76	49	936	722	2	44	409	257
Prichard	369	-	-	2	55	15	15	4	9	3	-	9	5	181	137	-	8	65	64
Balance of county	809	2	-	8	184	33	65	11	23	4	7	41	11	366	300	4	13	181	102
Monroe	209	-	-	2	32	4	15	2	2	2	4	3	3	108	85	-	1	63	21
Montgomery	1,743	2	-	8	377	86	108	40	39	12	13	79	19	714	535	5	26	313	191
Montgomery	1,598	2	-	8	347	81	102	38	33	10	13	70	18	650	491	5	24	288	174
Balance of county	145	-	-	-	30	5	6	2	6	2	-	9	1	64	44	-	2	25	17
Morgan	726	-	-	6	152	30	44	16	12	6	9	35	10	350	275	1	3	216	55
Decatur	353	-	-	2	78	12	24	8	6	3	5	20	3	159	125	1	2	96	26
Balance of county	373	-	-	4	74	18	20	8	6	3	4	15	7	191	150	-	1	120	29
Perry	156	-	-	-	32	1	13	1	5	1	-	11	2	75	55	-	4	33	18
Pickens	239	1	-	2	56	16	13	1	8	2	3	13	5	111	78	-	3	58	17
Pike	275	-	-	-	52	13	13	1	9	4	5	7	6	143	106	-	4	75	27
Troy	116	-	-	-	18	2	3	1	6	2	1	3	3	65	49	-	3	33	13
Balance of county	159	-	-	-	34	11	10	-	3	2	4	4	3	78	57	-	1	42	14
Randolph	197	2	-	4	32	6	9	4	4	1	2	6	1	107	71	-	1	60	10
Russell	467	-	-	4	96	17	30	4	17	5	9	14	5	231	171	-	1	121	49
Phenix City, part	298	-	-	1	57	7	16	3	13	3	6	9	2	155	116	-	1	85	30
Phenix City, total	299	-	-	1	57	7	16	3	13	3	6	9	2	155	116	-	1	85	30
Balance of county	169	-	-	3	39	10	14	1	4	2	3	5	3	76	55	-	-	36	19
St. Clair	350	-	-	7	92	11	26	6	5	5	5	34	-	162	133	-	2	90	41
Shelby	420	-	-	4	75	17	25	4	9	2	-	18	5	174	133	-	1	82	50
Hoover, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	420	-	-	4	75	17	25	4	9	2	-	18	5	174	133	-	1	82	50
Sumter	161	-	-	2	30	10	7	1	2	-	2	8	6	57	36	1	-	18	17
Talladega	738	1	-	5	145	35	35	13	15	5	4	38	15	311	225	-	2	162	61
Sylacauga	180	-	-	1	34	7	6	5	5	2	1	8	4	77	54	-	1	50	3
Talladega	192	1	-	-	36	8	11	3	6	-	2	6	7	84	56	-	1	31	24
Balance of county	366	-	-	4	75	20	18	5	4	3	1	24	4	150	115	-	-	61	34
Tallapoosa	411	1	-	3	78	11	29	5	9	1	4	17	10	227	175	1	4	109	61
Alexander City	145	-	-	-	24	4	10	2	2	-	-	6	3	89	65	1	2	41	21
Balance of county	266	1	-	3	52	7	19	3	7	1	4	11	7	138	110	-	2	68	40
Tuscaloosa	1,034	5	-	9	220	45	53	22	30	13	9	48	15	453	342	-	11	246	85
Northport	141	1	-	2	23	4	6	4	2	2	1	4	2	66	51	-	3	35	13
Tuscaloosa	575	4	-	6	135	31	27	15	18	8	3	33	8	248	182	-	6	131	45
Balance of county	318	-	-	1	62	10	20	3	10	3	5	11	5	139	109	-	2	80	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Houston	3	40	3	6	19	18	4	8	9	-	4	10	107	47	20	14	9	5	1
Dothan, part	1	29	3	4	12	11	3	6	7	-	4	8	74	31	9	12	3	4	1
Dothan, total	1	29	3	4	12	11	3	6	7	-	4	8	74	31	9	12	3	4	1
Balance of county	2	11	-	2	7	7	1	2	2	-	-	2	33	16	11	2	6	1	-
Jackson	3	45	4	1	10	13	-	3	7	-	3	6	23	25	18	11	4	5	5
Scottsboro	1	14	1	-	5	4	-	1	1	-	-	2	1	7	10	3	1	2	-
Balance of county	2	31	3	1	5	9	-	2	6	-	3	4	22	18	8	8	3	3	5
Jefferson	58	581	43	57	160	196	24	72	74	-	37	69	192	670	110	146	77	99	8
Bessemer	3	46	-	1	10	15	1	7	2	-	2	3	19	48	4	10	2	5	1
Birmingham	39	304	21	35	72	85	15	35	44	-	18	39	129	356	52	66	32	72	3
Fairfield	2	15	2	3	5	4	-	-	3	-	3	2	4	17	3	2	1	2	-
Homewood	1	15	2	-	3	6	-	2	2	-	1	2	4	14	-	3	7	1	-
Hoover, part	-	8	-	-	-	4	-	-	-	-	1	-	1	5	1	4	1	1	-
Hoover, total	-	8	-	-	-	4	-	-	-	-	1	-	1	5	1	4	1	1	-
Hueytown	-	13	1	-	6	6	-	-	-	-	-	-	3	9	2	5	1	-	1
Mountain Brook	-	23	3	1	6	4	-	4	-	-	1	2	3	15	2	6	2	2	-
Vestavia Hills	-	12	-	1	1	6	-	2	5	-	-	1	1	11	1	2	-	-	1
Balance of county	13	145	14	16	57	66	8	22	18	-	13	20	28	195	45	48	31	16	2
Lamar	1	22	3	-	5	5	1	3	4	-	-	4	1	19	7	2	2	-	1
Lauderdale	2	74	3	4	19	10	1	4	5	-	7	8	41	67	26	18	5	3	-
Florence	1	44	2	2	10	5	1	3	5	-	4	5	24	38	9	8	1	-	-
Balance of county	1	30	1	2	9	5	-	1	-	-	3	3	17	29	17	10	4	3	-
Lawrence	1	34	-	2	9	4	1	-	5	-	-	3	6	20	7	6	2	2	1
Lee	4	38	3	4	7	16	1	12	1	-	3	8	3	45	12	24	5	6	1
Auburn	3	12	-	3	2	6	-	1	-	-	-	1	2	15	3	5	3	1	-
Opelika	1	15	-	1	5	5	1	9	1	-	2	4	1	16	3	9	-	3	1
Phenix City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	-	11	3	-	-	5	-	2	-	-	1	3	-	14	6	10	1	2	-
Limestone	2	22	8	2	5	12	1	-	1	-	-	6	10	34	13	18	5	-	1
Athens	1	8	5	1	3	4	-	-	1	-	-	-	1	16	2	6	2	-	-
Balance of county	1	14	3	1	2	8	1	-	-	-	-	6	9	18	11	12	3	-	1
Lowndes	1	10	-	1	3	-	-	1	-	-	-	2	34	4	9	6	-	3	-
Macon	6	21	2	4	7	-	-	2	5	-	-	1	4	22	10	8	1	-	2
Tuskegee	2	13	-	3	2	-	-	-	5	-	-	1	1	11	5	3	-	-	1
Balance of county	4	8	2	1	5	-	-	2	-	-	-	-	3	11	5	5	1	-	1
Madison	4	98	8	16	22	28	4	19	15	1	14	14	103	89	47	44	19	20	1
Huntsville	3	66	6	15	17	20	4	15	9	1	12	10	69	75	30	28	13	16	1
Balance of county	1	32	2	1	5	8	-	4	6	-	2	4	34	14	17	16	6	4	-
Marengo	-	30	4	2	3	3	-	1	13	-	1	1	6	22	11	12	3	2	1
Marion	1	13	6	1	9	9	-	2	5	-	2	-	2	25	11	12	2	-	1
Marshall	4	64	5	8	17	16	3	11	3	-	4	8	5	43	25	20	16	3	2
Albertville	-	9	-	3	3	5	-	2	1	-	-	2	1	6	8	2	2	-	-
Balance of county	4	55	5	5	14	11	3	9	2	-	4	6	4	37	17	18	14	3	2
Mobile	14	248	31	31	61	112	17	37	32	-	21	39	54	263	96	89	48	55	9
Mobile	8	165	23	18	35	69	13	21	16	-	11	21	23	170	50	54	33	36	6
Prichard	3	34	2	5	6	10	1	6	7	-	3	10	12	35	5	20	-	9	2
Balance of county	3	49	6	8	10	33	3	10	9	-	7	7	19	58	41	15	15	10	1
Monroe	-	18	3	2	6	2	-	-	3	-	2	1	8	21	7	4	3	7	-
Montgomery	3	148	16	12	36	42	4	26	14	-	13	34	179	146	39	45	16	28	1
Montgomery	2	131	15	11	32	40	3	23	12	-	11	31	161	142	36	41	14	26	1
Balance of county	1	17	1	1	4	2	1	3	2	-	2	3	18	4	3	4	2	2	-
Morgan	2	63	4	6	19	28	2	4	10	-	4	6	16	54	20	25	7	12	1
Decatur	1	28	3	2	12	13	2	1	3	-	3	5	7	30	11	13	4	6	1
Balance of county	1	35	1	4	7	15	-	3	7	-	1	1	9	24	9	12	3	6	-
Perry	2	18	-	-	3	6	-	-	2	-	1	-	12	6	4	13	-	-	-
Pickens	1	27	2	3	7	5	3	-	3	-	-	-	22	8	7	7	1	1	-
Pike	-	29	4	4	9	4	1	6	4	-	-	2	3	22	7	10	1	2	3
Troy	-	14	-	2	7	2	-	3	1	-	-	-	1	11	2	2	1	-	-
Balance of county	-	15	4	2	2	2	1	3	3	-	-	2	2	11	5	8	-	2	3
Randolph	1	30	2	3	4	4	-	3	2	-	2	1	4	14	12	5	-	-	-
Russell	3	45	7	5	11	11	2	7	4	-	5	9	9	32	11	15	10	5	-
Phenix City, part	2	29	5	3	7	8	1	5	3	-	3	5	6	22	3	9	8	3	-
Phenix City, total	2	29	5	3	7	8	1	5	3	-	3	5	6	22	3	9	9	3	-
Balance of county	1	16	2	2	4	3	1	2	1	-	2	4	3	10	8	6	2	2	-
St. Clair	1	23	2	3	4	14	-	2	3	-	1	3	8	24	14	6	4	6	-
Shelby	-	36	2	3	5	20	1	4	6	1	2	3	42	36	15	15	5	4	3
Hoover, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	36	2	3	5	20	1	4	6	1	2	3	42	36	15	15	5	4	3
Sumter	-	19	2	-	4	5	1	2	5	-	3	4	16	8	6	8	2	2	-
Talladega	1	71	2	12	11	15	1	6	5	-	3	16	99	41	28	22	6	7	1
Sylacauga	1	18	-	4	2	5	1	-	3	-	-	1	33	7	3	7	1	1	-
Talladega	-	28	-	-	6	4	-	3	2	-	1	8	13	13	7	6	-	1	-
Balance of county	-	25	2	8	3	6	-	3	-	-	2	7	53	21	18	9	5	5	1
Tallapoosa	1	45	2	4	12	12	-	4	2	-	2	-	5	26	5	11	5	10	-
Alexander City	-	19	1	4	3	4	-	2	1	-	2	-	-	8	1	2	2	4	-
Balance of county	1	26	1	-	9	8	-	2	1	-	-	-	5	18	4	9	3	6	-
Tuscaloosa	10	81	14	6	16	34	2	7	18	-	6	13	77	72	29	35	11	10	2
Northport	2	9	2	2	1	5	-	-	3	-	1	3	10	11	6	3	2	2	-
Tuscaloosa	6	48	8	4	8	17	-	5	11	-	4	4	44	39	8	22	5	6	1
Balance of county	2	24	4	-	7	12	2	2	4	-	1	6	23	22	15	10	4	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Walker	707	-	-	9	140	30	51	7	19	3	4	26	8	233	174	1	5	121	47
Jasper	155	-	-	1	24	7	11	-	2	-	-	4	-	59	39	1	1	32	5
Balance of county	552	-	-	8	116	23	40	7	17	3	4	22	8	174	135	-	4	89	42
Washington	152	1	-	1	26	7	6	3	3	-	3	4	1	84	71	-	-	57	14
Wilcox	189	-	1	2	30	7	11	1	4	1	2	4	3	90	53	1	4	32	16
Winston	209	1	-	2	41	10	6	1	3	1	1	19	2	116	102	1	1	42	59
Alaska	1,897	3	-	30	370	86	102	30	29	12	7	104	27	467	371	7	3	264	97
Urban places	993	1	-	18	221	51	61	21	19	4	5	60	19	251	197	5	1	143	48
Balance of area	904	2	-	12	149	35	41	9	10	8	2	44	8	216	174	2	2	121	49
Metropolitan census areas [1]	664	1	-	11	155	31	50	15	14	2	4	39	12	155	130	4	1	89	36
Urban places	664	1	-	11	155	31	50	15	14	2	4	39	12	155	130	4	1	89	36
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	1,233	2	-	19	215	55	52	15	15	10	3	65	15	312	241	3	2	175	61
Urban places	329	-	-	7	66	20	11	6	5	2	1	21	7	96	67	1	-	54	12
Balance of area	904	2	-	12	149	35	41	9	10	8	2	44	8	216	174	2	2	121	49
Aleutian Islands	32	-	-	1	6	3	1	-	-	-	-	2	-	8	7	-	-	5	2
Anchorage, coext. with Anchorage city	664	1	-	11	155	31	50	15	14	2	4	39	12	155	130	4	1	89	36
Bethel	68	1	-	2	14	5	4	-	-	1	-	4	-	1	1	1	-	-	-
Bristol Bay borough	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Dillingham	31	-	-	1	2	-	-	-	-	1	-	1	-	4	3	-	-	2	1
Fairbanks North Star borough	247	1	-	4	44	9	8	5	4	2	1	15	6	60	41	1	-	33	7
Fairbanks	228	-	-	4	44	9	8	5	4	2	1	15	6	60	41	1	-	33	7
Balance of area	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haines borough	4	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	1	-
Juneau, coext. with Juneau city	101	-	-	3	22	11	3	1	1	-	-	6	1	36	28	-	-	21	5
Kenai Peninsula borough	128	-	-	1	29	6	12	3	1	-	-	7	2	37	28	-	1	18	9
Ketchikan Gateway borough	62	-	-	1	5	1	-	1	-	1	-	2	1	29	23	1	-	14	8
Kobuk	35	-	-	-	2	-	-	1	-	-	-	1	-	7	7	-	-	4	3
Kodiak Island borough	47	-	-	-	10	4	2	-	1	-	-	3	-	13	9	-	-	6	3
Matanuska-Susitna borough	120	-	-	-	27	8	9	3	4	1	1	6	2	30	25	-	-	21	4
Nome	49	-	-	-	12	3	3	-	-	-	-	6	-	11	9	-	-	8	1
North Slope borough	30	-	-	-	5	1	1	-	1	-	-	2	-	5	4	-	-	4	-
Prince of Wales-Outer Ketchikan	23	-	-	1	1	-	-	-	-	-	-	1	-	9	6	-	-	3	3
Sitka borough	37	-	-	-	7	2	3	-	-	-	-	2	-	15	12	-	-	10	2
Skagway-Yakutat-Angoon	24	-	-	-	4	2	2	-	-	-	-	-	1	4	3	-	1	1	1
Southeast Fairbanks	25	-	-	-	5	1	1	1	-	1	-	1	-	6	6	-	-	5	1
Valdez-Cordova	53	-	-	-	3	1	-	-	1	1	-	-	1	13	11	-	-	9	2
Wade Hampton	26	-	-	1	4	-	-	-	-	1	-	3	-	1	1	-	-	1	-
Wrangell-Petersburg	39	-	-	3	9	2	3	-	1	1	1	1	1	8	7	-	-	3	4
Yukon-Koyukuk	48	-	-	1	3	1	-	-	1	-	-	1	-	11	9	-	-	5	4
Arizona	22,593	31	-	238	5,027	1,185	1,357	412	593	241	192	1,047	428	9,721	7,655	65	144	5,784	1,662
Urban places	14,663	15	-	159	3,309	769	906	301	379	138	122	694	278	6,361	4,955	42	105	3,777	1,031
Balance of area	7,930	16	-	79	1,718	416	451	111	214	103	70	353	152	3,360	2,700	23	39	2,007	631
Metropolitan counties	16,982	19	-	180	3,910	913	1,056	341	450	181	148	821	304	7,400	5,795	50	120	4,438	1,187
Urban places	13,223	15	-	143	2,973	679	817	277	340	125	106	629	242	5,729	4,473	41	99	3,410	923
Balance of area	3,759	4	-	37	937	234	239	64	110	56	42	192	62	1,671	1,322	9	21	1,028	264
Nonmetropolitan counties	5,611	12	-	58	1,117	272	301	71	143	60	44	226	124	2,321	1,860	15	24	1,346	475
Urban places	1,440	-	-	16	336	90	89	24	39	13	16	65	34	632	482	1	6	367	108
Balance of area	4,171	12	-	42	781	182	212	47	104	47	28	161	90	1,689	1,378	14	18	979	367
Apache	307	3	-	8	37	15	2	1	4	1	3	11	8	69	55	3	1	26	25
Cochise	714	-	-	8	147	35	39	11	23	6	2	31	26	327	257	1	2	176	78
Douglas	130	-	-	2	20	9	4	-	3	-	1	3	13	59	47	-	1	33	13
Sierra Vista	106	-	-	-	27	6	5	4	3	-	1	8	6	38	29	-	-	24	5
Balance of county	478	-	-	6	100	20	30	7	17	6	-	20	7	230	181	1	1	119	60
Coconino	329	-	-	7	69	19	11	6	13	4	4	12	8	113	83	-	1	52	30
Flagstaff	118	-	-	3	35	9	6	4	7	1	1	7	2	44	34	-	-	18	16
Balance of county	211	-	-	4	34	10	5	2	6	3	3	5	6	69	49	-	1	34	14
Gila	383	2	-	6	74	12	22	2	10	7	4	17	11	187	151	1	3	98	49
Graham	188	-	-	2	33	6	6	1	9	3	1	7	7	73	57	2	1	46	8
Greenlee	61	1	-	-	13	3	4	-	3	1	-	2	1	28	22	2	-	18	2
Maricopa	12,455	12	-	120	2,866	662	766	246	334	134	106	618	247	5,488	4,326	39	64	3,371	852
Chandler	211	1	-	2	41	5	12	2	6	4	2	10	2	93	66	1	3	50	12
Glendale	669	-	-	4	150	41	35	5	20	5	3	41	16	284	228	5	2	167	54
Mesa	1,359	1	-	11	337	79	77	39	37	10	14	81	24	605	474	1	3	381	89
Paradise Valley	24	-	-	1	5	1	1	-	1	1	-	1	1	9	7	-	-	4	3
Peoria	213	-	-	4	45	12	10	8	2	2	-	11	2	107	84	-	2	60	22
Phoenix	6,011	6	-	61	1,319	289	382	107	160	62	46	273	125	2,573	2,008	21	36	1,548	403
Scottsdale	1,034	1	-	10	257	58	58	34	22	10	10	65	20	458	374	4	7	297	66
Tempe	468	-	-	3	103	22	31	14	11	3	4	18	9	204	171	2	1	131	37
Balance of county	2,466	3	-	24	609	155	160	37	75	37	27	118	48	1,155	914	5	10	733	166
Mohave	652	1	-	1	149	43	46	4	12	9	3	32	6	289	237	-	2	163	72
Lake Havasu City	102	-	-	1	40	12	10	1	4	2	2	9	-	37	31	-	-	23	8
Balance of county	550	1	-	-	109	31	36	3	8	7	1	23	6	252	206	-	2	140	64
Navajo	397	1	-	3	53	11	11	5	9	3	2	12	10	192	103	2	3	59	39
Pima	4,527	7	-	60	1,044	251	290	95	116	47	42	203	57	1,912	1,469	11	56	1,067	335
Tucson	3,234	6	-	47	716	172	211	68	81	28	27	129	43	1,396	1,061	7	45	772	237
Balance of county	1,293	1	-	13	328	79	79	27	35	19	15	74	14	516	408	4	11	295	98

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Walker	3	48	2	6	27	29	1	9	4	-	4	5	121	57	25	15	13	4	3
Jasper	1	15	1	3	5	7	-	1	1	-	3	2	27	13	2	5	4	1	-
Balance of county	2	33	1	3	22	22	1	8	3	-	1	3	94	44	23	10	9	3	3
Washington	-	11	-	2	1	3	-	1	1	-	1	2	1	11	9	5	2	2	-
Wilcox	2	29	4	2	6	4	1	2	3	-	-	1	12	16	9	7	-	2	-
Winston	-	12	1	1	2	5	1	-	1	-	-	1	1	16	8	9	3	-	-
Alaska	-	70	12	14	43	45	2	39	11	-	32	50	68	149	138	289	56	57	21
Urban places	-	37	6	11	18	31	1	27	5	-	17	24	34	77	83	99	32	27	8
Balance of area	-	33	6	3	25	14	1	12	6	-	15	26	34	72	55	190	24	30	13
Metropolitan census areas [1]	-	17	2	6	12	24	1	18	1	-	10	17	11	54	59	76	29	18	-
Urban places	-	17	2	6	12	24	1	18	1	-	10	17	11	54	59	76	29	18	-
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	-	53	10	8	31	21	1	21	10	-	22	33	57	95	79	213	27	39	21
Urban places	-	20	4	5	6	7	-	9	4	-	7	7	23	23	24	23	3	9	8
Balance of area	-	33	6	3	25	14	1	12	6	-	15	26	34	72	55	190	24	30	13
Aleutian Islands	-	1	-	-	1	1	-	-	-	-	1	1	-	1	2	9	1	-	-
Anchorage, coext. with Anchorage city	-	17	2	6	12	24	1	18	1	-	10	17	11	54	59	76	29	18	-
Bethel	-	-	-	-	4	2	-	1	-	-	-	-	6	3	2	30	-	2	-
Bristol Bay borough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Dillingham	-	1	-	-	1	-	-	-	-	-	1	-	1	1	3	11	1	4	1
Fairbanks North Star borough	-	15	3	1	5	4	-	8	4	-	8	1	22	15	18	30	1	6	10
Fairbanks	-	15	3	1	5	4	-	8	4	-	6	1	21	14	17	20	1	5	8
Balance of area	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	10	-	1	2
Haines borough	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Juneau, coext. with Juneau city	-	5	1	4	1	3	-	1	-	-	1	6	2	9	7	3	2	4	-
Kenai Peninsula borough	-	8	1	-	2	3	-	2	1	-	1	6	1	6	8	24	2	2	1
Ketchikan Gateway borough	-	5	1	-	4	1	-	-	-	-	1	2	4	1	2	10	-	1	-
Kobuk	-	-	-	-	2	1	-	-	1	-	1	2	-	3	1	7	6	-	2
Kodiak Island borough	-	4	-	-	1	1	-	1	-	-	-	1	3	6	2	7	-	1	1
Matanuska-Susitna borough	-	4	-	1	2	2	-	2	-	-	2	2	5	12	18	12	2	2	-
Nome	-	2	-	-	3	-	-	-	1	-	-	-	-	7	1	7	3	4	-
North Slope borough	-	1	-	-	-	1	-	1	-	-	-	3	1	3	-	7	1	3	-
Prince of Wales-Outer Ketchikan	-	1	2	-	1	-	-	-	-	-	2	1	-	2	-	4	-	1	1
Sitka borough	-	2	1	-	1	1	-	1	-	-	1	1	-	4	2	4	-	-	-
Skagway-Yakutat-Angoon	-	-	1	-	-	-	1	1	-	-	1	1	2	3	1	3	1	1	-
Southeast Fairbanks	-	-	-	-	2	1	-	1	-	-	-	-	4	1	1	2	-	-	2
Valdez-Cordova	-	-	-	2	-	-	-	1	-	-	1	1	-	5	6	8	5	7	2
Wade Hampton	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	12	-	1	-
Wrangell-Petersburg	-	1	-	-	-	-	-	-	1	-	1	4	-	6	-	4	2	-	-
Yukon-Koyukuk	-	2	-	-	1	-	-	1	1	-	-	1	4	5	2	17	-	-	1
Arizona	58	1,457	286	265	596	1,113	71	357	202	4	199	195	277	2,016	695	645	500	254	24
Urban places	41	990	197	178	399	735	49	223	129	1	131	134	134	1,309	395	398	319	173	14
Balance of area	17	467	89	87	197	378	22	134	73	3	68	61	143	707	300	247	181	81	10
Metropolitan counties	46	1,144	214	201	461	875	55	248	150	1	136	131	139	1,513	445	445	363	190	17
Urban places	36	882	176	162	362	683	43	197	119	1	118	114	114	1,183	350	366	295	162	14
Balance of area	10	262	38	39	99	192	12	51	31	-	18	17	25	330	95	79	68	28	3
Nonmetropolitan counties	12	313	72	64	135	238	16	109	52	3	63	64	138	503	250	200	137	64	7
Urban places	5	108	21	16	37	52	6	26	10	-	13	20	20	126	45	32	24	11	-
Balance of area	7	205	51	48	98	186	10	83	42	3	50	44	118	377	205	168	113	53	7
Apache	1	10	2	1	9	3	-	6	2	1	1	12	30	32	39	30	7	8	2
Cochise	-	43	11	16	13	14	3	15	5	-	10	13	14	58	24	15	15	6	1
Douglas	-	11	-	1	5	1	1	2	1	-	1	1	-	20	3	-	1	-	-
Sierra Vista	-	7	1	1	5	1	2	2	-	-	1	5	2	5	3	4	3	2	-
Balance of county	-	25	10	14	3	12	-	11	4	-	8	7	12	33	18	11	11	4	1
Coconino	1	22	2	5	7	5	2	8	3	-	5	8	5	28	24	17	12	8	-
Flagstaff	1	7	1	1	1	1	-	3	-	-	2	3	4	4	6	6	3	1	-
Balance of county	-	15	1	4	6	4	2	5	3	-	3	5	1	24	18	11	9	7	-
Gila	-	23	7	6	8	14	1	8	2	-	6	1	7	29	12	7	5	2	1
Graham	1	9	2	4	9	12	1	2	2	-	1	1	3	22	3	9	7	1	-
Greenlee	-	3	3	-	-	4	-	1	2	-	-	-	3	5	1	1	1	-	-
Maricopa	29	861	134	138	293	621	38	189	111	1	99	98	104	1,107	319	335	262	135	10
Chandler	2	18	2	5	6	4	-	4	1	-	3	6	2	22	8	5	7	4	-
Glendale	3	38	3	12	16	34	2	13	7	-	7	10	15	51	21	17	17	5	-
Mesa	3	90	21	17	37	76	6	16	13	-	7	7	3	111	34	30	27	12	2
Paradise Valley	-	2	-	-	1	-	-	-	-	-	-	-	1	3	2	-	1	-	-
Peoria	-	21	1	1	1	8	2	3	1	-	-	2	-	20	7	6	3	2	-
Phoenix	14	417	73	61	153	309	15	106	62	1	64	62	60	542	143	179	138	91	2
Scottsdale	1	60	12	11	16	50	4	14	9	-	7	-	4	99	28	30	20	7	-
Tempe	2	27	-	4	7	24	2	5	3	-	4	3	3	44	23	13	11	3	4
Balance of county	4	188	22	27	56	116	7	28	15	-	7	8	16	215	53	55	38	11	2
Mohave	1	35	8	8	15	24	1	12	9	-	5	3	11	51	32	20	14	8	1
Lake Havasu City	-	6	-	-	1	1	-	3	1	-	-	-	2	10	4	1	1	-	-
Balance of county	1	29	8	8	14	23	1	9	8	-	5	3	9	41	28	19	13	8	1
Navajo	-	22	4	3	16	12	-	5	5	2	8	4	16	46	30	32	15	7	-
Pima	17	283	80	63	168	254	17	59	39	-	37	33	35	406	126	110	101	55	7
Tucson	11	209	64	51	125	178	12	36	23	-	26	24	26	291	84	86	71	38	6
Balance of county	6	74	16	12	43	76	5	23	16	-	11	9	9	115	42	24	30	17	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arizona—Con.																			
Pinal	775	3	-	7	145	32	39	10	15	6	7	36	22	317	278	1	1	220	56
Casa Grande	118	-	-	2	28	3	7	3	4	-	2	9	1	44	37	1	-	29	7
Balance of county	657	3	-	5	117	29	32	7	11	6	5	27	21	273	241	-	1	191	49
Santa Cruz	138	-	-	3	33	7	6	5	5	3	3	4	2	59	46	-	1	34	11
Nogales	97	-	-	1	24	6	5	2	2	3	2	4	2	39	29	-	-	22	7
Balance of county	41	-	-	2	9	1	1	3	3	-	1	-	-	20	17	-	1	12	4
Yavapai	957	1	-	8	212	53	69	22	20	7	8	33	10	440	344	3	8	284	51
Prescott	378	-	-	5	69	19	24	8	4	1	3	10	3	204	149	-	3	125	21
Balance of county	579	1	-	3	143	34	45	14	16	6	5	23	7	236	195	3	3	159	30
Yuma [2]	710	-	-	5	152	36	46	4	20	10	7	28	13	287	227	-	3	170	54
Yuma	391	-	-	2	93	26	28	2	12	6	4	15	7	167	126	-	2	93	31
Balance of county	319	-	-	3	59	10	18	2	8	4	3	14	6	120	101	-	1	77	23
Arkansas	23,154	20	-	250	4,902	1,190	1,476	316	543	177	175	1,025	350	11,378	8,617	40	140	5,535	2,902
Urban places	8,615	11	-	100	1,760	435	508	134	210	67	53	353	133	4,267	3,160	16	64	1,953	1,127
Balance of area	14,539	9	-	150	3,142	755	968	182	333	110	122	672	217	7,111	5,457	24	76	3,582	1,775
Metropolitan counties	7,752	8	-	98	1,674	408	507	114	195	54	62	334	107	3,733	2,750	18	51	1,720	961
Urban places	5,375	7	-	69	1,128	264	337	88	136	34	38	231	78	2,621	1,918	11	41	1,191	673
Balance of area	2,377	1	-	29	546	144	170	26	59	20	24	103	29	1,112	834	7	10	529	288
Nonmetropolitan counties	15,402	12	-	152	3,228	782	969	202	348	123	113	691	243	7,645	5,867	22	89	3,815	1,941
Urban places	3,240	4	-	31	632	171	171	46	74	33	15	122	55	1,646	1,244	5	23	762	454
Balance of area	12,162	8	-	121	2,596	611	798	156	274	90	98	569	188	5,999	4,623	17	66	3,053	1,487
Arkansas	301	-	-	3	65	21	18	4	11	3	3	5	2	141	81	1	2	57	21
Stuttgart	129	-	-	2	31	8	8	3	5	2	3	2	2	50	32	-	1	21	10
Balance of county	172	-	-	1	34	13	10	1	6	1	-	3	-	91	49	1	1	36	11
Ashley	259	-	-	8	62	22	16	2	5	4	2	11	5	98	72	-	1	43	26
Baxter	432	-	-	3	122	46	37	6	13	4	1	15	11	196	148	3	-	105	40
Benton	792	1	-	10	178	58	46	7	12	5	8	40	11	398	284	3	2	211	68
Rogers	214	1	-	5	43	11	14	1	2	1	3	11	3	108	80	-	-	52	26
Springdale, part	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	576	-	-	5	133	47	32	6	10	4	5	29	8	290	204	3	2	159	40
Boone	294	-	-	1	64	8	19	3	10	3	3	18	3	146	120	1	2	97	20
Bradley	181	-	-	2	33	9	8	1	4	3	-	8	6	100	76	-	-	66	10
Calhoun	56	-	-	-	15	1	5	2	1	-	-	6	1	38	31	-	-	21	10
Carroll	199	-	-	3	42	11	10	5	3	1	1	11	2	88	74	4	2	47	21
Chicot	190	-	-	1	30	8	10	1	3	1	1	6	2	83	65	-	1	53	11
Clark	240	-	-	3	48	16	12	1	6	2	-	11	1	121	84	1	1	58	24
Arkadelphia	96	-	-	1	22	9	5	-	3	1	-	4	-	51	32	1	-	24	7
Balance of county	144	-	-	2	26	7	7	1	3	1	-	7	1	70	52	-	1	34	17
Clay	265	-	-	3	45	15	13	2	3	3	1	8	6	118	98	-	-	67	31
Cleburne	201	-	-	3	37	10	9	4	4	1	2	7	2	80	56	-	2	34	20
Cleveland	91	-	-	1	24	6	9	-	3	-	1	5	2	45	32	-	-	24	8
Columbia	288	1	-	2	58	12	16	6	8	2	3	11	4	152	99	-	3	68	28
Magnolia	102	1	-	1	20	5	4	2	3	1	1	4	2	57	33	-	1	26	6
Balance of county	186	-	-	1	38	7	12	4	5	1	2	7	2	95	66	-	2	42	22
Conway	209	-	-	1	42	5	10	3	5	4	2	13	2	117	101	-	2	48	51
Craighead	569	-	-	6	115	30	27	6	12	7	2	31	10	297	224	1	1	171	51
Jonesboro	287	-	-	4	56	18	8	1	7	5	1	16	6	145	110	1	1	82	26
Balance of county	282	-	-	2	59	12	19	5	5	2	1	15	4	152	114	-	-	89	25
Crawford	359	-	-	2	61	18	21	1	4	1	1	15	3	214	154	1	3	71	79
Van Buren	153	-	-	2	26	4	5	1	2	-	1	13	1	90	65	-	3	30	32
Balance of county	206	-	-	-	35	14	16	-	2	1	-	2	2	124	89	1	-	41	47
Crittenden	426	-	-	5	76	16	22	6	11	2	2	17	4	166	108	-	1	77	28
West Memphis	228	-	-	4	39	11	13	3	4	2	1	5	2	90	48	-	1	37	10
Balance of county	198	-	-	1	37	5	9	3	7	-	1	12	2	76	58	-	-	40	18
Cross	198	-	-	-	45	8	14	4	2	3	3	11	2	94	69	-	2	45	22
Dallas	137	-	-	3	25	3	11	2	4	-	-	5	4	71	60	1	-	30	29
Desha	198	-	-	1	34	8	10	2	4	2	3	5	3	99	62	-	2	45	15
Drew	155	-	-	1	29	4	12	-	5	1	-	7	3	79	66	-	2	44	20
Faulkner	385	-	-	8	94	13	32	11	8	5	2	23	5	158	129	-	1	79	49
Conway	168	-	-	2	40	6	14	6	2	3	1	8	3	78	62	-	-	39	23
Balance of county	217	-	-	6	54	7	18	5	6	2	1	15	2	80	67	-	1	40	26
Franklin	154	-	-	-	31	3	9	1	7	-	1	10	1	83	64	-	-	38	26
Fulton	102	-	-	-	19	4	7	3	2	2	-	1	-	64	51	1	-	34	16
Garland	1,008	1	-	7	206	51	62	13	17	10	6	47	11	570	448	1	4	184	259
Hot Springs	723	1	-	5	135	33	37	9	13	7	4	32	6	424	333	1	2	136	194
Balance of county	285	-	-	2	71	18	25	4	4	3	2	15	5	146	115	-	2	48	65
Grant	134	-	-	1	32	10	10	3	4	-	1	4	1	69	54	-	-	41	13
Greene	323	1	-	2	65	13	26	6	5	2	7	6	6	175	138	-	3	86	49
Paragould	176	1	-	1	28	7	12	3	-	-	1	5	4	100	79	-	2	50	27
Balance of county	147	-	-	1	37	6	14	3	5	2	6	1	2	75	59	-	1	36	22
Hempstead	265	1	-	2	46	12	13	4	3	1	2	11	11	135	105	1	4	80	20
Hope	135	1	-	-	20	7	2	2	1	1	1	6	5	72	54	-	3	41	10
Balance of county	130	-	-	2	26	5	11	2	2	-	1	5	6	63	51	1	1	39	10
Hot Spring	289	-	-	3	60	13	20	3	10	2	-	12	10	144	110	-	1	68	41
Malvern	150	-	-	3	23	4	8	2	4	1	-	4	7	75	69	-	1	35	29
Balance of county	139	-	-	-	37	9	12	1	6	1	-	8	3	69	51	-	-	33	18
Howard	167	-	-	3	35	6	7	-	5	2	4	11	4	72	54	-	6	27	21
Independence	317	-	-	5	68	12	24	2	6	2	3	19	3	167	134	-	4	74	58

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	5	28	3	3	18	36	1	22	12	-	8	12	9	77	27	27	21	10	1
Casa Grande	1	5	1	-	1	4	-	5	3	-	-	6	1	10	5	4	2	2	-
Balance of county	4	23	2	3	17	32	1	17	9	-	8	6	8	67	22	23	19	8	1
Santa Cruz	-	10	3	-	3	9	-	2	1	-	2	-	4	11	6	1	1	1	-
Nogales	-	7	3	-	3	8	-	2	1	-	2	-	2	9	2	1	-	1	-
Balance of county	-	3	-	-	-	1	-	-	-	-	-	-	2	2	4	-	1	-	-
Yavapai	1	62	21	12	22	76	4	18	4	-	4	5	7	82	24	16	24	-	-
Prescott	1	35	10	9	12	22	2	3	1	-	2	2	3	33	6	2	9	-	-
Balance of county	-	27	11	3	10	54	2	15	3	-	2	3	4	49	18	14	15	-	-
Yuma [2]	2	46	6	6	15	29	3	10	5	-	13	5	29	62	28	25	15	13	1
Yuma	2	30	5	4	9	14	1	6	3	-	5	3	6	35	16	14	5	5	-
Balance of county	-	16	1	2	6	15	2	4	2	-	8	2	23	27	12	11	10	8	1
Arkansas	64	2,203	285	209	585	690	48	190	287	4	110	151	821	1,681	565	597	277	218	30
Urban places	22	884	126	75	215	263	22	81	89	3	51	73	283	652	173	222	109	94	14
Balance of area	42	1,319	159	134	370	427	26	109	198	1	59	78	538	1,029	392	375	168	124	16
Metropolitan counties	22	778	114	69	191	231	18	70	91	-	46	64	255	558	191	200	112	91	14
Urban places	18	546	94	47	125	160	14	54	65	-	36	48	169	402	112	131	78	68	10
Balance of area	4	232	20	22	66	71	4	16	26	-	10	16	86	156	79	69	34	23	4
Nonmetropolitan counties	42	1,425	171	140	394	459	30	120	196	4	64	87	566	1,123	374	397	165	127	16
Urban places	4	338	32	28	90	103	8	27	24	3	15	25	114	250	61	91	31	26	4
Balance of area	38	1,087	139	112	304	356	22	93	172	1	49	62	452	873	313	306	134	101	12
Arkansas	-	41	15	4	5	10	1	4	3	-	4	2	26	17	7	5	4	2	-
Stuttgart	-	17	-	1	2	4	-	-	2	-	3	2	14	9	1	3	3	1	-
Balance of county	-	24	15	3	3	6	1	4	1	-	1	-	12	8	6	2	1	1	-
Ashley	2	19	3	2	10	8	-	6	7	-	2	2	13	22	5	6	2	3	-
Baxter	1	39	5	3	14	15	-	6	10	-	-	1	10	22	6	9	4	3	-
Benton	3	90	12	9	23	27	4	7	11	-	4	5	12	54	23	13	11	2	-
Rogers	1	20	4	3	2	8	2	3	3	-	3	4	3	15	5	2	3	1	-
Springdale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Balance of county	2	70	8	6	21	19	2	4	8	-	1	1	9	38	18	11	7	1	-
Boone	-	19	-	7	18	11	1	2	3	-	2	1	1	21	8	10	1	1	-
Bradley	1	17	3	3	8	1	-	1	-	-	1	-	2	18	4	3	-	2	-
Calhoun	2	5	-	-	1	2	1	-	-	-	-	-	2	-	1	-	3	2	-
Carroll	-	7	3	4	12	9	-	1	2	-	1	-	8	16	5	6	3	1	-
Chicot	-	14	3	1	4	5	-	-	1	-	1	2	26	16	4	9	2	4	-
Clark	1	26	7	3	4	4	-	1	2	-	-	-	22	17	5	5	5	2	-
Arkadelphia	1	13	5	-	2	1	-	-	2	-	-	-	4	7	3	1	2	-	-
Balance of county	-	13	2	3	2	3	-	1	-	-	-	-	18	10	2	4	3	2	-
Clay	-	18	-	2	10	13	3	1	8	-	2	-	2	27	17	5	4	-	1
Cleburne	-	20	1	3	3	3	-	2	1	-	-	2	40	18	6	3	1	-	-
Cleveland	-	10	2	1	-	3	-	-	3	-	1	1	-	5	2	2	1	1	-
Columbia	2	47	1	3	5	6	-	3	5	-	1	5	3	27	8	4	2	2	-
Magnolia	-	20	1	3	1	2	-	2	2	-	-	2	2	5	3	1	-	1	-
Balance of county	2	27	-	-	4	4	-	1	3	-	1	3	1	22	5	3	2	1	-
Conway	1	10	-	5	6	6	-	1	2	-	-	-	8	14	7	1	-	2	-
Craighead	2	61	5	5	13	18	2	3	3	-	2	7	7	39	18	14	12	2	1
Jonesboro	1	30	2	2	6	8	2	2	1	-	2	5	4	25	4	9	7	1	-
Balance of county	1	31	3	3	7	10	-	1	2	-	-	2	3	14	14	5	5	1	1
Crawford	-	53	2	5	12	9	-	3	5	-	2	-	3	19	6	11	6	2	1
Van Buren	-	23	1	1	5	4	-	2	4	-	2	-	-	7	1	5	4	-	-
Balance of county	-	30	1	4	7	5	-	1	1	-	-	-	3	12	5	6	2	2	1
Crittenden	4	50	3	3	15	12	-	4	5	-	1	6	63	26	17	11	5	8	2
West Memphis	4	34	2	2	12	8	-	3	4	-	1	3	29	17	8	2	2	2	2
Balance of county	-	16	1	1	3	4	-	1	1	-	-	3	34	9	9	9	3	6	-
Cross	-	24	1	-	8	2	1	1	2	-	2	3	12	18	-	5	1	-	2
Dallas	1	5	4	1	3	4	-	-	2	-	-	-	9	8	3	2	2	1	-
Desha	1	30	5	1	6	5	-	1	4	-	2	-	20	15	1	3	2	2	-
Drew	-	8	4	1	4	4	-	-	5	-	-	1	4	13	2	4	3	3	-
Faulkner	2	29	3	1	5	15	1	3	4	-	2	2	26	34	11	12	4	1	-
Conway	-	13	2	1	4	5	1	2	1	-	-	-	8	18	1	4	-	1	-
Balance of county	2	10	1	-	1	10	-	1	3	-	2	2	18	16	10	8	4	-	-
Franklin	-	18	1	-	4	3	-	1	2	-	-	1	11	4	3	8	2	-	-
Fulton	-	10	3	-	-	8	-	-	1	-	-	-	3	5	1	-	-	1	-
Garland	2	102	7	11	20	41	3	9	6	-	5	4	11	68	9	21	6	9	1
Hot Springs	-	79	6	6	17	32	2	4	2	-	2	2	8	53	5	18	3	3	1
Balance of county	2	23	1	5	3	9	1	5	4	-	3	2	3	15	4	3	3	6	-
Grant	-	12	2	1	4	4	-	-	1	-	1	1	-	7	7	4	-	-	2
Greene	1	31	-	5	7	8	1	2	1	-	1	2	3	24	10	9	4	2	-
Paragould	-	19	-	2	5	4	1	-	-	-	1	-	2	13	5	7	2	2	-
Balance of county	1	12	-	3	2	4	-	2	1	-	-	2	1	11	5	2	2	-	-
Hempstead	-	23	5	2	6	5	-	3	2	-	1	1	5	21	5	12	3	5	1
Hope	-	12	4	2	3	3	-	3	-	-	-	-	1	10	4	9	-	3	1
Balance of county	-	11	1	-	3	2	-	-	2	-	1	1	4	11	1	3	3	2	-
Hot Spring	1	25	6	2	4	11	-	2	-	-	1	2	3	23	9	8	3	6	-
Malvern	-	11	4	1	2	6	-	1	-	-	1	2	2	14	6	5	1	2	-
Balance of county	1	14	2	1	2	5	-	1	-	-	-	-	1	9	3	3	2	4	-
Howard	-	14	1	3	5	5	-	-	3	-	-	1	4	15	8	6	4	2	-
Independence	-	23	8	4	6	9	-	2	4	-	1	2	10	17	3	12	6	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Izard	165	1	-	-	35	6	12	1	2	1	2	11	1	92	71	-	-	51	20
Jackson	231	1	-	2	36	5	10	4	5	1	2	9	9	128	91	-	-	55	36
Jefferson	669	1	-	11	194	56	47	6	24	4	6	51	13	455	340	1	7	217	115
Pine Bluff	654	1	-	6	191	38	31	4	16	3	2	37	11	359	263	1	7	172	83
Balance of county	215	-	-	5	63	18	16	2	8	1	4	14	2	98	77	-	-	45	32
Johnson	213	-	-	2	52	18	11	3	5	1	1	13	2	103	85	-	1	61	23
Lafayette	125	-	-	-	29	5	5	4	1	1	4	9	2	48	32	-	1	21	10
Lawrence	220	-	-	5	52	13	12	2	5	1	4	15	-	101	82	-	-	53	29
Lee	172	-	-	2	28	5	5	1	4	4	2	7	3	83	65	-	1	42	22
Lincoln	115	-	-	-	19	5	6	-	2	-	-	6	3	62	50	-	1	34	15
Little River	123	-	-	3	32	3	10	-	5	2	1	11	-	47	40	1	-	23	16
Logan	236	1	-	1	53	11	19	3	2	1	3	14	1	133	106	-	-	57	49
Lonoke	341	1	-	2	74	18	29	5	4	4	-	14	4	188	143	-	4	92	47
Madison	114	-	-	-	24	6	6	2	4	-	1	5	2	57	39	-	-	26	13
Marion	126	-	-	2	28	3	13	1	2	2	2	5	1	71	62	1	-	36	25
Miller	375	-	-	2	75	21	25	4	6	4	2	13	7	173	121	-	3	61	57
Texarkana [3]	262	-	-	2	56	14	18	4	4	3	1	12	4	121	84	-	3	43	38
Balance of county	113	-	-	-	19	7	7	-	2	1	1	1	3	52	37	-	-	18	19
Mississippi	570	1	-	3	105	27	33	6	10	4	1	24	10	269	204	2	3	146	53
Blytheville	239	-	-	1	51	13	16	2	7	4	-	9	4	88	72	1	2	49	20
Balance of county	331	1	-	2	54	14	17	4	3	-	1	15	6	171	132	1	1	97	33
Monroe	187	-	-	1	44	13	11	2	7	3	1	7	6	97	67	-	2	39	26
Montgomery	123	-	-	-	27	6	7	3	4	-	-	7	1	69	52	-	-	36	16
Nevada	152	-	-	1	33	10	7	1	8	1	1	5	3	73	60	-	1	36	23
Newton	79	-	-	1	19	5	6	-	4	-	1	3	2	38	31	-	1	17	13
Ouachita	371	-	-	6	76	25	19	3	14	-	3	12	10	177	135	1	3	103	28
Camden	197	-	-	1	39	14	9	2	7	-	-	7	8	91	69	1	3	51	14
Balance of county	174	-	-	5	37	11	10	1	7	-	3	5	2	86	66	-	-	52	14
Perry	89	-	-	2	18	3	5	1	-	-	1	8	-	43	31	-	1	23	7
Phillips	404	-	-	4	85	24	24	5	11	3	1	17	4	196	155	-	4	118	33
West Helena	115	-	-	2	26	7	6	2	4	2	-	5	1	52	46	-	1	37	8
Balance of county	289	-	-	2	59	17	18	3	7	1	1	12	3	144	109	-	3	81	25
Pike	108	1	-	2	21	6	6	1	4	-	1	3	3	57	43	-	-	23	20
Poinsett	259	-	-	4	72	14	25	3	5	1	3	21	5	118	96	-	-	72	24
Polk	191	-	-	3	38	11	12	1	2	-	2	10	3	101	87	1	2	38	46
Pope	356	1	-	2	77	24	24	9	6	4	-	10	7	152	118	-	4	82	32
Russellville	144	-	-	2	26	7	8	2	4	1	-	4	-	70	55	-	1	36	18
Balance of county	212	1	-	-	51	17	16	7	2	3	-	6	7	82	63	-	3	46	14
Prairie	109	-	-	2	28	6	5	3	5	-	2	7	-	39	23	-	-	21	2
Pulaski	2,835	2	-	40	661	159	195	51	87	24	23	122	40	1,362	1,003	6	21	601	375
Jacksonville	140	-	-	4	43	10	11	4	5	-	3	10	1	59	41	1	-	17	23
Little Rock	1,700	1	-	21	368	81	115	30	47	14	12	69	18	857	622	5	14	376	227
North Little Rock	659	1	-	11	158	45	38	13	25	5	4	28	15	309	230	-	4	139	87
Sherwood	40	-	-	-	5	2	1	1	1	-	-	-	1	20	16	-	1	9	6
Balance of county	296	-	-	4	87	21	30	3	9	5	4	15	5	123	94	-	2	60	32
Randolph	156	-	-	-	33	8	13	4	3	2	-	3	3	87	65	-	-	48	17
St. Francis	308	-	-	4	63	15	19	4	9	2	1	13	6	151	122	-	1	78	43
Forrest City	140	-	-	-	22	6	6	1	4	1	1	3	2	77	65	-	-	41	24
Balance of county	166	-	-	4	41	9	13	3	5	1	-	10	4	74	57	-	1	37	19
Saline	360	-	-	5	87	8	38	6	13	1	4	17	4	165	125	-	1	56	68
Benton	173	-	-	2	43	4	19	1	6	1	1	11	1	87	69	-	-	32	37
Balance of county	187	-	-	3	44	4	19	5	7	-	3	6	3	78	56	-	1	24	31
Scott	116	-	-	-	28	5	6	1	3	3	-	10	1	57	49	-	-	34	15
Searcy	107	-	-	2	17	2	8	3	-	-	1	3	4	56	46	-	-	37	9
Sebastian	853	1	-	11	165	34	55	17	22	4	7	26	12	354	263	1	7	196	59
Fort Smith	687	1	-	7	128	23	40	15	16	3	6	25	12	289	210	1	6	155	48
Balance of county	166	-	-	4	37	11	15	2	6	1	1	1	-	65	53	-	1	41	11
Sevier	178	-	-	3	26	6	6	1	2	2	2	7	-	102	75	1	-	54	20
Sharp	207	-	-	2	42	10	16	3	4	1	2	6	4	108	86	-	-	55	31
Stone	108	-	-	1	24	4	5	1	4	2	-	8	2	53	40	-	1	21	18
Union	543	-	-	10	113	29	32	12	17	4	7	12	10	256	185	-	3	124	58
El Dorado	303	-	-	6	65	19	20	7	9	2	2	6	5	144	100	-	2	66	32
Balance of county	240	-	-	4	48	10	12	5	8	2	5	6	5	112	85	-	1	58	26
Van Buren	133	-	-	1	26	6	12	1	3	-	-	4	2	64	48	-	-	36	12
Washington	760	3	-	9	147	35	48	16	11	7	8	22	13	399	314	5	6	207	96
Fayetteville	259	2	-	3	48	11	16	5	7	1	3	5	5	131	107	3	1	70	33
Springdale, part	204	-	-	2	40	10	16	6	1	1	1	5	4	107	81	-	1	59	21
Springdale, total	206	-	-	2	40	10	16	6	1	1	1	5	4	107	81	-	1	59	21
Balance of county	297	1	-	4	59	14	16	5	3	5	4	12	4	161	126	2	4	78	42
White	520	-	-	5	116	31	41	7	5	4	3	25	4	224	164	-	7	105	52
Searcy	136	-	-	-	28	8	8	2	1	2	-	7	-	62	43	-	3	28	12
Balance of county	384	-	-	5	88	23	33	5	4	2	3	18	4	162	121	-	4	77	40
Woodruff	150	1	-	1	29	6	9	-	4	-	2	8	2	72	60	1	1	31	27
Yell	205	-	-	-	47	11	14	1	5	1	3	12	-	120	94	-	1	76	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	-	15	4	2	7	3	-	-	1	-	1	-	-	11	4	5	1	2	1
Jackson	-	33	1	3	9	3	1	5	2	-	2	1	1	19	2	7	1	2	-
Jefferson	2	91	17	5	11	17	3	4	8	-	4	10	11	60	17	27	10	12	1
Pine Bluff	2	75	15	4	7	14	2	4	4	-	4	8	8	44	14	19	7	10	1
Balance of county	-	16	2	1	4	3	1	-	4	-	-	2	3	16	3	8	3	2	-
Johnson	-	11	4	3	7	3	-	-	4	-	1	-	5	17	6	7	4	-	-
Lafayette	1	9	4	2	7	5	1	1	4	-	-	1	6	11	1	7	1	1	-
Lawrence	1	17	-	1	3	6	1	2	4	-	-	-	5	24	8	6	1	2	-
Lee	1	15	1	1	4	8	-	2	3	-	1	1	5	22	2	4	1	2	1
Lincoln	-	10	1	1	2	2	1	-	1	-	1	1	3	9	4	2	3	2	-
Little River	-	7	-	-	4	3	-	-	1	-	-	2	4	11	6	7	2	1	-
Logan	1	23	-	3	6	5	-	-	-	-	-	1	10	20	1	4	-	-	-
Lonoke	-	41	2	2	4	7	1	3	5	-	1	1	7	22	8	7	2	4	-
Madison	-	8	9	1	2	2	2	1	-	-	-	-	2	7	6	5	4	-	-
Marion	-	8	-	1	3	2	-	-	2	-	-	-	2	9	3	2	-	-	1
Miller	1	41	9	1	6	14	9	5	3	-	1	2	7	33	18	10	7	7	2
Texarkana a	1	27	9	-	6	10	2	5	1	-	1	2	4	21	12	4	4	5	2
Balance of county	-	14	-	1	-	4	1	-	2	-	-	-	3	12	6	6	3	2	-
Mississippi	3	50	6	6	19	13	1	7	10	1	3	9	26	53	20	13	2	5	-
Blytheville	1	19	2	4	11	7	1	1	3	1	-	4	17	22	10	6	-	2	-
Balance of county	2	31	4	2	8	6	-	6	7	-	3	5	9	31	10	7	2	3	-
Monroe	3	24	3	-	7	6	-	2	3	-	-	-	4	10	1	4	-	2	-
Montgomery	1	15	1	-	2	5	1	-	1	-	-	-	2	11	4	-	-	-	-
Nevada	-	13	-	-	4	6	-	2	-	-	-	-	8	13	1	3	3	2	-
Newton	-	6	-	1	3	2	-	-	1	-	1	2	-	8	2	-	-	-	-
Ouachita	-	36	3	3	16	12	-	7	4	1	3	1	14	19	8	10	3	3	1
Camden	-	18	1	3	10	9	-	4	1	1	1	-	11	12	1	3	2	2	1
Balance of county	-	18	2	-	6	3	-	3	3	-	2	1	3	7	7	7	1	1	-
Perry	-	12	-	-	3	5	-	1	2	-	-	-	1	7	2	1	4	-	-
Phillips	1	37	3	-	5	8	-	1	13	-	1	5	22	25	9	17	4	4	1
West Helena	1	5	-	-	1	2	-	1	3	-	-	2	6	10	3	4	-	2	-
Balance of county	-	32	3	-	4	6	-	-	10	-	1	3	16	15	6	13	4	2	1
Pike	-	10	3	1	2	1	-	-	3	-	-	-	2	8	5	2	-	1	-
Poinsett	1	18	2	1	4	7	-	3	2	-	4	-	7	14	7	6	2	4	-
Polk	-	13	-	1	4	5	-	-	3	1	1	3	-	20	5	3	1	-	-
Pope	-	28	3	3	8	13	-	5	4	-	2	1	16	33	10	13	6	6	-
Russellville	-	13	1	1	6	5	-	1	1	-	1	1	8	15	2	1	3	2	-
Balance of county	-	15	2	2	2	8	-	4	3	-	1	-	8	18	8	12	3	4	-
Prairie	-	10	2	4	1	7	-	1	1	-	-	-	14	5	4	3	3	1	-
Pulaski	4	265	58	32	56	82	6	27	34	-	21	25	28	221	56	86	41	45	2
Jacksonville	1	9	-	2	3	6	-	1	1	-	3	2	1	7	6	3	3	3	-
Little Rock	2	168	47	18	34	41	4	16	19	-	9	14	17	145	32	42	27	33	2
North Little Rock	1	63	8	7	15	18	2	8	10	-	4	5	7	51	7	27	6	5	-
Sherwood	-	3	-	1	1	5	-	-	2	-	-	-	-	3	1	1	-	1	-
Balance of county	-	22	3	4	3	12	-	2	2	-	5	4	3	15	10	13	5	3	-
Randolph	1	18	2	1	3	4	-	-	1	-	-	2	-	11	2	3	4	3	-
St. Francis	1	24	1	3	9	6	-	4	3	-	1	2	5	27	8	13	-	3	1
Forrest City	-	12	-	-	5	3	-	1	2	-	1	1	2	12	5	7	-	-	-
Balance of county	1	12	1	3	4	3	-	3	1	-	-	1	3	15	3	6	-	3	1
Saline	1	34	3	2	17	14	-	4	5	-	3	1	5	21	10	6	6	5	2
Benton	1	17	-	-	9	7	-	1	3	-	1	-	2	8	3	3	2	-	1
Balance of county	-	17	3	2	8	7	-	3	2	-	2	1	3	13	7	3	4	5	1
Scott	-	6	-	2	2	4	1	1	-	-	-	-	6	8	2	2	3	1	-
Searcy	-	9	1	-	2	3	-	1	2	-	1	-	7	5	5	1	-	1	-
Sebastian	1	76	7	7	20	26	-	10	9	-	3	10	113	66	17	11	15	8	2
Fort Smith	1	65	7	6	14	21	-	9	7	-	2	9	92	54	10	10	13	8	1
Balance of county	-	11	-	1	6	5	-	1	2	-	1	1	21	12	7	1	2	-	1
Sevier	-	24	1	2	8	11	-	-	3	-	-	-	2	11	5	5	2	-	-
Sharp	2	18	2	-	4	7	1	-	3	-	1	1	4	11	12	4	3	-	-
Stone	-	11	1	1	2	3	-	-	4	-	2	-	5	7	1	2	2	-	-
Union	3	55	8	5	14	17	3	6	4	-	3	5	11	41	16	16	10	7	1
El Dorado	-	38	4	2	11	9	1	5	2	-	3	4	4	18	6	10	5	4	1
Balance of county	3	17	4	3	3	8	2	1	2	-	-	1	7	23	10	6	5	3	-
Van Buren	-	16	-	-	4	6	-	4	1	-	-	2	5	9	1	4	4	-	-
Washington	6	71	3	5	27	27	2	6	10	-	7	3	9	47	21	18	9	1	2
Fayetteville	1	22	-	1	11	12	1	2	4	-	4	1	5	18	5	4	2	-	1
Springdale, part	3	20	1	2	6	6	1	-	3	-	2	-	1	11	8	9	4	-	-
Springdale, total	3	20	1	2	6	6	1	-	3	-	2	-	1	12	8	9	5	-	-
Balance of county	2	29	2	2	10	9	-	4	3	-	1	2	3	18	8	5	3	1	1
White	2	51	2	5	14	17	1	2	11	1	1	4	59	28	13	14	3	2	1
Searcy	-	19	-	-	4	3	-	-	2	1	-	-	21	7	2	3	3	-	-
Balance of county	2	32	2	5	10	14	1	2	9	-	1	4	38	21	11	11	-	2	1
Woodruff	-	9	2	1	4	5	1	3	2	-	-	-	7	9	4	8	2	-	-
Yell	-	21	3	2	1	2	-	1	2	-	-	1	2	8	7	6	2	6	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California	168,442	175	17	1,467	42,952	10,737	11,644	3,945	4,637	1,723	1,667	8,599	2,689	87,133	66,752	781	2,951	47,150	15,870
Urban places	154,725	147	14	1,238	35,104	8,848	9,412	3,294	3,797	1,411	1,339	7,003	2,224	72,253	55,424	635	2,610	38,718	13,461
Balance of area	33,717	28	3	249	7,848	1,889	2,232	651	840	312	328	1,596	465	14,880	11,328	146	341	8,432	2,409
Metropolitan counties	177,480	164	15	1,399	40,461	10,120	10,962	3,749	4,353	1,607	1,568	8,102	2,547	82,295	63,080	737	2,847	44,418	15,078
Urban places	151,398	142	13	1,212	34,386	8,674	9,231	3,237	3,707	1,373	1,302	6,862	2,166	70,747	54,908	627	2,571	37,873	13,297
Balance of area	26,082	22	2	187	6,075	1,446	1,731	512	646	234	266	1,240	381	11,548	8,772	110	276	6,545	1,841
Nonmetropolitan counties	10,962	11	2	88	2,491	617	682	196	284	116	99	497	142	4,838	3,672	44	104	2,732	792
Urban places	3,327	5	1	26	718	174	181	57	90	38	37	141	58	1,506	1,116	8	39	845	224
Balance of area	7,635	6	1	62	1,773	443	501	139	194	78	62	356	84	3,332	2,556	36	65	1,887	568
Alameda	9,013	10	2	89	2,081	551	541	190	224	84	88	383	112	4,302	3,274	32	268	2,258	716
Alameda	594	1	1	7	154	35	33	12	20	7	7	40	4	284	205	4	20	136	45
Albany	143	-	-	1	31	10	8	2	4	1	2	4	2	73	56	-	5	36	15
Berkeley	741	2	-	10	171	47	30	16	30	11	7	30	8	356	271	4	24	177	66
Fremont	651	-	-	4	153	36	43	16	14	8	6	30	6	287	226	2	15	161	48
Hayward	1,102	1	-	6	260	76	58	24	21	16	15	50	22	529	408	4	26	307	71
Livermore	297	1	-	1	73	19	19	7	7	2	4	15	5	146	113	1	2	90	20
Newark	112	-	-	1	33	8	5	6	2	3	2	7	2	43	29	-	1	27	1
Oakland	3,345	5	1	37	699	195	194	65	74	25	29	117	41	1,609	1,206	8	134	778	286
Piedmont	105	-	-	1	23	10	1	1	4	1	1	5	-	61	47	1	1	31	14
Pleasanton	149	-	-	1	40	13	7	5	5	1	2	7	4	63	47	-	2	32	13
San Leandro	948	-	-	7	220	54	69	21	22	3	3	48	16	481	375	5	22	270	78
Union City	180	-	-	4	48	11	12	6	5	1	4	7	-	60	50	-	3	42	5
Balance of county	646	-	-	9	158	37	62	9	16	5	6	23	2	310	241	3	13	171	54
Alpine	12	-	-	-	1	1	-	-	-	-	-	-	-	5	3	-	-	3	-
Amador	249	-	-	1	62	16	20	6	5	4	2	9	-	121	85	-	1	73	11
Butte	1,591	1	-	12	379	104	112	23	39	18	15	68	31	714	545	11	9	386	139
Chico	457	1	-	1	102	37	30	3	10	3	6	13	12	210	160	3	1	107	49
Paradise	399	-	-	4	93	27	21	6	9	8	4	18	5	191	145	4	4	107	30
Balance of county	735	-	-	7	184	40	61	14	20	7	5	37	14	313	240	4	4	172	60
Calaveras	240	-	-	-	62	18	20	3	2	2	2	15	1	112	91	-	2	74	15
Colusa	155	-	-	-	34	9	8	1	5	-	-	11	2	80	65	-	1	60	4
Contra Costa	4,830	3	-	48	1,206	294	318	102	137	63	34	258	95	2,064	1,541	20	60	1,131	330
Antioch	261	-	-	4	64	15	20	5	4	3	3	14	7	102	79	3	1	60	15
Concord	646	-	-	5	153	31	51	10	16	6	6	31	22	281	214	2	9	163	40
El Cerrito	239	-	-	1	61	19	13	4	5	4	3	13	2	118	91	1	5	62	23
Lafayette	162	1	-	-	46	11	12	6	3	3	-	11	-	71	48	2	2	32	12
Martinez	235	-	-	6	53	12	13	10	2	1	2	13	4	99	71	-	2	46	23
Moraga Town	68	-	-	-	21	4	5	2	2	3	1	4	2	31	24	-	2	16	6
Pinole	52	-	-	2	13	5	4	-	2	1	-	1	-	20	15	1	1	12	1
Pittsburg	337	-	-	4	83	23	24	4	10	3	2	17	6	192	102	1	6	72	29
Pleasant Hill	180	-	-	-	46	9	12	3	6	2	2	12	2	78	60	-	1	45	14
Richmond	769	-	-	9	175	51	41	13	27	9	2	32	22	328	246	1	9	181	55
San Pablo	266	1	-	3	71	15	27	7	5	4	-	13	8	94	70	-	2	56	12
Walnut Creek	742	1	-	8	176	44	33	18	28	11	7	35	7	356	259	3	9	196	51
Balance of county	873	-	-	6	244	55	63	20	25	13	6	62	13	354	262	6	11	190	55
Del Norte	195	-	-	1	52	16	16	4	2	3	-	11	5	83	68	-	-	38	30
El Dorado	605	2	-	9	153	35	33	13	21	6	3	42	5	252	194	4	6	148	38
South Lake Tahoe	114	1	-	3	29	2	8	4	6	1	1	7	1	41	32	-	1	28	3
Balance of county	491	1	-	6	124	33	25	9	15	5	2	35	4	211	162	4	5	118	35
Fresno	3,995	5	1	36	833	205	205	63	94	38	46	184	57	1,871	1,392	15	82	1,076	219
Clovis	254	-	-	2	57	11	16	3	8	3	4	14	7	114	90	3	5	73	9
Fresno	2,840	2	1	23	548	140	127	43	64	25	26	123	29	1,270	945	11	60	727	147
Reedley	138	-	-	1	21	8	4	4	-	1	-	4	3	72	53	-	-	47	6
Sanger	153	1	-	2	38	11	6	4	7	1	2	7	1	72	52	-	1	44	7
Selma	139	-	-	1	37	6	11	1	5	2	4	7	2	58	45	-	3	33	9
Balance of county	671	2	-	7	132	29	41	8	11	4	10	29	15	285	207	1	13	152	41
Glenn	215	-	-	2	53	19	12	4	3	-	3	12	3	80	66	-	2	46	16
Humboldt	1,013	1	-	11	215	51	51	11	26	19	12	45	10	460	345	1	12	285	67
Arcata	113	-	-	2	28	5	9	-	5	1	3	5	4	48	35	-	1	27	7
Eureka	436	-	-	3	88	22	16	5	10	9	4	22	3	204	149	-	4	113	32
Balance of county	464	1	-	6	99	24	26	6	11	9	5	18	3	208	161	1	7	125	28
Imperial	727	3	-	11	135	29	34	13	16	10	5	28	6	306	224	3	10	154	57
Brawley	150	1	-	3	30	4	11	3	5	-	2	5	3	56	32	-	2	21	9
Calexico	80	1	-	-	14	4	2	2	-	2	1	3	-	36	23	2	1	14	6
El Centro	203	1	-	-	33	6	7	4	4	2	2	8	-	101	82	-	6	62	14
Balance of county	294	-	-	8	58	15	14	4	7	6	-	12	3	113	87	1	1	57	28
Inyo	175	-	-	-	28	8	10	1	3	1	1	4	2	89	67	-	1	52	14
Kern	3,363	4	-	39	710	169	191	68	74	32	34	142	48	1,483	1,196	10	47	908	231
Bakersfield	1,945	3	-	23	391	96	104	38	44	20	18	71	27	869	686	6	32	513	135
Delano	148	-	-	2	25	6	6	2	3	2	1	5	3	73	55	1	2	39	13
Ridgecrest	137	-	-	1	46	12	14	5	3	2	2	8	1	51	47	1	1	39	6
Balance of county	1,133	1	-	13	248	55	67	23	24	8	13	58	17	490	408	2	12	317	77
Kings	551	-	-	5	107	27	27	5	11	4	8	25	11	246	180	1	8	136	35
Hanford	305	-	-	2	60	20	12	4	4	2	2	16	5	146	108	1	4	80	23
Balance of county	246	-	-	3	47	7	15	1	7	2	6	9	6	100	72	-	4	56	12
Lake	618	-	-	4	154	40	50	7	12	11	5	29	3	282	218	5	7	156	50
Lassen	185	-	-	1	39	8	11	1	8	1	1	8	-	72	61	-	1	44	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California	758	14,891	2,524	2,208	6,074	7,045	742	3,960	1,303	35	1,526	1,900	1,143	14,048	4,873	4,734	3,635	2,698	273
Urban places	648	12,356	2,080	1,745	4,979	5,645	610	3,368	1,045	30	1,279	1,609	883	11,452	3,539	3,788	2,933	2,366	219
Balance of area	110	2,535	444	463	1,095	1,400	132	592	258	5	247	291	260	2,596	1,334	946	702	332	54
Metropolitan counties	720	14,083	2,374	2,038	5,714	6,563	702	3,750	1,206	34	1,439	1,818	1,064	13,167	4,439	4,391	3,437	2,616	259
Urban places	631	12,078	2,032	1,698	4,881	5,508	602	3,297	1,021	29	1,236	1,575	861	11,170	3,432	3,697	2,877	2,334	212
Balance of area	89	2,005	342	340	833	1,055	100	453	185	5	203	243	203	1,997	1,007	694	560	282	47
Nonmetropolitan counties	38	808	150	170	360	482	40	210	97	1	87	82	79	881	434	343	198	82	14
Urban places	17	278	48	47	98	137	8	71	24	1	43	34	22	282	107	91	56	32	7
Balance of area	21	530	102	123	262	345	32	139	73	-	44	48	57	599	327	252	142	50	7
Alameda	41	757	150	90	255	292	36	188	64	1	50	77	74	716	142	248	165	114	15
Alameda	1	68	2	8	17	18	-	13	6	-	3	4	5	37	11	12	11	4	2
Albany	-	12	4	1	2	6	2	2	-	-	-	-	2	12	2	5	3	-	-
Berkeley	6	64	6	9	26	20	2	15	3	-	2	2	5	67	8	17	14	10	3
Fremont	1	50	7	3	16	32	2	11	8	-	3	11	4	64	12	17	16	3	2
Hayward	5	83	25	8	29	39	5	20	8	-	9	7	12	75	15	31	19	12	3
Livermore	1	22	6	4	9	5	-	3	4	-	1	-	4	17	6	15	4	3	-
Newark	-	12	1	1	2	-	-	3	1	-	-	2	2	9	7	-	6	1	-
Oakland	21	313	49	20	92	111	19	74	25	1	20	40	28	271	47	105	49	69	2
Piedmont	-	10	3	1	3	2	-	-	-	-	-	-	1	7	4	3	-	-	-
Pleasanton	-	12	3	1	5	5	-	4	2	-	1	-	1	10	4	4	3	1	1
San Leandro	4	61	29	12	34	28	2	27	3	-	6	3	3	72	11	12	19	3	1
Union City	1	6	-	3	4	6	1	5	2	-	3	3	3	19	5	12	4	3	-
Balance of county	1	44	15	9	16	20	3	11	2	-	2	5	4	56	10	15	17	5	1
Alpine	-	1	-	1	-	1	-	-	-	-	-	-	-	2	1	2	-	-	-
Amador	1	20	11	4	4	7	1	2	3	-	1	1	2	22	15	4	3	-	-
Butte	8	115	19	27	64	76	3	26	10	-	11	5	10	142	44	36	21	5	1
Chico	3	30	6	11	24	15	-	5	3	-	3	4	5	42	15	6	7	2	-
Paradise	3	34	3	6	11	16	2	9	-	-	2	-	1	41	7	13	4	-	-
Balance of county	2	51	10	10	29	45	1	12	7	-	6	1	4	59	22	17	10	3	1
Calaveras	1	13	4	3	12	8	-	12	1	-	1	2	-	16	3	5	3	2	-
Colusa	2	10	2	1	6	3	1	1	1	-	1	1	-	14	2	5	2	1	1
Contra Costa	25	389	51	58	148	189	17	110	31	2	35	43	24	466	91	90	105	55	8
Antioch	-	19	3	1	8	16	1	1	1	-	2	4	1	26	8	5	7	2	-
Concord	5	53	3	6	13	21	4	12	7	-	13	6	5	52	21	10	18	3	-
El Cerrito	-	25	1	1	9	3	-	11	-	-	-	-	2	22	-	5	2	2	1
Lafayette	-	17	5	1	7	4	2	4	-	-	-	1	-	17	1	3	4	1	-
Martinez	3	18	2	5	6	10	-	8	2	-	-	3	-	26	8	4	6	-	-
Moraga Town	-	6	-	1	4	3	-	1	-	-	-	-	1	1	1	1	2	-	-
Pinole	-	4	-	1	-	1	-	3	-	-	-	-	-	7	3	2	1	-	-
Pittsburg	-	24	4	2	6	15	1	15	2	-	4	6	2	24	8	11	9	8	1
Pleasant Hill	-	12	1	5	11	9	-	4	-	-	-	2	-	17	2	5	1	3	-
Richmond	3	56	10	13	22	36	1	19	7	-	3	7	5	77	10	17	9	21	1
San Pablo	7	15	1	1	11	17	2	5	2	-	5	4	1	26	1	4	9	2	-
Walnut Creek	5	75	10	7	28	29	1	9	3	-	2	1	-	69	3	6	17	4	2
Balance of county	2	65	11	14	23	25	5	18	7	2	6	9	7	80	25	17	20	9	3
Del Norte	-	7	4	4	3	9	1	1	2	-	-	-	6	9	8	6	4	5	-
El Dorado	2	42	5	9	21	23	2	6	2	-	4	9	12	56	16	20	8	4	1
South Lake Tahoe	1	7	-	1	4	-	-	5	-	-	-	4	4	14	4	1	1	2	-
Balance of county	1	35	5	8	17	23	2	1	2	-	4	5	8	42	12	19	7	2	1
Fresno	18	291	125	45	92	159	13	81	28	2	42	52	24	307	144	110	72	63	3
Clovis	1	17	5	1	7	10	1	8	2	-	1	2	2	15	16	3	6	1	-
Fresno	13	197	87	28	62	115	10	55	19	1	30	33	17	206	66	72	42	37	2
Reedley	-	13	4	2	4	1	-	2	1	-	-	4	2	17	5	1	3	1	-
Sanger	-	14	5	1	3	6	-	2	1	-	1	-	-	8	9	2	3	4	-
Selma	-	4	6	3	4	5	-	-	1	-	2	1	-	10	11	3	3	1	-
Balance of county	4	46	18	10	12	22	2	14	4	1	8	12	3	51	37	29	15	19	1
Glenn	-	8	4	2	9	7	-	3	4	-	1	3	2	19	20	5	3	1	-
Humboldt	3	89	10	13	26	51	2	21	13	-	5	9	7	88	36	29	18	9	2
Arcata	-	8	2	3	1	7	-	2	1	-	2	-	-	8	3	6	1	-	-
Eureka	2	42	4	7	13	26	1	13	4	-	2	7	2	39	8	10	6	5	2
Balance of county	1	39	4	3	12	18	1	6	8	-	1	2	5	41	25	13	11	4	-
Imperial	3	70	2	7	18	33	2	19	5	-	12	7	4	64	38	41	14	6	1
Brawley	1	22	-	1	4	7	-	3	1	-	1	2	1	16	8	6	5	2	1
Calexico	-	12	-	1	2	2	-	3	-	-	1	2	-	10	5	4	-	-	-
El Centro	1	15	-	3	6	5	-	5	2	-	7	-	1	21	8	7	2	4	-
Balance of county	1	21	2	2	6	19	2	8	2	-	3	3	2	17	17	24	7	2	-
Inyo	-	17	2	3	8	5	-	2	2	-	-	-	-	24	6	5	3	-	1
Kern	15	202	34	36	105	135	11	61	37	-	31	55	27	257	151	88	68	50	3
Bakersfield	11	138	20	14	55	73	7	37	23	-	15	34	19	183	77	55	43	30	1
Delano	1	11	3	3	4	3	-	4	3	-	2	4	-	6	11	1	3	4	-
Ridgecrest	-	2	-	2	5	5	-	3	-	-	1	-	1	9	9	2	2	1	-
Balance of county	3	51	11	17	41	54	4	17	11	-	13	17	7	79	54	30	20	15	2
Kings	4	27	29	6	12	23	3	12	5	-	6	7	2	40	34	20	11	7	-
Hanford	2	18	16	2	8	7	1	9	2	-	3	2	1	24	14	6	8	5	-
Balance of county	2	9	13	4	4	16	2	3	3	-	3	5	1	16	20	12	3	2	-
Lake	2	51	4	7	25	33	7	13	8	-	2	1	2	44	12	16	10	1	1
Lassen	-	6	3	2	5	9	-	6	2	-	1	1	-	19	14	6	8	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Los Angeles	59,561	68	7	407	13,182	3,414	3,482	1,278	1,421	503	498	2,586	926	28,847	22,660	212	1,394	14,228	6,828
Alhambra	656	1	–	6	138	45	24	13	18	3	7	28	8	364	293	1	11	206	75
Arcadia	501	–	–	2	110	25	34	13	15	2	7	14	3	279	233	1	10	150	72
Artesia	101	–	–	–	21	5	5	2	3	1	2	3	3	48	40	1	1	23	15
Azusa	243	–	–	2	64	19	18	7	4	1	–	14	3	106	88	–	5	60	23
Baldwin Park	325	–	–	2	61	10	21	7	7	2	–	14	10	150	120	1	9	79	31
Bell	217	1	–	1	36	5	8	2	6	1	1	13	6	105	85	1	3	56	25
Bellflower	518	–	–	2	116	24	30	19	11	4	6	22	11	257	218	1	7	150	60
Bell Gardens	193	1	–	1	37	8	17	2	4	1	2	3	1	78	68	–	5	42	21
Beverly Hills	418	–	1	1	130	32	27	13	21	4	7	26	4	206	165	–	5	121	39
Burbank	884	–	–	2	222	57	51	31	20	4	6	53	10	453	344	5	19	225	95
Carson	456	1	–	4	110	26	25	12	10	6	4	27	11	184	145	2	8	87	48
Cerritos	150	–	–	1	45	8	12	8	7	1	–	9	2	70	56	–	4	33	19
Claremont	233	–	–	–	45	12	12	4	4	3	–	10	3	140	111	–	4	80	27
Commerce	47	–	–	–	15	7	–	2	–	1	–	5	3	16	13	2	2	6	3
Compton	698	1	1	9	135	32	37	16	16	3	6	25	17	262	205	4	39	103	59
Covina	434	–	–	3	114	28	34	13	14	5	2	18	7	210	181	1	15	114	51
Cudahy	111	–	–	2	25	6	4	4	1	2	2	6	–	41	33	1	1	21	10
Culver City	364	–	–	2	100	25	26	7	10	3	3	26	8	164	122	4	11	72	35
Downey	713	2	–	6	176	42	55	12	21	7	10	29	9	357	284	4	19	172	89
Duarte	181	–	–	3	39	9	11	1	5	2	1	10	4	97	73	–	2	43	29
El Monte	588	1	–	3	109	34	21	12	15	4	5	18	6	256	208	3	9	129	67
El Segundo	103	–	–	–	20	5	6	3	1	1	–	4	2	55	41	–	–	23	18
Gardena	522	–	–	4	103	29	25	8	9	3	6	23	10	256	204	3	13	119	69
Glendale	1,413	2	–	9	296	75	69	33	35	12	10	62	15	778	596	5	37	391	163
Glendora	324	–	–	3	69	21	23	7	6	–	2	10	8	177	146	1	4	108	33
Hawaiian Gardens	48	–	–	–	10	2	3	–	–	1	–	4	3	18	16	–	–	13	3
Hawthorne	455	–	–	1	107	24	36	10	8	4	3	22	5	222	178	1	9	119	49
Hermosa Beach	93	–	–	1	18	2	7	2	–	1	1	5	1	44	33	1	–	19	13
Huntington Park	393	2	–	3	77	21	20	4	7	5	4	16	4	197	153	–	5	94	54
Inglewood	769	–	–	4	144	38	38	22	12	5	7	22	15	367	282	1	22	180	79
La Canada Flintridge	58	–	–	–	14	6	2	2	2	1	–	1	1	31	21	1	2	14	4
Lakewood	492	–	–	4	121	25	41	10	16	5	1	23	7	244	195	1	6	125	63
La Mirada	222	1	–	3	50	13	15	1	5	1	2	13	3	99	86	–	3	59	24
Lancaster	523	–	–	5	124	30	37	9	16	5	3	24	6	244	203	1	7	153	42
La Puente	370	1	–	3	88	18	30	14	11	2	3	10	7	152	123	1	12	74	36
La Verne	205	–	–	–	48	11	14	4	7	2	–	10	2	113	87	–	6	62	19
Lawndale	167	–	–	1	36	6	12	2	3	3	2	8	1	76	55	–	2	34	19
Lomita	184	–	–	–	43	11	9	7	2	2	1	11	5	87	62	2	2	37	21
Long Beach	3,846	3	1	24	882	215	233	83	82	34	32	183	42	2,041	1,630	14	90	991	535
Los Angeles	26,555	40	2	198	5,786	1,573	1,481	519	625	202	215	1,171	434	12,677	9,930	94	694	6,060	3,082
Lynwood	317	–	–	2	68	17	27	6	6	1	1	10	4	142	115	2	4	71	38
Manhattan Beach	184	–	–	1	49	7	14	9	6	4	1	8	2	82	63	2	1	42	18
Maywood	135	2	–	1	27	3	8	5	4	–	1	6	2	66	57	–	6	32	19
Monrovia	317	–	–	–	73	19	21	8	12	3	3	7	6	157	129	2	4	86	37
Montebello	364	1	–	2	89	23	21	10	10	4	6	15	11	178	135	1	3	86	45
Monterey Park	327	–	–	1	84	26	19	6	4	6	1	22	10	146	118	–	6	84	28
Norwalk	551	2	1	3	109	27	38	4	12	3	4	21	7	264	217	3	18	139	57
Palmdale	240	–	–	2	66	19	23	6	5	–	4	9	3	106	88	1	6	58	23
Palos Verdes Estates	78	–	–	1	25	9	5	3	2	1	1	4	1	32	23	–	1	10	12
Paramount	250	–	–	3	54	14	18	7	4	2	1	8	4	113	102	–	3	59	40
Pasadena	1,391	–	–	5	288	76	60	32	39	11	14	56	18	754	533	6	33	347	147
Pico Rivera	342	–	–	6	68	25	15	5	5	3	2	13	5	159	134	1	7	92	34
Pomona	745	–	–	6	130	35	38	10	12	9	2	24	6	364	303	2	21	201	79
Rancho Palos Verdes	160	–	–	–	61	13	16	11	4	2	4	11	2	68	55	1	6	27	21
Redondo Beach	391	–	–	5	88	17	17	8	10	3	2	25	10	192	136	3	5	96	30
Rosemead	364	–	–	3	83	21	22	11	14	3	2	10	9	187	152	3	11	98	40
San Dimas	165	–	1	–	33	7	12	3	1	3	3	4	4	89	72	–	4	43	25
San Fernando	222	1	–	3	45	22	7	3	3	1	2	7	6	103	80	2	5	47	26
San Gabriel	428	–	–	4	78	26	14	6	6	8	6	12	7	215	157	1	7	102	47
San Marino	114	–	–	–	30	5	7	2	5	2	3	6	4	55	41	–	3	23	15
Santa Fe Springs	73	–	–	2	16	2	4	1	3	–	1	5	2	32	26	–	–	19	7
Santa Monica	990	1	–	7	251	72	71	26	24	12	8	38	12	514	370	4	21	227	118
Sierra Madre	98	–	–	2	23	2	8	2	2	1	2	6	–	59	42	–	1	36	5
South El Monte	84	–	–	–	18	3	7	3	–	–	2	3	–	36	31	–	2	18	11
South Gate	520	–	–	4	111	24	45	7	12	3	3	17	8	244	186	–	11	117	58
South Pasadena	186	–	–	–	43	8	8	4	6	4	2	11	3	107	80	–	3	52	25
Temple City	330	–	–	1	82	26	15	8	13	4	4	12	2	181	135	–	7	88	40
Torrance	1,059	1	–	6	258	56	79	20	31	17	10	45	16	500	390	3	20	262	105
West Covina	485	–	–	4	113	32	41	6	11	5	2	16	5	230	204	1	10	137	56
Whittier	1,079	–	–	–	274	62	69	38	28	7	12	58	15	524	431	8	17	286	120
Balance of county	2,701	3	–	18	581	132	159	68	62	32	26	102	44	1,227	929	8	45	594	282
Madera	536	–	–	4	104	28	32	5	13	6	5	15	11	255	200	7	5	159	29
Madera	312	–	–	3	54	14	16	2	6	5	3	8	9	156	119	2	5	96	16
Balance of county	224	–	–	1	50	14	16	3	7	1	2	7	2	99	81	5	–	63	13
Marin	1,931	1	–	17	514	127	144	48	48	16	21	110	21	838	595	10	20	454	111
Larkspur	45	–	–	–	13	1	3	–	–	–	2	7	–	22	17	–	–	14	3
Mill Valley	225	–	–	1	72	20	12	12	10	2	1	15	2	83	64	1	–	44	19
Novato	565	1	–	7	151	37	50	11	11	6	8	28	8	252	184	1	14	139	30
San Anselmo	115	–	–	2	29	12	4	2	2	1	1	7	–	53	34	–	1	30	3
San Rafael	512	–	–	3	118	22	38	13	8	4	6	27	8	240	172	4	3	140	25
Balance of county	469	–	–	4	131	35	37	10	17	3	3	26	3	188	124	4	2	87	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Los Angeles	274	4,559	816	598	1,802	1,843	246	1,394	368	15	519	752	313	3,677	1,318	1,386	1,032	1,402	57
Alhambra	3	55	7	6	21	17	5	13	2	-	6	5	1	36	6	7	8	11	1
Arcadia	-	35	4	7	6	9	4	11	2	-	3	2	-	36	5	8	16	3	-
Artesia	-	7	-	1	3	3	1	3	2	-	-	1	-	7	2	4	2	1	-
Azusa	-	16	-	2	2	7	1	8	1	-	2	5	2	14	9	11	4	4	-
Baldwin Park	1	24	3	2	10	11	2	9	4	-	6	3	2	18	8	14	3	12	-
Bell	1	14	2	3	5	13	1	11	-	-	3	4	2	14	1	10	2	2	-
Bellflower	1	31	1	6	18	15	1	12	3	-	7	3	3	37	7	9	9	7	1
Bell Gardens	-	9	1	-	8	6	3	5	2	-	2	7	1	17	5	6	5	8	-
Beverly Hills	5	26	5	5	13	7	1	2	5	-	1	3	-	24	1	7	7	4	1
Burbank	5	78	14	12	26	29	3	16	5	-	2	5	3	51	14	18	19	7	-
Carson	-	27	7	5	19	15	-	10	5	-	6	9	3	22	17	13	10	16	1
Cerritos	-	8	1	5	4	2	2	2	-	-	3	1	-	11	5	1	-	1	-
Claremont	-	27	2	-	9	2	2	1	-	-	2	2	1	10	6	5	4	1	-
Commerce	-	2	-	1	1	-	-	2	-	-	-	1	1	1	1	1	3	2	-
Compton	3	47	-	7	16	16	7	15	3	-	7	31	11	43	21	22	14	85	-
Covina	2	22	3	2	10	20	1	6	1	-	2	4	2	24	14	3	10	3	-
Cudahy	-	7	-	1	5	3	1	2	-	-	3	2	2	7	3	2	3	10	-
Culver City	-	33	5	4	13	7	1	15	3	1	2	1	1	13	10	10	9	8	-
Downey	4	45	16	8	21	31	3	13	2	-	4	3	3	41	12	11	14	5	-
Duarte	-	17	6	1	7	4	1	1	-	-	1	3	1	8	3	6	1	2	-
El Monte	3	37	4	4	24	19	2	27	6	-	11	15	3	41	18	26	7	13	1
El Segundo	1	11	1	1	2	5	1	2	1	1	-	-	-	7	4	2	-	1	-
Gardena	2	34	12	4	17	21	2	12	4	-	6	6	-	28	20	18	8	7	-
Glendale	3	124	42	13	45	45	5	24	7	-	9	10	7	88	20	17	21	15	-
Glendora	2	25	-	4	12	13	-	2	-	-	1	1	1	19	10	5	1	2	-
Hawaiian Gardens	-	2	-	-	2	3	1	1	-	-	-	-	-	5	1	-	3	1	-
Hawthorne	1	30	7	6	11	16	1	12	5	-	5	2	-	38	6	10	8	6	-
Hermosa Beach	1	8	2	-	1	5	-	2	-	-	-	-	-	11	3	5	1	1	-
Huntington Park	3	32	6	3	10	15	-	12	4	-	5	10	5	19	6	8	4	12	-
Inglewood	2	62	13	8	17	17	4	15	2	-	15	17	4	62	24	18	10	33	1
La Canada Flintridge	-	6	2	2	-	3	-	1	-	-	-	-	1	-	3	3	1	-	-
Lakewood	-	38	6	5	13	14	3	8	1	-	6	5	1	33	9	6	10	6	1
La Mirada	-	13	-	-	11	11	2	5	-	-	1	3	1	17	5	7	3	-	-
Lancaster	1	29	5	6	13	28	2	11	4	-	4	6	4	27	26	10	8	-	1
La Puente	-	22	2	5	7	10	2	15	2	2	4	7	2	19	15	13	6	14	1
La Verne	1	22	3	-	8	8	-	4	1	-	-	-	-	18	2	-	-	1	-
Lawndale	2	13	4	2	5	10	1	4	-	-	1	2	-	11	5	5	6	3	-
Lomita	-	9	13	3	5	3	3	3	2	-	2	1	1	11	3	7	6	2	-
Long Beach	17	294	57	43	145	149	15	91	18	-	30	45	16	209	60	82	48	61	5
Los Angeles	148	2,026	358	215	795	779	117	642	193	9	212	339	136	1,663	544	659	451	852	27
Lynwood	2	20	4	1	10	7	1	6	1	-	4	12	3	26	6	7	4	14	-
Manhattan Beach	2	11	6	-	3	6	-	5	1	-	-	3	1	12	6	5	8	-	-
Maywood	-	4	3	2	5	2	-	5	1	-	4	3	-	7	2	4	1	3	-
Monrovia	1	19	5	3	11	11	1	9	5	-	2	6	1	16	4	4	7	4	-
Montebello	-	37	5	1	12	6	2	9	1	-	7	2	1	21	8	6	3	5	-
Monterey Park	2	23	3	-	9	6	1	16	3	-	4	2	1	23	8	6	5	1	1
Norwalk	5	37	4	1	16	25	-	18	6	-	3	5	5	28	16	22	10	8	3
Palmdale	1	14	1	2	6	5	3	8	-	-	2	4	1	12	9	2	10	-	1
Palos Verdes Estates	-	8	1	-	-	3	-	3	-	-	-	-	-	8	-	1	2	2	-
Paramount	-	6	5	-	12	9	-	7	5	-	5	5	2	14	1	7	5	3	1
Pasadena	8	161	27	25	53	29	7	29	4	-	9	16	9	96	14	25	17	18	-
Pico Rivera	1	17	4	3	17	13	-	16	-	-	3	3	4	19	13	10	4	2	-
Pomona	2	45	9	5	24	21	1	10	7	-	12	22	8	59	26	16	12	20	1
Rancho Palos Verdes	-	8	3	2	5	6	1	-	3	-	-	-	-	5	4	2	3	1	-
Redondo Beach	2	38	9	7	13	5	-	13	-	-	3	3	1	29	9	9	10	1	-
Rosemead	1	25	2	7	10	13	2	7	-	-	5	6	1	19	5	5	4	5	-
San Dimas	-	15	1	1	7	4	1	2	-	-	1	-	1	9	5	3	4	1	-
San Fernando	1	20	1	1	4	8	-	6	1	-	1	5	4	13	9	5	3	6	1
San Gabriel	1	47	4	6	20	24	1	10	2	-	3	6	2	26	10	7	8	5	-
San Marino	-	11	1	2	2	2	-	3	1	-	-	-	-	8	1	5	2	1	-
Santa Fe Springs	-	3	1	2	-	2	-	3	-	-	1	-	-	3	3	2	5	2	-
Santa Monica	6	111	17	10	25	31	1	13	5	-	4	4	1	63	10	19	17	9	3
Sierra Madre	-	16	1	-	1	2	-	2	1	-	2	-	-	3	1	-	2	-	-
South El Monte	-	4	-	1	1	3	-	5	-	-	2	2	1	6	5	2	2	1	-
South Gate	-	45	9	4	17	21	3	19	2	-	5	5	1	28	19	13	10	10	-
South Pasadena	1	22	4	-	7	6	-	3	-	-	1	-	-	5	5	-	4	2	-
Temple City	1	40	3	2	8	9	1	3	1	-	5	2	2	16	6	7	2	2	-
Torrance	6	69	25	10	37	33	4	18	11	1	6	3	8	71	24	24	29	8	1
West Covina	-	23	1	2	9	21	2	14	2	-	6	12	2	26	14	11	7	7	-
Whittier	4	72	9	8	23	33	4	27	4	-	11	13	4	65	25	25	20	9	3
Balance of county	15	221	34	28	75	91	9	57	11	1	34	44	28	179	116	63	67	52	1
Madera	-	42	5	8	9	16	-	12	5	-	-	5	3	50	28	20	11	3	-
Madera	-	28	3	6	5	9	-	7	4	-	-	5	2	27	14	9	5	3	-
Balance of county	-	14	2	2	4	7	-	5	1	-	-	-	1	23	14	11	6	-	-
Marin	7	177	35	24	52	71	4	37	17	-	6	14	7	169	34	52	41	19	17
Larkspur	-	4	1	-	1	1	-	-	-	-	-	-	-	3	1	2	1	-	1
Mill Valley	1	13	3	2	3	10	-	4	2	-	1	1	-	25	2	10	5	3	1
Novato	3	50	11	4	15	19	-	11	5	-	3	8	3	44	4	15	8	6	5
San Anselmo	1	13	2	3	2	7	1	4	1	-	-	-	-	8	2	1	3	2	-
San Rafael	1	49	9	9	21	20	3	11	5	-	-	2	3	38	9	11	7	5	8
Balance of county	1	48	9	6	10	14	-	7	4	-	2	3	1	51	16	13	17	3	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Mariposa	131	-	-	1	34	6	8	3	4	2	1	10	-	60	46	1	-	37	8
Mendocino	656	-	-	5	153	39	45	7	26	8	5	25	10	274	207	4	14	150	39
Ukiah	249	-	-	2	65	17	21	2	10	3	2	10	5	105	82	-	6	63	13
Balance of county	407	-	-	3	88	22	24	5	16	3	3	15	5	169	125	4	8	87	26
Merced	958	3	1	6	223	55	65	21	28	7	13	34	19	410	310	-	3	231	76
Atwater	92	-	-	1	27	10	6	1	3	2	1	4	-	31	27	-	-	17	10
Los Banos	125	-	-	-	29	9	6	5	2	2	-	5	4	51	38	-	1	30	7
Merced	411	1	1	4	91	21	24	8	11	1	7	19	11	181	129	-	1	97	31
Balance of county	330	2	-	1	76	15	29	7	12	2	5	6	4	147	116	-	1	87	28
Modoc	106	-	-	-	23	8	6	2	2	1	1	3	-	48	35	-	1	20	14
Mono	39	-	-	-	9	2	3	1	-	1	-	2	1	15	12	-	-	8	4
Monterey	1,994	-	-	16	442	98	126	47	51	16	22	82	24	878	611	10	14	437	150
Marina	80	-	-	-	18	2	7	-	-	-	2	7	1	33	27	-	-	16	11
Monterey	245	-	-	2	53	18	15	3	6	4	1	6	-	122	82	-	1	61	20
Pacific Grove	165	-	-	1	33	5	9	5	3	3	2	6	2	77	53	2	1	40	10
Salinas	719	-	-	8	172	29	49	24	25	-	10	35	13	315	211	2	6	144	59
Seaside	187	-	-	2	30	10	9	1	3	2	-	5	4	68	51	1	1	40	9
Balance of county	598	-	-	3	136	34	37	14	14	7	7	23	4	263	187	5	5	136	41
Napa	889	-	-	5	222	58	50	19	24	15	6	50	10	421	306	4	20	215	67
Napa	598	-	-	3	149	39	36	15	17	8	2	32	5	287	209	4	15	148	42
Balance of county	291	-	-	2	73	19	14	4	7	7	4	18	5	134	97	-	5	67	25
Nevada	561	-	1	3	144	36	31	16	13	3	5	40	6	243	181	-	5	136	40
Orange	12,612	9	1	89	3,029	757	804	296	326	122	129	595	152	5,882	4,537	62	94	3,523	858
Anaheim	1,525	1	-	11	376	102	103	29	35	8	17	82	16	712	544	4	14	407	119
Brea	186	-	-	2	49	14	13	2	6	3	1	10	2	87	69	-	2	55	12
Buena Park	385	-	-	6	100	29	27	7	9	3	5	20	2	168	134	4	1	110	19
Costa Mesa	553	-	-	6	131	32	42	10	15	9	-	23	5	229	181	2	5	142	32
Cypress	206	-	-	2	60	18	14	9	4	2	2	11	4	86	70	2	3	55	10
Fountain Valley	230	-	-	1	60	16	16	5	7	1	2	13	5	94	81	-	-	69	12
Fullerton	660	-	-	2	147	36	42	16	9	6	8	30	7	337	264	4	3	203	54
Garden Grove	828	3	-	4	199	39	67	9	25	7	12	40	19	370	292	3	5	227	57
Huntington Beach	937	1	-	6	229	48	60	31	31	9	6	44	14	427	340	4	7	267	62
Irvine	243	-	-	2	65	11	18	9	7	4	3	13	3	105	74	4	1	54	15
Laguna Beach	266	-	-	1	71	15	16	9	9	4	3	15	2	138	104	1	4	76	23
La Habra	344	1	-	1	91	17	25	13	7	8	3	18	5	162	120	1	1	97	21
La Palma	51	-	-	-	11	4	-	-	1	-	-	6	-	21	13	2	1	10	-
Los Alamitos	139	-	-	-	41	11	12	3	2	2	1	10	4	53	43	-	-	34	9
Newport Beach	467	-	-	3	128	39	26	18	13	9	2	21	5	208	164	1	2	128	33
Orange	644	-	-	4	161	31	39	23	18	7	2	41	5	306	241	2	2	199	38
Placentia	147	-	1	1	33	7	9	1	4	1	2	9	4	68	50	1	-	37	12
San Clemente	242	-	-	2	61	14	15	4	14	-	5	9	3	111	80	-	2	65	13
San Juan Capistrano	148	-	-	-	39	11	12	4	3	2	3	4	-	59	45	1	2	38	6
Santa Ana	1,357	2	-	15	276	69	81	25	30	10	15	46	16	592	440	8	5	341	86
Seal Beach	497	1	-	6	96	25	21	8	13	4	3	22	5	293	221	2	8	173	38
Stanton	176	-	-	3	32	6	14	4	3	-	-	5	-	95	73	2	1	50	20
Tustin	270	-	-	-	56	15	10	8	7	4	3	9	2	138	116	1	1	94	20
Westminster	433	-	-	-	112	33	36	8	10	2	2	21	8	188	149	2	5	102	40
Yorba Linda	126	-	-	-	32	6	11	3	1	2	2	7	2	56	46	-	3	38	5
Balance of county	1,540	-	-	11	373	109	75	38	43	15	27	66	14	777	583	11	16	454	102
Placer	1,004	1	-	7	258	65	77	23	30	10	6	47	13	461	334	8	8	242	76
Roseville	294	-	-	2	71	18	18	7	10	3	3	12	4	140	107	1	3	82	21
Balance of county	710	1	-	5	187	47	59	16	20	7	3	35	9	321	227	7	5	160	55
Plumas	151	1	-	3	37	7	13	3	3	2	2	7	5	67	52	3	1	35	13
Riverside	7,007	6	-	31	1,476	360	418	135	144	52	48	319	93	3,362	2,578	19	61	2,107	391
Banning	222	2	-	1	35	12	8	3	1	2	3	6	2	119	88	-	3	76	9
Corona	308	-	-	-	69	18	15	4	5	2	4	21	4	159	110	1	4	83	22
Hemet	1,124	1	-	4	248	68	54	27	31	14	5	49	10	569	455	2	4	388	61
Indio	227	-	-	1	43	9	12	2	3	1	4	12	6	101	72	1	2	53	16
Norco	89	-	-	1	17	3	6	2	2	1	-	3	2	42	31	1	-	23	7
Palm Desert	188	-	-	1	47	11	14	7	5	2	1	7	4	91	70	-	1	59	10
Palm Springs	504	-	-	4	114	27	42	10	12	4	3	16	7	243	173	-	3	137	33
Riverside	1,595	-	-	5	321	86	88	28	34	12	9	64	20	751	550	5	14	440	91
Balance of county	2,750	3	-	14	582	126	179	52	51	14	19	141	38	1,287	1,029	9	30	846	142
Sacramento	6,191	3	1	72	1,446	354	437	126	133	61	66	269	117	2,702	2,065	30	49	1,556	430
Folsom	115	-	-	-	28	-	9	4	7	3	-	5	-	47	41	-	-	33	8
Sacramento	4,310	3	-	55	964	239	276	90	86	48	44	181	84	1,817	1,470	24	40	1,094	312
Balance of county	1,766	-	1	17	454	115	152	32	40	10	22	83	33	738	554	6	9	429	110
San Benito	211	1	-	1	42	8	11	10	4	3	1	5	6	101	73	-	-	54	19
Hollister	150	-	-	-	33	8	6	9	4	2	1	3	6	73	53	-	-	37	16
Balance of county	61	1	-	1	9	-	5	1	-	1	-	2	-	28	20	-	-	17	3
San Bernardino	7,312	2	2	48	1,532	375	415	122	178	79	63	302	118	3,340	2,582	24	51	2,170	337
Barstow	205	-	-	1	40	11	14	3	6	-	2	4	7	83	75	-	1	60	14
Chino	271	-	-	-	63	11	16	6	8	5	3	14	5	115	94	3	1	79	11
Colton	213	-	-	-	42	11	8	2	3	2	3	13	4	99	77	-	1	62	14
Fontana	516	-	-	5	102	18	33	10	9	10	1	21	7	241	195	2	3	169	21
Loma Linda	107	-	-	-	22	6	3	2	5	1	2	3	-	53	39	-	2	32	5
Montclair	136	-	-	3	23	10	4	1	4	2	-	2	3	69	58	-	1	48	9
Ontario	576	-	-	3	136	24	37	11	15	12	4	33	12	250	187	1	6	159	21
Rancho Cucamonga	150	1	1	-	36	7	11	8	3	2	1	4	4	67	53	-	1	46	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	-	10	1	3	5	4	-	-	-	-	2	-	1	10	6	4	3	1	-
Mendocino	-	46	8	13	36	37	2	16	4	-	6	3	2	50	23	19	10	4	2
Ukiah	-	14	3	6	9	18	2	4	1	-	1	-	-	20	5	8	2	1	1
Balance of county	-	32	5	7	27	19	-	12	3	-	5	3	2	30	18	11	8	3	1
Merced	7	71	9	13	28	32	5	9	7	-	16	17	10	60	50	26	19	12	3
Atwater	-	2	1	1	5	3	1	1	1	-	1	3	-	11	-	4	3	-	-
Los Banos	2	9	2	-	5	6	-	-	-	-	2	-	4	4	13	-	4	1	2
Merced	3	40	2	7	10	13	1	5	3	-	10	4	5	31	14	10	9	7	-
Balance of county	2	20	4	5	8	10	3	3	3	-	5	10	1	14	23	12	3	4	1
Modoc	-	12	-	1	5	6	-	-	2	-	1	-	1	6	6	5	3	-	-
Mono	-	2	-	1	-	1	-	2	-	-	-	1	-	2	5	2	1	-	-
Monterey	8	199	30	30	75	78	9	47	16	-	17	21	12	174	73	59	37	16	-
Marina	-	5	-	1	2	7	-	2	1	-	-	1	-	7	4	4	-	-	-
Monterey	2	30	4	4	13	7	1	8	1	-	1	1	2	18	6	4	4	2	-
Pacific Grove	1	19	2	2	12	4	-	6	1	-	1	-	-	15	2	8	3	-	-
Salinas	5	76	10	13	24	23	2	14	9	-	9	11	2	61	24	14	14	4	-
Seaside	-	13	1	3	4	12	-	6	1	-	3	2	3	23	12	11	1	5	-
Balance of county	-	56	13	7	20	25	6	11	3	-	3	6	5	50	25	18	15	5	-
Napa	4	81	16	14	40	29	4	16	12	-	4	2	8	58	20	21	15	2	-
Napa	4	55	13	5	19	22	3	14	6	-	2	2	5	37	12	17	14	1	-
Balance of county	-	26	3	8	21	7	1	2	6	-	2	-	3	21	8	4	1	1	-
Nevada	1	44	4	13	28	31	4	5	6	-	4	1	8	37	20	13	6	2	1
Orange	32	977	170	166	451	463	64	216	72	3	105	143	64	857	312	299	288	108	5
Anaheim	3	120	21	24	45	47	8	31	7	1	11	16	16	97	38	45	37	10	-
Brea	1	16	-	1	5	8	2	4	4	-	1	1	-	14	3	3	2	1	-
Buena Park	1	25	3	5	21	22	-	6	-	-	3	2	2	18	11	6	11	5	-
Costa Mesa	3	30	6	9	25	28	7	10	3	-	12	2	1	40	8	18	20	8	-
Cypress	-	11	2	5	9	8	1	5	2	-	1	3	-	13	6	-	4	-	-
Fountain Valley	-	11	1	1	4	9	1	8	2	-	1	4	-	12	9	5	10	4	1
Fullerton	2	52	10	9	34	18	4	14	3	1	6	7	2	35	14	13	13	2	1
Garden Grove	-	62	7	9	31	34	5	12	2	-	9	10	5	52	26	23	16	4	-
Huntington Beach	3	60	8	16	23	42	2	23	1	-	8	12	7	66	15	21	31	9	-
Irvine	-	26	4	1	7	8	-	5	2	-	3	5	-	16	9	6	5	2	-
Laguna Beach	-	22	10	2	11	2	1	3	-	-	-	-	-	19	7	5	6	-	-
La Habra	1	31	6	4	9	14	3	8	1	-	5	4	1	21	6	5	4	3	-
La Palma	-	5	1	2	5	1	-	1	-	-	-	2	-	4	3	2	-	1	-
Los Alamitos	-	10	-	-	7	8	1	1	1	-	-	-	1	12	1	5	4	-	-
Newport Beach	2	35	2	5	18	17	3	8	5	-	2	1	1	36	10	7	13	1	1
Orange	2	51	5	7	23	18	1	11	7	-	4	7	3	45	18	17	8	6	-
Placentia	-	16	2	-	6	4	-	4	-	-	2	2	1	13	1	4	2	1	-
San Clemente	2	21	6	2	10	6	1	4	1	-	1	5	1	19	5	3	9	-	-
San Juan Capistrano	-	11	1	2	7	4	-	3	1	-	2	-	2	13	5	7	6	-	-
Santa Ana	4	108	26	14	51	59	10	23	14	-	19	26	10	111	46	45	24	27	1
Seal Beach	2	56	6	8	28	12	2	4	3	-	1	1	-	27	5	7	6	-	-
Stanton	-	9	11	2	5	7	1	3	-	-	2	1	2	11	5	4	2	3	-
Tustin	-	15	1	6	4	13	1	3	2	-	3	7	1	16	9	7	4	3	1
Westminster	3	27	5	4	8	16	2	7	1	1	6	6	2	28	13	15	17	3	-
Yorba Linda	-	5	4	1	5	6	-	2	2	-	1	2	-	7	5	2	3	1	-
Balance of county	3	142	22	27	50	52	8	13	8	-	2	17	6	112	32	22	29	14	-
Placer	4	90	18	15	21	48	3	17	11	-	9	5	7	73	25	17	24	4	-
Roseville	-	24	5	4	9	13	1	8	3	-	4	1	-	25	5	3	5	-	-
Balance of county	4	66	13	11	12	35	2	9	8	-	5	4	7	48	20	14	19	4	-
Plumas	1	10	-	4	4	6	1	3	1	-	-	-	1	12	4	4	2	-	-
Riverside	18	582	95	89	288	298	39	106	48	-	38	69	34	533	190	175	135	81	7
Banning	-	28	2	3	6	14	1	4	2	-	-	4	-	13	6	5	4	4	-
Corona	1	30	14	4	12	4	-	5	1	-	4	4	2	12	15	7	6	4	-
Hemet	1	78	13	22	41	73	8	15	7	-	3	3	-	92	11	14	17	8	-
Indio	-	26	-	3	8	6	2	8	1	-	-	7	1	17	7	7	8	4	-
Norco	-	7	3	1	3	2	-	-	-	-	-	2	-	8	4	1	5	1	1
Palm Desert	2	17	-	2	6	6	1	1	2	-	-	-	1	19	-	5	3	-	1
Palm Springs	2	53	6	9	18	15	2	8	5	-	1	4	-	42	10	14	10	7	-
Riverside	4	150	27	20	91	63	8	25	7	-	13	26	10	122	45	36	35	14	3
Balance of county	8	195	30	25	103	113	17	40	23	-	17	19	20	208	92	86	47	39	2
Sacramento	24	469	69	75	162	305	22	125	44	1	37	53	56	525	162	133	127	84	14
Folsom	-	4	2	-	8	6	-	5	1	-	1	-	-	12	2	1	3	1	-
Sacramento	20	327	46	54	118	219	18	87	28	1	24	42	37	358	103	89	87	66	10
Balance of county	4	138	21	21	38	80	4	33	15	-	12	11	19	155	57	43	37	17	4
San Benito	1	15	6	6	8	5	1	7	3	-	3	2	1	15	6	5	3	1	-
Hollister	-	14	4	2	7	2	1	3	2	-	3	2	1	9	3	4	1	-	-
Balance of county	1	1	2	4	1	3	-	4	1	-	-	-	-	6	3	1	2	1	-
San Bernardino	23	588	66	81	251	279	22	147	55	2	57	98	66	563	262	184	132	111	41
Barstow	-	5	1	2	5	11	-	5	2	-	1	9	1	16	10	4	4	2	4
Chino	-	15	2	4	7	7	1	7	2	-	5	4	3	20	13	8	5	6	-
Colton	3	15	3	1	8	8	1	5	1	-	3	-	3	22	8	2	5	1	1
Fontana	1	39	1	5	18	21	1	16	3	-	-	11	8	39	12	13	8	10	1
Loma Linda	1	9	4	-	9	5	-	-	3	-	2	-	1	7	1	3	1	-	-
Montclair	1	5	1	4	2	10	-	1	1	-	1	1	1	9	3	2	4	3	-
Ontario	1	54	5	3	17	15	2	9	8	-	8	8	8	35	25	12	11	14	3
Rancho Cucamonga	-	9	3	2	5	3	-	1	-	-	2	4	-	6	8	7	5	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Redlands	362	-	-	2	70	21	12	8	11	4	3	11	1	200	140	1	-	116	23
Rialto	305	-	-	2	62	13	15	7	8	3	3	13	4	138	109	3	1	89	16
San Bernardino	1,335	1	-	11	270	68	86	24	22	7	10	53	91	580	427	5	14	354	54
Upland	368	-	-	1	88	28	23	5	7	1	5	19	4	188	145	2	5	119	19
Victorville	208	-	-	-	47	16	9	4	4	3	1	10	4	78	67	2	1	55	9
Balance of county	2,560	-	1	20	531	131	144	31	71	27	25	102	32	1,179	916	5	14	782	115
San Diego	14,061	9	-	100	3,412	822	961	356	368	150	122	693	156	6,256	4,642	63	121	3,669	789
Carlsbad	266	-	-	1	60	23	10	6	6	4	1	10	3	127	102	-	6	82	16
Chula Vista	831	-	-	4	220	54	68	19	12	11	7	49	7	387	286	4	7	221	54
Coronado	151	-	-	2	40	7	10	6	4	2	1	10	1	62	47	2	2	36	7
El Cajon	912	-	-	8	203	46	60	25	25	6	10	31	16	426	304	5	5	242	52
Escondido	845	-	-	4	195	38	54	23	24	14	9	33	8	392	278	4	2	203	69
Imperial Beach	104	-	-	-	25	4	9	2	2	1	1	6	2	31	27	-	1	23	3
La Mesa	569	-	-	3	138	22	38	21	19	4	8	26	1	280	208	3	10	152	43
Lemon Grove	180	-	-	-	42	9	12	5	7	2	1	6	3	87	58	-	3	50	5
National City	309	1	-	3	57	14	23	3	3	3	3	8	4	125	87	-	3	69	15
Oceanside	680	-	-	2	173	47	52	14	20	8	9	23	11	297	237	6	1	193	37
San Diego	6,395	4	-	52	1,546	375	425	161	174	67	49	295	70	2,832	2,106	23	63	1,682	338
San Marcos	253	-	-	2	60	17	15	8	6	1	2	11	2	113	85	4	3	62	16
Vista	467	1	-	3	101	32	30	10	9	5	-	15	8	231	176	4	2	149	21
Balance of county	2,105	3	-	16	552	134	155	53	57	22	21	110	20	866	641	8	14	505	114
San Francisco, coext. with San Francisco city	7,505	11	-	107	1,724	495	444	156	175	61	43	360	92	3,389	2,552	38	78	1,981	455
San Joaquin	3,213	4	1	33	726	160	211	58	90	28	27	152	68	1,420	1,098	10	30	884	174
Lodi	460	-	1	6	93	19	29	13	12	2	4	14	7	228	158	1	3	126	28
Manteca	244	-	-	2	54	12	17	4	5	2	1	13	3	110	97	1	6	70	20
Stockton	1,947	3	-	20	451	108	132	34	57	19	15	86	44	841	653	5	19	538	91
Tracy	222	-	-	3	59	10	12	4	7	4	4	18	5	96	77	2	1	59	15
Balance of county	340	1	-	2	69	11	21	3	9	1	3	21	9	145	113	1	1	91	20
San Luis Obispo	1,374	-	-	8	341	85	86	32	43	16	13	66	16	631	472	9	17	353	93
Arroyo Grande	195	-	-	-	53	16	15	2	9	2	3	6	3	95	68	1	-	59	8
Atascadero	146	-	-	1	28	6	9	2	2	-	3	6	1	75	67	1	1	53	12
San Luis Obispo	246	-	-	2	56	10	13	4	9	4	2	14	3	107	72	1	6	48	17
Balance of county	787	-	-	5	204	53	49	24	23	10	5	40	9	354	265	6	10	193	56
San Mateo	4,503	4	-	46	1,097	266	316	95	115	43	37	225	45	2,011	1,470	34	50	1,136	250
Belmont	169	-	-	1	48	11	17	4	2	2	3	9	2	68	52	-	4	37	11
Burlingame	354	-	-	3	77	11	28	12	8	3	2	13	1	187	126	5	4	97	20
Daly City	527	1	-	5	131	36	39	5	14	7	4	26	3	224	174	4	5	142	23
Foster City	85	-	-	1	25	6	11	3	3	-	-	2	-	32	28	-	1	22	5
Hillsborough	80	-	-	-	30	8	4	4	3	1	1	9	-	29	20	-	1	15	4
Menlo Park	360	-	-	5	72	20	13	9	11	2	3	14	4	176	118	3	4	89	22
Millbrae	171	1	-	1	42	10	7	3	6	4	4	8	2	85	61	2	2	47	10
Pacifica	196	-	-	6	51	4	19	6	3	2	3	14	1	77	59	1	2	47	9
Redwood City	585	-	-	4	135	36	39	11	12	7	4	26	8	244	172	4	3	138	27
San Bruno	217	-	-	3	48	13	14	-	6	1	-	14	2	103	76	2	2	61	11
San Carlos	209	-	-	2	56	14	20	9	3	1	1	8	2	98	71	3	3	53	12
San Mateo	772	-	-	11	202	55	52	15	25	7	4	44	6	341	253	5	13	188	47
South San Francisco	344	1	-	1	77	15	23	9	6	5	2	17	6	164	123	2	3	105	13
Balance of county	434	1	-	3	103	27	30	5	13	1	6	21	9	183	137	3	3	95	36
Santa Barbara	2,407	4	-	17	585	143	150	45	75	23	22	127	30	1,113	816	10	18	469	319
Carpinteria	111	-	-	-	29	4	5	2	5	3	1	9	1	54	44	2	-	22	20
Lompoc	237	-	-	3	71	20	24	3	7	2	3	12	5	107	82	-	2	50	30
Santa Barbara	1,205	2	-	8	269	66	68	26	31	12	10	56	12	594	407	5	9	234	159
Santa Maria	483	1	-	3	114	25	35	4	13	4	4	29	6	203	168	1	6	98	63
Balance of county	371	1	-	3	102	28	18	10	19	2	4	21	6	155	115	2	1	65	47
Santa Clara	7,832	8	-	68	1,750	394	461	173	193	67	73	389	113	3,516	2,720	39	148	1,699	834
Campbell	265	-	-	1	51	11	18	4	3	1	2	12	5	130	100	1	8	51	40
Cupertino	219	-	-	2	55	13	9	8	9	3	3	10	3	93	72	-	4	43	25
Gilroy	165	-	-	1	31	8	9	3	3	-	1	7	2	95	73	2	1	51	19
Los Altos	261	1	-	2	71	14	17	5	9	5	1	20	4	114	79	1	6	50	22
Los Gatos	299	-	-	-	59	12	19	11	4	2	3	8	1	166	127	1	7	82	37
Milpitas	158	-	-	1	33	6	7	1	10	1	-	8	4	56	40	1	1	28	10
Morgan Hill	121	-	-	-	32	6	8	3	2	1	2	10	2	54	42	-	1	29	12
Mountain View	373	-	-	4	87	17	23	4	10	7	5	21	2	169	136	2	4	98	32
Palo Alto	491	-	-	7	127	32	28	10	19	4	6	30	1	210	151	5	12	86	48
San Jose	3,893	6	-	31	824	196	225	83	84	27	32	177	59	1,713	1,335	19	64	837	415
Santa Clara	572	1	-	6	142	32	40	12	14	6	5	33	10	264	214	2	14	137	61
Saratoga	200	-	-	1	47	12	7	3	5	2	4	14	4	94	73	3	3	39	28
Sunnyvale	652	-	-	12	161	30	45	21	17	6	8	34	13	293	226	2	14	140	70
Balance of county	165	-	-	-	30	5	8	5	4	2	1	5	3	65	52	-	9	28	15
Santa Cruz	1,683	1	-	12	383	89	108	40	33	14	15	84	23	773	574	9	34	366	165
Santa Cruz	705	-	-	4	164	31	46	14	18	8	8	39	6	334	261	5	15	165	76
Watsonville	367	-	-	3	81	22	23	8	5	2	5	16	5	169	123	2	6	82	33
Balance of county	611	1	-	5	138	36	39	18	10	4	2	29	12	270	190	2	13	119	56
Shasta	1,079	1	-	3	260	46	84	15	28	14	13	60	11	440	336	8	11	224	93
Redding	602	1	-	3	158	27	49	13	19	9	7	34	5	247	189	5	6	120	58
Balance of county	477	-	-	-	102	19	35	2	9	5	6	26	6	193	147	3	5	104	35
Sierra	32	-	-	1	9	5	1	1	-	-	-	2	-	13	10	1	-	9	-
Siskiyou	390	-	-	5	93	19	25	9	18	4	3	15	5	162	123	-	4	81	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E960-E999)
California—Con.																			
Redlands	-	49	6	5	18	7	-	8	1	-	1	5	4	26	7	6	4	1	1
Rialto	1	23	4	1	12	12	-	7	1	-	2	9	-	23	9	4	7	8	5
San Bernardino	4	120	15	14	41	45	5	32	18	1	12	19	12	121	32	38	16	40	10
Upland	2	36	2	3	7	17	1	7	1	-	2	4	1	18	8	8	4	7	2
Victorville	-	11	-	-	7	17	1	2	-	-	1	4	-	20	15	9	2	1	-
Balance of county	9	198	19	37	95	101	10	47	14	1	17	20	24	201	111	68	56	18	14
San Diego	69	1,146	210	189	438	610	67	260	92	3	133	114	90	1,127	379	351	301	141	22
Carlsbad	1	19	2	3	4	12	1	2	3	-	2	-	1	29	4	12	4	1	-
Chula Vista	7	66	15	13	38	35	2	18	4	-	6	8	2	68	11	12	5	6	-
Coronado	5	7	1	2	7	11	1	4	1	-	1	-	-	10	5	2	3	1	-
El Cajon	-	82	27	13	25	50	4	23	6	-	6	4	5	61	24	22	19	9	1
Escondido	1	79	22	12	33	40	3	7	8	-	2	5	6	85	24	9	19	5	-
Imperial Beach	-	3	1	-	2	5	1	-	-	-	4	3	2	8	6	6	7	2	-
La Mesa	1	55	6	10	12	28	-	11	1	-	4	2	4	50	5	11	8	4	1
Lemon Grove	1	25	2	1	8	11	1	-	3	-	2	-	-	15	4	3	1	-	-
National City	1	25	9	3	15	14	2	7	3	1	6	5	2	26	14	14	6	2	2
Oceanside	4	41	6	9	21	30	4	10	3	-	13	11	2	50	18	15	6	11	3
San Diego	33	527	82	84	182	259	38	128	43	2	64	54	40	514	158	166	157	74	12
San Marcos	-	18	4	6	10	12	1	4	3	-	1	2	1	25	5	7	3	2	-
Vista	4	43	3	5	5	17	2	6	4	-	4	4	1	43	16	9	8	4	-
Balance of county	11	156	30	28	76	86	7	40	10	-	18	16	24	145	85	63	55	20	3
San Francisco, coext. with San Francisco city	30	609	76	122	272	264	25	227	60	1	44	38	42	661	76	218	156	80	18
San Joaquin	12	221	43	46	97	141	9	72	23	-	28	31	22	246	107	103	52	28	2
Lodi	1	48	13	8	13	31	2	10	1	-	2	2	-	34	12	14	4	-	-
Manteca	-	10	3	-	12	12	1	1	-	-	-	3	1	19	16	7	1	2	-
Stockton	6	131	21	30	55	75	4	49	20	-	21	23	17	157	48	59	37	21	2
Tracy	2	14	2	1	3	5	1	6	-	-	1	-	3	20	8	6	5	1	-
Balance of county	3	18	4	7	14	18	1	6	2	-	4	3	1	16	23	17	5	4	-
San Luis Obispo	6	110	20	23	45	65	4	39	9	1	14	6	4	94	30	30	26	10	1
Arroyo Grande	-	19	4	4	4	9	-	1	1	1	4	2	-	14	1	4	2	-	1
Atascadero	-	5	-	3	8	6	-	3	1	-	1	-	-	11	3	3	4	1	-
San Luis Obispo	5	23	7	-	7	17	1	7	1	-	5	1	1	23	4	7	3	1	-
Balance of county	1	63	9	16	26	33	3	28	6	-	4	3	3	46	22	16	17	8	-
San Mateo	12	415	48	66	124	173	18	128	39	-	42	31	9	414	83	113	87	28	11
Belmont	-	14	1	1	8	5	-	4	1	-	1	2	-	14	5	4	4	2	-
Burlingame	2	42	12	5	6	12	2	4	2	-	5	1	-	35	4	8	5	-	2
Daly City	1	40	3	6	14	23	1	23	5	-	5	4	1	53	3	18	7	6	-
Foster City	1	3	-	-	2	1	-	1	-	-	-	2	-	11	2	2	6	-	-
Hillsborough	-	6	-	3	1	4	-	-	1	-	-	-	-	8	2	3	2	-	-
Menlo Park	3	39	10	6	17	22	1	4	3	-	1	-	1	35	4	9	4	1	1
Millbrae	1	20	1	2	6	3	-	5	1	-	2	-	-	16	-	2	5	-	-
Pacifica	-	15	1	2	2	5	2	11	2	-	5	2	-	18	4	4	5	1	-
Redwood City	1	51	9	11	21	22	2	19	5	-	9	3	2	56	12	15	22	4	2
San Bruno	-	19	1	7	2	10	1	10	2	-	3	1	1	17	5	4	3	2	-
San Carlos	-	25	-	2	2	11	-	8	4	-	1	-	2	16	1	4	2	-	-
San Mateo	2	72	3	11	16	31	5	20	5	-	5	7	-	71	10	19	12	4	6
South San Francisco	1	33	2	5	13	11	1	8	4	-	1	4	2	28	10	7	5	1	-
Balance of county	-	38	5	5	12	13	3	11	4	-	4	5	-	36	21	14	5	7	-
Santa Barbara	8	224	32	33	80	93	8	48	10	-	11	11	13	198	67	56	50	13	-
Carpinteria	-	10	-	-	6	6	1	3	-	-	-	1	1	6	1	2	-	-	-
Lompoc	-	17	7	1	4	5	-	7	-	-	-	-	2	9	13	4	5	2	-
Santa Barbara	5	137	21	24	49	40	3	15	5	-	6	4	4	116	19	28	27	4	-
Santa Maria	1	28	2	4	16	25	3	14	2	-	4	5	3	38	23	11	6	6	-
Balance of county	2	32	2	4	5	17	1	9	3	-	1	1	3	29	11	11	12	1	-
Santa Clara	28	613	70	85	304	299	31	168	51	2	76	71	60	632	207	222	178	72	4
Campbell	1	23	1	5	7	12	1	4	1	-	1	3	2	27	4	7	7	2	-
Cupertino	2	15	4	-	15	10	-	5	1	1	2	1	-	14	3	9	5	-	-
Gilroy	-	17	4	1	4	2	2	2	1	-	1	3	1	9	7	3	-	1	-
Los Altos	-	30	3	2	15	11	1	5	-	-	1	-	1	20	2	10	3	-	-
Los Gatos	2	30	4	3	8	10	-	2	1	-	1	4	-	22	9	7	6	3	-
Milpitas	-	13	2	1	8	7	2	3	2	-	3	6	3	11	4	3	8	2	-
Morgan Hill	2	10	-	-	8	2	1	1	2	-	1	1	1	6	3	2	3	2	-
Mountain View	2	21	3	7	15	17	5	10	1	-	1	3	3	34	11	4	4	2	1
Palo Alto	1	46	8	4	25	19	3	9	2	-	3	-	3	41	11	19	18	-	-
San Jose	14	292	26	46	150	157	11	97	29	1	50	33	41	326	106	118	86	52	3
Santa Clara	2	41	3	4	13	18	4	11	6	-	3	7	2	47	15	7	14	2	-
Saratoga	-	14	3	4	8	8	-	4	1	-	1	1	-	14	7	6	4	-	-
Sunnyvale	2	52	8	5	18	23	-	14	4	-	5	2	2	45	16	25	16	3	-
Balance of county	-	9	1	3	10	3	1	2	-	-	3	7	1	16	9	8	4	3	-
Santa Cruz	5	153	17	24	55	67	7	33	8	-	14	12	16	141	48	37	40	13	-
Santa Cruz	3	60	3	7	24	21	4	11	4	-	5	4	7	70	10	15	19	3	-
Watsonville	-	34	6	6	11	21	3	5	2	-	4	3	2	35	7	7	4	5	-
Balance of county	2	59	8	11	20	25	-	17	2	-	5	5	7	36	31	15	17	5	-
Shasta	3	78	12	11	39	78	2	22	6	-	6	7	8	87	41	25	34	8	1
Redding	2	42	6	8	20	41	1	15	1	-	1	6	1	45	19	15	18	5	-
Balance of county	1	36	6	3	19	37	1	7	5	-	5	1	7	42	22	10	16	3	1
Sierra	-	1	1	1	1	1	-	1	-	-	-	1	1	2	1	1	-	-	-
Siskiyou	1	32	2	4	9	19	2	5	3	-	2	1	1	42	14	16	9	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Solano	1,629	2	-	15	387	84	119	36	41	5	17	85	26	690	503	4	8	394	97
Benicia	91	-	-	-	18	5	9	1	1	-	-	2	1	45	31	-	1	27	3
Fairfield	328	1	-	7	79	17	28	5	10	1	4	14	6	120	89	1	1	68	19
Suisun City	65	-	-	-	12	1	2	3	2	-	-	4	-	29	21	-	-	20	1
Vacaville	270	-	-	5	64	12	23	6	5	2	1	15	6	109	76	-	1	58	17
Vallejo	752	-	-	3	181	46	47	16	16	1	10	45	11	347	258	3	5	204	46
Balance of county	123	1	-	-	33	3	10	5	7	1	2	5	2	40	28	-	-	17	11
Sonoma	2,884	-	-	31	706	182	186	65	67	26	26	154	35	1,302	956	10	40	678	228
Petaluma	374	-	-	4	97	26	17	7	15	3	4	25	3	175	133	-	10	90	33
Rohnert Park	139	-	-	1	28	7	7	1	3	2	1	7	-	70	54	1	1	38	14
Santa Rosa	1,255	-	-	17	320	79	86	34	25	13	13	70	11	554	404	3	19	286	98
Balance of county	1,116	-	-	9	261	70	76	23	24	8	8	52	21	503	365	6	10	264	85
Stanislaus	2,311	-	-	12	504	122	153	32	62	22	18	95	31	1,058	779	10	19	571	179
Ceres	166	-	-	1	38	12	8	2	3	4	1	8	3	75	59	1	-	45	13
Modesto	1,262	-	-	8	276	67	84	16	36	6	6	61	15	578	418	7	11	310	90
Turlock	356	-	-	1	76	15	28	6	6	5	4	12	3	164	126	1	1	98	28
Balance of county	527	-	-	2	114	28	33	8	17	7	7	14	10	241	176	1	7	120	48
Sutter	429	-	-	1	116	32	31	7	13	2	7	24	8	194	140	1	1	102	36
Yuba City	328	-	-	1	83	23	24	5	8	1	4	18	7	150	103	1	1	74	27
Balance of county	101	-	-	-	33	9	7	2	5	1	3	6	1	44	37	-	-	28	9
Tehama	414	-	-	3	92	21	35	5	11	3	4	13	7	172	134	3	3	105	23
Trinity	139	-	-	1	25	5	5	4	4	-	1	6	2	57	40	-	-	31	9
Tulare	1,975	1	-	7	446	98	119	36	52	15	26	100	32	892	687	12	20	529	126
Porterville	395	1	-	3	80	19	25	5	9	5	4	13	5	168	126	1	3	98	24
Tulare	292	-	-	1	67	11	19	6	8	1	5	17	6	142	114	1	4	87	22
Visalia	527	-	-	1	124	27	31	9	20	5	6	26	8	270	188	4	8	140	36
Balance of county	761	-	-	2	175	41	44	16	15	4	11	44	13	312	259	6	5	204	44
Tuolumne	324	-	-	2	67	16	24	8	1	1	3	14	6	142	110	2	-	74	34
Ventura	3,351	3	-	20	777	200	207	74	84	30	33	149	38	1,494	1,144	13	81	692	358
Camarillo	340	-	-	3	82	22	22	8	6	2	4	18	1	151	120	1	7	78	36
Oxnard	665	1	-	1	163	39	45	16	19	5	10	29	12	282	211	4	21	122	64
Port Hueneme	125	-	-	-	24	5	6	2	3	1	-	7	-	58	46	-	2	31	13
San Buenaventura (Ventura)	718	-	-	8	168	50	39	22	15	8	5	29	6	319	252	2	15	154	81
Santa Paula	175	-	-	1	32	15	6	2	4	2	-	3	4	89	66	-	5	32	29
Simi Valley	341	1	-	2	82	23	23	10	8	1	1	16	3	147	113	-	8	76	29
Thousand Oaks	325	-	-	2	69	15	30	6	11	3	7	17	2	142	107	5	6	69	27
Balance of county	662	1	-	3	137	31	36	8	18	8	6	30	10	306	229	1	17	132	79
Yolo	907	2	-	9	187	36	53	11	29	4	9	45	13	408	310	6	8	229	67
Davis	178	-	-	1	35	8	5	5	7	1	1	8	-	65	43	1	-	25	17
Woodland	301	-	-	4	51	8	18	1	11	-	2	11	6	158	125	2	4	84	25
Balance of county	428	2	-	4	101	20	30	5	11	3	6	26	7	185	142	3	4	110	25
Yuba	418	1	-	2	111	20	39	10	7	6	4	25	9	174	137	3	3	104	27
Colorado	19,549	8	1	209	3,900	1,009	902	389	467	147	165	621	304	8,278	6,430	106	109	4,515	1,700
Urban places	13,385	8	1	151	2,705	694	625	286	312	105	118	565	201	5,698	4,391	72	86	3,050	1,183
Balance of area	6,164	-	-	58	1,195	315	277	103	155	42	47	256	103	2,580	2,039	34	23	1,465	517
Metropolitan counties	14,913	7	1	160	3,076	785	701	336	352	116	134	642	224	6,245	4,843	82	87	3,378	1,296
Urban places	12,561	7	1	135	2,551	669	578	273	289	101	111	530	191	5,338	4,125	67	82	2,860	1,116
Balance of area	2,352	-	-	25	525	126	123	63	63	15	23	112	33	907	718	15	5	518	180
Nonmetropolitan counties	4,636	1	-	49	824	214	201	53	115	31	31	179	80	2,033	1,587	24	22	1,137	404
Urban places	824	1	-	16	154	25	47	13	23	4	7	35	10	360	266	5	4	190	67
Balance of area	3,812	-	-	33	670	189	154	40	92	27	24	144	70	1,673	1,321	19	18	947	337
Adams	1,286	-	-	10	262	60	66	34	26	16	12	48	18	514	406	9	4	258	135
Arvada, part	11	-	-	-	3	-	3	-	-	-	-	-	-	2	1	-	-	1	-
Aurora, part	153	-	-	1	33	12	10	1	2	3	-	5	2	61	53	1	-	37	15
Brighton, part	111	-	-	1	17	3	4	2	3	2	2	1	3	53	39	2	1	25	11
Brighton, total	111	-	-	1	17	3	4	2	3	2	2	1	3	53	39	2	1	25	11
Broomfield, part	12	-	-	-	2	-	-	-	1	-	-	1	-	3	2	-	-	1	1
Commerce City	147	-	-	-	24	5	6	2	1	1	-	9	3	62	46	2	1	33	10
Northglenn	140	-	-	-	31	8	8	4	3	1	2	5	1	57	45	1	1	22	21
Thornton	146	-	-	2	26	6	2	5	2	3	4	4	1	58	47	1	-	31	15
Westminster, part	174	-	-	1	40	12	11	6	4	1	-	6	2	71	59	1	-	35	23
Westminster, total	190	-	-	2	42	13	11	6	4	2	-	6	2	78	64	1	-	38	25
Balance of county	392	-	-	5	86	14	22	14	10	5	4	17	6	147	114	1	1	73	39
Alamosa	87	-	-	2	14	2	2	2	-	1	1	6	3	35	30	-	-	20	10
Arapahoe	1,490	-	-	16	342	98	78	32	27	12	19	76	22	583	460	8	3	335	114
Aurora, part	607	-	-	7	136	39	32	14	7	4	7	33	9	230	181	1	1	125	54
Aurora, total	760	-	-	8	169	51	42	15	9	7	7	38	11	291	234	2	1	162	69
Englewood	365	-	-	4	91	26	19	10	9	3	10	14	6	145	119	4	-	90	25
Littleton, part	300	-	-	3	63	16	13	3	6	4	-	21	3	130	99	2	2	71	24
Littleton, total	301	-	-	3	63	16	13	3	6	4	-	21	3	130	99	2	2	71	24
Balance of county	218	-	-	2	52	17	14	5	5	1	2	8	4	78	61	1	-	49	11
Archuleta	32	-	-	-	7	3	2	-	1	-	1	-	-	12	11	-	-	8	3
Baca	60	-	-	-	7	4	1	-	-	-	-	2	1	32	27	-	-	23	4
Bent	76	-	-	1	12	5	3	-	3	-	-	1	4	38	34	-	-	21	13
Boulder	961	1	-	12	190	44	39	33	27	5	6	36	21	384	288	6	2	172	108
Boulder	382	-	-	4	67	13	12	12	10	1	3	16	11	152	101	-	-	64	37
Broomfield, part	56	1	-	-	15	2	5	2	4	-	-	2	1	18	17	-	-	12	5
Broomfield, total	73	1	-	-	18	2	5	2	5	-	-	4	1	21	19	-	-	13	6
Longmont	289	-	-	5	60	14	14	11	7	2	2	10	6	130	105	4	2	58	41
Balance of county	234	-	-	3	48	15	8	8	6	2	1	8	3	84	65	2	-	38	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Solano	7	143	11	26	58	78	8	24	7	1	18	20	12	145	39	40	39	16	4
Benicia	-	7	4	3	2	6	1	1	-	-	-	1	1	7	-	3	5	-	-
Fairfield	1	23	-	7	17	20	1	6	1	1	4	4	1	28	12	7	8	4	1
Suisun City	-	6	-	2	2	3	-	1	-	-	-	1	-	7	3	3	1	3	-
Vacaville	3	26	1	3	9	16	1	4	1	-	4	5	2	21	5	10	8	-	-
Vallejo	2	72	6	9	25	30	5	9	4	-	9	7	5	67	12	11	15	8	3
Balance of county	1	9	-	2	3	3	-	3	1	-	1	2	3	15	7	6	2	1	-
Sonoma	12	251	42	41	118	99	8	43	24	-	20	9	22	264	72	59	55	14	3
Petaluma	1	33	6	2	14	13	1	4	2	-	1	1	3	22	12	11	5	4	2
Rohnert Park	1	9	3	3	5	5	-	4	1	-	1	1	-	11	4	4	2	2	-
Santa Rosa	7	114	10	19	53	46	3	16	8	-	9	5	11	133	15	18	31	5	-
Balance of county	3	95	23	17	48	35	4	19	13	-	9	2	8	98	41	26	17	3	1
Stanislaus	7	209	26	37	115	94	7	37	12	-	22	27	5	178	80	82	30	15	2
Ceres	-	10	-	6	7	12	-	-	1	-	1	1	-	14	3	7	1	2	-
Modesto	3	122	16	19	67	41	4	25	6	-	10	13	3	90	49	49	21	6	1
Turlock	2	28	5	3	24	16	1	8	-	-	6	3	1	28	9	9	4	3	-
Balance of county	2	49	5	9	17	25	2	4	5	-	5	10	1	46	19	17	4	4	1
Sutter	5	35	8	6	7	17	4	6	5	-	2	1	3	36	10	10	6	2	1
Yuba City	5	29	8	5	5	14	3	3	5	-	2	1	3	29	8	8	4	2	-
Balance of county	-	6	-	1	2	3	1	3	-	-	-	-	-	7	2	2	2	-	1
Tehama	3	18	12	5	15	26	1	6	7	-	2	2	5	40	10	11	11	4	-
Trinity	-	12	-	5	4	6	-	3	1	-	-	1	2	8	10	15	3	1	-
Tulare	9	154	26	16	55	93	6	29	21	-	15	20	6	144	94	49	32	29	4
Porterville	2	36	3	1	20	19	1	9	2	-	4	4	1	30	14	14	10	9	1
Tulare	-	22	4	2	4	13	1	6	5	-	1	1	2	19	15	4	1	3	1
Visalia	3	62	10	7	7	16	1	6	6	-	4	2	1	38	16	11	14	2	-
Balance of county	4	34	9	6	24	45	3	8	8	-	6	13	2	57	49	20	7	15	2
Tuolumne	-	22	2	8	16	15	1	4	1	-	1	1	2	36	16	8	4	2	-
Ventura	10	254	47	39	100	129	6	47	24	1	36	28	25	297	115	89	80	30	12
Camarillo	2	18	5	6	17	13	-	3	2	-	4	2	2	29	8	10	11	1	1
Oxnard	1	52	9	9	14	21	1	17	6	-	7	6	8	52	32	16	13	10	3
Port Hueneme	1	10	-	1	3	1	-	3	1	1	-	3	2	14	6	4	4	1	-
San Buenaventura (Ventura)	1	51	7	8	26	37	2	5	6	-	5	4	5	77	12	16	15	4	3
Santa Paula	-	19	2	2	3	6	-	3	1	-	2	-	1	17	8	4	4	-	-
Simi Valley	3	18	8	5	6	13	-	3	2	-	7	3	3	29	15	11	6	7	1
Thousand Oaks	-	27	4	4	12	14	-	3	1	-	4	3	1	26	7	9	7	2	1
Balance of county	2	59	12	4	19	24	3	10	5	-	7	7	3	53	27	19	20	5	3
Yolo	-	74	9	15	33	48	2	27	7	-	7	8	3	60	33	26	22	8	4
Davis	-	18	-	4	13	15	2	5	2	-	2	2	-	11	8	8	6	3	-
Woodland	-	24	4	5	10	13	-	7	5	-	3	4	-	18	10	4	5	3	-
Balance of county	-	32	5	6	10	20	-	15	-	-	2	2	3	31	15	14	11	2	4
Yuba	2	28	3	4	13	17	1	8	4	-	4	1	2	20	20	13	13	5	-
Colorado	73	1,250	316	209	742	959	74	287	168	2	171	236	300	1,814	682	616	569	191	38
Urban places	56	866	236	149	533	662	53	206	106	1	118	179	221	1,288	357	381	358	138	22
Balance of area	17	384	80	60	209	297	21	81	62	1	53	57	79	526	325	235	211	55	16
Metropolitan counties	63	945	229	165	559	719	57	237	117	1	137	198	245	1,383	481	440	437	157	32
Urban places	53	809	211	140	494	612	52	200	96	1	110	170	212	1,207	338	356	334	134	22
Balance of area	10	136	18	25	65	107	5	37	21	-	27	28	33	176	143	84	103	23	10
Nonmetropolitan counties	10	305	87	44	183	240	17	50	51	1	34	38	55	431	201	176	132	34	6
Urban places	3	57	25	9	39	50	1	6	10	-	8	9	9	81	19	25	24	2	-
Balance of area	7	248	62	35	144	190	16	44	41	1	26	29	46	350	182	151	108	32	6
Adams	2	71	15	20	47	73	2	19	10	-	16	17	22	109	52	51	46	16	2
Arvada, part	-	-	-	1	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-
Aurora, part	-	5	2	1	4	10	1	4	1	-	-	2	3	9	6	8	5	2	1
Brighton, part	1	9	2	2	5	6	1	1	1	-	1	1	1	9	6	2	2	1	-
Brighton, total	1	9	2	2	5	6	1	1	1	-	1	1	1	9	6	2	2	1	-
Broomfield, part	-	1	-	-	1	1	-	-	1	-	-	1	-	2	1	-	-	-	-
Commerce City	-	9	2	5	7	7	-	2	-	-	2	3	3	13	5	7	6	2	1
Northglenn	-	8	2	2	4	4	-	-	-	-	6	1	3	19	4	4	3	3	-
Thornton	-	10	-	1	3	8	-	2	1	-	-	4	2	13	6	5	13	2	-
Westminster, part	-	7	4	1	9	8	-	3	1	-	3	1	2	14	7	7	4	1	-
Westminster, total	-	8	4	2	10	8	-	3	1	-	4	2	3	14	9	7	4	1	-
Balance of county	1	22	3	7	14	29	-	7	5	-	4	2	6	30	16	17	13	5	-
Alamosa	-	4	1	-	1	8	-	2	1	-	1	-	1	10	2	3	3	1	-
Arapahoe	8	83	23	9	52	58	6	25	12	-	13	21	17	145	53	49	45	18	13
Aurora, part	-	32	14	3	18	24	2	12	7	-	10	15	6	61	22	20	14	11	3
Aurora, total	-	37	16	4	22	34	3	16	8	-	10	17	9	70	28	28	19	13	4
Englewood	-	21	2	3	17	20	2	1	2	-	1	1	2	42	10	12	8	-	1
Littleton, part	5	19	4	3	11	8	1	5	3	-	1	4	4	24	13	10	11	4	2
Littleton, total	5	19	4	3	11	8	1	5	3	-	1	4	4	24	13	10	11	5	2
Balance of county	3	11	3	-	6	6	1	7	-	-	1	1	5	18	8	7	12	3	7
Archuleta	1	-	-	-	-	-	-	-	-	-	1	-	-	4	1	4	3	-	-
Baca	-	4	1	-	-	4	-	-	1	-	-	-	1	4	9	1	-	-	-
Bent	1	3	-	-	4	-	-	1	1	-	1	1	-	10	1	2	-	-	-
Boulder	3	73	11	9	37	40	1	13	15	-	15	8	16	94	38	31	38	6	1
Boulder	2	42	1	6	19	15	1	6	4	-	5	-	7	45	12	12	19	2	1
Broomfield, part	-	1	-	-	-	1	-	-	-	-	2	-	4	7	2	2	3	-	-
Broomfield, total	-	2	-	-	1	2	-	-	1	-	2	1	5	9	5	3	3	-	-
Longmont	1	13	8	3	9	12	-	5	4	-	6	4	1	26	12	5	2	2	-
Balance of county	-	17	2	-	9	12	-	2	7	-	2	4	4	16	12	12	14	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Chaffee	129	-	-	2	23	7	6	3	3	-	-	4	2	58	39	-	4	25	10
Cheyenne	23	-	-	-	1	-	-	-	1	-	-	-	-	11	5	-	-	4	1
Clear Creek	36	-	-	1	6	2	1	1	2	-	-	-	1	13	8	-	-	7	1
Conejos	60	-	-	-	10	7	-	-	2	-	-	1	1	28	24	1	-	18	5
Costilla	23	-	-	-	3	-	-	-	-	-	-	3	2	11	9	-	1	6	2
Crowley	40	-	-	-	7	1	3	-	1	1	-	1	-	17	14	-	-	9	5
Custer	8	-	-	-	2	1	-	-	-	1	-	-	-	2	2	-	-	1	1
Delta	281	-	-	1	60	20	12	2	8	4	1	13	3	128	98	1	1	64	32
Denver, coexl. with Denver city	4,616	3	1	63	894	242	197	97	106	38	38	178	65	2,015	1,564	27	38	1,074	425
Dolores	9	-	-	-	3	1	1	-	-	-	-	1	-	3	1	-	-	1	-
Douglas	133	-	-	-	28	7	8	1	4	-	1	7	2	47	36	-	-	28	8
Littleton, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	132	-	-	-	28	7	8	1	4	-	1	7	2	47	36	-	-	28	8
Eagle	47	-	-	-	6	1	1	-	-	-	-	4	-	14	13	-	-	7	6
Elbert	40	-	-	-	9	5	1	-	2	1	-	-	1	12	12	-	-	7	5
El Paso	1,796	2	-	10	389	111	82	47	51	14	9	75	25	726	530	9	12	411	98
Colorado Springs	1,525	2	-	9	334	99	70	39	39	12	9	66	22	631	461	5	11	355	90
Balance of county	271	-	-	1	55	12	12	8	12	2	-	9	3	95	69	4	1	56	8
Fremont	381	-	-	6	63	11	18	4	9	1	4	16	2	191	134	3	2	105	24
Canon City	228	-	-	5	36	5	9	4	6	1	3	8	1	118	80	-	1	62	17
Balance of county	153	-	-	1	27	6	9	-	3	-	1	8	1	73	54	3	1	43	7
Garfield	150	-	-	-	26	5	7	-	7	2	-	5	-	46	34	-	1	19	14
Gilpin	10	-	-	-	3	-	2	-	1	-	-	-	-	3	3	-	-	2	1
Grand	27	-	-	-	3	1	-	-	1	1	-	-	-	9	9	-	-	5	4
Gunnison	41	-	-	-	6	2	1	1	1	-	1	-	2	15	12	-	-	7	5
Hinsdale	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Huerfano	68	-	-	1	8	2	-	-	-	-	1	5	2	34	31	1	-	22	8
Jackson	4	-	-	-	2	-	1	-	1	-	-	-	-	1	1	-	-	-	1
Jefferson	1,967	1	-	24	441	114	105	48	38	16	18	104	23	785	620	9	10	412	189
Arvada, part	403	-	-	2	104	30	28	10	9	-	3	24	5	154	126	1	3	88	34
Arvada, total	414	-	-	2	107	30	31	10	9	-	3	24	5	156	127	1	3	89	34
Broomfield, part	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Golden	171	-	-	4	43	11	9	6	3	5	2	7	2	59	50	2	2	35	11
Lakewood	748	-	-	11	158	35	39	17	13	4	6	44	8	325	256	3	4	151	98
Westminster, part	16	-	-	1	2	1	-	-	-	1	-	-	-	7	5	-	-	3	2
Wheat Ridge	287	1	-	4	54	17	10	6	3	4	3	11	3	124	88	2	-	63	23
Balance of county	337	-	-	2	79	20	19	9	8	2	4	17	5	116	95	1	1	72	21
Kiowa	22	-	-	-	2	-	-	-	-	-	-	2	-	13	11	-	-	7	4
Kit Carson	77	-	-	1	13	2	6	1	-	1	2	1	1	37	32	1	-	22	9
Lake	36	-	-	1	9	3	2	-	1	-	-	3	1	12	11	1	3	6	1
La Plata	200	-	-	1	37	10	8	5	5	1	2	6	4	75	53	-	-	35	18
Durango	98	-	-	1	19	4	4	3	1	1	2	4	2	34	22	-	-	13	9
Balance of county	102	-	-	-	18	6	4	2	4	-	-	2	2	41	31	-	-	22	9
Larimer	807	-	-	7	185	43	33	21	27	6	15	40	12	375	299	2	-	222	75
Fort Collins	346	-	-	2	80	17	18	8	13	4	6	16	6	152	116	1	-	86	29
Loveland	244	-	-	2	52	13	10	5	9	1	3	11	5	116	96	-	-	72	24
Balance of county	217	-	-	3	53	13	7	8	5	1	6	13	1	107	87	1	-	64	22
Las Animas	182	-	-	1	30	9	4	2	7	3	-	5	5	95	73	-	2	55	16
Lincoln	46	-	-	-	10	3	1	2	1	-	-	3	4	18	14	1	-	9	4
Logan	189	-	-	3	43	6	17	3	5	-	2	10	5	82	65	1	2	50	12
Sterling	143	-	-	3	37	4	15	2	5	-	2	9	3	60	47	1	1	37	8
Balance of county	46	-	-	-	6	2	2	1	-	-	-	1	2	22	18	-	1	13	4
Mesa	683	1	-	13	117	22	38	12	15	4	2	24	7	295	239	11	2	180	66
Grand Junction	355	1	-	7	62	12	19	4	11	2	-	14	4	148	117	4	2	78	33
Balance of county	328	-	-	6	55	10	19	8	4	2	2	10	3	147	122	7	-	82	33
Mineral	7	-	-	-	2	1	-	1	-	-	-	-	-	4	3	-	-	3	-
Moffat	76	-	-	-	10	3	2	-	3	-	-	2	-	37	31	-	-	18	13
Montezuma	151	-	-	1	30	6	7	2	5	1	1	8	-	48	43	-	-	32	11
Montrose	198	-	-	2	43	5	12	1	9	2	-	14	3	88	67	1	-	48	18
Morgan	225	-	-	1	41	14	12	1	4	2	-	8	7	102	75	-	-	63	12
Otero	230	-	-	3	31	13	8	1	2	2	1	4	5	122	96	1	-	82	13
Ouray	11	-	-	-	1	-	1	-	-	-	-	-	-	3	3	-	-	3	-
Park	23	-	-	2	6	-	1	-	1	-	2	2	-	6	5	-	-	4	1
Phillips	45	-	-	-	7	-	-	1	-	-	1	5	3	28	25	-	-	11	14
Pitkin	21	-	-	-	5	-	2	2	1	-	-	-	-	4	2	-	-	2	-
Prowers	118	-	-	-	21	8	6	-	4	1	1	1	4	49	34	1	-	27	6
Pueblo	1,060	-	-	11	197	39	59	13	31	6	9	40	18	459	349	4	12	242	91
Pueblo	948	-	-	9	168	32	52	9	28	6	8	33	18	409	313	4	12	217	80
Balance of county	112	-	-	2	29	7	7	4	3	-	1	7	-	50	36	-	-	25	11
Rio Blanco	36	-	-	1	6	1	3	-	1	-	1	-	-	16	12	-	-	8	4
Rio Grande	112	-	-	1	22	8	2	-	2	1	3	6	-	48	38	-	-	30	8
Routt	67	-	-	3	12	3	4	1	2	-	1	1	3	25	20	-	-	13	7
Saguache	36	-	-	-	7	4	1	1	-	1	-	-	-	14	10	-	1	6	3
San Juan	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
San Miguel	8	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	2	-
Sedgwick	33	-	-	-	8	2	-	1	1	-	1	3	1	16	11	-	-	8	3
Summit	16	-	-	-	4	2	-	-	-	-	-	2	1	2	2	-	-	2	-
Teller	51	-	-	1	12	2	3	1	2	1	1	2	2	19	16	1	-	9	6
Washington	57	-	-	-	13	2	4	1	1	-	1	4	-	28	25	-	1	22	2
Weld	736	-	-	6	133	35	29	9	14	2	6	38	16	335	272	7	6	213	46
Brighton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greeley	358	-	-	-	53	16	8	4	7	1	3	14	9	174	136	3	4	111	18
Balance of county	378	-	-	6	80	19	21	5	7	1	3	24	7	161	136	4	2	102	28
Yuma	100	-	-	1	16	7	-	2	3	-	1	3	2	51	35	-	2	28	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	-	16	2	1	3	13	-	2	-	-	1	-	1	13	4	2	5	-	-
Cheyenne	-	3	3	-	2	2	-	-	-	-	1	-	-	3	2	1	-	-	-
Clear Creek	-	5	-	-	-	3	-	1	-	-	-	-	-	3	2	1	4	1	-
Conejos	-	3	1	-	1	3	-	-	1	-	-	-	1	6	3	4	1	1	-
Costilla	-	2	-	-	1	-	-	2	1	-	-	-	-	1	1	1	-	-	-
Crowley	-	3	-	-	7	1	-	-	-	-	-	-	-	4	1	3	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Delta	-	23	4	3	14	16	2	3	-	-	-	1	3	28	10	4	7	1	-
Denver, coext. with Denver city	21	281	93	56	170	232	21	83	36	1	36	57	91	446	78	127	121	71	5
Dolores	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Douglas	-	8	1	2	3	5	1	4	3	-	3	1	2	15	11	3	4	1	-
Littleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Balance of county	-	8	1	2	3	5	1	4	3	-	3	1	2	15	11	3	4	-	-
Eagle	-	1	-	-	3	-	-	-	-	-	-	-	-	3	7	7	5	1	1
Elbert	-	-	-	-	3	2	-	1	-	-	-	1	1	2	3	2	3	-	-
El Paso	8	141	27	20	83	80	9	33	11	-	20	28	23	157	91	36	65	16	2
Colorado Springs	5	123	25	17	77	69	8	29	9	-	14	23	18	138	53	28	48	11	2
Balance of county	3	18	2	3	6	11	1	4	2	-	6	5	5	19	28	8	17	5	-
Fremont	1	25	25	6	17	26	-	-	3	-	2	1	3	35	8	14	9	1	-
Canon City	-	17	18	3	8	16	-	-	1	-	1	1	1	25	3	7	5	-	-
Balance of county	1	8	7	3	9	10	-	-	2	-	1	-	2	10	5	7	4	1	-
Garfield	-	10	-	2	9	10	-	1	3	-	-	1	2	21	14	8	7	-	2
Gilpin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
Grand	-	-	-	-	-	2	-	-	1	-	-	-	-	5	-	5	2	-	-
Gunnison	-	1	1	1	2	2	-	-	1	-	-	1	1	3	4	3	-	1	-
Hinsdale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Huerfano	-	3	-	-	1	4	-	2	-	-	1	1	-	7	1	4	2	-	-
Jackson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Jefferson	6	104	36	19	75	98	9	24	14	-	19	34	27	182	77	54	64	14	2
Arvada, part	2	16	5	5	12	22	2	3	3	-	3	8	6	28	18	12	20	1	-
Arvada, total	2	16	5	6	12	22	2	3	3	-	3	10	8	28	19	13	20	1	-
Broomfield, part	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
Golden	-	6	1	2	9	7	1	5	4	-	-	1	3	17	9	3	2	2	-
Lakewood	2	41	20	6	33	35	3	8	4	-	8	11	9	80	14	18	18	5	-
Westminster, part	-	1	-	1	1	-	-	-	-	-	1	1	1	-	2	-	-	-	-
Wheat Ridge	1	26	6	1	9	26	2	4	2	-	-	5	2	29	5	10	4	3	-
Balance of county	1	14	2	4	11	8	1	4	1	-	7	8	5	28	27	10	20	3	2
Kiowa	-	1	-	1	-	1	1	-	-	-	-	-	-	2	1	2	-	-	-
Kit Carson	-	5	-	-	3	5	-	-	1	-	-	1	1	6	4	1	2	1	-
Lake	-	1	-	-	2	-	-	-	-	-	1	1	-	3	1	2	-	2	1
La Plata	2	17	2	1	8	7	-	5	3	-	4	4	5	16	14	9	8	-	-
Durango	1	9	2	-	6	2	-	4	2	-	3	3	1	9	3	6	3	-	-
Balance of county	1	8	-	1	2	5	-	1	1	-	1	1	4	7	11	3	5	-	-
Larimer	4	52	8	12	25	36	1	6	5	-	6	11	9	65	27	14	18	4	1
Fort Collins	2	26	2	6	15	12	1	3	3	-	4	4	4	31	10	7	9	3	-
Loveland	2	11	4	3	6	14	-	2	-	-	1	5	4	24	8	3	2	-	-
Balance of county	-	15	2	3	4	10	-	1	2	-	1	2	1	10	9	4	7	1	1
Las Animas	-	15	5	2	3	3	2	3	2	-	2	1	1	18	4	5	-	6	1
Lincoln	-	4	-	-	2	3	-	-	2	-	1	1	-	6	-	-	1	-	-
Logan	1	11	3	2	10	9	1	-	3	-	2	3	2	15	4	4	1	2	-
Sterling	1	8	2	2	8	8	1	-	1	-	2	1	1	11	2	3	1	1	-
Balance of county	-	3	1	-	2	1	-	-	2	-	-	2	1	4	2	1	-	1	-
Mesa	2	40	7	7	28	44	2	2	11	-	4	7	7	67	23	24	26	5	-
Grand Junction	1	23	3	4	17	24	-	2	6	-	2	4	6	36	11	9	15	1	-
Balance of county	1	17	4	3	11	20	2	-	5	-	2	3	1	31	12	15	11	4	-
Mineral	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Moffat	-	5	-	1	5	4	-	2	-	-	1	1	3	9	2	2	-	-	-
Montezuma	1	2	1	1	9	11	1	3	1	-	2	4	3	12	10	9	6	1	-
Montrose	-	18	1	2	4	3	1	4	5	-	2	2	4	13	14	4	3	3	-
Morgan	-	19	7	1	13	12	3	3	2	-	1	3	2	17	6	7	5	-	-
Otero	1	15	5	5	8	11	2	4	1	-	2	-	1	24	1	9	4	2	-
Ouray	-	-	-	-	-	1	-	1	1	-	-	-	1	2	-	1	-	-	-
Park	-	1	-	-	1	-	-	1	-	-	-	-	-	2	1	1	3	-	-
Phillips	-	1	2	-	1	1	-	-	1	-	-	-	-	1	3	-	-	-	-
Pitkin	-	2	-	-	-	-	-	-	-	-	-	-	2	-	6	3	1	-	-
Prowers	-	5	10	-	4	7	1	2	1	-	-	-	2	7	9	6	5	-	-
Pueblo	9	81	12	8	36	64	6	19	10	-	5	13	27	103	26	39	14	7	6
Pueblo	7	71	11	7	35	54	6	18	9	-	4	13	27	97	20	38	11	6	6
Balance of county	2	10	1	1	1	10	-	1	1	-	1	-	-	6	6	1	9	1	-
Rio Blanco	-	4	-	-	-	1	-	-	1	-	-	-	-	2	3	2	3	1	-
Rio Grande	-	9	1	-	8	6	-	1	-	-	-	1	1	12	5	4	1	2	-
Routt	-	4	-	1	1	2	-	1	-	-	3	-	2	7	4	2	1	-	1
Saguache	-	3	-	1	-	2	-	1	-	-	-	-	1	6	-	3	1	1	-
San Juan	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-
San Miguel	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-
Sedgwick	-	5	-	-	-	3	-	1	1	-	-	-	-	2	1	-	-	-	-
Summit	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	-	-
Teller	-	2	-	1	1	1	-	1	-	-	-	-	-	7	3	3	1	-	-
Washington	-	1	-	2	1	3	-	1	1	-	-	-	1	6	1	1	1	-	-
Weld	2	49	3	9	30	32	1	10	1	-	4	8	11	60	33	31	21	4	-
Brighton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greeley	2	30	1	5	20	17	-	4	1	-	2	3	6	33	12	14	9	1	-
Balance of county	-	19	2	4	10	15	1	6	-	-	2	5	5	27	21	17	12	3	-
Yuma	-	9	4	3	3	4	-	-	1	1	-	1	1	11	2	2	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut	27,246	12	2	306	6,692	1,791	1,613	637	717	316	246	1,312	522	13,147	10,438	121	306	7,653	2,358
Urban places	19,771	9	1	234	4,752	1,297	1,159	438	517	227	174	940	386	9,618	7,630	82	234	5,591	1,723
Balance of area	7,475	3	1	72	1,880	494	454	199	200	89	72	372	136	3,529	2,808	39	72	2,062	635
Metropolitan counties	24,932	10	1	286	6,063	1,641	1,474	589	635	288	229	1,207	484	12,083	9,581	109	284	7,014	2,174
Urban places	19,430	9	1	229	4,668	1,268	1,139	433	512	222	172	922	382	9,451	7,492	80	231	5,493	1,688
Balance of area	5,502	1	-	57	1,395	373	335	156	123	66	57	285	102	2,632	2,089	29	53	1,521	486
Nonmetropolitan counties	2,314	2	1	20	569	150	139	48	82	28	17	105	38	1,064	857	12	22	639	184
Urban places	341	-	-	5	84	29	20	5	5	5	2	18	4	167	138	2	3	98	35
Balance of area	1,973	2	1	15	485	121	119	43	77	23	15	87	34	897	719	10	19	541	149
Fairfield	6,991	3	-	75	1,762	482	423	173	197	76	69	342	131	3,416	2,851	26	72	2,024	529
Bridgeport	1,552	2	-	19	360	97	95	33	40	19	13	63	34	766	590	3	22	472	93
Danbury	546	-	-	3	128	43	24	9	15	5	3	29	12	246	194	2	6	143	43
Darien town#	162	-	-	4	34	6	8	4	5	2	-	9	-	96	77	1	2	58	16
Fairfield town#	535	-	-	2	150	44	31	19	8	10	10	28	9	284	225	4	13	174	34
Greenwich town#	508	1	-	6	140	36	35	15	16	5	8	25	10	248	186	-	2	136	50
Norwalk	669	-	-	7	165	47	48	16	17	5	5	27	7	316	243	4	6	191	42
Shelton	243	-	-	1	64	15	11	1	13	3	3	18	1	126	94	-	3	70	21
Stamford	926	-	-	11	227	55	55	23	30	5	10	49	23	446	351	4	5	252	90
Stratford town#	514	-	-	6	138	33	36	16	15	6	6	26	4	254	196	1	2	162	31
Trumbull town#	254	-	-	3	68	21	16	2	8	2	3	16	8	132	101	2	2	78	19
Westport town#	173	-	-	1	52	17	11	8	8	1	-	7	6	81	66	1	1	48	16
Balance of county	909	-	-	12	236	68	53	27	22	13	8	45	17	420	326	4	8	240	74
Hartford	6,996	2	-	91	1,658	460	412	163	171	64	69	319	122	3,371	2,695	36	68	2,002	589
Bristol	440	-	-	7	105	28	27	6	12	5	5	22	7	196	155	3	-	115	37
East Hartford town#	458	1	-	10	97	27	23	8	6	5	8	20	7	230	180	4	3	138	35
Enfield town#	281	-	-	1	60	16	17	5	4	3	2	13	8	135	111	-	2	86	23
Hartford	1,225	-	-	25	243	79	59	18	28	10	6	43	18	545	432	5	12	322	93
Manchester town#	433	-	-	5	127	34	38	12	8	2	5	28	11	200	148	3	4	120	21
New Britain	766	-	-	9	174	52	44	13	22	3	6	34	14	398	324	5	17	209	93
Newington town#	255	-	-	1	73	18	18	9	7	4	3	14	5	110	96	1	3	73	19
Plainville town#	145	-	-	2	31	9	9	2	3	3	1	4	5	68	55	-	1	43	11
Rocky Hill town#	116	-	-	-	34	10	9	5	4	1	1	4	2	53	41	-	2	25	14
Southington town#	254	-	-	1	60	11	13	5	7	4	4	16	9	123	105	1	-	79	25
West Hartford town#	745	1	-	8	183	45	43	22	32	4	6	31	9	384	295	4	5	236	50
Wethersfield town#	271	-	-	2	83	25	18	9	9	5	5	12	5	121	95	1	-	77	17
Windsor town#	225	-	-	7	39	11	10	4	3	4	1	6	2	123	101	1	4	73	23
Windsor Locks town#	101	-	-	-	32	11	9	6	-	-	3	3	3	42	32	1	-	25	6
Balance of county	1,281	-	-	13	317	84	75	39	26	11	13	69	17	643	525	7	15	381	122
Litchfield	1,450	2	-	17	350	97	80	35	50	20	13	65	18	689	559	6	16	405	132
Torrington	339	-	-	5	84	29	20	5	5	5	2	16	4	167	138	2	3	98	35
Balance of county	1,111	2	-	12	266	58	60	30	45	15	11	47	14	522	421	4	13	307	97
Middlesex	1,082	1	-	13	240	65	61	24	32	6	7	45	20	553	442	5	18	308	111
Middletown	341	-	-	4	82	23	19	6	14	2	2	16	4	175	147	2	8	108	29
Balance of county	741	1	-	9	158	42	42	18	18	4	5	29	16	378	295	3	10	200	82
New Haven	7,189	3	-	91	1,733	456	401	159	180	108	61	368	154	3,475	2,817	30	102	1,911	774
Ansonia	204	-	-	3	40	9	15	1	7	2	-	6	4	109	85	1	1	70	13
Branford town#	218	-	-	7	57	16	10	3	7	5	-	16	4	94	79	-	5	44	30
Derby	120	-	-	-	34	9	5	4	4	3	2	7	1	58	48	1	1	39	7
East Haven town#	234	-	-	6	63	19	16	5	7	3	1	12	5	110	94	2	2	55	35
Hamden town#	506	-	-	5	135	36	27	10	13	14	3	32	11	261	208	2	6	148	52
Meriden	547	-	-	4	125	29	28	18	11	7	-	32	10	266	221	-	5	162	54
Milford	432	-	-	2	104	29	23	11	12	4	2	23	11	212	169	1	3	128	37
Naugatuck	187	-	-	3	41	16	9	1	4	3	3	5	12	84	70	1	1	56	12
New Haven	1,349	2	-	25	284	62	69	23	28	13	9	80	31	614	505	6	32	281	186
North Haven town#	169	-	-	2	39	8	9	3	2	7	2	8	4	84	67	2	2	41	22
Orange town#	104	-	-	2	31	10	5	2	5	1	3	5	-	45	38	-	-	29	9
Wallingford town#	385	-	-	3	71	20	15	11	7	4	3	11	3	190	161	3	3	121	34
Waterbury	1,180	1	-	8	285	81	70	24	27	12	13	58	24	601	468	2	23	322	121
West Haven	517	-	-	7	142	36	37	13	22	13	5	16	13	242	207	2	10	137	58
Balance of county	1,057	-	-	14	282	76	63	30	24	17	15	57	21	505	397	7	8	278	104
New London	2,012	-	1	12	497	124	142	45	38	23	19	106	39	973	758	10	21	595	132
Groton	226	-	-	2	49	10	13	6	5	3	1	11	3	114	85	2	2	69	12
New London	290	-	-	1	64	24	15	4	10	4	-	7	6	149	115	1	3	82	29
Norwich	423	-	1	3	100	19	34	11	4	5	5	22	14	214	160	1	7	135	17
Balance of county	1,073	-	-	6	284	71	80	24	19	11	13	66	16	496	398	6	9	309	74
Tolland	662	1	-	4	173	54	35	25	17	11	4	27	18	296	218	2	3	174	39
Vernon town#	221	1	-	1	55	22	13	7	3	1	1	8	3	106	70	-	-	61	9
Balance of county	441	-	-	3	118	32	22	18	14	10	3	19	15	190	148	2	3	113	30
Windham	664	-	1	3	219	63	59	13	32	8	4	40	20	375	298	6	6	234	52
Willimantic 4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	862	-	1	3	219	63	59	13	32	8	4	40	20	375	298	6	6	234	52
Delaware	5,012	7	-	85	1,213	309	330	99	137	54	53	231	128	2,380	1,967	16	105	1,083	763
Urban places	1,512	2	-	31	311	81	92	17	37	17	9	58	47	732	601	4	38	301	258
Balance of area	3,500	5	-	54	902	228	238	82	100	37	44	173	81	1,648	1,366	12	67	782	505
Metropolitan counties	3,143	2	-	52	795	209	219	66	70	38	33	160	90	1,462	1,199	12	89	576	522
Urban places	1,292	2	-	27	272	74	81	15	31	15	6	50	46	610	500	4	37	227	232
Balance of area	1,851	-	-	25	523	135	138	51	39	23	27	110	44	852	699	8	52	349	290
Nonmetropolitan counties	1,869	5	-	33	418	100	111	33	67	16	20	71	38	918	768	4	16	507	241
Urban places	220	-	-	4	39	7	11	2	6	2	3	8	1	122	101	-	1	74	26
Balance of area	1,649	5	-	29	379	93	100	31	61	14	17	63	37	796	667	4	15	433	215

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	115	1,940	347	307	827	629	86	397	224	1	190	229	395	2,076	411	608	252	140	10
Urban places	82	1,423	259	224	606	589	67	281	176	–	99	166	305	1,527	252	416	159	119	9
Balance of area	33	517	88	83	221	240	19	116	48	1	31	63	90	549	159	192	103	21	1
Metropolitan counties	101	1,803	311	287	729	748	78	351	213	–	121	206	374	1,917	355	544	225	134	9
Urban places	80	1,409	248	222	595	579	68	275	179	–	99	163	301	1,499	246	412	154	119	9
Balance of area	21	394	63	65	134	169	13	76	40	–	22	43	73	418	109	132	71	15	–
Nonmetropolitan counties	14	137	36	20	98	81	7	46	11	1	9	23	21	159	56	64	37	6	1
Urban places	2	14	11	2	11	10	1	6	3	–	–	3	4	28	6	4	5	–	–
Balance of area	12	123	25	18	87	71	6	40	8	1	9	20	17	131	50	60	32	6	1
Fairfield	23	546	104	91	166	202	28	103	48	–	29	54	107	511	91	137	66	55	6
Bridgeport	10	117	32	17	43	32	6	26	13	–	8	15	39	101	15	32	13	27	1
Danbury	1	35	2	14	17	29	3	7	1	–	3	4	12	52	11	12	5	1	–
Darien town#	–	15	2	2	3	6	–	–	3	–	–	–	1	11	2	1	1	–	–
Fairfield town#	3	41	5	10	7	11	3	6	2	–	3	–	7	35	3	4	7	1	1
Greenwich town#	2	48	6	4	15	9	5	3	7	–	–	2	4	39	6	6	6	1	–
Norwalk	2	47	11	13	16	26	4	20	3	–	6	4	10	56	5	14	2	6	2
Shelton	–	27	4	1	8	10	–	3	–	–	–	5	1	9	5	6	3	1	–
Stamford	1	72	13	9	19	27	1	9	8	–	6	11	10	74	22	18	6	8	–
Stratford town#	–	49	7	2	13	16	2	11	1	–	–	3	6	32	2	14	8	4	–
Trumbull town#	2	24	4	1	4	5	–	3	2	–	2	2	2	19	1	2	–	–	1
Westport town#	–	6	7	2	3	2	1	2	–	–	–	2	2	14	1	3	2	–	1
Balance of county	2	65	11	16	20	29	3	13	8	–	1	6	13	69	18	25	13	6	–
Hartford	35	474	83	84	212	184	19	113	66	–	38	68	101	577	93	175	64	41	1
Bristol	1	28	6	6	16	10	3	12	5	–	2	4	5	35	7	14	8	3	1
East Hartford town#	6	34	3	7	20	15	3	9	4	–	1	3	5	31	4	13	2	3	–
Enfield town#	–	21	2	1	9	9	–	3	2	–	–	5	4	28	9	3	4	1	–
Hartford	4	80	15	14	39	39	3	24	17	–	12	28	33	120	17	39	7	16	–
Manchester town#	3	33	11	5	12	14	–	6	1	–	4	1	4	29	2	11	5	1	–
New Britain	5	49	14	6	25	9	3	14	8	–	3	4	8	58	10	15	7	7	–
Newington town#	1	9	–	4	8	8	–	3	2	–	2	3	4	27	1	5	1	2	–
Plainville town#	1	9	3	–	3	5	–	3	4	–	–	1	3	14	2	3	1	–	–
Rocky Hill town#	2	6	2	2	2	3	–	3	1	–	–	3	–	10	2	2	1	–	–
Southington town#	1	12	–	5	10	6	–	4	3	–	1	1	6	16	3	6	3	–	–
West Hartford town#	3	67	12	7	24	18	2	7	10	–	1	–	6	62	6	20	3	1	–
Wethersfield town#	–	19	1	6	10	10	–	4	2	–	–	2	3	22	1	5	1	–	–
Windsor town#	–	17	2	3	7	7	–	1	2	–	1	1	1	15	6	7	3	3	–
Windsor Locks town#	–	4	3	3	2	–	–	4	1	–	2	–	1	8	2	1	3	–	–
Balance of county	8	86	9	15	25	31	5	16	4	–	9	12	18	100	21	31	15	4	–
Litchfield	8	68	22	12	50	49	4	26	7	–	4	14	16	106	35	33	26	4	–
Torrington	2	14	11	2	11	9	1	6	3	–	–	3	4	28	5	4	5	–	–
Balance of county	6	74	11	10	39	40	3	20	4	–	4	11	12	78	30	29	21	4	–
Middlesex	4	81	10	16	29	30	3	20	11	–	4	11	12	73	24	23	14	1	–
Middletown	–	22	2	4	7	10	1	6	3	–	1	3	3	23	6	9	4	–	–
Balance of county	4	59	8	12	22	20	2	14	8	–	3	8	9	50	18	14	10	1	–
New Haven	23	496	68	71	239	236	26	77	64	–	34	54	115	575	83	149	48	32	1
Ansonia	1	16	3	4	7	8	1	4	3	–	–	2	2	13	–	6	–	1	–
Branford town#	–	13	–	2	5	7	–	3	2	–	–	1	5	20	2	9	1	1	–
Derby	–	8	–	2	5	5	2	–	1	–	–	–	–	11	2	1	–	–	–
East Haven town#	–	13	1	2	3	7	–	2	2	–	–	2	5	20	3	4	2	–	–
Hamden town#	2	38	4	9	19	12	–	4	2	–	2	1	6	38	2	6	1	1	–
Meriden	–	39	3	3	26	20	–	9	5	–	3	3	7	39	10	13	4	3	–
Milford	2	33	2	6	9	15	2	9	4	–	3	2	6	26	9	12	4	2	–
Naugatuck	2	8	2	2	7	8	–	2	3	–	2	1	1	14	5	3	1	–	–
New Haven	6	87	7	9	46	40	9	12	18	–	10	24	37	134	12	32	7	12	–
North Haven town#	–	13	4	–	8	3	–	–	3	–	1	–	3	12	3	3	4	–	–
Orange town#	–	7	–	–	4	6	–	–	1	–	–	–	1	10	1	2	–	1	–
Wallingford town#	1	22	1	5	21	14	4	5	2	–	1	1	3	35	4	6	2	–	–
Waterbury	3	94	24	12	40	38	4	10	10	–	7	6	19	81	10	20	5	11	–
West Haven	3	22	5	5	16	14	2	3	1	–	2	5	9	37	6	14	3	–	1
Balance of county	3	83	12	10	23	36	2	14	7	–	3	6	11	85	14	18	14	–	–
New London	16	150	33	16	57	77	2	26	16	–	15	14	31	130	49	43	28	2	–
Groton	–	18	9	2	6	13	1	4	2	–	3	2	4	10	8	2	3	–	–
New London	1	22	6	5	12	13	–	5	2	–	4	2	4	16	6	2	4	–	–
Norwich	11	40	2	1	10	10	1	6	5	–	2	3	6	25	8	9	6	–	–
Balance of county	4	70	16	8	29	41	–	11	7	–	6	7	17	79	27	30	15	2	–
Tolland	–	56	13	9	24	19	1	12	8	–	1	5	8	51	15	17	5	3	1
Vernon town#	–	25	5	5	9	9	–	4	2	–	1	1	3	16	4	3	1	1	1
Balance of county	–	31	7	4	15	10	1	8	6	–	–	4	5	35	11	14	4	2	–
Windham	6	49	14	8	48	32	3	20	4	1	5	9	5	53	21	31	11	2	1
Willimantic [4]	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Balance of county	6	49	14	8	48	31	3	20	4	1	5	9	5	53	20	31	11	2	1
Delaware	15	283	53	62	100	159	6	79	48	–	35	47	26	386	113	98	66	26	10
Urban places	3	89	17	22	27	39	5	34	16	–	14	30	7	113	30	44	13	14	3
Balance of area	12	194	36	40	73	120	1	45	32	–	21	17	19	273	83	54	53	12	7
Metropolitan counties	10	177	40	36	45	97	5	61	24	–	28	34	13	243	58	69	46	16	7
Urban places	3	73	16	18	20	36	4	32	10	–	11	26	6	98	23	41	13	12	3
Balance of area	7	104	24	18	25	61	1	29	14	–	17	8	7	145	35	22	35	4	4
Nonmetropolitan counties	5	106	13	26	55	62	1	18	24	–	7	13	13	143	55	35	18	10	3
Urban places	–	16	1	4	7	3	1	2	6	–	3	4	1	15	7	3	–	2	–
Balance of area	5	90	12	22	48	59	–	16	18	–	4	9	12	128	48	32	18	8	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Delaware—Con.																			
Kent	751	-	-	18	154	35	39	14	27	6	7	26	12	365	313	-	8	218	87
Dover	220	-	-	4	39	7	11	2	6	2	3	6	1	122	101	-	1	74	26
Balance of county	531	-	-	14	115	28	28	12	21	4	4	18	11	243	212	-	7	144	61
New Castle	3,143	2	-	52	795	209	219	66	70	38	33	160	90	1,462	1,199	12	89	576	522
Newark	192	-	-	5	49	13	16	3	5	1	-	11	6	78	65	1	7	33	24
Wilmington	1,100	2	-	22	223	61	65	12	26	14	6	39	40	532	435	3	30	194	208
Balance of county	1,851	-	-	25	523	135	138	51	39	23	27	110	44	652	699	8	52	349	290
Sussex	1,118	5	-	15	264	65	72	19	40	10	13	45	26	553	455	4	8	289	154
District of Columbia	6,764	23	1	128	1,520	433	349	142	179	45	40	332	120	2,789	2,210	19	203	1,014	974
Florida	113,195	122	5	911	26,531	6,856	7,864	2,062	2,908	1,204	950	4,587	1,836	54,769	42,782	438	1,413	31,400	9,531
Urban places	60,180	70	3	505	13,831	3,719	4,013	1,059	1,538	616	495	2,391	1,010	29,670	23,133	221	813	16,714	5,385
Balance of area	53,015	52	2	406	12,700	3,237	3,851	1,003	1,370	588	455	2,196	826	25,099	19,649	217	600	14,686	4,146
Metropolitan counties	97,864	100	4	792	22,926	6,059	6,695	1,833	2,530	1,031	817	3,981	1,582	47,514	37,167	378	1,265	27,170	8,354
Urban places	58,185	66	3	485	13,373	3,594	3,864	1,033	1,488	586	480	2,318	975	28,717	22,400	215	796	16,131	5,258
Balance of area	39,679	34	1	307	9,553	2,465	2,831	800	1,042	435	337	1,643	607	18,797	14,767	163	469	11,039	3,096
Nonmetropolitan counties	15,331	22	1	119	3,605	897	1,169	229	378	173	133	626	254	7,255	5,615	60	148	4,230	1,177
Urban places	1,995	4	-	20	458	125	149	26	50	20	15	73	35	953	733	6	17	583	127
Balance of area	13,336	18	1	99	3,147	772	1,020	203	328	153	118	553	219	6,302	4,882	54	131	3,647	1,050
Alachua	941	-	1	15	203	53	64	14	24	5	6	37	20	409	301	2	12	203	84
Gainesville	533	-	-	8	113	33	32	6	15	3	2	22	9	244	174	1	9	121	43
Balance of county	408	-	1	7	90	20	32	8	9	2	4	15	11	165	127	1	3	82	41
Baker	116	-	-	1	32	8	16	2	2	-	-	4	1	44	32	-	-	23	9
Bay	868	2	-	12	221	59	75	14	19	12	7	35	9	370	301	2	7	206	86
Panama City	469	2	-	8	112	31	34	10	9	8	4	16	6	208	168	1	5	103	59
Balance of county	399	-	-	4	109	28	41	4	10	4	3	19	3	162	133	1	2	103	27
Bradford	194	-	-	1	44	8	16	3	2	4	2	9	5	83	59	-	1	41	17
Brevard	2,647	1	-	18	642	169	222	44	54	31	23	99	59	1,237	947	9	30	739	169
Cocoa	155	-	-	-	39	7	23	-	5	-	1	3	7	74	56	-	3	41	12
Cocoa Beach	143	-	-	2	34	11	11	5	1	2	-	4	2	73	53	-	5	37	11
Melbourne	531	-	-	3	127	37	37	7	13	6	9	18	16	261	190	1	7	150	92
Palm Bay	166	-	-	1	34	10	11	2	1	1	2	7	4	86	72	1	2	59	10
Rockledge	95	-	-	-	26	4	12	2	2	-	2	4	2	43	35	1	1	28	5
Titusville	343	-	-	3	97	20	37	6	12	5	3	14	5	150	118	1	1	89	27
Balance of county	1,214	1	-	9	285	80	91	22	20	17	6	49	23	550	423	5	11	335	72
Broward	12,421	10	-	97	3,009	813	825	232	333	143	123	540	196	6,192	5,018	63	92	3,938	925
Cooper City	55	-	-	1	12	-	3	2	1	2	1	3	1	27	25	1	-	18	6
Coral Springs	227	-	-	-	53	21	13	9	3	1	1	5	-	115	89	-	1	71	17
Dania	188	-	-	1	42	8	9	2	9	-	3	11	2	93	71	1	2	48	20
Davie	137	-	-	1	38	7	10	5	3	2	1	10	3	63	56	-	-	41	15
Deerfield Beach	655	-	-	2	167	43	51	10	17	13	5	28	15	351	295	5	6	243	41
Fort Lauderdale	2,330	4	-	28	539	132	155	36	76	25	14	95	35	1,108	852	8	25	657	162
Hallandale, part	749	-	-	4	179	57	42	12	12	9	6	41	14	394	323	8	4	265	46
Hallandale, total	753	-	-	4	181	58	43	12	12	9	6	41	14	395	324	8	4	266	46
Hollywood	1,710	1	-	12	401	123	102	32	48	21	19	58	29	882	689	8	14	540	127
Lauderdale Lakes	407	-	-	1	100	33	20	3	10	6	6	22	8	224	203	-	3	163	37
Lauderhill	400	1	-	-	87	22	24	10	8	2	4	17	8	224	196	4	-	162	30
Lighthouse Point	187	-	-	1	47	14	6	5	5	4	3	10	1	103	72	1	4	52	15
Margate	530	1	-	1	137	42	39	13	11	1	7	24	5	281	239	2	7	190	40
Miramar	263	-	-	1	77	21	25	3	7	3	2	16	2	131	110	-	4	78	28
North Lauderdale	100	1	-	2	29	8	6	1	5	2	1	6	3	39	34	1	-	28	5
Oakland Park	154	-	-	-	38	9	10	7	6	1	1	4	3	71	59	-	2	46	11
Pembroke Pines	299	-	-	6	73	16	27	6	6	3	5	10	2	149	129	1	1	106	21
Plantation	395	-	-	2	105	33	32	4	7	4	7	18	9	188	165	5	3	130	27
Pompano Beach	989	2	-	7	228	48	73	16	37	8	10	36	14	492	389	7	2	289	91
Sunrise	495	-	-	5	144	45	27	10	12	7	7	36	8	238	209	3	2	168	36
Tamarac	540	-	-	3	153	44	48	11	17	10	6	17	11	280	231	1	4	186	40
Wilton Manors	152	-	-	4	31	5	11	3	2	1	2	7	1	76	57	1	1	44	11
Balance of county	1,439	-	-	15	335	82	92	32	31	18	12	68	22	663	525	6	7	413	99
Calhoun	113	-	-	2	25	5	6	2	3	1	-	8	2	49	41	-	2	21	18
Charlotte	1,046	2	1	6	255	64	81	19	24	18	16	33	14	568	482	7	11	354	110
Citrus	897	1	-	8	240	74	60	18	18	18	7	45	15	511	412	3	14	310	85
Clay	514	-	-	5	104	22	39	10	12	1	4	16	7	247	210	1	3	160	46
Collier	1,031	2	-	9	266	72	80	21	35	13	10	35	23	439	348	5	5	279	59
Naples	327	2	-	4	89	31	25	8	8	3	5	9	8	149	119	2	2	91	24
Balance of county	704	-	-	5	177	41	55	13	27	10	5	26	15	290	229	3	3	188	35
Columbia	320	1	-	2	54	12	20	4	8	2	2	6	6	150	97	2	4	71	20
Dade	16,862	33	1	148	3,750	1,054	960	344	395	180	138	681	318	8,000	6,509	65	238	4,677	1,529
Coral Gables	435	1	-	3	112	28	23	12	9	8	8	24	8	198	160	3	3	124	30
Hallandale, part	4	-	-	-	2	1	1	-	-	-	-	-	-	1	1	-	-	1	-
Hialeah	1,163	1	-	6	281	84	78	21	22	20	13	43	31	524	426	3	19	322	82
Homestead	204	-	-	2	46	6	12	3	10	2	3	10	4	78	64	-	3	40	21
Miami	4,746	18	-	61	1,003	282	274	88	103	52	29	175	83	2,152	1,717	14	80	1,164	459
Miami Beach	2,391	1	-	9	530	178	140	38	47	24	15	88	37	1,382	1,174	7	30	896	241
Miami Springs	141	-	-	1	34	10	12	3	1	2	-	6	3	75	54	-	1	34	19
North Miami	688	2	-	5	138	28	39	13	19	5	3	31	13	383	313	4	7	229	73
North Miami Beach	1,127	-	-	7	280	78	69	26	21	13	13	60	26	623	530	8	14	370	138
Opa-locka	157	-	-	2	36	9	7	3	7	2	-	8	5	61	52	1	3	38	10
South Miami	96	-	1	-	31	9	5	2	5	-	2	8	-	37	28	1	1	21	5
Balance of county	5,510	10	-	52	1,257	341	300	135	151	52	50	228	109	2,486	1,990	24	77	1,436	451
De Soto	225	-	-	2	33	8	10	3	5	2	1	4	6	115	90	-	-	76	14
Dixie	91	-	-	-	24	4	7	2	-	2	-	9	-	29	22	-	1	15	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	1	37	6	8	30	20	1	5	14	-	5	6	6	59	34	11	5	5	1
Dover	-	16	1	4	7	3	1	2	6	-	3	4	1	15	7	3	-	2	-
Balance of county	1	21	5	4	23	17	-	3	8	-	2	2	5	44	27	8	5	3	1
New Castle	10	177	40	36	45	97	5	61	24	-	28	34	13	243	58	63	48	16	7
Newark	-	9	1	3	3	3	-	4	1	-	2	3	-	17	8	5	5	3	-
Wilmington	3	64	15	15	17	33	4	28	9	-	9	23	6	81	15	36	8	9	3
Balance of county	7	104	24	18	25	61	1	29	14	-	17	8	7	145	35	22	35	4	4
Sussex	4	69	7	18	25	42	-	13	10	-	2	7	7	84	21	24	13	5	2
District of Columbia	28	401	96	54	193	143	27	192	128	-	34	114	111	716	76	179	67	163	40
Florida	469	8,798	1,388	1,332	2,312	4,137	347	1,666	923	22	570	859	1,521	8,739	2,625	2,198	1,730	1,278	94
Urban places	265	4,846	718	708	1,252	2,103	210	917	508	9	274	465	735	4,781	1,134	1,086	851	723	43
Balance of area	204	3,952	670	624	1,060	2,034	137	749	415	13	296	394	786	3,958	1,491	1,112	879	555	51
Metropolitan counties	402	7,598	1,200	1,147	1,975	3,555	297	1,420	808	17	501	745	1,302	7,575	2,191	1,847	1,512	1,127	74
Urban places	257	4,693	683	684	1,201	2,032	195	884	491	9	264	443	715	4,611	1,099	1,049	834	703	36
Balance of area	145	2,905	517	463	774	1,523	102	536	317	8	237	302	587	2,964	1,092	798	678	424	38
Nonmetropolitan counties	67	1,200	188	185	337	582	50	246	115	5	69	114	219	1,164	434	351	218	151	20
Urban places	8	153	35	24	51	71	15	33	17	-	10	22	20	170	35	37	17	20	7
Balance of area	59	1,047	153	161	286	511	35	213	98	5	59	92	199	994	399	314	201	131	13
Alachua	5	80	16	7	28	31	2	11	9	-	11	14	16	84	31	28	16	11	2
Gainesville	4	51	10	5	16	16	2	8	8	-	5	10	4	52	14	11	8	4	1
Balance of county	1	29	6	2	12	15	-	3	1	-	6	4	11	32	17	17	8	7	1
Baker	-	10	1	1	4	6	-	-	-	-	1	1	1	10	4	6	3	2	-
Bay	2	52	7	8	17	36	1	11	9	2	6	8	7	73	21	34	17	10	2
Panama City	2	30	2	6	12	22	-	6	3	1	4	4	3	43	10	12	5	7	1
Balance of county	-	22	5	2	5	14	1	5	6	1	2	4	4	30	11	22	12	3	1
Bradford	2	17	3	2	8	10	2	2	1	-	1	2	2	13	6	9	3	2	-
Brevard	9	209	44	28	51	97	9	58	15	1	17	20	10	225	65	44	53	23	2
Cocoa	-	17	1	-	4	5	-	5	2	-	1	4	2	4	1	1	3	3	-
Cocoa Beach	1	11	3	5	-	6	-	4	-	-	-	1	-	10	5	2	3	1	-
Melbourne	3	49	9	10	14	13	2	7	5	-	3	4	3	52	10	2	7	2	-
Palm Bay	-	13	1	-	5	6	-	1	-	-	-	1	-	16	4	4	2	2	-
Rockledge	-	8	-	-	3	2	1	-	1	-	-	1	-	12	3	1	-	-	-
Titusville	1	27	2	2	8	16	3	3	1	-	1	3	1	36	4	5	6	1	-
Balance of county	4	84	28	11	17	49	3	38	6	1	12	6	4	95	38	29	32	14	2
Broward	43	862	103	166	244	461	31	157	123	1	49	75	59	958	233	188	203	132	3
Cooper City	-	2	-	-	1	-	-	-	1	-	-	-	-	5	3	2	2	-	-
Coral Springs	1	13	6	6	2	8	-	3	1	-	2	2	1	17	10	4	6	3	-
Dania	-	21	-	1	4	9	-	3	2	-	1	1	-	18	1	4	1	6	-
Davie	-	5	1	1	2	7	-	4	2	-	2	2	-	5	2	1	3	2	-
Deerfield Beach	2	40	4	10	13	23	2	4	2	-	2	3	5	43	7	6	8	2	-
Fort Lauderdale	15	191	28	22	48	70	9	42	26	-	17	25	13	189	47	45	48	42	1
Hallandale, part	4	51	8	8	16	28	2	10	7	-	3	3	-	61	1	13	9	5	-
Hallandale, total	4	51	8	8	17	28	2	10	7	-	3	3	-	61	1	13	9	5	-
Hollywood	2	156	11	24	38	59	2	20	16	-	5	10	8	125	30	35	25	11	1
Lauderdale Lakes	1	18	-	2	7	14	-	2	5	-	2	-	3	30	6	1	3	1	-
Lauderhill	1	20	1	6	5	12	-	5	8	-	2	2	-	30	5	2	7	2	-
Lighthouse Point	1	22	4	4	3	9	-	3	2	-	-	-	-	12	-	2	4	-	-
Margate	-	31	2	9	11	20	2	5	3	-	2	3	1	40	8	5	4	1	-
Miramar	-	15	3	3	4	13	1	1	1	-	2	2	2	24	7	4	6	5	-
North Lauderdale	-	5	-	-	1	1	-	-	1	-	-	2	3	7	4	-	5	2	-
Oakland Park	1	9	1	1	7	12	-	1	1	-	-	-	1	10	3	4	3	-	-
Pembroke Pines	1	15	3	1	8	11	2	7	3	-	-	1	-	24	6	2	3	2	-
Plantation	1	16	2	4	7	15	-	2	9	-	-	2	1	25	10	5	9	5	1
Pompano Beach	4	74	6	19	17	38	7	14	12	-	-	5	7	88	29	15	7	7	-
Sunrise	2	20	1	6	9	18	-	4	4	-	1	3	2	39	7	4	7	2	-
Tamarac	-	32	6	11	7	23	1	6	4	-	-	-	2	39	2	2	5	2	-
Wilton Manors	1	16	1	1	2	7	1	3	1	-	1	-	1	10	4	3	6	1	-
Balance of county	6	90	15	27	32	64	2	18	12	1	7	9	9	117	41	29	32	31	-
Calhoun	-	6	1	1	4	3	-	1	-	-	2	3	1	10	5	3	1	1	1
Charlotte	2	56	14	14	26	40	4	18	2	-	3	3	4	58	13	24	4	1	-
Citrus	-	76	13	10	14	38	-	17	7	-	3	4	3	70	28	20	13	5	-
Clay	4	28	3	2	22	19	2	6	3	-	3	1	6	38	18	19	7	5	2
Collier	7	65	6	13	20	39	6	28	7	-	7	7	6	89	22	22	24	13	2
Naples	3	20	5	2	10	14	2	4	3	-	3	1	1	28	1	4	4	-	-
Balance of county	4	45	1	11	10	25	4	24	4	-	4	6	5	61	21	18	20	13	2
Columbia	2	42	5	4	6	17	1	6	2	-	-	5	13	24	15	7	4	7	-
Dade	70	1,121	123	177	334	459	59	237	185	5	98	151	72	1,399	372	356	273	407	5
Coral Gables	1	24	5	8	10	16	4	3	3	1	1	-	1	43	10	7	6	8	-
Hallandale, part	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hialeah	13	65	8	12	22	48	4	20	18	-	5	2	5	94	26	21	24	30	1
Homestead	-	8	3	3	6	6	-	6	2	-	1	4	2	23	5	4	3	12	-
Miami	21	329	35	50	82	197	19	96	57	-	29	62	22	424	129	127	82	182	1
Miami Beach	8	168	8	24	60	44	10	10	23	-	5	1	5	176	24	29	31	13	1
Miami Springs	1	17	2	1	2	2	1	1	-	-	-	1	-	14	3	3	1	-	-
North Miami	1	50	8	11	12	16	1	13	5	-	1	1	2	55	6	17	15	3	-
North Miami Beach	3	68	10	12	22	25	4	11	1	-	3	2	5	83	6	9	14	4	-
Opa-locka	1	6	-	2	3	3	-	3	-	-	-	4	2	14	7	8	1	8	-
South Miami	-	8	-	1	3	4	-	1	1	-	-	1	1	12	-	2	-	2	-
Balance of county	21	378	44	53	111	158	16	73	75	4	53	73	27	461	154	129	96	165	2
De Soto	1	21	2	1	12	8	1	2	4	-	1	4	-	19	7	6	3	1	1
Dixie	-	4	-	3	-	5	-	2	3	-	-	-	10	7	4	4	-	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Duval	5,108	6	-	57	1,163	257	380	87	136	41	33	229	99	2,285	1,779	9	129	1,044	597
Jacksonville	4,801	5	-	51	1,096	243	355	79	131	39	31	218	96	2,170	1,684	8	122	990	564
Jacksonville Beach	159	1	-	4	35	8	15	4	1	1	1	5	2	63	54	1	4	27	22
Balance of county	148	-	-	2	32	6	10	4	4	1	1	6	1	52	41	-	3	27	11
Escambia	1,863	2	-	11	431	112	141	22	43	12	10	91	32	873	660	4	19	442	195
Pensacola	723	1	-	3	174	44	55	9	15	9	4	38	7	344	252	1	10	158	83
Balance of county	1,140	1	-	8	257	68	86	13	28	3	6	53	25	529	408	3	9	284	112
Flagler	158	-	-	2	36	8	13	1	2	1	2	9	3	77	60	1	2	46	11
Franklin	101	-	-	-	21	2	11	1	-	-	1	6	-	48	40	-	3	24	13
Gadsden	368	1	-	8	75	26	13	4	17	5	2	8	11	149	107	2	10	61	34
Gilchrist	69	-	-	-	14	4	3	1	1	-	2	3	1	32	23	-	1	18	6
Glades	63	-	-	-	12	4	7	1	-	-	-	-	2	32	29	1	1	21	6
Gulf	85	2	-	-	21	5	8	1	2	1	-	4	-	33	27	-	-	19	8
Hamilton	89	-	-	1	22	7	11	-	2	-	-	2	1	35	26	1	2	18	5
Hardee	171	1	-	2	30	7	15	1	1	2	-	4	4	72	56	2	1	40	13
Hendry	186	-	-	-	36	7	17	1	-	4	4	3	4	87	71	-	2	55	14
Hernando	819	2	-	8	209	70	73	10	16	4	4	32	6	393	301	3	5	238	55
Highlands	732	-	-	3	194	47	61	14	23	10	5	34	16	355	292	6	2	233	51
Hillsborough	6,192	9	2	52	1,349	322	460	92	146	42	57	230	130	2,823	2,164	19	96	1,398	651
Plant City	193	-	-	1	32	5	8	3	6	2	1	7	3	105	75	1	6	44	24
Tampa	3,461	5	2	23	732	185	247	46	76	24	30	124	86	1,596	1,210	8	60	766	376
Temple Terrace	55	-	-	-	15	1	5	3	3	-	-	3	2	20	14	1	1	9	3
Balance of county	2,483	4	-	28	570	131	200	40	61	16	26	96	39	1,102	865	9	29	579	248
Holmes	184	-	-	2	39	8	14	3	3	1	-	10	2	94	83	-	4	66	13
Indian River	830	1	-	6	237	57	83	15	18	8	9	47	11	367	284	4	9	189	82
Vero Beach	315	-	-	2	87	25	28	3	7	2	4	18	5	142	105	1	3	72	29
Balance of county	515	1	-	4	150	32	55	12	11	6	5	29	6	225	179	3	6	117	53
Jackson	405	-	-	1	76	16	28	1	11	5	4	11	10	187	137	1	2	95	39
Jefferson	112	-	-	1	20	5	3	1	7	-	-	4	3	53	36	-	3	18	15
Lafayette	41	-	-	-	12	1	5	-	3	-	1	2	2	9	8	-	1	5	2
Lake	1,608	3	-	8	386	103	93	34	53	16	19	68	22	783	565	3	18	416	128
Leesburg	242	-	-	3	46	13	10	4	7	1	1	10	4	127	93	-	7	72	14
Balance of county	1,366	3	-	5	340	90	83	30	46	15	18	58	18	656	472	3	11	344	114
Lee	2,782	3	-	13	673	167	214	53	72	33	29	105	61	1,354	1,073	15	31	771	256
Cape Coral	449	-	-	1	113	30	28	11	12	8	3	21	10	220	170	3	2	129	36
Fort Myers	484	1	-	3	108	28	32	11	11	3	8	15	8	243	192	1	5	143	43
Balance of county	1,849	2	-	9	452	109	154	31	49	22	18	69	43	891	711	11	24	499	177
Leon	874	-	-	6	214	44	61	27	32	3	6	41	11	335	244	-	16	139	89
Tallahassee	626	-	-	6	159	33	44	17	26	3	4	32	10	240	176	-	13	91	72
Balance of county	248	-	-	-	55	11	17	10	6	-	2	9	1	95	68	-	3	48	17
Levy	245	-	-	4	50	10	20	3	7	2	1	7	6	110	83	1	2	64	16
Liberty	59	-	-	-	9	5	-	-	2	-	-	2	2	21	16	-	-	11	5
Madison	158	-	-	1	27	5	10	2	1	2	-	7	5	83	68	-	8	37	23
Manatee	2,374	1	-	13	560	155	140	48	67	27	14	109	39	1,128	871	9	29	619	214
Bradenton	684	-	-	6	145	46	31	10	19	7	1	31	16	340	244	2	9	180	53
Balance of county	1,690	1	-	7	415	109	109	38	48	20	13	78	23	788	627	7	20	439	161
Marion	1,651	2	-	18	391	104	128	23	50	20	10	56	23	799	563	9	26	442	86
Ocala	557	1	-	11	131	35	43	6	19	7	3	18	7	279	180	1	7	142	30
Balance of county	1,094	1	-	7	260	69	85	17	31	13	7	38	16	520	383	8	19	300	56
Martin	949	-	-	4	245	69	66	20	23	11	12	44	6	483	344	8	7	262	67
Monroe	566	2	-	3	133	28	33	6	16	7	12	31	10	237	183	-	2	149	32
Key West	212	-	-	2	40	9	11	2	5	1	3	9	6	96	72	-	-	59	13
Balance of county	354	2	-	1	93	19	22	4	11	6	9	22	4	141	111	-	2	90	19
Nassau	261	-	-	1	66	19	17	2	8	5	1	14	3	114	82	1	2	48	31
Okaloosa	687	-	-	3	165	38	48	16	14	8	9	32	11	289	244	1	11	166	66
Fort Walton Beach	184	-	-	1	47	12	12	7	6	1	1	8	4	71	60	-	3	37	20
Balance of county	503	-	-	2	118	26	36	9	8	7	8	24	7	218	184	1	8	129	46
Okeechobee	230	1	-	4	61	13	27	3	5	1	3	9	2	98	84	3	1	73	7
Orange	4,189	5	-	47	948	240	279	80	109	32	41	167	58	1,937	1,489	16	36	989	448
Orlando	1,511	2	-	19	325	97	92	19	46	12	13	46	19	710	536	6	16	327	187
Winter Park	383	1	-	3	89	24	23	10	9	2	2	19	9	181	132	2	2	101	27
Balance of county	2,295	2	-	25	534	119	164	51	54	18	26	102	30	1,046	821	8	18	561	234
Osceola	722	1	-	5	156	40	42	15	18	8	4	29	11	386	320	5	4	258	53
Kissimmee	233	1	-	2	52	10	20	4	4	2	1	11	4	117	93	1	2	66	24
Balance of county	489	-	-	3	104	30	22	11	14	6	3	18	7	269	227	4	2	192	29
Palm Beach	7,996	3	-	70	2,019	568	546	157	233	112	68	335	107	4,074	3,142	33	81	2,412	616
Belle Glade	126	1	-	7	29	11	7	1	4	2	1	3	5	48	40	-	-	29	11
Boca Raton	696	-	-	3	195	62	53	13	20	10	7	30	6	384	290	2	8	210	70
Boynton Beach	639	-	-	3	170	49	44	11	25	9	10	22	4	337	253	6	4	210	33
Delray Beach	638	-	-	4	189	49	58	10	23	8	7	34	13	300	239	2	7	189	41
Lake Worth	590	-	-	4	126	38	27	12	13	8	4	24	3	327	249	2	5	183	59
North Palm Beach	157	-	-	-	43	14	10	4	3	1	2	9	2	76	59	1	2	40	16
Palm Beach Gardens	103	-	-	2	36	10	8	4	4	4	3	3	1	39	29	1	1	20	7
Riviera Beach	265	-	-	4	61	19	15	6	7	1	3	10	5	116	77	2	6	49	20
West Palm Beach	1,103	-	-	7	252	76	63	22	27	15	6	43	19	588	423	4	19	304	96
Balance of county	3,679	2	-	36	918	240	261	74	107	54	25	157	49	1,679	1,483	13	29	1,178	263
Pasco	3,350	3	-	21	820	204	258	61	90	46	23	138	40	1,691	1,322	13	51	1,076	182
New Port Richey	278	-	-	3	64	14	21	7	2	1	5	14	1	156	117	2	4	99	12
Balance of county	3,072	3	-	18	756	190	237	54	88	45	18	124	39	1,535	1,205	11	47	977	170

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Duval	18	389	57	42	114	218	16	121	45	2	32	67	66	376	135	123	88	84	11
Jacksonville	18	374	56	38	100	205	16	112	40	2	32	63	57	350	125	114	76	80	11
Jacksonville Beach	-	6	1	2	5	7	-	5	3	-	-	1	3	20	1	3	6	-	-
Balance of county	-	9	-	2	9	6	-	4	2	-	-	3	6	6	9	6	6	4	-
Escambia	13	148	33	19	36	72	4	23	15	-	18	21	10	148	53	60	30	21	3
Pensacola	8	66	12	6	13	26	2	11	5	-	4	7	5	61	12	24	13	10	1
Balance of county	5	82	21	13	23	46	2	12	10	-	14	14	5	87	41	36	17	11	2
Flagler	-	13	1	3	2	8	1	3	1	-	1	-	-	9	3	4	7	1	-
Franklin	-	7	-	1	4	1	-	1	-	-	-	4	4	12	2	4	-	-	-
Gadsden	3	31	6	2	20	10	2	4	6	1	5	10	10	29	11	11	-	3	2
Gilchrist	-	8	-	1	3	3	-	-	-	-	1	-	1	5	5	2	2	-	-
Glades	1	1	1	-	1	2	1	1	-	-	1	-	1	1	4	3	-	2	-
Gulf	1	3	1	1	-	5	2	1	-	-	-	4	1	8	6	4	-	-	-
Hamilton	-	7	1	1	2	2	-	2	-	-	1	-	5	10	3	4	1	-	-
Hardee	1	11	3	1	5	9	-	1	-	-	1	4	3	19	7	6	6	1	-
Hendry	3	8	2	3	3	2	-	1	2	-	1	3	2	13	12	8	4	7	1
Hernando	3	70	15	4	10	30	3	8	2	-	1	2	21	62	33	9	15	4	1
Highlands	1	45	10	7	18	23	2	13	5	2	2	7	4	43	15	18	8	4	-
Hillsborough	26	510	58	65	115	265	15	111	52	-	30	83	71	531	191	152	115	94	2
Plant City	-	20	6	4	1	8	1	2	2	-	4	7	1	16	3	2	3	2	-
Tampa	18	297	32	39	69	147	7	78	30	-	11	42	39	302	90	83	58	60	1
Temple Terrace	1	4	1	-	1	2	2	-	-	-	-	2	1	4	1	1	3	1	-
Balance of county	7	189	19	22	44	108	5	31	20	-	15	32	30	209	97	66	51	31	1
Holmes	-	9	2	-	3	9	1	3	4	-	1	-	1	14	6	3	2	-	-
Indian River	4	60	12	7	10	19	2	19	8	-	3	4	9	84	18	13	11	7	1
Vero Beach	1	28	7	1	6	11	2	5	3	-	-	2	6	29	6	3	3	2	1
Balance of county	3	32	5	6	4	8	-	14	5	-	3	2	3	55	12	10	8	5	-
Jackson	1	41	3	5	11	14	1	7	5	1	3	5	15	31	21	8	3	6	-
Jefferson	1	15	1	-	2	3	-	1	1	-	-	1	3	11	2	4	3	4	-
Lafayette	-	1	-	-	2	1	-	2	2	-	-	-	1	3	3	1	2	1	-
Lake	7	169	15	27	34	68	6	21	12	-	8	4	37	117	29	33	27	8	2
Leesburg	-	25	2	7	8	10	1	4	1	-	1	1	7	18	2	5	2	1	1
Balance of county	7	144	13	20	26	58	5	17	11	-	7	3	30	99	27	28	25	7	1
Lee	8	185	50	38	61	89	5	53	15	-	12	20	23	215	54	52	42	31	6
Cape Coral	1	32	14	3	10	19	2	11	2	-	1	3	5	23	6	9	9	5	-
Fort Myers	3	35	7	6	17	5	-	6	2	-	3	7	5	36	7	12	7	14	-
Balance of county	4	118	29	29	34	65	3	36	11	-	8	10	13	156	41	31	26	12	6
Leon	5	71	7	8	22	28	5	9	5	-	10	16	17	106	36	29	17	7	1
Tallahassee	3	48	7	6	16	24	5	6	5	-	5	11	13	68	21	19	10	7	1
Balance of county	2	23	-	2	6	4	-	3	-	-	5	5	4	38	15	10	7	-	-
Levy	1	20	5	1	10	11	-	5	-	-	2	1	13	16	3	4	8	2	-
Liberty	-	5	-	-	1	5	-	1	-	-	-	1	-	10	2	5	1	1	-
Madison	-	12	1	2	5	5	-	1	2	-	1	1	3	11	3	6	2	2	-
Manatee	12	190	23	32	52	110	9	26	13	-	6	15	103	186	46	28	22	13	4
Bradenton	2	77	8	9	22	28	4	7	2	-	1	5	30	55	11	3	3	5	1
Balance of county	10	113	15	23	30	82	5	19	11	-	5	10	73	131	35	25	19	8	3
Marion	7	174	26	29	28	75	6	15	7	-	11	10	10	113	76	29	23	15	-
Ocala	2	78	11	8	12	19	3	6	2	-	2	4	3	38	16	13	5	5	-
Balance of county	5	96	15	21	16	56	3	9	5	-	9	6	7	75	60	16	18	10	-
Martin	7	97	16	19	15	39	2	10	7	1	4	-	4	77	13	17	12	8	2
Monroe	1	37	10	6	8	19	2	13	4	-	2	2	4	46	24	22	19	11	5
Key West	1	16	5	2	3	9	2	4	1	-	-	1	1	21	3	10	5	5	3
Balance of county	-	21	5	4	5	10	-	9	3	-	2	1	3	25	21	12	14	6	2
Nassau	1	28	3	-	10	8	1	8	1	-	4	1	1	16	10	6	6	4	1
Okaloosa	1	34	5	5	11	23	1	8	10	-	13	15	6	51	37	24	19	1	-
Fort Walton Beach	1	7	2	1	1	6	1	3	3	-	4	5	2	15	9	6	6	-	-
Balance of county	-	27	3	4	10	17	-	5	7	-	9	10	4	36	28	18	13	1	-
Okeechobee	1	9	2	2	9	7	1	7	2	-	1	1	2	15	6	5	5	3	-
Orange	11	341	54	42	108	167	13	71	33	1	23	33	36	367	141	92	60	51	-
Orlando	4	137	21	12	37	57	5	35	13	1	10	19	13	137	46	25	22	22	-
Winter Park	1	34	8	6	22	6	1	3	6	-	1	1	1	35	9	9	2	4	-
Balance of county	6	170	25	24	47	104	7	33	14	-	12	19	22	195	86	58	38	25	-
Osceola	3	48	8	7	14	26	5	8	5	-	4	3	5	50	19	11	7	6	-
Kissimmee	1	19	3	1	4	9	3	1	1	-	2	1	3	18	6	3	3	3	-
Balance of county	2	29	5	6	10	17	2	7	4	-	2	2	2	32	13	8	4	3	-
Palm Beach	29	683	113	107	112	275	14	103	55	-	39	46	53	552	154	124	124	68	4
Belle Glade	-	7	-	1	1	2	1	-	1	-	2	3	1	8	5	2	3	6	1
Boca Raton	5	53	7	9	9	18	1	9	5	-	5	1	6	49	9	8	5	3	-
Boynton Beach	3	62	9	10	10	28	2	4	5	-	3	5	7	41	4	9	6	1	-
Delray Beach	4	48	2	7	18	17	2	12	5	-	2	2	3	47	7	6	4	7	-
Lake Worth	-	65	9	4	16	27	-	7	2	-	2	1	-	39	9	5	16	6	-
North Palm Beach	-	12	1	4	2	9	-	3	1	-	-	-	1	16	-	1	2	1	-
Palm Beach Gardens	1	8	-	1	-	6	-	2	1	-	-	2	-	3	5	5	1	-	-
Riviera Beach	1	29	2	7	2	12	2	4	2	-	1	4	1	28	8	7	3	5	-
West Palm Beach	4	116	30	15	12	26	1	18	7	-	3	10	12	77	25	18	8	18	2
Balance of county	11	283	53	49	42	130	5	44	26	-	21	18	22	244	82	63	76	21	1
Pasco	11	199	109	50	60	138	8	48	33	-	15	10	95	212	65	28	50	12	1
New Port Richey	-	14	20	5	2	13	-	4	2	-	-	1	4	12	7	5	3	1	-
Balance of county	11	185	89	45	58	125	8	44	31	-	15	9	91	200	58	23	47	11	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Pinellas	12,183	7	-	80	2,734	781	786	222	300	130	106	409	140	6,343	4,876	57	163	3,586	1,070
Clearwater	1,671	-	-	10	368	95	107	33	41	21	16	55	20	861	632	9	21	484	118
Dunedin	560	-	-	3	136	31	41	12	13	10	5	24	3	291	230	1	6	183	40
Gulfport	244	-	-	2	60	18	24	3	4	3	2	6	4	142	104	2	2	67	33
Largo	945	-	-	8	228	58	77	17	25	7	11	33	14	459	342	3	13	264	62
Pinellas Park	468	-	-	4	107	34	28	10	11	4	4	16	7	239	197	2	5	153	37
St. Petersburg	4,505	6	-	36	911	275	250	65	105	35	33	148	55	2,409	1,863	20	68	1,293	482
Tarpon Springs	202	-	-	2	45	11	18	3	6	3	-	4	5	105	81	-	5	63	13
Balance of county	3,587	1	-	15	879	259	241	79	95	47	35	123	32	1,827	1,427	20	43	1,079	265
Polk	3,440	5	-	20	775	211	238	64	81	38	16	127	61	1,595	1,243	8	61	858	216
Bartow	167	-	-	1	32	7	9	2	3	3	1	7	6	76	58	-	2	49	7
Haines City	105	1	-	-	17	3	8	1	4	-	-	1	2	42	33	-	3	25	5
Lakeland	669	1	-	2	142	38	42	10	17	9	2	24	9	315	248	1	6	181	58
Winter Haven	335	1	-	-	85	25	20	8	12	5	1	14	4	168	121	2	8	92	19
Balance of county	2,164	2	-	17	499	138	159	43	45	21	12	81	40	994	785	5	42	611	127
Putnam	641	-	-	5	154	38	63	8	6	4	5	30	16	281	206	2	4	145	55
Palatka	136	-	-	2	32	11	11	1	2	-	2	5	4	68	43	1	2	28	12
Balance of county	505	-	-	3	122	27	52	7	4	4	3	25	12	213	163	1	2	117	43
St. Johns	643	1	-	4	179	51	45	10	27	8	7	31	14	274	209	3	9	147	50
St. Augustine	218	1	-	1	64	16	15	6	13	1	2	11	4	89	64	1	2	46	15
Balance of county	425	-	-	3	115	35	30	4	14	7	5	20	10	185	145	2	7	101	35
St. Lucie	1,196	3	-	7	274	54	102	16	37	18	2	45	15	582	468	4	6	399	59
Fort Pierce	527	2	-	6	102	22	43	2	17	5	-	13	4	259	216	1	-	190	25
Port St. Lucie	236	-	-	1	62	14	21	6	4	8	-	9	4	112	85	1	3	71	10
Balance of county	433	1	-	-	110	18	38	8	16	5	2	23	7	211	167	2	3	138	24
Santa Rosa	405	-	-	2	82	22	29	5	4	3	2	17	7	203	170	1	10	114	45
Sarasota	3,465	2	-	26	921	216	280	69	115	38	38	165	41	1,718	1,250	13	21	1,005	211
Sarasota	927	1	-	7	204	46	68	14	23	10	6	37	7	466	328	3	2	266	57
Venice	389	-	-	6	112	20	38	7	19	3	7	18	5	197	138	2	1	114	21
Balance of county	2,149	1	-	13	605	150	174	48	73	25	25	110	29	1,055	784	8	18	625	133
Seminole	1,499	2	-	11	394	96	116	37	42	16	14	73	25	694	532	7	13	405	107
Altamonte Springs	173	-	-	2	49	11	13	5	3	1	5	11	3	74	58	1	1	43	13
Casselberry	132	-	-	-	41	4	13	2	4	4	-	14	1	54	48	1	2	38	7
Longwood	89	-	-	-	22	4	6	2	4	-	1	5	1	34	27	-	1	19	7
Sanford	313	-	-	4	61	22	14	6	10	2	3	4	9	164	110	-	4	79	27
Winter Springs	82	-	-	-	32	7	7	4	2	1	1	10	-	33	30	-	1	24	5
Balance of county	710	2	-	5	189	48	63	18	19	8	4	29	11	335	259	5	4	202	48
Sumter	304	-	-	2	65	13	25	3	7	3	2	12	2	146	110	-	-	86	24
Suwannee	275	-	-	5	69	12	25	4	6	3	2	11	5	136	93	-	5	63	25
Taylor	155	-	-	1	36	8	13	-	4	3	-	8	4	76	52	1	2	35	14
Union	96	-	-	3	22	5	12	-	2	-	1	2	2	33	25	-	2	21	2
Volusia	3,918	2	-	35	903	229	279	83	100	35	29	148	58	2,058	1,585	12	75	1,182	318
Daytona Beach	867	-	-	7	175	42	62	16	23	7	6	19	13	469	356	1	15	244	96
De Land	333	-	-	3	63	19	15	10	6	2	2	9	7	198	154	2	13	121	19
New Smyrna Beach	276	-	-	6	52	15	14	6	6	2	1	8	7	158	124	1	3	95	25
Ormond Beach	480	1	-	6	118	31	35	10	11	4	-	27	9	243	178	-	9	131	38
Port Orange	220	-	-	1	51	13	20	3	3	2	-	10	2	113	93	-	6	74	13
South Daytona	147	-	-	-	31	9	14	2	4	-	-	2	1	78	59	1	-	48	10
Balance of county	1,595	1	-	12	413	100	119	36	47	18	20	73	19	801	621	7	29	469	116
Wakulla	93	-	-	1	22	5	7	-	4	2	1	3	1	42	31	1	-	23	7
Walton	237	-	-	4	51	10	23	-	4	2	1	11	3	116	99	-	3	80	16
Washington	182	-	-	4	34	3	12	3	4	-	1	11	7	103	88	-	2	78	8
Georgia	46,005	61	5	569	9,197	2,075	2,709	705	1,009	345	389	1,965	785	21,902	16,573	105	667	10,697	5,104
Urban places	17,763	30	3	270	3,526	856	992	265	371	146	130	766	344	8,274	6,191	30	369	3,706	2,086
Balance of area	28,242	31	2	299	5,671	1,219	1,717	440	638	199	259	1,199	441	13,628	10,382	75	298	6,991	3,018
Metropolitan counties	24,764	30	4	341	5,142	1,156	1,499	431	526	204	213	1,113	419	11,238	8,506	58	407	5,334	2,707
Urban places	13,188	23	2	228	2,623	627	731	216	277	106	102	564	249	6,006	4,515	21	294	2,644	1,556
Balance of area	11,576	7	2	113	2,519	529	768	215	249	98	111	549	170	5,232	3,991	37	113	2,690	1,151
Nonmetropolitan counties	21,241	31	1	228	4,055	919	1,210	274	483	141	176	852	366	10,664	8,067	47	260	5,363	2,397
Urban places	4,575	7	1	42	903	229	261	49	94	40	28	202	95	2,268	1,676	9	75	1,062	530
Balance of area	16,666	24	-	186	3,152	690	949	225	389	101	148	650	271	8,396	6,391	38	185	4,301	1,867
Appling	127	-	-	3	18	3	8	-	3	1	1	2	1	72	57	1	3	35	18
Atkinson	85	-	-	-	13	2	4	1	-	-	2	4	3	50	42	-	1	34	7
Bacon	97	-	-	-	13	4	4	-	1	-	1	3	4	64	58	-	1	41	16
Baker	42	-	-	-	9	2	4	-	1	-	-	2	-	19	10	-	1	7	2
Baldwin	287	-	-	3	44	8	19	2	4	-	1	10	2	126	110	-	6	78	26
Milledgeville	141	-	-	1	21	2	11	1	1	-	1	5	2	64	60	-	5	39	16
Balance of county	146	-	-	2	23	6	8	1	3	-	-	5	-	62	50	-	1	39	10
Banks	78	-	-	-	13	5	2	2	-	-	1	3	2	50	37	1	3	19	14
Barrow	213	-	-	4	48	10	14	3	4	4	3	10	1	102	79	2	-	49	28
Bartow	376	-	-	8	69	11	23	6	6	3	5	15	3	196	148	-	3	100	45
Ben Hill	199	-	-	3	28	6	11	-	3	-	3	5	1	112	89	-	5	50	34
Fitzgerald, part	130	-	-	2	21	6	8	-	3	-	-	4	-	71	54	-	2	30	22
Fitzgerald, total	131	-	-	2	21	6	8	-	3	-	-	4	-	72	55	-	2	30	23
Balance of county	69	-	-	1	7	-	3	-	-	-	3	1	1	41	35	-	3	20	12
Berrien	136	-	-	2	25	4	8	4	2	-	2	5	2	72	61	-	-	39	22
Bibb	1,492	3	-	20	286	52	93	17	21	12	12	79	19	748	536	1	10	326	197
Macon, part	1,313	3	-	18	247	50	72	14	17	11	10	73	19	653	481	1	9	290	181
Macon, total	1,317	3	-	18	248	50	72	14	18	11	10	73	19	655	482	1	9	291	181
Balance of county	179	-	-	2	39	2	21	3	4	1	2	6	-	95	55	-	1	38	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Pinellas	61	1,080	173	153	256	473	52	150	78	-	45	52	394	863	152	161	156	43	4
Clearwater	9	173	20	27	42	83	5	28	5	-	8	8	40	121	18	28	22	4	-
Dunedin	4	39	7	11	7	24	-	6	6	-	1	-	28	35	9	4	6	1	-
Gulfport	3	23	10	2	1	1	1	5	1	-	-	-	9	11	1	2	3	1	-
Largo	5	84	20	18	15	36	5	15	5	-	4	2	31	88	9	9	8	1	-
Pinellas Park	1	31	4	6	11	19	2	5	4	-	2	1	12	35	8	5	5	2	-
St. Petersburg	24	428	51	43	105	154	22	49	27	-	20	28	157	326	51	68	55	22	4
Tarpon Springs	1	9	11	3	4	6	-	3	3	-	-	1	6	10	3	4	2	3	-
Balance of county	14	293	50	43	71	150	17	39	27	-	10	12	111	237	53	42	55	9	-
Polk	18	240	59	35	65	120	8	39	16	2	17	45	122	268	98	90	48	40	10
Bartow	1	13	3	1	2	8	-	1	3	-	2	5	3	16	3	4	1	4	-
Haines City	-	5	3	1	2	3	-	3	2	-	2	-	10	9	2	5	1	2	2
Lakeland	6	44	13	6	16	16	3	9	2	1	8	6	31	54	13	26	8	6	1
Winter Haven	1	32	8	6	4	9	-	4	1	-	-	4	4	30	8	4	6	3	-
Balance of county	10	146	32	21	41	84	5	22	8	1	5	30	74	157	70	51	32	25	7
Putnam	5	52	9	9	9	36	4	9	9	-	2	6	6	47	22	14	11	10	-
Palatka	3	14	6	2	3	6	3	3	3	-	-	-	1	8	1	2	-	-	-
Balance of county	2	38	3	7	6	30	1	6	6	-	2	6	5	39	21	12	11	10	-
St. Johns	3	50	3	9	14	20	2	12	9	-	3	5	14	54	18	11	8	1	-
St. Augustine	1	20	1	3	4	4	1	5	3	-	1	-	9	22	6	1	3	-	-
Balance of county	2	30	2	6	10	16	1	7	6	-	2	5	5	32	12	10	5	1	-
St. Lucie	3	83	11	17	29	43	6	17	9	-	9	21	6	87	35	30	5	16	2
Fort Pierce	-	32	5	6	15	12	2	8	8	-	4	12	4	51	15	11	2	12	-
Port St. Lucie	-	18	5	4	6	9	3	5	-	-	2	5	-	15	7	2	1	-	2
Balance of county	3	33	1	7	8	22	1	4	3	-	3	4	2	21	13	17	2	4	-
Santa Rosa	2	25	3	3	12	13	3	7	5	-	3	5	2	15	28	7	7	4	-
Sarasota	11	377	45	35	79	118	12	28	20	-	9	8	89	265	33	50	35	10	1
Sarasota	3	112	18	5	22	36	4	8	8	-	3	6	40	81	7	17	7	3	-
Venice	3	48	4	4	4	11	1	1	4	-	1	-	2	39	2	3	1	-	-
Balance of county	5	217	23	26	53	71	7	19	8	-	5	2	47	145	24	30	27	7	1
Seminole	6	109	33	14	26	56	4	23	8	1	6	11	4	121	42	37	23	10	1
Altamonte Springs	1	9	3	3	2	9	-	4	-	-	-	2	1	14	4	3	5	1	-
Casselberry	-	4	2	-	2	6	-	2	1	-	1	2	1	12	2	4	2	1	-
Longwood	2	4	-	1	2	4	1	1	2	-	1	-	-	9	3	4	3	2	-
Sanford	1	32	17	4	7	12	1	6	-	-	2	1	-	20	9	11	2	4	-
Winter Springs	-	1	-	2	1	3	-	1	1	1	-	-	1	4	4	-	1	-	-
Balance of county	2	59	11	4	12	22	2	9	4	-	2	6	1	62	20	15	10	2	1
Sumter	1	26	6	3	4	18	-	5	2	-	-	2	6	21	18	7	3	3	-
Suwannee	4	27	6	6	6	9	-	2	3	-	2	1	8	19	6	4	2	4	-
Taylor	2	17	-	5	1	1	-	4	1	-	-	1	2	19	4	2	1	2	-
Union	-	3	2	3	6	6	-	1	-	-	-	-	4	8	4	1	2	4	-
Volusia	21	347	41	64	81	152	10	75	37	2	12	8	9	269	58	58	60	22	9
Daytona Beach	5	82	13	13	15	32	2	16	7	1	7	2	2	67	14	16	13	8	1
De Land	3	27	7	5	10	13	1	8	5	-	-	2	-	16	1	2	4	2	-
New Smyrna Beach	2	25	1	6	5	9	1	4	4	-	-	-	-	18	4	3	4	1	-
Ormond Beach	1	55	1	8	12	13	2	4	6	1	1	-	3	37	10	5	9	-	-
Port Orange	1	12	2	5	2	7	2	6	-	-	-	-	-	22	4	2	4	3	1
South Daytona	1	12	-	6	5	4	-	4	3	-	1	-	1	13	1	4	-	-	1
Balance of county	8	134	17	21	32	74	2	33	12	-	3	4	3	96	24	26	26	8	6
Wakulla	2	8	-	1	1	-	-	2	2	-	4	1	2	12	3	-	-	-	-
Walton	1	12	3	1	9	10	-	5	1	-	-	-	2	17	10	3	4	2	-
Washington	1	14	-	-	5	4	-	2	1	-	-	1	2	12	4	1	-	2	-
Georgia	244	4,269	415	402	1,245	1,450	120	579	484	14	343	601	515	4,026	1,373	1,394	652	628	72
Urban places	118	1,635	172	158	499	543	47	251	215	6	129	277	212	1,713	356	526	201	319	22
Balance of area	126	2,633	243	244	746	907	73	328	269	8	214	324	303	2,313	1,017	858	451	309	50
Metropolitan counties	152	2,128	228	224	641	795	71	360	263	5	219	356	262	2,298	734	776	387	393	30
Urban places	94	1,158	128	111	353	396	41	192	160	3	107	219	155	1,310	274	411	156	265	15
Balance of area	58	970	100	113	288	399	30	168	103	2	112	137	107	988	460	365	231	128	15
Nonmetropolitan counties	92	2,140	187	178	604	655	49	219	221	9	124	245	253	1,728	639	608	265	235	42
Urban places	24	477	44	47	146	147	6	59	55	3	22	58	57	403	82	115	45	54	7
Balance of area	68	1,663	143	131	458	508	43	160	166	6	102	187	196	1,325	557	493	220	181	35
Appling	2	12	1	-	6	5	-	-	-	-	-	2	3	12	2	2	1	-	-
Atkinson	-	4	2	2	3	2	1	1	-	-	-	1	-	5	2	1	-	1	2
Bacon	1	4	-	1	1	5	-	-	2	-	1	-	1	3	1	-	1	1	-
Baker	-	8	-	1	1	-	1	2	-	-	-	1	-	5	3	1	-	-	-
Baldwin	1	11	4	-	21	12	-	5	3	-	2	2	1	31	12	14	6	3	-
Milledgeville	-	4	-	-	16	7	-	2	2	-	-	2	1	14	1	7	-	1	-
Balance of county	1	7	4	-	5	5	-	3	1	-	2	-	-	17	11	7	6	2	-
Banks	-	12	1	-	2	1	-	-	1	-	-	-	2	3	3	-	-	1	-
Barrow	-	23	-	-	4	9	3	1	3	-	1	1	4	13	8	4	3	4	-
Bartow	1	42	1	4	6	12	1	6	2	-	4	3	7	27	12	6	11	3	-
Ben Hill	-	19	2	2	8	5	-	2	2	-	1	2	1	20	4	8	1	1	-
Fitzgerald, part	-	13	2	2	5	3	-	1	2	-	-	-	-	16	3	5	-	1	-
Fitzgerald, total	-	13	2	2	5	3	-	1	2	-	-	-	-	16	3	5	-	1	-
Balance of county	-	6	-	-	3	2	-	1	-	-	1	2	1	4	1	3	1	-	-
Berrien	-	8	1	2	-	6	-	2	1	-	1	1	-	13	8	1	2	-	-
Bibb	13	146	35	18	39	44	6	23	28	-	9	21	14	115	26	35	25	25	6
Macon, part	12	124	25	11	38	37	6	21	28	-	9	18	10	100	21	33	23	24	5
Macon, total	12	124	26	11	38	37	6	21	28	-	9	18	10	101	21	33	23	24	5
Balance of county	1	22	10	7	1	7	-	2	-	-	-	3	4	15	5	2	2	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bleckley	105	-	-	-	25	6	8	2	-	2	1	6	1	52	41	-	2	29	10
Brantley	77	-	-	-	19	4	6	1	3	-	1	4	-	32	28	-	2	20	6
Brooks	170	-	-	2	34	6	10	1	6	2	-	9	2	86	77	-	2	54	21
Bryan	86	-	-	1	12	1	4	-	1	1	-	5	-	43	38	-	1	28	9
Bulloch	279	-	-	1	47	13	12	6	4	1	4	7	4	141	96	-	3	49	44
Statesboro	128	-	-	1	19	6	5	1	2	-	-	5	2	68	48	-	3	18	27
Balance of county	151	-	-	-	28	7	7	5	2	1	4	2	2	73	48	-	-	31	17
Burke	191	-	-	1	28	5	7	2	2	1	1	10	5	111	83	1	2	53	27
Butts	138	-	-	1	36	7	14	1	6	4	1	3	-	61	49	1	4	24	20
Calhoun	85	-	-	-	19	7	5	2	1	-	-	4	1	45	23	-	-	18	5
Camden	98	1	-	-	27	5	11	1	3	2	-	5	1	39	33	1	-	20	12
Candler	107	-	-	1	16	1	8	3	2	-	1	1	-	67	36	1	6	21	8
Carroll	462	1	-	5	94	23	19	5	12	6	6	23	6	229	172	-	4	129	39
Carrollton	118	-	-	-	28	10	7	2	2	3	1	3	1	58	40	-	2	22	16
Balance of county	344	1	-	5	66	13	12	3	10	3	5	20	5	171	132	-	2	107	23
Catoosa	240	-	-	4	62	10	21	5	8	1	1	16	1	131	103	-	3	76	24
Charlton	52	-	-	-	17	3	9	-	-	-	2	3	1	17	12	-	1	8	3
Chatham	1,967	2	1	19	436	115	132	26	27	21	17	98	34	902	674	1	29	477	167
Savannah	1,568	2	1	16	351	96	102	21	25	17	14	76	32	720	531	-	24	375	132
Balance of county	399	-	-	3	85	19	30	5	2	4	3	22	2	182	143	1	5	102	35
Chattahoochee	31	-	-	-	7	-	3	-	1	-	-	3	2	10	9	1	-	4	4
Chattooga	228	3	-	2	42	11	10	3	8	2	2	6	2	123	91	-	1	73	17
Cherokee	345	-	-	7	71	13	21	6	4	2	5	20	5	147	116	-	1	85	30
Clarke	531	-	-	10	90	17	26	10	15	4	2	16	11	262	186	2	8	110	86
Athens	375	-	-	7	54	9	15	8	10	1	1	10	9	193	133	2	6	78	47
Balance of county	156	-	-	3	36	8	11	2	5	3	1	6	2	69	53	-	2	32	19
Clay	47	-	-	-	5	1	-	1	1	-	-	2	2	28	18	-	-	17	1
Clayton	804	3	-	6	174	36	65	15	11	6	5	36	19	334	248	4	8	188	48
College Park, part	32	-	-	-	8	1	5	-	-	-	1	1	1	13	9	-	-	5	4
Forest Park	142	1	-	3	26	5	9	4	1	-	2	5	1	67	50	-	3	40	7
Balance of county	630	2	-	3	140	30	51	11	10	6	2	30	17	254	189	4	5	143	37
Clinch	60	-	-	-	5	2	-	2	-	-	-	1	-	35	29	1	-	21	7
Cobb	1,707	1	-	13	384	82	101	36	43	17	22	83	27	749	558	3	21	363	171
Marietta	386	1	-	5	78	14	23	3	11	3	7	17	8	186	146	1	7	99	39
Smyrna	182	-	-	1	42	8	14	6	4	-	3	9	1	71	54	-	3	37	14
Balance of county	1,139	-	-	7	264	82	64	27	28	14	12	57	18	492	358	2	11	227	118
Coffee	265	1	-	2	47	12	11	4	10	1	2	7	7	124	96	1	3	73	19
Douglas	112	-	-	-	14	6	1	-	2	1	-	4	2	58	47	1	1	36	9
Balance of county	153	1	-	2	33	6	10	4	8	-	2	3	5	66	49	-	2	37	10
Colquitt	350	-	-	4	67	16	22	4	6	6	3	10	15	157	125	3	3	95	24
Moultrie	179	-	-	2	42	11	12	3	4	6	1	5	9	71	52	1	2	39	10
Balance of county	171	-	-	2	25	5	10	1	2	-	2	5	6	86	73	2	1	56	14
Columbia	241	-	-	1	52	10	18	2	5	1	2	14	3	108	88	2	3	59	24
Cook	142	-	-	-	18	3	5	2	3	1	-	4	2	76	67	-	1	34	32
Coweta	360	1	1	3	60	10	17	5	4	3	4	17	4	178	134	1	4	63	66
Newnan	144	-	1	-	23	5	6	1	2	1	-	8	2	81	59	-	2	22	35
Balance of county	216	1	-	3	37	5	11	4	2	2	4	9	2	97	75	1	2	41	31
Crawford	61	-	-	1	11	2	4	-	-	-	1	4	2	38	28	-	7	12	9
Crisp	206	1	-	4	39	9	12	1	5	2	2	6	-	98	64	-	2	52	10
Cordele	140	1	-	1	27	5	7	1	4	2	1	7	-	73	46	-	1	36	9
Balance of county	66	-	-	3	12	4	5	-	1	-	1	1	-	25	18	-	1	16	1
Dade	85	-	-	1	19	5	4	2	-	1	1	6	1	43	37	-	1	26	10
Dawson	46	-	-	-	10	3	3	2	-	-	1	1	-	22	15	-	1	11	3
Decatur	265	-	-	1	42	5	13	4	6	2	1	11	4	143	99	1	7	70	21
Bainbridge	144	-	-	1	25	4	11	2	2	1	1	4	2	78	53	-	4	35	14
Balance of county	121	-	-	-	17	1	2	2	4	1	-	7	2	65	46	1	3	35	7
De Kalb	3,003	2	-	46	676	150	195	57	65	32	36	141	42	1,314	979	8	63	554	354
Atlanta, part	540	1	-	8	110	30	29	7	10	4	6	24	10	243	194	1	15	82	96
Decatur	495	1	-	12	101	26	20	11	11	8	3	22	6	210	150	2	16	79	53
Balance of county	1,968	-	-	26	465	94	146	39	44	20	27	95	26	861	635	5	32	393	205
Dodge	191	1	-	1	34	8	9	1	6	-	2	8	5	93	77	-	2	51	24
Dooly	129	-	-	1	25	6	7	1	5	1	-	5	2	72	48	-	1	40	7
Dougherty	716	1	-	7	153	35	43	10	17	4	6	38	15	295	214	1	12	153	48
Albany	641	1	-	7	135	30	40	7	15	4	5	34	13	268	189	-	10	135	44
Balance of county	75	-	-	-	18	5	3	3	2	-	1	4	2	27	25	1	2	18	4
Douglas	365	-	-	4	80	27	21	7	8	3	1	13	5	141	104	1	1	80	22
Early	126	-	-	1	12	5	3	-	2	-	1	1	4	62	42	-	-	33	9
Echols	15	-	-	1	4	-	2	-	2	-	-	-	-	7	6	-	1	2	3
Effingham	156	-	-	2	30	6	11	1	5	1	1	5	4	81	65	-	3	52	10
Elbert	197	-	-	-	38	11	10	5	7	1	2	2	4	94	69	-	-	50	19
Emanuel	229	-	-	1	46	8	19	-	7	1	3	8	5	110	79	-	1	45	33
Evans	83	-	-	-	14	4	6	-	1	-	1	2	1	48	38	-	1	33	4
Fannin	179	-	-	3	36	11	8	1	2	2	1	11	1	97	72	1	2	43	26
Fayette	167	-	-	1	44	9	9	7	4	1	1	13	3	74	58	1	1	43	13
Floyd	763	4	-	8	172	45	50	9	24	3	7	34	14	378	260	1	1	199	59
Rome	443	2	-	4	100	28	29	5	11	2	6	19	6	220	140	1	1	108	30
Balance of county	320	2	-	4	72	17	21	4	13	1	1	15	8	158	120	-	-	91	29
Forsyth	214	-	-	2	36	6	10	3	1	2	2	12	2	107	82	1	-	56	25
Franklin	152	-	-	2	27	5	9	4	2	-	1	6	5	70	56	-	3	33	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	-	7	1	3	3	2	-	2	2	-	-	1	-	9	2	2	1	1	2
Brantley	-	3	-	1	1	5	-	1	-	-	-	2	2	7	4	2	2	-	-
Brooks	1	7	-	1	7	3	1	4	2	-	1	1	2	11	1	4	4	4	1
Bryan	-	5	-	-	-	5	-	2	-	-	1	1	3	4	5	6	2	1	-
Bulloch	4	39	1	1	6	12	-	3	1	-	1	2	10	28	6	14	1	1	1
Statesboro	2	17	1	-	6	6	-	-	1	-	1	-	3	16	2	1	-	1	1
Balance of county	2	22	-	1	-	6	-	3	-	-	-	2	7	12	4	13	1	-	-
Burke	2	18	4	4	4	5	1	2	2	-	1	3	2	11	4	4	-	7	-
Butts	1	8	1	2	4	2	1	-	3	-	2	2	1	12	1	9	2	1	-
Calhoun	-	22	-	-	3	1	1	-	-	-	-	-	1	9	3	1	1	-	-
Camden	-	5	1	-	2	3	-	-	1	-	1	3	2	7	2	2	3	3	1
Candler	-	27	-	4	1	3	-	1	1	-	-	-	2	9	-	5	-	1	-
Carroll	1	49	3	4	13	20	1	1	4	-	6	4	5	40	13	11	5	4	-
Carrollton	-	16	-	2	8	5	-	-	1	-	1	1	4	9	1	4	2	-	-
Balance of county	1	33	3	2	10	15	1	1	3	-	5	3	1	31	12	7	3	4	-
Catoosa	-	22	3	3	6	7	-	1	2	-	1	-	-	15	5	3	1	1	-
Charlton	-	4	1	-	1	3	-	1	-	-	-	-	1	7	1	1	2	-	-
Chatham	18	167	19	24	45	70	3	27	13	-	12	29	10	203	34	62	27	38	2
Savannah	17	136	14	22	37	50	3	18	10	-	9	26	7	164	21	51	19	30	1
Balance of county	1	31	5	2	8	20	-	9	3	-	3	3	3	39	13	11	8	6	1
Chattahoochee	-	-	-	1	-	-	-	1	-	-	-	4	-	-	5	-	-	1	1
Chattooga	1	27	3	1	7	8	-	2	5	-	1	2	2	15	5	6	1	2	-
Cherokee	1	26	1	3	17	8	2	6	2	-	4	4	4	30	16	11	8	1	2
Clarke	1	66	6	3	21	14	1	11	5	-	6	5	12	44	18	9	6	6	-
Athens	1	54	4	1	16	13	1	9	4	-	4	1	7	34	10	7	4	2	-
Balance of county	-	12	2	2	5	1	-	2	1	-	2	4	5	10	8	2	2	4	-
Clay	-	10	-	-	1	2	-	-	1	-	1	-	-	3	-	2	2	-	-
Clayton	2	72	5	7	16	44	3	9	13	-	14	9	5	62	27	31	21	14	-
College Park, part	-	3	1	-	-	2	-	-	-	-	-	1	-	2	1	2	1	1	-
Forest Park	-	15	2	-	2	5	2	1	1	-	2	1	-	13	4	6	5	2	-
Balance of county	2	54	2	7	14	37	1	8	12	-	12	7	5	47	22	23	15	11	-
Clinch	-	6	-	-	2	2	-	1	1	-	-	2	-	5	5	-	-	1	1
Cobb	5	162	13	11	26	57	4	32	12	1	14	34	8	135	85	56	42	24	3
Marietta	2	36	1	1	5	11	1	5	4	-	2	8	2	37	12	12	5	4	-
Smyrna	-	14	2	1	6	6	1	3	1	-	3	7	1	15	8	7	5	4	-
Balance of county	3	112	10	9	15	40	2	24	7	1	9	19	5	83	65	37	32	16	3
Coffee	2	20	4	2	12	5	-	4	5	-	4	1	3	22	11	13	1	3	-
Douglas	2	6	3	-	4	2	-	2	3	-	1	1	2	11	6	6	-	-	-
Balance of county	-	14	1	2	8	3	-	2	2	-	3	-	1	11	5	7	1	3	-
Colquitt	2	24	2	4	12	11	1	-	2	1	1	4	5	39	8	11	7	5	-
Moultrie	2	14	-	3	7	5	-	-	1	-	-	2	3	24	4	3	3	3	-
Balance of county	-	10	2	1	5	6	1	-	1	1	1	2	2	15	4	8	4	2	-
Columbia	-	17	1	2	1	5	3	2	8	-	3	3	4	19	14	7	2	4	2
Cook	-	7	1	1	2	9	1	-	-	-	2	3	-	12	3	12	2	-	-
Coweta	-	40	2	2	10	10	-	3	1	-	-	5	17	30	14	14	6	3	-
Newnan	-	19	1	2	1	4	-	1	-	-	-	1	9	11	4	2	2	2	-
Balance of county	-	21	1	-	9	6	-	2	1	-	-	4	8	19	10	12	4	1	-
Crawford	2	7	1	-	1	-	1	-	1	-	-	-	1	3	-	1	1	-	-
Crisp	1	25	5	3	9	5	-	2	4	-	-	3	3	23	3	7	3	2	-
Cordele	-	20	4	3	7	2	-	2	3	-	-	-	2	16	-	4	1	1	-
Balance of county	1	5	1	-	2	3	-	-	1	-	-	3	1	7	3	3	2	1	-
Dade	-	5	-	1	2	2	-	1	-	-	1	1	-	9	1	2	1	1	-
Dawson	-	7	-	-	2	2	-	1	-	-	-	-	-	3	2	2	1	-	1
Decatur	2	35	-	7	5	5	1	6	4	-	2	5	5	21	7	8	2	3	1
Bainbridge	-	21	-	4	3	2	1	4	3	-	1	2	-	13	1	3	1	3	1
Balance of county	2	14	-	3	2	3	-	2	1	-	1	3	5	8	6	5	1	-	-
De Kalb	16	265	27	27	91	98	9	55	27	-	37	37	26	270	92	78	48	53	2
Atlanta, part	3	39	2	5	20	13	1	16	8	-	3	14	4	45	7	20	3	15	-
Decatur	-	45	10	5	17	14	1	7	5	-	9	8	6	53	14	14	2	15	-
Balance of county	13	181	15	17	54	71	7	33	14	-	25	15	16	172	71	44	43	23	2
Dodge	3	13	-	-	11	4	1	2	5	-	-	-	3	14	5	9	1	2	-
Dooly	-	22	-	2	2	3	-	-	1	-	-	2	-	10	5	4	1	1	-
Dougherty	7	66	4	4	14	30	3	12	4	-	5	16	31	66	20	18	10	16	-
Albany	7	64	4	4	12	27	3	10	4	-	5	14	25	62	17	16	8	14	-
Balance of county	-	2	-	-	2	3	-	2	-	-	-	2	6	4	3	2	2	2	-
Douglas	-	27	8	2	9	8	1	5	1	-	5	9	1	46	21	16	9	4	-
Early	-	19	-	1	4	2	1	2	-	-	-	2	1	8	7	12	3	5	-
Echols	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Effingham	-	16	-	-	11	3	-	-	-	-	-	-	-	15	2	6	2	-	-
Elbert	1	24	-	-	3	4	-	-	2	-	2	3	3	23	8	7	4	1	1
Emanuel	-	22	3	6	8	10	1	4	2	-	2	5	1	15	5	9	2	3	-
Evans	-	8	-	2	-	1	-	-	-	-	1	3	1	7	1	2	3	1	-
Fannin	-	23	-	2	8	8	-	1	3	-	1	1	-	12	3	2	3	-	-
Fayette	-	13	2	1	5	5	-	1	2	1	1	1	1	13	8	2	4	1	-
Floyd	4	100	10	4	24	23	2	4	12	-	4	8	9	58	13	21	7	4	-
Rome	3	67	7	3	18	18	2	2	7	-	2	4	5	34	5	9	5	2	-
Balance of county	1	33	3	1	6	7	-	2	5	-	2	4	4	22	8	12	2	2	-
Forsyth	-	17	5	3	5	9	1	-	1	-	3	-	-	18	14	10	5	1	-
Franklin	-	13	-	1	8	5	1	1	3	-	-	1	-	11	11	4	1	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Fulton	5,638	11	1	126	1,119	275	301	96	142	39	39	227	89	2,445	1,886	14	173	936	761
Atlanta, part	4,148	10	1	103	806	207	217	71	97	31	25	158	67	1,772	1,367	8	152	633	574
Atlanta, total	4,688	11	1	111	916	237	246	78	107	35	31	182	77	2,015	1,561	9	167	715	670
College Park, part	241	-	-	6	45	7	11	2	9	2	2	12	5	103	76	-	5	41	30
College Park, total	273	-	-	6	53	8	16	2	9	2	3	13	6	116	85	-	5	46	34
East Point	339	1	-	7	70	19	19	6	9	2	2	13	7	158	119	1	9	69	40
Roswell	146	-	-	2	27	6	5	4	6	2	2	2	1	67	51	1	2	31	17
Balance of county	764	-	-	8	171	36	49	13	21	2	8	42	9	345	273	4	5	164	100
Gilmer	104	-	-	2	22	3	4	-	4	-	-	11	3	50	37	-	-	28	9
Glascock	31	-	-	-	3	1	-	-	1	-	-	1	-	24	19	-	1	13	5
Glynn	528	-	-	8	118	23	39	5	11	5	6	29	11	256	210	1	10	117	82
Brunswick	249	-	-	4	53	15	14	2	1	2	2	17	9	119	88	-	8	50	30
Balance of county	279	-	-	4	65	8	25	3	10	3	4	12	2	137	122	1	2	67	52
Gordon	239	1	-	3	49	13	13	2	7	2	1	11	2	119	96	1	2	56	37
Grady	193	-	-	3	39	12	9	4	2	3	2	7	2	102	82	-	3	63	16
Greene	154	-	-	1	27	4	10	2	5	-	2	4	3	84	65	1	3	42	19
Gwinnett	858	-	-	10	181	42	56	11	18	12	14	28	11	381	284	3	2	217	62
Habersham	199	-	-	-	47	11	14	2	10	-	1	9	4	101	71	-	2	45	24
Hall	653	1	-	9	152	30	49	13	12	7	7	34	10	307	240	3	2	179	56
Gainesville	224	-	-	2	55	16	15	3	3	5	-	13	5	99	78	-	1	61	16
Balance of county	429	1	-	7	97	14	34	10	9	2	7	21	5	208	162	3	1	118	40
Hancock	104	-	-	1	18	3	5	3	2	-	2	3	4	50	41	-	-	18	23
Haralson	176	-	-	2	44	10	7	2	2	6	4	13	3	78	56	-	-	40	16
Harris	161	-	-	3	31	4	12	2	4	-	1	8	3	77	54	1	1	31	21
Hart	168	-	-	1	32	12	6	5	-	1	-	8	3	96	78	-	1	59	18
Heard	56	-	-	1	14	-	8	1	2	-	-	3	-	30	25	-	-	10	15
Henry	258	1	-	-	42	5	16	2	6	1	1	11	4	140	112	-	4	85	23
Houston	476	-	-	3	88	12	29	10	8	5	5	19	14	222	165	1	3	86	75
Warner Robins	250	-	-	2	47	9	13	8	3	1	2	11	9	115	87	1	1	45	40
Balance of county	226	-	-	1	41	3	16	2	5	4	3	8	5	107	78	-	2	41	35
Irwin	99	-	-	-	14	3	7	-	3	-	-	1	1	50	40	-	1	23	16
Fitzgerald, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	98	-	-	-	14	3	7	-	3	-	-	1	1	49	39	-	1	23	15
Jackson	241	-	-	2	47	9	15	9	2	-	1	11	5	121	100	-	-	57	43
Jasper	68	-	-	1	13	2	4	-	2	-	2	3	1	36	30	-	-	22	8
Jeff Davis	96	-	-	-	11	-	5	2	-	1	-	3	1	55	47	-	1	41	5
Jefferson	190	-	-	3	33	7	8	3	12	-	1	2	5	95	76	-	6	49	21
Jenkins	97	-	-	1	18	1	8	1	1	-	-	7	1	60	44	-	-	32	12
Johnson	86	-	-	1	21	2	8	-	2	1	-	8	2	43	35	-	-	28	7
Jones	130	2	-	-	25	6	6	3	3	-	1	6	3	56	36	-	1	29	6
Macon, part	4	-	-	-	1	-	-	-	1	-	-	-	-	2	1	-	-	1	-
Balance of county	126	2	-	-	24	6	6	3	2	-	1	6	3	54	35	-	1	28	6
Lamar	107	-	-	1	16	3	3	1	2	1	1	5	2	56	38	-	1	27	10
Lanier	62	-	-	1	7	2	2	-	-	-	-	3	-	34	26	-	1	18	9
Laurens	359	1	-	4	66	13	15	4	9	5	3	17	8	183	155	-	9	83	63
Dublin	197	-	-	1	34	10	9	2	3	3	1	6	2	100	85	-	5	45	35
Balance of county	162	1	-	3	32	3	6	2	6	2	2	11	6	83	70	-	4	38	28
Lee	68	-	-	-	13	3	2	2	1	2	1	2	1	28	22	-	1	16	5
Liberty	174	-	-	2	34	5	9	2	2	4	1	11	-	54	38	1	1	16	20
Hinesville	51	-	-	1	12	1	2	-	-	4	-	5	-	15	12	-	-	4	8
Balance of county	123	-	-	1	22	4	7	2	2	-	1	6	-	39	26	1	1	12	12
Lincoln	76	-	-	2	18	3	5	-	4	1	-	5	-	35	30	-	2	22	6
Long	44	-	-	-	7	-	4	1	1	-	1	-	1	23	18	-	1	13	4
Lowndes	584	-	-	9	132	34	39	7	19	4	2	27	25	256	220	1	4	121	94
Valdosta	379	-	-	4	88	21	20	3	10	3	1	21	19	170	147	-	3	84	60
Balance of county	205	-	-	5	44	13	19	4	-	1	1	6	6	86	73	1	1	37	34
Lumpkin	69	-	-	2	17	3	6	1	4	1	1	1	2	29	23	1	1	13	8
McDuffie	176	-	-	3	29	7	7	4	4	-	1	6	3	78	63	-	2	45	16
McIntosh	98	-	-	-	21	2	7	2	4	1	2	3	1	55	44	-	1	29	14
Macon	125	-	-	1	23	7	5	1	5	2	1	2	7	56	35	-	1	25	9
Madison	134	-	-	3	30	6	8	2	6	2	1	5	4	67	55	1	-	39	15
Marion	54	-	-	-	7	-	5	-	-	-	-	2	-	33	20	-	-	12	8
Meriwether	210	-	-	1	39	11	10	6	6	-	-	6	1	114	78	-	1	62	15
Miller	67	-	-	-	18	4	6	3	3	-	-	2	3	26	18	-	-	11	7
Mitchell	203	1	-	1	36	5	11	2	6	1	1	10	1	100	66	1	2	59	4
Monroe	143	-	-	2	24	5	6	1	4	-	-	8	5	76	58	-	1	45	12
Montgomery	79	1	-	-	26	8	6	1	-	1	3	7	1	31	29	-	-	19	10
Vidalia, part	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Balance of county	76	1	-	-	26	8	6	1	-	1	3	7	1	29	27	-	-	17	10
Morgan	108	-	-	1	24	3	13	-	2	1	-	5	1	49	42	1	-	30	11
Murray	153	1	-	3	33	9	4	4	6	4	-	6	3	62	49	-	1	39	9
Muscogee	1,558	2	-	21	322	71	99	29	28	15	10	70	45	771	580	-	11	431	138
Columbus	1,511	2	-	20	312	69	96	28	28	14	10	67	45	750	566	-	11	422	133
Balance of county	47	-	-	1	10	2	3	1	-	1	-	3	-	21	14	-	-	9	5
Newton	320	-	-	2	61	13	18	8	7	1	3	11	6	174	123	1	8	81	33
Covington	145	-	-	2	23	5	5	2	4	-	2	5	2	81	57	1	4	35	17
Balance of county	175	-	-	-	38	8	13	6	3	1	1	6	4	93	66	-	4	46	16
Oconee	73	-	-	-	13	2	-	1	1	-	-	9	-	29	22	-	-	15	7
Oglethorpe	89	-	-	2	10	2	2	-	-	2	1	3	1	43	38	-	4	23	11
Paulding	206	-	-	7	46	12	17	3	4	1	1	8	6	87	69	-	2	39	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Fulton	44	440	30	45	147	159	16	75	84	3	45	98	84	597	138	198	65	135	3
Atlanta, part	36	321	15	33	110	107	13	54	64	2	34	72	66	482	91	142	36	113	3
Atlanta, total	39	360	17	38	130	120	14	69	72	2	37	86	70	527	98	162	39	128	3
College Park, part	1	22	2	2	5	5	1	2	4	1	3	6	4	22	11	6	6	6	-
College Park, total	1	25	3	2	5	7	1	2	4	1	3	7	4	24	12	8	7	7	-
East Point	2	32	5	-	5	16	-	3	3	-	1	10	3	23	6	14	4	8	-
Roswell	-	14	2	-	4	5	-	4	2	-	1	1	-	13	7	7	4	1	-
Balance of county	5	81	6	10	23	26	2	12	11	-	6	9	11	57	23	29	15	7	-
Gilmer	-	10	3	-	-	2	1	1	2	-	-	-	4	8	5	1	3	-	-
Glascock	-	4	-	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Glynn	-	33	7	6	12	16	-	4	4	-	2	9	4	31	16	22	8	7	-
Brunswick	-	22	5	4	6	10	-	2	2	-	-	6	1	14	8	10	1	4	-
Balance of county	-	11	2	2	6	6	-	2	2	-	2	3	3	17	8	12	7	3	-
Gordon	-	22	1	-	9	10	-	3	4	-	5	1	1	14	9	4	2	3	-
Grady	-	16	1	3	4	6	-	1	1	-	-	1	5	14	4	5	4	2	-
Greene	1	17	1	-	5	6	-	1	2	-	1	3	-	13	2	4	1	-	1
Gwinnett	4	79	5	9	30	22	1	13	5	-	8	11	5	64	48	34	22	11	1
Habersham	1	28	1	-	7	7	-	1	-	-	2	1	1	17	5	2	2	2	-
Hall	1	53	5	8	18	27	2	8	5	1	5	4	3	46	22	15	10	6	1
Gainesville	1	15	-	5	6	14	-	1	4	1	4	3	1	16	4	4	2	2	1
Balance of county	-	38	5	3	12	13	2	8	1	-	1	1	2	30	18	11	8	4	-
Hancock	1	7	-	1	1	1	-	2	3	-	2	1	1	11	4	3	1	-	1
Haralson	1	17	1	3	11	8	-	1	2	-	3	1	-	10	8	3	-	2	-
Harris	3	14	5	1	6	4	-	2	2	-	1	-	3	14	8	4	2	1	-
Hart	-	15	2	1	3	1	-	2	4	-	-	4	-	7	10	5	-	-	-
Heard	-	4	1	-	1	1	1	-	-	-	-	-	1	3	1	1	1	1	-
Henry	2	20	-	6	9	12	-	3	1	-	1	2	2	17	5	5	6	7	1
Houston	1	35	13	8	8	13	3	12	8	-	10	10	3	26	22	25	7	2	-
Warner Robins	-	17	9	2	4	9	2	8	4	-	4	7	1	14	7	10	6	1	-
Balance of county	1	18	4	6	4	4	1	4	4	-	6	3	2	12	15	15	1	1	-
Irwin	-	10	-	-	3	4	1	1	1	-	-	-	-	10	2	5	5	2	-
Fitzgerald, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	10	-	-	3	4	1	1	1	-	-	-	-	10	2	5	5	2	-
Jackson	2	18	-	1	6	4	-	4	1	-	1	3	2	23	11	5	5	1	-
Jasper	-	5	-	1	1	1	-	3	1	1	-	3	-	4	2	1	-	-	-
Jeff Davis	-	8	-	-	5	4	-	-	1	-	-	1	1	6	8	1	-	2	-
Jefferson	1	17	1	-	9	7	-	1	-	1	-	3	2	13	5	8	3	1	1
Jenkins	-	13	1	2	1	-	-	-	-	-	1	-	1	5	3	5	-	1	-
Johnson	1	7	-	-	1	2	-	-	2	1	-	1	2	5	2	3	-	-	-
Jones	2	15	1	2	2	2	1	3	2	-	1	2	1	20	5	2	1	2	-
Macon, part	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	2	15	-	2	2	2	1	3	2	-	1	2	1	19	5	2	1	2	-
Lamar	-	16	2	-	4	5	3	2	3	-	-	-	4	8	1	2	3	-	1
Lanier	1	8	1	-	2	1	-	-	2	-	-	2	4	6	-	1	1	1	-
Laurens	1	25	2	-	10	10	1	5	2	-	1	6	2	32	4	14	6	4	-
Dublin	1	13	1	-	7	6	-	4	2	-	1	5	1	16	1	8	5	4	-
Balance of county	-	12	1	-	3	4	1	1	-	-	-	1	1	16	3	6	1	-	-
Lee	2	4	-	-	1	-	1	1	-	-	2	1	1	4	3	8	1	3	-
Liberty	-	14	1	1	6	6	-	1	5	-	3	19	-	14	15	8	2	4	1
Hinesville	-	3	-	-	1	3	-	-	1	-	1	3	-	5	1	4	2	2	-
Balance of county	-	11	1	1	5	3	-	1	4	-	2	16	-	9	14	4	-	2	1
Lincoln	-	3	-	2	1	1	-	-	2	-	2	-	2	8	3	3	-	-	1
Long	-	5	-	-	2	2	-	-	-	-	-	1	-	1	1	1	3	2	-
Lowndes	6	25	5	-	5	25	2	4	6	-	2	11	7	50	12	19	5	10	4
Valdosta	4	17	2	-	5	11	-	4	4	-	1	6	5	35	6	8	3	7	3
Balance of county	2	8	3	-	-	14	2	-	2	-	1	5	2	15	6	11	2	3	1
Lumpkin	-	6	-	-	1	-	-	1	1	-	-	1	1	6	2	1	3	2	-
McDuffie	-	13	-	2	9	3	1	-	1	-	-	4	15	16	1	9	2	2	-
McIntosh	-	9	1	1	-	4	-	-	-	-	-	1	-	8	4	2	2	-	-
Macon	-	15	6	-	3	8	-	1	3	-	2	-	3	7	2	5	2	-	2
Madison	2	9	1	-	3	5	1	1	1	-	-	-	1	9	4	4	-	1	-
Marion	-	9	4	-	1	2	-	-	-	-	-	-	-	7	3	1	-	-	-
Meriwether	4	27	4	1	5	2	-	1	2	-	2	3	1	28	4	5	1	1	-
Miller	-	7	1	-	1	3	-	1	-	-	-	1	1	8	1	2	1	1	-
Mitchell	2	25	5	2	8	4	-	2	3	1	2	2	8	16	10	4	2	3	1
Monroe	2	14	1	1	2	5	-	2	1	-	-	3	-	8	8	6	-	-	1
Montgomery	-	2	-	-	8	3	-	-	2	-	-	1	1	3	-	3	1	-	-
Vidalia, part	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	2	-	-	5	3	-	-	2	-	-	1	1	3	-	3	1	-	-
Morgan	1	5	-	1	3	7	-	1	-	-	-	-	-	12	3	3	1	3	-
Murray	-	10	-	3	5	8	-	1	-	-	1	1	1	18	11	4	-	1	-
Muscogee	8	142	26	15	48	49	4	16	10	-	12	17	12	132	25	38	16	11	5
Columbus	8	136	25	15	46	49	4	16	10	-	12	16	11	127	24	36	17	9	5
Balance of county	-	6	1	-	2	-	-	-	-	-	-	1	1	5	1	2	1	2	-
Newton	4	36	5	6	4	7	-	2	2	-	1	4	2	24	8	13	6	3	1
Covington	3	17	2	2	1	2	-	2	-	-	-	4	1	15	2	4	2	3	1
Balance of county	1	19	3	4	3	5	-	-	2	-	1	-	1	9	6	9	4	-	-
Oconee	-	5	1	1	4	6	-	2	-	-	-	1	-	8	5	4	1	-	-
Oglethorpe	1	4	-	-	4	2	-	1	1	-	-	-	-	5	4	4	5	-	1
Paulding	-	17	-	1	3	5	-	3	2	-	3	5	1	21	7	5	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Peach	145	-	-	2	22	5	7	3	1	-	-	6	5	71	53	-	14	23	16
Pickens	120	-	-	-	18	7	2	-	3	1	1	4	2	64	47	-	-	29	18
Pierce	122	-	-	1	29	8	7	1	7	2	-	4	3	60	47	-	2	33	12
Pike	76	1	-	1	15	3	4	3	2	-	-	3	-	36	32	-	1	20	11
Polk	362	1	-	4	75	15	24	4	5	3	6	18	5	186	139	-	1	94	44
Pulaski	119	-	-	3	15	2	6	1	3	-	-	3	3	61	40	-	4	22	14
Putnam	106	-	-	2	14	1	5	3	2	1	-	2	4	54	49	-	3	31	15
Quitman	30	-	-	-	3	-	1	-	-	-	-	2	1	16	10	-	1	3	6
Rabun	93	1	-	-	21	5	7	2	1	1	2	3	3	41	34	-	1	31	2
Randolph	127	-	-	-	21	9	3	1	2	-	3	3	-	69	45	-	1	29	15
Richmond	1,430	2	-	13	275	67	75	28	32	10	9	54	18	646	499	5	25	298	171
Augusta	730	-	-	9	140	38	36	14	16	6	5	25	13	334	254	2	17	147	88
Balance of county	700	2	-	4	135	29	39	14	16	4	4	29	5	312	245	3	8	151	83
Rockdale	268	-	1	2	59	10	22	10	5	-	3	9	2	121	94	1	4	70	19
Schley	43	-	-	-	8	2	2	-	3	-	-	1	1	20	14	-	-	12	2
Screven	156	-	-	2	32	9	7	2	3	2	1	8	8	79	66	-	-	39	27
Seminole	98	-	-	2	17	4	6	1	5	-	-	1	1	53	40	-	-	18	22
Spalding	496	1	-	3	108	19	39	13	9	3	3	22	10	249	183	-	12	147	24
Griffin	337	1	-	1	69	14	23	7	4	1	2	18	10	170	118	-	10	94	14
Balance of county	159	-	-	2	39	5	16	6	5	2	1	4	-	79	65	-	2	53	10
Stephens	207	-	-	6	42	11	10	1	5	1	-	14	2	98	66	2	2	42	20
Stewart	60	-	-	-	10	3	-	2	4	-	1	-	-	38	30	-	-	23	7
Sumter	334	-	-	2	68	14	16	3	13	1	-	21	8	167	129	-	1	69	59
Americus	219	-	-	2	43	8	8	2	9	1	-	15	7	105	81	-	1	40	40
Balance of county	115	-	-	-	25	6	8	1	4	-	-	6	1	62	48	-	-	29	19
Talbot	66	-	-	3	13	2	4	1	2	-	-	4	1	32	26	-	-	14	12
Taliaferro	32	-	-	-	5	-	3	1	1	-	-	-	-	16	10	-	1	3	6
Tattnall	162	-	-	1	35	8	14	2	3	1	3	4	4	88	70	1	1	59	9
Taylor	106	1	-	1	17	4	5	2	3	-	-	3	2	62	42	-	-	35	7
Telfair	149	-	-	2	23	6	6	3	3	-	2	3	1	84	60	-	2	41	17
Terrell	125	-	-	2	18	6	7	-	-	1	1	3	4	63	46	2	2	28	14
Thomas	434	-	-	4	85	23	22	6	8	5	6	15	5	221	153	3	6	103	41
Thomasville	220	-	-	2	39	14	11	2	3	2	2	5	3	121	84	1	5	54	24
Balance of county	214	-	-	2	46	9	11	4	5	3	4	10	2	100	69	2	1	49	17
Tift	276	-	-	3	45	11	17	1	5	2	2	7	3	141	85	-	8	58	19
Tifton	136	-	-	2	20	5	7	1	1	-	2	4	1	66	37	-	3	26	8
Balance of county	140	-	-	1	25	6	10	-	4	2	-	3	2	75	48	-	5	32	11
Toombs	199	-	-	2	41	12	12	2	5	1	3	6	1	103	73	-	2	48	23
Vidalia, part	89	-	-	2	18	5	5	-	2	1	3	2	-	46	31	-	1	20	10
Vidalia, total	92	-	-	2	18	5	5	-	2	1	3	2	-	48	33	-	1	22	10
Balance of county	110	-	-	-	23	7	7	2	3	-	-	4	1	57	42	-	1	28	13
Towns	63	-	-	2	16	7	2	2	-	2	1	2	6	24	19	-	-	8	11
Treutlen	72	-	-	-	15	6	5	1	1	-	-	2	2	37	27	-	-	13	14
Troup	520	1	-	7	100	30	33	7	12	1	3	14	3	269	198	2	10	118	68
La Grange	309	1	-	5	58	16	20	5	7	-	2	8	3	167	122	2	8	68	44
Balance of county	211	-	-	2	42	14	13	2	5	1	1	6	-	102	76	-	2	50	24
Turner	99	-	-	-	22	5	7	1	2	-	1	6	2	56	35	1	1	30	3
Twiggs	91	-	-	1	22	3	6	1	2	-	3	7	2	44	26	-	2	16	8
Union	123	-	-	3	20	6	2	3	4	1	-	4	1	63	50	-	-	39	11
Upson	295	-	-	3	66	15	16	3	5	2	7	18	1	143	89	2	1	64	22
Walker	498	-	1	5	110	27	32	6	7	3	5	30	7	241	198	3	-	197	58
Walton	276	-	-	2	51	14	9	6	12	1	1	8	9	136	105	2	2	83	18
Ware	396	2	-	3	79	18	31	4	5	2	1	18	7	213	169	1	6	105	57
Waycross	257	2	-	2	50	13	19	2	3	1	-	12	5	141	108	1	3	69	35
Balance of county	139	-	-	1	29	5	12	2	2	1	1	6	2	72	61	-	3	36	22
Warren	67	2	-	-	5	4	-	-	1	-	-	-	1	37	26	-	-	20	6
Washington	201	-	-	1	28	12	9	1	2	-	-	4	5	112	89	-	6	44	39
Wayne	221	1	-	4	44	7	13	2	7	-	2	13	1	113	97	-	4	56	37
Webster	25	-	-	-	1	-	-	-	-	1	-	-	-	12	9	-	-	5	4
Wheeler	51	-	-	1	7	2	1	-	-	-	2	2	1	26	20	-	-	14	6
White	94	-	-	2	23	3	10	2	4	2	1	1	4	43	28	1	1	17	9
Whitfield	509	1	-	4	92	18	28	7	13	3	3	20	7	232	178	3	7	123	45
Dalton	225	-	-	2	44	8	11	4	6	1	2	12	5	104	83	2	4	60	17
Balance of county	284	1	-	2	48	10	17	3	7	2	1	8	2	128	95	1	3	63	28
Wilcox	80	-	-	2	11	3	-	2	2	-	-	4	1	42	32	-	-	25	7
Wilkes	125	-	-	1	16	7	3	-	2	-	-	4	3	74	59	1	2	44	12
Wilkinson	111	-	-	-	24	9	8	3	-	-	4	-	-	53	42	-	2	32	8
Worth	141	-	-	5	23	4	10	-	4	-	1	4	1	81	58	-	3	34	21
Hawaii	5,482	8	-	66	1,295	408	284	100	121	57	63	262	112	2,305	1,758	31	41	1,202	464
Urban places	3,994	5	-	55	954	310	210	76	84	40	41	193	84	1,678	1,271	23	27	886	335
Balance of area	1,488	3	-	11	341	98	74	24	37	17	22	69	28	627	487	8	14	316	149
Metropolitan counties	4,127	7	-	54	975	309	220	71	93	43	44	195	85	1,700	1,294	22	28	894	350
Urban places	3,595	4	-	49	864	276	192	67	78	37	36	178	74	1,491	1,119	19	24	780	296
Balance of area	532	3	-	5	111	33	28	4	15	6	8	17	11	209	175	3	4	114	54
Nonmetropolitan counties	1,355	1	-	12	320	99	64	29	28	14	19	67	27	605	464	9	13	308	134
Urban places	399	1	-	6	90	34	18	9	6	3	5	15	10	187	152	4	3	106	39
Balance of area	956	-	-	6	230	65	46	20	22	11	14	52	17	418	312	5	10	202	95

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Peach	1	12	2	3	2	2	1	6	2	-	3	1	3	13	5	2	2	2	1
Pickens	-	16	-	1	4	4	-	1	2	-	1	1	2	6	6	3	6	-	-
Pierce	-	13	-	-	6	6	-	-	1	-	1	2	-	7	-	3	3	-	-
Pike	-	4	-	-	-	2	-	1	-	-	-	3	2	6	4	4	1	-	-
Polk	-	41	4	2	10	8	-	4	2	-	2	3	6	28	13	9	3	3	-
Pulaski	1	17	2	1	3	7	-	2	1	-	-	-	3	11	3	4	1	2	-
Putnam	-	4	-	1	4	1	-	2	-	1	-	2	-	10	4	4	2	2	-
Quitman	-	4	1	1	-	2	-	-	-	-	-	1	-	3	1	2	-	1	-
Rabun	1	4	2	-	5	-	-	1	1	-	1	1	-	10	2	3	-	3	-
Randolph	1	20	2	1	4	5	1	1	-	-	-	1	-	8	2	7	2	5	1
Richmond	4	126	6	11	39	58	4	24	13	-	13	19	18	174	23	48	21	21	1
Augusta	2	69	2	7	25	25	2	14	8	-	6	5	7	88	11	24	6	13	-
Balance of county	2	57	4	4	14	33	2	10	5	-	7	14	11	86	12	24	15	8	1
Rockdale	4	18	2	3	7	11	2	6	2	-	-	-	2	18	14	10	9	2	-
Schley	-	4	1	1	2	3	-	2	2	-	-	1	-	2	-	2	-	-	-
Screven	1	8	-	4	2	-	-	3	-	-	1	-	1	13	5	8	-	2	-
Seminole	1	12	-	-	4	2	1	2	1	-	-	3	1	7	2	2	-	-	-
Spalding	2	57	3	4	11	15	1	8	3	-	3	7	8	31	12	9	9	7	1
Griffin	1	45	2	4	8	10	1	5	3	-	2	7	6	24	6	4	5	5	-
Balance of county	1	12	1	-	3	5	-	3	-	-	1	-	2	7	6	5	4	2	1
Stephens	-	29	1	2	2	7	1	-	3	-	-	2	2	24	5	3	4	6	-
Stewart	2	4	2	-	-	2	-	-	-	-	-	-	2	3	1	1	2	1	-
Sumter	2	30	-	6	8	6	1	8	2	1	2	8	4	27	11	6	1	4	-
Americus	1	20	-	3	7	6	-	6	1	1	-	6	3	16	8	4	1	3	-
Balance of county	1	10	-	3	1	-	1	2	1	-	2	2	1	11	3	2	-	1	-
Talbot	-	5	1	-	-	2	-	-	1	-	1	2	2	3	3	1	-	-	2
Taliaferro	1	5	-	-	1	-	-	1	-	-	1	-	-	3	2	2	-	1	-
Tattnall	1	13	2	2	10	5	-	3	2	-	-	3	2	9	11	6	1	1	1
Taylor	-	14	5	1	-	1	1	-	2	-	-	2	4	5	4	2	1	1	-
Telfair	-	20	1	3	6	2	-	1	1	-	-	-	-	13	7	6	2	1	-
Terrell	1	14	-	2	2	2	-	-	3	-	1	1	2	11	6	5	-	4	1
Thomas	-	65	1	2	12	10	1	6	4	-	6	4	2	42	11	12	8	1	-
Thomasville	-	34	1	2	6	5	-	5	2	-	2	1	1	23	3	3	3	1	-
Balance of county	-	31	-	-	6	5	1	1	2	-	4	3	1	19	8	9	5	-	-
Tift	1	41	9	5	6	8	-	3	1	-	1	2	3	27	10	12	3	7	1
Tifton	-	22	5	2	5	4	-	2	1	-	-	2	3	16	4	6	1	2	1
Balance of county	1	19	4	3	1	4	-	1	-	-	1	-	-	11	6	6	2	5	-
Toombs	-	25	3	2	4	9	1	1	6	-	-	3	-	15	1	4	1	7	-
Vidalia, part	-	12	3	-	-	4	-	-	5	-	-	2	-	6	1	2	-	3	-
Vidalia, total	-	12	3	-	1	4	-	-	5	-	-	2	-	6	1	2	-	3	-
Balance of county	-	13	-	2	4	5	1	1	1	-	-	1	-	9	-	2	1	4	-
Towns	1	3	1	-	3	3	-	1	2	-	-	-	-	3	-	-	-	1	2
Treutlen	-	9	1	-	4	2	-	-	-	-	-	-	2	6	3	1	-	-	-
Troup	2	60	5	4	7	12	2	6	7	-	6	1	3	64	9	10	6	7	-
La Grange	1	37	4	3	5	5	1	2	4	-	3	1	3	35	3	6	3	4	-
Balance of county	1	23	1	1	2	7	1	4	3	-	3	-	-	29	6	4	3	3	-
Turner	-	18	3	-	2	2	-	-	-	-	-	2	-	6	4	2	-	-	1
Twiggs	5	11	2	-	1	1	1	-	2	-	-	-	1	12	2	2	-	-	-
Union	-	12	-	1	10	2	-	1	-	-	1	3	4	9	5	-	-	1	-
Upson	1	49	2	2	6	13	-	3	5	-	2	3	1	29	12	2	3	3	-
Walker	3	32	4	4	14	21	-	3	7	-	2	4	8	48	12	10	3	2	-
Walton	1	27	3	-	5	9	-	4	2	-	2	4	-	30	9	6	4	3	-
Ware	5	36	-	3	9	13	1	9	2	-	4	2	1	22	7	12	5	5	-
Waycross	5	26	-	2	7	9	1	7	1	-	2	2	1	12	4	6	3	2	-
Balance of county	-	10	-	1	2	4	-	2	1	-	2	-	-	10	3	6	2	3	-
Warren	-	9	-	2	2	4	1	-	2	-	-	1	1	4	1	2	1	2	1
Washington	1	17	3	2	8	6	-	1	2	-	1	4	1	20	5	3	1	3	-
Wayne	1	14	1	-	2	4	1	4	1	-	2	3	3	19	11	5	2	1	-
Webster	2	1	-	-	1	3	1	-	1	-	-	-	-	1	3	-	-	2	-
Wheeler	-	6	-	-	2	1	-	1	2	-	-	-	-	5	-	2	2	1	-
White	-	14	1	-	2	2	-	1	-	-	-	1	-	7	2	2	1	1	3
Whitfield	2	42	4	6	24	19	1	12	6	1	4	1	8	49	20	15	9	4	-
Dalton	1	14	3	3	12	8	-	7	2	1	-	1	3	21	5	6	2	1	-
Balance of county	1	28	1	3	12	11	1	5	4	-	4	-	5	28	14	9	7	3	-
Wilcox	-	8	1	1	1	5	-	-	1	-	-	-	1	9	3	1	1	2	-
Wilkes	-	14	-	1	3	5	1	-	1	-	-	-	2	14	3	2	-	-	-
Wilkinson	-	9	1	1	7	3	-	2	2	-	1	1	-	12	-	3	1	2	-
Worth	2	15	4	2	2	4	-	-	-	-	1	1	1	12	6	2	2	-	-
Hawaii	13	429	37	68	203	153	18	60	48	-	67	76	72	519	142	168	94	49	27
Urban places	4	324	29	50	149	113	15	42	34	-	46	58	51	394	86	124	59	30	17
Balance of area	9	105	8	18	54	40	3	18	14	-	21	18	21	125	56	44	35	19	10
Metropolitan counties	5	320	28	52	159	117	12	49	32	-	49	65	60	401	96	132	74	38	22
Urban places	3	295	27	47	142	104	11	40	30	-	39	54	47	353	78	113	57	29	16
Balance of area	2	25	2	5	17	13	1	9	2	-	10	11	13	48	18	19	17	9	6
Nonmetropolitan counties	8	109	8	16	44	36	6	11	16	-	18	11	12	118	46	36	20	11	5
Urban places	1	29	2	3	7	9	4	2	4	-	7	4	4	41	8	11	2	1	1
Balance of area	7	80	6	13	37	27	2	9	12	-	11	7	8	77	38	25	18	10	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Hawaii	594	-	-	6	153	55	25	14	15	6	6	32	13	262	200	3	3	149	45
Hilo#	219	-	-	4	52	22	9	4	5	1	-	11	5	105	84	2	1	66	15
Balance of county	375	-	-	2	101	33	16	10	10	5	6	21	6	157	116	1	2	83	30
Honolulu	4,127	7	-	54	975	309	220	71	93	43	44	195	85	1,700	1,294	22	28	894	350
Aiea#	138	-	-	2	33	10	5	4	7	1	-	6	3	50	35	-	-	25	10
Ewa Beach#	105	-	-	3	20	5	3	-	3	2	2	5	3	41	35	-	-	25	10
Honolulu#	2,393	3	-	31	573	190	135	43	48	26	18	113	55	1,035	771	14	19	530	208
Kailua#	203	-	-	1	62	15	15	6	5	-	3	18	3	76	56	1	-	43	12
Kaneohe#	259	-	-	3	68	14	16	7	5	6	5	15	4	105	78	2	2	50	24
Mililani Town#	40	-	-	2	7	1	1	-	1	-	1	3	1	15	11	-	-	8	3
Mokapu# 5	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	2	-
Pearl City#	123	-	-	1	33	14	8	3	1	1	2	4	1	48	36	-	2	26	6
Schofield Barracks#	23	-	-	-	2	-	1	-	-	-	-	1	-	1	1	-	-	1	-
Wahiawa#	129	-	-	2	28	8	2	1	4	1	3	9	1	52	40	-	1	30	9
Waipahu#	169	1	-	4	38	19	6	3	4	-	2	4	2	66	54	2	-	40	12
Balance of county 5	532	3	-	5	111	33	28	4	15	6	8	17	11	209	175	3	4	114	54
Kalawao	4	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Kauai	287	-	-	1	57	15	8	6	6	3	3	16	6	136	104	1	6	64	33
Maui	470	1	-	4	110	29	31	9	7	5	10	19	8	206	159	5	4	94	56
Kahului#	95	1	-	1	18	6	6	2	-	1	1	2	5	44	37	1	2	22	12
Wailuku#	85	-	-	1	20	6	3	3	1	1	4	2	-	38	31	1	-	18	12
Balance of county	290	-	-	2	72	17	22	4	6	3	5	15	3	124	91	3	2	54	32
Idaho	7,241	4	-	50	1,445	349	310	118	191	61	77	339	124	3,280	2,497	31	42	1,718	706
Urban places	3,148	1	-	24	632	155	140	56	77	31	27	146	55	1,445	1,083	17	15	757	294
Balance of area	4,093	3	-	26	813	194	170	62	114	30	50	193	69	1,835	1,414	14	27	961	412
Metropolitan counties	1,230	-	-	14	253	60	66	18	28	9	14	58	14	560	422	6	2	302	112
Urban places	1,022	-	-	12	207	46	52	18	24	9	10	48	12	462	344	6	2	246	90
Balance of area	208	-	-	2	46	14	14	-	4	-	4	10	2	98	78	-	-	56	22
Nonmetropolitan counties	6,011	4	-	36	1,192	289	244	100	163	52	63	281	110	2,720	2,075	25	40	1,416	594
Urban places	2,126	1	-	12	425	109	88	38	53	22	17	98	43	983	739	11	13	511	204
Balance of area	3,885	3	-	24	767	180	156	62	110	30	46	183	67	1,737	1,336	14	27	905	390
Ada	1,230	-	-	14	253	60	66	18	28	9	14	58	14	560	422	6	2	302	112
Boise City	1,022	-	-	12	207	46	52	18	24	9	10	48	12	462	344	6	2	246	90
Balance of county	208	-	-	2	46	14	14	-	4	-	4	10	2	98	78	-	-	56	22
Adams	27	-	-	-	4	1	-	-	-	-	-	3	-	14	12	-	-	6	6
Bannock	388	-	-	4	71	14	15	6	9	5	4	18	6	171	145	-	2	101	42
Pocatello	304	-	-	3	53	12	13	5	6	3	2	12	7	134	114	-	2	82	30
Balance of county	84	-	-	1	18	2	2	1	3	2	2	6	1	37	31	-	-	19	12
Bear Lake	78	-	-	-	10	5	1	-	1	1	1	1	3	39	29	1	-	17	11
Benewah	76	-	-	-	13	2	5	-	-	1	1	4	3	33	25	-	-	17	8
Bingham	277	1	-	6	47	13	8	4	6	1	3	10	5	111	88	3	-	54	31
Blackfoot	91	-	-	-	16	6	2	3	2	1	-	2	2	36	32	1	-	22	9
Balance of county	186	1	-	6	31	7	6	1	6	-	3	8	3	75	56	2	-	32	22
Blaine	39	-	-	-	8	-	5	-	-	-	-	3	2	18	14	-	3	7	4
Boise	19	-	-	-	4	1	-	-	1	-	-	2	1	9	7	-	-	7	-
Bonner	197	-	-	1	46	13	8	4	5	2	2	12	5	89	68	1	5	53	9
Bonneville	384	-	-	2	67	15	10	10	11	2	2	17	7	174	125	3	2	79	41
Idaho Falls	309	-	-	2	48	11	8	8	5	2	1	13	7	145	103	3	2	64	34
Balance of county	75	-	-	-	19	4	2	2	6	-	1	4	-	29	22	-	-	15	7
Boundary	48	-	-	1	10	3	1	-	1	-	1	4	2	17	12	-	1	8	3
Butte	27	-	-	-	3	-	-	2	-	-	-	1	3	13	10	-	-	8	2
Camas	7	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	3	1
Canyon	714	1	-	4	162	37	33	16	24	11	8	35	8	325	240	3	6	162	69
Caldwell	184	1	-	1	54	15	8	7	7	3	2	12	4	78	51	1	2	32	16
Nampa	280	-	-	1	59	12	12	4	14	4	1	12	4	131	100	1	2	68	29
Balance of county	250	-	-	2	49	10	13	5	3	4	3	11	-	116	89	1	2	62	24
Caribou	50	-	-	-	7	2	-	1	3	-	1	-	1	27	19	-	-	10	9
Cassia	137	1	-	1	29	3	5	3	3	1	4	10	2	56	39	1	3	20	15
Clark	5	-	-	-	1	1	-	-	-	-	-	-	-	3	3	-	-	2	1
Clearwater	85	-	-	-	11	3	2	2	1	-	-	3	1	40	34	-	-	20	14
Custer	34	-	-	-	5	1	-	-	1	-	-	3	-	10	10	-	-	6	4
Elmore	98	-	-	1	10	3	2	-	3	-	1	1	2	42	33	-	-	20	13
Franklin	73	-	-	1	6	1	1	-	1	-	-	3	-	38	24	1	-	19	4
Fremont	72	-	-	1	21	5	2	3	6	1	1	3	-	30	24	-	-	20	4
Gem	121	-	-	2	21	3	3	2	3	2	-	8	2	62	46	2	1	30	13
Gooding	115	-	-	-	26	9	3	1	1	-	1	11	2	41	27	-	1	23	3
Idaho	155	-	-	1	33	10	5	3	5	-	5	5	3	59	46	1	-	37	8
Jefferson	109	-	-	-	21	7	5	1	4	1	-	3	4	50	40	-	-	25	15
Jerome	111	-	-	-	26	8	4	4	3	-	3	4	3	47	39	-	-	26	11
Kootenai	522	-	-	2	129	27	37	10	20	3	6	26	5	240	179	1	-	138	40
Coeur d'Alene	294	-	-	2	60	14	16	2	9	2	3	14	4	147	109	1	-	82	26
Balance of county	228	-	-	-	69	13	21	8	11	1	3	12	1	93	70	-	-	56	14
Latah	178	-	-	1	38	14	9	5	2	2	2	4	3	92	71	1	1	58	11
Moscow	85	-	-	1	17	8	4	2	1	1	-	1	2	44	31	-	-	27	4
Balance of county	93	-	-	-	21	6	5	3	1	1	2	3	1	48	40	1	1	31	7
Lemhi	60	-	-	-	10	4	2	1	1	-	-	2	-	27	20	-	-	10	10
Lewis	45	-	-	-	11	4	2	-	2	1	-	2	1	19	15	-	-	3	12
Lincoln	36	-	-	-	14	5	1	2	3	-	1	2	2	15	7	-	-	6	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Hawaii—Con.																			
Hawaii	3	46	5	8	15	14	1	3	6	-	8	5	4	50	28	13	8	4	1
Hilo#	1	16	2	2	5	4	1	1	2	-	3	2	2	22	4	6	1	-	-
Balance of county	2	30	3	6	10	10	-	2	4	-	5	3	2	28	24	7	7	4	1
Honolulu	5	320	29	52	159	117	12	49	32	-	49	65	60	401	96	132	74	38	22
Aiea#	-	11	1	3	6	5	1	1	1	-	2	3	2	16	5	4	3	1	-
Ewa Beach#	-	5	-	1	3	3	-	1	1	-	3	4	1	6	6	9	-	-	1
Honolulu#	3	208	21	32	95	70	9	30	16	-	22	26	24	232	38	72	35	19	10
Kailua#	-	18	1	1	8	5	-	3	1	-	1	2	3	19	7	7	4	-	1
Kaneohe#	-	21	1	5	10	6	1	4	3	-	3	2	4	22	5	4	7	6	2
Mililani Town#	-	3	-	1	-	2	-	-	-	-	2	2	-	5	2	1	1	-	-
Mokapu# [5]	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	1	1	-	-
Pearl City#	-	11	1	-	4	-	-	-	2	-	-	2	4	19	2	5	-	1	1
Schofield Barracks#	-	-	-	-	-	1	-	-	1	-	-	3	1	3	4	5	-	1	1
Wahiawa#	-	9	1	2	8	6	-	-	2	-	1	2	2	18	1	2	4	-	-
Waipahu#	-	9	1	2	8	6	-	1	3	-	5	8	4	13	4	3	2	1	-
Balance of county [5]	2	25	2	5	17	13	1	8	2	-	10	11	13	48	18	19	17	9	6
Kalawao	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Kauai	2	23	3	4	12	12	1	5	5	-	2	-	3	25	8	6	4	3	1
Maui	3	40	-	4	17	10	4	3	4	-	8	6	5	43	9	17	8	4	3
Kahului#	-	6	-	1	1	2	3	-	1	-	3	1	-	12	1	1	-	-	1
Wailuku#	-	7	-	-	1	3	-	1	1	-	1	1	2	7	3	4	1	1	-
Balance of county	3	27	-	3	15	5	1	2	2	-	4	4	3	24	5	12	7	3	2
Idaho	13	557	113	100	234	335	29	86	51	2	72	69	133	610	251	271	158	27	10
Urban places	6	254	56	46	107	178	15	36	23	2	21	28	51	280	68	99	67	10	6
Balance of area	7	303	57	54	127	157	14	50	28	-	51	41	82	330	183	172	91	17	4
Metropolitan counties	2	98	18	20	38	59	7	14	8	1	9	12	13	112	28	49	33	5	1
Urban places	2	82	16	18	34	51	6	11	6	1	7	10	12	93	19	43	30	5	1
Balance of area	-	16	2	2	4	8	1	3	2	-	2	2	1	19	9	6	3	-	-
Nonmetropolitan counties	11	459	95	80	196	276	22	72	43	1	63	57	120	498	223	222	125	22	9
Urban places	4	172	40	28	73	127	9	25	17	1	14	18	39	187	49	56	37	5	5
Balance of area	7	287	55	52	123	149	13	47	26	-	49	39	81	311	174	166	88	17	4
Ada	2	98	18	20	38	59	7	14	8	1	9	12	13	112	28	49	33	5	1
Boise City	2	82	16	18	34	51	6	11	6	1	7	10	12	93	19	43	30	5	1
Balance of county	-	16	2	2	4	8	1	3	2	-	2	2	1	19	9	6	3	-	-
Adams	-	2	-	-	-	2	-	1	-	-	-	1	1	3	-	-	1	-	-
Bannock	1	15	8	2	9	23	-	5	4	-	5	4	3	44	13	12	6	2	4
Pocatello	1	11	6	2	8	22	-	5	3	-	2	3	3	35	8	9	4	1	4
Balance of county	-	4	2	-	1	1	-	-	1	-	3	1	-	9	5	3	2	1	-
Bear Lake	-	6	3	1	4	3	-	1	-	-	2	-	1	7	2	5	-	1	-
Benewah	-	5	1	2	3	2	-	2	-	-	-	-	3	5	2	7	3	-	-
Bingham	-	18	1	4	9	14	2	4	2	-	1	4	7	24	8	21	9	2	-
Blackfoot	-	3	-	1	6	5	-	-	2	-	-	-	3	8	2	10	1	-	-
Balance of county	-	15	1	3	3	9	2	4	-	-	1	4	4	16	6	11	8	2	-
Blaine	1	3	-	-	-	3	-	-	1	-	-	1	-	2	1	1	2	-	-
Boise	-	1	1	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-
Bonner	1	12	4	4	9	7	-	2	2	-	1	-	2	12	11	6	4	-	-
Bonneville	2	34	6	7	6	22	2	10	2	-	3	5	19	34	11	7	13	-	-
Idaho Falls	2	28	6	6	5	21	2	7	2	-	2	4	14	29	6	5	10	-	-
Balance of county	-	6	-	1	1	1	-	3	-	-	1	1	5	5	5	2	3	-	-
Boundary	-	5	-	-	2	-	-	-	1	-	1	-	-	5	3	4	-	2	-
Butte	-	3	-	-	-	-	1	-	1	-	1	-	1	2	1	-	1	-	-
Camas	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
Canyon	2	63	11	9	24	28	4	10	5	1	8	6	12	64	22	16	10	2	2
Caldwell	-	20	6	1	11	6	-	1	1	1	1	1	2	14	1	2	3	1	1
Nampa	-	25	2	4	6	12	3	5	4	-	3	2	3	30	5	6	5	1	-
Balance of county	2	18	3	4	7	10	1	4	-	-	4	3	7	20	16	8	2	-	1
Caribou	-	7	1	-	1	2	-	1	-	-	-	2	-	1	2	5	1	-	-
Cassia	-	11	2	4	3	5	1	4	3	-	1	-	8	9	4	7	2	1	-
Clark	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	4	-	2	6	5	-	1	1	-	1	2	3	2	3	6	2	1	-
Custer	-	-	-	-	-	2	-	-	1	-	1	-	1	3	3	5	3	-	-
Elmore	-	8	-	1	3	5	-	1	-	-	4	4	1	7	8	5	5	-	-
Franklin	-	9	4	1	4	1	1	-	1	-	1	-	2	11	4	3	-	-	-
Fremont	-	5	1	-	2	3	-	-	-	-	4	-	-	8	-	2	-	1	-
Gem	-	10	2	4	6	4	-	1	-	-	1	-	3	6	7	3	2	-	1
Gooding	-	11	2	1	9	7	1	-	-	-	2	1	-	14	5	3	3	-	1
Idaho	-	9	2	2	7	6	-	1	3	-	-	-	4	17	3	11	6	1	-
Jefferson	-	9	1	-	1	5	1	1	-	-	2	2	2	8	6	3	1	2	-
Jerome	-	4	1	3	3	4	-	-	3	-	1	3	2	9	5	4	1	-	-
Kootenai	2	40	10	9	13	26	4	2	2	-	5	3	9	39	16	17	7	3	-
Coeur d'Alene	1	25	5	7	10	19	3	-	1	-	1	1	6	23	8	5	4	-	-
Balance of county	1	15	5	2	3	7	1	2	1	-	4	2	3	16	8	12	3	3	-
Latah	-	16	5	-	10	6	1	1	-	-	2	1	-	9	3	8	3	-	-
Moscow	-	11	2	-	5	6	-	1	-	-	-	-	-	4	-	4	1	-	-
Balance of county	-	5	3	-	5	-	1	-	-	-	2	1	-	5	3	4	2	-	-
Lemhi	-	6	-	1	4	5	-	-	-	-	-	-	2	5	4	3	-	-	-
Lewis	-	2	1	1	3	2	-	2	-	-	-	-	1	2	1	2	1	-	-
Lincoln	-	7	-	1	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Idaho—Con.																			
Madison	76	-	-	-	9	6	-	-	1	1	-	1	4	34	27	-	-	21	6
Rexburg	38	-	-	-	4	2	-	-	1	-	-	1	2	16	12	-	-	11	1
Balance of county	38	-	-	-	5	4	-	-	-	1	-	-	2	18	15	-	-	10	5
Minidoka	127	-	-	2	25	3	9	1	3	3	2	4	3	60	49	1	3	24	21
Nez Perce	338	-	-	2	64	16	13	4	5	2	7	17	7	166	116	4	3	68	41
Lewiston	288	-	-	1	58	15	13	3	3	2	7	15	6	135	92	4	3	53	32
Balance of county	50	-	-	1	6	1	-	1	2	-	-	2	1	31	24	-	-	15	9
Oneida	50	-	-	2	6	1	1	-	2	-	-	2	1	20	18	-	-	7	11
Owyhee	69	-	-	-	12	4	1	-	1	1	1	4	2	30	20	-	-	10	10
Payette	165	-	-	-	34	9	7	3	5	-	1	9	-	76	59	-	-	43	16
Power	53	-	-	-	12	3	2	1	2	-	-	4	-	21	15	-	1	9	5
Shoshone	174	1	-	1	32	6	14	1	3	-	1	7	2	84	59	1	1	45	12
Teton	25	-	-	-	10	2	2	-	3	-	-	3	1	4	3	-	-	1	2
Twin Falls	480	-	-	1	99	22	22	8	13	8	3	23	9	225	186	1	5	135	45
Twin Falls	253	-	-	1	56	14	12	4	5	4	1	16	5	117	95	-	2	70	23
Balance of county	227	-	-	-	43	8	10	4	8	4	2	7	4	108	91	1	3	65	22
Valley	57	-	-	-	10	1	4	-	-	1	-	4	1	26	17	-	1	13	3
Washington	110	-	-	-	15	2	-	2	3	2	3	3	2	59	51	-	1	43	7
Illinois	102,438	84	4	947	22,359	6,035	5,907	2,004	2,367	977	869	4,200	1,866	52,296	41,849	317	1,452	29,468	10,812
Urban places	71,964	63	4	725	15,860	4,300	4,186	1,481	1,656	688	617	2,932	1,285	36,267	29,187	237	1,064	19,676	8,210
Balance of area	30,474	21	-	222	6,499	1,735	1,721	523	711	289	252	1,268	581	16,029	12,662	80	388	9,792	2,402
Metropolitan counties	79,281	70	4	802	17,695	4,820	4,674	1,639	1,834	758	679	3,291	1,414	39,691	32,088	261	1,139	21,857	8,831
Urban places	65,930	60	4	679	14,642	4,013	3,850	1,369	1,519	626	567	2,698	1,173	32,983	26,740	224	985	17,759	7,772
Balance of area	13,351	10	-	123	3,053	807	824	270	315	132	112	593	241	6,708	5,348	37	154	4,098	1,059
Nonmetropolitan counties	23,157	14	-	145	4,664	1,215	1,233	365	533	219	190	909	452	12,605	9,761	56	313	7,611	1,781
Urban places	6,034	3	-	46	1,218	287	336	112	137	62	50	234	112	3,284	2,447	13	79	1,917	438
Balance of area	17,123	11	-	99	3,446	928	897	253	396	157	140	675	340	9,321	7,314	43	234	5,694	1,343
Adams	890	-	-	4	173	47	45	15	20	12	6	28	7	486	359	2	10	294	53
Quincy	685	-	-	3	129	34	37	13	12	8	4	21	5	364	265	2	8	213	42
Balance of county	225	-	-	1	44	13	8	2	8	4	2	7	2	122	94	-	2	81	11
Alexander	164	-	-	2	33	3	10	5	4	1	1	9	4	92	77	-	1	57	19
Bond	191	-	-	-	36	10	8	4	8	-	3	3	2	115	93	2	7	65	19
Boone	237	-	-	2	43	10	12	4	5	2	3	7	5	126	106	2	2	78	24
Belvidere	146	-	-	-	27	8	8	1	2	-	2	6	3	78	68	1	-	52	15
Balance of county	91	-	-	2	16	2	4	3	3	2	1	1	2	48	38	1	2	26	9
Brown	81	-	-	-	10	3	1	1	-	-	-	5	4	52	46	-	3	25	18
Bureau	440	-	-	2	91	23	16	10	13	1	4	24	13	259	200	2	5	137	55
Calhoun	62	-	-	-	17	4	6	-	3	-	1	3	2	29	21	-	-	13	8
Carroll	214	-	-	1	44	12	11	1	4	2	3	11	3	121	102	1	3	85	13
Cass	175	-	-	1	34	9	11	3	2	1	1	7	3	102	88	1	2	59	26
Champaign	949	-	-	9	222	70	51	25	19	6	10	41	26	443	331	3	10	251	67
Champaign	337	-	-	3	82	23	21	11	8	2	4	13	12	153	111	-	3	83	25
Rantoul	74	-	-	-	13	3	5	1	1	1	-	2	2	32	25	-	-	22	3
Urbana	260	-	-	1	55	21	9	6	3	2	3	11	7	136	94	1	4	72	17
Balance of county	278	-	-	5	72	23	16	7	7	1	3	15	5	120	101	2	3	74	22
Christian	438	-	-	3	104	20	36	6	13	5	3	21	5	224	184	3	4	144	33
Taylorville	157	-	-	2	34	5	15	1	5	3	1	4	1	92	78	-	2	61	15
Balance of county	281	-	-	1	70	15	21	5	8	2	2	17	4	132	106	3	2	83	18
Clark	226	-	-	3	53	16	11	3	9	4	1	9	4	111	77	-	6	57	14
Clay	193	1	-	1	39	9	13	-	6	2	1	8	3	105	84	1	1	71	11
Clinton	277	-	-	1	64	19	20	5	8	1	1	10	5	139	106	-	7	75	24
Centralia, part	34	-	-	-	9	3	1	-	2	-	-	3	-	13	9	-	-	7	2
Balance of county	243	-	-	1	55	16	19	5	6	1	1	7	5	126	97	-	7	68	22
Coles	517	1	-	4	96	23	25	8	12	3	4	21	12	281	183	-	5	155	23
Charleston	140	1	-	-	28	6	7	2	1	1	-	11	7	78	54	-	3	43	8
Mattoon	278	-	-	4	46	10	11	5	7	2	3	8	5	153	94	-	1	83	10
Balance of county	99	-	-	-	22	7	7	1	4	-	1	2	-	50	35	-	1	29	5
Cook	48,452	58	1	540	10,796	3,055	2,842	993	1,140	452	410	1,904	847	24,266	20,107	159	801	12,624	6,523
Alsip	101	-	-	2	21	7	7	1	-	2	-	4	1	52	46	1	-	33	12
Arlington Heights, part	504	-	-	3	126	35	26	11	14	8	6	26	6	260	210	-	-	151	59
Arlington Heights, total	504	-	-	3	126	35	26	11	14	8	6	26	6	260	210	-	-	151	59
Bartlett, part	34	-	-	-	8	6	1	-	1	-	-	-	2	17	10	-	-	7	3
Bellwood	140	1	-	1	37	9	8	5	1	2	-	12	4	64	51	-	4	34	13
Bensenville, part	6	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	2	2
Berwyn	667	1	-	6	170	41	52	18	17	5	7	30	12	339	279	3	3	198	75
Blue Island	264	-	-	1	61	25	13	6	6	2	1	8	5	141	121	-	5	77	39
Bridgeview	131	-	-	-	22	7	6	2	2	-	2	3	3	65	56	-	1	33	22
Brookfield	199	-	-	3	50	18	12	1	3	2	2	12	4	96	74	-	3	54	17
Buffalo Grove, part	71	-	-	-	24	7	8	-	1	3	-	5	-	32	28	-	-	17	9
Buffalo Grove, total	81	-	-	-	28	9	9	1	1	3	-	5	-	36	29	-	-	19	10
Burbank	237	-	-	-	74	29	17	5	8	1	1	13	5	112	97	1	7	62	27
Calumet City	362	-	-	7	77	16	22	5	4	1	4	25	5	173	147	-	8	104	35
Chicago, part	29,677	39	1	361	6,314	1,818	1,714	539	664	246	248	1,085	525	14,705	12,330	97	617	7,159	4,457
Chicago, total	29,677	39	1	361	6,314	1,818	1,714	539	664	246	248	1,085	525	14,705	12,330	97	617	7,159	4,457
Chicago Heights	294	1	-	5	70	16	18	12	9	2	3	10	4	152	111	-	4	74	33
Chicago Ridge	94	-	-	1	21	5	5	4	1	-	1	5	3	45	36	-	1	29	6
Cicero	770	-	-	6	165	43	43	16	20	11	5	27	17	408	343	2	10	227	104
Country Club Hills	43	-	-	-	14	3	4	-	2	1	1	3	2	22	20	-	1	15	4
Crestwood	100	-	-	1	16	5	4	2	3	-	1	1	1	59	54	2	-	41	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Idaho—Con.																			
Madison	-	4	1	2	2	1	3	-	-	-	1	4	4	5	5	3	1	-	-
Rexburg	-	2	1	1	1	1	1	-	-	-	1	3	2	3	3	1	-	-	-
Balance of county	-	2	-	1	1	-	2	-	-	-	-	1	2	2	2	2	1	-	-
Minidoka	-	9	1	1	3	3	1	3	1	-	3	-	-	9	5	4	5	-	-
Nez Perce	-	36	10	4	8	22	-	6	2	-	1	1	6	27	10	9	7	-	-
Lewiston	-	30	10	3	8	20	-	5	2	-	-	1	5	24	8	9	6	-	-
Balance of county	-	6	-	1	-	2	-	1	-	-	1	-	1	3	2	-	1	-	-
Oneida	-	1	1	-	2	2	-	-	3	-	-	-	2	8	1	2	1	-	-
Owyhee	-	8	1	1	5	5	-	2	1	-	-	1	-	3	4	2	2	-	-
Payette	1	15	-	1	6	8	-	1	-	-	-	1	2	21	8	5	3	-	-
Power	-	5	-	1	1	1	-	1	-	-	-	1	2	3	5	5	-	-	1
Shoshone	1	22	-	2	5	5	-	2	2	-	2	-	-	16	9	7	6	-	-
Teton	-	1	-	-	-	1	-	-	-	-	-	1	-	4	3	-	1	-	-
Twin Falls	-	24	10	5	17	24	-	5	2	-	7	5	7	41	17	10	8	3	-
Twin Falls	-	17	2	3	13	15	-	1	2	-	4	3	1	17	8	5	3	2	-
Balance of county	-	7	8	2	4	9	-	4	-	-	3	2	6	24	9	5	5	1	-
Valley	-	5	2	2	3	1	-	-	-	-	-	1	-	7	1	5	2	-	-
Washington	-	4	2	2	3	7	-	2	-	-	1	1	9	1	5	2	2	1	-
Illinois	492	7,740	1,282	933	2,859	2,924	345	1,367	1,012	14	662	1,097	750	7,332	1,688	2,092	1,142	1,206	390
Urban places	346	5,314	798	622	2,001	1,994	239	1,106	718	13	481	671	546	5,293	916	1,436	758	1,048	340
Balance of area	146	2,426	484	311	858	930	106	261	294	1	181	226	204	2,039	772	656	384	160	50
Metropolitan counties	369	5,685	851	698	2,107	2,179	268	1,192	801	14	538	949	592	5,739	1,207	1,624	905	1,129	361
Urban places	302	4,693	687	561	1,771	1,800	216	1,053	674	13	448	842	509	4,831	839	1,328	700	1,030	335
Balance of area	67	992	164	137	336	379	52	139	127	1	90	107	83	908	368	296	205	99	26
Nonmetropolitan counties	123	2,055	431	235	752	745	77	175	211	-	124	148	158	1,593	481	468	237	79	29
Urban places	44	621	111	61	230	194	23	53	44	-	33	29	37	462	77	108	58	18	5
Balance of area	79	1,434	320	174	522	551	54	122	167	-	91	119	121	1,131	404	360	179	61	24
Adams	8	88	21	10	52	23	2	9	10	-	7	4	7	62	11	23	8	2	-
Quincy	8	70	11	10	47	19	2	6	5	-	4	1	5	47	5	14	7	2	-
Balance of county	-	18	10	-	5	4	-	3	5	-	3	3	2	15	6	9	1	-	-
Alexander	-	14	-	1	5	4	-	-	4	-	-	-	4	5	5	3	-	2	1
Bond	1	13	5	3	3	10	-	-	-	-	-	1	-	13	5	2	3	1	-
Boone	1	13	2	4	5	6	-	1	1	-	1	1	-	29	3	6	7	1	-
Belvidere	1	4	2	3	2	4	-	-	1	-	-	1	-	20	2	3	5	-	-
Balance of county	-	9	-	1	3	2	-	1	-	-	1	-	-	9	1	3	2	1	-
Brown	-	5	1	-	3	1	-	1	2	-	-	2	2	2	-	-	2	-	-
Bureau	1	43	11	4	3	14	1	1	3	-	3	2	3	28	8	5	3	1	-
Calhoun	-	5	3	-	1	3	-	1	1	-	1	3	-	1	-	2	1	-	-
Carroll	1	13	4	1	3	8	1	-	4	-	-	1	2	11	9	5	1	-	-
Cass	-	10	3	1	4	5	1	1	2	-	1	1	-	9	4	5	2	-	-
Champaign	13	64	26	9	29	32	2	5	9	-	6	10	11	78	18	25	16	7	1
Champaign	6	25	9	2	9	10	1	4	4	-	2	1	4	33	3	7	5	3	1
Rantoul	3	1	2	1	1	5	-	1	-	-	2	3	2	5	3	2	2	1	-
Urbana	3	26	14	1	12	11	-	-	2	-	1	2	1	20	3	-	4	3	-
Balance of county	1	12	1	5	7	6	1	-	3	-	1	4	4	20	9	16	5	-	-
Christian	3	27	5	5	18	19	2	1	1	-	5	2	2	32	12	5	2	1	-
Taylorville	2	9	1	2	3	5	-	-	-	-	3	-	1	9	3	3	1	-	-
Balance of county	1	18	4	3	15	14	2	1	1	-	2	2	1	23	9	2	1	1	-
Clark	-	22	11	1	6	5	1	2	5	-	-	1	1	21	4	8	1	-	-
Clay	3	16	1	1	6	4	1	2	5	-	2	2	1	17	1	2	1	-	-
Clinton	5	21	5	2	8	8	2	-	4	-	3	1	-	16	5	12	7	2	-
Centralia, part	-	3	1	-	3	1	1	-	2	-	1	-	-	4	-	-	-	-	-
Balance of county	5	18	4	2	5	7	1	-	2	-	2	1	-	12	5	12	7	2	-
Coles	1	87	8	4	14	19	1	6	2	-	3	-	4	36	12	13	10	2	1
Charleston	-	19	5	-	5	5	-	1	1	-	-	-	-	9	2	2	1	-	-
Mattoon	-	56	-	3	8	8	1	4	-	-	2	-	2	23	8	7	5	2	-
Balance of county	1	12	1	1	1	6	-	1	1	-	1	-	2	4	2	4	4	-	1
Cook	200	3,151	434	374	1,318	1,123	168	839	526	12	307	640	368	3,464	567	926	484	888	314
Alsip	-	5	-	1	3	3	-	3	1	-	-	2	-	4	3	-	-	4	2
Arlington Heights, part	2	38	2	8	19	18	3	9	4	-	2	2	2	33	3	4	6	2	2
Arlington Heights, total	2	38	2	8	19	18	3	9	4	-	2	2	2	33	3	4	6	2	2
Bartlett, part	1	4	1	1	1	1	-	-	-	-	1	-	1	3	-	-	-	-	-
Bellwood	1	9	1	2	2	5	2	3	-	-	1	1	-	8	4	1	3	3	-
Bensenville, part	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Berwyn	3	46	8	3	21	17	1	8	8	-	2	2	3	48	6	11	7	4	1
Blue Island	3	15	1	1	4	9	1	7	2	-	2	2	-	17	3	2	6	-	1
Bridgeview	-	8	-	1	4	4	1	3	5	-	-	2	1	13	1	3	2	1	1
Brookfield	1	16	3	2	5	4	1	2	2	-	1	2	2	18	2	4	1	-	2
Buffalo Grove, part	-	5	1	-	1	4	-	1	-	-	1	1	-	3	1	-	3	-	-
Buffalo Grove, total	-	6	1	-	1	5	-	1	-	-	1	1	-	3	1	-	4	-	-
Burbank	-	13	2	-	3	5	-	4	-	-	3	1	2	17	3	6	1	-	1
Calumet City	1	18	4	3	8	8	1	11	4	-	6	4	2	25	11	5	4	10	1
Chicago, part	130	1,813	224	208	778	640	106	598	347	11	194	477	295	2,093	289	636	281	767	220
Chicago, total	130	1,813	224	208	778	640	106	598	347	11	194	477	295	2,093	289	636	281	767	220
Chicago Heights	-	24	12	5	3	6	2	5	1	-	4	2	1	15	11	4	1	4	3
Chicago Ridge	-	7	2	-	4	2	-	1	3	-	-	2	2	7	1	1	1	-	-
Cicero	1	50	8	6	22	22	-	16	9	-	5	4	6	49	9	18	6	5	4
Country Club Hills	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-
Crestwood	1	3	-	1	9	4	-	-	1	-	-	-	-	6	1	-	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Deerfield, part	7	-	-	-	2	-	1	-	-	-	1	-	-	4	3	-	-	3	-
Des Plaines	640	-	-	11	134	35	36	11	14	9	5	24	8	326	269	-	4	204	61
Dolton	224	1	-	1	63	16	18	10	9	4	1	5	5	105	86	-	-	63	23
Elgin, part	52	-	-	-	18	2	5	1	1	-	1	8	1	17	13	-	-	10	3
Elk Grove Village, part	124	-	-	3	29	4	12	2	2	4	-	5	5	64	51	-	4	36	11
Elk Grove Village, total	124	-	-	3	29	4	12	2	2	4	-	5	5	64	51	-	4	36	11
Elmwood Park	311	-	-	1	70	19	16	12	5	3	2	13	3	173	143	-	3	101	39
Evanston	714	2	-	6	160	35	36	21	19	6	8	35	10	371	286	2	5	202	77
Evergreen Park	305	-	-	1	65	19	16	5	12	1	2	10	3	165	133	-	3	106	24
Forest Park	163	-	-	-	41	8	16	3	2	2	1	9	5	75	59	-	1	37	21
Franklin Park	159	-	-	3	34	16	4	5	6	-	2	1	4	85	72	2	3	48	19
Glenview	315	-	-	5	80	24	12	13	10	4	1	16	3	145	115	-	-	91	24
Glenwood	84	-	-	1	21	4	5	1	3	2	2	4	1	37	34	-	-	30	4
Hanover Park, part	59	-	-	-	17	3	8	3	1	1	-	1	-	22	15	-	-	6	9
Hanover Park, total	75	-	-	-	24	4	10	4	1	2	1	2	1	25	16	-	-	7	9
Harvey	298	1	-	7	56	13	19	8	4	3	1	8	7	135	117	-	7	69	41
Hazel Crest	102	-	-	-	24	4	7	1	1	1	1	9	2	49	38	1	-	25	12
Hickory Hills	114	-	-	-	20	5	5	4	2	1	1	2	3	66	51	-	2	35	14
Hinsdale, part	17	-	-	-	6	2	1	1	1	-	-	1	1	3	2	1	-	1	-
Hoffman Estates	137	-	-	1	36	11	10	6	1	1	1	6	-	66	53	-	3	28	22
Homewood	214	-	-	5	45	9	11	3	6	2	4	10	1	117	94	1	1	63	29
Justice	59	-	-	-	14	2	1	2	3	1	-	5	-	27	23	-	1	17	5
La Grange	164	-	-	1	40	9	10	5	6	-	1	9	3	82	68	1	1	41	23
La Grange Park	165	-	-	1	37	18	4	5	5	-	-	5	3	102	75	-	5	51	19
Lansing	256	-	-	2	70	24	12	5	9	4	2	14	7	140	113	2	3	75	33
Lincolnwood	99	1	-	1	28	14	5	1	5	-	1	2	-	51	42	2	2	30	8
Markham	81	-	-	2	19	7	6	1	3	-	-	2	2	33	30	-	3	17	10
Matteson	79	-	-	-	24	8	5	4	1	-	2	4	3	36	29	-	-	22	7
Maywood	204	-	-	5	31	6	8	2	4	1	1	9	7	102	79	-	2	52	25
Melrose Park	214	-	-	-	55	15	14	7	3	1	2	13	1	115	89	3	3	64	19
Midlothian	124	-	-	-	32	8	10	1	2	1	3	7	2	69	46	1	-	36	9
Morton Grove	185	-	-	1	52	14	14	7	7	2	3	5	3	95	78	-	2	58	19
Mount Prospect	340	-	-	3	80	22	19	10	11	2	2	14	7	170	130	1	2	101	26
Niles	424	1	-	7	75	22	18	7	8	6	4	10	7	244	198	1	1	153	41
Norridge	208	-	-	-	44	13	6	6	4	3	-	12	6	124	106	2	1	79	24
Northbrook	281	-	-	-	71	19	14	11	5	4	4	14	6	131	97	3	4	66	24
Northlake	146	-	-	2	30	6	14	1	2	1	1	5	1	88	77	-	-	42	35
Oak Forest	148	-	-	2	44	18	7	4	5	2	3	5	7	60	47	-	1	32	14
Oak Lawn	645	-	-	5	180	52	44	16	12	11	10	35	7	346	282	3	7	190	82
Oak Park	526	1	-	3	115	39	23	11	17	5	2	18	8	273	215	5	6	139	65
Orland Park	139	-	-	1	40	9	10	5	3	1	2	10	2	59	45	-	3	29	13
Palatine	242	1	-	3	55	13	12	6	8	3	2	11	7	123	107	-	1	81	25
Palos Heights	108	-	-	2	24	5	7	4	4	-	1	3	2	47	42	1	2	29	10
Palos Hills	129	-	-	2	30	9	7	3	4	-	1	6	1	59	48	-	2	30	16
Park Forest, part	157	1	-	-	37	12	13	2	4	2	-	4	2	77	68	-	2	46	18
Park Forest, total	162	1	-	-	40	12	13	4	4	3	-	4	2	79	67	-	2	47	18
Park Ridge	364	-	-	5	84	24	14	13	10	8	5	10	4	196	160	2	1	116	41
Prospect Heights	57	-	-	1	14	5	2	2	1	2	-	2	1	31	21	-	-	15	6
Riverdale	140	-	-	2	41	8	11	5	1	5	-	11	5	68	59	-	1	42	16
River Forest	113	-	-	2	31	8	8	3	2	1	1	8	2	55	44	-	-	35	9
River Grove	116	1	-	-	27	7	5	4	5	2	1	3	5	58	52	1	1	37	13
Rolling Meadows	108	-	-	-	24	7	7	1	1	2	2	4	-	50	42	-	1	34	7
Roselle, part	16	-	-	-	6	-	1	1	1	-	-	3	-	5	4	-	-	4	-
Sauk Village	49	-	-	-	12	3	3	1	3	-	-	2	1	20	19	-	-	14	5
Schaumburg, part	249	-	-	2	63	18	16	5	6	5	5	8	2	114	101	2	2	62	35
Schaumburg, total	251	-	-	2	63	18	16	5	6	5	5	8	2	115	102	2	2	62	36
Schiller Park	73	-	-	3	20	4	10	2	1	1	-	2	-	30	25	-	-	15	10
Skokie	596	-	-	7	163	44	35	20	19	8	5	32	8	298	241	-	2	181	58
South Holland	232	-	-	2	62	14	17	6	7	5	2	11	5	125	111	1	5	76	29
Streamwood	70	-	-	-	21	4	9	1	-	2	2	3	2	24	22	-	-	15	7
Summit	87	1	-	1	17	4	6	-	2	-	1	4	1	46	40	-	1	25	14
Tinley Park, part	183	-	-	-	48	14	15	1	4	1	2	11	5	81	71	3	-	50	18
Tinley Park, total	183	-	-	-	48	14	15	1	4	1	2	11	5	81	71	3	-	50	18
Westchester	189	-	-	3	47	12	11	6	2	3	2	11	4	101	76	2	2	56	16
Western Springs	83	-	-	-	27	13	6	1	3	1	1	2	-	38	32	1	1	23	7
Wheeling, part	126	1	-	1	31	8	10	5	2	-	-	6	3	53	39	-	-	28	11
Wheeling, total	128	1	-	1	33	8	10	5	2	1	-	7	3	53	39	-	-	28	11
Wilmette	204	-	-	1	45	17	11	2	7	1	2	5	-	111	88	1	-	61	26
Winnetka	90	-	-	2	28	8	7	6	2	-	-	5	1	44	32	-	1	22	9
Worth	106	-	-	-	26	7	7	-	2	5	1	4	2	55	47	-	1	38	8
Balance of county	2,349	4	-	23	541	143	150	45	69	20	15	89	41	1,239	1,004	8	28	720	248
Crawford	239	-	-	2	57	10	15	7	10	6	1	8	7	132	92	-	-	76	16
Cumberland	115	-	-	1	16	3	5	3	1	1	-	3	3	66	46	1	4	33	8
De Kalb	506	-	-	2	100	18	23	7	14	6	3	29	11	252	185	3	7	147	28
De Kalb	142	-	-	1	24	3	6	2	3	1	1	8	2	72	53	2	-	40	11
Balance of county	364	-	-	1	76	15	17	5	11	5	2	21	9	180	132	1	7	107	17
De Witt	191	-	-	-	40	17	3	5	6	3	2	4	-	101	67	-	-	54	13
Douglas	195	1	-	-	36	13	6	3	4	-	-	10	1	116	90	-	2	78	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Deerfield, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Des Plaines	2	46	7	2	25	20	3	7	6	-	5	4	3	59	11	10	6	1	1
Dolton	-	12	4	3	6	9	-	4	1	-	1	-	1	17	3	5	2	-	-
Elgin, part	-	4	-	-	3	4	-	-	-	-	2	1	-	6	-	-	-	-	-
Elk Grove Village, part	-	11	1	1	1	3	1	1	1	-	2	1	1	7	2	1	-	-	2
Elk Grove Village, total	-	11	1	1	1	3	1	1	1	-	2	1	1	7	2	1	-	-	2
Elmwood Park	1	24	2	3	9	9	1	3	2	-	1	2	-	22	5	4	3	-	3
Evanston	3	72	2	8	25	21	2	5	12	-	4	4	4	61	3	6	9	3	6
Evergreen Park	2	22	4	4	9	10	-	2	4	-	1	2	-	32	4	4	1	-	2
Forest Park	-	11	2	3	4	4	2	1	1	-	1	1	-	16	2	5	1	1	3
Franklin Park	1	8	2	2	5	2	1	4	3	-	-	2	-	9	1	1	2	1	2
Glenview	-	25	1	4	14	11	1	5	-	-	1	4	-	26	5	6	4	3	2
Glenwood	-	2	1	-	3	5	-	1	1	-	-	-	-	11	-	1	1	-	1
Hanover Park, part	-	6	1	-	1	4	-	2	1	-	2	2	2	1	2	2	1	-	-
Hanover Park, total	-	7	2	-	1	4	-	2	1	-	3	2	2	3	3	2	1	1	-
Harvey	-	14	1	3	9	8	-	4	1	-	4	9	5	22	7	8	2	8	5
Hazel Crest	1	7	2	1	4	8	-	2	1	-	-	1	-	9	2	-	-	-	-
Hickory Hills	-	12	-	3	3	2	-	1	-	-	-	1	-	11	1	3	1	2	-
Hinsdale, part	-	1	-	-	1	-	-	1	-	-	-	-	-	3	-	2	-	-	-
Hoffman Estates	-	9	3	1	2	4	-	2	-	-	1	1	-	12	4	4	4	-	-
Homewood	-	21	1	1	7	4	1	2	4	-	2	1	-	14	3	2	4	1	1
Justice	-	2	1	1	1	2	-	2	1	-	-	5	-	3	-	1	2	-	1
La Grange	1	10	3	2	6	3	1	1	3	-	1	-	-	11	1	6	2	-	3
La Grange Park	5	14	7	1	2	1	-	1	-	-	-	-	1	11	2	3	1	-	-
Lansing	1	20	6	-	6	4	-	3	1	-	4	2	-	12	2	-	2	1	-
Lincolnwood	-	6	1	2	2	2	-	2	1	-	1	-	-	10	-	-	-	-	-
Markham	1	2	-	-	3	1	-	2	1	-	2	1	-	2	3	1	3	4	2
Matteson	-	6	1	-	3	4	-	-	1	-	1	-	1	2	3	1	-	-	-
Maywood	-	21	-	2	2	7	-	5	6	-	3	4	1	15	3	2	1	7	3
Melrose Park	3	18	3	2	4	4	2	8	2	-	2	4	-	8	-	5	1	1	2
Midlothian	1	13	9	-	-	5	-	1	-	-	1	1	-	8	-	3	1	-	1
Morton Grove	-	16	-	1	4	4	-	1	-	-	1	-	3	12	3	3	2	1	-
Mount Prospect	1	32	2	5	11	5	-	4	2	-	2	4	-	27	9	6	6	2	2
Niles	1	43	2	2	20	5	2	3	6	-	-	-	1	37	3	5	6	-	2
Norridge	1	15	2	-	5	5	2	1	6	-	2	-	-	9	-	2	-	1	1
Northbrook	1	20	9	4	16	11	1	4	1	-	1	5	2	18	6	7	1	-	-
Northlake	1	9	1	-	1	4	-	1	-	-	-	1	-	12	2	1	1	1	1
Oak Forest	-	10	1	2	3	4	-	2	1	-	-	2	-	10	5	2	4	1	1
Oak Lawn	3	47	6	8	10	14	2	4	7	-	2	3	1	41	7	6	7	3	-
Oak Park	4	41	7	6	20	14	2	3	5	-	1	6	1	36	8	15	4	9	2
Orland Park	-	11	1	2	4	2	-	3	1	-	2	2	-	9	8	2	3	-	1
Palatine	-	11	1	4	3	4	-	1	4	-	3	3	1	24	2	3	3	-	2
Palos Heights	-	5	-	-	3	4	2	2	1	-	-	1	-	10	4	1	3	-	-
Palos Hills	1	7	2	1	8	2	1	1	2	-	1	2	2	9	6	2	-	1	-
Park Forest, part	2	9	-	-	2	4	1	4	1	-	1	3	-	14	5	2	1	2	-
Park Forest, total	2	10	-	-	2	4	1	4	1	-	1	3	-	14	5	2	1	2	-
Park Ridge	1	29	3	3	18	8	1	4	2	-	1	1	-	30	3	2	2	2	1
Prospect Heights	-	7	1	2	-	-	-	1	1	-	1	-	1	4	1	1	-	-	-
Riverdale	-	5	4	-	3	3	1	2	-	-	-	1	-	9	1	1	-	2	1
River Forest	2	8	-	1	2	2	-	1	-	-	-	1	1	12	-	2	1	1	-
River Grove	-	4	1	1	2	4	1	2	-	-	-	-	-	10	2	2	1	-	1
Rolling Meadows	1	6	1	-	4	2	-	2	2	-	2	3	1	12	-	3	1	-	-
Roselle, part	-	-	1	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-
Sauk Village	-	1	-	-	-	3	-	-	-	-	1	3	-	2	2	1	3	1	-
Schaumburg, part	2	8	1	2	2	12	-	5	4	1	4	3	-	23	5	3	3	1	2
Schaumburg, total	2	8	1	2	2	12	-	5	4	1	4	3	-	23	5	4	3	1	2
Schiller Park	-	3	1	1	4	1	-	1	1	-	-	1	-	5	-	4	3	-	-
Skokie	1	44	6	6	28	5	5	9	4	-	1	2	-	44	5	12	4	1	-
South Holland	-	13	-	1	6	3	1	3	1	-	-	1	1	16	1	1	1	-	3
Streamwood	-	2	-	-	-	1	-	2	-	-	3	-	1	5	6	1	2	2	-
Summit	-	3	3	-	2	3	-	3	1	-	1	3	2	3	1	1	1	-	-
Tinley Park, part	2	8	-	-	5	5	2	2	2	-	2	2	-	16	4	7	1	-	1
Tinley Park, total	2	8	-	-	5	5	2	2	2	-	2	2	-	16	4	7	1	-	1
Westchester	-	22	2	1	4	2	1	-	2	-	-	-	-	16	2	2	-	2	3
Western Springs	-	3	2	1	1	4	-	2	-	-	-	1	-	9	1	-	-	-	-
Wheeling, part	1	13	-	-	4	6	-	2	1	-	1	-	1	10	4	5	3	-	-
Wheeling, total	1	13	-	-	4	6	-	2	1	-	1	-	1	10	4	5	3	-	-
Wilmette	1	14	3	5	5	9	3	1	2	-	-	-	-	18	1	3	5	-	-
Winnetka	-	8	2	2	2	-	1	-	-	-	1	-	-	5	2	3	1	-	-
Worth	1	5	1	1	2	1	1	2	-	-	2	3	1	6	3	1	1	-	-
Balance of county	7	173	34	21	65	53	5	18	25	-	7	23	12	162	37	31	30	21	12
Crawford	1	32	3	4	7	5	-	1	2	-	-	-	-	13	8	3	2	-	-
Cumberland	1	15	1	3	7	5	-	-	1	-	-	-	1	7	1	6	1	-	-
De Kalb	5	48	11	3	18	14	4	6	2	-	1	6	4	51	14	12	7	1	1
De Kalb	2	13	1	3	6	3	-	2	2	-	-	3	1	13	5	6	1	1	-
Balance of county	3	35	10	-	12	11	4	4	-	-	1	3	3	38	9	6	6	-	1
De Witt	1	28	3	2	7	10	-	3	2	-	2	-	-	17	2	3	4	-	-
Douglas	1	17	8	-	7	7	-	1	1	-	-	4	-	9	5	2	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Du Page	4,045	1	-	44	980	228	237	109	102	53	49	202	66	2,014	1,582	15	20	1,306	241
Addison	130	-	-	1	19	5	6	3	3	-	-	2	6	61	51	-	1	43	7
Aurora, part	7	-	-	-	2	-	1	1	-	-	-	-	-	4	4	-	-	2	2
Bartlett, part	22	-	-	-	4	1	1	-	1	-	-	1	-	11	7	-	1	5	1
Bartlett, total	56	-	-	-	12	7	2	-	2	-	-	1	2	28	17	-	1	12	4
Batavia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bensenville, part	145	-	-	3	23	6	9	1	4	-	1	2	3	74	64	2	-	55	7
Bensenville, total	151	-	-	3	23	6	9	1	4	-	1	2	3	78	68	2	-	57	9
Bloomingdale	143	-	-	2	23	6	4	-	4	-	1	8	1	75	70	2	-	57	11
Bolingbrook, part	8	-	-	-	2	1	1	-	-	-	-	-	-	2	1	-	-	1	-
Carol Stream	71	-	-	-	16	6	4	1	2	-	1	2	2	27	20	-	-	20	-
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	86	-	-	1	19	3	7	1	1	1	1	5	2	43	32	-	-	27	5
Downers Grove	391	-	-	9	114	31	28	9	15	4	5	22	3	177	132	-	1	116	15
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	348	-	-	4	95	19	19	11	8	3	6	29	6	175	135	2	2	101	30
Glendale Heights	58	-	-	-	14	3	4	1	1	1	-	4	2	24	20	1	1	16	2
Glen Ellyn	156	-	-	-	42	7	11	4	6	3	4	7	3	76	62	1	-	57	4
Hanover Park, part	18	-	-	-	7	1	2	1	-	1	1	1	1	3	1	-	-	1	-
Hinsdale, part	131	-	-	1	27	2	6	6	2	4	2	5	2	72	57	-	-	47	10
Hinsdale, total	148	-	-	1	33	4	7	7	3	4	2	6	3	75	59	1	-	48	10
Lisle	71	-	-	3	17	3	7	1	2	1	1	2	-	30	25	-	-	21	4
Lombard	256	-	-	1	65	9	11	12	7	5	6	15	8	137	109	-	2	87	20
Naperville, part	236	-	-	1	57	18	10	8	4	-	2	15	3	117	101	1	2	85	13
Naperville, total	238	-	-	1	57	18	10	8	4	-	2	15	3	119	103	1	2	86	14
Roselle, part	60	-	-	-	19	6	3	1	2	5	-	2	-	29	23	-	-	14	9
Roselle, total	76	-	-	-	25	6	4	2	3	5	-	5	-	34	27	-	-	18	9
St. Charles, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Schaumburg, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Villa Park	179	-	-	2	46	12	13	5	5	3	2	6	5	82	59	-	1	48	10
West Chicago	117	-	-	-	27	7	6	2	2	3	1	6	3	59	43	-	-	36	7
Westmont	195	-	-	3	44	13	13	7	2	3	1	5	1	102	80	2	2	65	11
Wheaton	287	-	-	1	71	14	18	11	7	5	4	12	5	165	119	1	2	106	10
Wood Dale	76	-	-	1	20	8	2	1	4	-	-	5	1	43	37	-	1	29	7
Woodridge	75	-	-	-	16	4	3	4	1	1	-	3	2	33	29	1	-	22	6
Balance of county	778	1	-	11	191	43	48	18	19	10	10	43	7	391	299	2	4	245	46
Edgar	273	-	-	2	50	12	11	2	9	3	3	10	2	157	102	-	2	73	27
Edwards	97	-	-	-	20	5	2	5	2	3	2	1	3	50	37	-	1	25	11
Effingham	291	-	-	3	56	15	14	3	6	1	3	14	8	169	130	-	1	101	28
Effingham	137	-	-	2	23	5	5	2	3	1	1	6	2	89	66	-	1	54	11
Balance of county	154	-	-	1	33	10	9	1	3	-	2	8	6	80	64	-	-	47	17
Fayette	255	-	-	2	42	8	14	5	4	1	4	8	7	140	116	-	3	103	10
Ford	208	-	-	1	43	13	15	-	7	-	-	8	-	115	91	-	2	65	24
Franklin	602	1	-	2	128	34	37	6	10	3	8	28	12	333	264	2	5	227	30
Fulton	463	-	-	7	92	24	27	11	8	3	7	12	18	260	200	1	10	155	34
Canton	192	-	-	3	41	12	12	3	5	2	3	4	5	108	85	1	2	74	8
Balance of county	271	-	-	4	51	12	15	8	3	1	4	8	13	152	115	-	8	81	26
Gallatin	118	-	-	4	26	8	9	1	2	2	2	2	4	54	46	1	-	37	8
Greene	191	-	-	1	35	8	6	2	7	-	2	10	4	111	90	-	7	54	29
Grundy	237	-	-	2	66	24	13	7	2	5	4	11	5	109	89	-	1	77	11
Hamilton	123	-	-	-	27	10	6	1	1	1	3	5	1	76	67	-	2	53	12
Hancock	253	-	-	3	38	10	6	4	3	4	2	9	7	142	106	2	2	91	11
Hardin	70	-	-	-	14	3	4	-	-	-	-	7	1	42	35	-	8	15	12
Henderson	74	-	-	1	22	6	8	1	2	-	1	4	1	38	31	1	-	26	2
Henry	552	-	-	1	126	42	32	9	14	4	3	22	10	292	219	2	8	167	42
Kewanee	221	-	-	-	52	15	14	4	3	4	1	11	4	122	90	-	7	65	18
Balance of county	331	-	-	1	74	27	18	5	11	-	2	11	6	170	129	2	1	102	24
Iroquois	366	-	-	1	71	17	18	4	9	4	2	17	5	226	188	2	4	143	39
Jackson	475	-	-	6	76	22	18	3	15	3	2	13	10	241	196	-	3	160	33
Carbondale	176	-	-	3	37	10	10	2	7	3	1	4	5	79	61	-	1	46	14
Balance of county	299	-	-	3	39	12	8	1	8	-	1	9	5	162	135	-	2	114	19
Jasper	122	-	-	-	24	7	8	1	1	2	-	5	2	74	59	-	-	53	6
Jefferson	391	1	-	4	72	21	14	5	7	4	6	15	1	199	160	2	4	125	29
Mount Vernon	241	-	-	3	41	12	9	3	4	2	2	9	1	127	99	2	4	73	20
Balance of county	150	1	-	1	31	9	5	2	3	2	4	6	-	72	61	-	-	52	9
Jersey	211	1	-	-	42	12	11	5	5	3	2	4	1	107	76	-	2	62	12
Jo Daviess	204	-	-	-	46	13	13	3	2	1	-	14	6	108	79	1	4	49	25
Johnson	109	-	-	-	17	3	8	-	1	-	-	5	1	66	54	-	-	48	6
Kane	2,185	-	-	15	491	123	110	55	53	23	18	109	43	1,053	807	9	48	607	143
Aurora, part	762	-	-	7	168	39	38	17	27	7	6	34	16	366	284	3	22	208	51
Aurora, total	769	-	-	7	170	39	39	18	27	7	6	34	16	370	288	3	22	210	53
Batavia, part	131	-	-	-	33	7	6	5	4	2	1	8	4	59	47	-	3	34	10
Batavia, total	131	-	-	-	33	7	6	5	4	2	1	8	4	59	47	-	3	34	10
Carpentersville	102	-	-	-	17	2	9	3	-	1	-	2	2	47	35	1	-	26	8
Elgin, part	546	-	-	3	120	38	19	12	12	5	4	30	10	261	203	1	8	165	29
Elgin, total	598	-	-	3	138	40	24	13	13	5	5	38	11	278	216	1	8	175	32
St. Charles, part	128	-	-	1	34	6	15	5	-	2	1	5	1	63	50	1	1	39	9
St. Charles, total	129	-	-	1	34	6	15	5	-	2	1	5	1	64	51	1	1	39	10
Balance of county	516	-	-	4	119	31	23	13	10	6	6	30	10	257	188	3	14	135	36
Kankakee	922	1	-	5	190	53	56	19	22	7	2	31	21	471	381	4	14	297	68
Bourbonnais	64	-	-	-	16	4	7	2	1	-	-	2	-	32	23	-	-	17	6
Bradley	119	-	-	-	31	8	9	5	2	1	1	5	2	49	36	-	1	24	11
Kankakee	382	1	-	1	62	16	18	7	9	3	-	9	10	195	160	2	4	126	28
Balance of county	377	-	-	4	81	25	22	5	10	3	1	15	9	195	162	2	9	130	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	14	321	63	34	97	107	14	45	34	1	30	48	22	290	60	84	60	15	13
Addison	-	8	-	2	1	7	-	3	-	-	2	1	1	12	6	6	4	-	-
Aurora, part	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Bartlett, part	-	3	-	1	-	1	-	2	-	-	1	1	-	-	1	1	-	-	-
Bartlett, total	1	7	1	2	1	2	-	2	-	-	2	1	1	3	1	1	-	-	-
Batavia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bensenville, part	1	8	1	-	3	6	1	3	2	-	1	2	1	11	7	2	1	-	2
Bensenville, total	1	8	1	-	3	6	1	3	2	-	1	3	1	11	7	2	2	-	2
Bloomingdale	-	4	-	1	5	6	-	-	3	-	-	2	-	21	-	2	3	-	-
Bolingbrook, part	-	1	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
Carol Stream	-	7	-	-	3	1	-	3	2	-	-	7	-	3	2	1	1	2	1
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	-	8	2	1	5	3	-	1	-	-	-	1	-	5	-	3	2	1	-
Downers Grove	3	27	13	2	15	8	-	3	4	-	4	1	3	30	7	6	5	1	1
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	2	31	4	3	9	7	2	2	4	-	1	1	2	22	5	7	5	-	1
Glendale Heights	-	3	-	1	1	1	-	2	-	-	3	2	1	1	3	3	-	1	-
Glen Ellyn	1	9	4	-	4	5	-	1	3	-	-	1	1	11	-	6	3	-	-
Hanover Park, part	-	1	1	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-
Hinsdale, part	1	9	3	2	1	3	-	1	1	-	2	1	-	12	1	5	2	-	-
Hinsdale, total	1	10	3	2	2	3	-	2	1	-	2	1	-	15	1	7	2	-	-
Lisle	-	2	2	1	-	2	1	-	2	-	2	1	1	5	2	2	2	-	1
Lombard	-	21	5	2	5	3	3	3	-	-	2	2	1	14	3	7	2	-	-
Naperville, part	3	11	1	1	8	7	1	2	-	-	-	5	-	21	6	4	3	-	1
Naperville, total	3	11	1	1	8	7	1	2	-	-	-	5	-	21	6	4	3	-	1
Roselle, part	-	5	-	1	1	-	-	1	1	-	-	-	-	6	1	1	-	1	-
Roselle, total	-	5	1	1	2	1	-	1	1	-	-	2	-	6	2	1	-	1	-
St. Charles, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Villa Park	1	18	1	3	4	10	-	3	2	-	-	1	1	7	3	4	7	-	2
West Chicago	-	14	2	-	3	2	-	1	-	-	-	5	2	11	2	-	1	1	-
Westmont	-	17	3	2	7	5	-	2	2	-	-	2	1	15	4	4	3	-	-
Wheaton	-	36	7	3	4	1	1	1	3	-	3	3	1	20	4	-	4	-	-
Wood Dale	-	5	-	1	-	2	-	-	-	-	-	-	-	5	1	2	1	-	-
Woodridge	-	3	-	1	1	2	-	1	1	-	3	2	3	7	2	1	-	1	-
Balance of county	2	70	14	6	17	25	5	9	4	1	3	6	3	48	19	16	11	6	4
Edgar	-	46	9	-	15	11	2	1	3	-	2	1	-	13	9	2	3	-	-
Edwards	-	7	4	2	3	6	1	-	4	-	-	-	-	4	2	1	3	-	-
Effingham	3	24	9	3	9	5	-	2	5	-	1	1	4	16	3	5	2	1	1
Effingham	2	15	4	2	2	1	-	-	2	-	-	1	-	13	1	-	-	1	-
Balance of county	1	9	5	1	7	4	-	2	3	-	1	-	4	3	2	5	2	-	1
Fayette	3	14	3	4	3	10	-	2	1	-	2	4	3	20	4	10	4	-	1
Ford	2	14	5	3	7	10	1	1	2	-	-	3	1	18	-	3	2	1	-
Franklin	2	53	7	7	16	13	-	9	6	-	1	3	3	41	14	13	7	2	-
Fulton	5	42	7	6	13	8	2	4	7	-	2	1	2	35	3	4	2	2	1
Canton	4	13	3	3	4	3	-	4	4	-	-	1	-	18	-	-	-	1	-
Balance of county	1	29	4	3	9	5	2	-	3	-	2	-	2	17	3	4	2	1	1
Gallatin	-	6	1	1	3	5	-	3	3	-	-	1	1	4	3	4	1	2	-
Greene	2	10	7	2	5	8	-	-	1	-	1	-	2	11	2	4	5	-	1
Grundy	-	18	1	1	2	15	-	3	2	-	2	1	-	13	9	7	-	-	1
Hamilton	-	8	-	1	2	2	1	1	5	-	-	-	-	1	2	4	-	1	-
Hancock	1	25	7	3	6	6	-	-	3	-	1	3	2	24	10	4	2	1	1
Hardin	-	5	2	-	1	3	-	-	2	-	-	2	-	2	1	-	1	1	-
Henderson	-	5	2	-	1	1	-	1	-	-	-	-	-	4	3	-	2	-	-
Henry	3	57	9	4	14	18	3	10	8	-	3	2	2	28	13	11	8	1	2
Kewanee	1	26	3	2	2	9	-	6	1	-	3	1	1	10	5	2	2	-	1
Balance of county	2	31	6	2	12	9	3	4	7	-	-	1	1	18	8	9	6	1	1
Iroquois	-	24	5	9	8	10	-	3	1	-	1	1	5	19	6	5	2	2	-
Jackson	3	27	11	4	19	19	2	3	4	-	3	7	4	42	15	15	2	6	1
Carbondale	2	10	6	-	7	8	1	-	2	-	-	1	2	19	3	4	1	4	-
Balance of county	1	17	5	4	12	11	1	3	2	-	3	6	2	23	12	11	1	2	1
Jasper	-	13	1	1	4	2	-	1	-	-	-	-	-	8	4	2	1	-	-
Jefferson	2	30	1	6	20	19	2	4	5	-	1	2	1	36	11	8	3	1	1
Mount Vernon	1	22	1	4	14	15	-	4	1	-	1	-	1	25	2	3	1	1	1
Balance of county	1	8	-	2	6	4	2	-	4	-	-	2	-	11	9	5	2	-	-
Jersey	-	22	7	2	7	5	1	1	3	-	1	1	8	21	3	6	2	1	-
Jo Daviess	-	24	3	2	6	11	-	2	1	-	1	2	1	8	5	4	3	-	-
Johnson	1	9	-	2	1	1	1	1	1	-	1	2	-	11	3	2	-	1	-
Kane	9	189	29	19	57	87	5	36	23	-	11	25	9	180	47	41	43	14	5
Aurora, part	5	60	13	4	17	26	1	18	10	-	3	7	2	64	16	18	14	7	2
Aurora, total	5	60	13	4	17	26	1	18	10	-	3	8	2	64	16	18	14	7	2
Batavia, part	-	10	1	1	5	7	-	3	3	-	2	2	-	8	2	1	1	1	-
Batavia, total	-	10	1	1	5	7	-	3	3	-	2	2	-	8	2	1	1	1	-
Carpentersville	-	11	1	-	3	7	-	3	-	-	1	-	1	4	3	5	6	2	1
Elgin, part	2	49	3	4	16	25	1	7	2	-	2	8	4	61	6	8	7	4	1
Elgin, total	2	53	3	4	19	29	1	7	2	-	4	9	4	67	6	8	7	4	1
St. Charles, part	1	7	2	3	1	8	-	2	2	-	-	1	1	7	2	2	3	-	-
St. Charles, total	1	7	2	3	1	8	-	2	2	-	-	1	1	7	2	2	3	-	-
Balance of county	1	52	9	7	15	14	3	3	6	-	3	7	1	36	18	7	12	-	1
Kankakee	10	55	13	12	15	27	2	9	6	-	5	15	4	80	27	23	10	10	1
Bourbonnais	2	5	2	-	3	1	-	-	-	-	-	2	-	6	-	4	-	-	-
Bradley	-	6	4	3	3	5	-	1	-	-	-	-	-	20	6	1	-	1	-
Kankakee	2	23	5	5	5	14	1	4	2	-	3	10	1	28	7	7	6	5	-
Balance of county	6	21	2	4	4	7	1	4	4	-	2	3	3	26	14	11	4	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kendall	204	-	-	2	44	13	10	7	5	1	2	6	3	91	74	-	4	55	15
Knox	591	1	-	2	120	24	36	11	21	2	5	21	10	322	236	2	6	200	28
Galesburg	364	1	-	2	77	14	23	4	15	2	3	16	3	198	140	-	3	118	19
Balance of county	227	-	-	-	43	10	13	7	6	-	2	5	7	124	96	2	3	82	9
Lake	2,772	1	1	26	667	196	191	62	56	30	13	119	46	1,300	1,015	9	15	821	170
Arlington Heights, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	10	-	-	-	4	2	1	1	-	-	-	-	-	4	3	-	-	2	1
Deerfield, part	105	-	-	1	30	11	5	5	3	1	3	2	2	53	41	1	1	33	6
Deerfield, total	112	-	-	1	32	11	6	5	3	1	4	2	2	57	44	1	1	36	6
Highland Park	201	-	-	-	54	21	14	5	6	-	-	8	4	97	67	4	-	48	15
Lake Forest	100	-	-	2	18	3	5	3	3	-	1	3	1	48	35	1	-	26	8
Libertyville	132	-	-	3	29	4	9	2	6	2	1	5	6	63	41	-	-	29	12
Mundelein	106	-	-	1	33	11	11	3	2	1	1	4	-	45	36	-	-	32	4
North Chicago	132	-	-	4	31	11	10	2	-	5	1	2	-	58	50	-	2	41	7
Round Lake Beach	68	-	-	-	19	5	9	-	1	-	1	3	2	24	19	-	-	17	2
Waukegan	573	-	1	4	150	37	40	16	11	6	4	36	9	260	210	1	6	169	34
Wheeling, part	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Zion	145	-	-	2	35	14	9	4	2	1	-	5	3	72	52	1	1	45	5
Balance of county	1,198	1	-	9	262	77	78	21	22	13	1	50	19	576	461	1	5	379	76
La Salle	1,179	1	-	5	265	70	54	25	25	21	13	57	21	622	477	3	13	409	52
La Salle	150	-	-	-	34	8	5	4	6	1	-	10	1	75	59	-	1	50	8
Ottawa	206	-	-	3	42	11	12	4	4	2	1	8	3	120	96	-	2	88	6
Peru	118	-	-	-	28	13	1	2	3	4	1	4	3	68	52	-	1	47	4
Streator, part	184	-	-	-	38	6	9	5	4	1	4	9	4	105	69	1	2	57	9
Streator, total	186	-	-	-	39	6	9	5	5	1	4	9	4	106	69	1	2	57	9
Balance of county	521	1	-	2	123	32	27	10	8	13	7	26	10	254	201	2	7	167	25
Lawrence	245	-	-	-	44	14	17	2	1	1	2	7	1	158	124	-	10	86	28
Lee	365	-	-	-	69	20	17	7	12	1	2	10	10	206	155	-	3	121	31
Dixon	191	-	-	-	32	7	8	5	5	1	2	4	7	102	78	-	3	61	14
Balance of county	174	-	-	-	37	13	9	2	7	-	-	6	3	104	77	-	-	60	17
Livingston	413	-	-	3	85	23	21	11	8	6	1	15	3	230	182	2	3	149	28
Pontiac	123	-	-	2	26	1	8	7	2	2	1	5	1	67	53	1	1	37	14
Streator, part	2	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Balance of county	288	-	-	1	58	22	13	4	5	4	-	10	2	162	129	1	2	112	14
Logan	347	-	-	2	64	14	23	6	4	2	3	12	7	186	133	-	5	74	54
Lincoln	222	-	-	-	44	8	17	4	1	2	3	9	4	120	86	-	4	50	32
Balance of county	125	-	-	2	20	6	6	2	3	-	-	3	3	66	47	-	1	24	22
McDonough	318	-	-	2	65	21	11	5	10	5	2	11	6	169	123	-	4	104	15
Macomb	180	-	-	2	38	13	5	3	6	4	2	5	3	95	69	-	1	58	10
Balance of county	138	-	-	-	27	8	6	2	4	1	-	6	3	74	54	-	3	46	5
McHenry	1,102	-	-	9	243	63	61	25	19	12	10	53	18	567	451	2	9	372	68
Crystal Lake	149	-	-	1	39	9	11	5	3	-	2	9	2	74	64	-	2	53	9
McHenry	151	-	-	3	34	11	13	3	2	-	1	4	3	73	57	1	-	47	9
Woodstock	147	-	-	1	23	3	5	2	2	-	3	8	1	86	63	-	-	57	6
Balance of county	655	-	-	4	147	40	32	15	12	12	4	32	12	334	267	1	7	215	44
McLean	853	1	-	8	183	48	56	15	12	9	6	37	13	434	319	5	14	232	68
Bloomington	423	-	-	3	101	33	31	5	7	5	2	18	6	210	153	2	7	110	34
Normal	164	-	-	2	29	7	7	2	2	1	-	10	-	89	63	2	6	39	16
Balance of county	266	1	-	3	53	8	18	8	3	3	4	9	7	135	103	1	1	83	18
Macon	1,179	1	-	6	240	58	70	25	27	12	11	37	20	650	483	6	9	324	144
Decatur	1,006	-	-	6	205	48	60	23	24	9	10	31	19	556	415	6	6	279	124
Balance of county	173	1	-	-	35	10	10	2	3	3	1	6	1	94	68	-	3	45	20
Macoupin	562	-	-	3	105	31	23	8	10	6	4	23	11	311	243	1	8	189	45
Madison	2,440	1	-	18	506	119	145	40	44	27	24	107	52	1,260	1,003	16	16	798	173
Alton	449	1	-	-	89	17	28	7	6	5	2	24	11	224	186	2	7	132	45
Collinsville, part	252	-	-	4	57	16	17	8	8	2	-	6	1	149	112	2	-	99	11
Collinsville, total	263	-	-	4	61	16	18	9	9	2	-	7	1	154	114	2	-	101	11
Edwardsville	157	-	-	1	26	4	4	3	5	-	2	8	3	82	59	-	-	42	17
Granite City	404	-	-	4	83	24	22	4	4	8	5	16	6	208	165	4	3	123	35
Wood River	130	-	-	1	37	9	10	2	2	3	1	10	3	61	49	2	1	41	5
Balance of county	1,048	-	-	8	214	49	64	16	19	9	14	43	28	536	432	6	5	361	60
Marion	516	-	-	2	111	24	34	8	11	7	7	20	15	266	226	3	7	181	35
Centralia, part	187	-	-	-	41	8	12	3	3	3	3	9	7	90	74	-	4	59	11
Centralia, total	221	-	-	-	50	11	13	3	5	3	3	12	7	103	83	-	4	66	13
Balance of county	329	-	-	2	70	16	22	5	8	4	4	11	8	176	152	3	3	122	24
Marshall	154	-	-	1	26	9	9	2	-	1	1	4	3	98	86	-	1	75	10
Mason	179	-	-	-	42	14	10	2	3	-	2	11	3	85	74	-	1	54	19
Massac	209	-	-	2	45	10	16	2	8	-	1	8	5	95	76	-	4	50	22
Menard	136	-	-	-	23	6	3	1	3	5	1	4	1	72	53	-	1	40	12
Mercer	183	-	-	2	27	2	10	3	1	3	2	6	1	108	93	-	2	76	15
Monroe	216	-	-	2	44	7	17	4	4	-	3	9	4	124	97	-	7	76	14
Montgomery	382	-	-	2	74	20	20	7	10	2	5	10	5	210	155	-	3	123	29
Morgan	394	-	-	1	85	20	25	6	13	2	3	16	7	208	154	1	8	100	45
Jacksonville	269	-	-	1	50	13	15	5	6	-	2	9	5	153	111	-	6	88	37
Balance of county	125	-	-	-	35	7	10	1	7	2	1	7	2	55	43	1	2	32	8
Moultrie	162	-	-	1	27	7	9	4	3	1	2	1	4	99	70	1	-	58	11
Ogle	411	-	-	4	78	18	13	6	12	6	2	21	16	199	145	1	2	118	24
Peoria	1,702	-	1	17	377	101	100	29	51	11	16	69	25	827	609	6	16	460	127
Pekin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peoria	1,100	-	1	7	240	60	64	22	28	9	10	47	14	527	385	5	11	276	93
Balance of county	602	-	-	10	137	41	36	7	23	2	6	22	11	300	224	1	5	184	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	1	12	2	2	6	8	1	2	2	-	1	3	-	17	10	8	6	-	-
Knox	6	62	17	1	22	22	3	3	3	-	6	4	2	39	10	9	11	1	1
Galesburg	2	44	11	1	15	12	2	2	2	-	4	2	2	23	3	6	8	1	1
Balance of county	4	18	6	-	7	10	1	1	1	-	2	2	-	16	7	3	3	-	-
Lake	7	226	18	34	67	89	10	60	28	1	29	22	32	191	75	56	44	22	5
Arlington Heights, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Deerfield, part	-	11	1	-	4	1	-	1	-	-	1	2	-	8	1	-	1	-	-
Deerfield, total	-	12	1	-	4	1	-	1	-	-	1	2	-	8	1	-	1	1	-
Highland Park	-	25	-	5	3	10	-	4	-	-	-	1	4	12	2	2	7	-	1
Lake Forest	-	10	1	2	3	6	1	3	-	-	1	-	-	7	1	2	4	1	2
Libertyville	-	20	1	1	4	2	-	4	-	-	1	-	1	17	1	1	-	-	-
Mundelein	-	8	-	1	-	6	-	2	2	-	3	-	-	5	6	1	1	-	1
North Chicago	-	7	-	1	4	3	-	1	3	-	2	1	3	9	1	6	2	4	-
Round Lake Beach	1	3	-	1	3	4	-	1	1	-	-	1	2	7	1	2	-	1	-
Waukegan	1	35	8	6	15	18	2	11	8	1	6	8	6	37	8	12	7	9	1
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zion	-	20	-	-	4	2	-	3	-	-	2	4	-	9	4	1	2	2	-
Balance of county	5	86	7	17	27	38	7	30	14	-	13	5	18	80	50	29	19	5	-
La Salle	5	103	19	17	45	36	3	16	6	-	7	9	7	72	22	22	17	2	1
La Salle	-	12	2	2	10	4	-	3	-	-	1	1	1	17	-	3	-	-	-
Ottawa	-	20	2	2	5	11	2	1	1	-	2	1	1	7	3	1	2	1	-
Peru	-	9	4	3	1	2	-	1	2	-	-	1	-	8	1	2	1	-	-
Streator, part	3	26	4	3	7	9	-	3	-	-	-	-	3	10	1	2	2	-	-
Streator, total	3	27	4	3	7	9	-	3	-	-	-	-	3	10	1	2	2	-	-
Balance of county	3	36	7	7	22	10	1	8	3	-	4	6	2	30	17	14	12	1	1
Lawrence	2	23	5	4	12	8	-	1	1	-	-	1	1	13	1	3	1	-	-
Lee	8	36	3	4	6	10	3	3	2	-	2	2	-	26	9	7	9	1	-
Dixon	3	18	2	1	6	8	3	2	1	-	-	1	-	14	6	4	5	-	-
Balance of county	5	18	1	3	-	2	-	1	1	-	2	1	-	12	3	3	4	1	-
Livingston	2	35	11	-	12	16	3	3	5	-	1	5	1	27	3	9	2	3	2
Pontiac	2	7	5	-	4	8	1	1	1	-	-	2	1	7	-	-	1	-	1
Streator, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	27	6	-	8	8	2	2	4	-	1	3	-	20	3	9	1	3	1
Logan	3	30	15	5	7	19	4	5	2	-	2	2	5	30	3	4	2	1	2
Lincoln	2	19	11	2	6	14	2	5	2	-	2	-	3	13	1	4	2	-	-
Balance of county	1	11	4	3	1	5	2	-	-	-	-	2	2	17	2	-	-	1	2
McDonough	1	37	6	2	12	9	-	3	6	-	2	4	-	22	6	9	2	-	1
Macomb	-	22	3	1	8	4	-	2	2	-	2	2	-	14	5	2	1	-	-
Balance of county	1	15	3	1	4	5	-	1	4	-	-	2	-	8	1	7	1	-	1
McHenry	7	83	14	12	36	27	4	17	5	-	8	7	5	78	35	24	15	3	1
Crystal Lake	-	6	3	1	3	1	-	4	1	-	-	4	-	13	3	3	-	1	-
McHenry	-	13	2	1	4	6	2	-	1	-	3	-	1	13	4	1	3	-	-
Woodstock	1	16	3	3	5	6	1	3	-	-	1	-	-	9	4	3	3	1	-
Balance of county	6	48	6	7	24	14	1	10	3	-	4	3	4	43	24	17	9	1	1
McLean	4	78	23	10	30	24	1	3	9	-	7	4	9	76	22	16	8	5	-
Bloomington	1	41	11	4	14	11	1	1	6	-	1	-	8	35	10	9	5	2	-
Normal	3	16	5	2	6	5	-	1	1	-	3	2	1	18	3	3	-	1	-
Balance of county	-	21	7	4	10	8	-	1	2	-	3	2	-	23	9	4	3	2	-
Macon	14	126	16	11	14	47	3	13	6	-	8	15	27	72	25	23	7	2	-
Decatur	12	109	13	7	13	41	2	11	5	-	6	12	24	63	16	21	4	2	-
Balance of county	2	17	3	4	1	6	1	2	1	-	2	3	3	9	9	2	3	-	-
Macoupin	3	48	12	5	14	21	3	5	5	-	4	2	2	53	7	9	5	1	1
Madison	9	189	25	34	71	94	10	21	14	-	21	17	22	183	39	62	31	14	4
Alton	2	26	5	5	18	22	2	7	2	-	2	3	5	42	4	9	5	3	-
Collinsville, part	1	30	-	6	4	4	1	-	1	-	1	1	1	15	2	6	4	-	1
Collinsville, total	1	33	-	6	4	4	1	-	1	-	1	1	1	16	2	6	4	1	1
Edwardsville	-	19	1	3	10	9	1	1	1	-	2	-	1	8	3	6	2	1	-
Granite City	1	29	6	7	5	21	-	5	1	-	3	3	5	38	8	10	2	1	1
Wood River	-	10	1	1	5	4	-	-	3	-	-	1	-	6	1	4	3	1	-
Balance of county	5	75	12	12	29	34	6	8	6	-	13	9	10	74	21	27	15	8	2
Marion	2	30	3	5	26	16	4	5	4	-	4	4	2	30	9	10	7	1	-
Centralia, part	1	14	-	1	11	2	3	3	2	-	2	4	1	13	2	4	2	-	-
Centralia, total	1	17	1	1	14	3	4	3	4	-	3	4	1	17	2	4	2	-	-
Balance of county	1	16	3	4	15	14	1	2	2	-	2	-	1	17	7	6	5	1	-
Marshall	-	6	3	1	3	8	-	-	-	-	1	-	2	6	2	2	-	2	-
Mason	-	9	1	1	7	7	1	2	1	-	2	5	1	18	2	2	-	-	1
Massac	1	15	-	3	9	13	-	1	4	-	-	-	1	28	4	1	1	-	-
Menard	-	16	-	3	4	5	1	2	2	-	1	-	3	8	3	6	2	3	-
Mercer	1	10	2	2	8	3	-	2	3	-	-	1	3	13	5	5	2	-	-
Monroe	2	18	5	2	8	2	-	2	3	-	-	1	-	13	3	6	3	1	-
Montgomery	1	43	4	7	15	10	1	3	1	-	3	1	14	29	2	5	5	2	-
Morgan	4	33	14	3	15	9	2	2	4	-	-	2	3	36	7	9	3	1	-
Jacksonville	3	27	10	2	12	6	1	1	3	-	-	1	2	26	2	4	2	-	-
Balance of county	1	6	4	1	3	3	1	1	1	-	-	1	1	10	5	5	1	1	-
Moultrie	-	24	3	2	6	3	-	-	1	-	-	2	4	5	3	5	2	-	-
Ogle	2	30	11	3	15	23	1	5	3	-	4	1	1	29	15	6	5	3	3
Peoria	6	183	14	15	55	78	8	17	24	-	11	30	7	142	11	48	15	8	1
Pekin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peoria	3	122	9	8	42	56	6	10	14	-	5	26	6	86	7	36	10	6	1
Balance of county	3	61	5	7	13	22	2	7	10	-	6	4	1	56	4	12	5	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Perry	294	-	-	5	49	15	17	3	3	3	1	7	1	174	145	-	2	117	26
Piatt	173	-	-	2	45	7	11	3	7	2	3	12	4	86	65	1	2	56	6
Pike	221	-	-	-	37	7	14	4	6	2	-	4	4	120	82	-	1	65	16
Pope	56	-	-	1	11	2	3	-	2	-	1	3	-	34	26	-	4	11	11
Pulaski	138	1	-	1	34	10	8	-	7	-	2	7	3	73	62	-	1	54	7
Putnam	38	1	-	-	17	6	2	-	3	2	-	4	-	11	8	-	-	5	3
Randolph	376	-	-	5	73	19	20	3	6	4	4	17	8	218	179	1	4	143	31
Richland	197	-	-	2	31	10	8	2	3	2	-	6	5	110	83	-	3	67	13
Rock Island	1,506	2	-	16	334	82	93	22	36	12	16	73	37	782	604	3	14	493	94
East Moline	205	-	-	5	52	14	10	4	9	2	1	12	3	100	83	1	2	68	12
Moline	414	-	-	5	99	25	29	6	8	3	5	23	9	222	167	2	6	135	24
Rock Island	518	-	-	2	106	23	33	9	11	3	7	20	14	265	200	-	2	163	35
Balance of county	369	2	-	4	77	20	21	3	8	4	3	18	11	195	154	-	4	127	23
St. Clair	2,590	2	-	35	569	164	156	44	64	25	15	101	45	1,244	983	2	40	758	183
Belleville	620	-	-	9	133	28	44	13	19	8	3	18	8	340	261	-	8	209	44
Cahokia	132	-	-	2	29	11	6	3	2	-	1	6	6	57	46	1	-	36	9
Collinsville, part	11	-	-	-	4	-	1	1	1	-	-	1	-	5	2	-	-	2	-
East St. Louis	658	2	-	8	128	31	31	7	17	7	5	30	13	289	196	1	12	140	43
Fairview Heights	105	-	-	-	29	7	10	3	1	1	-	7	1	47	43	-	2	32	9
O'Fallon	94	-	-	-	17	7	3	1	-	-	1	5	1	51	42	-	-	33	9
Balance of county	970	-	-	16	229	80	61	16	24	9	5	34	16	475	393	-	18	306	69
Saline	471	1	-	-	92	22	35	9	6	2	6	12	12	271	208	2	16	157	33
Harrisburg	178	1	-	-	40	11	16	3	3	1	3	3	2	97	71	2	6	52	11
Balance of county	293	-	-	-	52	11	19	6	3	1	3	9	10	174	137	-	10	105	22
Sangamon	1,612	1	1	11	377	86	103	44	28	14	14	88	31	799	597	2	23	442	130
Springfield	1,156	1	1	6	238	53	69	26	15	9	6	60	23	581	421	1	17	310	93
Balance of county	456	-	-	5	139	33	34	18	13	5	8	28	8	218	176	1	6	132	37
Schuyler	117	-	-	-	26	8	3	1	5	3	-	6	1	68	60	-	13	21	26
Scott	66	-	-	1	16	5	5	-	1	1	-	4	3	36	27	-	1	17	9
Shelby	207	1	-	1	40	13	9	2	4	2	-	10	12	103	69	2	1	54	12
Stark	74	-	-	-	16	4	3	-	3	-	-	6	-	43	32	-	2	25	5
Stephenson	476	-	-	3	101	28	29	9	6	4	2	23	6	270	215	1	6	147	61
Freeport	319	-	-	2	67	17	18	7	5	4	2	14	4	104	144	-	6	101	37
Balance of county	157	-	-	1	34	11	11	2	1	-	-	9	2	86	71	1	-	46	24
Tazewell	1,022	1	-	4	255	62	62	25	27	10	12	57	22	501	396	5	9	263	119
East Peoria	161	-	-	1	48	10	15	4	2	3	4	10	3	67	52	1	1	43	7
Morton	116	-	-	1	25	6	5	3	1	1	1	8	2	67	55	-	-	28	27
Pekin, part	327	1	-	1	84	22	18	9	14	2	2	17	9	155	125	2	3	87	33
Pekin, total	327	1	-	1	84	22	18	9	14	2	2	17	9	155	125	2	3	87	33
Washington	90	-	-	-	14	2	6	2	1	-	-	3	2	52	37	-	1	20	16
Balance of county	328	-	-	1	84	22	18	7	9	4	5	19	6	160	127	2	4	85	36
Union	226	-	-	2	39	9	11	3	4	5	1	6	3	136	111	-	2	85	24
Vermilion	978	-	-	6	212	52	65	12	24	11	6	42	29	509	370	1	12	284	73
Danville	498	-	-	5	104	23	35	5	12	6	-	23	17	257	188	-	4	142	40
Balance of county	480	-	-	1	108	29	30	7	12	5	6	19	12	252	184	1	8	142	33
Wabash	150	-	-	-	32	8	9	1	4	1	1	8	2	87	67	-	4	59	4
Warren	216	-	-	3	35	14	3	4	-	1	1	12	8	115	90	2	1	76	11
Monmouth	118	-	-	-	22	6	1	4	-	1	1	9	5	70	50	1	1	43	5
Balance of county	98	-	-	3	13	8	2	-	-	-	-	3	3	45	40	1	-	33	6
Washington	193	-	-	-	30	10	6	7	5	1	-	1	3	125	110	1	5	96	8
Wayne	243	-	-	1	50	14	16	2	4	4	1	9	2	141	110	1	8	80	21
White	256	-	-	3	54	14	19	6	5	4	1	5	4	133	117	-	2	91	24
Whiteside	537	-	-	4	122	30	33	14	21	4	6	14	11	266	218	2	-	166	50
Rock Falls	116	-	-	2	23	6	10	5	-	1	-	1	2	62	50	-	-	43	7
Sterling	144	-	-	1	35	5	11	4	5	1	2	7	3	79	69	1	-	50	18
Balance of county	277	-	-	1	64	19	12	5	16	2	4	6	6	125	99	1	-	73	25
Will	2,182	-	-	13	478	113	149	37	48	23	18	90	36	1,111	899	4	43	638	214
Bolingbrook, part	106	-	-	-	27	6	7	-	1	-	2	11	3	37	31	-	-	21	10
Bolingbrook, total	114	-	-	-	29	7	8	-	1	-	2	11	3	39	32	-	-	22	10
Joliet	894	-	-	9	174	44	52	11	24	9	8	26	12	519	404	1	25	292	86
Naperville, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Park Forest, part	5	-	-	-	3	-	-	2	-	1	-	-	-	2	1	-	-	1	-
Romeoville	58	-	-	1	9	2	3	1	-	-	-	3	2	29	19	-	-	14	5
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1,117	-	-	3	265	61	87	23	23	13	8	50	19	522	442	3	18	309	112
Williamson	670	2	-	6	142	39	39	8	15	4	8	29	17	352	271	-	17	219	35
Herrin	177	-	-	2	42	11	10	-	6	2	3	10	2	102	82	-	11	63	8
Marion	160	-	-	3	31	9	8	5	3	1	1	4	3	77	53	-	1	43	9
Balance of county	333	2	-	1	69	19	21	3	6	1	4	15	12	173	136	-	5	113	18
Winnebago	2,081	-	-	17	434	101	103	38	49	18	21	104	39	1,066	822	7	12	658	145
Loves Park	107	-	-	4	20	6	3	1	3	4	1	2	-	46	36	1	-	30	5
Rockford	1,389	-	-	9	272	66	80	18	35	9	13	71	28	749	571	5	11	449	106
Balance of county	585	-	-	4	142	29	40	19	11	5	7	31	11	271	215	1	1	179	34
Woodford	269	-	-	3	53	14	5	9	3	2	3	17	2	150	116	-	1	77	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	1	23	2	3	17	5	2	3	2	-	1	1	2	17	5	7	2	1	-
Piatt	-	18	2	1	4	3	-	2	1	-	-	3	1	12	4	5	1	-	-
Pike	-	16	18	4	8	8	3	1	2	-	3	2	1	19	3	8	1	-	1
Pope	-	5	-	3	2	2	1	-	1	-	1	-	-	1	-	2	-	-	-
Pulaski	-	8	-	3	2	5	-	-	2	-	-	2	3	7	2	1	-	2	-
Putnam	-	3	-	-	-	-	-	-	-	-	1	1	1	5	-	1	-	-	-
Randolph	4	28	6	1	7	7	-	5	3	-	3	3	-	20	11	10	2	1	-
Richland	2	15	7	3	6	4	1	-	3	-	3	2	1	17	5	1	3	3	-
Rock Island	9	129	25	15	42	61	5	12	14	-	5	5	10	103	27	23	18	9	1
East Moline	-	11	3	3	4	11	-	-	2	-	2	-	-	12	5	7	1	1	-
Moline	1	45	6	3	11	16	2	2	1	-	1	2	-	29	5	4	5	1	-
Rock Island	5	39	14	7	17	26	1	9	6	-	1	3	9	39	4	5	6	4	1
Balance of county	3	34	2	2	10	8	2	1	5	-	1	-	1	23	13	7	6	3	-
St. Clair	21	192	24	24	69	90	6	25	28	-	23	38	18	191	41	82	19	63	2
Belleville	7	51	9	12	17	25	2	6	6	-	7	5	1	44	4	8	5	-	-
Cahokia	1	7	1	2	1	10	1	-	2	-	1	3	1	10	3	5	-	1	-
Collinsville, part	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
East St. Louis	3	64	-	6	24	12	1	7	9	-	5	18	5	52	10	40	3	50	2
Fairview Heights	-	1	2	1	2	4	1	1	2	-	-	-	3	10	2	3	-	-	-
O'Fallon	2	7	-	-	3	4	-	-	1	-	3	1	-	6	3	2	2	-	-
Balance of county	8	59	12	3	22	35	1	11	8	-	7	11	8	68	19	24	9	11	-
Saline	2	48	10	3	12	19	1	4	6	-	1	3	3	24	5	15	1	1	-
Harrisburg	-	21	3	2	6	7	1	1	3	-	-	1	2	10	1	6	-	-	-
Balance of county	2	27	7	1	6	12	-	3	3	-	1	2	1	14	4	9	1	1	-
Sangamon	14	151	18	19	38	66	3	27	6	-	10	17	23	124	13	35	16	9	5
Springfield	13	120	15	12	32	51	2	21	4	-	10	13	19	92	10	30	10	8	4
Balance of county	1	31	3	7	6	15	1	6	2	-	-	4	4	32	3	5	6	1	1
Schuyler	-	7	1	-	4	1	1	1	-	-	-	1	-	3	5	3	3	-	-
Scott	-	5	3	1	1	-	-	-	1	-	-	-	-	1	2	4	-	-	1
Shelby	3	23	7	1	10	7	2	1	2	-	3	1	1	13	4	5	1	-	-
Stark	1	6	2	2	2	2	-	-	-	-	-	1	-	6	1	1	2	-	-
Stephenson	4	42	2	7	6	11	1	3	2	-	7	3	1	35	7	12	4	4	-
Freeport	3	31	1	5	5	7	1	2	2	-	5	2	1	25	1	8	3	-	-
Balance of county	1	11	1	2	1	4	-	1	-	-	2	1	-	10	6	4	1	4	-
Tazewell	6	76	12	11	31	45	6	2	16	-	7	5	4	58	25	23	14	2	1
East Peoria	-	11	-	4	7	7	1	1	1	-	-	1	2	8	7	2	3	2	-
Morton	-	10	2	-	1	3	-	1	3	-	-	-	-	8	3	-	2	-	-
Pekin, part	2	23	5	-	10	15	2	-	7	-	3	3	-	20	4	9	4	-	-
Pekin, total	2	23	5	-	10	15	2	-	7	-	3	3	-	20	4	9	4	-	-
Washington	1	12	1	1	3	3	-	-	2	-	1	-	-	8	-	3	2	-	-
Balance of county	3	20	4	6	10	17	3	-	3	-	3	1	2	14	11	9	3	-	1
Union	-	17	3	5	6	7	-	1	2	-	2	1	-	15	4	4	1	3	-
Vermilion	6	103	21	9	33	37	5	9	5	-	6	6	7	69	16	14	12	2	1
Danville	3	55	9	4	23	18	3	3	1	-	2	4	3	39	7	7	3	2	-
Balance of county	3	48	12	5	10	18	2	6	4	-	4	2	4	30	9	7	9	-	1
Wabash	-	13	7	-	2	6	-	-	2	-	-	1	-	3	7	7	1	-	-
Warren	2	15	7	1	13	7	-	-	2	-	1	-	1	12	7	5	5	2	-
Monmouth	1	11	7	1	5	2	-	-	-	-	-	-	-	7	1	2	4	-	-
Balance of county	1	4	-	-	8	5	-	-	2	-	1	-	1	5	6	3	1	2	-
Washington	1	12	-	2	6	3	-	1	2	-	1	1	3	8	5	4	1	-	-
Wayne	-	26	2	3	10	10	-	-	-	-	2	-	1	10	9	4	2	1	-
White	1	12	1	2	14	9	1	1	-	-	-	1	2	15	13	2	4	-	-
Whiteside	2	37	6	3	12	6	1	3	6	-	1	2	12	49	21	13	6	2	-
Rock Falls	-	11	1	-	1	-	-	-	1	-	1	-	2	11	6	3	2	-	-
Sterling	-	9	1	-	3	2	-	-	-	-	-	-	2	11	3	4	1	-	-
Balance of county	2	17	4	3	8	4	1	3	5	-	-	2	8	27	12	6	3	2	-
Will	7	154	31	20	33	69	7	21	16	-	21	26	8	139	72	48	44	38	2
Bolingbrook, part	-	5	1	-	-	2	-	5	-	-	4	3	-	9	3	3	7	3	-
Bolingbrook, total	-	6	1	-	-	2	-	6	-	-	6	3	-	10	3	3	7	3	-
Joliet	6	79	18	12	15	33	4	6	6	-	4	8	4	59	7	18	7	9	-
Naperville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Park Forest, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romeoville	-	9	-	1	-	1	-	-	-	-	1	1	1	6	4	1	1	1	-
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	60	12	7	18	33	3	10	10	-	12	14	3	65	58	26	29	25	2
Williamson	-	68	4	9	20	19	2	2	8	-	4	1	1	54	12	13	7	5	3
Herrin	-	18	1	1	2	5	-	-	2	-	-	-	-	14	3	1	1	1	-
Marion	-	19	2	3	4	6	-	2	2	-	2	-	1	17	2	6	1	1	2
Balance of county	-	31	1	5	14	8	2	-	4	-	2	1	-	23	7	6	5	3	1
Winnebago	7	171	36	30	56	70	6	23	15	-	20	19	8	173	50	38	32	12	3
Loves Park	-	7	1	2	3	3	1	-	1	-	1	5	1	11	4	3	3	1	-
Rockford	4	126	28	20	37	50	2	15	11	-	14	10	3	116	22	24	15	9	3
Balance of county	3	38	7	8	16	17	3	8	3	-	5	4	4	46	24	11	14	2	-
Woodford	1	22	9	-	10	4	2	2	4	-	1	1	-	23	6	6	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	47,747	50	7	470	10,271	2,549	2,898	815	1,147	458	397	2,007	1,062	23,947	18,201	166	530	13,663	3,642
Urban places	27,181	37	3	295	5,917	1,473	1,722	479	647	253	212	1,131	607	13,461	10,125	102	329	7,529	2,165
Balance of area	20,566	13	4	175	4,354	1,076	1,176	336	500	205	185	876	455	10,486	8,076	64	201	6,134	1,677
Metropolitan counties	32,175	39	5	342	7,106	1,772	2,025	575	792	307	265	1,370	708	15,875	12,092	110	370	8,976	2,636
Urban places	22,650	32	2	258	5,011	1,239	1,465	402	546	220	180	959	507	11,081	8,373	87	275	6,180	1,831
Balance of area	9,525	7	3	84	2,095	533	560	173	246	87	85	411	201	4,794	3,719	23	95	2,796	805
Nonmetropolitan counties	15,572	11	2	128	3,165	777	873	240	355	151	132	637	354	8,072	6,109	56	160	4,687	1,206
Urban places	4,531	5	1	37	996	234	257	77	101	33	32	172	100	2,380	1,752	15	54	1,349	334
Balance of area	11,041	6	1	91	2,259	543	616	163	254	118	100	465	254	5,692	4,357	41	106	3,338	872
Adams	216	-	-	1	39	14	8	2	5	1	1	8	2	124	90	2	1	78	9
Allen	2,297	2	-	15	509	134	133	45	63	24	21	89	54	1,167	880	9	25	657	189
Fort Wayne	1,764	2	-	13	385	101	105	36	42	22	18	61	38	894	677	8	22	505	142
Balance of county	523	-	-	2	124	33	28	9	21	2	3	28	16	273	203	1	3	152	47
Bartholomew	498	1	1	5	101	25	32	4	10	2	6	22	9	241	178	2	5	125	46
Columbus	307	1	-	4	60	14	20	2	5	-	4	15	7	148	105	2	3	69	31
Balance of county	191	-	1	1	41	11	12	2	5	2	2	7	2	93	73	-	2	56	15
Benton	114	-	-	2	28	10	2	2	2	3	-	9	1	56	41	-	1	36	4
Blackford	170	-	-	6	29	10	7	1	2	3	-	6	3	85	63	1	1	47	14
Boone	331	-	-	6	61	15	14	6	8	4	3	11	6	178	131	1	1	101	28
Lebanon	146	-	-	3	22	7	3	2	3	-	2	5	3	80	57	-	-	44	13
Balance of county	185	-	-	3	39	8	11	4	5	4	1	6	3	98	74	1	1	57	15
Brown	90	-	-	3	22	5	5	-	4	3	2	3	1	45	36	-	-	25	11
Carroll	191	-	-	1	33	7	9	6	4	1	3	3	6	115	78	2	-	67	9
Cass	383	-	-	-	64	19	18	5	6	1	1	14	12	193	143	3	3	112	25
Logansport	235	-	-	-	31	11	9	3	2	1	-	5	6	132	99	3	3	78	15
Balance of county	148	-	-	-	33	8	9	2	4	-	1	9	6	61	44	-	-	34	10
Clark	771	-	1	7	179	40	63	16	16	7	6	31	12	387	296	1	2	231	62
Clarksville	158	-	-	1	32	5	13	1	2	1	2	8	2	81	60	-	-	50	10
Jeffersonville	305	-	1	2	69	19	23	8	7	1	2	9	8	144	106	1	2	82	21
Balance of county	308	-	-	4	78	16	27	7	7	5	2	14	2	162	130	-	-	99	31
Clay	307	-	-	3	72	23	23	6	8	3	-	9	8	139	89	-	5	58	26
Clinton	401	1	-	4	88	19	29	9	8	1	2	20	5	209	148	-	1	129	18
Frankfort	239	1	-	3	51	13	19	5	4	-	1	9	3	125	85	-	1	76	8
Balance of county	162	-	-	1	37	6	10	4	4	1	1	11	2	84	63	-	-	53	10
Crawford	97	-	-	2	18	3	3	2	3	-	1	6	2	53	40	-	-	35	5
Daviess	292	-	-	3	56	9	11	9	9	3	2	13	8	147	100	-	-	83	17
Washington	155	-	-	2	27	4	4	7	3	3	-	6	2	84	56	-	-	47	9
Balance of county	137	-	-	1	29	5	7	2	6	-	2	7	6	63	44	-	-	36	8
Dearborn	319	-	-	3	70	14	18	9	12	2	1	14	3	178	137	2	1	91	43
Decatur	238	-	-	-	48	12	11	3	7	1	2	12	4	134	105	1	1	81	22
De Kalb	279	-	-	2	55	16	15	5	5	6	1	7	4	152	115	1	8	81	25
Delaware	1,018	1	-	17	207	42	73	14	17	10	9	42	21	503	365	6	12	276	71
Muncie	721	-	-	12	147	33	52	9	10	10	5	28	15	357	246	5	6	188	47
Balance of county	297	1	-	5	60	9	21	5	7	-	4	14	6	146	119	1	6	88	24
Dubois	290	-	-	2	61	18	8	2	8	6	2	17	5	136	112	-	3	94	15
Elkhart	1,043	-	-	5	200	45	61	20	20	14	9	31	18	566	427	7	8	320	92
Elkhart	439	-	-	2	81	19	24	11	4	1	5	17	5	244	183	4	5	148	28
Goshen	217	-	-	1	35	8	9	5	3	3	2	5	3	133	96	1	-	60	35
Balance of county	387	-	-	2	84	18	28	4	13	10	2	9	10	189	148	2	3	112	31
Fayette	265	-	-	4	66	21	20	3	8	2	2	10	5	145	116	-	1	97	18
Connersville	222	-	-	4	52	18	19	-	6	1	1	7	2	120	96	-	1	80	15
Balance of county	63	-	-	-	14	3	1	3	2	1	1	3	3	25	20	-	-	17	3
Floyd	552	-	-	5	135	38	36	12	10	1	9	29	5	283	218	3	6	165	44
New Albany	434	-	-	4	103	25	29	9	7	1	7	25	4	225	171	2	4	125	40
Balance of county	118	-	-	1	32	13	7	3	3	-	2	4	1	58	47	1	2	40	4
Fountain	199	-	-	-	95	11	12	3	1	1	3	4	5	106	84	-	-	67	17
Franklin	147	-	-	1	30	9	10	3	2	3	1	2	6	76	62	-	1	45	16
Fulton	165	-	-	-	35	10	7	2	5	2	1	8	5	100	83	-	-	66	17
Gibson	316	1	1	2	69	19	19	9	12	1	2	13	6	150	120	-	3	83	34
Grant	671	-	-	3	154	38	44	13	16	6	10	27	9	340	252	-	18	167	67
Marion	426	-	-	2	103	25	31	6	12	3	9	17	7	201	145	-	17	89	39
Balance of county	245	-	-	1	51	13	13	7	4	3	1	10	2	139	107	-	1	78	28
Greene	324	-	-	3	69	14	29	5	5	2	7	7	11	173	146	1	4	95	46
Hamilton	563	-	-	4	125	40	27	8	11	3	5	31	9	277	188	-	4	138	46
Carmel	145	-	-	1	28	9	4	3	2	1	-	9	3	72	41	-	1	29	11
Noblesville	138	-	-	-	37	11	10	1	3	2	2	8	4	64	50	-	2	34	14
Balance of county	280	-	-	3	60	20	13	4	6	-	3	14	2	141	97	-	1	75	21
Hancock	341	-	-	1	59	10	11	5	10	2	4	17	8	188	139	3	5	109	22
Greenfield	133	-	-	1	22	2	6	1	4	1	1	7	5	75	50	2	2	33	13
Balance of county	208	-	-	-	37	8	5	4	6	1	3	10	3	113	89	1	3	76	9
Harrison	215	-	-	-	51	9	22	2	6	-	6	6	9	93	78	3	3	64	8
Hendricks	487	-	-	5	107	30	35	7	14	2	4	15	9	229	177	-	5	133	39
Henry	499	2	-	7	107	23	33	7	11	9	-	24	10	262	200	2	2	150	46
New Castle	229	1	-	5	44	8	12	3	8	2	-	11	5	123	89	-	2	65	22
Balance of county	270	1	-	2	63	15	21	4	3	7	-	13	5	139	111	2	-	85	24
Howard	715	-	-	5	148	31	38	12	17	7	7	36	18	348	273	4	1	194	74
Kokomo	570	-	-	4	120	25	31	12	12	7	5	28	14	277	217	3	1	151	62
Balance of county	145	-	-	1	28	6	7	-	5	-	2	8	4	71	56	1	-	43	12
Huntington	366	-	-	2	74	12	20	7	12	5	4	14	13	191	130	2	2	99	27
Huntington	176	-	-	1	37	5	12	5	4	4	1	6	5	84	68	2	1	47	18
Balance of county	190	-	-	1	37	7	8	2	8	1	3	8	8	107	62	-	1	52	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana	194	4,144	901	507	1,188	1,702	139	491	473	3	318	438	464	3,632	1,056	1,039	638	289	50
Urban places	122	2,401	528	285	661	1,004	88	320	271	1	187	289	266	2,143	449	566	343	221	52
Balance of area	72	1,743	373	222	537	698	51	171	202	2	131	149	198	1,489	607	473	295	68	8
Metropolitan counties	145	2,694	599	345	762	1,137	97	352	306	-	232	327	326	2,456	656	707	449	235	56
Urban places	107	1,912	452	237	551	820	74	274	214	-	163	253	229	1,787	363	480	297	204	50
Balance of area	38	782	147	108	211	317	23	78	94	-	69	74	97	669	293	227	152	31	6
Nonmetropolitan counties	49	1,450	302	162	436	565	42	139	165	3	86	111	138	1,176	400	332	189	54	4
Urban places	15	489	76	48	110	184	14	46	57	1	24	36	37	356	86	86	46	17	2
Balance of area	34	961	226	114	326	381	28	93	108	2	62	75	101	820	314	246	143	37	2
Adams	1	27	3	3	3	3	-	1	2	-	-	5	2	15	11	7	1	-	-
Allen	11	225	24	27	43	60	4	20	24	-	15	27	18	180	51	50	35	13	-
Fort Wayne	7	167	20	23	31	53	3	17	19	-	10	24	14	152	40	34	24	11	-
Balance of county	4	58	4	4	12	7	1	3	5	-	5	3	4	28	11	16	11	2	-
Bartholomew	1	50	5	7	6	24	1	-	12	-	2	4	6	46	21	8	7	3	-
Columbus	1	35	3	4	5	18	-	-	9	-	1	4	3	30	6	4	4	3	-
Balance of county	-	15	2	3	1	6	1	-	3	-	1	-	3	16	15	4	3	-	-
Benton	-	10	3	2	4	3	-	1	1	-	1	-	5	7	3	1	1	-	-
Blackford	-	17	3	2	6	7	-	4	-	-	1	-	5	10	6	3	3	2	-
Boone	-	38	3	6	10	15	-	-	3	-	3	2	-	23	7	11	4	2	-
Lebanon	-	19	1	3	6	9	-	-	3	-	2	2	-	8	2	3	2	1	-
Balance of county	-	19	2	3	4	6	-	-	-	-	1	-	-	15	5	8	2	1	-
Brown	-	8	-	1	2	4	-	-	-	-	2	-	1	5	3	1	-	1	-
Carroll	1	24	11	1	-	8	2	1	-	-	-	-	2	16	4	3	-	-	-
Cass	-	38	10	2	8	20	3	2	2	-	3	4	2	41	13	9	7	-	-
Logansport	-	26	6	1	3	9	1	1	2	-	2	3	1	25	9	8	2	-	-
Balance of county	-	12	4	1	5	11	2	1	-	-	1	1	1	16	4	1	5	-	-
Clark	1	61	16	13	17	24	3	8	7	-	6	8	4	58	19	15	12	4	-
Clarksville	-	13	7	1	4	3	-	1	1	-	-	2	1	20	1	5	4	-	-
Jeffersonville	1	23	7	7	9	12	1	4	2	-	3	5	1	23	4	10	4	3	-
Balance of county	-	25	2	5	4	9	2	3	4	-	3	1	2	15	14	-	4	1	-
Clay	1	43	3	3	11	10	-	1	2	-	2	1	1	29	14	12	2	-	-
Clinton	1	46	9	6	15	9	2	4	6	-	2	4	5	30	5	6	5	1	-
Frankfort	-	34	3	3	9	5	-	4	3	-	2	1	3	17	5	4	2	1	-
Balance of county	1	11	6	3	6	4	2	-	3	-	-	3	2	13	-	2	3	-	-
Crawford	1	7	3	2	1	3	-	1	1	-	-	-	1	12	-	1	1	1	-
Daviess	2	27	14	4	4	13	1	2	4	-	2	2	-	27	6	13	4	-	-
Washington	2	16	8	2	1	8	1	2	-	-	2	-	-	12	3	10	1	-	-
Balance of county	-	11	6	2	3	5	-	-	4	-	-	2	-	15	3	3	3	-	-
Dearborn	3	30	5	3	8	14	1	4	-	-	2	2	1	19	5	4	4	1	-
Decatur	1	22	5	1	9	5	1	3	1	-	-	2	1	19	6	4	1	-	-
De Kalb	2	27	6	2	6	5	1	4	1	-	3	2	2	25	5	6	5	1	-
Delaware	2	101	16	19	26	34	7	7	3	-	5	3	10	109	18	21	16	8	2
Muncie	2	81	12	16	17	26	5	6	2	-	4	2	7	82	9	10	11	7	2
Balance of county	-	20	4	3	9	8	2	1	1	-	1	1	3	27	9	11	5	1	-
Dubois	1	19	4	-	11	12	-	1	8	-	3	2	2	23	8	11	5	-	-
Elkhart	5	101	22	11	24	42	2	5	5	-	8	15	3	84	30	17	17	2	-
Elkhart	3	51	2	5	8	23	-	3	1	-	1	3	1	39	12	7	7	2	-
Goshen	1	21	14	1	7	5	-	-	2	-	-	3	-	16	2	6	4	-	-
Balance of county	1	29	6	5	9	14	2	2	2	-	7	9	2	29	16	4	6	-	-
Fayette	1	18	3	7	7	12	-	3	3	-	2	4	1	17	8	3	4	1	-
Connersville	1	15	3	5	3	7	-	3	3	-	1	3	1	14	5	1	2	1	-
Balance of county	-	3	-	2	4	5	-	-	-	-	1	1	-	3	3	2	2	-	-
Floyd	3	42	12	8	16	17	1	3	4	-	4	3	9	35	5	14	8	5	-
New Albany	1	34	12	7	13	15	1	2	3	-	3	1	7	30	3	10	5	5	-
Balance of county	2	8	-	1	3	2	-	1	1	-	1	2	2	5	2	4	3	-	-
Fountain	1	18	2	1	12	5	-	1	2	-	3	1	1	17	4	3	3	-	-
Franklin	1	8	2	3	5	6	-	-	4	-	-	1	3	7	3	2	2	1	-
Fulton	1	12	1	3	4	6	-	5	-	-	-	2	3	17	3	2	3	-	-
Gibson	-	18	9	3	9	11	-	1	11	-	-	4	6	22	11	7	4	1	-
Grant	3	67	9	9	12	28	4	8	5	-	4	8	5	56	15	9	9	2	-
Marion	3	41	6	6	8	18	4	7	3	-	3	4	4	41	7	6	6	2	-
Balance of county	-	26	3	3	4	10	-	1	2	-	1	4	1	15	8	3	3	-	-
Greene	-	22	3	2	6	6	-	2	4	-	4	1	4	23	7	8	1	2	-
Hamilton	2	58	20	9	15	27	2	2	8	-	9	-	5	48	16	8	8	-	-
Carmel	1	18	9	3	4	9	1	1	3	-	3	-	3	11	4	2	-	-	-
Noblesville	-	12	1	1	2	6	1	1	-	-	2	-	-	15	2	2	2	-	-
Balance of county	1	28	10	5	9	12	-	-	5	-	4	-	2	22	10	4	6	-	-
Hancock	1	29	14	5	4	15	-	3	1	-	2	2	4	29	11	7	5	2	-
Greenfield	-	12	10	3	2	7	-	2	-	-	1	-	2	11	3	1	1	-	-
Balance of county	1	17	4	2	2	8	-	1	1	-	1	2	2	18	8	6	4	2	-
Harrison	-	13	1	1	7	7	1	1	4	-	4	1	4	13	10	7	3	-	-
Hendricks	4	31	9	8	18	20	2	2	8	-	2	3	3	43	13	11	9	3	-
Henry	-	49	6	7	11	17	1	4	7	-	-	2	4	31	11	10	10	3	-
New Castle	-	29	3	2	5	7	1	3	6	-	-	1	1	11	4	4	7	1	-
Balance of county	-	20	3	5	6	10	-	1	1	-	-	1	3	20	7	6	3	2	-
Howard	3	55	12	5	10	29	2	6	16	-	3	7	19	57	24	15	8	-	-
Kokomo	3	42	12	3	9	25	2	5	12	-	2	5	13	49	14	12	7	-	-
Balance of county	-	13	-	2	1	4	-	1	4	-	1	2	6	8	10	3	1	-	-
Huntington	-	55	5	1	12	16	2	-	5	-	3	-	3	27	9	8	-	1	-
Huntington	-	15	1	-	7	9	1	-	5	-	2	-	3	16	4	2	-	-	-
Balance of county	-	40	4	1	5	7	1	-	-	-	1	-	-	11	5	6	-	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jackson	333	1	–	3	66	16	14	9	6	4	2	15	8	174	132	3	6	98	25
Seymour	151	1	–	2	31	9	2	4	3	1	–	12	2	74	59	2	2	43	12
Balance of county	182	–	–	1	35	7	12	5	3	3	2	3	6	100	73	1	4	55	13
Jasper	226	–	–	1	50	14	13	3	6	1	2	11	3	124	94	–	1	77	18
Jay	221	–	–	4	46	13	7	1	5	2	1	17	5	113	87	1	3	60	23
Jefferson	271	–	–	1	50	10	17	2	4	3	1	13	8	138	111	1	3	94	13
Madison	132	–	–	1	20	4	6	1	2	1	1	5	5	70	57	–	2	46	9
Balance of county	139	–	–	–	30	6	11	1	2	2	–	8	3	68	54	1	1	48	4
Jennings	146	–	–	–	31	7	13	2	2	–	–	7	4	69	57	–	–	43	14
Johnson	578	–	–	8	97	25	22	9	14	1	2	24	11	293	212	3	1	161	47
Franklin	154	–	–	2	27	8	6	2	4	1	–	6	3	76	44	1	–	36	7
Greenwood	218	–	–	4	39	10	12	2	7	–	1	7	2	111	84	2	–	64	18
Balance of county	206	–	–	2	31	7	4	5	3	–	1	11	6	106	84	–	1	61	22
Knox	475	–	–	6	96	19	25	4	20	5	1	22	9	264	197	–	1	148	48
Vincennes	258	–	–	1	51	8	14	3	11	1	–	14	4	148	104	–	–	77	27
Balance of county	217	–	–	5	45	11	11	1	9	4	1	8	5	116	93	–	1	71	21
Kosciusko	478	–	–	2	107	26	30	11	13	5	4	18	15	240	175	7	2	125	41
Warsaw	107	–	–	–	25	6	6	4	4	1	1	3	3	56	38	1	1	22	14
Balance of county	371	–	–	2	82	20	24	7	9	4	3	15	12	184	137	6	1	103	27
Lagrange	200	–	–	3	32	10	10	2	5	4	–	1	1	95	72	2	1	49	20
Lake	4,270	10	–	43	883	243	224	73	89	39	27	188	143	2,128	1,689	8	57	1,342	282
Crown Point	217	1	–	–	44	18	10	1	5	–	1	9	6	121	95	–	2	76	17
East Chicago	400	1	–	3	73	25	16	6	11	1	1	13	25	197	156	1	9	119	27
Gary	1,316	6	–	16	264	65	73	24	27	10	6	59	44	623	488	–	25	371	92
Griffith	115	–	–	–	29	2	11	2	3	1	1	9	2	55	43	–	3	33	7
Hammond	611	1	–	8	169	49	38	14	19	12	5	32	26	397	321	4	10	263	44
Highland	131	–	–	1	26	9	5	2	2	1	3	4	1	79	64	–	1	50	13
Hobart	222	–	–	3	41	11	11	1	3	2	2	11	8	122	97	1	–	82	14
Lake Station	114	1	–	–	24	5	9	2	1	3	–	4	3	58	45	1	2	36	6
Merrillville	247	–	–	1	51	14	18	3	6	1	3	6	8	125	88	1	–	73	14
Munster	144	–	–	1	48	12	9	7	2	2	1	15	3	68	56	–	2	43	11
Schererville	40	–	–	1	9	2	2	1	–	2	–	2	–	23	16	–	–	14	2
Balance of county	513	–	–	9	105	31	22	10	10	4	4	24	17	260	220	–	3	182	35
La Porte	994	1	–	12	211	67	54	15	18	7	8	42	16	523	394	3	8	338	45
La Porte	283	–	–	5	59	19	11	8	7	3	1	10	4	146	107	1	4	95	7
Michigan City	420	1	–	3	85	29	24	3	5	2	4	18	5	236	180	–	3	153	24
Balance of county	291	–	–	4	67	19	19	4	6	2	3	14	7	141	107	2	1	90	14
Lawrence	417	–	–	3	86	17	24	12	8	4	3	18	13	208	153	4	7	109	33
Bedford	179	–	–	2	36	11	7	3	6	2	2	5	4	99	75	2	3	49	21
Balance of county	238	–	–	1	50	6	17	9	2	2	1	13	9	109	78	2	4	60	12
Madison	1,250	1	–	16	270	59	79	23	27	12	14	56	43	637	487	8	20	375	84
Anderson	723	1	–	10	162	30	47	17	15	3	8	42	21	367	271	5	12	212	42
Elwood, part	119	–	–	2	18	4	7	–	1	2	1	3	5	61	48	–	1	39	8
Elwood, total	119	–	–	2	18	4	7	–	1	2	1	3	5	61	48	–	1	39	8
Balance of county	408	–	–	4	90	25	25	6	11	7	5	11	17	209	168	3	7	124	34
Marion	6,799	15	1	96	1,659	422	537	113	193	73	41	280	135	3,052	2,351	23	107	1,617	604
Beech Grove	153	–	–	1	31	8	6	4	4	3	–	6	3	91	71	–	1	57	13
Indianapolis	6,438	14	1	94	1,579	403	515	104	184	70	39	264	129	2,885	2,215	22	103	1,519	571
Lawrence	44	–	–	–	8	2	2	–	2	–	1	1	–	22	13	–	1	7	5
Speedway	68	–	–	1	12	2	5	2	–	–	–	3	–	41	27	1	–	16	10
Balance of county	96	1	–	–	29	7	9	3	3	–	1	6	3	33	25	–	2	18	5
Marshall	374	–	1	3	84	19	18	6	12	3	2	24	7	195	149	1	4	113	31
Martin	99	–	–	1	21	7	3	1	2	1	1	6	–	52	37	–	1	22	14
Miami	315	–	–	2	69	13	22	4	10	1	6	13	10	152	117	1	4	89	23
Peru	165	–	–	–	34	7	12	1	5	1	3	5	5	83	62	–	1	48	13
Balance of county	150	–	–	2	35	6	10	3	5	–	3	8	5	69	55	1	3	41	10
Monroe	573	–	–	3	127	35	25	12	15	9	8	23	13	289	201	2	7	147	45
Bloomington	365	–	–	3	74	19	15	8	7	5	5	15	9	192	126	2	3	94	27
Balance of county	208	–	–	–	53	16	10	4	8	4	3	8	4	97	75	–	4	53	18
Montgomery	356	–	–	1	52	16	15	6	1	2	1	11	8	202	142	–	3	112	27
Crawfordsville	196	–	–	1	26	10	6	4	1	1	–	4	7	109	74	–	1	61	12
Balance of county	160	–	–	–	26	6	9	2	–	1	1	7	1	93	68	–	2	51	15
Morgan	409	2	–	3	90	20	22	6	11	3	6	22	7	170	131	1	1	96	33
Martinsville	144	–	–	–	33	6	11	3	3	–	4	6	2	68	50	–	1	35	14
Balance of county	265	2	–	3	57	14	11	3	8	3	2	16	5	104	81	1	–	61	19
Newton	149	–	–	–	36	6	8	4	7	2	1	7	3	72	58	1	1	44	12
Noble	301	–	–	4	61	17	13	6	4	2	1	18	13	156	115	–	1	96	18
Ohio	54	–	–	1	17	1	8	3	2	1	1	1	1	22	15	–	–	11	4
Orange	203	–	–	1	41	11	11	–	3	3	4	9	1	112	95	1	–	65	29
Owen	153	–	–	2	29	8	9	2	3	2	1	4	3	75	59	–	–	48	11
Parke	178	–	–	–	40	7	8	1	5	5	–	14	3	93	75	1	18	49	7
Perry	187	–	–	1	30	5	11	5	3	1	1	4	2	97	76	–	–	56	20
Pike	156	–	–	1	31	10	5	1	6	–	3	6	2	87	58	1	1	44	12
Porter	776	–	–	3	185	50	53	16	17	9	5	35	13	379	308	3	2	226	77
Portage	150	–	–	–	35	10	11	6	3	2	–	3	4	80	70	2	–	52	16
Valparaiso	252	–	–	1	49	12	13	3	5	3	2	11	4	131	101	1	1	74	25
Balance of county	374	–	–	2	101	28	29	7	9	4	3	21	5	168	137	–	1	100	36
Posey	195	–	–	1	51	15	14	4	1	2	4	11	2	92	77	–	2	48	27
Pulaski	147	–	–	2	33	5	11	2	5	–	2	8	2	70	57	–	–	47	10
Putnam	261	–	–	3	54	10	18	2	5	5	3	11	2	143	107	1	4	71	31
Randolph	260	1	–	2	45	17	11	7	1	2	1	6	13	149	113	–	11	82	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other, diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Jackson	1	36	1	4	11	11	-	2	4	-	3	3	3	23	10	7	3	1	-
Seymour	-	14	-	1	6	7	-	1	1	-	2	1	2	11	3	4	2	1	-
Balance of county	1	22	1	3	5	4	-	1	3	-	1	2	1	12	7	3	1	-	-
Jasper	2	19	7	2	4	7	1	4	2	-	2	-	4	13	4	7	-	-	-
Jay	1	15	8	2	5	5	-	1	3	-	1	-	-	19	5	9	5	-	-
Jefferson	1	21	3	2	15	17	-	1	2	-	-	4	-	16	10	4	4	1	-
Madison	-	9	3	1	5	12	-	1	1	-	-	1	-	8	4	2	2	-	-
Balance of county	1	12	-	1	10	5	-	-	1	-	-	3	-	8	6	2	2	1	-
Jennings	-	10	-	2	7	6	-	4	3	-	1	-	-	13	3	3	2	-	-
Johnson	2	52	19	8	15	32	2	5	8	-	8	4	5	55	10	8	16	1	-
Franklin	-	15	13	4	7	6	1	2	4	-	2	1	-	16	1	2	4	-	-
Greenwood	-	22	3	2	5	13	1	-	1	-	3	1	2	24	4	3	4	1	-
Balance of county	2	15	3	2	3	13	-	3	3	-	3	2	3	15	5	3	8	-	-
Knox	2	49	13	3	6	8	1	5	5	-	4	-	3	32	14	14	5	3	-
Vincennes	-	35	8	1	3	6	1	3	2	-	1	-	2	21	6	7	2	-	-
Balance of county	2	14	5	2	3	2	-	2	3	-	3	-	1	11	8	7	3	3	-
Kosciusko	2	36	18	9	14	10	-	7	6	-	1	3	4	34	14	13	6	2	-
Warsaw	1	12	4	1	3	4	-	-	-	-	-	1	2	6	2	3	2	-	-
Balance of county	1	24	14	8	11	6	-	7	6	-	1	2	2	28	12	10	4	2	-
Lagrange	-	22	1	-	3	7	-	2	3	-	2	3	3	24	7	10	5	-	-
Lake	21	312	70	36	82	98	9	86	39	-	32	64	38	260	88	130	44	63	10
Crown Point	-	22	2	2	5	5	-	2	2	-	3	4	-	14	3	2	3	1	1
East Chicago	2	33	4	2	7	8	-	15	5	-	3	3	5	26	5	12	2	8	2
Gary	11	98	19	7	23	26	4	23	13	-	7	22	23	76	28	47	9	58	4
Griffith	-	7	4	1	3	-	1	4	1	-	-	-	2	6	3	5	2	2	-
Hammond	2	51	13	10	14	21	1	13	11	-	10	19	3	51	13	26	18	9	1
Highland	1	8	5	1	-	4	-	4	1	-	-	2	-	5	2	3	2	-	1
Hobart	2	18	4	1	9	6	-	3	1	-	1	3	-	14	1	7	1	2	-
Lake Station	1	9	2	1	4	5	-	3	-	-	-	3	1	6	3	2	-	1	-
Merrillville	1	27	5	4	6	9	2	4	-	-	2	2	2	16	6	8	3	-	-
Munster	-	9	3	-	4	2	-	2	-	-	2	-	1	9	1	1	1	-	1
Schererville	-	5	1	1	1	-	-	-	-	-	-	-	-	1	3	1	1	-	-
Balance of county	1	25	8	6	6	12	1	13	5	-	4	6	1	34	20	16	2	2	-
La Porte	2	105	13	9	19	43	1	13	9	-	4	7	13	69	21	17	9	6	1
La Porte	1	31	5	2	8	17	1	4	1	-	1	2	3	20	6	3	2	1	-
Michigan City	1	47	3	5	7	11	-	7	7	-	1	2	6	28	6	6	4	4	1
Balance of county	-	27	5	2	4	15	-	2	-	-	2	3	4	21	9	8	3	1	-
Lawrence	-	47	4	4	8	13	4	9	1	-	4	3	5	38	8	8	6	1	1
Bedford	-	19	3	2	3	7	3	3	-	-	2	1	1	12	2	1	2	-	1
Balance of county	-	28	1	2	5	6	1	6	1	-	2	2	4	26	8	5	4	1	-
Madison	4	112	25	9	13	42	3	17	12	-	7	8	12	89	27	32	20	1	-
Anderson	3	74	15	4	6	17	1	11	4	-	5	6	10	60	18	15	9	-	-
Elwood, part	-	9	4	-	1	11	-	-	3	-	-	1	-	13	1	1	2	-	-
Elwood, total	-	9	4	-	1	11	-	-	3	-	-	1	-	13	1	1	2	-	-
Balance of county	1	29	6	5	6	14	2	6	5	-	2	1	2	16	8	16	9	1	-
Marion	32	509	103	57	181	305	26	85	73	-	63	92	55	523	110	124	103	70	31
Beech Grove	1	14	2	3	3	11	1	1	2	-	-	-	-	5	-	3	1	-	-
Indianapolis	30	470	97	53	174	285	24	82	71	-	62	92	53	504	104	116	90	70	29
Lawrence	1	7	1	-	2	1	-	-	-	-	-	-	-	4	1	1	4	-	1
Speedway	-	13	-	1	1	5	-	1	-	-	-	-	-	6	-	2	-	-	-
Balance of county	-	5	3	-	1	3	1	1	-	-	1	-	2	5	5	2	8	-	1
Marshall	2	33	8	3	10	14	-	3	2	-	4	5	2	23	13	5	2	1	-
Martin	1	11	3	-	4	5	1	1	1	-	-	1	-	7	3	2	-	-	-
Miami	1	25	5	4	8	9	2	3	3	-	1	1	5	31	9	6	2	2	-
Peru	1	16	3	1	7	4	-	2	2	-	-	1	2	18	3	4	-	-	-
Balance of county	-	9	2	3	1	5	2	1	1	-	1	-	3	13	6	2	2	2	-
Monroe	3	67	13	5	11	14	1	7	8	-	3	4	6	44	14	13	13	3	-
Bloomington	2	49	11	4	8	9	1	6	5	-	1	4	3	27	6	9	8	-	-
Balance of county	1	18	2	1	3	5	-	1	3	-	2	-	3	17	8	4	5	3	-
Montgomery	1	45	10	4	9	16	1	2	7	-	3	3	4	31	6	7	3	1	-
Crawfordsville	1	30	3	1	6	12	1	-	3	-	3	3	2	15	3	4	-	1	-
Balance of county	-	15	7	3	3	4	-	2	4	-	-	-	2	16	3	3	3	-	-
Morgan	1	31	5	2	14	31	1	6	2	-	1	6	7	39	11	6	13	-	-
Martinsville	-	14	1	1	7	10	1	5	-	-	-	1	1	11	1	3	3	-	-
Balance of county	1	17	4	1	7	21	-	1	2	-	1	5	6	28	10	3	10	-	-
Newton	-	10	2	2	2	8	2	1	1	-	1	3	1	12	3	1	2	2	-
Noble	1	37	2	1	6	10	1	2	2	1	1	2	2	18	8	5	7	2	-
Ohio	-	5	1	1	2	4	-	-	1	-	-	-	1	4	-	-	1	-	-
Orange	-	11	4	2	7	3	-	-	2	-	1	2	-	14	4	11	2	2	-
Owen	-	10	4	2	5	7	1	-	2	-	2	1	1	10	8	2	4	1	-
Parke	1	14	2	1	9	3	-	2	1	-	-	3	2	15	4	3	-	-	-
Perry	-	13	7	1	9	9	1	2	6	-	1	-	1	15	6	5	1	1	-
Pike	-	17	11	1	5	9	-	-	-	-	-	1	2	5	6	5	2	-	-
Porter	1	45	18	7	21	29	1	7	9	-	5	8	4	55	29	13	9	4	2
Portage	-	8	1	1	3	6	1	1	2	-	2	1	-	9	2	1	2	1	-
Valparaiso	1	16	13	-	10	13	-	2	2	-	-	3	2	23	5	3	1	2	1
Balance of county	-	21	4	6	8	10	-	4	5	-	3	4	2	23	22	9	6	1	1
Posey	3	10	1	1	6	8	1	2	1	-	1	5	-	11	2	6	2	3	1
Pulaski	-	10	3	-	6	4	-	1	-	-	1	1	1	15	7	2	1	1	-
Putnam	1	28	8	1	14	7	-	4	-	-	1	3	1	16	4	3	6	-	-
Randolph	3	19	9	5	8	12	2	4	4	-	1	1	2	20	3	7	5	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Ripley	221	1	–	–	48	11	13	2	4	4	6	8	7	120	100	–	4	66	30
Rush	212	–	–	3	50	12	12	6	8	4	2	6	6	99	81	–	3	72	6
St. Joseph	2,152	–	–	22	491	120	130	42	60	26	19	94	45	1,111	834	11	16	632	175
Mishawaka	390	–	–	3	97	31	31	7	9	5	–	14	4	194	139	3	–	110	26
South Bend	1,251	–	–	15	278	64	68	28	39	13	11	55	29	645	488	7	12	366	102
Balance of county	511	–	–	4	116	25	31	7	12	8	8	25	12	272	206	1	4	154	47
Scott	211	1	–	1	45	13	13	3	4	1	2	9	4	107	74	–	–	59	15
Shelby	384	1	–	5	67	14	21	5	5	1	7	14	9	185	138	–	11	110	17
Shelbyville	178	1	–	4	30	5	9	1	3	1	3	8	4	81	56	–	8	40	8
Balance of county	186	–	–	1	37	9	12	4	2	–	4	6	5	104	82	–	3	70	9
Spencer	198	–	–	2	28	5	7	1	6	1	–	8	3	121	86	1	1	65	19
Starke	225	–	–	1	35	9	4	1	7	3	2	9	9	123	90	1	–	63	26
Steuben	237	–	–	3	49	12	10	3	7	3	1	13	3	119	92	–	4	73	15
Sullivan	295	1	–	4	53	14	15	4	6	1	1	12	10	159	120	1	8	94	17
Switzerland	82	–	–	1	22	2	8	1	3	2	–	6	2	47	35	–	3	21	11
Tippecanoe	790	–	–	8	184	40	43	14	29	7	6	45	13	360	279	2	5	228	44
Lafayette	491	–	–	4	109	23	30	10	16	5	3	22	9	229	183	2	3	147	31
West Lafayette	108	–	–	2	27	7	3	1	5	–	1	10	2	44	34	–	1	29	4
Balance of county	191	–	–	2	48	10	10	3	8	2	2	13	2	87	62	–	1	52	9
Tipton	130	–	1	1	27	7	4	2	4	1	2	7	3	75	57	–	–	45	12
Elwood, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	130	–	1	1	27	7	4	2	4	1	2	7	3	75	57	–	–	45	12
Union	60	1	–	–	12	3	4	–	2	2	–	1	1	30	23	–	–	18	5
Vanderburgh	1,766	4	–	20	404	91	125	29	41	16	21	81	31	887	708	5	26	509	166
Evansville	1,670	4	–	18	387	87	121	28	40	16	21	76	30	835	657	5	26	471	155
Balance of county	96	–	–	2	17	4	4	3	1	–	–	5	1	52	51	–	–	38	13
Vermillion	239	–	–	3	57	15	17	6	5	1	1	12	6	111	93	–	4	66	23
Vigo	1,157	–	–	20	232	53	69	24	27	8	8	43	24	609	402	–	5	302	95
Terre Haute	807	–	–	16	157	32	42	17	21	6	6	33	17	436	272	–	3	201	68
Balance of county	350	–	–	4	75	21	27	7	6	2	2	10	7	173	130	–	2	101	27
Wabash	339	–	–	3	58	17	14	6	8	2	1	10	7	171	118	2	3	96	17
Wabash	141	–	–	–	25	5	8	4	4	1	–	3	5	70	46	1	–	40	5
Balance of county	198	–	–	3	33	12	6	2	4	1	1	7	2	101	72	1	3	56	12
Warren	93	–	–	2	21	3	8	4	2	1	–	3	3	38	29	2	1	19	7
Warrick	269	–	–	–	68	15	21	7	7	5	4	9	6	148	117	3	5	75	34
Washington	213	–	–	1	44	12	8	3	7	1	5	8	3	117	96	–	4	84	8
Wayne	753	–	1	2	161	41	48	17	12	8	7	28	25	387	302	3	13	234	52
Richmond	510	–	1	1	109	28	35	11	9	5	4	17	19	272	207	1	9	164	33
Balance of county	243	–	–	1	52	13	13	6	3	3	3	11	6	115	95	2	4	70	19
Wells	224	1	–	2	42	10	12	4	1	3	5	7	4	128	94	–	2	75	17
White	244	–	–	4	46	10	20	–	5	2	1	8	2	131	93	2	1	75	15
Whitley	230	1	–	1	44	11	12	–	7	1	2	11	5	132	99	1	1	81	16
Iowa	27,528	4	1	200	5,977	1,646	1,484	491	734	282	238	1,102	496	14,378	11,041	94	264	8,962	2,331
Urban places	11,034	1	1	89	2,492	636	701	212	276	113	96	458	207	5,628	4,398	42	122	3,199	1,035
Balance of area	16,494	3	–	111	3,485	1,010	783	279	458	169	142	644	289	8,750	6,643	42	142	5,163	1,296
Metropolitan counties	9,313	1	–	62	2,134	550	594	170	234	106	90	390	177	4,670	3,717	42	105	2,727	843
Urban places	7,638	1	–	49	1,744	442	503	148	183	88	67	313	149	3,859	3,069	36	92	2,225	716
Balance of area	1,675	–	–	13	390	108	91	22	51	18	23	77	28	811	648	6	13	502	127
Nonmetropolitan counties	18,215	3	1	138	3,843	1,096	890	321	500	176	148	712	319	9,708	7,324	42	159	5,635	1,488
Urban places	3,396	–	1	40	748	194	198	64	93	25	29	145	58	1,769	1,329	6	30	974	319
Balance of area	14,819	3	–	98	3,095	902	692	257	407	151	119	567	261	7,939	5,995	36	129	4,661	1,169
Adair	113	–	–	–	25	8	3	4	3	2	1	4	–	68	56	1	1	39	15
Adams	66	–	–	–	11	8	–	1	1	–	1	–	1	38	26	–	1	15	10
Allamakee	175	–	–	2	33	7	5	3	5	5	1	7	6	84	66	1	–	58	7
Appanoose	169	–	–	2	34	9	12	2	3	2	2	4	3	93	63	–	2	52	9
Audubon	100	–	–	–	19	1	4	3	3	1	2	5	3	45	35	1	2	18	14
Benton	246	–	–	1	56	15	14	5	6	3	2	11	3	123	97	–	–	87	10
Black Hawk	1,114	–	–	9	260	73	69	21	31	13	15	38	8	576	412	5	6	323	78
Cedar Falls	213	–	–	2	50	12	13	5	4	5	5	6	3	119	87	–	3	67	17
Waterloo	724	–	–	6	161	48	40	14	21	6	8	24	5	361	266	4	3	213	46
Balance of county	177	–	–	1	49	13	16	2	6	2	2	8	–	76	59	1	–	43	15
Boone	286	–	–	5	62	21	14	5	10	2	3	7	2	187	121	2	1	104	14
Boone	163	–	–	3	34	9	10	4	5	–	2	4	2	97	68	–	–	60	8
Balance of county	123	–	–	2	28	12	4	1	5	2	1	3	–	70	53	2	1	44	6
Bremer	188	1	–	1	41	10	8	4	6	3	1	9	6	101	79	2	2	65	8
Buchanan	217	–	–	1	38	14	9	2	7	2	1	3	5	129	106	–	2	82	22
Buena Vista	253	–	–	–	52	16	11	3	6	2	2	12	5	140	115	3	–	83	29
Butler	191	–	–	3	44	13	10	4	4	3	1	9	2	107	74	–	2	61	11
Calhoun	169	–	–	1	38	14	6	–	9	–	1	8	6	87	54	1	–	42	11
Carroll	245	–	–	–	63	24	8	8	9	4	3	7	5	133	94	–	5	76	13
Cass	213	–	–	2	38	11	10	2	6	1	–	8	4	123	83	–	–	70	13
Cedar	175	–	–	2	41	12	8	3	8	4	1	5	2	92	61	1	4	45	11
Cerro Gordo	446	–	–	4	103	21	26	8	13	4	5	26	10	232	186	–	2	148	36
Mason City	298	–	–	3	69	15	20	2	7	3	4	18	8	159	135	–	2	102	31
Balance of county	148	–	–	1	34	6	6	6	6	1	1	8	2	73	51	–	–	46	5
Cherokee	172	–	–	1	37	9	6	4	5	4	1	8	4	94	67	–	2	49	16
Chickasaw	142	–	–	1	36	9	10	2	6	2	3	4	–	74	64	–	–	57	7
Clarke	96	–	–	–	21	8	4	–	5	1	–	3	1	63	53	–	3	39	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Ripley	2	10	5	3	12	9	-	1	-	-	1	1	1	8	7	3	1	-	1
Rush	-	13	2	3	5	8	3	-	2	-	2	1	3	16	5	5	3	1	-
St. Joseph	16	198	33	30	48	45	12	20	18	-	10	10	44	159	27	57	17	15	1
Mishawaka	5	38	4	8	10	11	3	5	3	-	1	-	7	34	2	6	5	4	1
South Bend	8	109	21	18	32	26	8	12	7	-	8	9	26	92	11	34	9	10	-
Balance of county	3	51	8	4	6	8	1	3	8	-	1	1	11	33	14	17	3	1	-
Scott	1	29	2	1	8	6	-	1	3	-	-	1	2	15	6	6	3	2	-
Shelby	1	35	7	4	18	12	3	4	1	-	5	3	1	29	7	6	8	-	-
Shelbyville	-	21	4	-	12	6	2	3	1	-	3	3	-	18	3	4	3	-	-
Balance of county	1	14	3	4	6	6	1	1	-	-	2	-	1	11	4	2	5	-	-
Spencer	-	31	4	-	4	9	-	-	3	-	1	1	4	15	4	1	2	-	-
Starke	1	24	5	3	7	10	-	2	1	-	-	2	1	13	13	5	3	-	-
Steuben	3	19	3	2	5	6	-	4	2	1	3	3	2	13	8	11	5	-	-
Sullivan	-	32	4	3	7	12	-	2	1	-	1	2	-	26	4	8	4	1	-
Switzerland	-	7	4	1	1	3	-	1	-	-	-	-	-	3	1	-	1	-	-
Tippecanoe	6	49	10	16	19	40	3	7	12	-	7	9	16	62	14	17	15	2	2
Lafayette	5	27	6	8	12	25	2	3	8	-	5	6	10	45	7	8	7	-	2
West Lafayette	1	6	1	2	2	4	-	1	2	-	-	-	3	7	4	2	6	2	-
Balance of county	-	16	3	6	5	11	1	3	2	-	2	3	3	10	3	7	2	-	-
Tipton	1	16	-	1	-	2	-	1	2	-	-	-	3	8	3	2	2	-	-
Elwood, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	16	-	1	-	2	-	1	2	-	-	-	3	8	3	2	2	-	-
Union	-	4	-	3	2	2	-	-	-	-	-	1	1	7	1	1	1	-	-
Vanderburgh	8	138	13	20	53	57	3	13	12	-	9	14	12	153	23	43	23	4	1
Evansville	8	138	13	19	49	55	3	12	12	-	8	14	12	146	22	38	20	4	1
Balance of county	-	-	-	1	4	2	-	1	-	-	1	-	-	7	1	5	3	-	-
Vermillion	1	15	1	1	6	13	-	1	1	-	2	3	3	17	9	2	5	-	-
Vigo	3	107	86	11	30	41	3	13	9	-	5	6	20	93	14	22	9	4	3
Terre Haute	3	82	73	6	19	27	3	12	5	-	4	6	14	62	7	13	6	-	3
Balance of county	-	25	13	5	11	14	-	1	4	-	1	-	6	31	7	9	3	4	-
Wabash	2	42	7	2	9	12	-	4	7	-	1	5	1	37	11	8	5	-	-
Wabash	1	20	2	1	3	6	-	2	4	-	1	1	-	16	2	4	2	-	-
Balance of county	1	22	5	1	6	6	-	2	3	-	-	4	1	21	9	4	3	-	-
Warren	-	4	2	3	4	5	-	2	1	-	1	1	1	7	3	4	-	-	-
Warrick	1	20	5	3	5	10	2	6	2	-	3	-	9	16	8	3	3	1	1
Washington	1	17	-	3	8	4	1	1	1	-	-	2	1	15	8	6	1	-	-
Wayne	4	59	10	12	32	28	-	7	8	1	2	9	2	51	13	13	8	3	-
Richmond	2	45	9	9	18	17	-	3	5	1	-	7	1	35	6	9	4	2	-
Balance of county	2	14	1	3	14	11	-	4	3	-	2	2	1	16	7	4	4	1	-
Wells	-	27	4	3	3	8	2	-	1	-	2	-	2	18	3	5	3	-	2
White	-	22	15	1	5	14	1	3	1	-	1	1	3	18	5	5	3	-	1
Whitley	-	25	7	1	6	5	1	-	-	-	3	-	-	20	3	3	3	3	-
Iowa	115	2,328	580	314	944	992	103	223	167	4	153	170	145	2,030	543	572	326	70	30
Urban places	46	857	194	133	325	399	36	113	60	3	68	90	59	842	190	218	147	47	19
Balance of area	69	1,471	386	181	619	593	67	110	107	1	85	80	86	1,188	353	354	179	23	11
Metropolitan counties	39	660	145	109	242	352	28	93	53	2	65	89	46	711	181	203	141	43	20
Urban places	33	534	129	94	200	277	22	80	40	2	51	76	39	599	131	152	110	38	19
Balance of area	6	126	16	15	42	75	6	13	13	-	14	13	7	112	50	51	31	5	1
Nonmetropolitan counties	76	1,668	435	205	702	640	75	130	114	2	88	81	99	1,319	362	369	185	27	10
Urban places	13	323	65	39	125	122	14	33	20	1	17	14	20	243	59	66	37	9	-
Balance of area	63	1,345	370	166	577	518	61	97	94	1	71	67	79	1,076	303	303	148	18	10
Adair	-	8	3	1	6	4	1	2	-	-	-	-	-	4	1	-	2	-	-
Adams	-	5	6	1	4	4	1	-	-	-	1	-	-	3	1	1	1	-	-
Allamakee	-	13	1	4	11	6	-	5	1	-	1	-	2	12	7	4	1	-	-
Appanoose	-	20	7	3	7	10	-	2	1	-	1	-	-	14	-	2	-	-	-
Audubon	-	6	2	2	-	6	-	-	2	-	-	-	-	16	4	4	-	-	1
Benton	-	21	3	2	11	5	2	4	3	-	1	-	2	17	9	7	2	-	-
Black Hawk	8	110	27	19	25	45	6	8	5	-	8	11	8	74	16	33	15	6	1
Cedar Falls	2	24	4	2	4	7	2	1	3	-	-	1	2	10	2	3	3	-	1
Waterloo	5	74	22	14	18	27	4	6	1	-	5	9	5	50	10	22	8	6	-
Balance of county	1	12	1	3	3	11	-	1	1	-	3	1	1	14	4	8	4	-	-
Boone	3	34	5	4	11	6	-	1	-	-	1	2	2	13	2	9	2	1	-
Boone	1	20	4	4	7	5	-	1	-	-	-	1	1	6	2	3	1	-	-
Balance of county	2	14	1	-	4	1	-	-	-	-	1	1	1	7	-	6	1	1	-
Bremer	-	17	3	2	6	5	2	2	-	-	1	-	1	11	4	4	2	-	-
Buchanan	-	16	3	4	4	9	-	1	3	-	3	3	-	11	6	3	1	-	-
Buena Vista	-	20	4	1	8	8	1	1	3	-	1	1	2	16	3	8	2	2	-
Butler	-	26	6	1	5	7	-	3	4	-	-	-	1	5	2	2	2	4	-
Calhoun	1	19	12	1	7	4	1	1	1	-	-	-	2	13	3	4	1	-	-
Carroll	2	25	8	4	9	7	1	-	1	-	1	1	1	14	3	3	3	-	-
Cass	1	23	13	3	4	8	2	2	1	-	-	2	-	15	6	1	5	-	-
Cedar	1	16	10	4	8	1	2	-	2	-	-	1	1	19	-	2	2	-	-
Cerro Gordo	2	42	2	-	26	12	3	5	1	-	1	1	3	26	5	7	5	-	-
Mason City	1	23	-	-	16	9	1	3	-	-	-	-	2	19	3	3	3	-	-
Balance of county	1	19	2	-	10	3	2	2	1	-	1	1	1	9	2	4	2	-	-
Cherokee	1	17	7	2	3	7	-	2	-	-	2	-	3	13	1	4	1	-	-
Chickasaw	-	7	3	-	6	10	1	-	1	-	1	1	-	9	1	-	1	-	-
Clarke	-	9	1	-	2	1	-	-	1	-	-	1	1	2	-	3	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Clay	164	-	-	-	47	14	15	2	2	4	2	8	3	87	67	-	-	46	21
Spencer	113	-	-	-	28	10	6	1	2	3	1	5	2	64	49	-	-	33	16
Balance of county	51	-	-	-	19	4	9	1	-	1	1	3	1	23	18	-	-	13	5
Clayton	227	-	-	1	42	4	12	7	6	-	2	11	5	132	107	-	-	89	18
Clinton	614	-	1	9	128	37	29	13	16	7	1	25	13	303	222	2	4	157	59
Clinton	411	-	1	5	87	28	17	9	12	2	1	18	9	210	154	1	4	107	42
Balance of county	203	-	-	4	41	9	12	4	4	5	-	7	4	93	68	1	-	50	17
Crawford	198	-	-	-	42	13	12	3	3	1	4	6	4	104	88	-	3	73	12
Dallas	267	-	-	1	62	18	13	4	6	2	2	17	3	125	101	1	1	69	10
Davis	120	-	-	2	18	3	5	3	2	-	-	5	1	76	57	-	14	27	16
Decatur	141	-	-	2	23	8	4	3	4	-	-	4	-	79	47	-	-	33	14
Delaware	167	-	-	1	42	9	13	3	7	3	1	6	3	90	71	-	-	60	11
Des Moines	422	-	-	4	75	24	16	4	8	3	2	18	11	229	172	1	4	131	36
Burlington	303	-	-	4	56	19	13	3	7	2	1	13	10	159	125	1	2	95	27
Balance of county	119	-	-	-	17	5	3	1	1	1	1	5	1	70	47	-	2	36	9
Dickinson	157	-	-	-	25	9	9	5	2	1	1	4	3	95	75	1	1	69	4
Dubuque	802	-	-	2	180	49	43	10	23	11	5	39	23	431	342	3	19	237	83
Dubuque	639	-	-	2	141	37	36	9	17	10	3	29	21	350	291	3	18	198	72
Balance of county	163	-	-	-	39	12	7	1	6	1	2	10	2	81	51	-	1	39	11
Emmet	139	-	-	2	33	8	7	5	3	1	1	8	5	65	49	1	-	34	14
Fayette	273	-	-	-	60	22	12	3	7	4	1	11	12	150	104	1	2	83	18
Floyd	214	-	-	2	43	11	13	-	6	2	2	9	9	109	90	-	1	70	19
Franklin	130	-	-	2	25	7	4	1	3	1	4	5	1	65	58	-	4	46	8
Fremont	123	-	-	-	25	9	3	3	3	-	1	6	1	73	63	-	7	38	18
Greene	146	-	-	-	29	12	3	3	3	1	-	7	2	87	63	-	1	50	12
Grundy	134	-	-	1	19	2	6	3	2	2	-	4	2	86	73	-	5	51	17
Guthrie	166	-	-	1	37	10	7	1	6	1	-	12	5	89	59	-	1	51	7
Hamilton	195	-	-	2	34	7	9	6	6	-	1	5	3	100	66	-	-	54	12
Hancock	144	-	-	1	29	9	4	3	8	1	-	4	1	81	56	-	-	48	8
Hardin	231	-	-	-	51	18	8	3	9	2	1	10	1	131	107	-	3	94	10
Harrison	189	-	-	1	38	13	7	3	5	2	2	6	7	106	91	1	-	81	9
Henry	180	-	-	2	42	13	7	2	7	1	2	10	1	99	72	-	1	60	11
Howard	136	-	-	-	33	10	6	1	5	-	1	10	1	68	51	-	-	47	4
Humboldt	119	-	-	-	21	8	4	3	2	1	1	2	1	65	49	-	-	41	8
Ida	113	-	-	1	24	7	7	1	3	-	1	5	3	66	53	1	1	49	2
Iowa	169	-	-	1	31	12	5	2	2	-	3	7	4	91	72	2	1	50	19
Jackson	198	-	-	2	50	21	14	2	4	1	2	6	3	96	67	-	-	56	11
Jasper	377	-	-	-	99	22	27	10	11	4	8	17	4	188	146	-	-	115	31
Newton	183	-	-	-	53	7	17	4	8	1	4	12	3	87	70	-	-	58	12
Balance of county	194	-	-	-	46	15	10	6	3	3	4	5	1	101	76	-	-	57	19
Jefferson	177	-	-	-	33	10	8	1	2	2	3	7	1	105	78	-	5	58	15
Johnson	452	-	-	2	106	25	24	8	13	5	3	30	8	217	160	1	6	126	27
Iowa City	276	-	-	1	60	17	16	7	5	2	1	12	5	137	91	1	4	72	14
Balance of county	176	-	-	1	48	8	8	1	8	3	2	10	3	80	69	-	2	54	13
Jones	179	-	-	1	33	6	10	5	2	1	1	8	4	91	65	-	2	45	18
Keokuk	186	1	-	-	37	11	12	3	6	1	-	4	2	83	72	-	1	49	22
Kossuth	219	-	-	4	44	19	9	2	6	2	-	6	5	111	89	1	1	72	15
Lee	462	-	-	4	92	28	23	4	13	6	3	15	4	240	182	-	6	141	35
Fort Madison	169	-	-	2	38	13	7	3	4	2	1	8	2	88	71	-	-	63	8
Keokuk	155	-	-	1	32	11	10	1	4	3	-	3	-	71	52	-	5	33	14
Balance of county	138	-	-	1	22	4	6	-	5	1	2	4	2	81	59	-	1	45	13
Linn	1,286	-	-	10	304	69	76	33	34	8	17	67	24	635	479	7	6	338	127
Cedar Rapids	910	-	-	9	228	50	58	27	25	5	11	52	13	453	336	5	5	238	88
Marion	144	-	-	-	31	7	7	3	3	2	1	8	7	71	52	1	-	30	21
Balance of county	232	-	-	1	45	12	11	3	6	1	5	7	4	111	90	1	1	70	18
Louisa	110	-	-	3	26	9	6	-	3	1	2	3	3	51	43	-	1	36	6
Lucas	125	-	-	1	23	6	7	1	4	2	2	1	2	72	61	-	1	46	14
Lyon	121	-	-	-	20	6	6	-	2	1	1	4	2	67	54	-	1	35	18
Madison	160	-	-	2	36	9	13	2	6	2	1	3	-	84	61	-	2	51	8
Mahaska	248	-	-	-	57	11	21	4	5	2	3	11	-	139	87	-	1	61	26
Oskaloosa	137	-	-	-	33	7	11	3	1	1	2	8	-	79	46	-	1	34	13
Balance of county	111	-	-	-	24	4	10	1	4	1	1	3	-	60	39	-	-	27	12
Marion	293	-	-	3	60	18	13	5	8	4	3	9	3	140	109	-	-	88	21
Marshall	439	-	-	4	90	23	25	4	19	2	3	14	7	231	171	-	6	130	35
Marshalltown	320	-	-	3	69	14	22	2	15	2	3	11	4	161	129	-	6	96	27
Balance of county	119	-	-	1	21	9	3	2	4	-	-	3	3	70	42	-	-	34	8
Mills	112	-	-	1	17	3	7	1	3	1	1	1	1	69	52	-	1	41	10
Mitchell	170	-	-	-	32	9	6	2	4	3	1	7	3	96	71	2	-	55	14
Monona	167	-	-	-	30	8	6	5	2	1	2	6	2	97	81	-	1	56	24
Monroe	125	-	-	1	37	14	5	3	3	4	-	8	-	53	43	-	1	36	6
Montgomery	147	-	-	-	28	11	4	2	4	1	1	5	1	85	48	-	-	43	5
Muscatine	361	-	-	10	68	18	21	1	9	3	2	14	9	182	126	1	4	84	37
Muscatine	229	-	-	7	39	12	14	1	5	-	1	6	4	122	85	1	3	53	28
Balance of county	132	-	-	3	29	6	7	-	4	3	1	8	5	60	41	-	1	31	9
O'Brien	196	-	-	2	44	19	7	2	9	-	3	4	2	108	87	2	-	64	21
Osceola	99	-	-	-	19	4	4	1	4	2	1	3	1	58	52	-	-	32	20
Page	253	-	-	1	45	13	16	4	6	-	-	8	6	145	117	1	1	72	43
Palo Alto	150	-	-	1	38	7	10	3	7	1	1	7	1	76	56	-	-	45	11
Plymouth	249	-	-	3	60	12	15	4	5	4	2	18	2	122	83	1	3	64	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	-	13	4	3	3	4	-	1	-	-	1	1	-	9	3	3	2	-	-
Spencer	-	10	4	1	1	2	-	1	-	-	1	-	-	6	3	3	2	-	-
Balance of county	-	3	-	2	2	2	-	-	-	-	-	1	-	3	-	-	-	-	-
Clayton	1	20	3	1	7	10	-	-	3	-	-	1	-	12	5	7	2	-	-
Clinton	1	66	8	6	28	20	8	10	4	-	6	-	5	54	11	8	6	-	-
Clinton	1	46	4	5	20	13	5	5	2	-	4	-	4	37	2	4	3	-	-
Balance of county	-	20	4	1	8	7	3	5	2	-	2	-	1	17	9	4	3	-	-
Crawford	1	10	5	-	6	6	-	2	1	-	1	4	1	13	9	3	2	-	-
Dallas	-	18	5	1	9	15	3	4	2	-	1	2	2	22	6	7	3	-	-
Davis	-	10	4	5	2	4	1	-	3	-	-	-	-	7	1	4	1	-	-
Decatur	-	22	9	1	12	5	-	1	1	-	1	-	2	11	2	2	-	-	-
Delaware	-	15	4	-	8	3	3	-	-	-	2	-	2	4	2	2	5	-	-
Des Moines	2	45	9	1	12	15	1	2	2	-	6	-	-	40	12	5	5	3	-
Burlington	1	28	4	1	8	13	1	2	2	-	1	-	-	28	7	3	4	3	-
Balance of county	1	17	5	-	4	2	-	-	-	-	5	-	-	12	5	2	1	-	-
Dickinson	-	13	4	3	8	5	-	-	-	-	-	1	-	12	-	3	5	-	-
Dubuque	4	63	12	10	15	23	1	7	1	-	7	6	1	60	18	13	12	2	-
Dubuque	3	40	9	7	11	14	1	5	1	-	6	4	1	49	10	12	9	2	-
Balance of county	1	23	3	3	4	9	-	2	-	-	1	2	-	11	8	1	3	-	-
Emmet	2	10	3	1	7	6	-	-	1	-	2	2	-	11	2	3	-	-	-
Fayette	-	29	10	7	11	8	-	4	3	-	2	-	1	12	4	3	3	-	-
Floyd	-	12	5	2	11	7	-	2	-	-	1	2	-	18	5	4	1	-	-
Franklin	-	7	-	-	12	4	3	-	1	-	-	-	1	10	3	3	-	-	-
Fremont	1	7	-	2	3	1	-	-	1	-	-	1	-	8	2	7	-	1	-
Greene	2	11	10	1	5	4	-	-	-	-	-	-	-	9	2	7	3	-	-
Grundy	-	12	1	-	2	6	-	1	1	-	1	1	1	9	2	1	1	-	-
Guthrie	4	19	5	2	7	1	2	1	1	-	2	-	1	14	2	1	2	-	-
Hamilton	2	23	7	2	6	11	-	1	1	-	-	-	1	24	6	6	-	-	-
Hancock	2	18	3	2	7	5	-	2	-	-	2	2	-	7	3	3	1	-	-
Hardin	-	19	-	5	9	6	3	-	1	-	-	-	-	23	2	4	-	-	-
Harrison	-	10	1	4	4	10	-	-	1	-	-	-	-	7	4	9	1	1	-
Henry	1	17	6	3	1	5	-	-	1	-	-	-	1	12	1	5	3	4	-
Howard	-	16	1	-	7	5	1	-	2	-	1	-	3	9	1	3	2	-	-
Humboldt	1	10	4	1	6	7	3	2	-	-	-	-	1	8	4	1	-	-	-
Ida	-	11	2	-	2	4	-	-	1	-	-	1	-	4	3	3	1	-	-
Iowa	2	12	3	2	12	4	-	1	1	-	1	2	-	20	-	1	-	-	-
Jackson	2	22	2	3	11	6	1	2	-	-	1	-	1	11	7	4	2	1	-
Jasper	-	30	4	8	10	14	1	2	3	-	1	1	1	30	9	9	3	2	-
Newton	-	10	2	5	7	6	-	2	2	-	-	1	-	11	3	5	1	1	-
Balance of county	-	20	2	3	3	8	1	-	1	-	1	-	1	19	6	3	2	1	-
Jefferson	1	23	1	2	4	7	1	-	-	-	-	-	4	11	5	4	2	-	-
Johnson	2	33	15	7	16	14	1	6	1	-	7	8	4	35	7	13	4	-	1
Iowa City	2	26	13	5	6	9	-	5	1	-	7	7	2	24	4	7	1	-	-
Balance of county	-	7	2	2	10	5	1	1	-	-	-	1	2	11	3	6	3	-	1
Jones	-	19	2	5	13	2	-	-	1	-	-	-	1	16	7	7	2	1	-
Keokuk	2	11	2	6	10	8	-	1	-	-	1	-	3	17	9	3	1	-	-
Kossuth	1	16	4	1	9	11	1	3	2	-	2	3	-	16	1	4	3	-	-
Lee	1	41	11	5	27	21	1	3	5	-	1	2	3	28	10	16	4	1	-
Fort Madison	-	10	6	1	11	4	1	1	2	-	-	-	2	5	2	7	3	1	-
Keokuk	-	15	2	2	10	11	-	1	3	-	1	2	-	10	7	5	1	-	-
Balance of county	1	16	3	2	6	6	-	1	-	-	-	-	1	13	1	4	-	-	-
Linn	6	107	29	15	43	57	6	10	10	-	10	11	5	102	15	22	13	6	3
Cedar Rapids	6	76	23	12	30	39	5	7	5	-	8	9	2	67	5	12	11	4	3
Marion	-	13	5	1	7	5	-	-	2	-	-	1	1	15	1	3	-	-	-
Balance of county	-	18	1	2	6	13	1	3	3	-	2	1	2	20	9	7	2	2	-
Louisa	1	6	-	1	2	3	-	-	1	-	-	2	-	14	3	1	1	-	-
Lucas	1	8	2	-	5	9	-	-	2	-	-	-	-	6	3	2	-	-	-
Lyon	-	10	3	-	9	5	-	1	1	-	-	-	2	8	1	2	3	-	-
Madison	1	10	10	2	13	4	-	-	1	-	-	-	1	12	3	3	1	-	-
Mahaska	1	44	4	3	9	7	1	1	1	-	-	3	-	12	5	5	7	1	-
Oskaloosa	-	28	2	1	4	4	1	-	1	-	-	1	-	7	1	2	3	1	-
Balance of county	1	16	2	2	5	3	-	1	-	-	-	2	-	5	4	3	4	-	-
Marion	4	17	4	6	9	14	3	2	5	-	1	2	2	30	5	8	6	-	-
Marshall	1	33	20	6	13	22	1	3	3	-	2	2	2	35	9	9	6	-	-
Marshalltown	-	20	10	2	12	19	1	3	3	-	2	-	2	25	6	7	3	-	-
Balance of county	1	13	10	4	1	3	-	-	-	-	-	2	-	10	3	2	3	-	-
Mills	1	14	2	-	5	5	-	1	-	-	1	1	-	7	1	1	2	-	-
Mitchell	-	18	5	2	3	8	-	1	-	-	1	2	2	12	4	2	4	-	-
Monona	1	14	1	-	11	6	1	1	2	-	-	-	1	9	3	4	-	-	-
Monroe	2	7	-	1	7	4	2	-	-	-	1	-	-	12	6	1	-	1	-
Montgomery	-	22	14	1	4	7	-	4	-	-	-	-	-	12	2	1	3	-	-
Muscatine	4	35	12	4	7	14	1	1	2	-	3	4	2	28	15	8	6	-	1
Muscatine	4	23	7	3	5	6	-	1	1	-	3	3	2	18	8	5	5	-	-
Balance of county	-	13	5	1	2	8	1	-	1	-	-	1	-	10	7	3	1	-	1
O'Brien	-	11	8	2	10	4	-	1	2	-	1	-	-	14	3	2	2	-	1
Osceola	1	3	1	1	6	2	-	1	-	-	1	-	-	4	3	4	-	-	-
Page	1	18	4	5	5	7	1	1	1	-	3	2	4	23	4	4	1	-	-
Palo Alto	-	10	10	-	7	7	1	1	-	-	5	-	1	11	1	-	1	-	1
Plymouth	1	26	8	4	9	10	-	2	-	-	-	2	1	23	5	4	3	-	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa-Con.																			
Pocahontas	131	-	-	-	31	15	5	2	2	1	-	6	4	59	49	-	-	45	4
Polk	2,463	1	-	20	570	143	185	30	58	37	17	100	46	1,185	1,015	9	18	704	284
Ankeny	84	-	-	-	18	7	2	2	1	1	-	5	3	29	26	-	-	19	7
Des Moines	1,909	1	-	13	448	109	152	23	46	26	13	79	31	930	793	9	13	556	215
Urbandale	37	-	-	-	10	2	2	-	1	2	-	3	2	19	16	-	1	11	4
West Des Moines	160	-	-	1	26	9	7	3	2	3	1	1	4	89	76	-	1	44	31
Balance of county	273	-	-	6	68	16	22	2	8	5	3	12	6	118	104	-	3	74	27
Pottawattamie	762	-	-	4	155	42	51	8	13	9	8	24	12	405	354	2	10	289	53
Council Bluffs	552	-	-	3	122	31	42	7	12	6	5	19	9	277	248	2	9	205	32
Balance of county	210	-	-	1	33	11	9	1	1	3	3	5	3	128	106	-	1	84	21
Poweshiek	175	-	-	1	33	10	8	5	4	-	2	4	7	89	64	-	1	48	15
Ringgold	73	-	-	-	18	5	3	3	3	1	1	2	-	41	31	-	-	30	1
Sac	178	-	-	-	49	12	18	4	4	1	2	8	1	90	51	-	1	43	7
Scott	1,233	-	-	8	299	85	78	30	27	17	12	50	25	590	476	8	26	328	114
Bettendorf	195	-	-	2	50	19	13	2	6	-	2	8	3	99	71	-	3	49	19
Davenport	898	-	-	6	206	48	59	24	18	16	7	34	19	435	359	8	20	243	88
Balance of county	140	-	-	-	43	18	6	4	3	1	3	8	3	56	46	-	3	38	7
Shelby	161	-	-	-	37	11	5	3	6	4	2	6	1	86	64	-	2	44	18
Sioux	228	-	-	4	48	16	10	6	4	2	4	6	8	104	77	-	-	63	14
Story	398	1	-	5	86	18	15	13	15	3	3	19	6	206	151	2	-	125	24
Ames	166	-	-	1	33	9	4	8	4	-	1	7	2	86	57	1	-	47	9
Balance of county	232	1	-	4	53	9	11	5	11	3	2	12	4	120	94	1	-	78	15
Tama	202	-	-	3	45	13	11	8	5	1	-	7	6	94	70	-	7	47	16
Taylor	126	-	-	-	20	10	2	1	-	-	1	6	2	65	51	-	1	41	9
Union	180	-	-	1	38	10	9	2	4	2	3	8	6	94	64	2	6	25	31
Van Buren	123	-	-	1	22	8	2	3	1	4	-	4	3	75	56	-	4	40	12
Wapello	487	-	-	9	112	23	33	12	11	2	4	27	5	254	197	2	6	137	52
Ottumwa	386	-	-	8	92	17	29	12	9	2	3	20	4	200	156	1	5	107	43
Balance of county	101	-	-	1	20	6	4	-	2	-	1	7	1	54	41	1	1	30	9
Warren	230	-	-	2	40	12	12	3	4	2	1	6	5	126	102	3	2	77	20
Indianola	92	-	-	1	19	5	6	2	1	-	1	4	2	46	36	-	-	20	16
Balance of county	138	-	-	1	21	7	6	1	3	2	-	2	3	80	66	3	2	57	4
Washington	226	-	-	-	46	9	10	4	8	2	-	13	3	133	104	1	3	81	19
Wayne	129	-	-	3	26	6	7	2	2	6	2	1	2	66	56	1	-	35	20
Webster	486	-	-	4	104	28	22	12	14	4	5	19	10	255	185	1	2	124	58
Fort Dodge	363	-	-	3	83	23	18	11	10	4	5	12	8	186	130	1	2	86	41
Balance of county	123	-	-	1	21	5	4	1	4	-	-	7	2	69	55	-	-	38	17
Winnebago	138	-	-	1	29	9	7	4	4	1	-	4	2	76	61	1	2	48	10
Winneshiek	224	-	-	1	49	14	7	4	9	4	3	8	6	114	82	1	1	65	15
Woodbury	971	-	-	5	218	52	56	27	31	4	12	36	26	505	378	4	12	305	57
Sioux City	805	-	-	3	174	41	50	20	21	4	9	29	22	424	321	3	12	260	46
Balance of county	166	-	-	2	44	11	6	7	10	-	3	7	4	81	57	1	-	45	11
Worth	108	-	-	-	22	7	6	3	2	-	-	4	2	60	45	-	1	33	11
Wright	177	-	-	-	42	14	5	6	4	2	3	8	4	104	82	-	1	74	7
Kansas	21,931	5	-	202	4,596	1,155	1,207	367	597	183	209	858	385	10,795	8,332	64	173	6,157	1,938
Urban places	10,869	2	-	104	2,457	639	634	218	297	105	109	455	186	5,089	3,939	33	101	2,897	908
Balance of area	11,062	3	-	98	2,139	516	573	169	300	78	100	403	199	5,706	4,393	31	72	3,260	1,030
Metropolitan counties	8,488	1	-	88	1,948	477	522	163	224	79	91	372	134	3,884	3,022	30	76	2,162	754
Urban places	6,757	1	-	69	1,562	391	412	151	175	68	71	294	111	3,079	2,394	22	64	1,695	613
Balance of area	1,731	-	-	19	386	86	110	32	49	11	20	78	23	805	628	8	12	467	141
Nonmetropolitan counties	13,443	4	-	114	2,648	678	685	204	373	104	118	486	251	6,911	5,310	34	97	3,995	1,184
Urban places	4,112	1	-	35	895	248	222	67	122	37	38	161	75	2,010	1,545	11	37	1,202	295
Balance of area	9,331	3	-	79	1,753	430	463	137	251	67	80	325	176	4,901	3,765	23	60	2,793	889
Allen	183	-	-	2	26	9	6	2	3	3	-	1	3	105	80	-	3	42	35
Anderson	131	-	-	1	28	9	7	1	4	-	3	4	4	69	63	-	4	35	24
Atchison	212	-	-	2	51	11	16	6	8	2	-	8	3	107	83	-	1	54	28
Atchison	146	-	-	2	34	7	12	5	3	2	-	5	2	72	52	-	1	32	19
Balance of county	66	-	-	-	17	4	4	1	5	-	-	3	1	35	31	-	-	22	9
Barber	85	-	-	-	18	2	5	2	4	-	1	4	4	40	27	-	-	19	8
Barton	308	-	-	3	58	20	15	4	5	2	1	11	10	172	146	1	5	128	12
Great Bend	162	-	-	-	31	8	10	4	3	1	1	4	8	79	67	1	3	57	6
Balance of county	146	-	-	3	27	12	5	-	2	1	-	7	2	93	79	-	2	71	6
Bourbon	249	-	-	3	48	12	12	7	4	2	2	9	3	132	95	-	-	73	22
Brown	174	-	-	1	21	4	8	3	2	-	3	1	4	105	77	-	2	62	13
Butler	360	-	-	-	84	15	22	2	12	3	7	23	6	167	132	1	1	100	30
El Dorado	138	-	-	-	36	5	7	1	5	2	3	13	3	64	46	-	1	38	7
Balance of county	222	-	-	-	48	10	15	1	7	1	4	10	3	103	88	1	-	62	23
Chase	40	-	-	-	7	1	1	1	2	1	-	1	-	22	14	-	-	6	8
Chautauqua	61	-	-	2	16	6	6	-	1	1	1	3	1	40	31	1	-	26	2
Cherokee	275	-	-	3	52	12	14	6	8	2	1	9	5	160	134	1	1	82	40
Cheyenne	49	-	-	-	7	2	1	-	1	1	-	2	1	27	21	-	-	16	5
Clark	42	-	-	1	7	1	-	1	1	1	-	3	-	22	13	-	1	9	3
Clay	131	-	-	1	21	8	2	-	7	-	-	4	5	73	56	1	-	46	9
Cloud	165	-	-	-	31	3	7	3	8	1	2	7	1	91	66	-	1	59	6
Coffey	102	-	-	3	16	2	8	1	4	-	-	1	1	57	43	1	1	18	23
Comanche	41	-	-	-	5	1	1	-	3	-	-	-	1	24	17	-	-	13	4
Cowley	435	1	-	3	81	24	22	6	12	4	1	12	6	237	185	-	1	146	38
Arkansas City	181	-	-	2	35	12	12	-	4	-	-	7	5	110	86	-	1	69	16
Winfield	153	-	-	1	28	7	5	5	6	2	1	2	1	77	56	-	-	40	16
Balance of county	101	1	-	-	18	5	5	1	2	2	-	3	-	50	43	-	-	37	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa-Con.																			
Pocahontas	-	7	2	1	13	8	1	-	-	-	-	1	-	11	3	-	-	-	-
Polk	3	119	19	29	63	93	6	32	18	1	14	26	17	210	44	50	47	13	7
Ankeny	-	1	1	1	4	2	-	1	1	-	3	-	1	10	7	2	2	1	-
Des Moines	3	94	17	23	47	70	6	29	14	1	8	22	14	159	26	38	35	11	6
Urbandale	-	2	-	1	1	1	-	-	-	-	-	-	-	1	2	-	1	-	-
West Des Moines	-	11	1	1	4	7	-	-	-	-	1	2	-	17	2	3	3	-	1
Balance of county	-	11	-	3	7	13	-	2	3	-	2	2	2	23	7	7	6	1	-
Pottawattamie	1	39	5	6	19	21	3	6	5	-	6	6	3	64	21	15	11	4	2
Council Bluffs	-	20	3	6	16	16	2	6	3	-	3	5	3	51	15	11	5	3	2
Balance of county	1	19	2	-	3	5	1	-	2	-	3	1	-	13	6	4	6	1	-
Poweshiek	-	11	11	3	4	7	-	-	-	-	-	-	5	17	2	5	4	-	1
Ringgold	1	7	1	1	1	-	-	-	1	-	-	1	-	7	3	1	-	-	-
Sac	3	24	10	2	4	6	-	2	1	-	2	2	-	13	3	4	-	-	1
Scott	5	76	24	9	40	46	2	13	6	-	6	12	3	69	33	24	28	6	3
Bettendorf	1	19	6	2	5	7	-	1	1	-	2	1	-	11	5	-	5	2	1
Davenport	4	49	16	7	31	32	2	9	5	-	4	9	3	73	22	19	17	4	2
Balance of county	-	8	2	-	4	7	-	3	-	-	-	2	-	5	6	5	6	-	-
Shelby	-	17	3	2	5	4	-	2	3	-	-	-	1	7	6	6	2	-	1
Sioux	-	21	3	3	12	6	-	2	1	-	3	3	3	23	4	5	2	-	-
Story	4	38	6	7	12	6	2	4	2	1	3	4	5	32	6	14	3	-	-
Ames	2	18	5	4	5	3	-	3	1	-	-	2	4	15	4	5	2	-	-
Balance of county	2	20	1	3	7	3	2	1	1	1	3	2	1	17	2	9	1	-	-
Tama	-	21	2	1	5	8	1	2	4	-	-	-	1	19	8	1	5	-	-
Taylor	-	9	5	-	2	12	1	1	2	-	-	-	1	12	5	1	2	-	-
Union	-	27	2	1	12	8	-	1	-	-	-	-	-	14	-	4	1	1	-
Van Buren	-	17	1	1	2	4	-	-	-	-	-	1	-	9	1	1	4	-	-
Wapello	2	44	5	6	11	15	1	8	3	-	3	5	2	31	5	15	7	1	-
Ottumwa	2	33	3	6	10	11	1	4	2	-	3	3	2	29	4	8	4	1	-
Balance of county	-	11	2	-	1	4	-	4	1	-	-	2	-	2	1	7	3	-	-
Warren	1	11	8	4	5	11	1	2	3	-	1	1	-	16	6	9	1	-	1
Indianola	-	4	4	2	1	5	-	1	-	-	1	1	-	9	2	2	1	-	1
Balance of county	1	7	4	2	4	6	1	1	3	-	-	-	-	7	4	7	-	-	-
Washington	-	18	10	1	9	4	-	1	1	-	-	2	-	15	4	5	3	-	-
Wayne	-	8	2	-	8	7	2	-	1	-	1	-	1	6	3	3	-	-	-
Webster	2	48	14	6	14	20	3	6	1	1	2	2	1	36	12	10	3	2	-
Fort Dodge	1	39	12	4	9	16	3	8	1	1	2	1	1	27	7	5	2	2	-
Balance of county	1	9	2	2	5	4	-	-	-	-	-	1	-	9	5	5	1	-	-
Winnebago	-	12	3	-	3	3	1	-	1	-	2	-	-	8	7	4	1	-	-
Winneshiek	1	23	4	4	12	7	1	1	1	-	1	-	2	18	7	2	2	-	-
Woodbury	9	102	6	10	16	42	2	9	4	1	6	8	5	61	21	24	10	6	2
Sioux City	7	81	5	10	15	36	-	9	3	1	3	5	5	53	18	18	9	5	2
Balance of county	2	21	1	-	1	6	2	-	1	-	3	3	-	8	3	6	1	1	-
Worth	-	13	1	1	7	3	1	2	1	-	-	-	-	7	1	1	1	-	-
Wright	3	15	1	3	3	4	-	1	2	-	1	1	3	9	3	-	-	-	-
Kansas	79	1,761	367	258	668	884	70	174	229	4	142	179	353	1,837	455	508	296	129	20
Urban places	42	853	139	116	272	430	37	98	116	3	89	114	232	916	189	246	175	99	15
Balance of area	37	908	228	140	396	454	33	76	113	1	53	65	121	921	266	262	121	30	5
Metropolitan counties	36	618	113	95	205	326	29	81	84	2	71	90	204	708	174	195	166	85	13
Urban places	25	509	83	68	156	257	26	65	70	2	54	77	179	563	119	156	124	74	13
Balance of area	11	109	30	27	49	69	3	16	14	-	17	13	25	145	55	39	42	11	-
Nonmetropolitan counties	43	1,143	254	161	463	558	41	93	145	2	71	89	149	1,129	281	313	130	44	7
Urban places	17	344	56	48	116	173	11	33	46	1	35	37	53	353	70	90	51	25	2
Balance of area	26	799	198	113	347	385	30	60	99	1	36	52	96	776	211	223	79	19	5
Allen	1	21	2	1	5	11	1	1	4	-	1	2	1	15	3	2	1	-	-
Anderson	-	5	1	-	4	7	1	1	3	-	-	-	2	4	6	1	-	-	-
Atchison	3	20	1	-	-	10	-	-	4	-	1	-	1	17	5	4	4	3	-
Atchison	1	18	1	-	-	8	-	-	4	-	1	-	-	12	2	2	4	3	-
Balance of county	2	2	-	-	-	2	-	-	-	-	-	-	1	5	3	2	-	-	-
Barber	-	7	5	1	3	2	-	1	1	-	-	1	3	7	2	1	2	-	-
Barton	1	14	4	7	7	11	-	1	2	1	3	-	-	12	11	8	7	2	-
Great Bend	1	8	1	2	5	9	-	1	-	1	1	-	-	8	7	4	6	2	-
Balance of county	-	6	3	5	2	2	-	-	2	-	2	-	-	4	4	4	1	-	-
Bourbon	-	29	4	4	6	12	2	1	2	-	2	-	9	21	4	3	1	-	-
Brown	-	13	14	1	6	8	-	3	2	-	-	3	1	10	5	3	1	-	1
Butler	3	23	5	4	7	17	-	7	4	-	4	1	3	25	14	10	9	2	-
El Dorado	-	15	3	-	4	6	-	4	2	-	-	-	2	8	3	3	2	1	-
Balance of county	3	8	2	4	3	11	-	3	2	-	4	1	1	17	11	7	7	1	-
Chase	-	3	5	-	1	3	-	-	-	-	-	-	-	5	1	-	-	1	-
Chautauqua	1	5	3	-	2	3	-	-	2	-	-	-	-	7	1	4	-	1	-
Cherokee	2	21	2	1	8	8	-	3	4	-	1	1	1	21	7	1	-	-	-
Cheyenne	-	4	1	1	-	1	-	1	1	-	-	-	-	5	-	3	3	-	-
Clark	-	7	-	2	-	2	-	-	-	-	1	-	1	6	1	-	-	1	-
Clay	-	12	4	1	5	4	-	1	1	-	-	-	2	13	3	2	-	-	-
Cloud	1	15	7	2	10	6	1	3	-	-	-	1	-	10	6	4	1	-	-
Coffey	-	11	-	3	3	4	2	-	1	-	2	-	-	5	2	5	1	-	-
Comanche	1	2	4	-	-	1	-	-	-	-	-	1	-	7	-	-	1	1	-
Cowley	5	31	11	5	12	13	-	5	5	-	5	1	6	35	10	11	3	-	1
Arkansas City	4	12	7	1	3	5	-	1	1	-	-	-	2	9	3	2	2	-	1
Winfield	1	13	4	3	2	3	-	2	3	-	4	-	1	20	3	7	1	-	-
Balance of county	-	6	-	1	7	5	-	2	1	-	1	1	3	6	4	2	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Crawford	519	-	-	5	114	40	21	6	15	5	7	20	6	274	231	2	5	179	45
Pittsburg	246	-	-	3	65	23	10	4	9	4	4	11	4	126	107	1	3	87	16
Balance of county	273	-	-	2	49	17	11	2	6	1	3	9	2	148	124	1	2	92	29
Decatur	42	-	-	-	12	2	3	-	3	-	-	4	-	19	14	-	-	14	-
Dickinson	256	-	-	-	41	14	13	3	2	1	-	8	6	145	106	-	6	78	22
Doniphan	99	-	-	-	24	2	8	1	5	2	1	5	3	47	34	-	-	23	11
Douglas	364	-	-	7	72	20	19	6	16	1	1	9	6	158	123	1	2	82	38
Lawrence	258	-	-	5	56	17	15	4	13	1	1	5	4	107	87	1	2	54	30
Balance of county	106	-	-	2	16	3	4	2	3	-	-	4	2	51	36	-	-	28	8
Edwards	50	-	-	-	9	1	1	4	-	2	-	1	3	23	19	-	-	18	1
Elk	75	-	-	-	16	1	7	2	1	1	-	4	3	36	32	-	-	29	3
Ellis	201	-	-	1	35	9	6	1	6	2	1	10	5	94	72	-	-	59	13
Hays	122	-	-	1	21	6	4	1	1	2	-	7	2	55	43	-	-	33	10
Balance of county	79	-	-	-	14	3	2	-	5	-	1	3	3	39	29	-	-	26	3
Ellsworth	104	-	-	-	16	2	4	2	4	1	-	3	1	56	42	-	-	28	14
Finney	151	-	-	4	28	8	9	-	2	2	2	5	6	67	49	1	1	37	10
Garden City	135	-	-	3	26	8	7	-	2	2	2	5	6	60	43	1	1	33	8
Balance of county	16	-	-	1	2	-	2	-	-	-	-	-	-	7	6	-	-	4	2
Ford	209	-	-	2	43	16	10	2	7	1	-	7	8	102	83	1	2	70	10
Dodge City	144	-	-	1	35	13	7	1	7	1	-	8	5	68	50	1	1	43	5
Balance of county	65	-	-	1	8	3	3	1	-	-	-	1	3	36	33	-	1	27	5
Franklin	254	-	-	6	52	16	15	4	9	2	-	6	1	126	93	-	-	75	18
Ottawa	140	-	-	-	28	7	8	2	6	-	-	5	-	74	58	-	-	51	7
Balance of county	114	-	-	6	24	9	7	2	3	2	-	1	1	52	35	-	-	24	11
Geary	204	-	-	2	37	10	10	2	3	1	2	9	3	90	67	1	1	43	22
Junction City	163	-	-	2	30	9	9	2	2	1	2	5	3	73	55	1	1	36	17
Balance of county	41	-	-	-	7	1	1	-	1	-	-	4	-	17	12	-	-	7	5
Gove	30	-	-	-	5	3	1	1	-	-	-	-	2	17	14	-	1	5	8
Graham	53	-	-	1	12	3	2	-	3	1	-	3	1	23	18	-	-	14	4
Grant	43	-	-	-	8	1	4	-	1	-	-	2	1	20	19	-	1	17	1
Gray	47	-	-	1	12	3	3	1	2	-	-	3	-	18	14	-	-	9	5
Greeley	13	-	-	-	2	-	1	-	1	-	-	-	-	7	5	-	-	5	-
Greenwood	146	-	-	-	25	4	9	1	2	3	-	6	1	82	71	-	1	63	7
Hamilton	26	-	-	-	5	-	1	-	3	-	1	-	1	11	10	1	-	7	2
Harper	123	-	-	-	25	6	4	3	4	1	-	7	3	64	39	1	-	31	7
Harvey	252	-	-	1	65	14	12	6	13	3	3	14	4	123	104	1	1	81	21
Newton	152	-	-	1	43	7	9	5	7	2	3	10	3	66	53	-	-	45	8
Balance of county	100	-	-	-	22	7	3	1	6	1	-	4	1	57	51	1	1	36	13
Haskell	21	-	-	-	2	1	1	-	-	-	-	-	-	12	12	1	1	10	-
Hodgeman	37	-	-	1	5	3	2	-	-	-	-	-	1	23	18	-	1	11	6
Jackson	126	-	-	2	21	2	9	3	3	2	-	2	6	72	48	-	-	35	13
Jefferson	163	-	-	2	31	8	9	1	5	-	1	7	-	71	53	-	1	40	12
Jewell	87	-	-	-	14	5	7	-	1	1	-	-	4	51	39	-	1	27	11
Johnson	1,586	-	-	17	388	107	94	45	40	14	16	70	17	708	564	7	14	411	132
Leawood	103	-	-	-	22	7	5	4	3	-	1	2	1	50	40	1	-	31	8
Lenexa	102	-	-	2	17	4	7	2	-	-	1	3	-	48	42	-	1	24	17
Merriam	72	-	-	-	20	5	6	3	2	2	1	1	1	27	22	-	-	17	5
Olathe	164	-	-	2	32	15	9	3	1	1	-	3	2	70	57	1	2	42	12
Overland Park	453	-	-	7	112	30	23	14	5	5	6	29	7	199	158	1	5	117	35
Prairie Village	168	-	-	2	46	14	10	6	5	-	2	9	2	63	48	-	2	40	6
Shawnee	122	-	-	-	38	12	6	3	11	1	-	5	1	48	35	1	-	23	11
Balance of county	412	-	-	4	99	20	28	10	13	5	5	18	3	203	162	3	4	117	38
Kearny	28	-	-	-	2	-	2	-	-	-	-	-	-	14	8	-	-	8	-
Kingman	107	-	-	-	14	6	5	-	2	-	-	1	3	47	36	-	-	30	6
Kiowa	47	-	-	-	5	2	-	-	2	-	1	-	1	25	21	-	-	16	5
Labette	311	-	-	2	65	20	17	6	6	2	1	13	2	163	130	-	3	88	39
Parsons	182	-	-	2	37	13	10	2	4	2	1	5	1	93	73	-	3	43	27
Balance of county	129	-	-	-	28	7	7	4	2	-	-	8	1	70	57	-	-	45	12
Lane	31	-	-	-	7	1	3	-	1	-	1	1	1	15	8	-	-	5	3
Leavenworth	431	-	-	3	83	20	25	7	6	3	5	17	14	197	157	2	3	123	29
Leavenworth	282	-	-	1	55	12	18	5	3	1	3	13	8	138	114	1	2	93	18
Balance of county	149	-	-	2	28	8	7	2	3	2	2	4	6	59	43	1	1	30	11
Lincoln	58	-	-	-	15	4	2	-	1	1	2	5	1	29	27	-	-	17	10
Linn	120	-	-	1	24	7	8	2	2	2	1	2	-	60	43	-	-	33	10
Logan	35	-	-	2	7	2	1	1	1	-	1	1	1	15	14	-	-	11	3
Lyon	300	1	-	2	52	8	9	4	12	5	1	13	7	158	115	1	7	79	28
Emporia	212	1	-	2	32	5	6	1	7	3	-	10	4	116	83	-	7	57	19
Balance of county	88	-	-	-	20	3	3	3	5	2	1	3	3	42	32	1	-	22	9
McPherson	254	-	-	-	52	20	7	2	8	1	-	14	2	139	99	1	1	88	11
McPherson	93	-	-	-	23	10	3	1	5	1	-	3	2	47	29	-	-	23	6
Balance of county	161	-	-	-	29	10	4	1	3	-	-	11	-	92	70	1	1	63	5
Marion	141	-	-	4	34	9	6	3	3	1	2	10	3	65	60	-	1	39	20
Marshall	170	-	-	1	34	11	9	2	3	1	2	6	6	92	78	-	1	62	15
Meade	48	-	-	-	6	2	3	1	-	-	-	-	1	25	21	-	-	15	6
Miami	227	-	-	3	48	10	19	3	6	-	4	6	3	109	90	2	1	73	14
Mitchell	97	-	-	1	23	4	10	2	3	1	2	1	1	40	26	-	-	17	9
Montgomery	542	-	-	6	107	26	26	12	17	7	5	14	6	293	213	-	11	159	43
Coffeyville	204	-	-	4	42	12	8	4	6	3	1	8	2	110	88	-	4	69	15
Independence	158	-	-	2	32	7	8	5	5	1	3	3	2	86	59	-	4	51	4
Balance of county	180	-	-	-	33	7	10	3	6	3	1	3	2	97	66	-	3	39	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Crawford	1	36	2	4	18	25	2	3	4	-	2	3	8	40	5	3	7	-	-
Pittsburg	1	16	-	2	3	11	1	2	2	-	1	-	5	17	3	-	3	-	-
Balance of county	-	20	2	2	15	14	1	1	2	-	1	3	3	23	2	3	4	-	-
Decatur	-	2	1	2	3	2	-	-	1	-	-	-	-	4	-	1	-	-	-
Dickinson	1	22	15	1	5	12	1	1	1	-	-	1	4	29	4	5	1	-	-
Doniphan	-	12	1	-	6	2	-	-	-	-	1	-	2	10	2	1	-	1	-
Douglas	1	23	5	6	12	13	3	4	2	-	1	3	23	37	6	8	6	3	-
Lawrence	1	13	3	3	10	9	3	2	2	-	-	3	20	23	4	4	3	3	-
Balance of county	-	10	2	3	2	4	-	2	-	-	1	-	3	14	2	4	3	-	-
Edwards	1	2	1	-	-	1	-	1	-	-	-	1	-	5	3	4	-	-	-
Elk	-	4	-	-	1	3	1	1	2	-	-	-	-	6	2	3	-	1	-
Ellis	-	15	1	6	8	9	1	3	3	-	1	1	1	30	2	4	3	-	-
Hays	-	8	-	4	3	7	1	3	2	-	1	-	1	20	1	3	1	-	-
Balance of county	-	7	1	2	5	2	-	-	1	-	-	1	-	10	1	1	2	-	-
Ellsworth	1	11	1	1	10	3	1	-	1	-	-	-	5	8	-	-	3	-	-
Finney	-	13	3	2	2	6	-	1	4	-	3	4	3	9	5	4	3	2	-
Garden City	-	12	3	2	1	6	-	1	4	-	3	4	2	7	4	3	3	2	-
Balance of county	-	1	-	-	1	-	-	-	-	-	-	-	1	2	1	1	-	-	-
Ford	-	15	4	-	5	6	1	2	1	-	2	3	2	15	6	4	4	3	-
Dodge City	-	12	4	-	2	4	-	2	1	-	2	1	1	12	4	1	4	3	-
Balance of county	-	3	-	-	3	2	1	-	-	-	-	2	1	3	2	3	-	-	-
Franklin	2	19	7	5	8	8	1	1	1	-	2	-	4	23	9	8	3	-	1
Ottawa	1	10	3	2	4	7	-	1	1	-	2	-	4	11	1	6	1	-	-
Balance of county	1	9	4	3	4	1	1	-	-	-	-	-	-	12	8	2	2	-	1
Geary	1	11	7	4	4	12	-	1	2	-	2	10	3	23	7	5	3	-	-
Junction City	1	10	5	2	4	10	-	1	2	-	1	8	2	22	1	3	1	-	-
Balance of county	-	1	2	2	-	2	-	-	-	-	1	2	1	1	6	2	2	-	-
Gove	-	1	1	1	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-
Graham	-	5	-	-	3	-	-	-	-	-	-	1	1	6	1	1	3	-	-
Grant	-	1	-	-	3	1	-	1	1	-	-	-	-	2	2	2	1	1	-
Gray	-	2	-	2	2	1	-	1	-	-	1	-	1	7	2	1	-	-	-
Greeley	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
Greenwood	-	8	2	1	6	9	1	-	2	-	-	1	1	10	2	3	2	1	-
Hamilton	-	-	-	1	-	-	-	-	-	-	1	-	-	7	-	1	-	-	-
Harper	-	21	3	1	5	6	1	-	3	-	-	1	-	12	-	3	-	-	-
Harvey	1	14	3	1	10	8	-	1	2	-	1	2	-	22	5	6	2	-	-
Newton	1	9	2	1	6	5	-	1	2	-	1	2	-	12	3	5	2	-	-
Balance of county	-	5	1	-	4	3	-	-	-	-	-	-	-	10	2	1	-	-	-
Haskell	-	-	-	-	2	1	-	-	1	-	-	-	-	3	-	-	-	-	-
Hodgeman	1	3	-	1	-	2	-	1	-	-	-	-	1	1	2	-	-	-	-
Jackson	-	19	3	2	2	5	-	1	2	-	-	1	2	6	3	1	2	-	-
Jefferson	1	11	4	2	7	8	-	1	2	-	1	3	3	21	7	4	1	1	-
Jewell	1	6	5	-	5	3	1	-	1	-	-	-	-	4	1	2	1	-	-
Johnson	8	107	16	13	31	65	4	10	14	-	14	16	23	149	40	42	48	12	-
Leawood	2	7	-	1	1	6	-	1	-	-	-	-	-	12	2	5	2	1	-
Lenexa	-	5	1	-	2	6	-	1	-	-	2	1	1	13	2	1	3	3	-
Merriam	1	2	2	-	2	2	1	1	-	-	-	3	1	6	3	3	1	1	-
Olathe	-	11	2	-	4	2	-	-	-	-	2	3	2	20	11	4	8	2	-
Overland Park	1	35	3	2	7	22	-	3	8	-	4	3	6	38	7	15	12	3	-
Prairie Village	1	9	3	2	1	10	1	3	1	-	-	-	3	24	4	3	5	-	-
Shawnee	2	10	1	-	2	2	-	-	1	-	3	4	4	8	2	3	5	1	-
Balance of county	1	28	4	8	12	15	2	1	4	-	3	2	6	28	9	8	12	1	-
Kearny	-	6	-	-	4	2	-	-	-	-	-	-	-	4	1	1	-	-	-
Kingman	-	9	-	2	10	5	1	1	4	1	-	-	1	10	4	6	-	-	-
Kiowa	1	1	-	2	2	4	-	-	-	-	-	-	-	4	-	5	-	-	1
Labette	1	24	2	6	12	9	-	3	3	-	2	4	3	26	4	8	4	1	-
Parsons	1	17	-	2	8	4	-	3	2	-	1	3	1	18	1	4	3	1	-
Balance of county	-	7	2	4	4	5	-	-	1	-	1	1	2	8	3	4	1	-	-
Lane	-	7	-	-	-	1	-	-	-	-	-	-	-	2	1	4	-	-	-
Leavenworth	2	28	3	7	8	24	3	3	6	-	2	2	7	45	13	13	2	5	1
Leavenworth	2	17	1	4	6	15	3	3	4	-	1	2	4	28	5	6	1	2	-
Balance of county	-	11	2	3	2	9	-	-	2	-	1	-	3	17	8	7	1	3	1
Lincoln	-	2	-	-	2	5	-	1	1	-	-	-	-	2	2	-	-	-	-
Linn	1	12	4	-	5	4	-	1	3	-	-	2	1	6	7	5	1	-	-
Logan	-	1	-	-	-	1	-	-	-	-	-	-	1	5	2	-	1	-	-
Lyon	-	38	2	3	10	15	2	2	2	-	4	2	5	20	8	5	4	1	-
Emporia	-	28	2	3	9	11	2	1	1	-	4	1	5	12	5	2	3	1	-
Balance of county	-	10	-	-	1	4	-	1	1	-	-	1	-	8	3	3	1	-	-
McPherson	-	33	2	5	10	8	-	2	2	-	2	3	1	23	3	4	3	-	-
McPherson	-	14	-	4	4	-	-	2	-	-	1	1	1	6	1	3	2	-	-
Balance of county	-	19	2	1	6	8	-	-	2	-	1	2	-	17	2	1	1	-	-
Marion	-	3	1	1	10	1	2	1	-	-	1	1	3	11	-	3	2	-	-
Marshall	1	10	2	1	8	11	1	1	2	-	1	-	1	6	3	-	3	-	-
Meade	-	2	1	1	2	2	-	1	-	-	-	1	-	4	5	1	-	-	-
Miami	-	13	3	3	6	11	2	-	4	-	4	4	1	20	7	2	3	-	-
Mitchell	1	5	8	-	2	4	-	1	-	-	2	-	-	15	-	8	-	-	-
Montgomery	-	66	10	4	25	19	3	1	5	-	2	4	11	28	8	13	6	5	-
Coffeyville	-	19	2	1	12	6	-	-	-	-	1	3	4	9	1	7	1	2	-
Independence	-	21	4	2	2	5	1	-	3	-	1	-	4	12	1	2	2	3	-
Balance of county	-	26	4	1	11	8	2	1	2	-	-	1	3	7	6	4	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-089, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Morris	102	-	-	-	19	5	5	1	2	2	2	2	1	56	40	1	3	27	9
Morton	35	-	-	-	3	2	-	-	-	-	-	1	-	22	16	-	-	11	5
Nemaha	142	-	-	5	18	3	2	2	4	1	1	5	2	71	42	-	-	28	14
Neosho	246	-	-	4	47	10	22	1	4	1	1	8	2	123	100	-	4	65	31
Chanute	136	-	-	1	25	8	9	-	2	1	1	4	-	67	51	-	2	40	9
Balance of county	110	-	-	3	22	2	13	1	2	-	-	4	2	56	49	-	2	25	22
Ness	51	-	-	1	10	4	2	-	-	1	-	3	6	16	12	-	-	9	3
Norton	94	-	-	-	19	7	4	-	1	-	2	5	4	50	35	-	1	31	3
Osage	186	-	-	2	38	8	12	2	7	1	1	7	8	95	73	1	3	53	16
Osborne	109	-	-	-	20	5	4	3	3	1	1	3	2	63	50	1	-	23	26
Ottawa	94	-	-	-	16	2	6	1	2	1	1	3	3	63	51	-	1	30	20
Pawnee	87	-	-	1	18	4	2	-	3	-	1	8	-	50	41	-	1	33	7
Phillips	115	-	-	1	33	9	9	3	2	-	3	7	-	52	36	-	-	26	10
Pottawatomie	150	-	-	3	25	6	4	-	3	1	2	9	1	88	68	-	-	52	16
Manhattan, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	148	-	-	3	25	6	4	-	3	1	2	9	1	87	67	-	-	51	16
Pratt	119	-	-	2	21	4	5	3	3	-	-	6	2	61	49	1	1	37	10
Rawlins	45	-	-	-	11	2	2	3	3	-	1	-	-	22	19	1	-	10	8
Reno	588	-	-	4	137	36	37	6	20	3	7	28	10	281	219	2	4	182	31
Hutchinson	392	-	-	4	93	26	23	2	17	3	4	18	5	181	145	1	2	120	22
Balance of county	196	-	-	-	44	10	14	4	3	-	3	10	5	100	74	1	2	62	9
Republic	112	-	-	1	24	-	9	2	3	1	5	4	3	64	44	-	-	41	3
Rice	138	-	-	1	33	8	4	6	6	1	2	8	1	64	47	-	-	43	4
Riley	268	1	-	1	54	13	14	7	4	3	3	10	1	128	98	1	1	85	11
Manhattan, part	187	-	-	-	37	10	7	4	3	3	2	8	-	89	66	1	-	56	9
Manhattan, total	189	-	-	-	37	10	7	4	3	3	2	8	-	90	67	1	-	57	9
Balance of county	81	1	-	1	17	3	7	3	1	-	1	2	1	39	32	-	1	29	2
Rooks	91	-	-	-	16	4	3	-	3	-	2	4	3	46	38	-	1	32	5
Rush	60	-	-	-	14	5	2	-	3	-	-	4	-	29	20	-	-	19	1
Russell	123	-	-	1	22	3	6	1	4	1	1	6	1	71	55	-	-	42	13
Saline	449	-	-	2	116	34	30	12	15	2	8	15	13	206	150	1	2	115	32
Salina	408	-	-	2	106	30	29	11	14	1	8	13	12	184	137	1	2	104	30
Balance of county	41	-	-	-	10	4	1	1	1	1	-	2	1	22	13	-	-	11	2
Scott	59	-	-	-	8	4	2	-	1	-	-	1	-	28	19	-	-	10	9
Sedgwick	2,830	-	-	27	678	160	181	67	68	30	36	136	38	1,308	1,018	10	21	762	225
Wichita	2,469	-	-	23	579	135	155	59	60	28	31	111	32	1,163	902	9	18	677	198
Balance of county	361	-	-	4	99	25	26	8	8	2	5	25	6	145	116	1	3	85	27
Seward	121	-	-	1	38	8	9	3	6	1	2	9	-	44	32	2	-	21	9
Liberal	112	-	-	1	37	8	8	3	6	1	2	9	-	40	29	2	-	19	8
Balance of county	9	-	-	-	1	-	1	-	-	-	-	-	-	4	3	-	-	2	1
Shawnee	1,323	-	-	12	289	71	73	30	41	15	16	43	29	640	486	3	13	327	143
Topeka	1,151	-	-	11	252	62	64	24	37	15	12	38	28	566	434	2	13	280	139
Balance of county	172	-	-	1	37	9	9	6	4	-	4	5	1	74	52	1	-	47	4
Sheridan	47	-	-	1	3	1	1	-	-	-	-	1	-	32	22	-	-	18	6
Sherman	95	-	-	1	16	3	6	-	5	-	-	2	2	61	46	-	-	29	17
Smith	70	-	-	1	11	3	2	-	3	2	-	1	4	34	30	-	-	19	11
Stafford	88	-	-	-	18	5	1	-	5	2	1	4	2	51	41	1	2	26	12
Stanton	14	-	-	-	3	1	1	-	1	-	-	-	1	4	3	-	-	2	1
Stevens	35	-	-	-	7	4	-	1	-	-	2	-	1	12	10	-	-	9	1
Sumner	285	1	-	1	58	11	16	4	9	4	5	9	6	138	99	1	2	61	35
Thomas	71	-	-	-	11	3	2	2	3	-	-	1	2	37	22	-	-	18	4
Trego	50	-	-	1	6	-	2	2	-	-	-	2	-	28	15	-	-	11	4
Wabaunsee	76	-	-	1	14	1	5	1	1	-	1	5	1	39	28	1	-	22	5
Wallace	14	-	-	-	2	-	1	-	1	-	-	-	-	8	5	-	-	4	1
Washington	115	-	-	3	21	6	5	1	5	1	2	1	2	63	51	-	1	44	6
Wichita	27	-	-	-	6	3	-	3	-	-	-	-	-	9	9	-	-	7	2
Wilson	183	-	-	1	39	13	10	5	3	-	2	6	1	96	77	1	2	68	6
Woodson	57	-	-	-	10	1	2	1	2	-	-	4	1	32	21	-	1	12	8
Wyandotte	1,666	1	-	21	370	88	112	30	35	15	13	77	30	737	573	7	21	367	158
Kansas City	1,557	1	-	17	352	85	105	28	33	13	13	75	30	674	523	6	20	352	145
Balance of county	109	-	-	4	18	3	7	2	2	2	-	2	-	63	50	1	1	35	13
Kentucky	34,224	30	-	319	7,316	1,766	2,236	513	781	304	270	1,446	625	16,801	13,178	98	357	9,137	3,586
Urban places	11,645	9	-	121	2,609	656	755	202	309	114	86	485	227	5,672	4,394	40	166	2,952	1,236
Balance of area	22,579	21	-	198	4,707	1,110	1,481	311	472	190	182	961	398	11,129	8,784	58	191	6,185	2,350
Metropolitan counties	14,561	10	-	160	3,369	836	1,017	261	389	138	113	615	262	6,890	5,363	48	204	3,622	1,489
Urban places	9,059	9	-	103	2,093	524	608	165	256	80	66	382	172	4,321	3,354	31	143	2,230	950
Balance of area	5,502	1	-	57	1,276	312	409	96	133	48	45	233	90	2,569	2,009	17	61	1,392	539
Nonmetropolitan counties	19,663	20	-	159	3,947	930	1,219	252	392	166	157	831	363	9,911	7,815	50	153	5,515	2,097
Urban places	2,586	-	-	18	516	132	147	37	53	24	20	103	55	1,351	1,040	9	23	722	286
Balance of area	17,077	20	-	141	3,431	798	1,072	215	339	142	137	728	308	8,560	6,775	41	130	4,793	1,811
Adair	181	-	-	1	32	7	10	2	3	-	1	9	4	90	74	1	-	54	19
Allen	170	1	-	-	26	7	2	4	5	1	1	6	-	103	76	1	1	52	22
Anderson	117	-	-	2	24	5	10	-	1	-	2	6	5	46	36	-	1	26	11
Ballard	120	-	-	2	19	4	7	1	2	-	-	5	2	51	32	-	-	23	9
Barren	350	1	-	4	81	19	27	5	11	3	5	11	5	168	127	-	8	76	43
Glasgow	164	-	-	1	37	13	10	2	5	1	2	4	5	71	54	-	1	40	13
Balance of county	186	1	-	3	44	6	17	3	6	2	3	7	-	97	73	-	7	36	30
Bath	97	-	-	1	23	3	7	1	3	1	1	7	3	49	39	-	1	24	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Morris	-	10	4	2	4	4	-	2	-	-	-	-	2	10	2	2	-	-	-
Morton	-	3	3	-	1	1	-	-	-	-	-	-	-	2	2	2	-	2	-
Nemaha	-	26	2	1	8	4	1	-	2	-	-	1	-	21	2	7	-	-	-
Neosho	-	18	1	4	13	14	1	1	4	-	1	-	3	15	9	9	-	-	-
Chanute	-	11	1	4	9	7	1	1	1	-	1	-	1	13	3	6	-	-	-
Balance of county	-	7	-	-	4	7	-	-	3	-	-	-	2	2	6	3	-	-	-
Ness	-	2	2	-	-	3	-	-	2	-	1	-	1	7	2	1	1	-	-
Norton	-	6	7	2	3	2	-	-	-	-	-	-	1	13	1	1	-	-	-
Osage	4	8	7	3	5	4	-	2	1	-	1	2	1	12	7	2	4	2	-
Osborne	-	11	2	-	3	2	-	-	-	-	-	-	1	12	1	3	2	-	-
Ottawa	-	9	2	1	2	5	-	1	-	-	-	-	-	3	-	-	1	-	-
Pawnee	-	6	1	2	5	2	-	-	-	-	1	-	1	4	2	2	1	-	-
Phillips	-	7	3	6	5	6	1	2	-	-	-	-	-	10	1	3	-	1	-
Pottawatomie	-	19	1	-	4	9	-	2	-	-	1	-	-	11	4	2	-	-	-
Manhattan, part	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Balance of county	-	19	1	-	4	9	-	2	-	-	-	-	-	11	4	2	-	-	-
Pratt	1	5	5	1	6	4	-	-	1	-	1	-	4	11	2	2	2	-	-
Rawlins	-	2	1	-	-	1	-	2	1	-	-	-	-	4	1	3	-	-	-
Reno	1	46	10	5	17	26	-	4	6	-	3	7	5	55	10	12	6	5	-
Hutchinson	-	25	7	4	11	18	-	4	4	-	2	4	5	40	5	7	4	5	-
Balance of county	1	21	3	1	6	8	-	-	2	-	1	3	-	15	5	5	2	-	-
Republic	-	14	3	3	3	2	-	-	1	-	-	-	1	8	-	4	1	-	-
Rice	1	13	-	3	6	6	-	2	1	-	-	1	3	12	4	4	-	-	-
Riley	1	24	5	-	17	5	-	1	5	-	1	7	6	21	6	4	8	2	-
Manhattan, part	1	20	2	-	12	3	-	1	5	-	-	6	4	18	5	3	4	-	-
Manhattan, total	1	20	2	-	12	3	-	1	5	-	1	6	4	18	5	3	4	-	-
Balance of county	-	4	3	-	5	2	-	-	-	-	1	1	2	3	1	1	4	2	-
Rooks	-	4	2	2	5	5	-	-	1	-	-	1	1	5	2	3	3	-	-
Rush	-	7	-	2	1	5	-	-	-	-	-	1	-	8	-	2	-	-	-
Russell	-	14	1	1	2	7	-	1	1	-	1	2	2	8	-	4	-	-	-
Saline	2	44	4	6	12	23	2	2	2	-	4	2	3	41	6	11	3	1	-
Salina	2	37	4	4	10	23	2	1	2	-	4	2	3	38	5	10	3	1	-
Balance of county	-	7	-	2	2	-	-	1	-	-	-	-	-	3	1	1	-	-	-
Scott	-	9	-	-	-	7	-	-	-	-	-	2	-	9	2	2	1	-	-
Sedgwick	8	211	38	33	52	100	13	32	26	1	35	38	29	238	55	67	58	27	8
Wichita	7	191	32	31	47	87	12	29	23	1	29	33	24	206	42	58	48	25	8
Balance of county	1	20	6	2	5	13	1	3	3	-	6	5	5	32	13	9	10	2	-
Seward	-	7	4	1	-	6	-	3	2	-	1	-	3	10	8	4	-	-	1
Liberal	-	7	3	1	-	6	-	2	2	-	1	-	3	9	6	4	-	-	1
Balance of county	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-
Shawnee	4	112	18	20	41	47	7	12	10	-	6	14	30	108	17	32	20	7	2
Topeka	3	97	16	16	30	37	7	10	9	-	5	14	26	95	11	29	15	4	2
Balance of county	1	15	2	4	11	10	-	2	1	-	1	-	4	13	6	3	5	3	-
Sheridan	-	8	-	2	-	1	-	-	1	-	-	-	-	6	1	2	-	-	-
Sherman	-	8	4	3	2	3	-	-	-	-	-	-	-	5	-	3	2	-	-
Smith	-	3	-	1	4	2	-	-	-	-	-	-	1	10	-	1	-	2	-
Stafford	-	5	1	4	-	6	-	-	1	-	-	-	2	6	-	2	-	-	-
Stanton	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Stevens	-	2	-	-	7	2	1	-	-	-	-	-	-	4	-	-	1	-	-
Sumner	3	29	5	2	6	14	2	5	3	-	2	-	7	30	4	5	2	1	-
Thomas	-	8	7	-	2	1	-	1	3	-	-	-	1	8	2	2	1	-	-
Trego	-	12	-	1	1	2	-	-	4	-	1	2	-	5	-	-	-	-	-
Wabaunsee	-	6	3	2	2	4	-	-	-	-	-	1	-	7	2	4	-	-	1
Wallace	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-
Washington	-	11	1	-	6	3	-	2	2	-	-	-	-	8	1	4	-	-	-
Wichita	-	-	-	-	3	1	-	-	-	-	1	-	-	3	1	2	1	-	-
Wilson	1	12	4	2	10	9	-	2	4	-	-	-	-	15	4	2	-	-	-
Woodson	1	7	-	3	3	1	-	2	1	-	-	-	-	7	-	-	-	-	-
Wyandotte	7	123	20	14	50	72	2	13	25	1	9	13	92	118	28	30	20	31	3
Kansas City	7	114	17	13	46	66	2	11	24	1	9	13	90	110	28	28	20	30	3
Balance of county	-	9	3	1	4	4	-	2	1	-	-	-	2	8	-	2	-	1	-
Kentucky	119	2,805	351	348	952	1,331	93	349	333	3	230	294	231	2,766	817	952	484	274	24
Urban places	59	979	116	124	292	426	27	156	125	-	77	88	81	1,019	156	287	165	100	8
Balance of area	60	1,826	235	224	660	905	66	193	208	3	153	206	150	1,747	661	665	319	174	16
Metropolitan counties	60	1,172	149	146	347	551	40	202	151	2	116	146	103	1,222	269	373	219	117	12
Urban places	48	735	87	97	216	332	24	134	105	-	64	76	66	769	117	215	128	87	8
Balance of area	12	437	62	49	131	219	16	68	46	2	52	70	37	433	152	158	91	30	4
Nonmetropolitan counties	59	1,633	202	202	605	780	53	147	182	1	114	148	128	1,544	548	579	265	157	12
Urban places	11	244	29	27	76	94	3	22	20	-	13	12	15	230	39	72	37	13	-
Balance of area	48	1,389	173	175	529	686	50	125	162	1	101	136	113	1,314	509	507	228	144	12
Adair	1	11	1	3	7	6	1	2	2	-	1	1	2	16	6	9	1	-	-
Allen	-	25	2	-	6	8	1	-	1	-	-	1	1	13	5	2	-	2	-
Anderson	-	6	1	1	5	6	-	2	1	-	1	2	2	12	2	6	-	1	-
Ballard	-	17	1	1	11	5	2	-	3	-	-	-	-	11	6	4	4	-	-
Barren	1	32	6	2	12	11	-	6	1	-	1	1	3	34	6	8	3	5	-
Glasgow	-	15	1	1	7	6	-	4	-	-	-	1	1	19	3	5	3	1	-
Balance of county	1	17	5	1	5	5	-	2	1	-	1	-	2	15	3	3	-	4	-
Bath	-	5	2	3	1	2	-	-	-	-	-	-	1	8	2	7	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Bell	376	1	-	4	76	19	21	8	10	4	1	15	5	180	154	-	2	77	75
Middlesborough	156	-	-	-	34	7	9	3	6	2	1	6	1	84	68	-	1	41	24
Balance of county	220	1	-	4	42	12	12	3	4	2	-	9	4	96	88	-	1	36	51
Boone	294	-	-	3	67	16	26	3	3	3	-	16	5	143	118	1	4	94	19
Florence	132	-	-	1	35	9	11	3	1	2	-	9	1	59	48	-	3	36	9
Balance of county	162	-	-	2	32	7	15	-	2	1	-	7	4	84	70	1	1	58	10
Bourbon	194	-	-	5	44	16	11	3	3	2	-	9	1	89	71	1	1	43	26
Boyd	547	1	-	3	138	48	36	11	11	6	5	21	7	274	227	2	5	162	56
Ashland	361	1	-	3	87	31	19	9	6	1	3	18	3	184	151	2	4	113	32
Balance of county	186	-	-	-	51	17	17	2	5	5	2	3	4	90	76	-	1	49	26
Boyle	240	-	-	4	49	8	20	1	3	1	4	12	4	123	106	2	1	82	21
Danville	146	-	-	3	26	5	10	-	1	-	3	7	3	78	66	1	-	52	13
Balance of county	94	-	-	1	23	3	10	1	2	1	1	5	1	45	40	1	1	30	8
Bracken	94	-	-	1	18	6	3	3	1	1	1	3	1	46	35	-	1	22	12
Breathitt	160	-	-	5	32	5	12	1	5	-	-	9	2	71	56	-	1	42	13
Breckinridge	188	-	-	-	29	5	13	-	3	2	-	6	3	123	90	-	-	70	20
Bullitt	238	-	-	3	56	10	16	4	7	2	3	14	5	101	85	1	2	65	17
Butler	143	-	-	1	34	11	5	2	2	2	3	9	1	73	54	1	-	45	8
Caldwell	176	-	-	3	38	7	18	2	3	-	-	8	2	96	77	-	-	66	11
Calloway	319	1	-	1	79	22	21	2	11	3	4	16	6	172	124	-	2	57	65
Murray	123	-	-	-	32	11	7	1	3	1	2	7	3	66	47	-	1	25	21
Balance of county	196	1	-	1	47	11	14	1	8	2	2	9	3	106	77	-	1	32	44
Campbell	877	1	-	6	214	55	64	15	28	7	6	39	25	441	329	3	8	247	71
Fort Thomas	186	-	-	2	66	22	13	4	10	3	2	12	4	87	69	1	1	54	13
Newport	258	1	-	2	53	9	16	7	4	-	2	15	10	124	89	1	1	70	17
Balance of county	433	-	-	2	95	24	35	4	14	4	2	12	11	230	171	1	6	123	41
Carlisle	75	-	-	-	17	4	4	3	-	1	1	4	1	39	35	-	-	25	10
Carroll	113	-	-	-	15	2	6	1	-	2	2	2	1	60	45	-	-	30	15
Carter	212	-	-	2	38	10	7	5	3	1	2	10	8	106	81	-	1	60	20
Casey	140	2	-	2	21	5	6	-	1	1	-	8	3	67	56	1	-	41	14
Christian	559	1	-	10	99	26	29	9	11	1	6	17	16	261	189	-	5	137	47
Hopkinsville	359	1	-	6	70	21	23	7	6	1	5	7	10	169	117	-	3	84	30
Balance of county	200	-	-	4	29	6	6	2	5	-	1	10	6	92	72	-	2	53	17
Clark	243	1	-	2	54	10	18	4	6	1	4	11	3	134	109	-	7	56	46
Winchester	152	1	-	2	34	7	12	3	3	-	3	6	3	82	69	-	4	41	24
Balance of county	91	-	-	-	20	3	6	1	3	1	1	5	-	52	40	-	3	15	22
Clay	184	-	-	-	42	10	22	1	3	2	-	4	3	81	71	3	-	44	24
Clinton	118	-	-	-	30	3	10	3	2	-	-	12	1	62	47	-	3	34	10
Crittenden	104	-	-	-	18	1	8	1	5	1	-	2	2	60	48	-	-	40	8
Cumberland	104	-	-	1	19	2	6	1	2	1	1	6	1	50	37	-	1	27	9
Daviess	802	-	-	10	174	39	50	7	22	9	8	39	16	374	287	-	6	215	66
Owensboro	604	-	-	5	130	29	41	4	17	8	6	25	12	284	219	-	3	169	47
Balance of county	198	-	-	5	44	10	9	3	5	1	2	14	4	90	68	-	3	46	19
Edmonson	100	-	-	3	18	5	3	-	2	1	1	6	-	45	33	-	1	24	8
Elliott	55	-	-	-	8	2	3	-	1	1	-	1	1	28	24	-	-	12	12
Estill	143	1	-	1	33	10	10	1	2	5	1	4	4	66	54	-	2	37	15
Fayette, coext. with Lexington-Fayette	1,509	1	-	18	357	87	98	36	53	10	13	60	25	689	558	5	27	344	182
Fleming	131	-	-	1	19	6	5	1	2	-	1	4	2	71	57	-	2	43	12
Floyd	438	1	-	5	84	13	27	10	6	6	5	17	13	193	158	-	2	113	43
Franklin	366	-	-	5	75	20	23	5	2	9	4	12	4	195	159	-	4	101	54
Frankfort	262	-	-	4	48	13	15	4	2	5	2	7	4	139	110	-	3	73	34
Balance of county	104	-	-	1	27	7	8	1	-	4	2	5	-	56	49	-	1	28	20
Fulton	137	-	-	1	27	5	8	-	4	1	3	6	1	76	63	1	-	56	6
Gallatin	49	-	-	-	13	3	4	1	-	-	-	5	1	27	23	-	-	18	5
Garrard	117	-	-	1	30	10	6	3	2	-	-	9	-	48	41	-	-	31	10
Grant	111	-	-	-	22	4	7	1	2	1	1	6	6	48	39	-	-	27	12
Graves	425	-	-	3	83	17	28	3	9	4	4	18	11	220	184	2	6	102	74
Mayfield	181	-	-	2	29	8	9	2	3	-	-	7	4	106	85	2	3	50	30
Balance of county	244	-	-	1	54	9	19	1	6	4	4	11	7	114	99	-	3	52	44
Grayson	239	-	-	1	41	12	13	1	3	2	-	10	2	143	109	-	4	75	30
Green	114	2	-	1	13	2	3	-	3	-	1	4	-	70	54	2	2	37	13
Greenup	331	-	-	4	63	24	17	5	3	1	5	8	5	171	135	-	3	81	51
Hancock	72	-	-	1	12	6	-	2	-	-	1	3	3	41	33	-	-	25	8
Hardin	457	-	-	4	91	17	29	6	10	3	5	21	6	190	154	1	5	116	32
Elizabethtown	134	-	-	2	26	5	10	1	2	-	1	7	1	62	46	-	1	36	9
Radcliff	64	-	-	1	16	5	2	4	-	1	1	3	1	27	23	1	2	15	5
Balance of county	259	-	-	1	49	7	17	1	8	2	3	11	4	101	85	-	2	65	18
Harlan	427	1	-	2	81	19	23	5	9	4	2	19	15	193	162	1	-	138	23
Harrison	175	-	-	-	38	12	10	1	3	3	2	7	5	93	67	2	1	53	11
Hart	154	-	-	3	30	4	10	1	4	1	2	8	1	81	59	2	-	43	14
Henderson	388	-	-	4	86	19	27	7	12	4	2	15	4	188	141	1	2	115	23
Henderson	289	-	-	3	65	15	22	5	8	3	-	12	3	141	104	1	-	89	14
Balance of county	99	-	-	1	21	4	5	2	4	1	2	3	1	47	37	-	2	26	9
Henry	158	-	-	3	22	5	7	-	2	1	2	5	2	90	73	-	1	53	19
Hickman	87	-	-	-	19	5	5	-	3	2	1	3	2	46	39	-	-	24	15
Hopkins	501	1	-	3	83	19	34	5	5	4	3	23	8	251	198	1	5	149	43
Madisonville	214	-	-	2	34	7	13	2	2	1	1	8	5	112	93	1	3	70	19
Balance of county	287	1	-	1	59	12	21	3	3	3	2	15	3	139	105	-	2	79	24
Jackson	91	-	-	1	19	5	7	1	2	-	1	3	2	41	36	-	-	30	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	-	20	3	3	10	11	1	3	5	-	-	-	2	33	13	22	5	5	-
Middlesborough	-	15	1	2	2	5	-	2	4	-	-	-	1	12	3	6	2	-	-
Balance of county	-	5	2	1	8	6	1	1	1	-	-	-	1	21	10	16	3	5	-
Boone	2	16	3	4	8	13	-	6	3	-	8	2	2	16	9	5	4	-	-
Florence	2	8	-	1	5	7	-	4	2	-	6	1	2	3	4	1	1	-	-
Balance of county	-	8	3	3	3	6	-	2	1	-	2	1	-	13	5	4	3	-	-
Bourbon	-	15	2	1	5	6	-	2	5	-	1	2	4	20	5	2	2	1	-
Boyd	1	37	2	7	13	23	3	2	3	-	2	6	4	40	8	15	4	1	-
Ashland	1	27	1	4	9	15	2	1	2	-	2	6	4	28	1	8	4	1	-
Balance of county	-	10	1	3	4	8	1	1	1	-	-	-	-	12	7	7	-	-	-
Boyle	-	15	-	2	7	14	-	1	1	-	2	1	1	15	6	5	7	-	-
Danville	-	11	-	1	5	9	-	-	-	-	1	1	-	13	4	2	1	-	-
Balance of county	-	4	-	1	2	5	-	1	1	-	1	-	1	2	2	3	6	-	-
Bracken	-	8	1	2	2	4	1	-	1	-	-	-	-	14	2	2	2	-	-
Breathitt	-	15	-	-	8	2	-	1	1	-	3	2	2	11	4	8	2	5	1
Breckinridge	-	32	1	-	7	3	1	-	-	-	1	2	3	6	6	4	-	-	-
Bullitt	-	13	2	1	6	9	1	4	-	-	3	4	1	18	13	12	2	-	-
Butler	-	14	4	1	2	7	-	-	2	-	-	1	1	13	-	5	2	1	-
Caldwell	3	14	2	-	8	-	1	-	2	-	-	-	3	7	4	8	3	1	-
Calloway	-	43	1	4	6	4	-	1	2	-	-	2	1	25	10	7	2	-	-
Murray	-	16	-	1	2	2	-	-	-	-	-	-	1	11	2	3	1	-	-
Balance of county	-	25	1	3	4	2	-	1	2	-	-	2	-	14	8	4	1	-	-
Campbell	3	96	6	7	19	29	-	4	11	-	10	3	4	63	10	15	16	5	1
Fort Thomas	-	17	1	-	4	4	-	-	1	-	1	-	-	11	-	1	5	-	-
Newport	1	27	4	3	6	11	-	4	5	-	5	1	-	22	3	1	7	2	1
Balance of county	2	52	1	4	9	14	-	-	5	-	4	2	4	30	7	13	4	3	-
Carlisle	1	2	-	1	1	4	-	-	1	-	-	-	-	5	3	3	1	-	-
Carroll	-	13	2	-	8	3	1	3	2	-	1	1	2	9	-	4	2	1	-
Carter	-	21	2	2	4	17	-	-	2	-	2	4	1	11	7	5	3	2	-
Casey	-	10	1	-	10	7	-	-	1	-	-	-	1	16	4	5	1	-	-
Christian	1	55	3	13	19	15	1	8	2	-	3	16	4	42	17	27	10	8	-
Hopkinsville	-	41	3	8	15	12	1	6	1	-	2	11	3	25	6	11	6	4	-
Balance of county	1	14	-	5	4	3	-	2	1	-	1	5	1	17	11	16	4	4	-
Clark	3	18	2	2	1	5	-	3	-	-	2	1	1	19	4	11	1	1	-
Winchester	3	8	-	2	1	4	-	1	-	-	2	1	1	13	3	4	-	-	-
Balance of county	-	10	2	-	-	1	-	2	-	-	-	-	-	6	1	7	1	1	-
Clay	2	7	-	1	6	5	-	1	2	-	1	-	-	22	8	8	1	4	-
Clinton	-	12	2	1	3	7	-	-	1	-	-	-	-	6	4	3	-	-	1
Crittenden	-	8	2	2	11	3	-	-	-	-	-	1	-	5	1	3	-	-	-
Cumberland	-	9	-	4	10	2	1	-	3	-	1	-	1	6	2	2	5	-	-
Daviess	2	65	13	7	26	41	2	8	11	-	1	4	6	81	15	17	11	5	-
Owensboro	2	49	9	5	20	33	2	7	9	-	1	3	5	66	6	11	6	4	-
Balance of county	-	16	4	2	6	8	-	1	2	-	-	1	1	15	9	6	5	1	-
Edmonson	1	10	1	-	2	7	-	1	3	-	1	1	2	7	7	2	1	-	-
Elliott	-	4	-	-	-	1	-	-	-	-	-	-	1	8	5	3	-	-	-
Estill	-	11	-	1	6	8	1	2	4	-	-	1	1	10	1	1	1	1	1
Fayette, coext. with Lexington-Fayette	6	103	5	17	23	59	1	26	19	-	13	15	14	140	22	35	32	17	3
Fleming	1	12	1	-	1	4	-	2	3	-	-	1	1	8	7	7	4	-	-
Floyd	2	24	3	6	16	27	1	3	2	-	-	1	4	48	10	14	9	7	-
Franklin	1	30	2	3	11	10	-	4	2	-	3	1	6	33	6	7	4	-	-
Frankfort	1	23	2	3	9	8	-	4	2	-	2	-	2	27	4	6	3	-	-
Balance of county	-	7	-	-	2	2	-	-	-	-	1	1	4	6	2	1	1	-	-
Fulton	-	9	2	2	4	4	-	-	1	-	-	-	1	9	3	7	2	1	-
Gallatin	1	3	-	-	1	1	-	-	-	-	1	-	-	1	2	2	-	-	-
Garrard	-	7	-	-	6	6	1	1	2	-	-	2	2	10	3	3	-	2	-
Grant	-	8	-	1	1	6	-	1	1	-	1	-	-	14	5	2	3	1	-
Graves	3	27	2	4	17	14	1	5	4	-	4	2	1	33	12	10	4	1	-
Mayfield	-	16	2	3	4	4	-	2	1	-	1	-	1	21	1	2	2	1	-
Balance of county	3	11	-	1	13	10	1	3	3	-	3	2	-	12	11	8	2	-	-
Grayson	-	28	4	2	4	8	1	-	2	-	2	2	-	15	11	4	1	2	-
Green	1	14	1	-	2	5	-	2	1	-	-	-	1	8	4	2	2	1	-
Greenup	-	29	4	3	10	9	2	4	3	-	5	-	1	31	11	7	4	1	-
Hancock	-	4	1	3	-	3	-	1	1	-	-	2	-	4	2	2	-	-	-
Hardin	-	28	1	7	15	19	1	3	5	-	13	16	3	34	19	17	16	5	-
Elizabethtown	-	13	-	3	7	7	-	-	-	-	3	1	-	14	2	5	4	-	-
Radcliff	-	4	-	-	-	1	-	1	1	-	-	2	-	5	4	1	3	1	-
Balance of county	-	11	1	4	8	11	1	2	4	-	10	13	3	15	13	11	9	4	-
Harlan	1	21	1	8	12	17	-	3	6	-	1	7	1	53	11	16	5	3	-
Harrison	-	19	5	2	7	9	2	2	1	-	1	1	-	9	2	2	2	-	1
Hart	-	16	3	3	3	6	1	2	2	-	1	-	2	15	3	1	2	1	-
Henderson	1	35	10	1	12	9	3	2	10	-	-	3	2	32	12	12	3	3	3
Henderson	1	28	7	1	8	5	3	2	8	-	-	-	1	26	8	8	3	3	2
Balance of county	-	7	3	-	4	4	-	-	2	-	-	3	1	6	4	4	-	-	1
Henry	1	10	4	2	4	6	-	1	-	-	1	1	1	13	4	4	4	2	-
Hickman	1	5	1	-	4	3	-	-	1	-	-	-	-	6	3	1	1	1	-
Hopkins	2	36	9	4	13	26	1	3	4	-	1	3	1	53	17	14	7	2	-
Madisonville	1	13	3	2	6	12	-	2	1	-	-	1	1	24	5	4	4	1	-
Balance of county	1	25	6	2	7	14	1	1	3	-	1	2	-	29	12	10	3	1	-
Jackson	1	2	1	1	5	3	2	-	4	-	2	-	1	6	2	1	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Jefferson	6,667	5	-	66	1,592	386	494	124	181	74	45	288	122	3,094	2,372	28	103	1,533	708
Jeffersontown	55	-	-	1	16	4	5	-	-	3	1	3	1	22	17	-	-	11	6
Louisville	3,854	4	-	40	872	223	259	65	102	41	23	159	74	1,832	1,408	19	78	855	456
St. Matthews	197	-	-	4	49	11	12	3	10	3	2	8	2	93	63	1	-	47	15
Shively	199	-	-	-	53	10	18	5	7	4	1	8	5	94	72	-	1	46	25
Balance of county	2,362	1	-	21	602	138	200	51	62	23	18	110	40	1,053	812	8	24	574	206
Jessamine	170	-	-	5	36	4	12	5	3	2	2	8	2	90	77	-	4	39	34
Nicholasville	87	-	-	1	17	-	6	3	2	1	1	4	-	54	48	-	2	28	16
Balance of county	83	-	-	4	19	4	6	2	1	1	1	4	2	36	29	-	2	11	16
Johnson	220	-	-	4	36	8	10	3	5	2	1	7	6	121	95	1	-	78	16
Kenton	1,273	-	-	17	292	75	87	23	36	13	7	51	22	612	486	4	22	376	84
Covington	644	-	-	11	152	36	43	8	21	8	5	31	16	308	242	-	13	188	41
Erlanger	90	-	-	-	21	8	3	1	5	2	-	2	1	53	42	1	3	31	7
Balance of county	539	-	-	6	119	31	41	14	10	3	2	18	5	251	202	3	6	157	36
Knott	166	-	-	-	26	9	6	1	-	1	2	7	3	85	71	2	1	53	15
Knox	278	-	-	3	68	19	20	2	9	4	-	14	8	127	104	1	14	62	27
Larue	104	-	-	1	20	3	7	1	5	-	1	3	1	53	40	-	-	28	12
Laurel	321	-	-	7	61	10	12	6	9	5	3	16	4	171	136	-	2	101	33
Lawrence	173	-	-	3	24	5	7	3	4	2	-	3	3	99	74	1	2	44	27
Lee	104	1	-	1	17	2	6	-	4	1	-	4	3	55	41	-	-	35	6
Leslie	102	-	-	1	20	1	7	2	3	-	2	5	2	36	32	-	1	23	8
Letcher	287	-	-	3	66	15	19	4	8	2	2	16	4	117	99	-	-	72	27
Lewis	151	-	-	-	33	8	15	-	3	-	2	5	5	81	73	-	-	67	16
Lincoln	198	1	-	2	37	7	8	4	2	-	-	16	3	104	85	1	1	53	30
Livingston	91	-	-	-	25	7	6	4	2	-	1	5	4	35	26	-	-	17	9
Logan	259	-	-	1	55	13	17	4	4	2	2	13	3	151	108	-	4	84	20
Lyon	87	-	-	-	20	2	7	-	2	-	1	8	6	33	28	1	-	15	12
McCracken	725	2	-	1	145	44	32	9	19	8	3	30	11	382	299	1	10	188	100
Paducah	470	-	-	-	81	24	17	3	12	4	2	19	8	265	201	1	3	132	65
Balance of county	255	2	-	1	64	20	15	6	7	4	1	11	3	117	98	-	7	56	35
McCreary	163	-	-	-	30	5	19	1	1	-	-	4	2	85	66	-	1	44	21
McLean	98	-	-	-	18	1	8	2	2	-	1	4	2	58	41	-	1	31	9
Madison	401	-	-	5	88	18	25	9	10	4	2	20	4	214	180	-	3	142	35
Richmond	156	-	-	1	33	5	6	4	6	4	1	7	3	87	70	-	2	57	11
Balance of county	245	-	-	4	55	13	19	5	4	-	1	13	1	127	110	-	1	85	24
Magoffin	100	-	-	-	18	7	6	-	1	-	1	3	-	47	38	-	-	17	21
Marion	190	-	-	1	33	13	10	1	3	1	-	5	4	110	77	1	2	47	27
Marshall	258	-	-	1	79	16	24	2	8	4	5	20	3	120	93	-	-	67	26
Martin	103	-	-	1	19	10	5	-	-	1	-	3	3	55	38	-	-	17	21
Mason	191	1	-	-	37	11	10	2	6	2	1	5	1	104	83	-	-	61	22
Meade	114	-	-	-	22	2	10	2	1	-	-	7	1	51	37	1	-	31	5
Menifee	55	-	-	1	13	3	2	1	-	3	-	4	3	24	20	-	2	9	9
Mercer	102	-	-	2	56	12	18	3	5	2	4	12	1	96	78	2	-	54	22
Metcalfe	106	-	-	-	20	6	6	-	5	-	-	3	1	50	41	-	1	21	19
Monroe	144	-	-	-	33	5	10	5	3	2	2	6	4	75	62	-	3	37	22
Montgomery	176	-	-	1	37	8	12	6	5	-	4	2	1	90	78	-	2	51	23
Morgan	136	-	-	-	24	6	5	2	2	3	-	6	4	61	44	1	-	27	16
Muhlenberg	351	-	-	2	75	17	23	6	8	3	3	15	6	177	139	-	3	101	32
Nelson	258	-	-	3	51	11	17	4	3	1	2	13	4	122	97	2	1	75	19
Nicholas	65	-	-	-	14	-	4	1	6	-	-	3	1	30	26	-	-	20	6
Ohio	224	-	-	-	21	6	3	2	1	2	3	4	5	130	104	1	3	87	13
Oldham	154	-	-	-	30	6	8	3	2	1	3	7	1	67	47	-	3	28	16
Owen	93	-	-	1	16	6	4	1	1	1	-	3	1	53	38	-	1	25	12
Owsley	52	-	-	2	8	2	2	-	-	1	-	3	-	23	17	1	1	12	3
Pendleton	102	-	-	2	26	5	9	1	3	1	1	6	2	46	34	-	-	19	15
Perry	313	-	-	4	61	11	23	7	7	1	-	12	8	142	127	1	-	77	49
Pike	634	1	-	5	109	27	44	8	6	5	2	17	15	321	258	1	1	211	45
Powell	85	-	-	-	23	5	8	-	2	2	3	3	2	29	23	-	-	15	8
Pulaski	467	-	-	3	107	28	25	12	5	4	6	27	11	237	175	3	4	131	37
Somerset	156	-	-	1	41	9	15	5	2	3	2	5	6	78	56	2	1	39	14
Balance of county	311	-	-	2	66	19	10	7	3	1	4	22	5	159	119	1	3	92	23
Robertson	36	-	-	-	4	2	1	-	-	-	-	1	-	26	21	-	-	18	3
Rockcastle	152	-	-	3	34	10	11	5	2	-	2	4	2	65	51	-	1	27	23
Rowan	136	-	-	-	29	11	8	1	4	1	-	4	5	65	41	1	3	28	9
Russell	138	-	-	1	37	10	14	2	1	3	-	7	2	59	49	-	1	33	15
Scott	165	-	-	4	33	6	14	2	3	-	1	7	3	91	77	-	1	52	24
Georgetown	83	-	-	4	16	2	7	2	1	-	1	3	2	46	38	-	-	24	14
Balance of county	82	-	-	-	17	4	7	-	2	-	-	4	1	45	39	-	1	28	10
Shelby	230	-	-	2	43	13	20	3	4	-	1	2	2	129	89	1	-	78	10
Simpson	157	-	-	1	31	5	7	1	2	1	3	12	-	88	62	2	-	35	25
Spencer	59	-	-	-	15	7	4	-	-	1	1	2	1	23	17	-	-	10	7
Taylor	200	1	-	1	37	16	7	3	1	-	4	6	7	104	88	-	-	71	17
Todd	154	-	-	-	31	12	4	1	6	2	2	4	1	87	73	-	2	51	20
Trigg	126	-	-	-	29	4	17	3	2	1	1	1	-	65	55	-	-	43	12
Trimble	53	-	-	-	11	-	7	1	1	-	1	1	1	23	18	-	-	16	2
Union	157	-	-	1	28	7	9	2	2	-	2	6	2	85	61	1	1	49	10
Warren	545	1	-	6	132	33	44	8	15	6	4	22	15	249	179	1	5	131	42
Bowling Green	360	-	-	1	79	20	24	6	9	2	2	16	11	176	123	1	2	92	26
Balance of county	185	1	-	5	53	13	20	2	6	4	2	6	4	73	56	-	3	39	14
Washington	107	-	-	1	19	5	6	1	2	1	-	4	4	60	41	-	2	25	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Jefferson	38	547	75	62	158	257	19	101	69	2	49	70	46	578	95	171	99	70	4
Jeffersontown	-	4	1	-	-	2	-	-	2	-	-	-	1	8	1	1	-	-	-
Louisville	29	313	43	39	90	133	11	58	47	-	24	29	29	355	52	109	43	51	1
St. Matthews	-	27	1	2	8	5	-	4	1	-	-	2	2	16	1	4	3	1	-
Shively	2	16	1	3	4	13	-	8	1	-	2	-	-	11	1	9	4	-	-
Balance of county	7	187	29	18	56	104	8	31	18	2	23	39	14	186	40	54	49	18	3
Jessamine	-	9	1	3	2	9	1	1	1	-	1	4	-	12	4	2	-	-	-
Nicholasville	-	4	-	2	1	3	1	-	1	-	-	2	-	7	-	-	-	-	-
Balance of county	-	5	1	1	1	6	-	1	-	-	1	2	-	5	4	2	-	-	-
Johnson	-	17	5	4	11	12	-	1	2	-	-	3	-	13	3	5	2	1	-
Kenton	2	86	20	16	37	47	5	26	11	-	11	12	8	99	21	30	23	5	1
Covington	1	46	11	8	20	25	2	12	5	-	5	4	3	42	6	15	13	4	1
Erlanger	-	10	-	1	1	-	1	-	1	-	1	-	1	6	1	2	1	-	-
Balance of county	1	32	9	7	16	22	2	14	5	-	5	8	4	45	14	13	9	1	-
Knott	-	13	-	1	2	9	-	-	1	-	-	-	2	22	4	9	1	2	-
Knox	2	19	1	1	8	16	2	4	2	-	-	1	2	23	7	2	2	2	1
Larue	-	13	-	-	3	4	-	1	2	-	-	2	-	8	2	2	4	1	-
Laurel	-	32	1	2	3	9	1	2	3	-	5	2	1	24	3	11	7	7	-
Lawrence	-	18	1	6	7	7	-	2	3	-	3	2	2	10	1	4	1	2	-
Lee	-	9	4	1	5	2	-	2	-	-	-	2	1	3	5	3	2	2	-
Leslie	-	3	1	-	3	10	-	1	-	-	4	2	1	11	1	4	2	4	-
Letcher	-	15	-	3	13	19	1	2	4	-	-	5	-	24	11	14	2	2	-
Lewis	-	6	-	2	2	3	-	3	1	-	-	-	4	6	7	1	3	2	-
Lincoln	1	15	-	3	9	6	-	-	1	-	-	2	1	12	5	8	5	2	-
Livingston	-	8	-	1	5	2	1	2	1	-	-	1	-	6	5	3	1	-	-
Logan	1	37	2	3	-	15	1	4	2	-	1	2	-	13	4	6	-	1	-
Lyon	-	3	-	2	3	4	-	-	-	-	-	-	6	9	-	3	1	2	-
McCracken	5	65	8	5	18	30	2	4	4	-	5	3	6	55	10	28	15	4	-
Paducah	4	50	6	4	14	18	1	3	3	-	2	2	4	35	5	19	7	3	-
Balance of county	1	15	2	1	4	12	1	1	1	-	3	1	2	20	5	9	8	1	-
McCreary	-	12	4	3	3	13	-	2	2	-	-	2	-	10	5	3	4	2	-
McLean	-	10	2	3	7	1	-	-	-	-	-	-	1	6	3	2	-	-	-
Madison	-	26	3	5	10	8	1	-	3	-	2	3	4	33	8	9	5	4	-
Richmond	-	12	3	2	4	4	-	-	1	-	-	1	1	13	1	3	2	2	-
Balance of county	-	14	-	3	6	4	1	-	2	-	2	2	3	20	7	6	3	2	-
Magoffin	-	7	1	1	3	6	-	2	1	-	-	1	-	11	2	7	1	1	-
Marion	1	32	-	-	4	1	1	1	1	-	3	1	3	11	6	6	2	2	-
Marshall	1	15	5	6	4	9	-	3	3	-	1	3	1	11	3	8	7	1	1
Martin	4	10	2	1	1	7	-	-	-	-	1	2	-	3	6	2	2	1	-
Mason	-	14	5	2	7	9	-	1	-	-	-	1	2	17	4	3	2	2	-
Meade	1	9	1	3	5	1	-	-	1	-	2	2	-	12	3	6	6	1	1
Menifee	1	3	-	-	1	2	1	-	-	-	-	1	2	4	3	-	-	-	-
Mercer	-	14	-	4	7	6	1	2	1	-	2	2	-	11	4	1	-	-	-
Metcalfe	-	6	1	2	3	9	1	-	1	-	-	1	1	11	6	-	2	-	-
Monroe	-	12	-	1	1	2	1	1	-	-	-	-	-	15	4	4	1	3	-
Montgomery	1	9	2	2	-	8	-	1	3	-	-	-	1	20	10	3	-	1	-
Morgan	-	14	-	3	8	8	-	-	1	-	1	-	1	14	6	5	2	1	-
Muhlenberg	-	35	4	2	11	11	-	2	2	-	-	2	1	32	12	12	2	2	-
Nelson	-	20	4	1	12	3	1	6	1	-	2	6	1	22	8	8	6	2	-
Nicholas	-	1	2	1	1	7	-	-	2	-	-	-	1	3	1	2	3	-	-
Ohio	-	21	2	3	14	11	-	-	-	-	6	-	2	21	3	9	2	-	-
Oldham	1	18	1	-	3	10	1	3	2	-	1	1	3	14	10	5	3	-	-
Owen	-	12	1	2	2	6	1	1	1	-	-	-	1	1	6	2	1	-	-
Owsley	-	6	-	-	2	2	-	1	1	-	-	1	-	4	-	4	3	-	1
Pendleton	1	10	3	-	3	3	1	1	1	-	-	-	-	5	4	3	1	2	-
Perry	1	9	1	4	13	17	1	4	3	-	2	2	2	22	13	6	3	10	-
Pike	1	52	5	5	16	27	4	9	5	1	5	11	4	38	28	23	7	7	-
Powell	1	5	-	-	2	2	1	1	2	-	1	1	-	8	5	5	-	3	-
Pulaski	1	40	13	8	12	14	1	6	4	-	3	2	1	26	18	11	5	5	1
Somerset	-	14	5	3	3	7	-	-	2	-	1	-	-	12	2	2	-	1	-
Balance of county	1	26	8	5	9	7	1	6	2	-	2	2	1	14	16	9	5	4	1
Robertson	-	4	1	-	-	2	-	-	-	-	-	-	-	2	-	1	1	-	-
Rockcastle	-	13	-	1	11	7	-	-	3	-	1	-	-	11	5	2	5	3	-
Rowan	1	19	3	1	3	7	-	1	1	-	1	-	1	15	3	2	2	1	-
Russell	-	8	1	1	5	2	-	-	-	-	1	-	4	20	2	3	1	1	-
Scott	-	13	-	1	4	3	-	1	-	-	-	2	-	13	5	3	3	-	-
Georgetown	-	7	-	1	1	1	-	1	-	-	-	1	-	8	2	1	-	-	-
Balance of county	-	6	-	-	3	2	-	-	-	-	-	1	-	5	3	2	3	-	-
Shelby	-	30	8	2	10	9	-	1	3	-	2	1	1	11	5	7	2	2	-
Simpson	1	21	1	3	2	8	-	-	1	-	1	-	2	7	5	4	5	2	-
Spencer	-	6	-	-	-	4	-	2	1	-	1	-	-	5	6	-	-	1	-
Taylor	-	14	-	2	6	7	-	1	2	-	1	1	1	18	3	9	1	-	-
Todd	-	14	-	-	4	4	2	1	2	-	-	-	-	15	4	3	-	-	-
Trigg	-	8	1	1	2	3	-	-	4	-	1	1	-	13	3	1	3	-	1
Trimble	-	4	1	-	4	1	-	1	-	-	1	-	1	5	3	2	-	-	-
Union	1	18	3	2	3	8	1	1	1	-	1	1	-	10	7	7	1	-	-
Warren	7	50	10	3	16	17	3	6	6	-	4	4	3	45	7	19	8	4	-
Bowling Green	5	40	6	2	13	11	2	4	5	-	3	3	3	24	3	14	5	3	-
Balance of county	2	10	4	1	3	6	1	2	1	-	1	1	-	21	4	5	3	1	-
Washington	1	16	1	1	2	4	-	-	1	-	-	-	1	8	3	3	-	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Wayne	160	–	–	1	25	3	8	1	4	1	3	5	3	98	76	–	8	41	27
Webster	196	–	–	3	41	8	7	3	8	2	2	11	3	106	90	–	3	74	13
Whitley	328	–	–	4	70	19	22	3	9	2	2	13	6	169	140	1	4	107	28
Wolfe	66	–	–	1	9	5	2	1	1	–	–	–	–	38	23	–	1	15	7
Woodford	150	–	–	–	34	9	10	–	5	2	3	5	–	71	55	2	1	35	17
Louisiana	36,409	54	4	517	7,670	1,834	2,321	545	799	264	258	1,649	848	17,107	13,266	50	746	8,610	3,860
Urban places	17,958	40	4	281	3,894	941	1,140	299	415	137	114	848	423	8,312	6,523	25	485	4,099	1,914
Balance of area	18,451	14	–	236	3,776	893	1,181	246	384	127	144	801	425	8,795	6,743	25	261	4,511	1,946
Metropolitan parishes *	22,312	39	4	338	4,818	1,143	1,460	373	469	168	158	1,049	521	10,262	8,157	29	558	5,205	2,365
Urban places	15,081	35	4	239	3,270	798	949	254	331	124	103	711	361	6,948	5,530	21	440	3,433	1,636
Balance of area	7,231	4	–	99	1,548	345	511	119	138	44	53	338	160	3,314	2,627	8	118	1,772	729
Nonmetropolitan parishes *	14,097	15	–	179	2,852	691	861	172	330	96	102	600	327	6,845	5,109	21	188	3,405	1,495
Urban places	2,877	5	–	42	624	143	191	45	84	13	11	137	62	1,364	993	4	45	666	278
Balance of area	11,220	10	–	137	2,228	548	670	127	246	83	91	463	265	5,481	4,116	17	143	2,739	1,217
Acadia	543	–	–	4	135	40	41	8	10	3	6	27	13	247	172	–	5	128	39
Crowley	181	–	–	2	37	12	10	1	3	2	–	9	4	93	66	–	2	51	13
Eunice, part	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	360	–	–	2	97	28	30	7	7	1	6	18	9	154	106	–	3	77	26
Allen	208	–	–	3	31	9	8	2	3	2	–	7	8	118	93	–	1	67	25
Ascension	375	–	–	7	80	17	21	12	7	5	1	17	9	162	124	–	10	87	27
Assumption	206	–	–	2	40	6	13	3	4	4	–	10	3	97	70	–	2	41	27
Avoyelles	452	–	–	5	81	22	22	4	9	3	2	19	11	254	194	–	1	149	44
Beauregard	291	–	–	3	66	13	21	4	8	1	4	15	1	137	94	–	1	71	22
De Ridder, part	123	–	–	2	32	8	10	3	3	–	–	8	1	63	38	–	–	27	11
De Ridder, total	124	–	–	2	33	9	10	3	3	–	–	8	1	63	38	–	–	27	11
Balance of parish	168	–	–	1	34	5	11	1	5	1	4	7	–	74	56	–	1	44	11
Bienville	221	–	–	3	53	11	8	3	5	2	5	19	5	118	87	–	3	37	47
Bossier	529	1	–	6	112	23	35	6	9	4	2	33	8	228	183	–	3	115	65
Bossier City	308	1	–	2	75	15	21	3	5	4	1	26	7	119	101	–	1	68	32
Shreveport, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of parish	219	–	–	4	37	8	14	3	4	–	1	7	1	108	81	–	2	46	33
Caddo	2,495	3	1	40	536	119	145	56	55	21	13	127	46	1,231	1,034	1	35	642	356
Shreveport, part	2,128	3	1	30	458	100	124	52	41	20	11	110	37	1,068	896	1	28	555	312
Shreveport, total	2,128	3	1	30	458	100	124	52	41	20	11	110	37	1,069	897	1	28	556	312
Balance of parish	369	–	–	10	78	19	21	4	14	1	2	17	9	163	138	–	7	87	44
Calcasieu	1,354	2	–	20	311	72	101	18	27	13	6	72	27	619	486	2	24	338	122
Lake Charles	734	1	–	12	173	41	56	11	12	10	4	39	16	338	257	1	15	173	66
Sulphur	179	1	–	3	37	8	14	2	7	–	–	6	6	87	69	–	1	56	12
Balance of parish	441	–	–	5	101	23	31	5	8	3	4	27	5	194	160	1	8	109	42
Caldwell	94	–	–	1	12	4	2	2	1	–	2	1	2	53	44	–	1	29	14
Cameron	63	–	–	–	12	4	–	2	1	1	–	4	2	28	23	–	–	18	5
Catahoula	118	–	–	–	25	8	3	1	5	–	4	6	2	62	46	–	–	20	25
Claiborne	246	–	–	5	46	12	14	–	8	–	1	11	5	135	107	1	2	78	26
Concordia	220	–	–	4	41	11	11	2	3	5	–	9	4	126	104	1	9	67	27
De Soto	291	1	–	2	66	16	16	2	11	4	2	15	7	145	90	–	2	57	31
East Baton Rouge	2,518	2	–	31	560	125	175	49	57	21	24	109	50	1,084	852	4	119	531	198
Baker	80	–	–	2	11	2	2	–	3	–	–	4	1	31	22	–	1	14	7
Baton Rouge	2,120	2	–	25	467	109	149	42	42	17	21	87	42	942	735	4	111	452	168
Balance of parish	318	–	–	4	82	14	24	7	12	4	3	18	7	121	95	–	7	65	23
East Carroll	119	–	–	1	23	7	4	3	5	–	1	3	7	58	36	–	1	24	11
East Feliciana	111	–	–	2	19	6	4	–	1	1	1	6	3	61	47	–	1	37	9
Evangeline	343	–	–	5	53	11	13	5	5	3	–	16	6	171	128	–	5	75	46
Franklin	245	–	–	4	59	14	22	5	7	2	–	9	5	125	88	–	–	69	19
Grant	166	–	–	2	32	12	7	3	3	–	1	6	8	77	63	–	2	50	11
Iberia	545	–	–	8	139	33	44	14	16	4	5	23	10	235	167	–	17	86	64
New Iberia	312	–	–	6	83	16	27	13	8	3	2	14	6	134	95	–	7	53	35
Balance of parish	233	–	–	2	56	17	17	1	8	1	3	9	4	101	72	–	10	33	29
Iberville	340	1	–	5	66	13	20	4	8	2	2	17	5	170	129	1	17	78	33
Jackson	222	–	–	3	38	10	18	3	4	–	–	3	9	114	82	–	2	60	20
Jefferson	2,996	4	–	34	676	148	236	44	61	17	16	154	84	1,359	1,061	10	58	735	258
Gretna	311	–	–	2	74	19	24	3	5	1	4	18	6	149	117	–	10	78	29
Harahan	61	–	–	–	15	3	5	–	1	1	1	4	–	29	23	–	2	16	5
Kenner	282	1	–	5	65	8	17	4	9	4	2	21	10	117	92	4	7	61	20
Westwego	103	–	–	1	28	5	9	1	3	1	–	9	2	45	34	–	–	24	10
Balance of parish	2,239	3	–	26	494	113	181	36	43	10	9	102	66	1,019	795	6	39	556	194
Jefferson Davis	320	–	–	3	62	13	24	3	8	3	1	10	9	149	105	1	7	50	47
Jennings	137	–	–	2	25	5	10	2	3	1	–	4	2	64	43	–	3	21	19
Balance of parish	183	–	–	1	37	8	14	1	5	2	1	6	7	85	62	1	4	29	28
Lafayette	949	–	–	18	205	49	63	19	19	9	12	34	12	420	329	2	17	172	138
Lafayette	622	–	–	14	139	37	43	12	14	6	5	22	10	282	222	2	12	111	97
Balance of parish	327	–	–	4	66	12	20	7	5	3	7	12	2	138	107	–	5	61	41
Lafourche	548	1	–	4	131	37	36	11	12	6	4	25	14	242	200	2	3	112	83
Thibodaux	160	–	–	–	35	8	11	5	7	1	–	3	5	79	67	1	1	40	25
Balance of parish	388	1	–	4	96	29	25	6	5	5	4	22	9	163	133	1	2	72	58
La Salle	173	–	–	3	33	6	10	1	5	3	–	8	2	97	77	–	1	57	19
Lincoln	303	–	–	8	64	9	22	4	11	2	3	13	5	125	87	–	7	60	20
Ruston	130	–	–	3	32	5	9	3	6	1	1	7	5	52	37	–	4	24	9
Balance of parish	173	–	–	5	32	4	13	1	5	1	2	6	–	73	50	–	3	36	11
Livingston	422	–	–	7	76	21	22	5	4	4	5	15	12	190	153	1	3	100	49

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Wayne	-	17	5	-	1	10	1	2	-	-	1	1	-	9	4	2	1	1	-
Webster	-	13	2	1	4	5	-	2	3	-	1	5	-	15	2	3	3	-	-
Whitley	1	21	5	2	9	12	-	1	6	-	2	2	2	26	7	9	1	1	1
Wolfe	-	11	-	4	-	5	-	-	-	-	-	1	1	4	2	3	2	-	-
Woodford	-	15	-	1	1	7	1	1	1	-	6	1	3	10	8	4	2	-	-
Louisiana	134	2,825	597	285	739	1,034	102	421	509	6	308	529	318	2,847	980	1,135	564	673	24
Urban places	76	1,339	238	136	367	480	46	250	248	1	156	263	129	1,522	338	531	243	420	10
Balance of area	58	1,486	359	149	372	554	56	171	261	5	152	266	189	1,325	642	604	341	253	14
Metropolitan parishes [6]	96	1,599	225	185	428	637	67	292	305	3	208	325	183	1,833	525	666	363	481	14
Urban places	67	1,089	147	115	302	395	41	211	205	1	129	222	110	1,301	272	440	211	376	8
Balance of area	29	510	78	70	126	242	26	81	100	2	79	103	73	532	253	226	152	105	6
Nonmetropolitan parishes [6]	38	1,226	372	100	311	397	35	129	204	3	100	204	135	1,014	455	469	221	192	10
Urban places	9	250	91	21	65	85	5	39	43	-	27	41	19	221	66	91	32	44	2
Balance of area	29	976	281	79	246	312	30	90	161	3	73	163	116	793	389	378	189	148	8
Acadia	4	52	11	8	16	15	-	5	5	-	1	14	-	41	13	17	9	8	-
Crowley	1	20	4	2	8	1	-	2	1	-	-	1	-	18	3	5	2	4	-
Eunice, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of parish	3	32	7	6	8	14	-	3	4	-	1	13	-	22	10	12	7	4	-
Allen	-	21	1	3	5	7	1	2	2	-	2	-	4	12	3	6	3	1	-
Ascension	-	31	4	3	11	10	2	5	12	-	6	4	4	29	14	12	4	10	-
Assumption	2	20	4	1	7	8	1	1	2	-	4	4	-	11	12	7	1	8	-
Avoyelles	1	33	20	6	7	15	2	-	8	-	5	2	3	21	12	9	13	4	-
Beauregard	-	26	13	2	8	9	-	3	4	-	2	4	2	23	9	10	3	7	-
De Ridder, part	-	14	10	1	3	3	-	1	1	-	1	2	-	5	1	5	1	2	-
De Ridder, total	-	14	10	1	3	3	-	1	1	-	1	2	-	5	1	5	1	2	-
Balance of parish	-	14	3	1	5	6	-	2	3	-	1	2	2	18	8	5	2	5	-
Bienville	-	25	3	1	2	5	-	-	2	-	-	2	6	10	5	8	3	1	-
Bossier	4	35	1	5	4	19	-	8	3	-	7	15	9	44	24	24	12	5	-
Bossier City	-	15	1	2	3	9	-	6	3	-	5	8	6	31	12	9	10	2	-
Shreveport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of parish	4	20	-	3	1	10	-	2	-	-	2	7	3	13	11	15	2	3	-
Caddo	3	168	9	17	51	58	7	28	38	-	20	34	31	176	53	64	29	48	1
Shreveport, part	3	146	8	15	48	40	5	26	32	-	17	30	27	149	38	52	23	41	1
Shreveport, total	3	146	8	15	48	40	5	26	32	-	17	30	27	149	39	52	23	41	1
Balance of parish	-	22	1	2	3	18	2	2	6	-	3	4	4	27	15	12	6	7	-
Calcasieu	8	96	15	14	21	55	4	13	10	-	10	9	13	112	41	39	37	11	-
Lake Charles	6	56	8	11	14	24	2	8	4	-	3	3	3	60	22	21	22	8	-
Sulphur	2	14	2	-	3	12	-	2	1	-	1	1	1	12	4	5	2	1	-
Balance of parish	-	26	5	3	4	19	2	3	5	-	6	5	9	40	15	13	13	2	-
Caldwell	-	7	1	1	4	1	1	2	1	-	1	-	-	8	3	4	1	-	-
Cameron	-	5	-	-	1	1	-	1	5	-	2	1	-	3	1	3	-	3	-
Catahoula	-	17	-	-	5	1	-	2	1	-	-	1	1	10	3	4	1	-	-
Claiborne	-	24	3	1	3	6	-	2	2	-	2	2	1	20	6	8	1	2	-
Concordia	1	17	1	3	2	5	-	1	2	-	-	3	-	16	5	9	1	1	-
De Soto	1	42	8	4	5	3	1	-	9	-	-	6	2	21	7	6	8	2	-
East Baton Rouge	9	165	49	19	55	69	3	24	32	1	28	45	11	234	74	87	43	72	2
Baker	1	7	1	-	3	3	1	-	-	-	-	2	-	7	4	5	5	3	2
Baton Rouge	7	139	44	17	49	56	2	22	28	-	26	35	9	199	49	74	30	63	-
Balance of parish	1	19	4	2	3	10	-	2	4	1	3	8	2	28	21	8	8	6	-
East Carroll	1	9	11	1	3	4	-	-	3	-	-	3	2	5	3	5	2	-	-
East Feliciana	1	9	3	1	2	-	-	-	1	-	-	-	1	8	6	5	-	3	-
Evangeline	1	41	2	1	8	12	1	2	9	-	2	5	1	27	12	16	11	3	-
Franklin	-	35	-	2	4	4	1	1	1	-	2	1	1	15	8	10	1	3	-
Grant	1	10	-	3	7	3	1	-	4	-	-	4	2	15	6	3	1	1	-
Iberia	3	38	26	1	5	12	2	13	2	1	11	13	3	37	21	16	9	8	-
New Iberia	1	20	18	-	3	8	1	10	1	-	6	7	2	23	8	5	4	5	-
Balance of parish	2	18	8	1	2	4	1	3	1	1	5	6	1	14	13	11	5	3	-
Iberville	1	35	4	1	5	13	1	3	5	-	-	5	2	28	12	11	3	5	-
Jackson	2	24	4	2	9	8	-	2	4	-	1	2	2	14	4	2	4	6	-
Jefferson	8	235	26	29	47	79	7	45	41	-	26	45	24	247	58	89	81	43	7
Gretna	-	26	4	2	1	5	2	10	4	-	1	4	3	19	7	11	9	4	-
Harahan	-	5	-	1	2	3	-	-	-	-	1	1	-	7	-	2	1	-	-
Kenner	1	20	2	2	6	5	-	2	3	-	4	2	1	24	6	11	12	7	1
Westwego	-	9	1	1	2	1	-	-	2	-	1	1	2	8	1	2	3	3	1
Balance of parish	7	175	19	23	36	65	5	33	32	-	19	37	18	189	44	63	56	29	5
Jefferson Davis	-	32	9	3	12	16	1	2	3	-	2	3	8	31	5	4	1	9	-
Jennings	-	14	6	1	7	6	-	2	2	-	2	-	3	19	2	-	-	1	-
Balance of parish	-	18	3	2	5	10	1	-	1	-	-	3	5	12	3	4	1	8	-
Lafayette	4	69	9	9	17	30	2	10	12	-	15	14	10	84	38	23	26	13	-
Lafayette	3	44	8	5	13	19	1	7	10	-	6	7	6	56	13	18	16	5	-
Balance of parish	1	25	1	4	4	11	1	3	2	-	9	7	4	28	25	5	10	8	-
Lafourche	1	31	5	5	8	14	1	2	3	-	5	15	2	39	31	21	7	4	4
Thibodaux	-	7	2	3	3	7	-	-	-	-	-	4	1	12	7	3	1	1	2
Balance of parish	1	24	3	2	5	7	1	2	3	-	5	11	1	27	24	18	6	3	2
La Salle	-	19	1	-	1	7	-	1	3	-	-	2	3	12	3	2	3	1	-
Lincoln	-	33	3	2	11	10	1	3	9	-	2	7	1	40	7	7	3	-	-
Ruston	-	12	2	1	5	4	-	2	5	-	1	3	-	13	2	3	-	-	-
Balance of parish	-	21	1	1	6	6	1	1	4	-	1	4	1	27	5	4	3	-	-
Livingston	-	23	11	3	12	13	3	3	4	-	5	3	14	29	21	17	8	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Madison	182	1	–	3	30	6	8	1	7	–	1	7	1	81	66	–	1	32	33
Tallulah	129	1	–	2	20	5	3	1	6	–	1	4	1	69	55	–	1	26	28
Balance of parish	33	–	–	1	10	1	5	–	1	–	–	3	–	12	11	–	–	6	5
Morehouse	335	–	–	2	62	10	19	4	14	–	2	13	14	174	128	–	3	94	31
Bastrop	171	–	–	–	33	5	13	1	8	–	–	6	5	93	69	–	1	51	17
Balance of parish	164	–	–	2	29	5	6	3	6	–	2	7	9	81	59	–	2	43	14
Natchitoches	390	–	–	3	81	23	20	8	8	5	1	16	10	204	158	–	6	134	18
Natchitoches	172	–	–	2	34	6	10	4	4	1	–	9	3	94	70	–	3	58	9
Balance of parish	218	–	–	1	47	17	10	4	4	4	1	7	7	110	88	–	3	76	9
Orleans, coext. with New Orleans city	6,049	24	2	114	1,283	354	357	99	138	45	37	253	179	2,720	2,142	7	209	1,403	523
Ouachita	1,193	–	–	23	248	46	64	13	24	6	9	86	18	609	508	1	10	178	319
Monroe	654	–	–	12	133	27	30	7	14	3	4	48	10	344	281	1	8	85	187
West Monroe	245	–	–	6	50	11	13	5	4	1	3	13	2	125	107	–	1	45	61
Balance of parish	294	–	–	5	65	8	21	1	6	2	2	25	6	140	120	–	1	48	71
Plaquemines	185	–	–	6	46	10	15	2	7	1	2	9	4	73	64	1	2	38	23
Pointe Coupee	241	–	–	3	48	14	13	1	4	4	3	9	11	118	86	–	2	63	21
Rapides	1,237	3	–	16	245	53	74	19	28	12	12	47	37	581	464	1	40	304	119
Alexandria	613	–	–	5	130	32	37	6	16	8	6	25	19	277	216	1	25	136	54
Pineville	171	2	–	4	28	9	9	3	3	1	1	2	5	80	62	–	1	44	17
Balance of parish	453	1	–	7	87	12	28	10	9	3	5	20	13	224	186	–	14	124	48
Red River	131	–	–	–	17	4	2	–	3	1	2	5	5	76	62	–	1	15	46
Richland	252	–	–	3	54	15	14	4	4	3	4	10	7	126	103	–	9	80	14
Sabine	257	–	–	5	48	8	16	2	6	3	4	9	6	119	97	–	3	47	47
St. Bernard	498	–	–	6	108	28	34	10	7	5	4	20	6	252	210	–	4	168	38
St. Charles	271	–	–	1	51	11	16	5	2	1	3	13	6	127	103	–	6	77	20
St. Helena	85	–	–	–	11	2	3	–	4	–	–	2	1	50	39	3	1	24	11
St. James	206	1	–	2	49	20	11	5	2	1	1	9	9	78	57	1	2	43	11
St. John the Baptist	236	–	–	7	43	11	14	2	3	2	2	9	3	126	95	–	3	63	29
St. Landry	849	3	–	8	171	44	52	8	19	5	4	39	21	410	314	1	22	234	57
Eunice, part	150	1	–	–	32	7	9	–	4	–	–	12	3	64	49	–	1	40	8
Eunice, total	152	1	–	–	33	7	10	–	4	–	–	12	3	64	49	–	1	40	8
Opelousas	247	–	–	3	54	8	20	2	9	–	3	12	6	118	88	–	15	57	16
Balance of parish	452	2	–	5	85	29	23	6	6	5	1	15	12	228	177	1	6	137	33
St. Martin	323	1	–	3	64	14	28	6	5	–	2	9	6	151	118	1	5	75	37
St. Mary	462	–	–	4	101	28	31	5	11	–	3	23	13	201	156	–	7	115	34
Morgan City	119	–	–	1	34	12	9	1	3	–	–	9	4	47	31	–	–	28	3
Balance of parish	343	–	–	3	67	16	22	4	8	–	3	14	9	154	125	–	7	87	31
St. Tammany	846	–	–	8	199	43	78	12	17	2	11	36	10	380	275	–	9	176	90
Slidell	202	–	–	1	55	6	27	1	7	1	3	10	1	87	69	–	4	45	20
Balance of parish	644	–	–	7	144	37	51	11	10	1	8	26	9	293	206	–	5	131	70
Tangipahoa	858	2	–	16	146	39	52	8	11	4	4	28	12	444	226	4	3	124	95
Hammond	153	1	–	3	26	6	11	2	2	–	–	5	2	81	45	2	–	21	22
Balance of parish	705	1	–	13	120	33	41	6	9	4	4	23	10	363	181	2	3	103	73
Tensas	119	1	–	1	20	6	4	1	3	–	–	6	2	67	55	–	–	36	19
Terrebonne	661	2	–	10	149	33	52	10	15	5	3	31	13	276	215	1	8	164	42
Houma	313	2	–	5	73	19	19	4	11	2	3	15	9	138	103	–	3	74	26
Balance of parish	348	–	–	5	76	14	33	6	4	3	–	16	4	138	112	1	5	90	16
Union	217	–	–	1	47	8	18	3	6	1	1	10	8	105	91	–	–	62	29
Vermilion	435	–	–	8	94	23	29	4	14	5	5	14	12	212	172	1	4	117	50
Abbeville	132	–	–	4	28	11	7	1	2	–	1	6	2	68	55	–	1	38	16
Balance of parish	303	–	–	4	66	12	22	3	12	5	4	8	10	144	117	1	3	79	34
Vernon	277	–	–	3	55	10	20	1	5	–	4	15	9	119	95	–	2	46	47
De Ridder, part	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	276	–	–	3	54	9	20	1	5	–	4	15	9	119	95	–	2	46	47
Washington	541	–	–	9	92	20	29	3	10	3	5	22	7	257	193	2	6	137	48
Bogalusa	245	–	–	7	44	9	12	2	5	2	–	14	4	107	82	1	3	57	21
Balance of parish	296	–	–	2	48	11	17	1	5	1	5	8	3	150	111	1	3	80	27
Webster	516	–	1	5	113	23	40	5	11	3	–	31	12	267	215	–	8	164	43
Minden	219	–	1	1	49	12	12	3	7	1	–	14	8	107	84	–	4	66	14
Balance of parish	297	–	–	4	64	11	28	2	4	2	–	17	4	160	131	–	4	98	29
West Baton Rouge	169	–	–	1	34	10	8	3	2	1	1	9	3	73	58	–	7	42	9
West Carroll	138	–	–	–	30	7	6	1	2	1	2	11	3	72	58	–	1	50	7
West Feliciana	63	–	–	2	15	4	3	1	5	–	1	1	4	24	18	–	1	13	4
Winn	181	1	–	1	33	8	10	1	10	–	–	4	2	90	73	–	2	52	19
Maine	10,929	4	1	89	2,512	647	672	208	293	118	80	494	170	5,337	4,178	37	90	3,178	873
Urban places	3,247	1	–	31	725	180	189	65	86	35	25	145	53	1,619	1,270	10	24	981	255
Balance of area	7,682	3	1	58	1,787	467	483	143	207	83	55	349	117	3,718	2,908	27	66	2,197	618
Metropolitan counties	5,811	2	–	61	1,370	338	369	125	164	65	43	266	69	2,856	2,256	18	45	1,712	481
Urban places	2,675	1	–	28	610	147	167	54	70	32	21	119	36	1,333	1,048	8	20	803	217
Balance of area	3,136	1	–	33	760	191	202	71	94	33	22	147	33	1,523	1,208	10	25	909	264
Nonmetropolitan counties	5,118	2	1	28	1,142	309	303	83	129	53	37	228	101	2,481	1,922	19	45	1,466	392
Urban places	572	–	–	3	115	33	22	11	16	3	4	26	17	286	222	2	4	178	38
Balance of area	4,546	2	1	25	1,027	276	281	72	113	50	33	202	84	2,195	1,700	17	41	1,288	354
Androscoggin	1,010	–	–	7	223	56	63	21	25	8	8	42	13	527	426	–	8	354	64
Auburn	257	–	–	1	64	20	17	4	3	–	2	18	1	134	109	–	5	91	13
Lewiston	464	–	–	4	100	22	26	15	17	7	5	8	10	249	197	–	2	188	27
Balance of county	289	–	–	2	59	14	20	2	5	1	1	16	2	144	120	–	1	95	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Madison	-	14	-	1	1	6	2	2	5	-	4	1	-	8	4	9	-	4	-
Tallulah	-	13	-	1	1	5	2	2	4	-	4	1	-	5	1	7	-	4	-
Balance of parish	-	1	-	-	-	1	-	-	1	-	-	-	-	3	3	2	-	-	-
Morehouse	2	35	8	1	8	9	-	3	6	-	4	6	1	27	5	6	3	5	-
Bastrop	2	15	7	-	6	5	-	-	5	-	4	3	-	7	3	4	1	2	-
Balance of parish	-	20	1	1	2	4	-	3	1	-	-	3	1	20	2	2	2	3	-
Natchitoches	-	41	4	1	8	8	-	9	5	-	4	2	7	24	10	6	3	6	-
Natchitoches	-	21	2	1	3	1	-	4	4	-	1	-	4	10	2	5	-	5	-
Balance of parish	-	20	2	-	5	7	-	5	1	-	3	2	3	14	8	1	3	1	-
Orleans, coext. with New Orleans city	34	449	47	48	117	151	23	102	93	1	51	103	30	550	73	164	54	212	3
Ouachita	3	78	13	7	23	34	2	15	15	-	7	12	12	82	27	39	17	10	-
Monroe	2	50	9	2	9	15	-	8	9	-	3	5	9	46	8	26	10	7	-
West Monroe	-	13	3	2	8	9	1	3	2	-	1	5	1	18	7	6	-	1	-
Balance of parish	1	15	1	3	6	10	1	4	4	-	3	2	2	18	12	7	7	2	-
Plaquemines	-	3	2	4	3	5	1	3	1	-	1	3	-	12	8	9	6	4	-
Pointe Coupee	-	29	3	-	7	7	1	2	8	-	1	2	4	14	4	8	2	1	-
Rapides	7	98	4	8	30	56	4	14	15	-	15	13	12	96	27	38	11	22	-
Alexandria	5	49	2	5	14	30	1	7	9	-	4	9	8	58	10	16	4	12	-
Pineville	-	17	1	-	3	7	1	4	2	-	4	1	2	14	4	6	3	1	-
Balance of parish	2	32	1	3	13	21	2	3	4	-	7	3	2	24	13	16	4	9	-
Red River	-	11	3	-	2	4	-	1	4	-	-	1	2	9	3	5	-	2	-
Richland	-	22	-	1	13	9	-	3	2	-	2	3	3	14	4	4	2	2	1
Sabine	-	16	3	3	5	10	-	3	5	-	1	4	4	17	7	10	4	8	1
St. Bernard	2	26	4	10	5	20	1	5	7	-	1	6	1	35	13	18	11	3	-
St. Charles	-	17	5	2	3	6	3	6	3	-	1	6	-	24	14	14	3	3	-
St. Helena	-	8	1	2	1	1	-	1	-	-	-	-	2	10	4	1	1	1	1
St. James	-	15	4	2	4	2	2	-	5	-	2	7	7	22	8	6	1	1	-
St. John the Baptist	1	27	2	1	4	2	-	2	2	1	1	3	3	10	11	10	3	4	1
St. Landry	1	78	12	5	21	29	-	4	7	-	7	14	2	70	20	30	25	7	-
Eunice, part	-	10	4	1	1	10	-	-	3	-	2	2	1	12	5	6	7	1	-
Eunice, total	-	10	4	1	1	10	-	-	3	-	2	2	1	13	5	6	7	1	-
Opelousas	-	27	1	2	6	3	-	3	3	-	1	7	1	25	3	6	4	4	-
Balance of parish	1	41	7	2	14	16	-	1	1	-	4	5	-	33	12	18	14	2	-
St. Martin	2	24	3	4	12	8	1	1	4	-	3	7	-	23	20	12	4	3	-
St. Mary	1	33	8	3	7	13	2	8	6	-	3	7	4	31	9	31	11	11	-
Morgan City	-	13	2	1	2	3	-	2	1	-	1	3	2	9	2	7	-	1	-
Balance of parish	1	20	6	2	5	10	2	6	5	-	2	4	2	22	7	24	11	10	-
St. Tammany	5	73	21	6	15	25	5	16	10	-	10	11	3	61	32	27	19	14	1
Slidell	1	13	2	2	4	2	1	3	1	-	-	3	1	22	11	6	3	1	-
Balance of parish	4	60	19	4	11	23	4	13	9	-	10	8	2	39	21	21	16	13	1
Tangipahoa	1	73	140	4	17	19	3	6	16	1	8	9	4	57	34	34	12	17	1
Hammond	1	11	23	1	2	4	-	-	4	-	2	-	2	11	1	9	1	4	-
Balance of parish	-	62	117	3	15	15	3	6	12	1	6	9	2	46	33	25	11	13	1
Tensas	-	11	1	-	2	2	-	1	3	-	-	2	1	11	3	3	-	-	-
Terrebonne	1	43	13	4	11	18	2	8	12	-	4	9	5	51	31	28	20	14	-
Houma	1	25	7	2	3	7	2	6	4	-	2	4	1	20	10	12	7	8	-
Balance of parish	-	18	6	2	8	11	-	2	8	-	2	5	4	31	21	14	13	6	-
Union	-	11	-	3	9	5	-	4	4	-	-	2	1	18	4	5	1	3	-
Vermilion	1	36	1	2	6	17	1	3	9	-	3	4	1	21	16	15	10	3	-
Abbeville	-	11	-	2	-	5	-	2	3	-	-	2	1	6	4	5	1	1	-
Balance of parish	1	25	1	-	6	12	1	1	6	-	3	2	-	15	12	10	9	2	-
Vernon	-	16	6	2	3	7	1	2	1	-	2	7	28	14	10	5	7	4	-
De Ridder, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	-	16	6	2	3	7	1	2	1	-	2	7	28	14	10	5	7	4	-
Washington	8	36	18	2	19	23	-	6	6	-	4	8	1	49	27	21	10	2	-
Bogalusa	3	17	3	2	12	13	-	3	2	-	-	2	1	25	12	9	3	1	-
Balance of parish	5	19	15	-	7	10	-	3	4	-	4	6	-	24	15	12	7	1	-
Webster	6	35	7	4	6	10	2	2	5	1	4	9	4	36	11	16	7	11	-
Minden	2	17	4	-	3	4	1	1	2	-	1	2	1	21	2	6	4	5	-
Balance of parish	4	18	3	4	3	6	1	1	3	1	3	1	3	15	9	10	3	6	-
West Baton Rouge	2	8	5	-	7	3	1	2	4	-	2	4	3	9	13	6	3	1	-
West Carroll	1	13	-	-	4	3	1	-	2	-	-	-	6	6	2	4	1	3	1
West Feliciana	-	4	2	-	1	2	-	1	1	-	1	1	1	8	1	-	-	1	-
Winn	-	13	-	4	7	8	1	2	1	-	-	1	3	12	5	6	4	4	-
Maine	38	794	175	152	367	441	35	141	85	-	50	74	58	927	233	211	159	27	8
Urban places	10	226	67	46	115	151	8	46	22	-	12	23	20	268	43	50	51	5	4
Balance of area	28	568	108	106	252	290	27	95	63	-	38	51	38	659	190	161	108	22	4
Metropolitan counties	17	398	107	78	202	235	17	67	38	-	23	37	31	479	115	101	90	12	6
Urban places	7	183	59	36	96	127	7	32	16	-	7	20	16	221	37	36	44	5	3
Balance of area	10	215	48	42	106	108	10	35	22	-	16	17	15	258	78	65	46	7	3
Nonmetropolitan counties	21	396	68	74	165	206	18	74	47	-	27	37	27	448	118	110	69	15	2
Urban places	3	43	8	10	19	24	1	14	6	-	5	3	4	47	6	14	7	-	1
Balance of area	16	353	60	64	146	182	17	60	41	-	22	34	23	401	112	96	62	15	1
Androscoggin	3	60	25	13	33	42	3	12	5	-	2	4	7	71	30	17	12	1	1
Auburn	1	18	4	2	5	17	-	6	-	-	-	-	-	17	4	5	2	-	1
Lewiston	1	26	18	7	15	16	2	2	2	-	1	3	4	32	15	2	7	-	-
Balance of county	1	16	3	4	13	9	1	4	3	-	1	1	3	22	11	10	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maine—Con.																			
Aroostook	710	1	-	2	162	47	47	8	18	8	4	30	6	359	272	1	2	217	52
Presque Isle	86	-	-	-	23	7	6	2	3	-	-	5	1	40	31	-	1	23	7
Balance of county	624	1	-	2	139	40	41	6	15	8	4	25	5	319	241	1	1	194	45
Cumberland	2,115	1	-	25	514	123	145	35	66	28	17	100	26	1,001	775	7	13	564	191
Portland	799	1	-	9	175	41	49	9	17	12	7	40	10	383	305	2	4	219	80
South Portland	220	-	-	4	63	12	19	4	6	3	2	17	1	99	79	1	2	50	26
Westbrook	119	-	-	1	26	7	11	-	2	1	-	5	4	59	44	-	1	35	8
Balance of county	977	-	-	11	250	63	66	22	41	12	8	38	11	460	347	4	6	260	77
Franklin	232	-	-	1	48	11	13	3	9	3	2	7	2	118	92	1	1	66	24
Hancock	463	-	-	1	99	30	26	11	4	7	3	18	7	231	176	2	4	132	38
Kennebec	1,078	-	-	8	245	61	58	17	34	8	9	58	31	534	420	8	6	344	62
Augusta	268	-	-	2	42	14	8	1	6	-	2	11	9	133	100	-	2	86	12
Waterville	218	-	-	1	50	12	8	8	7	3	2	10	7	113	91	2	1	69	19
Balance of county	592	-	-	5	153	35	42	8	21	5	5	37	15	288	229	6	3	189	31
Knox	401	-	1	-	83	18	27	4	8	5	3	18	6	195	150	-	11	111	28
Lincoln	327	-	-	2	76	21	25	7	8	3	1	11	9	144	113	4	-	87	22
Oxford	555	-	-	3	111	28	33	5	12	7	3	23	16	268	200	1	-	163	36
Penobscot	1,129	-	-	11	269	65	67	31	34	13	9	50	10	534	436	3	12	316	105
Bangor	335	-	-	1	86	18	25	8	13	3	3	16	3	146	118	-	2	90	26
Balance of county	794	-	-	10	183	47	42	23	21	10	6	34	7	388	318	3	10	226	79
Piscataquis	185	-	-	1	32	6	5	3	8	-	2	8	2	101	70	-	5	46	17
Sagadahoc	244	-	-	4	60	16	15	9	6	2	3	9	2	121	87	-	1	75	11
Bath	104	-	-	-	22	4	6	3	3	-	2	4	1	57	41	-	1	37	3
Balance of county	140	-	-	4	38	12	9	6	3	2	1	5	1	64	46	-	-	38	8
Somerset	502	1	-	1	117	36	36	5	11	7	3	19	10	235	185	1	2	135	47
Waldo	294	-	-	3	76	26	16	8	9	3	3	11	8	127	98	-	3	72	23
Washington	371	-	-	6	93	25	17	12	8	2	4	25	4	169	146	1	11	91	43
York	1,313	1	-	14	304	78	79	29	33	14	6	65	18	673	532	8	11	403	110
Biddeford	259	-	-	4	50	19	8	7	4	4	-	8	5	143	113	3	2	83	25
Saco	118	-	-	4	24	4	6	4	5	2	-	3	1	63	42	2	1	30	9
Balance of county	936	1	-	6	230	55	65	18	24	8	6	54	12	467	377	3	8	290	76
Maryland	35,056	24	-	506	8,464	2,184	2,351	793	880	321	297	1,698	706	16,241	13,132	93	710	6,832	5,397
Urban places	13,927	13	-	247	3,205	833	913	268	330	112	105	644	291	6,305	5,114	32	341	2,460	2,281
Balance of area	21,129	11	-	259	5,259	1,351	1,438	465	550	209	192	1,054	415	9,936	8,018	61	369	4,472	3,116
Metropolitan counties	30,548	20	-	463	7,416	1,923	2,040	673	745	282	263	1,490	627	13,955	11,367	75	628	5,910	4,754
Urban places	13,128	12	-	239	3,023	794	850	255	312	107	100	605	280	5,896	4,820	30	328	2,285	2,177
Balance of area	17,420	8	-	224	4,393	1,129	1,190	418	433	175	163	885	347	8,059	6,547	45	300	3,625	2,577
Nonmetropolitan counties	4,508	4	-	43	1,048	261	311	60	135	39	34	208	79	2,286	1,765	18	82	1,022	643
Urban places	799	1	-	8	182	39	63	13	18	5	5	39	11	409	294	2	13	175	104
Balance of area	3,709	3	-	35	866	222	248	47	117	34	29	169	68	1,877	1,471	16	69	847	539
Allegany	975	-	-	14	239	52	69	27	29	11	7	44	17	503	407	1	10	285	111
Cumberland	445	-	-	11	104	25	29	10	13	7	2	18	8	227	173	1	4	121	47
Balance of county	530	-	-	3	135	27	40	17	16	4	5	26	9	276	234	-	6	164	64
Anne Arundel	2,430	1	-	32	650	172	181	63	63	18	21	132	48	1,059	873	5	32	445	391
Annapolis	353	1	-	5	93	27	18	14	9	1	2	22	10	149	109	-	6	49	54
Balance of county	2,077	-	-	27	557	145	163	49	54	17	19	110	38	910	764	5	26	396	337
Baltimore	5,397	1	-	73	1,344	347	382	113	129	58	50	265	100	2,647	2,187	13	100	1,152	922
Baltimore city	9,756	8	-	190	2,183	577	617	169	239	76	64	441	216	4,335	3,576	24	277	1,496	1,779
Calvert	280	-	-	3	82	10	18	4	10	5	2	13	5	124	90	2	4	50	34
Caroline	255	-	-	2	62	18	19	3	6	2	1	13	4	129	110	2	6	69	33
Carroll	732	-	-	5	174	48	42	16	19	9	5	35	17	357	296	1	12	143	140
Cecil	477	-	-	3	123	25	40	10	11	8	6	23	16	224	190	-	7	130	53
Charles	463	1	-	6	122	41	31	10	5	5	4	26	15	186	147	-	10	84	53
Dorchester	374	1	-	4	78	22	26	4	7	1	1	17	6	197	154	1	9	94	50
Cambridge	170	1	-	3	25	3	11	2	4	1	-	4	2	96	72	-	5	42	25
Balance of county	204	-	-	1	53	19	15	2	3	-	1	13	4	101	82	1	4	52	25
Frederick	858	1	-	5	220	57	68	16	19	10	6	44	22	416	317	2	11	173	131
Frederick	343	-	-	2	85	20	27	7	9	3	4	15	7	170	127	1	3	71	52
Balance of county	515	1	-	3	135	37	41	9	10	7	2	29	15	246	190	1	8	102	79
Garrett	254	-	-	2	49	9	17	2	5	3	5	8	3	154	120	1	3	83	33
Harford	955	1	-	9	233	57	72	14	22	20	4	44	28	457	395	2	16	236	141
Aberdeen	110	-	-	2	28	8	9	1	1	2	-	5	2	53	42	-	2	27	13
Balance of county	845	1	-	7	207	49	63	13	21	18	4	39	26	404	353	2	14	209	128
Howard	639	-	-	14	175	57	31	19	13	5	10	40	12	287	234	7	14	125	66
Kent	214	-	-	1	48	9	12	4	9	2	2	10	2	118	111	1	3	49	58
Montgomery	3,923	3	-	48	1,024	293	242	117	93	33	38	208	56	1,812	1,365	13	55	758	539
Gaithersburg	281	-	-	3	80	30	20	8	3	3	4	12	4	113	95	1	3	65	26
Rockville	535	1	-	6	140	38	41	6	9	3	8	35	6	247	189	1	7	113	68
Takoma Park, part	120	-	-	1	37	15	3	5	5	3	1	5	2	52	39	-	2	13	24
Takoma Park, total	150	-	-	1	43	16	4	5	6	5	2	5	3	62	48	1	2	18	27
Balance of county	2,997	2	-	38	767	210	178	98	76	24	25	156	44	1,400	1,042	11	43	567	421
Prince George's	3,771	5	-	58	932	207	266	95	100	37	44	183	77	1,516	1,220	7	76	723	414
Bowie	126	-	-	2	39	11	11	6	1	1	2	7	3	50	47	-	4	26	17
College Park	119	-	-	1	34	10	8	2	4	2	2	6	3	58	46	-	1	32	13
Greenbelt	96	-	-	2	22	4	3	2	5	1	1	6	-	40	32	-	1	25	6
Hyattsville	476	2	-	9	109	24	35	14	12	3	5	16	9	205	167	1	9	106	49
Laurel	131	-	-	2	34	3	12	5	3	2	1	8	8	50	37	-	-	26	11
New Carrollton	49	-	-	1	17	4	6	2	-	1	-	4	-	21	19	-	-	15	4
Takoma Park, part	30	-	-	-	6	1	1	-	1	2	1	-	1	10	9	1	-	5	3
Balance of county	2,744	3	-	42	671	150	190	64	74	25	32	136	53	1,082	863	5	61	486	311

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maine—Con.																			
Aroostook	3	72	4	8	18	13	3	10	3	-	5	3	5	73	20	22	3	1	1
Presque Isle	1	5	2	1	3	2	-	2	-	-	1	-	2	9	1	2	-	-	-
Balance of county	2	67	2	7	15	11	3	8	3	-	4	3	3	64	19	20	3	1	1
Cumberland	8	165	26	27	82	81	8	29	12	-	6	16	9	190	34	31	44	5	1
Portland	3	57	10	8	45	37	2	11	7	-	1	6	2	70	7	10	19	3	1
South Portland	-	16	-	4	8	7	1	3	1	-	1	1	1	24	1	2	3	-	-
Westbrook	-	14	1	-	1	6	-	1	-	-	-	2	1	14	1	3	-	-	-
Balance of county	5	78	15	15	28	31	5	14	4	-	4	7	5	82	25	16	22	2	-
Franklin	4	12	5	5	7	7	1	3	4	-	5	-	1	20	5	6	4	-	-
Hancock	2	39	6	8	17	26	1	5	3	-	1	8	2	39	9	9	4	1	-
Kennebec	3	85	11	15	32	37	5	19	9	-	5	5	3	84	19	22	17	2	1
Augusta	2	24	3	4	11	12	-	7	3	-	4	1	1	27	4	9	2	-	1
Waterville	-	14	3	5	5	10	1	5	3	-	-	2	1	11	1	3	5	-	-
Balance of county	1	47	5	6	16	15	4	7	3	-	1	2	1	46	14	10	10	2	-
Knox	1	24	15	5	12	13	4	7	3	-	2	5	3	41	8	11	5	2	-
Lincoln	1	25	1	4	19	12	-	3	4	-	1	3	1	32	7	3	7	4	-
Oxford	4	47	7	10	16	28	3	3	6	-	3	5	2	54	13	15	9	-	-
Penobscot	3	71	13	11	46	50	1	13	11	-	7	9	9	85	24	29	15	5	1
Bangor	-	18	5	5	13	20	-	3	5	-	2	6	4	30	5	5	5	1	-
Balance of county	3	53	8	6	33	30	1	10	6	-	5	3	5	55	19	24	10	4	1
Piscataquis	1	19	7	4	11	7	-	3	-	-	-	1	2	9	5	7	3	1	-
Sagadahoc	1	21	8	4	8	7	1	2	-	-	1	2	-	17	8	6	3	1	1
Bath	1	10	4	1	3	2	1	1	-	-	-	1	-	9	2	2	2	1	-
Balance of county	-	11	4	3	5	5	-	1	-	-	1	1	-	8	6	4	1	-	1
Somerset	-	35	8	7	15	29	-	6	8	-	2	5	4	42	13	7	5	2	-
Waldo	1	24	2	2	6	8	1	10	4	-	3	2	2	24	4	7	8	1	-
Washington	1	14	2	6	12	26	-	5	3	-	-	-	2	30	15	1	4	1	-
York	2	81	35	23	33	55	4	11	10	-	7	6	6	116	19	18	16	-	2
Biddeford	1	14	9	6	5	15	1	4	-	-	1	1	3	19	-	4	3	-	1
Saco	-	10	8	3	1	7	-	1	1	-	1	-	1	6	2	3	3	-	-
Balance of county	1	57	18	14	27	33	3	6	9	-	5	5	2	91	17	11	10	-	1
Maryland	127	2,256	337	389	766	1,078	102	460	404	4	210	407	323	2,994	680	750	496	382	59
Urban places	54	893	95	149	334	409	43	210	194	2	90	176	160	1,358	174	308	152	231	25
Balance of area	73	1,363	242	240	432	669	59	250	210	2	120	231	163	1,636	506	442	344	151	34
Metropolitan counties	109	1,875	267	337	666	938	83	417	367	4	186	349	298	2,700	573	636	430	361	49
Urban places	51	805	84	136	314	385	39	199	189	2	86	164	156	1,303	158	293	142	227	21
Balance of area	58	1,070	183	201	352	553	54	218	178	2	100	185	142	1,397	415	343	288	134	28
Nonmetropolitan counties	18	381	70	52	100	140	9	43	37	-	24	58	25	294	107	114	66	21	10
Urban places	3	88	11	13	20	24	4	11	5	-	4	12	4	55	16	15	10	4	4
Balance of area	15	293	59	39	80	116	5	32	32	-	20	46	21	239	91	99	56	17	6
Allegany	4	67	9	16	20	38	1	10	11	-	5	7	6	70	11	7	12	3	1
Cumberland	3	39	4	8	10	22	-	5	5	-	4	5	2	31	2	2	6	-	1
Balance of county	1	28	5	8	10	16	1	5	6	-	1	2	4	39	9	5	6	3	-
Anne Arundel	10	119	32	25	45	92	7	31	28	-	15	26	21	195	65	63	35	14	3
Annapolis	4	25	6	5	5	14	1	9	4	-	4	5	2	32	6	5	4	3	1
Balance of county	6	94	26	20	40	78	6	22	24	-	11	21	19	163	59	58	31	11	2
Baltimore	17	336	40	67	121	167	20	60	53	-	30	30	36	430	87	86	81	27	4
Baltimore city	38	579	40	102	229	266	32	139	163	1	60	125	126	1,023	103	239	95	208	15
Calvert	3	22	4	5	6	12	-	3	5	-	3	5	4	22	11	10	4	1	-
Caroline	-	14	4	1	9	10	-	4	2	-	1	2	-	17	7	4	2	-	-
Carroll	2	45	5	9	19	26	3	3	5	-	-	1	9	59	27	13	10	3	1
Cecil	2	21	4	7	9	17	2	9	1	-	3	3	3	30	16	9	6	1	2
Charles	4	28	5	2	8	18	1	7	2	-	3	7	7	33	25	9	7	4	2
Dorchester	2	22	12	7	7	8	1	1	-	-	1	3	3	42	5	7	7	2	1
Cambridge	1	11	7	5	4	3	-	-	-	-	1	3	2	19	4	2	3	2	-
Balance of county	1	11	5	2	3	5	1	1	-	-	-	-	1	23	1	5	4	-	1
Frederick	5	77	5	12	19	30	2	7	10	-	5	11	6	52	14	16	15	6	1
Frederick	2	34	2	5	8	14	2	5	4	-	2	6	2	20	5	5	4	1	1
Balance of county	3	43	3	7	11	16	-	2	6	-	3	5	4	32	9	11	11	5	-
Garrett	1	25	6	2	4	8	-	3	4	-	3	2	2	10	2	5	1	2	-
Harford	3	43	8	8	14	25	2	9	15	-	3	11	9	67	30	16	17	7	2
Aberdeen	-	9	-	2	1	5	1	4	-	-	-	1	1	6	4	2	1	1	-
Balance of county	3	34	8	6	13	20	1	5	15	-	3	10	8	61	26	14	16	6	2
Howard	7	35	2	9	7	20	1	8	7	1	4	6	4	51	15	11	10	5	1
Kent	-	2	3	2	5	13	1	3	-	-	1	1	-	5	7	4	5	-	-
Montgomery	14	315	68	50	86	111	11	56	39	1	22	38	36	327	75	75	72	22	9
Gaithersburg	-	13	1	4	6	8	-	4	3	-	3	3	7	23	10	7	5	2	-
Rockville	3	43	9	3	16	18	2	7	2	-	2	4	3	52	9	8	8	4	-
Takoma Park, part	-	7	4	2	-	2	-	5	-	1	-	3	3	11	1	1	-	1	-
Takoma Park, total	-	8	4	2	2	3	-	6	-	1	-	4	3	13	3	4	1	1	-
Balance of county	11	252	54	41	64	83	9	40	34	-	17	28	23	241	55	59	59	15	9
Prince George's	4	220	37	35	81	124	10	77	32	1	34	89	33	347	104	99	77	65	9
Bowie	-	3	-	-	1	5	-	-	-	-	-	3	1	15	4	1	1	1	-
College Park	-	8	2	2	3	3	-	-	2	-	2	-	-	12	1	-	-	-	-
Greenbelt	-	4	2	2	1	4	1	3	-	-	-	4	-	8	3	4	4	-	-
Hyattsville	1	26	8	3	20	16	-	11	5	-	4	5	3	41	5	14	11	5	2
Laurel	-	11	-	2	3	4	-	3	-	-	2	3	4	9	1	4	2	-	2
New Carrollton	-	2	-	-	1	-	-	2	-	-	-	-	1	3	2	-	-	1	-
Takoma Park, part	-	1	-	-	2	1	-	1	-	-	-	1	-	2	2	3	1	-	-
Balance of county	3	165	25	26	50	91	9	57	25	1	26	73	24	257	86	73	58	58	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Queen Anne's	267	-	-	1	67	15	18	6	9	5	5	11	8	132	116	-	5	62	49
St. Mary's	401	-	-	4	97	22	25	3	19	2	4	22	4	179	138	2	8	88	40
Somerset	207	2	-	2	43	9	11	2	7	4	-	10	9	102	82	2	6	47	27
Talbot	351	-	-	3	73	24	18	4	11	2	2	12	3	185	135	-	6	90	39
Washington	1,030	-	-	10	217	47	67	20	22	2	10	49	25	572	477	2	19	333	123
Hagerstown	501	-	-	4	99	17	37	11	7	-	7	20	8	286	240	1	12	164	63
Balance of county	529	-	-	6	118	30	30	9	15	2	3	29	17	286	237	1	7	169	60
Wicomico	706	-	-	11	166	45	50	9	24	2	4	32	11	363	251	3	13	154	81
Salisbury	286	-	-	3	72	16	25	4	5	1	1	20	2	143	95	1	5	62	27
Balance of county	420	-	-	8	94	29	25	5	19	1	3	12	9	220	156	2	8	92	54
Worcester	341	-	-	5	83	21	31	3	9	1	2	16	2	187	141	2	8	69	68
Massachusetts	54,291	21	1	611	12,931	3,523	3,146	1,255	1,377	591	453	2,586	910	28,424	21,234	178	408	16,795	3,853
Urban places	41,420	17	1	494	9,805	2,707	2,424	915	1,011	454	341	1,953	719	20,114	16,235	128	311	12,914	2,882
Balance of area	12,871	4	-	117	3,126	816	722	340	366	137	112	633	191	8,310	4,999	50	97	3,881	971
Metropolitan counties	51,604	21	1	593	12,268	3,351	3,000	1,193	1,291	568	427	2,438	865	25,079	20,240	170	377	16,029	3,664
Urban places	41,039	17	1	493	9,705	2,679	2,400	909	1,001	453	338	1,925	713	19,928	16,104	128	306	12,807	2,863
Balance of area	10,565	4	-	100	2,563	672	600	284	290	115	89	513	152	5,151	4,136	42	71	3,222	801
Nonmetropolitan counties	2,687	-	-	18	663	172	146	62	86	23	26	148	45	1,345	994	8	31	766	189
Urban places	381	-	-	1	100	28	24	6	10	1	3	28	6	188	131	-	5	107	19
Balance of area	2,306	-	-	17	563	144	122	56	76	22	23	120	39	1,159	863	8	26	659	170
Barnstable	1,866	-	-	8	473	128	101	40	66	16	19	103	30	966	704	7	29	562	106
Barnstable town#	381	-	-	1	100	28	24	6	10	1	3	28	6	186	131	-	5	107	19
Balance of county	1,485	-	-	7	373	100	77	34	56	15	16	75	24	780	573	7	24	455	87
Berkshire	1,511	2	-	26	343	78	85	32	45	22	12	69	29	737	586	4	12	430	140
North Adams	209	1	-	-	54	8	15	6	12	3	1	9	4	110	92	-	2	65	25
Pittsfield	516	-	-	13	117	33	24	10	13	13	6	18	12	234	189	1	3	135	50
Balance of county	786	1	-	13	172	37	46	16	20	6	5	42	13	993	305	3	7	230	65
Bristol	4,690	1	-	41	1,090	324	290	101	121	52	32	170	74	2,524	1,944	7	34	1,677	226
Attleboro	341	-	-	2	71	21	18	10	10	1	3	8	5	190	147	-	5	123	19
Fairhaven town#	196	-	-	3	45	10	12	6	5	1	2	9	7	102	75	-	4	65	6
Fall River	1,091	-	-	9	251	77	56	23	37	13	6	39	20	602	459	2	9	395	53
New Bedford	1,190	1	-	10	269	87	70	24	27	17	7	37	16	644	485	1	4	423	57
North Attleborough town#	161	-	-	-	40	13	14	4	2	2	2	3	3	81	62	-	4	53	5
Somerset town#	159	-	-	2	42	11	20	1	4	-	2	4	5	82	60	-	-	50	10
Taunton	436	-	-	6	88	23	30	8	5	3	1	18	5	238	200	-	2	181	17
Balance of county	1,114	-	-	9	284	82	70	25	31	15	9	52	13	585	456	4	6	387	59
Dukes	111	-	-	2	31	6	4	4	4	1	2	10	-	52	34	-	1	23	10
Essex	6,275	1	-	46	1,494	426	380	122	147	69	54	296	124	3,060	2,470	18	71	1,987	394
Amesbury town#	164	-	-	-	36	10	8	6	3	-	2	7	-	88	73	-	3	65	5
Andover town#	177	-	-	1	43	11	9	4	4	3	1	11	4	91	71	-	1	62	8
Beverly	316	1	-	2	73	16	18	4	8	8	5	14	8	154	122	-	4	87	31
Danvers town#	257	-	-	2	59	19	11	5	7	5	3	9	6	124	87	1	3	62	21
Gloucester	279	-	-	4	64	17	18	6	6	4	2	11	4	125	97	-	3	76	18
Haverhill	555	-	-	4	113	31	36	7	15	5	3	16	9	269	216	3	11	174	28
Lawrence	713	-	-	4	153	51	32	7	21	8	2	32	21	361	289	1	5	239	44
Lynn	914	-	-	6	238	66	70	15	14	10	10	53	15	437	371	2	3	327	39
Lynnfield town#	77	-	-	-	23	7	5	3	2	1	-	5	-	36	32	-	-	29	3
Marblehead town#	164	-	-	1	54	12	13	7	10	2	1	9	4	72	52	1	3	42	6
Methuen town#	372	-	-	3	89	33	18	6	10	-	1	19	7	181	146	1	3	113	29
Newburyport	192	-	-	-	38	13	15	2	2	1	2	3	6	101	79	2	3	54	20
Peabody	387	-	-	6	98	25	26	6	10	4	3	22	6	180	141	-	2	110	29
Salem	430	-	-	1	93	33	23	6	9	4	4	14	13	224	179	1	15	141	22
Saugus town#	234	-	-	1	61	17	14	4	5	4	4	13	4	120	107	-	3	91	13
Swampscott town#	165	-	-	3	38	11	6	3	2	3	-	13	3	96	87	1	-	73	13
Balance of county	879	-	-	8	221	54	59	27	19	7	11	45	13	401	321	5	9	242	65
Franklin	646	-	-	8	141	33	40	13	12	6	5	32	13	308	240	1	-	172	67
Hampden	4,457	3	-	43	1,046	302	215	110	118	54	40	207	84	2,172	1,720	10	26	1,380	304
Agawam town#	217	-	-	2	47	12	7	6	8	4	2	8	4	112	88	1	2	63	22
Chicopee	613	-	-	3	154	57	28	13	10	8	6	32	11	315	254	-	5	203	46
Holyoke	593	1	-	5	142	35	34	10	26	6	6	25	10	287	228	-	2	193	33
Longmeadow town#	157	-	-	-	33	7	9	3	4	2	2	6	2	85	61	-	-	45	16
Springfield	1,561	1	-	23	337	99	69	37	36	16	11	69	32	742	596	5	11	468	114
Westfield	328	-	-	1	86	25	19	13	7	4	5	13	5	163	131	-	-	115	16
West Springfield town#	282	-	-	1	73	20	15	6	9	4	1	18	5	133	102	1	1	86	14
Balance of county	706	1	-	8	174	47	34	22	18	10	7	36	15	335	260	3	5	209	43
Hampshire	1,056	-	-	11	240	55	57	27	30	12	6	53	12	527	422	7	4	305	106
Amherst town#	102	-	-	4	21	3	4	4	1	1	1	7	1	58	42	-	-	23	19
Easthampton town#	166	-	-	2	36	8	13	2	5	1	1	6	1	77	65	2	-	42	21
Northampton	304	-	-	2	65	15	13	5	10	3	2	17	6	151	115	1	1	90	23
Balance of county	484	-	-	3	118	29	27	16	14	7	2	23	4	243	200	4	3	150	43
Middlesex	11,842	4	1	122	2,939	793	704	278	313	131	119	601	210	5,622	4,486	42	68	3,662	714
Arlington town#	552	-	-	6	128	41	24	13	8	7	5	30	6	260	209	2	4	170	33
Belmont town#	306	1	-	2	72	22	13	11	8	3	1	14	2	145	120	1	2	105	12
Billerica town#	183	-	-	2	50	18	12	-	3	2	3	12	5	79	62	-	-	48	14
Burlington town#	111	-	-	4	33	12	6	3	3	1	-	8	-	43	36	1	-	30	5
Cambridge	816	1	-	12	202	61	51	14	27	9	11	29	14	355	291	-	3	251	37
Chelmsford town#	212	-	-	1	65	16	14	6	7	3	4	15	4	108	77	-	-	61	16
Dracut town#	179	-	-	2	45	11	15	4	4	1	2	8	5	82	66	-	-	60	6
Everett	403	-	-	1	88	28	23	8	13	1	1	14	10	205	185	-	3	128	36
Framingham town#	565	-	-	6	123	23	35	14	11	8	3	29	9	277	228	3	7	187	31

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Queen Anne's	1	11	1	3	4	4	-	1	1	-	3	4	1	15	11	7	7	1	-
St. Mary's	-	30	5	6	8	11	1	3	5	-	3	8	5	29	16	18	9	1	-
Somerset	-	17	2	1	4	4	-	3	1	-	-	1	-	18	6	9	1	1	1
Talbot	-	43	5	2	13	6	1	4	4	-	1	6	1	23	7	9	5	3	2
Washington	4	67	17	7	27	34	3	8	11	-	7	6	8	68	15	9	8	2	-
Hagerstown	2	35	8	1	16	17	2	6	5	-	5	2	3	35	5	3	4	1	-
Balance of county	2	32	9	6	11	17	1	2	6	-	2	4	5	33	10	6	4	1	-
Wicomico	4	93	7	8	13	20	3	9	4	-	3	10	1	42	17	19	8	2	4
Salisbury	-	43	2	3	8	7	2	6	1	-	1	3	-	16	7	8	3	1	3
Balance of county	4	50	5	5	5	13	1	3	3	-	2	7	1	26	10	11	5	1	1
Worcester	2	25	16	3	8	12	-	2	1	-	-	5	2	19	4	6	2	2	1
Massachusetts	191	3,714	665	620	1,907	1,712	132	693	568	2	248	357	435	4,643	756	1,149	531	203	57
Urban places	142	2,777	497	463	1,486	1,311	93	546	457	2	183	285	346	3,563	488	899	383	180	48
Balance of area	49	937	168	157	421	401	39	147	111	-	65	72	89	1,080	268	250	148	23	9
Metropolitan counties	175	3,477	598	589	1,820	1,631	122	665	548	2	238	347	423	4,409	717	1,097	501	201	56
Urban places	140	2,739	486	459	1,475	1,303	93	539	465	2	181	283	345	3,532	483	888	376	180	47
Balance of area	35	738	112	130	345	328	29	126	93	-	57	64	78	877	234	209	125	21	9
Nonmetropolitan counties	16	237	67	31	87	81	10	28	20	-	10	10	12	234	39	52	30	2	1
Urban places	2	38	11	4	11	8	-	7	2	-	2	2	1	31	5	11	7	-	1
Balance of area	14	199	56	27	76	73	10	21	18	-	8	8	11	203	34	41	23	2	-
Barnstable	11	166	62	23	48	46	7	20	11	-	6	4	6	164	23	33	20	-	1
Barnstable town#	2	38	11	4	11	8	-	7	2	-	2	2	1	31	5	11	7	-	1
Balance of county	9	128	51	19	37	38	7	13	9	-	4	2	5	133	18	22	13	-	-
Berkshire	7	96	24	24	49	61	6	16	14	-	7	9	11	136	19	26	16	3	1
North Adams	-	11	3	4	1	8	-	1	4	-	-	2	1	16	-	3	4	-	-
Pittsfield	3	27	5	10	18	25	3	7	8	-	2	2	4	50	8	8	3	1	1
Balance of county	4	58	16	10	30	28	3	8	2	-	5	5	6	70	11	15	9	2	-
Bristol	19	424	82	55	139	141	6	66	33	1	14	27	44	275	75	84	39	13	3
Attleboro	-	36	1	6	13	12	1	4	2	-	2	2	7	17	8	1	3	1	-
Fairhaven town#	3	14	7	3	8	8	1	2	1	-	1	1	1	6	3	5	1	-	1
Fall River	2	110	23	8	22	39	-	22	12	-	3	5	9	59	11	19	5	3	-
New Bedford	7	116	24	12	48	22	2	16	9	1	2	10	17	76	12	25	6	4	-
North Attleborough town#	1	15	-	3	7	6	-	2	2	-	-	-	-	9	5	3	3	-	-
Somerset town#	-	15	3	4	1	7	-	3	1	-	-	-	2	6	2	4	2	-	-
Taunton	2	26	5	5	19	16	-	6	2	-	1	1	1	29	6	12	7	1	-
Balance of county	4	92	19	14	21	31	2	11	4	-	5	8	7	73	28	15	12	4	2
Dukes	-	15	-	3	3	5	-	1	1	-	1	-	3	9	-	2	1	-	-
Essex	28	426	85	51	205	208	16	87	74	-	28	42	68	534	89	122	55	16	8
Amesbury town#	1	11	3	-	10	5	-	-	2	-	-	3	-	13	2	1	4	-	-
Andover town#	1	15	3	1	6	4	-	3	-	-	-	-	2	16	4	1	1	-	1
Beverly	4	20	2	6	13	14	-	3	3	-	1	-	4	26	3	4	4	2	-
Danvers town#	1	28	3	5	11	9	-	4	1	-	2	2	5	22	5	2	3	-	-
Gloucester	-	23	4	1	8	13	1	5	1	-	-	-	3	36	3	9	3	-	-
Haverhill	2	39	11	1	25	11	3	5	10	-	5	8	9	55	7	13	5	4	-
Lawrence	2	54	9	7	17	19	3	16	12	-	5	7	5	50	11	15	6	6	2
Lynn	4	50	5	7	29	38	1	16	11	-	3	6	5	57	15	27	7	2	1
Lynnfield town#	1	2	1	-	2	3	-	1	-	-	-	-	3	7	1	1	-	-	-
Marblehead town#	-	18	1	1	3	1	1	4	1	-	1	-	2	16	1	2	1	-	-
Methuen town#	-	24	7	4	8	18	1	4	4	-	2	1	3	32	5	11	1	-	2
Newburyport	1	14	7	-	10	7	-	1	3	-	-	1	1	13	4	3	4	-	-
Peabody	1	27	5	6	5	16	3	2	4	-	1	3	11	37	7	4	3	1	-
Salem	6	31	5	3	13	14	1	6	5	-	-	1	2	41	3	10	3	-	-
Saugus town#	2	9	-	2	5	6	1	4	1	-	3	1	2	18	4	1	1	1	-
Swampscott town#	-	8	1	-	4	2	-	2	2	-	-	-	-	11	1	3	-	-	-
Balance of county	2	53	18	7	36	28	1	11	14	-	5	9	9	84	13	15	9	-	2
Franklin	3	55	5	5	33	25	2	5	7	-	2	5	3	55	15	15	8	1	-
Hampden	14	328	66	44	145	143	9	67	43	-	21	37	28	374	60	123	43	16	-
Agawam town#	2	14	6	2	6	9	-	1	3	-	-	2	-	20	2	3	4	2	-
Chicopee	1	49	7	4	20	17	-	11	5	-	5	4	3	36	9	13	6	1	-
Holyoke	4	46	2	7	20	13	1	15	8	-	2	8	2	49	8	20	1	1	-
Longmeadow town#	1	19	3	1	4	6	-	1	1	-	1	1	1	13	1	8	-	-	-
Springfield	3	103	23	17	56	53	3	28	19	-	8	14	15	135	22	50	13	10	-
Westfield	2	17	10	3	10	10	-	2	2	-	-	1	1	26	7	8	6	-	-
West Springfield town#	-	24	4	3	10	7	2	1	2	-	1	-	4	31	3	8	1	-	-
Balance of county	1	56	11	7	19	28	3	8	3	-	4	7	2	64	8	13	12	2	-
Hampshire	3	81	10	11	40	30	1	14	5	-	4	5	8	99	19	23	18	-	-
Amherst town#	1	12	-	1	2	2	-	-	-	-	-	-	-	13	1	1	1	-	-
Easthampton town#	1	9	1	1	5	3	-	1	-	-	-	3	1	15	6	10	6	-	-
Northampton	-	29	4	3	16	10	-	4	2	-	2	-	4	27	5	7	3	-	-
Balance of county	1	31	5	6	17	15	1	9	3	-	2	2	3	44	7	5	8	-	-
Middlesex	26	811	161	138	423	415	39	152	119	-	69	69	68	1,037	149	224	110	29	21
Arlington town#	2	42	3	4	29	23	2	3	3	-	3	5	2	65	4	10	2	1	-
Belmont town#	1	17	-	7	10	17	-	2	5	-	3	-	-	31	3	10	3	-	-
Billerica town#	1	11	4	1	5	8	-	1	1	-	4	3	1	15	3	2	4	-	-
Burlington town#	-	5	1	1	4	7	-	1	1	-	1	2	-	8	4	3	-	-	-
Cambridge	1	50	2	11	30	23	6	10	15	-	3	1	8	91	7	19	9	7	3
Chelmsford town#	1	17	9	4	4	8	-	1	-	-	1	1	1	10	3	1	3	1	-
Dracut town#	-	8	7	1	6	5	-	4	2	-	1	5	1	13	3	1	2	-	2
Everett	1	29	4	6	6	19	2	10	3	-	1	3	2	34	2	13	2	-	2
Framingham town#	2	39	3	5	26	14	1	9	5	-	2	4	4	53	11	11	7	1	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Hudson town#	133	-	-	1	31	11	5	4	1	-	1	9	4	61	47	2	1	37	7
Lexington town#	239	1	-	2	61	19	9	6	7	4	2	14	9	119	94	1	2	78	15
Lowell	996	-	-	5	214	55	62	17	16	9	10	45	24	519	394	3	5	345	41
Malden	596	-	-	5	164	52	40	9	14	5	4	40	7	280	227	3	4	181	39
Marlborough	250	-	-	5	56	12	15	3	9	2	6	9	3	114	84	-	2	74	8
Medford	619	-	-	10	160	45	37	12	19	6	8	33	9	289	228	3	2	195	28
Melrose	287	-	-	4	59	10	16	12	5	4	1	11	5	152	122	2	2	94	24
Natick town#	251	-	-	3	67	14	18	6	6	5	2	16	3	113	86	-	-	64	22
Newton	684	-	1	13	178	44	35	25	11	9	12	42	7	332	267	2	4	208	53
Reading town#	169	-	-	2	29	8	7	2	3	1	2	6	2	97	76	-	-	69	7
Somerville	831	-	-	8	217	63	60	20	17	10	6	41	22	382	308	4	2	252	50
Stoneham town#	226	-	-	-	61	20	13	9	5	1	1	12	2	118	96	-	1	82	13
Tewksbury town#	165	-	-	-	44	11	9	6	7	1	-	10	8	76	64	1	-	54	9
Wakefield town#	242	-	-	4	65	14	15	4	8	6	5	13	5	107	87	2	1	62	22
Waltham	490	-	-	3	122	27	28	15	20	7	4	21	8	235	189	3	7	141	38
Watertown town#	369	-	-	3	112	26	27	15	11	5	9	19	5	170	142	1	1	118	22
Wilmington town#	105	-	-	1	25	7	8	1	3	-	1	5	5	52	43	1	-	37	5
Winchester town#	192	-	-	1	50	17	12	3	2	5	2	9	2	87	73	1	1	60	11
Woburn	246	-	-	6	67	16	25	4	6	-	2	14	4	114	95	-	3	75	17
Balance of county	1,425	1	-	10	351	90	70	32	59	16	11	73	21	651	510	6	11	400	93
Nantucket	64	-	-	-	18	5	1	5	4	-	-	3	2	19	16	-	1	9	6
Norfolk	5,425	1	-	54	1,384	379	336	158	137	78	42	254	67	2,622	2,113	23	23	1,673	394
Braintree town#	359	-	-	4	91	26	24	8	12	3	3	15	5	184	141	-	1	119	21
Brookline town#	576	-	-	7	152	45	24	19	18	5	4	37	8	268	231	3	2	157	69
Dedham town#	244	-	-	1	68	10	19	12	6	3	5	13	2	106	82	1	-	56	25
Holbrook town#	87	-	-	-	32	2	10	2	1	4	1	12	1	35	30	-	2	25	3
Milton town#	290	-	-	3	66	19	15	5	5	3	2	17	3	148	119	1	1	100	17
Needham town#	251	-	-	2	61	15	15	2	9	6	2	12	4	122	106	2	2	83	19
Norwood town#	278	-	-	1	76	21	17	12	9	6	-	11	3	131	95	3	1	66	25
Quincy	913	1	-	14	246	64	78	26	21	14	10	33	13	435	354	7	4	293	50
Randolph town#	249	-	-	3	78	17	20	7	12	4	3	15	2	107	88	-	-	79	9
Stoughton town#	229	-	-	1	59	16	20	7	5	-	2	9	3	109	92	-	3	73	16
Wellesley town#	222	-	-	3	54	17	12	8	9	4	1	3	3	94	67	1	-	53	13
Westwood town#	108	-	-	2	29	10	5	4	4	1	-	5	-	53	42	1	-	31	10
Weymouth town#	499	-	-	4	118	41	23	14	7	8	3	22	7	250	201	2	3	174	22
Balance of county	1,120	-	-	9	254	76	54	32	19	17	6	50	13	580	465	2	4	364	95
Plymouth	3,420	2	-	36	822	207	225	91	75	32	25	167	52	1,644	1,334	12	24	1,070	228
Abington town#	136	-	-	2	31	3	9	6	4	-	2	7	4	64	56	-	-	49	7
Brockton	939	1	-	9	208	58	57	18	16	8	4	47	11	463	369	4	6	320	39
Plymouth town#	348	-	-	3	77	23	19	5	8	5	4	13	6	166	139	1	1	104	33
Rockland town#	150	-	-	2	38	11	9	3	3	1	1	10	2	66	51	-	1	44	6
Scituate town#	144	1	-	2	34	9	5	6	3	3	-	8	2	72	52	-	3	35	14
Whitman town#	96	-	-	-	23	3	8	4	2	1	1	4	1	48	40	-	-	36	4
Balance of county	1,607	-	-	18	411	100	118	49	39	14	13	78	26	765	627	7	13	482	125
Suffolk	6,766	5	-	129	1,504	414	379	121	137	58	50	345	119	3,137	2,649	27	84	1,889	649
Boston	5,699	3	-	116	1,255	344	319	107	116	45	38	286	100	2,619	2,213	25	71	1,570	547
Chelsea	390	1	-	9	85	23	16	4	10	5	4	23	8	179	153	1	6	101	45
Revere	436	-	-	3	115	33	33	6	9	2	4	28	9	203	170	-	6	125	39
Winthrop town#	241	1	-	1	49	14	11	4	2	6	4	8	2	136	113	1	1	93	18
Worcester	6,162	2	-	85	1,406	373	329	153	168	60	47	276	94	3,034	2,516	20	31	1,956	509
Clinton town#	150	-	-	2	38	10	9	8	5	-	-	8	1	71	56	-	1	48	7
Fitchburg	438	-	-	1	113	27	23	12	11	5	2	33	10	211	177	1	1	137	38
Gardner	201	-	-	2	46	10	15	2	4	6	2	7	3	106	81	1	-	70	10
Leominster	307	1	-	3	83	21	22	8	12	2	2	16	7	134	104	1	-	97	6
Milford town#	199	-	-	3	44	12	13	4	3	3	-	9	3	105	90	1	1	77	11
Shrewsbury town#	203	-	-	4	45	11	5	6	6	1	3	13	4	103	82	-	-	67	15
Webster town#	186	-	-	3	38	8	12	6	6	1	1	4	3	106	91	-	2	71	18
Worcester	2,034	-	-	45	421	117	107	44	50	19	12	72	29	1,000	843	8	13	631	191
Balance of county	2,444	1	-	22	578	157	123	65	71	23	25	114	34	1,198	992	8	13	758	213
Michigan	76,684	39	3	714	16,797	4,168	4,662	1,465	1,799	752	653	3,288	1,470	38,515	30,427	282	675	22,200	7,270
Urban places	46,379	32	2	496	10,135	2,539	2,860	905	1,081	441	359	1,950	886	23,081	18,428	172	444	12,955	4,857
Balance of area	30,305	7	1	218	6,662	1,629	1,802	560	718	311	294	1,348	584	15,454	11,999	110	231	9,245	2,413
Metropolitan counties	61,692	38	2	617	13,637	3,370	3,805	1,200	1,471	610	519	2,662	1,185	30,718	24,445	218	588	17,575	6,064
Urban places	44,589	32	2	479	9,792	2,455	2,784	861	1,055	419	346	1,872	846	22,137	17,742	164	433	12,434	4,711
Balance of area	17,103	6	-	138	3,845	915	1,021	339	416	191	173	790	339	8,581	6,703	54	155	5,141	1,353
Nonmetropolitan counties	14,992	1	1	97	3,160	798	857	265	328	142	134	636	285	7,797	5,982	64	87	4,625	1,206
Urban places	1,790	-	-	17	343	84	76	44	26	22	13	78	40	924	686	8	11	521	146
Balance of area	13,202	1	1	80	2,817	714	781	221	302	120	121	558	245	6,873	5,296	56	76	4,104	1,060
Alcona	126	-	-	-	21	4	3	3	4	2	2	3	2	77	61	-	3	49	9
Alger	105	-	-	1	21	6	5	3	1	-	-	6	7	61	38	-	1	38	1
Allegan	660	-	-	4	142	26	40	15	13	9	5	34	9	323	253	2	3	170	78
Holland, part	40	-	-	-	7	-	1	-	3	1	-	2	1	21	13	-	-	10	3
Balance of county	620	-	-	4	135	26	39	15	10	8	5	32	8	302	240	2	3	160	75
Alpena	292	1	-	-	61	13	17	9	7	-	1	14	8	151	128	1	1	103	23
Alpena	148	-	-	-	29	5	9	4	4	-	-	7	5	71	60	1	1	45	13
Balance of county	144	1	-	-	32	8	8	5	3	-	1	7	3	80	68	-	-	58	10
Antrim	182	-	-	-	47	11	7	4	8	1	1	15	2	99	69	2	1	53	13
Arenac	166	-	1	1	35	8	13	4	3	1	1	5	1	83	65	1	-	51	13
Baraga	112	-	-	-	23	8	5	-	2	1	1	6	3	61	55	-	-	42	13
Barry	338	1	-	1	88	25	22	4	16	2	4	15	10	152	125	1	3	102	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Hudson town#	-	11	-	3	3	8	1	1	2	-	3	-	2	7	7	1	1	-	-
Lexington town#	-	23	1	1	8	4	1	6	-	-	-	-	-	23	1	3	1	-	-
Lowell	1	63	52	9	31	60	4	10	6	-	7	8	4	71	10	8	10	4	1
Malden	2	31	11	9	15	20	3	7	8	-	3	5	10	52	-	9	5	1	2
Marlborough	1	26	1	2	10	9	1	6	1	-	2	2	3	31	3	4	-	-	-
Medford	2	45	7	7	19	21	4	4	7	-	2	1	6	59	5	16	5	2	-
Melrose	1	21	5	3	12	9	-	5	3	-	-	1	2	23	3	1	6	2	-
Natick town#	-	19	-	8	16	5	-	1	4	-	3	3	1	21	4	4	2	1	-
Newton	1	46	6	12	31	16	2	2	8	-	1	5	4	58	8	13	5	-	-
Reading town#	-	18	3	-	6	6	1	1	2	-	-	-	-	13	2	7	1	-	-
Somerville	-	57	10	7	32	24	2	17	13	-	4	4	9	69	2	16	5	2	3
Stoneham town#	2	15	3	2	5	10	1	2	1	-	1	1	1	17	3	3	-	-	-
Tewksbury town#	1	5	4	2	4	6	1	3	1	-	-	-	-	9	5	6	2	-	-
Wakefield town#	-	18	1	1	13	13	1	4	1	-	1	1	1	20	1	3	2	-	-
Waltham	1	32	4	9	13	19	1	15	5	-	2	2	6	45	6	3	4	-	1
Watertown town#	1	25	2	-	15	6	1	2	4	-	1	2	3	33	1	7	3	1	-
Wilmington town#	-	5	1	3	4	2	-	-	1	-	2	-	2	7	1	3	-	-	-
Winchester town#	-	12	2	-	10	6	1	2	3	-	-	1	1	19	1	4	2	-	2
Woburn	-	14	3	2	7	9	-	3	3	-	5	2	1	13	2	7	3	-	-
Balance of county	4	107	12	18	49	38	3	20	11	-	13	7	13	127	44	36	21	6	3
Nantucket	2	1	-	-	3	5	1	2	1	-	1	1	-	6	1	2	1	1	-
Norfolk	29	384	35	61	209	158	11	55	54	-	25	35	37	468	76	105	51	9	4
Braintree town#	2	35	2	4	9	17	1	5	1	-	2	3	1	26	-	4	5	1	-
Brookline town#	2	29	2	4	25	10	-	7	5	-	1	11	5	51	4	12	8	2	-
Dedham town#	3	14	2	5	16	4	-	3	2	-	-	1	-	34	-	4	2	1	-
Holbrook town#	-	4	-	1	-	4	-	-	-	-	1	1	2	7	1	3	-	-	-
Milton town#	-	23	1	5	10	5	-	6	5	-	3	-	2	33	2	3	1	-	-
Needham town#	2	11	2	1	12	5	2	2	5	-	3	3	1	22	2	4	1	-	-
Norwood town#	1	28	4	3	9	6	-	1	5	-	1	1	-	28	5	9	1	1	-
Quincy	2	61	7	11	30	25	-	7	5	-	4	4	6	88	8	18	6	-	3
Randolph town#	-	17	-	2	8	7	-	-	2	-	1	2	2	23	8	4	1	1	-
Stoughton town#	3	10	2	2	14	5	-	3	2	-	2	1	3	17	3	3	4	-	-
Wellesley town#	3	19	3	2	14	4	1	2	3	-	1	-	3	28	2	6	4	-	-
Westwood town#	1	9	-	1	6	5	-	1	2	-	-	-	-	5	1	2	2	-	-
Weymouth town#	3	36	4	6	15	23	3	6	5	-	2	3	5	31	13	7	5	2	-
Balance of county	7	88	6	14	41	38	4	12	12	-	4	5	7	75	27	26	11	1	1
Plymouth	8	233	23	46	125	102	7	52	34	-	11	25	30	269	67	88	98	13	3
Abington town#	-	4	3	1	3	8	-	2	-	-	1	2	-	12	3	3	1	-	-
Brockton	1	70	6	17	44	26	2	19	11	-	4	8	15	64	11	28	6	7	2
Plymouth town#	-	21	2	4	14	6	-	4	8	-	1	4	1	38	6	7	5	2	-
Rockland town#	1	13	1	-	4	6	1	1	1	-	-	-	-	16	8	4	1	-	-
Scituate town#	1	13	4	2	6	6	-	2	1	-	-	-	-	11	3	2	2	-	-
Whitman town#	-	8	-	-	5	2	-	1	-	-	-	-	-	9	2	4	1	-	-
Balance of county	5	104	7	22	49	48	4	23	13	-	5	11	14	119	34	40	22	4	1
Suffolk	20	344	47	77	250	183	15	92	98	1	31	64	69	671	53	182	62	87	14
Boston	13	286	42	65	220	155	10	76	81	1	25	55	61	577	43	157	53	81	11
Chelsea	2	18	2	4	15	11	2	7	5	-	2	3	1	44	6	8	1	2	1
Revere	1	24	3	5	10	16	-	6	8	-	4	3	4	33	3	11	5	2	1
Winthrop town#	4	16	-	3	5	1	3	3	4	-	-	3	3	17	1	6	3	2	1
Worcester	21	350	65	82	235	190	12	64	74	-	28	34	42	546	110	120	69	15	2
Clinton town#	1	11	2	1	7	6	-	1	1	-	-	-	3	14	3	2	1	-	-
Fitchburg	2	27	3	2	14	19	-	5	3	-	3	1	-	33	7	11	7	-	-
Gardner	2	15	3	5	-	7	1	4	3	-	-	2	2	15	2	5	2	1	-
Leominster	-	21	1	8	13	6	-	4	4	-	1	2	7	29	3	7	3	-	-
Milford town#	1	9	3	2	3	5	-	1	-	-	4	1	-	19	2	6	2	1	-
Shrewsbury town#	3	9	9	-	7	6	-	4	-	-	1	5	-	16	1	3	3	1	-
Webster town#	-	12	2	1	5	3	-	2	-	-	1	2	2	7	5	4	4	1	-
Worcester	5	97	24	31	103	64	3	19	32	-	4	11	11	192	25	38	28	9	2
Balance of county	7	149	18	32	83	74	8	24	31	-	14	10	17	221	62	44	21	2	-
Michigan	306	5,725	1,269	788	2,103	2,467	242	1,252	708	6	490	850	367	5,576	1,420	1,544	1,081	958	87
Urban places	187	3,389	859	398	1,248	1,384	141	925	415	4	282	595	218	3,477	845	855	637	864	77
Balance of area	119	2,336	610	390	855	1,083	101	327	288	2	208	255	149	2,099	775	689	444	94	10
Metropolitan counties	241	4,509	939	584	1,621	1,951	185	1,094	549	5	393	752	293	4,489	1,080	1,175	902	922	84
Urban places	181	3,223	614	377	1,185	1,322	133	900	394	4	268	585	212	3,322	613	812	616	858	77
Balance of area	60	1,286	325	207	436	629	52	194	155	1	125	167	81	1,167	467	363	286	64	7
Nonmetropolitan counties	65	1,216	330	204	482	516	57	158	154	1	97	98	74	1,087	340	369	179	36	3
Urban places	6	166	45	21	63	62	8	25	21	-	14	10	6	155	32	43	21	6	-
Balance of area	59	1,050	285	183	419	454	49	133	133	1	83	88	68	932	308	326	158	30	3
Alcona	1	12	-	3	2	5	-	1	1	-	-	-	1	10	-	2	3	1	-
Alger	-	17	5	1	2	2	-	1	2	-	-	-	1	4	1	2	-	-	-
Allegan	2	45	16	7	30	12	3	7	3	-	7	4	12	53	15	25	7	4	-
Holland, part	-	5	2	1	3	1	-	1	-	-	-	-	-	4	-	1	-	1	-
Balance of county	2	40	14	6	27	11	3	6	3	-	7	4	12	49	15	24	7	3	-
Alpena	-	18	3	2	7	6	-	6	3	-	2	2	2	23	6	10	4	-	-
Alpena	-	9	1	1	5	2	-	4	2	-	2	1	1	14	3	7	2	-	-
Balance of county	-	9	2	1	2	4	-	2	1	-	-	1	1	9	3	3	2	-	-
Antrim	1	17	10	2	7	3	1	2	1	-	2	-	-	9	3	5	1	-	-
Arenac	-	11	1	6	6	6	1	3	2	-	1	2	1	13	4	2	4	-	-
Baraga	-	5	-	1	4	3	1	2	1	-	-	-	-	4	3	3	4	-	-
Barry	2	18	3	4	7	16	1	-	3	-	3	4	2	23	13	7	6	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Bay	968	-	-	3	223	58	59	19	12	6	9	60	10	544	430	1	1	377	51
Bangor township#	100	-	-	-	19	6	3	4	1	1	-	4	2	58	50	1	-	44	5
Bay City	466	-	-	3	110	30	31	6	5	3	4	31	5	259	203	-	1	173	29
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	402	-	-	-	94	22	25	9	6	2	5	25	3	227	177	-	-	160	17
Benzie	123	-	-	1	23	7	7	2	3	-	-	4	2	66	48	-	-	40	8
Berrien	1,479	1	-	15	288	67	84	25	38	19	11	44	25	745	579	1	20	432	126
Benton Harbor	166	1	-	1	37	7	15	2	5	3	-	5	2	63	50	-	3	30	17
Niles	195	-	-	3	39	7	11	5	5	2	2	7	3	102	86	-	5	62	21
Balance of county	1,118	-	-	11	212	53	58	18	28	14	9	32	20	580	441	1	12	340	88
Branch	388	-	-	4	73	20	25	4	5	2	4	13	12	183	134	1	1	107	25
Calhoun	1,318	1	-	12	292	74	79	25	41	6	7	60	39	626	516	4	24	364	124
Albion	90	-	-	2	16	2	6	1	4	-	1	2	-	52	42	1	-	29	12
Battle Creek	637	1	-	7	141	41	35	9	20	5	3	28	21	287	235	1	13	169	52
Balance of county	591	-	-	3	135	31	38	15	17	1	3	30	18	287	239	2	11	166	60
Cass	417	-	-	1	90	22	27	11	6	2	8	14	8	199	160	1	4	134	21
Charlevoix	206	-	-	1	45	12	10	3	9	3	-	8	4	114	96	-	2	74	20
Cheboygan	186	-	-	2	49	12	16	4	5	2	3	7	6	88	72	1	-	57	14
Chippewa	295	-	-	2	71	15	26	4	6	3	1	16	14	144	118	2	-	107	9
Sault Ste. Marie	166	-	-	1	33	8	12	2	2	2	-	7	6	89	72	2	-	65	5
Balance of county	129	-	-	1	38	7	14	2	4	1	1	9	8	55	46	-	-	42	4
Clare	294	-	-	3	51	12	14	2	6	2	4	11	4	172	151	1	-	122	28
Clinton	312	1	-	1	81	18	26	14	4	2	4	13	2	150	114	1	4	88	21
Lansing, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	311	1	-	1	81	18	26	14	4	2	4	13	2	149	113	1	4	87	21
Crawford	98	-	-	-	24	2	9	2	3	2	1	5	2	49	36	-	2	31	3
Delta	338	-	-	3	63	20	15	3	9	-	2	14	6	172	133	1	4	109	19
Escanaba	157	-	-	1	24	6	5	1	4	-	1	7	4	82	59	-	3	50	6
Balance of county	181	-	-	2	39	14	10	2	5	-	1	7	2	90	74	1	1	59	13
Dickinson	329	-	-	2	69	19	15	7	11	2	1	14	5	170	131	5	1	90	35
Eaton	561	-	-	11	120	28	25	11	12	7	9	28	9	278	203	3	5	157	38
Lansing, part	10	-	-	1	3	1	1	-	-	1	-	-	1	4	2	1	1	-	-
Balance of county	551	-	-	10	117	27	24	11	12	6	9	28	8	274	201	2	4	157	38
Emmet	239	-	-	1	55	15	14	1	7	2	5	11	5	108	86	-	-	74	14
Genesee	3,387	-	-	39	733	196	203	52	75	45	17	145	75	1,702	1,312	12	38	1,011	251
Burton	215	-	-	3	50	15	21	1	5	3	1	4	6	109	83	1	3	65	14
Flint	1,538	-	-	17	316	93	88	20	42	13	4	56	37	759	578	5	15	429	127
Flint township#	278	-	-	1	61	16	18	4	8	2	-	13	5	152	116	2	3	93	18
Genesee township#	140	-	-	2	32	5	11	4	1	2	1	8	3	71	60	1	-	45	14
Mount Morris township#	144	-	-	1	33	10	4	5	4	1	-	9	4	62	52	1	3	36	12
Balance of county	1,072	-	-	15	241	57	61	18	15	24	11	55	20	549	425	2	14	343	66
Gladwin	208	-	-	1	42	6	15	3	4	4	2	8	3	113	87	1	1	71	14
Gogebic	252	-	-	-	56	22	13	5	2	-	1	13	3	137	99	1	3	67	28
Grand Traverse	431	-	-	5	84	12	25	12	9	5	3	18	3	233	167	2	5	121	39
Traverse City	165	-	-	3	28	5	6	5	2	4	-	6	-	96	65	2	4	43	16
Balance of county	266	-	-	2	56	7	19	7	7	1	3	12	3	137	102	-	1	78	23
Gratiot	408	-	-	2	56	11	14	7	11	3	4	6	6	237	161	4	8	124	25
Hillsdale	367	-	-	2	66	22	17	4	9	3	2	9	7	194	154	3	2	120	29
Houghton	424	-	-	2	81	21	18	3	18	3	3	15	8	244	192	-	3	139	50
Huron	377	-	-	1	84	30	19	6	10	4	2	13	5	204	158	-	1	132	25
Ingham	1,643	1	-	14	409	95	101	54	40	16	16	87	41	715	534	7	21	367	139
East Lansing	129	-	-	1	36	12	5	4	1	3	2	9	3	51	38	-	1	24	13
Lansing, part	929	1	-	7	228	53	66	31	19	10	9	40	28	405	303	3	16	206	78
Lansing, total	940	1	-	8	231	54	67	31	19	11	9	40	29	410	306	4	17	207	78
Meridian township#	177	-	-	3	43	9	9	3	7	2	3	10	4	79	60	2	1	42	15
Balance of county	408	-	-	3	102	21	21	16	13	1	2	28	6	180	133	2	3	95	33
Ionia	383	-	-	2	71	21	23	4	5	3	2	13	14	187	145	1	5	106	33
Iosco	309	-	-	3	69	14	25	7	3	3	3	14	1	168	136	-	1	114	21
Iron	223	-	-	4	60	17	26	4	3	-	1	9	2	103	75	2	-	46	27
Isabella	299	-	-	1	61	15	19	4	3	3	2	15	7	150	108	-	-	81	27
Mount Pleasant	114	-	-	1	17	2	5	2	1	1	-	6	3	59	37	-	-	31	6
Balance of county	185	-	-	-	44	13	14	2	2	2	2	9	4	91	71	-	-	50	21
Jackson	1,310	-	-	12	261	67	64	19	31	13	12	55	31	669	500	5	9	344	142
Jackson	508	-	-	5	104	27	26	6	13	4	6	22	14	264	197	1	5	129	62
Balance of county	802	-	-	7	157	40	38	13	18	9	6	33	17	405	303	4	4	215	80
Kalamazoo	1,542	1	-	11	372	97	97	36	48	21	15	58	29	707	542	8	10	445	79
Kalamazoo	664	1	-	6	148	35	41	14	25	7	7	19	9	326	249	3	5	206	36
Kalamazoo township#	170	-	-	1	52	15	13	5	6	3	2	8	1	77	53	2	2	42	7
Portage	188	-	-	-	47	10	12	4	8	1	1	11	5	76	63	-	-	55	8
Balance of county	520	-	-	4	125	37	31	13	9	10	5	20	14	228	177	3	3	142	29
Kalkaska	91	-	-	-	26	6	9	1	3	1	1	5	3	41	28	-	-	20	6
Kent	3,580	1	-	19	779	185	176	85	76	38	37	182	58	1,800	1,315	15	39	913	349
East Grand Rapids	69	-	-	-	21	7	5	-	2	-	1	6	1	30	20	1	-	15	4
Grand Rapids	1,960	1	-	12	402	85	98	42	40	25	20	92	33	998	723	5	22	497	199
Grandville	77	-	-	-	10	2	2	2	1	1	-	2	4	46	31	1	-	22	8
Kentwood	125	-	-	-	34	7	6	7	3	3	-	8	1	49	44	3	3	25	13
Walker	89	-	-	1	11	4	3	-	2	1	-	1	-	40	32	-	1	23	8
Wyoming	390	-	-	2	91	21	20	8	9	3	6	24	8	206	152	4	2	111	35
Balance of county	870	-	-	4	210	59	42	26	19	5	10	49	11	433	313	1	11	220	81
Keweenaw	32	-	-	-	8	1	3	2	-	-	2	-	-	15	13	-	-	10	3
Lake	121	-	-	1	31	8	11	-	1	1	-	10	1	64	49	-	6	37	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Bay	3	52	48	11	9	44	3	17	10	-	4	16	4	39	11	14	9	8	-
Bangor township#	-	4	4	-	-	3	-	2	2	-	1	-	-	5	1	4	3	-	-
Bay City	1	25	22	8	3	28	2	5	5	-	3	8	1	18	4	6	1	5	-
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	23	22	3	6	13	1	10	3	-	-	8	3	16	6	4	5	3	-
Benzie	1	12	4	1	7	4	-	3	3	-	-	-	-	7	4	2	1	-	-
Berrien	3	118	22	23	48	58	6	16	15	-	8	26	9	132	28	39	13	7	-
Benton Harbor	1	9	1	2	9	4	-	3	1	-	1	13	3	13	6	5	1	4	-
Niles	-	10	3	1	10	3	1	3	4	-	1	1	3	13	3	2	3	1	-
Balance of county	2	99	18	20	29	51	5	10	10	-	6	12	3	106	20	32	9	2	-
Branch	3	26	12	8	16	14	2	7	3	-	6	5	-	29	17	13	2	-	-
Calhoun	10	75	12	13	50	59	4	19	8	-	9	20	10	90	19	34	13	8	5
Albion	-	7	1	2	1	2	-	1	-	-	-	4	1	5	1	5	-	-	-
Battle Creek	4	36	6	6	25	30	2	14	2	-	6	11	5	42	8	17	7	7	4
Balance of county	6	32	5	5	24	27	2	4	6	-	3	5	4	43	10	12	6	1	1
Cass	-	25	7	7	20	25	3	2	3	-	2	8	4	32	6	10	2	2	-
Charlevoix	2	8	2	6	4	8	-	1	1	-	-	1	2	14	4	6	1	-	-
Cheboygan	-	14	1	1	7	4	3	1	2	-	2	1	-	13	1	3	3	1	-
Chippewa	1	20	1	4	5	12	3	2	2	-	1	1	-	24	2	8	2	2	-
Sault Ste. Marie	1	14	1	1	3	9	2	1	2	-	1	-	-	13	1	3	1	1	-
Balance of county	-	6	-	3	2	3	1	1	-	-	-	1	-	11	1	5	1	1	-
Clare	2	16	1	3	3	14	1	3	7	-	1	2	5	13	3	7	3	2	-
Clinton	1	24	10	1	6	16	1	3	1	-	1	4	-	20	12	5	7	1	-
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	24	10	1	6	16	1	3	1	-	1	4	-	20	12	5	7	1	-
Crawford	-	7	3	3	1	4	-	-	2	-	1	1	1	10	2	1	-	-	-
Delta	2	20	7	10	11	5	2	8	4	-	1	2	1	31	9	17	3	-	-
Escanaba	1	10	6	6	7	2	1	4	2	-	-	1	1	19	3	5	1	-	-
Balance of county	1	10	1	4	4	3	1	4	2	-	1	1	-	12	6	12	2	-	-
Dickinson	-	27	6	6	9	12	2	3	2	-	2	2	1	35	4	4	6	-	1
Eaton	3	41	24	7	20	21	1	5	5	-	4	6	1	44	17	11	8	-	-
Lansing, part	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Balance of county	3	39	24	7	20	21	1	5	5	-	4	6	1	44	17	10	8	-	-
Emmet	-	15	1	4	11	9	-	3	3	-	1	1	1	21	8	8	4	-	-
Genesee	17	280	64	29	91	119	13	45	29	-	27	53	16	228	72	60	40	42	3
Burton	-	21	3	2	7	10	-	1	1	-	3	3	-	11	4	4	2	1	-
Flint	10	137	24	12	45	57	4	22	8	-	10	32	12	122	16	28	22	30	1
Flint township#	1	25	9	1	8	8	3	1	4	-	2	3	1	16	3	6	2	2	-
Genesee township#	1	5	3	2	4	5	-	3	1	-	1	1	-	9	5	1	1	1	-
Mount Morris township#	1	6	2	1	3	6	2	2	1	-	3	1	-	11	7	4	1	3	-
Balance of county	4	86	23	11	24	33	4	16	14	-	8	13	3	59	37	17	12	5	2
Gladwin	-	18	6	2	2	10	-	2	2	-	-	2	2	18	5	4	2	-	-
Gogebic	2	32	1	3	13	7	1	3	1	-	-	1	3	16	5	3	3	-	-
Grand Traverse	2	41	18	5	13	13	3	3	5	-	4	4	-	36	10	7	6	2	-
Traverse City	1	18	9	3	6	5	-	1	3	-	2	-	-	14	3	3	1	-	-
Balance of county	1	23	9	2	7	8	3	2	2	-	2	4	-	22	7	4	5	2	-
Gratiot	1	60	6	9	20	10	1	6	8	-	5	3	2	28	8	7	6	2	1
Hillsdale	2	29	5	4	17	15	-	3	4	-	3	4	1	28	11	8	3	1	-
Houghton	4	26	17	5	14	12	2	4	1	-	2	1	2	30	5	11	5	-	-
Huron	-	39	5	2	11	8	2	10	4	-	2	3	2	28	2	7	4	-	-
Ingham	11	119	32	19	43	55	3	20	15	-	13	26	16	147	33	46	37	8	1
East Lansing	1	12	-	-	4	5	-	1	1	-	-	2	3	16	2	1	3	-	-
Lansing, part	10	66	18	8	16	31	2	14	8	-	11	18	6	85	18	24	19	7	1
Lansing, total	10	68	18	8	16	31	2	14	8	-	11	18	6	85	18	25	19	7	1
Meridian township#	-	11	7	1	6	5	-	2	2	-	-	3	-	15	4	8	3	-	-
Balance of county	-	30	7	10	17	14	1	3	4	-	2	3	7	31	9	13	12	1	-
Ionia	4	29	7	2	10	15	1	3	3	-	5	2	4	34	15	7	8	2	-
Iosco	-	25	4	3	7	10	-	6	6	-	-	1	-	15	9	8	5	1	-
Iron	-	20	3	5	11	10	-	3	4	-	1	1	2	12	3	6	1	-	-
Isabella	-	38	2	2	10	10	-	2	1	1	3	3	2	21	15	6	3	3	-
Mount Pleasant	-	20	1	1	6	3	-	1	1	-	3	1	1	11	4	2	1	-	-
Balance of county	-	18	1	1	4	7	-	1	-	1	-	2	1	10	11	4	2	3	-
Jackson	5	113	38	13	28	55	8	16	9	-	9	11	9	104	30	26	21	11	-
Jackson	2	47	13	5	9	19	3	9	2	-	3	6	4	35	8	10	5	8	-
Balance of county	3	66	25	8	19	36	5	7	7	-	6	5	5	69	22	16	16	3	-
Kalamazoo	10	116	19	20	51	59	6	18	9	-	15	24	6	131	29	43	25	6	-
Kalamazoo	7	57	6	7	23	24	2	4	5	-	5	11	3	59	9	17	8	4	-
Kalamazoo township#	1	13	7	3	6	4	1	6	1	-	1	3	-	9	2	5	-	1	-
Portage	-	9	2	2	8	9	1	1	-	-	4	6	2	17	4	4	3	1	-
Balance of county	2	37	4	8	14	22	2	7	3	-	5	4	1	46	14	17	14	-	-
Kalkaska	1	6	6	-	2	3	-	1	-	-	-	-	1	4	2	5	3	-	-
Kent	7	313	124	41	119	135	8	50	29	-	31	44	21	264	88	63	46	23	2
East Grand Rapids	-	7	2	1	2	1	-	1	1	-	1	-	-	6	2	-	3	-	-
Grand Rapids	2	176	78	17	75	69	5	26	15	-	17	26	15	160	34	32	21	19	2
Grandville	1	6	8	-	3	2	-	1	-	-	-	3	-	5	-	2	1	-	-
Kentwood	-	2	1	2	5	4	1	2	3	-	3	1	2	11	5	2	2	-	-
Walker	-	6	1	1	2	5	-	1	2	-	1	1	-	15	3	3	4	-	-
Wyoming	3	38	7	6	11	15	1	6	3	-	3	4	2	17	10	6	4	1	-
Balance of county	1	78	27	14	21	39	1	13	5	-	6	9	2	50	34	18	11	3	-
Keweenaw	-	2	-	-	2	1	-	2	1	-	-	-	-	2	1	-	-	-	-
Lake	1	6	3	5	3	1	-	1	1	-	-	-	-	2	7	5	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Lapeer	439	-	-	3	103	25	28	13	14	2	4	17	10	210	161	2	5	128	26
Leelanau	135	-	-	1	26	8	5	2	4	2	1	4	3	75	54	1	1	37	15
Lenawee	718	-	-	2	167	30	54	18	16	9	8	32	25	348	266	4	5	199	58
Adrian	232	-	-	1	59	11	14	9	4	2	3	16	12	105	80	1	2	49	28
Balance of county	486	-	-	1	108	19	40	9	12	7	5	16	13	243	186	3	3	150	30
Livingston	587	-	-	5	138	36	41	11	14	5	5	26	14	278	230	3	2	181	44
Luce	54	-	-	1	11	2	4	-	2	1	-	2	2	28	18	1	-	13	4
Mackinac	125	-	-	-	38	7	9	4	2	3	-	13	2	60	40	2	-	30	8
Macomb	4,875	4	-	40	1,190	271	358	109	102	63	40	247	91	2,602	2,090	24	22	1,693	351
Clinton township#	339	-	-	3	70	19	21	8	3	4	1	14	4	186	153	3	-	121	29
East Detroit	447	3	-	6	105	25	36	6	10	3	4	21	16	235	188	1	1	144	42
Fraser	127	-	-	2	26	3	4	2	4	3	1	9	3	73	58	-	-	46	12
Harrison township#	105	-	-	2	26	6	6	1	1	-	1	11	1	51	43	-	-	35	8
Mount Clemens	368	-	-	7	78	20	22	12	6	2	1	15	3	185	148	3	2	116	27
Roseville	405	-	-	1	101	22	32	9	8	5	3	22	11	221	177	3	3	144	27
St. Clair Shores	694	-	-	4	160	48	60	11	15	4	9	33	9	358	286	5	5	215	61
Shelby township#	156	-	-	1	47	4	19	3	4	7	2	8	1	77	58	1	1	53	3
Sterling Heights	521	1	-	4	127	31	37	14	10	6	3	26	11	247	199	1	-	167	31
Warren	1,201	-	-	7	291	63	84	33	28	20	4	59	19	634	516	5	5	431	75
Balance of county	612	-	-	3	139	30	37	10	13	9	11	29	13	335	264	2	5	221	36
Manistee	287	-	-	2	67	20	15	3	11	4	3	11	2	159	104	2	-	76	26
Marquette	524	-	-	1	97	35	20	11	7	5	3	16	10	277	206	1	1	152	52
Marquette	178	-	-	1	31	13	7	2	1	3	-	5	1	97	70	-	-	49	21
Balance of county	346	-	-	-	66	22	13	9	6	2	3	11	9	180	136	1	1	103	31
Mason	295	-	-	-	55	16	15	2	3	2	2	15	8	154	110	1	2	86	21
Mecosta	278	-	-	7	55	14	16	4	5	2	5	9	5	133	117	-	-	88	29
Big Rapids	83	-	-	1	17	2	3	3	1	1	1	6	1	44	40	-	-	29	11
Balance of county	195	-	-	6	38	12	13	1	4	1	4	3	4	89	77	-	-	59	18
Menominee	285	-	-	4	61	16	10	7	3	6	5	14	6	153	113	1	2	81	29
Menominee	128	-	-	2	24	8	3	4	1	2	3	3	5	71	48	1	-	34	13
Balance of county	157	-	-	2	37	8	7	3	2	4	2	11	1	82	65	-	2	47	16
Midland	439	-	-	4	94	25	25	13	6	4	4	17	2	222	166	2	5	132	27
Midland, part	243	-	-	4	51	16	9	9	3	2	1	11	2	114	79	1	1	67	10
Midland, total	243	-	-	4	51	16	9	9	3	2	1	11	2	114	79	1	1	67	10
Balance of county	196	-	-	-	43	9	16	4	3	2	3	6	-	108	87	1	4	65	17
Missaukee	87	-	-	1	23	6	3	2	4	-	1	7	-	49	39	-	-	34	5
Monroe	992	-	-	5	205	53	63	16	19	8	11	35	19	517	423	4	7	311	101
Monroe	324	-	-	1	72	20	19	6	9	3	1	14	5	171	136	4	2	105	25
Balance of county	668	-	-	4	133	33	44	10	10	5	10	21	14	346	287	-	5	206	76
Montcalm	454	-	-	3	91	27	21	5	11	4	1	22	10	218	160	3	4	121	32
Montmorency	99	-	-	-	25	9	6	1	2	1	1	5	1	52	37	-	2	31	4
Muskegon	1,335	1	-	10	295	66	84	28	28	8	15	66	27	669	504	5	6	408	85
Muskegon	468	-	-	5	87	22	24	7	9	3	4	18	8	240	173	1	2	132	38
Muskegon Heights	148	1	-	2	31	6	15	1	1	-	-	8	5	68	51	-	1	42	8
Norton Shores	127	-	-	2	32	7	6	1	4	-	3	11	4	60	47	1	1	43	2
Balance of county	592	-	-	1	145	31	39	19	14	5	8	29	10	301	233	3	2	191	37
Newaygo	308	-	-	1	63	14	19	9	5	5	1	10	6	167	133	2	2	104	25
Oakland	7,375	3	-	79	1,743	414	464	152	192	74	72	375	134	3,759	3,060	27	49	2,465	519
Avon township#	195	-	-	2	50	12	10	4	9	6	1	8	1	104	83	1	4	68	10
Berkley	137	-	-	2	39	10	11	2	5	2	2	7	5	66	47	-	-	38	9
Beverly Hills	67	-	-	-	11	2	-	1	-	2	1	5	-	46	41	-	1	34	6
Birmingham	212	-	-	1	56	16	11	6	5	-	3	15	5	114	93	-	2	78	15
Bloomfield township#	248	-	-	1	66	17	12	7	3	6	5	16	2	121	92	-	-	75	17
Clawson	120	-	-	-	24	6	10	1	-	-	1	6	2	72	63	1	-	47	15
Farmington	160	-	-	1	40	17	7	2	7	-	-	7	2	80	70	1	1	57	11
Farmington Hills	398	-	-	6	85	24	21	7	8	3	4	18	7	209	173	1	1	138	33
Ferndale	283	-	-	3	68	16	21	9	3	2	6	11	6	159	128	1	5	100	22
Hazel Park	173	1	-	1	44	14	13	-	4	-	1	12	4	76	66	-	1	56	9
Madison Heights	263	-	-	3	63	17	20	3	10	1	3	9	6	127	105	5	2	81	17
Novi	96	-	-	2	21	3	7	4	1	-	-	6	1	53	44	-	1	33	10
Oak Park	291	-	-	5	65	17	12	6	4	3	2	21	9	154	128	3	1	98	26
Pontiac	677	-	-	7	130	20	39	8	15	6	7	35	21	335	283	2	3	216	42
Royal Oak	646	-	-	5	154	40	43	16	10	6	7	32	5	347	283	1	9	230	43
Southfield	783	1	-	11	188	49	44	16	27	11	6	35	14	406	325	2	-	266	57
Troy	349	-	-	4	92	19	28	10	9	4	1	21	3	176	144	2	3	118	21
West Bloomfield township#	191	-	-	4	58	13	15	9	3	4	2	12	1	91	75	1	2	64	8
Balance of county	2,077	1	-	21	489	102	140	41	69	18	20	99	40	1,021	837	6	13	670	148
Oceana	203	-	-	4	36	11	11	1	2	2	2	7	6	103	81	-	3	57	21
Ogemaw	216	-	-	-	46	10	13	5	5	4	1	8	7	120	91	-	-	77	14
Ontonagon	102	-	-	1	27	6	5	1	3	2	2	8	1	58	33	-	-	29	4
Osceola	193	-	-	-	43	9	10	6	5	-	4	9	3	104	80	1	2	65	12
Oscoda	107	-	-	2	33	6	11	2	4	-	-	10	2	49	38	-	-	31	7
Otsego	154	-	-	-	28	8	10	-	2	2	1	5	4	89	76	1	-	47	28
Ottawa	1,033	-	-	10	236	67	52	14	23	11	11	58	21	517	388	2	7	298	81
Georgetown township#	93	-	-	-	18	4	5	1	3	-	-	5	5	47	40	-	-	35	5
Grand Haven	140	-	-	2	32	13	6	2	2	1	1	7	-	72	50	-	-	32	18
Holland, part	190	-	-	2	46	13	8	4	6	3	-	12	5	104	79	-	2	66	11
Holland, total	230	-	-	2	53	13	9	4	9	4	-	14	6	125	92	-	2	76	14
Balance of county	610	-	-	6	140	37	33	7	12	7	10	34	11	284	219	2	5	165	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Lapeer	2	33	8	6	10	7	1	4	8	1	7	6	2	24	18	9	9	1	-
Leelanau	-	11	8	2	3	2	1	-	1	-	2	1	-	11	-	6	3	-	-
Lenawee	3	61	13	5	16	32	3	4	5	-	3	4	1	51	18	25	13	-	1
Adrian	-	20	3	2	7	6	1	2	2	-	1	2	-	22	4	5	3	-	-
Balance of county	3	41	10	3	9	26	2	2	3	-	2	2	1	29	14	20	10	-	1
Livingston	2	30	10	6	20	31	2	2	5	-	2	6	2	39	21	9	12	-	1
Luce	1	2	4	3	3	1	-	-	2	-	-	-	1	2	-	2	1	-	-
Mackinac	-	14	6	-	3	4	-	-	1	-	2	1	1	7	4	2	-	-	-
Macomb	21	368	86	37	108	144	19	92	42	-	35	42	12	304	87	60	79	21	3
Clinton township#	-	27	3	3	5	6	-	7	1	-	3	3	3	19	9	5	14	1	-
East Detroit	2	31	8	6	10	12	3	11	3	-	-	6	1	23	4	3	5	1	-
Fraser	-	10	4	1	-	8	3	-	1	-	-	1	-	7	-	-	1	2	-
Harrison township#	-	5	3	-	-	7	-	2	2	-	2	-	-	4	3	1	4	-	-
Mount Clemens	2	24	7	4	9	15	1	8	6	-	1	11	1	22	6	6	3	5	1
Roseville	1	28	11	4	10	8	2	9	6	-	2	5	-	20	2	3	2	1	1
St. Clair Shores	4	54	8	6	17	27	2	11	4	-	4	3	-	49	9	5	9	2	1
Shelby township#	3	13	3	-	7	1	-	2	1	-	-	1	-	9	3	3	3	-	-
Sterling Heights	3	40	3	2	16	16	2	9	4	-	5	2	2	38	13	11	11	2	-
Warren	2	89	21	6	27	27	4	28	9	-	14	5	2	74	21	12	20	7	-
Balance of county	4	47	15	5	7	17	2	5	5	-	4	5	3	39	17	11	7	-	-
Manistee	2	34	15	4	7	8	1	2	1	-	1	2	4	25	1	3	2	-	-
Marquette	2	47	12	10	18	27	3	10	4	-	3	1	4	38	13	12	6	-	-
Marquette	2	18	5	2	5	10	1	4	1	-	-	1	2	13	3	6	2	-	-
Balance of county	-	29	7	8	13	17	2	6	3	-	3	-	2	25	10	6	4	-	-
Mason	6	29	5	4	11	5	-	3	3	-	2	5	3	24	13	6	2	1	-
Mecosta	-	13	2	1	12	17	3	1	7	-	1	2	-	17	7	3	5	3	-
Big Rapids	-	4	-	-	3	9	2	-	-	-	-	-	-	3	1	-	-	2	-
Balance of county	-	9	2	1	9	8	1	1	7	-	1	2	-	14	6	3	5	1	-
Menominee	-	27	11	2	1	13	-	2	3	-	4	2	1	21	4	5	4	1	-
Menominee	-	16	6	1	-	4	-	1	2	-	1	1	1	12	1	2	-	1	-
Balance of county	-	11	5	1	1	9	-	1	1	-	3	1	-	9	3	3	4	-	-
Midland	2	36	13	5	17	13	1	6	5	-	5	6	-	33	13	9	7	2	-
Midland, part	1	23	8	3	10	7	-	4	5	-	3	3	-	22	7	4	6	1	-
Midland, total	1	23	8	3	10	7	-	4	5	-	3	3	-	22	7	4	6	1	-
Balance of county	1	13	5	2	7	6	1	2	-	-	2	3	-	11	6	5	1	1	-
Missaukee	-	5	4	1	1	3	-	-	1	-	-	-	-	6	2	-	1	-	-
Monroe	3	74	12	5	23	28	3	17	12	-	5	10	4	74	19	22	21	8	-
Monroe	1	30	4	-	10	9	1	6	5	-	-	4	1	29	2	4	3	1	-
Balance of county	2	44	8	5	13	19	2	11	7	-	5	6	3	45	17	18	18	7	-
Montcalm	5	40	7	6	19	23	2	4	7	-	3	2	2	37	16	10	7	-	-
Montmorency	2	11	1	1	1	4	1	-	2	-	1	1	-	8	1	2	-	-	-
Muskegon	3	115	26	19	41	52	3	15	9	1	11	14	3	110	21	23	20	10	-
Muskegon	1	44	13	9	17	21	2	6	5	-	4	5	-	46	6	4	8	4	-
Muskegon Heights	-	12	3	2	2	3	-	4	-	1	-	2	1	15	-	5	3	5	-
Norton Shores	-	10	2	1	6	4	-	1	2	-	-	2	2	7	3	1	1	-	-
Balance of county	2	49	10	7	16	24	1	4	2	-	7	5	-	42	12	13	8	1	-
Newaygo	2	16	11	5	5	9	1	1	3	-	2	2	2	23	11	8	4	-	-
Oakland	20	511	88	80	191	202	32	104	64	-	40	72	24	489	136	127	124	45	8
Avon township#	1	11	6	3	2	2	2	2	-	-	1	4	1	7	7	5	4	1	-
Berkley	1	15	1	2	3	2	-	-	2	-	-	-	-	9	-	4	4	1	-
Beverly Hills	-	4	1	-	1	-	-	1	1	-	-	-	-	5	-	1	-	-	1
Birmingham	1	16	3	1	3	5	1	-	3	-	-	-	-	16	3	3	1	1	-
Bloomfield township#	1	19	4	5	12	5	-	1	1	-	-	-	-	27	3	3	5	-	1
Clawson	-	8	1	-	3	4	1	2	1	-	-	1	-	6	1	-	3	-	-
Farmington	-	5	3	2	7	9	-	2	-	-	1	-	-	14	1	3	-	-	-
Farmington Hills	1	22	4	9	11	18	2	6	-	-	2	3	1	27	4	6	9	1	1
Ferndale	1	20	8	4	8	5	2	6	2	-	-	4	1	12	2	8	6	1	-
Hazel Park	-	10	2	-	4	5	-	1	3	-	2	2	2	18	-	6	1	1	-
Madison Heights	-	18	1	3	8	8	4	6	2	-	2	3	-	20	3	3	3	1	1
Novi	-	7	2	-	3	2	-	4	1	-	-	1	-	6	1	-	1	-	-
Oak Park	-	18	6	2	4	7	2	1	2	-	3	2	1	19	7	4	4	2	-
Pontiac	5	57	6	4	14	25	2	9	2	-	5	19	8	48	10	18	11	13	-
Royal Oak	2	50	7	5	19	14	1	7	8	-	4	4	1	43	10	5	13	3	3
Southfield	3	63	8	7	26	14	9	11	10	-	2	2	1	46	8	16	6	12	-
Troy	1	22	4	5	7	10	-	5	2	-	1	2	1	27	8	2	8	1	-
West Bloomfield township#	-	13	1	2	3	1	-	5	4	-	1	2	-	13	1	3	4	-	-
Balance of county	3	133	22	26	53	66	6	35	20	-	16	23	7	126	67	37	41	7	1
Oceana	1	15	5	1	5	13	-	-	2	-	3	-	-	16	5	5	3	2	-
Ogemaw	1	19	6	3	9	10	-	-	1	-	-	1	-	12	2	3	3	2	-
Ontonagon	-	9	14	2	2	2	-	1	-	-	1	-	-	3	1	5	-	-	-
Osceola	1	15	4	4	10	5	1	3	2	-	2	-	-	8	6	3	2	1	-
Oscoda	1	8	-	2	2	3	-	1	-	-	-	-	1	4	6	3	1	-	-
Otsego	-	11	1	1	3	5	1	1	2	-	-	1	-	14	2	4	-	-	-
Ottawa	4	82	27	16	45	25	6	5	5	1	6	11	13	75	25	16	15	1	-
Georgetown township#	-	2	4	1	5	6	-	1	-	-	1	1	-	5	1	2	1	-	-
Grand Haven	1	14	3	4	9	3	1	-	1	1	-	1	-	12	1	4	1	-	-
Holland, part	-	15	4	6	5	5	-	-	1	-	1	1	1	9	6	1	3	-	-
Holland, total	-	20	6	7	8	6	-	1	1	-	1	1	1	13	6	2	3	1	-
Balance of county	3	51	16	5	26	11	5	4	3	-	4	8	12	49	17	9	10	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Presque Isle	153	-	-	1	34	9	5	2	5	2	4	7	1	80	68	1	-	58	9
Roscommon	226	-	-	2	54	13	15	5	6	2	5	8	1	125	100	1	2	77	20
Saginaw	1,709	2	-	18	369	88	91	30	47	16	13	84	25	869	666	6	7	509	144
Saginaw	741	1	-	5	153	32	47	16	16	5	5	32	12	363	286	3	3	220	60
Saginaw township#	283	-	-	4	58	18	12	4	9	3	2	10	4	147	107	-	2	76	29
Balance of county	685	1	-	9	158	38	32	10	22	8	6	42	9	359	273	3	2	213	55
St. Clair	1,189	1	-	5	281	59	78	25	30	27	11	51	30	595	456	3	10	352	82
Port Huron	343	-	-	1	77	17	21	9	5	5	4	16	9	165	119	-	6	91	22
Balance of county	846	1	-	4	204	42	57	16	25	22	7	35	21	430	337	3	13	261	60
St. Joseph	485	-	-	5	97	25	26	11	15	-	-	20	20	253	199	2	2	169	26
Sanilac	379	-	-	5	77	21	13	4	13	5	5	16	10	198	148	4	4	120	20
Schoolcraft	98	-	-	-	26	4	9	-	1	3	2	7	1	48	35	-	-	30	5
Shiawassee	458	-	-	1	94	22	25	4	19	3	4	17	10	244	185	3	3	139	40
Owosso	141	-	-	-	27	10	7	2	3	1	1	3	2	79	55	1	1	45	8
Balance of county	317	-	-	1	67	12	18	2	16	2	3	14	8	165	130	2	2	94	32
Tuscola	434	-	-	3	78	23	26	5	3	4	5	12	3	225	184	2	-	130	52
Van Buren	609	1	-	6	125	29	34	4	12	8	6	32	17	320	251	5	12	180	54
Washtenaw	1,461	1	-	14	338	86	96	28	36	20	16	56	33	659	507	4	7	391	105
Ann Arbor	478	1	-	3	119	32	32	11	10	3	7	24	9	191	144	3	2	115	24
Ypsilanti	205	-	-	2	39	10	12	3	4	3	1	6	8	94	76	-	1	65	10
Ypsilanti township#	208	-	-	2	45	6	15	3	8	4	2	7	5	94	75	-	-	60	15
Balance of county	570	-	-	7	135	38	37	11	14	10	6	19	11	280	212	1	4	151	56
Wayne	22,511	18	2	277	4,767	1,212	1,421	417	535	185	166	831	405	11,101	9,128	71	260	5,757	3,040
Allen Park	340	1	-	4	96	23	30	14	6	3	4	16	6	172	140	2	3	97	38
Canton township#	160	-	-	1	38	8	11	8	3	2	2	4	4	71	66	1	1	41	23
Dearborn	1,010	-	-	8	254	64	70	19	30	11	9	51	20	531	443	7	3	316	117
Dearborn Heights	598	-	-	1	144	32	46	15	16	6	6	23	14	331	280	3	9	189	79
Detroit	13,201	14	2	191	2,603	702	751	204	325	102	83	436	244	6,295	5,137	38	179	2,920	2,000
Ecorse	140	1	-	-	32	12	11	-	1	-	-	8	4	64	54	-	-	36	16
Garden City	217	-	-	2	64	11	25	7	4	3	5	9	5	100	85	-	2	55	26
Grosse Pointe Farms	116	-	-	4	29	9	6	3	3	2	1	5	-	66	42	-	1	29	12
Grosse Pointe Park	129	-	-	1	26	8	6	6	1	1	1	3	-	69	56	-	1	40	15
Grosse Pointe Woods	161	-	-	1	35	11	7	-	5	2	2	8	1	89	61	1	3	51	6
Hamtramck	346	-	-	6	53	15	12	2	8	2	1	13	2	200	163	-	4	117	42
Harper Woods	233	-	-	4	66	12	20	11	7	3	4	9	4	136	105	1	-	81	23
Highland Park	336	1	-	8	58	14	20	3	9	1	2	9	9	155	130	-	8	60	62
Inkster	274	-	-	6	57	19	17	3	6	1	2	9	5	124	110	-	7	63	40
Lincoln Park	390	-	-	2	97	24	35	14	5	2	1	16	11	191	155	1	2	117	35
Livonia	758	1	-	6	165	32	39	18	23	8	8	37	11	416	344	3	2	275	64
Melvindale	112	-	-	-	27	12	3	3	3	1	1	4	2	51	44	-	2	32	10
Plymouth township#	108	-	-	1	28	9	6	4	4	1	-	4	-	49	44	1	2	29	12
Redford township#	548	-	-	5	140	33	43	13	17	9	6	19	11	287	242	4	5	188	65
River Rouge	136	-	-	5	36	10	13	4	3	1	2	3	3	58	46	-	2	31	13
Riverview	126	-	-	-	23	4	10	3	2	1	1	2	-	85	71	2	1	52	16
Romulus	165	-	-	1	35	9	14	1	2	-	3	6	3	80	71	-	-	51	20
Southgate	210	-	-	1	57	13	14	6	6	4	4	10	5	99	81	-	4	62	15
Taylor	410	-	-	5	105	19	46	7	3	2	4	24	12	176	152	2	2	101	47
Trenton	178	-	-	-	47	10	15	3	4	1	2	12	3	92	77	-	1	58	18
Wayne	175	-	-	1	36	9	16	2	3	-	2	4	3	91	79	-	-	63	16
Westland	631	-	-	7	129	29	49	12	9	2	4	24	6	342	295	2	7	205	81
Woodhaven	38	-	-	1	7	1	1	3	-	-	-	2	-	15	14	-	-	12	2
Wyandotte	337	-	-	2	80	18	24	6	10	5	1	16	5	178	145	1	1	116	27
Balance of county	928	-	-	3	200	40	61	23	17	9	5	45	12	488	396	2	8	290	96
Wexford	259	-	-	3	57	18	10	4	1	8	4	14	1	130	104	1	-	77	26
Cadillac	136	-	-	2	23	8	2	3	-	4	4	2	-	75	63	-	-	49	14
Balance of county	123	-	-	1	34	10	8	1	1	2	-	12	1	55	41	1	-	28	12
Minnesota	33,937	12	3	253	7,284	1,990	1,648	676	904	358	340	1,368	580	16,765	12,555	143	191	9,403	2,818
Urban places	17,663	9	2	153	3,862	1,030	940	397	441	177	159	718	306	8,442	6,352	84	119	4,784	1,365
Balance of area	16,274	3	1	100	3,422	960	708	279	463	181	181	650	274	8,323	6,203	59	72	4,619	1,453
Metropolitan counties	19,501	8	2	172	4,304	1,171	1,052	410	488	195	204	784	358	9,256	7,017	94	122	5,288	1,513
Urban places	14,805	7	2	140	3,276	876	823	324	363	148	136	606	275	6,949	5,287	74	94	3,998	1,121
Balance of area	4,696	1	-	32	1,028	295	229	86	125	47	68	178	83	2,307	1,730	20	28	1,290	392
Nonmetropolitan counties	14,436	4	1	81	2,980	819	596	266	416	163	136	584	222	7,509	5,538	49	69	4,115	1,305
Urban places	2,858	2	-	13	586	154	117	73	78	29	23	112	31	1,493	1,065	10	25	786	244
Balance of area	11,578	2	1	68	2,394	665	479	193	338	134	113	472	191	6,016	4,473	39	44	3,329	1,061
Aitkin	185	-	-	1	48	9	20	2	6	2	-	9	6	89	72	-	-	62	10
Anoka	819	1	-	6	201	47	64	9	22	13	10	36	17	355	267	2	2	201	62
Anoka	123	-	-	1	28	6	7	2	3	3	1	6	5	59	38	-	1	26	11
Blaine, part	77	-	-	-	19	2	6	1	3	2	1	4	1	32	27	-	-	20	7
Blaine, total	77	-	-	-	19	2	6	1	3	2	1	4	1	32	27	-	-	20	7
Columbia Heights	165	-	-	-	39	13	5	2	7	3	2	7	5	78	58	-	-	40	18
Coon Rapids	125	1	-	1	30	7	15	-	3	2	-	3	4	44	36	-	1	29	6
Fridley	135	-	-	1	40	8	18	3	2	1	2	6	1	62	42	-	-	37	5
Ramsey	16	-	-	-	5	1	2	-	1	1	-	-	-	5	4	-	-	2	2
Balance of county	178	-	-	3	40	10	11	1	3	1	4	10	1	75	62	2	-	47	13
Becker	294	-	-	4	71	25	7	2	13	3	3	18	2	141	105	-	-	92	13
Beltrami	264	-	-	2	53	18	8	7	3	3	2	12	3	113	87	-	-	69	18
Bemidji	119	-	-	1	20	8	2	3	1	1	-	5	-	55	38	-	-	35	3
Balance of county	145	-	-	1	33	10	6	4	2	2	2	7	3	58	49	-	-	34	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Presque Isle	1	10	1	-	3	3	1	2	5	-	2	2	-	14	1	2	2	-	-
Roscommon	1	19	4	1	3	7	2	2	2	-	-	-	1	16	5	4	1	1	-
Saginaw	5	147	33	18	37	38	5	34	19	-	15	22	7	121	31	43	24	30	-
Saginaw	3	54	8	12	17	16	2	20	7	-	7	16	3	60	11	17	10	21	-
Saginaw township#	-	27	12	1	9	7	-	7	3	-	1	2	1	20	7	3	6	4	-
Balance of county	2	66	13	5	11	15	3	7	9	-	7	4	3	41	13	23	8	5	-
St. Clair	4	98	17	20	19	57	2	26	13	-	11	9	5	77	25	19	9	5	-
Port Huron	2	33	7	4	8	16	2	10	2	-	5	3	1	33	3	5	2	1	-
Balance of county	2	65	10	16	11	41	-	16	11	-	6	6	4	44	22	14	7	4	-
St. Joseph	3	32	11	8	12	19	3	4	2	-	6	5	2	31	9	12	5	-	-
Sanilac	-	37	5	8	4	11	-	4	6	-	3	-	-	36	13	8	3	1	-
Schoolcraft	2	8	1	2	7	1	-	2	-	-	-	1	-	7	2	1	2	-	-
Shiawassee	-	50	4	5	18	16	-	1	5	-	3	2	2	35	6	16	4	1	-
Owosso	-	20	2	2	7	6	-	-	1	-	1	2	1	9	-	4	1	1	-
Balance of county	-	30	2	3	11	10	-	1	4	-	2	-	1	26	6	12	3	-	-
Tuscola	2	27	9	3	20	21	-	2	5	-	3	4	1	36	9	19	4	1	-
Van Buren	2	52	4	11	16	22	3	3	-	-	3	9	4	40	9	19	11	1	-
Washtenaw	7	103	28	14	39	56	5	13	14	-	16	17	20	123	38	33	31	10	1
Ann Arbor	1	34	8	6	15	19	1	4	6	-	7	6	9	51	11	10	12	4	-
Ypsilanti	3	15	-	-	4	4	2	3	2	-	2	3	7	19	4	7	2	3	-
Ypsilanti township#	-	13	2	4	3	11	1	1	1	-	4	3	1	20	7	5	3	1	1
Balance of county	3	41	20	4	17	22	1	5	5	-	3	5	3	33	16	11	14	2	-
Wayne	91	1,533	186	163	567	608	49	566	215	2	107	296	97	1,706	272	419	307	671	59
Allen Park	2	23	4	3	5	12	1	7	4	-	1	1	1	17	3	5	4	-	-
Canton township#	-	3	-	2	8	4	3	1	1	-	4	3	1	7	8	2	3	1	-
Dearborn	3	68	12	5	22	21	1	13	17	-	3	7	2	64	14	14	15	4	-
Dearborn Heights	1	39	6	5	7	22	-	14	5	1	-	3	1	34	6	3	7	4	1
Detroit	68	907	99	84	344	321	29	402	128	1	59	218	72	1,092	130	271	157	584	44
Ecorse	-	10	-	-	3	4	-	2	1	-	2	4	1	8	1	3	2	7	1
Garden City	-	12	2	1	6	8	-	5	1	-	1	2	-	11	3	4	3	2	-
Grosse Pointe Farms	-	17	4	3	3	2	-	2	1	-	-	1	-	6	-	2	-	-	-
Grosse Pointe Park	1	8	3	1	3	2	-	2	-	-	-	2	1	15	1	3	3	1	-
Grosse Pointe Woods	1	17	8	2	3	7	1	-	2	-	1	-	1	14	1	2	3	-	-
Hamtramck	3	30	3	1	9	6	-	12	4	-	-	-	-	29	1	6	8	8	2
Harper Woods	-	23	5	3	1	3	-	3	-	-	-	-	-	13	1	1	-	1	-
Highland Park	-	21	1	3	15	10	1	5	2	-	3	10	-	26	-	7	3	23	-
Inkster	-	9	2	3	12	9	-	7	3	-	3	3	-	24	5	8	5	3	-
Lincoln Park	3	26	4	3	5	20	2	4	3	-	2	5	2	19	12	7	7	-	1
Livonia	2	50	11	9	22	20	2	14	7	-	6	9	2	44	11	10	9	3	-
Melvindale	-	7	-	-	-	5	-	7	2	-	-	-	-	8	2	2	3	2	1
Plymouth township#	-	5	-	-	1	4	3	2	1	-	-	-	1	6	2	4	6	-	-
Redford township#	1	33	2	9	14	16	3	7	4	-	5	4	1	23	7	8	12	1	-
River Rouge	-	11	-	1	4	2	-	4	2	-	-	1	2	10	-	3	1	4	1
Riverview	-	11	2	1	-	3	-	1	1	-	-	1	-	7	2	1	1	1	-
Romulus	1	8	-	-	6	6	-	4	3	-	-	1	1	8	4	7	3	2	1
Southgate	-	16	1	1	4	6	-	4	1	-	-	3	-	13	5	5	5	-	2
Taylor	1	23	-	-	9	24	-	5	6	-	2	2	2	35	8	7	7	5	-
Trenton	-	13	1	1	1	7	-	3	1	-	-	-	2	13	4	1	3	1	-
Wayne	-	9	2	1	6	7	1	2	1	-	-	2	-	15	3	4	2	-	1
Westland	2	35	5	5	17	24	1	8	2	-	6	5	2	51	11	9	9	1	1
Woodhaven	-	1	-	-	3	-	-	2	-	-	1	-	-	2	2	1	3	-	1
Wyandotte	-	29	2	2	11	5	-	8	2	-	1	-	-	30	7	4	2	1	1
Balance of county	2	69	7	14	23	28	1	16	10	-	7	9	2	62	18	15	21	12	1
Waxford	-	19	6	1	11	10	2	2	1	-	2	-	1	18	6	7	8	-	-
Cadillac	-	9	3	-	8	4	1	2	1	-	1	-	-	8	2	5	4	-	-
Balance of county	-	10	3	1	3	6	1	-	-	-	1	-	1	10	4	2	4	-	-
Minnesota	148	3,095	553	414	1,305	1,006	109	333	264	3	243	281	699	2,732	612	881	444	75	53
Urban places	91	1,523	266	210	654	558	59	194	126	3	136	151	474	1,520	246	439	241	53	35
Balance of area	57	1,572	287	204	651	448	50	139	138	-	107	130	225	1,212	366	442	203	22	18
Metropolitan counties	86	1,615	295	243	703	595	58	226	133	2	157	186	502	1,604	326	494	318	57	40
Urban places	68	1,204	214	176	520	472	50	171	107	2	123	133	429	1,270	195	381	222	49	32
Balance of area	18	411	81	67	183	123	8	55	26	-	34	53	73	334	131	113	96	8	8
Nonmetropolitan counties	62	1,480	258	171	602	411	51	107	131	1	86	95	197	1,128	266	387	126	18	13
Urban places	23	319	52	34	134	86	9	23	19	1	13	18	45	250	51	58	19	4	3
Balance of area	39	1,161	206	137	468	325	42	84	112	-	73	77	152	878	235	329	107	14	10
Aitkin	2	8	4	3	9	6	-	3	1	-	1	-	-	13	3	4	1	-	-
Anoka	4	60	16	8	25	35	3	15	5	1	7	12	13	50	31	23	14	2	3
Anoka	-	15	5	1	7	6	-	3	1	-	-	-	1	9	1	2	-	-	-
Blaine, part	-	5	-	-	-	5	1	1	-	-	3	-	3	5	3	2	1	-	1
Blaine, total	-	5	-	-	-	5	1	1	-	-	3	-	3	5	3	2	1	-	1
Columbia Heights	1	13	4	2	4	6	-	3	2	1	-	4	1	10	3	8	1	-	-
Coon Rapids	2	4	1	1	3	4	2	1	1	-	1	4	4	9	7	5	3	-	1
Fridley	1	13	4	2	4	7	-	2	1	-	2	-	-	10	1	-	4	-	-
Ramsey	-	1	-	-	2	-	-	-	-	-	-	-	-	-	3	1	-	-	-
Balance of county	-	9	2	2	5	7	-	5	-	-	1	4	4	7	13	5	5	2	1
Becker	2	28	4	2	12	14	-	3	4	-	2	-	3	27	1	9	-	-	1
Beltrami	1	16	3	6	17	9	3	5	8	-	3	7	3	13	12	5	4	3	1
Bemidji	1	11	2	3	13	6	1	2	4	-	-	-	-	9	3	3	1	1	-
Balance of county	-	5	1	3	4	3	2	3	4	-	3	7	3	4	9	2	3	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Benton	249	–	–	1	51	18	6	4	10	4	2	7	3	126	101	3	2	83	13
St. Cloud, part	32	–	–	–	8	3	1	–	1	1	–	2	–	17	15	1	1	10	3
Balance of county	217	–	–	1	43	15	5	4	9	3	2	5	3	109	86	2	1	73	10
Big Stone	117	–	–	1	15	4	–	1	3	2	1	4	3	77	59	–	–	40	19
Blue Earth	443	–	–	2	87	28	18	10	9	4	1	17	8	235	153	1	–	134	18
Mankato, part	237	–	–	–	47	15	10	6	4	3	–	9	3	134	85	1	–	76	8
Mankato, total	237	–	–	–	47	15	10	6	4	3	–	9	3	134	85	1	–	76	8
Balance of county	206	–	–	2	40	13	8	4	5	1	1	8	5	101	68	–	–	58	10
Brown	300	1	–	2	70	21	12	4	14	4	4	11	5	159	118	2	1	92	23
New Ulm	143	1	–	1	33	9	7	2	7	1	3	4	2	75	56	2	1	42	11
Balance of county	157	–	–	1	37	12	5	2	7	3	1	7	3	84	62	–	–	50	12
Carlton	292	–	–	1	64	21	12	4	8	2	2	15	5	141	101	3	4	72	22
Cloquet	139	–	–	–	29	10	9	2	3	1	–	4	4	65	44	1	3	35	5
Balance of county	153	–	–	1	35	11	3	2	5	1	2	11	1	76	57	2	1	37	17
Carver	242	–	–	2	45	12	7	2	5	1	9	9	6	124	95	2	1	80	12
Cass	257	–	–	1	45	14	16	1	3	3	1	7	6	124	94	2	1	68	23
Chippewa	183	–	–	2	37	10	6	3	4	2	1	11	–	96	74	–	–	50	24
Chisago	232	–	–	3	50	15	6	5	12	1	1	10	4	119	84	3	–	63	18
Clay	364	–	–	6	84	23	17	5	13	4	5	17	3	180	136	–	1	90	45
Moorhead	226	–	–	4	54	17	8	2	7	2	3	15	1	116	92	–	1	62	29
Balance of county	138	–	–	2	30	6	9	3	6	2	2	2	2	64	44	–	–	28	16
Clearwater	91	–	–	–	18	9	3	3	1	–	1	1	2	54	41	–	–	37	4
Cook	42	–	–	1	7	3	1	–	–	–	–	3	–	19	15	–	–	11	4
Cottonwood	148	–	–	1	25	9	8	3	1	–	2	2	5	93	68	1	2	50	15
Crow Wing	443	–	–	1	90	21	28	7	4	6	6	18	2	231	183	1	3	121	58
Brainerd	161	–	–	1	28	9	8	3	2	2	1	3	1	85	71	–	2	42	27
Balance of county	282	–	–	–	62	12	20	4	2	4	5	15	1	146	112	1	1	79	31
Dakota	969	–	1	9	252	59	60	27	31	12	12	51	29	419	321	4	5	246	66
Apple Valley	34	–	–	–	13	4	3	1	1	–	–	4	1	11	9	–	–	8	1
Burnsville	93	–	–	1	29	5	5	5	3	1	1	9	3	36	26	–	–	23	3
Eagan	51	–	–	1	15	6	2	2	1	3	–	1	4	15	13	–	–	11	2
Hastings, part	127	–	–	1	24	6	7	3	4	2	–	2	3	44	37	–	–	25	12
Hastings, total	127	–	–	1	24	6	7	3	4	2	–	2	3	44	37	–	–	25	12
Inver Grove Heights	71	–	–	–	20	8	2	3	1	–	2	4	3	31	25	–	–	21	4
Lakeville	49	–	–	2	11	3	3	–	2	–	1	2	–	21	16	1	–	11	4
Northfield, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Paul	147	–	1	–	28	3	9	4	1	1	–	10	1	77	61	2	1	44	14
West St. Paul	226	–	–	3	66	14	18	3	11	3	4	13	8	109	78	1	2	59	16
Balance of county	171	–	–	1	46	10	11	6	7	2	4	6	8	75	56	–	2	44	10
Dodge	151	–	–	1	31	7	2	4	6	1	3	8	1	66	49	1	–	29	19
Douglas	288	–	–	–	63	17	12	5	6	7	1	15	4	153	112	–	–	88	24
Faribault	230	–	–	–	51	8	9	8	8	5	4	9	3	125	98	1	3	78	16
Fillmore	274	–	–	3	51	12	12	5	7	2	3	10	3	154	120	3	3	87	27
Freeborn	361	–	–	2	69	20	16	4	11	2	3	13	3	195	134	1	6	80	47
Albert Lea	229	–	–	1	43	13	10	3	6	1	2	8	2	119	77	1	3	45	28
Balance of county	132	–	–	1	26	7	6	1	5	1	1	5	1	76	57	–	3	35	19
Goodhue	382	–	–	–	67	15	11	7	14	5	4	11	10	185	118	1	2	93	22
Red Wing	143	–	–	–	24	4	6	5	3	2	2	2	4	71	48	–	2	41	5
Balance of county	219	–	–	–	43	11	5	2	11	3	2	9	6	114	70	1	–	52	17
Grant	98	–	–	1	27	10	5	1	4	2	–	6	4	48	36	–	–	30	6
Hennepin	7,386	3	1	66	1,647	431	427	168	168	76	72	305	127	3,393	2,542	47	52	1,962	481
Bloomington	433	1	–	2	104	33	23	9	12	8	7	12	8	191	136	4	5	106	21
Brooklyn Center	183	–	–	3	46	10	12	7	6	2	4	5	4	87	74	1	–	63	10
Brooklyn Park	104	–	–	–	22	3	6	3	4	1	1	4	1	44	33	–	–	28	5
Crystal	163	–	–	2	42	9	10	5	3	4	3	8	4	60	43	1	1	27	14
Eden Prairie	60	–	–	–	20	5	6	–	3	2	–	4	3	24	20	1	–	17	2
Edina	392	–	–	6	101	20	18	18	12	4	4	25	4	183	130	3	4	105	18
Golden Valley	156	–	–	–	30	10	5	–	3	1	–	11	3	82	56	2	2	45	7
Hopkins	154	–	–	1	30	15	3	2	1	1	1	7	2	72	52	1	1	41	9
Maple Grove	50	–	–	–	12	3	4	1	2	–	–	2	–	15	10	–	–	9	1
Minneapolis	4,000	2	–	38	849	228	224	91	88	35	33	150	72	1,847	1,397	25	28	1,060	284
Minnetonka	180	–	–	2	48	15	13	2	6	2	2	8	2	69	53	–	1	44	8
New Hope	173	–	–	1	27	5	10	1	5	1	1	4	3	88	65	4	1	42	18
Plymouth	118	–	–	3	31	6	14	1	3	1	–	6	1	45	39	1	–	32	6
Richfield	278	–	1	–	71	20	20	7	4	3	5	12	5	130	100	–	4	84	12
Robbinsdale	142	–	–	–	34	11	7	5	2	–	1	8	3	70	49	–	–	37	12
St. Louis Park	356	–	–	4	75	13	18	8	7	4	4	21	7	172	126	2	2	98	24
Balance of county	444	–	–	4	105	25	34	8	7	7	6	18	5	214	159	2	3	124	30
Houston	189	–	–	–	37	9	6	3	5	2	2	10	3	108	79	1	2	55	21
Hubbard	142	–	–	1	44	12	14	1	7	3	3	4	–	68	43	–	–	33	10
Isanti	188	1	–	–	38	9	13	3	5	–	1	7	–	108	72	1	–	55	16
Itasca	375	–	–	3	80	25	23	6	8	4	1	13	5	190	147	2	1	102	42
Jackson	136	–	–	2	28	6	11	2	1	2	1	5	1	66	44	–	1	34	9
Kanabec	115	–	–	1	18	8	4	–	1	–	2	3	3	61	35	–	–	25	10
Kandiyohi	331	–	–	2	78	16	16	11	15	–	3	17	5	152	113	2	1	82	28
Willmar	149	–	–	1	33	6	8	3	7	–	1	8	–	67	51	1	1	34	15
Balance of county	182	–	–	1	45	10	8	8	8	–	2	9	5	85	62	1	–	48	13
Kittson	87	–	–	–	14	5	3	2	2	–	–	2	1	48	31	–	–	16	15
Koochiching	152	–	–	2	28	6	6	4	3	1	1	7	3	86	65	–	1	49	15
Lac qui Parle	118	–	–	–	19	10	3	–	3	–	1	2	4	66	49	–	–	36	13
Lake	92	–	–	–	11	4	1	–	3	–	1	2	–	57	41	–	–	28	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Benton	-	16	7	2	12	6	1	2	1	-	4	3	4	23	7	3	2	-	-
St. Cloud, part	-	2	-	-	1	1	-	-	-	-	3	-	-	1	1	-	-	-	-
Balance of county	-	14	7	2	11	5	1	2	1	-	1	3	4	22	6	3	2	-	-
Big Stone	-	14	3	1	2	5	-	-	1	-	1	-	-	6	5	-	1	-	-
Blue Earth	3	62	7	10	23	12	1	2	4	-	4	4	5	31	6	14	4	-	1
Mankato, part	1	39	5	4	11	4	1	2	1	-	3	2	3	12	4	6	3	-	1
Mankato, total	1	39	5	4	11	4	1	2	1	-	3	2	3	12	4	6	3	-	1
Balance of county	2	23	2	6	12	8	-	-	3	-	1	2	2	19	2	8	1	-	-
Brown	3	26	9	3	5	10	1	7	2	-	4	2	3	19	4	4	2	-	-
New Ulm	3	12	3	1	2	5	-	3	1	-	2	1	1	10	3	2	1	-	-
Balance of county	-	14	6	2	3	5	1	4	1	-	2	1	2	9	1	2	1	-	-
Carlton	2	23	11	4	16	9	-	3	2	-	-	3	3	23	7	8	4	2	1
Cloquet	2	10	8	1	7	6	-	2	-	-	-	1	3	9	5	5	1	1	1
Balance of county	-	13	3	3	9	3	-	1	2	-	-	2	-	14	2	3	3	1	-
Carver	1	19	6	3	11	10	-	4	1	-	4	1	2	15	8	2	7	-	-
Cass	1	25	1	3	11	7	2	1	2	-	3	3	2	22	9	12	5	2	-
Chippewa	-	16	3	3	8	3	-	3	-	-	1	4	1	18	5	5	-	-	-
Chisago	2	27	2	4	8	3	1	-	2	-	3	5	3	15	7	4	6	1	-
Clay	1	30	7	6	17	5	1	3	2	-	4	3	3	30	6	13	4	-	-
Moorhead	1	17	3	3	8	4	-	2	2	-	4	2	3	12	1	10	3	-	-
Balance of county	-	13	4	3	9	1	1	1	-	-	-	1	-	18	5	3	1	-	-
Clearwater	1	12	-	-	-	3	-	1	-	-	-	-	1	7	2	3	-	-	-
Cook	-	3	-	1	3	-	-	-	-	-	-	1	3	3	1	3	-	1	-
Cottonwood	1	17	5	2	4	2	-	-	2	-	-	-	1	8	1	5	1	-	-
Crow Wing	2	34	2	10	19	17	2	7	4	-	1	-	5	36	7	12	9	-	-
Brainerd	2	9	-	3	8	7	-	2	-	-	1	-	4	18	1	3	2	-	-
Balance of county	-	25	2	7	11	10	2	5	4	-	-	-	1	18	6	9	7	-	-
Dakota	5	66	6	21	18	29	1	14	6	-	6	14	26	71	20	28	23	1	2
Apple Valley	-	2	-	-	-	2	-	-	-	-	-	2	3	-	-	1	1	-	-
Burnsville	-	10	-	-	-	4	-	2	-	-	1	-	2	7	2	3	3	-	-
Eagan	-	2	-	-	-	1	-	1	1	-	1	1	2	2	3	1	2	1	-
Hastings, part	-	3	-	4	6	3	-	2	-	-	-	2	9	22	1	5	5	-	-
Hastings, total	-	3	-	4	6	3	-	2	-	-	-	2	9	22	1	5	5	-	-
Inver Grove Heights	-	3	1	2	2	2	-	1	-	-	1	2	1	2	3	2	1	-	-
Lakeville	-	5	-	-	1	-	-	-	1	-	1	1	1	3	1	3	2	-	1
Northfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South St. Paul	2	10	-	4	4	8	-	3	1	-	-	2	2	11	3	4	2	-	-
West St. Paul	1	20	1	9	1	5	1	3	3	-	2	1	4	14	2	2	1	-	1
Balance of county	2	11	4	2	4	4	-	2	-	-	-	3	2	10	5	7	6	-	-
Dodge	-	13	2	2	12	7	1	-	2	-	1	-	4	9	4	7	5	-	-
Douglas	-	32	9	-	13	7	-	1	3	-	4	-	-	27	7	5	1	-	-
Faribault	3	20	3	1	12	4	1	1	3	-	2	2	3	16	1	4	1	-	1
Fillmore	-	25	7	2	15	4	2	-	2	-	3	1	1	18	3	9	3	2	-
Freeborn	3	47	6	5	14	16	2	-	-	-	1	4	3	36	7	8	1	-	-
Albert Lea	1	34	3	4	11	9	1	-	-	-	-	4	2	27	3	6	1	-	-
Balance of county	2	13	3	1	3	7	1	-	-	-	1	-	1	9	4	2	-	-	-
Goodhue	4	40	17	6	21	7	-	-	2	-	3	4	3	37	10	10	3	-	-
Red Wing	1	16	4	2	13	4	-	-	1	-	1	-	1	14	5	5	-	-	-
Balance of county	3	24	13	4	8	3	-	-	1	-	2	4	2	23	5	5	3	-	-
Grant	-	9	-	3	1	4	-	-	-	-	-	1	-	10	-	2	-	-	-
Hennepin	33	637	104	77	259	230	30	79	56	-	58	56	259	663	88	206	115	31	19
Bloomington	-	47	6	2	14	15	3	5	1	-	1	6	8	44	6	14	7	2	1
Brooklyn Center	1	11	1	-	5	6	-	2	-	-	2	1	2	15	4	3	3	-	-
Brooklyn Park	-	8	2	1	2	2	-	3	-	-	1	3	1	5	4	10	6	-	-
Crystal	-	13	4	-	7	8	1	1	-	-	3	-	6	16	4	4	4	-	1
Eden Prairie	1	2	1	-	-	-	-	1	-	-	-	3	-	5	1	-	3	-	-
Edina	3	37	8	5	5	11	-	2	4	-	1	-	12	39	4	13	4	3	-
Golden Valley	-	19	3	4	7	3	1	2	1	-	1	2	1	8	5	8	3	1	-
Hopkins	1	17	-	2	8	7	-	2	1	-	4	1	6	11	1	4	4	-	-
Maple Grove	-	3	1	1	3	-	1	-	-	-	2	-	1	4	2	4	5	-	1
Minneapolis	21	332	58	39	150	122	19	47	36	-	24	26	187	957	32	107	53	20	12
Minnetonka	1	11	-	4	10	8	1	-	3	-	1	1	1	24	4	2	2	2	-
New Hope	-	21	-	2	6	7	1	-	1	-	1	1	5	21	1	7	3	-	-
Plymouth	-	5	-	1	3	4	-	-	2	-	3	3	2	12	1	4	2	1	1
Richfield	1	19	6	4	6	8	1	1	-	-	3	4	9	22	7	5	4	1	-
Robbinsdale	-	15	5	1	8	6	-	-	2	-	1	-	2	14	-	1	-	-	1
St. Louis Park	2	34	5	5	5	12	2	7	2	-	3	3	8	40	7	8	2	-	1
Balance of county	2	43	4	6	20	11	-	6	3	-	7	2	10	26	5	14	10	1	1
Houston	1	16	6	4	6	5	2	1	2	-	3	-	-	11	2	10	1	-	-
Hubbard	-	18	4	-	7	5	-	2	1	-	-	1	-	9	2	3	1	-	-
Isanti	-	33	2	1	4	6	-	1	2	-	-	1	9	5	6	4	3	-	-
Itasca	-	30	5	8	15	12	3	2	5	-	1	4	9	20	10	12	4	-	-
Jackson	1	12	7	2	8	5	1	2	-	-	1	1	10	7	1	2	1	-	-
Kanabec	-	22	2	2	2	3	1	2	4	-	-	-	1	5	4	7	2	-	1
Kandiyohi	3	33	2	1	15	5	3	3	3	-	3	4	8	29	7	9	3	1	1
Willmar	2	13	1	-	8	2	2	1	-	-	-	2	4	20	5	4	-	-	-
Balance of county	1	20	1	1	7	3	1	2	3	-	3	2	4	9	2	5	3	1	1
Kittson	-	12	-	3	9	1	-	-	2	-	-	-	2	9	1	2	-	-	-
Koochiching	-	18	1	2	6	7	-	1	1	-	-	1	1	9	2	4	1	-	-
Lac qui Parle	-	13	3	1	2	2	1	-	-	-	-	1	1	10	4	8	-	-	-
Lake	-	10	2	4	3	4	-	1	-	-	-	-	1	9	4	1	-	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Lake of the Woods	32	-	-	-	5	3	1	-	1	-	-	-	1	18	13	1	-	11	1
Le Sueur	212	-	-	3	40	13	10	2	6	-	2	7	6	128	95	-	1	65	29
Lincoln	97	-	-	1	19	4	5	2	5	-	-	3	2	48	37	-	-	31	6
Lyon	218	-	-	4	45	9	7	4	5	5	1	14	3	106	83	1	-	65	17
Marshall	74	-	-	3	10	1	1	2	1	-	-	5	1	43	34	-	-	29	5
Balance of county	144	-	-	1	35	8	6	2	4	5	1	9	2	63	49	1	-	36	12
McLeod	289	-	1	2	67	22	11	6	6	4	5	13	5	146	106	3	-	88	15
Mahnomen	59	-	-	1	8	-	1	1	2	1	1	2	1	38	26	-	-	15	11
Marshall	197	-	-	-	23	7	6	-	6	2	-	2	1	93	68	1	-	39	28
Martin	250	1	-	-	69	12	12	12	7	8	3	15	6	129	99	-	-	89	10
Fairmont	153	1	-	-	43	7	5	11	4	6	2	8	4	78	58	-	-	50	8
Balance of county	97	-	-	-	26	5	7	1	3	2	1	7	2	51	41	-	-	39	2
Meeker	229	1	-	-	42	12	15	3	5	1	1	5	5	110	74	1	3	58	14
Mille Lacs	191	-	-	1	35	10	5	-	8	5	2	5	5	93	72	-	1	64	7
Morrison	296	-	-	1	50	16	9	2	5	4	-	14	3	158	119	2	3	74	40
Mower	393	-	-	1	72	22	15	10	5	5	3	12	8	203	151	3	1	100	47
Austin	259	-	-	1	52	15	14	6	4	3	3	7	2	137	100	1	1	72	26
Balance of county	134	-	-	-	20	7	1	4	1	2	-	5	6	66	51	2	-	28	21
Murray	130	-	-	-	30	6	4	3	5	4	2	8	2	72	55	-	3	35	17
Nicollet	168	-	-	1	35	12	7	3	6	1	1	5	1	86	64	1	1	49	13
Mankato, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	168	-	-	1	35	12	7	3	6	1	1	5	1	86	64	1	1	49	13
Nobles	200	-	-	1	52	12	9	10	9	2	2	8	2	102	75	-	1	47	27
Worthington	105	-	-	-	31	8	6	6	6	1	-	4	1	50	34	-	-	21	13
Balance of county	95	-	-	1	21	4	3	4	3	1	2	4	1	52	41	-	1	26	14
Norman	141	-	-	-	28	9	5	3	3	5	1	2	5	81	57	-	-	51	6
Olmsted	599	-	-	2	145	42	27	19	11	7	12	27	11	269	208	1	2	170	95
Rochester	456	-	-	-	110	35	18	14	10	5	7	21	11	199	154	1	2	122	29
Balance of county	143	-	-	2	35	7	9	5	1	2	5	6	-	70	54	-	-	48	6
Otter Tail	572	-	-	3	104	25	18	11	21	3	3	23	7	290	224	4	3	175	42
Fergus Falls	152	-	-	1	31	9	7	4	4	-	-	7	2	73	44	-	1	31	12
Balance of county	420	-	-	2	73	16	11	7	17	3	3	16	5	217	180	4	2	144	30
Pennington	162	-	-	-	29	5	8	2	6	2	1	5	2	92	67	2	-	55	10
Pine	182	-	-	2	39	9	10	3	6	3	2	6	4	89	68	-	-	48	20
Pipestone	156	-	-	-	25	7	2	4	5	1	3	3	3	88	60	-	-	46	14
Polk	386	-	-	5	92	34	14	8	11	2	5	18	5	193	142	-	3	113	26
Pope	155	-	-	-	28	12	8	2	1	-	-	7	-	71	51	2	-	44	5
Ramsey	3,876	2	-	42	787	209	204	61	66	26	39	142	61	1,908	1,459	18	20	1,126	295
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	216	-	-	1	43	8	11	6	9	2	-	7	1	103	75	-	-	60	15
Mounds View	44	-	-	-	9	-	3	2	-	-	-	4	1	17	11	-	-	8	3
New Brighton	137	-	-	2	32	3	12	3	4	1	3	6	1	64	49	1	-	31	17
North St. Paul	63	-	-	-	8	2	3	-	1	-	-	2	2	37	26	-	-	23	3
Roseville	261	-	-	2	46	11	10	6	2	3	8	11	4	149	112	2	2	83	25
St. Paul	2,772	2	-	35	577	163	142	57	67	17	30	101	43	1,352	1,048	12	17	817	202
Shoreview	56	-	-	1	4	-	1	1	1	-	-	1	2	25	22	-	-	18	4
White Bear Lake, part	139	-	-	1	33	8	11	3	1	2	2	6	3	67	50	3	1	35	11
White Bear Lake, total	143	-	-	1	34	8	11	3	2	2	2	6	3	69	51	3	1	36	11
Balance of county	188	-	-	-	35	14	11	3	1	1	1	4	4	94	66	-	-	51	15
Red Lake	42	-	-	-	11	3	2	-	-	-	2	4	2	21	14	1	-	11	2
Redwood	214	-	-	2	52	13	11	4	9	-	4	11	3	113	79	-	1	59	19
Renville	190	-	-	1	46	16	8	3	10	2	1	6	2	97	84	-	1	65	18
Rice	399	-	-	1	87	17	13	7	20	2	4	24	5	211	161	2	5	120	34
Faribault	196	-	-	-	40	9	8	6	10	1	-	6	2	111	86	-	1	67	18
Northfield, part	104	-	-	-	19	4	2	1	4	-	1	7	2	59	43	1	4	29	9
Northfield, total	104	-	-	-	19	4	2	1	4	-	1	7	2	59	43	1	4	29	9
Balance of county	99	-	-	1	28	4	3	-	6	1	3	11	1	41	32	1	-	24	7
Rock	89	-	-	1	16	6	1	-	4	2	1	2	-	52	36	-	1	29	6
Roseau	120	-	-	-	23	9	2	3	1	2	2	4	5	60	46	-	-	28	18
St. Louis	2,200	2	-	18	460	140	114	35	59	25	13	74	45	1,099	852	4	20	565	263
Duluth	1,067	-	-	11	234	76	49	21	31	12	4	41	21	541	420	1	13	266	140
Hibbing	244	-	-	3	56	9	20	3	9	3	2	10	7	121	97	-	-	76	21
Virginia	170	1	-	1	29	10	8	3	5	-	1	2	4	86	69	-	-	48	21
Balance of county	719	1	-	3	141	45	37	8	14	10	6	21	13	351	266	3	7	175	81
Scott	286	-	-	-	69	17	19	8	9	3	2	11	4	144	103	1	1	85	18
Sherburne	226	-	-	1	29	12	7	3	2	2	-	3	6	131	98	1	1	72	24
St. Cloud, part	65	-	-	1	4	1	-	-	-	2	-	1	1	43	31	-	1	21	9
Balance of county	161	-	-	-	25	11	7	3	2	-	-	2	5	88	67	1	-	51	15
Sibley	159	-	-	-	42	15	3	5	5	3	3	8	6	61	35	-	-	21	14
Stearns	662	-	-	3	139	41	26	14	14	5	10	29	10	343	272	5	7	206	54
St. Cloud, part	193	-	-	2	51	14	14	6	6	1	1	9	1	89	78	4	1	58	13
St. Cloud, total	290	-	-	3	63	18	15	6	7	4	1	12	2	149	122	5	3	89	25
Balance of county	469	-	-	1	88	27	12	8	8	4	9	20	9	254	196	1	6	148	41
Steele	229	-	-	1	47	12	9	4	4	4	3	11	1	135	92	-	1	77	14
Owatonna	158	-	-	1	34	9	6	2	2	3	3	9	-	93	66	-	-	56	10
Balance of county	71	-	-	-	13	3	3	2	2	1	-	2	1	42	26	-	1	21	4
Stevens	97	-	-	1	19	6	3	1	2	1	1	5	3	50	36	-	-	25	11
Swift	145	-	-	1	28	9	5	1	3	3	-	7	1	84	63	-	-	48	15
Todd	260	-	-	10	62	16	13	4	7	6	3	13	1	125	101	-	1	75	25
Traverse	71	-	-	-	18	8	2	4	2	-	1	1	4	37	33	-	1	21	11
Wabasha	173	-	-	1	44	8	9	4	6	1	5	11	3	78	53	-	-	43	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Lake of the Woods	-	4	-	1	3	-	-	-	-	-	-	-	-	2	1	1	1	-	-
Le Sueur	3	24	4	2	4	5	1	-	1	-	2	-	-	15	1	4	2	-	-
Lincoln	-	10	-	1	5	1	1	1	2	-	-	-	-	12	2	3	-	-	-
Lyon	1	19	2	1	5	10	-	2	1	-	1	2	-	22	7	5	4	-	1
Marshall	-	8	-	1	-	2	-	-	1	-	-	-	-	6	5	1	1	-	1
Balance of county	1	11	2	-	5	8	-	2	-	-	1	2	-	16	2	4	3	-	-
McLeod	-	27	10	3	6	5	1	1	1	-	4	2	1	28	4	10	4	-	1
Mahnomen	-	8	4	-	2	-	-	1	-	-	-	1	2	3	1	1	-	-	-
Marshall	1	19	2	3	2	2	1	2	1	-	1	1	2	3	2	-	3	-	-
Martin	2	24	3	1	11	5	1	2	1	-	1	1	1	16	3	1	2	-	-
Fairmont	2	16	2	-	6	2	-	2	-	-	-	1	1	10	3	-	2	-	-
Balance of county	-	8	1	1	5	3	1	-	1	-	1	-	-	6	-	1	-	-	-
Meeker	2	29	4	1	13	10	1	1	-	-	1	-	6	23	6	9	1	-	-
Mille Lacs	-	15	3	3	11	9	-	1	1	-	3	2	3	13	5	7	2	-	-
Morrison	1	32	-	6	12	9	1	5	-	-	2	1	3	30	5	11	4	1	-
Mower	-	44	3	5	19	6	1	3	6	-	-	3	26	36	3	4	1	-	1
Austin	-	32	2	3	7	5	1	3	5	-	-	2	16	25	1	2	-	-	-
Balance of county	-	12	1	2	12	1	-	-	1	-	-	1	10	11	2	2	1	-	1
Murray	-	17	-	-	5	1	-	3	1	-	-	-	-	11	-	5	-	-	-
Nicollet	1	13	6	2	7	2	1	-	-	-	1	4	3	15	4	4	4	-	-
Mankato, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	13	6	2	7	2	1	-	-	-	1	4	3	15	4	4	4	-	-
Nobles	1	21	4	1	8	7	1	1	-	1	3	1	2	12	1	4	1	1	-
Worthington	1	12	2	1	5	4	1	-	-	1	1	1	1	6	-	3	-	-	-
Balance of county	-	9	2	-	3	3	-	1	-	-	2	-	1	6	1	1	1	1	-
Norman	-	23	-	1	4	3	-	-	2	-	-	-	-	12	2	4	-	-	-
Olmsted	3	40	4	14	19	22	4	5	1	-	6	9	11	51	10	17	17	-	-
Rochester	2	30	2	11	12	20	2	4	1	-	4	9	11	42	7	13	11	-	-
Balance of county	1	10	2	3	7	2	2	1	-	-	2	-	-	9	3	4	6	-	-
Otter Tail	2	48	6	10	33	21	1	7	7	-	-	3	1	65	16	9	5	-	-
Fergus Falls	1	25	2	1	11	4	-	-	1	-	-	-	1	20	2	4	2	-	-
Balance of county	1	23	4	9	22	17	1	7	6	-	-	3	-	45	14	5	3	-	-
Pennington	1	17	6	1	2	2	-	1	1	-	-	-	4	16	5	4	4	-	-
Pine	-	17	2	2	9	11	-	-	1	-	-	-	2	16	-	9	-	-	-
Pipestone	-	19	8	1	5	4	1	2	3	-	1	2	5	11	1	2	1	2	-
Polk	-	38	10	3	13	8	-	7	2	-	1	3	3	30	6	15	3	-	-
Pope	3	15	1	1	9	1	1	2	4	-	-	1	9	17	4	8	-	-	-
Ramsey	14	320	70	45	134	115	8	46	31	1	33	40	109	347	47	86	55	17	5
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	1	17	7	3	4	5	-	1	3	-	2	4	8	25	3	6	7	-	-
Mounds View	-	5	-	1	1	2	-	3	-	-	2	1	2	4	1	-	1	-	-
New Brighton	2	9	2	2	5	6	-	4	1	-	1	1	4	7	2	4	3	-	-
North St. Paul	-	7	3	1	1	1	-	3	-	-	-	1	1	7	1	1	-	-	-
Roseville	-	23	12	2	11	6	1	2	1	-	4	3	5	18	4	1	3	-	1
St. Paul	10	225	38	31	101	85	7	31	23	1	18	20	79	254	31	65	28	16	4
Shoreview	-	3	-	-	1	1	-	-	1	-	-	3	4	8	2	2	2	-	-
White Bear Lake, part	-	10	4	3	2	3	-	1	1	-	6	3	3	8	1	3	4	-	-
White Bear Lake, total	-	11	4	3	2	3	-	1	1	-	6	3	3	8	2	3	4	-	-
Balance of county	1	21	4	2	8	6	-	3	1	-	-	4	3	16	2	4	7	1	-
Red Lake	-	6	1	-	2	-	-	-	-	-	-	-	-	4	2	-	-	-	-
Redwood	1	31	2	-	6	5	1	-	2	-	1	3	1	13	6	4	2	-	-
Renville	-	13	-	-	12	5	-	1	1	-	-	1	1	14	-	6	3	-	-
Rice	4	32	10	4	11	13	2	4	3	-	3	1	6	34	8	6	3	1	-
Faribault	2	14	7	2	6	7	2	1	1	-	-	1	4	16	1	1	2	1	-
Northfield, part	1	11	2	2	4	1	-	-	1	-	1	-	1	11	3	2	-	-	-
Northfield, total	1	11	2	2	4	1	-	-	1	-	1	-	1	11	3	2	-	-	-
Balance of county	1	7	1	-	1	5	-	3	1	-	2	-	1	7	4	3	1	-	-
Rock	-	16	-	-	1	3	1	-	-	-	-	-	-	6	3	3	2	-	1
Roseau	1	12	1	-	5	2	-	-	3	-	2	-	1	8	4	7	-	-	-
St. Louis	9	177	30	31	113	76	5	28	11	-	12	10	29	174	32	46	35	1	4
Duluth	6	92	11	12	51	30	4	12	3	-	5	5	20	82	10	21	13	1	3
Hibbing	1	11	8	4	6	9	-	5	4	-	4	1	-	18	4	3	3	-	-
Virginia	-	14	-	3	16	9	-	2	1	-	1	-	-	11	1	4	4	-	-
Balance of county	2	60	11	12	40	28	1	9	3	-	2	4	9	63	17	18	15	-	1
Scott	3	29	4	5	10	6	-	4	4	-	3	5	4	13	6	5	7	2	-
Sherburne	2	23	4	4	6	9	-	3	-	-	2	3	4	14	7	5	5	-	1
St. Cloud, part	1	9	2	-	5	4	-	-	-	-	-	-	-	5	-	1	1	-	-
Balance of county	1	14	2	4	1	5	-	3	-	-	2	3	4	9	7	4	4	-	1
Sibley	1	22	3	-	2	2	3	-	6	-	-	-	13	13	2	6	2	-	1
Stearns	4	49	8	10	17	17	4	7	3	-	7	12	6	36	28	13	15	-	2
St. Cloud, part	4	6	1	2	3	6	2	3	-	-	3	7	3	8	5	5	4	-	1
St. Cloud, total	5	17	3	2	9	11	2	3	-	-	6	7	3	14	6	6	5	-	1
Balance of county	-	43	7	8	14	11	2	4	3	-	4	5	3	28	23	8	11	-	1
Steele	1	32	7	3	5	3	-	3	3	-	2	3	1	15	1	6	3	-	-
Owatonna	1	19	4	3	3	2	-	3	1	-	2	3	-	10	-	4	2	-	-
Balance of county	-	13	3	-	2	1	-	-	2	-	-	-	1	5	1	2	1	-	-
Stevens	-	13	1	-	5	4	1	-	2	-	1	-	-	7	1	2	1	-	-
Swift	1	10	5	5	4	4	1	-	-	-	2	1	1	13	5	-	-	-	-
Todd	-	21	1	2	14	6	2	1	4	-	2	2	1	19	4	4	2	1	-
Traverse	-	3	1	-	5	4	-	-	-	-	-	-	-	-	1	1	1	-	-
Wabasha	-	20	2	3	10	7	-	3	2	-	-	3	-	9	3	9	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Wadena	209	-	-	-	46	14	8	7	7	2	-	8	4	113	94	-	-	69	25
Waseca	183	-	-	-	34	12	3	-	8	2	2	7	4	91	74	-	1	55	16
Washington	579	-	-	4	160	44	40	16	18	10	9	23	18	258	193	2	5	132	54
Cottage Grove	44	-	-	-	12	2	4	-	3	1	-	2	1	15	12	-	-	9	3
Hastings, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oakdale	44	-	-	-	11	4	1	2	-	2	-	2	2	16	13	-	-	11	2
Stillwater	140	-	-	1	33	13	9	5	1	2	-	3	6	64	44	-	1	32	11
White Bear Lake, part	4	-	-	-	1	-	-	-	1	-	-	-	-	2	1	-	-	1	-
Woodbury	51	-	-	2	12	5	3	1	-	1	-	2	2	23	17	-	-	13	4
Balance of county	296	-	-	1	91	20	23	8	13	4	9	14	7	138	106	2	4	66	34
Watonwan	146	-	-	-	31	5	9	4	6	-	1	6	2	81	59	-	-	55	4
Wilkin	73	-	-	-	17	4	3	3	4	1	1	1	-	38	22	-	-	20	2
Winona	472	-	-	3	102	23	15	11	14	8	9	22	3	243	173	2	7	113	51
Winona	337	-	-	2	69	18	8	8	10	4	5	16	1	178	130	2	6	81	41
Balance of county	135	-	-	1	33	5	7	3	4	4	4	6	2	65	43	-	1	32	10
Wright	426	-	-	4	93	27	14	6	17	4	3	22	9	195	144	1	-	94	49
Yellow Medicine	148	-	-	1	26	5	5	5	3	1	2	5	1	76	63	-	2	36	25
Mississippi	23,942	31	2	259	4,592	1,101	1,381	317	555	169	199	870	417	11,028	8,425	42	376	5,375	2,632
Urban places	8,058	14	-	97	1,562	387	454	120	172	58	67	304	142	3,826	2,932	18	162	1,798	958
Balance of area	15,884	17	2	162	3,030	714	927	197	383	111	132	566	275	7,202	5,493	24	214	3,578	1,876
Metropolitan counties	5,293	4	1	72	1,143	265	387	85	116	37	52	201	93	2,312	1,863	14	92	1,160	597
Urban places	3,129	1	-	51	675	153	218	53	70	22	33	126	57	1,405	1,143	7	65	721	350
Balance of area	2,164	3	1	21	468	112	169	32	46	15	19	75	36	907	720	7	27	439	247
Nonmetropolitan counties	18,649	27	1	187	3,449	836	994	232	439	132	147	669	324	8,716	6,562	28	284	4,215	2,035
Urban places	4,929	13	-	46	887	234	236	67	102	36	34	178	85	2,421	1,789	11	97	1,075	606
Balance of area	13,720	14	1	141	2,562	602	758	165	337	96	113	491	239	6,295	4,773	17	187	3,140	1,429
Adams	418	-	-	6	81	23	26	6	6	4	1	15	11	188	143	2	8	57	76
Natchez	306	-	-	2	53	15	18	4	5	3	1	7	10	144	106	2	6	45	53
Balance of county	112	-	-	4	28	8	8	2	1	1	-	8	1	44	37	-	2	12	23
Alcorn	318	-	-	4	63	17	15	1	6	3	2	19	3	178	141	1	1	70	69
Corinth	150	-	-	-	36	12	8	-	2	3	-	11	1	84	67	1	-	32	34
Balance of county	168	-	-	4	27	5	7	1	4	-	2	8	2	94	74	-	1	38	35
Amite	145	-	-	-	27	7	6	-	5	2	1	6	2	49	37	-	-	26	11
Attala	240	1	-	2	54	13	13	2	7	2	3	14	6	128	101	1	1	64	35
Benton	69	-	-	1	12	4	2	-	1	-	2	3	-	24	19	-	-	14	5
Bolivar	466	1	-	4	96	21	24	8	20	4	2	17	7	229	156	-	8	97	53
Cleveland	135	-	-	1	17	4	4	1	3	1	1	3	-	83	58	-	1	34	23
Balance of county	331	1	-	3	79	17	20	7	17	3	1	14	7	146	100	-	7	63	30
Calhoun	168	-	-	1	31	8	7	-	5	-	1	10	1	83	53	-	1	27	25
Carroll	73	-	-	1	15	5	4	1	2	1	1	1	-	30	26	-	-	19	7
Chickasaw	181	-	-	1	36	6	14	2	4	-	3	7	2	97	74	-	1	57	16
Choctaw	95	-	-	-	13	2	5	2	1	1	2	-	1	62	52	-	11	28	13
Claiborne	104	-	-	-	17	3	9	-	1	1	-	3	1	46	35	-	4	22	9
Clarke	207	-	-	2	28	9	11	1	4	-	-	3	3	95	61	-	1	41	19
Clay	202	-	-	1	37	10	12	2	5	2	-	6	6	110	84	-	-	39	45
Coahoma	423	1	-	3	76	18	18	5	10	2	2	21	8	189	135	-	15	104	16
Clarksdale	265	1	-	1	43	12	6	4	8	1	-	12	7	123	87	-	6	70	11
Balance of county	158	-	-	2	33	6	12	1	2	1	2	9	1	66	48	-	9	34	5
Copiah	262	-	-	4	57	11	19	6	6	2	7	6	4	113	91	-	-	72	19
Covington	178	-	-	3	32	6	10	5	5	-	3	3	4	71	50	1	4	28	17
De Soto	356	1	-	3	72	15	20	12	5	2	4	14	2	114	81	1	3	58	19
Forrest	653	1	-	10	121	25	37	11	7	7	2	32	11	261	193	1	7	148	37
Hattiesburg, part	425	1	-	9	73	16	18	9	5	4	2	19	9	187	134	1	6	105	22
Hattiesburg, total	427	1	-	9	75	16	18	9	5	4	3	20	9	187	134	1	6	105	22
Balance of county	228	-	-	1	48	9	19	2	2	3	-	13	2	74	59	-	1	43	15
Franklin	103	-	-	-	16	2	6	2	4	-	-	2	3	58	46	-	-	40	6
George	138	-	-	-	32	7	9	1	-	4	-	11	2	72	65	-	2	52	11
Greene	105	-	-	-	16	4	8	1	1	1	-	1	-	44	35	-	-	28	7
Grenada	224	-	-	1	42	15	10	2	4	1	3	7	1	144	98	1	4	73	20
Grenada	154	-	-	-	27	11	4	2	2	-	3	5	-	98	67	-	4	44	19
Balance of county	70	-	-	1	15	4	6	-	2	1	-	2	1	46	31	1	-	29	1
Hancock	252	-	-	2	50	12	18	1	4	3	1	11	3	123	110	-	3	43	64
Harrison	1,309	2	-	11	305	64	130	18	30	9	12	42	15	608	514	4	13	300	197
Biloxi	337	-	-	4	82	13	36	7	8	2	4	12	3	146	132	1	2	80	49
Gulfport	478	1	-	3	103	26	38	6	12	3	4	14	5	219	181	1	5	103	72
Balance of county	494	1	-	4	120	25	56	5	10	4	4	16	7	243	201	2	6	117	76
Hinds	2,062	1	-	35	423	108	119	38	45	14	26	75	47	909	716	4	55	460	197
Clinton	108	-	-	1	23	5	4	4	2	-	4	4	2	50	41	-	2	23	16
Jackson, part	1,685	-	-	31	346	86	94	33	39	13	17	64	40	751	591	3	45	380	163
Jackson, total	1,686	-	-	31	346	86	94	33	39	13	17	64	40	752	592	3	45	380	164
Balance of county	269	1	-	3	54	15	21	1	4	1	5	7	5	108	84	1	8	57	18
Holmes	274	-	-	4	47	14	7	2	10	-	2	12	7	133	104	-	13	49	42
Humphreys	133	-	-	4	21	5	5	1	2	1	-	7	5	61	47	-	3	34	10
Issaquena	25	-	-	-	4	4	-	-	-	-	-	-	1	7	5	-	-	3	2
Itawamba	195	-	-	-	34	9	10	1	2	2	-	10	3	113	83	-	-	57	26
Jackson	691	-	-	16	156	30	59	6	15	6	6	34	8	302	249	3	10	179	57
Moss Point	133	-	-	2	28	6	7	2	2	2	-	9	2	62	55	-	3	38	14
Ocean Springs	93	-	-	3	25	5	11	-	1	-	2	6	1	42	35	-	1	26	8
Pascagoula	202	-	-	6	42	7	18	1	4	1	1	10	2	94	71	1	5	51	14
Balance of county	263	-	-	5	61	12	23	3	8	3	3	9	3	104	88	2	1	64	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Wadena	-	12	6	1	13	4	-	1	1	-	1	1	5	11	4	4	1	-	-
Waseca	-	12	3	1	2	5	-	3	2	-	3	2	4	13	9	10	1	-	-
Washington	5	46	9	5	22	16	-	4	6	-	5	3	12	38	9	16	6	1	1
Cottage Grove	-	3	-	-	1	1	-	-	-	-	1	-	1	3	2	4	2	-	1
Hastings, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oakdale	-	3	-	-	2	2	-	1	-	-	1	-	1	5	-	2	1	-	-
Stillwater	2	11	5	2	14	4	-	2	-	-	-	-	2	7	1	4	1	1	-
White Bear Lake, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Woodbury	-	6	-	-	2	1	-	-	2	-	1	-	-	4	1	1	-	-	-
Balance of county	3	22	4	3	3	8	-	1	4	-	2	3	8	19	4	5	2	-	-
Watonwan	-	15	4	3	3	3	-	-	-	-	2	-	3	13	2	6	-	-	-
Wilkin	-	13	-	3	4	3	1	1	1	-	2	-	-	3	2	1	-	-	-
Winona	2	50	13	5	21	19	-	2	2	-	2	2	3	38	13	14	4	1	-
Winona	2	38	5	3	19	16	-	2	2	-	2	-	3	27	7	7	1	1	-
Balance of county	-	12	8	2	2	3	-	-	-	-	-	2	-	11	6	7	3	-	-
Wright	-	38	8	5	21	8	-	3	2	-	2	7	14	34	14	12	4	1	3
Yellow Medicine	-	13	-	-	8	4	-	1	4	-	1	3	1	16	5	2	-	-	-
Mississippi	61	2,078	270	176	519	635	52	220	262	1	173	311	1,623	1,716	716	816	253	283	33
Urban places	29	721	84	60	184	251	20	86	76	-	70	122	402	605	154	233	80	122	12
Balance of area	52	1,355	186	116	335	384	32	134	186	1	103	189	1,221	1,111	562	583	173	161	21
Metropolitan counties	21	338	52	38	145	182	11	53	42	-	41	60	201	446	154	181	78	65	9
Urban places	8	211	27	16	82	122	7	35	19	-	27	47	72	280	70	104	43	46	6
Balance of area	13	127	25	22	63	60	4	18	23	-	14	13	129	186	84	77	35	19	3
Nonmetropolitan counties	60	1,738	218	138	374	453	41	167	220	1	132	251	1,422	1,270	562	635	175	218	24
Urban places	21	510	57	44	102	129	13	51	57	-	43	75	330	345	84	129	37	76	6
Balance of area	39	1,228	161	94	272	324	28	116	163	1	89	176	1,092	925	478	506	138	142	18
Adams	3	35	5	2	8	9	1	2	6	-	4	3	35	35	12	10	2	5	-
Natchez	3	28	5	2	8	6	1	1	4	-	3	3	28	28	7	4	1	3	-
Balance of county	-	7	-	-	-	3	-	1	2	-	1	-	7	7	5	6	1	2	-
Alcorn	1	35	-	1	8	7	1	1	5	-	2	2	3	23	9	3	2	4	-
Corinth	1	15	-	1	3	2	1	1	2	-	-	1	2	11	2	2	1	1	-
Balance of county	-	20	-	-	5	5	-	-	3	-	2	1	1	12	7	1	1	3	-
Amite	1	10	1	-	-	6	-	6	-	-	2	2	31	4	8	7	-	1	-
Attala	1	17	8	1	4	8	-	1	2	-	1	3	4	14	6	4	1	1	-
Benton	-	4	1	-	1	4	-	1	-	-	1	3	12	2	3	2	2	1	-
Bolivar	1	53	15	2	3	9	-	4	1	-	2	10	36	29	10	15	1	9	-
Cleveland	1	17	6	1	1	5	-	-	-	-	-	5	10	7	2	1	-	3	-
Balance of county	-	36	9	1	2	4	-	4	1	-	2	5	26	22	8	14	1	6	-
Calhoun	-	25	2	3	3	5	-	1	2	-	-	1	12	11	5	5	3	2	-
Carroll	-	3	-	1	1	-	-	1	5	-	1	1	3	6	4	3	1	1	-
Chickasaw	1	19	3	-	3	3	-	4	3	-	-	4	2	12	7	3	2	2	-
Choctaw	1	5	2	2	2	2	-	-	-	-	1	-	-	7	1	5	-	1	-
Claiborne	2	10	-	1	3	3	-	1	2	-	-	5	7	8	2	6	-	1	-
Clarke	1	25	7	1	5	5	-	2	3	-	-	1	29	17	10	5	1	1	-
Clay	-	22	3	1	4	4	1	3	1	-	2	4	-	9	7	10	2	-	1
Coahoma	2	43	4	5	7	10	1	4	6	-	3	17	44	20	11	9	6	8	-
Clarksdale	2	28	4	2	7	4	1	2	6	-	2	12	23	15	4	4	5	5	-
Balance of county	-	15	-	3	-	6	-	2	-	-	1	5	21	5	7	5	1	3	-
Copiah	1	18	1	2	9	1	1	1	5	-	-	1	19	19	11	8	4	4	1
Covington	1	12	6	2	2	6	-	5	-	-	1	-	27	14	2	8	3	-	-
De Soto	1	26	3	3	18	13	-	1	3	-	5	-	74	17	13	12	4	2	2
Forrest	1	57	6	4	18	23	2	9	5	-	3	8	64	55	14	22	12	13	1
Hattiesburg, part	1	44	5	3	14	17	-	4	2	-	3	6	40	32	5	11	4	7	1
Hattiesburg, total	1	44	5	3	14	17	-	4	2	-	3	6	40	32	5	11	4	7	1
Balance of county	-	13	1	1	4	6	2	5	3	-	-	2	24	23	9	11	8	6	-
Franklin	1	11	-	-	-	4	-	-	-	-	1	1	1	12	3	1	2	1	-
George	-	5	1	1	1	3	-	-	2	-	-	2	2	7	10	3	1	1	-
Greene	-	4	4	1	3	3	-	1	3	-	1	1	20	6	3	3	-	1	-
Grenada	1	42	-	3	1	2	-	1	-	-	1	1	2	11	3	9	1	3	1
Gronada	1	29	-	1	1	2	-	1	-	-	1	1	2	8	3	6	-	3	1
Balance of county	-	13	-	2	-	-	-	-	-	-	-	-	-	3	-	3	1	-	-
Hancock	1	8	2	2	4	7	1	3	4	-	2	1	1	22	10	9	8	2	-
Harrison	9	68	7	10	27	53	3	13	9	-	8	14	7	108	42	46	27	8	3
Biloxi	2	10	-	2	12	12	1	5	2	-	5	6	1	26	8	13	8	1	2
Gulfport	-	34	3	1	9	30	-	3	4	-	2	6	3	42	15	22	7	3	1
Balance of county	7	24	4	7	6	11	2	5	3	-	1	2	3	40	19	11	12	4	-
Hinds	4	155	19	15	65	70	5	27	17	-	17	35	49	177	52	62	25	44	2
Clinton	-	8	-	1	3	5	1	1	-	-	-	1	-	12	5	3	1	-	-
Jackson, part	4	131	16	9	51	57	4	20	13	-	15	30	41	143	33	48	22	38	2
Jackson, total	4	131	16	9	51	57	4	20	13	-	15	30	41	143	33	48	22	38	2
Balance of county	-	16	3	5	11	8	-	6	4	-	2	4	8	22	14	11	2	6	-
Holmes	1	24	4	-	6	3	-	2	11	-	4	6	13	11	7	14	2	4	-
Humphreys	-	13	1	-	1	-	-	-	2	1	2	3	14	13	4	1	-	1	-
Issaquena	-	1	-	1	-	-	-	-	-	-	-	-	5	2	-	4	1	1	-
Itawamba	-	27	3	-	4	5	1	2	3	-	1	1	2	13	5	4	3	1	-
Jackson	2	38	12	3	13	21	1	8	3	-	7	8	38	56	16	29	4	4	1
Moss Point	-	7	-	-	1	4	-	2	-	-	1	3	9	7	3	6	1	1	1
Ocean Springs	-	5	1	1	3	3	1	3	-	-	-	-	2	7	2	-	-	1	-
Pascagoula	2	13	7	1	2	10	-	1	-	-	3	1	11	18	1	7	3	1	-
Balance of county	-	11	4	1	7	4	-	2	3	-	3	4	16	24	10	16	-	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Jasper	193	1	-	1	34	6	10	3	3	3	3	6	3	82	58	1	2	44	11
Jefferson	100	-	-	1	18	3	6	-	4	1	2	2	5	46	34	-	2	24	8
Jefferson Davis	130	2	-	3	26	5	8	3	2	2	-	6	2	57	49	-	4	35	10
Jones	621	1	-	5	102	23	31	11	12	5	4	16	9	304	235	1	8	159	67
Laurel	284	1	-	1	47	13	11	7	5	4	1	6	5	133	100	-	7	63	30
Balance of county	337	-	-	4	55	10	20	4	7	1	3	10	4	171	135	1	1	96	37
Kemper	121	-	-	1	30	3	7	4	2	3	1	10	1	46	36	-	5	14	17
Lafayette	210	-	-	1	46	16	12	6	1	1	1	9	1	92	65	-	7	36	22
Lamar	183	-	-	2	42	12	8	-	8	3	4	7	2	71	51	-	2	40	9
Hattiesburg, part	2	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Balance of county	181	-	-	2	40	12	8	-	8	3	3	6	2	71	51	-	2	40	9
Lauderdale	810	4	-	7	129	34	37	5	15	4	9	25	12	458	346	2	10	196	135
Meridian	563	4	-	5	93	25	24	5	12	2	6	19	10	320	236	-	6	130	100
Balance of county	247	-	-	2	36	9	13	-	3	2	3	6	2	138	110	2	4	66	38
Lawrence	142	-	-	5	14	2	3	-	2	-	1	6	3	79	65	-	1	29	35
Leake	234	-	-	4	50	9	10	6	8	3	2	12	9	117	97	-	3	56	38
Lee	536	1	-	3	91	20	24	10	7	8	3	19	5	298	228	2	10	128	88
Tupelo	263	1	-	1	46	10	10	6	4	5	-	11	2	147	114	2	5	83	44
Balance of county	273	-	-	2	45	10	14	4	3	3	3	8	3	151	114	-	5	65	44
Leflore	438	1	-	4	79	20	27	2	7	2	4	17	8	219	174	-	5	114	55
Greenwood	270	1	-	3	46	12	15	1	3	-	3	12	7	139	113	-	3	72	38
Balance of county	168	-	-	1	33	8	12	1	4	2	1	5	1	80	61	-	2	42	17
Lincoln	321	1	-	4	55	12	13	4	7	3	2	14	6	162	132	-	3	97	32
Brookhaven	184	-	-	4	36	9	11	2	3	3	-	8	2	86	68	-	2	49	17
Balance of county	137	1	-	-	19	3	2	2	4	-	2	6	4	76	64	-	1	48	15
Lowndes	451	-	-	4	72	15	27	2	12	-	5	11	14	219	162	2	11	105	44
Columbus	269	-	-	2	43	8	16	2	7	-	3	7	7	132	95	1	7	58	29
Balance of county	182	-	-	2	29	7	11	-	5	-	2	4	7	87	67	1	4	47	15
Madison	329	-	-	5	67	16	21	6	13	1	4	6	8	96	73	1	4	31	37
Canton	121	-	-	1	21	3	9	3	4	-	1	1	2	41	29	-	4	11	14
Balance of county	208	-	-	4	46	13	12	3	9	1	3	5	6	55	44	1	-	20	23
Marion	271	1	-	-	44	13	13	3	4	1	1	9	6	126	80	1	4	64	11
Marshall	263	-	-	11	51	10	19	4	7	1	3	7	6	94	70	-	2	49	19
Monroe	395	1	-	4	65	17	21	3	10	1	1	12	4	201	145	-	7	114	24
Montgomery	159	-	-	2	22	4	6	2	4	-	2	4	4	88	70	2	4	47	17
Neshoba	269	-	-	4	54	16	13	3	10	3	3	6	4	96	73	-	4	44	25
Newton	237	1	-	2	40	9	9	6	6	-	3	7	14	105	78	-	2	45	31
Noxubee	141	-	-	3	21	7	3	-	5	-	2	4	-	49	33	-	2	24	7
Oktibbeha	219	-	-	1	39	19	9	2	3	2	-	4	5	113	96	1	7	50	38
Starkville	105	-	-	1	19	9	4	1	2	2	-	1	3	53	42	1	5	20	16
Balance of county	114	-	-	-	20	10	5	1	1	-	-	3	2	60	54	-	2	30	22
Panola	297	-	-	5	64	18	19	1	12	4	3	7	7	132	106	-	5	67	34
Pearl River	341	1	-	3	79	18	24	4	6	3	2	22	4	124	96	-	-	75	21
Picayune	132	1	-	1	27	7	7	1	1	2	1	8	1	54	46	-	-	37	9
Balance of county	209	-	-	2	52	11	17	3	5	1	1	14	3	70	50	-	-	38	12
Perry	90	-	-	-	16	2	10	1	-	-	1	2	2	39	27	-	1	21	5
Pike	468	3	-	5	103	24	28	5	20	1	4	21	8	211	149	-	1	111	37
McComb	236	1	-	2	51	11	14	2	10	-	2	12	4	115	75	-	-	47	28
Balance of county	232	2	-	3	52	13	14	3	10	1	2	9	4	96	74	-	1	64	9
Pontotoc	201	-	-	1	32	10	8	2	6	1	-	5	4	115	87	-	-	66	21
Prentiss	209	-	-	6	38	2	9	2	10	1	3	11	4	76	84	-	3	37	24
Quitman	146	-	-	3	25	6	7	2	4	2	1	3	1	81	58	-	5	31	22
Rankin	525	-	1	4	118	36	32	8	13	3	3	23	14	210	156	2	8	88	58
Jackson, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Pearl	92	-	-	1	26	5	10	-	2	1	1	7	2	40	36	1	2	20	13
Balance of county	432	-	1	3	92	31	22	8	11	2	2	16	12	169	119	1	6	68	44
Scott	273	1	-	2	43	10	11	2	5	4	5	6	3	131	96	-	1	66	29
Sharkey	100	-	-	1	22	8	4	2	4	2	-	2	1	38	27	-	1	15	11
Simpson	238	-	-	2	44	10	18	5	4	-	1	6	1	125	98	-	1	75	22
Smith	143	-	-	1	18	1	5	4	-	-	3	5	2	68	63	-	2	46	15
Stone	98	-	-	1	19	2	9	2	4	-	-	2	4	46	37	-	-	32	5
Sunflower	321	-	1	1	56	11	18	4	12	2	2	7	5	165	120	-	4	96	20
Tallahatchie	183	-	-	-	22	4	8	2	4	-	2	2	2	80	56	1	3	37	15
Tate	169	-	-	2	31	7	10	2	-	-	1	11	2	83	59	-	4	30	25
Tippah	207	-	-	-	36	9	9	2	4	3	2	7	1	125	89	-	3	54	32
Tishomingo	202	-	-	-	47	13	12	2	7	-	2	11	1	76	63	-	-	40	23
Tunica	91	-	-	-	21	6	4	1	3	2	1	4	2	31	20	-	-	7	13
Union	193	-	-	3	35	9	12	2	2	3	-	7	1	89	68	1	-	43	24
Walthall	171	-	-	2	22	5	5	4	1	2	2	3	4	78	61	-	2	43	16
Warren	510	2	-	1	132	29	41	7	14	3	8	30	7	229	177	-	8	84	85
Vicksburg	347	2	-	1	80	19	23	4	11	2	6	15	3	163	121	-	7	57	57
Balance of county	163	-	-	-	52	10	18	3	3	1	2	15	4	66	56	-	1	27	28
Washington	754	-	-	9	146	43	48	11	18	4	3	19	11	331	241	2	19	146	74
Greenville	543	-	-	8	106	34	32	10	11	3	2	14	10	248	179	2	14	116	47
Balance of county	211	-	-	1	40	9	16	1	7	1	1	5	1	83	62	-	5	30	27
Wayne	171	-	-	2	38	9	9	2	6	1	1	10	-	79	60	1	-	48	11
Webster	128	-	-	3	21	5	7	4	2	1	1	1	2	57	42	-	1	32	9
Wilkinson	145	-	-	-	27	7	7	-	4	1	-	8	7	64	44	-	1	29	14
Winston	255	2	-	1	52	13	17	6	6	2	1	7	13	106	78	1	5	60	12
Yalobusha	162	-	-	2	37	11	10	3	5	1	-	7	1	61	43	1	2	25	15
Yazoo	313	-	-	3	43	7	10	3	10	2	1	10	5	117	84	1	19	37	27
Yazoo City	175	-	-	3	21	4	2	3	4	1	1	6	2	71	52	1	14	22	15
Balance of county	138	-	-	-	22	3	8	-	6	1	-	4	3	46	32	-	5	15	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Jasper	3	17	2	2	2	4	-	-	1	-	-	1	34	20	4	4	-	1	1
Jefferson	-	8	2	2	2	1	-	1	-	-	-	1	6	6	5	5	1	2	-
Jefferson Davis	1	7	-	-	4	3	1	1	1	-	2	-	11	9	4	3	-	1	-
Jones	-	58	7	4	21	11	3	14	13	-	4	5	34	53	13	20	4	4	1
Laurel	-	27	5	1	11	5	3	9	9	-	1	2	21	22	2	8	1	2	1
Balance of county	-	31	2	3	10	6	-	5	4	-	3	3	13	31	11	12	3	2	-
Kemper	1	8	-	1	3	2	1	-	1	-	1	1	15	5	4	8	1	-	1
Lafayette	1	23	2	1	2	3	1	2	3	-	6	2	11	17	9	7	4	3	-
Lamar	-	16	2	2	1	6	-	3	-	-	2	2	14	26	8	2	2	-	-
Hattiesburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	16	2	2	1	6	-	3	-	-	2	2	14	26	8	2	2	-	-
Lauderdale	-	102	4	6	10	20	1	10	16	-	6	5	7	42	30	27	10	16	-
Meridian	-	75	3	6	3	16	1	9	9	-	6	4	5	33	11	16	7	11	-
Balance of county	-	27	1	-	7	4	-	1	7	-	-	1	2	9	19	11	3	5	-
Lawrence	-	12	2	-	3	4	-	1	-	-	1	1	1	12	9	5	2	2	-
Leake	-	15	2	3	6	5	-	2	5	-	1	2	5	15	6	6	1	-	-
Lee	1	53	12	4	7	16	2	4	10	-	5	6	6	33	17	17	6	8	1
Tupelo	1	22	7	3	4	6	1	3	6	-	3	1	1	22	5	9	-	5	-
Balance of county	-	31	5	1	3	10	1	1	4	-	2	5	5	11	12	8	6	3	1
Leflore	1	38	1	5	6	10	1	5	3	-	7	12	9	29	17	17	3	8	-
Greenwood	-	21	-	5	6	7	1	4	-	-	4	7	4	16	7	12	2	4	-
Balance of county	1	17	1	-	-	3	-	1	3	-	3	5	5	13	10	5	1	4	-
Lincoln	-	27	1	2	4	9	-	3	2	-	4	-	35	15	6	7	2	6	-
Brookhaven	-	17	1	-	3	6	-	2	1	-	2	-	20	10	3	5	-	4	-
Balance of county	-	10	-	2	1	3	-	1	1	-	2	-	15	5	3	2	2	2	-
Lowndes	-	42	8	7	16	14	-	5	4	-	4	9	14	39	11	20	4	1	1
Columbus	-	25	6	6	10	8	-	4	4	-	4	6	7	25	3	9	3	1	1
Balance of county	-	17	2	1	6	6	-	1	-	-	-	3	7	14	8	11	1	-	-
Madison	1	14	4	4	7	4	-	2	4	-	2	7	70	27	10	10	3	5	2
Canton	-	9	2	1	3	-	-	1	2	-	2	4	23	16	4	-	-	1	-
Balance of county	1	5	2	3	4	4	-	1	2	-	-	3	47	11	6	10	3	4	2
Marion	1	38	6	1	7	7	1	2	4	-	1	2	25	23	9	6	2	3	2
Marshall	-	20	4	-	5	5	-	2	2	-	3	1	28	28	12	9	1	4	1
Monroe	1	48	2	5	6	9	2	2	2	-	1	10	27	29	12	13	3	4	-
Montgomery	-	14	1	3	1	8	-	1	1	-	-	2	10	8	3	6	2	1	-
Neshoba	-	21	-	2	4	4	1	5	3	-	2	1	52	15	9	11	2	1	1
Newton	2	17	6	2	4	4	-	-	2	-	5	1	29	12	4	8	3	3	-
Noxubee	1	13	-	2	-	2	-	1	2	-	1	2	41	11	3	4	-	1	-
Oktibbeha	2	12	1	2	2	9	1	-	4	-	2	4	2	19	7	6	2	3	-
Starkville	2	9	-	-	1	7	-	-	2	-	-	2	1	9	4	2	-	1	-
Balance of county	-	3	1	2	1	2	1	-	2	-	2	2	1	10	3	4	2	2	-
Panola	1	21	2	2	9	3	-	2	4	-	-	4	23	15	8	14	3	3	1
Pearl River	2	22	1	3	11	8	1	3	8	-	4	8	27	29	14	14	1	1	1
Picayune	1	5	1	1	6	1	1	1	1	-	1	3	12	12	5	5	-	-	-
Balance of county	1	17	-	2	5	7	-	2	7	-	3	5	15	17	9	9	1	1	1
Perry	-	10	2	-	6	4	-	1	-	-	-	-	7	5	3	4	2	1	-
Pike	1	56	3	2	11	10	2	8	5	-	4	7	24	26	11	22	2	5	1
McComb	1	37	-	2	8	5	-	4	1	-	2	1	12	15	4	7	-	3	1
Balance of county	-	19	3	-	3	5	2	4	4	-	2	6	12	11	7	15	2	2	-
Pontotoc	1	21	6	-	7	6	2	-	2	-	-	2	4	8	7	4	5	2	-
Prentiss	-	9	1	2	-	7	1	-	1	-	-	4	33	18	9	9	1	2	-
Quitman	-	19	1	3	2	2	1	-	1	-	-	1	5	7	6	9	1	1	-
Rankin	3	37	9	5	17	15	-	-	3	-	2	2	26	61	19	18	10	5	-
Jackson, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pearl	-	3	-	1	1	1	-	-	-	-	1	-	5	5	3	5	1	1	-
Balance of county	3	34	9	4	16	14	-	-	3	-	1	2	21	56	16	13	9	4	-
Scott	-	30	4	1	17	5	1	2	1	-	1	6	16	14	12	13	1	4	-
Sharkey	1	10	-	-	1	1	1	-	2	-	-	1	12	9	2	5	1	3	-
Simpson	2	22	2	1	2	7	1	2	1	-	4	4	8	17	10	7	2	1	-
Smith	-	4	1	-	8	3	-	3	1	-	-	2	8	11	9	6	2	1	-
Stone	1	8	-	-	1	3	1	1	3	-	-	-	6	5	2	5	-	-	1
Sunflower	2	38	3	2	6	4	-	4	2	-	3	5	25	19	8	9	3	4	1
Tallahatchie	1	21	1	1	4	7	-	1	2	-	-	4	30	14	3	7	3	4	-
Tate	2	16	3	3	3	7	-	2	1	-	-	5	8	9	6	8	2	-	-
Tippah	1	26	6	3	3	5	1	-	1	-	2	1	2	13	5	10	2	-	-
Tishomingo	-	9	2	2	7	9	-	2	5	-	5	2	12	14	9	6	3	3	1
Tunica	-	9	1	1	1	-	-	1	1	-	-	2	12	10	2	6	2	-	-
Union	-	18	2	1	5	8	-	2	2	-	1	1	17	13	5	8	3	-	-
Walthall	1	11	4	1	2	5	-	1	5	-	-	2	21	11	6	7	3	2	-
Warren	-	42	4	6	4	18	-	4	5	-	5	8	11	42	12	17	6	6	1
Vicksburg	-	33	4	5	3	15	-	3	4	-	3	7	8	29	6	12	4	4	-
Balance of county	-	9	-	1	1	3	-	1	1	-	2	1	3	13	6	5	2	2	1
Washington	5	79	3	3	10	16	3	4	4	-	3	12	114	35	18	19	5	13	1
Greenville	4	60	2	3	5	15	3	2	2	-	3	8	74	26	5	12	5	10	1
Balance of county	1	19	1	-	5	1	-	2	2	-	-	4	40	9	13	7	-	3	-
Wayne	-	17	1	1	4	2	1	2	3	-	1	3	3	14	10	8	1	-	-
Webster	-	13	-	2	7	7	-	-	1	-	-	1	5	14	3	5	-	-	-
Wilkinson	-	15	4	1	2	8	-	1	1	-	-	2	10	15	5	2	1	-	-
Winston	1	24	1	2	10	4	-	3	3	-	-	4	16	13	3	13	4	6	-
Yalobusha	-	16	2	-	6	6	2	1	4	-	1	1	18	11	1	6	1	2	1
Yazoo	3	17	12	1	6	6	1	-	4	-	5	2	76	11	6	12	5	10	1
Yazoo City	3	9	6	1	5	2	-	-	2	-	3	2	37	9	2	4	4	8	-
Balance of county	-	8	6	-	1	4	1	-	2	-	2	-	39	2	4	8	1	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-148, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri	49,525	27	2	498	10,617	2,672	2,997	898	1,122	436	420	2,132	802	24,002	18,538	129	635	13,830	3,944
Urban places	23,263	11	1	269	5,141	1,302	1,433	467	569	190	172	1,008	420	11,184	8,622	52	394	6,489	1,887
Balance of area	26,262	16	1	229	5,476	1,370	1,504	431	553	246	248	1,124	382	12,818	9,916	77	241	7,341	2,257
Metropolitan counties	29,613	14	1	327	6,713	1,689	1,883	620	704	258	253	1,306	534	14,202	11,062	87	450	8,402	2,123
Urban places	20,400	10	1	246	4,552	1,159	1,274	414	498	167	151	889	379	9,750	7,560	48	363	5,706	1,441
Balance of area	9,413	4	-	81	2,161	530	608	206	206	91	102	417	155	4,452	3,502	39	87	2,694	682
Nonmetropolitan counties	19,712	13	1	171	3,904	983	1,054	278	418	178	167	826	268	9,800	7,476	42	185	5,428	1,821
Urban places	2,863	1	-	23	589	143	159	53	71	23	21	119	41	1,434	1,062	4	31	781	246
Balance of area	16,849	12	1	148	3,315	840	895	225	347	155	146	707	227	8,366	6,414	38	154	4,647	1,575
Adair	216	1	-	4	35	9	9	2	1	4	2	8	2	117	98	-	-	69	29
Kirksville	164	1	-	4	22	8	6	1	1	2	-	4	1	90	74	-	-	52	22
Balance of county	52	-	-	-	13	1	3	1	-	2	2	4	1	27	24	-	-	17	7
Andrew	132	-	-	4	29	8	8	2	6	1	-	4	-	62	48	-	1	36	11
Atchison	106	-	-	1	11	1	1	3	1	-	1	4	1	68	48	-	2	37	9
Audrain	299	-	-	-	56	15	17	2	13	3	-	6	3	153	119	-	7	91	21
Mexico	168	-	-	-	33	10	9	2	8	2	-	2	-	82	64	-	2	53	9
Balance of county	131	-	-	-	23	5	8	-	5	1	-	4	3	71	55	-	5	38	12
Barry	341	1	-	5	70	17	19	8	4	5	4	13	1	164	109	1	-	65	23
Barton	167	-	-	1	24	12	6	-	4	1	1	-	6	93	75	-	3	57	15
Bates	236	1	-	2	37	10	10	5	3	3	-	6	2	120	89	1	-	63	25
Benton	196	-	-	3	53	14	13	4	9	-	3	10	2	84	62	1	1	41	19
Bollinger	129	-	-	-	23	6	7	2	3	1	1	3	1	71	46	1	1	33	11
Boone	639	-	-	5	121	20	37	15	13	7	4	25	11	286	219	1	5	155	58
Columbia	423	-	-	2	81	13	27	10	9	4	3	15	8	191	137	1	2	97	37
Balance of county	216	-	-	3	40	7	10	5	4	3	1	10	3	95	82	-	3	58	21
Buchanan	968	-	-	8	220	44	63	22	25	11	6	49	18	462	326	2	5	259	60
St. Joseph	888	-	-	8	204	41	59	21	22	10	5	46	16	424	297	1	5	246	45
Balance of county	80	-	-	-	16	3	4	1	3	1	1	3	2	38	29	1	-	13	15
Butler	473	-	-	3	78	22	25	7	8	2	1	13	9	221	174	-	5	132	37
Poplar Bluff	281	-	-	1	43	12	10	4	7	1	1	8	4	143	111	-	3	88	20
Balance of county	192	-	-	2	35	10	15	3	1	1	-	5	5	78	63	-	2	44	17
Caldwell	127	-	-	2	18	5	5	2	2	1	-	3	1	64	48	1	4	28	15
Callaway	257	-	-	4	71	17	27	1	6	2	5	11	3	100	83	-	3	54	26
Fulton	122	-	-	3	34	8	14	1	3	1	2	5	2	54	44	-	-	30	14
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	135	-	-	1	37	9	13	-	5	1	3	6	1	46	39	-	3	24	12
Camden	208	-	-	4	55	15	16	5	3	1	2	13	1	102	78	1	-	64	13
Cape Girardeau	495	1	-	3	129	45	30	10	11	7	5	21	11	235	161	3	5	124	29
Cape Girardeau	306	-	-	2	79	27	21	6	4	6	2	13	6	144	93	1	4	69	19
Balance of county	189	1	-	1	50	18	9	4	7	1	3	8	5	91	68	2	1	55	10
Carroll	168	-	-	-	28	8	8	1	4	3	-	4	1	88	66	-	4	35	27
Carter	51	-	-	-	8	3	-	1	1	-	1	2	-	16	9	-	-	7	2
Cass	390	-	-	3	80	14	15	6	10	3	6	26	9	178	134	-	2	85	47
Belton	69	-	-	2	16	1	3	1	6	1	-	4	1	25	21	-	1	12	8
Lee's Summit, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	321	-	-	1	64	13	12	5	4	2	6	22	8	153	113	-	1	73	39
Cedar	166	1	-	3	34	10	5	1	6	-	3	9	-	88	66	-	-	45	21
Chariton	156	1	-	-	26	8	8	3	-	2	1	4	2	86	66	-	1	45	20
Christian	194	-	-	1	40	11	15	4	3	1	1	5	1	99	77	1	1	55	20
Clark	114	1	-	-	23	5	5	2	4	3	-	4	-	52	43	-	-	26	17
Clay	1,037	-	-	12	223	42	66	25	21	8	9	52	19	499	370	4	11	274	81
Excelsior Springs, part	128	-	-	1	19	4	5	-	5	1	1	3	5	68	48	-	1	38	9
Excelsior Springs, total	134	-	-	1	21	4	5	-	5	1	1	5	5	72	52	-	1	41	10
Gladstone	150	-	-	3	40	6	13	5	4	1	-	11	3	64	51	1	1	38	11
Independence, part	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Kansas City, part	388	-	-	4	86	15	29	12	9	3	5	23	9	171	134	1	2	98	33
Liberty	145	-	-	1	28	10	10	1	1	-	2	4	1	80	54	-	7	41	6
Balance of county	225	-	-	3	39	7	9	7	2	3	1	10	1	116	83	2	-	59	22
Clinton	172	-	-	2	29	13	6	1	2	2	-	5	-	68	65	-	2	44	19
Cole	471	-	-	3	83	21	20	11	9	5	4	13	10	252	195	1	8	152	34
Jefferson City, part	360	-	-	3	69	17	18	11	7	2	3	11	8	193	151	1	8	117	25
Jefferson City, total	360	-	-	3	69	17	18	11	7	2	3	11	8	193	151	1	8	117	25
Balance of county	111	-	-	-	14	4	2	-	2	3	1	2	2	59	44	-	-	35	9
Cooper	175	-	-	2	41	16	10	4	4	1	2	4	4	84	58	1	1	42	14
Crawford	189	-	-	-	43	7	14	6	3	2	1	10	1	90	78	1	2	56	19
Dade	134	-	-	1	27	7	6	2	-	2	2	8	-	63	47	1	-	33	13
Dallas	147	-	-	-	34	8	13	3	2	-	2	6	1	70	55	1	2	35	17
Daviess	123	-	-	-	21	9	-	1	3	1	2	5	3	69	46	-	6	27	13
De Kalb	133	-	-	1	24	5	6	1	-	1	2	9	2	60	47	-	-	35	12
Dent	178	-	-	2	31	6	6	2	3	2	1	11	3	85	71	-	-	46	25
Douglas	142	-	-	-	28	4	11	1	4	-	1	7	5	55	40	-	-	33	7
Dunklin	436	-	-	4	86	22	30	8	2	6	1	17	13	212	164	1	6	122	35
Kennett	141	-	-	-	29	6	9	2	1	1	-	10	2	68	48	-	3	37	8
Balance of county	295	-	-	4	57	16	21	6	1	5	1	7	11	144	116	1	3	85	27
Franklin	640	-	-	3	134	31	33	14	18	5	12	21	9	306	242	1	3	181	57
Gasconade	172	1	-	1	30	7	8	1	5	2	-	7	2	91	74	-	1	59	14
Gentry	113	-	-	-	17	4	7	1	1	1	1	2	2	69	53	-	-	43	10
Greene	1,687	2	-	14	383	93	129	28	35	11	14	73	24	732	526	5	7	378	136
Springfield	1,387	1	-	12	309	71	107	23	28	10	9	61	19	619	445	3	5	318	119
Balance of county	300	1	-	2	74	22	22	5	7	1	5	12	5	113	81	2	2	60	17
Grundy	175	-	-	1	37	12	6	3	3	3	3	7	2	99	75	-	13	45	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri	166	4,107	670	521	1,500	1,719	165	423	464	6	284	379	1,701	3,646	933	1,181	682	427	67
Urban places	82	1,938	299	243	671	813	83	242	183	2	136	198	542	1,845	329	519	320	316	36
Balance of area	84	2,169	371	278	829	906	82	181	281	4	148	181	1,159	1,801	604	662	362	109	31
Metropolitan counties	109	2,371	351	309	875	1,076	104	292	252	5	183	254	647	2,275	520	691	441	360	47
Urban places	76	1,648	260	206	576	733	75	217	160	2	119	182	421	1,600	290	467	288	301	29
Balance of area	33	723	91	103	297	343	29	75	92	3	64	72	226	675	230	224	153	59	18
Nonmetropolitan counties	57	1,736	319	212	625	643	61	131	212	1	101	125	1,054	1,371	413	490	241	67	20
Urban places	6	290	39	37	93	80	8	25	23	-	17	16	121	245	39	52	32	17	7
Balance of area	51	1,446	280	175	532	563	53	106	189	1	84	109	933	1,126	374	438	209	50	13
Adair	-	16	2	1	8	8	1	1	2	-	1	-	5	19	3	7	-	-	2
Kirksville	-	14	1	1	6	7	1	1	2	-	-	-	5	15	2	5	-	-	2
Balance of county	-	2	1	-	2	1	-	-	-	-	1	-	-	4	1	2	-	-	-
Andrew	1	11	1	1	8	3	-	-	1	-	1	-	1	7	10	3	3	-	-
Atchison	-	17	3	-	6	4	-	-	2	-	1	1	-	7	1	3	-	-	-
Audrain	-	25	5	4	16	14	-	2	1	-	1	1	12	19	5	10	4	2	-
Mexico	-	14	2	2	13	8	-	2	1	-	-	1	9	11	-	5	3	-	-
Balance of county	-	11	3	2	3	6	-	-	-	-	1	-	3	8	5	5	1	2	-
Barry	2	48	4	1	13	14	4	5	1	-	4	1	21	16	4	9	8	-	-
Barton	3	10	3	2	4	7	1	1	2	-	2	1	5	5	6	6	3	-	-
Bates	1	22	3	5	6	7	-	1	5	-	1	1	15	23	6	3	9	2	1
Benton	-	16	5	1	3	5	-	2	6	-	-	-	6	17	7	4	2	1	1
Bollinger	1	20	4	-	1	3	3	1	-	-	1	-	5	8	2	8	2	-	-
Boone	4	51	4	8	27	25	2	3	5	-	9	5	17	67	12	17	23	4	-
Columbia	4	42	3	5	17	12	2	3	4	-	6	3	11	55	7	7	10	4	-
Balance of county	-	9	1	3	10	13	-	-	1	-	3	2	6	12	5	10	13	-	-
Buchanan	4	91	27	14	28	38	4	8	8	-	4	6	60	62	7	21	10	4	-
St. Joseph	4	85	24	14	27	34	4	8	7	-	2	6	55	59	5	17	9	3	-
Balance of county	-	6	3	-	1	4	-	-	1	-	2	-	5	3	2	4	1	1	-
Butler	1	32	4	10	11	14	-	7	9	-	6	1	50	37	8	11	3	3	2
Poplar Bluff	-	22	4	6	5	10	-	4	4	-	4	-	31	22	2	3	2	1	2
Balance of county	1	10	-	4	6	4	-	3	5	-	2	1	19	15	6	8	1	2	-
Caldwell	-	11	2	3	5	4	2	2	1	-	-	-	9	10	2	4	3	-	-
Callaway	-	11	3	3	8	10	2	2	3	-	4	1	7	22	6	6	8	-	-
Fulton	-	4	3	3	4	2	-	2	1	-	1	-	5	9	2	-	3	-	-
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	7	-	-	4	8	2	-	2	-	3	1	2	13	4	6	5	-	-
Camden	1	17	4	2	3	11	-	1	2	-	-	1	3	9	6	6	4	-	-
Cape Girardeau	-	61	11	2	10	5	1	2	-	-	2	3	28	43	6	7	7	2	-
Cape Girardeau	-	41	9	1	8	3	1	-	-	-	1	1	23	27	3	3	3	2	-
Balance of county	-	20	2	1	2	2	-	2	-	-	1	2	5	16	3	4	4	-	-
Carroll	-	18	-	4	5	2	1	-	5	-	-	-	23	8	2	2	2	1	-
Carter	-	5	-	2	2	1	-	1	2	-	-	-	13	3	-	1	2	1	1
Cass	1	35	5	3	10	22	1	-	4	-	6	3	13	28	9	12	9	1	2
Belton	1	3	-	-	1	6	-	-	-	-	-	1	4	6	3	4	-	-	-
Lee's Summit, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	32	5	3	9	16	1	-	4	-	6	2	9	22	6	8	9	1	2
Cedar	1	17	3	1	8	15	-	1	-	-	1	1	11	11	2	6	4	-	-
Chariton	-	11	7	2	6	2	1	-	3	-	1	1	1	18	-	5	3	-	-
Christian	-	18	4	2	1	8	-	1	2	-	1	-	13	8	7	7	5	-	-
Clark	-	8	-	1	6	2	-	-	-	-	2	-	13	6	3	5	1	-	-
Clay	2	102	9	16	31	59	7	10	9	-	11	7	12	71	22	17	21	6	1
Excelsior Springs, part	1	15	2	2	7	5	1	1	3	-	-	1	1	10	1	4	1	-	-
Excelsior Springs, total	1	15	2	2	7	5	1	1	3	-	-	1	1	10	1	4	1	-	-
Gladstone	-	11	2	-	3	13	1	2	-	-	2	1	1	7	2	2	4	2	-
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	-	28	2	7	7	23	5	3	4	-	7	2	4	27	8	6	9	3	-
Liberty	-	24	-	2	1	9	-	1	1	-	-	-	1	12	3	3	3	-	1
Balance of county	1	24	3	5	13	9	-	3	1	-	2	3	5	15	8	2	4	1	-
Clinton	1	16	5	1	9	4	-	2	2	-	-	2	10	12	5	3	3	1	-
Cole	3	33	13	8	8	14	2	5	2	-	4	5	2	51	11	10	7	2	-
Jefferson City, part	3	24	9	6	5	9	1	4	2	-	4	5	1	34	8	7	5	2	-
Jefferson City, total	3	24	9	6	5	9	1	4	2	-	4	5	1	34	8	7	5	2	-
Balance of county	-	9	4	2	3	5	1	1	-	-	-	-	1	17	3	3	2	-	-
Cooper	-	19	5	2	7	6	2	1	2	-	3	-	3	14	2	3	1	-	-
Crawford	-	11	-	1	5	6	1	3	3	-	-	1	7	14	6	4	3	2	-
Dade	-	16	-	-	1	8	1	1	2	-	-	1	6	12	5	5	1	-	-
Dallas	-	9	3	3	3	6	-	-	3	-	2	-	9	8	4	5	2	-	-
Daviess	-	15	1	7	3	3	-	-	2	-	-	-	5	8	3	1	3	2	-
De Kalb	-	12	1	-	5	4	1	1	3	-	1	-	14	8	-	4	3	2	-
Dent	-	13	-	1	4	6	1	-	3	-	-	-	25	9	4	3	1	1	-
Douglas	-	9	3	3	7	5	-	1	1	-	-	-	12	17	4	4	3	-	-
Dunklin	2	40	3	3	8	11	3	3	2	-	2	4	39	29	9	7	2	-	2
Kennett	1	18	-	1	1	4	2	2	2	-	-	3	9	9	3	3	2	-	2
Balance of county	1	22	3	2	7	7	1	1	-	-	2	1	30	20	6	4	-	-	-
Franklin	4	45	5	10	20	18	3	5	5	-	4	3	40	47	19	16	6	1	1
Gasconade	1	10	5	1	3	2	-	2	1	-	-	-	10	17	4	5	3	-	-
Gentry	-	14	2	-	2	4	-	-	2	-	-	-	-	10	2	4	1	-	-
Greene	7	160	25	14	45	93	4	10	10	-	6	9	131	117	43	31	25	7	1
Springfield	5	135	23	11	43	77	3	9	9	-	5	8	90	95	36	23	22	6	1
Balance of county	2	25	2	3	2	16	1	1	1	-	1	1	41	22	7	8	3	1	-
Grundy	-	19	1	4	8	6	1	4	1	-	-	-	3	10	2	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Harrison	158	-	-	1	22	6	4	4	1	2	1	4	2	84	65	2	2	52	9
Henry	304	-	-	-	48	14	12	4	1	3	4	10	2	168	129	1	2	90	36
Hickory	81	-	-	2	20	1	9	2	1	-	-	7	1	37	24	-	1	18	7
Holt	108	-	-	1	17	3	6	1	1	1	1	4	2	55	44	-	1	22	21
Howard	141	-	-	-	32	5	10	-	4	2	3	8	1	72	53	-	-	40	13
Howell	343	-	-	1	76	14	23	4	8	4	5	18	5	193	157	-	-	122	35
Iron	133	-	-	1	30	10	12	1	1	2	1	3	2	53	39	-	2	33	4
Jackson	6,084	3	1	81	1,340	352	368	131	135	51	39	264	106	2,791	2,157	17	75	1,535	530
Blue Springs	106	-	-	2	25	4	11	3	1	2	-	4	3	42	33	1	-	26	6
Grandview	138	1	-	2	37	11	9	4	3	2	-	8	2	63	45	-	1	39	5
Independence, part	946	-	-	9	213	61	58	22	19	4	7	42	13	449	372	2	19	236	115
Independence, total	947	-	-	9	214	61	58	22	19	4	7	43	13	449	372	2	19	236	115
Kansas City, part	4,111	1	1	58	904	245	242	86	90	39	28	174	78	1,857	1,416	13	51	1,029	323
Kansas City, total	4,564	1	1	63	1,016	262	276	101	101	42	35	199	88	2,051	1,569	14	53	1,139	363
Lee's Summit, part	304	-	-	4	61	10	12	7	9	2	4	17	3	147	108	-	1	73	34
Lee's Summit, total	304	-	-	4	61	10	12	7	9	2	4	17	3	147	108	-	1	73	34
Raytown	254	1	-	4	57	9	21	6	9	1	-	11	3	133	102	1	-	74	27
Balance of county	205	-	-	2	43	12	15	3	4	1	-	8	4	100	81	-	3	58	20
Jasper	1,034	1	-	6	207	53	65	17	22	6	7	37	19	504	360	5	12	275	88
Carthage	150	-	-	1	39	11	11	3	4	-	1	9	2	73	60	-	1	43	16
Joplin, part	493	1	-	2	82	22	30	11	10	4	2	13	11	244	180	1	7	120	52
Joplin, total	527	1	-	3	99	23	34	12	11	4	2	13	12	259	192	1	7	129	55
Balance of county	391	-	-	3	76	20	24	3	8	2	4	15	6	187	140	4	4	112	20
Jefferson	919	-	-	4	213	43	63	13	21	12	14	47	12	427	356	3	5	250	98
Arnold	118	-	-	-	30	4	11	3	3	1	1	7	1	57	45	-	-	26	19
Balance of county	801	-	-	4	183	39	52	10	18	11	13	40	11	370	311	3	5	224	79
Johnson	251	-	-	-	44	9	9	3	5	1	5	12	3	145	114	-	1	91	22
Warrensburg	92	-	-	-	15	2	3	2	3	-	3	2	-	55	43	-	1	34	8
Balance of county	159	-	-	-	29	7	6	1	2	1	2	10	3	90	71	-	-	57	14
Knox	75	-	-	-	12	3	1	-	3	-	2	3	-	41	32	-	-	28	4
Laclede	297	-	-	2	59	13	20	4	11	1	4	6	-	146	120	1	2	84	33
Lafayette	393	-	-	7	78	11	15	8	15	3	2	24	4	193	154	2	1	110	41
Lawrence	341	-	-	3	65	16	12	3	12	3	5	14	6	197	159	1	1	113	44
Lewis	116	-	-	-	24	7	6	2	1	1	1	6	2	60	45	1	2	35	7
Lincoln	260	-	-	4	45	13	16	2	4	-	1	9	1	104	77	-	-	55	22
Linn	216	-	-	2	36	10	10	1	3	2	2	8	6	121	90	-	2	70	18
Livingston	199	-	-	3	35	11	7	2	4	1	4	6	2	92	67	-	4	38	25
McDonald	169	-	-	-	34	3	11	4	7	4	1	4	-	80	69	-	-	45	24
Macon	215	-	-	4	28	3	8	-	5	1	-	11	3	131	98	-	6	62	30
Madison	156	-	-	-	32	8	9	4	4	1	1	5	5	71	61	1	1	44	15
Maries	72	-	-	1	17	2	4	3	3	1	-	4	1	37	32	-	-	25	7
Marion	368	-	-	1	69	17	22	7	17	4	4	18	2	190	130	-	5	87	38
Hannibal, part	242	-	-	-	59	10	16	4	8	3	3	15	2	125	91	-	3	66	22
Hannibal, total	245	-	-	-	59	10	16	4	8	3	3	15	2	127	93	-	3	67	23
Balance of county	126	-	-	1	30	7	6	3	9	1	1	3	-	65	39	-	2	21	16
Mercer	68	-	-	2	20	6	3	3	5	1	1	1	-	27	24	-	3	11	10
Miller	210	-	-	3	44	12	15	2	3	1	2	9	3	104	79	-	-	65	14
Mississippi	193	-	-	2	42	12	14	2	2	3	2	7	1	95	72	2	8	53	9
Moniteau	150	-	-	2	29	10	6	1	2	-	2	6	2	72	55	-	2	38	15
Monroe	123	-	-	1	23	4	3	3	5	1	1	6	2	59	48	-	1	34	13
Montgomery	133	-	-	1	22	1	9	1	1	1	2	7	-	75	58	1	-	40	17
Morgan	173	-	-	1	34	6	13	2	4	4	-	5	5	97	63	-	1	55	7
New Madrid	271	-	-	3	45	14	16	-	5	1	-	9	2	128	100	1	5	62	32
Sikeston, part	6	-	-	-	1	-	1	-	-	-	-	-	1	3	2	-	-	2	-
Balance of county	265	-	-	3	44	14	15	-	5	1	-	9	1	125	98	1	5	60	32
Newton	410	-	-	4	81	15	26	10	10	2	3	15	1	192	157	2	3	112	40
Joplin, part	34	-	-	1	7	1	4	1	1	-	-	-	1	15	12	-	-	9	3
Balance of county	376	-	-	3	74	14	22	9	9	2	3	15	-	177	145	2	3	103	37
Nodaway	244	-	-	3	54	16	12	5	6	3	1	11	3	111	86	-	-	50	36
Oregon	150	-	-	-	35	9	8	1	8	-	2	7	4	76	63	-	-	53	10
Osage	134	-	-	2	27	5	7	3	2	1	-	9	6	69	56	-	1	40	15
Ozark	99	-	-	1	20	5	8	-	3	-	-	4	-	45	32	-	-	28	4
Pemiscot	298	2	-	3	42	9	11	3	3	3	-	13	7	154	98	-	1	76	21
Perry	173	-	-	-	30	11	4	2	1	1	1	10	2	101	87	1	2	68	16
Pettis	443	-	-	5	93	21	26	10	8	4	1	23	9	223	152	1	2	117	32
Sedalia	314	-	-	3	62	16	18	6	6	1	1	14	5	155	97	1	1	77	18
Balance of county	129	-	-	2	31	5	8	4	2	3	-	9	4	68	55	-	1	40	14
Phelps	347	-	-	2	73	19	21	3	8	2	4	16	7	172	129	-	1	95	33
Rolla	123	-	-	1	26	5	7	1	5	1	1	6	5	56	40	-	1	28	13
Balance of county	224	-	-	1	47	14	14	2	3	1	3	10	2	116	89	-	-	69	20
Pike	192	-	-	2	40	15	7	4	4	2	1	7	2	84	56	-	1	43	12
Platte	230	-	-	4	49	10	14	9	5	-	3	8	3	92	67	-	1	48	18
Kansas City, part	65	-	-	1	16	2	5	3	2	-	2	2	1	23	19	-	-	12	7
Balance of county	165	-	-	3	33	8	9	6	3	-	1	6	2	69	48	-	1	36	11
Polk	239	-	-	2	44	9	9	2	5	1	1	17	2	126	88	1	1	78	8
Pulaski	184	-	-	3	29	5	8	3	2	-	2	9	4	78	56	1	1	38	16
Putnam	78	-	-	4	10	1	1	1	4	1	1	1	-	49	36	-	-	29	7
Ralls	87	-	-	-	21	5	5	2	2	1	1	5	-	39	34	-	-	24	10
Hannibal, part	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Balance of county	84	-	-	-	21	5	5	2	2	1	1	5	-	37	32	-	-	23	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	1	14	1	3	9	8	1	-	1	-	1	1	7	13	3	2	3	-	-
Henry	1	31	4	3	13	7	-	1	4	1	-	1	24	20	6	3	6	-	-
Hickory	-	9	3	1	-	8	-	2	1	-	-	-	2	3	1	1	2	1	-
Holt	-	10	-	1	6	8	1	-	2	-	-	-	-	4	-	9	3	-	-
Howard	-	6	13	-	9	3	1	1	1	-	1	1	1	7	3	6	-	-	2
Howell	3	27	6	-	9	9	2	3	3	-	2	2	13	9	5	9	1	1	-
Iron	-	12	2	-	6	3	2	1	1	-	1	1	11	11	4	3	3	-	-
Jackson	22	495	66	51	171	240	20	65	57	1	29	49	145	483	120	139	101	111	11
Blue Springs	1	5	3	-	6	4	-	2	-	-	1	1	1	9	5	2	2	1	-
Grandview	-	13	3	2	7	8	-	1	-	-	1	-	2	6	3	2	3	-	-
Independence, part	1	66	6	4	25	46	4	13	8	-	1	9	12	69	25	24	19	5	2
Independence, total	1	66	6	4	25	46	4	13	8	-	1	9	12	69	25	24	19	5	2
Kansas City, part	17	344	44	36	105	151	15	41	43	1	20	35	120	345	67	97	62	103	7
Kansas City, total	17	375	46	44	112	176	21	44	48	1	30	37	126	379	76	106	75	106	7
Lee's Summit, part	-	31	4	4	13	11	1	2	3	-	2	-	7	26	9	8	6	1	-
Lee's Summit, total	-	31	4	4	13	11	1	2	3	-	2	-	7	26	9	8	6	1	-
Raytown	2	24	2	3	10	11	-	3	1	-	2	2	1	15	2	2	5	1	1
Balance of county	1	12	4	2	5	9	-	3	2	-	2	2	2	13	9	4	4	-	1
Jasper	7	95	7	15	38	36	4	9	13	1	5	4	45	87	19	27	8	1	-
Carthage	2	10	-	1	12	2	-	1	2	-	-	-	4	6	3	5	-	-	-
Joplin, part	4	48	6	6	11	16	4	5	4	1	3	3	21	55	5	7	7	1	-
Joplin, total	4	50	6	7	12	20	4	5	4	1	3	3	21	59	6	7	7	1	-
Balance of county	1	37	1	8	15	18	-	3	7	-	2	1	20	26	11	15	1	-	-
Jefferson	2	57	5	7	43	41	4	8	8	1	7	9	5	58	37	16	17	7	2
Arnold	-	10	2	-	3	5	1	1	1	-	-	1	1	6	7	-	2	2	-
Balance of county	2	47	3	7	40	36	3	7	7	1	7	8	4	52	30	16	15	5	2
Johnson	2	19	4	6	7	9	-	3	-	-	1	4	4	14	4	4	6	3	-
Warrensburg	-	7	2	3	3	5	-	-	-	-	-	1	-	7	1	1	3	1	-
Balance of county	2	12	2	3	4	4	-	3	-	-	1	3	4	7	3	3	3	2	-
Knox	-	7	1	1	4	3	-	-	1	-	-	1	3	8	1	-	1	-	-
Laclede	-	19	2	5	10	11	-	1	5	-	3	-	25	12	7	10	4	2	-
Lafayette	3	25	4	7	8	11	1	1	3	-	2	5	29	26	8	15	1	1	-
Lawrence	1	25	8	4	7	12	1	-	4	-	2	3	2	23	7	4	5	-	-
Lewis	1	11	1	2	10	2	-	-	-	-	-	1	5	7	-	2	3	-	-
Lincoln	2	17	8	-	18	8	-	4	8	-	3	1	30	17	8	5	3	1	-
Linn	-	23	2	6	10	9	-	2	6	-	-	-	1	15	2	4	2	-	-
Livingston	-	18	6	1	9	6	2	1	4	-	1	5	15	13	3	5	2	1	-
McDonald	1	9	1	-	6	5	1	4	6	-	-	-	11	5	8	7	2	-	-
Macon	-	22	6	5	4	6	-	-	2	-	1	-	3	25	1	5	2	-	-
Madison	1	7	-	2	6	6	-	-	2	-	1	-	12	13	2	3	3	-	-
Maries	-	4	-	1	3	3	-	-	-	-	-	-	4	3	1	1	1	-	-
Marion	2	45	8	5	17	6	-	2	4	-	2	1	3	34	4	11	2	-	-
Hannibal, part	1	27	2	4	13	3	-	1	2	-	2	1	1	25	1	5	2	-	-
Hannibal, total	1	27	2	4	13	4	-	1	2	-	2	1	1	25	1	5	2	-	-
Balance of county	1	18	6	1	4	3	-	1	2	-	-	-	2	9	3	8	-	-	-
Mercer	1	1	1	-	1	4	-	-	2	-	-	1	1	8	1	1	-	-	-
Miller	1	20	2	2	4	7	1	3	-	-	-	1	11	20	6	2	1	-	-
Mississippi	1	18	2	2	3	6	-	1	1	-	1	1	16	7	2	8	4	3	-
Moniteau	-	12	3	2	6	8	-	-	1	-	1	4	2	14	2	4	1	2	-
Monroe	-	10	1	-	16	2	-	2	3	-	-	-	2	7	1	5	-	-	-
Montgomery	1	12	4	-	11	3	1	-	-	-	1	2	2	9	2	2	2	-	-
Morgan	1	28	5	-	3	4	-	-	2	-	-	1	-	14	6	4	2	-	-
New Madrid	1	23	3	1	5	8	-	-	4	-	1	4	38	12	8	8	4	1	-
Sikeston, part	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	22	3	1	4	8	-	-	4	-	1	4	38	12	8	8	4	1	-
Newton	1	29	2	3	25	17	1	4	3	1	1	5	21	29	17	4	2	2	-
Joplin, part	-	2	-	1	1	4	-	-	-	-	-	-	-	4	1	-	-	-	-
Balance of county	1	27	2	2	24	13	1	4	3	1	1	5	21	25	16	4	2	2	-
Nodaway	1	16	4	4	13	14	-	1	5	-	2	3	2	15	10	6	1	-	1
Oregon	-	7	3	3	3	3	-	2	1	-	-	-	11	6	2	7	-	-	-
Osage	-	11	1	1	2	4	-	-	-	-	1	-	3	12	5	2	1	-	-
Ozark	-	7	3	3	4	1	-	-	-	-	-	-	12	9	3	2	2	-	-
Pemiscot	1	49	2	4	3	12	-	1	3	-	1	8	28	12	7	8	3	2	2
Perry	-	9	4	1	2	5	1	-	2	-	2	4	2	11	2	6	3	-	-
Pettis	-	65	1	5	11	11	1	4	6	-	3	3	6	47	10	5	2	3	1
Sedalia	-	53	1	4	10	7	-	4	5	-	3	2	5	35	8	4	2	3	1
Balance of county	-	12	-	1	1	4	1	-	1	-	-	1	1	12	2	1	-	-	-
Phelps	1	35	4	3	5	14	1	4	1	-	2	1	25	19	7	10	4	-	-
Rolla	1	12	1	2	3	5	1	1	1	-	1	-	11	8	-	2	2	-	-
Balance of county	-	23	3	1	2	9	-	3	-	-	1	1	14	11	7	8	2	-	-
Pike	-	23	5	-	9	4	-	1	1	-	-	2	25	8	1	9	3	1	-
Platte	-	20	3	2	5	10	1	3	2	-	3	2	11	15	6	11	10	3	-
Kansas City, part	-	3	-	1	-	2	1	-	1	-	3	-	2	7	1	3	4	-	-
Balance of county	-	17	3	1	5	8	-	3	1	-	-	2	9	8	5	8	6	3	-
Polk	1	22	9	6	8	8	2	1	2	-	1	1	13	15	8	4	2	-	-
Pulaski	1	12	3	6	5	7	1	5	2	-	3	5	10	8	8	9	3	2	2
Putnam	-	10	2	1	1	2	-	1	1	-	1	-	1	7	1	-	-	-	-
Ralls	-	4	1	-	4	4	-	1	2	-	-	1	2	8	4	1	-	-	-
Hannibal, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	4	1	-	4	3	-	1	2	-	-	1	2	8	4	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Randolph	304	-	-	4	75	13	16	6	14	4	3	19	2	140	105	-	1	54	50
Moberly	210	-	-	3	54	10	12	5	11	2	3	11	2	94	68	-	-	36	32
Balance of county	94	-	-	1	21	3	4	1	3	2	-	8	-	46	37	-	1	18	18
Ray	208	-	-	3	41	13	9	4	3	-	1	11	-	112	88	-	1	66	21
Excelsior Springs, part	6	-	-	-	2	-	-	-	-	-	-	2	-	4	4	-	-	3	1
Balance of county	202	-	-	3	39	13	9	4	3	-	1	9	-	108	84	-	1	63	20
Reynolds	82	-	-	3	9	2	3	1	1	-	-	2	-	38	34	1	1	22	10
Ripley	143	1	-	-	32	7	7	4	2	3	1	8	2	65	52	1	1	43	7
St. Charles	785	-	-	2	168	31	60	14	15	5	3	40	13	398	319	5	6	244	64
St. Charles	281	-	-	1	55	9	19	4	8	1	2	12	4	153	117	1	1	89	16
St. Peters	51	-	-	-	17	4	6	2	-	-	-	5	-	17	15	1	1	8	5
Balance of county	453	-	-	1	96	18	35	8	7	4	1	23	9	228	187	3	4	137	43
St. Clair	137	-	-	2	21	3	6	3	-	1	2	6	-	84	65	-	-	44	21
Ste. Genevieve	134	-	-	1	31	8	11	1	3	3	2	3	3	49	42	-	1	39	2
St. Francois	539	-	-	4	122	29	33	11	7	3	6	33	11	280	202	-	6	170	28
St. Louis	8,100	3	-	86	2,016	536	553	187	180	87	80	393	153	3,871	3,051	30	113	2,458	450
Ballwin	72	-	-	-	20	6	6	4	1	1	-	2	2	28	22	-	-	17	5
Bellefontaine Neighbors	163	-	-	1	40	9	10	6	7	2	1	5	3	76	63	-	3	51	9
Berkeley	103	-	-	1	16	5	3	2	2	1	-	3	2	49	38	-	4	25	9
Bridgeton	134	-	-	-	34	5	11	2	5	1	1	9	3	86	54	-	-	46	8
Clayton	146	-	-	2	33	7	8	5	3	1	1	8	3	75	59	1	2	49	7
Crestwood	110	-	-	1	35	13	10	4	1	1	-	6	-	52	40	2	1	33	4
Creve Coeur	111	-	-	2	30	11	5	2	4	2	3	3	2	51	40	1	-	35	4
Ferguson	257	-	-	4	56	17	15	1	4	2	-	17	7	126	103	-	5	83	15
Florissant	442	-	-	4	103	23	31	5	13	4	4	23	6	220	184	-	11	142	31
Hazelwood	98	-	-	3	24	4	9	1	2	2	-	6	1	50	35	1	2	23	9
Jennings	214	-	-	6	60	16	16	4	6	1	2	15	3	93	77	1	2	54	20
Kirkwood	292	-	-	5	74	22	19	4	5	2	4	18	2	146	116	2	4	95	15
Maplewood	98	-	-	-	24	8	9	3	-	1	-	3	1	45	40	-	4	31	5
Overland	214	-	-	1	58	17	13	4	6	2	2	14	6	96	73	1	1	60	11
Richmond Heights	148	-	-	2	40	14	11	6	-	3	-	6	5	67	49	-	3	39	7
St. Ann	142	-	-	2	32	8	12	1	1	1	2	7	-	70	55	1	4	45	5
University City	417	-	-	6	97	29	18	8	6	1	7	28	5	218	169	-	11	139	19
Webster Groves	227	-	-	1	59	18	17	5	7	5	1	6	8	112	83	-	1	65	17
Balance of county	4,712	3	-	45	1,181	304	330	120	107	54	52	214	94	2,231	1,751	20	55	1,426	250
St. Louis city	6,376	5	-	87	1,368	373	359	119	182	48	51	236	136	3,191	2,545	11	199	1,991	344
Saline	326	-	1	6	71	22	14	4	7	1	3	20	4	152	117	1	-	93	23
Marshall	154	-	-	2	27	7	4	3	3	1	1	8	1	77	55	-	-	48	7
Balance of county	172	-	1	4	44	15	10	1	4	-	2	12	3	75	62	1	-	45	16
Schuyler	72	-	-	-	14	4	6	1	-	-	-	3	1	42	29	-	-	15	14
Scotland	83	-	-	-	13	3	4	2	1	-	-	3	-	49	32	-	2	25	5
Scott	371	-	-	1	82	14	28	6	12	2	1	19	5	168	139	3	6	90	40
Sikeston, part	177	-	-	1	36	5	11	5	4	-	1	10	2	93	79	1	5	45	28
Sikeston, total	183	-	-	1	37	5	12	5	4	-	1	10	3	96	81	1	5	47	28
Balance of county	194	-	-	-	46	9	17	1	8	2	-	9	3	75	60	2	1	45	12
Shannon	93	-	-	2	20	5	6	1	2	2	1	3	1	47	40	-	-	33	7
Shelby	109	-	-	1	18	2	7	-	2	1	2	2	2	70	58	1	24	29	4
Stoddard	327	1	-	1	55	15	15	2	3	5	4	11	6	169	127	-	1	86	40
Stone	192	1	-	-	39	14	13	2	4	-	3	3	3	80	60	1	-	46	13
Sullivan	86	-	-	3	19	9	2	-	3	-	1	4	-	36	32	-	-	15	17
Taney	245	-	-	2	56	18	15	2	4	4	1	12	2	134	100	1	-	69	30
Texas	224	-	-	4	47	8	14	3	5	3	4	10	3	109	89	-	1	67	21
Vernon	240	-	-	2	42	12	13	1	5	2	1	8	5	111	86	-	-	54	32
Warren	171	-	-	3	39	11	12	-	4	1	1	10	3	73	60	-	-	51	9
Washington	173	-	-	-	38	9	9	5	4	2	3	6	1	74	57	-	-	49	8
Wayne	169	-	-	1	40	8	14	1	5	-	2	10	3	67	52	-	-	35	17
Webster	186	-	-	2	46	7	12	4	3	5	1	14	2	91	73	1	1	63	8
Worth	46	-	-	1	6	3	1	-	1	-	-	1	2	28	22	-	-	15	7
Wright	190	-	-	1	41	20	7	2	6	2	1	3	2	81	64	-	-	54	10
Montana	6,713	2	1	47	1,348	348	323	113	180	59	63	262	101	2,980	2,245	28	35	1,541	641
Urban places	2,524	1	-	19	510	137	122	51	64	16	25	95	31	1,143	877	10	19	618	230
Balance of area	4,189	1	1	28	838	211	201	62	116	43	38	167	70	1,837	1,368	18	16	923	411
Metropolitan counties	1,388	1	-	6	281	75	60	31	39	9	19	48	14	622	478	6	15	340	117
Urban places	1,028	1	-	5	212	59	47	25	29	6	15	31	5	459	351	3	13	250	85
Balance of area	360	-	-	1	69	16	13	6	10	3	4	17	9	163	127	3	2	90	32
Nonmetropolitan counties	5,325	1	1	41	1,067	273	263	82	141	50	44	214	87	2,358	1,767	22	20	1,201	524
Urban places	1,496	-	-	14	298	78	75	26	35	10	10	64	26	684	526	7	6	368	145
Balance of area	3,829	1	1	27	769	195	188	56	106	40	34	150	61	1,674	1,241	15	14	833	379
Beaverhead	77	-	-	1	16	2	11	-	1	2	-	-	1	29	20	-	1	13	6
Big Horn	84	-	-	1	10	4	2	1	1	-	-	2	2	36	26	-	-	14	12
Blaine	63	-	-	1	15	2	4	3	3	-	-	3	-	27	22	-	-	11	11
Broadwater	37	-	-	-	13	2	3	-	1	-	-	7	1	9	8	1	-	5	2
Carbon	90	-	-	1	10	3	1	1	1	1	-	3	2	41	30	1	-	18	11
Carter	14	-	-	-	1	-	1	-	-	-	-	-	-	9	7	-	-	7	-
Cascade	673	-	-	2	126	31	30	14	20	2	7	22	2	324	245	3	8	176	58
Great Falls	566	-	-	2	106	28	25	12	17	1	7	16	2	269	205	2	8	144	51
Balance of county	107	-	-	-	20	3	5	2	3	1	-	6	-	55	40	1	-	32	7
Chouteau	55	-	-	-	13	4	1	2	2	2	1	1	-	30	25	-	1	16	8
Custer	155	-	-	-	32	9	5	2	6	2	1	7	2	71	49	-	-	41	8
Daniels	33	-	-	1	8	-	2	1	1	2	2	-	-	16	11	-	-	5	6
Dawson	87	-	-	-	17	6	3	-	2	1	-	5	1	48	39	1	-	29	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Randolph	–	25	6	4	13	8	–	1	2	–	–	1	19	21	4	9	4	1	–
Moberly	–	20	4	2	11	6	–	–	1	–	–	–	13	16	2	6	1	1	–
Balance of county	–	5	2	2	2	2	–	1	1	–	–	1	6	5	2	3	3	–	–
Ray	1	19	2	2	3	11	–	–	2	–	–	–	7	11	9	4	4	1	–
Excelsior Springs, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	1	19	2	2	3	11	–	–	2	–	–	–	7	11	9	4	4	1	–
Reynolds	–	4	–	–	2	3	–	–	1	–	–	–	15	5	5	–	1	–	–
Ripley	–	9	2	2	1	6	–	1	–	–	1	–	15	12	2	3	2	–	–
St. Charles	3	52	14	10	27	28	1	8	5	–	4	12	25	41	13	17	13	9	1
St. Charles	1	25	7	3	13	10	1	4	3	–	1	6	8	11	4	3	3	2	–
St. Peters	1	–	–	1	2	–	–	–	–	–	2	2	–	5	2	1	2	1	–
Balance of county	1	27	7	6	12	18	–	4	2	–	1	5	17	25	7	13	8	6	1
St. Clair	–	18	1	–	5	2	–	–	1	–	1	–	2	5	6	5	2	1	–
Ste. Genevieve	–	7	–	–	2	5	–	4	1	–	–	2	5	9	9	11	2	–	–
St. Francois	3	52	18	5	13	13	2	4	7	–	3	6	17	27	9	12	9	–	–
St. Louis	29	610	100	81	205	271	37	82	74	1	60	71	47	642	116	168	118	62	17
Ballwin	1	5	–	–	1	1	–	1	2	–	2	2	–	7	1	–	4	1	–
Bellefontaine Neighbors	–	7	1	5	5	4	3	3	1	–	2	–	–	18	3	1	2	1	–
Berkeley	–	8	2	1	2	3	–	2	2	–	2	3	1	6	3	6	2	1	2
Bridgeton	–	8	3	1	4	4	–	–	–	–	1	1	–	10	2	3	3	2	1
Clayton	1	12	3	–	2	4	–	–	–	–	2	6	3	8	–	3	4	–	1
Crestwood	–	10	–	2	2	5	1	1	–	–	2	–	–	7	3	–	–	1	–
Creve Coeur	–	8	2	1	3	5	–	–	–	–	1	–	–	11	–	1	4	1	–
Ferguson	1	17	4	1	6	8	1	4	4	–	2	–	1	25	3	4	3	3	–
Florissant	–	26	9	1	9	19	2	4	4	–	1	2	4	39	7	11	5	2	–
Hazelwood	–	13	–	2	3	3	1	2	–	–	–	–	–	6	3	–	2	–	–
Jennings	–	9	5	2	4	9	–	4	3	–	2	1	4	15	9	3	2	2	–
Kirkwood	3	19	8	–	8	15	1	5	2	–	1	5	1	19	–	4	2	–	2
Maplewood	–	3	2	–	3	5	1	2	–	–	–	1	1	7	1	4	2	1	–
Overland	–	14	4	5	4	10	1	3	–	–	3	2	–	20	2	6	2	–	–
Richmond Heights	1	9	4	4	4	6	2	1	2	–	2	–	–	11	1	2	2	1	–
St. Ann	–	13	1	1	3	8	1	3	–	–	2	–	–	13	3	2	1	2	–
University City	3	39	3	4	10	11	1	3	2	–	4	8	4	24	2	12	3	7	–
Webster Groves	1	21	4	3	3	8	2	3	–	–	–	2	2	17	–	4	6	–	–
Balance of county	18	369	45	48	129	143	20	41	52	1	31	38	26	379	79	102	69	37	11
St. Louis city	21	483	72	70	188	156	15	76	44	–	32	69	54	502	54	161	66	141	11
Saline	1	30	2	2	13	10	2	1	2	–	1	2	7	27	7	10	5	5	–
Marshall	–	19	1	2	5	6	2	1	2	–	1	1	2	12	3	4	3	5	–
Balance of county	1	11	1	–	8	4	–	–	–	–	–	1	5	15	4	6	2	–	–
Schuyler	–	8	2	3	–	2	1	2	1	–	–	–	1	5	1	1	1	–	–
Scotland	–	12	5	–	3	1	–	1	–	–	2	1	2	7	2	1	1	–	–
Scott	–	27	1	1	5	16	1	6	2	–	1	1	21	34	10	10	4	3	1
Sikeston, part	–	14	–	–	5	4	–	3	–	–	–	1	6	15	4	4	1	2	–
Sikeston, total	–	15	–	–	6	4	–	3	–	–	–	1	6	15	4	4	1	2	–
Balance of county	–	13	1	1	–	12	1	3	2	–	1	–	15	19	6	6	3	1	1
Shannon	–	2	2	3	3	3	–	–	1	–	1	1	2	9	1	2	–	–	–
Shelby	1	7	2	2	3	2	–	1	2	–	–	–	6	5	–	–	–	–	1
Stoddard	1	39	1	1	6	10	2	1	1	–	1	4	14	29	12	8	2	2	1
Stone	1	15	3	1	2	2	–	1	–	–	1	2	42	10	3	4	1	1	–
Sullivan	1	3	–	–	3	2	1	1	1	–	–	–	1	13	1	3	2	–	–
Taney	–	22	9	3	6	13	1	–	2	–	3	–	2	16	2	3	3	–	–
Texas	–	15	3	2	10	7	–	1	1	–	1	–	8	21	4	6	2	–	–
Vernon	–	20	1	4	20	13	2	–	4	–	2	–	9	16	7	4	2	1	–
Warren	–	8	5	–	9	2	–	1	1	–	1	4	13	12	2	6	2	–	–
Washington	1	14	1	1	4	9	–	–	2	–	1	1	17	7	8	6	2	3	–
Wayne	–	13	1	1	6	8	1	–	2	–	–	–	24	7	6	2	2	1	–
Webster	1	15	2	–	3	8	–	–	4	–	–	2	8	10	2	3	5	–	–
Worth	–	4	2	–	2	–	–	–	1	–	–	2	–	3	1	–	–	–	–
Wright	1	12	2	2	6	11	–	–	3	–	1	1	15	11	5	7	2	3	–
Montana	20	509	135	71	245	340	28	94	63	4	51	37	101	551	271	261	139	34	15
Urban places	4	182	55	25	92	145	7	36	20	2	25	13	28	235	78	73	46	11	9
Balance of area	16	327	80	46	153	195	21	58	43	2	26	24	73	316	193	188	93	23	6
Metropolitan counties	–	104	33	7	45	70	4	21	13	–	11	5	16	132	63	39	36	3	6
Urban places	–	77	24	7	39	56	3	16	10	–	10	5	12	107	39	26	24	3	5
Balance of area	–	27	9	–	15	14	1	5	3	–	1	–	4	25	24	13	12	–	1
Nonmetropolitan counties	20	405	102	64	200	270	24	73	50	4	40	32	85	419	208	222	103	31	9
Urban places	4	105	31	18	62	89	4	20	10	2	15	8	16	128	39	47	22	8	4
Balance of area	16	300	71	46	138	181	20	53	40	2	25	24	69	291	169	175	81	23	5
Beaverhead	–	6	1	2	4	5	2	1	–	–	–	–	–	10	3	5	–	–	–
Big Horn	–	4	5	1	5	2	1	3	1	–	4	–	1	5	6	4	1	1	1
Blaine	–	4	1	–	3	1	–	–	1	–	–	1	1	4	8	–	–	1	–
Broadwater	–	1	–	–	1	2	–	–	–	–	–	–	–	7	2	1	1	–	–
Carbon	2	8	–	1	4	9	1	–	1	–	2	1	–	6	1	6	3	1	1
Carter	–	–	–	2	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–
Cascade	–	53	24	2	20	34	–	10	4	–	3	3	6	71	28	19	15	3	3
Great Falls	–	42	20	2	19	32	–	9	4	–	2	3	4	65	20	13	11	3	2
Balance of county	–	11	4	–	1	2	–	1	–	–	1	–	2	6	8	6	4	–	1
Chouteau	–	4	–	1	1	3	–	–	1	–	1	–	–	3	1	1	1	–	–
Custer	1	19	1	1	6	8	1	–	2	–	2	2	1	16	1	7	3	–	1
Daniels	–	3	2	–	1	1	–	–	1	–	–	1	1	2	1	–	–	–	–
Dawson	–	8	1	–	2	3	–	1	1	1	–	–	1	5	1	6	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	140	-	-	1	21	6	2	2	3	2	-	6	-	68	53	2	-	34	17
Fallon	25	-	-	-	3	1	1	-	-	-	-	1	-	17	11	-	-	9	2
Fergus	157	-	-	1	30	7	6	3	7	3	-	4	3	67	46	2	-	30	14
Flathead	429	-	-	5	88	27	16	5	17	1	3	19	3	208	147	3	-	86	58
Kalispell	147	-	-	2	30	7	7	1	8	-	1	6	-	78	61	1	-	37	23
Balance of county	282	-	-	3	58	20	9	4	9	1	2	13	3	130	86	2	-	49	35
Gallatin	228	-	-	-	46	12	10	2	6	3	3	10	8	107	73	1	1	50	21
Bozeman	115	-	-	-	19	6	6	1	1	-	1	4	3	54	34	-	1	23	10
Balance of county	113	-	-	-	27	6	4	1	5	3	2	6	5	53	39	1	-	27	11
Garfield	14	-	-	-	2	-	-	1	-	-	1	-	-	3	3	-	-	3	-
Glacier	123	1	-	-	18	2	8	-	1	1	2	4	4	41	33	-	-	19	14
Golden Valley	8	-	-	-	1	-	-	-	-	-	-	1	-	5	5	-	-	2	3
Granite	27	-	-	-	8	1	3	-	1	-	1	2	-	14	14	-	-	6	8
Hill	138	-	-	-	33	9	9	2	7	-	-	6	2	56	51	1	-	31	19
Havre	93	-	-	-	24	7	7	2	5	-	-	3	1	39	34	1	-	20	13
Balance of county	45	-	-	-	9	2	2	-	2	-	-	3	1	17	17	-	-	11	6
Jefferson	57	-	1	-	6	2	2	1	1	-	-	-	1	22	17	-	-	14	3
Judith Basin	17	-	-	-	1	1	-	-	-	-	-	-	-	10	8	-	-	5	3
Lake	195	-	-	-	34	10	5	3	7	-	1	8	5	83	61	1	-	40	20
Lewis and Clark	364	-	-	5	91	22	24	6	11	3	6	18	6	143	103	-	2	75	26
Helena	232	-	-	3	54	14	14	5	5	3	1	12	3	93	68	-	2	52	14
Balance of county	132	-	-	2	37	9	10	1	6	-	5	6	3	50	35	-	-	23	12
Liberty	30	-	-	2	2	-	1	-	1	-	-	-	1	11	7	1	-	4	2
Lincoln	134	-	-	-	36	8	9	4	4	3	2	6	3	55	45	1	1	35	8
McCone	19	-	-	-	1	-	-	-	-	1	-	-	-	10	7	-	-	4	3
Madison	59	-	-	1	8	1	3	-	3	1	-	-	-	30	20	-	-	15	5
Meagher	38	-	-	-	6	1	1	1	1	-	-	2	-	19	16	-	-	11	5
Mineral	31	-	-	1	7	1	2	1	-	-	-	3	-	11	10	-	-	4	6
Missoula	473	-	-	6	102	29	25	11	11	5	5	16	12	194	154	1	4	109	40
Missoula	324	-	-	4	71	15	20	8	6	4	4	14	12	132	102	-	2	76	24
Balance of county	149	-	-	2	31	14	5	3	5	1	1	2	-	62	52	1	2	33	16
Musselshell	43	-	-	1	7	1	2	1	-	-	-	3	1	20	14	-	-	10	4
Park	150	-	-	2	32	8	7	3	4	3	-	7	2	70	48	1	1	33	13
Petroleum	7	-	-	-	2	-	-	-	1	1	-	-	-	2	2	-	-	1	1
Phillips	65	-	-	-	9	-	1	1	3	-	2	2	2	33	29	-	-	27	2
Pondera	67	-	-	-	11	3	2	-	2	-	1	3	3	31	26	-	-	14	12
Powder River	17	-	-	-	3	1	2	-	-	-	-	-	-	8	5	-	-	5	-
Powell	59	-	-	-	13	4	4	1	2	-	1	1	-	27	19	-	5	14	-
Prairie	27	-	-	-	5	2	2	-	-	-	1	-	-	16	11	-	-	10	1
Ravalli	220	-	-	3	49	12	17	5	2	1	3	9	1	107	78	-	-	52	28
Richland	81	-	-	2	18	4	4	1	3	-	-	6	-	31	23	-	-	14	9
Roosevelt	126	-	-	2	19	6	6	-	3	1	-	3	6	49	40	-	-	34	6
Rosebud	63	-	-	-	7	2	2	-	1	1	-	1	-	13	11	1	-	8	2
Sanders	100	-	-	-	26	10	10	1	1	-	-	4	1	47	37	-	-	29	8
Sheridan	61	-	-	-	17	7	4	1	1	-	-	4	-	26	15	-	1	11	3
Silver Bow	470	-	-	4	82	24	19	7	7	1	3	21	7	231	180	3	1	129	47
Butte-Silver Bow	445	-	-	4	79	23	19	7	7	1	3	19	7	220	174	3	1	126	44
Balance of county	25	-	-	-	3	1	-	-	-	-	-	2	-	11	6	-	-	3	3
Stillwater	73	-	-	-	22	2	5	2	3	1	1	8	2	32	23	1	1	12	9
Sweet Grass	40	-	-	-	7	-	3	-	-	2	1	1	-	18	5	-	-	5	-
Teton	58	-	-	-	14	5	2	-	1	1	2	3	1	19	12	-	-	5	7
Toole	55	-	-	-	9	3	2	2	1	1	-	-	-	24	20	-	-	7	13
Treasure	8	-	-	-	1	1	-	-	-	-	-	-	-	3	3	-	-	3	-
Valley	87	-	-	-	20	3	7	2	3	3	-	2	3	40	28	-	-	21	7
Wheatland	31	-	-	-	12	1	1	3	4	1	1	1	1	12	10	-	1	5	4
Wibaux	18	-	-	-	3	1	1	-	-	-	-	1	-	9	7	-	-	7	-
Yellowstone	715	1	-	4	155	44	30	17	19	7	12	26	12	298	233	3	7	164	59
Billings	462	1	-	3	106	31	22	13	12	5	8	15	3	190	146	1	5	106	34
Balance of county	253	-	-	1	49	13	8	4	7	2	4	11	9	108	87	2	2	58	25
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	14,718	2	-	107	2,956	795	654	253	404	169	130	551	263	7,542	5,627	58	114	4,120	1,335
Urban places	6,556	1	-	55	1,428	392	344	127	167	77	50	271	129	3,249	2,432	26	37	1,822	547
Balance of area	8,162	1	-	52	1,528	403	310	126	237	92	80	280	134	4,293	3,195	32	77	2,298	788
Metropolitan counties	5,238	1	-	54	1,140	305	290	96	133	62	40	214	104	2,524	1,883	26	28	1,431	398
Urban places	4,593	1	-	38	1,020	280	259	84	113	54	37	193	90	2,213	1,649	20	23	1,268	338
Balance of area	645	-	-	16	120	25	31	12	20	8	3	21	14	311	234	6	5	163	60
Nonmetropolitan counties	9,480	1	-	53	1,816	490	364	157	271	107	90	337	159	5,018	3,744	32	86	2,689	937
Urban places	1,963	-	-	17	408	112	85	43	54	23	13	78	39	1,036	783	6	14	554	209
Balance of area	7,517	1	-	36	1,408	378	279	114	217	84	77	259	120	3,982	2,961	26	72	2,135	728
Adams	319	-	-	2	65	20	15	6	10	2	4	8	3	169	129	1	2	91	35
Hastings	261	-	-	2	53	15	12	6	9	2	3	6	3	144	112	-	1	84	27
Balance of county	58	-	-	-	12	5	3	-	1	-	1	2	-	25	17	1	1	7	8
Antelope	107	-	-	-	26	4	6	2	2	3	4	5	4	50	33	-	-	22	11
Arthur	4	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	-	1	1
Banner	4	-	-	-	2	-	1	-	1	-	-	-	-	2	2	-	-	1	1
Blaine	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Boone	95	-	-	-	24	8	3	1	4	2	1	5	-	52	37	2	-	28	7
Box Butte	139	-	-	-	31	14	1	4	8	2	-	2	1	68	52	2	2	38	10
Boyd	49	-	-	-	12	1	6	-	1	1	-	3	-	26	16	-	-	11	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	-	11	2	2	5	8	-	2	1	-	-	1	2	15	3	6	4	2	1
Fallon	-	5	1	-	1	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Fergus	1	13	7	-	5	4	1	2	2	-	1	1	1	27	5	5	2	-	-
Flathead	2	40	13	6	10	18	2	8	3	1	3	2	4	34	18	10	10	2	-
Kalispell	-	10	6	1	1	5	-	4	1	1	2	-	1	13	3	6	-	-	-
Balance of county	2	30	7	5	9	13	2	4	2	-	1	2	3	21	15	4	10	2	-
Gallatin	-	19	9	6	8	14	1	2	2	-	3	1	5	19	7	4	1	-	-
Bozeman	-	12	4	4	5	7	1	1	1	-	3	-	1	14	4	2	-	-	-
Balance of county	-	7	5	2	3	7	-	1	1	-	-	1	4	5	3	2	1	-	-
Garfield	-	-	-	-	4	1	-	-	-	-	-	-	-	1	3	-	-	-	-
Glacier	-	5	-	3	5	4	1	6	3	-	-	1	8	6	12	7	7	1	-
Golden Valley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Granite	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-
Hill	2	2	-	1	6	8	1	1	2	-	1	-	1	12	3	6	5	1	-
Havre	2	2	-	1	6	3	1	-	-	-	1	-	-	9	3	2	3	1	-
Balance of county	-	-	-	-	-	5	-	1	2	-	-	-	1	3	-	4	2	-	-
Jefferson	-	3	-	2	2	2	-	-	1	-	-	-	-	8	4	7	2	1	-
Judith Basin	-	2	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-
Lake	-	19	1	2	9	8	2	2	1	-	-	1	3	17	10	15	3	2	-
Lewis and Clark	1	28	7	4	16	26	1	4	3	1	4	3	9	20	10	12	9	1	-
Helena	-	18	5	2	14	18	1	2	3	-	3	3	5	15	6	5	4	-	-
Balance of county	1	10	2	2	2	8	-	2	-	1	1	-	4	5	4	7	5	1	-
Liberty	1	3	-	-	1	-	-	-	1	-	-	-	1	4	4	3	-	-	-
Lincoln	1	6	1	2	4	7	2	2	-	-	1	-	2	8	5	4	4	1	-
McCone	-	2	1	-	-	-	-	-	1	-	-	-	2	-	5	-	-	-	-
Madison	-	8	1	1	1	2	-	1	-	-	-	1	3	3	5	1	3	-	-
Meagher	-	2	-	1	-	5	-	-	-	-	-	-	3	3	1	1	-	-	-
Mineral	-	1	-	-	-	4	-	-	-	-	-	-	-	2	3	1	2	-	-
Missoula	-	25	9	6	15	25	2	4	4	1	7	2	5	39	19	21	8	6	1
Missoula	-	20	6	4	8	17	-	4	3	1	4	2	5	24	13	12	7	4	1
Balance of county	-	5	3	2	7	8	2	-	1	-	3	-	-	15	6	9	1	2	-
Musselshell	-	3	2	1	-	3	1	-	2	-	-	-	-	4	-	2	2	-	-
Park	1	18	1	2	4	12	-	2	4	-	-	1	1	9	5	4	2	-	-
Petroleum	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Phillips	-	3	-	1	-	3	1	1	-	-	1	-	-	2	2	5	4	1	1
Pondera	-	2	2	1	5	1	-	1	-	-	3	1	-	6	-	2	2	1	-
Powder River	-	2	1	-	-	1	-	-	-	-	-	-	-	2	1	1	1	-	-
Powell	1	4	2	1	2	3	-	-	-	-	-	1	-	9	1	1	2	-	-
Prairie	-	4	1	-	-	-	-	1	-	-	-	-	-	1	-	4	-	-	-
Ravalli	-	23	1	5	7	11	-	1	-	-	-	1	6	12	8	11	2	-	1
Richland	2	4	1	1	3	7	-	-	1	-	1	1	2	6	2	5	2	-	-
Roosevelt	1	5	3	-	4	3	1	7	4	-	-	1	5	7	6	6	1	3	-
Rosebud	-	1	1	-	4	1	-	4	-	-	-	-	-	10	7	9	5	3	-
Sanders	-	4	4	2	4	4	-	2	1	-	1	-	-	3	7	2	2	-	-
Sheridan	-	10	1	-	8	2	-	2	-	-	-	1	-	3	1	1	-	-	-
Silver Bow	2	37	8	4	23	32	1	8	1	-	2	2	5	41	9	14	4	2	2
Butte-Silver Bow	2	32	8	4	23	31	1	7	1	-	2	2	2	38	7	14	4	1	2
Balance of county	-	5	-	-	-	1	-	1	-	-	-	-	3	3	2	-	-	1	-
Stillwater	1	7	-	1	4	-	1	-	-	-	-	1	-	3	2	5	1	-	-
Sweet Grass	-	13	-	-	-	1	1	2	1	-	-	1	3	-	2	4	-	-	-
Teton	-	2	5	-	7	5	-	-	-	-	1	-	2	2	1	3	1	-	-
Toole	1	3	-	-	3	4	-	2	-	-	-	1	1	2	5	2	1	1	-
Treasure	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-
Valley	-	8	5	1	1	3	-	-	2	-	1	1	5	8	-	1	2	-	-
Wheatland	-	2	-	-	-	1	-	1	-	-	-	-	1	-	2	1	-	-	-
Wibaux	-	1	1	-	1	2	-	-	1	-	-	-	1	1	-	-	-	-	-
Yellowstone	-	51	9	5	25	36	4	11	9	-	8	2	10	61	35	20	21	-	3
Billings	-	35	4	5	11	24	3	7	6	-	8	2	8	42	19	13	13	-	3
Balance of county	-	16	5	-	14	12	1	4	3	-	-	-	2	19	16	7	8	-	-
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	62	1,381	313	159	548	523	58	120	131	-	94	126	223	1,227	269	320	147	40	22
Urban places	32	575	130	80	218	243	25	78	48	-	45	70	69	566	97	122	66	31	16
Balance of area	30	806	183	79	330	280	33	42	83	-	49	56	154	661	172	198	81	9	6
Metropolitan counties	23	446	102	68	173	188	20	74	35	-	31	63	56	462	99	105	60	33	16
Urban places	20	388	95	61	150	167	18	69	32	-	26	53	45	415	66	93	51	30	16
Balance of area	3	60	7	7	23	21	2	5	3	-	5	10	11	47	33	12	9	3	-
Nonmetropolitan counties	39	933	211	91	375	335	38	46	96	-	63	63	167	765	170	215	87	7	6
Urban places	12	187	35	19	68	76	7	9	16	-	19	17	24	151	31	29	15	1	-
Balance of area	27	746	176	72	307	259	31	37	80	-	44	46	143	614	139	186	72	6	6
Adams	-	29	6	5	13	11	2	2	4	-	5	2	3	26	3	5	4	-	-
Hastings	-	21	6	5	10	10	1	1	4	-	3	2	2	18	2	2	4	-	-
Balance of county	-	8	-	-	3	1	1	1	-	-	2	-	1	8	1	3	-	-	-
Antelope	1	8	8	-	1	4	-	-	2	-	-	-	-	13	3	3	1	-	-
Arthur	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banner	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Boone	-	13	-	2	5	2	-	-	-	-	-	-	3	7	2	-	-	-	-
Box Butte	1	10	4	1	5	10	-	1	1	-	-	-	1	11	1	7	2	-	-
Boyd	1	9	-	-	3	3	-	-	1	-	-	1	1	1	1	-	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Brown	46	-	-	-	12	6	2	1	1	-	-	2	-	21	18	-	1	13	4
Buffalo	269	-	-	2	58	16	8	3	9	9	1	12	4	141	104	2	1	77	24
Kearney	158	-	-	2	35	6	8	2	4	7	1	7	2	81	59	2	1	43	13
Balance of county	111	-	-	-	23	10	-	1	5	2	-	5	2	60	45	-	-	34	11
Burt	132	-	-	1	17	3	6	3	2	1	1	1	1	72	55	-	-	41	14
Butler	123	-	-	1	23	9	5	-	5	1	-	3	4	66	45	-	3	28	14
Cass	171	-	-	-	26	12	5	-	-	4	1	4	3	86	52	1	1	44	6
Cedar	122	-	-	1	19	4	2	2	6	-	1	4	-	68	42	-	2	33	7
Chase	49	-	-	-	7	2	2	-	2	1	-	-	2	28	17	1	4	8	4
Cherry	64	-	-	-	5	-	3	-	-	-	1	1	1	37	32	-	2	20	10
Cheyenne	105	-	-	2	19	6	3	1	4	-	-	5	6	46	40	-	8	30	2
Clay	94	-	-	1	17	8	-	2	2	-	1	4	-	50	37	-	1	25	11
Colfax	127	-	-	-	21	3	7	1	4	1	-	5	-	67	50	-	-	27	23
Cuming	121	-	-	1	27	10	4	2	3	2	1	5	2	65	48	-	-	42	6
Custer	188	-	-	1	30	7	6	-	7	-	3	7	4	111	90	-	-	84	26
Dakota	146	-	-	4	20	5	5	1	4	4	-	1	4	78	56	2	2	37	15
Dawes	78	-	-	-	14	1	3	1	3	-	2	4	3	38	32	-	-	19	13
Dawson	219	-	-	2	36	7	5	2	4	4	3	11	3	127	89	-	7	74	18
Deuel	36	-	-	-	7	-	1	2	1	1	-	2	2	16	12	-	-	12	-
Dixon	80	-	-	1	12	7	1	-	2	1	-	1	2	40	33	-	-	15	18
Dodge	374	-	-	2	84	22	19	11	7	3	4	18	4	197	144	2	1	123	18
Fremont	243	-	-	1	63	17	15	7	3	2	2	17	3	119	85	2	1	69	13
Balance of county	131	-	-	1	21	5	4	4	4	1	2	1	1	78	59	-	-	54	5
Douglas	3,298	1	-	35	753	203	200	63	81	39	23	144	56	1,577	1,208	15	15	955	223
Omaha	3,108	1	-	26	715	196	192	57	77	37	22	134	55	1,489	1,136	14	15	900	207
Balance of county	190	-	-	9	38	7	8	6	4	2	1	10	1	88	72	1	-	55	16
Dundy	95	-	-	-	3	-	-	1	-	1	-	1	-	18	12	1	-	7	4
Fillmore	98	-	-	-	12	5	1	3	-	-	2	1	2	59	46	-	-	36	8
Franklin	74	-	-	-	20	8	3	4	2	-	1	2	1	31	21	-	-	13	8
Frontier	31	-	-	-	6	2	1	1	-	-	-	2	1	20	14	-	2	6	6
Furnas	106	-	-	-	25	5	10	-	4	3	-	3	2	59	47	-	-	36	11
Gage	276	-	-	1	55	20	9	4	6	6	-	10	5	155	117	-	3	89	25
Beatrice	160	-	-	1	33	14	6	3	2	2	-	6	3	96	70	-	3	50	17
Balance of county	116	-	-	-	22	6	3	1	4	4	-	4	2	59	47	-	-	39	8
Garden	52	-	-	-	9	1	2	-	1	1	1	3	-	34	27	1	3	13	10
Garfield	32	-	-	-	8	3	1	1	1	-	-	2	-	19	11	-	-	5	6
Gosper	23	-	-	-	2	-	-	-	1	-	1	-	-	13	13	-	-	13	-
Grant	8	-	-	-	4	1	1	-	-	1	1	-	-	2	2	-	-	2	-
Greeley	58	-	-	1	7	3	-	-	3	1	-	-	1	32	19	-	-	14	5
Hall	488	-	-	2	97	25	24	7	14	5	4	18	12	242	175	1	6	117	51
Grand Island	391	-	-	2	75	20	20	6	11	2	1	15	10	192	139	1	6	90	42
Balance of county	97	-	-	-	22	5	4	1	3	3	3	3	2	50	36	-	-	27	9
Hamilton	86	-	-	1	16	4	2	3	3	-	3	1	-	47	30	-	-	21	9
Harlan	46	-	-	-	13	3	3	2	3	1	-	1	-	26	18	-	-	18	-
Hayes	6	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-
Hitchcock	46	-	-	-	9	4	-	1	-	1	-	3	-	27	18	-	-	14	4
Holt	156	-	-	1	28	9	6	2	2	1	2	6	-	78	60	1	-	46	13
Hooker	13	-	-	-	1	-	-	-	1	-	-	-	-	3	3	-	-	2	1
Howard	83	-	-	-	16	6	3	1	2	-	1	3	-	47	31	-	-	25	6
Jefferson	119	-	-	1	20	12	1	3	2	-	-	2	1	70	58	-	-	41	15
Johnson	89	-	-	1	15	6	4	-	-	2	1	2	1	48	27	-	-	21	6
Kearney	69	-	-	1	19	3	1	2	5	3	2	3	1	36	26	2	-	17	7
Keith	104	-	-	-	24	4	7	4	5	-	1	3	2	57	45	-	-	36	9
Keya Paha	11	-	-	-	2	2	-	-	-	-	-	-	-	5	4	-	-	2	2
Kimball	54	-	-	-	11	3	3	1	1	-	-	3	3	29	18	-	2	14	2
Knox	139	-	-	1	27	8	4	1	7	-	2	5	1	83	65	-	1	59	5
Lancaster	1,473	-	-	11	289	84	64	23	40	12	14	52	38	730	509	7	9	371	122
Lincoln	1,360	-	-	11	269	78	58	23	34	12	14	50	33	674	471	6	8	343	114
Balance of county	113	-	-	-	20	6	6	-	6	-	-	2	5	56	38	1	1	28	8
Lincoln	304	-	-	2	66	19	12	7	13	3	2	10	2	157	126	-	1	82	43
North Platte	214	-	-	1	45	10	9	5	10	2	2	7	1	112	91	-	-	60	31
Balance of county	90	-	-	1	21	9	3	2	3	1	-	3	1	45	35	-	1	22	12
Logan	8	-	-	-	2	-	1	-	1	-	-	-	-	5	4	-	-	4	-
Loup	13	-	-	-	2	1	-	-	-	-	1	-	-	7	6	-	-	6	-
McPherson	7	-	-	-	3	-	1	1	-	-	-	1	-	4	4	-	-	2	2
Madison	315	-	-	3	55	13	11	10	8	3	2	8	7	169	124	-	2	98	24
Norfolk	200	-	-	3	32	6	4	8	5	2	1	6	4	115	90	-	2	72	16
Balance of county	115	-	-	-	23	7	7	2	3	1	1	2	3	54	34	-	-	26	8
Merrick	86	-	-	-	11	3	2	1	1	1	1	2	-	53	39	-	1	28	10
Morrill	75	-	-	-	10	1	4	-	-	2	-	3	-	42	35	-	3	18	14
Nance	52	-	-	-	16	2	5	1	2	3	-	3	-	22	19	1	-	16	2
Nemaha	106	-	-	-	18	5	2	4	3	1	-	3	3	47	28	-	-	18	10
Nuckolls	86	-	-	1	12	3	5	1	-	-	1	2	-	42	32	-	-	21	11
Otoe	198	-	-	2	39	10	10	1	6	-	6	6	5	83	65	-	1	56	9
Pawnee	68	-	-	-	9	3	2	1	1	-	1	1	2	39	31	1	1	23	6
Perkins	45	-	-	-	13	2	5	1	1	2	1	1	2	23	16	-	1	13	2
Phelps	117	-	-	-	20	3	5	1	3	2	1	5	1	69	50	-	-	31	19
Pierce	92	-	-	-	19	4	3	3	5	1	-	3	2	51	36	-	2	33	1
Platte	250	-	-	2	52	16	9	3	7	3	4	10	8	136	101	2	-	58	41
Columbus	182	-	-	2	38	13	5	3	4	2	3	8	7	102	77	1	-	45	31
Balance of county	68	-	-	-	14	3	4	-	3	1	1	2	1	34	24	1	-	13	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown	-	2	1	-	-	2	1	-	1	-	-	-	1	4	-	4	-	-	-
Buffalo	-	31	3	3	8	7	-	2	2	-	1	2	2	27	1	9	2	1	-
Kearney	-	18	1	3	3	3	-	-	1	-	-	2	1	22	1	5	-	-	-
Balance of county	-	13	2	-	5	4	-	2	1	-	1	-	1	5	-	4	2	1	-
Burt	-	9	5	3	10	4	-	1	2	-	1	1	1	16	3	2	-	-	-
Butler	2	15	1	3	5	4	-	-	2	-	-	2	2	11	2	1	-	-	-
Cass	-	23	9	2	5	10	1	1	-	-	3	1	6	15	2	10	2	-	-
Cedar	-	11	14	1	4	4	-	-	-	-	-	1	4	13	2	3	2	-	1
Chase	1	9	-	1	3	1	-	-	2	-	-	1	-	2	-	2	1	-	-
Cherry	-	4	1	-	2	2	-	-	-	-	1	-	1	10	1	2	2	-	-
Cheyenne	-	1	2	3	1	9	-	2	1	-	-	3	2	9	1	3	1	-	-
Clay	-	12	-	1	5	3	-	1	1	-	-	2	2	9	-	3	-	-	-
Colfax	1	15	-	1	7	4	-	-	1	-	2	-	13	7	3	2	-	-	-
Cuming	2	13	-	2	8	1	1	1	1	-	-	1	1	7	3	2	-	-	-
Custer	-	9	11	1	10	4	-	-	1	-	-	-	-	21	2	4	-	-	-
Dakota	1	19	1	1	11	6	1	1	-	-	1	-	3	12	4	-	1	-	-
Dawes	-	5	1	-	7	5	-	-	1	-	2	1	1	3	1	2	-	-	-
Dawson	-	12	15	1	6	4	-	-	3	-	2	1	4	19	2	8	2	-	-
Deuel	-	4	-	-	1	1	-	-	2	-	1	-	-	1	1	2	2	-	-
Dixon	-	5	2	-	5	4	1	-	-	-	-	-	2	6	4	2	1	-	-
Dodge	3	43	5	2	13	21	2	-	2	-	3	-	5	26	9	3	3	-	-
Fremont	3	26	3	2	7	13	1	-	2	-	3	-	4	18	4	3	2	-	-
Balance of county	-	17	2	-	6	8	1	-	-	-	-	-	1	8	5	-	1	-	-
Douglas	17	249	64	39	107	118	13	48	21	-	21	32	41	282	55	73	29	27	9
Omaha	16	237	63	37	102	110	13	46	20	-	21	28	36	270	45	70	25	27	9
Balance of county	1	12	1	2	5	8	-	2	1	-	-	4	5	12	10	3	4	-	-
Dundy	-	3	1	2	5	4	-	-	-	-	-	-	-	2	-	2	1	-	-
Fillmore	-	8	2	3	2	4	-	-	1	-	-	-	1	11	6	-	-	-	-
Franklin	-	5	3	2	6	-	-	-	2	-	1	-	2	8	1	1	1	-	-
Frontier	-	1	4	1	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-
Furnas	-	10	1	1	4	3	-	-	-	-	-	-	-	9	1	1	2	-	-
Gage	1	26	8	3	5	7	1	-	1	-	2	4	3	22	9	5	1	-	-
Beatrice	1	17	5	3	2	4	1	-	-	-	-	2	3	13	2	-	-	-	-
Balance of county	-	9	3	-	3	3	-	-	1	-	2	2	-	9	7	5	1	-	-
Garden	-	7	-	-	5	1	-	-	-	-	-	-	-	2	-	1	-	-	-
Garfield	-	7	-	1	1	-	-	-	1	-	-	-	-	2	-	1	-	-	-
Gosper	-	-	-	-	2	1	-	-	-	-	-	-	-	3	1	-	1	-	-
Grant	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Greeley	-	12	1	-	5	4	-	-	-	-	-	-	-	5	1	2	-	-	-
Hall	5	52	6	4	27	18	3	3	8	-	5	4	6	34	11	8	6	2	-
Grand Island	4	40	6	3	22	15	3	3	4	-	5	4	5	29	10	6	5	1	-
Balance of county	1	12	-	1	5	3	-	-	4	-	-	-	1	5	1	2	1	1	-
Hamilton	2	11	3	1	8	1	-	-	1	-	1	1	1	4	2	3	-	-	-
Harlan	-	4	1	3	1	-	-	-	-	-	-	-	1	2	-	3	-	-	-
Hayes	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Hitchcock	-	3	5	1	2	1	2	1	1	-	-	-	-	2	-	1	-	-	-
Holt	-	17	1	-	3	10	-	3	2	-	1	1	2	15	8	3	1	-	-
Hooker	-	-	-	-	-	1	-	-	1	-	-	-	1	4	-	1	1	-	-
Howard	-	13	3	-	5	4	-	-	1	-	-	-	-	4	2	1	3	-	-
Jefferson	-	10	3	1	3	4	1	1	-	-	-	-	1	8	3	4	2	-	-
Johnson	-	15	4	2	4	2	2	1	2	-	-	-	1	5	1	4	2	-	-
Kearney	2	8	-	-	3	-	-	-	1	-	-	-	1	3	1	3	-	-	-
Keith	-	10	1	1	2	3	-	1	1	-	-	1	2	5	2	2	2	-	-
Keya Paha	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Kimball	-	6	4	1	2	2	1	-	-	-	-	-	-	3	-	3	-	-	-
Knox	-	14	3	1	5	3	-	-	1	-	-	-	-	10	4	4	-	-	-
Lancaster	4	156	35	28	48	58	5	21	10	-	4	23	10	144	26	28	22	2	6
Lincoln	4	144	32	23	45	55	5	20	9	-	4	23	9	134	18	21	22	2	6
Balance of county	-	12	3	3	3	3	-	1	1	-	-	-	1	10	8	5	-	-	-
Lincoln	1	22	7	1	8	14	1	1	2	-	4	6	3	22	7	6	3	-	-
North Platte	-	15	5	1	7	12	1	1	2	-	2	5	1	14	4	4	2	-	-
Balance of county	1	7	2	-	1	2	-	-	-	-	2	1	2	8	3	2	1	-	-
Logan	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Loup	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-
McPherson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	2	36	5	2	19	11	-	1	2	-	2	-	10	25	7	4	-	-	-
Norfolk	1	21	3	-	11	7	-	1	1	-	1	-	7	13	3	2	-	-	-
Balance of county	1	15	2	2	8	4	-	-	1	-	1	-	3	12	4	2	-	-	-
Merrick	-	14	-	-	4	3	-	-	-	-	2	-	1	8	1	3	-	-	-
Morrill	1	5	1	-	2	2	1	-	4	-	1	-	1	6	2	3	1	-	-
Nance	-	3	-	-	3	2	-	1	-	-	1	1	-	4	1	-	1	-	-
Nemaha	-	17	1	1	4	8	2	2	3	-	1	-	4	10	2	2	-	-	-
Nuckolls	2	7	1	-	1	4	1	-	-	-	-	1	1	18	1	2	1	-	1
Otoe	-	17	1	-	7	9	1	1	4	-	1	3	16	17	2	5	1	1	1
Pawnee	-	6	1	1	6	3	1	-	-	-	-	-	-	6	1	1	-	-	-
Perkins	-	3	3	1	-	3	1	-	1	-	1	-	-	1	-	-	-	-	-
Phelps	-	11	2	6	2	1	3	-	2	-	1	-	-	11	-	4	3	-	-
Pierce	-	13	1	1	4	2	-	-	1	-	-	2	-	7	1	2	1	-	-
Platte	2	28	3	2	4	10	1	3	-	-	4	2	4	17	2	3	1	1	-
Columbus	2	18	3	2	4	8	-	2	-	-	4	1	1	10	-	2	1	-	-
Balance of county	-	10	-	-	-	2	1	1	-	-	-	1	3	7	2	1	-	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Polk	77	-	-	-	13	3	5	2	2	-	-	1	2	46	32	-	-	25	7
Red Willow	130	-	-	1	28	3	7	2	7	-	3	6	4	65	44	-	1	36	7
Richardson	179	-	-	-	29	9	5	1	3	3	2	6	-	98	74	-	2	58	14
Rock	28	-	-	-	5	1	1	-	2	-	-	1	1	17	13	-	-	10	3
Saline	166	1	-	2	41	6	10	3	7	4	3	8	3	86	70	1	3	42	24
Sarpy	321	-	-	4	78	13	21	9	8	7	3	17	6	139	110	2	2	68	38
Bellevue	125	-	-	1	36	6	9	4	2	5	1	9	2	50	42	-	-	25	17
Balance of county	196	-	-	3	42	7	12	5	6	2	2	8	4	89	68	2	2	43	21
Saunders	192	-	-	2	34	9	10	2	3	2	4	4	6	107	67	2	2	49	14
Scotts Bluff	334	-	-	3	67	14	11	5	8	7	2	20	11	158	127	1	1	81	44
Scottsbluff	154	-	-	3	34	11	6	3	6	2	-	6	6	75	60	-	-	41	19
Balance of county	180	-	-	-	33	3	5	2	2	5	2	14	5	83	67	1	1	40	25
Seward	144	-	-	1	15	6	3	2	3	-	-	1	-	87	74	-	2	53	19
Sheridan	106	-	-	1	18	4	3	2	3	-	1	5	2	43	28	-	1	18	9
Sherman	53	-	-	1	11	5	1	2	1	-	-	2	-	29	25	-	-	21	4
Sioux	16	-	-	-	4	-	2	-	-	-	-	2	-	8	5	-	-	2	3
Stanton	53	-	-	-	16	3	6	2	2	-	-	3	1	20	18	-	-	17	1
Thayer	90	-	-	-	20	5	2	2	3	1	3	4	3	50	41	3	5	21	12
Thomas	11	-	-	-	3	-	1	-	1	-	-	1	-	6	6	-	-	5	1
Thurston	95	-	-	1	14	4	1	5	1	2	-	1	2	40	34	-	-	24	10
Valley	84	-	-	-	13	6	1	1	2	-	-	3	3	45	34	-	-	20	14
Washington	158	-	-	2	36	7	5	3	11	1	1	8	1	85	63	2	1	44	16
Wayne	80	-	-	1	13	5	3	-	3	-	-	2	1	45	32	-	-	27	5
Webster	76	-	-	-	15	1	3	-	5	-	-	6	1	41	29	-	-	23	6
Wheeler	5	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	2	2
York	161	-	-	1	30	7	7	3	2	2	1	8	3	99	79	2	4	47	26
Nevada	6,378	5	1	68	1,461	318	470	119	139	63	39	313	91	2,623	2,089	20	145	1,278	646
Urban places	3,823	3	1	40	855	185	281	74	81	37	18	179	58	1,606	1,299	10	104	803	382
Balance of area	2,555	2	-	28	606	133	189	45	58	26	21	134	33	1,017	790	10	41	475	264
Metropolitan counties	5,146	3	1	52	1,190	257	397	94	112	53	28	249	73	2,146	1,737	17	139	1,072	509
Urban places	3,538	3	1	35	785	167	264	68	72	34	18	162	53	1,483	1,203	10	103	741	349
Balance of area	1,608	-	-	17	405	90	133	26	40	19	10	87	20	663	534	7	36	331	160
Nonmetropolitan counties	1,232	2	-	16	271	61	73	25	27	10	11	64	18	477	352	3	6	206	137
Urban places	285	-	-	5	70	18	17	6	9	3	-	17	5	123	96	-	1	62	33
Balance of area	947	2	-	11	201	43	56	19	18	7	11	47	13	354	256	3	5	144	104
Carson City city	285	-	-	5	70	18	17	6	9	3	-	17	5	123	96	-	1	62	33
Churchill	155	1	-	3	29	8	6	1	4	1	2	7	2	69	47	1	1	18	27
Clark	3,678	2	-	30	865	186	298	69	75	38	22	177	57	1,547	1,248	13	94	757	384
Henderson	179	-	-	-	43	7	13	6	6	1	-	10	3	74	61	1	6	41	13
Las Vegas	1,817	1	-	11	410	88	146	34	27	17	11	87	27	779	628	6	48	369	205
North Las Vegas	277	1	-	6	53	9	19	5	7	5	1	7	7	108	87	-	6	59	22
Balance of county	1,405	-	-	13	359	82	120	24	35	15	10	73	20	586	472	6	34	288	144
Douglas	101	-	-	-	26	5	7	3	4	2	1	4	-	41	37	-	-	17	20
Elko	121	-	-	-	28	6	9	2	2	-	1	8	-	38	28	-	-	18	10
Esmeralda	10	-	-	-	-	-	-	-	-	-	-	-	-	7	6	-	-	4	2
Eureka	5	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Humboldt	67	-	-	1	17	1	8	1	2	1	-	4	1	27	21	-	-	12	9
Lander	25	1	-	-	6	1	2	2	-	-	-	1	-	8	5	-	-	5	-
Lincoln	24	-	-	1	4	1	-	2	-	-	-	1	-	8	4	-	-	4	-
Lyon	134	-	-	3	23	8	4	1	3	1	2	4	2	50	33	-	-	22	11
Mineral	72	-	-	1	14	4	2	2	-	-	-	6	1	27	19	1	1	9	8
Nye	92	-	-	1	20	3	8	1	1	1	3	3	1	27	17	-	1	10	6
Pershing	38	-	-	-	11	2	5	-	-	-	-	4	2	12	6	1	-	3	2
Storey	14	-	-	-	3	-	1	1	1	-	-	-	-	10	8	-	2	4	2
Washoe	1,468	1	1	22	325	71	99	25	37	15	6	72	16	599	489	4	45	315	125
Reno	987	1	1	15	199	46	58	16	27	8	4	40	11	425	346	2	33	219	92
Sparks	278	-	-	3	80	17	28	7	5	3	2	18	5	97	81	1	10	53	17
Balance of county	203	-	-	4	46	8	13	2	5	4	-	14	-	77	62	1	2	43	16
White Pine	69	-	-	1	18	4	3	2	1	1	2	5	4	29	25	-	-	18	7
New Hampshire	7,973	2	1	89	1,846	523	462	162	195	67	62	375	153	3,877	2,994	32	71	2,148	743
Urban places	3,481	1	-	39	778	227	197	72	78	27	21	156	66	1,758	1,313	13	31	935	334
Balance of area	4,492	1	1	50	1,068	296	265	90	117	40	41	219	87	2,119	1,681	19	40	1,213	409
Metropolitan counties	4,451	2	1	50	1,073	320	267	93	107	40	33	213	76	2,126	1,639	20	40	1,150	429
Urban places	2,328	1	-	25	543	154	138	54	52	22	15	108	38	1,177	888	9	20	618	241
Balance of area	2,123	1	1	25	530	166	129	39	55	18	18	105	38	949	751	11	20	532	188
Nonmetropolitan counties	3,522	-	-	39	773	203	195	69	88	27	29	162	77	1,751	1,355	12	31	998	314
Urban places	1,153	-	-	14	235	73	59	18	26	5	6	48	28	581	425	4	11	317	93
Balance of area	2,369	-	-	25	538	130	136	51	62	22	23	114	49	1,170	930	8	20	681	221
Belknap	443	-	-	7	94	23	31	10	8	6	3	13	7	224	172	2	-	137	33
Laconia	187	-	-	3	34	13	10	3	2	1	1	4	5	96	61	-	-	47	14
Balance of county	256	-	-	4	60	10	21	7	6	5	2	9	2	128	111	2	-	90	19
Carroll	296	-	-	-	65	12	19	8	11	-	2	13	6	159	122	-	2	79	41
Cheshire	563	-	-	5	120	29	28	10	18	3	8	24	17	285	205	2	9	142	52
Keene	209	-	-	1	47	12	12	2	9	-	4	8	7	100	64	2	3	44	15
Balance of county	354	-	-	4	73	17	16	8	9	3	4	16	10	185	141	-	6	98	37
Coos	414	-	-	5	97	32	24	10	11	2	4	14	8	190	134	2	1	112	19
Berlin	160	-	-	2	34	12	10	1	5	1	1	4	4	75	55	-	1	46	8
Balance of county	254	-	-	3	63	20	14	9	6	1	3	10	4	115	79	2	-	66	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Polk	3	10	1	-	1	1	2	-	-	-	1	-	1	7	1	2	-	-	-
Red Willow	-	12	6	3	1	2	2	1	-	-	1	1	3	11	1	4	5	-	-
Richardson	1	19	4	-	10	10	1	-	-	-	-	-	9	10	5	5	1	-	1
Rock	-	3	-	1	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-
Saline	-	10	6	-	10	4	-	-	1	-	-	-	3	12	-	3	-	-	-
Sarpy	1	24	2	2	7	6	1	4	4	-	5	8	2	24	14	6	8	4	1
Bellevue	-	7	-	1	3	2	-	3	3	-	1	2	-	11	3	2	4	1	1
Balance of county	1	17	2	1	4	4	1	1	1	-	4	6	2	13	11	4	4	3	-
Saunders	3	30	3	4	3	8	-	2	2	-	2	1	1	13	7	1	3	-	-
Scotts Bluff	2	24	3	2	8	13	1	4	2	-	3	4	4	31	8	13	4	-	-
Scottsbluff	1	11	3	-	2	4	-	1	2	-	1	1	-	14	5	5	1	-	-
Balance of county	1	13	-	2	6	9	1	3	-	-	2	3	4	17	3	8	3	-	-
Seward	-	9	3	1	10	5	-	-	3	-	-	1	-	10	5	3	4	-	-
Sheridan	-	11	4	-	11	2	-	3	6	-	-	1	2	11	2	-	3	-	1
Sherman	-	3	1	-	1	2	-	-	-	-	-	1	-	4	2	2	-	-	-
Sioux	-	3	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-
Stanton	-	2	-	-	1	2	-	-	-	-	-	2	5	5	1	-	-	-	-
Thayer	-	6	3	-	-	2	-	2	2	-	1	-	1	4	2	3	-	-	-
Thomas	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Thurston	-	6	-	-	9	1	-	1	4	-	2	1	4	8	2	2	2	1	1
Valley	-	10	1	-	5	3	-	-	-	-	-	2	2	8	1	2	-	-	-
Washington	-	20	1	1	6	2	-	1	1	-	-	1	6	12	3	1	-	1	-
Wayne	-	10	1	2	2	2	-	-	-	-	-	-	4	8	1	2	1	-	-
Webster	-	11	1	-	1	2	1	-	1	-	-	-	1	10	-	2	1	-	-
Wheeler	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
York	-	16	4	-	2	1	1	1	1	-	1	3	3	12	2	-	1	-	-
Nevada	16	409	52	57	150	313	19	157	66	2	51	53	91	488	227	167	211	113	21
Urban places	12	242	26	27	93	196	13	106	31	1	32	30	46	286	129	92	117	74	14
Balance of area	4	167	26	30	57	117	6	51	35	1	19	23	45	202	98	75	94	39	7
Metropolitan counties	15	317	41	36	110	253	15	135	44	2	45	41	59	391	180	123	165	100	18
Urban places	11	221	25	23	84	179	12	98	28	1	32	27	44	267	124	88	111	69	14
Balance of area	4	96	16	13	26	74	3	37	16	1	13	14	15	124	56	35	54	31	4
Nonmetropolitan counties	1	92	11	21	40	60	4	22	22	-	6	12	32	97	47	44	46	13	3
Urban places	1	21	1	4	9	17	1	8	3	-	-	3	2	19	5	4	6	5	-
Balance of area	-	71	10	17	31	43	3	14	19	-	6	9	30	78	42	40	40	8	3
Carson City city	1	21	1	4	9	17	1	8	3	-	-	3	2	19	5	4	6	5	-
Churchill	-	15	2	5	5	11	2	1	3	-	-	-	3	12	4	3	7	-	-
Clark	12	233	34	20	71	176	7	96	34	1	33	30	42	272	120	88	109	83	15
Henderson	-	11	2	-	5	13	-	4	3	-	2	2	1	15	5	5	2	2	-
Las Vegas	6	122	14	9	41	79	4	52	13	-	18	14	24	132	64	49	46	45	8
North Las Vegas	2	17	2	-	4	16	1	9	3	-	3	3	5	16	13	6	12	7	4
Balance of county	4	83	16	11	21	68	2	31	15	1	10	11	12	109	38	28	49	29	3
Douglas	-	4	-	-	2	6	-	2	1	-	-	3	3	8	2	2	4	1	-
Elko	-	9	-	1	3	4	-	4	1	-	4	2	8	6	10	4	8	1	-
Esmeralda	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
Eureka	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Humboldt	-	4	1	1	1	4	-	-	-	-	-	-	1	6	2	3	3	-	1
Lander	-	3	-	-	-	-	-	1	1	-	-	-	-	-	2	2	2	1	1
Lincoln	-	1	2	1	2	-	1	-	-	-	-	-	-	3	2	3	-	-	-
Lyon	-	12	1	4	4	5	-	3	6	-	-	-	3	15	9	5	5	-	1
Mineral	-	5	1	2	2	-	-	2	2	-	-	-	1	11	2	2	5	2	-
Nye	-	10	-	-	4	6	-	-	3	-	1	3	1	4	7	9	4	1	-
Pershing	-	2	3	1	2	1	-	1	-	-	1	-	2	9	-	2	1	-	-
Storey	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Washoe	3	84	7	16	39	77	8	39	10	1	12	11	17	119	60	35	56	17	3
Reno	3	59	6	11	25	52	7	24	4	1	9	6	12	86	33	22	39	13	2
Sparks	-	12	1	3	9	19	-	9	5	-	-	2	2	18	9	6	12	2	-
Balance of county	-	13	-	2	5	6	1	6	1	-	3	3	3	15	18	7	5	2	1
White Pine	-	4	-	-	6	4	-	-	2	-	-	1	7	9	2	5	-	1	-
New Hampshire	30	617	128	108	238	292	29	108	59	-	48	55	43	660	193	146	109	17	8
Urban places	15	305	79	46	112	132	12	49	22	-	19	11	21	298	57	50	43	11	2
Balance of area	15	312	49	62	126	160	17	59	37	-	29	44	22	362	136	96	66	6	6
Metropolitan counties	12	397	79	59	130	167	14	64	37	-	29	34	27	336	119	81	65	11	7
Urban places	8	197	54	30	68	95	6	35	17	-	15	9	13	178	36	33	28	9	2
Balance of area	4	140	25	29	62	72	8	29	20	-	14	25	14	160	83	48	37	2	5
Nonmetropolitan counties	18	280	49	49	108	125	15	44	22	-	19	21	16	322	74	65	44	6	1
Urban places	7	108	25	16	44	37	6	14	5	-	4	2	8	120	21	17	15	2	-
Balance of area	11	172	24	33	64	88	9	30	17	-	15	19	8	202	53	48	29	4	1
Belknap	2	31	14	5	15	14	3	8	4	-	1	1	6	39	7	11	1	1	-
Laconia	2	17	13	3	7	2	2	5	2	-	1	-	4	20	2	3	1	-	-
Balance of county	-	14	1	2	8	12	1	3	2	-	-	1	2	19	5	8	-	1	-
Carroll	2	28	2	5	7	8	1	1	3	-	1	1	-	27	9	5	3	-	-
Cheshire	5	55	11	9	17	21	3	8	2	-	4	6	1	43	10	9	13	-	1
Keene	2	26	5	3	9	10	2	2	1	-	1	1	-	23	1	3	1	-	-
Balance of county	3	29	6	6	8	11	1	4	1	-	3	5	1	20	9	6	12	-	1
Coos	4	45	4	3	14	16	3	8	1	-	3	1	3	45	7	10	3	-	-
Berlin	2	15	2	1	8	6	-	2	-	-	1	-	-	19	4	4	1	-	-
Balance of county	2	30	2	2	6	10	3	6	1	-	2	1	3	26	3	6	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Hampshire—Con.																			
Grafton	552	-	-	5	125	27	25	11	19	6	5	32	13	261	217	2	8	148	59
Lebanon	104	-	-	-	22	5	4	3	2	2	-	6	3	47	40	-	2	25	13
Balance of county	448	-	-	5	103	22	21	8	17	4	5	26	10	214	177	2	6	123	46
Hillsborough	2,381	1	-	21	562	182	132	47	56	24	10	111	44	1,154	878	8	18	624	228
Manchester	1,056	1	-	10	240	70	58	27	25	8	3	49	13	543	402	4	6	263	129
Nashua	557	-	-	7	126	42	29	8	13	7	3	24	13	270	209	3	8	156	42
Balance of county	768	-	-	4	196	70	45	12	18	9	4	38	18	341	267	1	4	205	57
Merrimack	905	-	-	10	202	61	47	17	14	9	7	47	22	449	349	2	9	276	62
Concord	349	-	-	5	70	23	15	8	2	1	-	21	8	184	136	1	4	106	25
Balance of county	556	-	-	5	132	38	32	9	12	8	7	26	14	265	213	1	5	170	37
Rockingham	1,405	1	1	24	352	96	90	31	40	10	18	67	19	633	498	10	17	331	140
Portsmouth	214	-	-	5	51	10	13	5	4	3	6	10	3	108	84	1	1	56	26
Balance of county	1,191	1	1	19	301	86	77	26	36	7	12	57	16	525	414	9	16	275	114
Strafford	665	-	-	5	159	42	45	15	11	6	5	35	13	339	263	2	5	195	61
Dover	211	-	-	1	57	16	15	6	3	3	1	13	4	106	78	1	2	59	16
Rochester	199	-	-	1	48	12	18	5	6	1	-	6	4	100	73	-	3	50	20
Somersworth	91	-	-	1	21	4	5	3	1	-	2	6	1	50	42	-	-	34	8
Balance of county	164	-	-	2	33	10	7	1	1	2	2	10	4	83	70	1	-	52	17
Sullivan	349	-	-	7	70	19	21	3	7	1	-	19	4	183	156	2	2	104	46
Claremont	144	-	-	3	28	8	8	1	6	-	-	5	1	79	69	1	1	49	18
Balance of county	205	-	-	4	42	11	13	2	1	1	-	14	3	104	87	1	1	55	30
New Jersey	69,289	52	6	674	16,600	4,768	4,402	1,538	1,807	735	519	2,831	1,427	34,723	28,218	343	905	21,618	5,352
Urban places	49,849	46	3	650	11,722	3,396	3,093	1,090	1,298	513	357	1,975	1,078	25,076	20,462	246	668	15,805	3,743
Balance of area	19,440	6	3	224	4,878	1,372	1,309	448	509	222	162	856	349	9,647	7,756	97	237	5,813	1,609
Metropolitan counties	61,841	52	6	801	14,714	4,219	3,976	1,364	1,609	644	462	2,546	1,310	30,858	25,074	305	794	19,170	4,605
Urban places	46,530	46	3	621	10,873	3,139	2,868	1,007	1,209	471	331	1,848	1,020	23,304	19,025	231	619	14,662	3,513
Balance of area	15,311	6	3	180	3,841	1,080	1,008	357	400	173	131	692	290	7,554	6,049	74	175	4,508	1,292
Nonmetropolitan counties	7,448	-	-	73	1,886	549	526	174	198	91	57	291	117	3,865	3,144	38	111	2,448	547
Urban places	3,319	-	-	29	849	257	225	83	89	42	26	127	58	1,772	1,437	15	49	1,143	230
Balance of area	4,129	-	-	44	1,037	292	301	91	109	49	31	164	59	2,093	1,707	23	62	1,305	317
Atlantic	2,445	5	-	18	562	161	156	37	71	30	24	81	53	1,273	1,005	12	51	769	173
Atlantic City	798	4	-	5	182	49	56	16	24	10	8	19	20	415	342	3	24	245	70
Hammonton	148	-	-	4	32	10	8	3	4	2	2	3	5	84	67	2	1	53	11
Pleasantville	194	-	-	1	54	16	15	2	7	3	-	11	4	91	67	1	2	53	11
Somers Point	135	-	-	2	30	11	8	1	2	-	1	7	3	72	51	-	1	40	10
Ventnor City	171	-	-	-	44	10	5	4	8	4	2	11	2	94	73	1	6	58	8
Balance of county	999	1	-	6	220	65	66	11	26	11	11	30	19	517	405	5	17	320	63
Bergen	7,690	6	-	78	2,068	638	498	210	221	92	61	348	148	3,997	3,304	48	78	2,782	396
Bergenfield	259	1	-	2	75	19	21	9	7	4	-	15	2	130	109	-	4	94	11
Cliffside Park	245	-	-	1	63	22	14	5	7	2	1	12	3	136	113	2	3	92	16
Dumont	162	-	-	1	33	6	11	2	4	2	1	7	3	81	72	1	1	57	13
Elmwood Park	200	-	-	-	51	21	7	6	5	5	2	5	9	93	77	1	1	69	6
Englewood	254	-	-	4	68	31	16	4	10	2	2	3	2	127	100	3	4	84	9
Fair Lawn	320	-	-	2	92	28	16	12	9	4	4	19	7	163	131	1	2	113	15
Fairview	115	-	-	-	32	11	9	5	3	2	1	1	2	57	50	1	-	42	7
Fort Lee	337	-	-	3	86	23	23	5	14	3	4	16	6	182	146	-	4	129	13
Garfield	301	-	-	3	83	31	15	6	8	7	-	16	8	156	125	-	1	111	13
Glen Rock	90	-	-	-	17	4	4	1	4	-	-	4	3	51	41	-	4	32	5
Hackensack	386	1	-	6	95	27	24	14	9	6	2	13	9	195	158	4	2	136	16
Hasbrouck Heights	115	-	-	2	29	10	7	2	2	-	2	6	2	67	55	-	1	46	8
Hillsdale	77	-	-	-	24	5	7	3	-	2	1	6	2	31	25	2	-	21	2
Lodi	236	-	-	2	65	20	17	7	8	2	3	8	4	113	102	-	2	87	13
Lyndhurst township#	209	-	-	2	57	16	18	4	3	2	1	13	4	100	89	1	3	74	11
New Milford	173	-	-	-	40	15	7	5	5	-	-	8	-	94	76	1	2	68	5
North Arlington	206	-	-	-	59	18	18	2	3	2	2	14	5	102	82	2	3	61	16
Oakland	71	-	-	3	15	4	3	1	1	-	-	6	1	31	24	-	1	22	1
Palisades Park	151	-	-	5	40	11	14	2	4	3	2	4	2	73	66	2	3	56	5
Paramus	208	-	-	4	51	20	9	6	5	1	1	9	3	107	85	1	2	70	12
Ramsey	93	-	-	1	25	8	7	2	1	2	1	4	1	44	39	1	1	33	4
Ridgefield	117	1	-	1	39	15	13	4	3	1	1	2	-	48	43	-	-	38	5
Ridgefield Park	132	-	-	1	32	12	9	3	3	-	1	4	6	57	50	-	5	39	6
Ridgewood	208	-	-	-	50	14	9	4	8	1	3	11	5	111	96	3	2	78	15
River Edge	112	1	-	2	25	8	5	1	3	1	2	5	5	61	52	2	-	42	8
Rutherford	187	1	-	3	50	13	14	5	5	2	-	11	3	94	74	1	3	63	7
Saddle Brook township#	109	-	-	1	27	6	6	5	1	1	1	7	4	49	43	1	-	38	4
Teaneck township#	350	-	-	6	84	25	23	10	7	4	2	13	5	174	148	1	5	116	26
Tenafly	123	-	-	1	27	9	2	3	7	1	2	3	-	79	69	-	-	59	10
Waldwick	79	-	-	-	23	8	7	4	-	-	2	2	1	38	32	1	-	27	4
Wallington	148	-	-	1	37	8	13	1	7	2	1	5	7	70	60	-	1	53	6
Westwood	109	-	-	2	29	12	2	3	1	1	1	9	1	58	47	1	1	40	5
Wyckoff township#	102	-	-	1	28	7	8	3	5	2	-	3	1	53	44	1	2	32	9
Balance of county	1,906	1	-	18	515	151	120	61	59	25	15	84	32	969	781	14	15	662	90
Burlington	2,614	-	-	24	604	150	180	56	69	28	16	105	34	1,315	1,053	8	27	689	329
Burlington	141	-	-	1	34	9	7	6	5	-	1	6	1	69	56	-	3	39	14
Cinnaminson township#	101	-	-	3	27	8	7	1	2	-	2	7	1	48	39	-	3	23	13
Delran township#	88	-	-	-	21	5	9	1	2	2	1	1	2	45	37	1	-	24	12
Maple Shade township#	202	-	-	3	45	6	20	3	7	2	-	7	4	114	93	-	1	62	30
Moorestown township#	168	-	-	1	32	10	6	5	5	1	-	5	-	97	69	2	1	40	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E990-E999)
New Hampshire—Con.																			
Grafton	2	28	6	8	11	20	3	10	4	-	4	2	3	64	7	12	7	1	-
Lebanon	-	5	-	2	2	1	1	2	1	-	-	1	3	15	2	2	2	-	-
Balance of county	2	23	6	6	9	19	2	8	3	-	4	1	-	49	5	10	5	1	-
Hillsborough	6	184	60	26	69	102	9	35	22	-	16	14	11	188	52	39	34	9	1
Manchester	4	82	38	17	31	47	3	16	6	-	10	2	4	83	16	14	10	6	1
Nashua	1	50	6	4	17	25	-	11	5	-	3	3	6	46	10	5	7	3	-
Balance of county	1	52	16	5	21	30	6	8	11	-	3	9	1	57	26	20	17	-	-
Merrimack	2	71	11	16	31	33	2	8	3	-	5	9	3	71	24	15	14	4	-
Concord	1	37	4	6	14	10	1	2	-	-	-	-	1	31	9	4	8	2	-
Balance of county	1	34	7	10	17	23	1	6	3	-	5	9	2	40	15	11	6	2	-
Rockingham	4	95	10	26	47	46	3	18	8	-	10	16	11	108	48	31	21	2	6
Portsmouth	1	18	2	3	10	6	1	1	1	-	-	2	1	14	1	6	3	-	1
Balance of county	3	77	8	23	37	40	2	17	7	-	10	14	10	94	47	25	18	2	5
Strafford	2	58	9	7	14	19	2	11	7	-	3	4	5	44	19	11	10	-	-
Dover	1	19	6	3	4	7	1	6	3	-	-	-	1	14	4	2	1	-	-
Rochester	1	23	-	3	2	8	-	1	2	-	1	2	1	13	5	4	7	-	-
Somersworth	-	5	3	-	4	2	1	-	-	-	1	-	-	8	-	2	-	-	-
Balance of county	-	11	1	1	4	2	-	4	2	-	1	2	3	8	10	3	2	-	-
Sullivan	1	22	1	3	13	13	-	3	5	-	1	1	-	33	10	3	3	-	-
Claremont	-	8	1	1	4	8	-	1	1	-	1	-	-	12	3	1	2	-	-
Balance of county	1	14	-	2	9	5	-	2	4	-	-	1	-	21	7	2	1	-	-
New Jersey	215	4,796	784	710	1,680	1,911	207	1,144	777	4	387	576	463	5,173	1,004	1,224	564	435	56
Urban places	171	3,412	557	474	1,189	1,292	140	884	573	4	275	441	359	3,821	599	864	387	388	38
Balance of area	44	1,384	227	236	491	619	67	260	204	-	112	137	104	1,352	405	340	177	47	18
Metropolitan counties	196	4,243	708	637	1,532	1,673	160	1,030	699	4	365	536	438	4,662	887	1,120	507	414	55
Urban places	162	3,146	523	448	1,135	1,192	132	832	540	4	268	427	352	3,598	558	849	361	377	38
Balance of area	34	1,097	185	189	397	481	48	198	159	-	97	109	84	1,064	329	271	146	37	17
Nonmetropolitan counties	19	553	76	73	148	238	27	114	78	-	22	42	27	511	117	104	57	21	1
Urban places	9	266	34	26	54	100	8	52	33	-	7	14	7	223	41	35	26	11	-
Balance of area	10	287	42	47	94	138	19	62	45	-	15	28	20	288	76	69	31	10	1
Atlantic	9	193	32	34	54	92	10	37	23	-	8	25	23	147	45	42	19	6	3
Atlantic City	4	52	8	9	20	23	2	9	9	-	-	9	8	58	9	18	3	2	2
Hammonton	-	10	5	2	2	3	-	1	-	-	1	2	1	4	3	2	2	2	-
Pleasantville	-	21	3	-	9	8	-	4	3	-	1	3	2	6	2	5	-	1	-
Somers Point	1	14	4	2	1	6	1	3	1	-	-	1	1	5	3	4	2	-	-
Ventnor City	-	16	2	3	3	8	2	1	4	-	-	-	2	8	2	-	1	-	-
Balance of county	4	80	10	18	19	44	5	19	6	-	6	10	9	66	26	13	11	1	1
Bergen	17	517	77	82	213	177	21	133	85	-	39	37	73	518	101	116	50	21	9
Bergenfield	-	19	2	-	4	5	2	8	1	-	-	1	1	15	5	5	2	-	-
Cliffside Park	2	15	3	3	7	4	-	1	2	-	1	-	6	16	2	2	1	-	-
Dumont	-	8	-	1	10	6	1	4	1	-	1	1	2	12	1	2	-	1	2
Elmwood Park	-	14	-	2	6	8	2	2	2	-	-	-	3	20	1	2	1	-	-
Englewood	-	22	-	5	6	6	1	7	2	-	-	-	-	23	2	2	1	3	-
Fair Lawn	-	28	3	1	15	5	-	4	4	-	3	1	1	19	3	-	1	-	-
Fairview	-	6	-	1	4	3	-	1	1	-	1	-	4	7	-	3	-	-	-
Fort Lee	1	28	1	6	5	6	-	3	1	-	1	2	3	22	5	5	2	3	-
Garfield	3	24	2	2	6	3	-	5	4	-	-	3	1	20	3	4	2	-	-
Glen Rock	-	6	-	4	2	2	1	1	1	-	-	-	1	6	-	4	-	-	1
Hackensack	2	23	8	4	8	3	1	10	7	-	2	4	8	20	6	4	5	2	-
Hasbrouck Heights	1	9	2	-	-	1	-	2	1	-	-	-	1	6	2	1	1	-	-
Hillsdale	-	5	1	-	1	2	-	1	1	-	-	-	1	9	2	2	1	-	-
Lodi	-	6	3	2	4	5	1	2	4	-	3	-	5	23	1	2	2	-	-
Lyndhurst township#	2	10	1	1	4	5	1	3	7	-	2	-	1	13	5	2	-	-	-
New Milford	1	16	-	1	7	4	1	3	-	-	-	2	2	14	1	5	-	-	-
North Arlington	-	15	2	3	3	7	-	1	3	-	1	2	2	11	5	5	-	-	-
Oakland	-	6	-	1	1	2	-	-	2	-	-	1	1	7	3	1	2	1	-
Palisades Park	-	6	-	1	4	1	2	1	4	-	2	2	2	12	-	1	-	-	-
Paramus	-	16	5	1	7	3	1	3	1	-	-	2	1	15	4	3	3	-	-
Ramsey	1	4	-	-	3	2	1	2	-	-	-	-	1	8	1	2	1	1	-
Ridgefield	-	5	-	-	3	4	-	8	3	-	1	1	-	5	1	1	-	1	-
Ridgefield Park	-	6	1	-	7	5	-	5	2	-	-	-	1	12	1	2	1	-	-
Ridgewood	-	12	2	1	6	7	2	3	-	-	1	-	-	15	2	6	-	-	-
River Edge	-	7	1	1	6	2	-	1	-	-	-	1	1	4	1	1	1	-	-
Rutherford	-	15	5	-	5	4	1	2	4	-	2	-	-	13	2	2	1	-	-
Saddle Brook township#	-	1	1	4	2	2	-	4	-	-	-	2	2	13	1	-	1	1	-
Teaneck township#	-	18	3	5	9	12	-	7	3	-	3	4	2	25	3	7	3	3	-
Tenafly	-	10	-	-	-	2	1	3	-	-	-	-	1	7	1	1	-	-	-
Waldwick	-	5	1	-	3	2	-	1	3	-	-	1	1	2	4	-	-	-	-
Wallington	-	8	1	1	2	4	-	6	1	-	1	-	3	8	1	3	3	1	-
Westwood	-	8	2	1	6	3	-	2	1	-	-	-	-	4	2	1	-	-	-
Wyckoff township#	1	5	2	1	4	2	-	2	1	-	-	-	1	4	1	-	3	1	-
Balance of county	3	131	25	29	53	45	2	25	18	-	14	7	14	108	29	35	12	3	6
Burlington	8	193	31	30	73	82	5	39	31	-	20	29	10	202	63	44	25	11	3
Burlington	-	11	1	1	5	4	-	3	1	-	3	1	-	8	2	6	1	1	1
Cinnaminson township#	1	4	2	2	1	2	-	-	-	-	-	-	-	13	3	1	2	-	-
Delran township#	-	7	-	1	3	1	1	1	1	-	1	-	-	8	2	-	1	1	-
Maple Shade township#	1	16	1	3	6	5	1	5	4	-	-	-	-	10	1	3	-	1	-
Moorestown township#	1	21	5	1	9	9	1	1	1	-	-	2	-	12	1	1	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	136	-	-	4	29	8	10	2	4	2	-	3	2	63	60	-	-	46	14
Pemberton township#	176	-	-	1	44	13	16	4	6	1	-	4	2	84	68	2	1	44	21
Willingboro township#	218	-	-	1	54	11	15	7	7	4	1	9	5	84	66	-	-	44	22
Balance of county	1,384	-	-	10	318	80	90	27	31	16	11	63	17	711	565	3	18	367	177
Camden	4,314	2	1	62	1,038	274	320	83	104	46	32	179	83	2,149	1,719	16	52	1,114	537
Bellmawr	134	-	-	2	36	7	15	2	4	-	2	6	3	71	62	-	2	36	24
Camden	853	-	-	15	171	48	53	12	22	6	4	28	27	395	305	3	14	192	96
Cherry Hill township#	521	1	1	6	122	34	32	11	12	7	6	20	7	261	203	2	1	153	47
Collingswood	198	-	-	5	42	13	12	3	4	4	-	6	2	104	84	2	3	43	36
Gloucester township#	223	-	-	2	47	10	16	3	6	1	-	11	4	110	86	-	2	58	28
Gloucester City	171	-	-	1	45	9	20	2	5	2	1	8	1	90	74	1	-	44	29
Haddon township#	140	-	-	-	36	16	8	3	2	1	2	4	3	69	57	-	4	33	20
Haddonfield	145	1	-	2	29	9	4	4	3	2	2	5	-	86	65	3	2	40	20
Lindenwold	127	-	-	-	35	9	11	2	4	2	1	6	1	46	39	-	2	29	8
Pennsauken township#	351	-	-	7	83	19	27	9	3	3	3	19	1	198	160	1	4	106	49
Voorhees township#	61	-	-	2	16	6	4	3	1	-	-	2	1	30	26	-	-	13	13
Balance of county	1,390	-	-	20	376	94	118	29	38	18	11	68	33	689	556	4	18	367	167
Cape May	1,163	-	-	8	296	95	75	28	26	20	6	46	11	627	513	3	23	376	111
Ocean City	245	-	-	-	54	20	7	6	4	4	4	9	3	133	105	-	3	77	25
Balance of county	938	-	-	8	242	75	68	22	22	16	2	37	8	494	408	3	20	299	86
Cumberland	1,304	-	-	17	275	68	88	19	24	13	9	54	20	691	577	2	24	354	197
Bridgeton	267	-	-	4	50	12	16	3	6	2	1	10	5	146	122	-	5	81	36
Millville	296	-	-	2	67	11	27	5	2	4	1	17	2	163	137	-	6	68	63
Vineland	467	-	-	4	100	31	22	9	8	5	5	29	9	250	203	1	10	127	65
Balance of county	274	-	-	7	58	14	23	2	8	2	2	7	4	132	115	1	3	78	39
Essex	8,022	13	1	163	1,809	504	459	187	214	84	49	312	193	3,816	3,117	35	124	2,340	618
Belleville	336	1	-	3	90	34	23	11	12	-	1	9	12	158	135	1	4	116	14
Bloomfield	575	1	-	6	151	42	36	16	13	11	4	29	9	296	238	4	7	186	41
Cedar Grove township#	99	-	-	2	25	7	7	2	3	-	1	5	1	51	43	-	-	37	6
East Orange	754	-	-	18	149	38	37	18	20	7	1	28	17	372	298	1	22	219	56
Irvington	601	-	-	11	120	35	29	11	17	10	1	17	14	300	260	4	8	194	54
Livingston township#	194	-	-	1	61	13	13	8	7	5	1	14	3	98	81	1	7	63	10
Maplewood township#	252	-	-	5	57	13	11	10	10	3	1	9	7	139	110	1	2	91	16
Millburn township#	170	-	-	4	36	9	4	4	4	-	3	12	4	93	74	-	1	60	13
Montclair	386	-	-	6	100	24	23	13	14	9	2	15	6	203	158	-	6	107	45
Newark	2,916	9	1	75	589	163	179	55	66	22	15	99	66	1,230	1,003	15	47	696	245
Nutley	289	-	-	4	80	25	15	8	13	1	5	13	10	144	122	2	2	93	25
Orange	330	-	-	6	65	16	18	7	8	2	3	11	13	157	119	1	6	87	25
South Orange Village township#	128	-	-	3	27	4	6	4	2	1	3	7	3	68	54	1	3	43	7
Verona	132	1	-	3	29	9	8	-	2	3	1	6	5	63	53	-	2	42	9
West Caldwell	71	-	-	3	15	4	3	-	3	1	1	3	4	37	29	-	-	26	3
West Orange	485	-	-	7	119	40	30	10	12	4	6	17	13	262	228	2	3	191	32
Balance of county	304	1	-	6	86	28	17	10	8	5	-	18	8	145	112	2	4	89	17
Gloucester	1,604	-	-	22	394	103	115	31	44	18	11	72	39	804	663	9	31	364	259
Deptford township#	156	-	-	3	35	7	14	1	6	2	-	5	-	79	67	-	1	30	36
Glassboro	93	-	-	1	23	6	6	2	4	-	-	5	4	42	35	1	1	20	13
Washington township#	78	-	-	1	16	4	4	3	1	1	-	3	-	44	41	1	2	24	14
West Deptford township#	94	-	-	1	20	4	6	1	3	1	-	5	3	44	37	-	1	21	15
Woodbury	168	-	-	1	42	15	8	5	2	2	1	9	3	87	70	-	3	41	26
Balance of county	1,015	-	-	15	258	67	77	19	28	12	10	45	29	508	413	7	23	228	155
Hudson	5,916	7	1	71	1,262	364	341	118	138	52	50	199	150	3,024	2,556	29	50	2,142	335
Bayonne	846	-	-	15	193	47	58	17	21	10	9	31	23	451	376	6	10	298	62
Harrison	121	-	-	1	26	7	12	2	3	-	-	2	5	68	60	-	1	50	9
Hoboken	368	-	-	8	70	31	16	6	3	4	1	9	10	191	156	3	1	122	30
Jersey City	2,451	6	-	30	474	143	117	48	62	19	14	71	63	1,200	1,012	9	22	864	117
Kearny	392	-	-	3	88	17	31	8	8	3	4	17	9	215	181	6	1	148	26
North Bergen township#	539	1	-	7	137	41	35	14	11	5	7	24	14	280	242	3	10	204	25
Secaucus	134	-	-	2	37	12	11	2	2	2	3	5	4	64	57	-	1	47	9
Union City	440	-	-	1	94	26	19	7	14	2	6	20	12	229	186	-	1	162	23
Weehawken township#	125	-	-	1	40	16	11	3	3	1	3	3	1	56	50	1	2	44	3
West New York	384	-	-	3	78	20	22	7	9	6	2	12	6	207	178	-	1	159	18
Balance of county	116	-	1	-	25	4	9	4	2	-	1	5	3	63	58	1	-	44	13
Hunterdon	689	-	-	7	171	46	45	12	16	8	8	36	11	315	255	3	9	176	67
Mercer	2,664	1	-	34	629	184	159	68	61	23	17	117	46	1,310	1,102	10	60	677	355
East Windsor township#	104	-	-	1	24	8	5	4	4	-	1	2	1	46	35	-	1	21	13
Ewing township#	19	-	-	-	4	2	-	-	-	-	1	1	-	9	8	-	-	6	2
Hamilton township#	772	-	-	8	200	61	52	15	27	4	6	35	14	382	329	4	19	198	108
Princeton	132	-	-	-	29	5	8	5	1	1	2	7	1	67	53	-	2	37	14
Trenton	1,130	1	-	18	249	76	67	24	18	13	7	44	20	552	462	4	32	268	158
Balance of county	507	-	-	7	123	32	27	20	11	5	-	28	10	254	215	2	6	147	60
Middlesex	5,050	3	-	53	1,260	357	351	107	140	53	33	219	112	2,499	1,965	35	50	1,505	285
Carteret	201	-	-	2	56	12	23	7	5	1	2	6	3	104	82	3	5	63	11
East Brunswick township#	467	-	-	4	113	26	36	12	13	3	3	20	10	229	182	2	5	142	33
Edison township#	507	-	-	5	110	32	25	12	13	5	4	19	14	262	214	1	3	166	44
Highland Park	122	-	-	1	30	7	8	1	3	1	1	9	2	59	50	1	-	38	11
Metuchen	143	-	-	-	36	9	7	2	5	4	2	7	1	79	68	1	1	59	7
Middlesex	119	-	-	3	30	13	6	3	3	2	1	2	5	64	52	1	1	45	5
New Brunswick	356	2	-	7	76	27	18	3	9	3	1	15	15	160	111	2	1	92	16
North Brunswick township#	163	-	-	3	38	17	11	1	4	1	-	4	2	79	61	1	2	49	9
Old Bridge township#	296	-	-	3	74	21	21	5	8	6	1	12	7	150	114	2	2	92	18
Perth Amboy	436	-	-	5	98	25	31	5	12	1	5	19	9	232	170	3	4	143	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	-	3	-	-	5	4	-	3	-	-	1	3	3	11	3	4	1	-	-
Pemberton township#	2	14	-	-	4	6	-	2	2	-	2	4	-	11	8	2	2	2	-
Willingboro township#	-	11	2	5	6	8	-	2	1	-	2	7	-	25	7	7	5	3	1
Balance of county	3	106	20	17	34	43	2	22	21	-	11	12	7	104	36	20	12	3	1
Camden	13	292	63	62	86	134	12	51	42	-	30	41	39	308	66	72	65	27	6
Bellmawr	-	5	2	2	-	5	-	2	2	-	1	1	2	5	1	2	1	-	-
Camden	7	67	9	7	17	26	2	14	10	-	6	18	13	65	17	26	13	15	3
Cherry Hill township#	-	39	10	9	9	15	4	5	2	-	2	-	4	52	9	7	11	1	2
Collingswood	-	12	6	2	5	6	-	2	-	-	2	1	-	20	2	1	6	-	-
Gloucester township#	-	18	4	-	6	9	2	3	1	-	2	1	3	17	5	4	6	1	-
Gloucester City	-	10	4	2	4	6	-	3	2	-	1	2	2	9	2	2	-	1	-
Haddon township#	-	8	-	4	7	3	1	1	2	-	1	-	-	10	3	1	2	1	-
Haddonfield	1	13	5	2	5	1	-	-	2	-	2	1	2	11	-	1	-	2	-
Lindenwold	1	4	1	1	3	8	-	3	1	-	2	5	2	10	3	4	3	1	-
Pennsauken township#	-	27	6	5	7	9	1	2	4	-	2	1	2	21	3	4	4	2	-
Voorhees township#	-	2	-	2	1	-	-	1	1	-	2	1	-	3	1	-	2	-	-
Balance of county	4	87	16	26	22	46	2	15	15	-	7	10	9	85	20	20	17	3	1
Cape May	1	79	20	14	15	34	5	24	13	-	3	5	8	91	16	16	4	7	-
Ocean City	1	18	5	4	4	9	-	3	1	-	-	-	1	28	5	1	1	2	-
Balance of county	-	61	15	10	11	25	5	21	12	-	3	5	7	63	11	15	3	5	-
Cumberland	2	90	9	13	22	42	3	17	16	-	10	9	12	81	35	34	17	3	-
Bridgeton	1	19	1	3	2	8	1	4	7	-	3	3	2	15	3	8	4	2	-
Millville	-	22	1	3	3	11	-	3	6	-	1	1	3	20	9	5	-	-	-
Vineland	1	36	4	6	10	16	-	8	3	-	4	4	3	26	14	8	7	1	-
Balance of county	-	13	3	1	7	7	2	2	-	-	2	1	4	20	9	13	6	-	-
Essex	30	545	52	72	177	208	24	145	132	1	42	78	74	699	86	168	46	143	4
Belleville	-	14	6	3	6	14	1	6	2	-	2	3	2	24	3	1	3	5	-
Bloomfield	4	46	1	7	9	11	3	8	11	-	1	3	1	48	2	9	4	2	-
Cedar Grove township#	-	4	3	1	2	5	1	2	2	-	-	-	-	5	-	2	1	-	-
East Orange	3	64	4	3	18	14	1	11	18	1	1	2	6	71	11	17	2	25	-
Irvington	-	35	1	4	10	17	3	17	9	-	3	5	4	58	6	12	2	9	1
Livingston township#	1	14	1	1	4	4	-	1	3	-	1	2	1	12	3	-	-	-	-
Maplewood township#	1	22	1	5	10	3	-	3	1	-	1	1	-	14	2	7	1	1	-
Millburn township#	-	19	-	-	3	5	1	3	1	-	-	-	-	14	2	3	1	-	-
Montclair	1	35	4	5	9	8	-	4	8	-	2	-	2	25	2	4	3	4	-
Newark	15	173	10	29	75	77	13	75	54	-	26	47	48	284	32	92	16	94	3
Nutley	2	16	2	2	2	8	-	1	8	-	1	2	-	22	1	3	3	-	-
Orange	-	31	4	3	9	16	-	6	4	-	1	6	7	25	6	4	3	2	-
South Orange Village township#	-	14	-	-	2	5	-	-	1	-	-	1	-	13	1	3	1	-	-
Verona	1	7	2	-	3	3	-	2	1	-	-	1	-	17	3	-	-	1	-
West Caldwell	-	6	1	1	2	1	-	-	1	-	1	-	-	6	-	1	-	-	-
West Orange	1	22	6	5	9	9	1	4	3	-	1	2	2	41	3	7	2	-	-
Balance of county	1	23	6	3	4	8	-	2	5	-	1	3	1	20	9	3	4	-	-
Gloucester	3	97	30	11	21	66	1	15	18	-	12	16	9	105	32	30	11	7	2
Deptford township#	-	10	2	-	3	11	-	1	-	-	1	-	-	14	3	1	2	2	1
Glassboro	-	6	-	1	1	2	-	-	2	-	1	3	1	9	1	1	1	1	-
Washington township#	-	3	-	-	2	2	-	1	2	-	-	2	1	3	2	1	-	1	-
West Deptford township#	-	6	1	-	2	3	-	2	-	-	1	1	2	11	1	1	2	-	-
Woodbury	1	11	2	3	3	6	-	4	2	-	1	3	1	7	4	4	-	-	-
Balance of county	2	61	25	7	10	42	1	7	12	-	8	7	4	61	21	22	6	3	1
Hudson	13	363	41	51	126	156	18	120	70	1	39	62	63	492	45	98	42	63	6
Bayonne	2	57	7	9	17	22	4	13	8	-	3	1	8	64	5	15	2	2	-
Harrison	-	7	1	-	2	3	-	3	-	-	1	-	2	7	-	2	-	1	-
Hoboken	1	23	6	6	6	14	1	8	4	1	2	8	5	26	2	4	4	5	-
Jersey City	7	141	15	25	59	61	6	53	34	-	20	40	30	252	24	47	13	36	3
Kearny	-	26	4	4	8	15	1	9	4	-	2	3	3	23	1	5	2	1	-
North Bergen township#	2	32	1	3	10	11	1	10	7	-	-	1	5	34	4	4	9	3	1
Secaucus	-	4	1	2	3	2	-	4	3	-	1	1	1	9	-	-	1	-	2
Union City	1	37	4	1	8	11	4	9	6	-	7	2	4	31	6	5	2	9	-
Weehawken township#	-	5	1	-	2	4	-	2	-	-	-	1	1	6	-	8	1	2	-
West New York	-	26	1	2	10	10	1	5	4	-	2	3	4	31	3	7	8	2	-
Balance of county	-	5	-	-	2	3	-	4	-	-	1	2	-	9	-	1	-	2	-
Hunterdon	2	45	4	9	22	28	9	5	7	-	3	5	2	60	22	13	8	-	1
Mercer	15	150	18	25	62	73	10	42	24	-	18	36	16	235	37	45	20	24	2
East Windsor township#	1	7	-	3	4	1	-	1	-	-	-	2	1	19	2	1	1	-	-
Ewing township#	-	-	1	-	-	-	-	1	-	-	-	1	1	2	-	1	-	-	-
Hamilton township#	5	36	3	9	18	20	-	12	8	-	9	-	2	60	7	10	11	11	-
Princeton	-	10	2	2	5	3	1	1	2	-	-	1	-	15	1	3	1	1	1
Trenton	8	68	8	6	22	30	4	22	9	-	7	28	8	108	10	25	4	12	1
Balance of county	1	29	4	5	13	19	5	5	5	-	2	4	4	31	17	5	3	-	-
Middlesex	17	306	156	55	108	115	10	91	57	-	32	51	33	389	79	93	46	13	6
Carteret	1	13	7	1	4	4	-	5	-	-	1	3	1	11	-	4	2	-	1
East Brunswick township#	3	30	10	4	12	8	1	9	4	-	3	4	3	42	9	12	4	-	-
Edison township#	2	29	13	4	10	12	-	5	10	-	1	7	5	46	8	7	4	1	-
Highland Park	-	6	2	1	3	7	-	-	-	-	1	1	2	13	2	1	-	-	-
Metuchen	1	4	3	3	2	3	-	1	1	-	-	-	-	13	1	3	1	1	1
Middlesex	1	7	2	2	3	2	-	1	-	-	1	1	-	4	3	-	1	1	-
New Brunswick	-	34	14	1	13	3	-	11	6	-	1	4	5	26	5	14	2	4	2
North Brunswick township#	-	9	4	5	1	4	1	3	3	-	2	1	1	17	6	-	2	-	-
Old Bridge township#	1	20	13	2	8	5	-	7	2	-	2	4	1	17	2	10	2	2	-
Perth Amboy	2	34	21	5	7	9	2	4	8	-	3	6	3	30	6	9	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Piscataway township#	216	–	–	1	54	13	20	3	6	1	–	11	8	104	80	–	2	65	13
Sayreville	256	–	–	2	63	17	16	9	6	1	–	14	3	134	108	1	3	91	13
South Plainfield	128	–	–	–	31	11	9	2	2	2	2	3	4	67	57	3	4	43	7
South River	140	–	–	3	25	8	4	2	2	2	2	5	1	72	56	1	–	49	6
Woodbridge township#	754	–	–	4	214	59	57	17	27	9	6	39	14	377	298	8	13	243	34
Balance of county	746	1	–	10	212	60	59	23	22	11	3	34	14	327	262	5	4	215	38
Monmouth	4,975	1	–	73	1,148	348	308	91	111	44	34	212	108	2,499	1,901	25	53	1,556	267
Aberdeen township#	96	1	–	–	20	4	8	4	1	1	–	2	3	52	43	1	2	36	4
Asbury Park	290	–	–	7	53	15	19	3	6	–	2	8	4	137	104	–	6	84	14
Eatontown	114	–	–	2	30	8	9	1	5	3	–	4	5	55	39	1	1	32	5
Freehold	153	–	–	4	26	8	5	3	4	–	1	5	4	80	69	1	2	53	13
Hazlet township#	171	–	–	2	42	15	8	2	6	1	2	8	9	90	68	–	3	59	6
Howell township#	186	–	–	1	40	16	10	5	2	3	–	4	6	100	81	1	4	66	10
Keansburg	185	–	–	3	36	7	12	1	1	2	2	11	3	97	73	1	2	62	8
Long Branch	324	–	–	2	76	29	16	5	9	2	–	15	11	147	118	–	1	98	19
Middletown township#	458	–	–	5	115	28	33	11	10	5	4	24	12	232	177	4	5	148	20
Neptune township#	394	–	–	10	89	26	25	5	9	3	2	19	6	191	125	–	6	98	21
Ocean township#	170	–	–	2	39	13	7	2	3	7	1	6	3	85	72	–	4	60	8
Red Bank	221	–	–	4	43	14	11	4	4	1	4	5	2	128	86	2	–	67	17
Balance of county	2,213	–	–	31	539	165	145	45	51	16	16	101	40	1,105	846	14	17	683	122
Morris	2,961	2	1	37	787	204	187	101	78	38	31	148	46	1,381	1,096	9	22	862	203
Denville township#	113	–	–	3	34	9	11	3	5	2	1	3	2	56	44	1	1	31	11
Dover	174	–	–	4	38	9	11	5	6	3	–	4	2	96	78	–	4	62	12
Hanover township#	84	–	–	1	24	2	5	8	3	–	1	5	3	40	34	–	–	26	8
Madison	117	–	–	1	35	13	9	3	1	1	2	6	–	58	41	–	1	32	8
Morris township#	131	1	–	3	39	11	9	8	3	1	2	5	2	59	47	–	2	36	9
Morristown	221	–	–	1	42	12	11	8	3	2	3	3	2	119	93	1	1	76	15
Parsippany-Troy Hills township#	258	–	–	2	73	20	20	10	6	7	1	9	6	118	98	–	–	86	12
Pequannock township#	99	–	–	–	24	7	5	3	2	1	–	6	2	47	38	1	1	31	5
Balance of county	1,764	1	1	22	478	121	106	53	49	21	21	107	27	786	623	6	12	482	123
Ocean	4,748	–	–	50	1,225	359	341	117	129	56	37	186	79	2,499	2,037	30	67	1,637	303
Brick township#	561	–	–	5	163	48	39	16	22	9	4	25	11	276	220	4	10	170	36
Dover township#	823	–	–	8	212	52	64	27	18	12	3	36	18	436	352	3	12	300	37
Jackson township#	191	–	–	3	48	22	10	1	6	1	–	8	2	104	89	–	5	62	22
Lakewood township#	615	–	–	4	144	53	35	16	9	5	4	22	9	347	279	5	11	203	60
Manchester township#	564	–	–	6	150	44	45	12	20	7	7	15	7	304	250	1	8	215	26
Point Pleasant	239	–	–	1	58	13	18	3	6	4	4	10	6	131	105	2	–	85	18
Balance of county	1,755	–	–	23	450	127	130	42	48	18	15	70	26	901	742	15	21	602	104
Passaic	4,189	7	–	62	987	303	224	83	117	45	32	183	103	2,143	1,758	24	41	1,419	274
Clifton	907	–	–	13	246	81	59	19	27	5	5	50	23	470	395	4	5	325	61
Hawthorne	202	–	–	2	53	15	17	5	3	5	4	4	2	109	93	2	1	78	12
Little Falls township#	108	–	–	3	23	6	6	3	2	2	–	4	3	56	41	2	2	32	5
Passaic	507	–	–	7	123	41	14	11	19	6	2	30	13	248	200	2	4	161	33
Paterson	1,214	7	–	19	254	77	58	20	31	11	9	48	40	576	478	7	15	378	80
Pompton Lakes	100	–	–	3	25	6	7	2	2	–	2	6	–	59	50	1	–	44	5
Ringwood	53	–	–	–	12	4	4	1	–	2	1	–	1	26	21	–	1	17	3
Totowa	142	–	–	2	35	7	11	3	3	2	2	7	3	79	67	3	2	56	6
Wanaque	86	–	–	2	29	13	5	2	4	3	–	2	2	40	31	–	1	27	3
Wayne township#	352	–	–	6	79	20	18	8	12	3	2	16	7	190	158	1	4	125	26
West Paterson	88	–	–	–	16	4	4	2	3	1	1	1	3	50	41	–	1	34	6
Balance of county	428	–	–	5	92	29	21	7	11	5	4	15	6	240	185	2	5	144	34
Salem	664	1	1	5	149	46	34	10	15	8	8	28	19	339	274	–	15	201	58
Somerset	1,585	–	–	16	394	107	121	36	45	12	12	61	42	770	633	10	13	511	99
Bridgewater township#	171	–	–	–	51	16	18	4	5	–	–	8	5	76	66	1	1	58	6
Franklin township#	267	–	–	3	70	15	20	9	7	4	1	14	6	129	101	1	2	84	14
Manville	108	–	–	1	26	3	15	–	2	–	2	4	2	55	44	1	1	34	8
North Plainfield	152	–	–	2	39	11	9	4	6	1	–	8	3	77	65	2	1	54	8
Somerville	159	–	–	–	32	9	13	3	3	–	2	2	5	92	73	1	–	63	9
Balance of county	728	–	–	10	176	53	46	16	22	7	7	25	21	341	284	4	8	218	54
Sussex	828	–	–	8	194	49	65	17	27	7	6	23	16	424	339	2	12	259	66
Hopatcong	81	–	–	2	20	5	7	2	4	–	–	2	2	41	37	–	–	31	6
Balance of county	747	–	–	6	174	44	58	15	23	7	6	21	14	383	302	2	12	228	60
Union	4,660	4	1	58	1,166	350	288	112	145	46	36	189	107	2,465	2,021	30	93	1,576	322
Berkeley Heights township#	59	–	–	1	14	6	3	1	1	2	–	1	1	30	22	–	–	18	4
Clark township#	141	–	–	–	36	16	13	3	2	–	1	1	2	74	65	2	–	57	6
Cranford township#	213	–	–	–	51	15	17	4	5	1	2	7	5	111	90	1	3	72	14
Elizabeth	1,073	2	–	15	224	65	48	23	32	12	9	35	18	562	464	5	23	376	60
Hillside township#	204	–	–	2	56	12	21	5	6	2	1	9	4	106	78	1	4	63	10
Linden	392	–	–	6	105	32	27	10	10	3	1	22	6	208	182	2	9	147	24
New Providence	88	–	–	–	28	6	6	3	6	3	1	3	7	36	28	–	3	16	9
Plainfield	410	–	–	7	92	23	24	9	13	4	3	16	7	185	157	–	7	125	25
Rahway	254	1	–	3	66	18	16	11	8	4	3	6	6	117	98	3	7	64	24
Roselle	214	1	1	2	47	15	16	4	2	3	1	6	9	98	82	3	10	59	10
Roselle Park	122	–	–	2	32	7	10	3	3	–	–	9	3	51	38	–	1	28	9
Scotch Plains township#	155	–	–	2	43	10	11	3	7	–	3	9	4	72	58	2	1	45	10
Springfield township#	168	–	–	3	35	10	7	4	5	2	–	7	4	93	77	3	3	61	10
Summit	198	–	–	2	46	14	7	7	8	–	–	10	4	104	85	3	4	64	14
Union township#	630	–	–	7	150	56	33	14	17	4	6	20	19	343	292	3	7	222	50
Westfield	241	–	–	3	57	20	8	2	11	2	–	14	2	117	95	–	8	69	18
Balance of county	300	–	–	3	84	25	21	6	9	4	5	14	6	148	120	2	3	90	25
Warren	784	–	–	8	182	58	45	15	12	12	7	33	7	383	330	3	10	219	98
Phillipsburg	211	–	–	3	50	12	16	1	2	5	1	13	3	103	95	1	3	56	35
Balance of county	573	–	–	5	132	46	29	14	10	7	6	20	4	280	235	2	7	163	63

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	1	14	8	1	3	3	1	3	3	-	2	6	2	9	7	4	5	1	-
Sayreville	-	8	13	5	5	8	1	6	3	-	-	-	2	17	4	5	2	1	-
South Plainfield	-	7	2	1	4	2	-	2	-	-	1	2	1	7	2	4	1	-	-
South River	-	10	5	1	5	2	-	5	1	-	2	1	2	18	-	2	-	-	1
Woodbridge township#	4	47	21	7	15	17	1	18	6	-	4	6	1	53	8	9	5	1	1
Balance of county	1	34	18	12	13	26	3	11	10	-	8	5	4	66	16	9	11	-	-
Monmouth	23	417	108	50	160	151	13	79	63	-	24	44	8	366	76	93	43	21	5
Aberdeen township#	1	6	2	-	4	3	-	1	1	-	-	1	-	7	-	2	1	-	-
Asbury Park	1	26	3	3	17	7	1	8	5	-	2	5	2	26	4	4	3	5	-
Eatontown	1	10	1	4	2	1	-	3	-	-	1	1	-	8	1	5	-	-	-
Freehold	-	9	-	2	9	4	2	4	1	-	-	1	1	10	4	1	2	-	-
Hazlet township#	-	17	5	-	4	6	-	3	2	-	2	2	-	7	1	1	-	-	-
Howell township#	2	14	1	2	3	2	-	3	3	-	1	2	-	14	10	1	-	-	-
Keansburg	1	10	11	2	3	6	-	8	3	-	1	3	-	13	2	1	3	3	-
Long Branch	-	22	5	2	18	9	-	7	6	-	1	6	1	24	2	7	5	1	1
Middletown township#	2	35	16	2	16	20	2	5	2	-	4	4	-	28	2	8	2	2	1
Neptune township#	5	45	12	4	11	13	1	5	4	-	1	4	-	38	5	12	2	2	-
Ocean township#	2	10	-	1	6	4	-	2	3	-	-	1	1	15	4	3	1	1	-
Red Bank	1	22	17	2	5	8	1	4	2	-	2	-	-	13	2	4	3	-	-
Balance of county	7	191	35	26	62	68	6	26	31	-	9	14	3	165	39	44	21	7	3
Morris	8	230	16	31	116	80	15	41	21	-	23	23	12	220	60	55	32	8	1
Dorville township#	-	11	-	1	2	1	1	2	1	-	1	1	-	6	2	1	-	-	-
Dover	2	16	-	2	5	5	1	4	-	-	1	4	-	9	1	1	1	-	-
Hanover township#	-	6	-	-	1	1	1	1	-	-	-	1	-	9	1	1	-	-	-
Madison	1	14	-	2	4	2	-	1	2	-	-	1	-	7	2	2	2	-	-
Morris township#	2	7	1	2	4	1	-	2	-	-	2	-	1	12	1	1	3	-	-
Morristown	-	19	3	4	14	5	1	3	2	-	2	-	1	15	6	5	3	-	-
Parsippany-Troy Hills township#	-	12	3	5	9	6	1	7	3	-	3	2	-	17	6	-	4	1	-
Pequannock township#	-	6	2	1	4	4	-	2	-	-	2	-	-	5	1	3	5	-	-
Balance of county	3	139	7	14	73	55	10	19	13	-	12	14	10	140	40	41	14	7	1
Ocean	14	361	44	43	83	149	11	75	50	-	14	22	12	312	61	58	38	12	-
Brick township#	2	43	7	4	5	20	1	9	5	-	1	5	1	35	8	8	4	4	-
Dover township#	3	65	8	8	8	30	2	19	10	-	1	3	-	54	4	10	7	1	-
Jackson township#	-	13	-	2	5	3	-	1	1	-	1	-	1	11	5	2	2	2	-
Lakewood township#	1	56	6	5	12	10	2	10	4	-	2	4	-	46	10	5	5	1	-
Manchester township#	2	46	4	2	11	21	2	7	8	-	2	-	2	32	3	5	4	-	-
Point Pleasant	-	21	4	1	7	5	1	3	3	-	-	1	-	15	3	2	2	1	-
Balance of county	6	117	15	21	35	60	3	26	19	-	7	9	8	119	28	24	14	3	-
Passaic	14	292	33	46	96	104	12	83	31	-	29	28	22	294	49	77	21	39	2
Clifton	3	57	6	9	24	18	4	15	4	-	5	2	1	59	7	12	2	2	-
Hawthorne	-	13	2	1	3	5	2	1	2	-	1	1	-	19	2	-	-	-	-
Little Falls township#	-	12	1	2	3	3	-	5	1	-	1	-	-	9	-	1	-	-	-
Passaic	4	32	5	7	8	9	1	16	3	-	6	6	6	36	4	13	1	7	-
Paterson	4	76	5	13	25	36	5	34	10	-	13	12	9	95	11	34	7	25	2
Pompton Lakes	-	6	3	-	-	3	-	1	-	-	-	1	-	3	1	4	-	-	-
Ringwood	-	4	1	-	1	1	-	-	-	-	-	1	1	5	3	-	1	1	-
Totowa	1	9	2	-	4	5	-	-	-	-	-	1	-	12	-	-	1	-	-
Wanaque	-	8	1	-	4	2	-	-	-	-	-	-	-	4	2	2	1	-	-
Wayne township#	-	27	1	6	9	13	-	4	6	-	2	3	3	16	5	6	2	1	-
West Paterson	1	7	-	1	2	1	-	2	2	-	-	-	-	8	1	2	1	-	-
Balance of county	1	41	6	7	13	8	-	5	3	-	1	1	2	28	13	3	5	3	-
Salem	-	57	2	6	14	22	1	7	1	-	5	11	1	39	22	20	5	1	1
Somerset	4	107	10	16	49	36	4	26	16	1	10	11	10	123	29	26	19	-	3
Bridgewater township#	2	6	-	2	3	4	-	4	2	-	1	2	-	11	4	4	3	-	1
Franklin township#	1	22	4	1	6	3	-	3	5	1	1	4	1	24	5	4	2	-	-
Manville	-	9	1	1	1	3	1	2	1	-	-	-	1	13	1	1	-	-	-
North Plainfield	-	9	-	3	7	1	-	1	3	-	1	-	-	12	1	2	3	-	-
Somerville	-	14	1	4	6	9	-	3	1	-	1	2	-	5	3	5	1	-	-
Balance of county	1	47	4	5	26	22	3	13	4	-	6	3	8	58	15	10	10	-	2
Sussex	2	68	8	7	28	27	2	10	8	-	2	10	5	48	18	19	7	2	-
Hopatcong	-	4	-	-	2	2	-	-	1	-	-	1	2	2	3	2	1	-	-
Balance of county	2	64	8	7	26	25	2	10	7	-	2	9	3	46	15	17	6	2	-
Union	18	356	27	43	126	109	15	87	55	1	20	31	27	379	50	97	35	25	2
Berkeley Heights township#	1	6	-	1	3	1	-	-	1	-	1	1	-	5	1	-	-	-	-
Clark township#	1	8	-	-	-	5	1	-	2	-	-	1	-	13	1	3	2	-	1
Cranford township#	-	18	1	2	9	3	1	3	2	-	-	3	-	18	-	4	3	-	-
Elizabeth	5	79	6	8	28	26	5	29	9	1	8	9	8	71	14	26	8	10	-
Hillside township#	-	21	3	4	2	5	-	4	2	-	-	3	-	9	2	7	2	-	-
Linden	-	22	1	3	6	11	-	11	2	-	2	-	3	26	4	2	-	-	-
New Providence	-	7	-	1	4	-	-	3	-	-	-	-	-	6	2	2	-	-	-
Plainfield	4	30	1	3	13	7	-	10	8	-	1	8	7	34	5	7	2	7	-
Rahway	-	14	1	4	10	5	-	8	2	-	1	-	2	24	2	5	1	1	-
Roselle	1	13	1	1	5	6	1	4	2	-	1	2	2	20	4	6	2	1	-
Roselle Park	-	11	1	1	3	2	-	1	3	-	2	1	2	13	1	6	-	-	-
Scotch Plains township#	2	9	1	2	7	6	-	1	1	-	1	-	-	9	1	4	3	1	-
Springfield township#	-	15	-	1	2	-	3	-	3	-	1	-	-	17	-	3	2	-	-
Summit	-	12	3	4	3	7	1	2	2	-	-	-	-	18	1	6	2	-	-
Union township#	3	50	4	4	13	12	2	4	5	-	1	1	1	52	4	8	6	1	1
Westfield	-	18	3	1	10	6	-	4	6	-	1	1	-	26	2	4	1	1	-
Balance of county	1	23	1	3	8	7	1	3	5	-	-	1	2	18	6	4	1	3	-
Warren	2	38	3	10	29	26	6	17	14	-	4	4	4	65	12	10	11	2	-
Phillipsburg	-	8	-	-	5	10	1	4	4	-	-	-	2	19	1	2	3	1	-
Balance of county	2	30	3	10	24	16	5	13	10	-	4	4	2	46	11	8	8	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hemalopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	9,205	13	-	76	1,855	484	428	152	230	75	81	405	216	3,410	2,588	49	58	1,533	948
Urban places	5,258	9	-	43	1,125	286	270	100	139	49	43	238	124	2,050	1,543	26	32	916	569
Balance of area	3,947	4	-	33	730	198	158	52	91	26	38	167	92	1,360	1,045	23	26	617	379
Metropolitan counties	3,547	6	-	37	774	192	182	73	90	41	39	157	70	1,330	1,000	16	22	573	389
Urban places	2,926	6	-	31	642	160	155	68	75	35	31	120	63	1,129	851	9	18	490	334
Balance of area	621	-	-	6	132	32	27	7	15	6	8	37	7	201	149	7	4	83	55
Nonmetropolitan counties	5,658	7	-	39	1,081	292	246	79	140	34	42	248	146	2,080	1,588	33	36	960	559
Urban places	2,332	3	-	12	483	126	115	34	64	14	12	118	61	921	692	17	14	426	235
Balance of area	3,326	4	-	27	598	166	131	45	76	20	30	130	85	1,159	896	16	22	534	324
Bernalillo	2,752	4	-	27	594	151	139	60	68	36	29	111	67	1,049	804	10	17	459	318
Albuquerque	2,578	4	-	24	559	142	133	58	63	33	29	101	56	1,000	760	8	16	438	298
Balance of county	176	-	-	3	35	9	6	2	5	3	-	10	1	49	44	2	1	21	20
Catron	30	-	-	1	6	3	-	-	1	-	1	1	-	11	11	-	-	9	2
Chaves	503	-	-	5	103	22	33	4	12	7	6	19	16	203	144	7	3	81	53
Roswell	431	-	-	5	90	17	29	4	12	6	6	16	14	178	127	7	3	70	47
Balance of county	72	-	-	-	13	5	4	-	-	1	-	3	2	25	17	-	-	11	6
Cibola	118	-	-	1	23	8	6	2	2	-	1	4	1	38	29	-	-	17	12
Colfax	111	-	-	2	23	5	9	2	3	1	-	3	-	55	43	1	1	32	9
Curry	292	1	-	2	69	16	13	3	11	2	-	18	8	128	83	2	-	63	16
Clovis	256	-	-	2	55	15	10	3	11	2	-	14	7	112	71	2	-	54	15
Balance of county	36	1	-	-	8	1	3	-	-	-	-	4	1	16	12	-	-	9	3
De Baca	39	-	-	-	4	1	1	-	1	1	-	-	2	20	17	-	-	11	6
Dona Ana	563	2	-	7	128	28	29	9	18	3	8	33	12	204	138	1	4	80	53
Las Cruces	350	2	-	7	83	18	22	8	12	2	2	19	7	129	91	1	2	52	36
Balance of county	213	-	-	-	45	10	7	1	6	1	6	14	5	75	47	-	2	28	17
Eddy	458	-	-	1	89	20	19	7	8	3	1	31	16	199	157	-	2	104	51
Artesia	99	-	-	-	25	2	5	3	2	1	1	11	4	40	32	-	1	20	11
Carlsbad	276	-	-	1	52	16	12	4	5	-	-	15	10	128	100	-	-	71	29
Balance of county	83	-	-	-	12	2	2	-	1	2	-	5	2	33	25	-	1	13	11
Grant	158	-	-	-	27	10	2	3	3	-	-	9	4	59	41	-	-	28	13
Guadalupe	32	-	-	-	6	1	-	-	4	-	1	-	2	8	6	-	1	3	2
Harding	11	-	-	-	2	2	-	-	-	-	-	-	-	5	5	-	-	4	1
Hidalgo	41	-	-	-	8	2	1	1	2	-	-	2	2	17	12	-	1	2	9
Lea	472	-	-	2	93	22	31	6	7	3	3	21	11	172	134	3	1	103	27
Hobbs	302	-	-	1	61	12	22	3	5	1	2	16	6	115	86	2	1	63	20
Balance of county	170	-	-	1	32	10	9	3	2	2	1	5	5	57	48	1	-	40	7
Lincoln	116	-	-	1	23	5	7	1	2	1	-	7	4	38	32	-	1	15	16
Los Alamos	74	-	-	-	16	6	1	2	1	2	2	2	2	26	18	-	1	8	9
Luna	180	-	-	2	39	10	9	1	5	1	1	12	3	82	58	-	-	49	9
McKinley	363	2	-	8	43	14	3	3	7	-	3	13	13	71	54	4	-	25	25
Gallup	115	2	-	2	22	8	2	1	3	-	-	8	3	34	28	1	-	17	10
Balance of county	248	-	-	6	21	6	1	2	4	-	3	5	10	37	26	3	-	8	15
Mora	44	-	-	1	10	2	2	1	1	1	1	2	3	17	15	-	-	10	5
Otero	262	1	-	-	53	15	13	4	9	-	1	11	3	92	71	2	-	50	19
Alamogordo	156	-	-	-	36	12	10	2	4	-	-	8	1	59	45	1	-	30	14
Balance of county	106	1	-	-	17	3	3	2	5	-	1	3	2	33	26	1	-	20	5
Quay	131	-	-	2	39	12	10	4	7	-	2	4	3	52	40	1	1	12	28
Rio Arriba	231	-	-	3	40	8	7	3	9	-	1	12	4	75	62	1	1	35	25
Roosevelt	124	-	-	-	25	7	5	2	-	2	1	8	2	58	44	2	1	29	12
Sandoval	232	-	-	3	52	13	14	4	4	2	2	13	1	77	58	5	1	34	18
San Juan	458	1	-	3	69	16	17	6	10	1	4	15	12	145	110	3	4	51	52
Farmington	166	-	-	-	33	9	9	4	4	-	1	6	5	55	43	1	1	23	18
Balance of county	292	1	-	3	36	7	8	2	6	1	3	9	7	90	67	2	3	28	34
San Miguel	173	1	-	2	26	6	5	1	5	1	1	7	6	63	52	-	4	29	19
Las Vegas	125	1	-	1	21	5	3	1	5	1	-	6	4	48	39	-	1	22	16
Balance of county	48	-	-	1	5	1	2	-	-	-	1	1	2	15	13	-	3	7	3
Santa Fe	512	-	-	-	110	37	13	13	15	3	4	25	11	190	149	3	7	74	65
Santa Fe	406	-	-	-	88	30	13	9	13	3	2	18	7	154	121	3	7	56	55
Balance of county	106	-	-	-	22	7	-	4	2	-	2	7	4	36	28	-	-	18	10
Sierra	148	-	-	-	28	11	9	3	3	-	-	2	-	61	51	1	4	36	10
Socorro	83	-	-	2	12	4	3	-	2	-	-	3	1	29	23	1	-	15	7
Taos	148	1	-	-	27	9	4	1	2	2	3	6	6	45	34	-	2	13	19
Torrance	61	-	-	1	8	-	3	-	-	1	1	3	2	29	24	2	1	10	11
Union	54	-	-	-	11	3	4	-	1	1	2	-	2	21	14	-	-	7	7
Valencia	233	-	-	-	55	15	16	6	7	1	2	8	7	71	55	-	-	35	20
New York	169,885	207	7	1,615	37,309	10,770	9,315	3,618	4,038	1,590	1,326	6,652	3,037	88,263	73,868	672	1,626	62,386	9,184
Urban places	112,278	167	4	1,099	23,553	6,988	5,760	2,246	2,546	933	823	4,257	1,971	59,085	50,368	416	1,035	43,344	5,573
Balance of area	57,607	40	3	516	13,756	3,782	3,555	1,372	1,492	657	503	2,395	1,066	29,178	23,500	256	591	19,042	3,611
Metropolitan counties	152,952	197	6	1,478	33,705	9,808	8,330	3,272	3,647	1,397	1,192	6,059	2,743	79,451	66,957	602	1,446	56,912	7,997
Urban places	108,256	164	4	1,078	22,745	6,761	5,543	2,159	2,464	892	792	4,134	1,903	56,873	48,690	400	982	42,018	5,290
Balance of area	44,696	33	2	400	10,960	3,047	2,787	1,113	1,183	505	400	1,925	840	22,578	18,267	202	464	14,894	2,707
Nonmetropolitan counties	16,933	10	1	137	3,604	962	985	346	391	193	134	593	294	8,812	6,911	70	180	5,474	1,187
Urban places	4,022	3	-	21	808	227	217	87	82	41	31	123	68	2,212	1,678	16	53	1,326	283
Balance of area	12,911	7	1	116	2,796	735	768	259	309	152	103	470	226	6,600	5,233	54	127	4,148	904
Albany	2,907	2	-	35	674	177	175	56	74	31	24	137	49	1,549	1,308	13	35	967	293
Albany	1,258	-	-	24	266	71	73	20	33	12	6	51	20	674	564	3	16	413	132
Cohoes	235	-	-	2	57	14	19	5	7	-	2	10	2	131	114	-	3	87	24
Watervliet	168	-	-	2	50	10	18	4	6	3	1	8	3	82	67	-	1	54	12
Balance of county	1,246	2	-	7	301	82	65	27	28	16	15	68	24	662	563	10	15	413	125
Allegany	469	-	-	4	102	20	26	12	12	6	9	17	10	230	171	5	2	131	33

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	49	576	105	92	279	398	32	190	71	3	99	105	293	961	489	319	248	105	43
Urban places	27	354	71	55	142	240	18	102	43	2	48	60	139	546	199	152	129	65	22
Balance of area	22	222	34	37	137	158	14	88	28	1	51	45	154	415	290	167	119	40	21
Metropolitan counties	18	230	46	38	100	150	9	68	34	1	39	46	100	389	150	91	97	40	16
Urban places	15	191	42	30	73	122	8	56	30	1	33	38	79	313	107	74	79	32	10
Balance of area	3	39	4	6	27	28	1	12	4	-	6	8	21	76	43	17	18	8	6
Nonmetropolitan counties	31	346	59	56	179	248	23	122	37	2	60	59	193	572	339	228	151	65	27
Urban places	12	163	29	25	69	116	10	46	13	1	15	22	60	233	92	78	50	33	12
Balance of area	19	183	30	31	110	130	13	76	24	1	45	37	133	339	247	150	101	32	15
Bernalillo	13	174	32	26	70	113	8	55	27	1	30	39	74	299	105	75	79	33	13
Albuquerque	13	169	32	26	60	105	8	51	27	1	29	37	64	279	92	68	73	29	10
Balance of county	-	5	-	-	10	8	-	4	-	-	1	2	10	20	13	7	6	4	3
Catron	-	-	-	-	1	-	-	-	-	-	-	-	-	3	4	-	3	1	-
Chaves	1	36	13	9	13	31	4	7	3	-	2	8	13	41	19	16	12	6	1
Roswell	1	30	12	8	13	22	3	4	3	-	2	7	11	37	13	13	10	5	1
Balance of county	-	6	1	1	-	9	1	3	-	-	-	1	2	4	6	3	2	1	-
Cibola	-	8	-	1	5	2	1	3	1	-	-	1	7	7	12	7	7	1	1
Colfax	-	8	1	3	-	5	1	1	1	-	1	-	3	9	3	3	1	3	-
Curry	3	31	6	5	9	12	2	2	2	-	-	1	4	31	14	7	2	2	2
Clovis	3	28	6	4	9	12	1	2	2	-	-	1	4	27	11	5	2	2	2
Balance of county	-	3	-	1	-	-	1	-	-	-	-	-	-	4	3	2	-	-	-
De Baca	-	2	-	1	1	3	-	-	-	-	-	1	1	5	2	-	-	-	-
Dona Ana	2	44	12	8	18	26	-	6	6	-	8	4	21	58	34	9	11	6	3
Las Cruces	2	22	10	4	13	17	-	5	3	-	4	1	15	34	15	6	6	3	-
Balance of county	-	22	2	4	5	9	-	1	3	-	4	3	6	24	19	3	5	3	3
Eddy	3	30	5	4	14	24	1	10	-	-	5	2	3	48	18	17	7	2	2
Artesia	1	7	-	-	1	7	1	2	-	-	-	1	-	10	6	2	-	-	-
Carlsbad	1	20	3	2	10	11	-	5	-	-	3	-	2	30	6	12	4	2	2
Balance of county	1	3	2	2	3	6	-	3	-	-	2	1	1	8	6	3	3	-	-
Grant	-	16	2	-	5	14	-	3	1	-	3	2	1	19	9	5	4	2	-
Guadalupe	-	1	-	1	2	1	-	-	-	1	-	1	2	4	3	1	1	-	-
Harding	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-
Hidalgo	-	3	2	-	3	1	-	2	-	-	1	-	1	4	2	-	-	-	-
Lea	2	34	1	1	13	18	3	7	1	-	7	11	23	37	26	29	10	8	1
Hobbs	-	28	-	1	5	10	3	6	1	-	4	7	16	25	14	14	8	6	-
Balance of county	2	6	1	-	8	8	-	1	-	-	3	4	7	12	12	15	2	2	1
Lincoln	1	3	2	-	2	8	2	1	1	-	3	2	3	12	4	4	7	-	1
Los Alamos	-	4	1	3	-	3	-	2	-	-	1	1	2	9	4	4	3	-	1
Luna	1	21	1	1	4	5	1	1	-	-	2	-	5	17	6	6	4	3	-
McKinley	2	14	1	-	15	11	-	14	1	-	8	10	21	57	38	28	14	3	6
Gallup	1	5	-	-	4	6	-	1	1	-	-	1	4	19	4	3	5	3	1
Balance of county	1	9	1	-	11	5	-	13	-	-	8	9	17	38	34	25	9	-	5
Mora	-	2	-	-	2	1	-	1	-	-	-	-	2	4	2	-	1	-	-
Otero	4	12	3	2	9	19	-	13	5	-	1	3	15	19	9	8	6	5	1
Alamogordo	2	8	3	1	4	10	-	8	4	-	1	1	9	10	2	5	4	2	-
Balance of county	2	4	-	1	5	9	-	5	1	-	-	2	6	9	7	3	2	3	1
Quay	2	8	2	-	2	1	-	1	2	-	2	-	5	8	6	7	1	-	-
Rio Arriba	1	8	2	2	9	9	1	11	-	-	3	5	7	24	21	6	7	4	2
Roosevelt	2	11	-	1	3	7	1	1	1	-	1	1	2	14	4	2	1	1	-
Sandoval	3	12	2	2	12	11	1	7	1	-	1	3	5	32	11	7	7	1	-
San Juan	1	24	4	6	7	24	2	6	4	-	7	2	22	48	53	28	16	8	3
Farmington	-	8	2	2	1	12	-	3	1	-	2	1	5	14	13	7	8	4	2
Balance of county	1	16	2	4	6	12	2	3	3	-	5	1	17	34	40	19	8	4	1
San Miguel	-	8	3	-	10	6	2	3	2	-	3	1	4	18	5	9	5	5	-
Las Vegas	-	7	2	-	6	7	2	3	-	-	2	1	3	9	3	7	2	5	-
Balance of county	-	1	1	-	4	1	-	-	2	-	1	-	1	9	2	2	3	-	-
Santa Fe	4	26	1	10	21	23	-	16	3	1	2	2	6	60	30	14	13	6	4
Santa Fe	3	22	1	7	16	21	-	12	1	1	1	2	6	52	20	10	7	4	4
Balance of county	1	4	-	3	5	2	-	4	2	-	1	-	-	8	10	4	6	2	-
Sierra	1	5	2	2	8	4	1	2	3	-	2	2	10	16	3	-	8	-	-
Socorro	-	4	-	2	3	2	-	3	1	-	-	-	10	9	6	2	3	-	-
Taos	1	8	1	1	2	2	-	4	4	-	3	1	13	17	6	7	3	4	1
Torrance	-	3	2	-	2	2	-	2	-	-	-	1	2	1	6	5	-	-	-
Union	-	4	3	-	2	1	-	2	-	-	-	-	-	6	3	3	3	-	-
Valencia	2	12	1	1	11	7	1	4	-	-	3	1	6	24	21	12	8	1	1
New York	629	10,411	1,764	1,591	5,270	4,525	647	3,000	1,295	41	925	1,498	1,444	11,513	2,237	3,137	1,354	1,989	572
Urban places	405	6,287	1,072	953	3,711	2,645	395	2,232	813	37	600	1,118	1,163	7,598	1,054	1,996	709	1,811	517
Balance of area	224	4,124	692	638	1,559	1,880	252	768	482	4	325	380	281	3,915	1,183	1,141	645	178	55
Metropolitan counties	550	9,079	1,507	1,358	4,736	3,866	563	2,796	1,131	40	829	1,396	1,381	10,308	1,862	2,766	1,172	1,962	564
Urban places	381	5,904	1,004	894	3,589	2,492	375	2,183	774	36	579	1,090	1,150	7,297	1,001	1,928	677	1,804	514
Balance of area	169	3,175	503	464	1,147	1,374	188	613	357	4	250	306	231	3,011	861	838	495	158	50
Nonmetropolitan counties	79	1,332	257	233	534	659	84	204	164	1	96	102	63	1,205	375	371	182	27	8
Urban places	24	383	68	59	122	153	20	49	39	1	21	28	13	301	53	68	32	7	3
Balance of area	55	949	189	174	412	506	64	155	125	-	75	74	50	904	322	303	150	20	5
Albany	11	170	34	26	71	87	11	39	23	-	18	16	15	216	26	48	20	7	1
Albany	2	79	15	14	31	50	4	13	14	-	5	10	7	110	4	16	7	2	1
Cohoes	-	13	4	-	2	10	2	5	3	-	2	-	-	12	2	3	1	1	-
Watervliet	2	9	2	2	5	3	-	4	1	-	1	-	1	8	3	5	-	-	-
Balance of county	7	69	13	10	33	24	5	17	5	-	10	6	7	86	17	24	12	4	-
Allegany	2	34	9	14	17	18	2	7	8	-	3	1	2	42	12	4	6	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Broome	2,052	2	-	12	447	128	112	46	40	16	19	86	42	1,084	844	13	20	712	99
Binghamton	797	-	-	3	151	44	41	14	12	6	6	28	21	443	329	5	6	274	44
Endicott	171	-	-	3	45	10	13	3	6	2	3	8	2	85	68	-	5	55	8
Johnson City	229	-	-	-	48	15	6	5	8	-	2	10	3	127	96	4	2	80	10
Vestal town#	211	1	-	1	33	8	9	6	2	-	-	8	2	127	103	-	2	92	9
Balance of county	644	1	-	5	172	51	43	18	12	8	8	32	14	302	248	4	5	211	28
Cattaraugus	917	-	-	6	181	55	51	19	21	10	3	22	19	469	347	5	10	261	71
Olean	239	-	-	2	41	12	13	4	3	3	1	5	2	127	103	1	4	77	21
Balance of county	678	-	-	4	140	43	38	15	18	7	2	17	17	342	244	4	6	184	50
Cayuga	745	-	-	4	158	45	47	11	17	6	6	26	10	407	300	3	3	232	62
Auburn	378	-	-	-	78	23	24	7	6	3	2	13	8	217	155	3	1	119	32
Balance of county	367	-	-	4	80	22	23	4	11	3	4	13	2	190	145	-	2	113	30
Chautauqua	1,622	-	-	8	326	60	80	34	43	17	15	57	36	891	713	5	17	551	140
Dunkirk	224	-	-	1	53	17	14	4	4	4	4	6	5	125	105	-	2	89	14
Fredonia	67	-	-	-	22	3	7	2	5	1	1	3	1	27	23	-	2	17	4
Jamestown	513	-	-	2	86	24	19	8	12	4	2	17	7	296	222	2	6	174	40
Balance of county	818	-	-	5	165	36	40	20	22	8	8	31	23	443	363	3	7	271	82
Chemung	947	-	-	9	221	60	69	11	31	6	8	36	24	469	382	2	7	315	58
Elmira	397	-	-	6	87	21	28	6	13	3	5	11	11	207	170	2	2	145	21
Balance of county	550	-	-	3	134	39	41	5	18	3	3	25	13	262	212	-	5	170	37
Chenango	457	-	-	2	104	22	32	11	10	4	5	20	8	233	194	1	8	160	25
Clinton	590	1	-	4	113	21	33	21	7	4	3	24	11	314	252	4	6	206	38
Plattsburgh	212	1	-	2	38	8	8	11	2	1	-	8	2	110	85	2	2	72	9
Balance of county	378	-	-	2	75	13	25	10	5	3	3	16	9	204	167	2	4	134	27
Columbia	634	1	1	7	137	41	39	10	20	8	2	17	12	331	266	3	6	225	31
Cortland	408	-	-	2	84	27	19	9	6	3	6	14	5	221	160	1	1	135	23
Cortland	205	-	-	2	42	15	12	3	1	2	4	5	3	120	81	-	1	73	7
Balance of county	203	-	-	-	42	12	7	6	5	1	2	9	2	101	79	1	-	62	16
Delaware	511	1	-	5	119	41	30	9	12	9	3	15	5	247	199	2	9	140	48
Dutchess	2,071	1	-	16	466	122	112	49	71	16	13	83	40	1,074	883	10	19	730	190
Beacon	152	-	-	2	37	9	10	5	8	-	-	5	2	85	69	-	1	53	15
Poughkeepsie	427	-	-	1	89	27	22	10	13	1	1	15	10	233	193	2	2	164	25
Balance of county	1,492	1	-	13	340	86	80	34	50	15	12	63	28	756	621	8	10	513	90
Erie	10,487	7	1	108	2,370	671	643	214	248	95	93	406	212	5,507	4,352	44	98	3,661	549
Buffalo	4,652	2	-	65	968	271	280	74	102	38	34	169	101	2,398	1,902	21	47	1,572	262
Depew	185	-	-	3	47	17	15	3	4	-	-	8	2	104	87	3	-	76	8
Hamburg	93	1	-	1	23	6	5	3	4	-	2	3	1	41	32	-	1	25	6
Kenmore	232	-	-	2	64	17	12	4	6	5	4	16	4	121	97	-	2	83	12
Lackawanna	274	-	-	2	73	13	32	8	4	2	5	11	3	136	115	-	4	101	10
Lancaster	126	1	-	1	31	11	6	5	4	1	2	2	1	77	63	1	1	53	8
Tonawanda	197	-	-	2	43	12	10	3	7	2	2	7	2	110	90	2	1	79	8
West Seneca town#	420	-	-	3	109	41	35	7	8	2	5	11	5	217	172	-	2	157	13
Balance of county	4,308	3	1	29	1,012	283	248	109	109	45	39	179	93	2,303	1,794	17	40	1,515	222
Essex	434	-	-	5	112	30	24	10	9	12	3	24	5	210	167	2	4	130	31
Franklin	497	-	-	6	121	32	35	10	13	7	5	19	3	240	190	2	6	145	37
Fulton	601	1	-	6	126	30	31	14	17	6	3	25	7	339	273	1	8	214	50
Gloversville	236	1	-	3	50	15	11	7	4	2	1	10	1	134	106	-	4	73	29
Balance of county	365	-	-	3	76	15	20	7	13	4	2	15	6	205	167	1	4	141	21
Genesee	545	-	-	2	116	37	28	9	9	5	5	23	5	285	222	2	9	186	25
Batavia	186	-	-	-	43	12	12	2	4	3	3	7	3	109	82	1	2	68	11
Balance of county	359	-	-	2	73	25	16	7	5	2	2	16	2	176	140	1	7	118	14
Greene	456	1	-	2	95	23	24	12	14	4	2	18	11	253	220	1	7	184	28
Hamilton	58	-	-	1	8	3	1	1	1	1	-	1	-	32	28	1	-	23	4
Herkimer	692	-	-	2	157	48	35	17	19	7	3	28	19	376	277	2	9	191	75
Jefferson	982	-	-	5	185	64	55	15	15	6	6	24	15	537	406	1	7	362	36
Watertown	411	-	-	1	71	25	19	7	3	2	3	12	8	238	175	1	3	156	15
Balance of county	571	-	-	4	114	39	36	8	12	4	3	12	7	299	231	-	4	206	21
Lewis	257	-	-	1	60	14	21	4	6	4	1	10	5	133	106	1	2	91	12
Livingston	435	-	-	3	108	37	28	9	12	3	3	16	9	205	171	2	5	127	37
Madison	525	1	-	3	108	36	30	8	8	4	2	20	13	254	195	2	6	155	32
Oneida	129	-	-	1	20	5	7	2	1	1	-	4	1	71	56	1	1	48	6
Balance of county	396	1	-	2	88	31	23	6	7	3	2	16	12	183	139	1	5	107	26
Monroe	5,981	3	-	93	1,358	371	355	136	127	66	64	239	92	2,819	2,232	23	37	1,622	550
Brighton town#	290	-	-	6	67	19	13	8	10	5	1	11	4	151	114	3	7	79	25
Gates town#	185	-	-	4	46	18	15	3	2	1	2	5	5	95	80	-	-	65	15
Greece town#	581	-	-	5	160	38	47	13	22	11	5	24	6	268	218	5	1	160	52
Henrietta town#	141	-	-	1	37	11	8	5	1	2	5	5	3	65	57	-	-	37	20
Irondequoit town#	610	2	-	14	145	43	38	17	11	9	10	17	10	297	224	2	3	155	64
Penfield town#	188	-	-	3	49	14	14	3	4	3	-	11	6	83	70	-	1	48	21
Rochester	2,811	1	-	47	581	147	160	64	47	25	26	112	42	1,282	1,014	8	21	726	259
Balance of county	1,175	-	-	13	273	81	60	23	30	10	15	54	16	578	455	5	4	352	94
Montgomery	727	-	-	4	139	39	36	20	15	6	1	22	11	400	314	3	4	256	51
Amsterdam	391	-	-	2	68	20	17	9	7	4	1	10	6	221	175	1	1	151	22
Balance of county	336	-	-	2	71	19	19	11	8	2	-	12	5	179	139	2	3	105	29
Nassau	11,982	13	-	149	3,003	865	718	342	314	125	115	524	199	6,207	5,250	76	116	4,419	639
East Rockaway	93	-	-	-	24	6	9	2	2	1	2	2	1	52	40	-	-	35	5
Floral Park	173	-	-	2	48	16	15	1	7	-	-	9	3	94	83	2	2	70	9
Freeport	342	1	-	6	68	20	17	4	9	3	-	15	4	177	147	2	6	126	13
Garden City	218	-	-	2	61	18	11	7	9	3	4	9	1	113	92	2	1	78	11
Glen Cove	228	1	-	7	45	13	10	4	5	5	2	6	5	125	106	3	1	86	16
Hempstead	377	1	-	6	69	17	17	6	9	2	2	16	1	200	157	3	9	125	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	8	153	37	32	58	72	8	30	20	-	8	28	12	144	20	38	22	3	2
Binghamton	3	76	20	15	20	22	2	16	6	-	1	9	7	64	4	19	8	1	-
Endicott	1	12	2	2	7	6	1	3	1	-	-	1	1	12	1	1	2	-	-
Johnson City	-	19	4	8	11	5	1	6	4	-	2	3	1	11	3	3	3	-	-
Vestal town#	1	18	3	2	7	10	1	-	2	-	1	7	1	11	-	4	3	-	-
Balance of county	3	38	8	5	13	29	3	5	7	-	4	8	2	46	12	11	6	2	2
Cattaraugus	6	81	22	13	29	36	8	8	14	-	7	6	4	76	17	25	13	-	1
Olean	1	18	-	5	5	17	-	-	5	-	3	1	-	25	1	4	5	-	1
Balance of county	5	63	22	8	24	19	8	8	9	-	4	5	4	51	16	21	8	-	-
Cayuga	7	70	17	13	30	26	4	6	8	-	1	6	3	43	12	18	7	-	2
Auburn	5	39	9	9	16	9	3	4	2	-	1	2	2	20	2	10	4	-	-
Balance of county	2	31	8	4	14	17	1	2	6	-	-	4	1	23	10	8	3	-	2
Chautauqua	9	134	16	19	43	63	6	23	16	-	8	13	6	121	19	33	7	3	-
Dunkirk	1	18	-	1	2	6	-	3	3	-	1	1	1	15	4	2	1	1	-
Fredonia	-	2	1	1	2	2	1	-	1	-	1	1	-	7	-	2	-	-	-
Jamestown	7	49	8	10	13	17	4	7	8	-	3	8	1	45	6	9	-	1	-
Balance of county	1	65	7	7	26	38	1	13	4	-	3	3	4	54	9	20	6	1	-
Chemung	3	56	18	10	14	45	5	7	6	-	8	4	6	83	17	14	13	1	1
Elmira	1	27	7	2	4	24	1	4	1	-	4	1	4	29	5	6	2	-	1
Balance of county	2	29	11	8	10	21	4	3	5	-	4	3	2	54	12	8	11	1	-
Chenango	-	33	-	6	13	18	4	9	1	-	2	4	1	29	19	8	4	-	-
Clinton	4	39	13	6	18	19	3	10	5	-	3	5	5	36	17	16	9	1	-
Plattsburgh	2	17	3	3	7	7	1	5	1	-	2	2	-	20	3	9	1	1	-
Balance of county	2	22	10	3	11	12	2	5	4	-	1	3	5	16	14	7	8	-	-
Columbia	8	45	4	8	15	25	-	9	9	-	2	2	2	52	10	10	8	-	1
Cortland	-	49	9	3	11	16	1	3	2	-	3	3	-	35	11	4	7	-	-
Cortland	-	29	8	2	7	7	-	1	1	-	2	-	-	14	4	1	1	-	-
Balance of county	-	20	1	1	4	9	1	2	1	-	1	3	-	21	7	3	6	-	-
Delaware	2	34	2	10	17	21	2	6	7	-	3	3	1	39	15	11	7	1	1
Dutchess	8	149	20	20	57	82	11	27	13	-	14	10	6	134	47	44	21	7	1
Beacon	-	13	3	-	1	2	1	4	3	-	1	-	-	6	2	3	2	1	-
Poughkeepsie	1	27	5	7	12	14	1	5	5	-	1	5	-	30	6	8	3	3	1
Balance of county	7	103	12	13	44	66	9	18	5	-	12	5	6	98	39	33	16	3	-
Erie	34	657	146	118	303	328	40	152	67	2	49	79	45	740	113	185	91	64	24
Buffalo	17	352	77	50	146	158	17	86	26	-	20	37	28	385	40	86	28	49	12
Depew	-	19	3	1	3	5	-	3	3	-	-	3	1	6	-	3	1	1	-
Hamburg	1	3	1	4	5	5	-	1	-	-	-	3	1	3	2	4	1	-	1
Kenmore	1	16	3	4	7	7	-	4	1	-	-	-	-	14	-	1	6	-	1
Lackawanna	-	17	2	2	11	7	1	1	1	-	2	2	-	15	6	6	6	2	-
Lancaster	-	13	1	-	7	3	-	-	-	-	-	-	-	2	-	2	1	-	-
Tonawanda	2	15	2	1	2	7	2	1	2	-	1	1	-	20	-	2	2	-	-
West Seneca town#	1	39	1	4	11	12	2	6	2	-	4	1	-	26	7	9	5	-	1
Balance of county	12	369	56	52	111	124	18	50	32	2	22	32	15	269	58	72	41	12	9
Essex	2	27	6	8	12	20	1	4	2	-	2	3	1	31	13	7	4	2	-
Franklin	1	34	4	11	24	17	4	3	1	-	4	3	1	32	17	15	4	2	-
Fulton	3	50	6	7	9	18	1	9	5	-	4	2	-	39	13	13	9	-	-
Gloversville	2	22	1	3	4	7	-	3	1	-	1	1	-	20	4	3	3	-	-
Balance of county	1	28	5	4	5	11	1	6	4	-	3	1	-	19	9	10	6	-	-
Genesee	3	47	7	6	14	22	4	8	4	-	4	4	3	36	12	14	9	2	1
Batavia	-	23	3	1	2	3	1	1	1	-	2	-	2	15	1	1	2	-	-
Balance of county	3	24	4	5	12	19	3	7	3	-	2	4	1	21	11	13	7	2	1
Greene	-	22	8	3	7	9	3	3	2	-	2	3	4	27	10	12	10	2	-
Hamilton	-	3	-	1	1	5	1	1	1	-	-	-	-	5	-	1	1	1	-
Herkimer	5	64	21	9	14	16	4	7	4	-	1	6	2	46	11	17	9	1	-
Jefferson	9	92	15	15	34	49	6	13	5	1	5	3	3	62	24	26	9	-	-
Watertown	3	43	8	9	15	19	3	8	2	1	1	1	1	24	7	7	4	-	-
Balance of county	6	49	7	6	19	30	3	5	3	-	4	2	2	38	17	19	5	-	-
Lewis	1	19	4	3	5	10	-	3	1	-	2	3	-	19	2	7	6	-	-
Livingston	1	27	2	4	15	19	3	5	4	-	2	2	1	30	9	13	6	1	-
Madison	3	42	7	7	17	27	3	9	6	-	2	4	3	40	15	10	9	1	-
Oneida	2	9	1	3	5	8	2	2	-	-	-	-	1	11	-	2	4	1	-
Balance of county	1	33	6	4	12	19	1	7	6	-	2	4	2	29	15	8	5	-	-
Monroe	30	434	60	63	224	190	19	68	67	-	48	54	36	586	82	127	69	37	9
Brighton town#	1	25	7	4	9	7	1	2	3	-	1	2	2	27	2	6	-	-	-
Gates town#	1	9	2	3	4	5	2	1	2	-	2	1	-	14	1	3	-	-	-
Greece town#	2	41	4	3	19	12	2	8	4	-	6	4	5	56	8	6	10	1	1
Henrietta town#	1	6	-	1	5	5	-	1	1	-	2	3	1	9	3	3	1	-	1
Irondequoit town#	4	54	11	4	26	21	2	6	8	-	3	-	4	56	3	9	3	1	-
Penfield town#	-	8	4	1	8	7	1	1	1	-	-	-	-	20	3	2	4	-	-
Rochester	16	204	16	32	123	103	8	35	39	-	25	36	16	298	36	72	28	33	6
Balance of county	5	87	16	15	30	30	3	14	9	-	9	8	8	106	26	26	23	2	1
Montgomery	9	58	8	11	24	28	1	6	9	-	5	2	3	57	12	14	8	2	2
Amsterdam	5	29	2	10	14	15	-	4	4	-	3	1	3	30	8	6	4	2	-
Balance of county	4	29	6	1	10	13	1	2	5	-	2	1	-	27	4	8	4	-	2
Nassau	27	694	105	131	331	271	32	142	111	3	65	85	53	796	164	164	118	63	13
East Rockaway	1	9	2	-	1	1	-	2	3	-	2	-	1	3	2	1	-	-	-
Floral Park	-	9	1	2	3	1	1	1	1	-	-	-	-	11	2	3	3	-	-
Freeport	3	21	3	3	10	8	1	4	6	-	3	7	3	26	7	5	3	3	-
Garden City	-	13	2	6	6	9	-	2	2	-	-	-	-	16	3	1	1	-	1
Glen Cove	-	13	5	1	11	6	2	3	-	-	1	-	-	14	2	3	1	3	-
Hempstead	1	34	6	2	9	3	2	8	1	-	1	10	5	37	6	5	4	8	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Long Beach	593	1	-	3	102	34	21	13	8	5	5	16	6	377	337	4	2	307	24
Lynbrook	249	-	-	3	63	18	22	5	7	2	1	8	4	141	115	5	2	97	11
Massapequa Park	162	-	-	3	41	7	12	5	4	-	2	11	2	73	64	1	-	53	10
Mineola	194	1	-	-	57	16	18	9	6	-	1	7	1	83	76	-	-	65	11
Rockville Centre	271	1	-	1	77	23	19	10	3	3	5	14	3	139	113	1	3	97	12
Valley Stream	420	-	-	6	110	41	18	17	10	6	7	11	6	231	202	6	8	164	24
Westbury	169	-	-	2	39	12	4	5	6	2	2	8	1	92	77	-	2	66	9
Balance of county	8,493	7	-	108	2,199	624	525	254	229	93	82	392	161	4,310	3,641	47	80	3,050	464
New York city	73,562	135	4	685	15,039	4,559	3,474	1,449	1,649	579	496	2,833	1,277	38,931	34,295	226	611	30,400	3,056
Bronx bor., Bronx co	12,543	18	1	131	2,275	728	516	196	235	82	75	443	214	6,727	5,989	37	95	5,306	551
Brooklyn bor., Kings co	22,237	54	1	196	4,555	1,381	1,041	452	480	195	168	838	430	11,793	10,430	67	178	9,280	905
Manhattan bor., New York co	16,015	47	2	199	3,328	949	766	342	390	121	93	667	261	7,576	6,558	53	150	5,561	794
Queens bor., Queens co	19,717	16	-	143	4,198	1,304	955	408	476	158	141	756	320	11,227	9,928	58	175	9,001	694
Staten Island bor., Richmond co	3,050	-	-	16	683	197	196	51	68	23	19	129	52	1,608	1,390	11	13	1,252	114
Niagara	2,303	2	-	15	509	146	168	34	54	14	19	74	39	1,238	927	7	16	803	101
Lockport	342	1	-	4	59	13	21	7	9	1	3	5	4	196	145	1	4	129	11
Niagara Falls	867	1	-	5	207	63	80	17	15	4	7	31	23	462	354	6	3	313	32
North Tonawanda	334	-	-	1	77	26	20	2	11	2	2	14	-	182	126	-	2	109	15
Balance of county	740	-	-	5	166	54	47	8	19	7	7	24	12	398	302	-	7	252	43
Oneida	2,600	-	-	17	576	162	139	57	64	33	24	97	56	1,379	1,099	9	23	867	200
Rome	375	-	-	3	74	22	20	6	9	2	1	14	14	200	159	5	1	121	32
Utica	1,106	-	-	9	226	61	56	24	26	10	7	42	20	594	495	-	6	384	105
Balance of county	1,119	-	-	5	276	79	63	27	29	21	16	41	22	585	445	4	16	362	63
Onondaga	4,083	4	-	48	979	253	257	93	110	49	32	185	67	1,844	1,481	23	44	1,098	316
Syracuse	2,003	1	-	26	424	121	103	34	56	16	16	78	37	963	724	15	25	516	168
Balance of county	2,080	3	-	22	555	132	154	59	54	33	16	107	30	981	757	8	19	582	148
Ontario	751	-	-	2	171	61	26	18	20	8	6	32	12	344	264	4	6	203	51
Canandaigua	153	-	-	1	32	11	5	2	1	2	1	10	2	76	57	-	3	42	12
Geneva, part	162	-	-	1	33	13	8	3	6	-	-	3	4	71	51	-	2	41	8
Geneva, total	162	-	-	1	33	13	8	3	6	-	-	3	4	71	51	-	2	41	8
Balance of county	436	-	-	-	106	37	13	13	13	6	5	19	6	197	156	4	1	120	31
Orange	2,359	6	-	22	567	141	170	47	63	27	15	104	43	1,153	965	11	20	801	133
Middletown	249	-	-	4	56	13	16	5	4	4	3	11	6	117	98	1	6	80	11
Newburgh	343	2	-	4	81	23	18	7	11	3	3	16	8	162	133	2	4	102	25
Balance of county	1,767	4	-	14	430	105	136	35	48	20	9	77	29	874	734	8	10	619	97
Orleans	390	-	-	6	78	23	24	5	5	5	6	10	8	205	130	-	4	103	23
Oswego	895	2	-	5	184	50	52	12	21	10	8	31	20	461	329	3	10	255	61
Fulton	135	1	-	-	32	4	12	1	4	2	3	6	2	61	41	1	3	26	11
Oswego	221	1	-	1	36	10	13	2	4	3	-	4	10	135	89	-	1	68	20
Balance of county	539	-	-	4	116	36	27	9	13	5	5	21	8	265	199	2	6	161	30
Otsego	609	-	-	5	121	31	30	9	16	4	8	23	8	323	260	4	12	182	62
Oneonta	141	-	-	-	35	9	11	1	6	2	1	5	1	87	65	-	8	40	17
Balance of county	468	-	-	5	86	22	19	8	10	2	7	18	7	236	195	4	4	142	45
Putnam	554	-	-	4	130	32	32	15	15	7	5	24	5	293	240	5	5	205	25
Carmel town#	191	-	-	2	39	8	12	2	6	-	4	7	4	95	75	1	2	67	5
Balance of county	363	-	-	2	91	24	20	13	9	7	1	17	1	198	165	4	3	138	20
Rensselaer	1,479	1	-	10	328	86	84	47	39	14	10	48	40	768	643	10	10	529	94
Troy	714	1	-	6	148	40	43	22	13	5	5	20	19	390	329	7	5	274	43
Balance of county	765	-	-	4	180	46	41	25	26	9	5	28	21	378	314	3	5	255	51
Rockland	1,961	1	-	20	487	150	130	40	39	15	25	88	37	954	776	6	11	670	89
Spring Valley	156	-	-	-	40	9	10	3	3	1	3	11	4	81	65	1	-	55	9
Suffern	97	-	-	2	29	11	6	3	-	-	4	6	1	49	36	-	1	33	2
Balance of county	1,708	1	-	18	418	130	115	34	36	14	18	71	32	824	675	5	10	582	78
St. Lawrence	1,005	-	-	2	201	52	62	20	17	15	8	27	24	502	400	2	13	319	66
Massena	153	-	-	1	25	8	10	2	1	2	-	2	6	78	48	-	-	44	4
Ogdensburg	155	-	-	-	26	7	4	2	5	2	1	5	4	87	72	-	1	60	11
Potsdam	61	-	-	-	13	3	6	3	-	1	-	-	-	32	28	2	1	20	5
Balance of county	636	-	-	1	137	34	42	13	11	10	7	20	14	305	252	-	11	195	46
Saratoga	1,143	-	-	12	266	76	63	17	36	10	15	49	15	572	456	3	12	372	69
Saratoga Springs	275	-	-	2	70	19	12	7	12	2	4	14	5	131	100	-	6	79	15
Balance of county	868	-	-	10	196	57	51	10	24	8	11	35	10	441	356	3	6	293	54
Schenectady	1,622	1	-	22	373	120	89	33	36	19	13	63	31	629	671	6	12	542	111
Niskayuna town#	118	-	-	-	31	10	8	3	4	1	-	5	2	57	47	-	1	41	5
Rotterdam town#	231	1	-	3	70	20	20	8	4	2	2	14	3	113	99	-	1	82	16
Schenectady	958	-	-	15	207	64	47	13	24	11	9	39	21	500	405	4	6	317	76
Balance of county	315	-	-	4	65	26	14	9	4	5	2	5	5	159	120	2	2	102	14
Schoharie	294	-	-	3	55	12	16	7	7	4	2	7	4	155	127	1	-	96	30
Schuyler	152	-	-	1	37	10	12	5	5	2	-	3	4	78	55	1	1	35	18
Seneca	294	-	-	4	69	19	20	5	3	2	5	15	4	136	104	2	1	80	21
Geneva, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	294	-	-	4	69	19	20	5	3	2	5	15	4	136	104	2	1	80	21
Steuben	980	-	-	8	202	44	63	16	19	18	7	35	24	498	385	7	15	291	72
Corning	165	-	-	-	39	5	10	5	8	4	1	6	4	82	57	1	-	44	12
Hornell	131	-	-	3	28	8	10	3	-	1	1	5	2	61	53	2	8	30	13
Balance of county	684	-	-	5	135	31	43	8	11	13	5	24	18	355	275	4	7	217	47
Suffolk	10,032	7	-	87	2,508	684	674	244	269	125	87	425	202	5,052	4,139	47	129	3,379	584
Babylon	134	-	-	3	39	14	13	-	3	3	2	4	2	64	48	-	2	40	6
Lindenhurst	243	-	-	1	58	15	23	2	2	4	3	9	6	140	123	2	4	109	8
Patchogue	117	-	-	-	31	9	6	2	5	3	2	4	2	58	53	1	-	48	4
Balance of county	9,538	7	-	83	2,380	646	632	240	259	115	80	408	192	4,790	3,915	44	123	3,182	566

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	1	29	2	8	25	8	2	7	6	-	1	3	-	28	5	8	8	1	2
Lynbrook	-	19	2	5	8	5	-	2	3	-	2	3	1	10	1	2	1	-	-
Massapequa Park	1	7	-	1	1	6	1	2	2	-	1	-	3	16	5	2	3	1	-
Mineola	-	6	-	1	10	3	1	4	-	-	3	1	4	17	5	3	1	-	-
Rockville Centre	1	17	5	3	7	5	-	-	1	-	2	5	2	18	2	5	1	2	-
Valley Stream	-	22	5	2	8	7	2	3	4	1	3	3	-	22	3	6	3	2	-
Westbury	-	9	4	2	4	2	-	3	2	-	-	4	2	7	6	3	2	-	-
Balance of county	19	487	68	95	228	208	20	101	80	2	46	49	32	571	115	117	87	43	9
New York city	257	3,363	520	496	2,543	1,406	232	1,668	476	32	389	794	948	4,860	613	1,292	362	1,625	451
Bronx bor., Bronx co	31	561	64	82	433	230	37	292	84	6	69	159	183	837	98	244	35	380	90
Brooklyn bor., Kings co	104	948	175	136	702	407	76	482	157	8	137	318	275	1,342	202	323	139	546	94
Manhattan bor., New York co	53	731	128	106	669	312	61	534	106	8	65	118	272	1,325	110	382	68	414	158
Queens bor., Queens co	60	962	135	142	604	361	49	310	104	10	97	170	188	899	177	282	114	257	83
Staten Island bor., Richmond co	9	161	18	30	135	96	9	50	25	-	21	29	32	157	26	51	6	28	26
Niagara	9	248	22	32	34	85	11	41	19	1	14	11	15	146	52	31	23	12	5
Lockport	1	41	5	4	9	15	-	3	4	-	2	-	1	32	4	3	4	1	-
Niagara Falls	4	87	6	11	11	36	1	24	5	1	5	6	10	51	15	11	7	4	2
North Tonawanda	-	45	2	9	3	9	4	7	3	-	1	2	2	18	11	8	3	1	2
Balance of county	4	75	9	8	11	25	6	7	7	-	6	3	2	45	22	9	9	6	1
Oneida	8	200	39	33	70	78	19	23	28	-	19	21	16	178	45	44	22	7	2
Rome	1	29	4	7	9	8	2	2	5	-	5	5	6	27	6	6	3	-	-
Utica	2	70	14	13	37	34	12	9	11	-	8	8	6	81	13	25	7	5	1
Balance of county	5	101	21	13	24	36	5	12	12	-	6	8	4	70	26	13	12	2	1
Onondaga	15	335	57	56	132	143	20	47	39	1	31	40	26	344	65	85	51	12	5
Syracuse	8	179	29	23	85	67	10	23	25	1	17	27	15	187	21	35	25	10	4
Balance of county	7	156	28	33	47	76	10	24	14	-	14	13	11	157	44	50	26	2	1
Onlario	7	52	17	4	28	35	7	7	6	-	2	7	6	56	19	32	12	4	1
Canandaigua	2	15	2	-	10	5	2	2	2	-	-	-	1	9	1	7	3	-	-
Geneva, part	1	14	4	1	4	10	1	4	1	-	-	2	1	15	2	8	2	3	-
Geneva, total	1	14	4	1	4	10	1	4	1	-	-	2	1	15	2	8	2	3	-
Balance of county	4	23	11	3	14	20	4	1	3	-	2	5	4	32	16	17	7	1	1
Orange	8	135	24	21	58	71	12	44	21	-	11	23	8	169	57	50	31	11	4
Middletown	1	14	3	1	5	5	-	6	3	-	2	5	-	23	5	8	3	-	1
Newburgh	3	17	6	3	11	11	2	5	3	-	3	3	3	20	8	4	7	4	2
Balance of county	4	104	15	17	40	55	10	33	15	-	6	15	5	126	44	38	21	7	1
Orleans	2	57	11	5	9	16	1	5	5	-	2	-	3	34	5	8	4	-	1
Oswego	6	69	45	12	20	36	2	9	8	-	4	5	8	80	16	27	6	1	1
Fulton	-	14	4	2	2	6	1	3	-	-	1	-	-	20	-	5	1	-	-
Oswego	3	18	20	5	5	7	1	2	3	-	1	1	-	14	1	3	-	-	-
Balance of county	3	37	21	5	13	23	-	4	5	-	2	4	8	46	15	19	5	1	1
Otsego	1	40	16	6	33	18	6	7	6	-	4	2	1	45	12	14	4	-	-
Oneonta	-	8	11	3	2	1	-	1	1	-	-	-	1	8	1	2	1	-	-
Balance of county	1	32	5	3	31	17	6	6	5	-	4	2	-	37	11	12	3	-	-
Putnam	3	47	1	2	22	15	2	12	-	-	3	6	3	31	14	11	1	1	1
Carmel town#	1	18	-	1	8	6	2	2	-	-	2	4	2	11	6	6	1	1	-
Balance of county	2	29	1	1	14	9	-	10	-	-	1	2	1	20	8	5	-	-	1
Rensselaer	5	82	24	14	25	69	8	25	14	-	6	10	5	96	27	24	19	2	1
Troy	2	38	11	10	14	28	5	12	6	-	3	8	3	52	5	8	4	2	-
Balance of county	3	44	13	4	11	41	3	13	8	-	3	2	3	44	22	16	15	-	1
Rockland	10	145	7	16	92	49	11	27	12	-	12	14	11	142	27	34	19	7	5
Spring Valley	-	14	2	-	5	4	2	-	-	-	2	2	-	10	2	1	2	-	1
Suffern	1	12	-	-	2	2	-	2	-	-	2	-	1	5	1	1	-	-	-
Balance of county	9	119	5	16	85	43	9	25	12	-	8	12	10	127	24	32	17	7	4
St. Lawrence	4	78	9	11	28	52	7	15	10	-	8	10	5	70	28	30	8	3	2
Massena	1	24	1	4	3	7	1	6	2	-	-	3	1	7	6	3	3	-	1
Ogdensburg	-	13	-	2	6	9	1	2	2	-	-	-	1	10	2	5	-	-	-
Potsdam	-	3	-	1	-	2	1	-	-	-	1	2	1	4	1	-	1	2	1
Balance of county	3	38	8	4	19	34	4	7	6	-	7	5	2	49	19	22	4	1	-
Saratoga	8	60	17	11	42	44	2	20	9	-	5	8	4	84	24	23	12	1	-
Saratoga Springs	1	16	7	7	10	9	-	4	1	-	1	1	1	30	6	2	2	-	-
Balance of county	7	64	10	4	32	35	2	16	8	-	4	7	3	54	18	21	10	1	-
Schenectady	6	106	31	15	58	47	6	16	7	-	8	16	13	117	21	32	19	4	2
Niskayuna town#	2	5	2	1	6	4	-	-	-	-	-	-	2	13	-	1	1	1	-
Rotterdam town#	-	11	1	2	8	3	1	2	2	-	-	1	1	9	6	5	3	-	-
Schenectady	2	65	18	10	31	27	4	10	3	-	5	14	9	72	9	20	7	2	2
Balance of county	2	25	10	2	13	13	1	4	2	-	3	1	1	23	6	6	8	1	-
Schoharie	1	19	3	5	9	7	3	1	2	-	3	3	1	27	8	9	4	-	-
Schuyler	1	15	4	3	7	5	1	1	2	-	-	-	-	10	2	3	1	-	-
Seneca	1	22	2	7	14	4	-	4	2	-	2	1	1	36	10	5	2	-	-
Geneva, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	22	2	7	14	4	-	4	2	-	2	1	1	36	10	5	2	-	-
Steuben	2	82	11	18	37	58	8	9	8	-	5	5	2	73	15	19	9	-	-
Corning	-	21	1	3	7	8	2	-	1	-	-	4	1	14	1	1	1	-	-
Hornell	-	8	-	-	5	9	1	1	2	-	1	-	-	14	2	2	-	-	-
Balance of county	2	53	10	15	25	41	5	8	5	-	4	1	1	45	12	16	8	-	-
Suffolk	41	705	68	99	204	296	46	180	79	-	61	80	84	580	222	178	109	49	8
Babylon	-	12	2	2	2	3	-	4	1	-	3	1	2	4	4	1	1	-	-
Lindenhurst	1	12	-	4	4	12	-	1	-	-	1	-	1	11	2	2	4	-	-
Patchogue	-	4	-	1	3	4	1	3	-	-	-	1	1	8	-	2	3	-	-
Balance of county	40	677	66	92	195	277	45	172	78	-	57	78	80	557	216	173	101	49	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Sullivan	745	1	-	13	173	53	52	10	18	7	7	26	12	382	309	7	2	253	47
Tioga	335	-	-	4	85	24	27	8	7	4	1	14	3	156	125	2	3	102	18
Tompkins	545	1	-	5	118	28	41	10	10	3	7	19	13	274	186	-	3	140	43
Ithaca	166	-	-	1	36	8	14	3	6	1	3	1	3	79	52	-	-	35	17
Balance of county	379	1	-	4	82	20	27	7	4	2	4	18	10	195	134	-	3	105	26
Ulster	1,592	2	-	21	341	86	77	41	46	18	10	63	23	808	651	4	24	535	88
Kingston	379	1	-	3	82	25	13	13	12	3	3	13	8	203	166	1	8	135	22
Balance of county	1,153	1	-	18	259	61	64	28	34	15	7	50	15	605	485	3	16	400	66
Warren	552	-	-	2	137	39	37	11	15	10	6	19	11	202	200	-	3	164	33
Glens Falls	189	-	-	-	45	17	12	3	5	3	-	5	7	97	73	-	2	60	11
Balance of county	363	-	-	2	92	22	25	8	10	7	6	14	4	165	127	-	1	104	22
Washington	586	1	-	5	132	31	35	12	17	3	8	26	11	335	270	1	12	215	42
Wayne	746	-	1	12	166	32	55	12	17	10	6	34	10	346	284	4	14	216	50
Newark	120	-	-	3	23	8	8	1	1	1	1	3	3	55	48	2	3	33	10
Balance of county	626	-	1	9	143	24	47	11	16	9	5	31	7	291	236	2	11	183	40
Westchester	8,193	8	-	66	1,939	585	481	210	212	80	65	306	146	4,285	3,455	45	151	2,833	426
Dobbs Ferry	98	-	-	3	23	9	5	4	1	-	-	4	4	51	40	-	1	35	4
Harrison	133	-	-	-	40	12	10	6	8	-	-	4	-	68	59	-	4	50	5
Mamaroneck	183	-	-	2	41	10	11	5	9	3	1	2	3	106	80	2	3	62	13
Mount Vernon	723	1	-	3	175	47	46	15	22	8	3	34	19	361	306	3	14	247	42
New Rochelle	750	1	-	5	152	49	33	15	18	3	5	29	7	419	328	2	16	278	32
Ossining	179	-	-	3	44	10	14	5	3	1	4	7	5	84	65	1	3	46	15
Peekskill	224	-	-	4	61	21	14	6	5	-	4	11	6	103	81	-	5	71	5
Port Chester	259	-	-	-	59	21	13	7	5	3	3	7	5	133	103	3	2	80	18
Rye	140	1	-	-	28	7	13	3	4	-	-	1	-	78	57	2	1	43	11
Scarsdale	172	-	-	1	38	9	10	5	3	3	2	6	1	101	86	-	3	73	10
Tarrytown	99	-	-	-	30	8	6	7	3	-	-	6	3	53	35	-	2	30	3
White Plains	541	-	-	8	136	41	38	10	15	7	3	22	7	274	211	6	8	169	28
Yonkers	2,093	3	-	18	473	159	109	47	40	26	19	73	38	1,122	945	12	40	799	94
Yorktown town#	208	-	-	3	43	12	10	1	4	4	4	8	3	112	78	2	5	65	6
Balance of county	2,391	2	-	16	596	170	149	74	72	22	17	92	45	1,220	981	12	44	785	140
Wyoming	364	1	-	3	66	26	23	6	11	5	-	15	8	180	137	2	2	101	32
Yates	230	-	-	2	54	16	13	6	7	3	3	6	5	104	83	-	2	65	16
North Carolina	50,208	62	2	540	10,368	2,369	2,912	890	1,205	379	370	2,243	851	24,648	18,817	159	825	13,069	4,764
Urban places	17,340	21	2	209	3,655	864	1,044	308	419	135	109	776	299	8,415	6,275	64	296	4,260	1,655
Balance of area	32,868	41	-	331	6,713	1,505	1,868	582	786	244	261	1,467	552	16,233	12,542	95	529	8,809	3,109
Metropolitan counties	24,085	27	1	261	5,134	1,165	1,462	452	579	199	177	1,100	386	11,559	8,776	75	356	6,113	2,232
Urban places	12,952	15	1	163	2,799	649	812	235	327	105	94	577	213	6,183	4,605	42	214	3,115	1,234
Balance of area	11,133	12	-	98	2,335	516	650	217	252	94	83	523	173	5,376	4,171	33	142	2,998	998
Nonmetropolitan counties	26,123	35	1	279	5,234	1,204	1,450	438	626	180	193	1,143	465	13,089	10,041	84	469	6,956	2,532
Urban places	4,388	6	1	46	856	215	232	73	92	30	15	199	86	2,232	1,670	22	82	1,145	421
Balance of area	21,735	29	-	233	4,378	989	1,218	365	534	150	178	944	379	10,857	8,371	62	387	5,811	2,111
Alamance	883	-	-	8	185	36	51	18	16	8	5	51	10	461	343	2	18	271	52
Burlington	372	-	-	2	80	10	26	8	9	1	3	23	3	195	148	1	7	121	19
Balance of county	511	-	-	6	105	26	25	10	7	7	2	28	7	266	195	1	11	150	33
Alexander	203	-	-	1	32	6	10	6	3	2	-	5	1	110	84	1	2	60	21
Alleghany	85	-	-	1	10	2	5	1	-	1	-	1	1	31	24	1	1	17	5
Anson	281	-	-	2	43	6	15	4	7	2	1	8	2	153	102	1	2	77	22
Ashe	230	-	-	3	39	9	11	5	3	1	1	9	4	126	106	2	14	72	18
Avery	126	-	-	-	25	6	7	4	3	1	1	3	-	62	51	2	-	40	9
Beaufort	430	-	-	4	107	19	33	13	16	2	6	18	8	202	157	-	4	100	53
Bertie	224	-	-	1	50	16	8	5	7	1	5	8	1	108	90	-	7	55	28
Bladen	286	1	-	5	48	8	17	4	6	2	1	10	5	149	110	-	2	84	24
Brunswick	323	-	-	1	73	8	20	9	10	8	-	18	4	152	114	-	3	80	31
Buncombe	1,610	1	-	18	341	88	69	34	52	14	11	73	15	763	582	6	13	392	171
Asheville	806	-	-	8	172	45	35	16	29	7	7	33	11	383	274	2	6	185	81
Balance of county	804	1	-	10	169	43	34	18	23	7	4	40	4	380	308	4	7	207	90
Burke	554	-	-	2	113	29	38	6	10	4	4	22	11	277	232	2	7	178	45
Hickory, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morganton	157	-	-	1	30	7	11	3	4	1	-	4	2	77	65	2	3	45	15
Balance of county	396	-	-	1	83	22	27	3	6	3	4	18	9	200	167	-	4	133	30
Cabarrus	817	2	-	4	168	30	49	17	14	11	7	40	10	405	308	-	5	218	85
Concord	253	1	-	2	52	9	17	4	6	3	1	12	1	117	91	-	3	59	29
Balance of county	564	1	-	2	116	21	32	13	8	8	6	28	9	288	217	-	2	159	56
Caldwell	499	1	-	7	103	20	36	7	6	6	5	23	22	233	191	5	3	135	48
Lenoir	187	-	-	3	47	5	19	-	5	3	1	14	9	84	73	1	1	51	20
Balance of county	312	1	-	4	56	15	17	7	1	3	4	9	13	149	118	4	2	84	28
Camden	52	-	-	-	14	2	3	1	4	-	-	4	-	28	18	-	1	13	4
Elizabeth City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	52	-	-	-	14	2	3	1	4	-	-	4	-	28	18	-	1	13	4
Carteret	443	-	-	6	115	25	36	9	12	8	4	21	7	219	179	1	7	101	70
Caswell	203	-	-	2	38	3	13	3	8	1	4	6	8	98	70	1	6	47	16
Catawba	874	1	-	11	160	35	38	13	22	9	7	36	20	452	368	-	13	269	86
Hickory, part	301	-	-	5	58	13	13	3	9	4	2	14	6	148	111	-	1	80	30
Hickory, total	302	-	-	5	58	13	13	3	9	4	2	14	6	148	111	-	1	80	30
Balance of county	573	1	-	6	102	22	25	10	13	5	5	22	14	304	257	-	12	189	56
Chatham	319	-	-	4	65	14	13	6	4	1	5	22	5	155	117	-	4	82	31
Cherokee	181	-	-	2	46	10	11	4	6	1	3	11	1	92	76	2	2	52	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Sullivan	2	55	6	10	20	20	3	14	9	-	5	1	7	45	19	13	7	1	-
Tioga	1	25	2	3	7	11	2	5	3	-	1	4	1	33	7	10	1	2	-
Tompkins	1	42	38	7	20	20	-	8	1	-	3	4	-	43	12	11	11	1	-
Ithaca	-	15	12	-	9	7	-	3	-	-	-	1	-	20	4	-	3	-	-
Balance of county	1	27	28	7	11	13	-	5	1	-	3	3	-	23	8	11	8	1	-
Ulster	7	127	11	12	42	56	1	17	26	-	11	10	5	92	30	29	11	7	-
Kingston	2	31	2	2	17	16	1	4	6	-	2	1	1	19	4	7	2	2	-
Balance of county	5	96	9	10	25	40	-	13	20	-	9	9	4	73	26	22	9	5	-
Warren	4	44	11	3	25	17	3	8	4	-	3	4	5	33	11	17	10	-	-
Glens Falls	1	17	6	-	5	10	-	3	2	-	-	4	1	5	2	5	3	-	-
Balance of county	3	27	5	3	20	7	3	5	2	-	3	-	4	28	9	12	7	-	-
Washington	3	48	11	3	14	25	2	9	2	-	4	4	1	25	7	5	3	1	-
Wayne	2	44	10	6	28	28	6	7	6	-	2	10	8	65	21	24	5	-	1
Newark	-	6	1	-	7	8	2	1	-	-	-	-	-	10	2	5	1	-	-
Balance of county	2	38	9	6	21	20	4	6	6	-	2	10	8	55	19	19	4	-	1
Westchester	16	586	132	98	199	230	34	151	63	1	32	49	33	563	93	165	77	36	23
Dobbs Ferry	-	10	1	-	2	2	1	-	-	-	1	1	-	7	-	2	1	-	-
Harrison	-	7	1	1	7	3	-	3	-	-	-	-	-	9	1	2	-	-	-
Mamaroneck	1	17	3	5	4	2	1	-	2	-	-	-	3	10	5	1	3	-	-
Mount Vernon	1	37	12	5	23	13	5	17	11	-	2	5	1	50	7	17	2	10	1
New Rochelle	7	62	10	12	20	27	5	14	5	-	3	4	1	53	8	17	5	1	3
Ossining	-	16	3	-	6	10	-	5	1	-	-	-	1	12	1	4	3	-	-
Peekskill	-	17	2	3	3	8	-	8	1	-	2	1	2	16	2	4	1	1	1
Port Chester	-	22	6	2	5	11	-	9	-	-	2	-	2	18	2	9	2	1	1
Rye	1	13	5	2	8	4	-	1	-	-	-	-	-	10	5	4	1	-	-
Scarsdale	-	13	2	-	3	3	-	8	-	-	-	1	1	12	4	1	3	-	-
Tarrytown	-	12	4	2	1	5	-	2	1	-	-	-	-	3	-	-	1	-	-
White Plains	2	41	14	6	13	15	1	10	4	-	1	6	6	35	3	14	2	1	5
Yonkers	2	121	30	24	44	46	10	44	21	1	8	16	10	140	15	40	25	13	6
Yorktown townlit	-	27	3	4	3	8	1	2	4	-	1	1	1	15	5	2	3	-	1
Balance of county	2	171	36	30	57	73	10	33	13	-	12	14	5	173	35	48	25	9	5
Wyoming	-	24	12	7	13	14	1	4	1	-	-	1	3	27	8	11	3	-	-
Yates	2	15	3	1	12	13	4	1	6	-	-	1	2	13	8	3	2	-	-
North Carolina	246	4,541	571	473	1,394	1,496	145	559	542	7	310	543	374	4,252	1,285	1,471	748	562	49
Urban places	95	1,658	211	178	490	533	51	233	196	2	95	206	135	1,553	294	459	235	231	26
Balance of area	151	2,885	360	295	904	963	94	326	346	5	215	337	239	2,699	991	1,012	513	331	23
Metropolitan counties	126	2,138	284	235	672	764	68	285	248	4	162	281	202	2,078	626	643	393	265	26
Urban places	74	1,218	157	129	371	399	39	174	143	2	64	161	110	1,172	224	334	185	171	19
Balance of area	52	920	127	106	301	365	29	111	105	2	98	120	92	906	402	309	198	94	7
Nonmetropolitan counties	120	2,403	287	238	722	732	77	274	294	3	148	262	172	2,174	659	828	355	297	23
Urban places	21	438	54	49	119	134	12	59	53	-	31	45	25	381	70	125	40	60	7
Balance of area	99	1,965	233	189	603	598	65	215	241	3	117	217	147	1,793	589	703	315	237	16
Alamance	6	92	14	6	19	24	1	5	7	-	2	6	7	94	13	25	9	6	1
Burlington	1	40	3	3	9	12	1	4	3	-	1	4	2	37	4	9	3	2	1
Balance of county	5	52	11	3	10	12	-	1	4	-	1	2	5	57	9	16	6	4	-
Alexander	2	19	2	3	5	3	-	1	3	-	1	4	1	21	5	7	6	2	-
Alleghany	-	6	-	1	6	6	-	2	1	-	-	-	2	12	6	5	1	1	-
Anson	3	36	6	6	10	7	-	4	5	-	3	4	3	25	4	7	5	4	-
Ashe	-	14	4	2	8	11	-	1	1	-	2	2	3	18	3	5	3	1	-
Avery	-	7	-	4	5	6	1	1	-	-	1	1	-	17	1	2	4	-	-
Beaufort	3	34	4	4	8	14	-	7	5	-	4	1	1	34	8	14	6	7	-
Bertie	1	16	-	1	5	3	-	1	5	-	2	1	3	26	5	7	2	4	-
Bladen	2	36	-	1	9	7	1	2	10	-	1	1	1	17	10	12	3	3	1
Brunswick	1	31	5	1	9	13	-	3	2	-	1	1	3	27	13	13	6	2	-
Buncombe	9	137	21	14	75	55	6	22	10	-	8	10	4	152	37	45	39	7	2
Asheville	5	84	12	8	39	25	4	15	7	-	4	6	2	77	10	23	15	4	1
Balance of county	4	53	9	6	36	30	2	7	3	-	4	4	2	75	27	22	24	3	1
Burke	-	41	2	2	20	22	3	3	5	-	2	8	3	50	7	8	12	7	1
Hickory, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Morganton	-	12	-	-	7	8	-	-	1	-	-	3	1	19	-	4	3	1	-
Balance of county	-	29	2	2	13	13	3	3	4	-	2	5	2	31	7	4	9	6	1
Cabarrus	1	85	4	7	32	25	2	3	7	1	6	2	18	62	18	23	21	6	2
Concord	-	20	3	3	13	7	-	1	4	-	-	1	7	20	6	8	6	4	2
Balance of county	1	65	1	4	19	18	2	2	3	1	6	1	11	42	12	14	15	2	-
Caldwell	1	34	3	4	12	13	1	4	7	-	4	3	2	50	8	13	10	6	-
Lenoir	-	8	2	1	2	4	-	1	4	-	2	-	1	21	2	3	2	2	-
Balance of county	1	26	1	3	10	9	1	3	3	-	2	3	1	29	6	10	8	4	-
Camden	-	8	2	-	1	-	-	2	1	-	-	1	-	3	1	1	-	-	-
Elizabeth City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	8	2	-	1	-	-	2	1	-	-	1	-	3	1	1	-	-	-
Carteret	-	27	4	9	12	11	1	3	2	-	6	2	2	27	10	10	3	6	1
Caswell	2	24	1	1	2	2	-	1	2	-	2	4	3	24	9	5	4	1	-
Catawba	5	58	9	12	24	28	2	12	12	-	8	7	6	61	27	13	18	9	3
Hickory, part	3	21	6	7	11	6	2	5	6	-	1	1	3	22	6	6	9	4	2
Hickory, total	3	21	6	7	11	7	2	5	6	-	1	1	3	22	6	6	9	4	2
Balance of county	2	37	3	5	13	22	-	7	6	-	7	6	3	39	21	7	9	5	1
Chatham	-	35	1	2	8	7	2	7	2	-	2	3	1	31	10	12	3	2	-
Cherokee	-	14	1	1	4	4	1	3	1	-	-	1	-	16	3	4	-	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Chowan	146	-	-	3	32	6	7	4	4	3	1	7	-	73	55	-	1	42	12
Clay	71	-	-	-	14	4	6	-	-	1	2	1	1	35	29	-	-	19	10
Cleveland	753	1	-	13	141	44	30	10	14	3	7	33	17	391	321	3	16	183	119
Shelby	225	-	-	2	41	14	11	2	2	1	1	10	6	117	91	2	6	49	34
Balance of county	528	1	-	11	100	30	19	8	12	2	6	23	11	274	230	1	10	134	85
Columbus	520	2	-	3	81	18	22	6	13	4	2	16	11	293	220	2	1	155	62
Craven	500	-	-	7	114	25	31	11	8	2	6	31	9	222	181	2	18	105	56
Havelock	42	-	-	-	5	2	-	-	-	-	-	3	-	11	10	-	-	8	2
New Bern	179	-	-	3	47	10	8	8	3	1	3	14	4	88	72	1	8	45	18
Balance of county	279	-	-	4	62	13	23	3	5	1	3	14	5	123	99	1	10	52	36
Cumberland	1,350	3	-	19	261	58	96	21	21	11	5	49	14	604	445	2	28	299	116
Fayetteville	620	2	-	12	122	24	47	9	13	6	4	19	5	292	207	-	12	137	58
Balance of county	730	1	-	7	139	34	49	12	8	5	1	30	9	312	238	2	16	162	58
Currituck	119	-	-	2	22	10	5	3	1	-	-	3	2	71	63	-	7	46	10
Dare	124	1	-	1	33	8	6	2	1	1	2	13	1	65	50	-	2	32	16
Davidson	858	-	-	9	163	39	48	9	20	10	5	32	15	425	335	2	8	239	86
High Point, part	3	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-
Lexington	177	-	-	5	26	5	12	2	2	1	-	4	3	82	59	-	5	36	18
Thomasville	158	-	-	1	29	7	7	2	5	2	-	6	3	81	62	1	-	49	12
Balance of county	520	-	-	3	108	27	29	5	13	7	5	22	8	260	213	1	3	153	56
Davie	197	-	-	1	46	10	12	3	6	2	2	11	6	95	72	2	2	57	11
Duplin	424	-	-	3	88	20	23	8	14	3	2	18	12	219	166	1	7	118	40
Durham	1,243	1	1	14	263	58	83	20	32	6	10	54	20	572	419	7	12	263	137
Chapel Hill, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	991	1	1	14	205	47	62	15	23	6	8	44	17	463	330	4	10	203	113
Balance of county	252	-	-	-	58	11	21	5	9	-	2	10	3	109	89	3	2	60	24
Edgecombe	525	2	-	6	92	22	21	8	16	5	5	15	10	265	188	1	8	136	43
Rocky Mount, part	149	-	-	3	24	6	5	3	4	-	1	3	2	74	52	-	1	35	16
Balance of county	376	2	-	3	68	14	16	5	12	5	4	12	8	191	136	1	7	101	27
Forsyth	2,082	5	-	41	458	116	117	44	54	17	11	99	30	1,032	791	6	31	560	194
Winston-Salem	1,438	3	-	29	326	80	88	34	35	10	9	70	24	707	533	3	28	357	145
Balance of county	644	2	-	12	132	36	29	10	19	7	2	29	6	325	258	3	3	203	49
Franklin	299	1	-	4	58	11	21	4	7	1	5	9	9	147	124	-	9	86	29
Gaston	1,365	-	-	6	248	53	78	12	26	11	9	59	22	744	602	4	20	440	138
Gastonia	618	-	-	3	122	29	37	6	13	5	4	28	10	328	270	3	8	201	58
Balance of county	747	-	-	3	126	24	41	6	13	6	5	31	12	416	332	1	12	239	80
Gates	99	-	-	-	20	5	5	-	-	2	1	7	-	56	44	-	5	19	20
Graham	52	-	-	-	16	1	6	2	4	-	1	2	2	25	21	-	-	11	10
Granville	337	-	-	3	70	12	16	9	11	5	1	16	7	174	125	1	10	72	42
Greene	138	-	-	4	26	8	7	1	5	-	2	3	2	73	55	1	2	37	15
Guilford	2,702	7	-	34	635	147	196	62	67	18	21	124	43	1,293	959	10	43	678	228
Greensboro	1,327	5	-	15	334	74	104	31	40	10	13	62	20	619	452	6	24	299	123
High Point, part	692	1	-	12	119	31	38	8	12	3	1	26	13	371	279	3	11	212	53
High Point, total	695	1	-	12	119	31	38	8	12	3	1	26	14	373	280	3	11	213	53
Balance of county	683	1	-	7	162	42	54	23	15	5	7	36	10	303	228	1	8	167	52
Halifax	615	2	-	4	97	29	27	11	9	5	3	13	12	318	236	4	18	170	44
Roanoke Rapids	162	-	-	2	23	9	5	2	2	3	-	2	4	92	65	2	5	50	8
Balance of county	453	2	-	2	74	20	22	9	7	2	3	11	8	226	171	2	13	120	36
Harnett	550	-	-	7	105	21	31	8	15	4	4	22	14	266	206	1	19	145	41
Haywood	459	-	-	3	91	22	23	9	8	-	3	26	-	255	188	3	5	136	42
Henderson	641	1	-	6	145	37	33	19	18	5	3	30	2	330	238	2	3	173	60
Hertford	254	1	-	7	55	16	15	2	10	5	2	5	5	107	83	1	4	48	30
Hoke	171	-	-	2	29	8	6	2	5	1	-	7	7	86	59	-	4	39	16
Hyde	75	-	-	1	13	1	4	4	1	-	-	3	2	36	28	-	1	16	11
Iredell	769	-	-	3	128	34	34	13	12	3	5	27	18	426	297	-	10	236	51
Statesville	226	-	-	3	38	15	4	5	5	2	-	7	4	126	89	-	8	70	13
Balance of county	543	-	-	-	90	19	30	8	7	1	5	20	14	300	208	-	4	166	38
Jackson	214	-	-	-	46	10	12	3	8	4	-	9	2	97	81	-	2	56	23
Johnston	661	2	-	4	154	42	46	7	17	2	1	39	8	301	248	2	15	168	63
Jones	85	-	-	4	19	3	2	3	5	2	-	4	1	38	25	-	-	18	7
Lee	358	-	-	3	75	16	29	6	7	3	2	12	9	170	118	-	7	83	28
Sanford	171	-	-	1	36	11	13	1	3	-	-	8	5	84	56	-	4	38	14
Balance of county	187	-	-	2	39	5	16	5	4	3	2	4	4	86	62	-	3	45	14
Lenoir	559	1	-	8	115	25	35	12	16	-	4	23	5	290	221	2	5	161	53
Kinston	309	1	-	5	64	14	16	6	9	-	2	17	4	164	124	1	2	89	32
Balance of county	250	-	-	3	51	11	19	6	7	-	2	6	1	126	97	1	3	72	21
Lincoln	337	-	-	4	70	14	14	7	14	5	3	13	10	157	118	-	2	85	31
McDowell	291	-	-	1	46	7	14	3	9	1	-	12	5	149	120	-	3	84	23
Macon	235	-	-	4	54	14	14	3	10	2	1	10	2	115	95	2	4	66	23
Madison	142	-	-	-	26	6	4	2	4	-	-	10	4	64	48	-	2	30	16
Martin	243	1	-	1	49	6	16	9	4	1	4	9	9	112	91	-	9	57	25
Mecklenburg	2,965	1	-	30	680	156	199	59	75	24	30	197	59	1,362	1,030	8	64	561	297
Charlotte	2,419	-	-	25	558	131	162	42	63	21	24	115	52	1,084	821	7	56	514	244
Balance of county	546	1	-	5	122	25	37	17	12	3	6	22	7	278	209	1	8	147	53
Mitchell	156	1	-	4	26	2	9	1	5	3	2	4	3	73	58	1	1	39	17
Montgomery	216	-	-	2	54	9	12	6	9	-	6	12	3	97	78	-	3	58	17
Moore	570	-	-	-	132	42	30	8	20	5	2	25	4	300	204	-	18	137	49
Nash	680	2	-	7	122	32	34	6	12	5	4	29	15	349	264	5	10	189	60
Rocky Mount, part	283	-	-	2	56	13	13	5	2	4	-	19	5	140	103	3	2	75	23
Rocky Mount, total	432	-	-	5	80	21	18	8	6	4	1	22	7	214	155	3	3	110	39
Balance of county	397	2	-	5	66	19	21	1	10	1	4	10	10	209	161	2	8	114	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	4	13	1	-	3	3	-	2	2	-	2	2	-	13	5	4	2	-	-
Clay	-	6	-	-	1	3	-	1	2	-	-	-	1	7	1	4	-	1	-
Cleveland	1	54	9	6	22	11	6	10	7	-	2	7	3	57	23	21	5	16	-
Shelby	-	21	4	1	7	4	3	4	2	-	1	1	-	17	4	10	-	6	-
Balance of county	1	33	5	5	15	7	3	6	5	-	1	6	3	40	19	11	5	10	-
Columbus	3	62	5	3	15	12	1	3	6	-	-	3	7	28	18	20	12	6	1
Craven	1	32	4	4	11	12	2	11	7	-	6	8	5	41	10	22	8	5	-
Havelock	-	1	-	-	1	-	-	1	1	-	2	3	3	6	2	4	3	-	-
New Bern	-	13	1	2	2	5	1	3	4	-	-	2	-	14	-	4	-	2	-
Balance of county	1	18	3	2	8	7	1	7	2	-	4	3	2	21	8	14	5	3	-
Cumberland	8	127	13	11	17	42	1	18	9	-	23	43	20	114	61	54	23	23	1
Fayetteville	5	70	6	4	7	20	-	4	3	-	8	19	12	56	18	23	7	10	-
Balance of county	3	57	7	7	10	22	1	14	6	-	15	24	8	58	43	31	16	13	1
Currituck	-	4	3	1	2	1	-	2	1	-	1	2	-	8	3	2	-	-	-
Dare	-	13	1	1	2	-	-	-	2	-	-	1	3	5	3	4	2	1	-
Davidson	4	63	9	14	29	30	2	4	18	-	5	8	4	65	30	22	16	10	1
High Point, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	1	16	2	2	4	10	-	1	5	-	2	1	-	19	7	4	4	4	-
Thomasville	-	15	1	3	10	3	1	1	2	-	-	3	-	12	-	6	2	4	-
Balance of county	3	30	6	8	15	17	1	2	11	-	3	4	4	34	23	12	12	2	1
Davie	-	20	1	2	2	9	-	2	3	-	1	1	1	18	3	2	5	1	1
Duplin	1	46	5	1	10	15	1	2	6	-	1	2	1	30	10	16	-	8	-
Durham	7	99	37	10	45	31	3	13	18	-	8	17	13	132	21	34	18	17	2
Chapel Hill, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	6	84	35	8	40	23	3	7	16	-	6	15	9	105	12	25	13	14	2
Balance of county	1	15	2	2	5	8	-	6	2	-	2	2	4	27	9	9	5	3	-
Edgecombe	3	65	6	3	12	23	1	7	7	-	5	6	1	47	10	17	8	5	1
Rocky Mount, part	-	21	-	1	3	12	-	2	4	-	-	3	-	8	3	6	1	3	1
Balance of county	3	44	6	2	9	11	1	5	3	-	5	3	1	39	7	11	7	2	-
Forsyth	13	186	20	22	44	77	5	29	16	-	8	24	11	184	43	41	29	22	3
Winston-Salem	10	133	12	19	28	48	4	19	13	-	4	18	6	122	18	28	21	19	1
Balance of county	3	53	8	3	16	29	1	10	3	-	4	6	5	42	25	13	8	3	2
Franklin	-	21	-	2	9	7	3	3	2	-	3	1	1	21	6	16	2	6	-
Gaston	6	117	12	7	37	42	6	19	18	-	7	12	8	100	24	33	18	21	-
Gastonia	2	48	5	3	22	15	2	12	7	-	1	8	4	45	8	9	11	11	-
Balance of county	4	69	7	4	15	27	4	7	11	-	6	4	4	55	16	24	7	10	-
Gates	-	9	2	1	3	4	1	1	3	-	-	3	-	6	1	1	-	-	-
Graham	-	4	-	-	1	1	-	1	-	-	-	1	-	3	-	2	-	-	-
Granville	1	41	4	3	11	9	2	-	8	-	1	1	1	22	9	9	6	4	-
Greene	2	12	4	-	2	3	-	1	-	-	1	2	2	9	6	4	1	2	-
Guilford	14	266	29	25	71	89	15	29	15	-	6	23	25	221	65	57	47	25	2
Greensboro	5	140	12	10	24	45	7	17	10	-	4	13	11	119	23	24	24	11	2
High Point, part	6	73	9	4	30	18	5	3	3	-	-	8	7	51	13	18	11	9	-
High Point, total	6	73	9	5	30	18	5	3	3	-	-	8	7	51	13	18	11	9	-
Balance of county	3	53	6	11	17	26	3	9	2	-	2	2	7	51	29	15	12	5	-
Halifax	2	67	8	5	16	15	2	12	5	-	4	10	7	63	11	23	6	8	-
Roanoke Rapids	1	21	2	3	5	7	-	2	-	-	-	2	2	17	1	2	-	3	-
Balance of county	1	46	6	2	11	8	2	10	5	-	4	8	5	46	10	21	6	5	-
Harnett	4	47	4	5	5	21	2	6	8	-	2	4	3	59	16	13	8	11	2
Haywood	-	57	4	6	14	17	5	4	6	-	2	1	1	33	9	13	3	2	-
Henderson	2	76	7	7	24	19	2	8	4	-	4	4	2	50	13	16	9	2	-
Hertford	2	20	-	2	6	9	-	1	5	-	-	2	3	32	6	12	3	-	-
Hoke	2	19	4	2	8	6	-	3	2	-	1	-	1	11	9	2	2	2	-
Hyde	1	7	-	-	5	2	-	-	1	-	1	1	-	10	1	2	-	-	-
Iredell	2	99	14	14	26	23	2	5	8	-	2	4	2	62	16	24	11	7	-
Statesville	-	28	7	2	11	7	-	1	-	-	1	-	-	19	4	8	-	4	-
Balance of county	2	71	7	12	15	16	2	4	8	-	1	4	2	43	14	16	11	3	-
Jackson	-	11	3	2	16	7	2	3	4	-	4	4	2	11	4	7	2	3	-
Johnston	3	44	3	3	12	19	2	9	7	-	3	7	6	53	17	28	16	13	-
Jones	-	12	1	-	3	-	-	-	-	-	-	-	2	10	3	3	2	-	-
Lee	4	36	8	4	8	12	1	7	3	-	-	9	1	31	12	8	5	3	1
Sanford	3	18	3	4	4	4	-	5	-	-	-	2	1	15	7	3	2	2	-
Balance of county	1	18	5	-	4	8	1	2	3	-	-	7	-	16	5	5	3	1	1
Lenoir	4	56	8	1	15	19	-	7	3	-	5	3	3	48	14	12	3	7	1
Kinston	1	33	5	1	7	8	-	5	2	-	3	2	2	22	5	8	1	5	1
Balance of county	3	23	3	-	8	11	-	2	1	-	2	1	1	26	9	4	2	2	-
Lincoln	-	30	8	1	10	5	1	5	4	-	3	5	4	24	14	8	8	3	2
McDowell	3	22	4	-	8	12	1	1	5	-	1	4	3	27	11	13	4	-	-
Macon	2	11	3	4	9	6	2	-	3	-	1	1	1	20	5	7	4	1	-
Madison	-	13	2	1	7	4	-	1	1	-	4	2	1	12	4	7	1	4	-
Martin	2	18	1	-	11	4	-	2	1	-	-	3	3	17	17	6	2	5	-
Mecklenburg	20	256	23	33	77	102	7	45	25	-	18	36	16	267	72	78	31	54	5
Charlotte	17	206	16	24	64	81	4	41	20	-	14	30	16	230	54	64	26	51	5
Balance of county	3	50	7	9	13	21	3	4	5	-	4	6	-	37	18	14	5	3	-
Mitchell	-	12	2	1	4	12	-	-	-	-	1	-	3	13	7	8	1	-	-
Montgomery	2	14	1	2	6	5	1	1	3	-	-	1	2	24	5	7	1	4	-
Moore	4	62	19	11	15	16	-	8	5	-	3	5	2	38	15	12	11	4	-
Nash	1	72	2	10	14	19	1	7	7	-	6	11	1	56	21	25	7	10	-
Rocky Mount, part	1	31	1	4	8	7	1	6	5	-	5	4	-	26	4	10	1	3	-
Rocky Mount, total	1	52	1	5	11	19	1	8	9	-	5	7	-	34	7	16	2	6	1
Balance of county	-	41	1	6	6	12	-	1	2	-	1	7	1	30	17	15	6	7	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-179, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
New Hanover	896	1	–	7	231	59	68	15	29	5	4	51	12	399	293	2	9	201	81
Wilmington	505	1	–	4	113	34	33	6	19	3	2	16	7	237	174	–	6	121	47
Balance of county	391	–	–	3	118	25	35	9	10	2	2	35	5	162	119	2	3	80	34
Northampton	246	1	–	7	49	12	14	1	8	–	5	9	5	111	88	1	7	61	19
Onslow	459	–	–	10	82	16	27	2	10	3	5	19	5	184	136	2	3	105	26
Jacksonville	159	–	–	5	26	6	8	1	3	1	2	5	2	66	52	1	–	41	10
Balance of county	300	–	–	5	56	10	19	1	7	2	3	14	3	118	84	1	3	64	16
Orange	442	–	–	3	83	17	20	8	12	2	5	19	8	202	153	5	7	98	43
Chapel Hill, part	156	–	–	2	25	7	4	3	3	1	1	6	2	75	56	3	2	31	20
Chapel Hill, total	156	–	–	2	25	7	4	3	3	1	1	6	2	75	56	3	2	31	20
Balance of county	286	–	–	1	58	10	16	5	9	1	4	13	6	127	97	2	5	67	23
Pamlico	115	–	–	–	32	1	19	–	5	–	–	7	3	38	26	–	1	20	5
Pasquotank	270	–	–	5	82	14	18	4	6	4	4	12	6	128	86	1	7	68	20
Elizabeth City, part	180	–	–	3	38	8	9	3	4	3	3	8	4	85	62	1	4	43	14
Elizabeth City, total	180	–	–	3	38	8	9	3	4	3	3	8	4	85	62	1	4	43	14
Balance of county	90	–	–	2	24	6	9	1	2	1	1	4	2	43	34	–	3	25	6
Pender	223	–	–	–	43	11	16	4	3	–	1	8	1	112	80	–	1	63	18
Perquimans	95	–	–	2	13	1	6	1	3	–	–	2	1	58	35	–	2	23	10
Person	266	–	–	3	59	14	11	3	5	–	3	23	3	143	120	3	11	60	46
Pitt	740	2	–	7	171	36	53	18	18	5	4	37	9	346	265	2	19	162	82
Greenville	250	1	–	3	57	13	19	3	7	–	1	14	1	115	91	1	7	46	37
Balance of county	490	1	–	4	114	23	34	15	11	5	3	23	8	231	174	1	12	116	45
Polk	165	–	–	2	29	6	8	2	3	3	–	7	2	91	71	–	3	48	20
Randolph	787	–	–	7	166	36	51	17	17	6	6	33	11	392	281	1	6	225	49
Asheboro	187	–	–	2	42	10	11	5	5	1	1	9	1	104	65	–	1	56	6
High Point, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	600	–	–	5	124	26	40	12	12	5	5	24	10	288	216	1	5	169	41
Richmond	444	–	–	6	82	22	21	9	8	2	4	16	7	238	189	–	4	148	31
Robeson	921	3	–	11	143	29	38	12	20	5	4	35	18	486	392	2	19	252	59
Lumberton	205	1	–	2	26	8	5	3	3	1	–	6	1	130	84	–	4	67	13
Balance of county	716	2	–	9	117	21	33	9	17	4	4	29	17	356	248	2	15	185	46
Rockingham	803	2	–	7	161	35	40	17	20	8	5	36	8	414	305	5	6	226	68
Eden	156	–	–	–	31	5	9	5	3	2	1	6	–	80	59	1	1	37	20
Reidsville	194	1	–	4	37	11	8	1	6	4	–	7	2	105	80	1	1	59	19
Balance of county	453	1	–	3	93	19	23	11	11	2	4	23	6	229	186	3	4	130	29
Rowan	849	2	–	5	185	49	49	17	22	3	6	39	23	486	370	3	14	258	95
Salisbury	352	–	–	–	57	13	20	5	5	2	2	10	8	190	141	–	5	96	40
Balance of county	597	2	–	5	128	36	29	12	17	1	4	29	15	296	229	3	9	162	55
Rutherford	543	1	–	7	101	23	27	6	12	6	3	24	5	292	237	2	5	147	83
Sampson	503	–	–	3	94	20	20	8	13	1	5	27	12	242	194	1	20	145	28
Scotland	278	1	–	2	48	4	12	7	8	–	1	16	4	164	117	4	7	82	24
Laurinburg	138	1	–	1	23	3	7	4	2	–	–	7	3	77	56	2	5	41	8
Balance of county	140	–	–	1	25	1	5	3	6	–	1	9	1	77	61	2	2	41	16
Stanly	453	–	–	2	100	15	34	7	11	4	3	26	10	224	183	2	5	146	30
Albemarle	160	–	–	–	37	4	14	–	5	2	2	10	2	85	68	–	4	54	10
Balance of county	293	–	–	2	63	11	20	7	6	2	1	16	8	139	115	2	1	92	20
Stokes	271	–	–	3	56	11	19	1	11	2	1	11	3	128	103	2	1	78	22
Surry	539	–	–	15	108	28	29	9	14	5	4	19	12	260	206	1	7	152	46
Swain	139	–	–	4	24	9	4	4	1	–	2	4	4	71	57	1	2	33	21
Transylvania	171	–	–	3	50	17	11	4	2	1	1	14	4	76	57	–	3	36	18
Tyrrell	35	–	–	–	9	2	1	1	–	1	–	4	–	19	17	–	1	8	8
Union	500	–	–	1	97	11	29	9	9	4	8	27	14	244	179	1	3	129	46
Monroe	169	–	–	1	29	4	10	2	1	1	2	9	6	81	60	1	3	41	15
Balance of county	331	–	–	–	68	7	19	7	8	3	6	18	8	163	119	–	–	88	31
Vance	356	1	–	3	63	15	18	5	9	–	1	15	9	173	135	1	10	82	42
Henderson	205	1	–	1	40	10	12	3	7	–	–	8	9	97	77	1	5	44	27
Balance of county	151	–	–	2	23	5	6	2	2	–	1	7	–	76	58	–	5	38	15
Wake	1,976	3	–	25	456	105	119	49	44	24	19	96	32	884	667	8	39	447	173
Cary	82	–	–	1	24	5	8	3	3	–	2	3	–	37	30	1	–	23	6
Garner	70	–	–	2	16	3	5	2	–	–	–	6	1	36	25	–	–	16	9
Raleigh	1,097	1	–	13	264	62	65	28	29	17	6	57	17	485	364	6	26	236	96
Balance of county	727	2	–	9	152	35	41	16	12	7	11	30	14	326	248	1	13	172	62
Warren	178	–	–	–	38	11	10	2	2	1	1	11	1	85	69	1	7	46	15
Washington	123	–	–	5	16	4	3	2	1	1	1	4	3	60	46	–	2	26	16
Watauga	293	1	–	2	44	16	12	3	2	2	2	7	5	119	104	–	3	67	34
Boone	60	–	–	–	8	5	1	1	–	–	–	1	3	33	29	–	1	18	10
Balance of county	173	1	–	2	36	11	11	2	2	2	2	6	2	86	75	–	2	49	24
Wayne	794	3	–	9	144	44	34	10	17	3	5	31	10	408	321	3	14	220	84
Goldsboro	347	–	–	4	65	22	12	7	10	–	–	14	4	176	129	2	5	92	30
Balance of county	447	3	–	5	79	22	22	3	7	3	5	17	6	232	192	1	9	128	54
Wilkes	489	–	–	5	109	26	27	7	14	2	4	29	7	247	205	–	8	157	40
Wilson	647	–	1	5	139	30	56	8	11	4	1	29	17	306	227	1	10	151	65
Wilson	402	–	1	3	83	18	31	8	6	3	–	17	12	192	135	1	7	89	38
Balance of county	245	–	–	2	56	12	25	–	5	1	1	12	5	114	92	–	3	62	27
Yadkin	289	–	–	2	63	15	17	5	8	1	2	15	9	130	103	3	5	66	29
Yancey	117	–	–	2	31	6	9	2	1	3	1	9	3	50	35	–	1	26	8

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
New Hanover	2	84	18	2	9	33	3	17	14	-	6	10	9	80	14	30	12	9	-
Wilmington	1	52	10	-	4	19	2	12	8	-	1	6	6	47	4	19	7	8	-
Balance of county	1	32	8	2	5	14	1	5	6	-	5	4	3	33	10	11	5	1	-
Northampton	-	19	3	1	6	5	1	1	8	-	-	4	1	24	6	14	1	2	-
Onslow	2	34	8	4	9	12	1	8	9	-	8	13	10	45	33	19	5	5	1
Jacksonville	-	11	3	-	3	6	-	4	4	-	3	6	3	18	8	4	1	-	-
Balance of county	2	23	5	4	6	6	1	4	5	-	5	7	7	27	25	15	4	5	1
Orange	2	34	6	7	19	11	2	1	4	-	2	7	1	70	11	7	5	5	1
Chapel Hill, part	2	12	2	3	2	4	-	-	2	-	1	2	-	29	6	2	2	1	1
Chapel Hill, total	2	12	2	3	2	4	-	-	2	-	1	2	-	29	6	2	2	1	1
Balance of county	-	22	4	4	17	7	2	1	2	-	1	5	1	41	5	5	3	4	-
Pamlico	-	12	-	-	9	2	-	3	2	-	2	1	-	10	6	5	1	1	-
Pasquotank	-	25	6	1	8	8	1	1	6	-	1	3	1	25	4	7	2	1	1
Elizabeth City, part	-	18	5	-	8	6	1	-	5	-	1	1	1	18	3	3	1	1	1
Elizabeth City, total	-	18	5	-	8	6	1	-	5	-	1	1	1	18	3	3	1	1	1
Balance of county	-	7	1	1	-	2	-	1	1	-	-	2	-	7	1	4	1	-	-
Pender	3	21	4	4	3	10	-	5	-	-	-	2	1	19	10	12	4	1	-
Perquimans	3	15	1	4	2	1	-	-	2	-	-	2	2	8	1	1	1	-	1
Person	2	19	1	1	6	5	-	2	-	-	-	3	3	23	2	6	5	3	-
Pitt	6	64	4	7	20	21	3	4	8	-	6	13	2	70	13	18	15	9	3
Greenville	1	18	1	4	5	8	-	4	5	-	4	5	-	26	4	4	2	4	2
Balance of county	5	46	3	3	15	13	3	-	3	-	2	8	2	44	9	14	13	5	1
Polk	-	15	2	3	4	6	-	2	1	-	-	-	1	15	3	6	2	1	-
Randolph	4	90	9	8	22	25	-	7	9	1	3	8	5	67	28	19	12	5	-
Asheboro	2	31	4	2	3	5	-	1	2	-	-	1	2	13	4	6	-	1	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	59	5	6	19	20	-	6	7	1	3	7	3	54	24	13	12	4	-
Richmond	1	47	4	3	5	7	1	4	8	-	4	6	1	37	9	16	4	9	-
Robeson	6	122	16	10	35	18	2	6	12	1	4	10	8	65	33	33	10	21	2
Lumberton	1	33	8	4	6	3	-	2	4	-	-	3	1	14	1	6	3	1	1
Balance of county	5	89	8	6	29	15	2	4	8	1	4	7	7	51	32	27	7	20	1
Rockingham	2	89	6	12	24	25	3	12	6	-	4	12	5	50	21	27	15	7	-
Eden	-	18	-	3	9	5	1	1	1	-	1	1	-	11	3	6	5	1	-
Reidsville	1	18	1	5	5	8	1	2	-	-	1	4	1	10	2	5	3	3	-
Balance of county	1	53	5	4	10	12	1	9	5	-	2	7	4	29	16	16	7	3	-
Rowan	9	77	16	14	36	24	7	9	10	-	5	4	8	70	25	28	17	5	-
Salisbury	6	33	5	5	17	10	3	3	7	-	2	1	-	36	-	13	4	1	-
Balance of county	3	44	11	9	19	14	4	6	3	-	3	3	8	34	25	15	13	4	-
Rutherford	-	45	8	2	20	15	-	4	10	-	5	7	3	42	12	14	2	3	-
Sampson	1	34	9	4	13	10	4	4	3	-	1	8	4	48	23	21	11	2	-
Scotland	1	28	5	3	2	10	1	4	2	-	2	4	4	18	7	11	1	3	-
Laurinburg	-	17	3	1	-	5	-	3	-	-	2	-	2	11	5	3	-	2	-
Balance of county	1	11	2	2	2	5	1	1	2	-	-	4	2	7	2	8	1	1	-
Stanly	-	32	2	7	10	14	-	2	5	-	1	2	2	37	10	21	12	1	-
Albemarle	-	12	2	3	2	3	-	1	2	-	-	1	-	14	4	5	4	-	-
Balance of county	-	20	-	4	8	11	-	1	3	-	1	1	2	23	6	16	8	1	-
Stokes	4	18	2	1	15	8	-	3	3	-	3	3	-	19	16	4	4	3	-
Surry	3	35	12	4	18	18	2	9	1	-	5	4	3	43	9	16	9	6	1
Swain	-	11	2	1	4	3	1	-	1	-	2	2	1	11	3	3	1	4	-
Transylvania	-	15	2	2	4	2	-	1	-	-	-	1	3	17	3	5	2	-	-
Tyrrell	-	1	-	1	2	-	-	-	1	-	-	-	-	1	1	-	1	1	-
Union	1	57	2	6	11	10	2	6	11	-	5	5	9	41	20	15	5	3	1
Monroe	-	19	-	2	6	3	-	2	5	-	1	-	5	16	6	3	3	1	1
Balance of county	1	38	2	3	5	7	2	4	6	-	4	5	4	25	14	12	2	2	-
Vance	3	33	1	1	8	10	2	3	4	-	4	3	6	37	11	13	3	3	-
Henderson	1	18	-	1	4	6	2	3	3	-	2	-	2	24	3	6	-	2	-
Balance of county	2	15	1	-	4	4	-	-	1	-	2	3	4	13	8	7	3	1	-
Wake	6	169	17	26	49	68	1	26	21	2	22	33	23	166	38	61	43	22	1
Cary	-	5	-	2	2	1	-	-	-	1	-	1	-	6	3	4	2	-	-
Garner	1	8	-	2	-	2	-	3	1	-	1	2	-	4	1	-	1	-	-
Raleigh	1	95	11	14	33	36	1	19	15	1	10	15	15	88	13	35	23	12	1
Balance of county	4	60	6	8	14	29	-	4	5	-	11	15	8	68	21	22	17	10	-
Warren	2	12	2	-	9	4	-	2	4	-	-	1	1	14	5	8	3	3	-
Washington	3	10	-	1	2	4	-	-	-	-	1	4	1	15	3	6	3	-	-
Watauga	-	12	1	2	8	5	1	3	1	-	1	-	1	18	5	9	7	2	1
Boone	-	3	1	-	2	-	1	1	-	-	-	-	1	3	-	5	2	1	-
Balance of county	-	9	-	2	6	5	-	2	1	-	1	-	-	15	5	4	5	1	1
Wayne	9	62	7	9	22	29	2	13	11	2	8	10	4	62	9	23	8	15	2
Goldsboro	7	34	1	5	11	14	-	5	4	-	5	5	1	25	4	11	3	9	1
Balance of county	2	28	6	4	11	15	2	8	7	2	3	5	3	37	5	12	5	6	1
Wilkes	-	35	2	5	12	13	1	3	6	-	2	5	2	38	11	12	9	7	-
Wilson	6	59	9	5	15	11	1	11	8	-	1	4	10	68	17	19	7	7	-
Wilson	4	42	7	4	10	9	1	7	6	-	1	3	6	41	9	9	4	5	-
Balance of county	2	17	2	1	5	2	-	4	2	-	-	1	4	27	8	10	3	2	-
Yadkin	-	23	3	1	9	7	2	2	5	-	2	1	-	20	5	6	6	-	-
Yancey	1	9	4	1	2	3	-	1	-	-	-	2	-	12	4	6	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota	5,576	3	-	37	1,198	333	230	128	164	51	59	233	111	2,819	2,159	10	57	1,572	520
Urban places	1,894	1	-	12	460	119	92	46	58	20	25	100	32	902	664	4	13	488	159
Balance of area	3,682	2	-	25	738	214	138	82	106	31	34	133	79	1,917	1,495	6	44	1,084	361
Metropolitan counties	1,534	1	-	15	357	83	66	37	51	15	14	91	18	761	581	2	24	409	146
Urban places	1,176	1	-	9	282	66	56	23	38	12	12	75	13	572	423	2	9	307	105
Balance of area	358	-	-	6	75	17	10	14	13	3	2	16	5	189	158	-	15	102	41
Nonmetropolitan counties	4,042	2	-	22	841	250	164	91	113	36	45	142	93	2,058	1,578	8	33	1,163	374
Urban places	718	-	-	3	178	53	36	23	20	8	13	25	19	330	241	2	4	181	54
Balance of area	3,324	2	-	19	663	197	128	68	93	28	32	117	74	1,728	1,337	6	29	982	320
Adams	34	-	-	-	8	1	4	-	1	-	2	-	-	12	8	-	-	5	3
Barnes	164	-	-	3	42	10	10	3	6	3	1	9	4	80	63	-	13	38	14
Benson	68	1	-	-	7	3	-	-	1	-	1	2	5	31	26	1	1	18	6
Billings	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Bottineau	99	-	-	1	15	4	4	-	4	1	1	1	3	55	49	-	-	38	11
Bowman	35	-	-	-	5	-	1	3	-	-	-	1	-	20	12	-	-	11	1
Burke	49	-	-	1	10	7	1	1	-	-	-	1	1	24	18	-	-	15	1
Burleigh	349	1	-	1	87	24	19	8	15	2	3	16	6	170	129	-	1	106	22
Bismarck	312	1	-	-	76	22	17	6	14	2	2	13	5	151	113	-	1	93	19
Balance of county	37	-	-	1	11	2	2	2	1	-	1	3	1	19	16	-	-	13	3
Cass	596	-	-	7	129	29	28	14	13	7	5	33	5	304	231	1	4	167	59
Fargo	455	-	-	5	100	21	24	8	10	6	4	27	4	228	166	1	2	116	47
West Fargo	33	-	-	-	8	2	2	-	-	-	1	3	1	15	15	-	-	11	4
Balance of county	108	-	-	2	21	6	2	6	3	1	-	3	-	61	50	-	2	40	8
Cavalier	71	1	-	-	14	3	6	2	1	-	-	2	-	38	28	-	-	20	8
Dickey	91	-	-	1	12	4	2	1	2	1	1	1	1	58	42	-	1	32	9
Divide	41	-	-	-	12	3	2	3	1	-	1	2	-	19	16	-	1	12	3
Dunn	35	-	-	-	4	1	1	1	-	-	-	1	1	16	13	1	-	9	3
Eddy	54	-	-	1	9	2	2	1	1	-	-	3	2	27	20	-	-	15	5
Emmons	58	-	-	-	9	1	-	3	3	-	1	1	-	34	23	-	1	16	6
Foster	70	-	-	-	18	4	3	-	3	1	2	5	-	38	19	-	-	8	11
Golden Valley	30	-	-	-	8	1	2	1	2	1	-	1	2	16	14	-	-	11	3
Grand Forks	378	-	-	4	86	16	9	13	14	4	2	28	4	193	151	1	15	85	50
Grand Forks	265	-	-	2	67	14	6	9	10	2	2	24	2	129	94	1	4	65	24
Balance of county	113	-	-	2	19	2	3	4	4	2	-	4	2	64	57	-	11	20	26
Grant	30	-	-	-	9	4	2	1	1	-	-	1	1	14	11	-	3	7	1
Griggs	43	-	-	-	4	2	-	-	-	-	-	2	1	27	22	-	-	11	11
Hettinger	39	-	-	-	9	3	1	-	1	-	-	4	1	20	18	-	1	11	6
Kidder	30	-	-	1	4	2	-	1	-	-	-	1	1	15	13	-	-	9	4
La Moure	73	-	-	-	14	3	2	2	4	-	-	3	-	43	33	1	2	20	10
Logan	31	-	-	-	7	4	1	1	-	1	-	-	1	17	14	-	-	12	2
McHenry	93	-	-	-	18	4	3	-	2	3	1	5	3	47	38	-	-	29	9
McIntosh	78	-	-	-	12	5	1	-	1	-	1	4	2	49	45	-	-	21	24
McKenzie	57	-	-	1	10	3	2	-	2	-	-	3	1	24	18	-	-	14	4
McLean	116	-	-	1	30	8	7	4	5	-	1	5	2	60	48	-	-	44	4
Mercer	66	-	-	-	13	3	5	-	2	-	-	3	3	22	16	-	-	15	1
Morton	211	-	-	3	55	14	10	2	9	2	4	14	3	94	70	-	4	51	15
Mandan	111	-	-	2	31	7	7	-	4	2	3	8	1	49	35	-	2	22	11
Balance of county	100	-	-	1	24	7	3	2	5	-	1	6	2	45	35	-	2	29	4
Mountrail	108	-	-	1	19	6	3	1	5	-	1	3	2	52	40	-	-	31	9
Nelson	76	-	-	-	13	3	3	1	3	-	-	3	-	52	42	-	1	24	17
Oliver	14	-	-	-	3	2	-	-	1	-	-	-	-	7	6	-	-	5	1
Pembina	138	-	-	-	30	7	7	3	1	1	-	11	4	74	46	-	-	41	5
Pierce	60	-	-	-	19	3	2	1	3	2	3	5	2	30	25	-	-	21	4
Ramsey	128	-	-	1	24	6	8	5	2	2	1	-	2	72	61	-	-	50	11
Ransom	86	-	-	1	19	9	3	3	2	-	-	2	1	53	47	1	1	41	4
Renville	42	-	-	-	10	3	2	1	1	1	-	2	1	23	19	-	1	13	5
Richland	184	-	-	1	28	10	3	1	5	4	2	3	4	101	68	-	-	55	13
Rolette	103	-	-	1	21	5	8	1	2	-	1	4	1	51	44	-	-	32	12
Sargent	65	-	-	-	15	3	2	2	4	1	2	1	2	36	31	-	1	24	6
Sheridan	26	-	-	-	9	3	1	2	1	-	-	1	-	12	8	-	-	5	3
Sioux	24	-	-	-	2	1	-	-	-	-	-	1	-	11	9	-	-	7	2
Slope	8	-	-	-	1	-	-	-	-	-	-	1	-	5	3	-	-	3	-
Stark	161	-	-	-	41	16	4	4	7	3	2	5	5	61	46	-	1	39	6
Dickinson	119	-	-	-	33	14	3	3	5	3	1	4	4	46	33	-	1	29	3
Balance of county	42	-	-	-	8	2	1	1	2	-	1	1	1	15	13	-	-	10	3
Steele	32	-	-	-	8	2	2	1	2	1	-	-	-	21	17	-	-	12	5
Stutsman	227	-	-	1	49	13	10	8	10	1	2	5	8	105	76	1	1	55	19
Jamestown	181	-	-	1	38	8	9	7	8	1	2	3	7	84	62	1	1	44	16
Balance of county	46	-	-	-	11	5	1	1	2	-	-	2	1	21	14	-	-	11	3
Towner	43	-	-	-	11	5	4	-	-	-	1	1	-	25	22	-	-	11	11
Traill	117	-	-	-	19	10	2	2	2	2	-	1	3	65	42	-	-	34	8
Walsh	173	-	-	2	34	12	5	6	4	1	1	5	7	83	59	1	1	47	10
Ward	406	-	-	3	107	31	23	11	10	4	9	19	10	182	137	1	2	94	40
Minot	302	-	-	2	84	25	18	9	6	4	6	16	7	135	100	1	2	69	28
Balance of county	104	-	-	1	23	6	5	2	4	-	3	3	3	47	37	-	-	25	12
Wells	82	-	-	1	18	3	2	5	3	-	2	3	4	44	37	-	-	27	10
Williams	181	-	-	-	39	12	8	5	2	2	5	5	2	87	66	1	1	51	13
Williston	116	-	-	-	23	6	6	4	1	-	4	2	1	65	46	-	-	39	7
Balance of county	65	-	-	-	16	6	2	1	1	2	1	3	1	22	20	1	1	12	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota	18	476	95	71	173	162	21	57	59	-	33	53	66	423	127	138	67	19	10
Urban places	6	167	28	37	42	60	4	16	16	-	16	22	25	173	32	50	21	9	1
Balance of area	12	309	67	34	131	102	17	41	43	-	17	31	41	250	95	88	46	10	9
Metropolitan counties	6	133	12	29	35	48	5	9	14	-	10	18	21	132	23	42	19	4	2
Urban places	5	105	11	28	26	40	3	7	12	-	9	13	14	107	16	31	16	4	1
Balance of area	1	28	1	1	9	8	2	2	2	-	1	5	7	25	7	11	3	-	1
Nonmetropolitan counties	12	343	83	42	138	114	16	48	45	-	23	35	45	291	104	96	48	15	8
Urban places	1	62	17	9	16	20	1	9	4	-	7	9	11	66	16	19	5	5	-
Balance of area	11	281	66	33	122	94	15	39	41	-	16	26	34	225	88	77	43	10	8
Adams	-	4	-	-	3	2	-	-	2	-	1	1	-	2	1	1	1	-	-
Barnes	-	12	3	2	9	5	-	2	2	-	-	-	-	9	4	2	2	-	-
Benson	-	4	1	-	2	1	1	1	-	-	-	2	-	3	5	3	6	-	-
Billings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Bottineau	-	5	-	1	6	-	-	2	1	-	1	-	2	8	1	3	1	-	-
Bowman	-	8	-	-	2	1	-	-	-	-	-	1	-	5	-	1	-	-	-
Burke	-	5	1	2	1	-	-	-	2	-	-	-	1	5	1	1	2	-	-
Burleigh	1	31	4	5	4	15	-	-	7	-	4	6	3	27	8	5	4	1	-
Bismarck	1	28	4	5	4	13	-	-	6	-	4	6	3	26	7	5	4	1	-
Balance of county	-	3	-	-	-	2	-	-	1	-	-	-	-	1	1	-	-	-	-
Cass	4	51	4	14	16	17	-	5	5	-	3	4	16	51	9	18	6	1	-
Fargo	3	42	3	14	14	13	-	5	4	-	3	2	9	42	6	14	5	1	-
West Fargo	-	-	-	-	-	2	-	-	-	-	-	1	-	1	1	3	1	-	-
Balance of county	1	9	1	-	2	2	-	-	1	-	-	1	7	8	2	1	-	-	-
Cavalier	-	7	2	1	3	2	1	-	1	-	-	-	-	6	4	-	1	-	-
Dickey	1	11	3	1	2	3	2	-	-	-	-	-	2	7	2	1	-	-	-
Divide	-	2	-	1	3	2	-	-	-	-	-	-	-	3	-	2	-	-	-
Dunn	-	-	2	1	2	1	-	-	-	-	1	-	2	2	3	2	-	1	-
Eddy	-	6	-	1	10	1	-	-	1	-	-	-	-	2	1	-	-	-	-
Emmons	-	7	3	1	5	1	1	-	1	-	-	1	-	3	1	-	2	-	-
Foster	-	10	7	-	2	3	-	1	2	-	-	-	1	4	2	1	-	-	-
Golden Valley	-	2	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
Grand Forks	-	30	4	8	10	8	1	4	-	-	2	5	1	40	4	10	4	2	-
Grand Forks	-	23	4	8	7	8	1	2	-	-	1	3	1	29	2	5	4	2	-
Balance of county	-	7	-	-	3	-	-	2	-	-	1	2	-	11	2	5	-	-	-
Grant	-	2	1	-	1	1	2	-	-	-	-	1	-	-	1	-	-	-	-
Griggs	-	5	-	-	2	3	-	-	1	-	-	-	-	5	-	-	-	-	-
Hettinger	-	-	1	1	-	1	-	1	-	-	-	1	1	3	-	1	1	-	-
Kidder	-	2	-	-	1	-	-	1	-	-	-	-	3	3	-	1	-	-	-
La Moure	-	6	3	1	1	-	-	-	-	-	-	-	1	8	3	2	1	-	-
Logan	-	1	1	1	-	1	1	-	1	-	-	-	-	2	-	-	1	-	-
McHenry	2	6	-	1	2	2	-	1	2	-	-	3	1	8	1	4	1	-	-
McIntosh	-	3	-	1	-	1	1	1	-	-	-	-	3	4	1	2	2	-	-
McKenzie	1	4	-	1	-	3	-	-	1	-	1	1	2	4	3	1	4	1	-
McLean	1	10	1	-	1	3	-	1	-	-	1	1	1	8	2	4	1	-	-
Mercer	-	2	3	1	4	2	1	-	2	-	2	-	-	-	7	6	2	-	2
Morton	1	21	-	2	5	8	4	-	2	-	1	3	1	14	2	9	5	-	2
Mandan	1	12	-	1	1	4	2	-	2	-	1	1	1	9	-	4	2	-	1
Balance of county	-	9	-	1	4	4	2	-	-	-	-	2	-	5	2	5	3	-	1
Mountrail	1	9	2	-	6	3	-	3	1	-	1	1	2	6	4	6	1	-	-
Nelson	1	7	1	1	1	2	-	1	1	-	-	2	-	3	-	1	-	-	-
Oliver	-	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-
Pembina	1	21	5	1	1	5	-	3	3	-	-	-	1	8	6	-	2	1	-
Pierce	-	3	2	-	-	1	-	-	-	-	-	-	1	4	2	-	1	-	-
Ramsey	-	9	1	1	7	4	-	2	1	-	-	-	-	4	5	3	1	1	1
Ransom	-	8	-	-	1	2	-	-	-	-	-	1	-	5	-	3	-	-	-
Renville	1	3	-	-	1	2	-	-	-	-	-	-	-	2	2	-	-	1	-
Richland	-	22	8	3	9	6	2	5	2	-	1	1	3	14	3	3	-	-	1
Rolette	-	4	1	2	4	6	-	3	2	-	1	-	1	6	3	-	-	-	3
Sargent	-	5	-	-	5	-	-	-	1	-	-	1	-	3	-	2	-	-	-
Sheridan	-	2	-	2	-	-	-	-	-	-	1	1	-	3	-	1	-	-	-
Sioux	-	2	-	-	-	1	-	1	-	-	1	1	2	1	1	-	-	2	1
Slope	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Stark	-	11	2	2	4	5	2	1	4	-	4	7	1	13	4	5	-	4	-
Dickinson	-	10	2	1	3	2	1	-	3	-	3	6	1	9	3	3	-	2	-
Balance of county	-	1	-	1	1	3	1	1	1	-	1	1	-	4	1	2	-	2	-
Steele	-	3	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Stutsman	-	21	7	1	3	7	-	5	-	-	3	-	3	29	5	3	4	2	-
Jamestown	-	15	6	1	3	5	-	3	-	-	2	-	3	26	1	3	3	2	-
Balance of county	-	6	1	-	-	2	-	2	-	-	1	-	-	3	4	-	1	-	-
Towner	-	3	-	-	1	3	-	1	-	-	-	-	-	1	1	-	-	-	-
Traill	1	14	7	1	7	4	-	1	5	-	-	1	-	10	-	2	-	-	-
Walsh	-	18	3	3	7	2	1	2	1	-	1	1	2	20	4	2	4	-	-
Ward	2	34	4	5	9	14	-	5	1	-	-	2	5	38	8	17	4	1	-
Minot	1	26	3	5	6	11	-	4	1	-	-	1	4	27	7	10	2	1	-
Balance of county	1	8	1	-	3	3	-	1	-	-	-	1	1	11	1	7	2	-	-
Wells	-	7	-	-	1	3	-	-	2	-	-	-	-	4	-	2	2	1	-
Williams	-	12	7	2	8	4	-	4	2	-	3	3	4	9	9	6	1	-	-
Williston	-	11	6	2	4	2	-	2	-	-	2	2	3	4	5	3	-	-	-
Balance of county	-	1	1	-	4	2	-	2	2	-	1	1	1	5	4	3	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio	97,551	73	4	867	22,069	5,679	6,253	1,917	2,411	954	803	4,052	2,172	48,859	38,763	349	1,419	28,713	8,282
Urban places	58,509	49	3	560	13,229	3,485	3,773	1,143	1,444	546	475	2,363	1,334	28,989	23,061	209	928	16,972	4,952
Balance of area	39,042	24	1	307	8,840	2,194	2,480	774	967	408	328	1,689	838	19,870	15,702	140	491	11,741	3,330
Metropolitan counties	77,644	56	3	708	17,864	4,610	5,086	1,583	1,923	759	641	3,262	1,731	38,454	30,666	280	1,218	22,513	6,655
Urban places	52,195	41	2	512	11,856	3,127	3,381	1,047	1,283	482	424	2,112	1,194	25,661	20,502	185	853	15,011	4,453
Balance of area	25,449	15	1	196	6,008	1,483	1,705	536	640	277	217	1,150	537	12,793	10,164	95	365	7,502	2,202
Nonmetropolitan counties	19,907	17	1	159	4,205	1,069	1,167	334	488	195	162	790	441	10,405	8,097	69	201	6,200	1,627
Urban places	6,314	8	1	48	1,373	358	392	96	161	64	51	251	140	3,328	2,559	24	75	1,961	499
Balance of area	13,593	9	-	111	2,832	711	775	238	327	131	111	539	301	7,077	5,538	45	126	4,239	1,128
Adams	255	-	-	-	38	11	10	2	4	-	1	10	4	161	117	-	3	97	17
Allen	1,020	-	-	8	224	59	62	17	27	8	10	41	21	547	434	2	8	292	132
Lima	602	-	-	4	123	25	42	10	16	5	7	18	14	325	265	-	5	181	79
Balance of county	418	-	-	4	101	34	20	7	11	3	3	23	7	222	169	2	3	111	53
Ashland	393	1	-	1	82	17	28	8	10	4	5	10	16	183	139	4	5	92	38
Ashland	205	1	-	-	45	10	13	6	7	2	1	6	10	88	61	2	4	32	23
Balance of county	188	-	-	1	37	7	15	2	3	2	4	4	6	95	78	2	1	60	15
Ashtabula	1,000	2	-	7	215	58	61	15	30	4	8	39	28	521	437	4	7	310	116
Ashtabula	287	-	-	-	57	17	12	2	14	-	4	8	8	154	132	2	2	78	50
Conneaut	155	2	-	4	35	9	14	2	5	-	1	4	8	73	58	1	-	46	9
Balance of county	558	-	-	3	123	32	35	11	11	4	3	27	12	294	249	1	5	186	57
Athens	452	1	-	7	94	32	21	11	8	4	3	15	3	220	162	3	1	138	22
Athens	95	-	-	2	20	6	4	2	3	1	1	3	-	50	34	1	-	28	5
Balance of county	357	1	-	5	74	26	17	9	5	3	2	12	3	170	128	2	1	108	17
Auglaize	385	-	-	2	84	29	17	6	9	6	3	14	16	195	149	1	5	122	21
Belmont	918	3	-	10	196	66	47	20	19	10	9	25	24	485	383	3	3	318	59
Brown	276	2	-	2	70	10	27	6	6	2	3	16	6	139	113	1	2	92	18
Butler	1,999	2	-	11	495	118	151	41	64	22	17	82	42	940	736	9	36	526	165
Fairfield	167	-	-	-	40	12	8	4	6	2	1	7	5	78	62	-	-	47	15
Hamilton	686	1	-	3	163	45	49	11	16	4	7	31	20	318	242	6	11	183	42
Middletown	444	1	-	2	110	27	29	9	18	9	3	15	8	201	158	2	9	108	39
Oxford	65	-	-	1	11	-	5	1	3	-	1	1	-	30	23	-	1	10	12
Balance of county	637	-	-	5	171	34	60	16	21	7	5	28	9	313	251	1	15	178	57
Carroll	228	-	-	2	55	12	16	4	3	2	2	16	4	115	98	2	11	69	16
Champaign	334	-	-	1	80	23	20	6	4	9	4	14	10	187	137	1	3	102	31
Urbana	140	-	-	1	34	11	7	4	-	3	2	7	5	61	50	-	-	43	7
Balance of county	194	-	-	-	46	12	13	2	4	6	2	7	5	106	87	1	3	59	24
Clark	1,475	6	-	11	292	81	74	23	35	14	15	50	37	784	563	8	24	400	131
Springfield	913	5	-	8	184	51	42	13	24	11	12	31	22	468	361	5	19	264	73
Balance of county	562	1	-	3	108	30	32	10	11	3	3	19	15	316	202	3	5	136	58
Clermont	870	2	-	3	193	43	54	22	11	5	10	48	20	400	326	3	13	246	64
Clinton	319	-	-	3	62	17	19	5	5	3	3	10	8	182	130	2	2	97	29
Wilmington	106	-	-	1	17	5	4	2	3	-	1	2	1	58	46	2	1	34	9
Balance of county	213	-	-	2	45	12	15	3	2	3	2	6	5	104	84	-	1	63	20
Columbiana	1,086	1	-	11	210	54	64	18	23	9	11	31	22	629	506	2	22	424	58
East Liverpool	235	1	-	6	39	9	16	4	4	-	-	6	4	132	114	1	6	91	16
Salem	124	-	-	1	23	6	9	2	2	1	-	3	2	68	52	-	2	47	3
Balance of county	727	-	-	4	148	39	39	12	17	8	11	22	16	429	340	1	14	286	39
Coshocton	340	-	-	2	78	24	19	5	8	-	5	17	8	190	154	1	-	112	41
Coshocton	159	-	-	1	45	12	12	3	4	-	3	11	4	88	66	-	-	53	13
Balance of county	181	-	-	1	33	12	7	2	4	-	2	6	4	102	88	1	-	59	28
Crawford	456	-	-	3	95	29	22	5	11	2	2	24	7	248	175	2	10	138	27
Bucyrus	155	-	-	2	35	8	7	2	7	-	-	11	-	87	64	2	6	50	6
Galion	130	-	-	-	24	10	4	-	3	1	1	5	2	73	49	-	-	34	15
Balance of county	171	-	-	1	36	11	11	3	1	1	1	8	5	88	62	-	4	52	6
Cuyahoga	15,581	10	1	183	3,639	979	979	326	429	138	123	665	362	7,675	6,287	58	232	4,919	1,060
Bay Village	139	-	-	1	39	15	6	4	2	3	1	8	4	62	48	-	-	40	8
Bedford	159	-	-	1	40	6	12	5	2	7	1	7	4	84	71	-	2	57	12
Bedford Heights	96	-	-	1	25	5	11	3	1	1	2	2	-	46	38	-	2	31	5
Berea	143	-	-	3	32	9	9	6	6	-	1	1	6	68	51	1	2	40	8
Brecksville	98	-	-	3	23	9	8	-	2	-	-	4	-	46	39	1	1	32	5
Broadview Heights	86	-	-	1	23	7	6	3	2	-	2	3	1	45	40	-	1	35	4
Brooklyn	134	-	-	1	30	11	7	4	3	2	-	3	5	69	50	1	3	42	4
Brook Park	154	-	-	4	40	7	13	4	2	2	1	11	3	77	64	2	2	51	9
Cleveland	6,932	8	1	90	1,559	406	447	116	190	60	43	297	177	3,258	2,707	19	117	2,070	561
Cleveland Heights	513	-	-	6	84	21	24	12	10	1	3	13	11	282	229	1	7	171	50
East Cleveland	327	-	-	3	66	15	17	6	9	2	-	17	5	168	145	3	10	114	18
Euclid	709	1	-	8	169	52	37	12	27	6	5	30	11	375	302	-	5	238	59
Fairview Park	185	-	-	1	46	15	13	7	6	-	-	5	7	90	73	-	3	61	9
Garfield Heights	342	-	-	-	89	24	23	9	9	2	3	19	11	179	150	3	9	123	15
Lakewood	611	1	-	6	146	41	48	11	17	4	4	23	11	313	241	3	8	199	31
Lyndhurst	164	-	-	3	43	9	13	5	1	2	1	12	2	81	60	2	1	48	9
Maple Heights	291	-	-	3	74	16	23	5	7	6	6	11	5	151	117	-	6	105	6
Mayfield Heights	353	-	-	-	103	25	19	7	13	5	6	28	8	173	135	-	1	106	28
Middleburg Heights	109	-	-	1	25	10	4	4	1	1	1	4	7	53	45	1	1	40	3
North Olmsted	243	-	-	1	61	14	10	8	7	3	6	13	5	119	100	1	5	79	15
North Royalton	106	-	-	3	21	6	8	4	-	1	1	1	3	52	42	-	4	31	7
Parma	951	-	-	9	247	69	63	25	25	8	11	46	24	486	397	3	14	309	71
Parma Heights	278	-	-	1	65	21	17	2	8	3	1	13	5	158	119	1	4	90	24
Richmond Heights	60	-	-	1	14	5	8	-	-	-	-	1	-	40	38	-	-	25	11
Rocky River	247	-	-	4	61	24	9	7	9	1	1	10	2	130	101	4	3	61	13
Seven Hills	105	-	-	1	22	8	4	2	6	-	-	2	2	62	49	-	-	38	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E960-E999)
Ohio	366	7,259	1,389	1,082	2,305	3,230	296	1,037	978	8	655	840	1,588	7,179	1,626	1,958	1,188	560	59
Urban places	233	4,227	806	662	1,387	1,905	190	715	598	6	381	564	1,064	4,440	734	1,154	724	444	39
Balance of area	133	3,032	583	420	918	1,325	106	322	380	2	274	276	524	2,739	892	804	464	116	20
Metropolitan counties	292	5,629	1,027	840	1,809	2,531	241	879	787	8	502	695	1,368	5,740	1,186	1,559	965	510	48
Urban places	211	3,706	673	569	1,231	1,686	173	659	536	6	337	514	1,007	3,976	653	1,036	652	428	35
Balance of area	81	1,923	354	271	578	845	68	220	251	2	165	181	361	1,764	533	523	313	82	13
Nonmetropolitan counties	74	1,630	362	242	496	699	55	158	191	-	153	145	220	1,439	440	399	223	50	11
Urban places	22	521	133	93	156	219	17	56	62	-	44	50	57	464	81	118	72	16	4
Balance of area	52	1,109	229	149	340	480	38	102	129	-	109	95	163	975	359	281	151	34	7
Adams	-	36	6	2	9	6	1	-	1	-	2	1	6	8	13	-	4	1	-
Allen	1	85	13	14	25	29	-	8	5	-	7	6	8	81	16	22	8	5	-
Lima	1	45	9	5	15	19	-	6	3	-	5	5	5	49	9	10	7	3	-
Balance of county	-	40	4	9	10	10	-	2	2	-	2	1	3	32	7	12	1	2	-
Ashland	-	36	5	3	15	22	3	6	5	-	1	6	2	32	5	6	5	2	-
Ashland	-	21	4	2	9	12	3	4	2	-	1	3	1	18	1	4	2	1	-
Balance of county	-	15	1	1	6	10	-	2	3	-	-	3	1	14	4	2	3	1	-
Ashtabula	1	54	11	18	24	29	3	9	10	-	9	5	1	80	20	21	13	3	-
Ashtabula	1	12	5	4	6	10	-	3	6	-	3	3	-	26	1	6	3	1	-
Conneaut	-	12	1	4	2	5	1	3	-	-	1	-	-	12	1	4	4	-	-
Balance of county	-	30	5	10	16	14	2	3	4	-	5	2	1	42	18	11	6	2	-
Athens	1	35	16	6	13	19	2	2	9	-	2	2	15	34	13	11	3	2	-
Athens	-	9	5	2	4	2	-	-	-	-	-	1	6	4	1	3	2	-	-
Balance of county	1	26	11	4	9	17	2	2	9	-	2	1	9	30	12	8	1	2	-
Auglaize	-	39	5	2	7	14	1	-	3	-	8	7	2	28	11	5	2	-	-
Belmont	4	76	13	9	19	31	1	6	8	-	5	2	20	68	10	14	12	2	2
Brown	-	20	3	3	9	9	-	3	2	-	4	1	-	16	3	5	4	-	1
Butler	3	138	44	19	48	73	5	20	12	-	13	15	27	150	33	55	44	10	4
Fairfield	2	13	1	-	5	5	-	1	2	-	2	2	2	11	3	5	6	-	-
Hamilton	1	46	20	9	25	25	2	7	4	-	5	4	11	46	13	13	22	3	1
Middletown	-	29	9	5	9	16	1	9	3	-	2	5	5	33	7	19	6	4	3
Oxford	-	4	2	1	2	6	1	1	1	-	-	1	2	7	-	1	1	-	-
Balance of county	-	46	12	4	7	21	1	2	2	-	4	3	7	53	10	17	9	3	-
Carroll	4	9	4	-	6	5	1	1	-	1	2	2	2	15	1	12	4	-	-
Champaign	-	19	6	5	4	13	1	1	6	-	3	3	2	27	9	4	2	1	-
Urbana	-	7	2	2	4	7	-	1	5	-	2	1	2	12	3	1	1	-	-
Balance of county	-	12	4	3	-	6	1	-	1	-	1	2	-	15	6	3	1	1	-
Clark	10	173	26	12	37	56	4	23	11	-	9	8	13	106	23	26	15	14	-
Springfield	4	83	12	8	27	36	1	16	7	-	6	7	12	68	12	16	9	9	-
Balance of county	6	90	14	4	10	20	3	7	4	-	3	1	1	38	11	10	6	5	-
Clermont	3	54	10	7	41	22	-	6	11	-	7	12	5	74	28	21	20	4	1
Clinton	-	26	2	4	8	11	2	-	5	-	7	2	4	30	6	8	1	1	1
Wilmington	-	10	2	-	3	5	1	-	3	-	2	-	2	10	-	3	-	-	-
Balance of county	-	16	-	4	5	6	1	-	2	-	5	2	2	20	6	5	1	1	1
Columbiana	6	86	21	10	26	30	6	13	7	-	6	6	1	74	15	18	11	-	-
East Liverpool	2	14	2	-	13	9	-	2	2	-	1	1	-	14	6	3	2	-	-
Salem	1	10	4	1	-	8	3	5	2	-	-	1	-	7	1	1	2	-	-
Balance of county	3	62	15	9	13	13	3	6	3	-	5	4	1	53	8	14	7	-	-
Coshocton	1	30	4	1	4	16	1	2	5	-	2	4	-	10	8	3	4	3	-
Coshocton	-	19	3	-	1	6	1	1	1	-	1	-	-	5	2	1	-	2	-
Balance of county	1	11	1	1	3	10	-	1	4	-	1	4	-	5	6	2	4	1	-
Crawford	2	53	8	10	8	15	1	2	6	-	5	7	3	32	11	11	-	2	-
Bucyrus	-	18	2	3	1	6	-	1	2	-	3	-	2	9	2	4	-	1	-
Galion	1	14	4	5	6	3	1	-	3	-	1	2	-	11	-	4	-	-	-
Balance of county	1	21	2	2	1	6	-	1	1	-	1	5	1	12	9	3	-	1	-
Cuyahoga	59	1,003	144	182	368	427	52	234	175	2	84	134	57	1,257	189	344	192	185	11
Bay Village	-	12	1	1	3	6	2	4	-	-	3	-	-	9	-	4	-	2	-
Bedford	-	10	2	1	2	7	-	1	2	-	-	1	2	11	-	2	2	-	-
Bedford Heights	-	7	-	1	2	4	-	2	-	-	-	3	-	7	1	3	1	1	-
Berea	2	8	3	4	3	9	-	2	3	-	-	2	-	9	-	3	2	1	-
Brecksville	-	5	-	2	3	4	1	1	1	-	-	-	1	9	2	3	1	-	-
Broadview Heights	-	4	1	-	2	3	-	1	1	-	-	-	-	7	1	1	-	-	-
Brooklyn	2	14	-	3	4	3	-	3	2	-	1	-	1	8	2	3	2	-	-
Brook Park	1	10	1	1	3	3	-	2	1	-	-	1	-	10	4	3	1	1	1
Cleveland	33	396	56	66	161	177	21	129	81	1	45	89	24	596	86	188	86	145	10
Cleveland Heights	1	39	7	6	22	12	4	6	4	-	1	5	1	43	3	15	10	4	-
East Cleveland	-	18	3	2	8	5	1	11	3	-	3	8	-	24	6	1	7	8	-
Euclid	3	47	13	10	18	17	1	18	6	-	8	5	4	43	7	10	11	2	-
Fairview Park	-	11	1	5	6	5	-	3	1	-	-	1	-	16	2	5	2	-	-
Garfield Heights	-	21	3	5	5	7	1	7	2	-	2	1	3	14	3	10	4	4	-
Lakewood	2	51	10	9	12	21	1	8	5	1	2	2	2	42	13	16	7	2	-
Lyndhurst	-	15	3	3	2	4	1	-	3	-	-	1	2	16	-	1	4	1	-
Maple Heights	1	26	2	5	2	12	-	2	5	-	-	-	1	22	6	4	3	1	-
Mayfield Heights	1	24	3	10	11	13	3	2	2	-	1	-	1	28	3	2	3	-	-
Middleburg Heights	2	5	-	1	1	3	-	1	3	-	1	-	-	8	3	1	1	-	-
North Olmsted	1	16	1	1	4	12	1	3	-	-	4	2	1	15	6	5	4	-	-
North Royalton	-	6	2	2	1	6	1	1	-	-	2	-	-	7	3	3	1	2	-
Parma	2	69	6	12	19	27	3	9	15	-	2	2	4	70	9	12	11	2	-
Parma Heights	1	27	8	3	8	3	2	3	4	-	-	1	2	16	3	5	1	1	-
Richmond Heights	-	2	2	-	1	1	-	2	2	-	3	-	2	9	-	1	3	1	-
Rocky River	2	17	5	5	6	6	1	-	2	-	1	-	-	25	3	4	2	-	-
Seven Hills	-	8	2	3	2	3	-	-	1	-	-	-	-	8	1	2	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Shaker Heights	273	-	-	3	64	16	14	8	7	6	5	8	8	132	107	1	-	92	14
Solon	84	-	-	1	27	11	5	3	2	1	1	4	3	35	32	1	2	24	5
South Euclid	289	-	-	5	76	19	16	9	9	3	5	15	7	143	119	1	4	96	18
Strongsville	148	-	-	1	31	7	7	5	4	-	3	5	2	71	67	1	6	47	13
University Heights	137	-	-	2	35	9	9	3	6	1	-	7	2	69	65	1	-	51	13
Warrensville Heights	126	-	-	-	35	14	6	4	2	-	1	8	2	54	47	-	-	36	11
Westlake	184	-	-	2	42	16	9	5	7	1	1	3	3	98	78	1	1	62	14
Balance of county	786	-	-	13	182	37	56	18	27	6	7	31	16	406	323	4	8	255	58
Darke	539	1	-	3	102	25	23	11	14	6	5	18	7	312	243	-	4	195	44
Greenville	223	-	-	1	34	11	8	3	7	2	1	2	3	149	115	-	1	92	22
Balance of county	316	1	-	2	68	14	15	8	7	4	4	16	4	163	128	-	3	103	22
Defiance	341	-	-	4	68	24	10	3	9	2	4	16	12	156	126	1	5	81	39
Defiance	154	-	-	1	30	11	6	1	5	-	1	6	2	71	60	1	3	39	17
Balance of county	187	-	-	3	38	13	4	2	4	2	3	10	10	85	66	-	2	42	22
Delaware	395	-	-	6	81	14	28	8	7	-	2	22	3	187	141	2	1	116	22
Delaware	168	-	-	3	34	4	12	3	4	-	-	11	1	89	68	1	-	58	9
Westerville, part	21	-	-	1	2	2	-	-	-	-	-	-	-	10	8	-	-	8	-
Balance of county	206	-	-	2	45	8	16	5	3	-	2	11	2	88	65	1	1	50	13
Erie	735	-	-	6	164	54	42	11	15	10	2	30	14	341	262	3	4	197	58
Sandusky	351	-	-	2	88	29	23	5	8	7	1	15	7	157	117	3	4	88	22
Vermilion, part	52	-	-	-	9	3	4	1	-	-	-	1	-	29	27	-	-	22	5
Vermilion, total	85	-	-	-	16	5	6	3	-	-	1	1	1	43	36	-	-	30	6
Balance of county	332	-	-	4	67	22	15	5	7	3	1	14	7	155	118	-	-	87	31
Fairfield	722	1	-	6	166	41	54	8	18	9	5	31	14	371	288	4	9	198	77
Columbus, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	344	1	-	3	74	21	27	6	6	3	4	7	4	189	136	1	2	95	38
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	378	-	-	3	92	20	27	2	12	6	1	24	10	182	152	3	7	103	39
Fayette	282	-	1	2	67	14	15	5	7	4	2	20	8	159	111	-	3	100	8
Washington	169	-	1	2	36	9	5	-	3	2	-	17	4	101	73	-	3	64	6
Balance of county	113	-	-	-	31	5	10	5	4	2	2	3	4	58	38	-	-	36	2
Franklin	6,742	2	-	81	1,539	374	491	156	148	38	59	273	152	3,129	2,507	14	109	1,590	794
Bexley	103	-	-	1	28	8	6	8	-	-	2	4	1	50	35	-	3	19	13
Columbus, part	4,636	2	-	55	1,031	258	318	106	105	29	37	178	115	2,121	1,707	10	91	1,050	558
Columbus, total	4,636	2	-	55	1,031	258	318	106	105	29	37	178	115	2,121	1,707	10	91	1,050	558
Gahanna	81	-	-	1	24	3	8	4	2	1	2	4	1	30	24	-	-	14	10
Grove City	118	-	-	2	19	9	5	1	3	-	2	5	1	62	48	-	1	33	14
Reynoldsburg, part	105	-	-	1	34	6	13	3	4	-	3	5	-	49	43	1	-	24	18
Reynoldsburg, total	108	-	-	1	34	6	13	3	4	-	3	5	2	49	43	1	-	24	18
Upper Arlington	348	-	-	4	85	24	24	6	6	2	7	16	7	184	137	2	4	86	45
Westerville, part	151	-	-	1	35	7	10	4	2	1	2	9	-	78	64	-	3	53	8
Westerville, total	172	-	-	2	37	9	10	4	2	1	2	9	-	88	72	-	3	61	8
Whitehall	159	-	-	3	36	8	11	2	5	-	1	9	5	67	51	-	-	35	16
Worthington	106	-	-	1	19	7	3	2	2	-	-	5	2	59	41	-	1	28	12
Balance of county	935	-	-	12	228	50	93	20	19	5	3	38	20	429	357	1	8	248	102
Fulton	300	-	-	2	58	19	16	3	3	3	4	10	5	163	116	-	4	97	15
Gallia	276	1	-	5	52	10	15	2	6	5	1	13	3	155	127	-	5	101	21
Geauga	469	-	-	7	113	31	25	14	11	4	3	25	7	234	189	7	6	130	46
Greene	840	-	-	3	209	57	61	25	19	12	9	26	17	407	305	4	16	222	63
Beavercreek	130	-	-	-	37	11	9	3	1	1	3	9	5	61	43	-	-	32	11
Dayton, part	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Fairborn	212	-	-	-	56	11	21	5	6	4	1	8	1	83	67	1	6	46	12
Xenia	221	-	-	3	53	19	13	6	4	2	5	4	4	121	86	1	8	58	19
Balance of county	274	-	-	-	63	16	18	11	8	5	-	5	7	141	108	1	2	84	21
Guernsey	483	-	-	7	95	17	32	10	12	4	6	14	10	223	173	2	3	129	39
Cambridge	194	-	-	2	39	5	12	5	8	1	4	4	5	87	69	1	3	52	13
Balance of county	289	-	-	5	56	12	20	5	4	3	2	10	5	136	104	1	-	77	26
Hamilton	8,511	11	1	78	2,028	542	597	179	216	84	53	357	169	4,145	3,391	32	302	2,392	665
Cincinnati	4,632	11	1	44	1,034	284	318	86	103	44	27	172	98	2,223	1,814	18	181	1,280	335
Forest Park	95	-	-	3	27	5	11	2	2	-	-	7	-	34	22	1	3	12	6
Montgomery	55	-	-	-	18	3	5	3	2	-	1	4	-	25	19	1	-	12	6
North College Hill	155	-	-	-	35	10	12	4	1	1	2	5	2	88	70	1	3	44	22
Norwood	301	-	-	2	52	13	17	4	5	1	1	11	6	177	151	2	10	113	26
Reading	123	-	-	1	30	12	11	-	1	1	-	5	2	65	53	-	3	39	11
Sharonville	76	-	-	1	25	6	6	1	4	2	1	5	-	29	26	-	2	19	5
Springdale	79	-	-	1	20	5	6	-	3	1	-	5	2	38	32	1	2	25	4
Balance of county	3,001	-	-	26	787	204	211	79	95	34	21	143	59	1,466	1,204	8	98	846	250
Hancock	605	1	-	3	122	32	41	11	7	5	4	22	26	312	245	2	6	194	43
Findlay	387	1	-	2	80	19	30	6	4	4	4	13	15	199	155	1	5	123	26
Fostoria, part	40	-	-	-	12	4	3	1	-	1	-	3	1	21	18	-	-	15	3
Balance of county	178	-	-	1	30	9	8	4	3	-	-	6	10	92	72	1	1	56	14
Hardin	338	1	-	5	62	10	27	5	7	2	2	9	6	189	157	1	2	132	22
Harrison	182	-	-	-	52	9	22	6	6	2	-	7	8	101	81	-	1	65	15
Henry	240	-	-	2	44	11	3	8	11	2	-	9	2	124	87	1	2	63	21
Highland	412	-	-	3	75	14	24	5	10	3	3	16	8	227	148	1	1	99	47
Hocking	275	1	-	4	67	13	18	9	5	4	3	15	5	112	90	-	3	67	20
Holmes	197	-	-	4	38	13	5	5	4	2	-	9	8	93	72	2	1	43	26
Huron	417	-	-	2	78	20	19	6	7	5	4	17	13	211	168	2	6	122	38
Norwalk	132	-	-	1	20	7	1	1	2	3	1	5	4	78	56	-	2	45	9
Balance of county	285	-	-	1	58	13	18	5	5	2	3	12	9	133	112	2	4	77	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Shaker Heights	1	21	1	2	7	9	1	3	3	-	-	2	1	28	1	6	1	4	-
Solon	-	3	-	-	2	4	-	-	-	-	-	-	-	8	3	1	-	-	-
South Euclid	-	19	1	4	12	5	-	3	5	-	-	-	1	21	1	8	2	-	-
Strongsville	-	2	2	-	3	4	-	3	1	-	1	1	1	15	5	3	6	-	-
University Heights	-	4	-	-	5	4	-	-	1	-	1	-	-	15	1	2	-	-	-
Warrensville Heights	1	5	-	1	1	-	-	2	4	-	2	5	1	12	3	1	2	2	-
Westlake	-	19	1	-	5	8	1	-	2	-	1	1	-	16	1	-	4	-	-
Balance of county	3	62	4	14	22	20	6	7	10	-	-	1	2	70	7	16	7	1	-
Darke	2	44	17	6	15	23	-	4	2	-	2	6	5	30	14	6	6	1	-
Greenville	1	20	12	1	8	7	-	2	1	-	1	-	2	12	1	1	1	-	-
Balance of county	1	24	5	5	7	16	-	2	1	-	1	6	3	18	13	5	5	1	-
Defiance	3	23	1	3	11	14	-	2	5	-	3	3	2	28	18	10	5	-	-
Defiance	1	6	1	3	5	8	-	1	2	-	1	3	1	14	6	4	5	-	-
Balance of county	2	17	-	-	6	6	-	1	3	-	2	-	1	14	12	6	-	-	-
Delaware	-	33	8	5	14	10	-	7	9	-	1	6	11	36	10	11	2	1	-
Delaware	-	15	5	1	5	8	-	2	2	-	1	2	3	11	4	3	-	-	-
Westerville, part	-	-	-	2	-	-	-	-	2	-	-	-	-	5	-	1	-	-	-
Balance of county	-	18	3	2	9	2	-	5	5	-	-	4	8	20	6	7	2	1	-
Erie	7	46	14	12	13	27	4	10	6	-	4	5	55	54	11	15	3	-	3
Sandusky	3	20	9	8	6	15	1	2	1	-	2	3	21	28	6	8	2	-	2
Vermilion, part	-	1	-	1	-	1	-	3	1	-	1	1	-	6	1	-	-	-	-
Vermilion, total	1	5	-	1	-	2	-	5	2	-	2	1	1	8	1	-	1	2	-
Balance of county	4	25	5	3	7	11	3	5	4	-	1	1	34	20	4	7	1	-	1
Fairfield	2	50	12	19	22	24	2	6	7	-	3	7	7	49	20	7	6	1	3
Columbus, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	1	33	6	13	8	10	2	1	3	-	2	5	2	28	4	3	3	1	1
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	17	6	6	14	14	-	5	4	-	1	2	5	21	16	4	3	-	2
Fayette	-	42	4	2	6	3	2	-	1	-	1	5	3	15	1	6	2	-	-
Washington	-	23	4	1	4	2	-	-	-	-	-	2	2	10	-	4	1	-	-
Balance of county	-	19	-	1	2	1	2	-	1	-	1	3	1	5	1	2	1	-	-
Franklin	24	451	80	67	141	229	21	72	70	-	58	74	304	522	89	139	94	25	1
Bexley	1	12	2	-	2	1	1	1	3	-	-	-	1	5	4	3	2	-	-
Columbus, part	20	295	50	49	97	151	12	59	49	-	39	58	237	373	59	93	63	21	1
Columbus, total	20	295	50	49	97	151	12	59	49	-	39	58	237	373	59	93	63	21	1
Gahanna	-	4	1	1	1	7	1	1	-	-	2	-	2	7	-	1	3	-	-
Grove City	-	11	3	-	9	4	-	1	2	-	-	1	1	7	2	5	1	1	-
Reynoldsburg, part	-	4	1	1	1	3	2	1	-	-	-	1	3	8	2	-	-	-	-
Reynoldsburg, total	-	4	1	1	1	3	2	1	-	-	-	1	3	8	2	-	-	1	-
Upper Arlington	-	34	11	2	6	7	2	-	2	-	1	3	6	24	3	8	4	-	-
Westerville, part	-	12	-	2	-	6	-	-	-	-	-	1	5	17	1	3	4	-	-
Westerville, total	-	12	-	4	-	6	-	-	2	-	-	1	5	22	1	4	4	-	-
Whitehall	-	12	1	3	2	9	1	3	3	-	2	1	11	13	2	-	1	-	-
Worthington	-	16	2	-	1	5	-	1	2	-	1	-	5	7	-	3	-	-	-
Balance of county	3	51	9	9	20	36	2	5	9	-	13	9	33	61	16	23	16	3	-
Fulton	2	37	6	2	3	11	1	-	3	-	4	1	1	23	19	4	2	-	-
Gallia	1	22	4	1	2	5	1	3	1	-	5	1	3	19	3	11	5	1	-
Geauga	4	33	2	6	7	13	3	6	2	-	6	1	10	32	10	12	5	-	1
Greene	3	78	13	8	14	38	3	10	6	-	2	11	15	54	20	15	11	3	2
Beavercreek	2	13	3	-	2	2	-	2	1	-	1	3	5	2	2	3	3	1	-
Dayton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Fairborn	-	9	3	4	8	17	1	3	2	-	1	4	5	16	5	4	5	-	1
Xenia	-	27	5	3	-	7	-	5	1	-	-	1	1	17	3	3	1	1	-
Balance of county	1	29	2	1	4	12	2	-	2	-	-	3	4	19	8	5	2	1	1
Guernsey	2	36	5	5	22	18	4	2	6	-	3	3	1	57	4	14	12	2	-
Cambridge	-	15	2	1	12	11	1	1	5	-	1	-	-	21	-	3	6	-	-
Balance of county	2	23	3	4	10	7	3	1	1	-	2	3	1	36	4	11	6	2	-
Hamilton	23	558	87	86	267	277	34	100	92	1	63	101	36	696	81	170	116	39	6
Cincinnati	12	302	45	50	149	159	22	58	56	1	34	65	26	411	40	105	61	29	5
Forest Park	-	9	1	2	1	4	-	1	1	-	3	3	-	12	1	1	3	1	-
Montgomery	-	6	-	-	3	2	1	-	1	-	-	1	-	1	1	1	1	-	-
North College Hill	1	11	3	3	5	3	1	-	2	-	3	-	-	10	2	3	1	-	-
Norwood	3	16	4	3	9	11	1	3	-	-	2	1	-	23	3	3	6	1	1
Reading	1	8	1	2	4	4	-	3	1	-	3	-	-	8	-	1	1	-	-
Sharonville	1	2	-	-	2	2	-	3	-	-	1	-	-	6	1	3	3	-	-
Springdale	-	5	1	-	2	2	-	1	-	-	-	-	-	3	-	3	-	1	-
Balance of county	5	199	32	26	92	90	9	31	31	-	17	31	10	222	33	50	40	7	-
Hancock	5	44	10	8	18	22	-	4	2	-	7	2	4	39	13	17	11	1	1
Findlay	2	33	5	4	10	14	-	3	2	-	4	1	3	25	7	13	7	1	-
Fostoria, part	1	1	1	-	-	1	-	-	-	-	1	1	-	2	1	-	-	-	-
Balance of county	2	10	4	4	8	7	-	1	-	-	2	-	1	12	5	4	4	-	1
Hardin	2	24	2	4	8	12	-	3	3	-	3	2	-	25	13	3	2	1	-
Harrison	1	13	5	1	2	3	1	1	1	-	-	-	1	6	3	2	1	-	-
Henry	1	24	8	4	10	3	-	4	4	-	2	1	4	25	9	-	4	2	-
Highland	3	53	20	3	9	17	1	5	4	-	5	1	3	34	6	10	3	1	-
Hocking	1	13	7	1	8	14	-	3	1	-	4	1	21	25	3	4	4	-	-
Holmes	-	20	1	-	7	5	-	1	4	-	1	4	-	19	6	6	-	1	-
Huron	1	31	7	4	10	18	-	4	4	-	4	4	6	33	9	11	10	-	-
Norwalk	-	16	3	3	2	4	-	2	2	-	2	3	-	10	1	1	2	-	-
Balance of county	1	15	4	1	8	14	-	2	2	-	2	1	6	23	8	10	8	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Jackson	371	-	-	2	69	20	17	3	10	4	2	13	8	205	158	1	4	129	24
Jefferson	1,009	1	-	6	237	69	58	21	34	10	11	34	22	532	440	9	12	317	102
Steubenville	399	1	-	4	102	32	28	9	12	6	4	11	6	201	176	5	6	113	52
Balance of county	610	-	-	2	135	37	30	12	22	4	7	23	16	331	264	4	6	204	50
Knox	459	-	-	1	101	21	30	5	15	8	4	18	10	245	174	1	1	137	36
Mount Vernon	196	-	-	-	51	12	16	4	6	3	-	10	4	106	75	-	1	60	14
Balance of county	263	-	-	1	50	9	14	1	9	5	4	8	6	139	99	1	-	77	21
Lake	1,509	-	-	9	383	72	118	37	33	13	19	71	32	734	554	7	25	413	109
Eastlake	138	-	-	-	37	12	11	4	1	2	2	5	4	65	52	-	5	35	12
Mentor	234	-	-	2	53	13	11	4	2	1	6	16	5	108	82	1	1	59	21
Painesville	184	-	-	-	47	12	16	4	2	3	-	10	2	84	54	-	3	45	5
Wickliffe	128	-	-	2	32	4	13	4	3	1	3	4	2	71	54	-	3	42	9
Willoughby	184	-	-	-	43	2	16	7	6	-	4	8	4	91	68	3	5	48	12
Willowick	148	-	-	2	40	7	10	4	3	1	2	13	2	66	49	1	2	38	8
Balance of county	493	-	-	3	111	22	41	10	16	5	2	15	13	249	195	2	6	146	41
Lawrence	652	1	-	3	151	38	38	12	19	9	7	28	15	335	274	2	12	178	82
Ironton	192	-	-	-	48	13	12	4	8	4	1	6	5	100	85	1	4	53	27
Balance of county	460	1	-	3	103	25	26	8	11	5	6	22	10	235	189	1	8	125	55
Licking	1,024	-	-	8	244	62	71	18	27	10	11	45	21	522	407	3	10	327	67
Newark	505	-	-	5	112	28	29	12	12	5	4	22	12	268	203	3	7	168	25
Reynoldsburg, part	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Balance of county	516	-	-	3	132	34	42	6	15	5	7	23	7	254	204	-	3	159	42
Logan	389	1	-	3	78	21	25	3	6	5	3	15	6	203	152	1	2	117	32
Bellefontaine	102	1	-	1	23	5	9	-	2	1	1	5	3	49	26	-	-	23	3
Balance of county	287	-	-	2	55	16	16	3	4	4	2	10	3	154	126	1	2	94	29
Lorain	2,010	1	-	13	457	119	134	46	38	17	22	80	40	970	768	12	16	621	119
Amherst	114	-	-	-	28	9	5	2	2	-	1	9	-	61	47	-	2	36	9
Avon Lake	78	-	-	1	17	2	3	2	3	-	3	4	1	43	33	-	-	30	3
Elyria	476	-	-	2	103	26	34	13	5	5	5	15	10	223	176	6	2	142	26
Lorain	614	-	-	5	141	38	45	9	15	7	4	23	12	303	248	4	8	200	36
North Ridgeville	100	-	-	-	25	5	8	3	2	1	1	5	1	44	32	-	-	26	6
Sheffield Lake	51	-	-	1	15	8	3	2	1	-	-	1	-	22	20	-	-	17	3
Vermilion, part	33	-	-	-	7	2	2	2	-	-	1	-	1	14	9	-	-	8	1
Balance of county	544	1	-	4	121	29	34	13	11	4	7	23	15	260	203	2	4	162	35
Lucas	4,663	4	-	33	1,027	258	304	74	114	43	40	194	108	2,418	1,877	10	80	1,473	334
Maumee	121	-	-	-	41	8	10	3	9	1	1	9	4	53	43	1	1	31	10
Oregon	182	-	-	1	37	13	11	-	3	3	2	5	3	109	84	-	1	70	13
Sylvania	123	-	-	-	29	5	9	4	3	1	2	5	2	70	52	-	2	42	8
Toledo	3,795	4	-	25	820	207	244	60	94	33	31	151	87	1,982	1,539	9	52	1,203	275
Balance of county	442	-	-	7	100	25	30	7	5	5	4	24	12	210	159	-	4	127	28
Madison	289	-	-	1	67	15	24	4	9	2	4	9	4	148	95	1	6	72	16
Mahoning	2,999	2	-	30	657	183	155	59	74	25	26	135	72	1,594	1,214	4	27	924	259
Alliance, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Campbell	106	-	-	3	20	10	3	1	1	2	1	2	1	60	50	-	1	35	14
Struthers	147	-	-	1	25	5	6	3	2	1	3	5	3	90	64	-	1	43	20
Youngstown, part	1,423	1	-	17	302	85	74	29	34	10	10	60	40	740	551	2	12	423	114
Youngstown, total	1,427	1	-	17	304	86	74	29	35	10	10	60	40	741	552	2	12	424	114
Balance of county	1,322	1	-	9	310	83	72	26	37	12	12	68	28	703	549	2	13	423	111
Marion	620	-	-	4	133	34	38	10	14	6	6	25	21	318	241	3	1	202	35
Marion	365	-	-	3	84	21	26	6	7	4	2	18	12	183	138	1	1	117	19
Balance of county	255	-	-	1	49	13	12	4	7	2	4	7	9	135	103	2	-	85	16
Medina	750	-	-	10	151	45	36	8	14	5	7	36	24	389	337	-	18	221	98
Brunswick	129	-	-	2	18	5	5	-	3	-	-	5	6	65	55	-	3	38	14
Medina	169	-	-	1	29	7	3	-	4	4	1	10	8	92	77	-	1	54	22
Wadsworth	136	-	-	4	29	8	7	4	3	-	2	5	5	77	70	-	4	41	25
Balance of county	316	-	-	3	75	25	21	4	4	1	4	16	5	155	135	-	10	88	37
Meigs	232	-	-	3	46	10	10	4	7	3	4	8	4	124	84	1	-	71	12
Mercer	326	1	-	3	54	16	14	4	7	2	5	6	6	172	127	-	6	99	22
Miami	841	-	-	6	189	41	65	17	23	6	7	30	23	440	357	6	5	271	75
Piqua	234	-	-	1	54	9	18	7	8	2	1	9	11	124	93	3	1	76	13
Troy	171	-	-	1	37	12	15	2	2	1	1	4	5	85	63	1	-	40	22
Balance of county	436	-	-	4	98	20	32	8	13	3	5	17	7	231	201	2	4	155	40
Monroe	158	-	-	-	35	5	7	7	7	2	2	5	2	75	62	1	1	49	11
Montgomery	4,905	2	-	45	1,136	267	357	103	129	55	22	203	86	2,393	1,931	18	57	1,227	629
Centerville	93	-	-	1	25	8	6	4	2	1	-	4	1	44	34	-	-	22	12
Dayton, part	2,193	1	-	21	463	116	161	33	53	23	8	69	44	1,026	824	6	25	509	284
Dayton, total	2,196	1	-	21	463	116	161	33	53	23	8	69	44	1,027	825	7	25	509	284
Englewood	69	-	-	-	18	2	6	1	1	2	1	5	-	37	30	-	-	23	7
Huber Heights	147	-	-	2	42	5	13	4	9	1	1	9	2	66	53	-	2	32	19
Kettering	505	-	-	5	130	31	33	17	18	3	6	22	6	246	192	3	4	127	58
Miamisburg	109	-	-	1	31	7	12	4	1	2	-	5	2	56	45	1	2	28	14
Vandalia	93	-	-	-	25	7	7	1	6	-	-	4	3	42	30	1	2	17	10
West Carrollton	88	-	-	-	28	5	8	1	3	1	-	10	1	41	37	-	1	22	14
Balance of county	1,608	1	-	15	374	86	111	38	36	22	6	75	27	835	686	7	21	447	211
Morgan	146	-	-	1	30	9	7	3	3	2	-	6	2	72	60	-	3	40	17
Morrow	200	-	-	3	45	13	14	3	7	-	1	7	7	97	77	1	4	61	11
Muskingum	896	1	-	11	199	52	60	13	22	7	4	41	17	476	361	3	16	241	101
Zanesville	454	-	-	6	102	27	30	6	11	4	3	21	3	238	181	2	6	129	44
Balance of county	442	1	-	5	97	25	30	7	11	3	1	20	14	238	180	1	10	112	57
Noble	119	-	-	1	29	7	6	2	3	3	3	5	2	62	49	2	-	42	5
Ottawa	384	-	-	1	87	25	27	3	12	6	1	13	3	206	160	5	4	112	39
Paulding	168	-	-	-	35	12	10	4	2	1	2	4	5	84	72	-	-	63	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	-	38	6	3	16	16	-	1	1	-	4	-	2	27	6	13	1	-	-
Jefferson	-	81	6	5	28	35	5	12	12	-	3	4	6	55	8	25	12	3	3
Steubenville	-	23	-	2	12	13	4	5	7	-	1	3	2	20	1	8	6	1	2
Balance of county	-	58	6	3	16	22	1	7	5	-	2	1	4	35	7	17	6	2	1
Knox	3	50	8	10	12	7	1	2	3	-	7	5	3	31	17	11	3	-	-
Mount Vernon	1	21	4	5	2	2	-	-	2	-	3	3	1	14	2	4	2	-	-
Balance of county	2	29	4	5	10	5	1	2	1	-	4	2	2	17	15	7	1	-	-
Lake	5	142	15	18	26	45	3	25	12	1	11	9	41	102	31	35	25	4	1
Eastlake	1	8	2	2	1	5	-	2	2	-	3	1	1	8	2	2	4	1	-
Mentor	-	19	3	4	5	9	-	3	-	1	-	1	6	21	9	6	5	-	-
Painesville	1	25	2	2	4	5	-	2	1	-	2	3	7	13	6	7	1	-	-
Wickliffe	1	14	1	1	2	2	-	2	-	-	-	2	2	8	1	1	1	-	-
Willoughby	-	16	4	3	2	4	1	3	1	-	2	1	6	17	4	3	2	-	-
Willowick	2	13	-	2	4	5	1	5	2	-	-	-	7	8	-	3	3	-	-
Balance of county	-	47	3	4	8	15	1	8	6	-	4	1	12	27	9	13	9	3	1
Lawrence	2	44	10	5	6	27	1	11	6	-	5	5	10	46	9	12	4	3	2
Ironton	-	14	1	-	2	4	1	5	1	-	2	2	4	9	2	5	2	-	-
Balance of county	2	30	9	5	4	23	-	6	5	-	3	3	6	37	7	7	2	3	2
Licking	2	88	15	10	18	38	4	7	8	-	6	3	13	74	19	21	11	6	1
Newark	2	51	6	6	12	22	2	4	4	-	3	3	6	33	2	9	5	2	1
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Balance of county	-	37	9	4	6	16	2	3	4	-	3	-	7	41	17	12	6	3	-
Logan	1	41	3	6	14	18	-	4	4	-	5	2	2	25	9	7	7	1	-
Bellefontaine	-	16	1	6	3	4	-	1	1	-	1	1	-	8	2	1	2	1	-
Balance of county	1	25	2	-	11	14	-	3	3	-	4	1	2	17	7	6	5	-	-
Lorain	9	148	25	20	30	56	7	31	36	-	18	19	33	152	45	47	34	19	2
Amherst	2	10	-	2	1	1	-	4	7	-	-	1	2	6	-	3	-	-	-
Avon Lake	1	5	2	2	-	3	1	-	-	-	-	2	-	4	1	1	4	-	-
Elyria	1	33	6	7	8	16	5	3	6	-	3	2	13	39	6	17	9	10	1
Lorain	2	40	7	6	6	22	1	16	7	-	6	7	9	45	13	6	11	4	-
North Ridgeville	-	11	1	-	1	-	-	-	-	-	1	2	1	9	9	5	-	1	1
Sheffield Lake	-	2	-	-	-	2	-	-	1	-	1	1	-	2	3	3	-	-	-
Vermilion, part	1	4	-	-	-	1	-	2	1	-	1	-	1	2	-	-	1	2	-
Balance of county	2	43	9	3	14	11	-	6	14	-	6	4	7	45	13	12	9	2	-
Lucas	34	387	68	52	120	171	12	54	34	2	23	38	30	306	66	93	78	43	5
Maumee	1	7	1	1	2	4	1	2	1	-	-	-	1	7	2	1	2	-	-
Oregon	1	15	2	1	2	6	-	1	1	-	1	-	2	14	4	4	2	-	1
Sylvania	3	12	1	2	2	3	2	-	-	-	1	1	-	8	1	2	2	-	-
Toledo	25	313	60	45	98	143	7	44	29	2	16	34	25	251	49	78	60	37	4
Balance of county	4	40	4	3	16	15	2	7	3	-	5	1	2	26	10	8	12	6	-
Madison	1	45	5	2	3	19	1	2	3	-	1	1	1	19	8	6	5	-	-
Mahoning	8	281	59	32	77	69	11	41	30	-	9	18	13	215	34	73	30	24	-
Alliance, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	2	7	-	1	2	2	-	2	2	-	-	1	-	8	3	1	-	1	-
Struthers	-	22	3	1	1	3	1	-	2	-	2	-	1	12	2	1	3	-	-
Youngstown, part	6	136	36	11	40	25	6	25	11	-	4	12	7	114	12	35	13	19	-
Youngstown, total	6	136	36	11	40	25	6	25	12	-	4	12	7	114	12	35	13	19	-
Balance of county	-	115	20	19	34	39	4	14	15	-	3	5	5	81	17	36	14	4	-
Marion	-	57	12	8	8	23	1	7	4	-	5	5	1	54	17	9	8	2	-
Marion	-	34	7	4	4	11	1	5	3	-	3	2	1	33	8	6	4	2	-
Balance of county	-	23	5	4	4	12	-	2	1	-	2	3	-	21	9	3	4	-	-
Medina	1	38	6	7	32	22	3	4	7	-	5	4	7	43	21	12	15	1	-
Brunswick	-	10	-	-	10	4	-	1	1	-	1	1	-	6	5	3	6	-	-
Medina	-	12	2	1	6	8	-	-	2	-	1	1	3	9	4	-	4	1	-
Wadsworth	1	5	1	-	4	2	2	-	2	-	-	1	-	9	1	-	-	-	-
Balance of county	-	11	3	6	12	8	1	3	2	-	3	1	4	19	11	9	5	-	-
Meigs	1	23	12	4	4	10	1	-	4	-	2	2	3	15	7	5	1	1	-
Mercer	2	38	3	2	5	16	2	4	2	-	3	6	4	25	13	4	5	-	1
Miami	2	57	16	8	21	25	3	2	10	-	1	11	3	55	23	15	12	2	-
Piqua	1	24	4	2	1	4	-	1	5	-	1	4	1	17	5	3	2	-	-
Troy	-	12	6	4	3	9	1	-	1	-	-	3	2	12	1	5	6	-	-
Balance of county	1	21	6	2	17	12	2	1	4	-	-	4	-	26	17	7	4	2	-
Monroe	-	11	1	1	4	7	1	2	1	-	3	-	2	16	3	3	2	2	-
Montgomery	22	332	45	63	101	168	11	55	44	-	36	62	139	347	73	90	54	63	-
Centerville	-	8	-	2	1	3	1	1	-	-	1	1	-	10	2	2	-	-	-
Dayton, part	6	148	24	24	54	79	6	31	23	-	13	30	88	166	27	52	17	52	-
Dayton, total	6	148	24	24	54	79	6	31	23	-	13	30	88	166	29	52	17	52	-
Englewood	-	5	1	1	1	2	1	1	-	-	2	-	1	3	1	1	1	-	-
Huber Heights	1	9	1	2	2	4	-	1	-	-	-	4	7	5	9	1	2	-	-
Kettering	2	44	4	4	11	19	2	4	8	-	2	4	4	45	5	5	6	3	-
Miamisburg	1	5	2	3	1	4	-	1	-	-	-	1	3	4	2	3	-	-	-
Vandalia	-	11	-	1	-	1	-	2	-	-	-	1	4	8	2	-	3	2	-
West Carrollton	1	2	-	1	1	4	-	1	-	-	1	-	3	3	1	-	3	1	-
Balance of county	11	100	13	25	30	52	1	13	13	-	17	21	29	103	24	26	22	5	-
Morgan	1	7	1	3	2	12	1	-	3	-	1	-	1	11	5	3	2	-	-
Morrow	3	13	2	2	9	9	-	2	5	-	1	3	1	13	4	1	-	-	-
Muskingum	4	60	34	17	32	38	-	5	3	-	3	6	4	63	10	16	10	2	-
Zanesville	1	30	17	9	16	24	-	4	3	-	1	1	2	34	4	11	5	-	-
Balance of county	3	30	17	8	16	14	-	1	-	-	2	5	2	29	6	5	5	2	-
Noble	-	11	-	2	5	2	-	1	1	-	-	1	2	5	3	4	1	-	-
Ottawa	1	37	4	4	11	11	4	4	2	-	2	2	6	27	6	8	2	2	-
Paulding	-	11	1	-	3	4	-	-	5	-	-	-	1	8	12	6	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Perry	324	–	–	3	66	15	21	6	7	6	2	9	2	151	109	–	2	79	28
Pickaway	334	–	–	2	73	18	21	5	5	5	1	18	9	170	131	–	1	90	40
Circleville	136	–	–	1	29	10	10	1	2	1	–	5	6	75	59	–	–	33	26
Balance of county	198	–	–	1	44	8	11	4	3	4	1	13	3	95	72	–	1	57	14
Pike	238	–	–	–	59	15	20	–	8	1	3	12	9	121	109	–	2	90	17
Portage	882	–	1	9	211	52	61	15	19	8	7	49	18	425	345	5	12	266	62
Kent	138	–	–	2	27	7	7	2	6	1	2	2	1	72	59	1	5	39	14
Ravenna	156	–	–	3	34	12	8	4	2	–	2	8	5	81	62	1	2	50	9
Balance of county	588	–	1	4	150	33	46	9	11	7	3	39	12	272	224	3	5	177	39
Preble	348	–	–	4	81	18	28	7	6	1	4	17	8	174	138	–	5	105	28
Putnam	243	–	–	1	59	18	13	4	7	3	4	10	3	133	112	1	5	80	26
Richland	1,100	1	–	4	238	67	60	34	24	7	13	33	30	577	463	8	9	373	73
Mansfield	590	1	–	2	124	41	31	13	13	2	4	20	18	298	233	3	2	198	30
Balance of county	510	–	–	2	114	26	29	21	11	5	9	13	12	279	230	5	7	175	43
Ross	602	–	–	9	140	46	38	9	16	8	3	20	8	320	264	1	11	192	60
Chillicothe	298	–	–	2	66	23	18	2	7	5	2	9	2	171	142	–	8	101	33
Balance of county	304	–	–	7	74	23	20	7	9	3	1	11	6	149	122	1	3	91	27
Sandusky	473	–	–	2	101	25	25	5	9	3	5	29	15	249	188	3	3	154	28
Fremont	157	–	–	–	39	9	12	2	3	–	3	10	6	81	63	–	2	51	10
Balance of county	316	–	–	2	62	16	13	3	6	3	2	19	9	168	125	3	1	103	18
Scioto	914	–	–	4	193	53	48	13	26	6	10	37	24	507	425	1	7	303	114
Portsmouth	374	–	–	1	78	20	18	6	9	3	6	16	9	203	164	–	1	123	40
Balance of county	540	–	–	3	115	33	30	7	17	3	4	21	15	304	261	1	6	180	74
Seneca	525	2	–	6	133	25	38	16	16	16	4	18	6	271	221	2	5	180	34
Fostoria, part	141	1	–	1	35	9	9	4	2	5	2	4	2	76	63	1	1	56	5
Fostoria, total	193	1	–	1	49	14	12	6	2	6	2	7	3	104	86	1	1	76	8
Tiffin	185	1	–	4	47	8	15	7	4	4	2	7	3	89	79	1	3	62	13
Balance of county	199	–	–	1	51	8	14	5	10	7	–	7	1	106	79	–	1	62	16
Shelby	337	–	–	–	85	19	32	5	11	2	5	11	2	184	123	2	2	101	18
Sidney	175	–	–	–	44	6	19	3	7	1	3	5	1	98	63	1	1	51	10
Balance of county	162	–	–	–	41	13	13	2	4	1	2	6	1	86	60	1	1	50	8
Stark	3,560	–	–	20	826	187	216	76	82	57	45	163	97	1,833	1,447	16	46	1,121	264
Alliance, part	275	–	–	1	62	18	20	4	4	3	7	6	11	145	113	–	3	98	12
Alliance, total	276	–	–	1	62	18	20	4	4	3	7	6	11	146	113	–	3	98	12
Canton	1,182	–	–	7	256	60	62	22	26	21	10	55	36	615	476	7	19	369	81
Massillon	368	–	–	4	85	15	32	10	5	1	5	17	12	183	142	3	2	106	31
North Canton	118	–	–	2	24	8	4	5	1	2	2	2	3	52	38	1	1	21	15
Balance of county	1,617	–	–	6	399	86	98	35	48	30	21	83	35	838	678	5	21	527	125
Summit	4,932	1	–	60	1,131	298	326	89	114	65	25	214	122	2,262	1,793	18	55	1,236	484
Akron	2,577	1	–	35	595	154	176	41	62	33	16	113	74	1,165	922	7	36	627	252
Barberton	353	–	–	3	61	23	19	3	4	3	–	9	8	201	165	–	3	105	57
Cuyahoga Falls	444	–	–	6	113	27	35	17	11	5	1	17	7	207	167	4	1	125	37
Norton	86	–	–	2	21	8	5	1	3	2	–	2	2	36	27	–	–	20	7
Stow	147	–	–	1	34	10	7	2	4	1	–	10	2	71	60	–	2	40	16
Tallmadge	106	–	–	1	28	7	8	2	4	1	–	6	1	42	32	–	–	26	6
Balance of county	1,219	–	–	12	279	69	76	23	26	20	8	57	28	540	420	7	13	293	107
Trumbull	2,155	5	–	13	533	145	141	51	61	24	17	94	51	1,088	871	5	25	667	174
Girard	134	–	–	1	42	15	13	4	2	2	1	5	2	58	44	–	–	34	10
Niles	235	–	–	2	53	13	16	6	3	7	1	7	5	117	95	–	6	73	16
Warren	690	1	–	6	158	48	32	16	24	5	6	27	17	360	303	–	12	229	62
Youngstown, part	4	–	–	–	2	1	–	–	1	–	–	–	–	1	1	–	–	1	–
Balance of county	1,092	4	–	4	278	68	80	25	31	10	9	55	27	552	428	5	7	330	86
Tuscarawas	908	–	–	5	188	54	58	8	17	9	5	37	25	480	375	2	13	287	73
Dover	175	–	–	1	31	7	13	–	3	–	1	7	3	100	76	1	6	53	16
New Philadelphia	149	–	–	1	34	12	7	2	3	3	2	5	5	75	55	–	2	43	10
Balance of county	584	–	–	3	123	35	38	6	11	6	2	25	17	305	244	1	5	191	47
Union	255	–	–	–	60	11	14	5	9	2	3	16	3	139	103	2	3	87	11
Van Wert	268	–	–	2	62	24	13	6	7	4	2	6	3	146	98	–	2	73	23
Van Wert	119	–	–	–	26	15	3	4	2	1	–	1	1	63	42	–	1	31	10
Balance of county	149	–	–	2	36	9	10	2	5	3	2	5	2	83	56	–	1	42	13
Vinton	124	–	–	1	35	7	13	3	1	–	–	11	–	60	48	1	1	32	14
Warren	659	1	–	4	150	35	46	13	16	6	6	28	15	325	254	1	12	180	61
Franklin	103	–	–	–	17	2	5	3	3	1	–	3	2	57	45	–	2	30	13
Balance of county	556	1	–	4	133	33	41	10	13	5	6	25	13	268	209	1	10	150	48
Washington	599	–	–	6	125	31	37	9	15	8	5	20	13	314	249	1	2	190	56
Marietta	194	–	–	2	35	11	8	2	6	3	1	4	1	114	90	–	–	67	23
Balance of county	405	–	–	4	90	20	29	7	9	5	4	16	12	200	159	1	2	123	33
Wayne	683	–	–	6	153	40	30	18	23	9	2	31	18	350	281	3	12	208	56
Wooster	190	–	–	–	51	9	13	6	8	6	–	9	7	96	70	–	1	59	10
Balance of county	493	–	–	6	102	31	17	12	15	3	2	22	11	254	211	3	11	149	46
Williams	299	–	–	1	57	12	14	5	11	3	3	9	7	143	112	–	4	81	27
Wood	740	–	–	4	157	35	45	14	17	6	7	33	9	362	301	–	10	237	54
Bowling Green	110	–	–	1	21	5	9	–	–	1	2	4	–	58	47	–	–	40	7
Fostoria, part	12	–	–	–	2	1	–	1	–	–	–	–	–	7	5	–	–	5	–
Perrysburg	75	–	–	–	24	5	5	2	3	–	2	7	–	36	30	–	1	23	6
Balance of county	543	–	–	3	110	24	31	11	14	5	3	22	9	281	219	–	9	169	41
Wyandot	242	–	–	4	51	9	11	8	6	3	4	10	2	129	99	4	–	71	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	2	30	2	8	9	17	1	4	6	-	3	5	5	32	5	9	5	1	-
Pickaway	1	28	7	3	3	14	1	-	1	-	3	2	8	24	11	10	2	1	-
Circleville	-	13	3	-	2	4	-	-	-	-	1	1	2	10	2	2	-	1	-
Balance of county	1	15	4	3	1	10	1	-	1	-	2	1	6	14	9	8	2	-	-
Pike	-	11	1	-	3	16	1	-	-	-	1	1	1	11	5	9	1	-	-
Portage	1	64	10	5	16	26	1	10	4	-	5	10	20	60	24	28	11	3	-
Kent	1	11	1	-	3	2	-	2	-	-	2	2	2	12	5	4	2	-	-
Ravenna	-	14	3	2	3	7	-	-	-	-	-	2	5	11	1	4	-	-	-
Balance of county	-	39	6	3	10	17	1	8	4	-	3	6	13	37	18	20	9	3	-
Preble	-	25	6	5	8	13	-	2	7	-	2	1	4	27	8	4	5	-	-
Putnam	-	13	4	4	2	7	1	3	3	-	1	2	2	11	10	5	-	-	-
Richland	4	88	15	7	16	48	5	8	8	-	11	10	13	73	21	14	16	6	1
Mansfield	1	51	11	2	10	27	4	4	4	-	6	6	13	48	5	6	7	6	1
Balance of county	3	37	4	5	6	21	1	4	4	-	5	4	-	25	16	8	9	-	-
Ross	1	41	8	8	9	16	1	4	7	-	2	5	9	41	15	10	4	1	1
Chillicothe	-	20	3	6	3	7	-	2	2	-	1	3	2	23	9	2	1	1	1
Balance of county	1	21	3	2	6	9	1	2	5	-	1	2	7	18	6	8	3	-	-
Sandusky	3	40	13	5	14	10	-	4	5	-	-	2	3	40	15	8	4	1	-
Fremont	1	14	1	2	4	5	-	2	1	-	-	-	1	17	1	-	-	-	-
Balance of county	2	26	12	3	10	5	-	2	4	-	-	2	2	23	14	8	4	1	-
Scioto	2	84	6	10	11	29	2	7	7	-	4	9	7	59	18	21	8	3	1
Portsmouth	-	33	2	4	8	16	1	2	3	-	1	4	3	30	4	5	5	1	-
Balance of county	2	31	4	6	3	13	1	5	4	-	3	5	4	29	14	16	3	2	1
Seneca	4	31	9	6	12	9	2	4	6	-	2	3	5	29	14	11	7	3	-
Fostoria, part	2	4	4	3	1	2	-	-	3	-	1	1	1	8	2	3	1	3	-
Fostoria, total	4	6	5	3	1	4	-	-	3	-	3	2	1	11	3	3	1	3	-
Tiffin	-	8	1	1	7	2	1	2	1	-	1	2	2	10	4	6	3	-	-
Balance of county	2	19	4	2	4	5	1	2	2	-	-	-	2	11	8	2	3	-	-
Shelby	1	38	20	2	4	11	-	1	2	-	5	5	-	16	5	10	5	2	-
Sidney	1	22	10	2	2	5	-	1	2	-	-	4	-	7	1	6	3	1	-
Balance of county	-	16	10	-	2	6	-	-	-	-	5	1	-	9	4	4	2	1	-
Stark	12	277	49	49	74	131	10	27	41	-	19	22	32	238	49	79	39	21	2
Alliance, part	2	20	6	4	2	15	2	2	1	-	1	1	3	20	2	3	2	2	-
Alliance, total	2	21	6	4	2	15	2	2	1	-	1	1	3	20	2	3	2	2	-
Canton	5	100	21	13	29	42	4	12	19	-	12	12	7	72	13	32	7	7	-
Massillon	1	33	4	3	11	16	2	-	5	-	1	1	5	30	3	4	6	-	-
North Canton	-	9	1	4	1	6	-	4	2	-	1	2	1	14	1	2	2	1	-
Balance of county	4	115	16	25	31	52	2	9	14	-	4	6	16	102	30	38	22	11	2
Summit	21	310	91	47	112	162	16	44	49	-	37	36	435	358	42	32	29	4	-
Akron	16	161	44	22	54	93	7	22	23	-	16	22	254	170	20	14	11	1	-
Barberton	-	25	6	5	5	9	2	4	3	-	4	1	16	27	1	3	3	-	-
Cuyahoga Falls	2	26	6	6	14	12	1	2	4	-	5	4	29	32	3	2	3	-	-
Norton	-	5	2	2	1	1	-	-	2	-	-	1	8	8	3	-	1	-	-
Stow	-	5	4	2	5	3	1	1	1	-	3	1	10	10	-	2	1	1	-
Tallmadge	-	6	1	3	4	1	1	-	1	-	-	-	11	14	1	1	-	-	-
Balance of county	3	82	28	7	29	43	4	15	15	-	9	7	105	97	14	10	10	2	-
Trumbull	12	141	41	23	35	84	4	25	29	1	11	26	9	134	40	37	20	10	-
Girard	1	9	4	-	5	8	-	1	-	-	-	3	-	7	-	6	-	1	-
Niles	-	16	4	2	2	13	1	1	3	-	2	5	2	16	5	4	4	-	-
Warren	6	36	9	6	11	17	-	11	10	-	4	6	4	51	9	13	5	7	-
Youngstown, part	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Balance of county	5	80	24	15	17	46	3	12	15	1	5	12	3	60	26	14	11	2	-
Tuscarawas	3	65	20	17	20	25	3	12	7	-	10	7	8	67	18	16	14	3	-
Dover	-	15	5	4	7	3	-	3	1	-	2	1	2	14	3	2	2	-	-
New Philadelphia	3	12	4	1	-	1	-	1	1	-	3	2	2	15	-	3	5	1	-
Balance of county	-	38	11	12	13	21	3	8	5	-	5	4	4	38	15	11	7	2	-
Union	-	29	6	1	7	10	-	-	4	-	2	-	2	16	8	2	2	-	-
Van Wert	1	22	23	2	9	7	1	-	3	-	1	-	2	20	3	6	1	2	-
Van Wert	-	8	11	2	8	4	-	-	1	-	1	-	-	10	-	3	1	1	-
Balance of county	1	14	12	-	1	3	1	-	2	-	-	-	2	10	3	3	-	1	-
Vinton	-	8	2	2	2	4	-	2	1	-	1	-	5	10	-	1	1	1	-
Warren	2	52	9	8	12	28	1	7	1	-	11	4	8	53	23	12	6	-	-
Franklin	-	9	3	-	3	2	-	1	-	-	3	2	2	6	2	2	2	-	-
Balance of county	2	43	6	8	9	24	1	6	1	-	8	2	6	45	21	10	4	-	-
Washington	4	46	8	7	12	22	3	-	7	-	2	8	5	35	16	21	8	2	-
Marietta	2	16	2	4	1	7	1	-	2	-	-	3	3	10	3	4	6	2	-
Balance of county	2	30	6	3	11	15	2	-	5	-	2	5	2	25	13	17	2	-	-
Wayne	2	51	9	7	22	27	3	1	10	-	3	2	9	50	10	10	6	1	2
Wooster	-	18	5	3	7	8	2	-	4	-	1	1	-	7	3	2	-	-	1
Balance of county	2	33	4	4	15	19	1	1	6	-	2	1	9	43	7	8	6	1	1
Williams	1	23	3	4	7	10	1	6	4	-	4	4	-	32	9	5	9	-	-
Wood	5	47	18	11	14	33	4	5	10	-	4	10	8	48	27	13	11	1	-
Bowling Green	2	7	1	1	3	8	-	1	3	-	-	1	1	7	3	3	-	-	-
Fostoria, part	1	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
Perrysburg	-	5	-	1	-	-	3	-	-	-	1	-	1	6	4	-	-	-	-
Balance of county	2	34	17	9	11	24	1	4	7	-	2	9	6	34	20	10	11	1	-
Wyandot	-	28	1	3	7	12	2	2	2	-	-	-	-	18	5	7	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma	29,438	21	3	254	6,068	1,382	1,891	470	670	223	255	1,177	483	14,405	11,113	62	227	7,997	2,827
Urban places	14,852	7	1	133	3,113	699	1,009	257	336	101	112	599	217	7,172	5,469	34	133	3,966	1,336
Balance of area	14,586	14	2	121	2,955	683	882	213	334	122	143	578	266	7,233	5,644	28	94	4,031	1,491
Metropolitan counties	14,900	9	2	129	3,196	703	1,045	283	347	106	125	607	206	7,037	5,442	33	135	3,830	1,444
Urban places	11,032	6	1	100	2,360	537	760	207	247	78	88	445	159	5,156	3,944	23	103	2,771	1,047
Balance of area	3,868	3	1	29	836	166	285	56	100	28	39	162	47	1,881	1,498	10	32	1,059	397
Nonmetropolitan counties	14,538	12	1	125	2,872	679	846	207	323	117	130	570	277	7,368	5,671	29	92	4,167	1,383
Urban places	3,820	1	-	33	753	162	249	50	89	23	26	154	58	2,016	1,525	11	30	1,195	289
Balance of area	10,718	11	1	92	2,119	517	597	157	234	94	104	416	219	5,352	4,146	18	62	2,972	1,094
Adair	194	1	-	3	42	7	11	2	4	4	5	9	3	91	62	1	-	43	18
Alfalfa	101	-	-	-	13	3	4	1	1	3	-	1	4	60	40	1	-	23	16
Atoka	154	-	-	-	32	7	11	1	5	-	2	6	1	84	75	-	-	35	40
Beaver	76	-	-	-	16	1	3	1	3	1	1	6	1	42	35	1	-	28	6
Beckham	248	-	-	2	48	15	8	7	3	4	4	7	7	120	85	-	5	58	22
Blaine	176	-	-	2	32	12	7	2	3	2	-	6	4	77	61	-	-	39	22
Bryan	379	-	-	1	71	13	27	5	5	5	3	13	9	215	153	-	-	125	28
Durant	184	-	-	-	27	5	12	1	1	2	1	5	3	105	75	-	-	65	10
Balance of county	195	-	-	1	44	8	15	4	4	3	2	8	6	110	78	-	-	60	18
Caddo	373	2	-	5	72	14	20	4	5	8	4	17	14	165	118	-	2	83	33
Canadian	403	-	-	1	91	11	33	6	10	2	3	26	5	181	132	2	3	97	30
El Reno	172	-	-	1	35	4	15	1	5	-	2	8	4	86	61	1	1	47	12
Oklahoma City, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yukon	128	-	-	-	30	3	10	3	3	1	-	10	-	54	41	-	1	27	13
Balance of county	102	-	-	-	26	4	8	2	2	1	1	8	1	41	30	1	1	23	5
Carter	506	-	-	7	98	28	32	3	11	3	5	16	3	280	220	3	5	177	35
Ardmore	324	-	-	6	66	17	19	3	8	2	4	13	2	179	140	2	3	112	23
Balance of county	182	-	-	1	32	11	13	-	3	1	1	3	1	101	80	1	2	65	12
Cherokee	286	-	-	2	59	8	15	6	8	2	5	15	7	122	90	-	1	72	17
Choctaw	223	1	-	2	41	15	10	1	5	1	1	8	4	123	101	-	3	79	19
Cimarron	44	-	-	-	10	3	3	1	2	-	-	1	-	15	13	-	-	8	5
Cleveland	694	-	-	4	147	31	57	17	10	8	5	19	11	307	235	2	2	163	68
Moore	164	-	-	2	37	6	19	4	1	-	2	5	3	67	54	1	-	33	20
Norman	404	-	-	-	80	19	28	8	6	4	3	12	4	186	140	1	1	97	41
Oklahoma City, part	19	-	-	-	4	-	-	2	-	1	-	1	-	8	5	-	1	4	-
Balance of county	107	-	-	2	26	6	10	3	3	3	-	1	4	46	36	-	-	29	7
Coal	101	-	-	1	20	9	10	-	-	-	-	1	4	46	37	-	-	20	17
Comanche	699	-	-	5	156	30	53	17	20	4	7	25	8	288	222	-	4	165	33
Lawton	558	-	-	4	128	26	48	11	15	4	3	21	6	217	165	-	2	140	23
Balance of county	141	-	-	1	28	4	5	6	5	-	4	4	2	69	57	-	2	45	10
Cotton	104	-	-	1	24	4	9	1	4	1	2	3	1	56	30	-	-	22	8
Craig	167	-	-	-	31	7	5	3	8	1	1	6	-	85	57	1	-	43	13
Creek	542	1	-	5	88	21	28	7	6	5	4	17	13	290	241	-	10	183	48
Sapulpa	221	-	-	2	36	8	9	4	3	1	3	8	9	126	103	-	7	84	12
Balance of county	321	1	-	3	52	13	19	3	3	4	1	9	4	164	138	-	3	99	36
Custer	241	-	-	2	41	8	9	7	2	2	1	12	9	114	81	-	2	61	18
Delaware	262	1	-	1	71	17	24	5	6	5	2	12	4	136	110	-	1	70	39
Dewey	83	-	-	-	16	7	3	3	1	-	-	2	3	35	26	-	1	18	7
Ellis	64	-	-	-	11	1	-	3	1	-	-	6	1	40	30	-	-	18	12
Garfield	615	-	-	6	124	30	30	11	14	3	10	26	9	324	251	6	10	167	68
Enid	503	-	-	6	100	23	26	10	12	3	6	20	8	269	209	6	10	141	52
Balance of county	112	-	-	-	24	7	4	1	2	-	4	6	1	55	42	-	-	26	16
Garvin	432	1	-	6	79	16	23	4	5	2	6	21	10	214	174	1	2	117	54
Grady	402	-	-	5	84	12	27	6	9	6	1	23	3	201	139	-	6	107	26
Chickasha	229	-	-	1	51	6	21	3	6	3	-	12	2	115	81	-	6	62	13
Balance of county	173	-	-	4	33	6	6	3	3	3	1	11	1	86	58	-	-	45	13
Grant	84	-	-	1	20	13	4	1	2	-	-	-	-	44	34	-	-	28	6
Greer	122	-	-	-	20	2	4	4	3	1	-	6	2	67	47	1	1	27	18
Harmon	54	-	-	-	15	5	2	-	3	-	-	5	-	20	16	-	-	15	1
Harper	67	-	-	1	10	3	3	-	1	-	-	3	-	29	21	-	-	17	4
Haskell	123	-	-	1	28	3	11	-	8	1	2	3	1	66	49	-	-	38	11
Hughes	213	-	-	-	42	11	13	2	3	2	1	10	4	124	96	-	-	61	35
Jackson	263	-	-	3	55	13	20	3	4	3	-	12	3	127	82	-	4	57	21
Altus	192	-	-	2	40	9	14	2	3	2	-	10	2	95	60	-	3	43	14
Balance of county	71	-	-	1	15	4	6	1	1	1	-	2	1	32	22	-	1	14	7
Jefferson	115	-	-	1	22	10	1	2	1	1	3	4	4	62	52	-	-	41	11
Johnston	143	-	-	1	28	9	8	1	5	1	1	4	1	80	67	-	-	51	16
Kay	601	1	-	-	133	24	46	13	19	6	4	21	19	314	242	-	-	210	32
Ponca City	343	-	-	-	74	12	26	7	10	5	3	11	10	186	141	-	-	124	17
Balance of county	258	1	-	-	59	12	20	6	9	1	1	10	9	128	101	-	-	86	15
Kingfisher	132	-	-	-	35	6	10	7	5	-	1	6	5	59	40	-	1	29	10
Kiowa	204	-	-	2	43	10	10	3	5	2	2	11	4	104	86	1	2	63	20
Latimer	127	-	-	-	30	4	16	1	5	-	1	3	-	64	54	-	-	31	23
Le Flore	470	-	-	-	92	14	33	6	11	5	2	21	2	253	207	1	6	167	33
Lincoln	285	-	-	3	48	12	12	3	4	2	3	12	4	166	127	1	3	109	14
Logan	300	-	-	1	61	16	15	5	9	1	-	15	1	177	129	-	-	103	26
Guthrie	206	-	-	-	39	8	8	4	9	-	-	10	1	134	93	-	-	76	17
Balance of county	94	-	-	1	22	8	7	1	-	1	-	5	-	43	36	-	-	27	9
Love	79	-	-	-	16	3	5	2	1	-	2	3	1	40	35	1	-	28	6
McClain	199	-	-	2	40	10	13	-	3	-	1	13	2	99	66	-	-	51	15
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	199	-	-	2	40	10	13	-	3	-	1	13	2	99	66	-	-	51	15
McCurtain	397	1	-	3	77	16	21	10	7	2	4	17	11	188	155	1	2	122	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma	94	2,513	413	272	873	1,016	74	272	375	3	201	269	391	2,268	899	813	436	281	33
Urban places	53	1,286	215	149	440	523	26	162	162	2	119	165	190	1,213	381	376	260	175	15
Balance of area	41	1,227	198	123	433	493	48	110	213	1	82	104	201	1,055	518	437	176	106	18
Metropolitan counties	46	1,208	191	150	432	496	30	165	169	3	128	166	201	1,194	452	422	269	178	16
Urban places	39	901	157	115	317	392	21	133	124	2	97	134	152	922	291	295	209	150	11
Balance of area	7	307	34	35	115	104	9	32	45	1	31	32	49	272	161	127	60	28	5
Nonmetropolitan counties	48	1,305	222	122	441	520	44	107	206	-	73	103	190	1,074	447	391	167	103	17
Urban places	14	385	58	34	123	131	5	29	38	-	22	31	38	291	90	81	51	25	4
Balance of area	34	920	164	88	318	389	39	78	168	-	51	72	152	783	357	310	116	78	13
Adair	-	25	-	4	8	4	-	1	4	-	1	-	4	12	7	9	2	1	1
Alfalfa	1	12	5	2	2	3	-	1	4	-	-	-	2	7	4	-	-	-	1
Atoka	-	8	-	1	6	8	-	-	2	-	-	-	1	6	8	3	2	1	-
Beaver	-	5	1	1	2	-	-	-	1	-	1	-	3	3	3	2	1	1	-
Beckham	-	33	1	1	8	3	1	2	-	-	-	1	15	15	10	5	5	6	-
Blaine	-	15	-	1	4	5	-	5	3	-	1	-	1	22	8	7	1	4	-
Bryan	1	45	11	5	7	15	-	2	1	-	1	3	1	20	13	7	8	2	3
Durant	-	23	6	1	6	7	-	1	-	-	-	2	-	11	8	5	4	2	3
Balance of county	1	22	5	4	1	8	-	1	1	-	1	1	1	9	5	2	4	-	-
Caddo	2	35	5	5	11	11	2	5	8	-	2	1	13	33	12	12	2	3	-
Canadian	-	35	7	7	14	8	2	7	5	-	2	4	3	35	17	10	12	3	3
El Reno	-	21	2	2	6	1	2	4	4	-	-	-	-	13	3	4	4	2	1
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Yukon	-	7	3	3	3	7	-	2	1	-	2	1	2	14	4	2	4	-	2
Balance of county	-	7	2	2	3	-	-	1	-	-	-	3	1	8	10	4	4	-	-
Carter	5	42	10	3	13	11	-	3	6	-	5	2	9	34	14	10	6	5	-
Ardmore	4	29	6	-	9	6	-	3	4	-	4	-	7	22	6	3	2	5	-
Balance of county	1	13	4	3	4	5	-	-	2	-	1	2	2	12	8	7	4	-	-
Cherokee	-	26	1	5	8	14	3	3	2	-	-	3	7	25	8	10	8	4	1
Choctaw	-	19	1	2	4	9	2	1	7	-	-	1	3	17	4	2	1	1	-
Cimarron	1	1	-	-	3	1	-	1	2	-	-	-	1	4	3	2	1	1	-
Cleveland	1	60	6	5	15	27	1	3	4	-	7	14	11	51	50	27	12	2	1
Moore	-	12	1	-	2	6	-	1	-	-	3	4	2	10	14	9	4	-	-
Norman	1	38	3	4	8	16	1	2	3	-	3	8	7	36	27	14	6	2	1
Oklahoma City, part	-	3	-	-	-	1	-	-	-	-	-	-	1	2	2	-	1	-	-
Balance of county	-	7	2	1	5	4	-	-	1	-	1	2	1	3	7	4	1	-	-
Coal	1	6	1	1	3	5	-	-	3	-	1	2	3	6	3	-	-	3	1
Comanche	8	45	3	8	22	31	-	9	10	-	12	18	15	54	17	20	18	17	1
Lawton	7	35	3	7	21	23	-	8	9	-	9	17	12	48	11	13	15	16	1
Balance of county	1	10	-	1	1	8	-	1	1	-	3	1	3	6	6	7	3	1	-
Cotton	-	23	3	-	1	6	-	-	-	-	-	-	2	7	3	2	1	-	-
Craig	1	20	7	-	9	3	1	2	-	-	2	2	4	14	6	5	2	1	-
Creek	2	41	2	4	13	12	1	4	8	-	6	4	6	44	24	12	7	4	-
Sapulpa	2	19	1	1	6	5	-	4	3	-	2	1	2	14	8	-	1	2	-
Balance of county	-	22	1	3	7	7	1	-	5	-	4	3	4	30	16	12	6	2	-
Custer	3	21	8	1	7	6	1	3	3	-	1	5	4	21	13	6	1	-	-
Delaware	-	18	8	2	9	7	1	2	4	-	1	1	2	22	9	6	4	1	-
Dewey	1	6	-	2	4	4	1	3	1	-	-	-	1	7	4	2	2	-	-
Ellis	-	8	2	-	3	1	-	-	1	-	-	1	-	1	2	1	2	-	-
Garfield	4	49	13	7	15	13	-	6	5	-	2	6	3	53	13	23	7	5	1
Enid	4	37	13	6	12	12	-	5	5	-	2	9	2	40	8	20	5	5	1
Balance of county	-	12	-	1	3	1	-	1	-	-	-	3	1	13	5	3	2	-	-
Garvin	1	29	7	3	9	20	1	4	7	-	1	4	10	38	7	14	5	2	2
Grady	-	45	15	2	4	11	2	1	5	-	3	4	5	39	9	16	7	3	1
Chickasha	-	27	6	1	1	6	-	1	3	-	1	3	4	27	4	5	3	1	1
Balance of county	-	18	9	1	3	5	2	-	2	-	2	1	1	11	5	11	4	2	-
Grant	-	7	3	-	1	2	-	1	1	-	-	-	-	10	-	3	-	1	-
Greer	1	10	9	-	1	6	1	-	1	-	1	1	1	13	4	1	3	-	-
Harmon	-	4	-	-	2	1	-	1	1	-	-	-	1	9	2	2	-	-	-
Harper	-	6	-	2	4	3	-	1	1	-	-	-	1	-	11	4	1	1	-
Haskell	1	13	1	2	3	3	1	3	1	-	2	1	2	4	3	2	2	-	-
Hughes	1	24	2	1	6	9	1	1	2	-	-	-	1	14	5	3	-	1	-
Jackson	3	36	4	2	7	9	1	4	1	-	1	4	5	19	10	12	1	1	-
Altus	3	27	3	2	6	7	-	3	1	-	1	3	3	14	7	6	1	1	-
Balance of county	-	9	1	-	1	2	1	1	-	-	-	1	2	5	3	6	-	-	-
Jefferson	-	7	2	1	1	5	-	2	2	-	1	-	-	7	4	3	-	1	-
Johnston	-	13	-	-	5	1	-	1	1	-	3	1	1	12	4	-	1	2	1
Kay	-	58	10	4	9	24	-	2	4	-	4	3	7	44	16	9	7	5	-
Ponca City	-	37	6	2	3	8	-	1	3	-	3	3	3	32	3	3	7	4	-
Balance of county	-	21	4	2	6	16	-	1	1	-	1	-	4	12	13	6	-	1	-
Kingfisher	-	14	4	1	5	4	1	3	1	-	1	-	1	6	6	4	1	-	-
Kiowa	-	17	-	1	7	6	1	3	3	-	-	1	2	13	4	9	-	2	-
Latimer	-	6	1	3	2	3	-	-	-	-	-	2	-	16	3	5	1	1	-
Le Flore	-	40	4	2	20	10	1	4	2	-	1	2	3	32	20	13	8	5	2
Lincoln	-	34	3	2	6	8	1	-	2	-	2	2	2	17	8	6	6	2	-
Logan	2	45	-	1	11	8	-	-	-	-	-	1	2	14	9	7	7	1	-
Guthrie	1	39	-	1	6	7	-	-	-	-	-	1	-	6	2	5	3	-	-
Balance of county	1	6	-	-	3	1	-	-	-	-	-	-	2	8	7	2	4	1	-
Love	-	2	3	-	4	-	1	1	2	-	1	-	1	5	3	2	1	1	-
McClain	-	28	1	4	13	7	-	2	2	-	3	3	-	12	4	6	3	-	1
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	28	1	4	13	7	-	2	2	-	3	3	-	12	4	6	3	-	1
McCurtain	3	23	4	3	14	14	1	1	8	-	2	1	4	31	15	21	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
McIntosh	234	-	-	2	61	13	23	5	5	2	3	10	8	98	80	-	1	49	30
Major	88	-	-	-	23	7	6	-	1	-	1	8	1	41	34	-	1	22	11
Marshall	175	-	-	-	38	6	9	2	7	3	2	9	3	85	69	-	-	46	23
Mayes	357	-	-	6	84	17	31	3	11	5	2	15	1	163	126	2	-	91	33
Murray	170	-	-	1	24	7	8	1	1	1	1	5	6	84	60	-	-	40	20
Muskogee	781	1	-	11	159	40	50	8	18	6	4	33	14	373	303	2	8	227	66
Muskogee	533	1	-	8	106	28	31	6	12	2	4	23	10	253	203	2	7	160	34
Balance of county	248	-	-	3	53	12	19	2	6	4	-	10	4	120	100	-	1	67	32
Noble	160	-	-	2	21	7	4	-	2	1	2	5	4	92	71	-	1	48	22
Nowata	145	-	-	3	23	4	5	6	2	-	-	6	1	77	63	-	-	35	28
Okfuskee	156	1	-	1	30	10	8	2	3	1	1	5	2	80	72	-	-	61	11
Oklahoma	5,151	2	2	53	1,141	285	360	103	126	41	43	203	79	2,356	1,787	7	38	1,096	646
Bethany	168	-	-	1	35	6	10	3	5	2	1	8	4	73	54	1	-	37	16
Del City	174	-	-	1	42	3	21	4	10	2	-	2	3	83	67	-	1	41	25
Edmond	234	-	-	3	47	8	14	4	5	3	2	11	1	113	90	-	-	43	47
Midwest City	333	-	-	3	80	20	28	2	5	2	2	23	1	145	113	-	1	63	49
Oklahoma City, part	3,924	2	1	42	865	208	272	87	90	31	31	146	67	1,802	1,345	6	31	847	461
Oklahoma City, total	3,944	2	1	42	869	208	272	89	90	32	31	147	67	1,810	1,350	6	32	851	461
The Village	4	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	2	1
Balance of county	314	-	1	3	72	20	17	3	11	1	7	13	3	137	115	-	5	63	47
Okmulgee	521	-	-	7	98	28	32	5	9	1	6	17	9	280	220	2	1	183	34
Okmulgee	242	-	-	5	43	12	13	2	4	1	2	9	2	140	108	-	-	95	13
Balance of county	279	-	-	2	55	16	19	3	5	-	4	8	7	140	112	2	1	88	21
Osage	322	1	-	2	73	13	23	9	8	2	3	15	5	158	125	1	3	87	34
Bartlesville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sand Springs, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Tulsa, part	6	-	-	-	5	2	-	-	-	-	-	3	-	-	-	-	-	-	-
Balance of county	314	1	-	2	68	11	23	9	8	2	3	12	5	157	124	1	3	86	34
Ottawa	388	-	-	-	68	14	25	4	9	-	3	13	11	189	152	1	2	113	36
Miami	173	-	-	-	28	8	10	3	2	-	1	4	4	86	70	-	-	51	19
Balance of county	215	-	-	-	40	6	15	1	7	-	2	9	7	103	82	1	2	62	17
Pawnee	159	1	-	8	24	8	7	-	4	1	1	3	2	81	65	-	-	42	23
Payne	447	-	-	3	88	23	25	3	9	3	9	16	4	245	169	3	2	119	45
Stillwater	188	-	-	2	30	7	10	-	2	-	5	6	2	108	73	3	-	55	15
Balance of county	259	-	-	1	58	16	15	3	7	3	4	10	2	137	96	-	2	64	30
Pittsburg	468	-	-	5	98	24	32	8	8	4	5	17	8	239	190	2	3	121	64
McAlester	260	-	-	3	51	13	19	5	3	1	1	9	5	132	104	-	1	70	33
Balance of county	208	-	-	2	47	11	13	3	5	3	4	8	3	107	86	2	2	51	31
Pontotoc	389	-	-	4	78	20	17	7	15	2	5	12	2	199	145	-	1	109	35
Ada	227	-	-	3	47	11	12	3	12	1	2	6	2	119	89	-	1	69	19
Balance of county	162	-	-	1	31	9	5	4	3	1	3	6	-	80	56	-	-	40	16
Pottawatomie	618	-	-	2	132	28	41	10	10	3	4	36	12	303	213	1	2	187	43
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	382	-	-	2	75	14	22	5	5	2	1	28	8	184	121	-	1	101	19
Balance of county	237	-	-	-	57	14	19	5	5	1	3	10	4	119	92	1	1	66	24
Pushmataha	134	1	-	1	30	6	12	-	2	-	2	8	3	60	45	-	1	28	16
Roger Mills	50	-	-	-	12	5	3	1	2	-	1	-	-	19	17	1	-	14	2
Rogers	315	-	-	-	59	14	24	6	7	-	2	6	4	163	122	1	2	93	26
Claremore	149	-	-	-	27	6	11	3	2	-	2	3	3	82	60	-	2	49	9
Balance of county	166	-	-	-	32	8	13	3	5	-	-	3	1	81	62	1	-	44	17
Seminole	355	-	-	8	63	20	18	2	8	7	1	7	5	186	150	-	11	112	27
Sequoyah	317	-	-	-	65	9	23	4	10	1	1	17	7	172	131	2	1	68	60
Stephens	481	-	-	2	107	18	40	4	15	5	2	23	18	224	183	4	2	137	40
Duncan	254	-	-	2	56	10	25	1	6	1	-	13	5	121	99	4	1	77	17
Balance of county	227	-	-	-	51	8	15	3	9	4	2	10	13	103	84	-	1	60	23
Texas	155	-	-	1	21	4	8	3	-	-	2	4	3	84	63	-	-	47	16
Tillman	160	-	-	2	36	11	5	3	7	1	3	6	3	79	68	1	4	55	8
Tulsa	3,892	5	-	39	825	195	268	61	90	24	33	154	42	1,836	1,462	8	52	1,116	286
Broken Arrow, part	205	-	-	2	38	6	10	3	4	-	2	13	4	107	86	-	1	64	21
Broken Arrow, total	219	-	-	2	43	6	12	3	4	1	2	15	4	110	87	-	1	65	21
Sand Springs, part	139	-	-	2	36	8	13	3	1	3	2	6	2	56	46	1	2	35	8
Sand Springs, total	141	-	-	2	36	8	13	3	1	3	2	6	2	57	47	1	2	36	8
Tulsa, part	3,128	4	-	29	655	167	204	50	75	18	24	117	32	1,491	1,179	6	41	914	218
Tulsa, total	3,134	4	-	29	660	169	204	50	75	18	24	120	32	1,491	1,179	6	41	914	218
Balance of county	410	1	-	6	96	14	41	5	10	3	5	18	4	182	151	1	8	103	39
Wagoner	315	-	-	4	79	15	28	3	11	3	5	14	6	146	122	-	2	99	21
Broken Arrow, part	14	-	-	-	5	-	2	-	-	1	-	2	-	3	1	-	-	1	-
Balance of county	301	-	-	4	74	15	26	3	11	2	5	12	6	143	121	-	2	98	21
Washington	481	-	1	3	105	20	31	9	11	5	5	24	6	236	183	-	8	134	41
Bartlesville, part	348	-	-	1	75	15	22	8	7	3	2	18	5	181	140	-	6	102	32
Bartlesville, total	348	-	-	1	75	15	22	8	7	3	2	18	5	181	140	-	6	102	32
Balance of county	133	-	1	2	30	5	9	1	4	2	3	6	1	55	43	-	2	32	9
Washita	162	-	-	2	19	7	1	1	2	1	3	4	-	94	72	-	1	64	7
Woods	164	-	-	2	20	6	5	5	1	-	-	3	7	88	65	-	1	42	22
Woodward	170	-	-	-	32	3	10	5	6	1	1	6	5	83	63	-	3	43	17
Woodward	117	-	-	-	20	1	7	2	4	-	1	5	3	62	49	-	2	34	13
Balance of county	53	-	-	-	12	2	3	3	2	1	-	1	2	21	14	-	1	9	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
McIntosh	2	15	1	-	9	11	3	-	4	-	1	2	3	14	12	4	-	2	-
Major	-	6	-	1	4	2	-	-	3	-	-	-	-	8	5	1	-	-	-
Marshall	-	12	3	1	7	6	1	1	4	-	-	-	-	19	4	4	1	2	-
Mayes	-	28	4	5	20	9	1	4	3	1	3	1	8	26	8	13	5	1	-
Murray	3	17	3	1	7	7	2	1	5	-	2	1	3	16	3	4	4	-	-
Muskogee	4	47	7	12	32	36	2	6	12	-	10	9	7	52	21	21	7	8	-
Muskogee	4	31	5	10	26	24	2	4	11	-	7	6	5	34	15	10	6	5	-
Balance of county	-	16	2	2	6	12	-	2	1	-	3	3	2	18	6	11	1	3	-
Noble	1	18	1	1	4	3	-	-	1	-	1	2	-	12	9	3	5	1	-
Nowata	-	13	1	-	2	8	1	1	3	-	-	2	1	16	1	2	2	2	-
Okfuskee	-	6	1	1	6	8	2	2	4	-	-	-	-	9	4	4	3	-	-
Oklahoma	16	408	91	54	132	175	13	67	67	1	51	60	52	434	148	142	88	85	5
Bethany	-	15	2	2	7	10	-	3	2	-	2	3	1	13	4	3	6	1	-
Del City	1	13	2	-	3	5	-	4	-	-	1	2	3	15	7	1	3	1	-
Edmond	-	13	8	2	5	5	2	3	3	-	3	2	4	22	10	2	6	-	1
Midwest City	1	21	6	4	11	10	-	5	7	-	4	2	1	34	10	9	8	3	-
Oklahoma City, part	13	333	70	41	99	139	11	49	50	1	34	50	42	328	92	118	56	73	3
Oklahoma City, total	13	336	70	41	99	140	11	49	50	1	34	50	43	330	94	118	57	74	3
The Village	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	1	13	3	5	7	8	-	3	5	-	7	1	1	22	23	9	6	7	1
Okmulgee	2	48	9	3	19	25	-	5	8	-	2	4	3	40	6	10	1	4	-
Okmulgee	1	27	4	-	10	7	-	2	3	-	-	1	1	22	3	1	-	2	-
Balance of county	1	19	5	3	9	18	-	3	5	-	2	3	2	18	3	9	1	2	-
Osage	-	28	4	1	9	13	2	3	8	-	2	2	3	18	12	6	2	3	-
Bartlesville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sand Springs, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Tulsa, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	-	28	4	1	9	13	2	3	8	-	2	2	3	17	12	6	1	3	-
Ottawa	-	25	7	5	15	17	3	3	5	-	2	2	8	38	14	5	4	2	2
Miami	-	11	2	3	9	7	2	-	1	-	1	1	4	18	6	2	4	-	-
Balance of county	-	14	5	2	6	10	1	3	4	-	1	1	4	20	8	3	-	2	2
Pawnee	1	11	3	1	4	2	-	1	3	-	-	1	2	14	4	9	2	1	-
Payne	1	68	3	4	16	15	1	3	7	-	2	-	1	29	13	11	7	2	-
Stillwater	-	31	1	3	6	6	-	2	2	-	2	-	1	10	5	7	5	-	-
Balance of county	1	37	2	1	10	9	1	1	5	-	-	-	-	19	8	4	2	2	-
Pittsburg	-	36	7	4	15	14	-	3	8	-	1	2	4	30	22	13	4	2	-
McAlester	-	23	3	2	12	10	-	3	1	-	-	-	1	19	15	4	3	1	-
Balance of county	-	15	4	2	3	4	-	-	7	-	1	2	3	11	7	9	1	1	-
Pontotoc	-	44	5	5	13	22	-	6	3	-	2	2	3	24	12	11	5	3	-
Ada	-	24	3	3	8	12	-	2	1	-	1	1	1	15	6	8	1	-	-
Balance of county	-	20	2	2	5	10	-	4	2	-	1	1	2	9	6	3	4	3	-
Pottawatomie	1	74	9	6	26	17	1	7	6	-	4	7	8	50	12	17	10	5	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	-	53	7	3	20	16	1	3	4	-	3	1	5	34	8	9	6	3	-
Balance of county	1	21	2	3	6	1	-	4	2	-	1	6	3	16	4	8	4	2	-
Pushmataha	-	14	-	1	8	3	-	2	4	-	-	2	2	5	3	9	1	-	-
Roger Mills	-	2	-	-	2	5	-	-	1	-	-	-	2	3	4	-	1	-	1
Rogers	-	36	4	1	9	7	-	3	6	-	2	3	7	18	13	14	4	2	1
Claremore	-	18	3	1	3	3	-	2	3	-	1	3	3	8	4	4	2	1	-
Balance of county	-	18	1	-	6	4	-	1	3	-	1	-	4	10	9	10	2	1	1
Seminole	2	25	5	4	9	13	-	2	7	-	1	2	4	25	14	10	2	3	1
Sequoyah	2	34	3	2	6	4	2	2	3	-	-	3	6	21	12	10	2	2	-
Stephens	1	25	12	3	16	19	1	3	8	-	2	4	7	36	13	9	9	3	-
Duncan	1	14	6	1	9	11	-	3	4	-	-	1	5	23	6	4	3	1	-
Balance of county	-	11	6	2	7	8	1	-	4	-	2	3	2	13	7	5	6	2	-
Texas	1	16	4	-	8	9	-	-	1	-	-	4	1	9	9	2	3	-	-
Tillman	1	9	-	1	2	1	-	-	1	-	1	2	3	17	3	8	1	1	-
Tulsa	11	285	36	42	114	148	5	43	37	1	29	39	67	324	97	102	86	42	1
Broken Arrow, part	1	17	1	2	6	6	2	2	1	-	-	5	3	16	7	5	1	-	-
Broken Arrow, total	1	19	1	2	6	6	2	2	1	-	-	5	4	16	8	6	2	2	-
Sand Springs, part	-	9	1	-	6	7	1	1	1	-	3	3	2	10	5	3	-	1	-
Sand Springs, total	-	9	1	-	6	7	1	1	1	-	3	3	2	10	5	3	1	1	-
Tulsa, part	9	235	31	37	97	120	1	35	28	1	25	29	59	264	66	78	76	37	1
Tulsa, total	9	235	31	37	97	120	1	35	28	1	25	29	59	265	66	78	76	37	1
Balance of county	1	24	3	3	5	15	1	5	7	-	1	2	3	34	19	16	9	4	-
Wagoner	1	17	4	2	4	15	1	1	3	-	4	-	9	22	7	7	5	2	-
Broken Arrow, part	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-
Balance of county	1	15	4	2	4	15	1	1	3	-	4	-	8	22	6	6	4	-	-
Washington	-	44	5	4	15	18	1	2	8	-	1	7	6	41	4	19	6	4	-
Bartlesville, part	-	34	3	4	8	12	1	1	3	-	-	4	2	30	2	15	6	2	-
Bartlesville, total	-	34	3	4	8	12	1	1	3	-	-	4	2	30	2	15	6	2	-
Balance of county	-	10	2	-	7	6	-	1	3	-	1	3	4	11	2	4	-	2	-
Washita	-	14	7	1	3	11	-	-	6	-	2	1	5	9	6	2	-	1	1
Woods	-	19	1	3	7	6	2	-	4	-	1	-	2	13	2	9	-	1	-
Woodward	1	12	5	2	3	4	1	3	3	-	4	7	1	11	2	5	4	2	-
Woodward	-	8	4	1	2	1	-	3	1	-	2	5	1	8	2	3	3	1	-
Balance of county	1	4	1	1	1	3	1	-	2	-	2	2	-	3	-	2	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon	22,462	17	1	144	4,949	1,183	1,417	448	547	233	210	911	327	10,807	7,986	85	197	6,097	1,607
Urban places	10,948	5	1	77	2,323	568	648	222	268	96	98	423	133	5,333	3,856	38	99	2,924	795
Balance of area	11,516	12	-	67	2,626	615	769	226	279	137	112	488	194	5,474	4,130	47	98	3,173	812
Metropolitan counties	14,252	6	1	89	3,156	785	872	296	349	138	136	580	183	6,915	5,110	62	138	3,914	996
Urban places	8,755	1	1	59	1,884	463	526	188	219	69	81	338	105	4,258	3,101	35	80	2,963	623
Balance of area	5,497	5	-	30	1,272	322	346	108	130	69	55	242	78	2,657	2,009	27	58	1,551	373
Nonmetropolitan counties	8,210	11	-	55	1,793	398	545	152	198	95	74	331	144	3,892	2,876	23	59	2,183	611
Urban places	2,191	4	-	18	439	105	122	34	49	27	17	85	28	1,075	755	3	19	581	172
Balance of area	6,019	7	-	37	1,354	293	423	118	149	68	57	246	116	2,817	2,121	20	40	1,622	439
Baker	209	-	-	4	41	9	11	3	2	2	3	11	3	98	72	1	1	56	14
Benton	388	-	-	2	68	16	24	5	7	4	4	8	3	213	156	1	6	116	31
Albany, part	2	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Corvallis	230	-	-	-	34	7	13	3	3	-	2	8	-	140	98	-	4	75	19
Balance of county	154	-	-	2	33	9	11	2	4	3	2	2	3	72	57	1	2	43	11
Clackamas	1,784	-	-	14	398	104	103	39	37	20	18	77	24	674	666	9	28	505	124
Lake Oswego, part	156	-	-	-	40	7	12	6	6	1	2	6	3	80	66	-	3	55	8
Lake Oswego, total	160	-	-	-	40	7	12	6	6	1	2	6	3	80	66	-	3	55	8
Milwaukie, part	244	-	-	1	50	11	16	6	4	3	2	8	2	127	91	1	5	66	17
Milwaukie, total	245	-	-	1	50	11	16	6	4	3	2	8	2	127	91	1	5	66	17
Oregon City	167	-	-	1	25	8	5	5	3	-	1	3	2	84	55	-	1	42	12
Portland, part	11	-	-	-	5	2	-	1	-	1	-	1	-	3	3	-	-	3	-
West Linn	57	-	-	-	9	2	3	1	-	1	-	2	1	31	24	1	-	20	3
Balance of county	1,149	-	-	12	269	74	67	20	24	14	13	57	16	549	427	7	19	317	84
Clatsop	352	1	-	1	70	13	19	6	10	2	5	15	4	169	112	1	4	82	25
Columbia	306	-	-	2	75	17	25	10	8	1	1	13	9	128	96	2	-	73	29
Coos	620	-	-	4	150	36	47	18	13	11	8	17	17	284	203	1	9	161	32
Coos Bay	182	-	-	3	40	13	10	3	3	4	3	4	5	79	60	-	2	54	4
Balance of county	438	-	-	1	110	23	37	15	10	7	5	13	12	185	143	1	7	107	28
Crook	138	-	-	-	29	5	10	3	3	4	-	4	1	69	51	-	3	40	8
Curry	181	-	-	-	52	10	20	3	5	1	4	9	3	78	67	-	-	47	20
Deschutes	493	-	-	4	119	28	37	9	7	5	5	28	7	228	165	-	3	126	96
Bend	156	-	-	1	27	4	14	-	-	1	2	6	1	82	52	-	1	40	11
Balance of county	337	-	-	3	92	24	23	9	7	4	3	22	6	146	113	-	2	86	25
Douglas	764	1	-	4	195	42	59	15	25	13	9	32	20	324	251	1	2	152	96
Roseburg	217	-	-	2	52	12	15	6	6	5	2	6	3	98	70	-	-	41	29
Balance of county	547	1	-	2	143	30	44	9	19	8	7	26	17	226	181	1	2	111	67
Gilliam	14	-	-	-	2	1	-	-	-	-	1	-	-	8	7	-	-	7	-
Grant	77	-	-	-	12	3	4	1	-	-	2	2	-	40	34	-	2	24	6
Harney	52	-	-	-	8	1	4	1	1	-	-	1	-	27	20	1	-	16	3
Hood River	145	1	-	-	32	5	10	1	3	1	2	10	-	77	46	2	2	35	7
Jackson	1,184	2	-	5	280	78	86	27	29	11	9	40	14	563	424	4	6	312	102
Ashland	110	-	-	2	26	7	8	3	3	-	-	5	1	50	43	-	-	32	11
Medford	433	-	-	1	94	26	20	14	13	1	6	14	5	211	152	1	2	108	43
Balance of county	641	2	-	2	160	45	58	10	13	10	3	21	8	302	229	3	4	174	48
Jefferson	103	-	-	1	20	5	7	-	3	-	-	5	1	43	32	-	-	28	6
Josephine	599	1	-	3	122	34	30	14	19	4	3	18	12	307	216	-	6	174	36
Grants Pass	248	1	-	2	52	17	11	4	10	-	1	9	6	120	97	-	2	69	16
Balance of county	351	-	-	1	70	17	19	10	9	4	2	9	6	178	129	-	4	105	20
Klamath	484	-	-	4	96	26	26	8	7	6	2	21	9	237	172	-	2	131	39
Klamath Falls	197	-	-	2	40	7	12	2	2	2	1	14	3	88	62	-	1	45	16
Balance of county	287	-	-	2	56	19	14	6	5	4	1	7	6	149	110	-	1	86	23
Lake	71	-	-	1	15	2	7	-	3	1	-	2	1	38	28	-	1	18	9
Lane	1,941	1	-	11	430	109	115	40	45	18	20	83	27	938	681	10	14	541	116
Eugene	753	-	-	4	154	39	38	18	20	4	7	28	13	385	286	7	7	228	44
Springfield	304	-	-	4	59	14	23	3	6	3	-	10	4	151	108	1	-	83	22
Balance of county	884	1	-	3	217	56	54	19	19	11	13	45	10	402	289	2	7	230	50
Lincoln	451	2	-	4	100	18	34	9	14	7	3	15	9	211	165	4	4	125	32
Linn	716	1	-	8	170	32	50	13	22	7	4	42	14	333	245	5	1	185	54
Albany, part	211	1	-	-	58	12	21	1	4	3	1	16	1	90	66	2	-	42	22
Albany, total	213	1	-	-	59	12	21	1	4	4	1	16	1	91	67	2	-	42	23
Lebanon	121	-	-	5	22	6	-	3	4	1	-	8	3	62	46	1	-	35	10
Balance of county	384	-	-	3	90	14	29	9	14	3	3	18	10	181	133	2	1	106	22
Malheur	245	-	-	2	43	7	14	2	5	2	1	12	9	127	91	1	3	70	17
Marion	1,869	-	-	11	411	100	103	32	48	20	20	88	29	933	606	10	25	527	194
Salem, part	921	-	-	7	210	53	56	15	24	8	10	44	14	452	338	2	12	251	79
Salem, total	1,018	-	-	8	231	57	60	19	27	8	12	48	14	507	376	4	14	278	80
Woodburn	159	-	-	2	39	7	14	3	5	1	-	9	1	77	60	-	4	43	12
Balance of county	789	-	-	2	162	40	33	14	19	11	10	35	14	404	298	8	9	233	46
Morrow	53	-	-	2	17	4	8	-	-	1	1	5	2	21	17	-	1	12	4
Multnomah	5,508	1	-	32	1,190	280	348	114	136	53	45	214	61	2,686	1,922	19	49	1,476	378
Gresham	234	-	-	-	49	18	10	6	5	2	-	8	3	112	86	3	1	67	15
Lake Oswego, part	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Milwaukie, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	4,251	1	-	28	911	215	283	90	104	38	40	161	44	2,046	1,454	15	36	1,107	296
Portland, total	4,330	1	-	28	926	219	284	94	104	39	41	165	45	2,080	1,484	15	36	1,132	301
Balance of county	1,019	-	-	4	230	47	75	18	27	13	5	45	14	508	382	1	12	302	67
Polk	365	-	-	5	87	19	21	9	9	4	4	21	5	177	122	4	2	92	24
Salem, part	97	-	-	1	21	4	4	4	3	-	2	4	-	55	39	2	2	27	7
Balance of county	268	-	-	4	66	15	17	5	6	4	2	17	5	122	84	2	-	65	17
Sherman	20	-	-	-	6	2	1	-	-	1	-	2	-	9	6	-	-	5	1
Tillamook	227	2	-	-	50	9	18	2	8	4	-	9	1	115	89	2	-	75	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-778)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	77	2,006	459	277	633	954	76	297	149	5	148	139	314	1,745	588	598	412	115	44
Urban places	34	1,063	237	143	332	449	32	177	74	2	78	76	167	890	225	285	199	67	21
Balance of area	43	945	222	134	301	505	44	120	75	3	70	63	127	855	363	333	213	48	23
Metropolitan counties	42	1,293	290	180	409	566	44	191	91	4	109	90	215	1,106	350	353	262	81	31
Urban places	23	833	184	117	256	343	26	143	61	2	67	63	156	711	177	210	159	58	15
Balance of area	19	460	106	63	153	223	18	48	30	2	42	27	59	395	173	143	103	23	16
Nonmetropolitan counties	35	715	169	97	224	388	32	106	58	1	39	49	99	639	238	245	150	34	13
Urban places	11	230	53	26	76	106	6	34	13	-	11	13	31	179	46	55	40	9	6
Balance of area	24	485	116	71	148	282	26	72	45	1	28	36	68	460	190	190	110	25	7
Baker	2	20	1	3	4	11	1	3	6	-	-	2	1	15	1	12	5	1	1
Benton	1	37	16	3	11	16	2	2	1	-	1	3	1	32	8	11	9	2	1
Albany, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Corvallis	-	28	11	3	8	5	1	-	1	-	-	3	1	22	3	5	6	-	1
Balance of county	1	9	5	-	3	11	1	2	-	-	1	-	-	10	5	6	3	2	-
Clackamas	4	142	43	19	64	75	4	9	6	-	12	10	19	121	52	52	32	12	6
Lake Oswego, part	1	10	3	-	4	4	1	2	1	-	-	-	3	9	1	4	3	1	-
Lake Oswego, total	1	10	3	-	4	4	1	3	2	-	-	-	3	9	1	5	3	2	-
Milwaukie, part	1	24	7	4	10	6	-	1	1	-	3	2	6	18	8	7	3	1	-
Milwaukie, total	1	24	7	4	10	6	-	1	1	-	3	2	6	18	7	7	3	1	-
Oregon City	-	19	10	-	6	18	-	1	1	-	1	2	3	13	6	2	1	-	1
Portland, part	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
West Linn	-	7	-	-	4	3	-	-	-	-	-	2	-	2	2	1	1	1	-
Balance of county	2	82	23	15	38	44	3	5	3	-	8	3	7	79	37	38	24	9	5
Clatsop	-	38	12	7	8	16	2	7	1	-	3	2	7	38	9	6	7	1	-
Columbia	1	21	5	3	6	9	-	5	1	-	3	-	6	19	19	15	8	-	1
Coos	-	43	10	8	20	30	1	8	4	-	6	4	23	43	9	21	9	6	1
Coos Bay	-	16	1	2	7	12	-	5	-	-	2	-	8	7	-	9	2	3	-
Balance of county	-	27	9	6	13	18	1	3	4	-	4	4	15	36	9	12	7	3	1
Crook	-	6	7	5	11	5	-	2	2	-	-	-	-	4	7	7	1	-	-
Curry	-	9	-	2	3	9	-	2	2	-	1	1	1	15	4	6	3	-	1
Deschutes	2	37	16	8	11	24	4	6	2	-	1	4	5	35	16	17	10	-	-
Bend	-	18	7	5	3	8	-	1	1	-	-	3	2	12	5	4	6	-	-
Balance of county	2	19	9	3	8	16	4	5	1	-	1	1	3	23	11	13	4	-	-
Douglas	1	57	7	8	24	40	3	11	4	-	3	2	6	66	20	24	11	3	3
Roseburg	-	22	3	3	12	8	-	4	1	-	1	-	2	20	4	4	3	-	3
Balance of county	1	35	4	5	12	32	3	7	3	-	2	2	4	46	16	20	8	3	-
Gilliam	-	1	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-
Grant	-	5	1	-	1	2	-	-	-	-	-	1	1	7	5	3	4	1	-
Harney	-	4	2	1	1	2	1	-	1	-	-	-	2	1	5	2	-	2	-
Hood River	-	18	9	4	3	5	2	2	-	-	1	1	1	14	2	3	1	-	-
Jackson	3	112	12	12	38	57	3	9	4	-	10	3	27	90	25	28	25	1	-
Ashland	-	6	1	-	6	9	-	-	-	-	1	-	-	6	2	3	4	-	-
Medford	2	48	5	4	14	19	1	7	1	-	4	2	15	38	5	8	7	1	-
Balance of county	1	58	6	8	18	20	2	2	3	-	5	1	12	46	16	17	14	-	-
Jefferson	-	6	4	1	3	6	-	2	2	-	-	-	1	5	8	6	3	1	1
Josephine	9	57	21	4	10	29	1	8	4	-	2	5	3	52	12	16	5	3	2
Grants Pass	2	27	11	2	5	12	1	4	2	-	2	1	1	19	3	5	1	1	1
Balance of county	7	30	10	2	5	17	-	4	2	-	-	4	2	33	9	13	4	2	1
Klamath	1	48	9	7	15	16	4	6	7	-	3	4	2	33	12	17	15	4	-
Klamath Falls	-	19	5	2	5	9	-	3	2	-	1	2	-	18	6	8	5	3	-
Balance of county	1	29	4	5	10	7	4	3	5	-	2	2	2	15	4	9	10	1	-
Lake	-	8	1	1	3	3	-	-	-	-	-	-	-	5	3	2	-	-	-
Lane	10	179	45	23	45	79	8	25	9	-	16	14	19	158	72	42	38	7	2
Eugene	5	74	13	7	16	25	2	8	4	-	10	4	7	70	18	14	15	2	2
Springfield	-	31	9	5	8	13	1	4	-	-	2	5	5	19	14	4	8	3	-
Balance of county	5	74	23	11	21	41	5	13	5	-	4	5	7	69	40	24	15	2	-
Lincoln	1	32	9	4	13	18	-	8	3	-	3	1	8	39	10	11	10	1	-
Linn	8	68	6	4	27	37	2	7	10	-	1	3	6	49	22	13	13	-	-
Albany, part	4	16	3	1	9	10	-	4	-	-	-	2	3	18	6	4	5	-	-
Albany, total	4	16	3	1	9	10	-	4	-	-	-	2	3	18	6	4	5	-	-
Lebanon	1	13	1	1	6	6	-	-	4	-	1	-	1	5	2	3	1	-	-
Balance of county	3	39	4	2	12	21	2	3	6	-	-	1	2	26	14	6	7	-	-
Malheur	3	22	5	6	7	10	1	2	2	-	1	-	2	18	4	6	8	3	-
Marion	6	173	38	20	46	62	8	24	15	-	21	11	23	138	46	40	40	7	4
Salem, part	3	79	22	10	24	22	3	18	6	-	9	4	11	78	16	20	20	6	1
Salem, total	3	92	24	12	24	24	3	20	6	-	9	5	12	87	17	22	22	6	1
Woodburn	-	14	-	3	2	6	3	-	2	-	2	-	1	15	3	4	1	-	1
Balance of county	3	80	16	7	20	34	2	6	7	-	10	7	11	45	27	16	19	1	2
Morrow	-	3	1	-	-	-	-	-	1	-	-	1	-	3	5	1	-	-	-
Multnomah	13	534	123	74	163	220	18	103	50	1	31	40	105	433	106	136	99	41	12
Gresham	-	21	2	3	5	11	-	3	2	-	3	3	2	25	5	4	6	-	1
Lake Oswego, part	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Portland, part	10	424	98	60	126	167	14	86	40	1	21	34	95	335	76	110	78	32	6
Portland, total	10	428	98	60	131	169	14	87	40	1	23	35	95	343	79	115	79	33	7
Balance of county	3	89	23	11	32	42	4	14	7	-	7	3	8	73	24	21	15	8	5
Polk	1	39	7	8	3	11	-	3	1	1	2	4	5	42	2	10	7	-	-
Salem, part	-	13	2	2	-	2	-	2	-	-	-	1	1	9	1	2	2	-	-
Balance of county	1	26	5	6	3	9	-	1	1	1	2	3	4	33	1	8	5	-	-
Sherman	-	2	1	-	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-
Tillamook	-	21	3	2	4	19	-	3	1	-	2	2	-	16	6	5	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Umatilla	559	-	-	4	106	24	32	12	11	3	5	19	6	262	198	1	2	157	38
Pendleton	138	-	-	1	22	3	7	3	4	-	1	4	1	60	48	-	2	34	12
Balance of county	421	-	-	3	84	21	25	9	7	3	4	15	5	202	150	1	-	123	26
Union	168	-	-	-	47	11	9	3	4	4	4	12	3	76	53	-	-	42	11
La Grande	118	-	-	-	25	7	3	3	2	3	2	5	2	45	33	-	-	25	8
Balance of county	60	-	-	-	22	4	6	-	2	1	2	7	1	31	20	-	-	17	3
Wallowa	76	-	-	-	14	3	5	-	2	3	-	1	1	43	38	-	-	29	9
Wasco	205	-	-	3	39	8	16	3	2	2	2	6	3	100	73	-	5	57	11
City of the Dalles	135	-	-	2	25	8	9	2	1	1	-	4	-	70	50	-	5	37	8
Balance of county	70	-	-	1	14	-	7	1	1	1	2	2	3	30	23	-	-	20	3
Washington	1,601	2	1	11	360	95	96	35	45	12	20	57	23	764	599	6	14	461	118
Beaverton	248	-	-	4	54	12	14	7	5	4	2	10	2	116	90	-	-	77	13
Forest Grove	134	-	-	-	23	6	3	-	7	1	-	6	3	65	53	1	2	36	14
Hillsboro	218	-	-	3	59	15	23	1	8	1	2	9	6	92	72	-	2	55	15
Lake Oswego, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	68	-	-	-	10	2	1	3	-	-	1	3	1	31	27	-	-	22	5
Tigard	185	-	1	1	46	15	13	2	3	-	6	7	-	90	57	1	3	41	12
Balance of county	747	2	-	3	168	45	42	22	22	6	9	22	11	370	300	4	7	230	59
Wheeler	18	-	-	-	2	1	-	1	-	-	-	-	-	11	10	-	-	8	2
Yamhill	448	2	-	2	93	28	20	10	14	6	5	12	6	236	161	-	2	132	27
McMinnville	125	1	-	-	21	2	5	2	6	5	-	1	2	69	42	-	1	32	9
Newberg	111	1	-	-	20	7	2	2	4	1	2	2	1	62	40	-	1	32	7
Balance of county	212	-	-	2	52	17	13	6	4	-	3	9	3	105	79	-	-	66	11
Pennsylvania	121,459	84	8	1,440	26,997	7,330	6,748	2,470	2,673	1,113	967	5,696	2,508	61,514	49,911	503	1,233	33,774	14,401
Urban places	63,557	56	6	924	14,410	3,930	3,749	1,336	1,407	560	498	2,930	1,226	31,043	25,219	251	717	16,667	7,584
Balance of area	57,902	28	2	516	12,587	3,400	2,999	1,134	1,266	553	469	2,766	1,282	30,471	24,692	252	516	17,107	6,817
Metropolitan counties	99,323	78	6	1,287	22,454	6,096	5,685	2,070	2,195	918	799	4,691	2,028	49,485	40,232	411	1,036	28,846	11,939
Urban places	60,093	56	6	899	13,676	3,730	3,556	1,265	1,328	533	471	2,793	1,158	29,121	23,673	242	685	15,530	7,216
Balance of area	39,230	22	-	388	8,778	2,366	2,129	805	867	385	328	1,898	870	20,364	16,559	169	351	11,316	4,723
Nonmetropolitan counties	22,136	6	2	153	4,543	1,234	1,063	400	478	195	168	1,005	480	12,029	9,679	92	197	6,928	2,462
Urban places	3,464	-	-	25	734	200	193	71	79	27	27	137	68	1,922	1,546	9	32	1,137	368
Balance of area	18,672	6	2	128	3,809	1,034	870	329	399	168	141	868	412	10,107	8,133	83	165	5,791	2,094
Adams	659	-	-	4	131	45	26	12	10	5	6	27	19	376	296	4	9	157	126
Allegheny	16,071	6	1	168	3,802	975	1,023	329	375	149	144	807	349	8,267	6,828	71	176	4,817	1,764
Baldwin	203	-	-	1	68	17	17	6	6	6	4	12	4	97	74	1	3	46	24
Bellevue	123	-	-	1	27	8	10	3	2	1	3	-	3	62	49	-	1	40	8
Bethel Park	253	-	-	-	64	19	20	5	7	2	1	10	5	130	104	1	3	79	21
Brentwood	141	-	-	1	36	14	9	3	3	-	-	7	3	74	56	-	-	42	14
Carnegie	153	-	-	1	39	8	12	2	5	-	1	11	2	77	63	1	-	45	17
Castle Shannon	100	-	-	2	23	7	4	1	2	1	-	8	3	55	43	1	4	28	10
Clairton	161	-	-	2	39	14	12	3	-	3	-	7	9	86	70	-	2	55	13
Dormont	106	-	-	-	27	8	11	2	2	-	-	4	-	59	49	1	1	41	6
Duquesne	144	-	-	1	34	3	7	7	7	3	2	5	3	75	69	1	1	51	16
Elizabeth township#	109	-	-	-	22	4	5	4	2	2	-	5	2	60	47	-	-	37	10
Harrison township#	166	-	-	2	43	12	10	1	7	2	1	10	4	84	70	1	1	61	7
McCandless township#	189	1	-	1	32	7	5	2	9	-	2	7	3	107	89	1	1	72	15
McKeesport	457	-	-	10	89	18	25	10	10	7	3	16	13	263	229	2	3	183	61
Monroeville	235	-	-	1	55	12	14	4	5	2	1	17	2	116	93	-	2	77	14
Mount Lebanon township#	378	-	-	2	94	24	26	7	8	4	2	23	3	193	159	1	5	119	34
Munhall	186	-	-	3	41	12	14	4	3	-	-	8	5	106	92	-	6	67	19
North Versailles township#	139	-	-	-	32	6	12	2	3	2	1	6	4	71	60	-	-	45	15
Penn Hills township#	493	-	-	5	139	37	38	22	13	5	5	19	8	238	197	2	1	153	41
Pittsburgh	5,767	4	1	73	1,351	353	351	110	135	49	56	298	122	2,878	2,409	25	71	1,562	745
Plum	133	-	-	2	32	6	12	2	4	1	-	7	3	60	51	1	-	38	12
Ross township#	315	-	-	2	69	20	15	7	8	1	5	13	7	173	144	4	4	117	19
Scott township#	277	-	-	2	51	10	10	3	10	3	2	13	12	147	114	-	1	79	34
Shaler township#	248	-	-	4	62	18	22	5	5	1	1	10	5	127	102	3	4	72	23
South Park township#	63	-	-	-	16	3	6	2	-	1	2	2	2	24	21	-	1	19	1
Swissvale	152	-	-	2	38	3	13	2	2	2	1	15	2	80	64	-	2	47	15
Upper St. Clair township#	91	-	-	2	32	10	10	2	1	-	2	7	1	35	28	-	1	24	3
West Mifflin	289	-	-	1	59	22	14	5	6	-	3	9	7	170	143	2	1	104	36
Whitehall	145	-	-	2	33	9	7	2	4	1	1	9	4	78	63	1	3	40	19
Wilkinsburg	299	-	-	4	76	15	21	4	10	4	3	19	5	143	109	2	2	72	33
Balance of county	4,556	1	-	41	1,079	276	291	97	96	47	42	230	105	2,399	1,973	20	52	1,422	479
Armstrong	885	-	-	6	180	45	49	18	23	6	3	36	17	494	406	9	3	321	73
Beaver	2,037	-	-	15	441	119	130	33	38	17	14	92	49	1,058	842	11	23	632	176
Aliquippa	254	-	-	4	50	15	14	1	5	1	4	10	9	133	108	2	9	76	21
Beaver Falls	157	-	-	1	33	13	10	4	-	-	1	5	4	85	72	2	1	51	18
Balance of county	1,626	-	-	10	358	91	106	28	31	16	9	77	36	840	662	7	13	505	157
Bedford	466	-	-	2	107	36	20	7	10	2	6	28	8	264	209	2	8	175	24
Berks	3,107	1	-	31	717	175	192	70	82	34	21	143	69	1,639	1,342	13	41	815	473
Muhlenberg township#	115	-	-	2	32	4	7	6	5	1	1	8	2	52	45	1	3	27	14
Reading	997	1	-	10	239	55	68	20	31	9	8	48	19	520	429	3	17	242	157
Balance of county	1,995	-	-	19	446	116	117	44	46	24	12	87	48	1,067	868	9	21	546	292
Blair	1,614	-	-	13	322	82	96	31	28	17	18	50	38	902	745	7	20	573	145
Altoona	784	-	-	6	156	50	49	17	11	4	11	14	23	417	347	2	14	252	79
Balance of county	830	-	-	7	166	32	47	14	17	13	7	36	15	485	398	5	6	321	66
Bradford	572	-	1	4	128	39	27	4	17	8	6	27	9	289	212	1	5	147	59

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con.																			
Umatilla	2	48	7	7	15	27	1	10	2	1	3	5	8	52	25	13	13	5	1
Pendleton	2	7	2	1	4	8	-	5	-	-	3	-	4	18	2	3	5	1	1
Balance of county	-	41	5	6	11	19	1	5	2	1	-	5	4	34	23	10	8	4	-
Union	2	18	2	1	7	12	2	2	-	-	-	5	4	28	7	6	2	-	-
La Grande	1	9	1	1	5	9	1	2	-	-	-	2	4	15	4	3	1	-	-
Balance of county	1	9	1	-	2	3	1	-	-	-	-	3	-	10	3	3	1	-	-
Wallowa	-	4	1	-	1	2	1	-	-	-	-	-	1	5	-	4	4	-	-
Wasco	-	24	2	1	6	11	-	5	-	-	2	-	2	15	7	9	2	1	-
City of the Dalles	-	18	1	1	6	6	-	4	-	-	-	-	1	8	6	4	2	1	-
Balance of county	-	6	1	-	-	5	-	1	-	-	2	-	1	7	1	5	-	-	-
Washington	5	114	22	24	50	62	3	18	6	2	17	8	17	124	47	45	21	13	7
Beaverton	-	18	3	5	3	18	-	2	1	1	4	2	4	18	4	5	4	5	1
Forest Grove	-	8	1	3	8	7	1	3	-	-	1	-	2	16	2	3	-	-	-
Hillsboro	-	15	1	4	9	8	-	3	1	-	3	-	-	17	4	7	2	4	-
Lake Oswego, part	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Portland, part	-	4	-	-	3	1	-	1	-	-	2	-	-	8	3	5	1	1	1
Tigard	1	18	7	7	6	4	-	1	-	-	1	1	1	15	8	6	3	-	1
Balance of county	4	51	10	5	21	24	2	7	4	1	6	5	10	50	26	19	11	3	4
Wheeler	-	1	-	-	-	-	-	2	-	-	-	-	-	2	-	1	-	-	-
Yamhill	2	57	9	7	9	28	4	3	2	-	3	3	7	28	11	5	5	-	1
McMinnville	1	20	5	1	2	6	1	-	-	-	1	-	3	13	4	1	1	-	-
Newberg	-	17	2	3	4	7	2	2	2	-	-	-	1	4	1	2	2	-	-
Balance of county	1	20	2	3	3	15	1	1	-	-	2	3	3	11	6	2	2	-	1
Pennsylvania	464	8,409	1,456	1,274	2,661	3,529	327	1,377	1,306	10	608	902	2,581	9,277	1,844	2,359	1,344	619	164
Urban places	251	4,284	657	632	1,445	1,748	178	794	712	7	310	556	2,035	4,858	683	1,267	686	488	115
Balance of area	213	4,125	799	642	1,216	1,781	149	583	594	3	298	346	546	4,419	1,161	1,092	658	121	49
Metropolitan counties	388	6,776	1,078	1,013	2,208	2,860	269	1,161	1,070	8	515	791	2,392	7,559	1,400	1,905	1,134	570	149
Urban places	244	4,009	600	595	1,376	1,638	167	769	666	7	301	537	1,999	4,623	636	1,200	660	490	110
Balance of area	142	2,767	478	418	832	1,224	98	392	404	1	214	254	393	2,936	764	705	474	80	39
Nonmetropolitan counties	76	1,633	378	261	453	669	64	216	236	2	93	111	189	1,718	444	454	210	49	15
Urban places	7	276	57	37	69	112	11	25	46	-	9	19	36	235	47	67	26	8	5
Balance of area	71	1,358	321	224	384	557	53	191	190	2	84	92	153	1,483	397	387	184	41	10
Adams	1	48	24	7	14	19	2	2	1	-	1	3	4	39	17	16	10	1	-
Allegheny	51	1,097	131	160	389	474	30	230	193	-	68	126	97	1,097	181	291	190	63	49
Baldwin	-	20	2	1	3	5	1	3	1	-	-	1	-	15	3	-	-	-	1
Bellevue	2	9	1	1	4	6	-	1	-	-	-	1	-	10	-	4	2	1	1
Bethel Park	-	21	4	1	3	5	1	7	2	-	1	2	4	13	6	4	4	2	-
Braddock	-	13	-	5	-	6	-	4	-	-	-	2	1	9	2	3	-	-	-
Carnegie	-	8	1	5	2	6	-	3	3	-	-	1	1	19	2	2	1	-	-
Castle Shannon	-	8	2	2	-	3	-	-	1	-	-	2	2	4	4	-	1	-	-
Clairton	-	14	1	1	-	4	-	-	-	-	2	1	2	9	-	3	3	1	-
Dormont	-	9	-	1	2	6	-	-	2	-	-	2	-	5	1	-	1	-	1
Duquesne	-	6	-	-	1	4	1	2	1	-	1	1	1	12	1	3	2	1	-
Elizabeth township#	-	10	2	1	5	5	-	2	1	-	-	-	1	6	1	1	2	1	-
Harrison township#	1	10	2	1	4	3	-	4	-	-	1	2	1	11	4	1	2	-	-
McCandless township#	-	14	-	4	7	5	-	1	2	-	2	-	1	14	1	8	4	-	-
McKeesport	1	29	2	2	11	12	-	6	5	-	2	4	2	26	3	8	2	-	1
Monroeville	-	19	-	4	10	7	-	3	3	-	3	-	2	12	9	5	4	1	2
Mount Lebanon township#	-	27	6	1	9	19	3	4	5	-	1	3	1	31	3	5	2	-	-
Munhall	-	10	3	1	-	4	1	3	1	-	-	-	2	16	2	1	1	-	-
North Versailles township#	-	8	2	1	3	5	-	-	4	-	-	1	1	7	6	-	2	2	1
Penn Hills township#	2	27	5	7	12	15	-	6	4	-	4	5	3	33	4	11	8	-	-
Pittsburgh	25	300	39	51	154	154	15	95	75	-	19	63	47	403	47	130	65	46	25
Plum	-	9	-	-	3	6	2	1	1	-	1	1	-	11	1	1	7	-	1
Ross township#	1	28	-	-	7	11	1	6	2	-	3	3	1	18	1	7	3	-	1
Scott township#	2	25	2	4	17	7	-	1	2	-	-	-	1	34	1	2	-	-	-
Shaler township#	4	16	4	1	5	9	1	4	1	-	3	-	-	16	1	4	5	-	1
South Park township#	-	2	-	1	3	4	-	-	1	-	3	1	-	5	1	2	1	-	-
Swissvale	1	13	1	1	4	2	-	3	1	-	1	2	-	6	1	6	1	-	1
Upper St. Clair township#	-	7	-	-	5	4	-	4	-	-	-	1	1	2	-	2	2	-	-
West Mifflin	-	17	3	7	5	8	-	4	2	-	-	6	1	13	6	3	4	-	-
Whitehall	-	13	1	1	6	1	-	2	-	-	-	2	-	11	2	3	1	-	-
Wilkinsburg	3	25	3	3	9	9	1	5	4	-	-	1	1	18	3	9	6	3	2
Balance of county	9	320	45	52	95	139	3	56	69	-	21	18	20	312	65	63	54	5	11
Armstrong	1	66	12	9	18	24	1	5	10	-	7	4	4	64	20	21	9	1	-
Beaver	9	158	32	17	45	68	2	29	18	-	11	17	38	136	23	46	35	10	-
Aliquippa	1	20	2	2	3	4	-	6	-	-	1	4	2	19	2	12	3	2	-
Beaver Falls	2	7	3	1	4	5	-	1	2	-	1	3	3	9	1	4	1	-	-
Balance of county	6	131	27	14	38	57	2	22	16	-	9	10	31	108	20	30	31	8	-
Bedford	-	38	13	4	12	17	2	3	2	-	2	3	2	19	11	8	4	-	-
Berks	20	200	36	41	72	82	11	28	31	-	16	11	20	213	57	61	38	10	-
Muhlenberg township#	-	5	2	-	3	3	-	2	1	-	-	-	1	12	3	-	1	1	-
Reading	9	58	12	12	18	24	6	9	10	-	6	3	8	73	7	27	11	6	-
Balance of county	11	137	22	29	51	55	5	17	20	-	10	8	11	128	47	34	26	3	-
Blair	6	108	29	16	25	63	2	14	9	-	5	15	8	131	17	35	11	3	1
Altoona	3	47	11	9	12	30	1	10	4	-	3	7	4	73	8	20	6	3	1
Balance of county	3	59	18	7	13	33	1	4	5	-	2	8	4	58	9	15	5	-	-
Bradford	2	43	27	5	11	18	1	8	5	-	3	2	19	45	12	13	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bucks	3,554	3	-	44	828	211	221	90	63	28	33	184	54	1,703	1,327	10	26	847	444
Bensalem township#	296	1	-	6	59	15	19	6	5	-	2	12	4	132	107	2	3	74	28
Bristol	138	-	-	3	35	12	7	4	2	2	-	8	1	60	50	-	-	27	23
Bristol township#	348	-	-	4	78	17	26	12	2	1	4	16	6	161	129	-	2	93	34
Falls township#	250	-	-	1	62	12	24	2	2	3	4	15	-	117	103	2	3	54	34
Lower Southampton township#	147	-	-	2	40	10	14	2	2	-	1	11	2	66	47	-	2	36	9
Middletown township#	207	-	-	1	48	14	14	3	3	1	2	11	6	100	84	1	1	54	28
Northampton township#	131	-	-	3	29	6	4	1	2	5	1	10	3	63	54	1	1	36	16
Upper Southampton township#	116	-	-	1	32	8	7	3	5	-	2	7	2	55	41	-	2	29	10
Warminster township#	209	-	-	2	58	21	11	6	2	1	4	13	6	94	77	-	1	44	32
Balance of county	1,712	2	-	21	387	96	95	51	38	13	13	61	24	855	835	4	11	390	290
Butler	1,379	-	-	9	305	74	77	30	25	15	14	70	28	738	608	11	3	487	107
Butler	218	-	-	1	59	18	15	5	6	2	4	9	5	118	102	2	-	60	20
Balance of county	1,161	-	-	8	246	56	62	25	19	13	10	61	23	620	506	9	3	407	87
Cambria	1,915	1	-	17	414	119	102	45	38	24	10	76	66	960	824	10	19	633	162
Johnstown	511	-	-	5	109	26	31	7	11	7	1	26	16	279	236	6	8	169	63
Balance of county	1,404	1	-	12	305	93	71	38	27	17	9	50	48	701	588	4	11	464	109
Cameron	69	-	-	-	19	4	4	2	2	1	-	6	5	44	29	1	2	20	6
Carbon	657	1	-	5	139	37	28	16	11	3	4	40	13	350	290	2	8	203	77
Centre	661	-	-	4	155	34	37	8	20	8	8	40	22	337	259	4	6	173	76
State College	102	-	-	-	24	4	7	2	4	-	1	6	1	54	38	3	1	23	11
Balance of county	559	-	-	4	131	30	30	6	16	8	7	34	21	283	221	1	5	150	65
Chester	2,475	-	-	28	566	138	143	40	62	20	22	141	41	1,197	987	18	17	650	302
Coatesville	202	-	-	2	47	12	13	7	3	3	-	9	10	76	65	-	1	42	22
Phoenixville	177	-	-	-	41	15	8	2	5	1	2	8	3	94	77	-	2	49	26
Tredyffrin township#	158	-	-	4	40	6	12	6	5	2	-	9	4	75	59	1	1	38	19
West Chester	177	-	-	4	31	9	8	2	1	1	2	8	4	95	78	1	-	50	27
West Goshen township#	114	-	-	-	23	5	6	1	2	2	-	7	-	64	46	-	2	31	13
Balance of county	1,647	-	-	18	384	91	96	22	46	11	18	100	20	793	662	16	11	440	195
Clarion	407	-	-	5	83	28	18	8	7	6	3	13	6	198	169	2	2	129	36
Clearfield	866	2	-	6	171	52	38	15	18	5	7	36	21	462	356	2	12	283	79
Clinton	370	-	-	1	76	28	12	1	8	7	2	20	9	216	189	1	4	117	57
Columbia	617	-	-	5	114	38	20	16	9	3	4	24	23	358	271	1	9	172	89
Berwick	165	-	-	-	32	15	6	4	2	1	-	4	11	92	65	-	2	43	20
Bloomsburg	116	-	-	-	16	4	1	4	1	1	1	4	1	78	66	-	1	44	21
Balance of county	336	-	-	5	66	19	13	8	6	1	3	16	11	186	140	1	6	85	46
Crawford	872	-	-	5	176	40	46	21	18	6	5	40	12	509	398	6	15	294	83
Meadville	225	-	-	1	43	8	12	5	5	1	1	11	3	130	103	1	6	79	17
Balance of county	647	-	-	4	133	32	34	16	13	5	4	29	9	379	295	5	9	215	66
Cumberland	1,530	1	-	16	317	76	82	35	36	10	12	66	28	805	608	8	13	442	145
Carlisle	216	-	-	-	36	10	9	5	2	1	4	5	2	120	85	1	3	69	12
East Pennsboro township#	144	-	-	3	23	4	7	3	4	-	-	5	2	79	55	-	3	33	19
Lower Allen township#	83	-	-	-	23	2	7	2	1	2	-	9	2	45	33	-	2	24	7
Balance of county	1,077	1	-	13	235	60	59	25	29	7	8	47	22	561	435	7	5	316	107
Dauphin	2,238	3	-	47	484	133	134	48	51	18	11	89	41	1,117	890	11	20	501	358
Harrisburg	681	1	-	11	154	50	41	13	22	7	3	18	16	320	252	3	5	143	101
Lower Paxton township#	281	-	-	13	76	17	25	10	5	3	1	15	2	136	100	-	6	48	46
Middletown	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Susquehanna township#	139	-	-	1	35	11	9	6	4	-	1	4	1	75	62	2	-	38	22
Swatara township#	204	1	-	4	34	11	7	1	5	-	-	10	7	108	90	-	1	47	42
Balance of county	932	1	-	18	185	44	52	18	15	8	6	42	15	478	386	6	6	225	147
Delaware	5,842	6	1	84	1,414	406	343	141	129	51	53	291	97	2,938	2,389	26	99	1,503	761
Aston township#	133	-	-	1	30	9	6	8	-	1	1	5	1	78	68	2	2	46	14
Chester	574	-	1	12	114	35	31	9	13	2	1	23	19	240	189	2	13	102	72
Darby	175	1	-	-	28	11	6	3	3	1	-	4	3	101	80	1	7	50	22
Darby township#	63	-	-	2	17	3	3	1	2	1	1	6	2	31	24	-	-	16	6
Haverford township#	523	-	-	5	123	41	19	15	10	3	2	33	4	277	222	2	2	143	75
Lansdowne	144	-	-	-	41	11	7	5	4	3	1	10	1	77	62	1	5	36	20
Marple township#	307	-	-	4	77	19	19	10	12	1	3	13	12	148	124	1	6	60	57
Middletown township#	184	-	-	8	28	9	2	-	5	-	-	10	2	105	62	1	3	47	31
Nether Providence township#	119	-	-	4	20	7	6	1	4	-	1	1	2	72	56	-	2	32	22
Newtown township#	98	-	-	-	23	8	3	1	3	3	-	5	1	52	41	1	-	25	15
Radnor township#	203	1	-	1	54	15	14	6	7	1	7	4	1	89	68	2	2	50	14
Ridley township#	213	-	-	3	74	20	18	5	6	3	4	18	3	96	83	1	4	65	13
Springfield township#	276	1	-	4	72	24	16	7	8	3	7	9	2	149	119	3	1	66	29
Upper Chichester township#	117	-	-	1	27	8	8	1	3	-	2	5	-	61	55	1	3	30	21
Upper Darby township#	923	-	-	17	235	60	57	27	20	14	7	50	15	467	381	3	18	244	116
Yeadon	154	-	-	2	41	12	13	4	4	1	3	4	6	78	65	-	3	38	24
Balance of county	1,636	3	-	20	412	114	115	38	27	14	13	91	23	816	672	5	26	429	210
Elk	324	-	-	-	76	22	23	3	10	4	3	11	8	177	145	-	2	116	27
Erie	2,680	1	-	32	548	147	151	50	62	26	17	95	55	1,403	1,110	9	23	662	216
Erie	1,387	1	-	16	295	88	78	30	27	15	7	50	25	728	578	6	13	454	105
Millcreek township#	344	-	-	1	64	13	20	7	11	2	2	9	6	210	157	1	2	119	35
Balance of county	949	-	-	15	189	46	53	13	24	9	8	36	24	467	375	2	8	289	76
Fayette	1,853	1	-	17	342	103	73	24	37	13	9	83	37	1,033	873	4	9	533	327
Connellsville	152	-	-	2	29	8	6	3	5	2	-	5	7	82	65	2	-	44	19
Uniontown	273	-	-	4	51	18	12	5	4	2	2	8	2	146	122	-	3	81	38
Balance of county	1,428	1	-	11	262	77	55	16	28	9	7	70	28	805	686	2	6	408	270
Forest	57	-	-	-	8	1	4	1	-	1	-	1	3	32	23	-	1	15	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bucks	12	279	44	41	65	103	12	43	35	-	25	31	180	235	84	44	51	9	5
Bensalem township#	-	19	4	2	7	9	-	5	7	-	2	3	15	28	11	4	1	2	-
Bristol	-	6	1	3	3	6	1	1	-	-	1	-	10	7	3	5	1	-	1
Bristol township#	1	26	2	3	5	10	1	3	1	-	3	4	23	24	7	5	10	3	-
Falls township#	1	10	3	-	3	10	4	4	2	-	1	4	20	13	3	4	2	-	-
Lower Southampton township#	-	15	1	3	2	8	-	1	2	-	1	-	9	9	-	2	2	1	-
Middletown township#	3	11	1	1	2	3	-	5	-	-	1	2	10	15	4	4	6	-	-
Northampton township#	1	3	3	2	1	-	-	1	3	-	3	1	5	12	5	-	1	-	1
Upper Southampton township#	2	9	1	2	3	3	-	-	-	-	1	-	5	5	3	1	4	1	-
Warminster township#	-	11	5	1	3	5	-	-	3	-	3	-	10	16	5	2	1	-	1
Balance of county	4	169	23	24	36	49	6	23	17	-	9	17	73	106	43	17	23	2	2
Butler	8	80	29	13	42	51	3	10	12	-	7	6	7	85	38	18	18	1	1
Butler	-	13	1	2	3	13	2	1	1	-	1	-	2	6	1	3	2	-	-
Balance of county	8	67	28	11	39	38	1	9	11	-	6	6	5	79	37	15	16	1	1
Cambria	5	95	27	29	31	55	4	18	18	-	6	16	9	178	31	43	25	2	1
Johnstown	1	30	5	7	3	17	3	5	9	-	1	5	3	32	5	9	6	1	1
Balance of county	4	65	22	22	28	38	1	13	9	-	5	11	6	146	26	34	19	1	-
Cameron	2	7	5	1	2	4	-	-	1	-	-	-	-	7	3	3	1	-	-
Carbon	3	45	6	6	12	16	2	9	9	-	3	2	1	63	9	10	13	-	-
Centre	4	63	7	4	13	26	-	1	7	-	8	9	1	39	15	12	12	-	-
State College	-	15	1	-	5	4	-	1	1	-	-	1	-	8	1	2	-	-	-
Balance of county	4	48	6	4	8	22	-	-	6	-	8	8	1	31	14	10	12	-	-
Chester	12	144	24	30	55	70	12	25	23	1	12	30	61	185	65	51	35	11	7
Coatesville	-	6	1	4	10	4	-	1	2	-	-	5	8	20	6	4	3	3	-
Phoenixville	1	12	2	2	3	5	1	1	2	-	-	3	7	12	3	-	1	-	1
Tredyffrin township#	1	10	2	3	3	4	2	4	2	-	-	-	1	10	1	2	4	1	1
West Chester	1	11	4	1	1	3	-	1	1	-	-	2	8	17	2	5	2	1	-
West Goshen township#	2	8	7	1	2	1	1	-	1	-	-	-	5	10	1	2	4	-	-
Balance of county	7	97	8	19	36	53	8	18	15	1	12	20	31	116	52	38	21	6	5
Clarion	3	22	2	2	9	13	-	2	9	-	1	3	3	37	15	10	10	2	1
Clearfield	3	73	17	13	21	42	1	11	8	-	3	10	5	58	17	18	10	1	1
Clinton	-	21	4	2	2	7	-	4	3	-	3	1	2	25	12	5	3	1	-
Columbia	2	61	9	13	13	15	2	6	8	-	1	2	2	47	12	6	4	1	-
Berwick	-	19	5	3	3	2	-	3	2	-	-	-	1	13	1	3	1	1	-
Bloomsburg	1	9	1	1	5	2	1	-	1	-	1	-	-	11	-	-	-	-	-
Balance of county	1	33	3	9	5	11	1	3	5	-	-	2	1	23	11	3	3	-	-
Crawford	5	73	19	14	24	20	1	10	7	-	3	3	1	55	18	12	15	1	-
Meadville	-	22	2	3	5	8	-	-	2	-	-	-	-	20	4	4	4	1	-
Balance of county	5	51	17	11	19	12	1	10	5	-	3	3	1	35	14	8	11	-	-
Cumberland	2	140	39	16	53	63	4	14	14	1	8	11	11	109	22	26	19	8	-
Carlisle	1	23	8	3	10	12	-	-	1	-	2	3	1	16	2	3	5	3	-
East Pennsboro township#	-	18	5	1	5	4	1	1	2	1	1	1	-	15	1	4	1	-	-
Lower Allen township#	-	9	2	1	3	5	-	2	2	-	-	2	1	4	1	-	2	1	-
Balance of county	1	90	24	11	35	42	3	11	9	-	5	5	9	74	18	19	11	4	-
Dauphin	16	163	29	17	52	87	7	28	22	-	19	18	19	162	30	50	33	19	-
Harrisburg	10	48	6	4	11	23	2	5	6	-	4	12	7	58	8	22	9	13	-
Lower Paxton township#	2	28	2	4	6	5	1	7	1	-	3	2	1	17	2	5	3	1	-
Middletown	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Susquehanna township#	-	9	2	2	2	4	1	-	-	-	-	1	1	6	1	2	6	3	-
Swatara township#	1	12	5	-	8	9	1	3	2	-	2	-	-	17	2	4	2	-	-
Balance of county	5	66	14	7	25	46	2	13	13	-	10	3	9	66	16	17	13	2	-
Delaware	16	398	78	59	139	178	17	65	49	-	26	42	85	405	74	111	68	29	14
Aston township#	1	8	1	2	2	4	-	2	1	-	-	2	2	4	4	1	1	-	-
Chester	-	40	8	3	8	23	2	11	6	-	7	12	24	47	8	17	9	13	1
Darby	-	18	2	1	5	5	1	3	2	-	-	1	5	10	2	4	1	3	-
Darby township#	-	6	1	-	1	1	-	-	-	-	-	-	2	4	1	1	-	-	1
Haverford township#	3	37	6	9	13	13	1	8	5	-	1	-	4	46	7	10	5	-	1
Lansdowne	1	12	2	-	4	3	1	1	3	-	1	-	1	6	1	1	2	-	1
Marple township#	-	15	7	2	9	9	-	2	3	-	1	2	1	31	1	3	3	1	-
Middletown township#	1	18	3	1	10	7	-	-	1	-	1	1	-	18	1	6	-	-	-
Nether Providence township#	-	11	4	1	2	1	-	1	-	-	1	1	-	12	2	1	-	-	-
Newtown township#	-	10	-	1	7	1	1	1	1	-	1	-	2	5	2	-	1	-	-
Radnor township#	-	15	4	2	9	10	-	3	1	-	-	-	-	26	3	2	3	-	-
Ridley township#	2	12	-	1	2	6	1	2	1	-	-	1	1	9	1	5	4	1	1
Springfield township#	1	18	8	2	2	12	1	2	4	-	1	1	2	13	4	5	1	-	1
Upper Chichester township#	-	5	1	-	3	3	-	1	1	-	1	2	3	7	2	2	1	1	1
Upper Darby township#	1	57	15	13	23	22	1	11	8	-	5	3	17	65	9	14	10	-	1
Yeadon	1	7	4	1	3	4	1	-	3	-	-	-	2	6	1	4	1	2	-
Balance of county	5	109	10	20	36	54	7	17	9	-	6	16	19	98	25	35	26	8	6
Elk	1	25	-	6	6	7	1	5	4	-	-	3	1	24	2	6	2	1	1
Erie	10	232	29	22	62	95	10	36	28	-	17	25	21	217	36	60	25	9	-
Erie	7	115	14	12	28	50	6	24	20	-	6	13	16	106	9	24	14	8	-
Millcreek township#	1	40	5	7	9	6	-	1	2	-	3	-	1	27	4	7	3	-	-
Balance of county	2	77	10	3	25	39	4	11	6	-	8	12	4	84	23	29	8	1	-
Fayette	4	131	8	17	36	38	4	21	23	-	6	4	19	193	25	41	15	7	1
Connellsville	-	19	3	1	4	2	-	1	3	-	-	1	6	11	1	2	-	1	-
Uniontown	-	20	1	3	6	5	1	-	5	-	1	1	-	39	2	7	3	-	-
Balance of county	4	98	4	13	26	31	3	20	15	-	5	2	13	133	22	32	12	6	1
Forest	-	5	2	2	-	2	-	1	-	-	-	1	1	2	2	2	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Franklin	1,005	-	-	6	233	59	58	20	28	11	14	43	21	538	412	4	5	289	114
Chambersburg	247	-	-	2	61	12	18	6	7	2	6	10	4	136	90	1	-	57	22
Balance of county	758	-	-	4	172	47	40	14	21	9	8	33	17	402	322	3	5	222	92
Fulton	122	-	-	2	33	10	3	2	4	3	2	9	-	63	44	-	4	25	15
Greene	392	-	-	6	73	12	24	5	4	2	1	25	8	215	189	1	1	132	56
Huntingdon	394	-	-	-	83	21	23	7	8	3	1	20	6	227	176	-	5	123	48
Indiana	797	-	-	3	144	43	29	17	13	4	10	28	16	440	340	4	7	268	66
Indiana	126	-	-	-	23	9	4	3	3	-	1	3	3	69	56	-	-	44	12
Balance of county	671	-	-	3	121	34	25	14	10	4	9	25	13	371	284	4	7	219	54
Jefferson	504	-	-	1	94	30	20	8	8	3	5	20	8	276	227	1	3	181	42
Juniata	189	-	1	4	31	13	6	3	2	-	1	6	5	106	77	-	-	55	22
Lackawanna	2,842	1	-	25	618	205	124	62	53	28	20	126	69	1,569	1,361	12	45	859	445
Carbondale	149	-	-	1	26	5	3	6	2	1	1	8	5	83	75	-	9	46	20
Dunmore	189	-	-	1	40	12	10	3	5	2	1	7	2	112	96	1	1	69	25
Scranton	1,326	1	-	14	290	105	61	23	18	13	8	52	34	773	661	7	14	411	229
Balance of county	1,178	-	-	9	272	83	50	30	28	12	10	59	28	621	529	4	21	333	171
Lancaster	3,116	5	-	26	648	174	139	79	65	30	29	132	56	1,700	1,350	7	32	808	503
Columbia	137	-	-	2	31	8	9	3	1	-	2	8	2	75	52	-	1	35	16
Ephrata	82	-	-	-	16	5	2	3	-	-	1	5	1	40	32	-	2	22	8
Lancaster	668	1	-	5	144	38	36	17	11	9	5	28	11	347	277	1	8	151	117
Lancaster township#	143	-	-	1	28	7	4	3	4	4	1	5	4	78	63	-	-	36	27
Manheim township#	251	-	-	-	56	17	11	8	8	1	4	9	3	153	113	-	5	59	49
Balance of county	1,835	4	-	18	373	99	77	47	41	16	16	77	35	1,007	813	6	16	505	286
Lawrence	1,113	-	-	5	258	67	70	28	29	6	7	49	14	560	454	6	10	374	64
New Castle	481	-	-	3	105	28	32	8	9	4	2	22	6	236	191	2	5	161	23
Balance of county	632	-	-	2	153	39	38	20	20	4	5	27	8	324	263	4	5	213	41
Lebanon	1,041	-	-	6	206	53	51	16	34	5	6	41	29	619	527	-	14	332	181
Lebanon	326	-	-	2	78	18	28	4	8	3	2	15	6	192	168	-	6	107	55
Balance of county	715	-	-	4	128	35	23	12	26	2	4	26	23	427	359	-	8	225	126
Lehigh	2,590	3	-	32	658	167	152	60	67	24	23	165	57	1,344	1,108	7	24	749	328
Allentown	1,179	2	-	17	290	81	73	25	27	13	5	66	25	612	501	1	9	337	154
Bethlehem, part	218	-	-	1	68	16	20	2	8	3	6	11	4	107	91	-	3	57	31
Emmaus	101	-	-	-	25	3	5	1	3	-	5	8	2	60	49	2	-	37	10
Salisbury township#	62	-	-	-	17	1	1	4	6	1	-	4	1	35	28	-	3	18	7
Whitehall township#	167	-	-	1	46	14	9	2	2	3	-	16	2	87	75	-	5	46	24
Balance of county	863	1	-	13	214	52	44	26	21	4	7	60	23	443	364	4	4	254	102
Luzerne	4,170	2	-	32	847	252	174	73	93	38	34	183	95	2,283	1,903	21	49	1,227	606
Hazleton	393	-	-	4	69	18	14	7	5	5	-	20	7	219	179	1	4	131	43
Kingston	207	-	-	2	46	11	10	1	4	2	3	16	1	124	106	1	8	58	39
Nanticoke	219	1	-	2	35	9	6	4	6	1	1	8	8	109	93	1	1	64	27
Wilkes-Barre	768	-	-	6	137	47	30	14	13	6	3	24	16	461	380	3	6	255	116
Balance of county	2,585	1	-	18	560	167	114	47	65	24	27	116	63	1,970	1,145	15	30	719	381
Lycoming	1,217	-	-	13	257	70	67	22	23	15	5	55	29	636	504	6	12	317	169
Williamsport	359	-	-	4	83	25	27	8	8	1	2	14	12	186	148	2	4	100	42
Balance of county	858	-	-	9	174	45	40	14	17	14	3	41	17	450	356	4	8	217	127
McKean	546	-	-	1	105	25	18	9	17	6	6	24	5	320	274	-	7	159	108
Bradford	185	-	-	1	29	5	4	3	8	2	3	4	1	107	95	-	3	52	40
Balance of county	361	-	-	-	76	20	14	6	9	4	3	20	4	213	179	-	4	107	68
Mercer	1,297	-	-	17	288	93	64	22	28	17	12	52	30	664	530	7	6	429	88
Sharon	224	-	-	5	56	19	14	5	4	-	4	10	1	104	83	4	1	66	12
Balance of county	1,073	-	-	12	232	74	50	17	24	17	8	42	29	560	447	3	5	363	76
Mifflin	449	-	-	2	101	21	22	8	11	8	3	28	12	250	198	1	3	148	46
Monroe	652	1	-	9	142	43	34	8	19	3	6	29	13	322	269	4	2	141	122
Montgomery	5,986	4	1	74	1,424	383	369	119	142	65	50	296	101	2,994	2,379	26	49	1,570	734
Abington township#	628	-	-	14	147	54	28	11	14	8	6	26	8	321	254	2	6	173	73
Cheltenham township#	356	-	-	6	93	27	19	8	10	6	2	21	4	171	128	-	1	86	41
East Norriton township#	98	-	-	2	26	7	8	2	1	1	-	7	2	49	38	1	2	22	13
Hatfield township#	72	-	-	-	14	1	7	-	1	-	2	3	-	36	28	-	-	22	6
Lansdale	202	-	-	1	39	12	12	3	4	1	-	7	4	103	81	1	4	52	24
Lower Merion township#	624	1	-	10	148	28	39	13	16	10	6	35	5	309	234	4	8	159	63
Lower Moreland township#	71	-	-	1	15	3	5	2	2	1	-	2	-	42	32	-	-	23	9
Lower Providence township#	92	-	-	-	24	6	7	1	1	2	1	6	-	47	44	2	-	30	12
Norristown	441	1	1	6	101	21	34	10	9	4	3	20	16	202	161	4	3	102	52
Plymouth township#	131	-	-	2	32	11	7	2	4	3	3	2	-	66	52	1	1	31	19
Pottstown	309	-	-	-	71	19	18	4	10	2	1	17	6	168	142	1	2	92	47
Springfield township#	255	-	-	1	61	19	13	10	5	2	-	12	6	133	109	1	2	70	36
Towamencin township#	59	-	-	2	14	2	4	4	1	-	1	2	1	27	17	1	-	11	5
Upper Dublin township#	122	-	-	2	37	8	12	2	6	1	3	5	1	56	45	1	1	29	14
Upper Merion township#	165	-	-	1	47	16	14	1	2	4	-	10	-	82	71	2	2	43	24
Upper Moreland township#	216	-	-	5	65	18	16	8	11	-	2	10	7	69	68	-	-	39	29
West Norriton township#	95	-	-	-	20	6	3	-	1	-	2	8	1	53	47	-	3	36	8
Whitemarsh township#	158	-	-	1	30	8	7	5	2	1	-	7	2	85	75	1	2	57	15
Balance of county	1,892	2	-	20	440	116	116	33	42	19	18	96	38	955	753	4	12	493	244
Montour	228	-	-	8	44	12	3	6	10	4	-	9	6	110	84	-	1	58	25
Northampton	2,130	1	-	12	514	132	125	49	42	28	18	120	44	1,141	941	9	18	553	361
Bethlehem, part	550	-	-	3	136	38	30	18	10	6	3	31	5	305	245	4	6	142	93
Bethlehem, total	768	-	-	4	202	54	50	20	18	9	9	42	9	412	336	4	9	199	124
Easton	346	-	-	-	64	16	13	6	8	8	1	12	11	182	152	-	7	82	63
Palmer township#	104	-	-	1	34	14	10	1	2	2	-	5	1	50	41	-	-	28	13
Balance of county	1,130	1	-	8	280	64	72	24	22	12	14	72	27	604	503	5	5	301	192

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Franklin	4	81	28	13	21	29	4	8	7	-	5	11	5	67	26	18	5	1	-
Chambersburg	1	27	15	3	5	8	2	2	2	-	1	3	1	14	4	2	-	-	-
Balance of county	3	54	13	10	16	21	2	6	5	-	4	8	4	53	22	16	5	1	-
Fulton	1	7	10	1	2	2	-	1	1	-	2	1	1	10	1	2	1	-	-
Greene	-	20	2	4	16	11	3	2	5	-	2	3	1	28	5	11	2	1	-
Huntingdon	3	34	9	5	8	12	4	1	4	-	1	1	2	23	11	8	1	2	-
Indiana	2	56	33	9	13	26	8	6	7	-	2	6	6	64	17	25	13	1	-
Indiana	-	7	6	-	2	2	1	1	1	-	-	3	1	11	3	4	2	-	-
Balance of county	2	49	27	9	11	24	7	5	6	-	2	3	5	53	14	21	11	1	-
Jefferson	2	31	11	5	11	19	1	5	8	-	4	4	4	37	10	16	5	1	-
Juniata	1	21	4	3	2	8	1	2	1	-	2	-	1	10	5	8	1	-	1
Lackawanna	9	160	30	29	39	80	9	34	26	-	17	13	5	225	35	38	12	6	1
Carbondale	1	6	1	-	3	8	1	-	1	-	3	-	-	10	3	5	-	-	-
Dunmore	2	6	6	2	4	5	-	6	9	-	2	-	-	12	-	1	-	1	-
Scranton	4	82	14	12	14	35	4	9	15	-	6	10	3	98	11	15	3	1	-
Balance of county	2	66	9	15	18	32	4	19	7	-	6	3	2	105	21	17	9	4	1
Lancaster	16	248	53	33	62	99	14	24	22	-	20	22	31	219	60	60	43	5	-
Columbia	1	16	3	3	2	4	3	2	-	-	-	2	2	8	3	-	1	-	-
Ephrata	-	5	1	2	3	2	1	2	-	-	1	1	-	10	4	-	1	-	-
Lancaster	5	48	13	6	13	28	4	8	1	-	5	10	9	52	10	9	10	1	-
Lancaster township#	-	14	1	-	3	2	-	1	1	-	-	1	-	19	2	2	1	-	-
Manheim township#	4	29	4	3	4	5	-	2	2	-	-	2	1	13	3	5	2	-	-
Balance of county	6	138	31	19	37	58	6	9	18	-	14	6	19	117	38	44	28	4	-
Lawrence	1	78	12	15	22	32	2	12	21	-	5	6	29	89	21	24	9	2	2
New Castle	-	31	7	7	11	19	1	5	13	-	1	3	14	46	5	9	2	-	2
Balance of county	1	47	5	8	11	13	1	7	8	-	4	3	15	43	16	15	7	2	-
Lebanon	4	75	7	6	19	28	3	5	8	-	5	7	7	50	17	19	8	2	3
Lebanon	-	21	3	-	5	9	2	1	1	-	1	3	3	8	6	5	2	1	1
Balance of county	4	54	4	6	14	19	1	4	7	-	4	4	4	42	11	14	6	1	2
Lehigh	10	170	38	18	52	64	4	19	33	-	12	10	11	165	57	30	28	8	3
Allentown	6	83	9	13	20	31	4	10	13	-	5	6	7	81	10	10	11	5	2
Bethlehem, part	1	9	6	-	8	6	-	-	5	-	-	1	-	11	5	1	3	-	-
Emmaus	1	8	1	1	-	2	-	2	-	-	-	-	1	8	1	-	-	-	-
Salisbury township#	-	4	2	1	1	1	-	-	-	-	-	-	-	4	1	1	1	-	-
Whitehall township#	1	9	2	-	2	6	-	1	5	-	1	-	-	9	5	-	1	-	1
Balance of county	1	57	18	3	21	18	-	6	10	-	8	3	3	52	26	9	12	3	-
Luzerne	9	276	66	29	63	83	8	45	51	-	20	19	11	447	58	58	41	5	2
Hazleton	2	32	3	3	14	8	2	2	6	-	2	4	-	36	4	9	5	1	1
Kingston	-	15	3	-	2	6	-	3	-	-	1	1	2	15	-	1	3	-	-
Nanticoke	-	13	2	1	3	2	1	6	2	-	1	-	-	44	2	1	1	1	-
Wilkes-Barre	2	51	21	7	9	18	2	7	10	-	4	2	-	62	12	10	10	-	-
Balance of county	5	165	37	18	35	49	3	27	33	-	12	12	9	290	40	37	22	3	1
Lycoming	9	102	7	14	22	39	4	10	15	-	6	9	7	108	23	16	21	-	-
Williamsport	1	27	4	6	6	12	3	3	2	-	2	2	-	35	2	4	3	-	-
Balance of county	8	75	3	8	16	27	1	7	13	-	4	7	7	73	21	14	18	-	-
McKean	-	38	4	4	13	18	2	9	4	-	5	1	5	22	10	16	7	1	-
Bradford	-	12	-	-	2	4	-	3	1	-	-	-	1	6	1	5	3	1	-
Balance of county	-	26	4	4	11	14	2	6	3	-	5	1	4	16	9	19	4	-	-
Mercer	7	100	14	13	44	34	9	10	15	-	8	6	3	101	22	25	17	3	1
Sharon	-	18	1	2	9	5	3	4	3	-	1	-	1	18	2	3	5	3	1
Balance of county	7	82	13	11	35	29	6	6	12	-	7	6	2	83	20	22	12	-	-
Mifflin	3	31	9	9	9	9	4	2	5	-	1	2	6	26	5	12	2	1	-
Monroe	-	41	2	10	16	24	1	14	8	-	4	4	3	42	20	15	10	2	2
Montgomery	24	450	55	66	174	181	17	63	52	1	32	64	52	463	92	102	62	24	9
Abington township#	2	48	8	9	29	20	1	4	2	-	3	10	7	40	6	7	6	2	1
Cheltenham township#	3	33	4	3	18	5	2	3	3	-	-	3	3	34	-	7	3	1	-
East Norriton township#	1	8	-	2	3	5	-	2	1	-	-	-	1	6	1	-	-	-	-
Hatfield township#	-	7	-	1	4	2	-	-	-	-	-	4	-	6	1	1	4	-	-
Lansdale	-	18	3	1	5	14	1	4	1	-	2	4	-	11	8	4	1	-	-
Lower Merion township#	1	50	7	17	18	13	5	6	5	-	2	4	4	58	8	12	9	3	4
Lower Moreland township#	1	7	2	-	-	2	-	-	1	-	-	1	1	5	-	2	-	1	-
Lower Providence township#	-	2	-	1	1	4	-	1	-	-	1	1	2	5	2	3	1	-	-
Norristown	3	27	5	6	12	16	-	11	4	1	1	12	5	34	2	6	5	4	1
Plymouth township#	1	8	2	3	4	7	-	3	-	-	-	1	-	8	4	3	1	-	-
Pottstown	-	18	4	4	8	7	-	3	3	-	2	1	1	24	2	10	1	1	1
Springfield township#	-	17	1	6	9	10	-	1	3	-	2	-	3	19	1	2	3	1	-
Towamencin township#	-	9	-	1	3	-	1	-	1	-	-	-	-	2	3	-	4	1	-
Upper Dublin township#	-	10	-	1	5	4	-	-	-	-	-	-	1	10	2	2	2	-	-
Upper Merion township#	2	9	-	-	5	6	1	1	2	-	2	1	-	13	1	1	1	1	-
Upper Moreland township#	2	15	1	3	10	7	-	2	3	-	1	1	2	15	3	3	2	1	-
West Norriton township#	-	8	-	-	-	5	-	1	-	-	1	-	1	6	-	4	2	1	-
Whitemarsh township#	-	7	1	2	5	6	-	1	3	-	-	-	1	13	7	-	2	2	-
Balance of county	8	151	17	26	35	48	6	20	20	-	15	21	20	154	41	35	15	5	2
Montour	1	16	2	5	7	5	1	2	5	-	-	2	2	20	5	9	-	-	-
Northampton	17	129	25	29	34	67	7	15	23	-	9	11	22	127	27	40	30	5	1
Bethlehem, part	5	39	10	6	8	13	-	4	9	-	1	4	3	31	6	10	11	1	-
Bethlehem, total	6	48	16	6	16	19	-	4	14	-	1	5	3	42	11	11	14	1	-
Easton	3	21	5	1	9	15	2	4	3	-	2	4	7	21	5	7	9	-	1
Palmer township#	-	7	-	2	2	3	1	2	3	-	-	-	-	4	-	2	1	-	-
Balance of county	9	62	10	20	15	36	4	5	8	-	6	3	12	71	16	21	9	4	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Northumberland	1,268	-	-	11	252	55	63	24	26	8	6	70	33	703	562	3	15	399	145
Shamokin	177	-	-	4	36	7	13	3	2	1	1	9	3	93	64	-	-	51	19
Sunbury	192	-	-	2	38	10	9	2	5	1	-	11	5	107	86	-	2	61	23
Balance of county	899	-	-	5	178	38	41	19	19	6	5	50	25	503	412	3	13	287	109
Perry	308	1	-	2	62	20	15	4	6	3	3	11	7	162	125	1	2	88	34
Philadelphia, coext. with Philadelphia city	20,015	34	3	450	4,539	1,224	1,202	417	441	170	145	940	358	8,340	6,694	66	224	4,173	2,231
Pike	215	-	-	1	46	10	11	8	5	4	3	5	2	108	85	2	2	60	21
Potter	184	-	-	3	39	15	8	-	4	1	1	10	3	89	68	-	3	45	20
Schuylkill	2,054	3	-	14	416	118	88	36	36	17	17	104	61	1,080	879	15	13	654	197
Pottsville	248	-	-	-	57	20	12	7	6	2	-	10	4	144	125	1	1	107	16
Balance of county	1,806	3	-	14	359	98	76	29	30	15	17	94	57	916	754	14	12	547	181
Snyder	273	-	-	-	58	10	13	8	3	8	1	15	9	153	127	2	3	95	27
Somerset	807	-	-	5	149	46	33	15	11	7	8	29	15	435	357	2	21	266	66
Sullivan	85	-	-	-	16	8	2	1	2	-	2	1	2	42	35	-	1	19	15
Susquehanna	356	-	-	3	77	27	12	6	9	1	3	19	5	187	145	1	5	98	41
Tioga	390	-	-	4	80	22	23	6	4	6	1	18	8	214	161	1	2	113	45
Union	302	-	-	1	62	15	10	6	6	3	4	18	7	182	114	2	3	75	34
Venango	647	-	-	6	132	32	43	12	17	7	4	17	18	342	272	5	3	196	68
Oil City	169	-	-	1	35	8	7	5	4	3	3	5	4	97	72	-	2	54	16
Balance of county	478	-	-	5	97	24	36	7	13	4	1	12	14	245	200	5	1	142	52
Warren	528	-	-	3	112	41	28	6	10	2	4	21	7	254	206	1	4	157	44
Warren	184	-	-	2	42	12	14	4	4	-	1	7	3	95	76	-	1	62	13
Balance of county	344	-	-	1	70	29	14	2	6	2	3	14	4	159	130	1	3	95	31
Washington	2,291	-	-	24	490	126	114	52	51	21	17	109	67	1,197	998	13	6	756	223
Canonsburg	134	-	-	1	26	4	4	11	1	-	-	6	6	73	63	1	1	48	13
Washington	256	-	-	-	43	9	11	5	7	4	-	7	12	134	111	1	-	81	29
Balance of county	1,901	-	-	23	421	113	99	36	43	17	17	96	49	990	824	11	5	627	181
Wayne	437	-	-	5	95	27	20	13	11	3	3	18	9	246	188	2	10	127	49
Westmoreland	3,916	2	-	33	837	269	195	71	72	38	25	167	96	2,063	1,732	19	15	1,295	408
Greensburg	244	1	-	-	47	20	12	2	3	1	2	7	1	148	129	-	1	95	33
Hempfield township#	399	-	-	4	64	15	11	10	7	2	2	17	5	253	219	1	4	162	52
Jeannette	171	-	-	-	37	13	9	2	5	1	2	5	2	94	71	4	3	44	20
Latrobe	129	-	-	-	33	13	7	3	3	1	-	6	5	63	51	-	-	36	15
Lower Burrell	115	-	-	1	21	5	6	2	3	1	1	3	3	64	55	2	1	43	9
Monessen	169	-	-	2	45	16	13	4	4	-	1	7	7	87	74	1	-	50	23
Municipality of Murrysville	115	-	-	-	25	12	4	1	3	-	1	4	1	72	57	1	-	44	12
New Kensington	278	-	-	1	69	25	22	4	2	4	3	9	2	152	131	-	-	95	36
North Huntingdon township#	210	-	-	3	45	6	19	6	4	1	1	8	8	104	89	-	-	74	15
Balance of county	2,086	1	-	22	451	144	92	37	38	27	12	101	64	1,046	856	10	6	652	188
Wyoming	216	-	-	1	47	7	16	3	2	2	4	13	3	120	92	2	3	60	27
York	2,590	1	-	22	626	168	158	63	70	22	28	117	43	1,336	1,099	6	26	707	360
Hanover	192	-	-	-	42	11	13	6	3	1	2	6	4	114	95	1	3	53	38
Springettsbury township#	256	-	-	5	43	11	7	5	5	3	1	11	-	156	131	-	5	79	47
Spring Garden township#	137	-	-	1	30	7	6	2	4	1	3	7	2	66	49	-	1	26	22
York	538	1	-	6	127	37	37	11	10	3	8	21	13	259	212	2	4	149	57
Balance of county	1,467	-	-	10	384	102	95	39	48	14	14	72	24	741	612	3	13	400	196
Rhode Island	9,307	4	-	84	2,293	642	577	197	249	93	75	460	212	4,677	3,739	38	70	3,092	590
Urban places	7,545	4	-	76	1,852	522	464	149	204	78	60	375	172	3,765	2,994	32	57	2,461	444
Balance of area	1,762	-	-	8	441	120	113	48	45	15	15	85	40	912	745	6	13	631	95
Metropolitan counties	8,644	3	-	72	2,125	596	547	178	232	82	70	420	203	4,345	3,485	34	66	2,883	502
Urban places	7,142	3	-	68	1,760	495	450	138	197	70	58	352	168	3,560	2,834	29	59	2,331	421
Balance of area	1,502	-	-	4	365	101	97	40	35	12	12	68	35	785	651	5	13	552	81
Nonmetropolitan counties	663	1	-	12	168	46	30	19	17	11	5	40	9	332	254	4	4	209	37
Urban places	403	1	-	8	92	27	14	11	7	8	2	23	4	205	160	3	4	180	23
Balance of area	260	-	-	4	76	19	16	8	10	3	3	17	5	127	94	1	-	79	14
Bristol	434	-	-	6	96	26	24	8	17	4	2	15	13	212	158	1	3	130	24
Barrington town#	123	-	-	-	32	8	7	2	6	1	1	7	2	60	44	-	1	36	7
Bristol town#	184	-	-	3	38	8	12	1	8	2	-	5	8	88	70	1	-	59	10
Warren town#	124	-	-	3	27	10	4	5	3	1	1	3	3	63	43	-	2	34	7
Balance of county	3	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	-
Kent	1,451	-	-	10	374	102	99	40	41	11	15	66	25	739	599	4	12	510	78
Coventry town#	186	-	-	1	41	10	12	9	2	1	1	6	3	110	88	-	1	75	12
Warwick	904	-	-	7	253	75	63	22	29	9	11	44	16	439	350	3	10	295	42
West Warwick town#	250	-	-	1	57	11	20	5	7	-	3	11	5	131	111	-	1	97	13
Balance of county	111	-	-	1	23	6	4	4	3	1	-	5	1	59	50	1	-	43	6
Newport	663	1	-	12	168	46	30	19	17	11	5	40	9	332	254	4	4	209	37
Middletown town#	111	-	-	1	26	6	5	4	1	3	-	7	2	60	38	1	-	28	9
Newport	292	1	-	7	66	21	9	7	6	5	2	16	2	145	122	2	4	102	14
Balance of county	260	-	-	4	76	19	16	8	10	3	3	17	5	127	94	1	-	79	14
Providence	6,066	3	-	55	1,488	422	369	114	156	63	48	316	147	3,052	2,451	26	45	2,021	359
Central Falls	201	-	-	1	46	12	15	4	6	1	1	7	4	104	87	-	-	74	13
Cranston	750	1	-	5	192	58	41	10	17	13	5	50	27	374	297	4	5	234	54
Cumberland town#	230	-	-	1	51	20	9	4	5	-	3	10	8	117	98	1	1	83	13
East Providence	561	-	-	6	143	41	42	7	13	9	4	27	16	268	209	3	4	154	42
Johnston town#	201	-	-	1	63	15	24	5	2	2	2	13	5	95	77	3	1	62	11
North Providence town#	260	-	-	-	55	7	14	4	6	-	6	18	3	138	110	4	3	89	14
Pawtucket	868	-	-	8	210	64	44	13	24	11	5	49	16	450	364	3	7	303	51
Providence	1,805	2	-	27	424	130	104	39	50	16	9	76	44	863	683	4	11	565	109
Woonsocket	497	-	-	4	130	28	39	8	19	4	6	26	8	262	209	3	6	171	29
Balance of county	695	-	-	2	174	49	37	20	14	7	7	40	16	383	323	1	7	286	29
Washington	693	-	-	1	167	46	55	16	18	4	5	23	18	342	277	3	6	222	46

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	8	96	19	16	21	44	6	12	11	1	6	3	11	97	18	17	15	5	2
Shamokin	1	22	4	2	3	7	1	2	2	-	1	1	3	12	4	2	2	1	-
Sunbury	1	16	3	1	6	7	-	1	1	-	2	1	3	9	4	3	2	-	1
Balance of county	6	60	12	13	12	30	5	9	8	1	3	1	5	76	10	12	11	4	1
Perry	-	27	4	6	2	14	1	2	5	-	2	2	3	25	13	2	3	-	-
Philadelphia, coext. with Philadelphia city	66	1,239	153	166	456	446	44	281	264	5	116	208	1,544	1,725	155	485	203	314	41
Pike	-	17	4	2	4	8	1	3	4	1	1	-	12	12	4	5	2	-	1
Potter	-	15	4	2	5	7	1	1	1	-	-	-	2	22	7	2	1	1	-
Schuylkill	13	136	9	23	17	47	2	25	23	-	5	5	20	274	31	30	17	4	-
Pottsville	2	14	1	2	-	5	-	1	8	-	-	-	1	12	3	9	2	2	-
Balance of county	11	122	8	21	17	42	2	24	15	-	5	5	19	262	28	21	15	2	-
Snyder	-	18	5	2	4	8	-	2	4	-	1	1	1	20	6	4	3	1	-
Somerset	4	57	7	10	21	34	2	8	7	-	6	6	5	76	9	20	7	1	1
Sullivan	-	6	-	1	3	4	-	-	1	-	-	-	1	9	1	5	1	-	-
Susquehanna	3	24	10	5	7	12	2	3	3	-	3	4	2	23	8	9	6	2	-
Tioga	1	40	4	8	4	11	1	4	5	-	1	3	-	25	9	13	5	3	-
Union	-	39	6	3	6	9	-	2	3	-	2	2	2	23	6	6	5	4	-
Venango	-	47	13	10	14	30	-	12	4	-	1	2	1	49	20	14	1	-	1
Oil City	-	17	3	5	4	10	-	2	-	-	-	-	-	6	5	4	-	-	1
Balance of county	-	30	10	5	10	20	-	10	4	-	1	2	1	43	15	10	1	-	-
Warren	2	33	5	8	24	27	1	5	4	-	2	5	2	46	10	19	6	1	-
Warren	1	12	2	4	5	9	-	2	3	-	-	3	-	11	3	5	1	-	-
Balance of county	1	21	3	4	19	18	1	3	1	-	2	2	2	35	7	14	5	1	-
Washington	8	150	23	18	65	70	5	27	20	-	10	14	18	168	40	44	25	7	2
Canonsburg	1	6	2	1	6	6	-	-	1	-	3	-	-	6	3	3	-	-	-
Washington	2	17	1	3	10	7	1	6	1	-	3	1	1	24	1	10	1	1	-
Balance of county	5	127	20	14	49	57	4	21	18	-	4	13	17	138	36	31	24	6	2
Wayne	-	40	15	3	10	13	1	7	6	-	1	1	1	25	8	5	2	-	-
Westmoreland	25	261	32	33	64	130	9	41	36	-	14	28	110	252	72	58	37	8	6
Greensburg	2	14	1	2	4	9	2	3	2	-	1	2	2	12	3	2	4	1	-
Hempfield township#	3	22	3	6	3	10	-	3	1	-	1	4	13	17	7	6	7	-	1
Jeannette	3	18	-	2	1	5	-	3	-	-	1	1	10	11	1	2	2	-	1
Latrobe	-	7	1	4	-	5	-	5	-	-	-	-	2	9	3	3	1	-	-
Lower Burrell	1	7	1	-	1	3	-	4	1	-	1	2	2	8	1	1	1	1	-
Monessen	1	8	-	4	2	2	-	-	2	-	-	2	3	9	1	4	1	2	-
Municipality of Murrysville	-	13	1	1	3	3	-	3	1	-	1	-	2	2	1	-	1	-	-
New Kensington	-	19	2	-	2	5	1	2	5	-	-	1	11	17	1	7	2	-	-
North Huntingdon township#	-	13	-	2	3	7	-	1	2	-	1	2	6	13	12	1	2	-	-
Balance of county	15	140	23	12	45	81	6	17	22	-	8	12	59	154	42	32	16	4	4
Wyoming	1	6	16	3	2	4	2	2	-	-	3	3	1	21	4	1	2	-	-
York	8	174	26	29	58	86	12	23	33	-	9	17	12	168	48	45	24	6	3
Hanover	-	13	3	3	3	9	-	7	3	-	-	1	-	6	2	-	1	-	-
Springettsbury township#	1	20	3	1	9	4	2	-	8	-	-	-	1	17	5	3	1	2	-
Spring Garden township#	-	15	2	-	5	7	2	-	-	-	1	-	1	14	-	3	5	-	-
York	3	32	3	9	13	23	4	4	6	-	-	5	3	43	12	9	6	3	1
Balance of county	4	94	15	16	28	43	4	12	16	-	8	11	7	106	29	30	11	1	2
Rhode Island	48	645	133	112	230	306	28	121	69	1	49	78	17	743	101	148	99	38	9
Urban places	41	524	110	96	188	250	25	108	59	1	44	65	11	620	70	121	75	33	6
Balance of area	7	121	23	16	42	56	3	13	10	-	5	13	6	123	31	27	24	5	3
Metropolitan counties	45	588	124	103	213	282	25	111	67	1	47	71	15	691	95	141	94	36	7
Urban places	38	495	103	90	177	233	22	99	59	1	42	61	10	588	67	117	70	31	6
Balance of area	7	93	21	13	36	49	3	12	8	-	5	10	5	103	28	24	24	5	1
Nonmetropolitan counties	3	57	9	9	17	24	3	10	2	-	2	7	2	52	6	7	5	2	2
Urban places	3	29	7	6	11	17	3	9	-	-	2	4	1	32	3	4	5	2	-
Balance of area	-	28	2	3	6	7	-	1	2	-	-	3	1	20	3	3	-	-	2
Bristol	1	41	7	5	12	16	4	3	4	-	1	5	-	43	6	9	2	1	1
Barrington town#	-	14	-	2	-	6	1	1	1	-	-	-	-	12	1	5	-	-	-
Bristol town#	1	13	3	1	10	4	2	-	2	-	1	3	-	16	4	3	2	-	-
Warren town#	-	14	4	2	2	4	1	2	1	-	-	2	-	13	1	1	-	-	1
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Kent	4	98	20	18	31	46	3	31	8	-	7	12	2	106	20	17	14	3	3
Coventry town#	1	14	1	6	5	5	-	2	-	-	-	1	-	12	4	2	-	-	-
Warwick	2	62	15	10	17	30	3	25	4	-	7	7	1	67	9	9	5	2	3
West Warwick town#	1	16	3	-	5	9	-	2	3	-	-	3	-	19	4	4	7	-	-
Balance of county	-	6	1	2	4	2	-	2	1	-	-	1	1	8	3	2	2	1	-
Newport	3	57	9	9	17	24	3	10	2	-	2	7	2	52	6	7	5	2	2
Middletown town#	-	15	4	3	3	3	-	2	-	-	-	-	-	12	1	1	-	-	-
Newport	3	14	3	3	8	14	3	7	-	-	2	4	1	20	2	3	5	2	-
Balance of county	-	28	2	3	6	7	-	1	2	-	-	3	1	20	3	3	-	-	2
Providence	38	399	89	75	152	198	16	70	52	1	35	47	11	489	57	100	62	29	2
Central Falls	2	11	3	1	7	4	-	4	2	-	1	2	-	17	1	5	2	1	-
Cranston	10	51	6	10	25	23	2	8	5	-	4	5	1	54	6	11	6	1	-
Cumberland town#	1	9	4	5	4	8	1	7	3	1	4	1	-	13	3	3	5	-	-
East Providence	3	43	10	7	20	27	1	3	5	-	3	7	-	42	5	9	4	3	1
Johnston town#	2	12	1	3	2	5	-	2	2	-	1	1	1	15	3	3	2	-	-
North Providence town#	3	17	3	5	5	13	1	3	2	-	1	1	-	28	3	3	3	1	-
Pawtucket	5	52	17	12	18	17	3	11	15	-	2	6	3	71	6	17	11	2	-
Providence	5	131	27	17	47	60	7	22	9	-	13	19	4	180	12	32	19	20	1
Woonsocket	2	38	6	9	10	16	-	7	5	-	5	3	-	27	5	10	4	1	-
Balance of county	5	37	12	6	14	25	1	3	4	-	1	2	2	42	13	7	6	-	-
Washington	2	50	8	5	18	22	2	7	3	-	4	7	2	53	12	15	16	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina	26,164	32	2	342	5,240	1,294	1,486	452	630	169	171	1,038	488	12,604	9,673	53	422	6,433	2,765
Urban places	7,454	5	-	101	1,482	394	405	142	180	53	40	268	147	3,731	2,782	7	133	1,780	662
Balance of area	18,710	27	2	241	3,758	900	1,081	310	450	116	131	770	341	8,873	6,891	46	289	4,653	1,903
Metropolitan counties	14,906	15	1	208	3,113	751	889	295	370	101	100	607	268	7,035	5,489	31	240	3,898	1,582
Urban places	5,810	2	-	83	1,163	310	323	111	139	44	32	204	124	2,852	2,161	5	107	1,361	688
Balance of area	9,096	13	1	125	1,950	441	566	184	231	57	68	403	144	4,183	3,328	26	133	2,275	894
Nonmetropolitan counties	11,258	17	1	134	2,127	543	597	157	260	68	71	431	220	5,569	4,184	22	182	2,797	1,188
Urban places	1,644	3	-	18	319	84	82	31	41	9	8	64	23	879	621	2	26	419	174
Balance of area	9,614	14	1	116	1,808	459	515	126	219	59	63	367	197	4,690	3,563	20	156	2,378	1,009
Abbeville	190	2	-	2	48	8	14	4	3	6	-	13	3	93	73	-	3	57	13
Aiken	929	3	-	15	185	42	56	13	23	4	5	42	18	459	359	1	18	233	107
Aiken	249	-	-	3	50	13	14	4	5	3	-	11	1	138	91	-	2	63	26
North Augusta	128	1	-	1	21	9	6	-	3	-	1	2	4	68	54	-	3	34	17
Balance of county	552	2	-	11	114	20	36	9	15	1	4	29	13	253	214	1	13	136	64
Allendale	112	-	-	-	19	4	6	2	-	1	2	4	1	59	40	1	2	31	6
Anderson	1,164	-	-	16	227	52	69	16	28	16	3	44	14	539	407	2	12	302	91
Anderson	470	-	-	8	80	23	20	6	6	6	2	17	3	247	174	-	6	117	51
Balance of county	694	-	-	8	147	29	48	10	22	10	1	27	11	292	233	2	6	185	40
Bamberg	147	-	-	-	30	4	11	3	3	3	-	6	1	81	58	-	7	38	11
Barnwell	187	-	-	1	30	9	9	2	1	2	3	4	4	100	77	1	-	50	26
Beaufort	499	1	-	4	119	25	38	13	15	2	2	24	16	211	147	1	9	105	32
Berkeley	528	1	-	5	123	31	41	9	14	1	7	20	10	214	170	1	5	109	55
Goose Creek	44	-	-	-	9	1	4	-	2	-	1	1	1	11	10	-	-	3	7
Hanahan	52	-	-	-	14	3	9	-	-	1	-	1	1	21	17	-	-	14	3
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	432	1	-	5	100	27	28	9	12	-	6	18	8	182	143	1	5	92	45
Calhoun	107	-	-	-	21	4	5	3	1	1	1	6	3	57	47	-	3	35	9
Charleston	2,011	-	-	30	461	119	156	39	48	11	10	78	45	885	706	6	41	468	193
Charleston	858	-	-	11	203	59	58	20	22	4	8	32	24	395	307	1	21	211	74
Mount Pleasant	150	-	-	1	34	5	14	2	4	1	-	8	3	83	71	-	3	34	34
North Charleston, part	184	-	-	1	35	9	12	1	5	-	-	8	3	82	65	-	4	45	16
North Charleston, total	184	-	-	1	35	9	12	1	5	-	-	8	3	82	65	-	4	45	16
Balance of county	819	-	-	17	189	46	72	16	17	6	2	30	15	325	265	5	13	178	69
Cherokee	344	1	-	-	65	29	21	3	11	3	5	13	8	151	110	1	4	72	33
Gaffney	169	1	-	-	40	13	8	2	7	1	-	9	3	78	54	1	-	34	19
Balance of county	175	-	-	-	45	16	13	1	4	2	5	4	5	73	56	-	4	38	14
Chester	293	2	-	2	62	14	17	5	5	3	1	17	2	146	112	1	3	61	47
Chesterfield	371	-	-	8	63	10	21	7	7	-	3	15	10	182	136	-	2	98	36
Clarendon	251	2	-	3	47	10	6	9	11	-	2	9	7	134	99	1	3	56	39
Colleton	326	-	-	5	58	13	15	2	12	1	3	12	17	165	112	-	5	77	30
Darlington	574	2	-	12	109	34	27	6	15	3	3	21	5	270	210	-	18	152	40
Dillon	273	1	-	2	49	18	12	5	4	-	-	10	7	96	64	-	4	32	28
Dorchester	420	1	-	7	70	16	19	6	11	-	1	17	8	187	145	1	4	107	33
Edgefield	158	-	-	1	31	11	8	1	3	1	-	7	2	89	65	-	5	40	20
Fairfield	222	-	-	5	45	10	10	2	6	1	2	14	2	115	101	-	6	49	44
Florence	1,023	3	-	9	185	40	59	19	24	4	6	33	27	559	432	2	28	228	174
Florence	369	-	-	2	57	11	22	6	9	3	1	5	11	212	158	-	15	78	65
Balance of county	654	3	-	7	128	29	37	13	15	1	5	28	16	347	274	2	13	150	109
Georgetown	338	-	1	8	62	19	20	5	5	3	2	8	3	160	110	-	4	69	37
Georgetown	113	-	-	4	22	6	5	3	2	1	2	3	1	55	36	-	3	23	10
Balance of county	225	-	1	4	40	13	15	2	3	2	-	5	2	105	74	-	1	46	27
Greenville	2,303	1	-	43	505	111	137	51	59	17	19	111	35	1,128	891	5	27	569	290
Greenville	667	-	-	17	127	26	36	14	16	5	4	26	14	333	270	1	8	157	104
Greer, part	129	-	-	2	26	8	2	3	5	2	-	6	3	64	42	-	1	29	12
Greer, total	160	-	-	3	32	10	4	3	7	2	-	6	3	76	48	-	1	34	13
Balance of county	1,507	1	-	24	352	77	99	34	38	10	15	79	18	731	579	4	18	383	174
Greenwood	490	-	-	8	99	22	31	7	15	4	1	18	9	242	169	2	13	115	39
Greenwood	261	-	-	7	50	13	11	5	8	2	-	11	2	130	84	1	9	54	20
Balance of county	229	-	-	1	49	9	20	2	7	2	1	8	7	112	85	1	4	61	19
Hampton	152	-	-	6	30	7	13	2	4	-	-	4	5	61	46	-	-	35	11
Horry	942	-	-	9	167	42	51	12	19	3	9	31	15	486	390	2	10	299	79
Conway	120	-	-	1	16	2	6	3	2	-	-	3	4	67	48	-	1	36	11
Myrtle Beach	158	-	-	1	30	7	9	4	2	-	2	6	2	80	61	-	2	41	18
Balance of county	664	-	-	7	121	33	36	5	15	3	7	22	9	339	281	2	7	222	50
Jasper	112	-	-	1	19	4	4	1	3	1	2	4	2	60	44	-	1	32	11
Kershaw	299	-	-	2	56	18	16	2	8	-	-	12	3	148	114	2	2	65	45
Lancaster	420	-	-	3	77	21	24	3	12	1	1	15	7	211	168	1	4	112	51
Laurens	500	-	-	6	86	24	28	5	12	6	1	10	14	251	204	-	6	152	46
Laurens	137	-	-	-	18	3	8	1	3	1	-	2	2	85	63	-	3	43	17
Balance of county	363	-	-	6	68	21	20	4	9	5	1	8	12	166	141	-	3	109	29
Lee	151	2	-	4	23	6	6	2	5	-	-	4	3	78	62	1	6	42	13
Lexington	983	-	-	8	222	53	61	24	24	6	9	45	13	458	375	3	14	267	91
Cayce	70	-	-	1	15	3	3	2	3	1	1	2	-	31	28	-	3	21	4
West Columbia	184	-	-	1	45	11	15	5	5	-	2	7	4	77	66	-	1	56	9
Balance of county	729	-	-	6	162	39	43	17	16	5	6	36	9	350	281	3	10	190	78
McCormick	59	-	-	2	12	2	3	1	1	1	-	4	1	27	24	-	-	15	9
Marion	352	1	-	2	73	21	19	6	11	4	4	8	7	167	128	-	2	90	36
Marlboro	309	-	-	6	53	11	20	3	4	3	1	11	5	155	104	-	1	84	19
Newberry	328	-	-	4	53	11	15	6	4	2	1	14	4	178	131	-	5	53	73
Oconee	463	-	-	4	78	15	23	12	7	3	5	13	17	223	174	3	14	121	36
Orangeburg	763	1	-	6	150	42	35	10	16	4	6	37	13	391	293	2	16	178	97
Orangeburg	183	1	-	-	33	7	8	5	1	1	1	10	1	118	82	-	2	54	26
Balance of county	580	-	-	6	117	35	27	5	15	3	5	27	12	273	211	2	14	124	71

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina	112	2,332	260	227	663	727	72	309	239	4	206	402	370	2,076	880	859	330	320	17
Urban places	44	739	96	70	214	182	21	105	69	1	28	105	81	623	156	212	80	109	2
Balance of area	68	1,593	164	157	449	545	51	204	170	3	180	297	289	1,453	704	647	250	211	15
Metropolitan counties	64	1,212	149	121	391	453	42	171	133	2	114	234	194	1,171	467	473	224	168	9
Urban places	29	535	72	55	167	150	18	83	57	1	22	88	61	491	120	175	67	85	1
Balance of area	35	677	77	66	224	303	24	88	76	1	92	146	133	680	347	298	157	103	8
Nonmetropolitan counties	48	1,120	111	106	272	274	30	138	106	2	94	168	176	905	393	386	106	132	8
Urban places	15	204	24	15	47	32	3	22	12	-	6	17	20	132	36	37	13	24	1
Balance of area	33	916	87	91	225	242	27	116	94	2	88	151	156	773	357	349	93	108	7
Abbeville	-	15	1	4	7	4	-	3	-	-	-	2	2	16	7	3	3	2	1
Aiken	3	71	17	9	14	24	6	8	3	-	7	7	6	82	25	34	18	14	1
Aiken	-	32	11	4	5	3	3	1	-	-	2	2	2	23	4	6	2	4	-
North Augusta	1	11	-	2	2	6	1	1	-	-	1	1	-	12	2	2	3	2	-
Balance of county	2	28	6	3	7	15	2	6	3	-	4	4	4	47	19	26	13	8	1
Allendale	-	18	1	-	4	1	2	1	3	-	3	1	3	8	1	4	1	1	-
Anderson	9	107	9	7	28	52	1	8	11	-	7	19	45	79	41	38	18	22	-
Anderson	5	61	6	1	9	17	-	4	5	-	1	7	18	36	6	15	6	8	-
Balance of county	4	46	3	6	19	35	1	4	6	-	6	12	27	43	35	21	13	14	-
Bamberg	1	21	1	2	-	4	-	1	1	-	-	2	-	13	2	9	-	3	-
Barnwell	1	20	-	2	4	3	1	1	-	-	2	4	3	17	7	4	3	3	-
Beaufort	3	45	5	11	9	13	2	9	4	-	7	12	8	28	23	21	7	3	2
Berkeley	1	32	9	2	5	22	-	7	1	-	7	9	10	35	30	32	9	8	-
Goose Creek	-	1	-	-	-	2	-	-	-	-	1	1	1	6	4	3	3	2	-
Hanahan	-	4	-	-	-	5	-	1	-	-	-	1	1	3	-	5	-	-	-
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	27	9	2	5	15	-	8	1	-	6	7	8	26	26	24	6	6	-
Calhoun	-	7	-	3	4	-	-	1	3	-	-	-	-	9	1	7	-	1	-
Charleston	5	134	17	21	57	49	6	24	22	-	15	38	20	176	61	63	33	26	-
Charleston	4	59	10	15	27	12	1	12	10	-	3	13	3	76	22	22	11	13	-
Mount Pleasant	-	9	1	2	7	2	1	2	1	-	1	1	1	7	2	3	1	-	-
North Charleston, part	-	15	1	1	5	6	2	5	-	-	-	7	2	14	6	11	3	2	-
North Charleston, total	-	15	1	1	5	6	2	5	-	-	-	7	2	14	6	11	3	2	-
Balance of county	1	51	5	3	18	29	2	5	11	-	11	17	14	79	31	27	18	11	-
Cherokee	1	22	14	4	11	9	-	4	4	-	1	-	5	37	12	8	3	5	-
Gaffney	1	15	8	-	7	3	-	1	1	-	-	-	1	25	2	4	1	2	-
Balance of county	-	7	6	4	4	6	-	3	3	-	1	-	4	12	10	4	2	3	-
Chester	1	23	6	4	5	14	1	4	-	-	2	5	2	23	7	9	4	3	-
Chesterfield	-	41	2	3	8	13	-	2	3	-	5	3	11	29	15	15	3	1	-
Clarendon	1	32	1	1	5	1	-	1	4	-	2	9	2	20	5	6	1	2	-
Colleton	1	46	2	4	11	8	1	3	3	-	2	5	3	25	7	8	1	4	-
Darlington	1	53	2	4	10	18	1	5	6	-	5	10	6	59	20	20	7	9	-
Dillon	2	26	2	2	7	6	2	1	4	-	3	4	36	23	18	13	1	-	-
Dorchester	1	33	5	3	15	11	4	4	7	1	5	10	3	35	25	12	10	4	1
Edgefield	4	15	5	-	2	2	1	6	-	-	1	-	-	10	2	8	1	2	-
Fairfield	-	13	1	-	6	5	-	2	2	-	-	3	1	18	10	5	3	-	-
Florence	4	111	5	7	15	23	3	8	11	-	9	15	6	63	31	36	8	11	3
Florence	1	47	2	4	4	6	2	3	6	-	2	7	2	23	6	15	4	6	1
Balance of county	3	64	3	3	11	17	1	3	5	-	7	8	4	40	25	21	4	5	2
Georgetown	2	40	7	1	8	8	1	4	4	-	3	5	7	28	13	13	2	8	-
Georgetown	2	13	4	-	3	2	1	2	1	-	-	2	4	9	2	4	-	1	-
Balance of county	-	27	3	1	5	6	-	2	3	-	3	3	3	19	11	9	2	7	-
Greenville	9	195	22	11	39	70	4	30	15	-	19	28	34	174	57	62	31	27	1
Greenville	4	53	4	2	15	12	1	13	5	-	2	8	13	53	15	21	4	14	-
Greer, part	-	19	2	1	5	6	-	1	1	-	1	-	-	13	7	-	-	-	-
Greer, total	-	25	2	1	6	7	1	2	2	-	1	-	-	15	8	3	-	1	-
Balance of county	5	123	16	8	19	52	3	16	9	-	16	20	21	108	35	41	27	13	1
Greenwood	3	61	3	6	17	15	1	8	4	-	5	7	6	40	10	9	7	3	-
Greenwood	3	38	2	3	11	9	-	4	3	-	-	3	3	25	5	5	1	3	-
Balance of county	-	23	1	3	6	6	1	4	1	-	5	4	3	15	5	4	6	-	-
Hampton	-	15	-	-	3	5	1	1	4	-	1	5	1	19	3	3	1	3	-
Horry	1	80	9	6	15	25	1	15	4	1	8	10	20	64	44	32	11	14	1
Conway	1	16	1	1	5	1	1	2	-	-	1	-	3	11	5	-	-	2	1
Myrtle Beach	-	17	-	2	1	3	-	2	1	-	1	2	5	10	6	6	4	4	-
Balance of county	-	47	8	3	9	21	-	11	3	1	6	8	12	43	33	26	7	8	-
Jasper	1	13	-	2	3	2	-	-	2	-	1	2	1	7	7	5	-	-	-
Kershaw	2	25	3	2	9	8	-	7	3	-	4	3	3	31	12	9	1	2	-
Lancaster	3	30	3	7	14	10	2	6	8	-	1	4	3	29	13	20	4	8	-
Laurens	1	40	4	2	18	15	1	9	9	-	5	6	2	31	15	15	6	10	1
Laurens	1	19	1	1	5	4	-	2	1	-	-	2	-	11	3	2	-	2	-
Balance of county	-	21	3	1	13	11	1	7	8	-	5	4	2	20	12	13	6	8	1
Lee	-	12	1	3	7	3	1	1	2	-	-	4	2	11	3	4	3	-	-
Lexington	3	69	3	8	29	31	4	15	6	-	7	16	12	69	35	20	24	12	-
Cayce	-	2	-	1	2	2	-	1	-	-	-	2	1	6	2	3	3	1	-
West Columbia	-	8	-	3	5	6	1	4	1	-	1	3	2	12	6	3	8	5	-
Balance of county	3	59	3	4	22	23	3	10	5	-	6	13	9	51	27	14	13	6	-
McCormick	-	3	-	-	-	1	2	-	-	-	-	1	1	5	4	-	-	3	-
Marion	3	31	4	1	11	5	1	5	3	-	2	12	11	25	13	12	-	2	-
Marlboro	-	47	2	2	3	6	1	6	2	-	5	4	-	31	6	12	4	6	2
Newberry	-	35	8	4	12	9	1	4	1	-	4	8	5	19	6	14	1	3	-
Oconee	2	30	9	6	12	17	1	7	10	-	3	9	2	45	15	9	7	4	-
Orangeburg	4	77	7	10	16	14	4	5	4	-	3	7	12	59	27	39	4	8	-
Orangeburg	1	27	3	5	3	3	1	2	3	-	-	-	3	8	1	4	1	1	-
Balance of county	3	50	4	5	13	11	3	3	1	-	3	7	9	51	26	35	3	7	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con.																			
Pickens	584	2	-	6	124	37	25	10	17	4	4	27	10	280	210	-	7	167	36
Easley	137	-	-	1	31	13	5	3	4	1	-	5	5	68	53	-	1	42	10
Balance of county	447	2	-	5	93	24	20	7	13	3	4	22	5	212	157	-	6	125	26
Richland	2,256	3	-	33	436	113	116	45	45	22	16	79	42	1,024	792	-	40	532	220
Columbia	1,219	1	-	19	237	68	55	24	24	16	6	44	24	576	429	-	26	272	131
Balance of county	1,037	2	-	14	199	45	61	21	21	6	10	35	18	448	363	-	14	260	89
Saluda	151	-	-	-	28	6	9	1	6	2	-	4	3	76	54	-	-	41	13
Spartanburg	1,822	1	1	27	362	86	104	47	50	14	12	69	30	855	680	6	34	446	194
Greer, part	31	-	-	1	6	2	2	-	2	-	-	-	-	12	6	-	-	5	1
Spartanburg	539	-	-	10	110	28	30	15	15	-	4	18	15	260	206	3	10	108	85
Balance of county	1,252	1	1	16	266	56	72	32	33	14	8	51	15	583	468	3	24	333	106
Sumter	699	1	-	8	142	34	35	9	16	3	6	37	9	350	263	2	6	189	54
Sumter	362	1	-	4	80	19	22	7	11	3	3	15	6	188	141	-	5	95	41
Balance of county	337	-	-	4	62	15	13	2	5	-	5	22	3	162	122	2	3	74	43
Union	334	-	-	3	59	22	15	2	8	1	1	10	6	189	137	-	7	99	31
Union	141	-	-	1	30	14	5	1	5	-	-	5	2	78	52	-	1	39	12
Balance of county	193	-	-	2	29	8	10	1	3	1	1	5	4	111	85	-	6	60	19
Williamsburg	334	1	-	7	44	13	10	1	7	-	2	11	6	169	120	1	7	73	39
York	683	-	-	9	193	51	47	16	27	2	8	42	16	447	320	4	10	208	96
Rock Hill	330	-	-	4	63	18	16	6	9	1	2	11	8	174	114	-	3	72	39
Balance of county	553	-	-	5	130	33	31	10	18	1	6	31	8	273	206	4	7	136	59
South Dakota	6,628	8	-	43	1,310	375	291	119	162	57	52	254	96	3,454	2,725	26	48	2,003	648
Urban places	2,206	-	-	16	434	107	106	44	54	19	20	82	28	1,152	905	11	10	660	204
Balance of area	4,422	8	-	27	876	268	183	75	108	38	32	172	68	2,302	1,820	15	38	1,323	444
Metropolitan counties	906	-	-	5	193	41	53	16	23	11	5	44	12	485	397	4	4	314	75
Urban places	729	-	-	5	163	33	46	11	21	10	4	38	9	387	317	4	4	248	61
Balance of area	177	-	-	-	30	8	7	5	2	1	1	6	3	98	80	-	-	66	14
Nonmetropolitan counties	5,722	8	-	38	1,117	334	238	103	139	46	47	210	84	2,969	2,328	22	44	1,689	573
Urban places	1,477	-	-	11	271	74	62	33	33	9	16	44	19	765	588	7	6	432	143
Balance of area	4,245	8	-	27	846	260	176	70	106	37	31	166	65	2,204	1,740	15	38	1,257	430
Aurora	56	-	-	-	6	1	1	-	2	-	-	2	-	30	27	-	1	16	10
Beadle	199	-	-	4	39	11	14	1	4	3	2	4	1	105	69	-	-	53	16
Huron	158	-	-	3	28	8	13	1	2	3	-	1	-	86	53	-	-	41	12
Balance of county	41	-	-	1	11	3	1	-	2	-	2	3	1	19	16	-	-	12	4
Bennett	34	-	-	-	6	2	2	-	-	-	-	2	-	16	14	-	1	8	5
Bon Homme	89	-	-	1	12	3	3	2	1	-	1	2	2	53	39	-	-	31	8
Brookings	194	-	-	1	32	4	6	6	7	-	3	6	-	113	95	-	1	71	23
Brookings	111	-	-	1	18	2	3	5	4	-	3	1	-	63	50	-	1	37	12
Balance of county	83	-	-	-	14	2	3	1	3	-	-	5	-	50	45	-	-	34	11
Brown	312	-	-	1	69	25	11	10	9	1	1	12	2	178	139	-	1	116	22
Aberdeen	226	-	-	-	51	17	10	8	8	-	-	8	1	127	97	-	1	81	15
Balance of county	86	-	-	1	18	8	1	2	1	1	1	4	1	51	42	-	-	35	7
Brule	37	-	-	-	8	2	1	3	-	1	-	1	-	18	13	-	-	7	6
Buffalo	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Butte	95	-	-	1	20	5	3	4	1	1	-	6	2	48	39	-	1	30	8
Campbell	25	-	-	-	5	4	-	-	-	-	-	1	1	8	8	-	-	5	3
Charles Mix	106	2	-	-	28	8	7	-	5	-	1	7	-	50	40	-	3	24	13
Clark	61	-	-	1	12	5	2	1	1	1	-	2	-	96	90	1	-	26	3
Clay	92	-	-	1	24	10	-	4	3	-	1	6	2	43	32	-	-	20	12
Vermillion	47	-	-	1	11	3	-	2	2	-	1	3	1	23	16	-	-	10	6
Balance of county	45	-	-	-	13	7	-	2	1	-	-	3	1	20	16	-	-	10	6
Codington	195	-	-	2	31	10	6	2	6	2	1	4	2	106	91	1	-	73	17
Watertown	165	-	-	2	27	7	6	2	5	2	1	4	1	89	75	1	-	61	13
Balance of county	30	-	-	-	4	3	-	-	1	-	-	-	1	19	16	-	-	12	4
Corson	47	1	-	3	9	3	-	2	1	-	-	3	3	13	8	-	-	4	4
Custer	61	2	-	-	16	4	6	2	3	-	-	1	-	32	23	1	-	14	8
Davison	183	-	-	-	24	4	7	5	1	1	1	5	4	104	85	-	2	60	23
Mitchell	156	-	-	-	21	4	6	5	-	1	1	4	4	89	74	-	2	50	22
Balance of county	27	-	-	-	3	-	1	-	1	-	-	1	-	15	11	-	-	10	1
Day	100	-	-	-	23	6	3	-	3	-	3	8	1	58	47	-	-	40	7
Deuel	68	-	-	2	17	7	3	2	3	-	-	2	1	34	25	-	-	25	-
Dewey	42	-	-	-	10	4	2	1	-	-	-	3	1	14	12	-	-	5	7
Douglas	40	-	-	-	11	3	1	1	4	-	-	2	1	18	15	-	-	9	6
Edmunds	61	-	-	-	14	7	4	1	1	-	-	1	1	36	19	-	-	18	1
Fall River	121	-	-	-	18	3	6	1	4	1	-	3	6	59	49	-	1	37	11
Faulk	43	-	-	-	6	2	-	1	-	1	-	2	1	27	16	-	-	9	7
Grant	112	-	-	-	29	10	5	5	2	2	1	4	2	55	52	-	2	30	20
Gregory	67	-	-	1	17	2	4	2	5	-	2	2	-	55	40	1	2	24	13
Haakon	25	-	-	-	6	1	-	1	1	-	-	3	-	14	11	-	1	7	3
Hamlin	68	-	-	-	10	2	3	1	-	1	1	2	2	51	43	-	-	30	13
Hand	57	-	-	-	11	4	-	2	1	-	-	4	-	37	23	-	1	18	4
Hanson	26	-	-	-	6	3	1	-	1	1	-	-	-	14	11	-	-	8	3
Harding	13	-	-	-	3	1	2	-	-	-	-	-	-	6	5	-	-	4	1
Hughes	111	-	-	-	21	7	3	2	1	-	2	6	3	51	36	1	-	21	14
Pierre	97	-	-	-	17	6	2	1	1	-	2	5	3	44	29	1	-	16	12
Balance of county	14	-	-	-	4	1	1	1	-	-	-	1	-	7	7	-	-	5	2
Hutchinson	119	-	-	1	19	7	1	-	5	-	-	6	-	73	57	-	-	46	9
Hyde	22	-	-	-	1	-	-	-	-	1	-	-	1	17	11	-	-	7	4
Jackson	31	-	-	-	3	1	2	-	-	-	-	-	1	15	13	-	-	10	3
Jerauld	28	-	-	-	4	1	3	-	-	-	-	-	-	16	13	-	1	8	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	3	57	4	6	16	17	3	5	3	-	5	11	4	42	23	17	10	5	1
Easley	-	14	1	-	3	3	-	1	1	-	-	2	-	12	4	4	1	1	-
Balance of county	3	43	3	6	13	14	3	4	2	-	5	9	4	30	19	13	9	4	1
Richland	13	178	18	23	106	65	4	31	27	1	13	38	25	209	63	75	29	33	1
Columbia	10	114	11	12	52	38	1	19	17	1	4	22	6	112	19	39	11	21	-
Balance of county	3	64	7	11	54	27	3	12	10	-	9	14	19	97	44	36	18	12	1
Saluda	-	20	-	2	3	1	-	2	1	-	2	-	-	15	10	5	3	2	-
Spartanburg	12	133	11	19	48	63	1	21	19	-	14	26	21	160	50	65	24	13	1
Greer, part	-	6	-	-	1	1	1	1	1	-	-	-	-	2	1	3	-	1	-
Spartanburg	4	43	4	3	15	12	-	7	7	-	-	6	6	60	10	14	5	2	-
Balance of county	8	84	7	16	32	50	-	13	11	-	14	20	15	98	39	48	19	10	1
Sumter	6	75	1	5	15	9	-	8	2	-	8	17	6	62	25	19	7	10	1
Sumter	4	39	1	3	8	4	-	5	2	-	3	7	1	27	7	8	4	7	-
Balance of county	2	36	-	2	7	5	-	3	-	-	5	10	5	35	18	11	3	3	1
Union	3	44	5	-	6	6	-	3	1	-	3	3	2	18	15	11	6	3	-
Union	2	20	4	-	4	3	-	2	-	-	1	1	-	6	5	4	2	2	-
Balance of county	1	24	1	-	2	3	-	1	1	-	2	2	2	12	10	7	4	1	-
Williamsburg	1	45	2	1	7	12	1	3	5	1	3	1	10	31	13	15	1	4	-
York	1	92	29	5	19	26	6	12	8	-	6	17	6	47	26	21	9	13	-
Rock Hill	-	37	19	4	10	11	4	7	2	-	3	5	3	21	4	6	2	3	-
Balance of county	1	55	10	1	9	15	2	5	6	-	3	12	5	26	22	15	7	10	-
South Dakota	17	550	96	64	244	184	35	71	75	-	53	48	71	489	179	169	84	26	9
Urban places	5	184	38	20	86	72	14	23	16	-	21	18	16	179	43	47	31	6	4
Balance of area	12	366	60	44	158	112	21	48	59	-	32	30	55	290	136	122	53	20	5
Metropolitan counties	2	78	2	6	36	20	9	14	4	-	6	6	5	68	14	19	8	1	1
Urban places	2	62	1	5	33	18	6	9	4	-	4	5	3	53	10	13	5	1	1
Balance of area	-	16	1	1	3	2	3	5	-	-	2	1	2	15	4	6	3	-	-
Nonmetropolitan counties	15	472	96	58	206	164	26	57	71	-	47	42	66	401	165	150	76	25	8
Urban places	3	122	37	15	53	54	8	14	12	-	17	13	13	126	33	34	26	5	3
Balance of area	12	350	59	43	155	110	18	43	59	-	30	29	53	275	132	116	50	20	5
Aurora	-	3	-	-	4	3	-	-	2	-	-	-	1	8	-	1	1	-	-
Beadle	1	32	-	3	6	8	1	2	1	-	4	-	3	15	1	6	1	-	2
Huron	-	30	-	3	4	8	1	2	-	-	2	-	3	12	1	5	1	-	2
Balance of county	1	2	-	-	2	-	-	-	1	-	2	-	-	3	-	1	-	-	-
Bennett	-	2	-	-	1	1	-	-	-	-	-	1	-	-	5	2	-	2	-
Bon Homme	-	11	2	1	3	4	1	-	-	-	3	-	-	6	3	-	1	-	-
Brookings	1	16	-	1	8	3	1	3	2	-	4	1	1	17	3	5	-	-	-
Brookings	1	12	-	-	5	1	-	1	1	-	2	1	1	12	1	4	-	-	-
Balance of county	-	4	-	1	3	2	1	2	1	-	2	-	-	5	2	1	-	-	-
Brown	-	22	15	2	9	7	-	5	-	-	3	1	1	19	5	6	5	-	1
Aberdeen	-	16	12	2	7	6	-	5	-	-	3	-	-	15	3	5	3	-	-
Balance of county	-	6	3	-	2	1	-	-	-	-	-	1	1	4	2	1	2	-	1
Brule	-	5	-	-	1	1	1	1	-	-	1	-	3	1	1	-	1	-	-
Buffalo	-	1	-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	1	-
Butte	-	5	4	-	7	1	-	1	1	-	-	-	-	7	3	2	2	-	-
Campbell	-	-	-	-	1	1	-	1	1	-	2	-	-	3	2	-	-	-	-
Charles Mix	-	8	-	2	1	4	-	1	4	-	2	1	1	4	5	1	1	1	-
Clark	-	6	-	-	-	-	1	-	-	-	-	-	-	3	1	5	2	-	-
Clay	1	9	1	-	3	3	-	-	1	-	1	-	-	8	4	2	-	-	-
Vermillion	1	5	1	-	1	-	-	-	-	-	1	-	-	5	2	2	-	-	-
Balance of county	-	4	-	-	2	3	-	-	1	-	-	-	-	3	2	-	-	-	-
Codington	1	8	6	2	13	3	-	1	1	-	-	2	1	14	3	7	6	1	-
Watertown	1	5	6	2	10	3	-	1	1	-	-	2	-	14	1	7	6	1	-
Balance of county	-	3	-	-	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Corson	-	2	2	1	1	1	-	2	-	-	-	1	1	3	5	3	-	1	-
Custer	1	6	2	-	2	2	1	-	-	-	-	-	-	4	-	2	-	-	-
Davison	-	11	7	1	5	8	2	1	2	-	1	1	3	10	6	6	6	-	-
Mitchell	-	8	6	1	5	8	1	1	2	-	1	1	2	9	2	5	5	-	-
Balance of county	-	3	1	-	-	-	1	-	-	-	-	-	1	1	4	1	1	-	-
Day	-	6	2	3	3	-	-	-	1	-	1	-	1	7	2	2	-	1	-
Deuel	-	7	-	2	4	2	-	-	1	-	-	-	-	4	-	2	1	-	-
Dewey	-	2	-	-	1	1	-	1	1	-	-	-	-	3	3	1	4	2	-
Douglas	-	3	-	-	-	1	-	1	-	-	-	-	-	7	-	1	-	-	-
Edmunds	-	16	1	-	-	1	-	1	1	-	-	-	-	6	1	-	-	-	-
Fall River	-	4	4	2	5	4	-	3	2	-	-	-	5	14	1	4	-	-	-
Faulk	-	9	1	1	2	-	-	-	1	-	1	1	-	2	-	1	1	-	-
Grant	-	2	-	1	6	2	-	-	1	-	1	2	-	7	2	3	2	-	-
Gregory	-	11	3	1	1	1	-	-	1	-	2	-	-	6	2	1	-	-	-
Haakon	-	3	-	-	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-
Hamlin	1	4	2	1	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-
Hand	-	9	5	-	2	-	-	-	-	-	1	-	-	4	-	1	1	-	-
Hanson	-	3	-	-	1	-	-	-	-	-	-	-	1	2	-	2	-	-	-
Harding	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Hughes	-	11	2	2	1	4	2	1	-	-	2	3	2	13	3	1	3	-	1
Pierre	-	11	2	2	1	4	2	1	-	-	2	3	2	12	3	-	2	-	1
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Hutchinson	1	13	1	1	5	1	-	1	3	-	-	-	-	8	5	2	1	-	-
Hyde	-	5	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Jackson	-	2	-	-	3	1	-	1	-	-	-	-	3	2	1	1	-	-	-
Jerauld	-	3	-	-	1	-	1	-	1	-	-	-	-	3	1	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-068, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Jones	14	-	-	-	2	-	1	-	-	-	-	1	-	10	7	-	-	5	2
Kingsbury	104	-	-	-	18	7	3	2	1	1	2	2	-	70	56	-	2	46	8
Lake	80	-	-	-	27	7	8	3	5	3	-	1	2	33	29	-	1	20	8
Lawrence	180	-	-	2	37	15	13	2	3	1	-	3	4	81	62	1	1	38	22
Lincoln	149	-	-	2	33	8	11	4	4	2	-	4	3	81	67	1	-	60	6
Sioux Falls, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	148	-	-	2	33	8	11	4	4	2	-	4	3	80	66	1	-	59	6
Lyman	39	-	-	-	10	1	2	-	3	1	-	3	1	18	15	-	-	11	4
McCook	63	-	-	1	16	9	2	-	2	1	1	1	-	50	36	-	6	21	11
McPherson	53	-	-	-	9	2	2	-	2	-	1	2	1	35	23	-	1	19	3
Marshall	75	-	-	-	11	1	4	2	1	-	1	2	2	40	35	-	-	31	4
Meade	140	-	-	-	31	9	9	-	2	1	1	9	4	62	47	1	-	41	5
Mellette	23	-	-	-	6	2	1	1	1	-	-	1	1	7	6	-	-	5	1
Miner	71	-	-	2	16	7	3	1	2	-	1	2	1	38	29	-	1	20	8
Minnehaha	906	-	-	5	193	41	53	16	23	11	5	44	12	485	397	4	4	314	75
Sioux Falls, part	729	-	-	5	163	33	46	11	21	10	4	38	9	387	317	4	4	248	61
Sioux Falls, total	730	-	-	5	163	33	46	11	21	10	4	38	9	388	318	4	4	249	61
Balance of county	177	-	-	-	30	8	7	5	2	1	1	6	3	98	80	-	-	65	14
Moody	70	-	-	-	12	2	4	2	-	1	1	2	2	43	38	-	1	19	18
Pennington	509	-	-	4	107	23	27	11	14	2	9	21	10	225	181	4	3	117	57
Rapid City	395	-	-	4	76	17	18	8	8	1	7	15	9	174	143	4	2	94	43
Balance of county	114	-	-	-	31	6	9	2	5	1	2	6	1	51	38	-	1	23	14
Perkins	49	-	-	-	7	4	-	-	-	-	1	2	1	31	25	-	-	23	2
Potter	38	-	-	-	9	3	1	1	-	1	-	3	1	18	14	-	1	8	5
Roberts	130	-	-	-	26	11	4	1	5	1	1	3	1	69	57	3	1	35	18
Sanborn	35	-	-	-	8	1	1	1	3	-	1	1	-	18	14	-	-	13	1
Shannon	95	2	-	3	8	4	-	-	2	1	-	1	3	21	18	1	-	10	7
Spink	96	-	-	-	16	6	1	-	2	-	3	4	-	58	43	1	-	34	8
Stanley	14	-	-	-	1	-	1	-	-	-	-	-	-	9	5	1	-	4	-
Sully	14	-	-	-	1	-	-	-	-	1	-	-	-	8	7	-	-	5	2
Todd	64	1	-	2	4	1	2	-	-	-	-	1	-	20	17	-	-	10	7
Tripp	77	-	-	-	20	6	3	1	4	1	2	3	1	26	19	-	-	12	7
Turner	149	-	-	1	42	11	10	1	3	6	1	10	-	70	61	-	-	45	18
Union	125	-	-	1	26	8	5	2	3	2	-	6	1	72	54	1	-	48	5
Walworth	105	-	-	1	13	3	3	2	-	1	-	4	4	54	42	1	7	21	13
Yankton	154	-	-	-	28	10	5	3	2	2	1	5	1	90	64	2	-	50	12
Yankton	121	-	-	-	22	10	4	-	2	2	1	3	-	69	50	1	-	41	8
Balance of county	33	-	-	-	6	-	1	3	-	-	-	2	1	21	14	1	-	9	4
Ziebach	20	-	-	-	3	1	-	1	-	-	-	1	-	6	5	-	1	2	2
Tennessee	41,621	48	4	329	8,709	2,039	2,637	654	1,019	347	322	1,691	648	20,464	15,313	97	495	11,167	3,534
Urban places	20,692	24	4	188	4,482	1,043	1,400	350	529	172	154	834	322	10,008	7,407	51	304	5,183	1,869
Balance of area	20,929	24	-	141	4,227	996	1,237	304	490	175	168	857	324	10,456	7,906	46	191	6,004	1,665
Metropolitan counties	24,762	27	2	214	5,310	1,229	1,645	420	610	201	188	1,017	365	11,849	8,914	59	332	6,228	2,295
Urban places	17,642	20	2	174	3,829	893	1,208	302	445	134	128	719	274	8,437	6,300	42	269	4,330	1,659
Balance of area	7,120	7	-	40	1,481	336	437	118	165	67	60	298	91	3,412	2,614	17	63	1,898	636
Nonmetropolitan counties	16,859	21	2	115	3,399	810	992	234	409	146	134	674	281	8,615	6,399	38	163	4,959	1,239
Urban places	3,050	4	2	14	653	150	192	48	84	38	26	115	48	1,571	1,107	9	35	853	210
Balance of area	13,809	17	-	101	2,746	660	800	186	325	108	108	559	233	7,044	5,292	29	128	4,106	1,029
Anderson	583	1	-	3	120	24	46	9	13	7	6	15	8	261	199	1	2	139	57
Oak Ridge, part	217	-	-	1	54	13	22	5	5	1	1	7	4	90	67	1	-	48	18
Oak Ridge, total	220	-	-	1	55	14	22	5	5	1	1	7	4	90	67	1	-	48	18
Balance of county	346	1	-	2	66	11	24	4	8	6	5	8	4	171	132	-	2	91	39
Bedford	296	-	-	1	53	14	12	3	6	-	6	12	8	150	100	-	2	72	26
Shelbyville	156	-	-	1	24	7	7	2	3	-	1	4	5	79	49	-	2	35	12
Balance of county	140	-	-	-	29	7	5	1	3	-	5	8	3	71	51	-	-	37	14
Benton	176	-	-	2	40	8	19	7	2	1	-	3	-	96	84	1	3	60	20
Bledsoe	72	-	-	-	10	1	5	-	1	-	1	2	-	41	32	-	-	20	12
Blount	729	1	-	2	141	36	39	11	12	9	3	31	14	401	263	2	12	208	41
Maryville	235	1	-	-	38	13	7	4	3	-	1	10	5	139	84	-	1	67	16
Balance of county	494	-	-	2	103	23	32	7	9	9	2	21	9	262	179	2	11	141	25
Bradley	483	1	-	4	104	20	32	10	8	6	6	22	2	241	169	2	1	144	22
Cleveland	285	-	-	1	57	11	16	6	5	5	4	10	2	141	97	2	-	83	12
Balance of county	198	1	-	3	47	9	16	4	3	1	2	12	-	100	72	-	1	61	10
Campbell	348	1	-	1	69	12	27	6	7	3	2	12	5	172	137	-	8	107	22
Cannon	108	-	-	1	22	2	8	5	4	1	-	2	5	56	46	-	6	33	7
Carroll	322	-	-	1	61	10	22	4	6	3	4	12	9	185	130	-	3	106	19
Carter	522	-	-	3	101	13	31	12	7	6	2	30	7	247	193	-	3	142	48
Elizabethton	182	-	-	1	34	4	11	5	4	2	-	8	3	92	66	-	-	50	16
Johnson City, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	338	-	-	2	67	9	20	7	3	4	2	22	4	154	127	-	3	92	32
Cheatham	184	-	-	3	30	4	12	3	4	1	1	5	2	88	71	-	1	60	10
Chester	109	-	-	-	24	8	4	2	2	-	2	6	3	47	35	-	1	30	4
Claiborne	245	-	-	-	37	7	10	4	4	2	1	9	1	130	105	2	1	80	22
Clay	77	-	-	-	8	2	2	-	2	-	-	2	1	49	37	1	-	30	5
Cocke	290	1	-	-	57	12	15	3	6	2	1	16	7	148	112	1	-	97	14
Coffee	345	-	-	1	68	24	24	4	4	3	-	9	6	186	143	3	2	106	30
Tullahoma, part	163	-	-	-	37	10	14	2	3	2	-	6	4	89	65	3	1	50	11
Tullahoma, total	166	-	-	-	38	10	15	2	3	2	-	6	4	91	67	3	1	51	12
Balance of county	182	-	-	1	31	14	10	2	1	1	-	3	2	97	78	-	1	56	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Jones	-	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Kingsbury	-	10	2	2	7	1	-	-	3	-	1	-	-	2	1	-	1	-	-
Lake	1	3	-	-	4	6	-	2	1	-	-	-	-	1	2	2	-	-	-
Lawrence	1	11	4	3	4	7	1	1	8	-	1	4	1	12	10	5	1	1	-
Lincoln	1	10	2	1	7	2	-	-	1	-	2	-	1	8	3	4	1	1	-
Sioux Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	10	2	1	7	2	-	-	1	-	2	-	1	8	3	4	1	1	-
Lyman	-	3	-	-	1	-	-	-	-	-	-	2	1	3	2	1	-	-	-
McCook	-	8	1	3	6	2	-	-	1	-	-	-	-	4	-	1	2	-	-
McPherson	-	11	-	1	-	1	1	1	-	-	-	-	-	4	-	1	-	-	-
Marshall	1	2	-	2	3	3	-	2	-	-	1	-	-	4	3	2	3	1	-
Meade	-	12	2	1	6	7	3	3	-	-	2	1	1	7	6	3	3	1	-
Mellette	-	-	-	1	2	1	-	1	-	-	-	1	2	1	1	-	-	-	-
Miner	-	8	1	-	4	-	-	-	2	-	-	-	1	4	1	1	-	1	-
Minnehaha	2	78	2	6	36	20	9	14	4	-	6	6	5	66	14	19	8	1	1
Sioux Falls, part	2	62	1	5	33	18	6	9	4	-	4	5	3	53	10	13	5	1	1
Sioux Falls, total	2	62	1	5	33	18	6	9	4	-	4	5	3	53	10	13	5	1	1
Balance of county	-	16	1	1	3	2	3	5	-	-	2	1	2	15	4	6	3	-	-
Moody	-	4	-	1	-	2	-	2	1	-	-	-	1	3	1	2	1	-	-
Pennington	-	30	11	3	17	22	3	2	8	-	5	7	6	44	23	9	12	5	-
Rapid City	-	19	9	3	15	18	3	2	7	-	4	6	5	36	18	6	8	4	-
Balance of county	-	11	2	-	2	4	-	-	1	-	1	1	1	8	5	3	4	1	-
Perkins	-	3	2	1	1	-	-	-	-	-	-	-	-	5	1	3	-	-	-
Potter	-	3	1	-	3	2	1	-	-	-	1	-	-	1	-	2	-	-	-
Roberts	-	8	1	3	3	4	1	-	-	-	1	2	2	8	5	5	2	1	-
Sanborn	-	4	-	-	1	2	-	-	-	-	-	-	-	5	-	-	1	-	-
Shannon	-	3	-	-	-	1	-	3	3	-	1	3	8	14	13	6	2	1	3
Spink	-	14	1	-	2	4	-	1	1	-	-	1	-	9	2	1	1	-	-
Stanley	-	3	1	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-
Sully	-	-	-	1	-	1	1	-	-	-	-	-	-	2	1	-	-	-	-
Todd	1	2	-	-	1	1	-	1	1	-	1	3	8	3	4	7	2	4	1
Tripp	-	6	-	1	8	-	-	4	4	-	-	-	2	5	1	5	1	-	-
Turner	-	9	-	-	3	5	1	1	4	-	-	1	3	9	5	3	1	-	-
Union	2	11	4	1	8	3	-	2	2	-	-	-	-	5	1	4	-	-	-
Walworth	1	9	1	1	10	4	2	1	1	-	-	1	-	9	-	5	-	-	-
Yankton	-	22	1	3	5	7	1	1	1	-	2	1	-	13	2	1	1	-	-
Yankton	-	16	1	2	5	6	1	1	1	-	2	-	-	11	2	-	1	-	-
Balance of county	-	6	-	1	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-
Ziebach	-	-	1	-	-	1	-	-	-	-	-	-	1	-	5	3	1	-	-
Tennessee	169	4,105	487	390	1,123	1,286	133	391	403	9	257	405	909	3,200	1,071	1,125	602	437	70
Urban places	83	2,107	212	199	520	635	66	204	209	5	128	241	437	1,694	438	502	274	289	22
Balance of area	86	1,998	275	191	603	651	67	187	194	4	129	164	472	1,506	633	623	328	148	48
Metropolitan counties	94	2,359	238	244	625	772	75	254	242	5	168	298	607	1,985	611	635	360	315	33
Urban places	72	1,732	164	169	439	541	55	177	177	3	115	226	385	1,450	369	443	237	271	18
Balance of area	22	627	74	75	186	231	20	77	65	2	53	72	222	545	242	192	123	44	15
Nonmetropolitan counties	75	1,746	249	146	498	514	58	137	161	4	89	107	302	1,205	460	490	242	122	37
Urban places	11	375	48	30	81	94	11	27	32	2	13	15	52	244	69	59	37	18	4
Balance of area	64	1,371	201	116	417	420	47	110	129	2	76	92	250	961	391	431	205	104	33
Anderson	-	45	8	9	13	21	1	10	3	-	4	4	25	44	18	16	8	1	2
Oak Ridge, part	-	15	2	6	6	8	1	5	2	-	1	2	9	15	7	7	3	-	2
Oak Ridge, total	-	15	2	6	6	9	1	5	2	-	1	2	9	15	8	7	3	-	2
Balance of county	-	30	6	3	7	13	-	5	1	-	3	2	16	29	11	9	5	1	-
Bedford	3	42	2	3	11	12	-	4	4	-	-	1	1	28	7	8	8	-	-
Shelbyville	2	27	1	-	7	6	-	1	4	-	-	1	1	18	3	1	5	-	-
Balance of county	1	15	1	3	4	6	-	3	-	-	-	-	-	10	4	7	3	-	-
Benton	-	14	-	-	7	5	-	1	-	-	2	1	-	6	1	5	7	1	-
Bledsoe	-	7	2	-	2	2	-	2	-	-	1	1	-	5	1	4	1	2	-
Blount	7	98	27	6	12	24	5	3	1	-	6	5	17	47	22	14	11	3	-
Maryville	3	39	13	-	5	11	3	1	-	-	-	2	5	13	5	4	2	1	-
Balance of county	4	59	14	6	7	13	2	2	1	-	6	3	12	34	17	10	9	2	-
Bradley	2	60	3	7	13	12	1	6	3	-	5	3	13	30	17	12	11	5	-
Cleveland	1	37	2	4	5	10	1	5	3	-	2	2	10	23	8	9	4	2	-
Balance of county	1	23	1	3	8	2	-	1	-	-	3	1	3	7	9	3	7	3	-
Campbell	6	24	2	3	14	15	1	3	2	-	1	3	3	29	7	12	5	4	1
Cannon	-	9	-	1	5	1	-	-	-	-	-	-	-	8	1	5	4	-	-
Carroll	1	38	12	4	8	7	-	-	5	-	-	3	1	24	4	8	2	3	1
Carter	1	47	2	4	24	16	2	5	4	-	6	3	24	44	10	12	8	3	1
Elizabethton	-	24	1	1	7	6	-	1	3	-	1	1	5	17	2	5	2	1	1
Johnson City, part	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	1	22	1	3	17	12	2	4	1	-	5	2	19	26	8	7	6	2	-
Cheatham	1	14	1	1	5	6	-	2	4	-	-	-	2	13	8	-	1	-	-
Chester	1	9	1	1	1	5	-	-	3	-	-	3	1	14	2	4	2	-	-
Claiborne	-	19	4	2	12	8	1	3	2	-	-	3	2	13	6	13	8	4	2
Clay	-	5	-	1	1	1	-	-	2	-	-	2	-	9	4	5	1	-	-
Cocke	2	28	3	3	5	5	1	4	2	1	2	3	6	21	10	11	3	2	1
Coffee	1	33	6	3	9	10	3	3	2	-	4	-	7	22	9	10	-	2	3
Tullahoma, part	-	16	5	3	2	4	2	1	1	-	-	-	2	13	4	3	-	-	1
Tullahoma, total	-	16	5	3	2	4	2	1	1	-	-	-	2	13	4	3	-	-	1
Balance of county	1	17	1	-	7	6	1	2	1	-	4	-	5	9	5	7	-	2	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Crockett	158	-	-	1	34	10	7	-	5	-	2	10	3	82	59	-	1	47	11
Cumberland	268	1	-	2	48	14	10	2	7	1	1	13	3	141	101	1	3	80	17
Davidson	4,382	4	-	33	925	212	300	74	115	29	30	165	77	2,164	1,687	8	63	1,258	358
Nashville-Davidson	4,311	4	-	33	906	209	295	72	111	29	30	162	76	2,134	1,663	8	63	1,241	351
Balance of county	71	-	-	-	17	3	5	2	4	-	-	3	1	30	24	-	-	17	7
Decatur	116	-	-	-	27	9	7	1	4	-	1	5	1	57	48	-	1	35	12
De Kalb	148	-	-	-	26	5	10	-	3	2	1	5	2	81	65	3	1	50	11
Dickson	300	1	-	3	72	18	17	6	11	6	3	11	4	139	106	-	3	89	14
Dyer	344	1	-	2	85	16	25	8	6	5	2	23	4	151	107	1	4	86	16
Dyersburg	189	-	-	2	62	7	16	4	5	3	1	16	2	77	46	-	2	38	6
Balance of county	155	1	-	-	33	9	9	4	1	2	1	7	2	74	61	1	2	48	10
Fayette	220	-	-	3	35	9	9	2	7	-	2	6	2	114	77	-	5	55	17
Fentress	158	-	-	1	41	10	15	-	8	-	-	8	1	69	53	-	-	44	9
Franklin	311	-	-	3	70	22	26	2	7	2	1	10	15	143	112	-	6	73	31
Tullahoma, part	3	-	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	1	1
Balance of county	308	-	-	3	69	22	25	2	7	2	1	10	15	141	110	-	6	72	30
Gibson	590	2	1	6	106	18	31	3	19	9	8	18	10	322	224	2	3	172	47
Humboldt	133	1	1	2	30	2	13	1	8	1	2	3	-	65	45	1	1	31	12
Balance of county	457	1	-	4	76	16	18	2	11	8	6	15	10	257	179	1	2	141	35
Giles	295	-	-	-	57	18	12	5	9	-	4	9	9	130	100	-	-	83	17
Grainger	137	1	-	1	21	6	6	3	2	-	2	2	1	83	42	1	-	30	11
Greene	494	-	-	5	83	29	25	6	9	3	4	15	10	267	192	2	4	141	45
Greeneville	178	-	-	-	33	7	11	2	3	1	3	6	4	101	70	-	-	58	14
Balance of county	316	-	-	5	60	22	14	6	6	2	1	9	6	166	122	2	4	85	31
Grundy	116	1	-	1	21	5	5	-	3	1	-	7	5	42	36	-	1	23	12
Hamblen	442	1	-	2	89	18	24	3	17	7	4	16	11	238	151	1	2	134	14
Morristown	238	1	-	-	51	10	13	2	12	4	3	7	6	133	76	-	-	70	6
Balance of county	204	-	-	2	38	8	11	1	5	3	1	9	5	105	75	1	2	64	8
Hamilton	2,597	2	-	19	591	135	181	60	64	21	23	107	34	1,294	1,036	3	25	834	174
Chattanooga	1,772	2	-	15	394	94	122	38	48	14	16	82	26	887	702	2	18	580	102
East Ridge	198	-	-	-	54	8	17	7	7	5	1	9	2	94	73	-	2	60	11
Red Bank	74	-	-	1	23	5	8	3	-	-	-	7	-	37	32	-	3	21	6
Balance of county	553	-	-	3	120	28	34	12	9	2	6	29	6	276	229	1	2	173	53
Hancock	70	-	-	-	13	-	5	-	2	1	2	3	2	42	33	-	-	31	2
Hardeman	231	-	-	1	36	10	8	-	6	2	3	7	3	133	88	-	2	73	13
Hardin	212	-	-	2	41	6	11	3	7	3	2	9	2	112	78	-	1	61	16
Hawkins	358	-	-	3	69	9	26	7	11	2	2	12	5	193	161	1	7	119	34
Kingsport, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-
Balance of county	356	-	-	3	69	9	26	7	11	2	2	12	5	191	159	1	6	118	34
Haywood	206	-	-	4	33	16	4	-	3	-	1	9	3	119	92	-	7	59	26
Henderson	208	-	-	2	38	13	7	2	2	4	2	8	3	118	74	-	-	62	12
Henry	346	-	-	3	75	18	25	9	11	2	3	7	6	199	147	1	10	101	35
Paris	149	-	-	-	26	8	9	4	2	-	2	1	4	95	68	1	6	41	20
Balance of county	197	-	-	3	49	10	16	5	9	2	1	6	2	104	79	-	4	60	15
Hickman	162	-	-	1	42	4	15	4	6	2	-	11	3	68	52	-	-	28	24
Houston	79	-	-	2	23	5	14	-	-	-	-	4	1	32	21	-	1	12	8
Humphreys	169	-	-	1	31	7	10	1	5	1	-	7	1	81	69	-	1	49	19
Jackson	91	-	-	-	17	5	4	2	2	2	-	2	1	50	40	1	-	37	2
Jefferson	311	-	-	9	61	16	25	3	6	1	1	9	4	152	116	-	2	98	16
Johnson	133	-	-	1	28	6	6	3	5	1	4	3	4	63	48	2	1	29	16
Knox	2,724	1	-	19	605	156	198	38	65	18	30	100	41	1,164	841	10	17	638	176
Knoxville	1,826	1	-	15	405	103	140	23	43	13	19	64	28	791	554	7	14	409	124
Balance of county	898	-	-	4	200	53	58	15	22	5	11	36	13	373	287	3	3	229	52
Lake	99	-	-	-	19	4	9	-	2	-	-	3	1	44	26	-	-	18	8
Lauderdale	287	-	-	7	57	15	18	4	8	2	1	9	7	142	105	-	4	91	10
Lawrence	350	-	-	5	73	14	27	7	10	1	6	8	5	196	162	-	1	118	43
Lawrenceburg	129	-	-	-	27	7	8	3	4	-	1	4	2	75	63	-	-	50	13
Balance of county	221	-	-	5	46	7	19	4	6	1	5	4	3	121	99	-	1	68	30
Lewis	81	-	-	-	20	2	7	3	1	1	1	5	-	38	30	-	-	25	5
Lincoln	248	-	-	1	60	9	17	5	7	2	4	16	3	120	96	-	2	75	19
Loudon	303	-	-	2	68	19	17	2	10	4	2	14	11	143	109	-	2	90	17
McMinn	399	-	-	4	76	23	22	5	7	5	2	12	3	214	175	-	5	158	14
Athens	117	-	-	1	27	8	6	1	3	4	2	3	-	57	50	-	1	45	4
Balance of county	282	-	-	3	49	15	16	4	4	1	-	9	3	157	125	-	4	111	10
McNairy	236	-	-	-	46	9	14	1	7	1	4	10	3	139	106	1	2	92	13
Macon	149	-	-	2	22	6	4	2	3	1	1	5	1	87	74	2	-	47	25
Madison	752	-	-	7	161	48	47	10	16	8	3	29	6	396	276	1	12	207	56
Jackson	559	-	-	6	123	37	34	6	14	7	3	22	5	290	208	1	8	152	47
Balance of county	193	-	-	1	38	11	13	4	2	1	-	7	1	106	70	-	4	55	11
Marion	251	-	-	-	50	8	18	4	4	1	-	15	5	128	96	-	1	71	24
Marshall	217	-	-	1	51	15	14	5	5	4	2	6	5	113	88	2	2	78	6
Maury	498	3	-	4	121	27	32	13	16	8	1	24	9	248	178	1	10	128	39
Columbia	249	2	-	-	62	13	19	6	7	5	1	11	6	123	89	1	7	62	19
Balance of county	249	1	-	4	59	14	13	7	9	3	-	13	3	125	89	-	3	66	20
Meigs	61	2	-	-	9	-	2	1	1	-	1	4	2	31	26	-	1	21	4
Monroe	263	-	-	4	57	10	11	5	8	4	3	16	7	110	88	2	3	65	18
Montgomery	591	1	-	4	136	27	37	6	19	4	4	39	8	244	186	1	8	127	50
Clarksville	377	-	-	2	92	15	28	3	14	2	3	27	4	152	118	1	6	79	32
Balance of county	214	1	-	2	44	12	9	3	5	2	1	12	4	92	68	-	2	48	18
Moore	27	-	-	-	10	-	3	1	3	1	-	2	-	12	8	-	-	6	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee-Con.																			
Morgan	140	-	-	-	28	8	8	-	2	3	1	6	-	63	48	-	-	28	20
Obion	387	-	1	4	73	17	20	6	6	5	3	16	4	209	138	-	4	119	15
Union City	160	-	1	1	32	7	9	3	4	4	1	4	-	87	56	-	3	47	6
Balance of county	227	-	-	3	41	10	11	3	2	1	2	12	4	122	82	-	1	72	9
Overton	207	-	-	2	41	8	15	3	3	1	1	12	2	97	73	-	1	58	14
Perry	92	-	-	2	24	5	7	3	5	-	1	3	1	37	30	-	1	20	9
Pickett	40	-	-	-	5	2	2	1	-	-	-	-	-	24	21	-	-	11	10
Polk	140	-	-	1	28	11	5	2	1	-	2	7	1	67	54	2	2	47	3
Putnam	453	-	-	2	99	26	29	10	12	3	3	16	5	220	153	-	3	127	23
Cookeville	182	-	-	-	40	10	10	1	8	2	1	8	2	88	64	-	2	53	9
Balance of county	271	-	-	2	59	16	19	9	4	1	2	8	3	132	89	-	1	74	14
Rhea	226	-	-	-	54	14	12	3	4	3	1	17	2	120	94	1	2	74	17
Roane	443	1	-	3	91	25	24	6	11	4	2	19	8	226	175	-	3	133	39
Oak Ridge, part	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	440	1	-	3	90	24	24	6	11	4	2	19	8	226	175	-	3	133	39
Robertson	310	1	-	4	85	16	17	8	7	3	1	13	4	156	123	1	3	106	13
Springfield	139	1	-	3	22	6	6	1	3	-	-	6	2	72	58	1	2	51	4
Balance of county	171	-	-	1	43	10	11	7	4	3	1	7	2	84	65	-	1	55	9
Rutherford	584	-	-	1	138	32	47	11	9	4	2	33	9	277	187	-	4	128	55
Murfreesboro	274	-	-	1	57	13	16	8	2	1	-	17	5	138	86	-	1	71	24
Balance of county	310	-	-	-	81	19	31	3	7	3	2	16	4	139	91	-	3	57	31
Scott	183	-	-	1	34	4	12	2	3	3	1	9	4	97	70	-	-	49	21
Sequatchie	75	-	-	-	18	3	6	-	2	1	-	6	-	40	37	2	-	30	5
Sevier	336	2	-	3	84	25	17	6	12	4	4	16	3	146	108	1	1	88	20
Shelby	6,579	8	1	81	1,447	334	434	114	175	54	47	289	94	3,158	2,285	19	140	1,307	819
Bartlett	20	-	-	-	5	2	1	-	2	-	-	-	1	4	4	-	-	4	-
Germantown	78	-	-	-	24	6	7	3	3	-	-	5	-	34	20	1	-	16	3
Memphis	6,144	8	1	78	1,351	317	406	105	160	50	44	269	93	2,948	2,136	15	136	1,219	786
Millington	75	-	-	1	13	3	4	1	2	-	-	3	-	38	26	-	2	11	13
Balance of county	262	-	-	2	54	6	16	5	8	4	3	12	-	134	99	3	2	57	37
Smith	149	-	-	1	29	8	11	2	3	1	1	3	3	82	58	-	-	47	11
Stewart	100	-	-	-	18	3	8	1	1	-	-	5	-	48	42	-	3	35	4
Sullivan	1,170	2	-	10	262	72	66	24	27	11	10	52	16	543	426	4	16	305	101
Bristol	269	2	-	4	52	13	15	6	6	3	1	8	2	142	114	1	5	85	23
Kingsport, part	345	-	-	4	82	17	33	4	6	3	3	16	7	140	106	1	4	73	28
Kingsport, total	347	-	-	4	82	17	33	4	6	3	3	16	7	142	108	1	5	74	28
Balance of county	556	-	-	2	128	42	18	14	15	5	6	28	7	261	208	2	7	147	50
Sumner	601	-	1	4	107	20	41	4	14	3	3	22	5	294	230	2	3	153	72
Gallatin	194	-	1	2	26	5	9	2	4	1	2	3	2	100	83	1	2	54	26
Hendersonville	101	-	-	1	23	2	10	-	4	1	-	6	1	44	36	-	1	21	14
Balance of county	306	-	-	1	58	13	22	2	6	1	1	13	2	150	111	1	-	78	32
Tipton	297	1	-	2	51	18	11	2	8	4	1	7	2	156	123	-	8	87	28
Trousdale	77	-	-	1	11	1	5	1	-	2	1	1	5	40	28	-	-	25	3
Unicoi	161	-	-	1	26	6	7	3	3	3	1	3	4	73	56	1	-	46	9
Union	93	-	-	1	12	1	6	-	2	2	1	-	1	43	31	-	-	23	8
Van Buren	24	1	-	-	2	-	1	-	-	-	1	-	1	11	11	-	-	11	-
Warren	317	1	-	-	70	14	15	7	10	2	3	19	8	138	118	-	5	75	38
McMinnville	157	-	-	-	30	5	6	5	3	-	1	10	6	69	59	-	2	39	18
Balance of county	160	1	-	-	40	9	9	2	7	2	2	9	2	69	59	-	3	36	20
Washington	619	-	-	11	159	34	49	8	18	8	9	33	15	356	255	3	7	165	80
Johnson City, part	475	-	-	8	96	19	30	5	10	7	5	20	9	208	140	2	6	89	43
Johnson City, total	477	-	-	8	96	19	30	5	10	7	5	20	9	207	140	2	6	89	43
Balance of county	344	-	-	3	63	15	19	3	8	1	4	13	6	150	115	1	1	76	37
Wayne	129	-	-	-	16	3	2	1	2	1	-	7	3	79	54	-	-	38	16
Weakley	359	1	-	-	59	14	18	3	11	1	3	9	6	197	139	-	4	120	15
White	205	-	-	-	40	8	11	1	6	1	2	11	5	115	79	-	5	57	17
Williamson	455	1	-	6	94	28	21	10	12	2	7	14	5	221	170	1	5	109	55
Franklin	176	-	-	3	45	16	10	5	5	1	2	6	2	83	68	1	2	52	13
Balance of county	279	1	-	3	49	12	11	5	7	1	5	8	3	138	102	-	3	57	42
Wilson	437	3	-	1	91	23	35	6	8	2	2	15	5	207	152	-	4	84	64
Lebanon	156	1	-	1	31	10	11	2	3	1	-	4	2	69	52	-	-	28	24
Balance of county	281	2	-	-	60	13	24	4	5	1	2	11	3	138	100	-	4	56	40
Texas	114,813	128	10	1,306	23,282	5,412	6,691	1,787	2,449	925	982	5,036	2,001	51,568	39,973	249	1,377	24,558	13,789
Urban places	73,672	94	6	921	15,160	3,619	4,303	1,269	1,582	600	610	3,177	1,344	32,747	25,284	172	1,049	15,170	8,893
Balance of area	41,141	34	4	385	8,122	1,793	2,388	518	867	325	372	1,859	657	18,819	14,689	77	328	9,388	4,896
Metropolitan counties	83,579	106	9	1,043	17,332	4,022	5,049	1,393	1,778	682	711	3,697	1,482	36,633	28,575	203	1,113	17,158	10,101
Urban places	66,256	88	6	860	13,756	3,283	3,922	1,160	1,420	541	563	2,867	1,219	29,249	22,708	165	993	13,448	8,102
Balance of area	17,323	18	3	183	3,576	739	1,127	233	358	141	148	830	263	7,384	5,867	38	120	3,710	1,999
Nonmetropolitan counties	31,234	22	1	263	5,950	1,390	1,642	394	671	243	271	1,339	519	14,933	11,398	46	264	7,400	3,688
Urban places	7,416	6	-	61	1,404	336	381	109	162	59	47	310	125	3,498	2,576	7	56	1,722	791
Balance of area	23,818	16	1	202	4,546	1,054	1,261	285	509	184	224	1,029	394	11,435	8,822	39	208	5,678	2,897
Anderson	433	-	-	2	74	21	17	4	8	5	6	13	14	242	185	-	5	131	49
Palestine	220	-	-	-	25	7	7	2	3	2	1	3	8	133	96	-	2	67	27
Balance of county	213	-	-	2	49	14	10	2	5	3	5	10	6	109	89	-	3	64	22
Andrews	94	-	-	-	17	6	5	-	-	1	1	4	-	42	33	1	-	25	7
Andrews	85	-	-	-	15	6	4	-	-	1	1	3	-	37	29	1	-	22	6
Balance of county	9	-	-	-	2	-	1	-	-	-	-	1	-	5	4	-	-	3	1
Angelina	601	-	-	7	126	21	42	4	11	2	9	37	9	287	217	2	1	104	110
Lufkin	289	-	-	5	64	9	20	1	8	1	2	23	5	135	92	-	-	48	44
Balance of county	312	-	-	2	62	12	22	3	3	1	7	14	4	152	125	2	1	56	66

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	1	17	4	1	4	8	1	1	2	-	-	1	2	4	4	7	1	1	-
Cumberland	3	29	4	4	5	9	2	5	4	-	-	2	1	14	7	10	6	5	1
Davidson	15	402	18	42	104	117	15	54	40	-	22	50	39	381	100	119	60	74	4
Nashville-Davidson	15	397	18	41	103	115	15	51	39	-	21	50	39	377	98	115	58	71	4
Balance of county	-	5	-	1	1	2	-	3	1	-	1	-	-	4	2	4	2	3	-
Decatur	1	5	-	3	5	3	1	-	2	-	1	-	1	5	3	3	2	3	2
De Kalb	-	13	1	2	4	6	-	-	1	-	3	1	-	10	4	4	2	3	1
Dickson	-	30	1	2	7	8	1	-	4	-	3	2	4	26	11	7	5	1	2
Dyer	-	36	1	7	5	10	-	3	-	-	2	4	28	25	8	10	3	2	1
Dyersburg	-	27	-	4	2	7	-	1	-	-	2	4	16	12	5	5	1	1	-
Balance of county	-	9	1	3	3	3	-	2	-	-	-	-	12	13	3	5	2	1	1
Fayette	1	33	1	2	10	5	1	1	-	-	2	2	11	13	11	5	4	1	-
Fentress	-	11	3	2	6	5	-	1	3	-	-	3	3	6	7	7	5	-	-
Franklin	2	24	3	2	10	9	1	1	4	-	2	-	3	31	5	10	3	1	-
Tullahoma, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	24	3	2	10	9	1	1	4	-	2	-	3	31	5	10	3	1	-
Gibson	2	76	14	6	28	18	1	1	13	-	1	3	3	47	10	14	1	3	-
Humboldt	1	15	2	2	6	3	-	-	3	-	-	-	-	19	1	1	1	-	-
Balance of county	1	61	12	4	22	15	1	1	10	-	1	3	3	28	9	13	-	3	-
Giles	2	23	3	2	11	9	3	1	5	-	3	4	6	22	14	9	9	3	-
Grainger	-	19	1	1	5	5	1	2	1	-	2	-	21	7	2	1	1	1	1
Greene	1	54	12	8	17	14	3	3	3	-	1	6	2	34	13	14	7	-	2
Greeneville	-	20	8	3	6	6	1	-	1	-	-	1	1	13	4	5	1	-	1
Balance of county	1	34	4	5	11	8	2	3	2	-	1	5	1	21	9	9	6	-	1
Grundy	2	2	1	1	3	4	2	2	1	-	-	1	3	13	4	4	8	1	-
Hamblen	4	77	2	4	10	20	-	6	3	1	2	2	2	24	10	11	5	5	-
Morristown	2	51	1	3	8	7	-	4	1	-	1	1	1	9	6	3	4	2	-
Balance of county	2	26	1	1	2	13	-	2	2	1	1	1	1	15	4	8	1	3	-
Hamilton	8	210	14	26	70	74	8	32	28	-	13	23	17	206	54	72	25	32	3
Chattanooga	5	152	11	17	51	46	5	20	18	-	11	15	13	147	28	46	17	26	2
East Ridge	1	19	-	1	6	11	-	3	1	-	2	1	1	14	1	6	-	-	-
Red Bank	-	4	-	1	-	3	1	1	1	-	-	-	-	5	1	1	-	-	-
Balance of county	2	35	3	7	13	14	2	8	7	-	-	7	3	40	24	15	8	6	1
Hancock	-	6	1	2	2	-	1	-	-	-	-	-	2	5	1	1	1	-	-
Hardeman	1	33	6	3	5	7	2	1	5	-	3	1	5	13	3	6	4	2	1
Hardin	1	33	-	-	7	10	1	2	1	-	1	1	1	17	2	6	3	2	1
Hawkins	2	24	4	2	9	16	1	5	2	-	1	4	2	23	6	11	6	1	1
Kingsport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	24	4	2	9	16	1	5	2	-	1	4	2	23	6	11	6	1	1
Haywood	3	22	2	-	3	5	1	2	1	-	1	2	4	13	3	4	2	3	3
Henderson	1	38	1	4	6	5	-	1	2	-	2	1	1	13	5	6	5	-	-
Henry	-	47	3	2	13	7	-	1	4	1	2	-	2	22	4	4	2	1	-
Paris	-	25	1	1	3	4	-	1	2	1	-	-	1	8	1	1	1	1	-
Balance of county	-	22	2	1	10	3	-	-	2	-	2	-	1	14	3	3	1	-	-
Hickman	-	15	1	-	1	4	-	2	4	-	-	-	-	21	5	5	4	2	-
Houston	-	8	-	3	5	7	-	-	-	-	-	-	-	8	-	1	-	-	-
Humphreys	1	9	-	2	2	4	-	2	-	-	2	2	10	12	6	8	2	3	-
Jackson	-	10	-	-	1	2	-	1	1	-	-	-	1	6	6	3	2	-	-
Jefferson	1	29	3	3	15	6	1	3	4	-	1	-	11	23	14	8	3	1	1
Johnson	-	13	1	1	4	6	-	-	1	-	-	-	2	13	3	4	4	-	-
Knox	12	250	33	28	66	79	5	24	20	1	22	20	259	213	57	50	48	25	5
Knoxville	10	186	24	17	49	52	5	15	10	1	14	17	176	148	28	29	25	16	1
Balance of county	2	64	9	11	17	27	-	9	10	-	8	3	83	65	29	21	23	9	4
Lake	1	10	5	2	2	6	1	1	-	-	-	-	9	7	3	5	1	1	-
Lauderdale	1	34	2	-	11	7	-	1	4	-	-	3	7	25	8	4	3	-	1
Lawrence	2	27	3	2	9	6	3	1	1	-	5	1	-	19	14	8	2	1	1
Lawrenceburg	-	9	2	1	5	3	1	-	-	-	1	1	-	4	5	4	-	1	-
Balance of county	2	18	1	1	4	3	2	1	1	-	4	-	-	15	9	4	2	-	1
Lewis	-	6	-	2	3	4	1	1	1	-	1	1	1	5	2	1	1	1	-
Lincoln	4	17	1	2	6	7	-	1	3	-	2	3	5	13	7	10	4	2	1
Loudon	2	30	2	-	4	5	3	4	2	-	3	3	5	26	7	10	3	4	-
McMinn	1	33	3	2	9	12	-	1	9	-	3	2	3	30	15	14	-	4	-
Athens	-	5	1	1	4	6	-	-	5	-	1	-	1	10	2	2	-	1	-
Balance of county	1	28	2	1	5	6	-	1	4	-	2	2	2	20	13	12	-	3	-
McNairy	1	29	1	-	2	11	-	-	1	-	1	1	2	9	13	5	3	-	-
Macon	1	11	1	-	4	3	-	1	3	-	-	2	2	11	1	5	3	2	-
Madison	4	98	13	3	13	20	1	8	7	-	4	4	7	62	20	16	12	8	-
Jackson	4	66	9	3	9	12	1	5	5	-	3	3	4	48	15	12	10	8	-
Balance of county	-	32	4	-	4	8	-	3	2	-	1	1	3	14	5	4	2	-	-
Marion	-	25	3	4	5	8	3	2	5	-	1	5	8	15	7	3	2	3	1
Marshall	1	18	2	4	3	3	3	3	1	-	1	1	-	12	9	7	1	3	-
Maury	-	62	4	4	13	12	1	2	4	-	4	2	9	41	11	8	3	3	-
Columbia	-	29	3	2	8	6	1	2	2	-	1	-	7	24	1	3	1	-	-
Balance of county	-	33	1	2	5	6	-	-	2	-	3	2	2	17	10	5	2	3	-
Meigs	-	4	1	-	-	2	-	1	-	-	1	1	2	2	3	3	1	1	-
Monroe	1	17	2	2	7	9	-	1	1	-	3	-	10	15	18	15	3	2	1
Montgomery	3	46	2	5	11	16	3	11	5	-	5	14	25	48	20	21	6	7	3
Clarksville	1	31	-	2	4	11	2	8	5	-	3	14	14	28	9	19	6	2	2
Balance of county	2	17	2	3	7	5	1	3	-	-	2	-	11	21	11	2	2	5	1
Moore	-	3	1	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee-Con.																			
Morgan	-	15	-	-	5	7	3	3	2	-	1	2	4	7	5	5	3	1	1
Obion	1	32	36	2	8	16	1	3	5	-	1	3	4	22	9	11	10	3	-
Union City	1	17	12	1	2	7	-	-	1	-	-	1	-	14	3	6	3	2	-
Balance of county	-	15	24	1	6	9	1	3	4	-	1	2	4	8	6	5	7	1	-
Overton	1	20	-	3	7	8	-	2	3	-	2	-	1	14	12	9	4	2	1
Perry	2	4	1	-	5	3	-	-	-	-	-	1	1	13	3	2	-	-	-
Pickett	-	3	-	-	2	1	-	-	2	-	-	-	-	5	-	1	-	-	-
Polk	1	10	1	1	11	4	1	2	1	-	-	-	-	7	5	7	1	4	-
Putnam	1	52	8	6	16	19	4	8	4	1	1	-	9	37	9	9	8	-	2
Cookeville	-	22	1	1	6	3	3	6	3	1	-	-	5	13	5	2	3	-	2
Balance of county	1	30	7	5	10	16	1	2	1	-	1	-	4	24	4	7	5	-	-
Rhea	1	20	4	1	2	3	-	2	-	-	1	3	3	19	4	8	-	2	3
Roane	1	42	5	3	23	18	2	3	1	-	2	1	8	28	9	12	2	5	-
Oak Ridge, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	1	42	5	3	23	17	2	3	1	-	2	1	8	28	8	12	2	5	-
Robertson	2	21	6	4	7	7	1	1	3	-	1	1	2	36	11	8	1	1	-
Springfield	1	7	3	3	2	2	1	-	3	-	-	1	1	19	4	5	-	1	-
Balance of county	1	14	3	1	5	5	-	1	-	-	1	-	1	17	7	3	1	-	-
Rutherford	2	78	4	6	9	16	1	5	2	1	6	11	8	50	22	15	11	-	2
Murfreesboro	-	37	2	3	6	9	-	1	1	-	3	1	3	25	8	7	8	-	1
Balance of county	2	41	2	3	3	7	1	4	1	1	3	10	5	25	14	8	3	-	1
Scott	-	21	5	1	10	6	1	4	1	-	1	5	2	7	2	7	1	-	-
Sequatchie	-	3	-	-	2	3	1	2	-	-	-	-	1	4	-	3	-	1	-
Sevier	-	31	5	2	10	11	-	4	2	-	3	2	12	30	12	3	7	2	-
Shelby	28	711	74	60	133	197	21	56	78	2	53	112	65	531	143	165	90	149	1
Bartlett	-	-	-	-	-	2	-	-	1	-	-	1	1	2	1	2	-	-	-
Germantown	-	10	1	3	3	4	-	2	1	-	-	2	-	2	3	3	-	-	-
Memphis	27	663	69	53	121	183	18	51	72	2	48	100	62	503	122	151	89	142	1
Millington	-	11	1	-	2	2	1	-	-	-	-	4	-	5	7	1	-	1	-
Balance of county	1	27	3	4	7	6	2	3	4	-	5	5	2	19	10	8	1	-	-
Smith	-	18	4	2	4	2	-	-	2	-	-	-	1	10	5	6	2	-	2
Stewart	-	5	1	-	2	4	-	-	-	-	-	-	10	10	1	5	-	1	1
Sullivan	5	86	13	13	49	59	2	17	8	1	8	11	8	92	27	26	24	3	2
Bristol	1	20	4	3	12	10	-	7	1	-	3	1	-	18	5	8	4	2	-
Kingsport, part	4	24	2	4	17	24	1	2	4	-	-	4	4	33	8	5	10	-	-
Kingsport, total	4	24	2	4	17	24	1	2	4	-	-	4	4	33	8	5	10	-	-
Balance of county	-	42	7	6	20	25	1	8	3	1	5	6	4	43	14	15	10	1	2
Sumner	2	47	7	8	25	23	1	7	7	-	4	6	9	46	24	18	13	4	3
Gallatin	-	12	3	2	16	11	1	3	2	-	-	1	1	10	9	4	3	2	-
Hendersonville	1	5	-	2	3	5	-	1	2	-	-	1	-	11	3	2	2	-	2
Balance of county	1	30	4	4	6	7	-	3	3	-	4	4	8	25	12	12	8	2	1
Tipton	-	34	1	-	10	11	1	1	3	-	3	5	3	19	10	11	2	4	-
Trousdale	-	9	3	-	4	3	-	1	2	-	-	-	-	6	2	1	1	-	-
Unicoi	-	16	1	-	7	10	-	3	4	-	-	3	1	16	5	6	2	-	-
Union	1	8	1	2	1	9	1	-	1	-	-	1	2	12	5	1	2	1	-
Van Buren	-	-	-	-	1	1	-	-	-	-	-	-	1	2	4	-	-	-	-
Warren	1	16	-	3	10	14	2	3	2	-	3	3	11	32	7	6	7	-	-
McMinnville	-	9	-	1	8	9	1	1	1	-	2	1	3	16	5	2	3	-	-
Balance of county	1	7	-	2	2	5	1	2	1	-	1	2	8	16	2	4	4	-	-
Washington	3	73	13	12	28	23	1	4	9	-	4	13	66	64	23	29	10	2	2
Johnson City, part	3	47	9	7	16	14	-	3	6	-	4	4	43	31	12	15	5	1	2
Johnson City, total	3	48	9	7	16	14	-	3	6	-	4	4	43	32	12	15	5	1	2
Balance of county	-	26	4	5	12	9	1	1	3	-	-	9	23	33	11	14	5	1	-
Wayne	-	11	12	2	2	3	-	2	2	-	-	1	2	8	3	5	1	2	-
Weakley	4	36	15	3	14	11	1	4	5	-	-	3	10	22	8	9	8	1	-
White	-	32	3	1	1	2	1	2	-	-	-	-	1	18	3	11	4	1	1
Williamson	1	43	3	4	15	11	-	3	3	-	3	2	19	30	7	18	15	2	-
Franklin	-	13	1	1	5	5	-	1	1	-	2	1	7	13	1	5	-	2	-
Balance of county	1	30	2	3	10	6	-	2	2	-	1	1	12	17	6	13	15	-	-
Wilson	1	46	2	6	13	16	1	7	8	-	3	3	1	34	21	10	8	4	1
Lebanon	-	15	-	2	5	7	1	1	3	-	2	3	1	15	7	1	3	3	-
Balance of county	1	31	2	4	8	9	-	6	5	-	1	-	-	19	14	9	5	1	1
Texas	339	8,963	1,365	926	2,800	3,524	328	1,336	1,243	23	927	1,488	4,373	8,701	3,868	3,385	2,014	2,309	101
Urban places	226	5,743	905	589	1,839	2,250	196	957	785	14	651	1,120	2,114	5,915	2,242	2,072	1,350	1,831	64
Balance of area	113	3,220	460	337	1,061	1,274	132	379	458	9	276	368	2,259	2,786	1,626	1,313	664	478	37
Metropolitan counties	238	6,212	945	663	2,007	2,607	222	1,068	888	16	736	1,254	2,522	6,521	2,907	2,466	1,648	2,034	78
Urban places	201	5,038	782	520	1,628	2,035	171	888	708	12	595	1,051	1,623	5,370	2,057	1,869	1,254	1,756	61
Balance of area	37	1,174	163	143	379	572	51	180	180	4	141	203	899	1,151	850	597	394	278	17
Nonmetropolitan counties	101	2,751	420	263	893	917	106	268	355	7	191	234	1,851	2,180	961	919	366	275	23
Urban places	25	705	123	69	211	215	25	69	77	2	56	69	491	545	185	203	96	75	3
Balance of area	76	2,046	297	194	682	702	81	199	278	5	135	165	1,360	1,635	776	716	270	200	20
Anderson	3	40	11	3	9	10	-	1	2	-	3	3	6	27	18	15	3	4	-
Palestine	3	25	7	2	4	8	-	1	1	-	1	2	5	13	7	7	2	3	-
Balance of county	-	15	4	1	5	2	-	-	1	-	2	1	1	14	11	8	1	1	-
Andrews	1	8	-	-	1	6	-	1	-	-	3	1	5	4	4	6	3	1	-
Andrews	1	7	-	-	1	5	-	1	-	-	3	1	5	4	3	6	3	1	-
Balance of county	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Angelina	2	59	5	4	11	19	4	2	4	-	2	2	15	49	29	23	8	4	-
Lufkin	1	36	3	3	8	11	2	1	-	-	-	2	4	24	14	10	3	1	-
Balance of county	1	23	2	1	3	8	2	1	4	-	2	-	11	25	15	13	5	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Aransas	140	-	-	-	32	7	14	1	1	3	2	4	-	66	58	-	1	36	21
Archer	60	-	-	-	11	-	4	1	1	2	-	3	1	30	25	-	-	17	8
Wichita Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	60	-	-	-	11	-	4	1	1	2	-	3	1	30	25	-	-	17	8
Armstrong	28	-	-	-	10	4	1	1	-	1	2	1	-	11	9	-	-	6	3
Atascosa	217	-	-	5	44	12	16	2	5	2	1	6	5	89	78	-	4	44	30
Austin	234	-	-	1	45	10	6	4	7	3	2	13	-	118	98	1	-	54	43
Bailey	66	-	-	-	14	4	3	1	2	-	2	2	-	28	24	-	-	12	12
Bandera	85	-	-	-	21	6	7	2	3	-	1	2	-	44	35	-	1	10	24
Bastrop	282	-	-	2	57	13	16	1	7	2	4	14	8	130	102	1	3	49	49
Baylor	73	-	-	-	16	2	6	1	3	1	2	1	-	44	29	-	1	23	5
Bee	165	-	-	-	31	5	5	2	3	4	1	11	5	86	56	-	-	42	14
Beeville	103	-	-	-	21	2	2	-	3	4	1	9	4	51	38	-	-	27	11
Balance of county	62	-	-	-	10	3	3	2	-	-	-	2	1	35	18	-	-	15	3
Bell	1,174	1	-	17	201	34	52	13	18	3	7	74	10	528	428	7	2	238	181
Belton	118	-	-	5	20	8	6	2	-	-	-	4	1	54	41	-	-	23	18
Killeen	234	-	-	1	37	11	9	1	2	-	2	12	5	102	82	1	1	52	28
Temple	500	1	-	7	89	9	18	9	15	3	4	31	4	237	202	3	1	107	91
Balance of county	322	-	-	4	55	6	19	1	1	-	1	27	-	135	103	3	-	56	44
Bexar	7,457	12	3	144	1,562	379	419	119	178	58	77	332	150	3,205	2,635	25	118	1,447	1,045
San Antonio	6,355	11	2	124	1,331	326	357	98	152	55	65	278	131	2,728	2,235	19	101	1,219	896
Universal City	54	-	-	1	13	4	-	-	3	-	3	3	-	21	18	-	3	11	4
Balance of county	1,048	1	1	19	218	49	62	21	23	3	9	51	19	456	382	6	14	217	145
Blanco	61	-	-	-	9	2	2	2	-	1	-	2	1	28	19	-	-	9	10
Borden	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Bosque	229	-	-	-	58	13	19	3	4	2	3	14	2	118	89	-	1	64	24
Bowie	744	-	-	10	146	22	43	10	13	8	7	43	10	369	302	1	6	174	121
Texarkana *	401	-	-	10	71	11	18	7	6	5	5	19	7	205	169	-	4	100	65
Balance of county	343	-	-	-	75	11	25	3	7	3	2	24	3	158	133	1	2	74	56
Brazoria	999	2	-	16	204	41	60	14	20	9	7	53	22	401	305	1	7	158	139
Alvin	136	1	-	1	32	4	9	4	2	4	-	9	2	62	47	-	-	26	21
Angleton	98	-	-	1	15	2	3	1	1	-	-	8	-	43	34	-	-	18	18
Freeport	81	1	-	1	18	3	8	1	-	-	1	5	1	33	23	-	3	9	11
Lake Jackson	74	-	-	-	14	2	6	1	2	-	-	3	3	31	20	-	1	9	10
Pearland, part	80	-	-	5	15	2	5	2	2	-	1	3	1	33	24	-	1	18	5
Pearland, total	81	-	-	5	15	2	5	2	2	-	1	3	1	34	25	-	1	19	5
Balance of county	530	-	-	8	110	28	29	5	13	5	5	25	15	199	157	1	2	80	74
Brazos	514	4	-	6	97	25	25	12	8	2	1	24	12	226	144	-	2	108	34
Bryan	373	3	-	4	74	19	20	8	7	-	-	20	11	165	100	-	2	75	23
College Station	87	-	-	2	15	3	4	3	-	-	1	4	1	42	27	-	-	23	4
Balance of county	54	1	-	-	8	3	1	1	1	2	-	-	-	19	17	-	-	10	7
Brewster	50	-	-	-	9	4	1	-	-	-	-	4	-	25	17	-	1	10	6
Briscoe	27	-	-	-	3	1	1	-	-	-	1	-	1	15	11	-	-	8	3
Brooks	60	-	-	1	17	3	6	3	4	-	-	1	1	26	20	1	1	8	10
Brown	428	-	-	4	93	16	25	6	15	7	7	17	7	207	145	-	1	67	77
Brownwood	276	-	-	4	58	10	11	5	10	3	5	14	5	140	94	-	1	44	49
Balance of county	152	-	-	-	35	6	14	1	5	4	2	3	2	67	51	-	-	23	28
Burleson	171	-	-	1	45	10	13	3	3	2	4	10	3	75	58	1	-	33	24
Burnet	238	-	-	2	45	12	13	-	8	2	2	8	1	99	69	-	1	42	26
Caldwell	239	-	-	4	51	11	10	-	6	3	4	17	5	115	92	-	3	60	29
Calhoun	128	-	-	3	23	10	6	3	-	-	-	4	1	67	53	-	1	33	19
Port Lavaca	71	-	-	2	11	5	2	2	-	-	-	2	1	39	30	-	1	19	10
Balance of county	57	-	-	1	12	5	4	1	-	-	-	2	-	28	23	-	-	14	9
Callahan	141	-	-	1	31	7	9	3	4	4	-	4	-	73	61	-	-	37	24
Cameron	1,436	3	1	22	253	62	75	14	25	13	12	52	41	552	434	3	5	324	102
Brownsville	538	1	1	7	80	17	20	5	8	4	6	20	16	185	149	1	2	110	36
Harlingen	343	1	-	10	60	14	16	3	5	6	4	12	10	154	122	-	2	95	25
San Benito	150	-	-	1	29	9	9	1	3	-	1	6	7	62	42	1	1	33	7
Balance of county	405	1	-	4	84	22	30	5	9	3	1	14	8	151	121	1	-	86	34
Camp	144	-	-	3	30	7	8	5	1	2	3	4	3	50	43	1	-	26	16
Carson	65	-	-	1	12	3	3	-	2	1	1	2	1	23	21	-	-	11	10
Cass	319	1	-	7	71	16	22	5	10	1	4	13	7	155	110	-	5	71	34
Castro	69	-	-	-	9	2	3	-	1	-	-	3	1	35	20	-	1	14	5
Chambers	119	-	-	1	30	8	7	-	4	3	3	5	-	49	41	-	-	27	14
Baytown, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	119	-	-	1	30	8	7	-	4	3	3	5	-	49	41	-	-	27	14
Cherokee	435	-	-	5	79	19	28	4	7	4	3	16	2	214	146	-	1	88	57
Jacksonville	153	-	-	-	24	8	6	3	2	-	-	5	-	74	44	-	-	27	17
Balance of county	282	-	-	5	55	11	20	1	5	4	3	11	2	140	102	-	1	61	40
Childress	103	-	-	-	17	3	7	3	1	-	-	3	3	60	45	-	-	38	7
Clay	110	-	-	1	20	5	9	-	1	-	-	5	-	53	49	-	1	28	20
Cochran	49	1	-	-	11	3	2	1	-	-	-	5	-	22	20	1	1	14	4
Coke	43	-	-	1	5	1	1	-	1	-	-	2	1	18	13	-	-	8	5
Coleman	181	-	-	-	33	7	11	3	1	1	1	9	2	105	89	-	1	66	22
Collin	883	-	-	10	162	39	38	18	15	11	8	33	10	429	334	5	4	224	101
Carrollton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas, part	7	-	-	-	2	-	-	2	-	-	-	-	-	3	3	-	-	3	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McKinney	208	-	-	3	24	10	7	3	-	1	1	2	4	120	88	1	1	65	21
Plano, part	283	-	-	4	59	15	13	11	4	4	2	10	1	117	90	3	2	54	31
Plano, total	283	-	-	4	59	15	13	11	4	4	2	10	1	117	90	3	2	54	31
Richardson, part	14	-	-	-	4	-	2	-	1	-	-	1	-	4	4	-	-	3	1
Balance of county	371	-	-	3	73	14	16	2	10	6	5	20	5	185	149	1	1	99	48

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	-	8	-	2	5	1	2	1	1	-	1	1	8	7	7	6	-	2	-
Archer	-	4	1	-	1	1	-	-	1	-	-	-	1	7	1	3	3	-	-
Wichita Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	4	1	-	1	1	-	-	1	-	-	-	1	7	1	3	3	-	-
Armstrong	-	1	-	1	1	1	1	-	-	-	1	2	-	-	1	-	-	-	-
Atascosa	-	10	-	1	4	8	1	2	3	-	1	1	17	13	11	7	4	2	-
Austin	2	17	1	-	6	11	1	2	2	-	1	2	5	18	3	13	4	2	-
Bailey	-	3	1	-	3	2	-	1	-	-	1	2	9	4	-	1	-	1	-
Bandera	-	7	1	1	2	4	-	-	1	-	-	1	1	4	2	4	1	-	-
Bastrop	3	20	3	2	7	7	1	3	5	-	4	2	14	17	11	8	3	3	-
Baylor	1	13	1	-	1	1	-	1	-	-	-	1	1	3	2	2	-	1	-
Bee	2	25	1	2	1	2	-	4	-	1	3	2	10	10	6	2	1	1	-
Beeville	2	10	-	1	-	1	-	4	-	1	2	1	4	7	3	2	1	1	-
Balance of county	-	15	1	1	1	1	-	-	-	-	1	1	6	3	3	-	-	-	-
Bell	-	72	12	16	36	23	2	11	11	-	13	18	115	70	53	21	26	17	1
Belton	-	10	1	2	1	2	-	1	-	-	-	2	14	11	8	2	2	-	-
Killeen	-	12	4	4	2	6	-	5	1	-	9	8	6	12	13	8	12	6	1
Temple	-	26	4	5	29	9	1	5	8	-	-	3	55	29	8	4	6	5	-
Balance of county	-	24	3	5	4	6	1	-	2	-	4	5	40	18	29	7	6	6	-
Bexar	15	453	48	54	217	188	22	124	120	1	59	99	216	653	212	167	114	187	2
San Antonio	14	396	41	42	193	152	18	110	106	1	49	75	174	576	167	149	84	172	2
Universal City	-	2	1	-	2	1	-	2	-	-	2	-	2	4	2	1	3	-	-
Balance of county	1	55	6	12	22	35	4	12	14	-	8	24	40	73	43	17	27	15	-
Blanco	-	7	-	-	7	5	1	1	-	-	-	1	1	2	4	1	-	2	-
Borden	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Bosque	1	22	4	2	5	7	1	1	2	-	1	2	1	17	11	2	1	-	-
Bowie	1	51	4	5	12	24	-	4	10	-	4	7	56	48	18	12	12	8	-
Texarkana *	1	30	2	3	7	12	-	3	8	-	3	4	21	24	10	4	7	5	-
Balance of county	-	21	2	2	5	12	-	1	2	-	1	3	35	24	8	8	5	3	-
Brazoria	4	74	7	11	31	24	7	9	11	-	11	14	48	66	50	48	21	13	1
Alvin	1	14	-	-	7	4	-	1	-	-	-	2	1	10	4	5	3	1	-
Angleton	-	6	1	2	4	2	3	1	2	-	3	1	1	13	3	1	-	4	1
Freeport	-	10	-	-	3	3	-	3	1	-	-	2	4	6	3	1	1	-	-
Lake Jackson	1	7	1	2	2	2	-	-	1	-	-	2	3	6	5	3	3	-	-
Pearland, part	1	6	2	-	1	3	-	-	-	-	1	1	1	6	5	3	2	3	-
Pearland, total	1	6	2	-	1	3	-	-	-	-	1	1	1	6	5	3	2	3	-
Balance of county	1	31	3	7	14	10	4	4	7	-	7	6	38	26	30	35	12	5	-
Brazos	4	61	12	5	4	14	2	3	2	-	3	14	43	34	20	18	6	5	1
Bryan	3	48	10	4	3	8	2	2	-	-	1	12	28	25	14	14	3	3	1
College Station	-	12	2	1	-	4	-	1	1	-	-	2	7	5	2	1	2	2	-
Balance of county	1	1	-	-	1	2	-	-	1	-	2	-	8	4	4	3	1	-	-
Brewster	1	6	-	1	2	-	-	1	-	-	1	-	1	4	1	3	1	2	-
Briscoe	-	4	-	-	2	1	-	-	-	-	-	-	3	1	1	-	-	-	-
Brooks	1	5	-	-	-	1	-	2	-	-	-	-	6	5	-	-	1	-	-
Brown	3	43	11	5	7	15	2	4	3	-	3	2	42	14	10	7	5	3	-
Brownwood	1	33	9	3	5	6	2	4	2	-	2	1	25	9	4	4	4	1	-
Balance of county	2	10	2	2	2	9	-	-	1	-	1	1	17	5	6	3	1	2	-
Burleson	-	14	1	2	7	5	-	3	2	-	1	1	4	12	5	4	3	-	-
Burnet	-	27	3	-	6	8	1	2	2	-	-	-	34	15	12	7	1	3	-
Caldwell	-	19	3	1	3	5	1	4	3	1	1	1	15	14	8	5	1	1	1
Calhoun	-	19	1	-	5	9	-	2	1	-	4	-	-	8	3	4	3	1	-
Port Lavaca	-	8	1	-	1	2	-	1	1	-	3	-	-	4	2	2	1	1	-
Balance of county	-	5	-	-	4	1	-	1	-	-	1	-	-	4	1	2	2	-	-
Callahan	-	11	-	1	3	8	-	2	2	-	3	1	6	7	3	-	-	1	-
Cameron	4	91	13	10	25	33	3	15	14	1	15	20	199	92	55	43	18	28	5
Brownsville	2	28	2	4	9	9	3	3	6	-	7	8	101	37	22	19	10	13	1
Harlingen	1	23	6	2	7	9	-	4	4	-	3	5	25	26	12	9	2	2	-
San Benito	-	15	3	2	3	1	-	3	1	-	2	3	15	11	4	4	1	3	-
Balance of county	1	25	2	2	6	14	-	5	3	1	3	4	58	18	17	11	5	8	4
Camp	-	6	-	1	9	3	1	3	4	-	-	1	13	11	5	4	3	1	-
Carson	-	1	1	-	-	4	-	2	1	-	1	1	4	6	4	2	1	2	-
Cass	2	37	3	3	2	6	2	3	1	-	-	5	15	23	8	7	5	1	-
Castro	-	13	1	1	4	1	-	-	-	-	1	2	7	3	1	3	2	-	-
Chambers	-	7	1	-	3	5	2	2	-	-	-	2	3	5	5	8	3	1	-
Baytown, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	7	1	-	3	5	2	2	-	-	-	2	3	5	5	8	3	1	-
Cherokee	1	53	11	3	9	5	1	4	13	-	1	1	46	23	10	13	6	3	-
Jacksonville	-	21	7	2	3	1	1	2	5	-	1	1	19	5	3	8	5	1	-
Balance of county	1	32	4	1	6	4	-	2	8	-	-	-	27	18	7	5	1	2	-
Childress	-	13	1	1	2	3	-	-	2	-	-	-	-	12	1	2	1	-	-
Clay	-	4	-	-	2	2	1	1	5	-	1	2	8	9	3	1	1	-	-
Cochran	-	2	-	-	3	-	-	-	-	1	1	-	3	2	3	2	-	-	-
Coke	-	4	-	1	3	2	-	-	-	-	1	-	4	3	1	3	-	-	1
Coleman	-	15	-	1	10	7	-	3	-	-	-	-	3	8	1	6	2	1	-
Collin	2	72	17	4	27	24	3	7	9	-	6	22	21	54	40	25	27	6	1
Carrollton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas, part	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McKinney	1	24	5	2	4	5	1	-	3	-	2	8	3	13	4	5	6	3	-
Plano, part	-	22	5	-	12	12	-	2	4	-	3	8	5	22	12	10	12	-	-
Plano, total	-	22	5	-	12	12	-	2	4	-	3	8	5	22	12	10	12	-	-
Richardson, part	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	2	-	-
Balance of county	1	26	7	2	10	7	2	4	1	-	1	6	12	19	23	9	7	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Collingsworth	66	-	-	-	20	5	3	1	5	1	3	2	1	33	19	1	-	14	4
Colorado	236	1	-	3	40	12	14	4	6	1	2	1	2	115	83	-	1	52	30
Comal	405	-	-	5	81	20	18	6	8	5	3	21	10	192	136	1	5	93	37
New Braunfels, part	264	-	-	2	44	12	8	3	5	3	2	11	9	136	93	-	5	67	21
New Braunfels, total	265	-	-	2	44	12	8	3	5	3	2	11	9	136	93	-	5	67	21
Balance of county	141	-	-	3	37	8	10	3	3	2	1	10	1	56	43	1	-	28	16
Comanche	204	-	-	3	31	10	9	1	3	1	1	6	1	112	81	1	1	42	37
Concho	62	-	-	-	9	1	3	-	1	-	2	2	1	33	25	-	-	14	11
Cooke	305	-	-	2	61	25	12	5	5	2	2	10	5	151	102	1	4	75	22
Gainesville	203	-	-	1	41	19	7	4	2	2	1	6	5	104	68	-	2	49	17
Balance of county	102	-	-	1	20	6	5	1	3	-	1	4	-	47	34	1	2	26	5
Coryell	251	-	-	2	51	13	18	4	3	2	-	11	3	125	102	-	-	62	40
Copperas Cove	76	-	-	2	17	2	7	1	-	-	-	7	-	28	19	-	-	9	10
Balance of county	175	-	-	-	34	11	11	3	3	2	-	4	3	97	83	-	-	53	30
Cottle	52	-	-	3	6	-	1	-	1	-	2	2	1	26	17	1	2	10	4
Crane	34	-	-	-	4	-	2	-	-	-	1	1	2	16	10	-	-	9	1
Crockett	37	-	-	-	9	-	3	1	1	-	1	3	-	14	11	1	-	4	6
Crosby	78	-	-	2	14	5	2	-	4	-	1	2	-	43	33	-	1	22	10
Culberson	22	-	-	-	5	2	1	-	2	-	-	-	-	8	6	-	-	4	2
Dallam	82	-	-	-	12	4	1	1	2	-	1	3	-	46	41	1	-	33	7
Dallas	11,473	11	1	125	2,519	583	737	216	247	95	94	547	163	5,110	3,996	27	284	2,099	1,586
Balch Springs	90	-	-	2	18	2	6	2	3	1	-	4	1	38	33	1	-	19	13
Carrollton, part	139	-	1	1	33	13	5	6	2	-	1	6	-	60	43	1	3	22	17
Carrollton, total	181	-	1	2	42	16	5	6	3	1	1	10	1	74	51	1	3	26	21
Dallas, part	7,720	9	-	94	1,696	395	493	144	174	62	71	357	115	3,440	2,706	16	225	1,336	1,129
Dallas, total	7,728	9	-	94	1,698	395	493	146	174	62	71	357	115	3,443	2,709	16	225	1,339	1,129
De Soto	108	-	-	1	28	8	10	3	2	-	1	4	2	48	42	-	1	29	12
Duncanville	150	-	-	-	32	13	10	3	3	-	-	3	1	72	58	-	2	35	19
Farmers Branch	135	-	-	1	40	12	6	8	3	2	2	7	-	56	48	-	1	28	17
Garland, part	698	-	-	5	152	24	55	13	9	10	6	35	12	298	244	-	10	143	91
Garland, total	698	-	-	5	152	24	55	13	9	10	6	35	12	298	244	-	10	143	91
Grand Prairie, part	381	-	-	5	82	14	21	4	3	7	1	32	4	170	133	-	6	82	43
Grand Prairie, total	435	-	-	5	89	15	24	4	4	7	1	34	5	194	147	-	8	93	46
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irving	605	1	-	7	125	28	39	6	15	4	4	29	9	257	183	1	13	101	68
Lancaster	161	-	-	-	35	10	10	1	5	-	1	8	2	83	62	1	2	38	21
Mesquite	384	-	-	2	75	20	28	3	7	1	2	14	3	165	124	2	5	78	39
Richardson, part	305	-	-	3	77	15	20	10	9	2	1	20	5	144	107	1	5	58	43
Richardson, total	319	-	-	3	81	15	22	10	10	2	1	21	5	148	111	1	5	61	44
University Park	169	1	-	1	36	9	7	6	2	2	3	7	-	90	71	1	3	46	21
Balance of county	428	-	-	3	90	20	27	7	10	4	1	21	9	189	146	3	6	84	53
Dawson	149	-	-	1	27	12	9	1	2	1	-	2	2	71	56	-	-	43	13
Lamesa	116	-	-	1	23	11	8	1	1	1	-	1	-	52	41	-	-	31	10
Balance of county	33	-	-	-	4	1	1	-	1	-	-	1	2	19	15	-	-	12	3
Deaf Smith	140	-	-	2	34	8	8	4	3	-	2	9	1	49	40	-	-	24	16
Hereford	126	-	-	2	28	8	6	3	3	-	1	7	1	45	37	-	-	21	16
Balance of county	14	-	-	-	6	-	2	1	-	-	1	2	-	4	3	-	-	3	-
Delta	63	-	-	-	8	2	1	-	1	-	-	4	-	33	29	-	-	23	6
Denton	863	-	-	8	177	41	43	6	9	8	9	61	17	341	273	-	5	199	69
Carrollton, part	42	-	-	1	9	3	-	-	1	1	-	4	1	14	8	-	-	4	4
Dallas, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Denton	348	-	-	2	75	21	17	2	3	2	3	27	7	153	121	-	3	93	25
Lewisville	153	-	-	2	37	5	10	-	4	2	3	13	3	47	41	-	-	29	12
Plano, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
The Colony	30	-	-	-	1	-	-	1	-	-	-	-	1	5	5	-	-	3	2
Balance of county	289	-	-	3	55	12	16	3	1	3	3	17	5	122	98	-	2	70	26
De Witt	266	-	-	1	51	8	16	5	5	2	4	11	1	137	97	1	2	61	33
Dickens	28	-	-	-	3	2	-	-	-	-	-	1	-	15	12	-	-	7	5
Dimmit	73	-	-	1	17	4	5	1	3	-	2	2	1	38	25	-	-	18	7
Donley	48	-	-	-	11	1	5	-	1	-	-	4	-	23	17	-	1	13	3
Duval	112	-	-	1	20	7	3	2	2	2	-	4	3	55	43	-	-	34	9
Eastland	324	-	-	-	45	10	16	3	5	1	1	9	6	211	157	1	1	93	62
Ector	800	-	-	13	144	29	55	8	10	4	4	34	8	230	168	1	3	115	49
Odessa	696	-	-	13	125	25	52	6	8	3	4	27	7	212	154	-	3	107	44
Balance of county	104	-	-	-	19	4	3	2	2	1	-	7	1	18	14	1	-	8	5
Edwards	22	-	-	-	3	1	1	-	-	-	-	1	-	11	10	-	-	8	2
Ellis	533	-	-	5	108	27	28	13	13	2	3	22	7	218	164	-	6	109	49
Ennis	130	-	-	2	18	6	3	2	-	-	-	7	3	48	37	-	5	27	5
Grand Prairie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waxahachie	166	-	-	1	35	7	8	7	3	1	1	8	-	67	44	-	1	26	17
Balance of county	237	-	-	2	55	14	17	4	10	1	2	7	4	103	83	-	-	56	27
El Paso	2,706	1	-	44	528	117	138	44	63	17	37	112	88	1,116	850	20	43	565	222
El Paso	2,570	1	-	42	510	113	136	44	62	16	31	108	85	1,068	812	19	43	541	209
Balance of county	136	-	-	2	18	4	2	-	1	1	6	4	3	48	38	1	-	24	13
Erath	303	-	-	1	52	18	13	4	4	1	1	11	3	157	127	-	3	88	36
Stephenville	180	-	-	-	34	10	8	4	4	1	-	7	3	90	69	-	2	52	15
Balance of county	123	-	-	1	18	8	5	-	-	-	1	4	-	67	58	-	1	36	21
Falls	239	-	-	1	52	12	18	2	4	3	5	8	4	119	83	-	1	62	20
Fannin	358	-	-	2	58	8	15	2	7	6	4	14	7	135	107	-	3	59	45
Fayette	309	-	-	4	63	14	12	4	11	3	2	17	4	145	113	-	2	74	37
Fisher	79	-	-	2	15	4	4	1	3	-	2	1	-	39	32	-	2	20	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	1	12	-	1	1	1	-	-	1	-	-	-	3	3	1	1	1	-	-
Colorado	-	25	2	5	4	4	2	4	4	-	-	5	7	23	13	3	3	3	-
Comal	2	38	9	7	9	14	-	2	4	-	4	2	20	35	14	8	5	-	-
New Braunfels, part	2	30	8	3	7	10	-	1	2	-	3	1	11	25	8	4	1	-	-
New Braunfels, total	2	30	8	3	7	11	-	1	2	-	3	1	11	25	8	4	1	-	-
Balance of county	-	8	1	4	2	4	-	1	2	-	1	1	9	10	6	4	4	-	-
Comanche	-	23	4	4	7	5	1	1	4	-	1	-	12	17	5	2	1	1	-
Concho	-	7	-	1	6	-	-	-	1	-	-	-	4	6	1	1	-	-	-
Cooke	4	40	2	3	6	10	-	2	2	-	3	2	23	13	7	6	10	2	-
Gainesville	3	29	1	3	4	7	-	1	1	-	2	1	17	9	4	1	4	1	-
Balance of county	1	11	1	-	2	3	-	1	1	-	1	1	6	4	3	5	6	1	-
Coryell	1	16	5	2	9	10	1	2	1	-	1	8	4	12	7	5	6	4	-
Copperas Cove	-	4	3	2	3	3	1	1	-	-	1	5	3	5	1	3	1	2	-
Balance of county	1	11	2	-	6	7	-	1	1	-	-	3	1	7	6	2	5	2	-
Cottle	-	9	-	-	3	3	-	1	1	-	-	-	2	2	1	2	1	-	-
Crane	-	4	1	1	1	2	1	-	1	-	-	-	1	2	1	2	-	1	-
Crockett	-	2	-	1	1	2	2	-	-	-	-	-	1	2	2	3	-	1	-
Crosby	-	9	-	1	3	1	-	-	-	-	-	-	-	10	1	4	-	-	-
Culberson	-	2	-	-	-	-	-	-	1	-	1	-	-	3	2	-	-	2	-
Dallam	-	5	-	-	-	3	1	1	-	-	-	2	1	6	7	2	1	-	-
Dallas	33	857	139	85	277	388	30	140	104	4	96	158	231	929	314	308	224	331	9
Balch Springs	-	3	1	1	1	6	-	2	2	-	-	-	2	6	4	3	1	3	1
Carrollton, part	-	15	2	-	2	6	-	-	2	-	1	1	2	14	4	3	5	4	-
Carrollton, total	-	18	3	2	2	7	-	-	2	-	4	1	7	17	5	5	7	4	-
Dallas, part	22	580	75	57	188	248	21	99	69	3	58	95	151	638	185	204	139	262	6
Dallas, total	22	580	75	57	189	248	21	99	69	3	58	95	151	638	186	204	140	262	6
De Soto	1	4	1	-	3	4	-	-	1	-	-	4	-	9	2	2	9	1	-
Duncanville	1	13	1	1	2	9	-	2	4	-	-	2	1	12	5	7	-	1	-
Farmers Branch	1	7	-	2	6	8	-	2	1	-	1	1	-	7	2	3	5	1	1
Garland, part	1	45	2	6	15	23	2	9	4	1	8	17	19	56	29	14	19	14	1
Garland, total	1	45	2	6	15	23	2	9	4	1	8	17	19	56	29	14	19	14	1
Grand Prairie, part	1	29	6	1	7	17	1	4	4	-	5	10	4	30	8	10	9	11	-
Grand Prairie, total	1	34	11	1	11	20	1	4	5	-	5	10	6	33	11	11	10	14	1
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irving	-	47	23	4	14	18	1	9	6	-	8	9	26	47	28	17	9	14	-
Lancaster	-	19	2	-	4	4	2	-	-	-	2	4	2	11	3	4	4	1	-
Mesquite	2	25	11	3	11	18	1	3	3	-	2	6	8	33	22	13	7	12	-
Richardson, part	1	24	9	3	5	3	-	3	5	-	3	1	7	21	5	14	6	3	-
Richardson, total	1	24	9	3	5	3	-	4	6	-	3	1	8	21	5	15	8	3	-
University Park	-	16	1	2	6	7	-	1	-	-	2	1	3	11	2	2	5	1	-
Balance of county	3	30	5	6	13	18	2	6	3	-	6	7	8	34	15	12	12	3	-
Dawson	1	13	1	-	7	4	-	3	1	-	2	3	7	15	3	2	1	-	-
Lamesa	-	10	1	-	7	4	-	2	1	-	1	2	6	11	3	2	1	-	-
Balance of county	1	3	-	-	-	-	-	1	-	-	1	1	1	4	-	-	-	-	-
Deaf Smith	-	5	2	2	8	4	1	4	2	-	2	6	2	14	3	1	3	4	-
Hereford	-	5	2	1	8	4	1	4	2	-	1	4	2	14	3	1	2	4	-
Balance of county	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-
Delta	-	4	-	-	3	3	-	-	2	-	-	1	2	9	-	2	-	-	-
Denton	-	48	7	13	15	26	2	9	9	-	18	11	39	79	50	29	23	10	-
Carrollton, part	-	3	1	2	-	1	-	-	-	-	3	-	5	3	1	2	2	-	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Denton	-	22	2	8	7	12	1	5	5	-	4	3	7	35	12	12	7	1	-
Lewisville	-	4	2	-	3	3	-	-	1	-	5	3	18	8	14	5	3	1	-
Plano, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
The Colony	-	-	-	-	1	1	-	2	-	-	2	2	1	4	4	2	2	2	-
Balance of county	-	19	2	3	4	9	1	2	3	-	4	3	8	29	19	8	8	6	-
De Witt	1	30	8	1	10	8	2	1	6	-	-	3	7	16	9	7	2	5	-
Dickens	-	3	-	-	1	3	-	-	-	-	-	-	4	2	-	-	-	-	-
Dimmit	-	13	-	-	3	-	-	1	-	-	1	3	3	4	-	-	-	1	-
Donley	-	3	3	-	3	3	-	-	-	-	1	-	-	3	4	-	-	-	-
Duval	-	9	2	1	1	4	1	2	2	-	-	1	3	11	2	2	1	3	-
Eastland	-	50	2	2	9	6	-	2	3	-	-	1	10	13	4	8	4	2	-
Ector	2	51	7	2	21	35	-	8	7	-	10	10	108	57	48	51	26	23	1
Odessa	2	47	7	2	17	30	-	7	7	-	8	9	93	48	35	42	22	20	1
Balance of county	-	4	-	-	4	5	-	1	-	-	2	1	15	9	13	9	4	3	-
Edwards	-	1	-	-	-	3	-	-	-	-	2	-	-	2	-	1	-	-	-
Ellis	2	37	11	4	14	16	1	5	6	-	5	8	50	46	19	9	10	3	1
Ennis	-	9	2	-	5	4	-	-	1	-	3	4	16	15	4	4	2	1	-
Grand Prairie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waxahachie	2	14	4	3	6	5	-	3	3	-	1	3	21	17	2	1	-	1	-
Balance of county	-	14	5	1	3	7	1	2	2	-	1	1	13	16	13	4	8	1	1
El Paso	6	203	32	25	52	113	2	62	62	-	33	45	42	260	107	71	57	42	1
El Paso	6	193	32	25	49	108	2	60	58	-	31	40	40	249	92	64	51	39	1
Balance of county	-	10	-	-	3	5	-	2	4	-	2	5	2	11	15	7	6	3	-
Erath	2	24	3	1	5	7	1	-	4	-	1	1	30	21	9	3	8	-	-
Stephenville	2	15	3	1	-	5	-	-	-	-	1	-	23	13	5	1	5	-	-
Balance of county	-	9	-	-	5	2	1	-	4	-	-	1	7	8	4	2	3	-	-
Falls	1	30	4	1	5	12	1	3	-	-	-	1	11	15	6	7	1	1	-
Fannin	2	19	3	4	23	13	3	1	1	-	2	3	68	26	7	6	2	-	1
Fayette	1	25	5	1	12	9	-	4	8	-	2	-	20	16	5	12	4	1	-
Fisher	-	6	1	-	2	5	-	1	1	-	1	-	1	10	-	-	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Floyd	88	-	-	-	9	3	2	-	2	1	-	1	1	50	40	1	-	33	6
Foard	33	-	-	-	10	2	3	-	3	1	-	1	-	14	12	-	-	11	1
Fort Bend	727	-	-	7	153	44	35	12	10	7	9	36	19	312	256	2	5	135	114
Houston, part	14	-	-	-	2	-	-	1	1	-	-	-	-	6	6	-	-	4	2
Missouri City, part	88	-	-	1	32	10	10	5	2	-	2	3	1	30	26	-	1	17	8
Missouri City, total	91	-	-	1	33	10	10	6	2	-	2	3	1	32	26	-	1	17	8
Rosenberg	133	-	-	-	23	4	4	3	3	-	2	7	8	60	52	1	-	25	26
Balance of county	492	-	-	6	96	30	21	3	4	7	5	26	10	216	172	1	4	89	78
Franklin	79	-	-	-	12	6	2	-	1	-	1	2	1	44	32	-	1	27	4
Freestone	222	-	1	-	42	9	11	2	8	2	-	10	3	112	94	-	2	64	28
Frio	105	1	-	-	20	4	4	-	2	-	-	10	6	40	32	-	4	18	10
Gaines	96	-	-	-	14	4	4	-	1	-	3	2	1	43	37	-	1	25	11
Galveston	1,699	2	1	26	396	100	138	27	31	12	15	73	33	777	644	3	16	441	184
Friendswood, part	46	-	-	1	9	2	4	-	-	-	-	3	-	17	13	-	-	7	6
Friendswood, total	56	-	-	1	12	2	5	-	1	1	-	3	-	19	15	-	-	9	6
Galveston	709	-	-	10	138	41	33	11	14	4	4	31	12	339	283	1	9	184	89
La Marque	127	-	-	1	35	4	16	5	4	1	-	5	3	53	45	-	1	35	9
League City	81	-	-	1	25	4	6	4	1	1	2	7	1	33	28	-	-	18	10
Texas City	331	1	-	4	97	29	41	5	2	4	3	13	9	150	123	1	4	80	38
Balance of county	405	1	1	9	92	20	38	2	10	2	6	14	6	185	152	1	2	117	32
Garza	59	-	-	1	9	1	5	-	-	1	-	2	2	27	19	-	-	11	8
Gillespie	195	-	-	1	50	15	12	6	2	4	2	9	-	99	77	1	-	39	37
Glasscock	9	-	-	-	1	-	-	-	-	-	-	1	-	4	3	-	-	2	1
Goliad	60	-	-	-	10	2	4	1	2	1	-	-	-	36	29	-	-	12	17
Gonzales	229	-	-	2	43	11	14	2	4	2	1	8	4	98	77	-	6	51	20
Gray	260	-	-	2	56	14	15	3	7	2	-	15	2	136	110	-	3	76	31
Pampa	213	-	-	2	47	11	13	3	7	2	-	11	1	117	92	-	3	62	27
Balance of county	47	-	-	-	9	3	2	-	-	-	-	4	1	19	18	-	-	14	4
Grayson	1,061	-	-	5	205	45	59	21	21	6	5	48	16	571	475	2	10	325	138
Denison	320	-	-	-	60	16	14	5	9	2	-	14	3	184	144	-	4	79	61
Sherman	384	-	-	1	76	16	23	8	4	4	5	16	9	194	171	-	4	142	25
Balance of county	377	-	-	4	69	13	22	8	8	-	-	18	4	193	160	2	2	104	52
Gregg	997	-	-	3	195	44	59	10	33	7	9	33	11	441	327	2	10	235	80
Kilgore, part	129	-	-	-	23	4	5	-	7	2	3	2	2	51	41	-	-	31	10
Kilgore, total	165	-	-	-	31	5	10	-	8	2	4	2	2	67	51	-	-	38	13
Longview, part	576	-	-	3	119	29	37	8	18	3	4	20	5	275	206	1	6	149	50
Longview, total	580	-	-	3	121	30	38	8	18	3	4	20	5	275	206	1	6	149	50
Balance of county	290	-	-	-	53	11	17	2	8	2	2	11	4	115	80	1	4	55	20
Grimes	213	-	-	1	40	13	10	-	5	2	1	9	3	112	96	-	3	50	43
Guadalupe	404	-	-	8	80	23	21	3	13	1	4	15	3	183	196	1	6	81	48
New Braunfels, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seguin	172	-	-	2	30	8	8	1	5	1	2	5	2	80	53	1	3	30	19
Balance of county	231	-	-	6	50	15	13	2	8	-	2	10	1	103	83	-	3	51	29
Hale	345	-	-	1	66	14	18	3	5	-	7	19	6	168	109	-	9	86	14
Plainview	233	-	-	1	48	11	13	3	4	-	6	11	2	114	72	-	8	56	8
Balance of county	112	-	-	-	18	3	5	-	1	-	1	8	4	54	37	-	1	30	6
Hall	74	-	-	2	13	3	2	-	3	1	1	3	-	48	40	-	1	31	6
Hamilton	135	-	-	1	29	6	7	-	6	2	-	8	2	57	44	-	-	30	14
Hansford	33	-	-	1	9	3	2	-	4	-	-	-	1	17	15	-	-	10	5
Hardeman	96	-	-	-	13	2	5	1	2	1	-	2	2	57	38	-	1	29	8
Hardin	379	1	-	4	82	13	29	2	6	6	3	23	-	142	105	-	4	69	32
Harris	15,546	24	1	224	3,312	752	1,050	274	323	131	129	653	252	6,403	5,099	28	215	3,075	1,781
Baytown, part	422	-	-	3	95	24	32	5	8	3	6	17	8	178	147	1	3	96	47
Baytown, total	422	-	-	3	95	24	32	5	8	3	6	17	8	178	147	1	3	96	47
Bellaire	131	-	-	-	35	5	11	2	2	-	3	12	1	60	47	-	-	34	13
Deer Park	92	-	-	1	22	5	7	4	2	1	-	3	1	38	30	-	-	21	9
Friendswood, part	10	-	-	-	3	-	1	-	1	1	-	-	-	2	2	-	-	2	-
Houston, part	11,835	22	1	189	2,467	578	762	203	249	107	88	480	201	4,949	3,916	21	174	2,326	1,395
Houston, total	11,849	22	1	189	2,469	578	762	204	250	107	88	480	201	4,949	3,922	21	174	2,330	1,397
La Porte	117	-	-	1	20	3	10	-	2	-	-	5	-	43	40	-	2	26	12
Missouri City, part	3	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Pasadena	658	-	-	6	145	32	50	7	13	5	9	29	14	269	212	1	13	127	71
Pearland, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
South Houston	81	-	-	1	16	3	5	1	3	-	-	4	2	34	30	-	-	17	13
West University Place	15	-	-	1	2	1	-	-	-	-	1	-	1	6	6	-	1	4	1
Balance of county	2,161	2	-	22	506	101	172	51	43	14	22	103	24	827	668	5	22	421	220
Harrison	573	1	-	6	110	31	25	12	8	11	5	18	10	260	184	-	5	120	59
Longview, part	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Marshall	347	-	-	3	69	22	14	9	5	4	4	11	8	163	118	-	5	79	34
Balance of county	224	1	-	3	39	8	10	3	3	7	1	7	2	97	66	-	-	41	25
Hartley	34	-	-	-	3	2	-	-	-	-	-	1	1	19	17	-	-	13	4
Haskell	117	-	-	1	14	3	3	-	1	1	-	6	4	61	41	1	2	30	8
Hays	251	-	-	5	59	14	21	5	7	2	3	7	7	94	70	-	1	47	22
San Marcos	148	-	-	4	33	10	9	4	4	1	2	3	6	53	41	-	1	22	18
Balance of county	103	-	-	1	26	4	12	1	3	1	1	4	1	41	29	-	-	25	4
Hemphill	33	-	-	-	5	1	-	-	3	1	-	-	-	16	11	-	-	8	3
Henderson	524	1	-	6	117	29	40	4	10	3	7	24	5	237	180	-	2	122	56
Athens	158	-	-	-	34	10	9	1	3	1	4	6	2	68	47	-	1	26	20
Balance of county	366	1	-	6	83	19	31	3	7	2	3	18	3	169	133	-	1	96	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	-	9	-	1	2	1	-	1	-	-	1	-	12	3	4	1	-	1	-
Foard	-	2	-	-	-	1	1	-	-	-	-	-	-	3	2	1	1	-	-
Fort Bend	2	44	6	4	22	14	-	6	9	-	15	11	5	62	37	26	17	20	2
Houston, part	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	1	-	-
Missouri City, part	-	4	-	-	1	-	-	-	-	-	1	4	-	6	3	-	4	5	-
Missouri City, total	-	6	-	-	1	-	-	-	-	-	1	4	-	6	3	-	4	5	-
Rosenberg	-	7	1	-	8	1	-	2	3	-	4	1	-	15	2	2	1	3	-
Balance of county	2	33	5	4	13	12	-	4	6	-	10	6	5	29	31	23	11	12	2
Franklin	1	5	4	2	2	4	2	2	1	-	-	1	1	4	2	2	-	1	-
Freestone	-	12	4	2	7	3	2	1	5	-	2	1	14	13	7	4	4	1	-
Frio	2	3	2	1	2	3	-	1	5	-	3	1	4	10	1	6	1	1	-
Gaines	1	3	1	1	2	4	-	1	-	-	-	2	5	10	5	7	2	-	-
Galveston	6	103	11	13	36	45	4	22	10	-	14	18	16	143	41	48	34	34	1
Friendswood, part	-	4	-	-	4	-	-	1	-	-	1	1	1	6	-	2	3	-	-
Friendswood, total	-	4	-	-	4	1	-	1	-	-	1	1	1	7	2	2	3	-	1
Galveston	4	40	5	7	21	20	1	11	6	-	7	9	4	73	16	18	8	16	-
La Marque	1	6	1	-	-	2	1	1	1	-	1	-	1	10	2	4	6	6	-
League City	-	3	1	1	2	1	-	1	-	-	-	1	1	7	5	-	2	1	-
Texas City	-	23	2	2	5	9	2	3	2	-	1	-	1	23	7	6	6	5	-
Balance of county	1	27	2	3	4	13	-	5	1	-	4	5	8	24	11	18	9	6	1
Garza	1	5	2	-	2	1	-	2	-	-	2	1	4	2	3	2	1	-	-
Gillespie	1	11	8	2	9	4	-	3	-	-	1	2	5	15	2	2	2	-	-
Glasscock	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
Goliad	-	7	-	-	1	2	-	-	-	-	1	-	2	5	-	2	1	-	-
Gonzales	-	16	-	3	10	7	1	2	-	-	2	2	29	15	3	4	3	4	-
Gray	-	17	5	4	11	9	1	-	4	-	2	3	3	17	3	10	6	1	-
Pampa	-	16	5	4	8	2	-	-	2	-	2	3	1	14	2	7	4	1	-
Balance of county	-	1	-	-	3	1	1	-	2	-	-	-	2	3	1	3	2	-	-
Grayson	4	76	8	8	27	34	2	11	7	-	6	5	19	79	29	22	12	11	-
Denison	1	33	3	3	7	13	-	2	2	-	3	2	2	24	7	6	3	2	-
Sherman	1	20	2	-	10	10	1	3	1	-	1	2	5	26	9	7	3	6	-
Balance of county	2	23	3	5	10	11	1	6	4	-	2	1	12	29	13	9	6	3	-
Gregg	4	94	12	4	22	34	4	5	8	1	9	11	66	74	41	35	18	18	1
Kilgore, part	-	9	1	-	6	5	-	1	2	-	1	1	10	6	9	4	6	2	-
Kilgore, total	1	11	3	1	7	6	-	1	4	-	2	1	13	7	10	5	6	3	-
Longview, part	3	58	5	3	12	18	3	2	4	1	6	7	22	49	20	16	6	9	1
Longview, total	3	58	5	3	12	18	3	2	4	1	6	7	22	49	20	16	6	9	1
Balance of county	1	27	6	1	4	11	1	2	2	-	2	3	34	19	12	15	6	7	-
Grimes	1	11	2	2	7	3	1	1	2	-	1	1	10	10	10	6	1	4	-
Guadalupe	1	39	5	2	9	17	1	2	6	-	1	4	14	34	18	6	12	6	-
New Braunfels, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Seguin	1	22	3	1	7	9	-	2	1	-	1	3	1	20	5	2	2	5	-
Balance of county	-	17	2	1	2	7	1	-	5	-	-	1	13	14	13	4	10	1	-
Hale	-	54	3	2	2	7	1	4	4	-	3	4	31	18	8	12	7	3	-
Plainview	-	39	2	1	2	5	1	3	2	-	2	4	16	11	3	11	6	2	-
Balance of county	-	15	1	1	-	2	-	1	2	-	1	-	15	7	5	1	1	1	-
Hall	-	7	1	-	-	1	-	2	1	-	-	1	-	2	-	1	2	1	-
Hamilton	-	12	1	-	6	4	1	2	5	-	-	-	2	11	4	4	2	5	-
Hansford	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
Hardeman	-	14	2	3	9	1	-	1	-	-	-	-	3	5	3	1	1	-	-
Hardin	2	29	4	2	15	5	-	5	6	-	2	2	58	23	16	13	3	2	-
Harris	36	1,048	116	104	362	446	37	229	152	2	154	320	137	1,177	634	550	408	708	14
Baytown, part	3	21	4	3	6	15	2	7	5	-	4	6	9	32	22	9	15	5	1
Baytown, total	3	21	4	3	6	15	2	7	5	-	4	6	9	32	22	9	15	5	1
Bellaire	-	8	3	2	2	7	-	1	1	-	-	1	-	8	4	3	5	3	-
Deer Park	-	8	-	-	3	1	-	2	-	-	-	-	-	7	4	6	5	2	-
Friendswood, part	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	1
Houston, part	28	824	91	84	289	313	27	176	120	1	115	263	100	928	413	396	260	602	9
Houston, total	28	824	91	84	289	314	27	176	120	1	115	263	100	930	414	397	261	602	9
La Porte	-	2	1	-	5	5	-	2	3	-	3	3	-	13	8	2	5	3	1
Missouri City, part	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pasadena	1	45	8	3	21	20	2	8	5	-	9	9	6	38	31	25	27	22	1
Pearland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Houston	-	4	-	-	2	-	-	2	1	-	-	2	1	6	6	6	-	2	-
West University Place	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	3	-	-
Balance of county	4	134	9	12	34	83	6	31	16	1	23	36	21	144	144	103	88	69	1
Harrison	1	67	1	7	8	14	-	7	3	1	2	6	52	45	19	16	4	8	1
Longview, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marshall	1	39	1	4	8	10	-	5	2	-	2	4	28	26	7	7	3	1	1
Balance of county	-	28	-	3	-	4	-	2	1	1	-	2	24	19	12	9	1	7	-
Hartley	-	1	-	1	1	-	1	-	1	-	-	-	-	5	3	-	-	-	-
Haskell	-	15	5	-	3	7	1	1	1	-	-	1	5	11	3	2	1	1	-
Hays	3	18	2	1	5	5	1	4	5	-	2	5	8	20	13	12	3	3	-
San Marcos	2	9	1	-	3	3	1	1	3	-	2	3	7	11	5	9	2	2	-
Balance of county	1	9	1	1	2	2	-	3	2	-	-	2	1	9	8	3	1	1	-
Hemphill	-	5	-	-	1	3	-	-	-	-	-	1	1	1	-	5	-	-	-
Henderson	3	44	5	5	11	19	3	6	2	-	4	1	31	28	16	18	8	10	1
Athens	-	17	2	2	5	5	2	2	2	-	1	1	11	12	3	6	2	2	-
Balance of county	3	27	3	3	6	14	1	4	-	-	3	-	20	16	13	12	6	8	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Hidalgo	1,712	6	-	27	288	63	67	19	42	11	15	71	32	729	576	2	13	402	159
Edinburg	133	1	-	3	24	6	6	1	2	-	1	8	3	67	51	-	-	25	26
McAllen	391	1	-	4	68	18	17	7	8	1	4	13	7	170	127	1	6	85	95
Mercedes	75	-	-	1	20	5	2	2	2	1	2	6	1	24	19	-	-	15	4
Mission	170	-	-	2	31	5	10	2	4	1	-	9	2	86	71	-	3	50	18
Pharr	128	1	-	6	24	6	3	1	6	1	-	7	2	48	38	-	1	26	11
Weslaco	198	-	-	2	39	9	8	3	9	2	1	7	3	97	75	1	-	56	18
Balance of county	617	3	-	9	82	14	21	3	11	5	7	21	14	237	195	-	3	145	47
Hill	422	-	-	3	81	29	19	7	9	3	6	8	4	218	150	1	4	108	37
Hockley	171	-	-	1	33	8	11	3	2	2	-	7	3	73	52	1	3	36	12
Levelland	114	-	-	1	22	5	8	2	2	2	-	3	1	51	36	-	2	26	8
Balance of county	57	-	-	-	11	3	3	1	-	-	-	4	2	22	16	1	1	10	4
Hood	176	1	-	-	30	6	11	3	2	-	2	6	1	63	44	-	-	36	8
Hopkins	316	-	-	3	73	18	19	7	11	4	2	12	5	155	106	2	-	67	37
Sulphur Springs	186	-	-	1	41	13	9	3	6	2	-	8	3	96	62	2	-	38	22
Balance of county	130	-	-	2	32	5	10	4	5	2	2	4	2	59	44	-	-	29	15
Houston	250	-	-	2	45	7	16	1	4	3	2	12	6	120	98	-	4	49	45
Howard	362	-	-	3	57	7	25	2	5	2	-	16	8	124	96	-	2	74	20
Big Spring	285	-	-	2	42	6	20	2	2	1	-	11	6	96	75	-	1	59	15
Balance of county	77	-	-	1	15	1	5	-	3	1	-	5	2	28	21	-	1	15	5
Hudspeth	14	-	-	-	2	-	1	-	-	-	-	1	-	7	5	-	-	1	4
Hunt	622	-	-	5	108	25	27	10	9	3	3	31	11	269	207	1	5	141	60
Greenville	283	-	-	1	56	16	9	5	6	1	1	18	6	112	81	-	3	58	20
Balance of county	339	-	-	4	52	9	18	5	3	2	2	13	5	157	126	1	2	83	40
Hutchinson	239	-	-	2	47	11	14	4	6	2	2	8	6	115	95	-	2	69	24
Borger	162	-	-	-	32	7	8	4	4	-	2	7	3	88	74	-	1	50	23
Balance of county	77	-	-	2	15	4	6	-	2	2	-	1	3	27	21	-	1	19	1
Irion	10	-	-	-	3	-	2	-	-	-	-	1	-	3	2	-	-	2	-
Jack	134	-	-	-	28	5	8	2	3	-	1	9	2	67	45	-	1	22	22
Jackson	117	-	-	-	30	5	6	2	3	1	2	11	-	58	45	-	2	36	7
Jasper	361	-	-	4	73	16	18	12	10	2	4	11	7	152	119	-	3	82	34
Jeff Davis	13	-	-	-	2	-	-	-	-	-	-	2	-	7	7	-	1	5	1
Jefferson	2,331	2	-	16	497	110	136	45	54	14	25	113	60	1,142	898	3	19	461	415
Beaumont	1,144	1	-	7	239	53	68	22	28	7	8	53	27	572	447	1	11	216	219
Groves	157	1	-	-	31	4	10	1	3	2	4	7	2	90	69	-	-	45	24
Nederland	99	-	-	1	30	5	8	2	7	-	1	7	1	42	35	1	2	20	12
Port Arthur	743	-	-	8	155	36	41	17	12	3	11	35	27	351	271	1	5	136	129
Port Neches	81	-	-	-	19	5	4	1	2	1	1	5	1	39	33	-	1	20	12
Balance of county	107	-	-	-	23	7	5	2	2	1	-	6	2	48	43	-	-	24	19
Jim Hogg	55	-	-	-	11	2	4	2	2	-	-	1	2	30	29	-	-	19	10
Jim Wells	307	1	-	7	68	13	22	3	8	4	2	16	10	162	124	2	-	93	29
Alice	189	1	-	5	46	8	17	3	4	3	2	9	3	105	81	-	-	61	20
Balance of county	118	-	-	2	22	5	5	-	4	1	-	7	7	57	43	2	-	32	9
Johnson	647	-	-	7	151	34	45	13	15	3	5	38	13	302	221	1	11	145	64
Burleson, part	99	-	-	1	22	7	8	1	2	-	-	4	2	44	35	-	1	20	14
Burleson, total	107	-	-	1	23	7	8	1	2	-	-	5	3	49	38	-	1	21	16
Cleburne	241	-	-	3	54	16	14	6	7	1	-	10	6	128	91	1	4	54	32
Balance of county	307	-	-	3	75	11	23	6	6	2	5	22	5	130	95	-	6	71	18
Jones	199	-	-	1	35	10	10	4	3	1	-	7	4	101	84	-	-	59	25
Abilene, part	4	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	195	-	-	1	34	10	9	4	3	1	-	7	4	100	83	-	-	59	24
Kames	150	-	-	2	28	7	6	1	4	1	1	8	3	76	63	1	5	41	16
Kaufman	493	-	-	5	86	21	25	12	10	4	2	12	10	201	150	2	4	97	47
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	161	-	-	-	33	11	11	4	3	1	-	3	6	71	47	1	1	29	16
Balance of county	332	-	-	5	53	10	14	8	7	3	2	9	4	130	103	1	3	88	31
Kendall	108	-	-	2	27	3	6	4	5	2	3	4	-	45	34	1	2	25	6
Kenedy	4	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1
Kent	14	-	-	-	1	-	-	-	1	-	-	-	1	4	2	-	-	2	-
Kerr	408	3	-	6	77	20	24	7	6	3	3	14	9	196	155	1	2	107	45
Kerrville	269	1	-	4	54	15	15	4	5	3	2	10	6	130	98	1	2	68	29
Balance of county	139	2	-	2	23	5	9	3	1	-	1	4	3	66	57	-	-	41	18
Kimble	57	-	-	-	14	3	4	-	2	-	-	5	-	27	22	-	-	18	4
King	6	-	-	-	1	-	-	-	-	1	-	-	-	4	4	-	-	4	-
Kinney	24	-	-	-	6	2	2	1	-	1	-	-	3	6	4	-	-	3	1
Kleberg	232	1	-	3	45	9	13	6	1	2	1	13	7	79	67	-	-	38	29
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	188	1	-	2	35	6	12	5	1	1	-	10	7	69	60	-	-	34	26
Balance of county	44	-	-	1	10	3	1	1	-	1	1	3	-	10	7	-	-	4	3
Knox	92	-	-	1	10	2	2	-	2	2	-	2	2	47	39	-	-	23	16
Lamar	517	-	-	5	96	24	21	5	11	5	3	27	7	233	169	-	5	115	49
Paris	389	-	-	3	70	18	14	5	9	3	2	19	6	179	131	-	5	87	39
Balance of county	128	-	-	2	26	6	7	-	2	2	1	8	1	54	38	-	-	28	10
Lamb	195	1	-	-	25	9	5	3	1	1	-	6	3	95	70	-	-	52	18
Lampasas	151	-	-	-	23	5	8	1	3	-	3	3	1	72	53	-	1	42	10
La Salle	63	1	-	-	10	-	2	-	-	1	-	7	3	38	34	-	7	17	10
Lavaca	252	1	-	4	50	19	7	2	7	2	3	10	4	134	108	-	3	62	43
Lee	120	-	-	1	23	7	4	2	4	1	-	5	3	45	38	-	2	18	18
Leon	163	-	-	-	34	6	11	2	3	3	1	8	2	76	60	1	1	37	21
Liberty	478	-	-	3	102	15	41	6	11	1	3	25	6	198	148	1	4	84	59
Limestone	301	-	-	3	44	13	11	1	3	2	2	12	3	166	133	-	1	97	35

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	3	112	21	17	52	30	7	18	21	-	14	42	164	123	63	55	19	22	-
Edinburg	-	10	5	1	-	1	1	1	3	-	1	5	7	10	3	2	-	1	-
McAllen	2	29	6	6	13	7	2	4	7	-	6	6	38	27	9	13	6	3	-
Mercedes	-	4	-	1	1	-	1	2	2	-	1	1	4	6	6	3	-	2	-
Mission	-	7	4	4	3	6	-	2	-	-	1	4	17	7	2	3	2	2	-
Pharr	-	8	1	1	3	1	-	-	1	-	-	2	14	10	8	4	1	3	-
Weslaco	1	20	1	-	10	2	-	-	1	-	-	2	15	13	3	6	3	2	-
Balance of county	-	34	4	4	22	13	3	9	7	-	5	22	69	50	32	24	7	9	-
Hill	1	43	19	5	10	18	2	2	5	-	1	-	19	31	10	12	1	5	-
Hockley	-	15	5	1	7	4	1	1	1	-	-	3	14	16	8	2	2	2	-
Levelland	-	9	5	1	5	3	1	1	1	-	-	1	11	8	4	1	2	1	-
Balance of county	-	6	-	-	2	1	-	-	-	-	-	2	3	8	4	1	-	1	-
Hood	-	15	1	3	6	5	-	3	4	-	1	-	24	18	11	5	4	-	-
Hopkins	-	42	4	3	8	6	1	-	8	-	4	2	11	25	8	7	2	-	-
Sulphur Springs	-	28	4	2	5	5	-	-	5	-	1	1	8	13	5	4	-	-	-
Balance of county	-	14	-	1	1	1	1	-	3	-	3	1	5	12	3	3	2	-	-
Houston	1	19	2	-	9	3	-	1	3	-	1	2	28	16	7	5	1	1	-
Howard	1	17	5	5	7	17	-	5	4	-	1	4	53	35	15	13	7	8	1
Big Spring	-	12	5	4	6	15	-	3	3	-	-	4	46	28	12	10	5	6	1
Balance of county	1	5	-	1	1	2	-	2	1	-	1	-	7	7	3	3	2	2	-
Hudspeth	-	1	-	1	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-
Hunt	5	48	5	4	22	20	1	5	12	-	5	3	67	36	23	15	11	6	3
Greenville	3	23	4	1	13	7	1	3	6	-	3	1	32	25	6	5	3	2	1
Balance of county	2	25	1	3	9	13	-	2	6	-	2	2	35	11	17	10	8	4	2
Hutchinson	-	15	2	3	3	8	2	4	3	1	2	1	3	15	13	8	5	-	1
Borger	-	11	2	1	2	3	1	4	2	-	2	1	3	10	3	4	4	-	-
Balance of county	-	4	-	2	1	5	1	-	1	1	-	-	-	5	10	4	1	-	1
Irion	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-
Jack	4	13	5	-	3	9	-	1	3	-	-	3	5	9	1	2	1	-	-
Jackson	1	11	-	1	1	2	-	1	3	-	3	1	1	8	3	2	3	1	-
Jasper	-	30	2	1	6	10	3	4	3	-	2	4	36	24	13	13	3	3	1
Jeff Davis	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-
Jefferson	4	183	41	16	56	51	5	34	23	1	19	28	22	179	67	50	37	40	2
Beaumont	-	93	25	7	31	21	-	14	12	1	11	19	10	92	29	19	18	20	1
Groves	2	14	4	1	4	4	-	-	2	-	-	-	1	11	6	2	1	2	-
Nederland	-	5	-	2	1	2	-	1	-	-	1	-	2	6	4	4	4	-	-
Port Arthur	1	63	10	6	13	21	4	18	9	-	7	8	5	56	18	21	6	16	-
Port Neches	1	4	1	-	3	1	1	-	-	-	-	-	1	6	3	3	3	1	-
Balance of county	-	4	1	-	4	2	-	1	-	-	-	1	3	8	7	1	5	1	1
Jim Hogg	-	-	-	1	-	-	-	2	-	-	1	-	2	3	3	1	-	-	-
Jim Wells	-	23	13	2	-	8	-	4	3	-	2	2	3	20	4	6	6	1	-
Alice	-	15	7	2	-	5	-	3	-	-	2	2	2	5	4	3	2	1	-
Balance of county	-	8	6	-	-	3	-	1	3	-	-	-	1	15	-	3	4	-	-
Johnson	3	57	10	11	16	25	4	2	7	-	4	6	9	49	22	22	5	3	-
Burleson, part	1	7	-	1	3	4	-	-	1	-	1	3	2	12	3	1	-	-	-
Burleson, total	1	9	-	1	3	4	-	-	1	-	1	3	2	12	3	2	-	-	-
Cleburne	1	27	4	5	4	11	1	2	3	-	1	3	4	11	4	4	2	-	-
Balance of county	1	23	6	5	9	10	3	-	3	-	2	-	3	26	15	17	3	3	-
Jones	-	14	1	2	7	8	1	-	4	-	-	-	10	13	5	8	-	2	-
Abilene, part	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Balance of county	-	14	1	2	7	8	1	-	4	-	-	-	9	13	4	8	-	2	-
Karnes	2	7	1	3	8	4	-	1	4	-	2	-	1	11	5	3	1	1	-
Kaufman	1	37	10	3	12	19	4	5	9	-	1	3	59	34	21	17	4	3	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	-	18	6	-	1	4	2	1	2	-	1	1	14	15	2	7	-	1	-
Balance of county	1	19	4	3	11	15	2	4	7	-	-	2	45	19	19	10	4	2	-
Kendall	-	7	2	2	4	7	2	3	2	-	-	-	4	7	2	3	-	-	-
Kenedy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Kent	-	1	-	1	-	-	-	-	-	-	-	-	5	1	-	1	1	-	-
Kerr	-	28	11	4	23	13	2	5	2	-	2	1	5	34	7	11	4	7	1
Kerrville	-	19	10	3	14	8	2	3	2	-	1	1	2	26	1	5	2	7	-
Balance of county	-	7	1	1	9	5	-	2	-	-	1	-	3	8	6	6	2	-	1
Kimble	1	2	1	1	2	1	-	-	1	-	-	1	1	-	7	2	-	1	-
King	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Kinney	-	2	-	-	1	-	-	1	-	-	-	1	3	-	-	3	-	-	-
Kleberg	-	8	2	2	4	9	-	1	6	-	1	2	25	18	15	7	4	5	-
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	-	7	2	-	4	8	-	1	5	-	-	2	17	13	12	4	3	5	-
Balance of county	-	1	-	2	-	1	-	-	1	-	1	-	8	5	3	3	1	-	-
Knox	-	8	-	-	1	1	-	1	-	-	1	3	2	13	4	3	2	1	-
Lamar	-	47	13	4	20	16	5	2	5	-	4	4	62	33	8	10	4	3	-
Paris	-	39	7	2	14	10	3	1	4	-	3	3	47	29	4	6	4	3	-
Balance of county	-	8	6	2	6	6	2	1	1	-	1	1	15	4	4	4	-	-	-
Lamb	-	22	-	3	7	11	1	-	1	-	1	1	18	12	7	9	1	2	-
Lampasas	-	18	1	-	4	5	-	2	2	-	-	-	22	9	3	6	2	-	-
La Salle	-	4	-	-	1	1	-	1	-	-	-	1	-	4	2	-	-	1	-
Lavaca	-	21	5	-	7	5	1	2	4	-	2	1	8	14	3	8	2	2	-
Lee	-	3	3	1	11	4	-	-	-	-	2	2	3	15	3	4	3	1	-
Leon	-	12	3	1	2	4	1	1	2	-	1	-	17	7	8	5	-	2	1
Liberty	1	36	10	3	6	16	2	4	7	-	4	6	47	30	22	12	6	7	-
Limestone	5	24	2	2	12	9	-	2	4	-	1	-	20	18	6	8	4	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lipscomb	33	-	-	-	5	2	1	1	-	-	-	1	3	13	7	-	-	4	3
Live Oak	72	-	-	-	10	3	1	-	1	1	1	3	1	36	23	-	1	17	5
Llano	200	-	-	1	36	12	11	-	3	-	1	9	1	67	68	-	1	51	16
Loving	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
Lubbock	1,434	-	1	13	274	54	75	22	31	11	9	72	25	671	536	9	6	261	260
Lubbock	1,177	-	1	13	216	47	57	20	24	8	7	53	20	554	441	8	6	200	227
Balance of county	257	-	-	-	58	7	18	2	7	3	2	19	5	117	95	1	-	61	33
Lynn	78	-	-	-	16	3	5	2	1	-	1	4	-	27	23	-	3	14	6
McCulloch	148	-	-	-	42	11	10	6	3	1	1	10	6	71	54	-	-	42	12
McLennan	1,716	1	-	19	339	75	95	20	30	16	16	87	22	678	665	2	8	514	141
Waco	1,235	1	-	16	236	59	65	17	20	9	10	56	18	649	474	2	8	369	95
Balance of county	481	-	-	3	103	16	30	3	10	7	6	31	4	229	191	-	-	145	46
McMullen	9	-	-	-	4	-	1	-	-	-	-	3	-	3	3	-	-	3	-
Madison	120	-	-	1	23	5	8	-	2	1	2	5	1	53	45	-	-	38	7
Marion	120	-	-	2	23	8	3	1	4	-	2	5	3	49	32	-	2	19	11
Martin	37	-	-	1	5	-	3	-	1	-	-	1	2	14	14	-	-	12	2
Mason	57	-	-	1	14	4	3	3	-	1	1	2	-	30	25	-	1	15	9
Matagorda	324	1	-	4	60	11	17	5	11	3	1	12	3	171	138	-	4	66	66
Bay City	169	1	-	-	28	7	9	2	4	2	-	4	1	94	76	-	4	41	31
Balance of county	155	-	-	4	32	4	8	3	7	1	1	8	2	77	62	-	-	27	35
Maverick	150	-	-	2	28	9	9	3	3	-	-	4	4	58	50	-	2	29	19
Eagle Pass	124	-	-	2	24	7	8	3	3	-	-	3	4	52	46	-	2	27	17
Balance of county	26	-	-	-	4	2	1	-	-	-	-	1	-	6	4	-	-	2	2
Medina	204	-	-	4	42	8	12	2	6	1	1	12	1	104	81	1	3	38	39
Menard	37	-	-	-	7	2	-	1	1	-	1	2	-	19	13	1	-	7	5
Midland	627	-	-	7	129	39	31	12	15	3	3	26	7	261	194	2	2	145	45
Midland	561	-	-	7	117	34	28	12	14	3	3	23	6	233	171	2	2	127	40
Balance of county	66	-	-	-	12	5	3	-	1	-	-	3	1	28	23	-	-	18	5
Milam	283	-	-	3	47	16	6	3	6	1	1	14	3	159	125	-	7	61	57
Mills	76	-	-	-	14	5	1	2	1	-	-	5	1	49	34	-	-	30	4
Mitchell	141	1	-	2	28	7	8	1	5	2	-	5	5	56	47	-	1	28	18
Montague	285	-	-	2	40	10	11	4	2	3	4	8	2	178	121	-	1	89	31
Montgomery	951	1	-	10	216	37	82	12	14	7	8	56	13	361	300	1	3	154	142
Conroe	203	-	-	3	46	12	18	2	-	-	3	11	1	87	69	-	1	39	29
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	748	1	-	7	170	25	64	10	14	7	5	45	12	274	231	1	2	115	113
Moore	114	-	-	-	25	6	6	2	4	-	-	7	-	44	31	-	1	19	11
Dumas	91	-	-	-	22	5	5	2	4	-	-	6	-	33	24	-	1	14	9
Balance of county	23	-	-	-	3	1	1	-	-	-	-	1	-	11	7	-	-	5	2
Morris	175	-	-	1	38	9	14	2	3	2	-	8	5	87	72	-	3	43	26
Motley	22	-	-	-	6	-	4	1	1	-	-	-	-	11	10	-	1	7	2
Nacogdoches	451	1	-	6	94	19	25	6	12	4	3	25	9	191	151	-	2	108	41
Nacogdoches	241	1	-	-	48	10	13	4	5	3	1	12	3	104	86	-	-	68	18
Balance of county	210	-	-	6	48	9	12	2	7	1	2	13	6	87	65	-	2	40	23
Navarro	463	-	-	8	86	29	9	8	14	4	5	17	11	181	117	1	5	82	29
Corsicana	308	-	-	4	54	18	9	6	9	3	2	8	7	130	80	1	3	59	17
Balance of county	155	-	-	4	32	11	1	2	5	1	3	9	4	51	37	-	2	23	12
Newton	156	-	-	1	32	8	4	5	4	1	1	9	2	62	53	1	-	30	22
Nolan	194	-	-	5	43	6	12	2	6	4	2	11	6	80	63	-	-	39	24
Sweetwater	148	-	-	3	33	5	9	2	5	3	1	8	2	63	47	-	-	32	15
Balance of county	46	-	-	2	10	1	3	-	1	1	1	3	4	17	16	-	-	7	9
Nueces	1,960	3	-	20	424	102	129	31	53	21	16	72	59	896	732	8	24	401	299
Corpus Christi, part	1,721	2	-	17	391	99	115	30	48	19	14	66	49	770	637	7	21	351	258
Corpus Christi, total	1,722	2	-	17	391	99	115	30	48	19	14	66	49	770	637	7	21	351	258
Portland, part	4	-	-	-	2	-	1	-	-	-	1	-	-	2	1	-	-	1	-
Robstown	114	-	-	-	15	2	6	-	1	2	1	3	3	64	49	1	2	30	16
Balance of county	121	1	-	3	16	1	7	1	4	-	-	3	7	60	45	-	1	19	25
Ochiltree	80	-	-	-	13	3	3	1	2	-	2	2	1	37	27	-	-	18	9
Oldham	9	-	-	-	6	2	2	1	1	-	-	-	-	1	1	-	-	-	1
Orange	617	-	-	2	113	22	45	9	5	2	5	25	7	221	184	1	1	115	67
Orange	226	-	-	-	46	11	17	5	2	1	1	9	1	84	71	1	-	39	31
Vidor	149	-	-	-	24	4	13	2	-	-	1	4	3	54	45	-	1	30	14
Balance of county	242	-	-	2	43	7	15	2	3	1	3	12	3	83	68	-	-	46	22
Palo Pinto	310	-	-	1	48	10	17	3	7	1	3	7	5	143	101	-	4	72	25
Mineral Wells, part	193	-	-	-	29	5	13	2	4	1	1	3	2	94	63	-	3	42	18
Mineral Wells, total	193	-	-	-	29	5	13	2	4	1	1	3	2	94	63	-	3	42	18
Balance of county	117	-	-	1	19	5	4	1	3	-	2	4	3	49	38	-	1	30	7
Panola	225	-	-	1	37	5	8	-	6	1	2	15	7	127	91	-	6	63	22
Parker	393	-	-	3	63	16	14	2	9	3	1	18	8	181	129	1	3	83	42
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	195	-	-	3	35	11	8	1	5	2	-	8	3	100	69	1	1	49	18
Balance of county	198	-	-	-	28	5	6	1	4	1	1	10	5	81	60	-	2	34	24
Parmer	76	-	-	3	9	-	5	-	2	-	-	2	2	31	25	-	-	19	6
Pecos	104	-	-	-	18	5	5	1	2	1	1	3	4	45	41	-	4	27	10
Polk	348	-	-	2	78	8	30	5	10	1	4	19	4	135	107	1	8	42	56
Potter	984	3	-	6	187	45	51	18	19	6	6	42	11	498	399	3	9	219	174
Amarillo, part	947	3	-	6	178	42	51	18	16	6	6	39	11	481	396	3	3	210	170
Amarillo, total	1,306	5	-	10	258	66	69	25	25	9	7	57	11	655	528	8	7	300	213
Balance of county	37	-	-	-	9	3	-	-	3	-	-	3	-	17	13	-	-	9	4
Presidio	42	1	-	-	9	3	3	1	1	-	-	1	-	17	15	-	-	8	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lipscomb	-	5	1	-	2	-	-	-	-	-	-	1	3	3	3	-	-	-	-
Live Oak	-	12	1	-	1	2	-	-	2	-	-	-	7	4	2	3	3	1	-
Llano	-	15	1	3	13	7	1	4	-	-	2	-	15	15	8	6	3	1	-
Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lubbock	4	102	17	12	25	51	6	8	9	-	13	31	30	116	49	43	38	31	-
Lubbock	3	85	15	10	22	42	5	7	8	-	9	28	23	99	36	31	34	29	-
Balance of county	1	17	2	2	3	9	1	1	1	-	4	3	7	17	13	12	4	2	-
Lynn	-	4	-	-	2	1	-	-	1	-	-	2	16	4	4	4	1	-	-
McCulloch	-	16	-	1	2	10	-	2	-	-	1	-	-	10	2	1	1	-	-
McLennan	8	168	17	20	55	51	6	14	26	-	8	24	33	126	25	42	25	21	1
Waco	8	138	14	15	36	39	4	12	19	-	5	22	12	90	15	31	18	14	-
Balance of county	-	30	3	5	19	12	2	2	7	-	3	2	21	36	10	11	9	7	1
McMullen	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Madison	-	7	1	-	5	4	-	-	-	-	-	1	15	7	8	2	-	-	-
Marion	-	12	4	1	1	3	-	1	4	-	2	1	4	14	5	4	1	3	-
Martin	-	-	-	-	-	1	1	1	-	-	1	1	1	3	5	1	-	-	-
Mason	1	3	1	-	1	2	-	-	-	-	1	1	-	4	3	-	-	-	-
Matagorda	1	28	1	3	4	3	4	5	6	-	-	3	3	20	13	18	2	4	-
Bay City	1	14	1	2	1	1	2	4	3	-	-	2	1	11	5	10	2	3	-
Balance of county	-	14	-	1	3	2	2	1	3	-	-	1	2	9	8	8	-	1	-
Maverick	-	7	-	1	2	6	-	1	3	1	1	1	13	13	5	9	1	2	-
Eagle Pass	-	6	-	-	2	6	-	1	3	1	1	1	9	7	3	6	1	1	-
Balance of county	-	1	-	1	-	-	-	-	-	-	-	-	4	6	2	3	-	1	-
Medina	1	17	3	2	8	3	-	2	3	-	2	1	1	20	3	5	3	2	-
Menard	-	4	2	-	2	1	-	-	-	-	-	-	-	6	-	1	-	1	-
Midland	4	47	10	6	14	22	1	10	5	-	10	23	6	55	27	27	16	7	-
Midland	4	42	10	6	13	22	1	10	5	-	6	18	5	52	23	22	15	6	-
Balance of county	-	5	-	-	1	-	-	-	-	-	4	5	1	3	4	5	1	1	-
Milam	-	25	8	1	10	8	-	2	6	-	1	1	10	17	-	10	3	2	1
Mills	2	2	11	-	1	-	-	-	-	-	-	-	5	4	-	2	-	-	-
Mitchell	-	7	1	1	2	2	-	-	1	-	-	1	18	15	3	5	2	-	-
Montague	-	46	6	5	3	13	-	2	1	-	-	-	9	19	4	10	1	1	-
Montgomery	3	39	7	12	20	27	7	11	6	-	7	5	71	62	44	37	24	27	2
Conroe	1	11	3	3	5	3	2	3	3	-	1	1	13	15	7	4	3	6	-
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	28	4	9	15	24	5	8	3	-	6	4	58	47	37	33	21	21	2
Moore	-	10	-	3	4	5	-	-	-	-	2	2	-	14	8	7	2	1	-
Dumas	-	7	-	2	4	4	-	-	-	-	1	2	-	10	8	5	2	-	-
Balance of county	-	3	-	1	-	1	-	-	-	-	1	-	-	4	-	2	-	1	-
Morris	1	13	1	-	8	2	1	3	5	-	-	-	3	10	3	6	1	1	1
Motley	-	1	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-
Nacogdoches	-	33	6	1	16	15	1	4	7	-	2	9	21	37	14	17	8	5	-
Nacogdoches	-	12	5	1	10	9	1	-	2	-	2	3	13	20	7	9	6	3	-
Balance of county	-	21	1	-	6	6	-	4	5	-	-	-	8	17	7	8	2	2	-
Navarro	2	52	4	6	8	12	3	6	3	-	1	1	66	43	10	16	4	3	1
Corsicana	-	43	3	4	5	9	1	4	1	-	1	-	41	33	3	11	2	1	1
Balance of county	2	9	1	2	3	3	2	2	2	-	-	1	25	10	7	5	2	2	-
Newton	-	8	1	-	8	6	-	-	1	-	1	1	23	11	2	3	3	-	-
Nolan	2	14	1	-	3	8	-	-	3	-	3	-	25	11	2	5	2	-	-
Sweetwater	1	14	1	-	3	4	-	-	3	-	2	-	20	9	2	3	1	-	-
Balance of county	1	-	-	-	-	2	-	-	-	-	1	-	5	2	-	2	1	-	-
Nueces	10	120	17	17	27	63	5	28	21	-	12	26	22	162	60	45	36	47	4
Corpus Christi, part	10	97	11	15	25	54	5	24	19	-	11	19	18	143	53	42	33	42	4
Corpus Christi, total	10	97	11	15	25	54	5	24	19	-	11	19	18	143	53	43	33	42	4
Portland, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Robstown	-	11	4	-	-	5	-	2	-	-	1	6	2	9	3	-	1	3	-
Balance of county	-	12	2	1	2	4	-	2	2	-	-	1	2	10	4	3	2	2	-
Ochiltree	-	7	1	2	4	-	-	-	1	-	-	1	3	8	8	4	2	-	-
Oldham	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Orange	1	25	6	5	8	20	-	7	10	-	7	11	98	37	31	21	13	9	2
Orange	1	7	3	2	3	9	-	2	1	-	2	4	32	12	9	11	6	3	1
Vidor	-	8	1	-	2	2	-	2	1	-	2	5	28	12	10	1	1	2	-
Balance of county	-	10	2	3	3	9	-	3	8	-	3	2	38	13	12	9	6	4	1
Palo Pinto	-	35	4	3	12	10	2	2	1	-	2	2	35	23	5	10	5	4	-
Mineral Wells, part	-	26	3	2	9	7	1	-	1	-	-	2	20	14	4	5	3	2	-
Mineral Wells, total	-	26	3	2	9	7	1	-	1	-	-	2	20	14	4	5	3	2	-
Balance of county	-	9	1	1	3	3	1	2	-	-	2	-	15	9	1	5	2	2	-
Panola	1	30	1	4	4	7	1	1	-	-	-	1	4	15	12	3	3	2	-
Parker	1	41	9	1	6	16	3	3	5	1	-	2	25	29	9	15	15	9	-
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	1	22	7	1	3	8	1	2	2	-	-	1	6	15	3	10	3	-	-
Balance of county	-	19	2	-	3	8	2	1	3	1	-	1	19	14	6	5	12	9	-
Parmer	-	5	1	-	2	1	1	-	-	-	1	1	8	8	6	3	-	-	-
Pecos	-	3	1	-	3	6	1	1	-	-	2	1	1	7	8	4	1	2	-
Polk	-	23	2	3	4	13	-	3	9	-	3	4	31	25	14	12	7	4	-
Potter	4	67	19	9	27	37	3	11	7	1	10	4	6	69	36	32	17	19	-
Amarillo, part	4	63	19	9	25	35	3	11	7	1	10	4	6	68	35	29	16	18	-
Amarillo, total	5	87	26	9	32	54	4	18	9	1	13	6	7	93	45	38	25	22	-
Balance of county	-	4	-	-	2	2	-	-	-	-	-	-	-	1	1	3	1	1	-
Presidio	-	2	-	-	-	1	1	-	-	-	-	-	5	3	-	2	-	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Rains	77	-	-	1	16	4	5	2	-	-	-	5	-	41	30	-	1	23	6
Randall	442	2	-	4	93	24	21	7	12	4	2	23	1	224	182	5	4	112	61
Amarillo, part	359	2	-	4	80	24	18	7	9	3	1	18	-	174	142	5	4	90	43
Canyon	47	-	-	-	7	-	1	-	2	-	1	3	1	34	29	-	-	14	15
Balance of county	36	-	-	-	6	-	2	-	1	1	-	2	-	16	11	-	-	8	3
Reagan	25	-	-	1	8	1	3	-	2	-	-	2	1	5	4	-	-	3	1
Real	30	-	-	-	7	2	4	-	-	-	-	1	-	9	8	-	-	6	2
Red River	225	-	-	2	40	13	15	3	2	-	2	5	2	118	87	1	-	67	19
Reeves	92	-	-	-	15	7	-	-	1	2	1	4	3	49	40	-	-	34	6
Pecos	73	-	-	-	13	5	-	-	1	2	1	4	2	38	31	-	-	25	6
Balance of county	19	-	-	-	2	2	-	-	-	-	-	-	1	11	9	-	-	9	-
Refugio	79	1	-	-	11	3	1	-	1	-	1	5	6	31	24	-	-	14	10
Roberts	5	-	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	1	1
Robertson	221	-	-	2	41	14	9	2	1	1	-	14	6	95	66	-	1	44	21
Rockwall	126	-	-	1	16	5	6	-	1	1	1	2	1	64	58	-	1	27	30
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	126	-	-	1	16	5	6	-	1	1	1	2	1	64	58	-	1	27	30
Runnels	178	-	-	3	30	4	7	5	2	4	-	8	4	87	55	1	1	42	11
Rusk	485	-	-	4	86	22	23	3	15	5	4	14	10	229	167	-	4	127	35
Henderson	148	-	-	2	26	4	5	1	7	2	1	6	2	78	58	-	2	45	11
Kilgore, part	36	-	-	-	8	1	5	-	1	-	1	-	-	16	10	-	-	7	3
Balance of county	301	-	-	2	52	17	13	2	7	3	2	8	8	135	99	-	2	75	22
Sabine	106	-	-	-	19	3	8	1	1	1	1	4	3	53	47	-	-	36	11
San Augustine	121	1	-	1	27	8	8	1	4	-	3	3	1	61	52	-	2	37	13
San Jacinto	129	-	-	2	22	5	6	2	2	-	1	6	3	54	44	-	-	21	23
San Patricio	423	1	-	5	95	26	28	6	10	-	4	21	9	170	126	1	1	89	35
Corpus Christi, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	42	-	-	-	9	2	3	3	-	-	-	1	1	16	14	-	-	10	4
Portland, total	46	-	-	-	11	2	4	3	-	-	1	1	1	20	15	-	-	11	4
Balance of county	380	1	-	5	86	24	25	3	10	-	4	20	8	152	112	1	1	79	31
San Saba	86	-	-	-	19	2	7	1	2	1	-	6	-	46	38	-	-	19	19
Schleicher	23	-	-	-	5	1	1	-	1	1	-	1	-	6	6	-	-	5	1
Scurry	174	-	-	-	40	5	12	5	9	2	-	7	3	64	49	-	-	40	9
Snyder	143	-	-	-	34	4	9	4	9	2	-	6	2	52	40	-	-	32	8
Balance of county	31	-	-	-	6	1	3	1	-	-	-	1	1	12	9	-	-	8	1
Shackelford	53	-	-	1	7	3	4	-	-	-	-	-	1	33	22	-	3	12	7
Shelby	284	-	-	-	55	11	15	5	8	-	2	14	2	126	86	-	2	62	22
Sherman	34	-	-	-	6	-	1	1	1	-	-	3	-	19	18	-	-	15	3
Smith	1,246	1	-	12	285	63	86	23	36	5	13	59	28	614	465	1	8	299	157
Tyler	722	-	-	8	161	41	36	20	24	3	9	28	18	367	272	1	6	175	90
Balance of county	524	1	-	4	124	22	50	3	12	2	4	31	10	247	193	-	2	124	67
Somervell	62	-	-	-	10	3	1	1	2	1	1	1	1	28	19	-	1	14	4
Starr	127	1	-	1	17	4	2	2	3	1	1	4	4	69	59	-	-	28	33
Stephens	137	-	-	-	21	3	7	3	1	2	-	5	4	77	58	-	1	53	4
Sterling	11	-	-	-	3	-	2	-	-	-	-	1	1	4	3	-	-	2	1
Stonewall	28	-	-	-	6	2	1	-	1	-	-	2	-	13	12	-	1	8	5
Sutton	40	-	-	-	10	3	2	1	1	1	1	1	-	18	15	-	-	12	3
Swisher	88	-	-	-	12	3	3	-	3	-	-	3	1	47	34	1	-	26	7
Tarrant	6,772	10	1	62	1,442	347	432	137	148	68	50	260	128	3,078	2,301	16	148	1,439	698
Arlington	831	-	-	5	174	42	43	18	14	12	6	39	10	362	279	5	19	187	68
Bedford	121	-	-	1	31	8	6	2	4	1	2	8	4	53	45	1	2	29	19
Benbrook	63	-	-	-	16	4	5	2	1	-	-	4	2	25	21	-	1	13	7
Burleson, part	8	-	-	-	1	-	-	-	-	-	-	1	1	5	3	-	-	1	2
Euless	100	-	-	2	16	5	6	1	2	1	-	1	-	43	37	-	1	24	12
Forest Hill	65	-	-	-	17	4	8	1	1	1	-	2	2	24	19	1	-	10	8
Fort Worth	3,985	9	-	40	840	208	250	85	93	35	25	144	77	1,814	1,310	7	98	759	446
Grand Prairie, part	54	-	-	-	7	1	3	-	1	-	-	2	1	24	14	-	-	11	3
Grapevine, part	100	-	-	2	22	4	5	1	4	1	2	5	-	49	39	-	2	25	12
Grapevine, total	100	-	-	2	22	4	5	1	4	1	2	5	-	49	39	-	2	25	12
Haltom City	226	1	-	1	45	9	19	5	3	1	1	7	5	113	91	2	4	61	24
Hurst	188	-	-	2	41	12	10	7	2	3	1	6	2	84	65	-	2	45	18
North Richland Hills	116	-	-	1	20	5	8	1	-	-	-	6	1	59	43	-	4	28	11
Watauga	43	-	-	-	13	3	4	-	1	-	2	3	2	13	13	-	1	8	4
White Settlement	98	-	-	1	19	2	8	1	1	1	1	5	6	43	38	-	2	32	4
Balance of county	774	-	1	7	180	40	57	13	21	12	10	27	15	367	284	-	12	206	66
Taylor	997	-	-	12	199	48	37	21	21	7	8	57	17	433	314	3	7	203	101
Abilene, part	847	-	-	11	170	41	32	19	15	5	7	51	16	358	254	3	7	167	77
Abilene, total	851	-	-	11	171	41	33	19	15	5	7	51	16	359	255	3	7	167	78
Balance of county	150	-	-	1	29	7	5	2	6	2	1	6	1	75	60	-	-	36	24
Terrell	13	-	-	1	2	-	-	-	-	1	-	1	4	3	2	-	1	1	-
Terry	140	-	-	-	31	4	8	3	2	1	3	10	2	69	56	-	3	36	17
Brownfield	114	-	-	-	23	3	7	2	2	1	2	6	2	59	49	-	3	31	15
Balance of county	26	-	-	-	8	1	1	1	-	-	1	4	-	10	7	-	-	5	2
Throckmorton	33	-	-	-	8	-	2	1	-	-	2	3	-	15	11	-	-	4	7
Titus	270	-	-	3	67	11	26	6	8	2	4	10	3	114	79	-	1	48	30
Mount Pleasant	170	-	-	2	38	8	14	5	4	1	2	4	2	76	49	-	1	27	21
Balance of county	100	-	-	1	29	3	12	1	4	1	2	6	1	38	30	-	-	21	9
Tom Green	799	2	-	7	148	44	36	8	14	9	6	31	17	408	256	-	3	145	108
San Angelo	731	2	-	4	135	41	33	8	13	7	6	27	15	371	230	-	3	132	95
Balance of county	68	-	-	3	13	3	3	-	1	2	-	4	2	37	26	-	-	13	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Rains	-	8	1	2	-	2	-	1	1	-	-	2	3	4	1	2	1	1	1
Randall	2	32	8	-	8	24	1	7	2	-	3	3	1	27	19	9	9	5	-
Amarillo, part	1	24	7	-	7	19	1	7	2	-	3	2	1	25	10	9	9	4	-
Canyon	1	3	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-	1	-
Balance of county	-	5	-	-	1	3	-	-	-	-	-	1	-	2	7	-	-	-	-
Reagan	-	1	-	-	-	2	-	-	-	-	1	1	-	2	3	1	-	-	-
Real	-	-	1	-	3	2	-	-	-	-	-	-	-	3	2	4	-	-	-
Red River	1	29	-	1	4	2	-	2	1	-	-	-	25	12	7	4	3	3	-
Reeves	1	7	-	1	4	3	-	3	1	-	-	-	3	6	3	1	-	1	-
Pecos	1	5	-	1	4	2	-	3	1	-	-	-	2	4	2	1	-	1	-
Balance of county	-	2	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-
Refugio	1	6	-	-	4	2	-	1	1	-	-	-	10	4	3	3	1	1	-
Roberts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Robertson	-	16	12	1	8	4	-	-	4	-	2	2	15	18	7	13	1	3	-
Rockwall	-	4	1	1	3	4	-	2	2	-	-	1	4	10	5	6	6	1	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	4	1	1	3	4	-	2	2	-	-	1	4	10	5	6	6	1	-
Runnels	2	24	3	3	10	9	-	-	1	-	1	-	4	17	4	5	2	1	-
Rusk	1	51	5	5	14	14	-	-	8	-	3	3	56	29	10	9	1	8	1
Henderson	-	18	-	2	4	6	-	-	1	-	1	-	13	8	3	3	-	1	-
Kilgore, part	1	2	2	1	1	1	-	-	2	-	1	-	3	1	1	1	-	1	-
Balance of county	-	31	3	2	9	7	-	-	5	-	1	3	40	20	6	5	1	6	1
Sabine	-	6	-	-	5	3	-	-	1	-	1	1	-	6	7	3	4	-	-
San Augustine	-	7	-	2	-	5	-	2	2	-	-	2	2	7	6	3	1	-	-
San Jacinto	-	7	2	1	3	5	-	1	2	-	-	-	8	15	5	5	3	1	-
San Patricio	2	34	4	4	18	18	-	10	2	-	2	5	27	32	10	11	1	5	2
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Portland, part	-	4	-	-	3	2	-	2	-	-	-	-	-	4	-	2	-	1	-
Portland, total	-	4	-	1	3	2	-	2	-	-	-	-	-	4	-	2	-	1	-
Balance of county	2	30	4	4	15	16	-	8	2	-	2	5	27	28	10	8	1	4	2
San Saba	-	4	2	2	2	3	-	-	2	-	1	-	5	4	2	2	-	-	-
Schleicher	-	-	-	-	1	2	-	-	-	-	-	-	6	2	-	1	-	-	-
Scurry	-	13	-	2	2	9	1	2	2	-	1	2	20	9	7	9	2	1	-
Snyder	-	11	-	1	2	9	1	2	1	-	1	2	16	8	4	7	1	1	-
Balance of county	-	2	-	1	-	-	-	-	1	-	-	-	4	1	3	2	1	-	-
Shackelford	1	10	-	-	5	-	-	1	-	-	-	-	1	1	1	-	2	-	-
Shelby	-	35	3	2	8	3	-	4	1	-	3	2	41	17	6	10	1	5	-
Sherman	-	1	-	-	1	1	-	-	-	-	-	-	-	2	4	1	-	-	-
Smith	7	124	11	7	32	35	4	12	10	-	3	13	11	82	39	28	23	15	1
Tyler	3	81	8	3	18	13	2	6	4	-	2	12	4	49	17	16	14	12	1
Balance of county	4	43	3	4	14	22	2	6	6	-	1	1	7	33	22	12	9	3	-
Somervell	-	7	1	1	1	3	-	1	-	-	-	-	3	7	5	3	-	-	-
Starr	2	4	4	-	2	-	-	2	3	-	3	1	5	10	3	4	1	1	-
Stephens	1	14	1	3	2	4	1	4	2	-	1	2	5	8	3	1	1	1	-
Sterling	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Stonewall	-	1	-	-	1	-	-	-	-	-	-	-	2	2	2	-	2	-	-
Sutton	1	2	-	-	-	1	-	1	1	-	-	-	1	-	6	-	2	-	-
Swisher	-	11	1	1	3	2	1	-	-	-	1	2	4	6	3	3	2	1	-
Tarrant	23	588	108	58	154	287	21	96	61	2	63	107	73	519	205	192	117	140	14
Arlington	2	56	20	5	22	32	3	9	11	-	7	16	8	59	42	34	21	15	1
Bedford	1	6	-	1	2	4	-	1	-	-	2	2	1	9	2	2	3	3	1
Benbrook	-	3	1	-	1	2	-	-	-	-	-	-	1	7	4	-	3	2	-
Burleson, part	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Euless	-	6	-	-	2	7	-	-	-	-	5	1	-	5	12	2	4	1	-
Forest Hill	1	4	-	-	-	3	-	1	1	-	2	4	1	4	1	4	-	1	-
Fort Worth	19	396	51	38	95	168	16	67	39	2	31	69	49	340	88	89	50	94	10
Grand Prairie, part	-	5	5	-	4	3	-	-	1	-	-	-	2	3	3	1	1	3	1
Grapevine, part	-	8	1	1	1	7	1	2	-	-	-	-	2	9	-	3	1	-	1
Grapevine, total	-	8	1	1	1	7	1	2	-	-	-	-	2	9	-	3	1	-	1
Hallom City	-	14	4	4	4	6	1	5	1	-	1	2	2	16	5	10	6	2	-
Hurst	-	10	5	4	5	8	-	2	1	-	2	3	3	8	9	12	3	3	-
North Richland Hills	-	11	4	1	-	2	-	1	-	-	5	1	1	8	5	5	6	1	-
Watauga	-	-	-	-	-	1	-	-	-	-	2	1	-	3	3	1	3	1	-
White Settlement	-	4	1	-	5	4	-	-	1	-	-	1	1	9	2	-	4	2	-
Balance of county	-	63	16	4	19	40	-	8	6	-	6	7	2	39	91	28	12	12	-
Taylor	7	91	12	9	25	43	3	5	8	-	10	15	70	66	28	31	21	10	1
Abilene, part	7	79	9	9	20	40	3	5	8	-	10	15	54	60	20	28	19	9	1
Abilene, total	7	79	9	9	20	40	3	5	8	-	10	15	55	60	21	28	19	9	1
Balance of county	-	12	3	-	5	3	-	-	-	-	-	-	16	6	8	3	2	1	-
Terrell	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Terry	-	11	2	-	4	1	-	-	1	-	-	4	2	17	4	2	3	-	-
Brownfield	-	8	2	-	3	-	-	-	1	-	-	4	2	16	2	1	1	-	-
Balance of county	-	3	-	-	1	1	-	-	-	-	-	-	-	1	2	1	2	-	-
Throckmorton	-	4	-	-	1	1	-	-	1	-	-	1	2	2	-	1	-	1	-
Titus	3	20	4	8	8	6	5	2	4	-	1	1	6	30	12	3	1	4	-
Mount Pleasant	3	14	4	6	5	4	1	1	3	-	1	1	5	20	6	2	-	3	-
Balance of county	-	6	-	2	3	2	4	1	1	-	-	-	1	10	6	1	1	1	-
Tom Green	1	119	21	11	14	38	1	10	4	-	3	12	11	46	23	31	11	13	-
San Angelo	-	109	21	11	13	37	-	10	3	-	3	11	10	44	21	29	10	13	-
Balance of county	1	10	-	-	1	1	1	-	1	-	-	1	1	2	2	2	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Travis	2,622	4	-	35	584	152	145	49	76	23	33	106	46	1,068	765	6	46	421	292
Austin, part	2,242	3	-	31	487	125	116	44	65	20	28	89	40	932	668	5	42	368	253
Austin, total	2,243	3	-	31	487	125	116	44	65	20	28	89	40	933	669	5	42	368	254
Round Rock, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	379	1	-	4	97	27	29	5	11	3	5	17	6	136	97	1	4	53	39
Trinity	129	-	-	-	24	3	10	-	3	-	1	7	-	67	53	-	1	21	31
Tyler	206	-	-	2	38	5	10	4	7	2	1	9	4	117	89	-	2	53	34
Upshur	307	-	-	8	62	13	18	7	4	-	2	18	7	146	106	-	3	76	27
Upton	33	-	-	-	7	2	2	-	2	-	-	1	1	15	9	-	2	3	4
Uvalde	188	-	-	2	28	7	5	2	2	1	2	8	5	78	56	2	-	33	21
Uvalde	134	-	-	2	19	5	4	2	1	1	2	4	4	60	40	2	-	25	13
Balance of county	55	-	-	-	9	2	2	-	1	-	-	4	1	19	16	-	-	8	8
Val Verde	250	-	-	6	42	14	11	1	2	-	-	14	8	100	81	-	2	65	14
Del Rio	221	-	-	5	38	12	10	1	1	-	-	14	8	93	74	-	1	59	14
Balance of county	29	-	-	1	4	2	1	-	1	-	-	-	-	7	7	-	1	6	-
Van Zandt	428	1	-	3	75	7	19	8	5	4	3	28	4	234	193	-	3	131	59
Victoria	506	2	-	9	117	28	38	8	8	5	5	25	9	228	185	1	7	137	40
Victoria	420	2	-	8	96	23	30	6	7	5	2	23	9	187	150	1	5	112	32
Balance of county	86	-	-	1	21	5	8	2	1	-	3	2	-	41	35	-	2	25	8
Walker	251	-	-	3	50	11	10	5	3	3	1	17	2	121	99	1	2	49	47
Huntsville	143	-	-	2	22	5	4	4	2	-	-	7	1	89	58	-	1	31	26
Balance of county	108	-	-	1	28	6	6	1	1	3	1	10	1	52	41	1	1	18	21
Waller	169	-	-	4	29	6	8	3	3	-	2	7	6	83	67	2	2	30	33
Ward	121	-	-	1	23	3	7	1	5	-	2	5	-	45	39	-	1	23	15
Washington	285	-	-	2	56	13	17	5	5	3	1	12	2	158	114	2	1	64	47
Brenham	153	-	-	1	28	3	11	3	3	-	-	8	1	87	57	-	-	28	29
Balance of county	132	-	-	1	28	10	6	2	2	3	1	4	1	71	57	2	1	36	18
Webb	690	4	-	12	142	47	31	11	14	11	5	23	29	254	203	2	4	129	68
Laredo	673	3	-	12	141	47	30	11	14	11	5	23	29	248	201	2	4	127	68
Balance of county	17	1	-	-	1	-	1	-	-	-	-	-	-	6	2	-	-	2	-
Wharton	402	-	-	4	64	19	23	4	8	1	1	8	9	200	146	1	7	83	55
El Campo	125	-	-	1	19	5	9	1	2	1	-	1	1	74	59	-	1	36	22
Balance of county	277	-	-	3	45	14	14	3	6	-	1	7	8	126	87	1	6	47	33
Wheeler	75	-	-	-	16	7	2	1	1	1	1	3	2	42	32	-	-	25	7
Wichita	1,099	1	-	16	229	46	76	10	25	15	11	46	23	524	395	-	13	228	154
Burkburnett	102	-	-	-	20	5	6	1	3	2	-	3	2	47	34	-	-	20	14
Wichita Falls, part	883	1	-	14	172	36	55	6	18	12	9	36	18	426	323	-	11	188	124
Wichita Falls, total	883	1	-	14	172	36	55	6	18	12	9	36	18	426	323	-	11	188	124
Balance of county	114	-	-	2	37	5	15	3	4	1	2	7	3	51	38	-	2	20	16
Wilbarger	220	1	-	-	34	7	10	-	7	3	3	4	3	110	89	-	-	69	20
Vernon	191	1	-	-	27	3	10	-	6	3	2	3	3	101	82	-	-	63	19
Balance of county	29	-	-	-	7	4	-	-	1	-	1	1	-	9	7	-	-	6	1
Willacy	128	-	-	1	19	3	4	1	3	1	1	6	3	61	50	-	1	35	14
Williamson	588	-	-	5	104	20	32	13	7	5	3	24	7	303	214	1	2	144	67
Austin, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Round Rock, part	75	-	-	-	17	4	4	2	-	1	1	5	2	31	20	-	-	6	14
Round Rock, total	76	-	-	-	17	4	4	2	-	1	1	5	2	31	20	-	-	6	14
Taylor	146	-	-	1	22	3	9	3	3	-	1	3	-	72	45	-	1	36	8
Balance of county	366	-	-	4	65	13	19	8	4	4	1	16	5	198	148	1	1	102	44
Wilson	178	-	-	2	36	11	13	3	-	1	2	6	1	98	80	-	2	43	35
Winkler	87	-	-	-	16	3	3	1	1	3	3	2	-	45	36	-	4	21	11
Wise	238	-	-	3	39	7	12	3	3	2	1	11	3	134	107	-	3	71	33
Wood	368	-	-	-	68	14	25	4	8	3	2	12	5	195	141	-	2	89	50
Yoakum	61	-	-	-	9	1	5	1	1	-	-	1	1	23	21	1	-	15	5
Young	240	-	-	-	50	9	13	6	6	1	2	13	14	92	65	-	-	42	23
Zapata	62	-	-	-	13	3	4	-	2	-	1	3	1	33	32	-	-	22	10
Zavala	75	-	-	1	16	5	3	1	2	-	-	5	-	39	27	-	-	18	9
Utah	8,512	7	-	87	1,482	376	262	148	216	48	85	347	180	3,788	2,940	78	81	1,804	977
Urban places	4,639	3	-	55	799	206	148	79	116	26	38	186	103	2,100	1,632	44	51	997	540
Balance of area	3,873	4	-	32	683	170	114	69	100	22	47	161	77	1,688	1,308	34	30	807	437
Metropolitan counties	6,483	7	-	69	1,147	294	209	118	164	34	66	262	139	2,867	2,238	61	67	1,383	727
Urban places	4,221	3	-	52	740	195	134	74	106	23	38	170	93	1,905	1,499	37	48	919	495
Balance of area	2,262	4	-	17	407	99	75	44	58	11	28	92	46	962	739	24	19	464	232
Nonmetropolitan counties	2,029	-	-	18	335	82	53	30	52	14	19	85	41	921	702	17	14	421	250
Urban places	418	-	-	3	59	11	14	5	10	3	-	16	10	195	133	7	3	78	45
Balance of area	1,611	-	-	15	276	71	39	25	42	11	19	69	31	726	569	10	11	343	205
Beaver	47	-	-	1	11	-	5	1	2	1	1	1	-	25	23	-	-	17	6
Box Elder	194	-	-	-	25	6	4	4	7	2	1	1	2	96	67	7	2	35	23
Brigham City	85	-	-	-	11	2	4	2	3	-	-	-	-	38	26	4	1	12	9
Balance of county	109	-	-	-	14	4	-	2	4	2	1	1	2	58	41	3	1	23	14
Cache	310	-	-	2	50	15	5	1	7	1	3	18	14	140	92	4	2	61	25
Logan	135	-	-	1	18	4	2	1	2	-	-	9	9	60	39	3	-	26	10
Balance of county	175	-	-	1	32	11	3	-	5	1	3	9	5	80	53	1	2	35	15
Carbon	162	-	-	2	32	10	4	3	4	1	3	7	5	74	60	2	2	38	18
Daggett	3	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	2	-
Davis	608	-	-	6	120	28	25	10	13	1	8	35	9	273	211	6	7	136	62
Bountiful	188	-	-	2	36	8	3	4	6	1	3	11	4	91	67	2	2	46	17
Clearfield	69	-	-	1	11	1	7	-	-	-	1	2	-	32	27	-	1	19	7
Layton	107	-	-	1	23	7	7	1	-	-	-	8	3	47	36	1	-	22	13
Balance of county	244	-	-	2	50	12	8	5	7	-	4	14	2	103	81	3	4	49	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	5	209	67	22	70	93	5	25	23	-	25	22	47	251	113	83	60	64	4
Austin, part	5	182	58	19	59	71	4	19	20	-	23	18	40	221	92	71	50	56	4
Austin, total	5	182	58	19	59	71	4	19	20	-	23	19	40	221	92	71	50	56	4
Round Rock, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Balance of county	-	27	9	3	11	22	1	6	3	-	2	3	7	30	21	11	10	8	-
Trinity	-	12	2	-	1	4	-	2	1	-	1	1	2	15	3	6	1	1	-
Tyler	-	23	-	5	5	5	-	-	5	-	-	-	11	9	2	6	-	2	-
Upshur	-	31	7	2	7	15	-	1	4	-	4	5	2	22	8	8	2	6	-
Upton	-	5	1	-	1	1	-	-	-	-	-	-	2	1	1	2	-	2	-
Uvalde	1	16	3	1	7	6	-	1	4	-	3	-	15	18	9	9	1	3	-
Uvalde	1	15	3	1	3	3	-	-	1	-	3	-	11	13	5	7	1	2	-
Balance of county	-	3	-	-	4	3	-	1	3	-	-	-	4	5	3	2	-	1	-
Val Verde	-	18	1	-	6	2	1	4	4	-	3	7	17	28	7	8	3	3	1
Del Rio	-	18	1	-	5	2	1	4	3	-	3	6	12	25	6	6	2	2	-
Balance of county	-	-	-	-	1	-	-	-	1	-	-	1	5	3	1	2	1	1	1
Van Zandt	2	31	6	2	11	20	-	4	3	-	-	5	3	27	17	15	6	-	-
Victoria	-	35	6	2	14	7	2	8	2	-	3	5	4	45	17	17	9	7	1
Victoria	-	31	5	1	13	5	2	7	1	-	2	5	4	40	11	12	9	6	1
Balance of county	-	4	1	1	1	2	-	1	1	-	1	-	-	5	6	5	-	1	-
Walker	1	15	3	3	16	9	-	2	2	-	1	3	3	15	7	8	3	6	-
Huntsville	-	9	1	1	10	6	-	2	1	-	1	1	3	11	5	4	2	3	-
Balance of county	1	6	2	2	6	3	-	-	1	-	-	2	-	4	2	4	1	3	-
Waller	1	12	1	2	5	5	-	4	3	-	3	1	1	24	7	4	4	6	-
Ward	-	6	-	-	1	3	1	1	-	-	2	1	7	13	12	6	4	-	1
Washington	-	33	6	5	9	4	-	1	4	-	3	1	14	14	5	6	4	2	-
Brenham	-	22	5	3	6	2	-	1	2	-	2	1	6	7	4	2	1	2	-
Balance of county	-	11	1	2	3	2	-	-	2	-	1	-	8	7	1	4	3	-	-
Webb	-	45	1	5	14	13	-	9	7	1	13	25	42	62	21	23	7	12	-
Laredo	-	43	-	4	13	13	-	9	7	1	13	23	40	61	21	20	7	12	-
Balance of county	-	2	1	1	1	-	-	-	-	-	-	2	2	1	-	3	-	-	-
Wharton	4	41	5	4	7	16	-	3	2	-	1	3	27	28	8	19	4	6	1
El Campo	1	12	-	2	3	2	-	2	-	-	1	1	4	9	-	3	2	3	-
Balance of county	3	29	5	2	4	14	-	1	2	-	-	2	23	19	8	16	2	3	1
Wheeler	-	8	2	-	1	-	-	2	1	-	2	-	2	3	4	-	-	-	-
Wichita	7	105	7	10	39	25	4	20	9	-	5	10	15	94	26	31	13	15	1
Burkburnett	1	11	-	1	5	3	-	-	-	-	-	2	2	12	3	3	1	2	-
Wichita Falls, part	5	84	6	8	30	17	4	19	9	-	5	8	11	77	22	25	11	13	1
Wichita Falls, total	5	84	6	8	30	17	4	19	9	-	5	8	11	77	22	25	11	13	1
Balance of county	1	10	1	1	3	5	-	1	-	-	-	-	2	5	1	3	1	-	-
Wilbarger	-	17	3	1	12	9	-	1	1	-	1	6	7	15	6	8	3	3	-
Vernon	-	15	3	1	12	8	-	-	1	-	1	4	6	12	5	7	1	2	-
Balance of county	-	2	-	-	-	1	-	1	-	-	-	2	1	3	1	1	2	1	-
Willacy	-	6	1	4	8	1	-	2	4	-	-	3	5	12	5	4	-	-	-
Williamson	1	74	11	3	11	11	1	5	7	-	5	5	4	51	28	18	16	6	1
Austin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Round Rock, part	1	8	2	-	-	-	1	1	2	-	1	3	-	7	3	2	3	2	-
Round Rock, total	1	8	2	-	-	-	1	1	2	-	1	3	-	7	3	3	3	2	-
Taylor	-	26	1	-	8	4	-	2	1	-	-	-	-	17	12	3	1	2	1
Balance of county	-	40	8	3	3	7	-	2	4	-	4	2	4	27	13	13	12	2	-
Wilson	-	15	-	3	5	1	-	3	-	-	2	2	1	12	9	3	2	1	-
Winkler	-	5	3	1	1	3	-	-	-	-	-	2	3	9	1	4	2	1	-
Wise	-	21	3	3	4	6	1	2	1	-	1	-	5	10	13	7	5	2	-
Wood	-	49	4	1	13	13	1	2	3	-	1	-	8	26	13	11	5	4	-
Yoakum	-	1	-	1	1	5	-	1	-	1	1	1	2	5	7	2	-	2	-
Young	1	16	4	6	10	10	2	1	4	-	3	-	15	24	8	4	2	-	1
Zapata	-	1	-	-	1	-	-	1	1	-	-	-	3	3	3	2	-	-	1
Zavala	-	11	1	-	3	-	-	-	1	1	-	-	-	3	4	4	1	2	-
Utah	27	632	95	94	250	285	25	102	86	3	105	142	132	897	301	327	212	62	39
Urban places	15	345	50	58	156	160	16	55	41	-	47	75	76	505	141	148	109	31	19
Balance of area	12	287	45	36	94	125	9	47	45	3	58	67	56	392	160	179	103	31	20
Metropolitan counties	17	464	73	75	182	213	20	77	63	1	83	110	102	705	215	242	163	49	29
Urban places	13	299	44	50	134	146	16	51	39	-	42	63	71	458	131	137	99	27	16
Balance of area	4	165	29	25	48	67	4	26	24	1	41	47	31	249	84	105	64	22	13
Nonmetropolitan counties	10	168	22	19	68	72	5	25	23	2	22	32	30	192	86	85	49	13	10
Urban places	2	46	6	8	22	14	-	4	2	-	5	12	5	49	10	11	10	4	3
Balance of area	8	122	16	11	46	58	5	21	21	2	17	20	25	143	76	74	39	9	7
Beaver	-	2	-	-	-	-	-	-	2	-	-	-	2	3	1	1	1	-	-
Box Elder	1	21	2	5	13	7	-	2	1	-	1	3	1	27	4	4	5	3	-
Brigham City	1	7	-	4	9	3	-	1	-	-	-	3	-	12	1	2	3	2	-
Balance of county	-	14	2	1	4	4	-	1	1	-	1	-	1	15	3	2	2	1	-
Cache	3	39	4	2	9	7	1	5	3	-	7	9	6	35	7	8	4	1	2
Logan	1	16	2	2	6	4	-	2	1	-	3	8	3	13	1	2	1	1	2
Balance of county	2	23	2	-	3	3	1	3	2	-	4	1	3	22	6	6	3	-	-
Carbon	-	12	1	1	2	8	1	2	2	1	1	2	1	12	4	4	6	2	1
Daggett	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Davis	1	49	9	3	10	16	6	7	8	-	7	19	8	54	20	22	18	3	2
Bountiful	-	21	3	-	4	5	3	4	3	-	1	1	2	21	2	5	3	1	-
Clearfield	-	3	1	1	-	2	-	2	1	-	1	2	1	5	3	4	4	-	-
Layton	1	8	1	1	3	1	2	-	2	-	-	6	3	3	5	5	3	-	-
Balance of county	-	17	4	1	3	8	1	1	2	-	5	10	2	25	10	8	8	2	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Utah—Con.																			
Duchesne	85	-	-	1	14	3	4	3	1	-	1	2	1	41	35	2	-	17	16
Emery	69	-	-	-	15	6	2	2	2	-	1	2	3	31	24	1	-	15	6
Garfield	24	-	-	-	4	1	2	-	1	-	-	-	-	14	12	-	-	7	5
Grand	46	-	-	-	7	-	1	1	3	-	1	1	1	18	13	-	-	6	7
Iron	92	-	-	-	17	2	3	1	2	1	-	8	2	48	38	-	2	17	19
Cedar City	61	-	-	-	11	2	2	1	1	1	-	4	-	35	28	-	2	13	13
Balance of county	31	-	-	-	6	-	1	-	1	-	-	4	2	13	10	-	-	4	6
Juab	41	-	-	1	7	4	-	1	-	-	-	2	2	20	19	1	-	12	6
Kane	28	-	-	-	5	-	1	-	1	-	-	3	1	10	8	-	-	1	7
Millard	91	-	-	-	12	2	1	1	4	-	1	3	1	37	31	-	1	21	9
Morgan	24	-	-	-	2	2	-	-	-	-	-	1	1	14	10	-	-	7	3
Piute	19	-	-	1	2	-	-	-	1	-	-	1	-	7	6	-	-	2	4
Rich	9	-	-	-	2	1	-	-	-	-	-	1	-	4	4	-	-	3	1
Salt Lake	3,649	7	-	34	644	168	123	71	92	20	34	136	78	1,592	1,238	30	49	727	430
Midvale	68	-	-	1	14	3	2	1	4	-	1	3	2	28	22	-	1	16	5
Murray	180	-	-	2	33	8	4	5	4	2	1	9	4	74	62	1	2	31	26
Salt Lake City	1,635	2	-	20	287	80	55	32	44	7	14	55	32	753	594	10	29	342	213
Sandy City	134	-	-	1	20	4	5	2	2	-	-	7	4	63	56	2	2	36	16
South Salt Lake	111	-	-	3	17	11	4	1	-	-	-	1	3	50	40	2	1	26	11
West Jordan	68	1	-	-	11	3	2	-	2	-	1	3	2	23	18	1	-	10	7
Balance of county	1,453	4	-	7	262	59	51	30	36	11	17	58	31	601	444	14	14	266	150
San Juan	67	-	-	3	9	-	1	2	1	1	1	3	3	25	20	-	-	9	11
Sanpete	131	-	-	2	21	5	3	2	1	3	1	6	1	62	53	-	3	33	17
Sevier	120	-	-	-	22	4	3	2	4	-	2	7	3	53	39	-	1	23	15
Summit	48	-	-	1	8	1	1	-	3	-	-	3	-	18	16	-	-	10	6
Tooele	155	-	-	1	34	5	9	1	4	-	4	11	4	67	57	-	-	37	20
Tooele	112	-	-	1	28	5	9	1	3	-	3	7	2	48	39	-	-	25	14
Balance of county	43	-	-	-	6	-	-	-	1	-	1	4	2	19	18	-	-	12	6
Uintah	116	-	-	2	13	4	3	-	1	1	1	3	-	44	38	-	1	19	18
Utah	1,069	-	-	16	176	45	18	22	28	3	12	48	23	493	389	12	8	240	129
American Fork	87	-	-	1	15	4	1	1	4	1	2	2	3	38	28	1	-	16	11
Orem	207	-	-	5	25	5	2	5	2	-	1	10	6	99	81	2	1	44	34
Pleasant Grove	64	-	-	-	15	3	1	3	2	-	1	5	1	32	24	-	-	14	10
Provo	349	-	-	3	65	22	6	8	9	2	2	16	5	149	119	7	6	78	28
Springville	94	-	-	4	17	3	3	1	2	-	1	7	1	42	30	-	-	17	13
Balance of county	268	-	-	3	39	8	5	4	9	-	5	8	7	133	107	2	1	71	33
Wasatch	57	-	-	-	10	3	1	1	1	1	1	2	-	30	21	-	-	16	5
Washington	236	-	-	2	45	13	8	5	5	2	1	11	1	100	65	-	-	46	19
St. George	137	-	-	2	19	3	6	1	4	2	-	3	1	62	40	-	-	27	13
Balance of county	99	-	-	-	26	10	2	4	1	-	1	8	-	38	25	-	-	19	6
Wayne	12	-	-	-	2	-	1	-	1	-	-	-	-	7	6	-	-	4	2
Weber	1,002	-	-	12	173	48	34	14	27	10	8	32	25	442	345	13	3	243	86
Ogden	593	-	-	6	84	19	14	6	17	9	5	14	14	279	218	8	3	146	61
Roy	100	-	-	-	25	5	7	2	2	-	2	7	5	40	27	-	-	21	6
South Ogden	55	-	-	1	14	4	2	1	3	1	-	3	2	17	11	-	-	10	1
Balance of county	254	-	-	5	50	20	11	5	5	-	1	8	4	106	89	5	-	66	18
Vermont	4,590	1	-	32	1,035	263	239	92	126	53	51	211	90	2,158	1,703	25	52	1,127	499
Urban places	608	-	-	3	134	29	24	14	14	7	7	39	14	292	212	1	15	121	75
Balance of area	3,982	1	-	29	901	234	215	78	112	46	44	172	76	1,866	1,491	24	37	1,006	424
Metropolitan counties	689	-	-	4	169	42	38	16	19	7	8	39	13	315	255	5	12	157	81
Urban places	345	-	-	2	87	20	16	9	8	5	5	24	8	152	116	1	6	62	47
Balance of area	344	-	-	2	82	22	22	7	11	2	3	15	5	163	139	4	6	95	34
Nonmetropolitan counties	3,901	1	-	28	866	221	201	76	107	46	43	172	77	1,843	1,448	20	40	970	418
Urban places	263	-	-	1	47	9	8	5	6	2	2	15	6	140	96	-	9	59	28
Balance of area	3,638	1	-	27	819	212	193	71	101	44	41	157	71	1,703	1,352	20	31	911	390
Addison	198	-	-	-	50	6	13	4	6	5	4	12	6	95	78	2	-	55	21
Bennington	360	-	-	2	78	15	16	10	11	6	3	15	2	183	145	2	2	116	25
Caledonia	247	-	-	1	50	15	9	5	5	6	-	10	6	126	98	5	2	61	30
Chittenden	689	-	-	4	169	42	38	16	19	7	8	39	13	315	255	5	12	157	81
Burlington	295	-	-	2	74	17	14	6	6	4	4	23	8	135	105	1	6	57	41
South Burlington	50	-	-	-	13	3	2	3	2	1	1	1	-	17	11	-	-	5	6
Balance of county	344	-	-	2	82	22	22	7	11	2	3	15	5	163	139	4	6	95	34
Essex	50	-	-	1	12	1	5	-	2	-	-	4	2	24	19	-	-	14	5
Franklin	338	-	-	8	58	12	18	4	7	-	4	13	11	160	141	1	6	66	68
Grand Isle	42	-	-	-	12	4	2	2	1	1	-	2	2	17	14	-	-	7	7
Lamoille	143	-	-	2	34	10	7	2	4	1	2	8	1	63	51	1	-	33	17
Orange	204	-	-	3	53	15	14	2	7	3	3	9	3	96	78	2	-	55	21
Orleans	251	-	-	-	57	15	14	6	8	1	3	10	2	117	94	1	1	72	20
Rutland	677	1	-	1	148	45	32	11	18	5	4	33	15	345	259	2	16	153	86
Rutland	263	-	-	1	47	9	8	5	6	2	2	15	6	140	96	-	9	59	28
Balance of county	414	1	-	-	101	36	24	6	12	3	2	18	9	205	163	2	7	94	60
Washington	483	-	-	5	112	29	22	12	12	7	4	26	6	224	157	1	2	115	39
Windham	389	-	-	1	81	20	19	6	11	4	7	14	9	192	158	2	5	123	28
Windsor	509	-	-	4	121	34	30	12	15	5	9	16	12	201	156	1	6	100	49

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	–	6	–	–	1	2	–	1	–	–	3	4	3	4	4	3	1	1	1
Emery	2	5	–	–	2	2	1	1	–	–	1	2	1	4	3	1	1	–	1
Garfield	–	2	–	–	–	1	–	–	–	–	–	–	–	1	3	–	1	–	–
Grand	–	1	2	2	1	2	–	–	1	–	–	–	–	5	2	7	–	1	1
Iron	–	7	2	1	4	3	–	–	1	–	1	–	2	3	4	3	4	–	–
Cedar City	–	5	1	1	3	1	–	–	1	–	–	–	2	3	1	1	3	–	–
Balance of county	–	2	1	–	1	2	–	–	–	–	1	–	–	–	3	2	1	–	–
Juab	–	1	–	–	1	2	–	3	–	–	–	–	1	3	–	1	–	–	–
Kane	–	2	–	–	1	2	–	–	–	–	–	1	–	4	1	2	1	–	–
Millard	1	3	1	1	6	3	–	1	1	–	2	3	1	12	5	5	2	–	–
Morgan	–	2	2	–	1	–	1	–	–	–	–	–	–	2	1	2	–	–	–
Piute	–	1	–	–	1	2	–	1	1	–	–	–	–	2	–	1	1	–	–
Rich	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Salt Lake	8	270	49	35	97	127	10	52	33	–	47	57	59	435	98	129	94	32	24
Midvale	–	5	1	–	3	1	–	1	1	–	2	–	2	7	3	1	2	–	–
Murray	2	8	–	2	11	7	2	2	4	–	1	–	2	22	5	4	5	–	2
Salt Lake City	4	126	16	13	53	59	7	23	10	–	11	18	20	206	29	47	34	14	10
Sandy City	–	5	1	1	–	4	–	2	2	–	4	4	5	13	6	2	3	–	1
South Salt Lake	–	7	1	2	5	6	–	2	1	–	–	1	3	12	3	2	2	1	–
West Jordan	–	3	1	1	1	4	–	3	1	–	–	3	1	5	6	2	3	1	1
Balance of county	2	116	23	16	24	46	1	19	14	–	29	31	26	170	46	71	45	16	10
San Juan	1	3	–	1	2	1	–	–	1	–	2	–	–	8	8	4	–	1	–
Sanpete	1	6	1	1	6	7	–	1	4	–	–	1	6	11	1	4	4	–	–
Sevier	–	11	2	1	6	3	–	–	1	–	1	2	1	10	5	8	3	–	2
Summit	–	2	–	–	–	1	–	2	1	–	–	1	1	3	5	2	3	–	–
Tooele	3	4	1	2	3	3	–	1	2	–	1	1	–	20	7	4	6	1	–
Tooele	3	4	1	1	2	3	–	–	–	–	1	1	–	14	5	2	5	–	–
Balance of county	–	–	–	1	1	–	–	1	2	–	–	–	–	6	2	2	1	1	–
Uintah	1	3	1	1	2	6	1	5	2	–	–	2	2	6	14	9	5	2	1
Utah	4	71	8	21	37	35	2	7	11	–	23	21	15	92	45	53	18	2	–
American Fork	–	6	1	3	2	1	–	1	2	–	1	1	3	11	–	7	1	–	–
Orem	1	11	2	4	7	9	–	–	2	–	3	7	5	13	10	11	5	–	–
Pleasant Grove	–	5	2	1	2	2	–	–	1	–	1	2	1	3	2	2	–	–	–
Provo	1	20	1	8	15	11	–	1	3	–	10	7	5	32	21	13	7	2	–
Springville	1	9	–	2	2	5	–	1	1	–	2	1	–	9	1	7	1	–	–
Balance of county	1	20	2	3	9	7	2	4	2	–	6	3	1	24	11	13	4	–	–
Wasatch	–	8	–	1	4	1	–	–	1	1	–	1	1	3	3	2	–	–	–
Washington	–	29	4	2	6	10	–	1	1	–	3	1	1	34	9	12	7	2	1
St. George	–	18	3	1	4	6	–	1	–	–	2	1	–	21	7	6	3	1	1
Balance of county	–	11	1	1	2	4	–	–	1	–	1	–	1	13	2	6	4	1	–
Wayne	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Weber	1	70	12	14	35	32	2	10	9	1	5	12	20	104	45	34	27	11	3
Ogden	–	49	5	7	18	24	2	6	5	–	4	9	13	63	19	19	19	7	2
Roy	–	4	6	3	2	1	–	3	–	–	–	–	4	10	6	2	2	–	–
South Ogden	–	5	1	–	4	1	–	–	–	–	–	–	1	7	5	2	–	1	–
Balance of county	1	12	–	4	11	6	–	1	4	1	1	3	2	24	15	11	6	3	1
Vermont	17	325	71	42	160	212	14	60	36	–	29	28	22	394	94	139	74	11	1
Urban places	1	59	14	6	29	21	1	8	6	–	–	3	3	57	10	18	8	–	1
Balance of area	16	266	57	36	131	191	13	52	30	–	29	25	19	337	84	121	66	11	–
Metropolitan counties	1	49	8	2	21	28	–	8	3	–	4	2	6	68	11	22	13	1	1
Urban places	1	29	5	1	16	14	–	4	2	–	–	1	3	34	6	10	5	–	1
Balance of area	–	20	3	1	5	14	–	4	1	–	4	1	3	34	5	12	8	1	–
Nonmetropolitan counties	16	276	63	40	139	184	14	52	33	–	25	26	16	326	83	117	61	10	–
Urban places	–	30	9	5	13	7	1	4	4	–	–	2	–	23	4	8	3	–	–
Balance of area	16	246	54	35	128	177	13	48	29	–	25	24	16	303	79	109	58	10	–
Addison	–	11	3	3	6	7	1	–	–	–	2	2	1	8	6	12	1	1	–
Bennington	2	23	6	7	22	21	1	7	2	–	1	4	2	21	4	5	4	1	–
Caledonia	1	25	2	–	13	17	–	4	1	–	2	1	–	15	4	4	3	–	–
Chittenden	1	49	8	2	21	28	–	8	3	–	4	2	6	68	11	22	13	1	1
Burlington	1	23	5	1	14	13	–	2	2	–	–	–	3	26	3	9	3	–	1
South Burlington	–	6	–	–	2	1	–	2	–	–	–	1	–	8	3	1	2	–	–
Balance of county	–	20	8	1	5	14	–	4	1	–	4	1	3	34	5	12	8	1	–
Essex	–	3	–	2	2	2	1	–	–	–	–	1	1	4	2	7	1	–	–
Franklin	1	9	8	1	9	16	1	2	4	–	2	1	1	39	11	11	4	–	–
Grand Isle	–	2	–	1	–	2	–	1	–	–	3	–	–	2	1	2	–	–	–
Lamoille	–	9	2	1	1	5	1	3	1	–	1	3	–	17	4	5	2	–	–
Orange	2	13	2	1	6	11	–	3	1	–	1	1	1	13	1	7	3	1	–
Orleans	1	18	3	1	7	14	1	3	1	–	1	–	–	22	6	11	7	2	–
Rutland	2	60	16	8	26	18	2	8	6	–	2	4	3	55	14	18	10	1	–
Rutland	–	30	9	5	13	7	1	4	4	–	–	2	–	23	4	8	3	–	–
Balance of county	2	30	7	3	13	11	1	4	2	–	2	2	3	32	10	10	7	1	–
Washington	5	47	10	5	12	28	2	10	5	–	2	5	1	38	8	14	10	1	–
Windham	–	24	4	6	11	19	3	3	4	–	4	2	2	32	13	7	6	–	–
Windsor	2	32	7	4	24	24	1	8	8	–	4	2	4	60	9	14	10	3	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia	43,743	32	2	505	9,959	2,385	2,848	806	1,085	383	362	2,090	666	20,837	16,156	114	506	10,899	4,637
Urban places	18,817	21	1	235	4,324	1,077	1,230	348	444	169	157	901	277	8,812	6,799	42	229	4,540	1,988
Balance of area	24,926	11	1	270	5,635	1,308	1,618	460	641	214	205	1,189	389	12,025	9,357	72	277	6,359	2,649
Metropolitan counties	28,013	24	1	337	6,671	1,617	1,898	574	721	241	249	1,371	410	12,939	9,964	70	295	6,898	2,901
Urban places	17,177	20	1	220	3,970	985	1,121	317	411	151	149	836	262	7,965	6,138	38	213	4,120	1,767
Balance of area	10,836	4	-	117	2,701	632	777	257	310	90	100	535	148	4,974	3,826	32	82	2,578	1,134
Nonmetropolitan counties	15,730	8	1	168	3,288	768	950	232	364	142	113	719	256	7,898	6,192	44	211	4,201	1,736
Urban places	1,640	1	-	15	354	92	109	29	33	18	8	65	15	847	661	4	16	420	221
Balance of area	14,090	7	1	153	2,934	676	841	203	331	124	105	654	241	7,051	5,531	40	195	3,781	1,515
Accomack	459	1	-	5	104	25	37	4	11	4	4	19	8	233	185	2	27	94	62
Albemarle	328	-	-	2	71	18	21	5	9	2	1	15	6	149	109	2	-	60	27
Alexandria city	798	-	-	12	196	44	52	21	21	7	5	46	10	368	297	1	10	185	101
Alleghany	127	-	-	1	26	8	9	-	1	-	-	8	2	76	61	-	3	45	13
Amelia	95	-	-	1	22	2	9	-	3	-	1	7	1	53	35	-	3	17	15
Amherst	266	-	-	2	54	14	14	6	7	1	3	9	4	136	102	-	3	75	24
Appomattox	132	-	-	2	26	5	10	2	3	-	1	5	3	67	51	-	2	37	12
Arlington#	1,099	-	-	15	253	65	59	30	20	15	13	51	11	516	383	3	11	283	86
Augusta	423	-	-	5	93	19	28	5	6	4	4	27	5	211	156	1	2	124	29
Bath	44	-	-	-	8	5	1	-	-	-	-	2	1	27	24	-	2	11	11
Bedford	329	-	-	1	69	10	23	4	7	3	2	20	5	170	125	-	2	79	44
Bedford city *	111	-	-	-	19	4	5	1	2	2	-	5	4	49	36	-	1	25	10
Bland	82	-	-	-	9	-	4	2	2	1	-	-	2	36	27	-	-	16	9
Botetourt	208	-	-	3	44	10	14	2	5	-	1	12	5	104	72	1	2	47	22
Bristol city *	216	-	-	1	45	9	15	2	6	1	2	10	4	108	82	-	5	62	15
Brunswick	184	-	-	-	34	5	7	6	6	-	-	10	7	107	81	-	7	49	25
Buchanan	270	-	-	1	45	8	14	3	7	-	1	12	3	134	110	-	2	91	17
Buckingham	124	-	-	2	28	9	6	2	5	1	1	4	2	62	47	-	2	35	10
Buena Vista city *	63	-	-	-	12	5	2	2	1	-	-	2	2	29	20	-	1	15	4
Campbell	324	-	-	-	69	21	16	7	11	2	1	11	6	161	129	1	4	78	46
Caroline	185	-	-	-	31	9	7	2	2	3	1	7	5	84	65	1	2	45	17
Carroll	263	-	-	3	45	7	9	5	4	2	2	16	-	127	107	2	3	78	24
Charles City	58	-	-	1	10	4	5	-	-	-	-	1	-	29	23	-	1	15	7
Charlotte	148	-	-	2	43	10	14	1	6	2	-	10	3	56	41	1	1	31	8
Charlottesville city	346	2	-	3	76	15	28	4	5	-	3	21	2	186	121	1	2	87	31
Chesapeake city	862	2	-	7	183	47	56	14	25	7	6	28	14	432	342	2	18	250	72
Chesterfield	723	-	-	8	196	54	57	13	21	7	5	39	11	283	221	-	3	157	61
Clarke	90	-	-	1	25	6	7	2	3	1	3	3	1	47	40	-	-	27	13
Clifton Forge city *	67	-	-	1	9	1	3	-	1	2	-	2	2	42	39	-	2	28	9
Colonial Heights city	151	-	-	-	39	12	13	1	1	4	1	7	1	68	50	-	1	38	13
Covington city *	97	-	-	-	17	4	3	2	5	1	-	2	1	56	45	-	-	38	9
Craig	46	-	-	2	11	2	3	-	2	-	1	3	1	20	18	-	-	11	7
Culpeper	240	-	-	7	44	9	13	4	6	-	2	10	7	122	97	2	1	53	41
Cumberland	92	1	-	1	14	2	7	2	1	-	-	2	-	41	28	-	-	24	2
Danville city	556	2	-	1	112	25	35	8	20	2	3	19	9	290	215	1	2	166	46
Dickenson	171	-	-	3	39	11	11	-	4	3	1	9	5	71	60	-	3	51	6
Dinwiddie	181	-	-	3	41	7	18	1	7	1	2	5	4	77	56	-	1	48	7
Emporia city *	78	-	-	2	13	3	3	1	2	2	-	2	1	35	25	-	1	20	4
Essex	94	-	-	2	27	3	10	4	-	1	3	6	1	40	33	1	2	25	5
Fairfax	2,626	2	-	22	786	166	208	83	81	28	36	164	38	1,112	854	12	21	560	261
Herndon	45	-	-	-	9	2	1	1	-	1	-	4	2	20	14	-	-	7	7
Vienna	90	-	-	2	28	2	8	3	3	-	1	11	2	38	26	-	-	17	9
Balance of county	2,491	2	-	20	749	182	199	79	78	27	35	149	34	1,054	814	12	21	536	245
Fairfax city	134	-	-	1	46	16	12	2	4	1	2	9	1	46	37	1	3	22	11
Falls Church city *	116	-	-	1	32	7	6	6	3	2	1	7	1	48	37	-	1	26	10
Fauquier	295	-	-	1	56	16	20	1	3	-	4	12	9	156	127	3	6	88	30
Floyd	116	-	-	-	22	6	5	1	4	-	-	6	1	54	45	-	1	29	15
Fluvanna	107	-	-	1	26	5	10	-	5	3	-	3	2	40	29	1	1	18	9
Franklin	299	-	1	2	50	11	10	5	3	2	2	17	2	148	103	-	-	77	26
Franklin city *	95	-	-	2	18	3	5	-	3	2	1	4	-	54	41	-	3	25	13
Frederick	248	-	-	5	61	12	20	6	4	2	4	11	6	121	98	1	3	63	31
Fredericksburg city	198	-	-	1	48	11	16	3	2	3	2	11	2	110	79	-	-	41	38
Galax city *	110	-	-	-	20	5	4	-	4	1	-	6	1	67	53	-	-	37	16
Giles	177	-	-	4	41	6	7	-	4	2	2	18	3	84	67	-	2	36	29
Gloucester	198	-	-	6	51	7	17	6	11	-	1	9	2	89	70	-	1	51	18
Goochland	107	-	-	1	23	6	9	-	6	-	-	2	1	52	42	-	2	23	17
Grayson	183	-	-	-	42	7	9	7	6	3	1	9	4	99	76	2	-	52	22
Greene	74	-	-	2	22	5	6	-	5	1	-	6	-	32	27	-	-	21	6
Greensville	121	-	-	1	32	8	3	1	5	3	-	12	6	47	40	-	2	31	7
Halifax	337	-	-	2	72	17	13	9	11	4	3	15	6	177	141	2	9	103	27
Hampton city	824	-	-	10	211	54	64	20	14	10	7	42	16	352	299	2	7	203	87
Hanover	391	-	-	11	87	17	30	5	7	5	3	20	5	196	144	2	2	91	49
Harrisonburg city	214	-	-	1	60	16	17	4	10	2	-	11	2	100	74	-	-	46	28
Henrico	1,682	-	-	22	407	96	125	39	45	12	13	77	23	822	637	1	9	431	196
Henry	389	-	-	5	79	18	25	4	10	1	2	19	5	170	133	1	5	104	23
Highland	35	-	-	1	6	-	2	-	2	-	2	-	3	18	11	-	-	7	4
Hopewell city	242	-	-	1	52	10	18	1	6	3	3	11	3	109	85	2	4	57	22
Isle of Wight	181	-	-	-	41	11	12	1	5	3	2	7	5	82	63	-	1	42	20
James City	144	-	-	2	30	9	6	6	2	-	-	7	-	60	42	-	1	31	10
King and Queen	73	-	-	-	14	1	4	2	2	2	1	2	2	34	28	-	-	18	10
King George	77	-	-	2	15	6	3	-	1	1	2	2	1	43	35	-	3	26	6
King William	87	-	-	3	17	6	5	1	1	2	-	2	1	45	29	-	-	17	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia	152	3,496	579	454	1,260	1,400	120	549	414	4	292	505	401	3,561	920	1,143	717	431	25
Urban places	73	1,516	236	188	545	600	56	271	208	4	128	288	198	1,575	298	456	262	246	12
Balance of area	79	1,980	343	266	715	800	64	278	206	-	164	217	203	1,886	622	687	455	185	13
Metropolitan counties	106	2,212	377	280	803	854	79	399	272	4	218	393	278	2,262	556	706	466	322	19
Urban places	68	1,376	212	171	483	533	51	253	194	4	123	278	187	1,450	276	428	236	233	12
Balance of area	38	836	165	109	320	321	28	146	78	-	95	117	91	812	280	278	230	89	7
Nonmetropolitan counties	46	1,284	202	174	457	546	41	150	142	-	74	112	123	1,299	364	437	251	109	6
Urban places	5	140	24	17	62	67	5	18	14	-	5	12	11	125	22	28	26	13	-
Balance of area	41	1,144	178	157	395	479	36	132	128	-	69	100	112	1,174	342	409	225	96	6
Accomack	3	32	4	9	9	14	1	4	3	-	1	5	1	43	10	9	4	4	-
Albemarle	2	31	1	6	10	16	-	1	5	-	3	1	1	32	12	9	7	3	-
Alexandria city	2	49	11	9	18	18	3	17	10	-	5	21	10	60	10	19	10	10	1
Alleghany	1	10	2	2	2	-	-	1	1	-	-	-	1	8	3	3	2	1	-
Amelia	1	9	5	3	1	1	-	-	-	-	-	5	-	5	1	5	-	-	-
Amherst	1	28	3	2	16	8	1	4	-	-	1	1	2	13	11	7	2	3	1
Appomattox	-	15	1	-	7	2	-	2	1	-	-	-	3	8	7	3	1	-	-
Arlington#	4	89	23	17	35	42	4	25	9	-	6	9	7	82	19	36	21	8	1
Augusta	-	46	4	5	15	15	2	3	2	-	1	2	-	34	12	15	7	1	-
Bath	-	3	-	-	1	1	-	-	-	-	-	-	-	5	-	1	-	-	-
Bedford	1	31	7	6	11	5	1	3	3	-	4	-	2	25	12	13	4	1	-
Bedford city *	-	9	2	2	5	3	1	-	-	-	-	-	2	16	3	3	5	1	-
Bland	-	4	4	1	-	1	1	-	2	-	-	1	2	4	-	1	2	1	-
Botetourt	1	19	5	7	6	3	-	4	-	-	1	1	1	16	6	9	5	-	-
Bristol city 20	1	18	1	6	8	11	2	5	3	-	3	3	-	12	5	5	1	-	-
Brunswick	2	20	3	1	1	7	-	-	2	-	2	1	-	8	7	4	2	2	-
Buchanan	1	20	-	3	4	17	4	2	1	-	4	5	1	22	10	10	6	1	-
Buckingham	-	7	5	3	3	6	-	1	1	-	-	1	1	6	2	5	3	1	-
Buena Vista city *	-	5	-	4	3	4	-	2	-	-	1	-	-	7	2	1	-	-	-
Campbell	1	23	5	3	8	8	-	4	1	-	3	4	3	26	8	10	10	3	-
Caroline	1	11	5	2	5	1	-	-	2	-	1	3	2	15	6	8	1	1	-
Carroll	-	13	6	1	13	9	4	2	2	-	-	2	6	25	8	11	4	2	-
Charles City	-	6	-	-	1	2	-	1	-	-	-	1	5	-	2	1	3	2	-
Charlotte	-	11	2	2	6	9	-	3	1	-	1	1	-	12	2	6	3	-	-
Charlottesville city	3	36	4	2	8	8	1	6	4	-	3	4	3	32	6	11	4	7	-
Chesapeake city	2	70	5	13	21	34	1	5	6	-	7	17	5	69	22	17	12	8	-
Chesterfield	2	45	10	5	21	29	2	12	5	-	5	15	10	58	23	19	19	8	1
Clarke	1	5	-	1	1	2	-	-	1	-	-	1	-	6	1	2	2	-	-
Clifton Forge city *	-	3	-	-	1	1	-	2	-	-	1	1	1	6	-	-	-	-	-
Colonial Heights city	-	15	1	2	6	4	-	3	1	-	-	1	2	18	2	4	2	-	-
Covington city *	-	11	-	-	3	4	-	1	1	-	-	-	4	6	1	1	-	-	-
Craig	-	1	1	-	1	4	-	-	-	-	-	-	1	5	1	-	-	-	-
Culpeper	-	18	5	2	7	7	-	5	1	-	-	1	2	17	9	10	1	-	-
Cumberland	-	7	7	1	7	2	-	1	2	-	-	-	3	10	4	3	2	1	-
Danville city	1	60	8	6	17	20	3	9	6	-	-	10	5	49	3	9	5	6	-
Dickenson	1	8	1	1	2	13	-	-	-	-	-	-	1	14	1	12	8	2	-
Dinwiddie	-	19	1	1	5	6	-	1	1	-	-	3	1	27	5	6	1	-	-
Emporia city *	-	6	3	1	2	2	-	1	3	-	-	2	1	11	1	3	-	1	-
Essex	-	6	-	1	4	5	-	-	2	-	-	1	-	5	4	1	-	2	-
Fairfax	7	163	62	26	47	75	5	48	21	-	35	36	33	162	65	62	55	19	3
Herndon	-	3	1	2	-	1	-	-	1	-	1	1	-	6	1	2	-	1	-
Vienna	-	7	5	-	1	4	-	3	1	-	-	-	2	6	-	-	2	1	-
Balance of county	7	153	56	24	46	70	5	45	19	-	34	35	31	150	64	60	53	17	3
Fairfax city	-	7	2	-	1	4	1	4	-	-	1	-	-	11	9	2	6	1	-
Falls Church city *	-	9	2	-	4	2	-	1	2	-	-	1	2	13	1	3	2	3	-
Fauquier	1	20	4	4	8	13	-	1	3	-	1	-	1	28	4	4	8	2	-
Floyd	-	6	3	-	2	10	-	3	-	-	1	-	-	15	4	3	-	1	-
Fluvanna	-	9	1	1	4	-	2	1	1	-	1	-	-	10	9	5	2	3	-
Franklin	1	39	4	1	10	12	-	4	3	-	4	1	8	24	10	9	9	2	-
Franklin city *	-	13	-	-	4	2	-	-	1	-	1	1	-	8	1	3	-	-	-
Frederick	-	17	5	1	6	10	-	5	5	-	1	2	3	11	3	3	5	1	-
Fredericksburg city	-	21	8	2	7	7	-	3	2	-	-	2	1	8	1	3	1	2	-
Galax city *	-	10	3	1	2	3	-	1	2	-	-	-	-	9	-	2	2	1	-
Giles	-	13	2	2	6	9	1	1	1	-	-	1	1	12	7	4	2	-	-
Gloucester	1	14	1	3	9	7	1	4	1	-	1	-	-	12	4	5	3	2	1
Goochland	-	9	-	1	1	4	-	3	1	-	-	1	1	11	3	3	2	-	-
Grayson	-	15	5	3	7	7	-	1	1	-	-	-	-	11	6	2	3	-	-
Greene	-	5	-	-	3	-	-	1	-	-	-	1	1	7	2	1	2	-	-
Greensville	-	7	-	-	2	2	-	-	-	-	2	2	1	12	7	6	-	1	-
Halifax	-	32	2	2	13	6	-	3	7	-	2	3	3	22	7	5	6	2	1
Hampton city	2	38	9	4	24	25	4	7	7	-	5	13	12	76	15	16	17	13	1
Hanover	2	39	9	2	15	10	-	1	4	-	2	5	1	30	6	6	9	3	-
Harrisonburg city	1	22	2	1	10	8	-	4	-	-	2	4	-	13	3	-	4	3	-
Henrico	6	130	32	17	53	52	6	16	7	-	10	14	10	134	16	47	30	13	-
Henry	2	29	4	2	10	11	1	3	4	-	2	2	4	37	16	19	13	8	-
Highland	-	7	-	-	1	-	-	1	-	-	-	-	-	2	1	2	-	-	-
Hopewell city	-	21	1	2	8	11	-	5	4	-	-	2	3	21	7	11	2	3	-
Isle of Wight	1	13	-	5	4	8	-	1	3	-	1	1	1	20	4	3	3	4	-
James City	-	13	3	2	7	3	1	1	5	-	3	6	-	12	2	8	2	1	1
King and Queen	-	5	-	1	3	3	1	1	3	-	1	-	-	7	1	2	1	-	-
King George	-	6	2	-	-	3	-	1	1	-	1	-	-	3	3	2	-	2	-
King William	-	12	1	3	2	2	-	3	2	-	-	-	1	6	1	2	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Lancaster	157	1	-	1	37	9	11	4	5	1	-	7	1	84	67	2	3	49	13
Lee	296	-	-	2	42	11	18	3	3	2	2	3	6	155	131	-	1	102	28
Lexington city [8]	70	-	-	-	16	3	5	2	3	-	-	5	1	37	25	-	2	14	9
Loudoun	365	-	-	4	90	13	29	10	9	5	1	23	3	165	123	3	9	79	38
Louisa	190	-	-	3	43	11	10	1	5	1	5	10	3	83	66	2	1	46	17
Lunenburg	141	-	-	2	23	6	4	1	5	-	1	6	5	88	69	-	1	46	22
Lynchburg city	805	1	-	8	170	41	36	18	23	4	6	42	8	414	309	3	15	216	75
Madison	98	-	-	-	24	5	8	1	3	1	1	5	-	52	41	-	1	27	13
Manassas city	101	-	-	2	30	9	13	2	1	-	1	4	1	48	34	1	-	24	9
Manassas Park city [9]	13	-	-	-	3	-	-	1	-	1	-	1	-	6	4	-	-	3	1
Martinsville city	188	-	-	-	41	10	14	1	6	4	1	5	2	77	60	1	2	43	14
Mathews	117	-	-	2	21	7	7	-	2	2	-	3	2	66	49	-	-	39	10
Mecklenburg	337	1	-	2	72	11	21	6	7	4	3	20	8	184	141	1	9	74	57
Middlesex	119	-	-	2	26	2	11	1	2	1	1	8	2	55	44	-	3	28	13
Montgomery	380	1	-	7	63	21	16	5	5	2	3	11	6	207	177	3	1	107	66
Blacksburg	76	1	-	1	19	10	1	1	-	1	2	4	-	43	38	-	-	23	13
Christiansburg	98	-	-	1	13	3	6	-	3	1	-	-	2	57	50	1	-	31	18
Balance of county	206	-	-	5	31	8	9	4	2	-	1	7	4	107	91	2	1	53	35
Nelson	151	-	-	2	41	15	8	1	7	-	2	8	2	71	57	-	1	40	16
New Kent	68	-	-	1	18	5	5	1	3	-	1	3	-	33	26	-	-	16	10
Newport News city	1,075	3	-	17	279	67	82	18	33	10	13	56	15	450	340	1	7	220	112
Norfolk city	2,228	1	1	21	539	139	170	45	44	17	13	111	30	1,022	795	3	26	492	274
Northampton	230	-	-	5	48	13	16	4	4	3	1	7	5	105	76	1	6	54	15
Northumberland	145	-	-	1	45	13	17	4	3	-	-	8	1	70	54	-	3	36	15
Norton city [9]	49	-	-	1	14	1	5	2	1	1	-	4	4	21	20	-	-	16	4
Nottoway	185	-	-	6	45	5	15	3	6	1	3	12	2	84	60	-	-	41	19
Orange	213	1	-	4	58	17	16	1	8	4	-	12	2	87	67	1	5	39	22
Page	200	1	-	3	42	11	12	2	5	3	3	6	1	107	87	1	-	63	23
Patrick	176	-	-	-	35	6	8	2	2	1	4	12	6	85	58	-	-	40	18
Petersburg city	458	-	-	6	100	28	30	10	7	3	1	21	9	220	165	-	9	119	37
Pittsylvania	578	-	-	4	115	26	31	13	19	2	7	17	8	313	242	1	5	171	65
Poquoson city [9]	49	1	-	-	17	3	8	-	1	-	1	4	1	17	16	-	-	10	6
Portsmouth city	1,091	3	-	13	288	57	86	26	24	9	10	57	14	476	367	1	14	254	96
Powhatan	86	-	-	1	16	1	3	1	3	2	-	6	1	46	33	1	3	26	3
Prince Edward	165	-	-	6	32	8	10	2	1	-	2	9	4	88	54	-	1	40	13
Prince George	98	-	-	1	22	3	6	4	1	1	-	7	3	47	31	-	-	21	10
Prince William	513	-	-	5	135	35	40	9	16	2	7	26	9	195	150	-	3	100	47
Pulaski	194	-	-	-	40	11	15	1	2	1	-	10	4	110	91	-	-	66	25
Pulaski [11]	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	192	-	-	-	40	11	15	1	2	1	-	10	4	110	91	-	-	66	25
Radford city	100	-	-	1	19	3	7	2	-	2	-	5	-	54	42	-	1	28	13
Rappahannock	60	-	-	-	14	4	6	-	2	-	-	2	1	35	25	-	-	18	9
Richmond	99	-	-	1	19	5	4	2	3	-	2	3	2	53	40	1	4	28	7
Richmond city	2,629	3	-	48	578	157	147	30	83	21	23	137	44	1,215	923	7	33	566	317
Roanoke	581	-	-	7	123	33	30	15	13	6	8	18	8	298	229	-	2	145	82
Roanoke city	1,187	1	-	16	229	59	55	22	33	12	9	39	27	588	459	5	19	302	133
Rockbridge	180	-	-	3	32	12	8	3	2	1	-	6	2	84	65	1	2	43	19
Rockingham	497	-	-	4	102	22	26	8	13	7	3	23	8	213	161	1	8	105	47
Russell	278	-	-	2	48	7	14	6	4	-	2	15	1	146	114	2	4	82	26
Salem city [11]	350	1	-	3	61	15	20	3	6	7	2	8	4	185	148	-	4	111	33
Scott	246	1	-	-	57	10	20	4	6	4	2	11	2	128	101	1	3	68	29
Shenandoah	338	-	-	1	61	17	19	6	6	3	3	7	3	187	143	1	1	96	45
Smyth	339	1	-	-	62	16	17	4	6	4	1	14	4	179	158	1	6	103	48
Southampton	182	-	-	3	41	13	13	2	7	1	1	4	3	93	78	-	8	55	15
South Boston city [9]	77	-	-	-	17	3	4	3	2	1	-	4	-	38	26	-	5	18	3
Spotsylvania	222	-	-	3	56	13	14	5	5	2	2	15	2	100	72	-	2	34	38
Stafford	255	-	-	7	60	12	21	3	8	2	2	12	5	109	87	1	1	67	18
Staunton city	240	-	-	3	53	14	17	6	3	2	2	9	3	119	94	1	2	60	31
Suffolk city	509	1	-	7	119	24	33	5	15	2	9	31	11	252	200	-	11	128	61
Surry	50	-	-	-	7	1	3	-	2	1	-	-	1	27	23	1	-	9	13
Sussex	121	-	-	3	24	9	3	5	1	-	-	6	3	60	47	-	1	34	12
Tazewell	440	-	-	3	88	24	27	5	12	4	2	14	6	223	188	1	6	125	56
Virginia Beach city	1,383	-	-	26	347	88	88	31	37	16	16	71	24	580	447	4	12	313	118
Warren	205	-	-	1	41	9	17	5	3	1	-	6	2	105	88	-	3	57	28
Front Royal	112	-	-	-	17	3	8	3	1	-	-	2	1	61	50	-	3	30	17
Balance of county	93	-	-	1	24	6	9	2	2	1	-	4	1	44	38	-	-	27	11
Washington	407	-	-	4	80	19	18	9	9	4	1	20	4	200	158	4	4	103	47
Waynesboro city	163	-	-	3	35	9	9	4	2	2	-	9	1	84	65	-	4	57	4
Westmoreland	184	-	-	1	43	8	12	4	6	1	3	9	2	85	72	-	3	51	18
Williamsburg city [9]	98	-	-	-	24	6	3	5	-	-	1	9	-	45	37	-	4	21	12
Winchester city	249	-	-	4	49	13	14	5	6	1	1	9	2	142	111	1	4	61	45
Wise	407	-	-	5	82	19	24	4	8	8	1	18	7	192	157	-	3	116	38
Wythe	272	-	-	3	55	12	12	4	13	2	3	9	4	137	114	1	1	83	29
York	180	-	-	1	52	9	18	8	3	-	3	11	1	62	53	2	1	39	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	-	12	2	3	6	3	-	-	-	-	-	1	3	12	1	2	2	3	-
Lee	1	21	1	1	10	18	2	1	5	-	1	-	3	32	6	6	4	3	-
Lexington city [9]	-	7	4	1	2	1	-	-	-	-	1	-	-	9	-	1	-	-	-
Loudoun	3	28	9	2	10	17	-	3	4	-	2	3	3	33	13	7	8	-	-
Louisa	1	10	3	3	2	2	2	3	2	-	2	-	1	15	11	8	5	4	1
Lunenburg	-	15	1	3	2	3	-	-	-	-	1	3	-	8	2	2	2	-	-
Lynchburg city	-	84	8	13	20	31	2	10	4	1	4	4	10	74	19	9	9	7	-
Madison	-	8	2	1	1	2	-	-	2	-	2	-	-	8	2	4	2	1	-
Manassas city	-	13	-	1	1	5	-	-	3	-	-	2	2	6	1	-	-	-	-
Manassas Park city [9]	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-
Martinsville city	-	14	1	2	10	8	1	4	3	-	-	-	4	23	2	4	7	2	-
Mathews	6	8	3	-	2	3	-	-	2	-	-	-	-	9	2	7	1	-	-
Mecklenburg	3	34	4	2	6	5	1	3	-	-	2	4	2	23	6	12	4	2	-
Middlesex	-	8	-	3	9	2	-	1	-	-	1	1	2	11	3	4	-	-	-
Montgomery	-	24	2	4	11	12	2	4	3	-	2	6	-	31	6	8	8	3	-
Blacksburg	-	6	1	-	-	2	-	-	-	-	-	-	-	7	1	1	1	-	-
Christiansburg	-	5	1	1	4	3	2	1	2	-	-	3	-	4	2	1	2	1	-
Balance of county	-	13	-	3	7	7	-	3	1	-	2	3	-	20	3	6	5	2	-
Nelson	2	10	2	-	4	6	-	3	1	-	-	1	-	12	3	2	1	2	-
New Kent	-	6	-	1	2	1	-	1	-	-	-	-	-	5	2	1	2	-	-
Newport News city	3	81	12	14	45	26	6	13	20	2	12	27	10	93	13	18	8	18	-
Norfolk city	18	162	27	20	71	53	3	23	25	1	27	37	31	200	27	63	23	29	1
Northampton	1	25	3	-	5	16	2	2	2	-	1	1	1	22	2	8	3	1	1
Northumberland	-	12	1	3	5	-	-	-	1	-	1	-	2	13	1	4	-	-	1
Norton city [9]	-	1	-	-	-	-	-	1	-	-	-	-	-	4	1	2	-	1	-
Nottoway	-	18	5	1	7	5	-	-	4	-	2	1	1	13	2	8	3	2	-
Orange	-	15	1	4	4	6	-	3	-	-	1	1	-	28	8	9	2	1	-
Page	-	14	4	2	5	6	-	4	1	-	1	1	1	16	4	4	2	1	-
Patrick	-	24	1	2	1	3	1	1	4	-	2	3	4	14	6	4	6	-	1
Petersburg city	3	50	-	2	13	7	1	9	5	-	3	10	3	41	5	12	3	9	-
Pittsylvania	1	60	5	5	12	18	1	11	5	-	3	5	2	34	17	13	8	9	-
Poquoson city [9]	-	-	-	1	-	2	-	1	-	-	1	-	1	5	1	2	-	-	-
Portsmouth city	2	96	5	8	26	40	4	15	17	-	7	18	15	89	20	33	12	19	-
Powhatan	-	9	-2	2	5	1	-	1	1	-	1	-	-	6	1	2	3	1	-
Prince Edward	1	28	4	1	8	-	-	-	1	-	2	1	1	12	4	3	2	1	-
Prince George	-	14	-	2	-	1	-	3	-	-	-	3	-	6	5	2	4	1	-
Prince William	-	37	4	4	6	14	3	10	5	-	9	11	6	35	27	12	24	7	-
Pulaski	-	13	1	5	3	7	-	2	-	-	-	-	-	16	5	4	2	1	-
Pulaski [11]	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	-	13	1	5	3	6	-	2	-	-	-	-	-	15	5	4	2	1	-
Radford city	2	10	-	-	3	7	1	-	1	-	-	-	-	8	1	1	2	2	-
Rappahannock	-	5	3	2	-	-	1	1	-	-	-	1	-	4	2	1	-	-	-
Richmond	1	10	2	-	5	4	1	1	1	-	-	-	-	6	5	-	1	-	-
Richmond city	12	219	39	22	68	81	7	42	28	-	9	36	30	237	29	74	31	62	5
Roanoke	6	51	9	3	23	15	1	9	1	-	8	1	4	44	11	14	10	4	-
Roanoke city	5	96	21	7	32	38	4	19	18	-	7	15	12	103	14	35	18	11	-
Rockbridge	1	12	2	4	6	8	-	3	1	-	1	-	3	21	4	4	3	5	-
Rockingham	2	44	2	4	17	11	1	4	1	-	1	2	3	39	17	7	6	1	-
Russell	1	28	-	3	4	16	2	3	1	-	1	2	1	25	8	7	10	1	-
Salem city [11]	-	30	4	3	12	11	2	5	2	-	-	2	7	27	7	10	8	3	-
Scott	-	22	2	3	8	8	-	-	1	-	1	2	-	21	3	6	7	1	-
Shenandoah	-	35	6	3	11	12	2	3	3	-	-	2	7	29	6	10	1	-	-
Smyth	-	17	1	3	16	16	-	3	5	-	2	1	1	20	3	13	9	4	-
Southampton	-	14	-	1	5	4	-	1	2	-	-	3	2	11	4	7	2	1	-
South Boston city [9]	-	10	1	1	5	2	-	1	2	-	-	1	-	6	1	1	2	1	-
Spotsylvania	-	24	3	1	8	8	-	2	6	-	1	3	1	15	10	3	3	1	-
Stafford	-	15	5	2	6	9	-	1	1	-	3	7	1	19	10	7	7	2	1
Staunton city	-	16	5	4	8	14	-	1	-	-	-	1	1	23	5	6	2	1	-
Suffolk city	5	35	9	3	12	8	-	12	3	-	2	2	6	33	18	12	4	6	1
Surry	-	2	1	1	-	3	-	-	1	-	-	1	1	5	1	1	1	1	-
Sussex	1	10	1	1	1	-	-	4	2	-	1	4	-	11	-	2	4	2	-
Tazewell	-	29	1	5	8	21	1	7	4	-	-	2	7	40	9	8	10	3	-
Virginia Beach city	5	97	16	15	36	51	3	16	17	-	21	40	12	105	24	30	38	11	2
Warren	-	16	1	-	10	12	-	3	1	-	1	2	4	15	2	4	-	2	-
Front Royal	-	11	-	-	6	9	-	1	-	-	-	2	4	8	1	1	-	1	-
Balance of county	-	5	1	-	4	3	-	2	1	-	1	-	-	7	1	3	-	1	-
Washington	1	30	3	8	27	10	4	1	5	-	2	2	1	35	11	11	8	2	-
Waynesboro city	2	11	2	4	9	2	-	1	3	-	2	-	-	12	2	3	5	1	-
Westmoreland	-	10	-	3	1	11	1	3	-	-	1	-	2	17	6	8	3	-	-
Williamsburg city [9]	-	6	-	2	4	4	-	1	3	-	-	1	1	11	1	2	1	-	-
Winchester city	-	24	4	3	5	6	1	3	3	-	1	-	1	18	4	8	2	-	-
Wise	2	23	4	6	12	19	2	3	1	-	1	2	2	47	5	20	6	1	-
Wythe	1	16	3	3	11	8	-	3	4	-	1	3	7	19	4	9	3	1	-
York	3	4	-	2	5	4	1	2	-	-	3	-	-	15	6	4	1	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington	32,668	19	6	228	7,284	1,819	2,066	630	807	320	271	1,371	595	15,284	11,687	140	268	8,097	3,182
Urban places	16,996	15	5	122	3,634	918	1,005	321	408	154	128	702	309	8,189	6,186	59	164	4,208	1,755
Balance of area	15,672	4	1	106	3,650	901	1,061	309	399	166	145	669	286	7,095	5,501	81	104	3,889	1,427
Metropolitan counties	25,339	18	5	182	5,621	1,431	1,578	501	600	230	212	1,069	439	11,766	8,996	110	228	6,137	2,521
Urban places	14,945	15	4	108	3,187	820	887	290	350	125	115	620	273	7,163	5,425	52	151	3,671	1,551
Balance of area	10,394	3	1	74	2,434	611	711	211	250	105	97	449	166	4,603	3,571	58	77	2,466	970
Nonmetropolitan counties	7,329	1	1	46	1,663	388	488	129	207	90	59	302	156	3,518	2,691	30	40	1,960	661
Urban places	2,051	-	1	14	447	98	138	31	58	29	11	82	36	1,026	761	7	13	537	204
Balance of area	5,278	1	-	32	1,216	290	350	98	149	61	48	220	120	2,492	1,930	23	27	1,423	457
Adams	91	-	-	1	13	3	4	-	3	1	-	2	2	49	36	1	-	22	13
Asotin	171	-	-	2	41	11	7	4	8	3	1	7	2	85	63	1	1	41	20
Benton	568	-	-	1	121	42	29	7	10	6	5	22	8	247	199	-	3	158	38
Kennewick	223	-	-	-	45	16	13	2	2	1	1	10	5	98	79	-	3	64	12
Richland	188	-	-	1	41	11	7	3	7	3	4	6	1	84	70	-	-	59	11
Balance of county	157	-	-	-	35	15	9	2	1	2	-	6	2	65	50	-	-	35	15
Chelan	502	-	-	-	109	31	30	6	10	6	4	22	11	243	175	-	1	140	34
Wenatchee	258	-	-	-	52	16	11	4	6	5	1	9	5	126	86	-	1	68	17
Balance of county	244	-	-	-	57	15	19	2	4	1	3	13	6	117	89	-	-	72	17
Clallam	504	1	-	4	115	22	43	7	15	6	5	17	7	233	181	1	4	129	47
Port Angeles	181	-	-	3	35	8	13	1	4	3	1	5	5	84	58	-	1	42	15
Balance of county	323	1	-	1	80	14	30	6	11	3	4	12	2	149	123	1	3	87	32
Clark	1,990	-	1	9	315	77	104	33	26	13	11	51	25	647	499	10	24	374	91
Vancouver	693	-	1	5	139	34	45	16	10	6	3	25	7	293	221	4	9	170	38
Balance of county	757	-	-	4	176	43	59	17	16	7	8	26	18	354	278	6	15	204	53
Columbia	54	-	-	1	7	2	2	-	2	-	-	1	3	30	23	-	2	16	5
Cowlitz	678	-	1	8	161	33	56	12	18	7	4	31	11	349	273	-	6	211	56
Kelso	135	-	-	3	30	5	12	3	2	-	1	7	-	74	55	-	1	44	10
Longview	358	-	1	2	87	15	29	7	11	7	1	17	5	184	141	-	3	108	30
Balance of county	185	-	-	3	44	13	15	2	5	-	2	7	6	91	77	-	2	59	16
Douglas	156	-	-	1	36	10	5	4	8	3	-	6	1	82	60	1	-	50	9
Ferry	49	-	-	2	6	-	3	1	1	-	-	1	-	15	12	-	-	10	2
Franklin	226	-	-	2	50	14	11	5	4	5	1	10	5	102	78	1	5	57	15
Pasco	163	-	-	2	36	10	9	2	2	3	1	9	4	75	58	-	5	39	14
Balance of county	63	-	-	-	14	4	2	3	2	2	-	1	1	27	20	1	-	18	1
Garfield	27	-	-	-	9	1	2	1	1	-	1	3	1	13	10	-	-	8	2
Grant	360	-	-	2	84	25	18	6	12	1	1	21	4	163	127	3	2	100	22
Moses Lake	92	-	-	1	25	9	6	1	2	1	-	6	-	31	25	-	1	19	5
Balance of county	268	-	-	1	59	16	12	5	10	-	1	15	4	132	102	3	1	81	17
Grays Harbor	604	-	-	4	138	28	48	15	13	6	3	25	18	299	251	1	2	170	78
Aberdeen	196	-	-	1	47	9	17	2	8	6	1	4	4	99	85	-	-	55	30
Balance of county	408	-	-	3	91	19	31	13	5	-	2	21	14	200	166	1	2	115	48
Island	356	-	-	1	98	21	30	9	13	5	4	16	6	169	130	1	4	86	39
Oak Harbor	65	-	-	-	18	2	7	2	1	-	1	5	-	34	23	-	2	15	6
Balance of county	291	-	-	1	80	19	23	7	12	5	3	11	6	135	107	1	2	71	33
Jefferson	168	-	-	1	47	14	15	4	4	6	1	3	3	70	56	-	-	42	14
King	9,804	9	1	74	2,253	583	621	214	235	87	88	425	155	4,425	3,406	45	90	2,122	1,149
Auburn	246	-	-	3	53	12	18	5	2	2	1	13	1	120	93	1	2	68	22
Bellevue	419	-	-	1	116	23	29	13	15	4	9	23	8	178	131	-	4	95	32
Kent	137	-	-	1	27	5	10	5	2	-	-	5	3	61	49	1	3	30	15
Kirkland	151	-	-	-	35	8	9	5	2	2	3	6	6	64	44	1	-	36	7
Mercer Island	113	-	-	1	29	6	8	5	2	1	-	7	5	46	36	-	-	24	12
Redmond	106	-	-	1	26	7	6	2	4	-	1	6	2	52	42	-	-	28	14
Renton	277	-	-	1	62	12	27	5	6	1	2	9	3	130	97	-	2	66	29
Seattle	5,290	9	-	46	1,142	313	302	103	129	44	42	209	86	2,461	1,902	22	58	1,150	672
Balance of county	3,065	-	1	20	763	197	212	71	73	33	30	147	41	1,313	1,012	20	21	625	346
Kitsap	1,137	1	-	14	255	62	73	16	28	14	10	52	19	497	408	4	17	278	111
Bremerton	438	1	-	2	89	22	24	3	8	5	3	24	8	208	178	-	8	130	40
Balance of county	699	-	-	12	166	40	49	13	20	9	7	28	11	289	230	4	9	148	71
Kittitas	200	-	-	1	40	11	10	5	2	1	-	11	3	100	79	-	2	58	19
Ellensburg	94	-	-	1	21	5	5	3	1	-	-	7	1	50	39	-	2	28	9
Balance of county	106	-	-	-	19	6	5	2	1	1	-	4	2	50	40	-	-	30	10
Klickitat	137	-	-	-	33	5	12	3	2	2	3	6	4	61	47	2	3	34	8
Lewis	521	-	-	1	118	31	33	9	15	2	9	19	14	246	185	2	3	128	52
Centralia	166	-	-	-	34	8	12	2	3	-	2	7	2	80	53	1	-	28	24
Balance of county	355	-	-	1	84	23	21	7	12	2	7	12	12	166	132	1	3	100	28
Lincoln	108	-	-	-	23	7	3	1	7	1	1	3	5	47	39	1	-	24	14
Mason	285	-	-	1	71	10	24	6	6	6	5	14	6	130	105	-	1	85	19
Okanogan	291	-	-	4	54	18	12	2	7	3	1	11	6	128	105	-	1	71	33
Pacific	216	-	-	3	51	10	21	3	4	3	1	9	4	89	62	1	1	49	11
Pend Oreille	89	-	-	-	17	2	5	2	2	-	1	5	-	39	26	-	1	20	5
Pierce	3,716	3	1	26	763	196	220	62	80	27	34	144	68	1,824	1,361	9	26	1,001	325
Puyallup	216	-	-	1	36	10	11	2	6	1	-	6	2	126	100	-	2	72	26
Tacoma	1,787	2	1	14	357	97	90	28	38	13	17	74	34	917	674	3	16	491	184
Balance of county	1,713	1	-	11	370	89	119	32	36	13	17	64	32	781	587	6	8	438	135
San Juan	70	-	-	2	17	2	6	-	2	2	-	5	1	30	24	-	-	15	9
Skagit	642	-	-	-	149	39	42	12	16	14	6	20	11	315	233	5	3	171	54
Mount Vernon	118	-	-	-	20	6	4	1	2	3	-	4	1	68	52	1	-	42	9
Balance of county	524	-	-	-	129	33	38	11	14	11	6	16	10	247	181	4	3	129	45
Skamania	38	-	-	-	12	5	-	1	-	2	1	3	1	20	18	-	-	16	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington	113	2,561	494	409	1,003	1,429	127	454	238	5	234	255	297	2,663	783	883	616	216	49
Urban places	77	1,437	278	211	591	734	61	231	125	3	117	121	154	1,464	296	396	283	124	22
Balance of area	36	1,144	216	198	412	695	66	223	113	2	117	134	143	1,199	487	487	333	92	27
Metropolitan counties	94	1,985	385	306	799	1,146	69	362	190	5	192	200	239	2,068	601	674	497	188	38
Urban places	68	1,240	243	167	515	664	62	216	112	3	103	106	136	1,284	261	351	252	119	21
Balance of area	26	745	142	119	284	482	37	146	78	2	89	94	103	804	340	323	245	69	17
Nonmetropolitan counties	19	596	109	103	204	283	38	92	48	-	42	55	58	575	182	209	119	28	11
Urban places	9	197	35	24	76	70	9	15	13	-	14	15	18	180	35	45	31	5	1
Balance of area	10	399	74	79	128	213	29	77	35	-	28	40	40	395	147	164	88	23	10
Adams	-	7	3	2	3	5	-	3	-	-	1	1	-	4	5	3	2	-	-
Asotin	1	16	4	1	2	3	-	5	-	-	2	3	-	15	1	4	5	1	-
Benton	1	38	7	2	19	33	1	11	6	-	5	8	2	39	22	18	23	3	1
Kennewick	1	16	2	-	4	15	-	6	1	-	1	5	2	17	5	7	11	1	-
Richland	-	11	2	1	9	11	1	3	4	-	2	2	-	12	9	2	4	1	1
Balance of county	-	11	3	1	6	7	-	2	1	-	2	1	-	10	8	9	8	1	-
Chelan	1	49	6	12	22	16	5	2	2	-	5	4	2	45	14	13	7	2	-
Wenatchee	1	27	5	7	17	10	3	-	1	-	3	2	-	25	2	5	6	1	-
Balance of county	-	22	1	5	5	6	2	2	1	-	2	2	2	20	12	8	1	1	-
Clallam	-	39	8	5	22	28	2	6	5	-	1	3	6	32	12	14	9	2	2
Port Angeles	-	19	7	-	13	9	1	-	3	-	-	-	4	13	3	5	3	-	-
Balance of county	-	20	1	5	9	19	1	6	2	-	1	3	2	19	9	9	6	2	2
Clark	5	106	20	17	46	45	12	18	9	-	4	11	9	115	42	32	33	10	7
Vancouver	1	51	10	10	26	23	5	7	7	-	2	4	3	64	16	11	13	5	2
Balance of county	4	55	10	7	20	22	7	11	2	-	2	7	6	51	26	21	20	5	5
Columbia	-	5	2	-	-	3	-	2	-	-	-	-	-	3	1	3	-	-	1
Cowlitz	1	60	7	8	13	21	1	3	3	-	3	8	6	53	12	18	6	-	1
Kelso	-	14	2	3	3	4	-	-	2	-	1	1	-	11	2	3	1	-	-
Longview	1	34	4	4	5	11	-	3	-	-	1	4	4	32	6	8	4	-	1
Balance of county	-	12	1	1	5	6	1	-	1	-	1	3	2	10	4	7	1	-	-
Douglas	1	10	5	6	1	9	1	2	2	-	-	1	-	10	2	7	1	-	-
Ferry	-	3	-	-	1	2	-	-	2	-	-	-	2	5	6	7	1	-	-
Franklin	1	19	2	2	4	14	3	3	-	-	1	2	-	18	7	7	7	1	-
Pasco	1	12	2	2	3	12	2	2	-	-	-	2	-	12	4	5	3	1	-
Balance of county	-	7	-	-	1	2	1	1	-	-	1	-	-	6	3	2	4	-	-
Garfield	-	3	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Grant	1	28	1	6	14	17	2	2	1	-	5	4	4	32	13	8	4	-	1
Moses Lake	-	3	1	2	6	3	1	2	-	-	3	2	1	12	-	2	3	-	-
Balance of county	1	25	-	4	8	14	1	-	1	-	2	2	3	20	13	6	1	-	1
Grays Harbor	3	32	5	8	14	26	2	11	3	-	2	3	6	35	12	18	9	4	-
Aberdeen	-	9	3	2	5	10	2	3	-	-	-	1	2	11	4	5	2	-	-
Balance of county	3	23	2	6	9	16	-	8	3	-	2	2	4	24	8	13	7	4	-
Island	1	27	4	7	9	11	2	3	-	-	3	6	2	26	8	5	5	2	-
Oak Harbor	-	10	-	1	1	1	-	1	-	-	1	-	-	4	1	3	1	-	-
Balance of county	1	17	4	6	8	10	2	2	-	-	2	6	2	22	7	2	4	2	-
Jefferson	-	11	1	2	6	7	2	3	1	-	-	-	-	15	4	6	3	-	-
King	34	733	135	117	368	394	34	164	79	1	67	61	85	888	201	262	173	94	16
Auburn	1	17	8	1	11	13	-	2	2	-	1	3	2	20	5	4	5	1	-
Bellevue	-	32	10	5	9	14	-	8	-	-	1	2	2	48	8	14	8	2	-
Kent	1	10	-	1	7	7	1	1	2	-	2	1	-	9	3	5	6	1	-
Kirkland	-	12	4	4	7	10	-	2	1	-	3	-	1	12	5	1	3	1	-
Mercer Island	1	8	-	3	6	3	1	-	-	-	-	-	-	14	3	3	2	-	-
Redmond	1	6	2	1	3	5	-	-	1	1	1	-	-	7	5	1	1	-	-
Renton	1	20	9	3	16	6	-	6	1	-	2	-	4	29	6	6	4	1	-
Seattle	21	415	62	61	210	217	22	96	42	-	30	29	49	500	71	134	75	60	11
Balance of county	8	215	40	38	99	119	10	49	30	-	27	26	27	249	95	94	69	28	5
Kitsap	2	68	8	11	36	52	4	12	10	1	12	19	5	86	40	39	28	6	3
Bremerton	2	19	3	6	12	15	-	5	4	-	5	12	2	35	11	15	11	1	2
Balance of county	-	49	5	5	24	37	4	7	6	1	7	7	3	51	29	24	15	5	1
Kittitas	2	16	-	3	6	7	-	1	1	-	3	-	-	20	6	6	5	1	-
Ellensburg	2	8	-	1	2	4	-	-	1	-	1	-	-	8	1	3	1	-	-
Balance of county	-	8	-	2	4	3	-	1	-	-	2	-	-	12	5	3	4	1	-
Klickitat	1	8	3	2	3	8	-	3	1	-	1	1	-	9	5	4	4	-	-
Lewis	2	49	9	1	16	18	3	7	3	-	4	1	2	50	14	15	8	1	-
Centralia	1	24	1	1	8	5	-	1	1	-	2	-	-	22	4	3	4	-	-
Balance of county	1	25	8	-	8	13	3	6	2	-	2	1	2	28	10	12	4	1	-
Lincoln	-	5	-	3	5	7	1	2	2	-	-	-	3	4	4	2	3	-	-
Mason	-	16	6	3	3	7	2	3	1	-	1	1	5	29	11	7	7	-	-
Okanogan	-	15	3	5	11	15	2	8	2	-	2	3	3	22	11	13	6	1	-
Pacific	1	9	13	4	8	13	2	7	3	-	-	3	-	24	2	4	3	-	-
Pend Oreille	-	11	1	1	3	8	1	1	3	-	-	1	1	7	3	2	2	1	-
Pierce	15	328	78	42	75	177	10	52	23	2	39	45	43	277	92	96	72	24	4
Puyallup	2	18	2	3	6	8	-	3	-	-	2	-	7	15	3	3	4	-	-
Tacoma	8	180	39	16	41	80	5	22	13	2	18	19	18	135	32	33	25	17	2
Balance of county	5	129	37	23	28	89	5	27	10	-	19	26	18	127	57	60	43	7	2
San Juan	-	4	1	1	2	-	-	1	1	-	-	1	4	6	1	3	1	-	-
Skagit	1	66	6	9	14	20	3	10	3	-	3	8	3	42	12	31	10	3	5
Mount Vernon	1	14	1	-	3	3	-	1	1	-	-	4	2	9	3	3	-	-	-
Balance of county	-	52	5	9	11	17	3	9	2	-	3	4	1	33	9	28	10	3	5
Skamania	-	-	-	2	-	-	-	-	-	-	-	1	-	3	-	-	-	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix].

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con.																			
Snohomish	2,300	1	-	15	561	137	164	44	63	21	17	115	42	1,010	770	11	25	518	218
Edmonds	221	-	-	1	58	13	20	4	9	4	-	8	3	105	82	-	4	46	32
Everett	620	1	-	3	143	32	34	12	18	4	7	36	15	282	196	3	8	141	44
Lynnwood	148	-	-	1	36	9	13	2	3	2	1	6	3	61	43	1	-	24	18
Mountlake Terrace	71	-	-	1	16	3	6	1	2	-	-	4	3	33	24	1	-	19	5
Balance of county	1,240	-	-	9	308	80	91	25	31	11	9	61	18	529	425	6	13	289	117
Spokane	2,943	2	1	21	603	158	172	49	70	26	18	110	68	1,406	1,046	14	16	705	313
Spokane	1,972	2	1	14	394	101	113	37	45	17	11	70	47	966	723	8	12	488	215
Balance of county	971	-	-	7	209	57	59	12	25	9	7	40	21	440	325	6	4	217	98
Stevens	236	-	-	1	50	8	19	4	5	2	3	9	7	120	88	3	-	67	18
Thurston	979	1	-	5	226	43	53	29	30	13	13	45	13	479	377	2	4	292	79
Lacey	176	-	-	1	31	5	8	4	3	1	3	7	3	93	68	-	2	47	19
Olympia	345	-	-	2	88	16	20	15	12	5	1	19	5	165	130	2	2	105	21
Balance of county	458	1	-	2	107	22	25	10	15	7	9	19	5	221	179	-	-	140	39
Wahkiakum	39	-	-	-	8	3	2	-	2	-	-	1	1	24	20	1	-	15	4
Walla Walla	489	-	-	3	101	20	23	9	20	2	4	23	19	242	175	5	2	114	54
Walla Walla	336	-	-	2	66	13	19	3	16	2	3	10	13	175	128	5	1	79	43
Balance of county	153	-	-	1	35	7	4	6	4	-	1	13	6	67	47	-	1	35	11
Whatcom	797	-	-	2	171	41	48	13	20	3	5	41	12	403	299	3	9	219	68
Bellingham	424	-	-	1	82	23	24	6	8	1	3	17	9	234	157	2	6	112	37
Balance of county	373	-	-	1	89	18	24	7	12	2	2	24	3	169	142	1	3	107	31
Whitman	246	-	-	3	55	16	13	3	9	6	-	8	5	128	86	1	1	68	18
Pullman	52	-	-	1	12	2	3	2	2	2	-	1	-	21	16	-	1	9	6
Balance of county	194	-	-	2	43	14	10	1	7	4	-	7	5	107	72	1	-	59	12
Yakima	1,479	1	1	13	303	78	83	29	34	15	10	54	24	726	551	11	9	415	116
Yakima	581	-	1	5	106	32	21	10	15	5	2	21	10	311	228	3	5	168	52
Balance of county	898	1	-	8	197	46	62	19	19	10	8	33	14	415	323	8	4	247	64
West Virginia	19,325	14	-	174	3,986	938	1,166	317	432	155	150	828	422	9,839	7,880	55	206	5,365	2,254
Urban places	5,375	4	-	45	1,144	301	324	100	123	28	33	235	125	2,806	2,207	18	66	1,491	682
Balance of area	13,950	10	-	129	2,842	637	842	217	309	127	117	593	297	7,033	5,673	37	140	3,874	1,622
Metropolitan counties	6,975	4	-	63	1,535	355	474	116	160	60	53	317	136	3,588	2,857	19	70	1,928	842
Urban places	3,686	3	-	31	793	196	229	64	87	23	26	168	81	1,936	1,503	15	42	1,011	435
Balance of area	3,289	1	-	32	742	159	245	52	73	37	27	149	55	1,652	1,354	4	28	915	407
Nonmetropolitan counties	12,350	10	-	111	2,451	583	692	201	272	95	97	511	286	6,251	5,023	36	136	3,439	1,412
Urban places	1,689	1	-	14	351	105	95	36	38	5	7	67	44	870	704	3	24	480	197
Balance of area	10,661	9	-	97	2,100	478	597	165	236	90	90	444	242	5,381	4,319	33	112	2,959	1,215
Barbour	184	-	-	2	36	9	9	2	2	4	1	9	-	95	76	-	2	57	17
Berkeley	498	-	-	4	102	27	30	7	14	4	1	19	13	247	195	2	4	111	78
Martinsburg	243	-	-	2	46	18	14	2	3	1	1	7	6	130	101	1	4	58	38
Balance of county	255	-	-	2	56	9	16	5	11	3	-	12	7	117	94	1	-	53	40
Boone	264	-	-	3	46	4	15	6	4	1	3	13	4	128	99	1	6	57	35
Braxton	135	1	-	3	19	7	2	1	-	-	5	4	4	68	52	3	1	37	11
Brooke	250	1	-	4	62	16	13	7	9	5	1	11	7	127	106	1	1	60	24
Weirton, part	39	-	-	-	9	4	1	1	1	1	-	1	1	22	15	1	-	13	1
Balance of county	211	1	-	4	53	12	12	6	8	4	1	10	6	105	91	-	1	67	23
Cabell	1,217	1	-	11	261	54	84	19	37	10	7	50	21	641	483	2	15	353	113
Huntington, part	848	1	-	8	175	36	58	10	25	7	6	33	13	461	341	2	11	250	78
Huntington, total	889	1	-	9	190	40	60	15	27	7	7	34	13	483	359	2	12	263	82
Balance of county	369	-	-	3	86	18	26	9	12	3	1	17	8	180	142	-	4	103	35
Calhoun	92	-	-	1	13	3	2	-	2	-	-	6	1	63	52	-	2	37	13
Clay	106	-	-	1	18	4	6	1	1	-	1	5	4	58	54	1	-	35	18
Doddridge	83	1	-	2	23	8	6	-	2	1	-	6	4	35	29	-	1	25	3
Fayette	701	1	-	3	138	29	46	7	17	10	5	24	16	372	321	2	8	225	86
Gilmer	103	-	-	-	21	7	4	3	2	2	1	2	1	56	44	-	1	36	7
Grant	106	-	-	1	19	4	5	1	3	-	1	5	2	58	45	-	-	34	11
Greenbrier	412	-	-	4	85	13	24	8	11	4	4	21	5	208	153	-	2	101	50
Hampshire	119	-	-	1	20	8	3	2	4	1	-	2	1	71	57	-	3	39	15
Hancock	392	1	-	5	86	20	22	10	8	2	3	23	6	206	166	-	1	141	24
Weirton, part	215	1	-	4	58	17	8	6	6	2	2	15	5	108	84	-	-	66	18
Weirton, total	254	1	-	4	67	21	9	9	7	3	2	16	6	130	99	1	-	79	19
Balance of county	167	-	-	1	30	3	14	2	2	-	1	8	1	98	82	-	1	75	6
Hardy	114	1	-	-	22	6	1	1	6	2	1	5	2	54	45	-	1	33	11
Harrison	896	1	-	11	195	45	45	17	24	5	7	52	24	470	381	3	16	265	97
Clarksburg	330	-	-	2	70	19	15	7	8	-	-	21	10	178	144	-	6	99	39
Balance of county	566	1	-	9	125	26	30	10	16	5	7	31	14	292	237	3	10	166	58
Jackson	194	-	-	1	37	5	14	3	4	1	3	7	8	109	86	-	6	60	20
Jefferson	278	-	-	1	58	14	16	6	8	2	2	10	7	152	124	1	2	97	24
Kanawha	2,215	1	-	22	498	114	166	25	54	15	16	106	36	1,133	905	5	34	554	312
Charleston	837	1	-	8	173	36	55	12	19	1	4	44	12	434	341	2	16	189	134
St. Albans	151	-	-	-	36	10	14	1	3	1	1	6	2	66	70	1	3	46	20
South Charleston	147	-	-	-	31	6	10	1	1	1	3	9	6	72	58	-	3	35	20
Balance of county	1,080	-	-	14	258	60	87	11	31	12	10	47	16	541	436	2	12	284	136
Lewis	228	-	-	2	47	16	10	3	10	1	1	6	2	121	90	-	2	44	44
Lincoln	190	-	-	1	53	9	17	4	4	1	2	16	3	95	75	3	2	44	26
Logan	484	1	-	4	107	23	34	7	5	4	6	28	9	221	180	1	4	126	59
McDowell	536	1	-	6	93	24	29	5	9	4	2	20	21	221	185	1	6	119	59
Marion	648	-	-	7	137	36	38	10	17	4	7	25	15	342	266	1	5	181	79
Fairmont	299	-	-	3	70	24	15	7	9	1	3	11	6	150	121	-	-	87	34
Balance of county	349	-	-	4	67	12	23	3	8	3	4	14	9	182	145	1	5	94	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Snohomish	6	164	49	27	56	130	8	33	12	-	18	10	18	192	59	66	51	15	3
Edmonds	-	16	5	2	2	9	1	1	1	-	4	-	1	22	6	3	2	1	1
Everett	3	49	19	15	14	30	1	8	5	-	2	3	5	61	11	17	13	5	1
Lynnwood	1	9	5	3	2	12	2	3	1	-	-	1	3	10	3	2	6	2	-
Mountlake Terrace	-	8	-	1	3	3	-	2	-	-	-	1	1	4	-	2	2	-	-
Balance of county	2	82	14	6	35	76	4	19	5	-	12	5	8	95	39	42	28	7	1
Spokane	17	255	45	41	97	164	10	35	25	1	29	21	40	219	49	78	52	21	1
Spokane	13	171	31	28	72	110	8	25	12	-	19	12	22	141	27	49	33	18	-
Balance of county	4	84	14	13	25	54	2	10	13	1	10	9	18	78	22	29	19	3	1
Stevens	-	28	4	2	2	12	2	2	3	-	1	1	1	19	6	4	4	3	-
Thurston	2	79	10	11	25	45	4	13	6	-	5	8	14	75	17	28	12	2	1
Lacey	-	19	3	3	10	10	-	-	1	-	2	1	-	15	4	4	-	-	1
Olympia	2	27	3	3	6	13	3	8	1	-	-	3	5	27	6	12	1	-	-
Balance of county	-	33	4	5	9	22	1	5	4	-	3	4	9	33	7	12	11	2	-
Wahkiakum	-	3	1	-	1	1	-	-	-	-	-	-	-	3	-	-	1	-	-
Walla Walla	3	46	12	6	15	14	2	5	4	-	4	1	6	45	10	7	6	5	-
Walla Walla	3	30	11	3	10	10	1	4	3	-	1	1	5	29	7	3	3	3	-
Balance of county	-	16	1	3	5	4	1	1	1	-	3	-	1	16	3	4	3	2	-
Whatcom	4	68	20	12	20	31	1	5	8	-	6	5	6	70	24	17	14	-	2
Bellingham	2	55	14	6	9	15	-	3	6	-	4	1	2	32	8	10	6	-	-
Balance of county	2	13	6	6	11	16	1	2	2	-	2	4	4	38	16	7	8	-	2
Whitman	-	32	4	4	6	5	3	-	2	-	1	-	2	15	7	5	7	2	-
Pullman	-	5	-	-	3	-	1	-	1	-	1	-	-	4	2	2	3	1	-
Balance of county	-	27	4	4	3	5	2	-	1	-	-	-	2	11	5	3	4	1	-
Yakima	7	127	17	24	53	61	2	16	12	-	6	10	17	109	48	31	34	12	-
Yakima	6	60	8	9	27	23	-	3	7	-	2	5	7	43	10	8	12	1	-
Balance of county	1	67	9	15	26	38	2	13	5	-	4	5	10	66	38	23	22	11	-
West Virginia	60	1,459	238	202	435	807	48	198	224	3	97	133	197	1,516	431	399	251	122	27
Urban places	21	432	84	62	116	205	11	55	74	1	19	24	64	426	66	98	62	22	8
Balance of area	39	1,027	154	140	319	602	37	143	150	2	78	109	133	1,092	365	301	189	100	19
Metropolitan counties	26	536	98	71	142	261	14	79	79	-	31	47	84	507	137	130	93	35	10
Urban places	14	311	68	40	79	135	7	39	49	-	12	17	50	278	49	66	42	12	7
Balance of area	12	225	30	31	63	126	7	40	30	-	19	30	34	229	88	64	51	23	3
Nonmetropolitan counties	34	923	140	131	293	546	34	119	145	3	66	86	113	1,011	294	269	158	87	17
Urban places	7	121	16	22	37	70	4	16	25	1	7	7	14	148	17	32	20	10	1
Balance of area	27	802	124	109	256	476	30	103	120	2	59	79	99	863	277	237	138	77	16
Barbour	-	17	1	1	6	10	-	-	2	-	2	5	1	14	5	3	3	-	-
Berkeley	2	40	5	5	7	20	2	3	3	-	4	4	2	42	15	14	11	5	-
Martinsburg	2	19	4	4	4	12	-	1	1	-	-	2	1	19	6	6	6	1	-
Balance of county	-	21	1	1	3	8	2	2	2	-	4	2	1	23	9	8	5	4	-
Boone	1	23	1	4	7	13	1	1	2	-	1	-	3	30	12	4	7	2	-
Braxton	-	15	1	-	4	8	2	-	1	-	1	-	-	12	4	5	2	-	-
Brooke	-	17	1	3	5	8	-	2	1	-	-	2	1	14	7	4	4	-	-
Weirton, part	-	6	-	1	-	3	-	-	-	-	-	-	-	2	-	-	2	-	-
Balance of county	-	11	1	2	5	6	-	2	1	-	-	2	1	12	7	4	2	-	-
Cabell	6	120	21	11	22	46	4	11	7	-	3	8	12	102	15	20	22	8	2
Huntington, part	5	88	17	10	14	30	3	10	6	-	2	3	9	71	6	16	13	6	1
Huntington, total	5	91	17	11	14	30	3	11	6	-	2	3	9	72	6	16	14	6	1
Balance of county	1	32	4	1	8	16	1	1	1	-	1	5	3	31	9	4	9	2	1
Calhoun	-	11	-	-	3	1	-	2	1	-	-	-	1	4	1	1	-	-	-
Clay	-	3	-	1	3	2	-	1	1	-	-	1	4	6	4	3	-	-	-
Doddridge	-	5	-	1	2	3	-	-	2	-	-	-	-	7	1	3	-	-	-
Fayette	-	38	5	8	16	30	1	9	8	-	6	2	2	55	21	12	5	4	-
Gilmer	1	9	-	2	4	5	-	1	1	-	1	1	-	7	2	3	-	-	-
Grant	-	10	2	1	4	5	1	1	-	-	-	-	3	7	2	1	1	1	-
Greenbrier	2	41	8	4	12	19	4	7	9	-	1	1	-	32	11	5	9	-	-
Hampshire	-	11	3	-	1	2	2	-	3	-	1	-	-	8	6	-	2	-	1
Hancock	1	35	-	4	12	10	1	4	6	-	2	1	2	21	8	2	4	2	1
Weirton, part	-	21	-	3	5	3	-	3	5	-	-	1	1	14	4	2	1	-	-
Weirton, total	-	27	-	4	5	6	-	3	5	-	-	1	1	16	4	2	3	-	-
Balance of county	1	14	-	1	7	7	1	1	1	-	2	-	1	7	4	-	3	2	1
Hardy	-	6	1	2	2	5	1	1	1	-	-	1	-	18	1	1	2	1	1
Harrison	3	62	9	15	16	31	6	5	8	-	5	6	12	59	14	18	10	4	1
Clarksburg	1	23	4	6	7	13	3	1	4	-	1	1	3	24	3	7	2	1	-
Balance of county	2	39	5	9	9	18	3	4	4	-	4	5	9	35	11	11	8	3	1
Jackson	-	16	3	4	2	9	1	2	3	1	-	1	1	8	4	5	1	1	-
Jefferson	1	23	3	1	1	10	-	6	2	-	-	3	1	17	11	6	1	2	-
Kanawha	9	162	30	27	37	93	4	30	24	-	10	15	22	166	43	44	21	15	1
Charleston	4	66	14	9	17	42	1	11	14	-	2	4	10	69	15	12	7	4	1
St. Albans	-	8	4	4	2	3	-	-	-	-	1	-	1	12	3	4	1	-	-
South Charleston	-	11	1	2	1	8	-	2	2	-	1	2	3	12	1	3	2	1	-
Balance of county	5	77	11	12	17	40	3	17	8	-	6	9	8	73	24	25	11	10	-
Lewis	-	26	3	2	4	12	2	2	5	-	1	3	2	15	5	3	1	1	-
Lincoln	-	15	1	4	6	7	-	1	-	-	-	3	2	12	3	1	2	1	-
Logan	1	23	1	6	11	20	2	5	8	-	3	7	5	35	13	14	10	7	2
McDowell	2	28	2	4	12	52	-	7	5	-	1	3	3	58	21	15	10	9	-
Marion	3	61	4	8	10	18	1	4	9	-	4	4	7	51	10	17	6	5	1
Fairmont	2	21	3	3	5	9	-	3	5	-	-	2	-	30	2	8	2	3	1
Balance of county	1	40	1	5	5	9	1	1	4	-	4	2	7	21	8	9	4	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Marshall	402	-	-	1	84	16	28	6	5	6	6	17	11	211	174	3	1	112	58
Moundsville	165	-	-	1	36	7	9	2	5	2	3	8	9	81	68	3	1	45	19
Wheeling, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	236	-	-	-	48	9	19	4	-	4	3	9	2	129	105	-	-	66	39
Mason	287	-	-	4	58	19	18	3	8	1	3	6	4	137	101	1	4	75	21
Mercer	777	1	-	10	142	44	45	13	11	6	3	20	19	383	317	1	13	223	60
Bluefield ¹²	231	1	-	3	42	15	13	5	3	1	-	5	8	131	110	1	3	75	31
Balance of county	546	-	-	7	100	29	32	8	8	5	3	15	11	252	207	-	10	148	49
Mineral	255	-	-	1	56	10	17	4	7	2	1	15	4	137	107	-	2	62	43
Mingo	372	-	-	2	70	12	22	7	5	5	2	17	12	199	176	-	3	101	72
Monongalia	562	-	-	10	126	32	39	12	12	1	4	26	17	253	193	1	4	136	52
Morgantown	258	-	-	4	61	15	18	7	4	1	1	15	9	109	83	1	2	56	24
Balance of county	304	-	-	6	65	17	21	5	8	-	3	11	8	144	110	-	2	80	28
Monroe	156	-	-	-	30	5	7	3	2	1	3	9	3	81	60	1	2	39	16
Morgan	121	-	-	-	26	6	8	-	7	1	-	4	3	57	42	-	-	24	16
Nicholas	238	-	-	1	47	9	15	1	7	4	1	10	7	108	80	1	-	53	26
Ohio	722	-	-	4	160	43	44	16	16	5	2	34	20	374	295	3	3	222	67
Wheeling, part	611	-	-	2	131	36	35	13	13	5	1	28	17	325	253	3	3	188	59
Wheeling, total	612	-	-	2	131	38	35	13	13	5	1	28	17	326	254	3	3	189	59
Balance of county	111	-	-	2	29	7	9	3	3	-	1	6	3	49	42	-	-	34	8
Pendleton	88	-	-	2	20	4	2	3	5	-	1	5	-	46	38	-	-	27	11
Pleasants	64	-	-	-	15	2	5	2	-	1	2	3	-	30	23	-	1	16	6
Pocahontas	103	-	-	1	21	4	5	2	2	-	1	7	2	49	37	-	-	31	6
Preston	285	1	-	5	61	27	8	5	8	1	4	8	6	134	109	1	1	86	21
Putnam	285	-	-	5	67	11	21	4	8	3	5	15	7	143	125	-	4	61	60
Raleigh	901	1	-	4	162	34	51	18	15	5	6	33	17	473	406	-	13	304	89
Beckley	328	-	-	-	62	14	20	8	9	1	2	8	5	172	145	-	9	105	31
Balance of county	573	1	-	4	100	20	31	10	6	4	4	25	12	301	261	-	4	199	58
Randolph	342	-	-	2	54	11	15	2	4	3	4	15	12	194	136	2	3	92	99
Ritchie	119	-	-	-	20	7	3	3	1	2	1	3	2	69	52	1	1	38	12
Roane	184	-	-	1	37	6	13	6	5	1	1	5	2	105	79	1	1	62	15
Summers	163	-	-	3	24	6	8	3	2	-	-	5	4	87	73	1	2	49	21
Taylor	156	-	-	2	37	6	13	5	2	-	3	8	1	64	43	-	1	25	17
Tucker	110	-	-	-	21	3	7	3	3	1	1	3	6	58	40	-	1	28	11
Tyler	113	-	-	-	24	7	6	-	3	3	-	5	3	54	46	1	1	33	11
Upshur	232	-	-	-	42	10	9	4	7	1	-	11	3	136	113	3	7	59	44
Wayne	357	-	-	1	68	15	23	10	2	2	3	13	2	185	159	2	4	113	40
Huntington, part	41	-	-	1	15	4	2	5	2	-	1	1	-	22	18	-	1	13	4
Balance of county	316	-	-	-	53	11	21	5	-	2	2	12	2	163	141	2	3	100	36
Webster	117	-	-	-	26	6	9	2	2	2	1	4	3	51	43	1	-	23	19
Wetzel	220	-	-	2	59	13	16	6	7	4	2	11	2	108	85	-	2	67	16
Wirt	46	-	-	-	12	3	2	1	-	4	1	1	1	22	17	-	-	14	3
Wood	844	-	-	9	179	53	54	14	14	6	6	32	21	409	320	3	5	214	98
Parkersburg	518	-	-	5	101	32	30	8	9	2	4	16	15	266	205	3	2	136	64
Vienna	113	-	-	2	28	6	7	3	3	1	1	7	1	58	49	-	2	29	18
Balance of county	213	-	-	2	50	15	17	3	2	3	1	9	5	85	66	-	1	49	16
Wyoming	269	-	-	4	40	9	12	4	5	1	1	8	12	131	112	1	2	85	24
Wisconsin	41,033	20	2	372	8,962	2,407	2,086	854	1,058	423	399	1,735	691	21,155	16,411	127	413	12,048	3,823
Urban places	20,677	14	2	204	4,590	1,206	1,115	455	531	201	195	887	343	10,651	8,303	71	235	6,203	1,794
Balance of area	20,356	6	-	168	4,372	1,201	971	399	527	222	204	848	348	10,504	8,108	56	178	5,845	2,029
Metropolitan counties	25,360	13	2	241	5,636	1,519	1,361	563	637	244	228	1,084	394	12,912	10,133	90	295	7,593	2,155
Urban places	18,329	13	2	188	4,097	1,091	1,012	410	461	176	171	776	285	9,370	7,346	66	224	5,510	1,546
Balance of area	7,031	-	-	53	1,539	428	349	153	176	68	57	308	109	3,542	2,787	24	71	2,083	609
Nonmetropolitan counties	15,673	7	-	131	3,326	888	725	291	421	179	171	651	297	8,243	6,278	37	118	4,455	1,668
Urban places	2,348	1	-	16	493	115	103	45	70	25	24	111	58	1,281	957	5	11	693	248
Balance of area	13,325	6	-	115	2,833	773	622	246	351	154	147	540	239	6,962	5,321	32	107	3,762	1,420
Adams	155	-	-	-	30	10	4	5	5	1	-	5	4	87	52	-	1	42	9
Ashland	241	-	-	2	42	14	10	8	3	-	2	5	13	125	93	-	-	52	41
Barron	440	-	-	5	94	21	20	6	15	7	2	23	6	240	174	-	2	121	51
Bayfield	136	-	-	-	27	8	5	4	3	1	-	6	-	70	50	-	2	35	13
Brown	1,259	-	-	11	259	70	69	26	23	13	8	50	30	664	497	5	8	371	113
Allouez town#	79	-	-	-	20	5	8	3	2	-	-	2	-	35	25	1	-	20	4
Ashwaubenon	88	-	-	1	10	2	3	2	-	1	1	1	4	56	36	-	1	29	6
De Pere	72	-	-	-	19	4	7	2	2	-	1	3	1	36	25	-	-	23	2
Green Bay	787	-	-	7	169	43	45	15	15	11	4	36	21	410	309	2	5	227	75
Balance of county	233	-	-	3	41	16	6	4	4	1	2	8	4	127	102	2	2	72	26
Buffalo	138	-	-	1	32	7	5	5	4	2	-	9	1	65	58	-	-	44	14
Burnett	147	1	-	-	32	7	6	4	4	6	1	4	3	86	58	1	-	37	20
Calumet	212	-	-	1	53	15	7	7	6	4	2	12	7	102	81	-	4	63	14
Appleton, part	18	-	-	-	6	1	2	1	1	-	-	1	2	6	6	-	-	5	1
Balance of county	194	-	-	1	47	14	5	6	5	4	2	11	5	96	75	-	4	58	13
Chippewa	476	-	-	3	97	27	17	7	9	5	6	26	6	251	201	2	5	151	43
Chippewa Falls	142	-	-	1	33	7	4	3	3	-	4	12	2	70	62	1	3	44	14
Eau Claire, part	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	333	-	-	2	63	19	13	4	6	5	2	14	4	181	139	1	2	107	29
Clark	374	-	-	-	75	26	11	6	10	3	5	14	6	198	162	1	-	130	31
Columbia	455	-	-	3	107	32	25	15	17	5	2	11	10	241	194	2	1	135	56
Crawford	174	-	-	1	37	10	11	2	3	-	3	8	4	89	72	1	-	58	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	3	28	3	3	7	13	-	11	16	-	2	5	1	29	2	5	1	2	1
Moundsville	-	10	2	1	4	4	-	2	11	-	1	2	-	10	-	3	-	-	1
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	18	1	2	3	9	-	9	5	-	1	3	1	19	2	2	1	2	-
Mason	1	28	4	3	5	9	-	3	7	-	2	1	1	27	11	13	3	2	-
Mercer	3	46	11	6	16	53	3	10	9	1	3	3	8	58	17	13	17	10	1
Bluefield [12]	1	17	2	1	3	9	-	3	5	1	2	-	2	13	2	1	3	2	-
Balance of county	2	29	9	5	13	44	3	7	4	-	1	3	6	45	15	12	14	8	1
Mineral	1	23	2	4	4	9	-	5	4	-	2	2	2	15	10	3	1	1	-
Mingo	-	21	1	1	8	15	-	3	3	-	2	2	5	15	12	12	-	9	3
Monongalia	2	37	11	10	14	27	-	8	11	-	4	1	8	55	12	9	5	1	1
Morgantown	1	18	2	5	8	16	-	1	5	-	2	-	5	30	1	4	3	-	-
Balance of county	1	19	9	5	6	11	-	7	6	-	2	1	3	25	11	5	2	1	1
Monroe	-	15	4	2	5	7	-	-	3	-	-	2	-	17	4	1	2	1	-
Morgan	-	12	2	1	6	2	-	-	2	-	-	1	-	12	5	5	1	-	1
Nicholas	1	21	5	1	8	17	2	3	4	-	1	2	2	22	6	4	3	1	-
Ohio	-	59	14	6	24	23	2	6	4	-	2	2	3	54	7	18	14	1	4
Wheeling, part	-	55	19	4	21	21	1	6	4	-	2	1	2	44	7	15	7	1	4
Wheeling, total	-	55	13	4	21	21	1	6	4	-	2	1	2	44	7	15	7	1	4
Balance of county	-	4	1	2	3	2	1	-	-	-	-	1	1	10	-	3	7	-	-
Pendleton	-	8	-	-	1	2	-	-	1	-	1	-	-	9	2	3	1	-	-
Pleasants	-	5	2	-	1	1	-	1	1	-	-	1	1	7	4	1	-	1	-
Pocahontas	2	6	1	3	6	3	-	-	3	-	-	-	-	9	3	2	4	-	-
Preston	-	21	4	-	7	13	1	3	3	-	1	3	-	24	8	10	3	-	2
Putnam	-	13	2	3	4	8	-	2	3	-	2	1	-	17	15	6	5	-	-
Raleigh	3	52	3	9	24	39	2	13	8	-	6	11	6	80	12	18	13	12	-
Beckley	-	23	1	3	10	11	1	7	5	-	2	2	3	32	3	6	4	3	-
Balance of county	3	29	2	6	14	28	1	6	3	-	4	9	3	48	9	12	9	9	-
Randolph	1	45	8	4	12	14	-	1	3	-	1	1	5	29	4	5	4	1	-
Ritchie	-	8	7	2	2	2	-	-	1	-	-	2	2	13	4	2	-	-	-
Roane	-	22	2	2	5	5	-	1	1	1	2	1	2	8	2	6	4	1	-
Summers	-	10	2	2	2	9	-	5	1	-	2	2	2	16	2	4	-	-	-
Taylor	1	10	7	3	8	7	-	2	3	-	1	2	-	22	-	3	3	-	1
Tucker	-	13	5	-	2	7	-	-	-	-	1	-	2	8	-	4	-	1	-
Tyler	-	7	1	-	8	1	-	1	2	-	-	2	2	11	-	3	2	-	-
Upshur	-	18	4	1	4	5	-	1	3	-	3	-	7	18	5	5	-	-	-
Wayne	-	20	3	3	6	19	1	2	3	-	4	3	8	25	9	11	7	3	-
Huntington, part	-	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
Balance of county	-	17	3	2	6	19	1	1	3	-	4	3	8	24	9	11	6	3	-
Webster	-	7	1	-	6	8	-	-	-	-	1	2	-	13	1	1	5	-	-
Wetzel	1	17	1	4	3	4	-	2	-	-	3	2	3	19	4	5	2	1	1
Wirt	1	3	1	-	1	3	-	-	-	-	-	2	-	2	1	-	1	1	-
Wood	5	56	21	7	20	29	2	6	11	-	4	6	33	62	20	17	13	2	1
Parkersburg	5	37	14	5	11	15	2	4	7	-	1	3	23	37	12	9	7	-	-
Vienna	-	6	3	-	4	6	-	-	-	-	2	1	1	6	1	2	1	-	-
Balance of county	-	13	4	2	5	8	-	2	4	-	1	2	9	19	7	6	5	2	1
Wyoming	3	11	1	4	7	13	-	4	2	-	1	-	8	24	10	6	3	3	1
Wisconsin	175	3,400	661	508	1,260	1,228	116	438	332	4	270	316	270	3,225	757	808	617	155	37
Urban places	88	1,689	313	258	596	657	61	241	159	2	140	160	140	1,698	253	344	306	95	21
Balance of area	87	1,711	348	250	664	571	55	195	173	2	130	156	130	1,527	504	464	311	60	16
Metropolitan counties	101	2,016	349	313	771	797	70	291	205	2	172	202	170	2,043	423	453	418	112	33
Urban places	78	1,472	253	221	534	592	53	220	144	2	129	148	130	1,497	216	310	288	91	20
Balance of area	23	544	96	92	237	205	17	71	61	-	43	54	40	546	207	143	130	21	13
Nonmetropolitan counties	74	1,384	312	195	489	431	46	145	127	2	98	114	100	1,182	334	355	199	43	4
Urban places	10	217	60	37	62	65	8	21	15	-	11	12	10	201	37	34	18	4	1
Balance of area	64	1,167	252	158	427	366	38	124	112	2	87	102	90	981	297	321	181	39	3
Adams	1	22	11	1	2	1	-	1	2	-	2	1	-	10	8	3	3	1	-
Ashland	1	26	3	2	9	8	-	4	4	-	1	-	2	18	3	6	3	1	-
Barron	1	49	14	2	12	12	3	5	4	-	2	3	4	33	3	9	4	1	-
Bayfield	1	17	2	-	6	6	-	2	2	-	1	-	1	13	3	4	1	-	-
Brown	3	117	20	27	32	31	4	16	8	-	9	12	8	102	15	22	28	5	3
Allouez town#	-	8	-	2	5	3	1	3	-	-	-	1	1	6	1	1	2	-	-
Ashwaubenon	-	13	6	1	2	2	-	-	-	-	-	1	-	7	2	1	1	-	1
De Pere	1	5	2	3	2	2	-	-	-	-	-	1	-	9	-	-	2	-	-
Green Bay	1	76	10	14	17	18	3	13	8	-	5	3	5	64	6	16	16	4	2
Balance of county	1	15	2	7	6	8	-	-	-	-	4	6	2	16	6	4	7	1	-
Buffalo	1	6	-	-	2	2	-	2	1	-	-	-	1	20	6	3	2	-	-
Burnett	2	21	5	-	5	1	-	2	2	-	-	-	-	10	3	1	1	-	-
Calumet	-	13	6	2	6	4	-	2	-	-	1	3	-	18	6	6	3	-	-
Appleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Balance of county	-	13	6	2	6	4	-	2	-	-	1	3	-	16	6	4	3	-	-
Chippewa	-	38	5	7	18	22	-	5	9	-	1	4	1	27	12	10	8	-	2
Chippewa Falls	-	6	1	1	7	13	-	1	1	-	1	1	-	7	2	2	-	-	1
Eau Claire, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	32	4	6	11	9	-	4	8	-	-	3	1	20	10	8	8	-	1
Clark	2	27	4	3	14	9	-	3	3	-	3	1	7	28	6	15	5	1	-
Columbia	1	33	7	6	7	9	1	6	5	-	1	3	6	31	9	9	5	2	-
Crawford	-	13	3	1	7	4	2	2	1	-	4	1	1	9	4	6	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Dane	2,102	1	-	21	450	129	109	38	50	19	17	88	23	1,011	799	6	15	601	177
Madison	1,187	1	-	12	253	74	66	22	27	8	9	47	10	567	444	4	11	336	93
Middleton	66	-	-	1	10	4	-	1	2	1	-	2	-	40	32	1	1	21	9
Sun Prairie	60	-	-	2	19	6	1	2	4	-	-	6	2	37	33	-	-	19	14
Balance of county	769	-	-	6	168	45	42	13	17	10	8	33	11	367	290	1	3	225	61
Dodge	690	-	-	8	150	29	33	13	18	8	8	41	9	388	294	2	2	205	85
Beaver Dam	164	-	-	-	40	9	9	3	3	1	2	13	2	92	69	-	-	47	22
Watertown, part	63	-	-	1	13	2	4	1	3	-	1	2	1	33	23	1	-	14	8
Balance of county	463	-	-	7	97	18	20	9	12	7	5	26	6	263	202	1	2	144	55
Door	256	-	-	5	58	16	18	1	8	2	3	10	3	124	78	-	-	56	22
Douglas	468	-	-	3	105	23	35	8	13	4	4	18	5	260	234	-	5	165	64
Superior	334	-	-	3	72	13	25	5	10	3	3	13	3	194	175	-	4	123	46
Balance of county	134	-	-	-	33	10	10	3	3	1	1	5	2	66	59	-	1	42	16
Dunn	251	-	-	2	42	15	5	2	7	2	2	9	5	138	110	-	-	96	14
Menomonie	108	-	-	-	18	6	1	2	4	1	1	4	3	56	48	-	-	42	6
Balance of county	143	-	-	2	23	9	4	-	3	1	1	5	2	82	62	-	-	54	8
Eau Claire	584	-	1	4	130	39	27	14	11	5	1	33	3	292	233	1	10	173	49
Eau Claire, part	418	-	1	3	100	25	22	13	8	4	-	28	1	202	156	1	8	113	34
Eau Claire, total	419	-	1	3	101	26	22	13	8	4	-	28	1	202	156	1	8	113	34
Balance of county	166	-	-	1	30	14	5	1	3	1	1	5	2	90	77	-	2	60	15
Florence	54	-	-	-	17	4	5	-	2	2	-	4	-	28	19	-	1	12	6
Fond du Lac	831	1	-	6	173	50	43	19	20	10	6	25	19	447	331	3	6	241	81
Fond du Lac	422	1	-	3	78	18	22	4	12	6	3	13	7	247	183	1	5	132	45
Balance of county	409	-	-	3	95	32	21	15	8	4	3	12	12	200	148	2	1	109	36
Forest	117	-	-	-	20	3	6	2	2	2	1	4	2	60	45	1	-	22	22
Grant	478	-	-	4	83	26	14	4	12	7	6	14	11	271	203	1	2	148	52
Green	286	-	-	1	54	13	14	4	5	-	4	14	4	156	119	1	-	72	48
Monroe	121	-	-	1	19	4	5	1	2	-	2	5	1	70	54	-	-	35	19
Balance of county	165	-	-	-	35	9	9	3	3	-	2	9	3	86	65	1	-	37	27
Green Lake	200	-	-	-	49	14	7	9	4	3	4	8	3	107	89	-	2	47	40
Iowa	186	-	-	2	47	14	5	4	9	1	2	12	2	83	55	-	-	49	6
Iron	89	-	-	-	23	8	7	2	2	1	1	2	1	46	38	-	2	24	12
Jackson	180	-	-	3	38	13	8	3	4	1	1	8	-	95	75	1	3	37	34
Jefferson	560	-	-	6	121	27	28	15	10	7	8	26	10	285	231	1	1	170	59
Watertown, part	118	-	-	1	32	7	6	5	4	2	3	5	2	58	44	-	-	31	13
Watertown, total	181	-	-	2	45	9	10	8	7	2	4	7	3	91	67	1	-	45	21
Whitewater, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	441	-	-	5	89	20	22	10	6	5	5	21	8	226	186	1	1	139	45
Juneau	225	1	-	2	43	14	12	3	1	4	1	8	5	112	85	-	4	52	29
Kenosha	1,053	2	-	11	239	65	74	18	21	8	5	48	20	545	430	2	9	329	90
Kenosha	735	2	-	9	154	38	48	16	11	6	4	31	16	393	301	-	7	230	64
Balance of county	318	-	-	2	85	27	26	2	10	2	1	17	4	152	129	2	2	99	26
Kewaunee	171	1	-	2	50	17	12	3	9	-	4	5	8	77	54	-	2	26	26
La Crosse	797	-	-	7	178	48	36	16	25	8	8	37	13	387	313	4	9	237	63
La Crosse	540	-	-	5	127	36	22	14	20	7	5	23	11	258	206	2	3	157	44
Balance of county	257	-	-	2	51	12	14	2	5	1	3	14	2	129	107	2	6	80	19
Lafayette	165	-	-	-	33	8	7	2	1	4	2	9	2	86	68	1	1	41	25
Langlade	212	-	-	3	32	6	7	2	4	1	3	9	4	126	107	1	-	86	20
Lincoln	277	-	-	3	62	18	13	4	8	1	2	16	6	150	121	-	1	79	41
Manitowoc	804	-	-	7	160	43	31	22	34	10	8	32	23	430	338	2	3	261	72
Manitowoc	439	-	-	4	94	21	17	14	15	5	4	18	21	232	184	-	-	138	46
Two Rivers	137	-	-	1	32	9	4	3	8	1	-	7	2	74	57	-	1	42	14
Balance of county	228	-	-	2	54	13	10	5	11	4	4	7	-	124	97	2	2	81	12
Marathon	801	-	-	5	171	47	28	23	23	5	15	30	10	410	315	5	4	217	89
Marshfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wausau	354	-	-	3	75	20	10	8	11	-	10	16	6	177	130	1	3	94	32
Balance of county	447	-	-	2	96	27	18	15	12	5	5	14	4	233	185	4	1	123	57
Marinette	441	-	-	2	94	23	23	3	11	7	5	22	15	248	174	2	8	119	45
Marinette	173	-	-	1	34	6	9	2	-	3	2	12	6	104	69	1	3	45	20
Balance of county	268	-	-	1	60	17	14	1	11	4	3	10	9	144	105	1	5	74	25
Marquette	141	-	-	3	20	6	5	2	2	1	1	3	2	85	70	2	1	48	19
Menominee	43	1	-	1	4	2	1	-	-	-	1	-	1	16	13	-	-	9	4
Milwaukee	8,975	9	1	101	2,008	528	512	208	211	79	86	384	140	4,551	3,613	32	148	2,646	787
Brown Deer	58	-	-	1	12	1	-	-	1	-	3	7	-	34	29	3	1	19	6
Cudahy	120	-	-	3	30	11	9	-	4	-	2	4	2	52	43	-	2	33	8
Franklin	94	-	-	-	25	6	7	2	2	-	1	7	5	42	35	-	2	24	9
Glendale	207	-	-	1	44	12	7	7	8	1	1	8	1	116	92	1	1	56	34
Greendale	86	-	-	1	30	8	6	3	3	2	1	7	1	39	23	-	-	15	8
Greenfield	337	-	-	2	66	21	14	2	7	5	2	15	15	175	138	1	2	102	33
Milwaukee, part	6,022	7	1	75	1,340	362	354	138	136	50	62	240	85	3,010	2,402	21	104	1,740	537
Milwaukee, total	6,023	7	1	75	1,340	362	354	136	136	50	62	240	85	3,010	2,402	21	104	1,740	537
Oak Creek	86	-	-	1	18	4	6	3	-	2	-	3	4	46	39	-	1	29	9
St. Francis	86	-	-	-	28	6	12	4	-	2	-	4	1	42	34	-	1	31	2
Shorewood	162	-	-	1	40	10	14	2	3	1	4	6	2	86	70	-	2	60	8
South Milwaukee	168	-	-	2	31	9	13	2	1	2	2	2	2	94	75	1	6	56	12
Wauwatosa	577	-	-	3	129	26	28	15	21	8	2	29	7	312	236	2	9	179	46
West Allis	661	2	-	9	131	33	25	19	16	3	5	30	8	360	285	2	14	224	45
Whitefish Bay	81	-	-	-	24	5	3	4	5	1	1	5	1	43	34	1	2	22	9
Balance of county	230	-	-	2	60	14	14	9	4	2	-	17	6	100	78	-	1	56	21
Monroe	348	-	-	4	72	17	18	8	9	1	6	13	9	164	126	1	3	92	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Dane	10	159	23	20	70	73	8	30	11	-	26	19	12	172	58	45	55	9	8
Madison	5	99	16	6	41	47	5	20	5	-	17	13	4	98	27	24	32	7	4
Middleton	2	5	1	-	1	1	2	1	1	-	1	-	-	2	2	1	3	-	-
Sun Prairie	-	3	-	1	1	4	-	-	2	-	-	-	2	7	1	-	3	-	-
Balance of county	3	55	6	13	27	21	1	9	3	-	8	6	6	65	28	20	17	2	4
Dodge	5	68	11	10	21	13	1	4	3	-	5	3	1	50	16	11	6	1	-
Beaver Dam	2	15	3	3	6	2	-	1	2	-	-	1	-	12	3	2	1	-	-
Watertown, part	1	5	3	1	2	2	-	1	-	-	-	-	-	10	-	-	-	-	-
Balance of county	2	48	5	6	13	9	1	2	1	-	5	2	1	28	13	9	5	1	-
Door	-	27	17	2	6	4	-	2	4	-	-	5	3	25	6	8	3	-	-
Douglas	1	22	2	1	13	12	1	6	5	-	2	7	2	24	8	3	7	4	1
Superior	1	16	2	-	8	7	1	6	4	-	2	6	2	14	4	1	3	4	-
Balance of county	-	6	-	1	5	5	-	-	1	-	-	1	-	10	4	2	4	-	1
Dunn	-	19	5	4	10	5	-	2	1	-	3	-	1	22	9	7	4	-	-
Menomonie	-	7	1	-	8	3	-	-	1	-	1	-	-	14	2	-	1	-	-
Balance of county	-	12	4	4	2	2	-	2	-	-	2	-	1	8	7	7	3	-	-
Eau Claire	-	45	7	7	16	37	3	12	8	-	3	7	7	31	7	15	6	1	1
Eau Claire, part	-	35	6	5	11	26	2	8	3	-	3	4	2	26	7	14	4	1	-
Eau Claire, total	-	35	6	5	11	26	2	8	3	-	3	4	2	26	7	14	4	1	-
Balance of county	-	10	1	2	5	11	1	4	5	-	-	3	5	5	-	1	2	-	1
Florence	-	3	3	1	1	2	-	1	-	-	-	-	-	6	-	-	1	-	-
Fond du Lac	4	83	19	10	23	20	5	8	4	-	3	6	3	69	17	13	11	2	1
Fond du Lac	2	41	15	6	12	12	2	4	-	-	1	1	1	39	4	4	4	1	1
Balance of county	2	42	4	4	11	8	3	4	4	-	2	5	2	30	13	9	7	1	-
Forest	1	13	1	-	3	7	1	-	2	-	1	-	4	9	2	6	-	-	-
Grant	2	48	14	4	17	16	1	1	4	-	4	1	2	31	8	11	12	1	-
Green	1	27	3	6	13	10	-	4	1	-	4	1	1	18	9	6	3	1	-
Monroe	-	10	1	5	5	7	-	1	1	-	-	-	1	10	3	2	-	-	-
Balance of county	1	17	2	1	8	3	-	3	-	-	4	1	-	8	6	4	3	1	-
Green Lake	-	13	1	4	2	6	-	4	2	1	2	4	-	10	5	4	1	-	-
Iowa	1	22	4	1	7	5	-	1	1	-	1	2	1	15	4	7	5	3	-
Iron	1	5	1	1	4	4	-	-	-	-	-	-	-	7	1	2	-	1	-
Jackson	1	17	-	2	7	8	-	2	1	1	3	2	-	7	2	6	4	1	-
Jefferson	-	33	11	10	11	17	2	8	4	-	7	6	2	47	14	10	8	2	-
Watertown, part	-	9	2	3	2	3	-	-	-	-	2	1	-	9	3	2	3	-	-
Watertown, total	1	14	5	4	4	5	-	1	-	-	2	1	-	19	3	2	3	-	-
Whitewater, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	24	9	7	9	14	2	8	4	-	5	5	2	38	11	6	5	2	-
Juneau	1	19	3	4	11	5	1	2	5	-	-	2	1	21	6	5	1	2	-
Kenosha	-	84	16	15	22	33	-	17	9	-	8	5	9	63	27	16	19	7	1
Kenosha	-	67	13	12	18	23	-	16	4	-	8	4	8	42	9	10	15	3	1
Balance of county	-	17	3	3	4	10	-	1	5	-	-	1	1	21	18	6	4	4	-
Kewaunee	5	17	1	-	1	5	1	-	-	-	-	-	1	16	4	5	2	-	-
La Crosse	3	56	10	5	25	25	-	12	9	-	5	6	5	73	11	27	12	2	-
La Crosse	3	38	8	3	14	15	-	7	8	-	4	2	5	55	5	16	7	1	-
Balance of county	-	18	2	2	11	10	-	5	1	-	1	4	-	18	6	11	5	1	-
Lafayette	-	11	4	3	5	5	-	1	1	-	-	-	1	16	5	4	5	1	-
Langlade	-	12	2	5	6	7	-	1	-	-	2	5	-	15	2	6	3	-	-
Lincoln	1	17	4	7	5	5	2	4	1	-	3	3	1	17	6	3	2	3	1
Manitowoc	2	67	12	11	14	16	1	9	6	-	4	8	8	61	12	15	8	2	-
Manitowoc	-	37	4	7	8	10	-	5	5	-	3	4	6	34	2	8	2	1	-
Two Rivers	2	11	3	1	4	2	1	1	1	-	-	1	-	10	3	3	1	1	-
Balance of county	-	19	5	3	2	4	-	3	-	-	1	3	2	17	7	4	5	-	-
Marathon	10	68	8	9	15	32	2	8	4	-	8	7	7	73	21	17	15	1	-
Marshfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wausau	5	32	4	6	6	20	1	4	3	-	-	2	2	37	3	5	10	-	-
Balance of county	5	36	4	3	9	12	1	4	1	-	3	5	5	36	18	12	5	1	-
Marinette	-	43	25	6	1	20	2	4	2	-	2	4	2	25	6	8	6	-	-
Marinette	-	21	9	5	-	8	2	2	1	-	-	2	-	7	1	4	1	-	-
Balance of county	-	22	16	1	1	12	-	2	1	-	2	2	2	18	5	4	5	-	-
Marquette	1	8	2	4	7	4	-	2	2	-	1	-	-	8	1	5	1	-	-
Menominee	-	3	-	-	1	1	-	2	-	-	-	1	2	3	2	4	3	1	-
Milwaukee	35	707	105	91	287	284	28	97	75	-	60	82	66	763	86	152	116	60	9
Brown Deer	1	2	1	1	1	3	-	-	-	-	-	-	-	6	-	-	1	-	-
Cudahy	1	7	1	-	4	5	-	2	1	-	2	1	1	8	5	1	1	2	-
Franklin	-	6	-	1	2	-	-	2	1	-	2	-	-	7	3	4	1	-	-
Glendale	2	16	3	3	12	4	-	-	-	-	1	-	-	21	-	3	4	-	-
Greendale	-	12	3	1	1	1	-	-	3	-	2	2	-	4	1	-	1	-	-
Greenfield	4	26	3	4	13	12	-	4	1	-	-	3	2	31	2	6	5	-	-
Milwaukee, part	18	453	75	62	193	207	18	63	53	-	35	68	59	523	52	99	76	49	9
Milwaukee, total	18	453	75	62	193	207	18	63	53	-	35	68	59	523	52	99	76	49	9
Oak Creek	-	5	2	-	1	2	-	1	-	-	1	1	-	3	4	3	1	-	-
St. Francis	-	8	-	-	2	1	-	1	2	-	1	-	1	6	-	-	-	1	-
Shorewood	1	11	2	2	7	6	-	-	1	-	1	1	-	13	-	3	1	-	-
South Milwaukee	2	19	2	2	-	2	-	2	2	-	2	1	-	12	4	7	7	-	-
Wauwatosa	-	65	6	5	21	12	4	7	5	-	5	2	2	53	3	9	3	-	-
West Allis	5	61	3	6	23	20	5	8	4	-	5	2	1	53	6	8	12	4	-
Whitefish Bay	-	6	2	1	-	3	-	-	-	-	1	1	-	4	1	1	2	-	-
Balance of county	1	16	2	3	7	6	1	7	2	-	2	-	-	19	5	8	1	4	-
Monroe	2	25	8	3	15	5	3	6	5	-	4	1	7	29	11	10	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Oconto	315	-	-	2	75	24	14	3	14	2	7	11	6	156	106	-	2	73	31
Oneida	351	-	-	3	82	26	22	6	6	4	4	14	5	179	127	-	2	90	35
Outagamie	939	-	-	8	204	53	45	20	23	14	12	37	15	494	403	4	3	312	84
Appleton, part	442	-	-	4	94	32	20	7	8	7	6	14	7	241	199	1	1	160	37
Appleton, total	460	-	-	4	100	33	22	8	9	7	6	15	9	247	205	1	1	165	38
Kaukauna	94	-	-	1	26	5	9	4	1	4	1	2	-	45	36	2	-	25	9
Balance of county	403	-	-	3	84	16	16	9	14	3	5	21	8	208	168	1	2	127	38
Ozaukee	427	-	-	6	88	24	18	11	11	1	3	20	9	224	169	2	4	130	33
Mequon	117	-	-	2	31	9	5	3	6	-	2	6	3	63	48	-	1	35	12
Balance of county	310	-	-	4	57	15	13	8	5	1	1	14	6	161	121	2	3	95	21
Pepin	88	-	-	2	17	5	6	-	2	-	2	2	-	48	31	-	1	23	7
Pierce	220	-	-	1	49	14	11	4	8	3	5	4	3	105	80	-	3	55	22
Polk	355	-	-	-	80	19	17	8	13	2	6	15	10	192	138	-	2	88	48
Portage	374	-	-	1	69	20	20	7	12	4	5	21	5	182	140	1	-	89	50
Stevens Point	163	-	-	-	41	9	7	4	6	2	2	11	1	82	62	1	-	33	28
Balance of county	211	-	-	1	48	11	13	3	6	2	3	10	4	100	78	-	-	56	22
Price	163	-	-	2	39	7	8	1	6	1	6	10	6	71	56	-	1	37	18
Racine	1,364	-	-	10	292	81	70	25	34	14	12	56	28	730	568	1	12	466	89
Racine	801	-	-	7	164	52	31	13	19	9	5	35	11	449	335	1	4	276	54
Balance of county	563	-	-	3	128	29	39	12	15	5	7	21	17	281	233	-	8	190	35
Richland	179	1	-	-	41	11	10	4	4	3	5	4	4	88	61	1	-	53	7
Rock	1,200	-	-	15	263	79	77	21	32	10	13	31	12	592	452	9	7	380	57
Beloit	336	-	-	6	72	19	22	9	13	3	1	5	2	183	144	1	1	126	18
Janesville	368	-	-	3	84	23	24	5	8	5	7	12	2	182	139	4	1	111	23
Balance of county	496	-	-	6	107	37	31	7	11	2	5	14	8	227	169	3	5	143	18
Rusk	170	-	-	2	40	14	8	1	6	2	2	7	1	89	76	-	1	57	18
St. Croix	360	-	-	3	77	21	16	8	9	2	2	19	7	179	137	1	1	78	57
Sauk	447	-	-	3	98	31	20	10	14	6	4	13	9	226	181	3	2	109	47
Sawyer	178	-	-	1	33	9	10	1	3	4	1	5	1	98	83	-	1	40	42
Shawano	423	-	-	4	103	26	22	7	13	7	2	26	8	230	176	2	12	128	34
Sheboygan	963	-	-	6	219	64	28	25	31	11	11	49	18	508	379	8	28	264	81
Sheboygan	565	-	-	2	118	36	14	14	16	2	8	28	12	303	215	4	11	154	46
Balance of county	398	-	-	4	101	28	14	11	15	9	3	21	6	205	164	2	17	110	35
Taylor	187	-	-	2	38	12	8	3	2	1	2	10	6	93	71	-	4	59	8
Trempealeau	292	-	-	2	47	14	6	6	7	3	2	9	5	165	122	1	2	72	47
Vernon	288	-	-	6	52	12	11	4	4	5	2	14	3	159	128	1	14	96	17
Vilas	198	-	-	2	36	6	12	3	4	1	2	8	5	109	83	-	3	56	24
Walworth	681	1	-	5	155	35	31	16	20	7	6	40	7	346	271	1	1	204	65
Whitewater, part	66	-	-	-	14	4	2	1	1	1	-	5	-	39	24	-	-	18	6
Whitewater, total	67	-	-	-	14	4	2	1	1	1	-	5	-	40	25	-	-	18	7
Balance of county	615	1	-	5	141	31	29	15	19	6	6	35	7	307	247	1	1	186	59
Washburn	133	-	-	4	31	5	8	-	8	3	1	6	3	65	50	-	1	41	8
Washington	519	-	-	5	118	33	26	12	21	6	4	16	9	272	209	1	2	165	41
Germantown	32	-	-	-	7	1	4	2	-	-	-	-	-	15	10	-	-	9	1
Milwaukee, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Bend	189	-	-	2	46	10	13	4	8	2	2	7	5	105	79	1	-	56	22
Balance of county	297	-	-	3	65	22	9	6	13	4	2	9	4	152	120	-	2	100	18
Waukesha	1,746	1	-	12	427	112	98	48	45	22	10	92	21	878	677	7	17	514	139
Brookfield	223	1	-	1	54	14	16	6	7	3	-	8	7	109	84	-	2	69	13
Menomonee Falls	147	-	-	1	42	9	15	2	5	1	2	8	-	73	55	1	1	47	6
Muskego	95	-	-	-	21	3	7	2	1	1	-	7	5	53	42	2	4	31	5
New Berlin	145	-	-	3	56	15	9	7	8	4	2	11	1	59	53	-	-	43	10
Waukesha	352	-	-	3	86	25	13	9	9	5	2	23	6	169	137	1	3	105	28
Balance of county	784	-	-	4	169	46	38	22	15	8	4	35	2	415	306	3	7	219	77
Waupaca	570	-	-	7	109	34	23	8	12	12	4	16	4	305	241	-	14	179	48
Waushara	210	-	-	1	40	8	12	5	2	1	2	10	3	111	94	-	2	80	12
Winnebago	1,115	-	-	9	258	61	69	28	39	14	9	38	18	562	423	3	4	331	85
Appleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Menasha	116	-	-	1	28	6	11	1	6	-	-	4	2	58	49	-	-	39	10
Neenah	183	-	-	1	45	11	11	4	9	3	2	5	5	98	75	2	1	60	12
Oshkosh	477	-	-	5	107	28	27	12	14	9	4	13	4	235	171	1	1	133	36
Balance of county	339	-	-	2	78	16	20	11	10	2	3	16	7	173	128	-	2	99	27
Wood	588	-	-	5	131	35	27	12	15	8	7	27	14	305	227	3	2	180	42
Marshfield, part	173	-	-	2	39	7	11	3	5	2	1	10	6	87	64	1	2	47	14
Marshfield, total	173	-	-	2	39	7	11	3	5	2	1	10	6	87	64	1	2	47	14
Wisconsin Rapids	200	-	-	2	38	13	6	2	7	1	3	6	6	106	75	-	-	69	6
Balance of county	213	-	-	1	54	15	10	7	3	5	3	11	2	112	88	2	-	64	22

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	-	36	7	7	6	8	-	4	3	-	2	3	2	31	3	7	4	3	-
Oneida	3	39	5	5	13	15	-	2	-	-	1	4	2	19	10	8	7	1	-
Outagamie	1	69	13	8	23	22	3	12	5	-	10	7	9	71	23	20	12	1	-
Appleton, part	1	33	6	2	15	11	2	6	3	-	2	1	6	34	2	8	5	1	-
Appleton, total	1	33	6	2	15	11	2	6	3	-	2	1	6	36	2	10	5	1	-
Kaukauna	-	6	1	2	2	-	1	-	-	-	1	2	1	6	3	4	2	-	-
Balance of county	-	30	6	4	6	11	-	6	2	-	7	4	2	31	18	8	5	-	-
Ozaukee	2	33	11	9	14	8	2	6	4	-	2	1	1	38	9	6	7	1	1
Mequon	1	8	3	3	2	2	-	1	-	-	-	-	-	9	1	1	1	1	-
Balance of county	1	25	8	6	12	6	2	5	4	-	2	1	1	29	8	5	6	-	1
Pepin	-	13	3	1	4	2	-	-	1	-	-	-	-	8	3	1	2	-	-
Pierce	2	16	4	3	10	5	1	-	1	-	3	-	2	22	9	7	2	-	-
Polk	5	28	16	5	12	9	1	2	5	-	1	1	-	26	3	5	7	-	1
Portage	3	28	7	4	8	16	2	5	2	-	3	3	3	29	13	7	6	-	-
Stevens Point	1	12	4	3	4	9	1	3	1	-	-	1	1	12	4	1	2	-	-
Balance of county	2	16	3	1	4	7	1	2	1	-	3	2	2	17	9	6	4	-	-
Price	1	12	-	2	3	7	1	4	3	-	-	3	3	13	3	5	-	-	-
Racine	13	107	19	23	30	30	3	13	7	-	9	7	10	111	26	19	25	11	3
Racine	12	69	16	17	16	20	1	7	4	-	5	5	7	68	10	8	8	9	2
Balance of county	1	38	3	6	14	10	2	6	3	-	4	2	3	43	16	11	17	2	1
Richland	-	23	4	-	7	4	-	-	2	-	-	1	-	18	5	8	-	-	-
Rock	5	88	26	21	55	50	5	12	12	-	4	5	4	99	24	23	23	2	-
Beloit	-	24	10	5	9	13	-	4	3	-	3	1	-	23	4	5	8	-	-
Janesville	2	25	9	7	8	13	2	4	2	-	1	1	3	35	11	9	8	-	-
Balance of county	3	39	7	9	38	24	3	4	7	-	-	3	1	41	9	9	7	2	-
Rusk	1	9	3	-	4	5	-	3	-	-	2	3	1	10	6	4	1	-	-
St. Croix	3	28	7	4	24	8	1	-	1	-	2	3	2	29	7	10	6	-	1
Sauk	1	48	8	8	21	16	1	4	5	-	2	3	3	34	4	12	3	3	-
Sawyer	-	10	1	4	11	5	1	4	1	-	1	1	1	6	7	3	2	2	-
Shawano	2	37	12	3	10	14	1	4	2	-	1	4	2	17	9	6	8	-	-
Sheboygan	4	82	24	19	26	18	4	14	9	1	6	2	10	83	11	15	12	1	-
Sheboygan	4	53	15	16	16	11	4	10	7	1	4	1	5	49	3	9	9	1	-
Balance of county	-	29	9	3	10	7	-	4	2	-	2	1	5	34	8	6	3	-	-
Taylor	1	13	5	3	7	3	2	-	1	-	3	2	3	16	3	1	6	1	-
Trempealeau	3	30	5	5	12	4	1	1	5	-	3	2	3	30	5	3	3	1	-
Vernon	1	22	4	4	15	4	1	-	4	-	2	1	-	25	4	7	3	2	-
Vilas	-	20	2	4	8	5	-	2	5	-	-	1	1	13	4	3	3	-	1
Walworth	7	56	7	5	22	22	3	2	6	-	1	8	1	46	18	19	18	1	-
Whitewater, part	1	9	5	-	3	-	-	-	1	-	-	-	-	5	2	-	1	1	-
Whitewater, total	1	9	5	-	3	-	-	-	1	-	-	-	-	5	2	-	1	1	-
Balance of county	6	47	2	5	19	22	3	2	5	-	1	8	1	41	16	19	17	-	-
Washburn	-	10	2	3	2	3	-	1	-	-	-	2	1	13	3	4	1	-	-
Washington	2	50	5	6	11	10	2	3	7	-	7	5	1	37	17	8	7	-	-
Germantown	-	3	-	2	1	1	-	-	-	-	1	-	-	2	1	2	2	-	-
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
West Bend	1	21	1	3	4	3	-	2	1	-	3	3	-	6	5	3	1	-	-
Balance of county	1	26	4	1	6	6	2	1	6	-	2	2	1	29	11	3	4	-	-
Waukesha	4	146	22	29	46	60	1	15	13	1	12	13	9	126	40	24	38	6	3
Brookfield	-	18	2	5	4	5	-	1	3	1	2	-	4	17	6	1	6	1	-
Menomonee Falls	-	15	2	1	3	4	-	1	2	-	1	2	-	6	2	4	6	-	-
Muskego	-	8	3	-	4	2	-	-	-	-	-	2	-	7	1	-	-	-	-
New Berlin	-	5	-	1	1	1	-	1	1	-	1	1	1	12	2	5	-	-	-
Waukesha	1	21	3	7	8	19	-	7	1	-	3	3	1	31	6	3	5	1	-
Balance of county	3	79	12	15	26	29	1	5	8	-	5	5	3	53	23	11	21	4	3
Waupaca	2	47	6	9	36	19	1	3	4	-	2	6	6	36	10	19	2	1	-
Waushara	2	14	-	1	6	12	2	5	-	-	3	1	1	14	6	3	2	-	-
Winnebago	5	104	20	10	38	38	3	11	9	-	2	7	7	103	15	15	19	1	-
Appleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Menasha	-	6	2	1	4	4	-	1	1	-	-	-	1	10	2	3	1	-	-
Neenah	1	17	3	-	5	5	-	-	-	-	-	1	2	15	1	2	5	-	-
Oshkosh	3	49	5	7	19	19	1	6	4	-	2	5	2	47	6	6	8	1	-
Balance of county	1	32	10	2	10	10	2	4	4	-	-	1	2	31	6	4	5	-	-
Wood	2	59	11	6	17	11	2	4	4	-	5	2	2	57	14	11	2	-	-
Marshfield, part	-	20	2	1	2	2	1	1	2	-	3	-	-	19	5	4	-	-	-
Marshfield, total	-	20	2	1	2	2	1	1	2	-	3	-	-	19	5	4	-	-	-
Wisconsin Rapids	1	20	8	2	6	5	1	2	-	-	1	1	1	20	5	4	2	-	-
Balance of county	1	19	1	3	9	4	-	1	2	-	1	1	1	18	4	3	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wyoming	3,161	1	-	23	587	137	158	44	57	28	20	149	54	1,288	1,001	13	20	647	321
Urban places	1,387	1	-	11	252	73	61	16	22	10	7	63	22	565	441	6	10	270	156
Balance of area	1,774	-	-	12	335	64	97	28	35	18	13	80	32	723	560	7	10	377	166
Metropolitan counties	413	-	-	4	87	22	22	6	8	3	4	22	5	151	119	2	-	81	36
Urban places	322	-	-	4	61	17	14	4	5	1	3	17	4	125	98	2	-	66	30
Balance of area	91	-	-	-	26	5	8	2	3	2	1	5	1	26	21	-	-	15	6
Nonmetropolitan counties	2,748	1	-	19	500	115	136	38	49	25	16	121	49	1,137	882	11	20	566	285
Urban places	1,065	1	-	7	181	56	47	12	17	9	4	46	18	440	343	4	10	204	125
Balance of area	1,683	-	-	12	309	59	89	26	32	16	12	75	31	697	539	7	10	362	160
Albany	154	-	-	-	27	8	4	2	3	2	2	6	2	68	58	-	1	41	16
Laramie	125	-	-	-	21	7	3	2	3	2	-	4	2	55	47	-	1	32	14
Balance of county	29	-	-	-	6	1	1	-	-	-	2	2	-	13	11	-	-	9	2
Big Horn	112	-	-	1	23	7	4	1	3	2	1	5	3	48	30	1	-	21	8
Campbell	116	1	-	-	16	4	3	1	3	-	-	5	1	36	30	1	1	20	8
Gillette	72	1	-	-	9	2	1	1	1	-	-	4	1	27	21	1	1	14	5
Balance of county	44	-	-	-	7	2	2	-	2	-	-	1	-	9	9	-	-	6	3
Carbon	131	-	-	-	28	9	10	2	2	-	1	4	4	40	36	2	1	25	8
Rawlins	63	-	-	-	18	5	6	2	1	-	-	4	2	15	14	1	-	9	4
Balance of county	68	-	-	-	10	4	4	-	1	-	1	-	2	25	22	1	1	16	4
Converse	67	-	-	1	9	2	3	-	1	-	-	3	2	30	23	1	-	15	7
Crook	52	-	-	-	8	2	4	-	1	-	-	2	1	19	14	-	-	8	6
Fremont	235	-	-	1	45	8	16	5	2	2	1	11	5	93	75	1	1	50	23
Goshen	131	-	-	-	29	4	8	3	2	4	1	7	6	54	42	-	-	25	17
Hot Springs	61	-	-	-	13	3	5	1	1	-	-	3	1	23	19	1	-	15	3
Johnson	62	-	-	-	13	-	3	2	3	2	-	3	-	33	23	-	-	17	6
Laramie	504	-	-	3	96	29	23	6	6	6	5	21	8	231	183	2	8	98	75
Cheyenne	434	-	-	3	82	28	23	3	5	5	3	15	7	195	152	2	7	78	65
Balance of county	70	-	-	-	14	1	-	3	1	1	2	6	1	36	31	-	1	20	10
Lincoln	75	-	-	-	12	2	1	2	4	-	-	3	2	37	27	-	1	14	12
Natrona	413	-	-	4	87	22	22	6	8	3	4	22	5	151	119	2	-	81	36
Casper	322	-	-	4	61	17	14	4	5	1	3	17	4	125	98	2	-	66	30
Balance of county	91	-	-	-	26	5	8	2	3	2	1	5	1	26	21	-	-	15	6
Niobrara	31	-	-	-	6	1	1	-	1	-	-	3	-	14	14	-	1	9	4
Park	145	-	-	2	26	5	13	2	2	-	2	2	1	65	49	-	3	34	12
Platte	77	-	-	-	9	-	4	2	-	1	-	2	2	36	25	1	-	16	8
Sheridan	246	-	-	4	41	8	12	2	6	2	-	11	5	100	73	1	-	51	21
Sheridan	186	-	-	3	30	7	8	2	4	1	-	8	5	82	59	-	-	40	19
Balance of county	60	-	-	1	11	1	4	-	2	1	-	3	-	18	14	1	-	11	2
Sublette	41	-	-	-	11	4	1	3	-	-	-	3	-	17	12	-	-	9	3
Sweetwater	212	-	-	2	32	7	6	3	3	1	1	11	2	73	57	-	1	37	19
Green River	47	-	-	-	8	1	2	1	-	-	-	4	-	12	10	-	1	8	1
Rock Springs	138	-	-	1	23	6	4	1	3	1	1	7	1	54	40	-	-	23	17
Balance of county	27	-	-	1	1	-	-	1	-	-	-	-	1	7	7	-	-	6	1
Teton	50	-	-	1	6	2	1	-	-	1	-	2	2	19	17	-	-	15	2
Uinta	84	-	-	1	15	2	4	-	1	2	-	6	2	34	24	-	1	9	14
Washakie	89	-	-	2	19	6	6	-	2	-	1	4	-	36	26	-	-	17	9
Weston	73	-	-	1	15	2	4	1	3	-	1	4	-	31	25	-	1	20	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wyoming	9	194	44	40	109	151	7	35	32	-	32	38	58	316	162	131	105	26	6
Urban places	4	88	17	15	48	74	3	20	11	-	18	16	29	141	77	43	42	11	3
Balance of area	5	106	27	25	61	77	4	15	21	-	14	22	29	175	85	88	63	15	3
Metropolitan counties	-	24	2	6	11	30	-	3	3	-	2	5	9	45	25	15	13	3	2
Urban places	-	20	2	5	10	21	-	2	1	-	2	3	7	37	20	10	12	2	1
Balance of area	-	4	-	1	1	9	-	1	2	-	-	2	2	8	5	5	1	1	1
Nonmetropolitan counties	9	170	42	34	88	121	7	32	29	-	30	33	49	271	137	116	92	23	4
Urban places	4	68	15	10	38	53	3	18	10	-	16	13	22	104	57	33	30	9	2
Balance of area	5	102	27	24	60	68	4	14	19	-	14	20	27	167	80	83	62	14	2
Albany	1	5	4	-	3	3	1	3	1	-	-	-	9	13	10	8	4	1	1
Laramie	1	3	4	-	3	3	1	3	1	-	-	-	7	11	8	6	2	1	1
Balance of county	-	2	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-
Big Horn	-	16	-	2	2	7	-	1	4	-	-	1	-	10	3	5	4	-	-
Campbell	1	4	-	1	2	7	1	2	2	-	2	1	4	10	9	7	9	6	-
Gillette	1	4	-	1	2	5	-	-	1	-	1	1	1	8	4	4	5	2	-
Balance of county	-	-	-	-	-	2	1	2	1	-	1	-	3	2	5	3	4	4	-
Carbon	-	3	1	-	7	7	1	4	1	-	2	-	3	13	9	7	5	-	-
Rawlins	-	1	-	-	3	3	1	1	1	-	1	-	1	6	5	3	3	-	-
Balance of county	-	2	1	-	4	4	-	3	-	-	1	-	2	7	4	4	2	-	-
Converse	-	4	2	1	4	1	-	-	-	-	-	-	-	9	2	7	1	-	1
Crook	-	2	1	2	1	5	-	-	-	-	1	4	2	1	3	3	2	1	-
Fremont	2	9	4	3	9	6	-	2	1	-	2	3	4	28	14	7	12	3	-
Goshen	-	8	3	1	2	6	-	2	1	-	-	-	2	16	1	8	4	-	-
Hot Springs	-	4	-	-	4	2	-	-	2	-	-	2	1	7	1	2	3	-	-
Johnson	-	7	2	1	-	3	-	2	2	-	-	1	-	5	1	1	1	-	-
Laramie	2	33	6	7	12	27	2	8	4	-	7	2	7	50	20	13	10	4	-
Cheyenne	2	31	6	4	12	23	1	8	4	-	7	2	5	46	15	12	8	4	-
Balance of county	-	2	-	3	-	4	1	-	-	-	-	-	2	4	5	1	2	-	-
Lincoln	-	8	2	-	3	2	-	-	-	-	1	2	2	5	2	5	2	-	-
Natrona	-	24	2	6	11	30	-	3	3	-	2	5	9	45	25	15	13	3	2
Casper	-	20	2	5	10	21	-	2	1	-	2	3	7	37	20	10	12	2	1
Balance of county	-	4	-	1	1	9	-	1	2	-	-	2	2	8	5	5	1	1	1
Niobrara	-	-	-	-	3	1	-	-	-	-	-	-	-	4	-	3	-	-	-
Park	-	8	2	6	5	9	-	-	3	-	1	1	-	13	6	5	5	3	-
Platte	2	7	2	-	3	4	-	1	-	-	-	-	-	15	2	3	2	-	-
Sheridan	-	23	2	2	17	16	1	5	2	-	2	1	4	21	9	7	8	2	1
Sheridan	-	19	2	2	14	12	-	5	2	-	1	1	3	14	4	4	5	1	-
Balance of county	-	4	-	-	3	4	1	-	-	-	1	-	1	7	5	3	3	1	1
Sublette	1	2	-	2	3	1	-	-	-	-	-	-	-	2	3	3	1	-	-
Sweetwater	-	10	3	3	4	7	-	2	1	-	7	9	6	25	25	5	8	3	1
Green River	-	2	-	-	1	1	-	-	-	-	1	4	2	8	9	2	1	-	-
Rock Springs	-	8	3	3	3	6	-	1	1	-	5	5	3	13	12	2	6	1	1
Balance of county	-	-	-	-	-	-	-	1	-	-	1	-	1	6	4	1	1	2	-
Teton	-	1	1	-	-	1	-	-	1	-	1	1	1	4	6	3	4	-	-
Uinta	-	6	3	1	2	2	-	-	-	-	2	4	2	4	6	7	3	-	-
Washakie	-	8	2	-	9	2	-	-	4	-	-	-	1	7	1	6	2	-	-
Weston	-	2	2	2	3	2	1	-	-	-	2	1	1	9	4	1	2	-	-

1 Areas shown are census areas, the nearest equivalent of counties.
2 Includes data for La Paz which became a new county on January 1, 1983.
3 Includes data for Texarkana, Ark., only.
4 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
5 There are 13 deaths to residents of Mokapu included in balance of Honolulu County.
6 Areas shown are parishes, the equivalent of counties.
7 Includes data for Bristol, Tenn., only.
8 Includes data for Texarkana, Tex., only.
9 Independent city having population of less than 10,000 according to the 1980 census.
10 Includes data for Bristol, Va., only.
11 There are 115 deaths to residents of Pulaski included in Salem city.
12 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–83	1
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1983	2
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1983	3
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1983	4
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1983	8
9–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1983	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1983	22
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1983	23
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1983	24
9–10.	Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1983	25
9–11.	Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1983	26
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1983	27
9–13.	Deaths under 1 year, under 28 days, and 28 days–11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1983	29

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1983*—discusses other factors concerning these mortality statistics.

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-83

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	429	3.9
1981	21,065	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,266	6.4	447	4.6	448	4.4
1975	17,605	6.1	477	5.0	427	4.2
1974	18,948	6.6	482	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	408	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	339	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	8.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,568	7.4	354	12.5	248	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,537	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	488	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	21,377	2,000	1,704	1,813	1,667	1,709	1,682	1,856	1,758	1,716	1,718	1,719	1,835
Male	12,389	1,166	968	1,074	948	989	1,098	1,086	1,004	1,018	981	990	1,067
Female	8,988	834	736	739	719	720	784	770	754	698	737	729	768
Virgin Islands	484	57	30	45	40	36	39	34	48	40	39	38	38
Male	274	33	19	22	25	19	22	18	25	25	19	22	25
Female	210	24	11	23	15	17	17	16	23	15	20	16	13
White	153	21	10	18	8	9	12	12	10	11	11	15	16
Male	102	12	7	11	6	5	8	6	7	9	7	12	12
Female	51	9	3	7	2	4	4	6	3	2	4	3	4
All other	331	36	20	27	32	27	27	22	38	29	28	23	22
Male	172	21	12	11	19	14	14	12	18	16	12	10	13
Female	159	15	8	16	13	13	13	10	20	13	16	13	9
Black	316	34	20	23	29	27	26	22	36	28	27	23	21
Male	165	20	12	9	18	14	14	12	17	15	11	10	13
Female	151	14	8	14	11	13	12	10	19	13	16	13	8
Guam	442	23	45	41	40	28	28	34	37	55	44	35	32
Male	267	19	28	19	25	16	15	25	24	30	24	18	24
Female	175	4	17	22	15	12	13	9	13	25	20	17	8
White	50	1	4	6	5	2	3	4	4	7	6	3	5
Male	35	–	3	4	4	1	3	4	4	3	4	1	4
Female	15	1	1	2	1	1	–	–	–	4	2	2	1
All other	392	22	41	35	35	26	25	30	33	48	38	32	27
Male	232	19	25	15	21	15	12	21	20	27	20	17	20
Female	160	3	16	20	14	11	13	9	13	21	18	15	7
Guamanian	285	15	32	27	23	21	20	23	25	32	24	26	17
Male	154	12	18	10	13	12	10	15	13	13	11	14	13
Female	131	3	14	17	10	9	10	8	12	19	13	12	4

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1983

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	484	54	4	6	15	28	37	30	74	102	80	53	1
Male	274	28	1	6	10	21	25	20	42	56	43	21	1
Female	210	26	3	-	5	7	12	10	32	46	37	32	-
White	153	7	1	2	5	5	15	8	31	43	24	12	-
Male	102	3	1	2	4	5	10	8	18	29	15	7	-
Female	51	4	-	-	1	-	5	-	13	14	9	5	-
All other	331	47	3	4	10	23	22	22	43	59	56	41	1
Male	172	25	-	4	6	16	15	12	24	27	29	14	1
Female	159	22	3	-	4	7	7	10	19	32	28	27	-
Black	316	44	2	4	9	21	20	22	40	58	54	41	1
Male	165	25	-	4	5	15	13	12	22	27	27	14	1
Female	151	19	2	-	4	6	7	10	18	31	27	27	-
Guam	442	29	8	4	28	34	21	54	75	89	61	28	1
Male	267	16	5	2	20	23	13	39	52	56	29	11	1
Female	175	13	3	2	8	11	8	15	23	43	32	17	-
White	50	1	1	1	5	5	4	14	5	10	1	3	-
Male	35	1	-	-	3	5	2	12	4	8	-	-	-
Female	15	-	1	1	2	-	2	2	1	2	1	3	-
All other	392	28	7	3	23	29	17	40	70	89	60	25	1
Male	232	15	5	2	17	18	11	27	48	48	29	11	1
Female	160	13	2	1	6	11	6	13	22	41	31	14	-
Guamanian	285	13	5	2	15	19	11	22	49	70	57	22	-
Male	154	10	3	1	11	11	8	12	29	33	27	9	-
Female	131	3	2	1	4	8	3	10	20	37	30	13	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	21,377	1,131	101	190	509	674	904	1,476	2,784	4,625	4,911	4,027	45
Male	12,389	668	44	114	380	512	649	960	1,758	2,777	2,686	1,803	38
Female	8,988	463	57	76	129	162	255	516	1,026	1,848	2,225	2,224	7
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	2	-	-	-	-	-	1	2	-	1	-	-
Male	3	2	-	-	-	-	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	1	1	-	1	-	-
Tuberculosis (010-018)	98	-	-	-	1	6	5	10	18	25	25	7	1
Male	69	-	-	-	-	4	5	7	14	19	15	4	1
Female	29	-	-	-	1	2	-	3	4	6	10	3	-
Tuberculosis of respiratory system (010-012)	82	-	-	-	-	3	4	8	16	22	23	5	1
Male	59	-	-	-	-	1	4	5	13	18	14	3	1
Female	23	-	-	-	-	2	-	3	3	4	9	2	-
Other tuberculosis (013-018)	16	-	-	-	1	3	1	2	2	3	2	2	-
Male	10	-	-	-	-	3	1	2	1	1	1	1	-
Female	6	-	-	-	1	-	-	-	1	2	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Septicemia (038)	207	9	1	3	6	7	4	9	20	40	69	38	1
Male	121	5	-	3	4	5	2	4	14	25	40	18	1
Female	86	4	1	-	2	2	2	5	6	15	29	20	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	-	3	2	2	1	1	-	1	2	-
Male	7	-	-	-	2	-	2	1	1	-	1	-	-
Female	5	-	-	-	1	2	-	-	-	-	-	2	-
Syphilis (090-097)	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	48	4	-	1	2	2	3	5	9	11	5	6	-
Male	22	3	-	-	1	-	2	4	4	5	2	1	-
Female	26	1	-	1	1	2	1	1	5	6	3	5	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,396	1	9	23	38	61	146	305	640	970	825	377	1
Male	2,000	-	6	15	27	29	68	135	379	625	507	208	1
Female	1,396	1	3	8	11	32	78	170	261	345	318	169	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	178	-	-	-	-	2	5	20	36	60	37	18	-
Male	144	-	-	-	-	2	5	19	27	49	31	11	-
Female	34	-	-	-	-	-	-	1	9	11	6	7	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,154	-	2	1	1	10	45	84	219	353	304	135	-
Male	714	-	1	1	1	5	24	46	143	234	184	75	-
Female	440	-	1	-	-	5	21	38	76	119	120	60	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	488	-	-	-	-	8	12	41	115	164	109	38	1
Male	354	-	-	-	-	4	10	30	89	122	79	19	1
Female	134	-	-	-	-	4	2	11	26	42	30	19	-
Malignant neoplasm of breast (174-175)	183	-	-	-	-	7	17	46	50	36	26	11	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	181	-	-	-	-	7	17	46	50	34	26	11	-
Malignant neoplasms of genital organs (179-187)	518	1	-	-	2	7	20	40	76	132	153	87	-
Male	313	-	-	-	-	1	4	8	36	84	114	66	-
Female	205	1	-	-	2	6	16	32	40	48	39	21	-
Malignant neoplasms of urinary organs (188-189)	119	-	-	1	1	1	3	5	14	35	41	18	-
Male	76	-	-	1	1	-	2	1	10	27	28	6	-
Female	43	-	-	-	-	1	1	4	4	8	13	12	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	441	-	3	8	18	4	23	40	89	112	94	50	-
Male	225	-	2	6	12	2	11	15	55	56	46	20	-
Female	216	-	1	2	6	2	12	25	34	56	48	30	-
Leukemia (204-208)	140	-	4	11	7	11	9	17	16	25	29	11	-
Male	73	-	3	5	6	6	3	7	7	17	13	6	-
Female	67	-	1	6	1	5	6	10	9	8	16	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	165	-	-	2	9	11	12	12	25	53	32	9	-
Male	99	-	-	2	7	9	9	9	12	34	12	5	-
Female	66	-	-	-	2	2	3	3	13	19	20	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	91	1	2	4	1	8	-	7	23	20	20	5	-
Male	45	-	-	1	-	2	-	5	16	9	11	1	-
Female	46	1	2	3	1	6	-	2	7	11	9	4	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	1,022	-	-	1	1	2	25	60	184	317	292	140	-
Male	453	-	-	-	-	1	18	35	96	137	112	54	-
Female	569	-	-	1	1	1	7	25	88	180	180	86	-
Nutritional deficiencies (260-269)	52	1	-	-	-	1	-	1	2	9	17	21	-
Male	31	1	-	-	-	-	-	-	2	5	12	11	-
Female	21	-	-	-	-	1	-	1	-	4	5	10	-
Anemias (280-285)	90	-	1	1	-	2	2	6	6	20	23	29	-
Male	50	-	-	1	-	-	1	6	4	8	15	15	-
Female	40	-	1	-	-	2	1	-	2	12	8	14	-
Meningitis (320-322)	30	5	2	-	2	1	5	4	3	-	5	2	1
Male	9	2	-	-	-	-	2	1	1	-	1	1	1
Female	21	3	2	-	2	1	3	3	2	-	4	1	-
Major cardiovascular diseases (390-448)	8,614	37	11	18	24	59	178	450	1,055	2,016	2,428	2,318	20
Male	4,600	28	4	10	15	38	120	309	662	1,163	1,267	976	16
Female	4,014	9	7	8	9	23	58	147	393	853	1,161	1,342	4
Diseases of heart (390-398,402,404-429)	6,271	32	10	14	18	44	134	348	838	1,538	1,700	1,579	16
Male	3,452	24	4	8	11	29	93	241	542	896	914	677	13
Female	2,819	8	6	6	7	15	41	107	296	642	786	902	3
Rheumatic fever and rheumatic heart disease (390-398)	40	-	-	2	2	3	8	8	8	4	3	2	-
Male	16	-	-	-	1	-	4	3	4	2	1	1	-
Female	24	-	-	2	1	3	4	5	4	2	2	1	-
Hypertensive heart disease (402)	270	-	-	-	-	2	2	14	31	68	68	64	-
Male	124	-	-	-	-	2	1	8	15	32	47	19	-
Female	146	-	-	-	-	-	1	6	16	37	41	45	-
Hypertensive heart and renal disease (404)	9	-	-	-	-	-	-	-	2	2	4	1	-
Male	5	-	-	-	-	-	-	-	2	1	2	-	-
Female	4	-	-	-	-	-	-	-	-	1	2	1	-
Ischemic heart disease (410-414)	4,176	2	-	2	-	10	72	243	577	1,107	1,158	990	14
Male	2,369	1	-	2	-	8	53	179	390	660	631	434	11
Female	1,807	1	-	-	-	2	19	64	187	447	528	556	3
Acute myocardial infarction (410)	2,699	2	-	1	-	8	61	199	455	830	693	442	8
Male	1,600	1	-	1	-	7	44	147	313	498	388	195	6
Female	1,099	1	-	-	-	1	17	52	142	332	305	247	2
Other acute and subacute forms of ischemic heart disease (411)	58	-	-	-	-	-	1	3	2	9	20	20	3
Male	33	-	-	-	-	-	1	1	2	5	12	10	2
Female	25	-	-	-	-	-	-	2	-	4	8	10	1
Angina pectoris (413)	36	-	-	-	-	-	1	-	3	11	12	9	-
Male	20	-	-	-	-	-	-	-	3	5	8	4	-
Female	16	-	-	-	-	-	1	-	-	6	4	5	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,383	-	-	1	-	2	9	41	117	257	434	519	3
Male	716	-	-	1	-	1	8	31	72	152	223	225	3
Female	667	-	-	-	-	1	1	10	45	105	211	294	-
Other diseases of endocardium (424)	60	2	2	-	1	3	4	6	11	10	12	9	-
Male	36	1	1	-	1	3	3	5	6	7	6	3	-
Female	24	1	1	-	-	-	1	1	5	3	6	6	-
All other forms of heart disease (415-423,425-429)	1,716	28	8	10	15	26	48	77	209	348	434	513	2
Male	902	22	3	6	9	16	32	46	125	194	227	220	2
Female	814	6	5	4	6	10	16	31	84	152	207	293	-
Hypertension with or without renal disease (401,403)	202	-	-	-	-	2	8	20	36	58	48	29	1
Male	101	-	-	-	-	1	6	8	18	38	21	9	-
Female	101	-	-	-	-	1	2	12	18	20	27	20	1
Cerebrovascular diseases (430-438)	1,627	5	1	4	6	12	31	72	144	337	538	474	3
Male	784	4	-	2	4	6	17	46	77	179	266	180	3
Female	843	1	1	2	2	6	14	26	67	158	272	294	-
Intracerebral and other intracranial hemorrhage (431-432)	285	3	-	-	1	3	15	28	41	64	77	55	-
Male	136	3	-	-	-	1	8	17	18	37	29	23	-
Female	149	-	-	-	1	2	7	9	23	27	48	32	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	256	-	-	-	-	-	1	5	21	59	75	95	-
Male	131	-	-	-	-	-	-	5	16	35	40	35	-
Female	125	-	-	-	-	-	1	-	5	24	35	60	-
Cerebral embolism (434.1)	15	-	-	-	-	-	-	1	1	4	3	6	-
Male	5	-	-	-	-	-	-	-	-	1	2	2	-
Female	10	-	-	-	-	-	-	1	1	3	1	4	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,071	2	1	4	5	9	15	40	81	210	383	318	3
Male	512	1	-	2	4	5	9	24	43	106	195	120	3
Female	559	1	1	2	1	4	6	16	38	104	188	198	-
Atherosclerosis (440)	376	-	-	-	-	-	1	2	16	40	106	212	-
Male	168	-	-	-	-	-	1	1	7	20	44	95	-
Female	208	-	-	-	-	-	-	1	8	20	62	117	-
Other diseases of arteries, arterioles, and capillaries (441-448)	138	-	-	-	-	1	4	8	22	43	36	24	-
Male	95	-	-	-	-	-	3	7	18	30	22	15	-
Female	43	-	-	-	-	1	1	1	4	13	14	9	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	1	1	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	1,084	81	9	10	13	23	33	36	71	173	289	346	-
Male	616	50	5	4	8	20	23	22	37	119	163	165	-
Female	468	31	4	6	5	3	10	14	34	54	126	181	-
Pneumonia (480-486)	1,078	81	9	10	13	23	33	36	71	172	288	342	-
Male	613	50	5	4	8	20	23	22	37	118	162	164	-
Female	465	31	4	6	5	3	10	14	34	54	126	178	-
Influenza (487)	6	-	-	-	-	-	-	-	-	1	1	4	-
Male	3	-	-	-	-	-	-	-	-	1	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	665	1	1	5	3	8	11	29	81	166	204	155	1
Male	367	-	-	3	2	4	7	16	46	103	106	77	1
Female	298	1	1	2	1	4	4	13	35	63	98	78	-
Bronchitis, chronic and unspecified (490-491)	48	-	-	1	-	-	-	2	2	8	13	20	-
Male	24	-	-	1	-	-	-	1	2	5	6	9	-
Female	22	-	-	-	-	-	-	1	-	3	7	11	-
Emphysema (492)	131	-	-	-	-	-	1	2	16	36	43	33	-
Male	82	-	-	-	-	-	1	2	10	26	25	18	-
Female	49	-	-	-	-	-	-	-	6	10	18	15	-
Asthma (493)	156	1	1	4	3	7	8	17	26	36	30	23	-
Male	73	-	-	2	2	3	4	8	15	18	13	8	-
Female	83	1	1	2	1	4	4	9	11	18	17	15	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	332	-	-	-	-	1	2	8	37	86	118	79	1
Male	188	-	-	-	-	1	2	5	19	54	84	42	1
Female	144	-	-	-	-	-	-	3	18	32	54	37	-
Ulcer of stomach and duodenum (531-533)	61	1	-	-	-	2	2	1	5	13	24	13	-
Male	42	1	-	-	-	2	2	1	3	9	17	7	-
Female	19	-	-	-	-	-	-	-	2	4	7	6	-
Appendicitis (540-543)	8	-	-	4	-	2	-	-	1	-	-	1	-
Male	7	-	-	4	-	1	-	-	1	-	-	1	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	72	5	1	2	1	1	2	3	4	11	24	18	-
Male	30	-	-	2	-	-	1	-	3	5	14	5	-
Female	42	5	1	-	1	1	1	3	1	6	10	13	-
Chronic liver disease and cirrhosis (571)	793	1	-	1	8	20	69	168	207	190	84	23	2
Male	620	-	-	1	2	15	78	140	169	138	61	14	2
Female	173	1	-	-	6	5	11	28	38	52	23	9	-
Cholelithiasis and other disorders of gallbladder (574-575)	45	-	-	-	-	-	2	3	8	8	10	14	-
Male	23	-	-	-	-	-	1	2	3	5	6	6	-
Female	22	-	-	-	-	-	1	1	5	3	4	8	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	263	5	1	1	1	6	7	15	34	78	64	53	-
Male	141	2	1	-	-	4	5	9	17	49	34	20	-
Female	122	3	-	1	1	2	2	6	17	27	30	33	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	-	-	-	1	2	-	-	1	5	-	2	-
Male	7	-	-	-	-	2	-	-	1	4	-	-	-
Female	4	-	-	-	1	-	-	-	-	1	-	2	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	35	-	-	-	-	1	1	1	8	9	7	6	-
Male	23	-	-	-	-	1	1	1	4	8	5	3	-
Female	12	-	-	-	-	-	-	-	4	1	2	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	217	5	1	1	-	3	6	14	25	62	57	43	-
Male	111	2	1	-	-	1	4	8	12	37	29	17	-
Female	106	3	-	1	-	2	2	6	13	25	28	26	-
Infections of kidney (590)	16	-	-	-	-	3	1	2	2	4	3	3	-
Male	6	-	-	-	-	2	-	1	-	1	-	2	-
Female	12	-	-	-	-	1	1	1	2	3	3	1	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	5	-	1	-
Male	6	-	-	-	-	-	-	-	-	5	-	1	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	5	...	...	-	1	2	2	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	...	...	-	1	2	2	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	5	...	...	-	1	2	2	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	...	...	-	1	2	2	-	...	...	...	...	-
Congenital anomalies (740-759)	233	185	10	6	10	5	4	7	2	2	1	1	-
Male	131	105	3	3	7	4	2	3	2	-	1	1	-
Female	102	80	7	3	3	1	2	4	-	2	-	-	-
Certain conditions originating in the perinatal period (760-779)	677	677	-	-	-	-	-	-	-	-	-	-	-
Male	399	399	-	-	-	-	-	-	-	-	-	-	-
Female	278	278	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	300	300	-	-	-	-	-	-	-	-	-	-	-
Male	177	177	-	-	-	-	-	-	-	-	-	-	-
Female	123	123	-	-	-	-	-	-	-	-	-	-	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period-Con.													
Other conditions originating in the perinatal period (760-766,770-779)	377	377	–	–	–	–	–	–	–	–	–	–	–
Male	222	222	–	–	–	–	–	–	–	–	–	–	–
Female	155	155	–	–	–	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	127	14	1	2	3	4	6	4	12	16	15	47	3
Male	59	9	1	1	1	2	1	2	7	12	6	15	2
Female	68	5	–	1	2	2	5	2	5	4	9	32	1
All other diseases (Residual)	1,774	73	25	29	49	87	109	140	204	373	359	322	4
Male	1,022	43	13	14	23	61	81	91	120	208	204	160	4
Female	752	30	12	15	26	26	28	49	84	165	155	162	–
Accidents and adverse effects (E800-E949)	1,093	25	24	71	179	167	116	109	121	102	93	78	6
Male	822	16	10	45	148	145	94	90	99	74	62	35	6
Female	271	9	14	26	33	22	24	19	22	28	31	43	–
Motor vehicle accidents (E810-E825)	502	1	9	37	113	83	62	50	59	39	32	4	3
Male	395	1	2	21	89	81	49	42	48	30	27	2	3
Female	107	–	7	16	24	12	13	8	11	9	5	2	–
All other accidents and adverse effects (E800-E807,E826-E949)	591	24	15	34	66	74	56	59	62	63	61	74	3
Male	427	15	8	24	57	64	45	48	51	44	35	33	3
Female	164	9	7	10	9	10	11	11	11	19	26	41	–
Suicide (E950-E959)	324	...	...	1	35	60	71	51	44	37	19	6	–
Male	286	...	...	1	32	53	65	40	36	36	18	5	–
Female	38	...	...	–	3	7	6	11	8	1	1	1	–
Homicide and legal intervention (E960-E978)	426	–	2	7	126	123	73	46	23	18	8	–	–
Male	374	–	–	6	108	113	66	40	19	15	7	–	–
Female	52	–	2	1	18	10	7	6	4	3	1	–	–
All other external causes (E980-E999)	32	2	1	–	2	10	3	3	2	2	2	–	5
Male	28	2	1	–	2	9	3	2	2	2	2	–	3
Female	4	–	–	–	–	1	–	1	–	–	–	–	2

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	484	54	4	6	15	28	37	30	74	102	80	53	1
White, male	102	3	1	2	4	5	10	8	18	29	15	7	-
White, female	51	4	-	-	1	-	5	-	13	14	9	5	-
All other, male	172	25	-	4	6	16	15	12	24	27	28	14	1
All other, female	159	22	3	-	4	7	7	10	19	32	28	27	-
Black, male	165	25	-	4	5	15	13	12	22	27	27	14	1
Black, female	151	19	2	-	4	6	7	10	18	31	27	27	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	70	-	-	-	-	2	6	3	22	17	18	2	-
White, male	19	-	-	-	-	1	2	1	4	8	3	-	-
White, female	8	-	-	-	-	-	1	-	4	2	1	-	-
All other, male	20	-	-	-	-	-	1	2	7	2	7	1	-
All other, female	23	-	-	-	-	1	2	-	7	5	7	1	-
Black, male	19	-	-	-	-	-	1	2	6	2	7	1	-
Black, female	21	-	-	-	-	1	2	-	6	5	6	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	23	-	-	-	-	2	2	-	4	7	6	2	-
White, male	6	-	-	-	-	1	2	-	1	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	8	-	-	-	-	-	-	-	2	1	4	1	-
All other, female	8	-	-	-	-	1	-	-	1	3	2	1	-
Black, male	8	-	-	-	-	-	-	-	2	1	4	1	-
Black, female	8	-	-	-	-	1	-	-	1	3	2	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	8	-	-	-	-	-	-	2	3	3	-	-	-
White, male	6	-	-	-	-	-	-	1	2	3	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	1	-	2	2	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	6	-	-	-	-	-	1	-	1	2	2	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	5	-	-	-	-	-	1	-	1	2	1	-	-
Malignant neoplasms of genital organs (179-187)	19	-	-	-	-	-	2	-	10	-	7	-	-
White, male	4	-	-	-	-	-	-	-	1	-	3	-	-
White, female	3	-	-	-	-	-	1	-	2	-	-	-	-
All other, male	6	-	-	-	-	-	-	-	3	-	3	-	-
All other, female	6	-	-	-	-	-	1	-	4	-	1	-	-
Black, male	6	-	-	-	-	-	-	-	3	-	3	-	-
Black, female	5	-	-	-	-	-	1	-	3	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	3	-	-	-	-	-	1	-	1	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	1	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	1	-	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	7	-	-	-	-	-	-	1	1	3	2	-	-
White, male	2	-	-	-	-	-	-	-	-	2	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	-	1	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Black, male	2	-	-	-	-	-	-	1	-	1	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	-	2	-	-
Leukemia (204-208)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	31	-	1	-	-	-	2	2	5	10	8	3	-
White, male	5	-	-	-	-	-	1	-	1	-	1	2	-
White, female	2	-	-	-	-	-	-	-	1	-	1	-	-
All other, male	13	-	-	-	-	-	1	2	2	5	3	-	-
All other, female	11	-	1	-	-	-	-	-	1	5	3	1	-
Black, male	13	-	-	-	-	-	1	2	2	5	3	-	-
Black, female	10	-	-	-	-	-	-	-	1	5	3	1	-
Nutritional deficiencies (260-269)	7	1	-	-	-	-	-	-	-	-	4	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	3	1	-	-	-	-	-	-	-	-	2	-	-
All other, female	3	-	-	-	-	-	-	-	-	-	1	2	-
Black, male	3	1	-	-	-	-	-	-	-	-	2	-	-
Black, female	3	-	-	-	-	-	-	-	-	-	1	2	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	172	1	-	-	2	3	4	12	24	49	40	36	1
White, male	35	-	-	-	-	-	1	2	9	13	8	2	-
White, female	20	-	-	-	-	-	2	-	1	7	5	5	-
All other, male	50	-	-	-	-	3	1	4	7	13	13	8	1
All other, female	67	1	-	-	2	-	-	6	7	16	14	21	-
Black, male	48	-	-	-	-	2	-	4	6	13	12	8	1
Black, female	65	-	-	-	2	-	-	6	7	15	14	21	-
Diseases of heart (390-398,402,404-429)	128	1	-	-	2	3	2	9	16	33	30	31	1
White, male	27	-	-	-	-	-	1	2	7	8	7	2	-
White, female	17	-	-	-	-	-	-	-	1	6	5	5	-
All other, male	35	-	-	-	-	3	1	3	5	7	8	7	1
All other, female	49	1	-	-	2	-	-	4	3	12	10	17	-
Black, male	31	-	-	-	-	2	-	3	4	7	7	7	1
Black, female	47	-	-	-	2	-	-	4	3	11	10	17	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	1	-	-	-	-	-	-	-	1
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	-	-	1
All other, female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	-	1
Black, female	1	-	-	-	1	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	11	-	-	-	-	-	-	3	1	3	2	2	-
White, male	2	-	-	-	-	-	-	1	-	1	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	7	-	-	-	-	-	-	2	-	2	1	2	-
Black, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, female	7	-	-	-	-	-	-	2	-	2	1	2	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	97	-	-	-	-	3	2	6	12	26	22	26	-
White, male	21	-	-	-	-	-	1	1	5	7	5	2	-
White, female	14	-	-	-	-	-	-	-	-	5	4	5	-
All other, male	31	-	-	-	-	3	1	3	5	6	7	6	-
All other, female	31	-	-	-	-	-	-	2	2	8	6	13	-
Black, male	27	-	-	-	-	2	-	3	4	6	6	6	-
Black, female	30	-	-	-	-	-	-	2	2	7	6	13	-
Acute myocardial infarction (410)	39	-	-	-	-	1	1	4	9	11	9	4	-
White, male	10	-	-	-	-	-	-	-	4	4	2	-	-
White, female	4	-	-	-	-	-	-	-	-	1	2	1	-
All other, male	16	-	-	-	-	1	1	2	3	3	3	3	-
All other, female	9	-	-	-	-	-	-	2	2	3	2	-	-
Black, male	13	-	-	-	-	-	-	2	2	3	3	3	-
Black, female	8	-	-	-	-	-	-	2	2	2	2	-	-
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	56	-	-	-	-	2	1	2	3	15	13	22	-
White, male	11	-	-	-	-	-	1	1	1	3	3	2	-
White, female	10	-	-	-	-	-	-	-	-	4	2	4	-
All other, male	15	-	-	-	-	2	-	1	2	3	4	3	-
All other, female	22	-	-	-	-	-	-	-	-	5	4	13	-
Black, male	14	-	-	-	-	2	-	1	2	3	3	3	-
Black, female	22	-	-	-	-	-	-	-	-	5	4	13	-
Other diseases of endocardium (424)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	17	1	-	-	1	-	-	-	3	4	5	3	-
White, male	3	-	-	-	-	-	-	-	2	-	1	-	-
White, female	2	-	-	-	-	-	-	-	-	1	1	-	-
All other, male	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, female	10	1	-	-	1	-	-	-	1	2	3	2	-
Black, male	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, female	9	-	-	-	1	-	-	-	1	2	3	2	-
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	1	1	2	2	1	1	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	2	1	-	-	-
All other, female	3	-	-	-	-	-	-	1	-	-	1	1	-
Black, male	3	-	-	-	-	-	-	-	2	1	-	-	-
Black, female	3	-	-	-	-	-	-	1	-	-	1	1	-
Cerebrovascular diseases (430-438)	30	-	-	-	-	-	1	2	6	11	7	3	-
White, male	5	-	-	-	-	-	-	-	2	3	-	-	-
White, female	2	-	-	-	-	-	1	-	-	1	-	-	-
All other, male	11	-	-	-	-	-	-	1	-	5	5	-	-
All other, female	12	-	-	-	-	-	-	1	4	2	2	3	-
Black, male	11	-	-	-	-	-	-	1	-	5	5	-	-
Black, female	12	-	-	-	-	-	-	1	4	2	2	3	-
Intracerebral and other intracranial hemorrhage (431-432)	4	-	-	-	-	-	1	1	1	1	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	-	-	-	-	-	-	1	1	3	1	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	-	2	1	-	-
All other, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, male	3	-	-	-	-	-	-	-	-	2	1	-	-
Black, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	2	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	2	-	-	-	-	-	-	-	-	2	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	17	-	-	-	-	-	-	-	4	5	5	3	-
White, male	3	-	-	-	-	-	-	-	1	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	5	-	-	-	-	-	-	-	-	1	4	-	-
All other, female	8	-	-	-	-	-	-	-	3	1	1	3	-
Black, male	5	-	-	-	-	-	-	-	-	1	4	-	-
Black, female	8	-	-	-	-	-	-	-	3	1	1	3	-
Atherosclerosis (440)	4	-	-	-	-	-	-	-	-	2	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, female	3	-	-	-	-	-	-	-	-	2	1	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, female	3	-	-	-	-	-	-	-	-	2	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	2	-	-	-	-	-	-	-	-	1	1	-	-
White, male	2	-	-	-	-	-	-	-	-	1	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	14	2	-	1	-	-	-	1	5	4	-	1	-
White, male	4	-	-	-	-	-	-	1	2	1	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	7	2	-	1	-	-	-	-	1	2	-	1	-
All other, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black, male	7	2	-	1	-	-	-	-	1	2	-	1	-
Black, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Pneumonia (480-486)	14	2	-	1	-	-	-	1	5	4	-	1	-
White, male	4	-	-	-	-	-	-	1	2	1	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	7	2	-	1	-	-	-	-	1	2	-	1	-
All other, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black, male	7	2	-	1	-	-	-	-	1	2	-	1	-
Black, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	7	-	-	-	-	1	-	-	1	4	1	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	2	-	-	-	-	-	-	-	1	1	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, female	2	-	-	-	-	1	-	-	-	-	1	-	-
Black, male	2	-	-	-	-	-	-	-	-	2	-	-	-
Black, female	2	-	-	-	-	1	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	-	1	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2	-	-	-	-	-	-	-	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	1	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	1	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	1	-	-	-	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	1	-	-	-	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	17	-	-	-	-	2	6	2	5	2	-	-	-
White, male	6	-	-	-	-	-	2	2	2	-	-	-	-
White, female	2	-	-	-	-	-	1	-	1	-	-	-	-
All other, male	6	-	-	-	-	1	2	-	2	1	-	-	-
All other, female	3	-	-	-	-	1	1	-	-	1	-	-	-
Black, male	5	-	-	-	-	1	1	-	2	1	-	-	-
Black, female	3	-	-	-	-	1	1	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	1	-	-	-	2	-	-	2	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2	-	-	-	-	-	-	-	1	-	1	-	-
All other, male	4	-	-	-	-	2	-	-	1	1	-	-	-
All other, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, male	4	-	-	-	-	2	-	-	1	1	-	-	-
Black, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	1	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	1	-	-	-	2	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	3	-	-	-	-	2	-	-	-	1	-	-	-
All other, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, male	3	-	-	-	-	2	-	-	-	1	-	-	-
Black, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Congenital anomalies (740-759)	12	8	1	-	2	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	4	3	-	-	1	-	-	-	-	-	-	-	-
All other, female	7	5	1	-	1	-	-	-	-	-	-	-	-
Black, male	4	3	-	-	1	-	-	-	-	-	-	-	-
Black, female	7	5	1	-	1	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	38	38	-	-	-	-	-	-	-	-	-	-	-
White, male	3	3	-	-	-	-	-	-	-	-	-	-	-
White, female	4	4	-	-	-	-	-	-	-	-	-	-	-
All other, male	16	16	-	-	-	-	-	-	-	-	-	-	-
All other, female	15	15	-	-	-	-	-	-	-	-	-	-	-
Black, male	16	16	-	-	-	-	-	-	-	-	-	-	-
Black, female	13	13	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	12	12	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	6	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Black, male	6	6	-	-	-	-	-	-	-	-	-	-	-
Black, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	26	26	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	10	-	-	-	-	-	-	-	-	-	-	-
All other, female	12	12	-	-	-	-	-	-	-	-	-	-	-
Black, male	10	10	-	-	-	-	-	-	-	-	-	-	-
Black, female	10	10	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	2	-	-	-	-	-	-	-	1	-	1	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	39	1	1	2	-	4	4	5	5	9	5	3	-
White, male	10	-	1	2	-	-	1	-	-	4	1	1	-
White, female	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, male	15	1	-	-	-	3	1	3	3	-	3	1	-
All other, female	12	-	-	-	-	1	2	2	2	3	1	1	-
Black, male	15	1	-	-	-	3	1	3	3	-	3	1	-
Black, female	12	-	-	-	-	1	2	2	2	3	1	1	-
Accidents and adverse effects (E800-E949)	41	1	1	2	3	8	11	3	1	6	2	3	-
White, male	9	-	-	-	-	2	2	1	-	2	1	1	-
White, female	5	-	-	-	1	-	1	-	1	2	-	-	-
All other, male	21	1	-	2	2	5	7	1	-	1	-	2	-
All other, female	6	-	1	-	-	1	1	1	-	1	1	-	-
Black, male	20	1	-	2	1	5	7	1	-	1	-	2	-
Black, female	6	-	1	-	-	1	1	1	-	1	1	-	-
Motor vehicle accidents (E810-E825)	18	-	-	2	3	4	2	2	-	3	-	2	-
White, male	5	-	-	-	-	1	1	1	-	1	-	1	-
White, female	3	-	-	-	1	-	-	-	-	2	-	-	-
All other, male	10	-	-	2	2	3	1	1	-	-	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	9	-	-	2	1	3	1	1	-	-	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	23	1	1	-	-	4	9	1	1	3	2	1	-
White, male	4	-	-	-	-	1	1	-	-	1	1	-	-
White, female	2	-	-	-	-	-	1	-	1	-	-	-	-
All other, male	11	1	-	-	-	2	6	-	-	1	-	1	-
All other, female	6	-	1	-	-	1	1	1	-	1	1	-	-
Black, male	11	1	-	-	-	2	6	-	-	1	-	1	-
Black, female	6	-	1	-	-	1	1	1	-	1	1	-	-
Suicide (E950-E959)	5	...	...	-	2	2	-	1	-	-	-	-	-
White, male	4	...	...	-	2	1	-	1	-	-	-	-	-
White, female	-	...	...	-	-	-	-	-	-	-	-	-	-
All other, male	-	...	...	-	-	-	-	-	-	-	-	-	-
All other, female	1	...	...	-	-	1	-	-	-	-	-	-	-
Black, male	-	...	...	-	-	-	-	-	-	-	-	-	-
Black, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	-	-	-	5	4	2	1	2	-	-	-	-
White, male	4	-	-	-	2	1	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	2	2	1	-	1	-	-	-	-
All other, female	4	-	-	-	1	1	-	1	1	-	-	-	-
Black, male	6	-	-	-	2	2	1	-	1	-	-	-	-
Black, female	4	-	-	-	1	1	-	1	1	-	-	-	-
All other external causes (E980-E999)	1	-	-	-	1	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	442	29	8	4	28	34	21	54	75	99	61	28	1
White, male	35	1	-	-	3	5	2	12	4	8	-	-	-
White, female	15	-	1	1	2	-	2	2	1	2	1	3	-
All other, male	232	15	5	2	17	18	11	27	48	48	29	11	1
All other, female	160	13	2	1	6	11	6	13	22	41	31	14	-
Guamanian, male	154	10	3	1	11	11	8	12	29	33	27	9	-
Guamanian, female	131	3	2	1	4	8	3	10	20	37	30	13	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	-	-	-	-	-	1	2	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	-	-	-	-	-	-	-	-	1	2	1	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	4	-	-	-	-	-	-	-	-	1	2	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	59	-	-	-	4	3	1	9	18	12	9	3	-
White, male	2	-	-	-	-	-	-	-	1	1	-	-	-
White, female	4	-	-	-	-	-	-	1	1	1	1	-	-
All other, male	29	-	-	-	2	-	-	6	7	6	5	3	-
All other, female	24	-	-	-	2	3	1	2	9	4	3	-	-
Guamanian, male	17	-	-	-	2	-	-	2	4	4	4	1	-
Guamanian, female	20	-	-	-	1	2	-	2	6	4	3	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	16	-	-	-	-	2	-	4	5	1	2	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	13	-	-	-	-	-	-	4	4	1	2	2	-
All other, female	3	-	-	-	-	2	-	-	1	-	-	-	-
Guamanian, male	7	-	-	-	-	-	-	1	3	1	1	1	-
Guamanian, female	2	-	-	-	-	1	-	-	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	20	-	-	-	1	-	-	4	6	5	3	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	9	-	-	-	-	-	-	2	1	3	2	1	-
All other, female	9	-	-	-	1	-	-	2	4	1	1	-	-
Guamanian, male	6	-	-	-	-	-	-	1	1	2	2	-	-
Guamanian, female	8	-	-	-	-	-	-	2	4	1	1	-	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	3	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	-	-	-	-	-	-	-	2	1	1	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	3	-	-	-	-	-	-	-	1	1	1	-	-
Malignant neoplasms of genital organs (179-187)	5	-	-	-	-	-	1	-	-	2	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, male	3	-	-	-	-	-	-	-	-	2	1	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, male	2	-	-	-	-	-	-	-	-	1	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	7	-	-	-	-	1	-	-	3	2	1	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	5	-	-	-	-	1	-	-	2	1	1	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	5	-	-	-	-	1	-	-	2	1	1	-	-
Leukemia (204-208)	2	-	-	-	1	-	-	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	1	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	-	-	-	2	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	1	-	-	-	1	-	-	-	-
All other, female	2	-	-	-	1	-	-	-	-	1	-	-	-
Guamanian, male	1	-	-	-	1	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	1	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	15	-	-	-	-	-	1	2	4	5	3	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	-	-	-	-	-	1	1	1	4	-	-	-
All other, female	8	-	-	-	-	-	-	1	3	1	3	-	-
Guamanian, male	6	-	-	-	-	-	1	-	1	4	-	-	-
Guamanian, female	8	-	-	-	-	-	-	1	3	1	3	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	1	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	-	-	1	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	1	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	163	1	1	1	1	5	4	27	32	49	31	11	-
White, male	17	-	-	-	-	-	-	10	1	6	-	-	-
White, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, male	89	1	-	1	-	3	3	13	27	21	16	4	-
All other, female	55	-	1	-	1	2	1	4	4	21	15	6	-
Guamanian, male	59	-	-	1	-	1	3	7	15	13	15	4	-
Guamanian, female	47	-	1	-	1	-	1	3	3	18	15	5	-
Diseases of heart (390-398,402,404-429)	133	1	1	1	1	3	3	24	25	43	21	10	-
White, male	16	-	-	-	-	-	-	10	-	6	-	-	-
White, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, male	72	1	-	1	-	2	2	11	22	19	10	4	-
All other, female	43	-	1	-	1	1	1	3	3	17	11	5	-
Guamanian, male	45	-	-	1	-	1	2	6	11	11	9	4	-
Guamanian, female	40	-	1	-	1	-	1	3	3	16	11	4	-
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	1	1	-	-	-	2	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	1	-	-	-	-	2	-	-	-	-
All other, female	3	-	-	-	1	-	-	-	-	1	1	-	-
Guamanian, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	3	-	-	-	1	-	-	-	-	1	1	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	-	-	3	3	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	-	-	2	2	-	-
All other, female	3	-	-	-	-	-	-	-	-	1	1	1	-
Guamanian, male	3	-	-	-	-	-	-	-	-	2	1	-	-
Guamanian, female	3	-	-	-	-	-	-	-	-	1	1	1	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	100	-	-	-	-	3	2	22	20	30	15	8	-
White, male	16	-	-	-	-	-	-	10	-	6	-	-	-
White, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, male	55	-	-	-	-	2	2	10	18	13	7	3	-
All other, female	27	-	-	-	-	1	-	2	2	10	8	4	-
Guamanian, male	35	-	-	-	-	1	2	6	10	6	7	3	-
Guamanian, female	24	-	-	-	-	-	-	2	2	9	8	3	-
Acute myocardial infarction (410)	32	-	-	-	-	2	-	9	5	10	4	2	-
White, male	6	-	-	-	-	-	-	6	-	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	12	-	-	-	-	1	-	1	4	3	2	1	-
All other, female	11	-	-	-	-	1	-	2	1	4	2	1	-
Guamanian, male	7	-	-	-	-	-	-	1	2	1	2	1	-
Guamanian, female	10	-	-	-	-	-	-	2	1	4	2	1	-
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	-	1	3	3	5	-	2	-
White, male	2	-	-	-	-	-	-	1	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	1	2	3	3	-	-	-
All other, female	3	-	-	-	-	-	-	-	-	1	-	2	-
Guamanian, male	7	-	-	-	-	-	1	1	3	2	-	-	-
Guamanian, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	54	-	-	-	-	1	1	10	12	15	11	4	-
White, male	6	-	-	-	-	-	-	3	-	3	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	34	-	-	-	-	1	1	7	11	7	5	2	-
All other, female	13	-	-	-	-	-	-	-	1	5	6	1	-
Guamanian, male	21	-	-	-	-	1	1	4	5	3	5	2	-
Guamanian, female	12	-	-	-	-	-	-	-	1	4	6	1	-
Other diseases of endocardium (424)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	19	1	1	-	-	-	1	2	3	6	2	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	1	-	-	-	-	-	1	2	3	1	1	-
All other, female	10	-	1	-	-	-	1	1	1	5	1	-	-
Guamanian, male	5	-	-	-	-	-	-	-	1	2	1	1	-
Guamanian, female	10	-	1	-	-	-	1	1	1	5	1	-	-
Hypertension with or without renal disease (401,403)	3	-	-	-	-	-	-	1	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Cerebrovascular diseases (430-438)	20	-	-	-	-	2	1	2	5	3	7	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	12	-	-	-	-	1	1	1	4	1	4	-	-
All other, female	7	-	-	-	-	1	-	1	-	2	3	-	-
Guamanian, male	11	-	-	-	-	-	1	1	4	1	4	-	-
Guamanian, female	4	-	-	-	-	-	-	-	-	1	3	-	-
Intracerebral and other intracranial hemorrhage (431-432)	7	-	-	-	-	-	-	1	2	2	2	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	1	1	1	1	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	1	-	-
Guamanian, male	4	-	-	-	-	-	-	1	1	1	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2	-	-	-	-	-	1	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	1	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	-	-	-	-	-	1	-	-	-	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	11	-	-	-	-	2	-	1	3	1	4	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	-	1	-	-	3	-	2	-	-
All other, female	5	-	-	-	-	1	-	1	-	1	2	-	-
Guamanian, male	5	-	-	-	-	-	-	-	3	-	2	-	-
Guamanian, female	3	-	-	-	-	-	-	-	-	1	2	-	-
Atherosclerosis (440)	2	-	-	-	-	-	-	-	-	-	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	5	-	-	-	-	-	-	-	2	2	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	1	1	1	-	-
All other, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Guamanian, male	2	-	-	-	-	-	-	-	-	1	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	2	1	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	17	-	-	-	-	-	-	2	4	5	3	3	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	-	-	-	-	-	-	2	2	3	2	1	-
All other, female	6	-	-	-	-	-	-	-	2	1	1	2	-
Guamanian, male	9	-	-	-	-	-	-	2	2	2	2	1	-
Guamanian, female	6	-	-	-	-	-	-	-	2	1	1	2	-
Pneumonia (480-486)	16	-	-	-	-	-	-	2	3	5	3	3	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	-	-	-	-	-	-	2	2	3	2	1	-
All other, female	5	-	-	-	-	-	-	-	1	1	1	2	-
Guamanian, male	9	-	-	-	-	-	-	2	2	2	2	1	-
Guamanian, female	5	-	-	-	-	-	-	-	1	1	1	2	-
Influenza (487)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	18	-	-	1	-	-	-	1	4	7	2	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	-	-	1	-	-	-	-	3	5	-	2	-
All other, female	7	-	-	-	-	-	-	1	1	2	2	1	-
Guamanian, male	9	-	-	-	-	-	-	-	3	4	-	2	-
Guamanian, female	7	-	-	-	-	-	-	1	1	2	2	1	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	2	-	-	-	-	-	-	-	-	2	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	1	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	11	-	-	-	-	-	-	1	3	3	1	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	-	-	-	-	-	-	-	3	2	-	2	-
All other, female	4	-	-	-	-	-	-	1	-	1	1	1	-
Guamanian, male	7	-	-	-	-	-	-	-	3	2	-	2	-
Guamanian, female	4	-	-	-	-	-	-	1	-	1	1	1	-
Ulcer of stomach and duodenum (531-533)	2	-	-	-	-	-	-	-	1	-	-	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	10	-	-	-	-	1	2	3	2	2	-	-	-
White, male	2	-	-	-	-	1	-	1	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	6	-	-	-	-	-	2	1	2	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	4	-	-	-	-	-	2	-	1	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	-	-	-	-	-	-	1	1	2	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	-	1	-	-
All other, female	4	-	-	-	-	-	-	1	-	2	-	1	-
Guamanian, male	2	-	-	-	-	-	-	-	1	-	1	-	-
Guamanian, female	4	-	-	-	-	-	-	1	-	2	-	1	-
Acute glomerulonephritis and nephrotic syndrome (590-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	1	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	-	-	-	-	-	-	-	-	2	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	3	-	-	-	-	-	-	-	-	2	-	1	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	3	-	-	-	-	-	-	-	-	2	-	1	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	...	...	-	-	1	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	1	...	...	-	-	1	-	-	...	...	...	...	-
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	1	...	...	-	-	1	-	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	...	...	-	-	1	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	1	...	...	-	-	1	-	-	...	...	...	...	-
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	1	...	...	-	-	1	-	-	...	...	...	...	-
Congenital anomalies (740-759)	7	5	-	-	-	1	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	5	-	-	-	1	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	4	3	-	-	-	1	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	16	16	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	6	-	-	-	-	-	-	-	-	-	-	-
All other, female	10	10	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	4	4	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	11	11	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	5	-	-	-	-	-	-	-	-	-	-	-
All other, female	6	6	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1983—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	3	2	-	-	-	-	-	1	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	43	2	-	1	1	5	2	5	7	10	7	3	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	20	2	-	-	-	3	1	1	4	4	4	1	-
All other, female	21	-	-	1	1	2	1	3	3	6	3	1	-
Guamanian, male	17	2	-	-	-	3	1	-	2	4	4	1	-
Guamanian, female	18	-	-	1	-	2	1	2	3	6	2	1	-
Accidents and adverse effects (E800-E949)	43	2	3	1	16	7	4	2	2	1	2	2	1
White, male	6	-	-	-	3	1	1	-	1	-	-	-	-
White, female	3	-	-	1	1	-	1	-	-	-	-	-	-
All other, male	22	1	3	-	10	4	1	1	1	-	-	-	1
All other, female	12	1	-	-	2	2	1	1	-	1	2	2	-
Guamanian, male	13	1	3	-	5	3	1	-	-	-	-	-	-
Guamanian, female	11	1	-	-	2	2	1	-	-	1	2	2	-
Motor vehicle accidents (E810-E825)	28	1	2	-	13	6	2	2	1	1	-	-	-
White, male	4	-	-	-	2	1	-	-	1	-	-	-	-
White, female	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, male	10	1	2	-	8	3	1	1	-	-	-	-	-
All other, female	7	-	-	-	2	2	1	1	-	1	-	-	-
Guamanian, male	9	1	2	-	3	2	1	-	-	-	-	-	-
Guamanian, female	6	-	-	-	2	2	1	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	15	1	1	1	3	1	2	-	1	-	2	2	1
White, male	2	-	-	-	1	-	1	-	-	-	-	-	-
White, female	2	-	-	1	-	-	1	-	-	-	-	-	-
All other, male	6	-	1	-	2	1	-	-	1	-	-	-	1
All other, female	5	1	-	-	-	-	-	-	-	-	2	2	-
Guamanian, male	4	-	1	-	2	1	-	-	-	-	-	-	-
Guamanian, female	5	1	-	-	-	-	-	-	-	-	2	2	-
Suicide (E950-E959)	10	...	...	-	1	5	2	1	-	1	-	-	-
White, male	4	...	...	-	-	3	1	-	-	-	-	-	-
White, female	1	...	...	-	-	-	1	-	-	-	-	-	-
All other, male	5	...	...	-	1	2	-	1	-	1	-	-	-
All other, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Guamanian, male	3	...	...	-	1	2	-	-	-	-	-	-	-
Guamanian, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	-	-	-	5	5	4	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, male	10	-	-	-	4	4	2	-	-	-	-	-	-
All other, female	3	-	-	-	-	1	2	-	-	-	-	-	-
Guamanian, male	3	-	-	-	3	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	-	1	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	1	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	1	-	-	-	-	-	-	-	-	-	-

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	502	113	85	19	2	-	-	9	198	-	76
Male	395	104	48	19	2	-	-	8	157	-	57
Female	107	9	37	-	-	-	-	1	41	-	19
Virgin Islands	18	-	-	-	-	-	-	3	4	-	11
White, male	5	-	-	-	-	-	-	-	1	-	4
White, female	3	-	-	-	-	-	-	-	1	-	2
All other, male	10	-	-	-	-	-	-	3	2	-	5
All other, female	-	-	-	-	-	-	-	-	-	-	-
Black, male	9	-	-	-	-	-	-	3	2	-	4
Black, female	-	-	-	-	-	-	-	-	-	-	-
Guam	28	1	-	-	-	-	-	-	2	-	25
White, male	4	1	-	-	-	-	-	-	-	-	3
White, female	1	-	-	-	-	-	-	-	1	-	-
All other, male	16	-	-	-	-	-	-	-	1	-	15
All other, female	7	-	-	-	-	-	-	-	-	-	7
Guamanian, male	9	-	-	-	-	-	-	-	1	-	8
Guamanian, female	6	-	-	-	-	-	-	-	-	-	6

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1] (0)	Farm [2] (1)	Mine and quarry (2)	Industrial place and premises (3)	Place for recreation and sport (4)	Street and highway (5)	Public building (6)	Residential institution (7)	Other specified places (8)	Unspecified place (9)
Puerto Rico	519	138	2	-	2	1	24	5	6	128	213
Male	380	96	2	-	2	1	21	4	3	113	138
Female	139	42	-	-	-	-	3	1	3	15	75
Virgin Islands	21	5	-	-	-	-	-	-	1	2	13
White, male	4	-	-	-	-	-	-	-	-	-	4
White, female	2	-	-	-	-	-	-	-	-	-	2
All other, male	10	3	-	-	-	-	-	-	1	2	4
All other, female	5	2	-	-	-	-	-	-	-	-	3
Black, male	10	3	-	-	-	-	-	-	1	2	4
Black, female	5	2	-	-	-	-	-	-	-	-	3
Guam	13	3	-	-	-	-	-	-	1	3	6
White, male	2	-	-	-	-	-	-	-	-	1	1
White, female	2	-	-	-	-	-	-	-	-	1	1
All other, male	4	2	-	-	-	-	-	-	1	1	-
All other, female	5	1	-	-	-	-	-	-	-	-	4
Guamanian, male	4	2	-	-	-	-	-	-	1	1	-
Guamanian, female	5	1	-	-	-	-	-	-	-	-	4

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1983

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	21,498	21,377	1,131	913	703
Adjuntas	51	115	7	4	4
Aguada	73	179	15	11	4
Aguadilla	447	399	21	18	16
Aguas Buenas	69	138	7	6	3
Aibonito	120	154	6	5	6
Anasco	45	139	10	7	8
Arecibo	1,055	693	27	24	20
Arroyo	56	109	8	8	5
Barceloneta	72	139	2	1	6
Barranquitas	68	120	3	1	9
Bayamon	1,855	1,155	63	56	40
Cabo Rojo	117	266	11	5	7
Caguas	1,100	782	41	32	23
Camuy	93	180	4	3	9
Canovanas	88	181	7	4	11
Carolina	377	809	44	38	19
Catano	91	232	11	9	7
Cayey	192	326	18	14	9
Ceiba	41	78	7	7	4
Ciales	65	111	6	5	6
Cidra	60	143	14	10	4
Coamo	91	208	10	9	4
Comerio	51	90	6	5	4
Corozal	60	152	11	8	7
Culebra	3	7	-	-	-
Dorado	66	139	10	10	6
Fajardo	400	257	10	9	14
Florida	41	66	7	6	1
Guanica	54	126	8	5	2
Guayama	379	274	21	15	7
Guayanilla	73	161	6	5	8
Guaynabo	168	416	29	22	11
Gurabo	87	169	6	6	2
Hatillo	92	182	10	7	3
Hormigueros	54	65	4	4	4
Humacao	587	363	18	16	17
Isabela	150	286	8	6	12
Jayuya	41	100	8	6	6
Juana Diaz	94	268	25	22	12
Juncos	66	157	6	5	5
Lajas	42	138	4	3	5
Lares	127	193	12	8	11
Las Marias	19	45	3	3	-
Las Piedras	45	123	9	8	5
Loiza	45	97	10	6	8
Luquillo	36	95	9	6	2
Manati	154	260	18	15	8
Maricao	16	38	2	1	-
Maunabo	46	101	6	5	4
Mayaguez	1,390	740	30	27	12
Moca	183	174	8	6	7
Morovis	45	124	15	11	11
Naguabo	62	144	5	4	2
Naranjito	59	128	13	12	4
Orocovis	55	105	12	9	6
Patillas	62	135	10	7	4
Penuelas	40	109	6	8	5
Ponce	2,048	1,243	62	53	46
Quebradillas	72	132	11	5	5
Rincon	60	105	6	5	2
Rio Grande	106	239	20	13	5
Sabana Grande	60	132	5	4	5
Salinas	90	190	11	6	5
San German	383	261	12	11	5
San Juan	6,318	3,696	149	120	83
San Lorenzo	105	196	13	10	8
San Sebastian	139	274	12	9	15
Santa Isabel	63	135	10	9	4
Toa Alta	69	148	12	12	7
Toa Baja	160	369	19	15	9
Trujillo Alto	100	206	10	10	8
Utuado	147	218	6	5	9
Vega Alta	89	175	10	8	7
Vega Baja	149	299	19	17	13
Vieques	51	73	2	2	3
Villalba	67	134	10	10	2
Yabucoa	100	214	11	7	4
Yauco	228	242	12	9	20

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1983

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virgin Islands	510	484	54	47	45
White	173	153	7	7	7
All other	337	331	47	40	38
Black	322	316	44	38	38
St. Croix Island	262	257	33	30	33
White	102	98	6	6	7
All other	160	159	27	24	26
Black	150	149	24	22	26
St. John Island	7	6	-	-	-
White	4	-	-	-	-
All other	3	6	-	-	-
Black	3	6	-	-	-
St. Thomas Island	241	221	21	17	12
White	67	55	1	1	-
All other	174	166	20	16	12
Black	169	161	20	16	12
Charlotte Amalie	---	154	17	15	8
White	---	30	1	1	-
All other	---	124	16	14	8
Black	---	120	16	14	8
Balance of area	---	67	4	2	4
White	---	25	-	-	-
All other	---	42	4	2	4
Black	---	41	4	2	4
Guam	461	442	29	21	36
White	50	50	1	-	3
All other	411	392	28	21	33
Guamanian	285	285	19	9	19

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	1,131	104	83	104	92	102	111	79	89	94	98	96	79
Under 28 days	913	82	69	80	77	75	88	69	75	78	82	74	64
VIRGIN ISLANDS													
Under 1 year	54	6	5	2	6	4	5	4	3	2	11	4	2
White	7	2	1	1	1	-	-	-	-	-	1	1	-
All other	47	4	4	1	5	4	5	4	3	2	10	3	2
Black	44	3	4	1	3	4	5	4	3	2	10	3	2
Under 28 days	47	4	4	1	6	4	5	3	2	1	11	4	2
White	7	2	1	1	1	-	-	-	-	-	1	1	-
All other	40	2	3	-	5	4	5	3	2	1	10	3	2
Black	38	2	3	-	3	4	5	3	2	1	10	3	2
GUAM													
Under 1 year	29	1	3	3	3	3	-	1	4	1	3	4	3
White	1	-	-	-	-	-	-	-	1	-	-	-	-
All other	28	1	3	3	3	3	-	1	3	1	3	4	3
Guamanian	13	1	1	1	-	1	-	1	2	-	2	2	2
Under 28 days	21	-	2	-	3	3	-	1	3	1	3	4	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	21	-	2	-	3	3	-	1	3	1	3	4	1
Guamanian	9	-	-	-	-	1	-	1	2	-	2	2	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,131	668	463	54	28	26	7	3	4	47	25	22	44	25	19
Under 28 days	913	538	375	47	24	23	7	3	4	40	21	19	38	21	17
Under 7 days	783	463	320	43	21	22	7	3	4	36	18	18	34	18	16
Under 1 hour	125	74	51	18	9	9	3	2	1	15	7	8	15	7	8
1-23 hours	263	151	112	15	7	8	2	1	1	13	6	7	11	6	5
1 day	97	59	38	3	2	1	-	-	-	3	2	1	3	2	1
2 days	137	82	55	5	2	3	1	-	1	4	2	2	4	2	2
3 days	71	40	31	1	-	1	1	-	1	-	-	-	-	-	-
4 days	47	36	11	-	-	-	-	-	-	-	-	-	-	-	-
5 days	32	15	17	1	1	-	-	-	-	1	1	-	1	1	-
6 days	11	6	5	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	72	44	28	2	1	1	-	-	-	2	1	1	2	1	1
14-20 days	38	22	16	1	1	-	-	-	-	1	1	-	1	1	-
21-27 days	20	9	11	1	1	-	-	-	-	1	1	-	1	1	-
28-59 days	66	37	29	1	1	-	-	-	-	1	1	-	1	1	-
2 months	33	21	12	2	-	2	-	-	-	2	-	2	1	-	1
3 months	17	9	8	1	1	-	-	-	-	1	1	-	1	1	-
4 months	19	14	5	1	1	-	-	-	-	1	1	-	1	1	-
5 months	16	8	8	-	-	-	-	-	-	-	-	-	-	-	-
6 months	16	13	3	-	-	-	-	-	-	-	-	-	-	-	-
7 months	17	10	7	-	-	-	-	-	-	-	-	-	-	-	-
8 months	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
9 months	11	4	7	1	1	-	-	-	-	1	1	-	1	1	-
10 months	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-
11 months	8	5	3	1	-	1	-	-	-	1	-	1	1	-	1

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	29	16	13	1	1	-	28	15	13	19	10	9
Under 28 days	21	11	10	-	-	-	21	11	10	9	7	2
Under 7 days	17	8	9	-	-	-	17	8	9	7	5	2
Under 1 hour	1	1	-	-	-	-	1	1	-	-	-	-
1-23 hours	10	3	7	-	-	-	10	3	7	4	3	1
1 day	3	2	1	-	-	-	3	2	1	2	1	1
2 days	1	-	1	-	-	-	1	-	1	-	-	-
3 days	-	-	-	-	-	-	-	-	-	-	-	-
4 days	2	2	-	-	-	-	2	2	-	1	1	-
5 days	-	-	-	-	-	-	-	-	-	-	-	-
6 days	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	4	3	1	-	-	-	4	3	1	2	2	-
14-20 days	-	-	-	-	-	-	-	-	-	-	-	-
21-27 days	-	-	-	-	-	-	-	-	-	-	-	-
28-59 days	-	-	-	-	-	-	-	-	-	-	-	-
2 months	-	-	-	-	-	-	-	-	-	-	-	-
3 months	3	3	-	-	-	-	3	3	-	2	2	-
4 months	-	-	-	-	-	-	-	-	-	-	-	-
5 months	3	1	2	-	-	-	3	1	2	2	1	1
6 months	1	1	-	1	1	-	-	-	-	-	-	-
7 months	-	-	-	-	-	-	-	-	-	-	-	-
8 months	-	-	-	-	-	-	-	-	-	-	-	-
9 months	1	-	1	-	-	-	1	-	1	-	-	-
10 months	-	-	-	-	-	-	-	-	-	-	-	-
11 months	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1983

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	1,131	913	218	54	7	40	38	-	7	6	29	-	21	9	1	7	4
Certain intestinal infections (008-009)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	9	...	9	-	...	...	...	-	-	-	-	...	...	...	-	-	-
Viral diseases (045-079)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,060-068, 091-139)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disease of thymus gland (254)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	3	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	15	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Pneumonia and influenza (480-487)	81	40	41	2	-	1	1	-	1	1	-	-	-	-	-	-	-
Pneumonia (480-488)	81	40	41	2	-	1	1	-	1	1	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,482-519)	19	4	15	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	9	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	185	150	35	8	-	6	6	-	2	2	5	-	4	2	-	1	1
Anencephalus and similar anomalies (740)	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina bifida (741)	15	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	59	41	18	4	-	2	2	-	2	2	1	-	-	-	-	1	1
Other congenital anomalies of circulatory system (747)	18	14	4	3	-	3	3	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of respiratory system (748)	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	8	8	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	15	15	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Down's syndrome (759.0)	5	3	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified congenital anomalies (744,757,759)	28	27	1	-	-	-	-	-	-	-	2	-	2	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	677	670	7	38	7	30	28	-	1	1	16	-	16	6	-	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	22	21	1	3	-	3	3	-	-	-	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	21	21	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	52	52	-	10	2	7	7	-	1	1	-	-	-	-	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	25	25	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	59	58	1	1	-	1	1	-	-	-	2	-	2	1	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	14	14	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Birth asphyxia (768.5-768.9)	45	44	1	1	-	1	1	-	-	-	1	-	1	-	-	-	-
Respiratory distress syndrome (769)	216	215	1	10	3	7	7	-	-	-	3	-	3	1	-	-	-
Other respiratory conditions of newborn (770)	114	112	2	6	2	4	4	-	-	-	3	-	3	-	-	-	-
Infections specific to the perinatal period (771)	44	43	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Neonatal hemorrhage (772)	26	26	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	4	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	67	66	1	3	-	3	1	-	-	-	5	-	5	2	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	14	8	6	-	-	-	-	-	-	-	2	-	-	-	1	1	-
Sudden infant death syndrome (798.0)	1	1	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-
Symptoms, signs, and all other ill-defined conditions (780-797,799.1-799)	13	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	25	3	22	1	-	-	-	-	1	1	2	-	-	-	-	2	2
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	13	2	11	1	-	-	-	-	1	1	1	-	-	-	-	1	1
Accidental mechanical suffocation (E913)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	9	1	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Homicide (E960-E969)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes (Residual)	67	25	42	3	-	2	2	-	1	-	3	-	1	1	-	2	1

☆ U.S. GOVERNMENT PRINTING OFFICE : 1987 O - 176-947 : QL 3