VITAL STATISTICS OF THE UNITED STATES

1985

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
CENTERS FOR DISEASE CONTROL
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1988

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*
PETER L. HURLEY, *Associate Director for Vital and Health Statistics Systems*
STEPHEN E. NIEBERDING, *Associate Director for Management*
GEORGE A. SCHNACK, *Associate Director for Data Processing and Services*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
SANDRA S. SMITH, *Information Officer*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Systems and Programming Branch*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1985*, Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 88-1102. Public Health Service, Washington. U.S. Government Printing Office, 1987.

DHHS Publication No. (PHS) 88-1102

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1985

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1985.* Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1985. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	87	100	126	170	196	485	490	528
Geographic area:									
Counties	11								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	11	2	3			6	27		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1] Deaths by place of occurrence and place of residence.
[2] Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29
Geographic area:													
Guam	1	2	3			6	7	8		110	11	12	13
Puerto Rico	1	2		4			7	8	19		11	12	13
Municipios									19				
Virgin Islands	1	2	3		5		7	8		110	11	12	13
Islands										110			
Specified urban place										110			
Years:													
1940–85	1												
1985 only		2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:													
Death rates	1												
Number of deaths	1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths									9	10			
Number of infant deaths			3	4	5	6			9	10	11	12	13
Number of neonatal deaths									9	10	11	12	13
Number of postneonatal deaths													13
Characteristics:													
Age:													
10-year age groups			3	4	5	6							
Detailed age groups (under 1 day–11 months)												12	
Cause of death:													
61 selected causes of infant mortality													13
72 selected causes				4	5	6							
Motor vehicle accidents							7						
Nontransport accidents								8					
Person injured							7						
Month		2									11		
Place of accident								8					
Race[2]		2	3		5	6	7	8		10	11	12	13
Sex		2	3	4	5	6	7	8				12	

[1] Deaths by place of occurrence and place of residence.
[2] Puerto Rico does not report race.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1985	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1985	87
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1985	100
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States: 1985	126
8–5.	Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1985	170
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1985	196
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1985	485
8–8.	Deaths from 72 selected causes for standard metropolitan statistical areas of the United States: 1985	490
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1985	528

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	2,089,378	2,086,440	40,030	26,179	29,661
White	1,821,538	1,819,054	27,864	18,233	20,954
All other	267,840	267,386	12,166	7,946	8,707
Black	244,338	244,207	11,063	7,340	7,738
Alabama	37,480	37,603	752	496	640
White	27,134	27,240	405	273	315
All other	10,346	10,363	347	223	325
Black	10,326	10,344	344	222	320
Autauga	156	260	8	7	4
White	110	184	6	5	-
All other	46	76	2	2	4
Black	46	76	2	2	4
Prattville, part	---	142	4	3	-
White	---	111	4	3	-
All other	---	31	-	-	-
Black	---	31	-	-	-
Prattville, total	---	143	4	3	1
White	---	112	4	3	1
All other	---	31	-	-	-
Black	---	31	-	-	-
Balance of county	---	118	4	4	4
White	---	73	2	2	-
All other	---	45	2	2	4
Black	---	45	2	2	4
Baldwin	769	800	7	4	9
White	662	684	6	3	3
All other	107	116	1	1	6
Black	107	116	1	1	6
Barbour	260	272	9	5	8
White	135	154	3	2	3
All other	125	118	6	3	5
Black	125	118	6	3	5
Eufaula	---	135	5	3	3
White	---	86	3	2	1
All other	---	49	2	1	2
Black	---	49	2	1	2
Balance of county	---	137	4	2	5
White	---	68	-	-	2
All other	---	69	4	2	3
Black	---	69	4	2	3
Bibb	125	195	5	2	1
White	94	154	4	2	1
All other	31	41	1	-	-
Black	31	41	1	-	-
Blount	182	332	4	2	5
Bullock	84	152	2	2	1
White	23	42	-	-	-
All other	61	110	2	2	1
Black	61	110	2	2	1
Butler	246	268	4	3	5
White	155	165	2	1	2
All other	91	103	2	2	3
Black	91	103	2	2	3
Calhoun	947	998	23	17	24
White	781	817	15	10	16
All other	166	181	8	7	8
Black	166	181	8	7	7
Anniston	---	453	10	9	9
White	---	315	4	4	6
All other	---	138	6	5	3
Black	---	138	6	5	3
Balance of county	---	545	13	8	15
White	---	502	11	6	10
All other	---	43	2	2	5
Black	---	43	2	2	4
Chambers	364	472	7	3	11
White	250	339	3	2	5
All other	114	133	4	1	6
Black	114	133	4	1	6
Cherokee	115	174	2	1	2
Chilton	208	312	4	4	5
White	180	269	2	2	5
All other	28	43	2	2	-
Black	28	43	2	2	-
Choctaw	102	181	6	3	1
White	53	99	1	1	-
All other	49	82	5	2	1
Black	49	82	5	2	1
Clarke	248	292	7	2	6
White	141	173	3	1	4
All other	107	119	4	1	2
Black	107	119	4	1	2
Clay	157	169	6	3	1
White	137	145	3	2	1
All other	20	24	3	1	-
Black	20	24	3	1	-
Alabama-Con.					
Cleburne	79	143	-	-	2
Coffee	250	345	5	3	3
White	200	278	3	1	1
All other	50	67	2	2	2
Black	50	66	2	2	2
Enterprise, part	---	160	2	-	1
White	---	125	2	-	-
All other	---	35	-	-	1
Black	---	34	-	-	1
Enterprise, total	---	162	3	1	1
White	---	127	3	1	-
All other	---	35	-	-	1
Black	---	34	-	-	1
Balance of county	---	185	3	3	2
White	---	153	1	1	1
All other	---	32	2	2	1
Black	---	32	2	2	1
Colbert	480	529	9	8	7
White	370	422	8	7	6
All other	110	107	1	1	1
Black	110	107	1	1	1
Sheffield	---	154	2	2	-
White	---	117	2	2	-
All other	---	37	-	-	-
Black	---	37	-	-	-
Balance of county	---	375	7	6	7
White	---	305	6	5	6
All other	---	70	1	1	1
Black	---	70	1	1	1
Conecuh	97	174	4	4	5
White	54	104	2	2	1
All other	43	70	2	2	4
Black	43	70	2	2	4
Coosa	60	127	1	-	-
White	36	83	-	-	-
All other	24	44	1	-	-
Black	24	44	1	-	-
Covington	379	449	5	1	4
White	334	398	3	-	4
All other	45	51	2	1	-
Black	44	50	2	1	-
Andalusia	---	141	2	1	2
White	---	113	-	-	2
All other	---	28	2	1	-
Black	---	28	2	1	-
Balance of county	---	308	3	-	2
White	---	285	3	-	2
All other	---	23	-	-	-
Black	---	22	-	-	-
Crenshaw	139	175	2	1	3
White	104	135	1	-	1
All other	35	40	1	1	2
Black	35	40	1	1	2
Cullman	574	631	10	6	10
Cullman	---	155	2	1	3
Balance of county	---	476	8	5	7
Dale	235	316	5	3	14
White	206	279	4	3	9
All other	29	37	1	-	5
Black	29	37	1	-	4
Dothan, part	---	-	-	-	-
Enterprise, part	---	2	1	1	-
White	---	2	1	1	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Ozark	---	118	-	-	2
White	---	94	-	-	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	196	4	2	12
White	---	183	3	2	8
All other	---	13	1	-	4
Black	---	13	1	-	3
Dallas	593	569	8	7	9
White	273	265	2	2	3
All other	320	304	6	5	6
Black	320	304	6	5	6
Selma	---	342	4	4	4
White	---	157	-	-	2
All other	---	185	4	4	2
Black	---	185	4	4	2
Balance of county	---	227	4	3	5
White	---	108	2	2	1
All other	---	119	2	1	4
Black	---	119	2	1	4
De Kalb	480	610	6	4	12
Fort Payne	---	150	2	2	3
Balance of county	---	460	4	2	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Elmore	334	423	9	5	6
White	243	316	7	5	3
All other	91	107	2	-	3
Black	91	107	2	-	3
Prattville, part	---	1	-	-	1
White	---	1	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	422	9	5	5
White	---	315	7	5	2
All other	---	107	2	-	3
Black	---	107	2	-	3
Escambia	383	396	7	6	2
White	260	273	4	4	1
All other	123	123	3	2	1
Black	120	120	3	2	-
Etowah	1,121	1,139	29	19	15
White	953	967	20	14	10
All other	168	172	9	5	5
Black	168	172	9	5	5
Gadsden	---	689	18	14	9
White	---	552	10	9	4
All other	---	137	8	5	5
Black	---	137	8	5	5
Balance of county	---	450	11	5	6
Fayette	117	168	-	-	5
White	103	170	-	-	4
All other	14	18	-	-	1
Black	14	18	-	-	1
Franklin	273	297	4	4	3
Geneva	179	297	3	3	3
White	158	261	3	3	2
All other	21	36	-	-	1
Black	21	36	-	-	1
Greene	101	141	7	3	6
White	24	34	-	-	-
All other	77	107	7	3	6
Black	77	107	7	3	5
Hale	120	178	3	1	3
White	42	68	-	-	1
All other	78	110	3	1	2
Black	78	110	3	1	2
Henry	109	193	2	1	3
White	64	121	1	1	1
All other	45	72	1	-	2
Black	45	72	1	-	2
Houston	976	683	17	14	17
White	776	529	12	10	9
All other	200	154	5	4	8
Black	200	154	5	4	8
Dothan, part	---	456	11	9	11
White	---	340	8	7	6
All other	---	116	3	2	5
Black	---	116	3	2	5
Dothan, total	---	456	11	9	11
White	---	340	8	7	6
All other	---	116	3	2	5
Black	---	116	3	2	5
Balance of county	---	227	6	5	6
White	---	189	4	3	3
All other	---	38	2	2	3
Black	---	38	2	2	3
Jackson	316	446	3	3	3
Scottsboro	---	135	1	1	-
Balance of county	---	311	2	2	3
Jefferson	8,757	6,901	146	110	97
White	5,872	4,297	60	44	31
All other	2,885	2,604	86	66	66
Black	2,881	2,601	86	66	66
Bessemer	---	393	11	6	4
White	---	180	1	-	-
All other	---	213	10	6	4
Black	---	213	10	6	4
Birmingham	---	3,464	79	60	64
White	---	1,573	17	12	9
All other	---	1,891	62	48	55
Black	---	1,889	62	48	55
Fairfield	---	159	3	2	3
White	---	65	-	-	-
All other	---	94	3	2	3
Black	---	94	3	2	3
Homewood	---	180	5	4	1
Hoover, part	---	118	4	3	-
Hoover, total	---	118	4	3	-
Hueytown	---	135	1	1	5
Mountain Brook	---	138	3	3	2
Vestavia Hills	---	121	-	-	-
Balance of county	---	2,193	40	31	18
White	---	1,820	30	22	15
All other	---	373	10	9	3
Black	---	372	10	9	3
Lamar	136	189	1	1	1
White	117	165	1	1	1
All other	19	24	-	-	-
Black	19	24	-	-	-
Lauderdale	677	672	13	8	9
White	600	587	10	5	5
All other	77	85	3	3	4
Black	77	84	3	3	4
Florence	---	379	8	4	6
White	---	302	6	2	2
All other	---	77	2	2	4
Black	---	76	2	2	4
Balance of county	---	293	5	4	3
Lawrence	212	294	6	5	6
White	170	241	3	3	6
All other	42	53	3	2	-
Black	42	53	3	2	-
Lee	527	533	16	11	14
White	316	348	10	7	6
All other	211	185	6	4	8
Black	211	185	6	4	8
Auburn	---	107	2	1	2
White	---	70	-	-	1
All other	---	37	2	1	1
Black	---	37	2	1	1
Opelika	---	218	4	4	4
White	---	135	2	2	-
All other	---	83	2	2	4
Black	---	83	2	2	4
Phenix City, part	---	3	-	-	-
Balance of county	---	205	10	6	8
White	---	140	8	5	5
All other	---	65	2	1	3
Black	---	65	2	1	3
Limestone	343	429	8	3	6
White	302	365	8	3	5
All other	41	64	-	-	1
Black	41	64	-	-	1
Athens	---	164	2	-	3
White	---	134	2	-	3
All other	---	30	-	-	-
Black	---	30	-	-	-
Balance of county	---	265	6	3	3
White	---	231	6	3	2
All other	---	34	-	-	1
Black	---	34	-	-	1
Lowndes	68	130	5	1	6
White	16	30	-	-	-
All other	52	100	5	1	6
Black	52	100	5	1	6
Macon	424	259	4	3	4
White	150	53	-	-	-
All other	274	206	4	3	4
Black	274	206	4	3	4
Tuskegee	---	117	4	3	3
White	---	14	-	-	-
All other	---	103	4	3	3
Black	---	103	4	3	3
Balance of county	---	142	-	-	1
White	---	39	-	-	-
All other	---	103	-	-	1
Black	---	103	-	-	1
Madison	1,799	1,439	36	29	33
White	1,499	1,161	21	18	19
All other	300	278	15	11	14
Black	298	277	15	11	14
Huntsville	---	1,081	25	21	28
White	---	864	14	13	15
All other	---	217	11	8	13
Black	---	216	11	8	13
Balance of county	---	358	11	8	5
White	---	297	7	5	4
All other	---	61	4	3	1
Black	---	61	4	3	1
Marengo	238	301	6	3	4
White	77	111	1	1	-
All other	161	190	5	2	4
Black	161	190	5	2	4
Marion	257	306	2	1	3
Marshall	659	708	12	9	10
Albertville	---	108	-	-	2
Balance of county	---	600	12	9	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Mobile	3,514	3,293	82	51	76
White	2,334	2,191	38	23	24
All other	1,180	1,102	44	28	52
Black	1,175	1,097	41	27	52
Mobile	---	2,005	47	31	46
White	---	1,268	18	10	9
All other	---	737	29	21	37
Black	---	735	29	21	37
Prichard	---	366	10	7	11
White	---	116	2	2	4
All other	---	250	8	5	7
Black	---	249	7	5	7
Balance of county	---	922	25	13	19
White	---	807	18	11	11
All other	---	115	7	2	8
Black	---	113	5	1	8
Monroe	197	242	9	5	2
White	118	135	2	2	1
All other	79	107	7	3	1
Black	79	107	7	3	1
Montgomery	2,385	1,777	36	24	31
White	1,507	1,103	15	8	11
All other	878	674	21	16	20
Black	875	671	21	16	20
Montgomery	---	1,619	32	22	28
White	---	1,010	12	7	11
All other	---	609	20	15	17
Black	---	607	20	15	17
Balance of county	---	158	4	2	3
White	---	93	3	1	-
All other	---	65	1	1	3
Black	---	64	1	1	3
Morgan	724	797	19	11	15
White	620	678	14	9	12
All other	104	119	5	2	3
Black	104	119	5	2	3
Decatur	---	388	9	4	9
White	---	287	4	2	6
All other	---	101	5	2	3
Black	---	101	5	2	3
Balance of county	---	409	10	7	6
Perry	97	142	3	-	9
White	35	54	-	-	-
All other	62	88	3	-	9
Black	62	88	3	-	9
Pickens	189	247	5	2	5
White	108	157	3	1	1
All other	81	90	2	1	4
Black	81	90	2	1	4
Pike	221	275	5	2	5
White	145	171	1	-	1
All other	76	104	4	2	4
Black	76	104	4	2	4
Troy	---	127	2	1	3
White	---	73	-	-	-
All other	---	54	2	1	3
Black	---	54	2	1	3
Balance of county	---	148	3	1	2
White	---	98	1	-	1
All other	---	50	2	1	1
Black	---	50	2	1	1
Randolph	191	260	4	4	3
White	145	206	1	1	2
All other	46	54	3	3	1
Black	46	54	3	3	1
Russell	525	572	11	5	7
White	313	335	4	2	2
All other	212	237	7	3	5
Black	212	237	7	3	5
Phenix City, part	---	390	8	5	6
White	---	250	3	2	1
All other	---	140	5	3	5
Black	---	140	5	3	5
Phenix City, total	---	393	8	5	6
White	---	253	3	2	1
All other	---	140	5	3	5
Black	---	140	5	3	5
Balance of county	---	182	3	-	1
White	---	85	1	-	1
All other	---	97	2	-	-
Black	---	97	2	-	-
St. Clair	256	369	13	10	6
White	214	317	11	9	4
All other	42	52	2	1	2
Black	42	52	2	1	2
Shelby	346	474	14	8	9
White	298	403	8	4	6
All other	48	71	6	4	3
Black	48	71	6	4	3
Alabama-Con.					
Hoover, part	---	-	-	-	-
Balance of county	---	474	14	8	9
White	---	403	8	4	6
All other	---	71	6	4	3
Black	---	71	6	4	3
Sumter	113	183	4	1	4
White	33	54	1	-	-
All other	80	129	3	1	4
Black	80	129	3	1	4
Talladega	592	686	10	3	12
White	401	475	8	3	5
All other	191	211	2	-	7
Black	190	210	2	-	7
Sylacauga	---	194	4	2	2
White	---	138	2	2	1
All other	---	56	2	-	1
Black	---	56	2	-	1
Talladega	---	205	-	-	4
White	---	135	-	-	-
All other	---	70	-	-	4
Black	---	70	-	-	4
Balance of county	---	287	6	1	6
White	---	202	6	1	4
All other	---	85	-	-	2
Black	---	84	-	-	2
Tallapoosa	423	483	8	7	6
White	303	351	2	2	4
All other	120	132	6	5	2
Black	119	132	6	5	2
Alexander City	---	173	4	3	5
White	---	124	-	-	4
All other	---	49	4	3	1
Black	---	49	4	3	1
Balance of county	---	310	4	4	1
White	---	227	2	2	-
All other	---	83	2	2	1
Black	---	83	2	2	1
Tuscaloosa	1,370	1,074	19	11	19
White	932	740	9	4	9
All other	438	334	10	7	10
Black	438	334	10	7	10
Northport	---	175	-	-	1
White	---	139	-	-	1
All other	---	36	-	-	-
Black	---	36	-	-	-
Tuscaloosa	---	589	11	7	13
White	---	355	3	1	3
All other	---	234	8	6	10
Black	---	234	8	6	10
Balance of county	---	310	8	4	5
White	---	246	6	3	5
All other	---	64	2	1	-
Black	---	64	2	1	-
Walker	506	681	8	5	3
Jasper	---	112	2	2	1
White	---	88	2	2	-
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	569	6	3	2
Washington	98	175	4	3	5
White	71	133	2	2	3
All other	27	42	2	1	2
Black	27	42	2	1	1
Wilcox	102	158	4	2	5
White	32	50	-	-	2
All other	70	108	4	2	3
Black	70	108	4	2	3
Winston	176	228	6	4	7
Alaska [1]	2,068	2,068	139	65	85
White	1,439	1,441	87	46	63
All other	629	627	52	19	22
Black	68	66	12	6	3
Aleutian Islands	34	33	3	2	-
White	13	9	1	-	-
All other	21	24	2	2	-
Black	4	3	1	1	-
Anchorage, coext. with Anchorage city	871	739	47	22	31
White	667	607	35	17	26
All other	204	132	12	5	5
Black	39	36	3	1	3
Bethel	63	67	3	1	2
White	6	8	1	1	-
All other	57	59	2	-	2
Black	1	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Bristol Bay borough	3	6	1	-	1
White	1	4	-	-	-
All other	2	2	1	-	1
Black	-	-	-	-	-
Dillingham	37	28	2	2	-
White	14	2	-	-	-
All other	23	26	2	2	-
Black	1	1	-	-	-
Fairbanks North Star borough	241	235	18	9	15
White	185	195	12	6	13
All other	56	40	6	3	2
Black	15	15	5	2	-
Fairbanks	---	197	13	7	4
White	---	159	9	4	4
All other	---	38	4	3	-
Black	---	13	3	2	-
Balance of area	---	38	5	2	11
White	---	36	3	2	9
All other	---	2	2	-	2
Black	---	2	2	-	-
Haines borough	8	8	-	-	-
White	7	7	-	-	-
All other	1	1	-	-	-
Black	-	-	-	-	-
Juneau, coext. with Juneau city	94	109	8	5	6
White	81	92	4	4	4
All other	13	17	4	1	2
Black	-	1	1	-	-
Kenai Peninsula borough	138	160	8	1	2
Ketchikan Gateway borough	83	80	2	1	4
White	60	63	2	1	4
All other	23	17	-	-	-
Black	-	1	-	-	-
Kobuk	27	39	3	1	1
White	2	3	-	-	-
All other	25	36	3	1	1
Black	-	-	-	-	-
Kodiak Island borough	51	49	4	3	5
White	38	33	3	3	4
All other	13	16	1	-	1
Black	2	2	-	-	-
Matanuska-Susitna borough	96	115	10	4	7
Nome	55	61	5	1	5
White	7	7	-	-	2
All other	48	54	5	1	3
Black	1	1	-	-	-
North Slope borough	31	30	3	1	2
White	8	1	-	-	-
All other	23	29	3	1	2
Black	-	-	-	-	-
Prince of Wales-Outer Ketchikan	19	27	2	-	-
White	13	14	-	-	-
All other	6	13	2	-	-
Black	-	-	-	-	-
Sitka borough	41	40	2	1	1
White	22	25	1	1	1
All other	19	15	1	-	-
Black	2	1	-	-	-
Skagway-Yakutat-Angoon	19	34	2	1	-
White	10	16	1	1	-
All other	9	18	1	-	-
Black	-	-	-	-	-
Southeast Fairbanks	7	24	4	3	-
White	6	21	4	3	-
All other	1	3	-	-	-
Black	-	-	-	-	-
Valdez-Cordova	49	42	1	1	1
White	39	30	1	1	-
All other	10	12	-	-	1
Black	-	-	-	-	-
Wade Hampton	27	54	6	4	1
White	2	5	3	3	-
All other	25	49	3	1	1
Black	-	1	-	-	-
Wrangell-Petersburg	31	38	4	2	1
White	26	31	4	2	1
All other	5	7	-	-	-
Black	1	1	-	-	-
Yukon-Koyukuk	43	50	1	-	-
White	16	13	-	-	-
All other	27	37	1	-	-
Black	-	-	-	-	-
Arizona	25,383	24,619	577	352	410
White	23,812	22,955	469	293	330
All other	1,571	1,664	108	59	80
Black	566	560	32	25	30
Apache	250	333	22	12	10
White	52	66	3	3	2
All other	198	267	19	9	8
Black	-	2	-	-	-
Cochise	566	690	16	9	12
Douglas	---	110	1	1	1
White	---	107	1	1	1
All other	---	3	-	-	-
Black	---	3	-	-	-
Sierra Vista	---	139	5	1	3
White	---	133	5	1	3
All other	---	6	-	-	-
Black	---	4	-	-	-
Balance of county	---	441	10	7	8
White	---	433	8	6	6
All other	---	8	2	1	2
Black	---	4	1	-	2
Coconino	469	377	21	9	21
White	333	276	15	8	10
All other	136	101	6	1	11
Black	6	4	-	-	1
Flagstaff	---	152	12	5	6
White	---	139	11	5	5
All other	---	13	1	-	1
Black	---	3	-	-	1
Balance of county	---	225	9	4	15
White	---	137	4	3	5
All other	---	88	5	1	10
Black	---	1	-	-	-
Gila	299	382	5	3	3
White	272	341	2	2	2
All other	27	41	3	1	1
Black	-	1	-	-	-
Graham	141	171	4	2	2
White	138	157	4	2	2
All other	3	14	-	-	-
Black	2	2	-	-	-
Greenlee	19	48	3	2	2
Maricopa	14,791	13,687	323	200	214
White	14,115	13,147	286	176	185
All other	676	540	37	24	29
Black	366	355	20	16	20
Chandler	---	259	15	11	8
White	---	253	15	11	7
All other	---	6	-	-	1
Black	---	6	-	-	1
Glendale	---	868	23	17	21
White	---	855	23	17	19
All other	---	13	-	-	2
Black	---	9	-	-	2
Mesa	---	1,600	38	24	21
White	---	1,579	35	23	21
All other	---	21	3	1	-
Black	---	12	-	-	-
Paradise Valley	---	84	1	1	-
Peoria	---	263	3	1	3
White	---	257	3	1	3
All other	---	6	-	-	-
Black	---	5	-	-	-
Phoenix	---	6,271	168	100	117
White	---	5,880	144	83	93
All other	---	391	24	17	24
Black	---	300	17	13	16
Scottsdale	---	991	13	8	14
Tempe	---	536	20	14	14
Balance of county	---	2,815	42	24	16
White	---	2,727	32	18	16
All other	---	88	10	6	-
Black	---	16	3	3	-
Mohave	642	753	7	2	8
Lake Havasu City	---	162	1	1	1
Balance of county	---	591	6	1	7
Navajo	306	459	26	13	20
White	192	220	13	6	11
All other	114	239	13	7	9
Black	6	6	-	-	-
Pima	5,414	4,870	94	68	73
White	5,126	4,591	79	58	58
All other	288	279	15	10	15
Black	131	128	7	6	5
Tucson	---	3,432	70	50	50
White	---	3,277	62	44	45
All other	---	155	8	6	5
Black	---	118	5	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Balance of county	---	1,438	24	18	23
White	---	1,314	17	14	13
All other	---	124	7	4	10
Black	---	10	2	2	-
Pinal	496	787	18	7	12
White	449	706	10	4	8
All other	47	81	8	3	4
Black	18	23	2	2	1
Casa Grande	---	116	3	2	1
White	---	108	2	1	1
All other	---	8	1	1	-
Black	---	8	1	1	-
Balance of county	---	671	15	5	11
White	---	598	8	3	7
All other	---	73	7	2	4
Black	---	15	1	1	1
Santa Cruz	110	149	4	4	5
Nogales	---	91	3	3	1
White	---	89	3	3	1
All other	---	2	-	-	-
Black	---	1	-	-	-
Balance of county	---	58	1	1	4
White	---	58	1	1	4
All other	---	-	-	-	-
Black	---	-	-	-	-
Yavapai	978	1,059	9	6	12
Prescott	---	341	1	-	6
Balance of county	---	718	8	6	6
Yuma [2]	902	854	25	15	16
Yuma	---	496	16	10	7
White	---	474	14	9	7
All other	---	22	2	1	-
Black	---	15	2	1	-
Balance of county	---	358	9	5	9
White	---	323	7	3	8
All other	---	35	2	2	1
Black	---	9	-	-	1
Arkansas	23,903	24,137	409	249	283
White	20,008	20,137	290	178	177
All other	3,895	4,000	119	71	106
Black	3,849	3,977	117	70	100
Arkansas	304	309	5	4	6
White	250	254	4	4	5
All other	54	55	1	-	1
Black	54	55	1	-	1
Stuttgart	---	140	1	1	3
White	---	112	1	1	2
All other	---	28	-	-	1
Black	---	28	-	-	1
Balance of county	---	169	4	3	3
White	---	142	3	3	3
All other	---	27	1	-	-
Black	---	27	1	-	-
Ashley	171	246	3	2	10
White	124	172	3	2	4
All other	47	74	-	-	6
Black	47	74	-	-	5
Baxter	381	439	3	2	1
Benton	771	870	16	8	12
Rogers	---	251	10	6	2
Springdale, part	---	1	-	-	-
Balance of county	---	618	6	2	10
Boone	317	277	5	4	2
Bradley	166	194	1	-	1
White	123	143	-	-	1
All other	43	51	1	-	-
Black	43	51	1	-	-
Calhoun	46	76	-	-	1
White	34	55	-	-	-
All other	12	21	-	-	1
Black	12	21	-	-	1
Carroll	167	197	1	1	2
Chicot	198	232	3	3	3
White	89	100	-	-	-
All other	109	132	3	3	3
Black	108	130	3	3	3
Clark	218	221	3	2	2
White	162	169	2	1	1
All other	56	52	1	1	1
Black	56	52	1	1	1
Arkadelphia	---	103	2	2	1
White	---	78	1	1	-
All other	---	25	1	1	1
Black	---	25	1	1	1
Arkansas-Con.					
Balance of county	---	118	1	-	1
White	---	91	1	-	1
All other	---	27	-	-	-
Black	---	27	-	-	-
Clay	177	265	5	1	2
Cleburne	180	235	2	2	4
Cleveland	32	84	1	-	1
White	29	74	1	-	1
All other	3	10	-	-	-
Black	3	10	-	-	-
Columbia	289	343	7	5	1
White	192	228	3	3	-
All other	97	115	4	2	1
Black	97	115	4	2	1
Magnolia	---	150	-	-	1
White	---	108	-	-	-
All other	---	42	-	-	1
Black	---	42	-	-	1
Balance of county	---	193	7	5	-
White	---	120	3	3	-
All other	---	73	4	2	-
Black	---	73	4	2	-
Conway	178	209	3	3	3
White	158	180	3	3	3
All other	20	29	-	-	-
Black	20	29	-	-	-
Craighead	738	577	13	11	8
Jonesboro	---	302	10	8	5
Balance of county	---	275	3	3	3
Crawford	253	334	4	1	5
Van Buren	---	137	1	-	2
Balance of county	---	197	3	1	3
Crittenden	468	521	16	10	7
White	226	247	4	4	4
All other	242	274	12	6	3
Black	239	273	12	6	3
West Memphis	---	294	9	5	3
White	---	161	2	2	2
All other	---	133	7	3	1
Black	---	133	7	3	1
Balance of county	---	227	7	5	4
White	---	86	2	2	2
All other	---	141	5	3	2
Black	---	140	5	3	2
Cross	157	204	3	3	5
White	110	151	2	2	1
All other	47	53	1	1	4
Black	47	53	1	1	4
Dallas	122	155	2	-	-
White	72	97	1	-	-
All other	50	58	1	-	-
Black	50	58	1	-	-
Desha	206	201	4	3	1
White	120	123	2	2	-
All other	86	78	2	1	1
Black	85	78	2	1	1
Drew	116	164	1	1	3
White	94	127	1	1	-
All other	22	37	-	-	3
Black	22	37	-	-	3
Faulkner	328	391	7	6	4
Conway	---	182	5	4	1
Balance of county	---	209	2	2	3
Franklin	113	170	3	2	1
Fulton	126	117	2	1	-
Garland	978	989	10	1	8
Hot Springs	---	702	2	-	6
White	---	642	2	-	5
All other	---	60	-	-	1
Black	---	58	-	-	-
Balance of county	---	287	8	1	2
Grant	113	131	1	1	1
Greene	308	340	6	6	3
Paragould	---	206	2	2	3
Balance of county	---	134	4	4	-
Hempstead	220	257	4	-	-
White	138	158	2	-	-
All other	82	99	2	-	-
Black	82	98	2	-	-
Hope	---	149	3	-	-
White	---	87	2	-	-
All other	---	62	1	-	-
Black	---	61	1	-	-
Balance of county	---	108	1	-	-
White	---	71	-	-	-
All other	---	37	1	-	-
Black	---	37	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Hot Spring	227	269	5	3	2
White	192	224	5	3	2
All other	35	45	-	-	-
Black	35	45	-	-	-
Malvern	---	149	2	1	-
White	---	109	2	1	-
All other	---	40	-	-	-
Black	---	40	-	-	-
Balance of county	---	120	3	2	2
Howard	161	187	5	4	-
White	119	145	3	2	-
All other	42	42	2	2	-
Black	42	42	2	2	-
Independence	330	303	2	-	-
Izard	98	147	-	-	1
Jackson	217	250	3	3	5
White	190	209	3	3	3
All other	27	41	-	-	2
Black	27	41	-	-	2
Jefferson	947	919	14	7	11
White	591	554	5	3	3
All other	356	365	9	4	8
Black	356	365	9	4	8
Pine Bluff	---	692	9	5	8
White	---	414	3	2	1
All other	---	278	6	3	7
Black	---	278	6	3	7
Balance of county	---	227	5	2	3
White	---	140	2	1	2
All other	---	87	3	1	1
Black	---	87	3	1	1
Johnson	163	199	2	1	2
Lafayette	117	145	-	-	1
White	66	88	-	-	-
All other	51	57	-	-	1
Black	51	57	-	-	1
Lawrence	180	244	6	2	5
Lee	121	193	3	1	3
White	43	86	1	-	-
All other	78	107	2	1	3
Black	78	107	2	1	3
Lincoln	71	124	1	-	1
White	52	80	-	-	-
All other	19	44	1	-	1
Black	19	44	1	-	1
Little River	105	151	-	-	2
White	83	114	-	-	1
All other	22	37	-	-	1
Black	22	37	-	-	1
Logan	172	226	2	1	2
Lonoke	161	337	6	3	5
White	137	302	6	3	4
All other	24	35	-	-	1
Black	24	35	-	-	1
Madison	85	136	2	2	2
Marion	156	138	3	-	1
Miller	515	409	8	4	6
White	409	312	6	3	3
All other	106	97	2	1	3
Black	105	97	2	1	3
Texarkana [3]	---	279	3	1	2
White	---	201	1	-	2
All other	---	78	2	1	-
Black	---	78	2	1	-
Balance of county	---	130	5	3	4
White	---	111	5	3	1
All other	---	19	-	-	3
Black	---	19	-	-	3
Mississippi	491	617	18	11	7
White	350	451	9	5	2
All other	141	166	9	6	5
Black	141	166	9	6	5
Blytheville	---	269	7	5	3
White	---	179	1	1	1
All other	---	90	6	4	2
Black	---	90	6	4	2
Balance of county	---	348	11	6	4
White	---	272	8	4	1
All other	---	76	3	2	3
Black	---	76	3	2	3
Monroe	101	171	1	1	1
White	59	105	1	1	1
All other	42	66	-	-	-
Black	42	66	-	-	-
Montgomery	35	95	-	-	-
Arkansas-Con.					
Nevada	107	131	3	2	1
White	75	98	1	1	1
All other	32	33	2	1	-
Black	32	33	2	1	-
Newton	24	60	-	-	1
Ouachita	348	394	7	5	8
White	225	252	5	4	5
All other	123	142	2	1	3
Black	123	142	2	1	3
Camden	---	219	4	3	5
White	---	133	3	3	3
All other	---	86	1	-	2
Black	---	86	1	-	2
Balance of county	---	175	3	2	3
White	---	119	2	1	2
All other	---	56	1	1	1
Black	---	56	1	1	1
Perry	31	100	-	-	-
Phillips	391	431	3	1	11
White	162	183	2	-	1
All other	229	248	1	1	10
Black	228	247	1	1	10
West Helena	---	122	1	-	5
White	---	57	1	-	1
All other	---	65	-	-	4
Black	---	64	-	-	4
Balance of county	---	309	2	1	6
White	---	126	1	-	-
All other	---	183	1	1	6
Black	---	183	1	1	6
Pike	112	131	1	1	1
Poinsett	91	268	1	-	3
Polk	165	212	3	2	-
Pope	354	375	9	5	3
Russellville	---	174	2	1	1
Balance of county	---	201	7	4	2
Prairie	41	118	3	2	-
White	32	100	2	1	-
All other	9	18	1	1	-
Black	9	18	1	1	-
Pulaski	4,710	2,950	90	60	49
White	3,763	2,285	55	36	23
All other	947	665	35	24	26
Black	940	660	34	24	25
Jacksonville	---	172	11	5	2
White	---	162	10	5	1
All other	---	10	1	-	1
Black	---	10	1	-	1
Little Rock	---	1,659	55	40	30
White	---	1,249	26	20	10
All other	---	410	29	20	20
Black	---	407	28	20	19
North Little Rock	---	753	14	9	7
White	---	600	10	5	5
All other	---	153	4	4	2
Black	---	152	4	4	2
Sherwood	---	53	2	2	1
Balance of county	---	313	8	4	9
White	---	222	7	4	6
All other	---	91	1	-	3
Black	---	91	1	-	3
Randolph	157	182	3	-	1
St. Francis	286	342	7	2	7
White	154	181	1	1	2
All other	132	161	6	1	5
Black	132	159	6	1	5
Forrest City	---	164	2	-	3
White	---	95	-	-	-
All other	---	69	2	-	3
Black	---	69	2	-	3
Balance of county	---	178	5	2	4
White	---	86	1	1	2
All other	---	92	4	1	2
Black	---	90	4	1	2
Saline	294	397	5	3	4
Benton	---	226	3	2	1
Balance of county	---	171	2	1	3
Scott	75	102	-	-	3
Searcy	48	105	-	-	-
Sebastian	1,448	914	14	11	9
Fort Smith	---	721	11	8	7
Balance of county	---	193	3	3	2
Sevier	171	149	3	3	1
Sharp	122	199	-	-	-
Stone	80	117	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	567	557	8	7	8
White	404	403	4	4	5
All other	163	154	4	3	3
Black	163	154	4	3	3
El Dorado	---	316	6	6	5
White	---	228	4	4	4
All other	---	88	2	2	1
Black	---	88	2	2	1
Balance of county	---	241	2	1	3
White	---	175	-	-	1
All other	---	66	2	1	2
Black	---	66	2	1	2
Van Buren	117	164	1	-	1
Washington	1,061	849	20	9	10
Fayetteville	---	307	10	7	4
Springdale, part	---	225	5	1	3
Springdale, total	---	226	5	1	3
Balance of county	---	317	5	1	3
White	559	542	10	7	3
Searcy	---	141	1	-	1
Balance of county	---	401	9	7	2
Woodruff	79	134	1	1	3
White	58	94	1	1	1
All other	21	40	-	-	2
Black	21	40	-	-	2
Yell	171	206	2	2	1
California	202,709	201,911	4,490	2,820	3,144
White	180,039	179,320	3,394	2,155	2,352
All other	22,670	22,591	1,096	665	792
Black	15,155	15,161	757	469	518
Alameda	10,047	9,733	206	128	135
White	7,662	7,342	118	80	68
All other	2,385	2,391	88	48	67
Black	1,831	1,853	65	38	49
Alameda	---	624	9	7	5
White	---	552	6	5	2
All other	---	72	3	2	3
Black	---	20	3	2	2
Albany	---	144	1	1	1
White	---	134	1	1	1
All other	---	10	-	-	-
Black	---	5	-	-	-
Berkeley	---	843	14	10	10
White	---	528	5	4	5
All other	---	315	9	6	5
Black	---	267	7	6	5
Fremont	---	751	20	13	15
White	---	702	18	13	13
All other	---	49	2	-	2
Black	---	10	-	-	1
Hayward	---	1,153	16	11	17
White	---	1,055	12	9	11
All other	---	98	4	2	6
Black	---	43	1	1	6
Livermore	---	306	9	6	6
Newark	---	137	5	4	7
White	---	122	4	3	6
All other	---	15	1	1	1
Black	---	5	-	-	-
Oakland	---	3,734	102	59	46
White	---	2,036	42	27	9
All other	---	1,698	60	32	37
Black	---	1,471	52	28	31
Piedmont	---	100	1	-	-
Pleasanton	---	179	1	-	4
San Leandro	---	901	9	5	5
White	---	865	7	3	4
All other	---	36	2	2	1
Black	---	11	1	1	-
Union City	---	194	8	6	9
White	---	149	5	4	4
All other	---	45	3	2	5
Black	---	9	1	-	2
Balance of county	---	667	11	6	10
White	---	635	10	6	5
All other	---	32	1	-	5
Black	---	10	-	-	1
Alpine	4	6	1	1	-
White	3	3	-	-	-
All other	1	3	1	1	-
Black	-	-	-	-	-
Amador	213	235	2	1	2
Butte	1,736	1,662	28	14	12
Chico	---	483	10	8	4
Paradise	---	413	2	1	1
Balance of county	---	766	16	5	7
California-Con.					
Calaveras	216	303	2	1	2
Colusa	99	135	1	1	2
Contra Costa	5,213	5,359	78	50	61
White	4,575	4,707	54	39	36
All other	638	652	24	11	25
Black	509	510	20	9	20
Antioch	---	325	11	8	3
White	---	318	10	8	3
All other	---	7	1	-	-
Black	---	2	1	-	-
Concord	---	714	11	8	7
El Cerrito	---	266	4	3	1
White	---	228	3	2	-
All other	---	38	1	1	1
Black	---	17	1	1	1
Lafayette	---	172	-	-	2
Martinez	---	239	4	2	3
Moraga Town	---	70	1	-	-
Pinole	---	91	2	2	2
White	---	86	2	2	2
All other	---	5	-	-	-
Black	---	2	-	-	-
Pittsburg	---	365	8	4	6
White	---	288	6	2	3
All other	---	77	2	2	3
Black	---	62	2	2	2
Pleasant Hill	---	234	4	3	3
Richmond	---	795	18	9	19
White	---	409	7	5	3
All other	---	386	11	4	16
Black	---	363	11	4	15
San Pablo	---	298	6	2	5
White	---	253	1	1	3
All other	---	45	5	1	2
Black	---	31	3	-	1
Walnut Creek	---	834	4	4	1
Balance of county	---	956	5	5	9
White	---	916	5	5	8
All other	---	40	-	-	1
Black	---	17	-	-	-
Del Norte	189	196	4	2	1
El Dorado	680	787	25	19	9
South Lake Tahoe	---	134	6	4	2
Balance of county	---	653	17	15	7
Fresno	4,654	4,300	106	70	77
White	4,211	3,869	83	56	63
All other	443	431	23	14	14
Black	288	284	11	6	11
Clovis	---	240	6	4	4
White	---	233	4	3	4
All other	---	7	2	1	-
Black	---	1	-	-	-
Fresno	---	2,898	78	49	53
White	---	2,538	58	37	40
All other	---	360	20	12	13
Black	---	260	10	5	10
Reedley	---	149	1	1	3
White	---	138	1	1	3
All other	---	11	-	-	-
Black	---	1	-	-	-
Sanger	---	168	5	4	3
White	---	162	5	4	3
All other	---	6	-	-	-
Black	---	-	-	-	-
Selma	---	186	5	4	1
White	---	177	4	3	1
All other	---	9	1	1	-
Black	---	4	1	1	-
Balance of county	---	659	11	8	13
White	---	621	11	8	12
All other	---	38	-	-	1
Black	---	18	-	-	1
Glenn	133	218	4	3	3
Humboldt	1,086	1,074	27	16	17
Arcata	---	120	5	4	1
Eureka	---	450	8	6	4
Balance of county	---	504	14	6	12
Imperial	700	738	12	6	10
Brawley	---	157	4	3	2
White	---	145	4	3	2
All other	---	12	-	-	-
Black	---	5	-	-	-
Calexico	---	81	1	1	2
White	---	81	1	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
El Centro	---	184	2	1	4
White	---	160	2	1	4
All other	---	24	-	-	-
Black	---	20	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Balance of county	---	316	5	1	2
White	---	293	5	1	2
All other	---	23	-	-	-
Black	---	4	-	-	-
Inyo	225	209	5	1	3
Kern	3,517	3,718	110	73	75
White	3,201	3,383	94	62	65
All other	316	335	16	11	10
Black	244	254	14	9	7
Bakersfield	---	2,158	74	49	44
White	---	1,931	59	39	36
All other	---	227	15	10	8
Black	---	208	14	9	7
Delano	---	183	3	2	6
White	---	128	3	2	5
All other	---	55	-	-	1
Black	---	14	-	-	-
Ridgecrest	---	151	1	1	3
Balance of county	---	1,226	32	21	22
White	---	1,181	31	20	21
All other	---	45	1	1	1
Black	---	27	-	-	-
Kings	541	580	13	7	14
Hanford	---	312	4	1	3
White	---	292	3	1	3
All other	---	20	1	-	-
Black	---	17	1	-	-
Balance of county	---	268	9	6	11
White	---	248	8	6	10
All other	---	20	1	-	1
Black	---	13	1	-	-
Lake	446	672	7	2	5
Lassen	136	187	3	2	1
Los Angeles	63,726	62,206	1,619	1,060	1,103
White	53,173	51,659	1,093	723	768
All other	10,553	10,547	526	337	335
Black	8,158	8,195	423	272	260
Alhambra	---	695	11	11	9
White	---	637	8	8	4
All other	---	58	3	3	5
Black	---	7	1	1	1
Arcadia	---	546	4	2	2
Artesia	---	102	1	1	2
White	---	94	1	1	2
All other	---	8	-	-	-
Black	---	1	-	-	-
Azusa	---	239	9	6	8
White	---	228	7	4	8
All other	---	11	2	2	-
Black	---	2	-	-	-
Baldwin Park	---	323	10	5	14
White	---	300	10	5	14
All other	---	23	-	-	-
Black	---	3	-	-	-
Bell	---	198	6	4	4
White	---	195	6	4	4
All other	---	3	-	-	-
Black	---	-	-	-	-
Bellflower	---	493	9	8	12
White	---	478	8	7	8
All other	---	15	1	1	4
Black	---	5	-	-	2
Bell Gardens	---	238	12	3	10
White	---	234	10	2	9
All other	---	4	2	1	1
Black	---	1	-	-	1
Beverly Hills	---	372	1	1	-
Burbank	---	929	12	8	14
White	---	918	12	8	11
All other	---	11	-	-	3
Black	---	3	-	-	-
Carson	---	541	17	11	13
White	---	342	4	1	4
All other	---	199	13	10	9
Black	---	130	9	6	4
Cerritos	---	168	5	5	3
White	---	120	2	2	1
All other	---	48	3	3	2
Black	---	16	1	1	1
Claremont	---	272	-	-	1
White	---	261	-	-	1
All other	---	11	-	-	-
Black	---	9	-	-	-
Commerce	---	53	3	2	-
White	---	50	2	1	-
All other	---	3	1	1	-
Black	---	-	-	-	-
Compton	---	749	60	39	25
White	---	176	15	10	5
All other	---	573	45	29	20
Black	---	563	45	29	20
Covina	---	465	13	9	7
Cudahy	---	108	9	5	5
White	---	105	9	5	3
All other	---	3	-	-	2
Black	---	1	-	-	1
Culver City	---	339	5	2	9
White	---	304	4	2	8
All other	---	35	1	-	1
Black	---	17	1	-	1
Downey	---	769	11	9	9
White	---	753	10	8	9
All other	---	16	1	1	-
Black	---	3	1	1	-
Duarte	---	204	4	4	2
White	---	175	2	2	1
All other	---	29	2	2	1
Black	---	26	2	2	1
El Monte	---	619	39	23	17
White	---	591	34	20	17
All other	---	28	5	3	-
Black	---	6	2	1	-
El Segundo	---	92	-	-	-
Gardena	---	594	22	12	13
White	---	429	7	3	6
All other	---	165	15	9	7
Black	---	72	11	5	5
Glendale	---	1,396	15	8	8
White	---	1,355	15	8	7
All other	---	41	-	-	1
Black	---	4	-	-	-
Glendora	---	333	5	3	1
Hawaiian Gardens	---	76	5	4	4
White	---	70	5	4	3
All other	---	6	-	-	1
Black	---	1	-	-	1
Hawthorne	---	464	16	12	5
White	---	406	10	8	4
All other	---	58	6	4	1
Black	---	36	3	1	-
Hermosa Beach	---	91	-	-	1
Huntington Park	---	376	14	7	11
White	---	376	14	7	11
All other	---	-	-	-	-
Black	---	-	-	-	-
Inglewood	---	810	32	19	28
White	---	523	10	7	14
All other	---	287	22	12	14
Black	---	275	22	12	14
La Canada Flintridge	---	141	2	1	1
Lakewood	---	542	14	10	4
White	---	528	14	10	2
All other	---	14	-	-	2
Black	---	2	-	-	-
La Mirada	---	287	3	1	3
White	---	275	3	1	3
All other	---	12	-	-	-
Black	---	1	-	-	-
Lancaster	---	544	15	10	6
La Puente	---	374	13	10	13
White	---	346	10	7	12
All other	---	28	3	3	1
Black	---	15	1	1	1
La Verne	---	239	3	-	2
White	---	236	2	-	2
All other	---	3	1	-	-
Black	---	2	1	-	-
Lawndale	---	167	4	4	4
White	---	153	4	4	4
All other	---	14	-	-	-
Black	---	4	-	-	-
Lomita	---	182	3	2	1
White	---	179	3	2	1
All other	---	3	-	-	-
Black	---	-	-	-	-
Long Beach	---	4,017	93	56	59
White	---	3,652	66	40	41
All other	---	365	27	16	18
Black	---	250	18	10	14
Los Angeles	---	27,721	768	514	516
White	---	20,663	480	328	327
All other	---	7,058	288	186	189
Black	---	5,949	253	169	162
Lynwood	---	343	15	9	16
White	---	257	4	3	7
All other	---	86	11	6	9
Black	---	82	10	6	9
Manhattan Beach	---	154	1	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Maywood	---	118	3	3	7
White	---	115	3	3	7
All other	---	3	-	-	-
Black	---	1	-	-	-
Monrovia	---	325	8	4	6
White	---	270	2	1	4
All other	---	55	6	3	2
Black	---	50	5	2	2
Montebello	---	416	17	15	5
White	---	385	14	13	4
All other	---	31	3	2	1
Black	---	1	-	-	-
Monterey Park	---	410	16	10	5
White	---	300	9	6	3
All other	---	110	7	4	2
Black	---	2	-	-	-
Norwalk	---	586	20	16	11
White	---	558	19	15	11
All other	---	28	1	1	-
Black	---	4	-	-	-
Palmdale	---	238	5	3	4
White	---	225	5	3	4
All other	---	13	-	-	-
Black	---	10	-	-	-
Palos Verdes Estates	---	91	-	-	1
Paramount	---	276	4	1	7
White	---	267	4	1	4
All other	---	9	-	-	3
Black	---	5	-	-	2
Pasadena	---	1,427	27	15	13
White	---	1,177	15	8	8
All other	---	250	12	7	5
Black	---	206	10	7	5
Pico Rivera	---	400	8	7	5
White	---	393	8	7	4
All other	---	7	-	-	1
Black	---	1	-	-	-
Pomona	---	867	29	14	19
White	---	740	20	11	16
All other	---	127	9	3	3
Black	---	113	9	3	2
Rancho Palos Verdes	---	225	3	1	1
White	---	210	3	1	-
All other	---	15	-	-	1
Black	---	2	-	-	-
Redondo Beach	---	420	6	4	4
White	---	415	5	3	4
All other	---	5	1	1	-
Black	---	1	1	1	-
Rosemead	---	372	8	5	5
White	---	342	5	3	4
All other	---	30	3	2	1
Black	---	2	-	-	1
San Dimas	---	190	1	1	2
White	---	183	1	1	2
All other	---	7	-	-	-
Black	---	1	-	-	-
San Fernando	---	224	7	4	7
White	---	205	7	4	7
All other	---	19	-	-	-
Black	---	15	-	-	-
San Gabriel	---	479	15	11	8
White	---	454	12	8	7
All other	---	25	3	3	1
Black	---	-	-	-	-
San Marino	---	96	-	-	-
Santa Fe Springs	---	86	3	3	-
White	---	85	3	3	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Santa Monica	---	959	10	9	11
White	---	904	8	7	11
All other	---	55	2	2	-
Black	---	37	2	2	-
Sierra Madre	---	94	1	1	-
South El Monte	---	82	5	4	-
White	---	80	4	4	-
All other	---	2	1	-	-
Black	---	-	-	-	-
South Gate	---	550	17	10	13
White	---	538	16	9	10
All other	---	12	1	1	3
Black	---	6	1	1	-
South Pasadena	---	171	4	2	3
White	---	157	3	2	2
All other	---	14	1	-	1
Black	---	2	-	-	-
Temple City	---	275	3	3	4
White	---	264	2	2	4
All other	---	11	1	1	-
Black	---	-	-	-	-
California-Con.					
Torrance	---	1,151	20	12	8
White	---	1,085	17	10	8
All other	---	66	3	2	-
Black	---	6	1	1	-
West Covina	---	511	14	8	14
White	---	454	10	5	12
All other	---	57	4	3	2
Black	---	25	3	2	1
Whittier	---	1,155	21	12	21
White	---	1,139	20	12	20
All other	---	16	1	-	1
Black	---	-	-	-	1
Balance of county	---	2,647	60	42	53
White	---	2,364	47	33	39
All other	---	283	13	9	14
Black	---	184	10	8	7
Madera	448	586	15	8	14
Madera	---	344	10	5	12
White	---	313	10	5	9
All other	---	31	-	-	3
Black	---	23	-	-	3
Balance of county	---	242	5	3	2
White	---	224	5	3	2
All other	---	18	-	-	-
Black	---	10	-	-	-
Marin	1,754	1,753	14	6	21
White	1,713	1,717	13	5	18
All other	41	36	1	1	3
Black	20	19	1	1	1
Larkspur	---	33	-	-	-
Mill Valley	---	192	1	-	1
Novato	---	335	3	1	5
San Anselmo	---	118	-	-	1
San Rafael	---	544	2	2	6
Balance of county	---	531	8	3	8
Mariposa	84	127	2	1	-
Mendocino	754	777	21	10	4
Ukiah	---	304	5	3	2
Balance of county	---	473	16	7	2
Merced	915	1,064	26	17	31
White	834	974	18	12	27
All other	81	90	8	5	4
Black	59	66	1	1	1
Atwater	---	110	3	1	2
White	---	102	3	1	-
All other	---	8	-	-	2
Black	---	7	-	-	1
Los Banos	---	92	2	2	3
White	---	85	1	1	3
All other	---	7	1	1	-
Black	---	7	1	1	-
Merced	---	466	17	11	12
White	---	418	10	7	11
All other	---	48	7	4	1
Black	---	32	-	-	-
Balance of county	---	396	4	3	14
White	---	369	4	3	13
All other	---	27	-	-	1
Black	---	20	-	-	-
Modoc	74	102	2	-	2
Mono	33	30	1	1	3
Monterey	2,144	2,208	63	43	42
White	1,958	2,017	50	35	30
All other	186	191	13	8	12
Black	87	91	10	6	9
Marina	---	72	2	-	5
White	---	57	2	-	3
All other	---	15	-	-	2
Black	---	4	-	-	2
Monterey	---	243	3	2	1
White	---	232	2	2	1
All other	---	11	1	-	-
Black	---	2	-	-	-
Pacific Grove	---	183	1	-	1
Salinas	---	840	28	20	17
White	---	777	24	18	13
All other	---	63	4	2	4
Black	---	18	4	2	2
Seaside	---	200	14	11	8
White	---	120	7	6	2
All other	---	80	7	5	6
Black	---	60	5	3	5
Balance of county	---	670	15	10	10
White	---	655	14	9	10
All other	---	15	1	1	-
Black	---	6	1	1	-
Napa	1,193	992	17	10	13

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Napa	---	648	14	8	10
Balance of county	---	344	3	2	3
White	---	339	3	2	1
All other	---	5	-	-	2
Black	---	3	-	-	1
Nevada	551	594	10	9	12
Orange	13,031	13,550	309	214	218
White	12,563	13,082	271	190	197
All other	468	468	38	24	21
Black	122	111	12	7	9
Anaheim	---	1,639	39	30	35
White	---	1,586	36	28	32
All other	---	53	3	2	3
Black	---	14	2	1	1
Brea	---	205	3	1	2
Buena Park	---	412	9	7	6
White	---	399	8	6	5
All other	---	13	1	1	1
Black	---	3	-	-	-
Costa Mesa	---	584	7	5	9
White	---	569	7	5	9
All other	---	15	-	-	-
Black	---	1	-	-	-
Cypress	---	206	4	2	2
White	---	195	4	2	1
All other	---	11	-	-	1
Black	---	2	-	-	-
Fountain Valley	---	229	4	2	2
White	---	217	3	2	2
All other	---	12	1	-	-
Black	---	1	-	-	-
Fullerton	---	663	18	12	13
White	---	635	14	8	12
All other	---	28	4	4	1
Black	---	3	1	1	-
Garden Grove	---	1,005	24	16	10
White	---	962	21	15	8
All other	---	43	3	1	2
Black	---	3	-	-	-
Huntington Beach	---	1,019	22	14	7
White	---	991	22	14	7
All other	---	28	-	-	-
Black	---	4	-	-	-
Irvine	---	278	9	4	9
White	---	256	6	3	9
All other	---	22	3	1	-
Black	---	3	2	1	-
Laguna Beach	---	190	-	-	1
La Habra	---	340	5	3	6
White	---	336	5	3	6
All other	---	4	-	-	-
Black	---	2	-	-	-
La Palma	---	54	3	1	2
White	---	45	2	1	2
All other	---	9	1	-	-
Black	---	2	-	-	-
Los Alamitos	---	174	3	2	2
White	---	173	3	2	2
All other	---	1	-	-	-
Black	---	-	-	-	-
Newport Beach	---	537	6	5	4
Orange	---	660	20	16	9
White	---	639	19	15	9
All other	---	21	1	1	-
Black	---	2	-	-	-
Placentia	---	188	2	1	5
White	---	180	2	1	5
All other	---	8	-	-	-
Black	---	3	-	-	-
San Clemente	---	248	5	3	1
San Juan Capistrano	---	162	2	2	-
Santa Ana	---	1,515	73	54	56
White	---	1,408	61	45	50
All other	---	107	12	9	6
Black	---	56	6	4	4
Seal Beach	---	515	2	2	-
Stanton	---	170	1	1	7
White	---	163	1	1	3
All other	---	7	-	-	4
Black	---	2	-	-	1
Tustin	---	266	6	3	6
White	---	257	6	3	5
All other	---	9	-	-	1
Black	---	3	-	-	1
Westminster	---	478	19	16	2
White	---	446	15	13	2
All other	---	32	4	3	-
Black	---	2	-	-	-
Yorba Linda	---	130	1	1	3
Balance of county	---	1,683	22	11	19
White	---	1,658	18	10	17
All other	---	25	4	1	2
Black	---	1	1	-	2
Placer	1,105	1,094	9	6	6
Roseville	---	324	1	1	-
Balance of county	---	770	8	5	6
Plumas	128	149	3	2	1
Riverside	6,918	7,836	151	98	121
White	6,588	7,460	142	92	102
All other	330	376	9	6	19
Black	258	305	8	5	13
Banning	---	226	4	3	2
White	---	191	2	2	2
All other	---	35	2	1	-
Black	---	18	2	1	-
Corona	---	343	13	8	10
White	---	341	13	8	10
All other	---	2	-	-	-
Black	---	-	-	-	-
Hemet	---	1,220	2	1	8
Indio	---	215	7	4	7
White	---	201	7	4	7
All other	---	14	-	-	-
Black	---	12	-	-	-
Norco	---	106	6	2	5
White	---	104	6	2	5
All other	---	2	-	-	-
Black	---	2	-	-	-
Palm Desert	---	223	5	3	1
Palm Springs	---	545	3	2	6
White	---	531	3	2	4
All other	---	14	-	-	2
Black	---	12	-	-	2
Riverside	---	1,684	37	28	31
White	---	1,577	35	26	22
All other	---	107	2	2	9
Black	---	92	2	2	7
Balance of county	---	3,274	74	47	51
White	---	3,081	69	44	44
All other	---	193	5	3	7
Black	---	168	4	2	4
Sacramento	7,253	6,921	138	77	93
White	6,517	6,173	101	59	64
All other	736	748	37	18	29
Black	417	434	23	10	18
Folsom	---	131	1	-	1
White	---	128	-	-	1
All other	---	3	1	-	-
Black	---	1	-	-	-
Sacramento	---	4,712	99	55	57
White	---	4,040	65	37	31
All other	---	672	34	18	26
Black	---	404	23	10	17
Balance of county	---	2,078	38	22	35
White	---	2,005	36	22	32
All other	---	73	2	-	3
Black	---	29	-	-	1
San Benito	192	219	7	6	7
Hollister	---	185	4	3	7
White	---	183	4	3	7
All other	---	2	-	-	-
Black	---	1	-	-	-
Balance of county	---	34	3	3	-
White	---	33	3	3	-
All other	---	1	-	-	-
Black	---	-	-	-	-
San Bernardino	8,920	8,125	226	130	135
White	8,384	7,687	187	104	118
All other	536	438	39	26	17
Black	434	362	36	25	15
Barstow	---	188	6	4	7
White	---	173	5	3	7
All other	---	15	1	1	-
Black	---	10	1	1	-
Chino	---	240	11	7	14
White	---	235	11	7	14
All other	---	5	-	-	-
Black	---	2	-	-	-
Colton	---	245	5	2	3
White	---	241	5	2	3
All other	---	4	-	-	-
Black	---	4	-	-	-
Fontana	---	575	13	8	18
White	---	528	13	8	18
All other	---	47	-	-	-
Black	---	39	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Loma Linda	---	121	2	1	1
White	---	111	2	1	-
All other	---	10	-	-	1
Black	---	6	-	-	1
Montclair	---	159	2	1	5
White	---	151	2	1	5
All other	---	8	-	-	-
Black	---	5	-	-	-
Ontario	---	684	31	20	10
White	---	656	27	17	9
All other	---	28	4	3	1
Black	---	23	2	2	1
Rancho Cucamonga	---	174	5	2	3
White	---	169	5	2	3
All other	---	5	-	-	-
Black	---	3	-	-	-
Redlands	---	464	5	-	4
White	---	453	5	-	4
All other	---	11	-	-	-
Black	---	8	-	-	-
Rialto	---	363	14	11	5
White	---	331	9	7	4
All other	---	32	5	4	1
Black	---	28	5	4	1
San Bernardino	---	1,518	50	33	21
White	---	1,333	33	22	11
All other	---	185	17	11	10
Black	---	172	16	11	9
Upland	---	387	5	4	7
White	---	381	5	4	6
All other	---	6	-	-	1
Black	---	2	-	-	-
Victorville	---	263	9	7	6
White	---	245	8	6	6
All other	---	18	1	1	-
Black	---	16	1	1	-
Balance of county	---	2,744	68	30	31
White	---	2,680	57	24	28
All other	---	64	11	6	3
Black	---	44	11	6	3
San Diego	15,744	15,259	328	209	257
White	14,785	14,319	257	161	191
All other	959	940	71	48	66
Black	591	577	47	32	39
Carlsbad	---	271	5	3	7
White	---	271	5	3	6
All other	---	-	-	-	1
Black	---	-	-	-	1
Chula Vista	---	887	22	13	22
White	---	850	18	10	18
All other	---	37	4	3	4
Black	---	17	3	2	4
Coronado	---	149	3	1	2
El Cajon	---	1,065	26	11	18
Escondido	---	937	14	9	12
White	---	925	13	8	12
All other	---	12	1	1	-
Black	---	-	-	-	-
Imperial Beach	---	130	2	1	3
White	---	123	2	1	3
All other	---	7	-	-	-
Black	---	-	-	-	-
La Mesa	---	599	5	4	8
Lemon Grove	---	246	5	2	5
White	---	239	5	2	3
All other	---	7	-	-	2
Black	---	3	-	-	1
National City	---	360	9	4	12
White	---	329	7	2	8
All other	---	31	2	2	4
Black	---	8	-	-	3
Oceanside	---	750	26	19	19
White	---	709	19	13	9
All other	---	41	7	6	10
Black	---	25	7	6	9
San Diego	---	6,830	153	104	99
White	---	6,114	100	70	61
All other	---	716	53	34	38
Black	---	493	34	22	19
San Marcos	---	288	3	2	1
Vista	---	529	10	7	11
White	---	521	10	7	10
All other	---	8	-	-	1
Black	---	3	-	-	1
Balance of county	---	2,218	45	29	38
White	---	2,159	43	28	34
All other	---	59	2	1	4
Black	---	19	2	1	1

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
San Francisco, coext. with San Francisco city	8,545	8,234	84	43	64
White	6,422	6,196	37	22	23
All other	2,123	2,038	47	21	41
Black	953	923	24	11	16
San Joaquin	3,455	3,562	76	47	51
White	3,010	3,084	49	29	34
All other	445	478	27	18	17
Black	217	234	16	11	8
Lodi	---	530	7	4	7
Manteca	---	292	9	6	5
White	---	286	9	6	5
All other	---	6	-	-	-
Black	---	3	-	-	-
Stockton	---	2,184	55	34	31
White	---	1,768	31	18	16
All other	---	416	24	16	15
Black	---	213	16	11	7
Tracy	---	241	3	2	6
White	---	224	2	1	5
All other	---	17	1	1	1
Black	---	12	-	-	1
Balance of county	---	315	2	1	2
White	---	296	2	1	2
All other	---	19	-	-	-
Black	---	4	-	-	-
San Luis Obispo	1,432	1,512	21	13	15
Arroyo Grande	---	181	3	3	2
Atascadero	---	152	4	3	-
San Luis Obispo	---	309	1	1	1
Balance of county	---	870	13	6	12
White	---	849	13	6	11
All other	---	21	-	-	1
Black	---	5	-	-	-
San Mateo	4,491	4,681	90	55	47
White	4,112	4,199	63	35	37
All other	379	482	27	20	10
Black	151	221	10	8	5
Belmont	---	159	1	-	-
Burlingame	---	300	2	1	1
Daly City	---	532	16	11	9
White	---	405	7	3	5
All other	---	127	9	8	4
Black	---	30	3	2	3
Foster City	---	113	3	2	4
White	---	95	2	1	3
All other	---	18	1	1	1
Black	---	5	-	-	-
Hillsborough	---	75	-	-	-
White	---	72	-	-	-
All other	---	3	-	-	-
Black	---	2	-	-	-
Menlo Park	---	372	3	-	2
White	---	335	3	-	2
All other	---	37	-	-	-
Black	---	30	-	-	-
Millbrae	---	191	2	1	-
White	---	182	1	1	-
All other	---	9	1	-	-
Black	---	3	-	-	-
Pacifica	---	211	6	5	3
White	---	194	5	4	3
All other	---	17	1	1	-
Black	---	8	-	-	-
Redwood City	---	608	16	9	3
White	---	572	13	6	2
All other	---	34	3	3	1
Black	---	18	2	2	-
San Bruno	---	229	2	2	2
White	---	214	2	2	2
All other	---	15	-	-	-
Black	---	2	-	-	-
San Carlos	---	194	5	3	3
San Mateo	---	818	13	9	10
White	---	747	10	7	9
All other	---	71	3	2	1
Black	---	30	2	2	-
South San Francisco	---	401	8	3	3
White	---	366	4	1	3
All other	---	35	4	2	-
Black	---	5	-	-	-
Balance of county	---	480	13	9	7
White	---	379	10	7	4
All other	---	101	3	2	3
Black	---	86	3	2	2
Santa Barbara	2,619	2,612	46	26	33
White	2,544	2,533	43	24	32
All other	75	79	3	2	1
Black	36	42	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Carpinteria	---	126	4	2	-
White	---	125	4	2	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Lompoc	---	244	3	2	7
White	---	233	3	2	7
All other	---	11	-	-	-
Black	---	9	-	-	-
Santa Barbara	---	1,290	20	11	15
White	---	1,259	18	9	15
All other	---	31	2	2	-
Black	---	23	2	2	-
Santa Maria	---	558	10	6	8
White	---	539	10	6	7
All other	---	19	-	-	1
Black	---	8	-	-	1
Balance of county	---	394	9	5	3
White	---	377	8	5	3
All other	---	17	1	-	-
Black	---	2	-	-	-
Santa Clara	8,963	8,270	196	120	152
White	8,165	7,579	151	99	104
All other	798	691	45	21	48
Black	264	177	11	4	9
Campbell	---	285	2	2	5
White	---	270	1	1	3
All other	---	15	1	1	2
Black	---	2	-	-	-
Cupertino	---	235	5	2	5
White	---	219	4	2	5
All other	---	16	1	-	-
Black	---	2	-	-	-
Gilroy	---	220	3	1	3
White	---	214	3	1	2
All other	---	6	-	-	1
Black	---	-	-	-	-
Los Altos	---	281	1	1	5
Los Gatos	---	303	2	2	3
Milpitas	---	167	11	4	5
White	---	136	8	4	2
All other	---	31	3	-	3
Black	---	6	1	-	-
Morgan Hill	---	177	2	2	4
White	---	169	2	2	4
All other	---	8	-	-	-
Black	---	2	-	-	-
Mountain View	---	482	15	9	8
White	---	434	11	7	2
All other	---	48	4	2	6
Black	---	13	1	1	2
Palo Alto	---	548	5	5	4
White	---	515	5	5	3
All other	---	33	-	-	1
Black	---	14	-	-	-
San Jose	---	3,994	123	75	93
White	---	3,557	92	58	65
All other	---	437	31	17	28
Black	---	123	7	3	7
Santa Clara	---	564	13	8	6
White	---	528	10	7	4
All other	---	36	3	1	2
Black	---	6	2	-	-
Saratoga	---	220	-	-	2
Sunnyvale	---	676	10	5	8
White	---	635	8	5	6
All other	---	41	2	-	2
Black	---	8	-	-	-
Balance of county	---	118	4	4	1
White	---	114	4	4	1
All other	---	4	-	-	-
Black	---	1	-	-	-
Santa Cruz	1,714	1,785	33	21	22
Santa Cruz	---	789	7	5	9
Watsonville	---	387	12	10	5
White	---	353	11	9	5
All other	---	34	1	1	-
Black	---	2	-	-	-
Balance of county	---	609	14	6	8
White	---	598	11	5	8
All other	---	11	3	1	-
Black	---	1	1	-	-
Shasta	1,142	1,134	22	9	6
Redding	---	660	10	5	3
Balance of county	---	474	12	4	3
Sierra	27	35	1	1	-
Siskiyou	302	375	6	2	3
Solano	1,723	1,763	43	22	34
White	1,474	1,505	36	18	24
All other	249	258	7	4	10
Black	177	185	7	4	7
California-Con.					
Benicia	---	113	4	2	2
White	---	111	4	2	2
All other	---	2	-	-	-
Black	---	1	-	-	-
Fairfield	---	327	9	3	4
White	---	287	7	3	3
All other	---	40	2	-	1
Black	---	22	2	-	-
Suisun City	---	86	2	-	3
White	---	70	2	-	3
All other	---	16	-	-	-
Black	---	8	-	-	-
Vacaville	---	323	3	3	6
White	---	307	3	3	6
All other	---	16	-	-	-
Black	---	11	-	-	-
Vallejo	---	787	17	10	14
White	---	606	12	6	5
All other	---	181	5	4	9
Black	---	141	5	4	7
Balance of county	---	127	8	4	5
White	---	124	8	4	5
All other	---	3	-	-	-
Black	---	2	-	-	-
Sonoma	3,001	3,026	38	22	37
White	2,932	2,958	32	20	34
All other	69	68	6	2	3
Black	23	21	1	-	-
Petaluma	---	418	5	3	9
Rohnert Park	---	168	4	3	2
Santa Rosa	---	1,252	19	9	13
Balance of county	---	1,188	10	7	13
White	---	1,169	8	6	12
All other	---	19	2	1	1
Black	---	3	1	-	-
Stanislaus	2,755	2,649	57	29	30
White	2,684	2,585	52	28	26
All other	71	64	5	1	4
Black	39	35	2	1	2
Ceres	---	209	3	1	-
White	---	205	3	1	-
All other	---	4	-	-	-
Black	---	2	-	-	-
Modesto	---	1,435	39	22	20
White	---	1,387	35	21	17
All other	---	48	4	1	3
Black	---	30	2	1	2
Turlock	---	404	4	1	2
White	---	395	3	1	2
All other	---	9	1	-	-
Black	---	2	-	-	-
Balance of county	---	601	11	5	8
White	---	598	11	5	7
All other	---	3	-	-	1
Black	---	1	-	-	-
Sutter	396	499	12	7	6
Yuba City	---	392	10	6	3
White	---	362	10	6	3
All other	---	30	-	-	-
Black	---	6	-	-	-
Balance of county	---	107	2	1	3
White	---	104	2	1	2
All other	---	3	-	-	1
Black	---	-	-	-	1
Tehama	403	473	5	2	4
Trinity	79	103	1	-	-
Tulare	1,938	2,127	53	28	37
White	1,865	2,050	46	25	36
All other	73	77	7	3	1
Black	27	25	1	1	-
Porterville	---	411	13	5	7
White	---	399	11	5	7
All other	---	12	2	-	-
Black	---	1	-	-	-
Tulare	---	293	8	4	4
White	---	282	6	2	4
All other	---	11	2	2	-
Black	---	9	1	1	-
Visalia	---	547	18	12	7
White	---	535	16	11	7
All other	---	12	2	1	-
Black	---	4	-	-	-
Balance of county	---	876	14	7	19
White	---	834	13	7	18
All other	---	42	1	-	1
Black	---	11	-	-	-
Tuolumne	369	392	5	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Ventura	3,227	3,601	89	58	70
White	3,134	3,499	85	54	58
All other	93	102	4	4	12
Black	43	43	2	2	8
Camarillo	---	413	8	5	5
White	---	403	8	5	5
All other	---	10	-	-	-
Black	---	2	-	-	-
Oxnard	---	753	30	25	24
White	---	692	27	22	20
All other	---	61	3	3	4
Black	---	29	2	2	2
Port Hueneme	---	117	2	1	1
White	---	111	2	1	1
All other	---	6	-	-	-
Black	---	1	-	-	-
San Buenaventura (Ventura)	---	748	17	11	9
White	---	738	17	11	6
All other	---	10	-	-	3
Black	---	6	-	-	2
Santa Paula	---	202	3	1	3
White	---	202	3	1	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Simi Valley	---	365	14	5	11
Thousand Oaks	---	495	3	1	4
Balance of county	---	508	12	9	13
White	---	505	11	8	13
All other	---	3	1	1	-
Black	---	1	-	-	-
Yolo	839	917	8	5	13
Davis	---	178	3	2	3
White	---	171	2	2	2
All other	---	7	1	-	1
Black	---	1	-	-	-
Woodland	---	306	2	1	5
White	---	291	2	1	5
All other	---	15	-	-	-
Black	---	5	-	-	-
Balance of county	---	433	3	2	5
White	---	411	3	2	5
All other	---	22	-	-	-
Black	---	8	-	-	-
Yuba	487	457	9	4	7
Colorado	20,727	20,236	519	302	488
White	19,871	19,403	458	264	442
All other	856	833	61	38	46
Black	685	678	45	26	28
Adams	1,157	1,300	45	26	47
White	1,094	1,267	44	25	44
All other	63	33	1	1	3
Black	33	16	-	-	2
Arvada, part	---	6	-	-	-
White	---	6	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Aurora, part	---	161	10	7	9
White	---	149	9	6	7
All other	---	12	1	1	2
Black	---	11	-	-	2
Brighton, part	---	102	3	3	4
White	---	97	3	3	4
All other	---	5	-	-	-
Black	---	1	-	-	-
Brighton, total	---	105	3	3	4
White	---	100	3	3	4
All other	---	5	-	-	-
Black	---	1	-	-	-
Broomfield, part	---	14	2	2	1
Commerce City	---	156	5	4	3
White	---	154	5	4	3
All other	---	2	-	-	-
Black	---	-	-	-	-
Northglenn	---	126	3	-	6
Thornton	---	148	5	2	8
Westminster, part	---	213	6	2	3
Westminster, total	---	233	10	4	3
Balance of county	---	374	11	6	13
White	---	371	11	6	13
All other	---	3	-	-	-
Black	---	3	-	-	-
Alamosa	87	80	1	1	3
Arapahoe	1,347	1,607	54	32	53
White	1,290	1,548	46	25	47
All other	57	59	8	7	6
Black	45	46	6	5	5
Colorado-Con.					
Aurora, part	---	723	37	22	36
White	---	672	29	15	30
All other	---	51	8	7	6
Black	---	40	6	5	5
Aurora, total	---	884	47	29	45
White	---	821	38	21	37
All other	---	63	9	8	8
Black	---	51	6	5	7
Englewood	---	378	4	2	7
Littleton, part	---	284	6	3	3
Littleton, total	---	286	6	3	3
Balance of county	---	222	7	5	7
Archuleta	14	22	-	-	4
Baca	53	62	-	-	2
Bent	80	64	1	-	1
Boulder	953	1,062	37	19	27
Boulder	---	469	16	9	11
Broomfield, part	---	49	-	-	1
Broomfield, total	---	74	3	3	3
Longmont	---	309	12	6	10
Balance of county	---	235	9	4	5
Chaffee	102	107	1	-	2
Cheyenne	26	21	-	-	-
Clear Creek	23	41	-	-	1
Conejos	51	59	-	-	-
Costilla	11	20	-	-	-
Crowley	14	36	-	-	2
Custer	15	22	-	-	-
Delta	203	245	5	2	5
Denver, coext. with Denver city	5,895	4,540	108	67	95
White	5,394	4,014	81	53	75
All other	501	526	27	14	20
Black	453	487	25	13	16
Dolores	5	9	-	-	-
Douglas	61	130	9	4	3
Littleton, part	---	2	-	-	-
Balance of county	---	128	9	4	3
Eagle	38	41	2	1	1
Elbert	24	42	-	-	1
El Paso	1,921	1,850	57	28	65
White	1,820	1,750	41	17	57
All other	101	100	16	11	8
Black	87	83	12	7	4
Colorado Springs	---	1,558	44	21	56
White	---	1,480	32	14	49
All other	---	78	12	7	7
Black	---	66	9	4	4
Balance of county	---	292	13	7	9
White	---	270	9	3	8
All other	---	22	4	4	1
Black	---	17	3	3	-
Fremont	356	376	4	1	3
Canon City	---	217	3	-	1
Balance of county	---	159	1	1	2
Garfield	156	173	6	5	4
Gilpin	13	17	-	-	-
Grand	37	41	-	-	-
Gunnison	54	50	-	-	-
Hinsdale	5	-	-	-	-
Huerfano	54	81	1	1	-
Jackson	4	7	-	-	-
Jefferson	2,168	2,183	54	31	50
Arvada, part	---	424	14	8	21
Arvada, total	---	430	14	8	21
Broomfield, part	---	11	1	1	1
Golden	---	181	4	1	4
Lakewood	---	839	14	8	10
Westminster, part	---	20	4	2	-
Wheat Ridge	---	345	5	3	1
Balance of county	---	363	12	8	13
Kiowa	8	12	2	2	-
Kit Carson	58	69	-	-	1
Lake	27	33	-	-	-
La Plata	202	182	11	8	4
Durango	---	92	6	5	2
White	---	89	6	5	2
All other	---	3	-	-	-
Black	---	1	-	-	-
Balance of county	---	90	5	3	2
White	---	82	5	3	2
All other	---	8	-	-	-
Black	---	-	-	-	-
Larimer	956	960	19	13	23
Fort Collins	---	413	8	5	15
Loveland	---	279	7	7	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Colorado-Con.					
Balance of county	---	268	4	1	3
Las Animas	135	163	1	1	2
Lincoln	58	51	-	-	1
Logan	167	163	3	2	3
Sterling	---	130	2	2	2
Balance of county	---	33	1	-	1
Mesa	787	682	13	8	13
Grand Junction	---	342	5	3	5
Balance of county	---	340	8	5	8
Mineral	3	4	-	-	-
Moffat	59	63	3	2	-
Montezuma	98	108	4	3	4
White	91	99	3	2	3
All other	7	9	1	1	1
Black	-	-	-	-	-
Montrose	227	239	1	-	3
Morgan	207	217	7	4	7
Otero	245	255	3	2	2
Ouray	5	10	-	-	-
Park	32	32	-	-	5
Phillips	45	60	-	-	-
Pitkin	39	27	3	2	2
Prowers	91	120	2	1	5
Pueblo	1,175	1,126	26	15	17
Pueblo	---	997	23	14	14
White	---	970	21	13	14
All other	---	27	2	1	-
Black	---	23	1	-	-
Balance of county	---	129	3	1	3
White	---	128	3	1	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Rio Blanco	31	37	2	-	2
Rio Grande	113	114	-	-	1
Routt	64	62	-	-	2
Saguache	11	34	-	-	-
San Juan	3	5	-	-	-
San Miguel	4	5	-	-	-
Sedgwick	30	39	1	1	-
Summit	36	25	5	2	2
Teller	38	63	-	-	1
Washington	32	61	1	1	2
Weld	726	831	27	17	16
Brighton, part	---	3	-	-	-
Greeley	---	427	13	9	9
White	---	427	13	9	9
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	401	14	8	7
White	---	394	14	8	7
All other	---	7	-	-	-
Black	---	2	-	-	-
Yuma	88	96	-	-	1
Connecticut	28,259	28,170	438	343	314
White	26,579	26,505	322	251	255
All other	1,680	1,665	116	92	59
Black	1,622	1,610	112	89	57
Fairfield	6,680	7,148	97	71	78
White	6,171	6,607	67	52	65
All other	509	541	30	19	13
Black	484	520	28	18	12
Bridgeport	---	1,631	41	28	23
White	---	1,382	22	17	14
All other	---	249	19	11	9
Black	---	247	19	11	9
Danbury	---	486	2	2	4
Darien town#	---	148	1	-	1
Fairfield town#	---	570	10	8	2
Greenwich town#	---	488	4	4	5
Norwalk	---	651	8	4	9
White	---	572	5	2	9
All other	---	79	3	2	-
Black	---	77	3	2	-
Shelton	---	299	3	2	4
Stamford	---	911	13	11	10
White	---	791	8	7	9
All other	---	120	5	4	1
Black	---	117	4	3	1
Stratford town#	---	552	6	6	4
Trumbull town#	---	261	2	1	1
Westport town#	---	187	1	1	1
Connecticut-Con.					
Balance of county	---	964	6	4	14
White	---	950	6	4	14
All other	---	14	-	-	-
Black	---	10	-	-	-
Hartford	7,542	7,220	131	104	92
White	7,062	6,750	85	67	70
All other	480	470	46	37	22
Black	467	456	45	36	21
Bristol	---	444	6	5	2
East Hartford town#	---	514	6	6	7
Enfield town#	---	333	5	5	9
Hartford	---	1,308	57	44	34
White	---	957	19	15	16
All other	---	351	38	29	18
Black	---	346	38	29	17
Manchester town#	---	454	8	6	7
New Britain	---	817	16	13	3
White	---	788	15	12	2
All other	---	29	1	1	1
Black	---	29	1	1	1
Newington town#	---	236	3	3	2
Plainville town#	---	139	5	4	1
Rocky Hill town#	---	108	1	-	1
Southington town#	---	273	3	2	1
West Hartford town#	---	703	5	4	2
Wethersfield town#	---	300	1	1	2
Windsor town#	---	210	4	3	2
White	---	192	2	1	2
All other	---	18	2	2	-
Black	---	17	2	2	-
Windsor Locks town#	---	92	-	-	1
Balance of county	---	1,289	11	8	18
White	---	1,256	10	7	16
All other	---	33	1	1	2
Black	---	33	1	1	2
Litchfield	1,301	1,528	12	11	13
Torrington	---	378	4	4	1
Balance of county	---	1,150	8	7	12
Middlesex	1,153	1,141	19	14	10
Middletown	---	364	8	7	4
White	---	340	5	4	1
All other	---	24	3	3	3
Black	---	24	3	3	3
Balance of county	---	777	11	7	6
New Haven	8,443	7,561	103	85	81
White	7,861	7,024	71	57	63
All other	582	537	32	28	18
Black	567	523	32	28	18
Ansonia	---	197	-	-	2
Branford town#	---	222	2	2	5
Derby	---	125	2	1	-
East Haven town#	---	227	1	1	3
Hamden town#	---	607	5	5	2
Meriden	---	588	5	3	8
Milford	---	430	3	3	4
Naugatuck	---	244	3	2	2
New Haven	---	1,307	40	33	27
White	---	985	20	17	14
All other	---	322	20	16	13
Black	---	316	20	16	13
North Haven town#	---	222	1	1	1
Orange town#	---	105	-	-	2
Wallingford town#	---	361	1	1	1
Waterbury	---	1,200	19	15	10
White	---	1,087	12	8	9
All other	---	113	7	7	1
Black	---	112	7	7	1
West Haven	---	553	11	10	5
White	---	532	7	6	4
All other	---	21	4	4	1
Black	---	20	4	4	1
Balance of county	---	1,173	10	8	9
New London	1,822	1,985	39	31	31
White	1,757	1,916	34	26	29
All other	65	69	5	5	2
Black	63	66	4	4	2
Groton	---	257	10	9	7
New London	---	280	7	5	5
White	---	238	5	3	3
All other	---	42	2	2	2
Black	---	42	2	2	2
Norwich	---	420	5	5	6
Balance of county	---	1,028	17	12	13
Tolland	500	740	21	18	9
Vernon town#	---	215	4	4	2
Balance of county	---	525	17	14	7
White	---	525	17	14	7
All other	---	-	-	-	-
Black	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windham	818	847	16	9	-
Willimantic [4]	---	1	-	-	-
Balance of county	---	846	16	9	-
Delaware	5,508	5,475	142	102	63
White	4,586	4,572	85	63	40
All other	922	903	57	39	23
Black	895	878	56	38	22
Kent	754	864	28	20	8
White	618	711	20	15	6
All other	136	153	8	5	2
Black	130	147	7	4	2
Dover	---	207	6	6	2
White	---	153	4	4	1
All other	---	54	2	2	1
Black	---	52	2	2	1
Balance of county	---	657	22	14	6
White	---	558	16	11	5
All other	---	99	6	3	1
Black	---	95	5	2	1
New Castle	3,577	3,400	98	69	41
White	2,994	2,857	56	40	27
All other	583	543	42	29	14
Black	570	533	42	29	13
Newark	---	142	6	3	5
Wilmington	---	1,070	31	22	15
White	---	692	9	6	4
All other	---	378	22	16	11
Black	---	376	22	16	10
Balance of county	---	2,188	61	44	21
White	---	2,036	41	31	18
All other	---	152	20	13	3
Black	---	146	20	13	3
Sussex	1,177	1,211	16	13	14
White	974	1,004	9	8	7
All other	203	207	7	5	7
Black	195	198	7	5	7
District of Columbia	8,879	6,981	205	157	120
White	3,183	1,802	19	14	9
All other	5,696	5,179	186	143	111
Black	5,611	5,139	185	142	111
Florida	122,210	121,108	1,847	1,208	1,425
White	109,279	108,226	1,129	734	878
All other	12,931	12,882	718	474	547
Black	12,718	12,680	707	466	539
Alachua	2,317	1,083	31	17	23
White	1,817	791	13	9	15
All other	500	292	18	8	8
Black	499	291	18	8	8
Gainesville	---	610	22	13	11
White	---	428	10	8	7
All other	---	182	12	5	4
Black	---	181	12	5	4
Balance of county	---	473	9	4	12
White	---	363	3	1	8
All other	---	110	6	3	4
Black	---	110	6	3	4
Baker	78	125	5	4	1
White	68	106	3	3	1
All other	10	19	2	1	-
Black	10	19	2	1	-
Bay	1,010	901	19	14	15
White	881	788	14	11	11
All other	129	113	5	3	4
Black	122	105	1	1	4
Panama City	---	482	8	7	7
White	---	392	6	5	5
All other	---	90	2	2	2
Black	---	87	1	1	2
Balance of county	---	419	11	7	8
Bradford	166	221	7	5	1
White	141	186	4	2	-
All other	25	35	3	3	1
Black	23	33	3	3	1
Brevard	2,812	3,014	47	37	41
White	2,612	2,807	34	27	30
All other	200	207	13	10	11
Black	198	204	13	10	11
Cocoa	---	212	6	4	9
White	---	156	1	1	4
All other	---	56	5	3	5
Black	---	56	5	3	5
Cocoa Beach	---	133	1	1	1
Florida-Con.					
Melbourne	---	541	9	6	9
White	---	491	5	2	7
All other	---	50	4	4	2
Black	---	49	4	4	2
Palm Bay	---	211	5	3	5
Rockledge	---	139	4	4	1
White	---	130	4	4	1
All other	---	9	-	-	-
Black	---	9	-	-	-
Titusville	---	423	5	5	4
White	---	390	5	5	3
All other	---	33	-	-	1
Black	---	32	-	-	1
Balance of county	---	1,355	17	14	12
White	---	1,299	13	11	9
All other	---	56	4	3	3
Black	---	55	4	3	3
Broward	12,486	13,333	176	119	106
White	11,568	12,377	81	53	62
All other	918	956	95	66	44
Black	895	925	91	62	44
Cooper City	---	76	-	-	-
Coral Springs	---	247	4	2	9
Dania	---	185	3	3	1
White	---	141	1	1	-
All other	---	44	2	2	1
Black	---	43	2	2	1
Davie	---	180	4	2	4
Deerfield Beach	---	683	7	5	4
White	---	618	-	-	1
All other	---	65	7	5	3
Black	---	64	7	5	3
Fort Lauderdale	---	2,411	43	29	22
White	---	2,123	8	7	7
All other	---	288	35	22	15
Black	---	280	35	22	15
Hallandale, part	---	756	4	2	3
White	---	710	1	1	1
All other	---	46	3	1	2
Black	---	46	3	1	2
Hallandale, total	---	757	4	2	3
White	---	711	1	1	1
All other	---	46	3	1	2
Black	---	46	3	1	2
Hollywood	---	1,812	28	17	9
Lauderdale Lakes	---	432	4	3	2
White	---	412	1	1	1
All other	---	20	3	2	1
Black	---	20	3	2	1
Lauderhill	---	403	5	4	3
White	---	377	3	3	-
All other	---	26	2	1	3
Black	---	25	2	1	3
Lighthouse Point	---	178	-	-	-
Margate	---	553	5	2	5
Miramar	---	296	3	2	-
North Lauderdale	---	108	3	2	3
Oakland Park	---	167	2	2	2
Pembroke Pines	---	380	9	8	6
Plantation	---	435	3	3	-
Pompano Beach	---	1,194	24	17	11
White	---	1,056	7	3	5
All other	---	138	17	14	6
Black	---	137	17	14	6
Sunrise	---	539	3	1	3
Tamarac	---	658	-	-	1
Wilton Manors	---	170	2	2	-
Balance of county	---	1,470	20	13	18
White	---	1,251	5	1	8
All other	---	219	15	12	10
Black	---	213	14	11	10
Calhoun	111	116	-	-	2
White	97	105	-	-	2
All other	14	11	-	-	-
Black	14	11	-	-	-
Charlotte	1,291	1,231	6	3	2
Citrus	1,081	1,160	8	6	10
Clay	476	616	12	7	11
Collier	1,234	1,150	17	11	16
Naples	---	386	3	3	2
Balance of county	---	764	14	8	14
White	---	715	12	6	10
All other	---	49	2	2	4
Black	---	45	2	2	4
Columbia	618	367	6	4	11
White	480	295	6	4	5
All other	138	72	-	-	6
Black	137	71	-	-	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Dade	18,629	17,350	288	192	287
White	16,001	14,826	148	102	133
All other	2,628	2,524	140	90	154
Black	2,583	2,492	140	90	152
Coral Gables	---	407	1	1	2
Hallandale, part	---	1	-	-	-
Hialeah	---	1,296	18	12	15
White	---	1,284	17	12	14
All other	---	12	1	-	1
Black	---	10	1	-	1
Homestead	---	220	4	2	4
White	---	171	4	2	3
All other	---	49	-	-	1
Black	---	49	-	-	1
Miami	---	4,907	98	66	107
White	---	3,848	33	25	37
All other	---	1,059	65	41	70
Black	---	1,048	65	41	70
Miami Beach	---	2,296	7	6	7
Miami Springs	---	142	1	-	-
North Miami	---	742	6	4	3
North Miami Beach	---	1,107	8	6	5
Opa-locka	---	126	3	1	5
White	---	48	-	-	1
All other	---	78	3	1	4
Black	---	78	3	1	4
South Miami	---	68	1	-	-
White	---	33	-	-	-
All other	---	35	1	-	-
Black	---	35	1	-	-
Balance of county	---	6,038	141	94	139
White	---	4,826	74	48	66
All other	---	1,212	67	46	73
Black	---	1,197	67	46	73
De Soto	192	222	5	2	1
White	165	192	3	1	1
All other	27	30	2	1	-
Black	27	30	2	1	-
Dixie	38	79	1	1	1
White	37	76	1	1	1
All other	1	3	-	-	-
Black	1	3	-	-	-
Duval	5,700	5,374	170	96	115
White	4,244	3,886	89	46	62
All other	1,456	1,488	81	50	53
Black	1,448	1,480	80	49	51
Jacksonville	---	5,021	158	90	111
White	---	3,577	84	43	59
All other	---	1,444	74	47	52
Black	---	1,436	73	46	50
Jacksonville Beach	---	182	3	1	-
Balance of county	---	171	9	5	4
White	---	147	3	2	3
All other	---	24	6	3	1
Black	---	24	6	3	1
Escambia	2,278	1,983	42	24	31
White	1,812	1,531	27	17	17
All other	466	452	15	7	14
Black	456	442	14	7	13
Pensacola	---	716	10	5	12
White	---	480	4	2	4
All other	---	236	6	3	8
Black	---	232	6	3	8
Balance of county	---	1,267	32	19	19
White	---	1,051	23	15	13
All other	---	216	9	4	6
Black	---	210	8	4	5
Flagler	100	164	1	-	1
White	93	148	-	-	1
All other	7	16	1	-	-
Black	7	16	1	-	-
Franklin	42	88	1	1	1
White	33	71	1	1	1
All other	9	17	-	-	-
Black	8	16	-	-	-
Gadsden	201	396	9	6	10
White	101	205	2	1	2
All other	100	191	7	5	8
Black	99	189	7	5	8
Gilchrist	46	79	1	-	-
Glades	22	69	-	-	-
White	20	55	-	-	-
All other	2	14	-	-	-
Black	-	6	-	-	-
Gulf	73	115	1	1	3
White	59	99	1	1	3
All other	14	16	-	-	-
Black	14	16	-	-	-
Hamilton	67	100	4	3	5
White	49	63	-	-	4
All other	18	37	4	3	1
Black	18	37	4	3	1
Hardee	126	185	7	4	2
Hendry	129	153	5	4	3
White	95	118	4	3	-
All other	34	35	1	1	3
Black	28	28	1	1	3
Hernando	825	965	11	4	1
Highlands	802	816	17	8	8
White	734	744	15	6	6
All other	68	72	2	2	2
Black	61	71	2	2	2
Hillsborough	7,331	6,659	169	114	98
White	6,411	5,790	116	81	61
All other	920	869	53	33	37
Black	904	852	53	33	37
Plant City	---	240	5	3	2
White	---	188	5	3	-
All other	---	52	-	-	2
Black	---	52	-	-	2
Tampa	---	3,447	89	57	53
White	---	2,743	47	32	21
All other	---	704	42	25	32
Black	---	692	42	25	32
Temple Terrace	---	49	-	-	-
Balance of county	---	2,923	75	54	43
White	---	2,810	64	46	40
All other	---	113	11	8	3
Black	---	108	11	8	3
Holmes	103	164	2	-	1
Indian River	946	910	11	6	4
White	875	840	9	6	1
All other	71	70	2	-	3
Black	69	68	2	-	3
Vero Beach	---	339	2	2	2
Balance of county	---	571	9	4	2
White	---	510	7	4	1
All other	---	61	2	-	1
Black	---	61	2	-	1
Jackson	353	427	3	1	2
White	263	315	3	1	1
All other	90	112	-	-	1
Black	90	112	-	-	1
Jefferson	38	100	3	2	2
White	24	53	2	1	1
All other	14	47	1	1	1
Black	14	47	1	1	1
Lafayette	11	28	-	-	1
Lake	1,666	1,631	23	12	16
White	1,500	1,487	17	9	8
All other	166	144	6	3	8
Black	164	142	6	3	8
Leesburg	---	215	4	2	3
White	---	176	-	-	3
All other	---	39	4	2	-
Black	---	39	4	2	-
Balance of county	---	1,416	19	10	13
White	---	1,311	17	9	5
All other	---	105	2	1	8
Black	---	103	2	1	8
Lee	3,078	3,106	37	24	27
White	2,930	2,953	23	14	21
All other	148	153	14	10	6
Black	147	152	14	10	6
Cape Coral	---	498	4	4	2
Fort Myers	---	583	15	12	7
White	---	460	4	3	3
All other	---	123	11	9	4
Black	---	123	11	9	4
Balance of county	---	2,025	18	8	18
Leon	1,395	918	27	21	22
White	997	665	15	13	9
All other	398	253	12	8	13
Black	395	252	12	8	13
Tallahassee	---	651	19	15	13
White	---	453	10	9	5
All other	---	198	9	6	8
Black	---	198	9	6	8
Balance of county	---	267	8	6	9
White	---	212	5	4	4
All other	---	55	3	2	5
Black	---	54	3	2	5
Levy	230	291	6	4	1
White	203	256	4	4	-
All other	27	35	2	-	1
Black	27	35	2	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Liberty	15	49	-	-	1
White	13	43	-	-	1
All other	2	6	-	-	-
Black	2	6	-	-	-
Madison	117	164	3	1	1
White	73	108	1	-	1
All other	44	56	2	1	-
Black	44	56	2	1	-
Manatee	2,506	2,616	26	18	20
White	2,360	2,458	20	15	17
All other	146	158	6	3	3
Black	140	152	6	3	3
Bradenton	---	790	8	6	6
White	---	712	4	4	4
All other	---	78	4	2	2
Black	---	77	4	2	2
Balance of county	---	1,826	18	12	14
Marion	1,672	1,840	24	14	21
White	1,449	1,583	18	12	17
All other	223	257	6	2	4
Black	222	255	6	2	4
Ocala	---	591	11	6	6
White	---	462	7	5	4
All other	---	129	4	1	2
Black	---	128	4	1	2
Balance of county	---	1,249	13	8	15
White	---	1,121	11	7	13
All other	---	128	2	1	2
Black	---	127	2	1	2
Martin	1,011	1,044	9	2	13
Monroe	560	633	8	6	5
Key West	---	245	1	1	2
White	---	202	1	1	-
All other	---	43	-	-	2
Black	---	43	-	-	2
Balance of county	---	388	7	5	3
Nassau	163	273	5	4	3
White	123	228	5	4	2
All other	40	45	-	-	1
Black	40	44	-	-	1
Okaloosa	758	773	21	14	16
White	700	722	13	9	13
All other	56	51	8	5	3
Black	52	48	8	5	3
Fort Walton Beach	---	194	2	2	2
White	---	179	2	2	2
All other	---	15	-	-	-
Black	---	12	-	-	-
Balance of county	---	579	19	12	14
White	---	543	11	7	11
All other	---	36	8	5	3
Black	---	36	8	5	3
Okeechobee	237	278	6	5	4
Orange	5,102	4,409	103	72	94
White	4,520	3,853	62	47	67
All other	582	556	41	25	27
Black	572	550	41	25	27
Orlando	---	1,652	50	34	48
White	---	1,295	23	16	36
All other	---	357	27	18	12
Black	---	355	27	18	12
Winter Park	---	449	4	2	7
White	---	397	2	2	3
All other	---	52	2	-	4
Black	---	52	2	-	4
Balance of county	---	2,308	49	36	39
White	---	2,161	37	29	28
All other	---	147	12	7	11
Black	---	143	12	7	11
Osceola	724	718	9	4	8
Kissimmee	---	212	6	3	6
White	---	189	6	3	6
All other	---	23	-	-	-
Black	---	23	-	-	-
Balance of county	---	506	3	1	2
Palm Beach	8,633	8,858	102	76	73
White	7,891	8,086	53	34	41
All other	742	772	49	42	32
Black	736	768	49	42	32
Belle Glade	---	141	4	4	7
White	---	53	-	-	-
All other	---	88	4	4	7
Black	---	87	4	4	7
Boca Raton	---	806	4	3	2
Boynton Beach	---	707	10	6	6
White	---	650	5	2	3
All other	---	57	5	4	3
Black	---	57	5	4	3
Delray Beach	---	770	8	7	3
White	---	684	-	-	1
All other	---	86	8	7	2
Black	---	85	8	7	2
Lake Worth	---	671	6	6	6
North Palm Beach	---	152	-	-	-
Palm Beach Gardens	---	139	3	2	1
Riviera Beach	---	294	9	9	6
White	---	130	-	-	2
All other	---	164	9	9	4
Black	---	164	9	9	4
West Palm Beach	---	1,166	17	14	15
White	---	940	6	5	7
All other	---	226	11	9	8
Black	---	226	11	9	8
Balance of county	---	4,012	41	25	27
White	---	3,881	31	18	21
All other	---	131	10	7	6
Black	---	130	10	7	6
Pasco	3,139	3,660	26	16	29
New Port Richey	---	363	2	1	1
Balance of county	---	3,297	24	15	28
Pinellas	12,865	12,385	89	68	72
White	12,313	11,861	65	50	56
All other	552	524	24	18	16
Black	543	517	24	18	16
Clearwater	---	1,703	9	5	12
Dunedin	---	547	3	3	-
Gulfport	---	260	2	1	1
Largo	---	951	2	2	5
Pinellas Park	---	486	8	7	8
St. Petersburg	---	4,401	46	35	28
White	---	4,002	24	18	15
All other	---	399	22	17	13
Black	---	396	22	17	13
Tarpon Springs	---	219	2	1	-
White	---	206	2	1	-
All other	---	13	-	-	-
Black	---	13	-	-	-
Balance of county	---	3,818	17	14	18
Polk	3,745	3,743	74	54	55
White	3,324	3,283	47	32	39
All other	421	460	27	22	16
Black	417	455	27	22	15
Bartow	---	160	5	3	2
White	---	105	1	1	2
All other	---	55	4	2	-
Black	---	55	4	2	-
Haines City	---	115	4	2	6
White	---	72	2	-	4
All other	---	43	2	2	2
Black	---	43	2	2	2
Lakeland	---	743	8	7	8
White	---	641	5	4	5
All other	---	102	3	3	3
Black	---	100	3	3	2
Winter Haven	---	360	8	5	5
White	---	304	3	2	2
All other	---	56	5	3	3
Black	---	55	5	3	3
Balance of county	---	2,365	49	37	34
White	---	2,161	36	25	26
All other	---	204	13	12	8
Black	---	202	13	12	8
Putnam	448	638	13	5	12
White	360	511	4	3	6
All other	88	127	9	2	6
Black	88	127	9	2	6
Palatka	---	157	5	2	3
White	---	97	-	-	1
All other	---	60	5	2	2
Black	---	60	5	2	2
Balance of county	---	481	8	3	9
White	---	414	4	3	5
All other	---	67	4	-	4
Black	---	67	4	-	4
St. Johns	666	727	7	5	7
White	574	631	4	3	5
All other	92	96	3	2	2
Black	92	96	3	2	2
St. Augustine	---	223	3	2	-
White	---	185	1	1	-
All other	---	38	2	1	-
Black	---	38	2	1	-
Balance of county	---	504	4	3	7
White	---	446	3	2	5
All other	---	58	1	1	2
Black	---	58	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
St. Lucie	1,201	1,244	24	16	9
White	1,011	1,047	10	7	3
All other	190	197	14	9	6
Black	189	196	14	9	6
Fort Pierce	---	538	12	8	7
White	---	375	1	-	1
All other	---	163	11	8	6
Black	---	162	11	8	6
Port St. Lucie	---	299	5	3	1
Balance of county	---	407	7	5	1
White	---	377	4	4	1
All other	---	30	3	1	-
Black	---	30	3	1	-
Santa Rosa	313	417	6	3	13
Sarasota	3,718	3,697	28	21	11
White	3,604	3,581	20	13	10
All other	114	116	8	8	1
Black	112	114	8	8	1
Sarasota	---	934	12	9	4
White	---	846	6	3	3
All other	---	88	6	6	1
Black	---	87	6	6	1
Venice	---	369	-	-	-
Balance of county	---	2,394	16	12	7
Seminole	1,547	1,632	26	13	26
White	1,363	1,429	21	10	15
All other	184	203	5	3	11
Black	177	196	4	2	9
Altamonte Springs	---	191	3	2	2
Casselberry	---	149	2	-	-
Longwood	---	107	3	3	3
Sanford	---	345	5	3	6
White	---	245	4	3	2
All other	---	100	1	-	4
Black	---	98	1	-	4
Winter Springs	---	76	-	-	1
Balance of county	---	764	13	5	14
Sumter	152	332	2	1	1
White	134	278	2	1	-
All other	18	54	-	-	1
Black	18	54	-	-	1
Suwannee	220	291	6	5	6
White	175	237	5	4	5
All other	45	54	1	1	1
Black	44	54	1	1	1
Taylor	116	167	3	1	6
White	92	134	2	-	3
All other	24	33	1	1	3
Black	24	33	1	1	3
Union	42	78	2	1	-
White	32	66	1	1	-
All other	10	12	1	-	-
Black	10	12	1	-	-
Volusia	4,080	4,206	40	24	25
White	3,771	3,909	27	15	19
All other	309	297	13	9	6
Black	304	293	13	9	6
Daytona Beach	---	927	15	11	2
White	---	754	7	4	2
All other	---	173	8	7	-
Black	---	173	8	7	-
De Land	---	308	1	-	-
White	---	272	-	-	-
All other	---	36	1	-	-
Black	---	36	1	-	-
New Smyrna Beach	---	260	1	-	3
White	---	248	-	-	2
All other	---	12	1	-	1
Black	---	10	1	-	1
Ormond Beach	---	473	2	-	-
Port Orange	---	282	4	4	-
South Daytona	---	140	1	1	1
Balance of county	---	1,816	16	8	19
Wakulla	56	114	1	-	3
White	40	97	-	-	2
All other	16	17	1	-	1
Black	16	17	1	-	1
Walton	176	255	4	2	7
White	164	236	4	2	7
All other	12	19	-	-	-
Black	12	19	-	-	-
Washington	129	178	2	-	2
White	116	154	2	-	-
All other	13	24	-	-	2
Black	13	24	-	-	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia	49,326	48,657	1,222	829	1,180
White	35,563	35,061	587	406	627
All other	13,763	13,596	635	423	553
Black	13,688	13,516	630	421	545
Appling	111	143	3	3	1
White	93	122	1	1	-
All other	18	21	2	2	1
Black	18	21	2	2	1
Atkinson	11	60	2	2	1
White	9	48	2	2	-
All other	2	12	-	-	1
Black	2	12	-	-	1
Bacon	60	86	-	-	-
White	56	76	-	-	-
All other	4	10	-	-	-
Black	4	10	-	-	-
Baker	9	37	-	-	1
White	5	21	-	-	-
All other	4	16	-	-	1
Black	4	16	-	-	1
Baldwin	381	294	5	2	4
White	242	185	3	1	2
All other	139	109	2	1	2
Black	139	109	2	1	2
Milledgeville	---	146	4	1	2
White	---	78	2	-	1
All other	---	68	2	1	1
Black	---	68	2	1	1
Balance of county	---	148	1	1	2
White	---	107	1	1	1
All other	---	41	-	-	1
Black	---	41	-	-	1
Banks	-	61	-	-	1
Barrow	166	245	4	3	5
White	142	210	2	2	4
All other	24	35	2	1	1
Black	24	35	2	1	1
Bartow	269	375	9	6	11
White	236	325	7	4	11
All other	33	50	2	2	-
Black	33	50	2	2	-
Ben Hill	191	199	5	4	1
White	143	151	2	1	-
All other	48	48	3	3	1
Black	48	48	3	3	1
Fitzgerald, part	---	125	4	3	1
White	---	87	1	-	-
All other	---	38	3	3	1
Black	---	38	3	3	1
Fitzgerald, total	---	125	4	3	1
White	---	87	1	-	-
All other	---	38	3	3	1
Black	---	38	3	3	1
Balance of county	---	74	1	1	-
White	---	64	1	1	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Berrien	84	157	-	-	2
White	72	139	-	-	2
All other	12	18	-	-	-
Black	12	18	-	-	-
Bibb	1,923	1,575	40	28	21
White	1,135	902	11	5	5
All other	788	673	29	23	16
Black	788	673	29	23	16
Macon, part	---	1,375	34	27	19
White	---	731	6	4	3
All other	---	644	28	23	16
Black	---	644	28	23	16
Macon, total	---	1,378	34	27	19
White	---	732	6	4	3
All other	---	646	28	23	16
Black	---	646	28	23	16
Balance of county	---	200	6	1	2
White	---	171	5	1	2
All other	---	29	1	-	-
Black	---	29	1	-	-
Bleckley	85	106	2	1	1
White	65	81	-	-	1
All other	20	25	2	1	-
Black	20	25	2	1	-
Brantley	28	95	3	2	2
Brooks	107	158	5	4	5
White	79	101	-	-	1
All other	28	57	5	4	4
Black	28	57	5	4	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Bryan	7	85	3	3	2
White	6	61	1	1	2
All other	1	24	2	2	-
Black	1	24	2	2	-
Bulloch	294	285	5	3	6
White	214	216	-	-	4
All other	80	69	5	3	2
Black	80	68	5	3	2
Statesboro	---	151	4	2	2
White	---	111	-	-	1
All other	---	40	4	2	1
Black	---	40	4	2	1
Balance of county	---	134	1	1	4
White	---	105	-	-	3
All other	---	29	1	1	1
Black	---	28	1	1	1
Burke	117	193	2	1	7
White	46	76	1	-	3
All other	71	117	1	1	4
Black	71	117	1	1	4
Butts	138	131	2	2	4
White	90	86	1	1	1
All other	48	45	1	1	3
Black	47	45	1	1	3
Calhoun	73	71	3	3	1
White	32	27	1	1	-
All other	41	44	2	2	1
Black	41	44	2	2	1
Camden	68	118	4	4	3
White	40	78	3	3	2
All other	28	40	1	1	1
Black	28	40	1	1	1
Candler	144	91	1	-	1
White	91	66	-	-	-
All other	53	25	1	-	1
Black	53	25	1	-	1
Carroll	460	485	10	8	12
White	387	405	7	5	10
All other	73	80	3	3	2
Black	73	80	3	3	2
Carrollton	---	131	2	2	2
White	---	103	1	1	2
All other	---	28	1	1	-
Black	---	28	1	1	-
Balance of county	---	354	8	6	10
White	---	302	6	4	8
All other	---	52	2	2	2
Black	---	52	2	2	2
Catoosa	589	292	1	1	6
Charlton	68	68	1	1	1
White	52	52	-	-	-
All other	16	16	1	1	1
Black	16	16	1	1	1
Chatham	2,378	2,003	56	34	49
White	1,484	1,183	17	9	20
All other	894	820	39	25	29
Black	889	814	38	25	29
Savannah	---	1,635	51	32	38
White	---	858	12	7	11
All other	---	777	39	25	27
Black	---	772	38	25	27
Balance of county	---	368	5	2	11
White	---	325	5	2	9
All other	---	43	-	-	2
Black	---	42	-	-	2
Chattahoochee	143	41	4	2	3
White	111	27	4	2	1
All other	32	14	-	-	2
Black	30	13	-	-	2
Chattooga	148	238	2	1	5
Cherokee	250	410	17	12	11
Clarke	988	507	12	8	7
White	750	344	4	2	3
All other	238	163	8	6	4
Black	237	160	8	6	4
Athens	---	344	8	7	3
White	---	211	1	1	-
All other	---	133	7	6	3
Black	---	130	7	6	3
Balance of county	---	163	4	1	4
White	---	133	3	1	3
All other	---	30	1	-	1
Black	---	30	1	-	1
Clay	41	45	1	1	1
White	19	20	-	-	-
All other	22	25	1	1	1
Black	22	25	1	1	1
Georgia-Con.					
Clayton	723	879	28	19	35
White	649	801	15	7	28
All other	74	78	13	12	7
Black	70	71	13	12	7
College Park, part	---	26	3	3	1
White	---	19	1	1	-
All other	---	7	2	2	1
Black	---	6	2	2	1
Forest Park	---	172	1	1	5
Balance of county	---	681	24	15	29
Clinch	50	64	1	1	2
White	33	50	-	-	-
All other	17	14	1	1	2
Black	17	14	1	1	2
Cobb	1,868	1,956	51	34	61
White	1,770	1,849	44	31	50
All other	98	107	7	3	11
Black	93	100	6	3	8
Marietta	---	388	15	12	20
White	---	336	13	11	12
All other	---	52	2	1	8
Black	---	50	2	1	7
Smyrna	---	218	3	-	2
Balance of county	---	1,350	33	22	39
Coffee	233	268	10	5	10
White	181	202	4	2	5
All other	52	66	6	3	5
Black	52	65	6	3	5
Douglas	---	126	7	3	6
White	---	83	1	-	3
All other	---	43	6	3	3
Black	---	42	6	3	3
Balance of county	---	142	3	2	4
White	---	119	3	2	2
All other	---	23	-	-	2
Black	---	23	-	-	2
Colquitt	318	372	15	11	15
White	240	285	6	5	12
All other	78	87	9	6	3
Black	78	87	9	6	3
Moultrie	---	179	7	5	7
White	---	115	3	3	4
All other	---	64	4	2	3
Black	---	64	4	2	3
Balance of county	---	193	8	6	8
White	---	170	3	2	8
All other	---	23	5	4	-
Black	---	23	5	4	-
Columbia	58	270	12	9	12
White	45	212	7	6	11
All other	13	58	5	3	1
Black	13	58	5	3	1
Cook	139	149	5	4	5
White	108	114	3	2	4
All other	31	35	2	2	1
Black	31	35	2	2	1
Coweta	372	385	11	6	7
White	273	271	8	4	3
All other	99	114	3	2	4
Black	99	114	3	2	4
Newnan	---	146	2	2	5
White	---	79	-	-	2
All other	---	67	2	2	3
Black	---	67	2	2	3
Balance of county	---	239	9	4	2
White	---	192	8	4	1
All other	---	47	1	-	1
Black	---	47	1	-	1
Crawford	45	86	1	-	3
White	26	47	-	-	3
All other	19	39	1	-	-
Black	19	39	1	-	-
Crisp	237	244	3	3	5
White	164	170	1	1	2
All other	73	74	2	2	3
Black	73	74	2	2	3
Cordele	---	148	1	1	3
White	---	84	-	-	1
All other	---	64	1	1	2
Black	---	64	1	1	2
Balance of county	---	96	2	2	2
White	---	86	1	1	1
All other	---	10	1	1	1
Black	---	10	1	1	1
Dade	41	97	3	3	2
Dawson	17	62	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Decatur	223	264	12	7	5
White	152	168	6	4	1
All other	71	96	6	3	4
Black	71	95	6	3	4
Bainbridge	---	145	5	3	2
White	---	88	3	2	-
All other	---	57	2	1	2
Black	---	56	2	1	2
Balance of county	---	119	7	4	3
White	---	80	3	2	1
All other	---	39	4	2	2
Black	---	39	4	2	2
De Kalb	3,186	3,196	89	67	78
White	2,622	2,369	42	35	33
All other	564	827	47	32	45
Black	553	816	46	31	42
Atlanta, part	---	538	19	15	18
White	---	201	7	7	3
All other	---	337	12	8	15
Black	---	337	12	8	15
Decatur	---	518	22	15	19
White	---	229	5	5	4
All other	---	289	17	10	15
Black	---	289	17	10	15
Balance of county	---	2,140	48	37	41
White	---	1,939	30	23	26
All other	---	201	18	14	15
Black	---	190	17	13	12
Dodge	148	190	7	4	7
White	104	142	1	-	2
All other	44	48	6	4	5
Black	43	47	6	4	5
Dooly	87	111	1	1	2
White	47	65	-	-	-
All other	40	46	1	1	2
Black	40	46	1	1	2
Dougherty	1,120	802	27	19	41
White	661	447	7	6	12
All other	459	355	20	13	29
Black	458	354	20	13	29
Albany	---	726	25	18	38
White	---	387	7	6	9
All other	---	339	18	12	29
Black	---	338	18	12	29
Balance of county	---	76	2	1	3
White	---	60	-	-	3
All other	---	16	2	1	-
Black	---	16	2	1	-
Douglas	361	377	9	6	4
Early	116	138	2	2	2
White	72	82	1	1	-
All other	44	56	1	1	2
Black	44	56	1	1	2
Echols	8	15	-	-	2
White	6	13	-	-	-
All other	2	2	-	-	2
Black	2	2	-	-	2
Effingham	75	150	3	2	1
White	56	110	1	-	1
All other	19	40	2	2	-
Black	19	40	2	2	-
Elbert	148	196	3	2	2
White	100	126	3	2	-
All other	48	70	-	-	2
Black	48	70	-	-	2
Emanuel	173	239	6	4	4
White	132	177	6	4	2
All other	41	62	-	-	2
Black	41	62	-	-	2
Evans	106	96	1	1	2
White	82	73	1	1	2
All other	24	23	-	-	-
Black	20	23	-	-	-
Fannin	129	191	3	2	2
Fayette	55	201	5	4	7
Floyd	1,076	793	10	8	16
White	916	666	7	6	9
All other	160	127	3	2	7
Black	160	127	3	2	7
Rome	---	429	6	4	5
White	---	326	4	3	2
All other	---	103	2	1	3
Black	---	103	2	1	3
Balance of county	---	364	4	4	11
Forsyth	181	230	3	1	5
Georgia-Con.					
Franklin	160	162	5	4	3
White	141	152	5	4	2
All other	19	10	-	-	1
Black	19	10	-	-	1
Fulton	7,864	5,834	136	89	139
White	4,547	2,975	24	17	42
All other	3,317	2,859	112	72	97
Black	3,302	2,848	112	72	97
Atlanta, part	---	4,312	98	65	85
White	---	1,692	12	8	11
All other	---	2,620	86	57	74
Black	---	2,615	86	57	74
Atlanta, total	---	4,850	117	80	103
White	---	1,893	19	15	14
All other	---	2,957	98	65	89
Black	---	2,952	98	65	89
College Park, part	---	194	10	5	15
White	---	105	1	-	4
All other	---	89	9	5	11
Black	---	86	9	5	11
College Park, total	---	220	13	8	16
White	---	124	2	1	4
All other	---	96	11	7	12
Black	---	92	11	7	12
East Point	---	328	8	6	6
White	---	253	2	2	4
All other	---	75	6	4	2
Black	---	75	6	4	2
Roswell	---	146	4	3	5
Balance of county	---	854	16	10	28
White	---	782	6	5	18
All other	---	72	10	5	10
Black	---	70	10	5	10
Gilmer	79	111	2	2	-
Glascock	22	39	1	1	-
White	18	35	1	1	-
All other	4	4	-	-	-
Black	4	4	-	-	-
Glynn	578	542	12	9	15
White	414	393	8	7	10
All other	164	149	4	2	5
Black	164	149	4	2	5
Brunswick	---	250	5	3	8
White	---	132	2	2	3
All other	---	118	3	1	5
Black	---	118	3	1	5
Balance of county	---	292	7	6	7
White	---	261	6	5	7
All other	---	31	1	1	-
Black	---	31	1	1	-
Gordon	207	261	4	4	4
Grady	123	193	11	7	4
White	77	136	3	2	-
All other	46	57	8	5	4
Black	46	57	8	5	4
Greene	97	136	8	5	7
White	52	63	2	2	3
All other	45	73	6	3	4
Black	45	73	6	3	4
Gwinnett	740	1,031	36	24	39
Habersham	203	244	4	4	4
Hall	801	640	8	4	18
Gainesville	---	194	2	1	8
White	---	156	1	1	6
All other	---	38	1	-	2
Black	---	38	1	-	2
Balance of county	---	446	6	3	10
Hancock	90	119	3	3	2
White	28	45	-	-	1
All other	62	74	3	3	1
Black	62	74	3	3	1
Haralson	153	201	7	4	6
Harris	59	156	3	3	6
White	43	116	2	2	3
All other	16	40	1	1	3
Black	16	40	1	1	3
Hart	163	205	6	4	3
White	142	175	3	2	2
All other	21	30	3	2	1
Black	21	30	3	2	1
Heard	34	82	4	2	1
White	29	73	3	1	-
All other	5	9	1	1	1
Black	5	9	1	1	1
Henry	269	311	4	2	5
White	216	250	3	1	4
All other	53	61	1	1	1
Black	53	61	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Houston	441	488	12	11	17
White	351	392	9	8	10
All other	90	96	3	3	7
Black	90	96	3	3	6
Warner Robins	---	276	6	5	12
White	---	233	5	4	8
All other	---	43	1	1	4
Black	---	43	1	1	3
Balance of county	---	212	6	6	5
White	---	159	4	4	2
All other	---	53	2	2	3
Black	---	53	2	2	3
Irwin	73	95	1	1	2
White	55	67	-	-	-
All other	18	28	1	1	2
Black	18	28	1	1	2
Fitzgerald, part	---	-	-	-	-
Balance of county	---	95	1	1	2
White	---	67	-	-	-
All other	---	28	1	1	2
Black	---	28	1	1	2
Jackson	166	268	5	4	5
White	146	238	2	2	3
All other	20	30	3	2	2
Black	20	30	3	2	2
Jasper	45	72	2	2	4
White	34	54	1	1	2
All other	11	18	1	1	2
Black	11	18	1	1	2
Jeff Davis	121	132	6	4	4
White	97	108	5	3	3
All other	24	24	1	1	1
Black	24	24	1	1	1
Jefferson	155	197	7	5	4
White	61	87	2	1	3
All other	94	110	5	4	1
Black	94	110	5	4	1
Jenkins	52	99	5	4	2
White	27	62	1	1	-
All other	25	37	4	3	2
Black	25	37	4	3	2
Johnson	23	82	2	2	-
White	17	64	-	-	-
All other	6	18	2	2	-
Black	6	18	2	2	-
Jones	84	127	3	2	5
White	60	90	2	1	1
All other	24	37	1	1	4
Black	24	37	1	1	4
Macon, part	---	3	-	-	-
White	---	1	-	-	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	124	3	2	5
White	---	89	2	1	1
All other	---	35	1	1	4
Black	---	35	1	1	4
Lamar	67	128	7	6	5
White	43	82	4	3	1
All other	24	46	3	3	4
Black	24	46	3	3	4
Lanier	52	52	1	1	2
White	43	41	1	1	1
All other	9	11	-	-	1
Black	9	11	-	-	1
Laurens	629	415	10	9	1
White	451	280	3	3	1
All other	178	135	7	6	-
Black	178	135	7	6	-
Dublin	---	202	5	5	-
White	---	116	1	1	-
All other	---	86	4	4	-
Black	---	86	4	4	-
Balance of county	---	213	5	4	1
White	---	164	2	2	1
All other	---	49	3	2	-
Black	---	49	3	2	-
Lee	10	88	3	2	2
White	6	60	1	-	2
All other	4	28	2	2	-
Black	4	28	2	2	-
Liberty	147	169	15	11	20
White	87	108	9	7	9
All other	60	61	6	4	11
Black	59	61	6	4	11
Hinesville	---	69	7	4	8
White	---	53	3	1	4
All other	---	16	4	3	4
Black	---	16	4	3	4
Georgia-Con.					
Balance of county	---	100	8	7	12
White	---	55	6	6	5
All other	---	45	2	1	7
Black	---	45	2	1	7
Lincoln	30	76	1	-	1
White	15	47	-	-	-
All other	15	29	1	-	1
Black	15	29	1	-	1
Long	12	44	1	-	-
White	11	35	1	-	-
All other	1	9	-	-	-
Black	1	9	-	-	-
Lowndes	631	542	16	10	13
White	421	339	6	2	2
All other	210	203	10	8	11
Black	210	203	10	8	11
Valdosta	---	368	15	10	9
White	---	203	5	2	1
All other	---	165	10	8	8
Black	---	165	10	8	8
Balance of county	---	174	1	-	4
White	---	136	1	-	1
All other	---	38	-	-	3
Black	---	38	-	-	3
Lumpkin	82	94	-	-	1
McDuffie	173	204	6	6	5
White	108	137	2	2	3
All other	65	67	4	4	2
Black	65	67	4	4	2
McIntosh	24	93	2	2	-
White	17	61	1	1	-
All other	7	32	1	1	-
Black	7	32	1	1	-
Macon	121	133	4	1	1
White	60	68	-	-	-
All other	61	65	4	1	1
Black	61	65	4	1	1
Madison	36	158	1	1	3
White	33	148	1	1	2
All other	3	10	-	-	1
Black	3	10	-	-	1
Marion	48	60	5	4	-
White	27	30	-	-	-
All other	21	30	5	4	-
Black	21	30	5	4	-
Meriwether	151	232	8	6	8
White	91	137	2	1	2
All other	60	95	6	5	6
Black	60	95	6	5	6
Miller	82	75	1	1	2
White	60	59	-	-	1
All other	22	16	1	1	1
Black	22	16	1	1	1
Mitchell	144	231	7	2	9
White	87	141	-	-	3
All other	57	90	7	2	6
Black	57	90	7	2	6
Monroe	165	145	5	3	2
White	123	96	3	2	2
All other	42	49	2	1	-
Black	42	49	2	1	-
Montgomery	8	82	3	2	2
White	5	61	2	2	2
All other	3	21	1	-	-
Black	3	21	1	-	-
Vidalia, part	---	-	-	-	-
Balance of county	---	82	3	2	2
White	---	61	2	2	2
All other	---	21	1	-	-
Black	---	21	1	-	-
Morgan	64	109	2	2	3
White	42	74	1	1	2
All other	22	35	1	1	1
Black	22	35	1	1	1
Murray	87	153	3	1	-
Muscogee	1,812	1,690	44	29	55
White	1,174	1,083	19	13	21
All other	638	547	25	16	34
Black	635	543	25	16	33
Columbus	---	1,597	37	26	52
White	---	1,058	16	11	20
All other	---	539	21	15	32
Black	---	535	21	15	32
Balance of county	---	33	7	3	3
Newton	257	333	5	4	6
White	184	236	5	4	2
All other	73	97	-	-	4
Black	73	97	-	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Covington	---	167	3	3	2
White	---	104	3	3	-
All other	---	63	-	-	2
Black	---	63	-	-	2
Balance of county	---	166	2	1	4
White	---	132	2	1	2
All other	---	34	-	-	2
Black	---	34	-	-	2
Oconee	30	90	1	1	1
White	29	82	1	1	1
All other	1	8	-	-	-
Black	1	8	-	-	-
Oglethorpe	6	73	2	-	-
White	5	51	1	-	-
All other	1	22	1	-	-
Black	1	22	1	-	-
Paulding	143	235	4	2	1
Peach	129	157	3	1	2
White	59	81	-	-	1
All other	70	76	3	1	1
Black	70	76	3	1	1
Pickens	110	132	4	4	3
Pierce	71	108	3	1	2
White	59	88	1	1	1
All other	12	20	2	-	1
Black	12	20	2	-	1
Pike	26	89	1	-	2
White	16	62	-	-	2
All other	10	27	1	-	-
Black	10	27	1	-	-
Polk	228	370	5	3	5
White	195	320	5	3	3
All other	33	50	-	-	2
Black	33	50	-	-	2
Pulaski	126	115	2	1	-
White	91	73	1	-	-
All other	35	42	1	1	-
Black	35	42	1	1	-
Putnam	88	95	2	1	3
White	48	58	-	-	2
All other	40	37	2	1	1
Black	40	37	2	1	1
Quitman	7	34	2	1	1
White	1	15	-	-	-
All other	6	19	2	1	1
Black	6	19	2	1	1
Rabun	117	120	-	-	4
Randolph	85	111	2	2	7
White	38	47	-	-	4
All other	47	64	2	2	3
Black	47	64	2	2	3
Richmond	3,385	1,671	48	33	45
White	2,166	1,004	19	13	16
All other	1,219	667	29	20	29
Black	1,209	658	29	20	29
Augusta	---	835	22	13	25
White	---	418	4	1	8
All other	---	417	18	12	17
Black	---	416	18	12	17
Balance of county	---	836	26	20	20
White	---	586	15	12	8
All other	---	250	11	8	12
Black	---	242	11	8	12
Rockdale	280	275	6	4	9
Schley	11	35	-	-	-
White	8	21	-	-	-
All other	3	14	-	-	-
Black	3	14	-	-	-
Screven	112	166	5	1	4
White	68	101	1	-	-
All other	44	65	4	1	4
Black	44	61	3	1	4
Seminole	67	112	1	-	3
White	54	92	-	-	-
All other	13	20	1	-	3
Black	13	20	1	-	3
Spalding	431	467	10	7	13
White	319	339	4	3	8
All other	112	128	6	4	5
Black	111	128	6	4	5
Griffin	---	309	5	3	6
White	---	204	-	-	3
All other	---	105	5	3	3
Black	---	105	5	3	3
Balance of county	---	158	5	4	7
White	---	135	4	3	5
All other	---	23	1	1	2
Black	---	23	1	1	2
Georgia-Con.					
Stephens	220	215	5	3	3
White	193	184	4	3	3
All other	27	31	1	-	-
Black	26	30	1	-	-
Stewart	38	70	4	2	2
White	13	23	1	1	-
All other	25	47	3	1	2
Black	25	47	3	1	2
Sumter	344	312	9	2	6
White	206	176	4	2	1
All other	138	136	5	-	5
Black	138	136	5	-	5
Americus	---	191	4	-	4
White	---	105	-	-	-
All other	---	86	4	-	4
Black	---	86	4	-	4
Balance of county	---	121	5	2	2
White	---	71	4	2	1
All other	---	50	1	-	1
Black	---	50	1	-	1
Talbot	19	71	-	-	-
White	7	26	-	-	-
All other	12	45	-	-	-
Black	12	45	-	-	-
Taliaferro	4	28	-	-	1
White	4	14	-	-	-
All other	-	14	-	-	1
Black	-	14	-	-	1
Tattnall	113	202	6	3	2
White	77	154	1	1	1
All other	36	48	5	2	1
Black	36	48	5	2	1
Taylor	27	103	1	1	-
White	17	61	-	-	-
All other	10	42	1	1	-
Black	10	42	1	1	-
Telfair	116	152	3	3	3
White	88	108	1	1	1
All other	28	44	2	2	2
Black	28	44	2	2	2
Terrell	78	121	6	3	8
White	29	55	1	-	1
All other	49	66	5	3	7
Black	49	66	5	3	7
Thomas	488	400	10	6	6
White	326	257	2	1	2
All other	162	143	8	5	4
Black	162	143	8	5	4
Thomasville	---	204	3	2	5
White	---	121	-	-	2
All other	---	83	3	2	3
Black	---	83	3	2	3
Balance of county	---	196	7	4	1
White	---	136	2	1	-
All other	---	60	5	3	1
Black	---	60	5	3	1
Tift	410	326	10	7	4
White	324	253	5	4	2
All other	86	73	5	3	2
Black	86	73	5	3	2
Tifton	---	162	4	2	3
White	---	135	2	2	1
All other	---	27	2	-	2
Black	---	27	2	-	2
Balance of county	---	164	6	5	1
White	---	118	3	2	1
All other	---	46	3	3	-
Black	---	46	3	3	-
Toombs	237	245	6	4	1
White	185	188	2	1	1
All other	52	57	4	3	-
Black	52	57	4	3	-
Vidalia, part	---	101	4	3	1
White	---	66	1	1	1
All other	---	35	3	2	-
Black	---	35	3	2	-
Vidalia, total	---	101	4	3	1
White	---	66	1	1	1
All other	---	35	3	2	-
Black	---	35	3	2	-
Balance of county	---	144	2	1	-
White	---	122	1	-	-
All other	---	22	1	1	-
Black	---	22	1	1	-
Towns	73	67	1	1	1
Treutlen	30	79	2	2	-
White	16	53	2	2	-
All other	14	26	-	-	-
Black	14	26	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Troup	641	581	9	6	8
White	453	403	5	3	3
All other	188	178	4	3	5
Black	188	178	4	3	5
La Grange	---	301	4	3	4
White	---	190	1	1	2
All other	---	111	3	2	2
Black	---	111	3	2	2
Balance of county	---	280	5	3	4
White	---	213	4	2	1
All other	---	67	1	1	3
Black	---	67	1	1	3
Turner	69	89	4	3	2
White	45	64	1	1	-
All other	24	25	3	2	2
Black	24	25	3	2	2
Twiggs	61	88	3	3	2
White	34	51	-	-	1
All other	27	37	3	3	1
Black	27	37	3	3	1
Union	112	121	1	1	1
Upson	335	302	4	3	7
White	229	222	1	1	5
All other	106	80	3	2	2
Black	106	79	3	2	2
Walker	120	549	12	7	7
Walton	178	281	5	1	10
White	143	233	3	1	7
All other	35	48	2	-	3
Black	34	47	2	-	3
Ware	440	375	12	10	12
White	354	285	7	6	10
All other	86	90	5	4	2
Black	84	89	5	4	2
Waycross	---	232	10	8	6
White	---	148	5	4	4
All other	---	84	5	4	2
Black	---	83	5	4	2
Balance of county	---	143	2	2	6
Warren	9	78	2	1	4
White	6	40	1	1	-
All other	3	38	1	-	4
Black	3	38	1	-	4
Washington	205	227	7	4	6
White	116	112	-	-	2
All other	89	115	7	4	4
Black	89	115	7	4	4
Wayne	242	192	8	6	2
White	184	159	6	5	1
All other	58	33	2	1	1
Black	58	33	2	1	1
Webster	7	32	-	-	-
White	4	22	-	-	-
All other	3	10	-	-	-
Black	3	10	-	-	-
Wheeler	83	54	-	-	1
White	51	41	-	-	-
All other	32	13	-	-	1
Black	32	13	-	-	1
White	53	105	4	3	2
Whitfield	594	519	6	3	11
Dalton	---	227	-	-	4
White	---	210	-	-	3
All other	---	17	-	-	1
Black	---	17	-	-	1
Balance of county	---	292	6	3	7
Wilcox	42	82	1	1	1
White	20	61	-	-	1
All other	22	21	1	1	-
Black	22	21	1	1	-
Wilkes	112	114	2	-	2
White	66	68	-	-	2
All other	46	46	2	-	-
Black	46	46	2	-	-
Wilkinson	34	105	1	-	3
White	19	66	1	-	1
All other	15	39	-	-	2
Black	15	39	-	-	2
Worth	82	169	5	4	4
White	48	117	2	2	1
All other	34	52	3	2	3
Black	34	52	3	2	3
Hawaii	6,116	5,825	162	107	163
White	2,009	1,802	35	27	37
All other	4,107	4,023	127	80	126
Black	65	53	18	13	10
Hawaii-Con.					
Hawaii	671	722	12	5	17
White	224	223	2	1	3
All other	447	499	10	4	14
Black	3	2	-	-	1
Hilo#	---	271	6	3	7
White	---	70	-	-	1
All other	---	201	6	3	6
Black	---	-	-	-	-
Balance of county	---	451	6	2	10
White	---	153	2	1	2
All other	---	298	4	1	8
Black	---	2	-	-	1
Honolulu	4,708	4,352	131	88	120
White	1,504	1,345	30	23	28
All other	3,204	3,007	101	65	92
Black	61	51	18	13	9
Aiea#	---	129	2	1	6
White	---	33	-	-	2
All other	---	96	2	1	4
Black	---	3	-	-	-
Ewa Beach#	---	105	4	3	5
White	---	33	3	3	1
All other	---	72	1	-	4
Black	---	1	-	-	-
Honolulu#	---	2,536	47	28	52
White	---	788	7	4	9
All other	---	1,748	40	24	43
Black	---	13	5	3	2
Kailua#	---	213	6	5	1
White	---	113	2	2	1
All other	---	100	4	3	-
Black	---	5	-	-	-
Kaneohe#	---	281	4	2	7
White	---	122	1	1	1
All other	---	159	3	1	6
Black	---	1	-	-	-
Mililani Town#	---	41	4	3	1
White	---	14	1	-	1
All other	---	27	3	3	-
Black	---	3	2	2	-
Mokapu#	---	5	3	2	4
White	---	5	3	2	3
All other	---	-	-	-	1
Black	---	-	-	-	1
Pearl City#	---	132	3	2	5
White	---	21	-	-	1
All other	---	111	3	2	4
Black	---	2	-	-	1
Schofield Barracks#	---	20	8	7	2
White	---	12	5	4	2
All other	---	8	3	3	-
Black	---	6	3	3	-
Wahiawa#	---	155	11	9	7
White	---	26	2	2	1
All other	---	129	9	7	6
Black	---	3	3	2	2
Waipahu#	---	180	6	5	11
White	---	25	1	1	-
All other	---	155	5	4	11
Black	---	4	2	2	-
Balance of county	---	555	33	21	19
White	---	153	5	4	6
All other	---	402	28	17	13
Black	---	10	3	1	3
Kalawao	-	-	-	-	-
White	-	-	-	-	-
All other	-	-	-	-	-
Black	-	-	-	-	-
Kauai	263	258	7	5	9
White	90	73	3	3	2
All other	173	185	4	2	7
Black	-	-	-	-	-
Maui	474	493	12	9	17
White	191	161	-	-	4
All other	283	332	12	9	13
Black	1	-	-	-	-
Kahului#	---	103	1	1	-
White	---	30	-	-	-
All other	---	73	1	1	-
Black	---	-	-	-	-
Wailuku#	---	87	5	4	1
White	---	19	-	-	-
All other	---	68	5	4	1
Black	---	-	-	-	-
Balance of county	---	303	6	4	16
White	---	112	-	-	4
All other	---	191	6	4	12
Black	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Idaho	6,836	7,115	183	111	128
White	6,726	7,005	178	109	121
All other	110	110	5	2	7
Black	23	20	-	-	-
Ada	1,434	1,211	33	16	24
Boise City	---	919	21	7	20
Balance of county	---	292	12	9	4
Adams	13	23	-	-	-
Bannock	474	439	13	4	12
Pocatello	---	340	10	4	12
Balance of county	---	99	3	-	-
Bear Lake	62	78	3	1	-
Benewah	62	77	3	2	-
Bingham	149	222	12	7	6
Blackfoot	---	79	2	2	4
Balance of county	---	143	10	5	2
White	---	130	9	4	2
All other	---	13	1	1	-
Black	---	-	-	-	-
Blaine	50	57	1	-	2
Boise	18	19	-	-	-
Bonner	152	201	-	-	3
Bonneville	513	392	14	7	15
Idaho Falls	---	304	8	4	13
Balance of county	---	88	6	3	2
Boundary	55	63	-	-	1
Butte	37	31	-	-	1
Camas	3	8	-	-	-
Canyon	663	696	14	11	8
Caldwell	---	180	4	2	-
White	---	178	4	2	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Nampa	---	276	4	3	4
Balance of county	---	240	6	6	4
Caribou	44	52	1	1	-
Cassia	133	134	2	1	5
Clark	5	2	-	-	-
Clearwater	66	72	2	1	1
Custer	22	36	-	-	-
Elmore	82	100	4	4	1
Franklin	55	70	1	-	2
Fremont	65	89	4	1	1
Gem	93	109	1	1	1
Gooding	75	111	2	2	-
Idaho	122	125	2	2	2
Jefferson	46	102	5	4	2
Jerome	112	120	5	4	3
Kootenai	469	518	9	5	7
Coeur d'Alene	---	276	5	3	2
Balance of county	---	242	4	2	5
Latah	172	198	2	1	3
Moscow	---	100	2	1	1
Balance of county	---	98	-	-	2
Lemhi	54	67	1	1	1
Lewis	14	39	1	-	-
Lincoln	23	37	-	-	-
Madison	88	97	11	6	4
Rexburg	---	43	4	1	4
Balance of county	---	54	7	5	-
Minidoka	95	134	5	5	4
Nez Perce	331	303	9	7	3
Lewiston	---	256	9	7	2
Balance of county	---	47	-	-	1
White	---	39	-	-	-
All other	---	8	-	-	1
Black	---	1	-	-	-
Oneida	35	40	-	-	-
Owyhee	38	65	-	-	2
Payette	69	139	4	2	-
Power	36	48	1	-	-
Shoshone	142	163	3	1	3
Teton	16	18	1	1	2
Twin Falls	518	471	12	11	7
Twin Falls	---	265	8	7	5
Balance of county	---	206	4	4	2
Valley	50	48	1	1	-
Washington	81	91	1	1	2
Illinois	99,429	102,279	2,123	1,441	1,454
White	85,071	87,709	1,284	893	945
All other	14,358	14,570	839	548	509
Black	13,986	14,185	828	542	482
Illinois-Con.					
Adams	943	844	10	3	7
Quincy	---	622	9	3	6
Balance of county	---	222	1	-	1
Alexander	86	185	1	1	3
White	50	128	-	-	-
All other	36	57	1	1	3
Black	36	57	1	1	3
Bond	153	176	1	1	2
Boone	219	241	5	5	4
Belvidere	---	143	2	2	2
Balance of county	---	98	3	3	2
Brown	26	75	-	-	-
Bureau	467	453	7	5	5
Calhoun	27	68	-	-	-
Carroll	135	204	3	2	2
Cass	126	186	1	1	1
Champaign	1,285	957	16	11	17
White	1,188	863	13	9	12
All other	97	94	3	2	5
Black	93	92	3	2	3
Champaign	---	368	7	5	6
White	---	309	4	3	4
All other	---	59	3	2	2
Black	---	58	3	2	2
Rantoul	---	57	1	-	3
White	---	53	1	-	2
All other	---	4	-	-	1
Black	---	4	-	-	-
Urbana	---	243	2	1	4
White	---	219	2	1	3
All other	---	24	-	-	1
Black	---	23	-	-	-
Balance of county	---	289	6	5	4
Christian	301	410	4	1	1
Taylorville	---	147	2	1	1
Balance of county	---	263	2	-	-
Clark	126	218	2	2	3
Clay	153	215	2	2	3
Clinton	210	320	4	2	2
Centralia, part	---	43	-	-	1
Balance of county	---	277	4	2	1
Coles	491	497	5	4	6
Charleston	---	124	4	3	1
Mattoon	---	270	1	1	2
Balance of county	---	103	-	-	3
Cook	47,678	48,261	1,214	814	747
White	35,705	36,290	544	376	374
All other	11,973	11,971	670	438	373
Black	11,685	11,684	663	435	360
Alsip	---	103	8	7	2
Arlington Heights, part	---	485	6	3	4
Arlington Heights, total	---	486	6	3	4
Bartlett, part	---	34	1	1	1
Bellwood	---	159	6	5	3
White	---	123	2	1	1
All other	---	36	4	4	2
Black	---	36	4	4	2
Bensenville, part	---	3	-	-	-
Berwyn	---	656	3	1	3
Blue Island	---	222	2	2	4
White	---	209	2	2	1
All other	---	13	-	-	3
Black	---	13	-	-	3
Bridgeview	---	164	2	-	-
Brookfield	---	211	-	-	1
Buffalo Grove, part	---	62	5	5	3
Buffalo Grove, total	---	94	6	5	6
Burbank	---	199	3	2	2
Calumet City	---	344	4	3	3
Chicago, part	---	29,023	899	592	529
White	---	18,170	303	212	193
All other	---	10,853	596	380	336
Black	---	10,645	590	378	327
Chicago, total	---	29,023	899	592	529
White	---	18,170	303	212	193
All other	---	10,853	596	380	336
Black	---	10,645	590	378	327
Chicago Heights	---	333	15	13	6
White	---	266	7	6	4
All other	---	67	8	7	2
Black	---	66	8	7	2
Chicago Ridge	---	112	5	-	1
Cicero	---	768	12	6	7
Country Club Hills	---	58	2	2	1
White	---	50	-	-	1
All other	---	8	2	2	-
Black	---	6	2	2	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Crestwood	---	138	1	-	1
Deerfield, part	---	4	-	-	1
Des Plaines	---	703	7	5	5
Dolton	---	221	2	1	3
Elgin, part	---	52	4	3	2
White	---	49	3	2	1
All other	---	3	1	1	1
Black	---	3	1	1	1
Elk Grove Village, part	---	152	4	2	3
Elk Grove Village, total	---	152	4	2	3
Elmwood Park	---	294	2	1	1
Evanston	---	716	9	5	6
White	---	575	5	2	5
All other	---	141	4	3	1
Black	---	138	4	3	1
Evergreen Park	---	298	2	2	2
Forest Park	---	182	-	-	-
White	---	175	-	-	-
All other	---	7	-	-	-
Black	---	3	-	-	-
Franklin Park	---	207	1	-	2
Glenview	---	320	8	4	6
Glenwood	---	70	3	2	1
White	---	64	2	1	-
All other	---	6	1	1	1
Black	---	6	1	1	1
Hanover Park, part	---	75	5	4	6
Hanover Park, total	---	95	6	4	7
Harvey	---	311	15	12	5
White	---	116	-	-	2
All other	---	195	15	12	3
Black	---	194	15	12	3
Hazel Crest	---	109	1	1	1
White	---	98	-	-	1
All other	---	11	1	1	-
Black	---	11	1	1	-
Hickory Hills	---	73	1	1	-
Hinsdale, part	---	19	-	-	-
Hoffman Estates	---	136	3	2	4
Homewood	---	188	4	2	1
Justice	---	79	3	2	4
White	---	76	3	2	4
All other	---	3	-	-	-
Black	---	3	-	-	-
La Grange	---	181	5	4	-
La Grange Park	---	174	-	-	2
Lansing	---	250	5	5	3
Lincolnwood	---	115	-	-	-
Markham	---	92	4	2	3
White	---	30	2	2	-
All other	---	62	2	-	3
Black	---	62	2	-	3
Matteson	---	75	1	1	-
White	---	71	1	1	-
All other	---	4	-	-	-
Black	---	3	-	-	-
Maywood	---	218	9	7	9
White	---	91	1	1	2
All other	---	127	8	6	7
Black	---	127	8	6	7
Melrose Park	---	200	4	4	4
Midlothian	---	99	2	1	-
Morton Grove	---	213	3	3	-
Mount Prospect	---	350	4	2	6
Niles	---	425	-	-	2
Norridge	---	215	2	1	-
Northbrook	---	291	4	3	4
Northlake	---	162	3	-	-
Oak Forest	---	151	3	3	4
Oak Lawn	---	598	6	4	3
Oak Park	---	473	7	6	7
White	---	450	4	3	7
All other	---	23	3	3	-
Black	---	21	3	3	-
Orland Park	---	177	2	2	1
Palatine	---	253	7	6	4
Palos Heights	---	140	2	1	1
Palos Hills	---	162	1	-	1
Park Forest, part	---	140	4	2	1
White	---	123	4	2	-
All other	---	17	-	-	1
Black	---	16	-	-	1
Park Forest, total	---	150	4	2	3
White	---	132	4	2	2
All other	---	18	-	-	1
Black	---	17	-	-	1
Park Ridge	---	381	1	1	2
Prospect Heights	---	60	2	1	-
Riverdale	---	171	7	7	-
River Forest	---	112	2	2	-
River Grove	---	104	-	-	1
Illinois-Con.					
Rolling Meadows	---	110	4	3	6
Roselle, part	---	18	1	1	-
Sauk Village	---	41	2	1	1
Schaumburg, part	---	262	6	5	5
Schaumburg, total	---	264	6	5	5
Schiller Park	---	63	3	2	1
Skokie	---	660	2	-	2
South Holland	---	249	1	1	-
Streamwood	---	89	4	3	3
Summit	---	76	1	1	-
White	---	67	-	-	-
All other	---	9	1	1	-
Black	---	8	1	1	-
Tinley Park, part	---	208	7	5	5
Tinley Park, total	---	208	7	5	5
Westchester	---	190	-	-	-
Western Springs	---	79	2	1	-
Wheeling, part	---	146	3	3	4
Wheeling, total	---	146	3	3	5
Wilmette	---	195	2	2	1
Winnetka	---	82	-	-	-
Worth	---	105	2	2	1
Balance of county	---	2,423	36	25	36
White	---	2,201	23	18	25
All other	---	222	13	7	11
Black	---	214	13	7	8
Crawford	184	232	3	3	1
Cumberland	47	125	-	-	-
De Kalb	456	475	12	10	9
De Kalb	---	133	4	4	5
Balance of county	---	342	8	6	4
De Witt	127	194	2	2	2
Douglas	138	196	1	1	4
Du Page	4,128	4,071	89	66	69
White	4,071	4,012	87	65	60
All other	57	59	2	1	9
Black	43	37	2	1	4
Addison	---	118	6	4	2
Aurora, part	---	8	1	1	1
Bartlett, part	---	27	1	1	1
Bartlett, total	---	61	2	2	2
Batavia, part	---	2	-	-	-
Bensenville, part	---	126	3	3	3
Bensenville, total	---	129	3	3	3
Bloomingdale	---	126	4	4	2
Bolingbrook, part	---	13	2	2	3
White	---	7	1	1	1
All other	---	6	1	1	2
Black	---	6	1	1	1
Carol Stream	---	55	2	2	3
Chicago, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Darien	---	74	1	1	1
Downers Grove	---	372	6	5	3
Elk Grove Village, part	---	-	-	-	-
Elmhurst	---	394	8	6	3
Glendale Heights	---	77	6	4	4
White	---	73	6	4	4
All other	---	4	-	-	-
Black	---	1	-	-	-
Glen Ellyn	---	128	3	-	2
Hanover Park, part	---	20	1	-	1
Hinsdale, part	---	120	-	-	2
Hinsdale, total	---	139	-	-	2
Lisle	---	75	-	-	2
Lombard	---	264	5	3	6
Naperville, part	---	277	6	4	3
Naperville, total	---	279	6	4	3
Roselle, part	---	65	1	1	1
Roselle, total	---	83	2	2	1
St. Charles, part	---	-	-	-	-
Schaumburg, part	---	2	-	-	-
Villa Park	---	161	4	1	3
West Chicago	---	94	4	3	-
White	---	94	4	3	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Westmont	---	189	4	3	1
Wheaton	---	311	6	6	4
Wood Dale	---	59	-	-	-
Woodridge	---	64	4	4	6
Balance of county	---	850	11	8	12
Edgar	213	260	3	2	3
Edwards	18	82	1	1	-
Effingham	356	287	1	-	4
Effingham	---	140	1	-	3
Balance of county	---	147	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Fayette	194	263	2	1	1
Ford	172	185	1	1	1
Franklin	479	602	5	5	7
Fulton	403	502	5	3	3
Canton	---	203	2	2	2
Balance of county	---	299	3	1	1
Gallatin	30	93	2	2	-
Greene	155	204	3	2	1
Grundy	191	233	7	6	3
Hamilton	110	115	2	2	-
Hancock	177	234	4	4	6
Hardin	72	80	-	-	1
Henderson	18	93	2	2	-
Henry	408	535	4	1	4
Kewanee	---	181	1	1	-
Balance of county	---	354	3	-	4
Iroquois	270	368	4	4	3
Jackson	482	433	6	5	5
White	435	393	3	2	4
All other	47	40	3	3	1
Black	46	39	2	2	1
Carbondale	---	124	4	3	2
White	---	96	1	-	1
All other	---	28	3	3	1
Black	---	27	2	2	1
Balance of county	---	309	2	2	3
Jasper	56	129	1	-	2
Jefferson	398	410	4	2	6
Mount Vernon	---	259	2	1	2
Balance of county	---	151	2	1	4
Jersey	180	189	1	-	-
Jo Daviess	101	205	7	3	3
Johnson	38	109	-	-	1
Kane	2,430	2,198	53	41	28
White	2,329	2,099	45	36	22
All other	101	99	8	5	6
Black	92	91	8	5	5
Aurora, part	---	700	18	14	11
White	---	638	12	10	9
All other	---	62	6	4	2
Black	---	58	6	4	1
Aurora, total	---	708	19	15	12
White	---	646	13	11	10
All other	---	62	6	4	2
Black	---	58	6	4	1
Batavia, part	---	135	-	-	1
Batavia, total	---	137	-	-	1
Carpentersville	---	134	5	4	4
Elgin, part	---	547	13	9	5
White	---	515	11	8	3
All other	---	32	2	1	2
Black	---	28	2	1	2
Elgin, total	---	599	17	12	7
White	---	564	14	10	4
All other	---	35	3	2	3
Black	---	31	3	2	3
St. Charles, part	---	138	9	8	1
St. Charles, total	---	138	9	8	1
Balance of county	---	544	8	6	6
Kankakee	913	907	26	23	15
White	767	748	12	11	7
All other	146	159	14	12	8
Black	143	157	14	12	8
Bourbonnais	---	81	4	3	-
Bradley	---	106	3	3	1
Kankakee	---	377	12	11	8
White	---	298	4	3	2
All other	---	79	8	8	6
Black	---	78	8	8	6
Balance of county	---	343	7	6	6
White	---	269	2	2	4
All other	---	74	5	4	2
Black	---	74	5	4	2
Kendall	104	228	5	5	7
Knox	671	638	4	4	6
Galesburg	---	382	4	4	1
Balance of county	---	256	-	-	5
Lake	3,049	2,826	87	60	67
White	2,856	2,638	68	47	57
All other	193	188	19	13	10
Black	185	180	19	13	8
Arlington Heights, part	---	1	-	-	-
Buffalo Grove, part	---	32	1	-	3
Deerfield, part	---	115	9	8	3
Deerfield, total	---	119	9	8	4
Highland Park	---	168	4	3	4
Lake Forest	---	110	-	-	-
Libertyville	---	115	4	3	2
Mundelein	---	93	3	2	2
North Chicago	---	134	6	4	6
White	---	74	2	1	1
All other	---	60	4	3	5
Black	---	60	4	3	5
Round Lake Beach	---	67	3	1	4
Waukegan	---	567	26	18	14
White	---	468	14	10	11
All other	---	99	12	8	3
Black	---	97	12	8	3
Wheeling, part	---	-	-	-	1
Zion	---	152	7	5	2
White	---	134	5	3	2
All other	---	18	2	2	-
Black	---	16	2	2	-
Balance of county	---	1,272	24	16	26
La Salle	1,058	1,154	9	6	8
La Salle	---	125	1	1	-
Ottawa	---	239	1	1	2
Peru	---	123	3	2	1
Streator, part	---	166	1	1	1
Streator, total	---	167	1	1	1
Balance of county	---	501	3	1	4
Lawrence	184	216	1	-	-
Lee	298	308	2	2	2
Dixon	---	153	-	-	2
Balance of county	---	155	2	2	-
Livingston	323	392	3	2	7
Pontiac	---	102	3	2	1
White	---	101	3	2	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Streator, part	---	1	-	-	-
Balance of county	---	289	-	-	6
Logan	276	348	5	4	4
Lincoln	---	193	4	3	3
Balance of county	---	155	1	1	1
McDonough	314	325	9	5	1
Macomb	---	173	5	3	1
Balance of county	---	152	4	2	-
McHenry	912	1,137	23	15	15
Crystal Lake	---	151	6	4	1
McHenry	---	151	2	1	2
Woodstock	---	131	-	-	1
Balance of county	---	704	15	10	11
McLean	880	912	24	20	10
Bloomington	---	483	15	12	8
Normal	---	161	6	5	2
Balance of county	---	268	3	3	-
Macon	1,284	1,125	24	13	7
White	1,210	1,045	16	9	4
All other	74	80	8	4	3
Black	74	80	8	4	3
Decatur	---	962	19	10	6
White	---	883	11	6	3
All other	---	79	8	4	3
Black	---	79	8	4	3
Balance of county	---	163	5	3	1
Macoupin	375	575	8	5	3
Madison	2,098	2,411	39	28	35
White	1,984	2,272	32	24	28
All other	114	139	7	4	7
Black	112	135	7	4	7
Alton	---	396	3	2	5
White	---	347	1	1	1
All other	---	49	2	1	4
Black	---	49	2	1	4
Collinsville, part	---	237	4	3	4
Collinsville, total	---	252	4	3	4
Edwardsville	---	154	-	-	-
Granite City	---	415	9	6	5
Wood River	---	105	2	2	-
Balance of county	---	1,104	21	15	21
Marion	561	538	9	5	8
Centralia, part	---	195	3	1	2
White	---	179	2	-	2
All other	---	16	1	1	-
Black	---	16	1	1	-
Centralia, total	---	238	3	1	3
White	---	221	2	-	3
All other	---	17	1	1	-
Black	---	17	1	1	-
Balance of county	---	343	6	4	6
Marshall	75	152	2	2	-
Mason	91	174	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Massac	132	160	1	1	-
Menard	57	126	4	3	1
Mercer	139	188	1	-	1
Monroe	120	203	2	2	2
Montgomery	414	387	3	3	6
Morgan	448	402	6	3	3
Jacksonville	---	288	4	2	2
Balance of county	---	114	2	1	1
Moultrie	102	185	3	3	1
Ogle	259	415	7	4	4
Peoria	2,467	1,794	37	24	16
White	2,337	1,664	21	13	8
All other	130	130	16	11	8
Black	129	128	15	10	8
Pekin, part	---	-	-	-	-
Peoria	---	1,208	29	17	11
White	---	1,081	13	6	4
All other	---	127	16	11	7
Black	---	125	15	10	7
Balance of county	---	586	8	7	5
Perry	201	246	5	3	6
Piatt	98	148	1	-	3
Pike	197	256	2	1	-
Pope	20	52	-	-	-
Pulaski	25	125	2	1	2
White	18	88	-	-	2
All other	7	37	2	1	-
Black	7	37	2	1	-
Putnam	11	48	1	-	-
Randolph	451	427	3	2	4
Richland	258	193	3	3	3
Rock Island	1,541	1,520	14	7	14
White	1,493	1,466	11	6	8
All other	48	54	3	1	6
Black	47	53	3	1	6
East Moline	---	202	1	-	2
White	---	189	1	-	1
All other	---	13	-	-	1
Black	---	13	-	-	1
Moline	---	435	2	2	3
Rock Island	---	503	6	3	6
White	---	468	3	2	2
All other	---	35	3	1	4
Black	---	35	3	1	4
Balance of county	---	380	5	2	3
St. Clair	2,591	2,687	55	36	55
White	1,994	1,984	18	13	25
All other	597	703	37	23	30
Black	589	698	37	23	29
Belleville	---	645	3	2	7
Cahokia	---	171	4	4	3
Collinsville, part	---	15	-	-	-
East St. Louis	---	575	31	18	21
White	---	50	-	-	-
All other	---	525	31	18	21
Black	---	525	31	18	21
Fairview Heights	---	111	-	-	1
O'Fallon	---	104	-	-	2
Balance of county	---	1,066	17	12	21
White	---	912	12	8	13
All other	---	154	5	4	8
Black	---	152	5	4	8
Saline	450	422	5	4	1
Harrisburg	---	152	3	2	1
Balance of county	---	270	2	2	-
Sangamon	2,331	1,668	28	19	15
White	2,216	1,564	18	14	12
All other	115	104	10	5	3
Black	114	102	10	5	3
Springfield	---	1,200	24	15	8
White	---	1,099	14	10	5
All other	---	101	10	5	3
Black	---	99	10	5	3
Balance of county	---	468	4	4	7
Schuyler	151	109	-	-	1
Scott	26	72	-	-	1
Shelby	119	225	7	4	4
Stark	44	69	-	-	2
Stephenson	434	444	2	1	6
Freeport	---	290	2	1	4
White	---	278	1	-	1
All other	---	12	1	1	3
Black	---	12	1	1	3
Balance of county	---	154	-	-	2
Tazewell	615	939	14	8	18
East Peoria	---	151	1	1	4
Morton	---	124	1	-	1
Pekin, part	---	315	9	4	8
Pekin, total	---	315	9	4	8
Washington	---	74	-	-	3
Balance of county	---	275	3	3	2
Union	193	214	1	1	2
Vermilion	1,239	995	16	11	17
Danville	---	470	9	6	9
White	---	412	7	5	8
All other	---	58	2	1	1
Black	---	57	2	1	1
Balance of county	---	525	7	5	8
Wabash	131	135	2	1	3
Warren	216	229	-	-	3
Monmouth	---	114	-	-	2
Balance of county	---	115	-	-	1
Washington	152	203	4	3	2
Wayne	135	192	1	-	-
White	187	251	2	1	1
Whiteside	474	550	10	7	8
Rock Falls	---	94	3	1	2
Sterling	---	197	4	3	3
Balance of county	---	259	3	3	3
Will	1,803	2,189	59	34	49
White	1,665	2,017	45	26	33
All other	138	172	14	8	16
Black	133	163	13	8	14
Bolingbrook, part	---	115	9	7	9
White	---	99	7	5	2
All other	---	16	2	2	7
Black	---	13	2	2	6
Bolingbrook, total	---	128	11	9	12
White	---	106	8	6	3
All other	---	22	3	3	9
Black	---	19	3	3	7
Joliet	---	909	23	10	14
White	---	799	14	6	7
All other	---	110	9	4	7
Black	---	106	8	4	6
Naperville, part	---	2	-	-	-
Park Forest, part	---	10	-	-	2
White	---	9	-	-	2
All other	---	1	-	-	-
Black	---	1	-	-	-
Romeoville	---	57	-	-	2
Tinley Park, part	---	-	-	-	-
Balance of county	---	1,096	27	17	22
White	---	1,052	24	15	20
All other	---	44	3	2	2
Black	---	43	3	2	2
Williamson	772	676	8	5	9
Herrin	---	166	1	1	-
Marion	---	175	2	1	-
Balance of county	---	335	5	3	3
Winnebago	2,345	2,097	32	22	29
White	2,223	1,967	21	14	24
All other	122	130	11	8	5
Black	117	127	11	8	5
Loves Park	---	99	5	2	2
Rockford	---	1,471	22	16	16
White	---	1,360	12	8	11
All other	---	111	10	8	5
Black	---	109	10	8	5
Balance of county	---	527	5	4	11
Woodford	158	260	2	2	3
Indiana	48,496	48,195	883	604	590
White	44,905	44,590	714	483	492
All other	3,591	3,605	169	121	98
Black	3,555	3,569	166	118	90
Adams	165	269	5	3	8
Allen	2,831	2,282	62	37	38
White	2,668	2,117	47	27	29
All other	163	165	15	10	9
Black	159	162	15	10	7
Fort Wayne	---	1,857	54	35	33
White	---	1,692	39	25	26
All other	---	165	15	10	7
Black	---	162	15	10	6
Balance of county	---	425	8	2	5
Bartholomew	485	454	7	5	4
Columbus	---	274	5	3	1
Balance of county	---	180	2	2	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Benton	31	101	-	-	1
Blackford	108	155	2	1	-
Boone	262	339	8	5	5
Lebanon	---	128	6	3	1
Balance of county	---	211	2	2	4
Brown	40	86	2	1	2
Carroll	76	181	1	1	4
Cass	296	366	5	2	3
Logansport	---	225	2	1	2
Balance of county	---	141	3	1	1
Clark	744	803	16	9	9
Clarksville	---	180	2	1	1
Jeffersonville	---	298	6	3	1
White	---	263	5	2	-
All other	---	35	1	1	1
Black	---	35	1	1	1
Balance of county	---	325	8	5	7
Clay	221	299	6	3	5
Clinton	275	335	5	5	4
Frankfort	---	192	2	2	4
Balance of county	---	143	3	3	-
Crawford	49	110	1	1	1
Daviess	268	265	-	-	3
Washington	---	137	-	-	2
Balance of county	---	128	-	-	1
Dearborn	351	345	5	3	4
Decatur	193	225	5	4	3
De Kalb	281	312	-	-	5
Delaware	1,168	1,029	18	13	10
Muncie	---	736	12	9	5
White	---	669	11	8	5
All other	---	67	1	1	-
Black	---	66	1	1	-
Balance of county	---	293	6	4	5
Dubois	326	297	6	3	1
Elkhart	1,188	1,178	29	17	17
Elkhart	---	491	12	6	5
White	---	459	10	5	4
All other	---	32	2	1	1
Black	---	31	2	1	1
Goshen	---	209	3	2	2
Balance of county	---	478	14	9	10
Fayette	217	265	4	3	1
Connersville	---	201	3	3	-
Balance of county	---	64	1	-	1
Floyd	569	542	-	-	6
New Albany	---	431	-	-	4
Balance of county	---	111	-	-	2
Fountain	83	207	2	2	1
Franklin	55	154	2	2	1
Fulton	162	207	4	4	3
Gibson	256	320	2	2	2
Grant	718	692	8	5	9
Marion	---	437	3	2	6
White	---	397	-	-	6
All other	---	40	3	2	-
Black	---	39	3	2	-
Balance of county	---	255	5	3	3
Greene	280	350	4	4	2
Hamilton	378	494	9	8	10
Carmel	---	130	-	-	-
Noblesville	---	130	4	4	4
Balance of county	---	234	5	4	6
Hancock	318	335	5	3	4
Greenfield	---	145	1	-	2
Balance of county	---	190	4	3	2
Harrison	183	232	4	1	2
Hendricks	422	475	10	8	6
Henry	387	496	4	4	3
New Castle	---	246	4	4	-
Balance of county	---	250	-	-	3
Howard	680	656	5	4	10
Kokomo	---	518	4	3	9
Balance of county	---	138	1	1	1
Huntington	292	372	9	6	3
Huntington	---	209	6	4	-
Balance of county	---	163	3	2	3
Jackson	343	368	4	4	2
Seymour	---	200	2	2	1
Balance of county	---	168	2	2	1
Jasper	138	192	3	1	-
Jay	158	220	4	1	3
Jefferson	344	282	3	-	-
Madison	---	164	1	-	-
Balance of county	---	118	2	-	-
Jennings	127	186	4	3	-
Johnson	477	612	11	7	10
Franklin	---	168	7	4	-
Greenwood	---	226	3	2	5
Balance of county	---	218	1	1	5
Knox	544	460	4	2	-
Vincennes	---	265	3	1	-
Balance of county	---	195	1	1	-
Kosciusko	357	489	20	17	9
Warsaw	---	118	2	1	1
Balance of county	---	371	18	16	8
Lagrange	167	188	6	5	4
Lake	4,768	4,367	93	61	66
White	3,738	3,279	57	37	39
All other	1,030	1,088	36	24	27
Black	1,027	1,085	36	24	27
Crown Point	---	219	2	2	3
East Chicago	---	350	9	7	7
White	---	230	7	6	6
All other	---	120	2	1	1
Black	---	120	2	1	1
Gary	---	1,329	33	19	32
White	---	428	7	2	9
All other	---	901	26	17	23
Black	---	901	26	17	23
Griffith	---	130	5	4	2
Hammond	---	807	20	14	9
White	---	760	15	10	8
All other	---	47	5	4	1
Black	---	46	5	4	1
Highland	---	182	3	3	2
Hobart	---	188	-	-	2
Lake Station	---	89	3	2	3
Merrillville	---	240	3	2	5
Munster	---	150	2	1	-
Schererville	---	70	3	2	-
Balance of county	---	613	10	5	1
La Porte	982	990	18	13	12
La Porte	---	284	3	1	3
Michigan City	---	398	10	8	3
White	---	338	5	4	3
All other	---	60	5	4	-
Black	---	59	5	4	-
Balance of county	---	308	5	4	6
Lawrence	367	424	6	5	8
Bedford	---	193	1	1	4
Balance of county	---	231	5	4	4
Madison	1,151	1,274	21	17	12
White	1,100	1,217	19	15	10
All other	51	57	2	2	2
Black	51	57	2	2	2
Anderson	---	731	11	8	7
White	---	674	9	6	5
All other	---	57	2	2	2
Black	---	57	2	2	2
Elwood, part	---	125	2	2	1
Elwood, total	---	126	2	2	1
Balance of county	---	418	8	7	4
Marion	8,684	6,887	195	139	103
White	7,205	5,426	115	78	61
All other	1,479	1,461	80	61	42
Black	1,471	1,453	80	61	42
Beech Grove	---	146	4	3	-
Indianapolis	---	6,558	187	134	102
White	---	5,105	107	73	60
All other	---	1,453	80	61	42
Black	---	1,445	80	61	42
Lawrence	---	30	1	1	-
White	---	30	1	1	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Speedway	---	44	-	-	-
Balance of county	---	109	3	1	1
Marshall	304	343	2	1	7
Martin	52	113	-	-	-
Miami	216	305	5	3	6
Peru	---	162	4	3	4
Balance of county	---	143	1	-	2
Monroe	686	566	9	6	6
Bloomington	---	340	4	3	3
Balance of county	---	226	5	3	3
Montgomery	315	358	5	4	4
Crawfordsville	---	191	3	2	-
Balance of county	---	167	2	2	4
Morgan	303	414	8	7	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Martinsville	---	145	3	3	2
Balance of county	---	269	5	4	2
Newton	84	125	2	1	-
Noble	226	308	4	4	4
Ohio	27	69	1	1	-
Orange	135	183	-	-	2
Owen	64	148	2	2	1
Parke	96	173	3	3	2
Perry	152	211	5	4	3
Pike	66	153	-	-	4
Porter	756	776	13	10	11
Portage	---	173	4	4	4
Valparaiso	---	241	3	2	4
Balance of county	---	362	6	4	3
Posey	74	227	1	1	1
Pulaski	113	133	3	2	5
Putnam	210	268	7	6	5
Randolph	158	270	2	1	3
Ripley	157	230	3	3	2
Rush	129	194	2	1	1
St. Joseph	2,520	2,248	39	20	17
White	2,338	2,074	28	14	12
All other	182	174	11	6	5
Black	180	171	10	5	3
Mishawaka	---	417	6	2	6
South Bend	---	1,231	25	13	9
White	---	1,062	15	8	5
All other	---	169	10	5	4
Black	---	168	10	5	3
Balance of county	---	600	8	5	2
Scott	124	149	5	4	2
Shelby	254	355	4	-	2
Shelbyville	---	176	1	-	1
Balance of county	---	179	3	-	1
Spencer	89	182	-	-	1
Starke	183	243	8	6	1
Steuben	164	209	3	1	5
Sullivan	186	253	-	-	1
Switzerland	29	73	2	2	-
Tippecanoe	1,289	886	20	13	17
Lafayette	---	481	12	6	9
West Lafayette	---	161	1	1	2
Balance of county	---	244	7	6	6
Tipton	133	170	1	-	2
Elwood, part	---	1	-	-	-
Balance of county	---	169	1	-	2
Union	25	75	2	1	-
Vanderburgh	2,468	1,795	22	15	13
White	2,327	1,665	20	15	12
All other	141	130	2	-	1
Black	139	129	2	-	1
Evansville	---	1,654	19	14	13
White	---	1,527	17	14	12
All other	---	127	2	-	1
Black	---	126	2	-	1
Balance of county	---	141	3	1	-
Vermillion	192	225	1	1	1
Vigo	1,338	1,166	15	11	15
Terre Haute	---	814	11	8	8
Balance of county	---	352	4	3	7
Wabash	314	353	4	1	4
Wabash	---	136	3	1	2
Balance of county	---	217	1	-	2
Warren	63	77	1	1	1
Warrick	223	330	3	2	2
Washington	183	221	2	1	1
Wayne	750	727	8	7	12
Richmond	---	504	8	7	6
Balance of county	---	223	-	-	6
Wells	313	236	9	6	-
White	155	249	5	4	1
Whitley	213	239	5	4	2
Iowa	27,413	27,834	391	243	246
White	27,040	27,482	372	230	237
All other	373	352	19	13	9
Black	322	313	13	7	6
Adair	78	103	1	1	-
Adams	62	54	-	-	1
Allamakee	183	182	4	2	2
Iowa-Con.					
Appanoose	193	223	1	-	-
Audubon	61	112	-	-	1
Benton	138	218	1	-	1
Black Hawk	1,266	1,083	9	6	3
Cedar Falls	---	234	1	1	1
Waterloo	---	684	5	2	2
White	---	623	5	2	2
All other	---	61	-	-	-
Black	---	58	-	-	-
Balance of county	---	165	3	3	-
Boone	241	280	4	3	1
Boone	---	166	3	2	-
Balance of county	---	114	1	1	1
Bremer	194	207	-	-	-
Buchanan	100	180	4	2	1
Buena Vista	245	262	-	-	4
Butler	82	181	2	1	2
Calhoun	177	211	2	1	-
Carroll	215	216	1	1	-
Cass	238	243	3	3	1
Cedar	102	171	1	-	2
Cerro Gordo	567	470	5	4	6
Mason City	---	332	4	3	5
Balance of county	---	138	1	1	1
Cherokee	176	184	1	1	3
Chickasaw	117	150	3	1	2
Clarke	91	112	-	-	1
Clay	172	169	1	1	1
Spencer	---	117	1	1	1
Balance of county	---	52	-	-	-
Clayton	180	261	3	3	1
Clinton	466	492	8	5	2
Clinton	---	303	5	4	1
Balance of county	---	189	3	1	1
Crawford	174	213	3	2	1
Dallas	153	269	3	2	4
Davis	107	108	3	1	2
Decatur	118	121	-	-	-
Delaware	138	177	1	1	3
Des Moines	597	522	9	8	3
Burlington	---	386	8	7	2
Balance of county	---	136	1	1	1
Dickinson	142	163	2	-	1
Dubuque	933	801	10	9	9
Dubuque	---	638	9	9	5
Balance of county	---	163	1	-	4
Emmet	131	143	2	1	1
Fayette	224	296	2	-	2
Floyd	217	247	6	4	2
Franklin	125	142	-	-	-
Fremont	104	111	1	-	1
Greene	142	159	-	-	2
Grundy	108	139	1	1	2
Guthrie	94	153	1	1	1
Hamilton	114	167	-	-	-
Hancock	118	142	1	1	2
Hardin	196	244	3	1	2
Harrison	137	204	5	4	1
Henry	176	209	3	2	3
Howard	124	144	1	1	1
Humboldt	102	130	1	-	-
Ida	96	103	1	1	4
Iowa	118	164	1	-	3
Jackson	188	228	4	1	-
Jasper	206	328	6	5	4
Newton	---	173	4	3	1
Balance of county	---	155	2	2	3
Jefferson	143	166	1	1	1
Johnson	1,536	484	15	9	7
Iowa City	---	282	7	2	2
Balance of county	---	202	8	7	5
Jones	128	184	2	2	1
Keokuk	96	168	3	3	1
Kossuth	118	205	4	3	1
Lee	409	456	3	3	2
Fort Madison	---	166	-	-	1
Keokuk	---	157	2	2	-
Balance of county	---	133	1	1	1
Linn	1,333	1,244	24	16	25

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Cedar Rapids	---	918	14	8	13
Marion	---	133	6	5	9
Balance of county	---	193	4	3	3
Louisa	59	101	-	-	1
Lucas	130	153	1	-	-
Lyon	76	122	-	-	2
Madison	115	152	1	-	1
Mahaska	212	268	2	2	5
Oskaloosa	---	159	1	1	4
Balance of county	---	109	1	1	1
Marion	297	288	3	2	3
Marshall	447	437	8	5	6
Marshalltown	---	311	5	3	3
Balance of county	---	126	3	2	3
Mills	66	138	1	1	-
Mitchell	179	154	1	1	1
Monona	173	177	-	-	3
Monroe	83	113	-	-	1
Montgomery	165	165	1	1	1
Muscatine	319	378	4	3	3
Muscatine	---	235	2	2	2
Balance of county	---	143	2	1	1
O'Brien	186	194	1	-	2
Osceola	79	96	-	-	-
Page	209	255	1	-	1
Palo Alto	134	149	-	-	-
Plymouth	209	246	1	1	3
Pocahontas	114	151	3	2	-
Polk	3,471	2,531	70	41	31
White	3,331	2,388	64	38	29
All other	140	143	6	3	2
Black	132	135	4	1	1
Ankeny	---	66	2	2	2
Des Moines	---	1,934	55	31	25
White	---	1,797	49	28	24
All other	---	137	6	3	1
Black	---	129	4	1	1
Urbandale	---	53	2	1	-
West Des Moines	---	194	3	1	-
Balance of county	---	284	8	6	4
Pottawattamie	740	801	22	14	6
Council Bluffs	---	589	18	11	6
Balance of county	---	212	4	3	-
Poweshiek	184	197	1	-	-
Ringgold	76	89	1	1	-
Sac	115	176	1	1	-
Scott	1,185	1,174	17	9	11
Bettendorf	---	175	1	1	2
Davenport	---	874	12	5	6
Balance of county	---	125	4	3	3
Shelby	135	155	1	1	2
Sioux	218	278	6	4	5
Story	430	426	11	6	4
Ames	---	168	5	5	4
Balance of county	---	258	6	1	-
Tama	123	232	3	3	-
Taylor	44	98	2	-	1
Union	149	166	-	-	1
Van Buren	81	117	2	-	1
Wapello	439	443	5	3	2
Ottumwa	---	349	2	1	1
Balance of county	---	94	3	2	1
Warren	117	244	4	4	2
Indianola	---	82	-	-	1
Balance of county	---	162	4	4	1
Washington	187	235	3	2	1
Wayne	95	138	-	-	-
Webster	473	473	7	3	5
Fort Dodge	---	359	4	1	3
Balance of county	---	114	3	2	2
Winnebago	98	139	1	1	2
Winneshiek	183	229	3	-	2
Woodbury	1,227	951	24	12	8
Sioux City	---	776	22	12	7
Balance of county	---	175	2	-	1
Worth	53	108	1	-	-
Wright	149	199	2	2	2
Kansas	21,526	22,057	369	237	273
White	20,441	20,965	317	205	225
All other	1,085	1,092	52	32	48
Black	1,004	1,009	47	30	42

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Allen	184	198	2	-	1
Anderson	105	123	-	-	3
Atchison	174	217	2	1	1
Atchison	---	163	2	1	-
White	---	153	2	1	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	54	-	-	1
Barber	57	67	1	-	1
Barton	324	314	3	2	7
Great Bend	---	152	2	1	4
Balance of county	---	162	1	1	3
Bourbon	218	190	1	-	1
Brown	135	156	3	2	-
Butler	294	371	7	7	5
El Dorado	---	137	4	4	2
Balance of county	---	234	3	3	3
Chase	38	54	-	-	-
Chautauqua	95	101	1	1	-
Cherokee	149	229	6	2	2
Cheyenne	25	41	1	1	-
Clark	47	38	-	-	-
Clay	116	120	1	-	-
Cloud	164	163	2	1	1
Coffey	62	115	-	-	-
Comanche	33	38	-	-	1
Cowley	355	399	5	3	2
Arkansas City	---	166	1	-	2
Winfield	---	121	3	3	-
Balance of county	---	112	1	-	-
Crawford	413	486	7	3	2
Pittsburg	---	239	4	1	2
Balance of county	---	247	3	2	-
Decatur	59	63	-	-	-
Dickinson	209	248	1	-	1
Doniphan	40	99	1	1	1
Douglas	400	430	11	6	6
Lawrence	---	320	9	4	4
White	---	295	6	3	3
All other	---	25	3	1	1
Black	---	22	1	-	1
Balance of county	---	110	2	2	2
Edwards	41	64	-	-	-
Elk	26	55	-	-	-
Ellis	233	188	6	4	1
Hays	---	105	5	3	-
Balance of county	---	83	1	1	1
Ellsworth	83	86	-	-	1
Finney	205	175	10	7	8
Garden City	---	142	5	3	6
White	---	138	5	3	5
All other	---	4	-	-	1
Black	---	3	-	-	-
Balance of county	---	33	5	4	2
Ford	237	211	7	4	3
Dodge City	---	158	6	4	2
Balance of county	---	53	1	-	1
Franklin	161	231	4	2	2
Ottawa	---	140	3	1	2
Balance of county	---	91	1	1	-
Geary	188	203	10	6	10
White	155	160	4	1	5
All other	33	43	6	5	5
Black	32	40	6	5	4
Junction City	---	154	6	5	5
White	---	117	3	1	1
All other	---	37	5	4	4
Black	---	34	5	4	4
Balance of county	---	49	2	1	5
White	---	43	1	-	4
All other	---	6	1	1	1
Black	---	6	1	1	-
Gove	31	43	-	-	-
Graham	30	40	-	-	-
Grant	64	54	1	-	2
Gray	18	38	2	2	1
Greeley	12	14	-	-	1
Greenwood	103	113	-	-	3
Hamilton	31	33	1	1	1
Harper	92	95	1	1	-
Harvey	424	323	6	5	3
Newton	---	203	5	5	2
Balance of county	---	120	1	-	1
Haskell	16	26	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kansas-Con.					
Hodgeman	12	20	-	-	1
Jackson	80	138	4	3	-
Jefferson	111	159	2	2	1
Jewell	31	67	-	-	-
Johnson	1,467	1,691	35	22	16
Leawood	---	57	-	-	1
Lenexa	---	120	4	2	-
Merriam	---	94	3	2	3
Olathe	---	197	11	10	6
Overland Park	---	494	6	3	3
Prairie Village	---	174	3	2	1
Shawnee	---	152	1	-	-
Balance of county	---	403	7	3	2
Kearny	23	29	2	1	1
Kingman	83	105	1	1	-
Kiowa	43	49	-	-	-
Labette	308	330	5	2	5
Parsons	---	165	1	1	1
White	---	160	1	1	1
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	165	4	1	4
Lane	8	27	-	-	2
Leavenworth	518	415	7	6	4
White	470	381	6	5	4
All other	48	34	1	1	-
Black	46	32	1	1	-
Leavenworth	---	302	3	3	2
White	---	270	2	2	2
All other	---	32	1	1	-
Black	---	31	1	1	-
Balance of county	---	113	4	3	2
Lincoln	44	71	-	-	-
Linn	56	109	1	1	1
Logan	35	37	-	-	-
Lyon	288	287	6	4	3
Emporia	---	200	5	3	3
Balance of county	---	87	1	1	-
McPherson	255	268	2	2	2
McPherson	---	104	-	-	1
Balance of county	---	164	2	2	1
Marion	161	180	-	-	2
Marshall	126	170	-	-	3
Meade	44	58	3	-	-
Miami	159	206	4	4	2
Mitchell	104	101	-	-	2
Montgomery	539	562	6	1	1
Coffeyville	---	212	2	-	1
White	---	188	2	-	-
All other	---	24	-	-	1
Black	---	24	-	-	1
Independence	---	149	1	1	-
White	---	133	1	1	-
All other	---	16	-	-	-
Black	---	15	-	-	-
Balance of county	---	201	3	-	-
Morris	82	93	-	-	-
Morton	37	41	1	1	-
Nemaha	119	131	-	-	-
Neosho	186	206	1	-	3
Chanute	---	123	1	-	2
Balance of county	---	83	-	-	1
Ness	37	47	-	-	-
Norton	82	97	1	1	-
Osage	131	154	1	1	1
Osborne	77	89	2	2	-
Ottawa	70	81	2	2	1
Pawnee	89	108	2	2	-
Phillips	96	127	1	-	1
Pottawatomie	120	141	5	3	2
Manhattan, part	---	-	-	-	-
Balance of county	---	141	5	3	2
Pratt	110	115	-	-	-
Rawlins	37	43	-	-	-
Reno	583	636	8	7	6
Hutchinson	---	435	7	6	4
Balance of county	---	201	1	1	2
Republic	98	100	2	1	1
Rice	109	140	-	-	3
Riley	236	240	8	6	7
White	227	230	6	4	6
All other	9	10	2	2	1
Black	8	9	2	2	-
Kansas-Con.					
Manhattan, part	---	176	6	6	6
Manhattan, total	---	176	6	6	6
Balance of county	---	64	2	-	1
White	---	64	2	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Rooks	57	78	-	-	2
Rush	34	63	-	-	2
Russell	74	107	-	-	2
Saline	472	421	8	5	10
Salina	---	359	8	5	10
Balance of county	---	62	-	-	-
Scott	47	43	1	-	1
Sedgwick	3,608	3,003	58	42	54
White	3,341	2,749	42	32	37
All other	267	254	16	10	17
Black	249	237	15	10	16
Wichita	---	2,600	51	37	49
White	---	2,346	35	27	32
All other	---	254	16	10	17
Black	---	237	15	10	16
Balance of county	---	403	7	5	5
Seward	151	127	-	-	1
Liberal	---	111	-	-	1
White	---	108	-	-	-
All other	---	3	-	-	1
Black	---	3	-	-	1
Balance of county	---	16	-	-	-
Shawnee	1,785	1,428	35	21	17
White	1,666	1,315	28	17	15
All other	119	113	7	4	2
Black	107	102	7	4	1
Topeka	---	1,238	30	20	14
White	---	1,128	23	16	12
All other	---	110	7	4	2
Black	---	100	7	4	1
Balance of county	---	190	5	1	3
Sheridan	30	24	-	-	-
Sherman	82	95	1	-	1
Smith	94	91	-	-	-
Stafford	67	69	-	-	-
Stanton	14	23	-	-	-
Stevens	36	43	1	1	2
Sumner	223	284	3	3	2
Thomas	74	69	-	-	3
Trego	54	54	-	-	-
Wabaunsee	39	80	2	1	-
Wallace	3	15	-	-	-
Washington	94	119	2	2	1
Wichita	13	18	-	-	-
Wilson	126	153	4	3	-
Woodson	31	62	1	-	-
Wyandotte	1,833	1,668	38	22	33
White	1,453	1,281	25	15	18
All other	380	387	13	7	15
Black	373	382	13	7	15
Kansas City	---	1,568	35	19	33
White	---	1,190	24	14	18
All other	---	378	11	5	15
Black	---	373	11	5	15
Balance of county	---	100	3	3	-
Kentucky	34,252	34,865	594	396	449
White	31,535	32,106	493	326	381
All other	2,717	2,759	101	70	68
Black	2,693	2,732	98	68	66
Adair	153	161	1	-	2
Allen	87	165	2	-	1
Anderson	47	125	3	3	3
Ballard	40	113	-	-	1
Barren	542	408	4	2	2
Glasgow	---	176	2	1	-
Balance of county	---	232	2	1	2
Bath	43	101	2	2	-
Bell	315	335	5	3	3
Middlesborough	---	154	3	2	-
Balance of county	---	181	2	1	3
Boone	419	335	9	2	5
Florence	---	169	3	1	4
Balance of county	---	166	6	1	1
Bourbon	131	187	3	2	4
White	108	154	1	1	4
All other	23	33	2	1	-
Black	23	33	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Boyd	510	564	6	5	6
Ashland	---	381	2	2	3
Balance of county	---	183	4	3	3
Boyle	304	280	3	3	-
Danville	---	162	2	2	-
White	---	136	1	1	-
All other	---	26	1	1	-
Black	---	26	1	1	-
Balance of county	---	118	1	1	-
Bracken	28	96	3	2	1
Breathitt	83	153	2	2	2
Breckinridge	152	200	5	4	2
Bullitt	79	252	3	2	8
Butler	75	137	2	2	-
Caldwell	166	207	1	1	4
Calloway	299	303	1	-	6
Murray	---	137	-	-	1
Balance of county	---	166	1	-	5
Campbell	834	880	15	8	12
Fort Thomas	---	172	2	2	-
Newport	---	258	5	1	8
Balance of county	---	450	8	5	4
Carlisle	13	76	3	3	1
Carroll	83	95	2	1	-
Carter	73	231	6	6	3
Casey	68	159	4	2	-
Christian	564	510	12	9	14
White	443	368	3	3	4
All other	121	142	9	6	10
Black	120	140	9	6	9
Hopkinsville	---	318	4	4	4
White	---	215	1	1	-
All other	---	103	3	3	4
Black	---	102	3	3	4
Balance of county	---	192	8	5	10
White	---	153	2	2	4
All other	---	39	6	3	6
Black	---	38	6	3	5
Clark	252	253	1	1	1
Winchester	---	182	1	1	-
White	---	159	1	1	-
All other	---	23	-	-	-
Black	---	22	-	-	-
Balance of county	---	71	-	-	1
Clay	181	185	5	1	2
Clinton	73	107	1	1	2
Crittenden	94	128	-	-	1
Cumberland	90	95	2	-	1
Daviess	842	746	11	10	6
Owensboro	---	548	9	8	4
Balance of county	---	198	2	2	2
Edmonson	34	93	2	2	2
Elliott	23	56	-	-	-
Estill	82	132	3	2	1
Fayette, coext. with Lexington-Fayette	3,330	1,613	39	26	32
White	2,982	1,337	28	17	22
All other	348	276	11	9	10
Black	346	275	11	9	10
Fleming	105	144	8	6	4
Floyd	415	444	6	4	7
Franklin	372	377	8	5	5
Frankfort	---	266	6	4	2
White	---	244	5	3	-
All other	---	22	1	1	2
Black	---	22	1	1	2
Balance of county	---	111	2	1	3
Fulton	124	132	1	1	-
White	110	116	1	1	-
All other	14	16	-	-	-
Black	14	16	-	-	-
Gallatin	15	61	-	-	-
Garrard	96	142	-	-	-
Grant	62	133	2	2	2
Graves	356	459	4	2	4
Mayfield	---	178	3	2	1
White	---	151	2	1	1
All other	---	27	1	1	-
Black	---	27	1	1	-
Balance of county	---	281	1	-	3
Grayson	168	224	3	3	4
Green	101	118	-	-	1
Greenup	315	293	2	1	2
Hancock	13	57	3	3	1
Kentucky-Con.					
Hardin	565	465	17	12	24
White	535	439	11	8	20
All other	30	26	6	4	4
Black	26	23	5	4	4
Elizabethtown	---	156	4	3	2
Radcliff	---	63	3	3	7
White	---	60	2	2	4
All other	---	3	1	1	3
Black	---	2	1	1	3
Balance of county	---	246	10	6	15
White	---	232	6	3	14
All other	---	14	4	3	1
Black	---	12	3	3	1
Harlan	316	385	5	4	6
Harrison	200	188	3	3	2
Hart	100	186	2	-	2
Henderson	399	402	5	5	5
Henderson	---	322	5	5	5
White	---	272	3	3	3
All other	---	50	2	2	2
Black	---	50	2	2	2
Balance of county	---	80	-	-	-
Henry	43	163	1	-	1
Hickman	25	76	2	2	-
White	22	64	2	2	-
All other	3	12	-	-	-
Black	3	12	-	-	-
Hopkins	645	502	6	3	5
Madisonville	---	209	4	2	2
White	---	170	3	2	1
All other	---	39	1	-	1
Black	---	39	1	-	1
Balance of county	---	293	2	1	3
Jackson	52	118	1	-	3
Jefferson	7,711	6,607	115	77	88
White	6,574	5,482	70	46	68
All other	1,137	1,125	45	31	20
Black	1,128	1,117	43	29	20
Jeffersontown	---	86	2	1	1
Louisville	---	3,803	58	33	44
White	---	2,831	26	11	31
All other	---	972	32	22	13
Black	---	967	32	22	13
St. Matthews	---	169	2	2	1
Shively	---	164	2	2	-
Balance of county	---	2,385	51	39	42
White	---	2,247	40	32	35
All other	---	138	11	7	7
Black	---	136	10	6	7
Jessamine	77	192	5	3	3
Nicholasville	---	103	4	3	-
Balance of county	---	89	1	-	3
Johnson	174	231	2	1	4
Kenton	1,229	1,342	33	22	17
Covington	---	667	20	11	11
Erlanger	---	99	1	1	-
Balance of county	---	576	12	10	6
Knott	81	170	2	2	-
Knox	193	322	4	2	10
Larue	53	140	3	1	2
Laurel	341	361	7	7	3
Lawrence	248	172	6	4	1
Lee	36	98	1	1	3
Leslie	64	106	3	2	3
Letcher	212	279	8	4	6
Lewis	48	120	1	1	1
Lincoln	158	204	6	4	-
Livingston	81	99	-	-	-
Logan	203	265	4	2	3
Lyon	34	70	-	-	-
McCracken	1,145	698	10	9	5
White	1,047	616	8	7	4
All other	98	82	2	2	1
Black	97	81	2	2	1
Paducah	---	445	3	3	3
White	---	371	2	2	2
All other	---	74	1	1	1
Black	---	74	1	1	1
Balance of county	---	253	7	6	2
McCreary	50	139	3	1	1
McLean	68	118	1	1	1
Madison	372	366	6	2	5
Richmond	---	136	2	1	2
White	---	122	2	1	1
All other	---	14	-	-	1
Black	---	14	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Balance of county	---	230	4	1	3
Magoffin	38	113	4	2	3
Marion	133	150	2	2	3
Marshall	226	286	2	1	1
Martin	39	102	6	5	3
Mason	236	209	2	1	-
Meade	52	130	6	3	4
Menifee	19	54	1	1	-
Mercer	134	186	5	3	1
Metcalfe	38	111	1	1	1
Monroe	127	163	3	2	2
Montgomery	202	185	3	2	2
Morgan	90	122	-	-	2
Muhlenberg	346	367	6	5	3
Nelson	152	224	3	-	6
Nicholas	62	70	1	1	2
Ohio	189	236	3	3	3
Oldham	74	165	1	1	5
Owen	66	115	1	1	-
Owsley	19	62	2	2	-
Pendleton	28	110	4	4	1
Perry	377	304	5	2	2
Pike	723	684	7	2	8
Powell	33	87	1	-	2
Pulaski	618	539	9	4	3
Somerset	---	177	1	1	3
Balance of county	---	362	8	3	-
Robertson	2	21	-	-	1
Rockcastle	123	137	-	-	1
Rowan	302	151	5	4	-
Russell	111	160	1	-	1
Scott	153	188	7	6	3
Georgetown	---	112	2	2	2
White	---	97	2	2	2
All other	---	15	-	-	-
Black	---	15	-	-	-
Balance of county	---	76	5	4	1
Shelby	261	240	1	1	3
White	245	219	1	1	2
All other	16	21	-	-	1
Black	16	21	-	-	1
Simpson	115	168	3	3	3
White	103	146	3	3	2
All other	12	22	-	-	1
Black	12	22	-	-	1
Spencer	9	41	2	2	-
Taylor	184	195	2	1	3
Todd	51	159	-	-	-
White	44	138	-	-	-
All other	7	21	-	-	-
Black	7	20	-	-	-
Trigg	81	121	1	-	-
White	71	109	-	-	-
All other	10	12	1	-	-
Black	9	11	1	-	-
Trimble	24	48	-	-	-
Union	82	157	4	2	2
White	75	141	3	2	2
All other	7	16	1	-	-
Black	7	16	1	-	-
Warren	852	615	16	13	4
Bowling Green	---	399	9	8	2
White	---	350	8	7	2
All other	---	49	1	1	-
Black	---	48	1	1	-
Balance of county	---	216	7	5	2
Washington	52	113	3	1	2
White	50	105	3	1	1
All other	2	8	-	-	1
Black	2	8	-	-	1
Wayne	91	168	-	-	2
Webster	45	166	2	-	2
Whitley	356	361	4	2	2
Wolfe	24	76	4	3	-
Woodford	139	157	1	1	1
Louisiana [5]	37,361	37,029	968	629	746
White	25,503	25,217	418	286	326
All other	11,858	11,812	550	343	420
Black	11,749	11,709	540	338	414

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Acadia	411	575	13	7	11
White	344	470	9	5	5
All other	67	105	4	2	6
Black	67	105	4	2	6
Crowley	---	198	6	3	4
White	---	151	3	2	1
All other	---	47	3	1	3
Black	---	47	3	1	3
Eunice, part	---	2	-	-	-
Balance of parish	---	375	7	4	7
White	---	317	6	3	4
All other	---	58	1	1	3
Black	---	58	1	1	3
Allen	214	237	3	2	5
White	168	191	2	1	4
All other	46	46	1	1	1
Black	44	44	1	1	1
Ascension	260	384	13	9	7
White	173	275	9	5	6
All other	87	109	4	4	1
Black	87	109	4	4	1
Assumption	108	183	5	3	4
White	63	107	2	1	1
All other	45	76	3	2	3
Black	45	76	3	2	3
Avoyelles	348	458	8	5	6
White	267	354	4	3	4
All other	81	104	4	2	2
Black	80	103	4	2	2
Beauregard	254	270	6	4	4
White	220	233	5	4	2
All other	34	37	1	-	2
Black	34	37	1	-	2
De Ridder, part	---	118	1	-	4
White	---	86	-	-	2
All other	---	32	1	-	2
Black	---	32	1	-	2
De Ridder, total	---	118	1	-	4
White	---	86	-	-	2
All other	---	32	1	-	2
Black	---	32	1	-	2
Balance of parish	---	152	5	4	-
Bienville	114	201	3	2	5
White	71	123	1	1	-
All other	43	78	2	1	5
Black	43	78	2	1	5
Bossier	432	536	13	6	11
White	345	405	11	5	9
All other	87	131	2	1	2
Black	86	129	2	1	2
Bossier City	---	307	8	5	7
White	---	259	7	4	6
All other	---	48	1	1	1
Black	---	46	1	1	1
Shreveport, part	---	-	-	-	-
Balance of parish	---	229	5	1	4
White	---	146	4	1	3
All other	---	83	1	-	1
Black	---	83	1	-	1
Caddo	3,642	2,549	64	37	44
White	2,320	1,566	21	14	14
All other	1,322	983	43	23	30
Black	1,318	980	43	23	30
Shreveport, part	---	2,180	60	34	38
White	---	1,313	18	11	10
All other	---	867	42	23	28
Black	---	865	42	23	28
Shreveport, total	---	2,180	60	34	38
White	---	1,313	18	11	10
All other	---	867	42	23	28
Black	---	865	42	23	28
Balance of parish	---	369	4	3	6
White	---	253	3	3	4
All other	---	116	1	-	2
Black	---	115	1	-	2
Calcasieu	1,516	1,438	34	29	19
White	1,175	1,100	19	17	7
All other	341	338	15	12	12
Black	340	337	15	12	12
Lake Charles	---	775	21	17	14
White	---	506	9	8	3
All other	---	269	12	9	11
Black	---	268	12	9	11
Sulphur	---	189	3	3	-
Balance of parish	---	474	10	9	5
White	---	419	8	7	4
All other	---	55	2	2	1
Black	---	55	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Caldwell	120	125	3	2	2
White	91	102	1	1	-
All other	29	23	2	1	2
Black	29	23	2	1	2
Cameron	48	74	2	2	3
Catahoula	101	119	2	-	4
White	67	85	-	-	3
All other	34	34	2	-	1
Black	34	34	2	-	1
Claiborne	174	227	6	2	2
White	93	121	2	-	-
All other	81	106	4	2	2
Black	80	105	4	2	2
Concordia	157	219	8	5	6
White	85	118	1	-	4
All other	72	101	7	5	2
Black	72	100	6	5	2
De Soto	186	306	3	2	5
White	104	151	1	-	2
All other	82	155	2	2	3
Black	82	155	2	2	3
East Baton Rouge	3,100	2,539	102	68	53
White	1,972	1,556	28	16	22
All other	1,128	983	74	52	31
Black	1,121	976	73	51	31
Baker	---	78	3	2	2
White	---	63	1	-	2
All other	---	15	2	2	-
Black	---	15	2	2	-
Baton Rouge	---	2,128	89	59	49
White	---	1,233	17	9	18
All other	---	895	72	50	31
Black	---	888	71	49	31
Balance of parish	---	333	10	7	2
White	---	260	10	7	2
All other	---	73	-	-	-
Black	---	73	-	-	-
East Carroll	101	142	5	4	4
White	26	41	1	1	1
All other	75	101	4	3	3
Black	75	100	4	3	3
East Feliciana	156	156	-	-	2
White	90	90	-	-	-
All other	66	66	-	-	2
Black	66	66	-	-	2
Evangeline	325	360	8	6	4
White	270	307	6	5	3
All other	55	53	2	1	1
Black	55	53	2	1	1
Franklin	182	281	7	5	5
White	128	198	2	1	1
All other	54	83	5	4	4
Black	54	83	5	4	4
Grant	83	198	2	1	8
White	67	162	1	1	5
All other	16	36	1	-	3
Black	16	36	1	-	3
Iberia	441	507	9	6	12
White	295	343	6	4	5
All other	146	164	3	2	7
Black	146	163	3	2	7
New Iberia	---	287	5	3	10
White	---	194	3	2	4
All other	---	93	2	1	6
Black	---	92	2	1	6
Balance of parish	---	220	4	3	2
White	---	149	3	2	1
All other	---	71	1	1	1
Black	---	71	1	1	1
Iberville	225	296	8	6	4
White	113	146	2	2	2
All other	112	150	6	4	2
Black	111	150	6	4	2
Jackson	123	195	4	2	1
White	88	146	4	2	1
All other	35	49	-	-	-
Black	35	49	-	-	-
Jefferson	3,333	3,248	80	51	51
White	2,794	2,761	46	33	29
All other	539	487	34	18	22
Black	525	473	33	17	20
Gretna	---	373	4	3	9
White	---	300	4	3	4
All other	---	73	-	-	5
Black	---	72	-	-	5
Harahan	---	80	-	-	-
Louisiana-Con.					
Kenner	---	355	9	7	6
White	---	292	5	5	5
All other	---	63	4	2	1
Black	---	61	4	2	1
Westwego	---	146	6	4	4
White	---	119	4	3	3
All other	---	27	2	1	1
Black	---	26	2	1	1
Balance of parish	---	2,294	61	37	32
White	---	1,970	33	22	17
All other	---	324	28	15	15
Black	---	314	27	14	13
Jefferson Davis	244	313	7	6	2
White	199	256	6	5	2
All other	45	57	1	1	-
Black	44	56	1	1	-
Jennings	---	119	3	2	1
White	---	91	2	1	1
All other	---	28	1	1	-
Black	---	28	1	1	-
Balance of parish	---	194	4	4	1
White	---	165	4	4	1
All other	---	29	-	-	-
Black	---	28	-	-	-
Lafayette	1,564	1,030	34	27	29
White	1,102	744	18	17	13
All other	462	286	16	10	16
Black	457	284	16	10	16
Lafayette	---	702	25	19	19
White	---	473	12	11	8
All other	---	229	13	8	11
Black	---	227	13	8	11
Balance of parish	---	328	9	8	10
White	---	271	6	6	5
All other	---	57	3	2	5
Black	---	57	3	2	5
Lafourche	535	563	12	5	11
White	456	478	8	5	8
All other	79	85	4	-	3
Black	76	83	3	-	3
Thibodaux	---	140	4	1	-
White	---	94	2	1	-
All other	---	46	2	-	-
Black	---	46	2	-	-
Balance of parish	---	423	8	4	11
La Salle	137	169	1	-	3
White	118	148	-	-	3
All other	19	21	1	-	-
Black	19	21	1	-	-
Lincoln	288	310	5	5	3
White	197	191	1	1	2
All other	91	119	4	4	1
Black	91	119	4	4	1
Ruston	---	146	3	3	2
White	---	90	1	1	2
All other	---	56	2	2	-
Black	---	56	2	2	-
Balance of parish	---	164	2	2	1
White	---	101	-	-	-
All other	---	63	2	2	1
Black	---	63	2	2	1
Livingston	203	398	15	9	8
Madison	141	177	4	3	7
White	53	69	-	-	-
All other	88	108	4	3	7
Black	87	107	4	3	7
Tallulah	---	144	3	2	6
White	---	50	-	-	-
All other	---	94	3	2	6
Black	---	93	3	2	6
Balance of parish	---	33	1	1	1
White	---	19	-	-	-
All other	---	14	1	1	1
Black	---	14	1	1	1
Morehouse	302	354	10	6	4
White	207	222	4	3	1
All other	95	132	6	3	3
Black	95	132	6	3	3
Bastrop	---	192	4	2	3
White	---	115	-	-	-
All other	---	77	4	2	3
Black	---	77	4	2	3
Balance of parish	---	162	6	4	1
White	---	107	4	3	1
All other	---	55	2	1	-
Black	---	55	2	1	-
Natchitoches	263	395	4	-	9
White	157	244	2	-	2
All other	106	151	2	-	7
Black	106	151	2	-	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Natchitoches	---	175	2	-	6
White	---	83	1	-	1
All other	---	92	1	-	5
Black	---	92	1	-	5
Balance of parish	---	220	2	-	3
White	---	161	1	-	1
All other	---	59	1	-	2
Black	---	59	1	-	2
Orleans, coext. with New Orleans city	6,966	6,075	173	115	147
White	3,688	3,078	35	24	27
All other	3,278	2,997	138	91	120
Black	3,244	2,970	134	88	118
Ouachita	1,450	1,222	34	23	24
White	990	860	12	9	8
All other	460	362	22	14	16
Black	458	360	22	14	16
Monroe	---	654	22	16	18
White	---	367	4	4	4
All other	---	287	18	12	14
Black	---	285	18	12	14
West Monroe	---	231	4	2	1
White	---	197	2	1	1
All other	---	34	2	1	-
Black	---	34	2	1	-
Balance of parish	---	337	8	5	5
White	---	296	6	4	3
All other	---	41	2	1	2
Black	---	41	2	1	2
Plaquemines	105	181	4	-	3
White	73	126	2	-	2
All other	32	55	2	-	1
Black	27	49	2	-	1
Pointe Coupee	175	228	3	3	1
White	93	127	2	2	-
All other	82	101	1	1	1
Black	82	101	1	1	1
Rapides	1,716	1,207	20	14	19
White	1,195	824	11	7	12
All other	521	383	9	7	7
Black	519	381	9	7	7
Alexandria	---	576	10	8	13
White	---	308	3	2	6
All other	---	268	7	6	7
Black	---	268	7	6	7
Pineville	---	184	7	5	2
White	---	139	5	4	2
All other	---	45	2	1	-
Black	---	44	2	1	-
Balance of parish	---	447	3	1	4
White	---	377	3	1	4
All other	---	70	-	-	-
Black	---	69	-	-	-
Red River	131	130	3	1	4
White	89	99	1	-	2
All other	42	31	2	1	2
Black	41	30	2	1	2
Richland	301	258	8	4	3
White	202	165	1	1	2
All other	99	93	7	3	1
Black	99	93	7	3	1
Sabine	189	247	4	4	6
White	152	203	3	3	4
All other	37	44	1	1	2
Black	37	44	1	1	2
St. Bernard	429	530	7	7	9
St. Charles	137	247	12	8	9
White	103	189	8	6	4
All other	34	58	4	2	5
Black	34	58	4	2	5
St. Helena	46	77	4	2	1
White	28	42	-	-	-
All other	18	35	4	2	1
Black	18	35	4	2	1
St. James	86	164	3	3	6
White	47	93	2	2	3
All other	39	71	1	1	3
Black	39	71	1	1	3
St. John the Baptist	202	214	16	12	5
White	149	122	3	1	2
All other	53	92	13	11	3
Black	53	92	13	11	3
St. Landry	688	910	18	10	18
White	450	556	7	5	6
All other	238	354	11	5	12
Black	238	354	11	5	12
Louisiana-Con.					
Eunice, part	---	149	2	2	3
White	---	118	2	2	-
All other	---	31	-	-	3
Black	---	31	-	-	3
Eunice, total	---	151	2	2	3
White	---	120	2	2	-
All other	---	31	-	-	3
Black	---	31	-	-	3
Opelousas	---	254	5	1	6
White	---	113	-	-	2
All other	---	141	5	1	4
Black	---	141	5	1	4
Balance of parish	---	507	11	7	9
White	---	325	5	3	4
All other	---	182	6	4	5
Black	---	182	6	4	5
St. Martin	200	314	10	6	15
White	144	225	6	5	8
All other	56	89	4	1	7
Black	56	89	4	1	7
St. Mary	389	492	11	7	13
White	252	310	4	2	8
All other	137	182	7	5	5
Black	132	175	7	5	5
Morgan City	---	150	-	-	3
White	---	114	-	-	2
All other	---	36	-	-	1
Black	---	33	-	-	1
Balance of parish	---	342	11	7	10
White	---	196	4	2	6
All other	---	146	7	5	4
Black	---	142	7	5	4
St. Tammany	822	908	28	22	21
White	708	783	23	18	17
All other	114	125	5	4	4
Black	113	125	5	4	4
Slidell	---	216	8	7	9
Balance of parish	---	692	20	15	12
White	---	582	15	11	9
All other	---	110	5	4	3
Black	---	110	5	4	3
Tangipahoa	725	734	15	10	8
White	523	496	6	5	4
All other	202	238	9	5	4
Black	202	238	9	5	4
Hammond	---	148	6	3	1
White	---	69	1	1	-
All other	---	79	5	2	1
Black	---	79	5	2	1
Balance of parish	---	586	9	7	7
White	---	427	5	4	4
All other	---	159	4	3	3
Black	---	159	4	3	3
Tensas	79	103	2	1	1
White	30	38	2	1	-
All other	49	65	-	-	1
Black	49	65	-	-	1
Terrebonne	686	641	21	13	17
White	523	498	11	8	11
All other	163	143	10	5	6
Black	149	129	9	5	5
Houma	---	290	12	8	11
White	---	219	5	4	6
All other	---	71	7	4	5
Black	---	70	7	4	4
Balance of parish	---	351	9	5	6
White	---	279	6	4	5
All other	---	72	3	1	1
Black	---	59	2	1	1
Union	213	259	6	4	4
White	155	191	2	1	1
All other	58	68	4	3	3
Black	58	68	4	3	3
Vermilion	367	435	7	5	10
White	326	377	3	2	7
All other	41	58	4	3	3
Black	41	57	4	3	3
Abbeville	---	149	5	3	3
White	---	110	1	-	3
All other	---	39	4	3	-
Black	---	39	4	3	-
Balance of parish	---	286	2	2	7
Vermon	238	345	23	9	11
White	202	298	16	4	5
All other	36	47	7	5	6
Black	36	47	7	5	5
De Ridder, part	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Balance of parish	---	345	23	9	11
White	---	298	16	4	5
All other	---	47	7	5	6
Black	---	47	7	5	5
Washington	453	513	7	1	14
White	326	356	1	-	5
All other	127	157	6	1	9
Black	126	156	6	1	9
Bogalusa	---	247	3	-	6
White	---	164	1	-	1
All other	---	83	2	-	5
Black	---	82	2	-	5
Balance of parish	---	266	4	1	8
White	---	192	-	-	4
All other	---	74	4	1	4
Black	---	74	4	1	4
Webster	365	503	10	8	2
White	245	349	5	5	-
All other	120	154	5	3	2
Black	119	153	5	3	2
Minden	---	177	2	2	1
White	---	111	1	1	-
All other	---	66	1	1	1
Black	---	65	1	1	1
Balance of parish	---	326	8	6	1
White	---	238	4	4	-
All other	---	88	4	2	1
Black	---	88	4	2	1
West Baton Rouge	60	140	6	5	9
White	35	75	2	2	3
All other	25	65	4	3	6
Black	25	64	3	3	6
West Carroll	93	156	4	2	2
White	81	128	2	1	1
All other	12	28	2	1	1
Black	12	28	2	1	1
West Feliciana	61	55	3	2	1
White	37	24	2	2	-
All other	24	31	1	-	1
Black	24	31	1	-	1
Winn	158	209	3	1	5
White	111	154	1	-	3
All other	47	55	2	1	2
Black	47	55	2	1	2
Maine	11,413	11,420	154	110	105
White	11,365	11,373	153	110	104
All other	48	47	1	-	1
Black	22	22	1	-	-
Androscoggin	1,050	1,022	19	15	14
Auburn	---	267	7	6	1
Lewiston	---	490	5	4	7
Balance of county	---	265	7	5	6
Aroostook	760	818	8	4	6
Presque Isle	---	112	2	2	-
Balance of county	---	706	6	2	6
Cumberland	2,725	2,250	35	25	16
Portland	---	852	13	10	5
South Portland	---	254	7	6	2
Westbrook	---	150	2	-	-
Balance of county	---	994	13	9	9
Franklin	230	240	5	4	2
Hancock	449	481	4	2	1
Kennebec	1,508	1,148	11	8	11
Augusta	---	325	3	2	4
Waterville	---	198	3	3	2
Balance of county	---	625	5	3	5
Knox	402	376	3	1	2
Lincoln	226	319	1	1	2
Oxford	463	560	8	6	3
Penobscot	1,267	1,166	24	16	12
Bangor	---	306	8	6	5
Balance of county	---	860	16	10	7
Piscataquis	167	179	1	-	2
Sagadahoc	210	279	5	5	3
Bath	---	125	2	2	1
Balance of county	---	154	3	3	2
Somerset	366	467	5	4	5
Waldo	217	311	2	2	7
Washington	303	401	4	4	3
York	1,070	1,403	19	13	16
Biddeford	---	241	6	4	2
Saco	---	158	2	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maine-Con.					
Balance of county	---	1,004	11	8	12
Maryland	35,955	36,620	808	556	550
White	28,263	28,506	411	273	291
All other	7,692	8,114	397	283	259
Black	7,507	7,912	385	276	250
Allegany	1,132	1,016	5	5	9
Cumberland	---	486	2	2	4
Balance of county	---	530	3	3	5
Anne Arundel	1,968	2,573	61	38	38
White	1,723	2,252	42	26	30
All other	245	321	19	12	8
Black	240	314	19	12	8
Annapolis	---	364	6	4	6
White	---	245	3	2	2
All other	---	119	3	2	4
Black	---	119	3	2	4
Balance of county	---	2,209	55	34	32
White	---	2,007	39	24	28
All other	---	202	16	10	4
Black	---	195	16	10	4
Baltimore	4,971	5,897	78	59	61
White	4,698	5,525	61	45	48
All other	273	372	17	14	13
Black	261	348	16	14	13
Baltimore city	11,780	9,744	222	152	169
White	6,996	5,197	51	31	46
All other	4,784	4,547	171	121	123
Black	4,738	4,531	171	121	123
Calvert	252	302	6	5	8
White	205	236	6	5	7
All other	47	66	-	-	1
Black	47	66	-	-	1
Caroline	93	273	4	3	3
White	84	232	1	-	1
All other	9	41	3	3	2
Black	9	40	3	3	2
Carroll	642	794	12	9	11
Cecil	504	447	8	8	6
Charles	346	473	16	10	11
White	262	356	11	7	6
All other	84	117	5	3	5
Black	83	116	5	3	5
Dorchester	311	399	3	3	3
White	229	297	-	-	-
All other	82	102	3	3	3
Black	82	102	3	3	3
Cambridge	---	170	1	1	3
White	---	108	-	-	-
All other	---	62	1	1	3
Black	---	62	1	1	3
Balance of county	---	229	2	2	-
White	---	189	-	-	-
All other	---	40	2	2	-
Black	---	40	2	2	-
Frederick	823	958	21	13	15
Frederick	---	363	6	4	6
White	---	312	3	2	6
All other	---	51	3	2	-
Black	---	50	3	2	-
Balance of county	---	595	15	9	9
White	---	565	13	8	9
All other	---	30	2	1	-
Black	---	29	2	1	-
Garrett	246	257	5	1	1
Harford	969	1,055	22	14	11
White	885	962	19	12	10
All other	84	93	3	2	1
Black	78	88	3	2	1
Aberdeen	---	93	3	-	1
White	---	67	2	-	-
All other	---	26	1	-	1
Black	---	25	1	-	1
Balance of county	---	962	19	14	10
White	---	895	17	12	10
All other	---	67	2	2	-
Black	---	63	2	2	-
Howard	544	687	15	10	16
White	484	611	9	7	13
All other	60	76	6	3	3
Black	55	67	4	2	3
Kent	181	209	3	-	4
White	148	169	3	-	1
All other	33	40	-	-	3
Black	33	40	-	-	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Maryland-Con.					
Montgomery	4,380	4,128	88	56	48
White	3,930	3,711	66	45	29
All other	450	417	22	11	19
Black	381	342	18	10	10
Gaithersburg	---	250	10	4	5
White	---	194	7	4	4
All other	---	56	3	-	1
Black	---	48	3	-	-
Rockville	---	635	10	7	3
White	---	578	9	7	1
All other	---	57	1	-	2
Black	---	43	-	-	1
Takoma Park, part	---	128	3	1	-
White	---	96	2	1	-
All other	---	32	1	-	-
Black	---	29	1	-	-
Takoma Park, total	---	178	3	1	2
White	---	137	2	1	1
All other	---	41	1	-	1
Black	---	38	1	-	1
Balance of county	---	3,115	65	44	40
White	---	2,843	48	33	24
All other	---	272	17	11	16
Black	---	222	14	10	9
Prince George's	3,108	4,027	173	126	99
White	2,310	2,800	51	33	29
All other	798	1,227	122	93	70
Black	769	1,172	119	90	70
Bowie	---	163	3	3	2
College Park	---	128	-	-	1
White	---	122	-	-	-
All other	---	6	-	-	1
Black	---	5	-	-	1
Greenbelt	---	99	2	2	3
White	---	88	1	1	1
All other	---	11	1	1	2
Black	---	10	1	1	2
Hyattsville	---	431	19	14	10
White	---	339	4	2	2
All other	---	92	15	12	8
Black	---	85	14	11	8
Laurel	---	123	3	2	4
White	---	111	3	2	3
All other	---	12	-	-	1
Black	---	11	-	-	1
New Carrollton	---	45	1	1	3
White	---	38	1	1	1
All other	---	7	-	-	2
Black	---	6	-	-	2
Takoma Park, part	---	50	-	-	2
White	---	41	-	-	1
All other	---	9	-	-	1
Black	---	9	-	-	1
Balance of county	---	2,988	145	104	74
White	---	1,917	40	25	19
All other	---	1,071	105	79	55
Black	---	1,028	103	77	55
Queen Anne's	113	241	3	3	3
White	100	192	3	3	3
All other	13	49	-	-	-
Black	12	48	-	-	-
St. Mary's	298	360	19	12	8
White	244	295	14	9	6
All other	54	65	5	3	2
Black	52	64	4	2	2
Somerset	138	276	2	1	-
White	101	187	1	-	-
All other	37	89	1	1	-
Black	37	88	1	1	-
Talbot	584	351	4	3	5
White	468	289	2	2	3
All other	116	62	2	1	2
Black	115	61	2	1	2
Washington	1,189	1,113	17	10	9
Hagerstown	---	533	7	5	4
Balance of county	---	580	10	5	5
White	---	574	8	3	5
All other	---	6	2	2	-
Black	---	4	1	1	-
Wicomico	1,236	701	12	9	8
White	940	541	6	5	5
All other	296	160	6	4	3
Black	292	160	6	4	3
Salisbury	---	311	7	4	5
White	---	244	2	1	3
All other	---	67	5	3	2
Black	---	67	5	3	2
Maryland-Con.					
Balance of county	---	390	5	5	3
White	---	297	4	4	2
All other	---	93	1	1	1
Black	---	93	1	1	1
Worcester	147	339	9	6	4
White	108	248	6	4	4
All other	39	91	3	2	-
Black	39	91	3	2	-
Massachusetts	56,197	55,593	743	535	529
White	54,191	53,599	606	445	445
All other	2,006	1,994	137	90	84
Black	1,792	1,781	126	85	75
Barnstable	1,971	2,113	12	8	13
Barnstable town#	---	426	2	1	2
Balance of county	---	1,687	10	7	11
White	---	1,663	9	7	10
All other	---	24	1	-	1
Black	---	21	1	-	1
Berkshire	1,527	1,472	10	8	10
North Adams	---	190	1	1	2
Pittsfield	---	552	7	5	2
Balance of county	---	730	2	2	6
Bristol	4,283	4,747	60	44	45
White	4,194	4,645	58	43	41
All other	89	102	2	1	4
Black	82	94	2	1	3
Attleboro	---	316	6	5	8
Fairhaven town#	---	186	-	-	1
Fall River	---	1,128	10	8	13
New Bedford	---	1,171	17	11	9
White	---	1,101	17	11	6
All other	---	70	-	-	3
Black	---	67	-	-	3
North Attleborough town#	---	151	4	3	1
Somerset town#	---	200	2	-	1
Taunton	---	458	7	5	7
Balance of county	---	1,137	14	12	5
Dukes	80	98	-	-	2
Essex	5,998	6,371	85	61	68
White	5,943	6,312	80	59	66
All other	55	59	5	2	2
Black	42	48	4	2	2
Amesbury town#	---	145	4	3	1
Andover town#	---	215	2	2	7
Beverly	---	362	3	1	4
Danvers town#	---	239	2	-	2
Gloucester	---	271	4	3	-
Haverhill	---	593	3	3	6
Lawrence	---	708	14	12	11
White	---	698	14	12	11
All other	---	10	-	-	-
Black	---	9	-	-	-
Lynn	---	946	20	12	8
Lynnfield town#	---	78	-	-	-
Marblehead town#	---	165	1	1	-
Methuen town#	---	414	6	4	2
Newburyport	---	179	-	-	4
Peabody	---	379	7	6	4
Salem	---	404	7	6	4
Saugus town#	---	236	2	1	4
Swampscott town#	---	145	-	-	1
Balance of county	---	892	10	7	10
Franklin	518	609	12	8	4
Hampden	4,758	4,566	61	42	34
White	4,573	4,379	45	28	31
All other	185	187	16	14	3
Black	178	180	16	14	3
Agawam town#	---	238	1	1	4
Chicopee	---	623	5	4	3
Holyoke	---	593	10	3	3
White	---	590	10	3	3
All other	---	3	-	-	-
Black	---	3	-	-	-
Longmeadow town#	---	141	-	-	1
Springfield	---	1,666	32	23	16
White	---	1,492	16	9	13
All other	---	174	16	14	3
Black	---	172	16	14	3
Westfield	---	327	4	3	3
West Springfield town#	---	275	1	1	3
Balance of county	---	703	8	7	1
Hampshire	864	1,017	9	8	7
Amherst town#	---	105	1	1	-
Easthampton town#	---	148	2	2	-
Northampton	---	279	5	4	1
Balance of county	---	485	1	1	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Massachusetts-Con.					
Middlesex	11,549	12,250	154	107	120
White	11,329	12,007	144	103	111
All other	220	243	10	4	9
Black	187	200	6	3	7
Arlington town#	---	549	4	3	3
Belmont town#	---	314	2	2	3
Billerica town#	---	215	4	3	5
Burlington town#	---	140	3	1	-
Cambridge	---	802	17	10	9
White	---	696	14	9	5
All other	---	106	3	1	4
Black	---	102	3	1	3
Chelmsford town#	---	233	4	1	1
Dracut town#	---	162	5	5	1
Everett	---	457	4	4	9
Framingham town#	---	535	9	6	2
Hudson town#	---	104	2	2	-
Lexington town#	---	248	-	-	1
Lowell	---	1,106	26	18	16
Malden	---	643	4	3	7
Marlborough	---	316	1	1	4
Medford	---	620	6	4	1
Melrose	---	290	1	1	1
Natick town#	---	276	3	3	2
Newton	---	743	4	3	5
Reading town#	---	168	1	1	4
Somerville	---	812	7	4	6
Stoneham town#	---	172	1	-	1
Tewksbury town#	---	158	2	2	1
Wakefield town#	---	245	3	2	1
Waltham	---	516	5	4	2
Watertown town#	---	345	3	3	2
Wilmington town#	---	119	1	1	3
Winchester town#	---	168	1	-	4
Woburn	---	305	4	3	4
Balance of county	---	1,489	27	17	22
White	---	1,472	26	17	22
All other	---	17	1	-	-
Black	---	12	1	-	-
Nantucket	67	69	1	1	1
Norfolk	4,854	5,779	60	45	38
White	4,815	5,720	58	44	37
All other	39	59	2	1	1
Black	29	36	-	-	1
Braintree town#	---	410	5	4	1
Brookline town#	---	550	2	2	2
Dedham town#	---	259	1	1	1
Holbrook town#	---	99	3	3	1
Milton town#	---	292	3	2	1
Needham town#	---	271	-	-	2
Norwood town#	---	299	1	1	1
Quincy	---	1,036	6	5	5
Randolph town#	---	269	7	6	2
Stoughton town#	---	231	2	2	-
Wellesley town#	---	190	2	-	1
Westwood town#	---	108	2	2	-
Weymouth town#	---	565	4	3	2
Balance of county	---	1,200	22	14	19
White	---	1,187	21	13	18
All other	---	13	1	1	1
Black	---	10	-	-	1
Plymouth	3,129	3,478	50	35	42
White	3,048	3,392	43	31	35
All other	81	86	7	4	7
Black	77	83	7	4	7
Abington town#	---	126	-	-	3
Brockton	---	929	22	16	13
Plymouth town#	---	361	6	4	5
Rockland town#	---	123	2	2	2
Scituate town#	---	154	-	-	1
Whitman town#	---	103	2	1	1
Balance of county	---	1,682	18	12	17
Suffolk	10,189	6,749	149	110	93
White	8,986	5,631	59	50	40
All other	1,203	1,118	90	60	53
Black	1,080	1,020	86	57	49
Boston	---	5,756	139	101	86
White	---	4,649	51	43	34
All other	---	1,107	88	58	52
Black	---	1,013	85	56	49
Chelsea	---	340	1	1	3
Revere	---	432	8	7	1
Winthrop town#	---	221	1	1	3
Worcester	6,410	6,275	80	58	52
White	6,357	6,226	77	55	49
All other	53	49	3	3	3
Black	46	43	3	3	1
Clinton town#	---	148	6	5	1
Fitchburg	---	440	7	3	2
Gardner	---	217	4	3	1
Leominster	---	300	5	3	2
Milford town#	---	185	2	1	2
Shrewsbury town#	---	168	-	-	4
Webster town#	---	169	3	2	-
Worcester	---	1,944	28	21	16
Balance of county	---	2,704	25	20	24
Michigan	77,468	78,722	1,572	1,070	858
White	66,336	67,567	1,053	699	665
All other	11,132	11,155	519	371	193
Black	10,886	10,907	508	363	183
Alcona	49	145	1	-	-
Alger	99	102	1	1	-
Allegan	439	634	11	7	6
Holland, part	---	36	-	-	-
Balance of county	---	598	11	7	6
Alpena	388	317	3	2	2
Alpena	---	153	2	1	1
Balance of county	---	164	1	1	1
Antrim	113	201	2	-	1
Arenac	155	159	1	1	-
Baraga	109	108	-	-	1
Barry	307	399	7	4	4
Bay	901	992	18	16	16
Bangor twp#	---	117	1	1	3
Bay City	---	472	10	8	6
Midland, part	---	-	-	-	-
Balance of county	---	403	7	7	7
Benzie	116	146	1	1	-
Berrien	1,513	1,699	26	20	26
White	1,310	1,484	16	13	15
All other	203	215	10	7	11
Black	203	215	10	7	11
Benton Harbor	---	150	8	7	11
White	---	44	1	1	1
All other	---	106	7	6	10
Black	---	106	7	6	10
Niles	---	190	2	1	5
White	---	170	2	1	4
All other	---	20	-	-	1
Black	---	20	-	-	1
Balance of county	---	1,359	16	12	10
White	---	1,270	13	11	10
All other	---	89	3	1	-
Black	---	89	3	1	-
Branch	331	385	7	2	1
Calhoun	1,307	1,270	24	14	10
White	1,203	1,154	20	12	9
All other	104	116	4	2	1
Black	101	113	4	2	1
Albion	---	78	3	2	1
White	---	59	-	-	-
All other	---	19	3	2	1
Black	---	19	3	2	1
Battle Creek	---	601	13	8	5
White	---	509	12	8	5
All other	---	92	1	-	-
Black	---	89	1	-	-
Balance of county	---	591	8	4	4
Cass	252	443	8	4	5
Charlevoix	168	226	5	1	1
Cheboygan	196	245	-	-	6
Chippewa	225	280	3	3	1
Sault Ste. Marie	---	142	1	1	1
Balance of county	---	138	2	2	-
White	---	131	2	2	-
All other	---	7	-	-	-
Black	---	1	-	-	-
Clare	216	288	4	1	3
Clinton	210	380	9	7	5
Lansing, part	---	-	-	-	-
Balance of county	---	380	9	7	5
White	---	377	9	7	5
All other	---	3	-	-	-
Black	---	1	-	-	-
Crawford	190	107	-	-	-
Delta	325	407	7	7	1
Escanaba	---	207	3	3	1
Balance of county	---	200	4	4	-
Dickinson	419	289	2	1	1
Eaton	374	557	17	9	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Lansing, part	---	4	-	-	1
White	---	2	-	-	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	553	17	9	3
Emmet	538	250	3	3	3
Genesee	3,423	3,353	90	64	30
White	2,898	2,800	53	35	20
All other	525	553	37	29	10
Black	518	546	37	29	10
Burton	---	226	1	1	4
Flint	---	1,498	53	39	16
White	---	993	20	13	8
All other	---	505	33	26	8
Black	---	502	33	26	8
Flint twp#	---	260	4	2	-
Genesee twp#	---	117	5	3	-
Mount Morris twp#	---	120	4	2	3
White	---	108	1	-	2
All other	---	12	3	2	1
Black	---	12	3	2	1
Balance of county	---	1,132	23	17	7
White	---	1,102	22	16	6
All other	---	30	1	1	1
Black	---	28	1	1	1
Gladwin	112	239	5	2	3
Gogebic	233	254	1	1	4
Grand Traverse	748	487	8	4	4
Traverse City	---	191	3	2	2
Balance of county	---	296	5	2	2
Gratiot	433	404	14	7	7
Hillsdale	242	381	8	5	4
Houghton	383	441	2	2	-
Huron	285	383	1	-	2
Ingham	2,118	1,713	52	38	27
White	1,993	1,596	43	31	22
All other	125	117	9	7	5
Black	115	109	8	6	5
East Lansing	---	140	3	2	2
Lansing, part	---	966	38	27	14
White	---	863	30	21	10
All other	---	103	8	6	4
Black	---	100	8	6	4
Lansing, total	---	970	38	27	15
White	---	865	30	21	11
All other	---	105	8	6	4
Black	---	102	8	6	4
Meridian twp#	---	186	3	2	2
Balance of county	---	421	8	7	9
Ionia	258	418	14	8	8
Iosco	282	287	7	1	1
Iron	168	209	3	2	2
Isabella	320	337	7	3	4
Mount Pleasant	---	111	2	1	2
Balance of county	---	226	5	2	2
Jackson	1,154	1,228	23	19	14
White	1,088	1,158	19	15	14
All other	66	70	4	4	-
Black	64	68	4	4	-
Jackson	---	424	11	9	4
White	---	365	7	5	4
All other	---	59	4	4	-
Black	---	58	4	4	-
Balance of county	---	804	12	10	10
Kalamazoo	2,002	1,542	35	24	26
White	1,842	1,428	27	19	22
All other	160	114	8	5	4
Black	150	106	8	5	3
Kalamazoo	---	661	15	8	11
White	---	569	7	3	8
All other	---	92	8	5	3
Black	---	87	8	5	3
Kalamazoo twp#	---	163	2	1	4
Portage	---	175	4	2	3
Balance of county	---	543	14	13	8
Kalkaska	46	98	2	2	-
Kent	4,010	3,453	75	45	65
White	3,774	3,227	49	30	49
All other	236	226	26	15	16
Black	224	216	25	15	13
East Grand Rapids	---	50	1	-	-
Grand Rapids	---	1,897	48	29	41
White	---	1,698	27	17	27
All other	---	199	21	12	14
Black	---	194	20	12	11
Grandville	---	60	-	-	1
Kentwood	---	130	2	-	2
Walker	---	88	2	2	-
Wyoming	---	323	5	2	4
Balance of county	---	905	17	12	17
Keweenaw	4	39	2	2	-
Lake	51	129	3	-	1
White	41	105	3	-	-
All other	10	24	-	-	1
Black	10	24	-	-	1
Lapeer	392	460	12	7	4
Leelanau	87	146	1	-	3
Lenawee	603	706	12	6	15
Adrian	---	241	4	1	2
Balance of county	---	465	8	5	13
Livingston	502	675	9	4	9
Luce	83	94	3	3	-
Mackinac	80	118	-	-	-
Macomb	4,023	5,423	91	66	47
White	3,922	5,325	88	64	47
All other	101	98	3	2	-
Black	93	81	3	2	-
Clinton twp#	---	354	4	4	4
East Detroit	---	357	4	3	7
Fraser	---	122	1	-	1
Harrison twp#	---	145	2	1	1
Mount Clemens	---	393	9	8	3
White	---	349	8	7	3
All other	---	44	1	1	-
Black	---	42	1	1	-
Roseville	---	456	5	4	2
St. Clair Shores	---	766	6	5	1
Shelby twp#	---	159	1	-	1
Sterling Heights	---	599	16	13	2
Warren	---	1,425	23	16	13
Balance of county	---	647	20	12	12
Manistee	236	249	5	4	4
Marquette	649	534	12	11	8
Marquette	---	194	4	4	4
Balance of county	---	340	8	7	4
Mason	298	322	1	1	4
Mecosta	185	272	8	6	-
Big Rapids	---	70	2	2	-
Balance of county	---	202	6	4	-
Menominee	239	269	3	-	4
Menominee	---	122	3	-	-
Balance of county	---	147	-	-	4
Midland	566	453	4	3	7
Midland, part	---	257	3	3	2
Midland, total	---	257	3	3	2
Balance of county	---	196	1	-	5
Missaukee	48	95	-	-	2
Monroe	628	993	13	8	10
Monroe	---	251	3	2	3
Balance of county	---	742	10	6	7
Montcalm	349	404	9	7	2
Montmorency	56	128	1	1	1
Muskegon	1,390	1,421	24	15	12
White	1,240	1,257	16	11	7
All other	150	164	8	4	5
Black	148	162	8	4	5
Muskegon	---	497	12	6	9
White	---	422	8	5	5
All other	---	75	4	1	4
Black	---	74	4	1	4
Muskegon Heights	---	157	4	3	1
White	---	79	-	-	-
All other	---	78	4	3	1
Black	---	78	4	3	1
Norton Shores	---	125	3	2	-
Balance of county	---	642	5	4	2
Newaygo	254	319	4	3	4
Oakland	8,465	7,761	151	117	100
White	7,881	7,344	121	91	84
All other	584	417	30	26	16
Black	559	392	29	25	15
Avon twp#	---	1	-	-	-
Berkley	---	160	4	2	-
Beverly Hills	---	76	-	-	-
Birmingham	---	244	2	2	1
Bloomfield twp#	---	236	5	4	1
Clawson	---	125	2	1	1
Farmington	---	167	-	-	-
Farmington Hills	---	451	9	8	4
Ferndale	---	296	7	7	4
Hazel Park	---	203	7	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Madison Heights	---	249	4	4	4
Novi	---	141	2	2	1
Oak Park	---	302	8	7	3
White	---	265	5	4	1
All other	---	37	3	3	2
Black	---	35	3	3	2
Pontiac	---	678	30	24	19
White	---	452	10	6	10
All other	---	226	20	18	9
Black	---	223	19	17	9
Royal Oak	---	645	9	7	9
Southfield	---	848	10	7	6
White	---	784	5	4	5
All other	---	64	5	3	1
Black	---	60	5	3	1
Troy	---	379	9	7	7
West Bloomfield twp#	---	204	1	1	2
Balance of county	---	2,356	42	31	33
White	---	2,329	41	30	31
All other	---	27	1	1	2
Black	---	21	1	1	1
Oceana	125	185	3	1	2
Ogemaw	258	196	1	1	4
Ontonagon	93	127	-	-	-
Osceola	171	188	-	-	1
Oscoda	49	86	1	1	-
Otsego	192	167	2	2	-
Ottawa	973	1,074	22	14	13
Georgetown twp#	---	78	2	2	-
Grand Haven	---	155	-	-	-
Holland, part	---	222	4	1	3
Holland, total	---	258	4	1	3
Balance of county	---	619	16	11	10
Presque Isle	78	143	2	1	1
Roscommon	59	222	-	-	5
Saginaw	1,978	1,727	53	38	25
White	1,730	1,474	25	15	15
All other	248	253	28	23	10
Black	244	247	27	22	10
Saginaw	---	723	35	26	17
White	---	508	10	6	7
All other	---	215	25	20	10
Black	---	213	24	19	10
Saginaw twp#	---	313	3	2	4
Balance of county	---	691	15	10	4
White	---	662	12	7	4
All other	---	29	3	3	-
Black	---	27	3	3	-
St. Clair	1,117	1,265	23	16	8
Port Huron	---	348	8	6	5
Balance of county	---	917	15	10	3
St. Joseph	477	523	9	4	10
Sanilac	282	431	-	-	3
Schoolcraft	116	113	-	-	1
Shiawassee	378	489	8	4	5
Owosso	---	170	5	2	-
Balance of county	---	319	3	2	5
Tuscola	277	434	11	8	1
Van Buren	417	610	13	9	10
Washtenaw	2,908	1,462	41	23	27
White	2,611	1,297	31	17	22
All other	297	165	10	6	5
Black	283	160	10	6	5
Ann Arbor	---	478	17	15	8
White	---	405	12	11	7
All other	---	73	5	4	1
Black	---	70	5	4	1
Ypsilanti	---	181	6	2	8
White	---	124	3	-	7
All other	---	57	3	2	1
Black	---	57	3	2	1
Ypsilanti twp#	---	225	5	2	7
White	---	206	3	2	7
All other	---	19	2	-	-
Black	---	19	2	-	-
Balance of county	---	578	13	4	4
White	---	562	13	4	1
All other	---	16	-	-	3
Black	---	14	-	-	3
Wayne	22,835	22,738	500	346	205
White	14,793	14,446	170	111	102
All other	8,042	8,292	330	235	103
Black	7,971	8,227	325	230	99
Allen Park	---	342	2	1	2
Canton twp#	---	185	8	6	1
Dearborn	---	1,035	3	3	6
Dearborn Heights	---	590	5	2	2
Detroit	---	13,080	355	249	113
White	---	5,552	59	36	24
All other	---	7,528	296	213	89
Black	---	7,497	293	210	86
Ecorse	---	148	-	-	3
White	---	83	-	-	1
All other	---	65	-	-	2
Black	---	65	-	-	2
Garden City	---	219	1	1	7
Grosse Pointe Farms	---	105	-	-	1
Grosse Pointe Park	---	128	3	3	2
Grosse Pointe Woods	---	182	-	-	-
Hamtramck	---	319	5	3	1
White	---	273	2	1	1
All other	---	46	3	2	-
Black	---	45	2	1	-
Harper Woods	---	252	2	2	-
Highland Park	---	342	14	9	4
White	---	97	-	-	1
All other	---	245	14	9	3
Black	---	242	14	9	3
Inkster	---	313	8	5	2
White	---	131	2	1	1
All other	---	182	6	4	1
Black	---	182	6	4	1
Lincoln Park	---	433	10	4	2
Livonia	---	819	7	6	4
Melvindale	---	110	1	1	-
Plymouth twp#	---	119	-	-	-
Redford twp#	---	545	6	4	7
River Rouge	---	150	6	3	2
White	---	80	3	1	1
All other	---	70	3	2	1
Black	---	70	3	2	1
Riverview	---	129	2	1	1
Romulus	---	174	6	4	4
White	---	141	5	3	3
All other	---	33	1	1	1
Black	---	33	1	1	1
Southgate	---	237	3	2	3
Taylor	---	487	21	14	5
Trenton	---	180	-	-	-
Wayne	---	190	2	2	2
Westland	---	634	7	4	15
Woodhaven	---	46	3	2	1
Wyandotte	---	384	4	3	3
Balance of county	---	861	16	12	12
Wexford	340	276	8	7	2
Cadillac	---	131	3	3	1
Balance of county	---	145	5	4	1
Minnesota	35,059	34,801	594	366	445
White	34,361	34,125	546	336	406
All other	698	676	48	30	39
Black	373	363	31	20	21
Aitkin	155	201	2	-	2
Anoka	906	922	40	26	26
Anoka	---	113	4	2	3
Blaine, part	---	80	6	5	5
Blaine, total	---	80	6	5	5
Columbia Heights	---	174	1	-	-
Coon Rapids	---	175	6	4	5
Fridley	---	157	3	3	3
Ramsey	---	19	2	1	1
Balance of county	---	204	18	11	9
Becker	222	275	3	-	-
Beltrami	256	245	3	1	3
White	227	217	3	1	1
All other	29	28	-	-	2
Black	-	-	-	-	-
Bemidji	---	116	1	-	1
Balance of county	---	129	2	1	2
White	---	105	2	1	1
All other	---	24	-	-	1
Black	---	-	-	-	-
Benton	150	215	3	1	1
St. Cloud, part	---	38	1	-	-
Balance of county	---	177	2	1	1
Big Stone	108	110	1	1	-
Blue Earth	439	390	11	7	9
Mankato, part	---	213	4	3	3
Mankato, total	---	215	4	3	3
Balance of county	---	177	7	4	6
Brown	290	299	6	6	5
New Ulm	---	116	2	2	3
Balance of county	---	183	4	4	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Carlton	270	282	2	2	3
Cloquet	---	115	2	2	1
Balance of county	---	167	-	-	2
Carver	227	263	6	3	4
Cass	164	301	5	3	2
Chippewa	142	172	-	-	1
Chisago	173	227	3	1	3
Clay	242	371	8	3	5
Moorhead	---	206	8	3	3
Balance of county	---	165	-	-	2
Clearwater	95	104	-	-	-
Cook	36	37	-	-	-
Cottonwood	145	162	2	2	-
Crow Wing	451	428	6	1	5
Brainerd	---	180	5	1	1
Balance of county	---	248	1	-	4
Dakota	846	1,077	39	24	20
Apple Valley	---	70	4	3	4
Burnsville	---	111	5	1	2
Eagan	---	70	7	6	2
Hastings, part	---	125	3	1	2
Hastings, total	---	126	3	1	2
Inver Grove Heights	---	88	4	2	2
Lakeville	---	42	7	4	1
Northfield, part	---	-	-	-	-
South St. Paul	---	178	4	3	2
West St. Paul	---	238	-	-	1
Balance of county	---	155	5	4	4
Dodge	59	125	6	5	3
Douglas	322	314	1	1	-
Faribault	192	226	4	3	7
Fillmore	187	244	4	3	2
Freeborn	345	357	6	3	1
Albert Lea	---	207	5	3	1
Balance of county	---	150	1	-	-
Goodhue	398	408	6	3	2
Red Wing	---	171	2	1	-
Balance of county	---	237	4	2	2
Grant	89	98	-	-	-
Hennepin	8,844	7,731	129	84	109
White	8,470	7,392	98	65	84
All other	374	339	31	19	25
Black	240	226	21	14	16
Bloomington	---	503	5	3	7
Brooklyn Center	---	212	7	4	-
Brooklyn Park	---	128	11	7	8
Crystal	---	167	4	3	4
Eden Prairie	---	75	3	2	6
Edina	---	398	6	3	-
Golden Valley	---	194	-	-	1
Hopkins	---	168	2	2	1
Maple Grove	---	49	8	8	2
Minneapolis	---	3,949	61	38	49
White	---	3,659	36	23	33
All other	---	290	25	15	16
Black	---	204	18	13	12
Minnetonka	---	201	3	1	3
New Hope	---	223	1	-	3
Plymouth	---	122	4	2	4
Richfield	---	271	3	3	4
Robbinsdale	---	154	-	-	2
St. Louis Park	---	431	3	2	8
Balance of county	---	486	8	6	7
Houston	123	194	-	-	2
Hubbard	161	141	2	1	1
Isanti	175	169	5	4	2
Itasca	375	387	6	3	2
Jackson	119	142	-	-	-
Kanabec	104	117	3	3	-
Kandiyohi	367	313	5	2	2
Willmar	---	145	1	1	-
Balance of county	---	168	4	1	2
Kittson	106	107	1	1	2
Koochiching	142	166	3	1	1
Lac qui Parle	109	137	2	1	2
Lake	81	92	1	-	2
Lake of the Woods	37	41	2	-	-
Le Sueur	142	226	3	2	-
Lincoln	77	79	-	-	1
Lyon	203	227	3	2	1
Marshall	---	83	3	2	-
Balance of county	---	144	-	-	1
McLeod	328	329	5	5	4
Mahnomen	49	63	-	-	1
White	44	59	-	-	1
All other	5	4	-	-	-
Black	-	-	-	-	-
Marshall	61	128	2	2	-
Martin	266	302	4	1	2
Fairmont	---	157	4	1	1
Balance of county	---	145	-	-	1
Meeker	226	232	2	1	1
Mille Lacs	199	188	1	1	1
Morrison	228	270	7	5	2
Mower	345	421	3	1	1
Austin	---	291	2	1	1
Balance of county	---	130	1	-	-
Murray	88	133	-	-	2
Nicollet	148	161	3	-	1
Mankato, part	---	2	-	-	-
Balance of county	---	179	3	-	1
Nobles	235	239	1	1	1
Worthington	---	116	-	-	-
Balance of county	---	123	1	1	1
Norman	94	121	-	-	-
Olmsted	1,506	605	24	17	10
Rochester	---	476	21	14	7
Balance of county	---	129	3	3	3
Otter Tail	463	592	7	2	8
Fergus Falls	---	171	2	2	2
Balance of county	---	421	5	-	6
Pennington	179	152	3	1	1
Pine	110	210	5	4	1
Pipestone	135	150	-	-	-
Polk	313	344	5	3	2
Pope	141	141	1	1	2
Ramsey	4,340	4,021	56	36	53
White	4,192	3,865	44	27	47
All other	148	156	12	9	6
Black	109	118	9	6	4
Blaine, part	---	-	-	-	-
Maplewood	---	229	2	-	7
Mounds View	---	31	1	1	-
New Brighton	---	156	4	2	2
North St. Paul	---	69	2	1	1
Roseville	---	267	1	1	1
St. Paul	---	2,797	38	26	34
White	---	2,654	29	19	28
All other	---	143	9	7	6
Black	---	111	6	4	4
Shoreview	---	59	1	1	1
White Bear Lake, part	---	171	2	1	3
White Bear Lake, total	---	171	2	1	3
Balance of county	---	242	5	3	4
Red Lake	32	51	-	-	-
Redwood	161	208	3	1	2
Renville	178	241	2	-	1
Rice	352	359	6	3	8
Faribault	---	180	5	2	5
Northfield, part	---	97	-	-	1
Northfield, total	---	97	-	-	1
Balance of county	---	82	1	1	2
Rock	104	121	2	1	-
Roseau	113	137	2	-	2
St. Louis	2,431	2,195	25	19	25
Duluth	---	1,088	16	12	13
Hibbing	---	232	-	-	2
Virginia	---	147	-	-	1
Balance of county	---	728	9	7	9
Scott	346	312	8	4	5
Sherburne	170	232	10	6	6
St. Cloud, part	---	67	2	1	-
Balance of county	---	165	8	5	6
Sibley	99	140	1	1	1
Stearns	869	691	24	15	16
St. Cloud, part	---	205	5	4	5
St. Cloud, total	---	310	8	5	5
Balance of county	---	486	19	11	11
Steele	175	226	3	1	1
Owatonna	---	135	2	1	1
Balance of county	---	91	1	-	-
Stevens	104	110	-	-	1
Swift	109	142	3	1	2
Todd	164	248	3	2	6
Traverse	60	77	-	-	-
Wabasha	178	206	-	-	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Wadena	238	184	1	-	-
Waseca	122	161	5	3	5
Washington	427	616	16	13	14
Cottage Grove	---	43	-	-	3
Hastings, part	---	1	-	-	-
Oakdale	---	48	3	3	2
Stillwater	---	153	3	1	3
White Bear Lake, part	---	-	-	-	-
Woodbury	---	48	-	-	1
Balance of county	---	323	10	9	5
Watonwan	120	140	2	2	3
Wilkin	136	84	1	-	3
Winona	375	392	8	4	8
Winona	---	275	5	2	4
Balance of county	---	117	3	2	4
Wright	327	431	7	5	5
Yellow Medicine	141	153	1	1	2
Mississippi	23,899	24,691	596	367	513
White	15,352	15,898	213	127	178
All other	8,547	8,793	383	240	335
Black	8,465	8,710	379	239	328
Adams	440	427	13	10	20
White	219	199	2	2	4
All other	221	228	11	8	16
Black	220	228	11	8	16
Natchez	---	312	9	7	15
White	---	139	1	1	4
All other	---	173	8	6	11
Black	---	173	8	6	11
Balance of county	---	115	4	3	5
White	---	60	1	1	-
All other	---	55	3	2	5
Black	---	55	3	2	5
Alcorn	284	318	2	-	2
White	246	276	2	-	1
All other	38	42	-	-	1
Black	38	42	-	-	1
Corinth	---	155	1	-	1
White	---	122	1	-	-
All other	---	33	-	-	1
Black	---	33	-	-	1
Balance of county	---	163	1	-	1
Amite	50	140	3	1	3
White	22	76	1	-	1
All other	28	64	2	1	2
Black	28	64	2	1	2
Attala	185	240	3	1	3
White	117	143	-	-	-
All other	68	97	3	1	3
Black	68	97	3	1	3
Benton	31	76	1	-	1
White	20	54	-	-	-
All other	11	22	1	-	1
Black	11	22	1	-	1
Bolivar	455	488	6	3	23
White	181	201	1	1	4
All other	274	287	5	2	19
Black	272	285	5	2	19
Cleveland	---	154	-	-	8
White	---	86	-	-	3
All other	---	68	-	-	5
Black	---	67	-	-	5
Balance of county	---	334	6	3	15
White	---	115	1	1	1
All other	---	219	5	2	14
Black	---	218	5	2	14
Calhoun	111	170	1	1	3
White	94	144	1	1	1
All other	17	26	-	-	2
Black	17	26	-	-	2
Carroll	36	98	3	2	1
White	17	55	-	-	1
All other	19	43	3	2	-
Black	19	43	3	2	-
Chickasaw	157	197	6	4	7
White	108	131	3	2	3
All other	49	66	3	2	4
Black	49	66	3	2	4
Choctaw	73	106	3	3	-
White	49	76	-	-	-
All other	24	30	3	3	-
Black	24	30	3	3	-
Mississippi-Con.					
Claiborne	68	106	4	1	2
White	15	27	-	-	-
All other	53	79	4	1	2
Black	52	78	3	1	2
Clarke	131	189	1	1	3
White	82	124	-	-	2
All other	49	65	1	1	1
Black	48	64	1	1	1
Clay	150	181	4	2	4
White	81	92	1	-	3
All other	69	89	3	2	1
Black	69	89	3	2	1
Coahoma	331	337	14	9	9
White	128	125	2	1	-
All other	203	212	12	8	9
Black	203	212	12	8	9
Clarksdale	---	207	9	6	4
White	---	84	2	1	-
All other	---	123	7	5	4
Black	---	123	7	5	4
Balance of county	---	130	5	3	5
White	---	41	-	-	-
All other	---	89	5	3	5
Black	---	89	5	3	5
Copiah	200	275	2	1	4
White	110	152	-	-	2
All other	90	123	2	1	2
Black	90	123	2	1	2
Covington	117	170	5	3	3
White	87	123	1	1	1
All other	30	47	4	2	2
Black	30	47	4	2	2
De Soto	110	375	12	9	7
White	70	292	10	8	4
All other	40	83	2	1	3
Black	40	83	2	1	3
Forrest	810	679	16	9	13
White	582	492	5	2	3
All other	228	187	11	7	10
Black	226	187	11	7	10
Hattiesburg, part	---	488	13	7	9
White	---	329	3	1	-
All other	---	159	10	6	9
Black	---	159	10	6	9
Hattiesburg, total	---	493	14	7	9
White	---	333	4	1	-
All other	---	160	10	6	9
Black	---	160	10	6	9
Balance of county	---	191	3	2	4
White	---	163	2	1	3
All other	---	28	1	1	1
Black	---	28	1	1	1
Franklin	79	96	2	2	4
White	52	60	1	1	3
All other	27	36	1	1	1
Black	27	36	1	1	1
George	100	157	5	4	4
Greene	61	120	2	2	-
White	48	95	1	1	-
All other	13	25	1	1	-
Black	13	24	1	1	-
Grenada	229	245	6	3	2
White	148	148	2	-	2
All other	81	97	4	3	-
Black	81	97	4	3	-
Grenada	---	161	5	3	2
White	---	91	2	-	2
All other	---	70	3	3	-
Black	---	70	3	3	-
Balance of county	---	84	1	-	-
White	---	57	-	-	-
All other	---	27	1	-	-
Black	---	27	1	-	-
Hancock	194	250	5	2	8
White	175	222	3	1	6
All other	19	28	2	1	2
Black	18	26	2	1	2
Harrison	1,669	1,362	34	17	33
White	1,405	1,137	24	11	20
All other	264	225	10	6	13
Black	253	215	9	5	12
Biloxi	---	378	12	8	10
White	---	309	8	6	3
All other	---	69	4	2	7
Black	---	62	3	1	6
Gulfport	---	458	9	4	13
White	---	371	5	1	9
All other	---	87	4	3	4
Black	---	86	4	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Balance of county	---	526	13	5	10
White	---	457	11	4	8
All other	---	69	2	1	2
Black	---	67	2	1	2
Hinds	3,775	2,100	52	39	55
White	2,103	1,183	9	8	10
All other	1,672	917	43	31	45
Black	1,661	912	43	31	45
Clinton	---	144	1	-	2
Jackson, part	---	1,686	48	37	44
White	---	966	8	7	9
All other	---	720	40	30	35
Black	---	716	40	30	35
Jackson, total	---	1,689	48	37	44
White	---	967	8	7	9
All other	---	722	40	30	35
Black	---	718	40	30	35
Balance of county	---	270	3	2	9
White	---	114	1	1	1
All other	---	156	2	1	8
Black	---	156	2	1	8
Holmes	204	283	17	7	12
White	65	81	1	1	-
All other	139	202	16	6	12
Black	139	202	16	6	12
Humphreys	111	144	12	8	8
White	36	52	2	2	-
All other	75	92	10	6	8
Black	75	92	10	6	8
Issaquena	4	17	-	-	-
White	3	9	-	-	-
All other	1	8	-	-	-
Black	1	8	-	-	-
Itawamba	111	179	-	-	5
Jackson	697	790	31	20	14
White	585	670	18	14	7
All other	112	120	13	6	7
Black	111	118	13	6	6
Moss Point	---	133	12	8	3
White	---	72	3	3	-
All other	---	61	9	5	3
Black	---	61	9	5	3
Ocean Springs	---	135	4	2	3
Pascagoula	---	246	5	4	4
White	---	214	4	4	3
All other	---	32	1	-	1
Black	---	31	1	-	1
Balance of county	---	276	10	6	4
Jasper	110	176	5	5	2
White	58	98	4	4	-
All other	52	78	1	1	2
Black	52	78	1	1	2
Jefferson	67	104	5	2	1
White	10	20	-	-	-
All other	57	84	5	2	1
Black	57	84	5	2	1
Jefferson Davis	101	139	-	-	3
White	60	79	-	-	-
All other	41	60	-	-	3
Black	41	60	-	-	3
Jones	656	682	17	11	7
White	467	490	7	4	5
All other	189	192	10	7	2
Black	188	190	9	7	2
Laurel	---	332	10	6	2
White	---	198	1	-	1
All other	---	134	9	6	1
Black	---	133	8	6	1
Balance of county	---	350	7	5	5
White	---	292	6	4	4
All other	---	58	1	1	1
Black	---	57	1	1	1
Kemper	72	125	5	4	1
White	43	62	1	-	-
All other	29	63	4	4	1
Black	28	63	4	4	1
Lafayette	229	209	-	-	4
White	169	150	-	-	2
All other	60	59	-	-	2
Black	60	59	-	-	2
Lamar	285	184	3	1	6
White	237	162	3	1	6
All other	48	22	-	-	-
Black	48	21	-	-	-
Hattiesburg, part	---	5	1	-	-
Mississippi-Con.					
Balance of county	---	179	2	1	6
White	---	158	2	1	6
All other	---	21	-	-	-
Black	---	20	-	-	-
Lauderdale	1,131	837	21	11	17
White	764	562	3	2	5
All other	367	275	18	9	12
Black	363	275	18	9	12
Meridian	---	581	18	9	10
White	---	363	1	1	2
All other	---	218	17	8	8
Black	---	218	17	8	8
Balance of county	---	256	3	2	7
White	---	199	2	1	3
All other	---	57	1	1	4
Black	---	57	1	1	4
Lawrence	93	120	2	-	2
White	60	80	1	-	1
All other	33	40	1	-	1
Black	33	40	1	-	1
Leake	176	238	6	4	7
White	120	160	2	2	6
All other	56	78	4	2	1
Black	51	72	4	2	1
Lee	966	542	10	7	6
White	774	422	5	4	2
All other	192	120	5	3	4
Black	191	120	5	3	4
Tupelo	---	242	2	2	3
White	---	190	-	-	1
All other	---	52	2	2	2
Black	---	52	2	2	2
Balance of county	---	300	8	5	3
White	---	232	5	4	1
All other	---	68	3	1	2
Black	---	68	3	1	2
Leflore	528	481	13	11	11
White	249	227	5	4	2
All other	279	254	8	7	9
Black	278	252	8	7	9
Greenwood	---	297	10	9	6
White	---	141	2	2	-
All other	---	156	8	7	6
Black	---	154	8	7	6
Balance of county	---	184	3	2	5
White	---	86	3	2	2
All other	---	98	-	-	3
Black	---	98	-	-	3
Lincoln	282	321	8	6	4
White	187	212	3	2	2
All other	95	109	5	4	2
Black	95	109	5	4	2
Brookhaven	---	189	3	2	3
White	---	124	1	-	2
All other	---	65	2	2	1
Black	---	65	2	2	1
Balance of county	---	132	5	4	1
White	---	88	2	2	-
All other	---	44	3	2	1
Black	---	44	3	2	1
Lowndes	440	432	6	5	11
White	266	256	3	2	4
All other	174	176	3	3	7
Black	174	176	3	3	7
Columbus	---	262	4	4	6
White	---	148	1	1	3
All other	---	114	3	3	3
Black	---	114	3	3	3
Balance of county	---	170	2	1	5
White	---	108	2	1	1
All other	---	62	-	-	4
Black	---	62	-	-	4
Madison	220	365	12	9	11
White	91	158	3	2	-
All other	129	207	9	7	11
Black	129	207	9	7	11
Canton	---	170	5	4	5
White	---	69	-	-	-
All other	---	101	5	4	5
Black	---	101	5	4	5
Balance of county	---	195	7	5	6
White	---	89	3	2	-
All other	---	106	4	3	6
Black	---	106	4	3	6
Marion	238	318	7	4	4
White	169	221	5	3	1
All other	69	97	2	1	3
Black	68	96	2	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Marshall	153	286	12	9	7
White	78	146	3	2	2
All other	75	140	9	7	5
Black	75	140	9	7	5
Monroe	317	409	8	4	6
White	232	291	1	-	-
All other	85	118	7	4	6
Black	85	118	7	4	6
Montgomery	168	166	3	3	2
White	105	104	-	-	1
All other	63	62	3	3	1
Black	63	62	3	3	1
Neshoba	151	250	7	4	6
White	107	185	4	2	2
All other	44	65	3	2	4
Black	19	42	3	2	-
Newton	170	234	4	1	1
White	120	171	3	1	1
All other	50	63	1	-	-
Black	46	53	-	-	-
Noxubee	92	124	4	2	3
White	27	40	-	-	1
All other	65	84	4	2	2
Black	65	84	4	2	2
Oktibbeha	231	248	4	2	5
White	128	135	2	1	3
All other	103	113	2	1	2
Black	103	112	2	1	2
Starkville	---	139	3	2	3
White	---	87	2	1	2
All other	---	52	1	1	1
Black	---	51	1	1	1
Balance of county	---	109	1	-	2
White	---	48	-	-	1
All other	---	61	1	-	1
Black	---	61	1	-	1
Panola	230	344	6	5	7
White	139	214	1	1	1
All other	91	130	5	4	6
Black	91	130	5	4	6
Pearl River	275	343	11	5	10
White	225	294	8	5	6
All other	50	49	3	-	4
Black	48	48	3	-	4
Picayune	---	126	7	1	5
White	---	97	4	1	2
All other	---	29	3	-	3
Black	---	28	3	-	3
Balance of county	---	217	4	4	5
Perry	49	85	-	-	-
White	38	62	-	-	-
All other	11	23	-	-	-
Black	11	22	-	-	-
Pike	457	446	6	4	8
White	279	265	2	1	2
All other	178	181	4	3	6
Black	178	181	4	3	6
McComb	---	200	3	2	-
White	---	134	1	-	-
All other	---	66	2	2	-
Black	---	66	2	2	-
Balance of county	---	246	3	2	8
White	---	131	1	1	2
All other	---	115	2	1	6
Black	---	115	2	1	6
Pontotoc	121	219	3	2	1
White	107	190	2	1	-
All other	14	29	1	1	1
Black	14	29	1	1	1
Prentiss	170	261	2	-	2
White	156	243	2	-	2
All other	14	18	-	-	-
Black	14	18	-	-	-
Quitman	89	129	3	2	2
White	25	55	1	1	1
All other	64	74	2	1	1
Black	63	73	2	1	1
Rankin	411	565	11	6	7
White	293	419	8	4	5
All other	118	146	3	2	2
Black	118	146	3	2	2
Jackson, part	---	3	-	-	-
Pearl	---	88	2	-	2
White	---	77	2	-	2
All other	---	11	-	-	-
Black	---	11	-	-	-
Mississippi-Con.					
Balance of county	---	474	9	6	5
White	---	341	6	4	3
All other	---	133	3	2	2
Black	---	133	3	2	2
Scott	196	264	10	5	8
White	150	185	4	3	3
All other	46	79	6	2	5
Black	46	79	6	2	5
Sharkey	79	102	2	2	3
White	23	33	1	1	-
All other	56	69	1	1	3
Black	55	67	1	1	3
Simpson	199	259	8	1	4
White	148	188	4	-	1
All other	51	71	4	1	3
Black	50	70	4	1	3
Smith	78	156	5	3	-
White	57	124	3	1	-
All other	21	32	2	2	-
Black	21	32	2	2	-
Stone	90	117	-	-	1
White	71	96	-	-	-
All other	19	21	-	-	1
Black	19	21	-	-	1
Sunflower	290	369	14	12	9
White	120	155	-	-	-
All other	170	214	14	12	9
Black	169	213	14	12	9
Tallahatchie	125	191	7	1	3
White	57	89	2	-	-
All other	68	102	5	1	3
Black	68	102	5	1	3
Tate	156	203	6	4	4
White	99	124	2	1	3
All other	57	79	4	3	1
Black	57	79	4	3	1
Tippah	147	195	2	2	-
White	128	171	2	2	-
All other	19	24	-	-	-
Black	19	24	-	-	-
Tishomingo	173	224	3	2	-
Tunica	55	99	4	1	1
White	20	32	-	-	-
All other	35	67	4	1	1
Black	34	66	4	1	1
Union	220	208	2	-	2
White	182	181	2	-	2
All other	38	27	-	-	-
Black	38	27	-	-	-
Walthall	137	171	3	2	1
White	87	105	1	1	-
All other	50	66	2	1	1
Black	50	66	2	1	1
Warren	537	492	13	6	6
White	280	260	3	1	4
All other	257	232	10	5	2
Black	257	231	10	5	2
Vicksburg	---	335	7	4	2
White	---	158	1	1	1
All other	---	177	6	3	1
Black	---	176	6	3	1
Balance of county	---	157	6	2	4
White	---	102	2	-	3
All other	---	55	4	2	1
Black	---	55	4	2	1
Washington	829	797	21	16	27
White	357	328	1	1	7
All other	472	469	20	15	20
Black	472	468	20	15	20
Greenville	---	546	14	11	15
White	---	214	1	1	3
All other	---	332	13	10	12
Black	---	332	13	10	12
Balance of county	---	251	7	5	12
White	---	114	-	-	4
All other	---	137	7	5	8
Black	---	136	7	5	8
Wayne	163	198	7	4	3
White	112	135	3	1	-
All other	51	63	4	3	3
Black	51	63	4	3	3
Webster	111	123	-	-	1
White	94	103	-	-	-
All other	17	20	-	-	1
Black	17	20	-	-	1
Wilkinson	145	125	2	2	3
White	63	50	1	1	1
All other	82	75	1	1	2
Black	82	75	1	1	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Winston	169	209	4	2	9
White	117	140	2	1	5
All other	52	69	2	1	4
Black	51	67	2	1	3
Yalobusha	116	171	2	2	1
White	89	126	-	-	1
All other	27	45	2	2	-
Black	27	45	2	2	-
Yazoo	233	321	12	7	10
White	114	144	4	2	2
All other	119	177	8	5	8
Black	119	176	8	5	8
Yazoo City	---	195	5	2	3
White	---	81	3	1	2
All other	---	114	2	1	1
Black	---	114	2	1	1
Balance of county	---	126	7	5	7
White	---	63	1	1	-
All other	---	63	6	4	7
Black	---	62	6	4	7
Missouri	51,635	50,368	789	500	522
White	46,367	45,272	578	370	392
All other	5,268	5,096	211	130	130
Black	5,184	5,019	203	122	126
Adair	337	237	1	-	-
Kirksville	---	173	-	-	-
Balance of county	---	64	1	-	-
Andrew	74	134	2	2	1
Atchison	126	108	2	1	-
Audrain	325	300	2	1	-
Mexico	---	163	-	-	-
Balance of county	---	137	2	1	-
Barry	202	310	1	1	6
Barton	96	135	1	1	1
Bates	156	205	3	2	1
Benton	74	186	4	2	1
Bollinger	60	144	2	-	2
Boone	1,589	580	14	9	11
Columbia	---	376	10	6	8
White	---	332	8	5	7
All other	---	44	2	1	1
Black	---	43	2	1	1
Balance of county	---	204	4	3	3
Buchanan	1,128	1,021	17	14	6
St. Joseph	---	915	15	13	3
Balance of county	---	106	2	1	3
Butler	774	469	3	2	3
Poplar Bluff	---	256	-	-	2
Balance of county	---	213	3	2	1
Caldwell	64	133	-	-	-
Callaway	165	249	7	4	1
Fulton	---	111	1	1	-
White	---	100	1	1	-
All other	---	11	-	-	-
Black	---	11	-	-	-
Jefferson City, part	---	1	-	-	-
Balance of county	---	137	6	3	1
Camden	237	233	1	-	3
Cape Girardeau	951	575	8	6	11
Cape Girardeau	---	340	3	2	7
Balance of county	---	235	5	4	4
Carroll	78	158	-	-	1
Carter	38	66	1	1	-
Cass	272	433	9	6	4
Belton	---	93	4	2	-
Lee's Summit, part	---	-	-	-	-
Balance of county	---	340	5	4	4
Cedar	151	204	3	2	1
Chariton	62	144	-	-	2
Christian	94	208	4	2	1
Clark	33	86	-	-	2
Clay	1,125	1,044	14	7	12
Excelsior Springs, part	---	124	2	1	1
Excelsior Springs, total	---	128	2	1	1
Gladstone	---	159	1	-	-
Independence, part	---	-	-	-	-
Kansas City, part	---	399	9	4	5
Liberty	---	130	1	1	4
Balance of county	---	232	1	1	2
Clinton	209	189	1	-	3
Cole	724	478	8	2	6
Missouri-Con.					
Jefferson City, part	---	358	5	2	3
White	---	335	5	2	2
All other	---	23	-	-	1
Black	---	23	-	-	1
Jefferson City, total	---	359	5	2	3
White	---	336	5	2	2
All other	---	23	-	-	1
Black	---	23	-	-	1
Balance of county	---	120	3	-	3
Cooper	133	168	1	-	2
Crawford	159	208	2	-	3
Dade	98	127	1	-	-
Dallas	52	149	2	1	1
Daviess	58	125	1	1	1
De Kalb	58	114	-	-	-
Dent	133	174	1	1	-
Douglas	51	109	-	-	-
Dunklin	307	481	3	1	4
Kennett	---	128	-	-	2
Balance of county	---	353	3	1	2
Franklin	520	686	14	9	3
Gasconade	157	194	3	2	1
Gentry	124	131	-	-	1
Greene	2,709	1,691	26	19	11
Springfield	---	1,370	18	13	8
Balance of county	---	321	8	6	3
Grundy	163	161	1	-	-
Harrison	89	150	1	1	3
Henry	316	309	3	2	2
Hickory	42	101	-	-	-
Holt	42	97	1	-	-
Howard	97	122	-	-	-
Howell	389	351	7	6	5
Iron	132	142	3	1	1
Jackson	7,473	6,172	121	70	58
White	6,308	5,031	74	45	37
All other	1,165	1,141	47	25	21
Black	1,143	1,124	43	21	20
Blue Springs	---	118	8	4	1
Grandview	---	106	6	2	2
Independence, part	---	995	15	11	7
Independence, total	---	995	15	11	7
Kansas City, part	---	4,076	79	44	42
White	---	2,964	36	21	24
All other	---	1,112	43	23	18
Black	---	1,102	41	21	17
Kansas City, total	---	4,555	92	51	48
White	---	3,437	49	28	29
All other	---	1,118	43	23	19
Black	---	1,107	41	21	17
Lee's Summit, part	---	332	9	6	3
Lee's Summit, total	---	332	9	6	3
Raytown	---	297	2	2	-
Balance of county	---	248	2	1	3
Jasper	1,038	1,036	19	10	9
Carthage	---	168	1	-	1
Joplin, part	---	481	10	6	6
Joplin, total	---	527	11	6	7
Balance of county	---	387	8	4	2
Jefferson	688	1,007	22	10	19
Arnold	---	102	3	1	4
Balance of county	---	905	19	9	15
Johnson	236	276	9	7	2
Warrensburg	---	86	3	3	1
Balance of county	---	190	6	4	1
Knox	41	90	1	1	-
Laclede	245	281	5	1	4
Lafayette	247	356	2	1	2
Lawrence	405	340	5	4	2
Lewis	62	107	3	2	1
Lincoln	202	246	9	5	1
Linn	200	206	3	2	1
Livingston	215	207	5	4	3
McDonald	59	171	3	1	6
Macon	190	233	1	-	1
Madison	154	168	-	-	-
Maries	24	68	-	-	2
Marion	388	381	1	1	6
Hannibal, part	---	264	1	1	5
Hannibal, total	---	265	1	1	5
Balance of county	---	117	-	-	1
Mercer	18	58	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Miller	81	223	4	3	2
Mississippi	86	205	4	3	1
White	67	168	3	3	1
All other	19	37	1	-	-
Black	19	37	1	-	-
Moniteau	68	160	2	2	1
Monroe	68	129	3	2	-
Montgomery	84	136	-	-	1
Morgan	139	211	2	-	-
New Madrid	124	242	4	1	4
White	95	191	1	-	3
All other	29	51	3	1	1
Black	29	51	3	1	1
Sikeston, part	---	2	-	-	-
Balance of county	---	240	4	1	4
White	---	189	1	-	3
All other	---	51	3	1	1
Black	---	51	3	1	1
Newton	592	409	9	4	2
Joplin, part	---	46	1	-	1
Balance of county	---	363	8	4	1
Nodaway	137	189	1	1	1
Oregon	57	138	1	1	2
Osage	37	107	3	3	1
Ozark	34	105	2	2	1
Pemiscot	237	310	3	2	8
White	180	247	1	-	2
All other	57	63	2	2	6
Black	57	63	2	2	6
Perry	158	161	2	-	2
Pettis	454	446	3	1	3
Sedalia	---	315	1	-	3
Balance of county	---	131	2	1	-
Phelps	432	343	1	-	4
Rolla	---	115	1	-	2
Balance of county	---	228	-	-	2
Pike	183	216	1	-	2
Platte	117	254	10	5	1
Kansas City, part	---	80	4	3	1
Balance of county	---	174	6	2	-
Polk	198	231	7	5	2
Pulaski	185	243	7	5	4
White	173	232	6	4	4
All other	12	11	1	1	-
Black	11	10	1	1	-
Putnam	59	81	3	1	-
Ralls	29	84	-	-	1
Hannibal, part	---	1	-	-	-
Balance of county	---	83	-	-	1
Randolph	305	324	5	4	1
Moberly	---	226	3	3	1
Balance of county	---	98	2	1	-
Ray	150	218	4	2	2
Excelsior Springs, part	---	4	-	-	-
Balance of county	---	214	4	2	2
Reynolds	50	92	-	-	2
Ripley	99	155	-	-	-
St. Charles	809	881	24	20	13
St. Charles	---	369	11	10	5
St. Peters	---	68	3	2	1
Balance of county	---	444	10	8	7
St. Clair	138	137	1	1	6
Ste. Genevieve	116	134	1	1	6
St. Francois	501	516	8	3	4
St. Louis	8,690	8,230	116	92	81
White	8,014	7,506	73	60	57
All other	676	724	43	32	24
Black	659	706	40	29	23
Ballwin	---	64	1	-	2
Bellefontaine Neighbors	---	156	-	-	-
Berkeley	---	100	7	6	1
White	---	74	3	3	1
All other	---	26	4	3	-
Black	---	26	4	3	-
Bridgeton	---	138	4	4	1
Clayton	---	107	-	-	1
Crestwood	---	107	1	1	-
Creve Coeur	---	125	-	-	1
Ferguson	---	268	5	3	1
White	---	255	3	3	1
All other	---	13	2	-	-
Black	---	12	2	-	-
Florissant	---	423	2	2	6
Missouri-Con.					
Hazelwood	---	103	2	2	3
Jennings	---	202	2	1	-
White	---	181	-	-	-
All other	---	21	2	1	-
Black	---	21	2	1	-
Kirkwood	---	297	1	1	2
Maplewood	---	119	1	-	-
Overland	---	183	4	4	5
Richmond Heights	---	120	1	1	1
White	---	101	1	1	1
All other	---	19	-	-	-
Black	---	19	-	-	-
St. Ann	---	135	4	4	3
University City	---	377	4	2	3
White	---	257	1	1	-
All other	---	120	3	1	3
Black	---	118	3	1	3
Webster Groves	---	245	4	4	-
Balance of county	---	4,961	73	57	51
White	---	4,501	45	34	34
All other	---	460	28	23	17
Black	---	449	26	21	17
St. Louis city	7,824	6,369	136	84	98
White	5,158	3,900	31	22	37
All other	2,666	2,469	105	62	61
Black	2,654	2,461	104	61	61
Saline	281	339	-	-	1
Marshall	---	169	-	-	1
Balance of county	---	170	-	-	-
White	---	161	-	-	-
All other	---	9	-	-	-
Black	---	9	-	-	-
Schuyler	27	58	-	-	2
Scotland	77	96	-	-	-
Scott	474	378	4	3	5
Sikeston, part	---	193	1	1	2
White	---	176	1	1	2
All other	---	17	-	-	-
Black	---	16	-	-	-
Sikeston, total	---	195	1	1	2
White	---	178	1	1	2
All other	---	17	-	-	-
Black	---	16	-	-	-
Balance of county	---	185	3	2	3
White	---	182	3	2	2
All other	---	3	-	-	1
Black	---	3	-	-	1
Shannon	27	92	1	-	1
Shelby	67	104	-	-	-
Stoddard	253	358	5	1	5
Stone	77	197	1	1	1
Sullivan	70	88	-	-	4
Taney	277	323	5	4	-
Texas	183	235	1	1	2
Vernon	234	257	4	3	2
Warren	48	140	3	3	1
Washington	142	189	-	-	4
Wayne	69	149	2	2	-
Webster	76	188	2	2	3
Worth	24	41	-	-	-
Wright	130	215	7	4	1
Montana	6,623	6,724	139	68	94
White	6,343	6,429	116	57	78
All other	280	295	23	11	16
Black	8	8	1	1	-
Beaverhead	62	70	1	1	2
Big Horn	74	99	7	4	3
White	41	53	2	1	2
All other	33	46	5	3	1
Black	-	-	-	-	-
Blaine	41	59	3	-	-
White	31	47	-	-	-
All other	10	12	3	-	-
Black	-	-	-	-	-
Broadwater	24	38	-	-	-
Carbon	85	101	-	-	1
Carter	15	17	-	-	1
Cascade	703	618	20	7	7
Great Falls	---	509	17	5	2
Balance of county	---	109	3	2	5
Chouteau	35	49	-	-	-
Custer	167	130	1	1	2
Daniels	27	36	1	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Dawson	77	85	2	2	2
Deer Lodge, coext. with Anaconda-Deer Lodge	105	137	1	-	1
Fallon	32	36	1	1	-
Fergus	136	146	1	1	1
Flathead	467	460	11	3	3
Kalispell	---	153	4	2	3
Balance of county	---	307	7	1	-
Gallatin	241	256	5	5	6
Bozeman	---	148	1	1	1
Balance of county	---	108	4	4	5
Garfield	7	12	-	-	-
Glacier	86	109	3	1	1
White	43	51	-	-	-
All other	43	58	3	1	1
Black	-	-	-	-	-
Golden Valley	4	12	-	-	-
Granite	11	24	-	-	-
Hill	133	130	1	1	6
White	124	117	1	1	3
All other	9	13	-	-	3
Black	-	-	-	-	-
Havre	---	100	1	1	3
Balance of county	---	30	-	-	3
White	---	21	-	-	1
All other	---	9	-	-	2
Black	---	-	-	-	-
Jefferson	44	64	1	1	1
Judith Basin	3	14	-	-	2
Lake	155	183	2	1	2
White	133	156	1	1	-
All other	22	27	1	-	2
Black	-	-	-	-	-
Lewis and Clark	402	365	8	5	4
Helena	---	248	4	2	4
Balance of county	---	117	4	3	-
Liberty	23	19	-	-	-
Lincoln	122	146	1	-	-
McCone	15	23	-	-	-
Madison	61	61	-	-	1
Meagher	15	13	-	-	1
Mineral	15	19	1	-	-
Missoula	603	480	10	6	7
Missoula	---	308	6	4	5
Balance of county	---	172	4	2	2
Musselshell	42	53	1	-	-
Park	132	138	-	-	2
Petroleum	2	4	-	-	-
Phillips	51	58	1	1	1
Pondera	39	53	1	1	-
Powder River	15	17	-	-	-
Powell	47	60	3	2	1
Prairie	10	19	-	-	-
Ravalli	182	248	5	4	1
Richland	69	96	4	3	5
Roosevelt	95	114	6	3	3
White	61	65	1	-	1
All other	34	49	5	3	2
Black	1	-	-	-	-
Rosebud	54	64	1	1	3
White	44	45	-	-	1
All other	10	19	1	1	2
Black	-	-	-	-	-
Sanders	48	74	2	1	1
Sheridan	47	50	1	-	-
Silver Bow	501	475	6	1	3
Butte-Silver Bow	---	460	6	1	3
Balance of county	---	15	-	-	-
Stillwater	62	79	-	-	1
Sweet Grass	33	43	-	-	-
Teton	41	62	3	2	1
Toole	26	36	-	-	-
Treasure	3	11	1	1	-
Valley	86	91	2	1	-
Wheatland	19	18	-	-	-
Wibaux	8	13	-	-	-
Yellowstone	1,021	837	21	7	18
Billings	---	593	17	6	14
Balance of county	---	244	4	1	4
Yellowstone National Park	-	-	-	-	-
Nebraska	15,056	14,903	246	159	187
White	14,598	14,433	212	139	169
All other	458	470	34	20	18
Black	378	381	24	15	13
Adams	361	344	3	2	3
Hastings	---	284	3	2	3
Balance of county	---	60	-	-	-
Antelope	67	81	3	1	-
Arthur	-	-	-	-	-
Banner	2	8	-	-	-
Blaine	2	7	-	-	-
Boone	57	77	3	2	2
Box Butte	89	101	3	2	3
Boyd	30	48	-	-	-
Brown	44	54	3	1	-
Buffalo	365	302	4	4	6
Kearney	---	192	3	3	2
Balance of county	---	110	1	1	4
Burt	82	128	1	1	1
Butler	104	118	5	4	1
Cass	77	203	2	2	-
Cedar	60	111	1	-	1
Chase	56	55	-	-	3
Cherry	65	73	1	-	1
Cheyenne	110	121	1	-	-
Clay	42	95	1	1	1
Colfax	91	110	1	1	2
Cuming	86	114	-	-	-
Custer	166	189	2	1	2
Dakota	73	150	8	5	1
Dawes	97	93	-	-	2
Dawson	221	224	5	3	2
Deuel	5	28	1	1	-
Dixon	44	71	1	-	1
Dodge	380	391	3	3	4
Fremont	---	270	2	2	2
Balance of county	---	121	1	1	2
Douglas	4,596	3,541	80	55	57
White	4,225	3,178	54	39	46
All other	371	363	26	16	11
Black	342	344	23	14	11
Omaha	---	3,287	69	46	51
White	---	2,926	43	30	41
All other	---	361	26	16	10
Black	---	342	23	14	10
Balance of county	---	254	11	9	6
Dundy	41	44	-	-	1
Fillmore	104	115	1	1	-
Franklin	52	68	-	-	-
Frontier	27	47	-	-	-
Furnas	69	89	1	-	-
Gage	269	281	2	-	2
Beatrice	---	160	1	-	1
Balance of county	---	121	1	-	1
Garden	36	32	-	-	-
Garfield	39	37	-	-	-
Gosper	5	20	-	-	-
Grant	-	7	-	-	-
Greeley	32	53	-	-	-
Hall	552	437	8	4	10
Grand Island	---	360	7	4	6
Balance of county	---	77	1	-	4
Hamilton	85	80	3	2	3
Harlan	45	46	-	-	2
Hayes	1	8	-	-	-
Hitchcock	15	44	-	-	1
Holt	112	141	2	-	-
Hooker	18	21	1	1	-
Howard	68	68	-	-	-
Jefferson	76	127	1	1	1
Johnson	62	57	1	-	-
Kearney	49	69	-	-	-
Keith	91	101	2	1	1
Keya Paha	-	6	-	-	-
Kimball	44	47	1	1	-
Knox	93	137	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Lancaster	1,769	1,433	32	23	26
Lincoln	---	1,329	30	21	26
Balance of county	---	104	2	2	-
Lincoln	299	323	3	2	5
North Platte	---	245	3	2	2
Balance of county	---	78	-	-	3
Logan	-	3	-	-	-
Loup	3	9	-	-	-
McPherson	4	6	-	-	-
Madison	365	347	5	4	3
Norfolk	---	204	4	4	3
Balance of county	---	143	1	-	-
Merrick	61	98	2	-	-
Morrill	59	77	1	-	1
Nance	63	73	-	-	-
Nemaha	61	87	-	-	2
Nuckolls	78	81	2	1	-
Otoe	194	226	3	3	3
Pawnee	38	57	-	-	-
Perkins	40	39	1	-	-
Phelps	113	109	1	-	-
Pierce	116	94	1	1	1
Platte	170	208	4	3	-
Columbus	---	158	4	3	-
Balance of county	---	50	-	-	-
Polk	65	83	-	-	-
Red Willow	129	136	-	-	1
Richardson	173	184	2	2	3
Rock	26	27	-	-	1
Saline	146	148	1	-	-
Sarpy	248	347	6	5	6
Bellevue	---	142	2	2	1
Balance of county	---	205	4	3	5
Saunders	117	210	3	2	-
Scotts Bluff	442	375	11	7	3
Scottsbluff	---	155	3	2	1
Balance of county	---	220	8	5	2
Seward	130	156	2	1	4
Sheridan	74	91	-	-	2
Sherman	42	53	-	-	-
Sioux	1	12	-	-	-
Stanton	20	44	-	-	1
Thayer	85	109	-	-	-
Thomas	4	9	-	-	-
Thurston	73	92	7	3	2
White	52	52	-	-	-
All other	21	40	7	3	2
Black	-	-	-	-	-
Valley	67	73	-	-	1
Washington	136	145	-	-	1
Wayne	78	82	1	-	2
Webster	59	85	-	-	-
Wheeler	-	7	-	-	1
York	151	146	3	2	3
Nevada	7,885	7,236	130	73	101
White	7,359	6,754	110	57	81
All other	526	482	20	16	20
Black	366	345	18	14	15
Carson City city	338	348	8	4	4
Churchill	158	170	4	2	-
Clark	4,453	4,136	74	44	64
White	4,075	3,783	57	30	48
All other	378	353	17	14	16
Black	305	293	16	13	14
Henderson	---	240	3	1	1
Las Vegas	---	1,914	37	23	33
White	---	1,724	29	16	23
All other	---	190	8	7	10
Black	---	167	7	6	8
North Las Vegas	---	249	10	6	6
White	---	152	2	-	1
All other	---	97	8	6	5
Black	---	89	8	6	5
Balance of county	---	1,733	24	14	24
White	---	1,676	23	13	23
All other	---	57	1	1	1
Black	---	29	1	1	1
Nevada-Con.					
Douglas	74	143	3	1	5
Elko	159	164	3	1	5
Esmeralda	5	10	1	-	-
Eureka	6	7	-	-	-
Humboldt	62	82	-	-	-
Lander	16	31	-	-	-
Lincoln	26	34	-	-	-
Lyon	79	165	-	-	1
Mineral	42	72	2	-	2
White	37	63	2	-	1
All other	5	9	-	-	1
Black	1	2	-	-	1
Nye	61	91	1	-	2
Pershing	29	38	1	1	-
Storey	5	10	-	-	-
Washoe	2,274	1,648	33	20	15
White	2,174	1,574	31	19	14
All other	100	74	2	1	1
Black	51	47	2	1	-
Reno	---	1,096	22	12	8
Sparks	---	324	8	6	1
Balance of county	---	228	3	2	6
White	---	216	3	2	5
All other	---	12	-	-	1
Black	---	2	-	-	-
White Pine	98	87	-	-	3
New Hampshire	8,320	8,483	144	98	91
White	8,292	8,454	140	96	91
All other	28	29	4	2	-
Black	17	17	4	2	-
Belknap	384	453	5	2	4
Laconia	---	161	1	-	2
Balance of county	---	292	4	2	2
Carroll	350	372	3	3	1
Cheshire	495	615	20	16	9
Keene	---	235	8	7	2
Balance of county	---	380	12	9	7
Coos	420	424	5	3	1
Berlin	---	156	2	1	-
Balance of county	---	268	3	2	1
Grafton	972	604	6	3	8
Lebanon	---	97	-	-	1
Balance of county	---	507	6	3	7
Hillsborough	2,524	2,433	44	31	32
Manchester	---	1,057	19	14	10
Nashua	---	539	15	10	5
Balance of county	---	837	10	7	17
Merrimack	1,014	979	15	12	13
Concord	---	399	7	5	6
Balance of county	---	580	8	7	7
Rockingham	1,195	1,507	28	14	19
Portsmouth	---	209	2	-	3
Balance of county	---	1,298	26	14	16
Strafford	713	721	15	11	4
Dover	---	221	4	3	1
Rochester	---	222	5	4	1
Somersworth	---	93	1	1	2
Balance of county	---	185	5	3	-
Sullivan	253	375	3	3	-
Claremont	---	169	-	-	-
Balance of county	---	206	3	3	-
New Jersey	69,554	71,128	1,119	764	815
White	61,155	62,571	723	517	550
All other	8,399	8,557	396	247	265
Black	8,091	8,241	386	243	245
Atlantic	2,804	2,347	46	28	29
White	2,339	1,903	21	14	17
All other	465	444	25	14	12
Black	451	434	24	13	12
Atlantic City	---	721	21	9	9
White	---	416	4	2	4
All other	---	305	17	7	5
Black	---	304	17	7	5
Hammonton	---	137	5	3	2
Pleasantville	---	225	6	5	6
White	---	160	2	1	2
All other	---	65	4	4	4
Black	---	63	4	4	4
Somers Point	---	154	3	3	-
Ventnor City	---	145	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	965	11	8	12
Bergen	6,435	7,888	71	51	66
White	6,147	7,552	63	46	52
All other	288	336	8	5	14
Black	257	300	7	5	9
Bergenfield	---	211	1	1	2
Cliffside Park	---	247	3	2	1
Dumont	---	136	2	1	-
Elmwood Park	---	202	-	-	1
Englewood	---	256	2	2	3
White	---	143	2	2	1
All other	---	113	-	-	2
Black	---	110	-	-	2
Fair Lawn	---	340	2	2	3
Fairview	---	111	-	-	-
Fort Lee	---	277	3	2	4
White	---	266	2	2	4
All other	---	11	1	-	-
Black	---	3	-	-	-
Garfield	---	301	2	-	1
Glen Rock	---	105	1	-	4
Hackensack	---	390	9	7	3
White	---	332	5	5	1
All other	---	58	4	2	2
Black	---	58	4	2	2
Hasbrouck Heights	---	143	-	-	1
Hillsdale	---	64	-	-	1
Lodi	---	201	1	1	3
Lyndhurst twp#	---	237	1	1	1
New Milford	---	165	1	1	3
North Arlington	---	193	-	-	-
Oakland	---	76	1	1	1
Palisades Park	---	128	1	1	2
Paramus	---	231	3	3	-
Ramsey	---	82	3	2	2
Ridgefield	---	153	-	-	1
Ridgefield Park	---	143	1	-	1
Ridgewood	---	180	3	3	1
River Edge	---	107	-	-	-
Rutherford	---	220	3	2	-
Saddle Brook twp#	---	137	2	2	2
Teaneck twp#	---	357	5	3	8
White	---	287	2	-	5
All other	---	70	3	3	3
Black	---	68	3	3	3
Tenafly	---	137	1	-	-
Waldwick	---	60	-	-	1
Wallington	---	113	2	2	2
Westwood	---	115	-	-	-
Wyckoff twp#	---	118	-	-	2
Balance of county	---	1,952	18	12	12
White	---	1,920	18	12	10
All other	---	32	-	-	2
Black	---	22	-	-	-
Burlington	2,695	2,803	56	38	41
White	2,459	2,543	44	31	28
All other	236	260	12	7	13
Black	223	242	11	7	12
Burlington	---	157	2	-	2
White	---	119	1	-	1
All other	---	38	1	-	1
Black	---	38	1	-	1
Cinnaminson twp#	---	111	1	1	2
Delran twp#	---	86	-	-	1
Maple Shade twp#	---	226	3	3	3
Moorestown twp#	---	173	2	2	-
Mount Holly twp#	---	162	1	-	6
White	---	142	1	-	6
All other	---	20	-	-	-
Black	---	19	-	-	-
Pemberton twp#	---	165	8	6	3
White	---	143	7	6	2
All other	---	22	1	-	1
Black	---	21	1	-	1
Willingboro twp#	---	190	1	1	4
White	---	120	-	-	-
All other	---	70	1	1	4
Black	---	68	1	1	4
Balance of county	---	1,533	38	25	20
White	---	1,451	29	19	14
All other	---	82	9	6	6
Black	---	71	8	6	5
Camden	4,418	4,496	98	62	50
White	3,742	3,856	62	42	37
All other	676	640	36	20	13
Black	657	624	36	20	13
Bellmawr	---	119	1	-	1
Camden	---	865	54	31	12
White	---	424	21	13	7
All other	---	441	33	18	5
Black	---	440	33	18	5
Cherry Hill twp#	---	623	1	-	4
Collingswood	---	187	1	1	4
Gloucester twp#	---	260	2	1	2
Gloucester City	---	143	4	3	1
Haddon twp#	---	203	3	3	1
Haddonfield	---	118	-	-	-
Lindenwold	---	118	4	2	3
White	---	110	4	2	2
All other	---	8	-	-	1
Black	---	8	-	-	1
Pennsauken twp#	---	386	4	2	4
Voorhees twp#	---	83	3	3	2
White	---	79	3	3	2
All other	---	4	-	-	-
Black	---	4	-	-	-
Balance of county	---	1,391	21	16	16
White	---	1,267	19	15	13
All other	---	124	2	1	3
Black	---	116	2	1	3
Cape May	1,019	1,260	9	7	12
Ocean City	---	239	-	-	-
Balance of county	---	1,021	9	7	12
Cumberland	1,340	1,385	21	11	25
White	1,170	1,197	10	6	14
All other	170	188	11	5	11
Black	159	177	11	5	11
Bridgeton	---	283	7	5	8
White	---	201	2	2	3
All other	---	82	5	3	5
Black	---	79	5	3	5
Millville	---	343	6	2	6
Vineland	---	482	5	3	8
White	---	443	3	2	5
All other	---	39	2	1	3
Black	---	37	2	1	3
Balance of county	---	277	3	1	3
White	---	223	-	-	1
All other	---	54	3	1	2
Black	---	48	3	1	2
Essex	9,460	8,413	199	139	112
White	6,506	5,513	67	53	45
All other	2,954	2,900	132	86	67
Black	2,916	2,867	131	86	66
Belleville	---	359	3	3	4
Bloomfield	---	518	2	2	3
Cedar Grove twp#	---	120	2	2	1
East Orange	---	742	25	16	8
White	---	247	1	1	1
All other	---	495	24	15	7
Black	---	495	24	15	7
Irvington	---	686	16	10	7
White	---	509	3	1	2
All other	---	177	13	9	5
Black	---	175	13	9	5
Livingston twp#	---	194	3	3	1
Maplewood twp#	---	238	2	-	1
Millburn twp#	---	184	-	-	2
Montclair	---	426	3	3	2
White	---	292	3	3	1
All other	---	134	-	-	1
Black	---	130	-	-	1
Newark	---	3,113	117	83	58
White	---	1,264	35	28	16
All other	---	1,849	82	55	42
Black	---	1,840	82	55	42
Nutley	---	293	2	1	1
Orange	---	356	9	4	9
White	---	193	1	1	3
All other	---	163	8	3	6
Black	---	162	8	3	6
South Orange Village twp#	---	155	2	2	-
White	---	140	2	2	-
All other	---	15	-	-	-
Black	---	15	-	-	-
Verona	---	145	-	-	2
West Caldwell	---	94	-	-	2
West Orange	---	462	10	7	5
Balance of county	---	328	3	3	6
Gloucester	1,488	1,681	28	21	16
White	1,338	1,501	24	18	12
All other	150	180	4	3	4
Black	148	177	4	3	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Deptford twp#	---	159	6	5	1
White	---	144	6	5	1
All other	---	15	-	-	-
Black	---	14	-	-	-
Glassboro	---	129	4	4	-
White	---	94	2	2	-
All other	---	35	2	2	-
Black	---	35	2	2	-
Washington twp#	---	101	1	1	-
West Deptford twp#	---	95	-	-	3
Woodbury	---	180	2	1	1
White	---	156	1	1	-
All other	---	24	1	-	1
Black	---	24	1	-	1
Balance of county	---	1,017	15	10	11
White	---	913	14	9	8
All other	---	104	1	1	3
Black	---	103	1	1	3
Hudson	5,231	5,791	91	59	70
White	4,609	5,145	61	40	47
All other	622	646	30	19	23
Black	589	612	30	19	20
Bayonne	---	795	8	7	6
Harrison	---	123	-	-	-
Hoboken	---	332	6	5	4
White	---	317	5	4	4
All other	---	15	1	1	-
Black	---	11	1	1	-
Jersey City	---	2,444	58	38	30
White	---	1,871	30	20	11
All other	---	573	28	18	19
Black	---	555	28	18	16
Kearny	---	402	2	1	5
North Bergen twp#	---	516	8	4	8
Secaucus	---	163	-	-	3
Union City	---	464	6	4	3
White	---	451	6	4	3
All other	---	13	-	-	-
Black	---	10	-	-	-
Weehawken twp#	---	127	1	-	1
West New York	---	329	2	-	5
White	---	317	1	-	4
All other	---	12	1	-	1
Black	---	8	1	-	1
Balance of county	---	96	-	-	5
Hunterdon	517	675	14	11	13
Mercer	3,306	2,996	50	31	41
White	2,757	2,463	19	16	23
All other	549	533	31	15	18
Black	538	524	31	15	17
East Windsor twp#	---	69	1	1	1
Ewing twp#	---	348	2	1	4
White	---	304	1	1	3
All other	---	44	1	-	1
Black	---	43	1	-	1
Hamilton twp#	---	769	8	7	7
Princeton	---	148	1	1	1
White	---	130	-	-	1
All other	---	18	1	1	-
Black	---	17	1	1	-
Trenton	---	1,172	33	17	21
White	---	763	6	4	6
All other	---	409	27	13	15
Black	---	406	27	13	15
Balance of county	---	490	5	4	7
White	---	450	5	4	7
All other	---	40	-	-	-
Black	---	38	-	-	-
Middlesex	4,430	5,017	72	54	72
White	4,133	4,734	60	44	52
All other	297	283	12	10	20
Black	264	247	11	9	18
Carteret	---	210	3	3	2
East Brunswick twp#	---	221	5	5	3
Edison twp#	---	564	5	3	7
Highland Park	---	99	1	1	1
White	---	96	1	1	-
All other	---	3	-	-	1
Black	---	2	-	-	1
Metuchen	---	158	3	2	2
Middlesex	---	158	1	-	3
New Brunswick	---	327	11	9	9
White	---	250	6	5	2
All other	---	77	5	4	7
Black	---	76	5	4	7
North Brunswick twp#	---	159	2	2	3
Old Bridge twp#	---	349	3	3	4
Perth Amboy	---	438	13	9	9
White	---	407	10	7	6
All other	---	31	3	2	3
Black	---	29	3	2	3
Piscataway twp#	---	241	7	6	6
White	---	201	5	4	5
All other	---	40	2	2	1
Black	---	34	2	2	-
Sayreville	---	275	1	1	3
South Plainfield	---	161	2	1	1
South River	---	132	2	2	2
Woodbridge twp#	---	760	6	3	6
Balance of county	---	765	7	4	11
White	---	743	7	4	10
All other	---	22	-	-	1
Black	---	19	-	-	1
Monmouth	5,058	5,118	69	44	37
White	4,593	4,649	52	36	27
All other	465	469	17	8	10
Black	448	453	17	8	9
Aberdeen twp#	---	111	2	1	-
White	---	90	2	1	-
All other	---	21	-	-	-
Black	---	21	-	-	-
Asbury Park	---	307	7	3	-
White	---	198	-	-	-
All other	---	109	7	3	-
Black	---	109	7	3	-
Eatontown	---	118	2	2	1
White	---	107	-	-	-
All other	---	11	2	2	1
Black	---	11	2	2	1
Freehold	---	166	2	2	5
White	---	148	2	2	3
All other	---	18	-	-	2
Black	---	16	-	-	2
Hazlet twp#	---	168	2	2	-
Howell twp#	---	208	2	2	-
Keansburg	---	137	5	3	-
Long Branch	---	363	4	1	4
White	---	306	2	-	1
All other	---	57	2	1	3
Black	---	56	2	1	3
Middletown twp#	---	495	6	5	4
Neptune twp#	---	403	8	4	-
White	---	313	4	2	-
All other	---	90	4	2	-
Black	---	90	4	2	-
Ocean twp#	---	181	2	2	-
Red Bank	---	211	1	1	2
White	---	176	1	1	1
All other	---	35	-	-	1
Black	---	35	-	-	1
Balance of county	---	2,250	26	16	21
White	---	2,156	24	16	18
All other	---	94	2	-	3
Black	---	89	2	-	2
Morris	3,413	2,982	46	32	31
White	3,299	2,880	40	28	29
All other	114	102	6	4	2
Black	95	83	5	4	2
Denville twp#	---	113	-	-	1
Dover	---	167	2	1	2
Hanover twp#	---	85	-	-	1
Madison	---	116	1	1	1
Morris twp#	---	109	6	5	2
Morristown	---	237	5	3	3
White	---	194	3	2	1
All other	---	43	2	1	2
Black	---	43	2	1	2
Parsippany-Troy Hills twp#	---	246	4	3	2
Pequannock twp#	---	136	1	1	-
Balance of county	---	1,773	27	18	19
White	---	1,740	24	16	19
All other	---	33	3	2	-
Black	---	21	2	2	-
Ocean	4,943	5,179	45	31	22
White	4,842	5,078	37	26	20
All other	101	101	8	5	2
Black	92	90	8	5	2
Brick twp#	---	646	9	4	3
Dover twp#	---	940	7	6	3
Jackson twp#	---	233	4	1	3
Lakewood twp#	---	625	9	5	3
White	---	574	5	3	1
All other	---	51	4	2	2
Black	---	49	4	2	2
Manchester twp#	---	642	-	-	-
Point Pleasant	---	252	2	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Jersey-Con.					
Balance of county	---	1,841	14	13	9
White	---	1,812	12	11	9
All other	---	29	2	2	-
Black	---	26	2	2	-
Passaic	4,501	4,385	83	60	75
White	4,036	3,881	61	45	56
All other	465	504	22	15	19
Black	455	490	19	13	17
Clifton	---	954	6	5	4
Hawthorne	---	209	4	4	3
Little Falls twp#	---	109	3	3	1
Passaic	---	549	17	10	16
White	---	450	13	7	14
All other	---	99	4	3	2
Black	---	95	3	3	2
Paterson	---	1,287	37	27	31
White	---	905	19	15	16
All other	---	382	18	12	15
Black	---	380	16	10	14
Pompton Lakes	---	87	1	1	-
Ringwood	---	72	1	1	3
Totowa	---	141	2	1	-
Wanaque	---	85	2	1	1
Wayne twp#	---	389	3	1	3
West Paterson	---	91	1	1	2
Balance of county	---	412	6	5	11
Salem	627	627	18	13	5
White	528	517	13	9	4
All other	99	110	5	4	1
Black	98	108	5	4	1
Somerset	1,397	1,519	12	9	24
White	1,340	1,438	11	9	18
All other	57	81	1	-	6
Black	44	63	-	-	3
Bridgewater twp#	---	161	2	1	2
Franklin twp#	---	173	2	2	6
White	---	150	2	2	2
All other	---	23	-	-	4
Black	---	22	-	-	2
Manville	---	110	-	-	1
North Plainfield	---	172	-	-	2
Somerville	---	200	2	1	5
White	---	169	2	1	3
All other	---	31	-	-	2
Black	---	26	-	-	1
Balance of county	---	703	6	5	8
White	---	685	6	5	8
All other	---	18	-	-	-
Black	---	13	-	-	-
Sussex	774	846	11	9	9
Hopatcong	---	75	1	1	2
Balance of county	---	771	10	8	7
Union	4,980	4,944	67	44	60
White	4,360	4,257	32	18	34
All other	620	687	35	26	26
Black	595	667	35	26	25
Berkeley Heights twp#	---	73	-	-	-
Clark twp#	---	144	1	-	1
Cranford twp#	---	210	3	2	-
Elizabeth	---	1,091	23	14	21
White	---	929	13	6	15
All other	---	162	10	8	6
Black	---	157	10	8	6
Hillside twp#	---	181	6	3	1
White	---	149	1	1	-
All other	---	32	5	2	1
Black	---	32	5	2	1
Linden	---	441	1	1	1
White	---	392	-	-	-
All other	---	49	1	1	1
Black	---	48	1	1	1
New Providence	---	77	1	1	-
Plainfield	---	424	13	11	14
White	---	224	2	2	1
All other	---	200	11	9	13
Black	---	198	11	9	13
Rahway	---	273	5	4	2
White	---	242	3	2	1
All other	---	31	2	2	1
Black	---	31	2	2	1
Roselle	---	233	4	1	4
White	---	164	1	-	2
All other	---	69	3	1	2
Black	---	69	3	1	2
Roselle Park	---	113	-	-	2
Scotch Plains twp#	---	131	1	1	3
White	---	112	1	1	3
All other	---	19	-	-	-
Black	---	16	-	-	-
Springfield twp#	---	169	1	1	1
Summit	---	196	1	-	2
Union twp#	---	635	3	2	3
Westfield	---	233	-	-	3
Balance of county	---	320	4	3	2
White	---	307	2	1	1
All other	---	13	2	2	1
Black	---	11	2	2	-
Warren	718	776	13	10	5
Phillipsburg	---	228	3	1	2
Balance of county	---	548	10	9	3
New Mexico [4]	9,730	9,763	295	174	165
White	8,831	8,951	243	145	137
All other	899	812	52	29	28
Black	185	187	10	6	3
Bernalillo	3,722	3,039	99	60	36
White	3,483	2,904	85	48	32
All other	239	135	14	12	4
Black	91	77	5	5	1
Albuquerque	---	2,852	89	55	31
White	---	2,735	75	43	28
All other	---	117	14	12	3
Black	---	73	5	5	1
Balance of county	---	187	10	5	5
White	---	169	10	5	4
All other	---	18	-	-	1
Black	---	4	-	-	-
Catron	14	26	2	2	-
Chaves	525	539	10	6	5
Roswell	---	455	8	4	3
White	---	439	7	4	3
All other	---	16	1	-	-
Black	---	14	1	-	-
Balance of county	---	84	2	2	2
Cibola	117	130	6	3	-
White	76	86	5	2	-
All other	41	44	1	1	-
Black	1	1	-	-	-
Colfax	122	125	2	2	4
Curry	286	285	12	3	10
Clovis	---	255	8	3	7
White	---	240	7	3	6
All other	---	15	1	-	1
Black	---	14	1	-	1
Balance of county	---	30	4	-	3
White	---	29	4	-	3
All other	---	1	-	-	-
Black	---	-	-	-	-
De Baca	42	44	-	-	-
Dona Ana	566	626	15	8	12
Las Cruces	---	373	7	2	5
White	---	367	7	2	5
All other	---	6	-	-	-
Black	---	5	-	-	-
Balance of county	---	253	8	6	7
White	---	250	8	6	6
All other	---	3	-	-	1
Black	---	3	-	-	-
Eddy	426	469	8	7	10
Artesia	---	110	4	3	1
White	---	104	3	2	1
All other	---	6	1	1	-
Black	---	6	1	1	-
Carlsbad	---	296	3	3	7
White	---	290	3	3	7
All other	---	6	-	-	-
Black	---	3	-	-	-
Balance of county	---	63	1	1	2
White	---	63	1	1	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Grant	215	193	8	5	1
Guadalupe	26	37	2	1	-
Harding	2	15	1	-	-
Hidalgo	26	44	-	-	-
Lea	359	414	14	8	14
Hobbs	---	253	9	5	8
White	---	231	9	5	8
All other	---	22	-	-	-
Black	---	20	-	-	-
Balance of county	---	161	5	3	6
White	---	155	5	3	5
All other	---	6	-	-	1
Black	---	5	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Lincoln	102	108	-	-	4
Los Alamos	72	72	4	1	3
Luna	179	217	2	2	1
McKinley	386	358	19	8	8
White	129	130	4	-	4
All other	257	228	15	8	4
Black	6	6	-	-	-
Gallup	---	133	4	1	4
White	---	110	2	-	3
All other	---	23	2	1	1
Black	---	5	-	-	-
Balance of county	---	225	15	7	4
White	---	20	2	-	1
All other	---	205	13	7	3
Black	---	1	-	-	-
Mora	13	31	4	3	2
Otero	232	277	14	6	7
White	219	254	11	6	5
All other	13	23	3	-	2
Black	4	6	1	-	1
Alamogordo	---	182	10	4	3
White	---	176	9	4	3
All other	---	6	1	-	-
Black	---	6	1	-	-
Balance of county	---	95	4	2	4
White	---	78	2	2	2
All other	---	17	2	-	2
Black	---	-	-	-	1
Quay	89	116	-	-	-
Rio Arriba	203	268	8	4	2
White	194	233	6	4	2
All other	9	35	2	-	-
Black	-	-	-	-	-
Roosevelt	84	118	4	2	2
Sandoval	147	316	10	6	8
White	108	235	6	4	5
All other	39	81	4	2	3
Black	4	9	-	-	-
San Juan	411	432	19	11	17
White	256	293	11	7	7
All other	155	139	8	4	10
Black	2	2	-	-	-
Farmington	---	164	9	7	5
White	---	151	7	6	3
All other	---	13	2	1	2
Black	---	2	-	-	-
Balance of county	---	266	10	4	12
White	---	142	4	1	4
All other	---	126	6	3	8
Black	---	-	-	-	-
San Miguel	209	187	4	3	4
Las Vegas	---	127	3	2	1
White	---	125	2	1	1
All other	---	2	1	1	-
Black	---	1	-	-	-
Balance of county	---	60	1	1	3
White	---	59	1	1	2
All other	---	1	-	-	1
Black	---	1	-	-	-
Santa Fe	574	503	6	4	6
Santa Fe	---	392	5	4	4
White	---	387	5	4	4
All other	---	5	-	-	-
Black	---	1	-	-	-
Balance of county	---	111	1	-	2
White	---	109	1	-	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Sierra	156	162	2	1	-
Socorro	63	65	1	1	1
White	60	61	1	1	1
All other	3	4	-	-	-
Black	-	-	-	-	-
Taos	127	151	5	4	1
Torrance	29	69	3	3	1
Union	54	60	2	2	2
Valencia	152	267	9	8	4
White	151	258	9	8	4
All other	1	9	-	-	-
Black	-	3	-	-	-
New York	171,482	172,117	2,791	1,912	2,543
White	148,172	148,878	1,813	1,273	1,686
All other	23,310	23,239	978	639	857
Black	21,851	21,800	925	611	804
New York-Con.					
Albany	3,793	2,988	41	29	71
White	3,619	2,839	29	20	58
All other	174	149	12	9	13
Black	169	147	12	9	12
Albany	---	1,325	17	13	71
White	---	1,191	5	4	58
All other	---	134	12	9	13
Black	---	133	12	9	12
Cohoes	---	232	3	-	-
Watervliet	---	143	1	-	-
Balance of county	---	1,288	20	16	-
Allegany	350	450	4	2	3
Broome	2,190	2,046	27	19	21
Binghamton	---	764	10	8	12
Endicott	---	166	2	1	-
Johnson City	---	236	5	3	9
Vestal town#	---	189	2	2	-
Balance of county	---	691	8	5	-
Cattaraugus	779	826	12	6	12
Olean	---	206	3	1	9
Balance of county	---	620	9	5	3
Cayuga	731	804	10	9	5
Auburn	---	415	6	5	5
Balance of county	---	389	4	4	-
Chautauqua	1,488	1,538	17	13	19
Dunkirk	---	204	1	-	4
Fredonia	---	71	-	-	-
Jamestown	---	476	5	3	13
Balance of county	---	787	11	10	2
Chemung	1,066	975	14	8	14
Elmira	---	415	5	3	13
White	---	400	4	2	13
All other	---	15	1	1	-
Black	---	15	1	1	-
Balance of county	---	560	9	5	1
Chenango	361	504	3	3	5
Clinton	627	585	12	8	18
Plattsburgh	---	220	8	4	18
Balance of county	---	365	4	4	-
Columbia	652	688	8	5	9
Cortland	477	431	5	3	3
Cortland	---	198	2	1	2
Balance of county	---	233	3	2	1
Delaware	478	546	7	5	3
Dutchess	2,119	2,051	24	17	18
White	2,008	1,943	20	14	15
All other	111	108	4	3	3
Black	101	99	4	3	3
Beacon	---	138	2	2	3
White	---	125	2	2	2
All other	---	13	-	-	1
Black	---	12	-	-	1
Poughkeepsie	---	433	9	6	10
White	---	373	7	5	8
All other	---	60	2	1	2
Black	---	57	2	1	2
Balance of county	---	1,480	13	9	5
White	---	1,445	11	7	5
All other	---	35	2	2	-
Black	---	30	2	2	-
Erie	10,967	10,574	140	99	133
White	9,984	9,629	107	74	108
All other	983	945	33	25	25
Black	921	892	31	25	24
Buffalo	---	4,502	70	53	116
White	---	3,626	38	28	92
All other	---	876	32	25	24
Black	---	848	31	25	24
Depew	---	167	1	1	-
Hamburg	---	73	-	-	-
Kenmore	---	213	1	-	-
Lackawanna	---	244	6	4	-
White	---	229	6	4	-
All other	---	15	-	-	-
Black	---	15	-	-	-
Lancaster	---	138	1	1	-
Tonawanda	---	203	4	4	-
West Seneca town#	---	407	1	-	-
Balance of county	---	4,627	56	36	17
White	---	4,580	55	36	16
All other	---	47	1	-	1
Black	---	24	-	-	-
Essex	295	429	5	1	3
Franklin	451	466	6	4	3
Fulton	478	619	10	8	5
Gloversville	---	262	3	3	4
Balance of county	---	357	7	5	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Genesee	561	552	7	6	4
Batavia	---	212	2	1	3
Balance of county	---	340	5	5	1
Greene	365	528	5	5	3
Hamilton	21	67	-	-	1
Herkimer	586	689	9	8	9
Jefferson	993	933	13	12	14
Watertown	---	386	7	6	13
Balance of county	---	547	6	6	1
Lewis	159	233	3	3	3
Livingston	353	439	2	1	1
Madison	439	490	7	4	1
Oneida	---	114	-	-	-
Balance of county	---	376	7	4	1
Monroe	6,303	5,852	94	63	126
White	5,875	5,430	59	42	94
All other	428	422	35	21	32
Black	416	412	33	19	28
Brighton town#	---	339	3	3	-
Gates town#	---	206	2	2	-
Greece town#	---	600	9	6	-
Henrietta town#	---	142	2	1	-
Irondequoit town#	---	611	4	2	-
Penfield town#	---	170	3	2	-
Rochester	---	2,674	49	33	125
White	---	2,283	17	14	93
All other	---	391	32	19	32
Black	---	386	31	18	28
Balance of county	---	1,110	22	14	1
White	---	1,098	21	14	1
All other	---	12	1	-	-
Black	---	10	1	-	-
Montgomery	558	631	8	6	6
Amsterdam	---	296	1	1	3
Balance of county	---	335	7	5	3
Nassau	11,812	11,867	143	100	187
White	10,997	11,084	97	70	145
All other	815	783	46	30	42
Black	774	735	44	29	39
East Rockaway	---	87	-	-	2
Floral Park	---	186	-	-	1
Freeport	---	352	12	6	-
White	---	265	5	3	-
All other	---	87	7	3	-
Black	---	84	7	3	-
Garden City	---	207	-	-	-
Glen Cove	---	241	1	1	2
White	---	224	1	1	2
All other	---	17	-	-	-
Black	---	17	-	-	-
Hempstead	---	423	16	13	1
White	---	236	3	3	-
All other	---	187	13	10	1
Black	---	187	13	10	1
Long Beach	---	567	5	2	2
White	---	541	3	2	2
All other	---	26	2	-	-
Black	---	22	2	-	-
Lynbrook	---	217	2	1	-
Massapequa Park	---	151	2	2	-
Mineola	---	186	3	2	31
Rockville Centre	---	258	6	5	18
Valley Stream	---	375	1	1	1
Westbury	---	162	6	6	-
White	---	146	3	3	-
All other	---	16	3	3	-
Black	---	13	3	3	-
Balance of county	---	8,455	89	61	129
White	---	8,025	69	47	99
All other	---	430	20	14	30
Black	---	394	18	13	27
New York city	74,752	75,191	1,461	979	1,159
White	56,621	57,025	764	535	535
All other	18,131	18,166	697	444	624
Black	17,018	17,068	659	423	594
Bronx borough, Bronx county	---	12,922	288	193	193
White	---	9,456	152	113	92
All other	---	3,466	136	80	101
Black	---	3,384	133	78	99
Brooklyn borough, Kings county	---	22,766	613	410	488
White	---	16,579	284	195	200
All other	---	6,187	329	215	288
Black	---	5,990	324	210	284
Manhattan borough, New York county	---	16,367	234	152	222
White	---	11,376	131	86	108
All other	---	4,991	103	66	114
Black	---	4,512	92	60	107
Queens borough, Queens county	---	19,898	273	183	226
White	---	16,587	155	109	109
All other	---	3,311	118	74	117
Black	---	2,998	99	66	100
Staten Island borough, Richmond county	---	3,238	53	41	30
White	---	3,027	42	32	26
All other	---	211	11	9	4
Black	---	184	11	9	4
Niagara	2,180	2,290	22	12	21
White	2,089	2,183	18	8	17
All other	91	107	4	4	4
Black	73	86	4	4	3
Lockport	---	316	2	2	4
Niagara Falls	---	852	9	6	7
White	---	774	6	3	4
All other	---	78	3	3	3
Black	---	69	3	3	2
North Tonawanda	---	318	4	2	4
Balance of county	---	804	7	2	6
White	---	785	7	2	5
All other	---	19	-	-	1
Black	---	8	-	-	1
Oneida	2,651	2,636	27	18	34
Rome	---	363	4	1	9
Utica	---	1,119	12	10	13
Balance of county	---	1,154	11	7	12
White	---	1,149	11	7	9
All other	---	5	-	-	3
Black	---	3	-	-	3
Onondaga	4,697	4,108	70	49	81
White	4,451	3,871	35	30	71
All other	246	237	35	19	10
Black	212	207	33	19	8
Syracuse	---	1,971	42	27	66
White	---	1,760	10	8	56
All other	---	211	32	19	10
Black	---	197	32	19	8
Balance of county	---	2,137	28	22	15
White	---	2,111	25	22	15
All other	---	26	3	-	-
Black	---	10	1	-	-
Ontario	888	779	9	6	6
Canandaigua	---	151	4	2	4
Geneva, part	---	147	-	-	2
Geneva, total	---	147	-	-	2
Balance of county	---	481	5	4	-
White	---	477	5	4	-
All other	---	4	-	-	-
Black	---	2	-	-	-
Orange	2,427	2,372	48	31	40
White	2,286	2,222	35	20	35
All other	141	150	13	11	5
Black	137	146	13	11	5
Middletown	---	278	11	7	11
White	---	263	9	6	10
All other	---	15	2	1	1
Black	---	14	2	1	1
Newburgh	---	327	18	11	9
White	---	247	9	3	6
All other	---	80	9	8	3
Black	---	79	9	8	3
Balance of county	---	1,767	19	13	20
White	---	1,712	17	11	19
All other	---	55	2	2	1
Black	---	53	2	2	1
Orleans	332	424	5	4	6
Oswego	698	965	8	5	11
Fulton	---	156	1	-	-
Oswego	---	247	-	-	8
Balance of county	---	562	7	5	3
White	---	559	7	5	3
All other	---	3	-	-	-
Black	---	2	-	-	-
Otsego	765	606	4	2	12
Oneonta	---	138	2	1	4
Balance of county	---	468	2	1	8
White	---	464	2	1	8
All other	---	4	-	-	-
Black	---	3	-	-	-
Putnam	435	579	7	2	11
Carmel town#	---	229	3	-	5
Balance of county	---	350	4	2	6
White	---	348	4	2	6
All other	---	2	-	-	-
Black	---	2	-	-	-
Rensselaer	1,247	1,452	19	17	17
Troy	---	618	13	11	15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Balance of county	---	834	6	6	2
White	---	824	6	6	2
All other	---	10	-	-	-
Black	---	9	-	-	-
Rockland	1,973	1,981	32	20	44
White	1,831	1,836	23	13	35
All other	142	145	9	7	9
Black	128	128	9	7	9
Spring Valley	---	183	6	5	2
White	---	133	1	1	1
All other	---	50	5	4	1
Black	---	47	5	4	1
Suffern	---	100	1	1	26
Balance of county	---	1,698	25	14	16
White	---	1,604	21	11	10
All other	---	94	4	3	6
Black	---	80	4	3	6
St. Lawrence	984	1,005	11	8	15
Massena	---	157	1	1	3
Ogdensburg	---	129	2	1	7
Potsdam	---	65	1	1	3
Balance of county	---	654	7	5	2
Saratoga	726	1,212	20	13	4
Saratoga Springs	---	290	5	4	4
Balance of county	---	922	15	9	-
Schenectady	1,737	1,620	27	20	35
Niskayuna town#	---	126	1	1	15
Rotterdam town#	---	294	4	3	-
Schenectady	---	875	17	12	20
Balance of county	---	325	5	4	-
Schoharie	219	281	4	3	-
Schuyler	136	192	4	2	-
Seneca	229	315	3	3	1
Geneva, part	---	-	-	-	-
Balance of county	---	315	3	3	1
White	---	314	3	3	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Steuben	970	1,071	16	10	16
Corning	---	189	3	3	6
Homell	---	139	4	3	8
Balance of county	---	743	9	4	2
Suffolk	10,628	10,352	176	131	158
White	10,032	9,765	143	107	131
All other	596	587	33	24	27
Black	555	547	32	23	25
Babylon	---	115	2	2	-
Lindenhurst	---	243	1	1	-
Patchogue	---	125	2	1	-
Balance of county	---	9,869	171	127	158
White	---	9,288	138	103	131
All other	---	581	33	24	27
Black	---	541	32	23	25
Sullivan	612	769	12	9	10
Tioga	194	366	5	3	1
Tompkins	476	516	12	7	7
Ithaca	---	177	3	2	1
White	---	162	2	1	1
All other	---	15	1	1	-
Black	---	12	1	1	-
Balance of county	---	339	9	5	6
Ulster	1,225	1,532	25	17	14
Kingston	---	356	9	5	12
Balance of county	---	1,176	16	12	2
Warren	890	575	9	6	6
Glens Falls	---	199	3	2	6
Balance of county	---	376	6	4	-
Washington	331	585	6	1	-
Wayne	551	730	9	5	8
Newark	---	105	2	-	6
Balance of county	---	625	7	5	2
Westchester	8,655	8,250	99	79	117
White	7,717	7,346	68	55	75
All other	938	904	31	24	42
Black	912	882	29	23	40
Dobbs Ferry	---	61	-	-	-
Harrison	---	163	1	1	-
Mamaroneck	---	164	1	-	-
Mount Vernon	---	691	14	11	9
White	---	421	2	2	5
All other	---	270	12	9	4
Black	---	269	12	9	4
New Rochelle	---	809	5	5	13
White	---	677	5	5	9
All other	---	132	-	-	4
Black	---	131	-	-	4
Ossining	---	190	4	2	-
White	---	157	2	-	-
All other	---	33	2	2	-
Black	---	32	2	2	-
Peekskill	---	240	4	3	-
White	---	212	1	1	-
All other	---	28	3	2	-
Black	---	28	3	2	-
Port Chester	---	259	2	1	7
White	---	227	2	1	6
All other	---	32	-	-	1
Black	---	30	-	-	1
Rye	---	119	-	-	-
Scarsdale	---	161	-	-	2
Tarrytown	---	118	1	1	-
White	---	105	1	1	-
All other	---	13	-	-	-
Black	---	12	-	-	-
White Plains	---	528	4	3	14
White	---	450	2	2	9
All other	---	78	2	1	5
Black	---	78	2	1	5
Yonkers	---	2,000	32	26	34
White	---	1,828	24	19	23
All other	---	172	8	7	11
Black	---	167	7	6	10
Yorktown town#	---	226	2	1	-
Balance of county	---	2,521	29	25	38
White	---	2,397	25	22	21
All other	---	124	4	3	17
Black	---	115	3	3	16
Wyoming	264	348	3	2	8
Yates	158	214	2	1	1
North Carolina	53,327	52,988	1,051	695	762
White	40,376	40,005	582	379	442
All other	12,951	12,983	469	316	320
Black	12,532	12,561	449	305	305
Alamance	807	944	10	6	11
White	679	776	8	5	4
All other	128	168	2	1	7
Black	127	167	2	1	7
Burlington	---	399	7	5	6
White	---	339	6	4	2
All other	---	60	1	1	4
Black	---	60	1	1	4
Balance of county	---	545	3	1	5
White	---	437	2	1	2
All other	---	108	1	-	3
Black	---	107	1	-	3
Alexander	103	177	3	3	4
Alleghany	104	114	-	-	-
Anson	179	256	5	3	3
White	104	150	1	1	-
All other	75	106	4	2	3
Black	74	105	4	2	3
Ashe	160	219	4	3	2
Avery	149	125	-	-	2
Beaufort	464	471	6	5	13
White	318	330	3	2	7
All other	146	141	3	3	6
Black	146	141	3	3	6
Bertie	108	245	8	7	6
White	54	118	2	2	-
All other	54	127	6	5	6
Black	54	127	6	5	6
Bladen	184	282	3	1	4
White	110	164	1	-	2
All other	74	118	2	1	2
Black	73	117	2	1	2
Brunswick	233	372	4	2	4
White	183	298	4	2	3
All other	50	74	-	-	1
Black	48	74	-	-	1
Buncombe	2,443	1,711	18	13	26
White	2,212	1,533	16	11	24
All other	231	178	2	2	2
Black	225	178	2	2	2
Asheville	---	862	11	7	12
White	---	700	9	5	11
All other	---	162	2	2	1
Black	---	162	2	2	1
Balance of county	---	849	7	6	14
Burke	575	631	7	4	9
Hickory, part	---	1	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Morganton	---	145	5	3	3
White	---	125	4	2	1
All other	---	20	1	1	2
Black	---	20	1	1	2
Balance of county	---	485	2	1	6
Cabarrus	806	805	10	4	12
White	689	668	7	3	6
All other	117	137	3	1	6
Black	116	137	3	1	6
Concord	---	242	4	2	2
White	---	182	2	1	-
All other	---	60	2	1	2
Black	---	60	2	1	2
Balance of county	---	563	6	2	10
White	---	486	5	2	6
All other	---	77	1	-	4
Black	---	77	1	-	4
Caldwell	392	526	10	4	7
Lenoir	---	180	4	1	-
White	---	160	1	1	-
All other	---	20	3	-	-
Black	---	20	3	-	-
Balance of county	---	346	6	3	7
Camden	16	65	-	-	3
White	9	44	-	-	1
All other	7	21	-	-	2
Black	7	21	-	-	2
Elizabeth City, part	---	1	-	-	1
Balance of county	---	64	-	-	2
White	---	43	-	-	1
All other	---	21	-	-	1
Black	---	21	-	-	1
Carteret	424	445	11	5	3
White	376	396	9	3	3
All other	48	49	2	2	-
Black	47	48	2	2	-
Caswell	44	189	1	1	2
White	29	113	1	1	1
All other	15	76	-	-	1
Black	15	76	-	-	1
Catawba	971	928	21	14	11
White	894	843	17	11	10
All other	77	85	4	3	1
Black	77	85	4	3	1
Hickory, part	---	334	9	5	1
White	---	298	7	4	1
All other	---	36	2	1	-
Black	---	36	2	1	-
Hickory, total	---	335	9	5	1
White	---	299	7	4	1
All other	---	36	2	1	-
Black	---	36	2	1	-
Balance of county	---	594	12	9	10
Chatham	244	327	6	4	-
White	195	256	5	4	-
All other	49	71	1	-	-
Black	48	71	1	-	-
Cherokee	181	190	1	1	-
Chowan	245	157	2	2	-
White	158	106	-	-	-
All other	87	51	2	2	-
Black	86	50	2	2	-
Clay	19	81	2	1	1
Cleveland	827	768	16	8	12
White	675	611	8	2	9
All other	152	157	8	6	3
Black	152	157	8	6	3
Shelby	---	211	5	4	2
White	---	151	-	-	-
All other	---	60	5	4	2
Black	---	60	5	4	2
Balance of county	---	557	11	4	10
White	---	460	8	2	9
All other	---	97	3	2	1
Black	---	97	3	2	1
Columbus	399	530	11	7	11
White	265	358	8	5	3
All other	134	172	3	2	8
Black	126	160	3	2	8
Craven	629	538	24	16	6
White	455	382	11	6	5
All other	174	156	13	10	1
Black	170	152	13	10	1
Havelock	---	44	10	7	2
White	---	41	7	5	2
All other	---	3	3	2	-
Black	---	3	3	2	-
North Carolina-Con.					
New Bern	---	202	8	7	-
White	---	140	1	-	-
All other	---	62	7	7	-
Black	---	59	7	7	-
Balance of county	---	292	6	2	4
White	---	201	3	1	3
All other	---	91	3	1	1
Black	---	90	3	1	1
Cumberland	1,699	1,433	50	32	43
White	1,081	938	29	20	22
All other	618	495	21	12	21
Black	579	474	20	12	19
Fayetteville	---	663	21	12	14
White	---	382	8	6	7
All other	---	301	13	6	7
Black	---	289	12	6	7
Balance of county	---	750	29	20	29
White	---	556	21	14	15
All other	---	194	8	6	14
Black	---	185	8	6	12
Currituck	42	130	4	2	2
White	32	108	2	1	2
All other	10	22	2	1	-
Black	10	22	2	1	-
Dare	107	147	2	-	3
Davidson	696	961	16	7	11
White	614	863	14	6	7
All other	82	98	2	1	4
Black	82	98	2	1	3
High Point, part	---	2	-	-	-
Lexington	---	181	2	2	3
White	---	141	2	2	1
All other	---	40	-	-	2
Black	---	40	-	-	1
Thomasville	---	190	4	2	2
White	---	153	2	1	-
All other	---	37	2	1	2
Black	---	37	2	1	2
Balance of county	---	588	10	3	6
Davie	140	227	2	2	2
White	127	203	2	2	2
All other	13	24	-	-	-
Black	13	24	-	-	-
Duplin	272	452	7	5	5
White	177	294	1	1	2
All other	95	158	6	4	3
Black	95	158	6	4	3
Durham	2,723	1,425	28	18	21
White	1,815	896	9	5	6
All other	908	529	19	13	15
Black	897	527	18	12	15
Chapel Hill, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Durham	---	1,165	24	18	17
White	---	685	7	5	4
All other	---	480	17	13	13
Black	---	479	16	12	13
Balance of county	---	260	4	-	4
White	---	211	2	-	2
All other	---	49	2	-	2
Black	---	48	2	-	2
Edgecombe	386	536	17	11	8
White	188	251	5	3	1
All other	198	285	12	8	7
Black	197	285	12	8	7
Rocky Mount, part	---	191	4	2	4
White	---	59	1	-	-
All other	---	132	3	2	4
Black	---	132	3	2	4
Balance of county	---	345	13	9	4
White	---	192	4	3	1
All other	---	153	9	6	3
Black	---	153	9	6	3
Forsyth	3,108	2,139	51	34	19
White	2,444	1,544	29	23	9
All other	664	595	22	11	10
Black	660	593	21	11	10
Winston-Salem	---	1,400	32	19	17
White	---	842	11	9	7
All other	---	558	21	10	10
Black	---	556	20	10	10
Balance of county	---	739	19	15	2
Franklin	188	299	8	4	6
White	105	176	3	1	1
All other	83	123	5	3	5
Black	83	123	5	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Gaston	1,167	1,481	25	19	30
White	1,008	1,270	17	13	26
All other	159	211	8	6	4
Black	159	208	8	6	4
Gastonia	---	586	13	9	9
White	---	469	7	5	5
All other	---	117	6	4	4
Black	---	117	6	4	4
Balance of county	---	895	12	10	21
White	---	801	10	8	21
All other	---	94	2	2	-
Black	---	91	2	2	-
Gates	26	109	3	3	2
White	11	59	2	2	1
All other	15	50	1	1	1
Black	15	50	1	1	1
Graham	17	66	-	-	1
Granville	260	336	8	7	8
White	149	182	4	4	4
All other	111	154	4	3	4
Black	111	154	4	3	4
Greene	50	151	2	2	6
White	35	97	-	-	2
All other	15	54	2	2	4
Black	15	54	2	2	4
Guilford	3,145	2,800	53	45	28
White	2,466	2,144	25	19	15
All other	679	656	28	26	13
Black	673	650	27	25	13
Greensboro	---	1,490	32	29	15
White	---	1,067	9	7	5
All other	---	423	23	22	10
Black	---	419	22	21	10
High Point, part	---	735	14	13	9
White	---	575	10	10	6
All other	---	160	4	3	3
Black	---	160	4	3	3
High Point, total	---	739	14	13	9
White	---	579	10	10	6
All other	---	160	4	3	3
Black	---	160	4	3	3
Balance of county	---	575	7	3	4
White	---	502	6	2	4
All other	---	73	1	1	-
Black	---	71	1	1	-
Halifax	596	608	14	8	17
White	322	318	2	-	3
All other	274	290	12	8	14
Black	266	280	11	7	13
Roanoke Rapids	---	169	1	1	6
White	---	151	-	-	3
All other	---	18	1	1	3
Black	---	18	1	1	3
Balance of county	---	439	13	7	11
White	---	167	2	-	-
All other	---	272	11	7	11
Black	---	262	10	6	10
Harnett	412	506	9	6	6
White	302	375	7	4	2
All other	110	131	2	2	4
Black	109	128	2	2	4
Haywood	479	497	7	5	3
Henderson	726	741	7	6	7
Hertford	303	256	5	2	1
White	137	103	-	-	-
All other	166	153	5	2	1
Black	163	150	5	2	1
Hoke	81	147	2	-	3
White	45	82	-	-	2
All other	36	65	2	-	1
Black	31	54	1	-	1
Hyde	17	63	1	1	1
White	13	39	1	1	1
All other	4	24	-	-	-
Black	4	24	-	-	-
Iredell	704	772	10	3	8
White	596	646	10	3	5
All other	108	126	-	-	3
Black	108	126	-	-	3
Statesville	---	231	4	2	4
White	---	170	4	2	1
All other	---	61	-	-	3
Black	---	61	-	-	3
Balance of county	---	541	6	1	4
White	---	476	6	1	4
All other	---	65	-	-	-
Black	---	65	-	-	-
North Carolina-Con.					
Jackson	175	216	4	3	4
White	171	196	3	2	2
All other	4	20	1	1	2
Black	2	4	-	-	1
Johnston	443	694	11	5	10
White	350	557	7	3	7
All other	93	137	4	2	3
Black	92	136	4	2	3
Jones	23	92	2	1	-
White	9	48	1	1	-
All other	14	44	1	-	-
Black	14	44	1	-	-
Lee	373	413	14	10	5
White	275	301	8	7	1
All other	98	112	6	3	4
Black	98	112	6	3	4
Sanford	---	207	10	6	4
White	---	139	6	5	1
All other	---	68	4	1	3
Black	---	68	4	1	3
Balance of county	---	206	4	4	1
White	---	162	2	2	-
All other	---	44	2	2	1
Black	---	44	2	2	1
Lenoir	576	618	14	12	8
White	359	382	6	5	7
All other	217	236	8	7	1
Black	217	236	8	7	1
Kinston	---	342	4	2	2
White	---	192	2	1	1
All other	---	150	2	1	1
Black	---	150	2	1	1
Balance of county	---	276	10	10	6
White	---	190	4	4	6
All other	---	86	6	6	-
Black	---	86	6	6	-
Lincoln	291	391	7	5	1
McDowell	233	317	4	3	4
Macon	189	247	3	-	2
Madison	83	178	1	1	1
Martin	212	283	3	2	5
White	102	151	-	-	1
All other	110	132	3	2	4
Black	108	131	3	2	4
Mecklenburg	3,982	3,202	83	56	69
White	2,970	2,282	49	33	36
All other	1,012	920	34	23	33
Black	1,008	918	34	23	32
Charlotte	---	2,627	67	45	55
White	---	1,772	34	23	23
All other	---	855	33	22	32
Black	---	853	33	22	31
Balance of county	---	575	16	11	14
White	---	510	15	10	13
All other	---	65	1	1	1
Black	---	65	1	1	1
Mitchell	123	150	2	1	-
Montgomery	180	224	8	6	2
White	140	176	3	3	-
All other	40	48	5	3	2
Black	40	48	5	3	2
Moore	723	567	4	2	2
White	550	427	3	1	1
All other	173	140	1	1	1
Black	166	138	1	1	-
Nash	743	698	22	13	11
White	433	448	8	5	8
All other	310	250	14	8	3
Black	308	248	14	8	3
Rocky Mount, part	---	299	9	3	4
White	---	199	2	-	2
All other	---	100	7	3	2
Black	---	99	7	3	2
Rocky Mount, total	---	490	13	5	8
White	---	258	3	-	2
All other	---	232	10	5	6
Black	---	231	10	5	6
Balance of county	---	399	13	10	7
White	---	249	6	5	6
All other	---	150	7	5	1
Black	---	149	7	5	1
New Hanover	1,285	990	12	5	12
White	943	735	7	3	6
All other	342	255	5	2	6
Black	336	255	5	2	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Wilmington	---	664	10	4	7
White	---	442	6	2	1
All other	---	222	4	2	6
Black	---	222	4	2	6
Balance of county	---	326	2	1	5
Northampton	83	262	4	4	8
White	29	116	-	-	-
All other	54	146	4	4	8
Black	54	146	4	4	8
Onslow	491	518	34	21	22
White	376	411	23	13	16
All other	115	107	11	8	6
Black	111	101	11	8	6
Jacksonville	---	174	15	9	7
White	---	135	10	5	4
All other	---	39	5	4	3
Black	---	39	5	4	3
Balance of county	---	344	19	12	15
White	---	276	13	8	12
All other	---	68	6	4	3
Black	---	62	6	4	3
Orange	948	506	11	6	6
White	623	386	8	5	2
All other	325	120	3	1	4
Black	317	118	3	1	4
Chapel Hill, part	---	176	1	-	-
White	---	149	1	-	-
All other	---	27	-	-	-
Black	---	25	-	-	-
Chapel Hill, total	---	176	1	-	-
White	---	149	1	-	-
All other	---	27	-	-	-
Black	---	25	-	-	-
Balance of county	---	330	10	6	6
White	---	237	7	5	2
All other	---	93	3	1	4
Black	---	93	3	1	4
Pamlico	39	103	2	1	3
White	30	73	1	-	2
All other	9	30	1	1	1
Black	9	30	1	1	1
Pasquotank	367	260	3	2	4
White	272	186	1	1	2
All other	95	74	2	1	2
Black	95	74	2	1	2
Elizabeth City, part	---	165	1	-	1
White	---	120	-	-	-
All other	---	45	1	-	1
Black	---	45	1	-	1
Elizabeth City, total	---	166	1	-	2
White	---	121	-	-	-
All other	---	45	1	-	2
Black	---	45	1	-	2
Balance of county	---	95	2	2	3
White	---	66	1	1	2
All other	---	29	1	1	1
Black	---	29	1	1	1
Pender	147	224	5	5	2
White	97	141	1	1	2
All other	50	83	4	4	-
Black	49	83	4	4	-
Perquimans	46	101	2	1	5
White	32	61	-	-	2
All other	14	40	2	1	3
Black	14	40	2	1	3
Person	177	249	3	3	3
White	124	169	-	-	2
All other	53	80	3	3	1
Black	52	79	3	3	1
Pitt	1,220	785	11	8	13
White	695	452	3	2	7
All other	525	333	8	6	6
Black	523	333	8	6	6
Greenville	---	274	3	2	3
White	---	149	1	1	1
All other	---	125	2	1	2
Black	---	125	2	1	2
Balance of county	---	511	8	6	10
White	---	303	2	1	6
All other	---	208	6	5	4
Black	---	208	6	5	4
Polk	165	175	3	-	-
Randolph	490	737	12	8	8
Asheboro	---	191	2	2	3
White	---	170	1	1	2
All other	---	21	1	1	1
Black	---	21	1	1	1
High Point, part	---	2	-	-	-
Balance of county	---	544	10	6	5
Richmond	322	446	7	5	3
White	215	312	1	1	2
All other	107	134	6	4	1
Black	107	133	6	4	1
Robeson	889	932	28	21	12
White	413	391	10	9	2
All other	476	541	18	12	10
Black	288	307	7	6	6
Lumberton	---	203	3	2	4
White	---	128	2	1	2
All other	---	75	1	1	2
Black	---	61	1	1	2
Balance of county	---	729	25	19	8
White	---	263	8	8	-
All other	---	466	17	11	8
Black	---	246	6	5	4
Rockingham	601	779	9	4	10
White	451	602	2	2	8
All other	150	177	7	2	2
Black	150	177	7	2	2
Eden	---	164	1	-	3
White	---	140	-	-	3
All other	---	24	1	-	-
Black	---	24	1	-	-
Reidsville	---	177	4	2	2
White	---	109	-	-	-
All other	---	68	4	2	2
Black	---	68	4	2	2
Balance of county	---	438	4	2	5
White	---	353	2	2	5
All other	---	85	2	-	-
Black	---	85	2	-	-
Rowan	1,134	1,022	16	9	10
White	888	818	11	7	6
All other	246	204	5	2	4
Black	246	200	5	2	3
Salisbury	---	370	4	2	3
White	---	256	-	-	1
All other	---	114	4	2	2
Black	---	111	4	2	2
Balance of county	---	652	12	7	7
White	---	562	11	7	5
All other	---	90	1	-	2
Black	---	89	1	-	1
Rutherford	430	491	4	4	10
White	381	446	4	4	8
All other	49	45	-	-	2
Black	49	45	-	-	2
Sampson	381	521	4	3	4
White	257	348	-	-	2
All other	124	173	4	3	2
Black	119	166	4	3	2
Scotland	298	308	6	4	5
White	156	181	3	1	-
All other	142	127	3	3	5
Black	118	119	3	3	3
Laurinburg	---	153	3	2	3
White	---	77	1	-	-
All other	---	76	2	2	3
Black	---	74	2	2	2
Balance of county	---	155	3	2	2
White	---	104	2	1	-
All other	---	51	1	1	2
Black	---	45	1	1	1
Stanly	335	434	5	2	6
White	291	384	4	2	4
All other	44	50	1	-	2
Black	43	49	1	-	2
Albemarle	---	135	3	1	1
White	---	115	2	1	-
All other	---	20	1	-	1
Black	---	19	1	-	1
Balance of county	---	299	2	1	5
White	---	269	2	1	4
All other	---	30	-	-	1
Black	---	30	-	-	1
Stokes	181	280	3	2	-
Surry	530	560	6	3	4
Swain	182	143	2	2	1
White	139	114	1	1	-
All other	43	29	1	1	1
Black	7	3	-	-	-
Transylvania	168	207	2	1	3
Tyrrell	22	45	-	-	2
White	13	24	-	-	1
All other	9	21	-	-	1
Black	9	21	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Union	376	550	17	12	6
White	297	449	13	9	4
All other	79	101	4	3	2
Black	79	101	4	3	2
Monroe	---	161	5	4	2
White	---	104	3	3	-
All other	---	57	2	1	2
Black	---	57	2	1	2
Balance of county	---	389	12	8	4
White	---	345	10	6	4
All other	---	44	2	2	-
Black	---	44	2	2	-
Vance	383	422	11	8	7
White	209	255	1	1	3
All other	174	167	10	7	4
Black	174	167	10	7	4
Henderson	---	234	6	6	7
White	---	140	-	-	3
All other	---	94	6	6	4
Black	---	94	6	6	4
Balance of county	---	188	5	2	-
White	---	115	1	1	-
All other	---	73	4	1	-
Black	---	73	4	1	-
Wake	2,611	2,276	74	57	37
White	1,915	1,638	31	24	22
All other	696	638	43	33	15
Black	691	633	43	33	15
Cary	---	103	5	5	3
Garner	---	74	3	2	-
Raleigh	---	1,307	41	31	18
White	---	925	13	9	8
All other	---	382	28	22	10
Black	---	380	28	22	10
Balance of county	---	792	25	19	16
White	---	561	13	11	11
All other	---	231	12	8	5
Black	---	229	12	8	5
Warren	74	194	9	6	-
White	32	82	3	2	-
All other	42	112	6	4	-
Black	41	110	6	4	-
Washington	101	141	4	3	2
White	60	90	3	2	-
All other	41	51	1	1	2
Black	41	51	1	1	2
Watauga	252	204	3	3	3
Boone	---	55	-	-	-
Balance of county	---	149	3	3	3
Wayne	857	888	19	13	15
White	549	551	11	8	12
All other	308	337	8	5	3
Black	306	332	8	5	3
Goldsboro	---	365	9	7	6
White	---	181	5	4	5
All other	---	184	4	3	1
Black	---	180	4	3	1
Balance of county	---	523	10	6	9
White	---	370	6	4	7
All other	---	153	4	2	2
Black	---	152	4	2	2
Wilkes	343	479	8	4	3
Wilson	755	648	13	7	13
White	494	398	7	5	7
All other	261	250	6	2	6
Black	258	249	6	2	6
Wilson	---	380	7	5	7
White	---	223	3	3	3
All other	---	157	4	2	4
Black	---	157	4	2	4
Balance of county	---	268	6	2	6
White	---	175	4	2	4
All other	---	93	2	-	2
Black	---	92	2	-	2
Yadkin	169	292	2	2	3
Yancey	76	148	1	-	-
North Dakota	5,978	5,628	100	63	65
White	5,798	5,472	89	56	58
All other	180	156	11	7	7
Black	4	4	1	1	1
Adams	69	39	-	-	2
Barnes	131	160	2	1	1
Benson	20	66	2	1	-
White	13	45	-	-	-
All other	7	21	2	1	-
Black	-	-	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Dakota-Con.					
Billings	1	5	-	-	-
Bottineau	72	92	1	1	1
Bowman	40	48	-	-	-
Burke	7	41	-	-	-
Burleigh	602	337	11	10	5
Bismarck	---	297	11	10	4
Balance of county	---	40	-	-	1
Cass	1,246	610	24	18	11
Fargo	---	458	19	13	5
West Fargo	---	42	1	1	3
Balance of county	---	110	4	4	3
Cavalier	60	87	-	-	-
Dickey	98	87	2	2	-
Divide	43	45	-	-	-
Dunn	5	36	3	3	1
Eddy	43	52	1	1	1
Emmons	47	67	-	-	1
Foster	55	52	-	-	2
Golden Valley	10	32	2	1	-
Grand Forks	552	423	9	3	10
Grand Forks	---	313	6	2	7
Balance of county	---	110	3	1	3
Grant	21	41	-	-	-
Griggs	26	41	-	-	-
Hettinger	11	33	-	-	-
Kidder	8	24	-	-	-
La Moure	18	60	-	-	1
Logan	6	29	-	-	-
McHenry	29	77	-	-	1
McIntosh	65	67	-	-	-
McKenzie	49	66	-	-	1
White	42	59	-	-	-
All other	7	7	-	-	1
Black	-	-	-	-	-
McLean	92	117	3	2	-
Mercer	59	71	1	1	2
Morton	121	188	3	1	3
Mandan	---	112	2	1	2
Balance of county	---	76	1	-	1
Mountrail	83	109	1	-	-
White	74	97	-	-	-
All other	9	12	1	-	-
Black	-	-	-	-	-
Nelson	58	82	-	-	-
Oliver	4	16	-	-	-
Pembina	132	142	-	-	1
Pierce	104	77	1	1	2
Ramsey	164	149	1	1	-
Ransom	61	71	1	1	-
Renville	28	41	-	-	-
Richland	77	165	1	1	1
Rolette	93	125	3	2	1
White	54	69	1	1	-
All other	39	56	2	1	1
Black	-	-	-	-	-
Sargent	24	64	-	-	-
Sheridan	2	30	-	-	-
Sioux	15	28	2	1	1
White	2	9	1	-	-
All other	13	19	1	1	1
Black	-	-	-	-	-
Slope	1	9	-	-	-
Stark	178	154	6	3	-
Dickinson	---	108	3	1	-
Balance of county	---	46	3	2	-
Steele	4	29	-	-	1
Stutsman	228	232	1	1	1
Jamestown	---	176	1	1	-
Balance of county	---	56	-	-	1
Towner	46	47	-	-	-
Traill	136	132	-	-	1
Walsh	148	179	3	2	3
Ward	503	379	9	4	6
Minot	---	287	6	1	5
Balance of county	---	92	3	3	1
Wells	86	86	1	-	-
Williams	197	189	6	1	4
Williston	---	139	4	1	3
Balance of county	---	50	2	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio	98,747	98,941	1,660	1,082	1,225
White	88,736	88,910	1,261	827	940
All other	10,011	10,031	399	255	285
Black	9,876	9,903	390	250	276
Adams	171	233	1	-	1
Allen	1,248	998	9	7	20
White	1,173	920	8	6	16
All other	75	78	1	1	4
Black	74	77	1	1	3
Lima	---	588	5	4	11
White	---	518	4	3	8
All other	---	70	1	1	3
Black	---	69	1	1	3
Balance of county	---	410	4	3	9
Ashland	399	437	11	9	3
Ashland	---	232	5	4	1
Balance of county	---	205	6	5	2
Ashtabula	899	1,032	19	14	12
Ashtabula	---	268	4	3	2
Conneaut	---	176	5	4	5
Balance of county	---	588	10	7	5
Athens	386	427	5	2	10
Athens	---	85	-	-	2
White	---	84	-	-	1
All other	---	1	-	-	1
Black	---	1	-	-	1
Balance of county	---	342	5	2	8
Auglaize	371	423	4	3	5
Belmont	822	987	17	16	13
Brown	242	285	2	1	2
Butler	2,282	2,134	48	29	35
White	2,150	2,012	44	27	28
All other	132	122	4	2	7
Black	130	121	4	2	7
Fairfield	---	171	2	1	2
Hamilton	---	705	9	6	15
Middletown	---	514	18	11	6
White	---	452	15	10	6
All other	---	62	3	1	-
Black	---	62	3	1	-
Oxford	---	75	-	-	-
Balance of county	---	669	19	11	12
Carroll	95	214	6	4	2
Champaign	232	309	5	4	1
Urbana	---	118	1	1	1
Balance of county	---	191	4	3	-
Clark	1,519	1,553	20	13	11
White	1,359	1,381	15	12	10
All other	160	172	5	1	1
Black	160	172	5	1	1
Springfield	---	895	14	8	8
White	---	734	9	7	7
All other	---	161	5	1	1
Black	---	161	5	1	1
Balance of county	---	658	6	5	3
Clermont	490	953	20	13	15
Clinton	322	314	5	4	2
Wilmington	---	120	2	2	1
Balance of county	---	194	3	2	1
Columbiana	1,116	1,160	20	17	8
East Liverpool	---	238	6	4	3
Salem	---	172	3	3	-
Balance of county	---	750	11	10	5
Coshocton	286	331	4	3	6
Coshocton	---	157	-	-	3
Balance of county	---	174	4	3	3
Crawford	460	512	8	2	13
Bucyrus	---	164	3	2	4
Galion	---	157	2	-	7
Balance of county	---	191	3	-	2
Cuyahoga	16,689	15,690	245	162	208
White	13,270	12,335	122	80	106
All other	3,419	3,355	123	82	102
Black	3,385	3,323	122	81	99
Bay Village	---	129	1	1	1
Bedford	---	139	2	1	4
Bedford Heights	---	105	-	-	-
White	---	84	-	-	-
All other	---	21	-	-	-
Black	---	21	-	-	-
Berea	---	153	2	2	-
Brecksville	---	90	-	-	-
Broadview Heights	---	92	-	-	-
Brooklyn	---	149	2	2	-
Brook Park	---	147	1	-	25
Cleveland	---	6,683	151	94	102
White	---	4,028	54	33	37
All other	---	2,655	97	61	65
Black	---	2,641	97	61	65
Ohio-Con.					
Cleveland Heights	---	523	6	6	6
White	---	446	2	2	2
All other	---	77	4	4	4
Black	---	77	4	4	4
East Cleveland	---	368	8	5	8
White	---	97	1	-	-
All other	---	271	7	5	8
Black	---	271	7	5	8
Euclid	---	745	13	9	8
Fairview Park	---	217	2	2	2
Garfield Heights	---	408	5	3	7
White	---	376	4	2	5
All other	---	32	1	1	2
Black	---	31	1	1	2
Lakewood	---	661	8	6	5
Lyndhurst	---	178	1	1	1
Maple Heights	---	319	5	3	1
Mayfield Heights	---	303	-	-	-
Middleburg Heights	---	111	-	-	1
North Olmsted	---	260	3	2	2
North Royalton	---	147	1	1	3
Parma	---	894	5	2	10
Parma Heights	---	273	2	1	1
Richmond Heights	---	96	1	1	1
Rocky River	---	249	-	-	1
Seven Hills	---	130	1	1	2
Shaker Heights	---	287	1	1	5
White	---	225	-	-	1
All other	---	62	1	1	4
Black	---	62	1	1	4
Solon	---	102	1	1	-
South Euclid	---	266	3	3	3
Strongsville	---	148	5	3	3
University Heights	---	130	-	-	-
White	---	121	-	-	-
All other	---	9	-	-	-
Black	---	9	-	-	-
Warrensville Heights	---	139	4	2	3
White	---	49	1	-	-
All other	---	90	3	2	3
Black	---	90	3	2	2
Westlake	---	239	1	1	-
Balance of county	---	810	10	8	3
Darke	422	526	4	3	8
Greenville	---	205	1	-	2
Balance of county	---	321	3	3	6
Defiance	284	308	7	4	3
Defiance	---	140	3	2	3
Balance of county	---	168	4	2	-
Delaware	342	385	9	7	3
Delaware	---	142	4	3	2
Westerville, part	---	10	-	-	-
Balance of county	---	233	5	4	1
Erie	691	686	9	4	16
Sandusky	---	329	7	3	9
White	---	300	4	1	5
All other	---	29	3	2	4
Black	---	29	3	2	4
Vermilion, part	---	49	-	-	2
Vermilion, total	---	69	-	-	4
Balance of county	---	308	2	1	5
Fairfield	660	733	13	8	5
Columbus, part	---	1	-	-	-
Lancaster	---	348	5	4	1
Reynoldsburg, part	---	-	-	-	-
Balance of county	---	384	8	4	4
Fayette	270	283	4	3	3
Washington	---	182	2	2	1
Balance of county	---	101	2	1	2
Franklin	7,910	6,857	154	94	102
White	6,820	5,754	111	71	60
All other	1,090	1,103	43	23	42
Black	1,062	1,074	41	23	41
Bexley	---	113	-	-	-
Columbus, part	---	4,698	130	78	78
White	---	3,646	89	55	39
All other	---	1,052	41	23	39
Black	---	1,027	39	23	38
Columbus, total	---	4,699	130	78	78
White	---	3,647	89	55	39
All other	---	1,052	41	23	39
Black	---	1,027	39	23	38
Gahanna	---	111	1	-	3
Grove City	---	117	-	-	-
Reynoldsburg, part	---	105	-	-	1
Reynoldsburg, total	---	108	-	-	1
Upper Arlington	---	323	3	3	1
Westerville, part	---	169	4	4	1
Westerville, total	---	179	4	4	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Whitehall	---	149	2	1	3
Worthington	---	111	-	-	4
Balance of county	---	961	14	8	11
Fulton	231	314	4	4	3
Gallia	424	304	2	2	5
Geauga	344	491	7	6	10
Greene	840	891	20	17	10
White	776	838	17	15	9
All other	64	53	3	2	1
Black	63	51	2	1	1
Beavercreek	---	136	2	1	3
Dayton, part	---	2	-	-	1
Fairborn	---	202	6	5	3
Xenia	---	256	5	4	1
White	---	221	3	3	1
All other	---	35	2	1	-
Black	---	35	2	1	-
Balance of county	---	295	7	7	2
White	---	278	6	6	2
All other	---	17	1	1	-
Black	---	16	-	-	-
Guernsey	450	451	6	4	6
Cambridge	---	188	5	3	1
Balance of county	---	263	1	1	5
Hamilton	9,616	8,517	164	110	77
White	8,004	6,926	84	56	53
All other	1,612	1,591	80	54	24
Black	1,596	1,579	78	53	24
Cincinnati	---	4,580	106	72	37
White	---	3,218	36	24	22
All other	---	1,362	70	48	15
Black	---	1,355	68	47	15
Forest Park	---	74	-	-	3
White	---	55	-	-	-
All other	---	19	-	-	3
Black	---	18	-	-	3
Montgomery	---	73	-	-	-
North College Hill	---	146	2	2	-
Norwood	---	269	2	-	1
Reading	---	95	-	-	-
Sharonville	---	80	1	1	1
Springdale	---	104	1	-	1
Balance of county	---	3,096	52	35	34
White	---	2,897	42	29	28
All other	---	199	10	6	6
Black	---	196	10	6	6
Hancock	623	527	7	5	5
Findlay	---	314	5	3	1
Fostoria, part	---	26	-	-	-
Balance of county	---	187	2	2	4
Hardin	264	326	7	4	3
Harrison	133	188	1	-	1
Henry	192	268	6	3	2
Highland	308	382	3	1	10
Hocking	190	225	6	6	1
Holmes	260	217	6	2	4
Huron	401	497	13	8	2
Norwalk	---	146	3	1	-
Balance of county	---	351	10	7	2
Jackson	200	327	7	2	4
Jefferson	845	929	8	5	7
Steubenville	---	325	3	2	3
White	---	286	2	2	2
All other	---	39	1	-	1
Black	---	38	1	-	1
Balance of county	---	604	5	3	4
Knox	476	473	5	2	4
Mount Vernon	---	213	1	-	3
Balance of county	---	260	4	2	1
Lake	1,458	1,605	15	11	20
Eastlake	---	129	-	-	3
Mentor	---	260	3	3	1
Painesville	---	178	3	2	4
White	---	161	2	2	2
All other	---	17	1	-	2
Black	---	16	1	-	2
Wickliffe	---	155	-	-	2
Willoughby	---	210	-	-	4
Willowick	---	171	2	2	2
Balance of county	---	502	7	4	4
Lawrence	382	646	11	8	5
Ironton	---	232	3	-	-
Balance of county	---	414	8	8	5
Ohio-Con.					
Licking	964	1,097	18	11	12
Newark	---	511	8	4	7
Reynoldsburg, part	---	3	-	-	-
Balance of county	---	583	10	7	5
Logan	339	419	5	1	4
Bellefontaine	---	137	-	-	-
Balance of county	---	282	5	1	4
Lorain	1,938	2,033	45	33	32
White	1,804	1,884	37	27	28
All other	134	149	8	6	4
Black	131	147	8	6	4
Amherst	---	114	2	2	-
Avon Lake	---	94	2	1	-
Elyria	---	477	10	6	9
White	---	424	6	3	5
All other	---	53	4	3	4
Black	---	53	4	3	4
Lorain	---	639	14	10	13
White	---	570	11	8	13
All other	---	69	3	2	-
Black	---	69	3	2	-
North Ridgeville	---	93	2	-	1
Sheffield Lake	---	62	1	1	3
Vermilion, part	---	20	-	-	2
Balance of county	---	534	14	13	4
Lucas	5,548	4,631	81	47	55
White	5,029	4,097	55	30	38
All other	519	534	26	17	17
Black	514	529	24	16	16
Maumee	---	122	2	-	-
Oregon	---	186	-	-	1
Sylvania	---	126	-	-	5
Toledo	---	3,768	72	44	43
White	---	3,251	46	27	26
All other	---	517	26	17	17
Black	---	515	24	16	16
Balance of county	---	429	7	3	6
Madison	204	301	5	4	5
Mahoning	2,911	3,089	40	32	29
White	2,589	2,704	23	18	18
All other	322	385	17	14	11
Black	320	383	17	14	11
Alliance, part	---	2	-	-	-
Campbell	---	123	1	1	-
White	---	112	-	-	-
All other	---	11	1	1	-
Black	---	11	1	1	-
Struthers	---	152	-	-	3
Youngstown, part	---	1,426	29	22	15
White	---	1,076	14	10	4
All other	---	350	15	12	11
Black	---	348	15	12	11
Youngstown, total	---	1,427	29	22	15
White	---	1,077	14	10	4
All other	---	350	15	12	11
Black	---	348	15	12	11
Balance of county	---	1,386	10	9	11
Marion	651	622	8	7	12
Marion	---	373	5	5	7
Balance of county	---	249	3	2	5
Medina	722	729	14	9	10
Brunswick	---	135	-	-	6
Medina	---	131	5	4	1
Wadsworth	---	132	2	-	-
Balance of county	---	331	7	5	3
Meigs	177	267	5	3	2
Mercer	261	311	6	2	3
Miami	730	796	13	6	9
Piqua	---	229	6	4	3
Troy	---	188	3	1	2
Balance of county	---	379	4	1	4
Monroe	73	158	-	-	5
Montgomery	5,808	5,006	98	63	71
White	4,877	4,114	64	44	45
All other	931	892	34	19	26
Black	921	883	34	19	26
Centerville	---	126	3	2	1
Dayton, part	---	2,186	52	31	42
White	---	1,418	22	16	20
All other	---	768	30	15	22
Black	---	765	30	15	22
Dayton, total	---	2,188	52	31	43
White	---	1,420	22	16	21
All other	---	768	30	15	22
Black	---	765	30	15	22
Englewood	---	80	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Huber Heights	---	146	2	2	1
Kettering	---	527	8	6	3
Miamisburg	---	138	2	2	4
Vandalia	---	82	2	-	1
West Carrollton	---	91	1	-	2
Balance of county	---	1,630	28	20	16
White	---	1,519	24	16	13
All other	---	111	4	4	3
Black	---	110	4	4	3
Morgan	111	153	-	-	1
Morrow	157	216	5	2	1
Muskingum	1,073	887	15	14	18
Zanesville	---	406	8	7	10
White	---	385	7	6	10
All other	---	21	1	1	-
Black	---	21	1	1	-
Balance of county	---	481	7	7	8
Noble	60	134	2	-	2
Ottawa	287	409	1	-	6
Paulding	102	180	2	2	4
Perry	101	307	6	3	4
Pickaway	252	327	4	3	7
Circleville	---	135	1	1	5
Balance of county	---	192	3	2	2
Pike	154	216	6	4	2
Portage	723	910	11	4	18
Kent	---	154	1	-	6
Ravenna	---	159	1	1	2
Balance of county	---	597	9	3	10
Preble	136	336	4	3	6
Putnam	125	269	6	1	8
Richland	1,158	1,138	20	12	12
Mansfield	---	603	15	7	6
White	---	540	12	5	3
All other	---	63	3	2	3
Black	---	63	3	2	3
Balance of county	---	535	5	5	6
Ross	749	624	11	9	10
Chillicothe	---	332	4	3	3
Balance of county	---	292	7	6	7
Sandusky	474	534	5	3	7
Fremont	---	187	2	2	3
White	---	178	2	2	3
All other	---	9	-	-	-
Black	---	8	-	-	-
Balance of county	---	347	3	1	4
Scioto	955	932	17	12	7
Portsmouth	---	368	7	5	3
Balance of county	---	564	10	7	4
Seneca	354	521	7	4	4
Fostoria, part	---	144	4	2	-
White	---	135	3	2	-
All other	---	9	1	-	-
Black	---	9	1	-	-
Fostoria, total	---	183	5	2	-
White	---	174	4	2	-
All other	---	9	1	-	-
Black	---	9	1	-	-
Tiffin	---	185	2	1	1
Balance of county	---	192	1	1	3
Shelby	242	310	2	1	4
Sidney	---	159	-	-	3
Balance of county	---	151	2	1	1
Stark	3,943	3,665	46	26	37
White	3,733	3,437	39	23	26
All other	210	228	7	3	11
Black	209	226	7	3	11
Alliance, part	---	315	4	2	5
White	---	276	3	1	4
All other	---	39	1	1	1
Black	---	38	1	1	1
Alliance, total	---	317	4	2	5
White	---	278	3	1	4
All other	---	39	1	1	1
Black	---	38	1	1	1
Canton	---	1,135	19	9	11
White	---	998	13	7	4
All other	---	137	6	2	7
Black	---	137	6	2	7
Massillon	---	379	3	3	3
White	---	350	3	3	1
All other	---	29	-	-	2
Black	---	29	-	-	2
North Canton	---	157	-	-	1
Balance of county	---	1,679	20	12	17
Ohio-Con.					
Summit	4,987	5,021	83	51	40
White	4,491	4,509	62	40	32
All other	496	512	21	11	8
Black	494	509	21	11	8
Akron	---	2,645	45	26	28
White	---	2,179	24	15	21
All other	---	466	21	11	7
Black	---	464	21	11	7
Barberton	---	340	7	3	2
Cuyahoga Falls	---	419	7	5	2
Norton	---	7	-	-	-
Stow	---	17	-	-	-
Tallmadge	---	28	-	-	-
Balance of county	---	1,565	24	17	8
Trumbull	2,227	2,114	36	27	29
White	2,037	1,978	28	20	23
All other	190	136	8	7	6
Black	190	136	8	7	6
Girard	---	136	4	3	1
Niles	---	251	1	1	-
Warren	---	656	11	8	12
White	---	567	6	4	7
All other	---	89	5	4	5
Black	---	89	5	4	5
Youngstown, part	---	1	-	-	-
White	---	1	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	1,070	20	15	16
Tuscarawas	797	916	9	6	14
Dover	---	177	2	2	1
New Philadelphia	---	198	2	1	2
Balance of county	---	541	5	3	11
Union	197	231	3	2	4
Van Wert	252	285	4	1	-
Van Wert	---	115	2	1	-
Balance of county	---	170	2	-	-
Vinton	46	95	-	-	2
Warren	405	783	12	10	12
Franklin	---	133	2	2	4
Balance of county	---	650	10	8	8
Washington	510	564	10	9	6
Marietta	---	191	4	4	2
Balance of county	---	373	6	5	4
Wayne	610	742	19	10	11
Wooster	---	190	5	3	2
Balance of county	---	552	14	7	9
Williams	308	330	6	1	1
Wood	519	785	21	17	11
Bowling Green	---	130	5	4	3
Fostoria, part	---	13	1	-	-
Perrysburg	---	92	1	1	1
Balance of county	---	550	14	12	7
Wyandot	162	200	2	1	2
Oklahoma	28,916	29,782	577	369	402
White	26,028	26,836	453	285	306
All other	2,888	2,946	124	78	96
Black	1,932	1,952	98	64	54
Adair	133	224	2	2	7
White	109	179	1	1	6
All other	24	45	1	1	1
Black	-	1	-	-	-
Alfalfa	63	114	-	-	1
Atoka	114	133	2	-	3
White	103	120	-	-	3
All other	11	13	2	-	-
Black	5	7	2	-	-
Beaver	42	63	1	1	1
Beckham	218	232	4	2	5
Blaine	165	193	2	1	2
White	148	163	-	-	1
All other	17	30	2	1	1
Black	4	7	-	-	-
Bryan	268	383	7	2	2
Durant	---	177	4	1	-
White	---	173	4	1	-
All other	---	4	-	-	-
Black	---	-	-	-	-
Balance of county	---	206	3	1	2
Caddo	234	382	6	2	3
White	199	328	3	-	2
All other	35	54	3	2	1
Black	7	7	1	1	-
Canadian	249	430	8	6	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
El Reno	---	186	2	2	1
White	---	170	2	2	-
All other	---	16	-	-	1
Black	---	11	-	-	1
Oklahoma City, part	---	2	-	-	-
Yukon	---	133	5	4	2
Balance of county	---	109	1	-	3
Carter	546	515	7	2	6
White	491	456	6	2	6
All other	55	59	1	-	-
Black	42	46	1	-	-
Ardmore	---	345	5	2	6
White	---	299	5	2	6
All other	---	46	-	-	-
Black	---	35	-	-	-
Balance of county	---	170	2	-	-
White	---	157	1	-	-
All other	---	13	1	-	-
Black	---	11	1	-	-
Cherokee	269	301	2	-	2
White	200	247	2	-	-
All other	69	54	-	-	2
Black	3	3	-	-	-
Choctaw	121	188	1	1	2
White	99	150	1	1	2
All other	22	38	-	-	-
Black	18	30	-	-	-
Cimarron	36	43	1	1	-
Cleveland	722	752	23	14	14
Moore	---	172	6	3	4
Norman	---	438	14	11	7
Oklahoma City, part	---	22	-	-	1
Balance of county	---	120	3	-	2
Coal	64	91	1	-	-
White	59	85	1	-	-
All other	5	6	-	-	-
Black	1	1	-	-	-
Comanche	711	683	28	20	17
White	609	581	17	12	12
All other	102	102	11	8	5
Black	62	75	11	8	5
Lawton	---	548	27	19	17
White	---	461	17	12	12
All other	---	87	10	7	5
Black	---	71	10	7	5
Balance of county	---	135	1	1	-
White	---	120	-	-	-
All other	---	15	1	1	-
Black	---	4	1	1	-
Cotton	51	99	1	1	-
Craig	179	205	2	1	1
White	166	183	-	-	-
All other	13	22	2	1	1
Black	6	8	-	-	1
Creek	427	564	7	4	7
Sapulpa	---	215	2	2	3
White	---	199	2	2	1
All other	---	16	-	-	2
Black	---	12	-	-	1
Balance of county	---	349	5	2	4
Custer	250	266	9	4	5
Delaware	243	293	5	1	3
White	208	251	5	1	2
All other	35	42	-	-	1
Black	-	-	-	-	-
Dewey	60	90	2	1	-
Ellis	66	67	-	-	-
Garfield	768	639	7	5	8
Enid	---	526	4	4	6
Balance of county	---	113	3	1	2
Garvin	317	392	6	4	5
Grady	361	399	7	4	3
Chickasha	---	208	2	1	-
White	---	190	1	1	-
All other	---	18	1	-	-
Black	---	18	1	-	-
Balance of county	---	191	5	3	3
Grant	41	90	-	-	-
Greer	89	114	3	3	2
Harmon	55	68	1	1	1
Harper	50	61	-	-	3
Haskell	79	134	2	2	1
Hughes	177	222	-	-	1
White	160	195	-	-	1
All other	17	27	-	-	-
Black	5	5	-	-	-
Jackson	248	247	4	3	7
White	227	219	3	2	4
All other	21	28	1	1	3
Black	20	26	-	-	2
Altus	---	187	4	3	7
White	---	159	3	2	4
All other	---	28	1	1	3
Black	---	26	-	-	2
Balance of county	---	60	-	-	-
Jefferson	85	130	-	-	-
Johnston	111	148	2	2	3
White	104	136	2	2	3
All other	7	12	-	-	-
Black	2	5	-	-	-
Kay	551	607	9	5	7
Ponca City	---	328	6	4	4
Balance of county	---	279	3	1	3
Kingfisher	115	154	2	1	3
Kiowa	137	192	2	-	2
Latimer	128	114	1	1	1
White	97	107	-	-	-
All other	31	7	1	1	1
Black	2	-	-	-	-
Le Flore	318	496	7	5	7
White	310	466	7	5	5
All other	8	30	-	-	2
Black	6	11	-	-	1
Lincoln	205	303	2	2	3
Logan	242	304	1	1	4
White	212	267	1	1	4
All other	30	37	-	-	-
Black	30	37	-	-	-
Guthrie	---	207	1	1	2
White	---	177	1	1	2
All other	---	30	-	-	-
Black	---	30	-	-	-
Balance of county	---	97	-	-	2
White	---	90	-	-	2
All other	---	7	-	-	-
Black	---	7	-	-	-
Love	51	73	1	1	-
McClain	137	195	6	4	1
Oklahoma City, part	---	-	-	-	-
Balance of county	---	195	6	4	1
McCurtain	308	420	4	3	6
White	240	333	4	3	6
All other	68	87	-	-	-
Black	41	48	-	-	-
McIntosh	133	239	5	3	1
White	113	203	4	3	1
All other	20	36	1	-	-
Black	8	18	1	-	-
Major	65	84	-	-	2
Marshall	130	153	3	3	1
Mayes	299	367	1	1	3
White	286	342	1	1	2
All other	13	25	-	-	1
Black	-	-	-	-	-
Murray	123	156	6	3	2
Muskogee	1,066	815	13	5	5
White	872	641	11	4	4
All other	194	174	2	1	1
Black	161	149	2	1	1
Muskogee	---	564	10	4	2
White	---	435	9	4	1
All other	---	129	1	-	1
Black	---	117	1	-	1
Balance of county	---	251	3	1	3
White	---	206	2	-	3
All other	---	45	1	1	-
Black	---	32	1	1	-
Noble	128	149	4	3	3
Nowata	102	147	-	-	1
White	93	136	-	-	1
All other	9	11	-	-	-
Black	7	9	-	-	-
Okfuskee	81	154	5	4	-
White	61	117	5	4	-
All other	20	37	-	-	-
Black	12	27	-	-	-
Oklahoma	6,684	5,157	160	108	93
White	5,864	4,482	114	78	70
All other	820	675	46	30	23
Black	678	610	43	29	17
Bethany	---	175	2	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Del City	---	181	8	6	4
White	---	169	6	5	3
All other	---	12	2	1	1
Black	---	9	2	1	1
Edmond	---	262	6	5	6
Midwest City	---	332	13	11	7
White	---	324	11	9	7
All other	---	8	2	2	-
Black	---	6	2	2	-
Oklahoma City, part	---	3,918	125	83	67
White	---	3,325	84	57	46
All other	---	593	41	26	21
Black	---	539	38	25	16
Oklahoma City, total	---	3,942	125	83	68
White	---	3,349	84	57	47
All other	---	593	41	26	21
Black	---	539	38	25	16
The Village	---	4	-	-	-
Balance of county	---	285	6	2	5
White	---	229	6	2	5
All other	---	56	-	-	-
Black	---	53	-	-	-
Okmulgee	403	497	6	2	9
White	337	410	4	1	8
All other	66	87	2	1	1
Black	50	64	2	1	-
Okmulgee	---	224	2	-	3
White	---	175	1	-	3
All other	---	49	1	-	-
Black	---	41	1	-	-
Balance of county	---	273	4	2	6
White	---	235	3	1	5
All other	---	38	1	1	1
Black	---	23	1	1	-
Osage	197	322	4	3	7
White	179	283	3	2	6
All other	18	39	1	1	1
Black	2	6	-	-	1
Bartlesville, part	---	3	-	-	-
Sand Springs, part	---	1	-	-	-
Tulsa, part	---	10	-	-	1
White	---	6	-	-	-
All other	---	4	-	-	1
Black	---	4	-	-	1
Balance of county	---	308	4	3	6
White	---	273	3	2	6
All other	---	35	1	1	-
Black	---	2	-	-	-
Ottawa	307	377	5	4	1
White	281	350	5	4	1
All other	26	27	-	-	-
Black	-	-	-	-	-
Miami	---	170	1	1	-
White	---	160	1	1	-
All other	---	10	-	-	-
Black	---	-	-	-	-
Balance of county	---	207	4	3	1
White	---	190	4	3	1
All other	---	17	-	-	-
Black	---	-	-	-	-
Pawnee	124	194	3	2	5
Payne	451	441	10	6	6
Stillwater	---	197	8	6	2
Balance of county	---	244	2	-	4
Pittsburg	441	471	5	2	5
White	408	428	4	1	5
All other	33	43	1	1	-
Black	19	21	1	1	-
McAlester	---	232	4	2	1
White	---	207	3	1	1
All other	---	25	1	1	-
Black	---	15	1	1	-
Balance of county	---	239	1	-	4
White	---	221	1	-	4
All other	---	18	-	-	-
Black	---	6	-	-	-
Pontotoc	421	397	4	3	4
White	372	365	4	3	3
All other	49	32	-	-	1
Black	11	11	-	-	1
Ada	---	245	2	1	3
White	---	223	2	1	2
All other	---	22	-	-	1
Black	---	9	-	-	1
Balance of county	---	152	2	2	1
Pottawatomie	548	618	9	4	8
Oklahoma-Con.					
Oklahoma City, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shawnee	---	363	7	4	4
White	---	340	6	4	1
All other	---	23	1	-	3
Black	---	7	-	-	3
Balance of county	---	255	2	-	4
Pushmataha	105	154	5	4	-
White	97	136	4	3	-
All other	8	18	1	1	-
Black	-	3	-	-	-
Roger Mills	41	58	-	-	2
Rogers	268	332	3	2	5
White	230	308	3	2	4
All other	38	24	-	-	1
Black	6	7	-	-	-
Claremore	---	155	1	1	-
White	---	136	1	1	-
All other	---	19	-	-	-
Black	---	7	-	-	-
Balance of county	---	177	2	1	5
Seminole	228	351	6	2	2
White	181	278	3	2	-
All other	47	73	3	-	2
Black	31	40	-	-	1
Sequoyah	193	297	3	3	5
White	172	269	3	3	3
All other	21	28	-	-	2
Black	7	9	-	-	-
Stephens	414	489	2	2	7
Duncan	---	269	-	-	4
Balance of county	---	220	2	2	3
Texas	89	136	9	7	-
Tillman	116	128	2	2	-
White	106	118	2	2	-
All other	10	10	-	-	-
Black	10	10	-	-	-
Tulsa	4,898	4,066	95	59	58
White	4,384	3,631	70	43	41
All other	514	435	25	16	17
Black	435	388	21	14	13
Broken Arrow, part	---	232	11	7	6
Broken Arrow, total	---	249	11	7	6
Sand Springs, part	---	165	1	-	3
Sand Springs, total	---	166	1	-	3
Tulsa, part	---	3,255	72	46	40
White	---	2,839	47	30	25
All other	---	416	25	16	15
Black	---	381	21	14	13
Tulsa, total	---	3,265	72	46	41
White	---	2,845	47	30	25
All other	---	420	25	16	16
Black	---	385	21	14	14
Balance of county	---	414	11	6	9
White	---	402	11	6	7
All other	---	12	-	-	2
Black	---	3	-	-	-
Wagoner	195	285	2	1	2
White	174	254	1	1	2
All other	21	31	1	-	-
Black	17	23	1	-	-
Broken Arrow, part	---	17	-	-	-
Balance of county	---	268	2	1	2
White	---	238	1	1	2
All other	---	30	1	-	-
Black	---	23	1	-	-
Washington	484	471	8	4	4
Bartlesville, part	---	335	7	4	4
Bartlesville, total	---	338	7	4	4
Balance of county	---	136	1	-	-
White	---	130	1	-	-
All other	---	6	-	-	-
Black	---	3	-	-	-
Washita	92	133	2	-	-
Woods	125	157	3	3	1
Woodward	161	174	6	5	5
Woodward	---	130	6	5	4
Balance of county	---	44	-	-	1
Oregon	23,975	23,896	389	209	242
White	23,403	23,328	356	191	232
All other	572	568	33	18	10
Black	296	301	17	9	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oregon-Con.					
Baker	158	175	2	2	5
Benton	426	403	10	6	8
Albany, part	---	5	-	-	-
White	---	5	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Corvallis	---	244	9	5	5
Balance of county	---	154	1	1	3
Clackamas	1,850	1,934	31	19	17
Lake Oswego, part	---	155	-	-	-
Lake Oswego, total	---	161	-	-	-
Milwaukie, part	---	226	5	4	5
Milwaukie, total	---	226	5	4	5
Oregon City	---	144	-	-	1
Portland, part	---	19	-	-	-
West Linn	---	78	2	1	-
Balance of county	---	1,312	24	14	11
Clatsop	312	356	2	2	5
Columbia	160	291	7	3	2
Coos	600	631	10	3	3
Coos Bay	---	172	5	1	2
Balance of county	---	459	5	2	1
Crook	112	138	4	3	3
Curry	131	214	2	1	1
Deschutes	596	562	8	5	8
Bend	---	193	5	3	4
Balance of county	---	369	3	2	4
Douglas	958	907	14	7	12
Roseburg	---	273	5	3	2
Balance of county	---	634	9	4	10
Gilliam	17	18	-	-	-
Grant	69	78	-	-	-
Harney	73	81	1	-	1
Hood River	149	165	2	2	2
Jackson	1,227	1,233	32	16	11
Ashland	---	102	3	1	2
Medford	---	455	14	7	5
Balance of county	---	676	15	8	4
Jefferson	85	97	3	2	2
White	65	74	-	-	-
All other	20	23	3	2	2
Black	2	2	-	-	-
Josephine	688	689	8	6	3
Grants Pass	---	238	2	1	-
Balance of county	---	451	6	5	3
Klamath	550	541	9	7	5
Klamath Falls	---	222	2	1	-
Balance of county	---	319	7	6	5
Lake	61	57	-	-	2
Lane	2,235	2,198	50	27	20
Eugene	---	926	23	14	11
Springfield	---	362	12	7	2
Balance of county	---	910	15	6	7
Lincoln	428	467	7	2	6
Linn	627	778	9	3	4
Albany, part	---	252	4	2	3
Albany, total	---	257	4	2	3
Lebanon	---	128	1	-	1
Balance of county	---	398	4	1	-
Malheur	278	242	3	1	4
Marion	1,934	1,912	33	19	19
Salem, part	---	916	17	11	10
Salem, total	---	1,034	18	12	11
Woodburn	---	167	-	-	-
White	---	166	-	-	-
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	829	16	8	9
Morrow	36	54	4	2	-
Multnomah	6,635	5,745	79	44	39
White	6,264	5,395	62	33	35
All other	371	350	17	11	4
Black	248	250	11	8	4
Gresham	---	255	4	1	5
Lake Oswego, part	---	4	-	-	-
Milwaukie, part	---	-	-	-	-
Portland, part	---	4,003	52	29	23
White	---	3,676	35	18	19
All other	---	327	17	11	4
Black	---	240	11	8	4
Portland, total	---	4,050	53	30	23
White	---	3,723	36	19	19
All other	---	327	17	11	4
Black	---	240	11	8	4
Balance of county	---	1,483	23	14	11
Oregon-Con.					
Polk	269	407	5	5	6
Salem, part	---	118	1	1	1
Balance of county	---	289	4	4	5
Sherman	4	13	-	-	-
Tillamook	183	221	3	2	1
Umatilla	486	593	10	5	16
Pendleton	---	158	2	1	1
Balance of county	---	435	8	4	15
Union	197	205	1	1	4
La Grande	---	112	-	-	2
Balance of county	---	93	1	1	2
Wallowa	51	60	-	-	1
Wasco	240	228	2	1	3
City of the Dalles	---	150	-	-	-
Balance of county	---	78	2	1	3
Washington	1,683	1,659	33	13	28
Beaverton	---	257	4	2	6
Forest Grove	---	127	2	-	2
Hillsboro	---	201	5	2	6
Lake Oswego, part	---	2	-	-	-
Portland, part	---	28	1	1	-
Tigard	---	182	5	1	3
Balance of county	---	862	16	7	9
Wheeler	11	21	-	-	-
Yamhill	456	523	5	-	3
McMinnville	---	185	1	-	-
Newberg	---	119	-	-	1
Balance of county	---	219	4	-	2
Pennsylvania	124,343	123,854	1,766	1,227	1,425
White	112,846	112,425	1,298	914	1,125
All other	11,497	11,429	468	313	300
Black	11,290	11,240	455	302	285
Adams	524	670	7	4	5
Allegheny	17,442	15,668	227	168	152
White	15,700	13,984	154	116	107
All other	1,742	1,684	73	52	45
Black	1,728	1,673	73	52	45
Baldwin	---	206	4	3	-
Bellevue	---	140	1	1	3
Bethel Park	---	242	2	2	-
Brentwood	---	111	2	-	-
Carnegie	---	170	3	2	-
Castle Shannon	---	99	1	1	-
Clairton	---	193	2	2	3
White	---	150	1	1	3
All other	---	43	1	1	-
Black	---	43	1	1	-
Dormont	---	102	-	-	3
Duquesne	---	150	3	1	1
White	---	124	1	1	-
All other	---	26	2	-	1
Black	---	26	2	-	1
Elizabeth twp#	---	128	-	-	3
Harrison twp#	---	163	7	5	5
McCandless twp#	---	207	5	5	2
McKeesport	---	531	5	4	3
White	---	478	3	2	2
All other	---	53	2	2	1
Black	---	53	2	2	1
Monroeville	---	251	9	5	3
Mount Lebanon twp#	---	342	1	1	2
Munhall	---	165	4	2	4
North Versailles twp#	---	147	2	2	2
Penn Hills twp#	---	423	5	5	2
White	---	391	3	3	1
All other	---	32	2	2	1
Black	---	32	2	2	1
Pittsburgh	---	5,436	84	56	59
White	---	4,238	36	25	28
All other	---	1,198	48	31	31
Black	---	1,194	48	31	31
Plum	---	126	6	6	1
Ross twp#	---	337	2	2	2
Scott twp#	---	177	1	1	1
Shaler twp#	---	260	4	2	-
South Park twp#	---	61	1	1	-
Swissvale	---	143	-	-	1
Upper St. Clair twp#	---	103	2	2	-
West Mifflin	---	261	4	4	2
Whitehall	---	146	3	3	1
Wilkinsburg	---	259	8	7	3
White	---	208	2	2	-
All other	---	51	6	5	3
Black	---	51	6	5	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	4,589	56	43	46
White	---	4,399	49	37	41
All other	---	190	7	6	5
Black	---	188	7	6	5
Armstrong	663	859	8	7	4
Beaver	1,565	1,933	26	15	28
White	1,477	1,833	21	12	25
All other	88	100	5	3	3
Black	87	99	5	3	3
Aliquippa	---	213	5	4	5
White	---	168	2	2	4
All other	---	45	3	2	1
Black	---	45	3	2	1
Beaver Falls	---	191	4	1	2
White	---	169	3	1	1
All other	---	22	1	-	1
Black	---	22	1	-	1
Balance of county	---	1,529	17	10	21
Bedford	327	484	6	3	3
Berks	3,081	3,233	37	26	37
Muhlenberg twp#	---	136	-	-	-
Reading	---	1,058	16	13	18
White	---	997	16	13	15
All other	---	61	-	-	3
Black	---	61	-	-	3
Balance of county	---	2,039	21	13	19
Blair	1,809	1,550	24	19	17
Altoona	---	747	12	9	9
Balance of county	---	803	12	10	8
Bradford	851	601	11	8	4
Bucks	3,848	3,885	54	36	53
White	3,751	3,808	53	35	53
All other	97	77	1	1	-
Black	84	67	1	1	-
Bensalem twp#	---	374	8	5	13
Bristol	---	122	1	1	4
Bristol twp#	---	381	6	3	6
Falls twp#	---	261	2	1	4
Lower Southampton twp#	---	144	1	-	1
Middletown twp#	---	223	9	8	-
Northampton twp#	---	161	2	2	1
Upper Southampton twp#	---	149	1	1	1
Warminster twp#	---	239	1	1	4
Balance of county	---	1,831	23	14	19
White	---	1,795	23	14	19
All other	---	36	-	-	-
Black	---	33	-	-	-
Butler	1,161	1,371	21	13	19
Butler	---	238	2	1	1
Balance of county	---	1,133	19	12	18
Cambria	1,858	1,986	23	19	15
Johnstown	---	558	6	5	5
Balance of county	---	1,428	17	14	10
Cameron	42	77	1	-	-
Carbon	465	698	6	4	6
Centre	770	688	10	8	9
State College	---	122	-	-	-
Balance of county	---	566	10	8	9
Chester	2,430	2,548	45	28	40
White	2,231	2,336	34	22	34
All other	199	212	11	6	6
Black	195	207	11	6	6
Coatesville	---	191	7	5	2
White	---	157	3	2	-
All other	---	34	4	3	2
Black	---	34	4	3	2
Phoenixville	---	169	3	1	1
Tredyffrin twp#	---	168	1	1	3
West Chester	---	233	7	6	5
White	---	192	6	5	4
All other	---	41	1	1	1
Black	---	41	1	1	1
West Goshen twp#	---	125	1	1	2
Balance of county	---	1,662	26	14	27
White	---	1,558	21	13	24
All other	---	104	5	1	3
Black	---	100	5	1	3
Clarion	305	404	5	4	6
Clearfield	747	820	15	8	9
Clinton	326	395	7	2	5
Columbia	660	686	2	-	6
Berwick	---	157	1	-	-
Bloomsburg	---	136	-	-	1
Balance of county	---	393	1	-	5
Crawford	850	902	16	11	8
Meadville	---	220	4	3	1
Balance of county	---	682	12	8	7
Pennsylvania-Con.					
Cumberland	1,478	1,509	21	14	14
Carlisle	---	237	2	-	1
East Pennsboro twp#	---	155	3	3	-
Lower Allen twp#	---	107	-	-	-
Balance of county	---	1,010	16	11	13
Dauphin	3,139	2,414	40	30	38
White	2,879	2,152	33	23	18
All other	260	262	7	7	20
Black	250	256	5	5	18
Harrisburg	---	683	10	8	21
White	---	470	5	3	5
All other	---	213	5	5	16
Black	---	211	5	5	15
Lower Paxton twp#	---	320	4	3	5
Middletown	---	2	-	-	1
Susquehanna twp#	---	166	1	1	1
White	---	162	1	1	1
All other	---	4	-	-	-
Black	---	3	-	-	-
Swatara twp#	---	231	2	2	2
Balance of county	---	1,012	23	16	8
Delaware	5,696	5,922	78	61	58
White	5,165	5,400	55	45	39
All other	531	522	23	16	19
Black	516	508	23	16	16
Aston twp#	---	150	2	1	1
Chester	---	560	16	14	14
White	---	274	6	5	2
All other	---	286	10	9	12
Black	---	282	10	9	11
Darby	---	168	5	4	1
White	---	145	3	3	1
All other	---	23	2	1	-
Black	---	22	2	1	-
Darby twp#	---	70	1	-	-
White	---	32	-	-	-
All other	---	38	1	-	-
Black	---	38	1	-	-
Haverford twp#	---	560	5	4	6
Lansdowne	---	138	-	-	1
Marple twp#	---	304	-	-	1
Middletown twp#	---	227	-	-	2
Nether Providence twp#	---	108	-	-	2
Newtown twp#	---	117	-	-	-
Radnor twp#	---	203	2	2	1
Ridley twp#	---	246	2	1	3
Springfield twp#	---	273	-	-	2
Upper Chichester twp#	---	122	1	1	-
Upper Darby twp#	---	904	11	9	8
Yeadon	---	128	2	-	3
White	---	98	-	-	-
All other	---	30	2	-	3
Black	---	30	2	-	3
Balance of county	---	1,644	31	25	13
White	---	1,569	25	20	11
All other	---	75	6	5	2
Black	---	73	6	5	1
Elk	321	341	4	2	5
Erie	2,833	2,611	52	36	36
White	2,729	2,506	46	32	33
All other	104	105	6	4	3
Black	100	101	6	4	1
Erie	---	1,326	30	24	16
White	---	1,228	24	20	14
All other	---	98	6	4	2
Black	---	95	6	4	1
Millcreek twp#	---	359	3	1	3
Balance of county	---	926	19	11	17
Fayette	1,494	1,839	22	18	24
Connellsville	---	145	4	4	3
Uniontown	---	251	7	7	1
Balance of county	---	1,443	11	7	20
Forest	29	63	-	-	-
Franklin	1,076	1,104	10	5	13
Chambersburg	---	270	-	-	3
Balance of county	---	834	10	5	10
Fulton	99	113	1	1	-
Greene	341	477	6	6	-
Huntingdon	297	370	3	1	6
Indiana	638	797	10	9	7
Indiana	---	112	-	-	-
Balance of county	---	685	10	9	7
Jefferson	370	500	4	3	3
Juniata	119	200	2	2	4
Lackawanna	2,964	2,826	29	16	20
Carbondale	---	168	2	1	1
Dunmore	---	202	3	2	2
Scranton	---	1,356	19	11	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Balance of county	---	1,100	5	2	8
Lancaster	3,324	3,290	38	26	75
Columbia	---	134	1	1	3
Ephrata	---	96	-	-	1
Lancaster	---	647	13	8	17
White	---	595	10	5	9
All other	---	52	3	3	8
Black	---	51	3	3	5
Lancaster twp#	---	182	-	-	2
Manheim twp#	---	301	1	-	8
Balance of county	---	1,930	23	17	44
Lawrence	1,037	1,142	11	10	6
New Castle	---	504	6	5	4
Balance of county	---	638	5	5	2
Lebanon	1,167	1,070	13	8	11
Lebanon	---	323	5	4	2
Balance of county	---	747	8	4	9
Lehigh	3,629	2,709	30	21	29
Allentown	---	1,221	10	5	11
Bethlehem, part	---	240	2	2	3
Emmaus	---	118	1	1	1
Salisbury twp#	---	64	1	1	-
Whitehall twp#	---	184	2	1	4
Balance of county	---	882	14	11	10
Luzerne	4,440	4,254	29	21	37
Hazleton	---	382	1	1	2
Kingston	---	244	-	-	5
Nanticoke	---	207	-	-	4
Wilkes-Barre	---	768	6	5	4
Balance of county	---	2,653	22	15	22
Lycoming	1,230	1,146	12	5	13
Williamsport	---	306	4	1	7
Balance of county	---	840	8	4	6
McKean	438	588	5	3	6
Bradford	---	162	3	2	1
Balance of county	---	426	2	1	5
Mercer	1,323	1,284	10	10	20
Sharon	---	202	1	1	-
Balance of county	---	1,082	9	9	20
Mifflin	528	492	8	3	8
Monroe	693	711	6	6	15
Montgomery	6,982	6,269	89	62	78
White	6,537	6,011	76	54	65
All other	445	258	13	8	13
Black	434	243	9	5	13
Abington twp#	---	609	11	6	6
Cheltenham twp#	---	413	2	1	2
East Norriton twp#	---	93	1	1	2
Hatfield twp#	---	69	1	1	2
Lansdale	---	243	5	3	3
Lower Merion twp#	---	602	8	7	6
Lower Moreland twp#	---	99	1	1	-
Lower Providence twp#	---	109	3	3	1
Norristown	---	485	11	9	13
White	---	414	8	7	6
All other	---	71	3	2	7
Black	---	71	3	2	7
Plymouth twp#	---	127	1	1	1
Pottstown	---	294	5	3	3
White	---	269	4	2	3
All other	---	25	1	1	-
Black	---	25	1	1	-
Springfield twp#	---	291	1	-	4
Towamencin twp#	---	60	2	2	-
Upper Dublin twp#	---	151	1	1	1
Upper Merion twp#	---	168	-	-	1
Upper Moreland twp#	---	204	2	1	3
West Norriton twp#	---	93	5	3	1
Whitemarsh twp#	---	135	-	-	1
Balance of county	---	2,024	29	19	28
White	---	1,978	26	17	25
All other	---	46	3	2	3
Black	---	43	2	1	3
Montour	845	222	5	2	1
Northampton	1,361	2,163	26	18	20
Bethlehem, part	---	528	7	5	4
Bethlehem, total	---	768	9	7	7
Easton	---	302	5	4	6
White	---	287	3	2	6
All other	---	15	2	2	-
Black	---	14	2	2	-
Palmer twp#	---	117	1	1	-
Balance of county	---	1,216	13	8	10
Northumberland	900	1,270	10	8	12
Shamokin	---	160	1	1	2
Sunbury	---	196	1	1	2
Pennsylvania-Con.					
Balance of county	---	914	8	6	8
Perry	137	330	4	3	3
Philadelphia, coext. with Philadelphia city	21,109	20,618	465	317	254
White	13,940	13,259	164	122	96
All other	7,169	7,359	301	195	158
Black	7,074	7,273	297	192	156
Pike	105	249	4	3	3
Potter	189	164	2	1	2
Schuylkill	1,801	2,100	14	12	18
Pottsville	---	253	3	3	2
Balance of county	---	1,847	11	9	16
Snyder	155	298	4	3	4
Somerset	729	806	2	1	11
Sullivan	71	76	1	-	1
Susquehanna	271	388	5	1	7
Tioga	352	413	4	3	6
Union	369	301	3	1	4
Venango	690	649	12	8	8
Oil City	---	167	3	2	2
Balance of county	---	482	9	6	6
Warren	511	515	12	4	8
Warren	---	183	5	3	3
Balance of county	---	332	7	1	5
Washington	2,322	2,372	22	18	23
Canonsburg	---	141	2	1	1
Washington	---	257	3	3	3
White	---	233	3	3	3
All other	---	24	-	-	-
Black	---	24	-	-	-
Balance of county	---	1,974	17	14	19
Wayne	417	433	5	4	4
Westmoreland	3,685	3,946	40	28	34
Greensburg	---	219	1	1	2
Hempfield twp#	---	381	5	4	3
Jeannette	---	203	4	2	1
Latrobe	---	147	2	1	-
Lower Burrell	---	122	4	3	-
Monessen	---	167	-	-	1
White	---	159	-	-	1
All other	---	8	-	-	-
Black	---	8	-	-	-
Municipality of Murrysville	---	80	-	-	-
New Kensington	---	266	6	5	2
North Huntingdon twp#	---	226	1	1	3
Balance of county	---	2,135	17	11	22
Wyoming	173	222	1	1	5
York	2,742	2,820	41	29	45
White	2,665	2,737	37	26	39
All other	77	83	4	3	6
Black	74	81	4	3	6
Hanover	---	210	4	3	5
Springettsbury twp#	---	276	1	-	-
Spring Garden twp#	---	130	1	1	-
York	---	566	10	8	10
White	---	496	6	5	4
All other	---	70	4	3	6
Black	---	70	4	3	6
Balance of county	---	1,638	25	17	30
Rhode Island	9,836	9,647	107	78	101
White	9,536	9,352	95	69	84
All other	300	295	12	9	17
Black	255	250	10	8	16
Bristol	234	445	3	1	3
Barrington town#	---	113	-	-	2
Bristol town#	---	188	2	-	1
Warren town#	---	144	1	1	-
Balance of county	---	-	-	-	-
Kent	1,306	1,517	14	10	11
Coventry town#	---	221	2	1	4
Warwick	---	922	6	5	5
West Warwick town#	---	261	4	3	2
Balance of county	---	113	2	1	-
Newport	549	700	9	4	7
Middletown town#	---	119	2	1	3
Newport	---	275	4	2	1
White	---	257	4	2	1
All other	---	18	-	-	-
Black	---	17	-	-	-
Balance of county	---	306	3	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Rhode Island-Con.					
Providence	7,050	6,259	67	52	68
White	6,785	6,005	55	43	53
All other	265	254	12	9	15
Black	234	225	10	8	14
Central Falls	---	231	2	2	1
Cranston	---	771	6	5	8
Cumberland town#	---	232	2	2	2
East Providence	---	544	4	4	6
Johnston town#	---	271	3	2	3
North Providence town#	---	320	7	4	1
Pawtucket	---	871	7	6	14
Providence	---	1,754	23	16	26
White	---	1,560	12	8	17
All other	---	194	11	8	9
Black	---	176	10	8	8
Woonsocket	---	525	9	8	3
Balance of county	---	740	4	3	4
Washington	697	726	14	11	12
South Carolina	26,115	27,099	738	519	564
White	17,677	18,409	303	207	254
All other	8,438	8,690	435	312	310
Black	8,402	8,660	432	309	308
Abbeville	148	199	2	2	1
White	89	134	1	1	-
All other	59	65	1	1	1
Black	59	65	1	1	1
Aiken	616	1,012	39	28	22
White	444	772	19	13	14
All other	172	240	20	15	8
Black	172	240	20	15	8
Aiken	---	252	10	8	2
White	---	184	6	4	1
All other	---	68	4	4	1
Black	---	68	4	4	1
North Augusta	---	212	11	8	5
White	---	174	4	3	3
All other	---	38	7	5	2
Black	---	38	7	5	2
Balance of county	---	548	18	12	15
White	---	414	9	6	10
All other	---	134	9	6	5
Black	---	134	9	6	5
Allendale	94	125	3	3	1
White	40	55	1	1	-
All other	54	70	2	2	1
Black	54	70	2	2	1
Anderson	1,069	1,125	25	19	16
White	869	923	16	11	12
All other	200	202	9	8	4
Black	198	202	9	8	4
Anderson	---	407	7	6	5
White	---	312	4	3	3
All other	---	95	3	3	2
Black	---	95	3	3	2
Balance of county	---	718	18	13	11
White	---	611	12	8	9
All other	---	107	6	5	2
Black	---	107	6	5	2
Bamberg	155	163	3	-	-
White	69	74	1	-	-
All other	86	89	2	-	-
Black	86	89	2	-	-
Barnwell	136	200	6	5	7
White	79	120	2	2	2
All other	57	80	4	3	5
Black	57	80	4	3	5
Beaufort	447	506	18	9	19
White	272	310	11	5	10
All other	175	196	7	4	9
Black	175	196	7	4	8
Berkeley	241	588	26	18	23
White	159	381	13	7	16
All other	82	207	13	11	7
Black	82	203	11	9	7
Goose Creek	---	67	5	4	2
White	---	60	2	1	2
All other	---	7	3	3	-
Black	---	7	3	3	-
Hanahan	---	51	3	1	5
North Charleston, part	---	-	-	-	-
Balance of county	---	470	18	13	16
White	---	271	9	5	9
All other	---	199	9	8	7
Black	---	195	7	6	7
South Carolina-Con.					
Calhoun	43	107	2	2	3
White	17	45	-	-	1
All other	26	62	2	2	2
Black	26	62	2	2	2
Charleston	3,158	2,133	67	47	50
White	1,949	1,283	30	22	19
All other	1,209	850	37	25	31
Black	1,201	847	37	25	31
Charleston	---	841	24	17	17
White	---	456	5	4	8
All other	---	385	19	13	9
Black	---	385	19	13	9
Mount Pleasant	---	174	5	4	2
North Charleston, part	---	277	9	8	11
White	---	205	2	2	5
All other	---	72	7	6	6
Black	---	70	7	6	6
North Charleston, total	---	277	9	8	11
White	---	205	2	2	5
All other	---	72	7	6	6
Black	---	70	7	6	6
Balance of county	---	841	29	18	20
White	---	466	18	12	5
All other	---	375	11	6	15
Black	---	375	11	6	15
Cherokee	274	353	8	5	4
White	214	280	3	2	2
All other	60	73	5	3	2
Black	60	73	5	3	2
Gaffney	---	168	4	2	1
White	---	123	2	1	-
All other	---	45	2	1	1
Black	---	45	2	1	1
Balance of county	---	185	4	3	3
White	---	157	1	1	2
All other	---	28	3	2	1
Black	---	28	3	2	1
Chester	228	329	13	10	11
White	143	223	3	3	6
All other	85	106	10	7	5
Black	83	106	10	7	5
Chesterfield	231	372	11	10	6
White	137	242	3	3	1
All other	94	130	8	7	5
Black	94	130	8	7	5
Clarendon	204	255	6	4	5
White	83	116	4	3	-
All other	121	139	2	1	5
Black	121	138	2	1	5
Colleton	280	342	7	6	4
White	153	189	2	2	1
All other	127	153	5	4	3
Black	127	153	5	4	3
Darlington	479	591	10	4	14
White	296	357	1	-	6
All other	183	234	9	4	8
Black	183	234	9	4	8
Dillon	232	310	8	4	9
White	142	191	1	-	2
All other	90	119	7	4	7
Black	86	116	7	4	7
Dorchester	182	434	15	11	9
White	124	302	10	6	4
All other	58	132	5	5	5
Black	58	132	5	5	5
Edgefield	68	131	9	4	6
White	34	62	1	-	2
All other	34	69	8	4	4
Black	34	69	8	4	4
Fairfield	160	239	5	4	5
White	70	103	-	-	-
All other	90	136	5	4	5
Black	90	136	5	4	5
Florence	1,403	1,097	33	25	23
White	816	631	7	4	5
All other	587	466	26	21	18
Black	585	465	26	21	18
Florence	---	420	16	12	10
White	---	180	1	1	2
All other	---	240	15	11	8
Black	---	239	15	11	8
Balance of county	---	677	17	13	13
White	---	451	6	3	3
All other	---	226	11	10	10
Black	---	226	11	10	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Georgetown	312	346	15	8	6
White	177	192	1	-	3
All other	135	154	14	8	3
Black	135	154	14	8	3
Georgetown	---	128	3	2	1
White	---	70	1	-	1
All other	---	58	2	2	-
Black	---	58	2	2	-
Balance of county	---	218	12	6	5
White	---	122	-	-	2
All other	---	96	12	6	3
Black	---	96	12	6	3
Greenville	2,649	2,439	66	54	30
White	2,153	1,974	40	29	19
All other	496	465	26	25	11
Black	493	463	26	25	11
Greenville	---	731	31	26	4
White	---	453	15	11	3
All other	---	278	16	15	1
Black	---	278	16	15	1
Greer, part	---	142	2	2	-
White	---	127	1	1	-
All other	---	15	1	1	-
Black	---	15	1	1	-
Greer, total	---	175	2	2	-
White	---	148	1	1	-
All other	---	27	1	1	-
Black	---	27	1	1	-
Balance of county	---	1,566	33	26	26
White	---	1,394	24	17	16
All other	---	172	9	9	10
Black	---	170	9	9	10
Greenwood	658	534	16	12	7
White	451	364	7	5	7
All other	207	170	9	7	-
Black	207	170	9	7	-
Greenwood	---	276	10	8	3
White	---	178	2	2	3
All other	---	98	8	6	-
Black	---	98	8	6	-
Balance of county	---	258	6	4	4
White	---	186	5	3	4
All other	---	72	1	1	-
Black	---	72	1	1	-
Hampton	120	156	8	6	7
White	52	71	-	-	2
All other	68	85	8	6	5
Black	68	85	8	6	5
Horry	962	950	14	11	20
White	791	775	7	5	10
All other	171	175	7	6	10
Black	170	174	7	6	10
Conway	---	124	2	2	2
White	---	81	-	-	1
All other	---	43	2	2	1
Black	---	43	2	2	1
Myrtle Beach	---	173	3	3	2
White	---	152	2	2	2
All other	---	21	1	1	-
Black	---	21	1	1	-
Balance of county	---	653	9	6	16
White	---	542	5	3	7
All other	---	111	4	3	9
Black	---	110	4	3	9
Jasper	109	131	3	1	5
White	53	60	-	-	-
All other	56	71	3	1	5
Black	56	71	3	1	5
Kershaw	226	311	2	1	8
White	147	215	1	1	2
All other	79	96	1	-	6
Black	79	96	1	-	6
Lancaster	347	430	6	6	9
White	244	309	1	1	4
All other	103	121	5	5	5
Black	103	120	5	5	5
Laurens	378	531	8	5	7
White	266	379	3	2	3
All other	112	152	5	3	4
Black	112	152	5	3	4
Laurens	---	143	2	2	1
White	---	89	-	-	-
All other	---	54	2	2	1
Black	---	54	2	2	1
Balance of county	---	388	6	3	6
White	---	290	3	2	3
All other	---	98	3	1	3
Black	---	98	3	1	3
South Carolina-Con.					
Lee	98	148	8	5	2
White	31	56	2	1	-
All other	67	92	6	4	2
Black	67	92	6	4	2
Lexington	795	997	29	24	26
White	667	859	18	14	19
All other	128	138	11	10	7
Black	127	138	11	10	7
Cayce	---	92	3	3	3
White	---	85	3	3	1
All other	---	7	-	-	2
Black	---	7	-	-	2
West Columbia	---	162	2	2	6
White	---	149	2	2	4
All other	---	13	-	-	2
Black	---	13	-	-	2
Balance of county	---	743	24	19	17
White	---	625	13	9	14
All other	---	118	11	10	3
Black	---	118	11	10	3
McCormick	23	68	1	1	4
White	9	31	-	-	1
All other	14	37	1	1	3
Black	14	36	1	1	3
Marion	332	330	11	9	7
White	162	150	3	3	-
All other	170	180	8	6	7
Black	170	180	8	6	7
Marlboro	231	306	12	10	3
White	128	164	1	1	2
All other	103	142	11	9	1
Black	102	141	11	9	1
Newberry	230	330	13	10	5
White	150	212	7	5	3
All other	80	118	6	5	2
Black	80	118	6	5	2
Oconee	409	473	4	2	7
White	359	418	3	1	7
All other	50	55	1	1	-
Black	50	55	1	1	-
Orangeburg	801	847	20	13	18
White	393	431	7	4	6
All other	408	416	13	9	12
Black	407	413	12	8	12
Orangeburg	---	216	3	1	2
White	---	143	-	-	-
All other	---	73	3	1	2
Black	---	71	2	-	2
Balance of county	---	631	17	12	16
White	---	288	7	4	6
All other	---	343	10	8	10
Black	---	342	10	8	10
Pickens	437	568	7	6	10
Easley	---	125	1	1	1
White	---	109	-	-	1
All other	---	16	1	1	-
Black	---	16	1	1	-
Balance of county	---	443	6	5	9
Richland	3,286	2,180	67	40	54
White	2,131	1,354	17	12	18
All other	1,155	826	50	28	36
Black	1,147	821	50	28	36
Columbia	---	1,183	39	23	28
White	---	756	9	6	7
All other	---	427	30	17	21
Black	---	424	30	17	21
Balance of county	---	997	28	17	26
White	---	598	8	6	11
All other	---	399	20	11	15
Black	---	397	20	11	15
Saluda	79	159	3	3	2
White	56	110	1	1	-
All other	23	49	2	2	2
Black	23	49	2	2	2
Spartanburg	1,908	1,941	38	24	27
White	1,509	1,532	23	14	14
All other	399	409	15	10	13
Black	398	408	15	10	13
Greer, part	---	33	-	-	-
White	---	21	-	-	-
All other	---	12	-	-	-
Black	---	12	-	-	-
Spartanburg	---	565	10	5	10
White	---	365	5	2	1
All other	---	200	5	3	9
Black	---	199	5	3	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Balance of county	---	1,343	28	19	17
White	---	1,146	18	12	13
All other	---	197	10	7	4
Black	---	197	10	7	4
Sumter	647	741	38	29	22
White	318	379	15	11	8
All other	329	362	23	18	14
Black	329	361	23	18	13
Sumter	---	348	14	13	9
White	---	210	2	2	4
All other	---	138	12	11	5
Black	---	138	12	11	5
Balance of county	---	393	24	16	13
White	---	169	13	9	4
All other	---	224	11	7	9
Black	---	223	11	7	8
Union	236	301	4	2	6
White	179	231	1	-	3
All other	57	70	3	2	3
Black	57	70	3	2	3
Union	---	121	1	1	1
White	---	92	-	-	-
All other	---	29	1	1	1
Black	---	29	1	1	1
Balance of county	---	180	3	1	5
White	---	139	1	-	3
All other	---	41	2	1	2
Black	---	41	2	1	2
Williamsburg	218	345	11	6	10
White	86	145	1	1	1
All other	132	200	10	5	9
Black	132	200	10	5	9
York	776	926	18	11	24
White	576	707	10	7	11
All other	200	219	8	4	13
Black	198	217	8	4	13
Rock Hill	---	378	9	5	12
White	---	256	4	3	4
All other	---	122	5	2	8
Black	---	122	5	2	8
Balance of county	---	548	9	6	12
White	---	451	6	4	7
All other	---	97	3	2	5
Black	---	95	3	2	5
South Dakota [6]	6,599	6,603	120	65	76
White	6,242	6,216	90	55	60
All other	357	387	30	10	16
Black	5	6	-	-	-
Aurora	28	47	1	-	-
Beadle	182	186	3	2	-
Huron	---	128	1	1	-
Balance of county	---	58	2	1	-
Bennett	37	32	1	-	-
White	19	20	-	-	-
All other	18	12	1	-	-
Black	-	-	-	-	-
Bon Homme	78	78	2	2	-
Brookings	156	179	1	1	1
Brookings	---	99	1	1	1
Balance of county	---	80	-	-	-
Brown	383	356	2	1	3
Aberdeen	---	257	2	1	-
Balance of county	---	99	-	-	3
Brule	46	47	1	1	1
Buffalo	6	13	-	-	-
White	4	5	-	-	-
All other	2	8	-	-	-
Black	-	-	-	-	-
Butte	92	90	1	1	1
Campbell	5	15	-	-	-
Charles Mix	89	99	3	-	1
White	77	82	1	-	1
All other	12	17	2	-	-
Black	-	-	-	-	-
Clark	27	59	1	1	1
Clay	73	103	2	1	2
Vermillion	---	48	1	1	-
Balance of county	---	55	1	-	2
Codington	221	200	4	1	2
Watertown	---	157	3	1	2
Balance of county	---	43	1	-	-
South Dakota-Con.					
Corson	17	50	3	2	1
White	7	25	1	1	-
All other	10	25	2	1	1
Black	-	-	-	-	-
Custer	50	69	-	-	-
Davison	225	204	3	1	2
Mitchell	---	177	2	-	2
Balance of county	---	27	1	1	-
Day	85	112	-	-	1
Deuel	32	47	-	-	2
Dewey	20	39	1	-	1
White	3	12	-	-	-
All other	17	27	1	-	1
Black	-	-	-	-	-
Douglas	40	51	-	-	-
Edmunds	63	58	-	-	-
Fall River	142	111	-	-	-
Faulk	20	30	1	-	-
Grant	84	96	2	2	2
Gregory	65	74	1	1	1
Haakon	27	27	-	-	-
Hamlin	63	74	1	-	1
Hand	56	54	2	2	-
Hanson	5	29	-	-	-
Harding	5	13	-	-	-
Hughes	136	100	4	4	3
Pierre	---	84	3	3	2
Balance of county	---	16	1	1	1
Hutchinson	129	124	-	-	1
Hyde	11	25	1	1	-
Jackson	19	35	1	1	-
White	19	27	-	-	-
All other	-	8	1	1	-
Black	-	-	-	-	-
Jerauld	41	34	1	1	-
Jones	2	21	-	-	-
Kingsbury	91	101	-	-	3
Lake	115	122	-	-	2
Lawrence	146	190	-	-	4
Lincoln	96	128	-	-	-
Sioux Falls, part	---	1	-	-	-
Balance of county	---	127	-	-	-
Lyman	8	36	1	-	1
White	6	29	-	-	1
All other	2	7	1	-	-
Black	-	-	-	-	-
McCook	51	74	-	-	1
McPherson	31	45	-	-	-
Marshall	47	62	2	1	1
Meade	177	136	2	-	2
Mellette	17	27	-	-	-
White	14	19	-	-	-
All other	3	8	-	-	-
Black	-	-	-	-	-
Miner	25	49	-	-	2
Minnehaha	1,502	920	28	16	15
Sioux Falls, part	---	730	21	12	11
Sioux Falls, total	---	731	21	12	11
Balance of county	---	190	7	4	4
Moody	54	63	-	-	-
Pennington	588	500	15	12	5
Rapid City	---	398	12	10	4
Balance of county	---	102	3	2	1
Perkins	29	44	-	-	-
Potter	36	44	-	-	-
Roberts	99	126	1	1	-
White	78	102	-	-	-
All other	21	24	1	1	-
Black	-	-	-	-	-
Sanborn	21	44	-	-	-
Shannon	57	102	14	4	4
White	1	3	-	-	-
All other	56	99	14	4	4
Black	-	-	-	-	-
Spink	67	110	3	1	-
Stanley	4	19	1	-	1
Sully	2	8	-	-	-
Todd	23	49	3	1	4
White	2	10	-	-	-
All other	21	39	3	1	4
Black	-	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Tripp	79	86	-	-	-
Turner	74	100	-	-	-
Union	50	130	1	-	-
Walworth	124	105	1	-	1
Yankton	217	185	3	2	2
Yankton	---	141	2	2	2
Balance of county	---	44	1	-	-
Ziebach	9	17	2	1	1
White	3	6	1	-	-
All other	6	11	1	1	1
Black	-	-	-	-	-
Tennessee [6]	46,184	43,226	759	503	497
White	38,252	35,775	453	279	343
All other	7,932	7,451	306	224	154
Black	7,878	7,404	306	224	147
Anderson	626	603	7	4	5
Oak Ridge, part	---	238	5	3	3
Oak Ridge, total	---	244	6	4	3
Balance of county	---	365	2	1	2
Bedford	246	301	4	3	5
White	224	274	4	3	4
All other	22	27	-	-	1
Black	22	27	-	-	1
Shelbyville	---	156	2	2	2
White	---	135	2	2	1
All other	---	21	-	-	1
Black	---	21	-	-	1
Balance of county	---	145	2	1	3
Benton	177	187	-	-	1
Bledsoe	64	98	3	2	-
Blount	620	674	10	8	4
Maryville	---	230	3	3	2
Balance of county	---	444	7	5	2
Bradley	556	564	6	5	5
Cleveland	---	328	4	3	1
Balance of county	---	236	2	2	4
Campbell	320	370	4	4	3
Cannon	62	91	-	-	1
Carroll	264	377	4	1	3
White	233	334	4	1	2
All other	31	43	-	-	1
Black	30	42	-	-	1
Carter	374	516	4	1	5
Elizabethton	---	179	2	-	1
Johnson City, part	---	1	-	-	-
Balance of county	---	336	2	1	4
Cheatham	82	169	3	1	2
Chester	74	126	1	1	1
White	61	104	1	1	1
All other	13	22	-	-	-
Black	13	22	-	-	-
Claiborne	280	255	2	1	3
Clay	40	75	-	-	2
Cocke	251	318	1	-	3
Coffee	348	361	6	1	6
Tullahoma, part	---	150	3	1	1
Tullahoma, total	---	153	3	1	1
Balance of county	---	211	3	-	5
Crockett	62	188	3	2	5
White	52	158	1	1	3
All other	10	30	2	1	2
Black	10	30	2	1	2
Cumberland	379	286	5	1	2
Davidson	6,237	4,466	91	52	57
White	5,031	3,386	49	28	39
All other	1,206	1,080	42	24	18
Black	1,190	1,066	42	24	18
Nashville-Davidson	---	4,372	91	52	44
White	---	3,297	49	28	26
All other	---	1,075	42	24	18
Black	---	1,061	42	24	18
Balance of county	---	94	-	-	13
Decatur	89	121	1	-	1
De Kalb	140	161	1	-	1
Dickson	318	293	7	4	1
Dyer	368	365	6	3	5
White	307	304	4	1	3
All other	61	61	2	2	2
Black	61	61	2	2	2
Tennessee-Con.					
Dyersburg	---	187	5	3	3
White	---	140	3	1	1
All other	---	47	2	2	2
Black	---	47	2	2	2
Balance of county	---	178	1	-	2
Fayette	166	234	1	1	5
White	90	116	-	-	2
All other	76	118	1	1	3
Black	76	118	1	1	3
Fentress	134	150	2	1	2
Franklin	313	334	4	4	2
Tullahoma, part	---	3	-	-	-
Balance of county	---	331	4	4	2
Gibson	505	620	9	7	3
White	419	507	5	3	2
All other	86	113	4	4	1
Black	86	113	4	4	1
Humboldt	---	138	2	2	2
White	---	88	-	-	1
All other	---	50	2	2	1
Black	---	50	2	2	1
Balance of county	---	482	7	5	1
White	---	419	5	3	1
All other	---	63	2	2	-
Black	---	63	2	2	-
Giles	200	271	3	1	1
White	167	227	1	-	-
All other	33	44	2	1	1
Black	33	44	2	1	1
Grainger	65	169	1	-	2
Greene	499	494	8	5	10
Greeneville	---	170	1	1	4
Balance of county	---	324	7	4	6
Grundy	50	116	2	1	2
Hamblen	425	454	3	2	6
Morristown	---	273	2	2	3
Balance of county	---	181	1	-	3
Hamilton	3,010	2,623	39	24	31
White	2,415	2,038	26	15	16
All other	595	585	13	9	15
Black	593	583	13	9	15
Chattanooga	---	1,796	29	18	23
White	---	1,221	16	9	8
All other	---	575	13	9	15
Black	---	574	13	9	15
East Ridge	---	190	2	2	1
Red Bank	---	76	-	-	-
Balance of county	---	561	8	4	7
Hancock	40	74	2	-	2
Hardeman	198	282	8	6	3
White	139	189	1	1	1
All other	59	93	7	5	2
Black	59	93	7	5	2
Hardin	140	198	3	-	2
Hawkins	233	424	1	1	4
Kingsport, part	---	8	-	-	-
White	---	7	-	-	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Balance of county	---	416	1	1	4
Haywood	151	195	1	1	1
White	84	107	-	-	-
All other	67	88	1	1	1
Black	67	88	1	1	1
Henderson	164	244	-	-	3
Henry	302	349	3	1	5
White	266	305	2	-	5
All other	36	44	1	1	-
Black	36	44	1	1	-
Paris	---	169	1	1	2
White	---	135	-	-	2
All other	---	34	1	1	-
Black	---	34	1	1	-
Balance of county	---	180	2	-	3
Hickman	88	157	4	1	1
Houston	84	69	-	-	1
Humphreys	90	171	3	2	3
Jackson	79	107	1	1	1
Jefferson	200	249	-	-	1
Johnson	94	123	-	-	-
Knox	3,963	3,001	47	34	27
White	3,604	2,659	27	17	23
All other	359	342	20	17	4
Black	355	337	20	17	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Knoxville	---	2,021	33	24	14
White	---	1,699	17	11	11
All other	---	322	16	13	3
Black	---	320	16	13	3
Balance of county	---	980	14	10	13
Lake	14	97	-	-	-
White	11	84	-	-	-
All other	3	13	-	-	-
Black	3	13	-	-	-
Lauderdale	240	314	4	4	6
White	163	212	-	-	1
All other	77	102	4	4	5
Black	77	102	4	4	5
Lawrence	321	378	6	4	2
Lawrenceburg	---	152	1	-	-
Balance of county	---	226	5	4	2
Lewis	73	99	2	2	-
Lincoln	247	318	3	1	4
White	219	282	3	1	3
All other	28	36	-	-	1
Black	28	36	-	-	1
Loudon	209	306	1	1	3
McMinn	388	397	5	5	5
Athens	---	132	2	2	1
Balance of county	---	265	3	3	4
McNairy	172	237	2	2	2
Macon	106	172	6	4	2
Madison	1,333	761	17	12	4
White	1,011	531	12	10	1
All other	322	230	5	2	3
Black	320	230	5	2	3
Jackson	---	565	14	9	4
White	---	399	9	7	1
All other	---	166	5	2	3
Black	---	166	5	2	3
Balance of county	---	196	3	3	-
White	---	132	3	3	-
All other	---	64	-	-	-
Black	---	64	-	-	-
Marion	190	249	5	5	1
Marshall	186	218	2	-	4
White	170	199	2	-	3
All other	16	19	-	-	1
Black	16	19	-	-	-
Maury	503	524	11	6	12
White	402	412	8	4	9
All other	101	112	3	2	3
Black	101	112	3	2	3
Columbia	---	285	4	3	5
White	---	214	3	2	4
All other	---	71	1	1	1
Black	---	71	1	1	1
Balance of county	---	239	7	3	7
White	---	198	5	2	5
All other	---	41	2	1	2
Black	---	41	2	1	2
Meigs	19	60	1	-	3
Monroe	210	249	2	1	4
Montgomery	544	556	19	14	9
White	448	452	13	9	7
All other	96	104	6	5	2
Black	91	99	6	5	2
Clarksville	---	376	17	12	6
White	---	284	12	8	4
All other	---	92	5	4	2
Black	---	88	5	4	2
Balance of county	---	180	2	2	3
White	---	168	1	1	3
All other	---	12	1	1	-
Black	---	11	1	1	-
Moore	3	43	1	-	1
Morgan	59	145	-	-	1
Obion	344	355	2	2	1
Union City	---	140	1	1	-
White	---	110	-	-	-
All other	---	30	1	1	-
Black	---	30	1	1	-
Balance of county	---	215	1	1	1
Overton	163	168	5	3	3
Perry	68	72	-	-	-
Pickett	6	43	-	-	-
Polk	101	143	2	2	1
Putnam	450	443	7	4	2
Cookeville	---	161	-	-	1
Balance of county	---	282	7	4	1
Rhea	159	239	6	1	5
Roane	323	421	4	2	1
Oak Ridge, part	---	6	1	1	-
Balance of county	---	415	3	1	1
Robertson	291	355	6	4	6
White	247	303	5	3	5
All other	44	52	1	1	1
Black	44	52	1	1	1
Springfield	---	142	2	2	1
White	---	100	1	1	-
All other	---	42	1	1	1
Black	---	42	1	1	1
Balance of county	---	213	4	2	5
Rutherford	700	608	18	13	8
White	628	546	15	12	7
All other	72	62	3	1	1
Black	72	62	3	1	1
Murfreesboro	---	290	7	6	2
White	---	253	5	5	1
All other	---	37	2	1	1
Black	---	37	2	1	1
Balance of county	---	318	11	7	6
Scott	164	181	3	2	3
Sequatchie	75	82	-	-	1
Sevier	264	360	3	2	3
Shelby	9,155	6,964	229	171	121
White	5,391	3,756	55	40	48
All other	3,764	3,208	174	131	73
Black	3,749	3,195	174	131	71
Bartlett	---	43	-	-	1
Germantown	---	75	2	2	1
Memphis	---	6,460	221	165	108
White	---	3,376	52	37	39
All other	---	3,084	169	128	69
Black	---	3,072	169	128	67
Millington	---	85	-	-	3
White	---	67	-	-	3
All other	---	18	-	-	-
Black	---	18	-	-	-
Balance of county	---	301	6	4	8
White	---	196	1	1	4
All other	---	105	5	3	4
Black	---	104	5	3	4
Smith	100	126	-	-	1
Stewart	54	111	-	-	1
Sullivan	1,623	1,221	16	12	9
Bristol [7]	---	226	5	4	3
Kingsport, part	---	354	4	4	1
Kingsport, total	---	362	4	4	1
Balance of county	---	641	7	4	5
Sumner	569	684	10	5	8
Gallatin	---	207	1	-	2
White	---	172	1	-	2
All other	---	35	-	-	-
Black	---	35	-	-	-
Hendersonville	---	165	3	2	2
Balance of county	---	312	6	3	4
Tipton	246	303	9	7	1
White	163	219	3	3	-
All other	83	84	6	4	1
Black	83	84	6	4	1
Trousdale	58	68	-	-	2
White	47	49	-	-	-
All other	11	19	-	-	2
Black	11	19	-	-	2
Unicoi	119	164	2	2	2
Union	42	95	1	-	-
Van Buren	5	42	3	2	-
Warren	287	306	3	2	1
McMinnville	---	141	-	-	1
Balance of county	---	165	3	2	-
Washington	1,328	839	11	7	3
Johnson City, part	---	478	7	4	2
Johnson City, total	---	479	7	4	2
Balance of county	---	361	4	3	1
Wayne	89	140	-	-	-
Weakley	296	382	3	3	6
White	165	204	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Williamson	378	436	10	7	3
Franklin	---	158	6	4	1
White	---	114	5	3	1
All other	---	44	1	1	-
Black	---	43	1	1	-
Balance of county	---	278	4	3	2
Wilson	375	475	5	2	3
Lebanon	---	195	2	-	-
White	---	160	2	-	-
All other	---	35	-	-	-
Black	---	35	-	-	-
Balance of county	---	280	3	2	3
Texas	119,968	118,336	3,014	1,903	2,228
White	103,830	102,312	2,338	1,491	1,775
All other	16,138	16,024	676	412	453
Black	15,664	15,596	644	394	421
Anderson	342	427	5	5	6
White	272	342	4	4	3
All other	70	85	1	1	3
Black	70	85	1	1	3
Palestine	---	238	3	3	2
White	---	193	3	3	2
All other	---	45	-	-	-
Black	---	45	-	-	-
Balance of county	---	189	2	2	4
White	---	149	1	1	1
All other	---	40	1	1	3
Black	---	40	1	1	3
Andrews	83	86	5	1	2
Andrews	---	72	2	-	1
White	---	70	2	-	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	14	3	1	1
Angelina	642	604	8	5	9
White	548	516	4	2	8
All other	94	88	4	3	1
Black	94	88	4	3	1
Lufkin	---	319	4	3	3
White	---	249	1	1	2
All other	---	70	3	2	1
Black	---	70	3	2	1
Balance of county	---	285	4	2	6
White	---	267	3	1	6
All other	---	18	1	1	-
Black	---	18	1	1	-
Aransas	32	122	2	1	2
Archer	39	62	-	-	1
Wichita Falls, part	---	-	-	-	-
Balance of county	---	62	-	-	1
White	---	62	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Armstrong	24	19	-	-	-
Atascosa	187	254	9	6	3
Austin	239	255	1	1	4
White	209	216	-	-	3
All other	30	39	1	1	1
Black	30	39	1	1	1
Bailey	35	56	2	1	1
Bandera	36	91	1	-	1
Bastrop	180	293	3	1	3
White	139	224	2	1	3
All other	41	69	1	-	-
Black	41	69	1	-	-
Baylor	87	79	1	1	1
Bee	167	220	7	1	4
Beeville	---	139	3	1	3
White	---	131	3	1	3
All other	---	8	-	-	-
Black	---	8	-	-	-
Balance of county	---	81	4	-	1
White	---	81	4	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Bell	1,821	1,166	66	41	37
White	1,583	1,011	46	30	22
All other	238	155	20	11	15
Black	235	150	20	11	14
Belton	---	120	4	1	1
White	---	109	4	1	1
All other	---	11	-	-	-
Black	---	11	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Killeen	---	253	35	21	16
White	---	200	19	12	7
All other	---	53	16	9	9
Black	---	50	16	9	9
Temple	---	475	10	5	8
White	---	406	8	5	5
All other	---	69	2	-	3
Black	---	69	2	-	3
Balance of county	---	318	17	14	12
White	---	296	15	12	9
All other	---	22	2	2	3
Black	---	20	2	2	2
Bexar	9,182	7,831	234	134	157
White	8,427	7,153	219	126	145
All other	755	678	15	8	12
Black	719	651	15	8	12
San Antonio	---	6,552	190	108	128
White	---	5,934	178	102	119
All other	---	618	12	6	9
Black	---	601	12	6	9
Universal City	---	46	3	1	1
White	---	44	3	1	1
All other	---	2	-	-	-
Black	---	2	-	-	-
Balance of county	---	1,233	41	25	28
White	---	1,175	38	23	25
All other	---	58	3	2	3
Black	---	48	3	2	3
Blanco	40	62	-	-	1
Borden	4	6	-	-	-
Bosque	200	235	5	3	6
Bowie	773	766	10	9	10
White	618	616	5	4	6
All other	155	150	5	5	4
Black	153	149	5	5	4
Texarkana [8]	---	310	1	1	7
White	---	234	-	-	5
All other	---	76	1	1	2
Black	---	75	1	1	2
Balance of county	---	456	9	8	3
White	---	382	5	4	1
All other	---	74	4	4	2
Black	---	74	4	4	2
Brazoria	784	1,078	22	13	15
White	706	986	21	13	14
All other	78	92	1	-	1
Black	77	91	1	-	1
Alvin	---	140	6	5	1
Angleton	---	110	1	1	2
White	---	102	1	1	2
All other	---	8	-	-	-
Black	---	8	-	-	-
Freeport	---	105	1	1	1
White	---	92	1	1	1
All other	---	13	-	-	-
Black	---	12	-	-	-
Lake Jackson	---	104	2	1	3
Pearland, part	---	106	4	2	-
Pearland, total	---	109	4	2	-
Balance of county	---	513	8	3	8
White	---	449	8	3	8
All other	---	64	-	-	-
Black	---	64	-	-	-
Brazos	587	553	17	11	15
White	457	428	12	7	12
All other	130	125	5	4	3
Black	129	124	5	4	3
Bryan	---	392	10	5	8
White	---	303	8	4	6
All other	---	89	2	1	2
Black	---	89	2	1	2
College Station	---	88	6	5	6
Balance of county	---	73	1	1	1
White	---	61	1	1	1
All other	---	12	-	-	-
Black	---	12	-	-	-
Brewster	73	63	-	-	1
Briscoe	3	34	-	-	-
Brooks	73	77	2	1	-
Brown	414	417	6	5	2
Brownwood	---	252	3	2	1
White	---	239	3	2	1
All other	---	13	-	-	-
Black	---	13	-	-	-
Balance of county	---	165	3	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Burleson	117	175	3	2	2
White	97	141	2	2	2
All other	20	34	1	-	-
Black	20	34	1	-	-
Burnet	198	254	2	2	1
Caldwell	197	238	4	2	5
White	166	202	4	2	5
All other	31	36	-	-	-
Black	31	36	-	-	-
Calhoun	123	166	3	2	1
Port Lavaca	---	100	3	2	-
White	---	90	3	2	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	66	-	-	1
Callahan	59	146	1	1	1
Cameron	1,543	1,420	36	24	44
Brownsville	---	538	19	12	19
White	---	534	19	12	19
All other	---	4	-	-	-
Black	---	2	-	-	-
Harlingen	---	357	7	6	4
White	---	354	7	6	4
All other	---	3	-	-	-
Black	---	3	-	-	-
San Benito	---	113	4	3	6
White	---	113	4	3	6
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	412	6	3	15
White	---	412	6	3	15
All other	---	-	-	-	-
Black	---	-	-	-	-
Camp	80	91	1	-	1
White	56	65	1	-	-
All other	24	26	-	-	1
Black	24	26	-	-	1
Carson	16	50	1	1	-
Cass	321	386	7	6	1
White	250	302	6	6	1
All other	71	84	1	-	-
Black	71	84	1	-	-
Castro	55	75	1	-	3
Chambers	91	131	1	1	1
White	78	106	1	1	-
All other	13	25	-	-	1
Black	13	24	-	-	1
Baytown, part	---	-	-	-	-
Balance of county	---	131	1	1	1
White	---	106	1	1	-
All other	---	25	-	-	1
Black	---	24	-	-	1
Cherokee	457	529	8	5	6
White	358	418	5	3	4
All other	99	111	3	2	2
Black	98	111	3	2	2
Jacksonville	---	191	1	1	3
White	---	144	1	1	2
All other	---	47	-	-	1
Black	---	47	-	-	1
Balance of county	---	338	7	4	3
White	---	274	4	2	2
All other	---	64	3	2	1
Black	---	64	3	2	1
Childress	118	113	-	-	1
Clay	84	104	-	-	-
Cochran	25	42	-	-	-
Coke	35	54	-	-	1
Coleman	102	158	-	-	-
Collin	813	893	24	21	23
Carrollton, part	---	-	-	-	-
Dallas, part	---	15	-	-	-
Garland, part	---	-	-	-	-
McKinney	---	194	4	4	2
White	---	169	3	3	2
All other	---	25	1	1	-
Black	---	25	1	1	-
Plano, part	---	299	12	10	11
Plano, total	---	299	12	10	11
Richardson, part	---	18	-	-	-
Balance of county	---	367	8	7	10
Collingsworth	47	60	-	-	1
Colorado	252	256	9	9	4
White	208	204	8	8	3
All other	44	52	1	1	1
Black	44	52	1	1	1
Comal	407	413	4	2	4
New Braunfels, part	---	285	2	1	2
White	---	280	2	1	2
All other	---	5	-	-	-
Black	---	5	-	-	-
New Braunfels, total	---	288	2	1	2
White	---	283	2	1	2
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	128	2	1	2
Comanche	190	212	1	-	1
Concho	37	40	-	-	-
Cooke	268	292	4	4	3
Gainesville	---	191	3	3	-
White	---	181	3	3	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	101	1	1	3
Coryell	160	252	9	6	7
White	155	237	5	4	7
All other	5	15	4	2	-
Black	4	12	3	2	-
Copperas Cove	---	88	3	1	3
White	---	79	1	-	3
All other	---	9	2	1	-
Black	---	7	2	1	-
Balance of county	---	164	6	5	4
White	---	158	4	4	4
All other	---	6	2	1	-
Black	---	5	1	1	-
Cottle	18	29	1	-	-
Crane	34	42	-	-	1
Crockett	26	35	1	-	1
Crosby	75	78	1	1	-
Culberson	24	24	2	2	2
Dallam	10	67	2	1	2
Dallas	13,240	11,960	375	244	302
White	10,587	9,461	234	159	196
All other	2,653	2,499	141	85	106
Black	2,566	2,421	135	82	100
Balch Springs	---	97	5	2	3
Carrollton, part	---	173	8	5	4
Carrollton, total	---	210	12	7	6
Dallas, part	---	7,957	226	142	202
White	---	5,642	104	69	105
All other	---	2,315	122	73	97
Black	---	2,275	118	70	94
Dallas, total	---	7,975	226	142	202
White	---	5,660	104	69	105
All other	---	2,315	122	73	97
Black	---	2,275	118	70	94
De Soto	---	123	6	4	3
Duncanville	---	142	10	7	3
Farmers Branch	---	138	3	1	4
Garland, part	---	713	28	22	15
White	---	671	25	21	14
All other	---	42	3	1	1
Black	---	37	3	1	1
Garland, total	---	713	28	22	15
White	---	671	25	21	14
All other	---	42	3	1	1
Black	---	37	3	1	1
Grand Prairie, part	---	468	19	13	16
White	---	426	15	10	16
All other	---	42	4	3	-
Black	---	37	4	3	-
Grand Prairie, total	---	518	20	13	17
White	---	468	15	10	17
All other	---	50	5	3	-
Black	---	45	5	3	-
Grapevine, part	---	-	-	-	-
Irving	---	622	22	14	24
Lancaster	---	142	2	2	2
White	---	134	1	1	2
All other	---	8	1	1	-
Black	---	8	1	1	-
Mesquite	---	446	17	12	9
Richardson, part	---	314	6	4	7
Richardson, total	---	332	6	4	7
University Park	---	160	3	2	1
Balance of county	---	465	20	14	9
White	---	429	17	12	8
All other	---	36	3	2	1
Black	---	30	3	2	1
Dawson	93	129	3	3	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Lamesa	---	118	2	2	-
White	---	111	2	2	-
All other	---	7	-	-	-
Black	---	7	-	-	-
Balance of county	---	11	1	1	-
White	---	11	1	1	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Deaf Smith	78	113	3	2	4
Hereford	---	94	2	1	3
White	---	94	2	1	3
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	19	1	1	1
White	---	19	1	1	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Delta	37	85	1	1	-
Denton	811	929	32	17	29
Carrollton, part	---	37	4	2	2
Dallas, part	---	3	-	-	-
Denton	---	358	3	1	6
White	---	335	3	1	6
All other	---	23	-	-	-
Black	---	23	-	-	-
Lewisville	---	168	9	6	11
Plano, part	---	-	-	-	-
The Colony	---	38	3	2	3
Balance of county	---	325	13	6	7
De Witt	208	259	2	1	3
White	178	220	2	1	3
All other	30	39	-	-	-
Black	30	39	-	-	-
Dickens	14	47	2	1	-
Dimmit	94	84	3	-	-
Donley	19	54	-	-	-
Duval	35	135	3	-	1
Eastland	223	274	3	2	4
Ector	840	818	27	12	17
Odessa	---	637	22	9	11
White	---	586	21	9	9
All other	---	51	1	-	2
Black	---	48	1	-	1
Balance of county	---	181	5	3	6
Edwards	9	16	-	-	1
Ellis	495	657	9	4	7
White	404	549	7	3	5
All other	91	108	2	1	2
Black	91	108	2	1	2
Ennis	---	163	3	3	-
White	---	129	2	2	-
All other	---	34	1	1	-
Black	---	34	1	1	-
Grand Prairie, part	---	-	-	-	-
Waxahachie	---	191	3	-	2
White	---	147	2	-	1
All other	---	44	1	-	1
Black	---	44	1	-	1
Balance of county	---	303	3	1	5
White	---	273	3	1	4
All other	---	30	-	-	1
Black	---	30	-	-	1
El Paso	3,190	2,922	88	60	50
White	3,084	2,825	81	53	47
All other	106	97	7	7	3
Black	87	81	6	6	3
El Paso	---	2,777	81	54	45
White	---	2,682	75	48	42
All other	---	95	6	6	3
Black	---	80	6	6	3
Balance of county	---	145	7	6	5
White	---	143	6	5	5
All other	---	2	1	1	-
Black	---	1	-	-	-
Erath	208	262	5	2	3
Stephenville	---	130	2	1	1
Balance of county	---	132	3	1	2
Falls	296	263	4	4	5
White	226	191	2	2	1
All other	70	72	2	2	4
Black	69	71	2	2	4
Fannin	329	361	7	6	2
Fayette	179	292	3	3	-
Fisher	48	59	1	1	-
Texas-Con.					
Floyd	93	87	2	1	1
Foard	40	45	-	-	-
Fort Bend	570	728	27	22	23
White	461	575	21	18	19
All other	109	153	6	4	4
Black	103	148	5	3	3
Houston, part	---	13	1	1	-
White	---	5	-	-	-
All other	---	8	1	1	-
Black	---	8	1	1	-
Missouri City, part	---	91	5	4	1
White	---	64	3	3	1
All other	---	27	2	1	-
Black	---	26	2	1	-
Missouri City, total	---	96	5	4	1
White	---	67	3	3	1
All other	---	29	2	1	-
Black	---	28	2	1	-
Rosenberg	---	136	4	3	3
White	---	130	4	3	3
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	488	17	14	19
White	---	376	14	12	15
All other	---	112	3	2	4
Black	---	108	2	1	3
Franklin	84	99	-	-	-
Freestone	166	177	2	2	7
White	131	134	2	2	5
All other	35	43	-	-	2
Black	35	43	-	-	2
Frio	94	103	2	2	3
Gaines	60	92	1	-	1
Galveston	1,967	1,738	33	19	23
White	1,479	1,344	20	12	16
All other	488	394	13	7	7
Black	479	389	12	7	7
Friendswood, part	---	55	2	2	2
Friendswood, total	---	83	5	4	2
Galveston	---	686	12	7	9
White	---	470	5	2	4
All other	---	216	7	5	5
Black	---	216	7	5	5
La Marque	---	135	2	1	1
White	---	100	1	-	1
All other	---	35	1	1	-
Black	---	33	1	1	-
League City	---	88	4	4	3
Texas City	---	377	11	5	3
White	---	279	6	4	1
All other	---	98	5	1	2
Black	---	96	4	1	2
Balance of county	---	397	2	-	5
White	---	354	2	-	5
All other	---	43	-	-	-
Black	---	43	-	-	-
Garza	40	55	-	-	-
Gillespie	212	217	1	1	2
Glasscock	5	4	-	-	-
Goliad	40	62	-	-	2
Gonzales	156	212	3	1	2
White	123	176	3	1	1
All other	33	36	-	-	1
Black	33	36	-	-	1
Gray	239	267	10	4	8
Pampa	---	233	8	3	7
Balance of county	---	34	2	1	1
Grayson	1,176	1,071	10	6	12
Denison	---	305	2	1	5
White	---	271	1	1	5
All other	---	34	1	-	-
Black	---	34	1	-	-
Sherman	---	348	5	3	3
White	---	316	5	3	2
All other	---	32	-	-	1
Black	---	31	-	-	-
Balance of county	---	418	3	2	4
Gregg	1,137	1,021	16	9	14
White	897	812	10	5	9
All other	240	209	6	4	5
Black	239	209	6	4	5
Kilgore, part	---	107	3	1	2
White	---	95	1	-	2
All other	---	12	2	1	-
Black	---	12	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Kilgore, total	---	144	4	2	2
White	---	129	2	1	2
All other	---	15	2	1	-
Black	---	15	2	1	-
Longview, part	---	625	10	7	11
White	---	487	6	4	7
All other	---	138	4	3	4
Black	---	138	4	3	4
Longview, total	---	630	10	7	11
White	---	492	6	4	7
All other	---	138	4	3	4
Black	---	138	4	3	4
Balance of county	---	289	3	1	1
White	---	230	3	1	-
All other	---	59	-	-	1
Black	---	59	-	-	1
Grimes	198	224	3	-	1
White	134	161	2	-	-
All other	64	63	1	-	1
Black	64	63	1	-	1
Guadalupe	306	426	13	7	7
New Braunfels, part	---	3	-	-	-
Seguin	---	194	5	4	4
White	---	161	3	3	4
All other	---	33	2	1	-
Black	---	33	2	1	-
Balance of county	---	229	8	3	3
Hale	293	321	6	3	6
Plainview	---	232	5	2	5
White	---	223	5	2	3
All other	---	9	-	-	2
Black	---	8	-	-	2
Balance of county	---	89	1	1	1
White	---	88	1	1	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Hall	51	64	-	-	2
Hamilton	157	155	3	3	1
Hansford	39	56	1	-	-
Hardeman	88	102	3	3	-
Hardin	190	318	9	3	6
White	157	277	9	3	5
All other	33	41	-	-	1
Black	33	41	-	-	-
Harris	18,185	15,704	547	347	411
White	14,063	11,901	372	243	308
All other	4,122	3,803	175	104	103
Black	3,941	3,645	165	99	95
Baytown, part	---	453	10	8	12
White	---	416	9	8	6
All other	---	37	1	-	6
Black	---	37	1	-	6
Baytown, total	---	453	10	8	12
White	---	416	9	8	6
All other	---	37	1	-	6
Black	---	37	1	-	6
Bellaire	---	119	1	1	1
Deer Park	---	88	-	-	4
Friendswood, part	---	28	3	2	-
Houston, part	---	11,787	415	264	285
White	---	8,187	249	165	197
All other	---	3,600	166	99	88
Black	---	3,467	157	95	83
Houston, total	---	11,800	416	265	285
White	---	8,192	249	165	197
All other	---	3,608	167	100	88
Black	---	3,475	158	.96	83
La Porte	---	144	4	-	7
White	---	132	3	-	7
All other	---	12	1	-	-
Black	---	12	1	-	-
Missouri City, part	---	5	-	-	-
White	---	3	-	-	-
All other	---	2	-	-	-
Black	---	2	-	-	-
Pasadena	---	680	23	15	18
White	---	676	23	15	17
All other	---	4	-	-	1
Black	---	2	-	-	1
Pearland, part	---	3	-	-	-
South Houston	---	59	-	-	1
White	---	58	-	-	1
All other	---	1	-	-	-
Black	---	1	-	-	-
West University Place	---	28	-	-	-
Texas-Con.					
Balance of county	---	2,310	91	57	83
White	---	2,164	84	52	75
All other	---	146	7	5	8
Black	---	123	6	4	5
Harrison	454	573	9	7	9
White	286	379	8	7	3
All other	168	194	1	-	6
Black	168	193	1	-	6
Longview, part	---	5	-	-	-
Marshall	---	335	6	5	5
White	---	223	5	5	-
All other	---	112	1	-	5
Black	---	112	1	-	5
Balance of county	---	233	3	2	4
White	---	151	3	2	3
All other	---	82	-	-	1
Black	---	81	-	-	1
Hartley	58	30	-	-	-
Haskell	96	115	-	-	1
Hays	234	279	8	5	4
San Marcos	---	148	3	1	2
White	---	135	3	1	2
All other	---	13	-	-	-
Black	---	13	-	-	-
Balance of county	---	131	5	4	2
White	---	127	5	4	2
All other	---	4	-	-	-
Black	---	4	-	-	-
Hemphill	42	38	3	3	-
Henderson	378	562	7	3	4
White	353	522	6	2	4
All other	25	40	1	1	-
Black	25	40	1	1	-
Athens	---	141	2	-	2
White	---	127	2	-	2
All other	---	14	-	-	-
Black	---	14	-	-	-
Balance of county	---	421	5	3	2
Hidalgo	1,834	1,853	74	45	55
Edinburg	---	152	7	5	8
White	---	152	7	5	8
All other	---	-	-	-	-
Black	---	-	-	-	-
McAllen	---	484	16	12	10
White	---	484	16	12	9
All other	---	-	-	-	1
Black	---	-	-	-	1
Mercedes	---	99	3	2	2
White	---	99	3	2	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Mission	---	179	3	1	1
Pharr	---	119	7	2	3
White	---	118	7	2	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Weslaco	---	222	7	3	3
White	---	221	7	3	3
All other	---	1	-	-	-
Black	---	-	-	-	-
Balance of county	---	598	31	20	28
White	---	598	31	20	28
All other	---	-	-	-	-
Black	---	-	-	-	-
Hill	332	415	7	7	3
White	303	375	4	4	3
All other	29	40	3	3	-
Black	29	40	3	3	-
Hockley	103	183	5	1	5
Levelland	---	121	3	1	3
White	---	116	1	-	3
All other	---	5	2	1	-
Black	---	5	2	1	-
Balance of county	---	62	2	-	2
White	---	59	2	-	2
All other	---	3	-	-	-
Black	---	3	-	-	-
Hood	161	215	2	1	2
Hopkins	293	343	1	1	3
White	266	318	1	1	3
All other	27	25	-	-	-
Black	27	25	-	-	-
Sulphur Springs	---	211	1	1	1
White	---	191	1	1	1
All other	---	20	-	-	-
Black	---	20	-	-	-
Balance of county	---	132	-	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Houston	277	286	2	-	3
White	215	219	1	-	1
All other	62	67	1	-	2
Black	62	67	1	-	2
Howard	429	311	8	4	10
Big Spring	---	244	7	4	9
White	---	226	6	3	9
All other	---	18	1	1	-
Black	---	18	1	1	-
Balance of county	---	67	1	-	1
White	---	66	1	-	1
All other	---	1	-	-	-
Black	---	1	-	-	-
Hudspeth	11	14	-	-	1
Hunt	477	605	6	2	6
White	405	527	5	2	3
All other	72	78	1	-	3
Black	72	77	1	-	2
Greenville	---	273	5	2	4
White	---	214	4	2	2
All other	---	59	1	-	2
Black	---	58	1	-	2
Balance of county	---	332	1	-	2
Hutchinson	166	237	11	10	8
Borger	---	169	8	7	3
Balance of county	---	68	3	3	5
Irion	3	12	-	-	-
Jack	78	103	1	1	-
Jackson	101	150	-	-	2
White	89	132	-	-	1
All other	12	18	-	-	1
Black	12	18	-	-	1
Jasper	257	339	3	2	13
White	209	272	1	1	12
All other	48	67	2	1	1
Black	48	67	2	1	1
Jeff Davis	5	11	1	1	3
Jefferson	2,840	2,462	53	34	30
White	2,135	1,745	24	13	14
All other	705	717	29	21	16
Black	692	703	27	20	15
Beaumont	---	1,227	39	26	17
White	---	797	17	10	6
All other	---	430	22	16	11
Black	---	424	21	15	11
Groves	---	142	-	-	-
Nederland	---	113	1	1	1
Port Arthur	---	756	8	4	9
White	---	482	2	-	5
All other	---	274	6	4	4
Black	---	266	5	4	4
Port Neches	---	95	1	-	2
Balance of county	---	129	4	3	1
White	---	118	4	3	1
All other	---	11	-	-	-
Black	---	11	-	-	-
Jim Hogg	7	35	1	1	-
Jim Wells	292	291	8	6	2
Alice	---	177	5	4	1
White	---	174	5	4	1
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	114	3	2	1
White	---	114	3	2	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Johnson	548	736	20	14	15
Burleson, part	---	121	1	1	2
Burleson, total	---	135	1	1	2
Cleburne	---	272	6	4	4
Balance of county	---	343	13	9	9
Jones	166	212	4	3	1
Abilene, part	---	-	-	-	-
Balance of county	---	212	4	3	1
White	---	200	3	3	1
All other	---	12	1	-	-
Black	---	12	1	-	-
Karnes	100	158	2	2	-
Kaufman	459	464	10	8	4
White	401	398	9	7	3
All other	58	66	1	1	1
Black	58	64	1	1	1
Dallas, part	---	-	-	-	-
Terrell	---	146	-	-	4
White	---	107	-	-	3
All other	---	39	-	-	1
Black	---	39	-	-	1
Balance of county	---	318	10	8	-
White	---	291	9	7	-
All other	---	27	1	1	-
Black	---	25	1	1	-
Kendall	76	138	1	1	1
Kenedy	3	3	-	-	-
Kent	6	18	1	1	1
Kerr	578	472	5	3	1
Kerrville	---	324	4	2	1
White	---	311	4	2	1
All other	---	13	-	-	-
Black	---	12	-	-	-
Balance of county	---	148	1	1	-
Kimble	34	54	-	-	-
King	-	2	-	-	-
Kinney	10	32	-	-	-
Kleberg	180	214	6	1	5
Corpus Christi, part	---	-	-	-	-
Kingsville	---	184	6	1	5
White	---	171	6	1	5
All other	---	13	-	-	-
Black	---	13	-	-	-
Balance of county	---	30	-	-	-
White	---	30	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Knox	36	63	-	-	-
Lamar	656	529	5	2	9
White	562	445	3	1	5
All other	94	84	2	1	4
Black	90	82	2	1	3
Paris	---	369	5	2	6
White	---	299	3	1	4
All other	---	70	2	1	2
Black	---	69	2	1	2
Balance of county	---	160	-	-	3
Lamb	113	184	5	1	4
Lampasas	106	138	2	1	-
La Salle	22	48	-	-	1
Lavaca	243	283	3	1	2
Lee	95	138	-	-	1
White	84	120	-	-	1
All other	11	18	-	-	-
Black	11	18	-	-	-
Leon	109	197	4	3	3
White	81	155	2	2	2
All other	28	42	2	1	1
Black	28	42	2	1	1
Liberty	382	542	15	10	4
White	329	469	12	8	4
All other	53	73	3	2	-
Black	52	72	3	2	-
Limestone	228	299	6	2	3
White	173	229	1	-	3
All other	55	70	5	2	-
Black	55	70	5	2	-
Lipscomb	7	27	1	1	-
Live Oak	64	87	1	1	1
Llano	156	220	4	3	-
Loving	2	1	-	-	-
Lubbock	1,918	1,423	42	25	25
White	1,792	1,308	34	21	19
All other	126	115	8	4	6
Black	124	114	7	3	5
Lubbock	---	1,187	35	19	23
White	---	1,082	27	15	17
All other	---	105	8	4	6
Black	---	104	7	3	5
Balance of county	---	236	7	6	2
White	---	226	7	6	2
All other	---	10	-	-	-
Black	---	10	-	-	-
Lynn	35	59	1	1	-
McCulloch	125	150	1	1	-
McLennan	1,828	1,757	22	14	24
White	1,530	1,465	11	8	17
All other	298	292	11	6	7
Black	298	292	11	6	7
Waco	---	1,224	19	11	12
White	---	974	9	6	5
All other	---	250	10	5	7
Black	---	250	10	5	7
Balance of county	---	533	3	3	12
White	---	491	2	2	12
All other	---	42	1	1	-
Black	---	42	1	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
McMullen	5	8	-	-	-
Madison	168	153	2	2	1
White	134	121	2	2	-
All other	34	32	-	-	1
Black	34	32	-	-	1
Marion	87	121	1	-	2
White	55	76	-	-	1
All other	32	45	1	-	1
Black	32	45	1	-	1
Martin	32	37	1	-	2
Mason	40	63	-	-	2
Matagorda	297	339	10	5	8
White	239	267	9	5	8
All other	58	72	1	-	-
Black	57	70	-	-	-
Bay City	---	173	3	2	4
White	---	132	3	2	4
All other	---	41	-	-	-
Black	---	41	-	-	-
Balance of county	---	166	7	3	4
White	---	135	6	3	4
All other	---	31	1	-	-
Black	---	29	-	-	-
Maverick	137	165	2	1	7
Eagle Pass	---	133	1	1	5
White	---	133	1	1	4
All other	---	-	-	-	1
Black	---	-	-	-	-
Balance of county	---	32	1	-	2
White	---	32	1	-	2
All other	---	-	-	-	-
Black	---	-	-	-	-
Medina	147	218	6	4	2
Menard	16	29	-	-	-
Midland	565	588	20	9	14
Midland	---	521	17	8	12
White	---	451	16	8	10
All other	---	70	1	-	2
Black	---	70	1	-	2
Balance of county	---	67	3	1	2
Milam	219	303	2	2	3
White	184	257	-	-	3
All other	35	46	2	2	-
Black	35	46	2	2	-
Mills	56	64	-	-	2
Mitchell	128	159	2	1	2
Montague	205	251	-	-	-
Montgomery	724	1,027	19	12	19
Conroe	---	213	4	2	5
White	---	172	4	2	4
All other	---	41	-	-	1
Black	---	40	-	-	1
Houston, part	---	-	-	-	-
Balance of county	---	814	15	10	14
Moore	94	104	3	2	3
Dumas	---	74	3	2	2
Balance of county	---	30	-	-	1
Morris	123	150	4	1	2
White	100	119	2	-	2
All other	23	31	2	1	-
Black	23	31	2	1	-
Motley	6	29	-	-	-
Nacogdoches	494	426	8	4	6
White	401	339	5	3	3
All other	93	87	3	1	3
Black	92	86	3	1	3
Nacogdoches	---	239	5	3	4
White	---	180	2	2	2
All other	---	59	3	1	2
Black	---	58	3	1	2
Balance of county	---	187	3	1	2
White	---	159	3	1	1
All other	---	28	-	-	1
Black	---	28	-	-	1
Navarro	490	498	6	4	8
White	391	403	4	3	6
All other	99	95	2	1	2
Black	99	95	2	1	2
Corsicana	---	328	3	2	6
White	---	249	1	1	4
All other	---	79	2	1	2
Black	---	79	2	1	2
Balance of county	---	170	3	2	2
White	---	154	3	2	2
All other	---	16	-	-	-
Black	---	16	-	-	-
Texas-Con.					
Newton	123	156	2	1	2
White	90	117	1	-	1
All other	33	39	1	1	1
Black	33	39	1	1	1
Nolan	153	186	3	3	3
Sweetwater	---	147	3	3	2
White	---	142	3	3	1
All other	---	5	-	-	1
Black	---	5	-	-	1
Balance of county	---	39	-	-	1
White	---	39	-	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Nueces	2,297	1,923	50	32	33
White	2,167	1,798	46	30	32
All other	130	125	4	2	1
Black	126	120	4	2	1
Corpus Christi, part	---	1,685	46	31	28
White	---	1,568	42	29	27
All other	---	117	4	2	1
Black	---	112	4	2	1
Corpus Christi, total	---	1,685	46	31	28
White	---	1,568	42	29	27
All other	---	117	4	2	1
Black	---	112	4	2	1
Portland, part	---	4	-	-	-
Robstown	---	105	3	1	3
White	---	99	3	1	3
All other	---	6	-	-	-
Black	---	6	-	-	-
Balance of county	---	129	1	-	2
White	---	127	1	-	2
All other	---	2	-	-	-
Black	---	2	-	-	-
Ochiltree	66	78	3	1	3
Oldham	7	14	-	-	-
Orange	328	587	11	6	9
Orange	---	195	-	-	1
White	---	145	-	-	-
All other	---	50	-	-	1
Black	---	49	-	-	-
Vidor	---	122	5	2	3
Balance of county	---	270	6	4	5
Palo Pinto	253	314	2	-	8
Mineral Wells, part	---	180	2	-	6
White	---	170	2	-	5
All other	---	10	-	-	1
Black	---	9	-	-	1
Mineral Wells, total	---	180	2	-	6
White	---	170	2	-	5
All other	---	10	-	-	1
Black	---	9	-	-	1
Balance of county	---	134	-	-	2
Panola	177	228	1	1	1
White	142	181	1	1	1
All other	35	47	-	-	-
Black	35	47	-	-	-
Parker	336	464	6	4	6
Mineral Wells, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Weatherford	---	213	2	2	2
Balance of county	---	251	4	2	4
Parmer	51	72	1	1	1
Pecos	69	82	2	2	1
Polk	227	336	4	1	4
White	202	302	4	1	3
All other	25	34	-	-	1
Black	25	34	-	-	1
Potter	1,722	964	38	23	22
White	1,630	886	34	20	18
All other	92	78	4	3	4
Black	81	70	4	3	2
Amarillo, part	---	932	37	22	22
White	---	854	33	19	18
All other	---	78	4	3	4
Black	---	70	4	3	2
Amarillo, total	---	1,296	45	28	29
White	---	1,213	40	25	25
All other	---	83	5	3	4
Black	---	73	5	3	2
Balance of county	---	32	1	1	-
Presidio	16	43	-	-	-
Rains	38	75	1	-	1
Randall	171	472	13	8	10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Amarillo, part	---	364	8	6	7
Canyon	---	59	3	2	3
Balance of county	---	49	2	-	-
Reagan	9	15	1	1	1
Real	10	33	-	-	1
Red River	166	230	3	2	-
White	137	192	3	2	-
All other	29	38	-	-	-
Black	29	38	-	-	-
Reeves	87	114	2	1	3
Pecos	---	97	2	1	3
White	---	92	2	1	3
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	17	-	-	-
White	---	17	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Refugio	45	93	1	-	1
Roberts	3	10	-	-	-
Robertson	155	217	2	1	3
White	98	139	1	1	1
All other	57	78	1	-	2
Black	57	78	1	-	2
Rockwall	66	126	2	2	-
Dallas, part	---	-	-	-	-
Garland, part	---	-	-	-	-
Balance of county	---	126	2	2	-
White	---	119	2	2	-
All other	---	7	-	-	-
Black	---	6	-	-	-
Runnels	120	163	4	3	2
Rusk	398	501	4	4	2
White	308	373	2	2	2
All other	90	128	2	2	-
Black	89	128	2	2	-
Henderson	---	160	2	2	-
White	---	113	1	1	-
All other	---	47	1	1	-
Black	---	47	1	1	-
Kilgore, part	---	37	1	1	-
Balance of county	---	304	1	1	2
White	---	226	-	-	2
All other	---	78	1	1	-
Black	---	78	1	1	-
Sabine	75	122	2	-	-
White	71	106	2	-	-
All other	4	16	-	-	-
Black	4	16	-	-	-
San Augustine	90	124	1	-	1
White	57	93	1	-	1
All other	33	31	-	-	-
Black	33	31	-	-	-
San Jacinto	45	132	1	1	2
White	32	94	1	1	2
All other	13	38	-	-	-
Black	13	38	-	-	-
San Patricio	332	470	13	7	12
Corpus Christi, part	---	-	-	-	-
Portland, part	---	53	5	3	3
Portland, total	---	57	5	3	3
Balance of county	---	417	8	4	9
White	---	400	8	4	9
All other	---	17	-	-	-
Black	---	17	-	-	-
San Saba	56	89	-	-	1
Schleicher	11	16	-	-	-
Scurry	124	162	2	2	1
Snyder	---	121	1	1	1
White	---	115	1	1	1
All other	---	6	-	-	-
Black	---	5	-	-	-
Balance of county	---	41	1	1	-
White	---	41	1	1	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Shackelford	39	44	-	-	1
Shelby	211	302	3	2	3
White	175	259	2	2	3
All other	36	43	1	-	-
Black	36	42	1	-	-
Sherman	13	29	-	-	-
Smith	1,810	1,319	23	15	19
White	1,490	1,048	14	8	11
All other	320	271	9	7	8
Black	318	271	9	7	8
Texas-Con.					
Tyler	---	768	14	11	9
White	---	597	8	6	4
All other	---	171	6	5	5
Black	---	171	6	5	5
Balance of county	---	551	9	4	10
White	---	451	6	2	7
All other	---	100	3	2	3
Black	---	100	3	2	3
Somervell	45	48	2	2	-
Starr	129	189	10	7	1
Stephens	90	119	4	4	2
Sterling	12	10	-	-	-
Stonewall	32	38	-	-	1
Sutton	28	41	-	-	2
Swisher	58	97	2	2	-
Tarrant	7,937	7,203	242	165	143
White	6,901	6,196	163	114	104
All other	1,036	1,007	79	51	39
Black	1,004	977	73	47	36
Arlington	---	935	41	30	25
White	---	897	35	26	20
All other	---	38	6	4	5
Black	---	30	5	3	5
Bedford	---	121	4	3	2
Benbrook	---	89	3	3	2
Burleson, part	---	14	-	-	-
Euless	---	135	7	6	5
Forest Hill	---	72	1	1	6
White	---	55	-	-	3
All other	---	17	1	1	3
Black	---	16	-	-	3
Fort Worth	---	4,083	135	83	71
White	---	3,175	70	41	45
All other	---	908	65	42	26
Black	---	894	63	41	25
Grand Prairie, part	---	50	1	-	1
White	---	42	-	-	1
All other	---	8	1	-	-
Black	---	8	1	-	-
Grapevine, part	---	106	4	3	3
Grapevine, total	---	106	4	3	3
Haltom City	---	220	10	10	3
Hurst	---	199	6	6	-
North Richland Hills	---	177	8	7	2
Watauga	---	34	-	-	2
White Settlement	---	106	7	4	4
Balance of county	---	862	16	9	17
Taylor	1,196	958	27	22	23
Abilene, part	---	834	21	16	22
White	---	799	20	15	19
All other	---	35	1	1	3
Black	---	33	1	1	3
Abilene, total	---	834	21	16	22
White	---	799	20	15	19
All other	---	35	1	1	3
Black	---	33	1	1	3
Balance of county	---	124	6	6	1
Terrell	10	14	-	-	-
Terry	99	126	1	1	2
Brownfield	---	108	1	1	2
White	---	105	-	-	2
All other	---	3	1	1	-
Black	---	3	1	1	-
Balance of county	---	18	-	-	-
White	---	18	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Throckmorton	16	30	-	-	-
Titus	262	255	4	1	3
White	216	221	2	1	-
All other	46	34	2	-	3
Black	46	34	2	-	3
Mount Pleasant	---	158	3	1	2
White	---	132	2	1	-
All other	---	26	1	-	2
Black	---	26	1	-	2
Balance of county	---	97	1	-	1
Tom Green	957	860	14	10	15
San Angelo	---	781	13	9	13
White	---	745	12	8	13
All other	---	36	1	1	-
Black	---	35	1	1	-
Balance of county	---	79	1	1	2
Travis	3,174	2,838	94	61	49
White	2,751	2,431	71	49	37
All other	423	407	23	12	12
Black	409	396	23	12	12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Austin, part	---	2,458	86	55	45
White	---	2,065	63	43	34
All other	---	393	23	12	11
Black	---	382	23	12	11
Austin, total	---	2,461	87	55	46
White	---	2,068	64	43	35
All other	---	393	23	12	11
Black	---	382	23	12	11
Round Rock, part	---	1	-	-	-
Balance of county	---	379	8	6	4
White	---	365	8	6	3
All other	---	14	-	-	1
Black	---	14	-	-	1
Trinity	97	144	4	2	-
White	75	109	2	2	-
All other	22	35	2	-	-
Black	22	35	2	-	-
Tyler	144	205	1	1	1
White	129	183	1	1	-
All other	15	22	-	-	1
Black	15	22	-	-	1
Upshur	178	334	8	6	6
White	149	271	5	3	5
All other	29	63	3	3	1
Black	29	63	3	3	1
Upton	17	32	-	-	-
Uvalde	153	183	2	1	1
Uvalde	---	120	1	-	1
White	---	120	1	-	1
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	63	1	1	-
White	---	62	1	1	-
All other	---	1	-	-	-
Black	---	1	-	-	-
Val Verde	220	237	11	10	6
Del Rio	---	207	8	8	6
White	---	203	7	7	5
All other	---	4	1	1	1
Black	---	4	1	1	1
Balance of county	---	30	3	2	-
White	---	28	2	2	-
All other	---	2	1	-	-
Black	---	1	1	-	-
Van Zandt	253	437	5	3	2
Victoria	740	572	12	5	11
Victoria	---	450	11	5	10
White	---	395	11	5	10
All other	---	55	-	-	-
Black	---	55	-	-	-
Balance of county	---	122	1	-	1
White	---	115	1	-	1
All other	---	7	-	-	-
Black	---	7	-	-	-
Walker	312	287	6	3	3
White	231	215	5	2	2
All other	81	72	1	1	1
Black	80	71	1	1	1
Huntsville	---	143	3	2	2
White	---	109	2	1	1
All other	---	34	1	1	1
Black	---	34	1	1	1
Balance of county	---	144	3	1	1
White	---	106	3	1	1
All other	---	38	-	-	-
Black	---	37	-	-	-
Waller	105	194	4	3	2
White	75	145	3	2	2
All other	30	49	1	1	-
Black	30	49	1	1	-
Ward	90	125	4	2	1
Washington	350	307	8	4	5
White	282	241	6	4	1
All other	68	66	2	-	4
Black	68	66	2	-	4
Brenham	---	176	2	1	3
White	---	146	2	1	1
All other	---	28	-	-	2
Black	---	28	-	-	2
Balance of county	---	131	6	3	2
White	---	93	4	3	-
All other	---	38	2	-	2
Black	---	38	2	-	2
Webb	636	610	20	11	21
Laredo	---	582	20	11	21
Balance of county	---	28	-	-	-
Texas-Con.					
Wharton	312	386	6	3	6
White	256	304	4	2	5
All other	56	82	2	1	1
Black	56	82	2	1	1
El Campo	---	121	-	-	-
White	---	103	-	-	-
All other	---	18	-	-	-
Black	---	18	-	-	-
Balance of county	---	265	6	3	6
White	---	201	4	2	5
All other	---	64	2	1	1
Black	---	64	2	1	1
Wheeler	73	84	-	-	1
Wichita	1,236	1,133	21	14	11
White	1,128	1,027	16	11	9
All other	108	106	5	3	2
Black	105	105	5	3	2
Burkburnett	---	77	1	1	-
Wichita Falls, part	---	919	18	12	10
White	---	816	13	9	8
All other	---	103	5	3	2
Black	---	102	5	3	2
Wichita Falls, total	---	919	18	12	10
White	---	816	13	9	8
All other	---	103	5	3	2
Black	---	102	5	3	2
Balance of county	---	137	2	1	1
Wilbarger	202	223	1	-	1
Vernon	---	192	1	-	1
White	---	187	1	-	1
All other	---	5	-	-	-
Black	---	5	-	-	-
Balance of county	---	31	-	-	-
Willacy	84	127	3	-	-
Williamson	526	634	20	11	14
Austin, part	---	3	1	-	1
Round Rock, part	---	107	7	4	2
White	---	99	7	4	2
All other	---	8	-	-	-
Black	---	7	-	-	-
Round Rock, total	---	108	7	4	2
White	---	100	7	4	2
All other	---	8	-	-	-
Black	---	7	-	-	-
Taylor	---	147	3	1	1
White	---	108	2	1	1
All other	---	39	1	-	-
Black	---	39	1	-	-
Balance of county	---	377	9	6	10
White	---	363	8	5	9
All other	---	14	1	1	1
Black	---	14	1	1	1
Wilson	83	134	3	-	4
Winkler	82	100	1	-	2
Wise	182	265	4	4	5
Wood	301	369	4	3	5
White	272	329	3	2	4
All other	29	40	1	1	1
Black	29	40	1	1	1
Yoakum	35	57	2	-	3
Young	254	279	5	5	3
Zapata	35	75	-	-	2
Zavala	17	82	6	5	4
Utah	9,329	9,049	360	204	258
White	9,081	8,815	345	196	245
All other	248	234	15	8	13
Black	51	54	1	1	3
Beaver	42	45	2	-	-
Box Elder	200	229	9	6	6
Brigham City	---	118	2	-	2
White	---	116	2	-	2
All other	---	2	-	-	-
Black	---	-	-	-	-
Balance of county	---	111	7	6	4
Cache	311	329	19	11	6
Logan	---	171	8	6	3
Balance of county	---	158	11	5	3
Carbon	163	160	2	1	2
Daggett	4	3	-	-	-
Davis	501	611	29	16	24
Bountiful	---	194	4	2	6
Clearfield	---	75	6	3	3
White	---	75	6	3	3
All other	---	-	-	-	-
Black	---	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Utah-Con.					
Layton	---	107	6	2	5
Balance of county	---	235	13	9	10
Duchesne	84	86	3	-	3
Emery	34	50	2	2	2
Garfield	34	35	-	-	1
Grand	55	65	1	1	1
Iron	97	108	7	4	3
Cedar City	---	70	5	4	3
Balance of county	---	38	2	-	-
Juab	29	47	3	2	1
Kane	46	35	2	2	-
Millard	69	85	4	2	4
Morgan	14	34	1	1	1
Piute	7	17	-	-	-
Rich	5	12	2	1	-
Salt Lake	4,441	3,843	149	77	120
White	4,313	3,758	144	74	114
All other	128	85	5	3	6
Black	29	26	-	-	2
Midvale	---	75	2	1	6
Murray	---	189	7	3	4
Salt Lake City	---	1,660	49	23	47
White	---	1,619	45	21	43
All other	---	41	4	2	4
Black	---	18	-	-	2
Sandy City	---	162	18	10	11
South Salt Lake	---	119	5	2	1
West Jordan	---	93	6	4	6
Balance of county	---	1,545	62	34	45
White	---	1,517	61	33	44
All other	---	28	1	1	1
Black	---	4	-	-	-
San Juan	69	72	6	3	4
White	45	41	2	1	2
All other	24	31	4	2	2
Black	-	1	-	-	-
Sanpete	78	138	3	3	4
Sevier	126	141	2	1	3
Summit	35	51	2	1	-
Tooele	119	180	6	3	1
Tooele	---	114	3	1	1
Balance of county	---	66	3	2	-
Uintah	95	143	6	5	4
Utah	1,195	1,111	59	38	40
American Fork	---	98	3	2	1
Orem	---	226	21	12	11
Pleasant Grove	---	62	2	2	-
Provo	---	332	18	13	18
Springville	---	97	6	5	3
Balance of county	---	296	9	4	7
Wasatch	66	64	-	-	2
Washington	256	251	6	4	8
St. George	---	156	2	1	5
Balance of county	---	95	4	3	3
Wayne	3	15	-	-	-
Weber	1,151	1,089	35	20	18
Ogden	---	643	21	14	11
White	---	620	19	13	10
All other	---	23	2	1	1
Black	---	17	1	1	-
Roy	---	107	3	1	2
South Ogden	---	81	2	1	1
Balance of county	---	258	9	4	4
Vermont	4,736	4,662	68	43	57
White	4,728	4,656	68	43	57
All other	8	6	-	-	-
Black	6	4	-	-	-
Addison	176	246	4	2	3
Bennington	362	330	5	3	4
Caledonia	225	274	4	2	2
Chittenden	1,080	777	16	12	10
Burlington	---	334	7	6	-
South Burlington	---	69	1	1	-
Balance of county	---	374	8	5	10
Essex	12	64	2	-	1
Franklin	283	333	3	2	2
Grand Isle	18	49	1	1	1
Lamoille	159	153	2	1	2
Orange	111	181	2	2	4
Orleans	228	217	-	-	4
Rutland	660	640	5	3	7
Vermont-Con.					
Rutland	---	286	1	1	3
Balance of county	---	354	4	2	4
Washington	515	523	9	5	5
Windham	331	347	7	4	8
Windsor	576	528	8	6	4
Virginia	44,535	45,277	989	695	906
White	34,589	35,357	586	411	561
All other	9,946	9,920	403	284	347
Black	9,748	9,711	391	278	341
Accomack	171	461	8	5	9
White	132	312	3	2	1
All other	39	149	5	3	8
Black	39	149	5	3	8
Albemarle	1,028	370	3	1	6
White	798	314	1	1	3
All other	230	56	2	-	3
Black	227	55	2	-	3
Alexandria city	883	877	24	18	23
White	724	686	12	9	16
All other	159	191	12	9	7
Black	145	176	11	9	7
Alleghany	289	144	3	2	3
Amelia	35	86	2	2	3
White	23	54	1	1	3
All other	12	32	1	1	-
Black	12	32	1	1	-
Amherst	123	238	6	6	5
White	97	179	6	6	5
All other	26	59	-	-	-
Black	26	59	-	-	-
Appomattox	32	103	4	3	1
White	25	86	3	2	-
All other	7	17	1	1	1
Black	7	17	1	1	1
Arlington#	1,480	1,156	18	16	12
White	1,325	1,040	15	13	9
All other	155	116	3	3	3
Black	129	98	3	3	3
Augusta	176	437	3	2	6
Bath	30	57	-	-	-
Bedford	118	326	4	2	5
White	100	272	3	2	5
All other	18	54	1	-	-
Black	18	54	1	-	-
Bedford city [9]	187	117	-	-	4
White	158	99	-	-	1
All other	29	18	-	-	3
Black	29	18	-	-	3
Bland	15	60	-	-	1
Botetourt	54	200	3	3	3
Bristol city [10]	119	262	1	-	-
Brunswick	47	164	8	7	3
White	25	79	2	2	-
All other	22	85	6	5	3
Black	21	85	6	5	3
Buchanan	206	246	10	7	6
Buckingham	58	149	5	2	3
White	30	91	2	-	1
All other	28	58	3	2	2
Black	28	58	3	2	2
Buena Vista city [9]	12	68	-	-	1
Campbell	108	328	8	6	2
White	89	276	7	6	2
All other	19	52	1	-	-
Black	19	52	1	-	-
Caroline	61	189	2	1	6
White	30	100	1	1	3
All other	31	89	1	-	3
Black	30	86	1	-	3
Carroll	86	242	3	2	3
Charles City	25	65	1	-	-
White	10	20	-	-	-
All other	15	45	1	-	-
Black	15	45	1	-	-
Charlotte	50	134	1	1	4
White	36	97	-	-	3
All other	14	37	1	1	1
Black	14	37	1	1	1
Charlottesville city	522	373	3	1	11
White	438	279	2	1	6
All other	84	94	1	-	5
Black	84	94	1	-	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Chesapeake city	639	919	28	20	28
White	470	658	18	11	15
All other	169	261	10	9	13
Black	168	261	10	9	13
Chesterfield	469	788	32	18	15
White	410	698	26	14	13
All other	59	90	6	4	2
Black	58	87	6	4	2
Clarke	59	108	-	-	2
White	50	95	-	-	-
All other	9	13	-	-	2
Black	9	13	-	-	2
Clifton Forge city *	51	93	-	-	-
White	42	78	-	-	-
All other	9	15	-	-	-
Black	9	15	-	-	-
Colonial Heights city	46	139	3	1	2
Covington city *	33	112	-	-	2
White	26	96	-	-	2
All other	7	16	-	-	-
Black	7	16	-	-	-
Craig	7	33	-	-	-
Culpeper	235	237	-	-	3
White	196	195	-	-	3
All other	39	42	-	-	-
Black	39	42	-	-	-
Cumberland	10	77	3	2	-
White	6	37	1	1	-
All other	4	40	2	1	-
Black	4	40	2	1	-
Danville city	965	591	4	3	8
White	711	440	2	1	4
All other	254	151	2	2	4
Black	254	150	2	2	4
Dickenson	60	182	5	3	-
Dinwiddie	84	196	2	2	6
White	42	100	1	1	1
All other	42	96	1	1	5
Black	42	96	1	1	5
Emporia city *	192	76	1	-	3
White	87	49	-	-	-
All other	105	27	1	-	3
Black	105	27	1	-	3
Essex	147	86	2	1	3
White	89	48	-	-	2
All other	58	38	2	1	1
Black	56	36	2	1	1
Fairfax	2,133	2,835	78	45	74
White	1,952	2,618	58	33	57
All other	181	217	20	12	17
Black	143	150	14	10	15
Herndon	---	36	4	3	4
White	---	34	4	3	4
All other	---	2	-	-	-
Black	---	2	-	-	-
Vienna	---	113	2	2	1
Balance of county	---	2,686	72	40	69
White	---	2,477	52	28	52
All other	---	209	20	12	17
Black	---	143	14	10	15
Fairfax city	263	144	2	1	-
Falls Church city *	17	73	-	-	5
Fauquier	321	346	9	5	4
White	262	274	7	3	4
All other	59	72	2	2	-
Black	58	70	2	2	-
Floyd	56	128	-	-	2
Fluvanna	43	114	2	2	1
White	29	88	1	1	1
All other	14	26	1	1	-
Black	14	26	1	1	-
Franklin	246	310	1	1	5
White	204	269	1	1	5
All other	42	41	-	-	-
Black	42	41	-	-	-
Franklin city *	153	98	2	2	2
White	83	44	-	-	-
All other	70	54	2	2	2
Black	70	54	2	2	2
Frederick	51	274	5	3	10
Fredericksburg city	545	208	4	3	8
White	451	179	3	2	5
All other	94	29	1	1	3
Black	91	29	1	1	3
Galax city *	289	93	1	1	1
Giles	139	177	2	2	-
Virginia-Con.					
Gloucester	222	187	5	5	6
White	180	156	5	5	6
All other	42	31	-	-	-
Black	42	30	-	-	-
Goochland	40	107	1	1	1
White	29	69	1	1	1
All other	11	38	-	-	-
Black	11	38	-	-	-
Grayson	46	188	1	1	1
Greene	14	63	2	-	1
Greensville	25	106	1	1	4
White	9	50	-	-	1
All other	16	56	1	1	3
Black	16	56	1	1	3
Halifax	103	257	3	2	3
White	68	165	2	1	1
All other	35	92	1	1	2
Black	35	92	1	1	2
Hampton city	1,143	920	30	22	38
White	642	590	12	7	18
All other	501	330	18	15	20
Black	491	323	17	14	20
Hanover	198	467	6	4	8
White	160	386	4	2	7
All other	38	81	2	2	1
Black	37	78	2	2	1
Harrisonburg city	602	197	2	2	3
Henrico	2,009	1,720	30	19	22
White	1,647	1,492	15	10	14
All other	362	228	15	9	8
Black	355	223	15	9	7
Henry	60	458	10	5	13
White	47	351	8	4	8
All other	13	107	2	1	5
Black	13	106	2	1	5
Highland	11	35	-	-	-
Hopewell city	273	218	2	1	5
White	209	183	1	1	4
All other	64	35	1	-	1
Black	63	34	1	-	1
Isle of Wight	39	177	8	7	4
White	24	113	4	3	-
All other	15	64	4	4	4
Black	15	64	4	4	4
James City	99	153	2	2	7
White	75	109	2	2	5
All other	24	44	-	-	2
Black	24	44	-	-	2
King and Queen	13	50	-	-	1
White	7	26	-	-	1
All other	6	24	-	-	-
Black	6	23	-	-	-
King George	54	102	1	1	-
White	40	77	1	1	-
All other	14	25	-	-	-
Black	14	25	-	-	-
King William	30	92	1	1	-
White	20	60	1	1	-
All other	10	32	-	-	-
Black	10	29	-	-	-
Lancaster	195	160	2	2	1
White	158	124	1	1	-
All other	37	36	1	1	1
Black	37	36	1	1	1
Lee	185	299	3	1	6
Lexington city *	156	71	1	1	-
White	144	62	1	1	-
All other	12	9	-	-	-
Black	12	9	-	-	-
Loudoun	298	358	11	10	8
Louisa	86	208	1	-	4
White	59	141	-	-	2
All other	27	67	1	-	2
Black	27	67	1	-	2
Lunenburg	44	130	3	1	3
White	27	82	2	1	2
All other	17	48	1	-	1
Black	17	48	1	-	1
Lynchburg city	1,269	740	11	8	6
White	1,004	570	4	3	1
All other	265	170	7	5	5
Black	265	170	7	5	5
Madison	47	104	2	1	-
White	42	80	2	1	-
All other	5	24	-	-	-
Black	5	24	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Manassas city	281	93	9	6	10
White	246	79	5	4	5
All other	35	14	4	2	5
Black	35	14	4	2	5
Manassas Park city [9]	2	19	1	-	2
Martinsville city	501	204	3	2	2
White	390	149	-	-	1
All other	111	55	3	2	1
Black	110	55	3	2	1
Mathews	35	106	-	-	3
White	30	86	-	-	1
All other	5	20	-	-	2
Black	5	20	-	-	2
Mecklenburg	345	375	2	2	4
White	219	233	2	2	2
All other	126	142	-	-	2
Black	126	142	-	-	2
Middlesex	53	106	2	2	1
White	37	72	-	-	1
All other	16	34	2	2	-
Black	16	34	2	2	-
Montgomery	324	396	4	3	7
Blacksburg	---	90	-	-	1
Christiansburg	---	97	1	1	-
Balance of county	---	209	3	2	6
White	---	196	3	2	6
All other	---	13	-	-	-
Black	---	13	-	-	-
Nelson	49	169	3	1	2
White	35	123	1	-	2
All other	14	46	2	1	-
Black	13	45	2	1	-
New Kent	24	65	-	-	1
White	17	36	-	-	1
All other	7	29	-	-	-
Black	6	26	-	-	-
Newport News city	1,393	1,154	36	30	36
White	981	718	15	14	16
All other	412	436	21	16	20
Black	408	434	21	16	20
Norfolk city	2,979	2,307	99	65	63
White	1,771	1,350	39	29	25
All other	1,208	957	60	36	38
Black	1,189	945	59	36	37
Northampton	426	228	7	3	4
White	251	130	3	1	1
All other	175	98	4	2	3
Black	175	98	4	2	3
Northumberland	57	150	1	-	1
White	44	119	-	-	-
All other	13	31	1	-	1
Black	13	31	1	-	1
Norton city [9]	155	54	2	1	1
Nottoway	153	212	-	-	-
White	91	140	-	-	-
All other	62	72	-	-	-
Black	61	71	-	-	-
Orange	97	233	3	3	2
White	87	205	-	-	2
All other	10	28	3	3	-
Black	10	28	3	3	-
Page	134	215	3	3	1
Patrick	110	158	5	5	1
Petersburg city	661	475	11	9	7
White	342	210	3	2	-
All other	319	265	8	7	7
Black	319	265	8	7	7
Pittsylvania	161	575	14	9	15
White	114	435	10	6	9
All other	47	140	4	3	6
Black	47	140	4	3	6
Poquoson city [9]	9	60	-	-	-
Portsmouth city	1,402	1,114	35	26	22
White	882	639	16	10	7
All other	520	475	19	16	15
Black	514	474	19	16	15
Powhatan	29	78	-	-	2
White	24	56	-	-	-
All other	5	22	-	-	2
Black	5	22	-	-	2
Prince Edward	263	171	3	2	3
White	167	98	2	1	-
All other	96	73	1	1	3
Black	96	73	1	1	3
Virginia-Con.					
Prince George	65	111	5	2	3
White	52	77	1	1	1
All other	13	34	4	1	2
Black	13	33	4	1	2
Prince William	307	569	31	22	42
White	256	492	24	16	34
All other	51	77	7	6	8
Black	42	68	7	6	8
Pulaski	239	195	4	4	2
Pulaski	---	3	-	-	1
Balance of county	---	192	4	4	1
White	---	185	3	3	1
All other	---	7	1	1	-
Black	---	7	1	1	-
Radford city	186	96	1	1	1
Rappahannock	14	63	-	-	1
White	11	53	-	-	1
All other	3	10	-	-	-
Black	3	10	-	-	-
Richmond	58	102	3	1	2
White	38	71	2	-	2
All other	20	31	1	1	-
Black	20	31	1	1	-
Richmond city	4,102	2,585	63	49	55
White	2,436	1,305	7	7	19
All other	1,666	1,280	56	42	36
Black	1,654	1,274	56	42	35
Roanoke	360	655	9	6	3
Roanoke city	1,746	1,255	21	13	13
White	1,488	1,001	12	8	6
All other	258	254	9	5	7
Black	258	254	9	5	7
Rockbridge	62	165	1	1	4
Rockingham	179	441	2	2	9
Russell	139	246	4	1	2
Salem city	927	389	3	3	2
Scott	105	271	2	2	3
Shenandoah	273	351	3	2	3
Smyth	393	380	4	3	3
Southampton	39	160	2	2	4
White	24	87	1	1	2
All other	15	73	1	1	2
Black	14	73	1	1	2
South Boston city [9]	257	73	-	-	3
White	163	48	-	-	1
All other	94	25	-	-	2
Black	94	25	-	-	2
Spotsylvania	106	219	8	4	9
White	89	181	7	4	3
All other	17	38	1	-	6
Black	16	37	1	-	6
Stafford	101	241	8	7	4
Staunton city	389	276	3	2	3
White	360	243	2	1	2
All other	29	33	1	1	1
Black	29	33	1	1	1
Suffolk city	446	537	16	12	8
White	224	239	4	3	2
All other	222	298	12	9	6
Black	222	298	12	9	6
Surry	23	80	2	1	1
White	14	33	1	-	-
All other	9	47	1	1	1
Black	9	47	1	1	1
Sussex	28	117	4	3	2
White	12	43	-	-	-
All other	16	74	4	3	2
Black	16	74	4	3	2
Tazewell	387	456	2	2	9
Virginia Beach city	1,168	1,464	79	63	46
White	1,000	1,259	59	48	35
All other	168	205	20	15	11
Black	157	179	17	12	10
Warren	205	226	4	3	4
Front Royal	---	128	2	2	2
Balance of county	---	98	2	1	2
White	---	95	2	1	1
All other	---	3	-	-	1
Black	---	3	-	-	1
Washington	397	435	4	4	2
Waynesboro city	240	187	2	-	2
Westmoreland	50	190	1	-	2
White	32	130	-	-	1
All other	18	60	1	-	1
Black	18	60	1	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Williamsburg city [9]	207	113	3	3	7
White	149	96	3	3	5
All other	58	17	-	-	2
Black	57	17	-	-	2
Winchester city	708	247	1	-	3
Wise	313	391	4	4	6
Wythe	196	237	-	-	3
York	48	181	2	1	3
White	33	128	1	-	2
All other	15	53	1	1	1
Black	15	53	1	1	1
Washington	34,574	34,504	752	435	406
White	32,973	32,921	669	389	338
All other	1,601	1,583	83	46	68
Black	712	716	41	26	35
Adams	100	110	1	-	3
Asotin	148	196	7	4	2
Benton	641	642	20	11	14
Kennewick	---	263	13	7	6
Richland	---	221	2	1	3
Balance of county	---	158	5	3	5
Chelan	621	503	12	11	6
Wenatchee	---	261	3	3	2
Balance of county	---	242	9	8	4
Clallam	492	533	9	2	7
Port Angeles	---	210	3	-	4
Balance of county	---	323	6	2	3
Clark	1,337	1,472	25	14	13
Vancouver	---	654	10	5	8
Balance of county	---	818	15	9	5
Columbia	47	69	-	-	-
Cowlitz	708	687	9	5	4
Kelso	---	125	2	-	-
Longview	---	345	2	1	3
Balance of county	---	217	5	4	1
Douglas	63	165	4	2	2
Ferry	20	36	-	-	-
White	18	30	-	-	-
All other	2	6	-	-	-
Black	-	-	-	-	-
Franklin	195	246	11	8	4
Pasco	---	169	7	6	2
White	---	153	6	5	1
All other	---	16	1	1	1
Black	---	16	1	1	1
Balance of county	---	77	4	2	2
Garfield	19	28	-	-	-
Grant	319	383	17	13	5
Moses Lake	---	88	6	6	-
White	---	82	4	4	-
All other	---	6	2	2	-
Black	---	6	2	2	-
Balance of county	---	295	11	7	5
Grays Harbor	604	692	14	5	6
Aberdeen	---	223	3	1	2
Balance of county	---	469	11	4	4
Island	267	376	9	4	3
Oak Harbor	---	74	5	2	1
White	---	69	5	2	1
All other	---	5	-	-	-
Black	---	1	-	-	-
Balance of county	---	302	4	2	2
Jefferson	129	146	2	1	1
King	11,145	10,365	198	117	109
White	10,221	9,457	164	99	77
All other	924	908	34	18	32
Black	460	472	19	9	16
Auburn	---	207	8	4	9
Bellevue	---	513	7	2	3
Kent	---	156	10	8	6
Kirkland	---	196	5	4	5
Mercer Island	---	140	-	-	-
Redmond	---	119	6	3	1
Renton	---	316	10	5	3
Seattle	---	5,337	75	46	56
White	---	4,580	47	33	34
All other	---	757	28	13	22
Black	---	432	19	9	12
Balance of county	---	3,381	77	45	26
White	---	3,284	73	41	23
All other	---	97	4	4	3
Black	---	25	-	-	1
Kitsap	1,022	1,109	31	23	12
Washington-Con.					
Bremerton	---	383	12	8	3
White	---	365	10	6	2
All other	---	18	2	2	1
Black	---	7	1	1	-
Balance of county	---	726	19	15	9
Kittitas	221	238	2	1	5
Ellensburg	---	123	2	1	5
Balance of county	---	115	-	-	-
Klickitat	97	137	5	3	4
Lewis	540	595	8	4	4
Centralia	---	196	1	1	2
Balance of county	---	399	7	3	2
Lincoln	88	108	1	1	-
Mason	222	314	6	3	3
Okanogan	252	314	9	5	5
White	230	277	4	3	4
All other	22	37	5	2	1
Black	-	-	-	-	-
Pacific	195	230	4	1	2
Pend Oreille	74	88	2	1	-
Pierce	4,102	3,953	124	79	55
White	3,905	3,748	105	66	38
All other	197	205	19	13	17
Black	124	127	17	12	13
Puyallup	---	239	7	5	2
Tacoma	---	1,778	43	25	15
White	---	1,660	33	19	12
All other	---	118	10	6	3
Black	---	86	10	6	3
Balance of county	---	1,936	74	49	38
White	---	1,853	65	42	24
All other	---	83	9	7	14
Black	---	40	7	6	10
San Juan	54	94	-	-	-
Skagit	708	656	11	5	5
Mount Vernon	---	155	5	3	-
Balance of county	---	501	6	2	5
Skamania	25	47	2	-	-
Snohomish	2,271	2,601	72	35	39
White	2,241	2,569	71	35	39
All other	30	32	1	-	-
Black	5	5	-	-	-
Edmonds	---	272	4	3	3
Everett	---	662	21	10	12
Lynnwood	---	193	6	3	5
Mountlake Terrace	---	63	3	1	3
Balance of county	---	1,411	38	18	16
Spokane	3,475	2,963	56	36	28
White	3,385	2,904	54	34	24
All other	90	59	2	2	4
Black	28	23	1	1	2
Spokane	---	1,952	31	21	12
Balance of county	---	1,011	25	15	16
Stevens	170	229	6	4	5
Thurston	932	935	17	12	15
Lacey	---	153	4	2	-
Olympia	---	323	5	4	8
Balance of county	---	459	8	6	7
Wahkiakum	27	39	-	-	1
Walla Walla	632	500	6	3	2
Walla Walla	---	328	6	3	1
Balance of county	---	172	-	-	1
Whatcom	863	857	12	4	10
Bellingham	---	437	5	3	3
Balance of county	---	420	7	1	7
Whitman	177	242	6	4	1
Pullman	---	67	4	3	-
Balance of county	---	175	2	1	1
Yakima	1,572	1,612	34	14	31
Yakima	---	679	14	8	6
White	---	649	14	8	3
All other	---	30	-	-	3
Black	---	23	-	-	1
Balance of county	---	933	20	6	25
White	---	866	17	6	21
All other	---	67	3	-	4
Black	---	1	-	-	-
West Virginia	19,520	19,444	259	177	195
White	18,644	18,581	239	162	180
All other	876	863	20	15	15
Black	867	853	20	15	14
Barbour	109	176	1	1	-
Berkeley	737	520	10	6	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
West Virginia-Con.					
Martinsburg	---	252	3	1	2
Balance of county	---	268	7	5	5
Boone	201	266	4	2	5
Braxton	103	159	1	-	1
Brooke	298	268	5	4	2
Weirton, part	---	49	-	-	2
Balance of county	---	219	5	4	-
Cabell	1,783	1,160	5	4	13
Huntington, part	---	807	2	1	7
Huntington, total	---	856	3	1	7
Balance of county	---	353	3	3	6
Calhoun	63	97	2	1	1
Clay	30	94	2	1	2
Doddridge	20	68	-	-	1
Fayette	526	662	4	4	6
Gilmer	38	69	1	1	1
Grant	127	105	-	-	-
Greenbrier	370	415	2	2	3
Hampshire	83	143	2	2	5
Hancock	97	368	3	2	5
Weirton, part	---	217	2	1	2
Weirton, total	---	266	2	1	4
Balance of county	---	151	1	1	3
Hardy	48	127	1	-	-
Harrison	1,083	878	9	5	4
Clarksburg	---	346	5	2	2
Balance of county	---	532	4	3	2
Jackson	198	205	2	2	2
Jefferson	218	293	6	5	7
Kanawha	2,666	2,302	34	26	31
White	2,513	2,144	31	23	24
All other	153	158	3	3	7
Black	152	157	3	3	6
Charleston	---	833	12	7	14
White	---	737	9	4	8
All other	---	96	3	3	6
Black	---	95	3	3	5
St. Albans	---	186	4	4	2
South Charleston	---	141	-	-	-
Balance of county	---	1,142	18	15	15
Lewis	159	218	3	2	3
Lincoln	77	223	3	1	5
Logan	444	460	5	3	3
McDowell	282	476	11	10	10
White	223	374	10	9	10
All other	59	102	1	1	-
Black	59	101	1	1	-
Marion	587	751	6	6	5
Fairmont	---	346	5	5	3
Balance of county	---	405	1	1	2
Marshall	283	358	-	-	3
Moundsville	---	145	-	-	1
Wheeling, part	---	2	-	-	-
Balance of county	---	211	-	-	2
Mason	199	247	5	2	3
Mercer	1,001	790	11	5	4
Bluefield [11]	---	205	3	2	1
White	---	155	-	-	1
All other	---	50	3	2	-
Black	---	50	3	2	-
Balance of county	---	585	8	3	3
Mineral	164	255	2	1	4
Mingo	149	349	17	12	3
Monongalia	1,072	556	14	8	6
Morgantown	---	246	2	1	3
Balance of county	---	310	12	7	3
Monroe	43	135	2	2	-
Morgan	124	128	1	-	-
Nicholas	197	250	3	3	3
Ohio	1,155	762	7	6	3
Wheeling, part	---	648	4	4	3
Wheeling, total	---	650	4	4	3
Balance of county	---	114	3	2	-
Pendleton	54	106	1	1	-
Pleasants	27	90	-	-	3
Pocahontas	103	131	1	-	3
Preston	207	298	2	1	1
Putnam	250	305	8	4	1
Raleigh	1,198	866	9	6	10
Beckley	---	358	3	2	5
White	---	284	2	1	3
All other	---	74	1	1	2
Black	---	72	1	1	2
Balance of county	---	508	6	4	5
Randolph	352	271	4	3	2
Ritchie	57	126	5	4	2
Roane	127	171	2	1	1
Summers	159	156	1	-	-
Taylor	137	167	-	-	1
Tucker	71	102	2	2	1
Tyler	74	116	1	-	-
Upshur	189	241	5	4	3
Wayne	287	384	3	1	1
Huntington, part	---	49	1	-	-
Balance of county	---	335	2	1	1
Webster	79	146	2	1	-
Wetzel	186	211	5	3	5
Wirt	22	54	1	-	-
Wood	1,100	888	19	14	8
Parkersburg	---	536	8	5	6
Vienna	---	120	5	5	-
Balance of county	---	232	6	4	2
Wyoming	107	282	4	3	2
Wisconsin	41,450	41,492	674	415	468
White	40,093	40,145	558	342	370
All other	1,357	1,347	116	73	98
Black	1,086	1,075	99	66	80
Adams	152	180	1	1	-
Ashland	234	197	1	1	1
Barron	419	431	6	2	3
Bayfield	93	161	1	-	1
Brown	1,607	1,314	19	14	10
Allouez town#	---	102	1	-	-
Ashwaubenon	---	99	-	-	1
De Pere	---	106	3	1	1
Green Bay	---	795	11	9	5
Balance of county	---	212	4	4	3
Buffalo	67	147	5	4	-
Burnett	79	128	-	-	2
Calumet	183	221	1	-	1
Appleton, part	---	19	-	-	1
Balance of county	---	202	1	-	-
Chippewa	465	496	5	4	6
Chippewa Falls	---	132	2	2	1
Eau Claire, part	---	2	-	-	-
Balance of county	---	362	3	2	5
Clark	214	345	6	3	2
Columbia	414	441	4	3	5
Crawford	158	178	2	1	1
Dane	2,801	2,110	37	24	25
White	2,748	2,071	31	19	23
All other	53	39	6	5	2
Black	40	29	5	5	-
Madison	---	1,173	25	18	14
Middleton	---	79	1	-	-
Sun Prairie	---	86	2	1	-
Balance of county	---	772	9	5	11
Dodge	739	711	10	6	5
Beaver Dam	---	181	1	1	1
Watertown, part	---	71	2	2	-
Balance of county	---	459	7	3	4
Door	211	246	5	3	2
Douglas	328	422	5	3	1
Superior	---	313	5	3	1
Balance of county	---	109	-	-	-
Dunn	203	305	2	1	4
Menomonie	---	123	-	-	-
Balance of county	---	182	2	1	4
Eau Claire	793	618	17	8	11
Eau Claire, part	---	427	12	3	8
Eau Claire, total	---	429	12	3	8
Balance of county	---	191	5	5	3
Florence	26	41	1	-	-
Fond du Lac	824	806	14	9	11
Fond du Lac	---	427	6	3	7
Balance of county	---	379	8	6	4
Forest	59	119	-	-	2
Grant	407	477	8	4	7
Green	376	300	3	1	2
Monroe	---	128	-	-	2
Balance of county	---	172	3	1	-
Green Lake	199	204	1	-	1
Iowa	167	205	-	-	2
Iron	27	80	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Jackson	146	177	2	2	4
Jefferson	420	579	7	5	12
Watertown, part	---	132	2	2	4
Watertown, total	---	203	4	4	4
Whitewater, part	---	3	-	-	-
Balance of county	---	444	5	3	8
Juneau	139	226	3	3	4
Kenosha	910	1,035	18	7	13
Kenosha	---	739	14	6	7
Balance of county	---	296	4	1	6
Kewaunee	123	179	1	1	1
La Crosse	1,179	800	12	7	3
La Crosse	---	541	4	4	2
Balance of county	---	259	8	3	1
Lafayette	94	147	3	2	-
Langlade	225	234	-	-	2
Lincoln	246	278	6	5	2
Manitowoc	682	779	12	8	4
Manitowoc	---	420	6	3	2
Two Rivers	---	140	1	1	1
Balance of county	---	219	5	4	1
Marathon	778	828	14	10	6
Marshfield, part	---	1	-	-	-
Wausau	---	376	7	6	-
Balance of county	---	451	7	4	6
Marinette	344	434	3	3	-
Marinette	---	169	-	-	-
Balance of county	---	265	3	3	-
Marquette	51	150	2	1	1
Menominee	10	37	1	1	1
White	1	6	-	-	-
All other	9	31	1	1	1
Black	-	-	-	-	-
Milwaukee	9,925	9,157	187	113	151
White	8,970	8,225	100	58	71
All other	955	932	87	55	80
Black	901	884	84	53	75
Brown Deer	---	66	1	1	-
Cudahy	---	147	2	1	2
Franklin	---	102	-	-	-
Glendale	---	265	2	1	1
Greendale	---	104	3	2	-
Greenfield	---	299	-	-	2
Milwaukee, part	---	6,036	163	97	134
White	---	5,137	76	42	54
All other	---	899	87	55	80
Black	---	858	84	53	75
Milwaukee, total	---	6,036	163	97	134
White	---	5,137	76	42	54
All other	---	899	87	55	80
Black	---	858	84	53	75
Oak Creek	---	104	2	1	2
St. Francis	---	88	-	-	1
Shorewood	---	172	-	-	-
South Milwaukee	---	159	2	2	2
Wauwatosa	---	550	2	1	3
West Allis	---	714	7	4	3
Whitefish Bay	---	106	1	1	1
Balance of county	---	245	2	2	-
Monroe	335	377	10	7	5
Oconto	250	305	7	3	2
Oneida	452	348	2	1	1
Outagamie	1,006	924	23	14	18
Appleton, part	---	465	11	9	8
Appleton, total	---	484	11	9	9
Kaukauna	---	89	4	-	3
Balance of county	---	370	8	5	7
Ozaukee	305	436	7	5	4
Mequon	---	113	2	2	-
Balance of county	---	323	5	3	4
Pepin	74	82	1	1	-
Pierce	123	224	5	4	1
Polk	339	360	6	1	4
Portage	358	375	1	1	6
Stevens Point	---	172	-	-	1
Balance of county	---	203	1	1	5
Price	194	220	5	3	3
Racine	1,273	1,329	18	14	14
White	1,203	1,246	16	12	13
All other	70	83	2	2	1
Black	68	82	2	2	-
Racine	---	781	12	8	10
White	---	706	10	6	9
All other	---	75	2	2	1
Black	---	75	2	2	-
Balance of county	---	548	6	6	4
Richland	162	189	2	2	-
Rock	1,136	1,206	27	17	12
Beloit	---	321	10	7	4
White	---	293	6	3	1
All other	---	28	4	4	3
Black	---	28	4	4	2
Janesville	---	379	8	6	5
Balance of county	---	506	9	4	3
Rusk	146	172	1	-	-
St. Croix	351	338	10	2	9
Sauk	472	459	5	2	7
Sawyer	114	138	-	-	1
White	105	128	-	-	-
All other	9	10	-	-	1
Black	-	-	-	-	-
Shawano	318	398	9	7	2
Sheboygan	958	983	14	7	8
Sheboygan	---	586	11	6	4
Balance of county	---	397	3	1	4
Taylor	137	143	4	3	-
Trempealeau	254	296	2	1	2
Vernon	265	289	3	1	3
Vilas	166	216	2	1	1
Walworth	554	667	15	7	4
Whitewater, part	---	77	-	-	-
Whitewater, total	---	80	-	-	-
Balance of county	---	590	15	7	4
Washburn	174	174	4	4	-
Washington	486	581	11	8	6
Germantown	---	48	2	1	1
Milwaukee, part	---	-	-	-	-
West Bend	---	170	3	3	2
Balance of county	---	363	6	4	3
Waukesha	1,744	1,799	20	12	22
Brookfield	---	234	1	-	1
Menomonee Falls	---	163	1	-	2
Muskego	---	100	1	1	3
New Berlin	---	141	1	-	-
Waukesha	---	357	6	2	10
Balance of county	---	804	10	9	6
Waupaca	521	610	11	11	2
Waushara	149	237	-	-	1
Winnebago	1,141	1,095	11	7	16
Appleton, part	---	-	-	-	-
Menasha	---	116	-	-	2
Neenah	---	164	1	1	7
Oshkosh	---	471	4	2	4
Balance of county	---	344	6	4	3
Wood	982	599	13	9	4
Marshfield, part	---	170	8	7	1
Marshfield, total	---	171	8	7	1
Wisconsin Rapids	---	183	-	-	-
Balance of county	---	246	5	2	3
Wyoming	3,089	3,279	114	60	63
White	2,998	3,191	108	57	59
All other	91	88	6	3	4
Black	29	25	1	1	2
Albany	149	149	4	1	1
Laramie	---	125	4	1	1
Balance of county	---	24	-	-	-
Big Horn	78	100	3	1	1
Campbell	90	108	8	6	1
Gillette	---	77	7	5	-
Balance of county	---	31	1	1	1
Carbon	138	150	7	5	5
Rawlins	---	91	4	3	3
White	---	88	4	3	3
All other	---	3	-	-	-
Black	---	3	-	-	-
Balance of county	---	59	3	2	2
Converse	57	76	4	1	4
Crook	23	42	-	-	1
Fremont	259	279	13	6	3
White	213	227	8	4	2
All other	46	52	5	2	1
Black	-	-	-	-	-
Goshen	90	134	3	-	-
Hot Springs	54	53	-	-	4
Johnson	66	78	1	1	1
Laramie	591	564	20	9	13
Cheyenne	---	503	15	6	8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1985—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wyoming-Con.					
Balance of county	---	61	5	3	5
Lincoln	56	93	4	2	1
Natrona	419	422	18	10	12
Casper	---	331	12	8	11
Balance of county	---	91	6	2	1
Niobrara	44	40	2	-	-
Park	188	184	4	2	4
Platte	74	85	-	-	1
Sheridan	243	235	3	3	2
Sheridan	---	173	2	2	2
Wyoming-Con.					
Balance of county	---	62	1	1	-
Sublette	32	32	1	1	-
Sweetwater	182	190	8	7	6
Green River	---	55	2	1	1
Rock Springs	---	119	5	5	3
Balance of county	---	16	1	1	2
Teton	75	54	-	-	1
Uinta	85	87	6	3	2
Washakie	59	71	2	2	-
Weston	37	53	3	-	-

[1] Areas shown are census areas, the nearest equivalent of counties.
[2] Includes data for La Paz which became a new county on January 1, 1983.
[3] Includes data for Texarkana, Ark., only.
[4] Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
[5] Areas shown are parishes, the equivalent of counties.
[6] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[7] Includes data for Bristol, Tenn., only.
[8] Includes data for Texarkana, Tex., only.
[9] Independent city having population of less than 10,000 according to the 1980 census.
[10] Includes data for Bristol, Va., only.
[11] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States	2,086,440	40,030	10.6	26,179	7.0	29,661	7.9
White	1,819,054	27,864	9.3	18,233	6.1	20,954	7.0
All other	267,386	12,166	15.8	7,946	10.3	8,707	11.3
Black	244,207	11,063	18.2	7,340	12.1	7,738	12.7
Urban places	1,191,218	24,903	11.4	16,486	7.5	17,800	8.1
White	993,558	15,633	9.7	10,370	6.4	11,480	7.1
All other	197,660	9,270	16.0	6,116	10.6	6,320	10.9
Black	182,582	8,579	18.3	5,704	12.2	5,710	12.2
Balance of area	895,222	15,127	9.6	9,693	6.2	11,861	7.6
White	825,496	12,231	8.9	7,863	5.7	9,474	6.9
All other	69,726	2,896	15.2	1,830	9.6	2,387	12.6
Black	61,625	2,484	17.8	1,636	11.7	2,028	14.5
Metropolitan counties	1,519,024	30,607	10.7	20,432	7.1	22,368	7.8
White	1,308,951	20,824	9.2	13,822	6.1	15,432	6.8
All other	210,073	9,983	15.8	6,610	10.5	6,936	11.0
Black	193,189	9,196	18.2	6,152	12.2	6,222	12.3
Urban places	1,069,578	22,780	11.4	15,125	7.6	16,161	8.1
White	885,903	14,085	9.7	9,383	6.4	10,279	7.0
All other	183,675	8,695	16.0	5,742	10.6	5,882	10.8
Black	169,489	8,046	18.3	5,358	12.2	5,310	12.1
Balance of area	449,446	8,027	9.1	5,307	6.0	6,207	7.0
White	423,048	6,739	8.5	4,439	5.6	5,153	6.5
All other	26,398	1,288	14.6	868	9.8	1,054	11.9
Black	23,700	1,150	17.6	794	12.1	912	13.9
Nonmetropolitan counties	567,416	9,223	10.5	5,747	6.6	7,293	8.3
White	510,103	7,040	9.5	4,411	6.0	5,522	7.5
All other	57,313	2,183	15.9	1,336	9.7	1,771	12.9
Black	51,018	1,867	18.1	1,188	11.5	1,516	14.7
Urban places [1]	121,640	2,123	11.2	1,361	7.1	1,639	8.6
White	107,655	1,548	10.0	987	6.4	1,201	7.8
All other	13,985	575	16.1	374	10.5	438	12.3
Black	13,093	533	18.4	346	12.0	400	13.8
Balance of area	445,776	7,100	10.4	4,386	6.4	5,654	8.3
White	402,448	5,492	9.4	3,424	5.9	4,321	7.4
All other	43,328	1,608	15.8	962	9.5	1,333	13.1
Black	37,925	1,334	17.9	842	11.3	1,116	15.0
Alabama	37,603	752	12.6	496	8.3	640	10.7
White	27,240	405	10.4	273	7.0	315	8.1
All other	10,363	347	16.8	223	10.8	325	15.7
Black	10,344	344	17.0	222	11.0	320	15.8
Urban places	16,461	344	13.0	246	9.3	304	11.5
White	10,525	138	9.7	98	6.9	108	7.6
All other	5,936	206	16.7	148	12.0	196	15.9
Black	5,926	205	17.0	148	12.3	196	16.3
Balance of area	21,142	408	12.3	250	7.5	336	10.1
White	16,715	267	10.7	175	7.0	207	8.3
All other	4,427	141	16.9	75	9.0	129	15.5
Black	4,418	139	17.0	74	9.1	124	15.2
Metropolitan counties	22,538	483	12.7	333	8.8	371	9.8
White	16,215	265	10.6	178	7.1	166	6.7
All other	6,323	218	16.8	155	11.9	205	15.8
Black	6,310	215	17.0	154	12.2	204	16.1
Urban places	13,135	265	13.4	206	9.7	243	11.4
White	8,204	112	10.2	79	7.2	78	7.1
All other	4,931	173	16.9	127	12.4	165	16.1
Black	4,922	172	17.1	127	12.6	165	16.4
Balance of area	9,403	198	11.9	127	7.6	128	7.7
White	8,011	153	11.0	99	7.1	88	6.3
All other	1,392	45	16.5	28	10.3	40	14.7
Black	1,388	43	16.4	27	10.3	39	14.9
Nonmetropolitan counties	15,065	269	12.3	163	7.5	269	12.3
White	11,025	140	9.9	95	6.7	149	10.5
All other	4,040	129	16.8	68	8.9	120	15.6
Black	4,034	129	17.1	68	9.0	116	15.4
Urban places	3,326	59	11.2	40	7.6	61	11.6
White	2,321	26	8.1	19	5.9	30	9.4
All other	1,005	33	16.0	21	10.2	31	15.1
Black	1,004	33	16.5	21	10.5	31	15.5
Balance of area	11,739	210	12.7	123	7.4	208	12.6
White	8,704	114	10.4	76	6.9	119	10.9
All other	3,035	96	17.1	47	8.4	89	15.9
Black	3,030	96	17.4	47	8.5	85	15.4
Alaska	2,068	139	10.8	65	5.1	85	6.6
White	1,441	87	9.6	46	5.1	63	6.9
All other	627	52	13.8	19	5.0	22	5.8
Black	66	12	20.5	6	10.3	3	5.1
Urban places	1,045	68	9.3	34	4.7	41	5.6
White	858	48	8.4	25	4.4	34	5.9
All other	187	20	12.7	9	5.7	7	4.4
Black	59	7	13.9	3	6.0	3	6.0
Balance of area	1,023	71	12.8	31	5.6	44	7.9
White	583	39	11.6	21	6.3	29	8.7
All other	440	32	14.6	10	4.6	15	6.9
Black	16	5	61.0	3	36.6	-	-
Metropolitan census areas [2]	739	47	8.7	22	4.1	31	5.8
White	607	35	8.3	17	4.0	26	6.1
All other	132	12	10.4	5	4.4	5	4.4
Black	36	3	7.3	1	2.4	3	7.3
Urban places	739	47	8.7	22	4.1	31	5.8
White	607	35	8.3	17	4.0	26	6.1
All other	132	12	10.4	5	4.4	5	4.4
Black	36	3	7.3	1	2.4	3	7.3
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan census areas [2]	1,329	92	12.3	43	5.8	54	7.2
White	834	52	10.8	29	6.0	37	7.6
All other	495	40	15.3	14	5.3	17	6.5
Black	30	9	51.7	5	28.7	-	-
Urban places	306	21	11.0	12	6.3	10	5.2
White	251	13	8.7	8	5.4	8	5.4
All other	55	8	18.6	4	9.3	2	4.7
Black	14	4	43.5	2	21.7	-	-
Balance of area	1,023	71	12.8	31	5.6	44	7.9
White	583	39	11.6	21	6.3	29	8.7
All other	440	32	14.6	10	4.6	15	6.9
Black	16	5	61.0	3	36.6	-	-
Arizona	24,619	577	9.7	352	5.9	410	6.9
White	22,955	469	9.4	293	5.9	330	6.6
All other	1,664	108	11.3	59	6.2	80	8.4
Black	560	32	12.4	25	9.7	30	11.6
Urban places	15,911	393	9.3	249	5.9	274	6.5
White	15,246	354	9.4	223	5.9	239	6.3
All other	665	39	9.1	26	6.1	35	8.2
Black	494	25	11.1	19	8.4	26	11.5
Balance of area	8,708	184	10.7	103	6.0	136	7.9
White	7,709	115	9.6	70	5.9	91	7.6
All other	999	69	13.0	33	6.2	45	8.5
Black	66	7	21.0	6	18.0	4	12.0
Metropolitan counties	18,557	417	9.5	268	6.1	287	6.5
White	17,738	365	9.2	234	5.9	243	6.2
All other	819	52	11.3	34	7.4	44	9.5
Black	483	27	12.3	22	10.0	25	11.4
Urban places	14,304	351	9.2	226	5.9	248	6.5
White	13,697	316	9.2	202	5.9	214	6.2
All other	607	35	9.0	24	6.2	34	8.8
Black	457	22	10.7	17	8.2	25	12.1
Balance of area	4,253	66	11.2	42	7.1	39	6.6
White	4,041	49	9.5	32	6.2	29	5.6
All other	212	17	23.1	10	13.6	10	13.6
Black	26	5	38.2	5	38.2	-	-
Nonmetropolitan counties	6,062	160	10.5	84	5.5	123	8.1
White	5,217	104	10.1	59	5.7	87	8.5
All other	845	56	11.3	25	5.0	36	7.3
Black	77	5	12.8	3	7.7	5	12.8
Urban places	1,607	42	10.7	23	5.9	26	6.7
White	1,549	38	10.8	21	6.0	25	7.1
All other	58	4	10.3	2	5.1	1	2.6
Black	37	3	16.0	2	10.6	1	5.3
Balance of area	4,455	118	10.4	61	5.4	97	8.6
White	3,668	66	9.8	38	5.6	62	9.2
All other	787	52	11.4	23	5.0	35	7.7
Black	40	2	9.9	1	4.9	4	19.7

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Arkansas	24,137	409	11.6	249	7.1	283	8.0
White	20,137	290	10.9	178	6.7	177	6.7
All other	4,000	119	13.8	71	8.2	106	12.3
Black	3,977	117	14.2	70	8.5	100	12.1
Urban places	9,258	193	13.7	124	8.8	115	8.2
White	7,413	118	12.4	77	8.1	65	6.8
All other	1,845	75	16.6	47	10.4	50	11.1
Black	1,834	74	17.3	47	11.0	47	11.0
Balance of area	14,879	216	10.2	125	5.9	168	7.9
White	12,724	172	10.1	101	5.9	112	6.6
All other	2,155	44	10.6	24	5.6	56	13.5
Black	2,143	43	10.8	23	5.8	53	13.4
Metropolitan counties	8,314	187	12.3	113	7.5	115	7.6
White	6,789	121	10.9	73	6.6	71	6.4
All other	1,525	66	16.3	40	9.9	44	10.9
Black	1,515	64	17.0	39	10.3	40	10.6
Urban places	5,770	143	14.6	91	9.3	72	7.3
White	4,628	87	13.1	56	8.4	40	6.0
All other	1,142	56	17.7	35	11.1	32	10.1
Black	1,136	55	18.6	35	11.8	30	10.1
Balance of area	2,544	44	8.3	22	4.1	43	8.1
White	2,161	34	7.6	17	3.8	31	7.0
All other	383	10	11.3	5	5.6	12	13.6
Black	379	9	11.1	4	4.9	10	12.4
Nonmetropolitan counties	15,823	222	11.1	136	6.8	168	8.4
White	13,348	169	10.9	105	6.8	106	6.9
All other	2,475	53	11.5	31	6.7	62	13.5
Black	2,462	53	11.9	31	6.9	60	13.4
Urban places	3,488	50	11.8	33	7.8	43	10.2
White	2,785	31	10.8	21	7.3	25	8.7
All other	703	19	14.1	12	8.9	18	13.4
Black	698	19	14.4	12	9.1	17	12.9
Balance of area	12,335	172	10.9	103	6.5	125	7.9
White	10,563	138	11.0	84	6.7	81	6.4
All other	1,772	34	10.5	19	5.8	44	13.5
Black	1,764	34	10.8	19	6.0	43	13.6
California	201,911	4,490	9.5	2,820	6.0	3,144	6.7
White	179,320	3,394	9.2	2,155	5.8	2,352	6.3
All other	22,591	1,096	11.0	665	6.6	792	7.9
Black	15,161	757	16.3	469	10.1	518	11.2
Urban places	165,694	3,800	9.6	2,422	6.1	2,625	6.6
White	144,580	2,769	9.1	1,791	5.9	1,895	6.3
All other	21,114	1,031	11.2	631	6.9	730	8.0
Black	14,404	718	16.5	447	10.3	493	11.4
Balance of area	36,217	690	9.1	398	5.2	519	6.8
White	34,740	625	9.2	364	5.4	457	6.7
All other	1,477	65	7.8	34	4.1	62	7.4
Black	757	39	13.2	22	7.4	25	8.5
Metropolitan counties	190,033	4,258	9.5	2,684	6.0	2,978	6.6
White	167,913	3,188	9.1	2,031	5.8	2,204	6.3
All other	22,120	1,072	11.0	653	6.7	774	7.9
Black	14,970	750	16.4	466	10.2	512	11.2
Urban places	162,113	3,719	9.6	2,370	6.1	2,566	6.7
White	141,192	2,701	9.2	1,746	5.9	1,843	6.2
All other	20,921	1,018	11.2	624	6.9	723	8.0
Black	14,284	714	16.8	445	10.3	488	11.3
Balance of area	27,920	539	8.6	314	5.0	412	6.6
White	26,721	485	8.8	285	5.2	361	6.5
All other	1,199	54	7.6	29	4.1	51	7.2
Black	686	36	13.3	21	7.8	24	8.9
Nonmetropolitan counties	11,878	232	10.0	136	5.9	166	7.2
White	11,407	208	10.1	124	6.0	148	7.2
All other	471	24	10.0	12	5.0	18	7.5
Black	191	7	11.2	3	4.8	6	9.6
Urban places	3,581	81	8.7	52	5.6	59	6.3
White	3,388	68	8.3	45	5.5	52	6.4
All other	193	13	11.3	7	6.1	7	6.1
Black	120	4	10.7	2	5.4	5	13.4
Balance of area	8,297	151	11.0	84	6.1	107	7.8
White	8,019	140	11.2	79	6.3	96	7.7
All other	278	11	8.8	5	4.0	11	8.8
Black	71	3	12.0	1	4.0	1	4.0

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Colorado	20,236	519	9.4	302	5.5	488	8.9
White	19,403	458	9.1	264	5.2	442	8.8
All other	833	61	13.2	38	8.2	46	9.9
Black	678	45	15.9	26	9.2	28	9.9
Urban places	13,858	370	10.4	218	6.1	343	9.7
White	13,200	316	10.0	185	5.9	300	9.5
All other	758	54	13.7	33	8.4	43	10.9
Black	648	42	16.4	23	9.0	28	10.9
Balance of area	6,278	149	7.6	84	4.3	145	7.4
White	6,203	142	7.5	79	4.2	142	7.5
All other	75	7	10.2	5	7.3	3	4.4
Black	30	3	11.4	3	11.4	-	-
Metropolitan counties	15,669	436	9.6	252	5.5	397	8.7
White	14,872	376	9.1	215	5.2	354	8.6
All other	797	60	13.7	37	8.4	43	9.8
Black	672	45	16.0	26	9.3	28	10.0
Urban places	13,177	354	10.3	208	6.0	333	9.7
White	12,424	300	9.8	175	5.7	291	9.5
All other	753	54	13.8	33	8.4	42	10.7
Black	645	42	16.4	23	9.0	28	10.9
Balance of area	2,492	82	7.4	44	4.0	64	5.8
White	2,448	76	7.2	40	3.8	63	6.0
All other	44	6	12.5	4	8.3	1	2.1
Black	27	3	12.1	3	12.1	-	-
Nonmetropolitan counties	4,567	83	8.6	50	5.2	91	9.5
White	4,531	82	8.7	49	5.2	88	9.4
All other	36	1	4.3	1	4.3	3	12.9
Black	6	-	-	-	-	-	-
Urban places	781	16	15.6	10	9.8	10	9.8
White	776	16	16.0	10	10.0	9	9.0
All other	5	-	-	-	-	1	37.0
Black	3	-	-	-	-	-	-
Balance of area	3,786	67	7.8	40	4.6	81	9.4
White	3,755	66	7.9	39	4.6	79	9.4
All other	31	1	4.9	1	4.9	2	9.7
Black	3	-	-	-	-	-	-
Connecticut	28,170	438	10.0	343	7.8	314	7.1
White	26,505	322	8.5	251	6.6	255	6.7
All other	1,665	116	19.1	92	15.1	59	9.7
Black	1,610	112	20.9	89	16.6	57	10.6
Urban places	20,418	342	11.0	274	8.8	235	7.6
White	18,839	229	9.0	185	7.3	179	7.1
All other	1,579	113	19.8	89	15.6	56	9.8
Black	1,537	110	21.4	87	16.9	54	10.5
Balance of area	7,752	96	7.4	69	5.3	79	6.1
White	7,666	93	7.4	66	5.3	76	6.1
All other	86	3	8.1	3	8.1	3	8.1
Black	73	2	8.9	2	8.9	3	13.3
Metropolitan counties	25,795	410	10.1	323	8.0	301	7.4
White	24,148	294	8.5	231	6.7	243	7.0
All other	1,647	116	19.3	92	15.3	58	9.6
Black	1,595	112	21.1	89	16.7	56	10.5
Urban places	20,039	338	11.0	270	8.8	234	7.6
White	18,464	225	9.0	181	7.3	178	7.1
All other	1,575	113	19.8	89	15.6	56	9.8
Black	1,533	110	21.5	87	17.0	54	10.5
Balance of area	5,756	72	7.3	53	5.4	67	6.8
White	5,684	69	7.2	50	5.2	65	6.8
All other	72	3	9.6	3	9.6	2	6.4
Black	62	2	10.5	2	10.5	2	10.5
Nonmetropolitan counties	2,375	28	8.1	20	5.8	13	3.8
White	2,357	28	8.3	20	5.9	12	3.5
All other	18	-	-	-	-	1	13.5
Black	15	-	-	-	-	1	23.3
Urban places	379	4	9.1	4	9.1	1	2.3
White	375	4	9.5	4	9.5	1	2.4
All other	4	-	-	-	-	-	-
Black	4	-	-	-	-	-	-
Balance of area	1,996	24	7.9	16	5.3	12	4.0
White	1,982	24	8.1	16	5.4	11	3.7
All other	14	-	-	-	-	1	16.9
Black	11	-	-	-	-	1	29.4

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Delaware	5,475	142	14.8	102	10.6	63	6.6
White	4,572	85	11.6	63	8.6	40	5.5
All other	903	57	24.8	39	17.0	23	10.0
Black	878	56	25.8	38	17.5	22	10.1
Urban places	1,419	43	18.2	31	13.2	22	9.3
White	974	19	15.1	13	10.3	10	7.9
All other	445	24	21.9	18	16.4	12	10.9
Black	439	24	22.7	18	17.0	11	10.4
Balance of area	4,056	99	13.6	71	9.8	41	5.6
White	3,598	66	10.9	50	8.3	30	5.0
All other	458	33	27.4	21	17.5	11	9.1
Black	439	32	28.8	20	18.0	11	9.9
Metropolitan counties	3,400	98	16.1	69	11.4	41	6.8
White	2,657	56	12.0	40	8.5	27	5.8
All other	543	42	30.3	29	20.9	14	10.1
Black	633	42	32.4	29	22.4	13	10.0
Urban places	1,212	37	19.2	25	13.0	20	10.4
White	821	15	14.9	9	9.0	9	9.0
All other	391	22	23.8	16	17.3	11	11.9
Black	387	22	24.5	16	17.8	10	11.1
Balance of area	2,188	61	14.7	44	10.6	21	5.1
White	2,036	41	11.1	31	8.4	18	4.9
All other	152	20	43.4	13	28.2	3	6.5
Black	146	20	50.4	13	32.7	3	7.6
Nonmetropolitan counties	2,075	44	12.4	33	9.3	22	6.2
White	1,715	29	11.0	23	8.7	13	4.9
All other	360	15	16.4	10	10.9	9	9.8
Black	345	14	16.0	9	10.3	9	10.3
Urban places	207	6	14.0	6	14.0	2	4.7
White	153	4	15.6	4	15.6	1	3.9
All other	54	2	11.6	2	11.6	1	5.8
Black	52	2	12.6	2	12.6	1	6.3
Balance of area	1,868	38	12.2	27	8.7	20	6.4
White	1,562	25	10.5	19	8.0	12	5.0
All other	306	13	17.5	8	10.8	8	10.8
Black	293	12	16.8	7	9.8	8	11.2
District of Columbia	6,981	205	20.8	157	15.9	120	12.2
White	1,802	19	10.8	14	8.0	9	5.1
All other	5,179	186	22.9	143	17.6	111	13.7
Black	5,139	185	23.7	142	18.2	111	14.2
Urban places	6,981	205	20.8	157	15.9	120	12.2
White	1,802	19	10.8	14	8.0	9	5.1
All other	5,179	186	22.9	143	17.6	111	13.7
Black	5,139	185	23.7	142	18.2	111	14.2
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Metropolitan counties	6,981	205	20.8	157	15.9	120	12.2
White	1,802	19	10.8	14	8.0	9	5.1
All other	5,179	186	22.9	143	17.6	111	13.7
Black	5,139	185	23.7	142	18.2	111	14.2
Urban places	6,981	205	20.8	157	15.9	120	12.2
White	1,802	19	10.8	14	8.0	9	5.1
All other	5,179	186	22.9	143	17.6	111	13.7
Black	5,139	185	23.7	142	18.2	111	14.2
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Florida	121,108	1,847	11.3	1,208	7.4	1,425	8.7
White	108,226	1,129	9.2	734	6.0	878	7.2
All other	12,882	718	17.2	474	11.4	547	13.1
Black	12,680	707	17.8	466	11.8	539	13.6
Urban places	63,318	991	10.7	666	7.2	722	7.8
White	55,197	517	8.4	353	5.7	398	6.4
All other	8,121	474	15.2	313	10.1	324	10.4
Black	8,017	468	15.7	307	10.3	319	10.7
Balance of area	57,790	856	12.1	542	7.7	703	9.9
White	53,029	612	10.2	381	6.3	480	8.0
All other	4,761	244	23.1	161	15.2	223	21.1
Black	4,663	239	24.6	159	16.3	220	22.6
Metropolitan counties	104,530	1,610	11.2	1,075	7.4	1,253	8.7
White	93,498	966	9.0	646	6.0	776	7.3
All other	11,032	644	17.3	429	11.5	477	12.8
Black	10,867	633	17.9	421	11.9	469	13.3
Urban places	61,139	959	10.6	645	7.1	702	7.8
White	53,349	505	8.4	344	5.7	391	6.5
All other	7,790	454	15.0	301	10.0	311	10.3
Black	7,699	448	15.5	295	10.2	306	10.6
Balance of area	43,391	651	12.0	430	8.0	551	10.2
White	40,149	461	9.8	302	6.4	385	8.2
All other	3,242	190	28.8	128	18.0	166	23.4
Black	3,178	185	29.0	126	19.7	163	25.5
Nonmetropolitan counties	16,578	237	12.2	133	6.8	172	8.8
White	14,728	163	10.8	88	5.8	102	6.7
All other	1,850	74	16.9	45	10.3	70	16.0
Black	1,813	74	17.5	45	10.6	70	16.5
Urban places	2,179	32	11.7	21	7.7	20	7.3
White	1,848	12	6.6	9	4.9	7	3.8
All other	331	20	22.2	12	13.3	13	14.4
Black	328	20	22.7	12	13.6	13	14.7
Balance of area	14,389	205	12.2	112	6.7	152	9.1
White	12,880	151	11.4	79	5.9	95	7.1
All other	1,519	54	15.5	33	9.5	57	16.4
Black	1,485	54	16.1	33	9.8	57	17.0
Georgia	48,657	1,222	12.7	829	8.6	1,180	12.2
White	35,061	587	9.5	406	6.6	627	10.1
All other	13,596	635	18.5	423	12.3	553	16.1
Black	13,516	630	19.0	421	12.7	545	16.4
Urban places	18,334	479	14.4	326	9.8	466	14.0
White	10,334	136	9.9	98	7.2	152	11.1
All other	8,000	343	17.6	228	11.7	314	16.1
Black	7,969	341	17.9	228	12.0	311	16.3
Balance of area	30,323	743	11.8	503	8.0	714	11.3
White	24,727	451	9.3	308	6.4	475	9.8
All other	5,596	292	19.7	195	13.1	239	16.1
Black	5,547	289	20.4	193	13.6	234	16.5
Metropolitan counties	26,626	686	11.6	470	7.9	697	11.8
White	18,757	331	8.7	226	6.0	363	9.6
All other	7,869	355	16.6	244	11.4	334	15.6
Black	7,803	352	17.2	243	11.9	327	16.0
Urban places	13,798	369	14.3	256	9.9	365	14.1
White	7,341	100	10.0	74	7.4	106	10.6
All other	6,457	269	17.0	182	11.5	259	16.3
Black	6,429	267	17.3	182	11.8	256	16.6
Balance of area	12,828	317	9.5	214	6.4	332	10.0
White	11,416	231	8.3	152	5.5	257	9.2
All other	1,412	86	15.6	62	11.2	75	13.6
Black	1,374	85	17.0	61	12.2	71	14.2
Nonmetropolitan counties	22,031	536	14.4	359	9.7	483	13.0
White	16,304	256	10.6	180	7.5	264	10.9
All other	5,727	280	21.5	179	13.8	219	16.8
Black	5,713	276	21.7	178	13.9	218	17.0
Urban places	4,536	110	14.9	70	9.5	101	13.7
White	2,993	36	9.7	24	6.5	46	12.4
All other	1,543	74	20.0	46	12.5	55	14.9
Black	1,540	74	20.4	46	12.7	55	15.2
Balance of area	17,495	426	14.3	289	9.7	382	12.8
White	13,311	220	10.8	156	7.6	218	10.7
All other	4,184	206	22.1	133	14.3	164	17.6
Black	4,173	204	22.2	132	14.4	163	17.8

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Hawaii	5,825	162	8.8	107	5.8	163	8.9
White	1,802	35	7.5	27	5.8	37	8.0
All other	4,023	127	9.3	80	5.9	126	9.2
Black	53	18	20.0	13	14.5	10	11.1
Urban places	4,258	110	8.6	75	5.9	109	8.5
White	1,311	25	7.7	19	5.8	23	7.0
All other	2,947	85	8.9	56	5.9	86	9.0
Black	41	15	19.4	12	15.5	6	7.8
Balance of area	1,567	52	9.5	32	5.8	54	9.8
White	491	10	7.3	8	5.8	14	10.2
All other	1,076	42	10.2	24	5.8	40	9.7
Black	12	3	23.8	1	7.9	4	31.7
Metropolitan counties	4,352	131	9.3	88	6.3	120	8.5
White	1,345	30	8.0	23	6.2	28	7.5
All other	3,007	101	9.8	65	6.3	92	8.9
Black	51	18	20.9	13	15.1	9	10.5
Urban places	3,797	98	8.4	67	5.7	101	8.6
White	1,192	25	7.9	19	6.0	22	7.0
All other	2,605	73	8.5	48	5.6	79	9.2
Black	41	15	19.7	12	15.7	6	7.9
Balance of area	555	33	14.2	21	9.0	19	8.2
White	153	5	8.5	4	6.8	6	10.3
All other	402	28	16.1	17	9.8	13	7.5
Black	10	3	30.6	1	10.2	3	30.6
Nonmetropolitan counties	1,473	31	7.3	19	4.5	43	10.1
White	457	5	5.5	4	4.4	9	9.9
All other	1,016	26	7.8	15	4.5	34	10.1
Black	2	–	–	–	–	1	27.0
Urban places	461	12	11.0	8	7.3	8	7.3
White	119	–	–	–	–	1	8.6
All other	342	12	12.3	8	8.2	7	7.2
Black	–	–	–	–	–	–	–
Balance of area	1,012	19	6.0	11	3.5	35	11.1
White	338	5	6.3	4	5.1	8	10.1
All other	674	14	5.9	7	2.9	27	11.4
Black	2	–	–	–	–	1	35.7
Idaho	7,115	183	10.4	111	6.3	128	7.3
White	7,005	178	10.5	109	6.5	121	7.2
All other	110	5	7.3	2	2.9	7	10.2
Black	20	–	–	–	–	–	–
Urban places	3,038	77	11.1	41	5.9	67	9.6
White	3,002	75	11.2	40	6.0	64	9.6
All other	36	2	7.4	1	3.7	3	11.1
Black	16	–	–	–	–	–	–
Balance of area	4,077	106	10.0	70	6.6	61	5.7
White	4,003	103	10.1	69	6.8	57	5.6
All other	74	3	7.2	1	2.4	4	9.6
Black	4	–	–	–	–	–	–
Metropolitan counties	1,211	33	10.3	16	5.0	24	7.5
White	1,202	32	10.4	16	5.2	23	7.5
All other	9	1	8.5	–	–	1	8.5
Black	4	–	–	–	–	–	–
Urban places	919	21	9.9	7	3.3	20	9.4
White	911	20	9.8	7	3.4	19	9.3
All other	8	1	11.4	–	–	1	11.4
Black	3	–	–	–	–	–	–
Balance of area	292	12	11.3	9	8.5	4	3.8
White	291	12	11.6	9	8.7	4	3.9
All other	1	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Nonmetropolitan counties	5,904	150	10.4	95	6.6	104	7.2
White	5,803	146	10.6	93	6.7	98	7.1
All other	101	4	7.0	2	3.5	6	10.5
Black	16	–	–	–	–	–	–
Urban places	2,119	56	11.6	34	7.0	47	9.7
White	2,091	55	11.8	33	7.1	45	9.7
All other	28	1	5.5	1	5.5	2	10.9
Black	13	–	–	–	–	–	–
Balance of area	3,785	94	9.8	61	6.4	57	6.0
White	3,712	91	9.9	60	6.6	53	5.8
All other	73	3	7.7	1	2.6	4	10.3
Black	3	–	–	–	–	–	–
Illinois	102,279	2,123	11.7	1,441	8.0	1,454	8.0
White	87,709	1,284	9.3	893	6.4	945	6.8
All other	14,570	839	19.9	548	13.0	509	12.1
Black	14,185	828	21.4	542	14.0	482	12.5
Urban places	71,528	1,714	13.2	1,151	8.8	1,076	8.3
White	57,823	909	10.0	625	6.9	609	6.7
All other	13,705	805	20.5	526	13.4	467	11.9
Black	13,362	794	21.9	520	14.3	446	12.3
Balance of area	30,751	409	8.1	290	5.7	378	7.5
White	29,886	375	7.9	268	5.6	336	7.1
All other	865	34	11.9	22	7.7	42	14.7
Black	823	34	14.1	22	9.1	37	15.3
Metropolitan counties	79,384	1,855	12.2	1,256	8.3	1,222	8.1
White	65,252	1,030	9.3	718	6.5	733	6.6
All other	14,132	825	20.1	538	13.1	489	11.9
Black	13,769	815	21.6	533	14.1	463	12.3
Urban places	65,708	1,632	13.2	1,098	8.9	1,015	8.2
White	52,206	838	9.9	580	6.9	558	6.6
All other	13,502	794	20.6	518	13.4	457	11.9
Black	13,184	784	22.0	513	14.4	435	12.2
Balance of area	13,676	223	7.8	158	5.5	207	7.2
White	13,046	192	7.3	138	5.3	175	6.7
All other	630	31	12.7	20	8.2	32	13.1
Black	605	31	14.8	20	9.6	28	13.4
Nonmetropolitan counties	22,895	268	9.3	185	6.4	232	8.0
White	22,457	254	9.1	175	6.3	212	7.6
All other	438	14	12.3	10	8.8	20	17.5
Black	415	13	13.8	9	9.6	19	20.2
Urban places	5,820	82	11.5	53	7.5	61	8.6
White	5,617	71	11.1	45	7.1	51	8.0
All other	203	11	15.0	8	10.9	10	13.7
Black	198	10	16.1	7	11.3	10	16.1
Balance of area	17,075	186	8.5	132	6.0	171	7.8
White	16,840	183	8.5	130	6.1	161	7.5
All other	235	3	7.4	2	4.9	10	24.5
Black	218	3	9.4	2	6.3	9	28.1
Indiana	48,195	883	10.9	604	7.5	590	7.3
White	44,590	714	10.0	483	6.7	492	6.9
All other	3,605	169	18.3	121	13.1	98	10.6
Black	3,569	166	19.5	118	13.8	90	10.5
Urban places	27,405	556	12.6	378	8.6	347	7.9
White	23,910	393	11.1	263	7.4	256	7.2
All other	3,495	163	18.5	115	13.0	91	10.3
Black	3,466	162	19.5	114	13.7	87	10.5
Balance of area	20,790	327	8.9	226	6.1	243	6.6
White	20,680	321	8.8	220	6.1	236	6.5
All other	110	6	14.2	6	14.2	7	16.5
Black	103	4	16.9	4	16.9	3	12.7
Metropolitan counties	32,808	647	11.2	432	7.5	429	7.4
White	29,424	490	10.0	321	6.5	334	6.8
All other	3,384	157	18.1	111	12.8	95	11.0
Black	3,352	154	19.1	108	13.4	88	10.9
Urban places	22,869	491	12.7	332	8.6	308	8.0
White	19,554	338	11.2	225	7.5	218	7.2
All other	3,315	153	18.2	107	12.8	90	10.7
Black	3,288	152	19.3	106	13.4	86	10.9
Balance of area	9,939	156	8.1	100	5.2	121	6.3
White	9,870	152	8.0	96	5.0	116	6.1
All other	69	4	14.9	4	14.9	5	18.7
Black	64	2	13.1	2	13.1	2	13.1
Nonmetropolitan counties	15,387	236	10.2	172	7.5	161	7.0
White	15,166	224	10.0	162	7.2	158	7.0
All other	221	12	20.3	10	16.9	3	5.1
Black	217	12	24.6	10	20.5	2	4.1
Urban places	4,536	65	11.6	46	8.2	39	7.0
White	4,356	55	10.7	38	7.4	38	7.4
All other	180	10	23.0	8	18.4	1	2.3
Black	178	10	24.8	8	19.9	1	2.5
Balance of area	10,851	171	9.8	126	7.2	122	7.0
White	10,810	169	9.8	124	7.2	120	6.9
All other	41	2	12.9	2	12.9	2	12.9
Black	39	2	23.8	2	23.8	1	11.9

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Iowa	27,834	391	9.5	243	5.9	246	6.0
White	27,482	372	9.4	230	5.8	237	6.0
All other	352	19	11.6	13	7.9	9	5.5
Black	313	13	12.3	7	6.6	6	5.7
Urban places	11,013	203	10.7	126	6.7	109	5.8
White	10,683	185	10.6	114	6.5	104	6.0
All other	330	18	12.2	12	8.2	5	3.4
Black	302	13	12.8	7	6.9	5	4.9
Balance of area	16,821	188	8.4	117	5.2	137	6.1
White	16,799	187	8.4	116	5.2	133	6.0
All other	22	1	5.7	1	5.7	4	23.0
Black	11	-	-	-	-	1	23.8
Metropolitan counties	9,313	195	10.8	120	6.6	102	5.6
White	9,025	180	10.7	111	6.6	99	5.9
All other	288	15	11.7	9	7.0	3	2.3
Black	266	10	10.9	4	4.4	2	2.2
Urban places	7,632	157	10.9	91	6.3	81	5.6
White	7,348	142	10.8	82	6.2	79	6.0
All other	284	15	12.0	9	7.2	2	1.6
Black	262	10	11.0	4	4.4	2	2.2
Balance of area	1,681	38	10.1	29	7.7	21	5.6
White	1,677	38	10.2	29	7.8	20	5.4
All other	4	-	-	-	-	1	29.4
Black	4	-	-	-	-	-	-
Nonmetropolitan counties	18,521	196	8.5	123	5.3	144	6.2
White	18,457	192	8.4	119	5.2	138	6.1
All other	64	4	11.1	4	11.1	6	16.7
Black	47	3	21.0	3	21.0	4	28.0
Urban places	3,381	46	10.2	35	7.8	28	6.2
White	3,335	43	10.0	32	7.5	25	5.8
All other	46	3	13.7	3	13.7	3	13.7
Black	40	3	26.3	3	26.3	3	26.3
Balance of area	15,140	150	8.1	88	4.7	116	6.2
White	15,122	149	8.1	87	4.7	113	6.1
All other	18	1	7.1	1	7.1	3	21.4
Black	7	-	-	-	-	1	34.5
Kansas	22,057	369	9.3	237	6.0	273	6.9
White	20,965	317	9.0	205	5.8	225	6.4
All other	1,092	52	11.7	32	7.2	48	10.8
Black	1,009	47	14.4	30	9.2	42	12.9
Urban places	11,230	235	9.9	155	6.5	172	7.2
White	10,248	188	9.4	126	6.3	126	6.3
All other	982	47	12.2	29	7.5	46	11.9
Black	933	43	14.5	27	9.1	42	14.2
Balance of area	10,827	134	8.4	82	5.2	101	6.4
White	10,717	129	8.4	79	5.2	99	6.5
All other	110	5	8.4	3	5.1	2	3.4
Black	76	4	13.4	3	10.1	-	-
Metropolitan counties	8,904	187	9.6	123	6.3	133	6.8
White	8,096	146	8.8	99	6.0	97	5.9
All other	808	41	13.8	24	8.1	36	12.1
Black	766	37	15.7	22	9.4	34	14.5
Urban places	7,151	157	9.9	103	6.5	116	7.3
White	6,363	118	9.1	81	6.2	80	6.2
All other	788	39	13.6	22	7.7	36	12.6
Black	749	35	15.3	20	8.7	34	14.8
Balance of area	1,753	30	8.2	20	5.4	17	4.8
White	1,733	28	7.8	18	5.0	17	4.8
All other	20	2	19.2	2	19.2	-	-
Black	17	2	36.4	2	36.4	-	-
Nonmetropolitan counties	13,153	182	9.0	114	5.6	140	6.9
White	12,869	171	9.2	106	5.7	128	6.8
All other	284	11	7.4	8	5.4	12	8.0
Black	243	10	10.9	8	8.7	8	8.7
Urban places	4,079	78	9.6	52	6.5	56	7.0
White	3,885	70	10.1	45	6.5	46	6.6
All other	194	8	8.0	7	7.0	10	10.0
Black	184	8	11.9	7	10.4	8	11.9
Balance of area	9,074	104	8.5	62	5.1	84	6.9
White	8,984	101	8.6	61	5.2	82	7.0
All other	90	3	6.1	1	2.0	2	4.1
Black	59	2	8.2	1	4.1	-	-

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	34,865	594	11.2	396	7.5	449	8.5
White	32,106	493	10.3	326	6.8	381	8.0
All other	2,759	101	19.7	70	13.6	68	13.2
Black	2,732	98	20.5	68	14.2	66	13.8
Urban places	11,824	203	12.3	137	8.3	144	8.7
White	9,943	138	10.4	87	6.6	105	7.9
All other	1,881	65	20.0	50	15.4	39	12.0
Black	1,868	64	20.7	49	15.8	39	12.6
Balance of area	23,041	391	10.7	259	7.1	305	8.4
White	22,163	355	10.3	239	6.9	276	8.0
All other	878	36	19.1	20	10.6	29	15.4
Black	864	34	20.3	19	11.3	27	16.1
Metropolitan counties	14,686	269	11.1	181	7.5	212	8.8
White	12,832	192	9.3	126	6.1	167	8.1
All other	1,854	76	21.5	55	15.6	45	12.7
Black	1,838	74	22.3	53	16.0	43	13.0
Urban places	9,166	161	12.5	105	8.2	119	9.3
White	7,592	105	10.3	62	6.1	88	8.6
All other	1,574	56	21.3	43	16.3	31	11.8
Black	1,563	55	21.7	42	16.6	31	12.2
Balance of area	5,520	107	9.5	76	6.7	93	8.2
White	5,240	87	8.4	64	6.1	79	7.6
All other	280	20	22.2	12	13.3	14	15.6
Black	275	19	24.1	11	14.0	12	15.2
Nonmetropolitan counties	20,179	326	11.3	215	7.5	237	8.2
White	19,274	301	11.1	200	7.4	214	7.9
All other	905	25	15.6	15	9.3	23	14.3
Black	894	24	16.5	15	10.3	23	15.8
Urban places	2,658	42	11.6	32	8.8	25	6.9
White	2,351	33	11.0	25	8.3	17	5.7
All other	307	9	14.6	7	11.3	8	13.0
Black	305	9	16.0	7	12.4	8	14.2
Balance of area	17,521	284	11.3	183	7.3	212	8.4
White	16,923	268	11.1	175	7.3	197	8.2
All other	598	16	16.2	8	8.1	15	15.2
Black	589	15	16.8	8	9.0	15	16.8
Louisiana	37,029	968	11.9	629	7.7	746	9.2
White	25,217	418	8.6	286	5.9	326	6.7
All other	11,812	550	16.7	343	10.4	420	12.8
Black	11,709	540	17.2	338	10.7	414	13.2
Urban places	18,394	518	14.3	341	9.4	408	11.2
White	11,077	159	9.7	113	6.9	132	8.0
All other	7,257	359	18.1	228	11.5	276	13.9
Black	7,201	354	18.5	224	11.7	273	14.3
Balance of area	18,695	450	10.0	288	6.4	338	7.5
White	14,140	259	8.1	173	5.4	194	6.0
All other	4,555	191	14.6	115	8.8	144	11.0
Black	4,508	186	15.1	114	9.2	141	11.4
Metropolitan parishes [a]	22,905	635	12.4	431	8.4	461	9.0
White	15,398	262	8.9	189	6.4	189	6.4
All other	7,507	373	17.3	242	11.2	272	12.6
Black	7,445	368	17.7	237	11.5	269	13.0
Urban places	15,428	454	14.9	308	10.1	339	11.1
White	9,214	137	10.2	99	7.4	107	8.0
All other	6,212	317	18.5	209	12.2	232	13.5
Black	6,163	312	18.9	205	12.4	230	13.9
Balance of area	7,479	181	8.6	123	6.0	122	5.9
White	6,184	125	7.7	90	5.6	82	5.1
All other	1,295	56	12.6	33	7.4	40	9.0
Black	1,282	54	13.1	32	7.6	38	9.2
Nonmetropolitan parishes [a]	14,124	333	11.0	198	6.5	285	9.4
White	9,819	158	8.2	97	5.1	137	7.2
All other	4,305	177	15.6	101	8.9	148	13.1
Black	4,254	174	16.1	101	9.3	146	13.5
Urban places	2,908	64	11.1	33	5.7	69	11.9
White	1,863	22	7.2	14	4.6	25	8.2
All other	1,045	42	15.4	19	7.0	44	16.2
Black	1,038	42	16.2	19	7.3	43	16.6
Balance of area	11,216	269	11.0	165	6.7	216	8.8
White	7,956	134	8.4	83	5.2	112	7.0
All other	3,260	135	15.7	82	9.5	104	12.1
Black	3,226	132	16.1	82	10.0	103	12.5

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Maine	11,420	154	9.1	110	6.5	105	6.2
White	11,373	153	9.2	110	6.6	104	6.3
All other	47	1	3.2	-	-	1	3.2
Black	22	1	12.0	-	-	-	-
Urban places	3,478	60	13.3	46	10.2	31	6.9
White	3,461	59	13.4	46	10.4	31	7.0
All other	17	1	9.5	-	-	-	-
Black	14	1	37.0	-	-	-	-
Balance of area	7,942	94	7.6	64	5.2	74	6.0
White	7,912	94	7.7	64	5.3	73	6.0
All other	30	-	-	-	-	1	4.7
Black	8	-	-	-	-	-	-
Metropolitan counties	6,120	102	10.5	74	7.6	61	6.3
White	6,093	101	10.6	74	7.8	60	6.3
All other	27	1	5.3	-	-	1	5.3
Black	18	1	20.8	-	-	-	-
Urban places	2,843	52	13.8	39	10.3	25	6.6
White	2,826	51	13.9	39	10.6	25	6.8
All other	17	1	10.9	-	-	-	-
Black	14	1	38.5	-	-	-	-
Balance of area	3,277	50	8.4	35	5.9	36	6.0
White	3,267	50	8.5	35	6.0	35	6.0
All other	10	-	-	-	-	1	10.5
Black	4	-	-	-	-	-	-
Nonmetropolitan counties	5,300	52	7.3	36	5.0	44	6.1
White	5,280	52	7.4	36	5.1	44	6.2
All other	20	-	-	-	-	-	-
Black	4	-	-	-	-	-	-
Urban places	695	8	10.7	7	9.4	6	8.0
White	695	8	10.9	7	9.5	6	8.2
All other	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Balance of area	4,665	44	6.8	29	4.5	38	5.9
White	4,645	44	7.0	29	4.6	38	6.0
All other	20	-	-	-	-	-	-
Black	4	-	-	-	-	-	-
Maryland	36,620	808	11.9	556	8.2	550	8.1
White	28,506	411	9.1	273	6.0	291	6.4
All other	8,114	397	17.5	283	12.5	259	11.4
Black	7,912	385	18.9	276	13.5	250	12.2
Urban places	14,116	305	13.6	206	9.2	231	10.3
White	8,907	98	9.0	62	5.7	79	7.3
All other	5,209	207	17.9	144	12.4	152	13.1
Black	5,154	205	19.0	143	13.2	150	13.9
Balance of area	22,504	503	11.0	350	7.7	319	7.0
White	19,599	313	9.1	211	6.1	212	6.2
All other	2,905	190	17.1	139	12.5	107	9.6
Black	2,758	180	18.7	133	13.8	100	10.4
Metropolitan counties	31,954	717	11.9	497	8.2	488	8.1
White	24,686	348	8.9	234	6.0	245	6.2
All other	7,268	369	17.5	263	12.5	243	11.5
Black	7,073	358	19.0	257	13.6	234	12.4
Urban places	13,272	291	13.8	197	9.3	217	10.3
White	8,243	93	9.4	59	5.9	70	7.1
All other	5,029	198	17.7	138	12.4	147	13.2
Black	4,975	196	18.8	137	13.2	145	13.9
Balance of area	18,682	426	10.9	300	7.7	271	6.9
White	16,443	255	8.7	175	6.0	175	6.0
All other	2,239	171	17.3	125	12.6	96	9.7
Black	2,098	162	18.2	120	14.2	89	10.6
Nonmetropolitan counties	4,666	91	11.7	59	7.6	62	8.0
White	3,820	63	10.4	39	6.4	46	7.6
All other	846	28	16.8	20	12.0	16	9.6
Black	839	27	17.2	19	12.1	16	10.2
Urban places	844	14	10.4	9	6.7	14	10.4
White	684	5	5.4	3	3.3	9	9.8
All other	180	9	21.4	6	14.3	5	11.9
Black	179	9	23.1	6	15.4	5	12.8
Balance of area	3,822	77	12.0	50	7.8	48	7.5
White	3,156	58	11.2	36	7.0	37	7.2
All other	666	19	15.2	14	11.2	11	8.8
Black	660	18	15.2	13	11.0	11	9.3

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Massachusetts	55,593	743	9.1	535	6.5	529	6.5
White	53,599	606	8.2	445	6.0	445	6.0
All other	1,994	137	16.7	90	11.0	84	10.3
Black	1,781	126	20.8	85	14.0	75	12.4
Urban places	42,108	593	10.0	427	7.2	401	6.7
White	40,258	461	8.9	340	6.5	324	6.2
All other	1,850	132	17.5	87	11.6	77	10.2
Black	1,665	122	21.2	83	14.4	68	11.8
Balance of area	13,485	150	6.7	108	4.8	128	5.7
White	13,341	145	6.7	105	4.9	121	5.6
All other	144	5	7.5	3	4.5	7	10.5
Black	116	4	12.6	2	6.3	7	22.1
Metropolitan counties	52,704	718	9.1	518	6.6	509	6.5
White	50,766	582	8.3	428	6.1	426	6.0
All other	1,938	136	16.9	90	11.2	83	10.3
Black	1,733	125	20.9	85	14.2	74	12.4
Urban places	41,682	591	10.0	426	7.2	399	6.8
White	39,850	459	8.9	339	6.6	322	6.3
All other	1,832	132	17.6	87	11.6	77	10.3
Black	1,647	122	21.3	83	14.5	68	11.9
Balance of area	11,022	127	6.5	92	4.7	110	5.6
White	10,916	123	6.5	89	4.7	104	5.5
All other	106	4	7.3	3	5.5	6	10.9
Black	86	3	11.9	2	7.9	6	23.7
Nonmetropolitan counties	2,889	25	7.8	17	5.3	20	6.2
White	2,833	24	7.8	17	5.6	19	6.2
All other	56	1	6.5	-	-	1	6.5
Black	48	1	11.0	-	-	1	11.0
Urban places	426	2	4.0	1	2.0	2	4.0
White	408	2	4.3	1	2.1	2	4.3
All other	18	-	-	-	-	-	-
Black	18	-	-	-	-	-	-
Balance of area	2,463	23	8.5	16	5.9	18	6.6
White	2,425	22	8.5	16	6.2	17	6.6
All other	38	1	8.3	-	-	1	8.3
Black	30	1	15.6	-	-	1	15.6
Michigan	78,722	1,572	11.4	1,070	7.8	858	6.2
White	67,567	1,053	9.3	699	6.2	665	5.9
All other	11,155	519	20.8	371	14.9	193	7.7
Black	10,907	508	22.4	363	16.0	183	8.1
Urban places	46,932	1,039	13.0	724	9.1	519	6.5
White	36,391	544	9.6	367	6.5	342	6.0
All other	10,541	495	21.5	357	15.5	177	7.7
Black	10,389	486	22.5	349	16.2	169	7.8
Balance of area	31,790	533	9.1	346	5.9	339	5.8
White	31,176	509	9.0	332	5.9	323	5.7
All other	614	24	12.7	14	7.4	16	8.5
Black	518	22	19.7	14	12.5	14	12.5
Metropolitan counties	63,287	1,353	11.8	936	8.2	712	6.2
White	52,363	840	9.3	568	6.3	522	5.8
All other	10,924	513	21.2	368	15.2	190	7.9
Black	10,750	503	22.5	360	16.1	181	8.1
Urban places	45,077	1,009	13.1	703	9.1	503	6.5
White	34,551	514	9.5	346	6.4	326	6.0
All other	10,526	495	21.6	357	15.6	177	7.7
Black	10,385	486	22.6	349	16.2	169	7.9
Balance of area	18,210	344	9.3	233	6.3	209	5.6
White	17,812	326	9.1	222	6.2	196	5.5
All other	398	18	14.0	11	8.6	13	10.1
Black	365	17	19.3	11	12.5	12	13.7
Nonmetropolitan counties	15,435	219	9.2	134	5.6	146	6.1
White	15,204	213	9.2	131	5.7	143	6.2
All other	231	6	7.9	3	4.0	3	4.0
Black	157	5	17.5	3	10.5	2	7.0
Urban places	1,855	30	11.4	21	8.0	16	6.1
White	1,840	30	12.1	21	8.5	16	6.5
All other	15	-	-	-	-	-	-
Black	4	-	-	-	-	-	-
Balance of area	13,580	189	8.9	113	5.3	130	6.1
White	13,364	183	8.9	110	5.3	127	6.2
All other	216	6	10.0	3	5.0	3	5.0
Black	153	5	20.9	3	12.6	2	8.4

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Minnesota	34,801	594	8.8	366	5.4	445	6.6
White	34,125	546	8.8	336	5.4	408	6.5
All other	676	48	9.4	30	5.9	39	7.7
Black	363	31	15.5	20	10.0	21	10.5
Urban places	18,186	332	8.8	208	5.5	249	6.6
White	17,649	289	8.7	181	5.4	214	6.4
All other	537	43	10.3	27	6.5	35	8.4
Black	354	30	15.5	19	9.8	21	10.8
Balance of area	16,615	262	8.8	158	5.3	196	6.6
White	16,476	257	8.9	155	5.4	192	6.6
All other	139	5	5.4	3	3.2	4	4.3
Black	9	1	15.6	1	15.6	-	-
Metropolitan counties	20,253	403	8.8	260	5.7	304	6.6
White	19,708	359	8.6	232	5.6	269	6.5
All other	545	44	10.2	28	6.5	35	8.1
Black	356	31	15.8	20	10.2	21	10.7
Urban places	15,416	287	8.6	184	5.5	224	6.7
White	14,892	244	8.3	157	5.3	190	6.4
All other	524	43	10.7	27	6.7	34	8.4
Black	352	30	15.6	19	9.9	21	10.9
Balance of area	4,837	116	9.4	76	6.2	80	6.5
White	4,816	115	9.5	75	6.2	79	6.5
All other	21	1	3.8	1	3.8	1	3.8
Black	4	1	20.0	1	20.0	-	-
Nonmetropolitan counties	14,548	191	8.9	106	4.9	141	6.5
White	14,417	187	9.0	104	5.0	137	6.6
All other	131	4	5.0	2	2.5	4	5.0
Black	7	-	-	-	-	-	-
Urban places	2,770	45	11.2	24	6.0	25	6.2
White	2,757	45	11.6	24	6.2	24	6.2
All other	13	-	-	-	-	1	7.5
Black	2	-	-	-	-	-	-
Balance of area	11,778	146	8.3	82	4.7	116	6.6
White	11,660	142	8.4	80	4.7	113	6.7
All other	118	4	6.1	2	3.0	3	4.6
Black	5	-	-	-	-	-	-
Mississippi	24,691	596	13.7	367	8.4	513	11.8
White	15,898	213	9.3	127	5.5	178	7.8
All other	8,793	383	18.7	240	11.7	335	16.3
Black	8,710	379	18.9	239	11.9	328	16.4
Urban places	8,367	222	15.2	144	9.9	183	12.5
White	5,100	61	9.1	35	5.2	56	8.4
All other	3,267	161	20.3	109	13.8	127	16.0
Black	3,245	159	20.6	108	14.0	125	16.2
Balance of area	16,324	374	13.0	223	7.7	330	11.4
White	10,798	152	9.3	92	5.6	122	7.5
All other	5,526	222	17.7	131	10.4	208	16.5
Black	5,465	220	17.9	131	10.7	203	16.5
Metropolitan counties	5,559	145	11.8	93	7.6	125	10.2
White	4,019	72	9.4	46	6.0	52	6.8
All other	1,540	73	15.8	47	10.2	73	15.8
Black	1,521	72	16.3	46	10.4	71	16.1
Urban places	3,271	93	13.0	63	8.8	81	11.3
White	2,241	33	8.9	23	6.2	28	7.6
All other	1,030	60	17.4	40	11.6	53	15.3
Black	1,015	59	17.8	39	11.8	51	15.4
Balance of area	2,288	52	10.2	30	5.9	44	8.6
White	1,778	39	9.9	23	5.8	24	6.1
All other	510	13	11.3	7	6.1	20	17.4
Black	506	13	11.8	7	6.3	20	18.1
Nonmetropolitan counties	19,132	451	14.5	274	8.8	388	12.4
White	11,879	141	9.2	81	5.3	126	8.2
All other	7,253	310	19.5	193	12.1	262	16.5
Black	7,189	307	19.7	193	12.4	257	16.5
Urban places	5,096	129	17.4	81	10.9	102	13.7
White	2,859	28	9.4	12	4.0	28	9.4
All other	2,237	101	22.6	69	15.4	74	16.6
Black	2,230	100	22.6	69	15.6	74	16.7
Balance of area	14,036	322	13.6	193	8.1	286	12.0
White	9,020	113	9.2	69	5.6	98	7.9
All other	5,016	209	18.3	124	10.9	188	16.5
Black	4,959	207	18.5	124	11.1	183	16.4

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Missouri	50,368	789	10.2	500	6.5	522	6.8
White	45,272	578	9.0	370	5.8	392	6.1
All other	5,096	211	16.3	130	10.1	130	10.1
Black	5,019	203	17.0	122	10.2	126	10.5
Urban places	23,347	410	11.2	263	7.2	260	7.1
White	19,134	236	9.0	162	6.2	162	6.2
All other	4,213	174	17.1	101	9.9	98	9.7
Black	4,168	168	17.5	95	9.9	95	9.9
Balance of area	27,021	379	9.4	237	5.8	262	6.5
White	26,138	342	9.1	208	5.5	230	6.1
All other	883	37	13.4	29	10.5	32	11.6
Black	851	35	14.9	27	11.5	31	13.2
Metropolitan counties	30,373	561	10.6	365	6.9	332	6.3
White	25,831	360	8.7	242	5.9	221	5.3
All other	4,542	201	17.3	123	10.6	111	9.6
Black	4,483	193	17.8	115	10.6	108	10.0
Urban places	20,446	391	11.8	250	7.6	231	7.0
White	16,417	218	9.4	150	6.4	139	6.0
All other	4,029	173	17.7	100	10.3	92	9.4
Black	3,989	167	18.1	94	10.2	89	9.6
Balance of area	9,927	170	8.5	115	5.8	101	5.1
White	9,414	142	7.9	92	5.1	82	4.5
All other	513	28	15.1	23	12.4	19	10.2
Black	494	26	16.2	21	13.1	19	11.9
Nonmetropolitan counties	19,995	228	9.5	135	5.6	190	7.9
White	19,441	218	9.6	128	5.6	171	7.5
All other	554	10	7.7	7	5.4	19	14.6
Black	536	10	9.1	7	6.3	18	16.3
Urban places	2,901	19	5.5	13	3.8	29	8.4
White	2,717	18	5.9	12	4.0	23	7.6
All other	184	1	2.5	1	2.5	6	15.0
Black	179	1	2.8	1	2.8	6	16.8
Balance of area	17,094	209	10.1	122	5.9	161	7.8
White	16,724	200	10.1	116	5.9	148	7.5
All other	370	9	10.0	6	6.6	13	14.4
Black	357	9	12.1	6	8.1	12	16.1
Montana	6,724	139	10.3	68	5.0	94	7.0
White	6,429	116	9.8	57	4.8	78	6.6
All other	295	23	13.9	11	6.6	16	9.6
Black	8	1	13.2	1	13.2	-	-
Urban places	2,656	57	12.5	22	4.8	36	7.9
White	2,612	54	12.8	20	4.7	33	7.8
All other	44	3	9.5	2	6.3	3	9.5
Black	5	-	-	-	-	-	-
Balance of area	4,068	82	9.2	46	5.1	58	6.5
White	3,817	62	8.2	37	4.9	45	5.9
All other	251	20	14.9	9	6.7	13	9.7
Black	3	1	32.3	1	32.3	-	-
Metropolitan counties	1,455	41	12.3	14	4.2	25	7.5
White	1,425	38	12.3	12	3.9	25	8.1
All other	30	3	11.9	2	7.9	-	-
Black	1	-	-	-	-	-	-
Urban places	1,102	34	15.0	11	4.9	16	7.1
White	1,074	31	15.0	9	4.3	16	7.7
All other	28	3	15.4	2	10.3	-	-
Black	1	-	-	-	-	-	-
Balance of area	353	7	6.5	3	2.8	9	8.4
White	351	7	6.9	3	2.9	9	8.8
All other	2	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Nonmetropolitan counties	5,269	98	9.7	54	5.3	69	6.8
White	5,004	78	8.9	45	5.1	53	6.1
All other	265	20	14.2	9	6.4	16	11.4
Black	7	1	50.0	1	50.0	-	-
Urban places	1,554	23	10.1	11	4.8	20	8.8
White	1,538	23	10.6	11	5.1	17	7.9
All other	16	-	-	-	-	3	24.6
Black	4	-	-	-	-	-	-
Balance of area	3,715	75	9.5	43	5.5	49	6.2
White	3,466	55	8.4	34	5.2	36	5.5
All other	249	20	15.6	9	7.0	13	10.1
Black	3	1	125.0	1	125.0	-	-

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Nebraska	14,903	246	9.8	159	6.2	187	7.3
White	14,433	212	9.0	139	5.9	169	7.2
All other	470	34	16.9	20	10.0	18	9.0
Black	381	24	17.7	15	11.0	13	9.6
Urban places	6,786	131	10.6	91	7.4	98	7.9
White	6,378	104	9.6	74	6.8	87	8.0
All other	408	27	17.6	17	11.1	11	7.2
Black	377	24	19.3	15	12.0	10	8.0
Balance of area	8,117	115	8.7	68	5.2	89	6.7
White	8,055	108	8.5	65	5.1	82	6.4
All other	62	7	14.9	3	6.4	7	14.9
Black	4	–	–	–	–	3	26.5
Metropolitan counties	5,471	126	10.2	88	7.1	90	7.3
White	5,071	99	9.2	71	6.6	76	7.1
All other	400	27	16.4	17	10.3	14	8.5
Black	373	24	18.0	15	11.3	13	9.8
Urban places	4,758	101	11.1	69	7.6	78	8.6
White	4,363	74	9.7	52	6.8	67	8.8
All other	395	27	18.6	17	11.7	11	7.6
Black	370	24	19.5	15	12.2	10	8.1
Balance of area	713	25	7.6	19	5.8	12	3.6
White	708	25	8.1	19	6.1	9	2.9
All other	5	–	–	–	–	3	15.4
Black	3	–	–	–	–	3	30.3
Nonmetropolitan counties	9,432	120	9.1	71	5.4	97	7.3
White	9,362	113	8.8	68	5.3	93	7.2
All other	70	7	19.3	3	8.3	4	11.0
Black	8	–	–	–	–	–	–
Urban places	2,028	30	9.1	22	6.7	20	6.1
White	2,015	30	9.4	22	6.9	20	6.2
All other	13	–	–	–	–	–	–
Black	7	–	–	–	–	–	–
Balance of area	7,404	90	9.1	49	4.9	77	7.8
White	7,347	83	8.6	46	4.8	73	7.6
All other	57	7	25.5	3	10.9	4	14.6
Black	1	–	–	–	–	–	–
Nevada	7,236	130	8.5	73	4.8	101	6.6
White	6,754	110	8.7	57	4.5	81	6.4
All other	482	20	7.3	16	5.9	20	7.3
Black	345	18	11.7	14	9.1	15	9.7
Urban places	4,171	88	8.4	52	5.0	53	5.1
White	3,807	70	8.5	38	4.6	38	4.6
All other	364	18	8.3	14	6.4	15	6.9
Black	310	17	11.9	13	9.1	13	9.1
Balance of area	3,065	42	8.6	21	4.3	48	9.9
White	2,947	40	9.3	19	4.4	43	9.9
All other	118	2	3.6	2	3.6	5	9.1
Black	35	1	8.9	1	8.9	2	17.9
Metropolitan counties	5,784	107	8.5	64	5.1	79	6.3
White	5,357	88	8.6	49	4.8	62	6.1
All other	427	19	7.8	15	6.2	17	7.0
Black	340	18	11.8	14	9.2	14	9.2
Urban places	3,823	60	8.0	48	4.8	49	4.9
White	3,465	62	7.9	34	4.3	34	4.3
All other	358	18	8.4	14	6.6	15	7.0
Black	309	17	11.9	13	9.1	13	9.1
Balance of area	1,961	27	10.2	16	6.0	30	11.3
White	1,892	26	11.0	15	6.3	28	11.8
All other	69	1	3.4	1	3.4	2	6.9
Black	31	1	11.2	1	11.2	1	11.2
Nonmetropolitan counties	1,452	23	8.5	9	3.3	22	8.2
White	1,397	22	9.2	8	3.4	19	8.0
All other	55	1	3.3	1	3.3	3	9.9
Black	5	–	–	–	–	1	43.5
Urban places	348	8	16.9	4	8.5	4	8.5
White	342	8	18.7	4	9.3	4	9.3
All other	6	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Balance of area	1,104	15	6.8	5	2.3	18	8.1
White	1,055	14	7.1	4	2.0	15	7.7
All other	49	1	3.9	1	3.9	3	11.6
Black	4	–	–	–	–	1	43.5
New Hampshire	8,483	144	9.3	98	6.3	91	5.9
White	8,454	140	9.2	96	6.3	91	6.0
All other	29	4	13.2	2	6.6	–	–
Black	17	4	29.9	2	14.9	–	–
Urban places	3,558	64	10.7	45	7.5	33	5.5
White	3,545	63	10.9	45	7.8	33	5.7
All other	13	1	5.5	–	–	–	–
Black	9	1	10.1	–	–	–	–
Balance of area	4,925	80	8.5	53	5.6	58	6.1
White	4,909	77	8.2	51	5.5	58	6.2
All other	16	3	24.6	2	16.4	–	–
Black	8	3	85.7	2	57.1	–	–
Metropolitan counties	4,661	87	8.8	56	5.7	55	5.6
White	4,643	85	8.9	55	5.7	55	5.7
All other	18	2	8.0	1	4.0	–	–
Black	9	2	16.3	1	8.1	–	–
Urban places	2,341	48	10.4	32	7.2	22	5.0
White	2,331	45	10.6	32	7.5	22	5.2
All other	10	1	6.2	–	–	–	–
Black	7	1	10.5	–	–	–	–
Balance of area	2,320	41	7.5	24	4.4	33	6.1
White	2,312	40	7.5	23	4.3	33	6.2
All other	8	1	11.5	1	11.5	–	–
Black	2	1	35.7	1	35.7	–	–
Nonmetropolitan counties	3,822	57	10.2	42	7.5	36	6.4
White	3,811	55	9.9	41	7.4	36	6.5
All other	11	2	36.4	1	18.2	–	–
Black	9	2	181.8	1	90.9	–	–
Urban places	1,217	18	11.5	13	8.3	11	7.0
White	1,214	18	11.6	13	8.4	11	7.1
All other	3	–	–	–	–	–	–
Black	2	–	–	–	–	–	–
Balance of area	2,605	39	9.7	29	7.2	25	6.2
White	2,597	37	9.3	28	7.0	25	6.3
All other	8	2	57.1	1	28.6	–	–
Black	6	2	285.7	1	142.9	–	–
New Jersey	71,128	1,119	10.6	764	7.2	815	7.7
White	62,571	723	8.8	517	6.3	550	6.7
All other	8,557	396	16.6	247	10.4	265	11.1
Black	8,241	386	18.8	243	11.8	245	11.9
Urban places	51,373	854	11.5	573	7.7	602	8.1
White	43,736	493	9.2	350	6.6	367	6.9
All other	7,637	361	17.1	223	10.6	235	11.2
Black	7,409	354	19.1	220	11.9	220	11.9
Balance of area	19,755	265	8.5	191	6.1	213	6.8
White	18,835	230	8.1	167	5.9	183	6.4
All other	920	35	12.8	24	8.8	30	11.0
Black	832	32	16.0	23	11.5	25	12.5
Metropolitan counties	63,168	1,040	10.8	706	7.4	759	7.9
White	54,793	653	9.0	465	6.4	500	6.9
All other	8,375	387	16.6	241	10.3	259	11.1
Black	8,079	377	18.7	237	11.8	239	11.9
Urban places	47,721	822	11.7	554	7.9	587	8.3
White	40,169	467	9.4	334	6.7	355	7.1
All other	7,552	355	17.1	220	10.6	232	11.1
Black	7,334	348	19.0	217	11.8	217	11.8
Balance of area	15,447	218	8.6	152	6.0	172	6.8
White	14,624	186	8.1	131	5.7	145	6.3
All other	823	32	12.8	21	8.4	27	10.8
Black	745	29	16.0	20	11.0	22	12.1
Nonmetropolitan counties	7,960	79	8.2	58	6.0	56	5.8
White	7,778	70	7.7	52	5.7	50	5.5
All other	182	9	18.7	6	12.5	6	12.5
Black	162	9	22.5	6	15.0	6	15.0
Urban places [1]	3,652	32	8.3	19	4.9	15	3.9
White	3,567	26	7.2	16	4.4	12	3.3
All other	85	6	24.7	3	12.3	3	12.3
Black	75	6	28.3	3	14.2	3	14.2
Balance of area	4,308	47	8.2	39	6.8	41	7.2
White	4,211	44	8.0	36	6.6	38	6.9
All other	97	3	12.6	3	12.6	3	12.6
Black	87	3	16.0	3	16.0	3	16.0

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
New Mexico [3]	9,763	295	10.6	174	6.3	165	5.9
White	8,951	243	10.6	145	6.3	137	6.0
All other	812	52	10.7	29	5.9	28	5.7
Black	187	10	14.4	6	8.6	3	4.3
Urban places	5,592	159	10.8	93	6.3	79	5.4
White	5,355	136	10.3	77	5.8	72	5.5
All other	237	23	15.1	16	10.5	7	4.6
Black	150	9	17.1	6	11.4	2	3.8
Balance of area	4,171	136	10.4	81	6.2	86	6.6
White	3,596	107	11.1	68	7.0	65	6.7
All other	575	29	8.7	13	3.9	21	6.3
Black	37	1	5.9	–	–	1	5.9
Metropolitan counties	3,981	124	11.0	74	6.6	56	5.0
White	3,756	106	10.6	60	6.0	48	4.8
All other	225	18	14.5	14	11.3	8	6.4
Black	94	5	15.2	5	15.2	1	3.0
Urban places	3,225	96	11.3	57	6.7	36	4.2
White	3,102	82	10.6	45	5.8	33	4.3
All other	123	14	18.0	12	15.4	3	3.9
Black	78	5	17.8	5	17.8	1	3.6
Balance of area	756	28	10.3	17	6.3	20	7.4
White	654	24	10.7	15	6.7	15	6.7
All other	102	4	8.7	2	4.3	5	10.8
Black	16	–	–	–	–	–	–
Nonmetropolitan counties	5,782	171	10.3	100	6.0	109	6.6
White	5,195	137	10.6	85	6.6	89	6.9
All other	587	34	9.3	15	4.1	20	5.5
Black	93	5	13.7	1	2.7	2	5.5
Urban places	2,367	63	10.1	36	5.8	43	6.9
White	2,253	54	9.9	32	5.9	39	7.1
All other	114	9	12.0	4	5.3	4	5.3
Black	72	4	16.4	1	4.1	1	4.1
Balance of area	3,415	108	10.5	64	6.2	66	6.4
White	2,942	83	11.2	53	7.1	50	6.7
All other	473	25	8.7	11	3.8	16	5.5
Black	21	1	8.2	–	–	1	8.2
New York	172,117	2,791	10.8	1,912	7.4	2,543	9.8
White	148,878	1,813	9.4	1,273	6.6	1,686	8.7
All other	23,239	978	14.7	639	9.6	857	12.9
Black	21,800	925	16.1	611	10.6	804	14.0
Urban places	113,219	2,027	12.1	1,375	8.2	2,009	12.0
White	91,692	1,129	10.6	791	7.4	1,243	11.7
All other	21,527	898	14.7	584	9.5	766	12.5
Black	20,310	856	15.9	560	10.4	721	13.4
Balance of area	58,898	764	8.3	537	5.8	534	5.8
White	57,186	684	7.9	482	5.6	443	5.1
All other	1,712	80	15.4	55	10.6	91	17.5
Black	1,490	69	18.8	51	13.9	83	22.7
Metropolitan counties	155,069	2,568	10.9	1,755	7.5	2,346	10.0
White	132,102	1,599	9.4	1,121	6.6	1,495	8.8
All other	22,967	969	14.8	634	9.7	851	13.0
Black	21,589	918	16.1	607	10.7	802	14.1
Urban places	109,219	1,985	12.1	1,334	8.2	1,894	11.7
White	87,780	1,073	10.6	753	7.4	1,132	11.1
All other	21,429	892	14.6	581	9.5	762	12.5
Black	20,226	850	15.9	557	10.4	720	13.4
Balance of area	45,850	603	8.3	421	5.8	452	6.2
White	44,312	526	7.8	368	5.4	363	5.4
All other	1,538	77	16.6	53	11.4	89	19.2
Black	1,363	68	20.4	50	15.0	82	24.5
Nonmetropolitan counties	17,048	223	9.1	157	6.4	197	8.0
White	16,776	214	9.0	152	6.4	191	8.1
All other	272	9	9.9	5	5.5	6	6.6
Black	211	7	12.1	4	6.9	2	3.4
Urban places	4,000	62	12.1	41	8.0	115	22.4
White	3,902	56	11.7	38	7.9	111	23.2
All other	98	6	17.5	3	8.8	4	11.7
Black	84	6	23.3	3	11.7	1	3.9
Balance of area	13,048	161	8.3	116	6.0	82	4.2
White	12,874	158	8.4	114	6.0	80	4.2
All other	174	3	5.3	2	3.5	2	3.5
Black	127	1	3.1	1	3.1	1	3.1
North Carolina	52,988	1,051	11.8	695	7.8	762	8.5
White	40,005	582	9.4	379	6.1	442	7.2
All other	12,983	469	17.0	316	11.4	320	11.6
Black	12,561	449	17.8	305	12.1	305	12.1
Urban places	18,646	430	14.3	292	9.7	274	9.1
White	12,906	195	11.4	132	7.7	119	6.9
All other	5,740	235	18.2	160	12.4	155	12.0
Black	5,686	231	18.9	158	13.0	152	12.5
Balance of area	34,342	621	10.5	403	6.8	488	8.2
White	27,099	387	8.7	247	5.5	323	7.2
All other	7,243	234	15.9	156	10.6	165	11.2
Black	6,875	218	16.7	147	11.3	153	11.8
Metropolitan counties	25,857	558	11.3	378	7.6	396	8.0
White	20,156	337	9.5	228	6.4	241	6.8
All other	5,701	221	15.9	150	10.8	155	11.2
Black	5,646	217	16.8	148	11.5	150	11.6
Urban places	14,118	326	14.0	227	9.8	205	8.8
White	9,942	153	11.3	106	7.8	91	6.7
All other	4,176	173	17.8	121	12.5	114	11.7
Black	4,147	169	18.5	119	13.0	112	12.2
Balance of area	11,739	232	8.8	151	5.7	191	7.3
White	10,214	184	8.3	122	5.5	150	6.8
All other	1,525	48	11.5	29	7.0	41	9.8
Black	1,499	48	12.8	29	7.8	38	10.2
Nonmetropolitan counties	27,131	493	12.4	317	7.9	366	9.2
White	19,849	245	9.4	151	5.8	201	7.7
All other	7,282	248	18.0	166	12.1	165	12.0
Black	6,915	232	18.8	157	12.7	155	12.6
Urban places	4,528	104	15.2	65	9.5	69	10.1
White	2,864	42	11.6	26	7.2	28	7.7
All other	1,564	62	19.4	39	12.2	41	12.8
Black	1,539	62	20.4	39	12.8	40	13.1
Balance of area	22,603	389	11.8	252	7.6	297	9.0
White	16,985	203	9.0	125	5.6	173	7.7
All other	5,718	186	17.6	127	12.0	124	11.8
Black	5,376	170	18.3	118	12.7	115	12.4
North Dakota	5,628	100	8.5	63	5.4	65	5.5
White	5,472	89	8.4	56	5.3	58	5.5
All other	156	11	9.9	7	6.3	7	6.3
Black	4	1	6.9	1	6.9	1	6.9
Urban places	1,932	53	10.5	31	6.2	29	5.8
White	1,913	51	10.7	29	6.1	27	5.7
All other	19	2	7.5	2	7.5	2	7.5
Black	3	1	18.2	1	18.2	1	18.2
Balance of area	3,696	47	7.0	32	4.8	36	5.4
White	3,559	38	6.5	27	4.6	31	5.3
All other	137	9	10.6	5	5.9	5	5.9
Black	1	–	–	–	–	–	–
Metropolitan counties	1,558	47	10.4	32	7.1	29	6.4
White	1,548	46	10.7	31	7.2	29	6.8
All other	10	1	4.0	1	4.0	–	–
Black	3	1	12.3	1	12.3	–	–
Urban places	1,222	39	11.6	27	8.0	21	6.2
White	1,214	38	11.9	26	8.2	21	6.6
All other	8	1	5.7	1	5.7	–	–
Black	2	1	29.4	1	29.4	–	–
Balance of area	336	8	6.8	5	4.3	8	6.8
White	334	8	7.3	5	4.6	8	7.3
All other	2	–	–	–	–	–	–
Black	1	–	–	–	–	–	–
Nonmetropolitan counties	4,070	53	7.4	31	4.3	36	5.0
White	3,924	43	6.8	25	4.0	29	4.6
All other	146	10	11.6	6	6.9	7	8.1
Black	1	–	–	–	–	1	15.9
Urban places	710	14	8.4	4	2.4	8	4.8
White	699	13	8.3	3	1.9	6	3.8
All other	11	1	11.0	1	11.0	2	22.0
Black	1	–	–	–	–	1	47.6
Balance of area	3,360	39	7.1	27	4.9	28	5.1
White	3,225	30	6.3	22	4.6	23	4.8
All other	135	9	11.6	5	6.5	5	6.5
Black	–	–	–	–	–	–	–

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Ohio	98,941	1,660	10.3	1,082	6.7	1,225	7.6
White	88,910	1,261	9.3	827	6.1	940	6.9
All other	10,031	399	16.1	255	10.3	285	11.5
Black	9,903	390	16.9	250	10.9	276	12.0
Urban places	58,757	1,033	11.2	663	7.2	760	8.3
White	49,589	659	9.5	427	6.1	499	7.2
All other	9,168	374	16.5	236	10.4	261	11.5
Black	9,073	366	17.2	232	10.9	256	12.0
Balance of area	40,184	627	9.2	419	6.1	465	6.8
White	39,321	602	9.1	400	6.0	441	6.7
All other	863	25	11.6	19	8.8	24	11.2
Black	830	24	14.1	18	10.6	20	11.7
Metropolitan counties	78,917	1,351	10.5	890	6.9	967	7.5
White	69,267	953	9.2	644	6.1	694	6.6
All other	9,650	388	16.3	246	10.3	273	11.5
Black	9,536	380	17.0	242	10.9	266	11.9
Urban places	52,340	935	11.2	596	7.2	675	8.1
White	43,379	571	9.3	368	6.0	420	6.9
All other	8,961	364	16.5	228	10.4	255	11.6
Black	8,869	357	17.1	225	10.8	250	12.0
Balance of area	26,577	416	9.2	294	6.5	292	6.4
White	25,888	392	9.0	276	6.3	274	6.3
All other	689	24	13.4	18	10.0	18	10.0
Black	667	23	15.6	17	11.5	16	10.8
Nonmetropolitan counties	20,024	309	9.7	192	6.0	258	8.1
White	19,643	298	9.7	183	5.9	246	8.0
All other	381	11	11.4	9	9.4	12	12.5
Black	367	10	13.6	8	10.9	10	13.6
Urban places	6,417	98	11.2	67	7.6	85	9.7
White	6,210	88	10.8	59	7.2	79	9.7
All other	207	10	16.5	8	13.2	6	9.9
Black	204	9	17.6	7	13.7	6	11.8
Balance of area	13,607	211	9.2	125	5.4	173	7.5
White	13,433	210	9.3	124	5.5	167	7.4
All other	174	1	2.8	1	2.8	6	16.9
Black	163	1	4.4	1	4.4	4	17.8
Oklahoma	29,782	577	10.9	363	6.8	402	7.6
White	26,836	453	10.8	285	6.8	306	7.3
All other	2,946	124	11.0	78	6.9	96	8.5
Black	1,952	98	18.5	64	12.1	54	10.2
Urban places	15,133	368	11.9	244	7.9	225	7.3
White	13,469	271	11.3	182	7.6	161	5.7
All other	1,664	97	13.8	62	8.8	64	9.1
Black	1,417	87	19.7	58	13.1	48	10.9
Balance of area	14,649	209	9.4	119	5.4	177	8.0
White	13,367	182	10.2	103	5.8	145	8.1
All other	1,282	27	6.3	16	3.8	32	7.5
Black	535	11	12.4	6	6.8	6	6.8
Metropolitan counties	15,203	363	10.8	239	7.1	241	7.2
White	13,674	271	10.3	179	6.8	176	6.7
All other	1,529	92	12.5	60	8.1	65	8.8
Black	1,207	82	19.6	56	13.4	45	10.8
Urban places	11,315	306	12.0	209	8.2	183	7.2
White	10,075	217	11.1	151	7.7	129	6.6
All other	1,240	89	15.1	58	9.9	54	9.2
Black	1,079	80	21.0	55	14.4	43	11.3
Balance of area	3,888	57	6.9	30	3.7	58	7.1
White	3,599	54	8.1	28	4.2	47	7.0
All other	289	3	2.0	2	1.3	11	7.3
Black	128	2	5.4	1	2.7	2	5.4
Nonmetropolitan counties	14,579	214	11.0	124	6.4	161	8.3
White	13,162	182	11.7	106	6.8	130	8.4
All other	1,417	32	8.2	18	4.6	31	8.0
Black	745	16	14.3	8	7.2	9	8.1
Urban places	3,818	62	11.3	35	6.4	42	7.6
White	3,394	54	12.4	31	7.1	32	7.3
All other	424	8	7.0	4	3.5	10	8.8
Black	338	7	11.6	3	5.0	5	8.3
Balance of area	10,761	152	10.9	89	6.4	119	8.5
White	9,768	128	11.4	75	6.7	98	8.8
All other	993	24	8.7	14	5.1	21	7.7
Black	407	9	17.5	5	9.7	4	7.8

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Oregon	23,896	389	9.9	209	5.3	242	6.1
White	23,328	356	9.7	191	5.2	232	6.3
All other	568	33	11.4	18	6.2	10	3.4
Black	301	17	17.3	9	9.2	4	4.1
Urban places	11,178	186	9.8	99	5.2	103	5.5
White	10,761	162	9.6	86	5.1	98	5.8
All other	417	24	12.4	13	6.7	5	2.6
Black	271	15	17.6	9	10.5	4	4.7
Balance of area	12,718	203	9.9	110	5.3	139	6.7
White	12,567	194	9.9	105	5.3	134	6.8
All other	151	9	9.3	5	5.2	5	5.2
Black	30	2	15.7	–	–	–	–
Metropolitan counties	15,088	263	10.1	143	5.5	138	5.3
White	14,645	238	10.0	129	5.4	131	5.5
All other	443	25	11.0	14	6.2	7	3.1
Black	275	15	16.3	9	9.8	4	4.4
Urban places	8,727	150	9.9	82	5.4	82	5.4
White	8,345	128	9.6	69	5.1	77	5.7
All other	382	22	12.5	13	7.4	5	2.8
Black	256	13	15.8	9	10.9	4	4.9
Balance of area	6,361	113	10.4	61	5.6	56	5.1
White	6,300	110	10.5	60	5.8	54	5.2
All other	61	3	5.9	1	2.0	2	3.9
Black	19	2	21.1	–	–	–	–
Nonmetropolitan counties	8,808	126	9.4	66	4.9	104	7.7
White	8,683	118	9.2	62	4.8	101	7.9
All other	125	8	12.5	4	6.3	3	4.7
Black	26	2	31.7	–	–	–	–
Urban places	2,451	36	9.7	17	4.6	21	5.6
White	2,416	34	9.6	17	4.8	21	5.9
All other	35	2	11.0	–	–	–	–
Black	15	2	64.5	–	–	–	–
Balance of area	6,357	90	9.3	49	5.0	83	8.5
White	6,267	84	9.1	45	4.9	80	8.6
All other	90	6	13.1	4	8.8	3	6.6
Black	11	–	–	–	–	–	–
Pennsylvania	123,854	1,766	11.0	1,227	7.6	1,425	8.9
White	112,425	1,298	9.5	914	6.7	1,125	8.3
All other	11,429	468	19.1	313	12.8	300	12.3
Black	11,240	455	20.4	302	13.5	285	12.8
Urban places	64,608	1,060	13.3	751	9.4	744	9.3
White	54,049	624	10.9	459	8.0	470	8.2
All other	10,559	436	19.5	292	13.1	274	12.3
Black	10,406	425	20.4	283	13.6	269	12.6
Balance of area	59,246	706	8.7	476	5.9	681	8.4
White	58,376	674	8.6	455	5.8	655	8.3
All other	870	32	15.2	21	10.0	26	12.3
Black	834	30	19.5	19	12.3	22	14.3
Metropolitan counties	101,247	1,498	11.3	1,050	7.9	1,192	9.0
White	90,035	1,038	9.6	741	6.8	895	8.2
All other	11,212	460	19.2	309	12.9	297	12.4
Black	11,035	448	20.4	299	13.6	282	12.8
Urban places	61,131	1,015	13.3	715	9.3	716	9.4
White	50,651	584	10.7	427	7.9	443	8.1
All other	10,480	431	19.4	288	13.0	273	12.3
Black	10,330	421	20.4	280	13.6	262	12.7
Balance of area	40,116	483	8.6	335	6.0	476	8.5
White	39,384	454	8.4	314	5.8	452	8.3
All other	732	29	16.1	21	11.7	24	13.4
Black	705	27	20.3	19	14.3	20	15.0
Nonmetropolitan counties	22,607	268	9.6	177	6.3	233	8.3
White	22,390	260	9.5	173	6.3	230	8.4
All other	217	8	15.8	4	7.9	3	5.9
Black	205	7	18.2	3	7.8	3	7.8
Urban places	3,477	45	13.8	36	11.1	28	8.6
White	3,398	40	13.1	32	10.5	27	8.8
All other	79	5	26.0	4	20.8	1	5.2
Black	76	4	22.7	3	17.0	1	5.7
Balance of area	19,130	223	9.0	141	5.7	205	8.3
White	18,992	220	9.0	141	5.8	203	8.3
All other	138	3	9.6	–	–	2	6.4
Black	129	3	14.4	–	–	2	9.6

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Rhode Island	9,647	107	8.2	78	6.0	101	7.7
White	9,352	95	8.1	69	5.9	84	7.2
All other	295	12	8.9	9	6.7	17	12.7
Black	250	10	10.7	8	8.6	16	17.1
Urban places	7,762	84	8.3	62	6.1	82	8.1
White	7,487	72	8.1	53	6.0	66	7.4
All other	275	12	9.6	9	7.2	16	12.8
Black	245	10	11.1	8	8.9	15	16.7
Balance of area	1,885	23	7.9	16	5.5	19	6.5
White	1,865	23	8.2	16	5.7	18	6.4
All other	20	-	-	-	-	1	10.6
Black	5	-	-	-	-	1	28.6
Metropolitan counties	8,947	98	8.3	74	6.2	94	7.9
White	8,675	86	8.1	65	6.1	78	7.3
All other	272	12	9.6	9	7.2	16	12.8
Black	229	10	11.6	8	9.3	15	17.4
Urban places	7,368	78	8.3	59	6.2	78	8.3
White	7,115	66	8.0	50	6.0	63	7.6
All other	253	12	10.3	9	7.7	15	12.9
Black	225	10	12.0	8	9.6	14	16.8
Balance of area	1,579	20	8.2	15	6.2	16	6.6
White	1,560	20	8.5	15	6.4	15	6.4
All other	19	-	-	-	-	1	12.3
Black	4	-	-	-	-	1	37.0
Nonmetropolitan counties	700	9	7.8	4	3.5	7	6.1
White	677	9	8.5	4	3.8	6	5.6
All other	23	-	-	-	-	1	10.6
Black	21	-	-	-	-	1	13.7
Urban places	394	6	8.8	3	4.4	4	5.9
White	372	6	10.1	3	5.0	3	5.0
All other	22	-	-	-	-	1	12.3
Black	20	-	-	-	-	1	15.4
Balance of area	306	3	6.3	1	2.1	3	6.3
White	305	3	6.5	1	2.2	3	6.5
All other	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-
South Carolina	27,099	738	14.2	519	10.0	564	10.9
White	18,409	303	9.6	207	6.6	254	8.0
All other	8,690	435	21.4	312	15.4	310	15.3
Black	8,660	432	21.8	309	15.6	308	15.5
Urban places	7,809	229	16.5	169	12.2	145	10.5
White	5,236	79	10.8	58	7.9	62	8.5
All other	2,573	150	22.9	111	16.9	83	12.6
Black	2,563	149	23.3	110	17.2	83	13.0
Balance of area	19,290	509	13.4	350	9.2	419	11.0
White	13,173	224	9.2	149	6.1	192	7.9
All other	6,117	285	20.7	201	14.6	227	16.5
Black	6,097	283	21.0	199	14.8	225	16.7
Metropolitan counties	15,440	430	13.8	307	9.8	314	10.0
White	11,216	208	9.9	143	6.8	159	7.6
All other	4,224	222	21.5	164	15.9	155	15.0
Black	4,206	220	22.0	162	16.2	155	15.5
Urban places	6,112	167	16.8	135	12.1	123	11.0
White	4,098	70	11.7	51	8.5	51	8.5
All other	2,014	117	22.7	84	16.3	72	14.0
Black	2,006	117	23.3	84	16.7	72	14.3
Balance of area	9,328	243	12.1	172	8.6	191	9.5
White	7,118	138	9.2	92	6.2	108	7.2
All other	2,210	105	20.3	80	15.4	83	16.0
Black	2,200	103	20.6	78	15.6	83	16.6
Nonmetropolitan counties	11,659	308	14.9	212	10.3	250	12.1
White	7,193	95	8.9	64	6.0	95	8.9
All other	4,466	213	21.3	148	14.8	155	15.5
Black	4,454	212	21.5	147	14.9	153	15.5
Urban places	1,697	42	15.5	34	12.6	22	8.1
White	1,138	9	6.9	7	5.4	11	8.5
All other	559	33	23.5	27	19.2	11	7.8
Black	557	32	23.2	26	18.9	11	8.0
Balance of area	9,962	266	14.8	178	9.9	228	12.7
White	6,055	86	9.2	57	6.1	84	9.0
All other	3,907	180	21.0	121	14.1	144	16.8
Black	3,897	180	21.3	121	14.3	142	16.8

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota [3]	6,603	120	9.9	65	5.4	76	6.3
White	6,216	90	8.9	55	5.4	60	5.9
All other	387	30	14.9	10	5.0	16	8.0
Black	6	-	-	-	-	-	-
Urban places	2,220	48	10.8	32	7.2	24	5.4
White	2,180	47	11.7	31	7.7	24	6.0
All other	40	1	2.4	1	2.4	-	-
Black	6	-	-	-	-	-	-
Balance of area	4,383	72	9.4	33	4.3	52	6.8
White	4,036	43	7.0	24	3.9	36	5.9
All other	347	29	18.3	9	5.7	16	10.1
Black	-	-	-	-	-	-	-
Metropolitan counties	920	28	13.8	16	7.9	15	7.4
White	914	28	14.4	16	8.2	15	7.7
All other	6	-	-	-	-	-	-
Black	1	-	-	-	-	-	-
Urban places	730	21	13.1	12	7.5	11	6.9
White	724	21	13.8	12	7.9	11	7.2
All other	6	-	-	-	-	-	-
Black	1	-	-	-	-	-	-
Balance of area	190	7	16.3	4	9.3	4	9.3
White	190	7	16.6	4	9.5	4	9.5
All other	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Nonmetropolitan counties	5,683	92	9.1	49	4.9	61	6.0
White	5,302	62	7.6	39	4.8	45	5.5
All other	381	30	15.6	10	5.2	16	8.3
Black	5	-	-	-	-	-	-
Urban places	1,490	27	9.5	20	7.1	13	4.6
White	1,456	26	10.5	19	7.6	13	5.2
All other	34	1	2.9	1	2.9	-	-
Black	5	-	-	-	-	-	-
Balance of area	4,193	65	8.9	29	4.0	48	6.6
White	3,846	36	6.3	20	3.5	32	5.6
All other	347	29	18.3	9	5.7	16	10.1
Black	-	-	-	-	-	-	-
Tennessee [3]	43,226	759	11.4	503	7.5	497	7.4
White	35,775	453	8.9	279	5.5	343	6.7
All other	7,451	306	19.4	224	14.2	154	9.8
Black	7,404	306	20.2	224	14.8	147	9.7
Urban places	21,521	485	14.2	338	9.9	251	7.3
White	15,576	222	10.6	146	7.0	128	6.1
All other	5,945	263	19.8	192	14.5	123	9.3
Black	5,908	263	20.5	192	15.0	119	9.3
Balance of area	21,705	274	8.4	165	5.1	246	7.6
White	20,199	231	7.7	133	4.4	215	7.2
All other	1,506	43	17.3	32	12.9	31	12.5
Black	1,496	43	18.2	32	13.6	28	11.9
Metropolitan counties	25,800	550	12.4	378	8.5	311	7.0
White	19,970	282	9.0	183	5.8	194	6.2
All other	5,830	268	20.4	195	14.9	117	8.9
Black	5,788	268	21.2	195	15.4	113	8.9
Urban places	18,365	442	14.6	307	10.2	221	7.3
White	12,924	192	10.7	125	7.0	111	6.2
All other	5,441	250	20.4	182	14.8	110	9.0
Black	5,405	250	21.1	182	15.3	107	9.0
Balance of area	7,435	108	7.6	71	5.0	90	6.3
White	7,046	90	6.7	58	4.3	83	6.2
All other	389	18	20.9	13	15.1	7	8.1
Black	383	18	22.7	13	16.4	6	7.6
Nonmetropolitan counties	17,426	209	9.4	125	5.6	186	8.3
White	15,805	171	8.7	96	4.9	149	7.6
All other	1,621	38	14.5	29	11.1	37	14.1
Black	1,616	38	15.0	29	11.5	34	13.4
Urban places	3,156	43	10.6	31	7.7	30	7.4
White	2,652	30	9.8	21	6.9	17	5.6
All other	504	13	13.1	10	10.1	13	13.1
Black	503	13	13.5	10	10.4	12	12.5
Balance of area	14,270	166	9.1	94	5.1	156	8.5
White	13,153	141	8.5	75	4.5	132	7.9
All other	1,117	25	15.4	19	11.7	24	14.8
Black	1,113	25	15.9	19	12.1	22	14.0

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Texas	118,336	3,014	9.8	1,903	6.2	2,228	7.2
White	102,312	2,338	9.0	1,491	5.7	1,775	6.8
All other	16,024	676	14.0	412	8.5	453	9.4
Black	15,596	644	15.5	394	9.5	421	10.1
Urban places	75,526	2,175	10.2	1,370	6.4	1,548	7.3
White	63,197	1,599	9.2	1,022	5.9	1,170	6.8
All other	12,331	576	14.5	348	8.7	378	9.5
Black	11,977	549	15.9	333	9.7	354	10.3
Balance of area	42,808	839	8.8	533	5.6	680	7.1
White	39,115	739	8.5	469	5.4	605	7.0
All other	3,693	100	11.9	64	7.6	75	8.9
Black	3,619	95	13.3	61	8.6	67	9.4
Metropolitan counties	86,637	2,521	9.8	1,602	6.2	1,825	7.1
White	73,847	1,924	8.9	1,236	5.7	1,443	6.7
All other	12,790	597	13.9	366	8.5	382	8.9
Black	12,382	566	15.5	348	9.5	354	9.7
Urban places	68,092	2,043	10.3	1,291	6.5	1,434	7.2
White	56,585	1,486	9.2	954	5.9	1,083	6.7
All other	11,507	557	14.7	337	8.9	351	9.2
Black	11,161	530	16.2	322	9.8	329	10.0
Balance of area	18,545	478	8.1	311	5.3	391	6.6
White	17,262	438	8.1	282	5.2	360	6.6
All other	1,283	40	8.2	29	5.9	31	6.3
Black	1,221	36	9.4	26	6.8	25	6.5
Nonmetropolitan counties	31,699	493	9.8	301	6.0	403	8.0
White	28,465	414	9.2	255	5.7	332	7.4
All other	3,234	79	14.9	46	8.7	71	13.4
Black	3,214	78	15.8	46	9.3	67	13.6
Urban places	7,436	132	9.4	79	5.6	114	8.1
White	6,612	113	9.3	68	5.6	87	7.1
All other	824	19	10.7	11	6.2	27	15.2
Black	816	19	11.6	11	6.7	25	15.2
Balance of area	24,263	361	10.0	222	6.1	289	8.0
White	21,853	301	9.2	187	5.7	245	7.5
All other	2,410	60	17.1	35	10.0	44	12.5
Black	2,398	59	18.0	35	10.7	42	12.8
Utah	9,049	360	9.6	204	5.4	258	6.9
White	8,815	345	9.7	196	5.5	245	6.9
All other	234	15	7.7	8	4.1	13	6.7
Black	54	1	3.3	1	3.3	3	10.0
Urban places	4,949	199	10.6	112	6.0	150	8.0
White	4,845	191	10.8	108	6.1	141	8.0
All other	104	8	7.5	4	3.8	9	8.5
Black	47	1	4.8	1	4.8	3	14.4
Balance of area	4,100	161	8.6	92	4.9	108	5.8
White	3,970	154	8.6	88	4.9	104	5.8
All other	130	7	7.9	4	4.5	4	4.5
Black	7	-	-	-	-	-	-
Metropolitan counties	6,834	278	9.5	154	5.3	203	6.9
White	6,695	267	9.6	148	5.3	192	6.9
All other	139	11	7.6	6	4.2	11	7.6
Black	53	1	3.6	1	3.8	3	10.8
Urban places	4,434	182	10.9	101	6.1	137	8.2
White	4,337	174	11.1	97	6.2	128	8.2
All other	97	8	8.3	4	4.1	9	9.3
Black	47	1	5.1	1	5.1	3	15.2
Balance of area	2,400	96	7.6	53	4.2	66	5.2
White	2,358	93	7.7	51	4.2	64	5.3
All other	42	3	6.3	2	4.2	2	4.2
Black	6	-	-	-	-	-	-
Nonmetropolitan counties	2,215	82	10.0	50	6.1	55	6.7
White	2,120	78	10.2	48	6.3	53	6.9
All other	95	4	7.9	2	4.0	2	4.0
Black	1	-	-	-	-	-	-
Urban places	515	17	8.3	11	5.4	13	6.3
White	508	17	8.7	11	5.6	13	6.7
All other	7	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Balance of area	1,700	65	10.6	39	6.4	42	6.9
White	1,612	61	10.7	37	6.5	40	7.0
All other	88	4	9.8	2	4.9	2	4.9
Black	1	-	-	-	-	-	-

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days			
		Number	Rate	Number	Rate	Number	Ratio
Vermont	4,662	68	8.5	43	5.4	57	7.1
White	4,656	68	8.5	43	5.4	57	7.2
All other	6	-	-	-	-	-	-
Black	4	-	-	-	-	-	-
Urban places	689	9	10.3	8	9.1	3	3.4
White	688	9	10.4	8	9.3	3	3.5
All other	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-
Balance of area	3,973	59	8.2	35	4.9	54	7.5
White	3,968	59	8.3	35	4.9	54	7.6
All other	5	-	-	-	-	-	-
Black	3	-	-	-	-	-	-
Metropolitan counties	777	16	8.5	12	6.3	10	5.3
White	775	16	8.6	12	6.4	10	5.4
All other	2	-	-	-	-	-	-
Black	1	-	-	-	-	-	-
Urban places	403	8	13.1	7	11.4	-	-
White	402	8	13.2	7	11.6	-	-
All other	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-
Balance of area	374	8	6.3	5	3.9	10	7.8
White	373	8	6.3	5	4.0	10	7.9
All other	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Nonmetropolitan counties	3,885	52	8.5	31	5.0	47	7.6
White	3,881	52	8.5	31	5.1	47	7.7
All other	4	-	-	-	-	-	-
Black	3	-	-	-	-	-	-
Urban places	286	1	3.8	1	3.8	3	11.3
White	286	1	3.9	1	3.9	3	11.6
All other	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Balance of area	3,599	51	8.7	30	5.1	44	7.5
White	3,595	51	8.7	30	5.1	44	7.5
All other	4	-	-	-	-	-	-
Black	3	-	-	-	-	-	-
Virginia	45,277	989	11.5	695	8.1	908	10.6
White	35,357	586	9.3	411	6.5	561	8.9
All other	9,920	403	17.6	284	12.4	347	15.2
Black	9,711	391	19.2	278	13.6	341	16.7
Urban places	19,594	523	13.4	385	9.9	426	10.9
White	13,802	253	10.1	189	7.6	215	8.6
All other	5,792	270	19.1	196	13.9	211	14.9
Black	5,697	264	20.5	192	14.9	208	16.2
Balance of area	25,683	466	9.9	310	6.6	482	10.3
White	21,555	333	8.7	222	5.8	346	9.0
All other	4,128	133	15.2	88	10.1	136	15.5
Black	4,014	127	17.0	86	11.5	133	17.8
Metropolitan counties	29,242	765	11.8	543	8.4	649	10.0
White	22,091	433	9.4	309	6.7	385	8.3
All other	7,151	332	17.8	234	12.5	264	14.1
Black	6,964	320	19.7	228	14.0	258	15.8
Urban places	17,861	504	13.7	372	10.1	400	10.9
White	12,268	241	10.5	181	7.9	197	8.5
All other	5,593	263	19.2	191	13.9	203	14.8
Black	5,500	257	20.6	187	15.0	200	16.0
Balance of area	11,381	261	9.3	171	6.1	249	8.9
White	9,823	192	8.3	128	5.5	188	8.1
All other	1,558	69	13.9	43	8.7	61	12.3
Black	1,464	63	16.6	41	10.8	58	15.3
Nonmetropolitan counties	16,035	224	10.6	152	7.2	259	12.2
White	13,266	159	9.0	102	6.0	176	10.3
All other	2,769	71	16.8	50	11.9	83	19.7
Black	2,747	71	17.4	50	12.2	83	20.3
Urban places	1,733	19	8.2	13	5.6	26	11.2
White	1,534	12	6.4	8	4.2	18	9.5
All other	199	7	16.3	5	11.6	8	18.6
Black	197	7	17.8	5	12.7	8	20.3
Balance of area	14,302	205	10.8	139	7.3	233	12.3
White	11,732	141	9.3	94	6.2	158	10.4
All other	2,570	64	16.9	45	11.9	75	19.8
Black	2,550	64	17.3	45	12.2	75	20.3

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Washington	34,504	752	10.7	435	6.2	406	5.8
White	32,921	669	10.9	389	6.3	338	5.5
All other	1,583	83	9.5	46	5.2	68	7.8
Black	716	41	12.6	26	8.0	35	10.8
Urban places	17,620	350	11.9	208	7.0	194	6.6
White	16,475	299	12.2	179	7.3	153	6.2
All other	1,145	51	10.2	29	5.8	41	8.2
Black	632	34	15.7	20	9.2	23	10.6
Balance of area	16,884	402	9.9	227	5.6	212	5.2
White	16,446	370	10.0	210	5.7	185	5.0
All other	438	32	8.5	17	4.5	27	7.2
Black	84	7	6.5	6	5.6	12	11.1
Metropolitan counties	26,755	600	10.6	353	6.2	330	5.8
White	25,316	533	10.8	317	6.4	265	5.4
All other	1,439	67	8.6	36	4.6	65	8.2
Black	703	39	12.4	24	7.6	35	11.1
Urban places	15,425	308	11.8	184	7.1	174	6.7
White	14,307	261	12.3	159	7.5	133	6.3
All other	1,118	47	9.9	25	5.2	41	8.6
Black	622	32	15.1	18	8.5	23	10.9
Balance of area	11,330	292	9.3	169	5.4	156	5.0
White	11,009	272	9.7	158	5.6	132	4.7
All other	321	20	6.4	11	3.5	24	7.7
Black	81	7	6.7	6	5.8	12	11.5
Nonmetropolitan counties	7,749	152	11.8	82	6.3	76	5.9
White	7,605	136	11.3	72	6.0	73	6.1
All other	144	16	18.3	10	11.5	3	3.4
Black	13	2	21.7	2	21.7	-	-
Urban places	2,195	42	12.1	24	6.9	20	5.8
White	2,168	38	11.8	20	6.2	20	6.2
All other	27	4	16.7	4	16.7	-	-
Black	10	2	37.7	2	37.7	-	-
Balance of area	5,554	110	11.6	58	6.1	56	5.9
White	5,437	98	11.1	52	5.9	53	6.0
All other	117	12	19.0	6	9.5	3	4.7
Black	3	-	-	-	-	-	-
West Virginia	19,444	259	10.7	177	7.3	195	8.1
White	18,581	239	10.4	162	7.0	180	7.8
All other	863	20	18.2	15	13.7	15	13.7
Black	853	20	20.6	15	15.5	14	14.4
Urban places	5,486	59	11.2	40	7.6	53	10.0
White	5,101	48	10.2	31	6.6	42	8.9
All other	385	11	19.7	9	16.1	11	19.7
Black	378	11	21.8	9	17.9	10	19.8
Balance of area	13,958	200	10.6	137	7.3	142	7.5
White	13,480	191	10.4	131	7.2	138	7.5
All other	478	9	16.7	6	11.2	4	7.4
Black	475	9	19.4	6	12.9	4	8.6
Metropolitan counties	7,104	87	10.3	62	7.3	71	8.4
White	6,840	84	10.4	59	7.3	63	7.8
All other	264	3	7.0	3	7.0	8	18.7
Black	260	3	7.9	3	7.9	7	18.3
Urban places	3,733	38	10.8	27	7.7	37	10.5
White	3,531	35	10.9	24	7.5	30	8.3
All other	202	3	10.1	3	10.1	7	23.6
Black	198	3	10.8	3	10.8	6	21.7
Balance of area	3,371	49	9.9	35	7.0	34	6.8
White	3,309	49	10.1	35	7.2	33	6.8
All other	62	-	-	-	-	1	7.6
Black	62	-	-	-	-	1	9.5
Nonmetropolitan counties	12,340	172	11.0	115	7.3	124	7.9
White	11,741	155	10.3	103	6.9	117	7.8
All other	599	17	25.4	12	17.9	7	10.5
Black	593	17	29.0	12	20.4	7	11.9
Urban places	1,753	21	11.9	13	7.4	16	9.1
White	1,570	13	8.6	7	4.7	12	8.0
All other	183	8	30.5	6	22.9	4	15.3
Black	180	8	35.2	6	26.4	4	17.6
Balance of area	10,587	151	10.9	102	7.3	108	7.8
White	10,171	142	10.5	96	7.1	105	7.8
All other	416	9	22.1	6	14.7	3	7.4
Black	413	9	25.0	6	16.7	3	8.3
Wisconsin	41,492	674	9.1	415	5.6	468	6.3
White	40,145	558	8.5	342	5.2	370	5.6
All other	1,347	116	14.9	73	9.4	98	12.6
Black	1,075	99	17.4	66	11.6	80	14.1
Urban places	20,996	376	9.9	231	6.1	277	7.3
White	19,846	270	8.7	163	5.3	186	6.0
All other	1,150	106	15.2	68	9.8	91	13.1
Black	1,044	96	17.2	64	11.5	79	14.2
Balance of area	20,496	298	8.3	184	5.1	191	5.3
White	20,299	288	8.2	179	5.1	184	5.3
All other	197	10	12.0	5	6.0	7	8.4
Black	31	3	28.8	2	19.2	1	9.6
Metropolitan counties	25,692	456	9.1	276	5.5	336	6.7
White	24,489	346	8.1	207	4.8	244	5.7
All other	1,203	110	15.4	69	9.7	92	12.9
Black	1,060	97	17.2	64	11.4	80	14.2
Urban places	18,600	350	10.1	212	6.1	258	7.4
White	17,459	244	8.8	144	5.2	167	6.0
All other	1,141	106	15.4	68	9.9	91	13.2
Black	1,041	96	17.3	64	11.5	79	14.2
Balance of area	7,092	106	6.9	64	4.2	78	5.1
White	7,030	102	6.7	63	4.2	77	5.1
All other	62	4	16.2	1	4.0	1	4.0
Black	19	1	13.7	-	-	1	13.7
Nonmetropolitan counties	15,800	218	9.2	139	5.9	132	5.6
White	15,656	212	9.2	135	5.9	126	5.5
All other	144	6	8.9	4	5.9	6	8.9
Black	15	2	50.0	2	50.0	-	-
Urban places	2,396	26	7.9	19	5.7	19	5.7
White	2,387	26	8.1	19	5.9	19	5.9
All other	9	-	-	-	-	-	-
Black	3	-	-	-	-	-	-
Balance of area	13,404	192	9.4	120	5.9	113	5.5
White	13,269	186	9.4	116	5.9	107	5.4
All other	135	6	10.2	4	6.8	6	10.2
Black	12	2	64.5	2	64.5	-	-
Wyoming	3,279	114	12.2	60	6.4	63	6.7
White	3,191	108	12.2	57	6.4	59	6.7
All other	88	6	11.5	3	5.7	4	7.6
Black	25	1	9.9	1	9.9	2	19.8
Urban places	1,474	51	11.9	31	7.2	29	6.8
White	1,448	50	12.3	30	7.4	27	6.6
All other	26	1	4.8	1	4.8	2	9.5
Black	23	1	11.5	1	11.5	2	23.0
Balance of area	1,805	63	12.4	29	5.7	34	6.7
White	1,743	58	12.2	27	5.7	32	6.7
All other	62	5	16.0	2	6.4	2	6.4
Black	2	-	-	-	-	-	-
Metropolitan counties	422	18	12.9	10	7.1	12	8.6
White	415	18	13.2	10	7.3	10	7.3
All other	7	-	-	-	-	2	62.5
Black	7	-	-	-	-	2	181.8
Urban places	331	12	10.7	8	7.2	11	9.8
White	324	12	11.0	8	7.4	9	8.3
All other	7	-	-	-	-	2	66.7
Black	7	-	-	-	-	2	181.8
Balance of area	91	6	21.3	2	7.1	1	3.5
White	91	6	21.4	2	7.1	1	3.6
All other	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-
Nonmetropolitan counties	2,857	96	12.0	50	6.3	51	6.4
White	2,776	90	12.0	47	6.3	49	6.6
All other	81	6	12.2	3	6.1	2	4.1
Black	18	1	11.1	1	11.1	-	-
Urban places	1,143	39	12.3	23	7.2	18	5.7
White	1,124	38	12.7	22	7.4	18	6.0
All other	19	1	5.6	1	5.6	-	-
Black	16	1	13.2	1	13.2	-	-
Balance of area	1,714	57	11.9	27	5.8	33	6.9
White	1,652	52	11.6	25	5.6	31	6.9
All other	62	5	16.1	2	6.4	2	6.4
Black	2	-	-	-	-	-	-

[1] Includes data for Brick Township and Dover Township (Ocean County), New Jersey, which had 1980 populations of 53,629 and 64,455, respectively. Ocean county is not designated as metropolitan.
[2] County equivalents.
[3] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	2,086,440	40,030	7,339	8,933	37,935	51,852	65,815	116,634	286,480	482,646	588,848	419,051	877
Male	1,097,758	22,958	4,241	5,485	28,162	37,354	43,494	73,320	177,711	283,017	279,872	141,653	491
Female	988,682	17,072	3,098	3,448	9,773	14,498	22,321	43,314	108,769	199,629	288,976	277,398	386
White	1,819,054	27,864	5,351	6,812	30,390	38,463	49,608	92,204	241,237	422,956	513,954	389,513	702
Male	950,455	16,218	3,111	4,215	22,582	28,102	32,907	58,347	151,038	249,919	253,058	130,583	377
Female	868,599	11,646	2,240	2,597	7,808	10,361	16,701	33,857	90,199	173,037	260,898	258,930	325
All other	267,386	12,166	1,988	2,121	7,545	13,389	16,207	24,430	45,243	59,690	54,894	29,538	175
Male	147,303	6,740	1,130	1,270	5,580	9,252	10,587	14,973	26,673	33,098	26,816	11,070	114
Female	120,083	5,426	858	851	1,965	4,137	5,620	9,457	18,570	26,592	28,078	18,468	61
Black	244,207	11,063	1,704	1,827	6,503	12,144	14,779	22,486	41,836	55,032	50,000	26,675	158
Male	133,610	6,127	961	1,099	4,806	8,415	9,724	13,821	24,657	30,310	23,604	9,780	106
Female	110,597	4,936	743	728	1,697	3,729	5,055	8,665	17,179	24,722	26,196	16,895	52
Metropolitan counties	1,519,024	30,807	5,282	6,217	27,783	40,678	50,663	88,439	214,512	349,047	406,251	298,644	701
Male	791,302	17,682	3,054	3,784	20,615	29,346	33,466	55,304	132,130	201,758	195,447	98,376	362
Female	727,722	13,145	2,228	2,433	7,168	11,332	17,197	33,135	82,382	147,291	210,804	200,268	339
White	1,308,951	20,824	3,730	4,577	21,808	29,527	37,249	68,339	177,795	302,668	364,894	276,978	562
Male	675,392	12,125	2,157	2,814	16,173	21,631	24,687	42,951	110,522	176,137	175,474	90,446	275
Female	633,559	8,699	1,573	1,763	5,635	7,896	12,562	25,388	67,273	126,531	189,420	186,532	287
All other	210,073	9,983	1,552	1,640	5,975	11,151	13,414	20,100	36,717	46,379	41,357	21,666	139
Male	115,910	5,537	897	970	4,442	7,715	8,779	12,353	21,608	25,619	19,973	7,930	87
Female	94,163	4,446	655	670	1,533	3,436	4,635	7,747	15,109	20,760	21,384	13,736	52
Black	193,189	9,196	1,358	1,435	5,346	10,374	12,428	18,723	34,181	42,867	37,639	19,517	125
Male	105,977	5,107	782	857	3,971	7,219	8,187	11,533	20,099	23,528	17,646	6,966	82
Female	87,212	4,089	576	578	1,375	3,155	4,241	7,190	14,082	19,339	19,993	12,551	43
Nonmetropolitan counties	567,416	9,223	2,057	2,716	10,152	11,174	15,152	28,195	71,968	133,599	162,597	120,407	176
Male	306,456	5,296	1,187	1,701	7,547	8,008	10,028	18,016	45,581	81,261	84,425	43,277	129
Female	260,960	3,927	870	1,015	2,605	3,166	5,124	10,179	26,387	52,338	78,172	77,130	47
White	510,103	7,040	1,621	2,235	8,582	8,936	12,359	23,865	63,442	120,288	149,060	112,535	140
Male	275,063	4,093	954	1,401	6,409	6,471	8,220	15,396	40,516	73,782	77,582	40,137	102
Female	235,040	2,947	667	834	2,173	2,465	4,139	8,469	22,926	46,506	71,478	72,398	38
All other	57,313	2,183	436	481	1,570	2,238	2,793	4,330	8,526	13,311	13,537	7,872	36
Male	31,393	1,203	233	300	1,138	1,537	1,808	2,620	5,065	7,479	6,843	3,140	27
Female	25,920	980	203	181	432	701	985	1,710	3,461	5,832	6,694	4,732	9
Black	51,018	1,867	345	392	1,157	1,770	2,351	3,763	7,655	12,165	12,361	7,158	33
Male	27,633	1,020	179	242	835	1,196	1,537	2,288	4,558	6,782	6,158	2,814	24
Female	23,385	847	167	150	322	574	814	1,475	3,097	5,383	6,203	4,344	9
Alabama	37,603	752	120	193	750	903	1,176	2,370	5,377	9,019	10,394	6,543	6
Male	20,023	432	63	109	555	654	772	1,501	3,397	5,333	5,089	2,133	5
Female	17,580	320	57	84	195	249	404	869	1,980	3,686	5,325	4,410	1
White	27,240	405	68	118	521	511	727	1,607	3,824	6,597	7,831	5,029	4
Male	14,529	230	33	70	377	382	493	1,036	2,505	4,005	3,785	1,609	4
Female	12,711	175	33	48	144	129	234	571	1,319	2,592	4,046	3,420	-
All other	10,363	347	54	75	229	392	449	763	1,553	2,422	2,563	1,514	2
Male	5,494	202	30	39	178	272	279	465	892	1,328	1,284	524	1
Female	4,869	145	24	36	51	120	170	298	661	1,094	1,279	990	1
Black	10,344	344	53	73	229	392	448	760	1,552	2,417	2,561	1,513	2
Male	5,486	201	30	38	178	272	278	464	892	1,326	1,283	523	1
Female	4,858	143	23	35	51	120	170	296	660	1,091	1,278	990	1
Metropolitan counties	22,538	483	70	104	439	571	694	1,484	3,386	5,432	6,086	3,784	5
Male	11,865	289	36	54	329	416	447	921	2,099	3,138	2,955	1,176	5
Female	10,673	194	34	50	110	155	247	563	1,287	2,294	3,131	2,608	-
White	16,215	265	41	58	302	321	418	993	2,375	3,924	4,577	2,937	4
Male	8,521	158	19	33	218	244	270	619	1,525	2,325	2,215	891	4
Female	7,694	107	22	25	84	77	148	374	850	1,599	2,362	2,046	-
All other	6,323	218	29	46	137	250	276	491	1,011	1,508	1,509	847	1
Male	3,344	131	17	21	111	172	177	302	574	813	740	285	1
Female	2,979	87	12	25	26	78	99	189	437	695	769	562	-
Black	6,310	215	28	45	137	250	275	489	1,011	1,505	1,508	846	1
Male	3,339	190	17	21	111	172	176	301	574	812	740	284	1
Female	2,971	85	11	24	26	78	99	188	437	693	768	562	-
Nonmetropolitan counties	15,065	269	50	89	311	332	482	886	1,991	3,587	4,308	2,759	1
Male	8,158	143	27	55	226	238	325	580	1,298	2,195	2,114	957	-
Female	6,907	126	23	34	85	94	157	306	693	1,392	2,194	1,802	1
White	11,025	140	25	60	219	190	309	614	1,449	2,673	3,254	2,092	-
Male	6,008	72	14	37	159	138	223	417	980	1,680	1,570	718	-
Female	5,017	68	11	23	60	52	86	197	469	993	1,684	1,374	-
All other	4,040	129	25	29	92	142	173	272	542	914	1,054	667	1
Male	2,150	71	13	18	67	100	102	163	318	515	544	239	-
Female	1,890	58	12	11	25	42	71	109	224	399	510	428	1
Black	4,034	129	25	28	92	142	173	271	541	912	1,053	667	1
Male	2,147	71	13	17	67	100	102	163	318	514	543	239	-
Female	1,887	58	12	11	25	42	71	108	223	398	510	428	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	2,068	139	32	41	145	219	207	235	315	363	227	140	5
Male	1,345	90	24	25	111	163	157	156	202	240	120	53	4
Female	723	49	8	16	34	56	50	79	113	123	107	87	1
White	1,441	87	15	31	83	145	140	162	251	267	156	102	2
Male	942	59	12	18	62	114	104	110	166	180	82	33	2
Female	499	28	3	13	21	31	36	52	85	87	74	69	-
All other	627	52	17	10	62	74	67	73	64	96	71	38	3
Male	403	31	12	7	49	49	53	46	36	60	38	20	2
Female	224	21	5	3	13	25	14	27	28	36	33	18	1
Black	66	12	3	2	5	4	3	8	4	11	8	3	3
Male	41	6	3	1	4	1	2	8	3	7	2	2	2
Female	25	6	-	1	1	3	1	-	1	4	6	1	1
Metropolitan census areas [1]	739	47	13	8	52	65	76	93	139	121	71	53	1
Male	462	35	10	5	42	44	54	58	86	80	33	15	-
Female	277	12	3	3	10	21	22	35	53	41	38	38	1
White	607	35	8	8	41	54	62	70	127	101	58	45	-
Male	384	26	6	5	34	39	45	45	79	68	26	11	-
Female	223	9	-	3	7	15	17	25	48	33	32	34	-
All other	132	12	7	-	11	11	14	23	12	20	13	8	1
Male	78	9	4	-	8	5	9	13	7	12	7	4	-
Female	54	3	3	-	3	6	5	10	5	8	6	4	1
Black	36	3	2	-	2	3	1	7	1	9	4	3	1
Male	26	3	2	-	1	1	1	7	1	6	2	2	-
Female	10	-	-	-	1	2	-	-	-	3	2	1	1
Nonmetropolitan census areas [1]	1,329	92	19	33	93	154	131	142	176	242	156	87	4
Male	883	55	14	20	69	119	103	98	116	160	87	38	4
Female	446	37	5	13	24	35	28	44	60	82	69	49	-
White	834	52	9	23	42	91	78	92	124	166	98	57	2
Male	558	33	6	13	28	75	59	65	87	112	56	22	2
Female	276	19	3	10	14	16	19	27	37	54	42	35	-
All other	495	40	10	10	51	63	53	50	52	76	58	30	2
Male	325	22	8	7	41	44	44	33	29	48	31	16	2
Female	170	18	2	3	10	19	9	17	23	28	27	14	-
Black	30	9	1	2	3	1	2	1	3	2	4	-	2
Male	15	3	1	1	3	-	1	1	2	1	-	-	2
Female	15	6	-	1	-	1	1	-	1	1	4	-	-
Arizona	24,619	577	133	142	639	739	794	1,378	3,414	6,047	6,716	3,981	59
Male	13,876	352	88	89	464	558	527	886	2,041	3,664	3,659	1,498	50
Female	10,743	225	45	53	175	181	267	492	1,373	2,383	3,057	2,483	9
White	22,955	469	95	118	511	614	672	1,207	3,189	5,766	6,454	3,805	55
Male	12,881	292	60	74	369	469	444	785	1,915	3,503	3,507	1,417	46
Female	10,074	177	35	44	142	145	228	422	1,274	2,263	2,947	2,388	9
All other	1,664	108	38	24	128	125	122	171	225	281	262	176	4
Male	995	80	28	15	95	89	83	101	126	161	152	81	4
Female	669	48	10	9	33	36	39	70	99	120	110	95	-
Black	560	32	11	9	23	21	27	53	103	118	97	63	3
Male	332	20	9	5	17	15	20	36	59	69	49	30	3
Female	228	12	2	4	6	6	7	17	44	49	48	33	-
Metropolitan counties	18,557	417	95	95	442	548	545	1,026	2,540	4,455	5,155	3,220	19
Male	10,302	255	64	63	318	412	364	664	1,518	2,667	2,771	1,191	15
Female	8,255	162	31	32	124	136	181	362	1,022	1,788	2,384	2,029	4
White	17,738	365	78	85	385	504	498	938	2,407	4,297	5,025	3,137	19
Male	9,621	229	51	58	275	382	328	611	1,439	2,582	2,696	1,155	15
Female	7,917	136	27	27	110	122	170	327	968	1,715	2,329	1,982	4
All other	819	52	17	10	57	44	47	88	193	158	130	83	-
Male	481	26	13	5	43	30	36	53	79	85	75	36	-
Female	338	26	4	5	14	14	11	35	54	73	55	47	-
Black	483	27	8	7	22	20	21	47	93	101	84	53	-
Male	287	18	7	4	16	15	16	30	55	59	43	24	-
Female	196	9	1	3	6	5	5	17	38	42	41	29	-
Nonmetropolitan counties	6,062	160	38	47	197	191	249	352	874	1,592	1,561	761	40
Male	3,574	97	24	26	146	146	163	222	523	997	888	307	35
Female	2,488	63	14	21	51	45	86	130	351	595	673	454	5
White	5,217	104	17	33	126	110	174	269	782	1,469	1,429	668	36
Male	3,060	63	9	16	94	87	116	174	476	921	811	262	31
Female	2,157	41	8	17	32	23	58	95	306	548	618	406	5
All other	845	56	21	14	71	81	75	83	92	123	132	93	4
Male	514	34	15	10	52	59	47	48	47	76	77	45	4
Female	331	22	6	4	19	22	28	35	45	47	55	48	-
Black	77	5	3	2	1	1	6	6	10	17	13	10	3
Male	45	2	2	1	1	-	4	6	4	10	6	6	3
Female	32	3	1	1	-	1	2	-	6	7	7	4	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	24,137	409	79	134	436	474	679	1,235	3,007	5,782	7,221	4,663	18
Male	13,130	229	42	82	311	330	436	803	1,886	3,539	3,766	1,695	11
Female	11,007	180	37	52	125	144	243	432	1,121	2,243	3,455	2,968	7
White	20,137	290	54	100	342	346	527	974	2,522	4,901	6,112	3,953	16
Male	11,014	171	31	60	243	253	342	636	1,609	3,041	3,219	1,399	10
Female	9,123	119	23	40	99	93	185	338	913	1,860	2,893	2,554	6
All other	4,000	119	25	34	94	128	152	261	485	881	1,109	710	2
Male	2,116	58	11	22	68	77	94	167	277	498	547	296	1
Female	1,884	61	14	12	26	51	58	94	208	383	562	414	1
Black	3,977	117	25	34	94	126	152	259	483	879	1,100	706	2
Male	2,107	58	11	22	68	75	94	167	276	498	543	294	1
Female	1,870	59	14	12	26	51	58	92	207	381	557	412	1
Metropolitan counties	8,314	187	24	56	165	218	244	485	1,139	1,943	2,356	1,494	2
Male	4,459	97	12	34	118	156	157	309	728	1,175	1,162	510	1
Female	3,855	90	12	22	47	63	87	176	411	768	1,194	984	1
White	6,789	121	18	41	126	164	189	376	935	1,606	1,941	1,270	2
Male	3,663	67	10	25	88	120	127	241	617	981	962	424	1
Female	3,126	54	8	16	38	44	62	135	318	625	979	846	1
All other	1,525	66	6	15	39	55	55	109	204	337	415	224	-
Male	796	30	2	9	30	36	30	68	111	194	200	86	-
Female	729	36	4	6	9	19	25	41	93	143	215	138	-
Black	1,515	64	6	15	39	54	55	109	202	337	412	222	-
Male	791	30	2	9	30	35	30	68	110	194	198	85	-
Female	724	34	4	6	9	19	25	41	92	143	214	137	-
Nonmetropolitan counties	15,823	222	55	78	271	255	435	750	1,868	3,839	4,865	3,169	16
Male	8,671	132	30	48	193	174	279	494	1,158	2,364	2,604	1,185	10
Female	7,152	90	25	30	78	81	156	256	710	1,475	2,261	1,984	6
White	13,348	169	36	59	216	182	338	598	1,587	3,295	4,171	2,683	14
Male	7,351	104	21	35	155	133	215	395	992	2,060	2,257	975	9
Female	5,997	65	15	24	61	49	123	203	595	1,235	1,914	1,708	5
All other	2,475	53	19	19	55	73	97	152	281	544	694	486	2
Male	1,320	28	9	13	38	41	64	99	166	304	347	210	1
Female	1,155	25	10	6	17	32	33	53	115	240	347	276	1
Black	2,462	53	19	19	55	72	97	150	281	542	688	484	2
Male	1,316	28	9	13	38	40	64	99	166	304	345	209	1
Female	1,146	25	10	6	17	32	33	51	115	238	343	275	1
California	201,911	4,490	884	888	4,513	6,724	7,675	11,659	27,094	44,420	52,443	40,666	455
Male	106,428	2,574	512	551	3,402	5,028	5,171	7,368	16,470	25,558	26,108	13,500	166
Female	95,483	1,916	372	337	1,111	1,696	2,504	4,291	10,624	18,862	26,335	27,166	269
White	179,320	3,394	698	689	3,703	5,474	6,195	9,585	23,388	39,624	47,949	38,205	416
Male	93,522	1,962	401	431	2,803	4,170	4,236	6,075	14,276	22,840	23,657	12,506	165
Female	85,798	1,432	297	258	900	1,304	1,959	3,510	9,112	16,784	24,292	25,699	251
All other	22,591	1,096	186	199	810	1,250	1,480	2,074	3,706	4,796	4,494	2,461	39
Male	12,906	612	111	120	599	858	935	1,293	2,194	2,718	2,451	994	21
Female	9,685	484	75	79	211	392	545	781	1,512	2,078	2,043	1,467	18
Black	15,161	757	103	114	574	940	1,114	1,535	2,703	3,177	2,682	1,437	25
Male	8,487	417	65	70	429	662	731	977	1,599	1,727	1,282	512	16
Female	6,674	340	38	44	145	278	383	558	1,104	1,450	1,400	925	9
Metropolitan counties	190,033	4,258	827	820	4,252	6,399	7,305	11,069	25,524	41,499	49,266	38,406	408
Male	99,840	2,435	480	509	3,207	4,792	4,936	7,013	15,519	23,773	24,352	12,668	156
Female	90,193	1,823	347	311	1,045	1,607	2,369	4,056	10,005	17,726	24,914	25,738	252
White	167,913	3,186	645	626	3,459	5,175	5,852	9,022	21,885	36,799	44,876	36,016	372
Male	87,212	1,838	370	390	2,620	3,952	4,018	5,734	13,368	21,112	21,967	11,705	138
Female	80,701	1,348	275	236	839	1,223	1,834	3,288	8,517	15,687	22,909	24,311	234
All other	22,120	1,072	182	194	793	1,224	1,453	2,047	3,639	4,700	4,390	2,390	36
Male	12,628	597	110	119	587	840	918	1,279	2,151	2,861	2,385	963	18
Female	9,492	475	72	75	206	384	535	768	1,488	2,039	2,005	1,427	18
Black	14,970	750	102	113	570	933	1,104	1,524	2,670	3,139	2,638	1,404	23
Male	8,383	413	65	70	428	658	724	972	1,579	1,708	1,256	496	14
Female	6,587	337	37	43	142	275	380	552	1,091	1,431	1,382	908	9
Nonmetropolitan counties	11,878	232	57	68	261	325	370	590	1,570	2,921	3,177	2,260	47
Male	6,588	139	32	42	195	236	235	355	951	1,785	1,756	832	30
Female	5,290	93	25	26	66	89	135	235	619	1,136	1,421	1,428	17
White	11,407	208	53	63	244	299	343	583	1,503	2,825	3,073	2,189	44
Male	6,310	124	31	41	183	218	218	341	908	1,728	1,690	801	27
Female	5,097	84	22	22	61	81	125	222	595	1,097	1,383	1,388	17
All other	471	24	4	5	17	26	27	27	67	96	104	71	3
Male	278	15	1	1	12	18	17	14	43	57	66	31	3
Female	193	9	3	4	5	8	10	13	24	39	38	40	-
Black	191	7	1	1	4	7	10	11	33	38	44	33	2
Male	104	4	-	-	1	4	7	5	20	19	26	16	2
Female	87	3	1	1	3	3	3	6	13	19	18	17	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	20,236	519	103	109	531	697	762	1,132	2,636	4,167	5,199	4,380	1
Male	10,607	295	60	61	390	515	493	694	1,660	2,438	2,538	1,462	1
Female	9,629	224	43	48	141	182	269	438	976	1,729	2,661	2,918	-
White	19,403	458	94	96	502	637	711	1,061	2,488	4,032	5,054	4,269	1
Male	10,179	265	57	53	369	474	467	652	1,577	2,370	2,470	1,424	1
Female	9,224	193	37	43	133	163	244	409	911	1,662	2,584	2,845	-
All other	833	61	9	13	29	60	51	71	148	135	145	111	-
Male	428	30	3	8	21	41	26	42	83	68	68	38	-
Female	405	31	6	5	8	19	25	29	65	67	77	73	-
Black	678	45	8	9	26	48	39	55	127	114	122	85	-
Male	345	21	3	5	19	33	22	34	71	54	54	29	-
Female	333	24	5	4	7	15	17	21	56	60	68	56	-
Metropolitan counties	15,669	436	79	83	436	565	606	903	2,093	3,227	3,933	3,307	1
Male	8,111	250	42	48	326	416	388	557	1,306	1,859	1,869	1,049	1
Female	7,558	186	37	35	110	149	218	346	787	1,368	2,064	2,258	-
White	14,872	376	70	71	409	507	559	837	1,948	3,100	3,793	3,201	1
Male	7,704	221	39	41	306	376	363	518	1,224	1,797	1,803	1,015	1
Female	7,168	155	31	30	103	131	196	319	724	1,303	1,990	2,186	-
All other	797	60	9	12	27	58	47	66	145	127	140	106	-
Male	407	29	3	7	20	40	25	39	82	62	66	34	-
Female	390	31	6	5	7	18	22	27	63	65	74	72	-
Black	672	45	8	9	26	48	39	53	126	112	121	85	-
Male	342	21	3	5	19	33	22	33	71	52	54	29	-
Female	330	24	5	4	7	15	17	20	55	60	67	56	-
Nonmetropolitan counties	4,567	83	24	26	95	132	156	229	543	940	1,266	1,073	-
Male	2,496	45	18	13	64	99	105	137	354	579	669	413	-
Female	2,071	38	6	13	31	33	51	92	189	361	597	660	-
White	4,531	82	24	25	93	130	152	224	540	932	1,261	1,068	-
Male	2,475	44	18	12	63	98	104	134	353	573	667	409	-
Female	2,056	38	6	13	30	32	48	90	187	359	594	659	-
All other	36	1	-	1	2	2	4	5	3	8	5	5	-
Male	21	1	-	1	1	1	1	3	1	6	2	4	-
Female	15	-	-	-	1	1	3	2	2	2	3	1	-
Black	6	-	-	-	-	-	-	2	1	2	1	-	-
Male	3	-	-	-	-	-	-	1	-	2	-	-	-
Female	3	-	-	-	-	-	-	1	1	-	1	-	-
Connecticut	28,170	438	63	67	424	626	799	1,358	3,735	6,657	7,618	6,384	1
Male	14,257	241	38	42	343	439	519	834	2,351	3,802	3,659	1,988	1
Female	13,913	197	25	25	81	187	280	524	1,384	2,855	3,959	4,396	-
White	26,505	322	53	57	369	498	651	1,183	3,431	6,332	7,359	6,250	-
Male	13,340	173	32	34	296	358	419	735	2,165	3,632	3,554	1,942	-
Female	13,165	149	21	23	73	140	232	448	1,266	2,700	3,805	4,308	-
All other	1,665	116	10	10	55	128	148	175	304	325	259	134	1
Male	917	68	6	8	47	81	100	99	186	170	105	46	1
Female	748	48	4	2	8	47	48	76	118	155	154	88	-
Black	1,610	112	9	9	53	123	145	171	298	318	246	125	1
Male	889	66	6	7	45	78	98	97	182	167	99	43	1
Female	721	46	3	2	8	45	47	74	116	151	147	82	-
Metropolitan counties	25,795	410	56	58	378	581	748	1,256	3,440	6,092	6,953	5,822	1
Male	13,049	220	35	37	307	404	481	773	2,165	3,468	3,334	1,828	1
Female	12,746	190	21	21	71	177	267	483	1,275	2,626	3,619	3,996	-
White	24,148	294	46	50	324	455	600	1,082	3,139	5,769	6,700	5,689	-
Male	12,141	152	29	29	281	324	381	674	1,982	3,297	3,232	1,780	-
Female	12,007	142	17	21	63	131	219	408	1,157	2,472	3,468	3,909	-
All other	1,647	116	10	8	54	128	148	174	301	323	253	133	1
Male	908	68	6	8	46	80	100	99	183	169	102	46	1
Female	739	48	4	-	8	46	48	75	118	154	151	87	-
Black	1,595	112	9	7	52	121	145	170	295	317	242	124	1
Male	882	66	6	7	44	77	98	97	179	167	97	43	1
Female	713	46	3	-	8	44	47	73	116	150	145	81	-
Nonmetropolitan counties	2,375	28	7	9	46	45	51	102	295	565	665	562	-
Male	1,208	21	3	5	36	35	38	61	186	336	325	162	-
Female	1,167	7	4	4	10	10	13	41	109	229	340	400	-
White	2,357	28	7	7	45	43	51	101	292	563	659	561	-
Male	1,199	21	3	5	35	34	38	61	183	335	322	162	-
Female	1,158	7	4	2	10	9	13	40	109	228	337	399	-
All other	18	-	-	2	1	2	-	1	3	2	6	1	-
Male	9	-	-	-	1	1	-	-	3	1	3	-	-
Female	9	-	-	2	-	1	-	1	-	1	3	1	-
Black	15	-	-	2	1	2	-	1	3	1	4	1	-
Male	7	-	-	-	1	1	-	-	3	-	2	-	-
Female	8	-	-	2	-	1	-	1	-	1	2	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Delaware	5,475	142	29	24	88	111	145	347	843	1,295	1,409	1,041	1
Male	2,831	80	14	15	65	79	101	215	492	778	675	316	1
Female	2,644	62	15	9	23	32	44	132	351	517	734	725	-
White	4,572	85	15	12	67	86	100	247	663	1,115	1,236	945	1
Male	2,318	47	8	7	51	57	74	160	388	677	574	274	1
Female	2,254	38	7	5	16	29	26	87	275	438	662	671	-
All other	903	57	14	12	21	25	45	100	180	180	173	96	-
Male	513	33	6	8	14	22	27	55	104	101	101	42	-
Female	390	24	8	4	7	3	18	45	76	79	72	54	-
Black	878	56	14	11	21	25	43	99	175	174	169	91	-
Male	498	33	6	7	14	22	26	54	101	97	99	39	-
Female	380	23	8	4	7	3	17	45	74	77	70	52	-
Metropolitan counties	3,400	98	16	13	54	73	87	216	535	761	869	677	1
Male	1,715	57	7	6	39	54	63	126	322	436	409	195	1
Female	1,685	41	9	7	15	19	24	90	213	325	460	482	-
White	2,857	56	7	8	45	58	61	150	432	643	775	621	1
Male	1,410	33	3	4	33	41	44	90	259	371	357	174	1
Female	1,447	23	4	4	12	17	17	60	173	272	418	447	-
All other	543	42	9	5	9	15	26	66	103	118	94	56	-
Male	305	24	4	2	6	13	19	36	63	65	52	21	-
Female	238	18	5	3	3	2	7	30	40	53	42	35	-
Black	533	42	9	5	9	15	25	65	100	115	94	54	-
Male	299	24	4	2	6	13	18	35	62	63	52	20	-
Female	234	18	5	3	3	2	7	30	38	52	42	34	-
Nonmetropolitan counties	2,075	44	13	11	34	38	58	131	308	534	540	364	-
Male	1,116	23	7	9	26	25	38	89	170	342	266	121	-
Female	959	21	6	2	8	13	20	42	138	192	274	243	-
White	1,715	29	8	4	22	28	39	97	231	472	461	324	-
Male	908	14	5	3	18	16	30	70	129	306	217	100	-
Female	807	15	3	1	4	12	9	27	102	166	244	224	-
All other	360	15	5	7	12	10	19	34	77	62	79	40	-
Male	208	9	2	6	8	9	8	19	41	36	49	21	-
Female	152	6	3	1	4	1	11	15	36	26	30	19	-
Black	345	14	5	6	12	10	18	34	75	59	75	37	-
Male	199	9	2	5	8	9	8	19	39	34	47	19	-
Female	146	5	3	1	4	1	10	15	36	25	28	18	-
District of Columbia	6,981	205	22	11	104	319	429	584	1,134	1,582	1,498	1,078	15
Male	3,710	125	13	6	82	228	299	397	674	865	691	320	10
Female	3,271	80	9	5	22	91	130	187	460	717	807	758	5
White	1,802	19	-	-	10	33	64	74	181	370	524	522	5
Male	826	14	-	-	10	24	48	57	113	192	226	138	4
Female	976	5	-	-	-	9	16	17	68	178	298	384	1
All other	5,179	186	22	11	94	286	365	510	953	1,212	974	556	10
Male	2,884	111	13	6	72	204	251	340	561	673	465	182	6
Female	2,295	75	9	5	22	82	114	170	392	539	509	374	4
Black	5,139	185	21	11	92	284	362	507	950	1,206	967	544	10
Male	2,855	111	12	6	71	203	248	338	558	670	460	172	6
Female	2,284	74	9	5	21	81	114	169	392	536	507	372	4
Metropolitan counties	6,981	205	22	11	104	319	429	584	1,134	1,582	1,498	1,078	15
Male	3,710	125	13	6	82	228	299	397	674	865	691	320	10
Female	3,271	80	9	5	22	91	130	187	460	717	807	758	5
White	1,802	19	-	-	10	33	64	74	181	370	524	522	5
Male	826	14	-	-	10	24	48	57	113	192	226	138	4
Female	976	5	-	-	-	9	16	17	68	178	298	384	1
All other	5,179	186	22	11	94	286	365	510	953	1,212	974	556	10
Male	2,884	111	13	6	72	204	251	340	561	673	465	182	6
Female	2,295	75	9	5	22	82	114	170	392	539	509	374	4
Black	5,139	185	21	11	92	284	362	507	950	1,206	967	544	10
Male	2,855	111	12	6	71	203	248	338	558	670	460	172	6
Female	2,284	74	9	5	21	81	114	169	392	536	507	372	4
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	121,108	1,847	394	419	1,847	2,713	3,270	5,986	15,301	29,875	36,292	23,111	53
Male	66,694	1,053	225	237	1,377	1,961	2,132	3,779	9,470	17,954	19,298	9,165	43
Female	54,414	794	169	182	470	752	1,138	2,207	5,831	11,921	16,994	13,946	10
White	108,226	1,129	254	282	1,440	1,980	2,486	4,756	13,140	26,956	33,683	22,076	34
Male	59,564	659	156	161	1,077	1,453	1,640	3,024	8,208	16,342	18,012	8,802	30
Female	48,662	470	98	131	363	527	846	1,732	4,932	10,614	15,671	13,274	4
All other	12,882	718	140	127	407	733	784	1,230	2,161	2,919	2,609	1,035	19
Male	7,130	394	69	76	300	508	492	755	1,262	1,612	1,286	363	13
Female	5,752	324	71	51	107	225	292	475	899	1,307	1,323	672	6
Black	12,680	707	136	120	397	713	766	1,206	2,141	2,881	2,573	1,021	19
Male	7,022	389	68	72	294	494	485	740	1,251	1,593	1,268	355	13
Female	5,658	318	68	48	103	219	281	466	890	1,288	1,305	666	6
Metropolitan counties	104,530	1,610	340	355	1,612	2,363	2,812	5,176	13,075	25,172	31,528	20,442	45
Male	57,048	915	194	199	1,195	1,696	1,831	3,254	8,064	14,948	16,620	8,096	36
Female	47,482	695	146	156	417	667	981	1,922	5,011	10,224	14,908	12,346	9
White	93,498	968	211	247	1,245	1,715	2,193	4,098	11,198	22,709	29,359	19,589	28
Male	50,942	556	130	135	928	1,249	1,406	2,587	6,975	13,599	15,558	7,794	25
Female	42,556	410	81	112	317	466	727	1,511	4,223	9,110	13,801	11,795	3
All other	11,032	644	129	108	367	648	679	1,078	1,877	2,463	2,169	853	17
Male	6,106	359	64	64	267	447	425	667	1,089	1,349	1,082	302	11
Female	4,926	285	65	44	100	201	254	411	788	1,114	1,107	551	6
Black	10,867	633	125	102	358	634	664	1,062	1,860	2,432	2,138	842	17
Male	6,015	354	63	60	262	437	419	655	1,079	1,335	1,044	296	11
Female	4,852	279	62	42	96	197	245	407	781	1,097	1,094	546	6
Nonmetropolitan counties	16,578	237	54	64	235	350	458	810	2,226	4,703	4,764	2,869	8
Male	9,646	138	31	38	182	265	301	525	1,408	3,006	2,678	1,069	7
Female	6,932	99	23	26	53	85	157	285	820	1,697	2,086	1,800	1
White	14,728	163	43	45	195	265	353	658	1,942	4,247	4,324	2,487	6
Male	8,622	103	26	26	149	204	234	437	1,233	2,743	2,454	1,008	5
Female	6,106	60	17	19	46	61	119	221	709	1,504	1,870	1,479	1
All other	1,850	74	11	19	40	85	105	152	284	456	440	182	2
Male	1,024	35	5	12	33	61	67	88	173	263	224	61	2
Female	826	39	6	7	7	24	38	64	111	193	216	121	-
Black	1,813	74	11	18	39	79	102	144	281	449	435	179	2
Male	1,007	35	5	12	32	57	66	85	172	258	224	59	2
Female	806	39	6	6	7	22	36	59	109	191	211	120	-
Georgia	48,657	1,222	211	269	1,081	1,458	2,098	3,542	7,461	11,741	12,182	7,383	11
Male	25,982	672	119	167	773	1,000	1,379	2,265	4,830	6,863	5,692	2,215	7
Female	22,675	550	92	102	308	456	719	1,277	2,631	4,878	6,490	5,168	4
White	35,061	587	113	178	734	883	1,221	2,271	5,240	8,406	9,310	6,113	5
Male	18,721	327	69	105	526	606	817	1,506	3,467	5,051	4,412	1,830	3
Female	16,340	260	44	73	206	277	404	765	1,773	3,355	4,898	4,283	2
All other	13,596	635	98	91	347	573	877	1,271	2,221	3,335	2,872	1,270	6
Male	7,261	345	50	62	245	394	562	759	1,363	1,812	1,280	385	4
Female	6,335	290	48	29	102	179	315	512	858	1,523	1,592	885	2
Black	13,516	630	96	89	340	566	863	1,263	2,211	3,322	2,864	1,266	6
Male	7,221	349	48	61	240	390	555	756	1,359	1,805	1,276	384	4
Female	6,295	287	48	28	100	176	308	507	852	1,517	1,588	882	2
Metropolitan counties	26,626	686	113	142	630	926	1,311	2,081	4,305	6,117	6,437	3,872	6
Male	13,985	372	67	85	445	647	863	1,310	2,781	3,479	2,843	1,089	4
Female	12,641	314	46	57	185	279	448	771	1,524	2,638	3,594	2,783	2
White	18,757	331	59	96	415	544	735	1,285	2,948	4,259	4,851	3,231	3
Male	9,786	177	36	54	294	382	494	838	1,952	2,489	2,155	914	1
Female	8,971	154	23	42	121	162	241	447	996	1,770	2,696	2,317	2
All other	7,869	355	54	46	215	382	576	796	1,357	1,858	1,586	641	3
Male	4,199	195	31	31	151	265	369	472	829	990	688	175	3
Female	3,670	160	23	15	64	117	207	324	528	868	898	466	-
Black	7,803	352	53	44	209	377	565	790	1,348	1,846	1,579	637	3
Male	4,167	193	30	30	146	262	365	470	825	984	685	174	3
Female	3,636	159	23	14	63	115	200	320	523	862	894	463	-
Nonmetropolitan counties	22,031	536	98	127	451	530	787	1,461	3,156	5,624	5,745	3,511	5
Male	11,897	300	52	82	328	353	516	955	2,049	3,384	2,849	1,126	3
Female	10,034	236	46	45	123	177	271	506	1,107	2,240	2,896	2,385	2
White	16,304	256	54	82	319	339	486	986	2,292	4,147	4,459	2,882	2
Male	8,935	150	33	51	234	224	323	668	1,515	2,562	2,257	916	2
Female	7,369	106	21	31	85	115	163	318	777	1,585	2,202	1,966	-
All other	5,727	280	44	45	132	191	301	475	864	1,477	1,286	629	3
Male	3,062	150	19	31	94	129	193	287	534	822	592	210	1
Female	2,665	130	25	14	38	62	108	188	330	655	694	419	2
Black	5,713	278	43	45	131	189	298	473	863	1,476	1,285	629	3
Male	3,054	150	18	31	94	128	190	286	534	821	591	210	1
Female	2,659	128	25	14	37	61	108	187	329	655	694	419	2

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	5,825	162	27	31	122	173	211	330	952	1,323	1,489	1,005	-
Male	3,457	88	15	14	95	129	136	208	594	850	913	415	-
Female	2,368	74	12	17	27	44	75	122	358	473	576	590	-
White	1,802	35	7	4	33	74	67	106	288	441	439	308	-
Male	1,056	17	5	1	27	57	49	70	205	285	232	108	-
Female	746	18	2	3	6	17	18	36	83	156	207	200	-
All other	4,023	127	20	27	89	99	144	224	664	882	1,050	697	-
Male	2,401	71	10	13	68	72	87	139	389	565	681	307	-
Female	1,622	56	10	14	21	27	57	86	275	317	369	390	-
Black	53	18	1	1	5	9	4	2	1	6	4	2	-
Male	38	9	-	-	4	9	4	2	1	4	3	2	-
Female	15	9	1	1	1	-	-	-	-	2	1	-	-
Metropolitan counties	4,352	131	24	28	105	132	161	255	719	982	1,095	720	-
Male	2,545	71	14	12	82	97	105	162	451	618	656	277	-
Female	1,807	60	10	16	23	35	56	93	268	364	439	443	-
White	1,345	30	6	4	28	53	45	80	199	324	330	246	-
Male	770	15	4	1	23	39	32	54	140	207	171	84	-
Female	575	15	2	3	5	14	13	26	59	117	159	162	-
All other	3,007	101	18	24	77	79	116	175	520	658	765	474	-
Male	1,775	56	10	11	59	58	73	108	311	411	485	193	-
Female	1,232	45	8	13	18	21	43	67	209	247	280	281	-
Black	51	18	1	1	5	8	4	2	1	5	4	2	-
Male	36	9	-	-	4	8	4	2	1	3	3	2	-
Female	15	9	1	1	1	-	-	-	-	2	1	-	-
Nonmetropolitan counties	1,473	31	3	3	17	41	50	75	233	341	394	285	-
Male	912	17	1	2	13	32	31	46	143	232	257	138	-
Female	561	14	2	1	4	9	19	29	90	109	137	147	-
White	457	5	1	-	5	21	22	26	89	117	109	62	-
Male	286	2	1	-	4	16	17	16	65	78	61	24	-
Female	171	3	-	-	1	3	5	10	24	39	48	38	-
All other	1,016	26	2	3	12	20	28	49	144	224	285	223	-
Male	626	15	-	2	9	14	14	30	78	154	196	114	-
Female	390	11	2	1	3	6	14	19	66	70	89	109	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-
Male	2	-	-	-	-	1	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	7,115	183	36	52	162	163	195	348	819	1,629	2,007	1,521	-
Male	3,899	114	18	35	120	117	140	225	531	965	1,085	549	-
Female	3,216	69	18	17	42	46	55	123	288	664	922	972	-
White	7,005	178	34	51	159	154	182	327	805	1,613	1,993	1,509	-
Male	3,837	111	18	34	119	114	130	212	521	955	1,077	546	-
Female	3,168	67	16	17	40	40	52	115	284	658	916	963	-
All other	110	5	2	1	3	9	13	21	14	16	14	12	-
Male	62	3	-	1	1	3	10	13	10	10	8	3	-
Female	48	2	2	-	2	6	3	8	4	6	6	9	-
Black	20	-	-	-	1	-	3	6	5	2	2	1	-
Male	15	-	-	-	-	-	3	4	5	2	-	1	-
Female	5	-	-	-	1	-	-	2	-	-	2	-	-
Metropolitan counties	1,211	33	8	10	30	28	47	84	140	261	293	277	-
Male	657	17	3	8	22	19	31	55	99	149	147	107	-
Female	554	16	5	2	8	9	16	29	41	112	146	170	-
White	1,202	32	7	10	29	27	45	81	140	261	293	277	-
Male	652	16	3	8	22	19	29	53	99	149	147	107	-
Female	550	16	4	2	7	8	16	28	41	112	146	170	-
All other	9	1	1	-	1	1	2	3	-	-	-	-	-
Male	5	1	-	-	-	-	2	2	-	-	-	-	-
Female	4	-	1	-	1	1	-	1	-	-	-	-	-
Black	4	-	-	-	1	-	2	1	-	-	-	-	-
Male	3	-	-	-	-	-	2	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,904	150	28	42	132	135	148	264	679	1,368	1,714	1,244	-
Male	3,242	97	15	27	98	98	109	170	432	816	938	442	-
Female	2,662	53	13	15	34	37	39	94	247	552	776	802	-
White	5,803	146	27	41	130	127	137	246	665	1,352	1,700	1,232	-
Male	3,185	95	15	26	97	95	101	159	422	806	930	439	-
Female	2,618	51	12	15	33	32	36	87	243	546	770	793	-
All other	101	4	1	1	2	8	11	18	14	16	14	12	-
Male	57	2	-	1	1	3	8	11	10	10	8	3	-
Female	44	2	1	-	1	5	3	7	4	6	6	9	-
Black	16	-	-	-	-	-	1	5	5	2	2	1	-
Male	12	-	-	-	-	-	1	3	5	2	-	1	-
Female	4	-	-	-	-	-	-	2	-	-	2	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	102,279	2,123	346	404	1,663	2,322	3,026	5,698	14,263	23,546	27,799	21,085	4
Male	52,486	1,218	205	246	1,224	1,660	1,957	3,559	8,812	13,527	13,381	8,693	4
Female	49,793	905	141	158	439	662	1,069	2,139	5,451	10,019	14,418	14,392	-
White	87,709	1,284	227	288	1,270	1,533	2,116	4,227	11,579	20,421	25,073	19,687	4
Male	44,420	758	130	177	930	1,083	1,368	2,629	7,255	11,817	12,092	6,177	4
Female	43,289	526	97	111	340	450	748	1,598	4,324	8,604	12,981	13,510	-
All other	14,570	839	119	116	393	789	910	1,471	2,684	3,125	2,726	1,398	-
Male	8,066	460	75	69	294	577	589	930	1,557	1,710	1,289	516	-
Female	6,504	379	44	47	99	212	321	541	1,127	1,415	1,437	882	-
Black	14,185	828	114	110	381	770	879	1,439	2,630	3,036	2,645	1,353	-
Male	7,843	456	71	64	285	565	570	910	1,525	1,659	1,236	502	-
Female	6,342	372	43	46	96	205	309	529	1,105	1,377	1,409	851	-
Metropolitan counties	79,384	1,855	285	312	1,343	1,995	2,553	4,787	11,647	18,568	20,864	15,173	2
Male	40,785	1,057	176	184	995	1,422	1,651	2,990	7,194	10,572	9,846	4,696	2
Female	38,599	798	109	128	348	573	902	1,797	4,453	7,996	11,018	10,477	-
White	65,252	1,030	171	199	957	1,222	1,656	3,339	9,023	15,559	18,244	13,850	2
Male	32,955	604	103	116	705	859	1,066	2,071	5,673	8,928	8,614	4,214	2
Female	32,297	426	68	83	252	363	590	1,268	3,350	6,631	9,630	9,636	-
All other	14,132	825	114	113	386	773	897	1,448	2,624	3,009	2,620	1,323	-
Male	7,830	453	73	68	290	563	585	919	1,521	1,644	1,232	482	-
Female	6,302	372	41	45	96	210	312	529	1,103	1,365	1,388	841	-
Black	13,769	815	111	107	375	755	869	1,417	2,570	2,928	2,543	1,279	-
Male	7,618	450	70	63	282	552	566	899	1,489	1,599	1,179	469	-
Female	6,151	365	41	44	93	203	303	518	1,081	1,329	1,364	810	-
Nonmetropolitan counties	22,895	268	61	92	320	327	473	911	2,616	4,978	6,935	5,912	2
Male	11,701	161	29	62	229	238	306	569	1,618	2,955	3,535	1,997	2
Female	11,194	107	32	30	91	89	167	342	998	2,023	3,400	3,915	-
White	22,457	254	56	89	313	311	460	888	2,556	4,862	6,829	5,837	2
Male	11,465	154	27	61	225	224	302	558	1,582	2,889	3,478	1,963	2
Female	10,992	100	29	28	88	87	158	330	974	1,973	3,351	3,874	-
All other	438	14	5	3	7	16	13	23	60	116	106	75	-
Male	236	7	2	1	4	14	4	11	36	66	57	34	-
Female	202	7	3	2	3	2	9	12	24	50	49	41	-
Black	416	13	3	3	6	15	10	22	60	108	102	74	-
Male	225	6	1	1	3	13	4	11	36	60	57	33	-
Female	191	7	2	2	3	2	6	11	24	48	45	41	-
Indiana	48,195	883	149	229	820	954	1,317	2,561	6,579	11,252	13,482	9,965	4
Male	25,046	517	76	124	616	686	809	1,580	4,140	6,663	6,542	3,292	1
Female	23,149	366	73	105	204	268	508	981	2,439	4,589	6,940	6,673	3
White	44,590	714	124	194	720	801	1,139	2,244	5,940	10,443	12,728	9,540	3
Male	23,091	421	65	107	545	576	702	1,409	3,748	6,209	6,177	3,131	1
Female	21,499	293	59	87	175	225	437	835	2,192	4,234	6,551	6,409	2
All other	3,605	169	25	35	100	153	178	317	639	809	754	425	1
Male	1,955	96	11	17	71	110	107	171	392	454	365	161	-
Female	1,650	73	14	18	29	43	71	146	247	355	389	264	1
Black	3,569	166	25	34	100	152	174	309	634	804	748	422	1
Male	1,935	93	11	16	71	109	106	168	389	452	361	159	-
Female	1,634	73	14	18	29	43	68	141	245	352	387	263	1
Metropolitan counties	32,808	647	111	151	573	706	908	1,844	4,657	7,641	9,110	6,456	4
Male	17,030	391	58	81	435	504	552	1,124	2,943	4,457	4,365	2,119	1
Female	15,778	256	53	70	138	202	356	720	1,714	3,184	4,745	4,337	3
White	29,424	490	89	118	481	557	747	1,546	4,053	6,878	8,398	6,064	3
Male	15,201	303	48	65	371	398	454	962	2,573	4,031	4,024	1,971	1
Female	14,223	187	41	53	110	159	293	584	1,480	2,847	4,374	4,093	2
All other	3,384	157	22	33	92	149	161	298	604	763	712	392	1
Male	1,829	88	10	16	64	106	98	162	370	426	341	148	-
Female	1,555	69	12	17	28	43	63	136	234	337	371	244	1
Black	3,352	154	22	32	92	148	157	292	599	758	707	390	1
Male	1,810	85	10	15	64	105	97	159	367	424	338	146	-
Female	1,542	69	12	17	28	43	60	133	232	334	369	244	1
Nonmetropolitan counties	15,387	236	38	78	247	248	409	717	1,922	3,611	4,372	3,509	-
Male	8,016	126	18	43	161	182	257	456	1,197	2,206	2,177	1,173	-
Female	7,371	110	20	35	86	66	152	261	725	1,405	2,195	2,336	-
White	15,166	224	35	76	239	244	392	698	1,887	3,565	4,330	3,476	-
Male	7,890	118	17	42	174	178	248	447	1,175	2,178	2,153	1,160	-
Female	7,276	106	18	34	65	66	144	251	712	1,387	2,177	2,316	-
All other	221	12	3	2	8	4	17	19	35	46	42	33	-
Male	126	8	1	1	7	4	9	9	22	28	24	13	-
Female	95	4	2	1	1	-	8	10	13	18	18	20	-
Black	217	12	3	2	8	4	17	17	35	46	41	32	-
Male	125	8	1	1	7	4	9	9	22	28	23	13	-
Female	92	4	2	1	1	-	8	8	13	18	18	19	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	27,834	391	58	102	389	386	530	1,068	3,052	5,858	8,027	7,973	-
Male	14,212	204	24	74	298	278	336	653	1,850	3,523	4,157	2,815	-
Female	13,622	187	34	28	91	108	194	415	1,202	2,335	3,870	5,158	-
White	27,482	372	58	97	377	377	512	1,035	2,985	5,786	7,957	7,926	-
Male	14,013	196	24	71	289	269	326	633	1,812	3,483	4,116	2,794	-
Female	13,469	176	34	26	88	108	186	402	1,173	2,303	3,841	5,132	-
All other	352	19	-	5	12	9	18	33	67	72	70	47	-
Male	199	8	-	3	9	9	10	20	38	40	41	21	-
Female	153	11	-	2	3	-	8	13	29	32	29	26	-
Black	313	13	-	4	7	5	16	30	60	66	66	46	-
Male	177	6	-	3	5	5	10	19	34	36	39	20	-
Female	136	7	-	1	2	-	6	11	26	30	27	26	-
Metropolitan counties	9,313	195	15	41	141	174	248	436	1,222	2,049	2,558	2,234	-
Male	4,698	99	6	33	108	126	146	262	727	1,214	1,232	745	-
Female	4,615	96	9	8	33	48	102	174	495	835	1,326	1,489	-
White	9,025	180	15	37	133	167	234	406	1,164	1,987	2,509	2,193	-
Male	4,540	93	6	31	102	119	138	244	697	1,179	1,204	727	-
Female	4,485	87	9	6	31	48	96	162	467	808	1,305	1,466	-
All other	288	15	-	4	8	7	14	30	58	62	49	41	-
Male	158	6	-	2	6	7	8	18	30	35	28	18	-
Female	130	9	-	2	2	-	6	12	28	27	21	23	-
Black	266	10	-	3	7	4	13	27	53	59	49	41	-
Male	148	5	-	2	5	4	8	17	28	33	28	18	-
Female	118	5	-	1	2	-	5	10	25	26	21	23	-
Nonmetropolitan counties	18,521	196	43	61	248	212	282	632	1,830	3,809	5,469	5,739	-
Male	9,514	105	18	41	190	152	190	391	1,123	2,309	2,925	2,070	-
Female	9,007	91	25	20	58	60	92	241	707	1,500	2,544	3,669	-
White	18,457	192	43	60	244	210	278	629	1,821	3,799	5,448	5,733	-
Male	9,473	103	18	40	187	150	188	389	1,115	2,304	2,912	2,067	-
Female	8,984	89	25	20	57	60	90	240	706	1,495	2,536	3,666	-
All other	64	4	-	1	4	2	4	3	9	10	21	6	-
Male	41	2	-	1	3	2	2	2	8	5	13	3	-
Female	23	2	-	-	1	-	2	1	1	5	8	3	-
Black	47	3	-	1	-	1	3	3	7	7	17	5	-
Male	29	1	-	1	-	1	2	2	6	3	11	2	-
Female	18	2	-	-	-	-	1	1	1	4	6	3	-
Kansas	22,057	369	96	102	356	425	479	967	2,566	4,654	6,304	5,738	1
Male	11,244	212	49	63	245	306	289	627	1,573	2,824	3,133	1,923	-
Female	10,813	157	47	39	111	119	190	340	993	1,830	3,171	3,815	1
White	20,965	317	89	90	321	373	435	880	2,409	4,409	6,080	5,561	1
Male	10,667	186	43	57	220	266	260	573	1,487	2,682	3,032	1,861	-
Female	10,298	131	46	33	101	107	175	307	922	1,727	3,048	3,700	1
All other	1,092	52	7	12	35	52	44	87	157	245	224	177	-
Male	577	26	6	6	25	40	29	54	86	142	101	62	-
Female	515	26	1	6	10	12	15	33	71	103	123	115	-
Black	1,009	47	6	11	27	47	40	82	139	228	213	169	-
Male	528	23	5	6	19	37	25	52	78	132	92	59	-
Female	481	24	1	5	8	10	15	30	61	96	121	110	-
Metropolitan counties	8,904	187	39	60	161	224	254	478	1,233	1,970	2,330	1,968	-
Male	4,548	104	22	40	109	159	149	311	736	1,186	1,111	621	-
Female	4,356	83	17	20	52	65	105	167	497	784	1,219	1,347	-
White	8,096	146	33	50	133	181	220	410	1,123	1,790	2,164	1,846	-
Male	4,113	84	17	35	89	126	127	270	674	1,077	1,036	578	-
Female	3,983	62	16	15	44	55	93	140	449	713	1,128	1,268	-
All other	808	41	6	10	28	43	34	68	110	180	166	122	-
Male	435	20	5	5	20	33	22	41	62	109	75	43	-
Female	373	21	1	5	8	10	12	27	48	71	91	79	-
Black	766	37	5	10	22	42	32	65	100	171	162	120	-
Male	407	17	4	5	16	32	20	40	56	103	72	42	-
Female	359	20	1	5	6	10	12	25	44	68	90	78	-
Nonmetropolitan counties	13,153	182	57	42	195	201	225	489	1,333	2,684	3,974	3,770	1
Male	6,696	108	27	23	136	147	140	316	837	1,638	2,022	1,302	-
Female	6,457	74	30	19	59	54	85	173	496	1,046	1,952	2,468	1
White	12,869	171	56	40	188	192	215	470	1,286	2,619	3,916	3,715	1
Male	6,554	102	26	22	131	140	133	303	813	1,605	1,996	1,283	-
Female	6,315	69	30	18	57	52	82	167	473	1,014	1,920	2,432	1
All other	284	11	1	2	7	9	10	19	47	85	58	55	-
Male	142	6	1	1	5	7	7	13	24	33	26	19	-
Female	142	5	-	1	2	2	3	6	23	32	32	36	-
Black	243	10	1	1	5	5	8	17	39	57	51	49	-
Male	121	6	1	1	3	5	5	12	22	29	20	17	-
Female	122	4	-	-	2	-	3	5	17	28	31	32	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	34,865	594	93	135	594	662	1,012	2,034	4,914	8,346	9,745	6,735	1
Male	18,601	370	55	81	435	466	679	1,304	3,090	4,969	4,733	2,419	-
Female	16,264	224	38	54	159	196	333	730	1,824	3,377	5,012	4,316	1
White	32,106	493	83	127	545	593	912	1,821	4,481	7,678	9,033	6,339	1
Male	17,169	308	50	78	395	422	612	1,182	2,840	4,599	4,394	2,289	-
Female	14,937	185	33	49	150	171	300	639	1,641	3,079	4,639	4,050	1
All other	2,759	101	10	8	49	69	100	213	433	668	712	396	-
Male	1,432	62	5	3	40	44	67	122	250	370	339	130	-
Female	1,327	39	5	5	9	25	33	91	183	298	373	266	-
Black	2,732	98	10	8	48	65	100	211	424	666	709	393	-
Male	1,423	60	5	3	39	43	67	122	246	370	339	129	-
Female	1,309	38	5	5	9	22	33	89	178	296	370	264	-
Metropolitan counties	14,686	268	35	44	216	277	432	908	2,202	3,551	4,023	2,730	-
Male	7,526	175	20	29	162	185	282	566	1,349	2,045	1,850	863	-
Female	7,160	93	15	15	54	92	150	342	853	1,506	2,173	1,867	-
White	12,832	192	27	38	183	235	362	750	1,902	3,102	3,550	2,491	-
Male	6,571	129	16	27	134	161	236	478	1,173	1,797	1,629	791	-
Female	6,261	63	11	11	49	74	126	272	729	1,305	1,921	1,700	-
All other	1,854	76	8	6	33	42	70	158	300	449	473	239	-
Male	955	46	4	2	28	24	46	88	176	248	221	72	-
Female	899	30	4	4	5	18	24	70	124	201	252	167	-
Black	1,838	74	8	6	33	40	70	158	293	448	472	236	-
Male	949	44	4	2	28	24	46	88	173	248	221	71	-
Female	889	30	4	4	5	16	24	70	120	200	251	165	-
Nonmetropolitan counties	20,179	326	58	91	378	385	580	1,126	2,712	4,795	5,722	4,005	1
Male	11,075	195	35	52	273	281	397	738	1,741	2,924	2,883	1,556	-
Female	9,104	131	23	39	105	104	183	388	971	1,871	2,839	2,449	1
White	19,274	301	56	89	362	358	550	1,071	2,579	4,576	5,483	3,848	1
Male	10,598	179	34	51	281	261	376	704	1,667	2,802	2,765	1,488	-
Female	8,676	122	22	38	101	97	174	367	912	1,774	2,718	2,350	1
All other	905	25	2	2	16	27	30	55	133	219	239	157	-
Male	477	16	1	1	12	20	21	34	74	122	118	58	-
Female	428	9	1	1	4	7	9	21	59	97	121	99	-
Black	894	24	2	2	15	25	30	53	131	218	237	157	-
Male	474	16	1	1	11	19	21	34	73	122	118	58	-
Female	420	8	1	1	4	6	9	19	58	96	119	99	-
Louisiana	37,029	868	222	222	902	1,141	1,417	2,491	5,706	8,618	9,636	5,703	3
Male	19,864	525	125	137	657	788	963	1,535	3,555	4,966	4,665	1,946	2
Female	17,165	443	97	85	245	353	454	956	2,151	3,652	4,971	3,757	1
White	25,217	418	110	117	585	641	815	1,482	3,849	6,012	6,941	4,264	3
Male	13,551	236	62	74	413	455	569	951	2,476	3,542	3,390	1,381	2
Female	11,666	182	48	43	152	186	246	531	1,373	2,470	3,551	2,883	1
All other	11,812	550	112	105	337	500	602	1,009	1,857	2,606	2,695	1,439	-
Male	6,313	289	63	63	244	333	394	584	1,079	1,424	1,275	565	-
Female	5,499	261	49	42	93	167	208	425	778	1,182	1,420	874	-
Black	11,709	540	109	100	330	493	591	1,002	1,842	2,595	2,673	1,434	-
Male	6,246	284	61	60	238	326	386	581	1,089	1,418	1,262	561	-
Female	5,463	256	48	40	92	167	205	421	773	1,177	1,411	873	-
Metropolitan parishes [1]	22,905	635	125	131	523	742	918	1,591	3,625	5,341	5,914	3,459	1
Male	12,152	347	73	84	379	509	627	977	2,237	3,057	2,717	1,144	1
Female	10,753	288	52	47	144	233	291	614	1,388	2,284	3,097	2,315	-
White	15,398	262	58	65	310	401	515	923	2,409	3,710	4,155	2,589	1
Male	8,131	156	34	42	221	281	360	586	1,522	2,172	1,951	805	1
Female	7,267	106	24	23	89	120	155	337	887	1,538	2,204	1,784	-
All other	7,507	373	67	66	213	341	403	668	1,216	1,631	1,659	870	-
Male	4,021	191	39	42	158	228	267	391	715	885	766	339	-
Female	3,486	182	28	24	55	113	136	277	501	746	893	531	-
Black	7,445	366	66	64	208	338	395	664	1,209	1,625	1,645	865	-
Male	3,985	189	39	42	154	225	261	390	710	881	759	335	-
Female	3,460	177	27	22	54	113	134	274	499	744	886	530	-
Nonmetropolitan parishes [1]	14,124	333	97	91	379	399	499	900	2,081	3,277	3,822	2,244	2
Male	7,712	178	52	53	278	279	336	558	1,318	1,909	1,948	802	1
Female	6,412	155	45	38	101	120	163	342	763	1,368	1,874	1,442	1
White	9,819	156	52	52	255	240	300	559	1,440	2,302	2,786	1,675	2
Male	5,420	80	28	32	192	174	209	365	954	1,370	1,439	576	1
Female	4,399	76	24	20	63	66	91	194	486	932	1,347	1,099	1
All other	4,305	177	45	39	124	159	199	341	641	975	1,036	569	-
Male	2,292	98	24	21	86	105	127	193	364	539	509	226	-
Female	2,013	79	21	18	38	54	72	148	277	436	527	343	-
Black	4,264	174	43	36	122	155	198	338	633	970	1,028	569	-
Male	2,261	95	22	18	84	101	125	191	359	537	503	226	-
Female	2,003	79	21	18	38	54	71	147	274	433	525	343	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	11,420	154	31	35	143	210	253	527	1,407	2,865	3,313	2,682	-
Male	5,934	85	18	16	112	152	169	336	866	1,616	1,679	885	-
Female	5,486	69	13	19	31	58	84	191	541	1,049	1,634	1,797	-
White	11,373	153	31	34	142	204	249	521	1,398	2,656	3,306	2,679	-
Male	5,905	84	18	15	111	149	167	333	859	1,611	1,675	883	-
Female	5,468	69	13	19	31	55	82	188	539	1,045	1,631	1,796	-
All other	47	1	-	1	1	6	4	6	9	9	7	3	-
Male	29	1	-	1	1	3	2	3	7	5	4	2	-
Female	18	-	-	-	-	3	2	3	2	4	3	1	-
Black	22	1	-	1	-	1	2	2	5	6	3	1	-
Male	10	1	-	1	-	-	1	-	4	2	1	-	-
Female	12	-	-	-	-	1	1	2	1	4	2	1	-
Metropolitan counties	6,120	102	13	20	79	106	145	269	800	1,422	1,749	1,415	-
Male	3,131	55	8	9	58	76	97	170	471	852	875	460	-
Female	2,989	47	5	11	21	30	48	99	329	570	874	955	-
White	6,093	101	13	20	78	103	142	267	793	1,417	1,745	1,414	-
Male	3,116	54	8	9	57	75	96	170	465	850	872	460	-
Female	2,977	47	5	11	21	28	46	97	328	567	873	954	-
All other	27	1	-	-	1	3	3	2	7	5	4	1	-
Male	15	1	-	-	1	1	1	-	6	2	3	-	-
Female	12	-	-	-	-	2	2	2	1	3	1	1	-
Black	18	1	-	-	-	1	2	2	5	4	2	1	-
Male	8	1	-	-	-	-	1	-	4	1	1	-	-
Female	10	-	-	-	-	1	1	2	1	3	1	1	-
Nonmetropolitan counties	5,300	52	18	15	64	104	108	258	607	1,243	1,564	1,267	-
Male	2,803	30	10	7	54	76	72	166	395	764	804	425	-
Female	2,497	22	8	8	10	28	36	92	212	479	760	842	-
White	5,280	52	18	14	64	101	107	254	605	1,239	1,561	1,265	-
Male	2,789	30	10	6	54	74	71	163	394	761	803	423	-
Female	2,491	22	8	8	10	27	36	91	211	478	758	842	-
All other	20	-	-	1	-	3	1	4	2	4	3	2	-
Male	14	-	-	1	-	2	1	3	1	3	1	2	-
Female	6	-	-	-	-	1	-	1	1	1	2	-	-
Black	4	-	-	1	-	-	-	-	-	2	1	-	-
Male	2	-	-	1	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	1	-	-
Maryland	38,620	808	124	138	685	997	1,303	2,390	5,837	8,711	9,286	6,319	21
Male	19,181	465	64	90	488	718	853	1,515	3,582	5,030	4,394	1,968	14
Female	17,439	343	60	48	198	279	450	875	2,255	3,681	4,892	4,351	7
White	28,506	411	71	97	458	549	774	1,561	4,293	6,915	7,823	5,547	7
Male	14,609	251	40	62	323	394	505	978	2,703	3,996	3,687	1,664	6
Female	13,897	160	31	35	135	155	269	583	1,590	2,919	4,136	3,883	1
All other	8,114	397	53	41	228	448	529	829	1,544	1,796	1,463	772	14
Male	4,572	214	24	28	165	324	348	537	879	1,034	707	304	8
Female	3,542	183	29	13	63	124	181	292	665	762	756	468	6
Black	7,912	385	50	38	217	440	512	800	1,512	1,759	1,433	752	14
Male	4,446	206	21	25	156	318	338	520	863	1,010	699	292	8
Female	3,466	179	29	13	61	122	174	280	649	749	744	460	6
Metropolitan counties	31,954	717	111	113	602	893	1,169	2,141	5,143	7,598	8,039	5,410	18
Male	16,672	409	55	76	431	650	766	1,352	3,174	4,340	3,764	1,644	11
Female	15,282	308	56	37	171	243	403	789	1,969	3,258	4,275	3,766	7
White	24,686	348	60	77	388	475	678	1,375	3,757	5,997	6,769	4,756	6
Male	12,559	214	33	51	274	339	438	856	2,366	3,427	3,164	1,392	5
Female	12,127	134	27	26	114	136	240	519	1,391	2,570	3,605	3,364	1
All other	7,268	369	51	36	214	418	491	766	1,386	1,601	1,270	654	12
Male	4,113	195	22	25	157	311	328	496	808	913	600	252	6
Female	3,155	174	29	11	57	107	163	270	578	688	670	402	6
Black	7,073	358	48	33	204	412	474	737	1,354	1,566	1,241	634	12
Male	3,992	188	19	22	148	306	318	479	792	891	583	240	6
Female	3,081	170	29	11	56	106	156	258	562	675	658	394	6
Nonmetropolitan counties	4,666	91	13	25	84	104	134	249	694	1,113	1,247	909	3
Male	2,509	56	9	14	57	88	87	183	408	690	630	324	3
Female	2,157	35	4	11	27	36	47	86	286	423	617	585	-
White	3,820	63	11	20	70	74	96	186	536	918	1,054	791	1
Male	2,050	37	7	11	49	55	67	122	337	569	523	272	1
Female	1,770	26	4	9	21	19	29	64	199	349	531	519	-
All other	846	28	2	5	14	30	38	63	158	195	193	118	2
Male	459	19	2	3	8	13	20	41	71	121	107	52	2
Female	387	9	-	2	6	17	18	22	87	74	86	66	-
Black	839	27	2	5	13	28	38	63	158	193	192	118	2
Male	454	18	2	3	8	12	20	41	71	119	106	52	2
Female	385	9	-	2	5	16	18	22	87	74	86	66	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	55,593	743	113	133	764	957	1,348	2,573	7,111	12,792	15,516	13,536	7
Male	27,232	414	53	76	581	710	900	1,607	4,375	7,285	7,196	4,030	5
Female	28,361	329	60	57	183	247	448	966	2,736	5,507	8,320	9,506	2
White	53,599	606	91	116	699	835	1,213	2,373	6,787	12,415	15,185	13,274	5
Male	26,151	340	45	66	536	626	814	1,481	4,184	7,075	7,053	3,928	3
Female	27,448	266	46	50	163	209	399	892	2,603	5,340	8,132	9,346	2
All other	1,994	137	22	17	65	122	135	200	324	377	331	262	2
Male	1,081	74	8	10	45	84	86	126	191	210	143	102	2
Female	913	63	14	7	20	38	49	74	133	167	188	160	-
Black	1,781	126	20	15	60	110	122	181	280	337	284	234	2
Male	950	70	7	10	42	72	76	114	169	182	117	89	2
Female	831	56	13	5	18	38	46	67	121	155	167	145	-
Metropolitan counties	52,704	718	109	127	732	926	1,301	2,462	6,783	12,102	14,627	12,810	7
Male	25,785	398	50	72	561	684	870	1,533	4,187	6,859	6,776	3,790	5
Female	26,919	320	59	55	171	242	431	929	2,596	5,243	7,851	9,020	2
White	50,766	582	87	110	667	805	1,166	2,269	6,462	11,739	14,314	12,560	5
Male	24,729	324	42	62	516	601	784	1,412	3,997	6,655	6,640	3,693	3
Female	26,037	258	45	48	151	204	382	857	2,465	5,084	7,674	8,867	2
All other	1,938	136	22	17	65	121	135	193	321	363	313	250	2
Male	1,056	74	8	10	45	83	86	121	190	204	136	97	2
Female	882	62	14	7	20	38	49	72	131	159	177	153	-
Black	1,733	125	20	15	60	110	122	174	288	323	269	225	2
Male	928	70	7	10	42	72	76	109	168	176	112	84	2
Female	805	55	13	5	18	38	46	65	120	147	157	141	-
Nonmetropolitan counties	2,889	25	4	6	32	31	47	111	328	690	889	726	-
Male	1,447	16	3	4	20	26	30	74	188	426	420	240	-
Female	1,442	9	1	2	12	5	17	37	140	264	469	486	-
White	2,833	24	4	6	32	30	47	104	325	676	871	714	-
Male	1,422	16	3	4	20	25	30	69	187	420	413	235	-
Female	1,411	8	1	2	12	5	17	35	138	256	458	479	-
All other	56	1	-	-	-	1	-	7	3	14	18	12	-
Male	25	-	-	-	-	1	-	5	1	6	7	5	-
Female	31	1	-	-	-	-	-	2	2	8	11	7	-
Black	48	1	-	-	-	-	-	7	2	14	15	9	-
Male	22	-	-	-	-	-	-	5	1	6	5	5	-
Female	26	1	-	-	-	-	-	2	1	8	10	4	-
Michigan	78,722	1,572	317	385	1,543	2,049	2,592	4,612	11,460	18,264	20,637	15,381	10
Male	41,892	925	194	234	1,135	1,431	1,690	2,866	7,007	10,800	10,300	5,303	7
Female	36,830	647	123	151	408	618	902	1,646	4,453	7,464	10,337	10,078	3
White	67,567	1,053	247	300	1,105	1,281	1,789	3,539	9,546	15,806	18,584	14,313	4
Male	35,628	610	159	178	799	905	1,152	2,273	5,678	9,359	9,283	4,929	3
Female	32,039	443	88	122	306	376	637	1,266	3,668	6,447	9,301	9,384	1
All other	11,155	519	70	85	438	768	803	973	1,914	2,458	2,053	1,068	6
Male	6,364	315	35	56	336	526	538	593	1,129	1,441	1,017	374	4
Female	4,791	204	35	29	102	242	265	380	785	1,017	1,036	694	2
Black	10,907	508	68	82	427	762	787	951	1,861	2,409	2,004	1,042	6
Male	6,234	310	34	55	326	523	530	581	1,102	1,413	988	368	4
Female	4,673	198	34	27	101	239	257	370	759	996	1,016	674	2
Metropolitan counties	63,287	1,359	252	320	1,314	1,817	2,258	3,810	9,490	14,473	16,148	12,044	10
Male	33,348	806	153	201	962	1,272	1,480	2,411	5,758	8,444	7,795	4,059	7
Female	29,939	547	99	119	352	545	778	1,399	3,732	6,029	8,351	7,985	3
White	52,363	840	182	237	883	1,057	1,463	2,850	7,601	12,065	14,154	11,027	4
Male	27,102	495	118	146	632	753	944	1,825	4,640	7,024	6,812	3,710	3
Female	25,261	345	64	91	251	304	519	1,025	2,961	5,041	7,342	7,317	1
All other	10,924	513	70	83	431	760	795	960	1,889	2,408	1,992	1,017	6
Male	6,246	311	35	55	330	519	536	586	1,118	1,420	983	349	4
Female	4,678	202	35	28	101	241	259	374	771	988	1,009	668	2
Black	10,750	503	68	82	424	755	784	947	1,849	2,375	1,958	1,000	6
Male	6,142	306	34	55	324	516	529	579	1,095	1,396	960	344	4
Female	4,608	197	34	27	100	239	255	388	753	979	998	656	2
Nonmetropolitan counties	15,435	219	65	65	229	232	334	702	1,970	3,791	4,491	3,337	-
Male	8,544	119	41	33	173	159	210	455	1,249	2,356	2,505	1,244	-
Female	6,891	100	24	32	56	73	124	247	721	1,435	1,986	2,093	-
White	15,204	213	65	63	222	224	326	689	1,945	3,741	4,430	3,286	-
Male	8,426	115	41	32	167	152	208	448	1,238	2,335	2,471	1,219	-
Female	6,778	98	24	31	55	72	118	241	707	1,406	1,959	2,067	-
All other	231	6	-	2	7	8	8	13	25	50	61	51	-
Male	118	4	-	1	6	7	2	7	11	21	34	25	-
Female	113	2	-	1	1	1	6	6	14	29	27	26	-
Black	157	5	-	-	3	7	3	4	13	34	46	42	-
Male	92	4	-	-	2	7	1	2	7	17	28	24	-
Female	65	1	-	-	1	-	2	2	6	17	18	18	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	34,801	594	128	130	510	568	758	1,491	3,758	7,111	10,090	9,661	2
Male	17,912	351	74	75	372	395	464	931	2,419	4,287	5,113	3,429	2
Female	16,889	243	54	55	138	173	294	560	1,339	2,824	4,977	6,232	-
White	34,125	546	112	115	478	527	710	1,428	3,655	6,991	9,981	9,600	2
Male	17,504	318	65	65	347	362	430	888	2,357	4,217	5,043	3,410	2
Female	16,621	228	47	50	131	165	280	540	1,298	2,774	4,918	6,190	-
All other	676	48	16	15	32	41	48	63	103	120	129	61	-
Male	408	33	9	10	25	33	34	43	62	70	70	19	-
Female	268	15	7	5	7	8	14	20	41	50	59	42	-
Black	363	31	8	4	12	26	22	31	63	65	59	42	-
Male	220	20	6	2	8	22	19	21	38	39	32	13	-
Female	143	11	2	2	4	4	3	10	25	26	27	29	-
Metropolitan counties	20,253	403	87	84	327	412	523	972	2,391	4,142	5,548	5,382	2
Male	10,065	239	55	44	239	283	315	614	1,528	2,408	2,832	1,706	2
Female	10,188	164	32	40	88	129	208	358	863	1,734	2,916	3,656	-
White	19,708	359	74	74	306	373	482	919	2,308	4,044	5,456	5,311	2
Male	9,740	210	47	37	222	252	283	577	1,480	2,356	2,582	1,692	2
Female	9,968	149	27	37	84	121	199	342	828	1,688	2,874	3,619	-
All other	545	44	13	10	21	39	41	53	83	98	92	51	-
Male	325	29	8	7	17	31	32	37	48	52	50	14	-
Female	220	15	5	3	4	8	9	16	35	46	42	37	-
Black	356	31	8	4	12	26	21	31	62	63	58	40	-
Male	216	20	6	2	8	22	19	21	38	37	31	12	-
Female	140	11	2	2	4	4	2	10	24	26	27	28	-
Nonmetropolitan counties	14,548	191	41	46	183	156	235	519	1,367	2,969	4,542	4,299	-
Male	7,847	112	19	31	133	112	149	317	891	1,879	2,481	1,723	-
Female	6,701	79	22	15	50	44	86	202	476	1,090	2,061	2,576	-
White	14,417	187	38	41	172	154	228	509	1,347	2,947	4,505	4,289	-
Male	7,764	108	18	28	125	110	147	311	877	1,861	2,461	1,718	-
Female	6,653	79	20	13	47	44	81	198	470	1,086	2,044	2,571	-
All other	131	4	3	5	11	2	7	10	20	22	37	10	-
Male	83	4	1	3	8	2	2	6	14	18	20	5	-
Female	48	-	2	2	3	-	5	4	6	4	17	5	-
Black	7	-	-	-	-	-	1	-	1	2	1	2	-
Male	4	-	-	-	-	-	-	-	-	2	1	1	-
Female	3	-	-	-	-	-	1	-	1	-	-	1	-
Mississippi	24,691	596	127	166	547	612	839	1,486	3,333	5,771	6,810	4,387	17
Male	13,391	346	81	102	396	431	569	979	2,086	3,401	3,419	1,570	11
Female	11,300	250	46	64	151	181	270	507	1,247	2,370	3,391	2,817	6
White	15,898	213	53	62	325	294	467	899	2,179	3,763	4,613	3,008	2
Male	8,651	124	34	52	236	209	324	628	1,421	2,320	2,290	1,012	1
Female	7,247	89	19	30	89	85	143	271	758	1,443	2,323	1,996	1
All other	8,793	383	74	84	222	318	372	587	1,154	2,008	2,197	1,379	15
Male	4,740	222	47	50	160	222	245	351	665	1,081	1,129	558	10
Female	4,053	161	27	34	62	96	127	236	489	927	1,068	821	5
Black	8,710	379	70	84	217	313	364	575	1,138	1,992	2,186	1,377	15
Male	4,691	220	44	50	158	218	239	347	655	1,071	1,122	557	10
Female	4,019	159	26	34	59	95	125	228	483	921	1,064	820	5
Metropolitan counties	5,559	145	21	34	127	148	216	382	870	1,319	1,412	879	6
Male	3,081	83	11	18	85	103	154	258	523	828	707	307	4
Female	2,478	62	10	16	42	45	62	124	347	491	705	572	2
White	4,019	72	11	17	85	90	137	265	662	961	1,064	654	1
Male	2,254	44	6	11	58	56	99	186	406	638	528	222	-
Female	1,765	28	5	6	27	34	38	79	256	323	536	432	1
All other	1,540	73	10	17	42	58	79	117	208	358	348	225	5
Male	827	39	5	7	27	47	55	72	117	190	179	85	4
Female	713	34	5	10	15	11	24	45	91	168	169	140	1
Black	1,521	72	9	17	40	56	77	114	207	356	344	224	5
Male	813	39	4	7	26	45	53	71	116	188	176	84	4
Female	708	33	5	10	14	11	24	43	91	168	168	140	1
Nonmetropolitan counties	19,132	451	106	132	420	464	623	1,104	2,463	4,452	5,398	3,508	11
Male	10,310	263	70	84	311	328	415	721	1,563	2,573	2,712	1,263	7
Female	8,822	188	36	48	109	136	208	383	900	1,879	2,686	2,245	4
White	11,879	141	42	65	240	204	330	634	1,517	2,802	3,549	2,354	1
Male	6,397	80	28	41	178	153	225	442	1,015	1,682	1,762	790	1
Female	5,482	61	14	24	62	51	105	192	502	1,120	1,787	1,564	-
All other	7,253	310	64	67	180	260	293	470	946	1,650	1,849	1,154	10
Male	3,913	183	42	43	133	175	190	279	548	891	950	473	6
Female	3,340	127	22	24	47	85	103	191	398	759	899	681	4
Black	7,189	307	61	67	177	257	287	461	931	1,636	1,842	1,153	10
Male	3,878	181	40	43	132	173	186	276	539	883	946	473	6
Female	3,311	126	21	24	45	84	101	185	392	753	896	680	4

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	50,368	789	135	172	824	971	1,187	2,419	6,460	11,074	14,772	11,554	11
Male	25,887	456	73	111	623	704	763	1,493	4,055	6,515	7,211	3,875	8
Female	24,481	333	62	61	201	267	424	926	2,405	4,559	7,561	7,679	3
White	45,272	578	102	135	675	746	938	2,010	5,659	9,860	13,592	10,672	5
Male	23,131	346	56	87	505	538	604	1,253	3,573	5,896	6,655	3,614	4
Female	22,141	232	46	48	170	208	334	757	2,086	4,064	6,937	7,258	1
All other	5,096	211	33	37	149	225	249	409	801	1,114	1,180	682	6
Male	2,756	110	17	24	118	166	159	240	482	619	556	261	4
Female	2,340	101	16	13	31	59	90	169	319	495	624	421	2
Black	5,019	203	32	37	146	220	241	398	793	1,104	1,163	676	6
Male	2,714	108	16	24	115	164	155	234	479	613	545	257	4
Female	2,305	95	16	13	31	56	86	164	314	491	618	419	2
Metropolitan counties	30,373	561	86	98	523	680	813	1,609	4,126	6,670	8,628	6,569	10
Male	15,266	319	41	58	392	503	522	984	2,561	3,816	3,983	2,080	7
Female	15,107	242	45	40	131	177	291	625	1,565	2,854	4,645	4,489	3
White	25,831	360	57	62	387	478	587	1,228	3,386	5,672	7,614	5,995	5
Male	12,797	214	26	35	284	352	378	757	2,123	3,260	3,503	1,861	4
Female	13,034	146	31	27	103	126	209	471	1,263	2,412	4,111	4,134	1
All other	4,542	201	29	36	136	202	226	381	740	998	1,014	574	5
Male	2,469	105	15	23	108	151	144	227	438	556	480	219	3
Female	2,073	96	14	13	28	51	82	154	302	442	534	355	2
Black	4,483	193	28	36	134	197	220	373	734	989	1,004	570	5
Male	2,435	103	14	23	106	149	140	222	436	550	472	217	3
Female	2,048	90	14	13	28	48	80	151	298	439	532	353	2
Nonmetropolitan counties	19,995	228	49	74	301	291	374	810	2,334	4,404	6,144	4,985	1
Male	10,621	137	32	53	231	201	241	509	1,494	2,699	3,228	1,795	1
Female	9,374	91	17	21	70	90	133	301	840	1,705	2,916	3,190	-
White	19,441	218	45	73	288	268	351	782	2,273	4,288	5,978	4,877	-
Male	10,334	132	30	52	221	186	226	496	1,450	2,638	3,152	1,753	-
Female	9,107	86	15	21	67	82	125	286	823	1,652	2,826	3,124	-
All other	554	10	4	1	13	23	23	28	61	116	166	108	1
Male	287	5	2	1	10	15	15	13	44	63	76	42	1
Female	267	5	2	-	3	8	8	15	17	53	90	66	-
Black	536	10	4	1	12	23	21	25	59	115	159	106	1
Male	279	5	2	1	9	15	15	12	43	63	73	40	1
Female	257	5	2	-	3	8	6	13	16	52	86	66	-
Montana	6,724	139	28	37	149	168	225	349	787	1,539	1,795	1,507	1
Male	3,720	77	18	18	117	122	154	219	496	940	984	574	1
Female	3,004	62	10	19	32	46	71	130	291	599	811	933	-
White	6,429	116	24	31	125	149	201	316	753	1,475	1,750	1,488	1
Male	3,543	67	18	15	98	110	138	196	470	899	963	568	1
Female	2,886	49	6	16	27	39	63	120	283	576	787	920	-
All other	295	23	4	6	24	19	24	33	34	64	45	19	-
Male	177	10	-	3	19	12	16	23	26	41	21	6	-
Female	118	13	4	3	5	7	8	10	8	23	24	13	-
Black	8	1	-	-	-	-	-	-	-	3	2	2	-
Male	3	-	-	-	-	-	-	-	-	1	1	1	-
Female	5	1	-	-	-	-	-	-	-	2	1	1	-
Metropolitan counties	1,455	41	2	3	33	38	50	80	195	332	363	318	-
Male	789	24	1	1	22	27	36	48	117	195	195	123	-
Female	666	17	1	2	11	11	14	32	78	137	168	195	-
White	1,425	38	2	3	31	34	45	77	191	330	357	317	-
Male	773	24	1	1	20	25	33	47	114	194	192	122	-
Female	652	14	1	2	11	9	12	30	77	136	165	195	-
All other	30	3	-	-	2	4	5	3	4	2	6	1	-
Male	16	-	-	-	2	2	3	1	3	1	3	1	-
Female	14	3	-	-	-	2	2	2	1	1	3	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,269	98	26	34	116	130	175	269	592	1,207	1,432	1,189	1
Male	2,931	53	17	17	95	95	118	171	379	745	789	451	1
Female	2,338	45	9	17	21	35	57	98	213	462	643	738	-
White	5,004	78	22	28	94	115	156	239	562	1,145	1,393	1,171	1
Male	2,770	43	17	14	78	85	105	149	356	705	771	446	1
Female	2,234	35	5	14	16	30	51	90	206	440	622	725	-
All other	265	20	4	6	22	15	19	30	30	62	39	18	-
Male	161	10	-	3	17	10	13	22	23	40	18	5	-
Female	104	10	4	3	5	5	6	8	7	22	21	13	-
Black	7	1	-	-	-	-	-	-	-	3	1	2	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	5	1	-	-	-	-	-	-	-	2	1	1	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,903	246	39	46	203	224	285	591	1,597	3,112	4,400	4,158	2
Male	7,745	144	24	30	152	158	188	357	1,033	1,953	2,236	1,468	2
Female	7,158	102	15	16	51	66	97	234	564	1,159	2,164	2,690	-
White	14,433	212	36	43	192	195	256	546	1,530	3,017	4,293	4,112	1
Male	7,479	121	21	28	144	141	169	336	992	1,895	2,185	1,446	1
Female	6,954	91	15	15	48	54	87	210	538	1,122	2,108	2,666	-
All other	470	34	3	3	11	29	29	45	67	95	107	46	1
Male	266	23	3	2	8	17	19	21	41	58	51	22	1
Female	204	11	-	1	3	12	10	24	26	37	56	24	-
Black	381	24	2	2	7	24	22	35	53	75	92	44	1
Male	217	15	2	1	5	14	16	17	36	46	43	21	1
Female	164	9	-	1	2	10	6	18	17	29	49	23	-
Metropolitan counties	5,471	126	17	21	93	120	135	271	703	1,201	1,503	1,280	1
Male	2,826	70	9	14	71	85	89	165	437	739	712	434	1
Female	2,645	56	8	7	22	35	46	106	266	462	791	846	-
White	5,071	99	15	18	85	94	110	234	649	1,123	1,407	1,237	-
Male	2,597	52	7	12	65	70	72	148	402	690	665	414	-
Female	2,474	47	8	6	20	24	38	86	247	433	742	823	-
All other	400	27	2	3	8	26	25	37	54	78	96	43	1
Male	229	18	2	2	6	15	17	17	35	49	47	20	1
Female	171	9	-	1	2	11	8	20	19	29	49	23	-
Black	373	24	2	2	7	24	22	34	52	72	91	42	1
Male	212	15	2	1	5	14	16	16	35	44	43	20	1
Female	161	9	-	1	2	10	6	18	17	28	48	22	-
Nonmetropolitan counties	9,432	120	22	25	110	104	150	320	894	1,911	2,897	2,878	1
Male	4,919	74	15	16	81	73	99	192	596	1,214	1,524	1,034	1
Female	4,513	46	7	9	29	31	51	128	298	697	1,373	1,844	-
White	9,362	113	21	25	107	101	146	312	881	1,894	2,886	2,875	1
Male	4,882	69	14	16	79	71	97	188	590	1,205	1,520	1,032	1
Female	4,480	44	7	9	28	30	49	124	291	689	1,366	1,843	-
All other	70	7	1	-	3	3	4	8	13	17	11	3	-
Male	37	5	1	-	2	2	2	4	6	9	4	2	-
Female	33	2	-	-	1	1	2	4	7	8	7	1	-
Black	8	-	-	-	-	-	-	1	1	3	1	2	-
Male	5	-	-	-	-	-	-	1	1	2	-	1	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
Nevada	7,236	130	34	24	175	233	299	559	1,311	1,949	1,632	886	4
Male	4,273	89	21	17	128	173	192	367	844	1,234	874	330	4
Female	2,963	41	13	7	47	60	107	192	467	715	758	556	-
White	6,754	110	25	18	155	191	253	507	1,237	1,850	1,551	854	3
Male	3,974	77	17	15	113	139	168	332	796	1,171	829	314	3
Female	2,780	33	8	3	42	52	85	175	441	679	722	540	-
All other	482	20	9	6	20	42	46	52	74	99	81	32	1
Male	299	12	4	2	15	34	24	35	48	63	45	16	1
Female	183	8	5	4	5	8	22	17	26	36	36	16	-
Black	345	18	7	4	13	29	32	36	53	82	52	18	1
Male	216	11	4	1	8	24	16	28	35	52	27	9	1
Female	129	7	3	3	5	5	16	8	18	30	25	9	-
Metropolitan counties	5,784	107	30	18	134	189	231	455	1,106	1,536	1,284	690	4
Male	3,409	73	19	11	91	141	148	297	717	957	684	267	4
Female	2,375	34	11	7	43	48	83	158	389	579	600	423	-
White	5,357	88	21	12	117	155	191	407	1,040	1,445	1,210	688	3
Male	3,143	61	15	9	79	113	128	264	673	900	642	256	3
Female	2,214	27	6	3	38	42	63	143	367	545	568	412	-
All other	427	19	9	6	17	34	40	48	66	91	74	22	1
Male	266	12	4	2	12	28	20	33	44	57	42	11	1
Female	161	7	5	4	5	6	20	15	22	34	32	11	-
Black	340	18	7	4	13	28	31	36	52	81	52	17	1
Male	213	11	4	1	8	24	15	28	34	52	27	8	1
Female	127	7	3	3	5	4	16	8	18	29	25	9	-
Nonmetropolitan counties	1,452	23	4	6	41	44	68	104	205	413	348	198	-
Male	864	16	2	6	37	32	44	70	127	277	190	63	-
Female	588	7	2	-	4	12	24	34	78	136	158	133	-
White	1,397	22	4	6	38	36	62	100	197	405	341	186	-
Male	831	16	2	6	34	26	40	68	123	271	187	58	-
Female	566	6	2	-	4	10	22	32	74	134	154	128	-
All other	55	1	-	-	3	8	6	4	8	8	7	10	-
Male	33	-	-	-	3	6	4	2	4	6	3	5	-
Female	22	1	-	-	-	2	2	2	4	2	4	5	-
Black	5	-	-	-	-	1	1	-	1	1	-	1	-
Male	3	-	-	-	-	-	1	-	1	-	-	1	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	8,483	144	15	29	167	139	245	431	1,106	1,894	2,435	1,888	-
Male	4,278	91	8	21	121	101	163	261	674	1,083	1,163	592	-
Female	4,205	53	7	8	46	38	82	170	432	801	1,272	1,296	-
White	8,454	140	15	28	165	139	244	430	1,103	1,876	2,431	1,888	-
Male	4,267	89	8	21	121	101	162	260	674	1,079	1,160	592	-
Female	4,187	51	7	7	44	38	82	170	429	797	1,271	1,291	-
All other	29	4	-	1	2	-	1	1	3	8	4	5	-
Male	11	2	-	-	-	-	1	1	-	4	3	-	-
Female	18	2	-	1	2	-	-	-	3	4	1	5	-
Black	17	4	-	-	-	-	-	1	1	6	3	2	-
Male	9	2	-	-	-	-	-	1	-	4	2	-	-
Female	8	2	-	-	-	-	-	-	1	2	1	2	-
Metropolitan counties	4,661	87	11	16	86	76	138	264	651	1,045	1,281	1,006	-
Male	2,339	58	7	11	64	56	91	160	381	605	592	314	-
Female	2,322	29	4	5	22	20	47	104	270	440	689	692	-
White	4,643	85	11	15	85	76	137	263	648	1,042	1,278	1,003	-
Male	2,333	57	7	11	64	56	90	159	381	604	590	314	-
Female	2,310	28	4	4	21	20	47	104	267	438	688	689	-
All other	18	2	-	1	1	-	1	1	3	3	3	3	-
Male	6	1	-	-	-	-	1	1	-	1	2	-	-
Female	12	1	-	1	1	-	-	-	3	2	1	3	-
Black	9	2	-	-	-	-	-	1	1	1	2	2	-
Male	4	1	-	-	-	-	-	1	-	1	1	-	-
Female	5	1	-	-	-	-	-	-	1	-	1	2	-
Nonmetropolitan counties	3,822	57	4	13	81	63	107	167	455	839	1,154	882	-
Male	1,939	33	1	10	57	45	72	101	293	478	571	278	-
Female	1,883	24	3	3	24	18	35	66	162	361	583	604	-
White	3,811	55	4	13	80	63	107	167	455	834	1,153	880	-
Male	1,934	32	1	10	57	45	72	101	293	475	570	278	-
Female	1,877	23	3	3	23	18	35	66	162	359	583	602	-
All other	11	2	-	-	1	-	-	-	-	5	1	2	-
Male	5	1	-	-	-	-	-	-	-	3	1	-	-
Female	6	1	-	-	1	-	-	-	-	2	-	2	-
Black	8	2	-	-	-	-	-	-	-	5	1	-	-
Male	5	1	-	-	-	-	-	-	-	3	1	-	-
Female	3	1	-	-	-	-	-	-	-	2	-	-	-
New Jersey	71,128	1,119	184	219	944	1,647	2,283	4,021	10,393	17,076	19,280	13,924	38
Male	36,905	614	98	134	670	1,198	1,555	2,536	6,398	9,868	9,187	4,626	21
Female	34,223	505	86	85	274	449	728	1,485	3,995	7,208	10,093	9,298	17
White	62,571	723	110	152	734	1,082	1,574	3,048	8,860	15,340	17,784	13,129	25
Male	32,136	415	62	94	525	818	1,057	1,918	5,484	8,922	8,489	4,341	11
Female	30,435	308	48	58	209	264	517	1,130	3,376	6,418	9,305	8,788	14
All other	8,557	396	74	67	210	565	709	973	1,533	1,736	1,486	795	13
Male	4,769	199	36	40	145	380	498	618	914	946	698	285	10
Female	3,788	197	38	27	65	185	211	355	619	790	788	510	3
Black	8,241	386	72	64	197	546	683	949	1,485	1,662	1,423	761	13
Male	4,591	193	36	39	137	367	483	605	884	905	660	272	10
Female	3,650	193	36	25	60	179	200	344	601	757	763	489	3
Metropolitan counties	63,168	1,040	172	199	865	1,538	2,109	3,731	9,416	14,934	16,710	12,418	36
Male	32,623	569	92	120	615	1,125	1,432	2,363	5,790	8,587	7,838	4,073	19
Female	30,545	471	80	79	250	413	677	1,368	3,626	6,347	8,872	8,345	17
White	54,793	653	99	134	658	981	1,411	2,773	7,913	13,242	15,264	11,642	23
Male	27,969	373	56	81	471	750	944	1,754	4,899	7,667	7,168	3,797	9
Female	26,824	280	43	53	187	231	467	1,019	3,014	5,575	8,096	7,845	14
All other	8,375	387	73	65	207	557	698	958	1,503	1,692	1,446	776	13
Male	4,654	196	36	39	144	375	488	609	891	920	670	276	10
Female	3,721	191	37	26	63	182	210	349	612	772	776	500	3
Black	8,079	377	72	63	196	538	672	937	1,457	1,623	1,386	745	13
Male	4,487	190	36	38	136	362	473	596	863	883	634	266	10
Female	3,592	187	36	25	60	176	199	341	594	740	752	479	3
Nonmetropolitan counties	7,960	79	12	20	79	109	174	290	977	2,142	2,570	1,506	2
Male	4,282	45	6	14	55	73	123	173	608	1,281	1,349	553	2
Female	3,678	34	6	6	24	36	51	117	369	861	1,221	953	-
White	7,778	70	11	18	76	101	163	275	947	2,098	2,530	1,487	2
Male	4,167	42	6	13	54	68	113	164	585	1,255	1,321	544	2
Female	3,611	28	5	5	22	33	50	111	362	843	1,209	943	-
All other	182	9	1	2	3	8	11	15	30	44	40	19	-
Male	115	3	-	1	1	5	10	9	23	26	28	9	-
Female	67	6	1	1	2	3	1	6	7	18	12	10	-
Black	162	9	-	1	1	8	11	12	28	39	37	16	-
Male	104	3	-	1	1	5	10	9	21	22	26	6	-
Female	58	6	-	-	-	3	1	3	7	17	11	10	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	9,763	295	71	99	365	416	396	600	1,275	2,187	2,431	1,619	9
Male	5,562	180	49	63	276	318	257	386	776	1,328	1,268	656	7
Female	4,201	115	22	36	89	98	139	214	499	859	1,165	963	2
White	8,951	243	52	87	287	332	327	529	1,166	2,058	2,314	1,548	9
Male	5,047	146	35	55	213	250	215	345	708	1,255	1,205	613	7
Female	3,904	97	17	32	74	82	112	184	457	803	1,109	935	2
All other	812	52	19	12	78	84	69	71	110	129	117	71	-
Male	515	34	14	8	63	68	42	41	68	73	61	43	-
Female	297	18	5	4	15	16	27	30	42	56	56	28	-
Black	187	10	2	3	4	14	9	13	36	40	37	19	-
Male	114	7	2	1	3	11	7	6	24	22	21	10	-
Female	73	3	-	2	1	3	2	7	12	18	16	9	-
Metropolitan counties	3,981	124	22	27	119	176	169	263	557	924	945	649	6
Male	2,234	87	14	18	94	137	105	156	333	555	470	260	5
Female	1,747	37	8	9	25	39	64	107	224	369	475	389	1
White	3,756	106	20	25	103	154	149	245	526	880	914	628	6
Male	2,083	74	12	16	80	119	91	149	314	526	451	246	5
Female	1,673	32	8	9	23	35	58	96	212	354	463	382	1
All other	225	18	2	2	16	22	20	18	31	44	31	21	-
Male	151	13	2	2	14	18	14	7	19	29	19	14	-
Female	74	5	-	-	2	4	6	11	12	15	12	7	-
Black	94	5	1	-	3	10	6	7	20	16	16	10	-
Male	60	4	1	-	2	8	6	4	13	8	11	3	-
Female	34	1	-	-	1	2	-	3	7	8	5	7	-
Nonmetropolitan counties	5,782	171	49	72	246	240	227	337	718	1,263	1,486	970	3
Male	3,328	93	35	45	182	181	152	230	443	773	796	396	2
Female	2,454	78	14	27	64	59	75	107	275	490	690	574	1
White	5,195	137	32	62	184	178	178	284	639	1,178	1,400	920	3
Male	2,964	72	23	39	133	131	124	196	394	729	754	367	2
Female	2,231	65	9	23	51	47	54	88	245	449	646	553	1
All other	587	34	17	10	62	62	49	53	79	85	86	50	-
Male	364	21	12	6	49	50	28	34	49	44	42	29	-
Female	223	13	5	4	13	12	21	19	30	41	44	21	-
Black	93	5	1	3	1	4	3	6	16	24	21	9	-
Male	54	3	1	1	1	3	1	2	11	14	10	7	-
Female	39	2	-	2	-	1	2	4	5	10	11	2	-
New York	172,117	2,791	444	560	2,440	4,624	6,450	10,061	23,440	38,193	46,890	36,003	21
Male	87,449	1,578	240	343	1,828	3,428	4,420	6,249	14,100	21,424	21,903	11,922	14
Female	84,668	1,213	204	217	612	1,396	2,030	3,812	9,340	16,769	24,987	24,081	7
White	148,878	1,813	301	386	1,780	3,227	4,346	7,463	19,265	33,394	42,985	33,901	17
Male	74,733	1,029	158	252	1,333	2,358	2,977	4,644	11,702	18,892	20,185	11,191	12
Female	74,145	784	143	134	447	869	1,369	2,819	7,563	14,502	22,800	22,710	5
All other	23,239	978	143	174	660	1,597	2,104	2,598	4,175	4,799	3,905	2,102	4
Male	12,716	549	82	91	495	1,070	1,443	1,605	2,398	2,532	1,718	731	2
Female	10,523	429	61	83	165	527	661	993	1,777	2,267	2,187	1,371	2
Black	21,800	925	131	152	622	1,539	2,015	2,469	3,936	4,499	3,599	1,909	4
Male	11,852	520	76	84	471	1,029	1,361	1,515	2,243	2,356	1,535	640	2
Female	9,948	405	55	68	151	510	634	954	1,693	2,143	2,064	1,269	2
Metropolitan counties	155,069	2,568	386	505	2,212	4,574	6,076	9,272	21,319	34,108	41,926	32,103	20
Male	78,668	1,449	208	305	1,653	3,253	4,182	5,778	12,807	19,027	19,371	10,621	14
Female	76,401	1,119	178	200	559	1,321	1,894	3,494	8,512	15,081	22,555	21,482	6
White	132,102	1,599	245	336	1,561	2,992	3,988	6,702	17,182	29,366	38,078	30,037	16
Male	66,094	904	127	217	1,164	2,196	2,749	4,190	10,431	16,523	17,676	9,905	12
Female	66,008	695	118	119	397	796	1,239	2,512	6,751	12,843	20,402	20,132	4
All other	22,967	969	141	169	651	1,582	2,088	2,570	4,137	4,742	3,848	2,066	4
Male	12,574	545	81	88	489	1,057	1,433	1,588	2,376	2,504	1,695	716	2
Female	10,393	424	60	81	162	525	655	982	1,761	2,238	2,153	1,350	2
Black	21,589	918	129	148	615	1,529	2,005	2,448	3,905	4,451	3,555	1,882	4
Male	11,734	516	75	81	465	1,020	1,374	1,502	2,225	2,331	1,518	625	2
Female	9,855	402	54	67	150	509	631	946	1,680	2,120	2,037	1,257	2
Nonmetropolitan counties	17,048	223	58	55	228	250	374	789	2,121	4,085	4,964	3,900	1
Male	8,781	129	32	38	175	175	238	471	1,293	2,397	2,532	1,301	-
Female	8,267	94	26	17	53	75	136	318	828	1,688	2,432	2,599	1
White	16,776	214	56	50	219	235	358	761	2,083	4,028	4,907	3,864	1
Male	8,639	125	31	35	169	162	228	454	1,271	2,369	2,509	1,286	-
Female	8,137	89	25	15	50	73	130	307	812	1,659	2,398	2,578	1
All other	272	9	2	5	9	15	16	28	38	57	57	36	-
Male	142	4	1	3	6	13	10	17	22	28	23	15	-
Female	130	5	1	2	3	2	6	11	16	29	34	21	-
Black	211	7	2	4	7	10	10	21	31	48	44	27	-
Male	118	4	1	3	6	9	7	13	18	25	17	15	-
Female	93	3	1	1	1	1	3	8	13	23	27	12	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	52,988	1,051	181	258	1,148	1,263	1,902	3,556	8,205	13,088	13,674	8,656	6
Male	28,478	589	103	168	832	890	1,259	2,224	5,258	7,765	8,549	2,835	6
Female	24,510	462	78	90	316	373	643	1,332	2,947	5,323	7,125	5,821	-
White	40,005	582	109	162	812	774	1,162	2,430	5,958	9,909	10,830	7,273	4
Male	21,286	330	61	107	595	552	748	1,535	3,866	5,972	5,162	2,354	4
Female	18,719	252	48	55	217	222	414	895	2,092	3,937	5,668	4,919	-
All other	12,983	469	72	96	336	489	740	1,126	2,247	3,179	2,844	1,383	2
Male	7,192	259	42	61	237	338	511	689	1,392	1,793	1,387	481	2
Female	5,791	210	30	35	99	151	229	437	855	1,386	1,457	902	-
Black	12,561	449	70	85	315	458	710	1,080	2,178	3,088	2,761	1,355	2
Male	6,936	250	40	55	221	316	488	660	1,351	1,738	1,346	469	2
Female	5,625	199	30	30	94	142	222	420	827	1,360	1,415	886	-
Metropolitan counties	25,857	558	90	114	608	629	918	1,779	4,074	6,269	6,559	4,258	1
Male	13,812	300	50	71	450	442	608	1,108	2,614	3,677	3,119	1,972	1
Female	12,045	258	40	43	158	187	310	671	1,460	2,592	3,440	2,886	-
White	20,156	337	60	80	450	414	590	1,237	3,069	4,894	5,361	3,664	-
Male	10,674	184	30	53	334	290	386	770	2,000	2,905	2,540	1,182	-
Female	9,482	153	30	27	116	124	204	467	1,069	1,989	2,821	2,482	-
All other	5,701	221	30	34	158	215	328	542	1,005	1,375	1,198	594	1
Male	3,138	116	20	18	116	152	222	338	614	772	579	190	1
Female	2,563	105	10	16	42	63	106	204	391	603	619	404	-
Black	5,646	217	30	32	153	210	324	530	994	1,368	1,193	594	1
Male	3,105	114	20	18	111	151	219	330	608	767	576	190	1
Female	2,541	103	10	14	42	59	105	200	386	601	617	404	-
Nonmetropolitan counties	27,131	493	91	144	540	634	984	1,777	4,131	6,819	7,115	4,398	5
Male	14,666	289	53	97	382	448	651	1,116	2,644	4,088	3,430	1,463	5
Female	12,465	204	38	47	158	186	333	661	1,487	2,731	3,685	2,935	-
White	19,849	245	49	82	362	360	572	1,193	2,889	5,015	5,469	3,609	4
Male	10,612	146	31	54	261	262	362	765	1,866	3,067	2,622	1,172	4
Female	9,237	99	18	28	101	98	210	428	1,023	1,948	2,847	2,437	-
All other	7,282	248	42	62	178	274	412	584	1,242	1,804	1,646	789	1
Male	4,054	143	22	43	121	186	289	351	778	1,021	808	291	1
Female	3,228	105	20	19	57	88	123	233	464	783	838	498	-
Black	6,915	232	40	53	162	248	386	550	1,184	1,730	1,568	761	1
Male	3,831	136	20	37	110	165	269	330	743	971	770	279	1
Female	3,084	96	20	16	52	83	117	220	441	759	798	482	-
North Dakota	5,628	100	17	26	85	83	95	259	601	1,174	1,688	1,500	-
Male	3,133	58	12	16	66	67	59	174	377	775	965	564	-
Female	2,495	42	5	10	19	16	36	85	224	399	723	936	-
White	5,472	89	13	22	73	70	92	238	576	1,150	1,660	1,489	-
Male	3,041	53	8	12	61	58	59	163	361	758	948	560	-
Female	2,431	36	5	10	12	12	33	75	215	392	712	929	-
All other	156	11	4	4	12	13	3	21	25	24	28	11	-
Male	92	5	4	4	5	9	-	11	16	17	17	4	-
Female	64	6	-	-	7	4	3	10	9	7	11	7	-
Black	4	1	-	1	1	-	-	-	-	-	1	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-	1	-	-
Metropolitan counties	1,558	47	8	7	24	28	34	80	184	304	427	417	-
Male	825	27	5	5	21	21	23	51	107	190	228	147	-
Female	733	20	3	2	3	5	11	29	77	114	199	270	-
White	1,548	46	6	6	23	25	34	80	183	303	425	417	-
Male	818	27	3	4	20	21	23	51	106	190	226	147	-
Female	730	19	3	2	3	4	11	29	77	113	199	270	-
All other	10	1	2	1	1	1	-	-	1	1	2	-	-
Male	7	-	2	1	1	-	-	-	1	-	2	-	-
Female	3	1	-	-	-	1	-	-	-	1	-	-	-
Black	3	1	-	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	4,070	53	9	19	61	57	61	179	417	870	1,261	1,083	-
Male	2,308	31	7	11	45	46	36	123	270	585	737	417	-
Female	1,762	22	2	8	16	11	25	56	147	285	524	666	-
White	3,924	43	7	16	50	45	58	158	393	847	1,235	1,072	-
Male	2,223	26	5	8	41	37	36	112	255	568	722	413	-
Female	1,701	17	2	8	9	8	22	46	138	279	513	659	-
All other	146	10	2	3	11	12	3	21	24	23	26	11	-
Male	85	5	2	3	4	9	-	11	15	17	15	4	-
Female	61	5	-	-	7	3	3	10	9	6	11	7	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	98,941	1,660	281	375	1,492	1,867	2,556	5,319	14,443	23,531	27,010	20,405	2
Male	50,726	961	172	219	1,095	1,301	1,614	3,201	8,679	13,597	12,882	6,805	-
Female	48,215	699	109	156	397	566	942	2,118	5,564	9,934	14,128	13,600	2
White	88,910	1,261	217	309	1,291	1,496	2,099	4,422	12,477	21,228	24,870	19,240	-
Male	45,326	729	132	178	941	1,059	1,322	2,696	7,708	12,320	11,873	6,368	-
Female	43,584	532	85	131	350	437	777	1,726	4,769	8,908	12,997	12,872	-
All other	10,031	399	64	66	201	371	457	897	1,966	2,303	2,140	1,165	2
Male	5,400	232	40	41	154	242	292	505	1,171	1,277	1,009	437	-
Female	4,631	167	24	25	47	129	165	392	795	1,026	1,131	728	2
Black	9,903	390	63	66	193	364	445	888	1,942	2,276	2,120	1,154	2
Male	5,324	225	39	41	148	236	283	500	1,158	1,260	999	435	-
Female	4,579	165	24	25	45	128	162	388	784	1,016	1,121	719	2
Metropolitan counties	78,917	1,351	222	279	1,185	1,512	2,093	4,320	11,800	16,899	21,326	15,926	2
Male	40,193	789	140	163	876	1,055	1,324	2,578	7,234	10,862	9,988	5,184	-
Female	38,724	562	82	116	309	457	769	1,742	4,566	6,037	11,338	10,744	2
White	69,267	963	159	217	995	1,152	1,650	3,449	9,899	16,672	19,282	14,829	-
Male	35,005	564	100	125	730	819	1,043	2,084	6,106	9,630	9,029	4,775	-
Female	34,262	399	59	92	265	333	607	1,365	3,793	7,042	10,253	10,054	-
All other	9,650	388	63	62	190	360	443	871	1,901	2,227	2,044	1,099	2
Male	5,188	225	40	38	146	236	281	494	1,128	1,232	959	409	-
Female	4,462	163	23	24	44	124	162	377	773	995	1,085	690	2
Black	9,536	380	62	62	184	353	431	862	1,880	2,204	2,027	1,089	2
Male	5,121	219	39	38	141	230	272	489	1,117	1,218	951	407	-
Female	4,415	161	23	24	43	123	159	373	763	986	1,076	682	2
Nonmetropolitan counties	20,024	309	59	96	307	355	463	999	2,643	4,632	5,684	4,477	-
Male	10,533	172	32	56	219	246	290	623	1,645	2,735	2,894	1,621	-
Female	9,491	137	27	40	88	109	173	376	998	1,897	2,790	2,856	-
White	19,643	298	58	92	296	344	449	973	2,578	4,556	5,588	4,411	-
Male	10,321	165	32	53	211	240	279	612	1,602	2,690	2,844	1,593	-
Female	9,322	133	26	39	85	104	170	361	976	1,866	2,744	2,818	-
All other	381	11	1	4	11	11	14	26	65	76	96	66	-
Male	212	7	-	3	8	6	11	11	43	45	50	28	-
Female	169	4	1	1	3	5	3	15	22	31	46	38	-
Black	367	10	1	4	9	11	14	26	62	72	93	65	-
Male	203	6	-	3	7	6	11	11	41	42	48	28	-
Female	164	4	1	1	2	5	3	15	21	30	45	37	-
Oklahoma	29,782	577	132	162	539	755	931	1,579	3,810	6,540	8,817	6,122	18
Male	15,731	349	72	110	400	540	607	979	2,409	3,882	4,305	2,064	14
Female	14,051	228	60	52	139	215	324	600	1,401	2,658	4,312	4,058	4
White	26,836	453	111	146	453	619	751	1,373	3,356	5,927	7,935	5,696	16
Male	14,162	278	61	104	338	440	489	855	2,153	3,579	3,946	1,907	12
Female	12,674	175	50	42	115	179	262	518	1,203	2,348	3,989	3,789	4
All other	2,946	124	21	16	86	136	180	206	454	613	682	426	2
Male	1,569	71	11	6	62	100	118	124	256	303	359	157	2
Female	1,377	53	10	10	24	36	62	82	198	310	323	269	-
Black	1,952	98	13	9	49	84	116	128	283	389	467	315	1
Male	1,029	55	7	3	37	63	77	69	149	193	255	120	1
Female	923	43	6	6	12	21	39	59	134	196	212	195	-
Metropolitan counties	15,203	363	73	93	330	467	512	905	2,051	3,317	4,165	2,914	13
Male	7,930	222	38	60	240	327	327	558	1,285	1,903	2,001	958	11
Female	7,273	141	35	33	90	140	185	347	766	1,414	2,164	1,956	2
White	13,674	271	60	88	273	385	402	786	1,827	3,016	3,836	2,721	11
Male	7,115	168	31	57	199	268	256	491	1,160	1,758	1,832	886	9
Female	6,559	103	29	29	74	117	146	295	667	1,258	2,004	1,835	2
All other	1,529	92	13	7	57	82	110	119	224	301	329	193	2
Male	815	54	7	3	41	59	71	67	125	145	169	72	2
Female	714	38	6	4	16	23	39	52	99	156	160	121	-
Black	1,207	82	11	6	41	65	83	90	164	235	266	163	1
Male	643	48	6	3	31	49	53	47	85	114	143	63	1
Female	564	34	5	3	10	16	30	43	79	121	123	100	-
Nonmetropolitan counties	14,579	214	59	69	209	288	419	674	1,759	3,223	4,452	3,208	5
Male	7,801	127	34	50	160	213	280	421	1,124	1,979	2,304	1,106	3
Female	6,778	87	25	19	49	75	139	253	635	1,244	2,148	2,102	2
White	13,162	182	51	60	180	234	349	587	1,529	2,911	4,099	2,975	5
Male	7,047	110	30	47	139	172	233	364	993	1,821	2,114	1,021	3
Female	6,115	72	21	13	41	62	116	223	536	1,090	1,985	1,954	2
All other	1,417	32	8	9	29	54	70	87	230	312	353	233	-
Male	754	17	4	3	21	41	47	57	131	158	190	85	-
Female	663	15	4	6	8	13	23	30	99	154	163	148	-
Black	745	16	2	3	8	19	33	38	119	154	201	152	-
Male	386	7	1	-	6	14	24	22	64	79	112	57	-
Female	359	9	1	3	2	5	9	16	55	75	89	95	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	23,896	389	77	80	404	540	681	1,052	2,908	5,536	6,834	5,395	-
Male	12,871	224	41	54	317	384	448	646	1,825	3,375	3,647	1,910	-
Female	11,025	165	36	26	87	156	233	406	1,083	2,161	3,187	3,485	-
White	23,328	356	73	71	368	495	640	1,010	2,811	5,435	6,735	5,334	-
Male	12,527	206	39	49	286	354	421	617	1,758	3,317	3,593	1,887	-
Female	10,801	150	34	22	82	141	219	393	1,053	2,118	3,142	3,447	-
All other	568	33	4	9	36	45	41	42	97	101	99	61	-
Male	344	18	2	5	31	30	27	29	67	58	54	23	-
Female	224	15	2	4	5	15	14	13	30	43	45	38	-
Black	301	17	2	4	10	21	19	22	62	57	58	29	-
Male	182	9	1	3	8	16	16	16	46	31	28	8	-
Female	119	8	1	1	2	5	3	6	16	26	30	21	-
Metropolitan counties	15,088	263	46	44	241	354	434	666	1,772	3,354	4,336	3,578	-
Male	7,910	151	25	33	186	257	276	410	1,111	2,022	2,243	1,196	-
Female	7,178	112	21	11	55	97	158	256	661	1,332	2,093	2,382	-
White	14,645	238	43	37	220	320	403	637	1,684	3,270	4,251	3,532	-
Male	7,643	139	23	28	168	234	254	389	1,057	1,973	2,197	1,181	-
Female	7,002	99	20	9	52	86	149	248	637	1,297	2,054	2,351	-
All other	443	25	3	7	21	34	31	29	78	84	85	46	-
Male	267	12	2	5	18	23	22	21	54	49	46	15	-
Female	176	13	1	2	3	11	9	8	24	35	39	31	-
Black	275	15	2	4	8	21	18	19	57	52	53	26	-
Male	166	8	1	3	6	16	15	14	42	29	25	7	-
Female	109	7	1	1	2	5	3	5	15	23	28	19	-
Nonmetropolitan counties	8,808	126	31	36	163	186	247	386	1,136	2,182	2,498	1,817	-
Male	4,961	73	16	21	131	127	172	236	714	1,353	1,404	714	-
Female	3,847	53	15	15	32	59	75	150	422	829	1,094	1,103	-
White	8,683	118	30	34	148	175	237	373	1,117	2,165	2,484	1,802	-
Male	4,884	67	16	21	118	120	167	228	701	1,344	1,396	706	-
Female	3,799	51	14	13	30	55	70	145	416	821	1,088	1,096	-
All other	125	8	1	2	15	11	10	13	19	17	14	15	-
Male	77	6	-	-	13	7	5	8	13	9	8	8	-
Female	48	2	1	2	2	4	5	5	6	8	6	7	-
Black	26	2	-	-	2	-	1	3	5	5	5	3	-
Male	16	1	-	-	2	-	1	2	4	2	3	1	-
Female	10	1	-	-	-	-	-	1	1	3	2	2	-
Pennsylvania	123,654	1,766	285	386	1,471	2,131	2,856	6,085	17,449	31,078	35,281	25,042	24
Male	63,398	986	183	244	1,051	1,525	1,901	3,784	10,801	17,953	16,898	8,260	14
Female	60,456	780	102	142	420	606	955	2,301	6,648	13,125	18,585	16,782	10
White	112,425	1,298	228	298	1,268	1,682	2,271	5,013	15,214	28,393	32,917	23,831	14
Male	57,200	741	146	191	902	1,219	1,509	3,139	9,466	16,494	15,603	7,783	7
Female	55,225	557	82	105	366	463	762	1,874	5,748	11,899	17,314	16,048	7
All other	11,429	468	57	90	203	449	585	1,072	2,235	2,685	2,364	1,211	10
Male	6,198	245	37	53	149	306	392	645	1,335	1,459	1,093	477	7
Female	5,231	223	20	37	54	143	193	427	900	1,226	1,271	734	3
Black	11,240	455	54	83	194	445	569	1,054	2,203	2,649	2,330	1,194	10
Male	6,085	236	36	48	144	304	383	633	1,316	1,440	1,071	467	7
Female	5,155	219	18	35	50	141	186	421	887	1,209	1,259	727	3
Metropolitan counties	101,247	1,498	226	304	1,184	1,771	2,385	5,091	14,477	25,369	28,628	20,280	24
Male	51,685	828	146	191	847	1,274	1,582	3,174	8,950	14,602	13,437	6,640	14
Female	49,562	670	80	113	337	497	813	1,917	5,527	10,767	15,191	13,640	10
White	90,035	1,038	170	217	984	1,324	1,817	4,029	12,284	22,725	26,325	19,108	14
Male	45,607	591	109	140	699	970	1,197	2,534	7,636	13,165	12,371	6,188	7
Female	44,428	447	61	77	285	354	620	1,495	4,648	9,560	13,954	12,920	7
All other	11,212	460	56	87	200	447	578	1,062	2,193	2,644	2,303	1,172	10
Male	6,078	237	37	51	148	304	385	640	1,314	1,437	1,066	452	7
Female	5,134	223	19	36	52	143	193	422	879	1,207	1,237	720	3
Black	11,035	448	54	80	192	443	582	1,046	2,163	2,610	2,271	1,156	10
Male	5,973	229	36	46	143	302	376	630	1,296	1,420	1,046	442	7
Female	5,062	219	18	34	49	141	186	416	867	1,190	1,225	714	3
Nonmetropolitan counties	22,607	268	59	82	287	360	461	994	2,972	5,709	6,653	4,762	-
Male	11,713	158	37	53	204	251	319	610	1,851	3,351	3,259	1,620	-
Female	10,894	110	22	29	83	109	142	384	1,121	2,358	3,394	3,142	-
White	22,390	260	58	79	284	358	454	984	2,930	5,668	6,592	4,723	-
Male	11,593	150	37	51	203	249	312	605	1,830	3,329	3,232	1,595	-
Female	10,797	110	21	28	81	109	142	379	1,100	2,339	3,360	3,128	-
All other	217	8	1	3	3	2	7	10	42	41	61	39	-
Male	120	8	-	2	1	2	7	5	21	22	27	25	-
Female	97	-	1	1	2	-	-	5	21	19	34	14	-
Black	205	7	-	3	2	2	7	8	40	39	59	38	-
Male	112	7	-	2	1	2	7	3	20	20	25	25	-
Female	93	-	-	1	1	-	-	5	20	19	34	13	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	9,647	107	14	26	127	149	206	424	1,296	2,297	2,713	2,288	-
Male	4,806	63	11	16	96	108	136	268	792	1,358	1,259	701	-
Female	4,841	44	3	10	31	41	70	156	504	941	1,454	1,587	-
White	9,352	85	13	24	120	133	192	398	1,231	2,238	2,660	2,248	-
Male	4,645	58	11	15	90	96	127	249	756	1,317	1,236	686	-
Female	4,707	37	2	9	30	37	65	149	473	921	1,422	1,562	-
All other	295	12	1	2	7	16	14	26	65	59	53	40	-
Male	161	5	-	1	6	12	9	19	34	39	21	15	-
Female	134	7	1	1	1	4	5	7	31	20	32	25	-
Black	250	10	1	1	6	13	12	24	54	52	43	34	-
Male	142	5	-	1	5	10	7	17	31	33	20	13	-
Female	108	5	1	-	1	3	5	7	23	19	23	21	-
Metropolitan counties	8,947	98	12	21	113	140	188	397	1,199	2,121	2,535	2,123	-
Male	4,454	57	9	14	86	102	123	253	733	1,249	1,171	857	-
Female	4,493	41	3	7	27	38	65	144	466	872	1,364	1,468	-
White	8,575	86	11	19	106	124	176	372	1,138	2,067	2,487	2,089	-
Male	4,305	52	9	13	80	90	116	235	701	1,214	1,152	643	-
Female	4,370	34	2	6	26	34	60	137	437	853	1,335	1,446	-
All other	272	12	1	2	7	16	12	25	61	54	48	34	-
Male	149	5	-	1	6	12	7	18	32	35	19	14	-
Female	123	7	1	1	1	4	5	7	29	19	29	20	-
Black	229	10	1	1	6	13	10	23	51	47	38	29	-
Male	130	5	-	1	5	10	5	16	29	29	18	12	-
Female	99	5	1	-	1	3	5	7	22	18	20	17	-
Nonmetropolitan counties	700	9	2	5	14	9	18	27	97	176	178	165	-
Male	352	6	2	2	10	6	13	15	59	107	88	44	-
Female	348	3	-	3	4	3	5	12	38	69	90	121	-
White	677	9	2	5	14	9	16	26	93	171	173	159	-
Male	340	6	2	2	10	6	11	14	57	103	86	43	-
Female	337	3	-	3	4	3	5	12	36	68	87	116	-
All other	23	-	-	-	-	-	2	1	4	5	5	6	-
Male	12	-	-	-	-	-	2	1	2	4	2	1	-
Female	11	-	-	-	-	-	-	-	2	1	3	5	-
Black	21	-	-	-	-	-	2	1	3	5	5	5	-
Male	12	-	-	-	-	-	2	1	2	4	2	1	-
Female	9	-	-	-	-	-	-	-	1	1	3	4	-
South Carolina	27,099	736	117	154	623	790	1,169	1,995	4,363	6,928	6,499	3,723	-
Male	14,658	392	67	86	456	570	780	1,299	2,719	4,121	3,021	1,147	-
Female	12,441	346	50	68	167	220	389	696	1,644	2,807	3,478	2,576	-
White	18,409	303	57	89	421	440	636	1,225	2,853	4,611	4,809	2,965	-
Male	9,963	155	36	53	315	331	430	817	1,838	2,845	2,261	882	-
Female	8,446	148	21	36	106	109	206	408	1,015	1,766	2,548	2,083	-
All other	8,690	435	60	65	202	350	533	770	1,510	2,317	1,690	758	-
Male	4,695	237	31	33	141	239	350	482	881	1,276	760	265	-
Female	3,995	198	29	32	61	111	183	288	629	1,041	930	493	-
Black	8,660	432	59	65	201	348	527	766	1,508	2,311	1,687	756	-
Male	4,681	234	30	33	140	239	348	481	880	1,272	760	264	-
Female	3,979	198	29	32	61	109	179	285	628	1,039	927	492	-
Metropolitan counties	15,440	430	62	78	342	481	661	1,144	2,417	3,860	3,801	2,184	-
Male	8,278	238	38	43	246	337	429	719	1,495	2,278	1,766	690	-
Female	7,161	192	24	35	96	124	232	425	922	1,582	2,035	1,494	-
White	11,216	208	36	48	250	287	396	776	1,695	2,734	2,959	1,827	-
Male	6,001	107	23	29	186	213	258	506	1,091	1,642	1,388	558	-
Female	5,215	101	13	19	64	74	138	270	604	1,092	1,571	1,269	-
All other	4,224	222	28	30	92	174	265	368	722	1,126	842	357	-
Male	2,278	131	15	14	60	124	171	213	404	636	378	132	-
Female	1,946	91	11	16	32	50	94	155	318	490	464	225	-
Black	4,206	220	25	30	92	173	262	365	720	1,124	839	356	-
Male	2,272	129	14	14	60	124	170	213	403	635	378	132	-
Female	1,934	91	11	16	32	49	92	152	317	489	461	224	-
Nonmetropolitan counties	11,659	308	55	76	281	329	508	851	1,945	3,068	2,698	1,539	-
Male	6,379	154	29	43	210	233	351	580	1,224	1,843	1,255	457	-
Female	5,280	154	26	33	71	96	157	271	722	1,225	1,443	1,082	-
White	7,193	95	21	41	171	153	240	449	1,158	1,877	1,850	1,138	-
Male	3,962	48	13	24	129	118	172	311	747	1,203	873	324	-
Female	3,231	47	8	17	42	35	68	138	411	674	977	814	-
All other	4,466	213	34	35	110	176	268	402	788	1,191	848	401	-
Male	2,417	106	16	19	81	115	179	269	477	640	382	133	-
Female	2,049	107	18	16	29	61	89	133	311	551	466	268	-
Black	4,454	212	34	35	109	175	265	401	788	1,187	848	400	-
Male	2,409	105	16	19	80	115	178	268	477	637	382	132	-
Female	2,045	107	18	16	29	60	87	133	311	550	466	268	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,803	120	25	18	112	112	141	276	733	1,377	1,862	1,827	-
Male	3,580	78	14	14	84	79	97	158	508	854	1,029	665	-
Female	3,023	42	11	4	28	33	44	118	225	523	833	1,162	-
White	6,216	90	19	17	73	81	114	232	675	1,314	1,804	1,797	-
Male	3,352	62	11	13	59	60	80	132	471	818	993	653	-
Female	2,864	28	8	4	14	21	34	100	204	496	811	1,144	-
All other	387	30	6	1	39	31	27	44	58	63	58	30	-
Male	228	16	3	1	25	19	17	26	37	36	36	12	-
Female	159	14	3	-	14	12	10	18	21	27	22	18	-
Black	6	-	-	-	-	1	-	-	1	2	1	1	-
Male	3	-	-	-	-	1	-	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Metropolitan counties	920	28	2	5	11	18	21	31	108	212	243	241	-
Male	497	18	1	3	10	15	13	17	79	130	127	84	-
Female	423	10	1	2	1	3	8	14	29	82	116	157	-
White	914	28	2	5	8	17	21	30	107	212	243	241	-
Male	493	18	1	3	8	14	13	16	79	130	127	84	-
Female	421	10	1	2	-	3	8	14	28	82	116	157	-
All other	6	-	-	-	3	1	-	1	1	-	-	-	-
Male	4	-	-	-	2	1	-	1	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Nonmetropolitan counties	5,683	92	23	13	101	94	120	245	625	1,165	1,619	1,586	-
Male	3,083	60	13	11	74	64	84	141	429	724	902	581	-
Female	2,600	32	10	2	27	30	36	104	196	441	717	1,005	-
White	5,302	62	17	12	65	64	93	202	568	1,102	1,561	1,556	-
Male	2,859	44	10	10	51	46	67	116	392	688	868	589	-
Female	2,443	18	7	2	14	18	26	86	176	414	695	987	-
All other	381	30	6	1	36	30	27	43	57	63	58	30	-
Male	224	16	3	1	23	18	17	25	37	36	36	12	-
Female	157	14	3	-	13	12	10	18	20	27	22	18	-
Black	5	-	-	-	-	1	-	-	-	2	1	1	-
Male	3	-	-	-	-	1	-	-	-	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Tennessee	43,226	759	154	240	829	1,067	1,380	2,758	6,242	10,090	11,902	7,797	8
Male	23,139	438	83	148	605	742	918	1,759	3,961	6,012	5,765	2,701	7
Female	20,087	321	71	92	224	325	462	999	2,281	4,078	6,137	5,096	1
White	35,775	453	113	174	683	785	1,041	2,145	5,064	8,291	10,151	6,871	4
Male	19,165	270	59	105	500	542	701	1,401	3,269	5,036	4,922	2,356	4
Female	16,610	183	54	69	183	243	340	744	1,795	3,255	5,229	4,515	-
All other	7,451	306	41	66	146	282	339	613	1,178	1,799	1,751	926	4
Male	3,974	168	24	43	105	200	217	358	692	976	843	345	3
Female	3,477	138	17	23	41	82	122	255	486	823	908	581	1
Black	7,404	306	40	64	141	278	335	606	1,170	1,787	1,748	925	4
Male	3,948	168	23	41	101	199	213	354	688	971	842	345	3
Female	3,456	138	17	23	40	79	122	252	482	816	906	580	1
Metropolitan counties	25,800	550	85	130	510	685	881	1,691	3,845	6,015	6,881	4,519	8
Male	13,525	317	47	80	355	470	575	1,051	2,386	3,527	3,240	1,470	7
Female	12,275	233	38	50	155	215	306	640	1,459	2,488	3,641	3,049	1
White	19,970	282	55	81	389	468	608	1,202	2,913	4,599	5,538	3,833	4
Male	10,405	167	26	48	270	313	405	765	1,831	2,767	2,580	1,223	4
Female	9,565	115	29	33	119	153	203	437	1,082	1,832	2,952	2,610	-
All other	5,830	268	30	49	121	219	273	489	932	1,416	1,343	686	4
Male	3,120	150	21	32	85	157	170	288	555	760	654	247	3
Female	2,710	118	9	17	36	62	103	203	377	656	689	439	1
Black	5,788	268	29	49	116	215	269	483	925	1,405	1,340	685	4
Male	3,097	150	20	32	81	158	166	282	551	756	653	247	3
Female	2,691	118	9	17	35	59	103	201	374	649	687	438	1
Nonmetropolitan counties	17,426	209	69	110	319	382	499	1,067	2,397	4,075	5,021	3,278	-
Male	9,614	121	36	68	250	272	343	708	1,575	2,485	2,525	1,231	-
Female	7,812	88	33	42	69	110	156	359	822	1,590	2,496	2,047	-
White	15,805	171	58	93	294	319	433	943	2,151	3,692	4,613	3,038	-
Male	8,760	103	33	57	230	229	296	636	1,438	2,269	2,336	1,133	-
Female	7,045	68	25	36	64	90	137	307	713	1,423	2,277	1,905	-
All other	1,621	38	11	17	25	63	66	124	246	383	408	240	-
Male	854	18	3	11	20	43	47	72	137	216	189	98	-
Female	767	20	8	6	5	20	19	52	109	167	219	142	-
Black	1,616	38	11	15	25	63	66	123	245	382	408	240	-
Male	851	18	3	9	20	43	47	72	137	215	189	98	-
Female	765	20	8	6	5	20	19	51	108	167	219	142	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Texas	118,336	3,014	628	730	3,286	4,386	4,618	7,608	16,733	25,878	30,716	20,722	17
Male	64,640	1,730	382	450	2,510	3,271	3,094	4,869	10,533	15,483	15,331	6,971	16
Female	53,696	1,284	246	280	776	1,115	1,524	2,739	6,200	10,395	15,385	13,751	1
White	102,312	2,338	502	573	2,814	3,524	3,742	6,141	14,173	22,434	27,306	18,750	15
Male	55,780	1,347	304	354	2,164	2,866	2,550	3,954	9,029	13,602	13,623	6,173	14
Female	46,532	991	198	219	650	858	1,192	2,187	5,144	8,832	13,683	12,577	1
All other	16,024	676	126	157	472	862	876	1,467	2,560	3,444	3,410	1,972	2
Male	8,860	383	78	96	346	605	544	915	1,504	1,881	1,708	798	2
Female	7,164	293	48	61	126	257	332	552	1,056	1,563	1,702	1,174	-
Black	15,596	644	116	149	447	818	830	1,413	2,497	3,371	3,357	1,953	1
Male	8,614	365	73	94	327	569	517	883	1,474	1,836	1,684	791	1
Female	6,982	279	43	55	120	249	313	530	1,023	1,535	1,673	1,162	-
Metropolitan counties	86,637	2,521	500	576	2,600	3,667	3,830	6,142	12,913	18,571	21,167	14,138	12
Male	47,148	1,457	300	356	1,975	2,740	2,578	3,904	8,078	10,941	10,247	4,561	11
Female	39,489	1,064	200	220	625	927	1,252	2,238	4,835	7,630	10,920	9,577	1
White	73,847	1,924	388	442	2,192	2,905	3,058	4,892	10,781	15,886	18,621	12,746	12
Male	40,044	1,117	229	273	1,675	2,201	2,094	3,129	6,828	9,476	8,995	4,016	11
Female	33,803	807	159	169	517	704	964	1,763	3,953	6,410	9,626	8,730	1
All other	12,790	597	112	134	408	762	772	1,250	2,132	2,685	2,546	1,392	-
Male	7,104	340	71	83	300	539	484	775	1,250	1,465	1,252	545	-
Female	5,686	257	41	51	108	223	288	475	882	1,220	1,294	847	-
Black	12,382	568	102	127	384	718	730	1,198	2,070	2,616	2,497	1,374	-
Male	6,871	323	66	81	282	503	458	744	1,220	1,424	1,231	539	-
Female	5,511	243	36	46	102	215	272	454	850	1,192	1,266	835	-
Nonmetropolitan counties	31,699	493	128	154	686	719	788	1,466	3,820	7,307	9,549	6,584	5
Male	17,492	273	82	94	535	531	516	965	2,455	4,542	5,084	2,410	5
Female	14,207	220	46	60	151	188	272	501	1,365	2,765	4,465	4,174	-
White	28,465	414	114	131	622	619	684	1,249	3,392	6,548	8,685	6,004	3
Male	15,736	230	75	81	489	465	456	825	2,201	4,126	4,628	2,157	3
Female	12,729	184	39	50	133	154	228	424	1,191	2,422	4,057	3,847	-
All other	3,234	79	14	23	64	100	104	217	428	759	884	580	2
Male	1,756	43	7	13	46	66	60	140	254	418	456	253	2
Female	1,478	36	7	10	18	34	44	77	174	343	408	327	-
Black	3,214	78	14	22	63	100	100	215	427	755	880	579	1
Male	1,743	42	7	13	45	66	59	139	254	412	453	252	1
Female	1,471	36	7	9	18	34	41	76	173	343	407	327	-
Utah	9,049	360	77	95	234	317	300	446	1,043	1,909	2,449	1,815	4
Male	4,896	213	49	64	172	217	185	276	664	1,153	1,234	667	2
Female	4,153	147	28	31	62	100	115	170	379	756	1,215	1,148	2
White	8,815	345	69	90	215	286	278	422	1,008	1,878	2,421	1,799	4
Male	4,755	205	42	60	159	196	171	263	644	1,135	1,219	659	2
Female	4,060	140	27	30	56	90	107	159	364	743	1,202	1,140	2
All other	234	15	8	5	19	31	22	24	35	31	28	16	-
Male	141	8	7	4	13	21	14	13	20	18	15	8	-
Female	93	7	1	1	6	10	8	11	15	13	13	8	-
Black	54	1	-	1	3	4	4	6	7	15	10	3	-
Male	34	1	-	1	-	4	4	4	4	9	6	1	-
Female	20	-	-	-	3	-	-	2	3	6	4	2	-
Metropolitan counties	6,834	278	56	69	171	244	227	343	807	1,440	1,815	1,380	4
Male	3,633	162	35	46	124	166	139	209	512	851	900	487	2
Female	3,201	116	21	23	47	78	88	134	295	589	915	893	2
White	6,695	267	51	67	163	227	218	335	786	1,415	1,792	1,370	4
Male	3,551	156	30	44	120	155	133	205	499	838	887	482	2
Female	3,144	111	21	23	43	72	85	130	287	577	905	888	2
All other	139	11	5	2	8	17	9	8	21	25	23	10	-
Male	82	6	5	2	4	11	6	4	13	13	13	5	-
Female	57	5	-	-	4	6	3	4	8	12	10	5	-
Black	59	1	-	1	3	4	4	5	7	15	10	3	-
Male	33	1	-	1	-	4	4	3	4	9	6	1	-
Female	20	-	-	-	3	-	-	2	3	6	4	2	-
Nonmetropolitan counties	2,215	82	21	26	63	73	73	103	236	469	634	435	-
Male	1,263	51	14	18	48	51	46	67	152	302	334	180	-
Female	952	31	7	8	15	22	27	36	84	167	300	255	-
White	2,120	78	18	23	52	59	60	87	222	463	629	429	-
Male	1,204	49	12	16	39	41	38	58	145	297	332	177	-
Female	916	29	6	7	13	18	22	29	77	166	297	252	-
All other	95	4	3	3	11	14	13	16	14	6	5	6	-
Male	59	2	2	2	9	10	8	9	7	5	2	3	-
Female	36	2	1	1	2	4	5	7	7	1	3	3	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,662	68	12	15	79	79	120	213	577	1,063	1,293	1,141	2
Male	2,384	40	8	11	61	57	77	132	381	636	641	339	1
Female	2,278	28	4	4	18	22	43	81	196	427	652	802	1
White	4,656	68	12	15	78	79	120	213	575	1,062	1,293	1,139	2
Male	2,378	40	8	11	60	57	77	132	379	635	641	337	1
Female	2,278	28	4	4	18	22	43	81	196	427	652	802	1
All other	6	-	-	-	1	-	-	-	2	1	-	2	-
Male	6	-	-	-	1	-	-	-	2	1	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	2	-	-	2	-
Male	4	-	-	-	-	-	-	-	2	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Metropolitan counties	777	16	2	1	13	19	30	39	109	154	213	181	-
Male	401	11	-	1	10	14	19	24	72	97	103	50	-
Female	376	5	2	-	3	5	11	15	37	57	110	131	-
White	775	16	2	1	13	19	30	39	109	153	213	180	-
Male	399	11	-	1	10	14	19	24	72	96	103	49	-
Female	376	5	2	-	3	5	11	15	37	57	110	131	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	3,885	52	10	14	66	60	90	174	468	909	1,080	960	2
Male	1,983	29	8	10	51	43	58	108	309	539	538	289	1
Female	1,902	23	2	4	15	17	32	66	159	370	542	671	1
White	3,881	52	10	14	65	60	90	174	466	909	1,080	959	2
Male	1,979	29	8	10	50	43	58	108	307	539	538	288	1
Female	1,902	23	2	4	15	17	32	66	159	370	542	671	1
All other	4	-	-	-	1	-	-	-	2	-	-	1	-
Male	4	-	-	-	1	-	-	-	2	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	-	-	1	-
Male	3	-	-	-	-	-	-	-	2	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	45,277	989	139	182	810	1,083	1,559	2,961	7,144	10,794	11,724	7,881	11
Male	23,988	580	79	109	594	759	973	1,882	4,462	6,391	5,636	2,516	7
Female	21,289	409	60	73	216	324	586	1,079	2,682	4,403	6,088	5,365	4
White	35,357	586	83	139	604	718	1,069	2,119	5,344	8,318	9,600	6,770	7
Male	18,494	362	43	83	434	503	664	1,349	3,376	4,962	4,605	2,109	4
Female	16,863	224	40	56	170	215	405	770	1,968	3,356	4,995	4,661	3
All other	9,920	403	56	43	206	365	490	842	1,800	2,476	2,124	1,111	4
Male	5,494	218	36	26	160	256	309	533	1,086	1,429	1,031	407	3
Female	4,426	185	20	17	46	109	181	309	714	1,047	1,093	704	1
Black	9,711	391	54	41	191	354	475	814	1,766	2,426	2,101	1,094	4
Male	5,373	211	35	26	149	253	301	514	1,065	1,401	1,015	400	3
Female	4,338	180	19	15	42	101	174	300	701	1,025	1,086	694	1
Metropolitan counties	29,242	765	95	127	522	784	1,056	2,035	4,714	6,919	7,305	4,916	4
Male	15,204	452	54	76	386	541	650	1,283	2,910	3,999	3,360	1,491	2
Female	14,038	313	41	51	136	243	406	752	1,804	2,920	3,945	3,425	2
White	22,091	433	51	91	376	498	682	1,411	3,373	5,117	5,866	4,190	3
Male	11,271	267	28	53	273	343	419	879	2,101	2,987	2,684	1,236	1
Female	10,820	166	23	38	103	155	263	532	1,272	2,130	3,182	2,954	2
All other	7,151	332	44	36	146	286	374	624	1,341	1,802	1,439	726	1
Male	3,933	185	26	23	113	198	231	404	809	1,012	676	255	1
Female	3,218	147	18	13	33	88	143	220	532	790	763	471	-
Black	6,964	320	42	34	133	275	362	599	1,310	1,755	1,419	714	1
Male	3,824	178	25	23	103	195	224	386	791	986	663	249	1
Female	3,140	142	17	11	30	80	138	213	519	769	756	465	-
Nonmetropolitan counties	16,035	224	44	55	288	299	503	926	2,430	3,875	4,419	2,965	7
Male	8,784	128	25	33	208	218	323	599	1,552	2,392	2,276	1,025	5
Female	7,251	96	19	22	80	81	180	327	878	1,483	2,143	1,940	2
White	13,266	153	32	48	228	220	387	708	1,971	3,201	3,734	2,580	4
Male	7,223	95	15	30	161	160	245	470	1,275	1,975	1,921	873	3
Female	6,043	58	17	18	67	60	142	238	696	1,226	1,813	1,707	1
All other	2,769	71	12	7	60	79	116	218	459	674	685	385	3
Male	1,561	33	10	3	47	58	78	129	277	417	355	152	2
Female	1,208	38	2	4	13	21	38	89	182	257	330	233	1
Black	2,747	71	12	7	58	79	113	215	456	671	682	380	3
Male	1,549	33	10	3	46	58	77	128	274	415	352	151	2
Female	1,198	38	2	4	12	21	36	87	182	256	330	229	1

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	34,504	752	127	188	602	846	1,058	1,703	4,460	8,026	9,257	7,483	2
Male	18,330	421	72	120	460	605	686	1,019	2,753	4,792	4,807	2,595	-
Female	16,174	331	55	68	142	241	372	684	1,707	3,234	4,450	4,888	2
White	32,921	669	108	171	530	739	963	1,535	4,199	7,704	8,986	7,915	2
Male	17,410	383	58	109	405	538	627	920	2,589	4,611	4,636	2,534	-
Female	15,511	286	50	62	125	201	336	615	1,610	3,093	4,350	4,781	2
All other	1,583	83	19	17	72	107	95	168	261	322	271	168	-
Male	920	38	14	11	55	67	59	99	164	181	171	61	-
Female	663	45	5	6	17	40	36	69	97	141	100	107	-
Black	716	41	6	7	27	52	50	74	127	155	111	66	-
Male	423	21	3	3	20	35	35	51	78	93	64	20	-
Female	293	20	3	4	7	17	15	23	49	62	47	46	-
Metropolitan counties	26,755	600	99	140	488	696	847	1,364	3,489	6,115	7,108	5,808	1
Male	14,036	337	57	89	369	494	556	805	2,130	3,596	3,627	1,976	-
Female	12,719	263	42	51	119	202	291	559	1,359	2,519	3,481	3,832	1
White	25,316	533	82	124	419	600	759	1,212	3,254	5,822	6,857	5,653	1
Male	13,198	304	44	79	316	437	500	714	1,983	3,430	3,469	1,922	-
Female	12,118	229	38	45	103	163	259	498	1,271	2,392	3,388	3,731	1
All other	1,439	67	17	16	69	96	88	152	235	293	251	155	-
Male	838	33	13	10	53	57	56	91	147	166	158	54	-
Female	601	34	4	6	16	39	32	61	88	127	93	101	-
Black	703	39	6	7	27	51	50	73	125	151	110	64	-
Male	413	20	3	3	20	34	35	50	76	90	63	19	-
Female	290	19	3	4	7	17	15	23	49	61	47	45	-
Nonmetropolitan counties	7,749	152	28	48	114	150	211	339	971	1,911	2,149	1,675	1
Male	4,294	84	15	31	91	111	130	214	623	1,196	1,180	619	-
Female	3,455	68	13	17	23	39	81	125	348	715	969	1,056	1
White	7,605	136	26	47	111	139	204	323	945	1,882	2,129	1,662	1
Male	4,212	79	14	30	89	101	127	206	606	1,181	1,167	612	-
Female	3,393	57	12	17	22	38	77	117	339	701	962	1,050	1
All other	144	16	2	1	3	11	7	16	26	29	20	13	-
Male	82	5	1	1	2	10	3	8	17	15	13	7	-
Female	62	11	1	-	1	1	4	8	9	14	7	6	-
Black	13	2	-	-	-	1	-	1	2	4	1	2	-
Male	10	1	-	-	-	1	-	1	2	3	1	1	-
Female	3	1	-	-	-	-	-	-	-	1	-	1	-
West Virginia	19,444	259	39	77	303	372	489	1,106	2,845	4,881	5,445	3,627	1
Male	10,385	153	21	55	221	269	326	727	1,782	2,836	2,683	1,311	1
Female	9,059	106	18	22	82	103	163	379	1,063	2,045	2,762	2,316	-
White	18,581	239	36	77	289	340	460	1,053	2,713	4,896	5,205	3,472	1
Male	9,936	142	21	55	213	244	310	692	1,715	2,735	2,569	1,239	1
Female	8,645	97	15	22	76	96	150	361	998	1,961	2,636	2,233	-
All other	863	20	3	-	14	32	29	53	132	185	240	155	-
Male	449	11	-	-	8	25	16	35	67	101	114	72	-
Female	414	9	3	-	6	7	13	18	65	84	126	83	-
Black	853	20	3	-	13	31	29	50	130	184	238	155	-
Male	442	11	-	-	7	24	16	34	66	100	112	72	-
Female	411	9	3	-	6	7	13	16	64	84	126	83	-
Metropolitan counties	7,104	87	8	27	89	122	164	403	1,024	1,834	1,999	1,346	1
Male	3,653	53	4	14	58	60	111	262	621	1,044	948	457	1
Female	3,451	34	4	13	31	42	53	141	403	790	1,051	889	-
White	6,840	84	7	27	86	113	152	382	968	1,775	1,940	1,305	1
Male	3,522	51	4	14	56	72	107	247	595	1,015	922	438	1
Female	3,318	33	3	13	30	41	45	135	373	760	1,018	867	-
All other	264	3	1	-	3	9	12	21	56	59	59	41	-
Male	131	2	-	-	2	8	4	15	26	29	26	19	-
Female	133	1	1	-	1	1	8	6	30	30	33	22	-
Black	260	3	1	-	3	9	12	19	55	58	59	41	-
Male	128	2	-	-	2	8	4	14	25	28	26	19	-
Female	132	1	1	-	1	1	8	5	30	30	33	22	-
Nonmetropolitan counties	12,340	172	31	50	214	250	325	703	1,821	3,047	3,446	2,281	-
Male	6,732	100	17	41	163	189	215	465	1,161	1,792	1,735	854	-
Female	5,608	72	14	9	51	61	110	238	660	1,255	1,711	1,427	-
White	11,741	155	29	50	203	227	308	671	1,745	2,921	3,265	2,167	-
Male	6,414	91	17	41	157	172	203	445	1,120	1,720	1,647	801	-
Female	5,327	64	12	9	46	55	105	226	625	1,201	1,618	1,366	-
All other	599	17	2	-	11	23	17	32	76	126	181	114	-
Male	318	9	-	-	6	17	12	20	41	72	88	53	-
Female	281	8	2	-	5	6	5	12	35	54	93	61	-
Black	593	17	2	-	10	22	17	31	75	126	179	114	-
Male	314	9	-	-	5	16	12	20	41	72	86	53	-
Female	279	8	2	-	5	6	5	11	34	54	93	61	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1985—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	41,492	674	126	140	661	665	934	1,770	4,807	9,269	12,064	10,382	-
Male	21,704	417	81	87	502	455	600	1,108	3,047	5,532	6,138	3,737	-
Female	19,788	257	45	53	159	210	334	662	1,760	3,737	5,926	6,645	-
White	40,145	556	109	122	614	584	836	1,627	4,565	9,010	11,846	10,275	-
Male	20,940	351	68	75	467	405	543	1,010	2,901	5,378	6,049	3,693	-
Female	19,205	207	40	47	147	179	293	617	1,664	3,632	5,797	6,582	-
All other	1,347	116	18	18	47	81	98	143	242	259	218	107	-
Male	764	66	13	12	35	50	57	98	146	154	89	44	-
Female	583	50	5	6	12	31	41	45	96	105	129	63	-
Black	1,075	99	17	16	36	64	77	123	194	195	171	83	-
Male	618	56	12	10	28	43	45	87	117	126	66	28	-
Female	457	43	5	6	8	21	32	36	77	69	105	55	-
Metropolitan counties	25,692	456	77	93	437	483	643	1,241	3,162	5,648	7,243	6,229	-
Male	13,159	283	48	63	327	317	408	759	1,995	3,345	3,534	2,080	-
Female	12,533	173	29	30	110	146	235	482	1,167	2,303	3,709	4,149	-
White	24,489	346	60	76	400	392	554	1,105	2,947	5,422	7,054	6,133	-
Male	12,478	221	36	52	299	273	357	665	1,866	3,207	3,459	2,043	-
Female	12,011	125	24	24	101	119	197	440	1,081	2,215	3,595	4,090	-
All other	1,203	110	17	17	37	71	89	136	215	226	189	96	-
Male	681	62	12	11	28	44	51	94	129	138	75	37	-
Female	522	48	5	6	9	27	38	42	86	88	114	59	-
Black	1,060	97	17	16	35	63	77	121	193	193	167	81	-
Male	607	55	12	10	27	42	45	85	116	124	64	27	-
Female	453	42	5	6	8	21	32	36	77	69	103	54	-
Nonmetropolitan counties	15,800	218	49	47	224	202	291	529	1,645	3,621	4,821	4,153	-
Male	8,545	134	33	24	175	138	192	349	1,052	2,187	2,604	1,657	-
Female	7,255	84	16	23	49	64	99	180	593	1,434	2,217	2,496	-
White	15,656	212	48	46	214	192	282	522	1,618	3,588	4,792	4,142	-
Male	8,462	130	32	23	168	132	186	345	1,035	2,171	2,590	1,650	-
Female	7,194	82	16	23	46	60	96	177	583	1,417	2,202	2,492	-
All other	144	6	1	1	10	10	9	7	27	33	29	11	-
Male	83	4	1	1	7	6	6	4	17	16	14	7	-
Female	61	2	-	-	3	4	3	3	10	17	15	4	-
Black	15	2	-	-	1	1	-	2	1	2	4	2	-
Male	11	1	-	-	1	1	-	2	1	2	2	1	-
Female	4	1	-	-	-	-	-	-	-	-	2	1	-
Wyoming	3,279	114	21	34	104	125	136	191	378	685	845	645	1
Male	1,858	60	11	26	78	91	102	124	231	419	475	240	1
Female	1,421	54	10	8	26	34	34	67	147	266	370	405	-
White	3,191	108	21	32	92	114	129	189	362	673	832	638	1
Male	1,797	57	11	24	66	80	97	123	223	413	465	237	1
Female	1,394	51	10	8	26	34	32	66	139	260	367	401	-
All other	88	6	-	2	12	11	7	2	16	12	13	7	-
Male	61	3	-	2	12	11	5	1	8	6	10	3	-
Female	27	3	-	-	-	-	2	1	8	6	3	4	-
Black	25	1	-	-	1	2	1	-	4	6	7	3	-
Male	15	1	-	-	1	2	-	-	2	4	5	-	-
Female	10	-	-	-	-	-	1	-	2	2	2	3	-
Metropolitan counties	422	18	3	2	13	20	18	31	62	76	100	79	-
Male	235	10	2	1	11	13	12	21	36	47	51	31	-
Female	187	8	1	1	2	7	6	10	26	29	49	48	-
White	415	18	3	2	12	19	18	31	62	75	98	77	-
Male	231	10	2	1	10	12	12	21	36	47	49	31	-
Female	184	8	1	1	2	7	6	10	26	28	49	46	-
All other	7	-	-	-	1	1	-	-	-	1	2	2	-
Male	4	-	-	-	1	1	-	-	-	-	2	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Black	7	-	-	-	1	1	-	-	-	1	2	2	-
Male	4	-	-	-	1	1	-	-	-	-	2	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Nonmetropolitan counties	2,857	96	18	32	91	105	118	160	316	609	745	566	1
Male	1,623	50	9	25	67	78	90	103	195	372	424	209	1
Female	1,234	46	9	7	24	27	28	57	121	237	321	357	-
White	2,776	90	18	30	80	95	111	156	300	598	734	581	1
Male	1,566	47	9	23	56	68	85	102	187	366	416	206	1
Female	1,210	43	9	7	24	27	26	56	113	232	318	355	-
All other	81	6	-	2	11	10	7	2	16	11	11	5	-
Male	57	3	-	2	11	10	5	1	8	6	8	3	-
Female	24	3	-	-	-	-	2	1	8	5	3	2	-
Black	18	1	-	-	-	1	1	-	4	5	5	1	-
Male	11	1	-	-	-	1	-	-	2	4	3	-	-
Female	7	-	-	-	-	-	1	-	2	1	2	1	-

[1] County equivalents.

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 305 areas	1,519,024	30,807	5,282	6,217	27,783	40,678	50,663	88,439	214,512	349,047	406,251	298,644	701
Male	791,302	17,662	3,054	3,784	20,615	29,346	33,466	55,304	132,130	201,756	195,447	98,376	362
Female	727,722	13,145	2,228	2,433	7,168	11,332	17,197	33,135	82,382	147,291	210,804	200,268	339
White	1,308,951	20,824	3,730	4,577	21,808	29,527	37,249	68,339	177,795	302,668	364,894	276,978	562
Male	675,392	12,125	2,157	2,814	16,173	21,631	24,687	42,951	110,522	176,137	175,474	90,446	275
Female	633,559	8,699	1,573	1,763	5,635	7,896	12,562	25,388	67,273	126,531	189,420	186,532	287
All other	210,073	9,983	1,552	1,640	5,975	11,151	13,414	20,100	36,717	46,379	41,357	21,666	139
Male	115,910	5,537	897	970	4,442	7,715	8,779	12,353	21,608	25,619	19,973	7,930	87
Female	94,163	4,446	655	670	1,533	3,436	4,635	7,747	15,109	20,760	21,384	13,736	52
Black	193,189	9,196	1,358	1,435	5,346	10,374	12,428	18,723	34,181	42,867	37,639	19,517	125
Male	105,977	5,107	782	857	3,971	7,219	8,187	11,533	20,099	23,528	17,646	6,966	82
Female	87,212	4,089	576	578	1,375	3,155	4,241	7,190	14,082	19,339	19,993	12,551	43
Abilene, Tex	1,316	32	7	4	35	28	27	72	171	286	368	286	-
Male	703	12	4	4	27	21	17	44	113	168	187	106	-
Female	613	20	3	-	8	7	10	28	58	118	181	180	-
White	1,267	30	6	4	31	24	26	69	162	278	356	281	-
Male	668	12	3	4	23	18	16	42	107	162	179	102	-
Female	599	18	3	-	8	6	10	27	55	116	177	179	-
All other	49	2	1	-	4	4	1	3	9	8	12	5	-
Male	35	-	1	-	4	3	1	2	6	6	8	4	-
Female	14	2	-	-	-	1	-	1	3	2	4	1	-
Black	47	2	1	-	4	4	1	3	9	6	12	5	-
Male	34	-	1	-	4	3	1	2	6	5	8	4	-
Female	13	2	-	-	-	1	-	1	3	1	4	1	-
Akron, Ohio	5,931	94	19	13	98	105	165	304	889	1,400	1,600	1,244	-
Male	3,046	54	11	9	75	82	106	188	537	816	739	429	-
Female	2,885	40	8	4	23	23	59	116	352	584	861	815	-
White	5,394	72	15	11	84	85	150	263	790	1,263	1,474	1,187	-
Male	2,751	41	9	8	67	68	98	167	476	733	681	405	-
Female	2,643	31	6	3	17	17	54	96	314	530	793	782	-
All other	537	22	4	2	14	20	15	41	99	137	126	57	-
Male	295	13	2	1	8	14	10	21	61	83	58	24	-
Female	242	9	2	1	6	6	5	20	38	54	68	33	-
Black	531	22	4	2	13	19	15	39	98	137	125	57	-
Male	290	13	2	1	7	13	10	19	60	83	58	24	-
Female	241	9	2	1	6	6	5	20	38	54	67	33	-
Albany, Ga	890	30	5	2	26	31	32	64	142	219	231	108	-
Male	490	18	3	1	18	21	23	40	103	129	99	35	-
Female	400	12	2	1	8	10	9	24	39	90	132	73	-
White	507	8	3	1	14	13	12	35	90	128	138	65	-
Male	275	3	1	-	12	9	8	22	66	78	56	20	-
Female	232	5	2	1	2	4	4	13	24	50	82	45	-
All other	383	22	2	1	12	18	20	29	52	91	93	43	-
Male	215	15	2	1	6	12	15	18	37	51	43	15	-
Female	168	7	-	-	6	6	5	11	15	40	50	28	-
Black	382	22	2	1	12	18	20	29	52	90	93	43	-
Male	215	15	2	1	6	12	15	18	37	51	43	15	-
Female	167	7	-	-	6	6	5	11	15	39	50	28	-
Albany-Schenectady-Troy, N.Y	7,903	115	17	29	100	96	181	369	984	1,827	2,301	1,882	2
Male	3,980	66	11	18	69	62	118	223	605	1,082	1,103	621	2
Female	3,923	49	6	11	31	34	63	146	379	745	1,198	1,261	-
White	7,669	97	15	26	93	80	168	348	937	1,774	2,260	1,860	2
Male	3,851	55	11	17	64	49	111	208	578	1,052	1,088	616	2
Female	3,818	42	4	9	29	31	57	140	359	722	1,181	1,244	-
All other	234	18	2	3	7	16	13	21	47	53	32	22	-
Male	129	11	-	1	5	13	7	15	27	30	15	5	-
Female	105	7	2	2	2	3	6	6	20	23	17	17	-
Black	227	17	2	3	7	15	13	21	46	50	32	21	-
Male	124	10	-	1	5	12	7	15	26	28	15	5	-
Female	103	7	2	2	2	3	6	6	20	22	17	16	-
Albuquerque, N. Mex	3,355	109	17	22	100	148	149	218	460	769	805	554	4
Male	1,905	79	11	15	81	114	92	131	274	473	405	226	4
Female	1,450	30	6	7	19	34	57	87	186	296	400	328	-
White	3,139	91	15	20	86	128	129	200	432	726	775	533	4
Male	1,762	66	9	13	69	98	78	124	258	444	387	212	4
Female	1,377	25	6	7	17	30	51	76	174	282	388	321	-
All other	216	18	2	2	14	20	20	18	28	43	30	21	-
Male	143	13	2	2	12	16	14	7	16	29	18	14	-
Female	73	5	-	-	2	4	6	11	12	14	12	7	-
Black	86	5	1	-	2	8	6	7	17	15	15	10	-
Male	53	4	1	-	1	6	6	4	10	8	10	3	-
Female	33	1	-	-	1	2	-	3	7	7	5	7	-
Alexandria, La	1,405	22	6	10	33	38	63	83	221	332	376	221	-
Male	732	9	2	5	26	29	40	52	135	194	175	65	-
Female	673	13	4	5	7	9	23	31	86	138	201	156	-
White	986	12	5	5	20	23	37	52	150	246	266	170	-
Male	501	6	2	3	14	17	21	32	93	142	124	47	-
Female	485	6	3	2	6	6	16	20	57	104	142	123	-
All other	419	10	1	5	13	15	26	31	71	86	110	51	-
Male	231	3	-	2	12	12	19	20	42	52	51	18	-
Female	188	7	1	3	1	3	7	11	29	34	59	33	-
Black	417	10	1	4	13	15	26	31	71	85	110	51	-
Male	231	3	-	2	12	12	19	20	42	52	51	18	-
Female	186	7	1	2	1	3	7	11	29	33	59	33	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Allentown-Bethlehem-Easton, Pa.-N.J	6,346	75	14	19	86	86	144	302	874	1,625	1,824	1,296	1
Male	3,333	46	6	13	65	84	92	181	543	958	930	435	-
Female	3,013	29	8	6	21	22	52	121	331	667	894	861	1
White	6,257	73	14	16	80	83	136	297	856	1,603	1,808	1,291	-
Male	3,281	45	6	11	60	61	87	177	532	944	925	433	-
Female	2,976	28	8	5	20	22	49	120	324	659	883	858	-
All other	89	2	-	3	6	3	8	5	18	22	16	5	1
Male	52	1	-	2	5	3	5	4	11	14	5	2	-
Female	37	1	-	1	1	-	3	1	7	8	11	3	1
Black	80	2	-	2	6	2	6	5	17	21	13	5	1
Male	46	1	-	1	5	2	4	4	10	14	3	2	-
Female	34	1	-	1	1	-	2	1	7	7	10	3	1
Altoona, Pa	1,550	24	3	-	9	19	30	63	205	402	417	378	-
Male	775	15	1	-	6	12	15	39	126	242	182	137	-
Female	775	9	2	-	3	7	15	24	79	160	235	241	-
White	1,536	23	3	-	9	19	29	62	204	399	414	374	-
Male	766	14	1	-	6	12	14	38	126	241	180	134	-
Female	770	9	2	-	3	7	15	24	78	158	234	240	-
All other	14	1	-	-	-	-	1	1	1	3	3	4	-
Male	9	1	-	-	-	-	1	1	-	1	2	3	-
Female	5	-	-	-	-	-	-	-	1	2	1	1	-
Black	13	1	-	-	-	-	1	-	1	3	3	4	-
Male	8	1	-	-	-	-	1	-	-	1	2	3	-
Female	5	-	-	-	-	-	-	-	1	2	1	1	-
Amarillo, Tex	1,436	51	5	8	39	48	58	92	217	316	371	231	-
Male	768	29	1	5	27	36	44	62	131	176	187	70	-
Female	668	22	4	3	12	12	14	30	86	140	184	161	-
White	1,353	46	3	7	33	46	54	83	198	296	362	225	-
Male	724	27	1	5	24	34	40	56	122	167	180	68	-
Female	629	19	2	2	9	12	14	27	76	129	182	157	-
All other	83	5	2	1	6	2	4	9	19	20	9	6	-
Male	44	2	-	-	3	2	4	6	9	9	7	2	-
Female	39	3	2	1	3	-	-	3	10	11	2	4	-
Black	73	5	1	-	3	2	2	9	18	19	9	5	-
Male	39	2	-	-	1	2	2	6	9	8	7	2	-
Female	34	3	1	-	2	-	-	3	9	11	2	3	-
Anaheim-Santa Ana-Garden Grove, Calif	13,550	309	68	52	335	434	457	819	1,909	2,693	3,551	2,906	17
Male	6,955	188	39	26	245	320	301	504	1,192	1,532	1,669	933	6
Female	6,595	121	29	26	90	114	156	315	717	1,161	1,882	1,973	11
White	13,082	271	61	46	304	400	422	773	1,824	2,609	3,477	2,879	16
Male	6,687	165	34	25	221	301	277	480	1,147	1,482	1,628	922	5
Female	6,395	106	27	21	83	99	145	293	677	1,127	1,849	1,957	11
All other	468	38	7	6	31	34	35	46	85	84	74	27	1
Male	268	23	5	1	24	19	24	24	45	50	41	11	1
Female	200	15	2	5	7	15	11	22	40	34	33	16	-
Black	111	12	2	1	13	14	10	11	13	16	15	4	-
Male	61	7	1	-	11	9	10	5	7	6	4	1	-
Female	50	5	1	1	2	5	-	6	6	10	11	3	-
Anchorage, Alaska	739	47	13	8	52	65	76	93	139	121	71	53	1
Male	462	35	10	5	42	44	54	58	86	80	33	15	-
Female	277	12	3	3	10	21	22	35	53	41	38	38	1
White	607	35	6	8	41	54	62	70	127	101	58	45	-
Male	384	26	6	5	34	39	45	45	79	68	26	11	-
Female	223	9	-	3	7	15	17	25	48	33	32	34	-
All other	132	12	7	-	11	11	14	23	12	20	13	8	1
Male	78	9	4	-	8	5	9	13	7	12	7	4	-
Female	54	3	3	-	3	6	5	10	5	8	6	4	1
Black	36	3	2	-	2	3	1	7	1	9	4	3	1
Male	26	3	2	-	1	1	1	7	1	6	2	2	-
Female	10	-	-	-	1	2	-	-	-	3	2	1	1
Anderson, Ind	1,274	21	2	5	24	19	32	64	182	303	374	248	-
Male	634	11	-	1	21	13	12	39	108	171	174	84	-
Female	640	10	2	4	3	6	20	25	74	132	200	164	-
White	1,217	19	1	4	22	17	29	62	167	290	363	243	-
Male	601	11	-	1	19	11	11	37	99	162	169	81	-
Female	616	8	1	3	3	6	18	25	68	128	194	162	-
All other	57	2	1	1	2	2	3	2	15	13	11	5	-
Male	33	-	-	-	2	2	1	2	9	9	5	3	-
Female	24	2	1	1	-	-	2	-	6	4	6	2	-
Black	57	2	1	1	2	2	3	2	15	13	11	5	-
Male	33	-	-	-	2	2	1	2	9	9	5	3	-
Female	24	2	1	1	-	-	2	-	6	4	6	2	-
Anderson, S.C	1,125	25	5	2	36	34	36	69	145	301	304	168	-
Male	614	14	4	2	26	24	25	45	87	174	156	57	-
Female	511	11	1	-	10	10	11	24	58	127	148	111	-
White	923	16	3	1	26	25	30	56	107	250	262	147	-
Male	493	9	3	1	20	17	19	38	64	145	128	49	-
Female	430	7	-	-	6	8	11	18	43	105	134	98	-
All other	202	9	2	1	10	9	6	13	38	51	42	21	-
Male	121	5	1	1	6	7	6	7	23	29	28	8	-
Female	81	4	1	-	4	2	-	6	15	22	14	13	-
Black	202	9	2	1	10	9	6	13	38	51	42	21	-
Male	121	5	1	1	6	7	6	7	23	29	28	8	-
Female	81	4	1	-	4	2	-	6	15	22	14	13	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ann Arbor, Mich	1,462	41	3	8	41	42	56	91	211	292	351	326	-
Male	775	24	2	5	32	37	42	50	136	173	166	108	-
Female	687	17	1	3	9	5	14	41	75	119	185	218	-
White	1,297	31	2	7	35	30	44	75	178	257	327	311	-
Male	674	19	1	4	27	25	35	43	115	149	156	100	-
Female	623	12	1	3	8	5	9	32	63	108	171	211	-
All other	165	10	1	1	6	12	12	16	33	35	24	15	-
Male	101	5	1	1	5	12	7	7	21	24	10	8	-
Female	64	5	-	-	1	-	5	9	12	11	14	7	-
Black	160	10	1	1	5	12	12	15	31	34	24	15	-
Male	98	5	1	1	4	12	7	6	20	24	10	8	-
Female	62	5	-	-	1	-	5	9	11	10	14	7	-
Anniston, Ala	998	23	1	10	17	30	30	63	133	234	283	174	-
Male	538	15	1	7	14	25	17	44	95	143	120	57	-
Female	460	8	-	3	3	5	13	19	38	91	163	117	-
White	817	15	-	8	12	24	20	40	116	197	239	146	-
Male	442	8	-	6	10	21	11	28	84	123	101	50	-
Female	375	7	-	2	2	3	9	12	32	74	138	96	-
All other	181	8	1	2	5	6	10	23	17	37	44	28	-
Male	96	7	1	1	4	4	6	16	11	20	19	7	-
Female	85	1	-	1	1	2	4	7	6	17	25	21	-
Black	181	8	1	2	5	6	10	23	17	37	44	28	-
Male	96	7	1	1	4	4	6	16	11	20	19	7	-
Female	85	1	-	1	1	2	4	7	6	17	25	21	-
Appleton-Oshkosh, Wis	2,240	35	12	11	49	41	44	112	246	456	630	604	-
Male	1,148	28	7	9	38	28	29	72	161	259	309	208	-
Female	1,092	7	5	2	11	13	15	40	85	197	321	396	-
White	2,210	31	12	9	49	39	44	110	243	452	624	597	-
Male	1,129	25	7	7	38	28	29	71	160	257	305	202	-
Female	1,081	6	5	2	11	11	15	39	83	195	319	395	-
All other	30	4	-	2	-	2	-	2	3	4	6	7	-
Male	19	3	-	2	-	-	-	1	1	2	4	6	-
Female	11	1	-	-	-	2	-	1	2	2	2	1	-
Black	2	-	-	2	-	-	-	-	-	-	-	-	-
Male	2	-	-	2	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asheville, N.C	1,889	19	4	6	25	29	53	91	237	463	558	404	-
Male	944	10	3	4	15	19	36	43	136	268	275	135	-
Female	945	9	1	2	10	10	17	48	101	195	283	269	-
White	1,710	17	3	4	23	27	47	79	205	410	511	384	-
Male	855	9	2	4	15	18	32	38	117	237	253	130	-
Female	855	8	1	-	8	9	15	41	88	173	258	254	-
All other	179	2	1	2	2	2	6	12	32	53	47	20	-
Male	89	1	1	-	-	1	4	5	19	31	22	5	-
Female	90	1	-	2	2	1	2	7	13	22	25	15	-
Black	179	2	1	2	2	2	6	12	32	53	47	20	-
Male	89	1	1	-	-	1	4	5	19	31	22	5	-
Female	90	1	-	2	2	1	2	7	13	22	25	15	-
Athens, Ga	1,023	19	7	2	14	33	38	54	131	255	272	198	-
Male	510	11	4	1	9	23	18	33	84	145	114	68	-
Female	513	8	3	1	5	10	20	21	47	110	158	130	-
White	812	8	4	2	11	22	28	33	100	204	218	182	-
Male	395	3	2	1	7	15	12	18	61	120	97	59	-
Female	417	5	2	1	4	7	16	15	39	84	121	123	-
All other	211	11	3	-	3	11	10	21	31	51	54	16	-
Male	115	8	2	-	2	8	6	15	23	25	17	9	-
Female	96	3	1	-	1	3	4	6	8	26	37	7	-
Black	208	11	3	-	3	10	9	21	31	50	54	16	-
Male	113	8	2	-	2	8	5	15	23	24	17	9	-
Female	95	3	1	-	1	2	4	6	8	26	37	7	-
Atlanta, Ga	15,680	400	67	91	403	589	863	1,272	2,492	3,364	3,721	2,414	4
Male	8,180	212	43	55	281	416	590	817	1,594	1,867	1,629	673	3
Female	7,500	188	24	36	122	173	273	455	898	1,497	2,092	1,741	1
White	11,440	213	36	59	272	362	511	820	1,784	2,430	2,904	2,067	2
Male	5,927	117	23	32	190	249	358	537	1,159	1,390	1,283	588	1
Female	5,513	96	13	27	82	113	153	283	605	1,040	1,621	1,479	1
All other	4,240	187	31	32	131	227	352	452	728	934	817	347	2
Male	2,253	95	20	23	91	167	232	280	435	477	346	85	2
Female	1,987	92	11	9	40	60	120	172	293	457	471	262	-
Black	4,198	185	30	30	127	223	349	447	722	925	814	344	2
Male	2,230	94	19	22	88	164	230	278	431	472	346	84	2
Female	1,968	91	11	8	39	59	119	169	291	453	468	260	-
Atlantic City, N.J	2,347	46	10	7	33	45	71	122	333	563	644	471	2
Male	1,206	24	6	7	26	32	50	61	198	312	296	172	2
Female	1,141	22	4	-	7	13	21	41	135	251	348	299	-
White	1,903	21	8	5	26	31	43	88	264	465	554	396	2
Male	960	9	5	5	22	20	28	59	157	264	248	141	2
Female	943	12	3	-	4	11	15	29	107	201	306	255	-
All other	444	25	2	2	7	14	28	34	69	98	90	75	-
Male	246	15	1	2	4	12	22	22	41	48	48	31	-
Female	198	10	1	-	3	2	6	12	28	50	42	44	-
Black	434	24	2	2	7	13	28	34	64	97	89	74	-
Male	240	14	1	2	4	11	22	22	38	48	47	31	-
Female	194	10	1	-	3	2	6	12	26	49	42	43	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Augusta, Ga.-S.C	2,953	99	10	21	58	84	155	225	480	820	660	340	1
Male	1,588	50	4	15	44	59	94	142	298	468	311	103	–
Female	1,365	49	6	6	14	25	61	83	182	352	349	237	1
White	1,988	45	5	15	33	51	77	132	317	549	481	282	1
Male	1,065	22	3	12	25	38	48	91	200	319	222	85	–
Female	923	23	2	3	8	13	29	41	117	230	259	197	1
All other	965	54	5	6	25	33	78	93	163	271	179	58	–
Male	523	28	1	3	19	21	46	51	98	149	89	18	–
Female	442	26	4	3	6	12	32	42	65	122	90	40	–
Black	956	54	5	6	24	33	73	93	163	270	177	58	–
Male	520	28	1	3	18	21	45	51	98	149	88	18	–
Female	436	26	4	3	6	12	28	42	65	121	89	40	–
Austin, Tex	3,751	122	14	36	135	233	174	237	485	714	916	684	1
Male	2,029	76	8	26	102	174	119	146	308	411	448	210	1
Female	1,722	46	6	10	33	59	55	91	177	303	468	474	–
White	3,266	97	12	30	115	200	154	189	410	631	800	627	1
Male	1,755	61	7	22	85	149	106	115	264	364	387	194	1
Female	1,511	36	5	8	30	51	48	74	146	267	413	433	–
All other	485	25	2	6	20	33	20	48	75	83	116	57	–
Male	274	15	1	4	17	25	13	31	44	47	61	16	–
Female	211	10	1	2	3	8	7	17	31	36	55	41	–
Black	473	25	2	5	19	29	20	48	74	78	116	57	–
Male	268	15	1	4	17	21	13	31	44	45	61	16	–
Female	205	10	1	1	2	8	7	17	30	33	55	41	–
Bakersfield, Calif	3,718	110	21	26	110	154	133	212	521	939	911	572	9
Male	2,094	64	13	18	85	118	84	133	317	553	490	214	5
Female	1,624	46	8	8	25	36	49	79	204	386	421	358	4
White	3,383	94	20	22	101	140	117	196	474	856	818	536	9
Male	1,891	56	12	16	80	108	73	123	289	504	431	194	5
Female	1,492	38	8	6	21	32	44	73	185	352	387	342	4
All other	335	16	1	4	9	14	16	16	47	83	93	36	–
Male	203	8	1	2	5	10	11	10	28	49	59	20	–
Female	132	8	–	2	4	4	5	6	19	34	34	16	–
Black	254	14	1	1	4	13	11	14	42	67	59	28	–
Male	142	7	1	1	1	9	9	9	25	38	28	14	–
Female	112	7	–	–	3	4	2	5	17	29	31	14	–
Baltimore, Md	20,750	410	70	68	365	583	728	1,363	3,345	5,059	5,327	3,418	14
Male	10,881	240	37	44	260	428	478	871	2,069	2,902	2,480	1,062	10
Female	9,869	170	33	24	105	155	250	492	1,276	2,157	2,847	2,356	4
White	15,314	194	37	48	219	285	406	829	2,294	3,785	4,309	2,902	6
Male	7,837	124	24	31	151	204	263	535	1,459	2,174	2,004	863	5
Female	7,477	70	13	17	68	81	143	294	835	1,611	2,305	2,039	1
All other	5,436	216	33	20	146	298	322	534	1,051	1,274	1,018	516	8
Male	3,044	116	13	13	109	224	215	336	610	728	476	199	5
Female	2,392	100	20	7	37	74	107	198	441	546	542	317	3
Black	5,374	213	31	19	143	297	316	524	1,042	1,267	1,009	505	8
Male	3,005	115	11	12	106	223	211	327	606	724	471	194	5
Female	2,369	98	20	7	37	74	105	197	436	543	538	311	3
Bangor, Maine	1,166	24	3	5	24	18	32	57	173	270	292	268	–
Male	618	17	2	1	14	13	23	35	104	166	157	86	–
Female	548	7	1	4	10	5	9	22	69	104	135	182	–
White	1,157	24	3	5	23	17	32	57	170	267	291	268	–
Male	612	17	2	1	13	12	23	35	102	165	156	86	–
Female	545	7	1	4	10	5	9	22	68	102	135	182	–
All other	9	–	–	–	1	1	–	–	3	3	1	–	–
Male	6	–	–	–	1	1	–	–	2	1	1	–	–
Female	3	–	–	–	–	–	–	–	1	2	–	–	–
Black	5	–	–	–	–	–	–	–	3	2	–	–	–
Male	2	–	–	–	–	–	–	–	2	–	–	–	–
Female	3	–	–	–	–	–	–	–	1	2	–	–	–
Baton Rouge, La	3,461	136	25	20	104	117	122	251	563	834	819	470	–
Male	1,912	81	14	15	81	74	89	161	354	485	393	165	–
Female	1,549	55	11	5	23	43	33	90	209	349	426	305	–
White	2,267	53	14	9	67	58	75	138	370	574	585	324	–
Male	1,262	33	8	7	55	41	54	96	235	343	283	107	–
Female	1,005	20	6	2	12	17	21	42	135	231	302	217	–
All other	1,194	83	11	11	37	59	47	113	193	260	234	146	–
Male	650	48	6	8	26	33	35	65	119	142	110	58	–
Female	544	35	5	3	11	26	12	48	74	118	124	88	–
Black	1,186	81	11	11	37	59	45	113	193	259	231	146	–
Male	644	47	6	8	26	33	33	65	119	141	108	58	–
Female	542	34	5	3	11	26	12	48	74	118	123	88	–
Battle Creek, Mich	1,689	31	7	8	28	32	51	91	274	384	423	340	–
Male	864	18	4	3	17	24	32	57	171	233	202	103	–
Female	805	13	3	5	11	8	19	34	103	151	221	237	–
White	1,551	27	7	6	26	27	43	81	250	354	407	323	–
Male	801	15	4	3	15	20	30	50	156	216	195	97	–
Female	750	12	3	3	11	7	13	31	94	138	212	226	–
All other	118	4	–	2	2	5	8	10	24	30	16	17	–
Male	63	3	–	–	2	4	2	7	15	17	7	6	–
Female	55	1	–	2	–	1	6	3	9	13	9	11	–
Black	115	4	–	2	1	5	8	10	24	30	15	16	–
Male	61	3	–	–	1	4	2	7	15	17	6	6	–
Female	54	1	–	2	–	1	6	3	9	13	9	10	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bay City, Mich	992	18	2	3	12	18	32	58	148	234	291	176	-
Male	534	10	1	3	10	13	21	35	101	139	156	45	-
Female	458	8	1	-	2	5	11	23	47	95	135	131	-
White	982	18	2	3	12	17	29	57	145	233	290	176	-
Male	524	10	1	3	10	12	18	34	98	138	155	45	-
Female	458	8	1	-	2	5	11	23	47	95	135	131	-
All other	10	-	-	-	-	1	3	1	3	1	1	-	-
Male	10	-	-	-	-	1	3	1	3	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	8	-	-	-	-	1	2	1	2	1	1	-	-
Male	8	-	-	-	-	1	2	1	2	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaumont-Port Arthur-Orange, Tex	3,387	73	12	18	58	93	104	227	510	869	867	535	1
Male	1,742	38	8	12	39	68	66	135	304	492	415	164	1
Female	1,625	35	4	6	19	25	38	92	206	377	452	371	-
White	2,556	44	10	10	41	59	77	152	368	633	711	452	1
Male	1,309	27	6	5	25	42	51	91	233	362	335	131	1
Female	1,247	17	4	5	16	17	26	61	133	271	376	321	-
All other	811	29	2	8	17	34	27	75	144	236	156	83	-
Male	433	11	2	7	14	26	15	44	71	130	80	33	-
Female	378	18	-	1	3	8	12	31	73	106	76	50	-
Black	795	27	2	7	16	30	27	72	143	235	153	83	-
Male	426	11	2	7	14	22	15	42	71	130	79	33	-
Female	369	16	-	-	2	8	12	30	72	105	74	50	-
Bellingham, Wash	857	12	4	5	16	17	19	27	95	213	244	205	-
Male	437	8	2	4	10	10	15	17	56	122	116	77	-
Female	420	4	2	1	6	7	4	10	39	91	128	128	-
White	826	10	3	5	12	14	19	22	92	204	241	204	-
Male	418	7	1	4	8	8	15	12	55	118	114	76	-
Female	408	3	2	1	4	6	4	10	37	86	127	128	-
All other	31	2	1	-	4	3	-	5	3	9	3	1	-
Male	19	1	1	-	2	2	-	5	1	4	2	1	-
Female	12	1	-	-	2	1	-	-	2	5	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benton Harbor, Mich	1,699	26	8	9	35	30	52	99	246	369	449	356	-
Male	888	15	4	8	27	22	31	66	140	217	234	124	-
Female	811	11	4	1	8	8	21	33	106	172	215	232	-
White	1,484	16	7	4	26	23	41	77	207	345	409	329	-
Male	766	10	3	3	21	19	26	56	120	187	210	111	-
Female	718	6	4	1	5	4	15	21	87	158	199	218	-
All other	215	10	1	5	9	7	11	22	39	44	40	27	-
Male	122	5	1	5	6	3	5	10	20	30	24	13	-
Female	93	5	-	-	3	4	6	12	19	14	16	14	-
Black	215	10	1	5	9	7	11	22	39	44	40	27	-
Male	122	5	1	5	6	3	5	10	20	30	24	13	-
Female	93	5	-	-	3	4	6	12	19	14	16	14	-
Billings, Mont	837	21	2	2	22	26	30	48	111	178	212	185	-
Male	441	10	1	1	13	20	21	30	60	101	113	71	-
Female	396	11	1	1	9	6	9	18	51	77	99	114	-
White	822	19	2	2	20	24	27	47	110	177	210	184	-
Male	431	10	1	1	11	19	19	29	59	100	112	70	-
Female	391	9	1	1	9	5	8	18	51	77	98	114	-
All other	15	2	-	-	2	2	3	1	1	1	2	1	-
Male	10	-	-	-	2	1	2	1	1	1	1	1	-
Female	5	2	-	-	-	1	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Biloxi-Gulfport, Miss	1,729	39	7	5	38	51	57	121	312	419	413	267	-
Male	983	23	3	2	27	30	43	82	191	274	206	102	-
Female	746	16	4	3	11	21	14	39	121	145	207	165	-
White	1,455	27	5	4	31	33	47	100	269	357	360	222	-
Male	823	16	2	2	22	15	37	68	165	241	172	83	-
Female	632	11	3	2	9	18	10	32	104	116	188	139	-
All other	274	12	2	1	7	18	10	21	43	62	53	45	-
Male	160	7	1	-	5	15	6	14	26	33	34	19	-
Female	114	5	1	1	2	3	4	7	17	29	19	26	-
Black	262	11	2	1	5	16	10	19	42	61	50	45	-
Male	151	7	1	-	4	13	6	13	25	32	31	19	-
Female	111	4	1	1	1	3	4	6	17	29	19	26	-
Binghamton, N.Y.-Pa	2,800	37	8	9	46	52	64	136	355	631	836	626	-
Male	1,434	27	5	9	37	41	42	88	201	378	396	210	-
Female	1,366	10	3	-	9	11	22	48	154	253	440	416	-
White	2,775	35	8	8	44	52	64	135	351	629	827	622	-
Male	1,421	26	5	8	35	41	42	87	200	377	391	209	-
Female	1,354	9	3	-	9	11	22	48	151	252	436	413	-
All other	25	2	-	1	2	-	-	1	4	2	9	4	-
Male	13	1	-	1	2	-	-	1	1	1	5	1	-
Female	12	1	-	-	-	-	-	-	3	1	4	3	-
Black	21	1	-	1	1	-	-	1	4	1	8	4	-
Male	9	-	-	1	1	-	-	1	1	-	4	1	-
Female	12	1	-	-	-	-	-	-	3	1	4	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Birmingham, Ala	8,425	181	20	36	152	211	270	519	1,254	1,974	2,379	1,429	-
Male	4,455	106	8	22	113	153	176	318	791	1,126	1,188	454	-
Female	3,970	75	12	14	39	58	94	201	463	848	1,191	975	-
White	5,648	86	17	19	93	104	139	329	628	1,326	1,671	1,036	-
Male	2,976	50	7	13	64	80	87	214	550	785	812	314	-
Female	2,672	36	10	6	29	24	52	115	278	541	859	722	-
All other	2,777	95	3	17	59	107	131	190	426	648	708	393	-
Male	1,479	56	1	9	49	73	89	104	241	341	376	140	-
Female	1,298	39	2	8	10	34	42	86	185	307	332	253	-
Black	2,774	95	3	17	59	107	131	190	426	647	707	392	-
Male	1,477	56	1	9	49	73	89	104	241	340	376	139	-
Female	1,297	39	2	8	10	34	42	86	185	307	331	253	-
Bismarck, N.Dak	525	14	2	1	10	6	10	34	58	109	151	130	-
Male	287	8	-	1	8	4	8	21	35	66	82	54	-
Female	238	6	2	-	2	2	2	13	23	43	69	76	-
White	521	14	2	1	10	6	10	34	57	108	149	130	-
Male	284	8	-	1	8	4	8	21	34	66	80	54	-
Female	237	6	2	-	2	2	2	13	23	42	69	76	-
All other	4	-	-	-	-	-	-	-	1	1	2	-	-
Male	3	-	-	-	-	-	-	-	1	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, Ind	566	9	-	4	11	11	20	32	83	123	151	122	-
Male	317	8	-	2	6	6	13	21	64	75	77	45	-
Female	249	1	-	2	5	5	7	11	19	48	74	77	-
White	554	7	-	4	10	11	20	31	81	122	149	119	-
Male	311	6	-	2	6	6	13	20	63	74	76	45	-
Female	243	1	-	2	4	5	7	11	18	48	73	74	-
All other	12	2	-	-	1	-	-	1	2	1	2	3	-
Male	6	2	-	-	-	-	-	1	1	1	1	-	-
Female	6	-	-	-	1	-	-	-	1	-	1	3	-
Black	11	2	-	-	1	-	-	-	2	1	2	3	-
Male	5	2	-	-	-	-	-	-	1	1	1	-	-
Female	6	-	-	-	1	-	-	-	1	-	1	3	-
Bloomington-Normal, Ill	912	24	3	1	13	17	22	58	100	204	259	211	-
Male	450	15	-	-	10	13	12	38	65	115	117	65	-
Female	462	9	3	1	3	4	10	20	35	89	142	146	-
White	881	21	3	1	13	16	18	53	97	200	249	210	-
Male	436	14	-	-	10	12	9	34	64	114	114	65	-
Female	445	7	3	1	3	4	9	19	33	86	135	145	-
All other	31	3	-	-	-	1	4	5	3	4	10	1	-
Male	14	1	-	-	-	1	3	4	1	1	3	-	-
Female	17	2	-	-	-	-	1	1	2	3	7	1	-
Black	27	2	-	-	-	1	4	5	2	3	9	1	-
Male	14	1	-	-	-	1	3	4	1	1	3	-	-
Female	13	1	-	-	-	-	1	1	1	2	6	1	-
Boise City, Idaho	1,211	33	8	10	30	28	47	84	140	261	293	277	-
Male	657	17	3	8	22	19	31	55	99	149	147	107	-
Female	554	16	5	2	8	9	16	29	41	112	146	170	-
White	1,202	32	7	10	29	27	45	81	140	261	293	277	-
Male	652	16	3	8	22	19	29	53	99	149	147	107	-
Female	550	16	4	2	7	8	16	28	41	112	146	170	-
All other	9	1	1	-	1	1	2	3	-	-	-	-	-
Male	5	1	-	-	-	-	2	2	-	-	-	-	-
Female	4	-	1	-	1	1	-	1	-	-	-	-	-
Black	4	-	-	-	1	-	2	1	-	-	-	-	-
Male	3	-	-	-	-	-	2	1	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	34,627	498	69	87	467	642	855	1,687	4,485	7,769	9,589	8,464	5
Male	16,773	273	33	53	351	467	559	1,054	2,741	4,399	4,336	2,502	5
Female	17,854	225	36	34	116	175	296	633	1,744	3,370	5,263	5,962	-
White	33,062	384	52	73	412	544	747	1,525	4,230	7,484	9,344	8,264	3
Male	15,922	213	26	45	313	403	489	953	2,585	4,237	4,228	2,427	3
Female	17,140	171	26	28	99	141	258	572	1,645	3,247	5,116	5,837	-
All other	1,565	114	17	14	55	98	108	162	255	285	255	200	2
Male	851	60	7	8	38	64	70	101	156	162	108	75	2
Female	714	54	10	6	17	34	38	61	99	123	147	125	-
Black	1,387	103	15	13	52	89	95	146	233	248	215	176	2
Male	739	56	6	8	37	55	60	91	138	137	87	62	2
Female	648	47	9	5	15	34	35	55	95	111	128	114	-
Bradenton, Fla	2,616	26	14	10	31	29	40	84	276	636	886	584	-
Male	1,429	15	7	6	22	21	25	53	161	404	471	244	-
Female	1,187	11	7	4	9	8	15	31	115	232	415	340	-
White	2,458	20	8	8	28	22	32	72	249	600	850	569	-
Male	1,347	10	6	5	21	16	20	49	144	381	455	240	-
Female	1,111	10	2	3	7	6	12	23	105	219	395	329	-
All other	158	6	6	2	3	7	8	12	27	36	36	15	-
Male	82	5	1	1	1	5	5	4	17	23	16	4	-
Female	76	1	5	1	2	2	3	8	10	13	20	11	-
Black	152	6	4	2	3	6	6	12	27	35	36	15	-
Male	78	5	1	1	1	4	3	4	17	22	16	4	-
Female	74	1	3	1	2	2	3	8	10	13	20	11	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bremerton, Wash	1,109	31	3	6	17	24	32	61	135	284	312	224	-
Male	611	16	1	5	12	19	20	36	88	160	170	84	-
Female	498	15	2	1	5	5	12	25	47	104	142	140	-
White	1,072	28	2	5	14	23	31	57	132	257	304	219	-
Male	584	15	-	4	11	19	19	34	85	155	162	80	-
Female	488	13	2	1	3	4	12	23	47	102	142	139	-
All other	37	3	1	1	3	1	1	4	3	7	8	5	-
Male	27	1	1	1	1	-	1	2	3	5	8	4	-
Female	10	2	-	-	2	1	-	2	-	2	-	1	-
Black	12	1	-	-	1	-	1	-	2	3	1	3	-
Male	11	-	-	-	1	-	1	-	2	3	1	3	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Bridgeport-Stamford-Norwalk-Danbury, Conn	7,148	97	19	16	116	186	210	391	952	1,648	1,880	1,633	-
Male	3,532	43	11	11	93	126	131	245	592	934	855	491	-
Female	3,616	54	8	5	23	60	79	146	360	714	1,025	1,142	-
White	6,607	67	14	12	92	145	156	333	864	1,545	1,788	1,591	-
Male	3,246	29	7	7	73	102	92	213	540	885	822	476	-
Female	3,361	38	7	5	19	43	64	120	324	660	966	1,115	-
All other	541	30	5	4	24	41	54	58	88	103	92	42	-
Male	286	14	4	4	20	24	39	32	52	49	33	15	-
Female	255	16	1	-	4	17	15	26	36	54	59	27	-
Black	520	28	5	3	24	40	51	57	84	99	89	40	-
Male	272	13	4	3	20	23	37	32	49	47	30	14	-
Female	248	15	1	-	4	17	14	25	35	52	59	26	-
Brownsville-Harlingen-San Benito, Tex	1,420	36	9	10	50	45	42	78	178	329	398	243	2
Male	786	23	7	5	39	32	26	46	102	199	215	90	2
Female	634	13	2	5	11	13	16	32	76	130	183	153	-
White	1,413	36	9	10	50	45	42	78	177	327	397	240	2
Male	782	23	7	5	39	32	26	46	101	198	215	88	2
Female	631	13	2	5	11	13	16	32	76	129	182	152	-
All other	7	-	-	-	-	-	-	-	1	2	1	3	-
Male	4	-	-	-	-	-	-	-	1	1	-	2	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
Black	5	-	-	-	-	-	-	-	-	2	1	2	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
Bryan-College Station, Tex	553	17	2	-	18	19	21	38	57	124	155	102	-
Male	271	9	1	-	10	15	13	22	33	68	68	32	-
Female	282	8	1	-	8	4	8	16	24	56	87	70	-
White	428	12	1	-	18	17	14	31	45	90	117	83	-
Male	205	6	-	-	10	13	10	18	25	50	51	22	-
Female	223	6	1	-	8	4	4	13	20	40	66	61	-
All other	125	5	1	-	-	2	7	7	12	34	38	19	-
Male	66	3	1	-	-	2	3	4	8	18	17	10	-
Female	59	2	-	-	-	-	4	3	4	16	21	9	-
Black	124	5	1	-	-	2	7	7	12	33	38	19	-
Male	66	3	1	-	-	2	3	4	8	18	17	10	-
Female	58	2	-	-	-	-	4	3	4	15	21	9	-
Buffalo, N.Y	12,864	162	22	43	130	205	302	655	1,886	3,314	3,601	2,540	4
Male	6,541	95	8	30	100	138	185	390	1,143	1,928	1,693	831	-
Female	6,323	67	14	13	30	67	117	265	743	1,386	1,908	1,709	4
White	11,812	125	14	31	111	162	240	537	1,675	3,049	3,407	2,459	2
Male	5,950	75	3	26	88	115	149	321	1,021	1,760	1,600	798	-
Female	5,862	50	11	5	23	47	97	216	654	1,289	1,807	1,661	2
All other	1,052	37	8	12	19	43	62	118	211	265	194	81	2
Male	591	20	5	4	12	23	42	69	122	168	93	33	-
Female	461	17	3	8	7	20	20	49	89	97	101	48	2
Black	978	35	8	8	15	40	59	111	193	252	182	73	2
Male	551	18	5	4	8	22	39	65	112	161	86	31	-
Female	427	17	3	4	7	18	20	46	81	91	96	42	2
Burlington, N.C	844	10	5	3	19	19	26	59	147	243	285	128	-
Male	483	6	3	2	14	15	14	29	86	141	130	43	-
Female	461	4	2	1	5	4	12	30	61	102	155	85	-
White	776	8	-	2	17	15	19	41	117	207	243	107	-
Male	390	5	-	1	12	11	10	19	68	117	109	38	-
Female	386	3	-	1	5	4	9	22	49	90	134	69	-
All other	188	2	5	1	2	4	7	18	30	36	42	21	-
Male	93	1	3	1	2	4	4	10	18	24	21	5	-
Female	75	1	2	-	-	-	3	8	12	12	21	16	-
Black	167	2	5	1	2	4	7	18	30	35	42	21	-
Male	92	1	3	1	2	4	4	10	18	23	21	5	-
Female	75	1	2	-	-	-	3	8	12	12	21	16	-
Burlington, Vt	777	16	2	1	13	19	30	39	109	154	213	181	-
Male	401	11	-	1	10	14	19	24	72	97	103	50	-
Female	376	5	2	-	3	5	11	15	37	57	110	131	-
White	775	16	2	1	13	19	30	39	109	153	213	180	-
Male	399	11	-	1	10	14	19	24	72	96	103	49	-
Female	376	5	2	-	3	5	11	15	37	57	110	131	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Canton, Ohio	3,879	52	7	13	54	60	84	189	524	966	1,095	835	-
Male	2,009	32	6	5	34	46	53	118	319	579	537	280	-
Female	1,870	20	1	8	20	14	31	71	205	387	558	555	-
White	3,649	45	6	7	49	55	71	172	488	905	1,046	805	-
Male	1,881	29	5	4	30	42	46	111	298	538	512	266	-
Female	1,768	16	1	3	19	13	25	61	190	367	534	539	-
All other	230	7	1	6	5	5	13	17	36	61	49	30	-
Male	128	3	1	1	4	4	7	7	21	41	25	14	-
Female	102	4	-	5	1	1	6	10	15	20	24	16	-
Black	228	7	1	6	5	4	12	17	36	61	49	30	-
Male	126	3	1	1	4	3	6	7	21	41	25	14	-
Female	102	4	-	5	1	1	6	10	15	20	24	16	-
Casper, Wyo	422	18	3	2	13	20	18	31	62	76	100	79	-
Male	235	10	2	1	11	13	12	21	36	47	51	31	-
Female	187	8	1	1	2	7	6	10	26	29	49	48	-
White	415	18	3	2	12	19	18	31	62	75	98	77	-
Male	231	10	2	1	10	12	12	21	36	47	49	31	-
Female	184	8	1	1	2	7	6	10	26	28	49	46	-
All other	7	-	-	-	1	1	-	-	-	1	2	2	-
Male	4	-	-	-	1	1	-	-	-	-	2	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Black	7	-	-	-	1	1	-	-	-	1	2	2	-
Male	4	-	-	-	1	1	-	-	-	-	2	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Cedar Rapids, Iowa	1,244	24	2	7	20	19	31	48	177	257	350	309	-
Male	604	12	1	6	16	15	18	29	99	150	157	101	-
Female	640	12	1	1	4	4	13	19	78	107	193	208	-
White	1,227	22	2	7	20	19	29	45	174	253	348	308	-
Male	596	11	1	6	16	15	16	27	99	148	156	101	-
Female	631	11	1	1	4	4	13	18	75	105	192	207	-
All other	17	2	-	-	-	-	2	3	3	4	2	1	-
Male	8	1	-	-	-	-	2	2	-	2	1	-	-
Female	9	1	-	-	-	-	-	1	3	2	1	1	-
Black	15	2	-	-	-	-	2	3	2	3	2	1	-
Male	8	1	-	-	-	-	2	2	-	2	1	-	-
Female	7	1	-	-	-	-	-	1	2	1	1	1	-
Champaign-Urbana-Rantoul, Ill	957	16	11	9	17	29	28	54	113	211	240	229	-
Male	487	10	6	6	14	16	16	35	65	120	128	71	-
Female	470	6	5	3	3	13	12	19	48	91	112	158	-
White	863	13	9	6	15	23	18	45	100	188	224	222	-
Male	443	8	6	4	12	13	10	31	59	110	120	70	-
Female	420	5	3	2	3	10	8	14	41	78	104	152	-
All other	94	3	2	3	2	6	10	9	13	23	16	7	-
Male	44	2	-	2	2	3	6	4	6	10	8	1	-
Female	50	1	2	1	-	3	4	5	7	13	8	6	-
Black	92	3	2	3	2	6	10	8	13	23	15	7	-
Male	43	2	-	2	2	3	6	4	6	10	7	1	-
Female	49	1	2	1	-	3	4	4	7	13	8	6	-
Charleston-North Charleston, S.C	3,155	108	18	21	80	113	154	254	534	792	678	403	-
Male	1,712	61	11	10	60	81	102	146	326	466	326	123	-
Female	1,443	47	7	11	20	32	52	108	208	326	352	280	-
White	1,966	59	8	13	53	64	74	147	311	470	450	323	-
Male	1,079	25	6	7	38	43	53	91	207	294	221	94	-
Female	887	28	2	6	15	21	21	56	104	176	229	229	-
All other	1,189	55	10	8	27	49	80	107	223	322	228	80	-
Male	633	36	5	3	22	38	49	55	119	172	105	29	-
Female	556	19	5	5	5	11	31	52	104	150	123	51	-
Black	1,182	53	9	8	27	49	79	106	223	321	227	80	-
Male	630	34	4	3	22	38	49	55	119	172	105	29	-
Female	552	19	5	5	5	11	30	51	104	149	122	51	-
Charleston, W. Va	2,607	42	3	9	32	48	67	162	409	656	717	462	-
Male	1,337	26	1	5	17	28	46	105	249	362	343	155	-
Female	1,270	16	2	4	15	20	21	57	160	294	374	307	-
White	2,449	39	2	9	30	41	61	148	381	621	679	438	-
Male	1,257	24	1	5	15	22	45	95	237	343	327	143	-
Female	1,192	15	1	4	15	19	16	53	144	278	352	295	-
All other	158	3	1	-	2	7	6	14	28	35	38	24	-
Male	80	2	-	-	2	6	1	10	12	19	16	12	-
Female	78	1	1	-	-	1	5	4	16	16	22	12	-
Black	157	3	1	-	2	7	6	14	28	34	36	24	-
Male	79	2	-	-	2	6	1	10	12	18	16	12	-
Female	78	1	1	-	-	1	5	4	16	16	22	12	-
Charlotte-Gastonia, N.C	5,233	125	25	21	117	122	215	396	871	1,233	1,328	779	1
Male	2,847	75	18	11	83	85	139	261	559	734	624	257	1
Female	2,386	50	7	10	34	37	76	135	312	499	704	522	-
White	4,001	79	15	13	80	68	124	269	651	938	1,081	683	-
Male	2,149	48	9	8	55	49	74	179	428	562	512	225	-
Female	1,852	31	6	5	25	19	50	90	223	376	569	458	-
All other	1,232	46	10	8	37	54	91	127	220	295	247	96	1
Male	698	27	9	3	28	36	65	82	131	172	112	32	1
Female	534	19	1	5	9	18	26	45	89	123	135	64	-
Black	1,227	46	10	8	37	54	90	126	218	294	247	96	1
Male	694	27	9	3	28	36	64	81	130	171	112	32	1
Female	533	19	1	5	9	18	26	45	88	123	135	64	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charlottesville, Va	920	10	3	2	15	12	23	63	114	220	269	189	-
Male	483	8	1	1	10	11	18	35	83	127	140	49	-
Female	437	2	2	1	5	1	5	28	31	93	129	140	-
White	737	5	2	2	13	9	20	44	86	183	221	152	-
Male	384	4	1	1	9	8	17	25	65	104	114	36	-
Female	353	1	1	1	4	1	3	19	21	79	107	116	-
All other	183	5	1	-	2	3	3	19	28	37	48	37	-
Male	99	4	-	-	1	3	1	10	18	23	26	13	-
Female	84	1	1	-	1	-	2	9	10	14	22	24	-
Black	182	5	1	-	2	3	3	19	28	36	48	37	-
Male	98	4	-	-	1	3	1	10	18	22	26	13	-
Female	84	1	1	-	1	-	2	9	10	14	22	24	-
Chattanooga, Tenn.-Ga	3,892	60	9	19	67	80	118	242	602	992	1,046	657	-
Male	2,079	29	4	12	51	59	68	156	375	573	530	222	-
Female	1,813	31	5	7	16	21	50	86	227	419	516	435	-
White	3,264	46	6	14	57	69	89	197	489	807	897	593	-
Male	1,747	19	2	8	43	52	52	129	313	479	444	206	-
Female	1,517	27	4	6	14	17	37	68	176	328	453	387	-
All other	628	14	3	5	10	11	29	45	113	185	149	64	-
Male	332	10	2	4	8	7	16	27	62	94	86	16	-
Female	296	4	1	1	2	4	13	18	51	91	63	48	-
Black	626	14	3	5	9	11	29	45	112	185	149	64	-
Male	331	10	2	4	7	7	16	27	62	94	86	16	-
Female	295	4	1	1	2	4	13	18	50	91	63	48	-
Chicago, Ill	60,682	1,525	220	242	1,062	1,624	2,082	3,836	9,176	14,232	15,565	11,117	1
Male	31,289	862	138	138	787	1,158	1,370	2,413	5,659	8,032	7,276	3,455	1
Female	29,393	663	82	104	275	466	712	1,423	3,517	6,200	8,289	7,662	-
White	48,190	812	122	150	724	929	1,280	2,512	6,807	11,579	13,291	9,983	1
Male	24,356	474	74	84	534	655	846	1,564	4,281	6,583	6,213	3,047	1
Female	23,834	338	48	66	190	274	434	948	2,526	4,996	7,078	6,936	-
All other	12,492	713	98	92	338	695	802	1,324	2,369	2,653	2,274	1,134	-
Male	6,933	388	64	54	253	503	524	849	1,378	1,449	1,063	409	-
Female	5,559	325	34	38	85	192	278	475	991	1,204	1,211	726	-
Black	12,156	705	95	87	327	679	775	1,297	2,322	2,577	2,200	1,092	-
Male	6,732	386	61	50	245	492	505	829	1,350	1,406	1,012	396	-
Female	5,424	319	34	37	82	187	270	468	972	1,171	1,188	696	-
Chico, Calif	1,662	28	8	6	20	33	46	54	207	409	505	345	1
Male	878	18	3	4	17	27	21	33	126	240	270	119	-
Female	784	10	5	2	3	6	25	21	81	169	235	226	1
White	1,640	27	8	6	20	33	46	52	204	404	498	341	1
Male	866	17	3	4	17	27	21	32	123	239	266	117	-
Female	774	10	5	2	3	6	25	20	81	165	232	224	1
All other	22	1	-	-	-	-	-	2	3	5	7	4	-
Male	12	1	-	-	-	-	-	1	3	1	4	2	-
Female	10	-	-	-	-	-	-	1	-	4	3	2	-
Black	13	1	-	-	-	-	-	-	1	2	5	4	-
Male	6	1	-	-	-	-	-	-	1	-	2	2	-
Female	7	-	-	-	-	-	-	-	-	2	3	2	-
Cincinnati, Ohio-Ky.-Ind	13,155	258	36	45	204	240	336	742	1,924	2,967	3,741	2,662	-
Male	6,490	152	22	29	161	174	209	432	1,180	1,659	1,666	806	-
Female	6,665	106	14	16	43	66	127	310	744	1,308	2,075	1,856	-
White	11,482	174	21	34	184	200	273	595	1,602	2,566	3,361	2,472	-
Male	5,622	112	13	21	143	145	169	350	1,001	1,446	1,482	740	-
Female	5,860	62	8	13	41	55	104	245	601	1,120	1,879	1,732	-
All other	1,673	84	15	11	20	40	63	147	322	401	380	190	-
Male	868	40	9	8	18	29	40	82	179	213	184	66	-
Female	805	44	6	3	2	11	23	65	143	188	196	124	-
Black	1,656	82	15	11	19	40	62	146	319	397	376	189	-
Male	859	39	9	8	17	29	39	82	179	210	182	65	-
Female	797	43	6	3	2	11	23	64	140	187	194	124	-
Clarksville-Hopkinsville, Tenn.-Ky	1,056	31	3	8	37	27	41	82	135	233	292	177	-
Male	613	20	2	3	32	18	26	57	92	141	157	85	-
Female	453	11	1	5	5	9	15	25	43	92	135	112	-
White	820	16	2	6	34	20	28	59	106	176	228	145	-
Male	485	11	1	3	29	14	18	45	75	107	128	54	-
Female	335	5	1	3	5	6	10	14	31	69	100	91	-
All other	246	15	1	2	3	7	13	23	29	57	64	32	-
Male	128	9	1	-	3	4	8	12	17	34	29	11	-
Female	118	6	-	2	-	3	5	11	12	23	35	21	-
Black	239	15	1	2	3	5	13	22	26	56	64	32	-
Male	125	9	1	-	3	4	8	11	16	33	29	11	-
Female	114	6	-	2	-	1	5	11	10	23	35	21	-
Cleveland, Ohio	18,515	281	35	53	250	394	467	1,013	2,890	4,623	4,933	3,576	-
Male	9,453	169	20	33	189	268	303	585	1,760	2,637	2,306	1,183	-
Female	9,062	112	15	20	61	126	164	428	1,130	1,986	2,627	2,393	-
White	15,123	157	19	33	177	236	314	668	2,150	3,892	4,256	3,221	-
Male	7,608	92	10	22	133	166	207	391	1,308	2,231	1,998	1,050	-
Female	7,515	65	9	11	44	70	107	277	842	1,661	2,258	2,171	-
All other	3,392	124	16	20	73	158	153	345	740	731	677	355	-
Male	1,845	77	10	11	56	102	96	194	452	406	308	133	-
Female	1,547	47	6	9	17	56	57	151	288	325	369	222	-
Black	3,357	123	15	20	72	156	151	342	730	721	673	354	-
Male	1,825	76	9	11	55	100	94	191	446	403	307	133	-
Female	1,532	47	6	9	17	56	57	151	284	318	366	221	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado Springs, Colo	1,913	57	14	16	56	71	78	132	265	377	462	374	1
Male	1,016	32	11	8	47	44	47	77	166	222	245	116	1
Female	897	25	3	8	9	27	31	55	89	155	237	258	-
White	1,813	41	13	14	50	65	72	117	244	362	471	363	1
Male	962	25	11	7	41	41	45	69	158	215	237	112	1
Female	851	16	2	7	9	24	27	48	86	147	234	251	-
All other	100	16	1	2	6	6	6	15	11	15	11	11	-
Male	54	7	-	1	6	3	2	8	8	7	8	4	-
Female	46	9	1	1	-	3	4	7	3	8	3	7	-
Black	83	12	1	1	5	6	6	12	7	13	9	11	-
Male	42	5	-	-	5	3	2	7	5	5	6	4	-
Female	41	7	1	1	-	3	4	5	2	8	3	7	-
Columbia, Mo	580	14	1	2	13	8	28	24	79	110	163	140	-
Male	295	8	1	1	8	5	16	14	42	65	84	51	-
Female	285	6	-	1	5	3	10	10	37	45	79	89	-
White	532	12	1	2	11	6	25	23	72	101	147	132	-
Male	267	6	1	1	7	4	15	14	38	59	73	49	-
Female	265	6	-	1	4	2	10	9	34	42	74	83	-
All other	48	2	-	-	2	2	1	1	7	9	16	8	-
Male	28	2	-	-	1	1	1	-	4	6	11	2	-
Female	20	-	-	-	1	1	-	1	3	3	5	6	-
Black	47	2	-	-	2	2	1	1	7	9	15	8	-
Male	27	2	-	-	1	1	1	-	4	6	10	2	-
Female	20	-	-	-	1	1	-	1	3	3	5	6	-
Columbia, S.C	3,177	98	19	20	69	112	141	228	491	755	795	457	-
Male	1,695	57	10	10	45	78	93	144	301	445	364	148	-
Female	1,482	39	9	10	18	34	48	84	190	310	431	309	-
White	2,213	35	13	11	43	67	81	145	344	507	598	369	-
Male	1,159	20	6	7	34	48	53	94	210	306	269	112	-
Female	1,054	15	7	4	9	19	28	51	134	201	329	257	-
All other	964	61	6	9	20	45	60	83	147	248	197	88	-
Male	538	37	4	3	11	30	40	50	91	139	95	36	-
Female	428	24	2	6	9	15	20	33	56	109	102	52	-
Black	959	61	6	9	20	45	58	82	147	247	196	88	-
Male	534	37	4	3	11	30	39	50	91	138	95	36	-
Female	425	24	2	6	9	15	19	32	56	109	101	52	-
Columbus, Ga.-Ala	2,210	52	7	10	53	84	77	182	432	543	532	238	-
Male	1,157	31	3	5	35	66	40	109	274	311	215	68	-
Female	1,053	21	4	5	18	18	37	73	158	232	317	170	-
White	1,420	24	5	7	35	42	41	89	257	344	384	192	-
Male	740	16	3	3	24	34	25	55	161	208	155	56	-
Female	680	8	2	4	11	8	16	34	96	138	229	136	-
All other	790	28	2	3	18	42	36	93	175	199	148	46	-
Male	417	15	-	2	11	32	15	54	113	103	60	12	-
Female	373	13	2	1	7	10	21	39	62	96	88	34	-
Black	785	28	2	3	18	42	34	93	173	199	148	45	-
Male	417	15	-	2	11	32	15	54	113	103	60	12	-
Female	368	13	2	1	7	10	19	39	60	96	88	33	-
Columbus, Ohio	8,603	185	27	33	166	212	289	547	1,274	1,991	2,163	1,716	-
Male	4,331	101	20	20	111	139	180	332	792	1,114	1,007	515	-
Female	4,272	84	7	13	55	73	109	215	482	877	1,156	1,201	-
White	7,471	141	20	26	131	165	221	449	1,073	1,730	1,931	1,584	-
Male	3,723	74	15	13	88	113	134	273	683	961	802	467	-
Female	3,748	67	5	13	43	52	87	176	390	769	1,029	1,117	-
All other	1,132	44	7	7	35	47	68	98	201	261	232	132	-
Male	608	27	5	7	23	26	46	59	109	153	105	48	-
Female	524	17	2	-	12	21	22	39	92	108	127	84	-
Black	1,103	42	7	7	34	44	62	98	196	257	226	130	-
Male	591	26	5	7	22	24	42	59	106	151	101	48	-
Female	512	16	2	-	12	20	20	39	90	106	125	82	-
Corpus Christi, Tex	2,393	63	11	14	67	92	94	162	389	561	573	367	-
Male	1,346	42	5	7	48	72	62	101	236	351	295	127	-
Female	1,047	21	6	7	19	20	32	61	153	210	278	240	-
White	2,251	59	8	13	64	88	88	148	361	525	543	354	-
Male	1,271	41	4	7	47	69	58	95	220	328	279	123	-
Female	980	18	4	6	17	19	30	53	141	197	264	231	-
All other	142	4	3	1	3	4	6	14	28	36	30	13	-
Male	75	1	1	-	1	3	4	6	16	23	16	4	-
Female	67	3	2	1	2	1	2	8	12	13	14	9	-
Black	137	4	1	1	3	4	5	13	28	36	29	13	-
Male	73	1	-	-	1	3	4	6	16	23	15	4	-
Female	64	3	1	1	2	1	1	7	12	13	14	9	-
Cumberland, Md.-W. Va	1,271	7	3	4	16	17	28	57	175	318	394	252	-
Male	650	5	1	3	12	10	17	33	111	182	193	83	-
Female	621	2	2	1	4	7	11	24	64	136	201	169	-
White	1,249	5	3	4	15	17	28	54	169	314	392	248	-
Male	642	4	1	3	12	10	17	31	110	180	193	81	-
Female	607	1	2	1	3	7	11	23	59	134	199	167	-
All other	22	2	-	-	1	-	-	3	6	4	2	4	-
Male	8	1	-	-	-	-	-	2	1	2	-	2	-
Female	14	1	-	-	1	-	-	1	5	2	2	2	-
Black	22	2	-	-	1	-	-	3	6	4	2	4	-
Male	8	1	-	-	-	-	-	2	1	2	-	2	-
Female	14	1	-	-	1	-	-	1	5	2	2	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Dallas-Fort Worth, Tex	23,912	726	128	138	762	1,005	1,082	1,792	3,547	5,009	5,784	3,936	3
Male	12,840	416	82	89	579	748	714	1,169	2,219	2,888	2,743	1,191	2
Female	11,072	310	46	49	183	257	368	623	1,328	2,121	3,041	2,745	1
White	20,098	496	91	93	612	733	814	1,406	2,903	4,291	5,096	3,560	3
Male	10,699	276	60	58	473	559	552	914	1,829	2,509	2,414	1,053	2
Female	9,399	220	31	35	139	174	262	492	1,074	1,782	2,682	2,507	1
All other	3,814	230	37	45	150	272	268	386	644	718	688	378	-
Male	2,141	140	22	31	106	189	162	255	390	379	329	138	-
Female	1,673	90	15	14	44	83	106	131	254	339	359	238	-
Black	3,693	216	33	44	141	259	251	372	628	701	675	375	-
Male	2,071	131	20	30	98	180	153	246	379	369	327	138	-
Female	1,622	85	13	14	43	79	98	126	247	332	348	237	-
Danville, Va	1,166	18	2	1	16	26	30	65	177	288	319	224	-
Male	626	8	2	-	11	18	21	42	118	178	161	67	-
Female	540	10	-	1	5	8	9	23	59	110	158	157	-
White	875	12	2	1	12	18	14	43	129	200	255	189	-
Male	470	7	2	-	7	15	11	27	89	129	128	55	-
Female	405	5	-	1	5	3	3	16	40	71	127	134	-
All other	291	6	-	-	4	8	16	22	48	88	64	35	-
Male	156	1	-	-	4	3	10	15	29	49	33	12	-
Female	135	5	-	-	-	5	6	7	19	39	31	23	-
Black	290	6	-	-	4	8	16	21	48	88	64	35	-
Male	155	1	-	-	4	3	10	14	29	49	33	12	-
Female	135	5	-	-	-	5	6	7	19	39	31	23	-
Davenport-Rock Island-Moline, Iowa-Ill	3,229	35	4	8	40	49	78	173	408	749	949	736	-
Male	1,644	20	2	6	37	26	43	101	242	453	476	238	-
Female	1,585	15	2	2	3	23	35	72	166	296	473	498	-
White	3,132	30	4	8	38	49	73	163	392	726	922	727	-
Male	1,584	17	2	6	35	26	41	95	230	436	459	237	-
Female	1,548	13	2	2	3	23	32	68	162	290	463	490	-
All other	97	5	-	-	2	-	5	10	16	23	27	9	-
Male	60	3	-	-	2	-	2	6	12	17	17	1	-
Female	37	2	-	-	-	-	3	4	4	6	10	8	-
Black	96	5	-	-	2	-	5	10	15	23	27	9	-
Male	59	3	-	-	2	-	2	6	11	17	17	1	-
Female	37	2	-	-	-	-	3	4	4	6	10	8	-
Dayton, Ohio	7,029	135	27	30	93	133	228	434	1,101	1,630	1,841	1,377	-
Male	3,544	75	18	16	74	87	142	287	669	919	845	432	-
Female	3,485	60	9	14	19	46	86	167	432	711	996	945	-
White	6,064	98	21	23	74	101	164	349	923	1,402	1,653	1,256	-
Male	3,025	54	14	12	58	64	105	210	568	797	763	380	-
Female	3,039	44	7	11	16	37	59	139	355	605	890	876	-
All other	965	37	6	7	19	32	64	85	178	228	188	121	-
Male	519	21	4	4	16	23	37	57	101	122	82	52	-
Female	446	16	2	3	3	9	27	28	77	106	106	69	-
Black	954	36	6	7	17	32	62	84	177	225	188	120	-
Male	511	20	4	4	15	23	36	57	100	119	82	51	-
Female	443	16	2	3	2	9	26	27	77	106	106	69	-
Daytona Beach, Fla	4,206	40	7	10	49	71	86	179	541	1,014	1,266	943	-
Male	2,231	25	3	6	33	53	57	119	323	614	660	338	-
Female	1,975	15	4	4	16	18	29	60	218	400	606	605	-
White	3,909	27	6	7	42	61	70	154	481	956	1,205	900	-
Male	2,071	16	2	4	29	48	47	107	286	579	632	321	-
Female	1,838	11	4	3	13	13	23	47	195	377	573	579	-
All other	297	13	1	3	7	10	16	25	60	58	61	43	-
Male	160	9	1	2	4	5	10	12	37	35	28	17	-
Female	137	4	-	1	3	5	6	13	23	23	33	26	-
Black	293	13	1	3	6	10	16	25	59	58	59	43	-
Male	156	9	1	2	3	5	10	12	36	35	26	17	-
Female	137	4	-	1	3	5	6	13	23	23	33	26	-
Decatur, Ill	1,125	24	3	1	16	19	28	60	157	266	303	248	-
Male	570	11	1	-	9	11	17	32	104	153	152	80	-
Female	555	13	2	1	7	8	11	28	53	113	151	168	-
White	1,045	16	2	1	15	15	24	48	142	252	290	240	-
Male	526	8	1	-	9	9	14	25	92	144	146	78	-
Female	519	8	1	1	6	6	10	23	50	108	144	162	-
All other	80	8	1	-	1	4	4	12	15	14	13	8	-
Male	44	3	-	-	-	2	3	7	12	9	6	2	-
Female	36	5	1	-	1	2	1	5	3	5	7	6	-
Black	80	8	1	-	1	4	4	12	15	14	13	8	-
Male	44	3	-	-	-	2	3	7	12	9	6	2	-
Female	36	5	1	-	1	2	1	5	3	5	7	6	-
Denver-Boulder, Colo	10,839	307	53	55	311	391	441	630	1,458	2,246	2,676	2,271	-
Male	5,557	176	23	33	226	283	282	383	899	1,285	1,245	712	-
Female	5,282	131	30	22	85	98	159	247	559	961	1,431	1,559	-
White	10,180	267	45	45	290	342	401	580	1,332	2,141	2,554	2,183	-
Male	5,224	155	20	27	212	259	260	353	829	1,234	1,191	684	-
Female	4,956	112	25	18	78	83	141	227	503	907	1,363	1,499	-
All other	659	40	8	10	21	49	40	50	126	105	122	88	-
Male	333	21	3	6	14	34	22	30	70	51	54	28	-
Female	326	19	5	4	7	15	18	20	56	54	68	60	-
Black	563	32	7	8	21	39	33	41	113	93	107	69	-
Male	287	16	3	5	14	27	20	26	63	44	46	23	-
Female	276	16	4	3	7	12	13	15	50	49	61	46	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, Iowa	2,775	74	4	12	45	55	83	119	371	623	740	649	-
Male	1,424	34	2	6	33	43	51	76	220	381	356	222	-
Female	1,351	40	2	6	12	12	32	43	151	242	384	427	-
White	2,632	68	4	9	40	50	75	108	345	593	713	627	-
Male	1,345	33	2	5	30	38	47	69	207	363	341	210	-
Female	1,287	35	2	4	10	12	28	39	138	230	372	417	-
All other	143	6	-	3	5	5	8	11	26	30	27	22	-
Male	79	1	-	1	3	5	4	7	13	18	15	12	-
Female	64	5	-	2	2	-	4	4	13	12	12	10	-
Black	135	4	-	2	4	3	7	10	26	30	27	22	-
Male	76	1	-	1	2	3	4	7	13	18	15	12	-
Female	59	3	-	1	2	-	3	3	13	12	12	10	-
Detroit, Mich	38,322	786	141	174	835	1,221	1,513	2,373	5,978	8,950	9,506	6,836	9
Male	20,301	465	81	106	605	863	991	1,510	3,626	5,185	4,497	2,366	6
Female	18,021	321	60	68	230	358	522	863	2,352	3,765	5,009	4,470	3
White	29,490	421	81	118	479	581	855	1,604	4,488	6,997	7,830	6,023	3
Male	15,268	239	61	69	331	424	543	1,038	2,752	4,034	3,675	2,100	2
Female	14,222	182	30	49	148	157	312	566	1,736	2,963	4,155	3,923	1
All other	8,832	365	50	56	356	640	658	769	1,490	1,953	1,676	813	6
Male	5,033	226	20	37	274	439	448	472	874	1,151	822	266	4
Female	3,799	139	30	19	82	201	210	297	616	802	854	547	2
Black	8,722	359	46	55	354	637	650	761	1,463	1,930	1,654	805	6
Male	4,964	223	19	37	272	437	443	466	861	1,134	805	263	4
Female	3,758	136	29	18	82	200	207	295	602	796	849	542	2
Dubuque, Iowa	801	10	3	2	14	16	14	32	101	174	247	188	-
Male	359	3	1	2	8	13	10	21	52	94	109	46	-
Female	442	7	2	-	6	3	4	11	49	80	138	142	-
White	800	10	3	2	14	16	13	32	101	174	247	188	-
Male	358	3	1	2	8	13	9	21	52	94	109	46	-
Female	442	7	2	-	6	3	4	11	49	80	138	142	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Duluth-Superior, Minn.-Wis	2,617	30	12	10	40	29	49	97	294	645	767	644	-
Male	1,369	15	8	5	25	21	29	68	188	391	402	217	-
Female	1,248	15	4	5	15	8	20	29	106	254	365	427	-
White	2,591	30	12	10	39	29	46	94	290	642	762	637	-
Male	1,354	15	8	5	24	21	26	67	186	391	398	213	-
Female	1,237	15	4	5	15	8	20	27	104	251	364	424	-
All other	26	-	-	-	1	-	3	3	4	3	5	7	-
Male	15	-	-	-	1	-	3	1	2	-	4	4	-
Female	11	-	-	-	-	-	-	2	2	3	1	3	-
Black	5	-	-	-	-	-	-	-	1	1	1	2	-
Male	2	-	-	-	-	-	-	-	1	-	-	1	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
Eau Claire, Wis	1,114	22	2	3	17	17	21	36	109	252	372	263	-
Male	587	14	2	3	13	11	14	22	73	147	203	85	-
Female	527	8	-	-	4	6	7	14	36	105	169	178	-
White	1,103	19	2	3	16	17	21	36	109	246	372	262	-
Male	581	12	2	3	12	11	14	22	73	144	203	85	-
Female	522	7	-	-	4	6	7	14	36	102	169	177	-
All other	11	3	-	-	1	-	-	-	-	6	-	1	-
Male	6	2	-	-	1	-	-	-	-	3	-	-	-
Female	5	1	-	-	-	-	-	-	-	3	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
El Paso, Tex	2,922	88	25	23	81	110	122	218	475	630	695	455	-
Male	1,637	51	17	12	62	89	89	135	288	402	323	169	-
Female	1,285	37	8	11	19	21	33	83	187	228	372	286	-
White	2,625	81	24	22	77	102	117	207	457	610	684	444	-
Male	1,586	47	16	12	61	83	86	128	279	390	320	164	-
Female	1,239	34	8	10	16	19	31	79	178	220	364	280	-
All other	97	7	1	1	4	8	5	11	18	20	11	11	-
Male	51	4	1	-	1	6	3	7	9	12	3	5	-
Female	46	3	-	1	3	2	2	4	9	8	8	6	-
Black	81	6	1	1	4	5	4	10	13	17	11	9	-
Male	42	3	1	-	1	4	3	6	9	9	3	3	-
Female	39	3	-	1	3	1	1	4	4	8	8	6	-
Elkhart, Ind	1,178	29	-	6	29	23	38	74	146	255	322	254	-
Male	586	17	-	5	22	18	21	44	80	154	143	82	-
Female	592	12	-	1	7	5	17	30	68	101	179	172	-
White	1,143	26	-	6	28	22	34	72	142	247	315	251	-
Male	566	14	-	5	21	17	19	43	76	150	137	82	-
Female	577	12	-	1	7	5	15	29	64	97	178	169	-
All other	35	3	-	-	1	1	4	2	6	8	7	3	-
Male	20	3	-	-	1	1	2	1	2	4	6	-	-
Female	15	-	-	-	-	-	2	1	4	4	1	3	-
Black	33	3	-	-	1	1	3	2	6	7	7	3	-
Male	19	3	-	-	1	1	2	1	2	3	6	-	-
Female	14	-	-	-	-	-	1	1	4	4	1	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Elmira, N.Y	975	14	1	2	10	16	15	40	103	243	300	231	-
Male	509	10	1	2	8	13	10	27	63	148	147	80	-
Female	466	4	-	-	2	3	5	13	40	95	153	151	-
White	955	13	1	2	10	13	14	38	101	237	298	228	-
Male	495	9	1	2	8	11	9	25	62	144	145	79	-
Female	460	4	-	-	2	2	5	13	39	93	153	149	-
All other	20	1	-	-	-	3	1	2	2	6	2	3	-
Male	14	1	-	-	-	2	1	2	1	4	2	1	-
Female	6	-	-	-	-	1	-	-	1	2	-	2	-
Black	19	1	-	-	-	3	1	2	2	6	1	3	-
Male	13	1	-	-	-	2	1	2	1	4	1	1	-
Female	6	-	-	-	-	1	-	-	1	2	-	2	-
Enid, Okla	639	7	5	2	8	13	28	29	66	127	202	152	-
Male	323	5	5	1	4	10	17	21	36	69	101	54	-
Female	316	2	-	1	4	3	11	8	30	58	101	98	-
White	622	6	5	2	8	13	26	28	61	124	199	150	-
Male	314	5	5	1	4	10	15	20	35	67	99	53	-
Female	308	1	-	1	4	3	11	8	26	57	100	97	-
All other	17	1	-	-	-	-	2	1	5	3	3	2	-
Male	9	-	-	-	-	-	2	1	1	2	2	1	-
Female	8	1	-	-	-	-	-	-	4	1	1	1	-
Black	16	1	-	-	-	-	2	1	5	2	3	2	-
Male	8	-	-	-	-	-	2	1	1	1	2	1	-
Female	8	1	-	-	-	-	-	-	4	1	1	1	-
Erie, Pa	2,611	52	11	9	39	41	65	124	388	659	699	524	-
Male	1,357	32	6	4	19	27	44	77	230	394	339	185	-
Female	1,254	20	5	5	20	14	21	47	158	265	360	339	-
White	2,506	46	8	8	35	35	61	112	364	639	680	518	-
Male	1,294	27	3	4	17	25	43	70	217	379	329	180	-
Female	1,212	19	5	4	18	10	18	42	147	260	351	338	-
All other	105	6	3	1	4	6	4	12	24	20	19	6	-
Male	63	5	3	-	2	2	1	7	13	15	10	5	-
Female	42	1	-	1	2	4	3	5	11	5	9	1	-
Black	101	6	2	1	4	6	4	11	24	20	18	5	-
Male	60	5	2	-	2	2	1	7	13	15	9	4	-
Female	41	1	-	1	2	4	3	4	11	5	9	1	-
Eugene-Springfield, Oreg	2,198	50	4	10	39	52	55	114	244	507	628	495	-
Male	1,174	30	2	3	30	38	35	63	148	325	332	168	-
Female	1,024	20	2	7	9	14	20	51	96	182	296	327	-
White	2,174	48	4	9	35	48	52	112	244	506	623	493	-
Male	1,159	30	2	3	26	35	33	62	148	324	328	168	-
Female	1,015	18	2	6	9	13	19	50	96	182	295	325	-
All other	24	2	-	1	4	4	3	2	-	1	5	2	-
Male	15	-	-	-	4	3	2	1	-	1	4	-	-
Female	9	2	-	1	-	1	1	1	-	-	1	2	-
Black	11	1	-	1	-	2	1	1	-	-	3	2	-
Male	6	-	-	-	-	2	1	1	-	-	2	-	-
Female	5	1	-	1	-	-	-	-	-	-	1	2	-
Evansville, Ind.-Ky	3,074	33	13	8	38	58	64	150	393	748	902	667	-
Male	1,566	20	6	5	31	43	37	101	233	425	442	223	-
Female	1,508	13	7	3	7	15	27	49	160	323	460	444	-
White	2,867	29	9	8	35	54	53	133	361	708	845	632	-
Male	1,458	19	5	5	29	40	31	90	216	404	411	208	-
Female	1,409	10	4	3	6	14	22	43	145	304	434	424	-
All other	207	4	4	-	3	4	11	17	32	40	57	35	-
Male	108	1	1	-	2	3	6	11	17	21	31	15	-
Female	99	3	3	-	1	1	5	6	15	19	26	20	-
Black	206	4	4	-	3	4	10	17	32	40	57	35	-
Male	108	1	1	-	2	3	6	11	17	21	31	15	-
Female	98	3	3	-	1	1	4	6	15	19	26	20	-
Fargo-Moorhead, N.Dak.-Minn	981	32	7	4	6	20	18	42	127	180	272	273	-
Male	505	18	4	1	5	17	12	28	76	106	146	92	-
Female	476	14	3	3	1	3	6	14	51	74	126	181	-
White	976	31	5	4	6	19	18	41	127	180	272	273	-
Male	502	18	2	1	5	17	12	27	76	106	146	92	-
Female	474	13	3	3	1	2	6	14	51	74	126	181	-
All other	5	1	2	-	-	1	-	1	-	-	-	-	-
Male	3	-	2	-	-	-	-	1	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Fayetteville, N.C	1,433	50	5	10	99	70	65	136	256	330	268	142	-
Male	801	23	1	4	83	48	34	86	168	193	126	35	-
Female	632	27	4	6	16	22	31	50	90	137	142	107	-
White	938	29	2	8	72	37	30	84	161	227	184	104	-
Male	542	15	-	3	64	28	19	57	110	132	88	26	-
Female	396	14	2	5	8	9	11	27	51	95	96	78	-
All other	495	21	3	2	27	33	35	52	97	103	84	38	-
Male	259	8	1	1	19	20	15	29	58	61	38	9	-
Female	236	13	2	1	8	13	20	23	39	42	46	29	-
Black	474	20	3	1	26	31	34	48	92	100	81	38	-
Male	248	8	1	1	18	19	14	27	55	59	37	9	-
Female	226	12	2	-	8	12	20	21	37	41	44	29	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville-Springdale, Ark	1,719	36	6	7	42	40	46	87	206	440	472	337	-
Male	970	17	3	5	30	31	33	54	137	286	249	125	-
Female	749	19	3	2	12	9	13	33	69	154	223	212	-
White	1,705	33	6	7	40	39	46	86	204	436	471	337	-
Male	962	16	3	5	28	31	33	53	136	284	248	125	-
Female	743	17	3	2	12	8	13	33	68	152	223	212	-
All other	14	3	-	-	2	1	-	1	2	4	1	-	-
Male	8	1	-	-	2	-	-	1	1	2	1	-	-
Female	6	2	-	-	-	1	-	-	1	2	-	-	-
Black	11	2	-	-	2	1	-	1	-	4	1	-	-
Male	7	1	-	-	2	-	-	1	-	2	1	-	-
Female	4	1	-	-	-	1	-	-	-	2	-	-	-
Flint, Mich	3,842	98	20	29	84	105	142	281	571	862	975	674	1
Male	2,036	58	13	17	63	75	94	176	345	493	455	246	1
Female	1,806	40	7	12	21	30	48	105	226	369	520	428	-
White	3,288	61	15	20	60	67	97	222	453	749	903	640	1
Male	1,708	35	9	11	45	50	63	139	276	426	417	236	1
Female	1,580	26	6	9	15	17	34	83	177	323	486	404	-
All other	554	37	5	9	24	38	45	59	118	113	72	34	-
Male	328	23	4	6	18	25	31	37	69	67	38	10	-
Female	226	14	1	3	6	13	14	22	49	46	34	24	-
Black	546	37	5	9	23	36	45	58	116	111	72	32	-
Male	324	23	4	6	17	25	31	37	67	66	38	10	-
Female	222	14	1	3	6	13	14	21	49	45	34	22	-
Florence, Ala	1,201	22	4	5	22	19	31	74	174	294	325	230	1
Male	628	14	1	2	16	13	21	34	110	185	157	74	1
Female	573	8	3	3	6	6	10	40	64	109	168	156	-
White	1,009	18	2	3	20	14	29	56	142	252	276	196	1
Male	530	11	-	2	14	10	19	25	90	164	132	62	1
Female	479	7	2	1	6	4	10	31	52	88	144	134	-
All other	192	4	2	2	2	5	2	18	32	42	49	34	-
Male	98	3	1	-	2	3	2	9	20	21	25	12	-
Female	94	1	1	2	-	2	-	9	12	21	24	22	-
Black	191	4	2	2	2	5	2	17	32	42	49	34	-
Male	97	3	1	-	2	3	2	8	20	21	25	12	-
Female	94	1	1	2	-	2	-	9	12	21	24	22	-
Florence, S.C	1,097	33	3	5	17	28	41	85	182	295	268	140	-
Male	589	18	3	2	11	19	29	48	116	177	112	54	-
Female	508	15	-	3	6	9	12	37	66	118	156	86	-
White	631	7	-	2	11	8	19	43	99	167	172	103	-
Male	342	1	-	1	6	5	13	26	69	108	78	35	-
Female	289	6	-	1	5	3	6	17	30	59	94	68	-
All other	466	26	3	3	6	20	22	42	83	128	96	37	-
Male	247	17	3	1	5	14	16	22	47	69	34	19	-
Female	219	9	-	2	1	6	6	20	36	59	62	18	-
Black	465	26	3	3	6	20	22	41	83	128	96	37	-
Male	247	17	3	1	5	14	16	22	47	69	34	19	-
Female	218	9	-	2	1	6	6	19	36	59	62	18	-
Fort Collins, Colo	960	19	6	6	19	40	27	39	103	215	250	236	-
Male	479	9	5	4	17	32	16	25	61	115	120	75	-
Female	481	10	1	2	2	8	11	14	42	100	130	161	-
White	957	17	6	6	19	40	27	39	102	215	250	236	-
Male	478	8	5	4	17	32	16	25	61	115	120	75	-
Female	479	9	1	2	2	8	11	14	41	100	130	161	-
All other	3	2	-	-	-	-	-	-	1	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fort Lauderdale-Hollywood, Fla	13,333	176	44	39	172	257	337	550	1,396	3,192	4,578	2,587	5
Male	7,391	90	24	24	121	193	219	332	829	1,821	2,518	1,216	4
Female	5,942	86	20	15	51	64	118	218	567	1,371	2,060	1,371	1
White	12,377	81	29	26	117	182	263	441	1,257	3,004	4,427	2,536	4
Male	6,845	46	12	19	79	143	174	264	752	1,715	2,437	1,201	3
Female	5,532	35	17	7	38	49	89	177	505	1,289	1,990	1,335	1
All other	956	95	15	13	55	65	74	109	139	188	151	51	1
Male	546	44	12	5	42	50	45	68	77	106	81	15	1
Female	410	51	3	8	13	15	29	41	62	82	70	36	-
Black	925	91	15	10	52	65	73	107	135	184	145	47	1
Male	534	43	12	3	41	50	45	67	76	105	77	14	1
Female	391	48	3	7	11	15	28	40	59	79	68	33	-
Fort Myers-Cape Coral, Fla	3,106	37	8	6	38	59	67	118	404	906	956	507	2
Male	1,826	19	6	4	27	38	48	71	252	586	548	226	1
Female	1,280	18	2	2	9	21	19	47	152	320	408	281	1
White	2,953	23	7	4	32	46	50	105	382	871	934	498	1
Male	1,735	12	5	3	24	29	34	62	247	562	535	221	1
Female	1,218	11	2	1	8	17	16	43	135	309	399	277	-
All other	153	14	1	2	4	13	17	13	22	35	22	9	1
Male	91	7	1	1	3	9	14	9	5	24	13	5	-
Female	62	7	-	1	1	4	3	4	17	11	9	4	1
Black	152	14	1	2	4	13	16	13	22	35	22	9	1
Male	90	7	1	1	3	9	13	9	5	24	13	5	-
Female	62	7	-	1	1	4	3	4	17	11	9	4	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark.-Okla	2,041	28	8	18	41	54	46	111	271	478	586	399	1
Male	1,142	15	6	11	29	41	28	75	175	314	307	140	1
Female	899	13	2	7	12	13	18	36	96	164	279	259	-
White	1,920	25	8	17	36	50	41	108	254	455	548	377	1
Male	1,083	13	6	10	26	39	26	73	166	298	289	136	1
Female	837	12	2	7	10	11	15	35	88	157	259	241	-
All other	121	3	-	1	5	4	5	3	17	23	38	22	-
Male	59	2	-	1	3	2	2	2	9	16	18	4	-
Female	62	1	-	-	2	2	3	1	8	7	20	18	-
Black	83	3	-	1	2	3	4	2	8	16	28	16	-
Male	38	2	-	1	1	1	1	1	4	12	14	1	-
Female	45	1	-	-	1	2	3	1	4	4	14	15	-
Fort Walton Beach, Fla	773	21	3	3	24	23	21	72	125	214	161	106	-
Male	424	16	2	1	18	19	11	48	69	132	80	28	-
Female	349	5	1	2	6	4	10	24	56	82	81	78	-
White	722	13	1	3	22	19	20	68	117	206	153	100	-
Male	396	11	-	1	16	17	10	45	65	130	78	25	-
Female	326	2	1	2	6	2	10	23	52	76	77	75	-
All other	51	8	2	-	2	4	1	4	8	8	8	6	-
Male	28	5	2	-	2	2	1	3	4	2	4	3	-
Female	23	3	-	-	-	2	-	1	4	6	4	3	-
Black	48	8	2	-	2	4	-	4	7	7	8	6	-
Male	27	5	2	-	2	2	-	3	4	2	4	3	-
Female	21	3	-	-	-	2	-	1	3	5	4	3	-
Fort Wayne, Ind	3,099	76	15	17	75	62	95	144	384	617	909	705	-
Male	1,638	44	11	13	55	40	61	87	255	364	462	246	-
Female	1,461	32	4	4	20	22	34	57	129	253	447	459	-
White	2,933	61	13	13	66	53	82	128	358	588	879	692	-
Male	1,546	38	9	9	50	33	53	79	238	346	450	241	-
Female	1,387	23	4	4	16	20	29	49	120	242	429	451	-
All other	166	15	2	4	9	9	13	16	28	29	30	13	-
Male	92	6	2	4	5	7	8	8	17	18	12	5	-
Female	74	9	-	-	4	2	5	8	9	11	18	8	-
Black	163	15	2	4	9	9	13	15	24	29	30	13	-
Male	91	6	2	4	5	7	8	8	16	18	12	5	-
Female	72	9	-	-	4	2	5	7	8	11	18	8	-
Fresno, Calif	4,300	106	31	25	130	157	184	241	547	914	1,091	859	15
Male	2,358	58	18	17	100	122	119	151	332	537	573	320	11
Female	1,942	48	13	8	30	35	65	90	215	377	518	539	4
White	3,869	83	22	21	123	143	158	214	483	821	994	794	13
Male	2,108	43	12	14	95	114	101	134	292	480	520	294	9
Female	1,761	40	10	7	28	29	57	80	191	341	474	500	4
All other	431	23	9	4	7	14	26	27	64	93	97	65	2
Male	250	15	6	3	5	8	18	17	40	57	53	26	2
Female	181	8	3	1	2	6	8	10	24	36	44	39	-
Black	284	11	2	1	4	10	18	20	53	59	62	42	2
Male	158	6	1	1	3	5	13	13	32	38	30	14	2
Female	126	5	1	-	1	5	5	7	21	21	32	28	-
Gadsden, Ala	1,139	29	1	2	19	24	22	73	155	263	351	200	-
Male	576	17	-	-	13	15	16	38	92	156	163	66	-
Female	563	12	1	2	6	9	6	35	63	107	188	134	-
White	967	20	-	2	15	19	18	57	127	229	302	178	-
Male	493	14	-	-	11	13	14	32	75	139	139	56	-
Female	474	6	-	2	4	6	4	25	52	90	163	122	-
All other	172	9	1	-	4	5	4	16	28	34	49	22	-
Male	83	3	-	-	2	2	2	6	17	17	24	10	-
Female	89	6	1	-	2	3	2	10	11	17	25	12	-
Black	172	9	1	-	4	5	4	16	28	34	49	22	-
Male	83	3	-	-	2	2	2	6	17	17	24	10	-
Female	89	6	1	-	2	3	2	10	11	17	25	12	-
Gainesville, Fla	1,083	31	4	10	31	42	45	77	180	257	251	152	3
Male	608	17	2	7	23	26	32	46	105	161	130	57	2
Female	475	14	2	3	8	16	13	31	75	96	121	95	1
White	791	13	3	6	21	29	32	52	124	191	191	126	3
Male	449	7	1	4	17	15	22	30	76	126	100	49	2
Female	342	6	2	2	4	14	10	22	48	65	91	77	1
All other	292	18	1	4	10	13	13	25	56	66	60	26	-
Male	159	10	1	3	6	11	10	16	29	35	30	8	-
Female	133	8	-	1	4	2	3	9	27	31	30	18	-
Black	291	18	1	4	10	12	13	25	56	66	60	26	-
Male	158	10	1	3	6	10	10	16	29	35	30	8	-
Female	133	8	-	1	4	2	3	9	27	31	30	18	-
Galveston-Texas City, Tex	1,738	33	12	6	38	52	80	101	328	414	408	266	-
Male	935	21	6	5	25	39	57	63	196	242	199	82	-
Female	803	12	6	1	13	13	23	38	132	172	209	184	-
White	1,344	20	8	5	31	41	56	78	253	316	323	213	-
Male	732	15	4	4	20	33	42	49	157	189	152	67	-
Female	612	5	4	1	11	8	14	29	96	127	171	146	-
All other	394	13	4	1	7	11	24	23	75	98	85	53	-
Male	203	6	2	1	5	6	15	14	39	53	47	15	-
Female	191	7	2	-	2	5	9	9	36	45	38	38	-
Black	389	12	4	1	7	11	24	23	73	97	84	53	-
Male	200	5	2	1	5	6	15	14	38	53	46	15	-
Female	189	7	2	-	2	5	9	9	35	44	38	38	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gary-Hammond-East Chicago, Ind	5,143	106	19	31	93	152	171	337	868	1,293	1,315	756	2
Male	2,763	68	9	12	76	117	111	219	515	743	633	260	-
Female	2,380	38	10	19	17	35	60	118	353	550	682	496	2
White	4,053	70	16	15	82	88	113	234	671	1,043	1,085	654	2
Male	2,170	45	8	4	53	67	75	160	401	608	525	224	-
Female	1,883	25	8	11	9	21	38	74	270	435	560	430	2
All other	1,090	36	3	16	31	64	58	103	197	250	230	102	-
Male	593	23	1	8	23	50	36	59	114	135	108	36	-
Female	497	13	2	8	8	14	22	44	83	115	122	66	-
Black	1,087	36	3	16	31	64	57	102	197	250	229	102	-
Male	591	23	1	8	23	50	35	59	114	135	107	36	-
Female	496	13	2	8	8	14	22	43	83	115	122	66	-
Glens Falls, N.Y	1,160	15	3	2	18	24	25	69	150	271	319	264	-
Male	579	8	3	1	14	15	12	38	95	156	153	84	-
Female	581	7	-	1	4	9	13	31	55	115	166	180	-
White	1,156	15	3	2	17	24	25	68	149	271	319	263	-
Male	578	8	3	1	14	15	12	37	95	156	153	84	-
Female	578	7	-	1	3	9	13	31	54	115	166	179	-
All other	4	-	-	-	1	-	-	1	1	-	-	1	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	3	-	-	-	1	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Grand Forks, N.Dak.-Minn	767	14	2	5	12	11	17	31	82	142	213	238	-
Male	396	7	2	5	12	10	13	21	48	87	108	83	-
Female	371	7	-	-	-	1	4	10	34	55	105	155	-
White	763	14	2	3	11	11	17	31	82	141	213	238	-
Male	393	7	2	3	11	10	13	21	48	87	108	83	-
Female	370	7	-	-	-	1	4	10	34	54	105	155	-
All other	4	-	-	2	1	-	-	-	-	1	-	-	-
Male	3	-	-	2	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	1	1	-	-	-	-	-	-	-	-
Male	2	-	-	1	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand Rapids, Mich	4,527	97	29	24	83	95	117	201	572	947	1,299	1,073	-
Male	2,331	60	21	15	60	54	68	129	342	576	661	345	-
Female	2,196	37	8	9	23	31	49	72	230	371	638	728	-
White	4,295	70	24	22	68	74	104	181	533	899	1,269	1,051	-
Male	2,204	46	18	14	49	46	61	115	320	547	647	341	-
Female	2,091	24	6	8	19	28	43	66	213	352	622	710	-
All other	232	27	5	2	15	11	13	20	39	48	30	22	-
Male	127	14	3	1	11	8	7	14	22	29	14	4	-
Female	105	13	2	1	4	3	6	6	17	19	16	18	-
Black	220	25	5	2	14	11	13	20	35	47	26	22	-
Male	119	13	3	1	10	8	7	14	19	28	12	4	-
Female	101	12	2	1	4	3	6	6	16	19	14	18	-
Great Falls, Mont	618	20	-	1	11	12	20	32	84	154	151	133	-
Male	348	14	-	-	9	7	15	18	57	94	82	52	-
Female	270	6	-	1	2	5	5	14	27	60	69	81	-
White	603	19	-	1	11	10	18	30	81	153	147	133	-
Male	342	14	-	-	9	6	14	18	55	94	80	52	-
Female	261	5	-	1	2	4	4	12	26	59	67	81	-
All other	15	1	-	-	-	2	2	2	3	1	4	-	-
Male	6	-	-	-	-	1	1	-	2	-	2	-	-
Female	9	1	-	-	-	1	1	2	1	1	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Greeley, Colo	831	27	4	3	26	36	25	46	108	149	215	192	-
Male	453	17	2	1	17	25	20	36	70	86	117	62	-
Female	378	10	2	2	9	11	5	10	38	63	98	130	-
White	824	27	4	3	26	36	25	46	107	147	213	190	-
Male	449	17	2	1	17	25	20	36	69	85	115	62	-
Female	375	10	2	2	9	11	5	10	38	62	98	128	-
All other	7	-	-	-	-	-	-	-	1	2	2	2	-
Male	4	-	-	-	-	-	-	-	1	1	2	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	2	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Green Bay, Wis	1,314	19	4	5	32	23	26	72	147	307	382	297	-
Male	654	11	2	2	26	17	16	45	85	175	179	96	-
Female	660	8	2	3	6	6	10	27	62	132	203	201	-
White	1,293	18	4	5	32	23	25	67	144	303	376	296	-
Male	643	11	2	2	26	17	16	41	82	173	177	96	-
Female	650	7	2	3	6	6	9	26	62	130	199	200	-
All other	21	1	-	-	-	-	1	5	3	4	6	1	-
Male	11	-	-	-	-	-	-	4	3	2	2	-	-
Female	10	1	-	-	-	-	1	1	-	2	4	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro–Winston-Salem–High Point, N.C	7,209	137	22	20	137	158	231	511	1,092	1,756	1,873	1,272	-
Male	3,850	67	10	13	96	110	159	317	733	1,047	888	410	-
Female	3,359	70	12	7	41	48	72	194	359	709	985	862	-
White	5,764	82	19	16	102	111	158	362	843	1,417	1,540	1,114	-
Male	3,071	42	7	11	70	78	107	222	581	865	725	365	-
Female	2,693	40	12	5	32	35	51	140	262	552	815	749	-
All other	1,445	55	3	4	35	47	73	149	249	339	333	158	-
Male	779	25	3	2	26	34	52	95	152	182	163	45	-
Female	666	30	-	2	9	13	21	54	97	157	170	113	-
Black	1,436	53	3	4	34	46	73	147	248	339	331	158	-
Male	774	24	3	2	25	34	52	94	152	182	161	45	-
Female	662	29	-	2	9	12	21	53	96	157	170	113	-
Greenville-Spartanburg, S.C	4,948	111	11	19	102	121	204	369	761	1,200	1,282	768	-
Male	2,683	63	7	13	75	95	129	246	489	725	596	245	-
Female	2,265	48	4	6	27	26	75	123	272	475	686	523	-
White	4,004	68	8	11	87	88	140	289	602	945	1,098	668	-
Male	2,172	40	5	8	67	74	90	193	404	564	518	209	-
Female	1,832	28	3	3	20	14	50	96	198	381	580	459	-
All other	944	43	3	8	15	33	64	80	159	255	184	100	-
Male	511	23	2	5	8	21	39	53	85	161	78	36	-
Female	433	20	1	3	7	12	25	27	74	94	106	64	-
Black	941	43	3	8	15	32	64	80	157	255	184	100	-
Male	510	23	2	5	8	21	39	53	84	161	78	36	-
Female	431	20	1	3	7	11	25	27	73	94	106	64	-
Hagerstown, Md	1,113	17	1	2	20	15	29	50	187	279	312	201	-
Male	623	11	1	1	17	11	19	33	117	183	166	64	-
Female	490	6	-	1	3	4	10	17	70	96	146	137	-
White	1,084	15	-	2	19	15	28	47	181	271	308	198	-
Male	607	9	-	1	16	11	18	31	112	179	166	64	-
Female	477	6	-	1	3	4	10	16	69	92	142	134	-
All other	29	2	1	-	1	-	1	3	6	8	4	3	-
Male	16	2	1	-	1	-	1	2	5	4	-	-	-
Female	13	-	-	-	-	-	-	1	1	4	4	3	-
Black	27	1	-	-	1	-	1	3	6	8	4	3	-
Male	14	1	-	-	1	-	1	2	5	4	-	-	-
Female	13	-	-	-	-	-	-	1	1	4	4	3	-
Hamilton-Middletown, Ohio	2,134	48	10	7	36	56	58	122	325	453	589	429	1
Male	1,104	33	5	2	27	48	30	68	217	260	276	138	-
Female	1,030	15	5	5	9	8	28	54	108	193	313	291	1
White	2,012	44	9	7	34	51	55	117	299	420	560	416	-
Male	1,043	29	5	2	25	43	29	68	201	245	264	132	-
Female	969	15	4	5	9	8	26	49	98	175	296	284	-
All other	122	4	1	-	2	5	3	5	26	33	29	13	1
Male	61	4	-	-	2	5	1	-	16	15	12	6	-
Female	61	-	1	-	-	-	2	5	10	18	17	7	1
Black	121	4	1	-	2	5	3	4	26	33	29	13	1
Male	61	4	-	-	2	5	1	-	16	15	12	6	-
Female	60	-	1	-	-	-	2	4	10	18	17	7	1
Harrisburg, Pa	4,253	65	15	13	53	75	87	201	602	1,021	1,202	917	2
Male	2,147	36	11	12	35	48	53	123	388	610	559	271	1
Female	2,106	29	4	1	18	27	34	78	214	411	643	646	1
White	3,969	58	11	12	46	64	77	180	548	951	1,144	877	1
Male	2,003	32	7	11	29	46	45	107	358	577	533	258	-
Female	1,966	26	4	1	17	18	32	73	190	374	611	619	1
All other	284	7	4	1	7	11	10	21	54	70	58	40	1
Male	144	4	4	1	6	2	8	16	30	33	26	13	1
Female	140	3	-	-	1	9	2	5	24	37	32	27	-
Black	276	5	4	1	7	11	8	21	52	68	58	40	1
Male	140	3	4	1	6	2	6	16	30	32	26	13	1
Female	136	2	-	-	1	9	2	5	22	36	32	27	-
Hartford-New Britain-Bristol, Conn	9,101	171	15	20	137	187	276	420	1,217	2,147	2,445	2,066	-
Male	4,581	102	11	7	109	125	175	252	768	1,226	1,160	646	-
Female	4,520	69	4	13	28	62	101	168	449	921	1,285	1,420	-
White	8,601	122	13	20	121	158	239	359	1,130	2,050	2,367	2,022	-
Male	4,299	68	10	7	95	104	151	223	711	1,172	1,127	631	-
Female	4,302	54	3	13	26	54	88	136	419	878	1,240	1,391	-
All other	500	49	2	-	16	29	37	61	87	97	78	44	-
Male	282	34	1	-	14	21	24	29	57	54	33	15	-
Female	218	15	1	-	2	8	13	32	30	43	45	29	-
Black	486	48	1	-	15	26	37	60	87	96	74	42	-
Male	278	34	1	-	13	19	24	29	57	54	32	15	-
Female	208	14	-	-	2	7	13	31	30	42	42	27	-
Hickory, N.C	1,105	24	2	3	32	24	41	64	183	262	286	204	-
Male	586	13	2	3	25	17	28	48	121	148	124	57	-
Female	519	11	-	-	7	7	13	16	62	114	142	147	-
White	1,009	20	2	3	24	22	37	61	167	237	243	193	-
Male	527	10	2	3	17	15	24	45	109	135	112	55	-
Female	482	10	-	-	7	7	13	16	58	102	131	138	-
All other	96	4	-	-	8	2	4	3	16	25	23	11	-
Male	59	3	-	-	8	2	4	3	12	13	12	2	-
Female	37	1	-	-	-	-	-	-	4	12	11	9	-
Black	96	4	-	-	8	2	4	3	16	25	23	11	-
Male	59	3	-	-	8	2	4	3	12	13	12	2	-
Female	37	1	-	-	-	-	-	-	4	12	11	9	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Honolulu, Hawaii	4,352	131	24	28	105	132	161	255	719	982	1,095	720	-
Male	2,545	71	14	12	82	97	105	162	451	618	656	277	-
Female	1,807	60	10	16	23	35	56	93	268	364	439	443	-
White	1,345	30	6	4	28	53	45	80	199	324	330	246	-
Male	770	15	4	1	23	39	32	54	140	207	171	84	-
Female	575	15	2	3	5	14	13	26	59	117	159	162	-
All other	3,007	101	18	24	77	79	116	175	520	658	765	474	-
Male	1,775	56	10	11	59	58	73	108	311	411	485	193	-
Female	1,232	45	8	13	18	21	43	67	209	247	280	281	-
Black	51	18	1	1	5	8	4	2	1	5	4	2	-
Male	36	9	-	-	4	8	4	2	1	3	3	2	-
Female	15	9	1	1	1	-	-	-	-	2	1	-	-
Houston, Tex	19,273	634	142	165	670	1,134	1,154	1,654	3,117	3,953	4,087	2,562	1
Male	10,806	355	80	101	521	855	793	1,075	1,978	2,309	1,922	816	1
Female	8,467	279	62	64	149	279	361	579	1,139	1,644	2,165	1,746	-
White	15,018	447	104	115	539	862	860	1,202	2,372	3,105	3,268	2,143	1
Male	8,416	247	54	72	422	658	599	790	1,533	1,855	1,536	649	1
Female	6,602	200	50	43	117	204	261	412	839	1,250	1,732	1,494	-
All other	4,255	187	38	50	131	272	294	452	745	848	819	419	-
Male	2,390	108	26	29	99	197	194	265	445	454	386	167	-
Female	1,865	79	12	21	32	75	100	167	300	394	433	252	-
Black	4,093	176	35	48	122	254	276	427	718	821	784	412	-
Male	2,284	104	24	28	92	181	178	268	431	437	374	166	-
Female	1,799	72	11	20	30	73	97	159	287	384	420	246	-
Huntington-Ashland, W. Va.-Ky.-Ohio	3,047	27	3	9	27	45	72	168	456	742	909	588	1
Male	1,562	19	1	4	20	33	50	109	279	438	430	178	1
Female	1,485	8	2	5	7	12	22	59	177	304	479	410	-
White	2,959	27	3	9	27	43	69	164	435	721	887	573	1
Male	1,519	19	1	4	20	32	49	105	268	425	421	174	1
Female	1,440	8	2	5	7	11	20	59	167	296	466	399	-
All other	88	-	-	-	-	2	3	4	21	21	22	15	-
Male	43	-	-	-	-	1	1	4	11	13	9	4	-
Female	45	-	-	-	-	1	2	-	10	8	13	11	-
Black	86	-	-	-	-	2	3	4	20	21	21	15	-
Male	42	-	-	-	-	1	1	4	10	13	9	4	-
Female	44	-	-	-	-	1	2	-	10	8	12	11	-
Huntsville, Ala	2,576	56	9	16	55	63	73	186	384	622	675	437	-
Male	1,366	28	4	6	44	51	48	123	238	363	330	133	-
Female	1,208	28	5	10	11	12	25	63	146	259	345	304	-
White	2,221	41	5	12	46	51	58	155	334	532	608	379	-
Male	1,181	22	1	4	35	41	38	106	208	308	297	121	-
Female	1,040	19	4	8	11	10	20	49	126	224	311	258	-
All other	355	15	4	4	9	12	15	31	50	90	67	58	-
Male	187	6	3	2	9	10	10	17	30	55	33	12	-
Female	168	9	1	2	-	2	5	14	20	35	34	46	-
Black	354	15	4	4	9	12	15	30	50	80	67	58	-
Male	187	6	3	2	9	10	10	17	30	55	33	12	-
Female	167	9	1	2	-	2	5	13	20	35	34	46	-
Indianapolis, Ind	9,911	250	41	51	180	227	279	640	1,466	2,273	2,623	1,880	1
Male	5,117	144	21	28	135	151	163	373	960	1,318	1,230	594	-
Female	4,794	106	20	23	45	76	116	267	506	955	1,393	1,286	1
White	8,432	167	30	41	142	171	219	505	1,193	1,945	2,317	1,702	-
Male	4,323	98	16	24	106	117	124	310	786	1,136	1,083	523	-
Female	4,109	69	14	17	36	54	95	195	407	809	1,234	1,179	-
All other	1,479	83	11	10	38	56	60	135	273	328	306	178	1
Male	794	46	5	4	29	34	39	63	174	182	147	71	-
Female	685	37	6	6	9	22	21	72	99	146	159	107	1
Black	1,469	82	11	9	38	56	60	134	271	327	304	176	1
Male	785	45	5	3	29	34	39	62	172	181	146	69	-
Female	684	37	6	6	9	22	21	72	99	146	158	107	1
Iowa City, Iowa	484	15	1	1	15	15	21	20	57	97	124	118	-
Male	244	10	1	1	12	10	12	11	32	56	66	33	-
Female	240	5	-	-	3	5	9	9	25	41	58	85	-
White	478	14	1	1	14	14	21	18	57	97	123	118	-
Male	239	9	1	1	11	9	12	10	32	56	65	33	-
Female	239	5	-	-	3	5	9	8	25	41	58	85	-
All other	6	1	-	-	1	1	-	2	-	-	1	-	-
Male	5	1	-	-	1	1	-	1	-	-	1	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black	3	-	-	-	1	-	-	1	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Jackson, Mich	1,228	23	4	5	24	25	25	78	178	299	321	246	-
Male	626	16	2	4	21	18	16	49	107	173	147	73	-
Female	602	7	2	1	3	7	9	29	71	126	174	173	-
White	1,158	19	3	5	23	22	19	72	163	288	307	237	-
Male	584	14	1	4	20	15	11	46	96	169	137	71	-
Female	574	5	2	1	3	7	8	26	67	119	170	166	-
All other	70	4	1	-	1	3	6	6	15	11	14	9	-
Male	42	2	1	-	1	3	5	3	11	4	10	2	-
Female	28	2	-	-	-	-	1	3	4	7	4	7	-
Black	68	4	1	-	1	3	6	6	15	10	14	8	-
Male	41	2	1	-	1	3	5	3	11	3	10	2	-
Female	27	2	-	-	-	-	1	3	4	7	4	6	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jackson, Miss	2,665	63	11	21	60	66	106	170	373	626	713	451	5
Male	1,420	33	7	13	39	51	79	111	214	373	351	151	4
Female	1,245	30	4	8	21	15	33	59	159	253	362	300	1
White	1,602	17	4	10	29	32	47	93	229	377	459	305	-
Male	867	8	3	8	20	23	32	65	133	245	229	101	-
Female	735	9	1	2	9	9	15	28	96	132	230	204	-
All other	1,063	46	7	11	31	34	59	77	144	249	254	146	5
Male	553	25	4	5	19	28	41	46	81	128	122	50	4
Female	510	21	3	6	12	6	18	31	63	121	132	96	1
Black	1,058	46	6	11	31	34	58	76	144	248	254	145	5
Male	549	25	3	5	19	28	40	46	81	127	122	49	4
Female	509	21	3	6	12	6	18	30	63	121	132	96	1
Jacksonville, Fla	7,115	199	38	34	169	223	256	511	1,155	1,677	1,710	1,133	10
Male	3,721	129	18	16	131	149	165	316	686	962	783	358	8
Female	3,394	70	20	18	38	74	91	195	469	715	927	775	2
White	5,431	111	20	25	122	148	166	362	881	1,282	1,347	963	4
Male	2,842	70	12	12	94	102	113	231	536	749	616	303	4
Female	2,589	41	8	13	28	46	53	131	345	533	731	660	-
All other	1,684	88	18	9	47	75	90	149	274	395	363	170	6
Male	879	59	6	4	37	47	52	85	150	213	187	55	4
Female	805	29	12	5	10	28	38	64	124	182	196	115	2
Black	1,673	87	17	9	47	72	90	149	272	393	361	170	6
Male	875	59	6	4	37	46	52	85	148	212	167	55	4
Female	798	28	11	5	10	26	38	64	124	181	194	115	2
Jacksonville, N.C	518	34	3	6	30	27	18	36	84	108	122	50	-
Male	307	17	2	4	27	17	12	22	52	68	67	19	-
Female	211	17	1	2	3	10	6	14	32	40	55	31	-
White	411	23	2	5	23	20	13	27	64	92	98	44	-
Male	240	11	1	3	21	13	9	17	39	55	54	17	-
Female	171	12	1	2	2	7	4	10	25	37	44	27	-
All other	107	11	1	1	7	7	5	9	20	16	24	6	-
Male	67	6	1	1	6	4	3	5	13	13	13	2	-
Female	40	5	-	-	1	3	2	4	7	3	11	4	-
Black	101	11	1	1	5	6	5	8	19	15	24	6	-
Male	62	6	1	1	4	4	3	4	12	12	13	2	-
Female	39	5	-	-	1	2	2	4	7	3	11	4	-
Janesville-Beloit, Wis	1,206	27	1	2	29	20	20	52	151	259	340	305	-
Male	627	18	-	2	24	15	14	35	91	164	153	111	-
Female	579	9	1	-	5	5	6	17	60	95	187	194	-
White	1,172	22	1	1	28	16	17	51	147	253	335	301	-
Male	609	17	-	1	24	12	13	34	88	160	152	108	-
Female	563	5	1	-	4	4	4	17	59	93	183	193	-
All other	34	5	-	1	1	4	3	1	4	6	5	4	-
Male	18	1	-	1	-	3	1	1	3	4	1	3	-
Female	16	4	-	-	1	1	2	-	1	2	4	1	-
Black	33	5	-	1	1	4	3	1	4	5	5	4	-
Male	17	1	-	1	-	3	1	1	3	3	1	3	-
Female	16	4	-	-	1	1	2	-	1	2	4	1	-
Jersey City, N.J	5,791	91	12	23	78	234	244	403	802	1,374	1,511	1,016	3
Male	3,008	54	8	13	57	180	185	265	485	750	678	332	1
Female	2,783	37	4	10	21	54	59	138	317	624	833	684	2
White	5,145	61	5	16	58	169	179	320	706	1,260	1,395	973	3
Male	2,651	37	4	11	43	135	132	217	423	696	635	317	1
Female	2,494	24	1	5	15	34	47	103	283	564	760	656	2
All other	646	30	7	7	20	65	65	83	96	114	116	43	-
Male	357	17	4	2	14	45	53	48	62	54	43	15	-
Female	289	13	3	5	6	20	12	35	34	60	73	28	-
Black	612	30	7	7	15	61	62	80	93	105	111	41	-
Male	338	17	4	2	10	42	51	48	60	49	41	14	-
Female	274	13	3	5	5	19	11	32	33	56	70	27	-
Johnson City-Kingsport-Bristol, Tenn.-Va	4,132	41	8	17	75	83	126	235	646	1,015	1,110	775	1
Male	2,207	29	5	10	57	56	83	140	418	592	551	265	1
Female	1,925	12	3	7	18	27	43	95	228	423	559	510	-
White	4,029	40	8	16	75	82	123	230	625	988	1,083	758	1
Male	2,163	28	5	9	57	55	83	136	406	580	543	260	1
Female	1,866	12	3	7	18	27	40	94	219	408	540	498	-
All other	103	1	-	1	-	1	3	5	21	27	27	17	-
Male	44	1	-	1	-	1	-	4	12	12	8	5	-
Female	59	-	-	-	-	-	3	1	9	15	19	12	-
Black	102	1	-	1	-	1	3	5	21	26	27	17	-
Male	44	1	-	1	-	1	-	4	12	12	8	5	-
Female	58	-	-	-	-	-	3	1	9	14	19	12	-
Johnstown, Pa	2,792	25	5	13	29	41	62	113	390	802	774	538	-
Male	1,493	16	3	5	23	29	40	66	236	488	403	184	-
Female	1,299	9	2	8	6	12	22	47	154	314	371	354	-
White	2,761	25	5	13	29	41	62	109	387	793	766	531	-
Male	1,474	16	3	5	23	29	40	62	235	484	397	180	-
Female	1,287	9	2	8	6	12	22	47	152	309	369	351	-
All other	31	-	-	-	-	-	-	4	3	9	8	7	-
Male	19	-	-	-	-	-	-	4	1	4	6	4	-
Female	12	-	-	-	-	-	-	-	2	5	2	3	-
Black	31	-	-	-	-	-	-	4	3	9	8	7	-
Male	19	-	-	-	-	-	-	4	1	4	6	4	-
Female	12	-	-	-	-	-	-	-	2	5	2	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, Mo	1,445	28	4	2	27	23	34	64	177	335	443	308	-
Male	704	20	1	2	19	16	21	45	97	186	198	99	-
Female	741	8	3	-	8	7	13	19	80	149	245	209	-
White	1,431	28	4	2	26	23	33	63	174	333	439	306	-
Male	696	20	1	2	18	16	20	44	95	184	197	99	-
Female	735	8	3	-	8	7	13	19	79	149	242	207	-
All other	14	-	-	-	1	-	1	1	3	2	4	2	-
Male	8	-	-	-	1	-	1	1	2	2	1	-	-
Female	6	-	-	-	-	-	-	-	1	-	3	2	-
Black	10	-	-	-	-	-	1	-	2	2	3	2	-
Male	4	-	-	-	-	-	1	-	1	2	-	-	-
Female	6	-	-	-	-	-	-	-	1	-	3	2	-
Kalamazoo-Portage, Mich	2,152	48	8	15	36	64	56	101	262	452	564	546	-
Male	1,081	32	6	9	23	38	36	68	158	268	279	164	-
Female	1,071	16	2	6	13	26	20	33	104	184	285	382	-
White	1,988	38	6	13	29	52	48	93	242	417	533	517	-
Male	982	25	4	8	18	32	30	61	145	246	266	147	-
Female	1,006	13	2	5	11	20	18	32	97	171	267	370	-
All other	164	10	2	2	7	12	8	8	20	35	31	29	-
Male	99	7	2	1	5	6	6	7	13	22	13	17	-
Female	65	3	-	1	2	6	2	1	7	13	18	12	-
Black	155	10	2	2	7	10	6	8	18	35	28	29	-
Male	97	7	2	1	5	5	5	7	13	22	13	17	-
Female	58	3	-	1	2	5	1	1	5	13	15	12	-
Kankakee, Ill	907	26	4	2	19	20	21	43	120	223	255	174	-
Male	507	19	2	1	13	16	15	30	94	133	128	56	-
Female	400	7	2	1	6	4	6	13	26	90	127	118	-
White	748	12	3	1	12	14	16	35	92	187	216	160	-
Male	411	9	1	1	7	11	11	25	74	115	108	49	-
Female	337	3	2	-	5	3	5	10	18	72	108	111	-
All other	159	14	1	1	7	6	5	8	28	36	39	14	-
Male	96	10	1	-	6	5	4	5	20	18	20	7	-
Female	63	4	-	1	1	1	1	3	8	18	19	7	-
Black	157	14	1	1	7	6	5	8	27	35	39	14	-
Male	95	10	1	-	6	5	4	5	19	18	20	7	-
Female	62	4	-	1	1	1	1	3	8	17	19	7	-
Kansas City, Mo.-Kans	11,480	231	37	57	213	293	353	613	1,616	2,564	3,098	2,412	3
Male	5,827	131	14	37	153	210	219	383	1,000	1,471	1,453	753	3
Female	5,653	100	23	20	60	83	134	230	616	1,083	1,645	1,659	-
White	9,902	169	30	45	165	231	269	494	1,380	2,170	2,768	2,179	2
Male	4,963	103	11	30	114	163	165	312	855	1,247	1,304	657	2
Female	4,939	66	19	15	51	68	104	182	525	923	1,464	1,522	-
All other	1,578	62	7	12	48	62	84	119	236	384	330	233	1
Male	864	28	3	7	39	47	54	71	145	224	149	96	1
Female	714	34	4	5	9	15	30	48	91	160	181	137	-
Black	1,548	57	5	12	46	60	81	115	232	380	327	232	1
Male	845	26	1	7	38	46	51	69	144	220	146	96	1
Female	703	31	4	5	8	14	30	46	88	160	181	136	-
Kenosha, Wis	1,035	18	4	4	23	22	26	50	137	262	258	231	-
Male	554	10	2	3	18	14	20	21	96	153	131	86	-
Female	481	8	2	1	5	8	6	29	41	109	127	145	-
White	1,011	17	2	3	23	21	23	47	132	257	257	229	-
Male	538	10	1	2	18	13	18	19	93	149	130	85	-
Female	473	7	1	1	5	8	5	28	39	108	127	144	-
All other	24	1	2	1	-	1	3	3	5	5	1	2	-
Male	16	-	1	1	-	1	2	2	3	4	1	1	-
Female	8	1	1	-	-	-	1	1	2	1	-	1	-
Black	23	1	2	1	-	1	2	3	5	5	1	2	-
Male	16	-	1	1	-	1	2	2	3	4	1	1	-
Female	7	1	1	-	-	-	-	1	2	1	-	1	-
Killeen-Temple, Tex	1,418	75	9	13	58	55	60	82	210	299	314	243	-
Male	811	50	5	7	44	40	39	48	156	183	150	91	-
Female	607	25	4	6	14	15	21	38	54	116	164	152	-
White	1,248	51	6	12	50	37	48	68	190	275	290	221	-
Male	717	38	4	6	37	30	34	39	144	168	134	83	-
Female	531	13	2	6	13	7	14	29	46	107	156	138	-
All other	170	24	3	1	8	18	12	14	20	24	24	22	-
Male	94	12	1	1	7	10	5	7	12	15	16	8	-
Female	76	12	2	-	1	8	7	7	8	9	8	14	-
Black	162	23	3	1	7	18	12	12	19	22	23	22	-
Male	90	11	1	1	6	10	5	7	12	14	15	8	-
Female	72	12	2	-	1	8	7	5	7	8	8	14	-
Knoxville, Tenn	4,373	65	15	19	69	102	133	250	621	1,050	1,218	831	-
Male	2,334	38	10	14	43	75	88	158	383	664	595	266	-
Female	2,039	27	5	5	26	27	45	92	238	386	623	565	-
White	3,963	44	14	17	61	86	116	222	555	947	1,144	777	-
Male	2,131	28	9	13	37	64	78	139	347	601	561	254	-
Female	1,832	16	5	4	24	22	38	83	208	346	583	523	-
All other	390	21	1	2	8	16	17	28	66	103	74	54	-
Male	203	10	1	1	6	11	10	19	36	63	34	12	-
Female	187	11	-	1	2	5	7	9	30	40	40	42	-
Black	385	21	1	2	8	16	16	27	65	103	72	54	-
Male	200	10	1	1	6	11	9	18	35	63	34	12	-
Female	185	11	-	1	2	5	7	9	30	40	38	42	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, Ind	826	6	6	4	12	14	23	55	113	207	208	178	-
Male	408	3	1	-	9	12	17	35	67	120	84	60	-
Female	418	3	5	4	3	2	6	20	46	87	124	118	-
White	795	6	6	3	10	12	23	54	106	200	202	173	-
Male	396	3	1	-	8	10	17	35	64	117	82	59	-
Female	399	3	5	3	2	2	6	19	42	83	120	114	-
All other	31	-	-	1	2	2	-	1	7	7	6	5	-
Male	12	-	-	-	1	2	-	-	3	3	2	1	-
Female	19	-	-	1	1	-	-	1	4	4	4	4	-
Black	28	-	-	1	2	1	-	1	7	6	5	5	-
Male	11	-	-	-	1	1	-	-	3	3	2	1	-
Female	17	-	-	1	1	-	-	1	4	3	3	4	-
La Crosse, Wis	800	12	1	3	11	11	17	32	87	183	242	201	-
Male	429	8	-	1	6	9	10	26	62	116	128	63	-
Female	371	4	1	2	5	2	7	6	25	67	114	138	-
White	798	12	1	3	11	11	17	32	86	182	242	201	-
Male	429	8	-	1	6	9	10	26	62	116	128	63	-
Female	369	4	1	2	5	2	7	6	24	66	114	138	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, La	1,030	34	9	11	21	38	52	75	166	221	256	147	-
Male	573	19	5	6	15	28	34	53	110	132	131	40	-
Female	457	15	4	5	6	10	18	22	56	89	125	107	-
White	744	18	3	7	19	28	39	54	125	158	183	110	-
Male	415	10	1	4	13	20	26	38	84	95	95	29	-
Female	329	8	2	3	6	8	13	16	41	63	88	81	-
All other	286	16	6	4	2	10	13	21	41	63	73	37	-
Male	158	9	4	2	2	8	8	15	26	37	36	11	-
Female	128	7	2	2	-	2	5	6	15	26	37	26	-
Black	284	16	6	4	2	10	13	21	41	62	72	37	-
Male	156	9	4	2	2	8	8	15	26	36	35	11	-
Female	128	7	2	2	-	2	5	6	15	26	37	26	-
Lafayette-West Lafayette, Ind	886	20	3	1	15	17	17	52	118	192	248	203	-
Male	468	15	2	-	14	13	10	39	76	121	119	59	-
Female	418	5	1	1	1	4	7	13	42	71	129	144	-
White	879	20	2	1	15	16	17	51	116	191	248	202	-
Male	463	15	1	-	14	12	10	38	75	120	119	59	-
Female	416	5	1	1	1	4	7	13	41	71	129	143	-
All other	7	-	1	-	-	1	-	1	2	1	-	1	-
Male	5	-	1	-	-	1	-	1	1	1	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Black	5	-	1	-	-	1	-	-	1	1	-	1	-
Male	4	-	1	-	-	1	-	-	1	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Lake Charles, La	1,438	34	9	7	31	26	50	130	246	342	360	203	-
Male	829	19	5	3	20	18	32	91	151	218	193	79	-
Female	609	15	4	4	11	8	18	39	95	124	167	124	-
White	1,100	19	7	3	24	15	35	90	179	263	304	161	-
Male	637	14	3	2	15	10	23	66	115	164	162	63	-
Female	463	5	4	1	9	5	12	24	64	99	142	98	-
All other	338	15	2	4	7	11	15	40	67	79	56	42	-
Male	192	5	2	1	5	8	9	25	36	54	31	16	-
Female	146	10	-	3	2	3	6	15	31	25	25	26	-
Black	337	15	2	4	7	11	15	39	67	79	56	42	-
Male	191	5	2	1	5	8	9	24	36	54	31	16	-
Female	146	10	-	3	2	3	6	15	31	25	25	26	-
Lakeland-Winter Haven, Fla	3,743	74	14	17	76	92	103	235	525	906	1,053	646	2
Male	2,130	33	7	8	60	62	67	155	363	549	557	267	2
Female	1,613	41	7	9	16	30	36	80	162	357	496	379	-
White	3,283	47	11	15	64	69	83	192	458	791	944	608	1
Male	1,872	22	5	8	53	45	57	130	316	489	500	246	1
Female	1,411	25	6	7	11	24	26	62	142	302	444	362	-
All other	460	27	3	2	12	23	20	43	67	115	109	38	1
Male	258	11	2	-	7	17	10	25	47	60	57	21	1
Female	202	16	1	2	5	6	10	18	20	55	52	17	-
Black	455	27	3	2	11	23	19	42	66	114	109	38	1
Male	256	11	2	-	7	17	10	24	46	60	57	21	1
Female	199	16	1	2	4	6	9	18	20	54	52	17	-
Lancaster, Pa	3,290	38	7	12	51	44	72	126	386	674	1,007	873	-
Male	1,630	23	3	5	36	36	45	72	243	374	495	298	-
Female	1,660	15	4	7	15	8	27	54	143	300	512	575	-
White	3,222	34	7	12	51	40	68	119	368	665	993	865	-
Male	1,592	20	3	5	36	34	41	68	233	366	489	297	-
Female	1,630	14	4	7	15	6	27	51	135	299	504	568	-
All other	68	4	-	-	-	4	4	7	18	9	14	8	-
Male	38	3	-	-	-	2	4	4	10	8	6	1	-
Female	30	1	-	-	-	2	-	3	8	1	8	7	-
Black	65	3	-	-	-	4	4	6	18	8	14	8	-
Male	36	2	-	-	-	2	4	4	10	7	6	1	-
Female	29	1	-	-	-	2	-	2	8	1	8	7	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lansing-East Lansing, Mich	3,068	92	11	18	67	91	88	177	400	641	813	670	-
Male	1,588	55	7	13	54	59	68	109	252	373	388	210	-
Female	1,480	37	4	5	13	32	20	68	148	268	425	460	-
White	2,940	82	9	18	64	86	75	161	375	619	794	657	-
Male	1,518	48	5	13	52	55	58	99	234	365	363	206	-
Female	1,422	34	4	5	12	31	17	62	141	254	411	451	-
All other	128	10	2	-	3	5	13	16	25	22	19	13	-
Male	70	7	2	-	2	4	10	10	16	8	5	4	-
Female	58	3	-	-	1	1	3	6	7	14	14	9	-
Black	118	9	2	-	2	5	13	15	23	20	18	11	-
Male	65	7	2	-	2	4	10	10	16	7	4	3	-
Female	53	2	-	-	-	1	3	5	7	13	14	8	-
Laredo, Tex	610	20	3	6	21	19	21	35	83	122	170	110	-
Male	340	15	2	6	17	15	16	22	60	69	84	34	-
Female	270	5	1	-	4	4	5	13	23	53	86	76	-
White	608	20	3	6	21	19	21	34	83	121	170	110	-
Male	339	15	2	6	17	15	16	21	60	69	84	34	-
Female	269	5	1	-	4	4	5	13	23	52	86	76	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Las Cruces, N.Mex	626	15	5	5	19	28	20	45	97	155	140	95	2
Male	329	8	3	3	13	23	13	25	59	82	65	34	1
Female	297	7	2	2	6	5	7	20	38	73	75	61	1
White	617	15	5	5	17	26	20	45	94	154	139	95	2
Male	321	8	3	3	11	21	13	25	56	82	64	34	1
Female	296	7	2	2	6	5	7	20	38	72	75	61	1
All other	9	-	-	-	2	2	-	-	3	1	1	-	-
Male	8	-	-	-	2	2	-	-	3	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	8	-	-	-	1	2	-	-	3	1	1	-	-
Male	7	-	-	-	1	2	-	-	3	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Las Vegas, Nev	4,136	74	23	15	108	143	162	319	820	1,137	894	438	3
Male	2,476	49	15	10	71	108	97	204	541	720	488	174	3
Female	1,660	25	8	5	37	37	65	115	279	417	408	264	-
White	3,783	57	15	9	92	114	128	280	766	1,060	838	422	2
Male	2,254	38	11	8	59	83	81	180	501	671	453	167	2
Female	1,529	19	4	1	33	31	47	100	265	389	385	255	-
All other	353	17	8	6	16	29	34	39	54	77	56	16	1
Male	222	11	4	2	12	23	16	24	40	49	33	7	1
Female	131	6	4	4	4	6	18	15	14	28	23	9	-
Black	293	16	7	4	12	26	27	30	43	69	46	12	1
Male	188	10	4	1	8	22	12	22	32	45	27	4	1
Female	105	6	3	3	4	4	15	8	11	24	19	8	-
Lawrence, Kans	430	11	3	5	2	13	13	23	57	93	95	115	-
Male	219	5	2	3	1	9	4	14	35	62	45	39	-
Female	211	6	1	2	1	4	9	9	22	31	50	76	-
White	404	8	2	5	2	11	12	18	56	88	89	113	-
Male	202	4	1	3	1	7	4	10	34	57	42	39	-
Female	202	4	1	2	1	4	8	8	22	31	47	74	-
All other	26	3	1	-	-	2	1	5	1	5	6	2	-
Male	17	1	1	-	-	2	-	4	1	5	3	-	-
Female	9	2	-	-	-	-	1	1	-	-	3	2	-
Black	23	1	1	-	-	2	1	5	-	5	6	2	-
Male	15	-	1	-	-	2	-	4	-	5	3	-	-
Female	8	1	-	-	-	-	1	1	-	-	3	2	-
Lawton, Okla	683	28	3	3	22	28	21	54	101	160	167	96	-
Male	367	16	1	1	18	19	14	32	56	83	89	38	-
Female	316	12	2	2	4	9	7	22	45	77	78	58	-
White	581	17	3	2	19	18	15	47	89	132	152	87	-
Male	312	8	1	1	16	12	11	30	48	71	79	35	-
Female	269	9	2	1	3	6	4	17	41	61	73	52	-
All other	102	11	-	1	3	10	6	7	12	28	15	9	-
Male	55	8	-	-	2	7	3	2	8	12	10	3	-
Female	47	3	-	1	1	3	3	5	4	16	5	6	-
Black	75	11	-	1	2	7	3	5	6	19	14	7	-
Male	44	8	-	-	2	6	2	1	4	8	10	3	-
Female	31	3	-	1	-	1	1	4	2	11	4	4	-
Lewiston-Auburn, Maine	1,022	19	3	2	16	11	30	45	118	233	306	239	-
Male	526	8	2	1	14	7	17	30	70	136	155	86	-
Female	496	11	1	1	2	4	13	15	48	97	151	153	-
White	1,020	19	3	2	16	11	29	45	118	233	305	239	-
Male	526	8	2	1	14	7	17	30	70	136	155	86	-
Female	494	11	1	1	2	4	12	15	48	97	150	153	-
All other	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lexington-Fayette, Ky	2,590	56	5	10	42	55	85	164	399	831	638	505	-
Male	1,363	41	3	8	29	36	50	110	243	364	304	175	-
Female	1,227	15	2	2	13	19	35	54	156	267	334	330	-
White	2,199	42	4	9	31	46	71	137	331	546	535	447	-
Male	1,157	29	3	8	22	30	42	95	207	309	256	156	-
Female	1,042	13	1	1	9	16	29	42	124	237	279	291	-
All other	391	14	1	1	11	9	14	27	68	85	103	58	-
Male	206	12	-	-	7	6	8	15	36	55	48	19	-
Female	185	2	1	1	4	3	6	12	32	30	55	39	-
Black	389	14	1	1	11	9	14	27	66	85	103	58	-
Male	206	12	-	-	7	6	8	15	36	55	48	19	-
Female	183	2	1	1	4	3	6	12	30	30	55	39	-
Lima, Ohio	1,975	23	4	7	26	21	43	85	254	460	582	470	-
Male	1,033	16	3	5	21	15	31	53	152	282	300	155	-
Female	942	7	1	2	5	6	12	32	102	178	282	315	-
White	1,894	22	4	6	24	17	39	76	237	437	568	464	-
Male	987	15	3	4	19	12	29	49	143	271	291	151	-
Female	907	7	1	2	5	5	10	27	94	166	277	313	-
All other	81	1	-	1	2	4	4	9	17	23	14	6	-
Male	46	1	-	1	2	3	2	4	9	11	9	4	-
Female	35	-	-	-	-	1	2	5	8	12	5	2	-
Black	80	1	-	1	2	4	4	8	17	23	14	6	-
Male	46	1	-	1	2	3	2	4	9	11	9	4	-
Female	34	-	-	-	-	1	2	4	8	12	5	2	-
Lincoln, Nebr	1,433	32	1	8	22	30	29	59	162	313	406	370	1
Male	716	16	-	7	14	21	20	27	101	196	197	116	1
Female	717	16	1	1	8	9	9	32	61	117	209	254	-
White	1,402	31	1	8	21	25	29	57	157	306	400	367	-
Male	688	15	-	7	13	18	20	27	99	192	192	115	-
Female	704	16	1	1	8	7	9	30	58	114	208	252	-
All other	31	1	-	-	1	5	-	2	5	7	6	3	1
Male	18	1	-	-	1	3	-	-	2	4	5	1	1
Female	13	-	-	-	-	2	-	2	3	3	1	2	-
Black	25	1	-	-	-	4	-	1	4	7	4	3	1
Male	15	1	-	-	-	3	-	-	2	4	3	1	1
Female	10	-	-	-	-	1	-	1	2	3	1	2	-
Little Rock-North Little Rock, Ark	3,347	95	9	26	66	94	110	196	476	733	945	595	2
Male	1,744	51	5	14	48	64	66	138	309	427	429	192	1
Female	1,603	44	4	12	18	30	44	58	167	306	516	403	1
White	2,672	58	5	17	47	66	83	158	383	581	777	495	2
Male	1,391	33	3	10	34	46	52	109	252	339	355	157	1
Female	1,281	25	2	7	13	20	31	49	131	242	422	338	1
All other	675	37	4	9	19	28	27	38	93	152	168	100	-
Male	353	18	2	4	14	18	14	29	57	88	74	35	-
Female	322	19	2	5	5	10	13	9	36	64	94	65	-
Black	669	36	4	9	19	27	27	38	93	152	165	99	-
Male	350	18	2	4	14	17	14	29	57	88	72	35	-
Female	319	18	2	5	5	10	13	9	36	64	93	64	-
Long Branch-Asbury Park, N.J	5,118	69	16	19	62	91	159	258	712	1,154	1,521	1,054	3
Male	2,579	38	9	11	43	71	106	158	429	678	708	327	1
Female	2,539	31	7	8	19	20	53	100	283	476	813	727	2
White	4,649	52	6	15	52	67	124	216	641	1,042	1,427	1,004	3
Male	2,317	30	3	9	36	52	80	131	385	613	661	316	1
Female	2,332	22	3	6	16	15	44	85	256	429	766	688	2
All other	469	17	10	4	10	24	35	42	71	112	94	50	-
Male	262	8	6	2	7	19	26	27	44	65	47	11	-
Female	207	9	4	2	3	5	9	15	27	47	47	39	-
Black	453	17	10	4	10	23	32	40	70	106	91	50	-
Male	250	8	6	2	7	18	23	26	43	60	46	11	-
Female	203	9	4	2	3	5	9	14	27	46	45	39	-
Longview-Marshall, Tex	1,594	25	8	5	34	41	74	97	201	364	464	281	-
Male	846	15	5	3	27	34	46	59	131	212	217	97	-
Female	748	10	3	2	7	7	28	38	70	152	247	184	-
White	1,191	18	4	2	28	28	56	61	150	259	359	226	-
Male	634	10	1	1	23	24	38	38	101	157	169	72	-
Female	557	8	3	1	5	4	18	23	49	102	190	154	-
All other	403	7	4	3	6	13	18	36	51	105	105	55	-
Male	212	5	4	2	4	10	8	21	30	55	48	25	-
Female	191	2	-	1	2	3	10	15	21	50	57	30	-
Black	402	7	4	3	6	13	18	36	51	105	105	54	-
Male	212	5	4	2	4	10	8	21	30	55	48	25	-
Female	190	2	-	1	2	3	10	15	21	50	57	29	-
Lorain-Elyria, Ohio	2,033	45	11	9	39	41	52	119	339	477	504	397	-
Male	1,044	25	6	5	28	27	31	78	189	286	240	129	-
Female	989	20	5	4	11	14	21	41	150	191	264	268	-
White	1,884	37	8	9	35	39	45	103	308	444	475	381	-
Male	966	20	4	5	24	25	27	71	173	267	227	123	-
Female	918	17	4	4	11	14	18	32	135	177	248	258	-
All other	149	8	3	-	4	2	7	16	31	33	29	16	-
Male	78	5	2	-	4	2	4	7	16	19	13	6	-
Female	71	3	1	-	-	-	3	9	15	14	16	10	-
Black	147	8	3	-	4	2	7	16	31	33	29	14	-
Male	78	5	2	-	4	2	4	7	16	19	13	6	-
Female	69	3	1	-	-	-	3	9	15	14	16	8	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, Calif	62,206	1,619	263	246	1,432	2,298	2,556	3,980	8,638	13,154	15,511	12,396	113
Male	32,037	909	152	152	1,096	1,715	1,760	2,597	5,191	7,402	7,255	3,776	32
Female	30,169	710	111	94	336	583	796	1,383	3,447	5,752	8,256	8,620	81
White	51,659	1,093	188	167	1,029	1,674	1,861	2,918	6,853	10,961	13,546	11,272	97
Male	26,119	627	104	103	787	1,277	1,301	1,930	4,137	6,208	6,255	3,364	26
Female	25,540	466	84	64	242	397	560	988	2,716	4,753	7,291	7,908	71
All other	10,547	526	75	79	403	624	695	1,062	1,785	2,193	1,965	1,124	16
Male	5,918	282	48	49	309	438	459	667	1,054	1,194	1,000	412	6
Female	4,629	244	27	30	94	186	236	395	731	999	965	712	10
Black	8,195	423	51	54	326	526	588	877	1,476	1,657	1,409	799	9
Male	4,569	228	33	33	254	370	400	558	865	890	653	282	3
Female	3,626	195	18	21	72	156	188	319	611	767	756	517	6
Louisville, Ky.-Ind	8,369	135	24	27	101	157	262	528	1,293	2,068	2,257	1,517	-
Male	4,347	82	12	19	70	113	180	310	803	1,225	1,064	469	-
Female	4,022	53	12	8	31	44	82	218	490	843	1,193	1,048	-
White	7,161	88	18	23	86	127	212	426	1,093	1,757	1,956	1,375	-
Male	3,729	57	9	17	56	96	145	252	679	1,064	928	426	-
Female	3,432	31	9	6	30	31	67	174	414	693	1,028	949	-
All other	1,208	47	6	4	15	30	50	102	200	311	301	142	-
Male	618	25	3	2	14	17	35	58	124	161	136	43	-
Female	590	22	3	2	1	13	15	44	76	150	165	99	-
Black	1,199	45	6	4	15	29	50	102	197	311	301	139	-
Male	612	23	3	2	14	17	35	58	121	161	136	42	-
Female	587	22	3	2	1	12	15	44	76	150	165	97	-
Lubbock, Tex	1,423	42	14	8	40	50	39	92	195	329	355	259	-
Male	765	23	9	5	29	42	22	60	112	209	173	81	-
Female	658	19	5	3	11	8	17	32	83	120	182	178	-
White	1,308	34	10	7	34	42	35	74	180	305	335	252	-
Male	694	18	6	4	25	35	22	50	104	193	160	77	-
Female	614	16	4	3	9	7	13	24	76	112	175	175	-
All other	115	8	4	1	6	8	4	18	15	24	20	7	-
Male	71	5	3	1	4	7	-	10	8	16	13	4	-
Female	44	3	1	-	2	1	4	8	7	8	7	3	-
Black	114	7	4	1	6	8	4	18	15	24	20	7	-
Male	70	4	3	1	4	7	-	10	8	16	13	4	-
Female	44	3	1	-	2	1	4	8	7	8	7	3	-
Lynchburg, Va	1,409	29	3	6	21	32	35	98	205	309	419	252	-
Male	754	21	2	2	12	21	26	72	141	187	195	75	-
Female	655	8	1	4	9	11	9	28	64	122	224	177	-
White	1,111	20	1	6	18	21	26	68	160	235	347	211	-
Male	584	15	1	2	11	15	19	48	107	140	165	61	-
Female	527	5	-	4	7	6	7	18	53	95	182	150	-
All other	298	9	2	-	3	11	9	32	45	74	72	41	-
Male	170	6	1	-	1	6	7	24	34	47	30	14	-
Female	128	3	1	-	2	5	2	8	11	27	42	27	-
Black	298	9	2	-	3	11	9	32	45	74	72	41	-
Male	170	6	1	-	1	6	7	24	34	47	30	14	-
Female	128	3	1	-	2	5	2	8	11	27	42	27	-
Macon, Ga	2,278	58	8	10	36	67	100	187	376	567	569	300	-
Male	1,178	33	4	6	28	36	70	113	252	322	244	70	-
Female	1,100	25	4	4	8	31	30	74	124	245	325	230	-
White	1,435	22	4	9	24	29	49	103	233	350	390	222	-
Male	741	9	3	5	17	18	35	68	162	200	174	50	-
Female	694	13	1	4	7	11	14	35	71	150	216	172	-
All other	843	36	4	1	12	38	51	84	143	217	179	78	-
Male	437	24	1	1	11	18	35	45	90	122	70	20	-
Female	406	12	3	-	1	20	16	39	53	95	109	58	-
Black	843	36	4	1	12	38	51	84	143	217	179	78	-
Male	437	24	1	1	11	18	35	45	90	122	70	20	-
Female	406	12	3	-	1	20	16	39	53	95	109	58	-
Madison, Wis	2,110	37	8	10	49	66	69	81	252	437	549	552	-
Male	1,054	18	7	4	34	44	45	49	160	275	257	161	-
Female	1,056	19	1	6	15	22	24	32	92	162	292	391	-
White	2,071	31	7	10	46	61	68	77	247	430	546	548	-
Male	1,034	16	6	4	32	40	44	46	159	272	254	161	-
Female	1,037	15	1	6	14	21	24	31	88	158	292	387	-
All other	39	6	1	-	3	5	1	4	5	7	3	4	-
Male	20	2	1	-	2	4	1	3	1	3	3	-	-
Female	19	4	-	-	1	1	-	1	4	4	-	4	-
Black	29	5	1	-	2	4	-	4	5	4	1	3	-
Male	14	2	1	-	2	3	-	3	1	1	1	-	-
Female	15	3	-	-	-	1	-	1	4	3	-	3	-
Manchester-Nashua, N.H	2,433	44	8	5	46	42	61	144	336	543	667	537	-
Male	1,187	32	5	2	35	29	42	80	202	301	304	155	-
Female	1,246	12	3	3	11	13	19	64	134	242	363	382	-
White	2,427	43	8	5	46	42	61	144	335	541	666	536	-
Male	1,184	31	5	2	35	29	42	80	202	300	303	155	-
Female	1,243	12	3	3	11	13	19	64	133	241	363	381	-
All other	6	1	-	-	-	-	-	-	1	2	1	1	-
Male	3	1	-	-	-	-	-	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	-	1	1	-	1	-
Black	3	1	-	-	-	-	-	-	-	1	-	1	-
Male	2	1	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, Ohio	1,138	20	3	4	19	34	33	62	166	272	313	212	-
Male	605	8	3	2	16	28	19	42	108	155	145	79	-
Female	533	12	-	2	3	6	14	20	58	117	168	133	-
White	1,070	17	2	4	19	31	29	57	153	254	296	208	-
Male	572	8	2	2	16	25	18	39	100	149	137	76	-
Female	498	9	-	2	3	6	11	18	53	105	159	132	-
All other	68	3	1	-	-	3	4	5	13	18	17	4	-
Male	33	-	1	-	-	3	1	3	8	6	8	3	-
Female	35	3	-	-	-	-	3	2	5	12	9	1	-
Black	67	3	1	-	-	3	4	5	12	18	17	4	-
Male	33	-	1	-	-	3	1	3	8	6	8	3	-
Female	34	3	-	-	-	-	3	2	4	12	9	1	-
McAllen-Pharr-Edinburg, Tex	1,853	74	13	23	53	50	52	90	251	397	528	318	4
Male	1,039	37	9	12	42	39	35	51	156	220	295	139	4
Female	814	37	4	11	11	11	17	39	95	177	233	179	-
White	1,851	74	13	23	53	50	52	90	251	397	528	318	4
Male	1,039	37	9	12	42	39	35	51	156	220	295	139	4
Female	812	37	4	11	11	11	17	39	95	177	233	177	-
All other	2	-	-	-	-	-	-	-	-	-	-	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Medford, Oreg	1,233	32	6	4	22	18	34	50	136	300	342	289	-
Male	692	19	5	4	15	13	26	32	95	193	197	93	-
Female	541	13	1	-	7	5	8	18	41	107	145	196	-
White	1,226	31	6	4	21	18	33	49	134	299	342	289	-
Male	689	19	5	4	14	13	26	31	95	192	197	93	-
Female	537	12	1	-	7	5	7	18	39	107	145	196	-
All other	7	1	-	-	1	-	1	1	2	1	-	-	-
Male	3	-	-	-	1	-	-	1	-	1	-	-	-
Female	4	1	-	-	-	-	1	-	2	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melbourne-Titusville-Cocoa, Fla	3,014	47	8	7	56	74	69	173	496	852	802	429	-
Male	1,698	24	7	4	46	54	41	103	319	527	427	146	-
Female	1,316	23	2	3	10	20	28	70	177	325	375	283	-
White	2,807	34	7	6	52	62	57	156	454	799	765	415	-
Male	1,577	17	6	3	43	44	35	93	293	497	406	140	-
Female	1,230	17	1	3	9	18	22	63	161	302	359	275	-
All other	207	13	2	1	4	12	12	17	42	53	37	14	-
Male	121	7	1	1	3	10	6	10	26	30	21	6	-
Female	86	6	1	-	1	2	6	7	16	23	16	8	-
Black	204	13	2	1	4	12	12	17	41	53	36	13	-
Male	119	7	1	1	3	10	6	10	25	30	21	5	-
Female	85	6	1	-	1	2	6	7	16	23	15	8	-
Memphis, Tenn.-Ark.-Miss	8,163	266	31	47	158	275	331	598	1,218	1,815	2,130	1,286	8
Male	4,211	152	20	27	108	181	220	350	734	1,021	963	429	6
Female	3,952	114	11	20	50	94	111	248	484	794	1,167	857	2
White	4,514	72	13	16	75	128	155	280	683	982	1,276	830	4
Male	2,234	45	5	7	51	82	110	169	411	559	550	242	3
Female	2,280	27	8	9	24	46	45	111	272	423	726	588	1
All other	3,649	194	18	31	83	147	176	318	535	833	854	456	4
Male	1,977	107	15	20	57	99	110	181	323	462	413	187	3
Female	1,672	87	3	11	26	48	66	137	212	371	441	269	1
Black	3,635	194	18	31	81	145	175	314	534	831	854	454	4
Male	1,969	107	15	20	55	98	109	179	322	462	413	186	3
Female	1,666	87	3	11	26	47	66	135	212	369	441	268	1
Miami, Fla	17,350	288	65	68	292	511	594	1,052	2,102	3,614	5,248	3,500	18
Male	9,218	152	32	38	222	379	401	668	1,318	2,032	2,567	1,385	14
Female	8,132	136	33	30	70	132	193	384	784	1,582	2,681	2,105	2
White	14,826	148	28	38	189	310	400	761	1,650	3,080	4,857	3,355	10
Male	7,752	84	17	17	144	239	268	477	1,041	1,739	2,373	1,344	9
Female	7,074	64	11	21	45	71	132	284	609	1,341	2,484	2,011	1
All other	2,524	140	37	30	103	201	194	291	452	534	391	145	6
Male	1,466	68	15	21	78	140	133	191	277	293	194	51	5
Female	1,058	72	22	9	25	61	61	100	175	241	197	94	1
Black	2,492	140	36	30	102	199	191	288	450	527	382	141	6
Male	1,441	68	14	21	77	138	131	188	275	289	188	47	5
Female	1,051	72	22	9	25	61	60	100	175	238	194	94	1
Midland, Tex	588	20	3	5	21	27	35	46	104	114	121	92	-
Male	315	12	1	3	16	19	23	26	70	71	50	24	-
Female	273	8	2	2	5	8	12	20	34	43	71	68	-
White	518	19	3	3	19	19	28	39	94	103	109	82	-
Male	282	11	1	3	15	15	19	24	63	65	44	22	-
Female	236	8	2	-	4	4	9	15	31	38	65	60	-
All other	70	1	-	2	2	8	7	7	10	11	12	10	-
Male	33	1	-	-	1	4	4	2	7	6	6	2	-
Female	37	-	-	2	1	4	3	5	3	5	6	8	-
Black	70	1	-	2	2	8	7	7	10	11	12	10	-
Male	33	1	-	-	1	4	4	2	7	6	6	2	-
Female	37	-	-	2	1	4	3	5	3	5	6	8	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee, Wis	11,973	225	34	39	162	211	324	633	1,570	2,650	3,342	2,783	-
Male	6,018	135	20	28	116	143	195	378	966	1,558	1,606	873	-
Female	5,955	90	14	11	46	68	129	255	604	1,092	1,736	1,910	-
White	11,032	138	22	26	135	158	249	530	1,396	2,479	3,185	2,714	-
Male	5,490	83	12	21	94	112	152	308	859	1,450	1,546	853	-
Female	5,542	55	10	5	41	46	97	222	537	1,029	1,639	1,861	-
All other	941	87	12	13	27	53	75	103	174	171	157	69	-
Male	528	52	8	7	22	31	43	70	107	108	60	20	-
Female	413	35	4	6	5	22	32	33	67	63	97	49	-
Black	868	84	12	12	27	49	67	100	162	159	150	66	-
Male	503	50	8	6	22	31	39	68	99	104	57	19	-
Female	385	34	4	6	5	18	28	32	63	55	93	47	-
Minneapolis-St. Paul, Minn.-Wis	15,938	314	66	64	259	334	451	810	1,950	3,196	4,276	4,216	2
Male	7,854	191	42	32	191	227	288	512	1,253	1,836	1,991	1,309	2
Female	8,084	123	24	32	68	107	183	298	697	1,360	2,285	2,907	-
White	15,424	270	53	55	241	296	413	760	1,870	3,106	4,169	4,169	2
Male	7,548	162	34	26	177	196	239	477	1,208	1,786	1,945	1,296	2
Female	7,876	108	19	29	64	100	174	283	662	1,320	2,244	2,873	-
All other	514	44	13	9	18	38	38	50	80	90	87	47	-
Male	306	29	8	6	14	31	29	35	45	50	46	13	-
Female	208	15	5	3	4	7	9	15	35	40	41	34	-
Black	349	31	8	4	11	26	21	31	61	61	57	38	-
Male	212	20	6	2	7	22	19	21	37	36	31	11	-
Female	137	11	2	2	4	4	2	10	24	25	26	27	-
Mobile, Ala	4,093	89	18	18	87	118	138	271	659	1,028	1,015	651	3
Male	2,176	57	12	9	68	84	87	170	390	594	497	205	3
Female	1,917	32	6	9	19	34	49	101	269	434	518	446	-
White	2,875	44	11	6	56	67	78	182	435	713	773	507	3
Male	1,532	27	8	3	42	48	51	107	273	412	396	162	3
Female	1,343	17	3	3	14	19	27	75	162	301	377	345	-
All other	1,218	45	7	12	31	51	58	89	224	315	242	144	-
Male	644	30	4	6	26	36	36	63	117	182	101	43	-
Female	574	15	3	6	5	15	22	26	107	133	141	101	-
Black	1,213	42	7	12	31	51	58	89	224	313	242	144	-
Male	643	29	4	6	26	36	36	63	117	182	101	43	-
Female	570	13	3	6	5	15	22	26	107	131	141	101	-
Modesto, Calif	2,649	57	16	13	48	79	78	114	348	612	711	571	2
Male	1,475	41	10	8	39	53	45	78	212	374	403	211	1
Female	1,174	16	6	5	9	26	33	36	136	238	308	360	1
White	2,585	52	14	12	46	74	77	110	336	596	702	564	2
Male	1,437	36	9	7	38	50	45	76	203	367	396	209	1
Female	1,148	16	5	5	8	24	32	34	133	229	306	355	1
All other	64	5	2	1	2	5	1	4	12	16	9	7	-
Male	38	5	1	1	1	3	-	2	9	7	7	2	-
Female	26	-	1	-	1	2	1	2	3	9	2	5	-
Black	35	2	2	1	-	3	1	4	6	9	4	3	-
Male	23	2	1	1	-	2	-	2	5	6	3	1	-
Female	12	-	1	-	-	1	1	2	1	3	1	2	-
Monroe, La	1,222	34	6	8	20	40	35	65	186	288	343	197	-
Male	617	20	3	7	12	29	22	41	119	148	154	62	-
Female	605	14	3	1	8	11	13	24	67	140	189	135	-
White	860	12	2	6	12	28	17	44	135	211	250	143	-
Male	439	8	1	5	7	20	11	29	86	113	117	42	-
Female	421	4	1	1	5	8	6	15	49	98	133	101	-
All other	362	22	4	2	8	12	18	21	51	77	93	54	-
Male	178	12	2	2	5	9	11	12	33	35	37	20	-
Female	184	10	2	-	3	3	7	9	18	42	56	34	-
Black	360	22	4	2	8	11	17	21	51	77	93	54	-
Male	177	12	2	2	5	8	11	12	33	35	37	20	-
Female	183	10	2	-	3	3	6	9	18	42	56	34	-
Montgomery, Ala	2,460	53	12	12	54	60	83	172	354	601	641	418	-
Male	1,272	33	6	6	37	45	55	119	224	340	300	107	-
Female	1,188	20	6	6	17	15	28	53	130	261	341	311	-
White	1,603	28	4	5	34	22	49	98	216	407	429	313	-
Male	818	20	1	4	22	19	34	61	146	238	202	71	-
Female	785	8	3	1	12	3	15	35	70	169	227	242	-
All other	857	25	8	7	20	38	34	76	138	194	212	105	-
Male	454	13	5	2	15	26	21	58	78	102	98	36	-
Female	403	12	3	5	5	12	13	18	60	92	114	69	-
Black	854	25	7	6	20	38	33	76	138	194	212	105	-
Male	453	13	5	2	15	26	20	58	78	102	98	36	-
Female	401	12	2	4	5	12	13	18	60	92	114	69	-
Muncie, Ind	1,029	18	2	1	16	19	25	59	137	246	294	212	-
Male	506	11	1	-	10	12	17	30	84	139	143	59	-
Female	523	7	1	1	6	7	8	29	53	107	151	153	-
White	959	17	2	1	15	17	24	54	128	228	277	196	-
Male	468	10	1	-	9	11	16	27	78	127	136	53	-
Female	491	7	1	1	6	6	8	27	50	101	141	143	-
All other	70	1	-	-	1	2	1	5	9	18	17	16	-
Male	38	1	-	-	1	1	1	3	6	12	7	6	-
Female	32	-	-	-	-	1	-	2	3	6	10	10	-
Black	69	1	-	-	1	2	1	5	9	17	17	16	-
Male	38	1	-	-	1	1	1	3	6	12	7	6	-
Female	31	-	-	-	-	1	-	2	3	5	10	10	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Muskegon-Norton Shores-Muskegon Heights, Mich	1,606	27	10	6	19	35	43	91	251	392	438	294	-
Male	835	18	6	5	15	17	30	56	136	233	229	80	-
Female	771	9	4	1	4	18	13	35	115	159	209	204	-
White	1,439	19	9	3	19	23	36	77	214	349	412	278	-
Male	734	12	6	2	15	12	23	49	111	205	216	83	-
Female	705	7	3	1	4	11	13	28	103	144	196	195	-
All other	167	8	1	3	-	12	7	14	37	43	26	16	-
Male	101	6	-	3	-	5	7	7	25	28	13	7	-
Female	66	2	1	-	-	7	-	7	12	15	13	9	-
Black	162	8	1	3	-	12	7	13	37	42	24	15	-
Male	98	6	-	3	-	5	7	7	25	27	12	6	-
Female	64	2	1	-	-	7	-	6	12	15	12	9	-
Nashville-Davidson, Tenn	7,486	150	24	37	178	199	248	510	1,112	1,691	1,993	1,344	-
Male	3,871	90	10	24	123	137	163	325	694	991	897	417	-
Female	3,615	60	14	13	55	62	85	185	418	700	1,096	927	-
White	6,116	103	16	27	145	147	189	394	867	1,345	1,681	1,202	-
Male	3,132	61	7	18	99	93	124	259	549	817	740	365	-
Female	2,984	42	9	9	46	54	65	135	318	528	941	837	-
All other	1,370	47	8	10	33	52	59	116	245	346	312	142	-
Male	739	29	3	6	24	44	39	66	145	174	157	52	-
Female	631	18	5	4	9	8	20	50	100	172	155	90	-
Black	1,354	47	7	10	31	51	57	116	243	339	311	142	-
Male	730	29	2	6	23	44	37	66	144	171	156	52	-
Female	624	18	5	4	8	7	20	50	99	168	155	90	-
Nassau-Suffolk, N.Y	22,219	319	44	71	305	439	650	1,305	3,471	5,006	5,914	4,690	5
Male	11,135	165	19	41	214	294	398	777	2,123	2,824	2,740	1,537	3
Female	11,084	154	25	30	91	145	252	528	1,348	2,182	3,174	3,153	2
White	20,849	240	31	55	267	361	538	1,143	3,232	4,731	5,672	4,574	5
Male	10,406	126	12	33	188	245	325	673	2,001	2,674	2,635	1,491	3
Female	10,443	114	19	22	79	116	213	470	1,231	2,057	3,037	3,083	2
All other	1,370	79	13	16	38	78	112	162	239	275	242	116	-
Male	729	39	7	8	26	49	73	104	122	150	105	46	-
Female	641	40	6	8	12	29	39	58	117	125	137	70	-
Black	1,282	78	11	13	38	73	105	149	230	261	218	108	-
Male	674	37	6	6	26	45	67	95	118	144	91	39	-
Female	608	39	5	7	12	28	38	54	112	117	127	69	-
New Bedford-Fall River, Mass	4,747	60	12	11	73	83	104	214	652	1,164	1,336	1,037	1
Male	2,414	34	7	9	58	65	68	129	412	675	634	323	-
Female	2,333	26	5	2	15	18	36	85	240	489	702	714	1
White	4,645	58	12	10	70	78	97	205	640	1,139	1,319	1,016	1
Male	2,350	33	7	8	57	61	66	125	404	657	622	310	-
Female	2,295	25	5	2	13	17	31	80	236	482	697	706	1
All other	102	2	-	1	3	5	7	9	12	25	17	21	-
Male	64	1	-	1	1	4	2	4	8	18	12	13	-
Female	38	1	-	-	2	1	5	5	4	7	5	8	-
Black	94	2	-	1	3	5	7	8	9	24	15	20	-
Male	58	1	-	1	1	4	2	3	6	17	10	13	-
Female	36	1	-	-	2	1	5	5	3	7	5	7	-
New Brunswick-Perth Amboy-Sayreville, N.J	5,017	72	7	10	70	109	149	299	849	1,327	1,254	870	1
Male	2,729	42	5	5	50	84	102	178	556	792	636	278	1
Female	2,288	30	2	5	20	25	47	121	293	535	618	592	-
White	4,734	60	7	8	58	86	130	272	797	1,263	1,204	848	1
Male	2,570	37	5	3	43	66	89	160	527	756	610	273	1
Female	2,164	23	2	5	15	20	41	112	270	507	594	575	-
All other	283	12	-	2	12	23	19	27	52	64	50	22	-
Male	159	5	-	2	7	18	13	18	29	36	26	5	-
Female	124	7	-	-	5	5	6	9	23	28	24	17	-
Black	247	11	-	2	10	22	15	26	44	53	44	20	-
Male	142	5	-	2	6	17	11	18	26	29	23	5	-
Female	105	6	-	-	4	5	4	8	18	24	21	15	-
New Haven-Waterbury-Meriden, Conn	7,561	103	19	15	84	162	218	326	1,021	1,829	2,090	1,693	1
Male	3,917	55	10	12	66	115	148	198	648	1,047	1,060	557	1
Female	3,644	48	9	3	18	47	70	128	373	782	1,030	1,136	-
White	7,024	71	16	12	72	111	164	280	914	1,719	2,013	1,652	-
Male	3,618	38	9	9	56	84	112	165	587	988	1,026	544	-
Female	3,406	33	7	3	16	27	52	115	327	731	987	1,108	-
All other	537	32	3	3	12	51	54	46	107	110	77	41	1
Male	299	17	1	3	10	31	36	33	61	59	34	13	1
Female	238	15	2	-	2	20	18	13	46	51	43	28	-
Black	523	32	3	3	11	51	54	44	105	109	74	36	1
Male	293	17	1	3	9	31	36	31	60	59	34	11	1
Female	230	15	2	-	2	20	18	13	45	50	40	25	-
New London-Norwich, Conn	1,985	39	3	7	41	46	44	119	250	468	538	430	-
Male	1,019	20	3	7	39	38	27	78	157	259	259	132	-
Female	966	19	-	-	2	8	17	41	93	209	279	298	-
White	1,916	34	3	6	39	41	41	110	231	455	532	424	-
Male	978	17	3	6	37	34	26	73	144	252	257	129	-
Female	938	17	-	-	2	7	15	37	87	203	275	295	-
All other	69	5	-	1	2	5	3	9	19	13	6	6	-
Male	41	3	-	1	2	4	1	5	13	7	2	3	-
Female	28	2	-	-	-	1	2	4	6	6	4	3	-
Black	66	4	-	1	2	4	3	9	19	13	5	6	-
Male	39	2	-	1	2	4	1	5	13	7	1	3	-
Female	27	2	-	-	-	-	2	4	6	6	4	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Orleans, La	10,761	288	55	59	235	374	462	759	1,764	2,490	2,681	1,593	1
Male	5,626	156	35	39	166	263	314	445	1,065	1,409	1,221	512	1
Female	5,135	132	20	20	69	111	148	314	699	1,081	1,460	1,081	-
White	7,121	111	19	24	116	196	244	406	1,133	1,691	1,930	1,250	1
Male	3,684	65	14	16	80	139	175	242	707	988	878	379	1
Female	3,437	46	5	8	36	57	69	164	426	703	1,052	871	-
All other	3,640	177	36	35	119	178	218	353	631	799	751	343	-
Male	1,942	91	21	23	86	124	139	203	358	421	343	133	-
Female	1,698	86	15	12	33	54	79	150	273	378	408	210	-
Black	3,599	172	35	34	114	176	214	351	626	797	741	339	-
Male	1,920	90	21	23	82	122	135	203	355	420	339	130	-
Female	1,679	82	14	11	32	54	79	148	271	377	402	209	-
New York, N.Y.-N.J	93,889	1,670	262	293	1,376	3,493	4,486	5,986	12,748	19,847	25,037	18,688	3
Male	47,655	945	146	172	1,036	2,536	3,195	3,809	7,590	10,790	11,424	6,209	3
Female	46,034	725	116	121	340	957	1,291	2,177	5,158	9,057	13,613	12,479	-
White	74,336	925	150	170	815	2,087	2,662	3,828	9,248	15,834	21,739	16,876	2
Male	37,213	529	82	105	610	1,589	1,934	2,475	5,579	8,731	9,982	5,595	2
Female	37,123	396	68	65	205	498	728	1,353	3,669	7,103	11,757	11,281	-
All other	19,553	745	112	123	561	1,406	1,824	2,158	3,500	4,013	3,298	1,812	1
Male	10,642	416	64	67	426	947	1,261	1,334	2,011	2,059	1,442	614	1
Female	8,911	329	48	56	135	459	563	824	1,489	1,954	1,856	1,198	-
Black	18,380	704	102	110	531	1,361	1,755	2,061	3,300	3,764	3,044	1,647	1
Male	9,924	395	59	63	407	916	1,213	1,264	1,878	1,910	1,287	531	1
Female	8,456	309	43	47	124	445	542	797	1,422	1,854	1,757	1,116	-
Newark, N.J	17,858	324	47	52	239	528	697	1,152	2,631	3,997	4,548	3,623	20
Male	9,168	173	23	31	174	375	468	717	1,602	2,288	2,097	1,208	12
Female	8,690	151	24	21	65	153	229	435	1,029	1,709	2,451	2,415	8
White	14,088	150	26	23	147	240	343	675	1,949	3,271	3,955	3,301	6
Male	7,051	87	12	13	103	185	224	419	1,203	1,890	1,828	1,084	3
Female	7,037	63	14	10	44	55	119	256	746	1,381	2,127	2,217	5
All other	3,770	174	21	29	92	288	354	477	682	726	593	322	12
Male	2,117	86	11	18	71	190	244	298	399	398	269	124	9
Female	1,653	88	10	11	21	98	110	179	283	328	324	198	3
Black	3,680	171	20	28	90	284	346	469	669	707	576	308	12
Male	2,065	85	11	17	70	188	241	291	390	388	258	117	9
Female	1,615	86	9	11	20	96	105	178	279	319	318	191	3
Newark, Ohio	1,097	18	6	8	20	16	34	69	137	236	300	253	-
Male	578	8	2	7	15	11	22	41	90	146	142	94	-
Female	519	10	4	1	5	5	12	28	47	90	158	159	-
White	1,079	18	6	8	20	15	34	66	133	232	296	251	-
Male	571	8	2	7	15	11	22	41	87	144	141	93	-
Female	508	10	4	1	5	4	12	25	46	88	155	158	-
All other	18	-	-	-	-	1	-	3	4	4	4	2	-
Male	7	-	-	-	-	-	-	-	3	2	1	1	-
Female	11	-	-	-	-	1	-	3	1	2	3	1	-
Black	17	-	-	-	-	1	-	3	4	3	4	2	-
Male	6	-	-	-	-	-	-	-	3	1	1	1	-
Female	11	-	-	-	-	1	-	3	1	2	3	1	-
Newburgh-Middletown, N.Y	2,372	48	2	9	42	51	80	147	318	571	653	450	1
Male	1,233	27	2	4	35	36	51	103	200	322	314	138	1
Female	1,139	21	-	5	7	15	29	44	118	249	339	312	-
White	2,222	35	2	7	37	46	66	132	282	540	635	440	-
Male	1,146	21	2	3	31	32	42	91	175	307	309	133	-
Female	1,076	14	-	4	6	14	24	41	107	233	326	307	-
All other	150	13	-	2	5	5	14	15	36	31	18	10	1
Male	87	6	-	1	4	4	9	12	25	15	5	5	1
Female	63	7	-	1	1	1	5	3	11	16	13	5	-
Black	146	13	-	2	5	5	11	15	36	30	18	10	1
Male	86	6	-	1	4	4	8	12	25	15	5	5	1
Female	60	7	-	1	1	1	3	3	11	15	13	5	-
Newport News-Hampton, Va	2,768	78	17	8	55	65	104	204	490	709	634	403	1
Male	1,527	50	9	5	42	44	59	142	298	430	312	135	1
Female	1,241	28	8	3	13	21	45	62	192	279	322	268	-
White	1,857	38	9	5	38	34	60	123	307	471	458	313	1
Male	1,009	26	3	3	32	21	36	88	186	294	227	92	1
Female	848	12	6	2	6	13	24	35	121	177	231	221	-
All other	911	40	8	3	17	31	44	81	183	238	176	90	-
Male	518	24	6	2	10	23	23	54	112	136	85	43	-
Female	393	16	2	1	7	8	21	27	71	102	91	47	-
Black	901	39	8	3	16	29	42	81	183	237	173	90	-
Male	513	23	6	2	9	22	22	54	112	136	84	43	-
Female	388	16	2	1	7	7	20	27	71	101	89	47	-
Norfolk-Virginia Beach-Portsmouth, Va.-N.C	6,471	261	26	39	133	200	265	433	1,130	1,588	1,474	921	1
Male	3,397	156	13	23	94	139	150	275	684	902	667	294	-
Female	3,074	105	13	16	39	61	115	158	446	686	807	627	1
White	4,253	138	10	20	89	114	143	258	679	1,015	1,064	722	1
Male	2,168	84	5	12	57	80	81	162	411	583	478	217	-
Female	2,085	54	5	8	32	34	62	96	268	432	588	505	1
All other	2,218	123	16	19	44	86	122	175	451	573	410	199	-
Male	1,229	72	8	11	37	59	69	113	273	319	191	77	-
Female	989	51	8	8	7	27	53	62	178	254	219	122	-
Black	2,179	119	16	18	41	85	121	170	443	567	406	193	-
Male	1,206	69	8	11	34	59	69	110	268	317	188	73	-
Female	973	50	8	7	7	26	52	60	175	250	218	120	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Northeast Pennsylvania	7,791	64	12	22	70	81	133	319	1,116	2,147	2,392	1,431	4
Male	3,987	31	6	15	50	55	90	221	717	1,260	1,133	406	3
Female	3,804	33	6	7	20	26	43	98	399	887	1,259	1,025	1
White	7,753	63	12	20	69	79	131	314	1,113	2,137	2,385	1,426	4
Male	3,963	31	6	13	49	54	89	216	715	1,255	1,130	402	3
Female	3,790	32	6	7	20	25	42	98	398	882	1,255	1,024	1
All other	38	1	-	2	1	2	2	5	3	10	7	5	-
Male	24	-	-	2	1	1	1	5	2	5	3	4	-
Female	14	1	-	-	-	1	1	-	1	5	4	1	-
Black	34	-	-	2	1	2	2	4	3	10	5	5	-
Male	22	-	-	2	1	1	1	4	2	5	2	4	-
Female	12	-	-	-	-	1	1	-	1	5	3	1	-
Ocala, Fla	1,840	24	6	6	27	28	41	103	332	508	495	269	1
Male	1,069	9	2	5	23	19	24	63	204	331	288	100	1
Female	771	15	4	1	4	9	17	40	128	177	207	169	-
White	1,583	18	2	4	18	19	37	85	283	450	434	232	1
Male	927	5	1	3	16	12	21	52	185	295	254	82	1
Female	656	13	1	1	2	7	16	33	98	155	180	150	-
All other	257	6	4	2	9	9	4	18	49	58	61	37	-
Male	142	4	1	2	7	7	3	11	19	36	34	18	-
Female	115	2	3	-	2	2	1	7	30	22	27	19	-
Black	255	6	4	2	9	9	4	18	49	57	60	37	-
Male	141	4	1	2	7	7	3	11	19	36	33	18	-
Female	114	2	3	-	2	2	1	7	30	21	27	19	-
Odessa, Tex	818	27	7	7	30	40	40	76	138	177	174	102	-
Male	483	18	4	4	23	33	32	48	96	108	88	29	-
Female	335	9	3	3	7	7	8	28	42	69	86	73	-
White	765	26	6	7	28	36	38	69	121	168	168	98	-
Male	449	17	4	4	21	30	31	43	83	103	85	28	-
Female	316	9	2	3	7	6	7	26	38	65	83	70	-
All other	53	1	1	-	2	4	2	7	17	9	6	4	-
Male	34	1	-	-	2	3	1	5	13	5	3	1	-
Female	19	-	1	-	-	1	1	2	4	4	3	3	-
Black	50	1	1	-	2	4	1	7	17	8	5	4	-
Male	32	1	-	-	2	3	1	5	13	4	2	1	-
Female	18	-	1	-	-	1	-	2	4	4	3	3	-
Oklahoma City, Okla	7,152	206	27	46	163	247	259	428	994	1,535	1,923	1,312	11
Male	3,713	122	13	30	109	162	169	270	626	862	908	413	9
Female	3,439	84	14	16	54	85	90	159	368	673	1,015	899	2
White	6,402	153	20	45	132	200	200	376	887	1,381	1,766	1,232	10
Male	3,300	93	9	29	87	148	132	236	562	789	829	378	8
Female	3,102	60	11	16	45	52	68	140	325	592	937	854	2
All other	750	53	7	1	31	47	59	53	107	154	157	80	1
Male	413	29	4	1	22	34	37	34	64	73	79	35	1
Female	337	24	3	-	9	13	22	19	43	81	78	45	-
Black	646	48	6	1	24	37	47	43	87	136	142	75	-
Male	353	26	4	1	18	28	29	27	50	65	72	33	-
Female	293	22	2	-	6	9	18	16	37	71	70	42	-
Olympia, Wash	935	17	-	7	8	12	35	55	128	221	255	197	-
Male	496	8	-	5	5	9	24	35	82	125	131	72	-
Female	439	9	-	2	3	3	11	20	46	96	124	125	-
White	916	16	-	6	5	12	35	52	125	217	253	195	-
Male	483	8	-	4	3	9	24	33	79	122	130	71	-
Female	433	8	-	2	2	3	11	19	46	95	123	124	-
All other	19	1	-	1	3	-	-	3	3	4	2	2	-
Male	13	-	-	1	2	-	-	2	3	3	1	1	-
Female	6	1	-	-	1	-	-	1	-	1	1	1	-
Black	5	-	-	-	1	-	-	2	-	1	-	1	-
Male	3	-	-	-	-	-	-	2	-	1	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	-	1	-
Omaha, Nebr.-Iowa	4,689	108	17	17	74	97	128	255	635	1,038	1,265	1,055	-
Male	2,457	62	9	11	61	70	82	163	399	633	596	371	-
Female	2,232	46	8	6	13	27	46	92	236	405	669	684	-
White	4,314	81	15	15	67	77	103	220	585	984	1,173	1,014	-
Male	2,246	45	7	10	56	59	65	146	366	587	553	352	-
Female	2,068	36	8	5	11	18	38	74	219	377	620	662	-
All other	375	27	2	2	7	20	25	35	50	74	92	41	-
Male	211	17	2	1	5	11	17	17	33	46	43	19	-
Female	164	10	-	1	2	9	8	18	17	28	49	22	-
Black	355	23	2	2	7	20	22	33	49	68	89	40	-
Male	199	14	2	1	5	11	16	16	33	41	41	19	-
Female	156	9	-	1	2	9	6	17	16	27	48	21	-
Orlando, Fla	6,759	138	26	29	143	201	225	391	964	1,639	1,731	1,270	2
Male	3,601	88	16	13	112	145	143	249	603	964	851	416	1
Female	3,158	50	10	16	31	56	82	142	361	675	880	854	1
White	5,963	91	19	20	120	166	191	324	843	1,441	1,546	1,201	1
Male	3,163	58	13	9	94	117	126	202	536	859	759	389	1
Female	2,800	33	6	11	26	49	65	122	307	582	787	812	-
All other	796	47	7	9	23	35	34	67	121	198	185	69	1
Male	438	30	3	4	18	28	17	47	67	105	92	27	-
Female	358	17	4	5	5	7	17	20	54	93	93	42	1
Black	783	46	7	8	22	33	33	64	119	197	184	69	1
Male	433	29	3	4	18	27	17	44	67	105	92	27	-
Female	350	17	4	4	4	6	16	20	52	92	92	42	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Owensboro, Ky	746	11	2	3	11	11	15	49	92	172	223	157	-
Male	385	8	2	1	6	8	8	32	60	96	111	53	-
Female	361	3	-	2	5	3	7	17	32	76	112	104	-
White	702	9	2	3	9	11	15	45	83	160	214	151	-
Male	358	6	2	1	4	8	8	30	54	89	106	50	-
Female	344	3	-	2	5	3	7	15	29	71	108	101	-
All other	44	2	-	-	2	-	-	4	9	12	9	6	-
Male	27	2	-	-	2	-	-	2	6	7	5	3	-
Female	17	-	-	-	-	-	-	2	3	5	4	3	-
Black	44	2	-	-	2	-	-	4	9	12	9	6	-
Male	27	2	-	-	2	-	-	2	6	7	5	3	-
Female	17	-	-	-	-	-	-	2	3	5	4	3	-
Oxnard-Simi Valley-Ventura, Calif	3,601	89	17	24	87	115	129	176	509	769	967	712	7
Male	1,943	45	11	16	63	92	85	98	325	450	600	253	5
Female	1,658	44	6	8	24	23	44	78	184	319	467	459	2
White	3,499	85	15	23	86	111	122	167	492	751	943	698	6
Male	1,882	43	10	15	62	90	81	92	314	439	485	247	4
Female	1,617	42	5	8	24	21	41	75	178	312	458	451	2
All other	102	4	2	1	1	4	7	9	17	18	24	14	1
Male	61	2	1	1	1	2	4	6	11	11	15	6	1
Female	41	2	1	-	-	2	3	3	6	7	9	8	-
Black	43	2	-	1	-	1	3	6	7	4	10	8	1
Male	22	1	-	1	-	1	1	4	6	2	5	-	1
Female	21	1	-	-	-	-	2	2	1	2	5	8	-
Panama City, Fla	901	19	8	3	10	32	42	62	164	246	202	113	-
Male	491	9	6	2	8	25	26	37	109	139	101	29	-
Female	410	10	2	1	2	7	16	25	55	107	101	84	-
White	788	14	7	2	10	25	37	51	143	219	172	108	-
Male	429	6	6	1	8	21	24	29	94	125	87	28	-
Female	359	8	1	1	2	4	13	22	49	94	85	80	-
All other	113	5	1	1	-	7	5	11	21	27	30	5	-
Male	62	3	-	1	-	4	2	8	15	14	14	1	-
Female	51	2	1	-	-	3	3	3	6	13	16	4	-
Black	105	1	1	1	-	6	5	11	21	26	28	5	-
Male	58	1	-	1	-	3	2	8	15	14	13	1	-
Female	47	-	1	-	-	3	3	3	6	12	15	4	-
Parkersburg-Marietta, W. Va.-Ohio	1,506	30	3	5	24	31	40	83	191	355	433	311	-
Male	783	15	2	5	16	19	23	61	114	206	198	124	-
Female	723	15	1	-	8	12	17	22	77	149	235	187	-
White	1,486	30	3	5	24	30	37	82	187	352	428	308	-
Male	772	15	2	5	16	18	21	60	111	205	196	123	-
Female	714	15	1	-	8	12	16	22	76	147	232	185	-
All other	20	-	-	-	-	1	3	1	4	3	5	3	-
Male	11	-	-	-	-	1	2	1	3	1	2	1	-
Female	9	-	-	-	-	-	1	-	1	2	3	2	-
Black	20	-	-	-	-	1	3	1	4	3	5	3	-
Male	11	-	-	-	-	1	2	1	3	1	2	1	-
Female	9	-	-	-	-	-	1	-	1	2	3	2	-
Pascagoula-Moss Point, Miss	790	31	2	6	21	24	36	61	126	185	169	109	-
Male	460	18	-	2	13	16	25	46	82	122	103	33	-
Female	330	13	2	4	8	8	11	15	44	63	86	76	-
White	670	18	1	2	20	19	27	47	118	159	166	93	-
Male	397	12	-	-	13	13	17	37	78	108	91	28	-
Female	273	6	1	2	7	6	10	10	40	51	75	65	-
All other	120	13	1	4	1	5	9	14	8	26	23	16	-
Male	63	6	-	2	-	3	8	9	4	14	12	5	-
Female	57	7	1	2	1	2	1	5	4	12	11	11	-
Black	118	13	1	4	1	5	6	14	8	26	22	16	-
Male	62	6	-	2	-	3	7	9	4	14	12	5	-
Female	56	7	1	2	1	2	1	5	4	12	10	11	-
Paterson-Clifton-Passaic, N.J	4,385	83	19	20	71	117	173	253	620	981	1,166	881	1
Male	2,273	58	10	9	49	88	118	171	402	543	533	292	-
Female	2,112	25	9	11	22	29	55	82	218	438	633	589	1
White	3,881	61	5	14	58	72	103	173	540	896	1,100	858	1
Male	1,983	41	4	8	40	59	67	114	356	498	509	287	-
Female	1,898	20	1	6	18	13	36	59	184	398	591	571	1
All other	504	22	14	6	13	45	70	80	80	85	66	23	-
Male	290	17	6	1	9	29	51	57	46	45	24	5	-
Female	214	5	8	5	4	16	19	23	34	40	42	18	-
Black	490	19	14	6	12	45	69	79	80	79	65	22	-
Male	283	15	6	1	8	29	51	57	46	42	23	5	-
Female	207	4	8	5	4	16	18	22	34	37	42	17	-
Pensacola, Fla	2,400	48	13	15	51	74	81	179	400	561	574	404	-
Male	1,302	26	7	10	40	53	51	112	260	330	278	135	-
Female	1,098	22	6	5	11	21	30	67	140	231	296	269	-
White	1,923	33	8	11	43	57	63	138	312	443	463	352	-
Male	1,061	19	6	7	34	40	36	69	212	268	228	120	-
Female	862	14	2	4	9	17	25	49	100	175	235	232	-
All other	477	15	5	4	8	17	18	41	88	118	111	52	-
Male	241	7	1	3	6	13	13	23	48	62	50	15	-
Female	236	8	4	1	2	4	5	18	40	56	61	37	-
Black	466	14	5	4	8	17	18	41	86	112	109	52	-
Male	235	6	1	3	6	13	13	23	47	59	49	15	-
Female	231	8	4	1	2	4	5	18	39	53	60	37	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	2,993	53	8	14	33	46	74	149	363	639	930	683	1
Male	1,496	33	3	11	26	39	44	95	208	378	450	208	1
Female	1,497	20	5	3	7	7	30	54	155	261	480	475	-
White	2,859	37	6	12	30	36	65	139	350	613	903	667	1
Male	1,421	25	2	9	23	31	37	90	204	364	435	200	1
Female	1,438	12	4	3	7	5	28	49	146	249	468	467	-
All other	134	16	2	2	3	10	9	10	13	26	27	16	-
Male	75	8	1	2	3	8	7	5	4	14	15	8	-
Female	59	8	1	-	-	2	2	5	9	12	12	8	-
Black	131	15	2	2	3	9	9	10	13	26	26	16	-
Male	73	7	1	2	3	8	7	5	4	14	14	8	-
Female	58	8	1	-	-	1	2	5	9	12	12	8	-
Petersburg-Colonial Heights-Hopewell, Va	1,139	23	4	5	19	26	45	86	193	299	256	183	-
Male	622	12	3	3	15	19	25	56	125	189	122	53	-
Female	517	11	1	2	4	7	20	30	68	110	134	130	-
White	703	9	2	4	14	8	19	46	113	187	161	140	-
Male	369	5	2	2	10	7	10	28	70	118	77	40	-
Female	334	4	-	2	4	1	9	18	43	69	84	100	-
All other	436	14	2	1	5	18	26	40	80	112	95	43	-
Male	253	7	1	1	5	12	15	28	55	71	45	13	-
Female	183	7	1	-	-	6	11	12	25	41	50	30	-
Black	434	14	2	1	5	18	26	39	80	111	95	43	-
Male	251	7	1	1	5	12	15	27	55	70	45	13	-
Female	183	7	1	-	-	6	11	12	25	41	50	30	-
Philadelphia, Pa.-N.J	48,222	913	130	162	650	1,045	1,412	2,816	7,246	11,536	13,122	9,177	13
Male	24,368	485	83	98	470	766	927	1,735	4,392	6,554	5,932	2,920	6
Female	23,854	428	47	64	180	279	485	1,081	2,854	4,982	7,190	6,257	7
White	38,714	512	80	90	467	653	892	1,878	5,344	9,354	11,207	8,230	7
Male	19,222	289	54	56	337	492	580	1,169	3,252	5,374	5,042	2,575	2
Female	19,492	223	26	34	130	161	312	709	2,092	3,980	6,165	5,655	5
All other	9,508	401	50	72	183	392	520	938	1,902	2,182	1,915	947	6
Male	5,146	196	29	42	133	274	347	566	1,140	1,180	890	345	4
Female	4,362	205	21	30	50	118	173	372	762	1,002	1,025	602	2
Black	9,341	392	49	67	178	384	506	928	1,872	2,150	1,878	931	6
Male	5,045	189	29	38	131	269	339	557	1,123	1,165	865	336	4
Female	4,296	203	20	29	47	115	167	371	749	985	1,013	595	2
Phoenix, Ariz	13,687	323	75	74	343	390	431	761	1,878	3,294	3,765	2,338	15
Male	7,642	197	48	50	251	294	290	498	1,125	1,969	2,046	860	14
Female	6,045	126	27	24	92	96	141	263	753	1,325	1,719	1,478	1
White	13,147	286	65	68	305	363	399	708	1,779	3,186	3,679	2,294	15
Male	7,329	179	40	46	223	277	265	466	1,071	1,912	1,996	840	14
Female	5,818	107	25	22	82	86	134	242	708	1,274	1,683	1,454	1
All other	540	37	10	6	38	27	32	53	99	108	86	44	-
Male	313	18	8	4	28	17	25	32	54	57	50	20	-
Female	227	19	2	2	10	10	7	21	45	51	36	24	-
Black	355	20	6	4	19	14	15	35	78	77	57	30	-
Male	203	13	5	3	14	9	13	21	41	43	28	13	-
Female	152	7	1	1	5	5	2	14	37	34	29	17	-
Pine Bluff, Ark	919	14	3	4	12	22	22	56	119	229	280	158	-
Male	475	6	1	3	9	17	13	32	71	130	139	54	-
Female	444	8	2	1	3	5	9	24	48	99	141	104	-
White	554	5	1	2	6	12	10	30	77	153	164	94	-
Male	287	4	1	1	4	9	6	15	50	88	82	27	-
Female	267	1	-	1	2	3	4	15	27	65	82	67	-
All other	365	9	2	2	6	10	12	26	42	76	116	64	-
Male	188	2	-	2	5	8	7	17	21	42	57	27	-
Female	177	7	2	-	1	2	5	9	21	34	59	37	-
Black	365	9	2	2	6	10	12	26	42	76	116	64	-
Male	188	2	-	2	5	8	7	17	21	42	57	27	-
Female	177	7	2	-	1	2	5	9	21	34	59	37	-
Pittsburgh, Pa	23,919	315	38	52	212	350	470	1,125	3,497	6,440	6,724	4,688	8
Male	12,303	173	28	39	158	247	317	705	2,194	3,645	3,205	1,588	6
Female	11,616	142	10	13	54	103	153	420	1,303	2,795	3,519	3,102	2
White	21,982	234	29	38	192	286	393	989	3,151	5,956	6,275	4,434	5
Male	11,240	126	23	29	143	202	270	622	1,990	3,376	2,986	1,470	3
Female	10,742	108	6	9	49	84	123	367	1,161	2,580	3,289	2,964	2
All other	1,937	81	9	14	20	64	77	136	346	484	449	254	3
Male	1,063	47	5	10	15	45	47	83	204	269	219	116	3
Female	874	34	4	4	5	19	30	53	142	215	230	138	-
Black	1,925	81	9	14	19	84	75	135	344	481	448	252	3
Male	1,056	47	5	10	14	45	46	83	202	267	219	115	3
Female	869	34	4	4	5	19	29	52	142	214	229	137	-
Pittsfield, Mass	1,472	10	2	1	29	17	26	63	186	358	404	376	-
Male	724	6	1	-	25	13	21	40	121	197	187	113	-
Female	748	4	1	1	4	4	5	23	65	161	217	263	-
White	1,451	10	2	1	28	16	25	62	181	355	399	372	-
Male	713	6	1	-	24	12	20	39	119	196	186	110	-
Female	738	4	1	1	4	4	5	23	62	159	213	262	-
All other	21	-	-	-	1	1	1	1	5	3	5	4	-
Male	11	-	-	-	1	1	1	1	2	1	1	3	-
Female	10	-	-	-	-	-	-	-	3	2	4	1	-
Black	18	-	-	-	1	1	1	1	3	3	4	4	-
Male	10	-	-	-	1	1	1	1	1	1	1	3	-
Female	8	-	-	-	-	-	-	-	2	2	3	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, Maine	2,529	40	6	9	22	40	54	99	317	596	748	598	-
Male	1,249	22	3	4	17	25	40	60	180	353	360	185	-
Female	1,280	18	3	5	5	15	14	39	137	243	388	413	-
White	2,518	39	6	9	22	39	52	98	315	594	746	598	-
Male	1,242	21	3	4	17	25	39	60	178	352	358	185	-
Female	1,276	18	3	5	5	14	13	38	137	242	388	413	-
All other	11	1	-	-	-	1	2	1	2	2	2	-	-
Male	7	1	-	-	-	-	1	-	2	1	2	-	-
Female	4	-	-	-	-	1	1	1	-	1	-	-	-
Black	10	1	-	-	-	1	2	1	2	2	1	-	-
Male	6	1	-	-	-	-	1	-	2	1	1	-	-
Female	4	-	-	-	-	1	1	1	-	1	-	-	-
Portland, Oreg.-Wash	10,810	168	37	26	163	275	338	494	1,347	2,426	3,064	2,472	-
Male	5,604	94	18	24	122	195	210	297	838	1,420	1,565	821	-
Female	5,206	74	19	2	41	80	128	197	509	1,006	1,499	1,651	-
White	10,392	148	32	20	144	246	309	466	1,272	2,399	2,989	2,427	-
Male	5,354	84	15	19	107	176	188	277	786	1,371	1,526	805	-
Female	5,038	64	17	1	37	70	121	189	486	968	1,463	1,622	-
All other	418	20	5	6	19	29	29	28	75	87	75	45	-
Male	250	10	3	5	15	19	22	20	52	49	39	16	-
Female	168	10	2	1	4	10	7	8	23	38	36	29	-
Black	271	13	4	3	9	19	17	21	56	54	49	26	-
Male	159	7	2	3	6	14	14	14	40	29	22	8	-
Female	112	6	2	-	3	5	3	7	16	25	27	18	-
Portsmouth-Dover-Rochester, N.H.-Maine	3,631	62	4	15	57	71	106	188	507	825	1,017	779	-
Male	1,890	34	3	12	42	58	66	125	296	501	491	262	-
Female	1,741	28	1	3	15	13	40	63	211	324	526	517	-
White	3,614	61	4	14	56	70	105	186	503	824	1,015	776	-
Male	1,885	34	3	12	42	58	65	124	294	501	490	262	-
Female	1,729	27	1	2	14	12	40	62	209	323	525	514	-
All other	17	1	-	1	1	1	1	2	4	1	2	3	-
Male	5	-	-	-	-	-	1	1	2	-	1	-	-
Female	12	1	-	1	1	1	-	1	2	1	1	3	-
Black	8	1	-	-	-	-	-	2	1	-	2	2	-
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	6	1	-	-	-	-	-	1	1	-	1	2	-
Poughkeepsie, N.Y	2,051	24	1	9	31	38	53	114	270	491	605	414	1
Male	1,046	13	-	6	22	25	38	79	178	287	283	114	1
Female	1,005	11	1	3	9	13	15	35	92	204	322	300	-
White	1,943	20	1	9	30	32	44	100	256	468	580	402	1
Male	988	11	-	6	22	22	32	70	170	273	271	110	1
Female	955	9	1	3	8	10	12	30	86	195	309	292	-
All other	108	4	-	-	1	6	9	14	14	23	25	12	-
Male	58	2	-	-	-	3	6	9	8	14	12	4	-
Female	50	2	-	-	1	3	3	5	6	9	13	8	-
Black	99	4	-	-	1	5	8	13	13	20	24	11	-
Male	53	2	-	-	-	3	5	8	7	12	12	4	-
Female	46	2	-	-	1	2	3	5	6	8	12	7	-
Providence-Warwick-Pawtucket, R.I	8,947	98	12	21	113	140	188	397	1,199	2,121	2,535	2,123	-
Male	4,454	57	9	14	86	102	123	253	733	1,249	1,171	657	-
Female	4,493	41	3	7	27	38	65	144	466	872	1,364	1,466	-
White	8,675	86	11	19	106	124	176	372	1,138	2,067	2,487	2,089	-
Male	4,305	52	9	13	80	90	116	235	701	1,214	1,152	643	-
Female	4,370	34	2	6	26	34	60	137	437	853	1,335	1,446	-
All other	272	12	1	2	7	16	12	25	61	54	48	34	-
Male	149	5	-	1	6	12	7	18	32	35	19	14	-
Female	123	7	1	1	1	4	5	7	29	19	29	20	-
Black	229	10	1	1	6	13	10	23	51	47	38	29	-
Male	130	5	-	1	5	10	5	16	29	29	18	12	-
Female	99	5	1	-	1	3	5	7	22	18	20	17	-
Provo-Orem, Utah	1,111	59	13	14	30	37	33	41	93	249	300	242	-
Male	611	36	10	11	22	27	18	22	56	159	161	89	-
Female	500	23	3	3	8	10	15	19	37	90	139	153	-
White	1,104	57	11	14	30	36	33	41	92	248	300	242	-
Male	605	34	8	11	22	27	18	22	55	158	161	89	-
Female	499	23	3	3	8	9	15	19	37	90	139	153	-
All other	7	2	2	-	-	1	-	-	1	1	-	-	-
Male	6	2	2	-	-	-	-	-	1	1	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,126	26	2	3	24	27	35	56	169	240	310	234	-
Male	606	16	1	2	19	22	23	36	110	151	142	84	-
Female	520	10	1	1	5	5	12	20	59	89	168	150	-
White	1,098	24	2	3	24	24	34	55	163	235	305	229	-
Male	591	16	1	2	19	19	22	35	107	148	140	82	-
Female	507	8	1	1	5	5	12	20	56	87	165	147	-
All other	28	2	-	-	-	3	1	1	6	5	5	5	-
Male	15	-	-	-	-	3	1	1	3	3	2	2	-
Female	13	2	-	-	-	-	-	-	3	2	3	3	-
Black	24	1	-	-	-	3	-	-	6	5	4	5	-
Male	12	-	-	-	-	3	-	-	3	3	1	2	-
Female	12	1	-	-	-	-	-	-	3	2	3	3	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, Wis	1,329	18	3	6	26	25	37	59	176	297	363	319	-
Male	703	12	2	4	21	18	25	40	109	180	175	117	-
Female	626	6	1	2	5	7	12	19	67	117	188	202	-
White	1,246	16	1	6	21	20	32	47	159	277	353	314	-
Male	649	10	-	4	18	14	22	30	99	168	171	113	-
Female	597	6	1	2	3	6	10	17	60	109	182	201	-
All other	83	2	2	-	5	5	5	12	17	20	10	5	-
Male	54	2	2	-	3	4	3	10	10	12	4	4	-
Female	29	-	-	-	2	1	2	2	7	8	6	1	-
Black	82	2	2	-	5	5	5	12	17	20	9	5	-
Male	54	2	2	-	3	4	3	10	10	12	4	4	-
Female	28	-	-	-	2	1	2	2	7	8	5	1	-
Raleigh-Durham, N.C	4,207	113	14	27	78	115	169	278	653	1,022	999	739	-
Male	2,215	59	5	21	58	84	125	182	401	576	469	235	-
Female	1,992	54	9	6	20	31	44	96	252	446	530	504	-
White	2,920	48	10	16	54	66	91	164	443	704	745	579	-
Male	1,485	22	5	13	41	44	64	106	273	396	345	176	-
Female	1,435	26	5	3	13	22	27	58	170	308	400	403	-
All other	1,287	65	4	11	24	49	78	114	210	318	254	160	-
Male	730	37	-	8	17	40	61	76	128	180	124	59	-
Female	557	28	4	3	7	9	17	38	82	138	130	101	-
Black	1,278	64	4	10	24	48	76	112	208	318	254	160	-
Male	725	36	-	8	17	40	60	74	127	180	124	59	-
Female	553	28	4	2	7	8	16	38	81	138	130	101	-
Reading, Pa	3,233	37	11	10	44	57	68	152	381	805	968	699	1
Male	1,677	21	8	6	31	38	48	92	233	479	488	233	-
Female	1,556	16	3	4	13	19	20	60	148	326	480	466	1
White	3,163	37	11	10	42	52	61	145	369	782	959	694	1
Male	1,637	21	8	6	30	35	43	90	225	467	482	230	-
Female	1,526	16	3	4	12	17	18	55	144	315	477	464	1
All other	70	-	-	-	2	5	7	7	12	23	9	5	-
Male	40	-	-	-	1	3	5	2	8	12	6	3	-
Female	30	-	-	-	1	2	2	5	4	11	3	2	-
Black	68	-	-	-	2	5	7	6	12	23	9	4	-
Male	40	-	-	-	1	3	5	2	8	12	6	3	-
Female	28	-	-	-	1	2	2	4	4	11	3	1	-
Redding, Calif	1,134	22	6	11	34	25	30	57	156	320	288	181	4
Male	601	10	1	7	20	17	20	35	88	195	149	59	-
Female	533	12	5	4	14	8	10	22	68	125	139	122	4
White	1,118	22	6	10	34	25	29	56	153	317	282	180	4
Male	588	10	1	6	20	17	19	34	86	194	143	58	-
Female	530	12	5	4	14	8	10	22	67	123	139	122	4
All other	16	-	-	1	-	-	1	1	3	3	6	1	-
Male	13	-	-	1	-	-	1	1	2	1	6	1	-
Female	3	-	-	-	-	-	-	-	1	2	-	-	-
Black	5	-	-	-	-	-	1	-	1	1	2	-	-
Male	5	-	-	-	-	-	1	-	1	1	2	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Reno, Nev	1,648	33	7	3	26	46	69	136	286	399	390	252	1
Male	933	24	4	1	20	35	51	93	176	237	198	93	1
Female	715	9	3	2	6	11	18	43	110	162	192	159	-
White	1,574	31	6	3	25	41	63	127	274	385	372	246	1
Male	889	23	4	1	20	30	47	84	172	229	189	89	1
Female	685	8	2	2	5	11	16	43	102	156	183	157	-
All other	74	2	1	-	1	5	6	9	12	14	18	6	-
Male	44	1	-	-	-	5	4	9	4	8	9	4	-
Female	30	1	1	-	1	-	2	-	8	6	9	2	-
Black	47	2	-	-	1	2	4	6	9	12	6	5	-
Male	25	1	-	-	-	2	3	6	2	7	-	4	-
Female	22	1	-	-	1	-	1	-	7	5	6	1	-
Richland-Kennewick-Pasco, Wash	888	31	5	2	26	31	33	56	132	198	223	151	-
Male	471	13	1	2	19	25	16	32	91	120	105	47	-
Female	417	18	4	-	7	6	17	24	41	78	118	104	-
White	863	30	4	2	23	29	33	54	124	192	221	151	-
Male	456	12	1	2	16	24	16	30	87	117	104	47	-
Female	407	18	3	-	7	5	17	24	37	75	117	104	-
All other	25	1	1	-	3	2	-	2	8	6	2	-	-
Male	15	1	-	-	3	1	-	2	4	3	1	-	-
Female	10	-	1	-	-	1	-	-	4	3	1	-	-
Black	20	1	-	-	1	2	-	1	8	5	2	-	-
Male	11	1	-	-	1	1	-	1	4	2	1	-	-
Female	9	-	-	-	-	1	-	-	4	3	1	-	-
Richmond, Va	5,875	133	9	30	90	168	189	396	951	1,364	1,536	1,008	1
Male	2,964	76	5	23	72	113	127	249	568	771	665	294	1
Female	2,911	57	4	7	18	55	62	147	383	593	871	714	-
White	4,062	53	5	22	50	89	103	239	608	920	1,147	826	-
Male	1,986	33	2	16	40	58	63	149	374	522	490	239	-
Female	2,076	20	3	6	10	31	40	90	234	398	657	587	-
All other	1,813	80	4	8	40	79	86	157	343	444	389	182	1
Male	978	43	3	7	32	55	64	100	194	249	175	55	1
Female	835	37	1	1	8	24	22	57	149	195	214	127	-
Black	1,793	80	4	8	39	78	85	152	339	439	387	181	1
Male	963	43	3	7	31	54	63	95	190	247	174	55	1
Female	830	37	1	1	8	24	22	57	149	192	213	126	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Riverside-San Bernardino-Ontario, Calif	15,961	377	87	97	400	477	542	834	2,104	3,719	4,286	3,003	35
Male	8,706	224	50	63	329	352	369	539	1,278	2,184	2,224	1,076	18
Female	7,255	153	37	34	71	125	173	295	826	1,535	2,062	1,927	17
White	15,147	329	77	76	362	438	485	760	1,975	3,571	4,131	2,910	33
Male	8,257	201	46	47	300	324	337	490	1,207	2,101	2,152	1,035	17
Female	6,890	128	31	29	62	114	148	270	768	1,470	1,979	1,875	16
All other	814	48	10	21	38	39	57	74	129	148	155	93	2
Male	449	23	4	16	29	28	32	49	71	83	72	41	1
Female	365	25	6	5	9	11	25	25	58	65	83	52	1
Black	667	44	9	15	28	30	47	60	101	122	131	78	2
Male	370	21	4	11	22	23	27	41	59	67	61	33	1
Female	297	23	5	4	6	7	20	19	42	55	70	45	1
Roanoke, Va	2,532	36	3	11	29	49	62	151	359	563	740	529	-
Male	1,330	17	3	5	22	37	40	92	232	338	368	176	-
Female	1,202	19	-	6	7	12	22	59	127	225	372	353	-
White	2,203	25	-	11	22	38	51	120	316	482	658	480	-
Male	1,163	12	-	5	18	27	30	75	206	302	328	160	-
Female	1,040	13	-	6	4	11	21	45	110	180	330	320	-
All other	329	11	3	-	7	11	11	31	43	81	82	49	-
Male	167	5	3	-	4	10	10	17	26	36	40	16	-
Female	162	6	-	-	3	1	1	14	17	45	42	33	-
Black	328	11	3	-	7	11	11	31	43	81	81	49	-
Male	167	5	3	-	4	10	10	17	26	36	40	16	-
Female	161	6	-	-	3	1	1	14	17	45	41	33	-
Rochester, Minn	605	24	3	1	12	15	11	30	48	118	160	185	-
Male	282	13	2	-	11	6	7	15	26	70	74	58	-
Female	323	11	1	1	1	9	4	15	22	46	86	127	-
White	601	24	3	1	11	14	11	30	48	114	160	185	-
Male	280	13	2	-	10	6	7	15	26	69	74	58	-
Female	321	11	1	1	1	8	4	15	22	45	86	127	-
All other	4	-	-	-	1	1	-	-	-	2	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	-
Male	2	-	-	-	1	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Rochester, N.Y	6,224	119	20	25	104	131	198	437	1,059	1,824	2,272	2,032	3
Male	4,099	67	10	15	76	75	125	272	663	1,055	1,054	684	3
Female	4,125	52	10	10	28	56	73	165	396	769	1,218	1,348	-
White	7,744	79	15	19	86	107	157	368	964	1,736	2,210	2,000	3
Male	3,794	41	6	11	62	59	100	230	596	994	1,022	670	3
Female	3,950	38	9	8	24	48	57	138	368	742	1,188	1,330	-
All other	480	40	5	6	18	24	41	69	95	88	62	32	-
Male	305	26	4	4	14	16	25	42	67	61	32	14	-
Female	175	14	1	2	4	8	16	27	28	27	30	18	-
Black	466	38	5	4	17	24	40	69	93	84	61	31	-
Male	295	24	4	3	13	16	24	42	65	58	32	14	-
Female	171	14	1	1	4	8	16	27	28	26	29	17	-
Rockford, Ill	2,338	37	8	16	36	56	53	117	290	546	618	561	-
Male	1,178	17	8	7	27	42	31	63	186	330	288	179	-
Female	1,160	20	-	9	9	14	22	54	104	216	330	382	-
White	2,208	26	7	12	32	52	47	104	266	515	599	548	-
Male	1,108	12	7	5	23	39	27	56	170	314	282	173	-
Female	1,100	14	-	7	9	13	20	48	96	201	317	375	-
All other	130	11	1	4	4	4	6	13	24	31	19	13	-
Male	70	5	1	2	4	3	4	7	16	16	6	6	-
Female	60	6	-	2	-	1	2	6	8	15	13	7	-
Black	127	11	1	4	4	4	6	11	24	31	19	12	-
Male	69	5	1	2	4	3	4	7	16	16	6	5	-
Female	58	6	-	2	-	1	2	4	8	15	13	7	-
Rock Hill, S.C	926	18	2	2	23	29	36	73	152	220	235	136	-
Male	467	9	1	-	16	22	22	47	87	124	107	32	-
Female	459	9	1	2	7	7	14	26	65	96	128	104	-
White	707	10	1	2	20	20	19	51	116	169	184	115	-
Male	357	4	1	-	14	14	10	34	67	96	88	29	-
Female	350	6	-	2	6	6	9	17	49	73	96	86	-
All other	219	8	1	-	3	9	17	22	36	51	51	21	-
Male	110	5	-	-	2	8	12	13	20	28	19	3	-
Female	109	3	1	-	1	1	5	9	16	23	32	18	-
Black	217	8	1	-	3	9	17	22	36	51	50	20	-
Male	110	5	-	-	2	8	12	13	20	28	19	3	-
Female	107	3	1	-	1	1	5	9	16	23	31	17	-
Sacramento, Calif	8,932	155	42	30	197	262	319	561	1,265	2,109	2,299	1,673	20
Male	4,854	91	27	23	150	193	204	336	797	1,287	1,167	572	7
Female	4,078	64	15	7	47	69	115	225	468	822	1,132	1,101	13
White	8,122	117	30	25	170	234	271	479	1,134	1,950	2,124	1,569	19
Male	4,381	71	19	19	126	175	178	282	721	1,187	1,067	529	7
Female	3,741	46	11	6	44	59	93	197	413	763	1,057	1,040	12
All other	810	38	12	5	27	28	48	82	131	159	175	104	1
Male	473	20	8	4	24	18	26	54	76	100	100	43	-
Female	337	18	4	1	3	10	22	28	55	59	75	61	1
Black	450	23	4	4	21	18	36	55	86	84	74	45	-
Male	245	11	4	3	19	12	18	34	49	45	32	18	-
Female	205	12	-	1	2	6	18	21	37	39	42	27	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw, Mich	1,727	53	4	18	30	54	49	105	241	397	440	336	-
Male	937	28	2	11	19	40	33	63	150	237	236	118	-
Female	790	25	2	7	11	14	16	42	91	160	204	218	-
White	1,474	25	2	15	23	40	38	87	198	329	398	319	-
Male	797	15	1	10	14	31	28	53	125	201	211	108	-
Female	677	10	1	5	9	9	10	34	73	128	187	211	-
All other	253	28	2	3	7	14	11	18	43	68	42	17	-
Male	140	13	1	1	5	9	5	10	25	36	25	10	-
Female	113	15	1	2	2	5	6	8	18	32	17	7	-
Black	247	27	2	3	7	14	11	17	42	66	41	17	-
Male	135	12	1	1	5	9	5	10	24	34	24	10	-
Female	112	15	1	2	2	5	6	7	18	32	17	7	-
St. Cloud, Minn	1,138	37	6	9	22	26	21	47	115	214	339	302	-
Male	624	22	5	7	14	21	14	29	71	133	178	130	-
Female	514	15	1	2	8	5	7	18	44	81	161	172	-
White	1,133	37	6	9	21	26	21	46	114	212	339	302	-
Male	620	22	5	7	13	21	14	28	70	132	178	130	-
Female	513	15	1	2	8	5	7	18	44	80	161	172	-
All other	5	-	-	-	1	-	-	1	1	2	-	-	-
Male	4	-	-	-	1	-	-	1	1	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Joseph, Mo	1,155	19	3	1	13	16	21	50	136	252	361	283	-
Male	607	11	3	1	11	14	16	37	83	158	184	89	-
Female	548	8	-	-	2	2	5	13	53	94	177	194	-
White	1,111	17	2	1	13	16	19	50	126	245	349	273	-
Male	582	10	2	1	11	14	15	37	79	153	176	84	-
Female	529	7	-	-	2	2	4	13	47	92	173	189	-
All other	44	2	1	-	-	-	2	-	10	7	12	10	-
Male	25	1	1	-	-	-	1	-	4	5	8	5	-
Female	19	1	-	-	-	-	1	-	6	2	4	5	-
Black	44	2	1	-	-	-	2	-	10	7	12	10	-
Male	25	1	1	-	-	-	1	-	4	5	8	5	-
Female	19	1	-	-	-	-	1	-	6	2	4	5	-
St. Louis, Mo.-Ill	22,794	412	71	73	384	525	597	1,239	3,185	5,103	6,427	4,772	6
Male	11,500	238	40	47	285	392	377	746	1,975	2,962	2,956	1,479	3
Female	11,294	174	31	26	99	133	220	493	1,210	2,141	3,471	3,293	3
White	18,712	220	41	35	261	324	390	893	2,521	4,233	5,513	4,279	2
Male	9,289	128	23	22	192	238	246	545	1,597	2,487	2,520	1,290	1
Female	9,423	92	18	13	69	86	144	348	924	1,746	2,993	2,989	1
All other	4,082	192	30	38	123	201	207	346	664	870	914	493	4
Male	2,211	110	17	25	93	154	131	201	378	475	436	189	2
Female	1,871	82	13	13	30	47	76	145	286	395	478	304	2
Black	4,041	188	30	38	122	197	203	342	658	861	909	489	4
Male	2,192	109	17	25	92	152	130	199	376	470	433	187	2
Female	1,849	79	13	13	30	45	73	143	282	391	476	302	2
Salem, Oreg	2,319	38	7	10	37	51	55	100	249	492	687	593	-
Male	1,240	24	4	7	31	35	36	68	156	311	360	208	-
Female	1,079	14	3	3	6	16	19	32	93	181	327	385	-
White	2,299	35	6	10	36	49	55	98	247	491	680	592	-
Male	1,225	21	3	7	30	33	36	67	154	310	356	208	-
Female	1,074	14	3	3	6	16	19	31	93	181	324	384	-
All other	20	3	1	-	1	2	-	2	2	1	7	1	-
Male	15	3	1	-	1	2	-	1	2	1	4	-	-
Female	5	-	-	-	-	-	-	1	-	-	3	1	-
Black	5	1	-	-	1	-	-	-	2	-	1	-	-
Male	5	1	-	-	1	-	-	-	2	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Salinas-Seaside-Monterey, Calif	2,208	63	12	11	55	77	58	122	277	465	608	455	5
Male	1,129	31	4	6	41	56	41	65	164	256	313	149	3
Female	1,079	32	8	5	14	21	17	57	113	209	295	306	2
White	2,017	50	7	8	44	64	54	109	252	419	569	436	5
Male	1,014	24	3	4	33	46	40	59	150	227	287	138	3
Female	1,003	26	4	4	11	18	14	50	102	192	282	298	2
All other	191	13	5	3	11	13	4	13	25	46	39	19	-
Male	115	7	1	2	8	10	1	6	14	29	26	11	-
Female	76	6	4	1	3	3	3	7	11	17	13	8	-
Black	91	10	4	1	5	10	1	6	17	21	10	6	-
Male	52	5	1	-	4	7	1	4	10	16	3	1	-
Female	39	5	3	1	1	3	-	2	7	5	7	5	-
Salisbury-Concord, N.C	1,827	26	7	8	47	29	47	118	275	472	500	298	-
Male	1,002	16	3	6	33	18	30	70	189	280	247	110	-
Female	825	10	4	2	14	11	17	48	86	192	253	188	-
White	1,486	18	4	7	37	21	36	83	219	376	433	252	-
Male	804	13	1	5	26	14	24	48	145	228	210	90	-
Female	682	5	3	2	11	7	12	35	74	148	223	162	-
All other	341	8	3	1	10	8	11	35	56	96	67	46	-
Male	198	3	2	1	7	4	6	22	44	52	37	20	-
Female	143	5	1	-	3	4	5	13	12	44	30	26	-
Black	337	8	3	1	9	8	11	33	56	95	67	46	-
Male	196	3	2	1	6	4	6	21	44	52	37	20	-
Female	141	5	1	-	3	4	5	12	12	43	30	26	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Salt Lake City-Ogden, Utah	5,723	219	43	55	141	207	194	302	714	1,191	1,515	1,138	4
Male	3,022	126	25	35	102	139	121	187	456	692	739	398	2
Female	2,701	93	18	20	39	68	73	115	258	499	776	740	2
White	5,591	210	40	53	133	191	185	294	694	1,167	1,492	1,128	4
Male	2,946	122	22	33	98	128	115	183	444	680	726	393	2
Female	2,645	88	18	20	35	63	70	111	250	487	766	735	2
All other	132	9	3	2	8	16	9	8	20	24	23	10	-
Male	76	4	3	2	4	11	6	4	12	12	13	5	-
Female	56	5	-	-	4	5	3	4	8	12	10	5	-
Black	52	1	-	1	3	4	4	5	7	14	10	3	-
Male	32	1	-	1	-	4	4	3	4	8	6	1	-
Female	20	-	-	-	3	-	-	2	3	6	4	2	-
San Angelo, Tex	860	14	5	5	20	26	37	51	111	186	236	169	-
Male	441	9	1	2	15	16	26	35	59	113	116	49	-
Female	419	5	4	3	5	10	11	16	52	73	120	120	-
White	824	13	5	5	18	24	34	46	108	183	224	162	-
Male	427	8	1	2	13	15	24	34	58	113	110	49	-
Female	397	5	4	3	5	9	10	14	50	70	114	113	-
All other	36	1	-	-	2	2	3	3	3	3	12	7	-
Male	14	1	-	-	2	1	2	1	1	-	6	-	-
Female	22	-	-	-	-	1	1	2	2	3	6	7	-
Black	35	1	-	-	2	2	3	3	3	3	12	6	-
Male	14	1	-	-	2	1	2	1	1	-	6	-	-
Female	21	-	-	-	-	1	1	2	2	3	6	6	-
San Antonio, Tex	8,670	251	44	51	235	326	315	557	1,245	1,841	2,223	1,582	-
Male	4,683	155	26	30	188	229	199	349	751	1,133	1,097	526	-
Female	3,987	96	18	21	47	97	116	208	494	708	1,126	1,056	-
White	7,947	234	41	45	220	294	289	494	1,128	1,679	2,052	1,471	-
Male	4,276	145	25	27	176	206	182	310	682	1,039	1,009	475	-
Female	3,671	89	16	18	44	88	107	184	446	640	1,043	996	-
All other	723	17	3	6	15	32	26	63	117	162	171	111	-
Male	407	10	1	3	12	23	17	39	69	94	88	51	-
Female	316	7	2	3	3	9	9	24	48	68	83	60	-
Black	696	17	3	5	15	30	25	59	112	155	167	108	-
Male	394	10	1	3	12	22	17	38	66	90	86	49	-
Female	302	7	2	2	3	8	8	21	46	65	81	59	-
San Diego, Calif	15,259	328	71	67	343	468	475	791	1,874	3,505	4,078	3,207	52
Male	7,835	181	37	39	248	337	323	478	1,094	1,991	2,044	1,036	27
Female	7,424	147	34	28	95	131	152	313	780	1,514	2,034	2,171	25
White	14,319	257	56	56	297	405	420	681	1,732	3,323	3,909	3,132	51
Male	7,305	134	30	35	220	298	288	407	1,014	1,890	1,953	1,009	27
Female	7,014	123	26	21	77	107	132	274	718	1,433	1,956	2,123	24
All other	940	71	15	11	46	63	55	110	142	182	169	75	1
Male	530	47	7	4	28	39	35	71	80	101	91	27	-
Female	410	24	8	7	18	24	20	39	62	81	78	48	1
Black	577	47	6	6	28	43	39	75	94	102	96	41	-
Male	333	34	5	2	15	30	29	51	57	54	47	9	-
Female	244	13	1	4	13	13	10	24	37	48	49	32	-
San Francisco-Oakland, Calif	29,760	472	75	87	460	1,042	1,366	1,769	4,034	6,465	7,766	6,164	60
Male	15,709	283	48	53	339	812	960	1,145	2,506	3,646	3,838	2,058	21
Female	14,051	189	27	34	121	230	406	624	1,528	2,819	3,928	4,106	39
White	24,161	285	49	52	312	749	977	1,300	3,092	5,185	6,553	5,555	52
Male	12,480	171	32	35	229	606	727	849	1,929	2,911	3,174	1,800	17
Female	11,681	114	17	17	83	143	250	451	1,163	2,274	3,379	3,755	35
All other	5,599	187	26	35	148	293	389	469	942	1,280	1,213	609	8
Male	3,229	112	16	18	110	206	233	296	577	735	664	258	4
Female	2,370	75	10	17	38	87	156	173	365	545	549	351	4
Black	3,526	120	13	21	113	225	295	339	643	835	643	279	6
Male	2,003	72	9	12	82	165	181	219	388	451	322	98	4
Female	1,523	48	4	9	31	60	114	114	255	384	321	181	2
San Jose, Calif	8,270	196	34	49	217	308	340	528	1,117	1,753	2,013	1,689	26
Male	4,278	115	24	28	158	228	214	311	669	976	982	565	8
Female	3,992	81	10	21	59	80	126	217	448	777	1,031	1,124	18
White	7,579	151	28	34	190	256	293	464	1,015	1,624	1,891	1,608	25
Male	3,871	90	20	18	142	195	185	273	613	897	902	529	7
Female	3,708	61	8	16	48	61	108	191	402	727	989	1,079	18
All other	691	45	6	15	27	52	47	64	102	129	122	81	1
Male	407	25	4	10	16	33	29	38	56	79	80	36	1
Female	284	20	2	5	11	19	18	26	46	50	42	45	-
Black	177	11	2	4	9	17	15	20	30	27	24	17	1
Male	96	5	2	2	7	9	7	12	14	14	16	7	1
Female	81	6	-	2	2	8	8	8	16	13	8	10	-
Santa Barbara-Santa Maria-Lompoc, Calif	2,612	46	8	8	34	75	99	104	301	493	777	656	11
Male	1,334	25	4	5	23	54	66	62	192	292	385	224	2
Female	1,278	21	4	3	11	21	33	42	109	201	392	432	9
White	2,533	43	7	8	33	70	92	98	292	470	761	646	11
Male	1,281	24	3	5	22	50	60	58	185	278	374	220	2
Female	1,252	19	4	3	11	20	32	40	107	192	387	428	9
All other	79	3	1	-	1	5	7	6	9	23	16	8	-
Male	53	1	1	-	1	4	6	4	7	14	11	4	-
Female	26	2	-	-	-	1	1	2	2	9	5	4	-
Black	42	2	1	-	-	5	6	5	7	8	5	3	-
Male	27	1	1	-	-	4	5	4	5	5	1	1	-
Female	15	1	-	-	-	1	1	1	2	3	4	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Cruz, Calif	1,785	33	6	6	39	48	55	64	158	333	551	486	6
Male	907	17	5	3	32	31	38	41	83	187	287	181	2
Female	878	16	1	3	7	17	17	23	75	146	264	305	4
White	1,724	28	4	6	39	46	51	62	156	324	532	471	5
Male	870	15	3	3	32	30	35	39	83	182	271	175	2
Female	854	13	1	3	7	16	16	23	73	142	261	296	3
All other	61	5	2	-	-	2	4	2	2	9	19	15	1
Male	37	2	2	-	-	1	3	2	-	5	16	6	-
Female	24	3	-	-	-	1	1	-	2	4	3	9	1
Black	8	2	-	-	-	-	2	-	1	-	1	2	-
Male	4	1	-	-	-	-	2	-	-	-	1	-	-
Female	4	1	-	-	-	-	-	-	1	-	-	2	-
Santa Rosa, Calif	3,026	38	9	14	62	64	99	145	331	671	852	733	8
Male	1,602	26	4	9	48	48	70	98	204	380	443	270	2
Female	1,424	12	5	5	14	16	29	47	127	291	409	463	6
White	2,958	32	9	19	57	64	91	141	324	654	838	727	8
Male	1,561	21	4	8	45	48	64	96	201	371	435	266	2
Female	1,397	11	5	5	12	16	27	45	123	283	403	461	6
All other	68	6	-	1	5	-	8	4	7	17	14	6	-
Male	41	5	-	1	3	-	6	2	3	9	8	4	-
Female	27	1	-	-	2	-	2	2	4	8	6	2	-
Black	21	1	-	1	2	-	2	2	4	6	1	2	-
Male	9	-	-	1	1	-	1	-	2	3	-	1	-
Female	12	1	-	-	1	-	1	2	2	3	1	1	-
Sarasota, Fla	3,697	28	7	2	25	45	58	94	327	923	1,272	916	-
Male	2,032	17	4	-	20	33	40	55	194	570	737	362	-
Female	1,665	11	3	2	5	12	18	39	133	353	535	554	-
White	3,581	20	4	2	22	37	52	82	311	899	1,245	907	-
Male	1,970	12	3	-	17	28	37	47	186	555	725	360	-
Female	1,611	8	1	2	5	9	15	35	125	344	520	547	-
All other	116	8	3	-	3	8	6	12	16	24	27	9	-
Male	62	5	1	-	3	5	3	8	8	15	12	2	-
Female	54	3	2	-	-	3	3	4	8	9	15	7	-
Black	114	8	3	-	3	8	6	12	16	23	27	8	-
Male	61	5	1	-	3	5	3	8	8	14	12	2	-
Female	53	3	2	-	-	3	3	4	8	9	15	6	-
Savannah, Ga	2,238	62	13	11	54	62	80	153	370	566	585	301	1
Male	1,171	35	8	7	35	46	49	90	231	334	287	68	1
Female	1,067	27	5	4	19	16	31	63	139	232	298	233	-
White	1,354	19	5	6	25	27	26	86	223	340	369	228	-
Male	703	13	3	4	15	21	16	55	148	205	172	51	-
Female	651	6	2	2	10	6	10	31	75	135	197	177	-
All other	884	43	8	5	29	35	54	67	147	226	196	73	1
Male	468	22	5	3	20	25	33	35	83	129	95	17	1
Female	416	21	3	2	9	10	21	32	64	97	101	56	-
Black	878	42	8	5	28	35	54	66	146	226	194	73	1
Male	464	21	5	3	19	25	33	35	83	129	93	17	1
Female	414	21	3	2	9	10	21	31	63	97	101	56	-
Seattle-Everett, Wash	12,966	270	41	67	240	365	469	682	1,656	2,921	3,385	2,869	1
Male	6,745	152	28	44	186	251	312	415	1,000	1,710	1,715	932	-
Female	6,221	118	13	23	54	114	157	267	656	1,211	1,670	1,937	1
White	12,026	235	36	59	210	306	408	595	1,496	2,720	3,204	2,756	1
Male	6,206	135	23	40	162	215	276	364	897	1,596	1,604	894	-
Female	5,820	100	13	19	48	91	132	231	599	1,124	1,600	1,862	1
All other	940	35	5	8	30	59	61	87	160	201	181	113	-
Male	539	17	5	4	24	36	36	51	103	114	111	38	-
Female	401	18	-	4	6	23	25	36	57	87	70	75	-
Black	477	19	1	4	14	39	36	43	88	108	82	43	-
Male	277	10	1	1	10	27	24	29	56	62	44	13	-
Female	200	9	-	3	4	12	12	14	32	46	38	30	-
Sharon, Pa	1,284	10	1	3	18	10	25	55	165	314	382	301	-
Male	664	6	1	2	11	7	18	32	94	194	182	117	-
Female	620	4	-	1	7	3	7	23	71	120	200	184	-
White	1,235	7	1	3	17	10	24	47	153	302	376	295	-
Male	642	4	1	2	10	7	17	29	89	189	178	116	-
Female	593	3	-	1	7	3	7	18	64	113	198	179	-
All other	49	3	-	-	1	-	1	8	12	12	6	6	-
Male	22	2	-	-	1	-	1	3	5	5	4	1	-
Female	27	1	-	-	-	-	-	5	7	7	2	5	-
Black	49	3	-	-	1	-	1	8	12	12	8	6	-
Male	22	2	-	-	1	-	1	3	5	5	4	1	-
Female	27	1	-	-	-	-	-	5	7	7	2	5	-
Sheboygan, Wis	983	14	3	5	15	9	12	39	96	204	328	258	-
Male	515	10	3	4	13	4	7	21	72	114	164	103	-
Female	468	4	-	1	2	5	5	18	24	90	164	155	-
White	979	14	3	5	15	9	11	38	95	204	327	258	-
Male	513	10	3	4	13	4	6	21	71	114	164	103	-
Female	466	4	-	1	2	5	5	17	24	90	163	155	-
All other	4	-	-	-	-	-	1	1	1	-	1	-	-
Male	2	-	-	-	-	-	1	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sherman-Denison, Tex	1,071	10	3	6	17	30	23	51	130	254	322	225	-
Male	555	4	1	3	13	22	17	33	85	139	166	72	-
Female	516	6	2	3	4	8	6	18	45	115	156	153	-
White	1,000	9	3	6	15	29	20	48	117	235	302	217	-
Male	520	3	1	3	11	21	14	30	79	132	159	67	-
Female	480	6	2	3	4	7	6	18	38	103	143	150	-
All other	71	1	-	-	2	2	3	3	13	19	20	8	-
Male	35	1	-	-	2	1	3	3	6	7	7	5	-
Female	36	-	-	-	-	1	-	-	7	12	13	3	-
Black	70	1	-	-	2	2	3	3	13	18	20	8	-
Male	34	1	-	-	2	1	3	3	6	6	7	5	-
Female	36	-	-	-	-	1	-	-	7	12	13	3	-
Shreveport, La	3,588	87	15	16	79	109	134	228	479	834	979	628	-
Male	1,863	43	9	9	59	68	96	134	303	471	450	221	-
Female	1,725	44	6	7	20	41	38	94	176	363	529	407	-
White	2,320	37	8	11	52	53	68	139	317	567	637	431	-
Male	1,193	20	5	5	37	34	50	83	202	327	292	138	-
Female	1,127	17	3	6	15	19	18	56	115	240	345	293	-
All other	1,268	50	7	5	27	56	66	89	162	267	342	197	-
Male	670	23	4	4	22	34	46	51	101	144	158	83	-
Female	598	27	3	1	5	22	20	38	61	123	184	114	-
Black	1,262	50	7	5	27	56	65	88	160	266	342	196	-
Male	666	23	4	4	22	34	46	51	99	143	158	82	-
Female	596	27	3	1	5	22	19	37	61	123	184	114	-
Sioux City, Iowa-Nebr	1,101	32	1	4	14	23	23	50	132	231	305	286	-
Male	569	19	-	3	9	16	12	28	91	134	157	100	-
Female	532	13	1	1	5	7	11	22	41	97	148	186	-
White	1,083	29	1	3	14	21	23	49	130	227	304	282	-
Male	558	17	-	2	9	14	12	28	91	130	156	99	-
Female	525	12	1	1	5	7	11	21	39	97	148	183	-
All other	18	3	-	1	-	2	-	1	2	4	1	4	-
Male	11	2	-	1	-	2	-	-	-	4	1	1	-
Female	7	1	-	-	-	-	-	1	2	-	-	3	-
Black	12	2	-	-	-	1	-	-	1	3	1	4	-
Male	8	2	-	-	-	1	-	-	-	3	1	1	-
Female	4	-	-	-	-	-	-	-	1	-	-	3	-
Sioux Falls, S. Dak	920	28	2	5	11	18	21	31	108	212	243	241	-
Male	497	18	1	3	10	15	13	17	79	130	127	84	-
Female	423	10	1	2	1	3	8	14	29	82	116	157	-
White	914	28	2	5	8	17	21	30	107	212	243	241	-
Male	493	18	1	3	8	14	13	16	79	130	127	84	-
Female	421	10	1	2	-	3	8	14	28	82	116	157	-
All other	6	-	-	-	3	1	-	1	1	-	-	-	-
Male	4	-	-	-	2	1	-	1	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
South Bend, Ind	2,591	41	3	13	42	45	65	94	299	607	810	571	1
Male	1,312	26	1	7	28	32	36	57	184	358	395	187	1
Female	1,279	15	2	6	14	13	29	37	115	249	415	384	-
White	2,416	30	3	12	37	40	55	78	274	557	779	550	1
Male	1,211	21	1	7	27	29	30	44	168	325	378	180	1
Female	1,205	9	2	5	10	11	25	34	106	232	401	370	-
All other	175	11	-	1	5	5	10	16	25	50	31	21	-
Male	101	5	-	-	1	3	6	13	16	33	17	7	-
Female	74	6	-	1	4	2	4	3	9	17	14	14	-
Black	172	10	-	1	5	5	10	15	25	50	30	21	-
Male	99	4	-	-	1	3	6	13	16	33	16	7	-
Female	73	6	-	1	4	2	4	2	9	17	14	14	-
Spokane, Wash	2,963	56	9	18	46	66	58	131	363	643	843	730	-
Male	1,507	32	5	10	36	56	34	76	228	370	406	254	-
Female	1,456	24	4	8	10	10	24	55	135	273	437	476	-
White	2,904	54	9	15	42	65	55	121	355	633	832	723	-
Male	1,473	31	5	9	33	56	32	68	222	364	400	253	-
Female	1,431	23	4	6	9	9	23	53	133	269	432	470	-
All other	59	2	-	3	4	1	3	10	8	10	11	7	-
Male	34	1	-	1	3	-	2	8	6	6	6	1	-
Female	25	1	-	2	1	1	1	2	2	4	5	6	-
Black	23	1	-	2	1	-	1	4	3	2	4	5	-
Male	15	-	-	1	1	-	1	3	2	2	4	1	-
Female	8	1	-	1	-	-	-	1	1	-	-	4	-
Springfield, Ill	1,794	32	4	5	29	28	42	66	235	439	553	361	-
Male	858	20	2	5	23	19	25	39	134	248	247	96	-
Female	936	12	2	-	6	9	17	27	101	191	306	265	-
White	1,690	22	3	4	24	25	37	62	220	417	526	350	-
Male	808	13	1	4	18	17	23	37	128	238	236	93	-
Female	882	9	2	-	6	8	14	25	92	179	290	257	-
All other	104	10	1	1	5	3	5	4	15	22	27	11	-
Male	50	7	1	1	5	2	2	2	6	10	11	3	-
Female	54	3	-	-	-	1	3	2	9	12	16	8	-
Black	102	10	1	-	5	2	5	4	15	22	27	11	-
Male	49	7	1	-	5	2	2	2	6	10	11	3	-
Female	53	3	-	-	-	-	3	2	9	12	16	8	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, Mo	1,899	30	1	5	28	28	47	94	242	419	532	472	1
Male	986	15	–	3	19	24	36	55	165	238	261	169	1
Female	913	15	1	2	9	4	11	39	77	181	271	303	–
White	1,865	28	1	5	28	26	45	93	233	410	528	467	1
Male	964	15	–	3	19	22	34	54	156	233	258	167	1
Female	901	13	1	2	9	4	11	39	75	177	270	300	–
All other	34	2	–	–	–	2	2	1	9	9	4	5	–
Male	22	–	–	–	–	2	2	1	7	5	3	2	–
Female	12	2	–	–	–	–	–	–	2	4	1	3	–
Black	31	2	–	–	–	2	1	1	8	8	4	5	–
Male	19	–	–	–	–	2	1	1	6	4	3	2	–
Female	12	2	–	–	–	–	–	–	2	4	1	3	–
Springfield, Ohio	1,862	25	2	2	28	32	38	77	264	467	536	391	–
Male	952	18	2	1	22	19	24	50	160	281	250	125	–
Female	910	7	–	1	6	13	14	27	104	186	286	266	–
White	1,675	20	1	2	27	30	32	65	235	421	483	359	–
Male	855	15	1	1	21	18	21	42	142	257	222	115	–
Female	820	5	–	1	6	12	11	23	93	164	261	244	–
All other	187	5	1	–	1	2	6	12	29	46	53	32	–
Male	97	3	1	–	1	1	3	8	18	24	28	10	–
Female	90	2	–	–	–	1	3	4	11	22	25	22	–
Black	187	5	1	–	1	2	6	12	29	46	53	32	–
Male	97	3	1	–	1	1	3	8	18	24	28	10	–
Female	90	2	–	–	–	1	3	4	11	22	25	22	–
Springfield-Chicopee-Holyoke, Mass	5,583	70	14	16	72	79	162	243	704	1,339	1,535	1,349	–
Male	2,786	37	4	4	56	57	116	152	436	788	755	381	–
Female	2,797	33	10	12	16	22	46	91	268	551	780	968	–
White	5,382	53	9	14	67	68	144	226	663	1,298	1,510	1,330	–
Male	2,681	27	3	3	52	48	103	140	416	770	743	376	–
Female	2,701	26	6	11	15	20	41	86	247	528	767	954	–
All other	201	17	5	2	5	11	18	17	41	41	25	19	–
Male	105	10	1	1	4	9	13	12	20	18	12	5	–
Female	96	7	4	1	1	2	5	5	21	23	13	14	–
Black	191	17	5	1	4	10	18	15	37	40	25	19	–
Male	100	10	1	1	3	8	13	11	19	17	12	5	–
Female	91	7	4	–	1	2	5	4	18	23	13	14	–
State College, Pa	688	10	2	3	12	16	15	39	85	168	180	158	–
Male	370	6	1	2	9	11	10	24	53	101	94	59	–
Female	318	4	1	1	3	5	5	15	32	67	86	99	–
White	685	10	1	3	11	16	15	39	85	168	180	157	–
Male	368	6	1	2	8	11	10	24	53	101	94	58	–
Female	317	4	–	1	3	5	5	15	32	67	86	99	–
All other	3	–	1	–	1	–	–	–	–	–	–	1	–
Male	2	–	–	–	1	–	–	–	–	–	–	1	–
Female	1	–	1	–	–	–	–	–	–	–	–	–	–
Black	2	–	1	–	–	–	–	–	–	–	–	1	–
Male	1	–	–	–	–	–	–	–	–	–	–	1	–
Female	1	–	1	–	–	–	–	–	–	–	–	–	–
Steubenville-Weirton, Ohio-W. Va	1,565	16	1	8	13	18	30	78	250	445	412	294	–
Male	817	7	–	3	9	9	23	48	159	238	194	127	–
Female	748	9	1	5	4	9	7	30	91	207	218	167	–
White	1,494	15	–	7	13	16	26	76	232	431	395	283	–
Male	779	6	–	3	9	8	19	46	150	231	185	122	–
Female	715	9	–	4	4	8	7	30	82	200	210	161	–
All other	71	1	1	1	–	2	4	2	18	14	17	11	–
Male	38	1	–	–	–	1	4	2	9	7	9	5	–
Female	33	–	1	1	–	1	–	–	9	7	8	6	–
Black	70	1	1	1	–	2	4	2	17	14	17	11	–
Male	38	1	–	–	–	1	4	2	9	7	9	5	–
Female	32	–	1	1	–	1	–	–	8	7	8	6	–
Stockton, Calif	3,562	76	18	19	82	110	117	183	488	833	924	706	6
Male	1,975	40	10	10	61	87	79	116	292	496	528	254	2
Female	1,587	36	8	9	21	23	38	67	196	337	396	452	4
White	3,084	49	12	15	65	92	92	157	428	715	808	646	5
Male	1,673	28	7	7	50	77	64	103	259	414	439	223	1
Female	1,411	20	5	8	15	15	28	54	169	301	369	423	4
All other	478	27	6	4	17	18	25	26	60	118	116	60	1
Male	302	11	3	3	11	10	15	13	33	82	89	31	1
Female	176	16	3	1	6	8	10	13	27	36	27	29	–
Black	234	16	2	–	11	7	13	16	36	63	45	24	1
Male	133	6	–	–	7	4	7	7	24	43	27	7	1
Female	101	10	2	–	4	3	6	9	12	20	18	17	–
Syracuse, N.Y	5,563	85	13	14	96	109	137	305	748	1,244	1,509	1,302	1
Male	2,794	50	6	6	74	77	82	173	445	724	735	421	1
Female	2,769	35	7	8	22	32	55	132	303	520	774	881	–
White	5,319	50	13	9	88	98	116	268	712	1,198	1,483	1,283	1
Male	2,657	27	6	4	69	71	68	155	422	695	725	414	1
Female	2,662	23	7	5	19	27	48	113	290	503	758	869	–
All other	244	35	–	5	8	11	21	37	36	46	26	19	–
Male	137	23	–	2	5	6	14	18	23	29	10	7	–
Female	107	12	–	3	3	5	7	19	13	17	16	12	–
Black	213	33	–	5	7	11	20	31	30	40	20	16	–
Male	120	22	–	2	4	6	13	14	19	27	6	7	–
Female	93	11	–	3	3	5	7	17	11	13	14	9	–

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, Wash	3,953	124	21	22	80	96	112	198	580	906	1,007	807	-
Male	2,119	74	10	11	66	69	75	111	343	532	536	292	-
Female	1,834	50	11	11	14	27	37	87	237	374	471	515	-
White	3,748	105	18	20	67	75	100	175	544	872	981	793	-
Male	1,997	63	7	9	55	57	67	98	322	512	518	289	-
Female	1,751	42	9	11	12	18	33	77	222	360	463	504	-
All other	205	19	5	2	13	21	12	23	36	34	26	14	-
Male	122	11	3	2	11	12	8	13	21	20	18	3	-
Female	83	8	2	-	2	9	4	10	15	14	8	11	-
Black	127	17	3	1	7	10	8	16	21	21	16	7	-
Male	75	9	1	1	6	6	6	11	11	13	11	-	-
Female	52	8	2	-	1	4	2	5	10	8	5	7	-
Tallahassee, Fla	1,032	28	4	6	27	30	38	60	169	255	242	173	-
Male	530	17	4	2	19	17	22	39	92	148	120	50	-
Female	502	11	-	4	8	13	16	21	77	107	122	123	-
White	762	15	2	4	20	17	28	45	125	188	178	140	-
Male	404	10	2	1	14	12	16	30	70	113	94	42	-
Female	358	5	-	3	6	5	12	15	55	75	84	98	-
All other	270	13	2	2	7	13	10	15	44	67	64	33	-
Male	126	7	2	1	5	5	6	9	22	35	26	8	-
Female	144	6	-	1	2	8	4	6	22	32	38	25	-
Black	269	13	2	2	7	13	10	15	44	66	64	33	-
Male	125	7	2	1	5	5	6	9	22	34	26	8	-
Female	144	6	-	1	2	8	4	6	22	32	38	25	-
Tampa-St. Petersburg, Fla	22,704	284	51	65	282	387	499	909	2,582	5,510	7,184	4,949	2
Male	12,457	174	36	42	194	277	324	587	1,622	3,362	3,848	1,990	1
Female	10,247	110	15	23	88	110	175	322	960	2,148	3,336	2,959	1
White	21,255	205	39	51	238	310	407	758	2,332	5,175	6,879	4,860	1
Male	11,654	126	27	31	169	229	273	496	1,467	3,177	3,701	1,957	1
Female	9,601	79	12	20	69	81	134	262	865	1,998	3,178	2,903	-
All other	1,449	79	12	14	44	77	92	151	250	335	305	89	1
Male	803	48	9	11	25	48	51	91	155	185	147	33	-
Female	646	31	3	3	19	29	41	60	95	150	158	56	1
Black	1,422	79	12	12	42	75	87	144	249	332	301	88	1
Male	789	48	9	9	23	47	51	87	154	184	144	33	-
Female	633	31	3	3	19	28	36	57	95	148	157	55	1
Terre Haute, Ind	1,943	22	3	3	23	33	30	66	262	480	583	428	-
Male	1,006	15	3	2	17	23	22	34	175	282	286	147	-
Female	937	7	-	1	6	10	8	32	87	198	307	281	-
White	1,895	21	3	3	23	31	28	64	256	467	581	418	-
Male	977	14	3	2	17	21	22	33	169	274	280	142	-
Female	918	7	-	1	6	10	6	31	87	193	301	276	-
All other	48	1	-	-	-	2	2	2	6	13	12	10	-
Male	29	1	-	-	-	2	-	1	6	8	6	5	-
Female	19	-	-	-	-	-	2	1	-	5	6	5	-
Black	45	-	-	-	-	2	1	2	6	12	12	10	-
Male	28	-	-	-	-	2	-	1	6	8	6	5	-
Female	17	-	-	-	-	-	1	1	-	4	6	5	-
Texarkana, Tex.-Texarkana, Ark	1,326	18	4	7	22	26	42	63	188	323	394	239	-
Male	722	12	3	4	15	18	28	41	116	188	212	85	-
Female	604	6	1	3	7	8	14	22	72	135	182	154	-
White	1,042	11	3	3	16	16	30	37	148	260	317	201	-
Male	579	9	2	2	11	12	22	28	99	157	170	67	-
Female	463	2	1	1	5	4	8	9	49	103	147	134	-
All other	284	7	1	4	6	10	12	26	40	63	77	38	-
Male	143	3	1	2	4	6	6	13	17	31	42	18	-
Female	141	4	-	2	2	4	6	13	23	32	35	20	-
Black	283	7	1	4	6	10	11	26	40	63	77	38	-
Male	143	3	1	2	4	6	6	13	17	31	42	18	-
Female	140	4	-	2	2	4	5	13	23	32	35	20	-
Toledo, Ohio-Mich	7,132	120	24	34	118	117	193	372	1,049	1,887	1,985	1,452	1
Male	3,661	69	18	16	88	78	121	226	637	974	953	481	-
Female	3,471	51	6	18	30	39	72	146	412	713	1,012	971	1
White	6,577	94	24	31	106	99	170	318	946	1,559	1,851	1,379	-
Male	3,361	55	18	15	78	70	104	192	569	906	894	460	-
Female	3,216	39	6	16	28	29	66	126	377	653	957	919	-
All other	555	26	-	3	12	18	23	54	103	128	114	73	1
Male	300	14	-	1	10	8	17	34	68	68	59	21	-
Female	255	12	-	2	2	10	6	20	35	60	55	52	1
Black	546	24	-	3	12	18	23	54	103	126	112	70	1
Male	295	12	-	1	10	8	17	34	68	66	58	21	-
Female	251	12	-	2	2	10	6	20	35	60	54	49	1
Topeka, Kans	1,741	38	14	9	29	28	44	78	218	337	479	467	-
Male	859	20	9	4	17	19	24	48	143	200	234	141	-
Female	882	18	5	5	12	9	20	30	75	137	245	326	-
White	1,626	31	12	7	28	22	40	68	204	310	457	447	-
Male	801	16	8	3	17	15	21	43	135	183	224	136	-
Female	825	15	4	4	11	7	19	25	69	127	233	311	-
All other	115	7	2	2	1	6	4	10	14	27	22	20	-
Male	58	4	1	1	-	4	3	5	8	17	10	5	-
Female	57	3	1	1	1	2	1	5	6	10	12	15	-
Black	104	7	2	2	-	6	3	9	10	24	22	19	-
Male	54	4	1	1	-	4	2	5	7	15	10	5	-
Female	50	3	1	1	-	2	1	4	3	9	12	14	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, N.J	2,996	50	7	10	35	60	87	158	498	756	751	584	-
Male	1,569	31	5	8	23	43	58	110	304	437	363	187	-
Female	1,427	19	2	2	12	17	29	48	194	319	388	397	-
White	2,463	19	4	6	26	33	47	103	379	644	667	535	-
Male	1,266	14	3	4	19	26	30	75	227	372	325	171	-
Female	1,197	5	1	2	7	7	17	28	152	272	342	364	-
All other	533	31	3	4	9	27	40	55	119	112	84	49	-
Male	303	17	2	4	4	17	28	35	77	65	38	16	-
Female	230	14	1	-	5	10	12	20	42	47	46	33	-
Black	524	31	3	4	9	26	40	54	115	110	84	48	-
Male	298	17	2	4	4	16	28	34	75	64	38	16	-
Female	226	14	1	-	5	10	12	20	40	46	46	32	-
Tucson, Ariz	4,870	94	20	21	99	158	114	265	662	1,161	1,390	882	4
Male	2,660	58	16	13	67	118	74	166	393	698	725	331	1
Female	2,210	36	4	8	32	40	40	99	269	463	665	551	3
White	4,591	79	13	17	80	141	99	230	628	1,111	1,346	843	4
Male	2,492	50	11	12	52	105	63	145	368	670	700	315	1
Female	2,099	29	2	5	28	36	36	85	260	441	646	528	3
All other	279	15	7	4	19	17	15	35	34	50	44	39	-
Male	168	8	5	1	15	13	11	21	25	28	25	16	-
Female	111	7	2	3	4	4	4	14	9	22	19	23	-
Black	128	7	2	3	3	6	6	12	15	24	27	23	-
Male	84	5	2	1	2	6	3	9	14	16	15	11	-
Female	44	2	-	2	1	-	3	3	1	8	12	12	-
Tulsa, Okla	5,936	112	35	36	117	160	182	352	795	1,310	1,641	1,195	1
Male	3,070	73	16	24	94	101	114	205	506	761	782	393	1
Female	2,866	39	19	12	23	59	68	147	289	549	859	802	-
White	5,334	85	29	31	98	137	143	295	706	1,204	1,504	1,102	-
Male	2,762	56	13	22	79	84	87	176	460	710	712	363	-
Female	2,572	29	16	9	19	53	56	119	246	494	792	739	-
All other	602	27	6	5	19	23	39	57	89	106	137	93	1
Male	308	17	3	2	15	17	27	29	46	51	70	30	1
Female	294	10	3	3	4	6	12	28	43	55	67	63	-
Black	450	22	5	4	14	20	28	41	64	75	100	76	1
Male	229	14	2	2	11	15	19	18	29	37	55	26	1
Female	221	8	3	2	3	5	9	23	35	38	45	50	-
Tuscaloosa, Ala	1,074	19	4	3	21	23	29	81	154	263	292	184	1
Male	562	11	3	-	15	11	18	51	90	155	145	62	1
Female	512	8	1	3	6	12	11	30	64	108	147	122	-
White	740	9	1	2	18	11	19	55	109	182	198	136	-
Male	382	3	1	-	14	5	13	35	62	111	99	39	-
Female	358	6	-	2	4	6	6	20	47	71	99	97	-
All other	334	10	3	1	3	12	10	26	45	81	94	48	1
Male	180	8	2	-	1	6	5	16	28	44	46	23	1
Female	154	2	1	1	2	6	5	10	17	37	48	25	-
Black	334	10	3	1	3	12	10	26	45	81	94	48	1
Male	180	8	2	-	1	6	5	16	28	44	46	23	1
Female	154	2	1	1	2	6	5	10	17	37	48	25	-
Tyler, Tex	1,319	23	5	8	38	37	40	66	185	294	391	232	-
Male	725	11	3	5	23	23	29	34	121	189	197	90	-
Female	594	12	2	3	15	14	11	32	64	105	194	142	-
White	1,048	14	2	5	29	28	28	45	157	293	309	198	-
Male	563	7	1	4	17	19	20	24	101	150	154	66	-
Female	485	7	1	1	12	9	8	21	56	83	155	132	-
All other	271	9	3	3	9	9	12	21	28	61	82	34	-
Male	162	4	2	1	6	4	9	10	20	39	43	24	-
Female	109	5	1	2	3	5	3	11	8	22	39	10	-
Black	271	9	3	3	9	9	12	21	28	61	82	34	-
Male	162	4	2	1	6	4	9	10	20	39	43	24	-
Female	109	5	1	2	3	5	3	11	8	22	39	10	-
Utica-Rome, N.Y	3,325	36	6	16	45	48	76	132	420	818	924	804	-
Male	1,688	20	2	11	33	37	51	75	254	484	434	287	-
Female	1,637	16	4	5	12	11	25	57	166	334	490	517	-
White	3,261	33	4	13	45	44	69	126	407	805	914	801	-
Male	1,651	18	1	10	33	35	47	72	247	475	427	286	-
Female	1,610	15	3	3	12	9	22	54	160	330	487	515	-
All other	64	3	2	3	-	4	7	6	13	13	10	3	-
Male	37	2	1	1	-	2	4	3	7	9	7	1	-
Female	27	1	1	2	-	2	3	3	6	4	3	2	-
Black	57	3	2	3	-	4	6	5	13	10	9	2	-
Male	34	2	1	1	-	2	4	3	7	7	6	1	-
Female	23	1	1	2	-	2	2	2	6	3	3	1	-
Vallejo-Fairfield-Napa, Calif	2,755	60	12	16	54	77	98	173	361	652	737	512	3
Male	1,489	27	5	12	35	60	60	107	228	391	381	182	1
Female	1,266	33	7	4	19	17	38	66	133	261	356	330	2
White	2,487	52	9	13	42	67	74	148	309	591	692	488	2
Male	1,348	23	3	9	30	53	48	94	199	359	358	172	-
Female	1,139	29	6	4	12	14	26	54	110	232	334	316	2
All other	268	8	3	3	12	10	24	25	52	61	45	24	1
Male	141	4	2	3	5	7	12	13	29	32	23	10	1
Female	127	4	1	-	7	3	12	12	23	29	22	14	-
Black	192	8	3	2	6	8	15	19	43	45	27	15	1
Male	98	4	2	2	2	6	11	9	24	21	11	5	1
Female	94	4	1	-	4	2	4	10	19	24	16	10	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Victoria, Tex	572	12	3	5	12	23	16	42	74	117	158	110	-
Male	303	6	3	4	8	16	12	31	48	75	79	21	-
Female	269	6	-	1	4	7	4	11	26	42	79	89	-
White	510	12	3	4	12	21	14	38	65	99	144	98	-
Male	265	6	3	3	8	16	10	28	43	62	69	17	-
Female	245	6	-	1	4	5	4	10	22	37	75	81	-
All other	62	-	-	1	-	2	2	4	9	18	14	12	-
Male	38	-	-	1	-	-	2	3	5	13	10	4	-
Female	24	-	-	-	-	2	-	1	4	5	4	8	-
Black	62	-	-	1	-	2	2	4	9	18	14	12	-
Male	38	-	-	1	-	-	2	3	5	13	10	4	-
Female	24	-	-	-	-	2	-	1	4	5	4	8	-
Vineland-Millville-Bridgeton, N.J	1,385	21	9	6	27	28	34	82	226	328	362	261	1
Male	727	8	6	4	15	19	24	50	151	199	163	88	-
Female	658	13	3	2	12	9	10	32	75	129	199	173	1
White	1,197	10	6	4	20	22	27	62	196	272	327	250	1
Male	633	4	4	3	11	15	21	40	132	169	150	84	-
Female	564	6	2	1	9	7	6	22	64	103	177	166	1
All other	188	11	3	2	7	6	7	20	30	56	35	11	-
Male	94	4	2	1	4	4	3	10	19	30	13	4	-
Female	94	7	1	1	3	2	4	10	11	26	22	7	-
Black	177	11	3	2	7	6	7	20	28	53	29	11	-
Male	88	4	2	1	4	4	3	10	17	28	11	4	-
Female	89	7	1	1	3	2	4	10	11	25	18	7	-
Visalia-Tulare-Porterville, Calif	2,127	53	17	11	88	63	84	99	249	450	580	426	7
Male	1,147	30	11	8	59	46	51	61	150	255	315	159	2
Female	980	23	6	3	29	17	33	38	99	195	265	267	5
White	2,050	46	17	11	81	61	82	97	236	434	559	419	7
Male	1,098	27	11	8	53	45	49	60	142	243	302	156	2
Female	952	19	6	3	28	16	33	37	94	191	257	263	5
All other	77	7	-	-	7	2	2	2	13	16	21	7	-
Male	49	3	-	-	6	1	2	1	8	12	13	3	-
Female	28	4	-	-	1	1	-	1	5	4	8	4	-
Black	25	1	-	-	-	2	1	-	4	5	10	2	-
Male	16	1	-	-	-	1	1	-	2	4	6	1	-
Female	9	-	-	-	-	1	-	-	2	1	4	1	-
Waco, Tex	1,757	22	7	5	27	37	49	84	256	406	509	355	-
Male	916	12	5	2	22	27	38	49	164	243	241	113	-
Female	841	10	2	3	5	10	11	35	92	163	268	242	-
White	1,465	11	6	3	19	29	34	63	210	330	448	312	-
Male	760	7	4	1	15	19	26	40	139	195	214	100	-
Female	705	4	2	2	4	10	8	23	71	135	234	212	-
All other	292	11	1	2	8	8	15	21	46	76	61	43	-
Male	156	5	1	1	7	8	12	9	25	48	27	13	-
Female	136	6	-	1	1	-	3	12	21	28	34	30	-
Black	292	11	1	2	8	8	15	21	46	76	61	43	-
Male	156	5	1	1	7	8	12	9	25	48	27	13	-
Female	136	6	-	1	1	-	3	12	21	28	34	30	-
Washington, D.C.-Md.-Va	21,733	656	85	72	435	775	1,077	1,731	3,537	4,851	4,671	3,623	20
Male	11,189	375	44	45	321	546	712	1,094	2,130	2,682	2,194	1,035	11
Female	10,544	281	41	27	114	229	365	637	1,407	2,169	2,677	2,588	9
White	14,126	275	38	40	250	330	489	927	2,141	3,180	3,562	2,888	6
Male	6,910	164	19	25	183	229	317	555	1,311	1,752	1,560	791	4
Female	7,216	111	19	15	67	101	172	372	830	1,428	2,002	2,097	2
All other	7,607	381	47	32	185	445	588	804	1,396	1,671	1,309	735	14
Male	4,279	211	25	20	138	317	395	539	819	930	634	244	7
Female	3,328	170	22	12	47	128	193	265	577	741	675	491	7
Black	7,323	366	44	29	168	431	566	769	1,351	1,604	1,272	709	14
Male	4,108	203	23	18	126	311	381	521	795	889	609	225	7
Female	3,215	163	21	11	42	120	185	248	556	715	663	484	7
Waterloo-Cedar Falls, Iowa	1,083	9	2	7	15	16	24	57	139	259	291	264	-
Male	543	5	1	7	12	8	13	31	84	146	148	88	-
Female	540	4	1	-	3	8	11	26	55	113	143	176	-
White	1,021	9	2	6	14	16	22	51	120	244	283	254	-
Male	511	5	1	6	11	8	12	27	73	140	144	84	-
Female	510	4	1	-	3	8	10	24	47	104	139	170	-
All other	62	-	-	1	1	-	2	6	19	15	8	10	-
Male	32	-	-	1	1	-	1	4	11	6	4	4	-
Female	30	-	-	-	-	-	1	2	8	9	4	6	-
Black	58	-	-	1	1	-	2	6	16	14	8	10	-
Male	29	-	-	1	1	-	1	4	8	5	4	4	-
Female	29	-	-	-	-	-	1	2	7	9	4	6	-
Wausau, Wis	828	14	2	2	14	15	27	36	92	185	234	207	-
Male	443	11	-	1	12	12	20	21	58	113	108	87	-
Female	385	3	2	1	2	3	7	15	34	72	126	120	-
White	821	13	2	2	14	14	27	33	92	183	234	207	-
Male	440	11	-	1	12	11	20	19	58	113	108	87	-
Female	381	2	2	1	2	3	7	14	34	70	126	120	-
All other	7	1	-	-	-	1	-	3	-	2	-	-	-
Male	3	-	-	-	-	1	-	2	-	-	-	-	-
Female	4	1	-	-	-	-	-	1	-	2	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
West Palm Beach-Boca Raton, Fla	8,858	102	19	25	111	185	210	327	937	2,262	2,917	1,761	2
Male	4,890	55	11	11	76	133	135	201	555	1,316	1,656	739	2
Female	3,968	47	8	14	35	52	75	126	382	946	1,261	1,022	-
White	8,086	53	10	15	85	126	145	252	796	2,114	2,769	1,719	2
Male	4,448	25	6	7	56	92	91	154	469	1,240	1,580	726	2
Female	3,638	28	4	8	29	34	54	98	327	874	1,189	993	-
All other	772	49	9	10	26	59	65	75	141	148	148	42	-
Male	442	30	5	4	20	41	44	47	86	76	76	13	-
Female	330	19	4	6	6	18	21	28	55	72	72	29	-
Black	768	49	9	10	26	57	65	75	141	147	147	42	-
Male	439	30	5	4	20	39	44	47	86	75	76	13	-
Female	329	19	4	6	6	18	21	28	55	72	71	29	-
Wheeling, W. Va.-Ohio	2,107	24	1	6	22	26	29	95	275	583	616	430	-
Male	1,052	15	1	3	19	21	20	61	163	333	284	132	-
Female	1,055	9	-	3	3	5	9	34	112	250	332	298	-
White	2,074	24	-	5	22	25	28	91	271	580	606	422	-
Male	1,037	15	-	2	19	20	20	59	161	332	279	130	-
Female	1,037	9	-	3	3	5	8	32	110	248	327	292	-
All other	33	-	1	1	-	1	1	4	4	3	10	8	-
Male	15	-	1	1	-	1	-	2	2	1	5	2	-
Female	18	-	-	-	-	-	1	2	2	2	5	6	-
Black	31	-	1	1	-	1	1	2	4	3	10	8	-
Male	14	-	1	1	-	1	-	1	2	1	5	2	-
Female	17	-	-	-	-	-	1	1	2	2	5	6	-
Wichita, Kans	3,374	65	12	22	68	100	87	200	485	754	885	696	-
Male	1,731	33	7	14	51	70	53	138	280	433	421	231	-
Female	1,643	32	5	8	17	30	34	62	205	321	464	465	-
White	3,119	49	10	18	54	86	81	174	444	706	837	660	-
Male	1,594	27	5	12	41	60	50	119	257	403	399	221	-
Female	1,525	22	5	6	13	26	31	55	187	303	438	439	-
All other	255	16	2	4	14	14	6	26	41	48	48	36	-
Male	137	6	2	2	10	10	3	19	23	30	22	10	-
Female	118	10	-	2	4	4	3	7	18	18	26	26	-
Black	237	15	2	4	11	14	6	24	38	44	44	35	-
Male	123	5	2	2	7	10	3	18	20	28	19	9	-
Female	114	10	-	2	4	4	3	6	18	16	25	26	-
Wichita Falls, Tex	1,237	21	5	4	25	34	43	70	146	274	361	254	-
Male	649	10	4	3	19	27	26	41	94	165	173	87	-
Female	588	11	1	1	6	7	17	29	52	109	188	167	-
White	1,129	16	4	3	24	25	41	58	131	241	342	244	-
Male	599	8	3	2	19	21	25	37	87	149	162	86	-
Female	530	8	1	1	5	4	16	21	44	92	180	158	-
All other	108	5	1	1	1	9	2	12	15	33	19	10	-
Male	50	2	1	1	-	6	1	4	7	16	11	1	-
Female	58	3	-	-	1	3	1	8	8	17	8	9	-
Black	107	5	1	1	1	9	2	11	15	33	19	10	-
Male	50	2	1	1	-	6	1	4	7	16	11	1	-
Female	57	3	-	-	1	3	1	7	8	17	8	9	-
Williamsport, Pa	1,146	12	2	6	15	12	20	49	137	279	340	274	-
Male	569	8	1	4	7	10	16	32	76	162	152	101	-
Female	577	4	1	2	8	2	4	17	61	117	188	173	-
White	1,131	11	2	6	15	11	20	46	133	277	336	274	-
Male	562	8	1	4	7	10	16	29	74	161	151	101	-
Female	569	3	1	2	8	1	4	17	59	116	185	173	-
All other	15	1	-	-	-	1	-	3	4	2	4	-	-
Male	7	-	-	-	-	-	-	3	2	1	1	-	-
Female	8	1	-	-	-	1	-	-	2	1	3	-	-
Black	15	1	-	-	-	1	-	3	4	2	4	-	-
Male	7	-	-	-	-	-	-	3	2	1	1	-	-
Female	8	1	-	-	-	1	-	-	2	1	3	-	-
Wilmington, Del.-N.J.-Md	4,474	124	20	15	72	102	123	288	687	1,042	1,182	858	1
Male	2,292	69	8	8	54	75	82	156	415	610	568	246	1
Female	2,182	55	12	7	18	27	41	112	272	432	594	612	-
White	3,795	77	10	10	62	81	94	194	561	885	1,031	769	1
Male	1,915	44	4	8	48	58	62	115	336	521	499	221	1
Female	1,880	33	6	4	14	23	32	79	225	364	532	568	-
All other	679	47	10	5	10	21	29	74	126	157	131	69	-
Male	377	25	4	2	6	17	20	41	79	89	69	25	-
Female	302	22	6	3	4	4	9	33	47	68	62	44	-
Black	667	47	10	5	10	21	28	73	123	159	190	67	-
Male	370	25	4	2	6	17	19	40	78	86	69	24	-
Female	297	22	6	3	4	4	9	33	45	67	61	43	-
Wilmington, N.C	1,362	16	2	9	24	31	49	85	243	351	331	221	-
Male	701	12	2	2	16	26	28	47	146	204	151	67	-
Female	661	4	-	7	8	5	21	38	97	147	180	154	-
White	1,033	11	2	5	18	24	31	63	176	261	256	186	-
Male	544	8	2	1	13	19	20	36	111	161	116	57	-
Female	489	3	-	4	5	5	11	27	65	100	140	129	-
All other	329	5	-	4	6	7	18	22	67	90	75	35	-
Male	157	4	-	1	3	7	8	11	35	43	35	10	-
Female	172	1	-	3	3	-	10	11	32	47	40	25	-
Black	329	5	-	4	6	7	18	22	67	90	75	35	-
Male	157	4	-	1	3	7	8	11	35	43	35	10	-
Female	172	1	-	3	3	-	10	11	32	47	40	25	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Worcester-Fitchburg-Leominster, Mass	6,275	60	12	12	91	105	154	255	758	1,472	1,753	1,584	1
Male	3,088	48	5	6	71	82	106	158	477	800	864	471	-
Female	3,187	32	7	6	20	23	48	97	279	672	889	1,113	1
White	6,226	77	12	12	90	99	153	251	748	1,463	1,742	1,578	1
Male	3,063	45	5	6	70	77	106	155	473	795	861	470	-
Female	3,163	32	7	6	20	22	47	96	275	668	881	1,108	1
All other	49	3	-	-	1	6	1	4	8	9	11	6	-
Male	25	3	-	-	1	5	-	3	4	5	3	1	-
Female	24	-	-	-	-	1	1	1	4	4	8	5	-
Black	43	3	-	-	-	5	1	4	6	8	10	6	-
Male	21	3	-	-	-	4	-	3	4	4	2	1	-
Female	22	-	-	-	-	1	1	1	2	4	8	5	-
Yakima, Wash	1,612	34	8	7	35	43	41	62	196	378	454	354	-
Male	850	18	6	3	23	31	29	33	116	230	237	124	-
Female	762	16	2	4	12	12	12	29	80	148	217	230	-
White	1,515	31	7	6	30	35	32	48	183	362	436	343	-
Male	797	18	5	2	19	26	22	27	110	222	227	119	-
Female	718	13	2	4	11	9	10	21	73	140	211	224	-
All other	97	3	1	1	5	8	9	14	13	16	15	11	-
Male	53	-	1	1	4	5	7	6	6	8	10	5	-
Female	44	3	-	-	1	3	2	8	7	8	8	6	-
Black	24	-	-	-	-	-	4	3	2	7	5	3	-
Male	14	-	-	-	-	-	3	2	1	5	2	1	-
Female	10	-	-	-	-	-	1	1	1	2	3	2	-
York, Pa	3,490	48	5	14	45	73	84	156	472	816	1,030	747	-
Male	1,834	19	3	7	32	48	57	111	289	482	514	272	-
Female	1,656	29	2	7	13	25	27	45	183	334	516	475	-
White	3,398	43	5	13	43	68	79	143	452	796	1,014	742	-
Male	1,786	17	3	7	30	47	54	102	277	468	509	272	-
Female	1,612	26	2	6	13	21	25	41	175	328	505	470	-
All other	92	5	-	1	2	5	5	13	20	20	16	5	-
Male	48	2	-	-	2	1	3	9	12	14	5	-	-
Female	44	3	-	1	-	4	2	4	8	6	11	5	-
Black	89	5	-	-	2	5	5	12	20	20	16	4	-
Male	48	2	-	-	2	1	3	9	12	14	5	-	-
Female	41	3	-	-	-	4	2	3	8	6	11	4	-
Youngstown-Warren, Ohio	5,203	78	20	22	79	67	135	262	786	1,348	1,390	998	-
Male	2,718	49	12	15	56	60	86	148	495	798	657	341	-
Female	2,485	27	8	7	23	27	49	114	291	549	733	657	-
White	4,682	51	14	19	74	67	120	222	689	1,227	1,265	934	-
Male	2,433	33	8	12	52	46	73	128	433	735	591	322	-
Female	2,249	18	6	7	22	21	47	94	256	492	674	612	-
All other	521	25	6	3	5	20	15	40	97	121	125	64	-
Male	285	16	4	3	4	14	13	20	62	64	66	19	-
Female	236	9	2	-	1	6	2	20	35	57	59	45	-
Black	519	25	6	3	5	20	15	40	97	121	125	62	-
Male	285	16	4	3	4	14	13	20	62	64	66	19	-
Female	234	9	2	-	1	6	2	20	35	57	59	43	-
Yuba City, Calif	956	21	6	2	25	33	40	43	130	241	260	154	1
Male	534	12	4	2	19	24	26	25	79	149	136	57	1
Female	422	9	2	-	6	9	14	18	51	92	124	97	-
White	897	20	6	2	24	29	38	40	121	224	249	143	1
Male	495	11	4	2	18	21	25	23	74	139	129	48	1
Female	402	9	2	-	6	8	13	17	47	85	120	95	-
All other	59	1	-	-	1	4	2	3	9	17	11	11	-
Male	39	1	-	-	1	3	1	2	5	10	7	9	-
Female	20	-	-	-	-	1	1	1	4	7	4	2	-
Black	20	-	-	-	-	1	-	1	5	6	5	2	-
Male	11	-	-	-	-	1	-	-	3	4	2	1	-
Female	9	-	-	-	-	-	-	1	2	2	3	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,086,440	40,030	2,837	1,941	1,389	1,172	47,369	4,168	4,765	15,068	22,867	24,729	27,123	30,439
Male	1,097,758	22,958	1,584	1,109	829	719	27,199	2,430	3,055	10,831	17,331	18,213	19,141	20,561
Female	988,682	17,072	1,253	832	560	453	20,170	1,738	1,710	4,237	5,536	6,516	7,982	9,878
White	1,819,054	27,864	2,009	1,439	1,006	897	33,215	3,088	3,724	12,304	18,086	18,751	19,712	22,699
Male	950,455	16,218	1,126	845	585	555	19,329	1,815	2,400	8,807	13,775	14,005	14,097	15,429
Female	868,599	11,646	883	594	421	342	13,886	1,273	1,324	3,497	4,311	4,746	5,615	7,270
All other	267,386	12,166	828	502	383	275	14,154	1,080	1,041	2,764	4,781	5,978	7,411	7,740
Male	147,303	6,740	458	264	244	164	7,870	615	655	2,024	3,556	4,208	5,044	5,132
Female	120,083	5,426	370	238	139	111	6,284	465	386	740	1,225	1,770	2,367	2,608
Black	244,207	11,063	716	426	329	233	12,767	921	908	2,345	4,158	5,982	6,762	7,050
Male	133,610	6,127	396	220	206	139	7,088	520	579	1,734	3,072	3,781	4,634	4,720
Female	110,597	4,936	320	206	123	94	5,679	401	327	611	1,086	1,601	2,128	2,330
Shigellosis and amebiasis (004,006)	27	1	-	1	3	1	6	1	1	-	-	-	2	-
Male	16	1	-	1	1	1	4	1	-	-	-	-	2	-
Female	11	-	-	-	2	-	2	-	1	-	-	-	-	-
White	20	-	-	-	3	1	4	1	1	-	-	-	-	-
Male	10	-	-	-	1	1	2	1	-	-	-	-	-	-
Female	10	-	-	-	2	-	2	-	1	-	-	-	-	-
All other	7	1	-	1	-	-	2	-	-	-	-	-	2	-
Male	6	1	-	1	-	-	2	-	-	-	-	-	2	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	1	-	1	-	-	2	-	-	-	-	-	2	-
Male	6	1	-	1	-	-	2	-	-	-	-	-	2	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	301	98	8	5	3	-	114	2	1	-	2	4	7	8
Male	146	55	3	3	2	-	63	-	1	-	1	4	7	8
Female	155	43	5	2	1	-	51	2	-	-	1	-	-	-
White	231	51	6	5	1	-	63	2	1	-	1	2	6	7
Male	107	31	2	3	-	-	36	-	1	-	-	2	6	7
Female	124	20	4	2	1	-	27	2	-	-	1	-	-	-
All other	70	47	2	-	2	-	51	-	-	-	1	2	1	1
Male	39	24	1	-	2	-	27	-	-	-	1	2	1	1
Female	31	23	1	-	-	-	24	-	-	-	-	-	-	-
Black	65	44	2	-	2	-	48	-	-	-	1	2	-	1
Male	36	23	1	-	2	-	26	-	-	-	1	2	-	1
Female	29	21	1	-	-	-	22	-	-	-	-	-	-	-
Tuberculosis (010-018)	1,752	4	2	1	-	-	7	-	2	8	17	29	53	64
Male	1,135	4	1	-	-	-	5	-	-	2	9	18	39	47
Female	617	-	1	1	-	-	2	-	2	6	8	11	14	17
White	1,101	1	1	-	-	-	2	-	1	4	8	9	17	17
Male	703	1	-	-	-	-	1	-	-	1	3	8	16	12
Female	398	-	1	-	-	-	1	-	1	3	5	1	1	5
All other	651	3	1	1	-	-	5	-	1	4	9	20	36	47
Male	432	3	1	-	-	-	4	-	-	1	6	10	23	35
Female	219	-	-	1	-	-	1	-	1	3	3	10	13	12
Black	579	2	1	1	-	-	4	-	1	3	7	19	34	44
Male	393	2	1	-	-	-	3	-	-	1	5	10	23	32
Female	186	-	-	1	-	-	1	-	1	2	2	9	11	12
Tuberculosis of respiratory system (010-012)	1,368	2	-	-	-	-	2	-	-	4	6	12	40	50
Male	923	2	-	-	-	-	2	-	-	1	3	8	31	39
Female	445	-	-	-	-	-	-	-	-	3	3	4	9	11
White	882	-	-	-	-	-	-	-	-	2	2	3	16	12
Male	585	-	-	-	-	-	-	-	-	-	1	3	15	10
Female	297	-	-	-	-	-	-	-	-	2	1	-	1	2
All other	486	2	-	-	-	-	2	-	-	2	4	9	24	38
Male	338	2	-	-	-	-	2	-	-	1	2	5	16	29
Female	148	-	-	-	-	-	-	-	-	1	2	4	8	9
Black	432	1	-	-	-	-	1	-	-	1	4	8	23	35
Male	306	1	-	-	-	-	1	-	-	1	2	5	16	26
Female	126	-	-	-	-	-	-	-	-	-	2	3	7	9
Other tuberculosis (013-018)	384	2	2	1	-	-	5	-	2	4	11	17	13	14
Male	212	2	1	-	-	-	3	-	-	1	6	10	8	8
Female	172	-	1	1	-	-	2	-	2	3	5	7	5	6
White	219	1	1	-	-	-	2	-	1	2	6	6	1	5
Male	118	1	-	-	-	-	1	-	-	1	2	5	1	2
Female	101	-	1	-	-	-	1	-	1	1	4	1	-	3
All other	165	1	1	1	-	-	3	-	1	2	5	11	12	9
Male	94	1	1	-	-	-	2	-	-	-	4	5	7	6
Female	71	-	-	1	-	-	1	-	1	2	1	6	5	3
Black	147	1	1	1	-	-	3	-	1	2	3	11	11	9
Male	87	1	1	-	-	-	2	-	-	-	3	5	7	6
Female	60	-	-	1	-	-	1	-	1	2	-	6	4	3
Whooping cough (033)	4	3	1	-	-	-	4	-	-	-	-	-	-	-
Male	3	2	1	-	-	-	3	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	1	-	-	-	-	-	-	-
White	2	1	1	-	-	-	2	-	-	-	-	-	-	-
Male	2	1	1	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	1	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	35,376	46,254	70,360	115,192	171,288	216,749	265,897	290,149	278,899	225,257	137,454	47,584	8,756	877
Male	22,933	29,191	44,199	72,223	105,488	130,265	152,752	152,649	127,223	84,726	42,761	12,237	1,929	491
Female	12,443	17,073	26,241	42,969	65,800	86,484	113,145	137,500	151,476	140,531	94,693	35,347	6,827	386
White	26,909	35,864	56,340	95,543	145,694	188,473	234,483	260,372	253,582	209,118	128,925	44,034	7,436	702
Male	17,478	22,707	35,640	60,582	90,456	114,175	135,744	137,460	115,596	78,120	39,761	11,145	1,557	377
Female	9,431	13,157	20,700	34,961	55,238	74,298	98,739	122,912	137,986	130,998	89,164	32,889	5,879	325
All other	8,467	10,390	14,040	19,649	25,594	28,276	31,414	29,777	25,117	16,139	8,529	3,550	1,320	175
Male	5,455	6,474	8,499	11,641	15,032	16,090	17,008	15,189	11,627	6,606	3,000	1,092	372	114
Female	3,012	3,916	5,541	8,008	10,562	12,186	14,406	14,588	13,490	9,533	5,529	2,458	948	61
Black	7,729	9,530	12,956	18,142	23,694	26,166	28,886	27,178	22,822	14,518	7,677	3,242	1,238	158
Male	5,004	5,931	7,890	10,759	13,898	14,842	15,468	13,533	10,271	5,784	2,687	962	347	106
Female	2,725	3,599	5,066	7,383	9,796	11,324	13,398	13,645	12,551	8,734	4,990	2,280	891	52
Shigellosis and amebiasis (004,006)	-	2	-	1	1	4	4	1	1	1	2	-	-	-
Male	-	1	-	1	-	2	4	-	1	-	-	-	-	-
Female	-	1	-	-	1	2	-	1	-	1	2	-	-	-
White	-	-	-	1	1	4	3	1	1	1	2	-	-	-
Male	-	-	-	1	-	2	3	-	1	-	-	-	-	-
Female	-	-	-	-	1	2	-	1	-	1	2	-	-	-
All other	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	2	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	5	4	6	3	18	16	23	30	25	17	11	1	-
Male	2	3	3	4	-	7	10	9	8	10	5	1	-	-
Female	2	2	1	2	3	11	6	14	22	15	12	10	1	-
White	3	3	3	5	2	17	15	22	29	23	16	10	1	-
Male	1	2	2	3	-	7	9	9	7	10	5	-	-	-
Female	2	1	1	2	2	10	6	13	22	13	11	10	1	-
All other	1	2	1	1	1	1	1	1	1	2	1	1	-	-
Male	1	1	1	1	-	-	1	-	1	-	-	1	-	-
Female	-	1	-	-	1	1	-	1	-	2	1	-	-	-
Black	1	2	1	1	1	1	1	1	-	2	1	1	-	-
Male	1	1	1	1	-	-	1	-	-	-	-	1	-	-
Female	-	1	-	-	1	1	-	1	-	2	1	-	-	-
Tuberculosis (010-018)	71	81	102	134	165	186	203	223	207	118	61	17	3	1
Male	53	67	79	102	120	116	109	126	126	76	28	10	2	1
Female	18	14	23	32	45	70	94	97	81	42	33	7	1	-
White	33	32	53	75	110	129	143	167	156	84	45	14	1	1
Male	27	27	43	56	85	78	73	93	98	53	19	8	1	1
Female	6	5	10	19	25	51	70	74	58	31	26	6	-	-
All other	38	49	49	59	55	57	60	56	51	34	16	3	2	-
Male	26	40	36	46	35	38	36	33	28	23	9	2	1	-
Female	12	9	13	13	20	19	24	23	23	11	7	1	1	-
Black	33	45	49	57	51	51	51	45	39	29	13	2	2	-
Male	24	39	36	45	32	35	29	27	21	21	8	1	1	-
Female	9	6	13	12	19	16	22	18	18	8	5	1	1	-
Tuberculosis of respiratory system (010-012)	42	60	82	110	134	149	158	176	173	98	56	12	3	1
Male	32	51	65	87	105	95	90	104	110	64	25	8	2	1
Female	10	9	17	23	29	54	68	72	63	34	31	4	1	-
White	18	27	44	63	90	106	113	134	125	72	43	10	1	1
Male	15	24	35	48	73	84	62	81	83	45	18	6	1	1
Female	3	3	9	15	17	42	51	53	42	27	25	4	-	-
All other	24	33	38	47	44	43	45	42	48	26	13	2	2	-
Male	17	27	30	39	32	31	28	23	27	19	7	2	1	-
Female	7	6	8	8	12	12	17	19	21	7	6	-	1	-
Black	21	31	38	45	40	41	36	36	37	22	10	1	2	-
Male	15	27	30	38	29	29	21	20	21	17	8	1	1	-
Female	6	4	8	7	11	12	15	16	16	5	4	-	1	-
Other tuberculosis (013-018)	29	21	20	24	31	37	45	47	34	20	5	5	-	-
Male	21	16	14	15	15	21	19	22	16	12	3	2	-	-
Female	8	5	6	9	16	16	26	25	18	8	2	3	-	-
White	15	5	9	12	20	23	30	33	31	12	2	4	-	-
Male	12	3	8	8	12	14	11	12	15	8	1	2	-	-
Female	3	2	1	4	8	9	19	21	16	4	1	2	-	-
All other	14	16	11	12	11	14	15	14	3	8	3	1	-	-
Male	9	13	6	7	3	7	8	10	1	4	2	-	-	-
Female	5	3	5	5	8	7	7	4	2	4	1	1	-	-
Black	12	14	11	12	11	10	15	9	2	7	3	1	-	-
Male	9	12	6	7	3	6	8	7	-	4	2	-	-	-
Female	3	2	5	5	8	4	7	2	2	3	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	-	-	-	-	-	-	-	-	-	-	2	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	1	-	-
White	8	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Meningococcal infection (036)	257	69	28	16	10	7	130	12	6	14	8	6	9	4
Male	127	45	17	7	5	4	78	2	4	7	7	4	2	2
Female	130	24	11	9	5	3	52	10	2	7	1	2	7	2
White	210	54	23	13	8	6	104	7	5	11	7	6	9	3
Male	107	38	15	5	4	3	65	1	3	5	6	4	2	1
Female	103	16	8	8	4	3	39	6	2	6	1	2	7	2
All other	47	15	5	3	2	1	26	5	1	3	1	-	-	1
Male	20	7	2	2	1	1	13	1	1	2	1	-	-	1
Female	27	8	3	1	1	-	13	4	-	1	-	-	-	-
Black	44	14	5	3	2	-	24	5	1	3	1	-	-	1
Male	19	7	2	2	1	-	12	1	1	2	1	-	-	1
Female	25	7	3	1	1	-	12	4	-	1	-	-	-	-
Septicemia (038)	17,182	303	51	20	11	10	395	22	19	36	50	95	139	179
Male	8,017	178	31	13	6	5	235	10	7	12	22	48	70	107
Female	9,165	125	20	7	3	5	160	12	12	24	28	47	69	66
White	13,740	191	36	13	8	9	257	17	11	31	34	53	80	103
Male	6,321	113	23	8	6	5	155	7	4	10	16	29	40	65
Female	7,419	78	13	5	2	4	102	10	7	21	18	24	40	38
All other	3,442	112	15	7	3	1	138	5	8	5	16	42	59	70
Male	1,696	65	8	5	2	-	80	3	3	2	6	19	30	42
Female	1,746	47	7	2	1	1	58	2	5	3	10	23	29	28
Black	3,257	109	13	6	3	1	132	5	6	5	16	41	57	67
Male	1,595	63	8	4	2	-	77	3	2	2	6	18	29	41
Female	1,662	46	5	2	1	1	55	2	4	3	10	23	28	26
Acute poliomyelitis (045)	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	-	-	-	-	-	-	-	2	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	-	-	-
White	4	-	-	-	-	-	-	-	-	2	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	942	6	6	2	1	1	16	-	4	19	45	48	52	58
Male	531	5	6	1	-	1	13	-	2	8	18	28	34	33
Female	411	1	-	1	1	-	3	-	2	11	27	20	18	25
White	765	3	4	1	-	1	9	-	3	10	36	34	33	44
Male	447	3	4	-	-	1	8	-	2	4	14	22	25	27
Female	318	-	-	1	-	-	1	-	1	6	22	12	8	17
All other	177	3	2	1	1	-	7	-	1	9	9	14	19	14
Male	84	2	2	1	-	-	5	-	-	4	4	6	9	6
Female	93	1	-	-	1	-	2	-	1	5	5	8	10	8
Black	118	1	1	-	1	-	3	-	1	7	9	13	15	9
Male	54	1	1	-	-	-	2	-	-	4	4	6	7	4
Female	64	-	-	-	1	-	1	-	1	3	5	7	8	5
Syphilis (090-097)	80	7	-	-	-	-	7	1	-	-	-	-	2	2
Male	49	3	-	-	-	-	3	-	-	-	-	-	2	1
Female	31	4	-	-	-	-	4	1	-	-	-	-	-	1
White	49	4	-	-	-	-	4	-	-	-	-	-	1	1
Male	29	1	-	-	-	-	1	-	-	-	-	-	1	1
Female	20	3	-	-	-	-	3	-	-	-	-	-	-	-
All other	31	3	-	-	-	-	3	1	-	-	-	-	1	1
Male	20	2	-	-	-	-	2	-	-	-	-	-	1	-
Female	11	1	-	-	-	-	1	1	-	-	-	-	-	1
Black	29	2	-	-	-	-	2	1	-	-	-	-	1	1
Male	19	2	-	-	-	-	2	-	-	-	-	-	1	-
Female	10	-	-	-	-	-	-	1	-	-	-	-	-	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	1	-	1	1	-	2	-	1	-	-
Male	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Female	-	1	-	-	1	-	-	1	-	1	-	1	-	-
White	-	1	-	-	1	-	1	1	-	2	-	1	-	-
Male	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Female	-	1	-	-	1	-	-	1	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	7	6	6	8	7	10	4	6	5	2	-	-	-
Male	4	2	3	2	4	1	2	3	-	-	-	-	-	-
Female	3	5	3	4	4	6	8	1	6	5	2	-	-	-
White	6	4	5	6	7	4	10	4	6	4	2	-	-	-
Male	3	2	3	2	4	1	2	3	-	-	-	-	-	-
Female	3	2	2	4	3	3	8	1	6	4	2	-	-	-
All other	1	3	1	-	1	3	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	3	1	-	1	3	-	-	-	1	-	-	-	-
Black	1	3	-	-	1	3	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	3	-	-	1	3	-	-	-	1	-	-	-	-
Septicemia (038)	212	255	412	755	1,214	1,584	2,068	2,633	2,796	2,346	1,421	453	101	3
Male	123	155	232	428	710	863	1,179	1,256	1,163	796	455	121	24	1
Female	89	100	180	327	504	721	889	1,377	1,633	1,550	966	332	77	2
White	141	152	283	541	902	1,223	1,672	2,150	2,326	2,071	1,238	381	73	3
Male	80	91	158	295	529	680	976	1,014	961	696	398	97	19	1
Female	61	61	125	246	373	543	696	1,136	1,365	1,375	838	284	54	2
All other	71	103	129	214	312	361	396	483	470	275	185	72	28	-
Male	43	64	74	133	181	183	203	242	202	100	57	24	5	-
Female	28	39	55	81	131	178	193	241	268	175	128	48	23	-
Black	69	91	124	204	293	340	374	465	435	265	173	67	28	-
Male	43	55	70	130	170	170	191	233	180	97	52	21	5	-
Female	26	36	54	74	123	170	183	232	255	168	121	46	23	-
Acute poliomyelitis (045)	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-	-	-
White	1	-	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	51	64	46	72	95	117	104	76	42	22	7	4	-	-
Male	33	43	29	37	59	69	56	39	17	9	2	2	-	-
Female	18	21	17	35	36	48	48	37	25	13	5	2	-	-
White	39	47	31	63	82	101	92	73	38	21	5	4	-	-
Male	26	35	23	33	50	62	50	39	15	8	2	2	-	-
Female	13	12	8	30	32	39	42	34	23	13	3	2	-	-
All other	12	17	15	9	13	16	12	3	4	1	2	-	-	-
Male	7	8	6	4	9	7	6	-	2	1	-	-	-	-
Female	5	9	9	5	4	9	6	3	2	-	2	-	-	-
Black	6	9	9	5	7	13	5	1	4	1	1	-	-	-
Male	3	5	2	2	4	5	3	-	2	1	-	-	-	-
Female	3	4	7	3	3	8	2	1	2	-	1	-	-	-
Syphilis (090-097)	1	1	3	6	6	6	9	12	10	10	3	1	-	-
Male	1	-	2	6	5	4	5	7	5	6	1	1	-	-
Female	-	1	1	-	1	2	4	5	5	4	2	-	-	-
White	1	-	1	4	2	2	7	9	8	6	2	1	-	-
Male	1	-	1	4	2	-	3	4	5	4	1	1	-	-
Female	-	-	-	-	-	2	4	5	3	2	1	-	-	-
All other	-	1	2	2	4	4	2	3	2	4	1	-	-	-
Male	-	-	1	2	3	4	2	3	-	2	-	-	-	-
Female	-	1	1	-	1	-	-	-	2	2	1	-	-	-
Black	-	1	2	2	4	3	2	3	2	4	1	-	-	-
Male	-	-	1	2	3	3	2	3	-	2	-	-	-	-
Female	-	1	1	-	1	-	-	-	2	2	1	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	7,442	229	31	31	18	11	320	54	32	68	165	441	652	700
Male	4,721	123	19	14	8	8	172	35	17	33	129	340	552	586
Female	2,721	106	12	17	10	3	148	19	15	33	36	101	100	114
White	5,863	148	21	22	15	9	215	44	30	51	112	312	442	492
Male	3,736	80	12	10	5	7	114	29	17	25	87	249	393	435
Female	2,147	68	9	12	10	2	101	15	13	26	25	63	49	57
All other	1,559	81	10	9	3	2	105	10	2	15	53	129	210	208
Male	985	43	7	4	3	1	58	6	-	8	42	91	159	151
Female	574	38	3	5	-	1	47	4	2	7	11	38	51	57
Black	1,423	74	9	5	3	1	92	10	2	15	51	125	201	196
Male	901	37	7	3	3	1	51	6	-	8	40	87	152	143
Female	522	37	2	2	-	-	41	4	2	7	11	38	49	53
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	461,563	114	105	136	153	149	657	607	576	860	1,282	2,044	3,451	5,647
Male	246,914	56	57	72	100	82	367	346	329	533	758	1,120	1,618	2,508
Female	214,649	58	48	64	53	67	290	261	247	327	524	924	1,833	3,139
White	405,727	93	91	113	127	127	551	509	467	722	1,062	1,706	2,835	4,642
Male	215,079	48	50	57	85	68	308	293	265	447	635	946	1,374	2,094
Female	190,648	45	41	56	42	59	243	216	202	275	427	760	1,461	2,548
All other	55,836	21	14	23	26	22	106	98	109	138	220	338	616	1,005
Male	31,835	8	7	15	15	14	59	53	64	86	123	174	244	414
Female	24,001	13	7	8	11	8	47	45	45	52	97	164	372	591
Black	50,906	19	8	18	19	17	81	82	92	114	186	289	533	867
Male	29,028	7	5	11	9	11	43	44	53	72	104	148	209	355
Female	21,878	12	3	7	10	6	38	38	39	42	82	141	324	512
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,290	1	-	1	-	-	2	2	3	11	14	27	49	98
Male	5,616	-	-	-	-	-	-	1	2	4	9	14	35	66
Female	2,674	1	-	1	-	-	2	1	1	7	5	13	14	32
White	6,938	1	-	1	-	-	2	1	2	7	9	20	34	62
Male	4,597	-	-	-	-	-	-	-	2	2	6	13	22	47
Female	2,341	1	-	1	-	-	2	1	-	5	3	7	12	15
All other	1,352	-	-	-	-	-	-	1	1	4	5	7	15	36
Male	1,019	-	-	-	-	-	-	1	-	2	3	1	13	19
Female	333	-	-	-	-	-	-	-	1	2	2	6	2	17
Black	1,243	-	-	-	-	-	-	1	1	3	3	6	14	31
Male	946	-	-	-	-	-	-	1	-	2	2	1	12	17
Female	297	-	-	-	-	-	-	-	1	1	1	5	2	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,609	7	9	9	6	-	31	12	15	36	104	198	488	854
Male	61,187	2	6	4	6	-	18	9	8	23	60	114	262	501
Female	55,422	5	3	5	-	-	13	3	7	13	44	84	226	353
White	101,126	7	8	7	5	-	27	9	11	22	76	144	358	669
Male	52,705	2	6	3	5	-	16	6	6	15	46	82	194	391
Female	48,421	5	2	4	-	-	11	3	5	7	30	62	164	278
All other	15,483	-	1	2	1	-	4	3	4	14	28	54	130	185
Male	8,482	-	-	1	1	-	2	3	2	8	14	32	68	110
Female	7,001	-	1	1	-	-	2	-	2	6	14	22	62	75
Black	13,721	-	1	1	-	-	2	2	4	14	23	42	100	144
Male	7,411	-	-	-	-	-	-	2	2	8	12	28	52	85
Female	6,310	-	1	1	-	-	2	-	2	6	11	14	48	59
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,311	5	3	1	-	1	10	5	6	13	38	91	228	709
Male	87,513	1	-	1	-	1	3	2	3	10	23	53	128	445
Female	39,798	4	3	-	-	-	7	3	3	3	15	38	100	264
White	112,512	3	3	1	-	1	8	4	5	11	28	66	174	576
Male	76,567	-	-	1	-	1	2	2	2	8	17	36	95	347
Female	35,945	3	3	-	-	-	6	2	3	3	11	30	79	229
All other	14,799	2	-	-	-	-	2	1	1	2	10	25	54	133
Male	10,946	1	-	-	-	-	1	-	1	2	6	17	33	98
Female	3,853	1	-	-	-	-	1	1	-	-	4	8	21	35
Black	13,729	2	-	-	-	-	2	1	1	2	9	23	50	122
Male	10,193	1	-	-	-	-	1	-	1	2	6	16	30	91
Female	3,536	1	-	-	-	-	1	1	-	-	3	7	20	31
Malignant neoplasm of breast (174-175)	40,383	2	-	-	-	-	2	-	-	-	20	113	516	1,169
Male	290	-	-	-	-	-	-	-	-	-	1	1	1	5
Female	40,093	2	-	-	-	-	2	-	-	-	19	112	515	1,164
White	36,146	2	-	-	-	-	2	-	-	-	14	94	403	939
Male	260	-	-	-	-	-	-	-	-	-	1	1	-	5
Female	35,886	2	-	-	-	-	2	-	-	-	13	93	403	934
All other	4,237	-	-	-	-	-	-	-	-	-	6	19	113	230
Male	30	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	4,207	-	-	-	-	-	-	-	-	-	6	19	112	230
Black	3,925	-	-	-	-	-	-	-	-	-	6	19	103	211
Male	29	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	3,896	-	-	-	-	-	-	-	-	-	6	19	102	211
Malignant neoplasms of genital organs (179-187)	49,690	-	-	1	1	1	3	1	5	44	108	237	357	515
Male	26,609	-	-	1	1	1	3	-	2	17	64	86	83	52
Female	23,081	-	-	-	-	-	-	1	3	27	44	151	274	463
White	42,091	-	-	1	1	1	3	-	4	36	96	196	284	399
Male	22,071	-	-	1	1	1	3	-	1	15	63	78	78	45
Female	20,020	-	-	-	-	-	-	-	3	21	33	118	206	354
All other	7,599	-	-	-	-	-	-	1	1	8	12	41	73	116
Male	4,538	-	-	-	-	-	-	-	1	2	1	8	5	7
Female	3,061	-	-	-	-	-	-	1	-	6	11	33	68	109
Black	7,134	-	-	-	-	-	-	1	1	7	10	33	66	95
Male	4,331	-	-	-	-	-	-	-	1	2	1	4	4	5
Female	2,803	-	-	-	-	-	-	1	-	5	9	29	62	90

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	474	386	375	444	538	609	628	572	410	325	181	56	12	2
Male	389	282	253	277	296	357	329	287	192	119	60	15	1	-
Female	85	104	122	167	242	252	299	285	218	206	121	41	11	2
White	359	272	283	345	454	505	545	513	375	298	169	53	12	2
Male	305	207	197	227	259	299	289	255	171	107	56	14	1	-
Female	54	65	86	118	195	206	256	258	204	191	113	39	11	2
All other	115	114	92	99	84	104	83	59	35	27	12	3	-	-
Male	84	75	56	50	37	58	40	32	21	12	4	1	-	-
Female	31	39	36	49	47	46	43	27	14	15	8	2	-	-
Black	111	104	86	88	76	84	68	50	28	23	10	3	-	-
Male	80	68	52	47	32	46	32	26	16	11	3	1	-	-
Female	31	36	34	41	44	38	36	24	12	12	7	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,884	14,215	23,988	40,994	59,642	68,941	73,601	65,179	47,880	28,059	11,887	2,749	387	43
Male	4,088	6,802	12,325	22,411	33,345	39,380	41,733	36,021	24,541	12,734	4,789	1,000	135	21
Female	4,786	7,413	11,663	18,573	26,297	29,561	31,868	29,158	23,339	15,325	7,098	1,749	252	22
White	7,231	11,637	19,825	34,831	51,787	60,960	65,440	58,725	43,345	25,726	10,940	2,454	302	30
Male	3,296	5,485	9,988	18,853	28,716	34,528	36,824	32,213	21,972	11,523	4,353	874	100	14
Female	3,935	6,172	9,839	15,978	23,071	26,432	28,616	26,512	21,373	14,203	6,587	1,580	202	16
All other	1,653	2,578	4,163	6,153	7,855	7,981	8,161	6,454	4,535	2,333	947	295	85	13
Male	802	1,337	2,339	3,558	4,629	4,852	4,909	3,808	2,569	1,211	436	126	35	7
Female	851	1,241	1,824	2,595	3,226	3,129	3,252	2,646	1,966	1,122	511	169	50	6
Black	1,473	2,330	3,804	5,859	7,216	7,375	7,473	5,874	4,107	2,109	874	275	80	13
Male	723	1,208	2,169	3,279	4,272	4,497	4,485	3,425	2,305	1,085	401	113	31	7
Female	750	1,122	1,635	2,380	2,944	2,878	2,988	2,449	1,802	1,024	473	162	49	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	207	386	588	1,008	1,280	1,371	1,220	895	565	353	144	50	7	-
Male	149	284	447	752	911	930	844	582	327	171	61	16	1	-
Female	58	82	141	256	379	441	376	313	238	182	83	34	6	-
White	116	251	417	793	1,070	1,187	1,107	806	516	341	136	46	5	-
Male	80	186	309	587	730	803	763	516	297	162	57	15	-	-
Female	36	65	108	206	340	384	344	290	219	179	79	31	5	-
All other	91	135	171	215	220	174	113	89	49	12	8	4	2	-
Male	69	108	138	165	181	127	81	66	30	9	4	1	1	-
Female	22	27	33	50	39	47	32	23	19	3	4	3	1	-
Black	63	129	165	204	204	163	100	78	37	10	6	3	2	-
Male	64	103	133	158	171	120	71	57	21	8	3	1	1	-
Female	19	26	32	46	33	43	29	21	16	2	3	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,487	2,733	4,823	8,961	13,457	16,651	19,227	18,256	14,700	9,223	4,255	958	126	14
Male	912	1,660	2,911	5,484	8,095	9,737	10,637	9,177	6,496	3,383	1,374	284	38	6
Female	575	1,073	1,912	3,477	5,362	6,914	8,590	9,079	8,204	5,840	2,881	674	90	8
White	1,141	2,093	3,809	7,341	11,311	14,441	16,801	16,290	13,274	8,409	3,928	860	103	9
Male	700	1,255	2,293	4,513	6,812	8,440	9,291	8,187	5,840	3,057	1,270	258	31	2
Female	441	838	1,516	2,828	4,499	6,001	7,510	8,103	7,434	5,352	2,658	602	72	7
All other	346	640	1,014	1,620	2,146	2,210	2,426	1,966	1,426	814	327	98	23	5
Male	212	405	618	971	1,283	1,297	1,346	990	656	326	104	26	5	4
Female	134	235	396	649	863	913	1,080	976	770	488	223	72	18	1
Black	290	549	904	1,435	1,908	1,967	2,164	1,761	1,275	716	304	90	22	5
Male	179	338	550	851	1,145	1,147	1,183	854	569	279	96	23	4	4
Female	111	211	354	584	763	820	981	907	706	437	208	67	18	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,875	4,008	7,918	14,461	20,907	23,294	22,278	16,682	9,311	3,958	1,230	244	35	12
Male	1,208	2,565	5,186	9,875	14,383	16,200	15,544	11,907	6,491	2,602	738	125	15	7
Female	667	1,443	2,730	4,586	6,524	7,094	6,734	4,775	2,820	1,356	492	119	20	5
White	1,489	3,299	6,544	12,916	18,254	20,656	20,039	15,267	8,662	3,631	1,134	214	25	10
Male	941	2,063	4,188	8,301	12,439	14,318	13,861	10,821	5,928	2,390	683	110	8	7
Female	548	1,236	2,356	4,615	5,815	6,338	6,178	4,446	2,634	1,241	451	104	17	3
All other	386	709	1,372	2,145	2,653	2,438	2,239	1,415	749	327	96	30	10	2
Male	267	502	998	1,574	1,944	1,882	1,683	1,086	563	212	55	15	7	-
Female	119	207	374	571	709	556	556	329	186	115	41	15	3	2
Black	363	659	1,303	2,031	2,487	2,272	2,049	1,277	666	287	86	29	8	2
Male	255	473	950	1,492	1,818	1,766	1,550	987	501	184	51	14	5	-
Female	108	186	353	539	669	506	499	290	165	103	35	15	3	2
Malignant neoplasm of breast (174-175)	1,686	2,322	3,140	4,497	5,461	5,269	5,074	4,394	3,305	2,069	1,035	289	39	3
Male	7	13	16	27	36	39	39	41	34	18	10	2	-	-
Female	1,659	2,309	3,124	4,470	5,425	5,230	5,035	4,353	3,271	2,051	1,025	287	39	3
White	1,380	1,948	2,719	3,939	4,903	4,808	4,642	4,067	3,083	1,930	972	271	29	3
Male	7	13	15	23	32	38	34	37	31	16	8	1	-	-
Female	1,373	1,935	2,704	3,916	4,871	4,772	4,608	4,030	3,052	1,914	964	270	29	3
All other	286	374	421	558	558	461	432	327	222	139	63	18	10	-
Male	-	-	1	4	4	3	5	4	3	2	2	1	-	-
Female	286	374	420	554	554	458	427	323	219	137	61	17	10	-
Black	286	347	375	513	508	440	406	306	208	128	61	18	10	-
Male	-	-	1	4	4	2	5	4	3	2	2	1	-	-
Female	286	347	374	509	504	438	401	302	205	126	59	17	10	-
Malignant neoplasms of genital organs (179-187)	735	1,031	1,690	2,836	4,783	6,584	8,290	8,609	7,158	4,395	1,831	426	58	4
Male	58	74	270	761	1,790	3,262	4,831	5,614	4,962	3,066	1,264	303	44	3
Female	677	957	1,420	2,075	2,993	3,322	3,459	2,995	2,196	1,319	567	123	14	1
White	608	852	1,345	2,366	3,997	5,538	6,994	7,342	6,174	3,874	1,592	350	40	3
Male	53	53	189	578	1,427	2,638	3,951	4,681	4,200	2,663	1,079	244	30	2
Female	555	799	1,156	1,788	2,570	2,898	3,043	2,661	1,974	1,211	513	106	10	1
All other	127	179	345	470	786	1,046	1,296	1,267	984	511	239	76	18	1
Male	5	21	81	183	363	624	880	933	762	403	185	59	14	1
Female	122	158	264	287	423	424	416	334	222	108	54	17	4	-
Black	105	160	308	438	740	1,002	1,242	1,203	928	477	228	72	17	1
Male	5	20	77	178	354	605	849	885	721	374	177	55	13	1
Female	100	140	231	260	386	397	393	318	207	103	51	17	4	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	18,897	10	2	3	8	5	28	26	10	10	10	23	44	135
Male	12,195	5	1	2	4	2	14	8	5	5	4	13	26	84
Female	6,702	5	1	1	4	3	14	18	5	5	6	10	18	51
White	17,179	5	2	1	2	4	14	21	6	6	4	13	36	109
Male	11,142	3	1	1	1	2	8	6	3	3	2	8	20	67
Female	6,037	2	1	–	1	2	6	15	3	3	2	5	16	42
All other	1,718	5	–	2	6	1	14	5	4	4	6	10	8	26
Male	1,053	2	–	1	3	–	6	2	2	2	2	5	6	17
Female	665	3	–	1	3	1	8	3	2	2	4	5	2	9
Black	1,583	5	–	1	5	1	12	4	4	4	6	10	8	24
Male	962	2	–	–	2	–	4	2	2	2	2	5	6	15
Female	621	3	–	1	3	1	8	2	2	2	4	5	2	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	57,905	53	48	72	82	83	338	275	237	383	461	695	1,020	1,321
Male	30,962	34	26	33	51	45	189	152	129	225	270	443	621	812
Female	26,943	19	22	39	31	38	149	123	108	138	191	252	399	509
White	51,508	47	42	61	70	74	294	231	199	310	389	625	904	1,163
Male	27,489	32	23	26	47	40	168	131	110	186	228	399	562	718
Female	24,039	15	19	35	23	34	126	100	89	124	161	226	342	445
All other	6,397	6	6	11	12	9	44	44	38	53	72	70	116	158
Male	3,493	2	3	7	4	5	21	21	19	39	42	44	59	94
Female	2,904	4	3	4	8	4	23	23	19	14	30	26	57	64
Black	5,797	6	2	11	10	8	37	39	31	44	62	61	105	136
Male	3,157	2	1	7	3	4	17	19	15	33	35	38	54	81
Female	2,640	4	1	4	7	4	20	20	16	11	27	23	51	55
Leukemia (204-208)	17,319	31	38	46	49	49	213	250	251	260	265	310	334	357
Male	9,442	12	23	28	33	28	124	149	145	165	158	170	186	210
Female	7,877	19	15	18	16	21	89	101	106	95	107	140	148	147
White	15,703	26	32	39	42	38	177	211	200	226	223	258	290	309
Male	8,548	10	19	23	26	20	98	126	113	146	133	141	168	190
Female	7,155	16	13	16	16	18	79	85	87	80	90	117	124	119
All other	1,616	5	6	7	7	11	36	39	51	34	42	52	44	48
Male	894	2	4	5	7	8	26	23	32	19	25	29	20	20
Female	722	3	2	2	–	3	10	16	19	15	17	23	24	28
Black	1,401	3	5	4	4	7	23	31	41	23	35	41	32	39
Male	769	1	4	3	4	6	18	18	25	12	21	22	14	17
Female	632	2	1	1	–	1	5	13	16	11	14	19	18	22
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25,159	5	5	3	7	10	30	38	49	123	262	350	415	489
Male	13,100	2	1	3	5	5	16	25	35	84	169	226	276	333
Female	12,059	3	4	–	2	5	14	11	14	39	93	124	139	156
White	22,524	2	4	2	7	9	24	32	40	104	223	290	352	416
Male	11,720	1	1	2	5	4	13	22	28	72	139	188	237	284
Female	10,804	1	3	–	2	5	11	10	12	32	84	102	115	132
All other	2,635	3	1	1	–	1	6	4	9	19	39	60	63	73
Male	1,380	1	–	1	–	1	3	3	7	12	30	36	39	49
Female	1,255	2	1	–	–	–	3	1	2	7	9	22	24	24
Black	2,373	3	–	1	–	1	5	3	9	17	32	54	55	65
Male	1,230	1	–	1	–	1	3	2	7	11	25	34	36	44
Female	1,143	2	–	–	–	–	2	1	2	6	7	20	19	21
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,699	61	23	13	15	17	129	47	40	50	50	99	86	139
Male	3,008	22	16	11	7	11	67	24	19	24	28	58	40	73
Female	3,691	39	7	2	8	6	62	23	21	26	22	41	46	66
White	5,639	50	21	9	11	12	103	37	29	36	40	85	70	116
Male	2,632	17	14	9	6	9	55	21	13	17	22	50	32	64
Female	3,207	33	7	–	5	3	48	16	16	19	18	35	38	52
All other	860	11	2	4	4	5	26	10	11	14	10	14	16	23
Male	376	5	2	2	1	2	12	3	6	7	6	8	8	9
Female	484	6	–	2	3	3	14	7	5	7	4	6	8	14
Black	776	9	2	3	3	4	21	9	7	14	10	12	15	19
Male	332	4	2	1	–	2	9	3	4	7	6	6	8	7
Female	444	5	–	2	3	2	12	6	3	7	4	6	7	12
Diabetes mellitus (250)	36,969	2	5	2	1	3	13	11	20	38	83	211	326	539
Male	15,263	–	–	1	–	2	3	7	8	14	41	106	208	332
Female	21,706	2	5	1	1	1	10	4	12	24	42	105	118	207
White	30,305	1	5	2	1	3	12	10	11	25	53	167	257	426
Male	12,758	–	–	1	–	2	3	6	2	8	26	88	165	268
Female	17,547	1	5	1	1	1	9	4	9	17	27	79	92	158
All other	6,664	1	–	–	–	–	1	1	9	13	30	44	69	113
Male	2,505	–	–	–	–	–	–	1	6	6	15	18	43	64
Female	4,159	1	–	–	–	–	1	–	3	7	15	26	26	49
Black	6,104	–	–	–	–	–	–	1	9	13	29	44	64	106
Male	2,230	–	–	–	–	–	–	1	6	6	15	18	41	59
Female	3,874	–	–	–	–	–	–	–	3	7	14	26	23	47
Nutritional deficiencies (260-269)	2,874	30	1	2	–	–	33	2	2	4	9	5	7	14
Male	1,086	14	1	–	–	–	15	1	–	3	1	2	4	9
Female	1,788	16	–	2	–	–	18	1	2	1	2	3	3	5
White	2,490	20	1	–	–	–	21	1	2	4	3	3	4	8
Male	916	9	1	–	–	–	10	1	–	3	1	–	3	6
Female	1,574	11	–	–	–	–	11	–	2	1	2	3	1	2
All other	384	10	–	2	–	–	12	1	–	–	–	2	3	6
Male	170	5	–	–	–	–	5	–	–	–	–	2	1	3
Female	214	5	–	2	–	–	7	1	–	–	–	–	2	3
Black	349	10	–	2	–	–	12	1	–	–	–	2	3	6
Male	149	5	–	–	–	–	5	–	–	–	–	2	1	3
Female	200	5	–	2	–	–	7	1	–	–	–	–	2	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	250	409	763	1,291	2,051	2,571	3,123	3,009	2,525	1,700	740	156	21	2
Male	161	293	526	914	1,418	1,778	2,038	1,972	1,522	956	377	72	7	2
Female	89	116	237	377	633	793	1,085	1,037	1,003	744	363	84	14	-
White	212	350	672	1,158	1,847	2,317	2,959	2,763	2,331	1,603	695	143	20	-
Male	139	256	460	833	1,286	1,617	1,875	1,823	1,406	898	356	70	6	-
Female	73	94	212	325	561	700	984	940	925	705	339	73	14	-
All other	38	59	91	133	204	254	264	246	194	97	45	13	1	2
Male	22	37	66	81	132	161	163	149	116	58	21	2	1	2
Female	16	22	25	52	72	93	101	97	78	39	24	11	-	-
Black	36	53	80	119	192	238	245	226	181	86	40	12	1	2
Male	20	34	56	74	122	154	150	133	108	51	18	1	1	2
Female	16	19	24	45	70	84	95	93	73	35	22	11	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,619	2,114	3,321	5,066	7,251	7,694	8,136	7,140	5,469	3,437	1,491	393	59	5
Male	958	1,199	1,955	2,979	4,177	4,350	4,439	3,612	2,465	1,341	507	118	19	2
Female	661	915	1,366	2,087	3,074	3,344	3,697	3,528	3,004	2,096	984	275	40	3
White	1,385	1,814	2,781	4,408	6,450	6,830	7,334	6,459	4,960	3,176	1,389	357	47	3
Male	817	1,038	1,640	2,587	3,727	3,874	3,994	3,258	2,224	1,218	469	105	14	2
Female	568	776	1,141	1,821	2,723	2,956	3,340	3,201	2,736	1,958	920	252	33	1
All other	234	300	540	658	801	864	802	681	509	261	102	36	12	2
Male	141	161	315	392	450	476	445	354	241	123	38	13	5	-
Female	93	139	225	268	351	388	357	327	268	138	64	23	7	2
Black	200	279	490	601	742	804	728	604	449	248	92	34	11	2
Male	123	150	297	358	421	440	399	305	212	113	33	11	5	-
Female	77	129	193	245	321	364	329	299	237	133	59	23	6	2
Leukemia (204-208)	443	484	638	1,037	1,576	2,035	2,337	2,431	2,004	1,332	595	134	31	2
Male	255	256	371	591	938	1,196	1,347	1,306	1,000	585	227	51	11	1
Female	188	228	267	446	638	839	990	1,125	1,004	747	368	83	20	1
White	383	418	563	912	1,414	1,857	2,130	2,290	1,856	1,265	573	122	25	1
Male	219	223	321	522	850	1,102	1,232	1,222	920	551	218	45	9	1
Female	164	195	242	390	564	755	898	1,068	936	714	355	77	16	-
All other	60	66	75	125	162	178	207	141	148	67	22	12	6	1
Male	36	33	50	69	88	94	115	84	80	34	9	6	2	-
Female	24	33	25	56	74	84	92	57	68	33	13	6	4	1
Black	54	53	63	111	139	165	189	123	138	62	21	11	6	1
Male	34	29	41	61	72	87	104	72	74	32	8	6	2	-
Female	20	24	22	50	67	78	85	51	64	30	13	5	4	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	602	728	1,109	1,827	2,866	3,472	3,916	3,763	2,843	1,602	566	99	11	1
Male	390	448	643	1,028	1,597	1,888	2,014	1,810	1,244	612	231	29	2	-
Female	212	280	466	799	1,269	1,584	1,902	1,953	1,599	990	335	70	9	1
White	517	612	975	1,598	2,541	3,118	3,534	3,441	2,589	1,497	521	91	8	1
Male	340	378	571	909	1,413	1,700	1,823	1,668	1,126	568	213	26	2	-
Female	177	234	404	689	1,128	1,418	1,711	1,773	1,463	929	308	65	6	1
All other	85	116	134	229	325	354	382	322	254	105	45	8	3	-
Male	50	70	72	119	184	188	191	142	118	44	18	3	-	-
Female	35	46	62	110	141	166	191	180	136	61	27	5	3	-
Black	76	101	116	207	296	324	350	296	225	97	36	6	3	-
Male	43	61	64	105	165	176	174	128	96	42	13	1	-	-
Female	33	40	52	102	131	148	176	168	129	55	23	5	3	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	144	173	248	386	567	710	955	938	898	655	266	87	10	2
Male	81	84	144	203	280	349	436	420	341	219	91	23	3	1
Female	63	89	104	183	287	361	519	518	557	436	195	64	7	1
White	107	134	203	320	484	609	826	849	822	609	269	81	9	1
Male	59	64	121	179	245	302	383	373	315	207	85	22	2	1
Female	48	70	82	141	239	307	443	476	507	402	184	59	7	-
All other	37	39	45	66	83	101	129	89	76	46	17	6	1	1
Male	22	20	23	24	35	47	53	47	26	12	6	1	1	-
Female	15	19	22	42	48	54	76	42	50	34	11	5	-	1
Black	33	37	43	63	77	95	114	81	68	37	16	6	-	1
Male	19	19	22	23	31	44	46	43	21	7	6	1	-	-
Female	14	18	21	40	46	51	68	38	45	30	10	5	-	1
Diabetes mellitus (250)	626	773	1,218	2,182	3,637	4,597	5,562	6,058	5,250	3,607	1,752	410	48	8
Male	371	436	640	1,079	1,688	2,069	2,430	2,393	1,846	1,064	413	108	5	2
Female	255	337	578	1,103	1,949	2,528	3,132	3,665	3,404	2,543	1,339	302	43	6
White	468	521	868	1,623	2,806	3,693	4,584	5,063	4,551	3,245	1,591	354	33	4
Male	276	308	485	857	1,359	1,715	2,087	2,045	1,628	966	376	89	1	-
Female	192	213	383	766	1,447	1,918	2,497	3,018	2,923	2,279	1,215	265	32	4
All other	158	252	350	559	831	964	978	995	699	362	161	56	15	4
Male	95	128	155	222	329	354	343	348	218	98	37	19	4	2
Female	63	124	195	337	502	610	635	647	481	264	124	37	11	2
Black	148	233	320	499	754	878	900	922	647	319	148	52	14	4
Male	87	118	141	193	292	314	301	310	194	76	35	17	4	2
Female	61	115	179	306	462	564	599	612	453	243	113	35	10	2
Nutritional deficiencies (260-269)	14	20	32	59	77	146	223	336	543	586	491	220	55	2
Male	8	13	12	33	46	72	114	146	212	193	144	46	12	-
Female	6	7	20	26	31	74	109	190	331	393	347	174	43	2
White	8	11	26	45	60	113	178	268	470	543	449	210	41	2
Male	6	7	8	24	35	59	86	123	181	178	133	43	9	-
Female	2	4	18	21	25	54	92	165	289	365	316	167	32	2
All other	6	9	6	14	17	33	45	48	73	43	42	10	14	-
Male	2	6	4	9	11	13	28	23	31	15	11	3	3	-
Female	4	3	2	5	6	20	17	25	42	28	31	7	11	-
Black	6	8	4	13	17	32	40	43	63	40	39	7	13	-
Male	2	5	3	8	11	13	25	21	25	12	9	1	3	-
Female	4	3	1	5	6	19	15	22	38	28	30	6	10	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,694	17	26	17	9	8	77	32	41	45	59	81	74	60
Male	1,633	13	10	9	7	3	42	17	21	25	34	47	45	30
Female	2,061	4	16	8	2	5	35	15	20	20	25	34	29	30
White	2,931	7	4	4	3	3	21	17	19	20	16	26	26	20
Male	1,264	4	3	2	2	1	12	9	9	7	8	17	17	11
Female	1,667	3	1	2	1	2	9	8	10	13	8	9	9	9
All other	763	10	22	13	6	5	56	15	22	25	43	55	48	40
Male	369	9	7	7	5	2	30	8	12	18	26	30	28	19
Female	394	1	15	6	1	3	26	7	10	7	17	25	20	21
Black	717	7	22	12	6	5	52	14	21	24	42	59	47	39
Male	345	7	7	7	5	2	28	7	12	18	25	29	27	19
Female	372	–	15	5	1	3	24	7	9	6	17	24	20	20
Meningitis (320-322)	1,206	257	76	51	25	7	416	21	20	13	14	31	35	22
Male	634	142	51	38	8	4	243	6	13	10	9	24	23	12
Female	572	115	25	13	17	3	173	15	7	3	5	7	12	10
White	871	155	54	40	19	4	272	14	16	8	8	19	22	16
Male	451	86	36	31	7	2	162	4	11	6	6	13	13	9
Female	420	69	18	9	12	2	110	10	5	2	2	6	9	7
All other	335	102	22	11	6	3	144	7	4	5	6	12	13	6
Male	183	56	15	7	1	2	81	2	2	4	3	11	10	3
Female	152	46	7	4	5	1	63	5	2	1	3	1	3	3
Black	301	87	20	9	6	3	125	5	4	5	6	10	11	6
Male	163	47	13	6	1	2	69	2	2	4	3	10	8	3
Female	138	40	7	3	5	1	56	3	2	1	3	–	3	3
Major cardiovascular diseases (390-448)	977,879	1,085	184	80	48	51	1,448	178	248	544	959	1,667	2,900	5,477
Male	485,055	631	94	40	28	27	820	80	122	340	562	1,053	1,933	3,894
Female	492,824	454	90	40	20	24	628	98	126	204	397	614	967	1,583
White	869,148	753	118	53	30	34	988	134	177	376	669	1,122	1,936	3,922
Male	430,778	443	61	29	17	19	569	59	91	238	404	728	1,321	2,872
Female	438,370	310	57	24	13	15	419	75	86	138	265	394	615	1,050
All other	108,731	332	66	27	18	17	460	44	71	168	290	545	964	1,555
Male	54,277	188	33	11	11	8	251	21	31	102	158	325	612	1,022
Female	54,454	144	33	16	7	9	209	23	40	66	132	220	352	533
Black	100,294	294	61	24	18	14	411	36	62	155	267	522	903	1,436
Male	49,375	165	32	9	11	5	222	16	28	97	143	307	569	946
Female	50,919	129	29	15	7	9	189	20	34	58	124	215	334	490
Diseases of heart (390-398,402,404-429)	771,169	920	159	64	40	42	1,225	139	183	410	703	1,249	2,206	4,346
Male	398,208	524	77	31	26	22	680	65	91	262	442	829	1,575	3,273
Female	372,961	396	82	33	14	20	545	74	92	148	261	420	631	1,073
White	686,152	642	101	39	24	28	834	102	122	279	481	829	1,495	3,182
Male	355,374	371	50	21	16	16	474	45	62	177	313	564	1,085	2,476
Female	332,778	271	51	18	8	12	360	57	60	102	168	265	410	706
All other	83,017	278	58	25	16	14	391	37	61	131	222	420	711	1,164
Male	42,834	153	27	10	10	6	206	20	29	65	129	265	490	797
Female	40,183	125	31	15	6	8	185	17	32	46	93	155	221	367
Black	76,684	245	53	22	16	12	348	31	55	122	206	400	663	1,073
Male	38,982	134	26	8	10	4	182	15	28	81	117	249	456	735
Female	37,702	111	27	14	6	8	166	16	29	41	89	151	207	338
Rheumatic fever and rheumatic heart disease (390-398)	6,593	7	4	1	1	–	13	4	10	15	46	74	75	107
Male	2,142	4	4	1	1	–	10	2	4	9	23	35	38	43
Female	4,451	3	–	–	–	–	3	2	6	6	23	39	37	64
White	6,026	6	4	–	–	–	10	3	7	8	31	49	48	71
Male	1,934	4	4	–	–	–	8	2	3	5	18	24	25	29
Female	4,092	2	–	–	–	–	2	1	4	3	13	25	23	42
All other	567	1	–	1	1	–	3	1	3	7	15	25	27	36
Male	208	–	–	1	1	–	2	–	1	4	5	11	13	14
Female	359	1	–	–	–	–	1	1	2	3	10	14	14	22
Black	472	1	–	1	1	–	3	1	3	6	12	21	23	32
Male	174	–	–	1	1	–	2	–	1	4	3	10	12	12
Female	298	1	–	–	–	–	1	1	2	2	9	11	11	20
Hypertensive heart disease (402)	20,882	1	–	–	–	–	1	–	1	5	17	44	85	184
Male	8,970	–	–	–	–	–	–	–	–	5	12	34	68	130
Female	11,912	1	–	–	–	–	1	–	1	–	5	10	17	54
White	15,303	1	–	–	–	–	1	–	–	2	6	20	41	77
Male	6,322	–	–	–	–	–	–	–	–	2	6	18	30	59
Female	8,981	1	–	–	–	–	1	–	–	–	–	2	11	18
All other	5,579	–	–	–	–	–	–	–	1	3	11	24	44	107
Male	2,648	–	–	–	–	–	–	–	–	3	6	16	38	71
Female	2,931	–	–	–	–	–	–	–	1	–	5	8	6	36
Black	5,342	–	–	–	–	–	–	–	1	3	11	24	43	104
Male	2,515	–	–	–	–	–	–	–	–	3	6	16	37	68
Female	2,827	–	–	–	–	–	–	–	1	–	5	8	6	36
Hypertensive heart and renal disease (404)	2,800	–	–	–	–	–	–	–	–	–	4	4	9	11
Male	1,152	–	–	–	–	–	–	–	–	–	1	3	6	7
Female	1,648	–	–	–	–	–	–	–	–	–	3	1	3	4
White	2,089	–	–	–	–	–	–	–	–	–	3	–	3	5
Male	863	–	–	–	–	–	–	–	–	–	–	–	2	3
Female	1,226	–	–	–	–	–	–	–	–	–	3	–	1	2
All other	711	–	–	–	–	–	–	–	–	–	1	4	6	6
Male	289	–	–	–	–	–	–	–	–	–	1	3	4	4
Female	422	–	–	–	–	–	–	–	–	–	–	1	2	2
Black	675	–	–	–	–	–	–	–	–	–	1	4	6	5
Male	274	–	–	–	–	–	–	–	–	–	1	3	4	4
Female	401	–	–	–	–	–	–	–	–	–	–	1	2	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	66	59	74	122	170	235	360	506	586	538	354	133	22	-
Male	34	31	36	54	98	107	178	231	258	175	124	43	3	-
Female	32	28	38	68	72	128	182	275	328	363	230	90	19	-
White	28	25	49	95	128	198	306	446	529	496	323	125	20	-
Male	17	11	25	39	77	89	157	207	234	162	115	38	3	-
Female	11	14	24	56	51	107	149	239	295	334	208	87	17	-
All other	38	34	25	27	42	39	54	60	57	42	31	8	2	-
Male	17	20	11	15	21	18	21	24	24	13	9	5	-	-
Female	21	14	14	12	21	21	33	36	33	29	22	3	2	-
Black	37	34	24	24	40	36	50	56	51	38	27	6	2	-
Male	17	20	10	13	20	18	19	22	20	11	7	3	-	-
Female	20	14	14	11	20	18	31	34	31	27	20	3	2	-
Meningitis (320-322)	25	23	45	67	62	75	98	102	73	45	12	5	2	-
Male	16	15	21	35	31	36	53	42	25	16	2	1	1	-
Female	9	8	24	32	31	39	45	60	48	29	10	4	1	-
White	16	12	30	55	42	60	78	83	63	39	11	5	2	-
Male	9	10	16	30	22	28	43	29	22	15	2	1	1	-
Female	7	2	15	25	20	32	35	54	41	24	9	4	1	-
All other	9	11	15	12	20	15	20	19	10	6	1	-	-	-
Male	7	5	6	5	9	8	10	13	3	1	-	-	-	-
Female	2	6	9	7	11	7	10	6	7	5	1	-	-	-
Black	9	11	15	10	20	14	20	15	8	6	1	-	-	-
Male	7	5	6	4	9	8	10	10	2	1	-	-	-	-
Female	2	6	9	6	11	6	10	5	6	5	1	-	-	-
Major cardiovascular diseases (390-448)	9,381	14,896	25,656	44,438	70,394	96,452	127,835	151,403	158,409	137,771	69,288	32,155	6,023	359
Male	6,708	10,850	18,442	31,087	47,129	60,690	74,168	77,172	68,165	47,714	25,249	7,570	1,177	130
Female	2,673	4,046	7,214	13,351	23,265	35,762	53,667	74,231	90,244	90,057	64,037	24,585	4,846	229
White	6,995	11,423	20,397	36,592	59,478	83,490	112,441	135,946	144,815	126,571	84,212	29,973	5,187	304
Male	5,225	8,840	15,183	26,489	40,787	53,575	66,315	69,910	62,414	44,263	23,644	6,992	959	100
Female	1,770	2,783	5,214	10,103	18,691	29,915	46,126	66,036	82,401	84,308	60,568	22,981	4,228	204
All other	2,386	3,473	5,259	7,846	10,916	12,962	15,394	15,457	13,594	9,200	5,074	2,182	836	55
Male	1,483	2,210	3,259	4,598	6,342	7,115	7,853	7,262	5,751	3,451	1,605	578	218	30
Female	903	1,263	2,000	3,248	4,574	5,847	7,541	8,195	7,843	5,749	3,469	1,604	618	25
Black	2,229	3,243	4,934	7,320	10,175	12,061	14,229	14,154	12,429	8,294	4,590	2,012	787	45
Male	1,382	2,038	3,038	4,270	5,871	6,553	7,137	6,446	5,086	3,022	1,455	516	207	26
Female	847	1,205	1,896	3,050	4,304	5,508	7,092	7,708	7,343	5,272	3,135	1,496	580	19
Diseases of heart (390-398,402,404-429)	7,738	12,576	21,969	38,146	59,919	80,350	103,383	118,683	120,733	102,450	66,083	23,894	4,506	278
Male	5,861	9,590	16,371	27,410	41,028	51,618	61,091	61,742	59,977	36,691	19,959	5,829	929	107
Female	1,877	2,986	5,598	10,736	18,891	28,732	42,292	56,941	67,356	65,759	46,725	18,065	3,578	171
White	5,932	9,904	17,794	31,829	51,210	70,147	91,667	107,100	110,747	95,743	62,345	22,273	3,899	238
Male	4,663	7,915	13,692	23,617	35,851	45,931	54,996	56,211	48,984	34,089	18,120	5,383	762	84
Female	1,269	2,089	4,102	8,212	15,359	24,216	36,671	50,889	61,763	61,654	44,225	16,890	3,137	154
All other	1,806	2,672	4,175	6,317	8,709	10,203	11,716	11,583	9,986	6,707	3,738	1,621	607	40
Male	1,198	1,775	2,679	3,793	5,177	5,687	6,095	5,531	4,413	2,592	1,238	446	166	23
Female	608	897	1,496	2,524	3,532	4,516	5,621	6,052	5,573	4,115	2,500	1,175	441	17
Black	1,692	2,486	3,919	5,891	8,130	9,494	10,863	10,592	9,159	6,060	3,396	1,494	577	33
Male	1,114	1,628	2,490	3,514	4,782	5,241	5,537	4,894	3,936	2,260	1,126	399	159	19
Female	578	858	1,429	2,377	3,348	4,253	5,326	5,698	5,221	3,780	2,270	1,095	418	14
Rheumatic fever and rheumatic heart disease (390-398)	153	193	333	508	675	849	1,057	1,022	796	431	193	37	2	-
Male	65	74	134	192	251	304	336	294	191	94	34	7	2	-
Female	88	119	199	316	424	545	721	728	605	337	159	30	-	-
White	115	158	278	448	619	792	1,010	981	769	411	181	35	2	-
Male	50	61	116	174	230	280	319	283	181	87	31	6	2	-
Female	65	97	162	274	389	512	691	698	588	324	150	29	-	-
All other	38	35	55	60	56	57	47	41	27	20	12	2	-	-
Male	15	13	18	18	21	24	17	11	10	7	3	1	-	-
Female	23	22	37	42	35	33	30	30	17	13	9	1	-	-
Black	31	28	49	52	49	46	37	34	22	13	9	1	-	-
Male	13	9	16	17	18	21	12	8	8	6	2	-	-	-
Female	18	19	33	35	31	25	25	26	14	7	7	1	-	-
Hypertensive heart disease (402)	331	525	851	1,337	1,919	2,334	2,748	3,043	3,024	2,453	1,460	454	59	7
Male	228	335	536	810	1,122	1,266	1,316	1,254	935	583	277	54	3	2
Female	103	190	315	527	797	1,068	1,432	1,789	2,089	1,870	1,183	400	56	5
White	149	248	443	797	1,205	1,630	2,008	2,333	2,460	2,197	1,304	393	44	5
Male	120	174	307	524	736	902	976	966	740	486	229	41	3	1
Female	29	74	136	273	469	728	1,030	1,367	1,720	1,651	1,075	352	41	4
All other	182	277	408	540	714	704	740	710	564	316	156	61	15	2
Male	108	161	229	286	366	364	338	288	195	97	48	13	-	1
Female	74	116	179	254	328	340	402	422	369	219	108	48	15	1
Black	181	266	401	523	696	684	702	670	525	292	142	58	15	1
Male	107	154	225	277	378	350	313	268	172	88	41	11	-	1
Female	74	112	176	246	318	334	389	402	353	204	101	47	15	-
Hypertensive heart and renal disease (404)	13	36	52	90	160	209	334	464	534	435	317	98	26	4
Male	8	23	29	46	82	112	161	217	209	141	88	16	3	-
Female	5	13	23	44	78	97	173	247	325	294	229	82	23	4
White	3	9	16	46	87	129	235	365	442	364	274	85	22	1
Male	2	8	8	28	48	75	130	176	168	121	76	15	3	-
Female	1	1	8	20	39	54	105	189	274	243	196	70	19	1
All other	10	27	36	44	73	80	99	99	92	71	43	13	4	3
Male	6	15	21	20	34	37	31	41	41	20	10	1	-	-
Female	4	12	15	24	39	43	68	58	51	51	33	12	4	3
Black	10	26	35	44	70	76	95	94	84	67	40	12	4	2
Male	6	14	21	20	33	35	28	40	37	18	10	-	-	-
Female	4	12	14	24	37	41	67	54	47	49	30	12	4	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	536,805	21	2	1	3	4	31	6	8	32	106	353	923	2,422
Male	286,181	10	2	1	2	4	19	2	5	21	73	265	735	1,993
Female	250,624	11	-	-	1	-	12	4	3	11	33	88	186	429
White	490,515	15	2	1	3	3	24	5	7	23	73	256	713	1,947
Male	262,139	6	2	1	2	3	16	1	5	13	47	196	584	1,637
Female	228,376	7	-	-	1	-	8	4	2	10	26	60	129	310
All other	46,290	6	-	-	-	1	7	1	1	9	33	97	210	475
Male	24,042	2	-	-	-	1	3	1	-	8	26	69	151	356
Female	22,248	4	-	-	-	-	4	-	1	1	7	28	59	119
Black	42,161	6	-	-	-	1	7	1	1	9	31	94	194	430
Male	21,425	2	-	-	-	1	3	1	-	8	24	66	137	319
Female	20,736	4	-	-	-	-	4	-	1	1	7	28	57	111
Acute myocardial infarction (410)	274,199	14	1	1	1	1	18	4	5	22	66	222	560	1,492
Male	155,860	7	1	1	1	1	11	2	2	14	44	168	450	1,225
Female	118,339	7	-	-	-	-	7	2	3	8	22	54	110	267
White	250,527	10	1	1	1	1	14	3	4	16	46	157	449	1,225
Male	143,311	5	1	1	1	1	9	1	2	9	29	125	366	1,029
Female	107,216	5	-	-	-	-	5	2	2	7	17	32	83	196
All other	23,672	4	-	-	-	-	4	1	1	6	20	65	111	267
Male	12,549	2	-	-	-	-	2	1	-	5	15	43	84	196
Female	11,123	2	-	-	-	-	2	-	1	1	5	22	27	71
Black	21,447	4	-	-	-	-	4	1	1	6	20	63	103	237
Male	11,103	2	-	-	-	-	2	1	-	5	15	41	77	171
Female	10,344	2	-	-	-	-	2	-	1	1	5	22	26	66
Other acute and subacute forms of ischemic heart disease (411)	3,969	-	-	-	-	1	1	-	-	1	5	11	15	29
Male	2,381	-	-	-	-	1	1	-	-	1	4	6	12	24
Female	1,588	-	-	-	-	-	-	-	-	-	1	5	3	5
White	3,394	-	-	-	-	-	-	-	-	-	1	8	9	19
Male	2,060	-	-	-	-	-	-	-	-	-	1	3	7	17
Female	1,334	-	-	-	-	-	-	-	-	-	-	5	2	2
All other	575	-	-	-	-	1	1	-	-	1	4	3	6	10
Male	321	-	-	-	-	1	1	-	-	1	3	3	5	7
Female	254	-	-	-	-	-	-	-	-	-	1	-	1	3
Black	549	-	-	-	-	1	1	-	-	1	3	3	6	9
Male	304	-	-	-	-	1	1	-	-	1	2	3	5	6
Female	245	-	-	-	-	-	-	-	-	-	1	-	1	3
Angina pectoris (413)	928	-	-	-	1	-	1	-	-	-	-	2	-	4
Male	436	-	-	-	-	-	-	-	-	-	-	2	-	2
Female	492	-	-	-	1	-	1	-	-	-	-	-	-	2
White	839	-	-	-	1	-	1	-	-	-	-	2	-	3
Male	402	-	-	-	-	-	-	-	-	-	-	2	-	1
Female	437	-	-	-	1	-	1	-	-	-	-	-	-	2
All other	89	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	34	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	55	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	85	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	33	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	52	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,709	7	1	-	1	2	11	2	3	9	35	118	348	697
Male	127,504	3	1	-	1	2	7	-	3	6	25	89	273	742
Female	130,205	4	-	-	-	-	4	2	-	3	10	29	75	165
White	235,755	5	1	-	1	2	9	2	3	7	26	89	255	700
Male	116,366	3	1	-	1	2	7	-	3	4	17	66	211	590
Female	119,389	2	-	-	-	-	2	2	-	3	9	23	44	110
All other	21,954	2	-	-	-	-	2	-	-	2	9	29	93	197
Male	11,138	-	-	-	-	-	-	-	-	2	8	23	62	152
Female	10,816	2	-	-	-	-	2	-	-	-	1	6	31	45
Black	20,060	2	-	-	-	-	2	-	-	2	8	28	85	183
Male	9,985	-	-	-	-	-	-	-	-	2	7	22	55	141
Female	10,095	2	-	-	-	-	2	-	-	-	1	6	30	42
Other diseases of endocardium (424)	9,510	24	1	3	-	1	29	5	8	18	34	58	80	97
Male	4,420	15	1	1	-	1	18	4	5	9	18	44	46	64
Female	5,090	9	-	2	-	-	11	1	3	9	16	14	34	33
White	8,632	21	1	2	-	1	25	2	8	13	23	38	50	66
Male	3,981	13	1	1	-	1	16	1	5	8	11	31	33	45
Female	4,651	8	-	1	-	-	9	1	3	5	12	7	17	21
All other	878	3	-	1	-	-	4	3	-	5	11	20	30	31
Male	439	2	-	-	-	-	2	3	-	1	7	13	13	19
Female	439	1	-	1	-	-	2	-	-	4	4	7	17	12
Black	784	3	-	1	-	-	4	1	-	3	10	19	29	29
Male	380	2	-	-	-	-	2	1	-	1	6	12	12	17
Female	404	1	-	1	-	-	2	-	-	2	4	7	17	12
All other forms of heart disease (415-423,425-429)	194,579	867	152	59	36	37	1,151	124	156	340	496	716	1,034	1,525
Male	95,343	495	70	28	23	17	633	57	77	218	315	448	682	1,036
Female	99,236	372	82	31	13	20	518	67	79	122	181	268	352	489
White	165,587	599	94	36	21	24	774	92	100	233	345	468	640	1,016
Male	80,135	346	43	19	14	12	434	41	49	149	231	295	411	703
Female	85,452	253	51	17	7	12	340	51	51	84	114	171	229	313
All other	28,992	268	58	23	15	13	377	32	56	107	151	250	394	509
Male	15,208	149	27	9	9	5	199	16	28	69	84	153	271	333
Female	13,784	119	31	14	6	8	178	16	28	38	67	97	123	176
Black	27,240	235	53	20	15	11	334	28	50	101	141	238	368	473
Male	14,204	130	26	7	9	3	175	13	25	65	77	142	254	315
Female	13,036	105	27	13	6	8	159	15	25	36	64	96	114	158

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	4,991	8,472	15,180	26,814	42,349	57,644	74,351	84,893	84,528	70,449	44,427	15,734	2,924	168
Male	4,058	6,812	11,810	19,981	29,849	37,880	45,119	45,296	38,458	25,879	13,292	3,955	617	62
Female	933	1,660	3,370	6,833	12,500	19,764	29,232	39,597	46,070	44,570	31,135	11,779	2,307	106
White	4,132	7,072	13,003	23,276	37,475	51,739	67,579	78,122	78,708	66,576	42,279	14,778	2,578	150
Male	3,437	5,846	10,378	17,815	26,937	34,604	41,551	41,997	35,866	24,358	12,579	3,699	521	52
Female	695	1,226	2,625	5,461	10,538	17,135	26,028	36,125	42,842	42,218	29,700	11,079	2,057	98
All other	859	1,400	2,177	3,538	4,874	5,905	6,772	6,771	5,820	3,873	2,148	956	346	18
Male	621	966	1,432	2,166	2,912	3,276	3,568	3,299	2,592	1,521	713	256	96	10
Female	238	434	745	1,372	1,962	2,629	3,204	3,472	3,228	2,352	1,435	700	250	8
Black	787	1,278	2,002	3,243	4,490	5,417	6,183	6,111	5,262	3,462	1,940	878	326	15
Male	564	866	1,295	1,966	2,638	2,971	3,171	2,862	2,254	1,310	643	228	91	8
Female	223	412	707	1,277	1,852	2,446	3,012	3,249	3,008	2,152	1,297	650	235	7
Acute myocardial infarction (410)	3,107	5,277	9,492	16,819	26,064	34,675	42,707	46,016	40,233	28,187	14,321	4,199	672	41
Male	2,513	4,254	7,369	12,469	18,276	22,752	25,804	24,682	18,799	10,934	4,710	1,187	178	17
Female	594	1,023	2,123	4,350	7,788	11,923	16,903	21,334	21,434	17,253	9,611	3,012	494	24
White	2,627	4,504	8,312	14,839	23,261	31,351	39,055	42,580	37,535	26,542	13,536	3,871	566	34
Male	2,180	3,733	6,619	11,264	16,633	20,677	23,874	23,002	17,572	10,271	4,438	1,096	146	14
Female	447	771	1,693	3,555	6,628	10,474	15,181	19,578	19,963	16,271	9,098	2,775	418	20
All other	480	773	1,180	1,980	2,803	3,324	3,652	3,436	2,698	1,645	785	328	106	7
Male	333	521	750	1,185	1,643	1,875	1,930	1,680	1,227	663	272	91	30	3
Female	147	252	430	795	1,160	1,449	1,722	1,756	1,471	982	513	237	76	4
Black	437	691	1,062	1,805	2,560	3,029	3,320	3,070	2,423	1,475	720	310	104	6
Male	302	458	656	1,071	1,473	1,691	1,706	1,446	1,051	574	248	83	29	3
Female	135	233	406	734	1,087	1,338	1,614	1,624	1,372	901	472	227	75	3
Other acute and subacute forms of ischemic heart disease (411)	75	125	249	321	477	500	530	500	464	349	214	86	15	2
Male	58	102	199	247	338	342	343	273	213	140	56	17	3	2
Female	17	23	50	74	139	158	187	227	251	209	158	69	12	-
White	55	97	199	264	401	429	443	444	422	324	195	72	10	2
Male	45	84	168	208	291	306	293	244	198	126	50	16	1	2
Female	10	13	31	56	110	123	150	200	224	198	145	56	9	-
All other	20	28	50	57	76	71	87	56	42	25	19	14	5	-
Male	13	18	31	39	47	38	50	29	15	14	6	1	2	-
Female	7	10	19	18	29	35	37	27	27	11	13	13	3	-
Black	19	27	48	55	74	69	85	52	40	22	18	12	5	-
Male	12	17	29	38	46	35	48	27	14	11	6	1	2	-
Female	7	10	19	17	28	34	37	25	26	11	12	11	3	-
Angina pectoris (413)	5	11	29	35	68	87	131	156	178	131	81	8	1	-
Male	4	7	22	22	43	51	67	67	74	46	28	1	-	-
Female	1	4	7	13	25	36	64	89	104	85	53	7	1	-
White	5	10	23	26	58	77	115	145	162	126	78	8	-	-
Male	4	6	17	19	39	47	61	65	68	44	28	1	-	-
Female	1	4	6	7	19	30	54	80	94	82	50	7	-	-
All other	-	1	6	9	10	10	16	11	16	5	3	-	1	-
Male	-	1	5	3	4	4	6	2	6	2	-	-	-	-
Female	-	-	1	6	6	6	10	9	10	3	3	-	1	-
Black	-	1	6	9	9	10	15	11	14	5	3	-	1	-
Male	-	1	5	3	4	4	6	2	5	2	-	-	-	-
Female	-	-	1	6	5	6	9	9	8	3	3	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,804	3,059	5,410	9,639	15,740	22,382	30,983	38,221	43,653	41,782	29,811	11,441	2,236	125
Male	1,483	2,449	4,220	7,243	11,192	14,735	18,905	20,274	19,372	14,759	8,498	2,750	436	43
Female	321	610	1,190	2,396	4,548	7,647	12,078	17,947	24,281	27,023	21,313	8,691	1,800	82
White	1,445	2,461	4,469	8,147	13,755	19,882	27,966	34,953	40,589	39,584	28,470	10,827	2,002	114
Male	1,208	2,023	3,574	6,304	9,974	13,374	17,323	18,666	18,028	13,917	8,063	2,586	372	36
Female	237	438	895	1,843	3,781	6,508	10,643	16,267	22,561	25,667	20,407	8,241	1,630	78
All other	359	598	941	1,492	1,985	2,500	3,017	3,268	3,064	2,188	1,341	614	234	11
Male	275	426	646	939	1,218	1,361	1,582	1,588	1,344	842	435	164	64	7
Female	84	172	295	553	767	1,139	1,435	1,680	1,720	1,356	906	450	170	4
Black	331	559	888	1,374	1,847	2,309	2,763	2,978	2,785	1,960	1,199	556	216	9
Male	250	390	605	854	1,115	1,241	1,411	1,387	1,184	723	389	144	60	5
Female	81	169	281	520	732	1,068	1,352	1,591	1,601	1,237	810	412	156	4
Other diseases of endocardium (424)	102	134	213	341	548	844	1,236	1,600	1,761	1,418	749	208	26	3
Male	68	83	142	201	339	520	649	760	728	459	206	52	4	1
Female	34	51	71	140	207	324	587	840	1,033	959	543	156	22	2
White	74	101	174	280	488	754	1,125	1,472	1,657	1,350	710	196	23	3
Male	51	66	117	165	305	472	589	701	683	434	195	48	4	1
Female	23	35	57	115	183	282	536	771	974	916	515	148	19	2
All other	28	33	39	61	58	90	111	128	104	68	39	12	3	-
Male	17	17	25	36	34	48	60	59	45	25	11	4	-	-
Female	11	16	14	25	24	42	51	69	59	43	28	8	3	-
Black	27	31	38	56	50	82	104	114	89	57	38	10	3	-
Male	17	17	24	32	28	44	57	49	36	20	11	3	-	-
Female	10	14	14	24	21	38	47	65	53	37	27	7	3	-
All other forms of heart disease (415-423,425-429)	2,148	3,216	5,340	9,056	14,270	18,470	23,657	27,661	30,090	27,264	16,937	7,363	1,469	96
Male	1,434	2,263	3,720	6,180	9,385	11,536	13,510	13,921	12,656	9,525	5,461	1,745	299	42
Female	714	953	1,620	2,876	4,885	6,934	10,147	13,740	17,234	17,739	13,476	5,618	1,170	54
White	1,459	2,316	3,880	6,982	11,336	15,103	19,710	23,827	26,711	24,905	17,597	6,786	1,230	79
Male	1,003	1,660	2,766	4,913	7,595	9,588	11,429	12,088	11,326	8,603	5,008	1,574	229	30
Female	456	656	1,114	2,069	3,741	5,505	8,281	11,739	15,385	16,302	12,589	5,212	1,001	49
All other	689	900	1,460	2,074	2,934	3,367	3,947	3,834	3,379	2,359	1,340	577	239	17
Male	431	603	954	1,267	1,790	1,938	2,081	1,833	1,530	922	453	171	70	12
Female	258	297	506	807	1,144	1,429	1,866	2,001	1,849	1,437	887	406	169	5
Black	656	857	1,384	1,973	2,775	3,189	3,742	3,569	3,177	2,169	1,227	535	229	15
Male	407	568	909	1,202	1,686	1,820	1,956	1,667	1,431	838	419	157	68	10
Female	249	289	485	771	1,089	1,369	1,786	1,902	1,746	1,331	808	378	161	5

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,751	4	-	-	-	-	4	-	2	2	7	16	28	61
Male	3,385	4	-	-	-	-	4	-	1	1	3	9	18	39
Female	4,368	-	-	-	-	-	-	-	1	1	4	7	12	22
White	5,922	3	-	-	-	-	3	-	1	2	2	6	11	20
Male	2,588	3	-	-	-	-	3	-	1	1	2	3	6	11
Female	3,334	-	-	-	-	-	-	-	-	1	-	3	5	9
All other	1,829	1	-	-	-	-	1	-	1	-	5	10	17	41
Male	797	1	-	-	-	-	1	-	-	-	1	6	10	28
Female	1,032	-	-	-	-	-	-	-	1	-	4	4	7	13
Black	1,757	-	-	-	-	-	-	-	-	-	4	10	17	40
Male	764	-	-	-	-	-	-	-	-	-	1	6	10	27
Female	993	-	-	-	-	-	-	-	-	-	3	4	7	13
Cerebrovascular diseases (430-438)	153,050	135	22	13	5	8	183	31	51	96	211	330	572	906
Male	60,780	87	14	7	1	4	113	12	24	59	92	171	296	480
Female	92,270	48	8	6	4	4	70	19	27	38	119	159	276	426
White	133,032	90	14	11	3	5	123	28	44	64	156	233	364	591
Male	51,965	57	8	6	-	2	73	11	22	43	67	125	196	305
Female	81,067	33	6	5	3	3	50	15	22	21	89	108	168	286
All other	20,018	45	8	2	2	3	60	5	7	32	55	97	208	315
Male	8,815	30	6	1	1	2	40	1	2	15	25	46	100	175
Female	11,203	15	2	1	1	1	20	4	5	17	30	51	108	140
Black	18,341	43	8	2	2	2	57	5	6	28	50	94	198	290
Male	8,000	28	6	1	1	1	37	1	2	14	22	44	94	164
Female	10,341	15	2	1	1	1	20	4	4	14	28	50	104	126
Intracerebral and other intracranial hemorrhage (431-432)	20,728	68	8	4	-	3	83	16	23	36	70	113	199	348
Male	9,351	47	4	2	-	2	55	6	8	16	34	69	116	208
Female	11,377	21	4	2	-	1	28	10	15	20	36	44	83	140
White	17,041	40	6	3	-	2	51	13	20	23	50	73	115	192
Male	7,473	27	2	1	-	1	31	5	8	11	24	46	71	108
Female	9,568	13	4	2	-	1	20	8	12	12	26	25	44	84
All other	3,687	28	2	1	-	1	32	3	3	13	20	40	84	156
Male	1,878	20	2	1	-	1	24	1	-	5	10	21	45	100
Female	1,809	8	-	-	-	-	8	2	3	8	10	19	39	56
Black	3,258	27	2	1	-	-	30	3	2	12	19	39	81	146
Male	1,657	19	2	1	-	-	22	1	-	5	9	20	42	94
Female	1,601	8	-	-	-	-	8	2	2	7	10	19	39	52
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24,519	17	1	-	-	3	21	4	2	10	15	18	38	46
Male	9,531	9	1	-	-	1	11	3	-	5	3	12	19	26
Female	14,988	8	-	-	-	2	10	1	2	5	12	6	19	20
White	21,785	13	1	-	-	3	17	3	1	8	11	15	26	29
Male	8,350	6	1	-	-	1	8	3	-	3	3	10	12	18
Female	13,435	7	-	-	-	2	9	-	1	5	8	5	14	11
All other	2,734	4	-	-	-	-	4	1	1	2	4	3	12	17
Male	1,181	3	-	-	-	-	3	-	-	2	-	2	7	8
Female	1,553	1	-	-	-	-	1	1	1	-	4	1	5	9
Black	2,537	4	-	-	-	-	4	1	1	2	4	3	12	13
Male	1,074	3	-	-	-	-	3	-	-	2	-	2	7	5
Female	1,463	1	-	-	-	-	1	1	1	-	4	1	5	8
Cerebral embolism (434.1)	786	-	-	-	-	-	-	1	-	1	2	-	4	2
Male	331	-	-	-	-	-	-	-	-	1	1	-	3	-
Female	455	-	-	-	-	-	-	1	-	-	1	-	1	2
White	725	-	-	-	-	-	-	1	-	-	2	-	3	2
Male	302	-	-	-	-	-	-	-	-	-	1	-	3	-
Female	423	-	-	-	-	-	-	1	-	-	1	-	-	2
All other	61	-	-	-	-	-	-	-	-	1	-	-	1	-
Male	29	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	32	-	-	-	-	-	-	-	-	-	-	-	1	-
Black	53	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	25	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	28	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	107,017	50	13	9	5	2	79	10	26	49	124	199	331	510
Male	41,567	31	9	5	1	1	47	3	16	35	54	90	158	245
Female	65,450	19	4	4	4	1	32	7	10	13	70	109	173	264
White	93,481	37	7	8	3	-	55	9	23	33	93	145	220	368
Male	35,840	24	5	5	-	-	34	3	14	29	39	67	110	179
Female	57,641	13	2	3	3	-	21	6	9	4	54	78	110	189
All other	13,536	13	6	1	2	2	24	1	3	16	31	54	111	142
Male	5,727	7	4	-	1	1	13	-	2	7	15	23	48	67
Female	7,809	6	2	1	1	1	11	1	1	9	16	31	63	75
Black	12,493	12	6	1	2	2	23	1	3	13	27	52	105	131
Male	5,244	6	4	-	1	1	12	-	2	6	13	22	45	65
Female	7,249	6	2	1	1	1	11	1	1	7	14	30	60	66
Atherosclerosis (440)	23,926	-	-	-	-	-	-	-	-	1	1	3	4	16
Male	9,062	-	-	-	-	-	-	-	-	-	1	2	3	10
Female	14,864	-	-	-	-	-	-	-	-	1	-	1	1	6
White	22,021	-	-	-	-	-	-	-	-	-	1	3	4	13
Male	8,251	-	-	-	-	-	-	-	-	-	1	2	3	9
Female	13,770	-	-	-	-	-	-	-	-	-	-	1	1	4
All other	1,905	-	-	-	-	-	-	-	-	1	-	-	-	3
Male	811	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	1,094	-	-	-	-	-	-	-	-	1	-	-	-	2
Black	1,780	-	-	-	-	-	-	-	-	1	-	-	-	3
Male	758	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	1,022	-	-	-	-	-	-	-	-	1	-	-	-	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	76	129	217	340	557	737	1,020	1,235	1,286	1,081	685	218	48	2
Male	43	79	128	197	313	379	499	558	498	358	197	54	9	-
Female	33	50	89	143	244	358	521	677	788	723	488	164	39	2
White	30	54	112	201	356	523	767	962	1,074	937	615	192	33	1
Male	17	40	70	129	219	280	388	459	424	313	172	46	4	-
Female	13	14	42	72	137	243	379	523	650	624	443	146	29	1
All other	46	75	105	139	201	214	253	253	212	144	70	26	15	1
Male	26	39	58	68	94	99	111	99	74	45	25	8	5	-
Female	20	36	47	71	107	115	142	154	138	99	45	18	10	1
Black	44	75	103	129	199	210	241	242	199	139	64	26	14	1
Male	24	39	56	63	94	97	107	95	67	42	23	8	5	-
Female	20	36	47	66	105	113	134	147	132	97	41	18	9	1
Cerebrovascular diseases (430-438)	1,366	1,885	2,689	4,662	7,474	11,367	17,762	24,638	28,833	26,600	16,669	5,563	909	53
Male	675	992	1,539	2,559	4,036	5,940	8,843	11,033	10,735	7,907	4,019	1,082	148	16
Female	691	893	1,150	2,103	3,438	5,427	8,919	13,605	18,098	18,693	12,650	4,471	761	37
White	878	1,230	2,027	3,466	5,757	9,238	14,887	21,609	25,995	24,701	15,682	5,168	749	44
Male	434	636	1,088	1,935	3,139	4,858	7,494	9,680	9,703	7,268	3,761	1,005	113	11
Female	444	594	941	1,531	2,618	4,380	7,393	11,929	16,292	17,433	11,921	4,163	636	33
All other	488	655	662	1,196	1,717	2,129	2,875	3,029	2,838	1,899	987	395	160	9
Male	241	356	453	624	897	1,082	1,349	1,353	1,032	639	258	87	35	5
Female	247	299	409	572	820	1,047	1,526	1,676	1,806	1,260	729	308	125	4
Black	452	617	803	1,117	1,581	1,981	2,623	2,761	2,561	1,692	885	386	147	7
Male	228	333	427	587	838	997	1,228	1,212	881	547	231	76	32	5
Female	224	284	376	530	743	984	1,395	1,569	1,680	1,145	654	290	115	2
Intracerebral and other intracranial hemorrhage (431-432)	511	685	1,005	1,325	1,862	2,209	2,875	3,120	3,003	2,036	921	250	35	3
Male	283	396	547	744	1,001	1,150	1,429	1,319	1,105	608	197	54	4	2
Female	228	289	458	581	861	1,059	1,446	1,801	1,898	1,428	724	196	31	1
White	264	406	654	978	1,495	1,897	2,493	2,758	2,696	1,878	849	227	27	2
Male	143	229	350	568	777	945	1,237	1,146	990	550	163	46	4	1
Female	121	177	304	412	658	892	1,256	1,612	1,706	1,328	666	181	23	1
All other	247	279	351	347	427	372	382	362	307	158	72	23	8	1
Male	140	167	197	178	224	205	192	173	115	58	14	8	-	1
Female	107	112	154	169	203	167	190	189	192	100	58	15	8	-
Black	234	260	325	310	375	328	313	303	254	134	60	22	7	1
Male	133	155	184	158	205	183	154	141	83	47	13	7	-	1
Female	101	105	141	152	170	145	159	162	171	87	47	15	7	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	90	144	281	580	1,037	1,727	2,816	4,038	4,804	4,602	3,057	998	180	11
Male	54	85	184	338	608	927	1,438	1,800	1,745	1,332	719	189	30	3
Female	36	59	97	242	429	800	1,378	2,238	3,059	3,270	2,338	809	150	8
White	56	95	206	434	781	1,423	2,412	3,588	4,373	4,310	2,894	939	157	7
Male	33	57	138	259	466	766	1,254	1,613	1,590	1,245	671	177	23	1
Female	23	38	68	175	315	657	1,158	1,975	2,783	3,065	2,223	762	134	6
All other	34	49	75	146	256	304	404	450	431	292	163	59	23	4
Male	21	28	46	79	142	161	184	187	155	87	46	12	7	2
Female	13	21	29	67	114	143	220	263	276	205	115	47	16	2
Black	34	48	70	138	241	287	373	420	392	268	147	54	23	2
Male	21	27	43	76	134	147	168	166	134	77	42	11	7	2
Female	13	21	27	62	107	140	205	254	258	191	105	43	16	-
Cerebral embolism (434.1)	3	7	15	27	43	71	118	150	139	126	61	14	1	1
Male	2	1	9	12	21	38	52	75	54	44	15	3	-	-
Female	1	6	6	15	22	33	66	75	85	82	46	11	1	1
White	3	5	12	24	39	66	108	140	127	121	58	13	-	1
Male	2	-	7	11	18	37	46	69	49	42	14	3	-	-
Female	1	5	5	13	21	29	62	71	78	79	44	10	-	1
All other	-	2	3	3	4	5	10	10	12	5	3	1	1	-
Male	-	1	2	1	3	1	6	6	5	2	1	-	-	-
Female	-	1	1	2	1	4	4	4	7	3	2	1	1	-
Black	-	2	1	3	4	4	10	7	11	5	3	1	1	-
Male	-	1	1	1	3	1	6	4	4	2	1	-	-	-
Female	-	1	-	2	1	3	4	3	7	3	2	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	762	1,049	1,588	2,730	4,532	7,360	11,953	17,330	20,887	19,636	12,630	4,301	693	38
Male	336	510	799	1,465	2,406	3,825	5,924	7,639	7,831	5,923	3,086	846	114	11
Female	426	539	789	1,265	2,126	3,535	6,029	9,491	13,056	13,913	9,542	3,455	579	27
White	555	724	1,155	2,030	3,502	5,912	9,874	15,123	18,799	18,382	11,881	3,989	565	34
Male	256	350	591	1,099	1,878	3,110	4,957	6,852	7,074	5,431	2,893	779	88	9
Female	299	374	564	931	1,624	2,802	4,917	8,271	11,725	12,961	8,988	3,210	478	25
All other	207	325	433	700	1,030	1,448	2,079	2,207	2,088	1,444	749	312	128	4
Male	80	160	208	366	528	715	967	987	757	492	195	67	28	2
Female	127	165	225	334	502	733	1,112	1,220	1,331	952	554	245	100	2
Black	184	307	407	666	961	1,362	1,927	2,051	1,904	1,285	675	289	116	4
Male	74	150	199	352	498	666	900	901	660	421	175	58	25	2
Female	110	157	208	314	465	696	1,027	1,150	1,244	864	500	231	91	2
Atherosclerosis (440)	32	49	133	319	573	1,076	1,822	2,935	4,328	5,294	4,665	2,137	513	25
Male	25	33	95	227	367	646	1,040	1,383	1,694	1,713	1,242	490	85	6
Female	7	16	38	92	206	430	782	1,552	2,634	3,581	3,423	1,647	428	19
White	24	40	107	256	489	930	1,587	2,634	3,896	4,973	4,457	2,023	464	20
Male	20	26	79	189	322	558	918	1,251	1,564	1,587	1,184	460	74	4
Female	4	14	28	67	167	372	669	1,383	2,432	3,386	3,273	1,563	390	16
All other	8	9	26	63	84	146	235	301	332	321	208	114	49	5
Male	5	7	16	38	45	88	122	132	130	126	58	30	11	2
Female	3	2	10	25	39	58	113	169	202	195	150	84	38	3
Black	7	8	24	61	81	137	226	290	312	292	184	104	44	4
Male	4	7	15	36	42	82	119	128	120	112	52	28	10	2
Female	3	1	9	25	39	55	109	162	192	180	132	76	34	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	21,983	25	3	3	3	1	36	8	12	35	37	69	90	148
Male	13,620	16	3	2	1	1	23	3	6	19	24	42	43	92
Female	8,363	10	-	1	2	-	13	5	6	16	13	27	47	56
White	20,021	18	3	3	3	1	28	6	10	31	29	51	62	116
Male	12,600	12	3	2	1	1	19	3	6	17	21	34	31	71
Female	7,421	6	-	1	2	-	9	3	4	14	8	17	31	45
All other	1,962	8	-	-	-	-	8	2	2	4	8	18	28	32
Male	1,020	4	-	-	-	-	4	-	-	2	3	8	12	21
Female	942	4	-	-	-	-	4	2	2	2	5	10	16	11
Black	1,732	6	-	-	-	-	6	-	1	4	7	18	25	30
Male	871	3	-	-	-	-	3	-	-	2	3	8	9	19
Female	861	3	-	-	-	-	3	-	1	2	4	10	16	11
Acute bronchitis and bronchiolitis (466)	600	64	13	4	-	-	81	1	2	3	3	1	4	4
Male	303	44	8	2	-	-	54	1	1	3	2	1	2	2
Female	297	20	5	2	-	-	27	-	1	-	1	-	2	2
White	532	49	6	2	-	-	57	-	1	3	2	1	2	4
Male	258	33	3	1	-	-	37	-	1	3	1	1	1	2
Female	274	16	3	1	-	-	20	-	-	-	1	-	1	2
All other	68	15	7	2	-	-	24	1	1	-	1	-	2	-
Male	45	11	5	1	-	-	17	1	-	-	1	-	1	-
Female	23	4	2	1	-	-	7	-	1	-	-	-	1	-
Black	63	15	6	2	-	-	23	1	1	-	1	-	2	-
Male	41	11	4	1	-	-	16	1	-	-	1	-	1	-
Female	22	4	2	1	-	-	7	-	1	-	-	-	1	-
Pneumonia and influenza (480-487)	67,615	705	108	54	30	27	924	76	54	89	162	224	406	496
Male	33,159	412	56	29	14	12	523	36	28	55	95	144	255	331
Female	34,456	293	52	25	16	15	401	40	26	34	67	80	151	165
White	60,508	443	69	36	24	20	592	52	39	68	132	149	241	293
Male	29,028	256	36	19	11	8	330	24	20	46	79	95	151	197
Female	31,480	187	33	17	13	12	262	28	19	22	53	54	90	96
All other	7,107	262	39	18	6	7	332	24	15	21	30	75	165	203
Male	4,131	156	20	10	3	4	193	12	8	9	16	49	104	134
Female	2,976	106	19	8	3	3	139	12	7	12	14	26	61	69
Black	6,338	237	35	17	5	6	300	22	14	20	29	70	155	190
Male	3,664	141	19	9	3	3	175	10	8	8	15	47	96	126
Female	2,674	96	16	8	2	3	125	12	6	12	14	23	59	64
Pneumonia (480-486)	65,561	698	103	54	29	27	911	71	52	86	158	221	401	491
Male	32,422	409	53	29	14	12	517	33	27	52	93	142	251	328
Female	33,139	289	50	25	15	15	394	38	25	34	65	79	150	163
White	58,561	439	66	36	23	20	584	48	37	65	128	146	237	288
Male	28,347	255	34	19	11	8	327	21	19	43	77	93	148	184
Female	30,214	184	32	17	12	12	257	27	18	22	51	53	89	94
All other	7,000	259	37	18	6	7	327	23	15	21	30	75	164	203
Male	4,075	154	19	10	3	4	190	12	8	9	16	49	103	134
Female	2,925	105	18	8	3	3	137	11	7	12	14	26	61	69
Black	6,247	235	33	17	5	6	296	21	14	20	29	70	154	190
Male	3,616	140	18	9	3	3	173	10	8	8	15	47	95	126
Female	2,631	95	15	8	2	3	123	11	6	12	14	23	59	64
Influenza (487)	2,054	7	5	-	1	-	13	5	2	3	4	3	5	5
Male	737	3	3	-	-	-	6	3	1	3	2	2	4	3
Female	1,317	4	2	-	1	-	7	2	1	-	2	1	1	2
White	1,947	4	3	-	1	-	8	4	2	3	4	3	4	5
Male	681	1	2	-	-	-	3	3	1	3	2	2	3	3
Female	1,266	3	1	-	1	-	5	1	1	-	2	1	1	2
All other	107	3	2	-	-	-	5	1	-	-	-	-	1	-
Male	56	2	1	-	-	-	3	-	-	-	-	-	1	-
Female	51	1	1	-	-	-	2	1	-	-	-	-	-	-
Black	91	2	2	-	-	-	4	1	-	-	-	-	1	-
Male	48	1	1	-	-	-	2	-	-	-	-	-	1	-
Female	43	1	1	-	-	-	2	1	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,662	52	17	5	8	6	88	37	78	73	107	98	135	200
Male	46,598	37	9	3	4	3	56	23	34	37	54	50	68	106
Female	28,066	15	8	2	4	3	32	14	44	36	53	48	67	94
White	69,438	37	10	3	4	4	58	18	40	39	60	60	78	139
Male	43,074	30	7	1	-	2	40	16	13	18	24	26	37	70
Female	26,364	7	3	2	4	2	18	2	27	21	36	34	41	69
All other	5,224	15	7	2	4	2	30	19	38	34	47	38	57	61
Male	3,522	7	2	2	4	1	16	7	21	19	30	24	31	36
Female	1,702	8	5	-	-	1	14	12	17	15	17	14	26	25
Black	4,659	13	5	2	4	2	26	17	36	31	45	35	55	60
Male	3,154	6	2	2	4	1	15	5	20	17	29	21	30	36
Female	1,505	7	3	-	-	1	11	12	16	14	16	14	25	24
Bronchitis, chronic and unspecified (490-491)	3,615	40	7	3	1	1	52	5	5	7	2	4	10	14
Male	2,041	28	3	2	-	1	34	4	-	4	1	2	7	5
Female	1,574	12	4	1	1	-	18	1	5	3	1	2	3	9
White	3,413	28	4	2	1	1	36	2	5	4	2	3	7	12
Male	1,929	23	3	1	-	1	28	2	-	3	1	1	5	5
Female	1,484	5	1	1	1	-	8	-	5	1	1	2	2	7
All other	202	12	3	1	-	-	16	3	-	3	-	1	3	2
Male	112	5	-	1	-	-	6	2	-	1	-	1	2	-
Female	90	7	3	-	-	-	10	1	-	2	-	-	1	2
Black	167	10	2	1	-	-	13	1	-	3	-	1	3	2
Male	93	4	-	1	-	-	5	-	-	1	-	1	2	-
Female	74	6	2	-	-	-	8	1	-	2	-	-	1	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	169	257	448	971	1,671	2,922	3,648	3,912	3,229	2,346	1,184	343	47	1
Male	104	156	309	694	1,365	2,107	2,695	2,456	1,861	1,055	433	105	7	1
Female	65	101	139	277	466	815	1,153	1,456	1,368	1,291	751	238	40	-
White	131	195	357	840	1,666	2,652	3,533	3,621	3,003	2,217	1,113	317	42	1
Male	91	123	258	619	1,256	1,948	2,519	2,309	1,759	1,006	407	98	6	1
Female	40	72	101	221	410	704	1,014	1,312	1,244	1,211	706	219	36	-
All other	38	62	91	131	205	270	315	291	226	129	71	26	5	-
Male	13	33	53	75	129	159	176	147	102	49	26	7	1	-
Female	25	29	38	56	76	111	139	144	124	80	45	19	4	-
Black	34	57	85	122	184	239	274	249	198	111	61	22	5	-
Male	12	31	50	70	115	136	146	117	80	41	23	5	1	-
Female	22	26	35	52	69	103	128	132	118	70	38	17	4	-
Acute bronchitis and bronchiolitis (466)	5	9	10	20	27	44	48	59	92	82	72	26	7	-
Male	4	8	5	13	17	23	31	38	39	28	21	9	1	-
Female	1	1	5	7	10	21	17	21	53	54	51	17	6	-
White	4	7	8	18	24	38	44	54	83	82	69	26	5	-
Male	4	6	3	12	15	19	28	35	34	28	18	9	1	-
Female	-	1	5	6	9	19	16	19	49	54	51	17	4	-
All other	1	2	2	2	3	6	4	5	9	-	3	-	2	-
Male	-	2	2	1	2	4	3	3	5	-	3	-	-	-
Female	1	-	-	1	1	2	1	2	4	-	-	-	2	-
Black	1	2	2	2	3	6	4	5	7	-	1	-	2	-
Male	-	2	2	1	2	4	3	3	4	-	1	-	-	-
Female	1	-	-	1	1	2	1	2	3	-	-	-	2	-
Pneumonia and influenza (480-487)	551	657	966	1,550	2,580	3,715	6,113	9,230	12,066	13,170	9,781	3,958	796	51
Male	343	427	611	1,002	1,682	2,395	3,726	5,200	5,931	5,458	3,489	1,194	211	23
Female	208	230	355	548	898	1,320	2,387	4,030	6,135	7,712	6,292	2,764	585	28
White	347	438	700	1,201	2,085	3,151	5,381	8,319	11,098	12,435	9,300	3,736	710	40
Male	198	271	495	766	1,357	2,024	3,248	4,677	5,418	5,106	3,282	1,101	188	15
Female	149	167	265	435	728	1,127	2,133	3,642	5,681	7,329	6,018	2,635	522	25
All other	204	219	266	349	495	564	732	911	967	735	481	222	86	11
Male	145	156	176	236	325	371	478	523	513	352	207	93	23	8
Female	59	63	90	113	170	193	254	388	454	383	274	129	63	3
Black	192	205	254	326	466	515	652	820	824	626	384	162	60	10
Male	140	146	171	219	304	338	425	457	416	291	172	72	20	8
Female	52	59	83	107	162	177	227	363	408	337	212	110	60	2
Pneumonia (480-486)	541	646	946	1,516	2,524	3,636	5,978	8,979	11,719	12,695	9,424	3,779	739	48
Male	336	423	601	990	1,655	2,356	3,669	5,092	5,785	5,302	3,392	1,161	194	23
Female	205	223	345	526	869	1,280	2,309	3,887	5,934	7,393	6,032	2,618	545	25
White	340	429	684	1,172	2,037	3,078	5,262	8,084	10,764	11,969	8,951	3,565	656	37
Male	193	267	428	756	1,335	1,887	3,200	4,577	5,280	4,955	3,188	1,072	172	15
Female	147	162	256	416	702	1,091	2,062	3,507	5,484	7,014	5,763	2,493	484	22
All other	201	217	262	344	487	558	716	895	955	726	473	214	83	11
Male	143	156	173	234	320	369	469	515	505	347	204	89	22	8
Female	58	61	89	110	167	189	247	380	450	379	269	125	61	3
Black	189	203	251	321	458	509	639	806	813	620	379	178	77	10
Male	138	146	169	217	299	336	417	450	409	286	170	70	19	8
Female	51	57	82	104	159	173	222	356	404	334	209	108	58	2
Influenza (487)	10	11	20	34	58	79	135	251	347	475	357	179	57	3
Male	7	4	10	12	27	39	57	108	146	156	97	33	17	-
Female	3	7	10	22	29	40	78	143	201	319	260	146	40	3
White	7	9	16	29	48	73	119	235	335	466	349	171	54	3
Male	5	4	7	10	22	37	48	100	138	151	94	29	16	-
Female	2	5	9	19	26	36	71	135	197	315	255	142	38	3
All other	3	2	4	5	8	6	16	16	12	9	8	8	3	-
Male	2	-	3	2	5	2	9	8	8	5	3	4	1	-
Female	1	2	1	3	3	4	7	8	4	4	5	4	2	-
Black	3	2	3	5	8	6	13	14	11	8	5	4	3	-
Male	2	-	2	2	5	2	8	7	7	5	2	2	1	-
Female	1	2	1	3	3	4	5	7	4	3	3	2	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	294	679	1,615	3,642	6,965	10,844	14,305	14,701	11,039	6,329	2,646	668	102	17
Male	151	345	886	2,097	4,213	6,806	9,256	9,499	7,133	3,905	1,495	323	46	13
Female	143	334	729	1,545	2,752	4,038	5,049	5,202	3,906	2,424	1,151	345	56	4
White	216	535	1,372	3,213	6,337	10,051	13,501	13,908	10,491	6,067	2,528	630	87	10
Male	103	259	745	1,834	3,798	6,272	8,653	8,918	6,751	3,725	1,425	303	38	6
Female	113	276	627	1,379	2,539	3,779	4,848	4,990	3,740	2,342	1,103	327	49	4
All other	78	144	243	429	628	793	804	793	548	262	118	38	15	7
Male	48	86	141	263	415	534	603	581	382	180	70	20	8	7
Female	30	58	102	166	213	259	201	212	166	82	48	18	7	-
Black	74	136	217	390	570	724	722	681	476	213	97	33	14	7
Male	46	82	126	239	378	496	548	496	331	149	58	18	7	7
Female	28	54	91	151	192	228	174	185	145	64	39	15	7	-
Bronchitis, chronic and unspecified (490-491)	10	33	58	147	295	450	604	585	558	426	250	82	17	1
Male	6	14	21	89	162	274	382	373	325	206	95	31	5	1
Female	4	19	37	58	133	176	222	212	233	220	155	51	12	-
White	7	26	46	134	271	432	575	561	534	418	240	80	15	1
Male	4	11	20	79	149	265	364	353	315	199	90	30	4	1
Female	3	17	26	55	122	167	211	208	219	217	150	50	11	-
All other	3	5	10	13	24	18	29	24	24	10	10	2	2	-
Male	2	3	1	10	13	9	18	20	10	7	5	1	1	-
Female	1	2	9	3	11	9	11	4	14	3	5	1	1	-
Black	2	5	7	12	21	15	25	20	19	6	8	2	2	-
Male	1	3	1	10	12	7	16	16	8	5	3	1	1	-
Female	1	2	6	2	9	8	9	4	11	1	5	1	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	14,150	2	-	-	-	-	2	1	1	-	4	5	7	21
Male	9,375	2	-	-	-	-	2	1	-	-	4	3	3	15
Female	4,775	-	-	-	-	-	-	-	1	-	-	2	4	6
White	13,353	2	-	-	-	-	2	1	1	-	3	2	5	16
Male	8,766	2	-	-	-	-	2	1	-	-	3	-	2	12
Female	4,587	-	-	-	-	-	-	-	1	-	-	2	3	4
All other	797	-	-	-	-	-	-	-	-	-	1	3	2	5
Male	609	-	-	-	-	-	-	-	-	-	1	3	1	3
Female	188	-	-	-	-	-	-	-	-	-	-	-	1	2
Black	687	-	-	-	-	-	-	-	-	-	1	3	2	5
Male	523	-	-	-	-	-	-	-	-	-	1	3	1	3
Female	164	-	-	-	-	-	-	-	-	-	-	-	1	2
Asthma (493)	3,880	6	9	2	6	4	27	28	70	59	97	74	108	122
Male	1,551	4	6	1	3	2	16	16	33	29	47	33	53	58
Female	2,329	2	3	1	3	2	11	12	37	30	50	41	55	64
White	3,026	4	6	1	3	2	16	12	34	30	51	44	60	72
Male	1,140	3	4	-	-	1	8	11	13	12	18	17	26	28
Female	1,886	1	2	1	3	1	8	1	21	18	33	27	34	44
All other	854	2	3	1	3	2	11	16	36	29	46	30	48	50
Male	411	1	2	1	3	1	8	5	20	17	29	16	27	30
Female	443	1	1	-	-	1	3	11	16	12	17	14	21	20
Black	778	2	3	1	3	2	11	16	34	26	44	28	46	49
Male	371	1	2	1	3	1	8	5	19	15	28	14	26	30
Female	407	1	1	-	-	1	3	11	15	11	16	14	20	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	53,017	4	1	-	1	1	7	3	2	7	4	15	10	43
Male	33,629	3	-	-	1	-	4	2	1	4	2	12	5	28
Female	19,388	1	1	-	-	1	3	1	1	3	2	3	5	15
White	49,646	3	-	-	-	1	4	3	-	5	4	11	6	39
Male	31,239	2	-	-	-	-	2	2	-	3	2	8	4	25
Female	18,407	1	-	-	-	1	2	1	-	2	2	3	2	14
All other	3,371	1	1	-	1	-	3	-	2	2	-	4	4	4
Male	2,390	1	-	-	1	-	2	-	1	1	-	4	1	3
Female	981	-	1	-	-	-	1	-	1	1	-	-	3	1
Black	3,027	1	-	-	1	-	2	-	2	2	-	3	4	4
Male	2,167	1	-	-	1	-	2	-	1	1	-	3	1	3
Female	860	-	-	-	-	-	-	-	1	1	-	-	3	1
Ulcer of stomach and duodenum (531-533)	8,645	12	3	1	-	1	17	-	1	3	9	19	20	53
Male	3,330	6	1	-	-	-	7	-	-	1	6	14	17	42
Female	3,315	6	2	1	-	1	10	-	1	2	3	5	3	11
White	5,984	9	1	1	-	1	12	-	1	2	8	7	12	39
Male	2,947	5	1	-	-	-	6	-	-	1	5	5	10	29
Female	3,037	4	-	1	-	1	6	-	1	1	3	2	2	10
All other	661	3	2	-	-	-	5	-	-	1	1	12	8	14
Male	383	1	-	-	-	-	1	-	-	-	1	9	7	13
Female	278	2	2	-	-	-	4	-	-	1	-	3	1	1
Black	571	2	2	-	-	-	4	-	-	1	1	11	6	13
Male	328	1	-	-	-	-	1	-	-	-	1	9	6	12
Female	243	1	2	-	-	-	3	-	-	1	-	2	-	1
Appendicitis (540-543)	501	6	2	2	3	1	14	7	3	5	8	7	7	8
Male	276	4	1	1	1	1	8	4	2	3	6	4	6	6
Female	225	2	1	1	2	-	6	3	1	2	2	3	1	2
White	396	6	1	1	2	-	10	2	2	5	7	4	3	4
Male	217	4	-	1	1	-	6	1	2	3	5	2	3	3
Female	179	2	1	-	1	-	4	1	-	2	2	2	-	1
All other	105	-	1	1	1	1	4	5	1	-	1	3	4	4
Male	59	-	1	-	-	1	2	3	-	-	1	2	3	3
Female	46	-	-	1	1	-	2	2	1	-	-	1	1	1
Black	99	-	1	1	1	1	4	5	1	-	1	3	4	4
Male	57	-	1	-	-	1	2	3	-	-	1	2	3	3
Female	42	-	-	1	1	-	2	2	1	-	-	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,361	61	10	6	2	3	104	14	7	8	16	20	28	37
Male	2,040	43	7	5	2	1	58	8	2	6	12	10	14	25
Female	3,321	38	3	3	-	2	46	6	5	2	4	10	14	12
White	4,683	61	8	5	-	-	74	10	6	6	11	12	19	28
Male	1,711	32	5	3	-	-	40	7	2	5	8	6	9	19
Female	2,972	29	3	2	-	-	34	3	4	1	3	6	10	9
All other	678	20	2	3	2	3	30	4	1	2	5	8	9	9
Male	329	11	2	2	2	1	18	1	-	1	4	4	5	6
Female	349	9	-	1	-	2	12	3	1	1	1	4	4	3
Black	637	18	2	3	2	3	28	4	1	2	3	8	8	9
Male	306	9	2	2	2	1	16	1	-	1	3	4	4	6
Female	331	9	-	1	-	2	12	3	1	1	-	4	4	3
Chronic liver disease and cirrhosis (571)	26,767	13	10	4	-	1	28	2	-	10	55	283	961	1,370
Male	17,244	8	4	2	-	-	14	1	-	5	38	182	645	960
Female	9,523	5	6	2	-	1	14	1	-	5	17	101	316	410
White	22,192	5	9	3	-	1	18	2	-	7	42	173	604	875
Male	14,321	2	3	1	-	-	6	1	-	3	30	119	433	647
Female	7,871	3	6	2	-	1	12	1	-	4	12	54	171	228
All other	4,575	8	1	1	-	-	10	-	-	3	13	110	357	495
Male	2,923	6	1	1	-	-	8	-	-	2	8	63	212	313
Female	1,652	2	-	-	-	-	2	-	-	1	5	47	145	182
Black	4,055	5	1	1	-	-	7	-	-	3	12	96	321	449
Male	2,616	4	1	1	-	-	6	-	-	2	7	54	192	292
Female	1,439	1	-	-	-	-	1	-	-	1	5	42	129	157

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	44	139	319	765	1,497	2,314	3,001	2,860	1,853	917	334	57	8	1
Male	26	89	198	471	915	1,489	2,005	1,962	1,297	637	220	34	3	1
Female	18	50	121	294	582	825	996	898	556	280	114	23	5	-
White	40	118	278	696	1,404	2,177	2,865	2,721	1,772	874	317	55	6	-
Male	22	69	168	423	847	1,390	1,896	1,853	1,234	603	207	33	1	-
Female	18	49	110	273	557	787	969	868	538	271	110	22	5	-
All other	4	21	41	69	93	137	136	139	81	43	17	2	2	1
Male	4	20	30	48	68	99	109	109	63	34	13	1	2	1
Female	-	1	11	21	25	38	27	30	18	9	4	1	-	-
Black	4	20	36	59	81	123	121	115	60	38	14	2	2	1
Male	4	19	26	39	58	94	96	88	48	29	10	1	2	1
Female	-	1	10	20	23	29	25	27	12	9	4	1	-	-
Asthma (493)	109	156	222	319	438	486	450	460	325	201	93	36	2	-
Male	38	62	84	134	175	189	183	186	119	61	29	6	-	-
Female	71	94	138	185	261	297	267	274	206	140	64	30	2	-
White	71	100	152	238	352	391	394	411	293	186	87	32	2	-
Male	20	39	55	97	135	151	155	163	106	55	28	5	-	-
Female	51	61	97	139	217	240	239	248	187	131	61	27	2	-
All other	38	56	70	83	84	95	56	49	32	15	6	4	-	-
Male	18	23	29	37	40	38	28	23	13	6	3	1	-	-
Female	20	33	41	46	44	57	28	26	19	9	3	3	-	-
Black	37	52	64	74	78	85	51	40	27	9	4	3	-	-
Male	18	23	26	31	38	33	26	16	10	3	1	1	-	-
Female	19	29	38	43	40	52	25	24	17	6	3	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	131	351	1,016	2,411	4,737	7,594	10,250	10,796	8,303	4,785	1,969	493	75	15
Male	81	180	583	1,403	2,961	4,854	6,686	6,978	5,392	3,001	1,151	252	38	11
Female	50	171	433	1,008	1,776	2,740	3,564	3,818	2,911	1,784	818	241	37	4
White	98	289	894	2,147	4,310	7,051	9,687	10,216	7,882	4,591	1,884	483	64	9
Male	57	140	502	1,235	2,667	4,466	6,238	6,549	5,096	2,868	1,102	235	33	5
Female	41	149	392	912	1,643	2,585	3,429	3,666	2,786	1,723	782	228	31	4
All other	33	62	122	264	427	543	583	581	411	194	85	30	11	6
Male	24	40	81	168	294	388	448	429	296	133	49	17	5	6
Female	9	22	41	96	133	155	135	152	115	61	36	13	6	-
Black	31	59	110	245	390	501	525	506	370	160	71	26	10	6
Male	23	37	73	159	270	362	410	376	265	112	44	15	4	6
Female	8	22	37	86	120	139	115	130	105	48	27	11	6	-
Ulcer of stomach and duodenum (531-533)	69	111	175	278	504	666	839	1,086	1,122	963	568	137	24	1
Male	49	76	123	169	317	423	460	560	488	333	203	34	7	1
Female	20	35	52	109	187	243	379	506	634	630	365	103	17	-
White	51	94	153	229	422	602	752	971	1,033	905	543	127	20	1
Male	37	63	106	137	282	384	410	505	448	312	190	31	5	1
Female	14	31	47	92	160	218	342	466	585	593	353	96	15	-
All other	18	17	22	49	82	64	87	95	89	58	25	10	4	-
Male	12	13	17	32	55	39	50	55	40	21	13	3	2	-
Female	6	4	5	17	27	25	37	40	49	37	12	7	2	-
Black	16	15	21	42	77	57	72	83	74	49	18	7	4	-
Male	11	12	17	29	51	34	39	46	29	19	8	2	2	-
Female	5	3	4	13	26	23	33	37	45	30	10	5	2	-
Appendicitis (540-543)	7	10	18	20	48	52	73	72	49	61	27	5	-	-
Male	6	8	12	12	29	31	44	36	21	26	12	-	-	-
Female	1	2	6	8	19	21	29	36	28	35	15	5	-	-
White	4	7	14	12	39	42	55	59	45	53	25	4	-	-
Male	4	6	11	7	24	24	35	30	18	23	10	-	-	-
Female	-	1	3	5	15	18	20	29	27	30	15	4	-	-
All other	3	3	4	8	9	10	18	13	4	8	2	1	-	-
Male	2	2	1	5	5	7	9	6	3	3	2	-	-	-
Female	1	1	3	3	4	3	9	7	1	5	-	1	-	-
Black	2	3	3	8	6	10	17	13	4	8	2	1	-	-
Male	1	2	1	5	4	7	9	6	3	3	2	-	-	-
Female	1	1	2	3	2	3	8	7	1	5	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	33	86	169	237	353	535	803	1,040	957	630	211	35	1
Male	20	16	45	87	106	163	269	343	369	269	160	47	10	1
Female	17	17	41	82	131	190	266	460	671	688	470	164	25	-
White	28	23	68	130	186	287	461	707	913	887	599	196	31	1
Male	14	11	34	69	81	129	232	293	304	247	150	42	9	1
Female	14	12	34	62	105	158	229	414	609	640	449	154	22	-
All other	9	10	18	39	51	66	74	96	127	70	31	15	4	-
Male	6	5	11	19	25	34	37	50	65	22	10	5	1	-
Female	3	5	7	20	26	32	37	46	62	48	21	10	3	-
Black	9	9	17	37	48	62	71	92	116	67	28	14	4	-
Male	6	4	10	18	24	32	35	48	59	21	9	4	1	-
Female	3	5	7	19	24	30	36	44	57	46	19	10	3	-
Chronic liver disease and cirrhosis (571)	1,744	2,174	2,791	3,570	3,971	3,637	2,742	1,835	1,046	411	112	13	1	11
Male	1,246	1,507	1,903	2,402	2,687	2,280	1,645	989	509	182	39	1	-	9
Female	498	667	888	1,168	1,284	1,357	1,097	846	537	229	73	12	1	2
White	1,204	1,613	2,241	2,984	3,483	3,249	2,511	1,702	977	363	106	11	1	6
Male	859	1,134	1,538	2,017	2,367	2,039	1,515	925	478	166	37	1	-	6
Female	345	479	703	967	1,116	1,210	996	777	499	217	69	10	1	-
All other	540	561	550	586	488	388	231	133	69	28	6	2	-	5
Male	387	373	365	385	320	241	130	64	31	16	2	-	-	3
Female	153	188	185	201	168	147	101	69	38	12	4	2	-	2
Black	485	506	476	521	436	340	204	113	54	20	5	2	-	5
Male	352	337	320	349	288	211	114	52	23	12	2	-	-	3
Female	133	169	156	172	148	129	90	61	31	8	3	2	-	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	2,975	2	1	-	-	-	3	-	-	4	4	9	14	15
Male	1,368	2	-	-	-	-	2	-	-	2	1	1	5	11
Female	1,607	-	1	-	-	-	1	-	-	2	3	8	9	4
White	2,660	1	1	-	-	-	2	-	-	4	2	5	13	12
Male	1,229	1	-	-	-	-	1	-	-	2	1	-	5	9
Female	1,431	-	1	-	-	-	1	-	-	2	1	5	8	3
All other	315	1	-	-	-	-	1	-	-	-	2	4	1	3
Male	139	1	-	-	-	-	1	-	-	-	-	1	-	2
Female	176	-	-	-	-	-	-	-	-	-	2	3	1	1
Black	270	1	-	-	-	-	1	-	-	-	2	4	1	3
Male	118	1	-	-	-	-	1	-	-	-	-	1	-	2
Female	152	-	-	-	-	-	-	-	-	-	2	3	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,349	277	9	7	3	4	300	15	13	27	49	101	140	209
Male	10,551	157	4	3	3	4	171	7	6	16	33	64	87	139
Female	10,798	120	5	4	-	-	129	8	7	11	16	37	53	70
White	17,046	185	7	5	2	4	203	14	8	21	28	58	70	106
Male	8,482	111	2	2	2	4	121	6	6	12	20	40	37	70
Female	8,564	74	5	3	-	-	82	8	2	9	8	18	33	36
All other	4,303	92	2	2	1	-	97	1	5	6	21	43	70	103
Male	2,069	46	2	1	1	-	50	1	-	4	13	24	50	69
Female	2,234	46	-	1	-	-	47	-	5	2	8	19	20	34
Black	4,044	82	2	2	1	-	87	1	4	5	20	43	68	101
Male	1,935	41	2	1	1	-	45	1	-	4	12	24	48	68
Female	2,109	41	-	1	-	-	42	-	4	1	8	19	20	33
Acute glomerulonephritis and nephrotic syndrome (580-581)	348	9	1	2	1	1	14	1	-	2	2	5	7	2
Male	159	4	-	1	1	1	7	1	-	1	2	4	3	2
Female	189	5	1	1	-	-	7	-	-	1	-	1	4	-
White	286	6	1	2	1	1	11	-	-	1	-	2	2	1
Male	130	3	-	1	1	1	6	-	-	-	-	2	1	1
Female	156	3	1	1	-	-	5	-	-	1	-	-	1	-
All other	62	3	-	-	-	-	3	1	-	1	2	3	5	1
Male	29	1	-	-	-	-	1	1	-	1	2	2	2	1
Female	33	2	-	-	-	-	2	-	-	-	-	1	3	-
Black	58	2	-	-	-	-	2	1	-	1	2	3	5	1
Male	27	1	-	-	-	-	1	1	-	1	2	2	2	1
Female	31	1	-	-	-	-	1	-	-	-	-	1	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,565	1	1	-	-	-	2	4	1	4	6	19	15	23
Male	770	1	1	-	-	-	2	1	-	3	6	16	10	16
Female	795	-	-	-	-	-	-	3	1	1	-	3	5	7
White	1,256	-	-	-	-	-	-	4	-	3	2	9	10	12
Male	607	-	-	-	-	-	-	1	-	2	2	7	6	9
Female	649	-	-	-	-	-	-	3	-	1	-	2	4	3
All other	309	1	1	-	-	-	2	-	1	1	4	10	5	11
Male	163	1	1	-	-	-	2	-	-	1	4	9	4	7
Female	146	-	-	-	-	-	-	-	1	-	-	1	1	4
Black	288	1	1	-	-	-	2	-	1	1	3	10	5	9
Male	155	1	1	-	-	-	2	-	-	1	3	9	4	6
Female	133	-	-	-	-	-	-	-	1	-	-	1	1	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,438	267	7	5	2	3	284	10	12	21	41	77	118	184
Male	9,622	152	3	2	2	3	162	5	6	12	25	44	74	121
Female	9,814	115	4	3	-	-	122	5	6	9	16	33	44	63
White	15,504	179	6	3	1	3	192	10	8	17	26	47	58	93
Male	7,745	108	2	1	1	3	115	5	6	10	18	31	30	60
Female	7,759	71	4	2	-	-	77	5	2	7	8	16	28	33
All other	3,932	88	1	2	1	-	92	-	4	4	15	30	60	91
Male	1,877	44	1	1	1	-	47	-	-	2	7	13	44	61
Female	2,055	44	-	1	-	-	45	-	4	2	8	17	16	30
Black	3,698	79	1	2	1	-	83	-	3	3	15	30	58	91
Male	1,753	39	1	1	1	-	42	-	-	2	7	13	42	61
Female	1,945	40	-	1	-	-	41	-	3	1	8	17	16	30
Infections of kidney (590)	1,982	4	1	1	-	1	7	-	1	2	4	11	11	12
Male	691	2	1	1	-	-	4	-	1	-	2	4	4	4
Female	1,291	2	-	-	-	1	3	-	-	2	2	7	7	8
White	1,708	3	1	-	-	1	5	-	1	2	3	7	7	10
Male	582	1	1	-	-	-	2	-	1	-	1	4	3	3
Female	1,126	2	-	-	-	1	3	-	-	2	2	3	4	7
All other	274	1	-	1	-	-	2	-	-	-	1	4	4	2
Male	109	1	-	1	-	-	2	-	-	-	1	-	1	1
Female	165	-	-	-	-	-	-	-	-	-	-	4	3	1
Black	249	1	-	1	-	-	2	-	-	-	1	2	4	2
Male	103	1	-	1	-	-	2	-	-	-	1	-	1	1
Female	146	-	-	-	-	-	-	-	-	-	-	2	3	1
Hyperplasia of prostate (600)	479	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	479	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	422	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	422	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	57	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	57	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	55	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	55	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	31	33	55	88	169	265	358	472	510	499	316	116	13	1
Male	19	16	32	51	89	158	199	220	241	191	99	24	7	-
Female	12	17	23	37	80	107	159	252	269	308	217	92	6	1
White	27	27	43	73	145	233	311	417	462	462	302	108	11	1
Male	16	13	26	44	76	138	180	197	221	179	95	23	5	-
Female	11	14	17	29	69	97	131	220	241	283	207	85	6	1
All other	4	6	12	15	24	32	47	55	48	37	14	8	2	-
Male	3	3	6	7	13	22	19	23	20	12	4	1	2	-
Female	1	3	6	8	11	10	28	32	28	25	10	7	-	-
Black	3	6	11	14	22	27	37	49	41	32	9	7	1	-
Male	2	3	6	7	12	20	12	20	17	10	3	1	1	-
Female	1	3	5	7	10	7	25	29	24	22	6	6	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	224	303	414	802	1,356	1,954	2,757	3,250	3,646	3,112	1,896	657	121	3
Male	144	167	220	448	711	1,054	1,475	1,705	1,675	1,389	770	227	42	1
Female	80	136	194	354	645	900	1,282	1,545	1,971	1,723	1,126	430	79	2
White	147	192	252	531	981	1,467	2,157	2,694	3,070	2,714	1,681	563	87	2
Male	89	108	148	306	538	826	1,191	1,433	1,413	1,208	687	190	32	1
Female	58	84	104	225	443	641	966	1,261	1,657	1,506	994	373	55	1
All other	77	111	162	271	375	487	600	556	576	398	215	94	34	1
Male	55	59	72	142	173	228	284	272	282	181	83	37	10	-
Female	22	52	90	129	202	259	316	284	314	217	132	57	24	1
Black	76	97	150	255	361	461	558	508	542	378	207	90	31	1
Male	54	57	66	134	167	218	261	241	241	171	80	34	9	-
Female	22	40	84	121	194	243	297	267	301	207	127	56	22	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	6	9	11	31	30	40	54	54	43	21	9	-	-
Male	4	1	6	8	21	14	15	27	22	16	4	1	-	-
Female	3	5	3	3	10	16	25	27	32	27	17	8	-	-
White	5	4	5	10	25	26	33	43	50	39	21	8	-	-
Male	3	1	4	8	17	13	13	22	19	15	4	1	-	-
Female	2	3	1	2	8	13	20	21	31	24	17	7	-	-
All other	2	2	4	1	6	4	7	11	4	4	-	1	-	-
Male	1	-	2	-	4	1	2	5	3	1	-	-	-	-
Female	1	2	2	1	2	3	5	6	1	3	-	1	-	-
Black	2	2	4	1	6	4	7	8	4	4	-	1	-	-
Male	1	-	2	-	4	1	2	3	3	1	-	-	-	-
Female	1	2	2	1	2	3	5	5	1	3	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	22	38	65	79	144	209	244	250	242	114	50	5	-
Male	21	15	24	39	39	82	106	113	108	108	43	17	1	-
Female	8	7	14	26	40	62	103	131	142	134	71	33	4	-
White	21	14	25	45	65	118	169	197	205	213	99	41	4	-
Male	15	11	15	29	35	66	84	91	88	94	38	13	1	-
Female	6	3	10	16	30	52	85	106	117	119	61	28	3	-
All other	8	8	13	20	14	26	40	47	45	29	15	9	1	-
Male	6	4	9	10	4	16	22	22	20	14	5	4	-	-
Female	2	4	4	10	10	10	18	25	25	15	10	5	1	-
Black	8	7	12	19	13	24	36	43	42	28	15	9	1	-
Male	6	4	9	10	4	16	22	19	17	14	5	4	-	-
Female	2	3	3	9	9	8	14	24	25	14	10	5	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	188	275	367	726	1,246	1,780	2,508	2,952	3,342	2,627	1,761	598	116	3
Male	119	151	190	401	651	958	1,354	1,565	1,545	1,265	723	209	41	1
Female	69	124	177	325	595	822	1,154	1,387	1,797	1,562	1,038	389	75	2
White	121	174	222	476	891	1,323	1,955	2,454	2,815	2,462	1,561	514	83	2
Male	71	96	129	269	488	747	1,094	1,320	1,306	1,099	645	176	31	1
Female	50	78	93	207	405	576	861	1,134	1,509	1,363	916	338	52	1
All other	67	101	145	250	355	457	553	498	527	365	200	84	33	1
Male	48	55	61	132	165	211	260	245	239	166	78	33	10	-
Female	19	46	84	118	190	246	293	253	288	199	122	51	23	1
Black	66	88	134	235	342	433	515	457	496	346	192	60	30	1
Male	47	53	55	124	159	201	237	219	221	156	75	30	9	-
Female	19	35	79	111	183	232	278	238	275	190	117	50	21	1
Infections of kidney (590)	10	18	30	49	79	118	189	334	414	377	239	74	7	2
Male	2	5	14	24	31	38	73	135	148	114	67	18	3	-
Female	8	13	16	25	48	80	116	199	266	263	166	56	4	2
White	4	13	19	39	64	87	157	289	369	336	218	69	7	2
Male	1	3	8	19	23	25	58	114	133	104	62	15	3	-
Female	3	10	11	20	41	62	99	175	236	232	156	54	4	2
All other	6	5	11	10	15	31	32	45	45	41	15	5	-	-
Male	1	2	6	5	8	13	16	21	15	10	5	3	-	-
Female	5	3	5	5	7	18	17	24	30	31	10	2	-	-
Black	6	5	10	10	13	28	28	44	40	36	14	4	-	-
Male	1	2	6	5	6	12	12	21	15	10	5	3	-	-
Female	5	3	4	5	7	16	16	23	25	26	9	1	-	-
Hyperplasia of prostate (600)	-	-	-	3	15	26	46	91	95	107	71	22	3	-
Male	-	-	-	3	15	26	46	91	95	107	71	22	3	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	1	11	21	38	81	88	99	61	21	3	-
Male	-	-	-	1	11	21	38	81	86	99	61	21	3	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	2	4	5	8	10	9	8	10	1	-	-
Male	-	-	-	2	4	5	8	10	9	8	10	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	2	4	5	8	8	9	8	10	1	-	-
Male	-	-	-	2	4	5	8	8	9	8	10	1	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	295	...	...	...	...	...	...	...	2	31	62	77	62	42
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	295	...	...	...	...	...	...	...	2	31	62	77	62	42
White	156	...	...	...	...	...	...	...	1	13	30	47	30	28
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	156	...	...	...	...	...	...	...	1	13	30	47	30	28
All other	139	...	...	...	...	...	...	...	1	18	32	30	32	14
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	139	...	...	...	...	...	...	...	1	18	32	30	32	14
Black	124	...	...	...	...	...	...	...	1	16	29	28	28	12
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	124	...	...	...	...	...	...	...	1	16	29	28	28	12
Pregnancy with abortive outcome (630-638)	49	...	...	...	...	...	...	...	1	8	12	12	10	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	49	...	...	...	...	...	...	...	1	8	12	12	10	5
White	19	...	...	...	...	...	...	...	1	2	2	6	6	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	19	...	...	...	...	...	...	...	1	2	2	6	6	2
All other	30	...	...	...	...	...	...	...	–	6	10	6	4	3
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	30	...	...	...	...	...	...	...	–	6	10	6	4	3
Black	28	...	...	...	...	...	...	...	–	5	10	6	4	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	28	...	...	...	...	...	...	...	–	5	10	6	4	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	246	...	...	...	...	...	...	...	1	23	50	65	52	37
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	246	...	...	...	...	...	...	...	1	23	50	65	52	37
White	137	...	...	...	...	...	...	...	–	11	28	41	24	26
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	137	...	...	...	...	...	...	...	–	11	28	41	24	26
All other	109	...	...	...	...	...	...	...	1	12	22	24	28	11
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	109	...	...	...	...	...	...	...	1	12	22	24	28	11
Black	96	...	...	...	...	...	...	...	1	11	19	22	24	10
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	96	...	...	...	...	...	...	...	1	11	19	22	24	10
Congenital anomalies (740-759)	12,783	8,561	426	220	112	82	9,401	272	197	231	235	213	197	184
Male	6,895	4,709	225	128	55	43	5,160	142	104	138	150	116	107	102
Female	5,888	3,852	201	92	57	39	4,241	130	93	93	85	97	90	82
White	10,437	6,898	329	184	87	65	7,563	201	159	182	201	186	150	154
Male	5,674	3,836	172	110	41	36	4,195	100	83	108	126	104	86	84
Female	4,763	3,062	157	74	46	29	3,368	101	76	74	75	82	64	70
All other	2,348	1,663	97	36	25	17	1,838	71	38	49	34	27	47	30
Male	1,221	873	53	18	14	7	965	42	21	30	24	12	21	18
Female	1,125	790	44	18	11	10	873	29	17	19	10	15	26	12
Black	2,008	1,419	79	29	21	15	1,563	60	33	44	32	25	45	26
Male	1,046	745	42	14	12	7	820	38	19	28	23	11	20	15
Female	962	674	37	15	9	8	743	22	14	16	9	14	25	11
Certain conditions originating in the perinatal period (760-779)	19,246	19,068	100	31	3	5	19,207	9	4	5	5	5	2	2
Male	11,094	10,979	69	20	2	4	11,074	3	2	3	3	1	2	1
Female	8,152	8,089	31	11	1	1	8,133	6	2	2	2	4	–	1
White	12,634	12,520	61	17	2	5	12,605	7	1	4	5	5	1	2
Male	7,404	7,329	45	11	1	4	7,390	3	1	2	3	1	1	1
Female	5,230	5,191	16	6	1	1	5,215	4	–	2	2	4	–	1
All other	6,612	6,548	39	14	1	–	6,602	2	3	1	–	–	1	–
Male	3,690	3,650	24	9	1	–	3,684	–	1	1	–	–	1	–
Female	2,922	2,898	15	5	–	–	2,918	2	2	–	–	–	–	–
Black	6,196	6,140	34	12	–	–	6,186	2	3	1	–	–	1	–
Male	3,458	3,423	21	8	–	–	3,452	–	1	1	–	–	1	–
Female	2,738	2,717	13	4	–	–	2,734	2	2	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,225	5,178	22	9	1	–	5,210	2	1	3	2	5	1	1
Male	3,178	3,149	17	5	1	–	3,172	–	–	2	2	1	1	–
Female	2,047	2,029	5	4	–	–	2,038	2	1	1	–	4	–	1
White	3,747	3,710	18	6	1	–	3,735	1	–	2	2	5	1	1
Male	2,301	2,277	14	4	1	–	2,296	–	–	1	2	1	1	–
Female	1,446	1,433	4	2	–	–	1,439	1	–	1	–	4	–	1
All other	1,478	1,468	4	3	–	–	1,475	1	1	1	–	–	–	–
Male	877	872	3	1	–	–	876	–	–	1	–	–	–	–
Female	601	596	1	2	–	–	599	1	1	–	–	–	–	–
Black	1,373	1,364	3	3	–	–	1,370	1	1	1	–	–	–	–
Male	809	805	2	1	–	–	808	–	–	1	–	–	–	–
Female	564	559	1	2	–	–	562	1	1	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	14,021	13,890	76	22	2	5	13,997	7	3	2	3	–	1	1
Male	7,916	7,830	52	15	1	4	7,902	3	2	1	1	–	1	1
Female	6,105	6,060	25	7	1	1	6,095	4	1	1	2	–	–	–
White	8,887	8,810	43	11	1	5	8,870	6	1	2	3	–	–	1
Male	5,103	5,052	31	7	–	4	5,094	3	1	1	1	–	–	1
Female	3,784	3,758	12	4	1	1	3,776	3	–	1	2	–	–	–
All other	5,134	5,080	35	11	1	–	5,127	1	2	–	–	–	1	–
Male	2,813	2,778	21	8	1	–	2,808	–	1	–	–	–	1	–
Female	2,321	2,302	14	3	–	–	2,319	1	1	–	–	–	–	–
Black	4,823	4,776	31	9	–	–	4,816	1	2	–	–	–	1	–
Male	2,649	2,618	19	7	–	–	2,644	–	1	–	–	–	1	–
Female	2,174	2,158	12	2	–	–	2,172	1	1	–	–	–	–	–

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	16	2	1	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	16	2	1	...	...	...	...	...	...	...	...	...	...	-
White	6	-	1	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	-	1	...	...	...	...	...	...	...	...	...	...	-
All other	10	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	10	2	-	...	...	...	...	...	...	...	...	...	...	-
Black	9	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	1	-	...	...	...	...	...	...	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
White	-	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	-	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Black	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	15	2	1	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	2	1	...	...	...	...	...	...	...	...	...	...	-
White	6	-	1	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	-	1	...	...	...	...	...	...	...	...	...	...	-
All other	9	2	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	2	-	...	...	...	...	...	...	...	...	...	...	-
Black	8	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	1	-	...	...	...	...	...	...	...	...	...	...	-
Congenital anomalies (740-759)	179	160	153	217	217	229	200	207	134	101	37	13	-	6
Male	91	90	72	119	115	106	77	90	57	42	12	5	-	-
Female	88	70	81	98	102	123	123	117	77	59	25	8	-	6
White	150	134	129	185	196	213	182	189	123	87	35	12	-	6
Male	83	81	63	102	103	98	71	82	51	38	11	5	-	-
Female	67	53	66	83	93	115	111	107	72	49	24	7	-	6
All other	29	26	24	32	21	16	18	18	11	14	2	1	-	-
Male	8	9	9	17	12	8	6	8	6	4	1	-	-	-
Female	21	17	15	15	9	8	12	10	5	10	1	1	-	-
Black	23	24	21	27	17	14	16	15	8	12	2	1	-	-
Male	6	7	9	15	10	7	5	6	4	2	1	-	-	-
Female	17	17	12	12	7	7	11	9	4	10	1	1	-	-
Certain conditions originating in the perinatal period (760-779)	1	-	1	1	-	-	-	1	-	-	-	-	-	3
Male	1	-	-	-	-	-	-	1	-	-	-	-	-	3
Female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	1	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	1	-	1	1	-	-	-	1	-	-	-	-	-	3
Male	1	-	-	-	-	-	-	1	-	-	-	-	-	3
Female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	1	1	-	-	-	-	-	-	-	-	-	1
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	30,960	5,945	151	65	31	30	6,222	56	60	266	484	774	881	805
Male	17,470	3,643	90	40	19	17	3,809	33	30	156	318	537	596	588
Female	13,490	2,302	61	25	12	13	2,413	23	30	110	166	237	285	217
White	23,836	4,118	96	43	16	24	4,297	38	41	196	364	526	587	548
Male	13,340	2,608	58	26	9	16	2,717	24	22	116	246	387	404	409
Female	10,496	1,510	38	17	7	8	1,580	14	19	80	118	139	183	139
All other	7,124	1,827	55	22	15	6	1,925	18	19	70	120	248	294	257
Male	4,130	1,035	32	14	10	1	1,092	9	8	40	72	150	192	179
Female	2,994	792	23	8	5	5	833	9	11	30	48	98	102	78
Black	6,626	1,606	47	18	14	5	1,690	16	19	64	113	232	280	238
Male	3,829	913	27	11	9	1	961	8	8	35	65	137	183	167
Female	2,797	693	20	7	5	4	729	8	11	29	48	95	97	71
All other diseases (Residual)	149,685	1,810	407	266	159	140	2,782	505	510	826	1,261	2,144	3,186	3,523
Male	73,510	1,001	207	143	92	82	1,525	267	300	493	776	1,417	2,209	2,432
Female	76,175	809	200	123	67	58	1,257	238	210	333	485	727	977	1,091
White	127,669	1,224	300	180	120	112	1,936	397	410	654	901	1,458	1,982	2,348
Male	61,638	681	154	98	64	67	1,064	207	245	398	570	1,017	1,406	1,637
Female	66,031	543	146	82	56	45	872	190	165	255	331	441	574	711
All other	22,016	586	107	86	39	28	846	108	100	172	360	686	1,204	1,175
Male	11,872	320	53	45	28	15	461	60	55	94	206	400	801	795
Female	10,144	266	54	41	11	13	385	48	45	78	154	286	403	380
Black	20,357	521	94	75	31	28	747	95	91	149	331	647	1,139	1,125
Male	10,971	281	43	40	24	14	402	51	48	80	186	380	767	765
Female	9,386	240	51	35	7	12	345	44	43	69	145	267	372	360
Accidents and adverse effects (E800-E949)	93,457	890	863	792	653	548	3,746	1,995	2,257	8,202	10,959	8,845	7,051	5,612
Male	64,160	481	503	471	414	369	2,238	1,279	1,610	6,050	8,741	7,107	5,648	4,345
Female	29,297	409	360	321	239	179	1,508	716	647	2,152	2,218	1,738	1,403	1,267
White	79,011	626	632	624	468	412	2,762	1,445	1,805	7,278	9,507	7,433	5,759	4,564
Male	53,856	342	365	386	293	278	1,664	938	1,283	5,331	7,577	6,000	4,661	3,525
Female	25,155	284	267	238	175	134	1,098	509	522	1,947	1,930	1,433	1,098	1,039
All other	14,446	264	231	168	185	136	984	550	452	924	1,452	1,412	1,292	1,048
Male	10,304	139	138	85	121	91	574	343	327	719	1,164	1,107	987	820
Female	4,142	125	93	83	64	45	410	207	125	205	288	305	305	228
Black	12,207	227	193	140	154	112	826	461	388	710	1,139	1,154	1,086	895
Male	8,752	118	115	67	98	76	474	286	288	563	911	920	838	718
Female	3,455	109	78	73	56	36	352	175	100	147	228	234	248	177
Motor vehicle accidents (E810-E825)	45,901	179	263	265	248	240	1,195	1,063	1,256	6,282	7,995	5,612	3,977	3,097
Male	32,443	95	146	146	145	164	696	657	824	4,441	6,239	4,407	3,068	2,282
Female	13,458	84	117	119	103	76	499	406	432	1,841	1,756	1,205	909	815
White	39,689	127	202	212	179	183	903	823	1,070	5,721	7,039	4,801	3,308	2,598
Male	27,894	70	107	120	101	124	522	509	692	4,024	5,484	3,779	2,564	1,900
Female	11,795	57	95	92	78	59	381	314	378	1,697	1,555	1,022	744	696
All other	6,212	52	61	53	69	57	292	240	186	561	956	811	669	501
Male	4,549	25	39	26	44	40	174	148	132	417	755	628	504	382
Female	1,663	27	22	27	25	17	118	92	54	144	201	183	165	119
Black	4,916	39	47	40	53	47	226	194	156	408	739	622	532	410
Male	3,659	17	29	21	33	33	133	121	117	305	582	493	409	324
Female	1,257	22	18	19	20	14	93	73	39	103	157	129	123	86
All other accidents and adverse effects (E800-E807,E826-E949)	47,556	711	600	527	405	308	2,551	932	1,001	1,920	2,964	3,233	3,074	2,515
Male	31,717	386	357	325	269	205	1,542	622	786	1,609	2,502	2,700	2,580	2,063
Female	15,839	325	243	202	136	103	1,009	310	215	311	462	533	494	452
White	39,322	499	430	412	289	229	1,859	622	735	1,557	2,468	2,632	2,451	1,968
Male	25,962	272	258	266	192	154	1,142	427	591	1,307	2,093	2,221	2,097	1,625
Female	13,360	227	172	146	97	75	717	195	144	250	375	411	354	343
All other	8,234	212	170	115	116	79	692	310	266	363	496	601	623	547
Male	5,755	114	99	59	77	51	400	195	195	302	409	479	483	438
Female	2,479	98	71	56	39	28	292	115	71	61	87	122	140	109
Black	7,291	168	146	100	101	65	600	267	232	302	400	532	554	485
Male	5,093	101	86	46	65	43	341	165	171	258	329	427	429	364
Female	2,198	67	60	54	36	22	259	102	61	44	71	105	125	91
Suicide (E950-E959)	29,453	...	...	...	...	...	...	3	275	1,849	3,272	3,364	3,012	2,528
Male	23,145	...	...	...	...	...	...	3	202	1,509	2,758	2,759	2,375	1,943
Female	6,308	...	...	...	...	...	...	–	73	340	514	605	637	585
White	27,097	...	...	...	...	...	...	3	243	1,643	2,866	2,985	2,674	2,316
Male	21,256	...	...	...	...	...	...	3	180	1,339	2,414	2,436	2,099	1,782
Female	5,831	...	...	...	...	...	...	–	63	304	452	549	575	534
All other	2,356	...	...	...	...	...	...	–	32	206	406	379	338	212
Male	1,889	...	...	...	...	...	...	–	22	170	344	323	276	161
Female	477	...	...	...	...	...	...	–	10	36	62	56	62	51
Black	1,795	...	...	...	...	...	...	–	22	135	289	294	262	175
Male	1,481	...	...	...	...	...	...	–	17	114	253	254	221	135
Female	314	...	...	...	...	...	...	–	5	21	36	40	41	40
Homicide and legal intervention (E960-E978)	19,893	200	142	87	72	47	548	167	250	1,602	3,170	3,385	2,605	2,106
Male	15,068	106	76	42	38	28	290	84	161	1,245	2,522	2,652	2,197	1,638
Female	4,827	94	66	45	34	19	258	83	89	357	648	733	608	468
White	11,163	121	75	51	46	32	325	95	164	768	1,659	1,790	1,455	1,175
Male	8,122	58	42	26	25	18	189	49	101	567	1,283	1,372	1,106	892
Female	3,041	63	33	25	21	14	156	46	63	201	376	418	349	283
All other	8,730	79	67	36	26	15	223	72	86	834	1,511	1,595	1,350	931
Male	6,944	48	34	16	13	10	121	35	60	678	1,239	1,280	1,091	746
Female	1,786	31	33	20	13	5	102	37	26	156	272	315	259	185
Black	8,282	75	62	34	26	14	211	60	77	767	1,443	1,526	1,301	870
Male	6,616	46	32	16	13	9	116	30	55	645	1,180	1,223	1,062	701
Female	1,666	29	30	18	13	5	95	30	22	142	263	303	239	169

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	685	748	983	1,408	1,923	2,194	2,638	2,782	2,799	2,328	1,758	821	253	92
Male	453	490	664	960	1,265	1,366	1,591	1,539	1,282	898	573	187	52	63
Female	232	258	319	448	658	828	1,047	1,243	1,517	1,430	1,185	634	201	29
White	469	502	717	1,071	1,482	1,709	2,140	2,281	2,311	2,009	1,548	720	204	76
Male	303	319	485	724	999	1,077	1,308	1,266	1,053	751	488	154	35	53
Female	166	183	232	347	483	632	832	1,015	1,258	1,258	1,060	566	169	23
All other	216	246	266	337	441	485	498	501	488	319	210	101	49	16
Male	150	171	179	236	286	289	283	273	229	147	85	33	17	10
Female	66	75	87	101	155	196	215	228	259	172	125	68	32	6
Black	204	232	260	327	420	464	476	483	459	299	191	98	45	16
Male	140	159	178	229	273	276	270	262	211	132	76	32	17	10
Female	64	73	82	98	147	188	206	221	248	167	115	66	28	6
All other diseases (Residual)	3,350	3,716	4,762	6,959	9,936	12,840	16,880	20,733	21,815	18,328	11,161	3,816	611	41
Male	2,295	2,327	2,869	4,100	5,683	7,193	8,994	10,172	9,282	6,634	3,436	941	143	22
Female	1,055	1,389	1,893	2,859	4,253	5,647	7,888	10,561	12,533	11,694	7,725	2,875	468	19
White	2,231	2,665	3,530	5,541	8,213	10,954	14,759	18,591	19,828	16,884	10,417	3,476	492	22
Male	1,526	1,667	2,136	3,282	4,670	6,152	7,920	9,116	8,404	6,081	3,183	834	109	11
Female	705	998	1,394	2,259	3,543	4,802	6,839	9,475	11,424	10,783	7,234	2,642	383	11
All other	1,119	1,051	1,232	1,418	1,723	1,886	2,121	2,142	1,987	1,464	744	340	119	19
Male	769	660	733	818	1,013	1,041	1,074	1,056	878	553	253	107	34	11
Female	350	391	499	600	710	845	1,047	1,086	1,109	911	491	233	85	8
Black	1,051	994	1,149	1,314	1,609	1,757	1,966	1,955	1,809	1,322	670	308	112	17
Male	724	628	696	763	953	972	993	952	775	477	218	98	32	11
Female	327	366	453	551	656	785	973	1,003	1,034	845	452	210	80	6
Accidents and adverse effects (E800-E949)	4,432	3,589	3,480	3,985	4,197	4,020	4,563	4,861	4,642	3,839	2,220	707	119	136
Male	3,338	2,680	2,512	2,893	2,830	2,498	2,579	2,672	2,240	1,672	824	236	41	127
Female	1,094	909	968	1,092	1,367	1,522	1,984	2,189	2,402	2,167	1,396	471	78	9
White	3,592	2,882	2,829	3,303	3,511	3,456	3,944	4,293	4,183	3,552	2,066	636	97	114
Male	2,694	2,136	2,032	2,382	2,343	2,124	2,204	2,335	1,998	1,529	751	211	33	107
Female	898	746	797	921	1,168	1,332	1,740	1,958	2,185	2,023	1,315	425	64	7
All other	840	707	651	682	688	564	619	568	459	287	154	71	22	22
Male	644	544	480	511	487	374	375	337	242	143	73	25	8	20
Female	196	163	171	171	199	190	244	231	217	144	81	46	14	2
Black	707	612	562	606	620	501	542	501	413	250	136	59	19	20
Male	554	476	422	463	442	339	331	286	215	121	61	19	7	18
Female	153	138	140	143	178	162	211	215	198	129	75	40	12	2
Motor vehicle accidents (E810-E825)	2,348	1,773	1,650	1,729	1,793	1,452	1,562	1,407	1,029	542	141	19	4	35
Male	1,646	1,258	1,130	1,217	1,077	839	846	793	568	322	88	9	2	34
Female	702	515	520	512	656	613	716	614	461	220	53	10	2	1
White	1,977	1,499	1,392	1,474	1,481	1,279	1,398	1,270	964	506	134	17	3	34
Male	1,384	1,055	945	1,025	899	728	731	696	532	300	82	9	1	33
Female	593	444	447	449	582	551	667	574	432	206	52	8	2	1
All other	371	274	258	255	252	173	164	137	65	36	7	2	1	1
Male	262	203	185	192	178	111	115	97	36	22	6	–	1	1
Female	109	71	73	63	74	62	49	40	29	14	1	2	–	–
Black	292	224	206	214	217	141	126	118	53	28	6	2	1	1
Male	212	168	154	167	155	96	90	81	27	18	5	–	1	1
Female	80	56	52	47	62	45	36	37	26	10	1	2	–	–
All other accidents and adverse effects (E800-E807,E826-E949)	2,084	1,816	1,830	2,256	2,464	2,568	3,001	3,454	3,613	3,297	2,079	688	115	101
Male	1,692	1,422	1,382	1,676	1,753	1,659	1,733	1,879	1,672	1,350	736	227	39	93
Female	392	394	448	580	711	909	1,268	1,575	1,941	1,947	1,343	461	76	8
White	1,615	1,383	1,437	1,829	2,030	2,177	2,546	3,023	3,219	3,046	1,932	619	94	80
Male	1,310	1,081	1,087	1,357	1,444	1,396	1,473	1,639	1,466	1,229	669	202	32	74
Female	305	302	350	472	586	781	1,073	1,384	1,753	1,817	1,263	417	62	6
All other	469	433	393	427	434	391	455	431	394	251	147	69	21	21
Male	382	341	295	319	309	263	260	240	206	121	67	25	7	19
Female	87	92	98	108	125	128	195	191	188	130	80	44	14	2
Black	415	388	356	392	403	360	416	383	360	222	130	57	18	19
Male	342	308	268	296	287	243	241	205	188	103	56	19	6	17
Female	73	80	88	96	116	117	175	178	172	119	74	38	12	2
Suicide (E950-E959)	2,098	1,804	1,728	1,931	1,794	1,581	1,564	1,282	844	377	120	20	–	7
Male	1,538	1,305	1,267	1,445	1,369	1,236	1,252	1,035	714	304	107	17	–	7
Female	560	499	461	486	425	345	312	247	130	73	13	3	–	–
White	1,948	1,673	1,631	1,838	1,708	1,499	1,496	1,242	814	366	118	19	–	5
Male	1,427	1,206	1,196	1,368	1,306	1,171	1,204	1,011	690	298	105	16	–	5
Female	521	467	435	470	402	328	292	231	124	68	13	3	–	–
All other	150	131	97	93	86	82	68	40	30	11	2	1	–	2
Male	111	99	71	77	63	65	48	24	24	6	2	1	–	2
Female	39	32	26	16	23	17	20	16	6	5	–	–	–	–
Black	115	103	85	64	69	60	55	34	25	5	2	–	–	1
Male	90	82	63	56	52	53	45	19	21	3	2	–	–	1
Female	25	21	22	8	17	7	10	15	4	2	–	–	–	–
Homicide and legal intervention (E960-E978)	1,475	1,051	777	703	568	431	298	232	150	73	28	10	–	63
Male	1,159	808	597	541	415	292	187	125	67	21	11	6	–	48
Female	316	243	180	162	154	139	111	107	83	52	17	4	–	15
White	886	633	476	462	362	290	198	176	115	54	23	7	–	52
Male	671	484	358	343	245	186	115	88	46	13	10	4	–	40
Female	215	169	118	119	117	104	81	88	69	41	13	3	–	12
All other	589	418	301	241	207	141	102	56	35	19	5	3	–	11
Male	488	344	239	198	170	106	72	37	21	8	1	2	–	8
Female	101	74	62	43	37	35	30	19	14	11	4	1	–	3
Black	554	387	282	229	199	135	97	53	34	19	5	3	–	10
Male	455	322	228	189	166	101	70	35	20	8	1	2	–	7
Female	99	65	54	40	33	34	27	18	14	11	4	1	–	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	2,845	54	27	17	16	11	125	19	39	133	284	388	406	326
Male	2,037	30	16	9	11	7	73	10	29	97	195	297	325	244
Female	808	24	11	8	5	4	52	9	10	36	69	89	81	82
White	2,165	26	17	9	9	7	68	11	29	109	208	300	287	237
Male	1,548	14	10	5	5	4	38	7	22	80	154	233	235	178
Female	617	12	7	4	4	3	30	4	7	29	54	67	52	59
All other	680	28	10	8	7	4	57	8	10	24	56	88	119	89
Male	489	16	6	4	6	3	35	3	7	17	41	64	90	66
Female	191	12	4	4	1	1	22	5	3	7	15	22	29	23
Black	600	26	9	5	7	4	51	8	9	19	42	71	110	80
Male	434	14	6	3	6	3	32	3	7	15	31	51	84	59
Female	166	12	3	2	1	1	19	5	2	4	11	20	26	21

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	206	196	126	135	121	91	72	71	55	28	16	8	-	22
Male	152	122	86	98	83	54	41	47	32	21	9	5	-	17
Female	54	74	40	37	38	37	31	24	23	7	7	3	-	5
White	157	152	99	110	99	76	57	59	46	24	14	7	-	16
Male	116	91	66	78	68	42	33	37	26	20	7	4	-	13
Female	41	61	33	32	31	34	24	22	20	4	7	3	-	3
All other	49	44	27	25	22	15	15	12	9	4	2	1	-	6
Male	36	31	20	20	15	12	8	10	6	1	2	1	-	4
Female	13	13	7	5	7	3	7	2	3	3	-	-	-	2
Black	46	40	21	23	22	14	13	10	8	4	2	1	-	6
Male	33	28	18	19	15	11	6	8	6	1	2	1	-	4
Female	13	12	3	4	7	3	7	2	2	3	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	20,023	432	63	109	555	654	772	1,501	3,397	5,333	5,089	2,133	17,580	320	57	84	195	249	404	869	1,880	3,686	5,325	4,410
White	14,529	230	33	70	377	392	493	1,036	2,505	4,005	3,785	1,609	12,711	175	33	48	144	129	234	571	1,319	2,592	4,046	3,420
All other	5,494	202	30	39	178	272	279	465	892	1,328	1,284	524	4,869	145	24	36	51	120	170	298	661	1,094	1,279	990
Black	5,486	201	30	38	178	272	278	464	892	1,328	1,283	523	4,858	143	23	35	51	120	170	296	660	1,091	1,278	990
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	31	-	-	-	-	-	2	7	8	4	7	3	18	-	-	-	-	-	1	-	2	5	6	4
White	17	-	-	-	-	-	2	2	3	1	6	3	12	-	-	-	-	-	1	-	-	4	4	3
All other	14	-	-	-	-	-	-	5	5	3	1	-	6	-	-	-	-	-	-	-	2	1	2	1
Black	14	-	-	-	-	-	-	5	5	3	1	-	6	-	-	-	-	-	-	-	2	1	2	1
Tuberculosis of respiratory system (010-012)	30	-	-	-	-	-	1	7	8	4	7	3	13	-	-	-	-	-	-	-	1	4	4	4
White	16	-	-	-	-	-	1	2	3	1	6	3	9	-	-	-	-	-	-	-	-	4	2	3
All other	14	-	-	-	-	-	-	5	5	3	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	14	-	-	-	-	-	-	5	5	3	1	-	4	-	-	-	-	-	-	-	1	-	2	1
Other tuberculosis (013-018)	1	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-	-	1	-	1	1	2	-
White	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	-	2	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	127	4	1	1	1	2	1	12	12	35	34	24	187	4	-	-	-	2	3	6	16	24	54	58
White	86	1	1	1	-	-	1	5	9	27	22	19	108	2	-	-	-	-	1	4	11	15	35	40
All other	41	3	-	-	1	2	-	7	3	8	12	5	59	2	-	-	-	2	2	2	5	9	19	18
Black	41	3	-	-	1	2	-	7	3	8	12	5	59	2	-	-	-	2	2	2	5	9	19	18
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	-	1	-	2	-	1	6	1	-	9	-	-	-	-	-	1	2	-	3	3	-
White	10	-	-	-	1	-	1	-	1	6	1	-	8	-	-	-	-	-	1	1	-	3	3	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-065,071-088, 098-139)	55	5	-	1	4	6	5	3	7	11	9	4	35	-	1	1	-	4	-	3	6	7	8	5
White	36	4	-	1	2	2	3	1	5	9	6	3	22	-	1	1	-	2	-	2	3	2	7	4
All other	19	1	-	-	2	4	2	2	2	2	3	1	13	-	-	-	-	2	-	1	3	5	1	1
Black	19	1	-	-	2	4	2	2	2	2	3	1	13	-	-	-	-	2	-	1	3	5	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,438	2	3	8	25	46	109	378	1,049	1,468	1,084	266	3,525	-	2	14	18	44	136	344	741	1,003	852	371
White	3,303	1	2	6	18	32	75	264	800	1,119	801	185	2,636	-	-	6	16	24	101	254	555	753	649	278
All other	1,135	1	1	2	7	14	34	114	249	349	283	81	889	-	2	8	2	20	35	90	186	250	203	93
Black	1,133	1	1	2	7	14	34	113	249	348	283	81	886	-	2	8	2	20	35	89	186	248	203	93

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	109	-	-	-	1	1	4	20	21	40	18	4	57	-	-	-	-	-	3	6	13	19	12	4
White	79	-	-	-	1	-	3	10	14	33	15	3	43	-	-	-	-	-	1	4	9	14	11	4
All other	30	-	-	-	-	1	1	10	7	7	3	1	14	-	-	-	-	-	2	2	4	5	1	-
Black	30	-	-	-	-	1	1	10	7	7	3	1	14	-	-	-	-	-	2	2	4	5	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	916	-	-	-	1	9	22	72	218	286	246	62	878	-	-	-	1	5	16	48	130	251	273	154
White	644	-	-	-	-	4	15	47	153	195	181	49	649	-	-	-	1	5	11	34	96	181	197	124
All other	272	-	-	-	1	5	7	25	65	91	65	13	229	-	-	-	-	-	5	14	34	70	76	30
Black	271	-	-	-	1	5	7	25	65	90	65	13	227	-	-	-	-	-	5	13	34	69	76	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,770	-	-	-	2	4	30	185	521	618	361	49	602	-	-	-	-	2	19	72	175	193	105	35
White	1,385	-	-	-	1	3	19	130	413	498	287	34	490	-	-	-	-	-	14	60	141	159	90	26
All other	385	-	-	-	1	1	11	55	108	120	74	15	112	-	-	-	-	2	5	12	34	34	16	9
Black	385	-	-	-	1	1	11	55	108	120	74	15	112	-	-	-	-	2	5	12	34	34	16	9
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	2	-	1	601	-	-	-	-	8	49	85	158	145	111	45
White	1	-	-	-	-	-	-	-	-	1	-	-	451	-	-	-	-	3	36	59	125	108	90	30
All other	2	-	-	-	-	-	-	-	-	1	-	1	150	-	-	-	-	5	13	26	33	37	21	15
Black	2	-	-	-	-	-	-	-	-	1	-	1	149	-	-	-	-	5	13	26	33	36	21	15
Malignant neoplasms of genital organs (179-187)	467	-	-	-	1	1	1	5	45	153	181	80	405	-	-	-	2	6	14	50	87	131	87	28
White	292	-	-	-	1	-	1	2	30	100	112	46	272	-	-	-	1	2	11	37	62	88	57	14
All other	175	-	-	-	-	1	-	3	15	53	69	34	133	-	-	-	1	4	3	13	25	43	30	14
Black	175	-	-	-	-	1	-	3	15	53	69	34	133	-	-	-	1	4	3	13	25	43	30	14
Malignant neoplasms of urinary organs (188-189)	181	-	-	2	-	-	4	18	37	52	55	13	96	-	-	-	-	-	1	5	11	28	30	21
White	133	-	-	1	-	-	3	13	31	41	35	9	76	-	-	-	-	-	1	5	5	23	24	18
All other	48	-	-	1	-	-	1	5	6	11	20	4	20	-	-	-	-	-	-	-	6	5	6	3
Black	48	-	-	1	-	-	1	5	6	11	20	4	20	-	-	-	-	-	-	-	6	5	6	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	667	1	1	4	8	17	31	59	148	218	143	37	543	-	2	10	8	16	23	52	113	131	131	57
White	505	1	1	3	6	12	21	47	111	169	108	26	392	-	-	4	7	11	18	35	82	97	97	41
All other	162	-	-	1	2	5	10	12	37	49	35	11	151	-	2	6	1	5	5	17	31	34	34	16
Black	162	-	-	1	2	5	10	12	37	49	35	11	151	-	2	6	1	5	5	17	31	34	34	16
Leukemia (204-208)	141	-	2	2	8	4	9	9	14	45	37	11	138	-	-	3	5	4	6	8	22	34	39	17
White	113	-	1	2	6	4	7	6	12	33	32	10	112	-	-	1	5	2	6	8	14	27	35	14
All other	28	-	1	-	2	-	2	3	2	12	5	1	26	-	-	2	-	2	-	-	8	7	4	3
Black	27	-	1	-	2	-	2	2	2	12	5	1	26	-	-	2	-	2	-	-	8	7	4	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	184	1	-	-	4	10	8	10	45	54	43	9	205	-	-	1	2	3	5	18	32	71	63	10
White	151	-	-	-	3	9	6	9	36	49	31	8	151	-	-	1	2	1	3	12	21	56	48	7
All other	33	1	-	-	1	1	2	1	9	5	12	1	54	-	-	-	-	2	2	6	11	15	15	3
Black	33	1	-	-	1	1	2	1	9	5	12	1	54	-	-	-	-	2	2	6	11	15	15	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	55	1	-	-	1	4	1	1	8	17	18	4	63	1	-	-	1	2	4	2	6	20	14	13
White	33	-	-	-	-	3	-	-	4	10	13	3	43	1	-	-	1	2	1	1	1	14	12	10
All other	22	1	-	-	1	1	1	1	4	7	5	1	20	-	-	-	-	-	3	1	5	6	2	3
Black	22	1	-	-	1	1	1	1	4	7	5	1	20	-	-	-	-	-	3	1	5	6	2	3
Diabetes mellitus (250)	254	-	-	-	-	3	12	19	36	78	88	18	450	-	-	-	1	1	8	23	70	116	159	72
White	153	-	-	-	-	1	4	9	23	50	52	14	254	-	-	-	-	1	4	11	29	59	106	44
All other	101	-	-	-	-	2	8	10	13	28	36	4	196	-	-	-	1	-	4	12	41	57	53	28
Black	101	-	-	-	-	2	8	10	13	28	36	4	196	-	-	-	1	-	4	12	41	57	53	28
Nutritional deficiencies (260-269)	30	-	-	-	-	-	-	2	3	5	14	6	30	1	-	-	-	-	1	1	3	3	11	10
White	17	-	-	-	-	-	-	1	2	1	7	6	22	-	-	-	-	-	-	1	2	2	8	9
All other	13	-	-	-	-	-	-	1	1	4	7	-	8	1	-	-	-	-	1	-	1	1	3	1
Black	13	-	-	-	-	-	-	1	1	4	7	-	8	1	-	-	-	-	1	-	1	1	3	1
Anemias (280-285)	33	-	-	2	1	1	2	1	2	7	10	7	39	-	2	1	1	2	2	1	2	10	11	7
White	21	-	-	-	-	1	-	-	1	7	7	5	22	-	-	1	-	-	-	1	-	7	9	4
All other	12	-	-	2	1	-	2	1	1	-	3	2	17	-	2	-	1	2	2	-	2	3	2	3
Black	12	-	-	2	1	-	2	1	1	-	3	2	17	-	2	-	1	2	2	-	2	3	2	3
Meningitis (320-322)	13	6	1	-	-	2	-	1	1	1	1	-	11	6	-	2	-	-	-	1	-	2	-	-
White	6	1	-	-	-	2	-	1	-	1	1	-	6	3	-	2	-	-	-	-	-	1	-	-
All other	7	5	1	-	-	-	-	-	1	-	-	-	5	3	-	-	-	-	-	1	-	1	-	-
Black	7	5	1	-	-	-	-	-	1	-	-	-	5	3	-	-	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	8,641	14	2	3	24	68	213	595	1,464	2,432	2,590	1,235	8,758	11	4	4	14	40	98	260	708	1,753	3,017	2,851
White	6,379	6	-	3	8	35	144	421	1,090	1,793	1,934	944	6,347	5	2	1	6	20	43	144	431	1,171	2,286	2,238
All other	2,262	8	2	-	16	33	69	174	374	639	656	291	2,411	6	2	3	8	20	53	116	277	582	731	613
Black	2,261	8	2	-	16	33	69	174	374	638	656	291	2,408	6	2	3	8	20	53	115	276	581	731	613

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,742	11	2	3	20	54	180	484	1,186	1,935	1,955	911	6,352	10	4	4	7	28	67	186	541	1,311	2,173	2,021
White	5,120	5	-	3	6	27	126	359	911	1,479	1,507	696	4,691	5	2	1	4	13	30	108	335	899	1,684	1,610
All other	1,622	6	2	-	14	27	54	125	275	456	448	215	1,661	5	2	3	3	15	37	78	206	412	489	411
Black	1,621	6	2	-	14	27	54	125	275	455	448	215	1,661	5	2	3	3	15	37	78	206	412	489	411
Rheumatic fever and rheumatic heart disease (390-398)	18	-	-	-	1	-	1	3	7	2	4	-	29	-	-	-	-	-	1	5	5	4	9	5
White	14	-	-	-	1	-	1	2	5	2	3	-	20	-	-	-	-	-	-	2	4	2	8	4
All other	4	-	-	-	-	-	-	1	2	-	1	-	9	-	-	-	-	-	1	3	1	2	1	1
Black	4	-	-	-	-	-	-	1	2	-	1	-	9	-	-	-	-	-	1	3	1	2	1	1
Hypertensive heart disease (402)	158	-	-	-	-	2	2	10	28	47	44	25	233	-	-	-	-	1	2	7	25	57	72	69
White	79	-	-	-	-	-	-	3	10	23	28	15	129	-	-	-	-	-	-	2	13	27	33	54
All other	79	-	-	-	-	2	2	7	18	24	16	10	104	-	-	-	-	1	2	5	12	30	39	15
Black	79	-	-	-	-	2	2	7	18	24	16	10	104	-	-	-	-	1	2	5	12	30	39	15
Hypertensive heart and renal disease (404)	29	-	-	-	-	-	-	2	2	7	13	5	38	-	-	-	-	-	-	2	6	9	12	9
White	16	-	-	-	-	-	-	-	1	6	8	1	15	-	-	-	-	-	-	-	1	3	7	4
All other	13	-	-	-	-	-	-	2	1	1	5	4	23	-	-	-	-	-	-	2	5	6	5	5
Black	13	-	-	-	-	-	-	2	1	1	5	4	23	-	-	-	-	-	-	2	5	6	5	5
Ischemic heart disease (410-414)	4,450	-	-	-	5	19	116	334	825	1,317	1,296	537	3,753	2	-	1	1	7	22	106	318	814	1,341	1,141
White	3,595	-	-	-	1	10	91	273	679	1,066	1,046	428	2,977	1	-	1	1	5	13	77	218	611	1,106	944
All other	855	-	-	-	4	9	25	61	146	251	250	109	776	1	-	-	-	2	9	29	100	203	235	197
Black	855	-	-	-	4	9	25	61	146	251	250	109	776	1	-	-	-	2	9	29	100	203	235	197
Acute myocardial infarction (410)	3,084	-	-	-	5	15	89	264	605	961	860	285	2,434	2	-	1	1	5	16	80	243	602	894	590
White	2,493	-	-	-	1	7	74	219	492	778	691	231	1,894	1	-	1	1	3	10	57	172	453	721	475
All other	591	-	-	-	4	8	15	45	113	183	169	54	540	1	-	-	-	2	6	23	71	149	173	115
Black	591	-	-	-	4	8	15	45	113	183	169	54	540	1	-	-	-	2	6	23	71	149	173	115
Other acute and subacute forms of ischemic heart disease (411)	20	-	-	-	-	1	3	5	6	2	3	-	6	-	-	-	-	-	-	-	2	1	3	-
White	14	-	-	-	-	1	2	4	4	1	2	-	6	-	-	-	-	-	-	-	2	1	3	-
All other	6	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	1	1	3	1	8	-	-	-	-	-	-	-	1	-	5	2
White	5	-	-	-	-	-	-	-	-	1	3	1	7	-	-	-	-	-	-	-	-	-	5	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,340	-	-	-	-	3	24	65	213	353	430	251	1,305	-	-	-	-	2	6	26	72	211	439	549
White	1,083	-	-	-	-	2	15	50	183	286	350	196	1,070	-	-	-	-	2	3	20	44	157	377	467
All other	257	-	-	-	-	1	9	15	30	67	80	55	235	-	-	-	-	-	3	6	28	54	62	82
Black	257	-	-	-	-	1	9	15	30	67	80	55	235	-	-	-	-	-	3	6	28	54	62	82
Other diseases of endocardium (424)	64	-	-	-	2	1	5	3	7	12	28	6	73	1	-	-	-	1	1	5	6	12	31	16
White	48	-	-	-	-	1	3	2	6	9	22	5	52	1	-	-	-	-	1	2	3	9	24	12
All other	16	-	-	-	2	-	2	1	1	3	6	1	21	-	-	-	-	1	-	3	3	3	7	4
Black	16	-	-	-	2	-	2	1	1	3	6	1	21	-	-	-	-	1	-	3	3	3	7	4
All other forms of heart disease (415-423,425-429)	2,023	11	2	3	12	32	56	132	317	550	570	338	2,226	7	4	3	6	19	41	61	181	415	708	781
White	1,368	5	-	3	4	16	31	79	210	373	400	247	1,498	3	2	-	3	8	16	25	96	247	506	592
All other	655	6	2	-	8	16	25	53	107	177	170	91	728	4	2	3	3	11	25	36	85	168	202	189
Black	654	6	2	-	8	16	25	53	107	176	170	91	728	4	2	3	3	11	25	36	85	168	202	189
Hypertension with or without renal disease (401,403)	93	-	-	-	-	1	1	9	22	33	22	5	113	-	-	-	-	2	2	3	15	36	30	25
White	37	-	-	-	-	-	-	2	9	18	6	2	51	-	-	-	-	1	1	1	6	18	11	13
All other	56	-	-	-	-	1	1	7	13	15	16	3	62	-	-	-	-	1	1	2	9	18	19	12
Black	56	-	-	-	-	1	1	7	13	15	16	3	62	-	-	-	-	1	1	2	9	18	19	12
Cerebrovascular diseases (430-438)	1,385	3	-	-	4	13	27	82	186	330	475	265	1,903	1	-	-	5	8	21	84	124	341	682	657
White	911	1	-	-	2	8	13	45	118	195	324	205	1,346	-	-	-	1	4	9	33	74	217	509	499
All other	474	2	-	-	2	5	14	37	68	135	151	60	557	1	-	-	4	4	12	31	50	124	173	158
Black	474	2	-	-	2	5	14	37	68	135	151	60	555	1	-	-	4	4	12	30	50	123	173	158
Intracerebral and other intracranial hemorrhage (431-432)	221	2	-	-	1	6	7	23	43	55	66	18	248	-	-	-	1	-	10	24	38	57	82	36
White	142	-	-	-	1	5	2	10	31	34	45	14	167	-	-	-	1	-	2	12	23	37	64	28
All other	79	2	-	-	-	1	5	13	12	21	21	4	81	-	-	-	-	-	8	12	15	20	18	8
Black	79	2	-	-	-	1	5	13	12	21	21	4	81	-	-	-	-	-	8	12	15	20	18	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	176	1	-	-	-	-	3	9	18	28	66	51	305	-	-	-	1	2	-	6	13	56	101	126
White	123	1	-	-	-	-	-	6	13	18	41	44	234	-	-	-	-	1	-	3	8	39	77	106
All other	53	-	-	-	-	-	3	3	5	10	25	7	71	-	-	-	1	1	-	3	5	17	24	20
Black	53	-	-	-	-	-	3	3	5	10	25	7	70	-	-	-	1	1	-	3	5	16	24	20

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	-	1	-	1	1	3
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	965	-	-	-	3	7	17	50	125	245	342	196	1,344	1	-	-	3	6	11	33	73	227	498	492
White	644	-	-	-	1	3	11	29	74	141	238	147	942	-	-	-	-	3	7	18	43	141	368	362
All other	341	-	-	-	2	4	6	21	51	104	104	49	402	1	-	-	3	3	4	15	30	86	130	130
Black	341	-	-	-	2	4	6	21	51	104	104	49	402	1	-	-	3	3	4	15	30	86	130	130
Atherosclerosis (440)	205	-	-	-	-	-	1	10	27	53	78	36	253	-	-	-	-	-	-	1	17	36	79	120
White	127	-	-	-	-	-	1	6	16	25	51	28	165	-	-	-	-	-	-	-	8	16	50	91
All other	78	-	-	-	-	-	-	4	11	28	27	8	88	-	-	-	-	-	-	1	9	20	29	29
Black	78	-	-	-	-	-	-	4	11	28	27	8	88	-	-	-	-	-	-	1	9	20	29	29
Other diseases of arteries, arterioles, and capillaries (441-448)	216	-	-	-	-	-	4	10	43	81	60	18	137	-	-	-	2	2	6	6	11	28	53	28
White	184	-	-	-	-	-	4	9	36	76	46	13	94	-	-	-	1	2	3	2	8	21	32	25
All other	32	-	-	-	-	-	-	1	7	5	14	5	43	-	-	-	1	-	3	4	3	8	21	3
Black	32	-	-	-	-	-	-	1	7	5	14	5	42	-	-	-	1	-	3	4	2	8	21	3
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	1	-	3	-	1	8	-	-	-	-	-	-	-	-	-	3	5
White	3	-	-	-	-	-	-	-	-	2	-	1	6	-	-	-	-	-	-	-	-	-	1	5
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia and influenza (480-487)	493	7	3	1	1	6	9	18	54	98	176	120	518	9	-	2	2	1	2	11	25	56	185	225
White	362	4	-	1	1	3	5	16	31	75	135	91	417	2	-	1	2	-	1	6	17	45	152	191
All other	131	3	3	-	-	3	4	2	23	23	41	29	101	7	-	1	-	1	1	5	8	11	33	34
Black	131	3	3	-	-	3	4	2	23	23	41	29	101	7	-	1	-	1	1	5	8	11	33	34
Pneumonia (480-486)	478	7	2	1	1	6	8	17	54	97	170	115	499	9	-	2	1	1	2	11	24	53	180	216
White	352	4	-	1	1	3	5	15	31	74	131	87	399	2	-	1	1	-	1	6	16	42	148	182
All other	126	3	2	-	-	3	3	2	23	23	39	28	100	7	-	1	-	1	1	5	8	11	32	34
Black	126	3	2	-	-	3	3	2	23	23	39	28	100	7	-	1	-	1	1	5	8	11	32	34
Influenza (487)	15	-	1	-	-	-	1	1	-	1	6	5	19	-	-	-	1	-	-	-	1	3	5	9
White	10	-	-	-	-	-	-	1	-	1	4	4	18	-	-	-	1	-	-	-	1	3	4	9
All other	5	-	1	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	1	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	937	-	1	1	-	3	8	42	140	335	328	77	387	-	1	1	2	1	5	24	75	112	110	56
White	801	-	-	-	-	1	5	36	117	294	282	65	348	-	1	-	1	-	1	22	61	110	100	52
All other	136	-	1	1	-	2	3	6	23	41	46	12	39	-	-	1	1	1	4	2	14	2	10	4
Black	135	-	1	1	-	2	3	6	23	41	46	11	38	-	-	1	1	1	4	2	14	2	9	4
Bronchitis, chronic and unspecified (490-491)	32	-	1	-	-	-	-	2	5	7	12	5	19	-	-	1	1	-	-	2	2	2	7	4
White	28	-	-	-	-	-	-	2	4	7	11	4	16	-	-	-	-	-	-	2	2	2	6	4
All other	4	-	1	-	-	-	-	-	1	-	1	1	3	-	-	1	1	-	-	-	-	-	1	-
Black	4	-	1	-	-	-	-	-	1	-	1	1	3	-	-	1	1	-	-	-	-	-	1	-
Emphysema (492)	174	-	-	-	-	-	-	12	25	62	57	18	57	-	-	-	-	-	1	2	10	18	21	5
White	151	-	-	-	-	-	-	10	21	51	54	15	54	-	-	-	-	-	1	2	9	18	20	4
All other	23	-	-	-	-	-	-	2	4	11	3	3	3	-	-	-	-	-	-	-	1	-	1	1
Black	23	-	-	-	-	-	-	2	4	11	3	3	3	-	-	-	-	-	-	-	1	-	1	1
Asthma (493)	20	-	-	1	-	3	1	1	4	3	6	1	29	-	1	-	1	1	3	5	8	4	5	1
White	10	-	-	-	-	1	-	1	1	3	4	-	21	-	1	-	1	-	-	5	4	4	5	1
All other	10	-	-	1	-	2	1	-	3	-	2	1	8	-	-	-	-	1	3	-	4	-	-	-
Black	9	-	-	1	-	2	1	-	3	-	2	-	8	-	-	-	-	1	3	-	4	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	711	-	-	-	-	-	7	27	106	263	253	53	282	-	-	-	-	-	1	15	55	88	77	46
White	612	-	-	-	-	-	5	23	91	233	213	46	257	-	-	-	-	-	-	13	48	86	69	43
All other	99	-	-	-	-	-	2	4	15	30	40	7	25	-	-	-	-	-	1	2	9	2	8	3
Black	99	-	-	-	-	-	2	4	15	30	40	7	24	-	-	-	-	-	1	2	9	2	7	3
Ulcer of stomach and duodenum (531-533)	57	1	-	-	-	1	4	3	9	14	18	7	65	-	-	-	1	-	-	2	5	12	24	21
White	41	1	-	-	-	-	1	3	5	12	13	6	56	-	-	-	1	-	-	2	4	10	22	17
All other	16	-	-	-	-	1	3	-	4	2	5	1	9	-	-	-	-	-	-	-	1	2	2	4
Black	15	-	-	-	-	1	3	-	4	2	4	1	9	-	-	-	-	-	-	-	1	2	2	4
Appendicitis (540-543)	4	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-	-	1	-	-	-	-	2	-
White	3	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	33	-	-	1	1	-	1	-	6	9	13	2	55	2	-	1	-	-	-	1	2	13	15	21
White	23	-	-	1	1	-	1	-	4	6	9	1	48	2	-	-	-	-	-	-	2	13	13	18
All other	10	-	-	-	-	-	-	-	2	3	4	1	7	-	-	1	-	-	-	1	-	-	2	3
Black	10	-	-	-	-	-	-	-	2	3	4	1	7	-	-	1	-	-	-	1	-	-	2	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	243	-	-	-	-	6	32	49	81	53	18	4	144	-	1	-	-	1	9	29	30	37	29	8
White	185	-	-	-	-	3	18	39	62	45	15	3	106	-	1	-	-	-	3	19	21	33	21	8
All other	58	-	-	-	-	3	14	10	19	8	3	1	38	-	-	-	-	1	6	10	9	4	8	-
Black	57	-	-	-	-	3	13	10	19	8	3	1	38	-	-	-	-	1	6	10	9	4	8	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	-	1	-	1	6	4	6	35	-	-	-	-	-	-	2	2	7	13	11
White	13	-	-	-	-	-	1	-	1	4	3	4	28	-	-	-	-	-	-	1	2	5	11	9
All other	5	-	-	-	-	-	-	-	-	2	1	2	7	-	-	-	-	-	-	1	-	2	2	2
Black	5	-	-	-	-	-	-	-	-	2	1	2	7	-	-	-	-	-	-	1	-	2	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	190	4	-	-	1	6	4	8	20	48	52	47	239	1	-	-	-	1	1	9	20	55	98	54
White	115	3	-	-	-	2	3	7	7	28	35	30	143	1	-	-	-	-	-	3	8	31	64	36
All other	75	1	-	-	1	4	1	1	13	20	17	17	96	-	-	-	-	1	1	6	12	24	34	18
Black	75	1	-	-	1	4	1	1	13	20	17	17	96	-	-	-	-	1	1	6	12	24	34	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	1	2	1	-	-	-	-	-	6	-	-	-	-	-	-	-	1	2	2	1
White	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	3	-	-	-	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	1	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	1	-	2	2	1	2	6	20	-	-	-	-	-	-	-	1	3	12	4
White	10	-	-	-	-	1	-	2	1	-	1	5	13	-	-	-	-	-	-	-	-	1	9	3
All other	4	-	-	-	-	-	-	-	1	1	1	1	7	-	-	-	-	-	-	-	1	2	3	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	7	-	-	-	-	-	-	-	1	2	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	172	4	-	-	-	3	3	6	18	47	50	41	213	1	-	-	-	1	1	9	18	50	84	49
White	104	3	-	-	-	1	2	5	6	28	34	25	126	1	-	-	-	-	-	3	8	28	54	32
All other	68	1	-	-	-	2	1	1	12	19	16	16	87	-	-	-	-	1	1	6	10	22	30	17
Black	68	1	-	-	-	2	1	1	12	19	16	16	87	-	-	-	-	1	1	6	10	22	30	17
Infections of kidney (590)	33	-	-	-	-	-	1	-	4	8	14	6	49	-	-	-	-	-	-	-	1	11	20	17
White	19	-	-	-	-	-	-	-	2	4	9	4	36	-	-	-	-	-	-	-	-	7	15	14
All other	14	-	-	-	-	-	1	-	2	4	5	2	13	-	-	-	-	-	-	-	1	4	5	3
Black	14	-	-	-	-	-	1	-	2	4	5	2	13	-	-	-	-	-	-	-	1	4	5	3
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	1	2	3	3	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	1	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	4	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	3	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
Congenital anomalies (740-759)	110	75	5	7	4	4	-	1	7	3	4	-	101	70	6	5	3	1	1	2	5	5	2	1
White	76	55	5	2	1	2	-	1	4	3	3	-	66	46	3	2	2	1	1	2	3	4	2	-
All other	34	20	-	5	3	2	-	-	3	-	1	-	35	24	3	3	1	-	-	-	2	1	-	1
Black	34	20	-	5	3	2	-	-	3	-	1	-	35	24	3	3	1	-	-	-	2	1	-	1
Certain conditions originating in the perinatal period (760-779)	228	226	-	1	1	-	-	-	-	-	-	-	151	151	-	-	-	-	-	-	-	-	-	-
White	108	108	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
All other	120	118	-	1	1	-	-	-	-	-	-	-	72	72	-	-	-	-	-	-	-	-	-	-
Black	119	117	-	1	1	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	69	68	-	-	1	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	39	38	-	-	1	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Black	39	38	-	-	1	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	159	158	-	1	-	-	-	-	-	-	-	-	111	111	-	-	-	-	-	-	-	-	-	-
White	78	78	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	81	80	-	1	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
Black	80	79	-	1	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	488	62	5	-	7	8	15	35	64	116	117	59	428	29	1	-	6	11	8	20	39	75	109	130
White	288	35	2	-	1	5	9	21	41	72	67	35	248	14	-	-	2	3	4	13	18	50	63	81
All other	200	27	3	-	6	3	6	14	23	44	50	24	180	15	1	-	4	8	4	7	21	25	46	49
Black	200	27	3	-	6	3	6	14	23	44	50	24	179	15	-	-	4	8	4	7	21	25	46	49
All other diseases (Residual)	1,357	13	7	15	29	39	71	100	205	364	329	185	1,469	21	14	17	22	22	45	59	152	261	473	383
White	974	5	4	8	18	18	39	65	132	278	259	148	1,079	14	10	11	18	7	22	36	100	182	384	295
All other	383	8	3	7	11	21	32	35	73	86	70	37	390	7	4	6	4	15	23	23	52	79	89	88
Black	383	8	3	7	11	21	32	35	73	86	70	37	390	7	4	6	4	15	23	23	52	79	89	88
Accidents and adverse effects (E800-E949)	1,379	10	31	84	315	246	160	141	139	125	105	42	595	11	22	30	87	66	43	39	47	78	95	76
White	973	5	17	43	242	166	119	85	100	87	78	30	421	5	13	19	74	42	26	29	30	54	69	60
All other	406	5	14	21	73	80	41	56	39	38	27	12	174	6	9	11	13	24	17	10	17	24	26	16
Black	405	5	14	20	73	80	41	56	39	38	27	12	172	5	9	10	13	24	17	10	17	24	26	16
Motor vehicle accidents (E810-E825)	738	2	14	39	235	152	92	62	65	42	30	5	275	4	7	19	75	49	25	21	26	29	17	3
White	545	1	8	29	187	104	74	38	45	33	23	3	214	2	4	13	69	37	15	20	19	22	10	3
All other	193	1	6	10	48	48	18	24	20	9	7	2	61	2	3	6	6	12	10	1	7	7	7	-
Black	192	1	6	9	48	48	18	24	20	9	7	2	60	2	3	5	6	12	10	1	7	7	7	-
All other accidents and adverse effects (E800-E807, E826-E949)	641	8	17	25	80	94	68	79	74	83	75	37	320	7	15	11	12	17	18	18	21	49	78	73
White	428	4	9	14	55	62	45	47	55	54	55	27	207	3	8	6	5	5	11	9	11	32	59	57
All other	213	4	8	11	25	32	23	32	19	29	20	10	113	4	6	5	7	12	7	9	10	17	19	16
Black	213	4	8	11	25	32	23	32	19	29	20	10	112	3	6	5	7	12	7	9	10	17	19	16
Suicide (E950-E959)	340	...	...	1	63	66	38	44	45	57	23	5	90	...	...	1	11	10	17	14	15	15	7	-
White	305	...	...	1	56	57	30	39	43	52	22	5	85	...	...	1	10	10	15	14	15	14	8	-
All other	35	...	...	-	7	9	6	5	2	5	1	-	5	...	...	-	1	-	2	-	-	1	1	-
Black	35	...	...	-	7	9	6	5	2	5	1	-	5	...	...	-	1	-	2	-	-	1	1	-
Homicide and legal intervention (E960-E978)	349	1	3	2	67	118	73	34	23	20	7	-	106	2	3	4	16	33	17	12	8	1	3	7
White	127	-	1	2	20	34	27	15	12	12	3	-	46	1	2	2	5	14	7	4	6	1	1	3
All other	222	1	2	-	47	84	46	19	11	8	4	-	60	1	1	2	11	19	10	8	2	-	2	4
Black	222	1	2	-	47	84	46	19	11	8	4	-	60	1	1	2	11	19	10	8	2	-	2	4
All other external causes (E980-E999)	60	-	1	1	9	19	10	6	7	5	2	-	16	-	-	1	6	2	2	1	-	-	2	2
White	46	-	1	1	8	15	5	5	5	5	1	-	11	-	-	1	4	2	1	1	-	-	2	-
All other	14	-	-	-	1	4	5	1	2	-	1	-	5	-	-	-	2	-	1	-	-	-	-	2
Black	14	-	-	-	1	4	5	1	2	-	1	-	5	-	-	-	2	-	1	-	-	-	-	2
ALASKA																								
All causes	1,345	90	24	25	111	163	157	156	202	240	120	53	723	49	8	16	34	56	50	79	113	123	107	87
White	942	59	12	18	62	114	104	110	166	180	82	33	499	28	3	13	21	31	36	52	85	87	74	69
All other	403	31	12	7	49	49	53	46	36	60	38	20	224	21	5	3	13	25	14	27	28	36	33	18
Black	41	6	3	1	4	1	2	8	3	7	2	2	25	6	-	1	1	3	1	-	1	4	6	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	-	-	-	1	1	-	1	1	3	-	-	-	-	-	-	1	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1
All other	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	8	-	-	-	-	3	1	2	-	1	1	-	4	1	-	-	-	1	-	1	-	-	-	1
White	4	-	-	-	-	3	-	-	-	-	1	-	4	1	-	-	-	1	-	1	-	-	-	1
All other	4	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	221	-	2	-	2	2	25	38	59	68	20	5	177	-	-	2	1	6	13	32	47	45	19	12
White	172	-	1	-	2	2	18	34	45	54	13	3	128	-	-	2	1	4	10	24	34	31	12	10
All other	49	-	1	-	-	-	7	4	14	14	7	2	49	-	-	-	-	2	3	8	13	14	7	2
Black	7	-	1	-	-	-	-	1	1	3	1	-	4	-	-	-	-	-	-	-	1	1	2	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	-	-	-	-	-	7	7	17	17	8	2	34	-	-	-	-	1	1	8	5	9	5	5
White	38	-	-	-	-	-	3	7	9	11	6	2	20	-	-	-	-	-	1	7	1	6	2	3
All other	20	-	-	-	-	-	4	-	8	6	2	-	14	-	-	-	-	1	-	1	4	3	3	2
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	75	-	-	-	-	1	4	15	26	24	5	-	44	-	-	-	-	-	1	3	16	18	5	1
White	62	-	-	-	-	1	4	12	22	20	3	-	30	-	-	-	-	-	-	2	10	12	5	1
All other	13	-	-	-	-	-	-	3	4	4	2	-	14	-	-	-	-	-	1	1	6	6	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	34	-	-	-	-	-	7	8	9	5	5	-
White	1	-	-	-	-	-	-	-	1	-	-	-	28	-	-	-	-	-	6	6	8	5	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	2	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of genital organs (179-187)	16	-	-	-	-	-	-	2	2	7	3	2	23	-	-	-	-	1	1	6	7	6	1	1
White	14	-	-	-	-	-	-	2	2	7	2	1	17	-	-	-	-	-	-	4	7	5	-	1
All other	2	-	-	-	-	-	-	-	-	-	1	1	6	-	-	-	-	1	1	2	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	10	-	-	-	-	-	1	2	1	4	2	-	8	-	-	-	-	-	-	3	1	1	1	2
White	8	-	-	-	-	-	1	2	1	3	1	-	7	-	-	-	-	-	-	2	1	1	1	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	32	-	-	-	-	-	8	6	9	7	2	-	24	-	-	1	-	2	1	3	8	4	2	3
White	24	-	-	-	-	-	5	6	7	5	1	-	18	-	-	1	-	2	1	2	6	2	1	3
All other	8	-	-	-	-	-	3	-	2	2	1	-	6	-	-	-	-	-	-	1	2	2	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Leukemia (204-208)	7	-	2	-	1	-	1	-	1	2	-	-	5	-	-	1	1	1	2	-	-	-	-	-
White	6	-	1	-	1	-	1	-	1	2	-	-	5	-	-	1	1	1	2	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	-	-	-	1	1	3	4	2	5	-	1	5	-	-	-	-	1	-	1	1	2	-	-
White	15	-	-	-	1	1	3	4	2	4	-	-	3	-	-	-	-	1	-	1	1	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	1	2	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1
White	3	-	-	-	-	1	1	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	12	-	-	-	1	-	2	3	2	1	2	1	13	-	-	-	-	-	-	1	7	2	3	-
White	10	-	-	-	1	-	2	2	2	1	2	-	10	-	-	-	-	-	-	1	5	2	2	-
All other	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis (320-322)	4	2	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	346	3	1	-	1	7	23	49	88	102	51	21	197	-	3	2	1	3	6	13	32	32	59	46
White	264	1	1	-	1	5	17	38	78	76	31	16	147	-	1	2	1	1	5	9	25	27	39	37
All other	82	2	-	-	-	2	6	11	10	26	20	5	50	-	2	-	-	2	1	4	7	5	20	9
Black	11	1	-	-	-	-	-	5	2	2	1	-	7	-	-	-	-	-	-	-	-	3	4	-
Diseases of heart (390-398,402,404-429)	284	3	1	-	1	4	19	39	74	88	40	15	135	-	3	1	1	1	4	9	19	21	43	33
White	218	1	1	-	1	3	15	29	67	67	22	12	99	-	1	1	1	-	4	6	14	18	28	26
All other	66	2	-	-	-	1	4	10	7	21	18	3	36	-	2	-	-	1	-	3	5	3	15	7
Black	9	1	-	-	-	-	-	4	2	1	1	-	5	-	-	-	-	-	-	-	-	2	3	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	-	1	-	-	-	-	-	1	6	-	-	-	-	1	1	2	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	1	2	-	-	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	2	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	2	2
White	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	3	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	209	-	-	-	-	1	14	34	60	70	24	6	81	-	-	-	1	-	2	5	13	14	30	16
White	169	-	-	-	-	1	12	26	55	57	14	4	64	-	-	-	1	-	2	3	10	12	21	15
All other	40	-	-	-	-	-	2	8	5	13	10	2	17	-	-	-	-	-	-	2	3	2	9	1
Black	5	-	-	-	-	-	-	3	1	-	1	-	4	-	-	-	-	-	-	-	-	2	2	-
Acute myocardial infarction (410)	94	-	-	-	-	1	6	19	25	33	9	1	37	-	-	-	-	-	1	3	7	9	12	5
White	76	-	-	-	-	1	4	15	24	26	5	1	28	-	-	-	-	-	1	2	4	8	8	5
All other	18	-	-	-	-	-	2	4	1	7	4	-	9	-	-	-	-	-	-	1	3	1	4	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	114	-	-	-	-	-	8	15	35	36	15	5	44	-	-	-	1	-	1	2	6	5	18	11
White	92	-	-	-	-	-	8	11	31	30	9	3	36	-	-	-	1	-	1	1	6	4	13	10
All other	22	-	-	-	-	-	-	4	4	6	6	2	8	-	-	-	-	-	-	1	-	1	5	1
Black	4	-	-	-	-	-	-	2	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Other diseases of endocardium (424)	6	-	-	-	-	1	-	1	1	-	3	-	5	-	-	-	-	-	-	-	1	1	3	-
White	5	-	-	-	-	1	-	1	1	-	2	-	5	-	-	-	-	-	-	-	1	1	3	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	60	3	1	-	1	1	3	4	13	16	11	7	39	-	3	1	-	-	1	2	5	6	7	14
White	39	1	1	-	1	1	2	2	11	9	5	6	23	-	1	1	-	-	1	1	3	5	2	9
All other	21	2	-	-	-	-	1	2	2	7	6	1	16	-	2	-	-	-	-	1	2	1	5	5
Black	4	1	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	43	-	-	-	-	3	3	6	10	9	9	3	51	-	-	1	-	2	1	4	11	9	12	11
White	31	-	-	-	-	2	1	5	8	5	7	3	37	-	-	1	-	1	-	3	9	7	7	9
All other	12	-	-	-	-	1	2	1	2	4	2	-	14	-	-	-	-	1	1	1	2	2	5	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Intracerebral and other intracranial hemorrhage (431-432)	4	-	-	-	-	-	-	3	-	-	1	-	8	-	-	1	-	1	-	1	1	3	-	1
White	2	-	-	-	-	-	-	2	-	-	-	-	8	-	-	1	-	1	-	1	1	3	-	1
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	-	-	-	-	-	1	1	1	-	1	1	7	-	-	-	-	-	-	-	2	-	3	2
White	4	-	-	-	-	-	-	1	1	-	1	1	6	-	-	-	-	-	-	-	2	-	2	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	34	-	-	-	-	3	2	2	9	9	7	2	35	-	-	-	-	-	1	3	8	6	9	8
White	25	-	-	-	-	2	1	2	7	5	6	2	23	-	-	-	-	-	-	2	6	4	5	6
All other	9	-	-	-	-	1	1	-	2	4	1	-	12	-	-	-	-	-	1	1	2	2	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Atherosclerosis (440)	9	-	-	-	-	-	-	1	1	4	-	3	7	-	-	-	-	-	-	-	2	2	2	1
White	5	-	-	-	-	-	-	1	-	3	-	1	7	-	-	-	-	-	-	-	2	2	2	1
All other	4	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	9	-	-	-	-	-	1	2	3	1	2	-	4	-	-	-	-	-	1	-	-	-	2	1
White	9	-	-	-	-	-	1	2	3	1	2	-	4	-	-	-	-	-	1	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	29	1	1	1	-	1	2	1	3	3	9	7	13	2	-	-	-	-	1	-	-	5	1	4
White	18	1	1	-	-	1	1	-	2	1	9	2	7	-	-	-	-	-	-	-	-	3	1	3
All other	11	-	-	1	-	-	1	1	1	2	-	5	6	2	-	-	-	-	1	-	-	2	-	1
Black	3	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	27	1	1	1	-	1	2	1	3	3	7	7	13	2	-	-	-	-	1	-	-	5	1	4
White	16	1	1	-	-	1	1	-	2	1	7	2	7	-	-	-	-	-	-	-	-	3	1	3
All other	11	-	-	1	-	-	1	1	1	2	-	5	6	2	-	-	-	-	1	-	-	2	-	1
Black	3	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	-	-	-	-	-	-	2	9	13	10	1	28	-	-	-	-	-	1	2	6	10	7	2
White	25	-	-	-	-	-	-	1	6	12	6	-	24	-	-	-	-	-	1	1	6	8	7	1
All other	10	-	-	-	-	-	-	1	3	1	4	1	4	-	-	-	-	-	-	1	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	3	-	-	-	-	-	-	-	1	2	-	-	5	-	-	-	-	-	-	-	-	4	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	1	1	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	29	-	-	-	-	-	-	2	5	11	10	1	20	-	-	-	-	-	-	1	5	6	6	2
White	22	-	-	-	-	-	-	1	5	10	6	-	19	-	-	-	-	-	-	1	5	6	6	1
All other	7	-	-	-	-	-	-	1	-	1	4	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	4	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	22	-	-	-	-	1	6	1	9	4	1	-	17	-	-	-	-	1	4	8	1	2	1	-
White	19	-	-	-	-	1	4	1	8	4	1	-	9	-	-	-	-	-	2	4	-	2	1	-
All other	3	-	-	-	-	-	2	-	1	-	-	-	8	-	-	-	-	1	2	4	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	19	15	2	-	1	-	-	1	-	-	-	-	12	11	1	-	-	-	-	-	-	-	-	-
White	12	10	-	-	1	-	-	1	-	-	-	-	8	7	1	-	-	-	-	-	-	-	-	-
All other	7	5	2	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	24	24	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	15	15	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	41	32	1	-	-	1	-	2	-	2	-	2	27	17	-	-	1	2	1	1	-	1	1	3
White	26	21	-	-	-	-	-	1	-	2	-	2	11	7	-	-	1	2	1	-	-	-	-	-
All other	15	11	1	-	-	1	-	1	-	-	-	-	16	10	-	-	-	-	-	1	-	1	1	3
Black	2	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	98	7	3	2	6	6	11	12	8	21	12	10	69	2	1	1	-	4	3	9	8	15	10	16
White	55	4	1	2	-	3	6	4	5	14	9	7	43	-	-	1	-	1	1	5	6	7	8	14
All other	43	3	2	-	6	3	5	8	3	7	3	3	26	2	1	-	-	3	2	4	2	8	2	2
Black	3	-	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1
Accidents and adverse effects (E800-E949)	341	3	13	18	70	96	63	39	15	12	8	1	97	2	2	11	21	29	14	6	5	5	2	-
White	232	2	7	13	42	71	43	26	12	10	4	-	61	1	-	8	15	16	11	4	2	3	1	-
All other	109	1	6	5	28	25	20	13	3	2	4	1	36	1	2	3	6	13	3	2	3	2	1	-
Black	6	-	1	-	2	1	1	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	87	-	1	5	29	23	17	7	3	-	2	-	39	-	1	3	13	13	3	3	2	-	1	-
White	63	-	-	4	23	16	12	5	2	-	1	-	31	-	-	2	12	10	3	2	1	-	1	-
All other	24	-	1	1	6	7	5	2	1	-	1	-	8	-	1	1	1	3	-	1	1	-	-	-
Black	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	254	3	12	13	41	73	46	32	12	12	6	1	58	2	1	8	8	16	11	3	3	5	1	-
White	169	2	7	9	19	55	31	21	10	10	3	-	30	1	-	6	3	6	8	2	1	3	-	-
All other	85	1	5	4	22	18	15	11	2	2	3	1	28	1	1	2	5	10	3	1	2	2	1	-
Black	3	-	-	-	1	-	1	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
Suicide (E950-E959)	56	...	...	1	14	24	9	2	3	2	1	-	17	...	...	-	5	5	2	1	2	2	-	-
White	37	...	...	1	7	16	6	2	3	1	1	-	10	...	...	-	1	3	2	1	2	1	-	-
All other	19	...	...	-	7	8	3	-	-	1	-	-	7	...	...	-	4	2	-	-	-	1	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	34	1	-	2	6	8	8	2	2	5	-	-	11	1	-	-	1	4	1	1	-	1	1	-
White	19	-	-	1	4	6	3	-	2	3	-	-	6	1	-	-	-	2	-	1	-	1	1	-
All other	15	1	-	1	2	2	5	2	-	2	-	-	5	-	-	-	1	2	1	-	-	-	-	-
Black	4	1	-	-	-	-	1	1	-	1	-	-	3	-	-	-	1	1	-	-	-	-	-	-
All other external causes (E980-E999)	27	-	-	1	9	11	5	-	1	-	-	-	11	-	-	-	3	-	3	3	2	-	-	-
White	12	-	-	1	4	4	3	-	-	-	-	-	6	-	-	-	1	-	3	-	2	-	-	-
All other	15	-	-	-	5	7	2	-	1	-	-	-	5	-	-	-	2	-	-	3	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA																								
All causes	13,876	352	88	89	464	558	527	886	2,041	3,664	3,659	1,498	10,743	225	45	53	175	181	267	492	1,373	2,383	3,057	2,483
White	12,881	292	60	74	369	469	444	785	1,915	3,503	3,507	1,417	10,074	177	35	44	142	145	228	422	1,274	2,263	2,947	2,388
All other	995	60	28	15	95	89	83	101	126	161	152	81	669	48	10	9	33	36	39	70	99	120	110	95
Black	332	20	9	5	17	15	20	36	59	69	49	30	228	12	2	4	6	6	7	17	44	49	48	33
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	3	1	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	1	-	1	-
White	2	1	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	1	-
All other	3	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	-	-	1	3	3	4	2	1	8	-	-	-	-	1	-	-	1	3	2	1
White	9	-	-	-	-	-	-	3	1	4	1	-	5	-	-	-	-	-	-	-	1	2	2	-
All other	5	-	-	-	-	-	1	-	2	-	1	1	3	-	-	-	-	1	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	1	2	3	3	1	1	6	-	-	-	-	1	-	-	1	2	2	-
White	7	-	-	-	-	-	-	2	1	3	1	-	4	-	-	-	-	-	-	-	1	1	2	-
All other	4	-	-	-	-	-	1	-	2	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	97	5	1	-	1	2	2	7	14	26	23	16	77	1	-	-	3	-	2	4	16	12	22	17
White	85	4	1	-	1	2	2	3	11	24	22	15	66	-	-	-	3	-	2	2	14	11	20	14
All other	12	1	-	-	-	-	-	4	3	2	1	1	11	1	-	-	-	-	-	2	2	1	2	3
Black	4	-	-	-	-	-	-	-	3	1	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	10	-	1	-	-	-	3	2	-	2	-	2	8	-	-	1	-	-	1	1	4	1	-	-
White	9	-	-	-	-	-	3	2	-	2	-	2	8	-	-	1	-	-	1	1	4	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	86	1	1	-	2	11	10	8	13	24	13	3	48	1	1	-	2	3	4	1	11	11	12	2
White	77	1	1	-	2	9	9	6	13	21	13	2	39	1	1	-	2	3	2	-	8	8	12	2
All other	9	-	-	-	-	2	1	2	-	3	-	1	9	-	-	-	-	-	2	1	3	3	-	-
Black	6	-	-	-	-	2	1	2	-	1	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,031	-	-	9	27	33	64	202	615	1,061	808	212	2,514	1	4	11	15	26	74	210	580	756	585	252
White	2,900	-	-	9	25	33	61	183	590	1,018	782	199	2,401	1	4	11	11	24	70	195	545	734	567	239
All other	131	-	-	-	2	-	3	19	25	43	26	13	113	-	-	-	4	2	4	15	35	22	18	13
Black	77	-	-	-	-	-	1	11	14	29	13	9	51	-	-	-	1	-	1	4	19	12	8	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	-	-	-	-	-	1	3	15	17	9	3	25	-	-	-	-	1	-	-	12	7	5	-
White	45	-	-	-	-	-	1	2	15	16	8	3	22	-	-	-	-	-	-	-	10	7	5	-
All other	3	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	1	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	717	-	-	-	2	4	10	45	143	258	201	54	659	-	-	1	1	4	11	41	129	181	191	100
White	687	-	-	-	2	4	10	41	133	248	198	51	616	-	-	1	1	4	9	38	115	173	182	93
All other	30	-	-	-	-	-	-	4	10	10	3	3	43	-	-	-	-	-	2	3	14	8	9	7
Black	11	-	-	-	-	-	-	4	2	4	1	-	17	-	-	-	-	-	-	-	6	4	5	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,032	-	-	-	1	2	13	78	256	409	237	36	498	-	-	-	-	3	11	47	151	170	100	16
White	999	-	-	-	1	2	12	74	248	396	233	33	483	-	-	-	-	2	11	45	144	166	99	16
All other	33	-	-	-	-	-	1	4	8	13	4	3	15	-	-	-	-	1	-	2	7	4	1	-
Black	27	-	-	-	-	-	1	2	7	11	3	3	11	-	-	-	-	-	-	1	5	4	1	-
Malignant neoplasm of breast (174-175)	4	-	-	-	1	-	-	-	-	3	-	-	438	-	-	-	-	8	23	66	115	113	83	30
White	4	-	-	-	1	-	-	-	-	3	-	-	423	-	-	-	-	8	23	60	109	112	81	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	-	-	6	6	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	2	3	-	1	-
Malignant neoplasms of genital organs (179-187)	295	-	-	-	3	-	1	4	25	86	125	51	241	-	-	-	-	1	11	17	57	78	61	16
White	276	-	-	-	3	-	1	3	25	81	118	45	230	-	-	-	-	1	10	15	54	77	58	15
All other	19	-	-	-	-	-	-	1	-	5	7	6	11	-	-	-	-	-	1	2	3	1	3	1
Black	16	-	-	-	-	-	-	-	-	5	5	6	5	-	-	-	-	-	1	1	1	1	-	1
Malignant neoplasms of urinary organs (188-189)	172	-	-	1	-	1	1	11	35	49	52	22	92	-	-	-	-	-	1	2	16	35	24	14
White	162	-	-	1	-	1	1	6	35	47	50	21	88	-	-	-	-	-	1	2	15	34	23	13
All other	10	-	-	-	-	-	-	5	-	2	2	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	4	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	-	1	1	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	451	-	-	2	10	15	27	42	90	145	96	24	337	1	2	6	7	4	9	26	65	100	69	48
White	427	-	-	2	10	15	25	39	88	136	90	24	322	1	2	6	5	4	9	25	63	93	69	45
All other	24	-	-	-	-	-	2	3	4	9	6	-	15	-	-	-	2	-	-	1	2	7	-	3
Black	13	-	-	-	-	-	-	2	3	6	2	-	5	-	-	-	-	-	-	-	2	2	-	1
Leukemia (204-208)	133	-	-	5	6	5	6	11	20	37	35	8	92	-	2	4	3	2	6	5	9	30	19	12
White	127	-	-	5	5	5	6	10	18	36	34	8	87	-	2	4	2	2	5	4	9	30	17	12
All other	6	-	-	-	1	-	-	1	2	1	1	-	5	-	-	-	1	-	1	1	-	-	2	-
Black	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	179	-	-	1	4	6	5	8	31	57	53	14	132	-	-	-	4	3	2	6	26	42	33	16
White	173	-	-	1	3	6	5	8	30	55	51	14	130	-	-	-	3	3	2	6	26	42	33	15
All other	6	-	-	-	1	-	-	-	1	2	2	-	2	-	-	-	1	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	40	-	2	-	-	3	3	2	7	5	11	7	45	1	-	1	-	1	2	4	5	7	10	14
White	37	-	1	-	-	2	3	2	6	5	11	7	44	1	-	1	-	1	2	4	5	7	9	14
All other	3	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	222	-	-	-	2	4	14	17	32	66	69	18	237	-	-	-	-	2	8	16	51	53	79	28
White	188	-	-	-	2	4	12	8	24	57	65	16	190	-	-	-	-	1	6	9	37	41	69	27
All other	34	-	-	-	-	-	2	9	8	9	4	2	47	-	-	-	-	1	2	7	14	12	10	1
Black	8	-	-	-	-	-	-	3	2	2	1	-	15	-	-	-	-	1	1	1	4	5	3	-
Nutritional deficiencies (260-269)	19	1	-	-	-	-	-	1	2	-	11	4	15	-	-	-	-	-	-	-	-	2	4	9
White	18	1	-	-	-	-	-	1	1	-	11	4	15	-	-	-	-	-	-	-	-	2	4	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	16	-	2	1	1	-	-	-	1	4	5	2	18	-	-	-	-	-	-	-	4	3	5	6
White	13	-	1	1	-	-	-	-	-	4	5	2	18	-	-	-	-	-	-	-	4	3	5	6
All other	3	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	9	2	2	-	-	-	1	1	1	1	1	-	11	6	1	1	-	-	-	-	-	3	-	-
White	9	2	2	-	-	-	1	1	1	1	1	-	7	3	1	1	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,403	4	-	1	10	32	102	315	830	1,593	1,736	775	4,653	6	1	4	6	14	38	95	346	944	1,588	1,611
White	5,169	3	-	-	10	25	92	285	790	1,542	1,672	745	4,468	6	1	3	4	11	30	80	327	902	1,538	1,566
All other	234	1	-	1	-	7	10	30	40	51	64	30	185	-	-	1	2	3	8	15	19	42	50	45
Black	101	-	-	-	-	3	4	16	21	21	24	12	93	-	-	-	-	-	1	8	12	18	31	23
Diseases of heart (390-398,402,404-429)	4,442	3	-	1	9	23	95	286	734	1,348	1,365	573	3,529	6	-	1	5	8	28	74	273	740	1,206	1,188
White	4,257	3	-	-	9	18	85	261	698	1,313	1,313	552	3,389	6	-	-	3	6	21	62	260	705	1,166	1,160
All other	185	-	-	1	-	5	10	25	36	35	62	21	140	-	-	1	2	2	7	12	13	35	40	28
Black	82	-	-	-	-	3	4	14	20	15	18	8	72	-	-	-	-	-	1	5	10	15	28	13
Rheumatic fever and rheumatic heart disease (390-398)	30	-	-	-	-	1	1	2	8	6	10	2	71	-	-	-	-	1	4	5	6	27	21	7
White	30	-	-	-	-	1	1	2	8	6	10	2	62	-	-	-	-	-	2	4	6	25	19	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	2	1	-	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart disease (402)	52	-	-	-	-	1	2	4	7	10	19	8	67	-	-	-	-	-	2	2	8	14	24	17
White	46	-	-	-	-	-	2	2	7	10	17	7	66	-	-	-	-	-	2	2	8	14	23	17
All other	6	-	-	-	-	1	-	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	1	3	-	5	-	-	-	-	-	-	-	-	2	1	2
White	5	-	-	-	-	-	-	-	1	1	3	-	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,380	-	-	-	2	6	68	229	598	1,070	1,023	382	2,342	-	-	-	-	-	7	48	183	512	838	754
White	3,274	-	-	-	2	5	64	217	569	1,049	994	372	2,272	-	-	-	-	-	7	41	176	491	820	737
All other	106	-	-	-	-	1	4	12	29	21	29	10	70	-	-	-	-	-	-	7	7	21	18	17
Black	54	-	-	-	-	1	2	7	19	9	10	6	46	-	-	-	-	-	-	4	6	9	16	11
Acute myocardial infarction (410)	1,593	-	-	-	-	2	39	109	279	538	483	142	946	-	-	-	-	-	6	22	91	239	343	245
White	1,549	-	-	-	-	2	37	101	270	525	472	141	914	-	-	-	-	-	6	20	88	227	331	242
All other	44	-	-	-	-	-	2	8	9	13	11	1	32	-	-	-	-	-	-	2	3	12	12	3
Black	15	-	-	-	-	-	-	3	4	4	3	1	18	-	-	-	-	-	-	-	2	4	10	2
Other acute and subacute forms of ischemic heart disease (411)	282	-	-	-	1	-	11	50	83	94	35	8	76	-	-	-	-	-	-	9	20	27	13	7
White	274	-	-	-	1	-	11	49	77	94	34	8	72	-	-	-	-	-	-	7	20	26	13	6
All other	8	-	-	-	-	-	-	1	6	-	1	-	4	-	-	-	-	-	-	2	-	1	-	1
Black	7	-	-	-	-	-	-	1	5	-	1	-	4	-	-	-	-	-	-	2	-	1	-	1
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	2	-	1	1
White	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	2	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,502	-	-	-	1	4	18	70	236	436	504	232	1,316	-	-	-	-	-	1	17	70	246	481	501
White	1,448	-	-	-	1	3	16	67	222	428	487	223	1,282	-	-	-	-	-	1	14	66	238	475	488
All other	54	-	-	-	-	1	2	3	14	8	17	9	34	-	-	-	-	-	-	3	4	8	6	13
Black	32	-	-	-	-	1	2	3	10	5	6	5	24	-	-	-	-	-	-	2	4	4	6	8
Other diseases of endocardium (424)	74	-	-	-	1	3	1	6	12	13	24	14	64	-	-	-	1	-	1	1	5	15	26	15
White	68	-	-	-	1	3	1	6	10	12	22	13	61	-	-	-	-	-	1	1	4	15	25	15
All other	6	-	-	-	-	-	-	-	2	1	2	1	3	-	-	-	1	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	901	3	-	1	6	12	23	45	108	248	286	167	980	6	-	1	4	7	14	18	71	170	296	393
White	834	3	-	-	6	9	17	34	103	235	267	158	923	6	-	-	3	6	9	14	66	158	278	383
All other	67	-	-	1	-	3	6	11	5	13	19	9	57	-	-	1	1	1	5	4	5	12	18	10
Black	24	-	-	-	-	1	2	5	1	6	8	1	22	-	-	-	-	-	1	-	3	6	10	2
Hypertension with or without renal disease (401,403)	29	1	-	-	-	-	-	-	3	4	17	4	39	-	-	-	-	-	-	-	5	9	12	13
White	26	-	-	-	-	-	-	-	3	4	15	4	34	-	-	-	-	-	-	-	4	9	10	11
All other	3	1	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	-	2	2
Black	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	-	2	2
Cerebrovascular diseases (430-438)	665	-	-	-	1	8	5	24	63	165	255	144	802	-	1	2	1	4	9	17	53	140	284	291
White	624	-	-	-	1	6	5	19	60	150	246	137	770	-	1	2	1	3	8	15	50	134	278	278
All other	41	-	-	-	-	2	-	5	3	15	9	7	32	-	-	-	-	1	1	2	3	6	6	13
Black	13	-	-	-	-	-	-	2	1	5	3	2	13	-	-	-	-	-	-	2	-	3	1	7
Intracerebral and other intracranial hemorrhage (431-432)	98	-	-	-	-	4	1	11	15	37	18	12	98	-	1	2	-	1	1	6	14	27	31	15
White	88	-	-	-	-	2	1	9	15	33	18	10	89	-	1	2	-	1	1	4	12	24	31	13
All other	10	-	-	-	-	2	-	2	-	4	-	2	9	-	-	-	-	-	-	2	2	3	-	2
Black	3	-	-	-	-	-	-	1	-	1	-	1	5	-	-	-	-	-	-	2	-	1	-	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	91	-	-	-	-	-	1	4	10	22	34	20	94	-	-	-	-	1	-	2	7	13	36	35
White	85	-	-	-	-	-	1	4	9	18	33	20	91	-	-	-	-	1	-	2	6	13	36	33
All other	6	-	-	-	-	-	-	-	1	4	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	-	1	4	1	4	-	-	-	-	-	-	-	-	-	2	2
White	5	-	-	-	-	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	470	-	-	-	1	4	3	9	38	105	199	111	608	-	-	-	1	2	8	9	32	100	215	239
White	446	-	-	-	1	4	3	6	36	98	192	106	586	-	-	-	1	1	7	9	32	97	209	230
All other	24	-	-	-	-	-	-	3	2	7	7	5	20	-	-	-	-	1	1	-	-	3	6	9
Black	8	-	-	-	-	-	-	1	1	2	3	1	7	-	-	-	-	-	-	-	-	2	1	4
Atherosclerosis (440)	109	-	-	-	-	-	-	-	9	18	43	39	178	-	-	-	-	-	-	1	4	25	49	99
White	106	-	-	-	-	-	-	-	9	18	42	37	177	-	-	-	-	-	-	1	4	25	49	98
All other	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	158	-	-	-	-	1	2	5	21	58	56	15	105	-	-	1	-	2	1	3	11	30	37	20
White	156	-	-	-	-	1	2	5	20	57	56	15	98	-	-	1	-	2	1	2	9	29	35	19
All other	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	-	-	1	2	1	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	406	8	1	-	2	2	6	10	24	76	144	132	367	7	-	2	-	2	2	7	24	44	121	158
White	369	5	1	-	1	2	4	9	21	70	131	124	346	5	-	2	-	1	1	7	21	40	118	151
All other	37	3	-	-	1	-	2	1	3	6	13	8	21	2	-	-	-	1	1	-	3	4	3	7
Black	9	-	-	-	1	-	1	-	-	4	1	2	3	1	-	-	-	-	-	-	1	1	-	-
Pneumonia (480-486)	398	8	1	-	2	2	6	10	24	73	140	131	359	7	-	2	-	2	2	7	24	43	118	154
White	361	5	1	-	1	2	4	9	21	67	127	123	338	5	-	2	-	1	1	7	21	39	115	147
All other	37	3	-	-	1	-	2	1	3	6	13	8	21	2	-	-	-	1	1	-	3	4	3	7
Black	9	-	-	-	1	-	1	-	-	4	1	2	3	1	-	-	-	-	-	-	1	1	-	-
Influenza (487)	8	-	-	-	-	-	-	-	-	3	4	1	8	-	-	-	-	-	-	-	-	1	3	4
White	8	-	-	-	-	-	-	-	-	3	4	1	8	-	-	-	-	-	-	-	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	810	-	1	-	2	4	4	18	112	295	309	64	512	-	1	1	2	1	6	16	87	190	162	46
White	795	-	1	-	2	4	3	18	107	291	306	62	501	-	-	1	2	1	6	16	84	186	160	45
All other	15	-	-	-	-	-	1	-	5	4	3	2	11	-	1	-	-	-	-	-	3	4	2	1
Black	9	-	-	-	-	-	-	-	4	2	2	1	6	-	-	-	-	-	-	-	2	3	1	-
Bronchitis, chronic and unspecified (490-491)	36	-	1	-	-	2	-	1	3	11	16	2	23	-	1	1	-	-	-	1	3	5	8	4
White	36	-	1	-	-	2	-	1	3	11	16	2	22	-	-	1	-	-	-	1	3	5	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	214	-	-	-	-	-	1	4	25	87	82	15	106	-	-	-	-	-	1	3	22	46	30	4
White	212	-	-	-	-	-	1	4	24	87	81	15	105	-	-	-	-	-	1	3	22	45	30	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	30	-	-	-	2	2	1	2	3	9	11	-	51	-	-	-	2	1	3	4	8	19	12	2
White	29	-	-	-	2	2	1	2	3	9	10	-	49	-	-	-	2	1	3	4	8	17	12	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	530	-	-	-	-	-	2	11	81	188	200	47	332	-	-	-	-	-	2	8	54	120	112	36
White	518	-	-	-	-	-	1	11	77	184	199	45	325	-	-	-	-	-	2	8	51	119	110	35
All other	12	-	-	-	-	-	1	-	4	4	1	2	7	-	-	-	-	-	-	-	3	1	2	1
Black	7	-	-	-	-	-	-	-	3	2	1	1	3	-	-	-	-	-	-	-	2	-	1	-
Ulcer of stomach and duodenum (531-533)	29	-	1	-	-	-	1	1	4	9	13	-	45	-	-	-	-	1	-	-	5	13	14	12
White	29	-	1	-	-	-	1	1	4	9	13	-	44	-	-	-	-	-	-	-	5	13	14	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	2	-	-	-	1	1	-	3	2	14	6	41	1	-	1	-	-	1	1	1	4	22	10
White	26	2	-	-	-	1	1	-	3	2	13	4	39	1	-	1	-	-	1	1	-	4	21	10
All other	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	258	-	-	-	2	14	29	57	63	66	23	3	152	-	-	-	-	8	13	22	43	42	16	8
White	222	-	-	-	2	7	22	50	57	61	20	2	132	-	-	-	-	4	8	17	39	40	16	8
All other	36	-	-	-	-	7	7	7	6	5	3	1	20	-	-	-	-	4	5	5	4	2	-	-
Black	4	-	-	-	-	-	1	-	2	1	-	-	5	-	-	-	-	-	1	1	2	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	1	-	1	2	4	6	15	-	-	-	-	-	1	-	1	2	4	7
White	13	-	-	-	-	-	1	-	1	2	4	5	12	-	-	-	-	-	1	-	1	1	3	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	138	2	-	2	2	1	2	3	12	42	48	24	111	2	-	-	-	1	1	8	18	22	33	26
White	128	2	-	2	2	1	2	2	12	39	43	23	97	1	-	-	-	1	1	3	15	20	30	26
All other	10	-	-	-	-	-	-	1	-	3	5	1	14	1	-	-	-	-	-	5	3	2	3	-
Black	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	1	2	-	2	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	1	1	-	-	2	7	2	2	11	-	-	-	-	-	-	-	2	3	3	3
White	15	-	-	-	1	1	-	-	2	7	2	2	11	-	-	-	-	-	-	-	2	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	121	2	-	2	1	-	2	3	9	35	46	21	97	1	-	-	-	1	1	8	16	19	29	22
White	111	2	-	2	1	-	2	2	9	32	41	20	84	1	-	-	-	1	1	3	13	17	26	22
All other	10	-	-	-	-	-	-	1	-	3	5	1	13	-	-	-	-	-	-	5	3	2	3	-
Black	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	-	1	2	-	2	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	-	3	-	12	-	-	-	-	-	-	1	-	2	7	2
White	3	-	-	-	-	-	-	-	-	-	3	-	11	-	-	-	-	-	-	1	-	2	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	4	-	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	4	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	110	81	4	3	6	1	5	-	4	3	2	1	96	68	6	2	4	1	2	6	3	2	2	-
White	100	74	3	3	5	1	5	-	4	2	2	1	81	56	5	1	4	1	1	6	3	2	2	-
All other	10	7	1	-	1	-	-	-	-	1	-	-	15	12	1	1	-	-	1	-	-	-	-	-
Black	5	3	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	168	161	6	-	-	1	-	-	-	-	-	-	73	71	2	-	-	-	-	-	-	-	-	-
White	134	128	5	-	-	1	-	-	-	-	-	-	59	57	2	-	-	-	-	-	-	-	-	-
All other	34	33	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	16	15	1	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	48	46	1	-	-	1	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	38	36	1	-	-	1	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	120	115	5	-	-	-	-	-	-	-	-	-	52	50	2	-	-	-	-	-	-	-	-	-
White	96	92	4	-	-	-	-	-	-	-	-	-	43	41	2	-	-	-	-	-	-	-	-	-
All other	24	23	1	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	13	12	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	189	56	-	1	5	8	8	7	20	26	24	22	130	34	1	1	2	5	5	6	6	16	18	30
White	140	51	-	-	3	7	4	5	12	19	13	14	103	27	1	1	2	4	4	5	5	11	14	23
All other	49	5	-	1	2	1	4	2	8	7	11	8	27	7	-	-	-	1	1	1	1	5	4	7
Black	8	1	-	-	1	1	-	-	3	-	1	1	3	2	-	-	-	1	-	-	-	-	-	-
All other diseases (Residual)	1,056	12	13	11	22	52	47	82	137	241	281	157	877	17	7	5	12	20	29	40	105	167	272	202
White	967	9	9	10	18	42	37	74	123	225	268	150	798	11	4	4	9	15	24	30	98	156	259	187
All other	89	3	4	1	4	10	10	8	14	15	13	7	79	6	3	1	3	5	5	10	7	11	13	15
Black	24	-	3	1	1	3	1	1	7	4	2	1	15	2	-	1	1	1	1	1	1	1	3	3
Accidents and adverse effects (E800-E949)	1,053	11	43	55	246	229	130	75	68	64	74	38	473	5	18	19	95	56	39	33	38	64	67	38
White	863	8	26	44	199	185	106	62	60	53	68	35	406	4	15	15	78	41	32	26	35	56	65	38
All other	190	3	17	11	47	44	24	13	8	11	6	3	67	1	3	4	17	15	7	7	3	8	2	-
Black	28	-	2	3	5	3	3	2	1	3	2	1	13	1	1	2	1	3	-	1	-	4	-	-
Motor vehicle accidents (E810-E825)	632	2	13	33	192	157	80	42	44	32	27	8	237	1	4	13	76	39	28	18	17	20	14	7
White	518	-	4	27	157	123	68	36	39	29	25	8	193	1	3	11	62	26	23	13	16	17	14	7
All other	114	2	9	6	35	34	12	6	5	3	2	-	44	-	1	2	14	13	5	5	1	3	-	-
Black	12	-	1	2	3	1	2	1	-	1	1	-	5	-	-	1	-	2	-	1	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	421	9	30	22	54	72	50	33	24	32	47	30	236	4	14	6	19	17	11	15	21	44	53	31
White	345	8	22	17	42	62	38	26	21	24	43	27	213	3	12	4	16	15	9	13	19	39	51	31
All other	76	1	8	5	12	10	12	7	3	8	4	3	23	1	2	2	3	2	2	2	2	5	2	-
Black	16	-	1	1	2	2	1	1	1	2	1	1	8	1	1	1	1	1	-	-	-	3	-	-
Suicide (E950-E959)	441	...	...	1	88	100	60	47	68	40	32	4	119	...	...	1	18	18	27	16	15	15	7	2
White	402	...	...	1	72	90	50	46	67	40	32	4	114	...	...	-	16	18	27	15	14	15	7	2
All other	39	...	...	-	16	10	10	1	1	-	-	-	5	...	...	1	2	-	-	1	1	-	-	-
Black	8	...	...	-	2	1	5	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	169	2	7	4	43	53	31	24	7	9	3	1	68	1	2	3	15	19	12	3	6	4	3	-
White	147	1	6	3	24	46	23	20	7	8	3	1	55	1	1	2	10	18	9	2	6	3	3	-
All other	42	1	1	1	19	7	8	4	-	1	-	-	13	-	1	1	5	1	3	1	-	1	-	-
Black	13	-	1	1	4	2	3	1	-	1	-	-	7	-	1	1	3	-	1	-	-	1	-	-
All other external causes (E980-E999)	19	1	1	1	2	6	2	1	-	1	1	-	10	1	1	-	-	1	-	2	2	1	-	1
White	17	-	1	1	1	6	2	1	-	1	1	-	8	1	-	-	-	-	-	2	2	1	-	1
All other	2	1	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	13,130	229	42	82	311	330	436	803	1,886	3,539	3,766	1,695	11,007	180	37	52	125	144	243	432	1,121	2,243	3,455	2,968
White	11,014	171	31	60	243	253	342	636	1,609	3,041	3,219	1,399	9,123	119	23	40	99	93	185	338	913	1,860	2,893	2,554
All other	2,116	58	11	22	68	77	94	167	277	498	547	296	1,884	61	14	12	26	51	58	94	208	383	562	414
Black	2,107	58	11	22	68	75	94	167	276	498	543	294	1,870	59	14	12	26	51	58	92	207	381	557	412
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	-	-	-	-	1	1	8	4	7	-	-	-	-	-	1	-	3	-	1	2
White	11	-	-	-	-	-	-	-	1	-	7	3	3	-	-	-	-	-	-	-	1	-	-	2
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	1	-	2	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	1	-	2	-	1	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	-	-	1	-	7	2	5	-	-	-	-	-	1	-	1	-	1	2
White	8	-	-	-	-	-	-	-	1	-	6	1	3	-	-	-	-	-	-	-	1	-	-	2
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	1	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	2	-	-	-
White	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	1	-	-	1	-
White	1	-	1	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Septicemia (038)	119	3	-	-	-	-	1	4	11	30	44	26	128	3	-	-	-	3	2	3	11	22	44	40
White	90	2	-	-	-	-	-	4	7	23	31	23	92	-	-	-	-	1	2	2	8	13	35	31
All other	29	1	-	-	-	-	1	-	4	7	13	3	36	3	-	-	-	2	-	1	3	9	9	9
Black	29	1	-	-	-	-	1	-	4	7	13	3	36	3	-	-	-	2	-	1	3	9	9	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	-	1	1	1	1	-	5	-	-	-	-	2	-	1	1	-	1	-
White	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	1	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	1	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	40	1	2	-	3	2	4	8	7	9	3	1	38	5	1	-	-	2	-	2	8	8	6	6
White	27	1	1	-	1	2	1	5	5	7	3	1	34	4	1	-	-	1	-	2	7	8	6	5
All other	13	-	1	-	2	-	3	3	2	2	-	-	4	1	-	-	-	1	-	-	1	-	-	1
Black	13	-	1	-	2	-	3	3	2	2	-	-	4	1	-	-	-	1	-	-	1	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,879	-	2	7	10	28	71	234	576	968	776	204	2,140	4	1	4	17	22	76	171	402	633	558	251
White	2,446	-	1	5	9	23	60	191	499	838	655	161	1,852	4	1	4	14	15	59	148	358	555	483	210
All other	433	-	1	2	1	5	11	43	77	130	120	43	288	-	-	-	3	7	17	23	44	78	75	41
Black	433	-	1	2	1	5	11	43	77	130	120	43	287	-	-	-	3	7	17	23	44	78	74	41

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	53	-	-	-	-	1	-	11	8	19	14	-	25	1	-	-	1	-	1	-	4	5	9	4
White	44	-	-	-	-	1	-	6	8	17	12	-	22	1	-	-	1	-	1	-	4	3	8	4
All other	9	-	-	-	-	-	-	5	-	2	2	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	9	-	-	-	-	-	-	5	-	2	2	-	3	-	-	-	-	-	-	-	-	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	622	-	-	-	-	4	14	48	114	208	172	62	535	1	-	-	4	2	12	24	75	142	173	101
White	513	-	-	-	-	2	10	34	96	183	142	46	444	1	-	-	2	2	10	16	65	116	149	82
All other	109	-	-	-	-	2	4	14	18	25	30	16	91	-	-	-	2	-	2	8	10	26	24	19
Black	109	-	-	-	-	2	4	14	18	25	30	16	90	-	-	-	2	-	2	8	10	26	23	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,096	-	-	-	-	-	25	101	288	390	245	44	359	1	-	-	-	2	12	37	104	132	58	13
White	961	-	-	-	-	-	22	87	254	347	211	37	332	1	-	-	-	-	10	34	90	126	53	10
All other	135	-	-	-	-	-	3	14	34	43	34	7	27	-	-	-	-	2	2	3	6	6	5	3
Black	135	-	-	-	-	-	3	14	34	43	34	7	27	-	-	-	-	2	2	3	6	6	5	3
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	-	1	3	1	333	-	-	-	1	7	27	51	70	91	63	23
White	4	-	-	-	-	-	-	1	-	1	2	-	302	-	-	-	1	5	18	47	66	87	57	21
All other	2	-	-	-	-	-	-	-	-	-	1	1	31	-	-	-	-	2	9	4	4	4	6	2
Black	2	-	-	-	-	-	-	-	-	-	1	1	31	-	-	-	-	2	9	4	4	4	6	2
Malignant neoplasms of genital organs (179-187)	274	-	1	-	1	-	-	1	15	94	127	35	215	-	-	-	1	6	5	16	37	71	56	23
White	210	-	1	-	1	-	-	-	9	72	98	29	167	-	-	-	1	4	3	14	29	58	41	17
All other	64	-	-	-	-	-	-	1	6	22	29	6	48	-	-	-	-	2	2	2	8	13	15	6
Black	64	-	-	-	-	-	-	1	6	22	29	6	48	-	-	-	-	2	2	2	8	13	15	6
Malignant neoplasms of urinary organs (188-189)	133	-	-	-	-	-	3	16	32	33	33	16	66	-	-	1	1	-	4	2	7	17	23	11
White	121	-	-	-	-	-	3	15	29	29	29	16	56	-	-	1	-	-	4	1	6	14	20	10
All other	12	-	-	-	-	-	-	1	3	4	4	-	10	-	-	-	1	-	-	1	1	3	3	1
Black	12	-	-	-	-	-	-	1	3	4	4	-	10	-	-	-	1	-	-	1	1	3	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	435	-	-	3	3	13	20	35	82	140	110	29	393	-	1	1	5	4	10	27	79	117	104	45
White	363	-	-	2	2	13	17	28	71	113	96	21	336	-	1	1	5	3	9	23	66	99	92	37
All other	72	-	-	1	1	-	3	7	11	27	14	8	57	-	-	-	-	1	1	4	13	18	12	8
Black	72	-	-	1	1	-	3	7	11	27	14	8	57	-	-	-	-	1	1	4	13	18	12	8
Leukemia (204-208)	110	-	1	3	5	8	5	6	11	27	32	11	99	1	-	2	4	-	3	5	11	23	31	19
White	100	-	-	2	5	6	5	6	11	27	30	7	93	1	-	2	4	-	3	5	11	21	27	19
All other	10	-	1	1	-	2	-	-	-	-	2	4	6	-	-	-	-	-	-	-	-	2	4	-
Black	10	-	1	1	-	2	-	-	-	-	2	4	6	-	-	-	-	-	-	-	-	2	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	150	-	-	1	1	2	4	15	26	56	39	6	115	-	-	-	-	1	2	9	15	35	41	12
White	130	-	-	1	1	1	3	14	21	49	35	5	100	-	-	-	-	1	1	8	13	31	36	10
All other	20	-	-	-	-	1	1	1	5	7	4	1	15	-	-	-	-	-	1	1	2	4	5	2
Black	20	-	-	-	-	1	1	1	5	7	4	1	15	-	-	-	-	-	1	1	2	4	5	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	1	2	3	-	-	2	2	6	6	8	3	51	-	-	-	1	-	4	6	9	10	12	9
White	31	-	2	3	-	-	2	1	6	6	8	3	38	-	-	-	1	-	3	4	7	5	9	9
All other	2	1	-	-	-	-	-	1	-	-	-	-	13	-	-	-	-	-	1	2	2	5	3	-
Black	2	1	-	-	-	-	-	1	-	-	-	-	13	-	-	-	-	-	1	2	2	5	3	-
Diabetes mellitus (250)	134	-	-	3	-	3	10	14	18	40	36	10	210	-	-	-	2	-	6	7	29	54	85	27
White	103	-	-	2	-	1	7	10	15	31	28	9	159	-	-	-	2	-	6	4	18	42	63	24
All other	31	-	-	1	-	2	3	4	3	9	8	1	51	-	-	-	-	-	-	3	11	12	22	3
Black	31	-	-	1	-	2	3	4	3	9	8	1	51	-	-	-	-	-	-	3	11	12	22	3
Nutritional deficiencies (260-269)	16	-	-	-	-	-	-	-	-	3	5	8	18	-	-	-	-	-	1	1	-	1	5	10
White	14	-	-	-	-	-	-	-	-	2	4	8	13	-	-	-	-	-	1	1	-	-	4	7
All other	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	1	1	3
Black	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	1	1	3
Anemias (280-285)	19	-	-	-	-	1	1	3	2	3	5	4	16	-	1	-	-	2	1	-	-	2	8	2
White	15	-	-	-	-	-	-	3	1	3	4	4	10	-	-	-	-	-	-	-	-	2	6	2
All other	4	-	-	-	-	1	1	-	1	-	1	-	6	-	1	-	-	2	1	-	-	-	2	-
Black	4	-	-	-	-	1	1	-	1	-	1	-	6	-	1	-	-	2	1	-	-	-	2	-
Meningitis (320-322)	7	3	-	-	-	2	-	-	-	-	1	1	8	2	-	-	-	-	-	1	2	2	1	-
White	4	1	-	-	-	1	-	-	-	-	1	1	4	-	-	-	-	-	-	-	2	1	1	-
All other	3	2	-	-	-	1	-	-	-	-	-	-	4	2	-	-	-	-	-	1	-	1	-	-
Black	3	2	-	-	-	1	-	-	-	-	-	-	4	2	-	-	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	5,995	8	1	3	13	37	114	330	836	1,718	1,974	956	5,640	11	2	7	7	17	57	131	427	1,075	2,008	1,894
White	5,084	7	1	1	10	28	88	270	719	1,481	1,686	789	4,655	6	1	5	5	13	38	92	320	856	1,674	1,642
All other	911	1	-	2	3	9	26	60	117	237	288	167	985	5	1	2	2	4	19	39	107	219	334	252
Black	907	1	-	2	3	9	26	60	117	237	285	166	979	5	1	2	2	4	19	37	107	217	333	251

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,843	6	1	3	9	31	100	289	732	1,414	1,548	706	4,198	9	2	6	6	11	36	110	349	836	1,481	1,348
White	4,146	6	1	1	7	22	80	242	643	1,231	1,326	583	3,487	5	1	4	5	8	23	79	258	679	1,247	1,165
All other	697	-	-	2	2	9	20	47	89	183	222	123	711	4	1	2	1	3	13	31	81	157	234	183
Black	694	-	-	2	2	9	20	47	89	183	220	122	708	4	1	2	1	3	13	30	81	155	234	183
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	-	1	3	2	7	3	1	23	-	-	-	-	1	1	2	5	8	4	2
White	15	-	-	-	-	-	-	3	1	7	3	1	22	-	-	-	-	1	1	2	5	8	3	2
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	54	-	-	-	-	1	1	1	12	18	14	7	80	-	-	-	-	-	2	3	5	16	31	23
White	34	-	-	-	-	-	-	1	8	11	8	6	49	-	-	-	-	-	-	1	2	10	20	16
All other	20	-	-	-	-	1	1	-	4	7	6	1	31	-	-	-	-	-	2	2	3	6	11	7
Black	20	-	-	-	-	1	1	-	4	7	6	1	31	-	-	-	-	-	2	2	3	6	11	7
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	3	2	2	-	10	-	-	-	-	-	-	-	-	3	5	2
White	4	-	-	-	-	-	-	-	1	1	2	-	9	-	-	-	-	-	-	-	-	3	4	2
All other	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	3,049	1	-	-	1	10	62	184	466	931	971	420	2,385	-	-	-	2	5	13	56	192	502	886	726
White	2,675	1	-	-	1	10	56	160	418	826	846	354	2,023	-	-	-	2	4	7	39	156	424	757	632
All other	374	-	-	-	-	-	6	24	48	105	125	66	362	-	-	-	-	1	6	17	36	78	129	94
Black	371	-	-	-	-	-	6	24	48	105	123	65	361	-	-	-	-	1	6	17	36	77	129	94
Acute myocardial infarction (410)	2,050	1	-	-	1	6	50	144	365	654	630	197	1,393	-	-	-	2	4	11	44	158	340	528	305
White	1,796	1	-	-	1	5	44	127	323	582	549	161	1,178	-	-	-	2	4	7	31	127	287	456	263
All other	254	-	-	-	-	-	6	17	42	72	81	36	215	-	-	-	-	-	4	13	31	53	72	42
Black	251	-	-	-	-	-	6	17	42	72	79	35	214	-	-	-	-	-	4	13	31	52	72	42
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	2	1
White	3	-	-	-	-	-	-	2	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	-	1	4	2	2	-	-	-	-	-	-	-	-	2	-	-
White	7	-	-	-	-	-	-	-	-	1	4	2	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	987	-	-	-	-	5	12	38	101	276	334	221	987	-	-	-	-	1	2	12	34	160	356	420
White	869	-	-	-	-	5	12	31	95	243	292	191	841	-	-	-	-	-	-	8	29	136	299	368
All other	118	-	-	-	-	-	-	7	6	33	42	30	146	-	-	-	-	1	2	4	5	24	57	52
Black	118	-	-	-	-	-	-	7	6	33	42	30	146	-	-	-	-	1	2	4	5	24	57	52
Other diseases of endocardium (424)	28	-	-	-	-	1	1	2	3	6	11	4	30	-	-	-	-	-	1	-	2	6	11	10
White	26	-	-	-	-	-	1	2	3	6	10	4	27	-	-	-	-	-	1	-	2	5	10	9
All other	2	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other forms of heart disease (415-423,425-429)	1,688	5	1	3	8	19	35	99	246	450	547	274	1,670	9	2	6	4	5	19	49	145	301	544	585
White	1,392	5	1	1	6	12	23	76	212	380	457	218	1,357	5	1	4	3	3	14	37	103	229	453	504
All other	296	-	-	2	2	7	12	23	34	70	90	56	313	4	1	2	1	2	5	12	42	72	91	81
Black	296	-	-	2	2	7	12	23	34	70	90	56	311	4	1	2	1	2	5	11	42	71	91	81
Hypertension with or without renal disease (401,403)	36	-	-	-	-	-	2	4	-	7	16	7	35	-	-	-	-	-	1	1	4	3	11	15
White	20	-	-	-	-	-	1	3	-	3	9	4	29	-	-	-	-	-	-	-	3	3	9	14
All other	16	-	-	-	-	-	1	1	-	4	7	3	6	-	-	-	-	-	1	1	1	-	2	1
Black	15	-	-	-	-	-	1	1	-	4	6	3	6	-	-	-	-	-	1	1	1	-	2	1
Cerebrovascular diseases (430-438)	907	2	-	-	4	6	11	32	83	224	351	193	1,164	2	-	1	1	5	19	17	65	200	435	419
White	735	1	-	-	3	6	6	23	58	181	301	156	930	1	-	1	-	4	14	11	43	146	346	364
All other	172	1	-	-	1	-	5	9	25	43	50	37	234	1	-	-	1	1	5	6	22	54	89	55
Black	172	1	-	-	1	-	5	9	25	43	50	37	231	1	-	-	1	1	5	5	22	54	88	54
Intracerebral and other intracranial hemorrhage (431-432)	109	2	-	-	-	2	4	11	21	30	26	13	111	1	-	-	-	1	7	3	10	20	38	31
White	94	1	-	-	-	2	1	10	17	27	25	11	83	-	-	-	-	-	5	-	7	15	27	29
All other	15	1	-	-	-	-	3	1	4	3	1	2	28	1	-	-	-	1	2	3	3	5	11	2
Black	15	1	-	-	-	-	3	1	4	3	1	2	27	1	-	-	-	1	2	2	3	5	11	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	129	-	-	-	-	1	1	2	11	39	44	31	163	-	-	-	-	-	1	1	6	36	62	57
White	99	-	-	-	-	1	-	1	5	32	38	22	120	-	-	-	-	-	1	-	4	23	44	48
All other	30	-	-	-	-	-	1	1	6	7	6	9	43	-	-	-	-	-	-	1	2	13	18	9
Black	30	-	-	-	-	-	1	1	6	7	6	9	43	-	-	-	-	-	-	1	2	13	18	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	2	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	666	-	-	-	4	3	6	19	50	155	279	149	888	1	-	1	1	4	11	13	47	144	335	331
White	540	-	-	-	3	3	5	12	36	122	236	123	725	1	-	1	-	4	8	11	30	108	275	287
All other	126	-	-	-	1	-	1	7	14	33	43	26	163	-	-	-	1	-	3	2	17	36	60	44
Black	126	-	-	-	1	-	1	7	14	33	43	26	161	-	-	-	1	-	3	2	17	36	59	43
Atherosclerosis (440)	96	-	-	-	-	-	-	1	2	20	31	42	152	-	-	-	-	-	-	1	1	15	49	86
White	82	-	-	-	-	-	-	-	2	16	26	38	134	-	-	-	-	-	-	1	-	11	46	76
All other	14	-	-	-	-	-	-	1	-	4	5	4	18	-	-	-	-	-	-	-	1	4	3	10
Black	14	-	-	-	-	-	-	1	-	4	5	4	18	-	-	-	-	-	-	-	1	4	3	10
Other diseases of arteries, arterioles, and capillaries (441-448)	113	-	-	-	-	-	1	4	19	53	28	8	91	-	-	-	-	1	1	2	8	21	32	26
White	101	-	-	-	-	-	1	2	16	50	24	8	75	-	-	-	-	1	1	1	6	17	26	23
All other	12	-	-	-	-	-	-	2	3	3	4	-	16	-	-	-	-	-	-	1	2	4	6	3
Black	12	-	-	-	-	-	-	2	3	3	4	-	16	-	-	-	-	-	-	1	2	4	6	3
Acute bronchitis and bronchiolitis (466)	2	-	1	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	-	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	419	7	1	-	1	4	8	7	24	83	162	122	334	6	2	-	1	3	5	6	14	43	96	158
White	356	2	1	-	1	2	5	3	15	70	149	108	302	6	1	-	1	1	5	5	14	40	85	144
All other	63	5	-	-	-	2	3	4	9	13	13	14	32	-	1	-	-	2	-	1	-	3	11	14
Black	62	5	-	-	-	2	3	4	9	13	13	13	32	-	1	-	-	2	-	1	-	3	11	14
Pneumonia (480-486)	408	7	1	-	1	4	8	7	24	83	157	116	323	6	2	-	1	3	4	6	13	43	95	150
White	347	2	1	-	1	2	5	3	15	70	144	104	291	6	1	-	1	1	4	5	13	40	84	136
All other	61	5	-	-	-	2	3	4	9	13	13	12	32	-	1	-	-	2	-	1	-	3	11	14
Black	60	5	-	-	-	2	3	4	9	13	13	11	32	-	1	-	-	2	-	1	-	3	11	14
Influenza (487)	11	-	-	-	-	-	-	-	-	-	5	6	11	-	-	-	-	-	1	-	1	-	1	8
White	9	-	-	-	-	-	-	-	-	-	5	4	11	-	-	-	-	-	1	-	1	-	1	8
All other	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	527	-	-	-	2	1	5	15	72	199	178	55	245	-	-	1	-	1	2	9	48	79	77	30
White	482	-	-	-	2	1	4	12	63	182	172	46	227	-	-	-	-	-	2	8	42	75	71	29
All other	45	-	-	-	-	-	1	3	9	17	6	9	18	-	-	1	-	1	-	1	4	4	6	1
Black	45	-	-	-	-	-	1	3	9	17	6	9	18	-	-	1	-	1	-	1	4	4	6	1
Bronchitis, chronic and unspecified (490-491)	17	-	-	-	1	-	-	-	2	5	6	3	17	-	-	-	-	-	1	-	2	6	5	3
White	17	-	-	-	1	-	-	-	2	5	6	3	16	-	-	-	-	-	1	-	2	5	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	92	-	-	-	-	-	1	6	15	34	29	7	29	-	-	-	-	-	-	2	6	12	7	2
White	89	-	-	-	-	-	1	6	12	34	29	7	27	-	-	-	-	-	-	2	5	12	6	2
All other	3	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Asthma (493)	11	-	-	-	-	1	-	1	1	3	5	-	20	-	-	1	-	1	1	-	3	5	5	4
White	9	-	-	-	-	1	-	-	-	3	5	-	14	-	-	-	-	-	1	-	2	4	3	4
All other	2	-	-	-	-	-	-	1	1	-	-	-	6	-	-	1	-	1	-	-	1	1	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	6	-	-	1	-	1	-	-	1	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	407	-	-	-	1	-	4	8	54	157	138	45	179	-	-	-	-	-	-	7	35	56	60	21
White	367	-	-	-	1	-	3	6	49	140	132	36	170	-	-	-	-	-	-	6	33	54	57	20
All other	40	-	-	-	-	-	1	2	5	17	6	9	9	-	-	-	-	-	-	1	2	2	3	1
Black	40	-	-	-	-	-	1	2	5	17	6	9	9	-	-	-	-	-	-	1	2	2	3	1
Ulcer of stomach and duodenum (531-533)	23	-	-	-	-	-	1	2	-	10	6	4	21	-	1	-	-	-	-	1	-	3	9	7
White	22	-	-	-	-	-	-	2	-	10	6	4	18	-	-	-	-	-	-	1	-	3	8	6
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	1
Appendicitis (540-543)	2	-	-	-	-	1	-	-	-	-	1	-	4	-	-	1	-	-	-	-	1	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
All other	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	1	-	-	-	-	-	1	3	5	7	4	29	-	-	1	-	-	1	-	1	3	8	15
White	18	1	-	-	-	-	-	1	3	4	5	4	27	-	-	-	-	-	1	-	1	3	7	15
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	92	1	-	-	-	2	7	13	23	28	15	3	67	-	-	-	-	3	5	10	12	16	15	6
White	81	-	-	-	-	2	6	10	22	25	13	3	58	-	-	-	-	1	5	8	9	15	14	6
All other	11	1	-	-	-	-	1	3	1	3	2	-	9	-	-	-	-	2	-	2	3	1	1	-
Black	11	1	-	-	-	-	1	3	1	3	2	-	8	-	-	-	-	2	-	2	3	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	-	1	2	7	3	4	20	-	-	-	-	-	-	1	2	2	5	10
White	15	-	-	-	-	-	-	1	2	6	3	3	17	-	-	-	-	-	-	1	2	2	4	8
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	168	1	-	-	1	3	1	2	14	36	69	41	164	6	1	-	-	-	-	2	11	40	54	50
White	110	1	-	-	1	1	1	2	12	21	48	23	119	3	1	-	-	-	-	-	9	29	47	30
All other	58	-	-	-	-	2	-	-	2	15	21	18	45	3	-	-	-	-	-	2	2	11	7	20
Black	57	-	-	-	-	2	-	-	2	15	20	18	44	2	-	-	-	-	-	2	2	11	7	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	-	-	-	-	-	1	-	4	2	6	15	-	-	-	-	-	-	-	1	3	5	6
White	7	-	-	-	-	-	-	1	-	3	-	3	13	-	-	-	-	-	-	-	1	2	4	6
All other	6	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	1	1	-
Black	6	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	1	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	150	1	-	-	1	2	1	1	13	30	66	35	149	6	1	-	-	-	-	2	10	37	49	44
White	100	1	-	-	1	1	1	1	11	17	47	20	106	3	1	-	-	-	-	-	8	27	43	24
All other	50	-	-	-	-	1	-	-	2	13	19	15	43	3	-	-	-	-	-	2	2	10	6	20
Black	49	-	-	-	-	1	-	-	2	13	18	15	42	2	-	-	-	-	-	2	2	10	6	20
Infections of kidney (590)	11	-	-	-	-	-	-	-	2	2	2	5	11	-	-	-	-	-	-	-	1	1	4	5
White	11	-	-	-	-	-	-	-	2	2	2	5	9	-	-	-	-	-	-	-	-	1	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	1	1	-	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Congenital anomalies (740-759)	61	46	1	4	1	-	5	-	1	1	1	1	50	30	3	3	2	4	1	2	-	3	2	-
White	52	39	1	4	-	-	5	-	1	1	1	-	42	24	3	3	2	3	1	1	-	3	2	-
All other	9	7	-	-	1	-	-	-	-	-	-	1	8	6	-	-	-	1	-	1	-	-	-	-
Black	9	7	-	-	1	-	-	-	-	-	-	1	7	5	-	-	-	1	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	102	101	1	-	-	-	-	-	-	-	-	-	67	67	-	-	-	-	-	-	-	-	-	-
White	73	72	1	-	-	-	-	-	-	-	-	-	44	44	-	-	-	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	38	38	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	64	63	1	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
White	45	44	1	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	19	19	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	441	38	3	1	1	5	12	13	69	90	133	75	473	30	2	-	1	3	4	11	35	64	152	169
White	333	29	3	-	1	4	11	7	49	68	105	55	360	17	1	-	-	2	1	6	28	46	113	144
All other	108	9	-	1	-	1	1	6	20	22	28	20	113	13	1	-	1	1	3	5	7	18	39	25
Black	108	9	-	1	-	1	1	6	20	22	28	20	112	13	1	-	1	1	3	5	7	18	38	25
All other diseases (Residual)	740	9	4	11	13	14	32	49	86	170	241	111	737	7	2	3	6	15	21	25	66	126	236	230
White	613	7	2	9	7	8	23	36	66	149	207	99	603	5	2	2	2	5	14	17	52	110	200	194
All other	127	2	2	2	6	6	9	13	20	21	34	12	134	2	-	1	4	10	7	8	14	16	36	36
Black	126	2	2	2	6	6	9	13	19	21	34	12	132	2	-	1	4	10	7	8	13	16	36	35
Accidents and adverse effects (E800-E949)	825	8	21	46	194	129	106	58	76	84	59	43	373	6	16	29	63	34	28	25	27	44	57	44
White	679	8	16	33	158	107	87	43	67	70	51	38	315	4	11	24	56	25	24	23	23	39	47	39
All other	146	-	5	13	36	22	19	15	9	14	8	5	58	2	5	5	7	9	4	2	4	5	10	5
Black	144	-	5	13	36	20	19	15	9	14	8	5	58	2	5	5	7	9	4	2	4	5	10	5
Motor vehicle accidents (E810-E825)	400	-	8	18	129	81	46	32	27	39	15	4	183	1	7	17	54	22	17	15	13	20	14	3
White	336	-	7	12	108	68	38	23	25	36	15	4	163	1	6	16	49	16	15	13	11	19	14	3
All other	64	-	1	7	21	13	8	9	2	3	-	-	20	-	1	1	5	6	2	2	2	1	-	-
Black	64	-	1	7	21	13	8	9	2	3	-	-	20	-	1	1	5	6	2	2	2	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	425	8	13	27	65	48	60	26	49	45	44	39	190	5	9	12	9	12	11	10	14	24	43	41
White	343	8	9	21	50	39	49	20	42	34	36	34	152	3	5	8	7	9	9	10	12	20	33	36
All other	82	-	4	6	15	9	11	6	7	11	8	5	38	2	4	4	2	3	2	-	2	4	10	5
Black	80	-	4	6	15	7	11	6	7	11	8	5	38	2	4	4	2	3	2	-	2	4	10	5
Suicide (E950-E959)	253	...	...	2	45	51	25	23	41	35	24	7	63	...	...	1	8	12	17	9	8	3	4	1
White	240	...	...	2	39	49	23	23	41	33	24	6	58	...	...	1	7	11	15	9	8	3	3	1
All other	13	...	...	-	6	2	2	-	-	2	-	1	5	...	...	-	1	1	2	-	-	-	1	-
Black	13	...	...	-	6	2	2	-	-	2	-	1	4	...	...	-	1	1	2	-	-	-	-	-
Homicide and legal intervention (E960-E978)	147	1	2	2	26	44	30	19	13	7	3	-	65	-	4	2	12	20	7	6	3	6	4	1
White	81	1	1	1	13	22	18	7	10	5	3	-	45	-	-	1	8	14	5	5	2	6	4	-
All other	66	-	1	1	13	22	12	12	3	2	-	-	20	-	4	1	4	6	2	1	1	-	-	1
Black	66	-	1	1	13	22	12	12	3	2	-	-	20	-	4	1	4	6	2	1	1	-	-	1
All other external causes (E980-E999)	12	-	-	-	1	3	1	4	2	1	-	-	6	-	-	-	1	-	2	1	2	-	-	-
White	11	-	-	-	1	2	1	4	2	1	-	-	4	-	-	-	-	-	2	1	1	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
CALIFORNIA																								
All causes	106,428	2,574	512	551	3,402	5,028	5,171	7,368	16,470	25,558	26,108	13,500	95,483	1,916	372	337	1,111	1,698	2,504	4,291	10,624	18,882	26,335	27,186
White	93,522	1,962	401	431	2,803	4,170	4,236	6,075	14,276	22,840	23,657	12,506	85,798	1,432	297	258	900	1,304	1,959	3,510	9,112	16,784	24,292	25,699
All other	12,906	612	111	120	599	858	935	1,293	2,194	2,718	2,451	994	9,685	484	75	79	211	392	545	781	1,512	2,078	2,043	1,467
Black	8,487	417	65	70	429	662	731	977	1,599	1,727	1,282	512	6,674	340	36	44	145	278	383	558	1,104	1,450	1,400	925
Shigellosis and amebiasis (004,006)	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	1	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	20	5	2	-	-	3	2	-	-	3	3	2	29	11	1	-	1	-	-	-	1	4	7	4
White	19	4	2	-	-	3	2	-	-	3	3	2	25	7	1	-	1	-	-	-	1	4	7	4
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	121	-	-	-	-	5	13	12	28	25	28	9	79	-	-	-	1	1	6	3	8	22	32	6
White	87	-	-	-	-	3	7	7	22	19	20	8	53	-	-	-	1	-	3	2	5	15	23	4
All other	34	-	-	-	-	2	6	5	6	6	8	1	26	-	-	-	-	1	3	1	3	7	9	2
Black	23	-	-	-	-	2	5	5	4	2	4	1	12	-	-	-	-	-	2	-	1	4	4	1
Tuberculosis of respiratory system (010-012)	105	-	-	-	-	4	10	9	24	23	26	8	61	-	-	-	-	-	4	1	6	20	25	5
White	76	-	-	-	-	3	5	5	18	18	19	7	41	-	-	-	-	-	1	1	3	14	18	4
All other	29	-	-	-	-	1	5	4	6	5	7	1	20	-	-	-	-	-	3	-	3	6	7	1
Black	18	-	-	-	-	1	4	4	4	1	3	1	10	-	-	-	-	-	2	-	1	4	3	-
Other tuberculosis (013-018)	16	-	-	-	-	1	3	3	4	2	2	1	18	-	-	-	1	1	2	2	2	2	7	1
White	11	-	-	-	-	-	2	2	4	1	1	1	12	-	-	-	1	-	2	1	2	1	5	-
All other	5	-	-	-	-	1	1	1	-	1	1	-	6	-	-	-	-	1	-	1	-	1	2	1
Black	5	-	-	-	-	1	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	16	9	4	1	1	-	-	-	-	-	1	-	10	3	-	-	2	-	1	2	-	-	2	-
White	13	7	4	1	-	-	-	-	-	-	1	-	8	2	-	-	1	-	1	2	-	-	2	-
All other	3	2	-	-	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
Black	3	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Septicemia (038)	415	15	3	-	3	7	12	27	46	106	119	77	413	10	2	1	4	12	15	12	33	57	128	138
White	350	11	1	-	2	5	9	20	39	86	108	69	356	8	-	1	4	8	11	12	25	48	113	125
All other	65	4	2	-	1	2	3	7	7	20	11	8	57	2	2	-	-	4	4	-	8	9	15	13
Black	47	4	1	-	1	2	3	5	5	14	5	7	39	2	-	-	-	4	4	-	6	6	8	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	106	3	-	1	11	14	13	17	15	25	4	3	66	-	2	-	7	5	7	9	13	8	12	3
White	88	2	-	1	9	12	11	15	11	20	4	3	52	-	1	-	7	4	5	4	12	6	10	3
All other	18	1	-	-	2	2	2	2	4	5	-	-	14	-	1	-	-	1	2	5	1	2	2	-
Black	5	-	-	-	2	1	1	-	-	1	-	-	3	-	1	-	-	1	-	1	-	-	-	-
Syphilis (090-097)	4	1	-	-	-	-	1	-	1	-	1	-	4	2	-	-	-	-	-	-	-	2	-	-
White	3	1	-	-	-	-	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	2	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	892	20	8	8	28	217	240	133	96	79	52	11	320	16	4	4	8	18	21	34	64	66	46	37
White	770	14	6	8	20	185	217	115	84	67	44	10	269	13	3	4	6	15	14	25	53	57	45	32
All other	122	6	2	-	8	32	23	18	12	12	8	1	51	3	1	-	2	3	7	9	11	9	1	5
Black	85	3	1	-	6	26	20	12	8	5	4	-	37	3	-	-	2	3	6	8	7	6	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	23,726	6	43	94	138	383	744	1,871	5,247	7,603	5,787	1,808	21,830	4	25	57	103	306	874	1,965	4,681	6,361	5,050	2,392
White	20,871	3	34	80	115	327	626	1,521	4,542	6,767	5,206	1,648	19,660	4	21	52	90	237	709	1,669	4,168	5,772	4,690	2,238
All other	2,855	3	9	14	23	56	118	350	705	836	581	160	2,170	-	4	5	13	69	165	296	513	589	360	156
Black	1,836	2	1	8	12	33	69	252	493	550	327	89	1,416	-	1	4	7	35	100	186	346	405	225	107
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	504	-	-	-	3	7	22	57	143	152	96	24	369	-	-	-	1	7	14	26	85	130	64	42
White	429	-	-	-	2	5	15	44	120	133	88	22	333	-	-	-	-	6	9	22	75	118	63	40
All other	75	-	-	-	1	2	7	13	23	19	8	2	36	-	-	-	1	1	5	4	10	12	1	2
Black	49	-	-	-	-	1	6	11	19	10	1	1	18	-	-	-	-	1	1	3	4	9	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,064	1	3	1	7	48	162	488	1,349	2,004	1,508	493	5,341	-	-	-	10	35	100	278	869	1,534	1,612	899
White	5,191	1	1	1	5	32	117	382	1,135	1,733	1,340	444	4,709	-	-	-	8	22	70	225	728	1,344	1,475	833
All other	873	-	2	-	2	16	45	106	214	271	168	49	632	-	-	-	2	13	30	53	141	190	137	66
Black	458	-	-	-	1	6	17	56	118	149	85	26	387	-	-	-	1	4	12	32	92	117	87	42
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,944	-	-	1	3	24	133	672	2,160	2,864	1,746	341	4,555	-	-	1	3	10	98	481	1,226	1,648	859	226
White	6,977	-	-	1	2	19	116	527	1,862	2,555	1,581	314	4,191	-	-	1	1	9	77	420	1,124	1,541	808	207
All other	967	-	-	-	1	5	17	145	298	309	165	27	364	-	-	-	2	1	21	61	102	107	51	19
Black	697	-	-	-	1	4	13	119	220	223	96	12	252	-	-	-	1	-	16	44	84	68	28	11
Malignant neoplasm of breast (174-175)	24	-	-	-	-	-	1	2	6	5	6	4	4,041	1	-	-	1	57	309	566	1,042	1,012	715	335
White	24	-	-	-	-	-	1	2	6	5	6	4	3,638	1	-	-	1	41	262	480	929	936	671	314
All other	-	-	-	-	-	-	-	-	-	-	-	-	403	-	-	-	-	16	47	86	113	76	44	21
Black	-	-	-	-	-	-	-	-	-	-	-	-	290	-	-	-	-	11	35	61	74	61	30	18
Malignant neoplasms of genital organs (179-187)	2,562	-	1	-	6	31	14	31	261	787	970	459	2,281	-	-	2	6	45	134	230	511	678	485	189
White	2,245	-	1	-	6	27	12	25	220	696	850	406	2,033	-	-	2	4	32	107	189	463	608	448	179
All other	317	-	-	-	-	4	2	6	41	91	120	53	248	-	-	-	2	13	27	41	48	70	37	10
Black	245	-	-	-	-	1	2	5	38	77	84	38	159	-	-	-	1	8	12	20	28	54	28	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,102	1	1	1	3	3	23	76	194	345	324	131	592	-	-	5	1	1	13	26	90	151	190	115
White	1,021	-	-	1	1	3	17	69	179	324	302	125	542	-	-	4	-	1	8	25	84	137	178	105
All other	81	1	1	-	2	-	6	7	15	21	22	6	50	-	-	1	1	-	5	1	6	14	12	10
Black	53	1	-	-	2	-	5	5	11	15	11	3	34	-	-	-	1	-	5	1	4	7	9	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,131	3	19	46	52	161	247	328	686	837	573	179	2,663	1	12	26	44	89	117	234	531	690	601	317
White	2,851	2	16	43	45	148	228	287	634	762	518	168	2,424	1	10	23	43	79	102	198	477	634	550	308
All other	280	1	3	3	7	13	19	41	52	75	55	11	239	-	2	3	1	10	15	36	54	56	51	11
Black	175	1	1	2	3	9	12	33	39	45	26	4	150	-	-	3	1	5	7	20	38	44	24	8
Leukemia (204-208)	988	1	19	36	37	47	45	73	165	224	247	94	819	2	13	21	27	36	47	48	116	185	190	134
White	882	-	16	26	30	41	39	64	141	208	228	89	737	2	11	20	25	28	37	41	102	164	179	128
All other	106	1	3	10	7	6	6	9	24	16	19	5	82	-	2	1	2	8	10	7	14	21	11	6
Black	59	-	-	5	3	4	5	7	14	9	10	2	53	-	1	1	1	3	9	2	7	16	8	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,407	-	-	9	27	62	97	144	283	385	317	83	1,169	-	-	2	10	26	42	76	211	333	334	135
White	1,251	-	-	8	24	52	81	121	245	351	293	76	1,053	-	-	2	8	19	37	69	186	290	318	124
All other	156	-	-	1	3	10	16	23	38	34	24	7	116	-	-	-	2	7	5	7	25	43	16	11
Black	100	-	-	1	2	8	9	16	25	22	14	3	79	-	-	-	1	3	3	3	15	29	11	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	340	3	10	8	4	13	23	28	52	74	79	45	385	6	1	5	6	9	14	17	48	96	112	70
White	301	3	10	7	4	11	18	24	48	62	70	43	340	5	-	3	6	7	12	14	38	87	105	63
All other	39	-	-	1	-	2	5	4	4	12	9	2	45	1	1	2	-	2	2	3	10	9	7	7
Black	21	-	-	1	-	1	3	4	4	4	3	1	38	1	-	2	-	2	2	3	9	7	5	6
Diabetes mellitus (250)	1,335	-	-	-	7	31	74	103	244	379	348	149	1,660	-	-	2	6	24	46	92	218	430	530	308
White	1,107	-	-	-	7	25	57	80	200	307	299	132	1,371	-	-	2	5	18	37	66	159	342	455	284
All other	228	-	-	-	-	6	17	23	44	72	49	17	289	-	-	-	1	6	9	26	59	88	75	24
Black	147	-	-	-	-	5	16	20	31	41	27	7	236	-	-	-	1	5	8	22	47	74	61	17
Nutritional deficiencies (260-269)	81	1	-	-	-	1	1	3	10	14	15	35	105	-	-	-	2	-	1	1	4	10	29	57
White	70	-	-	-	-	1	1	2	8	12	12	34	95	-	-	-	2	-	-	1	3	9	26	53
All other	11	1	-	-	-	-	-	1	2	2	3	2	10	-	-	-	-	-	1	-	1	1	3	4
Black	6	1	-	-	-	-	-	-	2	2	1	-	7	-	-	-	-	-	1	-	1	-	1	4
Anemias (280-285)	105	4	1	2	6	4	12	6	8	13	27	22	149	1	1	3	5	4	5	10	10	17	43	50
White	73	1	-	-	-	3	5	3	3	12	25	21	116	-	-	1	3	1	1	6	9	10	38	47
All other	32	3	1	2	6	1	7	3	5	1	2	1	33	1	1	2	2	3	4	4	1	7	5	3
Black	26	2	1	2	5	1	7	3	4	-	1	-	22	-	1	2	1	2	3	4	1	2	3	3
Meningitis (320-322)	70	10	15	3	1	4	3	5	8	8	9	4	71	15	3	3	-	3	2	3	6	10	21	5
White	56	6	12	3	1	1	3	5	7	7	7	4	61	11	3	2	-	2	1	3	4	10	20	5
All other	14	4	3	-	-	3	-	-	1	1	2	-	10	4	-	1	-	1	1	-	2	-	1	-
Black	9	2	2	-	-	2	-	-	1	1	1	-	4	1	-	-	-	-	1	-	2	-	-	-
Major cardiovascular diseases (390-448)	44,283	72	13	17	101	326	971	2,668	6,991	11,730	13,531	7,803	45,275	48	18	16	51	139	397	934	3,124	7,697	14,482	18,187
White	39,448	50	11	12	82	248	761	2,211	6,046	10,485	12,261	7,228	41,131	34	13	11	32	104	280	705	2,537	6,718	13,304	17,222
All other	4,835	22	2	5	19	78	210	457	945	1,245	1,270	575	4,144	14	5	5	19	35	117	229	587	979	1,178	965
Black	3,047	14	1	3	11	57	156	346	705	786	663	302	2,967	8	3	3	14	31	94	187	456	716	845	605
Diseases of heart (390-398,402,404-429)	35,824	54	11	11	73	254	826	2,376	6,065	9,710	10,528	5,870	33,238	43	14	10	32	88	249	693	2,443	5,959	10,673	12,900
White	31,972	37	10	7	58	191	649	1,993	5,262	8,706	9,578	5,442	30,262	30	9	8	19	66	174	527	2,010	5,221	9,841	12,230
All other	3,852	17	1	4	17	63	177	383	803	1,004	950	428	2,976	13	5	2	13	22	75	166	433	738	832	670
Black	2,491	11	-	2	10	44	135	292	608	640	509	239	2,190	7	3	2	12	19	61	142	347	567	600	426
Rheumatic fever and rheumatic heart disease (390-398)	263	-	1	1	1	6	20	15	52	81	68	18	534	-	-	-	5	11	16	43	70	148	167	74
White	243	-	1	-	1	5	14	13	49	77	67	16	482	-	-	-	3	7	11	33	63	137	159	69
All other	20	-	-	1	-	1	6	2	3	4	1	2	52	-	-	-	2	4	5	10	7	11	8	5
Black	8	-	-	1	-	1	3	1	1	-	1	-	34	-	-	-	2	2	4	7	5	7	6	1
Hypertensive heart disease (402)	1,336	-	-	-	3	17	54	143	303	390	298	128	1,490	-	-	-	-	6	14	54	189	319	448	455
White	1,018	-	-	-	3	11	31	100	217	302	242	110	1,192	-	-	-	-	3	2	30	123	246	370	414
All other	320	-	-	-	-	6	23	43	86	88	56	18	298	-	-	-	-	3	12	24	66	73	78	41
Black	254	-	-	-	-	5	22	36	81	66	37	7	250	-	-	-	-	3	12	22	56	64	60	33
Hypertensive heart and renal disease (404)	117	-	-	-	1	4	3	5	13	27	39	25	112	-	-	-	-	-	-	3	10	12	46	39
White	91	-	-	-	-	1	2	2	10	19	35	22	83	-	-	-	-	-	-	1	4	6	40	31
All other	26	-	-	-	1	3	1	3	3	8	4	3	29	-	-	-	-	-	-	2	6	6	6	8
Black	17	-	-	-	1	3	1	2	3	5	1	1	21	-	-	-	-	-	-	2	5	5	4	5
Ischemic heart disease (410-414)	25,710	2	1	-	5	109	542	1,626	4,235	7,050	7,850	4,257	22,843	1	-	-	1	13	127	382	1,557	4,037	7,469	9,171
White	23,342	2	1	-	5	86	445	1,406	3,782	6,418	7,184	3,983	21,071	1	-	-	1	11	95	306	1,322	3,573	6,938	8,742
All other	2,368	-	-	-	-	23	97	220	453	632	666	274	1,772	-	-	-	-	2	32	76	235	464	531	429
Black	1,390	-	-	-	-	14	68	155	310	366	332	144	1,278	-	-	-	-	2	24	60	182	348	387	273
Acute myocardial infarction (410)	12,075	1	-	-	3	47	243	816	2,242	3,596	3,598	1,521	9,361	-	-	-	1	7	71	220	841	2,135	3,225	2,843
White	11,009	1	-	-	3	38	200	719	2,030	3,272	3,315	1,424	8,579	-	-	-	1	5	55	179	725	1,907	2,989	2,708
All other	1,066	-	-	-	-	9	43	97	212	324	283	97	782	-	-	-	-	2	16	47	116	228	236	135
Black	579	-	-	-	-	5	28	59	131	179	130	46	555	-	-	-	-	2	10	39	88	165	166	84

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	128	-	-	-	-	1	10	17	33	32	19	16	75	-	-	-	-	-	1	7	13	12	18	24
White	116	-	-	-	-	1	8	14	31	31	17	14	65	-	-	-	-	-	1	5	10	9	17	23
All other	12	-	-	-	-	-	2	3	2	1	2	2	10	-	-	-	-	-	-	2	3	3	1	1
Black	6	-	-	-	-	-	1	2	2	1	-	-	9	-	-	-	-	-	-	2	3	2	1	1
Angina pectoris (413)	33	-	-	-	-	-	-	1	3	11	10	8	43	-	-	-	-	-	-	2	4	5	17	15
White	33	-	-	-	-	-	-	1	3	11	10	8	39	-	-	-	-	-	-	2	3	4	16	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	13,474	1	1	-	2	61	289	792	1,957	3,411	4,223	2,712	13,364	1	-	-	-	6	55	153	699	1,885	4,209	6,289
White	12,184	1	1	-	2	47	237	672	1,718	3,104	3,842	2,537	12,369	1	-	-	-	6	39	126	584	1,653	3,916	5,997
All other	1,290	-	-	-	-	14	52	120	239	307	381	175	976	-	-	-	-	-	16	27	115	232	293	292
Black	805	-	-	-	-	9	39	94	177	186	202	98	710	-	-	-	-	-	14	19	90	180	219	187
Other diseases of endocardium (424)	564	-	-	1	6	10	18	23	63	132	199	112	583	-	-	2	2	5	9	13	42	91	213	205
White	519	-	-	1	5	8	15	19	57	121	186	107	535	-	-	2	2	4	6	11	36	77	203	193
All other	45	-	-	-	1	2	3	4	6	11	13	5	48	-	-	-	-	1	3	2	6	14	10	12
Black	28	-	-	-	-	1	3	4	5	9	4	3	35	-	-	-	-	1	2	2	5	12	5	8
All other forms of heart disease (415-423,425-429)	7,834	52	9	9	57	108	189	564	1,399	2,030	2,074	1,330	7,676	42	14	8	24	53	83	198	575	1,352	2,330	2,956
White	6,761	35	8	6	42	80	142	453	1,147	1,769	1,864	1,204	6,899	29	9	6	13	41	60	146	452	1,182	2,131	2,781
All other	1,073	17	1	3	15	28	47	111	252	261	210	126	777	13	5	2	11	12	23	52	113	170	199	175
Black	793	11	-	1	9	20	38	94	208	194	134	84	572	7	3	2	10	11	19	49	94	131	138	106
Hypertension with or without renal disease (401,403)	310	1	-	1	-	3	7	13	39	69	115	62	375	-	-	-	1	-	8	13	30	77	112	134
White	244	1	-	1	-	2	-	6	28	52	99	55	305	-	-	-	-	-	3	6	19	62	93	122
All other	66	-	-	-	-	1	7	7	11	17	16	7	70	-	-	-	1	-	5	7	11	15	19	12
Black	49	-	-	-	-	1	5	6	8	15	9	5	56	-	-	-	-	-	5	7	10	10	15	9
Cerebrovascular diseases (430-438)	5,876	13	1	5	19	54	119	225	603	1,317	2,141	1,371	9,289	5	3	4	16	45	121	196	540	1,345	2,982	3,994
White	5,157	9	-	4	17	44	96	164	501	1,145	1,899	1,271	8,349	4	3	3	12	33	86	144	412	1,142	2,703	3,775
All other	719	4	1	1	2	10	23	61	102	172	242	100	934	1	-	1	4	12	33	52	128	203	279	219
Black	401	3	1	1	1	9	15	43	70	100	116	41	619	1	-	1	2	11	25	35	88	127	196	133
Intracerebral and other intracranial hemorrhage (431-432)	928	6	-	3	4	20	49	83	168	258	243	92	1,140	-	2	-	3	9	28	67	138	277	359	256
White	751	4	-	2	4	14	36	55	136	215	205	79	986	-	2	-	2	6	20	49	98	245	329	234
All other	177	2	-	1	-	6	13	28	32	43	38	13	154	-	-	-	1	3	8	18	40	32	30	22
Black	84	2	-	1	-	5	9	17	20	16	7	6	90	-	-	-	1	3	7	12	23	15	17	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,057	-	-	-	2	5	9	22	100	224	426	268	1,623	3	-	-	4	3	7	14	69	186	542	789
White	943	-	-	-	2	5	6	19	80	194	383	253	1,488	2	-	-	4	3	4	9	53	158	496	755
All other	114	-	-	-	-	-	3	3	20	30	43	15	135	1	-	-	-	-	3	5	16	28	46	34
Black	60	-	-	-	-	-	2	3	14	18	17	6	96	1	-	-	-	-	3	4	13	18	35	22
Cerebral embolism (434.1)	33	-	-	-	1	-	-	-	2	7	14	9	52	-	-	-	-	-	-	2	5	11	16	17
White	30	-	-	-	1	-	-	-	2	7	11	9	51	-	-	-	-	-	-	1	5	11	16	17
All other	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	3,858	7	1	2	12	29	61	120	393	828	1,458	1,002	6,468	2	1	4	9	33	86	113	328	871	2,065	2,932
White	3,433	5	-	2	10	25	54	90	283	729	1,300	930	5,824	2	1	3	6	24	64	85	256	728	1,862	2,769
All other	425	2	1	-	2	4	7	30	50	99	158	72	644	-	-	1	3	9	22	28	72	143	203	163
Black	255	1	1	-	1	4	4	23	36	66	90	29	432	-	-	1	1	8	15	18	52	94	144	99
Atherosclerosis (440)	893	-	-	-	-	-	5	9	55	166	306	347	1,494	-	-	-	-	1	-	4	23	112	426	912
White	825	-	-	-	-	-	3	8	52	150	285	323	1,406	-	-	-	-	1	-	3	20	104	398	866
All other	68	-	-	-	-	-	2	1	3	16	21	24	88	-	-	-	-	-	-	1	3	8	28	46
Black	45	-	-	-	-	-	1	1	2	12	16	12	61	-	-	-	-	-	-	1	3	5	22	29
Other diseases of arteries, arterioles, and capillaries (441-448)	1,380	4	1	-	9	15	14	45	229	468	441	153	885	-	1	2	2	5	19	28	88	204	289	247
White	1,250	3	1	-	9	11	13	40	203	432	400	137	809	-	1	-	1	4	15	25	76	189	269	229
All other	130	1	-	-	-	4	1	5	26	36	41	16	76	-	-	2	1	1	4	3	12	15	20	18
Black	61	-	-	-	-	3	-	4	17	19	13	5	41	-	-	-	-	1	3	2	8	7	12	8
Acute bronchitis and bronchiolitis (466)	46	11	-	-	1	1	3	-	8	6	8	8	43	3	2	-	1	1	-	2	1	5	12	16
White	42	9	-	-	1	1	3	-	8	6	8	6	40	3	1	-	1	1	-	2	-	5	11	16
All other	4	2	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	1	-	1	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	-	1	-
Pneumonia and influenza (480-487)	3,721	43	12	6	20	47	65	116	294	658	1,232	1,216	4,297	31	11	2	6	25	29	62	176	434	1,250	2,245
White	3,375	34	8	3	18	33	54	99	255	585	1,132	1,144	4,047	23	10	1	6	23	22	51	157	403	1,173	2,153
All other	346	9	4	3	2	14	11	17	39	73	100	72	250	8	1	1	-	2	7	11	19	31	77	92
Black	198	8	3	3	1	10	9	16	25	40	50	31	155	6	-	1	-	2	4	10	16	18	50	48

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	3,610	43	12	5	19	46	65	113	288	650	1,192	1,165	4,110	31	11	1	6	25	29	60	171	421	1,214	2,118
White	3,268	34	8	2	17	32	54	97	250	577	1,093	1,094	3,864	23	10	-	6	23	22	49	153	390	1,138	2,028
All other	342	9	4	3	2	14	11	16	38	73	99	71	246	8	1	1	-	2	7	11	18	31	76	90
Black	196	8	3	3	1	10	9	16	24	40	50	30	154	6	-	1	-	2	4	10	15	18	50	48
Influenza (487)	111	-	-	1	1	1	-	3	6	8	40	51	187	-	-	1	-	-	-	2	5	13	36	127
White	107	-	-	1	1	1	-	2	5	8	39	50	183	-	-	1	-	-	-	2	4	13	35	125
All other	4	-	-	-	-	-	-	1	1	-	1	1	4	-	-	-	-	-	-	-	1	-	1	2
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,854	7	2	7	15	11	28	135	606	1,625	1,761	653	3,710	5	3	2	7	11	33	111	469	1,190	1,295	579
White	4,472	7	-	5	9	7	19	105	548	1,512	1,637	619	3,489	3	3	1	3	8	25	92	415	1,131	1,248	556
All other	382	-	2	2	6	4	9	30	58	113	124	34	221	2	-	1	4	3	8	19	54	59	48	23
Black	228	-	2	2	5	3	9	24	41	74	54	14	138	1	-	-	2	2	5	15	36	32	32	13
Bronchitis, chronic and unspecified (490-491)	261	6	-	2	2	1	2	4	29	84	79	51	247	5	2	-	-	-	1	4	24	63	70	78
White	246	6	-	2	2	1	1	3	27	79	74	50	237	3	2	-	-	-	1	4	23	61	67	76
All other	15	-	-	-	-	-	1	1	2	5	5	1	10	2	-	-	-	-	-	-	1	2	3	2
Black	7	-	-	-	-	-	1	1	1	3	1	-	4	1	-	-	-	-	-	-	-	-	1	2
Emphysema (492)	1,216	-	-	1	1	-	9	48	176	410	438	133	772	-	-	-	-	2	3	13	112	303	256	83
White	1,125	-	-	1	1	-	7	37	161	394	398	126	733	-	-	-	-	1	2	11	105	289	243	82
All other	91	-	-	-	-	-	2	11	15	16	40	7	39	-	-	-	-	1	1	2	7	14	13	1
Black	49	-	-	-	-	-	2	9	10	11	15	2	24	-	-	-	-	1	1	1	5	7	8	1
Asthma (493)	187	-	2	4	11	8	9	16	27	57	40	13	261	-	1	2	7	9	20	32	49	69	47	25
White	136	-	-	2	5	5	5	10	21	45	33	10	213	-	1	1	3	7	16	21	37	60	42	25
All other	51	-	2	2	6	3	4	6	6	12	7	3	48	-	-	1	4	2	4	11	12	9	5	-
Black	31	-	2	2	5	2	4	4	4	7	1	-	31	-	-	-	2	1	2	9	8	5	4	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,190	1	-	-	1	2	8	67	374	1,074	1,204	456	2,430	-	-	-	-	-	9	62	284	755	923	393
White	2,965	1	-	-	1	1	6	55	339	994	1,132	433	2,306	-	-	-	-	-	6	56	250	721	896	373
All other	225	-	-	-	-	1	2	12	35	80	72	23	124	-	-	-	-	-	3	6	34	34	27	20
Black	141	-	-	-	-	1	2	10	26	53	37	12	79	-	-	-	-	-	2	5	23	20	19	10
Ulcer of stomach and duodenum (531-533)	426	-	-	-	-	3	10	26	68	105	139	75	402	1	2	-	1	-	6	12	38	78	125	141
White	382	-	-	-	-	2	9	24	59	97	121	70	364	1	1	-	1	-	5	12	32	71	115	126
All other	44	-	-	-	-	1	1	2	9	8	18	5	38	-	1	-	-	-	1	-	6	5	10	15
Black	25	-	-	-	-	-	1	2	7	4	10	1	24	-	1	-	-	-	1	-	5	3	6	8
Appendicitis (540-543)	23	2	-	-	1	1	-	3	1	9	4	2	22	-	2	1	-	-	2	1	1	7	6	2
White	21	2	-	-	1	1	-	3	1	8	4	1	15	-	1	-	-	-	1	-	1	4	6	2
All other	2	-	-	-	-	-	-	-	-	1	-	1	7	-	1	1	-	-	1	1	-	3	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	5	-	1	1	-	-	1	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	204	6	2	-	4	3	5	6	20	52	68	38	303	3	1	2	-	1	3	5	26	48	96	116
White	178	4	1	-	3	3	5	4	16	46	57	37	285	2	1	2	-	1	3	5	20	47	90	114
All other	26	2	1	-	1	-	-	2	4	4	11	1	18	1	-	-	-	-	-	-	6	1	6	2
Black	18	1	1	-	1	-	-	2	3	3	7	-	16	1	-	-	-	-	-	-	6	1	6	2
Chronic liver disease and cirrhosis (571)	2,548	1	-	-	9	149	344	576	743	518	183	22	1,393	1	1	-	4	65	155	245	381	315	185	41
White	2,222	-	-	-	7	123	273	486	661	478	170	21	1,226	1	1	-	4	50	123	204	343	292	168	40
All other	326	1	-	-	2	26	71	90	82	40	13	1	167	-	-	-	-	15	32	41	38	23	17	1
Black	249	-	-	-	1	18	57	68	67	29	8	1	120	-	-	-	-	11	23	35	27	13	10	1
Cholelithiasis and other disorders of gallbladder (574-575)	127	1	-	-	-	-	4	8	12	37	46	19	132	-	-	-	-	1	2	7	13	17	33	58
White	108	1	-	-	-	-	3	6	10	30	40	18	115	-	-	-	-	-	2	6	11	15	28	52
All other	19	-	-	-	-	-	1	2	2	7	6	1	17	-	-	-	-	1	-	1	2	2	5	6
Black	10	-	-	-	-	-	-	2	1	2	5	-	7	-	-	-	-	1	-	-	1	1	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	738	10	1	1	6	11	29	26	72	191	222	168	743	17	1	2	2	10	15	21	81	150	239	204
White	624	6	1	1	2	6	19	21	54	165	194	154	627	12	1	2	1	9	12	13	61	127	206	183
All other	114	4	-	-	4	5	10	5	18	26	28	14	116	5	-	-	1	1	3	8	20	23	33	21
Black	72	2	-	-	3	4	9	4	13	19	10	8	83	3	-	-	-	1	2	5	18	17	20	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	-	1	-	-	1	-	1	2	1	8	1	17	-	-	-	-	2	-	-	1	3	7	4
White	11	-	1	-	-	-	-	1	2	1	5	1	13	-	-	-	-	1	-	-	1	2	5	4
All other	2	-	-	-	-	1	-	-	-	-	1	-	4	-	-	-	-	1	-	-	-	1	2	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	68	-	-	-	2	1	6	2	4	19	19	15	83	-	-	1	-	-	4	3	9	16	30	20
White	59	-	-	-	-	-	4	2	4	17	17	15	69	-	-	1	-	-	3	2	9	12	27	15
All other	9	-	-	-	2	1	2	-	-	2	2	-	14	-	-	-	-	-	1	1	-	4	3	5
Black	6	-	-	-	1	1	2	-	-	2	-	-	7	-	-	-	-	-	-	-	-	1	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	657	10	-	1	4	9	23	23	66	171	197	152	643	17	1	1	2	8	11	18	71	131	202	180
White	554	6	-	1	2	6	15	18	48	147	172	138	545	12	1	1	1	8	9	11	51	113	174	164
All other	103	4	-	-	2	3	8	5	18	24	25	14	98	5	-	-	1	-	2	7	20	18	28	16
Black	65	2	-	-	2	2	7	4	13	17	10	8	73	3	-	-	-	-	2	5	18	15	17	12
Infections of kidney (590)	64	2	-	-	-	1	-	3	5	6	26	21	168	-	-	-	1	3	7	3	10	23	61	58
White	53	1	-	-	-	1	-	2	2	3	24	20	141	-	-	-	1	1	5	1	8	17	52	54
All other	11	1	-	-	-	-	-	1	3	3	2	1	27	-	-	-	-	2	2	2	2	6	9	4
Black	8	1	-	-	-	-	-	1	1	2	2	1	19	-	-	-	-	1	2	1	2	5	6	2
Hyperplasia of prostate (600)	60	-	-	-	-	-	-	-	5	9	17	29	...	...	...	...	...	...	...	...	...	...	...	...
White	55	-	-	-	-	-	-	-	4	7	15	29	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	-	-	-	-	-	-	-	1	2	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	1	2	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	37	...	...	-	7	19	9	2	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	26	...	...	-	5	12	8	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	2	7	1	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	31	...	...	-	6	16	7	2	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	-	4	10	7	1	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	2	6	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Congenital anomalies (740-759)	834	570	64	31	27	28	22	26	23	21	15	7	739	473	54	27	19	30	19	16	32	22	32	12
White	690	468	50	27	21	27	18	20	22	18	12	7	608	373	44	22	16	28	15	14	29	22	31	11
All other	144	102	14	4	6	1	4	6	1	3	3	-	131	100	10	5	3	2	4	2	3	-	1	1
Black	78	50	9	2	6	-	2	5	1	2	1	-	73	58	4	2	3	1	2	1	1	-	-	1
Certain conditions originating in the perinatal period (760-779)	1,150	1,133	10	1	3	2	-	-	-	-	-	-	857	844	9	3	-	1	-	-	-	-	-	-
White	857	847	5	1	3	1	-	-	-	-	-	-	615	608	4	2	-	1	-	-	-	-	-	-
All other	293	286	5	-	-	1	-	-	-	-	-	-	242	236	5	1	-	-	-	-	-	-	-	-
Black	224	217	5	-	-	1	-	-	-	-	-	-	187	183	3	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	338	333	2	-	2	1	-	-	-	-	-	-	204	201	1	1	-	1	-	-	-	-	-	-
White	264	260	1	-	2	1	-	-	-	-	-	-	160	159	-	-	-	1	-	-	-	-	-	-
All other	74	73	1	-	-	-	-	-	-	-	-	-	44	42	1	1	-	-	-	-	-	-	-	-
Black	49	48	1	-	-	-	-	-	-	-	-	-	32	30	1	1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	812	800	8	1	1	1	-	-	-	-	-	-	653	643	8	2	-	-	-	-	-	-	-	-
White	593	587	4	1	1	-	-	-	-	-	-	-	455	449	4	2	-	-	-	-	-	-	-	-
All other	219	213	4	-	-	1	-	-	-	-	-	-	198	194	4	-	-	-	-	-	-	-	-	-
Black	175	169	4	-	-	1	-	-	-	-	-	-	155	153	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	761	441	12	5	30	68	55	25	39	31	21	15	503	267	7	1	25	24	28	18	23	29	27	44
White	598	338	6	4	25	53	44	18	32	29	16	14	404	207	7	-	22	16	19	17	19	23	24	40
All other	163	103	6	1	5	15	11	7	7	2	5	1	99	60	-	1	3	8	9	1	4	6	3	4
Black	111	70	3	1	3	11	9	5	4	2	2	1	65	40	-	-	3	3	7	1	3	4	2	2
All other diseases (Residual)	6,831	124	64	65	119	453	586	509	836	1,377	1,699	987	7,003	87	57	49	91	169	218	294	715	1,276	1,990	2,046
White	6,010	85	46	50	99	379	482	416	725	1,247	1,565	911	6,283	62	46	42	65	121	173	229	621	1,122	1,846	1,948
All other	821	39	18	15	20	74	104	93	113	130	134	76	720	25	11	7	26	48	45	65	94	154	144	98
Black	578	24	13	8	12	62	93	81	84	89	69	38	509	18	6	5	19	40	39	50	72	106	92	61
Accidents and adverse effects (E800-E949)	7,308	56	225	253	1,717	1,787	1,062	534	551	470	391	215	3,116	55	143	126	488	444	321	219	271	348	389	308
White	6,354	47	190	192	1,529	1,567	908	451	480	409	338	199	2,672	43	122	91	426	359	257	189	224	299	365	293
All other	954	9	35	61	188	220	154	83	71	61	53	16	444	12	21	35	62	85	64	30	47	49	24	15
Black	622	5	17	32	107	160	126	54	57	29	24	8	267	9	10	18	39	58	38	19	29	22	16	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	3,774	17	93	150	1,281	914	470	254	227	183	135	40	1,517	9	61	85	389	258	197	111	121	141	112	32
White	3,298	15	77	121	1,148	799	415	218	194	150	112	39	1,294	5	46	65	345	214	168	101	96	120	105	28
All other	476	2	16	29	133	115	55	36	33	33	23	1	223	4	15	20	44	44	29	10	25	21	7	4
Black	275	1	8	16	72	69	41	21	24	13	10	-	109	3	8	8	26	21	16	4	11	5	5	2
All other accidents and adverse effects (E800-E807, E826-E949)	3,534	39	132	103	436	873	592	280	324	287	256	175	1,599	46	82	41	99	186	124	108	150	207	277	276
White	3,056	32	113	71	381	768	493	233	286	259	226	160	1,378	38	76	26	81	145	89	88	128	179	260	265
All other	478	7	19	32	55	105	99	47	38	28	30	15	221	8	6	15	18	41	35	20	22	28	17	11
Black	347	4	9	16	35	91	85	33	33	16	14	8	158	6	2	10	13	37	22	15	18	17	11	7
Suicide (E950-E959)	2,875	...	...	19	467	686	453	317	323	315	243	51	905	...	...	11	117	173	162	140	125	92	66	19
White	2,635	...	...	18	402	613	411	291	307	303	239	50	799	...	...	9	97	150	138	124	117	85	62	17
All other	240	...	...	1	65	73	42	26	16	12	4	1	106	...	...	2	20	23	24	16	8	7	4	2
Black	143	...	...	1	38	45	30	17	6	6	-	-	49	...	...	1	6	14	15	6	3	-	3	1
Homicide and legal intervention (E960-E978)	2,196	12	17	27	659	731	365	179	105	63	21	4	639	12	19	18	136	185	86	40	45	37	31	17
White	1,470	9	11	16	421	498	245	118	73	44	16	3	442	8	11	9	86	119	69	33	34	29	28	13
All other	726	3	6	11	238	233	120	55	32	19	5	1	197	4	8	9	50	66	27	7	11	8	3	4
Black	639	2	5	7	214	212	102	47	28	16	3	1	154	3	6	4	44	55	21	2	7	5	3	4
All other external causes (E980-E999)	146	6	4	2	24	38	31	11	11	5	8	1	72	1	3	2	10	13	10	11	6	12	1	2
White	119	2	3	2	22	31	25	8	9	3	8	1	57	1	2	1	8	9	8	8	5	11	1	2
All other	27	4	1	-	2	7	6	3	2	2	-	-	15	-	1	1	2	4	2	3	1	1	-	-
Black	18	4	-	-	-	6	4	1	2	1	-	-	10	-	-	-	2	2	2	2	1	1	-	-
COLORADO																								
All causes	10,607	295	60	61	390	515	493	694	1,660	2,438	2,538	1,462	9,629	224	43	48	141	182	269	438	976	1,729	2,661	2,918
White	10,179	265	57	53	369	474	467	652	1,577	2,370	2,470	1,424	9,224	193	37	43	133	163	244	409	911	1,662	2,584	2,845
All other	428	30	3	8	21	41	26	42	83	68	68	38	405	31	6	5	8	19	25	29	65	67	77	73
Black	345	21	3	5	19	33	22	34	71	54	54	29	333	24	5	4	7	15	17	21	56	60	68	56
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	-	-	1	3	1	1	7	-	-	-	-	-	-	-	2	3	1	1
White	5	-	-	-	-	-	-	-	1	2	1	1	7	-	-	-	-	-	-	-	2	3	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	1	2	1	-	6	-	-	-	-	-	-	-	1	3	1	1
White	4	-	-	-	-	-	-	-	1	2	1	-	6	-	-	-	-	-	-	-	1	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	1	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
White	4	1	1	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	71	1	-	-	1	2	3	1	11	17	21	14	100	1	1	2	-	1	4	1	8	20	28	34
White	68	-	-	-	1	1	2	1	11	17	21	14	95	1	1	2	-	1	2	1	6	20	28	33
All other	3	1	-	-	-	1	1	-	-	-	-	-	5	-	-	-	-	-	2	-	2	-	-	1
Black	3	1	-	-	-	1	1	-	-	-	-	-	5	-	-	-	-	-	2	-	2	-	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Viral hepatitis (070)	5	-	-	-	-	-	-	1	1	1	2	-	5	-	-	-	-	1	2	-	2	-	-	-
White	5	-	-	-	-	-	-	1	1	1	2	-	5	-	-	-	-	1	2	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	48	1	1	-	2	6	10	4	10	4	5	5	47	6	1	1	2	2	4	7	7	3	8	6
White	46	-	1	-	2	5	10	4	10	4	5	5	40	4	1	1	2	1	2	6	6	3	8	6
All other	2	1	-	-	-	1	-	-	-	-	-	-	7	2	-	-	-	1	2	1	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	5	1	-	-	-	1	2	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,079	1	2	4	19	39	75	163	479	633	517	147	1,945	1	3	5	13	30	88	180	392	514	490	229
White	1,999	1	2	4	18	35	73	154	454	617	498	143	1,863	1	3	5	13	28	85	167	370	494	478	219
All other	80	-	-	-	1	4	2	9	25	16	19	4	82	-	-	-	-	2	3	13	22	20	12	10
Black	70	-	-	-	1	4	2	8	23	13	16	3	74	-	-	-	-	2	3	11	21	18	11	8
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	39	-	-	-	-	1	-	2	11	15	10	-	14	-	-	-	-	-	1	-	4	5	1	3
White	34	-	-	-	-	1	-	2	7	15	9	-	13	-	-	-	-	-	1	-	3	5	1	3
All other	5	-	-	-	-	-	-	-	4	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	564	-	-	1	3	2	21	37	124	197	140	39	516	-	1	-	1	4	6	32	90	137	158	67
White	544	-	-	1	3	2	20	35	120	189	135	39	494	-	1	-	1	4	6	32	84	131	151	64
All other	20	-	-	-	-	-	1	2	4	8	5	-	22	-	-	-	-	-	-	-	6	6	7	3
Black	17	-	-	-	-	-	1	2	4	6	4	-	19	-	-	-	-	-	-	-	6	5	6	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	629	-	-	-	-	4	4	59	182	210	144	26	326	1	-	-	-	2	6	34	86	115	67	15
White	607	-	-	-	-	3	4	55	173	208	139	25	314	1	-	-	-	2	6	32	83	113	63	14
All other	22	-	-	-	-	1	-	4	9	2	5	1	12	-	-	-	-	-	-	2	3	2	4	1
Black	20	-	-	-	-	1	-	4	9	1	4	1	11	-	-	-	-	-	-	2	3	1	4	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	385	-	-	-	-	10	38	55	98	72	76	36
White	1	-	-	-	-	-	-	-	-	1	-	-	360	-	-	-	-	9	36	48	91	67	76	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	25	-	-	-	-	1	2	7	7	5	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	1	2	6	7	5	-	2
Malignant neoplasms of genital organs (179-187)	217	-	-	-	1	1	2	2	20	55	96	40	214	-	-	-	1	4	15	23	44	60	53	14
White	208	-	-	-	1	1	2	2	18	54	91	39	210	-	-	-	1	4	14	22	43	59	53	14
All other	9	-	-	-	-	-	-	-	2	1	5	1	4	-	-	-	-	-	1	1	1	1	-	-
Black	9	-	-	-	-	-	-	-	2	1	5	1	4	-	-	-	-	-	1	1	1	1	-	-
Malignant neoplasms of urinary organs (188-189)	102	-	-	-	-	1	2	7	24	31	23	14	59	-	-	1	1	-	2	-	10	14	16	15
White	99	-	-	-	-	1	2	6	24	31	23	12	58	-	-	1	1	-	2	-	9	14	16	15
All other	3	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	286	1	-	3	7	21	25	35	69	65	47	13	245	-	1	2	7	7	13	25	35	57	70	28
White	275	1	-	3	6	20	24	34	65	63	46	13	234	-	1	2	7	6	13	22	33	53	70	27
All other	11	-	-	-	1	1	1	1	4	2	1	-	11	-	-	-	-	1	-	3	2	4	-	1
Black	9	-	-	-	1	1	1	1	3	2	-	-	9	-	-	-	-	1	-	2	1	4	-	1
Leukemia (204-208)	92	-	1	-	4	5	7	6	19	17	26	7	73	-	1	2	2	1	3	4	9	19	16	16
White	88	-	1	-	4	4	7	6	17	17	25	7	70	-	1	2	2	1	3	4	8	18	16	15
All other	4	-	-	-	-	1	-	-	2	-	1	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	4	-	-	-	-	1	-	-	2	-	1	-	3	-	-	-	-	-	-	-	1	1	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	149	-	1	-	4	4	14	15	30	42	31	8	113	-	-	-	1	2	4	7	16	35	33	15
White	143	-	1	-	4	3	14	14	30	39	30	8	110	-	-	-	1	2	4	7	16	34	32	14
All other	6	-	-	-	-	1	-	1	-	3	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	5	-	-	-	-	1	-	-	-	3	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	-	2	-	-	1	-	1	3	6	2	-	30	-	2	1	-	1	-	-	2	7	10	7
White	14	-	2	-	-	1	-	1	2	6	2	-	30	-	2	1	-	1	-	-	2	7	10	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	143	-	-	-	-	3	7	13	19	39	42	20	196	-	-	-	1	2	4	6	15	43	67	58
White	138	-	-	-	-	3	7	11	18	39	41	19	180	-	-	-	1	1	4	6	13	40	61	54
All other	5	-	-	-	-	-	-	2	1	-	1	1	16	-	-	-	-	1	-	-	2	3	6	4
Black	5	-	-	-	-	-	-	2	1	-	1	1	14	-	-	-	-	1	-	-	2	3	6	2
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	-	2	3	2	12	38	-	-	-	-	-	-	-	1	3	18	16
White	18	-	-	-	-	-	-	-	2	3	1	12	35	-	-	-	-	-	-	-	-	1	18	16
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Anemias (280-285)	16	1	1	-	-	-	-	-	3	3	4	4	23	-	-	1	2	-	1	1	4	1	8	5
White	13	-	1	-	-	-	-	-	3	3	4	2	20	-	-	1	1	-	1	1	3	1	7	5
All other	3	1	-	-	-	-	-	-	-	-	-	2	3	-	-	-	1	-	-	-	1	-	1	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	1	-	-	-
Meningitis (320-322)	6	-	3	-	1	-	-	-	1	-	1	-	10	-	1	-	1	2	-	-	-	1	5	-
White	5	-	3	-	1	-	-	-	1	-	-	-	10	-	1	-	1	2	-	-	-	1	5	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,117	21	-	2	9	28	97	253	695	1,061	1,170	781	4,254	6	2	2	8	16	43	98	281	648	1,357	1,793
White	3,984	20	-	2	9	27	88	241	664	1,026	1,148	761	4,112	6	2	2	7	14	37	89	259	626	1,317	1,753
All other	133	1	-	-	-	1	9	12	31	35	24	20	142	-	-	-	1	2	6	9	22	22	40	40
Black	105	1	-	-	-	1	8	9	26	27	17	16	122	-	-	-	1	2	5	7	19	18	37	33
Diseases of heart (390-398,402,404-429)	3,327	19	-	1	8	26	88	234	606	872	889	584	3,089	5	1	2	7	12	34	69	234	520	977	1,228
White	3,227	19	-	1	8	25	81	223	580	847	874	569	2,990	5	1	2	6	12	30	64	214	503	953	1,200
All other	100	-	-	-	-	1	7	11	26	25	15	15	99	-	-	-	1	-	4	5	20	17	24	28
Black	80	-	-	-	-	1	6	8	21	18	13	13	85	-	-	-	1	-	3	4	17	14	22	24
Rheumatic fever and rheumatic heart disease (390-398)	37	-	-	-	-	1	1	2	8	12	9	4	86	-	-	-	-	2	2	5	13	28	27	9
White	36	-	-	-	-	-	1	2	8	12	9	4	84	-	-	-	-	2	1	5	12	28	27	9
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Hypertensive heart disease (402)	34	-	-	-	-	-	3	3	8	8	6	6	71	-	-	-	-	-	-	2	3	15	23	28
White	29	-	-	-	-	-	3	1	7	8	5	5	66	-	-	-	-	-	-	1	3	13	22	27
All other	5	-	-	-	-	-	-	2	1	-	1	1	5	-	-	-	-	-	-	1	-	2	1	1
Black	4	-	-	-	-	-	-	1	1	-	1	1	5	-	-	-	-	-	-	1	-	2	1	1
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	1	-	1	3	3	10	-	-	-	-	-	-	-	-	2	6	2
White	8	-	-	-	-	-	-	1	-	1	3	3	9	-	-	-	-	-	-	-	-	2	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	2,535	-	-	-	-	10	73	194	508	884	668	398	2,010	-	-	-	2	3	12	40	161	349	666	777
White	2,470	-	-	-	-	10	66	189	489	669	658	389	1,957	-	-	-	2	3	11	39	148	340	653	761
All other	65	-	-	-	-	-	7	5	19	15	10	9	53	-	-	-	-	-	1	1	13	9	13	16
Black	50	-	-	-	-	-	6	4	14	10	8	8	43	-	-	-	-	-	1	1	10	7	11	13
Acute myocardial infarction (410)	1,430	-	-	-	-	5	40	128	328	413	352	164	894	-	-	-	2	2	6	24	97	193	322	248
White	1,397	-	-	-	-	5	38	127	318	402	347	160	876	-	-	-	2	2	6	24	92	189	317	244
All other	33	-	-	-	-	-	2	1	10	11	5	4	18	-	-	-	-	-	-	-	5	4	5	4
Black	23	-	-	-	-	-	2	1	6	8	3	3	11	-	-	-	-	-	-	-	3	2	4	2
Other acute and subacute forms of ischemic heart disease (411)	42	-	-	-	-	-	2	3	8	16	9	4	37	-	-	-	-	-	-	-	4	11	15	7
White	40	-	-	-	-	-	2	3	7	16	9	3	36	-	-	-	-	-	-	-	4	10	15	7
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	2	-
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,062	-	-	-	-	6	31	63	172	255	307	229	1,070	-	-	-	-	1	6	16	60	144	327	522
White	1,032	-	-	-	-	5	26	59	164	251	302	225	1,042	-	-	-	-	1	5	15	52	140	319	510
All other	30	-	-	-	-	-	5	4	8	4	5	4	34	-	-	-	-	-	1	1	8	4	8	12
Black	25	-	-	-	-	-	4	3	7	2	5	4	31	-	-	-	-	-	1	1	7	4	7	11
Other diseases of endocardium (424)	44	-	-	-	1	2	1	1	7	14	12	6	63	-	-	-	1	-	-	3	4	10	18	27
White	44	-	-	-	1	2	1	1	7	14	12	6	62	-	-	-	1	-	-	3	4	9	18	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	669	19	-	1	7	13	10	33	75	153	191	167	849	5	1	2	4	7	20	19	53	116	237	385
White	640	19	-	1	7	13	10	29	69	143	187	162	812	5	1	2	3	7	18	16	47	111	228	374
All other	29	-	-	-	-	-	-	4	6	10	4	5	37	-	-	-	1	-	2	3	6	5	9	11
Black	25	-	-	-	-	-	-	3	6	8	4	4	33	-	-	-	1	-	1	2	6	4	9	10
Hypertension with or without renal disease (401,403)	32	-	-	-	-	-	-	1	2	5	15	9	49	-	-	-	-	-	-	2	5	7	13	22
White	29	-	-	-	-	-	-	1	2	4	14	8	44	-	-	-	-	-	-	2	4	6	13	19
All other	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	1	1	-	3
Black	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	1	1	-	3
Cerebrovascular diseases (430-438)	489	1	-	1	1	1	7	13	61	114	168	122	808	1	1	-	1	4	7	19	36	85	274	380
White	472	-	-	1	1	1	5	13	58	109	165	119	782	1	1	-	1	2	6	18	35	81	263	374
All other	17	1	-	-	-	-	2	-	3	5	3	3	26	-	-	-	-	2	1	1	1	4	11	6
Black	12	1	-	-	-	-	2	-	3	4	1	1	22	-	-	-	-	2	1	1	1	3	10	4
Intracerebral and other intracranial hemorrhage (431-432)	63	-	-	-	1	-	3	2	14	16	17	10	90	-	1	-	-	-	1	5	5	22	28	28
White	59	-	-	-	1	-	1	2	13	15	17	10	86	-	1	-	-	-	1	5	5	21	25	28
All other	4	-	-	-	-	-	2	-	1	1	-	-	4	-	-	-	-	-	-	-	-	1	3	-
Black	4	-	-	-	-	-	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	56	-	-	-	-	-	1	1	6	13	22	13	80	-	-	-	-	-	-	1	3	7	29	40
White	54	-	-	-	-	-	1	1	6	13	21	12	77	-	-	-	-	-	-	1	2	7	28	39
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	366	1	-	1	-	1	3	10	40	84	127	99	637	1	-	-	1	4	6	13	28	56	217	311
White	355	-	-	1	-	1	3	10	38	80	125	97	618	1	-	-	1	2	5	12	28	53	210	306
All other	11	1	-	-	-	-	-	-	2	4	2	2	19	-	-	-	-	2	1	1	-	3	7	5
Black	7	1	-	-	-	-	-	-	2	3	1	-	17	-	-	-	-	2	1	1	-	3	7	3
Atherosclerosis (440)	128	-	-	-	-	-	1	1	5	23	43	55	221	-	-	-	-	-	-	2	1	19	62	137
White	121	-	-	-	-	-	1	1	5	21	39	54	216	-	-	-	-	-	-	2	1	19	59	135
All other	7	-	-	-	-	-	-	-	-	2	4	1	5	-	-	-	-	-	-	-	-	-	3	2
Black	5	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	-	3	1
Other diseases of arteries, arterioles, and capillaries (441-448)	141	1	-	-	-	1	1	4	21	47	55	11	87	-	-	-	-	-	2	6	5	17	31	26
White	135	1	-	-	-	1	1	3	19	45	54	11	80	-	-	-	-	-	1	3	5	17	29	25
All other	6	-	-	-	-	-	-	1	2	2	1	-	7	-	-	-	-	-	1	3	-	-	2	1
Black	5	-	-	-	-	-	-	1	2	2	-	-	6	-	-	-	-	-	1	2	-	-	2	1
Acute bronchitis and bronchiolitis (466)	5	2	-	-	1	-	-	-	1	-	1	-	4	-	1	-	-	-	-	-	-	1	1	1
White	5	2	-	-	1	-	-	-	1	-	1	-	4	-	1	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	379	1	2	1	1	1	5	5	25	66	133	138	484	7	2	3	1	3	4	10	15	51	134	254
White	370	1	2	1	1	1	4	5	25	63	130	137	473	6	2	3	-	3	3	10	15	50	132	249
All other	9	-	-	-	-	-	1	-	1	3	3	1	11	1	-	-	1	-	1	-	-	1	2	5
Black	7	-	-	-	-	-	1	-	1	3	2	-	7	1	-	-	1	-	-	-	-	1	-	4
Pneumonia (480-486)	360	1	2	1	1	1	4	5	25	63	126	131	457	7	2	3	1	2	4	9	15	46	131	237
White	351	1	2	1	1	1	3	5	24	60	123	130	446	6	2	3	-	2	3	9	15	45	129	232
All other	9	-	-	-	-	-	1	-	1	3	3	1	11	1	-	-	1	-	1	-	-	1	2	5
Black	7	-	-	-	-	-	1	-	1	3	2	-	7	1	-	-	1	-	-	-	-	1	-	4
Influenza (487)	19	-	-	-	-	-	1	-	1	3	7	7	27	-	-	-	-	1	-	1	-	5	3	17
White	19	-	-	-	-	-	1	-	1	3	7	7	27	-	-	-	-	1	-	1	-	5	3	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	704	2	2	2	2	2	3	16	103	261	226	85	426	-	1	-	1	2	-	16	60	158	124	64
White	682	2	2	-	2	1	3	14	99	256	221	82	417	-	-	-	1	2	-	16	59	155	122	62
All other	22	-	-	2	-	1	-	2	4	5	5	3	9	-	1	-	-	-	-	-	1	3	2	2
Black	19	-	-	2	-	1	-	1	3	5	5	2	8	-	1	-	-	-	-	-	1	3	2	1
Bronchitis, chronic and unspecified (490-491)	37	2	2	-	-	1	-	-	5	8	11	8	22	-	-	-	-	-	-	1	3	6	5	7
White	36	2	2	-	-	1	-	-	5	8	11	7	22	-	-	-	-	-	-	1	3	6	5	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	117	-	-	-	-	-	1	3	17	51	38	7	73	-	-	-	-	-	-	2	12	34	19	6
White	116	-	-	-	-	-	1	3	17	50	38	7	73	-	-	-	-	-	-	2	12	34	19	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	29	-	-	2	1	-	2	4	8	6	3	3	48	-	1	-	1	2	-	4	5	18	10	7
White	26	-	-	-	1	-	2	3	8	6	3	3	43	-	-	-	1	2	-	4	4	16	9	7
All other	3	-	-	2	-	-	-	1	-	-	-	-	5	-	1	-	-	-	-	-	1	2	1	-
Black	3	-	-	2	-	-	-	1	-	-	-	-	5	-	1	-	-	-	-	-	1	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	521	-	-	-	1	1	-	9	73	196	174	67	283	-	-	-	-	-	-	9	40	100	90	44
White	504	-	-	-	1	-	-	8	69	192	169	65	279	-	-	-	-	-	-	9	40	99	89	42
All other	17	-	-	-	-	1	-	1	4	4	5	2	4	-	-	-	-	-	-	-	-	1	1	2
Black	15	-	-	-	-	1	-	-	3	4	5	2	3	-	-	-	-	-	-	-	-	1	1	1
Ulcer of stomach and duodenum (531-533)	35	-	-	-	-	-	2	3	3	11	10	6	36	-	-	-	-	-	-	-	2	5	15	14
White	35	-	-	-	-	-	2	3	3	11	10	6	36	-	-	-	-	-	-	-	2	5	15	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	-	-	-	-	1	-	-	1	6	9	6	40	-	-	-	-	-	1	2	-	4	14	19
White	19	-	-	-	-	-	-	-	-	5	8	6	40	-	-	-	-	-	1	2	-	4	14	19
All other	4	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	181	-	-	-	-	17	23	41	56	29	14	1	98	-	-	-	1	1	14	16	36	17	11	2
White	173	-	-	-	-	16	23	39	51	29	14	1	92	-	-	-	1	1	12	15	33	17	11	2
All other	8	-	-	-	-	1	-	2	5	-	-	-	6	-	-	-	-	-	2	1	3	-	-	-
Black	6	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	22	-	-	-	-	-	-	-	-	6	8	8	12	-	-	-	-	1	-	-	1	-	7	3
White	22	-	-	-	-	-	-	-	-	6	8	8	12	-	-	-	-	1	-	-	1	-	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	86	2	-	-	3	1	1	5	6	21	21	26	111	1	-	1	-	1	-	3	13	27	35	30
White	78	2	-	-	2	1	1	4	5	20	19	24	101	1	-	1	-	-	-	2	11	24	33	29
All other	8	-	-	-	1	-	-	1	1	1	2	2	10	-	-	-	-	1	-	1	2	3	2	1
Black	8	-	-	-	1	-	-	1	1	1	2	2	10	-	-	-	-	1	-	1	2	3	2	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
White	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	-	-	-	-	1	-	2	2	9	-	-	-	-	-	-	-	-	2	5	2
White	5	-	-	-	-	-	-	-	1	-	2	2	9	-	-	-	-	-	-	-	-	2	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	76	1	-	-	2	1	1	5	5	21	19	23	100	1	-	1	-	1	-	2	13	24	30	28
White	71	1	-	-	2	1	1	4	4	20	17	21	91	1	-	1	-	-	-	2	11	21	28	27
All other	7	-	-	-	-	-	-	1	1	1	2	2	9	-	-	-	-	1	-	-	2	3	2	1
Black	7	-	-	-	-	-	-	1	1	1	2	2	9	-	-	-	-	1	-	-	2	3	2	1
Infections of kidney (590)	6	-	-	-	-	-	-	-	1	1	3	1	12	-	1	-	-	-	-	-	-	1	5	5
White	6	-	-	-	-	-	-	-	1	1	3	1	12	-	1	-	-	-	-	-	-	1	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	2	2	-	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	2	2	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	96	72	10	1	1	3	1	2	2	2	2	-	71	55	3	-	1	2	2	1	3	1	2	1
White	93	69	10	1	1	3	1	2	2	2	2	-	62	48	3	-	1	1	1	1	3	1	2	1
All other	3	3	-	-	-	-	-	-	-	-	-	-	9	7	-	-	-	1	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	6	5	-	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	111	111	-	-	-	-	-	-	-	-	-	-	85	85	-	-	-	-	-	-	-	-	-	-
White	94	94	-	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	12	12	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	22	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	89	89	-	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
White	74	74	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	111	59	1	-	2	4	3	3	6	12	12	9	91	42	-	1	2	3	3	1	3	5	11	20
White	102	54	-	-	2	4	3	1	6	12	11	9	83	36	-	1	2	3	3	1	3	4	11	19
All other	9	5	1	-	-	-	-	2	-	-	1	-	8	6	-	-	-	-	-	-	-	1	-	1
Black	8	4	1	-	-	-	-	2	-	-	1	-	6	5	-	-	-	-	-	-	-	1	-	-
All other diseases (Residual)	818	16	8	8	12	34	36	70	111	159	224	140	902	12	11	7	7	22	28	36	82	160	254	283
White	781	15	8	6	12	29	32	61	108	156	217	137	862	10	10	7	7	17	24	36	76	152	246	277
All other	37	1	-	2	-	5	4	9	3	3	7	3	40	2	1	-	-	5	4	-	6	8	8	6
Black	26	1	-	-	-	3	3	8	2	1	6	2	32	2	1	-	-	5	3	-	4	7	6	4
Accidents and adverse effects (E800-E949)	883	3	22	33	203	196	117	64	66	54	74	50	391	7	10	17	70	46	31	34	21	37	49	69
White	844	3	20	30	197	185	114	61	62	52	71	48	356	5	7	13	67	41	29	30	20	33	45	66
All other	39	-	2	3	6	11	3	3	4	2	3	2	35	2	3	4	3	5	2	4	1	4	4	3
Black	30	-	2	2	5	8	2	2	3	1	3	2	22	1	2	3	2	1	-	2	1	4	4	2
Motor vehicle accidents (E810-E825)	429	1	7	20	141	107	63	29	20	15	17	8	190	4	4	11	58	35	19	23	9	15	7	5
White	411	1	5	18	137	102	62	27	18	15	17	8	170	2	1	9	55	31	17	20	9	14	7	5
All other	18	-	2	2	4	5	1	2	2	-	-	-	20	2	3	2	3	4	2	3	-	1	-	-
Black	12	-	2	1	4	2	1	1	1	-	-	-	10	1	2	2	2	1	-	1	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	454	2	15	13	62	89	54	35	46	39	57	42	201	3	6	6	12	11	12	11	12	22	42	64
White	433	2	15	12	60	83	52	34	44	37	54	40	186	3	6	4	12	10	12	10	11	19	38	61
All other	21	-	-	1	2	6	2	1	2	2	3	2	15	-	-	2	-	1	-	1	1	3	4	3
Black	18	-	-	1	1	6	1	1	2	1	3	2	12	-	-	1	-	-	-	1	1	3	4	2
Suicide (E950-E959)	447	...	...	5	92	127	78	39	38	34	28	6	134	...	...	3	18	31	23	19	18	16	3	3
White	433	...	...	5	88	122	77	39	37	33	28	6	133	...	...	3	18	31	22	19	18	16	3	3
All other	14	...	...	-	6	5	1	-	1	1	-	-	1	...	...	-	-	-	1	-	-	-	-	-
Black	11	...	...	-	6	4	-	-	-	1	-	-	1	...	...	-	-	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	138	1	3	5	38	41	27	8	10	2	3	-	52	1	2	2	9	13	14	5	4	1	1	-
White	111	1	3	4	31	31	22	8	6	2	3	-	48	1	1	2	9	12	13	5	3	1	1	-
All other	27	-	-	1	7	10	5	-	4	-	-	-	4	-	1	-	-	1	1	-	1	-	-	-
Black	25	-	-	1	6	9	5	-	4	-	-	-	4	-	1	-	-	1	1	-	1	-	-	-
All other external causes (E980-E999)	27	-	2	-	3	9	4	1	5	1	1	1	17	-	1	1	1	1	2	2	4	2	3	-
White	26	-	2	-	3	9	4	1	4	1	1	1	17	-	1	1	1	1	2	2	4	2	3	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	14,257	241	38	42	343	439	519	834	2,351	3,802	3,659	1,988	13,913	197	25	25	81	187	280	524	1,384	2,855	3,959	4,396
White	13,340	173	32	34	296	358	419	735	2,165	3,632	3,554	1,942	13,165	149	21	23	73	140	232	448	1,266	2,700	3,805	4,308
All other	917	68	6	8	47	81	100	99	186	170	105	46	748	48	4	2	8	47	48	76	118	155	154	88
Black	889	66	6	7	45	78	98	97	182	167	99	43	721	46	3	2	8	45	47	74	116	151	147	82
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	-	1	-	2	3	-	4	-	-	-	1	-	-	-	1	1	1	-
White	5	-	-	-	-	-	-	-	-	2	3	-	3	-	-	-	1	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	1	1	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	1	-	-	1	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	1	-	-
White	3	1	1	-	-	1	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	114	1	-	1	-	-	3	3	17	29	37	23	152	1	-	-	-	-	3	7	8	28	47	58
White	100	1	-	1	-	-	1	3	13	26	34	21	142	1	-	-	-	-	2	3	7	27	45	57
All other	14	-	-	-	-	-	2	-	4	3	3	2	10	-	-	-	-	-	1	4	1	1	2	1
Black	14	-	-	-	-	-	2	-	4	3	3	2	10	-	-	-	-	-	1	4	1	1	2	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	1	-	1	-	1	2	2	1	-	-	6	-	-	-	-	2	-	-	2	1	1	-
White	6	-	1	-	1	-	1	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	62	-	1	1	5	10	10	7	6	11	8	3	33	-	1	-	-	5	3	4	4	6	4	6
White	50	-	1	1	2	6	6	7	6	10	8	3	28	-	1	-	-	2	3	3	3	6	4	6
All other	12	-	-	-	3	4	4	-	-	1	-	-	5	-	-	-	-	3	-	1	1	-	-	-
Black	12	-	-	-	3	4	4	-	-	1	-	-	5	-	-	-	-	3	-	1	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,522	-	5	4	18	32	100	239	798	1,169	876	281	3,307	-	2	6	4	40	112	255	625	1,014	832	417
White	3,323	-	5	3	15	28	89	212	733	1,118	845	275	3,141	-	1	6	4	34	99	232	582	971	804	408
All other	199	-	-	1	3	4	11	27	65	51	31	6	166	-	1	-	-	6	13	23	43	43	28	9
Black	194	-	-	1	3	3	11	26	65	50	29	6	161	-	1	-	-	6	12	21	42	43	27	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	81	-	-	-	-	-	5	13	20	24	13	6	50	-	-	-	-	-	-	5	12	16	14	3
White	74	-	-	-	-	-	4	10	18	23	13	6	47	-	-	-	-	-	-	3	12	15	14	3
All other	7	-	-	-	-	-	1	3	2	1	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	7	-	-	-	-	-	1	3	2	1	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	995	-	-	-	-	7	15	60	225	356	234	98	834	-	-	-	-	3	10	26	114	234	284	163
White	941	-	-	-	-	5	12	53	208	339	229	95	796	-	-	-	-	2	9	24	110	221	272	158
All other	54	-	-	-	-	2	3	7	17	17	5	3	38	-	-	-	-	1	1	2	4	13	12	5
Black	52	-	-	-	-	1	3	6	17	17	5	3	38	-	-	-	-	1	1	2	4	13	12	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,120	-	-	-	1	4	32	85	309	392	248	49	601	-	-	-	-	2	14	58	169	207	124	27
White	1,054	-	-	-	1	3	29	74	278	378	243	48	573	-	-	-	-	2	11	53	157	201	122	27
All other	66	-	-	-	-	1	3	11	31	14	5	1	28	-	-	-	-	-	3	5	12	6	2	-
Black	65	-	-	-	-	1	3	11	31	13	5	1	27	-	-	-	-	-	3	5	12	6	1	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	1	2	-	660	-	-	-	-	13	39	79	148	160	127	74
White	4	-	-	-	-	-	-	-	1	1	2	-	623	-	-	-	-	10	37	73	136	153	122	72
All other	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	3	2	6	12	7	5	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	3	2	6	12	7	5	2
Malignant neoplasms of genital organs (179-187)	351	-	-	-	1	1	5	3	38	99	141	63	366	-	-	-	-	3	15	34	75	127	81	31
White	331	-	-	-	1	1	5	3	32	94	133	62	342	-	-	-	-	3	11	32	66	124	77	29
All other	20	-	-	-	-	-	-	-	6	5	8	1	24	-	-	-	-	-	4	2	9	3	4	2
Black	20	-	-	-	-	-	-	-	6	5	8	1	22	-	-	-	-	-	3	2	8	3	4	2
Malignant neoplasms of urinary organs (188-189)	212	-	-	-	-	-	4	9	35	84	64	16	95	-	-	-	-	-	2	4	13	29	29	18
White	206	-	-	-	-	-	3	9	34	82	62	16	92	-	-	-	-	-	2	3	12	29	28	18
All other	6	-	-	-	-	-	1	-	1	2	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	6	-	-	-	-	-	1	-	1	2	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	433	-	2	4	7	11	18	51	102	126	90	22	431	-	1	2	2	8	20	38	61	150	85	54
White	406	-	2	3	5	11	17	46	97	119	84	22	415	-	-	2	2	7	19	35	60	144	82	54
All other	27	-	-	1	2	-	1	5	5	7	6	-	16	-	1	-	-	1	1	3	1	6	3	-
Black	25	-	-	1	2	-	1	5	5	7	4	-	16	-	1	-	-	1	1	3	1	6	3	-
Leukemia (204-208)	125	-	3	-	3	4	11	7	29	24	32	12	94	-	1	4	-	5	3	4	9	21	28	19
White	115	-	3	-	3	3	9	7	27	23	28	12	88	-	1	4	-	5	2	3	8	18	28	19
All other	10	-	-	-	-	1	2	-	2	1	4	-	6	-	-	-	-	-	1	1	1	3	-	-
Black	10	-	-	-	-	1	2	-	2	1	4	-	5	-	-	-	-	-	1	-	1	3	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	201	-	-	-	6	5	10	11	39	63	52	15	176	-	-	-	2	6	9	7	24	50	50	28
White	192	-	-	-	5	5	10	10	38	59	51	14	165	-	-	-	2	5	8	6	21	46	49	28
All other	9	-	-	-	1	-	-	1	1	4	1	1	11	-	-	-	-	1	1	1	3	4	1	-
Black	9	-	-	-	1	-	-	1	1	4	1	1	11	-	-	-	-	1	1	1	3	4	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	-	-	1	-	4	3	2	4	15	14	7	63	-	1	-	-	-	2	1	11	14	12	22
White	49	-	-	1	-	4	3	2	4	14	14	7	59	-	1	-	-	-	2	1	9	13	12	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	2	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	2	1	-	1
Diabetes mellitus (250)	200	-	-	-	-	2	11	6	37	76	54	14	285	-	-	-	2	6	10	7	41	71	86	62
White	184	-	-	-	-	2	10	6	32	68	52	14	252	-	-	-	1	5	7	5	37	61	76	60
All other	16	-	-	-	-	-	1	-	5	8	2	-	33	-	-	-	1	1	3	2	4	10	10	2
Black	16	-	-	-	-	-	1	-	5	8	2	-	32	-	-	-	1	1	3	2	4	9	10	2
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	1	1	3	3	18	-	-	-	-	-	-	-	2	-	3	11
White	8	-	-	-	-	-	-	-	1	1	3	3	18	-	-	-	-	-	-	-	2	-	3	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	28	1	-	-	3	1	2	-	6	3	8	4	28	-	-	1	2	2	2	-	3	3	5	10
White	25	-	-	-	2	-	2	-	6	3	8	4	25	-	-	1	2	1	1	-	3	3	5	9
All other	3	1	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	1
Black	3	1	-	-	1	1	-	-	-	-	-	-	3	-	-	-	-	1	1	-	-	-	-	1
Meningitis (320-322)	6	-	1	-	-	-	-	-	3	1	1	-	3	-	-	-	-	1	1	-	-	1	-	-
White	5	-	1	-	-	-	-	-	3	-	1	-	2	-	-	-	-	1	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	6,424	7	1	1	12	32	145	365	1,042	1,842	1,863	1,114	6,907	4	1	1	5	16	52	144	449	1,188	2,174	2,873
White	6,099	6	-	1	10	22	117	332	964	1,752	1,811	1,084	6,597	4	-	1	3	12	41	113	401	1,118	2,089	2,815
All other	325	1	1	-	2	10	28	33	78	90	52	30	310	-	1	-	2	4	11	31	48	70	85	58
Black	313	1	1	-	2	10	26	33	75	88	49	28	300	-	-	-	2	4	11	31	48	68	82	54

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,363	7	1	1	8	26	115	325	923	1,571	1,511	875	5,376	3	1	1	2	9	35	113	382	994	1,689	2,147
White	5,104	6	-	1	7	17	95	299	853	1,501	1,473	852	5,152	3	-	1	1	7	28	90	344	938	1,635	2,105
All other	259	1	1	-	1	9	20	26	70	70	38	23	224	-	1	-	1	2	7	23	38	56	54	42
Black	250	1	1	-	1	9	18	26	67	68	37	22	215	-	-	-	1	2	7	23	38	54	52	38
Rheumatic fever and rheumatic heart disease (390-398)	27	-	-	-	-	-	-	2	7	11	6	1	74	-	-	-	-	1	1	1	13	22	27	9
White	25	-	-	-	-	-	-	1	6	11	6	1	72	-	-	-	-	-	1	-	13	22	27	9
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Hypertensive heart disease (402)	112	-	-	-	-	-	8	10	27	30	23	14	147	-	-	-	-	-	1	5	11	28	42	60
White	90	-	-	-	-	-	6	7	17	27	20	13	131	-	-	-	-	-	-	1	8	26	39	57
All other	22	-	-	-	-	-	2	3	10	3	3	1	16	-	-	-	-	-	1	4	3	2	3	3
Black	21	-	-	-	-	-	2	3	9	3	3	1	16	-	-	-	-	-	1	4	3	2	3	3
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	1	-	2	6	3	1	10	-	-	-	-	-	-	-	1	-	2	7
White	11	-	-	-	-	-	-	-	1	6	3	1	9	-	-	-	-	-	-	-	-	-	2	7
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Ischemic heart disease (410-414)	3,791	-	-	-	2	15	58	229	646	1,107	1,080	644	3,667	-	-	-	-	2	17	61	229	672	1,189	1,497
White	3,650	-	-	-	2	11	50	217	611	1,061	1,060	628	3,533	-	-	-	-	2	14	51	213	636	1,154	1,463
All other	141	-	-	-	-	4	8	12	35	46	20	16	134	-	-	-	-	-	3	10	16	36	35	34
Black	134	-	-	-	-	4	6	12	34	44	19	15	128	-	-	-	-	-	3	10	16	35	34	30
Acute myocardial infarction (410)	1,720	-	-	-	1	8	40	114	357	557	464	179	1,422	-	-	-	-	2	10	31	126	329	517	407
White	1,664	-	-	-	1	5	36	109	336	542	459	176	1,383	-	-	-	-	2	10	25	122	318	506	400
All other	56	-	-	-	-	3	4	5	21	15	5	3	39	-	-	-	-	-	-	6	4	11	11	7
Black	54	-	-	-	-	3	2	5	21	15	5	3	37	-	-	-	-	-	-	6	4	11	11	5
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	-	4	1	2	1	3	-	-	-	-	-	-	-	-	1	-	2
White	7	-	-	-	-	-	-	-	4	-	2	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	10	-	-	-	-	-	-	-	2	3	3	2	10	-	-	-	-	-	-	-	1	1	4	4
White	10	-	-	-	-	-	-	-	2	3	3	2	10	-	-	-	-	-	-	-	1	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,053	-	-	-	1	7	28	115	283	546	611	462	2,232	-	-	-	-	-	7	30	102	341	668	1,084
White	1,969	-	-	-	1	6	24	108	269	516	596	449	2,137	-	-	-	-	-	4	26	90	316	644	1,057
All other	84	-	-	-	-	1	4	7	14	30	15	13	95	-	-	-	-	-	3	4	12	25	24	27
Black	79	-	-	-	-	1	4	7	13	28	14	12	91	-	-	-	-	-	3	4	12	24	23	25
Other diseases of endocardium (424)	62	1	-	-	-	-	2	3	7	18	23	8	75	-	-	-	-	-	1	2	4	17	26	25
White	58	1	-	-	-	-	1	3	6	17	22	8	73	-	-	-	-	-	-	1	4	17	26	25
All other	4	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	1	1	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,358	6	1	1	6	11	36	81	234	399	376	207	1,403	3	1	1	2	6	15	44	124	255	403	549
White	1,270	5	-	1	5	6	28	71	212	379	362	201	1,334	3	-	1	1	5	13	37	106	237	387	544
All other	88	1	1	-	1	5	8	10	22	20	14	6	69	-	1	-	1	1	2	7	18	18	16	5
Black	87	1	1	-	1	5	8	10	21	20	14	6	66	-	-	-	1	1	2	7	18	17	15	5
Hypertension with or without renal disease (401,403)	42	-	-	-	-	-	1	4	4	13	10	10	59	-	-	-	-	-	-	5	3	11	21	19
White	38	-	-	-	-	-	1	3	4	12	10	8	52	-	-	-	-	-	-	2	2	10	19	19
All other	4	-	-	-	-	-	-	1	-	1	-	2	7	-	-	-	-	-	-	3	1	1	2	-
Black	4	-	-	-	-	-	-	1	-	1	-	2	7	-	-	-	-	-	-	3	1	1	2	-
Cerebrovascular diseases (430-438)	703	-	-	-	4	5	23	26	71	170	249	155	1,164	1	-	-	3	6	17	23	57	147	370	540
White	651	-	-	-	3	4	16	20	65	153	237	153	1,097	1	-	-	2	5	13	19	49	135	347	526
All other	52	-	-	-	1	1	7	6	6	17	12	2	67	-	-	-	1	1	4	4	8	12	23	14
Black	50	-	-	-	1	1	7	6	6	17	10	2	66	-	-	-	1	1	4	4	8	12	22	14
Intracerebral and other intracranial hemorrhage (431-432)	113	-	-	-	2	1	8	9	18	33	31	11	151	1	-	-	-	1	4	10	15	27	52	41
White	94	-	-	-	1	1	3	5	16	28	29	11	140	1	-	-	-	-	3	9	14	26	46	41
All other	19	-	-	-	1	-	5	4	2	5	2	-	11	-	-	-	-	1	1	1	1	1	6	-
Black	19	-	-	-	1	-	5	4	2	5	2	-	11	-	-	-	-	1	1	1	1	1	6	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	126	-	-	-	-	-	2	4	15	33	37	35	198	-	-	-	1	1	1	1	10	26	62	96
White	121	-	-	-	-	-	1	4	14	30	37	35	181	-	-	-	-	1	1	1	7	21	56	94
All other	5	-	-	-	-	-	1	-	1	3	-	-	17	-	-	-	1	-	-	-	3	5	6	2
Black	5	-	-	-	-	-	1	-	1	3	-	-	17	-	-	-	1	-	-	-	3	5	6	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	1	1	1	2	-	8	-	-	-	-	-	-	-	-	4	3	1
White	5	-	-	-	-	-	-	1	1	1	2	-	8	-	-	-	-	-	-	-	-	4	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	459	-	-	-	2	4	13	12	37	103	179	109	807	-	-	-	2	4	12	12	32	90	253	402
White	431	-	-	-	2	3	12	10	34	94	169	107	768	-	-	-	2	4	9	9	28	84	242	390
All other	28	-	-	-	-	1	1	2	3	9	10	2	39	-	-	-	-	-	3	3	4	6	11	12
Black	26	-	-	-	-	1	1	2	3	9	8	2	38	-	-	-	-	-	3	3	4	6	10	12
Atherosclerosis (440)	125	-	-	-	-	-	-	7	13	22	31	52	192	-	-	-	-	-	-	-	-	16	45	131
White	120	-	-	-	-	-	-	7	13	21	30	49	188	-	-	-	-	-	-	-	-	16	42	130
All other	5	-	-	-	-	-	-	-	-	1	1	3	4	-	-	-	-	-	-	-	-	-	3	1
Black	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	3	1
Other diseases of arteries, arterioles, and capillaries (441-448)	191	-	-	-	-	1	6	3	31	66	62	22	116	-	-	-	-	1	-	3	7	20	49	36
White	186	-	-	-	-	1	5	3	29	65	61	22	108	-	-	-	-	-	-	2	6	19	46	35
All other	5	-	-	-	-	-	1	-	2	1	1	-	8	-	-	-	-	1	-	1	1	1	3	1
Black	5	-	-	-	-	-	1	-	2	1	1	-	8	-	-	-	-	1	-	1	1	1	3	1
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	1	-	1	-	5	1	-	-	-	-	-	-	-	-	1	3
White	2	-	-	-	-	-	-	-	1	-	1	-	5	1	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	450	5	1	1	3	3	6	10	31	63	147	180	553	5	1	-	-	3	3	4	17	70	148	302
White	432	3	1	1	3	3	4	6	28	62	144	177	540	4	1	-	-	2	2	2	15	69	145	300
All other	18	2	-	-	-	-	2	4	3	1	3	3	13	1	-	-	-	1	1	2	2	1	3	2
Black	16	2	-	-	-	-	2	4	3	1	2	2	12	1	-	-	-	1	1	2	2	1	2	2
Pneumonia (480-486)	447	5	1	1	3	3	6	10	31	63	144	180	539	5	1	-	-	3	3	4	17	67	146	293
White	429	3	1	1	3	3	4	6	28	62	141	177	526	4	1	-	-	2	2	2	15	66	143	291
All other	18	2	-	-	-	-	2	4	3	1	3	3	13	1	-	-	-	1	1	2	2	1	3	2
Black	16	2	-	-	-	-	2	4	3	1	2	2	12	1	-	-	-	1	1	2	2	1	2	2
Influenza (487)	3	-	-	-	-	-	-	-	-	-	3	-	14	-	-	-	-	-	-	-	-	3	2	9
White	3	-	-	-	-	-	-	-	-	-	3	-	14	-	-	-	-	-	-	-	-	3	2	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	487	-	-	1	-	2	1	10	50	162	187	74	369	-	-	-	2	1	1	11	44	108	128	74
White	478	-	-	-	-	2	1	10	49	159	183	74	353	-	-	-	1	1	1	11	39	102	124	74
All other	9	-	-	1	-	-	-	-	1	3	4	-	16	-	-	-	1	-	-	-	5	6	4	-
Black	9	-	-	1	-	-	-	-	1	3	4	-	16	-	-	-	1	-	-	-	5	6	4	-
Bronchitis, chronic and unspecified (490-491)	23	-	-	-	-	-	-	-	5	5	8	5	23	-	-	-	-	-	-	-	4	1	8	10
White	23	-	-	-	-	-	-	-	5	5	8	5	23	-	-	-	-	-	-	-	4	1	8	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	81	-	-	-	-	-	-	-	11	33	32	5	49	-	-	-	-	-	-	1	9	22	13	4
White	79	-	-	-	-	-	-	-	11	33	30	5	49	-	-	-	-	-	-	1	9	22	13	4
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	11	-	-	1	-	2	-	2	4	-	2	-	33	-	-	-	2	1	1	3	7	6	3	8
White	10	-	-	-	-	2	-	2	4	-	2	-	30	-	-	-	1	1	1	3	6	7	3	8
All other	1	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	1	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	372	-	-	-	-	-	1	8	30	124	145	64	264	-	-	-	-	-	-	7	24	77	104	52
White	366	-	-	-	-	-	1	8	29	121	143	64	251	-	-	-	-	-	-	7	20	72	100	52
All other	6	-	-	-	-	-	-	-	1	3	2	-	13	-	-	-	-	-	-	-	4	5	4	-
Black	6	-	-	-	-	-	-	-	1	3	2	-	13	-	-	-	-	-	-	-	4	5	4	-
Ulcer of stomach and duodenum (531-533)	42	-	-	-	-	-	-	1	6	11	13	11	42	-	-	-	-	-	1	1	-	5	25	10
White	41	-	-	-	-	-	-	-	6	11	13	11	41	-	-	-	-	-	1	1	-	5	24	10
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	5	-	-	1	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	-	-	-	-	-	1	1	2	2	5	9	40	-	-	-	-	-	-	1	1	3	22	13
White	17	-	-	-	-	-	-	1	1	1	5	9	37	-	-	-	-	-	-	-	1	2	21	13
All other	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Chronic liver disease and cirrhosis (571)	188	-	-	-	1	5	22	32	49	47	29	3	125	-	-	-	-	6	10	14	26	42	21	6
White	173	-	-	-	-	4	18	27	46	46	29	3	115	-	-	-	-	2	8	13	26	41	20	5
All other	15	-	-	-	1	1	4	5	3	1	-	-	10	-	-	-	-	4	2	1	-	1	1	1
Black	15	-	-	-	1	1	4	5	3	1	-	-	9	-	-	-	-	4	2	1	-	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	-	-	1	-	1	-	2	2	4	3	20	-	-	-	-	-	-	-	-	5	4	11
White	11	-	-	-	1	-	-	-	1	2	4	3	19	-	-	-	-	-	-	-	-	4	4	11
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	150	-	-	-	-	1	7	4	17	33	50	38	145	1	-	-	-	1	2	2	13	29	44	53
White	140	-	-	-	-	1	7	4	15	29	46	38	135	1	-	-	-	1	1	2	13	27	41	49
All other	10	-	-	-	-	-	-	-	2	4	4	-	10	-	-	-	-	-	1	-	-	2	3	4
Black	10	-	-	-	-	-	-	-	2	4	4	-	10	-	-	-	-	-	1	-	-	2	3	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	-	-	-	-	-	-	1	-	1	3	6	-	-	-	-	-	-	-	-	2	2	2
White	5	-	-	-	-	-	-	-	1	-	1	3	6	-	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	142	-	-	-	-	-	7	4	16	33	48	34	139	1	-	-	-	1	2	2	13	27	42	51
White	132	-	-	-	-	-	7	4	14	29	44	34	129	1	-	-	-	1	1	2	13	25	39	47
All other	10	-	-	-	-	-	-	-	2	4	4	-	10	-	-	-	-	-	1	-	-	2	3	4
Black	10	-	-	-	-	-	-	-	2	4	4	-	10	-	-	-	-	-	1	-	-	2	3	4
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	-	1	10	-	-	-	-	-	1	-	-	2	3	4
White	2	-	-	-	-	-	-	-	-	1	-	1	9	-	-	-	-	-	1	-	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	71	48	5	3	3	2	-	2	4	1	1	2	63	42	4	-	2	2	2	1	2	3	3	2
White	62	40	4	3	3	2	-	2	4	1	1	2	56	37	3	-	2	2	1	1	2	3	3	2
All other	9	8	1	-	-	-	-	-	-	-	-	-	7	5	1	-	-	-	1	-	-	-	-	-
Black	9	8	1	-	-	-	-	-	-	-	-	-	7	5	1	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	136	135	1	-	-	-	-	-	-	-	-	-	117	117	-	-	-	-	-	-	-	-	-	-
White	90	89	1	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
All other	46	46	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	45	45	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	36	35	1	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	28	27	1	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	100	100	-	-	-	-	-	-	-	-	-	-	89	89	-	-	-	-	-	-	-	-	-	-
White	62	62	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	38	38	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Black	37	37	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	248	28	4	2	21	67	30	11	17	23	24	21	177	19	2	1	6	22	15	11	14	22	23	42
White	214	22	4	2	21	52	22	9	17	21	24	20	156	10	1	1	6	16	11	11	14	22	22	42
All other	34	6	-	-	-	15	8	2	-	2	-	1	21	9	1	-	-	6	4	-	-	-	1	-
Black	32	5	-	-	-	14	8	2	-	2	-	1	20	9	1	-	-	6	4	-	-	-	-	-
All other diseases (Residual)	996	14	8	4	22	44	54	64	144	222	265	155	1,036	4	6	6	9	22	22	36	86	187	311	347
White	915	10	6	4	18	29	37	47	133	220	260	151	967	4	6	5	8	14	17	27	77	172	298	339
All other	81	4	2	-	4	15	17	17	11	2	5	4	69	-	-	1	1	8	5	9	9	15	13	8
Black	80	4	2	-	3	15	17	17	11	2	5	4	66	-	-	1	1	8	5	9	9	14	12	7
Accidents and adverse effects (E800-E949)	674	1	8	20	171	155	60	42	74	55	53	34	316	1	6	8	36	36	26	13	26	45	52	67
White	623	1	6	15	168	141	51	36	67	54	52	34	300	1	6	7	34	32	22	12	25	43	52	66
All other	51	-	2	5	5	14	9	6	7	1	1	-	16	-	-	1	2	4	4	1	1	2	-	1
Black	48	-	2	4	5	13	9	6	6	1	1	-	13	-	-	1	2	2	4	1	-	2	-	1
Motor vehicle accidents (E810-E825)	365	-	4	11	140	102	28	15	34	17	11	3	116	-	1	5	27	22	14	5	15	13	7	7
White	344	-	2	9	135	95	26	15	31	17	11	3	107	-	1	5	25	20	12	4	14	12	7	7
All other	21	-	2	2	5	7	2	-	3	-	-	-	9	-	-	-	2	2	2	1	1	1	-	-
Black	19	-	2	2	5	6	2	-	2	-	-	-	6	-	-	-	2	-	2	1	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	308	1	4	9	31	53	32	27	40	38	42	31	200	1	5	3	9	14	12	8	11	32	45	60
White	279	1	4	6	31	46	25	21	36	37	41	31	193	1	5	2	9	12	10	8	11	31	45	59
All other	30	-	-	3	-	7	7	6	4	1	1	-	7	-	-	1	-	2	2	-	-	1	-	1
Black	28	-	-	2	-	7	7	6	4	1	1	-	7	-	-	1	-	2	2	-	-	1	-	1
Suicide (E950-E959)	237	...	...	2	42	51	44	27	29	26	10	6	47	...	...	1	4	7	8	9	7	5	4	2
White	221	...	...	2	38	46	40	26	27	26	10	6	46	...	...	1	4	7	8	9	7	5	3	2
All other	16	...	...	-	4	5	4	1	2	-	-	-	1	...	...	-	-	-	-	-	-	-	1	-
Black	15	...	...	-	3	5	4	1	2	-	-	-	1	...	...	-	-	-	-	-	-	-	1	-
Homicide and legal intervention (E960-E978)	93	-	1	-	38	23	16	5	7	3	-	-	33	1	-	-	7	13	3	3	2	1	3	-
White	46	-	1	-	14	11	8	4	5	3	-	-	24	1	-	-	6	7	3	2	2	1	2	-
All other	47	-	-	-	24	12	8	1	2	-	-	-	9	-	-	-	1	6	-	1	-	-	1	-
Black	47	-	-	-	24	12	8	1	2	-	-	-	9	-	-	-	1	6	-	1	-	-	1	-
All other external causes (E980-E999)	8	-	-	-	2	4	2	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
White	8	-	-	-	2	4	2	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE																								
All causes	2,831	80	14	15	65	79	101	215	492	778	675	316	2,644	62	15	9	23	32	44	132	351	517	734	725
White	2,318	47	8	7	51	57	74	160	388	677	574	274	2,254	38	7	5	16	29	26	87	275	438	662	671
All other	513	33	6	8	14	22	27	55	104	101	101	42	390	24	8	4	7	3	18	45	76	79	72	54
Black	498	33	6	7	14	22	26	54	101	97	99	39	380	23	8	4	7	3	17	45	74	77	70	52
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	24	-	-	-	-	-	-	1	3	4	11	5	32	-	1	-	-	-	-	1	2	7	10	11
White	20	-	-	-	-	-	-	-	3	4	9	4	26	-	1	-	-	-	-	1	1	5	7	11
All other	4	-	-	-	-	-	-	1	-	-	2	1	6	-	-	-	-	-	-	-	1	2	3	-
Black	4	-	-	-	-	-	-	1	-	-	2	1	6	-	-	-	-	-	-	-	1	2	3	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	1	-	-	1	4	1	-	1	2	1	1	13	1	-	-	1	-	2	3	3	-	2	1
White	7	-	-	-	-	1	1	-	1	2	1	1	6	-	-	-	-	-	1	1	2	-	2	-
All other	5	1	-	-	1	3	-	-	-	-	-	-	7	1	-	-	1	-	1	2	1	-	-	1
Black	5	1	-	-	1	3	-	-	-	-	-	-	7	1	-	-	1	-	1	2	1	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	722	-	1	1	7	9	15	68	178	235	156	52	581	-	1	1	4	10	18	49	144	169	123	62
White	596	-	1	1	6	6	12	57	139	205	128	41	480	-	-	1	2	9	13	34	117	142	107	55
All other	126	-	-	-	1	3	3	11	39	30	28	11	101	-	1	-	2	1	5	15	27	27	16	7
Black	119	-	-	-	1	3	2	11	37	28	26	11	95	-	1	-	2	1	5	15	25	25	15	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	-	-	-	-	-	-	2	10	7	4	-	10	-	-	-	-	-	1	2	1	4	1	1
White	16	-	-	-	-	-	-	1	6	6	3	-	8	-	-	-	-	-	1	1	1	4	1	-
All other	7	-	-	-	-	-	-	1	4	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	7	-	-	-	-	-	-	1	4	1	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	184	-	-	-	-	1	2	21	52	58	36	14	138	-	-	-	2	1	1	6	28	37	41	22
White	152	-	-	-	-	1	2	17	39	50	29	14	110	-	-	-	-	1	1	3	23	30	34	18
All other	32	-	-	-	-	-	-	4	13	8	7	-	28	-	-	-	2	-	-	3	5	7	7	4
Black	32	-	-	-	-	-	-	4	13	8	7	-	27	-	-	-	2	-	-	3	5	7	7	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	263	-	-	-	-	-	7	32	75	92	50	7	126	-	-	-	-	-	4	9	35	47	23	8
White	223	-	-	-	-	-	5	26	59	85	43	5	99	-	-	-	-	-	4	6	24	38	20	7
All other	40	-	-	-	-	-	2	6	16	7	7	2	27	-	-	-	-	-	-	3	11	9	3	1
Black	38	-	-	-	-	-	2	6	14	7	7	2	24	-	-	-	-	-	-	3	11	7	2	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	110	-	-	-	-	5	4	18	31	29	12	11
White	-	-	-	-	-	-	-	-	-	-	-	-	94	-	-	-	-	4	2	14	27	26	11	10
All other	1	-	-	-	-	-	-	-	-	-	1	-	16	-	-	-	-	1	2	4	4	3	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	14	-	-	-	-	1	2	4	2	3	1	1
Malignant neoplasms of genital organs (179-187)	82	-	-	-	1	-	-	2	6	28	29	16	59	-	-	-	-	1	3	4	17	18	13	2
White	63	-	-	-	1	-	-	2	4	22	23	11	49	-	-	-	-	1	2	2	13	17	12	2
All other	19	-	-	-	-	-	-	-	2	6	6	5	9	-	-	-	-	-	1	2	4	1	1	-
Black	16	-	-	-	-	-	-	-	2	4	5	5	9	-	-	-	-	-	1	2	4	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	28	-	-	-	-	-	-	-	7	10	10	1	23	-	1	-	-	-	1	1	5	7	4	4
White	24	-	-	-	-	-	-	-	7	6	10	1	18	-	-	-	-	-	-	1	5	5	3	4
All other	4	-	-	-	-	-	-	-	-	4	-	-	5	-	1	-	-	-	1	-	-	2	1	-
Black	4	-	-	-	-	-	-	-	-	4	-	-	5	-	1	-	-	-	1	-	-	2	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	76	-	-	1	2	5	5	4	16	21	14	8	85	-	-	1	-	2	3	5	19	12	14	9
White	63	-	-	1	2	3	4	4	15	19	10	5	60	-	-	1	-	2	2	5	17	11	13	9
All other	13	-	-	-	-	2	1	-	1	2	4	3	5	-	-	-	-	-	1	-	2	1	1	-
Black	11	-	-	-	-	2	-	-	1	2	3	3	5	-	-	-	-	-	1	-	2	1	1	-
Leukemia (204-208)	29	-	1	-	1	1	1	3	5	7	6	4	19	-	-	-	1	1	-	1	3	6	5	2
White	25	-	1	-	1	-	1	3	5	6	5	3	14	-	-	-	1	1	-	-	2	3	5	2
All other	4	-	-	-	-	1	-	-	-	1	1	1	5	-	-	-	-	-	-	1	1	3	-	-
Black	4	-	-	-	-	1	-	-	-	1	1	1	5	-	-	-	-	-	-	1	1	3	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	-	-	-	3	2	-	4	7	12	6	2	32	-	-	-	1	-	1	3	5	9	10	3
White	30	-	-	-	2	2	-	4	4	11	5	2	28	-	-	-	1	-	1	2	5	8	8	3
All other	6	-	-	-	1	-	-	-	3	1	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	6	-	-	-	1	-	-	-	3	1	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	-	-	-	1	-	-	2	4	4	1	1	14	-	-	-	1	-	-	1	-	3	8	1
White	9	-	-	-	1	-	-	1	3	3	1	-	13	-	-	-	-	-	-	1	-	3	8	1
All other	4	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes mellitus (250)	66	-	-	-	-	-	-	5	17	18	15	11	84	-	-	-	-	-	2	6	20	17	19	20
White	57	-	-	-	-	-	-	3	15	15	14	10	68	-	-	-	-	-	2	3	13	16	18	16
All other	9	-	-	-	-	-	-	2	2	3	1	1	16	-	-	-	-	-	-	3	7	1	1	4
Black	9	-	-	-	-	-	-	2	2	3	1	1	16	-	-	-	-	-	-	3	7	1	1	4
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	-	-	2	2
White	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	4	-	-	-	-	1	-	-	1	1	-	1	7	-	-	-	-	-	-	-	-	1	3	3
White	3	-	-	-	-	1	-	-	1	1	-	-	7	-	-	-	-	-	-	-	-	1	3	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	-	-	-	-	-	-	1	-	-	-	6	-	3	-	-	-	-	-	-	1	2	-
White	2	1	-	-	-	-	-	-	1	-	-	-	4	-	1	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,171	1	-	-	2	3	32	78	189	352	351	163	1,316	1	1	-	2	4	11	37	123	236	422	479
White	1,006	-	-	-	1	3	22	61	154	314	305	146	1,153	1	-	-	2	4	2	21	93	199	384	447
All other	165	1	-	-	1	-	10	17	35	38	46	17	163	-	1	-	-	-	9	16	30	37	38	32
Black	160	1	-	-	1	-	10	16	35	36	46	15	162	-	1	-	-	-	8	16	30	37	38	32
Diseases of heart (390-398,402,404-429)	995	1	-	-	2	2	28	67	162	304	291	138	1,065	1	1	-	2	1	7	33	106	185	337	392
White	865	-	-	-	1	2	19	54	136	275	256	122	931	1	-	-	2	1	1	18	76	158	312	362
All other	130	1	-	-	1	-	9	13	26	29	35	16	134	-	1	-	-	-	6	15	30	27	25	30
Black	126	1	-	-	1	-	9	12	26	27	35	15	134	-	1	-	-	-	6	15	30	27	25	30
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	1	-	4	-	-	7	-	-	-	-	-	-	-	1	1	4	1
White	5	-	-	-	-	-	-	1	-	4	-	-	7	-	-	-	-	-	-	-	1	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	42	-	-	-	-	1	2	7	9	6	14	3	83	-	-	-	-	-	-	7	10	10	25	31
White	31	-	-	-	-	1	-	4	6	5	12	3	61	-	-	-	-	-	-	3	3	5	22	28
All other	11	-	-	-	-	-	2	3	3	1	2	-	22	-	-	-	-	-	-	4	7	5	3	3
Black	11	-	-	-	-	-	2	3	3	1	2	-	22	-	-	-	-	-	-	4	7	5	3	3
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	615	-	-	-	-	-	14	43	109	190	185	74	536	-	-	-	-	-	4	19	64	109	175	165
White	551	-	-	-	-	-	11	37	92	175	169	67	481	-	-	-	-	-	1	10	52	99	163	156
All other	64	-	-	-	-	-	3	6	17	15	16	7	55	-	-	-	-	-	3	9	12	10	12	9
Black	60	-	-	-	-	-	3	5	17	13	16	6	55	-	-	-	-	-	3	9	12	10	12	9
Acute myocardial infarction (410)	354	-	-	-	-	-	9	29	71	114	96	35	277	-	-	-	-	-	2	10	45	70	87	63
White	318	-	-	-	-	-	7	24	60	107	88	32	246	-	-	-	-	-	1	5	37	63	82	58
All other	36	-	-	-	-	-	2	5	11	7	8	3	31	-	-	-	-	-	1	5	8	7	5	5
Black	33	-	-	-	-	-	2	4	11	6	8	2	31	-	-	-	-	-	1	5	8	7	5	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	2	2	1	2	5	-	-	-	-	-	-	-	2	-	2	1
White	7	-	-	-	-	-	-	-	2	2	1	2	5	-	-	-	-	-	-	-	2	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
White	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	250	-	-	-	-	-	5	14	35	73	87	36	253	-	-	-	-	-	2	9	17	38	86	101
White	222	-	-	-	-	-	4	13	29	65	79	32	229	-	-	-	-	-	-	5	13	35	79	97
All other	28	-	-	-	-	-	1	1	6	8	8	4	24	-	-	-	-	-	2	4	4	3	7	4
Black	27	-	-	-	-	-	1	1	6	7	8	4	24	-	-	-	-	-	2	4	4	3	7	4
Other diseases of endocardium (424)	11	-	-	-	-	-	1	-	-	6	4	-	17	-	-	-	-	-	1	-	-	3	11	2
White	9	-	-	-	-	-	-	-	-	6	3	-	12	-	-	-	-	-	-	-	-	1	9	2
All other	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	1	-	-	2	2	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	5	-	-	-	-	-	1	-	-	2	2	-
All other forms of heart disease (415-423,425-429)	321	1	-	-	2	1	11	16	44	98	88	60	421	1	1	-	2	1	2	7	31	62	122	192
White	269	-	-	-	1	1	8	12	38	85	72	52	369	1	-	-	2	1	-	5	20	52	114	174
All other	52	1	-	-	1	-	3	4	6	13	16	8	52	-	1	-	-	-	2	2	11	10	8	18
Black	52	1	-	-	1	-	3	4	6	13	16	8	52	-	1	-	-	-	2	2	11	10	8	18
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	-	1	1	1	1	-	13	-	-	-	-	-	-	-	-	3	7	3
White	4	-	-	-	-	-	-	1	1	1	1	-	10	-	-	-	-	-	-	-	-	2	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Cerebrovascular diseases (430-438)	105	-	-	-	-	1	3	7	17	34	34	9	185	-	-	-	-	2	4	4	13	38	67	57
White	78	-	-	-	-	1	2	4	10	27	25	9	164	-	-	-	-	2	1	3	13	31	58	56
All other	27	-	-	-	-	-	1	3	7	7	9	-	21	-	-	-	-	-	3	1	-	7	9	1
Black	27	-	-	-	-	-	1	3	7	7	9	-	20	-	-	-	-	-	2	1	-	7	9	1
Intracerebral and other intracranial hemorrhage (431-432)	15	-	-	-	-	-	2	1	3	6	2	1	25	-	-	-	-	-	1	1	4	7	9	3
White	11	-	-	-	-	-	1	-	2	5	2	1	23	-	-	-	-	-	-	1	4	7	8	3
All other	4	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	4	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	-	-	-	-	-	-	5	5	5	5	2	39	-	-	-	-	-	-	-	4	7	17	11
White	13	-	-	-	-	-	-	3	3	4	1	2	37	-	-	-	-	-	-	-	4	7	15	11
All other	9	-	-	-	-	-	-	2	2	1	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	9	-	-	-	-	-	-	2	2	1	4	-	2	-	-	-	-	-	-	-	-	-	2	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	68	-	-	-	-	1	1	1	9	23	27	6	121	-	-	-	-	2	3	3	5	24	41	43
White	54	-	-	-	-	1	1	1	5	18	22	6	104	-	-	-	-	2	1	2	5	17	35	42
All other	14	-	-	-	-	-	-	-	4	5	5	-	17	-	-	-	-	-	2	1	-	7	6	1
Black	14	-	-	-	-	-	-	-	4	5	5	-	16	-	-	-	-	-	1	1	-	7	6	1
Atherosclerosis (440)	26	-	-	-	-	-	-	1	3	4	8	10	28	-	-	-	-	-	-	-	2	2	4	20
White	20	-	-	-	-	-	-	-	2	2	7	9	28	-	-	-	-	-	-	-	2	2	4	20
All other	6	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	41	-	-	-	-	-	1	2	6	9	17	6	25	-	-	-	-	1	-	-	2	8	7	7
White	39	-	-	-	-	-	1	2	5	9	16	6	20	-	-	-	-	1	-	-	2	6	5	6
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	60	-	-	-	-	2	-	-	7	11	24	16	62	-	-	1	-	1	-	3	2	2	15	38
White	51	-	-	-	-	1	-	-	5	9	21	15	55	-	-	-	-	1	-	2	2	2	14	34
All other	9	-	-	-	-	1	-	-	2	2	3	1	7	-	-	1	-	-	-	1	-	-	1	4
Black	9	-	-	-	-	1	-	-	2	2	3	1	7	-	-	1	-	-	-	1	-	-	1	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	59	-	-	-	-	2	-	-	7	11	23	16	55	-	-	1	-	1	-	3	1	2	13	34
White	50	-	-	-	-	1	-	-	5	9	20	15	48	-	-	-	-	1	-	2	1	2	12	30
All other	9	-	-	-	-	1	-	-	2	2	3	1	7	-	-	1	-	-	-	1	-	-	1	4
Black	9	-	-	-	-	1	-	-	2	2	3	1	7	-	-	1	-	-	-	1	-	-	1	4
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	1	-	2	4
White	1	-	-	-	-	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	1	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	127	-	-	-	1	-	-	5	17	48	41	15	65	1	-	-	-	-	-	3	13	20	19	9
White	112	-	-	-	-	-	-	2	15	41	40	14	59	-	-	-	-	-	-	2	12	19	17	9
All other	15	-	-	-	1	-	-	3	2	7	1	1	6	1	-	-	-	-	-	1	1	1	2	-
Black	15	-	-	-	1	-	-	3	2	7	1	1	6	1	-	-	-	-	-	1	1	1	2	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	1	-	1	-
White	6	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	26	-	-	-	-	-	-	2	4	10	7	3	14	-	-	-	-	-	-	-	2	7	2	3
White	23	-	-	-	-	-	-	1	4	9	7	2	14	-	-	-	-	-	-	-	2	7	2	3
All other	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	1	-	-	-	-	3	-	-	6	1	-	-	-	-	-	-	1	2	2	-
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	2	-	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	91	-	-	-	-	-	-	3	13	34	32	9	43	-	-	-	-	-	-	3	9	11	14	6
White	81	-	-	-	-	-	-	1	11	29	31	9	40	-	-	-	-	-	-	2	8	10	14	6
All other	10	-	-	-	-	-	-	2	2	5	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	10	-	-	-	-	-	-	2	2	5	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Ulcer of stomach and duodenum (531-533)	14	1	-	-	-	-	-	1	2	6	2	2	13	-	-	-	-	-	1	-	-	3	7	2
White	11	1	-	-	-	-	-	1	2	4	1	2	12	-	-	-	-	-	1	-	-	3	6	2
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	1	-	-	-	-	1	-	-	-	1	-	12	-	-	-	1	-	-	-	-	1	4	6
White	3	-	-	-	-	-	1	-	-	-	1	-	10	-	-	-	1	-	-	-	-	-	4	5
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic liver disease and cirrhosis (571)	36	-	-	-	-	1	5	7	11	9	3	-	28	-	-	-	2	1	1	5	5	6	7	1
White	28	-	-	-	-	-	3	4	11	8	2	-	23	-	-	-	-	1	-	4	5	6	6	1
All other	8	-	-	-	-	1	2	3	-	1	1	-	5	-	-	-	2	-	1	1	-	-	1	-
Black	8	-	-	-	-	1	2	3	-	1	1	-	5	-	-	-	2	-	1	1	-	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	-	-	3	-	8	-	1	-	-	-	-	-	-	1	1	5
White	1	-	-	-	-	-	-	-	-	-	1	-	8	-	1	-	-	-	-	-	-	1	1	5
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	52	-	-	1	-	-	2	5	10	15	12	7	45	-	-	1	-	-	-	2	7	6	15	14
White	35	-	-	-	-	-	-	2	4	12	10	7	35	-	-	-	-	-	-	1	5	3	12	14
All other	17	-	-	1	-	-	2	3	6	3	2	-	10	-	-	1	-	-	-	1	2	3	3	-
Black	17	-	-	1	-	-	2	3	6	3	2	-	9	-	-	1	-	-	-	1	2	3	2	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	1	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	1	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	47	-	-	-	-	-	1	4	9	14	12	7	39	-	-	1	-	-	-	2	7	5	12	12
White	33	-	-	-	-	-	-	1	4	11	10	7	30	-	-	-	-	-	-	1	5	3	9	12
All other	14	-	-	-	-	-	1	3	5	3	2	-	9	-	-	1	-	-	-	1	2	2	3	-
Black	14	-	-	-	-	-	1	3	5	3	2	-	8	-	-	1	-	-	-	1	2	2	2	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	23	17	2	1	1	-	-	-	1	-	1	-	16	10	2	2	-	-	-	2	-	-	-	-
White	12	9	1	-	-	-	-	-	1	-	1	-	14	10	2	1	-	-	-	1	-	-	-	-
All other	11	8	1	1	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Black	11	8	1	1	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	44	43	1	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	29	29	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	15	14	1	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	15	14	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	8	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	35	35	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	12	12	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	20	9	-	1	-	1	-	2	-	1	5	1	18	8	-	-	-	1	-	1	-	-	3	5
White	12	5	-	-	-	1	-	-	-	1	4	1	13	4	-	-	-	1	-	1	-	-	2	5
All other	8	4	-	1	-	-	-	2	-	-	1	-	5	4	-	-	-	-	-	-	-	-	1	-
Black	8	4	-	1	-	-	-	2	-	-	1	-	5	4	-	-	-	-	-	-	-	-	1	-
All other diseases (Residual)	188	2	1	4	5	8	9	16	32	45	32	34	200	6	1	2	1	1	2	13	20	34	63	57
White	134	1	-	3	4	5	7	11	21	35	20	27	178	4	1	1	-	1	2	10	17	28	58	56
All other	54	1	1	1	1	3	2	5	11	10	12	7	22	2	-	1	1	-	-	3	3	6	5	1
Black	54	1	1	1	1	3	2	5	11	10	12	7	22	2	-	1	1	-	-	3	3	6	5	1
Accidents and adverse effects (E800-E949)	156	2	6	6	40	34	18	12	9	16	10	3	62	2	4	2	8	8	3	4	9	9	7	6
White	123	1	4	2	35	27	16	7	6	13	9	3	51	2	1	2	8	8	1	4	6	8	7	4
All other	33	1	2	4	5	7	2	5	3	3	1	-	11	-	3	-	-	-	2	-	3	1	-	2
Black	31	1	2	3	5	7	2	5	2	3	1	-	10	-	3	-	-	-	2	-	3	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	87	-	2	5	30	23	10	8	3	5	1	-	32	-	1	2	8	8	2	3	6	1	1	-
White	69	-	2	2	28	18	8	4	2	4	1	-	27	-	-	2	8	8	1	3	4	-	1	-
All other	18	-	-	3	2	5	2	4	1	1	-	-	5	-	1	-	-	-	1	-	2	1	-	-
Black	16	-	-	2	2	5	2	4	-	1	-	-	5	-	1	-	-	-	1	-	2	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	69	2	4	1	10	11	8	4	6	11	9	3	30	2	3	-	-	-	1	1	3	8	6	6
White	54	1	2	-	7	9	8	3	4	9	8	3	24	2	1	-	-	-	-	1	2	8	6	4
All other	15	1	2	1	3	2	-	1	2	2	1	-	6	-	2	-	-	-	1	-	1	-	-	2
Black	15	1	2	1	3	2	-	1	2	2	1	-	5	-	2	-	-	-	1	-	1	-	-	1
Suicide (E950-E959)	51	...	...	-	5	11	9	9	4	10	3	-	8	...	...	-	1	2	3	-	1	1	-	-
White	44	...	...	-	3	9	8	8	4	9	3	-	7	...	...	-	1	1	3	-	1	1	-	-
All other	7	...	...	-	2	2	1	1	-	1	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	7	...	...	-	2	2	1	1	-	1	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	26	2	2	1	2	5	8	3	3	-	-	-	8	-	1	-	-	2	1	2	1	-	1	-
White	14	-	1	1	1	3	4	2	2	-	-	-	5	-	-	-	-	2	1	1	-	-	1	-
All other	12	2	1	-	1	2	4	1	1	-	-	-	3	-	1	-	-	-	-	1	1	-	-	-
Black	12	2	1	-	1	2	4	1	1	-	-	-	3	-	1	-	-	-	-	1	1	-	-	-
All other external causes (E980-E999)	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA																								
All causes	3,710	125	13	6	82	228	299	397	674	865	691	320	3,271	80	9	5	22	91	130	187	460	717	807	758
White	826	14	-	-	10	24	48	57	113	192	226	138	976	5	-	-	-	9	16	17	68	178	298	384
All other	2,884	111	13	6	72	204	251	340	561	673	465	182	2,295	75	9	5	22	82	114	170	392	539	509	374
Black	2,855	111	12	6	71	203	248	338	558	670	460	172	2,284	74	9	5	21	81	114	169	392	536	507	372
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	17	-	-	-	-	1	1	1	2	5	4	3	5	-	-	-	-	-	-	1	-	3	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	17	-	-	-	-	1	1	1	2	5	4	3	3	-	-	-	-	-	-	1	-	1	1	-
Black	17	-	-	-	-	1	1	1	2	5	4	3	3	-	-	-	-	-	-	1	-	1	1	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	1	-	1	2	4	2	1	4	-	-	-	-	-	-	1	-	2	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	11	-	-	-	-	1	-	1	2	4	2	1	3	-	-	-	-	-	-	1	-	1	1	-
Black	11	-	-	-	-	1	-	1	2	4	2	1	3	-	-	-	-	-	-	1	-	1	1	-
Other tuberculosis (013-018)	6	-	-	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	6	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Septicemia (038)	72	-	-	-	-	1	4	7	8	19	21	12	66	-	-	-	1	1	4	2	8	9	23	18
White	13	-	-	-	-	-	-	2	-	2	4	5	16	-	-	-	-	-	-	-	1	1	5	9
All other	59	-	-	-	-	1	4	5	8	17	17	7	50	-	-	-	1	1	4	2	7	8	18	9
Black	59	-	-	-	-	1	4	5	8	17	17	7	50	-	-	-	1	1	4	2	7	8	18	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	42	1	-	-	1	10	11	10	2	5	1	1	18	-	-	-	-	-	2	1	7	5	2	1
White	15	-	-	-	-	3	4	5	1	1	1	-	5	-	-	-	-	-	-	-	1	2	1	1
All other	27	1	-	-	1	7	7	5	1	4	-	1	13	-	-	-	-	-	2	1	6	3	1	-
Black	27	1	-	-	1	7	7	5	1	4	-	1	13	-	-	-	-	-	2	1	6	3	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	871	1	1	-	7	9	36	100	232	253	183	48	722	-	1	1	2	7	33	51	168	209	170	80
White	192	1	-	-	3	3	8	15	43	51	55	13	222	-	-	-	-	-	8	9	31	70	70	35
All other	679	-	1	-	4	6	28	85	189	202	128	35	500	-	1	1	2	7	25	43	137	139	100	45
Black	673	-	1	-	4	6	28	85	187	200	127	34	498	-	1	1	2	7	25	43	137	138	99	45
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	-	-	-	-	-	1	10	18	7	5	2	9	-	-	-	-	-	1	2	2	3	1	-
White	8	-	-	-	-	-	-	2	4	1	1	-	4	-	-	-	-	-	-	1	1	1	1	-
All other	35	-	-	-	-	-	1	8	14	6	4	2	5	-	-	-	-	-	1	1	1	2	-	-
Black	35	-	-	-	-	-	1	8	14	6	4	2	5	-	-	-	-	-	1	1	1	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	239	-	-	-	-	-	10	26	68	72	48	14	201	-	-	-	-	1	2	10	39	51	57	41
White	52	-	-	-	-	-	-	6	11	12	20	3	49	-	-	-	-	-	1	1	4	11	15	17
All other	187	-	-	-	-	-	10	20	57	60	28	11	152	-	-	-	-	1	1	9	35	40	42	24
Black	186	-	-	-	-	-	10	20	56	60	28	11	152	-	-	-	-	1	1	9	35	40	42	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	276	-	-	-	2	1	12	39	88	86	39	9	134	-	-	-	-	-	3	10	40	47	26	8
White	50	-	-	-	1	-	2	3	15	15	12	2	37	-	-	-	-	-	-	-	5	15	13	4
All other	226	-	-	-	1	1	10	36	73	71	27	7	97	-	-	-	-	-	3	10	35	32	13	4
Black	223	-	-	-	1	1	10	36	72	71	26	6	96	-	-	-	-	-	3	10	35	31	13	4
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	134	-	-	-	-	3	10	10	36	40	28	7
White	-	-	-	-	-	-	-	-	-	-	-	-	53	-	-	-	-	-	5	4	12	18	12	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	81	-	-	-	-	3	5	6	24	22	16	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	81	-	-	-	-	3	5	6	24	22	16	5
Malignant neoplasms of genital organs (179-187)	116	-	-	-	-	1	-	1	13	38	52	11	72	-	-	-	-	1	7	7	19	28	9	1
White	19	-	-	-	-	-	-	-	-	7	9	3	22	-	-	-	-	-	1	-	5	10	6	-
All other	97	-	-	-	-	1	-	1	13	31	43	8	50	-	-	-	-	1	6	7	14	18	3	1
Black	97	-	-	-	-	1	-	1	13	31	43	8	49	-	-	-	-	1	6	7	14	18	2	1
Malignant neoplasms of urinary organs (188-189)	27	1	-	-	-	-	1	1	5	5	12	2	11	-	-	-	-	-	1	1	-	1	4	4
White	7	1	-	-	-	-	-	-	-	1	4	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	20	-	-	-	-	-	1	1	5	4	8	1	7	-	-	-	-	-	1	1	-	1	3	1
Black	20	-	-	-	-	-	1	1	5	4	8	1	7	-	-	-	-	-	1	1	-	1	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	127	-	1	-	4	5	10	18	31	33	18	7	96	-	1	-	-	1	7	9	19	24	21	14
White	39	-	-	-	1	2	5	3	11	11	4	2	27	-	-	-	-	-	-	2	2	9	8	6
All other	88	-	1	-	3	3	5	15	20	22	14	5	69	-	1	-	-	1	7	7	17	15	13	8
Black	87	-	1	-	3	3	5	15	20	21	14	5	69	-	1	-	-	1	7	7	17	15	13	8
Leukemia (204-208)	13	-	-	-	-	1	-	-	3	6	2	1	27	-	-	1	2	1	1	-	5	6	7	4
White	6	-	-	-	-	-	-	-	-	3	2	1	7	-	-	-	-	-	-	-	1	2	2	2
All other	7	-	-	-	-	1	-	-	3	3	-	-	20	-	-	1	2	1	1	-	4	4	5	2
Black	7	-	-	-	-	1	-	-	3	3	-	-	20	-	-	1	2	1	1	-	4	4	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	30	-	-	-	1	1	2	5	6	6	7	2	38	-	-	-	-	-	1	2	8	9	17	1
White	11	-	-	-	1	1	1	1	2	1	3	1	19	-	-	-	-	-	1	-	1	4	12	1
All other	19	-	-	-	-	-	1	4	4	5	4	1	19	-	-	-	-	-	-	2	7	5	5	-
Black	18	-	-	-	-	-	1	4	4	4	4	1	19	-	-	-	-	-	-	2	7	5	5	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	-	-	-	1	3	2	2	2	12	-	-	-	-	-	-	2	4	3	2	1
White	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	7	-	-	-	-	-	-	1	2	1	2	1	10	-	-	-	-	-	-	2	4	2	1	1
Black	6	-	-	-	-	-	-	1	2	1	2	-	10	-	-	-	-	-	-	2	4	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	56	-	-	-	-	1	-	4	13	17	17	4	61	-	-	-	-	1	-	3	10	17	20	10
White	15	-	-	-	-	1	-	1	1	4	6	2	12	-	-	-	-	-	-	-	-	3	6	3
All other	41	-	-	-	-	-	-	3	12	13	11	2	49	-	-	-	-	1	-	3	10	14	14	7
Black	40	-	-	-	-	-	-	3	12	13	10	2	49	-	-	-	-	1	-	3	10	14	14	7
Nutritional deficiencies (260-269)	3	-	-	-	-	-	1	-	-	1	1	-	5	-	-	-	-	-	-	-	-	-	1	4
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Anemias (280-285)	3	-	-	-	1	1	1	-	-	-	-	-	9	-	-	-	-	1	-	-	-	2	4	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	3	-	-	-	1	1	1	-	-	-	-	-	5	-	-	-	-	1	-	-	-	1	3	-
Black	3	-	-	-	1	1	1	-	-	-	-	-	5	-	-	-	-	1	-	-	-	1	3	-
Meningitis (320-322)	6	1	-	-	-	-	1	-	1	1	2	-	6	1	-	-	-	-	-	1	1	1	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	5	1	-	-	-	-	1	-	-	1	2	-	4	1	-	-	-	-	-	1	1	1	-	-
Black	5	1	-	-	-	-	1	-	-	1	2	-	4	1	-	-	-	-	-	1	1	1	-	-
Major cardiovascular diseases (390-448)	1,282	3	2	-	2	22	52	136	239	362	317	146	1,438	-	-	1	1	11	31	63	163	311	401	453
White	317	-	-	-	-	1	4	14	41	83	106	67	485	-	-	-	-	-	3	2	21	67	146	245
All other	965	3	2	-	2	21	48	122	198	279	211	79	953	-	-	1	1	11	28	61	142	244	255	208
Black	957	3	2	-	2	21	47	121	198	279	209	75	948	-	-	1	1	10	28	61	142	242	255	206
Diseases of heart (390-398,402,404-429)	1,036	3	1	-	1	16	36	107	210	299	252	110	1,084	-	-	-	-	6	21	47	127	248	307	326
White	243	-	-	-	-	-	2	13	31	69	80	47	355	-	-	-	-	-	1	-	17	53	112	171
All other	793	3	1	-	1	16	34	94	179	230	172	63	729	-	-	-	-	6	20	47	110	195	195	155
Black	788	3	1	-	1	16	33	94	179	230	170	61	727	-	-	-	-	6	20	47	110	193	195	155
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	-	-	-	-	1	1	1	-	-	14	-	-	-	-	-	3	1	2	5	3	-
White	1	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	1	3	1	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	9	-	-	-	-	-	3	1	1	2	2	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	9	-	-	-	-	-	3	1	1	2	2	-
Hypertensive heart disease (402)	93	-	-	-	-	1	2	14	23	33	16	4	122	-	-	-	-	-	3	12	27	34	26	20
White	13	-	-	-	-	-	-	1	2	6	3	1	22	-	-	-	-	-	-	-	3	4	8	7
All other	80	-	-	-	-	1	2	13	21	27	13	3	100	-	-	-	-	-	3	12	24	30	18	13
Black	80	-	-	-	-	1	2	13	21	27	13	3	100	-	-	-	-	-	3	12	24	30	18	13
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	1	2	1	2	2	12	-	-	-	-	-	-	-	-	4	2	5
White	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	5	-	-	-	-	-	-	1	1	1	1	1	10	-	-	-	-	-	-	-	-	4	2	3
Black	5	-	-	-	-	-	-	1	1	1	1	1	10	-	-	-	-	-	-	-	-	4	2	3
Ischemic heart disease (410-414)	417	-	-	-	-	5	19	45	77	117	103	51	434	-	-	-	-	2	6	19	40	80	129	158
White	138	-	-	-	-	-	1	6	15	35	51	30	173	-	-	-	-	-	-	-	7	16	56	94
All other	279	-	-	-	-	5	18	39	62	82	52	21	261	-	-	-	-	2	6	19	33	64	73	64
Black	277	-	-	-	-	5	17	39	62	82	52	20	260	-	-	-	-	2	6	19	33	63	73	64
Acute myocardial infarction (410)	207	-	-	-	-	2	5	22	39	64	51	24	213	-	-	-	-	-	2	6	27	43	73	62
White	71	-	-	-	-	-	-	3	10	20	25	13	77	-	-	-	-	-	-	-	3	9	33	32
All other	136	-	-	-	-	2	5	19	29	44	26	11	136	-	-	-	-	-	2	6	24	34	40	30
Black	136	-	-	-	-	2	5	19	29	44	26	11	136	-	-	-	-	-	2	6	24	34	40	30
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	208	-	-	-	-	3	14	23	38	52	51	27	220	-	-	-	-	2	4	13	13	37	58	95
White	67	-	-	-	-	-	1	3	5	15	26	17	96	-	-	-	-	-	-	-	4	7	23	62
All other	141	-	-	-	-	3	13	20	33	37	25	10	124	-	-	-	-	2	4	13	9	30	33	33
Black	139	-	-	-	-	3	12	20	33	37	25	9	123	-	-	-	-	2	4	13	9	29	33	33
Other diseases of endocardium (424)	10	-	-	-	-	1	2	-	2	-	3	2	15	-	-	-	-	-	-	-	-	4	4	7
White	3	-	-	-	-	-	-	-	-	-	1	2	6	-	-	-	-	-	-	-	-	1	1	4
All other	7	-	-	-	-	1	2	-	2	-	2	-	9	-	-	-	-	-	-	-	-	3	3	3
Black	7	-	-	-	-	1	2	-	2	-	2	-	9	-	-	-	-	-	-	-	-	3	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	505	3	1	-	1	9	13	46	105	147	128	51	467	-	-	-	-	4	9	15	58	121	143	136
White	85	-	-	-	-	-	1	5	13	28	24	13	147	-	-	-	-	-	1	-	6	29	46	64
All other	420	3	1	-	1	9	12	41	92	119	104	38	340	-	-	-	-	4	8	15	52	92	97	72
Black	417	3	1	-	1	9	12	41	92	119	102	37	339	-	-	-	-	4	8	15	52	91	97	72
Hypertension with or without renal disease (401,403)	19	-	-	-	-	-	1	3	6	3	6	-	28	-	-	-	-	-	-	2	4	4	7	11
White	7	-	-	-	-	-	1	-	3	-	3	-	8	-	-	-	-	-	-	-	-	-	2	6
All other	12	-	-	-	-	-	-	3	3	3	3	-	20	-	-	-	-	-	-	2	4	4	5	5
Black	12	-	-	-	-	-	-	3	3	3	3	-	20	-	-	-	-	-	-	2	4	4	5	5
Cerebrovascular diseases (430-438)	170	-	1	-	1	6	12	26	20	33	47	24	271	-	-	1	-	5	10	14	27	56	75	82
White	43	-	-	-	-	1	1	1	5	5	18	12	92	-	-	-	-	-	2	2	4	11	25	46
All other	127	-	1	-	1	5	11	25	15	28	29	12	179	-	-	1	-	5	8	12	23	45	50	34
Black	125	-	1	-	1	5	11	24	15	28	29	11	176	-	-	1	-	4	8	12	23	45	50	32
Intracerebral and other intracranial hemorrhage (431-432)	60	-	-	-	1	-	8	18	7	10	11	5	63	-	-	1	-	2	4	7	10	14	20	5
White	13	-	-	-	-	-	-	1	1	3	5	3	17	-	-	-	-	-	-	1	1	2	10	3
All other	47	-	-	-	1	-	8	17	6	7	6	2	46	-	-	1	-	2	4	6	9	12	10	2
Black	45	-	-	-	1	-	8	16	6	7	6	1	45	-	-	1	-	2	4	6	9	12	10	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	-	-	-	-	1	1	1	4	7	3	5	38	-	-	-	-	1	-	1	2	7	10	17
White	5	-	-	-	-	-	-	-	1	2	-	2	20	-	-	-	-	-	-	-	1	3	2	14
All other	17	-	-	-	-	1	1	1	3	5	3	3	18	-	-	-	-	1	-	1	1	4	8	3
Black	17	-	-	-	-	1	1	1	3	5	3	3	18	-	-	-	-	1	-	1	1	4	8	3
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	88	-	1	-	-	5	3	7	9	16	33	14	168	-	-	-	-	2	6	6	15	35	43	60
White	25	-	-	-	-	1	1	-	3	-	13	7	54	-	-	-	-	-	2	1	2	6	12	31
All other	63	-	1	-	-	4	2	7	6	16	20	7	114	-	-	-	-	2	4	5	13	29	31	29
Black	63	-	1	-	-	4	2	7	6	16	20	7	112	-	-	-	-	1	4	5	13	29	31	28
Atherosclerosis (440)	24	-	-	-	-	-	-	-	1	10	6	7	39	-	-	-	-	-	-	-	2	1	9	27
White	9	-	-	-	-	-	-	-	-	3	2	4	24	-	-	-	-	-	-	-	-	1	6	17
All other	15	-	-	-	-	-	-	-	1	7	4	3	15	-	-	-	-	-	-	-	2	-	3	10
Black	14	-	-	-	-	-	-	-	1	7	4	2	15	-	-	-	-	-	-	-	2	-	3	10
Other diseases of arteries, arterioles, and capillaries (441-448)	33	-	-	-	-	-	3	-	2	17	6	5	16	-	-	-	1	-	-	-	3	2	3	7
White	15	-	-	-	-	-	-	-	2	6	3	4	6	-	-	-	-	-	-	-	-	2	1	3
All other	18	-	-	-	-	-	3	-	-	11	3	1	10	-	-	-	1	-	-	-	3	-	2	4
Black	18	-	-	-	-	-	3	-	-	11	3	1	10	-	-	-	1	-	-	-	3	-	2	4
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	125	5	-	-	1	2	5	12	16	31	23	28	106	-	-	-	-	1	7	6	8	15	27	42
White	31	-	-	-	-	-	1	2	2	4	6	15	30	-	-	-	-	-	-	-	-	3	8	19
All other	94	5	-	-	1	2	4	10	14	27	17	13	76	-	-	-	-	1	7	6	8	12	19	23
Black	90	5	-	-	1	1	4	10	14	27	17	10	75	-	-	-	-	1	7	6	8	12	18	23
Pneumonia (480-486)	125	5	-	-	1	2	5	12	16	31	23	28	105	-	-	-	-	1	7	6	8	14	27	42
White	31	-	-	-	-	-	1	2	2	4	6	15	30	-	-	-	-	-	-	-	-	3	8	19
All other	94	5	-	-	1	2	4	10	14	27	17	13	75	-	-	-	-	1	7	6	8	11	19	23
Black	90	5	-	-	1	1	4	10	14	27	17	10	74	-	-	-	-	1	7	6	8	11	18	23
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	93	-	-	-	-	1	-	6	12	35	26	13	45	-	-	-	-	-	1	3	6	7	18	10
White	42	-	-	-	-	-	-	2	4	15	12	9	24	-	-	-	-	-	-	1	1	3	12	7
All other	51	-	-	-	-	1	-	4	8	20	14	4	21	-	-	-	-	-	1	2	5	4	6	3
Black	51	-	-	-	-	1	-	4	8	20	14	4	21	-	-	-	-	-	1	2	5	4	6	3
Bronchitis, chronic and unspecified (490-491)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	17	-	-	-	-	-	-	1	1	9	6	-	7	-	-	-	-	-	-	1	1	2	2	1
White	8	-	-	-	-	-	-	-	-	4	4	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	9	-	-	-	-	-	-	1	1	5	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	9	-	-	-	-	-	-	1	1	5	2	-	3	-	-	-	-	-	-	1	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	9	-	-	-	-	1	-	1	2	5	-	-	6	-	-	-	-	-	1	-	3	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	8	-	-	-	-	1	-	1	2	4	-	-	4	-	-	-	-	-	1	-	2	1	-	-
Black	8	-	-	-	-	1	-	1	2	4	-	-	4	-	-	-	-	-	1	-	2	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	67	-	-	-	-	-	-	4	9	21	20	13	30	-	-	-	-	-	-	2	2	4	16	6
White	33	-	-	-	-	-	-	2	4	10	8	9	16	-	-	-	-	-	-	1	-	1	11	3
All other	34	-	-	-	-	-	-	2	5	11	12	4	14	-	-	-	-	-	-	1	2	3	5	3
Black	34	-	-	-	-	-	-	2	5	11	12	4	14	-	-	-	-	-	-	1	2	3	5	3
Ulcer of stomach and duodenum (531-533)	15	-	-	-	-	1	-	1	4	4	2	2	13	-	-	-	-	-	-	-	-	4	5	4
White	3	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	12	-	-	-	-	1	-	1	3	4	2	1	10	-	-	-	-	-	-	-	-	3	4	3
Black	12	-	-	-	-	1	-	1	3	4	2	1	10	-	-	-	-	-	-	-	-	3	4	3
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	-	-	-	-	-	-	1	-	3	4	4	14	-	-	-	-	-	-	-	1	3	5	5
White	6	-	-	-	-	-	-	-	-	1	2	3	6	-	-	-	-	-	-	-	-	-	2	4
All other	6	-	-	-	-	-	-	1	-	2	2	1	8	-	-	-	-	-	-	-	1	3	3	1
Black	6	-	-	-	-	-	-	1	-	2	2	1	8	-	-	-	-	-	-	-	1	3	3	1
Chronic liver disease and cirrhosis (571)	102	-	-	-	-	7	15	20	32	22	5	1	58	-	-	-	-	2	5	15	13	13	6	4
White	15	-	-	-	-	-	3	2	4	4	2	-	11	-	-	-	-	-	-	2	1	3	2	3
All other	87	-	-	-	-	7	12	18	28	18	3	1	47	-	-	-	-	2	5	13	12	10	4	1
Black	87	-	-	-	-	7	12	18	28	18	3	1	47	-	-	-	-	2	5	13	12	10	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	43	-	-	-	-	3	7	3	6	10	10	4	54	-	-	-	-	2	2	2	6	14	18	10
White	4	-	-	-	-	-	-	1	-	1	2	-	6	-	-	-	-	1	-	-	-	-	4	1
All other	39	-	-	-	-	3	7	2	6	9	8	4	48	-	-	-	-	1	2	2	6	14	14	9
Black	39	-	-	-	-	3	7	2	6	9	8	4	48	-	-	-	-	1	2	2	6	14	14	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	1	1	-	-	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	1	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	42	-	-	-	-	2	7	3	6	10	10	4	48	-	-	-	-	1	1	2	6	14	15	9
White	4	-	-	-	-	-	-	1	-	1	2	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	38	-	-	-	-	2	7	2	6	9	8	4	45	-	-	-	-	1	1	2	6	14	12	9
Black	38	-	-	-	-	2	7	2	6	9	8	4	45	-	-	-	-	1	1	2	6	14	12	9
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	1	1	9	-	-	-	-	-	-	-	2	4	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	1	4	1	2
Black	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	1	4	1	2
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA--Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	20	15	1	-	1	-	-	-	1	2	-	-	23	15	2	-	-	-	-	1	-	3	2	-
White	6	4	-	-	1	-	-	-	-	1	-	-	4	3	-	-	-	-	-	-	-	1	-	-
All other	14	11	1	-	-	-	-	-	1	1	-	-	19	12	2	-	-	-	-	1	-	2	2	-
Black	13	11	-	-	-	-	-	-	1	1	-	-	18	11	2	-	-	-	-	1	-	2	2	-
Certain conditions originating in the perinatal period (760-779)	76	74	2	-	-	-	-	-	-	-	-	-	51	50	-	1	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	69	67	2	-	-	-	-	-	-	-	-	-	50	49	-	1	-	-	-	-	-	-	-	-
Black	69	67	2	-	-	-	-	-	-	-	-	-	50	49	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	16	-	-	-	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	11	10	-	1	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	60	58	2	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	55	53	2	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Black	55	53	2	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	155	13	1	1	6	54	39	22	12	5	2	-	83	9	2	2	4	21	14	8	8	4	5	6
White	16	-	-	-	1	4	6	3	1	1	-	-	13	1	-	-	-	2	-	3	4	-	1	2
All other	139	13	1	1	5	50	33	19	11	4	2	-	70	8	2	2	4	19	14	5	4	4	4	4
Black	137	13	1	1	5	50	33	18	10	4	2	-	70	8	2	2	4	19	14	5	4	4	4	4
All other diseases (Residual)	357	10	-	-	3	39	60	42	57	53	56	36	353	1	1	-	4	17	19	20	44	77	81	87
White	86	2	-	-	-	4	12	8	8	15	21	15	97	-	-	-	-	2	2	1	4	17	31	40
All other	271	8	-	-	3	35	48	34	49	38	35	21	256	1	1	-	4	15	17	19	40	60	50	47
Black	267	8	-	-	3	35	47	34	49	37	34	20	255	1	1	-	4	15	17	18	40	60	50	47
Accidents and adverse effects (E800-E949)	161	1	2	2	16	16	28	19	22	28	12	11	65	3	2	-	4	5	-	6	5	12	13	15
White	31	-	-	-	3	2	4	2	3	6	6	5	17	-	-	-	-	1	-	-	1	3	4	8
All other	130	1	2	2	13	14	24	17	19	22	6	6	48	3	2	-	4	4	-	6	4	9	9	7
Black	130	1	2	2	13	14	24	17	19	22	6	6	48	3	2	-	4	4	-	6	4	9	9	7
Motor vehicle accidents (E810-E825)	49	-	2	2	9	10	9	4	6	5	2	-	7	-	1	-	1	3	-	-	1	1	-	-
White	7	-	-	-	1	2	2	-	1	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-
All other	42	-	2	2	8	8	7	4	5	4	2	-	5	-	1	-	1	2	-	-	1	-	-	-
Black	42	-	2	2	8	8	7	4	5	4	2	-	5	-	1	-	1	2	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	112	1	-	-	7	6	19	15	16	23	10	11	58	3	1	-	3	2	-	6	4	11	13	15
White	24	-	-	-	2	-	2	2	2	5	6	5	15	-	-	-	-	-	-	-	1	2	4	8
All other	88	1	-	-	5	6	17	13	14	18	4	6	43	3	1	-	3	2	-	6	3	9	9	7
Black	88	1	-	-	5	6	17	13	14	18	4	6	43	3	1	-	3	2	-	6	3	9	9	7
Suicide (E950-E959)	30	...	...	1	9	8	3	2	4	2	1	-	9	...	...	-	1	3	2	1	1	-	1	-
White	11	...	...	-	2	3	3	-	1	1	1	-	5	...	...	-	-	2	1	-	1	-	1	-
All other	19	...	...	1	7	5	-	2	3	1	-	-	4	...	...	-	1	1	1	1	-	-	-	-
Black	18	...	...	1	6	5	-	2	3	1	-	-	3	...	...	-	-	1	1	1	-	-	-	-
Homicide and legal intervention (E960-E978)	124	-	2	2	34	41	29	8	6	2	-	-	22	-	-	-	5	12	4	-	1	-	-	-
White	5	-	-	-	-	2	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	119	-	2	2	34	39	27	8	5	2	-	-	21	-	-	-	5	11	4	-	1	-	-	-
Black	118	-	2	2	34	39	26	8	5	2	-	-	21	-	-	-	5	11	4	-	1	-	-	-
All other external causes (E980-E999)	22	-	2	-	1	11	6	-	1	-	-	1	12	-	1	-	-	5	4	-	1	-	-	1
White	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	20	-	2	-	1	10	5	-	1	-	-	1	12	-	1	-	-	5	4	-	1	-	-	1
Black	20	-	2	-	1	10	5	-	1	-	-	1	12	-	1	-	-	5	4	-	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	66,694	1,053	225	237	1,377	1,961	2,132	3,779	9,470	17,954	19,298	9,165	54,414	794	169	182	470	752	1,138	2,207	5,831	11,921	16,994	13,946
White	59,564	659	156	161	1,077	1,453	1,640	3,024	8,208	16,342	18,012	8,802	48,662	470	98	131	363	527	846	1,732	4,932	10,614	15,671	13,274
All other	7,130	394	69	76	300	508	492	755	1,262	1,612	1,286	363	5,752	324	71	51	107	225	292	475	899	1,307	1,323	672
Black	7,022	389	68	72	294	494	485	740	1,251	1,593	1,268	355	5,658	318	68	48	103	219	281	466	890	1,288	1,305	666
Shigellosis and amebiasis (004,006)	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	4	-	-	-	-	1	-	-	-	-	1	4	1	1	-	-	-	-	-	-	-	1	1
White	4	2	-	-	-	-	1	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	1	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	85	-	-	-	2	3	3	22	18	17	14	6	38	-	-	-	-	2	2	3	6	8	12	5
White	44	-	-	-	-	-	-	8	9	12	10	5	22	-	-	-	-	-	-	-	2	6	11	4
All other	41	-	-	-	2	3	3	14	9	5	4	1	16	-	-	-	-	2	2	3	4	3	1	1
Black	41	-	-	-	2	3	3	14	9	5	4	1	16	-	-	-	-	2	2	3	4	3	1	1
Tuberculosis of respiratory system (010-012)	70	-	-	-	-	1	2	17	16	14	14	6	31	-	-	-	-	1	1	2	4	7	11	5
White	40	-	-	-	-	-	-	7	8	10	10	5	20	-	-	-	-	-	-	-	1	5	10	4
All other	30	-	-	-	-	1	2	10	8	4	4	1	11	-	-	-	-	1	1	2	3	2	1	1
Black	30	-	-	-	-	1	2	10	8	4	4	1	11	-	-	-	-	1	1	2	3	2	1	1
Other tuberculosis (013-018)	15	-	-	-	2	2	1	5	2	3	-	-	7	-	-	-	-	1	1	1	2	1	1	-
White	4	-	-	-	-	-	-	1	1	2	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	11	-	-	-	2	2	1	4	1	1	-	-	5	-	-	-	-	1	1	1	1	1	-	-
Black	11	-	-	-	2	2	1	4	1	1	-	-	5	-	-	-	-	1	1	1	1	1	-	-
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal infection (036)	8	1	5	1	1	-	-	-	-	-	-	-	5	-	2	1	-	1	-	-	-	1	-	-
White	7	1	4	1	1	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Septicemia (038)	334	8	1	2	2	8	6	10	44	91	110	52	338	7	1	1	1	3	9	5	35	55	127	94
White	287	4	1	1	2	4	3	9	37	79	97	50	288	4	-	1	1	2	7	2	30	45	110	86
All other	47	4	-	1	-	4	3	1	7	12	13	2	50	3	1	-	-	1	2	3	5	10	17	8
Black	47	4	-	1	-	4	3	1	7	12	13	2	49	3	1	-	-	1	2	3	5	9	17	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	38	-	1	-	1	3	3	2	9	12	6	1	29	-	-	-	2	1	2	1	5	10	7	1
White	31	-	-	-	-	2	2	1	8	11	6	1	26	-	-	-	-	1	2	1	5	9	7	1
All other	7	-	1	-	1	1	1	1	1	1	-	-	3	-	-	-	2	-	-	-	-	1	-	-
Black	6	-	1	-	1	1	1	-	1	1	-	-	3	-	-	-	2	-	-	-	-	1	-	-
Syphilis (090-097)	5	1	-	-	-	-	-	1	2	1	-	-	3	1	-	-	-	-	1	1	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	3	1	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	3	1	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	260	11	-	1	10	47	55	23	35	38	36	4	141	10	-	1	4	10	9	10	23	34	29	11
White	191	5	-	1	10	26	39	12	27	34	34	3	117	3	-	1	2	5	9	6	21	33	27	10
All other	69	6	-	-	-	21	16	11	8	4	2	1	24	7	-	-	2	5	-	4	2	1	2	1
Black	68	6	-	-	-	21	16	10	8	4	2	1	24	7	-	-	2	5	-	4	2	1	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	15,782	1	11	21	53	121	317	984	2,994	5,458	4,502	1,319	12,750	6	6	31	35	124	360	984	2,493	4,060	3,367	1,284
White	14,232	1	10	17	48	102	249	761	2,611	4,975	4,180	1,258	11,702	3	6	25	28	99	289	845	2,228	3,784	3,175	1,220
All other	1,550	-	1	4	5	19	68	203	383	483	322	61	1,048	3	-	6	7	25	71	139	265	276	192	64
Black	1,525	-	1	4	5	19	67	198	380	475	315	60	1,027	3	-	6	7	25	68	134	260	274	188	62

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	384	-	-	-	2	2	13	45	95	131	76	20	213	-	-	-	3	-	6	14	63	72	37	18
White	325	-	-	-	1	1	6	31	79	115	72	20	187	-	-	-	3	-	3	11	52	67	34	17
All other	59	-	-	-	1	1	7	14	16	16	4	-	26	-	-	-	-	-	3	3	11	5	3	1
Black	59	-	-	-	1	1	7	14	16	16	4	-	25	-	-	-	-	-	3	3	10	5	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,925	-	-	1	2	16	65	212	706	1,349	1,205	368	3,260	-	-	1	3	16	37	160	488	960	1,082	513
White	3,526	-	-	1	1	10	48	157	612	1,226	1,116	355	2,949	-	-	1	3	10	27	130	412	875	1,002	469
All other	399	-	-	-	1	6	17	55	94	123	89	13	311	-	-	-	-	6	10	30	76	85	80	24
Black	390	-	-	-	1	6	16	53	94	121	86	12	306	-	-	-	-	6	9	29	75	85	78	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,783	-	-	-	-	7	105	439	1,381	2,155	1,419	277	2,776	1	-	-	1	7	49	240	703	1,057	600	118
White	5,212	-	-	-	-	7	79	348	1,195	1,983	1,333	267	2,620	-	-	-	1	7	46	222	650	1,007	576	111
All other	571	-	-	-	-	-	26	91	186	172	86	10	156	1	-	-	-	-	3	18	53	50	24	7
Black	565	-	-	-	-	-	26	90	186	169	84	10	150	1	-	-	-	-	3	17	51	49	23	6
Malignant neoplasm of breast (174-175)	21	-	-	-	-	-	3	3	6	6	3	-	2,250	-	-	-	1	22	134	269	520	684	463	157
White	20	-	-	-	-	-	3	3	6	5	3	-	2,062	-	-	-	1	17	98	226	478	645	448	149
All other	1	-	-	-	-	-	-	-	-	1	-	-	188	-	-	-	-	5	36	43	42	39	15	8
Black	1	-	-	-	-	-	-	-	-	1	-	-	185	-	-	-	-	5	35	42	42	38	15	8
Malignant neoplasms of genital organs (179-187)	1,783	-	-	-	3	8	3	20	149	547	750	303	1,309	-	-	-	3	21	45	114	262	429	323	112
White	1,533	-	-	-	3	8	3	10	116	454	660	279	1,148	-	-	-	1	16	33	91	220	388	302	97
All other	250	-	-	-	-	-	-	10	33	93	90	24	161	-	-	-	2	5	12	23	42	41	21	15
Black	249	-	-	-	-	-	-	10	32	93	90	24	158	-	-	-	2	5	11	23	41	41	21	14
Malignant neoplasms of urinary organs (188-189)	818	-	-	1	-	1	16	36	119	288	277	100	411	2	-	3	-	2	5	18	65	106	136	74
White	774	-	-	1	-	1	15	35	112	253	260	97	383	-	-	3	-	1	5	15	58	99	130	72
All other	44	-	-	-	-	-	1	1	7	15	17	3	28	2	-	-	-	1	-	3	7	7	6	2
Black	42	-	-	-	-	-	1	1	7	14	16	3	27	2	-	-	-	1	-	2	7	7	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,740	-	7	5	19	48	67	154	338	564	415	123	1,411	1	3	14	12	28	53	118	243	392	364	163
White	1,610	-	6	5	19	41	57	127	312	528	395	120	1,330	1	3	12	10	27	50	110	224	364	369	160
All other	130	-	1	-	-	7	10	27	26	36	20	3	81	-	-	2	2	1	3	8	19	28	15	3
Black	127	-	1	-	-	7	10	25	26	35	20	3	80	-	-	2	2	1	3	8	19	28	14	3
Leukemia (204-208)	553	-	4	13	14	20	23	35	67	180	141	56	419	2	2	11	8	13	14	21	46	121	126	55
White	515	-	4	10	12	17	18	32	62	170	136	54	387	2	2	7	6	13	14	18	42	114	115	54
All other	38	-	-	3	2	3	5	3	5	10	5	2	32	-	-	4	2	-	-	3	4	7	11	1
Black	38	-	-	3	2	3	5	3	5	10	5	2	32	-	-	4	2	-	-	3	4	7	11	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	775	1	-	1	13	19	22	40	133	258	216	72	701	-	1	2	4	15	17	30	103	239	216	74
White	717	1	-	-	12	17	20	38	117	241	205	66	636	-	1	2	3	8	13	22	92	225	199	71
All other	58	-	-	1	1	2	2	2	16	17	11	6	65	-	-	-	1	7	4	8	11	14	17	3
Black	54	-	-	1	1	2	2	2	14	16	10	6	64	-	-	-	1	7	4	7	11	14	17	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	178	1	-	2	2	5	2	13	25	44	58	26	193	-	1	1	2	2	3	13	27	46	62	36
White	149	-	-	2	-	3	2	10	18	36	53	25	174	-	-	1	-	2	3	13	22	40	57	36
All other	29	1	-	-	2	2	-	3	7	8	5	1	19	-	1	-	2	-	-	-	5	6	5	-
Black	29	1	-	-	2	2	-	3	7	8	5	1	18	-	1	-	2	-	-	-	5	5	5	-
Diabetes mellitus (250)	915	-	-	1	2	10	36	48	135	306	281	96	1,149	-	2	2	1	17	23	56	153	306	395	193
White	802	-	-	1	1	7	29	36	112	265	260	91	901	-	2	1	1	15	15	30	109	227	329	172
All other	113	-	-	-	1	3	7	12	23	41	21	5	248	-	-	1	-	2	8	26	44	79	66	21
Black	113	-	-	-	1	3	7	12	23	41	21	5	245	-	-	1	-	2	8	26	44	79	64	20
Nutritional deficiencies (260-269)	56	-	-	-	1	-	-	2	4	5	20	24	85	1	1	-	-	-	-	1	-	7	29	46
White	53	-	-	-	1	-	-	2	4	5	18	23	74	1	-	-	-	-	-	-	-	3	27	43
All other	3	-	-	-	-	-	-	-	-	-	2	1	11	-	1	-	-	-	-	1	-	4	2	3
Black	3	-	-	-	-	-	-	-	-	-	2	1	11	-	1	-	-	-	-	1	-	4	2	3
Anemias (280-285)	121	1	-	3	4	6	4	5	15	17	46	20	105	-	4	4	4	2	2	1	10	15	33	30
White	95	-	-	1	-	2	2	4	9	15	42	20	83	-	-	1	1	-	1	1	7	14	32	26
All other	26	1	-	2	4	4	2	1	6	2	4	-	22	-	4	3	3	2	1	-	3	1	1	4
Black	26	1	-	2	4	4	2	1	6	2	4	-	22	-	4	3	3	2	1	-	3	1	1	4
Meningitis (320-322)	38	11	9	-	2	3	-	2	4	4	3	-	21	6	5	-	-	-	-	-	1	5	3	1
White	26	7	7	-	1	1	-	1	3	4	2	-	15	4	2	-	-	-	-	-	1	4	3	1
All other	12	4	2	-	1	2	-	1	1	-	1	-	6	2	3	-	-	-	-	-	-	1	-	-
Black	12	4	2	-	1	2	-	1	1	-	1	-	6	2	3	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	29,820	28	14	7	35	99	446	1,344	3,982	8,398	10,005	5,459	26,645	16	8	9	22	69	189	529	1,842	5,008	9,492	9,460
White	27,368	17	9	3	18	55	333	1,098	3,515	7,695	9,367	5,253	24,010	8	4	7	19	38	126	348	1,438	4,314	8,688	9,019
All other	2,454	9	5	4	19	44	113	246	467	703	638	206	2,635	8	4	2	3	31	63	181	404	694	804	441
Black	2,429	9	5	4	19	44	113	242	461	696	634	202	2,607	6	4	2	3	31	62	181	401	685	794	438

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	24,331	22	12	5	26	80	386	1,198	3,495	6,941	7,892	4,270	20,071	13	8	6	14	46	129	370	1,434	3,883	7,199	6,968
White	22,450	13	7	1	12	46	302	998	3,121	6,407	7,412	4,128	18,192	6	4	4	11	26	86	259	1,133	3,367	6,635	6,660
All other	1,881	9	5	4	14	34	84	199	374	534	480	144	1,879	7	4	2	3	20	43	111	301	516	564	308
Black	1,859	9	5	4	14	34	84	195	369	527	477	141	1,859	5	4	2	3	20	43	111	298	512	556	305
Rheumatic fever and rheumatic heart disease (390-398)	137	-	-	-	-	3	9	17	22	39	39	8	292	-	-	-	2	3	4	15	54	84	98	32
White	124	-	-	-	-	1	6	15	21	35	38	8	273	-	-	-	2	1	3	14	50	77	95	31
All other	13	-	-	-	-	2	3	2	1	4	1	-	19	-	-	-	-	2	1	1	4	7	3	1
Black	13	-	-	-	-	2	3	2	1	4	1	-	18	-	-	-	-	2	1	1	3	7	3	1
Hypertensive heart disease (402)	594	-	-	-	3	2	14	46	118	195	160	56	649	-	-	-	-	-	12	29	75	139	211	183
White	431	-	-	-	1	-	6	25	77	145	129	48	486	-	-	-	-	-	4	13	39	99	178	163
All other	163	-	-	-	2	2	8	21	41	50	31	8	153	-	-	-	-	-	8	16	36	40	33	20
Black	162	-	-	-	2	2	8	21	40	50	31	8	153	-	-	-	-	-	8	16	36	40	33	20
Hypertensive heart and renal disease (404)	66	-	-	-	-	-	1	4	9	19	20	13	84	-	-	-	-	1	-	5	11	22	27	18
White	44	-	-	-	-	-	-	1	3	13	15	12	57	-	-	-	-	1	-	1	5	16	21	13
All other	22	-	-	-	-	-	1	3	6	6	5	1	27	-	-	-	-	-	-	4	6	6	6	5
Black	22	-	-	-	-	-	1	3	6	6	5	1	27	-	-	-	-	-	-	4	6	6	6	5
Ischemic heart disease (410-414)	18,336	-	1	-	2	33	252	854	2,633	5,270	6,099	3,189	13,938	1	-	-	3	13	51	209	928	2,737	5,209	4,787
White	17,268	-	-	-	2	25	216	753	2,410	4,958	5,799	3,102	12,893	1	-	-	3	8	41	155	771	2,450	4,851	4,613
All other	1,068	-	1	-	-	8	36	101	223	312	300	87	1,045	-	-	-	-	5	10	54	157	287	358	174
Black	1,052	-	1	-	-	8	36	98	219	307	298	85	1,032	-	-	-	-	5	10	54	156	284	351	172
Acute myocardial infarction (410)	9,109	-	-	-	2	15	151	464	1,424	2,841	3,015	1,197	6,291	1	-	-	3	7	32	108	557	1,509	2,495	1,579
White	8,624	-	-	-	2	11	130	414	1,313	2,698	2,892	1,164	5,830	1	-	-	3	4	25	79	478	1,359	2,354	1,527
All other	485	-	-	-	-	4	21	50	111	143	123	33	461	-	-	-	-	3	7	29	79	150	141	52
Black	478	-	-	-	-	4	21	48	111	139	123	33	454	-	-	-	-	3	7	29	79	147	137	52
Other acute and subacute forms of ischemic heart disease (411)	105	-	1	-	-	1	1	5	25	22	34	16	90	-	-	-	-	-	3	-	8	23	33	23
White	91	-	-	-	-	-	-	4	23	18	31	15	81	-	-	-	-	-	3	-	7	20	29	22
All other	14	-	1	-	-	1	1	1	2	4	3	1	9	-	-	-	-	-	-	-	1	3	4	1
Black	14	-	1	-	-	1	1	1	2	4	3	1	9	-	-	-	-	-	-	-	1	3	4	1
Angina pectoris (413)	39	-	-	-	-	-	1	4	5	11	12	6	27	-	-	-	-	-	-	2	1	4	13	7
White	37	-	-	-	-	-	1	4	5	10	11	6	24	-	-	-	-	-	-	2	1	4	11	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	9,083	-	-	-	-	17	99	381	1,179	2,396	3,038	1,970	7,530	-	-	-	-	6	16	99	362	1,201	2,668	3,178
White	8,516	-	-	-	-	14	85	331	1,069	2,232	2,865	1,917	6,958	-	-	-	-	4	13	74	285	1,067	2,457	3,058
All other	567	-	-	-	-	3	14	50	110	164	173	53	572	-	-	-	-	2	3	25	77	134	211	120
Black	557	-	-	-	-	3	14	49	106	163	171	51	566	-	-	-	-	2	3	25	76	134	208	118
Other diseases of endocardium (424)	298	2	-	-	1	5	7	14	35	84	105	45	290	-	-	2	1	4	7	7	22	43	104	100
White	284	2	-	-	1	3	7	13	31	81	103	43	262	-	-	2	-	1	3	7	17	40	97	95
All other	14	-	-	-	-	2	-	1	4	3	2	2	28	-	-	-	1	3	4	-	5	3	7	5
Black	14	-	-	-	-	2	-	1	4	3	2	2	28	-	-	-	1	3	4	-	5	3	7	5
All other forms of heart disease (415-423,425-429)	4,900	20	11	5	20	37	103	263	678	1,334	1,469	959	4,818	12	8	4	8	25	55	105	344	858	1,550	1,848
White	4,299	11	7	1	8	17	67	192	579	1,175	1,328	913	4,211	5	4	2	6	15	35	69	251	685	1,393	1,745
All other	601	9	4	4	12	20	36	71	99	159	141	46	607	7	4	2	2	10	20	36	93	173	157	103
Black	596	9	4	4	12	20	36	70	99	157	140	45	601	5	4	2	2	10	20	36	92	172	156	102
Hypertension with or without renal disease (401,403)	253	-	-	-	1	1	3	10	22	67	99	50	304	-	-	-	-	3	1	9	33	66	112	80
White	209	-	-	-	-	-	1	6	18	57	84	43	227	-	-	-	-	1	-	-	18	49	87	72
All other	44	-	-	-	1	1	2	4	4	10	15	7	77	-	-	-	-	2	1	9	15	17	25	8
Black	44	-	-	-	1	1	2	4	4	10	15	7	77	-	-	-	-	2	1	9	15	17	25	8
Cerebrovascular diseases (430-438)	3,775	3	2	1	8	15	52	114	338	926	1,483	832	5,085	3	-	3	6	17	52	137	316	849	1,791	1,911
White	3,317	3	2	1	4	7	25	74	260	797	1,360	783	4,505	2	-	3	6	9	36	84	239	711	1,607	1,808
All other	458	-	-	-	4	8	27	40	78	129	123	49	580	1	-	-	-	8	16	53	77	138	184	103
Black	455	-	-	-	4	8	27	40	77	129	122	48	573	1	-	-	-	8	15	53	77	134	182	103
Intracerebral and other intracranial hemorrhage (431-432)	556	3	-	1	-	5	22	48	80	175	171	51	661	1	-	2	2	3	13	45	78	160	225	132
White	465	3	-	1	-	2	8	28	60	159	156	47	577	1	-	2	2	2	5	23	60	149	205	128
All other	91	-	-	-	-	3	14	19	20	16	15	4	84	-	-	-	-	1	8	22	18	11	20	4
Black	91	-	-	-	-	3	14	19	20	16	15	4	82	-	-	-	-	1	8	22	18	10	19	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	739	-	1	-	-	-	3	19	53	188	291	204	1,042	1	-	-	1	-	2	12	49	137	354	486
White	668	-	1	-	-	-	1	15	42	146	270	193	929	1	-	-	1	-	1	8	32	110	318	458
All other	71	-	-	-	-	-	2	4	11	22	21	11	113	-	-	-	-	-	1	4	17	27	36	28
Black	71	-	-	-	-	-	2	4	11	22	21	11	111	-	-	-	-	-	1	4	17	25	36	28

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	20	-	-	-	-	-	-	-	1	7	7	5	21	-	-	-	-	-	-	-	2	6	8	5
White	17	-	-	-	-	-	-	-	1	6	5	5	21	-	-	-	-	-	-	-	2	6	8	5
All other	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,460	-	1	-	8	10	27	47	204	576	1,014	572	3,361	1	-	1	3	14	37	80	187	546	1,204	1,288
White	2,167	-	1	-	4	5	16	30	157	486	929	538	2,978	-	-	1	3	7	30	53	145	446	1,076	1,217
All other	293	-	-	-	4	5	11	17	47	90	85	34	383	1	-	-	-	7	7	27	42	100	128	71
Black	290	-	-	-	4	5	11	17	46	90	84	33	380	1	-	-	-	7	6	27	42	99	127	71
Atherosclerosis (440)	519	-	-	-	-	-	-	3	18	108	198	192	717	-	-	-	-	-	1	-	11	70	234	401
White	487	-	-	-	-	-	-	3	14	95	188	187	664	-	-	-	-	-	-	-	8	63	211	382
All other	32	-	-	-	-	-	-	-	4	13	10	5	53	-	-	-	-	-	1	-	3	7	23	19
Black	32	-	-	-	-	-	-	-	4	13	10	5	53	-	-	-	-	-	1	-	3	7	23	19
Other diseases of arteries, arterioles, and capillaries (441-448)	942	1	-	1	-	3	5	19	109	356	333	115	468	-	-	-	2	3	6	13	48	140	156	100
White	903	1	-	1	-	2	5	16	102	339	323	114	422	-	-	-	2	2	4	5	40	124	148	97
All other	39	-	-	-	-	1	-	3	7	17	10	1	46	-	-	-	-	1	2	8	8	16	8	3
Black	39	-	-	-	-	1	-	3	7	17	10	1	45	-	-	-	-	1	2	8	8	15	8	3
Acute bronchitis and bronchiolitis (466)	22	1	1	-	-	1	-	-	5	5	5	4	13	1	-	-	-	-	-	-	-	2	5	5
White	18	1	1	-	-	-	-	-	4	5	3	4	10	-	-	-	-	-	-	-	-	2	4	4
All other	4	-	-	-	-	1	-	-	1	-	2	-	3	1	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	1	-	-	1	-	1	-	3	1	-	-	-	-	-	-	-	-	1	1
Pneumonia and influenza (480-487)	1,554	29	4	4	5	13	26	58	145	317	528	424	1,322	10	5	3	4	11	17	30	74	176	435	557
White	1,378	20	4	2	4	10	10	32	102	292	493	408	1,215	7	4	2	2	7	14	23	63	158	405	530
All other	176	9	-	2	1	3	16	26	43	25	35	16	107	3	1	1	2	4	3	7	11	18	30	27
Black	174	9	-	2	1	3	16	26	43	25	34	15	107	3	1	1	2	4	3	7	11	18	30	27
Pneumonia (480-486)	1,527	29	4	4	5	12	26	57	143	315	518	413	1,300	10	5	3	4	11	17	29	70	174	430	547
White	1,352	20	4	2	4	9	10	31	101	290	483	397	1,194	7	4	2	2	7	14	22	59	157	400	520
All other	175	9	-	2	1	3	16	26	42	25	35	16	106	3	1	1	2	4	3	7	11	17	30	27
Black	173	9	-	2	1	3	16	26	42	25	34	15	106	3	1	1	2	4	3	7	11	17	30	27
Influenza (487)	27	-	-	-	-	1	-	1	2	2	10	11	22	-	-	-	-	-	-	1	4	2	5	10
White	26	-	-	-	-	1	-	1	1	2	10	11	21	-	-	-	-	-	-	1	4	1	5	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,857	-	2	3	-	-	8	49	348	965	1,098	381	1,748	1	1	-	5	3	8	49	232	579	640	230
White	2,676	-	2	2	-	-	4	44	307	895	1,047	375	1,672	-	-	-	3	2	4	45	217	557	619	225
All other	181	-	-	1	-	-	4	5	41	70	51	6	76	1	1	-	2	1	4	4	15	22	21	5
Black	179	-	-	-	-	-	4	5	41	70	50	6	75	1	1	-	2	1	4	3	15	22	21	5
Bronchitis, chronic and unspecified (490-491)	133	-	1	1	-	-	-	3	14	39	46	29	103	1	1	-	-	1	-	1	11	27	40	21
White	126	-	1	-	-	-	-	3	14	39	41	28	96	-	-	-	-	1	-	1	10	26	37	21
All other	7	-	-	1	-	-	-	-	-	-	5	1	7	1	1	-	-	-	-	-	1	1	3	-
Black	6	-	-	-	-	-	-	-	-	-	5	1	7	1	1	-	-	-	-	-	1	1	3	-
Emphysema (492)	608	-	-	-	-	-	1	15	83	212	226	70	315	-	-	-	-	-	-	11	51	112	108	33
White	581	-	-	-	-	-	1	14	75	197	224	70	307	-	-	-	-	-	-	11	47	108	108	33
All other	27	-	-	-	-	-	-	1	8	15	2	-	8	-	-	-	-	-	-	-	4	4	-	-
Black	27	-	-	-	-	-	-	1	8	15	2	-	8	-	-	-	-	-	-	-	4	4	-	-
Asthma (493)	72	-	1	1	-	-	5	4	11	29	17	4	110	-	-	-	5	2	6	8	19	33	31	6
White	57	-	1	1	-	-	1	3	7	24	16	4	88	-	-	-	3	1	2	7	14	28	29	4
All other	15	-	-	-	-	-	4	1	4	5	1	-	22	-	-	-	2	1	4	1	5	5	2	2
Black	15	-	-	-	-	-	4	1	4	5	1	-	21	-	-	-	2	1	4	-	5	5	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,044	-	-	1	-	-	2	27	240	685	809	278	1,220	-	-	-	-	-	2	29	151	407	461	170
White	1,912	-	-	1	-	-	2	24	211	635	766	273	1,181	-	-	-	-	-	2	26	146	395	445	167
All other	132	-	-	-	-	-	-	3	29	50	43	5	39	-	-	-	-	-	-	3	5	12	16	3
Black	131	-	-	-	-	-	-	3	29	50	42	5	39	-	-	-	-	-	-	3	5	12	16	3
Ulcer of stomach and duodenum (531-533)	217	-	-	-	2	2	2	11	28	64	71	37	150	3	-	-	-	-	3	3	20	27	55	39
White	198	-	-	-	2	1	2	10	24	56	68	35	133	2	-	-	-	-	3	2	16	21	51	38
All other	19	-	-	-	-	1	-	1	4	8	3	2	17	1	-	-	-	-	-	1	4	6	4	1
Black	18	-	-	-	-	1	-	1	4	7	3	2	16	1	-	-	-	-	-	1	4	5	4	1
Appendicitis (540-543)	15	-	-	-	1	-	3	-	3	4	3	1	8	-	1	-	-	-	-	-	-	3	2	2
White	12	-	-	-	1	-	2	-	3	2	3	1	7	-	1	-	-	-	-	-	-	2	2	2
All other	3	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	111	2	1	2	1	-	4	3	9	23	44	22	157	1	-	2	-	1	1	2	9	16	60	65
White	94	2	1	1	1	-	1	2	5	19	41	21	144	1	-	2	-	1	1	2	9	11	54	63
All other	17	-	-	1	-	-	3	1	4	4	3	1	13	-	-	-	-	-	-	-	-	5	6	2
Black	17	-	-	1	-	-	3	1	4	4	3	1	12	-	-	-	-	-	-	-	-	5	5	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Chronic liver disease and cirrhosis (571)	1,024	-	-	-	2	19	72	191	310	276	134	19	679	-	1	-	-	20	49	98	180	199	102	29
White	919	-	-	-	2	15	60	163	271	261	131	18	583	-	1	-	-	8	34	78	154	183	98	27
All other	105	-	-	-	-	4	12	28	39	15	3	3	96	-	-	-	-	12	15	20	26	16	4	2
Black	100	-	-	-	-	4	12	26	38	15	2	2	96	-	-	-	-	12	15	20	26	16	4	2
Cholelithiasis and other disorders of gallbladder (574-575)	83	-	-	-	-	-	1	4	7	24	29	18	80	-	-	-	-	-	1	3	8	13	21	34
White	78	-	-	-	-	-	1	3	7	23	27	17	73	-	-	-	-	-	1	3	8	11	18	32
All other	5	-	-	-	-	-	-	1	-	1	2	1	7	-	-	-	-	-	-	-	-	2	3	2
Black	5	-	-	-	-	-	-	1	-	1	2	1	7	-	-	-	-	-	-	-	-	2	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	492	6	-	-	2	4	9	11	44	115	173	128	415	3	-	1	2	4	6	12	36	90	133	128
White	421	5	-	-	2	2	4	7	31	92	158	120	325	1	-	1	1	1	3	9	20	68	111	110
All other	71	1	-	-	-	2	5	4	13	23	15	8	90	2	-	-	1	3	3	3	16	22	22	18
Black	70	1	-	-	-	2	5	4	13	23	14	8	89	2	-	-	1	3	3	3	16	21	22	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	-	-	-	-	-	1	-	3	1	5	3	12	-	-	-	-	-	1	1	-	2	4	4
White	11	-	-	-	-	-	-	-	3	1	4	3	10	-	-	-	-	-	-	-	-	2	4	4
All other	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	56	-	-	-	-	-	1	2	6	17	17	13	50	-	-	-	-	1	2	1	6	11	15	14
White	42	-	-	-	-	-	-	2	3	11	14	12	38	-	-	-	-	1	1	1	2	9	10	14
All other	14	-	-	-	-	-	1	-	3	6	3	1	12	-	-	-	-	-	1	-	4	2	5	-
Black	14	-	-	-	-	-	1	-	3	6	3	1	12	-	-	-	-	-	1	-	4	2	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	423	6	-	-	2	4	7	9	35	97	151	112	353	3	-	1	2	3	3	10	30	77	114	110
White	368	5	-	-	2	2	4	5	25	80	140	105	277	1	-	1	1	-	2	8	18	57	97	92
All other	55	1	-	-	-	2	3	4	10	17	11	7	76	2	-	-	1	3	1	2	12	20	17	18
Black	54	1	-	-	-	2	3	4	10	17	10	7	75	2	-	-	1	3	1	2	12	19	17	18
Infections of kidney (590)	48	-	-	-	-	-	-	3	2	6	24	13	55	-	-	-	-	1	-	3	4	7	21	19
White	44	-	-	-	-	-	-	2	2	5	23	12	48	-	-	-	-	1	-	2	4	7	15	19
All other	4	-	-	-	-	-	-	1	-	1	1	1	7	-	-	-	-	-	-	1	-	-	6	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	7	-	-	-	-	-	-	1	-	-	6	-
Hyperplasia of prostate (600)	23	-	-	-	-	-	-	-	-	6	11	6	...	...	...	...	...	...	...	...	...	...	...	...
White	22	-	-	-	-	-	-	-	-	6	11	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	18	...	...	1	4	7	6	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	1	3	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	1	3	6	3	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	1	3	6	3	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	1	4	5	5	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	1	3	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	1	3	4	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	1	3	4	2	-	...	...	...	...
Congenital anomalies (740-759)	306	195	20	13	12	13	8	11	5	13	11	5	295	192	15	5	9	12	11	6	9	22	10	4
White	248	154	18	6	9	11	7	10	4	13	11	5	224	141	9	5	6	9	8	4	9	21	8	4
All other	58	41	2	7	3	2	1	1	1	-	-	-	71	51	6	-	3	3	3	2	-	1	2	-
Black	55	39	2	6	3	2	1	1	1	-	-	-	71	51	6	-	3	3	3	2	-	1	2	-
Certain conditions originating in the perinatal period (760-779)	520	518	2	-	-	-	-	-	-	-	-	-	373	367	6	-	-	-	-	-	-	-	-	-
White	297	295	2	-	-	-	-	-	-	-	-	-	199	199	-	-	-	-	-	-	-	-	-	-
All other	223	223	-	-	-	-	-	-	-	-	-	-	174	168	6	-	-	-	-	-	-	-	-	-
Black	222	222	-	-	-	-	-	-	-	-	-	-	170	164	6	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	153	153	-	-	-	-	-	-	-	-	-	-	98	97	1	-	-	-	-	-	-	-	-	-
White	94	94	-	-	-	-	-	-	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
All other	59	59	-	-	-	-	-	-	-	-	-	-	39	38	1	-	-	-	-	-	-	-	-	-
Black	59	59	-	-	-	-	-	-	-	-	-	-	39	38	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	367	365	2	-	-	-	-	-	-	-	-	-	275	270	5	-	-	-	-	-	-	-	-	-
White	203	201	2	-	-	-	-	-	-	-	-	-	140	140	-	-	-	-	-	-	-	-	-	-
All other	164	164	-	-	-	-	-	-	-	-	-	-	135	130	5	-	-	-	-	-	-	-	-	-
Black	163	163	-	-	-	-	-	-	-	-	-	-	131	126	5	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,225	158	14	2	34	78	65	100	158	249	209	149	969	87	9	4	20	40	31	46	95	145	198	289
White	1,010	103	6	1	23	58	48	80	138	219	186	137	816	45	5	2	15	25	21	39	73	123	183	283
All other	215	55	6	1	11	20	17	20	20	30	21	12	153	42	4	2	5	15	10	7	22	22	15	6
Black	212	53	6	1	11	20	17	20	20	30	20	12	151	42	4	2	5	15	10	6	22	21	15	6
All other diseases (Residual)	4,532	46	18	18	72	174	217	280	583	1,007	1,384	728	4,234	45	25	22	41	82	113	167	357	798	1,420	1,164
White	3,920	23	11	15	44	99	153	214	482	884	1,291	701	3,751	29	10	16	25	37	65	125	303	709	1,323	1,109
All other	612	23	7	3	28	75	64	66	101	123	93	27	483	16	15	6	16	45	48	42	54	89	97	55
Black	607	23	7	3	27	75	64	66	101	121	92	26	481	16	15	6	16	45	48	41	54	89	96	55
Accidents and adverse effects (E800-E949)	3,497	26	109	139	734	707	418	301	275	288	332	161	1,613	28	65	77	198	189	155	100	126	206	268	200
White	2,944	16	72	91	629	606	351	245	229	248	295	156	1,405	17	47	54	180	156	136	82	111	184	248	190
All other	553	10	37	48	105	101	67	56	46	40	37	5	208	11	18	23	18	33	19	18	15	22	20	10
Black	531	10	36	46	103	92	63	54	45	39	37	5	191	11	17	20	15	28	17	17	15	20	20	10
Motor vehicle accidents (E810-E825)	1,975	6	30	83	561	443	249	171	132	120	134	42	830	5	21	53	165	134	102	61	64	103	93	29
White	1,710	4	20	62	492	382	212	149	116	108	121	41	739	4	16	43	155	107	95	52	59	93	87	28
All other	265	2	10	21	69	61	37	22	16	12	13	1	91	1	5	10	10	27	7	9	5	10	6	1
Black	249	2	9	21	68	54	34	20	15	11	13	1	78	1	5	9	8	22	5	8	5	8	6	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,522	20	79	56	173	264	169	130	143	168	198	119	783	23	44	24	33	55	53	39	62	103	175	171
White	1,234	12	52	29	137	224	139	96	113	140	174	115	666	13	31	11	25	49	41	30	52	91	161	162
All other	288	8	27	27	36	40	30	34	30	28	24	4	117	10	13	13	8	6	12	9	10	12	14	9
Black	282	8	27	25	35	38	29	34	30	28	24	4	113	10	12	11	7	6	12	9	10	12	14	9
Suicide (E950-E959)	1,441	...	...	6	194	299	209	166	187	174	149	56	397	...	...	2	35	60	71	47	59	64	46	13
White	1,365	...	...	6	175	273	195	159	185	171	145	55	379	...	...	2	34	59	62	44	58	62	45	13
All other	76	...	...	-	19	26	14	7	2	3	4	1	18	...	...	-	1	1	9	3	1	2	1	-
Black	69	...	...	-	17	23	12	7	2	3	4	1	12	...	...	-	1	1	5	3	-	1	1	-
Homicide and legal intervention (E960-E978)	1,013	3	12	10	195	328	206	127	85	23	10	4	342	6	10	13	74	85	57	33	22	18	18	5
White	578	2	6	8	98	163	131	85	52	16	7	3	222	4	5	8	38	53	33	24	19	15	17	5
All other	435	1	6	2	97	165	75	42	33	7	3	1	120	2	5	5	36	32	24	9	3	3	1	-
Black	432	1	6	2	96	163	75	42	33	7	3	1	115	2	3	5	35	31	23	9	3	3	1	-
All other external causes (E980-E999)	64	2	-	1	8	18	11	8	9	4	2	1	39	2	-	2	7	5	9	4	5	1	3	1
White	52	1	-	1	7	13	11	6	8	3	1	1	32	-	-	2	6	4	6	4	5	1	3	1
All other	12	1	-	-	1	5	-	2	1	1	1	-	7	2	-	-	1	1	3	-	-	-	-	-
Black	12	1	-	-	1	5	-	2	1	1	1	-	7	2	-	-	1	1	3	-	-	-	-	-
GEORGIA																								
All causes	25,982	672	119	167	773	1,000	1,379	2,265	4,830	6,863	5,692	2,215	22,675	550	92	102	308	456	719	1,277	2,631	4,878	6,490	5,168
White	18,721	327	69	105	528	606	817	1,506	3,467	5,051	4,412	1,830	16,340	260	44	73	206	277	404	765	1,773	3,355	4,898	4,283
All other	7,261	345	50	62	245	394	562	759	1,363	1,812	1,280	385	6,335	290	48	29	102	179	315	512	858	1,523	1,592	885
Black	7,221	343	48	61	240	390	555	756	1,359	1,805	1,276	384	6,295	287	48	28	100	178	308	507	852	1,517	1,588	882
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	-	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-
White	3	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	54	-	-	-	-	2	5	9	14	11	12	1	26	-	-	-	2	1	5	1	1	3	11	2
White	28	-	-	-	-	-	1	5	6	7	9	-	11	-	-	-	-	-	-	1	-	2	7	1
All other	26	-	-	-	-	2	4	4	8	4	3	1	15	-	-	-	2	1	5	-	1	1	4	1
Black	26	-	-	-	-	2	4	4	8	4	3	1	15	-	-	-	2	1	5	-	1	1	4	1
Tuberculosis of respiratory system (010-012)	49	-	-	-	-	2	4	8	14	9	11	1	21	-	-	-	1	1	4	1	-	3	9	2
White	26	-	-	-	-	-	1	4	6	7	8	-	10	-	-	-	-	-	-	1	-	2	6	1
All other	23	-	-	-	-	2	3	4	8	2	3	1	11	-	-	-	1	1	4	-	-	1	3	1
Black	23	-	-	-	-	2	3	4	8	2	3	1	11	-	-	-	1	1	4	-	-	1	3	1
Other tuberculosis (013-018)	5	-	-	-	-	-	1	1	-	2	1	-	5	-	-	-	1	-	1	-	1	-	2	-
White	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	-	-	1	-	-	2	-	-	4	-	-	-	1	-	1	-	1	-	1	-
Black	3	-	-	-	-	-	1	-	-	2	-	-	4	-	-	-	1	-	1	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA--Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	205	6	2	-	3	3	9	11	33	50	67	21	279	4	1	-	2	6	5	11	22	58	91	79
White	103	2	-	-	1	2	3	3	15	20	40	17	175	1	1	-	2	3	4	6	9	28	65	56
All other	102	4	2	-	2	1	6	8	18	30	27	4	104	3	-	-	-	3	1	5	13	30	26	23
Black	102	4	2	-	2	1	6	8	18	30	27	4	104	3	-	-	-	3	1	5	13	30	26	23
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	-	-	-	-	1	1	-	7	2	2	-	9	-	-	-	4	1	-	1	2	1	-	-
White	13	-	-	-	-	1	1	-	7	2	2	-	4	-	-	-	2	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	2	1	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	2	1	-	1	-	1	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	119	-	1	3	10	21	25	11	19	14	10	5	60	4	-	2	-	4	10	6	6	11	12	5
White	78	-	-	2	5	10	15	9	15	12	5	5	32	1	-	2	-	1	4	3	4	5	9	3
All other	41	-	1	1	5	11	10	2	4	2	5	-	28	3	-	-	-	3	6	3	2	6	3	2
Black	41	-	1	1	5	11	10	2	4	2	5	-	28	3	-	-	-	3	6	3	2	6	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,624	2	8	17	30	64	197	567	1,422	1,916	1,131	269	4,416	1	5	12	21	80	210	495	909	1,217	1,027	438
White	4,087	1	7	13	19	38	131	395	1,030	1,408	844	207	3,373	-	5	9	12	65	143	340	694	939	816	350
All other	1,537	1	1	4	17	26	66	172	392	508	287	62	1,043	1	-	3	9	15	67	155	215	278	211	88
Black	1,530	1	1	4	16	26	66	172	390	506	285	62	1,030	1	-	3	9	15	64	151	212	276	210	88
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	154	-	-	-	-	2	10	30	52	40	15	5	67	-	-	-	1	1	3	7	16	10	21	8
White	96	-	-	-	-	-	5	16	27	32	13	3	47	-	-	-	-	1	1	3	11	6	18	7
All other	58	-	-	-	-	2	5	14	25	8	2	2	20	-	-	-	1	-	2	4	5	4	3	1
Black	58	-	-	-	-	2	5	14	25	8	2	2	19	-	-	-	1	-	1	4	5	4	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,103	-	-	1	1	10	38	118	269	376	243	48	1,081	-	-	-	-	8	24	70	166	303	344	164
White	754	-	-	1	1	5	24	68	183	255	181	36	777	-	-	-	-	6	17	42	112	224	251	125
All other	349	-	-	-	-	5	14	50	85	121	62	12	304	-	-	-	-	2	7	28	56	79	93	39
Black	348	-	-	-	-	5	14	50	84	121	62	12	301	-	-	-	-	2	6	27	55	79	93	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,242	-	-	-	1	9	54	251	694	842	342	49	748	-	-	-	-	1	19	95	219	246	135	32
White	1,749	-	-	-	-	3	34	197	534	666	274	41	623	-	-	-	-	1	16	72	185	205	118	26
All other	493	-	-	-	1	6	20	54	160	176	68	8	125	-	-	-	-	-	3	23	34	41	17	6
Black	489	-	-	-	1	6	20	54	159	175	66	8	123	-	-	-	-	-	3	21	34	41	17	6
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	-	1	1	3	4	-	816	-	-	-	-	22	84	139	198	189	123	61
White	8	-	-	-	-	-	-	1	1	2	4	-	621	-	-	-	-	15	55	99	156	144	101	51
All other	1	-	-	-	-	-	-	-	-	1	-	-	195	-	-	-	-	7	29	40	42	45	22	10
Black	1	-	-	-	-	-	-	-	-	1	-	-	193	-	-	-	-	7	29	39	41	45	22	10
Malignant neoplasms of genital organs (179-187)	652	-	-	1	2	2	2	9	72	232	245	87	523	-	-	-	2	20	28	71	99	147	121	35
White	400	-	-	-	2	2	1	7	37	136	156	59	386	-	-	-	1	18	19	42	72	112	98	26
All other	252	-	-	1	-	-	1	2	35	96	89	28	137	-	-	-	1	2	9	29	27	35	25	9
Black	252	-	-	1	-	-	1	2	35	96	89	28	135	-	-	-	1	2	9	29	27	34	24	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	250	1	-	-	1	1	10	26	47	88	56	19	108	-	-	-	-	-	5	14	14	25	35	15
White	175	-	-	-	-	1	4	16	31	56	49	18	81	-	-	-	-	-	3	9	12	17	28	12
All other	75	1	-	-	1	-	6	10	16	32	7	1	27	-	-	-	-	-	2	5	2	8	7	3
Black	75	1	-	-	1	-	6	10	16	32	7	1	27	-	-	-	-	-	2	5	2	8	7	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	789	1	6	8	13	22	58	91	200	218	137	35	637	-	2	5	9	13	28	71	133	165	140	71
White	579	1	5	7	6	15	45	61	145	167	98	29	485	-	2	3	5	11	22	53	95	122	110	62
All other	210	-	1	1	7	7	13	30	55	51	39	6	152	-	-	2	4	2	6	18	38	43	30	9
Black	208	-	1	1	6	7	13	30	55	50	39	6	151	-	-	2	4	2	6	18	37	43	30	9
Leukemia (204-208)	196	-	2	7	5	9	12	14	34	58	39	16	184	-	3	7	5	8	9	9	19	54	44	26
White	157	-	2	5	2	8	10	12	28	49	30	11	152	-	3	6	4	6	2	9	15	43	41	23
All other	39	-	-	2	3	1	2	2	6	9	9	5	32	-	-	1	1	2	7	-	4	11	3	3
Black	39	-	-	2	3	1	2	2	6	9	9	5	31	-	-	1	1	2	6	-	4	11	3	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	229	-	-	-	7	9	13	27	54	59	50	10	252	1	-	-	4	7	10	19	43	78	64	26
White	169	-	-	-	2	4	8	17	44	45	39	10	201	-	-	-	2	7	8	11	36	66	53	18
All other	60	-	-	-	5	5	5	10	10	14	11	-	51	1	-	-	2	-	2	8	7	12	11	8
Black	60	-	-	-	5	5	5	10	10	14	11	-	50	1	-	-	2	-	2	8	7	11	11	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	66	-	-	-	1	2	4	6	12	19	17	5	97	1	2	2	2	6	3	5	13	29	25	9
White	50	-	-	-	-	1	1	5	11	14	13	5	64	1	1	2	1	3	1	5	9	17	18	6
All other	16	-	-	-	1	1	3	1	1	5	4	-	33	-	1	-	1	3	2	-	4	12	7	3
Black	16	-	-	-	1	1	3	1	1	5	4	-	33	-	1	-	1	3	2	-	4	12	7	3
Diabetes mellitus (250)	357	-	-	1	4	12	27	30	63	96	90	14	492	-	-	1	2	6	15	32	74	166	138	58
White	230	-	-	-	1	7	13	14	59	68	61	9	272	-	-	-	-	3	7	12	35	80	93	42
All other	127	-	-	1	3	5	14	16	24	30	29	5	220	-	-	1	2	3	8	20	39	86	45	16
Black	126	-	-	1	3	5	14	16	24	30	28	5	220	-	-	1	2	3	8	20	39	86	45	16
Nutritional deficiencies (260-269)	36	2	-	-	-	-	1	2	4	11	7	9	40	-	-	-	-	1	-	1	5	2	12	18
White	17	-	-	-	-	-	1	-	-	6	3	7	28	-	-	-	-	1	-	-	2	-	10	14
All other	19	2	-	-	-	-	-	2	4	5	4	2	12	-	-	-	-	-	-	1	3	2	2	4
Black	19	2	-	-	-	-	-	2	4	5	4	2	12	-	-	-	-	-	-	1	3	2	2	4
Anemias (280-285)	49	1	4	1	3	4	1	3	4	11	11	6	59	-	4	1	1	-	3	3	5	12	19	11
White	24	-	-	-	-	-	-	-	2	6	10	6	35	-	-	-	-	-	-	1	2	11	12	9
All other	25	1	4	1	3	4	1	3	2	5	1	-	24	-	4	1	1	-	3	2	3	1	7	2
Black	25	1	4	1	3	4	1	3	2	5	1	-	24	-	4	1	1	-	3	2	3	1	7	2
Meningitis (320-322)	12	5	3	2	-	1	-	1	-	-	-	-	13	2	1	-	-	-	1	1	2	4	2	-
White	6	3	3	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	-	1	2	1	-
All other	6	2	-	2	-	1	-	1	-	-	-	-	8	2	1	-	-	-	-	1	1	2	1	-
Black	6	2	-	2	-	1	-	1	-	-	-	-	8	2	1	-	-	-	-	1	1	2	1	-
Major cardiovascular diseases (390-448)	10,836	18	3	6	25	86	359	869	2,118	3,144	2,928	1,280	11,125	11	4	7	22	48	152	378	996	2,419	3,740	3,353
White	8,130	8	1	6	10	48	214	618	1,536	2,335	2,285	1,069	8,078	5	-	6	11	23	70	190	589	1,582	2,778	2,826
All other	2,706	10	2	-	15	38	145	251	582	809	643	211	3,047	6	4	1	11	25	82	188	407	831	964	527
Black	2,698	10	2	-	15	38	142	250	580	808	642	211	3,037	6	4	1	11	25	82	188	406	827	961	525
Diseases of heart (390-398,402,404-429)	8,626	11	3	5	21	70	298	739	1,787	2,507	2,248	937	7,932	10	4	7	19	29	110	279	781	1,778	2,636	2,279
White	6,607	5	1	5	7	42	186	551	1,339	1,929	1,760	782	5,803	4	-	6	10	11	52	141	464	1,214	1,988	1,913
All other	2,019	6	2	-	14	28	112	188	448	578	488	155	2,129	6	4	1	9	18	58	138	317	564	648	366
Black	2,012	6	2	-	14	28	110	187	446	577	487	155	2,121	6	4	1	9	18	58	138	316	562	645	364
Rheumatic fever and rheumatic heart disease (390-398)	19	-	-	-	1	1	3	2	2	7	3	-	46	-	-	-	1	2	5	4	5	8	15	6
White	13	-	-	-	1	1	2	2	-	5	2	-	36	-	-	-	-	-	4	4	4	8	13	3
All other	6	-	-	-	-	-	1	-	2	2	1	-	10	-	-	-	1	2	1	-	1	-	2	3
Black	6	-	-	-	-	-	1	-	2	2	1	-	10	-	-	-	1	2	1	-	1	-	2	3
Hypertensive heart disease (402)	236	-	-	-	-	2	13	22	56	72	43	28	333	-	-	-	1	2	6	23	47	87	101	66
White	95	-	-	-	-	-	3	7	19	30	18	18	147	-	-	-	-	-	-	2	12	36	50	47
All other	141	-	-	-	-	2	10	15	37	42	25	10	186	-	-	-	1	2	6	21	35	51	51	19
Black	141	-	-	-	-	2	10	15	37	42	25	10	186	-	-	-	1	2	6	21	35	51	51	19
Hypertensive heart and renal disease (404)	36	-	-	-	-	-	-	-	2	13	12	9	69	-	-	-	-	-	-	3	9	15	20	22
White	18	-	-	-	-	-	-	-	-	7	7	4	39	-	-	-	-	-	-	1	2	6	14	16
All other	18	-	-	-	-	-	-	-	2	6	5	5	30	-	-	-	-	-	-	2	7	9	6	6
Black	18	-	-	-	-	-	-	-	2	6	5	5	30	-	-	-	-	-	-	2	7	9	6	6
Ischemic heart disease (410-414)	5,801	-	-	1	3	29	194	518	1,245	1,746	1,501	564	4,762	-	-	-	3	8	45	147	475	1,143	1,640	1,301
White	4,755	-	-	1	1	17	139	422	1,009	1,437	1,246	483	3,714	-	-	-	3	5	28	84	311	855	1,318	1,110
All other	1,046	-	-	-	2	12	55	96	236	309	255	81	1,048	-	-	-	-	3	17	63	164	288	322	191
Black	1,042	-	-	-	2	12	54	95	235	309	254	81	1,046	-	-	-	-	3	17	63	164	288	321	190
Acute myocardial infarction (410)	3,699	-	-	1	2	27	148	393	904	1,191	942	291	2,859	-	-	-	1	4	39	116	329	782	985	603
White	3,203	-	-	1	1	16	105	327	741	978	784	250	2,212	-	-	-	1	2	26	71	209	597	799	507
All other	696	-	-	-	1	11	43	66	163	213	158	41	647	-	-	-	-	2	13	45	120	185	186	96
Black	694	-	-	-	1	11	42	65	163	213	158	41	647	-	-	-	-	2	13	45	120	185	186	96

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	97	-	-	-	-	1	5	14	27	22	19	9	63	-	-	-	-	2	1	5	8	16	13	18
White	66	-	-	-	-	-	3	8	18	16	14	7	41	-	-	-	-	1	-	1	6	10	8	15
All other	31	-	-	-	-	1	2	6	9	6	5	2	22	-	-	-	-	1	1	4	2	6	5	3
Black	31	-	-	-	-	1	2	6	9	6	5	2	22	-	-	-	-	1	1	4	2	6	5	3
Angina pectoris (413)	12	-	-	-	-	-	1	1	1	4	4	1	13	-	-	-	-	-	-	-	3	2	5	3
White	12	-	-	-	-	-	1	1	1	4	4	1	12	-	-	-	-	-	-	-	3	2	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,793	-	-	-	1	1	40	110	313	529	596	263	1,827	-	-	-	2	2	5	26	135	343	637	677
White	1,474	-	-	-	-	1	30	86	249	439	444	225	1,449	-	-	-	2	2	2	12	93	246	507	585
All other	319	-	-	-	1	-	10	24	64	90	92	38	378	-	-	-	-	-	3	14	42	97	130	92
Black	317	-	-	-	1	-	10	24	63	90	91	38	376	-	-	-	-	-	3	14	42	97	129	91
Other diseases of endocardium (424)	82	-	-	-	-	1	-	5	13	23	32	8	83	-	-	-	-	2	1	5	8	16	22	29
White	68	-	-	-	-	1	-	4	10	20	26	7	66	-	-	-	-	-	1	1	7	13	17	27
All other	14	-	-	-	-	-	-	1	3	3	6	1	17	-	-	-	-	2	-	4	1	3	5	2
Black	14	-	-	-	-	-	-	1	3	3	6	1	17	-	-	-	-	2	-	4	1	3	5	2
All other forms of heart disease (415-423,425-429)	2,452	11	3	4	17	37	88	192	469	646	657	328	2,639	10	4	7	14	15	53	97	237	509	838	855
White	1,658	5	1	4	5	23	42	116	301	430	461	270	1,801	4	-	6	7	8	19	49	128	296	576	710
All other	794	6	2	-	12	14	46	76	168	216	196	58	838	6	4	1	7	9	34	48	109	213	262	145
Black	791	6	2	-	12	14	45	76	167	215	196	58	832	6	4	1	7	9	34	48	108	211	260	144
Hypertension with or without renal disease (401,403)	114	-	-	-	-	-	5	13	28	30	26	12	137	-	-	-	-	2	3	8	13	43	37	31
White	57	-	-	-	-	-	1	4	12	14	16	10	64	-	-	-	-	-	1	4	4	15	17	23
All other	57	-	-	-	-	-	4	9	16	16	10	2	73	-	-	-	-	2	2	4	9	28	20	8
Black	57	-	-	-	-	-	4	9	16	16	10	2	72	-	-	-	-	2	2	4	9	27	20	8
Cerebrovascular diseases (430-438)	1,652	7	-	-	3	14	51	98	235	473	517	256	2,597	1	-	-	3	15	36	79	172	524	901	866
White	1,106	3	-	-	2	5	25	49	128	283	394	217	1,871	1	-	-	1	10	16	36	103	307	657	740
All other	546	4	-	-	1	9	26	47	107	190	123	39	726	-	-	-	2	5	20	43	69	217	244	126
Black	546	4	-	-	1	9	26	47	107	190	123	39	725	-	-	-	2	5	20	43	69	216	244	126
Intracerebral and other intracranial hemorrhage (431-432)	267	5	-	-	1	8	22	34	55	70	53	19	336	-	-	-	1	6	11	26	38	88	82	84
White	153	2	-	-	1	4	8	13	33	39	36	17	247	-	-	-	-	4	1	13	24	61	70	74
All other	114	3	-	-	-	4	14	21	22	31	17	2	89	-	-	-	1	2	10	13	14	27	12	10
Black	114	3	-	-	-	4	14	21	22	31	17	2	89	-	-	-	1	2	10	13	14	27	12	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	225	-	-	-	-	-	4	2	29	64	83	43	404	-	-	-	-	1	2	6	20	76	153	146
White	170	-	-	-	-	-	2	1	17	44	69	37	302	-	-	-	-	1	1	-	9	46	118	127
All other	55	-	-	-	-	-	2	1	12	20	14	6	102	-	-	-	-	-	1	6	11	30	35	19
Black	55	-	-	-	-	-	2	1	12	20	14	6	102	-	-	-	-	-	1	6	11	30	35	19
Cerebral embolism (434.1)	9	-	-	-	-	-	-	2	-	3	3	1	10	-	-	-	-	-	-	-	2	3	3	2
White	5	-	-	-	-	-	-	1	-	2	2	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	4	-	-	-	-	-	-	1	-	1	1	1	3	-	-	-	-	-	-	-	1	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,151	2	-	-	2	6	25	58	151	336	378	193	1,847	1	-	-	2	8	23	47	112	357	663	634
White	778	1	-	-	1	1	15	34	78	198	287	163	1,316	1	-	-	1	5	14	23	69	198	467	538
All other	373	1	-	-	1	5	10	24	73	138	91	30	531	-	-	-	1	3	9	24	43	159	196	96
Black	373	1	-	-	1	5	10	24	73	138	91	30	531	-	-	-	1	3	9	24	43	159	196	96
Atherosclerosis (440)	180	-	-	-	-	-	2	2	21	35	63	57	267	-	-	-	-	1	-	2	9	19	95	140
White	136	-	-	-	-	-	1	1	17	23	51	43	212	-	-	-	-	1	-	1	5	15	68	122
All other	44	-	-	-	-	-	1	1	4	12	12	14	55	-	-	-	-	-	-	1	4	4	27	18
Black	44	-	-	-	-	-	1	1	4	12	12	14	55	-	-	-	-	-	-	1	4	4	27	18
Other diseases of arteries, arterioles, and capillaries (441-448)	264	-	-	1	1	2	3	19	47	99	74	18	192	-	-	-	-	1	3	10	21	49	71	37
White	224	-	-	1	1	1	1	13	40	86	64	17	128	-	-	-	-	1	1	8	13	31	46	28
All other	40	-	-	-	-	1	2	6	7	13	10	1	64	-	-	-	-	-	2	2	8	18	25	9
Black	39	-	-	-	-	1	1	6	7	13	10	1	64	-	-	-	-	-	2	2	8	18	25	9
Acute bronchitis and bronchiolitis (466)	8	1	-	-	-	-	-	1	-	1	4	1	6	-	1	-	-	-	-	-	2	1	-	2
White	6	1	-	-	-	-	-	-	-	1	3	1	4	-	-	-	-	-	-	-	2	-	-	2
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	795	25	3	1	1	12	25	39	80	197	268	143	764	13	3	2	1	7	15	20	42	93	229	339
White	583	14	3	-	1	3	5	19	52	148	211	127	587	3	-	1	1	4	9	9	26	59	178	297
All other	212	11	-	1	-	9	20	20	28	49	57	16	177	10	3	1	-	3	6	11	16	34	51	42
Black	211	11	-	1	-	9	20	20	28	48	57	16	177	10	3	1	-	3	6	11	16	34	51	42

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	777	25	2	1	1	12	25	39	78	193	261	139	739	13	3	2	1	7	15	19	39	92	222	326
White	570	14	2	-	1	3	5	19	50	146	208	124	565	3	-	1	1	4	9	9	25	58	171	284
All other	207	11	-	1	-	9	20	20	28	47	55	15	174	10	3	1	-	3	6	10	14	34	51	42
Black	206	11	-	1	-	9	20	20	28	46	55	15	174	10	3	1	-	3	6	10	14	34	51	42
Influenza (487)	18	-	1	-	-	-	-	-	2	4	7	4	25	-	-	-	-	-	-	1	3	1	7	13
White	13	-	1	-	-	-	-	-	2	2	5	3	22	-	-	-	-	-	-	-	1	1	7	13
All other	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	1	2	-	-	-
Black	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	1	2	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,120	1	1	1	2	6	8	50	192	430	337	91	560	-	1	2	3	4	4	32	124	190	155	55
White	962	-	-	1	1	2	4	38	161	374	298	83	499	-	1	1	2	1	3	22	111	168	141	49
All other	158	1	1	-	1	4	4	12	31	56	39	8	61	-	-	1	1	3	1	10	13	12	14	6
Black	158	1	1	-	1	4	4	12	31	56	39	8	61	-	-	1	1	3	1	10	13	12	14	6
Bronchitis, chronic and unspecified (490-491)	62	-	-	-	-	1	-	2	10	32	13	4	41	-	-	1	-	-	-	5	8	12	9	6
White	58	-	-	-	-	-	-	2	9	30	13	4	39	-	-	1	-	-	-	4	7	12	9	6
All other	4	-	-	-	-	1	-	-	1	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	4	-	-	-	-	1	-	-	1	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Emphysema (492)	269	-	-	-	-	1	1	9	48	102	89	19	95	-	-	-	-	-	1	5	17	34	30	8
White	246	-	-	-	-	-	1	8	45	94	80	18	88	-	-	-	-	-	1	5	17	32	28	7
All other	23	-	-	-	-	1	-	1	3	8	9	1	7	-	-	-	-	-	-	-	-	2	4	1
Black	23	-	-	-	-	1	-	1	3	8	9	1	7	-	-	-	-	-	-	-	-	2	4	1
Asthma (493)	54	1	1	1	1	3	2	12	11	11	10	1	57	-	1	1	3	4	2	9	13	13	6	5
White	29	-	-	1	-	1	-	6	5	7	8	1	39	-	1	-	2	1	1	4	10	10	5	5
All other	25	1	1	-	1	2	2	6	6	4	2	-	18	-	-	1	1	3	1	5	3	3	1	-
Black	25	1	1	-	1	2	2	6	6	4	2	-	18	-	-	1	1	3	1	5	3	3	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	735	-	-	-	1	1	5	27	123	285	225	67	367	-	-	-	-	-	1	13	86	121	110	36
White	629	-	-	-	1	1	3	22	102	243	187	60	333	-	-	-	-	-	1	9	77	114	101	31
All other	106	-	-	-	-	-	2	5	21	42	28	7	34	-	-	-	-	-	-	4	9	7	9	5
Black	106	-	-	-	-	-	2	5	21	42	28	7	34	-	-	-	-	-	-	4	9	7	9	5
Ulcer of stomach and duodenum (531-533)	76	-	-	-	-	2	2	7	15	20	22	8	77	-	-	-	-	-	1	-	8	18	34	16
White	56	-	-	-	-	1	2	6	7	15	19	6	66	-	-	-	-	-	1	-	6	14	30	15
All other	20	-	-	-	-	1	-	1	8	5	3	2	11	-	-	-	-	-	-	-	2	4	4	1
Black	19	-	-	-	-	1	-	1	8	4	3	2	11	-	-	-	-	-	-	-	2	4	4	1
Appendicitis (540-543)	9	-	-	-	-	-	-	-	2	3	2	2	7	1	-	1	-	-	-	-	1	3	-	1
White	5	-	-	-	-	-	-	-	1	2	-	2	4	1	-	-	-	-	-	-	-	2	-	1
All other	4	-	-	-	-	-	-	-	1	1	2	-	3	-	-	1	-	-	-	-	1	1	-	-
Black	4	-	-	-	-	-	-	-	1	1	2	-	3	-	-	1	-	-	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	52	2	-	-	-	-	1	3	11	11	19	5	85	1	1	-	-	1	-	3	11	17	20	31
White	28	1	-	-	-	-	-	2	3	7	13	2	59	1	-	-	-	1	-	2	3	11	14	27
All other	24	1	-	-	-	-	1	1	8	4	6	3	26	-	1	-	-	-	-	1	8	6	6	4
Black	24	1	-	-	-	-	1	1	8	4	6	3	26	-	1	-	-	-	-	1	8	6	6	4
Chronic liver disease and cirrhosis (571)	392	-	1	-	1	13	63	86	122	86	19	1	209	-	-	-	1	9	22	48	53	47	27	2
White	281	-	1	-	-	6	32	63	94	66	18	1	145	-	-	-	-	1	12	32	38	36	24	2
All other	111	-	-	-	1	7	31	23	28	20	1	-	64	-	-	-	1	8	10	16	15	11	3	-
Black	111	-	-	-	1	7	31	23	28	20	1	-	63	-	-	-	1	8	10	16	14	11	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	45	-	-	-	-	-	2	1	5	14	12	11	45	-	-	-	-	1	-	1	6	7	16	14
White	38	-	-	-	-	-	2	1	3	12	11	9	37	-	-	-	-	1	-	1	3	6	12	14
All other	7	-	-	-	-	-	-	-	2	2	1	2	8	-	-	-	-	-	-	-	3	1	4	-
Black	7	-	-	-	-	-	-	-	2	2	1	2	8	-	-	-	-	-	-	-	3	1	4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	256	4	1	-	3	8	11	13	28	66	82	40	313	-	-	-	-	-	8	21	34	74	108	68
White	135	3	1	-	1	2	2	3	13	34	52	24	166	-	-	-	-	-	5	5	13	30	69	44
All other	121	1	-	-	2	6	9	10	15	32	30	16	147	-	-	-	-	-	3	16	21	44	39	24
Black	121	1	-	-	2	6	9	10	15	32	30	16	147	-	-	-	-	-	3	16	21	44	39	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	2	-	3	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	1	-	1	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	2	-	3	2	6	6	1	24	-	-	-	-	-	1	2	3	7	7	4
White	8	-	-	-	-	1	-	1	1	2	3	-	17	-	-	-	-	-	1	1	1	6	7	1
All other	12	-	-	-	-	1	-	2	1	4	3	1	7	-	-	-	-	-	-	1	2	1	-	3
Black	12	-	-	-	-	1	-	2	1	4	3	1	7	-	-	-	-	-	-	1	2	1	-	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	232	4	1	-	3	6	11	10	25	59	75	38	283	-	-	-	-	-	7	17	31	64	100	64
White	124	3	1	-	1	1	2	2	12	31	48	23	146	-	-	-	-	-	4	3	12	23	61	43
All other	108	1	-	-	2	5	9	8	13	28	27	15	137	-	-	-	-	-	3	14	19	41	39	21
Black	108	1	-	-	2	5	9	8	13	28	27	15	137	-	-	-	-	-	3	14	19	41	39	21
Infections of kidney (590)	25	-	-	-	-	1	-	-	3	7	13	1	31	-	-	-	-	-	-	1	3	9	10	8
White	14	-	-	-	-	1	-	-	1	4	7	1	22	-	-	-	-	-	-	1	1	6	7	7
All other	11	-	-	-	-	-	-	-	2	3	6	-	9	-	-	-	-	-	-	-	2	3	3	1
Black	11	-	-	-	-	-	-	-	2	3	6	-	9	-	-	-	-	-	-	-	2	3	3	1
Hyperplasia of prostate (600)	16	-	-	-	-	-	-	-	-	5	6	5	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	-	5	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	8	-	-	-	-	-	-	-	-	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	8	-	-	-	-	-	-	-	-	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	11	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	9	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	9	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	5	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	5	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	5	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Congenital anomalies (740-759)	164	112	11	5	5	8	4	3	7	4	2	3	157	113	4	6	4	6	9	5	6	1	2	1
White	109	67	10	4	4	6	4	2	4	3	2	3	99	63	2	4	4	5	8	4	5	1	2	1
All other	55	45	1	1	1	2	-	1	3	1	-	-	58	50	2	2	-	1	1	1	1	-	-	-
Black	55	45	1	1	1	2	-	1	3	1	-	-	57	49	2	2	-	1	1	1	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	346	343	2	1	-	-	-	-	-	-	-	-	295	293	-	1	-	-	1	-	-	-	-	-
White	160	158	1	1	-	-	-	-	-	-	-	-	133	131	-	1	-	-	1	-	-	-	-	-
All other	186	185	1	-	-	-	-	-	-	-	-	-	162	162	-	-	-	-	-	-	-	-	-	-
Black	185	184	1	-	-	-	-	-	-	-	-	-	162	162	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	85	85	-	-	-	-	-	-	-	-	-	-	70	69	-	-	-	-	1	-	-	-	-	-
White	48	48	-	-	-	-	-	-	-	-	-	-	43	42	-	-	-	-	1	-	-	-	-	-
All other	37	37	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Black	37	37	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	261	258	2	1	-	-	-	-	-	-	-	-	225	224	-	1	-	-	-	-	-	-	-	-
White	112	110	1	1	-	-	-	-	-	-	-	-	90	89	-	1	-	-	-	-	-	-	-	-
All other	149	148	1	-	-	-	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
Black	148	147	1	-	-	-	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	264	93	3	1	5	8	11	16	31	40	35	20	242	57	-	1	5	2	5	6	11	37	57	61
White	126	42	1	-	3	3	4	9	16	17	17	13	151	30	-	1	1	2	3	4	6	20	38	46
All other	138	51	2	1	2	5	7	7	15	23	18	7	91	27	-	-	4	-	2	2	5	17	19	15
Black	134	50	2	1	2	5	6	7	15	22	18	6	90	27	-	-	4	-	2	2	4	17	19	15
All other diseases (Residual)	1,933	30	15	11	48	87	164	183	292	459	438	206	1,986	25	9	10	29	63	100	106	180	366	606	492
White	1,332	15	11	8	32	55	95	88	189	312	352	175	1,376	11	3	8	15	26	40	52	124	254	456	387
All other	601	15	4	3	16	32	69	95	103	147	86	31	610	14	6	2	14	37	60	54	56	112	150	105
Black	601	15	4	3	16	32	69	95	103	147	86	31	608	14	6	2	14	37	59	53	56	112	150	105
Accidents and adverse effects (E800-E949)	1,943	22	55	102	411	352	264	204	200	153	122	57	898	21	49	44	136	114	82	62	77	85	132	96
White	1,342	11	27	59	322	251	154	123	147	105	98	45	669	10	27	30	115	80	53	48	59	63	106	78
All other	601	11	28	43	89	101	110	81	53	48	24	12	229	11	22	14	21	34	29	14	18	22	26	18
Black	588	11	26	42	88	97	108	79	53	47	24	12	220	9	22	13	20	32	27	14	18	22	26	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	980	3	18	47	305	199	134	84	84	59	36	11	460	11	26	33	121	77	57	30	38	29	29	9
White	715	2	6	29	248	145	85	54	65	40	32	9	356	6	17	25	104	58	36	24	31	25	24	6
All other	265	1	12	18	57	54	49	30	19	19	4	2	104	5	9	8	17	19	21	6	7	4	5	3
Black	257	1	11	18	56	52	47	29	19	18	4	2	97	3	9	7	16	18	20	6	7	4	5	2
All other accidents and adverse effects (E800-E807, E826-E949)	963	19	37	55	106	153	130	120	116	94	86	46	438	10	23	11	15	37	25	32	39	56	103	87
White	627	9	21	30	74	106	69	69	82	65	66	36	313	4	10	5	11	22	17	24	28	38	82	72
All other	336	10	16	25	32	47	61	51	34	29	20	10	125	6	13	6	4	15	8	8	11	18	21	15
Black	331	10	15	24	32	45	61	50	34	29	20	10	123	6	13	6	4	14	7	8	11	18	21	15
Suicide (E950-E959)	580	...	...	8	100	126	85	79	80	64	30	8	154	...	...	3	21	27	27	23	26	15	9	3
White	516	...	...	6	88	102	75	73	74	61	29	8	137	...	...	3	18	24	24	19	24	14	8	3
All other	64	...	...	2	12	24	10	6	6	3	1	-	17	...	...	-	3	3	3	4	2	1	1	-
Black	63	...	...	2	11	24	10	6	6	3	1	-	14	...	...	-	2	2	2	4	2	1	1	-
Homicide and legal intervention (E960-E978)	520	3	5	7	112	162	97	65	40	23	4	-	190	1	6	5	35	59	37	15	12	8	7	4
White	203	-	2	5	39	52	47	26	16	11	3	-	87	1	4	3	15	25	14	8	5	4	5	2
All other	317	3	3	2	73	110	50	39	24	12	1	-	103	-	2	2	20	34	23	7	7	4	2	2
Black	315	3	3	2	71	110	50	39	24	12	1	-	103	-	2	2	20	34	23	7	7	4	2	2
All other external causes (E980-E999)	60	-	-	-	9	19	12	6	6	4	2	2	19	1	-	1	6	6	3	-	-	1	-	1
White	47	-	-	-	7	15	10	4	5	3	2	1	16	1	-	1	5	6	1	-	-	1	-	1
All other	13	-	-	-	2	4	2	2	1	1	-	1	3	-	-	-	1	-	2	-	-	-	-	-
Black	12	-	-	-	2	4	1	2	1	1	-	1	3	-	-	-	1	-	2	-	-	-	-	-
HAWAII																								
All causes	3,457	88	15	14	95	129	136	208	594	850	913	415	2,368	74	12	17	27	44	75	122	358	473	576	590
White	1,056	17	5	1	27	57	49	70	205	285	232	108	746	18	2	3	6	17	18	36	83	156	207	200
All other	2,401	71	10	13	68	72	87	138	389	565	681	307	1,622	56	10	14	21	27	57	86	275	317	369	390
Black	38	9	-	-	4	9	4	2	1	4	3	2	15	9	1	1	1	-	-	-	-	2	1	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	29	-	-	-	-	1	-	-	3	8	13	4	12	-	-	1	-	-	-	-	2	1	3	5
White	6	-	-	-	-	-	-	-	1	-	3	2	4	-	-	-	-	-	-	-	-	-	3	1
All other	23	-	-	-	-	1	-	-	2	8	10	2	8	-	-	1	-	-	-	-	2	1	-	4
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	4	-	-	-	-	1	1	-	1	1	-	-	3	-	-	-	1	1	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	1	1	-	1	1	-	-	3	-	-	-	1	1	-	-	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	10	-	-	-	-	4	2	-	1	1	2	-	16	1	2	-	-	2	-	1	2	2	4	2
White	6	-	-	-	-	2	1	-	1	1	1	-	5	1	-	-	-	2	-	-	-	-	1	1
All other	4	-	-	-	-	2	1	-	-	-	1	-	11	-	2	-	-	-	-	1	2	2	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	879	-	2	5	5	19	23	77	210	277	209	52	565	1	1	4	2	4	29	58	141	151	123	51
White	270	-	1	1	-	8	6	18	72	93	55	16	195	-	-	-	-	1	7	22	39	53	54	19
All other	609	-	1	4	5	11	17	59	138	184	154	36	370	1	1	4	2	3	22	36	102	99	69	32
Black	5	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	-	-	-	-	-	-	3	7	5	7	2	8	-	-	-	-	-	-	-	1	4	3	-
White	9	-	-	-	-	-	-	-	3	4	1	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	15	-	-	-	-	-	-	3	4	1	6	1	5	-	-	-	-	-	-	-	1	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	299	-	-	-	-	1	4	32	67	102	80	13	167	-	-	-	-	-	3	13	44	42	39	26
White	64	-	-	-	-	-	-	5	17	20	17	5	44	-	-	-	-	-	-	2	8	10	13	11
All other	235	-	-	-	-	1	4	27	50	82	63	8	123	-	-	-	-	-	3	11	36	32	26	15
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	243	-	-	-	-	2	6	25	77	85	36	12	91	-	-	-	-	-	3	6	25	30	19	8
White	86	-	-	-	-	1	2	7	30	32	11	3	36	-	-	-	-	-	1	2	8	13	9	3
All other	157	-	-	-	-	1	4	18	47	53	25	9	55	-	-	-	-	-	2	4	17	17	10	5
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	108	-	-	-	-	-	11	16	31	29	18	3
White	1	-	-	-	-	-	-	-	-	-	1	-	47	-	-	-	-	-	3	9	10	15	10	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	61	-	-	-	-	-	8	7	21	14	8	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	76	-	-	-	-	1	-	-	5	25	35	10	67	-	-	-	1	-	3	9	20	15	17	2
White	29	-	-	-	-	-	-	-	3	13	12	1	26	-	-	-	-	-	1	3	6	6	9	1
All other	47	-	-	-	-	1	-	-	2	12	23	9	41	-	-	-	1	-	2	6	14	9	8	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	32	-	-	-	-	-	-	2	10	12	6	2	11	-	-	-	-	-	-	-	2	5	2	2
White	14	-	-	-	-	-	-	1	4	6	1	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	18	-	-	-	-	-	-	1	6	6	5	-	9	-	-	-	-	-	-	-	2	5	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	118	-	2	4	2	10	7	7	26	29	23	8	57	-	-	1	-	1	7	6	11	16	12	3
White	47	-	1	1	-	5	2	3	10	13	9	3	21	-	-	-	-	1	2	4	4	4	5	1
All other	71	-	1	3	2	5	5	4	16	16	14	5	36	-	-	1	-	-	5	2	7	12	7	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	33	-	-	1	1	3	2	4	7	8	6	1	26	1	1	3	1	2	2	2	4	4	3	3
White	6	-	-	-	-	-	1	-	1	1	2	1	7	-	-	-	-	-	-	1	3	2	-	1
All other	27	-	-	1	1	3	1	4	6	7	4	-	19	1	1	3	1	2	2	1	1	2	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	-	2	2	4	4	11	11	15	4	30	-	-	-	-	1	-	6	3	6	10	4
White	14	-	-	-	-	2	1	2	4	4	1	-	9	-	-	-	-	-	-	1	-	2	5	1
All other	39	-	-	-	2	-	3	2	7	7	14	4	21	-	-	-	-	1	-	5	3	4	5	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	-	-	-	-	-	1	2	3	4	3	3	8	-	-	-	-	-	1	-	-	-	4	3
White	5	-	-	-	-	-	-	1	-	3	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	11	-	-	-	-	-	1	1	3	1	2	3	5	-	-	-	-	-	1	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	76	-	-	-	-	-	4	2	23	22	18	7	65	-	-	-	-	-	1	3	11	17	17	16
White	24	-	-	-	-	-	1	1	5	9	7	1	20	-	-	-	-	-	1	1	2	4	6	6
All other	52	-	-	-	-	-	3	1	18	13	11	6	45	-	-	-	-	-	-	2	9	13	11	10
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	1	1	2	3	6	-	-	-	-	-	-	-	-	3	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
All other	7	-	-	-	-	-	-	-	1	1	2	3	3	-	-	-	-	-	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	1	-	-	-	1	-	-	-	-	3	2	6	-	1	-	-	-	1	-	-	-	-	4
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2
All other	7	1	-	-	-	1	-	-	-	-	3	2	3	-	1	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,398	3	-	2	3	10	38	82	242	372	435	211	1,025	1	-	-	2	3	20	35	140	191	286	347
White	407	1	-	-	-	3	14	25	85	120	103	56	290	-	-	-	-	-	-	9	30	52	93	106
All other	991	2	-	2	3	7	24	57	157	252	332	155	735	1	-	-	2	3	20	26	110	139	193	241
Black	8	-	-	-	-	1	2	1	-	2	1	1	2	-	-	-	-	-	-	-	-	2	-	-
Diseases of heart (390-398,402,404-429)	1,126	3	-	2	3	6	31	72	217	307	329	156	743	-	-	-	2	2	12	26	103	138	209	251
White	336	1	-	-	-	2	12	25	78	98	83	37	224	-	-	-	-	-	-	7	25	40	75	77
All other	790	2	-	2	3	4	19	47	139	209	246	119	519	-	-	-	2	2	12	19	78	98	134	174
Black	4	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	11	-	-	-	2	1	2	-	1	1	3	1	12	-	-	-	-	1	1	1	5	2	1	1
White	3	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	8	-	-	-	2	-	1	-	-	1	3	1	11	-	-	-	-	1	1	1	5	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	28	-	-	-	-	-	-	1	4	7	14	2	30	-	-	-	-	-	-	3	6	5	10	6
White	6	-	-	-	-	-	-	-	2	1	3	-	8	-	-	-	-	-	-	1	1	2	3	1
All other	22	-	-	-	-	-	-	1	2	6	11	2	22	-	-	-	-	-	-	2	5	3	7	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	1	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	1	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	693	-	-	-	-	4	17	48	130	194	204	96	428	-	-	-	-	1	4	12	57	83	128	143
White	205	-	-	-	-	1	8	18	40	65	52	21	134	-	-	-	-	-	-	4	16	26	45	43
All other	488	-	-	-	-	3	9	30	90	129	152	75	294	-	-	-	-	1	4	8	41	57	83	100
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute myocardial infarction (410)	391	-	-	-	-	3	10	31	78	120	114	35	206	-	-	-	-	-	2	10	35	43	69	47
White	110	-	-	-	-	1	5	12	25	37	24	6	61	-	-	-	-	-	-	3	8	10	26	14
All other	281	-	-	-	-	2	5	19	53	83	90	29	145	-	-	-	-	-	2	7	27	33	43	33
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	301	-	-	-	-	1	7	17	52	74	90	60	219	-	-	-	-	1	2	2	21	40	58	95
White	94	-	-	-	-	-	3	6	15	28	28	14	73	-	-	-	-	-	-	1	8	16	19	29
All other	207	-	-	-	-	1	4	11	37	46	62	46	146	-	-	-	-	1	2	1	13	24	39	66
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	17	-	-	-	-	-	2	1	5	4	4	1	20	-	-	-	1	-	-	1	1	4	7	6
White	5	-	-	-	-	-	1	1	1	1	1	-	7	-	-	-	-	-	-	-	-	-	4	3
All other	12	-	-	-	-	-	1	-	4	3	3	1	13	-	-	-	1	-	-	1	1	4	3	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	372	3	-	2	1	1	10	22	77	99	102	55	250	-	-	-	1	-	6	9	34	44	62	94
White	115	1	-	-	-	-	2	6	34	30	26	16	74	-	-	-	-	-	-	2	8	12	22	30
All other	257	2	-	2	1	1	8	16	43	69	76	39	176	-	-	-	1	-	6	7	26	32	40	64
Black	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	-	-	-	-	2	2	8	-	-	-	-	-	-	-	1	2	2	3
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	4	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-	-	1	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	211	-	-	-	-	4	5	8	21	46	82	45	223	-	-	-	-	1	6	7	34	43	67	65
White	53	-	-	-	-	1	-	-	6	17	15	14	47	-	-	-	-	-	-	2	4	8	14	19
All other	158	-	-	-	-	3	5	8	15	29	67	31	176	-	-	-	-	1	6	5	30	35	53	46
Black	4	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	53	-	-	-	-	1	4	3	11	10	17	7	54	-	-	-	-	-	2	4	13	12	15	8
White	10	-	-	-	-	1	-	-	2	-	2	5	10	-	-	-	-	-	-	1	2	-	6	1
All other	43	-	-	-	-	-	4	3	9	10	15	2	44	-	-	-	-	-	2	3	11	12	9	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	-	-	-	-	-	-	1	1	5	8	5	22	-	-	-	-	-	-	-	4	3	6	9
White	5	-	-	-	-	-	-	-	-	1	3	1	3	-	-	-	-	-	-	-	1	1	-	1
All other	15	-	-	-	-	-	-	1	1	4	5	4	19	-	-	-	-	-	-	-	3	2	6	8
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	136	-	-	-	-	3	1	4	9	31	56	32	147	-	-	-	-	1	4	3	17	28	46	48
White	37	-	-	-	-	-	-	-	4	16	10	7	34	-	-	-	-	-	-	1	1	7	8	17
All other	99	-	-	-	-	3	1	4	5	15	46	25	113	-	-	-	-	1	4	2	16	21	38	31
Black	4	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	16	-	-	-	-	-	-	-	-	3	7	6	27	-	-	-	-	-	-	-	1	3	2	21
White	9	-	-	-	-	-	-	-	-	1	3	5	12	-	-	-	-	-	-	-	1	2	1	8
All other	7	-	-	-	-	-	-	-	-	2	4	1	15	-	-	-	-	-	-	-	-	1	1	13
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	41	-	-	-	-	-	2	2	4	16	15	2	24	1	-	-	-	-	2	2	1	5	6	7
White	9	-	-	-	-	-	2	-	1	4	2	-	5	-	-	-	-	-	-	-	-	1	3	1
All other	32	-	-	-	-	-	-	2	3	12	13	2	19	1	-	-	-	-	2	2	1	4	3	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	133	1	1	-	-	2	2	1	11	29	51	35	102	2	-	1	-	2	1	-	5	11	24	56
White	43	-	-	-	-	1	1	-	5	12	15	9	38	2	-	-	-	-	-	-	1	5	9	21
All other	90	1	1	-	-	1	1	1	6	17	36	26	64	-	-	1	-	2	1	-	4	6	15	35
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	131	1	1	-	-	2	2	1	11	29	51	33	94	2	-	1	-	2	1	-	5	8	23	52
White	43	-	-	-	-	1	1	-	5	12	15	9	34	2	-	-	-	-	-	-	1	4	8	19
All other	88	1	1	-	-	1	1	1	6	17	36	24	60	-	-	1	-	2	1	-	4	4	15	33
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	-	2	8	-	-	-	-	-	-	-	-	3	1	4
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	101	-	-	-	2	-	-	3	16	31	37	12	84	-	1	-	-	-	1	2	10	29	29	12
White	41	-	-	-	-	-	-	1	3	17	18	2	35	-	-	-	-	-	1	1	-	16	14	3
All other	60	-	-	-	2	-	-	2	13	14	19	10	49	-	1	-	-	-	-	1	10	13	15	9
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	1	1	2	2	5	-	-	-	-	-	-	1	1	1	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	-	-	-	-	1	1	2	5	-	-	-	-	-	-	1	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	23	-	-	-	-	-	-	-	6	10	6	1	7	-	-	-	-	-	-	-	-	2	5	-
White	9	-	-	-	-	-	-	-	-	4	4	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	14	-	-	-	-	-	-	-	6	6	2	-	5	-	-	-	-	-	-	-	-	2	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	6	-	-	-	2	-	-	-	-	1	3	-	16	-	-	-	-	-	1	-	2	5	4	4
White	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	-	2	2	1
All other	6	-	-	-	2	-	-	-	-	1	3	-	10	-	-	-	-	-	-	-	2	3	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	66	-	-	-	-	-	-	3	9	19	26	9	56	-	1	-	-	-	-	1	7	21	19	7
White	30	-	-	-	-	-	-	1	2	13	13	1	27	-	-	-	-	-	-	1	-	14	10	2
All other	36	-	-	-	-	-	-	2	7	6	13	8	29	-	1	-	-	-	-	-	7	7	9	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	-	-	1	3	2	1	4	-	-	-	-	-	-	-	1	1	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	5	-	-	-	-	-	-	-	1	2	1	1	3	-	-	-	-	-	-	-	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	-	-	4	3	6	-	-	-	-	-	-	-	-	1	-	5
White	4	-	-	-	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-	-	-	1	-	3
All other	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	57	-	-	-	-	1	2	12	22	15	4	1	19	1	-	-	-	-	-	5	6	2	5	-
White	28	-	-	-	-	-	2	7	14	4	1	-	4	-	-	-	-	-	-	1	1	-	2	-
All other	29	-	-	-	-	1	-	5	8	11	3	1	15	1	-	-	-	-	-	4	5	2	3	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	7	-	-	-	-	-	-	-	-	1	4	2	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	42	-	-	-	-	-	1	1	4	14	14	6	26	1	-	-	-	-	-	2	2	8	5	8
White	10	-	-	-	-	-	-	1	1	3	2	3	8	1	-	-	-	-	-	-	-	2	1	4
All other	32	-	-	-	-	-	1	-	3	11	12	5	18	-	-	-	-	-	-	2	2	6	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	38	-	-	-	-	-	-	1	4	14	12	7	25	1	-	-	-	-	-	2	2	8	5	7
White	9	-	-	-	-	-	-	1	1	3	2	2	7	1	-	-	-	-	-	-	-	2	1	3
All other	29	-	-	-	-	-	-	-	3	11	10	5	18	-	-	-	-	-	-	2	2	6	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	35	26	3	-	1	-	-	1	2	-	2	-	27	23	-	1	1	-	-	1	-	-	1	-
White	8	6	1	-	-	-	-	1	-	-	-	-	9	8	-	-	-	-	-	-	-	-	1	-
All other	27	20	2	-	1	-	-	-	2	-	2	-	18	15	-	1	1	-	-	1	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	22	22	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	47	14	2	-	2	8	4	-	3	3	6	5	24	10	1	-	-	1	-	1	1	2	3	5
White	13	2	1	-	-	4	2	-	1	1	2	-	6	-	-	-	-	-	-	-	-	1	1	4
All other	34	12	1	-	2	4	2	-	2	2	4	5	18	10	1	-	-	1	-	1	1	1	2	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	244	4	3	-	4	13	15	10	28	46	73	48	198	2	1	4	2	6	8	5	20	35	59	57
White	69	1	-	-	-	11	6	5	8	12	14	12	72	-	1	1	-	2	2	-	7	14	19	26
All other	175	3	3	-	4	2	9	5	20	34	59	36	126	2	-	3	2	4	6	5	13	21	39	31
Black	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	198	1	4	6	56	36	22	11	11	13	24	14	82	1	5	4	10	13	4	4	6	13	11	11
White	65	-	2	-	22	16	10	5	1	5	3	1	21	-	1	1	3	6	2	-	-	5	1	2
All other	133	1	2	6	34	20	12	6	10	8	21	13	61	1	4	3	7	7	2	4	6	8	10	9
Black	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	93	-	1	3	40	21	7	4	4	6	6	1	36	-	1	3	10	11	2	3	2	3	1	-
White	30	-	-	-	14	9	3	2	1	-	1	-	14	-	-	1	3	6	1	-	-	3	-	-
All other	63	-	1	3	26	12	4	2	3	6	5	1	22	-	1	2	7	5	1	3	2	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	105	1	3	3	16	15	15	7	7	7	18	13	46	1	4	1	-	2	2	1	4	10	10	11
White	35	-	2	-	8	7	7	3	-	5	2	1	7	-	1	-	-	-	1	-	-	2	1	2
All other	70	1	1	3	8	8	8	4	7	2	16	12	39	1	3	1	-	2	1	1	4	8	9	9
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	66	...	...	-	18	20	6	2	10	7	2	1	28	...	...	1	2	7	5	3	5	5	-	-
White	27	...	...	-	5	5	2	2	7	4	1	1	9	...	...	-	-	3	2	2	2	-	-	-
All other	39	...	...	-	13	15	4	-	3	3	1	-	19	...	...	1	2	4	3	1	3	5	-	-
Black	4	...	...	-	2	2	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	23	-	-	1	3	9	8	2	-	-	-	-	14	-	-	1	4	3	2	2	2	-	-	-
White	5	-	-	-	-	4	-	1	-	-	-	-	7	-	-	1	3	1	1	-	1	-	-	-
All other	18	-	-	1	3	5	8	1	-	-	-	-	7	-	-	-	1	2	1	2	1	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	15	-	-	-	1	4	7	2	1	-	-	-	7	-	-	-	1	2	2	-	1	-	1	-
White	10	-	-	-	-	3	4	2	1	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-
All other	5	-	-	-	1	1	3	-	-	-	-	-	4	-	-	-	1	-	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	3,899	114	18	35	120	117	140	225	531	965	1,085	549	3,216	69	18	17	42	46	55	123	288	664	922	972
White	3,837	111	18	34	119	114	130	212	521	955	1,077	546	3,168	67	16	17	40	40	52	115	284	658	916	963
All other	62	3	-	1	1	3	10	13	10	10	8	3	48	2	2	-	2	6	3	8	4	6	6	9
Black	15	-	-	-	-	-	3	4	5	2	-	1	5	-	-	-	1	-	-	2	-	-	2	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	1	-	1	-
White	4	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	17	1	-	-	2	-	1	1	1	5	2	4	25	-	-	-	-	1	-	2	2	6	4	10
White	17	1	-	-	2	-	1	1	1	5	2	4	22	-	-	-	-	1	-	-	2	5	4	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	2	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	9	1	-	-	-	1	2	-	-	4	1	-	12	1	-	1	-	-	-	1	1	2	2	4
White	9	1	-	-	-	1	2	-	-	4	1	-	12	1	-	1	-	-	-	1	1	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	783	-	1	5	3	7	22	43	174	231	213	84	635	-	1	1	4	11	19	53	107	208	164	67
White	769	-	1	5	3	7	21	41	169	227	212	83	631	-	1	1	4	11	19	53	107	205	163	67
All other	14	-	-	-	-	-	1	2	5	4	1	1	4	-	-	-	-	-	-	-	-	3	1	-
Black	6	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	-	-	-	-	-	1	-	2	4	1	1	8	-	-	-	-	-	-	1	2	3	1	1
White	9	-	-	-	-	-	1	-	2	4	1	1	8	-	-	-	-	-	-	1	2	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	185	-	-	-	-	1	5	14	41	56	48	20	144	-	-	-	-	1	-	6	21	52	45	19
White	181	-	-	-	-	1	5	13	41	54	48	19	143	-	-	-	-	1	-	6	21	51	45	19
All other	4	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	236	-	-	-	-	-	4	15	65	79	57	16	98	-	-	-	-	-	-	7	29	39	18	5
White	229	-	-	-	-	-	3	14	61	79	56	16	98	-	-	-	-	-	-	7	29	39	18	5
All other	7	-	-	-	-	-	1	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	126	-	-	-	-	2	8	20	21	36	21	18
White	-	-	-	-	-	-	-	-	-	-	-	-	126	-	-	-	-	2	8	20	21	36	21	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	120	-	-	-	-	-	2	1	17	30	47	23	78	-	-	-	1	2	6	9	8	26	21	5
White	120	-	-	-	-	-	2	1	17	30	47	23	78	-	-	-	1	2	6	9	8	26	21	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	35	-	-	-	-	-	-	1	9	11	10	4	20	-	-	-	-	-	-	-	1	7	7	5
White	34	-	-	-	-	-	-	1	9	10	10	4	20	-	-	-	-	-	-	-	1	7	7	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	117	-	1	2	3	2	5	9	23	26	32	14	97	-	1	1	3	4	4	5	15	30	27	7
White	116	-	1	2	3	2	5	9	23	25	32	14	95	-	1	1	3	4	4	5	15	29	26	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	35	-	-	2	-	3	2	1	4	10	11	2	25	-	-	-	-	2	1	3	1	4	10	4
White	34	-	-	2	-	3	2	1	3	10	11	2	25	-	-	-	-	2	1	3	1	4	10	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	46	-	-	1	-	1	3	2	13	15	7	4	39	-	-	-	-	-	-	2	9	11	14	3
White	46	-	-	1	-	1	3	2	13	15	7	4	38	-	-	-	-	-	-	2	9	10	14	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	-	-	-	1	-	1	-	4	3	5	1	16	-	-	1	-	-	1	1	1	4	4	4
White	15	-	-	-	1	-	1	-	4	3	5	1	15	-	-	1	-	-	1	1	1	3	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	50	-	-	-	-	2	4	1	12	17	10	4	84	-	-	-	1	-	1	5	4	17	33	23
White	49	-	-	-	-	2	4	1	11	17	10	4	81	-	-	-	1	-	1	4	4	16	33	22
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	-	3	2	8	1	-	-	-	1	-	-	-	1	2	3
White	5	-	-	-	-	-	-	-	-	-	3	2	8	1	-	-	-	1	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	-	-	1	1	1	8	1	-	-	-	-	-	-	-	1	5	1
White	3	-	-	-	-	-	-	-	-	1	1	1	8	1	-	-	-	-	-	-	-	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	-	-	-	1	-	1	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-
White	2	1	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,728	4	1	-	-	7	34	102	226	495	555	304	1,552	1	2	1	1	4	11	29	98	279	496	630
White	1,713	4	1	-	-	7	33	98	225	490	552	303	1,539	1	2	1	1	4	11	27	97	279	492	624
All other	15	-	-	-	-	-	1	4	1	5	3	1	13	-	-	-	-	-	-	2	1	-	4	6
Black	4	-	-	-	-	-	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,354	4	1	-	-	5	31	95	194	398	416	220	1,076	1	2	1	1	3	10	17	67	211	345	418
White	1,351	4	1	-	-	5	30	93	193	393	413	219	1,070	1	2	1	1	3	10	16	66	211	344	415
All other	13	-	-	-	-	-	1	2	1	5	3	1	6	-	-	-	-	-	-	1	1	-	1	3
Black	3	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	-	-	-	-	1	-	4	4	-	25	-	-	-	-	-	-	1	4	8	7	5
White	9	-	-	-	-	-	-	1	-	4	4	-	25	-	-	-	-	-	-	1	4	8	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	9	-	-	-	-	-	-	1	-	2	6	-	17	-	-	-	-	-	-	1	-	1	5	10
White	9	-	-	-	-	-	-	1	-	2	6	-	17	-	-	-	-	-	-	1	-	1	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	-	3	-	6	-	-	-	-	-	-	-	1	-	4	1
White	3	-	-	-	-	-	-	-	-	-	3	-	6	-	-	-	-	-	-	-	1	-	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	959	-	-	-	-	1	21	71	147	297	276	146	659	-	-	-	-	-	5	12	44	150	212	236
White	951	-	-	-	-	1	21	70	146	292	275	146	657	-	-	-	-	-	5	12	44	150	212	234
All other	8	-	-	-	-	-	-	1	1	5	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	627	-	-	-	-	-	17	49	108	216	165	72	343	-	-	-	-	-	5	7	35	110	103	83
White	623	-	-	-	-	-	17	48	108	214	164	72	342	-	-	-	-	-	5	7	35	110	103	82
All other	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	1	2	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	4	-	-	-	-	-	-	1	2	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	325	-	-	-	-	1	4	21	37	79	110	73	312	-	-	-	-	-	-	5	9	40	106	152
White	321	-	-	-	-	1	4	21	36	76	110	73	311	-	-	-	-	-	-	5	9	40	106	151
All other	4	-	-	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	23	-	-	-	-	-	-	-	1	7	11	4	20	-	-	-	-	-	-	-	-	2	11	7
White	23	-	-	-	-	-	-	-	1	7	11	4	20	-	-	-	-	-	-	-	-	2	11	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	361	4	1	-	-	4	10	22	46	88	116	70	349	1	2	1	1	3	5	3	18	50	106	159
White	356	4	1	-	-	4	9	21	46	88	114	69	345	1	2	1	1	3	5	2	17	50	105	158
All other	5	-	-	-	-	-	1	1	-	-	2	1	4	-	-	-	-	-	-	1	1	-	1	1
Black	3	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	14	-	-	-	-	-	-	-	4	2	5	3	20	-	-	-	-	-	-	1	1	7	3	8
White	14	-	-	-	-	-	-	-	4	2	5	3	20	-	-	-	-	-	-	1	1	7	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	230	-	-	-	-	-	3	4	13	60	95	55	360	-	-	-	-	-	1	10	27	49	118	155
White	228	-	-	-	-	-	3	2	13	60	95	55	353	-	-	-	-	-	1	9	27	49	115	152
All other	2	-	-	-	-	-	-	2	-	-	-	-	7	-	-	-	-	-	-	1	-	-	3	3
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Intracerebral and other intracranial hemorrhage (431-432)	24	-	-	-	-	-	3	2	1	12	5	1	28	-	-	-	-	-	-	2	6	3	11	6
White	23	-	-	-	-	-	3	1	1	12	5	1	26	-	-	-	-	-	-	2	6	3	10	5
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	-	-	-	-	-	-	-	1	9	6	4	57	-	-	-	-	-	-	1	2	7	17	30
White	20	-	-	-	-	-	-	-	1	9	6	4	55	-	-	-	-	-	-	-	2	7	17	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	184	-	-	-	-	-	-	2	11	38	84	49	274	-	-	-	-	-	1	7	19	38	90	119
White	183	-	-	-	-	-	-	1	11	38	84	49	271	-	-	-	-	-	1	7	19	38	88	118
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Atherosclerosis (440)	38	-	-	-	-	1	-	-	2	4	12	19	58	-	-	-	-	-	-	-	1	3	13	41
White	38	-	-	-	-	1	-	-	2	4	12	19	58	-	-	-	-	-	-	-	1	3	13	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	82	-	-	-	-	1	-	3	13	31	27	7	38	-	-	-	-	1	-	1	2	9	17	8
White	82	-	-	-	-	1	-	3	13	31	27	7	38	-	-	-	-	1	-	1	2	9	17	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	106	-	-	1	1	-	2	3	4	9	41	45	119	1	2	-	1	-	-	-	6	15	26	68
White	103	-	-	1	1	-	2	3	4	8	39	45	117	-	2	-	1	-	-	-	5	15	26	68
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	99	-	-	-	1	-	1	3	4	7	40	43	111	1	2	-	1	-	-	-	6	14	24	63
White	96	-	-	-	1	-	1	3	4	6	39	43	109	-	2	-	1	-	-	-	5	14	24	63
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	7	-	-	1	-	-	1	-	-	2	1	2	8	-	-	-	-	-	-	-	-	1	2	5
White	7	-	-	1	-	-	1	-	-	2	1	2	8	-	-	-	-	-	-	-	-	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	234	-	-	1	-	-	1	2	39	76	88	27	121	-	-	-	1	-	-	3	15	46	36	20
White	234	-	-	1	-	-	1	2	39	76	88	27	121	-	-	-	1	-	-	3	15	46	36	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	1	-	1	2
White	4	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	53	-	-	-	-	-	-	-	6	20	21	6	24	-	-	-	-	-	-	1	3	10	8	2
White	53	-	-	-	-	-	-	-	6	20	21	6	24	-	-	-	-	-	-	1	3	10	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	9	-	-	1	-	-	1	-	4	1	1	1	12	-	-	-	1	-	-	1	1	5	3	1
White	9	-	-	1	-	-	1	-	4	1	1	1	12	-	-	-	1	-	-	1	1	5	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	168	-	-	-	-	-	-	2	29	54	64	19	81	-	-	-	-	-	-	1	10	31	24	15
White	168	-	-	-	-	-	-	2	29	54	64	19	81	-	-	-	-	-	-	1	10	31	24	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	7	-	-	-	-	-	-	-	2	3	1	1	15	-	-	-	-	-	-	1	-	2	8	4
White	7	-	-	-	-	-	-	-	2	3	1	1	15	-	-	-	-	-	-	1	-	2	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	1	-	-	1	-	-	2	1	2	15	-	-	-	-	-	-	2	-	2	7	4
White	7	-	-	1	-	-	1	-	-	2	1	2	15	-	-	-	-	-	-	2	-	2	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	25	-	-	-	-	1	3	7	5	7	2	-	29	-	-	-	-	2	1	4	7	10	2	3
White	23	-	-	-	-	1	2	6	5	7	2	-	26	-	-	-	-	-	1	3	7	10	2	3
All other	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	2	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	-	-	4	2	7	-	-	-	-	-	-	-	-	1	4	2
White	6	-	-	-	-	-	-	-	-	-	4	2	7	-	-	-	-	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	31	2	-	-	-	-	1	-	3	7	14	4	22	-	-	-	-	-	-	-	3	6	5	8
White	31	2	-	-	-	-	1	-	3	7	14	4	22	-	-	-	-	-	-	-	3	6	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	3	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	2	-	-	-	-	-	-	2	6	14	4	20	-	-	-	-	-	-	-	3	6	5	6
White	28	2	-	-	-	-	-	-	2	6	14	4	20	-	-	-	-	-	-	-	3	6	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	-	1	9	-	-	-	-	-	-	-	-	3	2	4
White	2	-	-	-	-	-	-	-	-	1	-	1	9	-	-	-	-	-	-	-	-	3	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	31	20	5	1	1	2	-	1	1	-	-	-	26	21	-	1	1	-	-	1	1	-	-	1
White	31	20	5	1	1	2	-	1	1	-	-	-	26	21	-	1	1	-	-	1	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	45	45	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	44	44	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	32	32	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	54	29	1	-	1	-	3	1	1	4	8	6	45	12	1	-	-	-	1	2	1	5	7	16
White	51	27	1	-	1	-	3	-	1	4	8	6	44	11	1	-	-	-	1	2	1	5	7	16
All other	3	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	248	4	2	1	3	4	6	10	22	62	83	51	257	3	3	-	3	2	3	8	20	42	95	78
White	244	4	2	1	3	4	5	10	22	62	81	50	251	3	3	-	3	1	3	7	18	42	95	76
All other	4	-	-	-	-	-	1	-	-	-	2	1	6	-	-	-	-	1	-	1	2	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	344	5	8	22	80	66	42	35	21	23	34	8	142	-	8	9	27	11	15	9	14	10	18	21
White	334	5	8	21	80	65	38	32	20	23	34	8	131	-	6	9	25	9	12	8	14	10	17	21
All other	10	-	-	1	-	1	4	3	1	-	-	-	11	-	2	-	2	2	3	1	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	177	3	4	13	57	36	22	20	9	5	8	-	80	-	3	7	27	10	12	5	8	2	4	2
White	172	3	4	13	57	35	20	19	8	5	8	-	73	-	3	7	25	9	9	4	8	2	4	2
All other	5	-	-	-	-	1	2	1	1	-	-	-	7	-	-	-	2	1	3	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	167	2	4	9	23	30	20	15	12	18	26	8	62	-	5	2	-	1	3	4	6	8	14	19
White	162	2	4	8	23	30	18	13	12	16	26	8	56	-	3	2	-	-	3	4	6	8	13	19
All other	5	-	-	1	-	-	2	2	-	-	-	-	4	-	2	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	113	...	...	3	24	18	13	15	11	12	15	2	22	...	...	2	2	9	2	2	4	1	-	-
White	108	...	...	3	23	17	12	14	10	12	15	2	21	...	...	2	2	8	2	2	4	1	-	-
All other	5	...	...	-	1	1	1	1	1	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	1	...	...	-	-	-	-	-	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	20	1	-	-	3	4	4	2	4	1	1	-	6	-	-	-	-	3	-	-	1	2	-	-
White	17	1	-	-	3	3	3	2	3	1	1	-	6	-	-	-	-	3	-	-	1	2	-	-
All other	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	1	2	-	-	1	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
White	4	-	-	-	1	2	-	-	1	-	-	-	3	-	-	-	-	2	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	52,486	1,218	205	246	1,224	1,660	1,957	3,559	8,812	13,527	13,381	6,693	49,783	905	141	158	439	662	1,069	2,139	5,451	10,019	14,418	14,392
White	44,420	758	130	177	930	1,083	1,368	2,629	7,255	11,817	12,092	6,177	43,289	526	97	111	340	450	748	1,598	4,324	8,604	12,981	13,510
All other	8,066	460	75	69	294	577	589	930	1,557	1,710	1,289	516	6,504	379	44	47	99	212	321	541	1,127	1,415	1,437	882
Black	7,843	456	71	64	285	565	570	910	1,525	1,659	1,236	502	6,942	372	49	46	96	205	309	529	1,105	1,377	1,409	851
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	5	-	-	-	-	-	-	1	1	1	-	10	1	-	-	-	-	1	1	-	2	3	2
White	5	3	-	-	-	-	-	-	-	1	1	-	8	-	-	-	-	-	1	-	-	2	3	2
All other	3	2	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	3	2	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	36	1	-	-	-	3	1	3	8	7	9	4	28	-	-	-	1	1	1	1	3	7	8	6
White	19	-	-	-	-	-	1	-	4	6	5	3	19	-	-	-	-	-	-	1	2	7	6	3
All other	17	1	-	-	-	3	-	3	4	1	4	1	9	-	-	-	1	1	1	-	1	-	2	3
Black	16	1	-	-	-	3	-	3	4	1	3	1	7	-	-	-	-	1	1	-	1	-	2	2
Tuberculosis of respiratory system (010-012)	27	-	-	-	-	1	-	2	7	5	8	4	19	-	-	-	-	-	1	1	2	4	7	4
White	14	-	-	-	-	-	-	-	3	4	4	3	14	-	-	-	-	-	-	1	1	4	5	3
All other	13	-	-	-	-	1	-	2	4	1	4	1	5	-	-	-	-	-	1	-	1	-	2	1
Black	12	-	-	-	-	1	-	2	4	1	3	1	4	-	-	-	-	-	1	-	1	-	2	-
Other tuberculosis (013-018)	9	1	-	-	-	2	1	1	1	2	1	-	9	-	-	-	1	1	-	-	1	3	1	2
White	5	-	-	-	-	-	1	-	1	2	1	-	5	-	-	-	-	-	-	-	1	3	1	-
All other	4	1	-	-	-	2	-	1	-	-	-	-	4	-	-	-	1	1	-	-	-	-	-	2
Black	4	1	-	-	-	2	-	1	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	2	1	-	1	-	-	1	1	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
White	3	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	3	1	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	3	1	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	439	8	6	-	1	6	8	23	59	118	135	75	457	6	3	1	2	4	4	13	37	86	149	152
White	330	3	3	-	1	5	6	13	41	91	104	63	381	5	3	1	1	3	4	8	29	71	122	134
All other	109	5	3	-	-	1	2	10	18	27	31	12	76	1	-	-	1	1	-	5	8	15	27	18
Black	105	5	3	-	-	1	2	10	17	25	30	12	76	1	-	-	1	1	-	5	8	15	27	18
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	16	-	1	-	-	1	2	5	2	3	1	1	12	-	-	-	1	1	1	1	2	4	-	2
White	15	-	1	-	-	1	2	4	2	3	1	1	7	-	-	-	1	-	1	-	1	3	-	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	1	-	1	1	1	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	1	-	1	1	1	-	1
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	177	4	3	1	5	25	28	22	24	34	23	8	131	2	1	-	2	8	12	14	17	34	23	18
White	132	4	3	1	1	16	19	12	18	28	23	7	105	-	-	-	2	4	5	12	13	30	21	18
All other	45	-	-	-	4	9	9	10	6	6	-	1	26	2	1	-	-	4	7	2	4	4	2	-
Black	43	-	-	-	4	9	9	10	6	4	-	1	25	2	-	-	-	4	7	2	4	4	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,997	4	9	29	71	145	295	998	2,866	3,852	2,864	864	10,848	1	11	19	29	141	403	939	2,289	3,119	2,667	1,230
White	10,175	4	7	27	56	117	226	744	2,345	3,324	2,560	765	9,433	1	10	16	27	112	313	762	1,901	2,754	2,398	1,139
All other	1,822	-	2	2	15	28	69	254	521	528	304	99	1,415	-	1	3	2	29	90	177	388	365	269	91
Black	1,771	-	2	2	15	27	65	245	512	511	296	96	1,377	-	1	3	1	28	87	170	382	351	264	90
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	291	-	-	-	-	5	11	46	96	80	37	12	119	-	-	-	-	1	8	9	30	44	20	7
White	229	-	-	-	-	3	6	31	73	71	33	12	99	-	-	-	-	1	2	7	25	41	17	6
All other	62	-	-	-	-	2	5	17	25	9	4	-	20	-	-	-	-	-	6	2	5	3	3	1
Black	61	-	-	-	-	2	5	16	25	9	4	-	20	-	-	-	-	-	6	2	5	3	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,112	-	1	3	10	20	49	230	712	1,055	779	253	2,919	-	-	-	1	24	59	154	458	822	919	482
White	2,643	-	1	3	8	13	40	164	576	905	703	230	2,494	-	-	-	-	14	43	114	365	713	803	442
All other	469	-	-	-	2	7	9	66	136	150	76	23	425	-	-	-	1	10	16	40	93	109	116	40
Black	456	-	-	-	2	7	9	62	134	145	74	23	410	-	-	-	-	9	16	38	91	105	112	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,300	-	-	-	1	7	87	446	1,277	1,477	846	159	1,962	-	-	1	-	8	47	221	539	662	385	99
White	3,603	-	-	-	1	5	56	326	1,033	1,270	771	141	1,708	-	-	1	-	8	36	181	446	588	356	92
All other	697	-	-	-	-	2	31	120	244	207	75	18	254	-	-	-	-	-	11	40	93	74	29	7
Black	677	-	-	-	-	2	29	118	237	202	72	17	249	-	-	-	-	-	10	40	92	72	28	7
Malignant neoplasm of breast (174-175)	18	-	-	-	-	-	-	2	2	3	7	4	2,051	-	-	-	-	27	143	256	531	535	374	185
White	14	-	-	-	-	-	-	2	2	2	6	2	1,785	-	-	-	-	23	111	212	448	479	341	171
All other	4	-	-	-	-	-	-	-	-	1	1	2	266	-	-	-	-	4	32	44	83	56	33	14
Black	4	-	-	-	-	-	-	-	-	1	1	2	262	-	-	-	-	4	32	41	83	55	33	14
Malignant neoplasms of genital organs (179-187)	1,212	-	-	-	2	14	3	24	128	355	479	207	1,173	-	-	-	2	22	64	112	268	354	248	103
White	964	-	-	-	2	13	1	12	98	275	395	168	998	-	-	-	2	15	48	88	221	307	219	98
All other	248	-	-	-	-	1	2	12	30	80	84	39	175	-	-	-	-	7	16	24	47	47	29	5
Black	244	-	-	-	-	1	2	11	30	80	82	38	168	-	-	-	-	7	15	24	45	43	29	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	637	-	-	1	1	3	17	35	138	205	168	69	325	-	1	-	-	2	2	16	49	103	87	65
White	582	-	-	1	-	3	13	34	119	191	155	66	290	-	1	-	-	1	2	13	41	88	81	63
All other	55	-	-	-	1	-	4	1	19	14	13	3	35	-	-	-	-	1	-	3	8	15	6	2
Black	55	-	-	-	1	-	4	1	19	14	13	3	35	-	-	-	-	1	-	3	8	15	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,351	3	4	13	27	46	70	130	320	395	258	85	1,314	1	6	10	12	25	56	118	259	345	332	150
White	1,178	3	4	12	21	37	58	106	275	354	232	76	1,173	1	5	7	12	20	51	100	217	315	306	139
All other	173	-	-	1	6	9	12	24	45	41	26	9	141	-	1	3	-	5	5	18	42	30	26	11
Black	165	-	-	1	6	9	10	24	45	36	26	8	138	-	1	3	-	5	4	17	42	29	26	11
Leukemia (204-208)	426	1	3	11	18	17	21	31	74	94	125	31	390	-	4	8	9	18	12	21	64	84	112	58
White	386	1	1	10	15	14	21	25	65	87	117	30	355	-	4	8	8	16	10	18	57	74	104	56
All other	40	-	2	1	3	3	-	6	9	7	8	1	35	-	-	-	1	2	2	3	7	10	8	2
Black	37	-	2	1	3	2	-	5	9	7	7	1	33	-	-	-	1	2	2	2	7	9	8	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	650	-	1	1	12	33	37	52	117	188	165	44	595	-	-	-	5	14	12	32	91	170	190	81
White	576	-	1	1	9	29	31	44	104	169	148	40	531	-	-	-	5	14	10	29	81	149	171	72
All other	74	-	-	-	3	4	6	8	13	19	17	4	64	-	-	-	-	-	2	3	10	21	19	9
Black	72	-	-	-	3	4	6	8	13	17	17	4	62	-	-	-	-	-	2	3	9	20	19	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	158	2	3	-	1	3	7	14	24	40	50	14	197	1	1	4	2	3	7	5	26	50	60	38
White	145	1	3	-	-	3	6	14	22	36	45	13	167	1	1	2	2	3	5	2	18	46	55	32
All other	13	1	-	-	1	-	1	-	2	2	5	1	30	-	-	2	-	-	2	3	8	4	5	6
Black	13	1	-	-	1	-	1	-	2	2	5	1	27	-	-	2	-	-	1	3	8	4	5	4
Diabetes mellitus (250)	695	-	-	-	4	15	27	46	125	210	197	71	1,045	-	-	-	5	11	24	51	151	271	331	201
White	595	-	-	-	3	11	22	30	104	191	167	67	853	-	-	-	4	7	17	35	109	212	279	190
All other	100	-	-	-	1	4	5	16	21	19	30	4	192	-	-	-	1	4	7	16	42	59	52	11
Black	98	-	-	-	1	4	4	16	20	19	30	4	187	-	-	-	1	4	7	16	41	57	50	11
Nutritional deficiencies (260-269)	54	-	-	-	-	-	2	3	4	12	16	17	82	-	-	-	-	1	1	-	1	20	17	42
White	45	-	-	-	-	-	2	3	3	9	12	16	68	-	-	-	-	1	-	-	1	17	14	35
All other	9	-	-	-	-	-	-	-	1	3	4	1	14	-	-	-	-	-	1	-	-	3	3	7
Black	8	-	-	-	-	-	-	-	1	3	3	1	14	-	-	-	-	-	1	-	-	3	3	7
Anemias (280-285)	77	-	1	1	3	4	5	4	9	13	25	12	105	-	1	1	2	3	3	4	7	13	29	42
White	62	-	1	1	2	3	3	3	8	8	21	12	91	-	1	1	-	1	1	3	6	11	26	41
All other	15	-	-	-	1	1	2	1	1	5	4	-	14	-	-	-	2	2	2	1	1	2	3	1
Black	15	-	-	-	1	1	2	1	1	5	4	-	13	-	-	-	2	2	2	1	1	2	2	1
Meningitis (320-322)	26	5	5	-	-	-	1	1	4	5	4	-	20	6	3	-	-	1	1	1	3	1	1	3
White	17	3	4	-	-	-	-	1	2	3	4	-	11	2	3	-	-	-	-	-	2	-	1	3
All other	8	2	1	-	-	-	1	-	2	2	-	-	9	4	-	-	-	1	1	1	1	1	-	-
Black	8	2	1	-	-	-	1	-	2	2	-	-	9	4	-	-	-	1	1	1	1	1	-	-
Major cardiovascular diseases (390-448)	24,243	22	15	15	42	194	545	1,471	4,033	6,711	7,194	4,001	25,977	18	11	10	32	89	233	618	1,910	4,712	8,481	9,863
White	21,282	11	11	10	28	116	390	1,109	3,371	5,926	6,577	3,733	23,031	13	8	9	21	52	141	409	1,415	3,979	7,662	9,322
All other	2,961	11	4	5	14	78	155	362	662	785	617	268	2,946	5	3	1	11	37	92	209	495	733	819	541
Black	2,879	11	4	5	14	76	153	355	648	765	586	262	2,876	5	3	1	11	37	89	207	487	713	802	521
Diseases of heart (390-398,402,404-429)	20,217	17	12	12	32	158	471	1,314	3,546	5,702	5,792	3,161	20,285	13	11	9	21	64	161	484	1,589	3,819	6,576	7,538
White	17,761	9	9	7	21	98	341	1,012	2,989	5,057	5,278	2,940	17,989	9	8	8	14	40	96	316	1,197	3,242	5,927	7,132
All other	2,456	8	3	5	11	60	130	302	557	645	514	221	2,296	4	3	1	7	24	65	168	392	577	649	406
Black	2,394	8	3	5	11	59	129	295	548	630	489	217	2,246	4	3	1	7	24	63	167	386	562	639	390
Rheumatic fever and rheumatic heart disease (390-398)	113	-	3	-	1	6	5	12	19	38	22	7	185	-	-	1	1	5	9	16	27	54	47	25
White	97	-	2	-	-	4	5	9	15	35	21	6	168	-	-	1	1	2	5	13	22	53	46	25
All other	16	-	1	-	1	2	-	3	4	3	1	1	17	-	-	-	-	3	4	3	5	1	1	-
Black	16	-	1	-	1	2	-	3	4	3	1	1	17	-	-	-	-	3	4	3	5	1	1	-
Hypertensive heart disease (402)	583	-	-	-	-	9	22	66	151	150	139	46	742	-	-	-	-	3	10	55	98	171	230	175
White	367	-	-	-	-	4	7	32	85	99	102	38	494	-	-	-	-	1	3	19	32	118	169	152
All other	216	-	-	-	-	5	15	34	66	51	37	8	248	-	-	-	-	2	7	36	66	53	61	23
Black	215	-	-	-	-	5	15	34	66	51	36	8	245	-	-	-	-	2	7	36	66	52	60	22
Hypertensive heart and renal disease (404)	69	-	-	-	-	-	2	8	9	15	21	14	87	-	-	-	1	1	1	5	10	14	27	28
White	43	-	-	-	-	-	1	1	3	11	16	11	65	-	-	-	1	-	-	1	4	8	24	27
All other	26	-	-	-	-	-	1	7	6	4	5	3	22	-	-	-	-	1	1	4	6	6	3	1
Black	26	-	-	-	-	-	1	7	6	4	5	3	22	-	-	-	-	1	1	4	6	6	3	1
Ischemic heart disease (410-414)	14,042	-	-	2	4	62	284	788	2,288	4,005	4,240	2,349	14,221	-	-	-	2	19	81	252	960	2,554	4,771	5,582
White	12,973	-	-	1	2	46	243	694	2,091	3,715	3,968	2,213	13,068	-	-	-	2	14	57	191	786	2,268	4,408	5,342
All other	1,069	-	-	1	2	16	51	104	197	290	272	136	1,153	-	-	-	-	5	24	61	174	286	363	240
Black	1,028	-	-	1	2	16	51	100	190	280	254	134	1,121	-	-	-	-	5	24	61	169	277	357	228
Acute myocardial infarction (410)	7,560	-	-	1	1	36	158	531	1,499	2,389	2,091	854	6,407	-	-	-	-	8	45	163	609	1,528	2,317	1,737
White	7,021	-	-	-	-	30	136	485	1,370	2,226	1,974	800	5,885	-	-	-	-	7	35	124	510	1,395	2,155	1,649
All other	539	-	-	1	1	6	22	46	129	163	117	54	542	-	-	-	-	1	10	39	99	143	162	88
Black	513	-	-	1	1	6	22	44	123	156	106	54	528	-	-	-	-	1	10	39	95	138	158	87

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	115	-	-	-	-	1	2	17	22	44	23	6	85	-	-	-	-	-	2	7	9	20	21	26
White	93	-	-	-	-	-	1	11	19	36	22	4	70	-	-	-	-	-	-	3	6	17	20	24
All other	22	-	-	-	-	1	1	6	3	8	1	2	15	-	-	-	-	-	2	4	3	3	1	2
Black	22	-	-	-	-	1	1	6	3	8	1	2	15	-	-	-	-	-	2	4	3	3	1	2
Angina pectoris (413)	15	-	-	-	-	-	-	2	2	3	6	2	16	-	-	-	-	-	-	-	2	2	8	6
White	13	-	-	-	-	-	-	1	2	2	6	2	13	-	-	-	-	-	-	-	1	2	6	4
All other	2	-	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	-	-	1	-	2	2
Black	2	-	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	-	-	1	-	2	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,352	-	-	1	3	25	134	248	765	1,569	2,120	1,487	7,711	-	-	-	2	11	34	82	340	1,004	2,425	3,813
White	5,846	-	-	1	2	16	106	197	700	1,451	1,966	1,407	7,120	-	-	-	2	7	22	64	269	864	2,227	3,665
All other	506	-	-	-	1	9	28	51	65	118	154	80	591	-	-	-	-	4	12	18	71	140	198	148
Black	491	-	-	-	1	9	28	49	64	115	147	78	573	-	-	-	-	4	12	18	70	136	196	137
Other diseases of endocardium (424)	174	-	-	-	1	5	6	11	19	42	67	23	213	-	-	-	1	2	5	5	24	43	69	64
White	153	-	-	-	1	4	2	5	18	39	63	21	192	-	-	-	1	2	3	3	21	38	65	59
All other	21	-	-	-	-	1	4	6	1	3	4	2	21	-	-	-	-	-	2	2	3	5	4	5
Black	21	-	-	-	-	1	4	6	1	3	4	2	20	-	-	-	-	-	2	1	3	5	4	5
All other forms of heart disease (415-423,425-429)	5,236	17	9	10	26	76	142	419	1,080	1,452	1,303	722	4,837	13	11	8	16	34	55	151	470	983	1,432	1,664
White	4,128	9	7	6	18	40	83	271	777	1,158	1,108	651	4,002	9	8	7	9	21	28	89	332	757	1,215	1,527
All other	1,108	8	2	4	8	36	59	148	283	294	195	71	835	4	3	1	7	13	27	62	138	226	217	137
Black	1,088	8	2	4	8	35	58	145	281	289	189	69	821	4	3	1	7	13	25	62	137	221	214	134
Hypertension with or without renal disease (401,403)	198	-	-	-	2	1	5	14	19	42	61	54	274	-	-	-	-	-	1	6	17	48	103	99
White	160	-	-	-	2	-	2	6	13	30	56	51	214	-	-	-	-	-	-	1	7	36	88	82
All other	38	-	-	-	-	1	3	8	6	12	5	3	60	-	-	-	-	-	1	5	10	12	15	17
Black	37	-	-	-	-	1	3	8	5	12	5	3	59	-	-	-	-	-	1	5	10	11	15	17
Cerebrovascular diseases (430-438)	2,827	4	3	2	7	30	63	118	330	690	1,024	556	4,342	4	-	1	11	20	63	112	251	698	1,504	1,678
White	2,426	2	2	2	4	15	41	73	248	575	946	518	3,834	3	-	1	7	10	40	78	174	571	1,375	1,575
All other	401	2	1	-	3	15	22	45	82	115	78	38	508	1	-	-	4	10	23	34	77	127	129	103
Black	383	2	1	-	3	14	21	45	78	110	72	37	495	1	-	-	4	10	22	33	75	123	127	100
Intracerebral and other intracranial hemorrhage (431-432)	529	3	1	-	4	15	30	42	103	146	151	34	590	1	-	1	2	8	28	27	71	120	207	125
White	400	1	1	-	3	4	16	17	78	116	134	30	504	-	-	1	2	3	19	19	47	106	190	117
All other	129	2	-	-	1	11	14	25	25	30	17	4	86	1	-	-	-	5	9	8	24	14	17	8
Black	120	2	-	-	1	10	13	25	23	28	14	4	82	1	-	-	-	5	8	8	23	13	16	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	540	-	1	-	-	2	3	17	53	128	222	114	824	-	-	-	1	1	5	15	31	117	276	378
White	481	-	1	-	-	2	3	13	43	104	210	105	735	-	-	-	1	1	3	13	20	91	255	351
All other	59	-	-	-	-	-	-	4	10	24	12	9	89	-	-	-	-	-	2	2	11	26	21	27
Black	56	-	-	-	-	-	-	4	9	24	11	8	89	-	-	-	-	-	2	2	11	26	21	27
Cerebral embolism (434.1)	15	-	-	-	-	-	-	1	1	8	4	1	33	-	-	-	1	-	1	1	-	9	15	6
White	14	-	-	-	-	-	-	-	1	8	4	1	27	-	-	-	1	-	1	1	-	9	11	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	-	-	-	-	-	4	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	-	-	-	-	-	4	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,743	1	1	2	3	13	30	58	173	408	647	407	2,895	3	-	-	7	11	29	69	149	452	1,006	1,169
White	1,531	1	-	2	1	9	22	43	126	347	598	382	2,568	3	-	-	3	6	17	45	107	365	919	1,103
All other	212	-	1	-	2	4	8	15	47	61	49	25	327	-	-	-	4	5	12	24	42	87	87	66
Black	206	-	1	-	2	4	8	15	46	58	47	25	318	-	-	-	4	5	12	23	41	84	86	63
Atherosclerosis (440)	395	-	-	-	-	-	-	5	20	74	133	163	696	-	-	-	-	-	1	5	12	51	183	444
White	375	-	-	-	-	-	-	4	16	72	126	157	657	-	-	-	-	-	1	4	9	44	168	431
All other	20	-	-	-	-	-	-	1	4	2	7	6	39	-	-	-	-	-	-	1	3	7	15	13
Black	19	-	-	-	-	-	-	1	4	2	7	5	35	-	-	-	-	-	-	1	3	7	12	12
Other diseases of arteries, arterioles, and capillaries (441-448)	606	1	-	1	1	5	6	20	118	203	184	67	380	1	-	-	-	5	7	11	41	96	115	104
White	560	-	-	1	1	3	6	14	105	192	171	67	337	1	-	-	-	2	4	10	28	86	104	102
All other	46	1	-	-	-	2	-	6	13	11	13	-	43	-	-	-	-	3	3	1	13	10	11	2
Black	46	1	-	-	-	2	-	6	13	11	13	-	41	-	-	-	-	3	3	1	13	10	9	2
Acute bronchitis and bronchiolitis (466)	13	-	3	-	-	-	-	-	-	3	6	1	16	-	-	1	-	-	-	-	1	2	6	6
White	9	-	1	-	-	-	-	-	-	2	5	1	15	-	-	-	-	-	-	-	1	2	6	6
All other	4	-	2	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	4	-	2	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,617	20	5	3	9	30	42	54	150	299	532	473	1,724	23	4	6	7	15	15	33	67	172	508	874
White	1,356	12	2	3	7	12	24	34	108	248	465	441	1,552	7	4	3	7	9	8	21	51	152	464	826
All other	261	8	3	-	2	18	18	20	42	51	67	32	172	16	-	3	-	6	7	12	16	20	44	48
Black	253	8	3	-	2	17	17	19	42	48	65	32	168	16	-	3	-	5	7	12	15	20	44	46

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,593	20	5	3	9	30	42	54	147	299	519	466	1,674	23	4	6	7	15	15	33	64	170	492	845
White	1,333	12	2	3	7	12	24	34	106	247	452	434	1,502	7	4	3	7	9	8	21	48	150	448	797
All other	260	8	3	-	2	18	18	20	41	51	67	32	172	16	-	3	-	6	7	12	16	20	44	48
Black	252	8	3	-	2	17	17	19	41	48	65	32	168	16	-	3	-	5	7	12	15	20	44	46
Influenza (487)	24	-	-	-	-	-	-	-	3	1	13	7	50	-	-	-	-	-	-	-	3	2	16	29
White	23	-	-	-	-	-	-	-	2	1	13	7	50	-	-	-	-	-	-	-	3	2	16	29
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,059	-	1	6	7	8	12	62	298	710	702	253	1,243	-	1	6	5	9	11	50	189	370	410	192
White	1,847	-	-	1	2	5	4	46	257	636	658	238	1,117	-	1	3	3	4	8	39	164	328	387	180
All other	212	-	1	5	5	3	8	16	41	74	44	15	126	-	-	3	2	5	3	11	25	42	23	12
Black	205	-	1	5	5	3	8	16	39	70	43	15	125	-	-	3	2	5	3	11	24	42	23	12
Bronchitis, chronic and unspecified (490-491)	83	-	-	-	-	-	1	-	7	25	35	15	89	-	-	1	-	-	2	1	13	21	21	30
White	80	-	-	-	-	-	1	-	7	24	33	15	84	-	-	1	-	-	2	1	12	18	20	30
All other	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	1	3	1	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	1	3	1	-
Emphysema (492)	456	-	-	-	-	-	3	15	63	165	167	43	234	-	-	-	-	-	1	8	40	80	82	23
White	423	-	-	-	-	-	2	14	59	149	158	41	220	-	-	-	-	-	1	7	39	74	79	20
All other	33	-	-	-	-	-	1	1	4	16	9	2	14	-	-	-	-	-	-	1	1	6	3	3
Black	32	-	-	-	-	-	1	1	4	15	9	2	14	-	-	-	-	-	-	1	1	6	3	3
Asthma (493)	68	-	1	6	7	5	3	14	11	13	5	3	111	-	1	5	4	8	7	11	17	22	22	14
White	33	-	-	1	2	2	-	5	8	8	4	3	82	-	1	2	2	4	4	7	15	16	18	13
All other	35	-	1	5	5	3	3	9	3	5	1	-	29	-	-	3	2	4	3	4	2	6	4	1
Black	35	-	1	5	5	3	3	9	3	5	1	-	29	-	-	3	2	4	3	4	2	6	4	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,452	-	-	-	-	3	5	33	217	507	495	192	809	-	-	-	1	1	1	30	119	247	285	125
White	1,311	-	-	-	-	3	1	27	183	455	463	179	791	-	-	-	1	-	1	24	98	220	270	117
All other	141	-	-	-	-	-	4	6	34	52	32	13	78	-	-	-	-	1	-	6	21	27	15	8
Black	135	-	-	-	-	-	4	6	32	49	31	13	77	-	-	-	-	1	-	6	20	27	15	8
Ulcer of stomach and duodenum (531-533)	167	-	-	-	1	3	1	10	25	45	47	35	179	-	-	-	-	1	2	2	17	36	61	60
White	147	-	-	-	1	2	1	9	20	38	44	32	161	-	-	-	-	-	2	1	14	33	55	56
All other	20	-	-	-	-	1	-	1	5	7	3	3	18	-	-	-	-	1	-	1	3	3	6	4
Black	20	-	-	-	-	1	-	1	5	7	3	3	17	-	-	-	-	1	-	1	3	3	5	4
Appendicitis (540-543)	16	-	-	-	-	1	-	-	3	7	2	3	10	-	-	-	-	-	-	-	2	-	4	4
White	12	-	-	-	-	-	-	-	3	6	1	2	9	-	-	-	-	-	-	-	2	-	4	3
All other	4	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	108	1	-	1	-	2	1	3	9	28	28	35	171	2	1	-	1	2	1	5	15	26	52	66
White	93	-	-	1	-	1	1	2	7	24	24	33	156	1	-	-	1	1	1	4	12	24	50	62
All other	15	1	-	-	-	1	-	1	2	4	4	2	15	1	1	-	-	1	-	1	3	2	2	4
Black	15	1	-	-	-	1	-	1	2	4	4	2	15	1	1	-	-	1	-	1	3	2	2	4
Chronic liver disease and cirrhosis (571)	812	1	-	-	2	53	142	152	219	176	60	7	451	1	1	-	2	16	42	75	116	130	56	12
White	619	1	-	-	1	25	80	113	186	155	52	6	359	1	1	-	1	6	20	57	97	114	50	12
All other	193	-	-	-	1	28	62	39	33	21	8	1	92	-	-	-	1	10	22	18	19	16	6	-
Black	188	-	-	-	1	28	61	38	32	20	7	1	87	-	-	-	1	9	21	18	16	16	6	-
Cholelithiasis and other disorders of gallbladder (574-575)	68	-	-	-	-	-	3	1	10	14	29	11	91	-	-	-	-	3	1	4	8	8	29	38
White	63	-	-	-	-	-	3	-	10	11	28	11	81	-	-	-	-	2	-	3	6	7	27	36
All other	5	-	-	-	-	-	-	1	-	3	1	-	10	-	-	-	-	1	1	1	2	1	2	2
Black	5	-	-	-	-	-	-	1	-	3	1	-	10	-	-	-	-	1	1	1	2	1	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	570	7	2	1	2	6	16	22	79	133	175	127	579	6	1	1	1	-	11	14	59	119	173	194
White	458	4	1	1	2	2	9	12	57	109	151	110	449	2	1	1	1	-	4	7	38	87	140	168
All other	112	3	1	-	-	4	7	10	22	24	24	17	130	4	-	-	-	-	7	7	21	32	33	26
Black	110	3	1	-	-	4	7	10	22	24	23	16	128	4	-	-	-	-	7	7	20	32	33	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	15	-	-	-	-	-	1	3	2	2	3	4	6	1	-	-	-	-	-	-	1	2	2	-
White	11	-	-	-	-	-	-	1	1	2	3	4	4	-	-	-	-	-	-	-	-	2	2	-
All other	4	-	-	-	-	-	1	2	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	1	2	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	38	-	1	1	-	-	1	-	9	9	10	7	32	-	-	1	-	-	1	-	5	10	9	6
White	32	-	-	1	-	-	1	-	8	8	7	7	26	-	-	1	-	-	-	-	4	8	7	6
All other	6	-	1	-	-	-	-	-	1	1	3	-	6	-	-	-	-	-	1	-	1	2	2	-
Black	6	-	1	-	-	-	-	-	1	1	3	-	6	-	-	-	-	-	1	-	1	2	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	517	7	1	-	2	6	14	19	68	122	162	116	541	5	1	-	1	-	10	14	53	107	162	188
White	415	4	1	-	2	2	8	11	48	99	141	99	419	2	1	-	1	-	4	7	34	77	131	162
All other	102	3	-	-	-	4	6	8	20	23	21	17	122	3	-	-	-	-	6	7	19	30	31	26
Black	100	3	-	-	-	4	6	8	20	23	20	16	120	3	-	-	-	-	6	7	18	30	31	25
Infections of kidney (590)	28	-	1	-	1	-	-	2	3	3	14	4	54	-	-	-	2	-	1	3	5	11	19	13
White	23	-	-	-	1	-	-	-	3	3	12	4	49	-	-	-	2	-	1	3	3	10	18	12
All other	5	-	1	-	-	-	-	2	-	-	2	-	5	-	-	-	-	-	-	-	2	1	1	1
Black	5	-	1	-	-	-	-	2	-	-	2	-	5	-	-	-	-	-	-	-	2	1	1	1
Hyperplasia of prostate (600)	28	-	-	-	-	-	-	-	2	8	12	6	...	...	...	...	...	...	...	...	...	...	...	...
White	24	-	-	-	-	-	-	-	1	7	10	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	1	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	1	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	5	5	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-639)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	5	5	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	2	1	-	...	...	...	...
Congenital anomalies (740-759)	331	223	19	15	17	13	11	6	8	10	7	2	275	183	13	9	7	10	9	5	7	16	9	7
White	262	178	13	12	11	11	9	5	6	9	6	2	212	135	8	8	5	8	7	4	7	15	9	6
All other	69	45	6	3	6	2	2	1	2	1	1	-	63	48	5	1	2	2	2	1	-	1	-	1
Black	68	45	6	2	6	2	2	1	2	1	1	-	59	45	5	1	2	1	2	1	-	1	-	1
Certain conditions originating in the perinatal period (760-779)	651	646	5	-	-	-	-	-	-	-	-	-	462	456	4	1	-	-	-	1	-	-	-	-
White	389	388	1	-	-	-	-	-	-	-	-	-	268	265	2	-	-	-	-	1	-	-	-	-
All other	262	258	4	-	-	-	-	-	-	-	-	-	194	191	2	1	-	-	-	-	-	-	-	-
Black	259	255	4	-	-	-	-	-	-	-	-	-	192	189	2	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	185	185	-	-	-	-	-	-	-	-	-	-	130	128	2	-	-	-	-	-	-	-	-	-
White	115	115	-	-	-	-	-	-	-	-	-	-	81	79	2	-	-	-	-	-	-	-	-	-
All other	70	70	-	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
Black	69	69	-	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	466	461	5	-	-	-	-	-	-	-	-	-	332	328	2	1	-	-	-	1	-	-	-	-
White	274	273	1	-	-	-	-	-	-	-	-	-	187	186	-	-	-	-	-	1	-	-	-	-
All other	192	188	4	-	-	-	-	-	-	-	-	-	145	142	2	1	-	-	-	-	-	-	-	-
Black	190	186	4	-	-	-	-	-	-	-	-	-	144	141	2	1	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	454	200	5	4	23	28	23	13	33	46	55	22	341	145	6	3	16	21	4	5	18	18	41	64
White	316	107	4	2	20	18	15	10	25	39	53	21	232	61	4	3	9	12	3	5	14	18	40	63
All other	138	93	1	2	3	10	8	3	8	7	2	1	109	84	2	-	7	9	1	-	4	-	1	1
Black	134	92	1	2	2	10	8	3	8	7	1	-	108	83	2	-	7	9	1	-	4	-	1	1
All other diseases (Residual)	3,174	33	23	26	61	124	184	240	380	691	901	511	3,491	37	13	19	39	64	83	151	336	601	1,053	1,095
White	2,634	21	16	20	45	74	118	170	305	606	800	459	2,897	20	12	15	27	40	52	111	273	511	938	996
All other	540	12	7	6	16	50	66	70	75	85	101	52	494	17	1	4	12	24	31	40	63	90	115	97
Black	527	12	6	4	16	49	65	68	75	85	97	50	484	16	1	4	12	23	30	39	63	89	113	94
Accidents and adverse effects (E800-E949)	2,541	22	82	115	536	501	299	211	253	211	202	108	1,234	12	46	66	180	131	105	66	117	144	201	166
White	2,061	12	54	82	475	397	222	163	200	170	181	104	1,052	8	28	43	159	103	87	52	100	128	184	160
All other	480	10	28	33	61	104	77	48	53	41	21	4	182	4	18	23	21	28	18	14	17	16	17	6
Black	456	10	25	31	55	100	74	48	51	39	20	3	174	4	18	22	20	27	15	14	17	15	17	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,182	3	21	61	382	274	136	79	99	52	58	16	570	1	14	31	144	92	65	42	56	51	54	20
White	1,010	3	16	46	345	233	108	67	79	42	55	16	520	1	12	25	135	81	59	34	54	47	52	20
All other	172	-	5	15	37	41	28	12	20	10	4	-	50	-	2	6	9	11	6	8	2	4	2	-
Black	155	-	4	14	31	37	25	12	18	10	4	-	46	-	2	6	8	10	4	8	2	4	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,359	19	61	54	154	227	163	132	154	159	143	92	664	11	32	35	36	39	40	24	61	93	147	146
White	1,051	9	38	36	130	164	114	96	121	128	128	88	532	7	16	18	24	22	28	18	46	81	132	140
All other	308	10	23	18	24	63	49	36	33	31	17	4	132	4	16	17	12	17	12	6	15	12	15	6
Black	301	10	21	17	24	63	49	36	33	29	16	3	128	4	16	16	12	17	11	6	15	11	15	5
Suicide (E950-E959)	998	...	...	8	194	201	147	106	125	112	79	25	283	...	...	2	41	57	49	48	36	33	15	2
White	899	...	...	8	171	165	134	93	118	110	74	25	264	...	...	2	40	51	45	43	35	32	14	2
All other	99	...	...	-	23	36	13	13	7	2	5	-	19	...	...	-	1	6	4	5	1	1	1	-
Black	93	...	...	-	21	34	12	13	6	2	5	-	16	...	...	-	1	5	4	4	-	1	1	-
Homicide and legal intervention (E960-E978)	811	8	12	21	220	261	144	75	43	20	6	1	233	5	15	7	52	63	39	22	8	11	11	-
White	308	3	3	8	84	78	64	32	20	12	4	-	113	4	8	3	22	27	18	10	6	8	7	-
All other	503	5	9	13	136	183	80	43	23	8	2	1	120	1	7	4	30	36	21	12	2	3	4	-
Black	497	5	9	13	136	183	75	43	22	8	2	1	119	1	7	4	30	36	21	11	2	3	4	-
All other external causes (E980-E999)	107	4	3	-	23	33	11	11	12	4	4	2	28	-	4	2	4	2	2	6	4	3	1	-
White	74	2	2	-	19	21	7	6	8	3	4	2	21	-	2	1	3	1	2	4	4	3	1	-
All other	33	2	1	-	4	12	4	5	4	1	-	-	7	-	2	1	1	1	-	2	-	-	-	-
Black	32	2	1	-	4	11	4	5	4	1	-	-	7	-	2	1	1	1	-	2	-	-	-	-
INDIANA																								
All causes	25,046	517	76	124	616	666	809	1,580	4,140	6,663	6,542	3,292	23,149	368	73	105	204	268	508	981	2,439	4,589	6,940	6,673
White	23,091	421	65	107	545	576	702	1,409	3,748	6,209	6,177	3,131	21,499	293	59	87	175	225	437	835	2,192	4,234	6,551	6,409
All other	1,955	96	11	17	71	110	107	171	392	454	365	161	1,650	73	14	18	29	43	71	146	247	355	389	264
Black	1,935	93	11	16	71	109	106	168	389	452	361	159	1,634	73	14	18	29	43	68	141	245	352	387	263
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	3	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	5	2	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	24	-	-	-	-	2	2	2	6	4	6	2	13	-	-	-	1	-	-	-	1	-	5	6
White	16	-	-	-	-	1	1	1	5	3	5	-	11	-	-	-	1	-	-	-	1	-	4	5
All other	8	-	-	-	-	1	1	1	1	1	1	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	6	-	-	-	-	1	-	1	1	-	1	2	2	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis of respiratory system (010-012)	19	-	-	-	-	-	2	1	5	4	6	1	8	-	-	-	-	-	-	-	1	-	3	4
White	14	-	-	-	-	-	1	1	4	3	5	-	7	-	-	-	-	-	-	-	1	-	2	4
All other	5	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	5	-	-	-	-	2	-	1	1	-	-	1	5	-	-	-	1	-	-	-	-	-	2	2
White	2	-	-	-	-	1	-	-	1	-	-	-	4	-	-	-	1	-	-	-	-	-	2	1
All other	3	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	185	5	1	1	1	3	6	7	27	40	58	36	207	2	3	-	-	3	3	9	15	49	60	63
White	158	3	1	1	-	2	4	3	24	33	52	35	181	2	2	-	-	2	3	7	12	42	51	60
All other	27	2	-	-	1	1	2	4	3	7	6	1	26	-	1	-	-	1	-	2	3	7	9	3
Black	27	2	-	-	1	1	2	4	3	7	6	1	26	-	1	-	-	1	-	2	3	7	9	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	11	-	-	-	-	1	2	1	3	2	2	-	6	-	-	-	1	-	-	1	1	-	3	-
White	7	-	-	-	-	-	1	-	2	2	2	-	6	-	-	-	1	-	-	1	1	-	3	-
All other	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	61	3	1	1	-	6	6	2	3	26	10	3	46	1	1	-	2	4	2	5	8	9	12	2
White	56	3	1	1	-	5	5	2	3	24	9	3	38	1	1	-	1	3	-	3	7	9	11	2
All other	5	-	-	-	-	1	1	-	-	2	1	-	8	-	-	-	1	1	2	2	1	-	1	-
Black	5	-	-	-	-	1	1	-	-	2	1	-	8	-	-	-	1	1	2	2	1	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,900	1	10	12	24	51	134	444	1,384	2,011	1,390	439	4,958	2	-	14	24	56	202	427	1,038	1,363	1,242	590
White	5,407	-	9	10	22	49	126	397	1,247	1,846	1,291	410	4,598	2	-	12	20	50	181	383	959	1,270	1,166	555
All other	493	1	1	2	2	2	8	47	137	165	99	29	360	-	-	2	4	6	21	44	79	93	76	35
Black	489	1	1	1	2	2	8	46	136	165	99	28	357	-	-	2	4	6	18	44	79	93	76	35
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	117	-	-	-	-	-	1	8	34	43	24	7	34	-	-	-	-	1	2	2	8	12	5	4
White	107	-	-	-	-	-	1	6	32	38	23	7	34	-	-	-	-	1	2	2	8	12	5	4
All other	10	-	-	-	-	-	-	2	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	10	-	-	-	-	-	-	2	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,358	-	1	1	-	6	31	102	292	495	324	106	1,292	1	-	3	1	7	29	76	209	329	371	212
White	1,240	-	1	1	-	5	30	86	257	457	302	101	1,121	1	-	3	1	7	22	62	183	304	340	198
All other	118	-	-	-	-	1	1	16	35	38	22	5	111	-	-	-	-	-	7	14	20	25	31	14
Black	116	-	-	-	-	1	1	15	35	38	22	4	109	-	-	-	-	-	5	14	20	25	31	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,298	-	-	-	-	5	31	216	663	852	451	80	937	-	-	-	1	3	22	98	255	304	206	48
White	2,112	-	-	-	-	5	27	195	605	788	417	75	862	-	-	-	1	3	21	89	230	285	192	41
All other	186	-	-	-	-	-	4	21	58	64	34	5	75	-	-	-	-	-	1	9	25	19	14	7
Black	185	-	-	-	-	-	4	21	57	64	34	5	75	-	-	-	-	-	1	9	25	19	14	7
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	-	2	-	895	1	-	-	-	16	59	115	230	212	178	84
White	2	-	-	-	-	-	-	-	-	-	2	-	845	1	-	-	-	13	55	107	217	199	173	80
All other	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	-	-	3	4	8	13	13	5	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	49	-	-	-	-	3	3	8	13	13	5	4
Malignant neoplasms of genital organs (179-187)	625	-	-	-	1	5	2	8	52	193	255	109	578	-	-	-	1	11	31	49	127	162	148	49
White	547	-	-	-	1	5	2	5	41	168	229	96	533	-	-	-	1	9	29	41	121	147	138	47
All other	78	-	-	-	-	-	-	3	11	25	26	13	45	-	-	-	-	2	2	8	6	15	10	2
Black	78	-	-	-	-	-	-	3	11	25	26	13	45	-	-	-	-	2	2	8	6	15	10	2
Malignant neoplasms of urinary organs (188-189)	284	-	-	-	-	1	6	9	61	89	79	39	170	-	-	-	-	1	6	13	32	39	55	24
White	261	-	-	-	-	-	6	7	57	81	74	38	156	-	-	-	-	1	5	13	29	36	49	23
All other	23	-	-	-	-	1	-	2	4	8	5	3	14	-	-	-	-	-	1	-	3	3	6	1
Black	23	-	-	-	-	1	-	2	4	8	5	3	14	-	-	-	-	-	1	-	3	3	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	672	-	4	5	14	18	32	63	173	189	124	50	626	-	-	8	10	9	34	52	105	175	141	92
White	627	-	3	4	13	18	31	63	155	172	120	48	589	-	-	7	8	9	31	48	100	163	134	89
All other	45	-	1	1	1	-	1	-	18	17	4	2	37	-	-	1	2	-	3	4	5	12	7	3
Black	45	-	1	1	1	-	1	-	18	17	4	2	37	-	-	1	2	-	3	4	5	12	7	3
Leukemia (204-208)	216	1	3	3	6	8	12	10	31	65	54	23	221	-	-	2	7	5	13	16	28	50	61	39
White	207	-	3	3	5	8	11	9	31	62	52	23	205	-	-	1	6	4	12	15	25	45	60	37
All other	9	1	-	-	1	-	1	1	-	3	2	-	16	-	-	1	1	1	1	1	3	5	1	2
Black	9	1	-	-	1	-	1	1	-	3	2	-	16	-	-	1	1	1	1	1	3	5	1	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	328	-	2	3	3	8	19	28	78	85	77	25	265	-	-	1	4	3	6	6	50	80	77	38
White	304	-	2	2	3	8	18	26	69	80	72	24	253	-	-	1	3	3	4	6	46	79	75	36
All other	24	-	-	1	-	-	1	2	9	5	5	1	12	-	-	-	1	-	2	-	4	1	2	2
Black	23	-	-	-	-	-	1	2	9	5	5	1	12	-	-	-	1	-	2	-	4	1	2	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	62	-	-	1	1	-	4	4	9	17	17	9	92	-	-	2	-	4	2	3	10	28	24	19
White	60	-	-	1	1	-	4	4	9	15	17	9	88	-	-	2	-	4	2	3	10	25	23	19
All other	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	3	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	423	-	-	1	-	10	18	27	80	135	104	48	602	-	-	-	-	4	20	16	82	162	188	130
White	375	-	-	1	-	8	16	23	72	117	96	42	516	-	-	-	-	4	11	14	67	133	172	115
All other	48	-	-	-	-	2	2	4	8	18	8	6	86	-	-	-	-	-	9	2	15	29	16	15
Black	47	-	-	-	-	2	2	4	8	18	7	6	86	-	-	-	-	-	9	2	15	29	16	15
Nutritional deficiencies (260-269)	28	4	-	-	-	-	-	1	2	3	12	6	53	1	-	-	-	1	1	1	3	4	15	27
White	25	3	-	-	-	-	-	-	2	2	12	6	52	1	-	-	-	1	1	1	3	4	15	26
All other	3	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	41	-	-	1	1	5	2	1	4	11	11	5	48	-	1	-	2	-	1	-	2	3	16	23
White	31	-	-	-	-	2	1	1	3	10	10	4	43	-	-	-	1	-	-	-	1	3	16	22
All other	10	-	-	1	1	3	1	-	1	1	1	1	5	-	1	-	1	-	1	-	1	-	-	1
Black	10	-	-	1	1	3	1	-	1	1	1	1	5	-	1	-	1	-	1	-	1	-	-	1
Meningitis (320-322)	9	1	-	-	-	1	-	-	3	4	-	-	17	9	2	1	-	-	1	-	1	1	1	1
White	6	-	-	-	-	-	-	-	3	3	-	-	14	7	2	1	-	-	1	-	-	1	1	1
All other	3	1	-	-	-	1	-	-	-	1	-	-	3	2	-	-	-	-	-	-	1	-	-	-
Black	3	1	-	-	-	1	-	-	-	1	-	-	3	2	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	11,432	9	8	9	19	63	209	718	1,770	3,146	3,482	1,999	11,908	10	3	9	16	32	84	291	834	2,099	4,044	4,485
White	10,755	7	5	9	17	55	183	659	1,614	2,975	3,316	1,915	11,152	8	2	7	12	23	68	229	730	1,932	3,813	4,328
All other	677	2	3	-	2	8	26	59	156	171	166	84	756	2	1	2	4	9	16	62	104	167	231	157
Black	672	2	3	-	2	8	26	57	156	171	164	83	751	2	1	2	4	9	16	60	103	168	230	157
Diseases of heart (390-398,402,404-429)	9,123	4	7	7	12	53	190	643	1,520	2,580	2,664	1,443	8,653	7	3	7	6	23	59	221	670	1,653	2,900	3,103
White	8,606	4	5	7	10	46	169	596	1,393	2,447	2,545	1,384	8,098	6	2	5	4	17	49	175	587	1,528	2,735	2,990
All other	517	-	2	-	2	7	21	47	127	133	119	59	555	1	1	2	2	6	10	46	83	125	165	113
Black	514	-	2	-	2	7	21	45	127	133	118	59	552	1	1	2	2	6	10	45	82	124	165	113
Rheumatic fever and rheumatic heart disease (390-398)	54	-	-	-	1	2	3	3	11	15	16	3	103	-	-	-	1	3	4	12	15	31	28	9
White	50	-	-	-	1	2	3	2	10	15	14	3	97	-	-	-	1	3	4	9	13	30	28	9
All other	4	-	-	-	-	-	-	1	1	-	2	-	6	-	-	-	-	-	-	3	2	1	-	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	5	-	-	-	-	-	-	3	2	-	-	-
Hypertensive heart disease (402)	131	-	-	-	-	1	1	5	22	35	47	20	218	-	-	-	-	-	-	6	21	43	77	71
White	102	-	-	-	-	1	-	3	14	28	39	17	177	-	-	-	-	-	-	2	10	34	66	65
All other	29	-	-	-	-	-	1	2	8	7	8	3	41	-	-	-	-	-	-	4	11	9	11	6
Black	29	-	-	-	-	-	1	2	8	7	8	3	41	-	-	-	-	-	-	4	11	9	11	6
Hypertensive heart and renal disease (404)	52	-	-	-	-	-	-	-	3	12	21	16	101	-	-	-	-	-	-	-	2	9	38	52
White	50	-	-	-	-	-	-	-	3	10	21	16	95	-	-	-	-	-	-	-	2	8	36	49
All other	2	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	-	-	-	1	2	3
Black	2	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	-	-	-	1	2	3
Ischemic heart disease (410-414)	6,957	-	-	1	2	22	136	504	1,196	2,040	2,013	1,043	6,072	1	-	2	-	8	30	150	493	1,207	2,043	2,138
White	6,641	-	-	1	2	21	126	480	1,107	1,961	1,936	1,007	5,734	1	-	2	-	7	27	119	444	1,126	1,944	2,064
All other	316	-	-	-	-	1	10	24	89	79	77	36	338	-	-	-	-	1	3	31	49	81	99	74
Black	315	-	-	-	-	1	10	23	89	79	77	36	336	-	-	-	-	1	3	30	48	81	99	74
Acute myocardial infarction (410)	3,885	-	-	1	1	17	94	325	754	1,240	1,026	427	2,774	1	-	1	-	5	21	99	312	678	985	672
White	3,754	-	-	1	1	16	89	316	713	1,207	993	418	2,634	1	-	1	-	5	18	85	291	641	943	649
All other	131	-	-	-	-	1	5	9	41	33	33	9	140	-	-	-	-	-	3	14	21	37	42	23
Black	130	-	-	-	-	1	5	8	41	33	33	9	140	-	-	-	-	-	3	14	21	37	42	23
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	-	-	3	3	1	3	15	-	-	-	-	-	-	1	2	2	4	6
White	10	-	-	-	-	-	-	-	3	3	1	3	15	-	-	-	-	-	-	1	2	2	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	1	2	2	2	-	9	-	-	-	-	-	-	-	1	1	5	2
White	5	-	-	-	-	-	-	-	1	2	2	-	9	-	-	-	-	-	-	-	1	1	5	2
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,055	-	-	-	1	5	42	178	437	795	984	613	3,274	-	-	1	-	3	9	50	178	526	1,049	1,458
White	2,872	-	-	-	1	5	37	164	390	749	940	586	3,076	-	-	1	-	2	9	33	150	482	992	1,407
All other	183	-	-	-	-	-	5	14	47	46	44	27	198	-	-	-	-	1	-	17	28	44	57	51
Black	183	-	-	-	-	-	5	14	47	46	44	27	196	-	-	-	-	1	-	16	27	44	57	51
Other diseases of endocardium (424)	118	-	-	-	-	1	5	5	11	31	48	17	118	1	-	-	1	1	-	3	7	20	45	40
White	110	-	-	-	-	1	5	4	11	30	43	16	114	1	-	-	1	-	-	2	7	20	44	39
All other	8	-	-	-	-	-	-	1	-	1	5	1	4	-	-	-	-	1	-	1	-	-	1	1
Black	8	-	-	-	-	-	-	1	-	1	5	1	4	-	-	-	-	1	-	1	-	-	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,811	4	7	6	9	27	45	126	277	447	519	344	2,041	5	3	5	4	11	25	50	132	343	669	793
White	1,653	4	5	6	7	21	35	107	248	403	492	325	1,881	4	2	3	2	7	18	43	111	310	617	764
All other	158	-	2	-	2	6	10	19	29	44	27	19	160	1	1	2	2	4	7	7	21	33	52	29
Black	157	-	2	-	2	6	10	18	29	44	27	19	160	1	1	2	2	4	7	7	21	33	52	29
Hypertension with or without renal disease (401,403)	82	1	-	-	1	-	2	1	14	22	28	12	84	-	-	-	-	-	1	1	8	12	33	29
White	73	1	-	-	1	-	1	1	13	18	27	11	75	-	-	-	-	-	1	1	5	10	31	27
All other	9	-	-	-	-	-	1	-	1	4	2	1	9	-	-	-	-	-	-	-	3	2	2	2
Black	9	-	-	-	-	-	1	-	1	4	2	1	9	-	-	-	-	-	-	-	3	2	2	2
Cerebrovascular diseases (430-438)	1,618	3	1	-	4	8	14	59	174	379	584	392	2,520	3	-	1	8	8	21	62	126	361	922	1,008
White	1,499	2	-	-	4	7	11	48	151	353	547	376	2,362	2	-	1	7	5	15	47	111	328	870	976
All other	119	1	1	-	-	1	3	11	23	26	37	16	158	1	-	-	1	3	6	15	15	33	52	32
Black	117	1	1	-	-	1	3	11	23	26	36	15	156	1	-	-	1	3	6	14	15	33	51	32
Intracerebral and other intracranial hemorrhage (431-432)	237	1	-	-	1	2	4	20	54	64	67	24	286	1	-	-	5	2	10	24	28	57	111	48
White	215	1	-	-	1	2	2	15	48	58	66	22	259	1	-	-	4	2	7	18	24	51	105	47
All other	22	-	-	-	-	-	2	5	6	6	1	2	27	-	-	-	1	-	3	6	4	6	6	1
Black	22	-	-	-	-	-	2	5	6	6	1	2	26	-	-	-	1	-	3	5	4	6	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	215	1	-	-	-	2	2	6	23	53	74	54	334	-	-	-	-	-	-	7	20	43	131	133
White	193	-	-	-	-	2	2	5	16	51	66	51	322	-	-	-	-	-	-	7	17	43	124	131
All other	22	1	-	-	-	-	-	1	7	2	8	3	12	-	-	-	-	-	-	-	3	-	7	2
Black	22	1	-	-	-	-	-	1	7	2	8	3	12	-	-	-	-	-	-	-	3	-	7	2
Cerebral embolism (434.1)	10	-	-	-	-	-	1	1	-	3	3	2	12	-	-	1	-	-	-	-	1	2	4	4
White	10	-	-	-	-	-	1	1	-	3	3	2	12	-	-	1	-	-	-	-	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,156	1	1	-	3	4	7	32	97	259	440	312	1,888	2	-	-	3	6	11	31	77	259	676	823
White	1,061	1	-	-	3	3	6	27	87	241	412	301	1,769	1	-	-	3	3	9	22	69	232	637	794
All other	75	-	1	-	-	1	1	5	10	18	28	11	119	1	-	-	-	3	3	9	8	27	39	29
Black	73	-	1	-	-	1	1	5	10	18	27	10	118	1	-	-	-	3	3	9	8	27	38	29
Atherosclerosis (440)	274	-	-	-	-	-	-	1	14	46	97	116	447	-	-	-	-	-	-	-	9	29	119	290
White	263	-	-	-	-	-	-	1	13	44	94	111	428	-	-	-	-	-	-	-	8	26	111	283
All other	11	-	-	-	-	-	-	-	1	2	3	5	19	-	-	-	-	-	-	-	1	3	8	7
Black	11	-	-	-	-	-	-	-	1	2	3	5	19	-	-	-	-	-	-	-	1	3	8	7
Other diseases of arteries, arterioles, and capillaries (441-448)	335	1	-	2	2	2	3	14	48	119	108	36	204	-	-	1	2	1	3	7	21	44	70	55
White	314	-	-	2	2	2	2	13	44	113	103	33	189	-	-	1	1	1	3	6	19	40	66	52
All other	21	1	-	-	-	-	1	1	4	6	5	3	15	-	-	-	1	-	-	1	2	4	4	3
Black	21	1	-	-	-	-	1	1	4	6	5	3	15	-	-	-	1	-	-	1	2	4	4	3
Acute bronchitis and bronchiolitis (466)	10	2	-	-	-	-	-	-	-	4	4	-	4	-	-	-	-	-	-	-	-	1	2	1
White	10	2	-	-	-	-	-	-	-	4	4	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	639	18	1	-	3	2	10	16	47	121	221	200	655	3	5	3	-	3	11	11	28	71	194	326
White	595	15	-	-	2	2	8	13	40	111	210	194	622	3	5	3	-	2	9	9	24	64	186	317
All other	44	3	1	-	1	-	2	3	7	10	11	6	33	-	-	-	-	1	2	2	4	7	8	9
Black	44	3	1	-	1	-	2	3	7	10	11	6	33	-	-	-	-	1	2	2	4	7	8	9
Pneumonia (480-486)	628	17	1	-	3	2	10	16	47	119	217	196	634	3	5	2	-	3	11	11	27	71	187	314
White	585	15	-	-	2	2	8	13	40	109	206	190	601	3	5	2	-	2	9	9	23	64	179	305
All other	43	2	1	-	1	-	2	3	7	10	11	6	33	-	-	-	-	1	2	2	4	7	8	9
Black	43	2	1	-	1	-	2	3	7	10	11	6	33	-	-	-	-	1	2	2	4	7	8	9
Influenza (487)	11	1	-	-	-	-	-	-	-	2	4	4	21	-	-	1	-	-	-	-	1	-	7	12
White	10	-	-	-	-	-	-	-	-	2	4	4	21	-	-	1	-	-	-	-	1	-	7	12
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,189	-	-	1	1	3	5	29	200	398	421	131	659	-	-	2	4	1	7	25	98	211	241	80
White	1,137	-	-	-	1	3	4	25	189	384	401	130	645	-	-	1	4	-	7	25	89	205	236	78
All other	52	-	-	1	-	-	1	4	11	14	20	1	24	-	-	1	-	1	-	-	9	6	5	2
Black	51	-	-	1	-	-	1	4	11	14	19	1	24	-	-	1	-	1	-	-	9	6	5	2
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	-	-	-	-	6	15	17	7	31	-	-	-	1	-	1	-	3	7	9	10
White	41	-	-	-	-	-	-	-	6	14	15	6	28	-	-	-	1	-	1	-	2	5	9	10
All other	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	4	-	-	-	-	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	1	2	-	-
Emphysema (492)	224	-	-	-	-	-	-	6	46	86	69	17	128	-	-	-	-	-	-	6	28	39	45	10
White	217	-	-	-	-	-	-	6	44	85	65	17	124	-	-	-	-	-	-	6	25	39	44	10
All other	7	-	-	-	-	-	-	-	2	1	4	-	4	-	-	-	-	-	-	-	3	-	1	-
Black	7	-	-	-	-	-	-	-	2	1	4	-	4	-	-	-	-	-	-	-	3	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	33	-	-	1	1	3	1	1	6	9	6	5	43	-	-	2	3	1	3	5	6	11	11	1
White	29	-	-	-	1	3	-	-	5	9	6	5	39	-	-	1	3	-	3	5	6	9	11	1
All other	4	-	-	1	-	-	1	1	1	-	-	-	4	-	-	1	-	1	-	-	-	2	-	-
Black	4	-	-	1	-	-	1	1	1	-	-	-	4	-	-	1	-	1	-	-	-	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	887	-	-	-	-	-	4	22	142	288	329	102	467	-	-	-	-	-	3	14	61	154	176	59
White	850	-	-	-	-	-	4	19	134	276	315	102	454	-	-	-	-	-	3	14	56	152	172	57
All other	37	-	-	-	-	-	-	3	8	12	14	-	13	-	-	-	-	-	-	-	5	2	4	2
Black	36	-	-	-	-	-	-	3	8	12	13	-	13	-	-	-	-	-	-	-	5	2	4	2
Ulcer of stomach and duodenum (531-533)	66	-	-	-	-	-	2	6	13	16	22	7	62	-	1	-	-	-	-	-	4	16	14	27
White	61	-	-	-	-	-	-	6	12	16	21	6	59	-	1	-	-	-	-	-	4	15	13	26
All other	5	-	-	-	-	-	2	-	1	-	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	2	-	-	-	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Appendicitis (540-543)	8	-	-	-	1	-	1	-	2	-	3	1	5	-	-	-	-	1	-	-	-	-	1	3
White	8	-	-	-	1	-	1	-	2	-	3	1	5	-	-	-	-	1	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	48	1	-	-	1	2	-	1	9	12	14	8	83	-	-	-	-	1	-	3	9	11	30	29
White	44	1	-	-	1	2	-	1	7	11	13	8	75	-	-	-	-	-	-	2	8	10	27	28
All other	4	-	-	-	-	-	-	-	2	1	1	-	8	-	-	-	-	1	-	1	1	1	3	1
Black	4	-	-	-	-	-	-	-	2	1	1	-	8	-	-	-	-	1	-	1	1	1	3	1
Chronic liver disease and cirrhosis (571)	311	-	-	-	1	10	25	50	117	82	25	1	187	-	-	-	1	3	18	28	49	55	27	6
White	277	-	-	-	1	8	19	42	105	76	25	1	165	-	-	-	1	2	16	25	42	47	26	6
All other	34	-	-	-	-	2	6	8	12	6	-	-	22	-	-	-	-	1	2	3	7	8	1	-
Black	34	-	-	-	-	2	6	8	12	6	-	-	20	-	-	-	-	1	2	2	6	8	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	-	2	4	6	7	9	6	35	-	-	-	-	-	-	1	2	3	17	12
White	33	-	-	-	-	-	2	4	5	7	9	6	33	-	-	-	-	-	-	1	2	3	16	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	258	6	1	-	1	1	6	9	30	63	75	66	286	2	-	-	1	1	1	8	22	53	99	99
White	226	5	1	-	1	-	4	9	26	55	69	56	262	1	-	-	1	1	1	7	20	48	91	92
All other	32	1	-	-	-	1	2	-	4	8	6	10	24	1	-	-	-	-	-	1	2	5	8	7
Black	32	1	-	-	-	1	2	-	4	8	6	10	24	1	-	-	-	-	-	1	2	5	8	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	-	1	1	1	2	6	5	1	21	-	-	-	-	-	-	-	2	3	8	8
White	15	-	-	-	-	-	1	1	2	6	4	1	19	-	-	-	-	-	-	-	2	3	7	7
All other	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	239	6	1	-	1	-	5	8	27	57	69	65	263	2	-	-	1	1	1	8	20	50	90	90
White	209	5	1	-	1	-	3	8	23	49	64	55	241	1	-	-	1	1	1	7	18	45	83	84
All other	30	1	-	-	-	-	2	-	4	8	5	10	22	1	-	-	-	-	-	1	2	5	7	6
Black	30	1	-	-	-	-	2	-	4	8	5	10	22	1	-	-	-	-	-	1	2	5	7	6
Infections of kidney (590)	11	-	-	-	-	1	-	-	-	1	7	2	29	-	-	-	-	-	-	1	-	7	10	11
White	10	-	-	-	-	1	-	-	-	-	7	2	29	-	-	-	-	-	-	1	-	7	10	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	1	6	3	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	1	6	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	179	117	13	5	10	6	4	3	10	5	4	2	136	93	13	4	3	4	3	3	5	3	4	1
White	153	96	12	3	9	5	4	3	10	5	4	2	122	83	11	4	3	2	3	3	5	3	4	1
All other	26	21	1	2	1	1	-	-	-	-	-	-	14	10	2	-	-	2	-	-	-	-	-	-
Black	25	20	1	2	1	1	-	-	-	-	-	-	14	10	2	-	-	2	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	242	242	-	-	-	-	-	-	-	-	-	-	176	175	1	-	-	-	-	-	-	-	-	-
White	193	193	-	-	-	-	-	-	-	-	-	-	130	129	1	-	-	-	-	-	-	-	-	-
All other	49	49	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Black	47	47	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	83	83	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
White	70	70	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	159	159	-	-	-	-	-	-	-	-	-	-	126	125	1	-	-	-	-	-	-	-	-	-
White	123	123	-	-	-	-	-	-	-	-	-	-	94	93	1	-	-	-	-	-	-	-	-	-
All other	36	36	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Black	34	34	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	231	74	2	1	11	18	16	8	14	24	33	30	189	32	2	1	1	10	5	3	13	18	31	73
White	209	65	2	1	10	12	13	8	13	24	32	29	171	25	-	1	1	9	5	3	11	15	31	70
All other	22	9	-	-	1	6	3	-	1	-	1	1	18	7	2	-	-	1	-	-	2	3	-	3
Black	22	9	-	-	1	6	3	-	1	-	1	1	17	7	2	-	-	1	-	-	2	2	-	3
All other diseases (Residual)	1,519	16	9	20	28	44	70	81	208	368	450	225	1,730	19	14	16	16	22	38	68	149	327	529	532
White	1,367	15	8	18	24	35	54	70	180	337	416	210	1,614	16	13	12	13	17	32	53	134	305	510	509
All other	152	1	1	2	4	9	16	11	28	31	34	15	116	3	1	4	3	5	6	15	15	22	19	23
Black	152	1	1	2	4	9	16	11	28	31	34	15	114	3	1	4	3	5	6	14	15	22	19	22
Accidents and adverse effects (E800-E949)	1,308	12	25	62	341	263	159	86	102	88	115	55	709	10	23	46	101	72	51	43	45	74	118	125
White	1,204	8	24	57	323	238	145	74	94	82	108	51	657	10	19	38	93	65	48	36	43	72	111	121
All other	104	4	1	5	18	25	14	12	8	6	7	4	52	-	4	8	8	7	3	7	2	2	7	4
Black	102	4	1	5	18	24	14	12	7	6	7	4	50	-	4	8	8	7	3	7	2	1	6	4
Motor vehicle accidents (E810-E825)	729	3	9	38	256	182	86	46	43	31	29	6	337	3	6	24	89	54	36	27	24	33	32	9
White	685	2	8	36	249	165	81	40	41	30	27	6	320	3	6	22	83	48	34	26	24	33	32	9
All other	44	1	1	2	7	17	5	6	2	1	2	-	17	-	-	2	6	6	2	1	-	-	-	-
Black	43	1	1	2	7	16	5	6	2	1	2	-	17	-	-	2	6	6	2	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	579	9	16	24	85	81	73	40	59	57	86	49	372	7	17	22	12	18	15	16	21	41	86	116
White	519	6	16	21	74	73	64	34	53	52	81	45	337	7	13	18	10	17	14	10	19	39	79	112
All other	60	3	-	3	11	8	9	6	6	5	5	4	35	-	4	6	2	1	1	6	2	2	7	4
Black	59	3	-	3	11	8	9	6	5	5	5	4	33	-	4	6	2	1	1	6	2	1	6	4
Suicide (E950-E959)	529	...	...	5	109	112	84	50	69	61	34	5	122	...	...	3	8	23	33	22	10	16	6	1
White	497	...	...	5	98	105	80	45	67	59	33	5	114	...	...	3	6	22	29	22	10	15	6	1
All other	32	...	...	-	11	7	4	5	2	2	1	-	8	...	...	-	2	1	4	-	-	1	-	-
Black	31	...	...	-	11	7	4	5	2	1	1	-	8	...	...	-	2	1	4	-	-	1	-	-
Homicide and legal intervention (E960-E978)	239	1	1	4	57	74	38	26	22	10	5	-	90	3	3	4	17	17	19	8	8	5	5	1
White	132	1	1	-	26	37	25	18	14	4	5	-	68	3	2	3	11	13	14	4	8	5	4	1
All other	107	-	-	4	29	37	13	10	8	6	-	-	22	-	1	1	6	4	5	4	-	-	1	-
Black	107	-	-	4	29	37	13	10	8	6	-	-	21	-	1	1	6	4	5	3	-	-	1	-
All other external causes (E980-E999)	28	-	2	-	6	8	4	4	-	1	1	2	28	4	1	-	5	3	6	4	2	-	2	-
White	20	-	-	-	6	6	2	3	-	1	-	2	22	2	-	-	5	2	6	3	1	-	2	-
All other	8	-	2	-	-	2	2	1	-	-	1	-	6	2	1	-	-	1	-	1	1	-	-	-
Black	8	-	2	-	-	2	2	1	-	-	1	-	6	2	1	-	-	1	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	14,212	204	24	74	298	278	336	653	1,850	3,523	4,157	2,815	13,622	167	34	28	91	108	194	415	1,202	2,335	3,870	5,158
White	14,013	196	24	71	289	269	326	633	1,812	3,483	4,116	2,794	13,469	176	34	26	88	108	186	402	1,173	2,303	3,841	5,132
All other	199	8	-	3	9	9	10	20	38	40	41	21	153	11	-	2	3	-	8	13	29	32	29	26
Black	177	6	-	3	5	5	10	19	34	36	39	20	136	7	-	1	2	-	6	11	26	30	27	26
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	1	-	-	2	2	2	1	2	-	-	-	-	-	-	-	2	-	-	-
White	8	-	-	-	-	1	-	-	2	2	2	1	2	-	-	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	7	-	-	-	-	1	-	-	2	1	2	1	2	-	-	-	-	-	-	-	2	-	-	-
White	7	-	-	-	-	1	-	-	2	1	2	1	2	-	-	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	97	2	2	-	-	-	2	5	15	15	32	24	80	-	-	1	1	2	2	3	7	15	25	24
White	96	2	2	-	-	-	2	5	14	15	32	24	79	-	-	1	1	2	2	3	7	15	25	23
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	1	-	1	1	-	1	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	1	-	1	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	32	-	1	-	1	-	2	3	5	10	6	4	23	1	1	-	-	2	2	-	3	7	4	3
White	31	-	1	-	1	-	2	3	5	10	6	3	20	1	1	-	-	2	1	-	1	7	4	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,211	-	2	16	8	28	63	185	583	997	966	363	2,914	-	3	2	7	30	80	204	559	821	771	437
White	3,167	-	2	15	8	28	61	180	573	983	956	361	2,872	-	3	2	6	30	76	199	547	811	763	435
All other	44	-	-	1	-	-	2	5	10	14	10	2	42	-	-	-	1	-	4	5	12	10	8	2
Black	40	-	-	1	-	-	2	4	8	13	10	2	36	-	-	-	1	-	2	5	9	10	7	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	64	-	-	-	-	-	1	9	15	20	10	9	36	-	-	-	-	-	-	2	6	15	7	6
White	62	-	-	-	-	-	1	9	14	20	9	9	36	-	-	-	-	-	-	2	6	15	7	6
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	832	-	-	1	1	7	15	50	143	264	243	108	867	-	-	-	-	3	9	45	123	217	287	183
White	822	-	-	1	1	7	14	49	139	261	242	108	850	-	-	-	-	3	9	42	122	212	281	181
All other	10	-	-	-	-	-	1	1	4	3	1	-	17	-	-	-	-	-	-	3	1	5	6	2
Black	8	-	-	-	-	-	1	1	3	2	1	-	16	-	-	-	-	-	-	3	1	5	5	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,115	-	-	-	-	-	10	69	267	395	308	66	407	-	-	-	-	2	6	38	141	129	71	20
White	1,094	-	-	-	-	-	10	67	263	386	303	65	395	-	-	-	-	2	5	37	132	128	71	20
All other	21	-	-	-	-	-	-	2	4	9	5	1	12	-	-	-	-	-	1	1	9	1	-	-
Black	20	-	-	-	-	-	-	1	4	9	5	1	9	-	-	-	-	-	1	1	6	1	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	1	3	-	538	-	-	-	-	7	25	52	119	158	112	65
White	4	-	-	-	-	-	-	-	-	1	3	-	533	-	-	-	-	7	25	52	117	155	112	65
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	2	3	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	2	3	-	-
Malignant neoplasms of genital organs (179-187)	410	-	-	-	1	2	1	4	24	89	195	94	359	-	-	-	-	4	22	28	66	113	83	43
White	407	-	-	-	1	2	1	4	24	89	193	93	354	-	-	-	-	4	19	27	66	113	82	43
All other	3	-	-	-	-	-	-	-	-	-	2	1	5	-	-	-	-	-	3	1	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	1	1	-	-	1	-
Malignant neoplasms of urinary organs (188-189)	168	-	-	-	-	-	3	8	22	56	53	26	105	-	-	-	1	-	1	5	17	28	29	24
White	167	-	-	-	-	-	3	8	22	56	52	26	104	-	-	-	-	-	1	5	17	28	29	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	285	-	1	11	2	14	16	22	61	75	56	27	290	-	1	2	4	6	9	21	51	79	74	43
White	282	-	1	10	2	14	15	22	61	74	56	27	290	-	1	2	4	6	9	21	51	79	74	43
All other	3	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	144	-	1	2	3	2	7	10	19	36	45	19	119	-	2	-	2	4	2	8	12	25	39	25
White	143	-	1	2	3	2	7	10	18	36	45	19	119	-	2	-	2	4	2	8	12	25	39	25
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	189	-	-	2	1	3	10	13	32	61	53	14	193	-	-	-	-	4	6	5	24	57	69	28
White	186	-	-	2	1	3	10	11	32	60	53	14	191	-	-	-	-	4	6	5	24	56	68	28
All other	3	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	-	1	-	-	-	-	2	5	5	6	4	43	-	-	-	-	1	1	1	4	4	16	16
White	23	-	1	-	-	-	-	2	5	5	6	4	42	-	-	-	-	1	1	1	4	4	15	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	198	-	-	-	1	2	4	13	32	50	64	32	260	-	-	-	1	3	2	10	32	55	84	73
White	194	-	-	-	1	2	4	11	32	49	63	32	250	-	-	-	1	3	2	7	30	53	81	73
All other	4	-	-	-	-	-	-	2	-	1	1	-	10	-	-	-	-	-	-	3	2	2	3	-
Black	4	-	-	-	-	-	-	2	-	1	1	-	10	-	-	-	-	-	-	3	2	2	3	-
Nutritional deficiencies (260-269)	18	-	-	-	-	-	-	-	1	3	4	10	33	1	-	-	-	-	-	1	1	2	6	22
White	18	-	-	-	-	-	-	-	1	3	4	10	33	1	-	-	-	-	-	1	1	2	6	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	15	-	-	1	-	1	-	-	1	2	3	7	29	-	-	-	-	-	-	-	1	5	6	17
White	14	-	-	-	-	1	-	-	1	2	3	7	29	-	-	-	-	-	-	-	1	5	6	17
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	1	-	-	-	-	-	-	-	-	-	5	1	2	-	-	-	-	-	-	-	2	-
White	2	1	1	-	-	-	-	-	-	-	-	-	5	1	2	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	6,759	9	1	5	7	33	88	289	864	1,709	2,130	1,624	7,203	5	1	2	6	10	37	115	363	985	2,210	3,469
White	6,681	8	1	5	7	31	84	280	846	1,692	2,110	1,617	7,147	5	1	2	5	10	35	111	353	971	2,201	3,453
All other	78	1	-	-	-	2	4	9	18	17	20	7	56	-	-	-	1	-	2	4	10	14	9	16
Black	72	1	-	-	-	1	4	9	18	15	18	6	53	-	-	-	1	-	2	3	10	13	8	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,366	9	1	3	6	28	79	257	757	1,433	1,636	1,177	5,291	3	1	2	5	9	23	92	288	800	1,650	2,418
White	5,317	8	1	3	6	26	75	249	741	1,417	1,620	1,171	5,251	3	1	2	4	9	23	88	282	790	1,642	2,407
All other	69	1	-	-	-	2	4	8	16	16	16	6	40	-	-	-	1	-	-	4	6	10	8	11
Black	63	1	-	-	-	1	4	8	16	14	14	5	36	-	-	-	1	-	-	3	6	10	7	11
Rheumatic fever and rheumatic heart disease (390-398)	23	-	-	-	-	-	1	2	2	6	8	4	54	-	-	-	-	-	-	-	5	23	18	8
White	23	-	-	-	-	-	1	2	2	6	8	4	54	-	-	-	-	-	-	-	5	23	18	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	70	-	-	-	-	1	-	1	10	16	24	18	149	-	-	-	-	-	1	2	9	17	42	78
White	69	-	-	-	-	1	-	1	10	16	23	18	149	-	-	-	-	-	1	2	9	17	42	78
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	17	-	-	-	-	-	-	-	1	3	7	6	39	-	-	-	-	-	-	-	2	2	14	21
White	17	-	-	-	-	-	-	-	1	3	7	6	38	-	-	-	-	-	-	-	2	2	14	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	4,081	1	-	-	-	16	50	223	584	1,121	1,238	848	3,595	1	-	-	1	5	13	60	205	562	1,159	1,589
White	4,043	-	-	-	-	16	49	216	576	1,113	1,229	844	3,569	1	-	-	-	5	13	58	201	556	1,153	1,582
All other	38	1	-	-	-	-	1	7	8	8	9	4	26	-	-	-	1	-	-	2	4	6	6	7
Black	35	1	-	-	-	-	1	7	8	7	8	3	24	-	-	-	1	-	-	1	4	6	5	7
Acute myocardial infarction (410)	2,439	1	-	-	-	11	32	167	419	725	711	373	1,783	1	-	-	1	3	10	43	145	352	634	594
White	2,410	-	-	-	-	11	31	160	412	717	707	372	1,768	1	-	-	-	3	10	41	142	350	630	591
All other	29	1	-	-	-	-	1	7	7	8	4	1	15	-	-	-	1	-	-	2	3	2	4	3
Black	28	1	-	-	-	-	1	7	7	7	4	1	13	-	-	-	1	-	-	1	3	2	3	3
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	-	1	1	-	6	4	2	10	-	-	-	-	1	-	1	-	2	2	4
White	14	-	-	-	-	-	1	1	-	6	4	2	10	-	-	-	-	1	-	1	-	2	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	5	-	-	-	-	-	-	-	2	1	1	1	7	-	-	-	-	-	-	-	-	1	3	3
White	5	-	-	-	-	-	-	-	2	1	1	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,623	-	-	-	-	5	17	55	163	389	522	472	1,795	-	-	-	-	1	3	16	60	207	520	988
White	1,614	-	-	-	-	5	17	55	162	389	517	469	1,784	-	-	-	-	1	3	16	59	203	518	984
All other	9	-	-	-	-	-	-	-	1	-	5	3	11	-	-	-	-	-	-	-	1	4	2	4
Black	7	-	-	-	-	-	-	-	1	-	4	2	11	-	-	-	-	-	-	-	1	4	2	4
Other diseases of endocardium (424)	61	-	-	-	1	-	2	1	2	14	24	17	75	-	-	-	-	-	-	3	4	15	24	29
White	60	-	-	-	1	-	2	1	2	14	23	17	75	-	-	-	-	-	-	3	4	15	24	29
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,134	8	1	3	5	11	26	30	158	273	335	284	1,379	2	1	2	4	4	9	27	63	181	393	693
White	1,105	8	1	3	5	9	23	29	150	265	330	282	1,366	2	1	2	4	4	9	25	61	177	391	690
All other	29	-	-	-	-	2	3	1	8	8	5	2	13	-	-	-	-	-	-	2	2	4	2	3
Black	26	-	-	-	-	1	3	1	8	7	4	2	13	-	-	-	-	-	-	2	2	4	2	3
Hypertension with or without renal disease (401,403)	61	-	-	-	-	-	-	1	4	10	27	19	70	-	-	-	-	-	-	-	3	7	16	44
White	61	-	-	-	-	-	-	1	4	10	27	19	69	-	-	-	-	-	-	-	3	6	16	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	921	-	-	1	1	4	4	25	63	177	349	297	1,385	2	-	-	1	1	10	20	57	149	428	717
White	913	-	-	1	1	4	4	24	61	177	345	296	1,370	2	-	-	1	1	8	20	53	146	427	712
All other	8	-	-	-	-	-	-	1	2	-	4	1	15	-	-	-	-	-	2	-	4	3	1	5
Black	8	-	-	-	-	-	-	1	2	-	4	1	14	-	-	-	-	-	2	-	4	2	1	5
Intracerebral and other intracranial hemorrhage (431-432)	94	-	-	-	-	1	2	11	12	22	32	14	114	1	-	-	-	-	3	8	13	21	33	35
White	92	-	-	-	-	1	2	11	11	22	32	13	113	1	-	-	-	-	2	8	13	21	33	35
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	135	-	-	-	-	-	-	1	13	23	51	47	196	1	-	-	1	-	-	-	5	13	58	118
White	134	-	-	-	-	-	-	1	13	23	50	47	195	1	-	-	1	-	-	-	4	13	58	118
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	-	1	2	2	8	-	-	-	-	-	-	-	2	-	1	5
White	5	-	-	-	-	-	-	-	-	1	2	2	8	-	-	-	-	-	-	-	2	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	687	-	-	1	1	3	2	13	38	131	264	234	1,067	-	-	-	-	1	7	12	37	115	336	559
White	682	-	-	1	1	3	2	12	37	131	261	234	1,054	-	-	-	-	1	6	12	34	112	335	554
All other	5	-	-	-	-	-	-	1	1	-	3	-	13	-	-	-	-	-	1	-	3	3	1	5
Black	5	-	-	-	-	-	-	1	1	-	3	-	12	-	-	-	-	-	1	-	3	2	1	5
Atherosclerosis (440)	179	-	-	-	-	-	-	1	7	23	51	97	345	-	-	-	-	-	-	1	6	11	82	245
White	178	-	-	-	-	-	-	1	7	22	51	97	345	-	-	-	-	-	-	1	6	11	82	245
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	212	-	-	1	-	1	5	5	33	66	67	34	112	-	-	-	-	-	4	2	9	18	34	45
White	212	-	-	1	-	1	5	5	33	66	67	34	112	-	-	-	-	-	4	2	9	18	34	45
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	584	4	-	1	4	5	6	5	32	78	194	255	578	2	-	3	1	1	5	2	15	37	159	359
White	574	3	-	1	4	5	6	5	31	75	192	252	571	2	-	2	1	1	5	2	14	36	151	357
All other	10	1	-	-	-	-	-	-	1	3	2	3	7	-	-	1	-	-	-	-	1	1	2	2
Black	9	1	-	-	-	-	-	-	1	2	2	3	7	-	-	1	-	-	-	-	1	1	2	2
Pneumonia (480-486)	553	3	-	1	4	5	6	5	31	77	186	235	535	2	-	3	1	1	5	2	15	33	140	333
White	543	2	-	1	4	5	6	5	30	74	184	232	528	2	-	2	1	1	5	2	14	32	138	331
All other	10	1	-	-	-	-	-	-	1	3	2	3	7	-	-	1	-	-	-	-	1	1	2	2
Black	9	1	-	-	-	-	-	-	1	2	2	3	7	-	-	1	-	-	-	-	1	1	2	2
Influenza (487)	31	1	-	-	-	-	-	-	1	1	8	20	43	-	-	-	-	-	-	-	-	4	13	26
White	31	1	-	-	-	-	-	-	1	1	8	20	43	-	-	-	-	-	-	-	-	4	13	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	697	-	-	2	1	-	2	12	67	241	274	98	350	-	1	-	3	1	4	3	57	109	119	53
White	693	-	-	2	1	-	2	12	66	241	272	97	348	-	1	-	3	1	3	3	57	108	119	53
All other	4	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	1	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	1	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	25	-	-	-	-	-	-	-	2	10	7	6	20	-	-	-	-	-	-	-	4	4	4	8
White	25	-	-	-	-	-	-	-	2	10	7	6	20	-	-	-	-	-	-	-	4	4	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	128	-	-	-	-	-	-	2	13	52	46	15	61	-	-	-	-	-	-	-	14	16	22	9
White	128	-	-	-	-	-	-	2	13	52	46	15	61	-	-	-	-	-	-	-	14	16	22	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	20	-	-	2	1	-	1	-	3	3	7	3	35	-	1	-	2	-	1	1	3	12	7	8
White	20	-	-	2	1	-	1	-	3	3	7	3	35	-	1	-	2	-	1	1	3	12	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	524	-	-	-	-	-	1	10	49	176	214	74	234	-	-	-	1	1	3	2	36	77	86	28
White	520	-	-	-	-	-	1	10	48	176	212	73	232	-	-	-	1	1	2	2	36	76	86	28
All other	4	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	1	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	1	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	46	-	-	-	-	-	2	-	2	8	18	16	62	-	-	-	-	-	-	2	5	5	18	32
White	46	-	-	-	-	-	2	-	2	8	18	16	61	-	-	-	-	-	-	1	5	5	18	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	-	-	-	-	1	-	2	-	5	11	7	51	-	-	-	-	-	1	-	1	3	18	28
White	25	-	-	-	-	1	-	2	-	5	10	7	51	-	-	-	-	-	1	-	1	3	18	28
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	131	-	-	-	1	1	10	22	33	43	16	5	86	-	-	-	-	2	3	11	20	27	19	4
White	126	-	-	-	1	1	10	18	32	43	16	5	85	-	-	-	-	2	3	11	20	26	19	4
All other	5	-	-	-	-	-	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	1	-	-	3	4	6	4	18	-	-	-	-	-	-	-	1	3	3	11
White	18	-	-	-	-	1	-	-	3	4	6	4	18	-	-	-	-	-	-	-	1	3	3	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	104	1	-	-	-	-	1	2	8	20	40	32	113	1	-	-	-	-	1	1	5	22	35	48
White	103	1	-	-	-	-	1	2	8	19	40	32	111	-	-	-	-	-	1	1	5	22	34	48
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	-	-	-	-	-	1	-	-	2	1	4	10	-	-	-	-	-	-	-	-	3	2	5
White	7	-	-	-	-	-	1	-	-	1	1	4	10	-	-	-	-	-	-	-	-	3	2	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	94	1	-	-	-	-	-	1	7	18	39	28	101	1	-	-	-	-	1	1	5	18	31	43
White	94	1	-	-	-	-	-	1	7	18	39	28	99	-	-	-	-	-	1	1	5	19	30	43
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Infections of kidney (590)	15	-	-	-	-	1	-	-	3	1	1	9	27	-	-	-	-	-	-	-	1	2	9	15
White	14	-	-	-	-	1	-	-	3	1	1	8	27	-	-	-	-	-	-	-	1	2	9	15
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	1	3	6	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	1	3	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	70	46	3	2	2	2	5	4	2	2	2	-	83	63	7	2	-	2	-	3	-	4	2	-
White	69	45	3	2	2	2	5	4	2	2	2	-	81	61	7	2	-	2	-	3	-	4	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	97	96	1	-	-	-	-	-	-	-	-	-	77	76	1	-	-	-	-	-	-	-	-	-
White	93	92	1	-	-	-	-	-	-	-	-	-	71	70	1	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	32	32	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	65	64	1	-	-	-	-	-	-	-	-	-	60	59	1	-	-	-	-	-	-	-	-	-
White	62	61	1	-	-	-	-	-	-	-	-	-	54	53	1	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	91	35	1	-	2	1	5	1	9	12	11	14	68	24	2	-	-	-	-	1	-	5	5	31
White	90	34	1	-	2	1	5	1	9	12	11	14	68	24	2	-	-	-	-	1	-	5	5	31
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	883	7	1	8	9	18	17	31	76	211	268	237	1,048	11	2	4	5	11	17	30	78	171	293	426
White	870	7	1	8	8	18	17	31	74	208	265	239	1,033	9	2	4	5	11	17	30	77	169	298	422
All other	13	-	-	-	1	-	-	-	2	3	3	4	15	2	-	-	-	-	-	-	1	3	5	4
Black	13	-	-	-	1	-	-	-	2	3	3	4	15	2	-	-	-	-	-	-	1	3	5	4
Accidents and adverse effects (E800-E949)	742	2	9	35	193	124	76	41	70	68	72	52	362	1	10	14	54	20	24	17	30	42	63	87
White	728	2	9	34	189	122	75	41	67	68	70	51	358	1	10	13	53	20	24	17	29	42	63	86
All other	14	-	-	1	4	2	1	-	3	-	2	1	4	-	-	1	1	-	-	-	1	-	-	1
Black	10	-	-	1	2	2	1	-	1	-	2	1	2	-	-	-	-	-	-	-	1	-	-	1
Motor vehicle accidents (E810-E825)	375	-	4	11	148	81	41	20	26	24	13	7	148	-	4	9	41	16	19	7	22	15	13	2
White	369	-	4	10	146	80	40	20	25	24	13	7	147	-	4	9	40	16	19	7	22	15	13	2
All other	6	-	-	1	2	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	4	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	367	2	5	24	45	43	35	21	44	44	59	45	214	1	6	5	13	4	5	10	8	27	50	85
White	359	2	5	24	43	42	35	21	42	44	57	44	211	1	6	4	13	4	5	10	7	27	50	84
All other	8	-	-	-	2	1	-	-	2	-	2	1	3	-	-	1	-	-	-	-	1	-	-	1
Black	6	-	-	-	1	1	-	-	1	-	2	1	2	-	-	-	-	-	-	-	1	-	-	1
Suicide (E950-E959)	271	...	...	2	60	47	39	27	33	32	26	5	64	...	...	-	7	10	12	9	14	8	3	1
White	264	...	...	2	57	44	38	27	33	32	26	5	64	...	...	-	7	10	12	9	14	8	3	1
All other	7	...	...	-	3	3	1	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	3	...	...	-	1	1	1	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	36	-	-	1	8	7	12	3	2	2	1	-	23	1	3	-	4	7	2	1	3	1	1	-
White	30	-	-	1	7	5	10	3	2	1	1	-	23	1	3	-	4	7	2	1	3	1	1	-
All other	6	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	20	-	1	1	1	5	2	5	1	-	1	3	9	-	1	-	1	5	-	-	-	-	2	-
White	20	-	1	1	1	5	2	5	1	-	1	3	9	-	1	-	1	5	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,244	212	49	63	245	306	289	627	1,573	2,824	3,133	1,923	10,813	157	47	39	111	119	190	340	993	1,830	3,171	3,815
White	10,667	186	43	57	220	266	260	573	1,487	2,682	3,032	1,861	10,298	131	46	33	101	107	175	307	922	1,727	3,048	3,700
All other	577	26	6	6	25	40	29	54	86	142	101	62	515	26	1	6	10	12	15	33	71	103	123	115
Black	528	23	5	6	19	37	25	52	78	132	92	59	481	24	1	5	8	10	15	30	61	96	121	110
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	1	-	-	2	-	3	-	-	-	-	-	-	-	2	-	-	1
White	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	67	2	-	-	-	-	2	3	2	19	20	19	109	1	1	-	2	2	1	-	11	17	35	39
White	60	2	-	-	-	-	2	3	1	18	20	14	101	1	1	-	2	2	1	-	10	15	32	37
All other	7	-	-	-	-	-	-	-	1	1	-	5	8	-	-	-	-	-	-	-	1	2	3	2
Black	7	-	-	-	-	-	-	-	1	1	-	5	8	-	-	-	-	-	-	-	1	2	3	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	1	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
White	5	-	-	1	-	-	-	1	-	2	1	-	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	34	2	-	1	-	3	3	1	4	8	6	6	28	-	-	-	-	3	1	2	3	5	4	10
White	34	2	-	1	-	3	3	1	4	8	6	6	27	-	-	-	-	3	1	1	3	5	4	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,353	-	7	13	11	18	44	162	478	792	601	227	2,154	1	6	3	8	30	75	167	401	591	553	319
White	2,227	-	6	12	10	17	40	144	457	744	581	216	2,055	1	6	3	8	28	69	156	380	561	536	307
All other	126	-	1	1	1	1	4	18	21	48	20	11	99	-	-	-	-	2	6	11	21	30	17	12
Black	118	-	-	1	1	-	4	17	21	47	16	11	93	-	-	-	-	2	6	10	18	28	17	12
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	37	-	-	-	-	-	1	6	6	13	5	6	15	-	-	-	-	-	-	1	6	2	5	1
White	30	-	-	-	-	-	-	3	6	12	4	5	15	-	-	-	-	-	-	1	6	2	5	1
All other	7	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	568	-	-	-	2	-	3	35	124	186	162	56	564	-	2	-	-	4	9	25	77	137	175	135
White	533	-	-	-	2	-	3	29	118	172	156	53	531	-	2	-	-	3	8	21	70	127	169	131
All other	35	-	-	-	-	-	-	6	6	14	6	3	33	-	-	-	-	1	1	4	7	10	6	4
Black	32	-	-	-	-	-	-	5	6	14	4	3	31	-	-	-	-	1	1	3	6	10	6	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	807	-	-	-	1	-	9	66	202	316	176	37	392	-	1	-	-	3	7	35	92	145	85	24
White	771	-	-	-	1	-	8	59	191	304	172	36	379	-	1	-	-	3	6	33	89	137	82	22
All other	36	-	-	-	-	-	1	7	11	12	4	1	19	-	-	-	-	-	1	2	3	8	3	2
Black	36	-	-	-	-	-	1	7	11	12	4	1	18	-	-	-	-	-	1	2	3	7	3	2
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	2	-	1	416	-	-	-	-	3	26	55	98	118	78	38
White	4	-	-	-	-	-	-	-	1	2	-	1	404	-	-	-	-	3	25	53	94	115	77	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	1	2	4	3	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	1	2	2	3	1	1
Malignant neoplasms of genital organs (179-187)	278	-	-	-	-	1	-	-	24	86	109	58	250	-	-	-	-	5	11	21	45	75	67	26
White	259	-	-	-	-	1	-	-	22	79	102	55	235	-	-	-	-	4	10	19	44	70	63	25
All other	19	-	-	-	-	-	-	-	2	7	7	3	15	-	-	-	-	1	1	2	1	5	4	1
Black	19	-	-	-	-	-	-	-	2	7	7	3	15	-	-	-	-	1	1	2	1	5	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	147	-	-	-	-	-	3	14	22	45	40	23	73	-	-	-	1	1	4	-	9	10	30	18
White	143	-	-	-	-	-	3	14	21	43	40	22	67	-	-	-	1	1	3	-	8	9	29	16
All other	4	-	-	-	-	-	-	-	1	2	-	1	6	-	-	-	-	-	1	-	1	1	1	2
Black	4	-	-	-	-	-	-	-	1	2	-	1	6	-	-	-	-	-	1	-	1	1	1	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	263	-	5	1	3	7	21	26	53	78	45	24	223	1	2	1	3	9	10	19	38	51	52	37
White	253	-	5	1	3	7	20	25	53	72	44	23	214	1	2	1	3	9	10	18	36	48	51	35
All other	10	-	-	-	-	-	1	1	-	6	1	1	9	-	-	-	-	-	-	1	2	3	1	2
Black	8	-	-	-	-	-	1	1	-	5	-	1	8	-	-	-	-	-	-	1	2	2	1	2
Leukemia (204-208)	103	-	2	9	4	2	2	4	15	26	29	10	97	-	-	2	2	3	3	6	14	22	24	21
White	99	-	1	8	3	2	2	4	15	25	29	10	94	-	-	2	2	3	2	6	13	22	23	21
All other	4	-	1	1	1	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	3	-	-	1	1	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	146	-	-	3	1	8	5	11	31	40	35	12	124	-	1	-	2	2	5	5	22	31	37	19
White	135	-	-	3	1	7	4	10	30	35	34	11	122	-	1	-	2	2	5	5	20	31	37	19
All other	11	-	-	-	-	1	1	1	1	5	1	1	2	-	-	-	-	-	-	-	2	-	-	-
Black	9	-	-	-	-	-	1	1	1	5	-	1	2	-	-	-	-	-	-	-	2	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	29	-	-	-	1	-	1	4	4	3	12	4	29	1	-	-	1	-	2	-	3	10	9	3
White	27	-	-	-	-	-	1	3	4	3	12	4	26	1	-	-	1	-	1	-	2	9	9	3
All other	2	-	-	-	1	-	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	2	-	-	-	1	-	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Diabetes mellitus (250)	168	-	-	-	1	1	5	11	22	47	57	24	247	-	-	-	-	2	5	10	32	62	81	55
White	154	-	-	-	1	1	5	9	18	43	54	23	228	-	-	-	-	2	5	9	28	58	77	49
All other	14	-	-	-	-	-	-	2	4	4	3	1	19	-	-	-	-	-	-	1	4	4	4	6
Black	12	-	-	-	-	-	-	2	3	3	3	1	18	-	-	-	-	-	-	1	4	3	4	6
Nutritional deficiencies (260-269)	15	-	-	-	-	-	-	-	1	1	8	5	35	1	-	-	-	-	-	1	-	5	7	21
White	14	-	-	-	-	-	-	-	1	-	8	5	34	-	-	-	-	-	-	1	-	5	7	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	25	-	-	-	1	-	-	-	3	2	13	6	32	-	-	-	1	1	-	-	2	7	11	10
White	25	-	-	-	1	-	-	-	3	2	13	6	30	-	-	-	-	-	-	-	2	7	11	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
Meningitis (320-322)	4	1	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	1	-	1	-	1	2	-
White	3	-	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	1	-	1	-	1	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,147	7	2	2	11	25	79	251	689	1,330	1,633	1,118	5,469	4	3	1	6	14	39	74	331	755	1,778	2,464
White	4,940	6	-	2	7	21	69	233	650	1,275	1,587	1,090	5,226	3	3	1	5	9	35	64	304	709	1,703	2,390
All other	207	1	2	-	4	4	10	18	39	55	46	28	243	1	-	-	1	5	4	10	27	46	75	74
Black	188	1	2	-	3	4	8	18	33	49	44	26	231	1	-	-	1	5	4	9	25	43	73	70
Diseases of heart (390-398,402,404-429)	4,223	7	2	2	9	19	68	227	611	1,126	1,297	855	4,071	2	2	1	4	11	33	63	263	584	1,338	1,770
White	4,063	6	-	2	7	16	59	216	578	1,085	1,259	835	3,883	2	2	1	3	6	29	54	245	547	1,283	1,711
All other	160	1	2	-	2	3	9	11	33	41	38	20	188	-	-	-	1	5	4	9	18	37	55	59
Black	145	1	2	-	1	3	7	11	29	37	36	18	178	-	-	-	1	5	4	8	16	34	54	56
Rheumatic fever and rheumatic heart disease (390-398)	16	-	-	1	-	1	-	1	4	5	2	2	50	-	-	-	1	-	3	2	10	9	22	3
White	16	-	-	1	-	1	-	1	4	5	2	2	47	-	-	-	1	-	2	2	9	9	21	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Hypertensive heart disease (402)	54	-	-	-	-	1	-	2	6	15	21	9	107	-	-	-	-	-	1	1	8	19	43	35
White	48	-	-	-	-	-	-	2	6	13	20	7	97	-	-	-	-	-	1	1	7	17	37	34
All other	6	-	-	-	-	1	-	-	-	2	1	2	10	-	-	-	-	-	-	-	1	2	6	1
Black	6	-	-	-	-	1	-	-	-	2	1	2	10	-	-	-	-	-	-	-	1	2	6	1
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	3	3	1	22	-	-	-	-	-	-	-	-	2	6	14
White	7	-	-	-	-	-	-	-	-	3	3	1	21	-	-	-	-	-	-	-	-	2	6	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	3,189	-	-	-	-	9	47	184	479	888	978	604	2,697	-	-	-	-	2	16	42	187	438	880	1,132
White	3,093	-	-	-	-	9	40	176	460	863	954	591	2,582	-	-	-	-	1	15	39	177	413	846	1,091
All other	96	-	-	-	-	-	7	8	19	25	24	13	115	-	-	-	-	1	1	3	10	25	34	41
Black	85	-	-	-	-	-	5	8	18	21	22	11	108	-	-	-	-	1	1	3	9	22	34	38
Acute myocardial infarction (410)	1,900	-	-	-	-	7	34	145	339	578	553	244	1,295	-	-	-	-	2	11	31	128	268	466	389
White	1,845	-	-	-	-	7	30	140	326	561	541	240	1,251	-	-	-	-	1	10	29	122	259	451	379
All other	55	-	-	-	-	-	4	5	13	17	12	4	44	-	-	-	-	1	1	2	6	9	15	10
Black	49	-	-	-	-	-	3	5	13	15	11	2	41	-	-	-	-	1	1	2	5	7	15	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	1	-	-	3	1	1	1	8	-	-	-	-	-	-	-	-	2	3	3
White	6	-	-	-	-	1	-	-	2	1	1	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	2	2	-
White	4	-	-	-	-	-	-	-	-	2	2	-	4	-	-	-	-	-	-	-	-	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,278	-	-	-	-	1	13	39	137	307	422	359	1,390	-	-	-	-	-	5	11	59	166	409	740
White	1,238	-	-	-	-	1	10	36	132	299	410	350	1,320	-	-	-	-	-	5	10	55	151	390	709
All other	40	-	-	-	-	-	3	3	5	8	12	9	70	-	-	-	-	-	-	1	4	15	19	31
Black	35	-	-	-	-	-	2	3	4	6	11	9	66	-	-	-	-	-	-	1	4	14	19	28
Other diseases of endocardium (424)	50	-	-	-	1	-	-	3	10	12	18	6	61	-	-	-	-	-	-	-	4	9	20	28
White	45	-	-	-	1	-	-	2	8	12	16	6	58	-	-	-	-	-	-	-	4	8	18	28
All other	5	-	-	-	-	-	-	1	2	-	2	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-
All other forms of heart disease (415-423,425-429)	907	7	2	1	8	8	21	37	112	203	275	233	1,134	2	2	1	3	9	13	18	54	107	367	558
White	854	6	-	1	6	6	19	35	100	189	264	228	1,078	2	2	1	2	5	11	12	48	98	355	542
All other	53	1	2	-	2	2	2	2	12	14	11	5	56	-	-	-	1	4	2	6	6	9	12	16
Black	50	1	2	-	1	2	2	2	10	14	11	5	54	-	-	-	1	4	2	5	5	9	12	16
Hypertension with or without renal disease (401,403)	25	-	-	-	-	-	1	-	1	3	14	6	42	-	-	-	-	-	-	-	5	2	12	23
White	22	-	-	-	-	-	1	-	1	3	12	5	38	-	-	-	-	-	-	-	4	2	11	21
All other	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	-	1	2
Black	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	-	1	2
Cerebrovascular diseases (430-438)	661	-	-	-	1	5	8	22	57	152	227	189	1,028	1	1	-	2	3	3	10	49	139	344	476
White	627	-	-	-	-	4	8	15	52	142	222	184	991	1	1	-	2	3	3	9	45	132	328	467
All other	34	-	-	-	1	1	-	7	5	10	5	5	37	-	-	-	-	-	-	1	4	7	16	9
Black	30	-	-	-	1	1	-	7	3	8	5	5	36	-	-	-	-	-	-	1	4	7	15	9
Intracerebral and other intracranial hemorrhage (431-432)	73	-	-	-	1	2	1	8	11	23	16	11	105	-	1	-	-	1	1	2	9	23	35	33
White	63	-	-	-	-	1	1	5	10	19	16	11	100	-	1	-	-	1	1	2	8	20	34	33
All other	10	-	-	-	1	1	-	3	1	4	-	-	5	-	-	-	-	-	-	-	1	3	1	-
Black	10	-	-	-	1	1	-	3	1	4	-	-	4	-	-	-	-	-	-	-	1	3	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	85	-	-	-	-	-	2	3	8	19	21	32	155	-	-	-	-	-	-	-	5	21	47	82
White	81	-	-	-	-	-	2	3	8	17	21	30	148	-	-	-	-	-	-	-	4	20	45	79
All other	4	-	-	-	-	-	-	-	-	2	-	2	7	-	-	-	-	-	-	-	1	1	2	3
Black	4	-	-	-	-	-	-	-	-	2	-	2	7	-	-	-	-	-	-	-	1	1	2	3
Cerebral embolism (434.1)	8	-	-	-	-	-	1	-	-	2	3	2	3	-	-	-	-	-	-	-	-	1	-	2
White	8	-	-	-	-	-	1	-	-	2	3	2	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	495	-	-	-	-	3	4	11	38	108	187	144	765	1	-	-	2	2	2	8	35	94	262	359
White	475	-	-	-	-	3	4	7	34	104	182	141	740	1	-	-	2	2	2	7	33	91	249	353
All other	20	-	-	-	-	-	-	4	4	4	5	3	25	-	-	-	-	-	-	1	2	3	13	6
Black	16	-	-	-	-	-	-	4	2	2	5	3	25	-	-	-	-	-	-	1	2	3	13	6
Atherosclerosis (440)	116	-	-	-	-	-	-	-	5	12	46	53	221	-	-	-	-	-	1	-	6	7	51	156
White	112	-	-	-	-	-	-	-	5	11	45	51	211	-	-	-	-	-	1	-	2	6	49	153
All other	4	-	-	-	-	-	-	-	-	1	1	2	10	-	-	-	-	-	-	-	4	1	2	3
Black	4	-	-	-	-	-	-	-	-	1	1	2	9	-	-	-	-	-	-	-	4	1	2	2
Other diseases of arteries, arterioles, and capillaries (441-448)	122	-	-	-	1	1	2	2	15	37	49	15	107	1	-	-	-	-	2	1	8	23	33	39
White	116	-	-	-	-	1	1	2	14	34	49	15	103	-	-	-	-	-	2	1	8	22	32	38
All other	6	-	-	-	1	-	1	-	1	3	-	-	4	1	-	-	-	-	-	-	-	1	1	1
Black	6	-	-	-	1	-	1	-	1	3	-	-	4	1	-	-	-	-	-	-	-	1	1	1
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	-	-	-	4	1	4	-	1	-	-	-	-	-	-	-	2	1
White	5	-	-	-	-	-	-	-	-	-	4	1	4	-	1	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	374	3	4	1	2	3	2	5	27	53	141	133	433	3	-	1	1	-	2	4	12	36	115	259
White	358	3	3	-	2	3	2	4	26	50	138	127	427	1	-	1	1	-	2	4	12	34	114	258
All other	16	-	1	1	-	-	-	1	1	3	3	6	6	2	-	-	-	-	-	-	-	2	1	1
Black	14	-	1	1	-	-	-	1	1	3	2	5	6	2	-	-	-	-	-	-	-	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	380	3	4	1	2	2	2	5	27	53	136	125	388	3	-	1	1	-	2	4	11	35	103	228
White	344	3	3	-	2	2	2	4	26	50	133	119	382	1	-	1	1	-	2	4	11	33	102	227
All other	16	-	1	1	-	-	-	1	1	3	3	6	6	2	-	-	-	-	-	-	-	2	1	1
Black	14	-	1	1	-	-	-	1	1	3	2	5	6	2	-	-	-	-	-	-	-	2	1	1
Influenza (487)	14	-	-	-	-	1	-	-	-	-	5	8	45	-	-	-	-	-	-	-	1	1	12	31
White	14	-	-	-	-	1	-	-	-	-	5	8	45	-	-	-	-	-	-	-	1	1	12	31
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	572	-	-	-	-	-	2	13	69	198	215	75	277	-	-	-	3	1	2	9	45	87	95	35
White	551	-	-	-	-	-	2	12	66	189	208	74	267	-	-	-	2	1	2	6	44	85	92	35
All other	21	-	-	-	-	-	-	1	3	9	7	1	10	-	-	-	1	-	-	3	1	2	3	-
Black	19	-	-	-	-	-	-	1	3	7	7	1	10	-	-	-	1	-	-	3	1	2	3	-
Bronchitis, chronic and unspecified (490-491)	26	-	-	-	-	-	-	2	6	7	8	3	14	-	-	-	-	-	-	-	1	6	3	4
White	24	-	-	-	-	-	-	2	5	7	7	3	14	-	-	-	-	-	-	-	1	6	3	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	85	-	-	-	-	-	-	2	10	27	40	6	50	-	-	-	-	-	-	1	8	19	21	1
White	81	-	-	-	-	-	-	2	9	25	39	6	48	-	-	-	-	-	-	1	7	19	20	1
All other	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Asthma (493)	15	-	-	-	-	-	-	-	4	6	6	-	19	-	-	-	3	1	1	3	3	2	3	3
White	18	-	-	-	-	-	-	-	4	6	6	-	15	-	-	-	2	1	1	1	3	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	2	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	2	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	445	-	-	-	-	-	2	9	49	158	161	66	194	-	-	-	-	-	1	5	33	60	68	27
White	430	-	-	-	-	-	2	8	48	151	156	65	190	-	-	-	-	-	1	4	33	58	67	27
All other	15	-	-	-	-	-	-	1	1	7	5	1	4	-	-	-	-	-	-	1	-	2	1	-
Black	13	-	-	-	-	-	-	1	1	5	5	1	4	-	-	-	-	-	-	1	-	2	1	-
Ulcer of stomach and duodenum (531-533)	30	-	-	-	-	-	-	1	3	6	14	6	50	-	-	-	-	1	1	-	3	8	14	23
White	30	-	-	-	-	-	-	1	3	6	14	6	49	-	-	-	-	1	-	-	3	8	14	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	1	-	1	1	-	1	1
White	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	1	-	1	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	-	-	-	-	-	1	1	4	7	5	8	48	1	-	-	-	-	-	-	4	2	20	21
White	26	-	-	-	-	-	1	1	4	7	5	8	46	1	-	-	-	-	-	-	4	2	19	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic liver disease and cirrhosis (571)	109	-	-	-	-	2	9	27	38	27	5	1	60	-	-	-	-	-	2	12	11	22	13	-
White	104	-	-	-	-	2	9	25	35	27	5	1	59	-	-	-	-	-	2	12	10	22	13	-
All other	5	-	-	-	-	-	-	2	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	-	1	-	1	2	9	2	14	-	-	-	-	1	1	-	1	2	3	6
White	15	-	-	-	-	-	1	-	1	2	9	2	14	-	-	-	-	1	1	-	1	2	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	120	4	1	1	-	-	2	3	12	24	35	38	133	-	-	-	1	-	1	4	13	12	44	58
White	110	1	1	1	-	-	2	3	12	22	35	33	121	-	-	-	-	-	1	4	12	11	41	52
All other	10	3	-	-	-	-	-	-	-	2	-	5	12	-	-	-	1	-	-	-	1	1	3	6
Black	10	3	-	-	-	-	-	-	-	2	-	5	12	-	-	-	1	-	-	-	1	1	3	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	2
White	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	-	-	-	-	2	2	2	3	9	-	-	-	-	-	-	1	-	-	4	4
White	8	-	-	-	-	-	-	-	2	2	2	2	8	-	-	-	-	-	-	1	-	-	4	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	110	4	-	1	-	-	2	3	10	22	33	35	121	-	-	-	1	-	1	3	12	12	40	52
White	101	1	-	1	-	-	2	3	10	20	33	31	110	-	-	-	-	-	1	3	11	11	37	47
All other	9	3	-	-	-	-	-	-	-	2	-	4	11	-	-	-	1	-	-	-	1	1	3	5
Black	9	3	-	-	-	-	-	-	-	2	-	4	11	-	-	-	1	-	-	-	1	1	3	5
Infections of kidney (590)	12	-	-	-	-	-	-	-	1	2	3	6	26	1	-	-	-	-	-	1	2	3	7	12
White	11	-	-	-	-	-	-	-	1	1	3	6	25	1	-	-	-	-	-	1	1	3	7	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	1	-	2	5	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	1	-	2	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	60	39	2	1	2	5	2	2	1	2	1	3	70	44	9	6	3	4	1	1	-	2	-	-
White	57	36	2	1	2	5	2	2	1	2	1	3	64	39	9	6	2	4	1	1	-	2	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	6	5	-	-	1	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	5	4	-	-	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	104	104	-	-	-	-	-	-	-	-	-	-	58	57	1	-	-	-	-	-	-	-	-	-
White	94	94	-	-	-	-	-	-	-	-	-	-	44	43	1	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	32	32	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
White	30	30	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	72	72	-	-	-	-	-	-	-	-	-	-	47	46	1	-	-	-	-	-	-	-	-	-
White	64	64	-	-	-	-	-	-	-	-	-	-	35	34	1	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	181	31	2	-	2	-	5	6	27	38	36	34	223	26	-	-	2	-	1	7	11	25	52	99
White	155	26	2	-	2	-	5	6	20	34	28	32	200	26	-	-	2	-	-	4	8	19	47	94
All other	26	5	-	-	-	-	-	-	7	4	8	2	23	-	-	-	-	-	1	3	3	6	5	5
Black	22	3	-	-	-	-	-	-	7	4	6	2	20	-	-	-	-	-	1	3	1	5	5	5
All other diseases (Residual)	789	9	6	10	16	23	20	37	95	174	235	164	839	10	5	7	6	9	17	24	67	127	254	313
White	752	9	6	8	14	19	17	34	92	166	225	162	809	9	5	5	5	7	17	24	64	120	246	307
All other	37	-	-	2	2	4	3	3	3	8	10	2	30	1	-	2	1	2	-	-	3	7	8	6
Black	35	-	-	2	1	4	2	3	3	8	10	2	28	1	-	2	-	1	-	-	3	7	8	6
Accidents and adverse effects (E800-E949)	660	7	22	28	147	132	63	48	66	61	52	34	353	4	18	18	60	26	22	11	26	40	63	65
White	618	4	22	26	140	121	57	46	63	56	50	33	332	4	17	16	58	26	21	8	21	38	60	63
All other	42	3	-	2	7	11	6	2	3	5	2	1	21	-	1	2	2	-	1	3	5	2	3	2
Black	37	3	-	2	3	10	6	2	3	5	2	1	16	-	1	1	2	-	1	2	3	2	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	351	1	8	14	109	80	34	27	24	25	21	8	167	1	9	13	48	21	13	6	14	21	18	3
White	329	-	8	14	103	72	30	27	23	23	21	8	161	1	9	11	47	21	13	5	12	21	18	3
All other	22	1	-	-	6	8	4	-	1	2	-	-	6	-	-	2	1	-	-	1	2	-	-	-
Black	17	1	-	-	2	7	4	-	1	2	-	-	4	-	-	1	1	-	-	1	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	309	6	14	14	38	52	29	21	42	36	31	26	186	3	9	5	12	5	9	5	12	19	45	62
White	289	4	14	12	37	49	27	19	40	33	29	25	171	3	8	5	11	5	8	3	9	17	42	60
All other	20	2	-	2	1	3	2	2	2	3	2	1	15	-	1	-	1	-	1	2	3	2	3	2
Black	20	2	-	2	1	3	2	2	2	3	2	1	12	-	1	-	1	-	1	1	2	2	3	1
Suicide (E950-E959)	231	...	...	3	34	61	32	38	17	24	18	4	61	...	...	1	11	14	9	6	8	6	6	-
White	223	...	...	3	32	58	31	37	17	23	18	4	59	...	...	1	10	14	9	6	7	6	6	-
All other	8	...	...	-	2	3	1	1	-	1	-	-	2	...	...	-	1	-	-	-	1	-	-	-
Black	6	...	...	-	2	2	1	-	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	82	1	3	2	17	28	13	8	7	2	1	-	31	-	1	2	4	6	8	5	1	2	1	-
White	45	1	1	2	9	13	8	3	6	2	-	-	25	-	1	-	3	5	7	4	1	2	1	-
All other	37	-	2	-	8	15	5	5	1	-	1	-	6	-	-	2	1	1	1	1	-	-	-	-
Black	36	-	2	-	8	15	4	5	1	-	1	-	6	-	-	2	1	1	1	1	-	-	-	-
All other external causes (E980-E999)	12	1	-	-	-	5	3	3	-	-	-	-	9	3	2	-	1	1	-	-	1	1	-	-
White	10	1	-	-	-	3	3	3	-	-	-	-	7	1	2	-	1	1	-	-	1	1	-	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
KENTUCKY																								
All causes	18,601	370	55	81	435	466	679	1,304	3,090	4,969	4,733	2,419	16,264	224	38	54	159	196	333	730	1,824	3,377	5,012	4,316
White	17,169	308	50	78	395	422	612	1,182	2,840	4,599	4,394	2,289	14,937	185	33	49	150	171	300	639	1,641	3,079	4,639	4,050
All other	1,432	62	5	3	40	44	67	122	250	370	339	130	1,327	39	5	5	9	25	33	91	183	298	373	266
Black	1,423	60	5	3	39	43	67	122	248	370	339	129	1,309	38	5	5	9	22	33	89	178	296	370	264
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	1	-	-	-	-	2
White	3	1	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	1	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	19	-	-	-	-	-	1	1	1	2	7	7	14	-	-	-	-	-	-	1	2	2	4	5
White	18	-	-	-	-	-	1	1	1	2	6	7	12	-	-	-	-	-	-	1	2	2	4	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	-	1	-	1	2	7	7	10	-	-	-	-	-	-	1	1	1	2	5
White	17	-	-	-	-	-	1	-	1	2	6	7	8	-	-	-	-	-	-	1	1	1	2	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Other tuberculosis (013-018)	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
White	1	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	142	2	-	-	-	1	2	4	29	37	39	28	156	1	1	-	-	1	-	7	14	26	58	48
White	122	2	-	-	-	1	2	2	22	34	33	26	142	1	1	-	-	1	-	6	13	22	50	48
All other	20	-	-	-	-	-	-	2	7	3	6	2	14	-	-	-	-	-	-	1	1	4	8	-
Black	20	-	-	-	-	-	-	2	7	3	6	2	14	-	-	-	-	-	-	1	1	4	8	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	7	-	-	-	-	-	-	2	1	1	2	1	9	-	-	-	2	-	-	1	3	-	2	1
White	7	-	-	-	-	-	-	2	1	1	2	1	9	-	-	-	2	-	-	1	3	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	53	-	1	1	4	8	6	4	4	10	10	5	27	1	-	1	-	-	-	1	8	6	5	5
White	44	-	1	1	2	6	4	3	3	9	10	5	22	1	-	1	-	-	-	1	5	6	4	4
All other	9	-	-	-	2	2	2	1	1	1	-	-	5	-	-	-	-	-	-	-	3	-	1	1
Black	9	-	-	-	2	2	2	1	1	1	-	-	5	-	-	-	-	-	-	-	3	-	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,079	-	5	5	14	35	107	362	1,004	1,381	887	279	3,416	-	1	6	11	47	139	350	749	935	826	352
White	3,741	-	5	4	13	32	98	328	922	1,267	820	252	3,132	-	1	5	11	41	129	314	687	866	755	323
All other	338	-	-	1	1	3	9	34	82	114	67	27	284	-	-	1	-	6	10	36	62	69	71	29
Black	335	-	-	1	1	3	9	34	79	114	67	27	278	-	-	1	-	5	10	36	58	69	70	29
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	82	-	-	-	1	-	1	12	21	31	13	3	44	-	-	-	-	1	-	6	8	9	13	7
White	73	-	-	-	1	-	1	9	17	30	12	3	40	-	-	-	-	-	-	6	6	9	12	7
All other	9	-	-	-	-	-	-	3	4	1	1	-	4	-	-	-	-	1	-	-	2	-	1	-
Black	9	-	-	-	-	-	-	3	4	1	1	-	4	-	-	-	-	1	-	-	2	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	918	-	-	-	-	8	31	79	194	312	204	90	856	-	-	-	1	5	17	44	137	241	276	135
White	818	-	-	-	-	8	26	67	172	281	182	82	780	-	-	-	1	3	17	41	119	226	250	123
All other	100	-	-	-	-	-	5	12	22	31	22	8	76	-	-	-	-	2	-	3	18	15	26	12
Black	99	-	-	-	-	-	5	12	21	31	22	8	72	-	-	-	-	1	-	3	15	15	26	12
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,721	-	-	-	-	6	27	174	513	640	307	54	716	-	-	-	-	3	25	93	207	243	116	29
White	1,600	-	-	-	-	4	26	162	476	591	290	51	667	-	-	-	-	3	21	81	196	228	110	28
All other	121	-	-	-	-	2	1	12	37	49	17	3	49	-	-	-	-	-	4	12	11	15	6	1
Black	120	-	-	-	-	2	1	12	36	49	17	3	48	-	-	-	-	-	4	12	10	15	6	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	1	2	-	611	-	-	-	-	9	34	82	165	148	119	54
White	4	-	-	-	-	-	-	-	1	1	2	-	559	-	-	-	-	8	32	74	154	135	107	49
All other	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	1	2	8	11	13	12	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	1	2	8	11	13	12	5
Malignant neoplasms of genital organs (179-187)	381	-	-	-	2	2	1	4	41	109	163	59	368	-	-	-	2	6	19	51	87	96	76	31
White	338	-	-	-	2	2	1	3	36	97	146	51	337	-	-	-	2	5	16	49	82	84	70	29
All other	43	-	-	-	-	-	-	1	5	12	17	8	31	-	-	-	-	1	3	2	5	12	6	2
Black	42	-	-	-	-	-	-	1	4	12	17	8	31	-	-	-	-	1	3	2	5	12	6	2
Malignant neoplasms of urinary organs (188-189)	212	-	-	-	-	-	5	18	45	66	54	24	99	-	-	-	-	1	1	4	14	36	27	16
White	199	-	-	-	-	-	4	18	41	60	53	23	90	-	-	-	-	1	1	4	13	33	22	16
All other	13	-	-	-	-	-	1	-	4	6	1	1	9	-	-	-	-	-	-	-	1	3	5	-
Black	13	-	-	-	-	-	1	-	4	6	1	1	9	-	-	-	-	-	-	-	1	3	5	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	448	-	4	3	3	15	25	47	127	124	74	26	411	-	1	3	4	13	30	43	87	89	94	47
White	421	-	4	2	3	14	24	46	120	117	70	21	372	-	1	3	4	13	29	36	78	81	86	41
All other	27	-	-	1	-	1	1	1	7	7	4	5	39	-	-	-	-	-	1	7	9	8	8	6
Black	27	-	-	1	-	1	1	1	7	7	4	5	38	-	-	-	-	-	1	7	9	8	7	6
Leukemia (204-208)	135	-	1	2	2	2	11	7	35	40	26	9	116	-	-	3	2	4	4	12	12	26	38	15
White	125	-	1	2	2	2	10	7	32	38	22	9	107	-	-	2	2	3	4	9	11	25	37	14
All other	10	-	-	-	-	-	1	-	3	2	4	-	9	-	-	1	-	1	-	3	1	1	1	1
Black	10	-	-	-	-	-	1	-	3	2	4	-	9	-	-	1	-	1	-	3	1	1	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	178	-	-	-	6	2	6	21	27	58	44	14	195	-	-	-	2	5	9	15	32	47	67	18
White	163	-	-	-	5	2	6	16	27	52	43	12	180	-	-	-	2	5	9	14	28	45	61	16
All other	15	-	-	-	1	-	-	5	-	6	1	2	15	-	-	-	-	-	-	1	4	2	6	2
Black	15	-	-	-	1	-	-	5	-	6	1	2	15	-	-	-	-	-	-	1	4	2	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	60	1	-	1	1	2	3	6	7	17	17	5	40	1	-	-	1	2	2	-	3	10	14	7
White	54	1	-	1	1	2	3	5	6	14	16	5	38	1	-	-	1	2	2	-	3	9	13	7
All other	6	-	-	-	-	-	-	1	1	3	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	6	-	-	-	-	-	-	1	1	3	1	-	2	-	-	-	-	-	-	-	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	254	-	-	-	2	3	17	11	58	68	74	21	437	-	-	-	1	4	5	18	63	102	168	76
White	217	-	-	-	1	3	15	8	50	55	65	20	380	-	-	-	1	4	5	15	48	86	157	64
All other	37	-	-	-	1	-	2	3	8	13	9	1	57	-	-	-	-	-	-	3	15	16	11	12
Black	37	-	-	-	1	-	2	3	8	13	9	1	57	-	-	-	-	-	-	3	15	16	11	12
Nutritional deficiencies (260-269)	10	-	-	-	-	-	-	-	-	4	4	2	26	-	-	-	-	-	-	3	1	2	8	12
White	7	-	-	-	-	-	-	-	-	3	3	1	22	-	-	-	-	-	-	3	1	1	6	11
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	1	2	1
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	1	2	1
Anemias (280-285)	27	-	-	-	-	-	-	1	2	4	12	8	43	-	-	-	-	1	-	1	10	2	15	14
White	27	-	-	-	-	-	-	1	2	4	12	8	40	-	-	-	-	-	-	1	8	2	15	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	2	-	-	-
Meningitis (320-322)	7	1	2	1	-	-	1	-	1	1	-	-	5	1	1	-	1	1	-	-	-	1	-	-
White	7	1	2	1	-	-	1	-	1	1	-	-	4	1	1	-	-	1	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,324	10	4	5	20	46	204	575	1,305	2,358	2,446	1,351	8,211	5	2	4	7	29	73	200	621	1,591	2,868	2,810
White	7,749	9	2	5	17	39	178	533	1,206	2,202	2,265	1,293	7,577	4	1	4	7	24	61	175	556	1,438	2,654	2,652
All other	575	1	2	-	3	7	26	42	99	156	181	58	634	1	1	-	-	5	12	25	65	153	214	158
Black	573	1	2	-	3	7	26	42	98	156	181	57	627	1	1	-	-	5	12	25	64	151	212	156
Diseases of heart (390-398,402,404-429)	6,842	7	4	4	18	41	185	518	1,149	2,001	1,920	1,001	6,220	5	2	4	5	17	51	161	501	1,282	2,161	2,031
White	6,375	6	2	4	15	37	163	480	1,059	1,874	1,778	957	5,745	4	1	4	5	13	43	139	454	1,158	2,012	1,912
All other	467	1	2	-	3	4	22	38	84	127	142	44	475	1	1	-	-	4	8	22	47	124	149	119
Black	465	1	2	-	3	4	22	38	83	127	142	43	471	1	1	-	-	4	8	22	47	122	148	118
Rheumatic fever and rheumatic heart disease (390-398)	29	-	-	-	-	1	-	5	4	15	4	-	39	-	-	-	1	2	3	5	7	7	12	2
White	28	-	-	-	-	1	-	5	4	15	3	-	37	-	-	-	1	2	3	4	7	7	11	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Hypertensive heart disease (402)	91	-	-	-	-	-	4	8	20	27	25	7	176	-	-	-	-	-	1	6	13	28	65	63
White	79	-	-	-	-	-	2	7	17	24	23	6	147	-	-	-	-	-	-	4	8	24	56	55
All other	12	-	-	-	-	-	2	1	3	3	2	1	29	-	-	-	-	-	1	2	5	4	9	8
Black	11	-	-	-	-	-	2	1	2	3	2	1	29	-	-	-	-	-	1	2	5	4	9	8
Hypertensive heart and renal disease (404)	12	-	-	-	-	-	-	-	-	4	6	2	20	-	-	-	-	-	-	-	2	2	9	7
White	10	-	-	-	-	-	-	-	-	4	4	2	18	-	-	-	-	-	-	-	2	2	8	6
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
Ischemic heart disease (410-414)	4,805	1	-	1	6	19	127	391	852	1,485	1,286	637	3,947	-	-	-	-	5	29	101	326	892	1,401	1,193
White	4,538	1	-	1	6	19	120	367	799	1,398	1,210	617	3,682	-	-	-	-	3	27	92	298	813	1,315	1,134
All other	267	-	-	-	-	-	7	24	53	87	76	20	265	-	-	-	-	2	2	9	28	79	86	59
Black	266	-	-	-	-	-	7	24	53	87	76	19	263	-	-	-	-	2	2	9	28	77	86	59
Acute myocardial infarction (410)	3,362	1	-	1	4	15	95	315	679	1,094	849	309	2,343	-	-	-	-	4	26	78	237	623	861	514
White	3,182	1	-	1	4	15	90	298	633	1,038	804	298	2,185	-	-	-	-	2	25	71	222	573	803	489
All other	180	-	-	-	-	-	5	17	46	56	45	11	158	-	-	-	-	2	1	7	15	50	58	25
Black	180	-	-	-	-	-	5	17	46	56	45	11	157	-	-	-	-	2	1	7	15	49	58	25
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-	1	1	1	1
White	5	-	-	-	-	-	-	-	-	1	2	2	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	1	-	3	2	1	8	-	-	-	-	-	-	1	-	-	3	4
White	6	-	-	-	-	-	-	1	-	2	2	1	7	-	-	-	-	-	-	-	-	-	3	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,431	-	-	-	2	4	32	75	173	387	433	325	1,592	-	-	-	-	1	3	22	88	268	536	674
White	1,345	-	-	-	2	4	30	68	166	357	402	316	1,487	-	-	-	-	1	2	21	76	239	508	640
All other	86	-	-	-	-	-	2	7	7	30	31	9	105	-	-	-	-	-	1	1	12	29	28	34
Black	85	-	-	-	-	-	2	7	7	30	31	8	104	-	-	-	-	-	1	1	12	28	28	34
Other diseases of endocardium (424)	49	-	-	-	1	3	4	4	4	10	12	11	39	-	-	-	-	-	-	2	5	6	17	9
White	47	-	-	-	1	3	4	3	4	10	12	10	38	-	-	-	-	-	-	2	5	6	17	8
All other	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,856	6	4	3	11	18	50	110	263	460	587	344	1,999	5	2	4	4	10	18	47	146	347	657	757
White	1,673	5	2	3	8	14	37	98	235	423	526	322	1,823	4	1	4	4	8	13	37	134	306	605	707
All other	183	1	2	-	3	4	13	12	28	37	61	22	176	1	1	-	-	2	5	10	14	41	52	50
Black	183	1	2	-	3	4	13	12	28	37	61	22	174	1	1	-	-	2	5	10	14	41	51	49
Hypertension with or without renal disease (401,403)	61	-	-	-	-	-	2	4	10	18	15	12	69	-	-	-	-	-	2	3	7	16	20	21
White	49	-	-	-	-	-	1	3	8	14	11	12	55	-	-	-	-	-	2	1	4	11	18	19
All other	12	-	-	-	-	-	1	1	2	4	4	-	14	-	-	-	-	-	-	2	3	5	2	2
Black	12	-	-	-	-	-	1	1	2	4	4	-	14	-	-	-	-	-	-	2	3	5	2	2
Cerebrovascular diseases (430-438)	1,088	3	-	1	2	3	14	46	108	245	414	252	1,592	-	-	-	2	9	17	31	93	255	589	595
White	1,010	3	-	1	2	1	11	44	97	225	384	242	1,468	-	-	-	2	8	13	30	78	235	535	566
All other	78	-	-	-	-	2	3	2	11	20	30	10	124	-	-	-	-	1	4	1	15	20	54	29
Black	78	-	-	-	-	2	3	2	11	20	30	10	121	-	-	-	-	1	4	1	14	20	53	28
Intracerebral and other intracranial hemorrhage (431-432)	135	1	-	1	1	2	6	14	16	40	45	9	161	-	-	-	1	-	7	9	16	28	61	39
White	125	1	-	1	1	-	4	14	16	39	40	9	146	-	-	-	1	-	5	8	15	27	52	38
All other	10	-	-	-	-	2	2	-	-	1	5	-	15	-	-	-	-	-	2	1	1	1	9	1
Black	10	-	-	-	-	2	2	-	-	1	5	-	15	-	-	-	-	-	2	1	1	1	9	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	172	-	-	-	1	-	1	3	19	34	74	40	238	-	-	-	-	1	3	2	12	36	81	103
White	159	-	-	-	1	-	1	3	18	30	67	39	226	-	-	-	-	1	2	2	10	33	77	101
All other	13	-	-	-	-	-	-	-	1	4	7	1	12	-	-	-	-	-	1	-	2	3	4	2
Black	13	-	-	-	-	-	-	-	1	4	7	1	12	-	-	-	-	-	1	-	2	3	4	2
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	1	-	4	2	5	-	-	-	-	-	-	1	-	1	1	2
White	7	-	-	-	-	-	-	-	1	-	4	2	5	-	-	-	-	-	-	1	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	774	2	-	-	-	1	7	29	72	171	291	201	1,188	-	-	-	1	8	7	19	65	190	446	451
White	719	2	-	-	-	1	6	27	62	156	273	192	1,091	-	-	-	1	7	6	19	53	174	405	425
All other	55	-	-	-	-	-	1	2	10	15	18	9	97	-	-	-	-	1	1	-	12	16	41	26
Black	55	-	-	-	-	-	1	2	10	15	18	9	94	-	-	-	-	1	1	-	11	16	40	25
Atherosclerosis (440)	136	-	-	-	-	1	1	1	5	18	42	68	201	-	-	-	-	-	-	-	7	15	54	125
White	125	-	-	-	-	1	1	1	5	14	38	65	186	-	-	-	-	-	-	-	7	11	51	117
All other	11	-	-	-	-	-	-	-	-	4	4	3	15	-	-	-	-	-	-	-	-	4	3	8
Black	11	-	-	-	-	-	-	-	-	4	4	3	15	-	-	-	-	-	-	-	-	4	3	8
Other diseases of arteries, arterioles, and capillaries (441-448)	197	-	-	-	-	1	2	6	39	76	55	18	129	-	-	-	-	3	3	5	13	23	44	38
White	190	-	-	-	-	-	2	5	37	75	54	17	123	-	-	-	-	3	3	5	13	23	38	38
All other	7	-	-	-	-	1	-	1	2	1	1	1	6	-	-	-	-	-	-	-	-	-	6	-
Black	7	-	-	-	-	1	-	1	2	1	1	1	6	-	-	-	-	-	-	-	-	-	6	-
Acute bronchitis and bronchiolitis (466)	6	1	-	-	1	-	-	-	-	2	1	1	7	-	-	-	-	-	-	-	1	2	1	3
White	5	1	-	-	1	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	1	1	1	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	639	9	1	-	4	1	5	17	48	127	227	200	618	5	1	3	2	1	4	12	34	76	183	297
White	595	7	1	-	4	1	3	14	46	111	214	194	586	4	1	3	2	1	3	10	28	68	177	289
All other	44	2	-	-	-	-	2	3	2	16	13	6	32	1	-	-	-	-	1	2	6	8	6	8
Black	44	2	-	-	-	-	2	3	2	16	13	6	31	1	-	-	-	-	1	1	6	8	6	8
Pneumonia (480-486)	624	9	1	-	4	1	5	17	46	125	224	192	598	5	1	3	2	1	4	11	34	75	179	283
White	581	7	1	-	4	1	3	14	45	109	211	186	566	4	1	3	2	1	3	9	28	67	173	275
All other	43	2	-	-	-	-	2	3	1	16	13	6	32	1	-	-	-	-	1	2	6	8	6	8
Black	43	2	-	-	-	-	2	3	1	16	13	6	31	1	-	-	-	-	1	1	6	8	6	8
Influenza (487)	15	-	-	-	-	-	-	-	2	2	3	8	20	-	-	-	-	-	-	1	-	1	4	14
White	14	-	-	-	-	-	-	-	1	2	3	8	20	-	-	-	-	-	-	1	-	1	4	14
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	960	1	2	1	-	2	6	37	140	332	320	119	480	-	-	-	-	-	6	23	84	152	151	64
White	927	1	2	1	-	2	6	33	132	324	313	113	460	-	-	-	-	-	5	22	81	147	145	60
All other	33	-	-	-	-	-	-	4	8	8	7	6	20	-	-	-	-	-	1	1	3	5	6	4
Black	33	-	-	-	-	-	-	4	8	8	7	6	19	-	-	-	-	-	1	-	3	5	6	4
Bronchitis, chronic and unspecified (490-491)	48	1	-	-	-	-	1	4	4	11	17	10	25	-	-	-	-	-	-	2	3	6	5	9
White	47	1	-	-	-	-	1	4	3	11	17	10	25	-	-	-	-	-	-	2	3	6	5	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	160	-	-	-	-	-	-	7	29	60	51	13	55	-	-	-	-	-	1	1	14	19	15	5
White	156	-	-	-	-	-	-	7	28	59	50	12	51	-	-	-	-	-	1	1	13	18	14	4
All other	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	1	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	28	-	2	1	-	1	2	1	8	8	4	1	28	-	-	-	-	-	1	1	3	9	12	2
White	26	-	2	1	-	1	2	1	7	7	4	1	27	-	-	-	-	-	-	1	3	9	12	2
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	724	-	-	-	-	1	3	25	99	253	248	95	372	-	-	-	-	-	4	19	64	118	119	48
White	698	-	-	-	-	1	3	21	94	247	242	90	357	-	-	-	-	-	4	18	62	114	114	45
All other	26	-	-	-	-	-	-	4	5	6	6	5	15	-	-	-	-	-	-	1	2	4	5	3
Black	26	-	-	-	-	-	-	4	5	6	6	5	14	-	-	-	-	-	-	-	2	4	5	3
Ulcer of stomach and duodenum (531-533)	52	-	-	-	-	-	-	4	9	13	14	12	56	-	-	-	-	-	-	-	6	14	18	18
White	47	-	-	-	-	-	-	3	8	12	13	11	52	-	-	-	-	-	-	-	6	13	17	16
All other	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
Black	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	1	1	2
Appendicitis (540-543)	4	-	-	-	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	-	-	1	1	2
White	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	1	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	32	-	-	-	-	1	2	2	2	5	8	12	54	1	-	-	-	-	2	2	3	8	16	22
White	28	-	-	-	-	1	2	1	2	4	8	11	52	1	-	-	-	-	2	2	3	7	15	22
All other	3	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Chronic liver disease and cirrhosis (571)	220	-	-	-	1	6	22	39	66	61	24	1	118	-	-	-	1	1	9	17	27	36	22	5
White	206	-	-	-	1	5	22	33	64	57	23	1	112	-	-	-	1	1	8	14	26	36	21	5
All other	14	-	-	-	-	1	-	6	2	4	1	-	6	-	-	-	-	-	1	3	1	-	1	-
Black	14	-	-	-	-	1	-	6	2	4	1	-	6	-	-	-	-	-	1	3	1	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	1	-	-	2	11	12	8	47	-	-	-	-	-	-	-	7	5	22	13
White	31	-	-	-	-	1	-	-	2	11	10	7	43	-	-	-	-	-	-	-	6	3	21	13
All other	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	2	1	-
Black	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	1	2	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	180	1	-	-	-	3	5	4	17	43	63	44	196	2	-	-	-	-	3	1	18	33	76	63
White	159	1	-	-	-	2	4	3	14	39	55	41	166	2	-	-	-	-	3	1	14	29	66	51
All other	21	-	-	-	-	1	1	1	3	4	8	3	30	-	-	-	-	-	-	-	4	4	10	12
Black	21	-	-	-	-	1	1	1	3	4	8	3	30	-	-	-	-	-	-	-	4	4	10	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	5	1	-	-	-	-	-	-	-	1	2	1
White	1	-	-	-	-	-	-	-	1	-	-	-	4	1	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	-	-	-	-	-	1	-	-	1	5	3	11	-	-	-	-	-	-	-	1	2	5	3
White	10	-	-	-	-	-	1	-	-	1	5	3	8	-	-	-	-	-	-	-	-	2	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	169	1	-	-	-	3	4	4	16	42	58	41	180	1	-	-	-	-	3	1	17	30	69	59
White	148	1	-	-	-	2	3	3	13	38	50	38	154	1	-	-	-	-	3	1	14	26	61	48
All other	21	-	-	-	-	1	1	1	3	4	8	3	26	-	-	-	-	-	-	-	3	4	8	11
Black	21	-	-	-	-	1	1	1	3	4	8	3	26	-	-	-	-	-	-	-	3	4	8	11
Infections of kidney (590)	20	-	-	-	-	1	-	-	1	3	8	7	35	-	-	-	-	1	3	1	-	7	9	14
White	19	-	-	-	-	1	-	-	1	2	8	7	30	-	-	-	-	-	2	-	-	7	8	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	1	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	1	-	-	1	1
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	1	3	4	...	...	...	...	...	...	...	...	...	...	...	...
White	7	-	-	-	-	-	-	-	-	1	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	103	72	6	6	4	2	2	4	4	1	2	-	83	54	3	8	5	1	1	3	1	4	4	1
White	89	61	6	6	3	2	2	2	4	1	2	-	75	49	3	5	5	1	1	2	1	4	3	1
All other	14	11	-	-	1	-	-	2	-	-	-	-	8	5	-	1	-	-	-	1	-	-	1	-
Black	13	10	-	-	1	-	-	2	-	-	-	-	8	5	-	1	-	-	-	1	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	186	185	-	-	-	-	1	-	-	-	-	-	111	110	1	-	-	-	-	-	-	-	-	-
White	152	151	-	-	-	-	1	-	-	-	-	-	86	85	1	-	-	-	-	-	-	-	-	-
All other	34	34	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	33	33	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	71	71	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
White	64	64	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	115	114	-	-	-	-	1	-	-	-	-	-	72	71	1	-	-	-	-	-	-	-	-	-
White	88	87	-	-	-	-	1	-	-	-	-	-	52	51	1	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	26	26	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	138	56	1	1	2	1	3	6	11	17	18	22	105	30	1	-	1	-	2	3	5	12	21	30
White	122	47	1	1	1	1	3	5	11	17	16	19	94	25	1	-	1	-	1	2	5	12	18	29
All other	16	9	-	-	1	-	-	1	-	-	2	3	11	5	-	-	-	-	1	1	-	-	3	1
Black	16	9	-	-	1	-	-	1	-	-	2	3	11	5	-	-	-	-	1	1	-	-	3	1
All other diseases (Residual)	1,323	15	8	6	22	32	55	72	170	305	412	226	1,313	8	4	5	11	19	20	48	107	278	435	378
White	1,210	13	8	6	20	28	51	61	152	276	386	209	1,187	6	3	5	10	15	17	36	90	252	406	347
All other	113	2	-	-	2	4	4	11	18	29	26	17	126	2	1	-	1	4	3	12	17	26	29	31
Black	113	2	-	-	2	4	4	11	18	29	26	17	124	1	1	-	1	3	3	12	17	26	29	31
Accidents and adverse effects (E800-E949)	1,117	12	25	51	254	197	129	93	129	98	81	48	480	3	19	27	87	48	31	22	34	59	78	72
White	1,039	10	22	49	240	188	119	87	118	91	69	46	450	3	18	26	82	46	29	19	32	54	73	68
All other	78	2	3	2	14	9	10	6	11	7	12	2	30	-	1	1	5	2	2	3	2	5	5	4
Black	76	2	3	2	13	8	10	6	11	7	12	2	30	-	1	1	5	2	2	3	2	5	5	4
Motor vehicle accidents (E810-E825)	520	2	11	25	171	105	66	43	43	33	16	5	211	-	7	13	75	37	17	14	17	18	13	-
White	486	1	10	24	164	101	61	39	38	29	15	4	200	-	7	13	70	36	15	13	16	18	12	-
All other	34	1	1	1	7	4	5	4	5	4	1	1	11	-	-	-	5	1	2	1	1	-	1	-
Black	32	1	1	1	6	3	5	4	5	4	1	1	11	-	-	-	5	1	2	1	1	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	597	10	14	26	83	92	63	50	86	65	65	43	269	3	12	14	12	11	14	8	17	41	65	72
White	553	9	12	25	76	87	58	48	80	62	54	42	250	3	11	13	12	10	14	6	16	36	61	68
All other	44	1	2	1	7	5	5	2	6	3	11	1	19	-	1	1	-	1	-	2	1	5	4	4
Black	44	1	2	1	7	5	5	2	6	3	11	1	19	-	1	1	-	1	-	2	1	5	4	4
Suicide (E950-E959)	386	...	...	1	69	70	66	40	51	50	33	6	96	...	...	1	17	17	21	8	15	11	6	-
White	364	...	...	1	61	66	63	38	49	47	33	6	93	...	...	-	16	17	21	8	14	11	6	-
All other	22	...	...	-	8	4	3	2	2	3	-	-	3	...	...	1	1	-	-	-	1	-	-	-
Black	22	...	...	-	8	4	3	2	2	3	-	-	3	...	...	1	1	-	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	184	2	-	2	37	48	38	19	22	13	4	1	68	1	3	1	11	21	11	8	7	2	1	2
White	146	1	-	2	30	35	28	18	17	10	4	1	56	1	1	-	10	16	10	6	7	2	1	2
All other	38	1	-	-	7	13	8	1	5	3	-	-	12	-	2	1	1	5	1	2	-	-	-	-
Black	38	1	-	-	7	13	8	1	5	3	-	-	12	-	2	1	1	5	1	2	-	-	-	-
All other external causes (E980-E999)	22	-	-	-	-	6	6	1	5	1	3	-	3	1	1	-	-	-	-	-	1	-	-	-
White	21	-	-	-	-	6	6	1	5	1	2	-	3	1	1	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,864	525	125	137	657	788	963	1,535	3,555	4,966	4,665	1,946	17,165	443	97	85	245	353	454	956	2,151	3,652	4,971	3,757
White	13,551	236	62	74	413	455	569	951	2,476	3,542	3,390	1,381	11,666	182	48	43	152	186	246	531	1,373	2,470	3,551	2,883
All other	6,313	289	63	63	244	333	394	584	1,079	1,424	1,275	565	5,499	261	49	42	93	167	208	425	778	1,182	1,420	874
Black	6,246	284	61	60	238	326	386	581	1,069	1,418	1,262	561	5,463	256	48	40	92	167	205	421	773	1,177	1,411	873
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	3	-	1	-	1	2	-	-	-	1	-	4	2	1	-	-	-	-	-	-	-	1	-
White	3	-	-	1	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	5	3	-	-	-	1	1	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
Black	4	3	-	-	-	-	1	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-018)	39	1	-	-	-	1	3	7	9	10	5	3	14	-	-	-	-	2	-	1	2	5	2	2
White	24	-	-	-	-	1	2	3	6	7	4	1	6	-	-	-	-	-	-	-	2	2	-	2
All other	15	1	-	-	-	-	1	4	3	3	1	2	8	-	-	-	-	2	-	1	-	3	2	-
Black	14	1	-	-	-	-	1	4	3	2	1	2	8	-	-	-	-	2	-	1	-	3	2	-
Tuberculosis of respiratory system (010-012)	30	1	-	-	-	1	1	5	8	6	5	3	10	-	-	-	-	-	-	1	2	4	2	1
White	21	-	-	-	-	1	1	3	5	6	4	1	4	-	-	-	-	-	-	-	2	1	-	1
All other	9	1	-	-	-	-	-	2	3	-	1	2	6	-	-	-	-	-	-	1	-	3	2	-
Black	9	1	-	-	-	-	-	2	3	-	1	2	6	-	-	-	-	-	-	1	-	3	2	-
Other tuberculosis (013-018)	9	-	-	-	-	-	2	2	1	4	-	-	4	-	-	-	-	2	-	-	-	1	-	1
White	3	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	6	-	-	-	-	-	1	2	-	3	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Black	5	-	-	-	-	-	1	2	-	2	-	-	2	-	-	-	-	2	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	3	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	4	2	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	222	3	3	1	1	3	6	13	32	57	68	35	252	5	2	4	2	8	4	9	35	44	68	51
White	124	1	3	-	1	2	3	5	20	32	38	19	143	2	-	2	-	3	4	5	19	21	49	38
All other	98	2	-	1	-	1	3	8	12	25	30	16	109	3	2	2	2	5	-	4	16	23	39	13
Black	96	2	-	1	-	1	3	8	11	25	30	15	109	3	2	2	2	5	-	4	16	23	39	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	1	-	-	3	1	2	-	13	-	-	-	1	1	2	1	1	5	2	-
White	5	-	-	-	-	1	-	-	3	-	1	-	8	-	-	-	-	-	-	1	1	4	2	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	1	1	2	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	1	1	1	-	-	1	-	-
Syphilis (090-097)	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	62	6	2	1	1	4	7	9	6	13	10	3	42	1	1	2	-	5	3	7	6	8	6	3
White	39	1	1	1	-	1	6	5	4	10	8	2	24	1	-	2	-	3	1	3	3	6	4	1
All other	23	5	1	-	1	3	1	4	2	3	2	1	18	-	1	-	-	2	2	4	3	2	2	2
Black	23	5	1	-	1	3	1	4	2	3	2	1	18	-	1	-	-	2	2	4	3	2	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,643	-	8	12	17	52	127	419	1,171	1,435	1,132	270	3,589	5	3	9	14	63	138	368	803	998	852	336
White	3,250	-	3	9	13	35	86	270	833	1,020	806	175	2,520	3	2	6	9	38	83	233	558	708	628	254
All other	1,393	-	5	3	4	17	41	149	338	415	326	95	1,069	2	1	3	5	27	55	135	245	290	224	82
Black	1,379	-	5	3	4	17	40	147	334	415	320	94	1,062	2	1	3	5	27	54	133	243	290	222	82

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	132	-	-	-	1	-	6	23	47	35	16	4	43	-	-	-	1	2	1	5	10	10	9	5
White	91	-	-	-	-	-	3	15	33	27	10	3	27	-	-	-	-	-	-	2	6	8	7	4
All other	41	-	-	-	1	-	3	8	14	8	6	1	16	-	-	-	1	2	1	3	4	2	2	1
Black	40	-	-	-	1	-	3	8	14	8	5	1	16	-	-	-	1	2	1	3	4	2	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,069	-	-	-	-	11	27	106	274	336	257	58	923	-	-	-	1	6	20	71	149	270	287	119
White	710	-	-	-	-	7	14	63	193	222	177	34	617	-	-	-	-	4	13	37	89	181	209	84
All other	359	-	-	-	-	4	13	43	81	114	80	24	306	-	-	-	1	2	7	34	60	89	78	35
Black	353	-	-	-	-	4	13	42	78	114	79	23	306	-	-	-	1	2	7	34	60	89	78	35
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,746	-	-	1	1	6	41	175	497	599	369	57	699	-	-	-	1	1	14	79	211	219	134	40
White	1,253	-	-	1	-	3	32	115	345	448	267	42	502	-	-	-	1	1	8	55	144	167	99	27
All other	493	-	-	-	1	3	9	60	152	151	102	15	197	-	-	-	-	-	6	24	67	52	35	13
Black	487	-	-	-	1	3	8	59	151	151	99	15	195	-	-	-	-	-	6	23	67	52	34	13
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	1	1	4	-	3	-	585	-	-	-	1	17	39	88	137	151	112	40
White	7	-	-	-	-	-	1	-	3	-	3	-	415	-	-	-	-	8	22	57	103	111	83	31
All other	2	-	-	-	-	-	-	1	1	-	-	-	170	-	-	-	1	9	17	31	34	40	29	9
Black	2	-	-	-	-	-	-	1	1	-	-	-	168	-	-	-	1	9	16	31	33	40	29	9
Malignant neoplasms of genital organs (179-187)	504	-	-	-	-	2	3	4	67	149	204	75	366	-	-	-	-	13	20	42	88	90	84	29
White	287	-	-	-	-	1	3	2	40	76	127	38	224	-	-	-	-	6	12	25	55	56	53	17
All other	217	-	-	-	-	1	-	2	27	73	77	37	142	-	-	-	-	7	8	17	33	34	31	12
Black	217	-	-	-	-	1	-	2	27	73	77	37	142	-	-	-	-	7	8	17	33	34	31	12
Malignant neoplasms of urinary organs (188-189)	215	-	1	-	-	4	3	14	41	59	66	27	134	-	-	1	-	-	4	9	26	44	36	14
White	162	-	1	-	-	-	3	9	32	47	48	22	104	-	-	-	-	-	1	7	21	34	28	13
All other	53	-	-	-	-	4	-	5	9	12	18	5	30	-	-	1	-	-	3	2	5	10	8	1
Black	52	-	-	-	-	4	-	5	9	12	17	5	30	-	-	1	-	-	3	2	5	10	8	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	635	-	5	3	7	17	32	67	172	170	135	27	512	2	3	3	5	14	27	49	110	126	111	62
White	483	-	2	3	5	14	19	48	134	131	110	17	380	1	2	2	4	10	18	34	86	87	81	55
All other	152	-	3	-	2	3	13	19	38	39	25	10	132	1	1	1	1	4	9	15	24	39	30	7
Black	152	-	3	-	2	3	13	19	38	39	25	10	130	1	1	1	1	4	9	15	23	39	29	7
Leukemia (204-208)	130	-	2	6	6	4	5	9	23	30	33	12	139	3	-	4	4	7	7	10	26	31	28	19
White	104	-	-	3	6	4	3	5	19	27	27	10	106	2	-	3	3	5	5	5	20	21	25	17
All other	26	-	2	3	-	-	2	4	4	3	6	2	33	1	-	1	1	2	2	5	6	10	3	2
Black	26	-	2	3	-	-	2	4	4	3	6	2	33	1	-	1	1	2	2	5	6	10	3	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	203	-	-	2	2	8	9	20	46	57	49	10	188	-	-	1	1	3	6	15	46	57	51	8
White	153	-	-	2	2	6	8	13	34	42	37	8	145	-	-	1	1	2	4	11	34	43	43	6
All other	50	-	-	-	-	2	1	7	12	15	12	1	43	-	-	-	-	1	2	4	12	14	8	2
Black	50	-	-	-	-	2	1	7	12	15	12	1	42	-	-	-	-	1	2	3	12	14	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	70	-	1	-	-	3	3	2	14	19	24	4	56	-	2	1	2	2	1	2	7	12	17	10
White	45	-	-	-	-	1	2	1	12	12	14	3	39	-	2	1	1	2	-	1	4	10	11	7
All other	25	-	1	-	-	2	1	1	2	7	10	1	17	-	-	-	1	-	1	1	3	2	6	3
Black	25	-	1	-	-	2	1	1	2	7	10	1	17	-	-	-	1	-	1	1	3	2	6	3
Diabetes mellitus (250)	311	-	-	-	2	6	14	30	67	99	59	34	527	-	-	2	4	5	13	22	79	147	166	89
White	195	-	-	-	1	3	6	14	42	68	40	21	275	-	-	1	1	3	8	6	36	74	90	55
All other	116	-	-	-	1	3	8	16	25	31	19	13	252	-	-	1	3	2	4	16	43	73	76	34
Black	116	-	-	-	1	3	8	16	25	31	19	13	251	-	-	1	3	2	4	16	42	73	76	34
Nutritional deficiencies (260-269)	20	-	-	-	-	-	-	2	1	2	9	6	36	1	-	-	-	1	-	1	2	6	11	14
White	13	-	-	-	-	-	-	-	1	2	5	5	17	-	-	-	-	-	-	-	1	3	4	9
All other	7	-	-	-	-	-	-	2	-	-	4	1	19	1	-	-	-	1	-	1	1	3	7	5
Black	7	-	-	-	-	-	-	2	-	-	4	1	19	1	-	-	-	1	-	1	1	3	7	5
Anemias (280-285)	34	-	1	-	-	3	2	2	4	6	9	7	52	-	2	1	-	2	2	2	5	8	16	14
White	20	-	-	-	-	-	1	-	4	4	6	5	25	-	-	-	-	-	-	-	1	4	10	10
All other	14	-	1	-	-	3	1	2	-	2	3	2	27	-	2	1	-	2	2	2	4	4	6	4
Black	14	-	1	-	-	3	1	2	-	2	3	2	27	-	2	1	-	2	2	2	4	4	6	4
Meningitis (320-322)	23	5	2	-	2	1	3	1	4	2	1	2	15	5	2	1	1	-	-	2	2	1	-	1
White	13	2	1	-	-	1	3	1	1	2	1	1	5	4	-	-	1	-	-	-	-	-	-	-
All other	10	3	1	-	2	-	-	-	3	-	-	1	10	1	2	1	-	-	-	2	2	1	-	1
Black	9	2	1	-	2	-	-	-	3	-	-	1	10	1	2	1	-	-	-	2	2	1	-	1
Major cardiovascular diseases (390-448)	8,334	22	6	4	19	64	271	622	1,517	2,347	2,350	1,112	8,469	20	8	8	19	58	116	295	797	1,752	2,882	2,513
White	5,820	9	1	2	7	36	156	384	1,054	1,660	1,712	799	5,883	9	4	7	6	23	51	127	454	1,163	2,092	1,946
All other	2,514	13	5	2	12	28	115	238	463	687	638	313	2,586	11	4	1	13	35	65	168	343	589	790	567
Black	2,498	13	5	2	12	28	114	237	459	684	632	312	2,575	11	4	1	13	35	65	166	342	586	786	566

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	8,753	18	4	3	14	50	230	518	1,286	1,963	1,845	822	6,426	19	6	5	10	42	89	222	639	1,369	2,181	1,843
White	4,812	7	-	1	5	28	141	334	912	1,412	1,373	599	4,488	8	2	4	4	19	39	103	373	922	1,590	1,423
All other	1,941	11	4	2	9	22	89	184	374	551	472	223	1,938	11	4	1	6	23	50	119	266	447	591	420
Black	1,927	11	4	2	9	22	88	183	371	548	467	222	1,934	11	4	1	6	23	50	117	265	447	591	419
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	-	2	4	2	7	3	2	2	32	-	-	2	-	2	1	4	5	8	7	3
White	14	-	-	-	-	1	3	2	4	2	1	1	21	-	-	1	-	-	-	3	2	5	7	3
All other	8	-	-	-	-	1	1	-	3	1	1	1	11	-	-	1	-	2	1	1	3	3	-	-
Black	8	-	-	-	-	1	1	-	3	1	1	1	11	-	-	1	-	2	1	1	3	3	-	-
Hypertensive heart disease (402)	222	-	-	-	1	-	8	12	51	83	52	15	345	-	-	-	-	2	8	19	44	80	122	70
White	96	-	-	-	-	-	2	4	19	36	26	9	145	-	-	-	-	-	-	1	12	33	58	41
All other	126	-	-	-	1	-	6	8	32	47	26	6	200	-	-	-	-	2	8	18	32	47	64	29
Black	126	-	-	-	1	-	6	8	32	47	26	6	199	-	-	-	-	2	8	17	32	47	64	29
Hypertensive heart and renal disease (404)	26	-	-	-	-	-	-	1	4	5	14	2	37	-	-	-	-	-	1	2	4	8	12	10
White	15	-	-	-	-	-	-	-	3	1	9	2	17	-	-	-	-	-	1	-	1	2	7	6
All other	11	-	-	-	-	-	-	1	1	4	5	-	20	-	-	-	-	-	-	2	3	6	5	4
Black	11	-	-	-	-	-	-	1	1	4	5	-	19	-	-	-	-	-	-	1	3	6	5	4
Ischemic heart disease (410-414)	4,495	1	-	-	1	25	163	372	884	1,327	1,226	496	3,748	-	-	1	2	13	41	117	393	838	1,300	1,042
White	3,402	-	-	-	-	18	112	260	671	1,013	967	361	2,802	-	-	1	1	8	23	58	250	619	998	843
All other	1,093	1	-	-	1	7	51	112	213	314	259	135	946	-	-	-	1	5	18	59	143	219	302	199
Black	1,084	1	-	-	1	7	50	112	211	312	256	134	945	-	-	-	1	5	18	59	143	219	302	198
Acute myocardial infarction (410)	2,671	1	-	-	1	25	121	281	653	878	709	202	1,986	-	-	-	-	13	34	89	278	534	682	356
White	2,204	-	-	-	-	18	86	204	506	673	572	145	1,470	-	-	-	-	8	19	46	175	413	519	290
All other	667	1	-	-	1	7	35	77	147	205	137	57	516	-	-	-	-	5	15	43	103	121	163	66
Black	664	1	-	-	1	7	35	77	147	203	136	57	515	-	-	-	-	5	15	43	103	121	163	65
Other acute and subacute forms of ischemic heart disease (411)	29	-	-	-	-	-	1	2	4	8	8	6	52	-	-	-	-	-	-	1	4	12	16	19
White	19	-	-	-	-	-	1	-	1	6	7	4	32	-	-	-	-	-	-	1	3	4	12	12
All other	10	-	-	-	-	-	-	2	3	2	1	2	20	-	-	-	-	-	-	-	1	8	4	7
Black	10	-	-	-	-	-	-	2	3	2	1	2	20	-	-	-	-	-	-	-	1	8	4	7
Angina pectoris (413)	5	-	-	-	-	-	-	-	4	1	-	-	9	-	-	-	-	-	-	1	-	3	3	2
White	4	-	-	-	-	-	-	-	3	1	-	-	5	-	-	-	-	-	-	1	-	-	2	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	3	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,590	-	-	-	-	-	41	89	223	440	509	288	1,701	-	-	1	2	-	7	26	111	289	599	665
White	1,175	-	-	-	-	-	25	56	161	333	388	212	1,295	-	-	1	1	-	4	10	72	202	465	539
All other	415	-	-	-	-	-	16	33	62	107	121	76	406	-	-	-	1	-	3	16	39	87	134	126
Black	409	-	-	-	-	-	15	33	60	107	119	75	406	-	-	-	1	-	3	16	39	87	134	126
Other diseases of endocardium (424)	73	1	-	-	-	2	3	3	9	21	27	7	72	-	1	-	2	2	1	3	6	14	26	17
White	46	-	-	-	-	1	-	-	5	13	21	6	42	-	-	-	-	-	1	2	4	8	16	11
All other	27	1	-	-	-	1	3	3	4	8	6	1	30	-	1	-	2	2	-	1	2	6	10	6
Black	26	1	-	-	-	1	3	3	4	7	6	1	30	-	1	-	2	2	-	1	2	6	10	6
All other forms of heart disease (415-423,425-429)	1,915	16	4	3	12	21	52	128	331	524	524	300	2,192	19	5	2	6	23	37	77	187	421	714	701
White	1,239	7	-	1	5	8	24	68	210	347	349	220	1,461	8	2	2	3	11	14	39	104	255	504	519
All other	676	9	4	2	7	13	28	60	121	177	175	80	731	11	3	-	3	12	23	38	83	166	210	182
Black	672	9	4	2	7	13	28	59	120	177	173	80	730	11	3	-	3	12	23	38	82	166	210	182
Hypertension with or without renal disease (401,403)	65	-	-	-	-	-	3	8	12	15	21	6	90	-	-	-	2	-	1	4	8	14	37	24
White	31	-	-	-	-	-	1	3	5	7	13	2	39	-	-	-	-	-	-	-	2	3	21	13
All other	34	-	-	-	-	-	2	5	7	8	8	4	51	-	-	-	2	-	1	4	6	11	16	11
Black	34	-	-	-	-	-	2	5	7	8	8	4	49	-	-	-	2	-	1	4	6	10	15	11
Cerebrovascular diseases (430-438)	1,115	3	2	1	5	12	32	78	153	283	363	203	1,531	1	1	2	6	12	25	58	124	294	538	470
White	675	2	1	1	2	6	11	37	83	163	228	141	1,055	1	1	2	2	2	12	20	69	187	389	370
All other	440	1	1	-	3	6	21	41	70	100	135	62	476	-	-	-	4	10	13	38	55	107	149	100
Black	438	1	1	-	3	6	21	41	69	100	134	62	471	-	-	-	4	10	13	38	55	105	146	100
Intracerebral and other intracranial hemorrhage (431-432)	171	2	1	-	1	3	14	27	47	35	30	11	203	1	-	1	3	7	13	19	30	53	50	26
White	89	1	-	-	1	2	5	6	28	21	16	9	117	1	-	1	1	1	6	4	15	35	32	21
All other	82	1	1	-	-	1	9	21	19	14	14	2	86	-	-	-	2	6	7	15	15	18	18	5
Black	82	1	1	-	-	1	9	21	19	14	14	2	82	-	-	-	2	6	7	15	15	16	16	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	124	1	-	-	1	1	1	5	16	24	43	32	218	-	-	-	1	-	1	5	15	37	80	79
White	88	1	-	-	-	-	1	3	7	19	33	24	163	-	-	-	1	-	-	3	11	23	62	63
All other	36	-	-	-	1	1	-	2	9	5	10	8	55	-	-	-	-	-	1	2	4	14	18	16
Black	35	-	-	-	1	1	-	2	9	5	9	8	55	-	-	-	-	-	1	2	4	14	18	16

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	2	-	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
White	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-436)	816	-	1	1	3	8	17	44	90	203	289	160	1,107	-	1	1	2	5	11	34	78	203	407	365
White	495	-	1	1	1	4	5	26	48	123	178	108	773	-	1	1	-	1	6	13	43	128	294	286
All other	321	-	-	-	2	4	12	18	42	80	111	52	334	-	-	-	2	4	5	21	35	75	113	79
Black	320	-	-	-	2	4	12	18	41	80	111	52	333	-	-	-	2	4	5	21	35	75	112	79
Atherosclerosis (440)	198	-	-	-	-	-	3	12	24	40	60	59	307	-	-	-	1	-	-	5	10	40	95	156
White	135	-	-	-	-	-	2	7	18	28	42	38	229	-	-	-	-	-	-	2	4	25	70	128
All other	63	-	-	-	-	-	1	5	6	12	18	21	78	-	-	-	1	-	-	3	6	15	25	28
Black	63	-	-	-	-	-	1	5	6	12	18	21	78	-	-	-	1	-	-	3	6	15	25	28
Other diseases of arteries, arterioles, and capillaries (441-448)	203	1	-	-	-	2	3	6	42	86	61	22	115	-	1	1	-	4	1	6	16	35	31	20
White	167	-	-	-	-	2	1	3	36	50	56	19	72	-	1	1	-	2	-	2	6	26	22	12
All other	36	1	-	-	-	-	2	3	6	16	5	3	43	-	-	-	-	2	1	4	10	9	9	8
Black	36	1	-	-	-	-	2	3	6	16	5	3	43	-	-	-	-	2	1	4	10	9	9	8
Acute bronchitis and bronchiolitis (466)	10	2	1	-	-	-	1	1	2	1	1	1	4	1	-	-	-	-	-	-	-	1	2	-
White	5	-	-	-	-	-	1	-	2	-	1	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	5	2	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	5	2	1	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	457	24	4	2	2	3	8	23	48	88	146	109	430	7	9	-	4	4	7	10	24	56	141	158
White	302	4	2	-	2	1	3	13	30	57	107	83	316	-	4	-	2	1	4	5	14	36	104	146
All other	155	20	2	2	-	2	5	10	18	31	39	26	114	7	5	-	2	3	3	5	10	20	37	22
Black	155	20	2	2	-	2	5	10	18	31	39	26	113	7	5	-	2	3	3	5	10	19	37	22
Pneumonia (480-486)	453	24	4	2	2	3	8	23	47	87	144	109	414	7	9	-	4	4	7	10	23	54	134	162
White	300	4	2	-	2	1	3	13	29	57	106	83	303	-	4	-	2	1	4	5	14	34	99	140
All other	153	20	2	2	-	2	5	10	18	30	38	26	111	7	5	-	2	3	3	5	9	20	35	22
Black	153	20	2	2	-	2	5	10	18	30	38	26	110	7	5	-	2	3	3	5	9	19	35	22
Influenza (487)	4	-	-	-	-	-	-	-	1	1	2	-	16	-	-	-	-	-	-	-	1	2	7	6
White	2	-	-	-	-	-	-	-	1	-	1	-	13	-	-	-	-	-	-	-	-	2	5	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	-	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	678	1	1	1	3	1	9	23	112	238	239	50	370	1	-	2	4	1	8	21	65	122	105	41
White	555	-	1	-	2	-	2	12	89	197	208	46	303	-	-	1	4	-	6	14	48	104	89	37
All other	123	1	-	1	1	1	7	11	23	41	33	4	67	1	-	1	-	1	2	7	17	18	16	4
Black	123	1	-	1	1	1	7	11	23	41	33	4	66	1	-	1	-	1	2	7	17	18	15	4
Bronchitis, chronic and unspecified (490-491)	32	1	1	-	-	1	-	-	6	8	12	3	15	1	-	-	-	-	-	1	-	2	5	6
White	28	-	1	-	-	-	-	-	5	8	11	3	12	-	-	-	-	-	-	-	-	2	5	5
All other	4	1	-	-	-	1	-	-	1	-	1	-	3	1	-	-	-	-	-	1	-	-	-	1
Black	4	1	-	-	-	1	-	-	1	-	1	-	3	1	-	-	-	-	-	1	-	-	-	1
Emphysema (492)	159	-	-	-	2	-	2	7	36	61	49	8	68	-	-	-	-	-	1	4	13	24	21	5
White	132	-	-	-	2	-	-	3	29	53	39	7	65	-	-	-	-	-	1	3	13	24	19	5
All other	27	-	-	-	-	-	2	4	7	8	5	1	3	-	-	-	-	-	-	1	-	-	2	-
Black	27	-	-	-	-	-	2	4	7	8	5	1	3	-	-	-	-	-	-	1	-	-	2	-
Asthma (493)	27	-	-	1	1	-	5	4	6	5	4	1	44	-	-	2	4	-	4	6	9	11	5	3
White	10	-	-	-	-	-	1	1	2	2	3	1	27	-	-	1	4	-	2	3	5	7	2	3
All other	17	-	-	1	1	-	4	3	4	3	1	-	17	-	-	1	-	-	2	3	4	4	3	-
Black	17	-	-	1	1	-	4	3	4	3	1	-	16	-	-	1	-	-	2	3	4	4	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	460	-	-	-	-	-	2	12	64	164	180	38	243	-	-	-	-	1	3	10	43	85	74	27
White	385	-	-	-	-	-	1	8	53	134	154	35	199	-	-	-	-	-	3	8	30	71	63	24
All other	75	-	-	-	-	-	1	4	11	30	26	3	44	-	-	-	-	1	-	2	13	14	11	3
Black	75	-	-	-	-	-	1	4	11	30	26	3	44	-	-	-	-	1	-	2	13	14	11	3
Ulcer of stomach and duodenum (531-533)	54	-	-	-	-	-	1	5	9	13	16	10	57	1	-	-	-	-	-	4	7	9	16	20
White	35	-	-	-	-	-	1	3	7	5	12	7	51	-	-	-	-	-	-	4	5	9	14	19
All other	19	-	-	-	-	-	-	2	2	8	4	3	6	1	-	-	-	-	-	-	2	-	2	1
Black	19	-	-	-	-	-	-	2	2	8	4	3	5	-	-	-	-	-	-	-	2	-	2	1
Appendicitis (540-543)	5	-	-	-	-	-	-	1	1	2	1	-	9	-	1	-	-	-	-	-	1	2	2	3
White	3	-	-	-	-	-	-	1	-	2	-	-	5	-	-	-	-	-	-	-	1	1	-	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	4	-	1	-	-	-	-	-	-	1	2	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	4	-	1	-	-	-	-	-	-	1	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	-	1	-	-	-	1	1	2	6	16	9	58	1	2	-	-	-	-	1	3	11	23	17
White	24	-	-	-	-	-	1	1	-	5	10	7	36	-	1	-	-	-	-	-	2	8	12	13
All other	12	-	1	-	-	-	-	-	2	1	6	2	22	1	1	-	-	-	-	1	1	3	11	4
Black	12	-	1	-	-	-	-	-	2	1	6	2	22	1	1	-	-	-	-	1	1	3	11	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	253	1	1	-	2	11	39	48	85	51	13	2	133	1	-	-	-	6	8	26	32	36	20	4
White	171	-	-	-	1	7	20	32	60	37	12	2	100	-	-	-	-	3	5	17	25	28	19	3
All other	82	1	1	-	1	4	19	16	25	14	1	-	33	1	-	-	-	3	3	9	7	8	1	1
Black	81	1	1	-	1	4	19	16	24	14	1	-	33	1	-	-	-	3	3	9	7	8	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	19	-	-	-	-	-	-	1	3	4	5	6	26	-	-	-	-	-	1	3	-	7	9	6
White	12	-	-	-	-	-	-	-	1	4	3	4	16	-	-	-	-	-	-	2	-	5	7	2
All other	7	-	-	-	-	-	-	1	2	-	2	2	10	-	-	-	-	-	1	1	-	2	2	4
Black	7	-	-	-	-	-	-	1	2	-	2	2	10	-	-	-	-	-	1	1	-	2	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	275	3	2	1	2	6	10	9	23	73	79	67	298	6	-	1	1	5	3	15	41	56	94	76
White	164	-	1	1	-	1	4	6	13	47	49	42	166	2	-	-	-	-	2	4	21	25	63	49
All other	111	3	1	-	2	5	6	3	10	26	30	25	132	4	-	1	1	5	1	11	20	31	31	27
Black	111	3	1	-	2	5	6	3	10	26	30	25	131	4	-	1	1	5	1	11	20	30	31	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	1	-	-	-	1	4	5	6	21	-	-	-	-	1	1	-	1	5	8	5
White	12	-	-	-	-	-	-	-	1	2	5	4	16	-	-	-	-	-	1	-	-	3	8	4
All other	5	-	-	-	1	-	-	-	-	2	-	2	5	-	-	-	-	1	-	-	1	2	-	1
Black	5	-	-	-	1	-	-	-	-	2	-	2	5	-	-	-	-	1	-	-	1	2	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	256	3	2	1	1	6	10	9	21	68	74	61	275	6	-	1	1	4	2	14	40	50	88	71
White	150	-	1	1	-	1	4	6	11	44	44	38	150	2	-	-	-	-	1	4	21	22	55	45
All other	106	3	1	-	1	5	6	3	10	24	30	23	125	4	-	1	1	4	1	10	19	28	31	26
Black	106	3	1	-	1	5	6	3	10	24	30	23	124	4	-	1	1	4	1	10	19	27	31	26
Infections of kidney (590)	14	-	-	-	-	-	-	-	1	2	6	5	30	-	-	-	-	2	1	-	1	6	10	10
White	9	-	-	-	-	-	-	-	1	2	4	2	20	-	-	-	-	1	-	-	1	4	6	8
All other	5	-	-	-	-	-	-	-	-	-	2	3	10	-	-	-	-	1	1	-	-	2	4	2
Black	5	-	-	-	-	-	-	-	-	-	2	3	10	-	-	-	-	1	1	-	-	2	4	2
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	1	-	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	2	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	1	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	1	2	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	1	1	-	...	...	...	...
Congenital anomalies (740-759)	145	101	15	8	4	6	1	2	6	1	1	-	131	99	13	3	3	3	3	1	2	4	-	-
White	96	69	7	4	3	4	-	2	5	1	1	-	71	50	8	-	2	2	3	1	1	4	-	-
All other	49	32	8	4	1	2	1	-	1	-	-	-	60	49	5	3	1	1	-	-	1	-	-	-
Black	48	32	7	4	1	2	1	-	1	-	-	-	59	48	5	3	1	1	-	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	259	259	-	-	-	-	-	-	-	-	-	-	214	214	-	-	-	-	-	-	-	-	-	-
White	104	104	-	-	-	-	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-
All other	155	155	-	-	-	-	-	-	-	-	-	-	136	136	-	-	-	-	-	-	-	-	-	-
Black	153	153	-	-	-	-	-	-	-	-	-	-	133	133	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	74	74	-	-	-	-	-	-	-	-	-	-	63	63	-	-	-	-	-	-	-	-	-	-
White	34	34	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	40	40	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
Black	39	39	-	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	185	185	-	-	-	-	-	-	-	-	-	-	151	151	-	-	-	-	-	-	-	-	-	-
White	70	70	-	-	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
All other	115	115	-	-	-	-	-	-	-	-	-	-	100	100	-	-	-	-	-	-	-	-	-	-
Black	114	114	-	-	-	-	-	-	-	-	-	-	97	97	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	158	44	1	-	5	4	7	7	16	26	37	11	133	34	1	-	4	4	3	4	9	13	33	28
White	105	27	-	-	3	1	5	6	10	20	26	7	81	16	1	-	2	3	1	1	7	11	18	21
All other	53	17	1	-	2	3	2	1	6	6	11	4	52	18	-	-	2	1	2	3	2	2	15	7
Black	52	16	1	-	2	3	2	1	6	6	11	4	52	18	-	-	2	1	2	3	2	2	15	7
All other diseases (Residual)	1,332	30	15	12	29	66	112	95	207	291	320	154	1,368	30	13	12	19	33	62	83	153	267	401	295
White	858	11	8	6	13	31	56	40	123	212	242	115	909	14	9	5	5	13	28	49	105	180	282	219
All other	474	19	7	6	16	35	56	55	84	79	78	39	459	16	4	7	14	20	34	34	48	87	119	76
Black	471	19	7	6	16	35	56	55	84	78	77	38	455	16	3	7	14	20	34	34	47	87	117	76
Accidents and adverse effects (E800-E949)	1,523	13	56	85	363	318	177	130	136	110	80	34	551	4	34	36	111	72	44	37	41	57	61	54
White	1,030	6	30	45	277	211	117	92	91	80	57	23	381	1	15	17	84	52	31	26	33	43	40	39
All other	493	7	26	40	106	107	60	38	45	30	23	11	170	3	19	19	27	20	13	11	8	14	21	15
Black	476	6	25	37	101	103	58	38	45	29	23	11	166	3	19	17	26	20	12	11	8	14	21	15
Motor vehicle accidents (E810-E825)	723	3	15	38	248	165	85	47	50	37	29	6	268	1	10	18	90	48	26	13	18	23	13	6
White	525	1	8	25	187	118	61	35	34	29	22	5	200	1	5	11	72	32	19	10	16	21	8	5
All other	198	2	7	13	61	47	24	12	16	8	7	1	68	-	5	8	18	16	7	3	3	2	5	1
Black	189	2	6	13	57	45	22	12	16	8	7	1	67	-	5	7	18	16	7	3	3	2	5	1
All other accidents and adverse effects (E800-E807, E826-E949)	800	10	41	47	135	153	92	83	86	73	51	28	283	3	24	17	21	24	18	24	22	34	48	48
White	505	5	22	20	90	93	56	57	57	51	35	18	181	-	10	6	12	20	12	16	17	22	32	34
All other	295	5	19	27	45	60	36	26	29	22	16	10	102	3	14	11	9	4	6	8	5	12	16	14
Black	287	4	18	24	44	58	36	26	29	21	16	10	99	3	14	10	8	4	5	8	5	12	16	14
Suicide (E950-E959)	449	...	...	4	87	83	80	52	49	51	24	9	137	...	...	-	22	33	16	25	24	12	4	1
White	384	...	...	4	70	75	68	46	45	47	21	8	119	...	...	-	18	25	13	24	24	12	2	1
All other	65	...	...	-	17	18	12	6	4	4	3	1	18	...	...	-	4	8	3	1	-	-	2	-
Black	62	...	...	-	16	17	11	6	4	4	3	1	18	...	...	-	4	8	3	1	-	-	2	-
Homicide and legal intervention (E960-E978)	399	3	4	5	94	198	75	30	25	16	9	-	126	3	3	3	29	35	16	15	7	7	7	1
White	124	-	3	1	16	40	24	14	17	7	2	-	57	1	1	1	16	12	5	7	6	4	3	1
All other	275	3	1	4	78	98	51	16	8	9	7	-	69	2	2	2	13	23	11	8	1	3	4	-
Black	271	3	1	4	78	97	48	16	8	9	7	-	69	2	2	2	13	23	11	8	1	3	4	-
All other external causes (E980-E999)	13	-	-	-	4	3	4	-	1	1	-	-	9	-	-	-	-	6	1	1	1	-	-	-
White	10	-	-	-	4	3	1	-	1	1	-	-	5	-	-	-	-	3	-	1	1	-	-	-
All other	3	-	-	-	-	-	3	-	-	-	-	-	4	-	-	-	-	3	1	-	-	-	-	-
Black	3	-	-	-	-	-	3	-	-	-	-	-	4	-	-	-	-	3	1	-	-	-	-	-
MAINE																								
All causes	5,934	85	18	16	112	152	169	336	866	1,616	1,679	885	5,486	69	13	19	31	58	84	191	541	1,049	1,634	1,797
White	5,905	84	18	15	111	149	167	333	858	1,611	1,675	883	5,468	69	13	19	31	55	82	188	539	1,045	1,631	1,796
All other	29	1	-	1	1	3	2	3	7	5	4	2	18	-	-	-	-	3	2	3	2	4	3	1
Black	10	1	-	1	-	-	1	-	4	2	1	-	12	-	-	-	-	1	1	2	1	4	2	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-
White	5	-	-	-	-	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-
White	5	-	-	-	-	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	31	-	-	1	-	-	1	-	-	9	12	8	37	-	-	-	-	-	2	-	3	7	14	11
White	31	-	-	1	-	-	1	-	-	9	12	8	36	-	-	-	-	-	2	-	3	7	13	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	20	-	-	-	1	1	3	1	4	3	2	5	20	-	1	-	-	-	-	-	1	5	7	6
White	20	-	-	-	1	1	3	1	4	3	2	5	20	-	1	-	-	-	-	-	1	5	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,396	-	-	-	6	15	32	89	292	490	366	106	1,196	-	1	2	3	18	35	103	241	322	308	163
White	1,391	-	-	-	6	15	32	89	290	488	365	106	1,192	-	1	2	3	17	35	102	240	321	308	163
All other	5	-	-	-	-	-	-	-	2	2	1	-	4	-	-	-	-	1	-	1	1	1	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	-	-	-	-	-	2	3	8	17	4	-	17	-	-	-	-	-	-	2	4	4	6	1
White	33	-	-	-	-	-	2	3	8	16	4	-	17	-	-	-	-	-	-	2	4	4	6	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	351	-	-	-	-	1	3	20	76	124	100	27	338	-	-	-	-	1	1	19	57	85	107	68
White	350	-	-	-	-	1	3	20	76	123	100	27	336	-	-	-	-	1	1	18	57	84	107	68
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	483	-	-	-	-	-	11	30	113	188	113	28	207	-	-	-	-	3	7	29	56	64	39	9
White	480	-	-	-	-	-	11	30	111	188	112	28	207	-	-	-	-	3	7	29	56	64	39	9
All other	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	1	2	1	217	-	-	-	-	3	11	30	49	55	39	30
White	4	-	-	-	-	-	-	-	-	1	2	1	215	-	-	-	-	2	11	30	48	55	39	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	147	-	-	-	-	2	1	3	11	41	60	29	133	-	-	-	-	1	6	11	31	41	30	13
White	147	-	-	-	-	2	1	3	11	41	60	29	133	-	-	-	-	1	6	11	31	41	30	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	70	-	-	-	-	-	1	7	18	24	17	3	42	-	-	-	-	1	1	2	6	12	11	9
White	70	-	-	-	-	-	1	7	18	24	17	3	42	-	-	-	-	1	1	2	6	12	11	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	172	-	-	-	1	6	10	16	40	53	41	5	137	-	1	2	1	5	6	4	27	35	39	17
White	172	-	-	-	1	6	10	16	40	53	41	5	137	-	1	2	1	5	6	4	27	35	39	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	63	-	-	-	4	4	3	2	11	18	12	9	42	-	-	-	2	1	2	3	2	7	15	10
White	63	-	-	-	4	4	3	2	11	18	12	9	42	-	-	-	2	1	2	3	2	7	15	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	-	-	-	1	2	1	8	15	24	17	4	63	-	-	-	-	3	1	3	9	19	22	6
White	72	-	-	-	1	2	1	8	15	24	17	4	63	-	-	-	-	3	1	3	9	19	22	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	29	1	2	-	-	4	1	-	6	7	5	3	15	-	-	-	-	1	-	1	2	1	6	4
White	29	1	2	-	-	4	1	-	6	7	5	3	15	-	-	-	-	1	-	1	2	1	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	90	-	-	-	-	2	4	5	11	20	37	11	101	-	-	-	-	-	-	2	16	28	30	25
White	90	-	-	-	-	2	4	5	11	20	37	11	101	-	-	-	-	-	-	2	16	28	30	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	1	1	4	19	-	-	-	-	-	-	1	-	2	6	10
White	6	-	-	-	-	-	-	-	-	1	1	4	19	-	-	-	-	-	-	1	-	2	6	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	2	1	1	2	11	-	1	-	-	-	-	1	-	1	1	7
White	6	-	-	-	-	-	-	-	2	1	1	2	11	-	1	-	-	-	-	1	-	1	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,646	2	-	2	2	11	43	145	375	726	832	508	2,839	2	-	3	-	6	10	41	184	486	930	1,177
White	2,636	2	-	2	2	11	42	145	371	724	830	507	2,831	2	-	3	-	5	10	41	183	483	928	1,176
All other	10	-	-	-	-	-	1	-	4	2	2	1	8	-	-	-	-	1	-	-	1	3	2	1
Black	5	-	-	-	-	-	1	-	2	1	1	-	6	-	-	-	-	1	-	-	-	3	1	1
Diseases of heart (390-398,402,404-429)	2,148	2	-	1	1	9	40	129	337	617	642	370	2,157	1	-	1	-	4	9	32	146	392	715	857
White	2,139	2	-	1	1	9	39	129	333	615	640	370	2,151	1	-	1	-	4	9	32	145	390	713	856
All other	9	-	-	-	-	-	1	-	4	2	2	-	6	-	-	-	-	-	-	-	1	2	2	1
Black	5	-	-	-	-	-	1	-	2	1	1	-	4	-	-	-	-	-	-	-	-	2	1	1
Rheumatic fever and rheumatic heart disease (390-398)	14	-	-	-	-	1	1	1	-	1	7	3	32	-	-	-	-	-	-	-	4	15	7	6
White	14	-	-	-	-	1	1	1	-	1	7	3	32	-	-	-	-	-	-	-	4	15	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	22	-	-	-	-	-	-	2	5	9	4	2	44	-	-	-	-	-	-	1	4	8	9	22
White	22	-	-	-	-	-	-	2	5	9	4	2	44	-	-	-	-	-	-	1	4	8	9	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	1	2	3	1	7	-	-	-	-	-	-	-	-	-	3	4
White	7	-	-	-	-	-	-	-	1	2	3	1	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,638	-	-	-	1	3	28	100	280	482	482	262	1,514	-	-	-	-	1	7	24	104	291	523	564
White	1,631	-	-	-	1	3	27	100	278	480	480	262	1,513	-	-	-	-	1	7	24	104	291	522	564
All other	7	-	-	-	-	-	1	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute myocardial infarction (410)	930	-	-	-	-	2	17	70	185	303	260	93	755	-	-	-	-	-	4	14	72	182	290	193
White	928	-	-	-	-	2	17	70	184	302	260	93	755	-	-	-	-	-	4	14	72	182	290	193
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	25	-	-	-	-	-	1	5	5	8	6	-	17	-	-	-	-	1	-	1	1	5	5	4
White	24	-	-	-	-	-	-	5	5	8	6	-	17	-	-	-	-	1	-	1	1	5	5	4
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	679	-	-	-	1	1	10	24	90	170	216	167	742	-	-	-	-	-	3	9	31	104	228	367
White	675	-	-	-	1	1	10	24	89	169	214	167	741	-	-	-	-	-	3	9	31	104	227	367
All other	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of endocardium (424)	24	-	-	-	-	-	1	1	3	5	12	2	39	-	-	-	-	-	-	1	2	10	16	10
White	24	-	-	-	-	-	1	1	3	5	12	2	39	-	-	-	-	-	-	1	2	10	16	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	443	2	-	1	-	5	10	25	48	118	134	100	521	1	-	1	-	3	2	6	32	68	157	251
White	441	2	-	1	-	5	10	25	46	118	134	100	517	1	-	1	-	3	2	6	31	66	157	250
All other	2	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	-	-	1	2	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Hypertension with or without renal disease (401,403)	10	-	-	-	-	-	-	-	1	1	4	4	29	-	-	-	-	-	-	-	5	3	8	13
White	10	-	-	-	-	-	-	-	1	1	4	4	29	-	-	-	-	-	-	-	5	3	8	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	321	-	-	1	-	1	3	15	27	63	120	91	465	1	-	1	-	2	-	8	23	68	157	205
White	320	-	-	1	-	1	3	15	27	63	120	90	463	1	-	1	-	1	-	8	23	67	157	205
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Intracerebral and other intracranial hemorrhage (431-432)	42	-	-	-	-	-	-	4	4	11	17	6	67	-	-	-	-	-	-	-	9	16	28	14
White	42	-	-	-	-	-	-	4	4	11	17	6	66	-	-	-	-	-	-	-	9	15	28	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35	-	-	-	-	-	-	2	5	12	9	7	57	-	-	-	-	-	-	1	3	7	16	30
White	35	-	-	-	-	-	-	2	5	12	9	7	57	-	-	-	-	-	-	1	3	7	16	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	242	-	-	1	-	1	3	9	18	39	93	78	339	1	-	1	-	2	-	6	11	44	113	161
White	241	-	-	1	-	1	3	9	18	39	93	77	338	1	-	1	-	1	-	6	11	44	113	161
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Atherosclerosis (440)	74	-	-	-	-	-	-	1	2	16	26	29	122	-	-	-	-	-	-	-	1	10	28	83
White	74	-	-	-	-	-	-	1	2	16	26	29	122	-	-	-	-	-	-	-	1	10	28	83
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	93	-	-	-	1	1	-	-	8	29	40	14	66	-	-	1	-	-	1	1	9	13	22	19
White	93	-	-	-	1	1	-	-	8	29	40	14	66	-	-	1	-	-	1	1	9	13	22	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	2	1
White	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	167	1	-	-	-	1	2	5	6	34	61	57	183	2	-	1	-	-	3	1	9	8	45	114
White	167	1	-	-	-	1	2	5	6	34	61	57	183	2	-	1	-	-	3	1	9	8	45	114
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	160	1	-	-	-	1	2	5	6	32	58	55	171	2	-	1	-	-	3	1	9	7	43	105
White	160	1	-	-	-	1	2	5	6	32	58	55	171	2	-	1	-	-	3	1	9	7	43	105
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	7	-	-	-	-	-	-	-	-	2	3	2	12	-	-	-	-	-	-	-	-	1	2	9
White	7	-	-	-	-	-	-	-	-	2	3	2	12	-	-	-	-	-	-	-	-	1	2	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	366	-	-	-	-	-	1	7	40	126	136	56	158	-	-	-	-	-	1	3	13	40	67	34
White	364	-	-	-	-	-	1	6	39	126	136	56	158	-	-	-	-	-	1	3	13	40	67	34
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	26	-	-	-	-	-	-	1	3	7	9	6	7	-	-	-	-	-	-	-	-	1	5	1
White	26	-	-	-	-	-	-	1	3	7	9	6	7	-	-	-	-	-	-	-	-	1	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	65	-	-	-	-	-	1	2	5	27	20	10	22	-	-	-	-	-	1	-	2	6	10	3
White	64	-	-	-	-	-	1	1	5	27	20	10	22	-	-	-	-	-	1	-	2	6	10	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	10	-	-	-	-	-	-	1	3	4	1	1	7	-	-	-	-	-	-	-	3	1	-	3
White	10	-	-	-	-	-	-	1	3	4	1	1	7	-	-	-	-	-	-	-	3	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	265	-	-	-	-	-	-	3	29	88	106	39	122	-	-	-	-	-	-	3	8	32	52	27
White	264	-	-	-	-	-	-	3	28	88	106	39	122	-	-	-	-	-	-	3	8	32	52	27
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	1	-	1	5	5	1	20	-	-	-	-	-	1	-	-	2	9	8
White	12	-	-	-	-	-	1	-	1	5	4	1	20	-	-	-	-	-	1	-	-	2	9	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	-	-	-	-	-	-	1	1	4	5	4	24	-	-	-	1	-	-	-	1	4	6	12
White	14	-	-	-	-	-	-	-	1	4	5	4	24	-	-	-	1	-	-	-	1	4	6	12
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	89	-	1	-	-	4	5	12	23	24	16	4	45	-	-	-	-	1	3	6	11	12	6	6
White	88	-	1	-	-	4	4	12	23	24	16	4	44	-	-	-	-	1	3	5	11	12	6	6
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	-	1	-	5	2	6	-	-	-	-	-	-	-	-	-	2	4
White	8	-	-	-	-	-	-	-	1	-	5	2	6	-	-	-	-	-	-	-	-	-	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	37	-	-	-	-	1	-	2	2	6	12	15	50	-	-	-	-	1	1	-	2	10	16	20
White	37	-	-	-	-	1	-	2	2	5	12	15	50	-	-	-	-	1	1	-	2	10	16	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	2	-	2	-	-	5	-	-	-	-	-	-	-	1	2	-	2
White	4	-	-	-	-	-	-	2	-	2	-	-	5	-	-	-	-	-	-	-	1	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	-	-	-	-	1	-	-	1	3	11	15	44	-	-	-	-	1	1	-	1	8	15	18
White	31	-	-	-	-	1	-	-	1	3	11	15	44	-	-	-	-	1	1	-	1	8	15	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	10	-	-	-	-	-	-	1	1	1	5	2	8	-	-	-	-	-	-	-	-	3	2	3
White	10	-	-	-	-	-	-	1	1	1	5	2	8	-	-	-	-	-	-	-	-	3	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	31	22	1	-	-	1	2	2	1	1	1	-	29	16	1	1	1	1	3	3	1	2	-	-
White	30	22	1	-	-	1	2	1	1	1	1	-	29	16	1	1	1	1	3	3	1	2	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	45	44	1	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
White	45	44	1	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	15	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	30	29	1	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	30	29	1	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	10	1	-	1	4	2	2	2	3	7	6	37	10	-	-	1	1	1	-	3	5	5	11
White	37	9	1	-	1	4	2	2	2	3	7	6	37	10	-	-	1	1	1	-	3	5	5	11
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	416	2	2	-	3	7	11	35	46	114	126	70	460	2	2	1	4	9	4	13	43	79	148	155
White	414	2	2	-	3	7	11	35	46	113	126	69	458	2	2	1	4	9	3	12	43	79	148	155
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Accidents and adverse effects (E800-E949)	310	3	9	13	66	60	41	12	32	23	35	16	126	-	5	11	14	8	9	8	8	19	18	26
White	306	3	9	12	66	57	41	12	32	23	35	16	126	-	5	11	14	8	9	8	8	19	18	26
All other	4	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	162	-	3	5	55	42	22	4	12	8	7	4	49	-	1	6	10	5	8	6	3	5	5	-
White	161	-	3	5	55	41	22	4	12	8	7	4	49	-	1	6	10	5	8	6	3	5	5	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	148	3	6	8	11	18	19	8	20	15	28	12	77	-	4	5	4	3	1	2	5	14	13	26
White	145	3	6	7	11	16	19	8	20	15	28	12	77	-	4	5	4	3	1	2	5	14	13	26
All other	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	128	...	...	-	25	33	16	13	16	15	8	2	37	...	...	-	4	8	8	7	1	7	2	-
White	127	...	...	-	24	33	16	13	16	15	8	2	36	...	...	-	4	7	8	7	1	7	2	-
All other	1	...	...	-	1	-	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	-	-	-	5	6	3	1	2	1	-	-	14	1	-	-	3	4	1	-	1	3	1	-
White	18	-	-	-	5	6	3	1	2	1	-	-	14	1	-	-	3	4	1	-	1	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	5	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND																								
All causes	19,181	465	64	90	488	718	853	1,515	3,582	5,030	4,394	1,968	17,439	343	60	48	198	279	450	875	2,255	3,681	4,892	4,351
White	14,609	251	40	62	323	394	505	978	2,703	3,996	3,687	1,664	13,897	160	31	35	135	155	269	583	1,590	2,919	4,136	3,883
All other	4,572	214	24	28	165	324	348	537	879	1,034	707	304	3,542	183	29	13	63	124	181	292	665	762	756	468
Black	4,446	206	21	25	158	318	338	520	863	1,010	689	292	3,466	179	29	13	61	122	174	280	649	749	744	460
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	1	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	2	2
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	-	-	-	-	-	2	1	5	4	4	-	13	-	-	-	-	1	2	-	2	2	6	-
White	9	-	-	-	-	-	-	-	4	2	3	-	9	-	-	-	-	-	1	-	1	2	5	-
All other	7	-	-	-	-	-	2	1	1	2	1	-	4	-	-	-	-	1	1	-	1	-	1	-
Black	7	-	-	-	-	-	2	1	1	2	1	-	4	-	-	-	-	1	1	-	1	-	1	-
Tuberculosis of respiratory system (010-012)	13	-	-	-	-	-	2	-	4	4	3	-	10	-	-	-	-	1	-	-	2	2	5	-
White	8	-	-	-	-	-	-	-	4	2	2	-	7	-	-	-	-	-	-	-	1	2	4	-
All other	5	-	-	-	-	-	2	-	-	2	1	-	3	-	-	-	-	1	-	-	1	-	1	-
Black	5	-	-	-	-	-	2	-	-	2	1	-	3	-	-	-	-	1	-	-	1	-	1	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	2	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	-	-	2	-	1	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
White	3	1	-	-	2	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
All other	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	248	5	-	-	-	6	3	10	45	70	69	40	285	1	-	-	-	3	6	8	26	54	87	100
White	182	2	-	-	-	2	2	6	28	53	55	34	210	-	-	-	-	2	1	5	15	37	71	79
All other	66	3	-	-	-	4	1	4	17	17	14	6	75	1	-	-	-	1	5	3	11	17	16	21
Black	66	3	-	-	-	4	1	4	17	17	14	6	73	1	-	-	-	1	5	3	11	15	16	21
Acute poliomyelitis (045)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-64 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	10	-	-	-	1	-	2	2	2	2	1	-	6	-	-	-	-	1	-	-	1	3	1	-
White	7	-	-	-	-	-	2	1	2	1	1	-	5	-	-	-	-	-	-	-	1	3	1	-
All other	3	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	73	3	1	2	1	15	15	6	9	10	9	2	54	1	-	1	-	7	5	5	8	7	11	9
White	44	2	-	1	-	5	8	4	9	6	7	2	34	-	-	1	-	2	1	4	5	3	9	9
All other	29	1	1	1	1	10	7	2	-	4	2	-	20	1	-	-	-	5	4	1	3	4	2	-
Black	28	1	1	1	1	9	7	2	-	4	2	-	20	1	-	-	-	5	4	1	3	4	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,667	-	6	17	19	44	150	420	1,162	1,523	1,013	311	4,097	1	5	6	13	57	163	405	950	1,144	932	420
White	3,514	-	3	9	15	30	92	279	848	1,166	818	253	3,284	1	3	3	10	40	110	284	718	941	803	371
All other	1,153	-	3	8	4	14	58	141	314	357	195	58	813	-	2	3	3	17	53	121	232	203	129	49
Black	1,127	-	2	7	3	13	56	137	308	353	192	55	784	-	2	3	3	16	49	112	224	199	126	49
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	112	-	-	-	1	-	8	21	38	28	9	7	45	-	-	1	-	-	4	10	12	10	3	5
White	73	-	-	-	-	-	5	9	21	24	8	6	30	-	-	-	-	-	2	3	9	8	3	5
All other	39	-	-	-	1	-	3	12	17	4	1	1	15	-	-	1	-	-	2	7	3	2	-	-
Black	39	-	-	-	1	-	3	12	17	4	1	1	14	-	-	1	-	-	2	6	3	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,106	-	-	1	-	5	27	106	302	372	222	70	1,002	-	-	-	-	3	25	66	172	267	299	170
White	819	-	-	-	-	3	11	66	229	274	177	59	774	-	-	-	-	3	13	37	106	220	248	147
All other	287	-	-	1	-	2	16	40	73	98	45	11	228	-	-	-	-	-	12	29	66	47	51	23
Black	278	-	-	1	-	2	16	37	70	96	44	11	219	-	-	-	-	-	11	26	64	45	50	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,659	-	-	1	-	3	43	155	464	611	307	75	837	-	1	1	1	6	24	86	236	286	159	34
White	1,265	-	-	-	-	3	27	106	335	479	249	66	698	-	1	-	1	4	19	67	190	251	136	29
All other	394	-	-	1	-	-	16	49	129	132	58	9	139	-	-	1	-	2	5	19	46	37	23	5
Black	388	-	-	1	-	-	16	48	127	131	57	8	133	-	-	1	-	2	4	17	46	36	21	5
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	1	-	-	-	-	-	741	-	-	-	-	10	56	111	205	171	134	54
White	1	-	-	-	-	-	1	-	-	-	-	-	605	-	-	-	-	6	40	84	165	138	122	50
All other	-	-	-	-	-	-	-	-	-	-	-	-	136	-	-	-	-	4	16	27	40	33	12	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	134	-	-	-	-	4	16	27	38	33	12	4
Malignant neoplasms of genital organs (179-187)	496	-	-	-	2	2	2	9	47	154	208	72	393	-	-	-	1	7	20	36	102	119	81	27
White	343	-	-	-	2	2	2	4	27	104	152	50	301	-	-	-	1	6	10	29	72	93	67	23
All other	153	-	-	-	-	-	-	5	20	50	56	22	92	-	-	-	-	1	10	7	30	26	14	4
Black	153	-	-	-	-	-	-	5	20	50	56	22	88	-	-	-	-	1	8	6	29	26	14	4
Malignant neoplasms of urinary organs (188-189)	213	-	-	-	-	-	5	17	47	67	56	21	195	-	1	-	-	3	1	10	22	40	43	15
White	178	-	-	-	-	-	4	12	35	56	52	19	103	-	-	-	-	3	1	6	14	31	35	13
All other	35	-	-	-	-	-	1	5	12	11	4	2	32	-	1	-	-	-	-	4	8	9	8	2
Black	34	-	-	-	-	-	1	5	12	11	4	1	32	-	1	-	-	-	-	4	8	9	8	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	693	-	3	7	7	21	38	79	184	189	122	42	578	-	2	3	7	15	18	56	136	147	119	75
White	529	-	2	5	5	14	26	55	138	143	105	35	474	-	1	2	5	9	15	36	112	118	109	67
All other	164	-	1	2	2	7	12	24	46	46	17	7	104	-	1	1	2	6	3	20	24	29	10	8
Black	158	-	1	2	1	7	10	24	45	45	17	6	100	-	1	1	2	6	3	19	22	28	10	8
Leukemia (204-208)	154	-	3	8	8	8	13	7	31	32	32	12	132	1	1	1	2	3	4	10	18	32	40	20
White	121	-	1	4	7	5	10	5	24	24	30	11	110	1	1	1	1	2	4	8	12	28	34	18
All other	33	-	2	4	1	3	3	2	7	8	2	1	22	-	-	-	1	1	-	2	6	4	6	2
Black	30	-	1	3	1	2	3	2	7	8	2	1	21	-	-	-	1	1	-	2	5	4	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	233	-	-	-	1	5	13	26	49	70	57	12	234	-	-	-	2	10	11	20	47	70	54	20
White	185	-	-	-	1	3	6	22	39	62	45	7	189	-	-	-	2	7	6	14	38	54	49	19
All other	48	-	-	-	-	2	7	4	10	8	12	5	45	-	-	-	-	3	5	6	9	16	5	1
Black	47	-	-	-	-	2	7	4	10	8	11	5	43	-	-	-	-	2	5	5	9	16	5	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	64	1	-	1	2	1	8	5	13	21	8	4	80	-	-	-	3	4	2	9	12	20	17	13
White	51	1	-	1	2	1	5	1	10	18	8	4	63	-	-	-	2	3	1	6	11	14	15	11
All other	13	-	-	-	-	-	3	4	3	3	-	-	17	-	-	-	1	1	1	3	1	6	2	2
Black	12	-	-	-	-	-	3	3	3	3	-	-	17	-	-	-	1	1	1	3	1	6	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	285	-	-	-	1	2	12	25	61	83	71	30	408	-	2	-	-	5	9	24	62	105	112	89
White	217	-	-	-	-	2	6	16	45	66	59	23	291	-	2	-	-	4	5	11	45	74	79	71
All other	68	-	-	-	1	-	6	9	16	17	12	7	117	-	-	-	-	1	4	13	17	31	33	18
Black	64	-	-	-	1	-	5	9	16	15	12	6	117	-	-	-	-	1	4	13	17	31	33	18
Nutritional deficiencies (260-269)	16	-	-	-	-	1	-	1	3	4	5	2	40	-	-	-	-	-	-	1	2	5	11	21
White	13	-	-	-	-	1	-	1	2	4	4	1	34	-	-	-	-	-	-	-	2	4	7	21
All other	3	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	1	-	1	4	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	-	-	1	4	-
Anemias (280-285)	30	-	-	-	-	4	1	1	4	9	4	7	42	-	1	1	1	2	-	2	4	7	12	12
White	20	-	-	-	-	-	-	1	1	8	4	6	29	-	-	1	-	1	-	1	3	3	9	11
All other	10	-	-	-	-	4	1	-	3	1	-	1	13	-	1	-	1	1	-	1	1	4	3	1
Black	10	-	-	-	-	4	1	-	3	1	-	1	13	-	1	-	1	1	-	1	1	4	3	1
Meningitis (320-322)	19	6	1	-	-	2	1	2	1	3	3	-	8	-	2	-	-	1	-	1	2	-	-	2
White	14	5	1	-	-	-	-	1	1	3	3	-	6	-	1	-	-	1	-	1	1	-	-	2
All other	5	1	-	-	-	2	1	1	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	2	1	1	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	8,135	14	5	6	20	67	228	616	1,567	2,381	2,172	1,052	8,102	10	5	2	18	24	87	209	756	1,622	2,663	2,702
White	6,584	5	2	5	14	33	147	402	1,232	1,952	1,885	924	6,653	5	3	1	12	10	46	130	483	1,275	2,249	2,438
All other	1,551	9	3	1	6	34	81	214	335	429	307	128	1,449	5	2	1	6	14	41	79	273	347	414	264
Black	1,504	7	3	1	6	34	77	207	329	416	296	124	1,428	5	2	1	6	14	41	79	269	343	407	258
Diseases of heart (390-398,402,404-429)	6,827	10	3	3	18	54	189	552	1,367	2,032	1,765	827	6,293	9	4	2	12	15	62	153	630	1,348	2,024	2,031
White	5,564	4	1	2	12	27	127	371	1,103	1,668	1,523	723	5,199	5	3	1	7	6	32	103	416	1,070	1,716	1,837
All other	1,263	6	2	1	6	27	62	181	264	364	242	104	1,094	4	1	1	5	9	30	50	214	278	306	194
Black	1,227	4	2	1	6	27	59	174	260	354	234	102	1,081	4	1	1	5	9	30	50	212	275	301	191
Rheumatic fever and rheumatic heart disease (390-398)	26	-	-	-	-	1	1	2	7	9	4	2	66	1	-	-	-	-	4	6	11	13	26	5
White	21	-	-	-	-	-	1	2	6	8	4	-	54	-	-	-	-	-	2	2	9	13	23	5
All other	5	-	-	-	-	1	-	-	1	1	-	2	12	1	-	-	-	-	2	4	2	-	3	-
Black	5	-	-	-	-	1	-	-	1	1	-	2	12	1	-	-	-	-	2	4	2	-	3	-
Hypertensive heart disease (402)	227	-	-	-	-	2	11	30	57	67	43	17	281	-	-	-	-	-	5	7	41	67	75	86
White	159	-	-	-	-	-	6	15	37	51	36	14	187	-	-	-	-	-	1	3	15	41	56	71
All other	68	-	-	-	-	2	5	15	20	16	7	3	94	-	-	-	-	-	4	4	26	26	19	15
Black	67	-	-	-	-	2	5	15	20	16	7	2	93	-	-	-	-	-	4	4	26	26	19	14
Hypertensive heart and renal disease (404)	22	-	-	-	-	-	-	-	2	4	11	5	35	-	-	-	-	-	-	-	2	6	8	19
White	17	-	-	-	-	-	-	-	-	3	9	5	24	-	-	-	-	-	-	-	2	4	6	12
All other	5	-	-	-	-	-	-	-	2	1	2	-	11	-	-	-	-	-	-	-	-	2	2	7
Black	5	-	-	-	-	-	-	-	2	1	2	-	11	-	-	-	-	-	-	-	-	2	2	7
Ischemic heart disease (410-414)	3,481	-	-	-	2	9	81	237	693	1,113	945	398	3,035	1	-	-	1	-	18	64	315	728	1,048	862
White	3,045	-	-	-	1	7	61	186	604	977	856	350	2,624	1	-	-	1	-	9	50	227	620	919	797
All other	436	-	-	-	1	2	20	51	89	136	89	48	411	-	-	-	-	-	9	14	88	108	129	65
Black	417	-	-	-	1	2	18	47	86	131	84	48	406	-	-	-	-	-	9	14	88	104	128	65
Acute myocardial infarction (410)	2,122	-	-	-	1	6	59	154	459	717	528	196	1,765	1	-	-	-	-	12	40	221	486	692	373
White	1,862	-	-	-	1	4	49	121	402	632	483	168	1,502	1	-	-	-	-	6	31	157	414	552	341
All other	260	-	-	-	-	2	10	33	57	85	45	28	263	-	-	-	-	-	6	9	64	72	80	32
Black	251	-	-	-	-	2	9	31	55	83	43	28	258	-	-	-	-	-	6	9	64	70	77	32
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	1	-	3	9	8	4	3	14	-	-	-	-	-	-	-	2	4	4	4
White	24	-	-	-	-	1	-	3	8	6	3	3	12	-	-	-	-	-	-	-	1	4	3	4
All other	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Angina pectoris (413)	6	-	-	-	-	-	-	1	-	1	3	1	18	-	-	-	-	-	-	-	4	5	6	3
White	6	-	-	-	-	-	-	1	-	1	3	1	12	-	-	-	-	-	-	-	3	2	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	3	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	3	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,325	-	-	-	1	2	22	79	225	387	410	198	1,238	-	-	-	1	-	6	24	88	231	406	482
White	1,153	-	-	-	-	2	12	61	194	338	367	178	1,098	-	-	-	1	-	3	19	66	200	359	450
All other	172	-	-	-	1	-	10	18	31	49	43	20	140	-	-	-	-	-	3	5	22	31	47	32
Black	162	-	-	-	1	-	9	16	30	46	40	20	140	-	-	-	-	-	3	5	22	31	47	32
Other diseases of endocardium (424)	69	2	-	-	-	3	1	4	8	18	23	10	69	-	-	-	1	1	1	5	5	14	22	20
White	54	1	-	-	-	1	-	4	5	15	19	9	57	-	-	-	1	-	1	3	4	12	18	17
All other	15	1	-	-	-	2	1	-	3	3	4	1	12	-	-	-	-	1	-	2	1	2	3	3
Black	14	1	-	-	-	2	1	-	3	3	3	1	12	-	-	-	-	1	-	2	1	2	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	3,002	8	3	3	16	39	95	279	600	821	739	395	2,807	7	4	2	10	14	34	71	256	522	845	1,039
White	2,268	3	1	2	11	19	59	164	451	614	599	345	2,253	4	3	1	5	6	19	45	159	380	695	935
All other	734	5	2	1	5	20	36	115	149	207	140	50	554	3	1	1	5	8	15	26	97	142	150	104
Black	719	3	2	1	5	20	35	112	148	202	138	49	547	3	1	1	5	8	15	26	95	141	148	102
Hypertension with or without renal disease (401,403)	60	-	-	-	-	-	2	5	14	13	17	9	86	-	-	-	-	-	4	2	6	16	37	20
White	38	-	-	-	-	-	-	2	7	9	14	6	56	-	-	-	-	-	2	-	3	11	24	16
All other	22	-	-	-	-	-	2	3	7	4	3	3	30	-	-	-	-	-	2	2	3	5	13	4
Black	22	-	-	-	-	-	2	3	7	4	3	3	30	-	-	-	-	-	2	2	3	5	13	4
Cerebrovascular diseases (430-438)	934	4	2	3	2	12	30	53	154	232	285	157	1,342	1	1	-	5	9	17	46	100	204	469	490
White	705	1	1	3	2	5	14	24	94	187	235	139	1,079	-	-	-	4	4	8	25	50	151	397	440
All other	229	3	1	-	-	7	16	29	60	45	50	18	263	1	1	-	1	5	9	21	50	53	72	50
Black	220	3	1	-	-	7	15	29	58	42	48	17	255	1	1	-	1	5	9	21	48	52	70	47
Intracerebral and other intracranial hemorrhage (431-432)	189	3	-	2	1	3	18	24	45	40	38	15	211	1	-	-	2	4	7	14	38	37	76	32
White	127	-	-	2	1	1	2	10	31	34	33	13	167	-	-	-	2	2	4	6	21	33	69	30
All other	62	3	-	-	-	2	16	14	14	6	5	2	44	1	-	-	-	2	3	8	17	4	7	2
Black	59	3	-	-	-	2	15	14	13	5	5	2	40	1	-	-	-	2	3	8	16	3	6	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	119	1	-	-	-	3	1	7	13	40	31	23	166	-	-	-	-	-	-	2	10	24	60	70
White	97	1	-	-	-	1	1	5	6	36	27	20	138	-	-	-	-	-	-	1	4	17	53	63
All other	22	-	-	-	-	2	-	2	7	4	4	3	28	-	-	-	-	-	-	1	6	7	7	7
Black	21	-	-	-	-	2	-	2	7	3	4	3	28	-	-	-	-	-	-	1	6	7	7	7
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	626	-	2	1	1	6	11	22	96	152	216	119	962	-	1	-	3	5	10	29	52	142	332	388
White	481	-	1	1	1	3	11	9	57	117	175	106	771	-	-	-	2	2	4	17	25	100	274	347
All other	145	-	1	-	-	3	-	13	39	35	41	13	191	-	1	-	1	3	6	12	27	42	58	41
Black	140	-	1	-	-	3	-	13	38	34	39	12	187	-	1	-	1	3	6	12	26	42	57	39
Atherosclerosis (440)	90	-	-	-	-	-	2	-	5	24	29	30	198	-	-	-	-	-	-	1	4	12	66	115
White	75	-	-	-	-	-	2	-	3	19	24	27	175	-	-	-	-	-	-	-	2	11	55	107
All other	15	-	-	-	-	-	-	-	2	5	5	3	23	-	-	-	-	-	-	1	2	1	11	8
Black	13	-	-	-	-	-	-	-	2	5	4	2	23	-	-	-	-	-	-	1	2	1	11	8
Other diseases of arteries, arterioles, and capillaries (441-448)	224	-	-	-	-	1	5	6	27	80	76	29	183	-	-	-	1	-	4	7	16	42	67	46
White	202	-	-	-	-	1	4	5	25	69	69	29	144	-	-	-	1	-	4	2	12	32	55	38
All other	22	-	-	-	-	-	1	1	2	11	7	-	39	-	-	-	-	-	-	5	4	10	12	8
Black	22	-	-	-	-	-	1	1	2	11	7	-	39	-	-	-	-	-	-	5	4	10	12	8
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	-	-	2	3	2
White	1	-	-	-	-	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	2	3	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	457	7	2	1	2	7	16	13	38	101	142	127	497	3	2	-	2	3	6	8	24	48	158	243
White	338	2	2	1	2	1	5	8	27	66	121	102	426	2	1	-	1	2	3	6	16	35	137	223
All other	119	5	-	-	-	6	11	5	11	35	21	25	71	1	1	-	1	1	3	2	8	13	21	20
Black	116	5	-	-	-	6	11	5	11	34	20	24	71	1	1	-	1	1	3	2	8	13	21	20
Pneumonia (480-486)	444	7	2	1	-	7	16	12	37	100	137	124	465	3	2	-	2	2	6	7	24	43	145	231
White	326	2	2	1	-	1	5	7	26	66	116	99	400	2	1	-	1	1	3	5	16	31	127	213
All other	118	5	-	-	-	6	11	5	11	34	21	25	65	1	1	-	1	1	3	2	8	12	18	18
Black	115	5	-	-	-	6	11	5	11	33	20	24	65	1	1	-	1	1	3	2	8	12	18	18
Influenza (487)	13	-	-	-	2	-	-	1	1	1	5	3	32	-	-	-	-	1	-	1	-	5	13	12
White	12	-	-	-	2	-	-	1	1	-	5	3	26	-	-	-	-	1	-	1	-	4	10	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	1	3	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	1	3	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	685	-	-	1	2	3	2	15	99	221	257	85	481	-	1	1	2	1	4	20	79	153	157	63
White	583	-	-	1	1	-	1	10	82	196	223	69	437	-	-	1	-	1	2	17	68	143	147	58
All other	103	-	-	-	1	3	1	5	17	25	34	16	44	-	1	-	2	-	2	3	11	10	10	5
Black	103	-	-	-	1	3	1	5	17	25	34	16	42	-	1	-	2	-	2	3	11	9	10	4
Bronchitis, chronic and unspecified (490-491)	27	-	-	-	-	-	-	-	1	11	11	4	14	-	-	-	-	-	-	-	2	6	3	3
White	24	-	-	-	-	-	-	-	1	9	10	4	13	-	-	-	-	-	-	-	2	6	3	2
All other	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	116	-	-	-	-	1	-	3	15	39	46	12	76	-	-	-	-	-	1	6	17	28	21	3
White	105	-	-	-	-	-	-	1	14	36	42	12	70	-	-	-	-	-	-	6	13	27	21	3
All other	11	-	-	-	-	1	-	2	1	3	4	-	6	-	-	-	-	-	1	-	4	1	-	-
Black	11	-	-	-	-	1	-	2	1	3	4	-	6	-	-	-	-	-	1	-	4	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Asthma (493)	20	-	-	1	2	2	-	1	4	7	3	-	33	-	1	1	2	1	-	6	7	7	6	2
White	16	-	-	1	1	-	-	1	4	7	2	-	25	-	-	1	-	1	-	5	4	6	6	2
All other	4	-	-	-	1	2	-	-	-	-	1	-	8	-	1	-	2	-	-	1	3	1	-	-
Black	4	-	-	-	1	2	-	-	-	-	1	-	8	-	1	-	2	-	-	1	3	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	523	-	-	-	-	-	2	11	79	164	197	69	358	-	-	-	-	-	3	8	53	112	127	55
White	438	-	-	-	-	-	1	8	63	144	169	53	329	-	-	-	-	-	2	6	49	104	117	51
All other	85	-	-	-	-	-	1	3	16	20	28	16	29	-	-	-	-	-	1	2	4	8	10	4
Black	85	-	-	-	-	-	1	3	16	20	28	16	27	-	-	-	-	-	1	2	4	7	10	3
Ulcer of stomach and duodenum (531-533)	55	-	-	-	-	1	2	2	7	14	17	12	58	-	-	-	-	-	-	5	7	8	27	11
White	44	-	-	-	-	-	1	-	5	10	17	11	50	-	-	-	-	-	-	4	6	7	23	10
All other	11	-	-	-	-	1	1	2	2	4	-	1	8	-	-	-	-	-	-	1	1	1	4	1
Black	11	-	-	-	-	1	1	2	2	4	-	1	8	-	-	-	-	-	-	1	1	1	4	1
Appendicitis (540-543)	4	-	-	-	-	-	1	-	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	-	1	-	-	2	1	1	3	10	14	12	66	1	-	-	-	-	1	1	5	8	21	29
White	30	-	1	-	-	-	-	-	3	5	10	11	53	-	-	-	-	-	-	-	3	8	16	26
All other	14	-	-	-	-	2	1	1	-	5	4	1	13	1	-	-	-	-	1	1	2	-	5	3
Black	14	-	-	-	-	2	1	1	-	5	4	1	13	1	-	-	-	-	1	1	2	-	5	3
Chronic liver disease and cirrhosis (571)	272	-	-	-	2	20	34	64	78	57	14	3	153	-	-	-	-	11	11	26	40	42	14	9
White	187	-	-	-	1	9	14	41	59	51	10	2	112	-	-	-	-	3	7	15	27	37	14	9
All other	85	-	-	-	1	11	20	23	19	6	4	1	41	-	-	-	-	8	4	11	13	5	-	-
Black	83	-	-	-	1	11	20	23	18	6	3	1	39	-	-	-	-	8	4	9	13	5	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	22	-	-	-	-	-	-	2	2	8	5	5	12	-	-	-	-	-	-	1	1	4	2	4
White	17	-	-	-	-	-	-	2	2	5	3	5	10	-	-	-	-	-	-	1	-	3	2	4
All other	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	237	4	-	-	2	3	7	11	38	62	72	38	239	4	1	-	-	4	4	9	28	65	80	44
White	155	2	-	-	2	2	3	5	20	40	52	29	150	1	1	-	-	2	1	3	10	38	58	36
All other	82	2	-	-	-	1	4	6	18	22	20	9	89	3	-	-	-	2	3	6	18	27	22	8
Black	80	2	-	-	-	1	4	6	18	22	19	8	89	3	-	-	-	2	3	6	18	27	22	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	1	1	1	-	-	3	1	-	16	-	-	-	-	-	-	-	-	2	10	4
White	4	-	-	-	1	1	1	-	-	-	1	-	13	-	-	-	-	-	-	-	-	2	7	4
All other	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	229	4	-	-	1	2	6	11	38	59	71	37	219	4	-	-	-	4	4	9	28	62	70	38
White	150	2	-	-	1	1	2	5	20	40	51	28	133	1	-	-	-	2	1	3	10	35	51	30
All other	79	2	-	-	-	1	4	6	18	19	20	9	86	3	-	-	-	2	3	6	18	27	19	8
Black	77	2	-	-	-	1	4	6	18	19	19	8	86	3	-	-	-	2	3	6	18	27	19	8
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	-	2	2	12	-	-	-	-	-	-	-	1	3	4	4
White	4	-	-	-	-	-	-	-	-	-	2	2	11	-	-	-	-	-	-	-	1	3	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	1	2	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	1	2	2	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Congenital anomalies (740-759)	112	75	5	3	3	3	4	3	5	6	3	2	114	63	6	3	5	7	5	4	5	7	7	2
White	83	53	4	2	2	2	4	1	4	6	3	2	78	44	2	3	4	2	4	2	3	5	7	2
All other	29	22	1	1	1	1	-	2	1	-	-	-	36	19	4	-	1	5	1	2	2	2	-	-
Black	27	20	1	1	1	1	-	2	1	-	-	-	34	18	4	-	1	5	1	2	2	1	-	-
Certain conditions originating in the perinatal period (760-779)	249	244	3	-	-	-	-	-	-	-	-	-	188	184	3	-	1	-	-	-	-	-	-	-
White	118	115	2	-	-	-	-	-	-	-	-	-	70	68	1	-	1	-	-	-	-	-	-	-
All other	131	129	1	-	-	-	-	-	-	-	-	-	118	116	2	-	-	-	-	-	-	-	-	-
Black	127	126	-	-	-	-	-	-	-	-	-	-	117	115	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	50	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	22	22	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	21	21	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	199	194	3	-	-	-	-	-	-	-	-	-	154	150	3	-	1	-	-	-	-	-	-	-
White	90	87	2	-	-	-	-	-	-	-	-	-	53	51	1	-	1	-	-	-	-	-	-	-
All other	109	107	1	-	-	-	-	-	-	-	-	-	101	99	2	-	-	-	-	-	-	-	-	-
Black	106	105	-	-	-	-	-	-	-	-	-	-	100	98	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	200	79	3	2	6	24	16	21	19	11	13	6	149	51	2	-	9	10	2	8	8	9	23	26
White	126	48	2	2	4	10	9	9	14	11	11	6	103	26	1	-	4	6	-	5	7	8	22	24
All other	74	31	1	-	2	14	7	12	5	-	2	-	46	25	1	-	5	4	2	3	1	1	1	2
Black	74	31	1	-	2	14	7	12	5	-	2	-	44	24	1	-	5	4	2	3	-	1	1	2
All other diseases (Residual)	1,520	14	11	5	23	124	106	129	246	309	379	173	1,557	17	12	12	22	40	58	69	155	285	435	451
White	1,044	10	5	3	12	55	38	69	173	235	309	135	1,194	8	5	11	6	14	31	43	102	210	367	397
All other	476	4	6	2	11	69	68	60	73	74	70	38	363	9	7	1	16	26	27	26	53	75	68	54
Black	472	4	6	2	11	69	67	60	73	71	70	38	358	9	7	1	15	26	27	26	52	74	66	54
Accidents and adverse effects (E800-E949)	1,027	8	22	46	242	179	111	107	110	79	77	46	543	4	15	19	84	52	46	32	44	63	98	86
White	770	5	16	34	194	124	84	75	81	60	62	35	418	3	9	12	71	37	30	24	33	51	79	69
All other	257	3	6	12	48	55	27	32	29	19	15	11	125	1	6	7	13	15	16	8	11	12	19	17
Black	239	3	5	10	43	53	26	28	28	19	14	10	121	-	6	7	13	14	15	8	10	12	19	17
Motor vehicle accidents (E810-E825)	532	2	4	29	185	115	59	47	42	27	18	4	234	-	3	9	73	38	32	13	19	21	21	5
White	412	1	4	23	153	80	45	34	33	19	17	3	185	-	2	6	62	27	22	10	14	18	21	3
All other	120	1	-	6	32	35	14	13	9	8	1	1	49	-	1	3	11	11	10	3	5	3	-	2
Black	108	1	-	4	29	34	13	9	8	8	1	1	46	-	1	3	11	10	9	3	4	3	-	2
All other accidents and adverse effects (E800-E807, E826-E949)	495	6	18	17	57	64	52	60	68	52	59	42	309	4	12	10	11	14	14	19	25	42	77	81
White	358	4	12	11	41	44	39	41	48	41	45	32	233	3	7	6	9	10	8	14	19	33	58	66
All other	137	2	6	6	16	20	13	19	20	11	14	10	76	1	5	4	2	4	6	5	6	9	19	15
Black	131	2	5	6	14	19	13	19	20	11	13	9	75	-	5	4	2	4	6	5	6	9	19	15
Suicide (E950-E959)	383	...	...	3	73	90	75	36	40	31	31	4	114	...	...	1	15	17	21	19	24	11	4	2
White	328	...	...	2	57	73	65	36	38	23	31	3	103	...	...	-	14	15	20	18	21	10	4	1
All other	55	...	...	1	16	17	10	-	2	8	-	1	11	...	...	1	1	2	1	1	3	1	-	1
Black	47	...	...	1	14	15	9	-	1	7	-	-	9	...	...	1	1	2	-	1	3	1	-	-
Homicide and legal intervention (E960-E978)	284	3	3	2	80	107	47	16	17	5	4	-	86	2	2	2	21	24	14	7	7	1	3	3
White	81	-	2	1	9	36	13	6	8	4	2	-	36	2	1	2	9	7	3	2	6	-	2	2
All other	203	3	1	1	71	71	34	10	9	1	2	-	50	-	1	-	12	17	11	5	1	1	1	1
Black	201	3	1	1	70	71	34	10	8	1	2	-	47	-	1	-	11	17	10	5	-	1	1	1
All other external causes (E980-E999)	43	-	-	1	7	13	7	6	6	3	-	-	13	1	-	-	2	4	3	1	1	1	-	-
White	29	-	-	-	6	8	5	4	4	2	-	-	8	-	-	-	1	2	3	-	1	1	-	-
All other	14	-	-	1	1	5	2	2	2	1	-	-	5	1	-	-	1	2	-	1	-	-	-	-
Black	14	-	-	1	1	5	2	2	2	1	-	-	5	1	-	-	1	2	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	27,232	414	53	76	581	710	900	1,607	4,375	7,285	7,196	4,030	26,361	329	60	57	183	247	448	968	2,736	5,507	8,320	9,506
White	26,151	340	45	66	536	626	814	1,481	4,184	7,075	7,053	3,928	27,448	266	46	50	163	209	399	892	2,603	5,340	8,132	9,346
All other	1,081	74	8	10	45	84	86	126	191	210	143	102	913	63	14	7	20	38	49	74	133	167	188	160
Black	950	70	7	10	42	72	76	114	169	182	117	89	831	56	13	5	18	38	46	67	121	155	167	145
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	-	-	-	-	1	-	1	-	1	-	2	6	-	-	-	-	-	-	-	-	1	1	4
White	5	-	-	-	-	1	-	1	-	1	-	2	6	-	-	-	-	-	-	-	-	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	19	-	-	-	-	2	-	-	3	5	9	-	14	-	-	-	2	-	1	2	-	4	4	1
White	16	-	-	-	-	1	-	-	3	4	8	-	10	-	-	-	2	-	-	1	-	4	2	1
All other	3	-	-	-	-	1	-	-	-	1	1	-	4	-	-	-	-	-	1	1	-	-	2	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	16	-	-	-	-	2	-	-	2	5	7	-	10	-	-	-	2	-	1	1	-	3	2	1
White	13	-	-	-	-	1	-	-	2	4	6	-	7	-	-	-	2	-	-	-	-	3	1	1
All other	3	-	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	-	1	1	-	-	1	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	1	-	1	2	-
White	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	1	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
White	2	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	257	3	1	-	2	3	4	8	41	62	73	60	297	-	1	-	1	2	2	7	14	48	89	133
White	238	3	1	-	2	3	4	6	34	58	68	59	277	-	1	-	1	-	2	5	13	46	83	126
All other	19	-	-	-	-	-	-	2	7	4	5	1	20	-	-	-	-	2	-	2	1	2	6	7
Black	17	-	-	-	-	-	-	2	7	4	4	-	16	-	-	-	-	2	-	2	-	2	3	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	16	-	-	-	1	-	6	1	2	3	2	1	10	-	-	-	2	-	2	-	2	1	3	-
White	16	-	-	-	1	-	6	1	2	3	2	1	8	-	-	-	1	-	1	-	2	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	102	1	-	1	2	16	18	12	20	16	10	6	84	3	2	-	2	3	2	3	6	17	12	14
White	88	1	-	-	2	14	15	9	19	14	9	5	60	3	2	-	1	2	2	3	6	15	12	14
All other	14	-	-	1	-	2	3	3	1	2	1	1	4	-	-	-	1	1	-	-	-	2	-	-
Black	12	-	-	1	-	1	3	3	-	2	1	1	3	-	-	-	1	1	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,550	1	4	6	33	54	170	437	1,393	2,208	1,688	556	6,508	-	3	12	21	56	180	494	1,254	1,890	1,667	931
White	6,317	1	4	6	31	50	149	411	1,328	2,147	1,651	539	6,316	-	3	11	19	51	172	462	1,221	1,840	1,636	901
All other	233	-	-	-	2	4	21	26	65	61	37	17	192	-	-	1	2	5	8	32	33	50	31	30
Black	196	-	-	-	2	2	17	26	53	53	28	15	165	-	-	-	-	5	7	27	28	46	26	26

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	167	-	-	-	-	-	8	15	41	65	29	9	66	-	-	-	-	2	-	5	17	22	14	6
White	156	-	-	-	-	-	5	15	36	63	28	9	63	-	-	-	-	2	-	3	17	22	13	6
All other	11	-	-	-	-	-	3	-	5	2	1	-	3	-	-	-	-	-	-	2	-	-	1	-
Black	8	-	-	-	-	-	1	-	4	2	1	-	2	-	-	-	-	-	-	2	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,779	-	1	-	-	7	38	105	359	617	483	169	1,756	-	-	-	1	5	16	81	240	506	567	340
White	1,717	-	1	-	-	5	34	97	339	599	476	166	1,700	-	-	-	1	5	14	78	230	490	555	329
All other	62	-	-	-	-	2	4	8	20	18	7	3	56	-	-	-	-	-	2	5	10	16	12	11
Black	50	-	-	-	-	1	3	8	18	13	5	2	51	-	-	-	-	-	2	5	7	15	12	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,149	-	-	-	-	1	42	182	551	787	503	103	1,143	-	-	-	-	2	27	105	293	411	237	68
White	2,086	-	-	-	-	-	40	152	532	766	494	102	1,111	-	-	-	-	2	27	101	280	401	233	67
All other	63	-	-	-	-	1	2	10	19	21	9	1	32	-	-	-	-	-	-	4	13	10	4	1
Black	52	-	-	-	-	1	2	10	12	19	7	1	27	-	-	-	-	-	-	4	11	10	2	-
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	-	1	3	-	2	2	1,317	-	-	-	1	10	68	149	316	350	273	150
White	6	-	-	-	-	-	-	1	3	-	-	2	1,281	-	-	-	1	8	65	140	311	342	271	143
All other	2	-	-	-	-	-	-	-	-	-	2	-	36	-	-	-	-	2	3	9	5	8	2	7
Black	2	-	-	-	-	-	-	-	-	-	2	-	35	-	-	-	-	2	3	8	5	8	2	7
Malignant neoplasms of genital organs (179-187)	651	-	-	-	-	1	3	4	64	192	256	131	661	-	-	-	2	9	26	62	133	195	147	87
White	617	-	-	-	-	1	3	3	59	183	246	122	644	-	-	-	2	8	26	57	133	189	144	85
All other	34	-	-	-	-	-	-	1	5	9	10	9	17	-	-	-	-	1	-	5	-	6	3	2
Black	32	-	-	-	-	-	-	1	5	9	9	8	13	-	-	-	-	1	-	3	-	5	3	1
Malignant neoplasms of urinary organs (188-189)	292	-	-	-	-	-	4	17	61	89	78	43	182	-	1	1	-	-	2	9	19	51	64	35
White	286	-	-	-	-	-	4	17	58	89	76	42	178	-	1	1	-	-	2	8	19	51	62	34
All other	6	-	-	-	-	-	-	-	3	-	2	1	4	-	-	-	-	-	-	1	-	-	2	1
Black	6	-	-	-	-	-	-	-	3	-	2	1	2	-	-	-	-	-	-	-	-	-	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	941	1	2	1	14	25	43	96	222	294	187	56	802	-	1	3	7	14	24	54	141	213	206	139
White	908	1	2	1	13	24	37	90	211	290	184	55	776	-	1	2	7	13	22	50	139	208	202	132
All other	33	-	-	-	1	1	6	6	11	4	3	1	26	-	-	1	-	1	2	4	2	5	4	7
Black	28	-	-	-	1	-	6	6	9	4	1	1	21	-	-	-	-	1	2	3	2	4	2	7
Leukemia (204-208)	236	-	-	4	16	6	11	11	38	69	62	19	236	-	1	5	8	9	10	11	32	52	59	49
White	231	-	-	4	15	6	11	11	38	67	61	18	227	-	1	5	6	9	9	10	31	50	58	48
All other	5	-	-	-	1	-	-	-	-	2	1	1	9	-	-	-	2	-	1	1	1	2	1	1
Black	3	-	-	-	1	-	-	-	-	1	-	1	6	-	-	-	-	-	-	1	1	2	1	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	327	-	1	1	3	14	21	26	54	95	88	24	345	-	-	3	2	5	7	18	63	90	100	57
White	310	-	1	1	3	14	15	25	52	90	86	23	336	-	-	3	2	4	7	17	61	87	98	57
All other	17	-	-	-	-	-	6	1	2	5	2	1	9	-	-	-	-	1	-	1	2	3	2	-
Black	15	-	-	-	-	-	5	1	2	5	1	1	8	-	-	-	-	1	-	1	2	2	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	84	-	1	-	-	2	6	9	20	15	21	10	98	-	1	-	-	3	3	4	15	24	30	18
White	82	-	1	-	-	2	6	7	20	15	21	10	95	-	1	-	-	3	3	4	14	23	29	18
All other	2	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Diabetes mellitus (250)	370	-	-	-	1	6	12	32	58	97	113	51	563	-	-	-	-	5	11	16	54	143	182	152
White	354	-	-	-	1	5	12	28	54	94	110	50	538	-	-	-	-	5	11	12	49	140	172	149
All other	16	-	-	-	-	1	-	4	4	3	3	1	25	-	-	-	-	-	-	4	5	3	10	3
Black	15	-	-	-	-	1	-	4	4	3	2	1	25	-	-	-	-	-	-	4	5	3	10	3
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	-	1	4	11	3	54	-	-	-	-	-	1	-	-	5	11	37
White	19	-	-	-	-	-	-	-	1	4	11	3	54	-	-	-	-	-	1	-	-	5	11	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	34	1	-	1	-	2	2	1	3	10	6	8	55	-	3	1	2	2	1	-	3	7	12	24
White	32	1	-	1	-	1	2	1	3	9	6	8	49	-	2	-	1	1	1	-	3	6	11	24
All other	2	-	-	-	-	1	-	-	-	1	-	-	6	-	1	1	1	1	-	-	-	1	1	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	5	-	1	-	1	1	-	-	-	1	1	-
Meningitis (320-322)	19	1	3	-	-	1	3	1	3	3	-	4	11	-	1	-	-	-	-	-	2	-	6	2
White	18	1	3	-	-	1	2	1	3	3	-	4	10	-	1	-	-	-	-	-	1	-	6	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	12,282	9	2	2	30	56	249	679	1,971	3,498	3,611	2,174	13,985	11	5	2	13	25	81	224	845	2,343	4,516	5,918
White	11,929	8	2	2	26	52	230	630	1,901	3,393	3,558	2,126	13,632	8	4	2	12	21	63	204	789	2,270	4,412	5,845
All other	353	1	-	-	4	4	19	49	70	105	53	48	353	3	1	-	1	4	18	20	56	73	104	73
Black	304	1	-	-	4	4	17	40	63	89	43	43	326	3	1	-	1	4	17	19	52	68	97	64

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	10,315	7	2	2	23	46	227	609	1,777	2,993	2,949	1,679	10,687	11	5	1	9	19	53	174	709	1,928	3,417	4,359
White	10,021	6	2	2	19	42	211	570	1,717	2,904	2,907	1,640	10,426	8	4	1	9	16	46	158	664	1,871	3,348	4,299
All other	294	1	-	-	4	4	16	39	60	89	42	39	261	3	1	-	-	3	7	16	45	57	69	60
Black	254	1	-	-	4	4	14	30	54	78	34	35	242	3	1	-	-	3	7	15	42	52	65	54
Rheumatic fever and rheumatic heart disease (390-398)	43	-	-	-	1	2	4	1	10	13	11	1	120	-	-	-	1	-	-	5	17	32	44	21
White	42	-	-	-	1	2	4	1	10	12	11	1	119	-	-	-	1	-	-	5	16	32	44	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	212	-	-	-	1	-	7	23	53	62	49	17	293	-	-	-	-	-	3	3	20	60	105	102
White	190	-	-	-	-	-	5	18	46	55	49	17	271	-	-	-	-	-	2	1	17	54	100	97
All other	22	-	-	-	1	-	2	5	7	7	-	-	22	-	-	-	-	-	1	2	3	6	5	5
Black	20	-	-	-	1	-	2	5	6	8	-	-	21	-	-	-	-	-	1	1	3	6	5	5
Hypertensive heart and renal disease (404)	18	-	-	-	-	-	-	1	2	8	6	3	28	-	-	-	-	-	-	-	-	8	7	14
White	16	-	-	-	-	-	-	1	1	6	5	3	28	-	-	-	-	-	-	-	-	8	7	13
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Ischemic heart disease (410-414)	7,931	-	-	-	2	26	156	471	1,391	2,336	2,289	1,260	7,743	-	-	-	1	6	32	123	498	1,431	2,488	3,162
White	7,770	-	-	-	2	24	149	447	1,359	2,287	2,264	1,238	7,594	-	-	-	1	5	28	116	472	1,399	2,447	3,124
All other	161	-	-	-	-	2	7	24	32	49	25	22	149	-	-	-	-	1	4	7	26	32	41	38
Black	141	-	-	-	-	2	6	17	31	43	21	21	136	-	-	-	-	1	4	7	24	28	36	34
Acute myocardial infarction (410)	4,103	-	-	-	2	18	102	287	845	1,304	1,119	426	3,505	-	-	-	1	4	24	85	303	811	1,238	1,039
White	4,020	-	-	-	2	17	97	274	828	1,282	1,103	417	3,423	-	-	-	1	3	21	81	290	793	1,215	1,019
All other	83	-	-	-	-	1	5	13	17	22	16	9	82	-	-	-	-	1	3	4	13	18	23	20
Black	68	-	-	-	-	1	4	8	16	17	14	8	75	-	-	-	-	1	3	4	11	16	21	19
Other acute and subacute forms of ischemic heart disease (411)	26	-	-	-	-	-	-	3	3	8	9	3	18	-	-	-	-	-	-	-	6	2	6	4
White	26	-	-	-	-	-	-	3	3	8	9	3	16	-	-	-	-	-	-	-	5	1	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Angina pectoris (413)	12	-	-	-	-	-	-	2	1	4	4	1	12	-	-	-	-	-	-	-	-	4	2	6
White	11	-	-	-	-	-	-	2	1	4	4	-	11	-	-	-	-	-	-	-	-	3	2	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,790	-	-	-	-	8	54	179	542	1,020	1,157	830	4,208	-	-	-	-	2	8	38	189	614	1,242	2,113
White	3,713	-	-	-	-	7	52	168	527	993	1,148	818	4,144	-	-	-	-	2	7	35	177	602	1,224	2,095
All other	77	-	-	-	-	1	2	11	15	27	9	12	64	-	-	-	-	-	1	3	12	12	18	18
Black	72	-	-	-	-	1	2	9	15	26	7	12	58	-	-	-	-	-	1	3	12	10	17	15
Other diseases of endocardium (424)	103	-	-	-	-	1	3	6	12	23	39	19	196	-	-	-	1	2	-	1	8	27	77	80
White	100	-	-	-	-	1	3	6	12	22	37	19	191	-	-	-	1	2	-	1	8	25	76	78
All other	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	1	1	2
All other forms of heart disease (415-423,425-429)	2,008	7	2	2	19	17	57	107	309	553	555	379	2,306	11	5	1	6	11	18	42	166	370	696	980
White	1,903	6	2	2	16	15	50	97	289	522	541	362	2,223	8	4	1	6	9	16	35	151	353	674	966
All other	105	1	-	-	3	2	7	10	20	31	14	17	83	3	1	-	-	2	2	7	15	17	22	14
Black	87	1	-	-	3	2	6	8	16	27	10	14	79	3	1	-	-	2	2	7	14	17	21	12
Hypertension with or without renal disease (401,403)	67	-	-	-	-	-	-	3	10	16	23	15	121	-	-	-	-	-	1	-	7	23	37	53
White	62	-	-	-	-	-	-	2	9	15	22	14	117	-	-	-	-	-	-	-	7	23	34	53
All other	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	1	-	-	-	3	-
Black	5	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	1	-	-	-	3	-
Cerebrovascular diseases (430-438)	1,303	1	-	-	3	7	18	51	123	320	447	333	2,482	-	-	1	3	6	25	47	104	315	844	1,137
White	1,259	1	-	-	3	7	15	44	116	307	438	328	2,409	-	-	1	2	5	15	43	93	304	820	1,126
All other	44	-	-	-	-	-	3	7	7	13	9	5	73	-	-	-	1	1	10	4	11	11	24	11
Black	36	-	-	-	-	-	3	7	6	9	7	4	65	-	-	-	1	1	9	4	10	11	21	8
Intracerebral and other intracranial hemorrhage (431-432)	262	-	-	-	1	3	9	21	43	78	66	41	343	-	-	1	2	3	14	19	33	64	124	83
White	247	-	-	-	1	3	6	19	42	73	64	39	318	-	-	1	1	2	6	16	29	62	120	81
All other	15	-	-	-	-	-	3	2	1	5	2	2	25	-	-	-	1	1	8	3	4	2	4	2
Black	12	-	-	-	-	-	3	2	1	2	2	2	22	-	-	-	1	1	7	3	3	2	3	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	238	-	-	-	-	-	-	8	25	62	80	63	482	-	-	-	-	-	2	2	12	62	168	236
White	234	-	-	-	-	-	-	7	23	61	80	63	475	-	-	-	-	-	2	2	12	59	165	235
All other	4	-	-	-	-	-	-	1	2	1	-	-	7	-	-	-	-	-	-	-	-	3	3	1
Black	4	-	-	-	-	-	-	1	2	1	-	-	7	-	-	-	-	-	-	-	-	3	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	2	1	2	-	20	-	-	-	-	-	-	-	-	4	12	4
White	5	-	-	-	-	-	-	-	2	1	2	-	20	-	-	-	-	-	-	-	-	4	12	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	798	1	-	-	2	4	9	22	53	179	299	229	1,637	-	-	-	1	3	9	26	59	185	540	814
White	773	1	-	-	2	4	9	18	49	172	292	226	1,596	-	-	-	1	3	7	25	52	179	523	806
All other	25	-	-	-	-	-	-	4	4	7	7	3	41	-	-	-	-	-	2	1	7	6	17	8
Black	20	-	-	-	-	-	-	4	3	6	5	2	36	-	-	-	-	-	2	1	7	6	15	5
Atherosclerosis (440)	194	-	-	-	-	1	-	3	13	33	59	85	407	-	-	-	-	-	-	2	8	21	89	287
White	192	-	-	-	-	1	-	3	13	33	59	83	404	-	-	-	-	-	-	2	8	21	86	287
All other	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	3	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	3	-
Other diseases of arteries, arterioles, and capillaries (441-448)	403	1	-	-	4	2	4	13	48	136	133	62	288	-	-	-	1	-	2	1	17	56	129	82
White	395	1	-	-	4	2	4	11	46	134	132	61	276	-	-	-	1	-	2	1	17	51	124	80
All other	8	-	-	-	-	-	-	2	2	2	1	1	12	-	-	-	-	-	-	-	-	5	5	2
Black	7	-	-	-	-	-	-	2	2	1	1	1	12	-	-	-	-	-	-	-	-	5	5	2
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	1	1	-	-	3	7	1	-	-	-	-	-	-	-	-	-	6
White	5	-	-	-	-	-	-	1	1	-	-	3	7	1	-	-	-	-	-	-	-	-	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,000	5	1	-	5	3	12	19	61	206	335	353	1,231	3	2	4	2	1	9	8	34	111	344	713
White	956	2	1	-	5	2	6	13	58	198	324	347	1,207	1	2	4	2	-	9	8	32	107	339	703
All other	44	3	-	-	-	1	6	6	3	8	11	6	24	2	-	-	-	1	-	-	2	4	5	10
Black	39	3	-	-	-	1	6	6	2	7	9	5	22	2	-	-	-	1	-	-	2	2	5	10
Pneumonia (480-486)	986	5	1	-	5	3	12	19	61	204	330	346	1,198	3	2	4	2	1	9	7	34	108	337	691
White	942	2	1	-	5	2	6	13	58	196	319	340	1,174	1	2	4	2	-	9	7	32	104	332	681
All other	44	3	-	-	-	1	6	6	3	8	11	6	24	2	-	-	-	1	-	-	2	4	5	10
Black	39	3	-	-	-	1	6	6	2	7	9	5	22	2	-	-	-	1	-	-	2	2	5	10
Influenza (487)	14	-	-	-	-	-	-	-	-	2	5	7	33	-	-	-	-	-	-	1	-	3	7	22
White	14	-	-	-	-	-	-	-	-	2	5	7	33	-	-	-	-	-	-	1	-	3	7	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,083	-	1	-	-	3	6	28	138	337	383	187	779	-	-	2	1	3	8	30	94	222	277	144
White	1,059	-	1	-	-	2	6	28	133	331	377	181	764	-	-	-	1	1	6	29	89	220	275	143
All other	24	-	-	-	-	1	-	-	5	6	6	6	15	-	-	2	-	2	-	1	5	2	2	1
Black	21	-	-	-	-	1	-	-	5	5	6	4	15	-	-	2	-	2	-	1	5	2	2	1
Bronchitis, chronic and unspecified (490-491)	67	-	-	-	-	-	2	-	6	27	17	15	48	-	-	-	-	-	-	2	4	13	14	15
White	65	-	-	-	-	-	2	-	5	27	17	14	48	-	-	-	-	-	-	2	4	13	14	15
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	227	-	-	-	-	-	1	5	33	81	82	25	104	-	-	-	-	-	-	8	13	51	22	10
White	223	-	-	-	-	-	1	5	33	80	80	24	103	-	-	-	-	-	-	7	13	51	22	10
All other	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Asthma (493)	23	-	1	-	-	2	1	4	5	3	5	2	64	-	-	2	1	3	4	3	12	12	16	11
White	21	-	1	-	-	1	1	4	4	3	5	2	57	-	-	-	1	1	4	3	10	12	15	11
All other	2	-	-	-	-	1	-	-	1	-	-	-	7	-	-	2	-	2	-	-	2	-	1	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	7	-	-	2	-	2	-	-	2	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	766	-	-	-	-	1	2	19	94	226	279	145	563	-	-	-	-	-	2	17	65	146	225	108
White	750	-	-	-	-	1	2	19	91	221	275	141	556	-	-	-	-	-	2	17	62	144	224	107
All other	16	-	-	-	-	-	-	-	3	5	4	4	7	-	-	-	-	-	-	-	3	2	1	1
Black	13	-	-	-	-	-	-	-	3	4	4	2	7	-	-	-	-	-	-	-	3	2	1	1
Ulcer of stomach and duodenum (531-533)	81	-	-	-	-	1	-	2	12	21	26	19	82	-	-	-	-	-	-	-	5	12	29	36
White	79	-	-	-	-	1	-	2	12	21	24	19	80	-	-	-	-	-	-	-	5	10	29	36
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-
Appendicitis (540-543)	5	-	-	-	-	-	-	-	-	-	4	1	13	-	-	-	-	-	-	-	2	5	2	4
White	5	-	-	-	-	-	-	-	-	-	4	1	13	-	-	-	-	-	-	-	2	5	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	59	1	-	-	2	1	-	4	4	10	16	21	86	1	1	-	1	-	1	1	2	14	24	41
White	57	1	-	-	2	1	-	3	4	10	16	20	85	1	1	-	1	-	1	1	2	14	24	40
All other	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	493	-	-	-	-	20	45	79	139	132	66	12	262	1	-	-	1	6	22	40	70	76	42	4
White	477	-	-	-	-	18	43	74	133	131	66	12	246	1	-	-	1	5	19	38	61	75	42	4
All other	16	-	-	-	-	2	2	5	6	1	-	-	16	-	-	-	-	1	3	2	9	1	-	-
Black	15	-	-	-	-	2	2	4	6	1	-	-	16	-	-	-	-	1	3	2	9	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	35	1	-	-	-	-	1	2	7	7	10	7	44	-	-	-	1	-	-	-	3	3	17	20
White	34	-	-	-	-	-	1	2	7	7	10	7	44	-	-	-	1	-	-	-	3	3	17	20
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	278	5	-	-	2	4	7	11	28	71	95	55	312	6	-	-	-	2	2	4	18	54	118	108
White	257	5	-	-	2	3	3	9	27	68	90	50	295	6	-	-	-	2	1	3	18	48	114	103
All other	21	-	-	-	-	1	4	2	1	3	5	5	17	-	-	-	-	-	1	1	-	6	4	5
Black	21	-	-	-	-	1	4	2	1	3	5	5	17	-	-	-	-	-	1	1	-	6	4	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	1	-	1	1	2	2
White	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	1	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	-	-	-	-	-	2	5	7	2	14	-	-	-	-	-	-	-	-	1	5	8
White	15	-	-	-	-	-	-	-	2	5	6	2	13	-	-	-	-	-	-	-	-	1	4	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	260	5	-	-	2	4	7	11	26	65	87	53	291	6	-	-	-	2	1	4	17	52	111	98
White	240	5	-	-	2	3	3	9	25	62	83	48	275	6	-	-	-	2	-	3	17	46	108	93
All other	20	-	-	-	-	1	4	2	1	3	4	5	16	-	-	-	-	-	1	1	-	6	3	5
Black	20	-	-	-	-	1	4	2	1	3	4	5	16	-	-	-	-	-	1	1	-	6	3	5
Infections of kidney (590)	15	-	-	1	-	-	-	-	-	4	7	3	26	-	-	-	-	1	-	-	3	5	3	14
White	14	-	-	1	-	-	-	-	-	4	6	3	25	-	-	-	-	-	-	-	3	5	3	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	1	3	5	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	1	3	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	162	110	5	5	9	5	9	3	6	2	6	2	142	89	8	4	3	6	2	3	7	10	9	1
White	148	98	5	5	9	4	9	3	6	2	5	2	126	78	6	4	2	5	2	2	7	10	9	1
All other	14	12	-	-	-	1	-	-	-	-	1	-	16	11	2	-	1	1	-	1	-	-	-	-
Black	11	9	-	-	-	1	-	-	-	-	1	-	15	10	2	-	1	1	-	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	199	198	1	-	-	-	-	-	-	-	-	-	164	163	1	-	-	-	-	-	-	-	-	-
White	159	158	1	-	-	-	-	-	-	-	-	-	129	128	1	-	-	-	-	-	-	-	-	-
All other	40	40	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
Black	40	40	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	56	55	1	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	49	48	1	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	143	143	-	-	-	-	-	-	-	-	-	-	133	132	1	-	-	-	-	-	-	-	-	-
White	110	110	-	-	-	-	-	-	-	-	-	-	100	99	1	-	-	-	-	-	-	-	-	-
All other	33	33	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	33	33	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	299	56	7	1	19	53	46	30	26	19	24	17	195	33	4	1	8	17	14	10	20	21	21	46
White	259	44	6	1	16	44	43	25	20	19	23	17	171	24	3	1	7	12	12	9	18	20	20	45
All other	40	12	1	-	3	9	3	5	6	-	1	-	24	9	1	-	1	5	2	1	2	1	1	1
Black	38	11	1	-	3	9	3	4	6	-	1	-	24	9	1	-	1	5	2	1	2	1	1	1
All other diseases (Residual)	1,929	12	3	6	21	77	90	122	274	412	537	374	2,473	10	10	4	13	31	34	72	197	392	756	954
White	1,845	10	3	5	19	64	79	113	260	402	527	363	2,370	9	6	3	10	24	31	65	182	374	736	930
All other	84	2	-	1	2	13	11	9	14	10	10	11	103	1	4	1	3	7	3	7	15	18	20	24
Black	77	2	-	1	2	12	11	8	13	8	9	10	95	1	4	1	3	7	3	7	13	18	16	22
Accidents and adverse effects (E800-E949)	1,178	7	23	46	312	196	110	64	112	101	119	87	678	7	16	22	73	38	32	27	64	85	135	179
White	1,100	5	17	38	300	177	103	61	104	98	113	83	653	6	12	21	70	34	30	26	62	84	134	174
All other	78	2	6	8	12	19	7	3	8	3	6	4	25	1	4	1	3	4	2	1	2	1	1	5
Black	65	2	5	8	9	15	4	3	8	3	5	3	23	1	3	1	3	4	1	1	2	1	1	5
Motor vehicle accidents (E810-E825)	588	1	8	27	232	132	48	26	47	29	24	13	222	1	7	15	63	19	17	14	29	32	22	3
White	551	1	7	23	222	119	43	26	45	28	23	13	212	1	6	14	61	18	16	13	28	31	22	2
All other	37	-	1	4	10	13	5	-	2	1	1	-	10	-	1	1	2	1	1	1	1	1	-	1
Black	26	-	-	4	7	10	2	-	2	1	-	-	9	-	1	1	2	1	-	1	1	1	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	590	6	15	19	80	64	62	38	65	72	95	74	456	6	9	7	10	19	15	13	35	53	113	176
White	549	4	10	15	78	58	60	35	59	70	90	70	441	5	6	7	9	16	14	13	34	53	112	172
All other	41	2	5	4	2	6	2	3	6	2	5	4	15	1	3	-	1	3	1	-	1	-	1	4
Black	39	2	5	4	2	5	2	3	6	2	5	3	14	1	2	-	1	3	1	-	1	-	1	4
Suicide (E950-E959)	416	...	...	4	91	123	61	40	40	36	15	6	114	...	...	2	21	22	24	16	18	8	3	-
White	407	...	...	4	90	118	60	38	40	36	15	6	110	...	...	2	21	21	21	16	18	8	3	-
All other	9	...	...	-	1	5	1	2	-	-	-	-	4	...	...	-	-	1	3	-	-	-	-	-
Black	6	...	...	-	1	3	-	2	-	-	-	-	4	...	...	-	-	1	3	-	-	-	-	-
Homicide and legal intervention (E960-E978)	151	3	1	2	42	50	25	14	7	3	3	1	59	1	1	2	13	10	16	2	4	3	6	1
White	100	2	-	2	21	35	19	10	6	1	3	1	41	-	-	1	7	9	10	1	3	3	6	1
All other	51	1	1	-	21	15	6	4	1	2	-	-	18	1	1	1	6	1	6	1	1	-	-	-
Black	49	1	1	-	21	13	6	4	1	2	-	-	17	-	1	1	6	1	6	1	1	-	-	-
All other external causes (E980-E999)	75	-	-	-	8	31	18	7	5	1	2	2	24	-	-	1	2	12	1	3	-	3	1	1
White	64	-	-	-	8	27	16	4	5	1	2	1	23	-	-	1	2	12	-	3	-	3	1	1
All other	11	-	-	-	-	4	2	3	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	11	-	-	-	-	4	2	3	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN																								
All causes	41,892	925	194	234	1,135	1,431	1,690	2,866	7,007	10,800	10,300	5,303	36,830	647	123	151	408	618	902	1,646	4,453	7,464	10,337	10,078
White	35,528	610	159	178	799	905	1,152	2,273	5,878	9,359	9,283	4,929	32,039	443	88	122	306	376	637	1,266	3,668	6,447	9,301	9,384
All other	6,364	315	35	56	336	526	538	593	1,129	1,441	1,017	374	4,791	204	35	29	102	242	265	380	785	1,017	1,036	694
Black	6,234	310	34	55	326	523	530	581	1,102	1,413	988	368	4,673	198	34	27	101	239	257	370	759	998	1,016	674
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	2	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	26	-	-	-	-	-	-	3	10	3	9	1	21	-	-	-	1	-	-	1	1	9	5	4
White	15	-	-	-	-	-	-	1	6	1	6	1	14	-	-	-	-	-	-	-	1	7	3	3
All other	11	-	-	-	-	-	-	2	4	2	3	-	7	-	-	-	1	-	-	1	-	2	2	1
Black	11	-	-	-	-	-	-	2	4	2	3	-	7	-	-	-	1	-	-	1	-	2	2	1
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	-	-	2	6	2	7	1	19	-	-	-	1	-	-	1	1	8	5	3
White	12	-	-	-	-	-	-	1	5	-	5	1	14	-	-	-	-	-	-	-	1	7	3	3
All other	6	-	-	-	-	-	-	1	1	2	2	-	5	-	-	-	1	-	-	1	-	1	2	-
Black	6	-	-	-	-	-	-	1	1	2	2	-	5	-	-	-	1	-	-	1	-	1	2	-
Other tuberculosis (013-018)	8	-	-	-	-	-	-	1	4	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	1	3	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	5	-	-	-	-	-	-	1	3	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	2	-	-	1	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	2	-	1	-
White	3	2	-	-	1	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	2	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	288	2	2	-	1	8	11	18	38	59	93	56	337	4	-	2	3	6	11	12	32	58	88	121
White	217	2	2	-	1	4	7	7	18	48	75	53	271	4	-	1	1	1	5	8	25	42	75	109
All other	71	-	-	-	-	4	4	11	20	11	18	3	66	-	-	1	2	5	6	4	7	16	13	12
Black	70	-	-	-	-	4	4	11	19	11	18	3	64	-	-	1	2	5	6	4	7	15	12	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	-	-	1	2	2	1	3	-	10	-	-	-	-	-	1	2	4	3	-	-
White	9	-	-	-	-	-	1	2	2	1	3	-	9	-	-	-	-	-	-	2	4	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	110	5	2	1	5	18	10	10	14	21	15	9	83	3	1	-	1	6	4	5	13	17	19	14
White	86	3	1	1	3	8	8	5	14	20	15	8	63	-	1	-	-	3	2	2	11	13	18	13
All other	24	2	1	-	2	10	2	5	-	1	-	1	20	3	-	-	1	3	2	3	2	4	1	1
Black	23	2	1	-	2	10	2	5	-	-	-	1	19	3	-	-	1	3	2	3	1	4	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,269	4	18	32	53	90	247	703	2,203	3,024	2,164	731	8,037	2	12	33	39	118	301	738	1,848	2,209	1,837	899
White	7,966	3	18	29	45	72	215	591	1,844	2,579	1,909	661	7,050	2	9	29	34	96	240	619	1,588	1,957	1,653	823
All other	1,303	1	-	3	8	18	32	112	359	445	255	70	987	-	3	4	5	22	61	119	260	252	184	76
Black	1,274	1	-	3	8	17	32	110	353	433	248	69	960	-	3	3	4	22	60	115	255	244	178	75
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	205	-	-	1	1	1	4	23	71	60	34	10	99	-	-	1	-	-	1	5	26	35	24	7
White	177	-	-	1	1	1	4	16	59	54	31	10	89	-	-	1	-	-	-	4	23	32	23	6
All other	28	-	-	-	-	-	-	7	12	6	3	-	10	-	-	-	-	-	1	1	3	3	1	1
Black	27	-	-	-	-	-	-	7	12	5	3	-	10	-	-	-	-	-	1	1	3	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,392	-	2	-	2	11	62	173	578	758	590	216	1,998	-	1	-	1	11	34	109	379	561	577	325
White	2,020	-	2	-	1	9	52	146	469	637	511	193	1,723	-	1	-	1	8	27	88	305	480	519	294
All other	372	-	-	-	1	2	10	27	109	121	79	23	275	-	-	-	-	3	7	21	74	81	58	31
Black	362	-	-	-	1	2	10	25	105	119	77	23	267	-	-	-	-	3	7	21	71	77	57	31
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,233	1	-	-	-	2	55	281	931	1,162	656	145	1,524	-	-	-	-	9	39	168	474	489	268	77
White	2,750	-	-	-	-	1	41	225	772	988	567	136	1,336	-	-	-	-	5	32	140	408	433	247	71
All other	483	1	-	-	-	1	14	56	159	174	89	9	188	-	-	-	-	4	7	28	66	56	21	6
Black	476	1	-	-	-	1	14	56	158	168	89	9	187	-	-	-	-	4	7	28	66	56	20	6
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	1	-	4	1	2	-	1,516	-	-	-	-	37	107	211	393	363	279	126
White	6	-	-	-	-	-	1	-	2	1	2	-	1,333	-	-	-	-	30	83	177	347	329	250	117
All other	2	-	-	-	-	-	-	-	2	-	-	-	183	-	-	-	-	7	24	34	46	34	29	9
Black	2	-	-	-	-	-	-	-	2	-	-	-	178	-	-	-	-	7	23	33	46	32	28	9
Malignant neoplasms of genital organs (179-187)	988	-	-	-	3	6	4	12	110	320	378	155	856	-	-	-	4	12	37	100	201	246	177	79
White	805	-	-	-	2	6	4	9	87	244	322	131	743	-	-	-	3	9	28	89	171	209	161	73
All other	183	-	-	-	1	-	-	3	23	76	56	24	113	-	-	-	1	3	9	11	30	37	16	6
Black	181	-	-	-	1	-	-	3	22	76	55	24	110	-	-	-	1	3	9	11	28	36	16	6

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	462	-	-	-	-	-	8	38	81	131	136	68	266	-	1	1	1	1	5	10	42	77	73	55
White	423	-	-	-	-	-	7	34	74	119	127	62	245	-	-	1	1	1	5	10	39	69	69	50
All other	39	-	-	-	-	-	1	4	7	12	9	6	21	-	1	-	-	-	-	-	3	8	4	5
Black	35	-	-	-	-	-	1	4	7	10	8	5	19	-	1	-	-	-	-	-	3	7	3	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,078	1	9	13	22	32	63	103	256	333	169	77	1,049	-	8	15	19	29	54	87	214	250	225	147
White	979	1	9	12	18	27	61	97	231	304	148	71	931	-	6	13	16	26	44	74	187	234	195	136
All other	99	-	-	1	4	5	2	6	25	29	21	6	118	-	2	2	3	3	10	13	27	16	30	11
Black	96	-	-	1	4	5	2	6	25	28	19	6	113	-	2	1	2	3	10	11	27	16	29	11
Leukemia (204-208)	396	2	6	17	15	13	21	30	73	97	86	35	306	1	2	15	9	10	13	17	46	81	91	41
White	359	2	6	15	13	11	20	24	66	88	79	35	271	1	2	13	8	9	11	15	40	50	83	39
All other	37	-	-	2	2	2	1	6	7	9	7	1	35	-	-	2	1	1	2	2	6	11	8	2
Black	36	-	-	2	2	2	1	6	7	9	6	1	35	-	-	2	1	1	2	2	6	11	8	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	507	-	1	1	10	25	29	43	99	162	113	24	423	1	-	1	5	9	11	31	73	127	123	42
White	447	-	1	1	10	17	25	40	84	144	102	23	379	1	-	1	5	8	10	22	68	121	106	37
All other	60	-	-	-	-	8	4	3	15	18	11	1	44	-	-	-	-	1	1	9	5	6	17	5
Black	59	-	-	-	-	7	4	3	15	18	11	1	41	-	-	-	-	1	1	8	5	6	16	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	72	1	-	1	3	1	1	9	11	17	23	5	82	2	1	1	7	-	2	3	12	19	20	15
White	67	1	-	1	2	1	1	8	11	16	21	5	71	1	-	1	5	-	2	2	11	15	19	15
All other	5	-	-	-	1	-	-	1	-	1	2	-	11	1	1	-	2	-	-	1	1	4	1	-
Black	5	-	-	-	1	-	-	1	-	1	2	-	11	1	1	-	2	-	-	1	1	4	1	-
Diabetes mellitus (250)	597	-	-	-	4	13	29	38	118	169	161	65	791	-	-	2	4	10	13	25	113	232	244	148
White	507	-	-	-	1	12	25	26	99	139	143	62	658	-	-	2	3	7	7	11	89	182	216	141
All other	90	-	-	-	3	1	4	12	19	30	18	3	133	-	-	-	1	3	6	14	24	50	28	7
Black	89	-	-	-	3	1	4	12	18	30	18	3	130	-	-	-	1	3	6	13	22	50	28	7
Nutritional deficiencies (260-269)	48	-	-	-	1	1	-	-	1	10	19	16	75	-	-	1	-	-	1	1	4	6	24	38
White	42	-	-	-	1	-	-	-	1	8	18	14	67	-	-	1	-	-	-	1	4	4	20	37
All other	6	-	-	-	-	1	-	-	-	2	1	2	8	-	-	-	-	-	1	-	-	2	4	1
Black	6	-	-	-	-	1	-	-	-	2	1	2	8	-	-	-	-	-	1	-	-	2	4	1
Anemias (280-285)	69	-	1	-	3	4	2	2	8	15	18	16	82	-	-	2	3	6	1	3	4	12	28	23
White	54	-	-	-	1	-	2	1	7	13	16	14	68	-	-	1	2	3	-	1	4	9	26	22
All other	15	-	1	-	2	4	-	1	1	2	2	2	14	-	-	1	1	3	1	2	-	3	2	1
Black	14	-	1	-	2	4	-	-	1	2	2	2	14	-	-	1	1	3	1	2	-	3	2	1
Meningitis (320-322)	16	5	1	1	-	4	1	-	-	2	2	-	14	2	2	-	1	-	1	1	1	2	3	1
White	12	3	1	1	-	3	-	-	-	2	2	-	11	2	2	-	-	-	-	-	1	2	3	1
All other	4	2	-	-	-	1	1	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
Black	4	2	-	-	-	1	1	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
Major cardiovascular diseases (390-448)	19,313	14	5	8	41	126	468	1,213	3,232	5,419	5,578	3,208	19,168	13	6	11	22	76	193	444	1,585	3,542	6,281	6,994
White	17,006	9	3	5	23	69	354	987	2,754	4,743	5,061	2,995	16,969	11	5	8	13	41	137	310	1,247	3,024	5,638	6,535
All other	2,307	5	2	1	18	57	112	226	478	676	517	213	2,199	2	1	3	9	35	56	134	338	518	643	459
Black	2,258	5	2	1	17	57	110	220	467	664	503	210	2,151	2	1	3	9	35	54	131	329	509	631	446
Diseases of heart (390-398,402,404-429)	15,947	12	4	2	33	101	401	1,081	2,862	4,513	4,438	2,495	14,703	12	4	7	15	53	133	342	1,281	2,838	4,868	5,149
White	14,044	8	2	1	18	50	317	895	2,464	3,950	4,008	2,328	13,024	10	3	5	9	28	98	247	1,010	2,447	4,375	4,792
All other	1,903	4	2	1	15	51	84	186	398	563	430	167	1,679	2	1	2	6	25	35	95	271	391	493	357
Black	1,863	4	2	1	15	51	82	180	388	554	418	166	1,647	2	1	2	6	25	35	93	265	385	484	348
Rheumatic fever and rheumatic heart disease (390-398)	105	1	-	-	2	3	2	12	28	30	19	8	166	-	-	-	2	5	8	12	32	43	53	11
White	89	1	-	-	2	-	1	11	25	24	17	8	155	-	-	-	-	4	8	8	30	41	53	11
All other	16	-	-	-	-	3	1	1	3	6	2	-	11	-	-	-	2	1	-	4	2	2	-	-
Black	16	-	-	-	-	3	1	1	3	6	2	-	11	-	-	-	2	1	-	4	2	2	-	-
Hypertensive heart disease (402)	301	-	-	-	1	10	20	40	60	80	71	19	388	-	-	-	-	1	6	21	48	88	121	103
White	197	-	-	-	-	4	11	18	34	57	57	16	309	-	-	-	-	-	3	6	35	63	106	96
All other	104	-	-	-	1	6	9	22	26	23	14	3	79	-	-	-	-	1	3	15	13	25	15	7
Black	104	-	-	-	1	6	9	22	26	23	14	3	79	-	-	-	-	1	3	15	13	25	15	7
Hypertensive heart and renal disease (404)	38	-	-	-	-	1	-	1	5	9	16	6	53	-	-	-	-	-	-	3	2	10	17	21
White	32	-	-	-	-	-	-	-	4	6	16	6	42	-	-	-	-	-	-	1	-	6	14	21
All other	6	-	-	-	-	1	-	1	1	3	-	-	11	-	-	-	-	-	-	2	2	4	3	-
Black	6	-	-	-	-	1	-	1	1	3	-	-	11	-	-	-	-	-	-	2	2	4	3	-
Ischemic heart disease (410-414)	11,656	-	2	-	3	30	240	749	2,099	3,367	3,316	1,850	10,306	1	-	-	-	14	61	188	845	2,015	3,485	3,698
White	10,688	-	2	-	-	22	214	674	1,912	3,082	3,041	1,741	9,376	-	-	-	-	5	52	148	704	1,799	3,192	3,476
All other	968	-	-	-	3	8	26	75	187	285	275	109	930	1	-	-	-	9	9	38	141	216	293	222
Black	943	-	-	-	3	8	25	68	178	281	270	108	912	1	-	-	-	9	9	37	139	210	289	217
Acute myocardial infarction (410)	6,470	-	1	-	2	24	176	517	1,381	2,010	1,670	689	4,772	-	-	-	-	7	41	120	526	1,179	1,691	1,208
White	6,001	-	1	-	-	19	160	473	1,271	1,871	1,558	648	4,363	-	-	-	-	3	35	96	445	1,081	1,574	1,129
All other	469	-	-	-	2	5	16	44	110	139	112	41	409	-	-	-	-	4	6	24	81	98	117	79
Black	450	-	-	-	2	5	15	39	103	136	110	40	398	-	-	-	-	4	6	23	80	94	115	76

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	30	-	-	-	-	-	2	4	10	7	6	1	19	-	-	-	-	-	-	-	2	5	6	6
White	29	-	-	-	-	-	2	4	9	7	6	1	18	-	-	-	-	-	-	-	2	4	6	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	18	-	-	-	-	-	1	-	4	5	3	5	14	-	-	-	-	-	-	1	-	3	7	3
White	16	-	-	-	-	-	1	-	3	5	2	5	13	-	-	-	-	-	-	1	-	3	6	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,138	-	1	-	1	6	61	228	704	1,345	1,637	1,155	5,501	1	-	-	-	7	20	65	317	828	1,781	2,481
White	4,642	-	1	-	-	3	51	197	629	1,199	1,475	1,087	4,982	-	-	-	-	2	17	51	257	711	1,608	2,338
All other	496	-	-	-	1	3	10	31	75	146	162	68	519	1	-	-	-	5	3	14	60	117	175	143
Black	491	-	-	-	1	3	10	30	74	145	160	68	512	1	-	-	-	5	3	14	59	115	173	141
Other diseases of endocardium (424)	169	-	-	-	3	5	3	11	20	51	56	20	151	-	-	-	2	3	3	-	10	37	58	38
White	147	-	-	-	1	2	3	10	18	42	52	19	135	-	-	-	2	1	2	-	9	35	52	34
All other	22	-	-	-	2	3	-	1	2	9	4	1	16	-	-	-	-	2	1	-	1	2	6	4
Black	22	-	-	-	2	3	-	1	2	9	4	1	16	-	-	-	-	2	1	-	1	2	6	4
All other forms of heart disease (415-423,425-429)	3,678	11	2	2	24	52	136	268	650	976	960	592	3,639	11	4	7	11	30	55	120	344	645	1,134	1,278
White	2,891	7	-	1	15	22	88	182	471	739	825	538	3,007	10	3	5	7	18	33	84	232	503	958	1,154
All other	787	4	2	1	9	30	48	86	179	237	135	54	632	1	1	2	4	12	22	36	112	142	176	124
Black	772	4	2	1	9	30	47	86	177	232	128	54	618	1	1	2	4	12	22	35	108	142	171	120
Hypertension with or without renal disease (401,403)	110	-	-	-	-	1	3	3	14	32	35	22	156	-	-	-	-	1	1	7	15	29	60	43
White	85	-	-	-	-	-	1	2	9	23	32	18	118	-	-	-	-	-	-	2	7	18	52	39
All other	25	-	-	-	-	1	2	1	5	9	3	4	38	-	-	-	-	1	1	5	8	11	8	4
Black	25	-	-	-	-	1	2	1	5	9	3	4	38	-	-	-	-	1	1	5	8	11	8	4
Cerebrovascular diseases (430-438)	2,261	2	-	4	7	22	53	94	254	599	796	430	3,275	1	2	3	6	18	50	76	236	554	1,069	1,260
White	1,959	1	-	4	4	17	27	61	188	519	735	403	2,871	1	2	2	3	10	32	47	184	455	953	1,182
All other	302	1	-	-	3	5	26	33	66	80	61	27	404	-	-	1	3	8	18	29	52	99	116	78
Black	295	1	-	-	2	5	26	33	65	79	59	25	391	-	-	1	3	8	16	29	49	96	114	75
Intracerebral and other intracranial hemorrhage (431-432)	356	-	-	1	1	11	23	35	63	112	86	24	380	1	-	2	2	4	16	30	52	88	113	72
White	290	-	-	1	-	8	10	20	51	96	79	23	310	1	-	1	-	3	9	16	42	67	105	66
All other	66	-	-	-	1	3	13	15	12	14	7	1	70	-	-	1	2	1	7	14	10	21	8	6
Black	65	-	-	-	-	3	13	15	12	14	7	1	66	-	-	1	2	1	7	14	9	19	8	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	463	-	-	1	1	-	6	12	47	125	181	90	667	-	1	-	-	5	5	9	36	114	232	283
White	409	-	-	1	1	-	3	8	30	114	168	84	601	-	1	-	-	2	4	5	28	92	203	266
All other	54	-	-	-	-	-	3	4	17	11	13	6	66	-	-	-	-	3	1	4	10	22	29	17
Black	54	-	-	-	-	-	3	4	17	11	13	6	85	-	-	-	-	3	1	4	9	22	29	17
Cerebral embolism (434.1)	15	-	-	-	-	-	-	-	1	3	8	3	8	-	-	-	-	-	-	-	1	3	2	2
White	14	-	-	-	-	-	-	-	-	3	8	3	6	-	-	-	-	-	-	-	1	2	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,427	2	-	2	5	11	24	47	143	359	521	313	2,200	-	1	1	4	9	29	37	145	349	722	903
White	1,246	1	-	2	3	9	14	33	107	304	480	293	1,954	-	1	1	3	5	19	26	113	294	643	849
All other	181	1	-	-	2	2	10	14	36	55	41	20	246	-	-	-	1	4	10	11	32	55	79	54
Black	175	1	-	-	2	2	10	14	35	54	39	18	238	-	-	-	1	4	8	11	31	54	77	52
Atherosclerosis (440)	460	-	-	-	-	-	2	3	32	76	151	196	713	-	-	-	-	-	1	6	14	53	186	453
White	414	-	-	-	-	-	2	3	26	67	132	184	669	-	-	-	-	-	1	4	12	46	168	438
All other	46	-	-	-	-	-	-	-	6	9	19	12	44	-	-	-	-	-	-	2	2	7	18	15
Black	46	-	-	-	-	-	-	-	6	9	19	12	41	-	-	-	-	-	-	1	2	7	17	14
Other diseases of arteries, arterioles, and capillaries (441-448)	535	-	1	-	1	2	7	32	70	199	158	65	321	-	-	1	1	4	8	13	39	68	98	89
White	504	-	1	-	1	2	7	26	67	184	154	62	287	-	-	1	1	3	6	10	34	58	90	84
All other	31	-	-	-	-	-	-	6	3	15	4	3	34	-	-	-	-	1	2	3	5	10	8	5
Black	29	-	-	-	-	-	-	6	3	13	4	3	34	-	-	-	-	1	2	3	5	10	8	5
Acute bronchitis and bronchiolitis (466)	9	3	-	-	-	-	-	-	1	-	3	2	8	-	-	-	-	-	-	-	-	2	2	4
White	9	3	-	-	-	-	-	-	1	-	3	2	7	-	-	-	-	-	-	-	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	1,109	6	4	-	4	14	25	33	80	221	383	339	1,119	5	4	1	7	16	14	18	55	125	328	546
White	979	5	4	-	3	11	14	25	58	191	349	319	1,004	4	4	-	3	6	6	12	45	115	297	512
All other	130	1	-	-	1	3	11	8	22	30	34	20	115	1	-	1	4	10	8	6	10	10	31	34
Black	126	1	-	-	1	3	11	8	22	30	31	19	111	1	-	1	4	10	8	6	10	10	30	31

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (460-486)	1,103	6	4	-	4	14	25	33	79	221	380	337	1,089	5	4	1	7	16	13	18	53	122	322	528
White	973	5	4	-	3	11	14	25	57	191	346	317	975	4	4	-	3	6	6	12	43	112	291	494
All other	130	1	-	-	1	3	11	8	22	30	34	20	114	1	-	1	4	10	7	6	10	10	31	34
Black	126	1	-	-	1	3	11	8	22	30	31	19	110	1	-	1	4	10	7	6	10	10	30	31
Influenza (487)	6	-	-	-	-	-	-	-	1	-	3	2	30	-	-	-	-	-	1	-	2	3	6	18
White	6	-	-	-	-	-	-	-	1	-	3	2	29	-	-	-	-	-	-	-	2	3	6	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,770	1	-	4	4	4	8	45	246	628	606	224	999	-	1	5	5	5	12	45	164	327	294	141
White	1,601	-	-	2	3	3	3	33	226	568	553	210	916	-	-	3	4	3	8	35	143	309	278	133
All other	169	1	-	2	1	1	5	12	20	60	53	14	83	-	1	2	1	2	4	10	21	18	16	8
Black	166	1	-	2	1	1	5	12	20	60	51	13	82	-	1	2	1	2	4	10	21	17	16	8
Bronchitis, chronic and unspecified (490-491)	81	1	-	-	-	-	-	-	8	32	28	12	61	-	1	-	-	-	-	1	8	18	18	15
White	74	-	-	-	-	-	-	-	6	29	27	12	57	-	-	-	-	-	-	1	7	18	16	15
All other	7	1	-	-	-	-	-	-	2	3	1	-	4	-	1	-	-	-	-	-	1	-	2	-
Black	7	1	-	-	-	-	-	-	2	3	1	-	4	-	1	-	-	-	-	-	1	-	2	-
Emphysema (492)	441	-	-	-	-	1	-	15	69	164	146	46	207	-	-	-	-	-	2	10	49	78	52	16
White	408	-	-	-	-	1	-	10	65	154	136	42	195	-	-	-	-	-	2	10	44	75	50	14
All other	33	-	-	-	-	-	-	5	4	10	10	4	12	-	-	-	-	-	-	-	5	3	2	2
Black	32	-	-	-	-	-	-	5	4	10	9	4	12	-	-	-	-	-	-	-	5	3	2	2
Asthma (493)	50	-	-	3	4	3	3	6	8	11	9	3	97	-	-	5	5	5	8	11	19	23	15	6
White	44	-	-	2	3	2	2	4	8	11	9	3	73	-	-	3	4	3	4	6	16	19	13	5
All other	6	-	-	1	1	1	1	2	-	-	-	-	24	-	-	2	1	2	4	5	3	4	2	1
Black	6	-	-	1	1	1	1	2	-	-	-	-	24	-	-	2	1	2	4	5	3	4	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,198	-	-	1	-	-	5	24	161	421	423	163	634	-	-	-	-	-	2	23	88	208	209	104
White	1,075	-	-	-	-	-	1	19	147	374	361	153	591	-	-	-	-	-	2	18	76	197	199	99
All other	123	-	-	1	-	-	4	5	14	47	42	10	43	-	-	-	-	-	-	5	12	11	10	5
Black	121	-	-	1	-	-	4	5	14	47	41	9	42	-	-	-	-	-	-	5	12	10	10	5
Ulcer of stomach and duodenum (531-533)	133	-	-	-	-	2	4	9	22	32	42	22	147	-	-	-	-	1	-	1	19	25	49	52
White	123	-	-	-	-	1	3	7	20	31	41	20	141	-	-	-	-	1	-	1	18	24	46	51
All other	10	-	-	-	-	1	1	2	2	1	1	2	6	-	-	-	-	-	-	-	1	1	3	1
Black	10	-	-	-	-	1	1	2	2	1	1	2	6	-	-	-	-	-	-	-	1	1	3	1
Appendicitis (540-543)	13	-	-	1	-	2	-	-	2	4	3	1	9	-	-	-	-	-	-	-	1	2	3	3
White	12	-	-	1	-	1	-	-	2	4	3	1	9	-	-	-	-	-	-	-	1	2	3	3
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	72	-	1	1	-	1	-	4	7	19	28	11	144	2	-	-	-	2	1	-	17	20	46	56
White	63	-	-	1	-	1	-	3	5	18	25	10	124	2	-	-	-	1	1	-	11	14	41	54
All other	9	-	1	-	-	-	-	1	2	1	3	1	20	-	-	-	-	1	-	-	6	6	5	2
Black	8	-	1	-	-	-	-	-	2	1	3	1	17	-	-	-	-	1	-	-	4	5	5	2
Chronic liver disease and cirrhosis (571)	828	-	1	-	1	50	115	160	239	193	59	9	431	-	-	-	2	28	45	72	116	108	48	12
White	602	-	1	-	1	19	56	103	192	168	53	9	328	-	-	-	1	13	20	47	93	100	42	12
All other	226	-	-	-	-	31	59	57	47	25	6	-	103	-	-	-	1	15	25	25	23	8	6	-
Black	220	-	-	-	-	31	59	56	42	25	6	-	99	-	-	-	1	15	23	25	21	8	6	-
Cholelithiasis and other disorders of gallbladder (574-575)	50	-	-	-	-	1	-	1	7	14	18	9	58	-	-	-	-	2	-	3	8	9	16	20
White	47	-	-	-	-	1	-	1	6	13	17	9	52	-	-	-	-	1	-	2	7	8	14	20
All other	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	1	-	1	1	1	2	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	6	-	-	-	-	1	-	1	1	1	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	371	8	1	2	2	7	14	14	51	81	114	77	355	7	-	-	4	4	5	16	36	76	99	108
White	298	7	1	2	-	5	3	9	39	65	96	71	281	5	-	-	1	3	3	9	22	53	86	99
All other	73	1	-	-	2	2	11	5	12	16	18	6	74	2	-	-	3	1	2	7	14	23	13	9
Black	72	1	-	-	2	2	11	5	12	15	18	6	74	2	-	-	3	1	2	7	14	23	13	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	1	-	-	-	1	-	-	-	-	2	4	-	-	-	-	-	-	-	1	-	2	1
White	3	-	1	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1
All other	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	-	-	-	1	3	3	3	6	3	10	2	21	-	-	-	1	1	-	-	1	4	8	6
White	22	-	-	-	-	2	1	1	5	2	9	2	20	-	-	-	1	1	-	-	1	4	7	6
All other	9	-	-	-	1	1	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	9	-	-	-	1	1	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	335	7	-	2	1	4	10	11	45	78	104	73	330	7	-	-	3	3	5	16	34	72	89	101
White	273	7	-	2	-	3	1	8	34	63	87	68	258	5	-	-	-	2	3	9	20	49	78	92
All other	62	-	-	-	1	1	9	3	11	15	17	5	72	2	-	-	3	1	2	7	14	23	11	9
Black	61	-	-	-	1	1	9	3	11	14	17	5	72	2	-	-	3	1	2	7	14	23	11	9
Infections of kidney (590)	13	-	-	-	-	-	-	2	-	3	1	7	31	-	-	-	-	-	1	4	1	6	11	8
White	13	-	-	-	-	-	-	2	-	3	1	7	26	-	-	-	-	-	1	3	-	6	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	-	2	1
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	-	2	8	7	...	...	...	...	...	...	...	...	...	...	...	...
White	16	-	-	-	-	-	-	-	-	2	7	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	3	3	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	3	3	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Congenital anomalies (740-759)	281	191	20	9	4	14	8	6	12	6	10	1	213	139	14	11	3	9	6	8	6	7	6	4
White	222	145	15	9	4	12	6	6	9	5	10	1	177	116	10	11	2	6	6	7	5	7	4	3
All other	59	46	5	-	-	2	2	-	3	1	-	-	36	23	4	-	1	3	-	1	1	-	2	1
Black	56	43	5	-	-	2	2	-	3	1	-	-	34	22	3	-	1	3	-	1	1	-	2	1
Certain conditions originating in the perinatal period (760-779)	487	476	11	-	-	-	-	-	-	-	-	-	337	336	1	-	-	-	-	-	-	-	-	-
White	293	287	6	-	-	-	-	-	-	-	-	-	209	208	1	-	-	-	-	-	-	-	-	-
All other	194	189	5	-	-	-	-	-	-	-	-	-	128	128	-	-	-	-	-	-	-	-	-	-
Black	192	187	5	-	-	-	-	-	-	-	-	-	126	126	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	148	144	4	-	-	-	-	-	-	-	-	-	89	89	-	-	-	-	-	-	-	-	-	-
White	99	96	3	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
All other	49	48	1	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Black	47	46	1	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	339	332	7	-	-	-	-	-	-	-	-	-	248	247	1	-	-	-	-	-	-	-	-	-
White	194	191	3	-	-	-	-	-	-	-	-	-	144	143	1	-	-	-	-	-	-	-	-	-
All other	145	141	4	-	-	-	-	-	-	-	-	-	104	104	-	-	-	-	-	-	-	-	-	-
Black	145	141	4	-	-	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	224	145	8	-	6	7	3	6	10	15	13	11	168	90	2	-	3	8	2	1	4	9	19	30
White	162	99	7	-	4	3	3	5	7	11	13	10	124	58	1	-	3	3	2	1	3	7	18	28
All other	62	46	1	-	2	4	-	1	3	4	-	1	44	32	1	-	-	5	-	-	1	2	1	2
Black	61	46	-	-	2	4	-	1	3	4	-	1	41	29	1	-	-	5	-	-	1	2	1	2
All other diseases (Residual)	2,711	33	22	19	63	195	204	204	357	577	677	360	2,596	29	15	11	48	105	108	122	277	494	692	695
White	2,166	23	18	15	48	93	107	152	282	468	612	328	2,156	20	11	10	37	45	67	91	220	408	625	622
All other	545	10	4	4	15	102	97	52	75	89	65	32	440	9	4	1	11	60	41	31	57	86	67	73
Black	534	10	4	4	13	102	95	52	73	87	62	32	429	9	4	1	11	59	39	31	53	85	67	70
Accidents and adverse effects (E800-E949)	2,191	24	84	122	498	391	244	195	201	158	178	95	1,029	9	58	61	162	89	92	69	84	115	152	138
White	1,853	16	73	89	437	326	190	168	164	136	163	91	910	7	40	49	142	76	73	59	76	109	145	134
All other	338	8	11	33	61	65	54	27	37	22	15	4	119	2	18	12	20	13	19	10	8	6	7	4
Black	325	8	11	32	55	63	51	27	36	22	15	4	115	2	18	11	20	13	18	8	8	6	7	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	1,164	6	23	67	374	267	133	84	80	60	49	21	520	2	19	50	128	56	64	42	47	52	47	13
White	1,000	6	20	48	334	228	112	72	64	53	44	19	465	2	16	42	111	50	52	37	44	52	46	13
All other	164	-	3	19	40	39	21	12	16	7	5	2	55	-	3	8	17	6	12	5	3	-	1	-
Black	158	-	3	18	37	37	21	12	16	7	5	2	52	-	3	7	17	6	11	4	3	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,027	18	61	55	124	124	111	111	121	98	129	74	509	7	39	11	34	33	28	27	37	63	105	125
White	853	10	53	41	103	98	78	96	100	83	119	72	445	5	24	7	31	26	21	22	32	57	99	121
All other	174	8	8	14	21	26	33	15	21	15	10	2	64	2	15	4	3	7	7	5	5	6	6	4
Black	167	8	8	14	18	26	30	15	20	15	10	2	63	2	15	4	3	7	7	4	5	6	6	4
Suicide (E950-E959)	892	...	...	12	162	209	132	116	87	76	60	18	198	...	...	2	26	37	31	36	32	20	13	1
White	795	...	...	10	158	178	113	102	86	72	58	18	184	...	...	1	24	32	29	34	30	20	13	1
All other	97	...	...	2	24	31	19	14	1	4	2	-	14	...	...	1	2	5	2	2	2	-	-	-
Black	96	...	...	2	24	31	18	14	1	4	2	-	12	...	...	1	2	4	2	2	1	-	-	-
Homicide and legal intervention (E960-E978)	823	3	11	20	247	245	145	67	46	28	9	2	244	4	5	6	62	81	45	12	12	8	4	2
White	244	2	7	11	56	65	33	26	24	11	7	2	108	3	3	5	26	30	21	6	5	4	3	1
All other	579	1	4	9	191	180	112	41	22	17	2	-	136	1	2	3	36	51	24	6	7	4	1	1
Black	577	1	4	9	190	180	112	40	22	17	2	-	135	1	2	3	36	50	24	6	7	4	1	1
All other external causes (E980-E999)	72	-	1	3	12	24	20	6	2	3	1	-	28	-	-	-	2	6	9	4	2	2	2	1
White	42	-	1	1	7	17	8	3	1	3	1	-	19	-	-	-	2	3	5	3	2	1	2	1
All other	30	-	-	2	5	7	12	3	1	-	-	-	9	-	-	-	-	3	4	1	-	1	-	-
Black	30	-	-	2	5	7	12	3	1	-	-	-	9	-	-	-	-	3	4	1	-	1	-	-
MINNESOTA																								
All causes	17,912	351	74	75	372	395	464	931	2,419	4,287	5,113	3,429	16,889	243	54	55	138	173	294	560	1,339	2,824	4,977	6,232
White	17,504	318	65	65	347	362	430	888	2,357	4,217	5,043	3,410	16,621	228	47	50	131	165	280	540	1,298	2,774	4,918	6,190
All other	408	33	9	10	25	33	34	43	62	70	70	19	268	15	7	5	7	8	14	20	41	50	59	42
Black	220	20	6	2	8	22	19	21	38	39	32	13	143	11	2	2	4	4	3	10	25	26	27	29
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	2	-	-	1	12	-	-	-	-	1	-	1	-	5	2	3
White	2	-	-	-	-	-	-	-	1	-	-	1	10	-	-	-	-	-	-	-	-	5	2	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	2	-	-	1	7	-	-	-	-	1	-	-	-	4	1	1
White	2	-	-	-	-	-	-	-	1	-	-	1	6	-	-	-	-	-	-	-	-	4	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	1	1	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	1	-	1
White	2	2	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	81	2	-	-	-	-	4	2	7	19	31	16	93	-	-	1	1	1	-	-	8	15	30	37
White	80	2	-	-	-	-	4	2	7	19	30	16	88	-	-	1	1	1	-	-	5	14	30	36
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	3	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	55	1	1	-	-	8	3	5	5	14	13	5	40	1	1	1	1	3	-	3	2	10	9	9
White	51	1	-	-	-	7	3	5	5	13	12	5	37	1	-	-	1	3	-	2	2	10	9	9
All other	4	-	1	-	-	1	-	-	-	1	1	-	3	-	1	1	-	-	-	1	-	-	-	-
Black	2	-	1	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,977	4	7	9	32	30	84	239	785	1,239	1,089	459	3,586	1	9	7	17	42	120	276	614	908	1,002	590
White	3,898	4	7	9	31	29	81	221	771	1,215	1,075	455	3,523	1	7	7	17	39	117	271	598	892	988	586
All other	79	-	-	-	1	1	3	18	14	24	14	4	63	-	2	-	-	3	3	5	16	16	14	4
Black	46	-	-	-	-	1	2	10	8	17	5	3	32	-	1	-	-	1	1	-	11	8	9	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	81	-	-	-	-	1	2	8	20	26	18	6	40	-	-	-	-	-	3	5	7	11	7	7
White	80	-	-	-	-	1	2	8	20	25	18	6	39	-	-	-	-	-	3	5	6	11	7	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,091	-	-	-	2	5	16	65	223	338	311	131	943	-	1	-	-	3	16	31	116	215	328	233
White	1,066	-	-	-	2	5	14	61	217	332	305	130	926	-	1	-	-	3	16	30	113	207	326	230
All other	25	-	-	-	-	-	2	4	6	6	6	1	17	-	-	-	-	-	-	1	3	8	2	3
Black	15	-	-	-	-	-	1	4	4	4	1	1	5	-	-	-	-	-	-	-	1	3	-	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,171	-	-	-	2	2	14	73	292	435	287	66	502	-	-	-	1	4	11	57	122	168	110	29
White	1,150	-	-	-	2	2	14	69	287	427	285	64	491	-	-	-	1	3	11	55	118	166	108	29
All other	21	-	-	-	-	-	-	4	5	8	2	2	11	-	-	-	-	1	-	2	4	2	2	-
Black	14	-	-	-	-	-	-	2	3	6	2	1	6	-	-	-	-	1	-	-	3	1	1	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	2	-	2	754	-	-	-	-	8	45	98	155	189	164	95
White	4	-	-	-	-	-	-	-	1	1	-	2	746	-	-	-	-	8	45	98	151	187	162	95
All other	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-	-	4	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	3	1	2	-
Malignant neoplasms of genital organs (179-187)	489	-	-	-	3	1	2	6	45	129	186	118	381	-	-	-	1	4	8	27	80	105	104	52
White	484	-	-	-	3	1	2	6	45	126	183	118	370	-	-	-	1	4	6	25	78	104	101	51
All other	5	-	-	-	-	-	-	-	-	2	3	-	11	-	-	-	-	-	2	2	2	1	3	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	1	-	1	-	3	-
Malignant neoplasms of urinary organs (188-189)	210	-	-	-	-	-	4	11	39	62	67	27	140	-	-	1	-	-	3	4	22	38	42	30
White	207	-	-	-	-	-	4	9	39	61	67	27	139	-	-	1	-	-	3	4	22	37	42	30
All other	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	466	4	2	3	10	9	24	44	95	124	106	45	447	1	6	5	5	12	14	27	68	102	126	81
White	453	4	2	3	9	9	24	41	94	119	103	45	442	1	5	5	5	12	13	27	68	101	124	81
All other	13	-	-	-	1	-	-	3	1	5	3	-	5	-	1	-	-	-	1	-	-	1	2	-
Black	7	-	-	-	-	-	-	2	-	4	1	-	3	-	1	-	-	-	-	-	-	1	1	-
Leukemia (204-208)	207	-	4	3	12	5	15	13	31	50	46	28	146	-	2	1	7	8	8	9	15	26	42	28
White	204	-	4	3	12	5	14	11	31	50	46	28	142	-	1	1	7	6	8	9	15	25	42	28
All other	3	-	-	-	-	-	1	2	-	-	-	-	4	-	1	-	-	2	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	257	-	1	3	3	7	7	19	39	74	68	36	233	-	-	-	3	3	12	18	29	54	79	35
White	250	-	1	3	3	6	7	16	37	74	68	35	228	-	-	-	3	3	12	18	27	54	76	35
All other	7	-	-	-	-	1	-	3	2	-	-	1	5	-	-	-	-	-	-	-	2	-	3	-
Black	3	-	-	-	-	1	-	-	1	-	-	1	4	-	-	-	-	-	-	-	2	-	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	-	-	-	1	3	2	1	6	14	15	8	77	1	-	-	1	2	5	5	8	18	16	21
White	49	-	-	-	1	3	2	1	6	13	15	8	74	-	-	-	1	2	4	4	8	18	16	21
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	1	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	247	-	-	-	1	3	12	16	41	65	69	40	313	-	-	-	-	4	4	7	34	61	110	93
White	240	-	-	-	1	3	11	15	39	64	67	40	307	-	-	-	-	4	4	7	33	57	109	93
All other	7	-	-	-	-	-	1	1	2	1	2	-	6	-	-	-	-	-	-	-	1	4	1	-
Black	6	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	23	-	-	-	-	-	-	-	1	2	5	15	49	-	-	-	-	-	-	-	1	3	9	36
White	23	-	-	-	-	-	-	-	1	2	5	15	49	-	-	-	-	-	-	-	1	3	9	36
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	30	-	1	1	-	1	1	1	1	4	11	9	35	-	-	2	-	-	-	1	5	5	7	15
White	29	-	-	1	-	1	1	1	1	4	11	9	34	-	-	2	-	-	-	1	5	5	7	14
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Meningitis (320-322)	8	5	-	-	-	-	-	1	1	-	-	1	8	2	1	1	-	-	1	1	-	-	1	1
White	8	5	-	-	-	-	-	1	1	-	-	1	6	1	1	-	-	-	1	1	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,127	6	4	1	12	35	130	393	1,017	2,038	2,642	1,849	8,336	4	1	5	9	13	41	133	378	1,202	2,712	3,838
White	8,015	6	3	1	12	31	117	381	997	2,011	2,614	1,842	8,239	4	1	5	9	12	37	126	364	1,181	2,684	3,816
All other	112	-	1	-	-	4	13	12	20	27	28	7	97	-	-	-	-	1	4	7	14	21	28	22
Black	61	-	-	-	-	4	8	7	11	12	13	6	56	-	-	-	-	-	1	5	10	12	13	15
Diseases of heart (390-398,402,404-429)	6,365	3	2	1	9	28	117	352	671	1,674	1,991	1,317	5,795	2	1	5	4	8	26	99	303	923	1,921	2,503
White	6,275	3	1	1	9	24	104	342	855	1,654	1,971	1,311	5,727	2	1	5	4	7	22	94	292	911	1,899	2,490
All other	90	-	1	-	-	4	13	10	16	20	20	6	68	-	-	-	-	1	4	5	11	12	22	13
Black	50	-	-	-	-	4	8	6	8	10	9	5	35	-	-	-	-	-	1	4	7	6	10	7
Rheumatic fever and rheumatic heart disease (390-398)	28	-	-	-	-	1	1	-	4	11	8	3	72	-	-	-	1	1	2	4	8	16	25	15
White	28	-	-	-	-	1	1	-	4	11	8	3	71	-	-	-	1	1	2	4	8	15	25	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	56	-	-	-	-	1	-	3	7	16	17	12	100	-	-	-	-	-	-	3	2	20	40	35
White	55	-	-	-	-	1	-	2	7	16	17	12	100	-	-	-	-	-	-	3	2	20	40	35
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-	-	-	-	1	1	4	2
White	5	-	-	-	-	-	-	-	-	2	1	2	8	-	-	-	-	-	-	-	1	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,825	-	-	-	1	16	93	302	720	1,309	1,476	908	3,916	-	-	-	1	5	10	64	210	665	1,327	1,634
White	4,764	-	-	-	1	13	88	295	706	1,296	1,461	904	3,871	-	-	-	1	5	8	60	201	659	1,309	1,628
All other	61	-	-	-	-	3	5	7	14	13	15	4	45	-	-	-	-	-	2	4	9	6	18	6
Black	30	-	-	-	-	3	3	4	7	5	5	3	22	-	-	-	-	-	-	3	6	3	9	1
Acute myocardial infarction (410)	2,394	-	-	-	-	11	51	151	401	715	725	340	1,719	-	-	-	1	4	4	35	122	358	675	520
White	2,356	-	-	-	-	8	49	150	395	709	717	338	1,696	-	-	-	1	4	2	31	120	355	664	519
All other	28	-	-	-	-	3	2	1	6	6	8	2	23	-	-	-	-	-	2	4	2	3	11	1
Black	9	-	-	-	-	3	1	1	1	1	1	1	9	-	-	-	-	-	-	3	-	1	5	-
Other acute and subacute forms of ischemic heart disease (411)	23	-	-	-	-	-	-	1	3	8	4	7	25	-	-	-	-	1	-	1	1	4	7	11
White	23	-	-	-	-	-	-	1	3	8	4	7	25	-	-	-	-	1	-	1	1	4	7	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	13	-	-	-	-	-	-	-	2	3	5	3	11	-	-	-	-	-	-	-	1	4	3	3
White	13	-	-	-	-	-	-	-	2	3	5	3	10	-	-	-	-	-	-	-	-	4	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,395	-	-	-	1	5	42	150	314	583	742	558	2,161	-	-	-	-	-	6	28	86	299	642	1,100
White	2,362	-	-	-	1	5	39	144	306	576	735	556	2,140	-	-	-	-	-	6	28	80	296	635	1,095
All other	33	-	-	-	-	-	3	6	8	7	7	2	21	-	-	-	-	-	-	-	6	3	7	5
Black	21	-	-	-	-	-	2	3	6	4	4	2	12	-	-	-	-	-	-	-	5	2	4	1
Other diseases of endocardium (424)	80	-	-	-	-	-	1	2	2	18	31	26	125	-	-	-	-	-	2	3	3	19	41	57
White	80	-	-	-	-	-	1	2	2	18	31	26	123	-	-	-	-	-	2	3	2	19	41	56
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,371	3	2	1	8	10	22	45	138	318	458	366	1,574	2	1	5	2	2	12	25	79	202	484	760
White	1,343	3	1	1	8	9	14	43	136	311	453	364	1,554	2	1	5	2	1	10	24	78	197	480	754
All other	28	-	1	-	-	1	8	2	2	7	5	2	20	-	-	-	-	1	2	1	1	5	4	6
Black	19	-	-	-	-	1	5	1	1	5	4	2	11	-	-	-	-	-	1	1	1	2	1	5
Hypertension with or without renal disease (401,403)	64	-	-	-	-	-	-	1	10	19	21	13	107	-	-	-	-	-	1	-	5	13	40	48
White	63	-	-	-	-	-	-	1	10	18	21	13	105	-	-	-	-	-	1	-	3	13	40	48
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Cerebrovascular diseases (430-438)	1,229	3	1	-	3	7	8	29	86	227	475	380	1,923	1	-	-	3	5	14	32	53	216	603	996
White	1,213	3	1	-	3	7	8	28	83	222	469	379	1,901	1	-	-	3	5	14	30	52	209	598	989
All other	16	-	-	-	-	-	-	1	3	5	6	1	22	-	-	-	-	-	-	2	1	7	5	7
Black	8	-	-	-	-	-	-	1	2	2	2	1	15	-	-	-	-	-	-	1	1	4	3	6
Intracerebral and other intracranial hemorrhage (431-432)	140	2	1	-	1	3	1	8	28	37	46	13	173	-	-	-	-	1	2	13	12	40	61	44
White	136	2	1	-	1	3	1	7	27	36	45	13	170	-	-	-	-	1	2	12	12	40	59	44
All other	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	134	-	-	-	-	-	-	2	11	24	48	49	238	1	-	-	1	-	-	1	4	32	84	115
White	134	-	-	-	-	-	-	2	11	24	48	49	237	1	-	-	1	-	-	1	4	32	83	115
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	1	1	2	1	5	-	-	-	-	-	1	-	-	1	1	2
White	5	-	-	-	-	-	-	-	1	1	2	1	5	-	-	-	-	-	1	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	950	1	-	-	2	4	7	19	56	165	379	317	1,507	-	-	-	2	4	11	18	37	143	457	835
White	938	1	-	-	2	4	7	19	54	161	374	316	1,489	-	-	-	2	4	11	17	36	136	455	828
All other	12	-	-	-	-	-	-	-	2	4	5	1	18	-	-	-	-	-	-	1	1	7	2	7
Black	5	-	-	-	-	-	-	-	1	1	2	1	12	-	-	-	-	-	-	-	1	4	1	6
Atherosclerosis (440)	201	-	-	-	-	-	-	3	10	27	66	95	341	-	-	-	-	-	-	-	4	21	96	220
White	199	-	-	-	-	-	-	2	9	27	66	95	338	-	-	-	-	-	-	-	4	20	95	219
All other	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	268	-	1	-	-	-	5	8	30	91	89	44	170	1	-	-	2	-	-	2	13	29	52	71
White	265	-	1	-	-	-	5	8	30	90	87	44	168	1	-	-	2	-	-	2	13	28	52	70
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Acute bronchitis and bronchiolitis (466)	3	-	-	1	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	1	2
White	3	-	-	1	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	655	8	2	-	2	2	3	14	30	73	220	301	758	1	5	1	-	2	2	6	12	45	200	484
White	644	6	2	-	2	2	3	14	29	72	215	299	750	1	4	1	-	2	2	5	12	45	196	482
All other	11	2	-	-	-	-	-	-	1	1	5	2	8	-	1	-	-	-	-	1	-	-	4	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (480-486)	633	8	2	-	2	2	3	14	30	71	216	285	725	1	5	1	-	2	2	6	12	44	193	459
White	622	6	2	-	2	2	3	14	29	70	211	283	717	1	4	1	-	2	2	5	12	44	189	457
All other	11	2	-	-	-	-	-	-	1	1	5	2	8	-	1	-	-	-	-	1	-	-	4	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Influenza (487)	22	-	-	-	-	-	-	-	-	2	4	16	33	-	-	-	-	-	-	-	-	1	7	25
White	22	-	-	-	-	-	-	-	-	2	4	16	33	-	-	-	-	-	-	-	-	1	7	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	768	1	-	-	-	-	3	17	85	236	290	136	427	-	-	3	1	4	2	10	47	120	145	95
White	760	1	-	-	-	-	3	16	83	234	287	136	421	-	-	2	1	4	2	9	47	118	143	95
All other	8	-	-	-	-	-	-	1	2	2	3	-	6	-	-	1	-	-	-	1	-	2	2	-
Black	4	-	-	-	-	-	-	-	2	2	-	-	4	-	-	1	-	-	-	1	-	2	-	-
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	-	-	-	3	13	3	5	21	-	-	-	-	1	-	-	-	1	6	13
White	24	-	-	-	-	-	-	-	3	13	3	5	21	-	-	-	-	1	-	-	-	1	6	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	136	-	-	-	-	-	1	3	15	43	55	19	55	-	-	-	-	-	-	3	11	24	10	7
White	134	-	-	-	-	-	1	3	15	41	55	19	54	-	-	-	-	-	-	3	11	23	10	7
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	28	-	-	-	-	-	-	1	7	8	10	2	49	-	-	3	1	3	2	4	5	8	19	10
White	27	-	-	-	-	-	-	1	6	8	10	2	47	-	-	2	1	3	2	3	5	8	13	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	580	1	-	-	-	-	2	13	60	172	222	110	302	-	-	-	-	-	-	3	31	87	116	65
White	575	1	-	-	-	-	2	12	59	172	219	110	299	-	-	-	-	-	-	3	31	86	114	65
All other	5	-	-	-	-	-	-	1	1	-	3	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	68	-	-	-	-	-	-	3	8	20	22	15	46	-	-	-	-	1	-	1	1	12	11	20
White	67	-	-	-	-	-	-	3	8	20	21	15	46	-	-	-	-	1	-	1	1	12	11	20
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	1	1	1	-
White	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	51	3	-	-	-	1	-	-	5	8	14	20	82	-	-	-	-	1	1	2	4	8	27	39
White	47	2	-	-	-	1	-	-	5	6	13	20	82	-	-	-	-	1	1	2	4	8	27	39
All other	4	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	212	-	-	-	-	6	18	39	68	56	21	4	121	-	1	-	-	1	7	13	32	39	23	5
White	196	-	-	-	-	5	14	37	61	54	21	4	119	-	1	-	-	1	6	13	31	39	23	5
All other	16	-	-	-	-	1	4	2	7	2	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	5	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	25	-	-	-	-	-	-	-	4	7	6	8	30	-	-	-	-	-	-	1	3	10	7	9
White	25	-	-	-	-	-	-	-	4	7	6	8	30	-	-	-	-	-	-	1	3	10	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	156	1	-	-	-	-	3	2	17	17	55	61	151	1	-	-	1	1	1	1	5	26	52	63
White	153	1	-	-	-	-	3	2	15	17	54	61	145	1	-	-	1	1	1	1	5	24	51	60
All other	3	-	-	-	-	-	-	-	2	-	1	-	6	-	-	-	-	-	-	-	-	2	1	3
Black	2	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	-	-	-	2	-	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	1	1	3	2	2	2	12	-	-	-	-	-	-	-	-	2	3	7
White	11	-	-	-	-	-	1	1	3	2	2	2	11	-	-	-	-	-	-	-	-	2	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	145	1	-	-	-	-	2	1	14	15	53	59	137	-	-	-	1	1	1	1	5	23	49	56
White	142	1	-	-	-	-	2	1	12	15	52	59	132	-	-	-	1	1	1	1	5	21	48	54
All other	3	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Infections of kidney (590)	9	-	-	-	-	-	-	-	-	4	2	3	15	-	-	-	-	-	-	-	1	1	6	7
White	8	-	-	-	-	-	-	-	-	3	2	3	15	-	-	-	-	-	-	-	1	1	6	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	-	-	2	9	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	-	-	2	9	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	113	73	13	2	2	2	-	5	6	4	5	1	103	67	9	6	2	1	2	3	4	4	4	1
White	109	70	12	2	2	2	-	5	6	4	5	1	100	65	8	6	2	1	2	3	4	4	4	1
All other	4	3	1	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	137	136	-	-	-	-	1	-	-	-	-	-	104	104	-	-	-	-	-	-	-	-	-	-
White	121	120	-	-	-	-	1	-	-	-	-	-	98	98	-	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	40	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	97	96	-	-	-	-	1	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
White	86	85	-	-	-	-	1	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
All other	11	11	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	431	87	2	-	4	7	8	12	47	74	89	101	378	47	-	-	-	4	3	3	18	52	78	173
White	412	78	2	-	3	6	6	12	45	72	89	99	363	44	-	-	-	3	3	3	16	50	75	169
All other	19	9	-	-	1	1	2	-	2	2	-	2	15	3	-	-	-	1	-	-	2	2	3	4
Black	11	5	-	-	1	-	1	-	2	-	-	2	11	3	-	-	-	1	-	-	2	-	2	3
All other diseases (Residual)	1,202	11	15	9	14	20	31	47	134	271	374	276	1,421	8	7	8	7	16	34	45	104	203	423	566
White	1,176	10	15	8	14	19	30	45	129	268	365	273	1,402	7	7	8	6	16	32	44	102	201	418	561
All other	26	1	-	1	-	1	1	2	5	3	9	3	19	1	-	-	1	-	2	1	2	2	5	5
Black	15	1	-	-	-	-	-	1	3	1	7	2	10	1	-	-	1	-	-	1	-	-	2	5
Accidents and adverse effects (E800-E949)	1,002	8	25	42	210	179	92	87	90	85	107	77	545	5	18	17	67	42	51	35	37	60	92	121
White	948	7	21	35	199	167	88	81	87	82	105	76	533	4	16	15	66	41	49	34	36	60	91	121
All other	54	1	4	7	11	12	4	6	3	3	2	1	12	1	2	2	1	1	2	1	1	-	1	-
Black	23	1	2	2	1	8	2	2	2	1	2	-	3	-	1	-	1	1	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	451	1	8	18	159	103	37	35	30	20	28	11	225	-	8	13	58	28	25	18	14	25	31	5
White	430	1	7	17	153	95	36	33	29	20	28	11	221	-	7	12	57	28	24	18	14	25	31	5
All other	21	-	1	2	6	8	1	2	1	-	-	-	4	-	1	1	1	-	1	-	-	-	-	-
Black	8	-	-	-	-	5	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	551	7	17	23	51	76	55	52	60	65	79	66	320	5	10	4	9	14	26	17	23	35	61	116
White	518	6	14	18	46	72	52	48	58	62	77	65	312	4	9	3	9	13	25	16	22	35	60	116
All other	33	1	3	5	5	4	3	4	2	3	2	1	8	1	1	1	-	1	1	1	1	-	1	-
Black	15	1	2	2	1	3	1	1	1	1	2	-	2	-	1	-	-	1	-	-	-	-	-	-
Suicide (E950-E959)	363	...	...	6	80	74	49	41	51	32	23	6	96	...	...	2	17	24	15	8	12	12	5	1
White	349	...	...	4	74	70	49	41	50	32	22	6	93	...	...	2	16	24	14	8	11	12	5	1
All other	14	...	...	2	6	4	-	-	1	-	1	-	3	...	...	-	1	-	1	-	1	-	-	-
Black	4	...	...	-	2	1	-	-	1	-	-	-	2	...	...	-	-	-	1	-	1	-	-	-
Homicide and legal intervention (E960-E978)	65	1	4	3	11	19	15	3	3	3	3	-	23	-	2	1	10	3	3	1	2	1	-	-
White	41	1	3	3	5	11	9	2	2	3	2	-	17	-	2	1	6	2	3	-	2	1	-	-
All other	24	-	1	-	6	8	6	1	1	-	1	-	6	-	-	-	4	1	-	1	-	-	-	-
Black	19	-	1	-	4	6	6	-	1	-	1	-	3	-	-	-	2	1	-	-	-	-	-	-
All other external causes (E980-E999)	30	1	-	1	3	5	5	3	4	2	2	3	21	1	-	-	3	4	-	4	5	1	3	-
White	29	1	-	1	3	5	5	3	3	2	2	3	21	1	-	-	3	4	-	4	5	1	3	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	13,391	346	81	102	396	431	569	979	2,086	3,401	3,419	1,570	11,300	250	46	64	151	181	270	507	1,247	2,370	3,391	2,817
White	8,651	124	34	52	236	209	324	628	1,421	2,320	2,290	1,012	7,247	89	19	30	89	85	143	271	758	1,443	2,323	1,996
All other	4,740	222	47	50	160	222	245	351	665	1,081	1,129	558	4,053	161	27	34	62	96	127	236	489	927	1,068	821
Black	4,691	220	44	50	158	218	239	347	655	1,071	1,122	557	4,019	159	26	34	59	95	125	228	483	921	1,064	820
Shigellosis and amebiasis (004,005)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	-	-	-	-	-	-	-	-	-	1	5	2	-	-	-	-	-	-	-	1	1	1
White	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	1	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-	-	1	-	1
Black	2	1	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-	-	1	-	1
Tuberculosis (010-018)	14	-	-	-	-	-	2	1	3	3	4	1	8	-	-	-	1	-	-	1	2	2	1	1
White	7	-	-	-	-	-	-	1	1	3	1	1	3	-	-	-	1	-	-	-	1	1	-	-
All other	7	-	-	-	-	-	2	-	2	-	3	-	5	-	-	-	-	-	-	1	1	1	1	1
Black	7	-	-	-	-	-	2	-	2	-	3	-	5	-	-	-	-	-	-	1	1	1	1	1
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	2	1	3	3	4	1	5	-	-	-	-	-	-	-	2	1	1	1
White	7	-	-	-	-	-	-	1	1	3	1	1	2	-	-	-	-	-	-	-	1	1	-	-
All other	7	-	-	-	-	-	2	-	2	-	3	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	7	-	-	-	-	-	2	-	2	-	3	-	3	-	-	-	-	-	-	-	1	-	1	1
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	84	6	2	1	1	-	3	2	15	20	20	14	102	4	1	1	2	4	-	4	15	14	27	30
White	49	1	-	-	-	-	1	-	11	13	15	8	59	-	-	1	1	2	-	2	11	9	15	18
All other	35	5	2	1	1	-	2	2	4	7	5	6	43	4	1	-	1	2	-	2	4	5	12	12
Black	34	5	2	1	1	-	2	1	4	7	5	6	43	4	1	-	1	2	-	2	4	5	12	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	-	-	-	1	1	3	-	6	-	-	-	-	2	-	1	-	2	1	-
White	5	-	-	-	-	-	-	-	1	1	3	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	1	-	-	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	33	-	1	-	1	1	5	5	5	5	6	4	27	1	-	-	1	3	2	3	6	5	3	3
White	24	-	1	-	-	1	3	4	4	4	4	3	15	1	-	-	1	-	1	1	3	2	3	3
All other	9	-	-	-	1	-	2	1	1	1	2	1	12	-	-	-	-	3	1	2	3	3	-	-
Black	9	-	-	-	1	-	2	1	1	1	2	1	12	-	-	-	-	3	1	2	3	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,729	-	4	9	18	31	80	222	571	881	712	200	1,999	1	3	11	7	25	86	172	396	558	525	214
White	1,843	-	3	6	9	21	55	155	393	606	489	126	1,340	1	2	6	4	14	51	105	277	374	367	139
All other	886	-	1	3	9	10	25	67	178	275	243	74	659	-	1	5	3	11	35	67	119	184	158	75
Black	880	-	1	3	9	10	25	66	176	274	241	74	657	-	1	5	3	11	35	66	118	184	158	75

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	65	-	-	-	-	1	4	9	16	19	13	3	18	-	-	-	-	-	1	4	1	6	5	1
White	47	-	-	-	-	1	3	4	9	15	12	3	11	-	-	-	-	-	-	1	1	4	4	1
All other	18	-	-	-	-	-	1	5	7	4	1	-	7	-	-	-	-	-	1	3	-	2	1	-
Black	17	-	-	-	-	-	1	5	7	3	1	-	7	-	-	-	-	-	1	3	-	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	564	-	-	-	4	5	19	49	108	173	172	33	521	-	-	1	2	6	10	26	67	152	174	82
White	359	-	-	-	1	2	9	33	71	111	113	19	352	-	-	-	1	3	5	13	45	100	130	55
All other	205	-	-	-	3	3	10	16	37	62	59	14	169	-	-	1	1	3	5	13	22	52	44	27
Black	202	-	-	-	3	3	10	16	36	62	57	14	168	-	-	1	1	3	5	12	22	52	44	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,073	-	-	-	1	2	20	98	301	395	211	45	353	-	-	-	-	-	11	28	111	113	77	13
White	782	-	-	-	-	1	15	71	219	282	162	32	284	-	-	-	-	-	9	20	93	96	59	7
All other	291	-	-	-	1	1	5	27	82	113	49	13	69	-	-	-	-	-	2	8	18	17	18	6
Black	290	-	-	-	1	1	5	26	82	113	49	13	69	-	-	-	-	-	2	8	18	17	18	6
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	1	-	351	-	-	-	-	5	25	61	78	85	71	26
White	1	-	-	-	-	-	-	-	-	-	1	-	226	-	-	-	-	3	13	39	50	56	47	18
All other	1	-	-	-	-	-	-	-	1	-	-	-	125	-	-	-	-	2	12	22	28	29	24	8
Black	1	-	-	-	-	-	-	-	1	-	-	-	125	-	-	-	-	2	12	22	28	29	24	8
Malignant neoplasms of genital organs (179-197)	344	-	-	-	-	1	1	7	28	95	151	63	213	-	-	-	-	3	17	14	40	67	53	19
White	179	-	-	-	-	1	1	3	13	53	74	34	112	-	-	-	-	-	9	6	20	36	29	12
All other	165	-	-	-	-	-	-	4	19	42	77	29	101	-	-	-	-	3	8	8	20	31	24	7
Black	165	-	-	-	-	-	-	4	13	42	77	29	101	-	-	-	-	3	8	8	20	31	24	7
Malignant neoplasms of urinary organs (188-189)	112	-	-	-	-	-	4	10	19	37	32	10	65	-	-	1	-	-	3	3	15	15	16	12
White	82	-	-	-	-	-	4	9	12	28	22	7	38	-	-	1	-	-	3	2	7	7	9	9
All other	30	-	-	-	-	-	-	1	7	9	10	3	27	-	-	-	-	-	-	1	8	8	7	3
Black	29	-	-	-	-	-	-	1	6	9	10	3	26	-	-	-	-	-	-	1	7	8	7	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	343	-	4	6	8	9	21	33	70	98	72	22	251	-	1	3	3	3	12	22	49	62	61	35
White	239	-	3	4	6	8	15	24	49	70	45	15	158	-	-	1	2	2	9	14	36	38	39	19
All other	104	-	1	2	2	1	6	9	21	28	27	7	93	-	1	2	1	1	3	8	13	26	22	16
Black	104	-	1	2	2	1	6	9	21	28	27	7	93	-	1	2	1	1	3	8	13	26	22	16
Leukemia (204-208)	94	-	-	3	2	5	3	11	10	25	23	12	94	1	2	4	1	5	5	5	8	16	35	12
White	69	-	-	2	-	4	2	7	9	22	16	7	66	1	2	2	1	3	2	5	4	10	27	9
All other	25	-	-	1	2	1	1	4	1	3	7	5	28	-	-	2	-	2	3	-	4	6	8	3
Black	25	-	-	1	2	1	1	4	1	3	7	5	28	-	-	2	-	2	3	-	4	6	8	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	132	-	-	-	3	8	8	5	20	39	37	12	133	-	-	2	1	3	2	9	27	42	33	14
White	65	-	-	-	2	4	6	4	11	25	24	9	93	-	-	2	-	3	1	5	21	29	23	9
All other	47	-	-	-	1	4	2	1	9	14	13	3	40	-	-	-	1	-	1	4	6	13	10	5
Black	47	-	-	-	1	4	2	1	9	14	13	3	40	-	-	-	1	-	1	4	6	13	10	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	-	2	-	1	1	1	2	3	7	8	2	26	-	1	2	-	-	1	1	5	8	4	4
White	13	-	1	-	1	-	-	-	1	3	5	2	14	-	1	1	-	-	-	-	3	4	2	3
All other	14	-	1	-	-	1	1	2	2	4	3	-	12	-	-	1	-	-	1	1	2	4	2	1
Black	14	-	1	-	-	1	1	2	2	4	3	-	12	-	-	1	-	-	1	1	2	4	2	1
Diabetes mellitus (250)	164	-	-	1	1	2	12	13	27	48	42	17	264	-	-	-	1	6	2	15	35	80	93	32
White	79	-	-	-	-	-	5	8	11	23	23	9	136	-	-	-	-	2	2	5	18	41	49	19
All other	85	-	-	1	1	2	7	5	16	25	19	8	128	-	-	-	1	4	-	10	17	39	44	13
Black	83	-	-	1	1	2	7	5	16	23	19	8	127	-	-	-	1	4	-	9	17	39	44	13
Nutritional deficiencies (260-269)	15	-	-	-	-	1	-	-	2	6	5	1	23	-	-	-	-	-	-	-	-	2	9	12
White	6	-	-	-	-	-	-	-	-	4	1	1	13	-	-	-	-	-	-	-	-	-	5	8
All other	9	-	-	-	-	1	-	-	2	2	4	-	10	-	-	-	-	-	-	-	-	2	4	4
Black	9	-	-	-	-	1	-	-	2	2	4	-	10	-	-	-	-	-	-	-	-	2	4	4
Anemias (280-285)	17	-	1	-	1	-	2	1	-	3	6	3	29	-	4	1	-	-	2	1	-	2	12	7
White	7	-	-	-	-	-	-	-	-	1	4	2	14	-	-	-	-	-	-	-	-	-	8	6
All other	10	-	1	-	1	-	2	1	-	2	2	1	15	-	4	1	-	-	2	1	-	2	4	1
Black	10	-	1	-	1	-	2	1	-	2	2	1	15	-	4	1	-	-	2	1	-	2	4	1
Meningitis (320-322)	9	4	1	1	1	-	-	-	-	1	1	-	7	1	-	-	1	-	-	1	-	2	1	1
White	5	2	-	1	1	-	-	-	-	-	1	-	4	-	-	-	1	-	-	-	-	2	1	-
All other	4	2	1	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	1	-	-	-	1
Black	4	2	1	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	1	-	-	-	1
Major cardiovascular diseases (390-448)	5,606	16	3	1	7	34	138	393	897	1,539	1,694	881	5,694	13	3	3	14	33	72	166	493	1,155	1,936	1,805
White	3,787	6	1	-	2	9	73	251	619	1,073	1,179	574	3,725	4	1	1	6	12	29	77	256	674	1,340	1,325
All other	1,819	10	2	1	5	25	65	142	278	466	515	307	1,969	9	2	2	8	21	43	89	237	481	596	480
Black	1,804	9	2	1	5	24	64	142	273	461	514	306	1,957	9	2	2	8	21	42	86	234	477	595	480

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,527	14	3	1	5	29	114	334	785	1,236	1,328	676	4,249	13	3	1	11	26	48	127	388	905	1,456	1,271
White	3,146	5	1	-	2	9	65	219	560	882	952	451	2,787	4	1	-	4	12	15	60	210	544	997	940
All other	1,381	9	2	1	3	20	49	115	225	354	376	225	1,462	9	2	1	7	14	33	67	178	361	459	331
Black	1,368	8	2	1	3	20	48	115	220	349	375	225	1,453	9	2	1	7	14	32	66	175	358	458	331
Rheumatic fever and rheumatic heart disease (390-398)	15	-	1	-	1	-	1	1	3	5	3	-	21	-	-	-	2	2	1	1	5	7	1	2
White	10	-	-	-	-	-	-	-	3	4	3	-	14	-	-	-	-	1	1	1	2	7	-	2
All other	5	-	1	-	1	-	1	1	-	1	-	-	7	-	-	-	2	1	-	-	3	-	1	-
Black	5	-	1	-	1	-	1	1	-	1	-	-	7	-	-	-	2	1	-	-	3	-	1	-
Hypertensive heart disease (402)	145	-	-	-	-	-	6	9	28	42	39	21	194	-	-	-	-	-	-	8	17	41	73	55
White	47	-	-	-	-	-	-	4	7	14	14	8	80	-	-	-	-	-	-	1	5	9	30	35
All other	98	-	-	-	-	-	6	5	21	28	25	13	114	-	-	-	-	-	-	7	12	32	43	20
Black	98	-	-	-	-	-	6	5	21	28	25	13	114	-	-	-	-	-	-	7	12	32	43	20
Hypertensive heart and renal disease (404)	21	-	-	-	-	-	-	-	3	4	8	6	35	-	-	-	-	-	1	-	4	10	9	11
White	11	-	-	-	-	-	-	-	1	3	3	4	13	-	-	-	-	-	-	-	2	1	3	7
All other	10	-	-	-	-	-	-	-	2	1	5	2	22	-	-	-	-	-	1	-	2	9	6	4
Black	10	-	-	-	-	-	-	-	2	1	5	2	22	-	-	-	-	-	1	-	2	9	6	4
Ischemic heart disease (410-414)	2,952	-	1	-	1	14	65	236	536	827	851	419	2,432	-	-	-	1	3	31	63	241	552	835	706
White	2,203	-	1	-	1	5	41	173	410	623	652	297	1,703	-	-	-	-	-	8	31	133	385	626	540
All other	749	-	-	-	-	9	24	63	126	204	199	122	729	-	-	-	1	3	23	32	108	187	209	166
Black	741	-	-	-	-	9	24	63	122	201	198	122	721	-	-	-	1	3	22	31	105	184	209	166
Acute myocardial infarction (410)	2,055	-	1	-	1	11	52	190	431	613	555	200	1,485	-	-	-	1	3	24	53	188	400	506	290
White	1,506	-	1	-	1	5	33	135	332	446	421	132	985	-	-	-	-	-	7	26	101	268	377	206
All other	549	-	-	-	-	6	19	55	99	167	134	68	480	-	-	-	1	3	17	27	87	132	129	84
Black	544	-	-	-	-	6	19	55	96	165	134	68	474	-	-	-	1	3	17	26	85	129	129	84
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	1	1	1	2	2	10	-	-	-	-	-	-	-	-	3	-	7
White	5	-	-	-	-	-	-	-	1	1	2	1	7	-	-	-	-	-	-	-	-	2	-	5
All other	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	2	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
Angina pectoris (413)	6	-	-	-	-	-	1	-	2	1	2	-	8	-	-	-	-	-	-	-	-	3	3	2
White	4	-	-	-	-	-	-	-	1	1	2	-	6	-	-	-	-	-	-	-	-	2	2	2
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	884	-	-	-	-	3	12	45	102	212	292	217	949	-	-	-	-	-	7	10	53	146	326	407
White	688	-	-	-	-	-	8	38	76	175	227	164	705	-	-	-	-	-	1	5	32	93	247	327
All other	196	-	-	-	-	3	4	7	26	37	65	53	244	-	-	-	-	-	6	5	21	53	79	80
Black	193	-	-	-	-	3	4	7	25	36	64	53	242	-	-	-	-	-	5	5	20	53	79	80
Other diseases of endocardium (424)	34	-	-	-	-	1	2	-	7	14	5	5	38	-	-	-	1	-	-	3	6	5	12	11
White	23	-	-	-	-	-	2	-	6	7	3	5	27	-	-	-	1	-	-	3	5	5	5	8
All other	11	-	-	-	-	1	-	-	1	7	2	-	11	-	-	-	-	-	-	-	1	-	7	3
Black	11	-	-	-	-	1	-	-	1	7	2	-	11	-	-	-	-	-	-	-	1	-	7	3
All other forms of heart disease (415-423,425-429)	1,360	14	1	1	3	14	40	88	208	344	422	225	1,529	13	3	1	7	21	15	52	115	290	526	486
White	852	5	-	-	1	4	22	42	133	231	277	137	950	4	1	-	3	11	6	24	63	157	333	348
All other	508	9	1	1	2	10	18	46	75	113	145	88	579	9	2	1	4	10	9	28	52	133	193	138
Black	503	8	1	1	2	10	17	46	74	111	145	88	578	9	2	1	4	10	9	28	52	133	192	138
Hypertension with or without renal disease (401,403)	49	-	-	-	-	-	5	6	2	15	12	9	58	-	-	-	-	3	3	2	7	12	16	15
White	26	-	-	-	-	-	1	2	-	8	8	7	16	-	-	-	-	-	-	-	-	3	7	6
All other	23	-	-	-	-	-	4	4	2	7	4	2	42	-	-	-	-	3	3	2	7	9	9	9
Black	23	-	-	-	-	-	4	4	2	7	4	2	42	-	-	-	-	3	3	2	7	9	9	9
Cerebrovascular diseases (430-438)	823	2	-	-	2	4	15	46	85	229	287	152	1,170	-	-	2	2	3	20	34	88	199	398	423
White	473	1	-	-	-	-	6	26	38	139	175	88	770	-	-	1	1	-	14	16	41	104	286	307
All other	350	1	-	-	2	4	9	20	47	90	112	64	400	-	-	1	1	3	6	18	47	95	112	116
Black	349	1	-	-	2	4	9	20	47	90	112	63	397	-	-	1	1	3	6	16	47	94	112	116
Intracerebral and other intracranial hemorrhage (431-432)	98	1	-	-	1	3	5	13	19	27	22	7	110	-	-	1	1	2	3	10	23	25	29	16
White	43	1	-	-	-	-	1	5	5	16	10	5	63	-	-	1	-	-	1	3	12	18	19	9
All other	55	-	-	-	1	3	4	8	14	11	12	2	47	-	-	-	1	2	2	7	11	7	10	7
Black	55	-	-	-	1	3	4	8	14	11	12	2	46	-	-	-	1	2	2	6	11	7	10	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	120	-	-	-	-	-	3	9	14	31	46	16	185	-	-	-	-	-	-	1	8	32	69	75
White	75	-	-	-	-	-	1	6	7	20	31	10	126	-	-	-	-	-	-	-	3	18	49	56
All other	45	-	-	-	-	-	2	3	7	11	15	6	59	-	-	-	-	-	-	1	5	14	20	19
Black	45	-	-	-	-	-	2	3	7	11	15	6	59	-	-	-	-	-	-	1	5	14	20	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	-	5	1	-	9	-	-	-	-	-	-	-	-	-	5	4
White	2	-	-	-	-	-	-	-	-	1	1	-	9	-	-	-	-	-	-	-	-	-	5	4
All other	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	599	1	-	-	1	1	7	24	52	166	218	129	866	-	-	1	1	1	17	23	57	142	295	328
White	353	-	-	-	-	-	4	15	26	102	133	73	572	-	-	-	1	-	13	13	26	68	213	238
All other	246	1	-	-	1	1	3	9	26	64	85	56	294	-	-	1	-	1	4	10	31	74	82	90
Black	245	1	-	-	1	1	3	9	26	64	85	55	292	-	-	1	-	1	4	9	31	73	82	90
Atherosclerosis (440)	88	-	-	-	-	-	-	2	3	16	35	32	136	-	-	-	-	-	-	-	3	18	39	76
White	57	-	-	-	-	-	-	1	1	11	25	19	93	-	-	-	-	-	-	-	-	9	27	57
All other	31	-	-	-	-	-	-	1	2	5	10	13	43	-	-	-	-	-	-	-	3	9	12	19
Black	31	-	-	-	-	-	-	1	2	5	10	13	43	-	-	-	-	-	-	-	3	9	12	19
Other diseases of arteries, arterioles, and capillaries (441-448)	119	-	-	-	-	1	4	5	22	43	32	12	81	-	-	-	1	1	1	3	7	21	27	20
White	85	-	-	-	-	-	1	3	20	33	19	9	59	-	-	-	1	-	-	1	5	14	23	15
All other	34	-	-	-	-	1	3	2	2	10	13	3	22	-	-	-	-	1	1	2	2	7	4	5
Black	33	-	-	-	-	-	3	2	2	10	13	3	22	-	-	-	-	1	1	2	2	7	4	5
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	1	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia and influenza (480-487)	338	6	3	1	6	2	5	11	33	65	130	76	329	11	1	2	1	1	2	4	23	52	95	136
White	234	2	1	-	2	-	3	6	26	40	94	60	241	5	-	-	1	-	-	3	17	40	66	109
All other	104	4	2	1	4	2	2	5	7	25	36	16	88	6	1	2	-	1	2	1	6	12	29	27
Black	102	4	1	1	4	2	2	5	7	25	35	16	87	6	1	2	-	1	2	1	6	11	29	27
Pneumonia (480-486)	320	6	3	1	6	1	5	10	31	64	121	72	301	9	1	2	1	1	2	3	21	47	91	122
White	222	2	1	-	2	-	3	5	24	39	88	56	218	4	-	-	1	-	-	2	15	37	62	97
All other	98	4	2	1	4	1	2	5	7	25	33	14	83	5	1	2	-	1	2	1	6	10	29	25
Black	96	4	1	1	4	1	2	5	7	25	32	14	82	5	1	2	-	1	2	1	6	9	29	25
Influenza (487)	18	-	-	-	-	1	-	1	2	1	9	4	28	2	-	-	-	-	-	1	2	5	4	14
White	12	-	-	-	-	-	-	1	2	1	6	2	23	1	-	-	-	-	-	1	2	3	4	12
All other	6	-	-	-	-	1	-	-	-	-	3	2	5	1	-	-	-	-	-	-	-	2	-	2
Black	6	-	-	-	-	1	-	-	-	-	3	2	5	1	-	-	-	-	-	-	-	2	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	474	-	-	-	1	3	4	9	73	180	156	48	218	-	-	2	2	-	3	10	42	66	65	28
White	378	-	-	-	-	-	3	9	50	141	135	40	185	-	-	-	1	-	2	7	36	60	56	23
All other	96	-	-	-	1	3	1	-	23	39	21	8	33	-	-	2	1	-	1	3	6	6	9	5
Black	95	-	-	-	1	3	1	-	23	39	20	8	32	-	-	2	1	-	1	3	6	6	9	4
Bronchitis, chronic and unspecified (490-491)	8	-	-	-	-	-	-	-	-	4	3	1	10	-	-	-	-	-	-	1	-	3	3	3
White	7	-	-	-	-	-	-	-	-	4	2	1	10	-	-	-	-	-	-	1	-	3	3	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	71	-	-	-	-	-	-	4	11	28	20	8	20	-	-	-	-	-	-	-	4	11	2	3
White	55	-	-	-	-	-	-	4	8	21	17	5	20	-	-	-	-	-	-	-	4	11	2	3
All other	16	-	-	-	-	-	-	-	3	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Black	16	-	-	-	-	-	-	-	3	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	25	-	-	-	1	3	1	-	8	6	4	2	26	-	-	2	2	-	1	1	6	8	3	3
White	9	-	-	-	-	-	1	-	3	3	2	-	17	-	-	-	1	-	1	-	3	7	3	2
All other	16	-	-	-	1	3	-	-	5	3	2	2	9	-	-	2	1	-	-	1	3	1	-	1
Black	16	-	-	-	1	3	-	-	5	3	2	2	9	-	-	2	1	-	-	1	3	1	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	370	-	-	-	-	-	3	5	54	142	129	37	162	-	-	-	-	-	2	8	32	44	57	19
White	307	-	-	-	-	-	2	5	39	113	114	34	138	-	-	-	-	-	1	6	29	39	48	15
All other	63	-	-	-	-	-	1	-	15	29	15	3	24	-	-	-	-	-	1	2	3	5	9	4
Black	62	-	-	-	-	-	1	-	15	29	14	3	23	-	-	-	-	-	1	2	3	5	9	3
Ulcer of stomach and duodenum (531-533)	27	1	-	-	-	-	-	2	4	11	9	-	20	-	-	-	-	-	-	-	1	6	11	2
White	19	1	-	-	-	-	-	1	2	9	6	-	16	-	-	-	-	-	-	-	1	4	9	2
All other	8	-	-	-	-	-	-	1	2	2	3	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	8	-	-	-	-	-	-	1	2	2	3	-	4	-	-	-	-	-	-	-	-	2	2	-
Appendicitis (540-543)	7	-	-	-	-	-	1	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-	1	-
White	5	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	40	-	-	-	-	1	-	-	5	12	13	9	38	1	-	-	-	-	-	-	5	7	12	13
White	27	-	-	-	-	-	-	-	5	7	8	7	23	-	-	-	-	-	-	-	4	2	9	8
All other	13	-	-	-	-	1	-	-	-	5	5	2	15	1	-	-	-	-	-	-	1	5	3	5
Black	12	-	-	-	-	1	-	-	-	4	5	2	14	1	-	-	-	-	-	-	1	4	3	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	134	-	-	-	-	1	17	35	39	26	16	-	80	-	-	-	-	6	7	8	22	21	10	6
White	102	-	-	-	-	1	11	23	31	20	16	-	59	-	-	-	-	1	4	5	20	18	7	4
All other	32	-	-	-	-	-	6	12	8	6	-	-	21	-	-	-	-	5	3	3	2	3	3	2
Black	31	-	-	-	-	-	6	11	8	6	-	-	18	-	-	-	-	5	3	1	2	3	2	2
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	2	1	7	2	4	15	-	-	-	-	-	-	-	1	3	7	4
White	14	-	-	-	-	-	-	2	1	6	2	3	9	-	-	-	-	-	-	-	-	3	4	2
All other	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	1	-	3	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	-	-	-	-	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	152	1	-	-	-	2	3	7	17	33	57	32	161	5	-	1	1	3	3	9	8	33	52	46
White	82	-	-	-	-	-	1	4	9	19	27	22	89	3	-	1	-	-	1	3	2	14	36	29
All other	70	1	-	-	-	2	2	3	8	14	30	10	72	2	-	-	1	3	2	6	6	19	16	17
Black	69	1	-	-	-	2	2	3	8	14	29	10	72	2	-	-	1	3	2	6	6	19	16	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	-	-	-	1	-	4
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	-	-	1	3	5	3	14	-	-	-	-	-	-	1	-	3	5	5
White	5	-	-	-	-	-	-	-	1	1	2	1	8	-	-	-	-	-	-	-	-	2	3	3
All other	7	-	-	-	-	-	-	-	-	2	3	2	6	-	-	-	-	-	-	1	-	1	2	2
Black	7	-	-	-	-	-	-	-	-	2	3	2	6	-	-	-	-	-	-	1	-	1	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	138	1	-	-	-	2	3	7	16	29	51	29	142	5	-	1	1	3	3	8	8	29	47	37
White	77	-	-	-	-	-	1	4	8	18	25	21	77	3	-	1	-	-	1	3	2	11	33	23
All other	61	1	-	-	-	2	2	3	8	11	26	8	65	2	-	-	1	3	2	5	6	18	14	14
Black	61	1	-	-	-	2	2	3	8	11	26	8	65	2	-	-	1	3	2	5	6	18	14	14
Infections of kidney (590)	10	-	-	-	-	1	-	-	-	3	4	2	21	-	-	-	-	-	-	-	-	5	8	8
White	8	-	-	-	-	-	-	-	-	2	4	2	16	-	-	-	-	-	-	-	-	4	6	6
All other	2	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	1	2	2
Black	2	-	-	-	-	1	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	1	2	2
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	1	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Congenital anomalies (740-759)	97	62	10	2	11	1	2	3	3	3	-	-	62	44	1	1	3	4	1	1	2	1	1	3
White	52	28	5	1	10	-	2	3	1	2	-	-	35	23	1	-	3	3	-	-	2	-	1	2
All other	45	34	5	1	1	1	-	-	2	1	-	-	27	21	-	1	-	1	1	1	-	1	-	1
Black	45	34	5	1	1	1	-	-	2	1	-	-	27	21	-	1	-	1	1	1	-	1	-	1
Certain conditions originating in the perinatal period (760-779)	163	163	-	-	-	-	-	-	-	-	-	-	119	118	1	-	-	-	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
All other	109	109	-	-	-	-	-	-	-	-	-	-	84	83	1	-	-	-	-	-	-	-	-	-
Black	109	109	-	-	-	-	-	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	55	55	-	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	35	35	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	35	35	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	108	108	-	-	-	-	-	-	-	-	-	-	70	69	1	-	-	-	-	-	-	-	-	-
White	34	34	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	74	74	-	-	-	-	-	-	-	-	-	-	51	50	1	-	-	-	-	-	-	-	-	-
Black	74	74	-	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	844	50	6	2	6	14	28	69	134	211	205	116	651	25	3	3	7	5	9	26	61	138	187	187
White	380	15	-	1	5	7	11	35	78	108	77	43	291	8	-	-	2	1	4	13	27	52	98	86
All other	464	35	6	1	1	7	17	34	56	103	128	73	360	17	3	3	5	4	5	13	34	86	89	101
Black	461	35	6	1	1	7	17	34	55	102	127	73	358	16	3	3	5	4	5	13	34	86	88	101
All other diseases (Residual)	851	18	11	9	15	22	45	67	99	215	239	117	829	9	6	6	11	17	32	39	87	150	251	220
White	552	5	4	4	10	11	28	42	67	146	151	84	557	3	3	4	4	4	16	20	56	97	181	169
All other	299	13	7	5	5	11	17	25	32	69	82	33	272	6	3	2	7	13	16	19	31	53	70	51
Black	295	13	5	5	5	10	17	25	31	69	82	33	270	6	3	2	7	13	16	18	30	53	70	51
Accidents and adverse effects (E800-E949)	1,043	13	34	72	229	195	137	79	106	80	63	33	410	13	19	27	71	39	23	22	27	50	68	51
White	645	7	16	37	153	111	83	43	77	54	44	19	266	5	10	14	50	24	17	14	12	34	53	33
All other	398	6	18	35	76	84	54	36	29	26	19	14	144	8	9	13	21	15	6	8	15	16	15	18
Black	389	6	18	35	75	82	50	35	28	26	19	14	140	8	9	13	19	14	5	8	15	16	15	18
Motor vehicle accidents (E810-E825)	510	4	11	32	154	117	71	28	40	28	18	6	178	3	9	11	56	25	18	10	10	19	11	4
White	328	2	4	18	113	66	42	16	26	21	16	3	136	3	5	8	44	18	14	9	6	15	11	3
All other	182	2	7	14	41	51	29	12	14	7	2	3	42	-	4	3	14	7	4	1	4	4	-	1
Black	177	2	7	14	40	50	26	12	14	7	2	3	39	-	4	3	12	7	3	1	4	4	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	533	9	23	40	75	78	66	51	66	52	45	27	232	10	10	16	13	14	5	12	17	31	57	47
White	317	5	12	18	40	45	41	27	51	33	28	16	130	2	5	6	6	6	3	5	6	19	42	30
All other	216	4	11	21	35	33	25	24	15	19	17	11	102	8	5	10	7	8	2	7	11	12	15	17
Black	212	4	11	21	35	32	24	23	14	19	17	11	101	8	5	10	7	7	2	7	11	12	15	17
Suicide (E950-E959)	219	...	...	2	43	38	30	29	25	29	19	4	54	...	...	-	11	8	9	8	8	4	6	-
White	177	...	...	2	31	25	23	24	23	28	17	4	45	...	...	-	8	8	8	5	8	4	4	-
All other	42	...	...	-	12	13	7	5	2	1	2	-	9	...	...	-	3	-	1	3	-	-	2	-
Black	41	...	...	-	11	13	7	5	2	1	2	-	7	...	...	-	2	-	1	3	-	-	1	-
Homicide and legal intervention (E960-E978)	226	-	2	1	51	72	44	24	16	8	5	2	82	1	3	3	14	19	14	14	6	2	4	1
White	71	-	1	-	11	17	15	14	5	5	2	1	39	1	1	1	4	8	7	10	4	1	1	-
All other	155	-	1	1	40	55	29	10	11	3	3	1	43	-	2	2	10	11	7	4	2	1	3	1
Black	154	-	1	1	40	55	28	10	11	3	3	1	43	-	2	2	10	11	7	4	2	1	3	1
All other external causes (E980-E999)	32	2	-	-	3	9	10	3	4	1	-	-	12	1	-	1	2	4	-	1	1	-	-	1
White	21	-	-	-	1	6	6	3	4	1	-	-	9	-	-	1	2	4	-	1	-	-	-	1
All other	11	2	-	-	2	3	4	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	-	-
Black	10	1	-	-	2	3	4	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	-	-
MISSOURI																								
All causes	25,887	456	73	111	623	704	763	1,493	4,055	6,515	7,211	3,875	24,481	333	62	61	201	267	424	926	2,405	4,559	7,561	7,679
White	23,131	346	56	87	505	538	604	1,253	3,573	5,896	6,655	3,614	22,141	232	46	48	170	208	334	757	2,086	4,064	6,937	7,258
All other	2,756	110	17	24	118	166	159	240	482	619	556	261	2,340	101	16	13	31	59	90	169	319	495	624	421
Black	2,714	108	16	24	115	164	155	234	479	613	545	257	2,305	95	16	13	31	56	86	164	314	491	618	419
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	-	-	-	-	-	1	2	2	6	3	2	10	-	-	-	-	-	-	-	2	2	3	3
White	13	-	-	-	-	-	1	2	2	4	3	1	9	-	-	-	-	-	-	-	1	2	3	3
All other	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	-	2	2	4	2	1	7	-	-	-	-	-	-	-	-	2	2	3
White	9	-	-	-	-	-	-	2	2	3	2	-	7	-	-	-	-	-	-	-	-	2	2	3
All other	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	5	-	-	-	-	-	1	-	-	2	1	1	3	-	-	-	-	-	-	-	2	-	1	-
White	4	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	2	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-	1
White	2	-	-	-	2	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	213	4	2	-	-	3	5	12	33	45	62	47	232	3	-	1	-	3	5	5	15	32	85	83
White	171	4	2	-	-	2	4	8	25	40	50	36	203	2	-	1	-	2	4	4	14	25	74	77
All other	42	-	-	-	-	1	1	4	8	5	12	11	29	1	-	-	-	1	1	1	1	7	11	6
Black	42	-	-	-	-	1	1	4	8	5	12	11	29	1	-	-	-	1	1	1	1	7	11	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	-	-	-	1	1	4	2	3	-	9	-	-	-	1	-	1	-	1	5	-	1
White	9	-	-	-	-	-	1	-	3	2	3	-	8	-	-	-	1	-	1	-	1	4	-	1
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	79	4	-	4	3	6	10	7	8	18	11	8	68	1	1	-	2	4	5	2	10	16	15	12
White	67	1	-	3	1	6	9	7	8	16	10	6	53	-	1	-	2	4	1	1	7	11	14	12
All other	12	3	-	1	2	-	1	-	-	2	1	2	15	1	-	-	-	-	4	1	3	5	1	-
Black	12	3	-	1	2	-	1	-	-	2	1	2	14	1	-	-	-	-	4	1	3	4	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,792	2	4	14	30	62	129	425	1,320	1,838	1,494	474	4,987	1	4	5	15	65	173	414	973	1,358	1,322	657
White	5,160	2	4	9	27	55	113	361	1,149	1,652	1,354	434	4,491	-	4	4	12	56	145	348	859	1,239	1,214	610
All other	632	-	-	5	3	7	16	64	171	186	140	40	496	1	-	1	3	9	28	66	114	119	108	47
Black	622	-	-	5	3	7	16	62	169	186	134	40	488	1	-	1	3	8	26	65	112	118	107	47
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	123	-	-	-	-	1	5	13	45	37	19	3	53	-	-	-	-	-	-	4	10	21	7	11
White	100	-	-	-	-	-	3	10	33	32	19	3	50	-	-	-	-	-	-	4	9	19	7	11
All other	23	-	-	-	-	1	2	3	12	5	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	23	-	-	-	-	1	2	3	12	5	-	-	3	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,325	-	-	-	1	10	23	88	296	422	366	119	1,252	-	-	-	-	2	19	64	187	329	405	246
White	1,162	-	-	-	-	7	20	78	249	377	324	107	1,121	-	-	-	-	2	14	54	159	293	369	230
All other	163	-	-	-	1	3	3	10	47	45	42	12	131	-	-	-	-	-	5	10	28	36	36	16
Black	159	-	-	-	1	3	3	10	45	45	40	12	129	-	-	-	-	-	5	10	26	36	36	16
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,155	-	-	-	-	2	33	196	563	771	508	82	908	-	-	-	-	6	17	97	247	293	193	53
White	1,949	-	-	-	-	2	26	167	499	709	468	78	823	-	-	-	-	5	16	83	223	272	175	49
All other	206	-	-	-	-	-	7	29	64	62	40	4	83	-	-	-	-	1	1	14	24	21	18	4
Black	203	-	-	-	-	-	7	28	64	62	38	4	82	-	-	-	-	1	1	14	24	21	17	4
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	-	2	2	2	-	2	905	-	-	-	1	14	66	97	208	229	193	97
White	7	-	-	-	-	-	-	2	2	2	-	1	805	-	-	-	1	11	53	78	182	208	183	89
All other	1	-	-	-	-	-	-	-	-	-	-	1	100	-	-	-	-	3	13	19	26	21	10	8
Black	1	-	-	-	-	-	-	-	-	-	-	1	99	-	-	-	-	3	13	18	26	21	10	8
Malignant neoplasms of genital organs (179-187)	596	-	-	-	2	5	-	9	50	170	241	119	544	-	-	-	1	16	26	56	109	154	127	55
White	512	-	-	-	2	5	-	8	41	141	210	105	499	-	-	-	1	14	20	49	97	148	119	51
All other	84	-	-	-	-	-	-	1	9	29	31	14	45	-	-	-	-	2	6	7	12	6	8	4
Black	84	-	-	-	-	-	-	1	9	29	31	14	44	-	-	-	-	2	5	7	12	6	8	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	294	1	-	-	-	1	6	19	60	86	80	41	155	-	-	-	-	-	4	9	15	42	51	34
White	271	1	-	-	-	-	5	18	54	82	71	40	133	-	-	-	-	-	4	7	12	35	43	32
All other	23	-	-	-	-	1	1	1	6	4	9	1	22	-	-	-	-	-	-	2	3	7	8	2
Black	22	-	-	-	-	1	1	1	6	4	8	1	22	-	-	-	-	-	-	2	3	7	8	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	825	1	2	7	20	25	40	74	213	205	170	68	700	1	2	2	8	20	25	56	138	170	190	88
White	739	1	2	3	18	24	38	62	189	184	157	61	628	-	2	2	6	18	25	45	125	154	170	81
All other	86	-	-	4	2	1	2	12	24	21	13	7	72	1	-	-	2	2	-	11	13	16	20	7
Black	84	-	-	4	2	1	2	11	24	21	12	7	71	1	-	-	2	2	-	11	13	15	20	7
Leukemia (204-208)	205	-	2	6	4	8	10	10	33	64	48	20	191	-	1	3	3	6	8	16	24	44	58	28
White	189	-	2	6	4	8	10	8	30	57	45	19	169	-	1	2	2	5	6	14	20	41	55	23
All other	16	-	-	-	-	-	-	2	3	7	3	1	22	-	-	1	1	1	2	2	4	3	3	5
Black	16	-	-	-	-	-	-	2	3	7	3	1	20	-	-	1	1	-	1	2	4	3	3	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	261	-	-	1	3	10	12	14	58	81	62	20	281	-	1	-	2	1	8	15	35	76	98	45
White	231	-	-	-	3	9	11	8	52	68	60	20	263	-	1	-	2	1	7	14	32	69	93	44
All other	30	-	-	1	-	1	1	6	6	13	2	-	18	-	-	-	-	-	1	1	3	7	5	1
Black	30	-	-	1	-	1	1	6	6	13	2	-	18	-	-	-	-	-	1	1	3	7	5	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	55	1	-	-	-	2	2	3	8	14	23	2	70	-	1	1	-	1	4	3	4	13	26	17
White	50	1	-	-	-	1	1	3	7	13	22	2	62	-	-	1	-	1	2	3	3	12	23	17
All other	5	-	-	-	-	1	1	-	1	1	1	-	8	-	1	-	-	-	2	-	1	1	3	-
Black	5	-	-	-	-	1	1	-	1	1	1	-	8	-	1	-	-	-	2	-	1	1	3	-
Diabetes mellitus (250)	324	-	-	-	1	6	14	22	49	93	92	47	473	-	-	-	1	6	11	20	60	104	162	109
White	280	-	-	-	-	6	11	19	36	80	84	44	400	-	-	-	-	3	9	13	48	87	135	105
All other	44	-	-	-	1	-	3	3	13	13	8	3	73	-	-	-	1	3	2	7	12	17	27	4
Black	42	-	-	-	1	-	3	3	13	11	8	3	73	-	-	-	1	3	2	7	12	17	27	4
Nutritional deficiencies (260-269)	45	-	-	-	-	-	2	-	1	4	22	16	78	1	-	-	-	-	-	-	3	4	30	40
White	42	-	-	-	-	-	-	-	1	4	21	16	70	1	-	-	-	-	-	-	3	3	28	35
All other	3	-	-	-	-	-	2	-	-	-	1	-	8	-	-	-	-	-	-	-	-	1	2	5
Black	3	-	-	-	-	-	2	-	-	-	1	-	8	-	-	-	-	-	-	-	-	1	2	5
Anemias (280-285)	47	-	-	3	2	1	1	3	1	6	15	15	58	-	-	1	-	2	-	1	3	9	16	26
White	38	-	-	-	2	-	-	-	1	6	15	14	55	-	-	1	-	1	-	1	2	9	15	26
All other	9	-	-	3	-	1	1	3	-	-	-	1	3	-	-	-	-	1	-	-	1	-	1	-
Black	9	-	-	3	-	1	1	3	-	-	-	1	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis (320-322)	11	3	1	1	-	-	-	-	4	-	-	2	8	3	2	-	-	-	-	-	-	1	1	1
White	10	3	1	1	-	-	-	-	3	-	-	2	6	2	2	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	11,309	11	3	4	24	51	210	578	1,711	2,914	3,616	2,183	12,308	10	8	6	12	40	65	236	792	2,028	4,164	4,945
White	10,330	8	3	4	21	41	169	478	1,526	2,641	3,378	2,060	11,236	5	5	5	7	27	47	181	650	1,782	3,822	4,704
All other	979	3	-	-	3	10	41	100	185	273	238	123	1,072	5	3	1	5	13	18	55	142	246	342	241
Black	964	3	-	-	3	10	39	97	185	269	235	120	1,056	5	3	1	5	13	18	54	142	244	340	240
Diseases of heart (390-398,402,404-429)	9,187	9	3	4	18	41	184	514	1,503	2,400	2,829	1,679	9,334	8	6	4	11	28	48	184	645	1,583	3,158	3,657
White	8,418	6	3	4	15	33	151	439	1,350	2,192	2,647	1,577	8,530	4	4	3	7	20	35	140	550	1,388	2,892	3,488
All other	769	3	-	-	3	8	33	75	153	208	182	102	804	4	2	1	4	8	13	44	95	195	266	171
Black	759	3	-	-	3	8	31	73	153	207	179	100	799	4	2	1	4	8	13	43	95	194	264	170
Rheumatic fever and rheumatic heart disease (390-398)	47	-	-	-	2	1	1	4	13	15	8	3	100	-	-	-	-	2	1	5	20	29	32	11
White	44	-	-	-	2	1	1	3	13	13	8	3	96	-	-	-	-	2	1	5	19	28	32	9
All other	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-	-	-	1	1	-	2
Black	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-	-	-	1	1	-	2
Hypertensive heart disease (402)	228	-	-	-	-	2	7	18	45	61	61	34	269	-	-	-	-	-	3	4	28	45	93	96
White	147	-	-	-	-	2	4	10	24	37	43	27	210	-	-	-	-	-	1	1	12	30	75	91
All other	81	-	-	-	-	-	3	8	21	24	18	7	59	-	-	-	-	-	2	3	16	15	18	5
Black	81	-	-	-	-	-	3	8	21	24	18	7	59	-	-	-	-	-	2	3	16	15	18	5
Hypertensive heart and renal disease (404)	32	-	-	-	-	-	-	2	2	5	15	8	66	-	-	-	-	-	1	-	2	9	26	28
White	27	-	-	-	-	-	-	2	1	5	11	8	53	-	-	-	-	-	-	-	1	4	21	27
All other	5	-	-	-	-	-	-	-	1	-	4	-	13	-	-	-	-	-	1	-	1	5	5	1
Black	5	-	-	-	-	-	-	-	1	-	4	-	13	-	-	-	-	-	1	-	1	5	5	1
Ischemic heart disease (410-414)	6,708	-	-	-	-	22	119	380	1,132	1,788	2,098	1,166	6,440	-	1	-	1	5	20	133	440	1,115	2,236	2,487
White	6,251	-	-	-	-	18	103	336	1,040	1,660	1,990	1,103	5,917	-	1	-	1	3	17	103	384	984	2,059	2,364
All other	457	-	-	-	-	4	16	44	92	128	108	63	523	-	-	-	-	2	3	30	56	131	177	123
Black	452	-	-	-	-	4	15	43	92	128	106	62	519	-	-	-	-	2	3	30	56	130	175	122
Acute myocardial infarction (410)	3,625	-	-	-	-	13	78	225	713	1,047	1,100	448	2,965	-	-	-	1	2	10	87	281	662	1,115	806
White	3,425	-	-	-	-	11	70	206	670	991	1,052	425	2,745	-	-	-	1	1	9	71	251	608	1,044	760
All other	200	-	-	-	-	2	8	19	43	56	48	23	220	-	-	-	-	1	1	16	30	54	71	46
Black	197	-	-	-	-	2	7	19	43	56	46	23	219	-	-	-	-	1	1	16	30	54	71	45

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	-	1	1	1	7	4	3	18	-	-	-	-	-	-	-	1	4	4	9
White	17	-	-	-	-	-	1	1	1	7	4	3	18	-	-	-	-	-	-	-	1	4	4	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	-	-	1	4	4	4	-	1	-	-	-	-	-	-	-	3	-
White	7	-	-	-	-	-	-	-	-	-	3	4	4	-	1	-	-	-	-	-	-	-	3	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,057	-	-	-	-	9	40	154	418	733	890	711	3,453	-	-	-	-	3	10	46	158	449	1,114	1,672
White	2,802	-	-	-	-	7	32	129	369	662	931	671	3,150	-	-	-	-	2	8	32	132	372	1,008	1,595
All other	255	-	-	-	-	2	8	25	49	71	59	40	303	-	-	-	-	1	2	14	26	77	106	77
Black	253	-	-	-	-	2	8	24	49	71	59	39	300	-	-	-	-	1	2	14	26	76	104	77
Other diseases of endocardium (424)	90	-	1	1	1	1	3	5	11	18	32	17	119	-	-	-	1	1	1	1	5	22	46	42
White	84	-	1	1	1	1	2	4	11	16	30	17	109	-	-	-	1	-	1	-	4	21	40	42
All other	6	-	-	-	-	-	1	1	-	2	2	-	10	-	-	-	-	1	-	1	1	1	6	-
Black	6	-	-	-	-	-	1	1	-	2	2	-	10	-	-	-	-	1	-	1	1	1	6	-
All other forms of heart disease (415-423,425-429)	2,082	9	2	3	15	15	54	105	300	513	615	451	2,340	8	5	4	9	20	22	41	150	363	725	993
White	1,865	6	2	3	12	11	41	84	261	461	565	419	2,145	4	3	3	5	15	15	31	130	321	665	953
All other	217	3	-	-	3	4	13	21	39	52	50	32	195	4	2	1	4	5	7	10	20	42	60	40
Black	212	3	-	-	3	4	12	20	39	51	49	31	194	4	2	1	4	5	7	9	20	42	60	40
Hypertension with or without renal disease (401,403)	93	-	-	-	-	2	2	6	13	30	23	17	72	-	-	-	-	-	1	3	5	11	28	24
White	75	-	-	-	-	1	1	2	12	25	20	14	56	-	-	-	-	-	1	2	2	9	22	20
All other	18	-	-	-	-	1	1	4	1	5	3	3	16	-	-	-	-	-	-	1	3	2	6	4
Black	18	-	-	-	-	1	1	4	1	5	3	3	16	-	-	-	-	-	-	1	3	2	6	4
Cerebrovascular diseases (430-438)	1,506	2	-	-	1	8	17	45	153	351	579	349	2,329	2	2	2	1	10	15	47	129	365	811	945
White	1,346	2	-	-	1	7	11	24	125	299	539	338	2,120	1	1	2	-	7	11	37	88	324	751	898
All other	160	-	-	-	-	1	6	21	28	52	40	11	209	1	1	-	1	3	4	10	41	41	60	47
Black	156	-	-	-	-	1	6	20	28	50	40	10	208	1	1	-	1	3	4	10	41	40	60	47
Intracerebral and other intracranial hemorrhage (431-432)	214	-	-	-	-	3	4	13	28	68	75	23	266	2	-	2	-	3	2	18	29	58	91	61
White	184	-	-	-	-	2	2	7	22	61	67	23	229	1	-	2	-	2	1	13	19	53	83	55
All other	30	-	-	-	-	1	2	6	6	7	8	-	37	1	-	-	-	1	1	5	10	5	8	6
Black	30	-	-	-	-	1	2	6	6	7	8	-	37	1	-	-	-	1	1	5	10	5	8	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	236	-	-	-	-	1	2	7	21	64	82	58	377	-	1	-	-	-	-	5	15	63	129	164
White	202	-	-	-	-	1	1	1	17	51	76	55	345	-	1	-	-	-	-	5	10	54	120	155
All other	34	-	-	-	-	-	1	6	4	13	6	3	32	-	-	-	-	-	-	-	5	9	9	9
Black	34	-	-	-	-	-	1	6	4	13	6	3	32	-	-	-	-	-	-	-	5	9	9	9
Cerebral embolism (434.1)	13	-	-	-	-	1	-	-	1	-	6	5	18	-	-	-	-	-	-	-	1	3	5	9
White	13	-	-	-	-	1	-	-	1	-	6	5	16	-	-	-	-	-	-	-	1	3	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,043	2	-	-	1	3	11	25	103	219	416	263	1,668	-	1	-	1	7	13	24	84	241	586	711
White	947	2	-	-	1	3	8	16	85	187	390	255	1,530	-	-	-	-	5	10	19	58	214	544	680
All other	96	-	-	-	-	-	3	9	18	32	26	8	138	-	1	-	1	2	3	5	26	27	42	31
Black	92	-	-	-	-	-	3	8	18	30	26	7	137	-	1	-	1	2	3	5	26	26	42	31
Atherosclerosis (440)	223	-	-	-	-	-	-	2	8	48	80	85	382	-	-	-	-	-	-	-	5	21	97	259
White	210	-	-	-	-	-	-	2	8	46	75	79	359	-	-	-	-	-	-	-	4	18	92	245
All other	13	-	-	-	-	-	-	-	-	2	5	6	23	-	-	-	-	-	-	-	1	3	5	14
Black	13	-	-	-	-	-	-	-	-	2	5	6	23	-	-	-	-	-	-	-	1	3	5	14
Other diseases of arteries, arterioles, and capillaries (441-448)	300	-	-	-	5	-	7	11	34	85	105	53	191	-	-	-	-	2	1	2	8	48	70	60
White	281	-	-	-	5	-	6	11	31	79	97	52	171	-	-	-	-	-	-	2	6	43	65	55
All other	19	-	-	-	-	-	1	-	3	6	8	1	20	-	-	-	-	2	1	-	2	5	5	5
Black	18	-	-	-	-	-	1	-	3	5	8	1	20	-	-	-	-	2	1	-	2	5	5	5
Acute bronchitis and bronchiolitis (466)	7	1	-	-	-	-	-	-	1	2	2	1	7	1	-	-	-	-	-	-	-	2	2	2
White	7	1	-	-	-	-	-	-	1	2	2	1	6	1	-	-	-	-	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	794	5	2	1	7	2	3	15	50	139	290	280	942	4	1	1	1	7	6	7	30	97	290	498
White	713	3	1	-	6	2	2	10	41	123	267	258	894	4	-	1	1	5	5	7	27	91	275	478
All other	81	2	1	1	1	-	1	5	9	16	23	22	48	-	1	-	-	2	1	-	3	6	15	20
Black	81	2	1	1	1	-	1	5	9	16	23	22	48	-	1	-	-	2	1	-	3	6	15	20

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	776	5	2	1	7	2	3	15	50	137	283	273	913	4	1	1	-	7	6	6	29	94	283	482
White	697	3	1	-	6	2	2	10	41	121	260	251	865	4	-	1	-	5	5	6	26	88	288	462
All other	81	2	1	1	1	-	1	5	9	16	23	22	48	-	1	-	-	2	1	-	3	6	15	20
Black	81	2	1	1	1	-	1	5	9	16	23	22	48	-	1	-	-	2	1	-	3	6	15	20
Influenza (487)	16	-	-	-	-	-	-	-	-	2	7	7	29	-	-	-	1	-	-	1	1	3	7	16
White	16	-	-	-	-	-	-	-	-	2	7	7	29	-	-	-	1	-	-	1	1	3	7	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,247	1	1	1	1	2	4	21	137	437	481	161	676	-	1	-	4	5	3	37	99	210	214	103
White	1,184	1	-	1	-	2	4	19	128	415	461	153	635	-	1	-	2	3	3	33	83	203	199	98
All other	63	-	1	-	1	-	-	2	9	22	20	8	41	-	-	-	2	2	-	4	6	7	15	5
Black	62	-	1	-	1	-	-	2	9	22	19	8	40	-	-	-	2	2	-	3	6	7	15	5
Bronchitis, chronic and unspecified (490-491)	48	1	-	-	-	-	-	-	3	15	26	3	24	-	-	-	-	2	-	1	3	4	6	8
White	47	1	-	-	-	-	-	-	2	15	26	3	22	-	-	-	-	1	-	1	3	4	5	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Emphysema (492)	185	-	-	-	-	-	-	3	24	70	69	19	84	-	-	-	-	1	2	1	9	34	27	10
White	179	-	-	-	-	-	-	3	23	68	67	18	83	-	-	-	-	1	2	1	9	34	27	9
All other	6	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Asthma (493)	20	-	1	1	1	1	2	2	3	4	4	1	49	-	-	-	3	2	-	8	5	13	14	4
White	12	-	-	1	-	1	2	1	1	2	3	1	39	-	-	-	1	1	-	6	3	12	12	4
All other	8	-	1	-	1	-	-	1	2	2	1	-	10	-	-	-	2	1	-	2	2	1	2	-
Black	8	-	1	-	1	-	-	1	2	2	1	-	9	-	-	-	2	1	-	1	2	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	994	-	-	-	-	1	2	16	107	348	382	138	519	-	1	-	1	-	1	27	82	159	167	81
White	946	-	-	-	-	1	2	15	102	330	365	131	491	-	1	-	1	-	1	25	78	153	155	77
All other	48	-	-	-	-	-	-	1	5	18	17	7	28	-	-	-	-	-	-	2	4	6	12	4
Black	48	-	-	-	-	-	-	1	5	18	17	7	28	-	-	-	-	-	-	2	4	6	12	4
Ulcer of stomach and duodenum (531-533)	62	1	-	-	-	-	-	2	5	13	26	15	77	-	-	-	1	1	1	1	5	9	24	35
White	57	1	-	-	-	-	-	2	5	12	22	15	68	-	-	-	1	-	-	1	4	7	22	33
All other	5	-	-	-	-	-	-	-	-	1	4	-	9	-	-	-	-	1	1	-	1	2	2	2
Black	5	-	-	-	-	-	-	-	-	1	4	-	7	-	-	-	-	1	-	-	1	2	1	2
Appendicitis (540-543)	7	-	-	1	1	-	-	-	1	1	1	2	5	-	-	-	1	-	-	-	-	-	2	2
White	4	-	-	1	-	-	-	-	1	-	-	2	3	-	-	-	1	-	-	-	-	-	1	1
All other	3	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	56	-	1	-	1	-	1	2	3	13	20	15	83	2	-	-	-	-	-	-	1	9	32	39
White	48	-	-	-	-	-	1	2	3	10	17	15	76	-	-	-	-	-	-	-	1	9	30	36
All other	8	-	1	-	1	-	-	-	-	3	3	-	7	2	-	-	-	-	-	-	-	-	2	3
Black	8	-	1	-	1	-	-	-	-	3	3	-	7	2	-	-	-	-	-	-	-	-	2	3
Chronic liver disease and cirrhosis (571)	242	-	-	-	1	6	13	49	79	68	21	5	152	-	-	-	-	3	15	26	29	39	30	10
White	213	-	-	-	1	5	8	42	72	62	18	5	132	-	-	-	-	2	10	23	28	33	26	10
All other	29	-	-	-	-	1	5	7	7	6	3	-	20	-	-	-	-	1	5	3	1	6	4	-
Black	29	-	-	-	-	1	5	7	7	6	3	-	19	-	-	-	-	1	5	3	1	6	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	-	-	-	-	1	1	2	1	6	12	8	45	-	-	-	2	-	-	1	2	7	9	24
White	25	-	-	-	-	-	1	1	1	5	10	7	42	-	-	-	2	-	-	1	2	6	9	22
All other	6	-	-	-	-	1	-	1	-	1	2	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	6	-	-	-	-	1	-	1	-	1	2	1	3	-	-	-	-	-	-	-	-	1	-	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	295	1	1	1	-	1	8	6	24	64	107	82	296	1	-	-	-	1	-	7	22	52	95	118
White	242	-	-	1	-	1	5	2	16	48	95	74	249	-	-	-	-	1	-	6	17	44	80	101
All other	53	1	1	-	-	-	3	4	8	16	12	8	47	1	-	-	-	-	-	1	5	8	15	17
Black	53	1	1	-	-	-	3	4	8	16	12	8	47	1	-	-	-	-	-	1	5	8	15	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	1	-	-	1	3	-	7	-	-	-	-	-	-	-	1	2	1	3
White	4	-	-	-	-	-	1	-	-	1	2	-	6	-	-	-	-	-	-	-	1	2	1	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	1	1	-	1	4	5	9	-	-	-	-	1	-	2	1	-	2	3
White	11	-	-	-	-	-	1	-	-	1	4	5	8	-	-	-	-	1	-	2	1	-	1	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	278	1	1	1	-	1	6	5	24	62	100	77	280	1	-	-	-	-	-	5	20	50	92	112
White	227	-	-	1	-	1	3	2	16	46	89	69	235	-	-	-	-	-	-	4	15	42	78	96
All other	51	1	1	-	-	-	3	3	8	16	11	8	45	1	-	-	-	-	-	1	5	8	14	16
Black	51	1	1	-	-	-	3	3	8	16	11	8	45	1	-	-	-	-	-	1	5	8	14	16
Infections of kidney (590)	18	-	-	-	-	-	-	-	1	3	9	5	36	-	-	-	-	-	-	1	1	2	14	18
White	18	-	-	-	-	-	-	-	1	3	9	5	32	-	-	-	-	-	-	1	1	2	12	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	142	101	4	4	9	5	7	3	4	3	1	1	114	75	8	5	3	3	2	4	6	5	1	2
White	123	88	4	2	8	4	5	3	4	3	1	1	100	65	7	4	3	2	2	3	6	5	1	1
All other	19	13	-	2	1	1	2	-	-	-	-	-	14	9	1	1	-	1	-	1	-	-	-	1
Black	19	13	-	2	1	1	2	-	-	-	-	-	13	8	1	1	-	1	-	1	-	-	-	1
Certain conditions originating in the perinatal period (760-779)	195	191	4	-	-	-	-	-	-	-	-	-	154	153	-	-	1	-	-	-	-	-	-	-
White	136	135	3	-	-	-	-	-	-	-	-	-	101	100	-	-	1	-	-	-	-	-	-	-
All other	57	56	1	-	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
Black	54	54	-	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	56	55	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	42	41	1	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	139	136	3	-	-	-	-	-	-	-	-	-	114	113	-	-	1	-	-	-	-	-	-	-
White	96	94	2	-	-	-	-	-	-	-	-	-	71	70	-	-	1	-	-	-	-	-	-	-
All other	43	42	1	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
Black	41	41	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,092	96	4	1	10	14	33	66	198	279	251	138	744	61	4	2	6	3	21	17	79	133	224	193
White	980	70	4	1	9	7	28	58	178	267	229	127	672	39	2	2	4	1	17	15	73	123	211	185
All other	112	26	-	-	1	7	5	8	20	12	22	11	72	22	2	-	2	2	4	2	6	10	13	8
Black	112	26	-	-	1	7	5	8	20	12	22	11	71	22	2	-	2	2	4	2	5	10	13	8
All other diseases (Residual)	1,547	28	11	10	29	43	66	92	197	347	452	272	1,914	7	10	14	9	23	37	61	162	329	649	613
White	1,333	23	6	10	24	30	45	70	165	307	406	247	1,713	5	9	7	8	17	26	43	145	285	600	568
All other	214	5	5	-	5	13	21	22	32	40	46	25	201	2	1	7	1	6	11	18	17	44	49	45
Black	211	5	5	-	5	13	20	22	32	40	45	24	197	2	1	7	1	5	10	18	17	44	48	44
Accidents and adverse effects (E800-E949)	1,350	4	28	56	312	259	135	108	126	121	123	78	662	8	16	20	95	42	33	49	69	72	138	120
White	1,217	4	25	45	288	228	113	99	121	111	108	75	599	6	10	17	91	38	31	43	65	63	128	109
All other	133	-	3	11	24	31	22	9	5	10	15	3	63	2	6	3	4	6	2	6	4	9	10	11
Black	126	-	3	11	22	29	21	8	4	10	15	3	59	2	6	3	4	5	2	4	3	9	10	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	668	-	6	19	223	171	74	49	57	29	28	12	277	1	7	14	78	31	22	33	33	30	22	6
White	617	-	6	16	208	152	65	46	56	28	28	12	257	-	6	12	75	28	21	29	32	27	22	5
All other	51	-	-	3	15	19	9	3	1	1	-	-	20	1	1	2	3	3	1	4	1	3	-	1
Black	46	-	-	3	13	17	8	3	1	1	-	-	17	1	1	2	3	2	1	2	1	3	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	682	4	22	37	89	88	61	59	69	92	95	66	385	7	9	6	17	11	11	16	36	42	116	114
White	600	4	19	29	80	76	48	53	65	83	80	63	342	6	4	5	16	8	10	14	33	36	106	104
All other	82	-	3	8	9	12	13	6	4	9	15	3	43	1	5	1	1	3	1	2	3	6	10	10
Black	80	-	3	8	9	12	13	5	3	9	15	3	42	1	5	1	1	3	1	2	2	6	10	10
Suicide (E950-E959)	531	...	...	6	99	116	64	50	58	63	65	10	140	...	...	-	21	25	19	25	28	13	5	4
White	491	...	...	6	86	102	60	50	54	60	63	10	133	...	...	-	20	23	18	25	27	12	4	4
All other	40	...	...	-	13	14	4	-	4	3	2	-	7	...	...	-	1	2	1	-	1	1	1	-
Black	39	...	...	-	12	14	4	-	4	3	2	-	7	...	...	-	1	2	1	-	1	1	1	-
Homicide and legal intervention (E960-E978)	324	2	5	2	86	119	47	20	23	13	3	3	108	-	4	4	23	27	19	8	8	6	7	2
White	136	1	3	2	28	42	18	14	16	8	2	1	73	-	3	4	11	19	11	5	8	3	7	2
All other	188	1	2	-	58	77	29	6	7	5	1	2	35	-	1	-	12	8	8	3	-	3	-	-
Black	188	1	2	-	58	77	29	6	7	5	1	2	35	-	1	-	12	8	8	3	-	3	-	-
All other external causes (E980-E999)	38	-	2	2	5	5	6	4	6	2	3	2	15	1	1	-	-	5	4	1	1	1	-	1
White	25	-	-	1	2	4	5	3	5	1	2	2	10	-	1	-	-	4	2	-	1	1	-	1
All other	13	-	2	1	3	1	1	1	1	1	1	-	5	1	-	-	-	1	2	1	-	-	-	-
Black	13	-	2	1	3	1	1	1	1	1	1	-	5	1	-	-	-	1	2	1	-	-	-	-
MONTANA																								
All causes	3,720	77	18	18	117	122	154	219	496	940	984	574	3,004	62	10	19	32	46	71	130	291	599	811	933
White	3,543	67	18	15	98	110	138	196	470	899	963	568	2,886	49	6	16	27	39	63	120	283	576	787	920
All other	177	10	-	3	19	12	16	23	26	41	21	6	118	13	4	3	5	7	8	10	8	23	24	13
Black	3	-	-	-	-	-	-	-	-	1	1	1	5	1	-	-	-	-	-	-	-	2	1	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	15	1	1	-	-	-	-	-	1	5	7	-	17	-	-	-	-	-	1	1	1	3	7	4
White	13	1	1	-	-	-	-	-	1	4	6	-	16	-	-	-	-	-	-	1	1	3	7	4
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	1	-	-	-	1	-	-	1	-	3	1	8	-	-	1	-	1	-	-	-	1	3	2
White	6	1	-	-	-	1	-	-	1	-	2	1	7	-	-	1	-	1	-	-	-	1	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	827	-	3	1	5	6	26	62	163	259	222	80	616	-	1	2	1	6	27	55	118	176	156	74
White	805	-	3	1	4	5	24	60	157	250	221	80	598	-	-	2	1	6	26	53	118	169	150	73
All other	22	-	-	-	1	1	2	2	6	9	1	-	18	-	1	-	-	-	1	2	-	7	6	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	-	-	-	-	-	1	1	9	5	4	-	11	-	-	-	-	-	-	-	4	5	-	2
White	20	-	-	-	-	-	1	1	9	5	4	-	11	-	-	-	-	-	-	-	4	5	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	217	-	1	-	-	-	11	16	49	65	60	15	156	-	-	-	-	1	3	6	21	43	53	29
White	212	-	1	-	-	-	10	15	46	65	60	15	151	-	-	-	-	1	3	5	21	43	50	28
All other	5	-	-	-	-	-	1	1	3	-	-	-	5	-	-	-	-	-	-	1	-	-	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	233	-	-	-	-	-	-	28	52	93	48	12	118	-	-	-	-	-	4	16	33	43	19	3
White	225	-	-	-	-	-	-	28	52	85	48	12	113	-	-	-	-	-	4	16	33	40	17	3
All other	8	-	-	-	-	-	-	-	-	8	-	-	5	-	-	-	-	-	-	-	-	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	110	-	-	-	-	2	12	15	25	32	17	7
White	1	-	-	-	-	-	-	-	-	-	-	1	107	-	-	-	-	2	11	14	25	31	17	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	116	-	-	-	-	-	-	3	10	28	49	26	76	-	-	-	-	2	3	10	10	25	14	12
White	113	-	-	-	-	-	-	2	9	28	48	26	73	-	-	-	-	2	3	10	10	23	13	12
All other	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	59	-	-	-	-	-	1	3	13	19	12	11	18	-	-	-	-	-	-	-	2	4	10	2
White	57	-	-	-	-	-	1	3	11	19	12	11	18	-	-	-	-	-	-	-	2	4	10	2
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	100	-	2	1	1	2	11	9	15	28	22	9	66	-	1	1	-	1	4	4	15	12	19	9
White	98	-	2	1	1	2	10	9	15	27	22	9	65	-	-	1	-	1	4	4	15	12	19	9
All other	2	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	35	-	-	-	3	1	1	2	5	9	11	3	23	-	-	-	1	-	1	3	3	3	9	3
White	33	-	-	-	2	-	1	2	5	9	11	3	23	-	-	-	1	-	1	3	3	3	9	3
All other	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	46	-	-	-	1	3	1	-	10	12	16	3	38	-	-	1	-	-	-	1	5	9	15	7
White	46	-	-	-	1	3	1	-	10	12	16	3	37	-	-	1	-	-	-	1	5	8	15	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	-	-	-	1	2	-	1	10	-	-	-	-	-	-	1	1	1	3	4
White	4	-	-	-	-	-	-	-	1	2	-	1	10	-	-	-	-	-	-	1	1	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	55	-	-	-	-	-	1	3	9	17	14	11	69	-	-	-	-	1	1	3	6	18	22	18
White	50	-	-	-	-	-	1	2	7	16	13	11	62	-	-	-	-	-	1	2	3	18	20	18
All other	5	-	-	-	-	-	-	1	2	1	1	-	7	-	-	-	-	1	-	1	3	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	1	2	2	12	-	-	-	-	-	-	-	-	1	5	6
White	3	-	-	-	-	-	-	-	-	-	2	1	11	-	-	-	-	-	-	-	-	1	4	6
All other	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	-	-	-	-	-	-	2	1	2	2	3	-	-	-	-	-	-	-	-	-	-	3
White	7	-	-	-	-	-	-	-	2	1	2	2	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,528	4	2	-	4	8	31	75	183	425	485	311	1,404	-	-	1	-	3	11	34	88	260	415	592
White	1,474	4	2	-	3	6	30	69	174	404	474	308	1,372	-	-	1	-	2	9	34	84	250	406	586
All other	54	-	-	-	1	2	1	6	9	21	11	3	32	-	-	-	-	1	2	-	4	10	9	6
Black	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Diseases of heart (390-398,402,404-429)	1,234	3	2	-	3	8	26	69	158	361	373	231	981	-	-	-	-	1	7	28	74	199	287	385
White	1,187	3	2	-	3	6	25	64	152	342	362	228	957	-	-	-	-	-	6	28	70	191	282	380
All other	47	-	-	-	-	2	1	5	6	19	11	3	24	-	-	-	-	1	1	-	4	8	5	5
Black	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	1	1	2	3	1	-	35	-	-	-	-	-	2	2	6	12	5	8
White	8	-	-	-	-	-	1	1	2	3	1	-	34	-	-	-	-	-	1	2	6	12	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	10	-	-	-	-	-	-	1	1	1	5	2	20	-	-	-	-	-	-	1	1	1	8	9
White	10	-	-	-	-	-	-	1	1	1	5	2	20	-	-	-	-	-	-	1	1	1	8	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	841	-	-	-	-	3	19	48	114	255	259	143	609	-	-	-	-	-	2	16	53	119	185	234
White	808	-	-	-	-	3	19	43	110	240	253	140	597	-	-	-	-	-	2	16	49	115	182	233
All other	33	-	-	-	-	-	-	5	4	15	6	3	12	-	-	-	-	-	-	-	4	4	3	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Acute myocardial infarction (410)	484	-	-	-	-	3	9	27	78	158	147	62	305	-	-	-	-	-	2	11	33	71	94	94
White	463	-	-	-	-	3	9	23	77	147	142	62	300	-	-	-	-	-	2	11	31	70	92	94
All other	21	-	-	-	-	-	-	4	1	11	5	-	5	-	-	-	-	-	-	-	2	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	-	1	2	2	4	3	2	-	-	-	-	-	-	-	1	-	-	1
White	12	-	-	-	-	-	-	1	2	2	4	3	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	342	-	-	-	-	-	10	20	34	94	106	78	301	-	-	-	-	-	-	5	19	48	91	138
White	330	-	-	-	-	-	10	19	31	90	105	75	294	-	-	-	-	-	-	5	17	45	90	137
All other	12	-	-	-	-	-	-	1	3	4	1	3	7	-	-	-	-	-	-	-	2	3	1	1
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Other diseases of endocardium (424)	26	-	-	-	-	1	-	-	3	5	9	8	20	-	-	-	-	-	-	-	2	3	5	10
White	26	-	-	-	-	1	-	-	3	5	9	8	20	-	-	-	-	-	-	-	2	3	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	346	3	2	-	3	4	6	19	38	96	97	78	296	-	-	-	-	1	3	9	12	64	84	123
White	332	3	2	-	3	2	5	19	36	92	92	78	285	-	-	-	-	-	3	9	12	60	82	119
All other	14	-	-	-	-	2	1	-	2	4	5	-	11	-	-	-	-	1	-	-	-	4	2	4
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	10	-	-	-	-	-	1	-	1	2	4	2	12	-	-	-	-	-	-	1	-	7	2	2
White	10	-	-	-	-	-	1	-	1	2	4	2	12	-	-	-	-	-	-	1	-	7	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	197	1	-	-	1	-	3	6	15	43	78	50	315	-	-	1	-	2	3	5	11	39	99	155
White	190	1	-	-	-	-	3	5	12	41	78	50	307	-	-	1	-	2	2	5	11	37	95	154
All other	7	-	-	-	1	-	-	1	3	2	-	-	8	-	-	-	-	-	1	-	-	2	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	19	1	-	-	-	-	1	1	4	4	5	3	28	-	-	-	-	-	1	-	4	7	10	6
White	17	1	-	-	-	-	1	1	2	4	5	3	26	-	-	-	-	-	-	-	4	7	9	6
All other	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	-	-	-	-	-	-	-	-	7	8	7	48	-	-	1	-	-	1	-	1	8	12	25
White	22	-	-	-	-	-	-	-	-	7	8	7	47	-	-	1	-	-	1	-	1	8	11	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	-	-	-	2	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	154	-	-	-	1	-	2	4	11	32	64	40	235	-	-	-	-	2	1	5	6	22	76	123
White	150	-	-	-	-	-	2	4	10	30	64	40	230	-	-	-	-	2	1	5	6	20	74	122
All other	4	-	-	-	1	-	-	-	1	2	-	-	5	-	-	-	-	-	-	-	-	2	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	47	-	-	-	-	-	-	-	2	9	15	21	65	-	-	-	-	-	1	-	1	8	14	41
White	47	-	-	-	-	-	-	-	2	9	15	21	65	-	-	-	-	-	1	-	1	8	14	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	40	-	-	-	-	-	1	-	7	10	15	7	31	-	-	-	-	-	-	-	2	7	13	9
White	40	-	-	-	-	-	1	-	7	10	15	7	31	-	-	-	-	-	-	-	2	7	13	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	110	1	1	-	-	2	2	7	6	15	31	45	125	2	-	-	-	2	-	4	6	12	36	63
White	104	1	1	-	-	2	1	6	5	14	29	45	117	1	-	-	-	1	-	3	6	11	33	62
All other	6	-	-	-	-	-	1	1	1	1	2	-	8	1	-	-	-	1	-	1	-	1	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	101	1	1	-	-	2	2	7	6	15	27	40	111	2	-	-	-	2	-	4	5	9	33	56
White	95	1	1	-	-	2	1	6	5	14	25	40	103	1	-	-	-	1	-	3	5	8	30	55
All other	6	-	-	-	-	-	1	1	1	1	2	-	8	1	-	-	-	1	-	1	-	1	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	9	-	-	-	-	-	-	-	-	-	4	5	14	-	-	-	-	-	-	-	1	3	3	7
White	9	-	-	-	-	-	-	-	-	-	4	5	14	-	-	-	-	-	-	-	1	3	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	213	-	-	-	-	-	-	2	26	78	88	19	131	-	-	-	-	-	-	3	25	37	48	18
White	208	-	-	-	-	-	-	2	24	76	87	19	128	-	-	-	-	-	-	2	25	36	47	18
All other	5	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	1	2	2	1	10	-	-	-	-	-	-	1	2	3	1	3
White	6	-	-	-	-	-	-	-	1	2	2	1	9	-	-	-	-	-	-	-	2	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	42	-	-	-	-	-	-	-	4	22	14	2	15	-	-	-	-	-	-	-	6	-	7	2
White	41	-	-	-	-	-	-	-	3	22	14	2	15	-	-	-	-	-	-	-	6	-	7	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	9	-	-	-	-	-	-	1	4	2	2	-	9	-	-	-	-	-	-	-	3	1	4	1
White	8	-	-	-	-	-	-	1	3	2	2	-	9	-	-	-	-	-	-	-	3	1	4	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	156	-	-	-	-	-	-	1	17	52	70	16	97	-	-	-	-	-	-	2	14	33	36	12
White	153	-	-	-	-	-	-	1	17	50	69	16	95	-	-	-	-	-	-	2	14	32	35	12
All other	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	6	-	-	-	-	-	1	-	-	2	2	1	12	-	-	1	-	-	-	-	-	2	4	5
White	6	-	-	-	-	-	1	-	-	2	2	1	12	-	-	1	-	-	-	-	-	2	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	-	-	-	-	-	3	5	3	12	-	-	-	1	-	-	-	-	2	2	7
White	11	-	-	-	-	-	-	-	-	3	5	3	10	-	-	-	-	-	-	-	-	2	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	48	-	-	-	-	-	8	9	13	14	3	1	37	-	1	-	-	1	4	8	14	6	2	1
White	38	-	-	-	-	-	4	4	13	13	3	1	31	-	1	-	-	-	2	7	13	5	2	1
All other	10	-	-	-	-	-	4	5	-	1	-	-	6	-	-	-	-	1	2	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	2	1	-	2	6	-	-	-	-	-	-	1	-	-	3	2
White	5	-	-	-	-	-	-	-	2	1	-	2	6	-	-	-	-	-	-	1	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	-	-	-	-	-	-	2	4	10	8	15	22	-	-	-	-	-	-	-	2	5	6	9
White	36	-	-	-	-	-	-	1	4	8	8	15	20	-	-	-	-	-	-	-	2	3	6	9
All other	3	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	1	1	-	-
White	4	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	34	-	-	-	-	-	-	1	4	9	7	13	19	-	-	-	-	-	-	-	1	4	6	8
White	31	-	-	-	-	-	-	-	4	7	7	13	18	-	-	-	-	-	-	-	1	3	6	8
All other	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	5	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	1	1
White	5	-	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	26	16	1	-	2	-	1	-	2	3	-	1	20	12	1	2	1	-	2	-	-	1	1	-
White	24	15	1	-	2	-	1	-	1	3	-	1	18	10	1	2	1	-	2	-	-	1	1	-
All other	2	1	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	22	21	1	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	20	19	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	12	11	1	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
White	10	9	1	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	54	20	-	-	1	-	2	2	3	8	7	11	57	15	1	-	1	-	1	1	1	5	10	22
White	48	17	-	-	-	-	1	2	3	8	7	10	54	13	-	-	1	-	1	1	1	5	10	22
All other	6	3	-	-	1	-	1	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	250	6	2	-	4	5	8	9	37	54	77	48	261	5	1	3	2	9	7	11	21	52	72	78
White	238	4	2	-	4	4	7	7	35	52	76	47	250	4	1	2	2	8	6	9	21	51	71	75
All other	12	2	-	-	-	1	1	2	2	2	1	1	11	1	-	1	-	1	1	2	-	1	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Accidents and adverse effects (E800-E949)	304	4	6	15	66	58	46	23	30	29	13	13	114	4	4	9	20	14	10	6	5	11	9	22
White	275	2	6	13	56	52	43	22	27	29	11	13	101	4	3	7	16	12	9	4	5	11	9	21
All other	29	2	-	2	10	6	3	1	3	-	2	-	13	-	1	2	4	2	1	2	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	155	1	1	7	46	39	25	14	8	6	4	3	55	1	3	6	14	10	7	2	3	7	2	-
White	139	-	1	6	39	35	25	14	6	6	4	3	48	1	2	4	12	9	7	1	3	7	2	-
All other	16	1	-	1	7	4	1	-	2	-	-	-	7	-	1	2	2	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	149	3	5	8	20	19	20	9	22	23	9	10	59	3	1	3	6	4	3	4	2	4	7	22
White	136	2	5	7	17	17	18	8	21	23	7	10	53	3	1	3	4	3	2	3	2	4	7	21
All other	13	1	-	1	3	2	2	1	1	-	2	-	6	-	-	-	2	1	1	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	124	...	...	1	23	27	22	16	10	11	11	3	20	...	...	-	2	7	4	1	2	1	3	-
White	117	...	...	1	20	26	20	15	10	11	11	3	20	...	...	-	2	7	4	1	2	1	3	-
All other	7	...	...	-	3	1	2	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	36	1	1	1	10	9	4	7	1	2	-	-	10	-	1	-	2	2	3	-	-	1	1	-
White	27	1	1	-	7	8	3	4	1	2	-	-	9	-	-	-	2	2	3	-	-	1	1	-
All other	9	-	-	1	3	1	1	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	11	-	-	-	2	5	1	1	1	-	1	-	3	-	-	-	2	-	-	1	-	-	-	-
White	11	-	-	-	2	5	1	1	1	-	1	-	3	-	-	-	2	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,745	144	24	30	152	158	188	357	1,033	1,953	2,238	1,468	7,158	102	15	16	51	68	97	234	564	1,159	2,164	2,690
White	7,479	121	21	28	144	141	169	336	992	1,895	2,185	1,446	6,954	91	15	15	48	54	87	210	538	1,122	2,108	2,666
All other	266	23	3	2	8	17	19	21	41	58	51	22	204	11	–	1	3	12	10	24	26	37	56	24
Black	217	15	2	1	5	14	16	17	38	46	43	21	164	9	–	1	2	10	6	18	17	29	49	23
Shigellosis and amebiasis (004,006)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Certain other intestinal infections (007-009)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis (010-018)	2	–	–	–	1	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
White	2	–	–	–	1	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis of respiratory system (010-012)	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
White	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	1	2	1
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculosis (013-018)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	2	–	–	–	1	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–
White	2	–	–	–	1	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	41	2	–	–	–	2	1	–	8	11	12	5	40	–	–	–	–	2	–	–	3	8	17	10
White	38	2	–	–	–	2	1	–	8	11	10	4	39	–	–	–	–	2	–	–	3	8	16	10
All other	3	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	1	–
Black	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	20	–	–	–	–	1	4	1	4	4	5	1	11	–	–	1	2	–	1	1	–	1	4	1
White	19	–	–	–	–	1	3	1	4	4	5	1	8	–	–	–	1	–	1	–	–	1	4	1
All other	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	1	1	–	–	1	–	–	–	–
Black	1	–	–	–	–	–	1	–	–	–	–	–	3	–	–	1	1	–	–	1	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,666	1	4	5	10	12	39	104	346	539	441	165	1,444	–	2	3	4	18	40	100	246	368	414	249
White	1,608	–	4	5	10	11	37	96	329	523	434	160	1,416	–	2	3	4	16	37	98	239	364	408	245
All other	58	1	–	–	–	1	2	8	18	16	7	5	28	–	–	–	–	2	3	2	7	4	6	4
Black	51	1	–	–	–	–	2	8	16	15	4	5	25	–	–	–	–	2	3	2	5	3	6	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	16	-	-	-	-	-	-	2	5	7	1	1	11	-	-	-	-	-	2	2	4	2	1	-
White	15	-	-	-	-	-	-	2	4	7	1	1	11	-	-	-	-	-	2	2	4	2	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	426	-	-	-	1	1	10	25	81	135	125	48	395	-	-	-	-	-	4	13	40	99	139	100
White	414	-	-	-	1	1	10	22	76	133	123	48	385	-	-	-	-	-	4	12	38	98	135	98
All other	12	-	-	-	-	-	-	3	5	2	2	-	10	-	-	-	-	-	-	1	2	1	4	2
Black	11	-	-	-	-	-	-	3	5	2	1	-	10	-	-	-	-	-	-	1	2	1	4	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	550	-	-	-	-	1	11	42	143	198	127	28	221	-	-	-	-	5	5	21	63	70	40	17
White	522	-	-	-	-	-	10	40	132	189	125	26	213	-	-	-	-	5	4	21	61	67	39	16
All other	28	-	-	-	-	1	1	2	11	9	2	2	8	-	-	-	-	-	1	-	2	3	1	1
Black	23	-	-	-	-	-	1	2	9	8	1	2	6	-	-	-	-	-	1	-	1	2	1	1
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	1	-	2	1	-	1	291	-	-	-	1	6	17	32	57	56	85	37
White	5	-	-	-	-	-	1	-	2	1	-	1	289	-	-	-	1	5	16	32	57	56	85	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	204	-	-	-	2	-	-	1	16	57	82	46	136	-	-	-	1	1	5	10	25	36	39	19
White	200	-	-	-	2	-	-	1	16	56	80	45	135	-	-	-	1	1	5	10	24	36	39	19
All other	4	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	84	-	-	-	-	-	1	6	11	28	28	10	53	-	-	-	-	-	2	4	5	14	15	13
White	83	-	-	-	-	-	1	6	11	27	28	10	52	-	-	-	-	-	2	3	5	14	15	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	216	1	3	5	5	6	7	19	54	62	36	18	182	-	1	2	1	3	1	9	28	49	53	35
White	207	-	3	5	5	6	6	16	54	60	36	16	180	-	1	2	1	2	1	9	27	49	53	35
All other	9	1	-	-	-	-	1	3	-	2	-	2	2	-	-	-	-	1	-	-	1	-	-	-
Black	9	1	-	-	-	-	1	3	-	2	-	2	2	-	-	-	-	1	-	-	1	-	-	-
Leukemia (204-208)	75	-	1	-	1	2	1	6	5	27	24	8	57	-	1	1	-	-	2	2	10	13	13	15
White	75	-	1	-	1	2	1	6	5	27	24	8	55	-	1	1	-	-	1	2	10	13	13	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	90	-	-	-	1	2	8	3	29	24	18	5	98	-	-	-	1	3	2	7	14	29	29	13
White	87	-	-	-	1	2	8	3	28	23	17	5	96	-	-	-	1	3	2	7	13	29	28	13
All other	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	-	-	2	-	3	1	2	5	3	1	26	1	-	-	-	-	-	1	4	4	8	8
White	16	-	-	-	2	-	2	1	2	5	3	1	25	1	-	-	-	-	-	1	4	4	8	7
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diabetes mellitus (250)	101	-	-	-	-	4	5	1	12	27	41	10	136	-	-	-	-	1	3	6	16	27	53	30
White	93	-	-	-	-	4	4	1	12	23	40	9	126	-	-	-	-	1	2	3	14	26	50	30
All other	8	-	-	-	-	-	1	-	-	4	1	1	10	-	-	-	-	-	1	3	2	1	3	-
Black	7	-	-	-	-	-	1	-	-	3	1	1	9	-	-	-	-	-	1	3	1	1	3	-
Nutritional deficiencies (260-269)	12	-	-	-	-	-	-	-	1	-	4	7	15	-	-	-	-	-	-	-	1	1	6	7
White	12	-	-	-	-	-	-	-	1	-	4	7	13	-	-	-	-	-	-	-	-	1	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	1	2	2	13	-	-	1	-	-	-	-	-	1	4	7
White	4	-	-	-	-	-	-	-	-	-	2	2	13	-	-	1	-	-	-	-	-	1	4	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	-	2	-	-	1	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-
White	3	-	1	-	-	1	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,606	6	1	2	1	14	50	129	428	936	1,170	869	3,623	3	-	-	2	8	18	62	170	509	1,178	1,673
White	3,519	6	1	1	1	11	43	125	416	912	1,144	859	3,527	2	-	-	2	7	16	51	161	487	1,144	1,657
All other	87	-	-	1	-	3	7	4	12	24	26	10	96	1	-	-	-	1	2	11	9	22	34	16
Black	74	-	-	-	-	3	6	4	11	17	24	9	83	1	-	-	-	1	1	9	7	19	30	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Diseases of heart (390-398,402,404-429)	2,937	4	-	1	-	12	44	116	382	796	913	669	2,643	3	-	-	2	4	9	52	137	403	874	1,159
White	2,866	4	-	-	-	9	38	114	372	776	891	662	2,568	2	-	-	2	4	8	42	128	386	851	1,145
All other	71	-	-	1	-	3	6	2	10	20	22	7	75	1	-	-	-	-	1	10	9	17	23	14
Black	59	-	-	-	-	3	5	2	9	13	21	6	65	1	-	-	-	-	-	8	7	15	20	14
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	-	-	1	2	4	2	1	35	-	-	-	-	-	1	3	3	17	7	4
White	10	-	-	-	-	-	-	1	2	4	2	1	35	-	-	-	-	-	1	3	3	17	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	25	-	-	-	-	-	-	1	1	12	7	4	33	-	-	-	-	-	1	2	3	6	13	8
White	23	-	-	-	-	-	-	1	1	11	6	4	29	-	-	-	-	-	1	1	3	4	12	8
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	1	-	2	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	1	-	2	1	-
Hypertensive heart and renal disease (404)	11	-	-	-	-	-	-	-	-	3	4	4	16	-	-	-	-	-	-	-	1	-	6	11
White	10	-	-	-	-	-	-	-	-	2	4	4	17	-	-	-	-	-	-	-	1	-	5	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	2,173	-	-	-	-	7	34	92	283	613	692	452	1,763	-	-	-	-	3	3	29	93	274	603	758
White	2,124	-	-	-	-	7	30	90	276	598	676	447	1,715	-	-	-	-	3	3	24	86	264	589	746
All other	49	-	-	-	-	-	4	2	7	15	16	5	48	-	-	-	-	-	-	5	7	10	14	12
Black	44	-	-	-	-	-	4	2	7	10	16	5	39	-	-	-	-	-	-	3	5	8	11	12
Acute myocardial infarction (410)	1,277	-	-	-	-	4	25	63	178	396	413	197	833	-	-	-	-	1	-	17	53	169	322	271
White	1,257	-	-	-	-	4	23	62	174	391	409	194	815	-	-	-	-	1	-	15	52	167	314	266
All other	20	-	-	-	-	-	3	1	4	5	4	3	18	-	-	-	-	-	-	2	1	2	8	5
Black	18	-	-	-	-	-	3	1	4	3	4	3	14	-	-	-	-	-	-	1	-	1	7	5
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	1	2	2	-	2	10	-	-	-	-	-	-	1	1	2	4	2
White	7	-	-	-	-	-	-	1	2	2	-	2	10	-	-	-	-	-	-	1	1	2	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	867	-	-	-	-	3	8	28	103	214	279	252	919	-	-	-	-	2	3	11	39	103	277	484
White	858	-	-	-	-	3	7	27	100	204	267	250	889	-	-	-	-	2	3	8	33	95	271	477
All other	29	-	-	-	-	-	1	1	3	10	12	2	30	-	-	-	-	-	-	3	6	8	6	7
Black	26	-	-	-	-	-	1	1	3	7	12	2	25	-	-	-	-	-	-	2	5	7	4	7
Other diseases of endocardium (424)	34	-	-	1	-	-	-	1	3	15	8	6	42	-	-	-	-	-	-	-	3	9	14	16
White	33	-	-	-	-	-	-	1	3	15	8	6	41	-	-	-	-	-	-	-	3	8	14	16
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	684	4	-	-	-	5	10	21	93	149	200	202	752	3	-	-	2	1	4	18	34	97	231	362
White	666	4	-	-	-	2	8	21	90	146	195	200	731	2	-	-	2	1	3	14	32	93	224	360
All other	18	-	-	-	-	3	2	-	3	3	5	2	21	1	-	-	-	-	1	4	2	4	7	2
Black	12	-	-	-	-	3	1	-	2	1	4	1	20	1	-	-	-	-	-	4	2	4	7	2
Hypertension with or without renal disease (401,403)	20	-	-	-	-	-	-	-	1	5	4	10	32	-	-	-	-	-	-	-	1	8	14	9
White	20	-	-	-	-	-	-	-	1	5	4	10	31	-	-	-	-	-	-	-	1	8	13	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	427	2	1	1	1	2	4	11	26	62	174	123	720	-	-	-	-	2	9	7	26	76	230	370
White	415	2	1	1	1	2	3	9	24	60	171	121	709	-	-	-	-	1	8	7	26	72	225	370
All other	12	-	-	-	-	-	1	2	2	2	3	2	11	-	-	-	-	1	1	-	-	4	5	-
Black	11	-	-	-	-	-	1	2	2	2	2	2	9	-	-	-	-	1	1	-	-	3	4	-
Intracerebral and other intracranial hemorrhage (431-432)	64	1	1	1	-	1	1	4	10	16	20	9	59	-	-	-	-	1	3	1	6	13	15	20
White	62	1	1	1	-	1	-	3	10	16	20	9	57	-	-	-	-	-	3	1	6	12	15	20
All other	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	51	-	-	-	-	-	-	-	2	10	26	13	99	-	-	-	-	-	-	1	1	6	44	47
White	50	-	-	-	-	-	-	-	2	10	25	13	98	-	-	-	-	-	-	1	1	6	43	47
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	1	-	-	5
White	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	1	-	-	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	311	1	-	-	1	1	3	7	14	55	128	101	556	-	-	-	-	1	6	5	18	57	171	298
White	302	1	-	-	1	1	3	6	12	53	126	99	548	-	-	-	-	1	5	5	18	54	167	298
All other	9	-	-	-	-	-	-	1	2	2	2	2	8	-	-	-	-	-	1	-	-	3	4	-
Black	8	-	-	-	-	-	-	1	2	2	1	2	6	-	-	-	-	-	1	-	-	2	3	-
Atherosclerosis (440)	103	-	-	-	-	-	-	-	3	14	40	46	160	-	-	-	-	-	-	-	2	10	37	111
White	101	-	-	-	-	-	-	-	3	14	39	45	155	-	-	-	-	-	-	-	2	9	35	108
All other	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	2	2
Black	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	1	2	1
Other diseases of arteries, arterioles, and capillaries (441-448)	119	-	-	-	-	-	2	2	16	39	39	21	68	-	-	-	-	2	-	3	4	12	23	24
White	117	-	-	-	-	-	2	2	16	37	39	21	64	-	-	-	-	2	-	2	4	12	20	24
All other	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	-	-	3	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	1	-	-	3	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	2
White	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	303	3	-	1	1	-	2	6	17	50	94	129	370	1	-	-	2	1	3	2	14	21	92	234
White	294	3	-	1	1	-	2	5	14	49	92	127	364	1	-	-	2	1	2	2	14	20	89	233
All other	9	-	-	-	-	-	-	1	3	1	2	2	6	-	-	-	-	-	1	-	-	1	3	1
Black	7	-	-	-	-	-	-	1	2	1	1	2	4	-	-	-	-	-	-	-	-	1	2	1
Pneumonia (480-486)	276	3	-	1	1	-	1	5	17	46	86	116	332	1	-	-	2	1	3	2	10	21	83	209
White	267	3	-	1	1	-	1	4	14	45	84	114	326	1	-	-	2	1	2	2	10	20	80	208
All other	9	-	-	-	-	-	-	1	3	1	2	2	6	-	-	-	-	-	1	-	-	1	3	1
Black	7	-	-	-	-	-	-	1	2	1	1	2	4	-	-	-	-	-	-	-	-	1	2	1
Influenza (487)	27	-	-	-	-	-	1	1	-	4	8	13	38	-	-	-	-	-	-	-	4	-	9	25
White	27	-	-	-	-	-	1	1	-	4	8	13	38	-	-	-	-	-	-	-	4	-	9	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	415	-	-	-	-	-	2	9	46	130	164	64	185	-	-	1	-	-	1	4	27	55	57	40
White	408	-	-	-	-	-	1	8	45	128	163	63	184	-	-	1	-	-	1	4	27	54	57	40
All other	7	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	7	-	-	-	-	-	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	13	-	-	-	-	-	-	1	-	4	5	3	12	-	-	-	-	-	-	-	1	1	2	8
White	13	-	-	-	-	-	-	1	-	4	5	3	12	-	-	-	-	-	-	-	1	1	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	71	-	-	-	-	-	-	1	9	28	25	8	24	-	-	-	-	-	-	1	9	7	6	1
White	70	-	-	-	-	-	-	1	9	28	25	7	24	-	-	-	-	-	-	1	9	7	6	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	17	-	-	-	-	-	2	1	4	4	4	2	26	-	-	1	-	-	1	1	2	5	11	5
White	15	-	-	-	-	-	1	1	3	4	4	2	25	-	-	1	-	-	1	1	2	4	11	5
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	314	-	-	-	-	-	-	6	33	94	130	51	123	-	-	-	-	-	-	2	15	42	38	26
White	310	-	-	-	-	-	-	5	33	92	129	51	123	-	-	-	-	-	-	2	15	42	38	26
All other	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	23	-	-	-	-	-	1	1	-	8	10	3	32	-	-	-	-	-	-	-	2	4	10	16
White	21	-	-	-	-	-	1	1	-	8	8	3	32	-	-	-	-	-	-	-	2	4	10	16
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	1	-	-	-	-	-	1	1	4	9	7	27	-	-	-	-	-	-	-	1	5	12	9
White	21	1	-	-	-	-	-	1	1	3	8	7	27	-	-	-	-	-	-	-	1	5	12	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Chronic liver disease and cirrhosis (571)	75	-	-	-	-	2	8	17	18	21	5	4	42	-	1	-	-	-	3	7	15	10	5	1
White	70	-	-	-	-	2	6	15	17	21	5	4	35	-	1	-	-	-	2	5	13	8	5	1
All other	5	-	-	-	-	-	2	2	1	-	-	-	7	-	-	-	-	-	1	2	2	2	-	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	-	-	-	1	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	12	-	-	-	-	-	-	-	1	2	3	6	15	-	-	-	-	-	-	-	-	1	9	5
White	12	-	-	-	-	-	-	-	1	2	3	6	15	-	-	-	-	-	-	-	-	1	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	68	2	-	-	-	-	2	3	5	15	16	25	79	1	1	-	-	-	2	1	6	11	28	29
White	64	2	-	-	-	-	2	2	5	14	15	24	75	1	1	-	-	-	1	-	6	10	27	29
All other	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	1	1	-	1	1	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	1	-	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	-	1	-	1	3	1	1	5	-	-	-	-	-	-	-	1	1	1	2
White	7	-	-	-	-	-	1	-	1	3	1	1	5	-	-	-	-	-	-	-	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	61	2	-	-	-	-	1	3	4	12	15	24	73	1	1	-	-	-	2	1	5	10	27	26
White	57	2	-	-	-	-	1	2	4	11	14	23	69	1	1	-	-	-	1	-	5	9	26	26
All other	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	1	1	-	1	1	-
Black	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	1	-	-	1	-	-
Infections of kidney (590)	6	-	-	-	-	-	-	-	1	-	3	2	7	-	-	-	-	-	-	-	-	-	6	1
White	6	-	-	-	-	-	-	-	1	-	3	2	6	-	-	-	-	-	-	-	-	-	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	-	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	55	41	3	2	3	-	1	1	-	2	2	-	41	27	3	2	-	1	-	2	1	2	1	2
White	53	39	3	2	3	-	1	1	-	2	2	-	38	25	3	2	-	1	-	2	-	2	1	2
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	59	59	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
White	44	44	-	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	40	40	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
White	31	31	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	133	18	-	1	-	3	2	5	14	25	39	26	159	11	1	-	-	1	-	3	6	17	35	85
White	125	13	-	1	-	2	2	5	14	24	38	26	153	8	1	-	-	-	-	3	6	15	35	85
All other	8	5	-	-	-	1	-	-	-	1	1	-	6	3	-	-	-	1	-	-	-	2	-	-
Black	3	1	-	-	-	1	-	-	-	-	1	-	3	1	-	-	-	1	-	-	-	1	-	-
All other diseases (Residual)	475	4	2	3	5	20	7	24	62	100	147	101	601	5	1	1	3	7	11	24	36	83	186	242
White	456	4	2	3	5	18	6	23	57	94	143	101	580	4	1	1	3	4	10	20	34	81	182	240
All other	19	-	-	-	-	2	1	1	5	6	4	-	21	1	-	-	-	3	1	4	2	2	6	2
Black	14	-	-	-	-	1	1	-	4	4	4	-	16	1	-	-	-	3	-	2	1	1	6	2
Accidents and adverse effects (E800-E949)	413	4	12	13	87	60	33	32	41	45	51	35	176	1	4	7	31	19	8	10	12	22	28	34
White	393	4	10	12	83	56	31	30	40	44	48	35	169	1	4	7	30	15	8	10	11	21	28	34
All other	20	-	2	1	4	4	2	2	1	1	3	-	7	-	-	-	1	4	-	-	1	1	-	-
Black	14	-	1	1	2	3	1	1	1	1	3	-	4	-	-	-	1	2	-	-	1	-	-	-
Motor vehicle accidents (E810-E825)	179	1	2	5	54	36	17	15	19	12	14	4	82	-	2	5	25	12	5	6	7	11	8	1
White	170	1	2	4	52	34	15	15	19	11	13	4	79	-	2	5	25	9	5	6	7	11	8	1
All other	9	-	-	1	2	2	2	-	-	1	1	-	3	-	-	-	-	3	-	-	-	-	-	-
Black	6	-	-	1	1	1	1	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	234	3	10	8	33	24	16	17	22	33	37	31	94	1	2	2	6	7	3	4	5	11	20	33
White	223	3	8	8	31	22	16	15	21	33	35	31	90	1	2	2	5	6	3	4	4	10	20	33
All other	11	-	2	-	2	2	-	2	1	-	2	-	4	-	-	-	1	1	-	-	1	1	-	-
Black	8	-	1	-	1	2	-	1	1	-	2	-	3	-	-	-	1	1	-	-	1	-	-	-
Suicide (E950-E959)	153	...	...	1	31	24	19	20	21	24	10	3	25	...	...	-	1	3	2	8	2	3	4	2
White	152	...	...	1	31	23	19	20	21	24	10	3	25	...	...	-	1	3	2	8	2	3	4	2
All other	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	27	1	-	1	6	10	5	1	1	1	-	-	19	-	-	-	5	3	3	1	1	3	1	2
White	16	1	-	1	2	5	4	-	1	1	-	-	18	-	-	-	5	2	3	1	1	3	1	2
All other	11	-	-	-	4	5	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	9	-	-	-	3	5	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other external causes (E980-E999)	21	1	-	1	4	5	4	-	1	2	2	1	6	-	-	-	1	1	1	1	-	2	-	-
White	21	1	-	1	4	5	4	-	1	2	2	1	5	-	-	-	-	1	1	1	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA																								
All causes	4,273	89	21	17	128	173	192	367	844	1,234	874	330	2,963	41	13	7	47	60	107	192	467	715	758	556
White	3,974	77	17	15	113	139	168	332	796	1,171	829	314	2,780	33	8	3	42	52	85	175	441	679	722	540
All other	299	12	4	2	15	34	24	35	48	63	45	16	183	8	5	4	5	8	22	17	26	36	36	16
Black	216	11	4	1	8	24	16	28	35	52	27	9	129	7	3	3	5	5	16	8	18	30	25	9
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	2	-	-	3	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	1	-	-	2	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	23	-	-	-	-	-	2	1	3	8	4	5	26	-	1	-	-	1	-	3	4	2	6	9
White	19	-	-	-	-	-	1	-	2	7	4	5	23	-	1	-	-	-	-	3	4	2	5	8
All other	4	-	-	-	-	-	1	1	1	1	-	-	3	-	-	-	-	1	-	-	-	-	1	1
Black	3	-	-	-	-	-	1	1	-	1	-	-	3	-	-	-	-	1	-	-	-	-	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	16	2	1	-	1	2	2	1	1	5	1	-	5	-	-	-	-	-	2	-	-	2	1	-
White	15	2	1	-	1	1	2	1	1	5	1	-	4	-	-	-	-	-	1	-	-	2	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	942	1	-	1	1	11	20	82	261	327	187	51	748	-	2	1	4	10	28	86	198	227	138	54
White	884	1	-	1	1	9	16	75	245	314	175	47	708	-	1	-	3	10	21	79	192	219	131	52
All other	58	-	-	-	-	2	4	7	16	13	12	4	40	-	1	1	1	-	7	7	6	8	7	2
Black	42	-	-	-	-	1	4	6	13	10	6	2	31	-	1	1	1	-	6	3	6	8	5	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	-	2	3	10	2	3	1	16	-	-	-	-	-	-	2	4	4	4	2
White	20	-	-	-	-	-	1	3	10	2	3	1	15	-	-	-	-	-	-	2	4	3	4	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	241	-	-	-	-	3	6	21	62	84	50	15	160	-	-	-	-	1	3	9	34	41	49	23
White	216	-	-	-	-	2	5	18	54	80	44	15	149	-	-	-	-	1	2	8	31	38	46	23
All other	23	-	-	-	-	1	1	3	8	4	6	-	11	-	-	-	-	-	1	1	3	3	3	-
Black	17	-	-	-	-	1	1	2	7	3	3	-	8	-	-	-	-	-	1	-	3	3	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	343	-	-	-	-	-	3	34	111	132	56	7	192	-	-	-	-	-	2	23	62	75	26	4
White	328	-	-	-	-	-	2	32	108	126	54	6	186	-	-	-	-	-	2	21	60	73	26	4
All other	15	-	-	-	-	-	1	2	3	6	2	1	6	-	-	-	-	-	-	2	2	2	-	-
Black	12	-	-	-	-	-	1	2	3	5	1	-	6	-	-	-	-	-	-	2	2	2	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	120	-	-	-	1	2	11	21	34	33	13	5
White	-	-	-	-	-	-	-	-	-	-	-	-	112	-	-	-	-	2	8	18	34	32	13	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	1	-	3	3	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	2	1	-	1	-	-
Malignant neoplasms of genital organs (179-187)	82	-	-	-	-	3	2	-	12	29	26	10	63	-	-	-	-	-	4	7	15	18	15	4
White	77	-	-	-	-	3	2	-	12	27	24	9	58	-	-	-	-	-	3	7	15	17	12	4
All other	5	-	-	-	-	-	-	-	-	2	2	1	5	-	-	-	-	-	1	-	-	1	3	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	5	-	-	-	-	-	1	-	-	1	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	57	-	-	-	-	-	1	4	16	16	15	5	29	-	1	-	-	-	-	4	3	13	5	3
White	56	-	-	-	-	-	1	4	16	16	15	4	27	-	-	-	-	-	-	4	3	13	4	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	132	-	-	1	-	3	3	16	43	39	22	5	107	-	1	1	3	5	4	17	28	25	15	8
White	125	-	-	1	-	3	3	14	39	39	21	5	104	-	1	-	3	5	4	16	28	25	15	7
All other	7	-	-	-	-	-	-	2	4	-	1	-	3	-	-	1	-	-	-	1	-	-	-	1
Black	4	-	-	-	-	-	-	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Leukemia (204-208)	32	1	-	-	1	2	-	-	5	12	9	2	21	-	-	-	-	1	1	1	5	5	3	5
White	30	1	-	-	1	1	-	-	4	12	9	2	20	-	-	-	-	1	1	1	5	5	3	4
All other	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	-	-	-	-	-	3	4	2	13	6	6	40	-	-	-	-	1	3	2	13	13	8	-
White	30	-	-	-	-	-	2	4	2	12	5	5	37	-	-	-	-	1	1	2	12	13	8	-
All other	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	2	-	1	-	-	-
Black	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	-	-	2	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	-	-	-	-	-	1	2	3	7	4	2	14	-	-	-	-	1	-	2	3	4	3	1
White	19	-	-	-	-	-	1	2	3	7	4	2	13	-	-	-	-	1	-	2	3	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	50	-	-	-	-	1	-	5	17	16	8	3	52	-	-	-	1	-	-	1	9	18	13	10
White	47	-	-	-	-	1	-	5	16	15	7	3	47	-	-	-	1	-	-	1	7	16	12	10
All other	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	2	2	1	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	2	1	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	1	2	1	2	10	-	-	-	-	-	1	-	1	2	5	1
White	5	-	-	-	-	-	-	-	1	2	1	1	10	-	-	-	-	-	1	-	1	2	5	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	1	-	-	-	-	1	1	1	1	2	6	-	-	-	-	-	1	2	-	1	2	-
White	7	-	1	-	-	-	-	1	1	1	1	2	5	-	-	-	-	-	1	2	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	4	1	-	-	-	-	-	-	2	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-
White	4	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,755	2	-	-	5	10	43	153	345	600	427	169	1,269	1	1	1	1	3	25	37	150	297	399	354
White	1,644	2	-	-	5	3	36	139	329	561	405	163	1,197	1	1	1	1	1	18	31	137	282	380	344
All other	111	-	-	-	-	7	7	14	16	39	22	6	72	-	-	-	-	2	7	6	13	15	19	10
Black	87	-	-	-	-	6	4	11	13	35	15	3	51	-	-	-	-	2	5	3	9	13	12	7
Diseases of heart (390-398,402,404-429)	1,493	1	-	-	4	8	38	140	301	509	359	132	1,002	1	1	1	-	2	18	33	130	232	310	274
White	1,402	1	-	-	4	2	32	127	289	479	339	128	945	1	1	1	-	1	14	28	118	218	297	266
All other	91	-	-	-	-	6	6	13	12	30	20	4	57	-	-	-	-	1	4	5	12	14	13	8
Black	68	-	-	-	-	5	3	10	9	27	13	1	40	-	-	-	-	1	4	2	9	12	7	5
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	-	1	2	2	2	1	20	-	-	-	-	-	1	4	3	5	5	2
White	8	-	-	-	-	-	-	1	2	2	2	1	19	-	-	-	-	-	1	4	3	4	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	78	-	-	-	-	-	3	6	16	35	15	3	69	-	-	-	-	-	4	3	12	22	20	8
White	69	-	-	-	-	-	2	3	16	31	14	3	63	-	-	-	-	-	2	3	11	21	18	8
All other	9	-	-	-	-	-	1	3	-	4	1	-	6	-	-	-	-	-	2	-	1	1	2	-
Black	6	-	-	-	-	-	-	3	-	3	-	-	5	-	-	-	-	-	2	-	-	1	2	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-	1	-	1	2
White	4	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	1	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Ischemic heart disease (410-414)	955	-	-	-	1	5	30	100	199	310	222	88	560	-	-	-	-	1	7	15	80	138	165	156
White	901	-	-	-	1	1	26	92	192	298	206	85	532	-	-	-	-	-	6	13	74	127	160	152
All other	54	-	-	-	-	4	4	8	7	12	16	3	28	-	-	-	-	1	1	2	6	9	5	4
Black	39	-	-	-	-	4	2	6	5	10	11	1	20	-	-	-	-	1	1	1	4	8	2	3
Acute myocardial infarction (410)	542	-	-	-	-	4	17	56	120	206	106	33	275	-	-	-	-	-	6	9	53	81	74	52
White	515	-	-	-	-	1	15	51	117	198	100	33	262	-	-	-	-	-	5	9	48	78	70	52
All other	27	-	-	-	-	3	2	5	3	8	6	-	13	-	-	-	-	-	1	-	5	3	4	-
Black	19	-	-	-	-	3	-	4	1	6	5	-	9	-	-	-	-	-	1	-	3	3	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	1	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	5	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	407	-	-	-	1	1	12	44	77	103	114	55	283	-	-	-	-	1	1	6	27	55	91	102
White	381	-	-	-	1	-	11	41	73	99	104	52	268	-	-	-	-	-	1	4	26	49	90	98
All other	26	-	-	-	-	1	1	3	4	4	10	3	15	-	-	-	-	1	-	2	1	6	1	4
Black	19	-	-	-	-	1	1	2	4	4	6	1	11	-	-	-	-	1	-	1	1	5	-	3
Other diseases of endocardium (424)	15	-	-	-	-	1	-	1	1	7	3	2	18	-	-	-	-	1	1	2	1	1	6	6
White	15	-	-	-	-	1	-	1	1	7	3	2	18	-	-	-	-	1	1	2	1	1	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	432	1	-	-	3	2	5	32	83	154	115	36	331	1	1	1	-	-	5	9	33	68	113	100
White	405	1	-	-	3	-	4	30	78	141	112	35	310	1	1	1	-	-	4	6	29	65	107	96
All other	27	-	-	-	-	2	1	2	5	13	3	1	21	-	-	-	-	-	1	3	4	3	6	4
Black	22	-	-	-	-	1	1	1	4	13	2	-	13	-	-	-	-	-	1	1	4	2	3	2
Hypertension with or without renal disease (401,403)	6	-	-	-	-	-	-	1	1	4	-	-	11	-	-	-	-	-	-	-	1	3	4	3
White	5	-	-	-	-	-	-	-	1	4	-	-	10	-	-	-	-	-	-	-	1	3	3	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	172	1	-	-	1	-	5	9	28	58	46	24	207	-	-	-	1	1	6	4	16	51	68	60
White	158	1	-	-	1	-	4	9	26	51	44	22	195	-	-	-	1	-	3	3	15	50	64	59
All other	14	-	-	-	-	-	1	-	2	7	2	2	12	-	-	-	-	1	3	1	1	1	4	1
Black	13	-	-	-	-	-	1	-	2	6	2	2	8	-	-	-	-	1	1	1	-	1	3	1
Intracerebral and other intracranial hemorrhage (431-432)	42	-	-	-	-	-	2	3	8	20	7	2	35	-	-	-	1	-	3	2	6	9	9	5
White	38	-	-	-	-	-	2	3	7	18	6	2	34	-	-	-	1	-	2	2	6	9	9	5
All other	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	-	-	-	-	-	-	2	2	4	3	3	20	-	-	-	-	1	-	1	2	5	6	5
White	13	-	-	-	-	-	-	2	2	3	3	3	18	-	-	-	-	-	-	1	2	5	5	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	114	1	-	-	1	-	3	4	18	32	36	19	150	-	-	-	-	-	3	1	8	35	53	50
White	105	1	-	-	1	-	2	4	17	28	35	17	141	-	-	-	-	-	1	-	7	34	50	49
All other	9	-	-	-	-	-	1	-	1	4	1	2	9	-	-	-	-	-	2	1	1	1	3	1
Black	9	-	-	-	-	-	1	-	1	4	1	2	8	-	-	-	-	-	1	1	-	1	2	1
Atherosclerosis (440)	20	-	-	-	-	1	-	-	3	5	4	7	23	-	-	-	-	-	-	-	1	1	10	11
White	19	-	-	-	-	1	-	-	3	4	4	7	22	-	-	-	-	-	-	-	1	1	9	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	64	-	-	-	-	1	-	3	12	24	18	6	26	-	-	-	-	-	1	-	2	10	7	6
White	60	-	-	-	-	-	-	3	10	23	18	6	25	-	-	-	-	-	1	-	2	10	7	5
All other	4	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	121	3	4	-	-	2	4	6	12	32	35	23	94	1	-	-	-	1	2	1	6	16	30	37
White	106	3	2	-	-	2	3	3	11	28	34	20	92	1	-	-	-	1	2	1	5	16	29	37
All other	15	-	2	-	-	-	1	3	1	4	1	3	2	-	-	-	-	-	-	-	1	-	1	-
Black	9	-	2	-	-	-	1	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	120	3	4	-	-	2	4	6	12	31	35	23	89	1	-	-	-	1	2	1	5	16	28	35
White	105	3	2	-	-	2	3	3	11	27	34	20	87	1	-	-	-	1	2	1	4	16	27	35
All other	15	-	2	-	-	-	1	3	1	4	1	3	2	-	-	-	-	-	-	-	1	-	1	-
Black	9	-	2	-	-	-	1	2	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	-	2	2
White	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	209	1	-	-	-	3	-	5	44	76	88	12	180	-	-	-	-	-	4	6	30	60	42	18
White	200	1	-	-	-	1	-	5	42	73	86	12	153	-	-	-	-	-	4	5	27	59	40	18
All other	9	-	-	-	-	2	-	-	2	3	2	-	7	-	-	-	-	-	-	1	3	1	2	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Bronchitis, chronic and unspecified (490-491)	6	1	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	-	2	2	-	1
White	6	1	-	-	-	-	-	-	-	2	3	-	4	-	-	-	-	-	-	-	1	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	48	-	-	-	-	-	-	-	12	20	13	3	25	-	-	-	-	-	-	-	3	11	8	3
White	47	-	-	-	-	-	-	-	12	19	13	3	24	-	-	-	-	-	-	-	3	11	7	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	3	-	-	-	-	2	-	-	1	-	-	-	11	-	-	-	-	-	2	1	5	3	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	10	-	-	-	-	-	2	-	5	3	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	152	-	-	-	-	1	-	5	31	54	52	9	119	-	-	-	-	-	2	5	20	44	34	14
White	145	-	-	-	-	-	-	5	29	52	50	9	115	-	-	-	-	-	2	5	18	43	33	14
All other	7	-	-	-	-	1	-	-	2	2	2	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	24	-	-	-	-	1	1	1	5	8	6	-	18	-	-	-	-	-	-	1	3	4	8	2
White	22	-	-	-	-	1	1	1	4	8	7	-	18	-	-	-	-	-	-	1	3	4	8	2
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	-	1	2	3	7	-	-	-	-	-	-	-	-	-	4	3
White	6	-	-	-	-	-	-	-	-	1	2	3	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Chronic liver disease and cirrhosis (571)	84	-	-	-	-	1	10	19	32	13	8	1	41	-	-	-	-	2	4	9	13	9	3	1
White	79	-	-	-	-	-	10	17	30	13	8	1	35	-	-	-	-	2	1	8	13	8	2	1
All other	5	-	-	-	-	1	-	2	2	-	-	-	6	-	-	-	-	-	3	1	-	1	1	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	1	-	1	1	2
White	5	-	-	-	-	-	-	-	-	2	3	-	5	-	-	-	-	-	-	1	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	46	1	-	-	-	1	-	3	6	11	14	10	36	1	-	-	-	-	-	1	4	9	12	9
White	42	-	-	-	-	-	-	3	5	11	13	10	35	1	-	-	-	-	-	1	4	9	11	9
All other	4	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	44	1	-	-	-	1	-	3	6	10	13	10	33	1	-	-	-	-	-	1	4	8	12	7
White	40	-	-	-	-	-	-	3	5	10	12	10	32	1	-	-	-	-	-	1	4	8	11	7
All other	4	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	4	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	26	18	4	1	1	-	1	1	-	-	-	-	15	9	1	-	2	-	2	-	1	-	-	-
White	25	18	3	1	1	-	1	1	-	-	-	-	10	7	-	-	1	-	1	-	1	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	5	2	1	-	1	-	1	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	32	32	-	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	13	12	1	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-778)	26	26	-	-	-	-	-	-	-	-	-	-	11	10	1	-	-	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	8	7	1	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	69	22	-	-	2	3	-	4	4	9	10	13	48	9	-	-	-	1	-	-	2	3	14	19
White	64	20	-	-	2	3	-	4	4	9	9	12	44	8	-	-	-	1	-	-	2	2	14	17
All other	5	2	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	1	-	2
Black	4	2	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	1	-	1
All other diseases (Residual)	271	5	1	-	12	12	19	22	50	63	64	23	184	2	1	1	2	4	8	19	23	37	57	30
White	255	5	1	-	12	10	15	19	47	62	62	22	176	1	1	1	2	3	8	18	22	34	57	29
All other	16	-	-	-	-	2	4	3	3	1	2	1	8	1	-	-	-	1	-	1	1	3	-	1
Black	13	-	-	-	-	2	3	3	2	1	1	1	3	1	-	-	-	-	-	-	-	2	-	-
Accidents and adverse effects (E800-E949)	298	1	8	12	61	64	38	36	23	27	20	8	113	2	4	4	18	19	14	10	6	17	15	4
White	266	1	8	10	55	55	33	33	19	26	18	8	104	2	2	1	18	18	14	9	6	16	14	4
All other	32	-	-	2	6	9	5	3	4	1	2	-	9	-	2	3	-	1	-	1	-	1	1	-
Black	15	-	-	1	3	5	1	2	2	-	1	-	8	-	2	2	-	1	-	1	-	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	149	-	2	3	44	34	22	19	9	9	4	3	65	1	1	3	14	15	8	5	3	12	3	-
White	132	-	2	2	40	29	19	18	7	8	4	3	60	1	-	-	14	14	8	5	3	12	3	-
All other	17	-	-	1	4	5	3	1	2	1	-	-	5	-	1	3	-	1	-	-	-	-	-	-
Black	5	-	-	-	1	2	-	1	1	-	-	-	4	-	1	2	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	149	1	6	9	17	30	16	17	14	18	16	5	48	1	3	1	4	4	6	5	3	5	12	4
White	134	1	6	8	15	26	14	15	12	18	14	5	44	1	2	1	4	4	6	4	3	4	11	4
All other	15	-	-	1	2	4	2	2	2	-	2	-	4	-	1	-	-	-	-	1	-	1	1	-
Black	10	-	-	1	2	3	1	1	1	-	1	-	4	-	1	-	-	-	-	1	-	1	1	-
Suicide (E950-E959)	174	...	...	2	32	39	36	17	20	21	4	2	36	...	...	-	10	6	6	6	8	-	-	-
White	167	...	...	2	28	36	36	17	20	21	4	2	35	...	...	-	10	5	6	6	8	-	-	-
All other	7	...	...	-	4	3	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Black	3	...	...	-	1	2	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	67	-	2	1	12	21	11	8	10	1	1	-	35	-	1	-	7	10	4	5	5	1	2	-
White	51	-	1	1	7	15	9	6	10	1	1	-	29	-	1	-	4	8	3	5	5	1	2	-
All other	16	-	1	-	5	6	2	2	-	-	-	-	6	-	-	-	3	2	1	-	-	-	-	-
Black	15	-	1	-	4	6	2	2	-	-	-	-	5	-	-	-	3	1	1	-	-	-	-	-
All other external causes (E980-E999)	11	-	-	-	1	2	4	-	2	-	2	-	10	-	-	-	1	2	4	2	-	-	1	-
White	11	-	-	-	1	2	4	-	2	-	2	-	9	-	-	-	1	2	3	2	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
NEW HAMPSHIRE																								
All causes	4,276	91	8	21	121	101	163	261	674	1,083	1,163	592	4,205	53	7	8	46	38	82	170	432	801	1,272	1,296
White	4,267	89	8	21	121	101	162	260	674	1,079	1,160	592	4,187	51	7	7	44	38	82	170	429	797	1,271	1,291
All other	11	2	-	-	-	-	1	1	-	4	3	-	18	2	-	1	2	-	-	-	3	4	1	5
Black	9	2	-	-	-	-	-	1	-	4	2	-	8	2	-	-	-	-	-	-	1	2	1	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	33	1	-	-	2	1	1	-	4	3	12	9	24	1	-	-	-	-	-	2	1	5	9	6
White	33	1	-	-	2	1	1	-	4	3	12	9	23	1	-	-	-	-	-	2	1	5	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	1	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	1	-	1	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	-	-	-	-	2	-	-	1	3	4	2	13	-	-	-	2	-	-	-	2	2	3	4
White	12	-	-	-	-	2	-	-	1	3	4	2	13	-	-	-	2	-	-	-	2	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,075	1	1	5	8	12	30	81	207	344	267	119	1,030	-	-	-	1	16	43	83	209	268	269	141
White	1,074	1	1	5	8	12	30	81	207	343	267	119	1,025	-	-	-	1	16	43	83	206	266	269	141
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	3	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	-	-	-	-	1	1	2	6	8	5	1	17	-	-	-	-	1	-	3	3	2	7	1
White	24	-	-	-	-	1	1	2	6	8	5	1	17	-	-	-	-	1	-	3	3	2	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	289	-	-	-	-	2	5	18	51	99	78	36	286	-	-	-	-	-	5	12	33	74	100	62
White	289	-	-	-	-	2	5	18	51	99	78	36	285	-	-	-	-	-	5	12	32	74	100	62
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	338	-	-	-	-	1	8	23	84	129	73	20	194	-	-	-	-	-	7	15	61	65	39	7
White	338	-	-	-	-	1	8	23	84	129	73	20	192	-	-	-	-	-	7	15	61	63	39	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	206	-	-	-	-	4	11	35	48	41	43	24
White	1	-	-	-	-	-	-	-	-	1	-	-	205	-	-	-	-	4	11	35	47	41	43	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	114	-	-	-	2	2	1	3	10	29	41	26	103	-	-	-	-	6	4	7	20	28	24	14
White	113	-	-	-	2	2	1	3	10	28	41	26	103	-	-	-	-	6	4	7	20	28	24	14
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	56	-	-	-	-	1	2	3	9	13	18	10	29	-	-	-	-	-	1	2	9	7	6	4
White	56	-	-	-	-	1	2	3	9	13	18	10	29	-	-	-	-	-	1	2	9	7	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	142	-	1	1	-	3	9	18	26	38	27	19	115	-	-	-	1	4	10	4	19	33	29	15
White	142	-	1	1	-	3	9	18	26	38	27	19	114	-	-	-	1	4	10	4	18	33	29	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	51	1	-	3	5	2	1	3	8	10	12	6	29	-	-	-	-	1	2	2	7	3	11	3
White	51	1	-	3	5	2	1	3	8	10	12	6	29	-	-	-	-	1	2	2	7	3	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	60	-	-	1	1	-	3	11	13	17	13	1	51	-	-	-	-	-	3	3	9	15	10	11
White	60	-	-	1	1	-	3	11	13	17	13	1	51	-	-	-	-	-	3	3	9	15	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	-	-	1	-	1	1	3	2	8	1	17	-	-	-	2	-	-	3	1	2	6	3
White	17	-	-	-	1	-	1	1	3	2	8	1	17	-	-	-	2	-	-	3	1	2	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	70	-	-	-	1	-	4	4	6	15	24	16	126	-	-	-	-	-	1	2	13	25	53	32
White	70	-	-	-	1	-	4	4	6	15	24	16	124	-	-	-	-	-	1	2	13	24	52	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	2	-	1	1	-	2	5	-	-	-	1	-	-	-	-	1	-	3
White	6	-	-	-	-	-	2	-	1	1	-	2	5	-	-	-	1	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	-	1	-	1	-	-	2	3	1	7	-	-	-	-	-	-	-	-	1	3	3
White	7	-	-	-	1	-	1	-	-	2	2	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,855	2	-	3	3	6	53	104	308	501	577	298	2,033	2	-	-	4	2	11	43	121	349	676	825
White	1,849	2	-	3	3	6	52	103	308	498	576	298	2,030	2	-	-	4	2	11	43	121	349	676	822
All other	6	-	-	-	-	-	1	1	-	3	1	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Diseases of heart (390-398,402,404-429)	1,538	2	-	2	2	5	48	97	284	431	450	217	1,503	2	-	-	4	2	7	33	99	279	493	584
White	1,532	2	-	2	2	5	47	96	284	428	449	217	1,500	2	-	-	4	2	7	33	99	279	493	581
All other	6	-	-	-	-	-	1	1	-	3	1	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	-	-	-	1	6	2	1	24	-	-	-	-	-	2	-	3	6	7	6
White	10	-	-	-	-	-	-	-	1	6	2	1	24	-	-	-	-	-	2	-	3	6	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	17	-	-	-	-	-	1	3	3	5	4	1	48	-	-	-	-	-	-	1	3	4	15	25
White	17	-	-	-	-	-	1	3	3	5	4	1	47	-	-	-	-	-	-	1	3	4	15	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	1	-	1	-	-	1	9	-	-	-	-	-	-	-	2	-	4	3
White	3	-	-	-	-	-	1	-	1	-	-	1	9	-	-	-	-	-	-	-	2	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,131	-	-	-	-	4	32	77	222	322	329	145	1,022	-	-	-	2	2	1	23	62	204	343	385
White	1,127	-	-	-	-	4	31	76	222	320	329	145	1,020	-	-	-	2	2	1	23	62	204	343	383
All other	4	-	-	-	-	-	1	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute myocardial infarction (410)	849	-	-	-	-	2	23	56	151	199	168	50	504	-	-	-	2	1	-	18	44	143	181	115
White	847	-	-	-	-	2	22	56	151	198	168	50	504	-	-	-	2	1	-	18	44	143	181	115
All other	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	480	-	-	-	-	2	9	20	71	122	161	95	515	-	-	-	-	1	1	5	18	60	161	269
White	478	-	-	-	-	2	9	19	71	121	161	95	513	-	-	-	-	1	1	5	18	60	161	267
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	28	-	-	-	1	-	1	2	1	8	12	3	27	-	-	-	-	-	-	-	1	3	10	13
White	28	-	-	-	1	-	1	2	1	8	12	3	27	-	-	-	-	-	-	-	1	3	10	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	349	2	-	2	1	1	13	15	56	90	103	66	373	2	-	-	2	-	4	9	28	62	114	152
White	347	2	-	2	1	1	13	15	56	89	102	66	373	2	-	-	2	-	4	9	28	62	114	152
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	11	-	-	-	-	-	-	-	1	1	8	1	24	-	-	-	-	-	-	-	2	4	10	8
White	11	-	-	-	-	-	-	-	1	1	8	1	24	-	-	-	-	-	-	-	2	4	10	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	202	-	-	1	1	1	5	4	13	36	90	51	393	-	-	-	-	-	3	10	16	50	139	175
White	202	-	-	1	1	1	5	4	13	36	90	51	393	-	-	-	-	-	3	10	16	50	139	175
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	40	-	-	1	-	-	1	4	5	4	16	9	51	-	-	-	-	-	2	4	4	5	24	12
White	40	-	-	1	-	-	1	4	5	4	16	9	51	-	-	-	-	-	2	4	4	5	24	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	-	-	-	-	-	-	-	1	5	13	5	55	-	-	-	-	-	-	-	2	4	24	25
White	24	-	-	-	-	-	-	-	1	5	13	5	55	-	-	-	-	-	-	-	2	4	24	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	138	-	-	-	1	1	4	-	7	27	61	37	285	-	-	-	-	-	1	6	10	41	90	137
White	138	-	-	-	1	1	4	-	7	27	61	37	285	-	-	-	-	-	1	6	10	41	90	137
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	45	-	-	-	-	-	-	1	3	8	13	20	62	-	-	-	-	-	1	-	-	5	17	39
White	45	-	-	-	-	-	-	1	3	8	13	20	62	-	-	-	-	-	1	-	-	5	17	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	59	-	-	-	-	-	-	2	7	25	16	9	51	-	-	-	-	-	-	-	4	11	17	19
White	59	-	-	-	-	-	-	2	7	25	16	9	51	-	-	-	-	-	-	-	4	11	17	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	109	-	-	-	1	1	-	2	9	21	38	39	142	1	-	-	1	-	2	4	7	14	38	75
White	109	-	-	-	1	1	-	2	9	21	35	39	142	1	-	-	1	-	2	4	7	14	38	75
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	104	-	-	-	1	1	-	2	9	20	35	36	133	1	-	-	1	-	2	3	7	14	34	71
White	103	-	-	-	1	1	-	2	9	20	34	36	133	1	-	-	1	-	2	3	7	14	34	71
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	-	1	1	3	9	-	-	-	-	-	-	1	-	-	4	4
White	5	-	-	-	-	-	-	-	-	1	1	3	9	-	-	-	-	-	-	1	-	-	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	230	-	-	-	1	-	1	4	34	68	99	23	131	-	-	-	-	-	1	5	20	40	44	21
White	230	-	-	-	1	-	1	4	34	68	99	23	130	-	-	-	-	-	1	5	20	39	44	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	-	-	1	-	2	4	6	1	10	-	-	-	-	-	1	-	2	2	2	3
White	14	-	-	-	-	-	1	-	2	4	6	1	10	-	-	-	-	-	1	-	2	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	45	-	-	-	-	-	-	2	7	14	20	2	28	-	-	-	-	-	-	-	2	12	9	5
White	45	-	-	-	-	-	-	2	7	14	20	2	28	-	-	-	-	-	-	-	2	12	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	8	-	-	-	1	-	-	-	-	5	2	-	12	-	-	-	-	-	-	2	4	2	2	2
White	8	-	-	-	1	-	-	-	-	5	2	-	12	-	-	-	-	-	-	2	4	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	163	-	-	-	-	-	-	2	25	45	71	20	81	-	-	-	-	-	-	3	12	24	31	11
White	163	-	-	-	-	-	-	2	25	45	71	20	80	-	-	-	-	-	-	3	12	23	31	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	19	-	-	-	-	-	-	2	2	4	7	4	8	-	-	-	-	-	-	1	1	-	1	5
White	19	-	-	-	-	-	-	2	2	4	7	4	8	-	-	-	-	-	-	1	1	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	1	-	1	-	-	14	-	-	-	-	-	-	1	-	-	5	8
White	2	-	-	-	-	-	-	1	-	1	-	-	14	-	-	-	-	-	-	1	-	-	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	60	-	-	-	-	-	6	13	18	16	7	-	28	-	-	-	-	1	1	3	7	11	3	2
White	60	-	-	-	-	-	6	13	18	16	7	-	28	-	-	-	-	1	1	3	7	11	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	-	-	-	-	-	1	1	4	1	3	9	-	-	-	-	-	-	-	-	4	2	3
White	10	-	-	-	-	-	-	1	1	4	1	3	9	-	-	-	-	-	-	-	-	4	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	-	-	-	-	1	-	1	4	6	9	8	29	-	-	-	-	-	-	1	2	2	7	17
White	29	-	-	-	-	1	-	1	4	6	9	8	29	-	-	-	-	-	-	1	2	2	7	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	27	-	-	-	-	1	-	-	4	5	9	8	27	-	-	-	-	-	-	1	2	2	6	16
White	27	-	-	-	-	1	-	-	4	5	9	8	27	-	-	-	-	-	-	1	2	2	6	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	39	27	3	-	-	1	1	1	2	1	2	1	17	12	1	1	-	-	-	1	-	1	-	1
White	38	26	3	-	-	1	1	1	2	1	2	1	17	12	1	1	-	-	-	1	-	1	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	43	43	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
White	42	42	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	16	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	32	13	-	-	3	2	1	-	3	2	4	4	26	7	1	-	2	-	-	2	1	1	4	8
White	32	13	-	-	3	2	1	-	3	2	4	4	25	7	1	-	2	-	-	2	1	1	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	268	3	-	4	2	5	8	14	42	62	80	48	342	3	1	2	-	4	7	8	36	55	118	108
White	268	3	-	4	2	5	8	14	42	62	80	48	341	2	1	2	-	4	7	8	36	55	118	108
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	227	-	2	9	70	45	30	17	12	19	15	8	127	1	4	5	20	8	8	4	8	17	26	26
White	227	-	2	9	70	45	30	17	12	19	15	8	125	1	4	4	19	8	8	4	8	17	26	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	122	-	-	5	49	29	13	11	5	6	3	1	54	-	2	4	18	5	6	4	3	5	6	1
White	122	-	-	5	49	29	13	11	5	6	3	1	53	-	2	4	17	5	6	4	3	5	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	105	-	2	4	21	16	17	6	7	13	12	7	73	1	2	1	2	3	2	-	5	12	20	25
White	105	-	2	4	21	16	17	6	7	13	12	7	72	1	2	-	2	3	2	-	5	12	20	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	108	...	...	-	24	20	24	12	13	7	6	2	27	...	...	-	10	3	5	4	2	2	1	-
White	108	...	...	-	24	20	24	12	13	7	6	2	26	...	...	-	9	3	5	4	2	2	1	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	8	-	1	-	1	2	-	3	1	-	-	-	9	-	-	-	2	1	2	3	-	-	1	-
White	8	-	1	-	1	2	-	3	1	-	-	-	9	-	-	-	2	1	2	3	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	8	-	-	-	3	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	8	-	-	-	3	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	36,905	614	98	134	670	1,198	1,555	2,536	6,398	9,868	9,187	4,626	34,223	505	86	85	274	449	728	1,485	3,995	7,208	10,093	9,298
White	32,136	415	62	94	525	818	1,057	1,918	5,484	8,922	8,489	4,341	30,435	308	48	58	209	264	517	1,130	3,376	6,418	9,305	8,788
All other	4,769	199	36	40	145	380	498	618	914	946	698	285	3,788	197	36	27	65	185	211	355	619	790	788	510
Black	4,591	193	36	39	137	367	483	605	884	905	660	272	3,650	193	36	25	60	179	200	344	601	757	763	489
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	44	1	-	-	1	6	8	8	7	3	7	3	18	-	-	-	1	3	1	1	2	3	5	2
White	19	-	-	-	-	2	4	3	3	2	4	1	10	-	-	-	-	-	-	1	1	3	4	1
All other	25	1	-	-	1	4	4	5	4	1	3	2	8	-	-	-	1	3	1	-	1	-	1	1
Black	23	-	-	-	-	4	4	5	4	1	3	2	8	-	-	-	1	3	1	-	1	-	1	1
Tuberculosis of respiratory system (010-012)	35	1	-	-	-	4	6	6	7	3	5	3	14	-	-	-	-	2	1	1	2	3	3	2
White	15	-	-	-	-	2	2	2	3	2	3	1	8	-	-	-	-	-	-	1	1	3	2	1
All other	20	1	-	-	-	2	4	4	4	1	2	2	6	-	-	-	-	2	1	-	1	-	1	1
Black	19	-	-	-	-	2	4	4	4	1	2	2	6	-	-	-	-	2	1	-	1	-	1	1
Other tuberculosis (013-018)	9	-	-	-	1	2	2	2	-	-	2	-	4	-	-	-	1	1	-	-	-	-	2	-
White	4	-	-	-	-	-	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	5	-	-	-	1	2	-	1	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	4	-	-	-	-	2	-	1	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	1	2	-	1	-	1	-	1	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-
White	6	1	2	-	1	-	1	-	1	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	406	8	1	-	1	7	20	17	54	107	126	65	490	7	-	-	2	5	10	15	53	88	141	171
White	332	4	-	-	1	2	8	13	45	90	109	60	416	3	-	-	2	3	6	11	44	71	121	155
All other	74	4	1	-	-	5	12	4	9	17	17	5	74	4	-	-	-	2	4	4	9	15	20	16
Black	73	4	1	-	-	5	12	4	8	17	17	5	72	4	-	-	-	2	4	4	9	15	19	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	18	-	-	-	1	4	-	4	2	4	2	1	19	-	-	-	4	3	2	1	1	3	4	1
White	17	-	-	-	1	4	-	4	2	3	2	1	14	-	-	-	2	3	-	-	1	3	4	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	2	-	2	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	2	-	1	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	215	7	-	1	5	65	60	20	28	14	17	-	111	1	4	1	3	15	16	8	12	19	18	14
White	127	4	-	1	2	32	27	15	18	12	16	-	79	-	4	1	3	6	6	4	7	17	18	13
All other	88	3	-	-	3	33	33	5	8	2	1	-	32	1	-	-	-	9	10	4	5	2	-	1
Black	86	2	-	-	3	32	33	5	8	2	1	-	32	1	-	-	-	9	10	4	5	2	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,954	-	12	21	41	101	269	646	2,076	2,949	2,175	661	8,116	4	6	11	41	85	289	701	1,785	2,342	1,977	873
White	7,910	-	11	16	33	85	213	503	1,782	2,653	1,997	604	7,292	3	6	11	33	59	233	584	1,569	2,140	1,829	823
All other	1,044	-	1	5	8	16	56	143	284	296	178	57	824	1	-	-	8	26	56	117	216	202	148	50
Black	1,002	-	1	5	7	14	52	141	271	290	167	54	790	1	-	-	7	25	49	113	207	196	144	48

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	222	-	-	1	-	1	10	34	60	76	32	8	87	-	-	-	-	3	3	8	18	27	21	7
White	182	-	-	1	-	-	5	21	52	68	30	7	79	-	-	-	-	3	2	6	17	24	20	7
All other	40	-	-	-	-	1	5	13	8	10	2	1	8	-	-	-	-	-	1	2	1	3	1	-
Black	40	-	-	-	-	1	5	13	8	10	2	1	8	-	-	-	-	-	1	2	1	3	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,498	-	1	1	6	17	66	148	560	873	630	196	2,174	1	-	-	2	6	33	111	323	653	678	366
White	2,217	-	1	-	5	13	56	103	481	784	591	183	1,941	1	-	-	-	2	27	91	276	582	621	340
All other	281	-	-	1	1	4	10	45	79	89	39	13	233	-	-	-	2	4	6	20	47	71	57	26
Black	265	-	-	1	1	3	9	44	72	87	36	12	226	-	-	-	2	3	6	19	47	68	56	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,057	-	-	-	-	9	63	260	855	1,059	683	125	1,484	-	-	-	1	4	29	150	428	494	288	70
White	2,682	-	-	-	-	6	43	206	735	943	627	119	1,316	-	-	-	1	2	23	129	366	458	272	65
All other	375	-	-	-	-	3	20	54	120	116	56	6	148	-	-	-	-	2	6	21	62	36	16	5
Black	363	-	-	-	-	3	20	53	118	113	50	6	144	-	-	-	-	2	5	21	61	36	14	5
Malignant neoplasm of breast (174-175)	8	-	-	-	-	1	-	1	3	2	1	-	1,692	-	-	-	-	14	123	216	456	416	323	144
White	7	-	-	-	-	1	-	1	2	2	1	-	1,529	-	-	-	-	10	98	186	413	369	299	134
All other	1	-	-	-	-	-	-	-	1	-	-	-	163	-	-	-	-	4	25	30	43	27	24	10
Black	1	-	-	-	-	-	-	-	1	-	-	-	154	-	-	-	-	4	23	29	40	26	23	9
Malignant neoplasms of genital organs (179-187)	904	-	-	-	4	9	4	16	96	273	354	148	860	-	-	-	8	17	39	97	195	264	170	70
White	760	-	-	-	4	8	4	8	73	235	302	126	753	-	-	-	6	11	31	75	170	238	153	69
All other	144	-	-	-	-	1	-	8	23	38	52	22	107	-	-	-	2	6	8	22	25	26	17	1
Black	142	-	-	-	-	1	-	8	23	37	52	21	103	-	-	-	2	6	6	22	23	26	17	1
Malignant neoplasms of urinary organs (188-189)	472	-	-	-	-	2	13	30	89	153	126	59	229	1	-	-	-	3	3	12	29	61	79	41
White	445	-	-	-	-	2	11	27	85	143	123	54	215	-	-	-	-	1	3	11	26	56	78	40
All other	27	-	-	-	-	-	2	3	4	10	3	5	14	1	-	-	-	2	-	1	3	5	1	1
Black	26	-	-	-	-	-	1	3	4	10	3	5	14	1	-	-	-	2	-	1	3	5	1	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,044	-	6	4	12	29	67	99	257	306	192	72	909	1	3	6	12	19	32	70	208	230	230	98
White	929	-	5	2	10	27	54	82	224	283	179	63	818	1	3	6	12	18	28	53	185	214	205	93
All other	115	-	1	2	2	2	13	17	33	23	13	9	91	-	-	-	-	1	4	17	23	16	25	5
Black	108	-	1	2	2	2	11	17	31	23	11	8	85	-	-	-	-	1	2	15	22	15	25	5
Leukemia (204-208)	305	-	5	14	8	12	18	15	53	84	68	28	261	1	3	5	8	7	8	14	42	66	68	39
White	289	-	5	12	8	12	18	14	50	81	63	28	240	1	3	5	6	3	6	11	39	60	67	39
All other	16	-	-	2	2	-	-	1	3	3	5	-	21	-	-	-	2	4	2	3	3	6	1	-
Black	14	-	-	2	1	-	-	1	2	3	5	-	20	-	-	-	2	4	2	3	2	6	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	444	-	-	1	11	21	28	43	103	123	89	25	440	-	-	-	10	12	19	23	86	131	120	38
White	399	-	-	1	8	16	22	41	90	116	81	24	401	-	-	-	8	9	15	22	77	119	114	36
All other	45	-	-	-	3	5	6	2	13	7	8	1	39	-	-	-	2	3	4	1	9	12	6	2
Black	43	-	-	-	3	4	6	2	12	7	8	1	36	-	-	-	1	3	4	1	8	11	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	119	-	3	-	1	3	2	19	19	35	25	12	156	2	-	-	-	4	6	4	20	42	51	27
White	108	-	2	-	1	3	2	17	17	30	24	12	137	2	-	-	-	4	6	1	19	35	46	24
All other	11	-	1	-	-	-	-	2	2	5	1	-	19	-	-	-	-	-	-	3	1	7	5	3
Black	10	-	1	-	-	-	-	2	2	4	1	-	16	-	-	-	-	-	-	3	1	5	4	3
Diabetes mellitus (250)	606	-	2	-	-	6	23	54	114	193	162	52	821	-	1	1	3	6	17	35	113	208	265	172
White	518	-	2	-	-	5	16	42	95	169	144	45	673	-	1	1	2	4	12	23	82	166	229	153
All other	88	-	-	-	-	1	7	12	19	24	18	7	148	-	-	-	1	2	5	12	31	42	36	19
Black	82	-	-	-	-	1	6	11	19	22	17	6	143	-	-	-	1	2	5	12	28	41	35	19
Nutritional deficiencies (260-269)	32	1	-	-	-	-	-	1	5	5	8	12	50	2	-	-	-	-	-	1	1	3	17	26
White	28	1	-	-	-	-	-	1	4	5	7	10	45	1	-	-	-	-	-	1	1	2	15	25
All other	4	-	-	-	-	-	-	-	1	-	1	2	5	1	-	-	-	-	-	-	-	1	2	1
Black	4	-	-	-	-	-	-	-	1	-	1	2	5	1	-	-	-	-	-	-	-	1	2	1
Anemias (280-285)	56	1	1	3	-	1	1	4	6	7	19	13	75	1	2	-	1	3	2	6	2	12	26	20
White	45	1	-	2	-	-	-	2	4	7	18	11	59	1	-	-	1	-	1	3	2	10	24	17
All other	11	-	1	1	-	1	1	2	2	-	1	2	16	-	2	-	-	3	1	3	-	2	2	3
Black	11	-	1	1	-	1	1	2	2	-	1	2	15	-	2	-	-	3	1	3	-	2	2	2
Meningitis (320-322)	21	3	1	-	1	5	1	2	2	4	2	-	21	3	1	-	-	1	1	3	2	2	4	4
White	11	1	-	-	1	2	-	1	1	3	2	-	13	-	1	-	-	-	1	1	2	2	3	3
All other	10	2	1	-	-	3	1	1	1	1	-	-	8	3	-	-	-	1	-	2	-	-	1	1
Black	10	2	1	-	-	3	1	1	1	1	-	-	8	3	-	-	-	1	-	2	-	-	1	1
Major cardiovascular diseases (390-448)	18,882	11	7	5	18	99	369	1,054	2,919	4,839	4,788	2,743	17,189	11	6	6	23	46	121	371	1,278	3,257	5,780	6,280
White	15,243	5	4	4	13	71	277	814	2,561	4,425	4,462	2,602	15,622	9	1	4	17	29	80	253	1,050	2,875	5,353	5,942
All other	1,619	6	3	1	5	28	92	240	358	414	326	141	1,567	2	5	2	6	17	41	118	228	382	427	338
Black	1,549	6	3	1	5	27	89	234	347	392	306	134	1,522	2	5	2	6	17	41	115	225	365	416	327

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	14,203	9	6	4	16	80	309	935	2,538	4,113	3,957	2,227	13,680	9	8	5	13	23	82	284	1,046	2,674	4,542	4,989
White	12,909	4	3	3	12	57	245	734	2,239	3,787	3,706	2,115	12,505	7	1	3	10	15	55	195	871	2,367	4,232	4,743
All other	1,294	5	3	1	4	23	64	201	299	326	251	112	1,175	2	5	2	3	8	27	89	175	307	310	246
Black	1,251	5	3	1	4	22	63	196	291	316	238	107	1,139	2	5	2	3	8	27	87	173	293	300	236
Rheumatic fever and rheumatic heart disease (390-398)	93	-	-	-	3	3	6	12	19	25	20	5	217	-	-	1	-	2	5	17	44	71	57	20
White	81	-	-	-	3	1	5	9	14	24	20	5	204	-	-	1	-	1	2	15	41	69	55	20
All other	12	-	-	-	-	2	1	3	5	1	-	-	13	-	-	-	-	1	3	2	3	2	2	-
Black	11	-	-	-	-	2	1	3	4	1	-	-	13	-	-	-	-	1	3	2	3	2	2	-
Hypertensive heart disease (402)	350	-	-	-	-	3	9	41	79	101	80	37	409	-	-	-	1	1	4	14	42	83	140	124
White	260	-	-	-	-	2	5	14	53	87	68	31	336	-	-	-	-	1	1	5	31	66	121	111
All other	90	-	-	-	-	1	4	27	26	14	12	6	73	-	-	-	1	-	3	9	11	17	19	13
Black	90	-	-	-	-	1	4	27	26	14	12	6	72	-	-	-	1	-	3	9	11	17	18	13
Hypertensive heart and renal disease (404)	51	-	-	-	-	-	2	3	3	15	15	13	56	-	-	-	1	-	-	-	4	11	22	18
White	43	-	-	-	-	-	-	-	3	15	12	13	46	-	-	-	1	-	-	-	2	10	19	14
All other	8	-	-	-	-	-	2	3	-	-	3	-	10	-	-	-	-	-	-	-	2	1	3	4
Black	8	-	-	-	-	-	2	3	-	-	3	-	10	-	-	-	-	-	-	-	2	1	3	4
Ischemic heart disease (410-414)	10,929	-	1	1	3	34	211	713	2,040	3,245	3,025	1,649	9,914	-	-	-	1	5	42	166	716	1,962	3,347	3,669
White	10,152	-	1	1	2	30	188	593	1,852	3,035	2,868	1,578	9,173	-	-	-	1	5	32	124	619	1,759	3,132	3,498
All other	777	-	-	-	1	4	23	120	188	210	157	71	741	-	-	-	-	-	10	42	97	203	215	173
Black	742	-	-	-	1	4	22	115	181	203	146	67	712	-	-	-	-	-	10	40	95	191	208	167
Acute myocardial infarction (410)	5,762	-	-	-	2	20	127	414	1,248	1,827	1,539	584	4,402	-	-	-	1	4	22	100	449	1,171	1,547	1,105
White	5,379	-	-	-	1	18	114	360	1,145	1,718	1,462	560	4,066	-	-	-	1	4	16	76	395	1,062	1,447	1,062
All other	383	-	-	-	1	2	13	54	103	109	77	24	336	-	-	-	-	-	6	24	54	109	100	43
Black	363	-	-	-	1	2	12	51	100	105	70	22	323	-	-	-	-	-	6	23	53	103	97	41
Other acute and subacute forms of ischemic heart disease (411)	90	-	-	-	-	-	4	16	22	28	11	9	60	-	-	-	-	-	1	6	10	13	16	14
White	76	-	-	-	-	-	3	13	20	25	9	6	46	-	-	-	-	-	-	4	5	10	14	13
All other	14	-	-	-	-	-	1	3	2	3	2	3	14	-	-	-	-	-	1	2	5	3	2	1
Black	13	-	-	-	-	-	1	3	2	3	2	2	13	-	-	-	-	-	1	2	4	3	2	1
Angina pectoris (413)	20	-	-	-	-	-	-	2	6	7	3	2	20	-	-	-	-	-	-	-	1	2	12	5
White	18	-	-	-	-	-	-	1	6	6	3	2	20	-	-	-	-	-	-	-	1	2	12	5
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,057	-	1	1	1	14	80	281	764	1,383	1,472	1,054	5,432	-	-	-	-	1	19	60	256	776	1,772	2,545
White	4,679	-	1	1	1	12	71	219	681	1,288	1,394	1,010	5,041	-	-	-	-	1	16	44	218	685	1,659	2,416
All other	378	-	-	-	-	2	9	62	83	97	78	44	391	-	-	-	-	-	3	16	38	91	113	129
Black	364	-	-	-	-	2	9	60	79	94	74	43	376	-	-	-	-	-	3	15	38	85	109	125
Other diseases of endocardium (424)	166	-	-	-	-	7	5	12	29	48	52	27	206	-	-	-	-	2	3	6	18	38	79	60
White	168	-	-	-	-	5	5	10	25	46	48	27	193	-	-	-	-	1	1	5	16	35	77	58
All other	14	-	-	-	-	2	-	2	4	2	4	-	13	-	-	-	-	1	2	1	2	3	2	2
Black	13	-	-	-	-	1	-	2	4	2	4	-	13	-	-	-	-	1	2	1	2	3	2	2
All other forms of heart disease (415-423,425-429)	2,600	9	5	3	10	33	76	154	368	679	765	496	2,878	9	6	4	10	13	26	81	222	509	897	1,096
White	2,207	4	2	2	7	19	42	108	292	580	690	461	2,553	7	1	2	8	7	19	46	162	428	828	1,044
All other	393	5	3	1	3	14	34	46	76	99	75	35	325	2	5	2	2	6	9	35	60	81	69	54
Black	387	5	3	1	3	14	34	46	76	96	73	34	319	2	5	2	2	6	9	35	60	79	67	52
Hypertension with or without renal disease (401,403)	91	-	-	-	-	-	6	3	16	34	24	8	128	-	-	-	-	1	1	3	17	22	41	42
White	69	-	-	-	-	-	-	1	10	29	21	8	103	-	-	-	-	-	1	1	11	19	32	38
All other	22	-	-	-	-	-	6	2	6	5	3	-	25	-	-	-	-	1	-	2	6	3	9	4
Black	21	-	-	-	-	-	5	2	6	5	3	-	25	-	-	-	-	1	-	2	6	3	9	4
Cerebrovascular diseases (430-438)	1,823	2	1	1	1	18	48	94	245	470	572	370	2,709	2	-	-	9	19	34	72	196	437	973	966
White	1,572	1	1	1	1	13	30	62	201	404	511	346	2,396	2	-	-	6	13	21	47	153	380	878	895
All other	251	1	-	-	-	5	18	32	44	66	61	24	313	-	-	-	3	6	13	25	43	57	95	71
Black	229	1	-	-	-	5	17	31	42	57	54	22	305	-	-	-	3	6	13	24	42	54	94	69
Intracerebral and other intracranial hemorrhage (431-432)	355	1	-	1	1	7	24	32	73	103	81	32	383	-	-	-	5	7	12	24	53	81	134	67
White	291	-	-	1	1	6	12	24	62	88	68	29	321	-	-	-	4	4	5	14	40	73	122	59
All other	64	1	-	-	-	1	12	8	11	15	13	3	62	-	-	-	1	3	7	10	13	8	12	8
Black	58	1	-	-	-	1	12	8	11	11	11	3	59	-	-	-	1	3	7	10	12	6	12	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	354	-	-	-	-	-	2	11	44	103	120	74	511	-	-	-	-	1	-	4	25	93	188	199
White	304	-	-	-	-	-	1	6	37	85	105	70	468	-	-	-	-	1	-	3	22	84	167	188
All other	50	-	-	-	-	-	1	5	7	18	15	4	45	-	-	-	-	-	-	1	3	9	21	11
Black	46	-	-	-	-	-	1	5	7	16	14	3	44	-	-	-	-	-	-	1	3	8	21	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	14	-	-	-	-	1	-	-	2	2	8	1	23	-	-	-	-	-	-	-	1	7	9	6
White	14	-	-	-	-	1	-	-	2	2	8	1	23	-	-	-	-	-	-	-	1	7	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,100	1	1	-	-	10	22	51	128	262	363	263	1,792	2	-	-	4	11	22	44	117	256	642	694
White	963	1	1	-	-	6	17	32	100	229	330	246	1,586	2	-	-	2	8	16	30	90	216	580	642
All other	137	-	-	-	-	4	5	19	26	33	33	17	206	-	-	-	2	3	6	14	27	40	62	52
Black	125	-	-	-	-	4	4	18	24	30	29	16	202	-	-	-	2	3	6	13	27	40	61	50
Atherosclerosis (440)	283	-	-	-	-	-	-	6	38	64	93	84	399	-	-	-	-	-	-	2	9	45	131	211
White	264	-	-	-	-	-	-	5	32	58	88	81	373	-	-	-	-	-	-	2	8	37	126	199
All other	19	-	-	-	-	-	-	1	4	6	5	3	26	-	-	-	-	-	-	-	1	8	5	12
Black	18	-	-	-	-	-	-	1	3	6	5	3	26	-	-	-	-	-	-	-	1	8	5	12
Other diseases of arteries, arterioles, and capillaries (441-448)	462	-	-	-	1	1	6	46	84	158	142	54	273	-	-	1	1	3	4	10	10	79	93	72
White	429	-	-	-	-	1	2	12	79	147	136	52	245	-	-	1	1	1	3	8	7	72	85	67
All other	33	-	-	-	1	-	4	4	5	11	6	2	28	-	-	-	-	2	1	2	3	7	8	5
Black	30	-	-	-	1	-	4	4	5	8	6	2	27	-	-	-	-	2	1	2	3	7	8	4
Acute bronchitis and bronchiolitis (466)	12	-	-	-	-	-	1	1	-	3	3	4	9	-	-	-	-	-	1	-	2	-	1	5
White	10	-	-	-	-	-	1	-	-	3	2	4	9	-	-	-	-	-	1	-	2	-	1	5
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,147	11	1	4	8	24	50	50	105	230	347	316	967	5	4	2	4	12	18	20	52	114	282	454
White	974	6	-	2	8	13	19	29	80	202	321	294	872	2	2	2	2	6	7	15	37	97	262	440
All other	173	5	1	2	-	11	31	21	25	28	26	22	95	3	2	-	2	6	11	5	15	17	20	14
Black	169	5	1	2	-	10	31	21	25	27	26	20	92	3	2	-	2	6	11	5	14	16	20	13
Pneumonia (480-486)	1,131	11	1	4	8	24	50	50	105	225	340	312	944	5	4	2	4	12	18	20	51	112	276	440
White	959	6	-	2	8	13	19	29	80	197	315	290	849	2	2	2	2	6	7	15	36	95	256	426
All other	172	5	1	2	-	11	31	21	25	28	25	22	95	3	2	-	2	6	11	5	15	17	20	14
Black	168	5	1	2	-	10	31	21	25	27	25	20	92	3	2	-	2	6	11	5	14	16	20	13
Influenza (487)	16	-	-	-	-	-	-	-	-	5	7	4	23	-	-	-	-	-	-	-	1	2	6	14
White	15	-	-	-	-	-	-	-	-	5	6	4	23	-	-	-	-	-	-	-	1	2	6	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,272	-	-	4	3	1	11	23	164	411	463	192	924	-	-	2	-	3	5	30	140	279	326	139
White	1,152	-	-	3	1	1	6	15	137	372	436	181	863	-	-	-	-	3	4	24	127	258	315	132
All other	120	-	-	1	2	-	5	8	27	39	27	11	61	-	-	2	-	-	1	6	13	21	11	7
Black	112	-	-	1	2	-	5	8	26	35	24	11	61	-	-	2	-	-	1	6	13	21	11	7
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	-	-	1	-	6	11	17	10	51	-	-	-	-	-	-	4	9	14	15	9
White	41	-	-	-	-	-	1	-	5	9	17	9	47	-	-	-	-	-	-	2	8	13	15	9
All other	4	-	-	-	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	2	1	1	-	-
Black	4	-	-	-	-	-	-	-	1	2	-	1	4	-	-	-	-	-	-	2	1	1	-	-
Emphysema (492)	274	-	-	-	-	1	2	3	35	98	101	34	168	-	-	-	-	-	-	5	31	60	56	16
White	256	-	-	-	-	1	1	3	33	90	97	31	161	-	-	-	-	-	-	5	29	58	53	16
All other	18	-	-	-	-	-	1	-	2	8	4	3	7	-	-	-	-	-	-	-	2	2	3	-
Black	15	-	-	-	-	-	1	-	2	6	3	3	7	-	-	-	-	-	-	-	2	2	3	-
Asthma (493)	26	-	-	3	3	-	4	3	6	2	5	-	60	-	-	2	-	3	4	6	18	8	17	2
White	13	-	-	2	1	-	1	1	3	-	5	-	44	-	-	-	-	3	3	3	12	6	15	2
All other	13	-	-	1	2	-	3	2	3	2	-	-	16	-	-	2	-	-	1	3	6	2	2	-
Black	13	-	-	1	2	-	3	2	3	2	-	-	16	-	-	2	-	-	1	3	6	2	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	927	-	-	1	-	-	4	17	117	300	340	148	645	-	-	-	-	-	1	15	82	197	238	112
White	842	-	-	1	-	-	3	11	96	273	317	141	611	-	-	-	-	-	1	14	78	181	232	105
All other	85	-	-	-	-	-	1	6	21	27	23	7	34	-	-	-	-	-	-	1	4	16	6	7
Black	80	-	-	-	-	-	1	6	20	25	21	7	34	-	-	-	-	-	-	1	4	16	6	7
Ulcer of stomach and duodenum (531-533)	100	-	-	-	-	-	3	12	16	26	24	19	104	-	-	-	-	-	1	3	9	20	43	28
White	90	-	-	-	-	-	2	9	14	24	24	17	98	-	-	-	-	-	-	3	9	18	41	27
All other	10	-	-	-	-	-	1	3	2	2	-	2	6	-	-	-	-	-	1	-	-	2	2	1
Black	10	-	-	-	-	-	1	3	2	2	-	2	5	-	-	-	-	-	1	-	-	2	2	-
Appendicitis (540-543)	9	-	1	-	-	-	-	1	2	1	1	3	8	-	-	-	-	-	-	1	1	4	1	1
White	7	-	-	-	-	-	-	1	1	1	1	3	6	-	-	-	-	-	-	-	-	4	1	1
All other	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	62	3	1	-	-	2	1	4	9	11	23	8	105	-	-	1	-	-	-	2	6	19	36	41
White	55	3	-	-	-	2	1	3	7	10	21	8	96	-	-	-	-	-	-	2	6	14	34	40
All other	7	-	1	-	-	-	-	1	2	1	2	-	9	-	-	1	-	-	-	-	-	5	2	1
Black	7	-	1	-	-	-	-	1	2	1	2	-	9	-	-	1	-	-	-	-	-	5	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Chronic liver disease and cirrhosis (571)	761	-	-	-	4	47	113	131	211	173	71	9	390	-	-	-	2	28	36	64	109	87	54	10
White	632	-	-	-	4	30	72	102	180	165	69	9	319	-	-	-	1	14	23	43	97	80	51	10
All other	129	-	-	-	-	17	41	29	31	8	2	-	71	-	-	-	1	14	13	21	12	7	3	-
Black	127	-	-	-	-	17	41	28	30	8	2	-	69	-	-	-	1	14	13	20	12	6	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	2	1	1	11	11	6	54	-	-	-	-	-	-	1	4	15	20	14
White	31	-	-	-	-	-	2	1	1	11	10	6	48	-	-	-	-	-	-	-	3	12	19	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	1	1	3	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	1	2	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	377	8	1	-	2	9	12	19	52	97	110	67	392	5	-	-	-	8	10	16	32	80	116	125
White	298	5	-	-	2	4	3	12	36	85	91	60	315	3	-	-	-	4	6	10	23	64	93	112
All other	79	3	1	-	-	5	9	7	16	12	19	7	77	2	-	-	-	4	4	6	9	16	23	13
Black	78	3	1	-	-	5	9	7	16	12	18	7	74	2	-	-	-	4	4	6	9	15	21	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	1	-	-	-	-	10	-	-	-	-	-	-	-	-	4	4	2
White	1	-	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	-	-	-	3	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	40	-	-	-	1	3	2	1	4	9	7	13	34	-	-	-	-	2	-	-	4	5	11	12
White	32	-	-	-	1	1	-	-	2	9	6	13	29	-	-	-	-	1	-	-	3	5	9	11
All other	8	-	-	-	-	2	2	1	2	-	1	-	5	-	-	-	-	1	-	-	1	-	2	1
Black	8	-	-	-	-	2	2	1	2	-	1	-	5	-	-	-	-	1	-	-	1	-	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	336	8	1	-	1	6	10	17	48	68	103	54	348	5	-	-	-	6	10	16	28	71	101	111
White	265	5	-	-	1	3	3	11	34	76	85	47	277	3	-	-	-	3	6	10	20	56	80	99
All other	71	3	1	-	-	3	7	6	14	12	18	7	71	2	-	-	-	3	4	6	8	15	21	12
Black	70	3	1	-	-	3	7	6	14	12	17	7	69	2	-	-	-	3	4	6	8	14	19	12
Infections of kidney (590)	14	-	-	-	-	-	1	-	-	3	7	3	28	-	-	-	-	-	-	-	3	5	8	12
White	12	-	-	-	-	-	-	-	-	3	6	3	27	-	-	-	-	-	-	-	3	5	7	12
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	14	-	-	-	-	-	-	-	-	-	9	5	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	-	-	9	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	4	-	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	-	1	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	4	-	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	-	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	-	1	...	...	...	...
Congenital anomalies (740-759)	187	129	5	4	12	10	9	4	8	3	2	1	183	108	17	5	5	2	7	4	6	15	9	3
White	154	108	4	3	10	7	7	2	8	2	2	1	144	84	11	5	3	1	6	3	5	12	9	3
All other	33	21	1	1	2	3	2	2	-	1	-	-	39	24	6	-	2	1	1	1	1	3	-	-
Black	32	21	1	1	2	3	1	2	-	1	-	-	38	24	6	-	2	1	1	1	1	2	-	-
Certain conditions originating in the perinatal period (760-779)	321	316	4	-	1	-	-	-	-	-	-	-	263	263	-	-	-	-	-	-	-	-	-	-
White	209	207	1	-	1	-	-	-	-	-	-	-	157	157	-	-	-	-	-	-	-	-	-	-
All other	112	109	3	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Black	109	106	3	-	-	-	-	-	-	-	-	-	105	105	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	103	102	-	-	1	-	-	-	-	-	-	-	73	73	-	-	-	-	-	-	-	-	-	-
White	73	72	-	-	1	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
All other	30	30	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
Black	30	30	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	218	214	4	-	-	-	-	-	-	-	-	-	190	190	-	-	-	-	-	-	-	-	-	-
White	136	135	1	-	-	-	-	-	-	-	-	-	119	119	-	-	-	-	-	-	-	-	-	-
All other	82	79	3	-	-	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
Black	79	76	3	-	-	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	439	62	5	2	33	105	70	33	38	26	26	18	259	52	3	-	13	40	16	22	25	28	25	35
White	339	49	2	2	29	78	52	28	34	23	23	18	187	19	1	-	9	24	12	17	22	26	22	35
All other	100	33	3	-	4	27	18	5	4	3	3	-	72	33	2	-	4	16	4	5	3	2	3	-
Black	98	32	3	-	4	26	18	5	4	3	3	-	68	31	1	-	4	16	4	4	3	2	3	-
All other diseases (Residual)	2,506	26	13	15	45	228	229	185	341	521	584	318	2,430	26	16	13	24	65	75	108	236	432	724	712
White	1,979	17	7	13	35	125	121	116	269	451	529	296	2,116	15	9	8	18	30	44	77	186	389	650	679
All other	527	9	6	2	10	103	108	69	72	70	55	22	314	11	7	5	6	35	31	29	50	43	64	33
Black	519	9	6	2	10	101	107	68	72	66	55	22	303	10	7	5	5	35	31	29	49	42	60	30
Accidents and adverse effects (E800-E949)	1,495	3	33	62	328	269	163	143	135	131	139	87	771	6	22	32	103	64	50	45	73	110	145	121
White	1,234	2	25	41	276	220	125	114	101	118	129	82	627	3	10	19	88	43	35	34	56	94	132	113
All other	261	1	8	21	52	49	38	29	34	13	10	5	144	3	12	13	15	21	15	11	17	16	13	8
Black	245	1	8	20	47	46	36	28	31	12	10	5	132	3	11	12	14	20	12	10	16	15	12	7
Motor vehicle accidents (E810-E825)	691	-	8	29	215	141	77	63	60	44	41	13	324	1	6	16	88	39	34	24	33	45	26	12
White	601	-	8	21	188	123	65	56	47	41	39	13	270	-	3	13	78	30	26	20	26	38	24	12
All other	90	-	-	8	27	18	12	7	13	3	2	-	54	1	3	3	10	9	8	4	7	7	2	-
Black	80	-	-	8	24	16	11	6	11	2	2	-	47	1	2	3	9	8	7	3	6	6	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	804	3	25	33	113	128	86	80	75	87	98	74	447	5	16	16	15	25	16	21	40	65	119	109
White	633	2	17	20	88	97	60	58	54	77	90	69	357	3	7	6	10	13	9	14	30	56	108	101
All other	171	1	8	13	25	31	26	22	21	10	8	5	90	2	9	10	5	12	7	7	10	9	11	8
Black	165	1	8	12	23	30	25	22	20	10	8	5	85	2	9	9	5	12	5	7	10	9	10	7
Suicide (E950-E959)	476	...	...	7	79	110	70	60	61	51	31	7	124	...	...	1	20	19	25	13	16	17	8	5
White	416	...	...	5	64	92	60	56	58	46	28	7	114	...	...	1	19	15	24	13	13	17	7	5
All other	60	...	...	2	15	18	10	4	3	5	3	-	10	...	...	-	1	4	1	-	3	-	1	-
Black	55	...	...	2	15	16	8	4	3	5	2	-	6	...	...	-	-	1	1	-	3	-	1	-
Homicide and legal intervention (E960-E978)	299	3	4	6	76	63	57	37	21	9	3	-	119	4	3	9	23	30	16	10	10	6	4	2
White	132	1	1	1	34	30	32	12	13	6	2	-	56	3	1	5	7	11	7	7	7	4	2	2
All other	167	2	3	4	42	53	25	25	8	3	1	-	63	1	2	4	16	19	9	3	3	2	2	-
Black	164	2	3	4	41	53	24	24	8	3	1	-	60	1	2	3	15	18	9	3	3	2	2	-
All other external causes (E980-E999)	40	-	1	1	9	11	8	3	3	1	2	1	11	-	-	-	2	3	3	-	2	-	1	-
White	32	-	1	1	8	9	5	3	2	1	1	1	11	-	-	-	2	3	3	-	2	-	1	-
All other	8	-	-	-	1	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MEXICO																								
All causes	5,562	180	49	63	276	318	257	388	776	1,328	1,266	656	4,201	115	22	36	89	98	139	214	499	859	1,165	963
White	5,047	146	35	55	213	250	215	345	708	1,255	1,205	613	3,904	97	17	32	74	82	112	184	457	803	1,109	935
All other	515	34	14	8	63	68	42	41	68	73	61	43	297	18	5	4	15	16	27	30	42	56	56	28
Black	114	7	2	1	3	11	7	6	24	22	21	10	73	3	-	2	1	3	2	7	12	18	16	9
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	9	1	-	-	-	-	-	-	-	3	4	1	5	-	-	-	-	-	-	1	-	2	1	1
White	7	1	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-	-	-	-	2	1	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	7	-	-	-	-	-	-	-	-	3	3	1	5	-	-	-	-	-	-	1	-	2	1	1
White	6	-	-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	35	2	-	1	-	2	1	3	5	10	8	3	28	-	-	1	-	-	1	1	8	4	6	7
White	27	1	-	1	-	1	1	2	4	7	7	3	25	-	-	1	-	-	-	1	7	4	5	7
All other	8	1	-	-	-	1	-	1	1	3	1	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	16	-	1	-	-	1	1	5	4	-	1	3	18	-	-	-	-	2	-	1	6	5	2	2
White	14	-	1	-	-	1	-	5	4	-	-	3	17	-	-	-	-	2	-	1	6	4	2	2
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,020	-	-	13	10	18	32	67	220	343	238	79	891	-	1	5	5	18	43	61	191	245	212	90
White	956	-	-	10	8	18	31	62	206	320	228	73	641	-	1	5	4	17	39	71	177	236	202	69
All other	64	-	-	3	2	-	1	5	14	23	10	6	50	-	-	-	1	1	4	10	14	9	10	1
Black	20	-	-	-	1	-	-	-	5	6	6	2	12	-	-	-	-	-	-	4	3	2	3	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	-	-	-	-	-	-	2	8	6	2	1	6	-	-	-	-	-	-	1	2	1	-	2
White	19	-	-	-	-	-	-	2	8	6	2	1	6	-	-	-	-	-	-	1	2	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	243	-	-	1	1	3	10	18	49	82	63	16	245	-	-	-	-	6	5	16	47	59	74	38
White	230	-	-	1	1	3	10	17	46	74	62	16	228	-	-	-	-	5	4	13	41	55	73	37
All other	13	-	-	-	-	-	-	1	3	8	1	-	17	-	-	-	-	1	1	3	6	4	1	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	2	-	2	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	316	-	-	-	1	-	5	27	92	116	67	8	151	-	-	-	-	-	6	14	33	62	27	9
White	300	-	-	-	1	-	5	24	85	113	64	8	145	-	-	-	-	-	6	12	32	60	26	9
All other	16	-	-	-	-	-	-	3	7	3	3	-	6	-	-	-	-	-	-	2	1	2	1	-
Black	6	-	-	-	-	-	-	-	3	1	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	1	-	173	-	-	-	-	5	15	23	45	48	28	9
White	2	-	-	-	-	-	-	-	1	-	1	-	165	-	-	-	-	5	15	22	40	48	26	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	1	5	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasms of genital organs (179-187)	133	-	-	-	-	1	1	1	15	42	39	34	78	-	-	-	1	2	4	12	19	19	17	4
White	119	-	-	-	-	1	1	1	14	38	36	28	73	-	-	-	-	2	3	10	18	19	17	4
All other	14	-	-	-	-	-	-	-	1	4	3	6	5	-	-	-	1	-	1	2	1	-	-	-
Black	8	-	-	-	-	-	-	-	1	3	2	2	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	48	-	-	-	-	-	3	2	10	17	12	4	26	-	1	-	-	1	-	-	6	6	9	3
White	45	-	-	-	-	-	3	2	9	15	12	4	25	-	1	-	-	1	-	-	6	6	8	3
All other	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	146	-	-	2	4	9	6	9	33	42	32	9	119	-	-	3	2	1	10	11	23	28	29	12
White	135	-	-	2	2	9	6	9	31	37	30	9	107	-	-	3	2	1	8	9	22	26	24	12
All other	11	-	-	-	2	-	-	-	2	5	2	-	12	-	-	-	-	-	2	2	1	2	5	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Leukemia (204-208)	59	-	-	7	2	3	2	3	6	20	12	4	39	-	-	2	1	3	1	3	4	9	9	7
White	53	-	-	4	2	3	1	2	6	19	12	4	39	-	-	2	1	3	1	3	4	9	9	7
All other	6	-	-	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	54	-	-	3	2	2	5	5	6	18	10	3	54	-	-	-	1	-	2	1	12	13	19	6
White	53	-	-	3	2	2	5	5	6	18	9	3	53	-	-	-	1	-	2	1	12	12	19	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	1	-	-	-	-	-	2	2	3	2	16	-	-	-	-	-	1	-	-	5	5	5
White	10	-	1	-	-	-	-	-	2	2	3	2	16	-	-	-	-	-	1	-	-	5	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	97	-	-	-	1	-	4	10	21	29	23	9	130	-	-	-	2	1	2	6	27	37	39	16
White	84	-	-	-	1	-	4	4	19	27	21	8	109	-	-	-	2	-	2	4	21	33	35	12
All other	13	-	-	-	-	-	-	6	2	2	2	1	21	-	-	-	-	1	-	2	6	4	4	4
Black	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	1	2	2	2
Nutritional deficiencies (260-269)	11	-	1	-	-	-	-	-	1	1	2	6	21	-	-	-	-	-	-	-	2	2	7	10
White	10	-	1	-	-	-	-	-	1	1	2	5	19	-	-	-	-	-	-	-	2	2	5	10
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	1	-	2	-	-	-	-	-	2	2	1	7	-	-	-	-	-	-	-	1	2	2	2
White	7	1	-	1	-	-	-	-	-	2	2	1	7	-	-	-	-	-	-	-	1	2	2	2
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	9	4	1	-	-	1	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	6	3	-	-	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,951	1	1	1	5	18	36	130	279	568	593	318	1,660	3	2	3	7	5	16	46	143	327	560	548
White	1,852	1	1	-	5	13	31	120	257	545	571	307	1,582	3	2	3	6	5	13	40	135	299	539	537
All other	99	-	-	1	-	5	5	10	22	23	22	11	78	-	-	-	1	-	3	6	8	28	21	11
Black	41	-	-	-	-	3	1	3	11	9	8	6	33	-	-	-	-	-	1	3	5	11	9	4
Diseases of heart (390-398,402,404-429)	1,594	1	1	1	5	13	31	120	248	470	470	233	1,204	3	1	2	5	4	10	34	110	249	393	393
White	1,515	1	1	-	5	10	26	112	228	455	451	225	1,147	3	1	2	4	4	8	29	103	228	381	384
All other	79	-	-	1	-	3	5	8	20	15	19	8	57	-	-	-	1	-	2	5	7	21	12	9
Black	33	-	-	-	-	1	1	2	9	7	8	5	23	-	-	-	-	-	1	3	5	7	5	2
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	1	-	1	3	3	2	3	-	19	-	-	-	1	-	-	2	8	3	4	1
White	12	-	-	-	1	-	1	3	3	1	3	-	18	-	-	-	-	-	-	2	8	3	4	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	31	-	-	-	-	1	-	5	5	8	8	4	50	-	-	-	-	-	-	2	5	8	18	17
White	28	-	-	-	-	1	-	5	5	7	6	4	48	-	-	-	-	-	-	2	5	7	18	16
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	903	-	-	-	-	3	20	66	139	272	281	122	678	-	-	-	-	2	2	16	52	139	233	234
White	869	-	-	-	-	3	16	62	128	269	272	119	647	-	-	-	-	2	1	12	49	127	226	230
All other	34	-	-	-	-	-	4	4	11	3	9	3	31	-	-	-	-	-	1	4	3	12	7	4
Black	14	-	-	-	-	-	-	1	5	2	3	3	14	-	-	-	-	-	1	3	2	4	3	1
Acute myocardial infarction (410)	527	-	-	-	-	3	16	47	98	160	152	51	327	-	-	-	-	1	1	10	33	72	123	87
White	501	-	-	-	-	3	12	44	86	159	146	49	311	-	-	-	-	1	-	7	31	67	119	86
All other	26	-	-	-	-	-	4	3	10	1	6	2	16	-	-	-	-	-	1	3	2	5	4	1
Black	10	-	-	-	-	-	-	-	5	1	2	2	5	-	-	-	-	-	1	2	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	372	-	-	-	-	-	4	19	39	112	127	71	347	-	-	-	-	1	1	6	19	67	109	144
White	364	-	-	-	-	-	4	18	39	110	124	70	332	-	-	-	-	1	1	5	18	60	106	141
All other	8	-	-	-	-	-	-	1	1	2	3	1	15	-	-	-	-	-	-	1	1	7	3	3
Black	4	-	-	-	-	-	-	1	-	1	1	1	9	-	-	-	-	-	-	1	1	3	3	1
Other diseases of endocardium (424)	19	-	-	-	-	1	-	-	-	7	9	2	15	-	-	-	1	-	1	-	1	2	6	4
White	19	-	-	-	-	1	-	-	-	7	9	2	15	-	-	-	1	-	1	-	1	2	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	626	1	1	1	4	8	10	46	100	181	168	105	441	3	1	2	3	2	7	14	44	97	131	137
White	585	1	1	-	4	5	9	42	91	171	160	100	418	3	1	2	3	2	6	13	40	89	126	133
All other	41	-	-	1	-	3	1	4	9	10	8	5	23	-	-	-	-	-	1	1	4	8	5	4
Black	18	-	-	-	-	1	1	1	4	5	4	2	8	-	-	-	-	-	-	-	3	2	2	1
Hypertension with or without renal disease (401,403)	13	-	-	-	-	1	-	1	2	3	3	3	23	-	-	-	-	-	1	-	1	8	8	5
White	12	-	-	-	-	-	-	1	2	3	3	3	21	-	-	-	-	-	1	-	1	7	7	5
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	237	-	-	-	-	4	4	9	15	64	84	57	350	-	1	1	1	1	4	10	31	56	130	115
White	222	-	-	-	-	3	4	7	13	59	81	55	333	-	1	1	1	1	3	9	30	51	123	113
All other	15	-	-	-	-	1	-	2	2	5	3	2	17	-	-	-	-	-	1	1	1	5	7	2
Black	6	-	-	-	-	1	-	1	2	2	-	-	9	-	-	-	-	-	-	-	-	3	4	2
Intracerebral and other intracranial hemorrhage (431-432)	34	-	-	-	-	1	-	7	5	8	7	6	46	-	1	-	1	-	1	1	6	12	17	7
White	29	-	-	-	-	-	-	5	4	8	7	5	39	-	1	-	1	-	1	1	6	10	13	6
All other	5	-	-	-	-	1	-	2	1	-	-	1	7	-	-	-	-	-	-	-	-	2	4	1
Black	3	-	-	-	-	1	-	1	1	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	-	-	-	-	1	1	-	1	4	4	7	37	-	-	-	-	-	-	1	3	6	16	11
White	17	-	-	-	-	1	1	-	1	4	4	6	36	-	-	-	-	-	-	1	3	5	16	11
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	164	-	-	-	-	2	3	2	9	51	73	44	268	-	-	1	-	1	3	8	22	38	97	96
White	175	-	-	-	-	2	3	2	8	46	70	44	257	-	-	1	-	1	2	7	21	36	94	95
All other	9	-	-	-	-	-	-	-	1	5	3	-	9	-	-	-	-	-	1	1	1	2	3	1
Black	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	-	-	1	2	1
Atherosclerosis (440)	42	-	-	-	-	-	-	-	3	7	17	15	49	-	-	-	-	-	-	-	1	7	18	23
White	40	-	-	-	-	-	-	-	3	6	17	14	47	-	-	-	-	-	-	-	1	6	17	23
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	65	-	-	-	-	-	1	-	11	24	19	10	34	-	-	-	1	-	1	2	-	7	11	12
White	63	-	-	-	-	-	1	-	11	22	19	10	34	-	-	-	1	-	1	2	-	7	11	12
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	144	4	1	-	-	3	3	4	10	24	46	49	137	2	1	1	-	-	1	2	2	18	40	70
White	126	1	1	-	-	3	1	4	9	23	40	44	136	2	1	1	-	-	1	2	2	18	40	69
All other	18	3	-	-	-	-	2	-	1	1	6	5	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	142	4	1	-	-	3	3	4	10	23	46	48	133	2	1	1	-	-	1	1	2	18	39	68
White	124	1	1	-	-	3	1	4	9	22	40	43	132	2	1	1	-	-	1	1	2	18	39	67
All other	18	3	-	-	-	-	2	-	1	1	6	5	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	1	-	-	1	2
White	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	1	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	298	-	-	-	-	1	2	4	33	100	123	35	179	-	-	-	1	2	2	3	27	62	52	30
White	293	-	-	-	-	1	2	4	31	99	123	33	174	-	-	-	1	2	2	3	25	60	51	30
All other	5	-	-	-	-	-	-	-	2	1	-	2	5	-	-	-	-	-	-	-	2	2	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	11	-	-	-	-	-	-	-	1	4	5	1	14	-	-	-	-	-	-	-	1	7	5	1
White	11	-	-	-	-	-	-	-	1	4	5	1	13	-	-	-	-	-	-	-	1	6	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	82	-	-	-	-	-	1	1	8	30	36	6	39	-	-	-	-	-	1	1	7	12	14	4
White	82	-	-	-	-	-	1	1	8	30	36	6	37	-	-	-	-	-	1	1	6	12	13	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	15	-	-	-	-	1	1	-	3	4	3	3	15	-	-	-	1	2	-	-	5	1	4	2
White	15	-	-	-	-	1	1	-	3	4	3	3	15	-	-	-	1	2	-	-	5	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	190	-	-	-	-	-	-	3	21	62	79	25	111	-	-	-	-	-	1	2	14	42	29	23
White	185	-	-	-	-	-	-	3	19	61	79	23	109	-	-	-	-	-	1	2	13	41	29	23
All other	5	-	-	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	21	-	-	-	-	-	-	3	2	4	8	4	17	-	-	-	-	-	-	1	1	6	6	3
White	21	-	-	-	-	-	-	3	2	4	8	4	16	-	-	-	-	-	-	1	1	5	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	1	1	-	-	-	-	-	1	3	8	-	24	-	-	-	-	-	-	-	-	5	8	11
White	12	1	1	-	-	-	-	-	1	3	6	-	21	-	-	-	-	-	-	-	-	5	6	10
All other	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	139	-	-	-	1	12	30	25	38	25	7	1	61	-	-	-	1	3	8	15	16	10	8	-
White	122	-	-	-	1	6	27	23	35	22	7	1	47	-	-	-	1	3	4	12	12	8	7	-
All other	17	-	-	-	-	6	3	2	3	3	-	-	14	-	-	-	-	-	4	3	4	2	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	2	2	7	5	13	-	-	-	-	-	-	-	-	3	8	2
White	14	-	-	-	-	-	-	-	2	1	6	5	11	-	-	-	-	-	-	-	-	2	7	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	62	-	-	-	-	1	1	-	9	20	17	14	45	-	-	-	-	-	-	2	3	16	12	12
White	61	-	-	-	-	1	1	-	8	20	17	14	39	-	-	-	-	-	-	-	3	14	11	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	-	2	-	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	61	-	-	-	-	1	1	-	8	20	17	14	44	-	-	-	-	-	-	2	2	16	12	12
White	60	-	-	-	-	1	1	-	7	20	17	14	38	-	-	-	-	-	-	-	2	14	11	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	-	2	-	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	-	3	1
White	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	3	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	-	4	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	-	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	54	42	5	2	2	-	-	1	2	-	-	-	52	31	6	2	1	2	1	-	2	4	-	2
White	45	35	4	2	1	-	-	1	2	-	-	-	43	24	5	2	1	2	1	-	1	4	-	2
All other	9	7	1	-	1	-	-	-	-	-	-	-	9	7	1	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	77	71	5	1	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
White	62	58	3	1	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
All other	15	13	2	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	21	1	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	19	19	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	55	50	4	1	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
White	43	39	3	1	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
All other	12	11	1	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	97	37	1	1	2	6	1	1	11	11	8	18	62	15	-	3	1	1	2	-	1	7	16	16
White	77	33	-	1	1	6	1	-	8	7	8	12	52	11	-	2	1	-	2	-	1	7	12	16
All other	20	4	1	-	1	-	-	1	3	4	-	6	10	4	-	1	-	1	-	-	-	-	4	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-
All other diseases (Residual)	519	12	4	6	8	33	40	45	63	117	121	70	434	7	1	2	8	10	20	21	40	71	136	118
White	463	8	4	5	6	26	33	39	59	111	110	62	403	7	1	2	8	6	16	19	36	67	130	111
All other	56	4	-	1	2	7	7	6	4	6	11	8	31	-	-	-	-	4	4	2	4	4	6	7
Black	12	-	-	-	-	1	-	2	1	2	4	2	5	-	-	-	-	-	-	-	1	1	1	2
Accidents and adverse effects (E800-E949)	604	3	23	30	168	120	57	56	47	35	34	25	221	4	9	15	42	25	23	19	15	20	32	17
White	475	2	16	29	126	92	38	48	34	31	31	22	183	3	6	13	33	20	13	16	13	18	31	17
All other	128	1	7	1	42	28	19	8	13	4	3	3	38	1	3	2	9	5	10	3	2	2	1	-
Black	11	-	1	-	2	1	1	1	4	1	-	-	3	-	-	1	1	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	367	2	14	18	128	87	37	30	15	21	7	3	137	1	6	13	35	18	19	8	8	16	12	1
White	285	1	8	18	100	67	24	24	11	18	7	3	108	-	5	12	28	13	9	6	7	15	12	1
All other	81	1	6	-	28	20	13	6	4	3	-	-	29	1	1	1	7	5	10	2	1	1	-	-
Black	7	-	1	-	-	1	1	1	2	1	-	-	3	-	-	1	1	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	237	1	9	12	40	33	20	26	32	14	27	22	84	3	3	2	7	7	4	11	7	4	20	16
White	169	1	8	11	26	25	14	24	23	13	24	19	75	3	1	1	5	7	4	10	6	3	19	16
All other	48	-	1	1	14	8	6	2	9	1	3	3	9	-	2	1	2	-	-	1	1	1	1	-
Black	4	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	193	...	...	2	48	47	29	19	18	17	9	4	61	...	...	2	12	13	9	8	9	2	6	-
White	174	...	...	2	40	39	28	18	17	17	9	4	56	...	...	1	10	12	8	8	9	2	6	-
All other	19	...	...	-	8	8	1	1	1	-	-	-	5	...	...	1	2	1	1	-	-	-	-	-
Black	2	...	...	-	-	2	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	117	-	3	3	29	43	17	10	5	4	2	1	42	4	1	2	4	13	6	5	2	2	2	-
White	94	-	1	2	22	34	14	9	5	4	2	1	37	3	1	2	4	11	6	4	2	2	1	-
All other	23	-	2	1	7	9	3	1	-	-	-	-	5	1	-	-	-	2	-	1	-	-	1	-
Black	7	-	1	-	-	3	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	25	1	1	1	2	9	2	3	2	2	-	2	16	-	1	-	3	1	4	2	2	2	1	-
White	21	1	1	1	2	6	2	3	2	1	-	2	14	-	-	-	2	1	4	2	2	2	1	-
All other	4	-	-	-	-	3	-	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK																								
All causes	87,449	1,578	240	343	1,828	3,428	4,420	6,249	14,100	21,424	21,903	11,922	84,668	1,213	204	217	612	1,398	2,030	3,812	9,340	16,769	24,987	24,081
White	74,733	1,029	158	252	1,333	2,358	2,977	4,644	11,702	18,892	20,185	11,191	74,145	784	143	134	447	869	1,369	2,819	7,563	14,502	22,800	22,710
All other	12,716	549	82	91	495	1,070	1,443	1,605	2,398	2,532	1,718	731	10,523	429	61	83	165	527	661	993	1,777	2,267	2,187	1,371
Black	11,652	520	76	84	471	1,029	1,381	1,515	2,243	2,356	1,535	640	9,948	405	55	68	151	510	634	954	1,693	2,143	2,064	1,269
Shigellosis and amebiasis (004,006)	4	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	14	2	-	-	-	5	1	2	-	3	-	1	7	3	-	-	-	-	-	-	1	-	1	2
White	11	2	-	-	-	4	-	1	-	3	-	1	6	2	-	-	-	-	-	-	1	-	1	2
All other	3	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	145	-	-	-	4	23	34	21	25	14	11	13	54	-	-	-	-	4	8	6	8	14	9	5
White	71	-	-	-	2	8	11	8	16	7	10	9	29	-	-	-	-	1	3	1	4	9	7	4
All other	74	-	-	-	2	15	23	13	9	7	1	4	25	-	-	-	-	3	5	5	4	5	2	1
Black	70	-	-	-	2	15	21	13	9	5	1	4	24	-	-	-	-	3	4	5	4	5	2	1
Tuberculosis of respiratory system (010-012)	104	-	-	-	3	17	20	15	21	10	7	11	40	-	-	-	-	3	4	5	6	11	7	4
White	51	-	-	-	1	6	5	6	15	4	7	7	21	-	-	-	-	1	1	1	3	7	5	3
All other	53	-	-	-	2	11	15	9	6	6	-	4	19	-	-	-	-	2	3	4	3	4	2	1
Black	49	-	-	-	2	11	13	9	6	4	-	4	19	-	-	-	-	2	3	4	3	4	2	1
Other tuberculosis (013-018)	41	-	-	-	1	6	14	6	4	4	4	2	14	-	-	-	-	1	4	1	2	3	2	1
White	20	-	-	-	1	2	6	2	1	3	3	2	8	-	-	-	-	-	2	-	1	2	2	1
All other	21	-	-	-	-	4	8	4	3	1	1	-	6	-	-	-	-	1	2	1	1	1	-	-
Black	21	-	-	-	-	4	8	4	3	1	1	-	5	-	-	-	-	1	1	1	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	9	2	2	-	2	-	-	1	1	1	-	-	13	5	3	1	1	1	-	-	-	1	-	1
White	8	2	1	-	2	-	-	1	1	1	-	-	9	3	2	1	1	1	-	-	-	-	-	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	-	-	-	1	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	-	-	-	1	-	-
Septicemia (038)	598	12	3	-	2	14	38	25	87	145	176	96	705	6	4	-	6	12	15	24	55	126	231	226
White	496	8	2	-	1	7	22	19	64	124	159	90	588	4	3	-	4	7	10	12	37	106	206	199
All other	102	4	1	-	1	7	16	6	23	21	17	6	117	2	1	-	2	5	5	12	18	20	25	27
Black	97	4	1	-	1	7	16	6	22	19	16	5	109	2	1	-	2	5	5	12	16	18	23	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	44	-	-	-	1	8	5	10	6	9	3	2	34	-	-	-	3	6	6	2	4	7	2	4
White	34	-	-	-	1	7	4	7	3	9	2	1	25	-	-	-	3	4	4	-	4	5	2	3
All other	10	-	-	-	-	1	1	3	3	-	1	1	9	-	-	-	-	2	2	2	-	2	-	1
Black	6	-	-	-	-	1	-	2	1	-	1	1	7	-	-	-	-	2	2	2	-	1	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	742	6	5	8	19	196	253	98	67	48	30	12	255	15	3	1	8	43	29	25	30	45	28	28
White	530	4	2	8	14	136	175	70	49	40	27	11	176	11	1	-	6	20	15	13	21	38	26	25
All other	212	2	3	-	5	60	78	28	24	8	3	1	79	4	2	1	2	23	14	12	9	7	2	3
Black	200	2	3	-	5	60	74	25	21	7	2	1	74	4	2	1	2	23	13	12	8	4	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,335	2	24	50	110	250	582	1,559	4,339	6,088	4,775	1,554	18,605	1	17	30	63	225	671	1,676	3,868	5,232	4,684	2,137
White	16,782	2	19	38	87	211	448	1,210	3,633	5,346	4,346	1,440	16,431	1	14	21	50	168	533	1,345	3,316	4,683	4,289	2,011
All other	2,553	-	5	12	23	39	134	349	706	742	429	114	2,174	-	3	9	13	57	138	331	552	549	395	126
Black	2,342	-	3	10	20	35	119	324	656	691	381	103	2,043	-	2	6	10	50	126	319	516	527	371	115
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	490	-	-	-	2	6	25	68	139	153	79	18	234	-	-	-	2	1	8	27	63	66	44	23
White	392	-	-	-	1	6	13	41	112	131	70	18	196	-	-	-	2	-	3	18	56	57	38	22
All other	98	-	-	-	1	-	12	27	27	22	9	-	38	-	-	-	-	1	5	9	7	9	6	1
Black	89	-	-	-	1	-	10	25	23	22	8	-	34	-	-	-	-	1	4	9	6	9	5	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,472	-	1	-	7	27	111	427	1,272	1,739	1,410	477	5,189	-	-	-	3	21	79	276	817	1,427	1,682	884
White	4,744	-	1	-	6	23	80	316	1,037	1,546	1,289	445	4,540	-	-	-	2	13	57	209	685	1,246	1,516	832
All other	728	-	-	-	1	4	31	111	235	193	121	32	649	-	-	-	1	8	22	67	152	181	166	52
Black	640	-	-	-	1	1	26	99	215	171	99	28	607	-	-	-	1	5	18	66	141	174	154	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,340	-	-	1	6	12	158	595	1,695	2,198	1,383	291	3,355	-	-	-	3	15	90	338	873	1,174	664	198
White	5,507	-	-	1	4	8	116	469	1,421	1,939	1,272	276	3,012	-	-	-	3	11	77	278	758	1,060	625	180
All other	833	-	-	-	2	4	42	126	274	259	111	15	343	-	-	-	-	4	13	60	115	94	38	18
Black	780	-	-	-	2	4	39	123	261	239	97	15	326	-	-	-	-	4	12	56	112	89	37	16
Malignant neoplasm of breast (174-175)	35	-	-	-	-	-	1	4	5	11	7	7	3,704	-	-	-	4	45	234	502	957	901	737	324
White	34	-	-	-	-	-	1	4	4	11	7	7	3,342	-	-	-	3	37	189	425	849	834	697	308
All other	1	-	-	-	-	-	-	-	1	-	-	-	362	-	-	-	1	8	45	77	108	67	40	16
Black	1	-	-	-	-	-	-	-	1	-	-	-	349	-	-	-	1	7	43	75	103	66	39	15
Malignant neoplasms of genital organs (179-187)	2,005	-	-	-	11	13	8	35	212	588	776	362	1,966	-	-	-	2	41	100	232	449	531	458	153
White	1,666	-	-	-	10	13	6	27	158	474	664	314	1,655	-	-	-	2	24	79	176	378	451	407	138
All other	339	-	-	-	1	-	2	8	54	114	112	48	311	-	-	-	-	17	21	56	71	80	51	15
Black	328	-	-	-	1	-	2	8	52	112	109	44	294	-	-	-	-	15	21	54	66	75	48	15
Malignant neoplasms of urinary organs (188-189)	1,030	-	2	1	-	4	11	71	189	323	304	125	609	-	-	1	-	3	13	43	81	173	188	107
White	945	-	1	-	-	2	9	61	176	291	285	120	544	-	-	1	-	3	10	34	70	157	170	99
All other	85	-	1	1	-	2	2	10	13	32	19	5	65	-	-	-	-	-	3	9	11	16	18	8
Black	79	-	1	1	-	2	2	8	13	31	18	3	64	-	-	-	-	-	3	9	11	16	18	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,105	2	12	20	35	93	147	218	453	560	433	132	1,936	1	14	16	25	49	93	166	352	517	455	248
White	1,850	2	12	16	29	86	121	170	400	490	400	124	1,708	1	12	11	20	42	75	129	309	457	416	236
All other	255	-	-	4	6	7	26	48	53	70	33	8	228	-	2	5	5	7	18	37	43	60	39	12
Black	231	-	-	4	5	7	22	44	48	66	28	7	207	-	2	3	3	6	16	35	36	59	37	10
Leukemia (204-208)	726	-	8	22	21	29	39	48	145	188	158	68	594	-	2	9	12	16	20	40	96	149	157	92
White	654	-	5	16	18	22	31	46	130	171	149	66	544	-	1	6	7	12	19	36	82	139	152	90
All other	72	-	3	6	3	7	8	2	15	17	9	2	50	-	1	3	5	4	1	4	14	10	5	2
Black	60	-	1	4	2	6	7	1	14	15	8	2	42	-	-	2	4	4	1	3	12	9	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,132	-	1	6	28	66	62	93	229	328	225	74	1,018	-	1	4	12	34	34	52	180	294	299	108
White	990	-	-	5	19	51	71	76	195	293	210	70	890	-	1	3	11	26	24	40	149	262	288	106
All other	142	-	1	1	9	15	11	17	34	35	15	4	128	-	-	1	1	8	10	12	31	32	31	2
Black	134	-	1	1	8	15	11	16	29	35	14	4	120	-	-	1	1	8	8	12	29	30	29	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	274	1	2	3	9	8	14	22	46	75	62	32	340	1	2	6	7	10	19	21	43	67	108	56
White	240	1	2	-	8	6	9	16	42	65	60	31	288	-	2	3	4	7	14	15	31	55	104	53
All other	34	-	-	3	1	2	5	6	4	10	2	1	52	1	-	3	3	3	5	6	12	12	4	3
Black	32	-	-	3	1	2	4	6	4	10	1	1	45	1	-	1	3	3	5	6	10	10	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,268	-	-	-	3	20	47	95	244	376	349	134	1,885	-	1	-	6	22	36	65	281	507	576	391
White	1,023	-	-	-	2	17	31	65	177	303	306	122	1,508	-	1	-	4	17	25	43	195	397	477	349
All other	245	-	-	-	1	3	16	30	67	73	43	12	377	-	-	-	2	5	11	22	86	110	99	42
Black	223	-	-	-	1	3	15	29	61	67	37	10	360	-	-	-	2	5	11	22	83	102	96	39
Nutritional deficiencies (260-269)	43	1	-	1	1	-	3	1	3	6	11	16	45	-	-	-	-	1	1	-	3	4	12	24
White	37	-	-	1	1	-	3	-	2	5	10	15	40	-	-	-	-	-	-	-	2	4	12	22
All other	6	1	-	-	-	-	-	1	1	1	1	1	5	-	-	-	-	1	1	-	1	-	-	2
Black	6	1	-	-	-	-	-	1	1	1	1	1	5	-	-	-	-	1	1	-	1	-	-	2
Anemias (280-285)	117	-	3	3	9	12	9	6	8	20	24	23	158	-	-	3	6	4	10	5	13	22	43	52
White	85	-	1	1	2	6	3	3	6	18	22	23	127	-	-	1	3	2	3	3	9	18	39	49
All other	32	-	2	2	7	6	6	3	2	2	2	-	31	-	-	2	3	2	7	2	4	4	4	3
Black	29	-	2	1	7	5	6	3	1	2	2	-	31	-	-	2	3	2	7	2	4	4	4	3
Meningitis (320-322)	55	6	7	1	3	6	5	5	5	7	7	3	58	4	3	5	1	2	3	3	11	10	11	5
White	33	3	4	1	1	3	2	4	3	3	6	3	43	2	1	1	-	2	2	3	9	10	8	5
All other	22	3	3	-	2	3	3	1	2	4	1	-	15	2	2	4	1	-	1	-	2	-	3	-
Black	22	3	3	-	2	3	3	1	2	4	1	-	15	2	2	4	1	-	1	-	2	-	3	-
Major cardiovascular diseases (390-448)	40,742	37	15	15	62	268	877	2,402	6,568	10,959	12,135	7,401	44,912	27	4	8	50	147	390	1,023	3,328	7,969	15,166	16,798
White	36,433	29	11	13	45	176	635	1,884	5,597	9,770	11,284	6,887	40,252	19	2	5	28	82	238	701	2,599	6,785	13,875	15,916
All other	4,309	8	4	2	17	92	242	518	971	1,189	851	414	4,660	8	2	3	22	65	152	322	729	1,184	1,291	882
Black	3,976	7	4	2	16	86	230	494	903	1,102	766	365	4,423	8	2	1	20	65	148	309	706	1,123	1,214	827
Diseases of heart (390-398,402,404-429)	34,920	32	12	10	47	208	756	2,125	5,851	9,463	10,253	6,161	36,592	22	2	6	33	93	259	783	2,810	6,678	12,436	13,468
White	31,357	25	10	8	33	137	561	1,707	5,025	8,499	9,530	5,820	32,897	17	1	4	18	48	165	553	2,226	5,700	11,397	12,766
All other	3,563	7	2	2	14	71	195	418	826	964	723	341	3,695	5	1	2	15	45	94	230	584	978	1,039	702
Black	3,295	7	2	2	14	66	187	398	769	896	656	298	3,520	5	1	1	15	45	94	223	569	927	976	684
Rheumatic fever and rheumatic heart disease (390-398)	181	1	-	-	3	12	13	24	38	51	30	9	445	1	-	-	1	9	11	34	66	142	139	42
White	163	1	-	-	1	8	9	22	34	50	29	9	419	1	-	-	1	8	7	27	61	137	135	42
All other	18	-	-	-	2	4	4	2	4	1	1	-	26	-	-	-	-	1	4	7	5	5	4	-
Black	18	-	-	-	2	4	4	2	4	1	1	-	25	-	-	-	-	1	4	7	5	5	3	-
Hypertensive heart disease (402)	615	-	-	-	1	7	28	62	140	166	151	60	832	-	-	-	1	1	13	35	106	175	278	223
White	477	-	-	-	1	2	15	37	103	129	133	57	681	-	-	-	-	1	5	16	63	140	245	211
All other	138	-	-	-	-	5	13	25	37	37	18	3	151	-	-	-	1	-	8	19	43	35	33	12
Black	130	-	-	-	-	5	13	25	35	34	16	2	146	-	-	-	1	-	8	19	42	33	32	11
Hypertensive heart and renal disease (404)	63	-	-	-	-	1	-	4	4	14	26	14	94	-	-	-	-	2	1	1	5	21	37	27
White	53	-	-	-	-	-	-	2	3	10	24	14	68	-	-	-	-	-	1	-	4	13	26	24
All other	10	-	-	-	-	1	-	2	1	4	2	-	26	-	-	-	-	2	-	1	1	8	11	3
Black	10	-	-	-	-	1	-	2	1	4	2	-	24	-	-	-	-	2	-	1	1	8	9	3
Ischemic heart disease (410-414)	28,972	1	-	-	10	79	557	1,711	4,840	7,941	8,664	5,168	29,689	-	-	-	5	24	147	572	2,191	5,407	10,165	11,176
White	26,280	1	-	-	5	61	437	1,403	4,213	7,186	8,082	4,891	26,844	-	-	-	2	13	97	409	1,753	4,626	9,351	10,591
All other	2,692	-	-	-	5	18	120	308	627	755	582	277	2,845	-	-	-	3	11	50	163	438	781	814	585
Black	2,475	-	-	-	5	17	113	290	582	700	530	238	2,705	-	-	-	3	11	50	156	425	738	766	556
Acute myocardial infarction (410)	13,232	-	-	-	6	49	296	875	2,503	3,955	3,805	1,743	11,888	-	-	-	3	16	74	278	1,133	2,691	4,295	3,398
White	12,192	-	-	-	3	37	237	749	2,253	3,652	3,612	1,649	10,805	-	-	-	1	8	48	205	942	2,389	4,000	3,212
All other	1,040	-	-	-	3	12	59	126	250	303	193	94	1,083	-	-	-	2	8	26	73	191	302	295	186
Black	934	-	-	-	3	11	57	112	229	280	167	75	1,010	-	-	-	2	8	26	67	182	281	271	173
Other acute and subacute forms of ischemic heart disease (411)	146	-	-	-	1	1	5	12	25	51	31	20	135	-	-	-	1	-	1	1	14	31	43	44
White	134	-	-	-	-	1	3	11	22	47	30	20	129	-	-	-	-	-	1	1	14	29	42	42
All other	12	-	-	-	1	-	2	1	3	4	1	-	6	-	-	-	1	-	-	-	-	2	1	2
Black	12	-	-	-	1	-	2	1	3	4	1	-	6	-	-	-	1	-	-	-	-	2	1	2
Angina pectoris (413)	26	-	-	-	-	-	1	-	3	8	9	5	26	-	-	-	-	-	-	-	2	6	10	8
White	22	-	-	-	-	-	1	-	3	6	7	5	23	-	-	-	-	-	-	-	2	5	9	7
All other	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	15,568	1	-	-	3	29	255	824	2,309	3,927	4,619	3,400	17,640	-	-	-	1	8	72	293	1,042	2,679	5,817	7,726
White	13,932	1	-	-	2	23	196	643	1,935	3,481	4,433	3,217	15,887	-	-	-	1	5	48	203	795	2,203	5,300	7,330
All other	1,636	-	-	-	1	6	59	181	374	446	186	183	1,753	-	-	-	-	3	24	90	247	476	517	396
Black	1,525	-	-	-	1	6	54	177	350	414	360	163	1,687	-	-	-	-	3	24	89	243	455	493	380
Other diseases of endocardium (424)	289	-	-	1	2	7	15	20	44	76	79	45	373	-	-	-	2	6	6	10	26	76	138	109
White	254	-	-	-	1	5	8	15	33	70	79	43	350	-	-	-	1	2	4	6	23	72	135	107
All other	35	-	-	1	1	2	7	5	11	6	-	2	23	-	-	-	1	4	2	4	3	4	3	2
Black	35	-	-	1	1	2	7	5	11	6	-	2	22	-	-	-	1	4	2	4	3	4	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	4,800	30	12	9	31	102	143	304	765	1,215	1,303	865	5,159	21	2	6	24	51	81	131	416	857	1,679	1,891
White	4,130	23	10	8	25	61	92	228	639	1,054	1,183	806	4,535	16	1	4	14	24	51	95	322	712	1,505	1,791
All other	670	7	2	1	6	41	51	76	146	161	120	59	624	5	1	2	10	27	30	36	94	145	174	100
Black	627	7	2	1	6	37	50	74	136	151	107	56	598	5	1	1	10	27	30	36	93	139	163	93
Hypertension with or without renal disease (401,403)	250	-	-	-	-	7	6	19	31	67	69	51	327	-	-	-	2	5	6	21	28	63	111	91
White	185	-	-	-	-	4	4	8	21	50	52	46	234	-	-	-	1	4	1	10	10	42	91	75
All other	65	-	-	-	-	3	2	11	10	17	17	5	93	-	-	-	1	1	5	11	18	21	20	16
Black	62	-	-	-	-	3	2	11	9	16	16	5	91	-	-	-	1	1	5	11	17	21	20	15
Cerebrovascular diseases (430-438)	3,917	4	3	3	13	44	97	202	462	948	1,295	846	6,409	5	2	2	13	43	113	200	408	993	2,150	2,480
White	3,386	3	1	3	10	27	59	133	359	792	1,208	791	5,668	2	1	1	8	26	65	124	298	836	1,950	2,357
All other	531	1	2	-	3	17	38	69	103	156	87	55	741	3	1	1	5	17	48	76	110	157	200	123
Black	478	-	2	-	2	16	35	65	95	142	72	49	690	3	1	-	3	17	44	71	104	149	187	111
Intracerebral and other intracranial hemorrhage (431-432)	750	3	1	-	7	19	50	83	144	181	186	76	972	4	-	1	7	18	41	72	118	199	305	207
White	600	2	-	-	5	10	25	53	108	155	173	69	799	2	-	-	5	10	20	44	86	163	274	185
All other	150	1	1	-	2	9	25	30	36	26	13	7	173	2	-	1	2	8	21	28	32	36	31	12
Black	132	-	1	-	2	9	24	27	32	23	7	7	158	2	-	-	1	8	21	27	29	34	27	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	672	-	-	-	1	3	8	19	59	174	247	161	1,224	-	-	-	3	-	5	11	48	161	460	538
White	612	-	-	-	1	2	4	15	52	148	234	156	1,133	-	-	-	1	-	2	6	34	149	422	519
All other	60	-	-	-	-	1	4	4	7	26	13	5	91	-	-	-	2	-	3	5	12	12	38	19
Black	53	-	-	-	-	1	3	4	6	22	12	5	84	-	-	-	2	-	3	5	12	12	34	16
Cerebral embolism (434.1)	24	-	-	-	-	-	-	-	2	7	10	5	37	-	-	-	-	-	1	1	2	7	15	11
White	24	-	-	-	-	-	-	-	2	7	10	5	35	-	-	-	-	-	1	1	2	6	14	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,471	1	2	3	5	22	39	100	257	586	852	604	4,176	1	2	1	3	25	66	116	242	626	1,370	1,724
White	2,150	1	1	3	4	15	30	65	197	482	791	561	3,701	-	1	1	2	16	42	73	176	518	1,240	1,632
All other	321	-	1	-	1	7	9	35	60	104	61	43	475	1	1	-	1	9	24	43	66	108	130	92
Black	293	-	1	-	-	6	8	34	57	97	53	37	447	1	1	-	-	9	20	39	63	102	126	86
Atherosclerosis (440)	589	-	-	-	-	-	4	12	43	109	188	232	944	-	-	-	-	-	2	2	26	93	250	571
White	544	-	-	-	-	-	3	9	34	93	180	225	884	-	-	-	-	-	-	2	21	83	237	541
All other	45	-	-	-	-	-	1	3	9	16	8	7	60	-	-	-	-	-	2	-	5	10	13	30
Black	44	-	-	-	-	-	1	3	9	15	8	7	55	-	-	-	-	-	2	-	5	10	12	26
Other diseases of arteries, arterioles, and capillaries (441-448)	1,066	1	-	2	2	9	14	44	181	372	330	111	640	-	-	-	2	6	10	17	56	142	219	188
White	961	1	-	2	2	8	8	27	158	336	314	105	569	-	-	-	1	4	7	12	44	124	200	177
All other	105	-	-	-	-	1	6	17	23	36	16	6	71	-	-	-	1	2	3	5	12	18	19	11
Black	97	-	-	-	-	1	5	17	21	33	14	6	67	-	-	-	1	2	3	4	11	16	19	11
Acute bronchitis and bronchiolitis (466)	20	2	-	-	1	-	-	2	2	4	4	5	20	2	-	-	-	-	-	-	4	2	3	9
White	19	2	-	-	1	-	-	2	1	4	4	5	20	2	-	-	-	-	-	-	4	2	3	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2,945	27	6	9	14	99	143	138	259	513	885	853	3,074	25	9	3	13	38	51	74	123	348	888	1,502
White	2,455	12	2	6	9	57	79	69	184	438	797	801	2,721	18	3	2	8	15	26	46	85	290	812	1,416
All other	490	15	4	3	5	42	64	67	75	75	88	52	353	7	6	1	5	23	25	28	38	58	76	86
Black	452	14	4	2	5	41	63	64	74	71	74	40	334	7	5	1	5	23	25	25	37	56	75	75
Pneumonia (480-486)	2,925	27	6	9	14	99	142	136	258	511	878	844	3,039	24	9	3	13	38	51	74	123	342	882	1,480
White	2,437	12	2	6	9	57	78	69	184	436	791	792	2,688	17	3	2	8	15	26	46	85	284	806	1,396
All other	488	15	4	3	5	42	64	67	74	75	87	52	351	7	6	1	5	23	25	28	38	58	76	84
Black	451	14	4	2	5	41	63	64	73	71	74	40	333	7	5	1	5	23	25	25	37	56	75	74
Influenza (487)	20	-	-	-	-	-	1	-	1	2	7	9	35	1	-	-	-	-	-	-	-	6	6	22
White	18	-	-	-	-	-	1	-	-	2	6	9	33	1	-	-	-	-	-	-	-	6	6	20
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,008	2	-	4	14	23	32	91	418	947	1,058	419	2,092	-	-	9	12	19	27	100	316	635	653	321
White	2,729	1	-	2	4	13	15	61	364	873	991	405	1,915	-	-	3	4	11	21	77	277	586	625	311
All other	279	1	-	2	10	10	17	30	54	74	67	14	177	-	-	6	8	8	6	23	39	49	28	10
Black	252	1	-	2	10	9	17	27	49	68	58	11	171	-	-	6	8	8	6	23	38	47	27	8
Bronchitis, chronic and unspecified (490-491)	140	-	-	-	-	2	-	3	22	42	51	20	108	-	-	-	-	-	2	6	13	23	35	29
White	123	-	-	-	-	1	-	1	17	37	48	19	96	-	-	-	-	-	1	3	11	21	32	28
All other	17	-	-	-	-	1	-	2	5	5	3	1	12	-	-	-	-	-	1	3	2	2	3	1
Black	15	-	-	-	-	1	-	2	5	4	2	1	11	-	-	-	-	-	1	3	1	2	3	1
Emphysema (492)	611	-	-	-	-	1	-	22	100	225	212	51	339	-	-	-	-	1	1	18	62	120	102	35
White	560	-	-	-	-	-	-	19	87	206	198	50	322	-	-	-	-	1	1	15	56	114	100	35
All other	51	-	-	-	-	1	-	3	13	19	14	1	17	-	-	-	-	-	-	3	6	6	2	-
Black	47	-	-	-	-	1	-	3	10	19	14	-	17	-	-	-	-	-	-	3	6	6	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Asthma (493)	174	1	-	4	14	20	23	20	36	25	24	7	243	-	-	9	12	18	22	34	47	53	32	16
White	113	1	-	2	4	12	10	11	27	21	20	5	175	-	-	3	4	10	17	21	37	42	27	14
All other	61	-	-	2	10	8	13	9	9	4	4	2	68	-	-	6	8	8	5	13	10	11	5	2
Black	58	-	-	2	10	7	13	9	8	4	4	1	68	-	-	6	8	8	5	13	10	11	5	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,083	1	-	-	-	-	9	46	260	655	771	341	1,402	-	-	-	-	-	2	42	184	439	484	241
White	1,933	-	-	-	-	-	5	30	233	609	725	331	1,322	-	-	-	-	-	2	38	173	409	466	234
All other	150	1	-	-	-	-	4	16	27	46	46	10	80	-	-	-	-	-	-	4	21	30	18	7
Black	132	1	-	-	-	-	4	13	26	41	38	9	75	-	-	-	-	-	-	4	21	28	17	5
Ulcer of stomach and duodenum (531-533)	327	1	-	-	-	6	11	16	39	94	101	59	335	-	-	-	-	-	3	10	30	60	123	109
White	268	-	-	-	-	-	5	12	26	84	88	53	296	-	-	-	-	-	2	8	21	49	115	101
All other	59	1	-	-	-	6	6	4	13	10	13	6	39	-	-	-	-	-	1	2	9	11	8	8
Black	48	1	-	-	-	6	5	4	11	7	10	4	36	-	-	-	-	-	1	2	8	10	8	7
Appendicitis (540-543)	27	-	2	-	2	1	3	5	2	6	4	2	25	-	-	-	1	-	-	2	2	5	9	6
White	17	-	2	-	2	-	1	3	1	4	2	2	23	-	-	-	1	-	-	2	2	4	9	5
All other	10	-	-	-	-	1	2	2	1	2	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	9	-	-	-	-	1	1	2	1	2	2	-	2	-	-	-	-	-	-	-	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	155	4	-	1	2	3	1	5	19	36	45	39	240	6	1	-	-	2	3	5	21	29	81	92
White	130	3	-	1	-	1	1	3	16	31	37	37	213	5	1	-	-	-	1	5	15	27	71	88
All other	25	1	-	-	2	2	-	2	3	5	8	2	27	1	-	-	-	2	2	-	6	2	10	4
Black	24	1	-	-	2	2	-	2	3	5	8	1	27	1	-	-	-	2	2	-	6	2	10	4
Chronic liver disease and cirrhosis (571)	2,000	-	1	1	6	163	398	441	474	347	149	22	1,022	-	-	-	1	80	137	172	250	234	128	20
White	1,469	-	-	1	4	102	238	282	382	304	137	19	760	-	-	-	1	44	66	117	193	201	120	18
All other	531	-	1	-	2	61	158	159	92	43	12	3	262	-	-	-	-	36	71	55	57	33	8	2
Black	506	-	1	-	2	59	156	150	87	39	9	3	255	-	-	-	-	36	71	54	55	30	8	1
Cholelithiasis and other disorders of gallbladder (574-575)	98	-	-	-	-	-	5	3	12	27	23	28	108	-	-	-	1	4	1	3	7	16	30	46
White	91	-	-	-	-	-	3	2	11	25	22	28	87	-	-	-	-	3	1	2	5	11	22	43
All other	7	-	-	-	-	-	2	1	1	2	1	-	21	-	-	-	1	1	-	1	2	5	8	3
Black	6	-	-	-	-	-	2	1	1	2	-	-	19	-	-	-	1	1	-	1	2	4	8	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	775	13	1	-	6	15	31	41	93	169	236	170	793	8	1	1	3	16	18	23	90	148	229	255
White	634	8	1	-	4	4	19	26	64	143	211	154	669	5	1	-	3	10	10	14	62	120	207	236
All other	141	5	-	-	2	11	12	15	29	26	25	16	124	3	-	1	-	6	8	9	28	28	22	19
Black	126	4	-	-	2	11	12	12	29	25	20	13	115	3	-	1	-	6	8	7	26	26	20	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	-	-	-	1	-	-	-	5	2	3	-	12	1	-	-	-	1	-	-	-	3	5	2
White	9	-	-	-	-	-	-	-	4	2	3	-	11	1	-	-	-	-	-	-	-	3	5	2
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	53	-	-	-	-	5	5	5	2	8	20	8	50	-	-	-	-	-	4	4	5	8	18	11
White	40	-	-	-	-	1	4	2	1	6	19	7	38	-	-	-	-	-	2	2	3	8	14	9
All other	13	-	-	-	-	4	1	3	1	2	1	1	12	-	-	-	-	-	2	2	2	-	4	2
Black	12	-	-	-	-	4	1	3	1	2	-	1	10	-	-	-	-	-	2	1	1	-	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	711	13	1	-	5	10	26	36	86	159	213	162	731	7	1	1	3	15	14	19	85	137	206	242
White	585	8	1	-	4	9	15	24	59	135	189	147	620	4	1	-	3	10	8	12	59	109	188	225
All other	126	5	-	-	1	7	11	12	27	24	24	15	111	3	-	1	-	5	6	7	26	28	18	17
Black	114	4	-	-	1	7	11	9	27	23	20	12	104	3	-	1	-	5	6	6	25	26	16	16
Infections of kidney (590)	41	-	-	-	-	1	1	-	5	7	14	13	72	-	-	-	-	1	1	3	7	11	29	20
White	35	-	-	-	-	1	1	-	5	4	13	11	65	-	-	-	-	-	-	2	7	10	26	20
All other	6	-	-	-	-	-	-	-	-	3	1	2	7	-	-	-	-	1	1	1	-	1	3	-
Black	6	-	-	-	-	-	-	-	-	3	1	2	6	-	-	-	-	1	1	1	-	1	2	-
Hyperplasia of prostate (600)	36	-	-	-	-	-	-	-	-	6	15	15	...	...	...	...	...	...	...	...	...	...	...	...
White	32	-	-	-	-	-	-	-	-	5	14	13	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	-	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	29	...	...	1	5	15	8	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	1	3	7	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	-	2	8	6	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	16	...	...	-	2	8	6	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	1	1	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	-	4	11	7	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	3	6	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	1	5	5	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	1	5	5	-	...	...	...	...
Congenital anomalies (740-759)	477	313	30	16	22	18	16	16	17	13	10	6	380	231	34	15	11	13	14	12	12	16	16	6
White	390	249	26	10	19	14	14	16	16	13	9	4	306	178	28	12	10	12	11	10	11	14	15	5
All other	87	64	4	6	3	4	2	-	1	-	1	2	74	53	6	3	1	1	3	2	1	2	1	1
Black	78	56	4	6	2	4	2	-	1	-	1	2	61	44	4	2	1	1	3	2	1	2	-	1
Certain conditions originating in the perinatal period (760-779)	840	837	3	-	-	-	-	-	-	-	-	-	651	648	3	-	-	-	-	-	-	-	-	-
White	523	521	2	-	-	-	-	-	-	-	-	-	412	410	2	-	-	-	-	-	-	-	-	-
All other	317	316	1	-	-	-	-	-	-	-	-	-	239	238	1	-	-	-	-	-	-	-	-	-
Black	306	305	1	-	-	-	-	-	-	-	-	-	228	227	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	234	233	1	-	-	-	-	-	-	-	-	-	154	151	3	-	-	-	-	-	-	-	-	-
White	149	148	1	-	-	-	-	-	-	-	-	-	92	90	2	-	-	-	-	-	-	-	-	-
All other	85	85	-	-	-	-	-	-	-	-	-	-	62	61	1	-	-	-	-	-	-	-	-	-
Black	82	82	-	-	-	-	-	-	-	-	-	-	59	58	1	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-768,770-779)	606	604	2	-	-	-	-	-	-	-	-	-	497	497	-	-	-	-	-	-	-	-	-	-
White	374	373	1	-	-	-	-	-	-	-	-	-	320	320	-	-	-	-	-	-	-	-	-	-
All other	232	231	1	-	-	-	-	-	-	-	-	-	177	177	-	-	-	-	-	-	-	-	-	-
Black	224	223	1	-	-	-	-	-	-	-	-	-	169	169	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	983	215	13	7	66	241	193	78	58	56	31	19	645	147	14	8	45	108	86	45	50	50	38	52
White	680	125	7	5	45	172	133	52	43	48	26	18	432	78	10	3	27	61	53	30	39	45	34	50
All other	303	90	6	2	21	69	60	26	15	10	3	1	213	69	4	5	18	47	33	15	11	5	4	2
Black	289	85	6	2	20	67	57	24	15	9	3	1	208	68	4	5	17	46	32	15	10	5	4	2
All other diseases (Residual)	6,143	69	46	34	116	694	872	577	717	989	1,283	746	5,542	51	40	34	72	281	255	295	546	903	1,498	1,567
White	4,784	40	29	21	87	440	514	387	547	844	1,182	693	4,593	32	23	25	52	149	147	188	422	769	1,343	1,443
All other	1,359	29	17	13	29	254	358	190	170	145	101	53	949	19	17	9	20	132	108	107	124	134	155	124
Black	1,324	27	15	12	29	251	353	185	164	141	96	51	911	17	16	9	20	129	107	104	116	127	151	115
Accidents and adverse effects (E800-E949)	3,491	13	61	153	723	629	373	306	359	315	343	215	1,842	24	48	71	186	169	118	143	163	242	351	327
White	2,864	9	41	119	631	505	278	234	281	262	309	194	1,572	11	41	48	165	133	92	116	132	211	316	307
All other	627	4	20	34	92	124	95	72	78	53	34	21	270	13	7	23	21	36	26	27	31	31	35	20
Black	578	4	18	33	82	110	88	67	75	51	33	17	231	12	6	19	15	34	22	23	30	24	29	17
Motor vehicle accidents (E810-E825)	1,497	1	20	82	475	306	158	125	131	79	90	30	679	4	17	44	140	97	61	60	62	91	81	22
White	1,301	1	16	69	435	262	127	103	106	72	84	26	596	-	16	33	128	87	48	48	56	82	77	21
All other	196	-	4	13	40	44	31	22	25	7	6	4	83	4	1	11	12	10	13	12	6	9	4	1
Black	171	-	3	13	35	34	27	20	23	7	6	3	63	4	1	8	9	9	11	10	6	3	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,994	12	41	71	248	323	215	181	228	236	253	185	1,163	20	31	27	46	72	57	83	101	151	270	305
White	1,563	8	25	50	196	243	151	131	175	190	225	168	976	11	25	15	37	46	44	68	76	129	239	286
All other	431	4	16	21	52	80	64	50	53	46	28	17	187	9	6	12	9	26	13	15	25	22	31	19
Black	407	4	15	20	47	76	61	47	52	44	27	14	168	8	5	11	6	25	11	13	24	21	27	17
Suicide (E950-E959)	933	...	...	10	179	188	148	109	118	81	82	18	267	...	...	3	34	50	49	34	37	31	20	9
White	859	...	...	8	162	172	133	99	112	76	81	16	246	...	...	1	29	45	46	33	35	29	20	8
All other	74	...	...	2	17	16	15	10	6	5	1	2	21	...	...	2	5	5	3	1	2	2	-	1
Black	63	...	...	2	14	14	14	8	5	4	1	1	16	...	...	1	4	3	3	1	2	2	-	-
Homicide and legal intervention (E960-E978)	1,369	10	8	22	407	421	258	120	74	32	15	1	339	9	14	14	70	94	50	27	23	21	11	6
White	707	7	4	13	167	218	153	72	39	19	13	1	205	3	7	7	38	51	33	21	15	14	10	6
All other	662	3	4	9	240	203	105	48	35	13	2	-	134	6	7	7	32	43	17	6	8	7	1	-
Black	645	3	4	8	236	198	100	47	34	13	2	-	128	6	7	5	31	43	15	5	8	7	1	-
All other external causes (E980-E999)	389	3	8	5	45	114	69	58	33	28	22	4	119	-	3	4	7	29	21	14	14	14	8	4
White	260	1	2	4	32	78	47	36	21	20	15	3	73	-	1	-	3	17	11	12	10	10	5	4
All other	129	2	6	1	13	36	22	20	12	8	7	1	46	-	2	4	4	12	10	2	4	4	3	-
Black	124	2	6	1	12	36	22	17	12	7	7	1	43	-	2	4	4	10	9	2	4	4	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	28,478	589	103	168	832	890	1,259	2,224	5,258	7,765	6,549	2,835	24,510	462	78	90	316	373	643	1,332	2,947	5,323	7,125	5,821
White	21,286	330	61	107	595	552	748	1,535	3,866	5,972	5,162	2,354	18,719	252	48	55	217	222	414	895	2,092	3,937	5,668	4,919
All other	7,192	259	42	61	237	338	511	689	1,392	1,793	1,387	481	5,791	210	30	35	99	151	229	437	855	1,386	1,457	902
Black	6,936	250	40	55	221	316	488	660	1,351	1,738	1,346	469	5,625	199	30	30	94	142	222	420	827	1,360	1,415	886
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	4	1	1	-	-	-	-	-	-	1	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	49	-	-	-	-	1	7	4	10	11	8	8	20	-	1	-	-	-	2	2	5	2	8	-
White	24	-	-	-	-	1	1	2	6	5	5	4	9	-	1	-	-	-	1	1	2	-	4	-
All other	25	-	-	-	-	-	6	2	4	6	3	4	11	-	-	-	-	-	1	1	3	2	4	-
Black	25	-	-	-	-	-	6	2	4	6	3	4	11	-	-	-	-	-	1	1	3	2	4	-
Tuberculosis of respiratory system (010-012)	40	-	-	-	-	-	5	3	8	9	7	8	11	-	-	-	-	-	1	2	2	1	5	-
White	21	-	-	-	-	-	1	2	5	4	5	4	6	-	-	-	-	-	1	1	2	-	2	-
All other	19	-	-	-	-	-	4	1	3	5	2	4	5	-	-	-	-	-	-	1	-	1	3	-
Black	19	-	-	-	-	-	4	1	3	5	2	4	5	-	-	-	-	-	-	1	-	1	3	-
Other tuberculosis (013-018)	9	-	-	-	-	1	2	1	2	2	1	-	9	-	1	-	-	-	1	-	3	1	3	-
White	3	-	-	-	-	1	-	-	1	1	-	-	3	-	1	-	-	-	-	-	-	-	2	-
All other	6	-	-	-	-	-	2	1	1	1	1	-	6	-	-	-	-	-	1	-	3	1	1	-
Black	6	-	-	-	-	-	2	1	1	1	1	-	6	-	-	-	-	-	1	-	3	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	2	-	1	-	-	1	-	-	-	-	-	4	1	1	-	-	-	-	-	-	2	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-
All other	3	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Septicemia (038)	235	8	2	1	-	-	7	17	35	64	73	28	305	4	1	1	1	2	6	14	28	64	95	89
White	150	3	1	1	-	-	4	6	19	46	48	22	205	1	-	-	1	1	1	7	18	41	69	66
All other	85	5	1	-	-	-	3	11	16	18	25	6	100	3	1	1	-	1	5	7	10	23	26	23
Black	82	5	1	-	-	-	3	9	16	17	25	6	100	3	1	1	-	1	5	7	10	23	26	23
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	1	-	1	4	1	1	2	2	-	-	7	-	-	-	-	-	-	1	1	3	2	-
White	9	-	1	-	1	2	-	1	2	2	-	-	5	-	-	-	-	-	-	-	1	3	1	-
All other	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	3	-	-	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	73	2	-	1	3	9	8	10	14	11	13	2	82	-	3	1	2	10	4	8	13	22	15	4
White	47	1	-	-	2	4	3	5	11	11	8	2	51	-	3	1	2	3	-	5	6	14	13	4
All other	26	1	-	1	1	5	5	5	3	-	5	-	31	-	-	-	-	7	4	3	7	8	2	-
Black	25	1	-	1	1	5	4	5	3	-	5	-	31	-	-	-	-	7	4	3	7	8	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,098	-	5	10	29	67	183	526	1,496	2,093	1,326	363	5,063	3	4	11	24	76	221	569	1,125	1,432	1,129	469
White	4,576	-	2	6	22	50	128	378	1,104	1,585	1,016	285	3,990	2	4	10	11	54	164	438	882	1,130	915	380
All other	1,522	-	3	4	7	17	55	148	392	508	310	78	1,073	1	-	1	13	22	57	131	243	302	214	89
Black	1,483	-	3	4	6	17	53	145	383	491	306	75	1,056	1	-	1	13	22	55	128	238	300	210	88

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	156	-	-	-	-	2	6	26	51	45	19	7	57	-	-	-	-	1	1	8	12	12	13	10
White	103	-	-	-	-	1	2	12	35	33	13	7	48	-	-	-	-	1	-	5	9	12	11	10
All other	53	-	-	-	-	1	4	14	16	12	6	-	9	-	-	-	-	-	1	3	3	-	2	-
Black	53	-	-	-	-	1	4	14	16	12	6	-	9	-	-	-	-	-	1	3	3	-	2	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,314	-	1	-	-	11	38	118	309	453	289	95	1,276	1	1	-	5	7	24	99	247	361	351	180
White	939	-	1	-	-	8	26	73	212	329	219	71	931	1	1	-	2	5	19	65	179	254	266	139
All other	375	-	-	-	-	3	12	45	97	124	70	24	345	-	-	-	3	2	5	34	68	107	85	41
Black	365	-	-	-	-	3	12	43	94	122	69	22	338	-	-	-	3	2	5	32	68	105	82	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,399	-	-	-	-	4	55	222	743	900	414	61	815	-	-	-	-	5	17	102	231	298	125	37
White	1,889	-	-	-	-	3	37	173	570	714	343	49	706	-	-	-	-	2	12	86	195	267	114	30
All other	510	-	-	-	-	1	18	49	173	186	71	12	109	-	-	-	-	3	5	16	36	31	11	7
Black	499	-	-	-	-	1	17	49	171	179	70	12	106	-	-	-	-	3	4	16	34	31	11	7
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	1	1	1	-	-	1,042	-	-	-	2	21	103	183	277	240	175	41
White	3	-	-	-	-	-	-	1	1	1	-	-	831	-	-	-	-	16	77	139	222	194	146	37
All other	-	-	-	-	-	-	-	-	-	-	-	-	211	-	-	-	2	5	26	44	55	46	29	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	210	-	-	-	2	5	26	44	54	46	29	4
Malignant neoplasms of genital organs (179-187)	694	-	-	-	2	1	2	12	66	234	272	105	606	-	-	-	3	15	30	74	121	182	129	52
White	435	-	-	-	1	-	2	8	40	139	172	73	444	-	-	-	1	10	21	60	86	128	98	40
All other	259	-	-	-	1	1	-	4	26	95	100	32	162	-	-	-	2	5	9	14	35	54	31	12
Black	251	-	-	-	1	1	-	3	25	91	99	31	158	-	-	-	2	5	8	13	35	54	30	11
Malignant neoplasms of urinary organs (188-189)	268	-	-	-	-	2	3	20	55	77	88	23	153	-	-	-	-	1	5	8	25	47	39	28
White	215	-	-	-	-	2	1	15	45	61	71	20	119	-	-	-	-	-	2	7	22	34	30	24
All other	53	-	-	-	-	-	2	5	10	16	17	3	34	-	-	-	-	1	3	1	3	13	9	4
Black	52	-	-	-	-	-	2	5	10	15	17	3	34	-	-	-	-	1	3	1	3	13	9	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	765	-	1	3	16	30	51	94	175	222	137	36	618	2	2	4	7	18	26	59	131	159	149	61
White	599	-	1	2	12	23	36	68	133	181	112	31	500	1	2	4	2	14	21	44	105	131	127	49
All other	166	-	-	1	4	7	15	26	42	41	25	5	118	1	-	-	5	4	5	15	26	28	22	12
Black	159	-	-	1	3	7	14	26	40	39	24	5	116	1	-	-	5	4	5	15	24	28	22	12
Leukemia (204-208)	208	-	2	5	8	11	11	14	33	59	46	19	187	-	1	7	4	4	9	13	25	44	57	23
White	163	-	-	2	8	8	10	11	20	49	37	18	160	-	1	6	3	2	8	11	22	38	50	19
All other	45	-	2	3	-	3	1	3	13	10	9	1	27	-	-	1	1	2	1	2	3	6	7	4
Black	45	-	2	3	-	3	1	3	13	10	9	1	27	-	-	1	1	2	1	2	3	6	7	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	291	-	1	2	3	6	17	19	63	102	61	17	309	-	-	-	3	4	6	23	56	89	91	37
White	230	-	-	2	1	5	14	17	48	78	49	16	251	-	-	-	3	4	4	21	42	72	73	32
All other	61	-	1	-	2	1	3	2	15	24	12	1	58	-	-	-	-	-	2	2	14	17	18	5
Black	59	-	1	-	2	1	3	2	14	23	12	1	58	-	-	-	-	-	2	2	14	17	18	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	79	1	1	1	2	9	5	6	9	23	21	5	107	1	-	1	-	2	5	8	15	30	29	16
White	61	1	-	1	1	3	3	5	8	18	17	4	80	-	-	-	-	2	4	6	11	21	22	14
All other	18	-	1	-	1	-	2	3	1	5	4	1	27	1	-	1	-	-	1	2	4	9	7	2
Black	18	-	1	-	1	-	2	3	1	5	4	1	26	1	-	1	-	-	1	2	4	9	6	2
Diabetes mellitus (250)	355	-	-	-	4	13	24	30	76	98	86	24	515	1	-	-	1	5	14	21	99	134	174	66
White	239	-	-	-	1	8	14	20	49	77	50	20	348	1	-	-	1	2	10	8	62	88	127	49
All other	116	-	-	-	3	5	10	10	27	21	36	4	167	-	-	-	-	3	4	13	37	46	47	17
Black	113	-	-	-	3	5	10	9	27	19	36	4	164	-	-	-	-	3	4	13	37	45	45	17
Nutritional deficiencies (260-269)	22	-	-	-	-	-	-	2	1	4	8	7	45	-	1	-	-	-	-	1	4	5	9	25
White	17	-	-	-	-	-	-	2	-	4	5	6	36	-	-	-	-	-	-	1	3	4	6	22
All other	5	-	-	-	-	-	-	-	1	-	3	1	9	-	1	-	-	-	-	-	1	1	3	3
Black	5	-	-	-	-	-	-	-	1	-	3	1	9	-	1	-	-	-	-	-	1	1	3	3
Anemias (280-285)	48	-	-	1	7	4	2	3	4	10	12	5	50	-	-	1	1	2	-	5	6	9	13	13
White	21	-	-	-	1	-	1	-	2	5	10	2	31	-	-	-	1	-	-	3	3	3	10	11
All other	27	-	-	1	6	4	1	3	2	5	2	3	19	-	-	1	-	2	-	2	3	6	3	2
Black	27	-	-	1	6	4	1	3	2	5	2	3	18	-	-	1	-	2	-	2	3	6	3	2
Meningitis (320-322)	22	9	4	-	-	1	-	-	1	2	5	-	11	4	-	-	-	-	-	1	3	2	1	-
White	14	6	3	-	-	1	-	-	1	1	2	-	6	3	-	-	-	-	-	-	3	-	-	-
All other	8	3	1	-	-	-	-	-	-	1	3	-	5	1	-	-	-	-	-	1	-	2	1	-
Black	8	3	1	-	-	-	-	-	-	1	3	-	5	1	-	-	-	-	-	1	-	2	1	-
Major cardiovascular diseases (390-448)	12,745	11	5	7	21	65	329	923	2,416	3,842	3,488	1,638	12,175	10	5	6	22	31	130	344	1,019	2,589	4,170	3,849
White	9,869	6	5	5	10	28	198	654	1,827	2,992	2,784	1,362	9,380	5	2	3	13	15	77	192	650	1,849	3,297	3,277
All other	2,876	5	-	2	11	37	133	269	589	850	704	276	2,795	5	3	3	9	16	53	152	369	740	873	572
Black	2,776	5	-	2	11	34	127	254	568	828	678	269	2,707	4	3	3	9	16	52	146	350	720	846	558

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	10,243	11	5	7	18	51	279	799	2,101	3,130	2,683	1,159	8,823	10	5	5	14	19	91	255	777	2,000	2,999	2,648
White	8,062	6	5	5	9	25	174	581	1,638	2,482	2,178	959	6,878	5	2	2	7	10	58	151	503	1,456	2,414	2,270
All other	2,181	5	-	2	9	26	105	218	463	648	505	200	1,945	5	3	3	7	9	33	104	274	544	585	378
Black	2,099	5	-	2	9	24	99	204	446	631	485	194	1,879	4	3	3	7	9	32	100	260	529	562	370
Rheumatic fever and rheumatic heart disease (390-398)	57	-	-	-	-	2	7	9	14	20	4	1	88	-	-	1	4	2	9	7	15	22	23	5
White	49	-	-	-	-	-	5	7	14	18	4	1	74	-	-	-	2	1	7	6	13	18	22	5
All other	8	-	-	-	-	2	2	2	-	2	-	-	14	-	-	1	2	1	2	1	2	4	1	-
Black	7	-	-	-	-	2	2	1	-	2	-	-	14	-	-	1	2	1	2	1	2	4	1	-
Hypertensive heart disease (402)	261	-	-	-	2	1	11	20	47	89	63	29	344	-	-	-	-	-	6	14	30	87	132	75
White	140	-	-	-	1	1	5	7	21	44	39	22	212	-	-	-	-	-	-	4	13	45	88	62
All other	121	-	-	-	1	-	6	13	26	44	24	7	132	-	-	-	-	-	6	10	17	42	44	13
Black	117	-	-	-	1	-	6	12	25	43	23	7	130	-	-	-	-	-	6	10	16	42	43	13
Hypertensive heart and renal disease (404)	44	-	-	-	-	-	-	3	9	10	18	4	58	-	-	-	-	-	-	-	5	12	18	23
White	22	-	-	-	-	-	-	1	3	2	13	3	33	-	-	-	-	-	-	-	2	6	10	15
All other	22	-	-	-	-	-	-	2	6	8	5	1	25	-	-	-	-	-	-	-	3	6	8	8
Black	21	-	-	-	-	-	-	2	6	8	4	1	25	-	-	-	-	-	-	-	3	6	8	8
Ischemic heart disease (410-414)	7,369	1	-	-	5	21	189	608	1,597	2,322	1,817	709	5,635	1	-	-	1	3	47	164	523	1,408	1,931	1,557
White	6,028	1	-	-	2	16	129	467	1,295	1,921	1,604	593	4,496	-	-	-	-	2	33	104	364	1,051	1,579	1,363
All other	1,341	-	-	-	3	5	60	141	302	401	313	116	1,139	1	-	-	1	1	14	60	159	357	352	194
Black	1,284	-	-	-	3	4	55	131	292	387	299	113	1,097	1	-	-	1	1	13	57	153	346	337	188
Acute myocardial infarction (410)	4,374	-	-	-	2	11	122	391	981	1,400	1,127	340	3,149	1	-	-	1	2	30	111	331	916	1,100	657
White	3,635	-	-	-	-	10	85	311	799	1,186	951	293	2,515	-	-	-	-	1	21	72	236	693	917	575
All other	739	-	-	-	2	1	37	80	182	214	176	47	634	1	-	-	1	1	9	39	95	223	183	82
Black	701	-	-	-	2	-	34	72	176	206	165	46	606	1	-	-	1	1	8	36	91	213	173	82
Other acute and subacute forms of ischemic heart disease (411)	24	-	-	-	-	1	3	1	8	6	3	2	15	-	-	-	-	-	-	-	2	3	8	2
White	21	-	-	-	-	1	2	-	8	5	3	2	10	-	-	-	-	-	-	-	1	1	6	2
All other	3	-	-	-	-	-	1	1	-	1	-	-	5	-	-	-	-	-	-	-	1	2	2	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	5	-	-	-	-	-	-	-	1	2	2	-
Angina pectoris (413)	20	-	-	-	-	-	-	3	5	3	7	2	24	-	-	-	-	-	1	-	1	10	7	5
White	18	-	-	-	-	-	-	1	5	3	7	2	18	-	-	-	-	-	1	-	-	8	5	4
All other	2	-	-	-	-	-	-	2	-	-	-	-	6	-	-	-	-	-	-	-	1	2	2	1
Black	2	-	-	-	-	-	-	2	-	-	-	-	5	-	-	-	-	-	-	-	1	2	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,951	1	-	-	3	9	64	213	603	913	780	385	2,447	-	-	-	-	1	16	53	189	479	816	893
White	2,354	1	-	-	2	5	42	155	483	727	643	296	1,953	-	-	-	-	1	11	32	127	349	651	782
All other	597	-	-	-	1	4	22	58	120	186	137	69	494	-	-	-	-	-	5	21	62	130	165	111
Black	579	-	-	-	1	4	20	57	116	180	134	67	481	-	-	-	-	-	5	21	60	129	161	105
Other diseases of endocardium (424)	124	-	1	1	-	2	3	9	26	28	39	15	105	-	-	-	-	-	-	3	8	11	40	43
White	95	-	1	1	-	-	2	5	19	21	34	12	87	-	-	-	-	-	-	2	5	8	35	37
All other	29	-	-	-	-	2	1	4	7	7	5	3	18	-	-	-	-	-	-	1	3	3	5	6
Black	28	-	-	-	-	2	-	4	7	7	5	3	18	-	-	-	-	-	-	1	3	3	5	6
All other forms of heart disease (415-423,425-429)	2,388	10	4	6	11	25	68	150	408	662	642	401	2,593	9	5	4	9	14	29	67	196	460	855	845
White	1,728	5	4	4	6	8	33	94	286	476	484	328	1,976	5	2	2	5	7	18	35	106	328	680	788
All other	660	5	-	2	5	17	38	56	122	186	158	73	617	4	3	2	4	7	11	32	90	132	175	157
Black	642	5	-	2	5	16	36	54	116	184	154	70	595	3	3	2	4	7	11	31	83	128	168	155
Hypertension with or without renal disease (401,403)	104	-	-	-	-	4	6	5	21	30	23	15	128	-	-	-	-	-	3	6	12	34	50	23
White	57	-	-	-	-	-	1	2	11	18	14	11	72	-	-	-	-	-	1	1	5	17	30	18
All other	47	-	-	-	-	4	5	3	10	12	9	4	56	-	-	-	-	-	2	5	7	17	20	5
Black	46	-	-	-	-	4	5	3	10	12	9	3	54	-	-	-	-	-	2	5	6	17	20	4
Cerebrovascular diseases (430-438)	1,692	-	-	-	3	8	39	103	226	514	647	352	2,738	-	-	1	7	11	32	76	199	467	972	973
White	1,349	-	-	-	1	2	17	59	129	354	486	301	2,032	-	-	1	5	5	18	36	122	308	729	808
All other	543	-	-	-	2	6	22	44	97	160	161	51	706	-	-	-	2	6	14	40	77	159	243	165
Black	530	-	-	-	2	6	22	43	94	156	156	51	688	-	-	-	2	6	14	38	74	155	239	160
Intracerebral and other intracranial hemorrhage (431-432)	250	-	-	-	2	4	19	38	60	60	56	11	287	-	-	-	2	2	14	24	39	68	86	52
White	158	-	-	-	1	-	3	20	37	45	43	9	209	-	-	-	1	1	9	10	26	50	68	44
All other	92	-	-	-	1	4	16	18	23	15	13	2	78	-	-	-	1	1	5	14	13	18	18	8
Black	90	-	-	-	1	4	16	18	23	14	12	2	75	-	-	-	1	1	5	13	12	18	17	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	267	-	-	-	1	-	3	8	31	72	97	55	424	-	-	-	-	-	5	1	28	58	147	185
White	201	-	-	-	-	-	3	6	17	51	77	47	331	-	-	-	-	-	2	1	12	43	120	153
All other	66	-	-	-	1	-	-	2	14	21	20	8	93	-	-	-	-	-	3	-	16	15	27	32
Black	63	-	-	-	1	-	-	2	13	19	20	8	91	-	-	-	-	-	3	-	14	15	27	32

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	2	1	1	12	-	-	-	-	-	-	-	2	3	4	3
White	4	-	-	-	-	-	-	-	-	2	1	1	11	-	-	-	-	-	-	-	2	2	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,371	-	-	-	-	4	17	57	135	380	493	285	2,015	-	-	1	5	9	13	51	130	338	735	733
White	988	-	-	-	-	2	11	33	75	256	365	244	1,481	-	-	1	4	4	7	25	82	213	537	608
All other	385	-	-	-	-	2	6	24	60	124	128	41	534	-	-	-	1	5	6	26	48	125	198	125
Black	377	-	-	-	-	2	6	23	58	123	124	41	521	-	-	-	1	5	6	25	48	121	195	120
Atherosclerosis (440)	205	-	-	-	-	-	2	4	9	52	56	82	323	-	-	-	-	-	-	1	12	44	99	167
White	157	-	-	-	-	-	2	2	4	42	40	67	277	-	-	-	-	-	-	1	9	34	85	148
All other	48	-	-	-	-	-	-	2	5	10	16	15	46	-	-	-	-	-	-	-	3	10	14	19
Black	48	-	-	-	-	-	-	2	5	10	16	15	45	-	-	-	-	-	-	-	3	9	14	19
Other diseases of arteries, arterioles, and capillaries (441-448)	301	-	-	-	-	2	3	12	59	116	79	30	163	-	-	-	1	1	4	6	19	44	50	38
White	244	-	-	-	-	1	2	10	45	96	66	24	121	-	-	-	1	-	-	3	11	34	39	33
All other	57	-	-	-	-	1	1	2	14	20	13	6	42	-	-	-	-	1	4	3	8	10	11	5
Black	53	-	-	-	-	-	1	2	13	19	12	6	41	-	-	-	-	1	4	3	7	10	11	5
Acute bronchitis and bronchiolitis (466)	10	1	-	-	-	-	-	2	1	1	4	1	10	3	-	-	-	-	1	-	1	2	1	2
White	8	-	-	-	-	-	-	2	1	1	3	1	10	3	-	-	-	-	1	-	1	2	1	2
All other	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	906	7	4	-	1	5	24	34	109	192	298	231	861	8	-	-	4	6	15	21	49	119	279	360
White	705	1	2	-	-	2	12	12	75	143	246	212	677	2	-	-	2	3	5	15	31	90	216	313
All other	201	6	2	-	1	3	12	22	34	49	52	19	184	6	-	-	2	3	10	6	18	29	63	47
Black	197	5	2	-	1	3	12	21	33	48	52	19	183	6	-	-	2	3	10	6	18	29	62	47
Pneumonia (480-486)	886	7	3	-	1	5	22	32	105	188	295	227	834	8	-	-	4	6	15	21	47	119	267	347
White	689	1	1	-	-	2	10	11	72	140	244	208	653	2	-	-	2	3	5	15	29	90	205	301
All other	197	6	2	-	1	3	12	21	33	48	51	19	182	6	-	-	2	3	10	6	18	29	62	46
Black	193	5	2	-	1	3	12	20	32	47	51	19	181	6	-	-	2	3	10	6	18	29	61	46
Influenza (487)	20	-	1	-	-	-	2	2	4	4	3	4	27	-	-	-	-	-	-	-	2	-	12	13
White	16	-	1	-	-	-	2	1	3	3	2	4	25	-	-	-	-	-	-	-	2	-	11	12
All other	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,089	1	1	1	1	2	6	35	210	424	308	100	588	1	-	2	1	2	7	28	120	191	160	76
White	927	-	-	1	-	1	4	27	170	365	267	92	533	-	-	1	1	1	5	23	105	173	151	73
All other	162	1	1	-	1	1	2	8	40	59	41	8	55	1	-	1	-	1	2	5	15	18	9	3
Black	155	-	1	-	1	1	2	8	39	56	39	8	51	1	-	1	-	1	2	5	14	17	7	3
Bronchitis, chronic and unspecified (490-491)	39	1	-	-	-	-	-	1	7	11	16	3	43	1	-	-	-	-	-	1	6	8	15	12
White	35	-	-	-	-	-	-	1	5	11	15	3	39	-	-	-	-	-	-	1	5	8	14	11
All other	4	1	-	-	-	-	-	-	2	-	1	-	4	1	-	-	-	-	-	-	1	-	1	1
Black	3	-	-	-	-	-	-	-	2	-	1	-	4	1	-	-	-	-	-	-	1	-	1	1
Emphysema (492)	191	-	-	-	-	-	-	6	38	82	50	15	85	-	-	-	-	-	3	6	20	31	21	4
White	164	-	-	-	-	-	-	3	36	70	42	13	82	-	-	-	-	-	3	5	20	29	21	4
All other	27	-	-	-	-	-	-	3	2	12	8	2	3	-	-	-	-	-	-	1	-	2	-	-
Black	26	-	-	-	-	-	-	3	2	11	8	2	3	-	-	-	-	-	-	1	-	2	-	-
Asthma (493)	52	-	1	1	1	2	5	3	10	13	13	3	65	-	-	2	1	2	3	7	12	15	18	5
White	36	-	-	1	-	1	3	2	6	10	10	3	49	-	-	1	1	1	1	5	10	10	16	4
All other	16	-	1	-	1	1	2	1	4	3	3	-	16	-	-	1	-	1	2	2	2	5	2	1
Black	16	-	1	-	1	1	2	1	4	3	3	-	15	-	-	1	-	1	2	2	2	4	2	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	807	-	-	-	-	-	1	25	155	318	229	79	395	-	-	-	-	-	1	14	82	137	106	55
White	692	-	-	-	-	-	1	21	123	274	200	73	363	-	-	-	-	-	1	12	70	126	100	54
All other	115	-	-	-	-	-	-	4	32	44	29	6	32	-	-	-	-	-	-	2	12	11	6	1
Black	110	-	-	-	-	-	-	4	31	42	27	6	29	-	-	-	-	-	-	2	11	11	4	1
Ulcer of stomach and duodenum (531-533)	78	-	-	-	-	-	3	9	14	23	24	5	80	-	-	-	-	1	-	4	7	17	33	18
White	65	-	-	-	-	-	3	6	11	20	20	5	68	-	-	-	-	1	-	3	6	14	29	15
All other	13	-	-	-	-	-	-	3	3	3	4	-	12	-	-	-	-	-	-	1	1	3	4	3
Black	12	-	-	-	-	-	-	3	3	2	4	-	12	-	-	-	-	-	-	1	1	3	4	3
Appendicitis (540-543)	12	-	-	-	1	1	-	1	1	4	2	2	2	-	-	-	-	-	-	-	-	1	1	-
White	11	-	-	-	1	-	-	1	1	4	2	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	1	-	-	-	1	2	1	4	11	13	11	91	2	-	-	-	1	3	3	8	13	34	27
White	29	1	-	-	-	-	-	1	3	7	8	9	69	1	-	-	-	-	2	1	6	9	28	22
All other	15	-	-	-	-	1	2	-	1	4	5	2	22	1	-	-	-	1	1	2	2	4	6	5
Black	15	-	-	-	-	1	2	-	1	4	5	2	22	1	-	-	-	1	1	2	2	4	6	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	350	-	-	-	-	18	52	74	121	67	18	-	217	-	-	-	-	11	28	36	53	54	27	8
White	244	-	-	-	-	11	27	50	92	47	17	-	145	-	-	-	-	1	11	25	41	39	21	7
All other	106	-	-	-	-	7	25	24	29	20	1	-	72	-	-	-	-	10	17	11	12	15	6	1
Black	103	-	-	-	-	7	25	23	28	19	1	-	71	-	-	-	-	10	17	10	12	15	6	1
Cholelithiasis and other disorders of gallbladder (574-575)	38	-	-	-	1	-	1	3	6	12	13	2	39	-	-	-	-	-	-	-	3	5	14	17
White	25	-	-	-	1	-	1	2	4	7	8	2	27	-	-	-	-	-	-	-	1	3	9	14
All other	13	-	-	-	-	-	-	1	2	5	5	-	12	-	-	-	-	-	-	-	2	2	5	3
Black	13	-	-	-	-	-	-	1	2	5	5	-	12	-	-	-	-	-	-	-	2	2	5	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	284	7	-	-	2	2	6	22	33	68	93	51	333	6	-	4	-	1	5	12	43	74	117	71
White	167	3	-	-	2	2	2	10	14	42	62	30	200	2	-	2	-	-	4	8	23	35	74	52
All other	117	4	-	-	-	-	4	12	19	26	31	21	133	4	-	2	-	1	1	4	20	39	43	19
Black	114	3	-	-	-	-	4	11	19	25	31	21	129	4	-	1	-	1	1	4	20	38	41	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	1	-	3	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	-	-	-	-	1	1	1	4	7	5	4	23	-	-	1	-	-	-	1	4	3	10	4
White	15	-	-	-	-	1	-	1	3	5	1	4	19	-	-	-	-	-	-	1	3	2	9	4
All other	8	-	-	-	-	-	1	-	1	2	4	-	4	-	-	1	-	-	-	-	1	1	1	-
Black	8	-	-	-	-	-	1	-	1	2	4	-	4	-	-	1	-	-	-	-	1	1	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	260	7	-	-	2	1	5	21	29	60	88	47	304	6	-	3	-	1	5	10	39	68	105	67
White	152	3	-	-	2	1	2	9	11	37	61	26	177	2	-	2	-	-	4	6	20	32	63	48
All other	108	4	-	-	-	-	3	12	18	23	27	21	127	4	-	1	-	1	1	4	19	36	42	19
Black	105	3	-	-	-	-	3	11	18	22	27	21	123	4	-	-	-	1	1	4	19	35	40	19
Infections of kidney (590)	20	-	-	-	-	-	-	2	1	5	8	4	45	-	-	-	-	-	-	1	3	8	13	20
White	11	-	-	-	-	-	-	1	1	2	4	3	33	-	-	-	-	-	-	-	3	5	11	14
All other	9	-	-	-	-	-	-	1	-	3	4	1	12	-	-	-	-	-	-	1	-	3	2	6
Black	9	-	-	-	-	-	-	1	-	3	4	1	11	-	-	-	-	-	-	1	-	3	1	6
Hyperplasia of prostate (600)	11	-	-	-	-	-	-	-	1	3	3	4	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	1	3	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	1	2	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	1	2	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	1	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Congenital anomalies (740-759)	185	122	16	9	5	5	6	3	6	9	4	-	150	94	10	8	13	1	8	3	5	5	3	-
White	122	80	9	4	3	5	4	2	5	7	3	-	101	58	7	4	9	1	8	2	4	5	3	-
All other	63	42	7	5	2	-	2	1	1	2	1	-	49	36	3	4	4	-	-	1	1	-	-	-
Black	62	41	7	5	2	-	2	1	1	2	1	-	43	32	3	3	3	-	-	1	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	299	296	3	-	-	-	-	-	-	-	-	-	232	232	-	-	-	-	-	-	-	-	-	-
White	159	157	2	-	-	-	-	-	-	-	-	-	122	122	-	-	-	-	-	-	-	-	-	-
All other	140	139	1	-	-	-	-	-	-	-	-	-	110	110	-	-	-	-	-	-	-	-	-	-
Black	138	137	1	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	60	60	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
White	37	37	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	239	236	3	-	-	-	-	-	-	-	-	-	182	182	-	-	-	-	-	-	-	-	-	-
White	122	120	2	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-
All other	117	116	1	-	-	-	-	-	-	-	-	-	91	91	-	-	-	-	-	-	-	-	-	-
Black	115	114	1	-	-	-	-	-	-	-	-	-	87	87	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	165	78	3	2	5	12	13	10	4	13	10	15	124	50	1	-	6	4	4	7	8	3	18	23
White	86	47	1	1	5	6	6	4	1	5	8	12	88	29	1	-	4	4	2	6	4	2	16	18
All other	69	31	2	1	-	6	7	6	3	8	2	3	38	21	-	-	2	-	2	1	4	1	2	5
Black	67	30	2	1	-	6	7	6	2	8	2	3	36	19	-	-	2	-	2	1	4	1	2	5
All other diseases (Residual)	2,110	28	10	18	31	68	136	209	348	498	506	258	2,116	26	13	10	31	47	58	122	206	388	642	573
White	1,482	15	7	12	18	33	67	123	222	367	403	215	1,615	16	10	6	19	24	29	66	140	289	533	483
All other	628	13	3	6	13	35	69	86	126	131	103	43	501	10	3	4	12	23	29	56	66	99	109	90
Black	610	11	3	6	12	35	68	86	122	128	96	43	493	10	3	4	11	23	29	53	65	99	107	89
Accidents and adverse effects (E800-E949)	2,072	11	44	98	528	352	253	173	202	197	145	65	888	12	32	36	160	85	76	67	87	115	127	91
White	1,436	6	27	62	402	224	153	119	133	142	111	54	639	5	15	23	123	54	50	41	56	92	101	79
All other	636	5	17	36	126	128	100	54	69	55	34	11	249	7	17	13	37	31	26	26	31	23	26	12
Black	590	5	15	30	115	117	95	50	66	54	33	9	236	7	17	11	36	28	25	23	29	22	26	12
Motor vehicle accidents (E810-E825)	1,081	2	21	55	377	211	131	85	88	63	33	12	437	3	16	19	135	63	50	46	36	35	31	3
White	796	1	14	39	301	138	88	66	64	50	23	9	328	2	9	16	105	46	38	30	24	31	24	3
All other	285	1	7	16	76	73	43	19	24	13	10	3	109	1	7	3	30	17	12	16	12	4	7	-
Black	255	1	6	12	68	65	40	17	22	12	10	2	102	1	7	3	29	14	12	14	11	4	7	-
All other accidents and adverse effects (E800-E807, E826-E949)	991	9	23	43	151	141	122	88	114	134	112	53	451	9	16	17	25	22	26	21	51	80	96	88
White	640	5	13	23	101	86	65	53	69	92	88	45	311	3	6	7	18	8	12	11	32	61	77	76
All other	351	4	10	20	50	55	57	35	45	42	24	8	140	6	10	10	7	14	14	10	19	19	19	12
Black	335	4	9	18	47	52	55	33	44	42	23	7	134	6	10	8	7	14	13	9	18	18	19	12
Suicide (E950-E959)	604	...	...	7	99	109	95	78	95	64	51	6	178	...	...	-	25	40	30	30	25	21	6	1
White	533	...	...	7	87	92	82	74	80	58	47	6	152	...	...	-	19	31	27	27	24	17	6	1
All other	71	...	...	-	12	17	13	4	15	6	4	-	26	...	...	-	6	9	3	3	1	4	-	-
Black	65	...	...	-	12	15	10	4	15	6	3	-	18	...	...	-	4	4	2	3	1	4	-	-
Homicide and legal intervention (E960-E978)	423	3	2	8	89	138	90	40	34	11	7	-	145	3	3	9	24	40	19	21	9	11	4	2
White	203	2	-	4	37	70	35	24	20	6	4	-	77	1	1	5	10	21	10	14	5	5	3	2
All other	220	1	2	4	52	68	55	16	14	5	3	-	68	2	2	4	14	19	9	7	4	6	1	-
Black	204	1	2	4	49	63	50	15	14	3	3	-	64	2	2	3	14	18	8	6	4	6	1	-
All other external causes (E980-E999)	33	1	2	3	2	10	5	4	4	2	-	-	19	-	2	-	1	4	5	3	2	1	1	-
White	25	-	1	3	1	9	2	4	4	1	-	-	15	-	2	-	1	3	3	3	1	1	1	-
All other	8	1	1	-	1	1	3	-	-	1	-	-	4	-	-	-	-	1	2	-	1	-	-	-
Black	7	1	1	-	1	-	3	-	-	1	-	-	4	-	-	-	-	1	2	-	1	-	-	-
NORTH DAKOTA																								
All causes	3,133	58	12	16	66	67	59	174	377	775	965	564	2,495	42	5	10	19	16	36	85	224	399	723	936
White	3,041	53	8	12	61	58	59	163	361	758	948	560	2,431	38	5	10	12	12	33	75	215	392	712	929
All other	92	5	4	4	5	9	-	11	16	17	17	4	64	6	-	-	7	4	3	10	9	7	11	7
Black	2	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	9	-	-	-	-	-	-	-	1	3	1	4	19	1	-	-	-	-	-	-	1	1	7	9
White	9	-	-	-	-	-	-	-	1	3	1	4	19	1	-	-	-	-	-	-	1	1	7	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 099-139)	3	-	-	-	-	-	-	1	2	-	-	-	8	-	-	-	1	-	-	-	3	1	1	2
White	3	-	-	-	-	-	-	1	2	-	-	-	8	-	-	-	1	-	-	-	3	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	697	1	-	6	3	11	8	45	129	190	215	89	519	-	-	3	1	5	11	46	103	139	137	74
White	681	1	-	4	3	10	8	41	125	187	213	89	508	-	-	3	1	5	11	43	100	137	135	73
All other	16	-	-	2	-	1	-	4	4	3	2	-	11	-	-	-	-	-	-	3	3	2	2	1
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	-	-	-	-	-	-	1	5	2	1	-	5	-	-	-	-	-	-	-	1	1	2	1
White	8	-	-	-	-	-	-	-	5	2	1	-	5	-	-	-	-	-	-	-	1	1	2	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	186	-	-	-	1	1	1	9	38	46	73	27	129	-	-	-	1	1	1	10	14	28	43	31
White	183	-	-	-	1	1	1	8	38	45	72	27	127	-	-	-	1	1	1	10	14	27	42	31
All other	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	195	-	-	-	-	-	4	18	48	66	47	14	71	-	-	-	-	-	-	9	22	22	13	5
White	189	-	-	-	-	-	4	17	43	65	46	14	69	-	-	-	-	-	-	9	21	21	13	5
All other	6	-	-	-	-	-	-	1	3	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	113	-	-	-	-	2	5	12	29	30	29	6
White	-	-	-	-	-	-	-	-	-	-	-	-	111	-	-	-	-	2	5	10	29	30	29	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	109	-	-	-	2	3	-	1	9	27	44	23	71	-	-	-	-	-	3	8	17	17	19	7
White	106	-	-	-	2	2	-	1	8	26	44	23	67	-	-	-	-	-	3	7	15	17	19	6
All other	3	-	-	-	-	1	-	-	1	1	-	-	4	-	-	-	-	-	-	1	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	38	-	-	1	-	-	1	3	7	9	10	7	11	-	-	-	-	-	-	-	-	6	3	2
White	38	-	-	1	-	-	1	3	7	9	10	7	11	-	-	-	-	-	-	-	-	6	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	73	1	-	2	-	5	-	7	12	19	18	9	65	-	-	1	-	1	2	3	13	17	14	14
White	71	1	-	1	-	5	-	6	12	19	18	9	64	-	-	1	-	1	2	3	13	17	13	14
All other	2	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Leukemia (204-208)	37	-	-	3	-	1	-	3	5	11	10	4	21	-	-	2	-	1	-	2	1	7	3	5
White	36	-	-	2	-	1	-	3	5	11	10	4	21	-	-	2	-	1	-	2	1	7	3	5
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	-	-	-	-	1	2	3	7	10	12	5	33	-	-	-	-	-	-	2	6	11	11	3
White	40	-	-	-	-	1	2	3	7	10	12	5	33	-	-	-	-	-	-	2	6	11	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	-	1	-	-	2	1	-	8	-	-	-	-	-	-	-	1	-	1	6
White	4	-	-	-	-	-	1	-	-	2	1	-	8	-	-	-	-	-	-	-	1	-	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	52	-	-	-	-	-	1	8	6	16	13	8	63	-	-	-	1	-	-	2	5	20	12	23
White	48	-	-	-	-	-	1	8	5	15	11	8	59	-	-	-	-	-	-	1	4	19	12	23
All other	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	1	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	-	1	5	8	-	-	-	-	-	-	-	-	1	1	6
White	6	-	-	-	-	-	-	-	-	-	1	5	8	-	-	-	-	-	-	-	-	1	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	1	-	-	-	2	1	-	1	4	-	-	-	-	-	-	-	-	-	1	3
White	5	-	-	-	1	-	-	-	2	1	-	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	-	1	1	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	1
White	2	-	1	1	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,513	1	-	-	1	5	17	65	170	411	534	309	1,279	-	-	1	-	-	10	20	60	172	436	580
White	1,480	1	-	-	1	5	17	63	163	398	526	306	1,264	-	-	1	-	-	10	19	58	169	431	576
All other	33	-	-	-	-	-	-	2	7	13	8	3	15	-	-	-	-	-	-	1	2	3	5	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,207	1	-	-	1	4	13	59	149	335	416	229	947	-	-	1	-	-	8	17	49	140	330	402
White	1,178	1	-	-	1	4	13	57	142	325	409	226	933	-	-	1	-	-	8	16	47	137	326	398
All other	29	-	-	-	-	-	-	2	7	10	7	3	14	-	-	-	-	-	-	1	2	3	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	-	2	2	-	13	-	-	-	-	-	2	-	1	4	4	2
White	4	-	-	-	-	-	-	-	-	2	2	-	13	-	-	-	-	-	2	-	1	4	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	14	-	-	-	-	-	-	-	4	6	1	3	22	-	-	-	-	-	-	1	2	2	10	7
White	14	-	-	-	-	-	-	-	4	6	1	3	22	-	-	-	-	-	-	1	2	2	10	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	917	-	-	-	-	4	11	47	114	252	329	160	634	-	-	1	-	-	2	11	30	101	219	270
White	893	-	-	-	-	4	11	45	108	244	324	157	629	-	-	1	-	-	2	10	29	100	218	269
All other	24	-	-	-	-	-	-	2	6	8	5	3	5	-	-	-	-	-	-	1	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	598	-	-	-	-	1	10	40	81	171	215	80	351	-	-	1	-	-	1	10	26	72	122	119
White	583	-	-	-	-	1	10	38	77	166	212	79	348	-	-	1	-	-	1	9	25	71	122	119
All other	15	-	-	-	-	-	-	2	4	5	3	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	315	-	-	-	-	3	1	7	32	78	114	80	282	-	-	-	-	-	1	1	4	29	97	150
White	306	-	-	-	-	3	1	7	30	75	112	78	280	-	-	-	-	-	1	1	4	29	96	149
All other	9	-	-	-	-	-	-	-	2	3	2	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	13	-	-	-	-	-	1	-	4	2	4	2	10	-	-	-	-	-	-	-	-	3	3	4
White	13	-	-	-	-	-	1	-	4	2	4	2	9	-	-	-	-	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	257	1	-	-	1	-	1	12	27	73	79	63	266	-	-	-	-	-	4	5	16	30	93	118
White	252	1	-	-	1	-	1	12	26	71	77	63	259	-	-	-	-	-	4	5	15	29	91	115
All other	5	-	-	-	-	-	-	-	1	2	2	-	7	-	-	-	-	-	-	-	1	1	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	-	-	4	1	2	7	-	-	-	-	-	-	-	1	-	1	5
White	7	-	-	-	-	-	-	-	-	4	1	2	7	-	-	-	-	-	-	-	1	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	216	-	-	-	-	1	2	5	15	50	86	57	244	-	-	-	-	-	2	3	9	29	83	118
White	212	-	-	-	-	1	2	5	15	47	85	57	243	-	-	-	-	-	2	3	9	29	82	118
All other	4	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	23	-	-	-	-	-	-	2	6	5	5	5	28	-	-	-	-	-	-	1	3	8	9	7
White	22	-	-	-	-	-	-	2	6	4	5	5	27	-	-	-	-	-	-	1	3	8	8	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	-	-	-	-	1	-	-	1	9	14	9	40	-	-	-	-	-	1	-	-	5	13	21
White	34	-	-	-	-	1	-	-	1	9	14	9	40	-	-	-	-	-	1	-	-	5	13	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	158	-	-	-	-	-	2	3	8	35	67	43	174	-	-	-	-	-	1	2	6	16	59	90
White	155	-	-	-	-	-	2	3	8	33	66	43	174	-	-	-	-	-	1	2	6	16	59	90
All other	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	43	-	-	-	-	-	1	1	-	7	16	18	66	-	-	-	-	-	-	-	1	1	16	48
White	43	-	-	-	-	-	1	1	-	7	16	18	66	-	-	-	-	-	-	-	1	1	16	48
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	40	-	-	-	-	-	1	-	6	15	15	3	15	-	-	-	-	-	-	-	-	2	6	7
White	40	-	-	-	-	-	1	-	6	15	15	3	15	-	-	-	-	-	-	-	-	2	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	97	-	2	-	-	-	2	1	6	13	27	46	118	1	-	-	-	-	-	1	4	6	25	81
White	96	-	2	-	-	-	2	1	6	13	27	45	115	-	-	-	-	-	-	1	4	6	24	80
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	95	-	2	-	-	-	2	1	6	13	26	45	113	1	-	-	-	-	-	1	4	5	24	78
White	94	-	2	-	-	-	2	1	6	13	26	44	110	-	-	-	-	-	-	1	4	5	23	77
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	1	3
White	2	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	137	-	-	-	-	-	-	3	12	40	58	24	45	-	-	1	-	-	-	4	9	8	11	12
White	135	-	-	-	-	-	-	3	12	40	56	24	43	-	-	1	-	-	-	3	9	8	10	12
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	5	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	1	1	-
White	5	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	15	-	-	-	-	-	-	1	3	7	2	2	7	-	-	-	-	-	-	2	1	2	1	1
White	15	-	-	-	-	-	-	1	3	7	2	2	7	-	-	-	-	-	-	2	1	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-	-	1	-	1	-
White	4	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	113	-	-	-	-	-	-	1	7	31	54	20	34	-	-	1	-	-	-	2	7	5	8	11
White	111	-	-	-	-	-	-	1	7	31	52	20	32	-	-	1	-	-	-	1	7	5	7	11
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	-	-	-	1	1	8	2	7	-	-	-	-	-	-	-	3	1	1	2
White	12	-	-	-	-	-	-	-	1	1	8	2	7	-	-	-	-	-	-	-	3	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	-	1	-	-	4	1	2	7	-	-	-	-	-	-	-	-	-	1	6
White	8	-	-	-	-	-	1	-	-	4	1	2	7	-	-	-	-	-	-	-	-	-	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	33	-	-	-	-	2	1	11	5	11	3	-	16	-	-	-	-	1	1	2	5	4	2	1
White	29	-	-	-	-	1	1	9	4	11	3	-	11	-	-	-	-	1	-	-	4	3	2	1
All other	4	-	-	-	-	1	-	2	1	-	-	-	5	-	-	-	-	-	1	2	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-	-	1	1	2
White	5	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	34	-	-	-	1	-	-	1	-	7	14	11	25	-	-	-	-	-	-	-	1	3	5	16
White	33	-	-	-	1	-	-	1	-	7	13	11	25	-	-	-	-	-	-	-	1	3	5	16
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	-	-	-	1	-	-	1	-	7	13	11	24	-	-	-	-	-	-	-	1	3	4	16
White	32	-	-	-	1	-	-	1	-	7	12	11	24	-	-	-	-	-	-	-	1	3	4	16
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	1	1	1	2
White	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	1	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	15	12	-	-	1	-	-	-	1	-	1	-	11	4	2	-	-	1	1	-	-	1	2	-
White	14	11	-	-	1	-	-	-	1	-	1	-	11	4	2	-	-	1	1	-	-	1	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	24	23	1	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	22	21	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	20	19	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	19	18	1	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	35	10	1	-	-	2	1	2	2	5	6	6	48	11	-	-	-	-	1	-	1	2	6	27
White	31	8	-	-	-	1	1	2	2	5	6	6	45	9	-	-	-	-	1	-	-	2	6	27
All other	4	2	1	-	-	1	-	-	-	-	-	-	3	2	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	189	9	2	-	4	5	5	16	18	39	48	43	191	1	-	1	-	2	4	5	18	29	59	72
White	182	9	-	-	4	5	5	14	16	39	47	43	185	1	-	1	-	1	3	4	17	29	58	71
All other	7	-	2	-	-	-	-	2	2	-	1	-	6	-	-	-	-	1	1	1	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	162	2	4	8	37	23	12	12	13	19	22	10	65	1	2	4	14	4	5	4	6	5	10	10
White	152	2	3	7	34	20	12	11	12	19	22	10	56	1	2	4	9	2	4	3	6	5	10	10
All other	10	-	1	1	3	3	-	1	1	-	-	-	9	-	-	-	5	2	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	74	-	1	6	28	15	3	4	2	6	8	1	29	1	1	2	11	3	2	2	3	2	2	-
White	70	-	1	6	27	13	3	3	2	6	8	1	21	1	1	2	6	2	1	1	3	2	2	-
All other	4	-	-	-	1	2	-	1	-	-	-	-	8	-	-	-	5	1	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	88	2	3	2	9	8	9	8	11	13	14	9	36	-	1	2	3	1	3	2	3	3	8	10
White	82	2	2	1	7	7	9	8	10	13	14	9	35	-	1	2	3	-	3	2	3	3	8	10
All other	6	-	1	1	2	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	73	...	...	-	16	16	10	8	8	10	5	-	11	...	...	-	1	1	3	-	3	2	1	-
White	71	...	...	-	14	16	10	8	8	10	5	-	11	...	...	-	1	1	3	-	3	2	1	-
All other	2	...	...	-	2	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	9	-	1	1	2	2	-	-	1	-	2	-	3	-	1	-	-	-	-	1	-	1	-	-
White	5	-	1	-	2	-	-	-	1	-	1	-	3	-	1	-	-	-	-	1	-	1	-	-
All other	4	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OHIO																								
All causes	50,726	961	172	219	1,095	1,301	1,614	3,201	8,879	13,597	12,882	6,805	48,215	699	109	158	397	566	942	2,118	5,564	9,934	14,128	13,600
White	45,326	729	132	178	941	1,059	1,322	2,696	7,708	12,320	11,873	6,358	43,584	532	85	131	350	437	777	1,726	4,769	8,908	12,997	12,872
All other	5,400	232	40	41	154	242	292	505	1,171	1,277	1,009	437	4,631	167	24	25	47	129	165	392	795	1,026	1,131	728
Black	5,324	225	39	41	148	236	283	500	1,158	1,260	989	435	4,579	165	24	25	45	128	162	388	784	1,016	1,121	719
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	3	-	-	-	-	-	-	-	3	1	-	9	-	1	-	-	-	-	-	-	2	3	3
White	5	2	-	-	-	-	-	-	-	2	1	-	8	-	1	-	-	-	-	-	-	2	3	2
All other	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	30	-	-	-	-	-	1	3	4	5	14	3	23	-	-	-	-	-	-	2	3	8	8	2
White	21	-	-	-	-	-	-	3	2	3	10	3	17	-	-	-	-	-	-	1	3	6	6	1
All other	9	-	-	-	-	-	1	-	2	2	4	-	6	-	-	-	-	-	-	1	-	2	2	1
Black	9	-	-	-	-	-	1	-	2	2	4	-	6	-	-	-	-	-	-	1	-	2	2	1
Tuberculosis of respiratory system (010-012)	30	-	-	-	-	-	1	3	4	5	14	3	12	-	-	-	-	-	-	1	2	2	5	2
White	21	-	-	-	-	-	-	3	2	3	10	3	8	-	-	-	-	-	-	1	2	1	3	1
All other	9	-	-	-	-	-	1	-	2	2	4	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	9	-	-	-	-	-	1	-	2	2	4	-	4	-	-	-	-	-	-	-	-	1	2	1
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	1	1	6	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	1	5	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	1	-	-	-	-	-	1	-	-	-	4	-	2	-	-	-	-	-	-	1	1	-
White	2	1	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-	1	1	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	348	5	1	-	1	4	11	17	57	89	99	64	448	6	1	-	4	3	2	20	41	74	154	143
White	289	3	-	-	1	2	8	10	44	82	86	53	388	4	-	-	4	2	2	17	35	69	134	131
All other	59	2	1	-	-	2	3	7	13	7	13	11	60	2	1	-	-	1	-	3	6	15	20	12
Black	58	2	1	-	-	2	3	6	13	7	13	11	60	2	1	-	-	1	-	3	6	15	20	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	15	1	-	-	-	1	4	2	3	4	-	-	6	-	-	-	-	-	-	-	1	2	2	1
White	14	1	-	-	-	1	3	2	3	4	-	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	1	1	-	1	1	5	-	-	-	-	-	-	-	-	2	2	1
White	3	-	-	-	-	-	-	1	1	-	-	1	4	-	-	-	-	-	-	-	-	2	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	122	1	-	3	6	7	14	12	25	36	14	4	102	1	-	2	4	1	6	12	16	24	23	13
White	109	1	-	3	3	6	14	11	23	31	13	4	90	1	-	1	4	1	6	8	15	21	20	13
All other	13	-	-	-	3	1	-	1	2	5	1	-	12	-	-	1	-	-	-	4	1	3	3	-
Black	13	-	-	-	3	1	-	1	2	5	1	-	12	-	-	1	-	-	-	4	1	3	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,947	5	7	22	52	114	288	905	2,869	3,987	2,829	871	10,405	3	13	30	36	121	349	929	2,308	2,943	2,485	1,188
White	10,612	5	5	17	44	107	249	766	2,491	3,577	2,556	795	9,376	2	11	25	33	99	301	799	2,036	2,687	2,271	1,112
All other	1,335	-	2	5	8	7	37	139	378	410	273	76	1,029	1	2	5	3	22	48	130	272	256	214	76
Black	1,320	-	2	5	7	6	33	138	376	404	273	76	1,015	1	2	5	3	21	47	128	269	254	210	75
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	285	-	-	-	-	2	5	28	89	103	43	15	119	-	1	-	1	-	2	9	34	32	29	11
White	246	-	-	-	-	2	4	20	75	89	41	15	102	-	1	-	1	-	1	6	27	30	25	11
All other	39	-	-	-	-	-	1	8	14	14	2	-	17	-	-	-	-	-	1	3	7	2	4	-
Black	39	-	-	-	-	-	1	8	14	14	2	-	16	-	-	-	-	-	1	3	7	2	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,956	-	-	-	3	11	70	236	656	1,012	729	245	2,698	1	1	-	3	19	45	154	482	721	815	457
White	2,632	-	-	-	3	10	60	196	555	919	660	229	2,402	1	-	-	3	17	40	122	411	640	743	425
All other	324	-	-	-	-	1	10	40	101	93	63	16	296	-	1	-	-	2	5	32	71	81	72	32
Black	319	-	-	-	-	1	9	39	100	91	63	16	292	-	1	-	-	2	5	32	70	79	71	32
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,481	-	-	-	-	6	76	361	1,369	1,637	877	155	2,004	-	-	1	1	5	45	218	599	672	374	89
White	3,956	-	-	-	-	4	61	303	1,180	1,470	795	143	1,813	-	-	1	-	5	36	191	523	621	350	86
All other	525	-	-	-	-	2	15	58	189	167	82	12	191	-	-	-	1	-	9	27	76	51	24	3
Black	520	-	-	-	-	2	13	58	188	165	82	12	188	-	-	-	1	-	8	27	76	51	22	3
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	1	-	2	1	3	1	1,960	-	-	-	-	25	118	260	479	517	394	167
White	7	-	-	-	-	-	1	-	1	1	3	1	1,774	-	-	-	-	22	98	225	436	474	362	157
All other	1	-	-	-	-	-	-	-	1	-	-	-	186	-	-	-	-	3	20	35	43	43	32	10
Black	1	-	-	-	-	-	-	-	1	-	-	-	183	-	-	-	-	3	20	33	42	43	32	10
Malignant neoplasms of genital organs (179-187)	1,225	-	-	-	1	7	7	11	117	356	500	226	1,149	-	-	-	4	16	52	106	272	331	255	113
White	1,037	-	-	-	1	7	7	9	96	294	430	193	1,030	-	-	-	2	16	46	91	245	299	227	104
All other	188	-	-	-	-	-	-	2	21	62	70	33	119	-	-	-	2	-	6	15	27	32	28	9
Black	188	-	-	-	-	-	-	2	21	62	70	33	118	-	-	-	2	-	6	15	26	32	28	9
Malignant neoplasms of urinary organs (188-189)	609	-	-	1	1	4	5	40	123	175	190	70	331	-	1	-	1	-	5	15	69	101	86	53
White	561	-	-	-	1	3	4	37	115	161	177	63	305	-	1	-	1	-	5	14	61	94	78	51
All other	48	-	-	1	-	1	1	3	8	14	13	7	26	-	-	-	-	-	-	1	8	7	8	2
Black	47	-	-	1	-	1	-	3	8	14	13	7	26	-	-	-	-	-	-	1	8	7	8	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,378	5	4	9	25	42	67	153	333	403	253	84	1,211	2	4	11	13	30	55	107	219	317	278	175
White	1,253	5	4	8	19	42	61	134	303	375	222	80	1,098	1	4	10	13	20	51	97	194	293	252	163
All other	125	-	-	1	6	-	6	19	30	28	31	4	113	1	-	1	-	10	4	10	25	24	26	12
Black	123	-	-	1	5	-	6	19	30	27	31	4	112	1	-	1	-	9	4	10	25	24	26	12
Leukemia (204-208)	419	-	3	8	9	14	20	28	49	125	116	47	383	-	5	18	7	10	12	24	55	88	107	57
White	380	-	1	7	6	13	18	25	43	112	108	45	357	-	4	14	7	8	11	22	50	83	102	56
All other	39	-	2	1	1	1	2	3	6	13	8	2	26	-	1	4	-	2	1	2	5	5	5	1
Black	38	-	2	1	1	-	2	3	6	13	8	2	26	-	1	4	-	2	1	2	5	5	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	586	-	-	4	13	28	35	48	131	175	124	28	550	-	1	-	6	16	15	36	99	164	147	66
White	540	-	-	2	12	26	33	42	123	156	120	26	495	-	1	-	6	11	13	31	88	153	132	59
All other	46	-	-	2	1	2	2	6	8	19	4	2	55	-	-	-	-	5	2	5	10	11	15	7
Black	45	-	-	2	1	2	2	6	8	18	4	2	54	-	-	-	-	5	2	5	10	11	15	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	138	2	-	3	4	4	12	11	23	34	31	14	211	2	1	3	3	8	8	8	27	60	59	32
White	124	1	-	2	3	4	10	10	21	32	27	14	191	2	1	3	3	7	8	6	23	53	56	29
All other	14	1	-	1	1	-	2	1	2	2	4	-	20	-	-	-	-	1	-	2	4	7	3	3
Black	13	-	-	1	1	-	2	1	2	2	4	-	20	-	-	-	-	1	-	2	4	7	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	857	-	-	-	3	16	32	39	156	261	250	98	1,258	-	-	-	2	9	24	50	154	347	420	252
White	766	-	-	-	3	16	25	33	137	234	227	91	1,070	-	-	-	-	7	21	38	120	289	364	231
All other	91	-	-	-	-	2	7	6	19	27	23	7	188	-	-	-	2	2	3	12	34	58	56	21
Black	89	-	-	-	-	2	7	6	17	27	23	7	185	-	-	-	2	2	3	12	33	57	56	20
Nutritional deficiencies (260-269)	64	1	-	-	1	1	1	-	5	17	15	23	125	2	-	-	-	-	-	1	2	11	37	72
White	59	1	-	-	1	1	-	-	5	16	12	23	113	2	-	-	-	-	-	1	2	11	33	64
All other	5	-	-	-	-	-	1	-	-	1	3	-	12	-	-	-	-	-	-	-	-	-	4	8
Black	5	-	-	-	-	-	1	-	-	1	3	-	12	-	-	-	-	-	-	-	-	-	4	8
Anemias (280-285)	92	-	1	2	1	4	1	3	8	16	30	26	104	-	-	2	1	1	1	2	6	15	29	47
White	81	-	-	1	1	2	-	1	8	15	28	25	91	-	-	1	-	1	-	-	4	14	26	45
All other	11	-	1	1	-	2	1	2	-	1	2	1	13	-	-	1	1	-	1	2	2	1	3	2
Black	11	-	1	1	-	2	1	2	-	1	2	1	13	-	-	1	1	-	1	2	2	1	3	2
Meningitis (320-322)	13	5	1	-	-	1	1	1	1	1	2	-	21	3	1	-	-	-	-	2	5	4	4	2
White	9	3	-	-	-	1	1	-	1	1	2	-	19	3	1	-	-	-	-	2	3	4	4	2
All other	4	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	4	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Major cardiovascular diseases (390-448)	23,374	27	8	8	43	131	473	1,388	4,017	6,541	6,688	4,050	24,702	18	8	15	24	74	195	595	1,993	4,573	8,164	9,043
White	21,248	21	5	6	33	96	388	1,174	3,486	5,987	6,218	3,834	22,565	11	5	12	18	54	151	448	1,655	4,067	7,554	8,590
All other	2,126	6	3	2	10	35	85	214	531	554	470	216	2,137	7	3	3	6	20	44	147	338	506	610	453
Black	2,094	6	3	2	9	35	84	211	523	545	461	215	2,113	6	3	3	6	20	44	146	332	502	604	447
Diseases of heart (390-398,402,404-429)	19,361	24	6	6	36	106	402	1,258	3,547	5,488	5,921	3,167	18,884	14	8	10	13	51	140	474	1,658	3,714	6,173	6,629
White	17,621	19	3	5	26	74	331	1,072	3,097	5,036	4,956	3,002	17,263	10	5	7	10	39	111	361	1,375	3,332	5,724	6,289
All other	1,740	5	3	1	10	32	71	186	450	452	365	165	1,621	4	3	3	3	12	29	113	283	382	449	340
Black	1,715	5	3	1	9	32	70	183	442	446	360	164	1,603	3	3	3	3	12	29	112	278	379	445	336
Rheumatic fever and rheumatic heart disease (390-398)	100	1	1	-	2	4	4	7	18	29	31	3	222	-	-	-	-	1	10	25	50	49	63	24
White	89	1	1	-	1	4	2	6	16	27	28	3	208	-	-	-	-	1	9	23	44	48	59	24
All other	11	-	-	-	1	-	2	1	2	2	3	-	14	-	-	-	-	-	1	2	6	1	4	-
Black	10	-	-	-	1	-	2	1	2	1	3	-	13	-	-	-	-	-	1	2	5	1	4	-
Hypertensive heart disease (402)	434	-	-	-	-	2	23	45	100	118	95	51	649	-	-	-	1	-	8	24	74	130	207	205
White	332	-	-	-	-	-	10	30	75	99	74	44	540	-	-	-	-	-	3	11	52	101	184	189
All other	102	-	-	-	-	2	13	15	25	19	21	7	109	-	-	-	1	-	5	13	22	29	23	16
Black	101	-	-	-	-	2	13	15	25	18	21	7	109	-	-	-	1	-	5	13	22	29	23	16
Hypertensive heart and renal disease (404)	74	-	-	-	-	1	-	2	11	12	26	22	107	-	-	-	1	-	-	2	8	18	38	40
White	58	-	-	-	-	-	-	1	7	10	22	18	78	-	-	-	1	-	-	1	6	9	33	28
All other	16	-	-	-	-	1	-	1	4	2	4	4	29	-	-	-	-	-	-	1	2	9	5	12
Black	16	-	-	-	-	1	-	1	4	2	4	4	29	-	-	-	-	-	-	1	2	9	5	12
Ischemic heart disease (410-414)	14,259	1	-	-	2	48	271	958	2,691	4,179	3,938	2,171	12,922	1	-	1	3	14	69	291	1,116	2,628	4,386	4,413
White	13,166	1	-	-	1	38	237	846	2,389	3,878	3,703	2,073	11,930	1	-	1	3	11	60	229	940	2,392	4,087	4,206
All other	1,093	-	-	-	1	10	34	112	302	301	235	98	992	-	-	-	-	3	9	62	176	236	299	207
Black	1,075	-	-	-	1	10	33	109	294	299	232	97	981	-	-	-	-	3	9	62	172	235	296	204
Acute myocardial infarction (410)	7,338	1	-	-	1	31	153	612	1,548	2,302	1,951	739	5,698	-	-	1	1	6	45	179	677	1,429	2,069	1,291
White	6,917	1	-	-	1	26	143	570	1,422	2,176	1,863	715	5,298	-	-	1	1	4	40	156	590	1,329	1,955	1,222
All other	421	-	-	-	-	5	10	42	126	126	88	24	400	-	-	-	-	2	5	23	87	100	114	69
Black	411	-	-	-	-	5	9	42	119	125	87	24	397	-	-	-	-	2	5	23	85	100	114	68
Other acute and subacute forms of ischemic heart disease (411)	52	-	-	-	-	-	-	1	12	12	18	9	41	-	-	-	-	-	-	1	1	5	14	20
White	50	-	-	-	-	-	-	-	12	12	18	8	40	-	-	-	-	-	-	1	1	5	13	20
All other	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Angina pectoris (413)	17	-	-	-	-	1	-	1	2	2	6	5	22	-	-	-	-	-	-	-	2	3	8	9
White	16	-	-	-	-	1	-	1	1	2	6	5	20	-	-	-	-	-	-	-	1	3	7	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,852	-	-	-	1	16	118	344	1,129	1,863	1,963	1,418	7,161	1	-	-	2	8	24	111	436	1,191	2,295	3,093
White	6,183	-	-	-	-	11	94	275	954	1,688	1,816	1,345	6,572	1	-	-	2	7	20	72	348	1,055	2,112	2,955
All other	669	-	-	-	1	5	24	69	175	175	147	73	589	-	-	-	-	1	4	39	88	136	183	138
Black	661	-	-	-	1	5	24	66	174	174	145	72	581	-	-	-	-	1	4	39	86	135	180	136
Other diseases of endocardium (424)	207	1	-	-	-	5	7	7	20	64	72	31	282	1	-	-	-	6	6	5	15	49	99	81
White	188	1	-	-	-	4	6	5	17	58	68	29	248	1	-	-	-	5	6	4	15	47	92	78
All other	19	-	-	-	-	1	1	2	3	6	4	2	14	-	-	-	-	1	-	1	-	2	7	3
Black	19	-	-	-	-	1	1	2	3	6	4	2	14	-	-	-	-	1	-	1	-	2	7	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	4,267	21	5	6	32	46	97	239	707	1,086	1,159	889	4,722	12	8	9	8	30	47	127	395	840	1,380	1,866
White	3,788	16	2	5	24	28	76	184	593	964	1,061	835	4,259	8	5	6	6	22	33	93	316	735	1,269	1,764
All other	499	5	3	1	8	18	21	55	114	122	98	54	463	4	3	3	2	8	14	34	77	105	111	102
Black	494	5	3	1	7	18	21	55	114	120	96	54	457	3	3	3	2	8	14	33	77	103	110	101
Hypertension with or without renal disease (401,403)	148	-	-	-	-	-	2	5	26	42	45	28	222	-	-	-	-	-	2	2	18	40	84	76
White	119	-	-	-	-	-	-	5	19	35	36	24	189	-	-	-	-	-	1	1	13	33	71	70
All other	29	-	-	-	-	-	2	-	7	7	9	4	33	-	-	-	-	-	1	1	5	7	13	6
Black	29	-	-	-	-	-	2	-	7	7	9	4	32	-	-	-	-	-	1	1	5	7	12	6
Cerebrovascular diseases (430-438)	2,728	1	-	1	6	21	55	96	323	672	960	593	4,353	2	-	5	8	20	44	107	266	676	1,529	1,696
White	2,447	-	-	-	6	18	44	74	263	594	885	563	3,985	-	-	5	6	13	32	77	223	578	1,416	1,615
All other	281	1	-	1	-	3	11	22	60	78	75	30	388	2	-	-	2	7	12	30	43	98	113	81
Black	276	1	-	1	-	3	11	22	60	76	72	30	384	2	-	-	2	7	12	30	42	97	112	80
Intracerebral and other intracranial hemorrhage (431-432)	434	1	-	-	1	6	22	39	68	117	109	51	536	1	-	2	3	2	11	38	72	105	161	141
White	380	-	-	-	1	6	17	30	71	105	102	48	482	-	-	2	3	1	8	26	62	93	154	133
All other	54	1	-	-	-	-	5	9	17	12	7	3	54	1	-	-	-	1	3	12	10	12	7	8
Black	53	1	-	-	-	-	5	9	17	12	6	3	53	1	-	-	-	1	3	12	10	11	7	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	456	-	-	-	-	3	4	15	57	104	164	109	763	-	-	-	1	-	2	6	38	113	285	318
White	412	-	-	-	-	2	4	9	46	89	157	105	697	-	-	-	1	-	2	2	33	94	259	306
All other	44	-	-	-	-	1	-	6	11	15	7	4	66	-	-	-	-	-	-	4	5	19	26	12
Black	43	-	-	-	-	1	-	6	11	14	7	4	64	-	-	-	-	-	-	4	5	19	25	11
Cerebral embolism (434.1)	19	-	-	-	-	-	-	-	6	3	4	6	16	-	-	-	-	-	-	-	2	4	5	5
White	18	-	-	-	-	-	-	-	5	3	4	6	15	-	-	-	-	-	-	-	2	3	5	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,919	-	-	1	5	12	29	42	172	448	693	427	3,039	1	-	3	4	18	31	63	154	454	1,078	1,232
White	1,697	-	-	-	5	10	23	35	141	397	622	404	2,771	-	-	3	2	12	22	49	126	388	998	1,171
All other	182	-	-	1	-	2	6	7	31	51	61	23	267	1	-	-	2	6	9	14	28	66	80	61
Black	179	-	-	1	-	2	6	7	31	50	59	23	266	1	-	-	2	6	9	14	27	66	80	61
Atherosclerosis (440)	410	-	-	-	-	-	2	3	15	67	147	176	788	-	-	-	-	-	-	1	10	42	235	500
White	383	-	-	-	-	-	2	3	15	62	136	165	739	-	-	-	-	-	-	1	8	36	215	479
All other	27	-	-	-	-	-	-	-	-	5	11	11	49	-	-	-	-	-	-	-	2	6	20	21
Black	27	-	-	-	-	-	-	-	-	5	11	11	48	-	-	-	-	-	-	-	2	6	20	20
Other diseases of arteries, arterioles, and capillaries (441-448)	727	2	2	1	1	4	12	26	106	272	215	86	455	2	-	-	3	3	9	11	41	101	143	142
White	678	2	2	1	1	4	11	20	92	260	205	80	409	1	-	-	2	2	7	8	36	88	128	137
All other	49	-	-	-	-	-	1	6	14	12	10	6	46	1	-	-	1	1	2	3	5	13	15	5
Black	47	-	-	-	-	-	1	6	14	11	9	6	46	1	-	-	1	1	2	3	5	13	15	5
Acute bronchitis and bronchiolitis (466)	13	-	2	-	-	-	-	1	2	3	2	3	16	1	-	-	-	1	-	-	2	1	4	7
White	13	-	2	-	-	-	-	1	2	3	2	3	15	1	-	-	-	-	-	-	2	1	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,435	15	3	1	3	14	13	41	127	265	492	461	1,491	13	6	4	6	7	15	25	58	152	444	760
White	1,289	13	3	1	3	9	8	32	107	230	456	427	1,387	10	3	2	5	5	12	21	50	135	409	735
All other	146	2	-	-	-	5	5	9	20	35	36	34	104	3	3	2	1	2	3	4	8	17	35	25
Black	145	2	-	-	-	5	5	9	20	34	36	34	103	3	3	2	1	2	3	4	8	17	35	24
Pneumonia (480-486)	1,413	15	3	1	3	13	13	41	127	261	486	450	1,417	13	5	4	6	7	14	22	55	149	423	718
White	1,267	13	3	1	3	8	8	32	107	226	450	416	1,315	10	2	2	5	5	11	19	47	132	388	694
All other	146	2	-	-	-	5	5	9	20	35	36	34	102	3	3	2	1	2	3	3	8	17	35	24
Black	145	2	-	-	-	5	5	9	20	34	36	34	101	3	3	2	1	2	3	3	8	17	35	23
Influenza (487)	22	-	-	-	-	1	-	-	-	4	6	11	74	-	1	-	-	-	1	3	3	3	21	42
White	22	-	-	-	-	1	-	-	-	4	6	11	72	-	1	-	-	-	1	2	3	3	21	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,245	7	2	-	4	8	11	57	302	777	795	272	1,374	1	-	4	1	3	5	60	226	463	411	200
White	2,082	5	1	-	1	3	9	61	276	717	751	256	1,300	1	-	3	-	3	4	53	207	441	398	190
All other	163	2	1	-	3	5	2	6	26	60	44	14	74	-	-	1	1	-	1	7	19	22	13	10
Black	163	2	1	-	3	5	2	6	26	60	44	14	72	-	-	1	1	-	1	6	18	22	13	10
Bronchitis, chronic and unspecified (490-491)	105	7	-	-	-	-	-	-	16	36	32	14	81	1	-	-	-	-	-	5	11	23	20	21
White	97	5	-	-	-	-	-	-	16	34	29	13	77	1	-	-	-	-	-	3	10	23	20	20
All other	8	2	-	-	-	-	-	-	-	2	3	1	4	-	-	-	-	-	-	2	1	-	-	1
Black	8	2	-	-	-	-	-	-	-	2	3	1	3	-	-	-	-	-	-	1	1	-	-	1
Emphysema (492)	416	-	-	-	-	-	4	11	63	150	137	51	220	-	-	1	-	-	-	11	42	84	63	19
White	389	-	-	-	-	-	4	10	57	140	132	46	214	-	-	1	-	-	-	10	40	81	63	19
All other	27	-	-	-	-	-	-	1	6	10	5	5	6	-	-	-	-	-	-	1	2	3	-	-
Black	27	-	-	-	-	-	-	1	6	10	5	5	6	-	-	-	-	-	-	1	2	3	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	59	-	1	-	4	5	3	3	13	12	12	6	113	-	-	3	1	3	2	5	28	28	25	18
White	45	-	1	-	1	1	1	2	13	11	9	6	91	-	-	2	-	3	1	2	22	23	21	17
All other	14	-	-	-	3	4	2	1	-	1	3	-	22	-	-	1	1	-	1	3	6	5	4	1
Black	14	-	-	-	3	4	2	1	-	1	3	-	21	-	-	1	1	-	1	3	5	5	4	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,665	-	1	-	-	3	4	53	210	579	614	201	960	-	-	-	-	-	3	39	145	328	303	142
White	1,551	-	-	-	-	2	4	49	190	532	581	193	918	-	-	-	-	-	3	38	135	314	294	134
All other	114	-	1	-	-	1	-	4	20	47	33	8	42	-	-	-	-	-	-	1	10	14	9	8
Black	114	-	1	-	-	1	-	4	20	47	33	8	42	-	-	-	-	-	-	1	10	14	9	8
Ulcer of stomach and duodenum (531-533)	140	-	-	-	-	-	5	7	25	33	47	23	145	-	-	-	-	-	1	7	14	31	39	53
White	128	-	-	-	-	-	3	7	21	31	44	22	136	-	-	-	-	-	1	6	12	30	37	50
All other	12	-	-	-	-	-	2	-	4	2	3	1	9	-	-	-	-	-	-	1	2	1	2	3
Black	11	-	-	-	-	-	2	-	4	2	2	1	9	-	-	-	-	-	-	1	2	1	2	3
Appendicitis (540-543)	11	-	-	1	-	-	-	1	3	1	3	2	8	-	-	-	-	-	1	-	1	1	1	4
White	7	-	-	-	-	-	-	1	2	-	3	1	6	-	-	-	-	-	-	-	1	1	1	3
All other	4	-	-	1	-	-	-	-	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	1
Black	4	-	-	1	-	-	-	-	1	1	-	1	2	-	-	-	-	-	1	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	90	-	2	1	1	-	3	3	5	14	33	28	159	1	-	-	-	2	2	1	7	25	59	62
White	78	-	1	1	1	-	3	2	5	12	28	25	144	1	-	-	-	2	-	1	6	20	58	58
All other	12	-	1	-	-	-	-	1	-	2	5	3	15	-	-	-	-	-	2	-	1	5	3	4
Black	12	-	1	-	-	-	-	1	-	2	5	3	15	-	-	-	-	-	2	-	1	5	3	4
Chronic liver disease and cirrhosis (571)	650	-	-	-	2	14	50	112	215	183	62	12	325	-	-	-	-	13	22	48	91	90	49	11
White	546	-	-	-	2	10	34	81	183	169	56	11	271	-	-	-	-	8	16	31	76	83	46	11
All other	104	-	-	-	-	4	16	31	32	14	6	1	54	-	-	-	-	5	6	17	15	7	3	-
Black	104	-	-	-	-	4	16	31	32	14	6	1	54	-	-	-	-	5	6	17	15	7	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	59	-	-	-	-	-	-	1	5	13	27	13	94	-	-	-	-	1	-	-	9	17	37	30
White	57	-	-	-	-	-	-	1	4	13	26	13	89	-	-	-	-	1	-	-	7	16	35	30
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	2	1	2	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	2	1	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	562	6	1	1	3	7	9	13	66	130	198	128	554	4	-	-	2	5	10	9	44	130	159	191
White	479	4	1	1	1	3	5	11	53	111	177	112	467	2	-	-	2	2	7	8	30	102	137	177
All other	83	2	-	-	2	4	4	2	13	19	21	16	87	2	-	-	-	3	3	1	14	28	22	14
Black	82	2	-	-	2	4	4	2	12	19	21	16	87	2	-	-	-	3	3	1	14	28	22	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	9	-	-	-	-	-	1	-	2	2	3	1	15	-	-	-	1	-	-	-	1	3	6	4
White	9	-	-	-	-	-	1	-	2	2	3	1	13	-	-	-	1	-	-	-	1	3	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	45	-	-	-	1	1	1	2	1	14	19	6	38	-	-	-	-	-	-	1	1	8	9	19
White	36	-	-	-	-	-	-	1	-	13	17	5	31	-	-	-	-	-	-	1	1	7	7	15
All other	9	-	-	-	1	1	1	1	1	1	2	1	7	-	-	-	-	-	-	-	-	1	2	4
Black	9	-	-	-	1	1	1	1	1	1	2	1	7	-	-	-	-	-	-	-	-	1	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause [1] (584-586,588-589)	508	6	1	1	2	6	7	11	63	114	176	121	501	4	-	-	1	5	10	8	42	119	144	168
White	434	4	1	1	1	3	4	10	51	96	157	106	423	2	-	-	1	2	7	7	28	92	125	159
All other	74	2	-	-	1	3	3	1	12	18	19	15	78	2	-	-	-	3	3	1	14	27	19	9
Black	73	2	-	-	1	3	3	1	11	18	19	15	78	2	-	-	-	3	3	1	14	27	19	9
Infections of kidney (590)	42	-	-	-	-	-	1	-	5	5	20	11	63	-	-	-	-	2	-	1	2	8	20	30
White	36	-	-	-	-	-	1	-	4	4	16	11	54	-	-	-	-	2	-	-	2	7	18	25
All other	6	-	-	-	-	-	-	-	1	1	4	-	9	-	-	-	-	-	-	1	-	1	2	5
Black	6	-	-	-	-	-	-	-	1	1	4	-	9	-	-	-	-	-	-	1	-	1	2	5
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	-	1	5	9	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	-	1	4	9	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	2	10	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	-	5	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	5	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	5	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	–	...	...	–	–	–	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	–	–	1	–	–	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	–	2	9	–	–	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	–	–	5	–	–	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	–	2	4	–	–	...	...	...	...
Congenital anomalies (740-759)	294	209	21	6	18	7	7	5	4	7	6	4	248	167	14	17	5	4	4	10	5	8	7	7
White	260	185	16	6	16	7	7	4	4	7	5	3	214	148	12	13	5	2	4	8	5	6	5	6
All other	34	24	5	–	2	–	–	1	–	–	1	1	34	19	2	4	–	2	–	2	–	2	2	1
Black	32	24	4	–	2	–	–	1	–	–	1	–	34	19	2	4	–	2	–	2	–	2	2	1
Certain conditions originating in the perinatal period (760-779)	457	448	8	1	–	–	–	–	–	–	–	–	324	319	2	2	–	–	–	–	1	–	–	–
White	330	323	6	1	–	–	–	–	–	–	–	–	235	231	2	1	–	–	–	–	1	–	–	–
All other	127	125	2	–	–	–	–	–	–	–	–	–	89	88	–	1	–	–	–	–	–	–	–	–
Black	123	121	2	–	–	–	–	–	–	–	–	–	89	88	–	1	–	–	–	–	–	–	–	–
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	119	117	2	–	–	–	–	–	–	–	–	–	91	89	1	1	–	–	–	–	–	–	–	–
White	99	97	2	–	–	–	–	–	–	–	–	–	76	74	1	1	–	–	–	–	–	–	–	–
All other	20	20	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Black	20	20	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–
Other conditions originating in the perinatal period (760-766,770-779)	338	331	6	1	–	–	–	–	–	–	–	–	233	230	1	1	–	–	–	–	1	–	–	–
White	231	226	4	1	–	–	–	–	–	–	–	–	159	157	1	–	–	–	–	–	1	–	–	–
All other	107	105	2	–	–	–	–	–	–	–	–	–	74	73	–	1	–	–	–	–	–	–	–	–
Black	103	101	2	–	–	–	–	–	–	–	–	–	74	73	–	1	–	–	–	–	–	–	–	–
Symptoms, signs, and ill-defined conditions (780-799)	871	139	16	11	82	95	83	76	119	104	74	62	616	95	12	6	35	38	43	47	57	72	101	110
White	718	105	13	10	65	73	67	66	108	88	68	55	528	69	10	6	30	27	35	39	51	64	92	105
All other	153	34	3	1	17	22	26	10	11	16	6	7	88	26	2	–	5	11	8	8	6	8	9	5
Black	147	32	3	1	17	20	24	10	11	16	6	7	86	26	2	–	5	11	6	8	6	8	9	5
All other diseases (Residual)	3,074	65	30	30	43	83	124	180	446	729	862	492	3,720	46	13	17	35	65	84	155	314	683	1,179	1,129
White	2,693	41	24	25	39	57	94	148	382	648	790	445	3,335	30	8	16	30	52	63	124	263	616	1,075	1,058
All other	381	24	6	5	4	26	30	32	64	81	72	37	385	16	5	1	5	13	21	31	51	67	104	71
Black	380	24	6	5	4	26	30	32	64	80	72	37	385	16	5	1	5	13	21	31	51	67	104	71
Accidents and adverse effects (E800-E949)	2,317	17	66	103	548	455	247	175	211	194	190	111	1,179	15	30	45	171	98	86	68	114	152	200	200
White	2,081	14	54	85	513	412	220	148	180	173	180	102	1,073	13	26	44	168	84	74	56	99	138	185	188
All other	236	3	12	18	35	43	27	27	31	21	10	9	106	2	4	1	5	14	12	12	15	14	15	12
Black	231	3	12	18	33	40	27	27	31	21	10	9	104	1	4	1	5	14	12	12	15	13	15	12
Motor vehicle accidents (E810-E825)	1,159	3	22	52	403	288	135	68	83	51	40	14	498	5	10	30	137	66	51	39	59	51	39	11
White	1,073	3	19	47	381	264	123	61	76	47	39	13	468	5	9	30	133	61	47	34	56	48	35	10
All other	86	–	3	5	22	24	12	7	7	4	1	1	30	–	1	–	4	5	4	5	3	3	4	1
Black	81	–	3	5	20	21	12	7	7	4	1	1	30	–	1	–	4	5	4	5	3	3	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,158	14	44	51	145	167	112	107	128	143	150	97	681	10	20	15	34	32	35	29	55	101	161	189
White	1,008	11	35	38	132	148	97	87	104	126	141	89	605	8	17	14	33	23	27	22	43	90	150	178
All other	150	3	9	13	13	19	15	20	24	17	9	8	76	2	3	1	1	9	8	7	12	11	11	11
Black	150	3	9	13	13	19	15	20	24	17	9	8	74	1	3	1	1	9	8	7	12	10	11	11
Suicide (E950-E959)	999	...	...	13	181	198	134	103	140	121	82	27	285	...	...	1	32	51	60	41	53	23	18	6
White	926	...	...	10	161	175	128	97	135	114	80	26	269	...	...	1	28	47	59	40	52	19	17	6
All other	73	...	...	3	20	23	6	6	5	7	2	1	16	...	...	–	4	4	1	1	1	4	1	–
Black	70	...	...	3	18	23	5	6	5	7	2	1	13	...	...	–	3	4	1	1	1	2	1	–
Homicide and legal intervention (E960-E978)	397	4	2	9	96	125	70	32	31	18	7	3	154	2	5	8	32	45	19	17	8	10	7	1
White	211	–	1	5	47	65	35	23	17	11	5	2	98	1	4	3	21	24	9	13	7	9	6	1
All other	186	4	1	4	49	60	35	9	14	7	2	1	56	1	1	5	11	21	10	4	1	1	1	–
Black	185	4	1	4	49	60	34	9	14	7	2	1	55	1	1	5	10	21	10	4	1	1	1	–
All other external causes (E980-E999)	41	–	–	4	3	10	11	2	3	5	3	–	25	–	–	–	2	4	5	8	2	2	2	–
White	36	–	–	4	3	9	10	2	2	4	2	–	17	–	–	–	1	2	4	6	1	2	1	–
All other	5	–	–	–	–	1	1	–	1	1	1	–	8	–	–	–	1	2	1	2	1	–	1	–
Black	5	–	–	–	–	1	1	–	1	1	1	–	8	–	–	–	1	2	1	2	1	–	1	–

Table 8-6: Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,731	349	72	110	400	540	607	979	2,409	3,882	4,305	2,064	14,051	228	60	52	139	215	324	600	1,401	2,858	4,312	4,058
White	14,162	278	61	104	338	440	489	855	2,153	3,579	3,946	1,907	12,674	175	50	42	115	179	262	518	1,203	2,348	3,989	3,789
All other	1,569	71	11	6	62	100	118	124	256	303	359	157	1,377	53	10	10	24	36	62	82	198	310	323	269
Black	1,029	55	7	3	37	63	77	69	149	193	255	120	923	43	6	6	12	21	39	59	134	196	212	195
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	12	-	-	-	-	-	-	-	3	3	2	4	8	-	-	-	-	-	-	-	1	4	3	-
White	11	-	-	-	-	-	-	-	3	3	2	3	6	-	-	-	-	-	-	-	1	2	3	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	-	-	2	3	2	3	5	-	-	-	-	-	-	-	-	3	2	-
White	9	-	-	-	-	-	-	-	2	3	2	2	4	-	-	-	-	-	-	-	-	2	2	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	1	1	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (038)	3	1	1	1	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	2	-	1	-
White	2	1	-	1	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	2	-	1	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	105	4	2	-	-	-	4	5	13	25	31	21	148	5	-	-	1	-	1	5	11	27	49	49
White	93	3	2	-	-	-	3	4	13	20	28	20	130	4	-	-	-	-	-	4	5	24	48	45
All other	12	1	-	-	-	-	1	1	-	5	3	1	18	1	-	-	1	-	1	1	6	3	1	4
Black	10	-	-	-	-	-	1	1	-	4	3	1	11	1	-	-	1	-	-	1	2	2	-	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	2	-	-	1	2	1	2	4	-	-	5	-	-	-	-	-	1	-	1	2	-	1
White	9	-	2	-	-	-	1	-	2	4	-	-	4	-	-	-	-	-	1	-	1	1	-	1
All other	3	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	45	2	1	1	2	4	3	4	7	8	9	4	40	-	-	-	1	1	2	5	6	9	9	7
White	43	1	1	1	2	3	3	4	7	8	9	4	38	-	-	-	1	1	2	5	6	7	9	7
All other	2	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	2	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,318	1	6	11	22	31	81	240	718	1,086	864	258	2,814	2	4	9	8	37	115	254	528	789	751	317
White	3,025	1	5	11	20	29	71	215	637	1,011	789	236	2,533	2	4	9	7	32	99	226	467	702	688	297
All other	293	-	1	-	2	2	10	25	81	75	75	22	281	-	-	-	1	5	16	28	61	87	63	20
Black	193	-	-	-	-	-	7	16	54	50	50	16	196	-	-	-	1	3	10	19	49	53	46	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	68	-	-	-	-	-	3	5	20	25	12	3	27	-	-	-	-	-	-	1	5	8	6	7
White	55	-	-	-	-	-	2	3	16	21	10	3	26	-	-	-	-	-	-	1	4	8	6	7
All other	13	-	-	-	-	-	1	2	4	4	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	12	-	-	-	-	-	1	2	4	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	665	-	-	1	2	1	15	38	153	216	178	61	716	-	-	-	1	4	11	38	95	214	228	127
White	591	-	-	1	1	1	12	33	129	203	150	51	633	-	-	-	1	4	10	30	81	179	211	117
All other	74	-	-	-	1	-	3	5	24	13	18	10	83	-	-	-	-	-	1	8	14	35	17	10
Black	46	-	-	-	-	-	2	1	15	10	12	6	53	-	-	-	-	-	1	4	11	17	12	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,325	-	-	-	2	3	28	114	345	481	289	63	546	-	-	1	-	1	9	59	149	184	121	22
White	1,222	-	-	-	2	3	24	104	309	446	275	59	504	-	-	1	-	1	7	56	135	171	113	20
All other	103	-	-	-	-	-	4	10	36	35	14	4	42	-	-	-	-	-	2	3	14	13	8	2
Black	66	-	-	-	-	-	3	7	23	23	7	3	26	-	-	-	-	-	2	2	12	7	2	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	2	-	-	1	1	461	-	-	-	-	15	32	68	102	129	89	26
White	4	-	-	-	-	-	-	2	-	-	1	1	417	-	-	-	-	12	27	61	93	119	81	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	44	-	-	-	-	3	5	7	9	10	8	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	31	-	-	-	-	2	3	5	7	6	7	1
Malignant neoplasms of genital organs (179-187)	402	-	-	-	2	3	1	2	29	117	188	60	330	-	-	-	-	6	32	30	62	87	86	27
White	354	-	-	-	2	3	-	2	25	102	163	57	290	-	-	-	-	6	28	26	52	76	77	25
All other	48	-	-	-	-	-	1	-	4	15	25	3	40	-	-	-	-	-	4	4	10	11	9	2
Black	34	-	-	-	-	-	-	-	3	10	18	3	33	-	-	-	-	-	2	3	8	9	9	2
Malignant neoplasms of urinary organs (188-189)	141	-	-	1	1	1	5	12	25	47	34	15	97	-	-	-	-	2	5	3	13	20	37	17
White	129	-	-	1	1	1	5	10	23	44	31	13	86	-	-	-	-	1	5	3	11	18	32	16
All other	12	-	-	-	-	-	-	2	2	3	3	2	11	-	-	-	-	1	-	-	2	2	5	1
Black	6	-	-	-	-	-	-	-	2	1	2	1	7	-	-	-	-	1	-	-	-	1	4	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	391	-	5	4	7	14	18	42	86	112	76	27	363	-	2	2	3	4	16	38	64	84	80	60
White	369	-	4	4	7	13	17	39	78	109	71	27	328	-	2	2	2	3	13	32	55	76	83	60
All other	22	-	1	-	-	1	1	3	8	3	5	-	35	-	-	-	1	1	3	6	9	8	7	-
Black	15	-	-	-	-	-	1	3	5	2	4	-	24	-	-	-	1	-	2	4	8	5	4	-
Leukemia (204-208)	136	1	1	5	5	6	5	12	26	26	32	17	104	2	1	6	2	3	4	7	8	20	34	17
White	128	1	1	5	5	5	5	11	24	26	30	15	99	2	1	6	2	3	4	7	8	18	32	16
All other	8	-	-	-	-	1	-	1	2	-	2	2	5	-	-	-	-	-	-	-	-	2	2	1
Black	5	-	-	-	-	-	-	1	1	-	1	2	5	-	-	-	-	-	-	-	-	2	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	186	-	-	-	3	3	6	13	34	62	54	11	170	-	1	-	2	2	6	12	30	43	60	14
White	173	-	-	-	2	3	6	11	33	60	48	10	150	-	1	-	2	2	5	10	28	37	53	12
All other	13	-	-	-	1	-	-	2	1	2	6	1	20	-	-	-	-	-	1	2	2	6	7	2
Black	9	-	-	-	-	-	-	2	1	1	4	1	16	-	-	-	-	-	-	1	2	6	6	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	-	1	1	-	-	-	-	7	6	6	2	37	1	-	1	-	3	2	2	2	9	11	6
White	20	-	1	1	-	-	-	-	4	6	6	2	34	-	-	1	-	2	2	2	2	8	11	6
All other	3	-	-	-	-	-	-	-	3	-	-	-	3	1	-	-	-	1	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	174	-	-	-	-	8	12	8	29	47	53	17	267	-	-	1	-	5	3	13	46	73	80	46
White	140	-	-	-	-	8	10	8	22	36	41	15	213	-	-	1	-	5	2	11	32	51	69	42
All other	34	-	-	-	-	-	2	-	7	11	12	2	54	-	-	-	-	-	1	2	14	22	11	4
Black	19	-	-	-	-	-	-	-	2	6	9	1	27	-	-	-	-	-	1	-	8	8	8	2
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	-	5	5	3	32	-	-	-	-	-	-	1	-	4	10	17
White	11	-	-	-	-	-	-	-	-	4	5	2	28	-	-	-	-	-	-	1	-	3	10	14
All other	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	1	-	3
Black	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Anemias (280-285)	31	-	1	-	2	-	-	1	1	8	10	8	26	1	-	1	2	1	-	-	-	4	8	9
White	27	-	1	-	-	-	-	1	1	8	10	6	23	1	-	-	2	-	-	-	-	4	7	9
All other	4	-	-	-	2	-	-	-	-	-	-	2	3	-	-	1	-	1	-	-	-	-	1	-
Black	4	-	-	-	2	-	-	-	-	-	-	2	3	-	-	1	-	1	-	-	-	-	1	-
Meningitis (320-322)	13	5	3	1	-	1	-	-	1	1	1	-	5	1	1	-	-	-	-	-	-	-	2	1
White	10	3	3	1	-	1	-	-	1	1	-	-	4	1	1	-	-	-	-	-	-	-	1	1
All other	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,200	8	1	3	18	35	158	444	1,066	1,917	2,354	1,191	7,292	5	6	2	8	19	62	162	515	1,222	2,555	2,733
White	6,576	7	1	3	14	27	124	394	974	1,759	2,167	1,104	6,648	4	5	1	6	16	46	137	432	1,081	2,362	2,555
All other	622	1	-	-	4	8	34	50	92	158	187	87	644	1	1	1	2	3	16	25	83	141	193	178
Black	417	1	-	-	4	5	27	28	53	97	135	66	456	1	1	1	1	3	10	21	60	102	124	132

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,945	6	-	3	14	27	142	401	942	1,616	1,857	932	5,291	4	4	2	7	13	44	127	407	934	1,846	1,900
White	5,453	5	-	3	12	20	111	360	868	1,490	1,712	868	4,816	3	4	1	5	11	31	105	339	831	1,705	1,778
All other	492	1	-	-	2	7	31	41	74	126	145	64	475	1	-	1	2	2	13	22	68	103	141	122
Black	312	1	-	-	2	4	24	21	39	76	98	46	331	1	-	1	1	2	8	19	51	72	82	94
Rheumatic fever and rheumatic heart disease (390-398)	18	-	-	-	1	2	1	5	5	3	1	-	38	-	-	1	-	2	2	4	6	11	8	4
White	16	-	-	-	1	1	1	4	5	3	1	-	35	-	-	1	-	1	1	3	6	11	8	4
All other	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hypertensive heart disease (402)	70	-	-	-	-	1	5	10	8	24	15	7	110	-	-	-	-	-	2	4	12	17	41	34
White	61	-	-	-	-	1	2	8	6	23	15	6	80	-	-	-	-	-	-	3	7	13	29	28
All other	9	-	-	-	-	-	3	2	2	1	-	1	30	-	-	-	-	-	2	1	5	4	12	6
Black	8	-	-	-	-	-	3	2	1	1	-	1	25	-	-	-	-	-	2	1	5	3	9	5
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	2	1	1	14	-	-	-	-	-	-	-	1	1	4	8
White	5	-	-	-	-	-	-	-	1	2	1	1	14	-	-	-	-	-	-	-	1	1	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,405	-	-	-	2	15	90	319	728	1,222	1,372	655	3,500	1	-	-	-	5	26	69	284	684	1,259	1,171
White	4,065	-	-	-	-	10	73	293	677	1,130	1,267	613	3,212	-	-	-	-	4	20	58	242	612	1,179	1,096
All other	340	-	-	-	2	5	17	26	51	92	105	42	288	1	-	-	-	1	6	11	42	72	80	75
Black	209	-	-	-	2	3	12	12	25	53	72	30	190	1	-	-	-	1	3	9	29	48	41	58
Acute myocardial infarction (410)	2,615	-	-	-	1	5	55	194	458	780	798	324	1,836	-	-	-	-	1	17	46	184	438	672	478
White	2,413	-	-	-	-	3	47	175	427	722	735	304	1,670	-	-	-	-	1	12	39	152	392	629	445
All other	202	-	-	-	1	2	8	19	31	58	63	20	166	-	-	-	-	-	5	7	32	46	43	33
Black	117	-	-	-	1	1	6	7	13	31	43	15	106	-	-	-	-	-	2	5	20	30	21	28
Other acute and subacute forms of ischemic heart disease (411)	257	-	-	-	1	1	5	40	62	68	63	15	157	-	-	-	-	-	2	5	28	29	54	39
White	230	-	-	-	-	-	4	37	58	58	58	13	136	-	-	-	-	-	1	3	23	25	51	33
All other	27	-	-	-	1	1	1	3	4	10	5	2	21	-	-	-	-	-	1	2	5	4	3	6
Black	22	-	-	-	1	1	-	2	4	8	4	2	16	-	-	-	-	-	1	2	4	4	1	4
Angina pectoris (413)	5	-	-	-	-	-	-	1	-	2	2	-	4	-	-	-	-	-	-	-	2	-	-	2
White	5	-	-	-	-	-	-	1	-	2	2	-	4	-	-	-	-	-	-	-	2	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,528	-	-	-	-	9	30	84	208	372	509	316	1,503	1	-	-	-	4	7	18	70	217	533	652
White	1,417	-	-	-	-	7	22	80	192	348	472	296	1,402	-	-	-	-	3	7	16	65	195	499	616
All other	111	-	-	-	-	2	8	4	16	24	37	20	101	1	-	-	-	1	-	2	5	22	34	36
Black	70	-	-	-	-	1	6	3	8	14	25	13	68	1	-	-	-	1	-	2	5	14	19	26
Other diseases of endocardium (424)	53	1	-	1	1	2	2	3	10	15	15	3	62	-	-	-	-	-	1	4	4	15	16	21
White	47	1	-	1	1	2	2	2	9	15	12	2	57	-	-	-	-	-	1	4	4	15	13	19
All other	6	-	-	-	-	-	-	1	1	-	3	1	5	-	-	-	-	-	-	-	-	-	3	2
Black	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2
All other forms of heart disease (415-423,425-429)	1,384	5	-	2	10	7	44	64	190	350	453	268	1,567	3	4	1	7	6	13	46	100	206	518	662
White	1,259	4	-	2	10	6	33	53	170	317	416	246	1,418	3	4	-	5	6	9	37	79	179	472	623
All other	135	1	-	-	-	1	11	11	20	33	37	20	149	-	-	1	2	-	4	9	21	27	46	39
Black	82	1	-	-	-	1	9	7	12	22	24	15	111	-	-	1	1	-	3	9	17	21	30	29
Hypertension with or without renal disease (401,403)	37	-	-	-	-	1	1	1	8	9	12	5	56	-	-	-	-	-	3	1	2	8	26	16
White	31	-	-	-	-	-	1	1	6	8	11	4	45	-	-	-	-	-	1	1	-	5	23	15
All other	6	-	-	-	-	1	-	-	2	1	1	1	11	-	-	-	-	-	2	-	2	3	3	1
Black	6	-	-	-	-	1	-	-	2	1	1	1	8	-	-	-	-	-	2	-	1	3	1	1
Cerebrovascular diseases (430-438)	914	2	1	-	3	6	11	36	77	209	369	200	1,575	1	2	-	-	5	13	33	96	234	567	624
White	813	2	1	-	2	6	8	28	65	183	336	182	1,438	1	1	-	-	4	12	30	84	202	524	580
All other	101	-	-	-	1	-	3	8	12	26	33	18	137	-	1	-	-	1	1	3	12	32	43	44
Black	81	-	-	-	1	-	3	7	9	16	29	16	100	-	1	-	-	1	-	2	7	24	36	29
Intracerebral and other intracranial hemorrhage (431-432)	90	1	-	-	1	3	3	11	13	24	31	3	138	1	-	-	-	1	3	8	21	31	52	21
White	80	1	-	-	1	3	2	8	12	22	29	2	124	1	-	-	-	1	2	8	15	29	48	20
All other	10	-	-	-	-	-	1	3	1	2	2	1	14	-	-	-	-	-	1	-	6	2	4	1
Black	7	-	-	-	-	-	1	2	-	1	2	1	8	-	-	-	-	-	-	-	3	1	3	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	110	-	-	-	-	-	-	2	7	31	38	32	175	-	-	-	-	-	1	1	7	25	58	83
White	95	-	-	-	-	-	-	2	5	28	31	31	158	-	-	-	-	-	1	1	7	20	52	77
All other	15	-	-	-	-	-	-	-	2	5	7	1	17	-	-	-	-	-	-	-	-	5	6	6
Black	14	-	-	-	-	-	-	-	2	4	7	1	14	-	-	-	-	-	-	-	-	4	5	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	1	-	-	-	1	-	-	1	6	-	-	-	-	-	-	-	1	2	2	1
White	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	-	1	2	2	-
All other	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	711	1	1	-	1	3	8	23	56	154	300	164	1,256	-	2	-	-	4	9	24	67	176	455	519
White	637	1	1	-	1	3	6	18	47	135	276	149	1,151	-	1	-	-	3	9	21	61	151	422	483
All other	74	-	-	-	-	-	2	5	9	19	24	15	105	-	1	-	-	1	-	3	6	25	33	36
Black	58	-	-	-	-	-	2	5	7	11	20	13	77	-	1	-	-	1	-	2	4	19	28	22
Atherosclerosis (440)	138	-	-	-	-	-	1	1	11	30	54	41	273	-	-	-	-	-	1	-	3	27	83	159
White	126	-	-	-	-	-	1	1	10	28	49	37	256	-	-	-	-	-	1	-	3	25	77	150
All other	12	-	-	-	-	-	-	-	1	2	5	4	17	-	-	-	-	-	-	-	-	2	6	9
Black	10	-	-	-	-	-	-	-	1	1	5	3	13	-	-	-	-	-	-	-	-	2	5	6
Other diseases of arteries, arterioles, and capillaries (441-448)	168	-	-	-	1	1	3	5	28	53	62	13	97	-	-	-	1	1	1	1	7	19	33	34
White	155	-	-	-	-	1	3	4	25	50	59	13	93	-	-	-	1	1	1	1	6	18	33	32
All other	11	-	-	-	1	-	-	1	3	3	3	-	4	-	-	-	-	-	-	-	1	1	-	2
Black	8	-	-	-	1	-	-	-	2	3	2	-	4	-	-	-	-	-	-	-	1	1	-	2
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	516	4	1	1	1	5	8	15	50	95	183	153	517	6	4	1	1	1	4	5	20	55	171	249
White	453	4	1	1	-	4	4	14	36	82	164	143	485	6	3	1	1	1	2	4	18	51	163	235
All other	63	-	-	-	1	1	4	1	14	13	19	10	32	-	1	-	-	-	2	1	2	4	8	14
Black	36	-	-	-	1	1	2	-	9	6	11	6	15	-	-	-	-	-	1	-	2	1	4	7
Pneumonia (480-486)	510	4	1	1	1	5	8	15	50	93	180	152	502	6	4	1	1	1	4	5	18	53	168	241
White	448	4	1	1	-	4	4	14	36	81	161	142	470	6	3	1	1	1	2	4	16	49	160	227
All other	62	-	-	-	1	1	4	1	14	12	19	10	32	-	1	-	-	-	2	1	2	4	8	14
Black	36	-	-	-	1	1	2	-	9	6	11	6	15	-	-	-	-	-	1	-	2	1	4	7
Influenza (487)	6	-	-	-	-	-	-	-	-	2	3	1	15	-	-	-	-	-	-	-	2	2	3	8
White	5	-	-	-	-	-	-	-	-	1	3	1	15	-	-	-	-	-	-	-	2	2	3	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	728	1	-	1	-	-	10	22	105	240	260	89	346	-	1	1	3	3	2	12	60	121	109	34
White	697	1	-	1	-	-	7	19	100	237	247	85	335	-	1	1	2	3	1	11	60	119	104	33
All other	31	-	-	-	-	-	3	3	5	3	13	4	11	-	-	-	1	-	1	1	-	2	5	1
Black	24	-	-	-	-	-	3	2	3	3	10	3	8	-	-	-	1	-	1	1	-	1	3	1
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	-	-	1	-	-	4	7	2	10	-	-	1	-	-	-	-	-	1	5	3
White	14	-	-	-	-	-	1	-	-	4	7	2	10	-	-	1	-	-	-	-	-	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	169	-	-	-	-	-	2	2	21	70	51	22	74	-	-	-	-	-	-	1	14	33	21	5
White	160	-	-	-	-	-	1	2	19	70	49	19	72	-	-	-	-	-	-	1	14	32	20	5
All other	8	-	-	-	-	-	1	-	2	-	2	3	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-	1	1	-
Asthma (493)	11	1	-	1	-	-	2	-	-	5	2	-	29	-	1	-	3	2	1	4	7	1	6	4
White	11	1	-	1	-	-	2	-	-	5	2	-	26	-	1	-	2	2	-	3	7	1	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	535	-	-	-	-	-	5	20	84	161	200	65	233	-	-	-	-	1	1	7	39	86	77	22
White	512	-	-	-	-	-	3	17	81	158	189	64	227	-	-	-	-	1	1	7	39	85	73	21
All other	23	-	-	-	-	-	2	3	3	3	11	1	6	-	-	-	-	-	-	-	-	1	4	1
Black	19	-	-	-	-	-	2	2	2	3	9	1	3	-	-	-	-	-	-	-	-	-	2	1
Ulcer of stomach and duodenum (531-533)	40	-	-	-	-	-	1	1	7	11	15	5	46	-	-	-	-	-	1	3	5	10	12	15
White	37	-	-	-	-	-	1	1	6	11	14	4	43	-	-	-	-	-	1	3	4	9	11	15
All other	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	3	-	-	5	-	-	-	-	-	-	-	2	1	1	1
White	3	-	-	-	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	2	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	27	1	-	-	-	-	1	1	3	4	7	10	48	2	-	-	-	-	-	1	2	6	18	19
White	20	-	-	-	-	-	1	-	2	3	5	9	46	2	-	-	-	-	-	1	2	6	18	17
All other	7	1	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	6	-	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	157	-	-	-	-	12	22	20	46	37	15	5	95	-	1	-	-	4	11	17	23	19	16	4
White	121	-	-	-	-	8	12	16	33	33	15	4	71	-	1	-	-	3	5	13	16	16	15	2
All other	36	-	-	-	-	4	10	4	13	4	-	1	24	-	-	-	-	1	6	4	7	3	1	2
Black	16	-	-	-	-	2	5	1	5	2	-	1	13	-	-	-	-	-	4	4	3	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	-	-	2	5	5	5	27	-	-	-	-	1	-	1	1	4	10	10
White	15	-	-	-	-	-	-	-	2	4	4	5	24	-	-	-	-	1	-	1	1	4	8	9
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	197	3	-	-	1	2	1	4	14	39	71	62	177	-	-	-	-	1	-	3	19	32	48	74
White	178	3	-	-	1	2	1	2	13	35	66	55	149	-	-	-	-	1	-	1	14	21	45	67
All other	19	-	-	-	-	-	-	2	1	4	5	7	28	-	-	-	-	-	-	2	5	11	3	7
Black	15	-	-	-	-	-	-	1	1	4	2	7	13	-	-	-	-	-	-	1	1	6	2	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	-	1	-	-	1
White	5	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	-	-	-	-	-	-	-	1	2	5	9	14	-	-	-	-	-	-	2	-	2	2	8
White	15	-	-	-	-	-	-	-	1	2	4	8	13	-	-	-	-	-	-	1	-	2	2	8
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	175	3	-	-	1	2	1	4	13	36	63	52	161	-	-	-	-	1	-	1	18	30	46	65
White	158	3	-	-	1	2	1	2	12	32	59	46	134	-	-	-	-	1	-	-	13	19	43	58
All other	17	-	-	-	-	-	-	2	1	4	4	6	27	-	-	-	-	-	-	1	5	11	3	7
Black	14	-	-	-	-	-	-	1	1	4	2	6	12	-	-	-	-	-	-	-	1	6	2	3
Infections of kidney (590)	21	-	-	-	1	-	-	-	2	1	11	6	29	-	-	-	-	-	-	-	1	7	11	10
White	18	-	-	-	-	-	-	-	1	1	10	6	24	-	-	-	-	-	-	-	1	4	10	9
All other	3	-	-	-	1	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	3	1	1
Black	3	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	1	3	8	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	-	1	2	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	99	73	7	6	2	3	1	1	3	2	1	-	76	44	3	5	2	3	2	3	5	5	3	1
White	85	63	5	5	2	2	1	1	3	2	1	-	65	40	3	4	1	3	2	1	3	5	2	1
All other	14	10	2	1	-	1	-	-	-	-	-	-	11	4	-	1	1	-	-	2	2	-	1	-
Black	9	7	2	-	-	-	-	-	-	-	-	-	8	2	-	1	-	-	-	2	2	-	1	-
Certain conditions originating in the perinatal period (760-779)	160	159	1	-	-	-	-	-	-	-	-	-	107	107	-	-	-	-	-	-	-	-	-	-
White	124	123	1	-	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
All other	36	36	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	31	31	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	40	1	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	31	30	1	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	119	119	-	-	-	-	-	-	-	-	-	-	83	83	-	-	-	-	-	-	-	-	-	-
White	93	93	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
All other	26	26	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Black	22	22	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	198	64	2	2	9	29	14	2	14	14	21	27	203	39	4	1	4	15	13	11	7	17	30	62
White	164	51	-	2	5	26	11	2	12	13	19	23	170	31	3	1	3	9	9	9	5	17	26	57
All other	34	13	2	-	4	3	3	-	2	1	2	4	33	8	1	-	1	6	4	2	2	-	4	5
Black	23	8	1	-	2	2	3	-	2	1	1	3	23	6	-	-	1	5	2	2	1	-	3	3
All other diseases (Residual)	943	12	6	8	13	38	50	62	156	199	271	128	1,028	7	7	7	11	16	30	40	86	175	318	331
White	835	8	6	8	10	33	34	46	141	184	245	120	922	4	5	6	8	11	23	35	73	154	294	309
All other	108	4	-	-	3	5	16	16	15	15	26	8	106	3	2	1	3	5	7	5	13	21	24	22
Black	69	4	-	-	3	3	10	8	4	11	21	5	68	3	2	-	2	1	6	3	5	13	14	19
Accidents and adverse effects (E800-E949)	1,042	8	28	60	218	183	141	80	106	81	78	51	492	7	23	20	76	60	39	38	36	52	78	62
White	908	7	24	57	188	153	124	69	92	72	69	46	446	5	18	15	71	53	35	31	34	49	76	58
All other	134	1	4	3	30	30	17	11	14	9	9	5	46	2	5	5	5	7	4	7	2	3	2	4
Black	72	-	2	2	12	19	7	6	8	5	6	5	24	2	3	2	1	3	1	4	1	3	2	2
Motor vehicle accidents (E810-E825)	534	-	10	26	148	113	96	39	40	28	24	8	241	1	13	11	67	44	23	18	17	22	19	6
White	478	-	9	26	133	98	84	33	35	27	24	7	218	-	10	8	64	37	20	16	17	22	18	6
All other	56	-	1	-	15	15	12	6	5	1	-	1	23	1	3	3	3	7	3	2	-	-	1	-
Black	22	-	1	-	2	8	4	2	3	1	-	1	11	1	2	1	1	3	1	1	-	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	508	8	18	34	70	70	45	41	66	53	54	43	251	6	10	9	9	16	16	20	19	30	59	56
White	430	7	15	31	55	55	40	36	57	45	45	39	228	5	8	7	7	16	15	15	17	27	58	52
All other	78	1	3	3	15	15	5	5	9	8	9	4	23	1	2	2	2	-	1	5	2	3	1	4
Black	50	-	1	2	10	11	3	4	5	4	6	4	13	1	1	1	-	-	-	3	1	3	1	2
Suicide (E950-E959)	381	...	...	6	79	97	45	47	39	35	27	6	97	...	...	-	10	22	22	16	14	8	5	-
White	359	...	...	5	75	86	43	44	38	35	27	6	90	...	...	-	8	20	21	15	14	7	5	-
All other	22	...	...	1	4	11	2	3	1	-	-	-	7	...	...	-	2	2	1	1	-	1	-	-
Black	12	...	...	-	2	6	1	3	-	-	-	-	1	...	...	-	-	-	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	217	1	9	7	30	86	49	17	13	3	1	1	63	1	4	3	8	19	11	6	7	3	1	-
White	144	1	8	6	19	53	35	11	8	2	-	1	48	1	4	2	4	14	8	5	7	2	1	-
All other	73	-	1	1	11	33	14	6	5	1	1	-	15	-	-	1	4	5	3	1	-	1	-	-
Black	52	-	1	1	10	23	10	2	3	1	1	-	12	-	-	1	2	5	3	-	-	1	-	-
All other external causes (E980-E999)	21	-	-	1	2	5	4	4	2	1	1	-	12	-	2	-	2	1	3	2	1	-	1	-
White	20	-	-	1	2	5	3	4	2	1	1	-	11	-	2	-	1	1	3	2	1	-	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OREGON																								
All causes	12,671	224	41	54	317	384	448	646	1,825	3,375	3,647	1,910	11,025	165	36	26	87	156	233	406	1,083	2,161	3,187	3,485
White	12,527	206	39	49	286	354	421	617	1,758	3,317	3,593	1,887	10,801	150	34	22	82	141	219	393	1,053	2,118	3,142	3,447
All other	344	18	2	5	31	30	27	29	67	58	54	23	224	15	2	4	5	15	14	13	30	43	45	38
Black	182	9	1	3	8	16	16	16	46	31	28	8	119	8	1	1	2	5	3	6	16	26	30	21
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	1	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	9	-	-	-	-	-	-	1	1	1	4	2	4	-	-	-	-	-	1	1	-	2	-	-
White	8	-	-	-	-	-	-	1	1	1	4	1	4	-	-	-	-	-	1	1	-	2	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	6	-	-	-	-	-	-	1	-	-	3	2	3	-	-	-	-	-	1	-	-	2	-	-
White	5	-	-	-	-	-	-	1	-	-	3	1	3	-	-	-	-	-	1	-	-	2	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
White	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	1	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
White	2	1	-	-	-	1	-	-	-	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	52	1	-	-	-	1	-	8	5	12	18	7	51	-	-	-	-	-	1	-	3	10	19	18
White	52	1	-	-	-	1	-	8	5	12	18	7	49	-	-	-	-	-	-	-	3	10	18	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	1	-	-	-	1	2	-	-	8	-	-	-	-	-	-	1	3	1	2	1
White	4	-	-	-	1	-	-	-	1	2	-	-	7	-	-	-	-	-	-	-	3	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	36	-	2	-	1	8	5	4	3	6	4	5	36	1	1	-	-	2	3	1	6	7	3	12
White	36	-	2	-	1	8	5	4	3	5	3	5	35	1	1	-	-	2	3	1	6	6	3	12
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,927	1	3	4	21	32	77	166	593	953	814	263	2,462	-	1	7	6	31	85	184	466	770	638	274
White	2,866	1	3	4	20	30	74	157	571	945	802	259	2,427	-	1	5	6	31	81	180	456	761	635	271
All other	61	-	-	-	1	2	3	9	22	8	12	4	35	-	-	2	-	-	4	4	10	9	3	3
Black	41	-	-	-	1	1	3	6	13	6	9	2	16	-	-	1	-	-	1	1	6	4	2	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	-	-	-	-	-	2	5	14	24	12	1	30	-	-	-	-	-	2	2	5	10	8	3
White	56	-	-	-	-	-	1	5	13	24	12	1	30	-	-	-	-	-	2	2	5	10	8	3
All other	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	675	1	-	-	1	7	14	29	147	206	206	64	599	-	-	-	-	1	7	20	84	182	197	108
White	655	1	-	-	1	7	14	25	141	203	200	63	587	-	-	-	-	1	6	18	81	180	196	105
All other	20	-	-	-	-	-	-	4	6	3	6	1	12	-	-	-	-	-	1	2	3	2	1	3
Black	11	-	-	-	-	-	-	3	3	2	3	-	4	-	-	-	-	-	-	-	2	-	1	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,027	-	-	-	1	1	18	67	265	385	240	50	511	-	-	-	-	1	7	52	140	181	108	22
White	1,004	-	-	-	1	-	17	65	253	382	238	48	505	-	-	-	-	1	6	51	138	179	108	22
All other	23	-	-	-	-	1	1	2	12	3	2	2	6	-	-	-	-	-	1	1	2	2	-	-
Black	17	-	-	-	-	-	1	2	8	3	2	1	4	-	-	-	-	-	1	1	1	1	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	1	1	1	-	420	-	-	-	-	8	39	39	96	123	82	33
White	4	-	-	-	-	-	-	1	1	1	1	-	415	-	-	-	-	8	39	38	93	122	82	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	3	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Malignant neoplasms of genital organs (179-187)	363	-	-	-	1	2	3	5	26	111	152	61	292	-	-	-	2	6	13	21	57	101	59	33
White	359	-	-	-	1	2	3	5	26	111	149	60	289	-	-	-	2	6	13	21	56	100	58	33
All other	4	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	4	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	153	-	-	1	-	-	1	4	24	51	52	20	73	-	-	1	-	-	-	5	8	26	20	13
White	153	-	-	1	-	-	1	4	24	51	52	20	73	-	-	1	-	-	-	5	8	26	20	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	351	-	-	1	10	15	27	32	71	87	76	32	307	-	1	3	2	10	11	26	45	94	84	31
White	343	-	-	1	9	15	27	29	69	85	76	32	301	-	1	1	2	10	10	26	45	92	83	31
All other	8	-	-	-	1	-	-	3	2	2	-	-	6	-	-	2	-	-	1	-	-	2	1	-
Black	4	-	-	-	1	-	-	1	1	1	-	-	3	-	-	1	-	-	-	-	-	1	1	-
Leukemia (204-208)	148	-	3	2	8	2	3	12	21	43	33	21	87	-	-	2	2	1	2	6	8	17	34	15
White	148	-	3	2	8	2	3	12	21	43	33	21	84	-	-	2	2	1	1	6	7	16	34	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	148	-	-	-	-	5	9	11	22	45	42	14	143	-	-	1	-	4	4	13	23	36	46	16
White	144	-	-	-	-	4	8	11	21	45	41	14	143	-	-	1	-	4	4	13	23	36	46	16
All other	4	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	30	-	-	-	1	-	2	-	3	10	11	3	49	-	-	1	1	-	2	2	4	8	18	13
White	30	-	-	-	1	-	2	-	3	10	11	3	48	-	-	-	1	-	2	2	4	8	18	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	153	-	-	-	-	10	10	6	26	41	49	11	169	-	1	-	2	-	2	7	25	41	59	32
White	150	-	-	-	-	9	10	6	26	39	49	11	162	-	1	-	2	-	2	6	25	37	57	32
All other	3	-	-	-	-	1	-	-	-	2	-	-	7	-	-	-	-	-	-	1	-	4	2	-
Black	3	-	-	-	-	1	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Nutritional deficiencies (260-269)	11	-	-	-	-	-	-	1	-	1	2	7	14	-	-	-	-	-	-	-	2	1	4	7
White	10	-	-	-	-	-	-	-	-	1	2	7	13	-	-	-	-	-	-	-	2	1	4	6
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	14	-	-	-	-	1	-	1	1	3	5	3	20	-	-	-	-	-	-	-	3	5	8	4
White	14	-	-	-	-	1	-	1	1	3	5	3	19	-	-	-	-	-	-	-	3	5	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	4	1	-	-	-	-	-	1	-	-	1	1	8	1	2	-	-	-	-	-	2	1	1	1
White	4	1	-	-	-	-	-	1	-	-	1	1	8	1	2	-	-	-	-	-	2	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,669	5	-	5	10	24	92	232	797	1,586	1,849	1,069	5,400	4	2	-	2	12	30	76	341	842	1,770	2,321
White	5,553	3	-	4	9	22	86	223	769	1,557	1,822	1,058	5,297	4	2	-	-	12	26	73	328	819	1,736	2,297
All other	116	2	-	1	1	2	6	9	28	29	27	11	103	-	-	-	2	-	4	3	13	23	34	24
Black	64	1	-	1	1	1	3	5	21	13	14	4	67	-	-	-	-	-	1	2	7	18	24	15
Diseases of heart (390-398,402,404-429)	4,492	4	-	5	6	19	74	204	700	1,306	1,408	766	3,802	4	2	-	2	7	19	58	265	628	1,245	1,572
White	4,401	2	-	4	6	17	71	196	674	1,281	1,391	759	3,728	4	2	-	-	7	17	56	254	610	1,222	1,556
All other	91	2	-	1	-	2	3	8	26	25	17	7	74	-	-	-	2	-	2	2	11	18	23	16
Black	51	1	-	1	-	1	1	5	19	11	10	2	49	-	-	-	-	-	1	1	8	14	17	10
Rheumatic fever and rheumatic heart disease (390-398)	46	-	-	1	1	1	-	1	8	18	9	7	57	-	-	-	1	-	1	4	5	14	22	10
White	45	-	-	1	1	1	-	-	8	18	9	7	56	-	-	-	-	-	1	4	5	14	22	10
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	57	-	-	-	-	1	-	1	12	16	15	12	123	-	-	-	-	1	-	3	6	17	45	51
White	54	-	-	-	-	1	-	1	11	15	15	11	116	-	-	-	-	1	-	3	5	16	42	49
All other	3	-	-	-	-	-	-	-	1	1	-	1	7	-	-	-	-	-	-	-	1	1	3	2
Black	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Hypertensive heart and renal disease (404)	16	-	-	-	-	-	-	-	5	-	6	5	30	-	-	-	-	-	-	-	1	4	8	17
White	15	-	-	-	-	-	-	-	4	-	6	5	30	-	-	-	-	-	-	-	1	4	8	17
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,546	-	-	1	1	7	55	172	572	1,056	1,114	568	2,710	-	-	-	-	4	15	34	194	479	888	1,086
White	3,484	-	-	1	1	7	54	165	555	1,038	1,100	563	2,657	-	-	-	-	4	14	34	187	463	882	1,073
All other	62	-	-	-	-	-	1	7	17	18	14	5	53	-	-	-	-	-	1	-	7	16	16	13
Black	36	-	-	-	-	-	1	5	12	6	10	2	39	-	-	-	-	-	1	-	3	13	14	8
Acute myocardial infarction (410)	1,317	-	-	-	1	2	17	78	218	419	416	166	978	-	-	-	-	3	7	18	86	211	358	295
White	1,305	-	-	-	1	2	17	77	215	414	414	165	963	-	-	-	-	3	7	18	85	205	355	290
All other	12	-	-	-	-	-	-	1	3	5	2	1	15	-	-	-	-	-	-	-	1	6	3	5
Black	7	-	-	-	-	-	-	-	2	3	1	1	9	-	-	-	-	-	-	-	-	5	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	1	1	-	1	3	1	5	-	-	-	-	-	-	-	2	1	1	1
White	7	-	-	-	-	-	1	1	-	1	3	1	5	-	-	-	-	-	-	-	2	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	1	-	2	1	8	-	-	-	-	-	-	-	-	1	3	4
White	4	-	-	-	-	-	-	-	1	-	2	1	8	-	-	-	-	-	-	-	-	1	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,218	-	-	1	-	5	37	93	353	636	693	400	1,719	-	-	-	-	1	8	16	106	266	536	786
White	2,168	-	-	1	-	5	36	87	339	623	681	396	1,681	-	-	-	-	1	7	16	100	256	523	778
All other	50	-	-	-	-	-	1	6	14	13	12	4	38	-	-	-	-	-	1	-	6	10	13	8
Black	29	-	-	-	-	-	1	5	10	3	9	1	30	-	-	-	-	-	1	-	3	8	11	7
Other diseases of endocardium (424)	68	-	-	-	1	1	1	2	4	14	21	22	89	-	-	-	-	-	-	2	4	7	33	43
White	64	-	-	-	1	1	1	2	4	14	19	22	89	-	-	-	-	-	-	2	4	7	33	43
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	761	4	-	3	3	9	18	28	99	202	243	152	793	4	2	-	1	2	3	15	55	107	239	365
White	739	2	-	2	3	7	16	28	92	196	242	151	780	4	2	-	-	2	2	13	52	106	235	364
All other	22	2	-	1	-	2	2	-	7	6	1	1	13	-	-	-	1	-	1	2	3	1	4	1
Black	12	1	-	1	-	1	-	-	5	4	-	-	7	-	-	-	-	-	-	1	2	1	2	1
Hypertension with or without renal disease (401,403)	35	-	-	-	-	-	-	-	5	13	11	6	48	-	-	-	-	-	-	-	3	4	22	19
White	33	-	-	-	-	-	-	-	5	11	11	6	48	-	-	-	-	-	-	-	3	4	22	19
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	810	-	-	-	3	2	12	22	62	190	306	213	1,185	-	-	-	-	4	11	16	54	173	386	541
White	791	-	-	-	2	2	10	21	60	188	299	209	1,163	-	-	-	-	4	9	15	53	168	377	537
All other	19	-	-	-	1	-	2	1	2	2	7	4	22	-	-	-	-	-	2	1	1	5	9	4
Black	10	-	-	-	1	-	1	-	2	1	3	2	13	-	-	-	-	-	-	1	1	4	5	2
Intracerebral and other intracranial hemorrhage (431-432)	87	-	-	-	1	-	4	5	18	25	31	3	124	-	-	-	-	1	4	5	16	35	35	28
White	81	-	-	-	-	-	3	5	16	25	29	3	121	-	-	-	-	1	3	5	16	34	34	28
All other	6	-	-	-	1	-	1	-	2	-	2	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	4	-	-	-	1	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	124	-	-	-	-	-	-	2	10	29	46	37	187	-	-	-	-	1	2	3	6	32	76	67
White	121	-	-	-	-	-	-	1	10	29	44	37	182	-	-	-	-	1	1	2	6	31	75	66
All other	3	-	-	-	-	-	-	1	-	-	2	-	5	-	-	-	-	-	1	1	-	1	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	-	1
Cerebral embolism (434.1)	5	-	-	-	-	1	-	-	-	1	3	-	9	-	-	-	-	-	-	-	2	1	4	2
White	5	-	-	-	-	1	-	-	-	1	3	-	9	-	-	-	-	-	-	-	2	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	594	-	-	-	2	1	8	15	34	135	226	173	865	-	-	-	-	2	5	8	30	105	271	444
White	584	-	-	-	2	1	7	15	34	133	223	169	851	-	-	-	-	2	5	8	29	102	264	441
All other	10	-	-	-	-	-	1	-	-	2	3	4	14	-	-	-	-	-	-	-	1	3	7	3
Black	5	-	-	-	-	-	-	-	-	1	2	2	8	-	-	-	-	-	-	-	1	2	4	1
Atherosclerosis (440)	151	-	-	-	-	-	-	1	11	25	49	65	273	-	-	-	-	-	-	1	3	17	82	170
White	150	-	-	-	-	-	-	1	11	25	48	65	270	-	-	-	-	-	-	1	3	17	81	168
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	181	1	-	-	1	3	6	5	19	52	75	19	92	-	-	-	-	1	-	1	16	20	35	19
White	178	1	-	-	1	3	5	5	19	52	73	19	88	-	-	-	-	1	-	1	15	20	34	17
All other	3	-	-	-	-	-	1	-	-	-	2	-	4	-	-	-	-	-	-	-	1	-	1	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Acute bronchitis and bronchiolitis (466)	6	-	-	-	-	-	-	-	-	1	1	4	2	-	-	-	-	-	-	-	-	-	-	2
White	6	-	-	-	-	-	-	-	-	1	1	4	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	392	1	-	-	-	1	1	8	16	65	137	163	457	2	-	-	-	-	6	10	14	38	115	272
White	388	1	-	-	-	1	1	7	15	64	137	162	451	2	-	-	-	-	6	9	14	36	115	269
All other	4	-	-	-	-	-	-	1	1	1	-	1	6	-	-	-	-	-	-	1	-	2	-	3
Black	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	1	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	373	1	-	-	-	1	1	8	16	63	132	151	421	2	-	-	-	-	5	10	14	36	105	249
White	369	1	-	-	-	1	1	7	15	62	132	150	415	2	-	-	-	-	5	9	14	34	105	246
All other	4	-	-	-	-	-	-	1	1	1	-	1	6	-	-	-	-	-	-	1	-	2	-	3
Black	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	1	-	-	-	2
Influenza (487)	19	-	-	-	-	-	-	-	-	2	5	12	36	-	-	-	-	-	1	-	-	2	10	23
White	19	-	-	-	-	-	-	-	-	2	5	12	36	-	-	-	-	-	1	-	-	2	10	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	696	1	-	-	1	1	2	19	82	236	270	84	393	-	-	1	1	-	3	9	66	148	120	45
White	687	1	-	-	1	1	2	18	81	233	268	82	391	-	-	1	1	-	3	9	66	148	119	44
All other	9	-	-	-	-	-	-	1	1	3	2	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	36	-	-	-	-	-	-	-	3	10	20	3	20	-	-	-	-	-	-	1	-	5	6	8
White	36	-	-	-	-	-	-	-	3	10	20	3	20	-	-	-	-	-	-	1	-	5	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	162	-	-	-	-	-	-	6	16	65	63	12	86	-	-	-	-	-	-	-	18	38	28	4
White	159	-	-	-	-	-	-	5	16	65	62	11	86	-	-	-	-	-	-	-	18	38	28	4
All other	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	29	1	-	-	1	1	-	4	10	5	5	2	48	-	-	1	1	-	2	1	6	15	15	7
White	28	1	-	-	1	1	-	4	10	4	5	2	47	-	-	1	1	-	2	1	6	15	15	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	469	-	-	-	-	-	2	9	53	156	182	67	238	-	-	-	-	-	1	7	42	90	73	26
White	464	-	-	-	-	-	2	9	52	154	181	66	238	-	-	-	-	-	1	7	42	90	72	26
All other	5	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	36	-	-	-	-	-	3	2	7	8	9	7	39	-	-	-	-	1	-	3	2	1	9	23
White	36	-	-	-	-	-	3	2	7	8	9	7	38	-	-	-	-	-	-	3	2	1	9	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	5	1	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	5	1	-	-	-	-	-	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	1	-	-	-	-	1	-	1	4	3	3	31	-	-	-	-	-	-	2	1	5	9	14
White	13	1	-	-	-	-	1	-	1	4	3	3	31	-	-	-	-	-	-	2	1	5	9	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	186	-	-	-	1	-	20	21	59	63	19	3	94	-	-	-	-	5	9	15	27	22	14	2
White	178	-	-	-	1	-	18	20	58	59	19	3	89	-	-	-	-	3	8	15	25	22	14	2
All other	8	-	-	-	-	-	2	1	1	4	-	-	5	-	-	-	-	2	1	-	2	-	-	-
Black	5	-	-	-	-	-	1	-	1	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	17	-	-	-	-	-	-	-	1	5	7	4	17	-	-	-	-	-	-	-	3	2	6	6
White	16	-	-	-	-	-	-	-	1	4	7	4	17	-	-	-	-	-	-	-	3	2	6	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	86	2	1	-	-	2	2	3	9	21	23	23	74	-	-	1	-	-	-	1	6	15	22	29
White	85	2	1	-	-	2	2	3	8	21	23	23	71	-	-	1	-	-	-	1	5	14	22	28
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	1	-	-	1	1	2	1	6	-	-	-	-	-	-	-	2	2	-	2
White	6	-	-	-	-	1	-	-	1	1	2	1	5	-	-	-	-	-	-	-	2	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,589-599)	77	2	1	-	-	-	2	3	8	19	20	22	66	-	-	1	-	-	-	1	4	12	21	27
White	76	2	1	-	-	-	2	3	7	19	20	22	64	-	-	1	-	-	-	1	3	12	21	26
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	6	-	-	-	-	-	-	-	-	1	2	3	15	-	-	-	-	-	-	1	-	1	7	6
White	5	-	-	-	-	-	-	-	-	1	1	3	14	-	-	-	-	-	-	1	-	1	7	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	74	51	4	-	4	6	2	2	4	-	-	1	76	49	6	1	4	1	3	3	4	3	1	1
White	68	47	4	-	3	6	2	2	3	-	-	1	72	46	6	1	4	1	3	3	3	3	1	1
All other	6	4	-	-	1	-	-	-	1	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
Black	3	1	-	-	1	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	83	83	-	-	-	-	-	-	-	-	-	-	47	45	1	-	-	-	-	-	-	-	-	-
White	75	75	-	-	-	-	-	-	-	-	-	-	43	42	1	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	17	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	66	66	-	-	-	-	-	-	-	-	-	-	38	37	1	-	-	-	-	-	-	-	-	-
White	60	60	-	-	-	-	-	-	-	-	-	-	35	34	1	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	180	58	2	-	1	4	3	5	26	27	32	22	188	50	-	-	-	7	2	7	10	18	33	61
White	172	54	2	-	1	4	1	5	25	26	32	22	179	43	-	-	-	7	2	7	10	17	32	61
All other	8	4	-	-	-	-	2	-	1	1	-	-	9	7	-	-	-	-	-	-	-	1	1	-
Black	5	2	-	-	-	-	1	-	1	1	-	-	4	2	-	-	-	-	-	-	-	1	1	-
All other diseases (Residual)	849	10	5	6	8	32	28	40	84	200	271	165	849	4	4	2	5	13	18	30	62	162	265	284
White	822	10	5	6	8	28	26	39	81	197	261	161	837	3	4	2	5	12	17	28	60	160	264	282
All other	27	-	-	-	-	4	2	1	3	3	10	4	12	1	-	-	-	1	1	2	2	2	1	2
Black	14	-	-	-	-	4	1	-	3	2	3	1	8	1	-	-	-	-	-	2	2	1	1	1
Accidents and adverse effects (E800-E949)	866	6	21	33	200	164	116	71	57	71	80	47	368	7	13	8	48	49	40	29	21	45	53	55
White	814	6	19	29	184	150	109	68	56	67	79	47	353	7	11	7	45	44	39	29	20	45	52	54
All other	52	-	2	4	16	14	7	3	1	4	1	-	15	-	2	1	3	5	1	-	1	-	1	1
Black	17	-	1	2	3	5	3	1	-	2	-	-	4	-	1	-	2	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	416	2	7	12	139	93	51	33	24	26	25	4	194	1	7	6	45	39	33	18	10	16	17	2
White	392	2	6	12	130	85	49	32	24	24	24	4	183	1	5	5	43	34	32	18	10	16	17	2
All other	24	-	1	-	9	8	2	1	-	2	1	-	11	-	2	1	2	5	1	-	-	-	-	-
Black	7	-	-	-	2	2	1	-	-	2	-	-	3	-	1	-	1	1	-	-	-	-	-	-
All other accidents and adverse effects (E600-E807, E826-E949)	450	4	14	21	61	71	65	36	33	45	55	43	174	6	6	2	3	10	7	11	11	29	36	53
White	422	4	13	17	54	65	60	36	32	43	55	43	170	6	6	2	2	10	7	11	10	29	35	52
All other	28	-	1	4	7	6	5	2	1	2	-	-	4	-	-	-	1	-	-	-	1	-	1	1
Black	10	-	1	2	1	3	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Suicide (E950-E959)	327	...	...	4	53	62	45	42	36	48	28	9	91	...	...	3	8	16	21	17	10	9	5	-
White	314	...	...	4	45	60	45	41	34	48	28	9	87	...	...	3	8	16	19	17	10	9	5	-
All other	13	...	...	-	8	2	-	1	2	-	-	-	4	...	...	-	-	2	2	-	-	-	-	-
Black	2	...	...	-	-	1	-	-	1	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	89	1	2	1	13	17	31	7	9	6	2	-	33	-	3	1	8	10	2	3	2	2	1	1
White	69	1	2	1	10	12	27	5	4	5	2	-	28	-	3	1	8	7	2	2	2	2	1	-
All other	20	-	-	-	3	5	4	2	5	1	-	-	5	-	-	-	-	3	-	1	-	-	-	1
Black	14	-	-	-	2	3	3	2	3	1	-	-	3	-	-	-	-	2	-	-	-	-	-	1
All other external causes (E980-E999)	38	-	-	1	2	18	8	5	2	1	1	-	17	-	-	1	1	3	4	4	-	2	2	-
White	36	-	-	1	1	18	7	5	2	1	1	-	16	-	-	1	1	2	4	4	-	2	2	-
All other	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA																								
All causes	63,398	986	183	244	1,051	1,525	1,901	3,784	10,801	17,953	16,696	8,260	60,456	780	102	142	420	606	955	2,301	6,648	13,125	18,585	16,782
White	57,200	741	146	191	902	1,219	1,509	3,139	9,466	16,494	15,603	7,783	55,225	557	82	105	368	463	762	1,874	5,748	11,899	17,314	16,048
All other	6,198	245	37	53	149	306	392	645	1,335	1,459	1,093	477	5,231	223	20	37	54	143	193	427	900	1,226	1,271	734
Black	6,085	236	38	48	144	304	383	633	1,316	1,440	1,071	467	5,155	219	18	35	50	141	186	421	867	1,209	1,259	727
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	2	1	-	-	-	-	-	-	-	2	1	6	1	-	-	-	-	-	-	-	1	2	2
White	4	1	-	-	-	-	-	-	-	-	2	1	6	1	-	-	-	-	-	-	-	1	2	2
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	52	-	-	-	-	1	2	8	11	16	13	3	16	-	-	-	-	3	-	1	3	3	2	4
White	37	-	-	-	-	1	-	5	8	11	10	2	10	-	-	-	-	-	-	-	2	3	1	4
All other	15	-	-	-	-	-	2	1	3	5	3	1	6	-	-	-	-	3	-	1	1	-	1	-
Black	15	-	-	-	-	-	2	1	3	5	3	1	5	-	-	-	-	3	-	1	1	-	-	-
Tuberculosis of respiratory system (010-012)	45	-	-	-	-	1	2	5	10	16	10	1	9	-	-	-	-	1	-	-	2	1	1	4
White	31	-	-	-	-	1	-	4	7	11	7	1	7	-	-	-	-	-	-	-	2	1	-	4
All other	14	-	-	-	-	-	2	1	3	5	3	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	14	-	-	-	-	-	2	1	3	5	3	-	1	-	-	-	-	1	-	-	-	-	-	-
Other tuberculosis (013-018)	7	-	-	-	-	-	-	1	1	-	3	2	7	-	-	-	-	2	-	1	1	2	1	-
White	6	-	-	-	-	-	-	1	1	-	3	1	3	-	-	-	-	-	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	2	-	1	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	2	-	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	1	3	-	-	-	1	-	1	-	-	-	7	1	3	1	-	-	1	1	-	-	-	-
White	6	1	3	-	-	-	1	-	1	-	-	-	5	1	3	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Septicemia (038)	666	11	4	-	1	7	11	26	84	198	200	124	816	10	3	-	4	6	7	20	77	155	298	236
White	531	9	4	-	1	4	8	16	50	176	155	108	666	7	3	-	4	2	5	10	62	115	255	203
All other	135	2	-	-	-	3	3	10	34	22	45	16	150	3	-	-	-	4	2	10	15	40	43	33
Black	130	2	-	-	-	3	3	9	34	22	42	15	150	3	-	-	-	4	2	10	15	40	43	33
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	15	-	-	-	1	-	1	2	3	6	2	-	13	-	-	-	-	1	-	3	2	2	3	2
White	15	-	-	-	1	-	1	2	3	6	2	-	12	-	-	-	-	1	-	2	2	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,058-066,071-088, 098-139)	159	5	2	1	4	21	22	11	21	35	26	11	124	5	2	1	4	2	6	6	22	24	31	21
White	129	3	1	1	3	15	17	7	18	30	23	11	105	1	2	-	4	1	3	5	20	22	27	20
All other	30	2	1	-	1	6	5	4	3	5	3	-	19	4	-	1	-	1	3	1	2	2	4	1
Black	30	2	1	-	1	6	5	4	3	5	3	-	19	4	-	1	-	1	3	1	2	2	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,782	3	16	36	53	125	314	1,044	3,409	5,117	3,569	1,074	13,237	3	6	16	52	143	391	1,078	2,746	3,971	3,340	1,490
White	13,358	3	14	30	46	110	262	888	3,006	4,669	3,332	997	12,080	3	6	12	43	121	336	920	2,423	3,661	3,128	1,426
All other	1,424	-	2	6	7	15	52	156	403	448	257	77	1,157	-	-	4	9	22	55	158	323	310	212	64
Black	1,405	-	2	6	7	15	50	153	398	443	255	75	1,140	-	-	3	8	21	51	154	321	308	210	64
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	329	-	-	1	-	3	13	39	104	108	53	8	127	-	-	-	-	1	3	15	24	45	20	19
White	279	-	-	-	-	2	8	31	81	100	49	8	115	-	-	-	-	1	3	12	22	41	18	18
All other	50	-	-	1	-	1	5	8	23	8	4	-	12	-	-	-	-	-	-	3	2	4	2	1
Black	50	-	-	1	-	1	5	8	23	8	4	-	12	-	-	-	-	-	-	3	2	4	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,787	-	1	1	1	14	58	262	814	1,372	963	300	3,548	-	-	-	2	16	46	174	557	1,040	1,144	568
White	3,413	-	1	-	1	10	49	223	709	1,243	897	279	3,226	-	-	-	1	12	37	152	481	945	1,058	539
All other	374	-	-	1	-	4	9	39	105	129	66	21	322	-	-	-	1	4	9	22	76	95	86	29
Black	363	-	-	1	-	4	7	36	104	126	65	20	317	-	-	-	1	4	8	21	74	94	86	29
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,064	-	-	-	1	11	87	395	1,414	1,892	1,088	176	2,232	-	1	-	2	6	45	222	604	812	423	117
White	4,557	-	-	-	1	7	68	328	1,238	1,736	1,015	164	2,003	-	1	-	2	4	32	175	533	747	399	110
All other	507	-	-	-	-	4	19	67	176	156	73	12	229	-	-	-	-	2	13	47	71	65	24	7
Black	504	-	-	-	-	4	19	67	175	155	72	12	227	-	-	-	-	2	12	46	71	65	24	7
Malignant neoplasm of breast (174-175)	21	-	-	-	-	-	-	2	4	9	5	1	2,434	-	-	-	2	35	131	322	602	691	451	200
White	19	-	-	-	-	-	-	2	4	8	4	1	2,226	-	-	-	2	31	118	270	535	647	431	192
All other	2	-	-	-	-	-	-	-	-	1	1	-	208	-	-	-	-	4	13	52	67	44	20	8
Black	2	-	-	-	-	-	-	-	-	1	1	-	207	-	-	-	-	4	13	51	67	44	20	8
Malignant neoplasms of genital organs (179-187)	1,507	-	-	1	3	11	8	21	145	472	573	273	1,450	-	-	1	6	19	57	134	342	423	335	133
White	1,306	-	-	1	3	11	6	14	120	395	510	246	1,323	-	-	1	6	15	49	121	301	395	305	130
All other	201	-	-	-	-	-	2	7	25	77	63	27	127	-	-	-	-	4	8	13	41	28	30	3
Black	199	-	-	-	-	-	2	7	25	76	63	26	125	-	-	-	-	4	7	12	41	28	30	3
Malignant neoplasms of urinary organs (188-189)	753	-	-	-	-	2	14	51	156	250	190	89	439	1	-	1	2	4	10	12	70	128	133	78
White	716	-	-	-	-	1	13	45	150	239	182	86	404	1	-	-	1	3	9	11	57	122	126	74
All other	37	-	-	-	-	1	1	6	6	11	8	3	35	-	-	1	1	1	1	1	13	6	7	4
Black	37	-	-	-	-	1	1	6	6	11	8	3	34	-	-	1	1	1	1	1	13	6	6	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,922	3	7	7	16	38	86	166	497	574	399	129	1,804	2	1	9	20	33	57	127	348	491	498	218
White	1,764	3	7	7	15	36	76	146	447	533	373	121	1,661	2	1	7	16	30	48	114	310	451	471	211
All other	158	-	-	-	1	2	10	20	50	41	26	8	143	-	-	2	4	3	9	13	38	40	27	7
Black	155	-	-	-	1	2	10	20	47	41	26	8	140	-	-	2	3	3	9	13	38	39	26	7
Leukemia (204-208)	608	-	6	20	17	19	24	45	102	186	140	49	439	-	4	4	10	14	17	26	69	114	119	62
White	558	-	4	17	14	17	20	39	96	172	133	46	418	-	4	3	8	12	16	23	64	108	119	61
All other	50	-	2	3	3	2	4	6	6	14	7	3	21	-	-	1	2	2	1	3	5	6	-	1
Black	50	-	2	3	3	2	4	6	6	14	7	3	19	-	-	-	2	2	-	3	5	6	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	791	-	2	6	15	27	24	63	173	254	178	49	764	-	-	1	8	15	25	46	130	227	217	95
White	746	-	2	5	12	26	22	60	161	243	169	46	704	-	-	1	7	13	24	42	120	205	201	91
All other	45	-	-	1	3	1	2	3	12	11	9	3	60	-	-	-	1	2	1	4	10	22	16	4
Black	45	-	-	1	3	1	2	3	12	11	9	3	59	-	-	-	1	1	1	4	10	22	16	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	220	1	4	4	4	9	10	11	32	69	51	25	230	3	1	3	2	2	3	15	39	51	67	44
White	206	1	4	3	4	8	9	9	31	63	50	24	212	3	-	2	2	2	3	14	34	48	63	41
All other	14	-	-	1	-	1	1	2	1	6	1	1	18	-	1	1	-	-	-	1	5	3	4	3
Black	13	-	-	-	-	1	1	2	1	6	1	1	18	-	1	1	-	-	-	1	5	3	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	1,018	-	-	3	1	24	47	74	180	305	291	93	1,595	-	-	1	2	11	13	53	218	415	533	349
White	904	-	-	1	1	20	37	59	146	283	270	87	1,446	-	-	1	2	9	13	44	178	371	496	332
All other	114	-	-	2	-	4	10	15	34	22	21	6	149	-	-	-	-	2	-	9	40	44	37	17
Black	113	-	-	2	-	4	10	15	33	22	21	6	146	-	-	-	-	2	-	9	39	43	36	17
Nutritional deficiencies (260-269)	51	-	-	-	-	-	1	1	-	11	24	14	100	-	-	1	-	-	-	2	2	11	29	64
White	42	-	-	-	-	-	1	1	-	5	24	11	96	-	-	-	-	-	-	2	2	10	24	58
All other	9	-	-	-	-	-	-	-	-	6	-	3	12	-	-	1	-	-	-	-	-	1	4	6
Black	9	-	-	-	-	-	-	-	-	6	-	3	12	-	-	1	-	-	-	-	-	1	4	6
Anemias (280-285)	96	1	2	1	1	3	1	3	6	19	36	23	116	-	1	-	2	3	-	3	5	22	37	43
White	84	-	1	1	-	1	1	3	4	18	32	23	101	-	1	-	1	-	-	3	4	19	32	41
All other	12	1	1	-	1	2	-	-	2	1	4	-	15	-	-	-	1	3	-	-	1	3	5	2
Black	12	1	1	-	1	2	-	-	2	1	4	-	15	-	-	-	1	3	-	-	1	3	5	2
Meningitis (320-322)	31	5	5	1	2	2	-	3	1	10	2	-	25	5	-	1	-	1	1	1	3	6	6	1
White	26	4	5	1	2	2	-	1	1	9	1	-	17	3	-	1	-	1	1	-	2	3	5	1
All other	5	1	-	-	-	-	-	2	-	1	1	-	8	2	-	-	-	-	-	1	1	3	1	-
Black	5	1	-	-	-	-	-	2	-	1	1	-	8	2	-	-	-	-	-	1	1	3	1	-
Major cardiovascular diseases (390-448)	28,988	26	10	12	45	146	503	1,551	4,818	8,503	8,623	4,747	31,161	21	8	14	24	75	187	579	2,306	6,005	10,627	11,309
White	26,996	21	7	9	34	113	425	1,360	4,377	7,963	8,165	4,519	29,101	14	7	8	19	51	132	466	1,999	5,475	10,032	10,893
All other	1,992	5	3	3	11	33	78	191	441	540	458	228	2,060	7	1	6	5	24	55	113	307	530	595	416
Black	1,956	5	3	3	11	33	75	186	433	535	447	224	2,034	7	1	6	5	24	54	112	300	520	590	414
Diseases of heart (390-398,402,404-429)	24,254	24	8	9	35	127	433	1,387	4,223	7,170	7,031	3,803	24,682	20	6	12	18	56	125	452	1,947	4,931	8,375	8,735
White	22,666	19	5	6	24	97	375	1,229	3,874	6,745	6,666	3,623	23,124	13	5	7	14	36	88	367	1,719	4,527	7,929	8,415
All other	1,588	5	3	3	11	30	58	158	349	425	365	180	1,558	7	1	5	4	20	37	85	228	404	446	320
Black	1,564	5	3	3	11	30	55	153	343	424	359	177	1,540	7	1	5	4	20	37	85	221	399	442	318
Rheumatic fever and rheumatic heart disease (390-398)	151	-	-	-	3	6	1	15	36	43	39	8	308	-	-	1	1	4	8	22	71	91	75	35
White	140	-	-	-	2	4	-	13	34	42	38	7	283	-	-	1	1	2	6	17	65	85	72	34
All other	11	-	-	-	1	2	1	2	2	1	1	1	25	-	-	-	-	2	2	5	6	6	3	1
Black	9	-	-	-	1	2	1	1	1	1	1	1	24	-	-	-	-	2	2	5	6	5	3	1
Hypertensive heart disease (402)	398	-	-	-	2	4	11	32	64	119	128	38	593	-	-	-	-	2	2	15	44	132	212	186
White	339	-	-	-	-	2	5	23	49	106	118	36	539	-	-	-	-	1	2	10	36	116	200	174
All other	59	-	-	-	2	2	6	9	15	13	10	2	54	-	-	-	-	1	-	5	8	16	12	12
Black	59	-	-	-	2	2	6	9	15	13	10	2	54	-	-	-	-	1	-	5	8	16	12	12
Hypertensive heart and renal disease (404)	60	-	-	-	-	-	-	3	1	18	18	20	86	-	-	-	-	-	1	-	5	13	28	38
White	56	-	-	-	-	-	-	1	1	18	16	20	72	-	-	-	-	-	-	-	1	10	26	35
All other	4	-	-	-	-	-	-	2	-	-	2	-	14	-	-	-	-	-	1	-	4	3	2	3
Black	4	-	-	-	-	-	-	2	-	-	2	-	14	-	-	-	-	-	1	-	4	3	2	3
Ischemic heart disease (410-414)	16,637	-	1	-	7	43	289	972	3,035	5,127	4,787	2,376	15,685	-	-	-	4	19	52	258	1,288	3,323	5,478	5,261
White	15,826	-	1	-	5	38	263	896	2,851	4,898	4,579	2,295	14,857	-	-	-	3	14	37	223	1,154	3,097	5,236	5,091
All other	811	-	-	-	2	5	26	76	184	229	208	81	828	-	-	-	1	5	15	35	134	226	242	170
Black	792	-	-	-	2	5	23	72	180	228	203	79	818	-	-	-	1	5	15	35	129	223	240	170
Acute myocardial infarction (410)	9,698	-	1	-	6	26	195	697	2,073	3,174	2,603	924	8,007	-	-	-	3	8	40	161	905	2,118	2,933	1,819
White	9,223	-	1	-	5	24	180	647	1,957	3,034	2,488	887	7,554	-	-	-	2	5	27	158	818	1,978	2,815	1,751
All other	476	-	-	-	1	2	15	50	116	140	115	37	453	-	-	-	1	3	13	23	87	140	118	68
Black	460	-	-	-	1	2	13	47	112	139	110	36	446	-	-	-	1	3	13	23	84	138	116	68
Other acute and subacute forms of ischemic heart disease (411)	55	-	-	-	-	-	1	4	7	16	13	14	70	-	-	-	-	1	-	1	5	9	26	28
White	53	-	-	-	-	-	1	4	7	14	13	14	65	-	-	-	-	1	-	1	5	8	23	27
All other	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	1	3	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	1	3	1
Angina pectoris (413)	26	-	-	-	-	1	-	1	6	5	8	5	41	-	-	-	-	-	-	-	1	12	18	10
White	25	-	-	-	-	1	-	1	6	4	8	5	38	-	-	-	-	-	-	-	1	11	16	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,857	-	-	-	1	16	93	270	949	1,932	2,163	1,433	7,567	-	-	-	1	10	12	76	377	1,184	2,501	3,404
White	6,525	-	-	-	-	13	82	244	881	1,846	2,070	1,389	7,200	-	-	-	1	8	10	64	330	1,100	2,382	3,303
All other	332	-	-	-	1	3	11	26	68	86	93	44	367	-	-	-	-	2	2	12	47	84	119	101
Black	329	-	-	-	1	3	10	25	68	86	93	43	364	-	-	-	-	2	2	12	45	83	119	101
Other diseases of endocardium (424)	269	-	-	-	1	3	4	10	34	78	91	48	342	2	-	-	1	-	5	7	21	71	127	108
White	247	-	-	-	-	1	2	9	33	71	88	43	321	2	-	-	1	-	1	5	17	67	121	107
All other	22	-	-	-	1	2	2	1	1	7	3	5	21	-	-	-	-	-	4	2	4	4	6	1
Black	22	-	-	-	1	2	2	1	1	7	3	5	21	-	-	-	-	-	4	2	4	4	6	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	6,739	24	7	9	22	71	128	355	1,053	1,785	1,968	1,313	7,668	18	6	11	12	31	57	150	518	1,301	2,455	3,107
White	6,058	19	4	6	17	52	105	287	906	1,610	1,827	1,222	7,052	11	5	6	9	19	42	112	446	1,152	2,274	2,974
All other	681	5	3	3	5	19	23	68	147	175	141	91	616	7	1	5	3	12	15	38	72	149	181	133
Black	678	5	3	3	5	19	23	88	146	175	140	90	609	7	1	5	3	12	15	38	70	148	179	131
Hypertension with or without renal disease (401,403)	188	-	-	-	-	1	1	17	39	49	49	32	207	-	-	-	-	-	2	6	23	54	60	62
White	161	-	-	-	-	1	1	15	30	45	42	27	175	-	-	-	-	-	1	3	14	41	56	60
All other	27	-	-	-	-	-	-	2	9	4	7	5	32	-	-	-	-	-	1	3	9	13	4	2
Black	27	-	-	-	-	-	-	2	9	4	7	5	32	-	-	-	-	-	1	3	9	13	4	2
Cerebrovascular diseases (430-438)	3,272	2	1	3	7	13	55	115	389	890	1,151	646	4,951	-	2	2	6	18	54	105	285	833	1,783	1,863
White	2,961	2	1	3	7	12	39	88	323	801	1,077	608	4,558	-	2	1	5	14	38	83	222	741	1,662	1,790
All other	311	-	-	-	-	1	16	27	66	89	74	38	393	-	-	1	1	4	16	22	63	92	121	73
Black	300	-	-	-	-	1	16	27	64	86	69	37	385	-	-	1	1	4	15	21	63	87	120	73
Intracerebral and other intracranial hemorrhage (431-432)	525	1	-	1	3	4	20	44	101	161	138	52	655	-	-	1	2	4	16	33	70	159	227	143
White	461	1	-	1	3	3	12	30	84	147	131	49	585	-	-	1	1	2	12	26	56	143	211	133
All other	64	-	-	-	-	1	8	14	17	14	7	3	70	-	-	-	1	2	4	7	14	16	16	10
Black	62	-	-	-	-	1	8	14	16	14	6	3	67	-	-	-	1	2	4	6	14	14	16	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	545	1	-	1	-	1	2	12	63	149	211	105	871	-	-	1	-	3	2	6	41	144	323	351
White	503	1	-	1	-	1	2	8	50	137	202	101	815	-	-	-	-	3	2	4	30	132	302	342
All other	42	-	-	-	-	-	-	4	13	12	9	4	56	-	-	1	-	-	-	2	11	12	21	9
Black	41	-	-	-	-	-	-	4	13	12	8	4	55	-	-	1	-	-	-	2	11	11	21	9
Cerebral embolism (434.1)	16	-	-	-	-	-	-	-	2	9	3	2	26	-	-	-	-	-	-	1	2	4	8	11
White	16	-	-	-	-	-	-	-	2	9	3	2	25	-	-	-	-	-	-	1	2	3	8	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,186	-	1	1	4	8	39	69	223	571	799	467	3,399	-	2	-	4	11	36	65	172	526	1,225	1,358
White	1,981	-	1	1	4	8	25	50	187	508	741	456	3,133	-	2	-	4	9	24	52	134	463	1,141	1,304
All other	205	-	-	-	-	-	8	9	36	63	58	31	266	-	-	-	-	2	12	13	38	63	84	54
Black	197	-	-	-	-	-	8	9	35	60	55	30	262	-	-	-	-	2	11	13	38	61	83	54
Atherosclerosis (440)	417	-	-	-	-	-	2	6	27	76	137	169	821	-	-	-	-	-	-	4	13	66	228	509
White	394	-	-	-	-	-	1	6	22	71	126	166	786	-	-	-	-	-	-	4	13	60	216	492
All other	23	-	-	-	-	-	1	-	5	5	9	3	35	-	-	-	-	-	-	-	-	6	12	17
Black	23	-	-	-	-	-	1	-	5	5	9	3	35	-	-	-	-	-	-	-	-	6	12	17
Other diseases of arteries, arterioles, and capillaries (441-448)	857	-	1	-	3	5	12	26	140	318	255	97	500	1	-	-	-	1	6	12	38	121	181	140
White	814	-	1	-	3	3	9	22	128	301	252	95	458	1	-	-	-	1	5	9	31	106	169	136
All other	43	-	-	-	-	2	3	4	12	17	3	2	42	-	-	-	-	-	1	3	7	15	12	4
Black	42	-	-	-	-	2	3	4	12	16	3	2	42	-	-	-	-	-	1	3	7	15	12	4
Acute bronchitis and bronchiolitis (466)	17	2	-	1	-	-	-	1	2	1	7	3	20	1	-	-	-	-	-	1	1	5	3	9
White	14	1	-	-	-	-	-	1	2	1	7	2	20	1	-	-	-	-	-	1	1	5	3	9
All other	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,646	25	5	4	6	15	16	44	152	305	551	524	1,727	6	3	4	3	7	20	14	79	222	536	833
White	1,486	19	3	3	5	8	12	37	129	268	512	492	1,613	4	2	4	3	5	14	11	65	207	491	807
All other	160	6	2	1	1	7	4	7	23	37	39	32	114	2	1	-	-	2	6	3	14	15	45	26
Black	156	6	2	-	1	7	4	7	23	36	38	31	114	2	1	-	-	2	6	3	14	15	45	26
Pneumonia (480-486)	1,625	25	5	4	6	15	15	44	150	299	544	517	1,675	5	2	4	3	7	20	14	75	214	520	811
White	1,466	19	3	3	5	8	11	37	127	263	505	485	1,563	3	2	4	3	5	14	11	61	200	475	785
All other	159	6	2	1	1	7	4	7	23	36	39	32	112	2	-	-	-	2	6	3	14	14	45	26
Black	155	6	2	-	1	7	4	7	23	35	38	31	112	2	-	-	-	2	6	3	14	14	45	26
Influenza (487)	23	-	-	-	-	-	1	-	2	6	7	7	52	1	1	-	-	-	-	-	4	8	16	22
White	22	-	-	-	-	-	1	-	2	5	7	7	50	1	-	-	-	-	-	-	4	7	16	22
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,551	1	-	2	4	6	5	56	301	887	961	327	1,518	1	-	-	6	2	8	43	184	530	522	212
White	2,392	1	-	-	-	2	5	49	265	830	923	317	1,442	-	-	-	5	-	8	41	179	508	495	206
All other	159	-	-	2	4	4	-	7	36	57	38	10	76	1	-	-	1	2	-	2	15	22	27	6
Black	157	-	-	2	4	4	-	7	36	56	37	10	75	1	-	-	1	2	-	2	15	22	26	6
Bronchitis, chronic and unspecified (490-491)	83	1	-	-	-	-	-	1	8	26	29	18	71	1	-	-	-	-	1	4	10	20	15	20
White	81	1	-	-	-	-	-	1	6	26	29	18	69	-	-	-	-	-	1	4	9	20	15	20
All other	2	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	381	-	-	-	-	1	-	10	46	142	138	44	193	-	-	-	-	-	-	6	28	77	69	13
White	367	-	-	-	-	-	-	9	45	136	135	42	187	-	-	-	-	-	-	6	27	75	66	13
All other	14	-	-	-	-	1	-	1	1	6	3	2	6	-	-	-	-	-	-	-	1	2	3	-
Black	14	-	-	-	-	1	-	1	1	6	3	2	6	-	-	-	-	-	-	-	1	2	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	59	-	-	2	3	4	1	8	11	15	10	5	79	-	-	-	5	2	4	8	19	20	14	7
White	44	-	-	-	-	1	1	7	10	10	10	5	71	-	-	-	4	-	4	7	17	18	14	7
All other	15	-	-	2	3	3	-	1	1	5	-	-	8	-	-	-	1	2	-	1	2	2	-	-
Black	15	-	-	2	3	3	-	1	1	5	-	-	8	-	-	-	1	2	-	1	2	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,028	-	-	-	1	1	4	37	236	704	784	260	1,175	-	-	-	1	-	3	25	137	413	424	172
White	1,900	-	-	-	-	1	4	32	204	658	749	252	1,115	-	-	-	1	-	3	24	126	395	400	166
All other	128	-	-	-	1	-	-	5	32	46	35	8	60	-	-	-	-	-	-	1	11	18	24	6
Black	126	-	-	-	1	-	-	5	32	45	34	8	59	-	-	-	-	-	-	1	11	18	23	6
Ulcer of stomach and duodenum (531-533)	171	-	-	-	1	-	5	8	25	55	47	30	165	1	-	-	-	-	-	3	16	36	53	56
White	163	-	-	-	1	-	4	8	22	53	45	30	159	1	-	-	-	-	-	3	15	35	49	56
All other	8	-	-	-	-	-	1	-	3	2	2	-	6	-	-	-	-	-	-	-	1	1	4	-
Black	8	-	-	-	-	-	1	-	3	2	2	-	6	-	-	-	-	-	-	-	1	1	4	-
Appendicitis (540-543)	6	1	-	-	-	1	1	1	-	2	-	-	13	-	-	-	2	-	-	-	1	2	3	5
White	6	1	-	-	-	1	1	1	-	2	-	-	11	-	-	-	2	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	109	3	1	-	1	1	4	2	10	23	46	18	188	-	-	-	1	2	1	1	11	20	73	79
White	90	3	-	-	1	-	3	2	8	17	40	16	171	-	-	-	-	2	1	-	10	17	67	74
All other	19	-	1	-	-	1	1	-	2	6	6	2	17	-	-	-	1	-	-	1	1	3	6	5
Black	18	-	1	-	-	1	1	-	2	5	6	2	15	-	-	-	1	-	-	1	1	2	5	5
Chronic liver disease and cirrhosis (571)	909	1	-	-	-	32	92	129	231	217	91	15	439	-	-	-	-	14	31	52	119	134	76	11
White	706	1	-	-	-	23	58	106	205	206	91	15	387	-	-	-	-	7	22	41	109	123	74	11
All other	103	-	-	-	-	9	34	23	26	11	-	-	52	-	-	-	-	7	9	11	10	11	4	-
Black	102	-	-	-	-	9	34	22	26	11	-	-	52	-	-	-	-	7	9	11	10	11	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	66	-	-	-	-	-	1	2	6	11	22	24	89	-	-	-	1	-	1	1	1	21	30	34
White	61	-	-	-	-	-	1	2	4	10	20	24	82	-	-	-	-	-	1	1	1	21	27	31
All other	5	-	-	-	-	-	-	-	2	1	2	-	7	-	-	-	1	-	-	-	-	-	3	3
Black	5	-	-	-	-	-	-	-	2	1	2	-	7	-	-	-	1	-	-	-	-	-	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	672	6	-	-	-	6	13	23	68	181	221	154	797	5	-	-	1	2	12	14	59	162	302	240
White	575	6	-	-	-	4	6	12	55	154	195	143	671	5	-	-	1	2	8	10	38	130	263	214
All other	97	-	-	-	-	2	7	11	13	27	26	11	126	-	-	-	-	-	4	4	21	32	39	26
Black	97	-	-	-	-	2	7	11	13	27	26	11	124	-	-	-	-	-	4	4	21	32	38	25
Acute glomerulonephritis and nephrotic syndrome (580-581)	15	1	-	-	-	-	-	-	4	2	8	-	8	-	-	-	-	-	-	-	1	2	1	4
White	13	1	-	-	-	-	-	-	4	2	6	-	7	-	-	-	-	-	-	-	1	2	1	3
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	-	-	-	-	-	1	3	2	7	13	5	36	-	-	-	-	1	1	1	2	9	13	9
White	26	-	-	-	-	-	1	1	2	7	10	5	29	-	-	-	-	1	1	1	1	7	10	8
All other	5	-	-	-	-	-	-	2	-	-	3	-	7	-	-	-	-	-	-	-	1	2	3	1
Black	5	-	-	-	-	-	-	2	-	-	3	-	7	-	-	-	-	-	-	-	1	2	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	626	5	-	-	-	6	12	20	62	172	200	149	753	5	-	-	1	1	11	13	56	151	288	227
White	536	5	-	-	-	4	5	11	49	145	179	138	635	5	-	-	1	1	7	9	36	121	252	203
All other	90	-	-	-	-	2	7	9	13	27	21	11	118	-	-	-	-	-	4	4	20	30	36	24
Black	90	-	-	-	-	2	7	9	13	27	21	11	116	-	-	-	-	-	4	4	20	30	35	23
Infections of kidney (590)	26	-	-	-	-	-	-	2	1	7	9	7	44	-	-	-	-	-	1	1	2	7	18	15
White	23	-	-	-	-	-	-	1	1	6	9	6	41	-	-	-	-	-	-	1	2	7	17	14
All other	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	1	-	-	-	1	1
Black	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	1	-	-	-	1	1
Hyperplasia of prostate (600)	27	-	-	-	-	-	-	-	2	7	11	7	...	...	...	...	...	...	...	...	...	...	...	...
White	25	-	-	-	-	-	-	-	2	7	11	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	5	4	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	4	3	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	3	2	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	305	200	21	17	14	4	6	5	14	12	10	2	277	180	17	13	9	10	6	5	12	12	7	6
White	265	174	17	10	12	4	6	5	14	12	9	2	227	148	14	7	6	8	3	5	12	10	7	5
All other	40	26	4	7	2	-	-	-	-	-	1	-	50	32	3	6	1	2	3	-	-	2	-	1
Black	37	24	3	7	2	-	-	-	-	-	1	-	47	30	3	5	1	2	3	-	-	2	-	1
Certain conditions originating in the perinatal period (760-779)	518	512	6	-	-	-	-	-	-	-	-	-	409	406	2	-	1	-	-	-	-	-	-	-
White	374	370	4	-	-	-	-	-	-	-	-	-	280	279	-	-	1	-	-	-	-	-	-	-
All other	144	142	2	-	-	-	-	-	-	-	-	-	129	127	2	-	-	-	-	-	-	-	-	-
Black	140	138	2	-	-	-	-	-	-	-	-	-	127	125	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	142	139	3	-	-	-	-	-	-	-	-	-	85	85	-	-	-	-	-	-	-	-	-	-
White	112	109	3	-	-	-	-	-	-	-	-	-	68	68	-	-	-	-	-	-	-	-	-	-
All other	30	30	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	376	373	3	-	-	-	-	-	-	-	-	-	324	321	2	-	1	-	-	-	-	-	-	-
White	262	261	1	-	-	-	-	-	-	-	-	-	212	211	-	-	1	-	-	-	-	-	-	-
All other	114	112	2	-	-	-	-	-	-	-	-	-	112	110	2	-	-	-	-	-	-	-	-	-
Black	111	109	2	-	-	-	-	-	-	-	-	-	110	108	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,549	126	2	-	13	25	76	180	377	374	254	120	1,058	88	1	4	6	14	17	77	141	218	277	213
White	971	80	1	-	9	15	35	86	208	245	195	96	715	54	-	2	5	8	7	32	82	149	190	185
All other	578	46	1	-	4	10	41	94	169	129	59	24	343	34	1	2	1	6	10	45	59	69	87	28
Black	569	45	1	-	4	10	41	94	167	126	57	23	341	34	1	2	1	6	10	44	59	69	87	27
All other diseases (Residual)	4,383	38	24	27	47	132	200	215	554	1,154	1,260	732	4,328	25	16	21	36	75	79	186	404	827	1,402	1,256
White	3,872	30	22	23	39	90	141	158	468	1,061	1,160	680	3,837	19	15	17	32	53	53	144	337	719	1,279	1,169
All other	511	8	2	4	8	42	59	57	86	93	100	52	491	6	1	4	4	22	26	42	67	108	123	87
Black	500	7	2	4	8	41	58	56	83	91	98	52	481	6	1	4	4	21	25	42	64	106	123	84
Accidents and adverse effects (E800-E949)	2,754	13	65	117	586	527	294	199	291	262	265	155	1,406	13	33	56	188	114	84	66	129	209	272	242
White	2,468	10	53	97	518	474	257	172	261	240	241	145	1,289	12	25	45	180	103	77	55	120	188	250	234
All other	286	3	12	20	48	53	37	27	30	22	24	10	117	1	8	11	8	11	7	11	9	21	22	8
Black	279	2	12	17	44	52	35	26	30	22	24	9	113	1	6	11	7	11	6	11	9	21	22	8
Motor vehicle accidents (E810-E825)	1,311	-	21	50	426	312	158	92	99	70	63	20	512	1	9	30	149	71	55	24	49	61	49	14
White	1,224	-	20	45	395	292	146	85	95	65	62	18	492	-	8	28	145	68	54	20	48	59	48	14
All other	87	-	1	5	31	20	12	7	4	5	1	1	20	1	1	2	4	3	1	4	1	2	1	-
Black	77	-	1	2	28	19	10	6	4	5	1	1	17	1	-	2	3	3	-	4	1	2	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,443	13	44	67	140	215	136	107	192	192	202	135	894	12	24	26	39	43	29	42	80	148	223	228
White	1,244	10	33	52	123	182	111	87	166	175	179	126	797	12	17	17	35	35	23	35	72	129	202	220
All other	199	3	11	15	17	33	25	20	26	17	23	9	97	-	7	9	4	8	6	7	8	19	21	8
Black	196	2	11	15	16	33	25	20	26	17	23	8	96	-	6	9	4	8	6	7	8	19	21	8
Suicide (E950-E959)	1,130	...	...	9	199	237	160	123	156	139	75	23	308	...	...	1	36	66	44	54	48	35	22	2
White	1,046	...	...	8	181	209	159	113	147	132	74	23	284	...	...	1	31	60	42	48	46	34	20	2
All other	84	...	...	1	18	28	9	10	9	7	1	-	24	...	...	-	5	6	2	6	2	1	2	-
Black	82	...	...	1	17	28	9	10	9	6	1	-	22	...	...	-	4	6	2	6	2	-	2	-
Homicide and legal intervention (E960-E978)	434	3	10	6	68	145	84	51	34	24	7	2	162	4	5	5	30	38	38	12	8	14	10	2
White	222	2	6	3	29	71	43	27	20	14	5	2	95	-	3	5	15	17	28	7	3	9	8	2
All other	212	1	4	3	39	74	41	24	14	10	2	-	67	4	2	-	15	19	10	5	5	5	2	-
Black	212	1	4	3	39	74	41	24	14	10	2	-	66	4	2	-	14	19	10	5	5	5	2	-
All other external causes (E980-E999)	133	-	2	3	20	56	23	11	11	3	-	2	40	1	1	-	5	13	4	9	-	4	2	1
White	101	-	1	1	15	44	16	8	10	3	-	2	34	1	1	-	5	8	4	8	-	4	2	1
All other	32	-	1	2	5	12	7	3	1	-	-	-	6	-	-	-	-	5	-	1	-	-	-	-
Black	31	-	1	2	5	12	6	3	1	-	-	-	6	-	-	-	-	5	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,806	63	11	16	96	108	136	268	792	1,356	1,259	701	4,841	44	3	10	31	41	70	156	504	941	1,454	1,687
White	4,645	58	11	15	90	96	127	249	758	1,317	1,238	686	4,707	37	2	9	30	37	65	149	473	921	1,422	1,562
All other	161	5	-	1	6	12	9	19	34	39	21	15	134	7	1	1	1	4	5	7	31	20	32	25
Black	142	5	-	1	5	10	7	17	31	33	20	13	108	5	1	-	1	3	5	7	23	19	23	21
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	50	-	1	-	-	1	2	2	2	14	20	8	59	-	-	-	-	-	-	1	3	8	26	23
White	48	-	1	-	-	1	2	2	2	14	19	7	57	-	-	-	-	-	-	1	3	5	25	23
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	2	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	7	-	-	-	-	2	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	15	-	-	-	-	4	1	-	-	4	2	4	15	1	-	-	1	2	1	-	3	-	3	4
White	14	-	-	-	-	4	1	-	-	4	1	4	14	1	-	-	1	1	1	-	3	-	3	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	1,208	-	-	2	12	7	31	78	280	421	278	99	1,137	-	-	2	-	10	25	81	227	340	304	148
White	1,171	-	-	2	12	7	29	75	269	405	275	97	1,116	-	-	1	-	10	24	78	216	338	300	147
All other	37	-	-	-	-	-	2	3	11	16	3	2	21	-	-	1	-	-	1	3	9	2	4	1
Black	31	-	-	-	-	-	1	3	10	12	3	2	16	-	-	-	-	-	1	3	7	2	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	-	-	-	-	-	-	1	8	15	4	1	17	-	-	-	-	-	-	1	5	5	2	4
White	28	-	-	-	-	-	-	1	8	14	4	1	17	-	-	-	-	-	-	1	5	5	2	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	333	-	-	-	3	1	7	19	75	118	80	30	330	-	-	-	-	2	4	10	57	97	103	57
White	327	-	-	-	3	1	6	19	73	115	80	30	320	-	-	-	-	2	3	8	53	97	101	56
All other	6	-	-	-	-	-	1	-	2	3	-	-	10	-	-	-	-	-	1	2	4	-	2	1
Black	4	-	-	-	-	-	-	-	2	2	-	-	7	-	-	-	-	-	1	2	2	-	1	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	425	-	-	-	-	-	10	40	113	154	86	22	198	-	-	-	-	-	2	19	54	83	28	10
White	409	-	-	-	-	-	10	38	108	147	85	21	192	-	-	-	-	-	2	18	52	82	28	10
All other	16	-	-	-	-	-	-	2	5	7	1	1	4	-	-	-	-	-	-	1	2	1	-	-
Black	14	-	-	-	-	-	-	2	5	5	1	1	4	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	225	-	-	-	-	3	10	23	49	56	63	21
White	1	-	-	-	-	-	-	-	-	-	1	-	224	-	-	-	-	3	10	23	49	55	63	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of genital organs (179-187)	122	-	-	-	1	1	-	2	18	39	36	25	93	-	-	-	-	4	2	7	16	31	24	9
White	113	-	-	-	1	1	-	1	16	35	35	24	92	-	-	-	-	4	2	7	15	31	24	9
All other	9	-	-	-	-	-	-	1	2	4	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	8	-	-	-	-	-	-	1	2	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	69	-	-	-	-	-	-	5	15	18	26	5	35	-	-	-	-	-	1	1	3	7	16	7
White	68	-	-	-	-	-	-	5	15	18	25	5	34	-	-	-	-	-	1	1	2	7	16	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	142	-	-	2	5	3	7	8	31	47	30	9	154	-	-	-	-	-	2	15	27	45	41	24
White	142	-	-	2	5	3	7	8	31	47	30	9	151	-	-	-	-	-	2	15	26	45	39	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Leukemia (204-208)	39	-	-	-	2	-	3	-	7	15	7	5	31	-	-	1	-	1	1	2	4	9	6	7
White	38	-	-	-	2	-	3	-	6	15	7	5	30	-	-	-	-	1	1	2	4	9	6	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	48	-	-	-	1	2	4	3	13	15	8	2	56	-	-	1	-	-	3	3	12	7	21	9
White	45	-	-	-	1	2	3	3	12	14	8	2	56	-	-	1	-	-	3	3	12	7	21	9
All other	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	-	-	-	2	3	3	-	27	-	-	-	1	-	1	-	3	7	9	6
White	8	-	-	-	-	-	-	-	2	3	3	-	24	-	-	-	1	-	-	-	2	7	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	1
Diabetes mellitus (250)	98	-	-	-	-	1	3	8	16	28	30	12	127	-	-	-	-	-	1	1	17	27	49	32
White	88	-	-	-	-	1	3	7	15	24	27	11	118	-	-	-	-	-	1	1	14	25	46	29
All other	10	-	-	-	-	-	-	1	1	4	3	1	11	-	-	-	-	-	-	-	3	2	3	3
Black	10	-	-	-	-	-	-	1	1	4	3	1	10	-	-	-	-	-	-	-	3	2	2	3
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	-	-	6	2	11	-	-	-	-	-	-	-	-	1	1	9
White	8	-	-	-	-	-	-	-	-	-	6	2	11	-	-	-	-	-	-	-	-	1	1	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	1	-	-	-	-	1	-	5	2	11	-	-	-	-	-	-	-	1	2	4	4
White	9	-	-	1	-	-	-	-	1	-	5	2	11	-	-	-	-	-	-	-	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,196	1	2	1	10	11	41	116	356	631	644	383	2,419	1	-	-	2	7	9	42	175	370	790	1,023
White	2,144	-	2	1	8	9	39	111	344	617	637	376	2,356	1	-	-	2	6	8	39	160	359	772	1,009
All other	52	1	-	-	2	2	2	5	12	14	7	7	63	-	-	-	-	1	1	3	15	11	18	14
Black	43	1	-	-	1	2	1	3	10	13	6	6	50	-	-	-	-	1	1	3	9	10	14	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,844	1	2	1	6	9	36	107	311	540	530	301	1,855	-	-	-	1	4	4	35	144	300	614	753
White	1,799	-	2	1	4	7	34	103	300	529	524	295	1,806	-	-	-	1	4	4	32	130	290	602	743
All other	45	1	-	-	2	2	2	4	11	11	6	6	49	-	-	-	-	-	-	3	14	10	12	10
Black	36	1	-	-	1	2	1	2	9	10	5	5	39	-	-	-	-	-	-	3	8	9	10	9
Rheumatic fever and rheumatic heart disease (390-398)	8	-	-	-	-	-	-	2	1	2	2	1	24	-	-	-	-	-	-	1	4	6	12	1
White	8	-	-	-	-	-	-	2	1	2	2	1	24	-	-	-	-	-	-	1	4	6	12	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	33	-	-	-	-	3	-	3	8	5	7	7	52	-	-	-	-	-	1	1	3	8	14	25
White	33	-	-	-	-	3	-	3	8	5	7	7	49	-	-	-	-	-	1	1	3	6	14	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	2	-	2	-
White	4	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	1,502	-	-	-	1	2	28	65	254	443	442	247	1,464	-	-	-	-	-	-	26	108	245	486	599
White	1,466	-	-	-	1	2	27	81	244	434	436	241	1,424	-	-	-	-	-	-	23	96	237	478	590
All other	36	-	-	-	-	-	1	4	10	9	6	6	40	-	-	-	-	-	-	3	12	8	8	9
Black	29	-	-	-	-	-	1	2	8	8	5	5	32	-	-	-	-	-	-	3	8	7	6	8
Acute myocardial infarction (410)	833	-	-	-	-	1	16	51	162	277	230	96	712	-	-	-	-	-	-	20	74	148	265	205
White	814	-	-	-	-	1	15	48	156	271	227	96	691	-	-	-	-	-	-	18	67	143	261	202
All other	19	-	-	-	-	-	1	3	6	6	3	-	21	-	-	-	-	-	-	2	7	5	4	3
Black	15	-	-	-	-	-	1	2	5	5	2	-	15	-	-	-	-	-	-	2	4	4	3	2
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	-	1	4	-	5	-	-	-	-	-	-	-	-	-	3	2
White	5	-	-	-	-	-	-	-	-	1	4	-	5	-	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	663	-	-	-	1	1	12	34	92	164	208	151	743	-	-	-	-	-	-	6	34	95	216	392
White	646	-	-	-	1	1	12	33	88	161	205	145	724	-	-	-	-	-	-	5	29	92	212	386
All other	17	-	-	-	-	-	-	1	4	3	3	6	19	-	-	-	-	-	-	1	5	3	4	6
Black	14	-	-	-	-	-	-	-	3	3	3	5	17	-	-	-	-	-	-	1	4	3	3	6
Other diseases of endocardium (424)	17	-	-	1	-	-	-	1	1	6	6	2	26	-	-	-	-	-	-	-	3	2	13	8
White	17	-	-	1	-	-	-	1	1	6	6	2	26	-	-	-	-	-	-	-	3	2	13	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	280	1	2	-	5	4	8	16	47	83	72	42	285	-	-	-	1	4	3	7	24	39	87	120
White	271	-	2	-	3	2	7	16	46	81	72	42	281	-	-	-	1	4	3	7	23	39	84	120
All other	9	1	-	-	2	2	1	-	1	2	-	-	4	-	-	-	-	-	-	-	1	-	3	-
Black	7	1	-	-	1	2	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Hypertension with or without renal disease (401,403)	13	-	-	-	-	-	-	1	2	5	3	2	18	-	-	-	-	-	-	1	1	3	3	10
White	13	-	-	-	-	-	-	1	2	5	3	2	18	-	-	-	-	-	-	1	1	3	3	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	216	-	-	-	3	1	3	6	23	50	77	53	421	-	-	-	1	2	5	6	23	58	139	187
White	211	-	-	-	3	1	3	5	23	48	76	52	411	-	-	-	1	1	4	6	22	57	136	184
All other	5	-	-	-	-	-	-	1	-	2	1	1	10	-	-	-	-	1	1	-	1	1	3	3
Black	5	-	-	-	-	-	-	1	-	2	1	1	9	-	-	-	-	1	1	-	1	1	3	2
Intracerebral and other intracranial hemorrhage (431-432)	44	-	-	-	2	-	-	3	6	14	14	5	67	-	-	-	1	1	-	1	10	16	20	18
White	42	-	-	-	2	-	-	2	6	14	14	4	67	-	-	-	1	1	-	1	10	16	20	18
All other	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	38	-	-	-	-	-	-	-	2	11	14	11	75	-	-	-	-	-	-	-	4	5	22	44
White	37	-	-	-	-	-	-	-	2	11	13	11	74	-	-	-	-	-	-	-	4	5	22	43
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	132	-	-	-	1	1	3	2	14	25	49	37	278	-	-	-	-	1	5	5	9	37	96	125
White	130	-	-	-	1	1	3	2	14	23	49	37	269	-	-	-	-	-	4	5	8	36	93	123
All other	2	-	-	-	-	-	-	-	-	2	-	-	9	-	-	-	-	1	1	-	1	1	3	2
Black	2	-	-	-	-	-	-	-	-	2	-	-	9	-	-	-	-	1	1	-	1	1	3	2
Atherosclerosis (440)	60	-	-	-	-	-	-	2	14	12	14	18	81	-	-	-	-	-	-	-	1	8	16	56
White	59	-	-	-	-	-	-	2	13	12	14	18	78	-	-	-	-	-	-	-	1	8	14	55
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	63	-	-	-	1	1	2	-	6	24	20	9	44	1	-	-	-	1	-	-	6	1	18	17
White	62	-	-	-	1	1	2	-	6	23	20	9	43	1	-	-	-	1	-	-	6	1	17	17
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	121	1	-	1	-	-	-	3	6	21	38	51	150	2	-	-	-	-	3	3	5	8	48	81
White	116	1	-	1	-	-	-	1	6	20	37	50	148	1	-	-	-	-	3	3	4	8	48	81
All other	5	-	-	-	-	-	-	2	-	1	1	1	2	1	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (480-486)	121	1	-	1	-	-	-	3	6	21	38	51	143	2	-	-	-	-	3	3	5	8	48	76
White	116	1	-	1	-	-	-	1	6	20	37	50	141	1	-	-	-	-	3	3	4	8	48	76
All other	5	-	-	-	-	-	-	2	-	1	1	1	2	1	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	2	5
White	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	217	-	-	-	-	-	2	7	21	75	78	34	135	-	-	-	-	-	3	2	20	47	34	29
White	215	-	-	-	-	-	2	6	21	75	77	34	134	-	-	-	-	-	3	2	20	47	34	28
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis, chronic and unspecified (490-491)	16	-	-	-	-	-	-	1	4	2	6	3	4	-	-	-	-	-	1	-	-	1	1	1
White	16	-	-	-	-	-	-	1	4	2	6	3	4	-	-	-	-	-	1	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	37	-	-	-	-	-	1	1	4	16	11	4	22	-	-	-	-	-	-	-	8	9	5	2
White	37	-	-	-	-	-	1	1	4	16	11	4	22	-	-	-	-	-	-	-	6	9	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	-	-	1	2	-	-	-	-	9	-	-	-	-	-	2	1	1	-	3	2
White	2	-	-	-	-	-	1	1	-	-	-	-	8	-	-	-	-	-	2	1	1	-	3	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	161	-	-	-	-	-	-	3	13	57	61	27	100	-	-	-	-	-	-	1	13	37	25	24
White	160	-	-	-	-	-	-	3	13	57	60	27	100	-	-	-	-	-	-	1	13	37	25	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	17	-	-	-	-	-	-	1	1	3	7	5	19	-	-	-	-	-	-	-	-	1	4	14
White	16	-	-	-	-	-	-	1	1	3	7	4	19	-	-	-	-	-	-	-	-	1	4	14
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	1	-	-	-	-	-	-	1	-	2	3	17	-	-	-	-	-	-	-	1	1	6	9
White	7	1	-	-	-	-	-	-	1	-	2	3	17	-	-	-	-	-	-	-	1	1	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	68	-	-	-	-	1	5	10	18	26	7	1	39	-	-	-	-	1	1	5	5	16	8	3
White	67	-	-	-	-	1	5	10	17	26	7	1	34	-	-	-	-	1	1	4	5	13	7	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	-	3	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	-	3	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	9	-	-	-	-	-	-	-	1	2	4	2	7	-	-	-	-	-	-	-	-	-	2	5
White	9	-	-	-	-	-	-	-	1	2	4	2	7	-	-	-	-	-	-	-	-	-	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	61	-	-	-	-	1	1	2	5	26	16	10	67	-	-	-	-	1	2	1	3	19	19	22
White	59	-	-	-	-	1	1	2	5	25	15	10	63	-	-	-	-	1	1	1	3	18	18	21
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	-	1	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	58	-	-	-	-	1	1	2	4	25	16	9	63	-	-	-	-	1	2	1	3	18	17	21
White	56	-	-	-	-	1	1	2	4	24	15	9	59	-	-	-	-	1	1	1	3	17	16	20
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	-	1	1	1
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	1	2	3
White	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	22	13	3	2	-	1	-	-	-	1	2	-	24	12	3	-	2	-	1	-	2	1	2	1
White	21	12	3	2	-	1	-	-	-	1	2	-	23	12	2	-	2	-	1	-	2	1	2	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	33	32	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	30	29	1	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	20	19	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
White	19	18	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	19	7	1	-	1	1	2	4	2	-	-	1	13	8	-	-	-	2	1	-	-	-	-	2
White	17	7	1	-	1	1	2	2	2	-	-	1	10	5	-	-	-	2	1	-	-	-	-	2
All other	2	-	-	-	-	-	-	2	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	349	3	1	-	7	18	12	22	55	82	83	66	399	4	-	1	3	6	8	11	31	75	113	147
White	332	3	1	-	7	16	10	21	49	79	82	64	386	2	-	1	3	5	8	11	29	75	109	143
All other	17	-	-	-	-	2	2	1	6	3	1	2	13	2	-	-	-	1	-	-	2	-	4	4
Black	16	-	-	-	-	2	2	1	6	3	1	1	8	2	-	-	-	-	-	-	2	-	2	2
Accidents and adverse effects (E800-E949)	168	3	1	8	46	30	18	8	10	12	21	11	100	-	-	7	11	5	5	5	6	14	26	21
White	157	3	1	7	46	27	17	5	8	12	20	11	98	-	-	7	10	5	4	5	6	14	26	21
All other	11	-	-	1	-	3	1	3	2	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	10	-	-	1	-	2	1	3	2	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
Motor vehicle accidents (E810-E825)	77	-	-	5	38	15	6	2	5	5	1	-	35	-	-	6	10	2	1	2	1	3	9	1
White	74	-	-	4	38	14	6	2	4	5	1	-	33	-	-	6	9	2	-	2	1	3	9	1
All other	3	-	-	1	-	1	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	91	3	1	3	8	15	12	6	5	7	20	11	65	-	-	1	1	3	4	3	5	11	17	20
White	83	3	1	3	8	13	11	3	4	7	19	11	65	-	-	1	1	3	4	3	5	11	17	20
All other	8	-	-	-	-	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	8	-	-	-	-	2	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	69	...	...	1	10	21	11	6	10	4	3	3	28	...	...	-	8	6	5	2	2	4	1	-
White	64	...	...	1	9	19	11	5	10	4	2	3	28	...	...	-	8	6	5	2	2	4	1	-
All other	5	...	...	-	1	2	-	1	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	4	...	...	-	1	1	-	1	-	-	1	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	27	1	1	-	10	7	3	-	2	-	2	1	12	1	-	-	2	1	4	2	-	1	-	1
White	20	1	1	-	7	6	1	-	1	-	2	1	11	1	-	-	2	-	4	2	-	1	-	1
All other	7	-	-	-	3	1	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	7	-	-	-	3	1	2	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	-	-	2	3	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	5	-	-	-	-	-	3	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA																								
All causes	14,658	392	67	86	456	570	780	1,299	2,719	4,121	3,021	1,147	12,441	346	50	68	167	220	389	696	1,644	2,807	3,478	2,576
White	9,963	155	36	53	315	331	430	817	1,838	2,845	2,261	882	8,446	148	21	36	106	109	206	408	1,015	1,766	2,548	2,083
All other	4,695	237	31	33	141	239	350	482	881	1,276	760	265	3,995	198	29	32	61	111	183	288	629	1,041	930	493
Black	4,681	234	30	33	140	239	348	481	880	1,272	760	264	3,979	198	29	32	61	109	179	285	628	1,039	927	492
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	3	-	-	-	-	-	-	-	-	-	-	6	3	-	1	-	-	-	-	1	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	17	-	-	-	-	-	2	5	3	5	2	-	12	-	1	1	-	3	1	1	2	2	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	15	-	-	-	-	-	2	5	3	4	1	-	12	-	1	1	-	3	1	1	2	2	1	-
Black	15	-	-	-	-	-	2	5	3	4	1	-	12	-	1	1	-	3	1	1	2	2	1	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	2	5	2	3	2	-	7	-	-	-	-	2	-	1	2	1	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	12	-	-	-	-	-	2	5	2	2	1	-	7	-	-	-	-	2	-	1	2	1	1	-
Black	12	-	-	-	-	-	2	5	2	2	1	-	7	-	-	-	-	2	-	1	2	1	1	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	1	2	-	-	5	-	1	1	-	1	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	1	2	-	-	5	-	1	1	-	1	1	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	5	-	1	1	-	1	1	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	3	-	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
White	4	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	104	3	1	1	2	4	7	6	21	34	18	7	114	2	-	1	-	2	4	4	16	29	35	21
White	62	1	1	1	2	2	3	4	10	22	11	5	57	2	-	-	-	-	2	2	10	10	19	12
All other	42	2	-	-	-	2	4	2	11	12	7	2	57	-	-	1	-	2	2	2	6	19	16	9
Black	42	2	-	-	-	2	4	2	11	12	7	2	57	-	-	1	-	2	2	2	6	19	16	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	-	3	2	-	2	-	-	1	9	-	-	1	1	1	1	1	2	2	-	-
White	5	-	-	-	-	1	1	-	2	-	-	1	6	-	-	-	1	1	1	1	1	1	-	-
All other	3	-	-	-	-	2	1	-	-	-	-	-	3	-	-	1	-	-	-	-	1	1	-	-
Black	3	-	-	-	-	2	1	-	-	-	-	-	3	-	-	1	-	-	-	-	1	1	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	51	6	4	1	3	5	11	6	5	7	3	-	45	2	1	1	3	4	3	4	5	9	11	2
White	28	3	2	-	3	1	5	4	5	2	1	-	23	-	-	1	-	1	2	3	1	5	10	-
All other	25	3	2	1	-	4	6	2	-	5	2	-	22	2	1	-	3	3	1	1	4	4	1	2
Black	25	3	2	1	-	4	6	2	-	5	2	-	22	2	1	-	3	3	1	1	4	4	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,216	-	3	8	18	37	107	314	798	1,145	632	156	2,430	-	4	11	13	36	113	260	564	689	516	224
White	2,225	-	1	6	11	26	64	216	541	784	466	110	1,748	-	2	5	7	23	73	183	404	498	385	168
All other	991	-	2	2	7	11	43	98	255	361	166	46	682	-	2	6	6	13	40	77	160	191	131	56
Black	990	-	2	2	7	11	43	98	255	360	166	46	677	-	2	6	6	13	39	76	160	190	130	55
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	96	-	-	-	-	1	6	17	33	28	11	-	42	-	-	-	1	2	3	3	9	6	16	2
White	61	-	-	-	-	-	-	11	19	23	8	-	25	-	-	-	1	1	-	1	5	4	11	2
All other	35	-	-	-	-	1	6	6	14	5	3	-	17	-	-	-	-	1	3	2	4	2	5	-
Black	35	-	-	-	-	1	6	6	14	5	3	-	17	-	-	-	-	1	3	2	4	2	5	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	746	-	-	-	2	4	30	69	191	254	149	47	614	-	-	-	1	5	16	38	114	181	181	80
White	460	-	-	-	-	2	17	42	106	152	109	32	429	-	-	-	-	2	12	22	74	127	136	56
All other	286	-	-	-	2	2	13	27	85	102	40	15	185	-	-	-	1	3	4	14	40	54	45	24
Black	286	-	-	-	2	2	13	27	85	102	40	15	183	-	-	-	1	3	3	14	40	54	44	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,216	-	-	-	-	3	31	133	361	465	193	30	383	-	-	-	-	-	13	53	128	119	52	18
White	912	-	-	-	-	-	19	88	269	353	158	25	310	-	-	-	-	-	10	38	106	97	47	12
All other	304	-	-	-	-	3	12	45	92	112	35	5	73	-	-	-	-	-	3	15	22	22	5	6
Black	303	-	-	-	-	3	12	45	92	111	35	5	73	-	-	-	-	-	3	15	22	22	5	6
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	1	2	-	448	-	-	-	-	8	41	64	117	137	55	26
White	3	-	-	-	-	-	-	-	1	-	2	-	341	-	-	-	-	5	24	55	84	109	40	24
All other	1	-	-	-	-	-	-	-	-	1	-	-	107	-	-	-	-	3	17	9	33	28	15	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	107	-	-	-	-	3	17	9	33	28	15	2
Malignant neoplasms of genital organs (179-187)	414	-	-	-	-	4	-	7	61	152	137	53	322	-	-	-	3	7	14	45	74	93	65	21
White	216	-	-	-	-	3	-	4	24	75	76	34	203	-	-	-	2	5	10	22	49	59	43	13
All other	198	-	-	-	-	1	-	3	37	77	61	19	119	-	-	-	1	2	4	23	25	34	22	8
Black	198	-	-	-	-	1	-	3	37	77	61	19	118	-	-	-	1	2	4	22	25	34	22	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	145	-	1	-	-	1	3	12	32	59	29	8	88	-	-	1	-	-	2	7	19	26	20	13
White	106	-	-	-	-	1	-	9	25	44	22	5	62	-	-	-	-	-	2	6	12	18	14	10
All other	39	-	1	-	-	-	3	3	7	15	7	3	26	-	-	1	-	-	-	1	7	8	6	3
Black	39	-	1	-	-	-	3	3	7	15	7	3	26	-	-	1	-	-	-	1	7	8	6	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	342	-	1	3	8	14	23	49	71	103	61	9	294	-	2	4	3	8	16	28	58	68	69	38
White	267	-	-	3	4	11	19	39	59	77	50	5	213	-	1	3	2	6	10	21	45	42	52	31
All other	75	-	1	-	4	3	4	10	12	26	11	4	81	-	1	1	1	2	6	7	13	26	17	7
Black	75	-	1	-	4	3	4	10	12	26	11	4	81	-	1	1	1	2	6	7	13	26	17	7
Leukemia (204-208)	113	-	1	4	5	4	4	11	21	38	23	2	93	-	2	5	4	3	3	9	14	23	21	9
White	87	-	1	3	4	4	3	8	18	27	17	2	68	-	1	2	2	2	2	7	9	20	16	7
All other	26	-	-	1	1	-	1	3	3	11	6	-	25	-	1	3	2	1	1	2	5	3	5	2
Black	26	-	-	1	1	-	1	3	3	11	6	-	25	-	1	3	2	1	1	2	5	3	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	140	-	-	1	3	6	10	16	25	45	27	7	146	-	-	1	1	3	5	15	31	36	37	17
White	113	-	-	-	3	5	6	15	20	33	24	7	97	-	-	-	-	2	3	11	20	22	26	13
All other	27	-	-	1	-	1	4	1	5	12	3	-	49	-	-	1	1	1	2	4	11	14	11	4
Black	27	-	-	1	-	1	4	1	5	12	3	-	47	-	-	1	1	1	2	4	11	13	11	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	29	-	-	-	1	2	-	2	3	9	10	2	36	3	-	1	-	1	1	6	3	8	10	3
White	16	-	-	-	-	2	-	1	2	5	5	1	23	3	-	1	-	-	-	1	1	5	9	3
All other	13	-	-	-	1	-	-	1	1	4	5	1	13	-	-	-	-	1	1	5	2	3	1	-
Black	13	-	-	-	1	-	-	1	1	4	5	1	11	-	-	-	-	1	1	3	2	3	1	-
Diabetes mellitus (250)	194	-	-	1	-	6	6	25	37	64	42	13	312	-	-	-	1	2	12	22	51	96	97	31
White	126	-	-	-	-	3	5	15	24	46	22	11	156	-	-	-	-	1	5	9	22	40	60	19
All other	68	-	-	1	-	3	1	10	13	18	20	2	156	-	-	-	1	1	7	13	29	56	37	12
Black	68	-	-	1	-	3	1	10	13	18	20	2	156	-	-	-	1	1	7	13	29	56	37	12
Nutritional deficiencies (260-269)	13	-	-	-	-	-	1	1	2	4	3	2	17	-	-	-	-	-	-	-	-	3	7	7
White	5	-	-	-	-	-	-	-	-	2	2	1	12	-	-	-	-	-	-	-	-	-	5	7
All other	8	-	-	-	-	-	1	1	2	2	1	1	5	-	-	-	-	-	-	-	-	3	2	-
Black	8	-	-	-	-	-	1	1	2	2	1	1	5	-	-	-	-	-	-	-	-	3	2	-
Anemias (280-285)	25	-	1	2	4	1	3	1	2	4	4	3	29	-	-	2	1	1	4	1	2	4	7	7
White	12	-	-	2	1	-	1	-	2	2	2	2	15	-	-	-	-	-	1	-	1	3	5	5
All other	13	-	1	-	3	1	2	1	-	2	2	1	14	-	-	2	1	1	3	1	1	1	2	2
Black	12	-	1	-	3	1	2	1	-	1	2	1	14	-	-	2	1	1	3	1	1	1	2	2
Meningitis (320-322)	15	3	3	1	-	2	1	1	1	1	2	-	9	3	2	1	-	-	-	-	-	-	3	-
White	7	-	2	-	-	1	-	1	1	-	2	-	4	-	1	1	-	-	-	-	-	-	2	-
All other	8	3	1	1	-	1	1	-	-	1	-	-	5	3	1	-	-	-	-	-	-	-	1	-
Black	8	3	1	1	-	1	1	-	-	1	-	-	5	3	1	-	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	6,417	8	3	2	19	47	218	543	1,255	2,051	1,616	655	6,235	6	6	5	6	31	94	202	666	1,453	2,042	1,724
White	4,532	6	2	1	8	28	128	348	847	1,434	1,235	495	4,243	2	3	1	1	9	41	101	349	849	1,473	1,414
All other	1,885	2	1	1	11	19	90	195	408	617	381	160	1,992	4	3	4	5	22	53	101	317	604	569	310
Black	1,884	2	1	1	11	19	90	195	408	616	381	160	1,987	4	3	4	5	22	51	101	317	603	567	310
Diseases of heart (390-398,402,404-429)	5,032	6	2	2	12	36	185	452	1,032	1,609	1,215	481	4,494	6	6	3	5	20	64	140	522	1,107	1,465	1,156
White	3,654	6	2	1	4	24	119	304	732	1,145	950	367	3,129	2	3	1	1	6	29	72	291	675	1,084	965
All other	1,378	-	-	1	8	12	66	148	300	464	265	114	1,365	4	3	2	4	14	35	68	231	432	381	191
Black	1,377	-	-	1	8	12	66	148	300	463	265	114	1,362	4	3	2	4	14	34	68	231	432	379	191
Rheumatic fever and rheumatic heart disease (390-398)	9	-	-	1	-	1	1	1	1	1	3	-	40	-	-	-	-	-	2	1	7	13	12	5
White	7	-	-	1	-	1	-	-	1	1	3	-	37	-	-	-	-	-	-	1	6	13	12	5
All other	2	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-	2	-	1	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Hypertensive heart disease (402)	120	-	-	-	1	1	3	11	31	33	33	7	200	-	-	-	-	1	2	15	18	51	76	37
White	50	-	-	-	1	-	1	-	11	16	18	3	98	-	-	-	-	-	-	5	5	22	37	29
All other	70	-	-	-	-	1	2	11	20	17	15	4	102	-	-	-	-	1	2	10	13	29	39	8
Black	70	-	-	-	-	1	2	11	20	17	15	4	102	-	-	-	-	1	2	10	13	29	39	8
Hypertensive heart and renal disease (404)	29	-	-	-	-	-	2	4	5	6	10	2	34	-	-	-	-	-	-	3	4	2	15	10
White	4	-	-	-	-	-	-	-	2	1	1	-	19	-	-	-	-	-	-	-	1	-	10	8
All other	25	-	-	-	-	-	2	4	3	5	9	2	15	-	-	-	-	-	-	3	3	2	5	2
Black	25	-	-	-	-	-	2	4	3	5	9	2	15	-	-	-	-	-	-	3	3	2	5	2
Ischemic heart disease (410-414)	3,493	-	-	-	-	16	133	317	724	1,147	833	323	2,781	-	-	-	-	5	28	76	344	705	901	722
White	2,741	-	-	-	-	14	94	245	556	875	695	262	2,070	-	-	-	-	3	17	43	199	466	725	617
All other	752	-	-	-	-	2	39	72	168	272	138	61	711	-	-	-	-	2	11	33	145	239	176	105
Black	751	-	-	-	-	2	39	72	168	271	138	61	711	-	-	-	-	2	11	33	145	239	176	105
Acute myocardial infarction (410)	2,248	-	-	-	-	9	104	228	515	765	485	142	1,661	-	-	-	-	3	21	57	258	478	539	305
White	1,747	-	-	-	-	7	78	179	393	574	405	113	1,208	-	-	-	-	1	12	35	148	321	436	255
All other	501	-	-	-	-	2	28	49	122	191	80	29	453	-	-	-	-	2	9	22	110	157	103	50
Black	501	-	-	-	-	2	28	49	122	191	80	29	453	-	-	-	-	2	9	22	110	157	103	50

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	59	-	-	-	-	1	1	10	16	15	15	1	39	-	-	-	-	1	3	2	8	11	7	7
White	41	-	-	-	-	1	1	10	8	12	8	1	20	-	-	-	-	1	2	-	3	2	6	6
All other	18	-	-	-	-	-	-	-	8	3	7	-	19	-	-	-	-	-	1	2	5	9	1	1
Black	18	-	-	-	-	-	-	-	8	3	7	-	19	-	-	-	-	-	1	2	5	9	1	1
Angina pectoris (413)	11	-	-	-	-	-	-	2	1	5	3	-	9	-	-	-	-	-	2	-	1	4	2	-
White	10	-	-	-	-	-	-	2	1	4	3	-	6	-	-	-	-	-	2	-	-	3	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,175	-	-	-	-	6	28	77	192	362	330	180	1,072	-	-	-	-	1	2	17	77	212	353	410
White	943	-	-	-	-	6	17	54	154	285	279	148	836	-	-	-	-	1	1	8	48	140	282	356
All other	232	-	-	-	-	-	11	23	38	77	51	32	236	-	-	-	-	-	1	9	29	72	71	54
Black	231	-	-	-	-	-	11	23	38	76	51	32	230	-	-	-	-	-	1	9	29	72	71	54
Other diseases of endocardium (424)	47	-	-	-	-	-	1	3	7	21	9	6	48	-	-	-	-	1	1	-	4	10	18	14
White	32	-	-	-	-	-	1	2	6	10	8	5	33	-	-	-	-	-	-	-	3	4	13	13
All other	15	-	-	-	-	-	-	1	1	11	1	1	15	-	-	-	-	1	1	-	1	6	5	1
Black	15	-	-	-	-	-	-	1	1	11	1	1	15	-	-	-	-	1	1	-	1	6	5	1
All other forms of heart disease (415-423,425-429)	1,334	6	2	1	11	18	45	116	264	401	327	143	1,391	6	6	3	5	13	31	45	145	326	443	368
White	820	6	2	-	3	9	23	57	156	242	225	97	872	2	3	1	1	3	12	23	77	170	287	293
All other	514	-	-	1	8	9	22	59	108	159	102	46	519	4	3	2	4	10	19	22	68	156	156	75
Black	514	-	-	1	8	9	22	59	108	159	102	46	517	4	3	2	4	10	19	22	68	156	154	75
Hypertension with or without renal disease (401,403)	88	-	-	-	-	-	6	13	24	20	16	7	87	-	-	-	-	1	1	6	14	27	20	18
White	37	-	-	-	-	-	1	5	6	11	11	3	36	-	-	-	-	1	-	1	4	9	9	12
All other	49	-	-	-	-	-	5	8	18	9	5	4	51	-	-	-	-	-	1	5	10	18	11	6
Black	49	-	-	-	-	-	5	8	18	9	5	4	51	-	-	-	-	-	1	5	10	18	11	6
Cerebrovascular diseases (430-438)	1,038	2	1	-	6	10	23	68	152	324	320	132	1,388	-	-	2	1	10	27	50	113	273	480	442
White	644	-	-	-	4	3	5	32	77	199	227	97	895	-	-	-	-	2	11	24	43	140	326	349
All other	394	2	1	-	2	7	18	36	75	125	93	35	503	-	-	2	1	8	16	26	70	133	154	93
Black	394	2	1	-	2	7	18	36	75	125	93	35	501	-	-	2	1	8	15	26	70	132	154	93
Intracerebral and other intracranial hemorrhage (431-432)	177	1	1	-	3	4	12	29	31	53	32	11	195	-	-	1	1	3	11	19	33	40	62	25
White	98	-	-	-	1	3	4	10	14	35	23	8	108	-	-	-	-	-	3	8	11	30	40	16
All other	79	1	1	-	2	1	8	19	17	18	9	3	87	-	-	1	1	3	8	11	22	10	22	9
Black	79	1	1	-	2	1	8	19	17	18	9	3	87	-	-	1	1	3	8	11	22	10	22	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	126	-	-	-	-	2	-	4	18	41	47	14	185	-	-	1	-	-	1	4	8	33	74	64
White	84	-	-	-	-	-	-	3	5	30	37	9	130	-	-	-	-	-	-	3	4	14	58	51
All other	42	-	-	-	-	2	-	1	13	11	10	5	55	-	-	1	-	-	1	1	4	19	16	13
Black	42	-	-	-	-	2	-	1	13	11	10	5	55	-	-	1	-	-	1	1	4	19	16	13
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	3	1	3
White	3	-	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	732	1	-	-	3	4	11	35	103	228	240	107	1,011	-	-	-	-	7	15	27	72	197	343	350
White	459	-	-	-	3	-	1	19	58	132	166	80	650	-	-	-	-	2	8	13	28	93	227	279
All other	273	1	-	-	-	4	10	16	45	96	74	27	361	-	-	-	-	5	7	14	44	104	116	71
Black	273	1	-	-	-	4	10	16	45	96	74	27	359	-	-	-	-	5	6	14	44	103	116	71
Atherosclerosis (440)	73	-	-	-	-	-	1	1	6	21	26	18	151	-	-	-	-	-	-	2	2	18	42	87
White	51	-	-	-	-	-	1	1	4	12	19	14	114	-	-	-	-	-	-	2	1	9	31	71
All other	22	-	-	-	-	-	-	-	2	9	7	4	37	-	-	-	-	-	-	-	1	9	11	16
Black	22	-	-	-	-	-	-	-	2	9	7	4	37	-	-	-	-	-	-	-	1	9	11	16
Other diseases of arteries, arterioles, and capillaries (441-448)	188	-	-	-	1	1	3	9	41	77	39	17	105	-	-	-	-	-	2	4	15	28	35	21
White	146	-	-	-	-	1	2	6	28	67	28	14	69	-	-	-	-	-	1	2	10	16	23	17
All other	42	-	-	-	1	-	1	3	13	10	11	3	36	-	-	-	-	-	1	2	5	12	12	4
Black	42	-	-	-	1	-	1	3	13	10	11	3	36	-	-	-	-	-	1	2	5	12	12	4
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	392	4	2	-	1	6	11	19	43	92	122	92	399	5	3	-	1	2	5	19	23	57	125	159
White	291	2	1	-	-	1	3	10	27	71	97	79	319	4	1	-	-	1	3	12	10	40	108	140
All other	101	2	1	-	1	5	8	9	16	21	25	13	80	1	2	-	1	1	2	7	13	17	17	19
Black	101	2	1	-	1	5	8	9	16	21	25	13	80	1	2	-	1	1	2	7	13	17	17	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	377	4	2	-	1	6	10	18	40	87	118	91	376	5	3	-	1	2	5	18	20	53	117	152
White	282	2	1	-	-	1	3	10	24	69	94	78	301	4	1	-	-	1	3	12	9	37	100	134
All other	95	2	1	-	1	5	7	8	16	18	24	13	75	1	2	-	1	1	2	6	11	16	17	18
Black	95	2	1	-	1	5	7	8	16	18	24	13	75	1	2	-	1	1	2	6	11	16	17	18
Influenza (487)	15	-	-	-	-	-	1	1	3	5	4	1	23	-	-	-	-	-	-	1	3	4	8	7
White	9	-	-	-	-	-	-	-	3	2	3	1	18	-	-	-	-	-	-	-	1	3	8	6
All other	6	-	-	-	-	-	1	1	-	3	1	-	5	-	-	-	-	-	-	1	2	1	-	1
Black	6	-	-	-	-	-	1	1	-	3	1	-	5	-	-	-	-	-	-	1	2	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	506	-	-	-	1	1	6	16	69	209	150	34	283	1	-	1	1	2	7	18	48	100	73	32
White	418	-	-	-	-	-	4	13	68	176	127	30	245	1	-	-	-	1	5	9	43	87	69	30
All other	88	-	-	-	1	1	2	3	21	33	23	4	38	-	-	1	1	1	2	9	5	13	4	2
Black	88	-	-	-	1	1	2	3	21	33	23	4	38	-	-	1	1	1	2	9	5	13	4	2
Bronchitis, chronic and unspecified (490-491)	14	-	-	-	-	-	-	-	1	5	6	2	10	1	-	-	-	-	-	-	1	4	2	2
White	13	-	-	-	-	-	-	-	1	4	6	2	7	1	-	-	-	-	-	-	1	2	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Emphysema (492)	97	-	-	-	-	-	-	3	23	42	27	2	41	-	-	-	-	-	-	1	10	16	10	4
White	83	-	-	-	-	-	-	2	17	39	23	2	38	-	-	-	-	-	-	1	10	13	10	4
All other	14	-	-	-	-	-	-	1	6	3	4	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	14	-	-	-	-	-	-	1	6	3	4	-	3	-	-	-	-	-	-	-	-	3	-	-
Asthma (493)	29	-	-	-	1	1	3	1	9	3	9	2	31	-	-	1	-	2	4	5	4	6	7	2
White	18	-	-	-	-	-	1	1	6	1	7	2	20	-	-	-	-	1	3	2	3	3	7	1
All other	11	-	-	-	1	1	2	-	3	2	2	-	11	-	-	1	-	1	1	3	1	3	-	1
Black	11	-	-	-	1	1	2	-	3	2	2	-	11	-	-	1	-	1	1	3	1	3	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	366	-	-	-	-	-	3	12	56	159	108	28	201	-	-	-	1	-	3	12	33	74	54	24
White	304	-	-	-	-	-	3	10	44	132	91	24	180	-	-	-	-	-	2	6	29	69	50	24
All other	62	-	-	-	-	-	-	2	12	27	17	4	21	-	-	-	1	-	1	6	4	5	4	-
Black	62	-	-	-	-	-	-	2	12	27	17	4	21	-	-	-	1	-	1	6	4	5	4	-
Ulcer of stomach and duodenum (531-533)	48	-	-	-	1	1	1	5	12	7	14	7	32	-	-	-	1	-	2	2	3	9	9	6
White	35	-	-	-	-	1	1	3	9	5	10	6	25	-	-	-	-	-	2	2	3	6	6	6
All other	13	-	-	-	1	-	-	2	3	2	4	1	7	-	-	-	1	-	-	-	-	3	3	-
Black	13	-	-	-	1	-	-	2	3	2	4	1	7	-	-	-	1	-	-	-	-	3	3	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	2	-	1	-	-	1	1	4	4	4	7	37	-	-	1	-	-	-	-	3	7	10	16
White	16	1	-	1	-	-	-	1	2	2	3	6	31	-	-	-	-	-	-	-	3	6	9	13
All other	8	1	-	-	-	-	1	-	2	2	1	1	6	-	-	1	-	-	-	-	-	1	1	3
Black	8	1	-	-	-	-	1	-	2	2	1	1	6	-	-	1	-	-	-	-	-	1	1	3
Chronic liver disease and cirrhosis (571)	202	-	-	-	-	8	28	45	67	43	13	-	123	-	-	-	1	8	13	27	28	23	19	4
White	147	-	-	-	-	4	12	32	54	35	10	-	88	-	-	-	1	4	8	16	20	19	17	3
All other	55	-	-	-	-	4	14	13	13	8	3	-	35	-	-	-	-	4	5	11	8	4	2	1
Black	54	-	-	-	-	4	14	13	12	8	3	-	35	-	-	-	-	4	5	11	8	4	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	-	-	-	1	-	1	2	7	2	5	15	-	-	-	-	-	1	1	2	2	5	4
White	15	-	-	-	-	1	-	1	1	6	2	4	12	-	-	-	-	-	1	-	2	2	4	3
All other	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	1	-	-	1	1
Black	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	1	-	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	130	4	-	-	-	1	6	8	14	44	35	18	141	-	1	-	2	1	1	5	20	31	47	33
White	63	3	-	-	-	-	2	5	6	18	16	13	59	-	1	-	1	-	1	1	5	8	19	23
All other	67	1	-	-	-	1	4	3	8	26	19	5	82	-	-	-	1	1	-	4	15	23	28	10
Black	67	1	-	-	-	1	4	3	8	26	19	5	82	-	-	-	1	1	-	4	15	23	28	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	1	-	1	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	-	-	-	-	-	-	1	1	9	8	4	19	-	-	-	-	-	-	-	2	3	11	3
White	11	-	-	-	-	-	-	-	1	4	3	3	6	-	-	-	-	-	-	-	-	-	3	3
All other	12	-	-	-	-	-	-	1	-	5	5	1	13	-	-	-	-	-	-	-	2	3	8	-
Black	12	-	-	-	-	-	-	1	-	5	5	1	13	-	-	-	-	-	-	-	2	3	8	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	107	4	-	-	-	1	6	7	13	35	27	14	118	-	-	-	2	-	1	4	18	28	36	29
White	52	3	-	-	-	-	2	5	5	14	13	10	50	-	-	-	1	-	1	-	5	8	16	19
All other	55	1	-	-	-	1	4	2	8	21	14	4	68	-	-	-	1	-	-	4	13	20	20	10
Black	55	1	-	-	-	1	4	2	8	21	14	4	68	-	-	-	1	-	-	4	13	20	20	10
Infections of kidney (590)	13	-	-	-	-	-	1	-	1	4	4	3	17	-	-	-	-	-	-	-	2	2	10	3
White	9	-	-	-	-	-	1	-	1	2	2	3	14	-	-	-	-	-	-	-	2	1	9	2
All other	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	3	2	2	-	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	1	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	2	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	2	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
Congenital anomalies (740-759)	99	66	5	5	6	5	4	1	4	3	-	-	100	66	6	4	4	3	6	2	2	3	1	3
White	54	33	2	3	3	3	3	1	3	3	-	-	51	35	-	3	2	2	2	-	2	2	1	2
All other	45	33	3	2	3	2	1	-	1	-	-	-	49	31	6	1	2	1	4	2	-	1	-	1
Black	45	33	3	2	3	2	1	-	1	-	-	-	49	31	6	1	2	1	4	2	-	1	-	1
Certain conditions originating in the perinatal period (760-779)	228	226	2	-	-	-	-	-	-	-	-	-	183	182	1	-	-	-	-	-	-	-	-	-
White	79	78	1	-	-	-	-	-	-	-	-	-	68	67	1	-	-	-	-	-	-	-	-	-
All other	149	148	1	-	-	-	-	-	-	-	-	-	115	115	-	-	-	-	-	-	-	-	-	-
Black	146	145	1	-	-	-	-	-	-	-	-	-	115	115	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	50	49	1	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
White	18	17	1	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	32	32	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	31	31	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	178	177	1	-	-	-	-	-	-	-	-	-	146	145	1	-	-	-	-	-	-	-	-	-
White	61	61	-	-	-	-	-	-	-	-	-	-	51	50	1	-	-	-	-	-	-	-	-	-
All other	117	116	1	-	-	-	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-
Black	115	114	1	-	-	-	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	114	30	3	-	2	5	7	11	14	19	18	5	99	33	1	2	5	1	2	2	5	14	15	19
White	57	10	1	-	1	4	2	5	9	10	10	5	57	14	-	-	3	1	1	2	2	9	9	16
All other	57	20	2	-	1	1	5	6	5	9	8	-	42	19	1	2	2	-	1	-	3	5	6	3
Black	57	20	2	-	1	1	5	6	5	9	8	-	42	19	1	2	2	-	1	-	3	5	6	3
All other diseases (Residual)	1,045	22	8	11	16	49	86	112	166	230	234	111	1,079	20	5	8	7	22	41	67	117	190	358	238
White	645	14	5	9	9	20	30	59	107	128	171	93	723	10	3	6	3	11	11	27	72	123	272	185
All other	400	8	3	2	7	29	56	53	59	102	63	18	350	10	2	2	4	11	30	40	45	67	86	53
Black	400	8	3	2	7	29	56	53	59	102	63	18	349	10	2	2	4	11	30	40	44	67	86	53
Accidents and adverse effects (E800-E949)	1,170	10	25	51	265	245	160	119	125	90	66	20	493	15	12	29	84	62	48	31	54	57	69	38
White	746	4	11	28	202	156	93	59	77	58	45	13	340	6	8	14	66	32	28	21	41	43	51	30
All other	424	6	14	23	63	89	67	54	48	32	21	7	153	9	4	9	18	30	20	10	13	14	18	8
Black	418	6	13	23	62	89	65	53	48	31	21	7	151	9	4	9	18	29	19	10	13	14	18	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	662	3	9	25	203	167	95	51	50	37	18	4	262	3	3	15	73	44	33	22	30	18	18	3
White	458	2	4	15	162	113	59	26	36	25	13	3	198	1	3	10	60	24	22	17	24	16	18	3
All other	204	1	5	10	41	54	36	25	14	12	5	1	68	2	-	5	13	20	11	5	6	2	2	-
Black	201	1	5	10	40	54	35	24	14	12	5	1	64	2	-	5	13	19	10	5	6	2	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	508	7	16	26	62	78	65	62	75	53	48	16	231	12	9	8	11	18	15	9	24	39	51	35
White	288	2	7	13	40	43	34	33	41	33	32	10	144	5	5	4	6	8	6	4	17	27	35	27
All other	220	5	9	13	22	35	31	29	34	20	16	6	87	7	4	4	5	10	9	5	7	12	16	8
Black	217	5	8	13	22	35	30	29	34	19	16	6	87	7	4	4	5	10	9	5	7	12	16	8
Suicide (E950-E959)	303	...	...	-	63	61	51	38	37	29	20	4	90	...	...	1	14	17	17	15	16	6	4	-
White	248	...	...	-	51	44	42	33	32	26	17	3	78	...	...	1	13	15	12	15	14	5	3	-
All other	55	...	...	-	12	17	9	5	5	3	3	1	12	...	...	-	1	2	5	-	2	1	1	-
Black	54	...	...	-	12	17	9	5	5	3	3	-	12	...	...	-	1	2	5	-	2	1	1	-
Homicide and legal intervention (E960-E978)	241	4	4	2	50	73	59	23	10	10	4	2	81	4	5	2	21	18	12	3	7	7	2	-
White	103	-	4	2	22	27	28	6	6	5	2	1	38	4	1	1	8	7	7	1	5	3	1	-
All other	138	4	-	-	28	46	31	17	4	5	2	1	43	-	4	1	13	11	5	2	2	4	1	-
Black	138	4	-	-	28	46	31	17	4	5	2	1	42	-	4	1	13	10	5	2	2	4	1	-
All other external causes (E980-E999)	17	-	-	-	4	6	3	2	-	1	1	-	12	-	1	1	-	1	-	3	2	3	1	-
White	9	-	-	-	2	5	2	-	-	-	-	-	7	-	-	1	-	-	-	2	2	1	1	-
All other	8	-	-	-	2	1	1	2	-	1	1	-	5	-	1	-	-	1	-	1	-	2	-	-
Black	8	-	-	-	2	1	1	2	-	1	1	-	5	-	1	-	-	1	-	1	-	2	-	-
SOUTH DAKOTA																								
All causes	3,580	78	14	14	84	79	97	158	508	854	1,029	685	3,023	42	11	4	28	33	44	118	225	523	833	1,162
White	3,352	62	11	13	59	60	80	132	471	818	993	653	2,864	28	8	4	14	21	34	100	204	496	811	1,144
All other	228	16	3	1	25	19	17	26	37	36	36	12	159	14	3	-	14	12	10	18	21	27	22	18
Black	3	-	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	-	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	16	1	-	-	-	-	-	1	1	3	6	4	11	-	-	-	-	-	-	1	-	1	3	6
White	16	1	-	-	-	-	-	1	1	3	6	4	10	-	-	-	-	-	-	-	-	1	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	14	-	-	-	-	1	2	-	3	1	2	5	10	-	-	-	-	-	-	-	1	4	2	3
White	12	-	-	-	-	1	1	-	3	1	1	5	9	-	-	-	-	-	-	-	1	3	2	3
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	745	1	-	1	-	1	16	44	134	234	215	99	618	-	2	2	3	5	18	55	102	174	137	122
White	716	1	-	1	-	1	16	40	127	224	210	96	597	-	1	2	3	5	15	53	98	166	133	121
All other	29	-	-	-	-	-	-	4	7	10	5	3	21	-	1	-	-	-	1	2	4	8	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	-	-	-	-	-	-	-	4	5	5	1	4	-	-	-	-	-	-	-	1	1	-	2
White	14	-	-	-	-	-	-	-	4	4	5	1	4	-	-	-	-	-	-	-	1	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	186	-	-	-	-	1	3	9	25	59	61	28	176	-	-	-	-	1	2	7	17	52	56	41
White	179	-	-	-	-	1	3	8	24	57	59	27	175	-	-	-	-	1	2	7	17	52	56	40
All other	7	-	-	-	-	-	-	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	235	-	-	-	-	-	1	16	58	84	63	13	100	-	-	-	-	-	2	11	23	37	17	10
White	226	-	-	-	-	-	1	16	57	78	62	12	94	-	-	-	-	-	2	11	23	32	16	10
All other	9	-	-	-	-	-	-	-	1	6	1	1	6	-	-	-	-	-	-	-	-	5	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	121	-	-	-	-	2	5	16	25	28	26	21
White	1	-	-	-	-	-	-	-	1	-	-	-	119	-	-	-	-	2	5	15	25	26	25	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	90	-	-	-	-	-	-	1	1	24	37	27	59	-	-	-	-	-	2	7	16	20	6	8
White	88	-	-	-	-	-	-	1	1	23	37	26	56	-	-	-	-	-	1	7	15	19	6	8
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	42	-	-	-	-	-	1	3	2	14	14	8	21	-	-	-	-	-	-	2	1	6	7	5
White	41	-	-	-	-	-	1	3	1	14	14	8	21	-	-	-	-	-	-	2	1	6	7	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	88	1	-	-	-	-	8	9	23	22	16	9	67	-	-	1	1	1	1	10	12	18	12	11
White	81	1	-	-	-	-	8	6	21	22	14	9	63	-	-	1	1	1	1	9	10	17	12	11
All other	7	-	-	-	-	-	-	3	2	-	2	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	31	-	-	1	-	-	2	3	6	7	8	4	31	-	1	1	-	-	3	1	2	5	6	12
White	31	-	-	1	-	-	2	3	6	7	8	4	30	-	1	1	-	-	3	1	2	5	5	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	57	-	-	-	-	-	1	3	14	19	11	9	39	-	1	-	2	1	1	1	5	9	7	12
White	55	-	-	-	-	-	1	3	12	19	11	9	35	-	-	-	2	1	1	1	4	8	6	12
All other	2	-	-	-	-	-	-	-	2	-	-	-	4	-	1	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	-	-	-	-	-	-	-	1	1	1	4	12	-	-	-	-	1	-	3	-	3	1	4
White	7	-	-	-	-	-	-	-	1	1	1	4	11	-	-	-	-	1	-	3	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	52	-	-	-	-	1	-	4	14	12	15	6	50	-	-	-	-	1	2	1	8	8	17	13
White	45	-	-	-	-	-	-	2	11	12	14	6	45	-	-	-	-	1	2	1	7	6	16	12
All other	7	-	-	-	-	1	-	2	3	-	1	-	5	-	-	-	-	-	-	-	1	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	2	2	7	-	-	-	-	-	-	-	-	-	4	3
White	4	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-	-	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	-	-	1	3	2	6	-	-	-	-	-	-	-	-	1	1	4
White	6	-	-	-	-	-	-	-	-	1	3	2	6	-	-	-	-	-	-	-	-	1	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	1	-	-	-	-	-	4	2	1	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	4	2	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,688	6	1	-	5	5	16	64	249	405	558	379	1,594	2	-	-	-	1	8	25	67	233	495	763
White	1,614	4	-	-	5	3	15	55	232	388	537	375	1,543	1	-	-	-	1	7	23	57	222	482	750
All other	74	2	1	-	-	2	1	9	17	17	21	4	51	1	-	-	-	-	1	2	10	11	13	13
Black	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,380	5	1	-	5	5	14	57	221	352	428	292	1,201	1	-	-	-	1	6	22	53	189	364	565
White	1,319	3	-	-	5	3	13	48	206	338	413	290	1,166	-	-	-	-	1	5	20	46	182	355	557
All other	61	2	1	-	-	2	1	9	15	14	15	2	35	1	-	-	-	-	1	2	7	7	9	8
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	1	-	-	-	1	3	-	-	8	-	-	-	-	-	-	-	-	5	2	1
White	5	-	-	-	1	-	-	-	1	3	-	-	7	-	-	-	-	-	-	-	-	4	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	8	-	-	-	-	-	-	-	1	1	2	4	25	-	-	-	-	-	-	-	2	5	6	12
White	7	-	-	-	-	-	-	-	1	-	2	4	24	-	-	-	-	-	-	-	2	4	6	12
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
White	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	988	-	-	-	1	3	10	36	166	259	325	188	777	-	-	-	-	-	3	15	34	129	239	357
White	951	-	-	-	1	3	10	30	156	250	319	188	760	-	-	-	-	-	2	13	31	125	233	356
All other	37	-	-	-	-	-	-	6	10	9	12	-	17	-	-	-	-	-	1	2	3	4	6	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	662	-	-	-	1	2	7	29	131	182	222	88	432	-	-	-	-	-	2	10	26	92	153	149
White	632	-	-	-	1	2	7	24	122	176	212	88	420	-	-	-	-	-	1	9	24	88	150	148
All other	30	-	-	-	-	-	-	5	9	6	10	-	12	-	-	-	-	-	1	1	2	4	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	1	-	1
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	1	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	322	-	-	-	-	1	3	7	34	75	103	99	341	-	-	-	-	-	1	4	8	36	85	207
White	315	-	-	-	-	1	3	6	33	72	101	99	336	-	-	-	-	-	1	3	7	36	82	207
All other	7	-	-	-	-	-	-	1	1	3	2	-	5	-	-	-	-	-	-	1	1	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	14	-	-	-	-	-	-	-	3	6	3	2	21	-	-	-	-	-	-	-	-	2	11	8
White	14	-	-	-	-	-	-	-	3	6	3	2	21	-	-	-	-	-	-	-	-	2	11	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	360	5	1	-	3	2	4	21	49	81	96	98	369	1	-	-	-	1	3	7	17	48	105	187
White	338	3	-	-	3	-	3	18	44	78	93	96	353	-	-	-	-	1	3	7	13	47	102	180
All other	22	2	1	-	-	2	1	3	5	3	3	2	16	1	-	-	-	-	-	-	4	1	3	7
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	1	1	2	4	1	11	-	-	-	-	-	-	-	-	2	4	5
White	8	-	-	-	-	-	-	1	1	1	4	1	11	-	-	-	-	-	-	-	-	2	4	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	221	1	-	-	-	-	1	2	19	35	99	64	303	1	-	-	-	-	2	3	11	35	96	155
White	211	1	-	-	-	-	1	2	18	34	93	62	289	1	-	-	-	-	2	3	9	31	93	150
All other	10	-	-	-	-	-	-	-	1	1	6	2	14	-	-	-	-	-	-	-	2	4	3	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Intracerebral and other intracranial hemorrhage (431-432)	24	-	-	-	-	-	1	-	4	8	9	2	31	-	-	-	-	-	-	3	5	3	12	8
White	24	-	-	-	-	-	1	-	4	8	9	2	30	-	-	-	-	-	-	3	4	3	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	26	-	-	-	-	-	-	1	-	3	14	8	35	1	-	-	-	-	-	-	-	6	11	15
White	25	-	-	-	-	-	-	1	-	3	13	8	34	1	-	-	-	-	-	-	-	8	11	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	170	1	-	-	-	-	-	1	15	24	76	53	235	-	-	-	-	-	2	-	6	24	72	131
White	161	1	-	-	-	-	-	1	14	23	71	51	223	-	-	-	-	-	2	-	5	20	69	127
All other	9	-	-	-	-	-	-	-	1	1	5	2	12	-	-	-	-	-	-	-	1	4	3	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	35	-	-	-	-	-	-	1	4	2	11	17	61	-	-	-	-	-	-	-	1	5	24	31
White	34	-	-	-	-	-	-	1	3	2	11	17	60	-	-	-	-	-	-	-	1	5	23	31
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-446)	43	-	-	-	-	-	1	3	4	14	16	5	18	-	-	-	-	-	-	-	2	2	7	7
White	42	-	-	-	-	-	1	3	4	13	16	5	17	-	-	-	-	-	-	-	1	2	7	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	147	1	1	-	2	1	1	2	4	19	53	63	142	-	-	-	-	-	1	3	3	15	38	82
White	139	-	1	-	1	-	-	1	4	18	51	63	136	-	-	-	-	-	1	3	3	13	36	80
All other	8	1	-	-	1	1	1	1	-	1	2	-	6	-	-	-	-	-	-	-	-	2	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	143	1	1	-	1	1	1	2	4	19	51	62	133	-	-	-	-	-	1	3	3	15	36	75
White	135	-	1	-	-	-	-	1	4	18	49	62	127	-	-	-	-	-	1	3	3	13	34	73
All other	8	1	-	-	1	1	1	1	-	1	2	-	6	-	-	-	-	-	-	-	-	2	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	4	-	-	-	1	-	-	-	-	-	2	1	9	-	-	-	-	-	-	-	-	-	2	7
White	4	-	-	-	1	-	-	-	-	-	2	1	9	-	-	-	-	-	-	-	-	-	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	176	-	-	-	-	-	3	3	22	67	61	20	59	-	-	-	-	-	-	-	11	22	16	10
White	168	-	-	-	-	-	2	2	20	65	59	20	58	-	-	-	-	-	-	-	11	22	16	9
All other	8	-	-	-	-	-	1	1	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	10	-	-	-	-	-	1	-	-	6	2	1	2	-	-	-	-	-	-	-	1	-	-	1
White	9	-	-	-	-	-	-	-	-	6	2	1	2	-	-	-	-	-	-	-	1	-	-	1
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	40	-	-	-	-	-	1	3	4	14	15	3	20	-	-	-	-	-	-	-	4	8	6	2
White	38	-	-	-	-	-	1	2	4	13	15	3	20	-	-	-	-	-	-	-	4	8	6	2
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	5	-	-	-	-	-	1	-	-	3	1	-	3	-	-	-	-	-	-	-	2	1	-	-
White	5	-	-	-	-	-	1	-	-	3	1	-	3	-	-	-	-	-	-	-	2	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	121	-	-	-	-	-	-	-	18	44	43	16	34	-	-	-	-	-	-	-	4	13	10	7
White	116	-	-	-	-	-	-	-	16	43	41	16	33	-	-	-	-	-	-	-	4	13	10	6
All other	5	-	-	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	-	-	-	-	5	4	3	9	-	-	-	-	-	-	2	-	1	1	5
White	10	-	-	-	-	-	-	-	-	5	3	2	8	-	-	-	-	-	-	1	-	1	1	5
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	-	1	-	-	-	-	-	2	4	4	1	10	1	-	1	-	-	-	-	1	-	3	4
White	11	-	1	-	-	-	-	-	2	4	3	1	10	1	-	1	-	-	-	-	1	-	3	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	30	-	-	-	-	1	5	4	10	6	3	1	31	-	-	-	-	6	5	5	4	6	3	2
White	27	-	-	-	-	1	3	3	10	6	3	1	18	-	-	-	-	2	2	1	3	5	3	2
All other	3	-	-	-	-	-	2	1	-	-	-	-	13	-	-	-	-	4	3	4	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	1	1	-	3	-	6	-	-	-	-	-	-	-	-	2	1	3
White	5	-	-	-	-	-	-	1	1	-	3	-	6	-	-	-	-	-	-	-	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	30	1	-	-	2	1	1	-	2	5	10	8	23	-	-	-	-	-	-	-	1	-	8	14
White	26	-	-	-	2	1	1	-	1	4	10	7	22	-	-	-	-	-	-	-	-	-	8	14
All other	4	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	1	1	-	-	-	1	-	1	5	-	-	-	-	-	-	-	1	-	1	3
White	4	-	-	-	1	1	-	-	-	1	-	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	26	1	-	-	1	-	1	-	2	4	10	7	18	-	-	-	-	-	-	-	-	-	7	11
White	22	-	-	-	1	-	1	-	1	3	10	6	18	-	-	-	-	-	-	-	-	-	7	11
All other	4	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	3
White	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	23	14	3	-	2	-	1	1	-	-	2	-	8	4	1	-	-	-	1	1	-	-	-	1
White	22	13	3	-	2	-	1	1	-	-	2	-	7	3	1	-	-	-	1	1	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	32	32	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
White	29	29	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	22	22	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	38	15	1	-	-	2	1	1	1	7	4	6	31	14	-	-	-	-	-	-	1	4	4	8
White	29	11	1	-	-	1	1	1	-	5	4	5	26	9	-	-	-	-	-	-	1	4	4	8
All other	9	4	-	-	-	1	-	-	1	2	-	1	5	5	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	217	4	-	3	5	5	11	11	21	54	57	46	243	2	1	-	1	2	3	12	14	37	80	91
White	199	1	-	3	4	3	8	9	18	52	56	45	230	1	-	-	-	1	2	7	12	37	79	91
All other	18	3	-	-	1	2	3	2	3	2	1	1	13	1	1	-	1	1	1	5	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	223	2	6	10	45	39	27	15	30	20	17	12	105	1	6	1	17	11	7	6	6	12	17	21
White	188	1	5	9	32	34	21	10	28	20	16	12	82	-	5	1	9	6	4	4	4	11	17	21
All other	35	1	1	1	13	5	6	5	2	-	1	-	23	1	1	-	8	5	3	2	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Motor vehicle accidents (E810-E825)	97	1	2	3	29	24	12	3	10	7	4	2	50	-	4	1	13	6	6	3	5	6	3	3
White	76	1	1	3	20	20	8	2	8	7	4	2	38	-	4	1	7	5	3	3	3	6	3	3
All other	21	-	1	-	9	4	4	1	2	-	-	-	12	-	-	-	6	1	3	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	126	1	4	7	16	15	15	12	20	13	13	10	55	1	2	-	4	5	1	3	1	6	14	18
White	112	-	4	6	12	14	13	8	20	13	12	10	44	-	1	-	2	1	1	1	1	5	14	18
All other	14	1	-	1	4	1	2	4	-	-	1	-	11	1	1	-	2	4	-	2	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Suicide (E950-E959)	69	...	...	-	17	17	9	7	9	5	4	1	12	...	...	-	2	4	-	2	4	-	-	-
White	55	...	...	-	9	12	9	6	9	5	4	1	11	...	...	-	1	4	-	2	4	-	-	-
All other	14	...	...	-	8	5	-	1	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	13	-	1	-	4	3	2	-	1	2	-	-	8	-	-	-	4	2	-	2	-	-	-	-
White	5	-	-	-	2	2	-	-	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-
All other	8	-	1	-	2	1	2	-	1	1	-	-	6	-	-	-	3	2	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	7	-	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	-	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	23,139	438	83	148	605	742	918	1,759	3,961	6,012	5,765	2,701	20,087	321	71	92	224	325	462	999	2,281	4,078	6,137	5,096
White	19,165	270	59	105	500	542	701	1,401	3,269	5,036	4,922	2,356	16,610	183	54	69	183	243	340	744	1,795	3,255	5,229	4,515
All other	3,974	168	24	43	105	200	217	358	692	976	843	345	3,477	138	17	23	41	82	122	255	486	823	908	581
Black	3,948	168	23	41	101	199	213	354	688	971	842	345	3,456	138	17	23	40	79	122	252	482	816	906	580
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	-	-	-	-	-	1	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1
White	4	3	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	32	-	-	-	-	1	4	4	4	4	8	7	18	-	-	-	-	1	-	1	2	6	5	3
White	23	-	-	-	-	1	3	3	2	1	7	6	13	-	-	-	-	-	-	1	1	4	5	2
All other	9	-	-	-	-	-	1	1	2	3	1	1	5	-	-	-	-	1	-	-	1	2	-	1
Black	9	-	-	-	-	-	1	1	2	3	1	1	5	-	-	-	-	1	-	-	1	2	-	1
Tuberculosis of respiratory system (010-012)	28	-	-	-	-	-	4	4	4	4	5	6	11	-	-	-	-	-	-	1	2	3	3	2
White	19	-	-	-	-	-	3	3	2	1	5	5	8	-	-	-	-	-	-	1	1	2	3	1
All other	9	-	-	-	-	-	1	1	2	3	1	1	3	-	-	-	-	-	-	-	1	1	-	1
Black	9	-	-	-	-	-	1	1	2	3	1	1	3	-	-	-	-	-	-	-	1	1	-	1
Other tuberculosis (013-018)	4	-	-	-	-	1	-	-	-	-	2	1	7	-	-	-	-	1	-	-	-	3	2	1
White	4	-	-	-	-	1	-	-	-	-	2	1	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	6	-	2	2	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	1
Septicemia (038)	142	4	3	1	-	1	4	5	24	32	42	26	163	1	-	2	-	2	2	3	18	29	52	54
White	85	-	1	-	-	-	1	3	12	21	28	19	109	1	-	2	-	1	1	1	10	18	38	37
All other	57	4	2	1	-	1	3	2	12	11	14	7	54	-	-	-	-	1	1	2	8	11	14	17
Black	57	4	2	1	-	1	3	2	12	11	14	7	53	-	-	-	-	1	1	2	8	10	14	17
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	15	-	-	-	3	2	1	1	1	5	2	-	11	-	-	-	-	-	1	2	1	4	3	-
White	10	-	-	-	-	2	1	1	-	4	2	-	9	-	-	-	-	-	1	1	1	3	3	-
All other	5	-	-	-	3	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	5	-	-	-	3	-	-	-	1	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 045-054,056-066,071-088, 098-139)	69	2	1	1	-	8	4	8	12	21	10	2	56	1	-	3	-	-	5	6	8	16	10	7
White	59	2	1	1	-	6	3	6	12	18	9	1	44	-	-	2	-	-	3	5	4	13	10	7
All other	10	-	-	-	-	2	1	2	-	3	1	1	12	1	-	1	-	-	2	1	4	3	-	-
Black	9	-	-	-	-	2	-	2	-	3	1	1	12	1	-	1	-	-	2	1	4	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,108	2	4	7	23	42	149	463	1,220	1,680	1,198	320	4,098	-	4	13	24	66	154	416	871	1,125	988	436
White	4,288	2	3	5	17	36	128	371	1,028	1,412	993	273	3,443	-	3	12	20	53	123	344	743	928	844	373
All other	840	-	1	2	6	6	21	92	192	268	205	47	655	-	1	1	4	13	31	72	128	197	144	63
Black	838	-	1	2	6	6	21	91	190	268	204	47	648	-	1	1	4	13	31	72	125	193	144	63

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	99	-	-	-	-	1	1	14	26	28	20	11	58	-	-	-	-	1	1	4	10	14	15	13
White	80	-	-	-	-	1	1	8	19	23	17	11	50	-	-	-	-	1	-	4	8	11	14	12
All other	19	-	-	-	-	-	-	6	7	3	3	-	8	-	-	-	-	-	1	-	2	3	1	1
Black	19	-	-	-	-	-	-	6	7	3	3	-	8	-	-	-	-	-	1	-	2	3	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,082	-	-	-	1	11	39	92	215	355	290	79	1,028	-	-	-	2	11	15	54	171	281	326	168
White	879	-	-	-	-	8	34	72	173	286	239	67	834	-	-	-	1	9	11	41	140	220	268	144
All other	203	-	-	-	1	3	5	20	42	69	51	12	194	-	-	-	1	2	4	13	31	61	58	24
Black	203	-	-	-	1	3	5	20	42	69	51	12	189	-	-	-	1	2	4	19	29	58	58	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,078	-	-	-	-	3	45	202	632	757	384	55	755	-	-	-	-	4	23	93	243	245	115	32
White	1,798	-	-	-	-	3	36	164	552	651	346	46	654	-	-	-	-	4	21	79	209	214	102	25
All other	280	-	-	-	-	-	9	38	80	106	38	9	101	-	-	-	-	-	2	14	34	31	13	7
Black	278	-	-	-	-	-	9	38	79	106	37	9	101	-	-	-	-	-	2	14	34	31	13	7
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	2	2	-	714	-	-	-	-	13	48	121	174	169	123	66
White	5	-	-	-	-	-	-	-	1	2	2	-	615	-	-	-	-	9	39	105	155	141	110	58
All other	-	-	-	-	-	-	-	-	-	-	-	-	99	-	-	-	-	4	9	16	19	28	13	10
Black	-	-	-	-	-	-	-	-	-	-	-	-	99	-	-	-	-	4	9	16	19	28	13	10
Malignant neoplasms of genital organs (179-187)	514	-	-	-	-	1	-	9	46	163	207	88	460	-	-	-	1	9	26	47	93	133	109	40
White	374	-	-	-	-	1	-	7	35	124	138	69	375	-	-	-	-	8	18	41	81	105	88	34
All other	140	-	-	-	-	-	-	2	11	39	69	19	85	-	-	-	1	1	10	6	12	28	21	6
Black	140	-	-	-	-	-	-	2	11	39	69	19	84	-	-	-	1	1	10	6	12	27	21	6
Malignant neoplasms of urinary organs (188-189)	234	-	-	-	-	1	5	18	51	73	71	15	122	-	1	-	-	-	3	9	20	32	38	19
White	204	-	-	-	-	1	4	17	45	63	59	15	105	-	-	-	-	-	2	8	17	28	33	17
All other	30	-	-	-	-	-	1	1	6	10	12	-	17	-	1	-	-	-	1	1	3	4	5	2
Black	30	-	-	-	-	-	1	1	6	10	12	-	17	-	1	-	-	-	1	1	3	4	5	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	636	1	2	3	10	14	30	99	158	159	122	38	552	-	3	6	12	17	26	55	96	141	139	56
White	534	1	2	2	9	12	26	81	128	135	103	35	452	-	3	6	10	12	22	39	77	113	121	49
All other	102	-	-	1	1	2	4	18	30	24	19	3	100	-	-	-	2	5	4	16	19	28	18	7
Black	102	-	-	1	1	2	4	18	30	24	19	3	99	-	-	-	2	5	4	16	18	28	18	7
Leukemia (204-208)	190	1	2	3	7	6	11	13	30	57	44	16	151	-	-	6	4	6	5	19	26	27	41	17
White	166	1	1	2	5	6	10	11	25	50	40	15	135	-	-	6	4	5	5	14	21	26	38	16
All other	24	-	1	1	2	-	1	2	5	7	4	1	16	-	-	-	-	1	-	5	5	1	3	1
Black	23	-	1	1	2	-	1	2	4	7	4	1	16	-	-	-	-	1	-	5	5	1	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	270	-	-	1	5	5	18	16	61	88	58	18	258	-	-	1	5	5	5	14	38	83	82	25
White	228	-	-	1	3	4	17	11	50	78	49	15	223	-	-	-	5	5	5	13	35	70	70	20
All other	42	-	-	-	2	1	1	5	11	10	9	3	35	-	-	1	-	-	-	1	3	13	12	5
Black	41	-	-	-	2	1	1	4	11	10	9	3	35	-	-	1	-	-	-	1	3	13	12	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	-	2	3	2	-	1	5	8	15	9	9	74	1	-	-	1	-	2	5	15	17	19	14
White	48	-	1	2	2	-	1	5	7	14	9	7	61	1	-	-	1	-	2	5	11	12	16	13
All other	6	-	1	1	-	-	-	-	1	1	-	2	13	-	-	-	-	-	-	-	4	5	3	1
Black	4	-	-	-	-	-	-	-	1	1	-	2	13	-	-	-	-	-	-	-	4	5	3	1
Diabetes mellitus (250)	231	-	-	-	3	8	8	21	50	59	56	29	386	-	-	1	4	3	10	13	48	98	147	62
White	166	-	-	-	1	4	6	14	33	46	38	24	266	-	-	1	3	3	7	9	23	66	103	51
All other	65	-	-	-	2	2	2	7	17	13	17	5	120	-	-	-	1	-	3	4	25	32	44	11
Black	65	-	-	-	2	2	2	7	17	13	17	5	120	-	-	-	1	-	3	4	25	32	44	11
Nutritional deficiencies (260-269)	19	-	-	-	-	-	1	-	1	2	8	7	29	-	-	1	-	-	-	-	-	1	8	13
White	17	-	-	-	-	-	1	-	1	1	7	7	20	-	-	1	-	-	-	-	-	-	7	12
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Anemias (280-285)	31	-	1	1	1	5	1	-	5	5	8	4	42	-	2	1	-	1	3	2	2	6	11	14
White	24	-	-	-	-	2	1	-	5	4	8	4	35	-	1	1	-	-	1	1	2	6	10	13
All other	7	-	1	1	1	3	-	-	-	1	-	-	7	-	1	-	-	1	2	1	-	-	1	1
Black	7	-	1	1	1	3	-	-	-	1	-	-	7	-	1	-	-	1	2	1	-	-	1	1
Meningitis (320-322)	14	2	-	-	3	-	1	-	2	3	3	-	16	3	-	1	-	-	-	2	1	2	5	2
White	10	2	-	-	1	-	1	-	2	3	1	-	12	1	-	1	-	-	-	2	1	2	3	2
All other	4	-	-	-	2	-	-	-	-	-	2	-	4	2	-	-	-	-	-	-	-	-	2	-
Black	4	-	-	-	2	-	-	-	-	-	2	-	4	2	-	-	-	-	-	-	-	-	2	-
Major cardiovascular diseases (390-448)	10,193	11	5	5	21	81	258	743	1,728	2,675	2,971	1,490	10,122	8	4	7	15	51	109	297	842	1,893	3,587	3,309
White	8,529	8	5	3	15	40	194	592	1,407	2,400	2,554	1,307	8,376	7	2	4	8	34	62	177	621	1,468	3,044	2,949
All other	1,664	3	-	2	6	41	64	151	321	475	417	183	1,746	1	2	3	7	17	47	120	221	425	543	360
Black	1,658	3	-	2	6	41	64	150	319	472	417	183	1,740	1	2	3	7	16	47	119	221	423	542	359

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	8,260	10	4	4	17	61	225	661	1,523	2,365	2,288	1,097	7,521	8	3	4	10	32	82	225	679	1,469	2,649	2,340
White	6,956	8	4	2	12	31	173	536	1,260	1,990	1,971	965	6,237	7	2	2	5	22	50	133	498	1,160	2,259	2,099
All other	1,304	2	-	2	5	30	52	125	263	375	317	132	1,284	1	1	2	5	10	32	92	181	329	390	241
Black	1,300	2	-	2	5	30	52	125	261	373	317	132	1,279	1	1	2	5	9	32	91	181	327	389	241
Rheumatic fever and rheumatic heart disease (390-398)	36	-	-	-	-	-	-	8	10	9	5	4	64	-	-	-	1	1	3	3	19	18	17	2
White	34	-	-	-	-	-	-	7	10	9	5	3	53	-	-	-	-	-	2	2	14	17	16	2
All other	2	-	-	-	-	-	-	1	-	-	-	1	11	-	-	-	1	1	1	1	5	1	1	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	11	-	-	-	1	1	1	1	5	1	1	-
Hypertensive heart disease (402)	213	-	-	-	-	5	10	26	42	67	49	13	296	-	-	-	1	2	8	20	39	58	99	69
White	116	-	-	-	-	-	1	9	23	39	38	6	182	-	-	-	-	1	1	6	15	30	72	57
All other	97	-	-	-	-	5	9	17	19	28	11	7	114	-	-	-	1	1	7	14	24	28	27	12
Black	97	-	-	-	-	5	9	17	19	28	11	7	113	-	-	-	1	1	7	13	24	28	27	12
Hypertensive heart and renal disease (404)	21	-	-	-	-	-	1	-	2	5	10	3	36	-	-	-	-	-	-	4	6	9	12	5
White	10	-	-	-	-	-	-	-	-	4	4	2	17	-	-	-	-	-	-	2	3	2	7	3
All other	11	-	-	-	-	-	1	-	2	1	6	1	19	-	-	-	-	-	-	2	3	7	5	2
Black	11	-	-	-	-	-	1	-	2	1	6	1	19	-	-	-	-	-	-	2	3	7	5	2
Ischemic heart disease (410-414)	5,770	-	-	-	2	31	153	462	1,091	1,697	1,567	745	4,873	-	-	-	-	12	46	116	431	1,008	1,741	1,519
White	5,106	-	-	-	2	19	126	422	951	1,495	1,409	680	4,183	-	-	-	-	7	32	76	336	835	1,524	1,373
All other	664	-	-	-	-	12	27	60	140	202	158	65	690	-	-	-	-	5	14	40	95	173	217	146
Black	660	-	-	-	-	12	27	60	138	200	158	65	686	-	-	-	-	4	14	40	95	171	216	146
Acute myocardial infarction (410)	3,488	-	-	-	2	16	95	307	704	1,076	928	360	2,589	-	-	-	-	7	26	64	277	623	972	620
White	3,191	-	-	-	2	10	86	291	639	974	856	333	2,257	-	-	-	-	6	20	47	221	526	872	565
All other	297	-	-	-	-	6	9	16	65	102	72	27	332	-	-	-	-	1	6	17	56	97	100	55
Black	293	-	-	-	-	6	9	16	63	100	72	27	329	-	-	-	-	-	6	17	56	95	100	55
Other acute and subacute forms of ischemic heart disease (411)	84	-	-	-	-	2	2	15	23	22	13	7	50	-	-	-	-	1	2	5	12	6	9	15
White	69	-	-	-	-	2	2	12	16	20	11	6	40	-	-	-	-	1	2	3	9	4	7	14
All other	15	-	-	-	-	-	-	3	7	2	2	1	10	-	-	-	-	-	-	2	3	2	2	1
Black	15	-	-	-	-	-	-	3	7	2	2	1	10	-	-	-	-	-	-	2	3	2	2	1
Angina pectoris (413)	4	-	-	-	-	-	1	1	1	-	-	1	14	-	-	-	-	-	-	-	-	3	6	5
White	3	-	-	-	-	-	1	1	1	-	-	-	12	-	-	-	-	-	-	-	-	2	5	5
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,194	-	-	-	-	13	55	159	363	599	626	377	2,220	-	-	-	-	4	18	47	142	376	754	879
White	1,843	-	-	-	-	7	37	118	295	501	542	341	1,874	-	-	-	-	-	10	26	108	303	640	789
All other	351	-	-	-	-	6	18	41	68	98	84	36	346	-	-	-	-	4	8	21	36	73	114	90
Black	351	-	-	-	-	6	18	41	68	98	84	36	345	-	-	-	-	4	8	21	36	73	113	90
Other diseases of endocardium (424)	80	2	-	-	-	1	2	3	12	22	29	9	89	-	1	-	-	1	-	4	10	19	27	27
White	70	2	-	-	-	1	-	2	11	21	26	7	79	-	1	-	-	-	-	2	8	15	27	26
All other	10	-	-	-	-	-	2	1	1	1	3	2	10	-	-	-	-	1	-	2	2	4	-	1
Black	10	-	-	-	-	-	2	1	1	1	3	2	10	-	-	-	-	1	-	2	2	4	-	1
All other forms of heart disease (415-423,425-429)	2,140	8	4	4	15	24	59	142	366	565	628	323	2,163	8	2	4	8	16	25	78	174	377	753	718
White	1,620	6	4	2	10	11	46	96	265	422	489	257	1,723	7	1	2	5	14	15	45	122	261	613	638
All other	520	2	-	2	5	13	13	46	101	143	139	56	440	1	1	2	3	2	10	33	52	116	140	80
Black	520	2	-	2	5	13	13	46	101	143	139	56	440	1	1	2	3	2	10	33	52	116	140	80
Hypertension with or without renal disease (401,403)	65	-	-	-	-	-	1	5	13	14	18	14	84	-	-	-	-	-	1	3	6	18	30	26
White	44	-	-	-	-	-	-	3	7	8	14	12	53	-	-	-	-	-	-	-	3	11	18	21
All other	21	-	-	-	-	-	1	2	6	6	4	2	31	-	-	-	-	-	1	3	3	7	12	5
Black	21	-	-	-	-	-	1	2	6	6	4	2	31	-	-	-	-	-	1	3	3	7	12	5
Cerebrovascular diseases (430-438)	1,459	1	1	1	4	18	28	65	147	370	537	287	2,114	-	1	1	4	18	23	67	137	327	779	757
White	1,162	-	1	1	3	7	17	41	98	286	456	252	1,736	-	-	1	3	12	11	42	104	244	652	667
All other	297	1	-	-	1	11	11	24	49	84	81	35	378	-	1	-	1	6	12	25	33	83	127	90
Black	295	1	-	-	1	11	11	23	49	83	81	35	377	-	1	-	1	6	12	25	33	83	127	89
Intracerebral and other intracranial hemorrhage (431-432)	198	1	1	-	1	10	13	25	37	48	46	17	219	-	-	1	2	5	9	18	31	42	72	39
White	136	-	1	-	-	4	7	14	22	33	40	15	163	-	-	1	1	3	4	12	23	30	57	32
All other	63	1	-	-	1	6	6	11	15	15	6	2	56	-	-	-	1	2	5	6	8	12	15	7
Black	63	1	-	-	1	6	6	11	15	15	6	2	56	-	-	-	1	2	5	6	8	12	15	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	215	-	-	1	1	1	1	4	21	57	79	50	310	-	-	-	-	2	3	2	10	61	110	122
White	174	-	-	1	1	-	-	2	15	41	69	45	262	-	-	-	-	2	-	1	8	48	95	108
All other	41	-	-	-	-	1	1	2	6	16	10	5	48	-	-	-	-	-	3	1	2	13	15	14
Black	40	-	-	-	-	1	1	1	6	16	10	5	48	-	-	-	-	-	3	1	2	13	15	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	9	-	-	-	-	-	-	-	1	2	5	1	9	-	-	-	-	-	-	-	4	1	2	2
White	7	-	-	-	-	-	-	-	-	2	4	1	8	-	-	-	-	-	-	-	4	-	2	2
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,036	-	-	-	2	7	14	36	88	263	407	219	1,576	-	1	-	2	11	11	47	92	223	595	594
White	845	-	-	-	2	3	10	25	61	210	343	191	1,303	-	-	-	2	7	7	29	69	166	498	525
All other	191	-	-	-	-	4	4	11	27	53	64	28	273	-	1	-	-	4	4	18	23	57	97	69
Black	190	-	-	-	-	4	4	11	27	52	64	28	272	-	1	-	-	4	4	18	23	57	97	68
Atherosclerosis (440)	172	-	-	-	-	-	-	2	13	37	61	59	267	-	-	-	-	-	3	1	5	22	68	148
White	152	-	-	-	-	-	-	2	13	31	54	52	231	-	-	-	-	-	1	1	4	21	76	128
All other	20	-	-	-	-	-	-	-	-	6	7	7	36	-	-	-	-	-	2	-	1	1	12	20
Black	20	-	-	-	-	-	-	-	-	6	7	7	36	-	-	-	-	-	2	-	1	1	12	20
Other diseases of arteries, arterioles, and capillaries (441-448)	237	-	-	-	-	2	4	10	32	89	67	33	136	-	-	2	1	1	-	1	15	37	41	38
White	215	-	-	-	-	2	4	10	29	85	59	26	119	-	-	1	-	-	-	1	12	32	39	34
All other	22	-	-	-	-	-	-	-	3	4	8	7	17	-	-	1	1	1	-	-	3	5	2	4
Black	22	-	-	-	-	-	-	-	3	4	8	7	17	-	-	1	1	1	-	-	3	5	2	4
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	-	-	1	-	-	2	2	8	-	1	-	-	-	-	-	-	-	3	4
White	5	-	-	-	-	-	-	1	-	-	2	2	7	-	1	-	-	-	-	-	-	-	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	738	8	3	3	1	6	14	16	43	128	277	240	726	2	2	1	4	6	8	11	30	87	239	336
White	635	6	2	3	1	4	6	13	36	100	251	213	653	1	2	1	3	6	7	10	26	70	219	308
All other	103	2	1	-	-	2	8	3	7	26	26	27	73	1	-	-	1	-	1	1	4	17	20	28
Black	103	2	1	-	-	2	8	3	7	26	26	27	73	1	-	-	1	-	1	1	4	17	20	28
Pneumonia (480-486)	723	8	3	2	1	6	14	16	42	122	272	236	693	2	2	1	4	6	8	11	30	81	226	322
White	623	6	2	2	1	4	6	13	36	96	247	210	621	1	2	1	3	6	7	10	26	65	206	294
All other	100	2	1	-	-	2	8	3	6	26	25	26	72	1	-	-	1	-	1	1	4	16	20	28
Black	100	2	1	-	-	2	8	3	6	26	25	26	72	1	-	-	1	-	1	1	4	16	20	28
Influenza (487)	15	-	-	1	-	-	-	-	1	4	5	4	33	-	-	-	-	-	-	-	-	6	13	14
White	12	-	-	1	-	-	-	-	-	4	4	3	32	-	-	-	-	-	-	-	-	5	13	14
All other	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,057	-	-	2	-	2	12	37	174	352	362	116	519	1	-	-	1	3	8	32	102	165	145	62
White	967	-	-	1	-	-	9	32	159	330	330	106	483	1	-	-	1	2	6	30	97	148	137	61
All other	90	-	-	1	-	2	3	5	15	22	32	10	36	-	-	-	-	1	2	2	5	17	8	1
Black	90	-	-	1	-	2	3	5	15	22	32	10	36	-	-	-	-	1	2	2	5	17	8	1
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	-	-	-	2	11	15	14	3	31	-	-	-	-	1	-	2	7	8	6	7
White	44	-	-	-	-	-	-	1	11	15	14	3	28	-	-	-	-	1	-	2	7	7	4	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Emphysema (492)	161	-	-	-	-	-	2	7	31	55	56	10	80	-	-	-	-	-	2	5	23	24	19	7
White	144	-	-	-	-	-	2	7	26	52	47	10	76	-	-	-	-	-	2	4	23	21	19	7
All other	17	-	-	-	-	-	-	-	5	3	9	-	4	-	-	-	-	-	-	1	-	3	-	-
Black	17	-	-	-	-	-	-	-	5	3	9	-	4	-	-	-	-	-	-	1	-	3	-	-
Asthma (493)	25	-	-	2	-	2	4	1	5	5	5	1	38	-	-	-	1	2	4	4	4	13	8	2
White	14	-	-	1	-	-	1	1	2	5	4	-	32	-	-	-	1	1	3	4	3	11	7	2
All other	11	-	-	1	-	2	3	-	3	-	1	1	6	-	-	-	-	1	1	-	1	2	1	-
Black	11	-	-	1	-	2	3	-	3	-	1	1	6	-	-	-	-	1	1	-	1	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	826	-	-	-	-	-	6	27	127	277	287	102	370	1	-	-	-	-	2	21	68	120	112	46
White	765	-	-	-	-	-	6	23	120	258	265	93	347	1	-	-	-	-	1	20	64	109	107	45
All other	61	-	-	-	-	-	-	4	7	19	22	9	23	-	-	-	-	-	1	1	4	11	5	1
Black	61	-	-	-	-	-	-	4	7	19	22	9	23	-	-	-	-	-	1	1	4	11	5	1
Ulcer of stomach and duodenum (531-533)	72	-	-	-	1	2	6	5	9	19	20	10	41	-	-	-	-	-	-	4	-	10	13	14
White	63	-	-	-	1	1	5	5	9	17	16	9	36	-	-	-	-	-	-	4	-	8	11	13
All other	9	-	-	-	-	1	1	-	-	2	4	1	5	-	-	-	-	-	-	-	-	2	2	1
Black	9	-	-	-	-	1	1	-	-	2	4	1	5	-	-	-	-	-	-	-	-	2	2	1
Appendicitis (540-543)	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	-	1	-	-	2	1
White	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	31	2	-	-	-	-	1	-	-	7	13	8	64	1	-	-	-	-	-	1	2	14	29	17
White	19	1	-	-	-	-	-	-	-	5	7	6	54	1	-	-	-	-	-	1	2	9	26	15
All other	12	1	-	-	-	-	1	-	-	2	6	2	10	-	-	-	-	-	-	-	-	5	3	2
Black	12	1	-	-	-	-	1	-	-	2	6	2	10	-	-	-	-	-	-	-	-	5	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	249	-	-	-	-	14	26	56	74	52	24	3	139	-	-	-	-	4	11	15	36	40	28	7
White	214	-	-	-	-	12	17	47	66	48	21	3	112	-	-	-	-	3	8	12	31	31	21	6
All other	35	-	-	-	-	2	9	9	8	4	3	-	27	-	-	-	-	1	3	3	5	9	5	1
Black	35	-	-	-	-	2	9	9	8	4	3	-	27	-	-	-	-	1	3	3	5	9	5	1
Cholelithiasis and other disorders of gallbladder (574-575)	34	-	-	-	-	-	2	1	4	6	16	5	48	-	-	-	-	-	1	1	2	11	14	19
White	27	-	-	-	-	-	1	1	2	5	13	5	38	-	-	-	-	-	1	1	2	7	8	19
All other	7	-	-	-	-	-	1	-	2	1	3	-	10	-	-	-	-	-	-	-	-	4	6	-
Black	7	-	-	-	-	-	1	-	2	1	3	-	10	-	-	-	-	-	-	-	-	4	6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	213	3	-	1	1	2	4	6	27	49	65	55	231	7	1	-	-	1	4	11	22	51	79	55
White	155	2	-	1	-	1	2	5	20	34	47	43	177	2	1	-	-	-	3	7	12	36	69	47
All other	58	1	-	-	1	1	2	1	7	15	18	12	54	5	-	-	-	1	1	4	10	15	10	8
Black	58	1	-	-	1	1	2	1	7	15	18	12	53	5	-	-	-	1	1	3	10	15	10	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	3	-
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	29	-	-	-	-	-	-	1	6	8	4	10	25	-	-	-	-	-	-	-	-	8	10	7
White	20	-	-	-	-	-	-	1	5	5	3	6	18	-	-	-	-	-	-	-	-	8	7	3
All other	9	-	-	-	-	-	-	-	1	3	1	4	7	-	-	-	-	-	-	-	-	-	3	4
Black	9	-	-	-	-	-	-	-	1	3	1	4	7	-	-	-	-	-	-	-	-	-	3	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	183	3	-	1	1	2	4	5	21	40	61	45	203	7	1	-	-	1	4	11	22	43	66	48
White	134	2	-	1	-	1	2	4	15	28	44	37	156	2	1	-	-	-	3	7	12	28	59	44
All other	49	1	-	-	1	1	2	1	6	12	17	8	47	5	-	-	-	1	1	4	10	15	7	4
Black	49	1	-	-	1	1	2	1	6	12	17	8	46	5	-	-	-	1	1	3	10	15	7	4
Infections of kidney (590)	9	-	-	-	-	-	-	1	1	1	3	3	28	-	-	-	-	-	-	-	4	1	12	11
White	6	-	-	-	-	-	-	-	1	1	2	2	23	-	-	-	-	-	-	-	3	1	10	9
All other	3	-	-	-	-	-	-	1	-	-	1	1	5	-	-	-	-	-	-	-	1	-	2	2
Black	3	-	-	-	-	-	-	1	-	-	1	1	5	-	-	-	-	-	-	-	1	-	2	2
Hyperplasia of prostate (600)	14	-	-	-	-	-	-	-	1	2	5	6	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	2	4	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	1	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	1	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	130	85	7	5	8	6	7	4	4	-	4	-	112	65	8	2	4	8	2	3	6	7	6	1
White	100	62	7	3	7	5	5	4	4	-	3	-	82	47	6	2	4	5	1	1	5	7	4	-
All other	30	23	-	2	1	1	2	-	-	-	1	-	30	18	2	-	-	3	1	2	1	-	2	1
Black	30	23	-	2	1	1	2	-	-	-	1	-	30	18	2	-	-	3	1	2	1	-	2	1
Certain conditions originating in the perinatal period (760-779)	211	209	1	-	-	-	-	-	-	-	1	-	162	161	1	-	-	-	-	-	-	-	-	-
White	115	114	1	-	-	-	-	-	-	-	-	-	84	83	1	-	-	-	-	-	-	-	-	-
All other	96	95	-	-	-	-	-	-	-	-	1	-	78	78	-	-	-	-	-	-	-	-	-	-
Black	96	95	-	-	-	-	-	-	-	-	1	-	78	78	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	54	53	1	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
White	38	37	1	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	16	16	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	157	156	-	-	-	-	-	-	-	-	1	-	116	115	1	-	-	-	-	-	-	-	-	-
White	77	77	-	-	-	-	-	-	-	-	-	-	56	55	1	-	-	-	-	-	-	-	-	-
All other	80	79	-	-	-	-	-	-	-	-	1	-	60	60	-	-	-	-	-	-	-	-	-	-
Black	80	79	-	-	-	-	-	-	-	-	1	-	60	60	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	667	81	5	1	3	8	18	53	138	150	139	70	480	47	1	-	-	4	8	20	51	87	131	131
White	538	53	3	1	2	7	12	42	117	121	120	60	378	26	-	-	-	4	7	13	40	69	108	111
All other	129	28	2	-	1	1	6	11	21	29	19	10	102	21	1	-	-	-	1	7	11	18	23	20
Black	126	28	2	-	1	1	5	10	21	28	19	10	101	21	1	-	-	-	1	7	11	18	22	20
All other diseases (Residual)	1,420	19	9	23	33	57	57	106	192	337	376	211	1,587	11	9	13	19	37	35	67	142	298	511	445
White	1,153	11	8	16	24	39	39	72	155	280	324	185	1,332	4	8	10	13	23	20	47	102	260	452	393
All other	267	8	1	7	9	18	18	34	37	57	52	26	255	7	1	3	6	14	15	20	40	38	59	52
Black	265	8	1	6	9	18	18	34	37	56	52	26	252	7	1	3	6	13	15	19	39	38	59	52
Accidents and adverse effects (E800-E949)	1,532	6	40	89	359	280	185	120	143	134	108	70	675	8	32	41	107	71	56	58	52	94	82	74
White	1,279	3	27	65	325	237	151	97	114	106	92	62	565	6	25	28	96	64	50	48	38	74	69	67
All other	253	3	13	24	34	43	34	23	29	28	14	8	110	2	7	13	11	7	6	10	14	20	13	7
Black	250	3	13	24	31	43	34	23	29	28	14	8	109	2	7	13	10	7	6	10	14	20	13	7
Motor vehicle accidents (E810-E825)	810	-	11	45	274	173	93	56	66	52	33	7	327	2	9	23	92	54	33	37	28	29	18	2
White	697	-	7	34	248	153	77	49	51	44	27	7	288	2	8	17	84	48	30	34	24	26	13	2
All other	113	-	4	11	26	20	16	7	15	8	6	-	39	-	1	6	8	6	3	3	4	3	5	-
Black	112	-	4	11	25	20	16	7	15	8	6	-	38	-	1	6	7	6	3	3	4	3	5	-
All other accidents and adverse effects (E800-E807, E826-E949)	722	6	29	44	85	107	92	64	77	82	73	63	348	6	23	18	15	17	23	21	24	65	64	72
White	582	3	20	31	77	84	74	48	69	62	65	55	277	4	17	11	12	16	20	14	14	48	56	65
All other	140	3	9	13	8	23	18	16	14	20	8	8	71	2	6	7	3	1	3	7	10	17	8	7
Black	138	3	9	13	6	23	18	16	14	20	8	8	71	2	6	7	3	1	3	7	10	17	8	7
Suicide (E950-E959)	461	...	...	3	64	96	77	61	65	59	30	6	129	...	...	2	23	37	21	16	13	9	6	2
White	420	...	...	2	57	84	72	57	60	54	28	6	116	...	...	2	20	30	21	15	13	9	5	1
All other	41	...	...	1	7	12	5	4	5	5	2	-	13	...	...	-	3	7	-	1	-	-	1	1
Black	39	...	...	1	6	11	5	4	5	5	2	-	12	...	...	-	3	6	-	1	-	-	1	1
Homicide and legal intervention (E960-E978)	335	-	2	3	70	111	69	37	26	12	5	-	97	1	4	2	17	28	18	9	8	6	3	1
White	175	-	-	2	38	52	36	28	12	6	3	-	58	1	2	2	10	13	12	6	4	5	2	1
All other	160	-	2	1	32	59	33	11	14	6	2	-	39	-	2	-	7	15	6	3	4	1	1	-
Black	157	-	2	1	32	59	31	10	14	6	2	-	39	-	2	-	7	15	6	3	4	1	1	-
All other external causes (E980-E999)	42	1	-	-	9	11	8	4	4	4	-	1	14	-	-	-	2	1	4	3	3	-	1	-
White	35	1	-	-	9	8	6	3	4	3	-	1	14	-	-	-	2	1	4	3	3	-	1	-
All other	7	-	-	-	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS																								
All causes	64,640	1,730	382	450	2,510	3,271	3,094	4,869	10,533	15,483	16,331	6,971	53,696	1,284	246	280	776	1,115	1,524	2,739	6,200	10,395	15,385	13,751
White	55,780	1,347	304	354	2,164	2,666	2,550	3,954	8,029	13,602	13,623	6,173	46,532	991	198	219	650	858	1,192	2,187	5,144	8,832	13,683	12,577
All other	8,860	383	78	96	346	605	544	815	1,504	1,881	1,708	798	7,164	293	48	61	126	257	332	552	1,056	1,563	1,702	1,174
Black	8,614	365	73	94	327	589	517	883	1,474	1,836	1,684	791	6,982	279	43	55	120	249	313	530	1,023	1,535	1,673	1,162
Shigellosis and amebiasis (004,006)	2	-	2	-	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	1	1	-
White	2	-	2	-	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	3	-	-	-	-	1	-	-	-	1	-	10	4	-	-	-	-	-	-	-	2	4	-
White	3	1	-	-	-	-	1	-	-	-	1	-	9	3	-	-	-	-	-	-	-	2	4	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	87	-	1	-	2	4	3	11	11	28	22	7	27	-	-	-	2	1	1	2	3	7	5	6
White	74	-	-	-	1	4	3	7	8	23	22	5	21	-	-	-	2	1	-	1	1	6	4	6
All other	13	-	1	-	1	-	-	4	2	3	-	2	6	-	-	-	-	-	1	1	2	1	1	-
Black	13	-	1	-	1	-	-	4	2	3	-	2	5	-	-	-	-	-	1	1	2	1	-	-
Tuberculosis of respiratory system (010-012)	68	-	-	-	1	3	3	9	10	19	18	5	18	-	-	-	1	-	1	2	2	5	2	5
White	58	-	-	-	-	3	3	6	8	16	18	4	13	-	-	-	1	-	-	1	1	4	1	5
All other	10	-	-	-	1	-	-	3	2	3	-	1	5	-	-	-	-	-	1	1	1	1	1	-
Black	10	-	-	-	1	-	-	3	2	3	-	1	4	-	-	-	-	-	1	1	1	1	-	-
Other tuberculosis (013-018)	19	-	1	-	1	1	-	2	1	7	4	2	9	-	-	-	1	1	-	-	1	2	3	1
White	16	-	-	-	1	1	-	1	1	7	4	1	8	-	-	-	1	1	-	-	-	2	3	1
All other	3	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	-	1	-	-	-	-	-	-	1	-	13	4	1	1	1	1	1	1	1	1	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	10	3	1	1	1	1	1	-	1	1	-	1
All other	2	1	-	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	1	1	-	-	-
Black	2	1	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Septicemia (038)	591	19	4	-	4	8	9	36	103	146	171	91	649	17	3	1	4	6	7	21	65	121	231	173
White	472	15	4	-	3	6	8	29	82	119	134	72	517	12	3	1	2	4	6	15	48	96	183	147
All other	119	4	-	-	1	2	1	7	21	27	37	19	132	5	-	-	2	2	1	6	17	25	48	26
Black	117	4	-	-	1	2	1	7	21	26	36	19	129	5	-	-	2	1	1	6	17	25	48	24
Acute poliomyelitis (045)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	41	-	-	-	1	5	5	8	5	12	5	-	30	1	-	-	3	5	4	3	1	8	4	1
White	36	-	-	-	1	4	4	6	5	11	5	-	26	-	-	-	3	4	3	3	1	7	3	1
All other	5	-	-	-	-	1	1	2	-	1	-	-	5	1	-	-	-	1	1	-	-	1	1	-
Black	3	-	-	-	-	-	-	2	-	1	-	-	4	-	-	-	-	1	1	-	-	1	1	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	306	11	3	2	17	72	62	31	31	37	33	7	141	10	2	3	8	7	13	13	18	22	28	17
White	267	9	3	2	15	65	60	21	28	28	31	5	112	8	2	3	4	5	6	9	16	21	23	15
All other	39	2	-	-	2	7	2	10	3	9	2	2	29	2	-	-	4	2	7	4	2	1	5	2
Black	38	2	-	-	2	7	2	10	3	8	2	2	29	2	-	-	4	2	7	4	2	1	5	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,233	4	29	62	91	188	411	1,176	3,132	4,159	3,118	869	10,763	6	27	36	54	189	523	1,100	2,327	2,951	2,460	1,090
White	11,420	4	27	52	78	162	331	941	2,695	3,637	2,736	757	9,439	4	25	29	43	159	429	940	2,020	2,573	2,228	989
All other	1,813	-	2	10	13	26	80	235	437	516	382	112	1,324	2	2	7	11	30	94	160	307	378	232	101
Black	1,773	-	2	10	12	22	77	226	428	508	379	109	1,277	2	2	7	10	27	87	150	294	371	228	99
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	267	-	-	-	-	2	13	38	85	69	48	12	134	-	-	-	-	1	6	9	31	41	28	18
White	216	-	-	-	-	2	8	22	67	62	44	11	129	-	-	-	-	-	6	9	29	39	28	18
All other	51	-	-	-	-	-	5	16	18	7	4	1	5	-	-	-	-	1	-	-	2	2	-	-
Black	50	-	-	-	-	-	5	16	17	7	4	1	5	-	-	-	-	1	-	-	2	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,974	-	3	1	9	32	90	272	729	899	745	194	2,619	-	1	2	4	29	66	168	455	697	776	421
White	2,497	-	3	-	6	21	65	221	609	784	639	169	2,218	-	-	1	4	25	54	131	370	569	693	371
All other	477	-	-	1	3	11	25	51	120	135	106	25	401	-	1	1	-	4	12	37	85	128	83	50
Black	458	-	-	1	3	9	23	46	116	131	105	24	387	-	1	1	-	3	10	36	80	125	82	49
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,715	-	1	1	2	11	93	459	1,359	1,703	926	160	2,012	1	-	-	3	7	57	230	572	666	367	109
White	4,091	-	1	1	2	8	68	349	1,165	1,516	833	148	1,820	1	-	-	2	4	50	196	504	612	347	104
All other	624	-	-	-	-	3	25	110	194	187	93	12	192	-	-	-	1	3	7	34	68	54	20	5
Black	615	-	-	-	-	3	24	108	194	184	91	11	186	-	-	-	1	3	7	33	64	53	20	5
Malignant neoplasm of breast (174-175)	16	-	-	-	-	1	-	3	5	5	2	-	1,912	-	-	-	2	48	182	293	467	445	347	128
White	14	-	-	-	-	-	-	3	5	4	2	-	1,694	-	-	-	1	39	146	261	412	397	322	116
All other	2	-	-	-	-	1	-	-	-	1	-	-	218	-	-	-	1	9	36	32	55	48	25	12
Black	2	-	-	-	-	1	-	-	-	1	-	-	211	-	-	-	1	8	36	30	54	48	23	11
Malignant neoplasms of genital organs (179-187)	1,366	-	1	-	7	6	8	20	124	436	540	224	1,108	-	-	-	1	22	69	139	263	299	241	74
White	1,131	-	1	-	7	6	7	13	106	368	438	185	944	-	-	-	1	16	57	114	227	253	210	66
All other	235	-	-	-	-	-	1	7	18	68	102	39	164	-	-	-	-	6	12	25	36	46	31	8
Black	235	-	-	-	-	-	1	7	18	68	102	39	157	-	-	-	-	6	10	23	35	45	30	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	565	-	1	1	1	2	17	48	125	170	146	54	318	1	-	2	1	1	10	25	54	93	82	49
White	510	-	1	1	1	2	16	38	115	156	133	47	287	1	-	1	-	1	7	23	51	82	74	47
All other	55	-	-	-	-	-	1	10	10	14	13	7	31	-	-	1	1	-	3	2	3	11	8	2
Black	54	-	-	-	-	-	1	10	9	14	13	7	31	-	-	1	1	-	3	2	3	11	8	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,035	2	14	30	44	75	114	217	482	526	405	126	1,589	-	20	12	16	45	87	148	318	433	335	175
White	1,815	2	12	26	38	71	100	191	425	467	373	110	1,393	-	19	9	12	41	72	124	285	376	297	158
All other	220	-	2	4	6	4	14	26	57	59	32	16	196	-	1	3	4	4	15	24	33	57	38	17
Black	214	-	2	4	6	4	14	25	54	56	32	15	188	-	1	3	4	3	13	21	32	56	38	17
Leukemia (204-208)	566	2	8	27	15	23	24	42	85	148	144	48	473	3	5	20	17	24	26	29	65	108	119	57
White	496	2	8	22	12	20	20	36	76	130	128	42	430	2	5	18	16	23	20	28	58	93	114	53
All other	70	-	-	5	3	3	4	6	9	18	16	6	43	1	-	2	1	1	6	1	7	15	5	4
Black	68	-	-	5	2	3	4	5	9	18	16	6	39	1	-	2	-	1	5	-	7	14	5	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	729	-	1	2	13	36	52	77	138	197	162	51	598	1	1	-	10	12	20	59	102	169	165	59
White	650	-	1	2	12	32	47	68	127	170	146	45	524	-	1	-	7	10	17	54	84	152	143	56
All other	79	-	-	-	1	4	5	9	11	27	16	6	74	1	-	-	3	2	3	5	18	17	22	3
Black	77	-	-	-	1	2	5	9	11	27	16	6	73	1	-	-	3	2	3	5	17	17	22	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	153	3	3	2	1	5	7	12	25	46	32	17	172	4	4	2	-	3	5	9	25	44	52	24
White	136	3	2	1	-	5	7	10	21	43	30	14	142	4	2	2	-	3	3	7	21	37	42	21
All other	17	-	1	1	1	-	-	2	4	3	2	3	30	-	2	-	-	-	2	2	4	7	10	3
Black	17	-	1	1	1	-	-	2	4	3	2	3	29	-	2	-	-	-	2	2	3	7	10	3
Diabetes mellitus (250)	759	-	-	-	2	24	37	48	140	232	209	67	1,160	-	-	1	5	15	34	82	182	293	369	189
White	647	-	-	-	1	19	32	38	117	201	180	59	920	-	-	1	3	13	28	43	144	233	293	162
All other	112	-	-	-	1	5	5	10	23	31	29	8	240	-	-	-	2	2	6	19	46	60	76	27
Black	108	-	-	-	1	5	5	10	22	29	28	8	238	-	-	-	2	2	6	19	47	59	76	27
Nutritional deficiencies (260-269)	62	2	-	-	-	-	1	-	8	11	21	19	101	3	-	-	-	-	-	2	5	17	31	43
White	52	2	-	-	-	-	1	-	8	10	16	15	92	3	-	-	-	-	-	2	5	14	29	39
All other	10	-	-	-	-	-	-	-	-	1	5	4	9	-	-	-	-	-	-	-	-	3	2	4
Black	9	-	-	-	-	-	-	-	-	1	4	4	9	-	-	-	-	-	-	-	-	3	2	4
Anemias (280-285)	93	-	2	2	1	9	1	3	16	13	33	13	133	-	-	1	3	11	8	8	8	24	30	40
White	74	-	-	1	-	3	-	2	14	12	29	13	99	-	-	1	-	4	3	4	8	19	27	33
All other	19	-	2	1	1	6	1	1	2	1	4	-	34	-	-	-	3	7	5	4	-	5	3	7
Black	19	-	2	1	1	6	1	1	2	1	4	-	33	-	-	-	3	7	4	4	-	5	3	7
Meningitis (320-322)	46	8	8	3	2	1	1	5	3	8	6	1	48	8	5	2	2	2	2	5	5	10	5	2
White	36	6	6	3	2	1	1	3	2	6	5	1	34	4	3	2	1	2	2	3	3	8	4	2
All other	10	2	2	-	-	-	-	2	1	2	1	-	14	4	2	-	1	-	-	2	2	2	1	-
Black	10	2	2	-	-	-	-	2	1	2	1	-	14	4	2	-	1	-	-	2	2	2	1	-
Major cardiovascular diseases (390-448)	26,397	61	21	18	67	251	775	1,946	4,495	7,181	7,643	3,939	25,338	54	12	21	51	133	321	739	2,096	4,573	8,580	8,758
White	22,999	44	16	10	50	188	611	1,585	3,854	6,301	6,828	3,512	21,959	38	7	13	37	93	217	526	1,627	3,776	7,601	8,024
All other	3,398	17	5	8	17	63	164	361	641	880	815	427	3,379	16	5	8	14	40	104	213	469	797	979	734
Black	3,327	14	3	8	17	63	159	351	627	857	805	423	3,315	15	5	8	14	39	101	205	457	785	959	729
Diseases of heart (390-398,402,404-429)	21,639	54	18	14	53	208	671	1,741	3,946	5,989	6,014	2,931	18,658	49	12	17	38	90	242	563	1,690	3,603	6,254	6,100
White	18,940	40	13	7	41	151	532	1,425	3,425	5,299	5,397	2,610	16,180	36	7	9	25	64	166	403	1,318	2,998	5,560	5,596
All other	2,699	14	5	7	12	57	139	316	521	690	617	321	2,478	13	5	8	13	26	76	160	372	607	694	504
Black	2,645	11	3	7	12	57	136	309	509	675	608	318	2,440	12	5	6	13	25	73	158	368	599	601	500
Rheumatic fever and rheumatic heart disease (390-398)	79	1	-	2	-	5	2	4	15	22	24	4	152	1	-	1	1	5	11	14	20	43	39	17
White	73	1	-	2	-	4	2	3	15	21	23	2	132	1	-	-	-	4	7	11	17	40	38	14
All other	6	-	-	-	-	1	-	1	-	1	1	2	20	-	-	1	1	1	4	3	3	3	1	3
Black	6	-	-	-	-	1	-	1	-	1	1	2	19	-	-	1	1	-	4	3	3	3	1	3
Hypertensive heart disease (402)	592	-	-	-	2	13	37	82	153	139	124	42	641	1	-	1	-	3	15	40	87	131	204	159
White	397	-	-	-	1	7	22	41	105	104	87	30	454	1	-	-	-	3	5	21	53	87	150	134
All other	195	-	-	-	1	6	15	41	48	35	37	12	187	-	-	1	-	-	10	19	34	44	54	25
Black	193	-	-	-	1	6	15	40	47	35	37	12	187	-	-	1	-	-	10	19	34	44	54	25
Hypertensive heart and renal disease (404)	47	-	-	-	-	1	1	4	3	13	18	7	77	-	-	-	-	-	2	1	6	9	25	34
White	36	-	-	-	-	-	-	1	3	11	15	6	56	-	-	-	-	-	1	-	3	5	20	27
All other	11	-	-	-	-	1	1	3	-	2	3	1	21	-	-	-	-	-	1	1	3	4	5	7
Black	11	-	-	-	-	1	1	3	-	2	3	1	21	-	-	-	-	-	1	1	3	4	5	7
Ischemic heart disease (410-414)	13,138	1	2	-	9	86	398	1,103	2,401	3,771	3,719	1,648	10,622	-	-	1	1	24	87	292	935	2,130	3,737	3,415
White	11,921	1	2	-	6	66	337	953	2,166	3,463	3,423	1,504	9,504	-	-	-	1	15	65	215	765	1,854	3,408	3,181
All other	1,217	-	-	-	3	20	61	150	235	308	296	144	1,118	-	-	1	-	9	22	77	170	276	329	234
Black	1,186	-	-	-	3	20	59	145	227	299	291	142	1,094	-	-	1	-	9	20	75	166	269	322	232
Acute myocardial infarction (410)	8,167	1	1	-	8	62	245	682	1,596	2,503	2,241	828	5,970	-	-	1	1	17	52	175	630	1,417	2,179	1,498
White	7,451	1	1	-	5	49	219	610	1,468	2,279	2,064	755	5,399	-	-	-	1	13	39	135	528	1,242	1,990	1,391
All other	716	-	-	-	3	13	26	72	128	224	177	73	631	-	-	1	-	4	13	40	102	175	189	107
Black	693	-	-	-	3	13	25	69	122	215	173	73	614	-	-	1	-	4	11	38	99	172	184	105

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	62	-	-	-	-	1	5	6	14	12	15	9	36	-	-	-	-	-	-	2	3	4	11	16
White	59	-	-	-	-	-	5	4	14	12	15	9	34	-	-	-	-	-	-	2	2	4	11	15
All other	3	-	-	-	-	1	-	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	3	-	-	-	-	1	-	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Angina pectoris (413)	22	-	-	-	-	-	-	2	4	4	11	1	22	-	-	-	-	-	-	2	2	1	9	8
White	21	-	-	-	-	-	-	2	4	4	10	1	21	-	-	-	-	-	-	2	2	1	8	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,887	-	1	-	1	23	148	413	787	1,252	1,452	810	4,594	-	-	-	-	7	35	113	300	708	1,538	1,893
White	4,390	-	1	-	1	17	113	337	680	1,168	1,334	739	4,110	-	-	-	-	2	26	76	233	607	1,399	1,767
All other	497	-	-	-	-	6	35	76	107	84	118	71	484	-	-	-	-	5	9	37	67	101	139	126
Black	409	-	-	-	-	6	34	74	105	84	117	69	477	-	-	-	-	5	9	37	66	97	137	126
Other diseases of endocardium (424)	173	2	1	1	1	7	7	15	22	41	47	29	235	1	-	-	5	2	2	8	17	48	93	59
White	153	2	1	1	1	5	4	13	22	36	42	26	204	1	-	-	3	1	1	7	14	39	83	55
All other	20	-	-	-	-	2	3	2	-	5	5	3	31	-	-	-	2	1	1	1	3	9	10	4
Black	20	-	-	-	-	2	3	2	-	5	5	3	31	-	-	-	2	1	1	1	3	9	10	4
All other forms of heart disease (415-423,425-429)	7,610	50	15	11	41	96	226	533	1,352	2,003	2,082	1,201	6,931	46	12	14	31	56	125	208	625	1,242	2,156	2,416
White	6,360	36	10	4	33	69	167	414	1,114	1,664	1,807	1,042	5,830	33	7	9	21	41	87	149	466	971	1,861	2,185
All other	1,250	14	5	7	8	27	59	119	238	339	275	159	1,101	13	5	5	10	15	38	59	159	271	295	231
Black	1,229	11	3	7	8	27	58	118	235	333	271	158	1,088	12	5	3	10	15	37	59	159	270	289	229
Hypertension with or without renal disease (401,403)	153	-	-	-	-	-	4	5	29	37	52	26	216	-	-	-	-	1	3	8	24	45	64	71
White	115	-	-	-	-	-	3	3	19	27	44	19	169	-	-	-	-	1	2	6	11	33	57	59
All other	38	-	-	-	-	-	1	2	10	10	8	7	47	-	-	-	-	-	1	2	13	12	7	12
Black	38	-	-	-	-	-	1	2	10	10	8	7	45	-	-	-	-	-	1	2	11	12	7	12
Cerebrovascular diseases (430-438)	3,515	7	2	4	9	34	85	165	404	860	1,222	723	5,266	4	-	4	12	33	75	147	312	757	1,894	2,028
White	2,956	4	2	3	5	31	62	128	307	707	1,060	647	4,541	2	-	4	11	22	49	104	240	613	1,648	1,848
All other	559	3	-	1	4	3	23	37	97	153	162	76	725	2	-	-	1	11	26	43	72	144	246	180
Black	548	3	-	1	4	3	21	35	96	148	162	75	704	2	-	-	1	11	26	39	66	141	239	179
Intracerebral and other intracranial hemorrhage (431-432)	550	5	-	1	3	19	37	72	105	148	125	35	680	3	-	3	3	16	29	48	105	131	207	135
White	453	4	-	1	2	17	25	54	80	131	109	30	569	2	-	3	2	9	16	33	81	115	186	122
All other	97	1	-	-	1	2	12	18	25	17	16	5	111	1	-	-	1	7	13	15	24	16	21	13
Black	92	1	-	-	1	2	10	17	24	16	16	5	100	1	-	-	1	7	13	12	22	13	18	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	496	2	-	-	-	2	7	20	55	129	172	109	676	-	-	-	2	-	2	8	28	101	241	294
White	411	-	-	-	-	2	7	15	40	107	144	96	594	-	-	-	2	-	1	6	21	82	208	274
All other	85	2	-	-	-	-	-	5	15	22	28	13	82	-	-	-	-	-	1	2	7	19	33	20
Black	84	2	-	-	-	-	-	5	15	21	28	13	81	-	-	-	-	-	1	2	6	19	33	20
Cerebral embolism (434.1)	17	-	-	-	-	-	-	-	3	3	9	2	26	-	-	-	-	-	-	2	1	4	13	6
White	15	-	-	-	-	-	-	-	3	3	8	1	24	-	-	-	-	-	-	2	1	4	12	5
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,452	-	2	3	6	13	41	73	241	580	916	577	3,884	1	-	1	7	17	44	89	178	521	1,433	1,593
White	2,077	-	2	2	3	12	30	59	184	466	799	520	3,354	-	-	1	7	13	32	83	137	412	1,242	1,447
All other	375	-	-	1	3	1	11	14	57	114	117	57	530	1	-	-	-	4	12	26	41	109	191	146
Black	370	-	-	1	3	1	11	13	57	111	117	56	521	1	-	-	-	4	12	25	38	109	187	145
Atherosclerosis (440)	504	-	-	-	1	-	2	9	30	93	166	203	807	-	-	-	-	-	-	4	22	75	240	466
White	454	-	-	-	1	-	2	9	24	84	148	186	738	-	-	-	-	-	-	2	16	64	220	436
All other	50	-	-	-	-	-	-	-	6	9	18	17	69	-	-	-	-	-	-	2	6	11	20	30
Black	49	-	-	-	-	-	-	-	6	9	17	17	68	-	-	-	-	-	-	1	6	11	20	30
Other diseases of arteries, arterioles, and capillaries (441-448)	586	-	1	-	4	9	13	26	86	202	189	56	391	1	-	-	1	9	1	17	48	93	128	93
White	534	-	1	-	3	6	12	20	79	184	179	50	331	-	-	-	1	6	-	11	42	70	116	85
All other	52	-	-	-	1	3	1	6	7	18	10	6	60	1	-	-	-	3	1	6	6	23	12	8
Black	47	-	-	-	1	3	1	5	6	15	10	6	58	1	-	-	-	3	1	5	6	22	12	8
Acute bronchitis and bronchiolitis (466)	15	5	-	-	1	-	-	-	1	4	2	2	19	2	-	-	-	-	-	-	-	2	5	10
White	9	1	-	-	-	-	-	-	1	3	2	2	19	2	-	-	-	-	-	-	-	2	5	10
All other	6	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,755	25	9	6	15	31	45	72	137	327	623	465	1,785	23	9	6	8	17	21	45	93	188	519	856
White	1,553	18	7	6	14	23	37	55	118	288	560	427	1,628	19	6	3	5	14	18	34	73	174	467	815
All other	202	7	2	-	1	8	8	17	19	39	63	38	157	4	3	3	3	3	3	11	20	14	52	41
Black	199	7	2	-	1	7	8	17	19	39	61	38	155	4	3	3	3	3	2	11	20	14	51	41

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,725	25	9	5	14	31	45	71	137	325	608	455	1,738	23	8	5	8	17	20	45	91	182	502	837
White	1,526	18	7	5	13	23	37	54	118	287	545	419	1,586	19	5	3	5	14	17	34	71	168	452	798
All other	199	7	2	-	1	8	8	17	19	38	63	36	152	4	3	2	3	3	3	11	20	14	50	39
Black	196	7	2	-	1	7	8	17	19	38	61	36	150	4	3	2	3	3	2	11	20	14	49	39
Influenza (487)	30	-	-	1	1	-	-	1	-	2	15	10	47	-	1	1	-	-	1	-	2	6	17	19
White	27	-	-	1	1	-	-	1	-	1	15	8	42	-	1	-	-	-	1	-	2	6	15	17
All other	3	-	-	-	-	-	-	-	-	1	-	2	5	-	-	1	-	-	-	-	-	-	2	2
Black	3	-	-	-	-	-	-	-	-	1	-	2	5	-	-	1	-	-	-	-	-	-	2	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,348	3	1	4	6	8	10	76	340	833	829	238	1,369	1	1	4	4	13	8	60	258	446	414	160
White	2,163	3	-	1	1	3	9	61	298	785	776	226	1,299	-	1	2	2	10	5	49	241	432	400	157
All other	185	-	1	3	5	5	1	15	42	48	53	12	70	1	-	2	2	3	3	11	17	14	14	3
Black	181	-	1	3	5	5	1	14	42	46	52	12	69	1	-	2	2	3	3	11	16	14	14	3
Bronchitis, chronic and unspecified (490-491)	113	2	-	-	2	-	1	2	19	36	37	14	82	1	1	1	1	-	1	4	9	26	19	19
White	108	2	-	-	1	-	1	2	17	34	37	14	78	-	1	1	-	-	-	4	9	25	19	19
All other	5	-	-	-	1	-	-	-	2	2	-	-	4	1	-	-	1	-	1	-	-	1	-	-
Black	5	-	-	-	1	-	-	-	2	2	-	-	4	1	-	-	1	-	1	-	-	1	-	-
Emphysema (492)	521	1	-	-	1	-	3	17	75	207	180	37	246	-	-	-	-	1	1	12	57	102	60	13
White	487	1	-	-	-	-	3	13	69	198	170	33	237	-	-	-	-	1	1	12	54	100	58	11
All other	34	-	-	-	1	-	-	4	6	9	10	4	9	-	-	-	-	-	-	-	3	2	2	2
Black	33	-	-	-	1	-	-	4	6	9	9	4	8	-	-	-	-	-	-	-	2	2	2	2
Asthma (493)	85	-	1	4	3	7	-	11	16	22	17	4	110	-	-	2	3	10	4	11	25	28	21	6
White	62	-	-	1	-	3	-	8	11	18	17	4	83	-	-	1	2	7	3	4	19	23	18	6
All other	23	-	1	3	3	4	-	3	5	4	-	-	27	-	-	1	1	3	1	7	6	5	3	-
Black	22	-	1	3	3	4	-	2	5	4	-	-	27	-	-	1	1	3	1	7	6	5	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,629	-	-	-	-	1	6	46	230	568	595	183	931	-	-	1	-	2	2	33	167	290	314	122
White	1,506	-	-	-	-	-	5	38	201	535	552	175	901	-	-	-	-	2	1	29	159	284	305	121
All other	123	-	-	-	-	1	1	8	29	33	43	8	30	-	-	1	-	-	1	4	8	6	9	1
Black	121	-	-	-	-	1	1	8	29	31	43	8	30	-	-	1	-	-	1	4	8	6	9	1
Ulcer of stomach and duodenum (531-533)	149	1	-	-	-	2	8	9	27	40	44	18	167	-	-	-	1	-	2	4	19	37	55	49
White	129	1	-	-	-	2	5	7	20	36	42	16	152	-	-	-	1	-	2	4	14	35	47	49
All other	20	-	-	-	-	-	3	2	7	4	2	2	15	-	-	-	-	-	-	-	5	2	8	-
Black	20	-	-	-	-	-	3	2	7	4	2	2	15	-	-	-	-	-	-	-	5	2	8	-
Appendicitis (540-543)	20	-	-	2	1	-	1	-	4	6	5	1	16	1	-	1	-	1	-	1	4	2	4	2
White	13	-	-	1	1	-	-	-	3	4	4	-	10	1	-	1	-	-	-	-	2	1	3	2
All other	7	-	-	1	-	-	1	-	1	2	1	1	6	-	-	-	-	1	-	1	2	1	1	-
Black	7	-	-	1	-	-	1	-	1	2	1	1	6	-	-	-	-	1	-	1	2	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	112	2	1	1	3	-	3	3	11	18	46	24	201	2	-	1	-	3	2	6	11	26	68	80
White	88	1	1	1	3	-	2	3	7	15	35	20	178	2	-	1	-	3	2	4	9	24	62	71
All other	24	1	-	-	-	-	1	-	4	3	11	4	23	-	-	-	-	-	-	2	2	4	6	9
Black	23	1	-	-	-	-	1	-	4	2	11	4	23	-	-	-	-	-	-	2	2	4	6	9
Chronic liver disease and cirrhosis (571)	914	1	1	-	2	53	116	184	303	173	70	11	434	-	-	-	1	15	42	69	104	106	88	9
White	807	-	1	-	1	40	98	164	275	154	65	9	381	-	-	-	1	7	30	61	90	97	86	9
All other	107	1	-	-	1	13	18	20	28	19	5	2	53	-	-	-	-	8	12	8	14	9	2	-
Black	102	1	-	-	1	13	17	17	28	19	4	2	50	-	-	-	-	8	10	8	14	8	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	72	-	-	-	-	-	-	3	3	23	23	20	91	-	-	-	-	1	3	1	6	15	31	34
White	66	-	-	-	-	-	-	3	2	21	22	18	82	-	-	-	-	1	3	-	5	13	29	31
All other	6	-	-	-	-	-	-	-	1	2	1	2	9	-	-	-	-	-	-	1	1	2	2	3
Black	6	-	-	-	-	-	-	-	1	2	1	2	8	-	-	-	-	-	-	1	1	2	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	670	18	-	-	1	12	14	30	80	146	234	135	650	6	1	1	2	6	5	31	54	111	216	217
White	549	14	-	-	1	7	13	20	63	117	193	121	512	5	-	1	1	4	3	19	42	78	168	191
All other	121	4	-	-	-	5	1	10	17	29	41	14	138	1	1	-	1	2	2	12	12	33	48	26
Black	119	4	-	-	-	4	1	10	17	28	41	14	136	1	1	-	1	2	2	11	12	33	47	26
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	-	-	-	2	3	1	12	-	-	-	-	-	1	-	2	3	2	4
White	5	-	-	-	-	-	-	-	-	2	2	1	12	-	-	-	-	-	1	-	2	3	2	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	37	1	-	-	-	2	2	1	6	7	12	6	34	-	-	1	-	-	-	-	1	9	10	13
White	32	-	-	-	-	1	2	1	5	7	11	5	31	-	-	1	-	-	-	-	1	9	8	12
All other	5	1	-	-	-	1	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	5	1	-	-	-	1	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	627	17	-	-	1	10	12	29	74	137	219	128	604	6	1	-	2	6	4	31	51	99	204	200
White	512	14	-	-	1	6	11	19	58	108	180	115	469	5	-	-	1	4	2	19	39	66	158	175
All other	115	3	-	-	-	4	1	10	16	29	39	13	135	1	1	-	1	2	2	12	12	33	46	25
Black	113	3	-	-	-	3	1	10	16	28	39	13	133	1	1	-	1	2	2	11	12	33	45	25
Infections of kidney (590)	47	-	1	-	-	-	-	2	5	6	20	13	107	-	-	-	1	-	-	1	5	7	46	47
White	40	-	1	-	-	-	-	1	1	6	19	12	105	-	-	-	1	-	-	1	5	7	44	47
All other	7	-	-	-	-	-	-	1	4	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	7	-	-	-	-	-	-	1	4	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-
Hyperplasia of prostate (600)	22	-	-	-	-	-	-	-	-	2	7	13	...	...	...	...	...	...	...	...	...	...	...	...
White	19	-	-	-	-	-	-	-	-	2	7	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	29	...	...	-	10	13	6	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	6	5	6	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	4	8	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	4	8	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	26	...	...	-	9	11	6	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	6	5	6	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	3	6	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	3	6	-	-	...	...	...	...
Congenital anomalies (740-759)	507	374	33	20	18	13	12	2	14	12	8	1	400	288	22	11	15	13	12	7	11	7	10	4
White	430	322	25	15	15	11	11	2	11	10	7	1	358	259	20	10	15	8	10	6	9	6	9	4
All other	77	52	8	5	3	2	1	-	3	2	1	-	44	29	2	1	-	5	2	1	2	1	1	-
Black	72	48	8	5	3	2	-	-	3	2	1	-	42	28	1	1	-	5	2	1	2	1	1	-
Certain conditions originating in the perinatal period (760-779)	819	815	4	-	-	-	-	-	-	-	-	-	564	561	2	-	-	1	-	-	-	-	-	-
White	625	621	4	-	-	-	-	-	-	-	-	-	413	411	1	-	-	1	-	-	-	-	-	-
All other	194	194	-	-	-	-	-	-	-	-	-	-	151	150	1	-	-	-	-	-	-	-	-	-
Black	188	188	-	-	-	-	-	-	-	-	-	-	144	143	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	263	262	1	-	-	-	-	-	-	-	-	-	140	138	1	-	-	1	-	-	-	-	-	-
White	216	215	1	-	-	-	-	-	-	-	-	-	120	118	1	-	-	1	-	-	-	-	-	-
All other	47	47	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	47	47	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	556	553	3	-	-	-	-	-	-	-	-	-	424	423	1	-	-	-	-	-	-	-	-	-
White	409	406	3	-	-	-	-	-	-	-	-	-	293	293	-	-	-	-	-	-	-	-	-	-
All other	147	147	-	-	-	-	-	-	-	-	-	-	131	130	1	-	-	-	-	-	-	-	-	-
Black	141	141	-	-	-	-	-	-	-	-	-	-	124	123	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2,622	240	14	8	25	75	84	178	398	642	681	275	2,082	162	5	7	19	46	54	99	208	397	539	546
White	2,241	182	12	5	19	58	67	144	341	574	608	230	1,739	112	2	5	17	30	39	80	178	324	471	481
All other	381	58	2	3	6	17	17	34	57	68	73	45	343	50	3	2	2	16	15	19	30	73	68	65
Black	372	56	2	3	5	15	16	34	56	67	72	45	336	46	2	2	2	16	14	19	30	72	68	65
All other diseases (Residual)	4,043	72	53	46	87	210	254	292	560	884	1,033	552	4,284	71	32	36	64	103	116	205	438	739	1,304	1,176
White	3,416	54	41	36	70	172	205	231	467	757	907	476	3,754	58	24	34	48	71	88	161	361	637	1,199	1,073
All other	627	18	12	10	17	38	49	61	93	127	126	76	530	13	8	2	16	32	28	44	77	102	105	103
Black	620	18	12	9	16	37	49	61	93	125	124	76	516	13	7	2	16	32	26	43	74	99	103	101
Accidents and adverse effects (E800-E949)	5,169	49	168	234	1,339	1,226	621	394	390	310	286	140	1,960	43	104	116	340	257	175	120	158	180	259	208
White	4,502	38	135	190	1,224	1,071	529	337	335	268	242	122	1,704	35	88	84	315	216	147	102	143	180	225	189
All other	667	11	33	44	115	155	92	57	55	42	44	18	256	8	16	32	25	41	28	18	15	20	34	19
Black	619	8	30	43	109	140	85	51	53	39	43	18	244	8	14	30	23	39	26	18	14	19	34	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	2,818	11	65	116	920	725	361	228	170	112	79	26	981	7	33	66	282	177	115	83	82	65	58	13
White	2,489	7	50	103	849	638	304	195	147	95	71	25	866	6	27	51	263	149	99	75	72	59	53	12
All other	329	4	15	13	71	87	57	33	23	17	8	1	115	1	6	15	19	28	16	8	10	6	5	1
Black	297	2	15	13	66	79	50	28	22	14	7	1	108	1	6	14	18	26	14	8	10	5	5	1
All other accidents and adverse effects (E800-E807, E826-E949)	2,351	38	103	118	419	501	260	166	220	198	207	114	979	36	71	50	58	80	60	37	76	115	201	195
White	2,013	31	85	87	375	433	225	142	188	173	171	97	838	29	61	33	52	67	48	27	71	101	172	177
All other	338	7	18	31	44	68	35	24	32	25	36	17	141	7	10	17	6	13	12	10	5	14	29	18
Black	322	6	15	30	43	61	35	23	31	25	36	17	136	7	8	16	6	13	12	10	4	14	29	18
Suicide (E950-E959)	1,752	...	...	12	353	453	272	179	198	158	106	23	464	...	...	8	63	109	86	79	59	40	16	4
White	1,641	...	...	11	322	410	263	175	188	148	103	23	437	...	...	8	53	103	82	76	58	38	15	4
All other	111	...	...	1	31	43	9	4	10	10	3	-	27	...	...	-	10	6	4	3	1	2	1	-
Black	99	...	...	1	27	39	8	3	8	10	3	-	23	...	...	-	8	6	4	2	1	1	1	-
Homicide and legal intervention (E960-E978)	1,745	12	19	26	458	604	322	160	87	31	16	8	453	10	14	20	111	135	68	41	24	15	9	5
White	1,203	8	13	19	331	399	235	102	59	20	10	5	337	7	11	16	85	89	55	32	18	10	9	4
All other	542	4	6	7	127	205	87	58	28	11	6	3	116	3	3	4	26	46	13	9	6	5	-	1
Black	520	4	6	7	121	199	80	56	27	11	6	3	110	3	3	2	25	45	13	9	5	4	-	1
All other external causes (E980-E999)	78	1	5	1	13	17	19	9	6	2	3	2	30	2	1	-	4	9	5	4	2	1	2	-
White	65	-	4	-	11	13	17	7	6	2	3	2	24	-	1	-	4	7	4	4	2	-	2	-
All other	13	1	1	1	2	4	2	2	-	-	-	-	6	2	-	-	-	2	1	-	-	1	-	-
Black	12	1	1	1	2	3	2	2	-	-	-	-	6	2	-	-	-	2	1	-	-	1	-	-
UTAH																								
All causes	4,896	213	49	64	172	217	185	276	664	1,153	1,234	667	4,153	147	28	31	62	100	115	170	379	756	1,215	1,148
White	4,755	205	42	60	159	196	171	263	644	1,135	1,219	659	4,060	140	27	30	56	90	107	159	364	743	1,202	1,140
All other	141	8	7	4	13	21	14	13	20	18	15	8	93	7	1	1	6	10	8	11	15	13	13	8
Black	34	1	-	1	-	4	4	4	4	9	6	1	20	-	-	-	3	-	-	2	3	6	4	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	38	4	3	2	-	-	1	-	5	8	10	5	40	1	1	-	1	1	1	2	5	8	13	6
White	35	4	3	1	-	-	-	-	5	7	10	5	36	1	1	-	-	1	-	2	4	8	12	6
All other	3	-	-	1	-	-	1	-	-	1	-	-	4	-	-	-	1	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	4	-	1	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	20	2	1	2	-	3	1	-	2	5	3	1	18	2	-	-	-	-	3	-	1	6	4	2
White	19	2	1	2	-	2	1	-	2	5	3	1	18	2	-	-	-	-	3	-	1	6	4	2
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	811	-	5	6	6	14	30	62	190	240	190	68	712	1	5	4	1	16	30	58	131	219	167	80
White	793	-	6	4	6	14	28	60	183	239	188	66	684	1	5	4	1	15	29	55	128	215	163	78
All other	18	-	-	2	-	-	2	2	7	1	2	2	18	-	-	-	-	1	1	3	3	4	4	2
Black	5	-	-	-	-	-	1	2	1	1	-	-	5	-	-	-	-	-	-	2	1	1	-	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	-	-	-	-	1	1	-	4	6	3	-	9	-	-	-	-	-	-	-	3	4	1	1
White	14	-	-	-	-	1	1	-	3	6	3	-	9	-	-	-	-	-	-	-	3	4	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	214	-	-	1	1	2	6	16	60	54	56	18	173	-	-	1	-	4	1	10	25	53	48	31
White	209	-	-	-	1	2	5	15	59	54	56	17	164	-	-	1	-	3	1	10	24	50	46	29
All other	5	-	-	1	-	-	1	1	1	-	-	1	9	-	-	-	-	1	-	-	1	3	2	2
Black	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	175	-	-	-	-	1	2	12	53	64	33	10	74	-	-	-	-	-	1	6	17	30	16	4
White	172	-	-	-	-	1	2	12	51	63	33	10	72	-	-	-	-	-	1	6	16	29	16	4
All other	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	149	-	-	-	1	1	13	20	36	40	29	9
White	-	-	-	-	-	-	-	-	-	-	-	-	147	-	-	-	1	1	12	19	36	40	29	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of genital organs (179-187)	124	-	-	-	-	1	1	2	10	44	46	20	95	-	-	-	-	-	8	9	20	30	23	5
White	122	-	-	-	-	1	1	2	10	44	45	19	94	-	-	-	-	-	8	8	20	30	23	5
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	45	-	-	-	-	-	1	6	11	13	9	5	16	-	-	-	-	-	-	-	-	7	6	3
White	44	-	-	-	-	-	1	6	10	13	9	5	16	-	-	-	-	-	-	-	-	7	6	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	130	-	3	2	1	5	12	17	27	31	23	9	98	1	3	1	-	4	3	7	22	28	17	14
White	126	-	3	1	1	5	11	16	26	31	23	9	96	1	3	1	-	4	3	6	22	28	16	14
All other	4	-	-	1	-	-	1	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Leukemia (204-208)	46	-	2	3	3	2	3	2	11	11	7	2	35	-	2	2	-	6	1	3	3	5	6	7
White	45	-	2	3	3	2	3	2	10	11	7	2	35	-	2	2	-	6	1	3	3	5	6	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	62	-	-	-	1	2	4	7	14	17	13	4	63	-	-	-	-	1	3	3	5	24	21	6
White	61	-	-	-	1	2	4	7	14	17	12	4	61	-	-	-	-	1	3	3	4	24	20	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	1	1	-	-	3	3	-	5	5	3	-	22	1	-	-	-	2	3	1	2	2	8	3
White	21	1	1	-	-	3	3	-	5	5	3	-	22	1	-	-	-	2	3	1	2	2	8	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	84	-	-	-	-	4	5	5	10	24	25	11	121	1	1	1	-	6	6	8	10	30	36	23
White	83	-	-	-	-	4	5	5	10	23	25	11	116	-	1	1	-	6	5	6	10	30	35	22
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	1	-	-	-	-	-	2	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	-	-	-	2	7
White	4	-	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	-	-	-	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	-	-	-	-	-	-	1	2	1	12	-	-	-	-	-	-	-	-	1	8	3
White	4	-	-	-	-	-	-	-	-	1	2	1	11	-	-	-	-	-	-	-	-	1	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	3	1	2	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
White	5	3	1	1	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,038	4	-	-	5	15	35	107	287	579	630	376	1,881	5	1	1	3	10	15	40	113	317	672	703
White	2,006	4	-	-	3	15	33	104	284	569	621	373	1,857	5	1	1	2	10	14	38	109	309	667	700
All other	32	-	-	-	2	-	2	3	3	10	9	3	24	-	-	-	1	-	1	2	4	8	5	3
Black	11	-	-	-	-	-	2	-	1	3	4	1	8	-	-	-	-	-	-	-	-	5	2	1
Diseases of heart (390-398,402,404-429)	1,689	3	-	-	5	11	31	99	253	499	502	286	1,393	4	1	1	2	7	9	31	88	235	504	510
White	1,661	3	-	-	3	11	29	97	251	489	493	285	1,375	4	1	1	2	7	8	29	86	227	501	508
All other	28	-	-	-	2	-	2	2	2	10	9	1	18	-	-	-	-	-	1	2	2	8	3	2
Black	11	-	-	-	-	-	2	-	1	3	4	1	8	-	-	-	-	-	-	-	-	5	2	1
Rheumatic fever and rheumatic heart disease (390-398)	28	-	-	-	-	-	2	2	5	6	5	8	53	-	-	-	1	-	2	2	4	16	21	7
White	27	-	-	-	-	-	2	2	5	6	4	8	52	-	-	-	1	-	2	2	4	15	21	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	29	-	-	-	-	-	1	1	4	13	6	4	51	-	-	-	-	-	-	2	2	11	13	23
White	29	-	-	-	-	-	1	1	4	13	6	4	51	-	-	-	-	-	-	2	2	11	13	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	2	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,055	-	-	-	1	4	20	58	152	337	328	155	758	-	-	-	-	1	3	12	48	127	301	266
White	1,040	-	-	-	-	4	18	57	152	330	325	154	752	-	-	-	-	1	3	11	48	124	300	265
All other	15	-	-	-	1	-	2	1	-	7	3	1	6	-	-	-	-	-	-	1	-	3	1	1
Black	6	-	-	-	-	-	2	-	-	2	1	1	4	-	-	-	-	-	-	-	-	3	-	1
Acute myocardial infarction (410)	588	-	-	-	-	3	9	37	89	202	178	70	354	-	-	-	-	1	2	6	28	78	167	72
White	581	-	-	-	-	3	9	36	89	199	175	70	350	-	-	-	-	1	2	5	28	75	167	72
All other	7	-	-	-	-	-	-	1	-	3	3	-	4	-	-	-	-	-	-	1	-	3	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	3	-	-
Other acute and subacute forms of ischemic heart disease (411)	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	-	1	1	1
White	4	-	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	460	-	-	-	1	1	11	21	62	132	147	85	400	-	-	-	-	-	1	6	20	48	133	192
White	452	-	-	-	-	1	9	21	62	128	147	84	398	-	-	-	-	-	1	6	20	48	132	191
All other	8	-	-	-	1	-	2	-	-	4	-	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	5	-	-	-	-	-	2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	20	1	-	-	-	1	1	2	4	4	4	3	20	-	-	-	-	1	-	1	-	1	8	9
White	20	1	-	-	-	1	1	2	4	4	4	3	20	-	-	-	-	1	-	1	-	1	8	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	555	2	-	-	4	6	7	36	88	139	157	116	508	4	1	1	1	5	4	14	34	78	161	204
White	543	2	-	-	3	6	7	35	86	136	152	116	499	4	1	1	1	5	3	13	32	75	159	204
All other	12	-	-	-	1	-	-	1	2	3	5	-	9	-	-	-	-	-	1	1	2	3	2	-
Black	5	-	-	-	-	-	-	-	1	1	3	-	4	-	-	-	-	-	-	-	-	2	2	-
Hypertension with or without renal disease (401,403)	12	-	-	-	-	-	-	1	-	3	6	2	17	-	-	-	-	-	-	-	1	5	5	6
White	12	-	-	-	-	-	-	1	-	3	6	2	17	-	-	-	-	-	-	-	1	5	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	243	1	-	-	-	4	1	6	18	51	84	78	403	1	-	-	1	3	6	9	22	70	140	151
White	239	1	-	-	-	4	1	5	17	51	84	76	397	1	-	-	-	3	6	9	20	70	138	150
All other	4	-	-	-	-	-	-	1	1	-	-	2	6	-	-	-	1	-	-	-	2	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	27	-	-	-	-	1	-	2	6	10	7	1	42	-	-	-	-	1	1	-	11	7	13	9
White	26	-	-	-	-	1	-	2	5	10	7	1	40	-	-	-	-	1	1	-	9	7	13	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	-	-	-	-	-	-	2	-	4	12	14	35	1	-	-	-	-	-	-	-	5	12	17
White	31	-	-	-	-	-	-	1	-	4	12	14	35	1	-	-	-	-	-	-	-	5	12	17
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	1	2	-
White	3	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	181	1	-	-	-	3	1	1	12	36	65	62	323	-	-	-	1	2	5	9	11	57	113	125
White	179	1	-	-	-	3	1	1	12	36	65	60	319	-	-	-	-	2	5	9	11	57	111	124
All other	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	-	1	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	37	-	-	-	-	-	-	-	5	5	20	7	45	-	-	-	-	-	-	-	1	4	14	26
White	37	-	-	-	-	-	-	-	5	5	20	7	45	-	-	-	-	-	-	-	1	4	14	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	57	-	-	-	-	-	3	1	11	21	18	3	23	-	-	-	-	-	-	-	1	3	9	10
White	57	-	-	-	-	-	3	1	11	21	18	3	23	-	-	-	-	-	-	-	1	3	9	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	142	4	-	1	-	2	3	8	8	22	49	45	179	8	-	1	2	1	1	2	7	15	60	82
White	139	2	-	1	-	2	3	7	8	22	49	45	177	7	-	1	2	1	1	1	7	15	60	82
All other	3	2	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	138	3	-	1	-	1	3	8	7	22	49	44	167	8	-	1	2	1	1	2	7	15	57	73
White	136	2	-	1	-	1	3	7	7	22	49	44	165	7	-	1	2	1	1	1	7	15	57	73
All other	2	1	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	4	1	-	-	-	1	-	-	1	-	-	1	12	-	-	-	-	-	-	-	-	-	3	9
White	3	-	-	-	-	1	-	-	1	-	-	1	12	-	-	-	-	-	-	-	-	-	3	9
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	249	2	-	-	-	1	1	5	31	87	91	25	105	-	-	-	-	-	-	4	18	38	31	14
White	238	2	-	-	-	-	1	5	28	87	90	25	104	-	-	-	-	-	-	4	18	38	31	13
All other	5	-	-	-	-	1	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	9	2	-	-	-	-	-	-	2	1	3	1	7	-	-	-	-	-	-	-	1	-	1	5
White	9	2	-	-	-	-	-	-	2	1	3	1	7	-	-	-	-	-	-	-	1	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	41	-	-	-	-	-	-	2	3	18	15	3	16	-	-	-	-	-	-	-	3	5	6	2
White	41	-	-	-	-	-	-	2	3	18	15	3	16	-	-	-	-	-	-	-	3	5	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	13	-	-	-	-	1	-	1	3	5	2	1	9	-	-	-	-	-	-	1	3	4	1	-
White	11	-	-	-	-	-	-	1	2	5	2	1	9	-	-	-	-	-	-	1	3	4	1	-
All other	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	180	-	-	-	-	-	1	2	23	63	71	20	73	-	-	-	-	-	-	3	11	29	23	7
White	177	-	-	-	-	-	1	2	21	63	70	20	72	-	-	-	-	-	-	3	11	29	23	6
All other	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	-	1	2	6	4	19	-	-	-	-	-	1	1	2	2	7	6
White	13	-	-	-	-	-	-	-	1	2	6	4	19	-	-	-	-	-	1	1	2	2	7	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	1	-	5	1	16	-	-	-	-	1	1	1	2	1	2	8
White	7	-	-	-	-	-	-	-	1	-	5	1	16	-	-	-	-	1	1	1	2	1	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	55	1	-	-	-	3	11	11	10	11	8	-	38	-	-	-	-	1	4	7	14	6	3	1
White	45	-	-	-	-	1	7	10	9	10	8	-	32	-	-	-	-	-	2	6	14	6	3	1
All other	10	1	-	-	-	2	4	1	1	1	-	-	4	-	-	-	-	1	2	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	-	2	2	8	2	12	-	-	-	-	-	-	-	-	2	5	5
White	14	-	-	-	-	-	-	-	2	2	8	2	12	-	-	-	-	-	-	-	-	2	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	49	1	-	-	-	-	1	2	5	12	18	10	45	-	-	-	1	-	1	1	6	10	13	13
White	47	1	-	-	-	-	1	2	4	12	17	10	41	-	-	-	1	-	1	1	3	10	12	13
All other	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	3	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	-	3	1	5	-	-	-	-	-	-	-	-	2	2	1
White	4	-	-	-	-	-	-	-	-	-	3	1	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	44	1	-	-	-	-	1	1	5	12	15	9	40	-	-	-	1	-	1	1	6	8	11	12
White	42	1	-	-	-	-	1	1	4	12	14	9	36	-	-	-	1	-	1	1	3	8	10	12
All other	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	3	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	2	-	1	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	1	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	52	39	4	2	3	-	-	-	1	1	1	1	47	31	5	3	2	-	1	2	-	-	2	1
White	49	38	2	2	3	-	-	-	1	1	1	1	46	30	5	3	2	-	1	2	-	-	2	1
All other	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	83	82	1	-	-	-	-	-	-	-	-	-	64	64	-	-	-	-	-	-	-	-	-	-
White	78	78	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
All other	5	4	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	22	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
White	21	21	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	61	60	1	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	57	57	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
All other	4	3	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	102	50	4	2	2	9	3	1	5	5	1	12	81	22	3	-	2	6	2	2	3	5	10	26
White	100	59	4	2	2	7	2	1	5	5	1	12	79	20	3	-	2	6	2	2	3	5	10	26
All other	2	-	-	-	-	1	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	447	1	4	9	5	12	18	31	52	102	140	73	443	5	2	4	7	7	9	18	45	70	148	128
White	430	1	3	9	5	10	16	29	50	99	138	70	434	5	1	4	6	6	9	17	42	69	147	128
All other	17	-	1	-	-	2	2	2	2	3	2	3	9	-	1	-	1	1	-	1	3	1	1	-
Black	7	-	-	-	-	1	1	1	-	3	1	-	2	-	-	-	1	-	-	-	1	-	-	-
Accidents and adverse effects (E800-E949)	431	8	22	35	101	86	44	21	28	34	26	26	204	2	9	15	31	22	24	12	19	17	18	35
White	408	8	20	35	95	77	42	20	26	33	26	26	193	2	9	14	29	17	23	11	18	17	18	35
All other	23	-	2	-	6	9	2	1	2	1	-	-	11	-	-	1	2	5	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	236	2	10	20	77	53	28	11	15	12	7	1	106	1	7	11	20	16	19	9	9	8	4	2
White	218	2	10	20	71	46	26	10	14	11	7	1	99	1	7	10	20	13	18	8	8	8	4	2
All other	18	-	-	-	6	7	2	1	1	1	-	-	7	-	-	1	-	3	1	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	195	6	12	15	24	33	16	10	13	22	19	25	98	1	2	4	11	6	5	3	10	9	14	33
White	190	6	10	15	24	31	16	10	12	22	19	25	94	1	2	4	9	4	5	3	10	9	14	33
All other	5	-	2	-	-	2	-	-	1	-	-	-	4	-	-	-	2	2	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	173	...	...	2	36	52	21	22	15	11	12	2	42	...	...	1	8	15	8	6	-	2	2	-
White	163	...	...	2	32	48	21	20	15	11	12	2	41	...	...	1	7	15	8	6	-	2	2	-
All other	10	...	...	-	4	4	-	2	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	1	...	...	-	-	-	-	1	-	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	23	-	2	-	10	5	2	1	1	1	-	-	20	1	1	1	3	5	5	-	1	1	2	-
White	21	-	2	-	10	4	2	-	1	1	-	-	17	1	1	1	3	4	3	-	1	1	2	-
All other	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	22	-	-	1	4	9	4	-	2	-	1	-	8	1	-	-	-	2	1	4	-	-	-	-
White	20	-	-	1	3	9	4	-	1	-	1	-	8	1	-	-	-	2	1	4	-	-	-	-
All other	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,384	40	8	11	61	57	77	132	381	636	641	339	2,278	28	4	4	16	22	43	81	196	427	652	802
White	2,378	40	8	11	60	57	77	132	379	635	641	337	2,278	28	4	4	16	22	43	81	196	427	652	802
All other	6	-	-	-	1	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	17	-	-	-	-	-	-	-	6	4	5	2	18	-	-	-	-	-	1	-	-	1	8	8
White	17	-	-	-	-	-	-	-	6	4	5	2	18	-	-	-	-	-	1	-	-	1	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-086, 098-139)	3	-	-	-	-	-	1	-	-	-	2	-	8	-	-	-	-	-	1	2	-	1	2	2
White	3	-	-	-	-	-	1	-	-	-	2	-	8	-	-	-	-	-	1	2	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of *lymphatic and hematopoietic* tissues (140-208)	538	-	-	1	1	10	19	41	114	193	116	43	474	-	1	-	2	4	16	37	87	137	113	77
White	535	-	-	1	1	10	19	41	113	192	116	42	474	-	1	-	2	4	16	37	87	137	113	77
All other	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	-	-	-	-	1	2	3	3	2	1	1	5	-	-	-	-	-	-	1	-	1	3	-
White	13	-	-	-	-	1	2	3	3	2	1	1	5	-	-	-	-	-	-	1	-	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	128	-	-	-	-	-	3	14	33	42	23	13	120	-	-	-	-	1	-	4	15	35	36	29
White	128	-	-	-	-	-	3	14	33	42	23	13	120	-	-	-	-	1	-	4	15	35	36	29
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	184	-	-	-	-	-	4	16	38	83	36	7	77	-	-	-	-	-	2	9	23	26	16	1
White	183	-	-	-	-	-	4	16	38	82	36	7	77	-	-	-	-	-	2	9	23	26	16	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	88	-	-	-	-	-	8	9	19	18	16	18
White	-	-	-	-	-	-	-	-	-	-	-	-	88	-	-	-	-	-	8	9	19	18	16	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	71	-	-	-	1	1	-	-	10	23	23	13	61	-	-	-	-	1	3	5	9	25	12	6
White	70	-	-	-	1	1	-	-	10	23	23	12	61	-	-	-	-	1	3	5	9	25	12	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	27	-	-	-	-	-	2	2	6	8	6	3	19	-	-	-	-	-	-	1	3	4	7	4
White	27	-	-	-	-	-	2	2	6	8	6	3	19	-	-	-	-	-	-	1	3	4	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	66	-	-	1	-	5	6	4	14	19	16	1	67	-	1	-	1	2	1	5	12	18	16	11
White	66	-	-	1	-	5	6	4	14	19	16	1	67	-	1	-	1	2	1	5	12	18	16	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	17	-	-	-	-	1	-	1	3	3	5	4	14	-	-	-	-	-	2	-	2	3	2	5
White	16	-	-	-	-	1	-	1	2	3	5	4	14	-	-	-	-	-	2	-	2	3	2	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	32	-	-	-	-	2	2	1	7	13	6	1	23	-	-	-	1	-	-	3	4	7	5	3
White	32	-	-	-	-	2	2	1	7	13	6	1	23	-	-	-	1	-	-	3	4	7	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	-	1	2	4	1	1	6	-	-	-	-	-	-	-	-	2	3	1
White	9	-	-	-	-	-	-	1	2	4	1	1	6	-	-	-	-	-	-	-	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	33	-	-	-	-	-	1	2	1	10	11	8	44	-	-	-	-	-	-	2	6	9	15	11
White	33	-	-	-	-	-	1	2	1	10	11	8	44	-	-	-	-	-	-	2	6	9	15	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	1	-	-	-	-	1	1	8	-	-	-	-	-	-	-	-	2	-	6
White	3	-	-	-	-	1	-	-	-	-	1	1	8	-	-	-	-	-	-	-	-	2	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,062	4	-	-	2	6	17	52	169	297	338	176	1,146	1	-	-	1	5	9	16	50	191	363	500
White	1,061	4	-	-	2	6	17	52	168	297	338	176	1,146	1	-	-	1	5	9	16	50	191	363	500
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	864	4	-	-	2	3	15	48	158	244	259	130	876	1	-	-	1	2	7	13	47	143	279	383
White	863	4	-	-	2	3	15	48	157	244	259	130	876	1	-	-	1	2	7	13	47	143	279	383
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	1	-	-	1	1	1	1	-	16	-	-	-	-	-	-	-	2	5	6	3
White	5	-	-	-	1	-	-	1	1	1	1	-	16	-	-	-	-	-	-	-	2	5	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	19	-	-	-	-	-	-	1	6	4	6	2	22	-	-	-	-	-	1	-	1	7	9	4
White	19	-	-	-	-	-	-	1	6	4	6	2	22	-	-	-	-	-	1	-	1	7	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2
White	3	-	-	-	-	-	-	-	1	-	2	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	592	-	-	-	-	3	12	34	119	180	174	70	524	-	-	-	1	1	5	8	37	97	167	208
White	591	-	-	-	-	3	12	34	118	180	174	70	524	-	-	-	1	1	5	8	37	97	167	208
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	336	-	-	-	-	1	8	20	70	118	95	24	260	-	-	-	1	-	4	4	28	66	89	68
White	335	-	-	-	-	1	8	20	69	118	95	24	260	-	-	-	1	-	4	4	28	66	89	68
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	1	2	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1
White	6	-	-	-	-	-	-	1	2	-	3	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	247	-	-	-	-	2	4	13	47	60	75	46	260	-	-	-	-	1	1	4	9	31	76	138
White	247	-	-	-	-	2	4	13	47	60	75	46	260	-	-	-	-	1	1	4	9	31	76	138
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	15	-	-	-	-	-	-	1	1	2	7	3	21	-	-	-	-	-	-	-	1	3	9	8
White	15	-	-	-	-	-	-	1	1	2	7	3	21	-	-	-	-	-	-	-	1	3	9	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	230	4	-	-	1	-	3	11	30	57	69	55	289	1	-	-	-	1	1	5	6	31	86	158
White	230	4	-	-	1	-	3	11	30	57	69	55	289	1	-	-	-	1	1	5	6	31	86	158
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	-	-	-	2	1	1	7	-	-	-	-	-	-	2	-	2	2	1
White	4	-	-	-	-	-	-	-	-	2	1	1	7	-	-	-	-	-	-	2	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	128	-	-	-	-	3	1	2	7	31	56	28	207	-	-	-	-	1	2	1	9	33	69	92
White	128	-	-	-	-	3	1	2	7	31	56	28	207	-	-	-	-	1	2	1	9	33	69	92
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	8	-	-	-	-	1	-	-	1	3	3	-	19	-	-	-	-	-	-	-	2	5	9	3
White	8	-	-	-	-	1	-	-	1	3	3	-	19	-	-	-	-	-	-	-	2	5	9	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	-	-	-	-	-	-	1	1	6	10	5	28	-	-	-	-	-	1	-	1	5	7	14
White	23	-	-	-	-	-	-	1	1	6	10	5	28	-	-	-	-	-	1	-	1	5	7	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.												
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	97	-	-	-	-	2	1	1	5	22	43	23
White	97	-	-	-	-	2	1	1	5	22	43	23
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	26	-	-	-	-	-	-	-	2	4	12	8
White	26	-	-	-	-	-	-	-	2	4	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	40	-	-	-	-	-	1	2	2	16	10	9
White	40	-	-	-	-	-	1	2	2	16	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	60	2	-	-	1	1	1	1	1	11	20	22
White	60	2	-	-	1	1	1	1	1	11	20	22
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	59	2	-	-	1	1	1	1	1	10	20	22
White	59	2	-	-	1	1	1	1	1	10	20	22
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	144	-	-	-	-	-	1	-	22	46	57	18
White	144	-	-	-	-	-	1	-	22	46	57	18
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	10	-	-	-	-	-	-	-	-	5	2	3
White	10	-	-	-	-	-	-	-	-	5	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	14	-	-	-	-	-	1	-	3	4	6	-
White	14	-	-	-	-	-	1	-	3	4	6	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	119	-	-	-	-	-	-	-	18	37	49	15
White	119	-	-	-	-	-	-	-	18	37	49	15
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	-	-	-	-	-	-	4	4
White	8	-	-	-	-	-	-	-	-	-	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	1	-	-	-	-	-	-	-	1	2	1
White	5	1	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-

Area, cause of death, and race	Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.												
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	160	-	-	-	-	1	1	1	6	23	53	75
White	160	-	-	-	-	1	1	1	6	23	53	75
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	28	-	-	-	-	-	-	-	2	5	4	17
White	28	-	-	-	-	-	-	-	2	5	4	17
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	28	-	-	-	-	2	-	-	2	8	9	7
White	28	-	-	-	-	2	-	-	2	8	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	79	1	-	-	-	-	2	3	1	7	21	44
White	79	1	-	-	-	-	2	3	1	7	21	44
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	78	1	-	-	-	-	2	3	1	7	20	44
White	78	1	-	-	-	-	2	3	1	7	20	44
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	85	-	-	-	-	1	1	2	12	31	24	14
White	85	-	-	-	-	1	1	2	12	31	24	14
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	1	-	2	-	1
White	4	-	-	-	-	-	-	1	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	8	-	-	-	-	-	-	-	2	3	3	-
White	8	-	-	-	-	-	-	-	2	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	-	1	-	-	-	-	2	1
White	4	-	-	-	-	1	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	-	-	-	-	-	1	1	10	26	19	12
White	69	-	-	-	-	-	1	1	10	26	19	12
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	-	-	-	-	-	3	2	3
White	8	-	-	-	-	-	-	-	-	3	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	-	-	-	-	-	-	1	-	1	2	9
White	13	-	-	-	-	-	-	1	-	1	2	9
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	35	-	-	-	-	-	1	6	13	10	4	1	23	-	-	-	-	-	2	2	4	5	9	1
White	35	-	-	-	-	-	1	6	13	10	4	1	23	-	-	-	-	-	2	2	4	5	9	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	1	-	2	1
White	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	27	-	-	-	-	-	-	-	2	5	9	11	19	-	-	-	-	-	-	1	-	4	6	8
White	26	-	-	-	-	-	-	-	2	5	9	10	19	-	-	-	-	-	-	1	-	4	6	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	26	-	-	-	-	-	-	-	2	5	9	10	18	-	-	-	-	-	-	1	-	3	6	8
White	25	-	-	-	-	-	-	-	2	5	9	9	18	-	-	-	-	-	-	1	-	3	6	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	3	-	-	-	-	-	-	-	-	-	3	-	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	-	3	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	12	8	-	-	1	-	-	-	1	1	1	-	15	11	-	1	-	1	-	-	-	1	1	-
White	12	8	-	-	1	-	-	-	1	1	1	-	15	11	-	1	-	1	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	16	16	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
White	16	16	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	8	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	8	8	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	12	5	-	-	-	-	-	-	1	2	3	1	16	3	-	-	1	-	-	-	-	-	5	7
White	12	5	-	-	-	-	-	-	1	2	3	1	16	3	-	-	1	-	-	-	-	-	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	171	4	1	1	5	3	7	12	24	37	40	37	204	-	1	-	3	2	3	3	16	20	62	94
White	171	4	1	1	5	3	7	12	24	37	40	37	204	-	1	-	3	2	3	3	16	20	62	94
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	141	-	6	7	36	23	18	11	11	7	13	9	69	1	1	2	9	5	4	10	5	8	11	13
White	141	-	6	7	36	23	18	11	11	7	13	9	69	1	1	2	9	5	4	10	5	8	11	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	73	-	3	6	24	13	14	5	4	-	3	1	35	-	1	2	9	4	3	7	2	2	4	1
White	73	-	3	6	24	13	14	5	4	-	3	1	35	-	1	2	9	4	3	7	2	2	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	68	-	3	1	12	10	4	6	7	7	10	8	34	1	-	-	-	1	1	3	3	6	7	12
White	68	-	3	1	12	10	4	6	7	7	10	8	34	1	-	-	-	1	1	3	3	6	7	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	68	...	...	1	10	10	10	5	13	7	9	1	10	...	...	-	1	2	3	1	1	-	2	-
White	68	...	...	1	10	10	10	5	13	7	9	1	10	...	...	-	1	2	3	1	1	-	2	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	10	-	-	1	4	3	1	1	-	-	-	-	9	-	1	1	1	1	1	1	-	3	-	-
White	9	-	-	1	3	3	1	1	-	-	-	-	9	-	1	1	1	1	1	1	-	3	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	23,988	580	79	109	594	759	973	1,882	4,462	6,391	5,636	2,516	21,289	409	60	73	216	324	586	1,079	2,682	4,403	6,086	5,365
White	18,494	362	43	83	434	503	664	1,349	3,376	4,962	4,605	2,109	16,863	224	40	56	170	215	405	770	1,968	3,356	4,995	4,661
All other	5,494	218	36	26	160	256	309	533	1,086	1,429	1,031	407	4,426	185	20	17	46	109	181	309	714	1,047	1,093	704
Black	5,373	211	35	26	149	253	301	514	1,065	1,401	1,015	400	4,338	180	19	15	42	101	174	300	701	1,025	1,086	694
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	21	-	-	-	-	1	1	2	7	5	3	2	12	-	-	-	-	-	-	-	-	5	4	3
White	9	-	-	-	-	-	-	-	5	2	2	-	6	-	-	-	-	-	-	-	-	1	2	3
All other	12	-	-	-	-	1	1	2	2	3	1	2	6	-	-	-	-	-	-	-	-	4	2	-
Black	11	-	-	-	-	1	1	2	2	3	-	2	6	-	-	-	-	-	-	-	-	4	2	-
Tuberculosis of respiratory system (010-012)	19	-	-	-	-	1	1	2	6	4	3	2	10	-	-	-	-	-	-	-	-	4	3	3
White	7	-	-	-	-	-	-	-	4	1	2	-	5	-	-	-	-	-	-	-	-	1	1	3
All other	12	-	-	-	-	1	1	2	2	3	1	2	5	-	-	-	-	-	-	-	-	3	2	-
Black	11	-	-	-	-	1	1	2	2	3	-	2	5	-	-	-	-	-	-	-	-	3	2	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	1	-	-	-	-	-	-	3	-	-	1	-	1	-	-	-	1	-	-
White	2	1	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Septicemia (038)	229	2	2	2	1	4	6	12	30	61	74	34	240	4	1	-	-	5	5	2	17	40	91	75
White	155	1	2	1	1	2	5	7	15	41	52	27	161	1	-	-	-	3	4	1	9	27	59	57
All other	74	1	-	1	-	2	1	5	15	20	22	7	79	3	1	-	-	2	1	1	8	13	32	18
Black	72	1	-	1	-	2	1	5	14	20	21	7	77	3	1	-	-	2	1	1	8	12	31	18
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	1	3	-	1	2	1	1	-	7	-	-	-	-	1	2	1	-	1	2	-
White	4	-	-	-	-	-	-	1	2	-	1	-	4	-	-	-	-	-	1	-	-	1	2	-
All other	5	-	-	-	1	3	-	-	-	1	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Black	5	-	-	-	1	3	-	-	-	1	-	-	2	-	-	-	-	1	1	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	79	1	1	1	4	8	17	14	6	13	8	6	59	3	1	-	-	6	6	3	10	9	13	8
White	65	1	-	1	4	7	13	11	5	10	7	6	42	3	1	-	-	1	4	1	5	8	11	8
All other	14	-	1	-	-	1	4	3	1	3	1	-	17	-	-	-	-	5	2	2	5	1	2	-
Black	13	-	1	-	-	1	4	3	1	2	1	-	16	-	-	-	-	4	2	2	5	1	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,612	-	8	18	22	61	160	528	1,422	1,850	1,232	310	4,851	1	5	13	16	54	240	493	1,111	1,349	1,074	505
White	4,292	-	5	16	19	49	121	370	1,069	1,424	972	227	3,931	1	5	10	12	42	184	378	675	1,099	899	426
All other	1,320	-	3	2	3	12	39	158	333	426	260	83	920	-	-	3	4	12	56	105	236	250	175	79
Black	1,279	-	2	2	3	12	34	149	324	416	258	80	894	-	-	3	3	12	54	100	229	243	173	77
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	131	-	-	-	1	3	9	21	37	38	18	4	61	-	-	-	1	-	5	6	12	17	14	6
White	87	-	-	-	1	2	4	11	25	29	12	3	46	-	-	-	-	-	2	3	6	16	13	6
All other	44	-	-	-	-	1	5	10	12	9	6	1	15	-	-	-	1	-	3	3	6	1	1	-
Black	43	-	-	-	-	1	4	10	12	9	6	1	14	-	-	-	-	-	3	3	6	1	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,303	-	-	-	5	13	33	129	347	427	273	78	1,197	-	-	-	1	5	39	83	214	357	318	180
White	970	-	-	-	3	9	25	87	255	319	217	55	911	-	-	-	-	1	27	57	157	268	259	142
All other	333	-	-	-	2	4	8	42	92	108	56	21	288	-	-	-	1	4	12	26	57	89	59	38
Black	312	-	-	-	2	4	6	39	85	102	54	20	280	-	-	-	1	4	12	26	55	87	59	36
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,174	-	1	-	2	4	36	216	658	773	413	71	933	-	-	-	-	-	21	104	278	311	175	44
White	1,701	-	1	-	2	3	29	146	512	611	343	54	777	-	-	-	-	-	14	83	226	265	151	38
All other	473	-	-	-	-	1	7	70	146	162	70	17	156	-	-	-	-	-	7	21	52	46	24	6
Black	466	-	-	-	-	1	7	67	145	161	69	16	153	-	-	-	-	-	7	20	51	45	24	6
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	1	1	2	1	-	921	-	-	-	-	16	89	149	237	217	146	67
White	4	-	-	-	-	-	1	1	-	2	-	-	752	-	-	-	-	11	65	119	187	169	123	58
All other	2	-	-	-	-	-	-	-	1	-	1	-	169	-	-	-	-	5	24	30	50	28	23	9
Black	2	-	-	-	-	-	-	-	1	-	1	-	163	-	-	-	-	5	23	28	48	27	23	9
Malignant neoplasms of genital organs (179-187)	578	-	-	-	2	-	2	4	55	199	238	77	494	-	-	1	1	10	23	57	130	137	94	41
White	385	-	-	-	2	-	2	1	37	131	161	51	395	-	-	-	1	9	20	45	99	107	82	32
All other	193	-	-	-	-	-	-	3	18	68	77	26	99	-	-	1	-	1	3	12	31	30	12	9
Black	193	-	-	-	-	-	-	3	18	68	77	26	93	-	-	1	-	1	2	10	30	29	11	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	225	-	2	-	-	1	4	16	62	73	54	13	163	-	-	-	1	-	4	10	19	52	45	32
White	185	-	1	-	-	-	3	10	52	62	46	11	136	-	-	-	-	-	4	7	18	44	37	26
All other	40	-	1	-	-	1	1	6	10	11	8	2	27	-	-	-	1	-	-	3	1	8	8	6
Black	37	-	-	-	-	1	1	5	10	11	8	1	27	-	-	-	1	-	-	3	1	8	8	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	741	-	2	6	3	24	48	102	176	216	129	35	624	-	3	7	2	10	44	37	134	144	164	79
White	585	-	1	5	2	22	39	81	135	175	101	24	520	-	3	5	2	10	40	30	109	114	137	70
All other	156	-	1	1	1	2	9	21	41	41	28	11	104	-	-	2	-	-	4	7	25	30	27	9
Black	152	-	1	1	1	2	9	21	40	39	27	11	101	-	-	2	-	-	4	7	24	29	26	9
Leukemia (204-208)	185	-	2	10	6	7	14	16	27	49	38	16	193	1	1	4	7	9	7	19	32	45	45	23
White	152	-	1	10	6	6	8	12	25	40	32	12	172	1	1	4	6	8	6	17	27	41	38	23
All other	33	-	1	-	-	1	6	4	2	9	6	4	21	-	-	-	1	1	1	2	5	4	7	-
Black	30	-	1	-	-	1	5	3	2	8	6	4	20	-	-	-	1	1	1	2	5	3	7	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	269	-	1	2	3	9	13	23	59	73	68	18	265	-	1	1	3	4	8	18	55	69	73	33
White	223	-	1	1	3	7	10	21	48	55	60	17	222	-	1	1	3	3	6	17	46	55	59	31
All other	46	-	-	1	-	2	3	2	11	18	8	1	43	-	-	-	-	1	2	1	9	14	14	2
Black	44	-	-	1	-	2	2	1	11	18	8	1	43	-	-	-	-	1	2	1	9	14	14	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	59	-	-	5	1	3	5	5	11	14	12	3	69	1	1	2	1	2	3	8	5	19	17	10
White	40	-	-	4	-	1	3	4	7	11	7	3	59	1	1	1	1	2	2	6	5	16	15	9
All other	19	-	-	1	1	2	2	1	4	3	5	-	10	-	-	1	-	-	1	2	-	3	2	1
Black	19	-	-	1	1	2	2	1	4	3	5	-	9	-	-	1	-	-	1	2	-	2	2	1
Diabetes mellitus (250)	252	-	1	2	1	9	18	25	55	77	49	15	375	-	-	-	1	3	11	16	65	101	121	57
White	168	-	1	1	-	6	15	18	38	50	30	9	268	-	-	-	1	3	9	10	40	67	90	48
All other	84	-	-	1	1	3	3	7	17	27	19	6	107	-	-	-	-	-	2	6	25	34	31	9
Black	84	-	-	1	1	3	3	7	17	27	19	6	105	-	-	-	-	-	2	6	25	33	30	9
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	-	1	3	5	8	46	1	-	-	-	-	2	3	-	4	18	18
White	10	-	-	-	-	-	-	-	-	1	3	6	34	-	-	-	-	-	-	2	-	3	13	16
All other	7	-	-	-	-	-	-	-	1	2	2	2	12	1	-	-	-	-	2	1	-	1	5	2
Black	7	-	-	-	-	-	-	-	1	2	2	2	12	1	-	-	-	-	2	1	-	1	5	2
Anemias (280-285)	38	-	2	-	1	3	3	4	3	8	5	7	42	-	-	-	1	3	1	-	4	12	7	14
White	21	-	-	-	-	1	1	2	-	7	3	7	29	-	-	-	1	1	-	-	3	10	6	8
All other	15	-	2	-	1	2	2	2	3	1	2	-	13	-	-	-	-	2	1	-	1	2	1	6
Black	15	-	2	-	1	2	2	2	3	1	2	-	13	-	-	-	-	2	1	-	1	2	1	6
Meningitis (320-322)	16	3	3	-	1	2	-	-	2	3	2	-	11	1	4	-	-	-	-	-	2	3	-	1
White	10	1	1	-	1	1	-	-	2	2	2	-	7	-	3	-	-	-	-	-	2	2	-	-
All other	6	2	2	-	-	1	-	-	-	1	-	-	4	1	1	-	-	-	-	-	-	1	-	1
Black	6	2	2	-	-	1	-	-	-	1	-	-	4	1	1	-	-	-	-	-	-	1	-	1
Major cardiovascular diseases (390-448)	10,302	26	6	6	22	68	266	756	1,914	2,947	2,884	1,404	10,299	10	3	6	14	42	112	288	938	1,989	3,441	3,455
White	8,187	18	3	3	13	37	172	563	1,460	2,305	2,400	1,211	8,205	8	1	4	8	26	66	177	631	1,447	2,814	3,021
All other	2,115	8	3	3	9	31	94	193	454	642	484	193	2,094	2	2	2	6	16	46	109	307	542	627	434
Black	2,087	8	3	3	8	31	94	185	447	637	479	191	2,066	2	2	1	6	14	43	107	303	533	625	429
Diseases of heart (390-398,402,404-429)	8,453	24	5	6	19	58	232	669	1,685	2,462	2,232	1,061	7,593	9	2	4	10	28	82	217	755	1,537	2,540	2,407
White	6,764	16	2	3	11	32	155	514	1,295	1,958	1,871	907	6,049	7	-	3	6	19	48	134	520	1,128	2,096	2,087
All other	1,689	8	3	3	8	26	77	155	390	504	361	154	1,544	2	2	1	4	9	34	83	235	409	444	320
Black	1,667	8	3	3	7	28	77	148	385	501	356	153	1,525	2	2	1	4	7	33	82	234	401	442	318
Rheumatic fever and rheumatic heart disease (390-398)	36	-	-	-	2	-	3	4	12	12	3	-	77	-	-	-	-	3	2	7	20	12	28	5
White	25	-	-	-	1	-	-	2	10	9	3	-	65	-	-	-	-	2	1	5	17	10	26	4
All other	11	-	-	-	1	-	3	2	2	3	-	-	12	-	-	-	-	1	1	2	3	2	2	1
Black	11	-	-	-	1	-	3	2	2	3	-	-	11	-	-	-	-	1	1	1	3	2	2	1
Hypertensive heart disease (402)	168	-	-	-	-	2	7	16	30	47	45	21	265	-	-	-	-	1	5	13	33	64	74	75
White	98	-	-	-	-	1	2	9	13	26	31	16	173	-	-	-	-	1	2	3	12	38	56	61
All other	70	-	-	-	-	1	5	7	17	21	14	5	92	-	-	-	-	-	3	10	21	26	18	14
Black	70	-	-	-	-	1	5	7	17	21	14	5	92	-	-	-	-	-	3	10	21	26	18	14
Hypertensive heart and renal disease (404)	30	-	-	-	-	1	-	1	7	7	9	5	39	-	-	-	-	-	-	1	2	9	15	12
White	20	-	-	-	-	1	-	1	3	4	7	4	23	-	-	-	-	-	-	-	1	4	11	7
All other	10	-	-	-	-	-	-	-	4	3	2	1	16	-	-	-	-	-	-	1	1	5	4	5
Black	10	-	-	-	-	-	-	-	4	3	2	1	16	-	-	-	-	-	-	1	1	5	4	5
Ischemic heart disease (410-414)	5,802	-	-	-	3	29	158	488	1,240	1,741	1,498	646	4,525	-	-	-	1	7	28	127	464	1,002	1,552	1,343
White	4,806	-	-	-	1	14	113	390	1,002	1,427	1,235	564	3,700	-	-	-	1	4	18	84	336	763	1,307	1,187
All other	996	-	-	-	2	14	45	98	238	314	203	82	825	-	-	-	-	3	10	43	128	239	245	156
Black	981	-	-	-	1	14	45	93	235	311	200	82	818	-	-	-	-	3	9	43	127	235	245	155
Acute myocardial infarction (410)	3,173	-	-	-	1	10	98	278	730	957	811	288	2,222	-	-	-	1	4	16	68	289	570	787	486
White	2,665	-	-	-	1	6	74	225	608	797	706	250	1,785	-	-	-	1	3	11	47	214	423	676	410
All other	508	-	-	-	-	4	24	53	124	160	105	38	437	-	-	-	-	1	5	21	75	147	111	76
Black	504	-	-	-	-	4	24	51	124	160	103	38	432	-	-	-	-	1	5	21	74	143	111	76

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	413	-	-	-	2	4	13	54	117	123	76	24	261	-	-	-	-	-	5	16	39	63	85	54
White	309	-	-	-	-	1	7	40	87	89	66	19	187	-	-	-	-	-	1	7	24	45	64	46
All other	104	-	-	-	2	3	6	14	30	34	10	5	74	-	-	-	-	-	4	9	14	18	21	8
Black	101	-	-	-	1	3	6	14	29	33	10	5	74	-	-	-	-	-	4	9	14	18	21	8
Angina pectoris (413)	12	-	-	-	-	-	-	1	2	3	4	2	13	-	-	-	-	-	-	-	4	2	3	4
White	6	-	-	-	-	-	-	-	1	2	3	2	10	-	-	-	-	-	-	-	1	2	3	4
All other	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	3	-	-	-
Black	4	-	-	-	-	-	-	1	1	1	1	-	3	-	-	-	-	-	-	-	3	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,204	-	-	-	-	14	47	155	391	658	607	332	2,029	-	-	-	-	3	7	43	133	367	677	799
White	1,824	-	-	-	-	7	32	125	308	539	520	293	1,718	-	-	-	-	1	6	30	97	293	564	727
All other	380	-	-	-	-	7	15	30	83	119	87	39	311	-	-	-	-	2	1	13	36	74	113	72
Black	372	-	-	-	-	7	15	27	81	117	86	39	309	-	-	-	-	2	-	13	36	74	113	71
Other diseases of endocardium (424)	91	2	-	-	-	1	3	7	13	28	28	9	102	1	-	-	-	1	2	1	8	18	45	26
White	77	2	-	-	-	-	2	5	11	25	25	7	91	1	-	-	-	-	2	1	6	16	41	24
All other	14	-	-	-	-	1	1	2	2	3	3	2	11	-	-	-	-	1	-	-	2	2	4	2
Black	14	-	-	-	-	1	1	2	2	3	3	2	11	-	-	-	-	1	-	-	2	2	4	2
All other forms of heart disease (415-423,425-429)	2,326	22	5	6	14	26	61	153	383	627	649	360	2,585	8	2	4	9	16	45	68	228	432	826	946
White	1,738	14	2	3	9	16	38	107	256	467	510	316	1,997	6	-	3	5	12	25	41	148	297	655	804
All other	588	8	3	3	5	10	23	46	127	160	139	64	588	2	2	1	4	4	20	27	80	135	171	142
Black	581	8	3	3	5	10	23	44	125	160	137	63	577	2	2	1	4	2	20	27	80	131	169	139
Hypertension with or without renal disease (401,403)	60	-	-	-	-	1	2	10	10	18	10	9	76	-	-	-	-	-	-	2	9	18	19	28
White	39	-	-	-	-	-	1	4	7	10	9	8	45	-	-	-	-	-	-	1	3	9	9	23
All other	21	-	-	-	-	1	1	6	3	8	1	1	31	-	-	-	-	-	-	1	6	9	10	5
Black	21	-	-	-	-	1	1	6	3	8	1	1	31	-	-	-	-	-	-	1	6	9	10	5
Cerebrovascular diseases (430-438)	1,346	2	1	-	3	6	28	63	160	337	504	239	2,165	1	1	1	3	9	27	58	156	371	745	792
White	1,001	2	1	-	2	4	12	33	110	225	398	212	1,713	1	1	1	1	6	15	33	92	263	600	699
All other	345	-	-	-	1	2	16	30	50	112	106	27	452	-	-	-	2	3	12	25	64	108	145	93
Black	340	-	-	-	1	2	16	29	49	110	106	26	444	-	-	-	2	3	10	24	61	107	145	92
Intracerebral and other intracranial hemorrhage (431-432)	185	-	-	-	2	1	14	27	45	46	38	12	260	1	-	1	2	2	12	22	34	62	75	49
White	120	-	-	-	1	1	4	11	29	33	30	11	195	1	-	1	1	-	7	9	20	49	64	43
All other	65	-	-	-	1	-	10	16	16	13	8	1	65	-	-	-	1	2	5	13	14	13	11	6
Black	63	-	-	-	1	-	10	15	15	13	8	1	60	-	-	-	1	2	4	12	12	12	11	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	195	1	-	-	-	-	5	4	20	49	77	39	307	-	-	-	-	1	-	4	25	50	116	110
White	157	1	-	-	-	-	2	1	13	38	65	37	252	-	-	-	-	1	-	3	13	39	96	99
All other	38	-	-	-	-	-	3	3	7	11	12	2	55	-	-	-	-	-	-	1	12	11	20	11
Black	38	-	-	-	-	-	3	3	7	11	12	2	54	-	-	-	-	-	-	1	11	11	20	11
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	2	-	6	-	-	-	-	-	-	-	1	1	2	2
White	3	-	-	-	-	-	-	-	-	1	2	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	963	1	1	-	1	5	9	32	95	241	387	188	1,592	-	1	-	1	6	15	32	96	258	552	631
White	721	1	1	-	1	3	6	21	68	153	301	164	1,262	-	1	-	-	5	8	21	59	174	439	555
All other	242	-	-	-	-	2	3	11	27	88	86	24	330	-	-	-	1	1	7	11	37	84	113	76
Black	239	-	-	-	-	2	3	11	27	86	86	23	328	-	-	-	1	1	6	11	37	84	113	75
Atherosclerosis (440)	167	-	-	-	-	-	1	9	11	35	59	58	307	-	-	-	-	-	-	9	8	23	84	169
White	140	-	-	-	-	-	1	2	10	27	49	51	266	-	-	-	-	-	-	3	7	16	65	175
All other	27	-	-	-	-	-	-	1	1	8	10	7	41	-	-	-	-	-	-	-	1	7	19	14
Black	27	-	-	-	-	-	-	1	1	8	10	7	41	-	-	-	-	-	-	-	1	7	19	14
Other diseases of arteries, arterioles, and capillaries (441-448)	276	-	-	-	-	3	3	11	48	95	79	37	158	-	-	1	1	5	3	6	10	40	53	39
White	243	-	-	-	-	1	3	10	38	85	73	33	132	-	-	-	1	1	3	6	9	31	44	37
All other	33	-	-	-	-	2	-	1	10	10	6	4	26	-	-	1	-	4	-	-	1	9	9	2
Black	32	-	-	-	-	2	-	1	9	10	6	4	25	-	-	-	-	4	-	-	1	9	9	2
Acute bronchitis and bronchiolitis (466)	8	2	1	-	-	-	-	-	-	2	2	1	13	2	-	-	-	-	1	2	1	-	2	5
White	6	2	-	-	-	-	-	-	-	1	2	1	10	-	-	-	-	-	-	2	1	-	2	5
All other	2	-	1	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Black	2	-	1	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	1	-	-	-	-	-
Pneumonia and influenza (480-487)	755	6	2	4	1	3	13	19	85	162	258	202	695	4	1	-	3	5	11	11	25	77	231	327
White	602	2	1	3	1	2	8	11	64	126	213	171	585	2	1	-	2	4	6	6	18	57	193	296
All other	153	4	1	1	-	1	5	8	21	36	45	31	110	2	-	-	1	1	5	5	7	20	38	31
Black	149	4	1	1	-	1	5	8	21	34	43	31	107	2	-	-	1	1	5	5	7	19	37	30

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	745	6	2	4	1	3	13	19	82	160	258	197	680	4	1	-	3	5	11	11	25	76	223	321
White	592	2	1	3	1	2	8	11	61	124	213	166	573	2	1	-	2	4	6	6	18	57	187	290
All other	153	4	1	1	-	1	5	8	21	36	45	31	107	2	-	-	1	1	5	5	7	19	36	31
Black	149	4	1	1	-	1	5	8	21	34	43	31	104	2	-	-	1	1	5	5	7	18	35	30
Influenza (487)	10	-	-	-	-	-	-	-	3	2	-	5	15	-	-	-	-	-	-	-	-	1	8	6
White	10	-	-	-	-	-	-	-	3	2	-	5	12	-	-	-	-	-	-	-	-	-	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	945	-	-	2	2	-	3	27	141	350	313	107	601	-	-	1	-	3	7	28	104	199	193	68
White	821	-	-	1	1	-	1	22	122	296	284	94	544	-	-	1	-	1	4	24	89	184	179	62
All other	124	-	-	1	1	-	2	5	19	54	29	13	57	-	-	-	-	2	3	4	15	15	14	4
Black	122	-	-	1	1	-	2	5	19	53	28	13	57	-	-	-	-	2	3	4	15	15	14	4
Bronchitis, chronic and unspecified (490-491)	51	-	-	-	-	-	-	3	7	15	15	11	34	-	-	-	-	-	-	-	6	11	12	5
White	47	-	-	-	-	-	-	3	7	15	14	8	33	-	-	-	-	-	-	-	6	10	12	5
All other	4	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	163	-	-	-	-	-	-	3	33	70	43	14	74	-	-	-	-	-	-	5	14	28	21	6
White	136	-	-	-	-	-	-	2	30	57	36	11	68	-	-	-	-	-	-	5	13	26	19	5
All other	27	-	-	-	-	-	-	1	3	13	7	3	6	-	-	-	-	-	-	-	1	2	2	1
Black	25	-	-	-	-	-	-	1	3	12	6	3	6	-	-	-	-	-	-	-	1	2	2	1
Asthma (493)	34	-	-	2	2	-	2	3	10	8	4	3	56	-	-	1	-	2	7	5	14	13	6	8
White	24	-	-	1	1	-	-	3	8	5	4	2	41	-	-	1	-	1	4	3	8	10	6	8
All other	10	-	-	1	1	-	2	-	2	3	-	1	15	-	-	-	-	1	3	2	6	3	-	-
Black	10	-	-	1	1	-	2	-	2	3	-	1	15	-	-	-	-	1	3	2	6	3	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	697	-	-	-	-	-	1	18	91	257	251	79	437	-	-	-	-	1	-	18	70	147	154	47
White	614	-	-	-	-	-	1	14	77	219	230	73	402	-	-	-	-	-	-	16	62	138	142	44
All other	83	-	-	-	-	-	-	4	14	38	21	6	35	-	-	-	-	1	-	2	8	9	12	3
Black	83	-	-	-	-	-	-	4	14	38	21	6	35	-	-	-	-	1	-	2	8	9	12	3
Ulcer of stomach and duodenum (531-533)	74	-	-	-	-	2	1	2	14	23	19	13	54	-	-	-	-	-	2	1	6	7	23	15
White	61	-	-	-	-	1	1	2	9	19	16	13	44	-	-	-	-	-	-	1	5	7	19	12
All other	13	-	-	-	-	1	-	-	5	4	3	-	10	-	-	-	-	-	2	-	1	-	4	3
Black	11	-	-	-	-	1	-	-	5	3	2	-	9	-	-	-	-	-	2	-	1	-	4	2
Appendicitis (540-543)	6	-	-	-	-	-	-	1	-	2	1	2	4	-	-	-	-	-	-	-	-	3	-	1
White	3	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	2	-	1
All other	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	-	1	-	-	-	1	2	2	10	22	11	65	-	-	-	-	3	-	-	8	7	21	26
White	42	-	1	-	-	-	1	2	2	9	17	10	47	-	-	-	-	1	-	-	4	3	17	22
All other	7	-	-	-	-	-	-	-	-	1	5	1	18	-	-	-	-	2	-	-	4	4	4	4
Black	7	-	-	-	-	-	-	-	-	1	5	1	18	-	-	-	-	2	-	-	4	4	4	4
Chronic liver disease and cirrhosis (571)	357	-	-	-	-	8	34	83	109	90	29	4	190	-	-	-	-	3	26	29	54	41	28	9
White	292	-	-	-	-	6	26	64	90	77	25	4	139	-	-	-	-	1	10	19	43	34	24	8
All other	65	-	-	-	-	2	8	19	19	13	4	-	51	-	-	-	-	2	16	10	11	7	4	1
Black	64	-	-	-	-	2	8	19	19	12	4	-	50	-	-	-	-	2	16	10	10	7	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	35	-	-	-	-	1	-	-	5	12	12	5	32	-	-	-	-	-	1	-	2	5	10	14
White	31	-	-	-	-	1	-	-	5	11	10	4	28	-	-	-	-	-	1	-	2	3	9	13
All other	4	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	2	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	247	2	-	-	-	8	5	7	32	75	73	45	238	2	-	-	1	3	3	13	23	45	75	73
White	159	1	-	-	-	4	3	3	17	46	52	33	149	2	-	-	1	-	2	8	15	23	48	50
All other	88	1	-	-	-	4	2	4	15	29	21	12	89	-	-	-	-	3	1	5	8	22	27	23
Black	86	1	-	-	-	4	2	4	15	27	21	12	89	-	-	-	-	3	1	5	8	22	27	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	1	-	-	-	1	1	-	3	-	-	-	-	1	-	-	1	-	1	-
White	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	1	1	-	1	4	3	4	15	-	-	-	-	-	-	1	2	6	2	4
White	9	-	-	-	-	1	-	-	1	3	3	1	9	-	-	-	-	-	-	-	1	3	2	3
All other	5	-	-	-	-	-	1	-	-	1	-	3	6	-	-	-	-	-	-	1	1	3	-	1
Black	5	-	-	-	-	-	1	-	-	1	-	3	6	-	-	-	-	-	-	1	1	3	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	230	2	-	-	-	6	4	7	31	70	69	41	220	2	-	-	1	2	3	12	20	39	72	69
White	148	1	-	-	-	2	3	3	16	42	49	32	139	2	-	-	1	-	2	8	14	20	45	47
All other	82	1	-	-	-	4	1	4	15	28	20	9	81	-	-	-	-	2	1	4	6	19	27	22
Black	80	1	-	-	-	4	1	4	15	26	20	9	81	-	-	-	-	2	1	4	6	19	27	22
Infections of kidney (590)	15	-	-	-	-	1	1	1	2	3	2	5	30	-	-	-	-	-	-	-	1	8	11	10
White	13	-	-	-	-	1	1	1	2	3	2	3	24	-	-	-	-	-	-	-	1	4	10	9
All other	2	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	4	1	1
Black	2	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	4	1	1
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	-	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	3	3	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	-	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Congenital anomalies (740-759)	150	104	4	4	9	2	6	5	9	3	3	1	122	82	6	9	3	2	3	-	7	5	3	2
White	118	81	3	3	5	1	4	5	9	3	3	1	90	59	6	5	3	1	2	-	5	5	3	1
All other	32	23	1	1	4	1	2	-	-	-	-	-	32	23	-	4	-	1	1	-	2	-	-	1
Black	32	23	1	1	4	1	2	-	-	-	-	-	29	21	-	3	-	1	1	-	2	-	-	1
Certain conditions originating in the perinatal period (760-779)	314	312	2	-	-	-	-	-	-	-	-	-	221	221	-	-	-	-	-	-	-	-	-	-
White	181	179	2	-	-	-	-	-	-	-	-	-	109	109	-	-	-	-	-	-	-	-	-	-
All other	133	133	-	-	-	-	-	-	-	-	-	-	112	112	-	-	-	-	-	-	-	-	-	-
Black	130	130	-	-	-	-	-	-	-	-	-	-	112	112	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	80	80	-	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
White	57	57	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	22	22	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	234	232	2	-	-	-	-	-	-	-	-	-	192	192	-	-	-	-	-	-	-	-	-	-
White	124	122	2	-	-	-	-	-	-	-	-	-	90	90	-	-	-	-	-	-	-	-	-	-
All other	110	110	-	-	-	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
Black	108	108	-	-	-	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	226	81	1	-	4	8	5	12	24	39	24	28	236	46	2	1	4	6	6	6	11	31	48	75
White	151	49	1	-	3	5	2	7	15	23	20	26	175	25	-	1	4	4	5	3	7	20	39	67
All other	75	32	-	-	1	3	3	5	9	16	4	2	61	21	2	-	-	2	1	3	4	11	9	8
Black	71	29	-	-	1	3	2	5	9	16	4	2	60	20	2	-	-	2	1	3	4	11	9	8
All other diseases (Residual)	1,740	20	7	10	22	63	83	139	315	431	415	234	1,798	24	14	9	18	32	42	91	195	324	539	509
White	1,310	14	5	8	13	36	54	93	228	334	327	198	1,402	12	12	8	10	16	25	59	132	240	445	442
All other	430	6	2	2	9	27	29	46	87	97	88	36	396	12	2	1	8	16	17	32	63	84	94	67
Black	426	5	2	2	9	27	29	46	86	96	88	35	389	10	2	1	7	15	17	32	62	82	94	67
Accidents and adverse effects (E800-E949)	1,511	15	34	45	327	276	193	138	157	131	138	57	666	4	16	21	99	80	52	41	61	96	111	85
White	1,078	10	16	34	251	202	127	92	97	95	110	44	528	1	9	16	87	61	40	29	47	72	91	75
All other	433	5	18	11	76	74	66	46	60	36	28	13	138	3	7	5	12	19	12	12	14	24	20	10
Black	419	5	18	11	67	73	66	46	59	34	28	12	130	3	6	5	10	15	12	12	14	24	20	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	717	-	16	26	226	177	92	54	53	37	32	4	281	-	5	9	84	58	36	21	23	26	18	1
White	518	-	7	20	174	128	62	39	32	29	24	3	234	-	3	8	74	48	30	15	18	19	18	1
All other	199	-	9	6	52	49	30	15	21	8	8	1	47	-	2	1	10	10	6	6	5	7	-	-
Black	189	-	9	6	45	48	30	15	21	7	8	-	41	-	1	1	9	7	6	6	5	7	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	794	15	18	19	101	99	101	84	104	94	106	53	385	4	11	12	15	22	16	20	38	70	93	84
White	560	10	9	14	77	74	65	53	65	66	86	41	294	1	6	8	13	19	10	14	29	53	73	74
All other	234	5	9	5	24	25	36	31	39	28	20	12	91	3	5	4	2	9	6	6	9	17	20	10
Black	230	5	9	5	22	25	36	31	38	27	20	12	89	3	5	4	2	8	6	6	9	17	20	9
Suicide (E950-E959)	591	...	...	7	109	130	94	81	87	58	39	6	160	...	...	4	25	29	23	35	23	17	3	1
White	516	...	...	7	97	103	83	51	78	53	38	6	151	...	...	4	23	27	22	31	23	17	3	1
All other	75	...	...	-	12	27	11	10	9	5	1	-	9	...	...	-	2	2	1	4	-	-	-	-
Black	68	...	...	-	11	26	11	8	7	4	1	-	7	...	...	-	2	2	-	3	-	-	-	-
Homicide and legal intervention (E960-E978)	295	3	4	3	61	86	54	35	26	17	5	-	131	1	5	6	25	38	25	19	9	4	1	-
White	126	1	2	1	22	33	20	17	15	12	2	-	76	-	-	5	13	19	17	12	6	3	1	-
All other	169	2	2	2	39	53	34	18	11	5	3	-	55	1	5	1	12	17	8	7	3	1	-	-
Black	166	2	2	2	39	52	32	18	11	5	3	-	54	1	5	1	12	17	7	7	3	1	-	-
All other external causes (E980-E999)	21	2	-	-	4	7	4	3	1	-	-	-	11	1	1	-	4	2	1	1	-	1	-	-
White	13	1	-	-	3	3	3	3	-	-	-	-	8	-	1	-	4	-	1	1	-	1	-	-
All other	8	1	-	-	1	4	1	-	1	-	-	-	3	1	-	-	-	2	-	-	-	-	-	-
Black	8	1	-	-	1	4	1	-	1	-	-	-	3	1	-	-	-	2	-	-	-	-	-	-
WASHINGTON																								
All causes	18,330	421	72	120	460	605	686	1,019	2,753	4,792	4,807	2,595	16,174	331	55	68	142	241	372	684	1,707	3,234	4,450	4,888
White	17,410	383	58	109	405	538	627	926	2,589	4,611	4,636	2,534	15,511	286	50	62	125	201	336	615	1,610	3,093	4,350	4,781
All other	920	38	14	11	55	67	59	99	164	181	171	61	663	45	5	6	17	40	36	69	97	141	100	107
Black	423	21	3	3	20	35	35	51	78	93	64	20	293	20	3	4	7	17	15	23	49	62	47	46
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	4	1	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	-	1	2	1	1	1	7	-	-	-	-	-	-	-	-	4	2	1
White	5	-	-	-	-	-	-	-	2	1	1	1	6	-	-	-	-	-	-	-	-	4	1	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	-	3	2	1
White	3	-	-	-	-	-	-	-	-	1	1	1	5	-	-	-	-	-	-	-	-	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	2	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	3	1	1	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	77	1	-	1	-	1	1	6	10	20	28	9	115	2	-	1	2	-	2	5	13	15	30	45
White	69	1	-	1	-	1	-	6	10	17	26	7	110	2	-	-	2	-	1	5	12	13	30	45
All other	8	-	-	-	-	-	1	-	-	3	2	2	5	-	-	1	-	-	1	-	1	2	-	-
Black	4	-	-	-	-	-	1	-	-	2	-	1	2	-	-	1	-	-	-	-	1	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	6	1	-	-	-	-	2	1	1	1	-	-	6	-	-	-	1	1	1	-	1	2	-	-
White	4	-	-	-	-	-	1	1	1	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
All other	2	1	-	-	-	-	1	-	-	-	-	-	3	-	-	-	1	1	-	-	-	1	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	79	1	-	1	4	17	7	9	10	15	7	8	52	2	2	2	2	1	2	3	8	6	11	13
White	74	-	-	1	4	16	5	9	10	14	7	8	50	2	2	2	2	1	1	2	8	6	11	13
All other	5	1	-	-	-	1	2	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,252	1	6	18	30	61	106	286	876	1,436	1,083	349	3,682	-	7	8	14	45	155	327	745	1,079	870	432
White	4,085	1	6	18	29	59	102	264	830	1,390	1,044	342	3,535	-	7	8	13	37	142	302	713	1,041	847	425
All other	167	-	-	-	1	2	4	22	46	46	39	7	147	-	-	-	1	8	13	25	32	38	23	7
Black	92	-	-	-	1	1	2	12	30	25	18	3	64	-	-	-	-	2	6	7	16	16	12	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	87	-	-	-	-	2	2	7	28	36	12	-	49	-	-	-	-	-	1	2	12	17	10	7
White	83	-	-	-	-	2	1	7	27	36	10	-	46	-	-	-	-	-	1	2	12	14	10	7
All other	4	-	-	-	-	-	1	-	1	-	2	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,055	-	-	-	-	7	25	72	217	363	272	99	920	-	-	-	1	5	19	81	153	251	275	155
White	1,000	-	-	-	-	6	23	61	204	349	261	96	872	-	-	-	-	1	17	55	141	240	267	151
All other	55	-	-	-	-	1	2	11	13	14	11	3	48	-	-	-	1	4	2	6	12	11	8	4
Black	22	-	-	-	-	-	1	6	4	5	6	-	15	-	-	-	-	1	1	1	3	1	5	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,511	-	-	-	-	9	23	118	384	574	325	78	753	-	-	1	-	2	21	67	200	288	137	37
White	1,446	-	-	-	-	8	22	110	362	553	316	75	724	-	-	1	-	2	20	61	192	279	132	37
All other	65	-	-	-	-	1	1	8	22	21	9	3	29	-	-	-	-	-	1	6	8	9	5	-
Black	42	-	-	-	-	1	1	5	16	14	3	2	21	-	-	-	-	-	1	4	7	5	4	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	-	1	3	1	-	678	-	-	-	-	10	54	85	150	185	128	66
White	6	-	-	-	-	-	1	-	1	3	1	-	656	-	-	-	-	8	49	78	147	184	126	64
All other	-	-	-	-	-	-	-	-	-	-	-	-	22	-	-	-	-	2	5	7	3	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	1	2	2	2	-	1	1
Malignant neoplasms of genital organs (179-187)	522	-	-	-	3	5	4	7	45	159	210	89	399	-	-	-	3	6	16	56	73	114	91	40
White	508	-	-	-	3	5	4	7	42	153	203	89	381	-	-	-	3	4	11	54	70	109	91	39
All other	16	-	-	-	-	-	-	-	3	6	7	-	18	-	-	-	-	2	5	2	3	5	-	1
Black	7	-	-	-	-	-	-	-	3	2	2	-	6	-	-	-	-	-	2	-	-	3	-	1
Malignant neoplasms of urinary organs (188-189)	215	-	1	-	1	1	8	10	32	71	70	21	109	-	-	1	-	-	1	5	18	31	33	20
White	215	-	1	-	1	1	8	10	32	71	70	21	108	-	-	1	-	-	1	5	18	30	33	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	446	-	4	8	9	23	24	42	97	119	69	31	415	-	4	5	4	10	25	33	81	101	101	51
White	428	-	4	8	8	23	24	41	93	115	62	30	401	-	4	5	4	10	25	32	76	96	98	51
All other	18	-	-	-	1	-	-	1	4	4	7	1	14	-	-	-	-	-	-	1	5	5	3	-
Black	13	-	-	-	1	-	-	-	3	3	5	1	5	-	-	-	-	-	-	-	3	2	-	-
Leukemia (204-208)	152	1	1	9	4	6	6	7	24	38	43	13	116	-	2	1	2	3	11	6	14	28	32	17
White	151	1	1	9	4	6	6	6	24	38	43	13	113	-	2	1	2	3	11	5	14	27	31	17
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	258	-	-	1	13	8	13	23	48	73	61	18	243	-	1	-	4	9	7	12	44	64	63	39
White	250	-	-	1	13	8	13	22	45	72	58	18	234	-	1	-	4	9	7	10	43	62	59	39
All other	8	-	-	-	-	-	-	1	3	1	3	-	9	-	-	-	-	-	-	2	1	2	4	-
Black	6	-	-	-	-	-	-	-	3	1	2	-	4	-	-	-	-	-	-	-	1	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	-	1	1	-	1	-	5	6	7	7	7	64	3	-	1	-	1	-	1	6	16	21	15
White	33	-	1	1	-	1	-	5	5	6	7	7	63	3	-	1	-	1	-	1	5	16	21	15
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	271	-	-	-	-	9	19	18	36	63	76	30	356	-	-	-	1	6	18	12	53	81	106	79
White	249	-	-	-	-	9	18	16	33	74	71	28	332	-	-	-	1	6	17	10	48	74	100	76
All other	22	-	-	-	-	-	1	2	3	9	5	2	24	-	-	-	-	-	1	2	5	7	6	3
Black	15	-	-	-	-	-	1	1	2	7	3	1	9	-	-	-	-	-	-	1	2	3	3	-
Nutritional deficiencies (260-269)	26	-	-	-	-	-	-	-	3	3	11	9	36	-	-	-	-	-	-	-	-	2	6	28
White	24	-	-	-	-	-	-	-	2	3	10	9	35	-	-	-	-	-	-	-	-	2	6	27
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	27	-	-	1	-	2	-	1	-	3	13	7	31	-	-	1	-	1	1	-	1	9	5	13
White	23	-	-	1	-	2	-	-	-	2	12	6	29	-	-	1	-	1	1	-	-	9	4	13
All other	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	9	1	3	-	-	-	-	-	1	4	-	-	11	2	1	2	-	-	2	-	-	-	3	1
White	7	-	2	-	-	-	-	-	1	4	-	-	10	1	1	2	-	-	2	-	-	-	3	1
All other	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,926	9	2	1	6	43	176	381	1,194	2,246	2,419	1,449	7,522	10	3	5	9	14	50	120	489	1,271	2,388	3,163
White	7,592	8	1	-	6	37	159	342	1,123	2,166	2,334	1,416	7,283	9	3	3	9	10	46	114	453	1,207	2,335	3,094
All other	334	1	1	1	-	6	17	39	71	80	85	33	239	1	-	2	-	4	4	6	36	64	53	69
Black	143	-	-	-	-	3	10	19	29	38	33	11	103	-	-	1	-	1	1	3	17	33	22	25
Diseases of heart (390-398,402,404-429)	6,392	7	1	1	5	35	155	343	1,043	1,860	1,857	1,085	5,407	9	1	3	8	8	33	85	390	959	1,723	2,188
White	6,125	6	1	-	5	29	140	309	982	1,799	1,794	1,060	5,248	8	1	3	8	4	30	82	361	922	1,689	2,140
All other	267	1	-	1	-	6	15	34	61	61	63	25	159	1	-	-	-	4	3	3	29	37	34	48
Black	116	-	-	-	-	3	9	17	26	30	26	7	63	-	-	-	-	1	-	1	13	18	15	15
Rheumatic fever and rheumatic heart disease (390-398)	41	-	-	-	-	2	1	3	9	16	8	2	96	-	-	-	-	-	-	2	16	30	27	21
White	39	-	-	-	-	2	1	2	9	15	8	2	91	-	-	-	-	-	-	2	14	29	26	20
All other	2	-	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	-	-	2	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	125	-	-	-	-	1	4	4	24	38	31	23	160	-	-	-	-	-	1	2	9	16	52	80
White	109	-	-	-	-	-	3	2	21	36	26	21	153	-	-	-	-	-	1	2	9	15	52	74
All other	16	-	-	-	-	1	1	2	3	2	5	2	7	-	-	-	-	-	-	-	-	1	-	6
Black	9	-	-	-	-	1	-	2	2	1	3	-	3	-	-	-	-	-	-	-	-	1	-	2
Hypertensive heart and renal disease (404)	18	-	-	-	-	-	1	1	4	3	6	3	20	-	-	-	-	-	-	1	-	5	7	7
White	16	-	-	-	-	-	1	1	2	3	6	3	19	-	-	-	-	-	-	1	-	5	6	7
All other	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,404	-	-	-	-	13	97	241	731	1,355	1,280	687	3,331	-	-	-	1	1	15	54	226	630	1,103	1,301
White	4,241	-	-	-	-	11	90	220	696	1,316	1,236	672	3,239	-	-	-	1	1	15	53	209	606	1,077	1,277
All other	163	-	-	-	-	2	7	21	35	39	44	15	92	-	-	-	-	-	-	1	17	24	26	24
Black	70	-	-	-	-	1	3	11	13	19	16	7	36	-	-	-	-	-	-	-	7	11	12	6
Acute myocardial infarction (410)	2,184	-	-	-	-	8	48	139	425	716	613	235	1,498	-	-	-	1	1	8	33	140	351	551	413
White	2,093	-	-	-	-	7	45	126	401	696	589	229	1,451	-	-	-	1	1	8	32	127	337	538	407
All other	91	-	-	-	-	1	3	13	24	20	24	6	47	-	-	-	-	-	-	1	13	14	13	6
Black	33	-	-	-	-	1	1	5	6	10	7	3	18	-	-	-	-	-	-	-	4	7	5	2
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	2	1	3	1	4	-	-	-	-	-	-	-	1	-	2	1
White	7	-	-	-	-	-	-	-	2	1	3	1	4	-	-	-	-	-	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	-	1	2	4	15	-	-	-	-	-	-	1	-	3	5	6
White	7	-	-	-	-	-	-	-	-	1	2	4	15	-	-	-	-	-	-	1	-	3	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,206	-	-	-	-	5	49	102	304	637	662	447	1,814	-	-	-	-	-	7	20	85	276	545	881
White	2,134	-	-	-	-	4	45	94	293	618	642	438	1,769	-	-	-	-	-	7	20	81	266	532	863
All other	72	-	-	-	-	1	4	8	11	19	20	9	45	-	-	-	-	-	-	-	4	10	13	18
Black	37	-	-	-	-	-	2	6	7	9	9	4	18	-	-	-	-	-	-	-	3	4	7	4
Other diseases of endocardium (424)	130	-	-	1	-	1	4	5	8	39	44	28	111	-	-	-	-	-	1	-	5	23	43	39
White	126	-	-	-	-	1	4	5	6	39	43	28	108	-	-	-	-	-	1	-	4	23	43	37
All other	4	-	-	1	-	-	-	-	2	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
Black	2	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,674	7	1	-	5	18	48	89	267	409	488	342	1,689	9	1	3	7	7	16	26	134	255	491	740
White	1,594	6	1	-	5	15	41	79	248	390	475	334	1,638	8	1	3	7	3	13	24	125	244	485	725
All other	80	1	-	-	-	3	7	10	19	19	13	8	51	1	-	-	-	4	3	2	9	11	6	15
Black	36	-	-	-	-	1	6	4	9	10	6	-	21	-	-	-	-	1	-	1	5	6	3	5
Hypertension with or without renal disease (401,403)	55	-	-	-	-	-	-	3	4	21	18	9	71	-	-	1	-	-	-	1	5	14	23	27
White	50	-	-	-	-	-	-	2	3	19	18	8	65	-	-	-	-	-	-	1	5	13	19	27
All other	5	-	-	-	-	-	-	1	1	2	-	1	6	-	-	1	-	-	-	-	-	1	4	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Cerebrovascular diseases (430-438)	1,032	1	1	-	-	7	18	28	108	248	377	248	1,627	-	1	1	1	5	16	28	77	228	518	752
White	983	1	-	-	-	7	16	24	98	234	358	245	1,573	-	1	-	1	5	15	26	71	208	507	739
All other	49	-	1	-	-	-	2	4	8	12	19	3	54	-	-	1	-	-	1	2	6	20	11	13
Black	19	-	-	-	-	-	1	2	2	6	7	1	25	-	-	1	-	-	1	1	3	12	3	4
Intracerebral and other intracranial hemorrhage (431-432)	141	-	1	-	-	3	6	10	27	43	33	18	180	-	1	1	-	1	4	12	15	37	67	42
White	130	-	-	-	-	3	6	9	22	40	32	18	171	-	1	-	-	1	4	11	14	36	64	40
All other	11	-	1	-	-	-	-	1	5	3	1	-	9	-	-	1	-	-	-	1	1	1	3	2
Black	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	128	-	-	-	-	-	-	3	13	36	50	26	215	-	-	-	-	-	-	3	4	24	71	113
White	124	-	-	-	-	-	-	2	13	35	48	26	211	-	-	-	-	-	-	2	4	23	69	113
All other	4	-	-	-	-	-	-	1	-	1	2	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	1	-	1	2	-
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	1	1	4	1	5	-	-	-	-	-	-	1	-	2	-	2
White	7	-	-	-	-	-	-	-	1	1	4	1	5	-	-	-	-	-	-	1	-	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	756	1	-	-	-	4	12	15	65	166	290	203	1,227	-	-	-	1	4	12	12	58	165	380	595
White	722	1	-	-	-	4	10	13	62	158	274	200	1,186	-	-	-	1	4	11	12	53	147	374	584
All other	34	-	-	-	-	-	2	2	3	8	16	3	41	-	-	-	-	-	1	-	5	18	6	11
Black	13	-	-	-	-	-	1	1	1	4	5	1	19	-	-	-	-	-	1	-	3	11	1	3
Atherosclerosis (440)	176	-	-	-	-	1	-	2	15	25	64	69	237	-	-	-	-	-	1	-	6	18	66	146
White	170	-	-	-	-	1	-	2	14	24	64	65	228	-	-	-	-	-	1	-	6	17	64	140
All other	6	-	-	-	-	-	-	-	1	1	-	4	9	-	-	-	-	-	-	-	-	1	2	6
Black	3	-	-	-	-	-	-	-	-	1	-	2	7	-	-	-	-	-	-	-	-	-	2	5
Other diseases of arteries, arterioles, and capillaries (441-448)	271	1	-	-	1	-	3	5	26	94	103	38	180	1	1	-	-	1	-	6	11	52	58	50
White	264	1	-	-	1	-	3	5	26	90	100	38	169	1	1	-	-	1	-	5	10	47	56	48
All other	7	-	-	-	-	-	-	-	-	4	3	-	11	-	-	-	-	-	-	1	1	5	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	1	3	-	1
Acute bronchitis and bronchiolitis (466)	5	1	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	1	1	1
White	5	1	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	571	4	1	1	4	2	9	7	37	67	214	205	624	5	4	-	2	6	4	14	16	56	161	356
White	550	4	1	-	4	2	7	6	36	63	207	200	600	5	4	-	2	5	3	10	16	52	157	346
All other	21	-	-	1	-	-	2	1	1	4	7	5	24	-	-	-	-	1	1	4	-	4	4	10
Black	8	-	-	1	-	-	1	1	-	2	2	1	10	-	-	-	-	1	-	2	-	2	2	3
Pneumonia (480-486)	536	4	1	1	4	2	8	6	35	63	204	188	566	5	4	-	2	6	4	14	16	51	147	317
White	516	4	1	-	4	2	6	5	34	79	197	184	542	5	4	-	2	5	3	10	16	47	149	307
All other	20	-	-	1	-	-	2	1	1	4	7	4	24	-	-	-	-	1	1	4	-	4	4	10
Black	8	-	-	1	-	-	1	1	-	2	2	1	10	-	-	-	-	1	-	2	-	2	2	3
Influenza (487)	35	-	-	-	-	-	1	1	2	4	10	17	58	-	-	-	-	-	-	-	-	5	14	39
White	34	-	-	-	-	-	1	1	2	4	10	16	58	-	-	-	-	-	-	-	-	5	14	39
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	913	1	-	2	4	1	2	15	111	332	322	123	663	-	1	-	-	1	3	25	98	253	215	67
White	881	1	-	-	4	1	2	12	103	325	312	121	653	-	1	-	-	1	2	23	98	249	214	65
All other	32	-	-	2	-	-	-	3	8	7	10	2	10	-	-	-	-	-	1	2	-	4	1	2
Black	14	-	-	-	-	-	-	2	4	3	4	1	3	-	-	-	-	-	1	-	-	1	-	1
Bronchitis, chronic and unspecified (490-491)	32	-	-	1	-	-	-	-	2	10	12	7	32	-	-	-	-	-	1	1	2	11	7	10
White	30	-	-	-	-	-	-	-	2	10	11	7	31	-	-	-	-	-	1	1	2	11	7	9
All other	2	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	179	1	-	-	-	-	1	6	23	67	64	17	116	-	-	-	-	1	-	4	27	52	27	5
White	171	1	-	-	-	-	1	4	22	65	61	17	116	-	-	-	-	1	-	4	27	52	27	5
All other	8	-	-	-	-	-	-	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	26	-	-	1	3	-	1	-	5	6	9	1	47	-	1	-	-	-	1	7	8	14	12	4
White	23	-	-	-	3	-	1	-	4	6	8	1	45	-	1	-	-	-	-	6	8	14	12	4
All other	3	-	-	1	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	676	-	-	-	1	1	-	9	81	249	237	98	468	-	-	-	-	-	1	13	61	176	169	48
White	657	-	-	-	1	1	-	8	75	244	232	96	461	-	-	-	-	-	1	12	61	172	168	47
All other	19	-	-	-	-	-	-	1	6	5	5	2	7	-	-	-	-	-	-	1	-	4	1	1
Black	9	-	-	-	-	-	-	1	4	2	1	1	2	-	-	-	-	-	-	-	-	1	-	1
Ulcer of stomach and duodenum (531-533)	48	-	-	-	-	-	3	3	6	12	14	10	63	-	-	-	-	-	1	1	7	13	22	19
White	43	-	-	-	-	-	1	3	5	11	13	10	61	-	-	-	-	-	1	1	6	13	21	19
All other	5	-	-	-	-	-	2	-	1	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	3	-	-	-	1	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	1	1	2	-
White	3	-	-	-	1	-	-	-	-	1	-	1	4	-	-	-	-	-	-	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	33	-	-	-	-	-	2	-	3	7	12	9	43	-	-	-	-	-	-	1	2	6	13	21
White	32	-	-	-	-	-	2	-	2	7	12	9	41	-	-	-	-	-	-	1	2	5	13	20
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic liver disease and cirrhosis (571)	279	1	-	-	-	4	22	40	110	67	27	8	162	-	-	1	-	3	14	36	35	50	18	5
White	255	-	-	-	-	3	20	35	103	62	25	7	139	-	-	1	-	3	10	26	32	47	17	3
All other	24	1	-	-	-	1	2	5	7	5	2	1	23	-	-	-	-	-	4	10	3	3	1	2
Black	9	1	-	-	-	1	1	2	3	-	1	-	9	-	-	-	-	-	3	2	1	2	-	1
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	-	-	1	1	8	2	6	29	-	-	-	-	1	-	-	2	8	9	9
White	18	-	-	-	-	-	-	1	1	8	2	6	27	-	-	-	-	1	-	-	2	8	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	150	3	-	1	-	2	9	6	12	27	41	49	139	2	-	-	-	2	2	5	8	22	53	45
White	139	3	-	1	-	1	8	5	10	23	39	49	127	2	-	-	-	2	2	4	5	18	52	42
All other	11	-	-	-	-	1	1	1	2	4	2	-	12	-	-	-	-	-	-	1	3	4	1	3
Black	5	-	-	-	-	1	1	1	1	1	-	-	8	-	-	-	-	-	-	-	3	1	1	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	-	-	3	1
White	2	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	1	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	-	2	3	-	5	2	2	15	-	-	-	-	-	-	-	1	4	4	6
White	14	-	-	-	-	-	2	3	-	5	2	2	13	-	-	-	-	-	-	-	1	3	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	134	2	-	1	-	2	7	3	12	22	38	47	119	2	-	-	-	2	2	4	7	18	46	38
White	123	2	-	1	-	1	6	2	10	18	36	47	109	2	-	-	-	2	2	3	4	15	45	36
All other	11	-	-	-	-	1	1	1	2	4	2	-	10	-	-	-	-	-	-	1	3	3	1	2
Black	5	-	-	-	-	1	1	1	1	1	-	-	7	-	-	-	-	-	-	-	3	1	1	2
Infections of kidney (590)	12	-	-	-	-	-	-	-	-	1	5	6	18	1	-	-	-	-	-	1	3	2	3	8
White	12	-	-	-	-	-	-	-	-	1	5	6	18	1	-	-	-	-	-	1	3	2	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	1	-	5	6	...	...	...	...	...	...	...	...	...	...	...	...
White	12	-	-	-	-	-	-	-	1	-	5	6	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	135	83	9	4	4	6	4	9	6	6	1	3	115	70	8	4	5	4	1	4	4	7	5	3
White	129	78	9	4	4	6	4	9	5	6	1	3	101	64	7	3	3	4	-	2	3	7	5	3
All other	6	5	-	-	-	-	-	-	1	-	-	-	14	6	1	1	2	-	1	2	1	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	7	3	1	-	1	-	-	1	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	161	159	1	-	1	-	-	-	-	-	-	-	140	138	-	-	1	1	-	-	-	-	-	-
White	145	143	1	-	1	-	-	-	-	-	-	-	120	118	-	-	1	1	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	59	58	1	-	-	-	-	-	-	-	-	-	46	44	-	-	1	1	-	-	-	-	-	-
White	53	52	1	-	-	-	-	-	-	-	-	-	36	34	-	-	1	1	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	102	101	-	-	1	-	-	-	-	-	-	-	94	94	-	-	-	-	-	-	-	-	-	-
White	92	91	-	-	1	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	182	125	1	-	3	7	6	3	1	7	20	9	160	75	2	-	1	4	3	-	7	12	22	34
White	168	115	1	-	3	6	5	3	1	7	18	9	141	60	2	-	1	3	3	-	7	12	22	31
All other	14	10	-	-	-	1	1	-	-	-	2	-	19	15	-	-	-	1	-	-	-	-	-	3
Black	6	5	-	-	-	1	-	-	-	-	-	-	7	4	-	-	-	1	-	-	-	-	-	2
All other diseases (Residual)	1,245	20	4	7	19	41	66	63	164	268	366	227	1,364	11	6	9	14	24	22	60	129	232	394	463
White	1,184	19	2	7	17	38	59	58	155	253	356	220	1,317	10	5	8	14	19	19	51	119	223	390	459
All other	61	1	2	-	2	3	7	5	9	15	10	7	47	1	1	1	-	5	3	9	10	9	4	4
Black	30	1	-	-	-	2	5	3	5	9	3	2	23	1	1	1	-	2	1	4	6	1	3	3
Accidents and adverse effects (E800-E849)	1,140	4	35	67	253	228	137	94	89	89	90	54	531	8	20	27	60	66	50	40	52	69	76	63
White	1,041	3	27	60	225	211	123	83	83	86	87	53	497	7	17	26	55	58	46	35	50	67	73	63
All other	99	1	8	7	28	17	14	11	6	3	3	1	34	1	3	1	5	8	4	5	2	2	3	-
Black	37	1	2	2	11	3	7	6	2	3	-	-	10	-	1	1	-	3	1	2	1	-	1	-
Motor vehicle accidents (E810-E825)	545	1	12	27	180	128	65	46	25	26	26	9	252	1	7	17	49	45	33	20	25	27	19	9
White	492	1	9	24	161	118	61	39	21	25	24	9	237	1	6	17	48	39	31	18	24	26	18	9
All other	53	-	3	3	19	10	4	7	4	1	2	-	15	-	1	-	1	6	2	2	1	1	1	-
Black	17	-	2	1	7	2	1	2	1	1	-	-	2	-	-	-	-	2	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	595	3	23	40	73	100	72	48	64	63	64	45	278	7	13	10	11	21	17	20	27	42	57	54
White	549	2	18	36	64	93	62	44	62	61	63	44	260	6	11	9	7	19	15	17	26	41	55	54
All other	46	1	5	4	9	7	10	4	2	2	1	1	19	1	2	1	4	2	2	3	1	1	2	-
Black	20	1	-	1	4	1	6	4	1	2	-	-	8	-	1	1	-	1	1	2	1	-	1	-
Suicide (E950-E959)	477	...	...	6	83	110	74	52	58	50	37	7	138	...	...	5	14	34	24	23	19	11	8	-
White	444	...	...	6	75	96	73	48	52	50	37	7	131	...	...	5	12	30	24	23	18	11	8	-
All other	33	...	...	-	8	14	1	4	6	-	-	-	7	...	...	-	2	4	-	-	1	-	-	-
Black	9	...	...	-	2	5	1	1	-	-	-	-	4	...	...	-	1	3	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	167	3	3	8	42	54	25	12	12	7	1	-	74	1	1	2	13	23	13	4	7	3	4	1
White	131	3	3	8	27	39	24	8	12	6	1	-	61	1	1	2	9	17	11	4	7	2	4	1
All other	36	-	-	-	15	15	1	4	-	1	-	-	13	-	-	-	4	6	2	-	-	1	-	-
Black	23	-	-	-	6	13	1	2	-	1	-	-	9	-	-	-	4	2	2	-	-	1	-	-
All other external causes (E980-E999)	56	1	3	1	6	16	15	5	2	2	4	1	13	-	-	-	1	2	4	2	1	2	1	-
White	45	1	2	1	5	10	13	5	2	2	3	1	9	-	-	-	1	1	4	-	1	1	1	-
All other	11	-	1	-	1	6	2	-	-	-	1	-	4	-	-	-	-	1	-	2	-	1	-	-
Black	6	-	1	-	-	4	1	-	-	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,385	153	21	55	221	269	326	727	1,782	2,836	2,683	1,311	9,059	106	18	22	82	103	163	379	1,063	2,045	2,762	2,316
White	9,936	142	21	55	213	244	310	692	1,715	2,735	2,569	1,239	8,645	97	15	22	76	96	150	361	998	1,861	2,636	2,233
All other	449	11	-	-	8	25	16	35	67	101	114	72	414	9	3	-	6	7	13	18	65	84	126	83
Black	442	11	-	-	7	24	16	34	66	100	112	72	411	9	3	-	6	7	13	16	64	84	126	83
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	10	-	-	-	-	-	1	1	1	3	2	2	9	-	-	-	-	-	-	2	-	3	4	-
White	8	-	-	-	-	-	1	-	1	2	2	2	7	-	-	-	-	-	-	1	-	2	4	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	1	1	1	3	2	2	6	-	-	-	-	-	-	1	-	1	4	-
White	8	-	-	-	-	-	1	-	1	2	2	2	6	-	-	-	-	-	-	1	-	1	4	-
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	73	-	-	-	-	2	2	4	13	22	22	8	68	-	-	-	2	-	2	3	3	11	23	24
White	71	-	-	-	-	2	2	4	13	21	22	7	63	-	-	-	2	-	1	3	3	10	22	22
All other	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	1	-	-	1	1	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	5	-	-	-	-	-	1	-	-	1	1	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
White	3	-	-	-	-	-	1	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	21	-	-	-	1	1	1	1	6	5	4	2	15	-	-	-	-	1	1	1	5	2	2	3
White	20	-	-	-	1	1	1	1	5	5	4	2	15	-	-	-	-	1	1	1	5	2	2	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,215	-	2	3	9	24	43	181	510	766	517	159	1,923	-	3	4	7	26	72	172	401	584	444	210
White	2,116	-	2	3	9	21	42	173	494	738	490	143	1,859	-	3	4	7	24	68	168	385	563	432	205
All other	99	-	-	-	-	3	1	8	16	28	27	16	64	-	-	-	-	2	4	4	16	21	12	5
Black	96	-	-	-	-	2	1	8	15	28	26	16	62	-	-	-	-	2	4	3	15	21	12	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	45	-	-	-	-	-	-	7	14	16	7	1	12	-	-	-	-	-	-	1	2	2	2	5
White	39	-	-	-	-	-	-	5	14	14	6	-	11	-	-	-	-	-	-	1	2	1	2	5
All other	6	-	-	-	-	-	-	2	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	6	-	-	-	-	-	-	2	-	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	456	-	-	-	1	2	8	35	108	157	107	38	475	-	-	1	-	1	5	27	82	134	135	90
White	427	-	-	-	1	2	7	33	105	149	100	30	455	-	-	1	-	1	5	27	73	129	131	88
All other	29	-	-	-	-	-	1	2	3	8	7	8	20	-	-	-	-	-	-	-	9	5	4	2
Black	29	-	-	-	-	-	1	2	3	8	7	8	19	-	-	-	-	-	-	-	8	5	4	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	943	-	-	-	2	2	9	86	254	360	198	32	413	-	-	-	-	2	9	39	124	163	60	16
White	908	-	-	-	2	2	9	83	243	349	190	28	401	-	-	-	-	2	9	37	121	157	59	16
All other	37	-	-	-	-	-	-	3	11	11	8	4	12	-	-	-	-	-	-	2	3	6	1	-
Black	36	-	-	-	-	-	-	3	10	11	8	4	12	-	-	-	-	-	-	2	3	6	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	285	-	-	-	-	5	24	44	66	83	59	14
White	-	-	-	-	-	-	-	-	-	-	-	-	286	-	-	-	-	5	22	43	64	82	56	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	2	1	2	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	2	1	2	1	3	-
Malignant neoplasms of genital organs (179-187)	196	-	-	-	-	2	-	1	17	64	76	36	191	-	-	-	-	4	19	18	39	57	35	19
White	186	-	-	-	-	2	-	1	16	61	73	33	185	-	-	-	-	3	18	18	38	55	35	18
All other	10	-	-	-	-	-	-	-	1	3	3	3	6	-	-	-	-	1	1	-	1	2	-	1
Black	10	-	-	-	-	-	-	-	1	3	3	3	6	-	-	-	-	1	1	-	1	2	-	1
Malignant neoplasms of urinary organs (188-189)	108	-	-	-	-	1	3	8	21	28	35	14	54	-	-	1	-	-	-	3	8	14	19	9
White	105	-	-	-	-	1	3	8	21	24	34	14	52	-	-	1	-	-	-	3	8	13	18	9
All other	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	273	-	-	1	3	9	9	26	65	76	58	25	316	-	1	-	3	8	12	31	49	91	86	35
White	264	-	-	1	3	8	9	26	64	75	52	25	308	-	1	-	3	7	12	30	49	89	83	34
All other	9	-	-	-	-	1	-	-	1	1	6	-	8	-	-	-	-	1	-	1	-	2	3	1
Black	6	-	-	-	-	1	-	-	1	1	5	-	7	-	-	-	-	1	-	-	-	2	3	1
Leukemia (204-208)	90	-	2	2	1	7	5	5	11	27	21	9	61	-	1	2	2	2	-	3	8	17	17	9
White	87	-	2	2	1	6	5	5	11	26	20	9	60	-	1	2	2	2	-	3	8	16	17	9
All other	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	104	-	-	-	2	1	9	13	20	40	15	4	106	-	1	-	2	4	3	6	23	23	31	13
White	102	-	-	-	2	-	9	12	20	40	15	4	101	-	1	-	2	4	2	6	22	21	31	12
All other	2	-	-	-	-	1	-	1	-	-	-	-	5	-	-	-	-	-	1	-	1	2	-	1
Black	2	-	-	-	-	1	-	1	-	-	-	-	5	-	-	-	-	-	1	-	1	2	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	-	-	2	2	2	2	1	4	7	3	4	37	-	-	-	-	1	-	3	5	13	11	4
White	27	-	-	2	2	2	2	1	4	7	3	4	31	-	-	-	-	-	-	3	4	11	9	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	-	1	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	-	-	1	2	2	-
Diabetes mellitus (250)	152	-	-	1	1	1	6	8	37	43	44	11	199	-	-	1	1	1	1	6	29	50	78	32
White	145	-	-	1	1	1	6	8	34	41	42	11	181	-	-	1	1	-	1	5	25	42	74	32
All other	7	-	-	-	-	-	-	-	3	2	2	-	18	-	-	-	-	1	-	1	4	8	4	-
Black	7	-	-	-	-	-	-	-	3	2	2	-	18	-	-	-	-	1	-	1	4	8	4	-
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	1	-	3	2	7	18	-	-	-	-	-	-	1	-	6	7	4
White	13	-	-	-	-	-	-	1	-	3	2	7	17	-	-	-	-	-	-	1	-	6	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	13	-	-	1	-	-	-	-	1	4	4	3	19	-	-	-	1	-	1	-	-	1	8	8
White	12	-	-	1	-	-	-	-	-	4	4	3	15	-	-	-	1	-	-	-	-	1	7	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	-	1	2
Meningitis (320-322)	2	-	1	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	2
White	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
Major cardiovascular diseases (390-448)	4,851	8	-	1	2	27	92	318	851	1,355	1,443	754	4,751	-	-	-	8	13	27	119	425	970	1,619	1,570
White	4,654	7	-	1	2	24	88	309	822	1,305	1,383	713	4,529	-	-	-	8	13	24	111	392	933	1,538	1,512
All other	197	1	-	-	-	3	4	9	29	50	60	41	222	-	-	-	-	-	3	8	33	37	83	58
Black	195	1	-	-	-	3	4	9	29	49	59	41	222	-	-	-	-	-	3	8	33	37	83	58

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	4,069	7	-	1	2	21	80	291	767	1,172	1,126	602	3,705	-	-	-	5	9	21	94	356	800	1,248	1,172
White	3,910	6	-	1	2	19	78	283	743	1,126	1,080	570	3,522	-	-	-	5	9	19	87	325	772	1,182	1,123
All other	159	1	-	-	-	2	2	8	24	44	46	32	183	-	-	-	-	-	2	7	31	28	66	49
Black	157	1	-	-	-	2	2	8	24	43	45	32	183	-	-	-	-	-	2	7	31	28	66	49
Rheumatic fever and rheumatic heart disease (390-398)	34	-	-	-	1	-	2	6	10	4	9	2	46	-	-	-	-	1	2	2	8	11	17	5
White	34	-	-	-	1	-	2	6	10	4	9	2	44	-	-	-	-	1	2	2	7	11	16	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Hypertensive heart disease (402)	73	-	-	-	-	-	8	7	12	24	17	5	94	-	-	-	-	-	1	4	12	24	24	29
White	67	-	-	-	-	-	7	6	11	23	15	5	86	-	-	-	-	-	1	3	11	23	21	27
All other	6	-	-	-	-	-	1	1	1	1	2	-	8	-	-	-	-	-	-	1	1	1	3	2
Black	6	-	-	-	-	-	1	1	1	1	2	-	8	-	-	-	-	-	-	1	1	1	3	2
Hypertensive heart and renal disease (404)	9	-	-	-	-	-	-	-	1	1	4	3	18	-	-	-	-	-	-	-	-	1	9	6
White	8	-	-	-	-	-	-	-	1	1	3	3	14	-	-	-	-	-	-	-	-	1	8	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Ischemic heart disease (410-414)	2,713	-	-	-	-	10	47	210	512	826	749	358	2,269	-	-	-	1	1	10	49	221	532	780	675
White	2,611	-	-	-	-	9	47	207	497	795	719	337	2,173	-	-	-	1	1	9	47	206	514	749	646
All other	102	-	-	-	-	1	-	3	15	31	30	22	96	-	-	-	-	-	1	2	15	18	31	29
Black	100	-	-	-	-	1	-	3	15	30	29	22	96	-	-	-	-	-	1	2	15	18	31	29
Acute myocardial infarction (410)	1,602	-	-	-	-	8	34	153	347	523	395	142	1,186	-	-	-	-	1	8	39	158	339	418	223
White	1,552	-	-	-	-	7	34	153	337	507	380	134	1,141	-	-	-	-	1	7	37	150	329	406	211
All other	50	-	-	-	-	1	-	-	10	16	15	8	45	-	-	-	-	-	1	2	8	10	12	12
Black	48	-	-	-	-	1	-	-	10	15	14	8	45	-	-	-	-	-	1	2	8	10	12	12
Other acute and subacute forms of ischemic heart disease (411)	13	-	-	-	-	-	1	-	5	6	1	-	5	-	-	-	-	-	-	-	1	1	2	1
White	13	-	-	-	-	-	1	-	5	6	1	-	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	1	-	2	2	1	5	-	-	-	-	-	-	-	-	3	1	1
White	6	-	-	-	-	-	-	1	-	2	2	1	5	-	-	-	-	-	-	-	-	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,092	-	-	-	-	2	12	56	160	295	351	216	1,073	-	-	-	1	-	2	10	62	169	359	450
White	1,040	-	-	-	-	2	12	53	155	280	336	202	1,022	-	-	-	1	-	2	10	55	161	340	433
All other	52	-	-	-	-	-	-	3	5	15	15	14	51	-	-	-	-	-	-	-	7	8	19	17
Black	52	-	-	-	-	-	-	3	5	15	15	14	51	-	-	-	-	-	-	-	7	8	19	17
Other diseases of endocardium (424)	27	-	-	-	-	1	-	1	4	9	10	3	50	-	-	-	-	1	1	1	3	13	17	14
White	26	-	-	-	-	1	-	1	4	7	10	3	46	-	-	-	-	1	1	1	3	13	13	14
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	4	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	4	-
All other forms of heart disease (415-423,425-429)	1,213	7	-	1	1	10	23	67	228	309	337	230	1,230	-	-	-	4	6	7	36	112	219	401	443
White	1,164	6	-	1	1	9	22	63	220	298	324	220	1,159	-	-	-	4	6	6	34	98	210	375	426
All other	49	1	-	-	-	1	1	4	8	11	13	10	71	-	-	-	-	-	1	4	14	9	26	17
Black	49	1	-	-	-	1	1	4	8	11	13	10	71	-	-	-	-	-	1	4	14	9	26	17
Hypertension with or without renal disease (401,403)	29	-	-	-	-	-	1	1	6	8	10	3	28	-	-	-	-	-	-	1	2	5	10	10
White	28	-	-	-	-	-	1	1	6	6	9	3	25	-	-	-	-	-	-	1	2	5	8	9
All other	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Cerebrovascular diseases (430-438)	547	-	-	-	-	6	9	24	59	114	228	107	817	-	-	-	2	4	6	19	56	129	293	308
White	513	-	-	-	-	5	7	23	54	110	216	98	769	-	-	-	2	4	5	18	54	121	282	303
All other	34	-	-	-	-	1	2	1	5	4	12	9	28	-	-	-	-	-	1	1	2	8	11	5
Black	34	-	-	-	-	1	2	1	5	4	12	9	28	-	-	-	-	-	1	1	2	8	11	5
Intracerebral and other intracranial hemorrhage (431-432)	67	-	-	-	-	1	6	3	13	11	28	5	91	-	-	-	1	2	1	5	14	23	31	14
White	63	-	-	-	-	1	5	3	12	10	27	5	87	-	-	-	1	2	-	4	14	22	30	14
All other	4	-	-	-	-	-	1	-	1	1	1	-	4	-	-	-	-	-	1	1	-	1	1	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	4	-	-	-	-	-	1	1	-	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	87	-	-	-	-	1	-	2	5	25	35	19	147	-	-	-	-	-	1	4	12	22	55	53
White	79	-	-	-	-	1	-	2	5	24	32	15	139	-	-	-	-	-	1	4	11	21	51	51
All other	8	-	-	-	-	-	-	-	-	1	3	4	8	-	-	-	-	-	-	-	1	1	4	2
Black	8	-	-	-	-	-	-	-	-	1	3	4	8	-	-	-	-	-	-	-	1	1	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	-	-	-	3	2
White	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	389	-	-	-	-	4	3	19	40	78	183	82	574	-	-	-	1	2	4	10	30	84	204	239
White	367	-	-	-	-	3	2	18	36	76	155	77	558	-	-	-	1	2	4	10	29	78	198	236
All other	22	-	-	-	-	1	1	1	4	2	8	5	16	-	-	-	-	-	-	-	1	6	6	3
Black	22	-	-	-	-	1	1	1	4	2	8	5	16	-	-	-	-	-	-	-	1	6	6	3
Atherosclerosis (440)	82	-	-	-	-	-	1	-	6	16	38	21	110	-	-	-	-	-	-	-	3	7	41	59
White	81	-	-	-	-	-	1	-	6	16	37	21	107	-	-	-	-	-	-	-	3	7	39	58
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Other diseases of arteries, arterioles, and capillaries (441-448)	124	1	-	-	-	-	1	2	13	45	41	21	91	-	-	-	1	-	-	5	8	29	27	21
White	124	1	-	-	-	-	1	2	13	45	41	21	86	-	-	-	1	-	-	5	8	28	25	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	2	2
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	1	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	1	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	318	3	3	1	1	1	5	10	26	71	101	96	281	-	-	1	-	1	1	2	9	46	100	121
White	309	3	3	1	1	1	5	9	26	68	99	93	272	-	-	1	-	1	1	2	8	46	97	116
All other	9	-	-	-	-	-	-	1	-	3	2	3	9	-	-	-	-	-	-	-	1	-	3	5
Black	9	-	-	-	-	-	-	1	-	3	2	3	9	-	-	-	-	-	-	-	1	-	3	5
Pneumonia (480-486)	314	3	3	1	1	1	5	10	26	70	99	95	274	-	-	1	-	1	1	2	8	42	100	119
White	306	3	3	1	1	1	5	9	26	67	98	92	265	-	-	1	-	1	1	2	7	42	97	114
All other	8	-	-	-	-	-	-	1	-	3	1	3	9	-	-	-	-	-	-	-	1	-	3	5
Black	8	-	-	-	-	-	-	1	-	3	1	3	9	-	-	-	-	-	-	-	1	-	3	5
Influenza (487)	4	-	-	-	-	-	-	-	-	1	2	1	7	-	-	-	-	-	-	-	1	4	-	2
White	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	1	4	-	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	527	1	-	1	-	-	4	17	64	190	181	69	288	1	-	1	-	1	1	5	52	102	96	29
White	508	1	-	1	-	-	4	15	60	183	176	68	285	1	-	1	-	1	1	5	52	100	95	29
All other	19	-	-	-	-	-	-	2	4	7	5	1	3	-	-	-	-	-	-	-	-	2	1	-
Black	19	-	-	-	-	-	-	2	4	7	5	1	3	-	-	-	-	-	-	-	-	2	1	-
Bronchitis, chronic and unspecified (490-491)	37	1	-	-	-	-	-	2	6	14	9	5	18	-	-	-	-	-	-	1	2	4	7	4
White	37	1	-	-	-	-	-	2	6	14	9	5	17	-	-	-	-	-	-	1	2	3	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	81	-	-	-	-	-	1	4	9	33	26	8	46	-	-	-	-	-	1	2	8	23	10	2
White	77	-	-	-	-	-	1	3	9	30	26	8	45	-	-	-	-	-	1	2	8	22	10	2
All other	4	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	13	-	-	1	-	-	2	1	2	3	2	2	23	1	-	1	-	1	-	-	6	8	5	1
White	12	-	-	1	-	-	2	-	2	3	2	2	23	1	-	1	-	1	-	-	6	8	5	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	396	-	-	-	-	-	1	10	47	140	144	54	201	-	-	-	-	-	-	2	36	67	74	22
White	382	-	-	-	-	-	1	10	43	138	139	53	200	-	-	-	-	-	-	2	36	67	73	22
All other	14	-	-	-	-	-	-	-	4	4	5	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	14	-	-	-	-	-	-	-	4	4	5	1	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	28	-	-	-	-	-	1	3	5	7	7	5	19	-	-	-	-	-	-	-	-	3	9	7
White	28	-	-	-	-	-	1	3	5	7	7	5	17	-	-	-	-	-	-	-	-	2	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Appendicitis (540-543)	4	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	1	-	1	-	-
White	4	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	-	-	-	-	-	-	-	3	1	8	4	27	2	-	-	-	1	-	-	1	5	9	9
White	16	-	-	-	-	-	-	-	3	1	8	4	27	2	-	-	-	1	-	-	1	5	9	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	133	-	-	-	-	3	11	33	41	33	11	1	62	-	-	-	-	-	3	8	15	20	13	3
White	121	-	-	-	-	2	9	29	37	33	10	1	60	-	-	-	-	-	2	8	14	20	13	3
All other	12	-	-	-	-	1	2	4	4	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	12	-	-	-	-	1	2	4	4	-	1	-	2	-	-	-	-	-	1	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	-	-	1	-	-	-	-	2	6	4	22	-	-	-	-	-	-	1	1	2	7	11
White	13	-	-	-	1	-	-	-	-	2	6	4	22	-	-	-	-	-	-	1	1	2	7	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	113	-	-	-	-	3	3	5	15	30	33	24	104	-	-	-	1	-	2	2	11	20	37	31
White	103	-	-	-	-	3	2	5	14	28	30	21	95	-	-	-	1	-	2	2	10	18	33	29
All other	10	-	-	-	-	-	1	-	1	2	3	3	9	-	-	-	-	-	-	-	1	2	4	2
Black	10	-	-	-	-	-	1	-	1	2	3	3	9	-	-	-	-	-	-	-	1	2	4	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	-	-	1	2	10	-	-	-	-	-	-	-	1	-	4	5
White	2	-	-	-	-	-	-	-	-	-	-	2	10	-	-	-	-	-	-	-	1	-	4	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	107	-	-	-	-	3	3	5	14	28	32	22	94	-	-	-	1	-	2	2	10	20	33	26
White	98	-	-	-	-	3	2	5	13	26	30	19	85	-	-	-	1	-	2	2	9	18	29	24
All other	9	-	-	-	-	-	1	-	1	2	2	3	9	-	-	-	-	-	-	-	1	2	4	2
Black	9	-	-	-	-	-	1	-	1	2	2	3	9	-	-	-	-	-	-	-	1	2	4	2
Infections of kidney (590)	5	-	-	-	-	-	-	-	-	1	1	3	13	-	-	-	-	-	-	-	-	-	4	9
White	4	-	-	-	-	-	-	-	-	1	1	2	12	-	-	-	-	-	-	-	-	-	4	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	-	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	62	42	2	5	3	1	2	1	3	2	1	-	42	24	3	-	2	2	2	-	2	4	1	2
White	61	41	2	5	3	1	2	1	3	2	1	-	41	24	3	-	2	2	1	-	2	4	1	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	73	73	-	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
White	66	66	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
All other	7	7	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	29	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	44	44	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
White	39	39	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	92	15	-	-	1	2	1	5	14	24	14	16	84	17	1	-	1	1	2	3	4	15	19	21
White	89	15	-	-	1	1	1	4	14	23	14	16	81	15	1	-	1	1	2	3	4	14	19	21
All other	3	-	-	-	-	1	-	1	-	1	-	-	3	2	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	1	-	1	-	1	-	-	3	2	-	-	-	-	-	-	-	1	-	-
All other diseases (Residual)	719	8	2	5	16	23	28	48	103	184	195	107	652	5	2	2	6	6	17	18	69	133	219	175
White	684	8	2	5	15	20	27	44	97	178	185	103	622	5	2	2	6	6	16	16	64	126	207	172
All other	35	-	-	-	1	3	1	4	6	6	10	4	30	-	-	-	-	-	1	2	5	7	12	3
Black	35	-	-	-	1	3	1	4	6	6	10	4	30	-	-	-	-	-	1	2	5	7	12	3
Accidents and adverse effects (E800-E949)	614	2	11	31	139	114	78	54	54	49	57	25	282	5	7	12	41	37	17	17	20	43	44	39
White	587	1	11	31	135	105	76	50	52	49	54	23	262	5	5	12	36	34	16	15	19	42	41	37
All other	27	1	-	-	4	9	2	4	2	-	3	2	20	-	2	-	5	3	1	2	1	1	3	2
Black	26	1	-	-	4	9	2	3	2	-	3	2	19	-	2	-	5	3	1	1	1	1	3	2
Motor vehicle accidents (E810-E825)	306	1	6	14	97	77	41	22	22	8	15	3	137	1	5	5	35	31	16	12	10	15	5	2
White	293	1	6	14	95	71	41	20	21	8	14	2	125	1	4	5	31	28	15	11	9	15	4	2
All other	13	-	-	-	2	6	-	2	1	-	1	1	12	-	1	-	4	3	1	1	1	-	1	-
Black	12	-	-	-	2	6	-	1	1	-	1	1	11	-	1	-	4	3	1	-	1	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	308	1	5	17	42	37	37	32	32	41	42	22	145	4	2	7	6	6	1	5	10	28	39	37
White	294	-	5	17	40	34	35	30	31	41	40	21	137	4	1	7	5	6	1	4	10	27	37	35
All other	14	1	-	-	2	3	2	2	1	-	2	1	8	-	1	-	1	-	-	1	-	1	2	2
Black	14	1	-	-	2	3	2	2	1	-	2	1	8	-	1	-	1	-	-	1	-	1	2	2
Suicide (E950-E959)	194	...	...	-	28	40	24	26	21	29	21	5	59	...	...	-	9	6	13	13	8	6	4	-
White	191	...	...	-	27	39	23	26	21	29	21	5	58	...	...	-	9	6	13	13	7	6	4	-
All other	3	...	...	-	1	1	1	-	-	-	-	-	1	...	...	-	-	-	-	-	1	-	-	-
Black	2	...	...	-	-	1	1	-	-	-	-	-	1	...	...	-	-	-	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	74	-	-	4	17	21	15	9	4	1	3	-	13	-	-	1	1	6	-	1	2	1	-	1
White	62	-	-	4	15	17	11	8	4	1	2	-	12	-	-	1	1	6	-	1	1	1	-	1
All other	12	-	-	-	2	4	4	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	12	-	-	-	2	4	4	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other external causes (E980-E999)	13	1	-	-	-	2	6	1	3	-	-	-	6	1	-	-	1	-	-	1	-	3	-	-
White	12	-	-	-	-	2	6	1	3	-	-	-	5	1	-	-	-	-	-	1	-	3	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
WISCONSIN																								
All causes	21,704	417	81	87	502	455	600	1,108	3,047	5,532	6,138	3,737	19,788	257	45	53	159	210	334	662	1,760	3,737	5,926	6,645
White	20,940	351	68	75	467	405	543	1,010	2,901	5,376	6,049	3,693	19,205	207	40	47	147	179	293	617	1,664	3,632	5,797	6,582
All other	764	66	13	12	35	50	57	98	146	154	89	44	583	50	5	6	12	31	41	45	96	105	129	63
Black	618	56	12	10	28	43	45	87	117	126	66	28	457	43	5	6	8	21	32	36	77	69	105	55
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	-	-	1	-	-	1	-
White	2	1	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	1	-	-	1	2	3	5	2	13	-	-	1	-	-	-	1	2	4	4	1
White	11	-	-	-	-	-	-	1	1	3	4	2	11	-	-	1	-	-	-	1	1	4	3	1
All other	3	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	-	1	1	2	4	2	11	-	-	-	-	-	-	1	2	4	3	1
White	8	-	-	-	-	-	-	1	-	2	3	2	10	-	-	-	-	-	-	1	1	4	3	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Other tuberculosis (013-018)	4	-	-	-	1	-	-	-	1	1	1	-	2	-	-	1	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	123	1	1	-	-	-	2	4	19	25	37	34	124	-	-	1	-	1	-	1	8	19	37	57
White	116	1	1	-	-	-	2	4	15	24	37	32	120	-	-	1	-	1	-	1	7	16	37	57
All other	7	-	-	-	-	-	-	-	4	1	-	2	4	-	-	-	-	-	-	-	1	3	-	-
Black	4	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	1	1	-	1	-	2	-	5	-	-	-	-	1	-	-	1	2	-	1
White	5	-	-	-	-	1	1	-	1	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	56	3	-	1	2	3	2	3	12	16	5	9	47	-	1	1	-	4	2	3	1	13	9	13
White	49	2	-	1	2	1	2	3	10	14	5	9	46	-	1	1	-	3	2	3	1	13	9	13
All other	7	1	-	-	-	2	-	-	2	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	6	1	-	-	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,954	3	7	11	32	55	117	333	957	1,607	1,326	506	4,336	-	2	9	23	46	121	317	808	1,255	1,163	592
White	4,797	3	7	9	31	53	107	307	918	1,556	1,305	501	4,223	-	1	9	21	43	114	301	778	1,230	1,141	585
All other	157	-	-	2	1	2	10	26	39	51	21	5	113	-	1	-	2	3	7	16	30	25	22	7
Black	132	-	-	2	-	2	7	25	34	40	19	3	83	-	1	-	1	3	6	12	24	13	19	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	110	-	-	-	-	-	1	19	38	31	14	7	47	-	-	-	-	-	2	4	10	15	10	6
White	107	-	-	-	-	-	-	19	37	30	14	7	46	-	-	-	-	-	2	4	10	15	9	6
All other	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,320	-	-	1	-	6	32	88	256	441	365	131	1,178	-	-	-	1	1	8	52	169	343	380	224
White	1,263	-	-	1	-	5	26	82	238	424	358	129	1,151	-	-	-	1	1	8	48	162	336	373	222
All other	57	-	-	-	-	1	6	6	18	17	7	2	27	-	-	-	-	-	-	4	7	7	7	2
Black	46	-	-	-	-	1	4	6	16	11	7	1	18	-	-	-	-	-	-	3	5	4	6	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,477	-	-	-	-	6	28	117	360	536	353	77	638	-	-	-	-	2	16	67	174	215	119	45
White	1,423	-	-	-	-	6	26	106	343	520	345	77	617	-	-	-	-	1	14	65	165	209	118	45
All other	54	-	-	-	-	-	2	11	17	16	8	-	21	-	-	-	-	1	2	2	9	6	1	-
Black	46	-	-	-	-	-	2	10	14	13	7	-	16	-	-	-	-	1	2	2	7	3	1	-
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	-	1	-	3	3	-	831	-	-	-	-	12	49	88	172	237	180	93
White	7	-	-	-	-	-	-	1	-	3	3	-	810	-	-	-	-	11	45	85	166	235	176	92
All other	-	-	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-	1	4	3	6	2	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	1	3	2	5	1	3	-
Malignant neoplasms of genital organs (179-187)	587	-	-	-	1	3	5	3	40	157	226	152	457	-	-	-	4	4	16	35	102	140	110	46
White	572	-	-	-	1	3	4	3	40	149	222	150	443	-	-	-	4	4	16	33	97	137	108	44
All other	15	-	-	-	-	-	1	-	-	8	4	2	14	-	-	-	-	-	-	2	5	3	2	2
Black	12	-	-	-	-	-	-	-	-	8	3	1	12	-	-	-	-	-	-	1	5	2	2	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	314	1	-	1	-	-	4	19	33	99	101	56	173	-	-	-	-	-	3	11	21	39	70	29
White	310	1	-	-	-	-	4	18	32	98	101	56	170	-	-	-	-	-	3	11	20	38	69	29
All other	4	-	-	1	-	-	-	1	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	4	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	669	2	3	8	13	29	27	56	140	206	135	50	584	-	2	6	12	12	15	42	98	157	159	81
White	654	2	3	7	13	28	27	52	140	199	134	49	565	-	1	6	11	12	14	38	96	154	154	79
All other	15	-	-	1	-	1	-	4	-	7	1	1	19	-	1	-	1	-	1	4	2	3	5	2
Black	14	-	-	1	-	1	-	4	-	6	1	1	16	-	1	-	1	-	1	3	2	2	4	2
Leukemia (204-208)	198	-	3	1	7	2	10	12	34	56	58	15	168	-	-	2	2	12	8	7	22	33	48	34
White	195	-	3	1	6	2	10	11	33	56	58	15	165	-	-	2	1	11	8	7	22	32	48	34
All other	3	-	-	-	1	-	-	1	1	-	-	-	3	-	-	-	1	1	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	272	-	1	-	11	9	10	16	56	78	71	18	260	-	-	1	4	3	4	11	40	76	87	34
White	266	-	1	-	11	9	10	15	55	77	70	18	256	-	-	1	4	3	4	10	40	74	86	34
All other	6	-	-	-	-	-	-	3	1	1	1	-	4	-	-	-	-	-	-	1	-	2	1	-
Black	5	-	-	-	-	-	-	3	1	-	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	26	-	-	-	-	-	1	-	5	6	6	8	62	-	-	1	-	2	2	1	6	9	20	21
White	26	-	-	-	-	-	1	-	5	6	6	8	60	-	-	1	-	1	2	1	5	9	20	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Diabetes mellitus (250)	320	-	-	1	-	6	9	20	53	83	104	44	438	-	-	-	-	1	7	12	40	126	143	109
White	304	-	-	1	-	6	8	16	51	81	99	42	421	-	-	-	-	1	6	12	38	120	136	108
All other	16	-	-	-	-	-	1	4	2	2	5	2	17	-	-	-	-	-	1	-	2	6	7	1
Black	10	-	-	-	-	-	1	4	-	1	2	2	11	-	-	-	-	-	1	-	-	5	4	1
Nutritional deficiencies (260-269)	32	1	-	-	-	1	-	-	1	2	7	20	53	-	-	-	-	-	-	-	1	4	14	34
White	31	1	-	-	-	-	-	-	1	2	7	20	50	-	-	-	-	-	-	-	-	4	12	34
All other	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Anemias (280-285)	33	-	1	-	-	1	-	1	1	6	10	13	45	-	-	1	-	-	2	-	2	3	21	16
White	30	-	1	-	-	-	-	1	1	5	9	13	45	-	-	1	-	-	2	-	2	3	21	16
All other	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	7	1	4	-	-	-	2	-	-	-	-	-	9	-	2	1	-	1	1	-	1	1	1	1
White	5	1	2	-	-	-	2	-	-	-	-	-	8	-	2	1	-	-	1	-	1	1	1	1
All other	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,361	15	3	3	18	34	164	447	1,404	2,760	3,359	2,156	10,356	9	1	2	9	15	54	174	575	1,653	3,423	4,441
White	10,122	13	2	3	14	28	156	417	1,343	2,695	3,316	2,135	10,125	5	1	2	7	12	45	159	537	1,604	3,351	4,402
All other	239	2	1	-	2	6	8	30	61	65	43	21	231	4	-	-	2	3	9	15	38	49	72	39
Black	196	2	1	-	2	6	7	27	51	53	34	13	190	3	-	-	2	2	9	14	31	34	58	37
Diseases of heart (390-398,402,404-429)	8,388	13	3	2	12	28	143	388	1,225	2,307	2,638	1,629	7,722	9	1	2	7	12	37	135	458	1,281	2,577	3,205
White	8,196	11	2	2	10	25	135	363	1,173	2,255	2,608	1,612	7,542	5	1	2	5	10	30	123	421	1,245	2,525	3,175
All other	192	2	1	-	2	3	8	25	52	52	30	17	180	4	-	-	2	2	7	12	35	36	52	30
Black	160	2	1	-	2	3	7	23	43	43	24	12	147	3	-	-	2	1	7	11	29	26	40	28
Rheumatic fever and rheumatic heart disease (390-398)	45	-	-	-	-	-	1	3	7	13	16	5	85	-	-	-	-	1	1	3	9	27	24	20
White	43	-	-	-	-	-	1	3	6	12	16	5	82	-	-	-	-	1	1	3	9	27	23	18
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Hypertensive heart disease (402)	125	-	-	-	-	2	7	12	29	28	30	17	184	-	-	-	-	-	3	5	19	28	51	58
White	104	-	-	-	-	1	7	6	24	23	26	17	151	-	-	-	-	-	1	4	14	27	47	58
All other	21	-	-	-	-	1	-	6	5	5	4	-	13	-	-	-	-	-	2	1	5	1	4	-
Black	19	-	-	-	-	1	-	6	5	5	2	-	11	-	-	-	-	-	2	1	5	-	3	-
Hypertensive heart and renal disease (404)	21	-	-	-	-	-	-	1	2	6	8	4	33	-	-	-	-	-	-	-	-	3	10	20
White	18	-	-	-	-	-	-	-	1	5	8	4	32	-	-	-	-	-	-	-	-	2	10	20
All other	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	6,540	-	-	-	3	14	106	298	976	1,870	2,072	1,201	5,599	-	-	-	-	2	14	90	306	990	1,951	2,246
White	6,424	-	-	-	2	13	102	286	944	1,835	2,054	1,188	5,482	-	-	-	-	1	12	83	286	962	1,914	2,224
All other	116	-	-	-	1	1	4	12	32	35	18	13	117	-	-	-	-	1	2	7	20	28	37	22
Black	99	-	-	-	1	1	3	11	24	27	15	11	95	-	-	-	-	1	2	6	15	21	30	20
Acute myocardial infarction (410)	3,549	-	-	-	-	10	74	191	606	1,097	1,100	471	2,537	-	-	-	-	1	5	59	196	584	969	723
White	3,502	-	-	-	-	9	71	183	592	1,083	1,095	469	2,488	-	-	-	-	1	4	54	188	570	954	717
All other	47	-	-	-	-	1	3	8	14	14	5	2	49	-	-	-	-	-	1	5	8	14	15	6
Black	32	-	-	-	-	1	2	8	8	8	4	1	37	-	-	-	-	-	1	4	5	9	13	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	-	2	6	11	7	2	22	-	-	-	-	-	1	-	-	9	8	4
White	26	-	-	-	-	-	-	2	5	10	7	2	19	-	-	-	-	-	1	-	-	7	7	4
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	1	2	2	1	16	-	-	-	-	-	-	-	-	2	9	5
White	6	-	-	-	-	-	-	-	1	2	2	1	16	-	-	-	-	-	-	-	-	2	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,957	-	-	-	3	4	32	105	363	760	963	727	3,024	-	-	-	-	1	8	31	110	395	965	1,514
White	2,880	-	-	-	2	4	31	101	346	740	950	716	2,959	-	-	-	-	-	7	29	98	383	944	1,498
All other	67	-	-	-	1	-	1	4	17	20	13	11	65	-	-	-	-	1	1	2	12	12	21	16
Black	59	-	-	-	1	-	1	3	15	18	11	10	55	-	-	-	-	1	1	2	10	10	16	15
Other diseases of endocardium (424)	93	-	-	-	1	1	1	5	11	26	28	20	133	2	-	-	-	2	2	-	8	17	50	52
White	91	-	-	-	-	1	1	5	10	26	28	20	129	1	-	-	-	2	1	-	7	16	50	52
All other	2	-	-	-	1	-	-	-	1	-	-	-	4	1	-	-	-	-	1	-	1	1	-	-
Black	2	-	-	-	1	-	-	-	1	-	-	-	3	1	-	-	-	-	1	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	1,584	13	3	2	8	11	28	69	200	364	484	382	1,708	7	1	2	7	7	17	37	114	216	491	809
White	1,516	11	2	2	8	10	24	63	188	354	476	378	1,666	4	1	2	5	6	15	33	105	211	481	803
All other	48	2	1	-	-	1	4	6	12	10	8	4	42	3	-	-	2	1	2	4	9	5	10	6
Black	41	2	1	-	-	1	4	5	11	9	7	1	36	2	-	-	2	-	2	4	9	4	7	6
Hypertension with or without renal disease (401,403)	76	1	-	-	-	1	-	4	12	13	28	17	83	-	-	-	-	-	1	3	4	9	35	31
White	72	1	-	-	-	1	-	4	11	11	27	17	79	-	-	-	-	-	1	2	4	8	34	30
All other	4	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	1	-	1	1	1
Black	4	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	1	-	1	1	1
Cerebrovascular diseases (430-438)	1,328	1	-	1	2	5	15	43	99	295	511	356	2,006	-	-	-	1	3	15	31	95	288	668	905
White	1,288	1	-	1	2	2	15	38	92	284	501	352	1,969	-	-	-	1	2	14	29	92	279	653	899
All other	40	-	-	-	-	3	-	5	7	11	10	4	37	-	-	-	-	1	1	2	3	9	15	6
Black	30	-	-	-	-	3	-	4	6	8	8	1	30	-	-	-	-	1	1	2	2	5	13	6
Intracerebral and other intracranial hemorrhage (431-432)	152	-	-	1	-	2	3	11	22	49	41	23	217	-	-	-	-	-	2	11	29	56	73	46
White	144	-	-	1	-	1	3	9	20	48	40	22	212	-	-	-	-	-	2	11	28	54	71	46
All other	8	-	-	-	-	1	-	2	2	1	1	1	5	-	-	-	-	-	-	-	1	2	2	-
Black	7	-	-	-	-	1	-	2	2	1	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	163	1	-	-	-	-	-	4	11	42	55	50	285	-	-	-	-	-	-	1	9	41	100	134
White	158	1	-	-	-	-	-	4	11	40	53	49	282	-	-	-	-	-	-	1	9	41	98	133
All other	5	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	-	2	3	2	8	-	-	-	-	-	-	-	1	2	1	4
White	7	-	-	-	-	-	-	-	-	2	3	2	8	-	-	-	-	-	-	-	1	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,006	-	-	-	2	3	12	28	66	202	412	281	1,496	-	-	-	1	3	13	19	56	189	494	721
White	979	-	-	-	2	1	12	25	61	194	405	279	1,467	-	-	-	1	2	12	17	54	182	483	716
All other	27	-	-	-	-	2	-	3	5	8	7	2	29	-	-	-	-	1	1	2	2	7	11	5
Black	20	-	-	-	-	2	-	2	4	5	6	1	23	-	-	-	-	1	1	2	1	3	10	5
Atherosclerosis (440)	236	-	-	-	-	-	1	4	17	39	73	102	352	-	-	-	-	-	-	2	2	29	83	236
White	235	-	-	-	-	-	1	4	17	39	72	102	344	-	-	-	-	-	-	2	2	26	79	235
All other	1	-	-	-	-	-	-	-	-	-	1	-	8	-	-	-	-	-	-	-	-	3	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	2	4	1
Other diseases of arteries, arterioles, and capillaries (441-448)	333	-	-	-	2	-	5	8	51	106	109	52	193	-	-	-	1	-	1	3	18	46	60	64
White	331	-	-	-	2	-	5	8	50	106	108	52	191	-	-	-	1	-	-	3	18	46	60	63
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Acute bronchitis and bronchiolitis (466)	5	1	-	-	-	-	-	-	-	-	3	1	6	-	1	-	-	-	-	-	-	-	1	4
White	5	1	-	-	-	-	-	-	-	-	3	1	5	-	-	-	-	-	-	-	-	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	731	5	4	-	3	5	4	14	44	109	234	309	711	5	2	-	3	4	7	5	24	61	189	411
White	711	3	1	-	3	5	4	10	41	107	230	307	691	3	2	-	3	2	5	5	21	58	186	408
All other	20	2	3	-	-	-	-	4	3	2	4	2	20	2	-	-	-	2	2	-	3	3	3	5
Black	15	2	3	-	-	-	-	3	3	1	1	2	16	2	-	-	-	2	1	-	3	2	3	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	706	5	4	-	3	5	4	13	44	104	228	296	680	5	2	-	3	4	7	5	23	60	181	390
White	686	3	1	-	3	5	4	9	41	102	224	294	660	3	2	-	3	2	5	5	20	57	178	385
All other	20	2	3	-	-	-	-	4	3	2	4	2	20	2	-	-	-	2	2	-	3	3	3	5
Black	15	2	3	-	-	-	-	3	3	1	1	2	16	2	-	-	-	2	1	-	3	2	3	3
Influenza (487)	25	-	-	-	-	-	-	1	-	5	6	13	31	-	-	-	-	-	-	-	1	1	8	21
White	25	-	-	-	-	-	-	1	-	5	6	13	31	-	-	-	-	-	-	-	1	1	8	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	887	1	-	1	3	1	1	14	90	309	327	140	413	-	-	-	1	1	3	12	46	134	153	63
White	864	1	-	1	1	1	1	11	84	300	324	140	405	-	-	-	1	1	2	12	44	130	153	62
All other	23	-	-	-	2	-	-	3	6	9	3	-	8	-	-	-	-	-	1	-	2	4	-	1
Black	21	-	-	-	2	-	-	3	4	9	3	-	6	-	-	-	-	-	1	-	2	2	-	1
Bronchitis, chronic and unspecified (490-491)	27	1	-	-	-	1	-	-	2	9	7	7	23	-	-	-	1	-	1	1	2	6	10	2
White	27	1	-	-	-	1	-	-	2	9	7	7	22	-	-	-	1	-	-	1	2	6	10	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Emphysema (492)	177	-	-	-	-	-	-	2	27	67	53	18	82	-	-	-	-	-	-	2	12	26	32	10
White	172	-	-	-	-	-	-	1	25	65	53	18	79	-	-	-	-	-	-	2	11	25	32	9
All other	5	-	-	-	-	-	-	1	2	2	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	4	-	-	-	-	-	-	1	1	2	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Asthma (493)	35	-	-	1	3	-	1	3	5	8	8	6	28	-	-	-	-	1	1	2	4	4	9	7
White	31	-	-	1	1	-	1	2	4	8	8	6	28	-	-	-	-	1	1	2	4	4	9	7
All other	4	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	648	-	-	-	-	-	-	9	56	225	249	109	280	-	-	-	-	-	1	7	28	98	102	44
White	634	-	-	-	-	-	-	8	53	218	246	109	276	-	-	-	-	-	1	7	27	95	102	44
All other	14	-	-	-	-	-	-	1	3	7	3	-	4	-	-	-	-	-	-	-	1	3	-	-
Black	13	-	-	-	-	-	-	1	2	7	3	-	2	-	-	-	-	-	-	-	1	1	-	-
Ulcer of stomach and duodenum (531-533)	49	-	-	-	1	-	1	3	5	8	19	12	67	-	-	-	-	-	-	-	6	8	27	26
White	49	-	-	-	1	-	1	3	5	8	19	12	65	-	-	-	-	-	-	-	5	8	26	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Appendicitis (540-543)	8	-	1	-	-	-	-	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	1
White	7	-	-	-	-	-	-	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	39	-	-	-	-	-	1	-	3	7	15	13	83	1	-	-	-	-	2	-	2	9	22	47
White	39	-	-	-	-	-	1	-	3	7	15	13	80	1	-	-	-	-	2	-	2	9	20	46
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Chronic liver disease and cirrhosis (571)	264	-	-	-	1	2	19	41	96	61	37	7	165	-	1	-	1	10	12	20	40	56	20	5
White	250	-	-	-	1	1	15	35	94	61	36	7	152	-	1	-	1	9	6	20	37	54	19	5
All other	14	-	-	-	-	1	4	6	2	-	1	-	13	-	-	-	-	1	6	-	3	2	1	-
Black	10	-	-	-	-	1	3	4	2	-	-	-	9	-	-	-	-	1	3	-	2	2	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	26	-	-	-	-	-	-	-	2	5	8	11	36	-	-	-	-	-	-	-	2	7	13	14
White	23	-	-	-	-	-	-	-	1	5	7	10	36	-	-	-	-	-	-	-	2	7	13	14
All other	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	187	3	-	-	1	3	5	3	17	43	62	50	210	-	-	-	-	1	2	4	16	45	73	67
White	176	2	-	-	1	3	3	3	15	38	62	49	201	-	-	-	-	1	1	3	15	44	71	66
All other	11	1	-	-	-	-	2	-	2	5	-	1	9	-	-	-	-	-	1	1	3	1	2	1
Black	10	1	-	-	-	-	2	-	1	5	-	1	9	-	-	-	-	-	1	1	3	1	2	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	1	-	2	1	4	3	26	-	-	-	-	-	-	1	3	7	10	5
White	11	-	-	-	-	-	1	-	2	1	4	3	24	-	-	-	-	-	-	-	2	7	10	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	174	3	-	-	1	3	4	3	15	40	58	47	182	-	-	-	-	1	2	3	15	38	63	60
White	163	2	-	-	1	3	2	3	13	35	58	46	175	-	-	-	-	1	1	3	13	37	61	59
All other	11	1	-	-	-	-	2	-	2	5	-	1	7	-	-	-	-	-	1	-	2	1	2	1
Black	10	1	-	-	-	-	2	-	1	5	-	1	7	-	-	-	-	-	1	-	2	1	2	1
Infections of kidney (590)	12	-	-	-	-	-	-	-	1	1	6	4	20	-	-	-	-	-	-	-	1	2	8	9
White	12	-	-	-	-	-	-	-	1	1	6	4	20	-	-	-	-	-	-	-	1	2	8	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	1	6	5	...	...	...	...	...	...	...	...	...	...	...	...
White	12	-	-	-	-	-	-	-	-	1	6	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-636)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	148	92	11	5	7	9	4	5	3	6	2	4	116	71	7	5	1	3	4	3	6	7	8	1
White	130	82	10	3	6	8	2	5	3	6	2	3	107	65	7	4	1	2	4	3	6	6	8	1
All other	18	10	1	2	1	1	2	-	-	-	-	1	9	6	-	1	-	1	-	-	-	1	-	-
Black	12	8	-	1	1	1	1	-	-	-	-	-	8	5	-	1	-	1	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	161	161	-	-	-	-	-	-	-	-	-	-	117	116	-	-	-	1	-	-	-	-	-	-
White	136	136	-	-	-	-	-	-	-	-	-	-	89	88	-	-	-	1	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	49	49	-	-	-	-	-	-	-	-	-	-	34	33	-	-	-	1	-	-	-	-	-	-
White	44	44	-	-	-	-	-	-	-	-	-	-	30	29	-	-	-	1	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	112	112	-	-	-	-	-	-	-	-	-	-	83	83	-	-	-	-	-	-	-	-	-	-
White	92	92	-	-	-	-	-	-	-	-	-	-	59	59	-	-	-	-	-	-	-	-	-	-
All other	20	20	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Black	18	18	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	143	95	1	-	4	4	4	4	7	9	5	10	85	39	4	-	-	4	3	2	1	4	4	24
White	116	76	1	-	3	3	2	3	6	9	4	9	72	31	3	-	-	2	3	1	1	3	4	24
All other	27	19	-	-	1	1	2	1	1	-	1	1	13	8	1	-	-	2	-	1	-	1	-	-
Black	20	15	-	-	1	1	1	-	1	-	-	1	10	7	1	-	-	2	-	-	-	-	-	-
All other diseases (Residual)	1,388	19	7	10	20	20	55	75	164	307	414	297	1,608	15	9	6	9	19	37	57	102	243	487	624
White	1,322	15	6	10	18	19	48	63	151	294	408	290	1,547	13	9	4	8	15	29	49	95	236	473	616
All other	66	4	1	-	2	1	7	12	13	13	6	7	61	2	-	2	1	4	8	8	7	7	14	8
Black	51	3	1	-	1	1	7	10	9	11	3	5	47	-	-	2	1	2	7	6	5	8	11	7
Accidents and adverse effects (E800-E949)	1,070	11	37	47	267	171	110	80	90	97	89	71	472	-	15	21	76	58	32	29	47	57	77	60
White	1,023	9	34	44	258	163	105	74	84	95	87	70	447	-	13	20	72	51	27	27	46	56	75	60
All other	47	2	3	3	9	8	5	6	6	2	2	1	25	-	2	1	4	7	5	2	1	1	2	-
Black	32	1	3	2	6	5	2	5	4	2	2	-	14	-	2	1	1	2	3	1	1	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Motor vehicle accidents (E810-E825)	530	3	8	23	206	94	63	33	37	34	23	6	243	-	5	14	60	39	24	17	29	32	21	2
White	507	3	7	21	200	90	59	31	34	34	22	6	230	-	5	13	57	35	22	16	28	32	20	2
All other	23	-	1	2	6	4	4	2	3	-	1	-	13	-	-	1	3	4	2	1	1	-	1	-
Black	13	-	1	1	3	2	2	1	2	-	1	-	5	-	-	1	1	-	1	-	1	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	540	8	28	24	61	77	47	47	53	63	66	65	229	-	10	7	16	19	8	12	18	25	56	58
White	516	6	27	23	58	73	46	43	50	61	65	64	217	-	8	7	15	16	5	11	18	24	55	58
All other	24	2	2	1	3	4	1	4	3	2	1	1	12	-	2	-	1	3	3	1	-	1	1	-
Black	19	1	2	1	3	3	-	4	2	2	1	-	9	-	2	-	-	2	2	1	-	1	1	-
Suicide (E950-E959)	485	...	...	2	116	96	71	44	54	52	41	9	126	...	...	1	20	23	31	14	18	12	6	1
White	468	...	...	2	110	92	66	43	53	52	41	9	124	...	...	1	20	23	30	14	18	11	6	1
All other	17	...	...	-	6	4	5	1	1	-	-	-	2	...	...	-	-	-	1	-	-	1	-	-
Black	11	...	...	-	4	3	3	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	119	2	3	4	20	35	21	15	10	5	4	-	41	-	-	-	12	11	8	5	1	2	1	1
White	69	2	3	1	11	14	12	10	8	4	4	-	32	-	-	-	9	8	8	3	-	2	1	1
All other	50	-	-	3	9	21	9	5	2	1	-	-	9	-	-	-	3	3	-	2	1	-	-	-
Black	47	-	-	3	9	18	9	5	2	1	-	-	9	-	-	-	3	3	-	2	1	-	-	-
All other external causes (E980-E999)	35	1	1	2	8	8	5	1	5	1	2	1	15	1	-	2	3	1	4	1	1	1	1	-
White	28	1	-	-	7	7	3	1	5	1	2	1	12	1	-	-	3	-	4	1	1	1	1	-
All other	7	-	1	2	1	1	2	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	-
Black	7	-	1	2	1	1	2	-	-	-	-	-	3	-	-	2	-	1	-	-	-	-	-	-
WYOMING																								
All causes	1,858	60	11	26	78	91	102	124	23[illegible]	419	475	240	1,421	54	10	8	26	34	34	67	147	266	370	405
White	1,797	57	11	24	66	80	97	123	223	413	465	237	1,394	51	10	8	26	34	32	66	139	260	367	401
All other	61	3	-	2	12	11	5	1	8	6	10	3	27	3	-	-	-	-	2	1	8	6	3	4
Black	15	1	-	-	1	2	-	-	2	4	5	-	10	-	-	-	-	-	1	-	2	2	2	3
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	9	-	1	-	-	-	1	-	-	3	4	-	11	-	2	-	-	-	-	-	2	1	5	1
White	8	-	1	-	-	-	1	-	-	2	4	-	11	-	2	-	-	-	-	-	2	1	5	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	-	-	1	-	-	2	-	2	1	-	-	4	-	1	1	-	-	-	-	-	-	2	-
White	6	-	-	1	-	-	2	-	2	1	-	-	4	-	1	1	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	314	-	1	4	2	1	10	25	54	102	88	27	279	1	2	-	1	11	10	24	60	69	67	34
White	308	-	1	4	2	1	9	25	53	101	85	27	274	1	2	-	1	11	9	24	58	68	67	33
All other	6	-	-	-	-	-	1	-	1	1	3	-	5	-	-	-	-	-	1	-	2	1	-	1
Black	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	2	1	1	1	1	5	-	-	-	-	-	1	1	1	-	1	1
White	6	-	-	-	-	-	-	2	1	1	1	1	5	-	-	-	-	-	1	1	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	75	-	-	-	-	-	3	9	9	32	22	6	62	-	-	-	-	1	-	4	8	17	20	12
White	73	-	-	-	-	-	3	3	9	31	21	6	62	-	-	-	-	1	-	4	8	17	20	12
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	93	-	-	-	-	-	3	13	18	31	25	3	47	-	-	-	-	-	2	3	14	16	6	6
White	92	-	-	-	-	-	3	13	18	31	24	3	47	-	-	-	-	-	2	3	14	16	6	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	52	-	-	-	-	2	2	6	15	6	15	6
White	-	-	-	-	-	-	-	-	-	-	-	-	51	-	-	-	-	2	1	6	15	6	15	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	35	-	-	-	1	-	-	2	2	8	18	4	35	-	-	-	-	3	-	5	9	9	8	1
White	34	-	-	-	1	-	-	2	2	8	17	4	35	-	-	-	-	3	-	5	9	9	8	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	20	-	-	-	-	-	2	1	6	6	4	1	4	-	-	-	-	-	-	1	1	-	2	-
White	19	-	-	-	-	-	1	1	6	6	4	1	3	-	-	-	-	-	-	1	-	-	2	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	55	-	1	2	-	-	-	4	11	17	11	9	42	1	1	-	1	3	3	2	6	11	10	4
White	54	-	1	2	-	-	-	4	10	17	11	9	39	1	1	-	1	3	3	2	5	10	10	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Leukemia (204-208)	12	-	-	2	-	-	-	-	4	3	2	1	17	-	1	-	-	2	1	-	4	5	2	2
White	12	-	-	2	-	-	-	-	4	3	2	1	17	-	1	-	-	2	1	-	4	5	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	-	-	-	1	1	2	-	3	4	5	2	15	-	-	-	-	-	1	2	2	5	3	2
White	18	-	-	-	1	1	2	-	3	4	5	2	15	-	-	-	-	-	1	2	2	5	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	-	3	1	-	1	1	2	4	-	-	-	-	-	-	-	2	1	-	1
White	8	-	-	-	-	-	3	1	-	1	1	2	4	-	-	-	-	-	-	-	2	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	15	-	-	-	-	1	-	1	2	4	6	1	35	-	-	-	-	-	2	3	5	10	10	5
White	15	-	-	-	-	1	-	1	2	4	6	1	32	-	-	-	-	-	1	3	3	10	10	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	2	-	-	1	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	3	-	2
White	2	-	-	1	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	3	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	735	2	-	-	-	7	27	40	110	186	235	128	608	2	-	-	-	1	8	16	40	98	192	251
White	720	2	-	-	-	6	26	39	106	183	232	126	598	2	-	-	-	1	8	15	37	97	190	248
All other	15	-	-	-	-	1	1	1	4	3	3	2	10	-	-	-	-	-	-	1	3	1	2	3
Black	4	-	-	-	-	-	-	-	-	2	2	-	6	-	-	-	-	-	-	-	1	1	1	3
Diseases of heart (390-398,402,404-429)	614	2	-	-	-	7	24	36	100	158	179	108	450	2	-	-	-	-	7	14	27	72	137	191
White	601	2	-	-	-	6	23	35	96	156	177	106	444	2	-	-	-	-	7	13	25	71	136	190
All other	13	-	-	-	-	1	1	1	4	2	2	2	6	-	-	-	-	-	-	1	2	1	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	1	2	-	1	10	-	-	-	-	-	-	2	1	1	3	3
White	4	-	-	-	-	-	-	-	1	2	-	1	9	-	-	-	-	-	-	1	1	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	8	-	-	-	-	1	1	-	2	1	1	2	8	-	-	-	-	-	-	-	-	1	2	5
White	8	-	-	-	-	1	1	-	2	1	1	2	8	-	-	-	-	-	-	-	-	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	442	-	-	-	-	2	22	31	77	126	120	64	276	-	-	-	-	-	4	6	19	49	89	109
White	433	-	-	-	-	2	21	30	74	124	119	63	272	-	-	-	-	-	4	6	17	48	89	108
All other	9	-	-	-	-	-	1	1	3	2	1	1	4	-	-	-	-	-	-	-	2	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Acute myocardial infarction (410)	267	-	-	-	-	1	18	18	52	82	68	28	155	-	-	-	-	-	3	5	14	33	44	56
White	261	-	-	-	-	1	17	17	51	80	68	27	153	-	-	-	-	-	3	5	13	32	44	56
All other	6	-	-	-	-	-	1	1	1	2	-	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	174	-	-	-	-	1	4	13	25	44	52	35	119	-	-	-	-	-	1	1	4	16	45	52
White	171	-	-	-	-	1	4	13	23	44	51	35	117	-	-	-	-	-	1	1	3	16	45	51
All other	3	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of endocardium (424)	13	-	-	-	-	-	-	-	1	3	6	3	10	-	-	-	-	-	-	1	-	2	3	4
White	12	-	-	-	-	-	-	-	1	3	6	2	10	-	-	-	-	-	-	1	-	2	3	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	147	2	-	-	-	4	1	5	19	26	52	38	144	2	-	-	-	-	3	5	7	19	40	60
White	144	2	-	-	-	3	1	5	18	26	51	38	143	2	-	-	-	-	3	5	7	19	39	68
All other	3	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	-	2	2	1	2	5	-	-	-	-	-	-	-	-	2	3	-
White	7	-	-	-	-	-	-	-	2	2	1	2	5	-	-	-	-	-	-	-	-	2	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	82	-	-	-	-	-	3	3	7	16	39	14	114	-	-	-	-	1	1	2	9	20	39	42
White	80	-	-	-	-	-	3	3	7	15	38	14	111	-	-	-	-	1	1	2	8	20	38	41
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Intracerebral and other intracranial hemorrhage (431-432)	13	-	-	-	-	-	2	-	4	3	4	-	12	-	-	-	-	1	-	1	2	4	3	1
White	12	-	-	-	-	-	2	-	4	2	4	-	11	-	-	-	-	1	-	1	1	4	3	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral artories (434.0,434.9)	7	-	-	-	-	-	-	-	-	5	1	1	7	-	-	-	-	-	-	-	1	1	3	2
White	7	-	-	-	-	-	-	-	-	5	1	1	7	-	-	-	-	-	-	-	1	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	61	-	-	-	-	-	1	3	3	8	34	12	95	-	-	-	-	-	1	1	6	15	33	39
White	60	-	-	-	-	-	1	3	3	8	33	12	93	-	-	-	-	-	1	1	6	15	32	38
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Atherosclerosis (440)	5	-	-	-	-	-	-	-	-	1	3	1	23	-	-	-	-	-	-	-	-	-	10	13
White	5	-	-	-	-	-	-	-	-	1	3	1	22	-	-	-	-	-	-	-	-	-	10	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	27	-	-	-	-	-	-	1	1	9	13	3	16	-	-	-	-	-	-	-	4	4	3	5
White	27	-	-	-	-	-	-	1	1	9	13	3	16	-	-	-	-	-	-	-	4	4	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	56	-	-	1	-	-	-	3	3	8	20	21	67	-	-	-	-	1	-	1	1	6	13	45
White	55	-	-	1	-	-	-	3	3	8	19	21	67	-	-	-	-	1	-	1	1	6	13	45
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	53	-	-	1	-	-	-	3	3	8	19	19	59	-	-	-	-	1	-	-	1	6	11	40
White	53	-	-	1	-	-	-	3	3	8	19	19	59	-	-	-	-	1	-	-	1	6	11	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	3	-	-	-	-	-	-	-	-	-	1	2	8	-	-	-	-	-	-	1	-	-	2	5
White	2	-	-	-	-	-	-	-	-	-	-	2	8	-	-	-	-	-	-	1	-	-	2	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	107	-	-	-	1	-	-	3	8	41	40	14	53	-	-	-	-	1	-	1	5	24	18	4
White	106	-	-	-	1	-	-	3	8	40	40	14	53	-	-	-	-	1	-	1	5	24	18	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	2	-	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	2	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	12	-	-	-	-	-	-	-	2	3	6	1	4	-	-	-	-	-	-	-	-	3	-	1
White	12	-	-	-	-	-	-	-	2	3	6	1	4	-	-	-	-	-	-	-	-	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Asthma (493)	4	-	-	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	4	-	-	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	89	-	-	-	-	-	-	2	5	35	34	13	44	-	-	-	-	1	-	1	3	21	15	3
White	86	-	-	-	-	-	-	2	5	34	34	13	44	-	-	-	-	1	-	1	3	21	15	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	9	-	-	-	-	1	1	3	1	1	2	-	7	-	-	-	-	-	-	-	-	3	3	1
White	9	-	-	-	-	1	1	3	1	1	2	-	7	-	-	-	-	-	-	-	-	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	-	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	-	-	-	-	2	2	1
White	3	-	-	-	-	-	-	-	1	-	2	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	32	-	-	-	-	1	5	7	8	10	1	-	15	-	-	-	-	-	-	5	3	4	2	1
White	30	-	-	-	-	1	4	7	7	10	1	-	14	-	-	-	-	-	-	5	3	3	2	1
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	1	-	1	1	3	2	6	-	-	-	-	-	1	-	1	2	-	2
White	6	-	-	-	-	-	1	-	1	1	3	2	6	-	-	-	-	-	1	-	1	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	-	-	-	-	-	-	-	2	5	7	6	17	-	-	-	-	-	-	-	1	5	7	4
White	20	-	-	-	-	-	-	-	2	5	7	6	15	-	-	-	-	-	-	-	1	3	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	18	-	-	-	-	-	-	-	2	5	6	5	17	-	-	-	-	-	-	-	1	5	7	4
White	18	-	-	-	-	-	-	-	2	5	6	5	15	-	-	-	-	-	-	-	1	3	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	13	12	1	-	-	-	-	-	-	-	-	-	10	8	-	-	-	-	2	-	-	-	-	-
White	13	12	1	-	-	-	-	-	-	-	-	-	9	7	-	-	-	-	2	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	28	28	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	22	22	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	23	13	-	-	1	1	1	-	1	-	2	4	39	18	1	-	-	1	1	1	-	2	2	13
White	23	13	-	-	1	1	1	-	1	-	2	4	37	16	1	-	-	1	1	1	-	2	2	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	152	3	-	1	5	8	5	8	17	35	46	24	134	4	2	1	1	2	2	8	16	28	33	37
White	142	3	-	1	4	5	4	8	15	35	44	23	131	4	2	1	1	2	2	8	15	27	32	37
All other	10	-	-	-	1	3	1	-	2	-	2	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Accidents and adverse effects (E800-E949)	192	2	6	13	38	45	26	25	9	11	6	8	73	3	2	5	16	9	6	7	6	6	10	3
White	187	1	6	13	38	41	26	25	9	11	6	8	73	3	2	5	16	9	6	7	6	6	10	3
All other	5	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	96	1	2	6	29	23	15	12	3	3	1	1	34	1	1	2	13	5	4	3	2	2	1	-
White	94	-	2	6	29	22	15	12	3	3	1	1	34	1	1	2	13	5	4	3	2	2	1	-
All other	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	96	1	6	7	9	22	11	13	6	8	5	7	39	2	1	3	3	4	2	4	4	4	9	3
White	93	1	6	7	9	19	11	13	6	8	5	7	39	2	1	3	3	4	2	4	4	4	9	3
All other	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	104	...	...	4	28	20	17	7	10	7	10	1	11	...	...	-	2	2	1	1	3	1	1	-
White	89	...	...	2	17	18	17	7	10	7	10	1	11	...	...	-	2	2	1	1	3	1	1	-
All other	15	...	...	2	11	2	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	11	-	-	1	1	4	2	1	2	-	-	-	12	1	-	1	3	4	1	-	1	1	-	-
White	10	-	-	1	1	4	1	1	2	-	-	-	12	1	-	1	3	4	1	-	1	1	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	2	1	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
White	3	-	-	-	2	-	1	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1985

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	2,089,378	37,480	2,068	25,383	23,903	202,709	20,727	28,259	5,508	8,879
Shigellosis and amebiasis (004,006)	28	-	-	-	-	6	-	-	-	-
Certain other intestinal infections (007-009)	302	2	-	11	3	48	1	3	1	4
Tuberculosis (010-018)	1,762	56	1	25	23	201	14	11	3	25
Tuberculosis of respiratory system (010-012)	1,374	49	1	18	17	167	11	7	1	16
Other tuberculosis (013-018)	388	7	-	7	6	34	3	4	2	9
Whooping cough (033)	4	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	259	4	1	3	4	27	6	6	2	2
Septicemia (038)	17,204	295	7	180	236	821	179	273	56	150
Acute poliomyelitis (045)	3	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	-	1	-	-	-	-	-	-
Viral hepatitis (070)	944	19	3	19	6	173	10	13	1	5
Syphilis (090-097)	81	4	-	1	1	9	2	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7,468	90	14	134	72	1,216	105	94	20	95
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	461,975	7,857	364	5,565	4,906	45,828	4,116	6,862	1,354	2,270
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,298	166	5	70	76	879	56	124	37	74
Malignant neoplasms of digestive organs and peritoneum (150-159)	116,705	1,779	84	1,383	1,130	11,466	1,097	1,828	341	575
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	127,382	2,336	113	1,531	1,428	12,556	988	1,737	400	568
Malignant neoplasm of breast (174-175)	40,421	598	33	440	324	4,091	394	670	113	181
Malignant neoplasms of genital organs (179-187)	49,717	856	38	540	484	4,877	440	723	151	271
Malignant neoplasms of urinary organs (188-189)	18,907	273	16	262	195	1,711	166	305	53	66
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	57,975	1,200	49	801	798	5,846	534	884	147	328
Leukemia (204-208)	17,373	270	8	220	212	1,817	178	213	48	74
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25,197	379	18	316	259	2,585	263	378	64	133
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,711	116	7	91	82	723	46	116	25	41
Diabetes mellitus (250)	36,999	703	23	464	345	3,004	340	485	142	142
Nutritional deficiencies (260-269)	2,875	56	1	34	34	186	58	26	10	10
Anemias (280-285)	3,702	70	2	34	35	258	38	52	12	15
Meningitis (320-322)	1,210	21	6	21	15	145	16	10	7	14
Major cardiovascular diseases (390-448)	979,161	17,379	553	10,523	11,611	89,874	8,616	13,407	2,463	3,191
Diseases of heart (390-398,402,404-429)	772,238	13,081	433	8,401	9,051	69,293	6,623	10,796	2,034	2,523
Rheumatic fever and rheumatic heart disease (390-398)	6,620	48	7	103	33	802	133	100	8	32
Hypertensive heart disease (402)	20,011	394	10	121	130	2,838	106	258	129	231
Hypertensive heart and renal disease (404)	2,802	64	-	12	19	229	19	26	3	23
Ischemic heart disease (410-414)	537,569	8,219	311	6,096	5,436	48,736	4,706	7,469	1,127	1,107
Acute myocardial infarction (410)	274,645	5,514	140	2,678	3,487	21,503	2,437	3,124	618	562
Other acute and subacute forms of ischemic heart disease (411)	3,982	23	-	442	8	187	81	8	11	3
Angina pectoris (413)	928	14	1	9	9	75	5	18	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	258,014	2,668	170	2,967	1,932	26,971	2,183	4,318	495	541
Other diseases of endocardium (424)	9,528	136	9	145	60	1,156	114	142	22	41
All other forms of heart disease (415-423,425-429)	194,808	4,220	96	1,924	3,373	15,532	1,545	2,801	745	1,089
Hypertension with or without renal disease (401,403)	7,757	206	1	66	69	686	81	99	17	43
Cerebrovascular diseases (430-438)	153,208	3,265	88	1,495	2,041	15,219	1,319	1,879	295	478
Intracerebral and other intracranial hemorrhage (431-432)	20,783	464	10	216	205	2,075	158	263	42	139
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24,539	478	11	189	283	2,694	141	327	62	69
Cerebral embolism (434.1)	788	9	1	11	5	66	5	11	-	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	107,096	2,314	66	1,079	1,548	10,364	1,015	1,278	191	268
Atherosclerosis (440)	23,931	465	17	288	248	2,402	350	330	53	69
Other diseases of arteries, arterioles, and capillaries (441-448)	22,029	362	14	273	202	2,274	243	303	64	78
Acute bronchitis and bronchiolitis (466)	600	13	1	3	5	89	9	7	-	1
Pneumonia and influenza (480-487)	67,655	1,010	43	786	746	8,047	865	1,024	127	255
Pneumonia (480-486)	65,600	974	41	770	722	7,745	820	1,007	119	254
Influenza (487)	2,055	36	2	16	24	302	45	17	8	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74,708	1,313	61	1,368	778	8,598	1,120	869	190	168
Bronchitis, chronic and unspecified (490-491)	3,618	49	1	60	34	510	60	48	9	2
Emphysema (492)	14,158	230	7	335	126	1,999	187	130	38	36
Asthma (493)	3,893	47	5	84	31	459	76	45	9	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	53,039	987	48	887	587	5,630	797	646	134	114
Ulcer of stomach and duodenum (531-533)	6,654	122	7	78	41	824	73	81	28	42
Appendicitis (540-543)	501	7	-	3	6	44	1	6	3	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,365	86	4	70	54	509	63	60	17	25
Chronic liver disease and cirrhosis (571)	26,812	388	38	398	162	3,971	283	309	67	188
Cholelithiasis and other disorders of gallbladder (574-575)	2,979	50	-	32	39	262	36	37	11	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	21,368	428	6	258	332	1,482	204	298	99	131
Acute glomerulonephritis and nephrotic syndrome (580-581)	349	10	-	5	5	31	5	1	5	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,566	35	-	25	27	152	14	13	5	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19,453	383	6	228	300	1,299	185	282	89	122
Infections of kidney (590)	1,983	84	1	19	24	231	18	12	3	10
Hyperplasia of prostate (600)	479	9	2	4	4	60	4	2	2	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	299	10	1	1	6	38	5	3	1	4
Pregnancy with abortive outcome (630-638)	49	1	-	1	3	6	2	1	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	250	9	1	-	3	32	3	2	-	4
Congenital anomalies (740-759)	12,663	241	28	210	105	1,608	187	131	32	129
Certain conditions originating in the perinatal period (760-779)	19,261	386	32	233	143	2,011	232	246	78	258
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,230	114	8	86	52	542	51	62	10	72
Other conditions originating in the perinatal period (760-766,770-779)	14,031	272	24	187	91	1,469	181	184	68	186
Symptoms, signs, and ill-defined conditions (780-799)	31,022	918	68	331	897	1,246	197	429	37	292
All other diseases (Residual)	149,828	2,806	162	1,963	1,458	13,834	1,776	2,050	402	838
Accidents and adverse effects (E800-E949)	93,983	1,984	460	1,632	1,186	10,451	1,298	932	220	315
Motor vehicle accidents (E810-E825)	46,158	1,005	124	942	580	5,294	628	449	119	96
All other accidents and adverse effects (E800-E807,E826-E949)	47,824	979	356	690	606	5,157	668	483	101	219
Suicide (E950-E959)	29,484	429	75	578	320	3,793	570	275	61	56
Homicide and legal intervention (E960-E978)	19,981	448	41	278	208	2,875	196	125	30	153
All other external causes (E980-E999)	2,852	76	38	34	16	217	45	7	4	39

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1985—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	122,210	49,326	6,116	6,836	99,429	48,496	27,413	21,526	34,252	37,361
Shigellosis and amebiasis (004,006)	3	–	–	–	1	–	–	–	1	–
Certain other intestinal infections (007-009)	10	6	–	–	17	7	3	2	7	11
Tuberculosis (010-018)	126	75	6	6	66	32	10	5	32	53
Tuberculosis of respiratory system (010-012)	103	66	4	4	49	22	9	3	27	41
Other tuberculosis (013-018)	23	9	2	2	18	10	1	2	5	12
Whooping cough (033)	1	–	–	–	–	–	–	–	–	1
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	15	6	1	1	6	2	–	1	3	7
Septicemia (038)	661	498	44	40	855	398	174	167	291	486
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	2	–	–	–	–	–
Viral hepatitis (070)	71	25	8	2	26	17	6	7	15	19
Syphilis (090-097)	8	3	–	–	1	1	–	1	1	3
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	498	182	27	20	268	102	53	62	79	103
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	28,058	10,202	1,481	1,361	22,260	10,922	6,071	4,350	7,300	8,314
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	588	221	33	16	393	155	101	56	123	174
Malignant neoplasms of digestive organs and peritoneum (150-159)	7,094	2,231	477	318	5,906	2,612	1,691	1,097	1,739	2,002
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	8,459	3,016	340	317	6,082	3,263	1,536	1,152	2,374	2,472
Malignant neoplasm of breast (174-175)	2,249	840	110	125	2,038	924	537	405	587	598
Malignant neoplasms of genital organs (179-187)	3,035	1,190	143	190	2,335	1,210	751	523	732	878
Malignant neoplasms of urinary organs (188-189)	1,223	366	44	58	936	463	266	210	302	351
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,063	1,454	183	202	2,589	1,292	568	466	835	1,165
Leukemia (204-208)	970	392	63	56	781	416	261	187	242	273
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,437	492	88	79	1,198	587	380	254	366	401
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	361	174	23	30	343	147	64	51	98	127
Diabetes mellitus (250)	2,077	853	145	131	1,702	1,047	480	409	689	838
Nutritional deficiencies (260-269)	137	80	13	12	193	83	49	45	37	56
Anemias (280-285)	226	114	17	11	175	89	43	53	68	88
Meningitis (320-322)	59	23	5	5	41	28	7	11	10	36
Major cardiovascular diseases (390-448)	57,532	22,308	2,578	3,156	48,933	23,575	13,763	10,430	16,328	16,923
Diseases of heart (390-398,402,404-429)	45,370	16,800	2,010	2,332	39,455	17,958	10,532	8,149	12,903	13,263
Rheumatic fever and rheumatic heart disease (390-398)	423	69	32	36	284	155	79	57	69	52
Hypertensive heart disease (402)	1,306	572	57	26	1,306	339	215	156	264	566
Hypertensive heart and renal disease (404)	153	108	8	9	156	152	55	29	34	83
Ischemic heart disease (410-414)	33,016	10,693	1,188	1,525	27,459	13,197	7,561	5,776	8,668	8,314
Acute myocardial infarction (410)	15,817	6,896	639	914	13,507	6,747	4,176	3,146	5,684	4,912
Other acute and subacute forms of ischemic heart disease (411)	197	158	3	3	192	21	18	10	9	81
Angina pectoris (413)	64	25	2	4	33	15	11	8	15	15
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,938	3,614	544	604	13,727	6,414	3,358	2,612	2,960	3,306
Other diseases of endocardium (424)	601	163	39	37	367	227	131	112	88	143
All other forms of heart disease (415-423,425-429)	9,871	5,195	686	699	9,883	3,888	2,491	2,019	3,782	4,125
Hypertension with or without renal disease (401,403)	665	255	11	35	467	169	129	61	128	153
Cerebrovascular diseases (430-438)	8,924	4,340	444	581	7,000	4,165	2,278	1,668	2,642	2,677
Intracerebral and other intracranial hemorrhage (431-432)	1,236	619	110	56	1,080	521	209	169	300	378
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,792	638	44	72	1,334	556	321	245	406	350
Cerebral embolism (434.1)	39	20	2	3	45	20	13	11	14	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	5,857	3,063	288	450	4,541	3,068	1,735	1,243	1,922	1,942
Atherosclerosis (440)	1,220	453	49	95	1,073	742	522	336	327	511
Other diseases of arteries, arterioles, and capillaries (441-448)	1,453	460	70	113	938	541	302	216	328	319
Acute bronchitis and bronchiolitis (466)	37	13	1	–	26	15	5	8	12	14
Pneumonia and influenza (480-487)	2,876	1,567	247	218	3,310	1,311	1,162	820	1,220	890
Pneumonia (480-486)	2,827	1,520	236	203	3,237	1,279	1,091	760	1,183	871
Influenza (487)	49	47	11	15	73	32	71	60	37	19
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4,684	1,697	189	337	3,255	1,879	1,031	827	1,417	1,067
Bronchitis, chronic and unspecified (490-491)	243	105	11	7	171	77	44	38	69	49
Emphysema (492)	932	361	31	75	681	358	187	129	215	229
Asthma (493)	189	116	24	22	178	76	51	38	55	71
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,306	1,115	123	233	2,225	1,368	749	624	1,078	718
Ulcer of stomach and duodenum (531-533)	380	169	12	22	338	132	104	75	107	111
Appendicitis (540-543)	24	16	1	3	24	13	4	6	10	13
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	265	140	13	20	271	130	79	73	82	94
Chronic liver disease and cirrhosis (571)	1,732	601	80	52	1,250	481	204	170	330	387
Cholelithiasis and other disorders of gallbladder (574-575)	167	96	9	12	150	74	37	31	74	45
Nephritis, nephrotic syndrome, and nephrosis (580-589)	919	575	70	47	1,103	535	207	234	370	574
Acute glomerulonephritis and nephrotic syndrome (580-581)	24	10	2	–	20	4	5	3	6	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	108	42	3	3	61	38	16	17	20	40
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	787	523	65	44	1,022	493	186	214	344	530
Infections of kidney (590)	102	56	4	11	75	39	41	38	58	43
Hyperplasia of prostate (600)	20	17	3	–	27	12	10	8	8	5
Complications of pregnancy, childbirth, and the puerperium (630-676)	18	14	1	2	13	3	1	2	1	9
Pregnancy with abortive outcome (630-638)	3	5	–	–	–	1	–	–	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	15	9	1	2	13	2	1	2	–	8
Congenital anomalies (740-759)	607	312	65	40	564	288	140	116	180	281
Certain conditions originating in the perinatal period (760-779)	895	650	68	57	1,056	409	157	142	259	492
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	253	157	16	12	285	136	32	31	85	153
Other conditions originating in the perinatal period (760-766,770-779)	642	493	52	45	771	273	125	111	174	339
Symptoms, signs, and ill-defined conditions (780-799)	2,334	484	75	99	728	431	154	394	224	291
All other diseases (Residual)	8,791	3,969	455	473	6,458	3,269	1,911	1,587	2,594	2,723
Accidents and adverse effects (E800-E949)	5,254	2,864	312	497	3,500	1,993	1,043	979	1,596	2,117
Motor vehicle accidents (E810-E825)	2,968	1,462	134	268	1,594	1,045	478	500	749	1,011
All other accidents and adverse effects (E800-E807,E826-E949)	2,288	1,402	178	229	1,906	948	565	479	847	1,106
Suicide (E950-E959)	1,871	731	99	141	1,250	658	337	289	480	591
Homicide and legal intervention (E960-E978)	1,395	731	39	24	1,046	319	57	115	249	527
All other external causes (E980-E999)	105	83	26	6	136	55	26	18	22	20

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1985—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	11,413	35,955	56,197	77,468	35,059	23,899	51,635	8,623	15,056	7,885
Shigellosis and amebiasis (004,006)	-	1	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	3	6	10	6	5	9	4	-	1	1
Tuberculosis (010-018)	7	27	32	46	18	23	25	3	6	6
Tuberculosis of respiratory system (010-012)	7	23	26	37	11	19	18	3	5	4
Other tuberculosis (013-018)	-	4	6	9	7	4	7	-	1	2
Whooping cough (033)	-	-	-	-	-	-	-	1	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	2	-	-	-	-	-
Meningococcal infection (036)	2	5	2	7	4	2	7	1	5	-
Septicemia (038)	70	540	571	618	165	155	469	31	84	53
Acute poliomyelitis (045)	1	1	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	16	28	19	3	11	23	3	-	1
Syphilis (090-097)	-	4	-	3	3	1	2	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	38	112	174	191	103	51	157	15	35	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,564	8,587	13,351	17,080	7,656	4,544	11,151	1,382	3,170	1,693
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	52	141	237	303	120	78	173	27	28	36
Malignant neoplasms of digestive organs and peritoneum (150-159)	680	2,079	3,620	4,363	2,055	1,048	2,649	350	843	406
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	691	2,442	3,340	4,694	1,685	1,383	3,172	339	785	544
Malignant neoplasm of breast (174-175)	214	721	1,349	1,494	762	343	934	109	300	117
Malignant neoplasms of genital organs (179-187)	278	846	1,337	1,828	879	539	1,173	191	346	143
Malignant neoplasms of urinary organs (188-189)	107	343	497	715	353	168	473	71	138	79
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	303	1,255	1,790	2,105	923	572	1,582	161	402	240
Leukemia (204-208)	107	292	489	679	368	161	412	56	133	53
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	132	448	702	899	511	252	583	78	195	75
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	42	137	189	152	120	44	140	13	43	35
Diabetes mellitus (250)	190	686	937	1,370	556	421	809	121	243	112
Nutritional deficiencies (260-269)	24	50	74	124	73	38	126	17	28	16
Anemias (280-285)	17	74	93	147	63	46	110	10	18	13
Meningitis (320-322)	4	27	28	29	16	19	21	3	8	6
Major cardiovascular diseases (390-448)	5,516	16,064	26,452	37,863	16,585	10,970	24,024	2,933	7,241	3,388
Diseases of heart (390-398,402,404-429)	4,320	12,937	21,163	30,154	12,278	8,533	18,842	2,215	5,571	2,809
Rheumatic fever and rheumatic heart disease (390-398)	43	87	171	259	103	26	161	39	45	29
Hypertensive heart disease (402)	66	469	501	673	155	333	499	29	55	184
Hypertensive heart and renal disease (404)	14	54	45	87	14	55	100	4	30	10
Ischemic heart disease (410-414)	3,169	6,350	15,808	21,613	8,826	5,212	13,392	1,448	3,927	1,714
Acute myocardial infarction (410)	1,696	3,813	7,714	11,063	4,155	3,446	6,731	802	2,102	960
Other acute and subacute forms of ischemic heart disease (411)	41	39	38	42	37	17	30	13	17	7
Angina pectoris (413)	4	24	23	32	25	14	13	4	3	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,428	2,474	8,033	10,476	4,609	1,735	6,618	629	1,805	746
Other diseases of endocardium (424)	61	133	309	316	218	68	205	46	78	33
All other forms of heart disease (415-423,425-429)	967	5,824	4,329	7,207	2,962	2,839	4,485	649	1,436	839
Hypertension with or without renal disease (401,403)	39	144	188	264	173	107	174	22	54	18
Cerebrovascular diseases (430-438)	798	2,292	3,802	5,448	3,140	1,920	3,881	514	1,152	419
Intracerebral and other intracranial hemorrhage (431-432)	114	388	615	717	304	199	505	46	121	89
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	98	286	721	1,138	382	286	820	71	153	42
Cerebral embolism (434.1)	4	4	24	23	11	16	34	6	7	6
All other and late effects of cerebrovascular diseases (430,433,435-438)	584	1,614	2,442	3,570	2,443	1,419	2,722	391	871	282
Atherosclerosis (440)	199	297	596	1,169	543	216	614	109	264	40
Other diseases of arteries, arterioles, and capillaries (441-448)	160	394	703	828	451	194	513	73	200	102
Acute bronchitis and bronchiolitis (466)	7	9	11	17	6	7	17	2	4	1
Pneumonia and influenza (480-487)	345	954	2,262	2,205	1,403	659	1,727	231	674	221
Pneumonia (480-486)	326	908	2,214	2,169	1,349	613	1,682	208	608	215
Influenza (487)	19	46	48	36	54	46	45	23	68	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	515	1,175	1,865	2,724	1,198	667	1,951	338	620	376
Bronchitis, chronic and unspecified (490-491)	33	42	113	138	45	19	78	15	26	13
Emphysema (492)	84	190	326	639	196	81	273	56	100	75
Asthma (493)	17	51	84	145	76	48	72	17	47	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	381	892	1,342	1,802	881	519	1,530	250	447	275
Ulcer of stomach and duodenum (531-533)	35	105	163	269	117	45	146	18	57	41
Appendicitis (540-543)	1	7	18	21	6	8	14	4	3	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	40	116	148	215	127	78	140	23	50	15
Chronic liver disease and cirrhosis (571)	131	416	754	1,239	351	215	393	81	124	133
Cholelithiasis and other disorders of gallbladder (574-575)	13	32	79	98	53	26	78	14	28	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	87	457	611	711	304	299	614	61	159	90
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	4	11	8	2	7	12	2	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	23	30	51	25	24	25	6	12	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	75	430	570	652	277	268	577	53	140	83
Infections of kidney (590)	19	17	40	44	23	32	55	7	13	6
Hyperplasia of prostate (600)	-	8	10	15	11	6	5	-	5	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	4	9	2	3	4	-	1	1
Pregnancy with abortive outcome (630-636)	-	-	1	-	1	-	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	3	9	1	3	3	-	1	1
Congenital anomalies (740-759)	54	175	351	488	272	137	307	32	102	37
Certain conditions originating in the perinatal period (760-779)	73	329	378	619	256	241	413	29	127	54
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	28	56	93	237	76	88	126	11	53	16
Other conditions originating in the perinatal period (760-766,770-779)	45	273	285	582	180	153	287	18	74	38
Symptoms, signs, and ill-defined conditions (780-799)	72	303	487	357	810	1,504	1,879	109	295	122
All other diseases (Residual)	866	3,063	4,464	5,226	2,674	1,613	3,556	499	1,089	468
Accidents and adverse effects (E800-E949)	469	1,556	1,797	3,114	1,478	1,409	2,111	441	564	588
Motor vehicle accidents (E810-E825)	224	766	761	1,605	657	691	1,005	233	259	297
All other accidents and adverse effects (E800-E807,E826-E949)	245	790	1,036	1,509	821	718	1,106	208	325	291
Suicide (E950-E959)	189	494	505	1,082	454	272	880	143	176	240
Homicide and legal intervention (E960-E978)	30	363	205	1,063	92	298	420	44	44	112
All other external causes (E980-E999)	5	57	104	97	50	43	57	14	27	22

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1985—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	8,320	69,554	9,730	171,482	53,327	5,978	98,747	28,916	23,975	124,343	9,836
Shigellosis and amebiasis (004,006)	-	1	1	4	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	4	4	1	21	4	2	16	1	4	12	-
Tuberculosis (010-018)	3	58	13	201	69	1	55	18	11	68	5
Tuberculosis of respiratory system (010-012)	2	46	11	145	51	1	43	13	7	56	3
Other tuberculosis (013-018)	1	12	2	56	18	-	12	5	4	12	2
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	1	1	-	-	-	-	-	-
Meningococcal infection (036)	1	9	1	22	9	2	8	7	5	14	-
Septicemia (038)	50	866	58	1,282	538	34	806	248	109	1,521	106
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	37	5	69	19	-	21	13	11	26	7
Syphilis (090-097)	-	2	-	3	1	-	9	1	2	3	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	24	293	35	1,004	158	16	222	82	72	304	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,042	16,456	1,822	38,301	11,286	1,332	22,386	5,876	5,372	28,182	2,374
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	45	293	24	748	220	18	405	88	90	457	43
Malignant neoplasms of digestive organs and peritoneum (150-159)	574	4,583	466	10,702	2,619	354	5,654	1,324	1,274	7,358	676
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	505	4,416	438	9,733	3,236	295	6,470	1,799	1,540	7,331	643
Malignant neoplasm of breast (174-175)	206	1,643	166	3,747	1,060	115	1,989	455	418	2,477	231
Malignant neoplasms of genital organs (179-187)	214	1,707	200	4,031	1,319	183	2,380	707	648	2,962	211
Malignant neoplasms of urinary organs (188-189)	79	680	69	1,562	425	59	951	224	219	1,182	105
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	253	1,836	259	4,100	1,396	152	2,605	722	654	3,781	290
Leukemia (204-208)	67	489	93	1,376	408	74	816	225	239	1,063	69
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	99	809	107	2,202	603	82	1,136	332	290	1,571	106
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	28	254	26	634	184	19	350	55	80	459	36
Diabetes mellitus (250)	193	1,409	239	3,143	871	118	2,110	434	322	2,623	233
Nutritional deficiencies (260-269)	11	83	31	88	68	15	187	45	27	160	20
Anemias (280-285)	15	126	15	273	100	11	197	53	35	213	21
Meningitis (320-322)	5	41	12	113	33	5	33	17	12	62	5
Major cardiovascular diseases (390-448)	3,829	33,804	3,624	84,883	25,065	2,873	47,902	14,106	11,064	60,096	4,662
Diseases of heart (390-398,402,404-429)	2,999	27,634	2,811	70,940	19,180	2,174	38,067	10,944	8,289	48,892	3,721
Rheumatic fever and rheumatic heart disease (390-398)	33	294	35	634	151	14	329	60	102	463	31
Hypertensive heart disease (402)	62	762	84	1,424	605	39	1,080	173	180	985	88
Hypertensive heart and renal disease (404)	10	106	3	153	102	4	184	20	46	145	11
Ischemic heart disease (410-414)	2,119	20,725	1,551	58,401	13,106	1,557	27,027	7,718	6,271	32,183	2,983
Acute myocardial infarction (410)	1,154	10,055	843	24,994	7,596	963	12,865	4,295	2,293	17,628	1,526
Other acute and subacute forms of ischemic heart disease (411)	1	154	3	283	32	3	91	433	10	116	9
Angina pectoris (413)	2	39	3	52	45	1	40	9	11	69	7
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	962	10,477	702	33,072	5,433	590	14,031	2,981	3,957	14,370	1,441
Other diseases of endocardium (424)	50	360	33	650	234	29	478	111	153	625	43
All other forms of heart disease (415-423,425-429)	725	5,387	1,105	9,678	4,982	531	8,959	2,862	1,537	14,491	565
Hypertension with or without renal disease (401,403)	38	217	39	572	226	15	372	87	84	397	31
Cerebrovascular diseases (430-438)	584	4,547	587	10,200	4,645	507	7,090	2,420	1,992	8,211	663
Intracerebral and other intracranial hemorrhage (431-432)	83	732	86	1,730	546	64	966	207	206	1,168	115
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	78	864	50	1,884	687	75	1,234	273	307	1,408	118
Cerebral embolism (434.1)	1	37	1	61	15	3	34	9	12	43	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	422	2,914	450	6,525	3,397	365	4,856	1,931	1,467	5,592	425
Atherosclerosis (440)	103	676	89	1,505	531	110	1,204	407	420	1,235	156
Other diseases of arteries, arterioles, and capillaries (441-448)	105	730	98	1,666	483	67	1,169	248	279	1,361	111
Acute bronchitis and bronchiolitis (466)	2	21	1	38	20	1	28	2	9	37	2
Pneumonia and influenza (480-487)	242	2,077	280	5,978	1,768	224	2,922	1,010	850	3,403	272
Pneumonia (480-486)	229	2,039	274	5,927	1,721	217	2,830	987	795	3,328	265
Influenza (487)	13	38	6	51	47	7	92	23	55	75	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	361	2,174	471	5,072	1,676	191	3,621	1,047	1,092	4,059	364
Bronchitis, chronic and unspecified (490-491)	24	96	24	244	79	7	184	23	58	153	19
Emphysema (492)	77	436	120	952	280	24	635	234	250	574	61
Asthma (493)	19	83	28	419	113	7	170	40	79	139	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	241	1,559	299	3,457	1,204	153	2,632	750	705	3,193	271
Ulcer of stomach and duodenum (531-533)	24	194	35	660	156	22	283	82	77	344	36
Appendicitis (540-543)	-	16	4	53	14	3	19	8	8	19	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	167	40	385	137	18	248	73	45	298	28
Chronic liver disease and cirrhosis (571)	91	1,114	199	3,041	570	54	975	240	286	1,261	116
Cholelithiasis and other disorders of gallbladder (574-575)	17	83	29	201	77	10	156	41	35	160	17
Nephritis, nephrotic syndrome, and nephrosis (580-589)	58	752	104	1,542	617	71	1,144	369	160	1,484	127
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	11	-	23	7	3	24	7	5	23	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	73	2	99	47	-	86	31	13	67	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	54	668	102	1,420	563	68	1,034	331	142	1,394	119
Infections of kidney (590)	6	39	8	111	66	9	106	48	21	69	8
Hyperplasia of prostate (600)	3	15	4	36	11	-	15	12	5	26	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	5	3	29	4	1	12	4	4	12	-
Pregnancy with abortive outcome (630-638)	-	-	-	7	-	-	1	1	-	2	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	5	3	22	4	1	11	3	4	10	-
Congenital anomalies (740-759)	37	301	99	889	332	34	557	163	154	626	51
Certain conditions originating in the perinatal period (760-779)	56	531	116	1,512	539	55	795	261	137	961	60
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	161	34	398	111	12	214	65	28	234	18
Other conditions originating in the perinatal period (760-766,770-779)	40	370	82	1,114	428	43	581	198	109	727	42
Symptoms, signs, and ill-defined conditions (780-799)	51	663	162	1,626	282	85	1,486	390	374	2,636	31
All other diseases (Residual)	609	4,753	943	11,593	4,255	417	6,813	1,905	1,742	9,834	769
Accidents and adverse effects (E800-E949)	372	2,186	889	5,246	2,997	254	3,403	1,521	1,248	4,178	288
Motor vehicle accidents (E810-E825)	198	986	561	2,121	1,553	117	1,581	781	605	1,817	124
All other accidents and adverse effects (E800-E807,E826-E949)	174	1,200	328	3,125	1,444	137	1,822	740	643	2,361	164
Suicide (E950-E959)	139	592	253	1,190	783	83	1,261	472	413	1,432	102
Homicide and legal intervention (E960-E978)	18	394	164	1,711	566	13	533	281	128	500	37
All other external causes (E980-E999)	6	33	43	527	51	5	68	31	60	171	5

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1985—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	26,115	6,599	46,184	119,968	9,329	4,736	44,535	34,574	19,520	41,450	3,089
Shigellosis and amebiasis (004,006)	-	-	2	6	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	9	-	8	16	1	-	5	8	1	3	1
Tuberculosis (010-018)	25	2	51	121	3	-	34	15	19	26	1
Tuberculosis of respiratory system (010-012)	17	2	40	91	1	-	30	11	16	20	1
Other tuberculosis (013-018)	8	-	11	30	2	-	4	4	3	6	-
Whooping cough (033)	-	-	-	-	-	-	-	1	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	1	1	-	1	-	-	-	-	-
Meningococcal infection (036)	4	3	7	17	1	2	5	6	2	2	-
Septicemia (038)	201	30	360	1,250	83	32	467	195	137	251	13
Acute poliomyelitis (045)	-	-	-	1	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	3	30	76	6	1	16	12	6	10	1
Syphilis (090-097)	2	-	-	3	-	-	3	2	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	91	22	145	453	42	12	112	143	34	106	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,336	1,374	10,025	24,388	1,572	1,011	10,131	8,042	4,197	9,334	537
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	137	20	170	409	26	14	185	138	57	159	10
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,303	388	2,263	5,677	397	240	2,424	1,978	951	2,511	126
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,521	336	3,092	6,810	252	274	3,036	2,274	1,375	2,137	126
Malignant neoplasm of breast (174-175)	429	120	802	1,955	148	93	898	693	314	835	47
Malignant neoplasms of genital organs (179-187)	697	150	1,050	2,508	226	132	1,040	929	393	1,046	57
Malignant neoplasms of urinary organs (188-189)	218	82	377	897	64	49	371	328	187	490	27
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	586	153	1,302	3,677	240	122	1,318	863	585	1,251	93
Leukemia (204-208)	176	64	389	1,083	86	31	345	316	147	366	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	269	101	580	1,374	131	56	514	523	208	539	31
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	21	143	330	46	17	131	101	59	90	11
Diabetes mellitus (250)	489	104	639	1,933	209	79	616	632	355	753	51
Nutritional deficiencies (260-269)	29	9	45	165	12	4	64	61	32	86	3
Anemias (280-285)	53	13	77	233	16	9	75	62	30	77	7
Meningitis (320-322)	24	4	32	94	9	1	24	22	5	15	1
Major cardiovascular diseases (390-448)	12,333	3,292	21,435	52,327	4,026	2,242	20,458	15,392	9,588	20,662	1,301
Diseases of heart (390-398,402,404-429)	9,326	2,589	16,606	40,752	3,167	1,781	15,943	11,723	7,752	16,070	1,049
Rheumatic fever and rheumatic heart disease (390-398)	42	11	118	251	82	21	106	138	80	130	11
Hypertensive heart disease (402)	307	31	529	1,244	81	46	423	284	173	287	16
Hypertensive heart and renal disease (404)	58	5	63	125	5	8	70	38	19	50	2
Ischemic heart disease (410-414)	6,160	1,775	11,197	23,992	1,860	1,142	10,228	7,666	4,970	12,157	718
Acute myocardial infarction (410)	3,869	1,103	6,377	14,263	975	614	5,332	3,653	2,772	6,060	432
Other acute and subacute forms of ischemic heart disease (411)	102	3	136	87	4	8	698	8	16	47	2
Angina pectoris (413)	20	3	19	45	4	7	24	21	12	23	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,169	666	4,665	9,597	877	513	4,174	3,984	2,170	6,027	283
Other diseases of endocardium (424)	93	30	169	430	43	40	188	245	71	217	18
All other forms of heart disease (415-423,425-429)	2,666	737	4,510	14,710	1,098	524	4,928	3,352	2,439	3,229	284
Hypertension with or without renal disease (401,403)	176	20	150	371	29	11	144	124	59	159	12
Cerebrovascular diseases (430-438)	2,351	527	3,814	8,670	659	329	3,472	2,684	1,384	3,334	172
Intracerebral and other intracranial hemorrhage (431-432)	351	57	462	1,258	70	21	444	322	167	360	20
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	297	60	564	1,185	70	51	496	347	228	446	10
Cerebral embolism (434.1)	9	3	18	45	6	-	10	13	9	14	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,694	407	2,770	6,382	513	257	2,522	2,002	980	2,514	141
Atherosclerosis (440)	214	91	455	1,313	84	51	476	410	189	591	30
Other diseases of arteries, arterioles, and capillaries (441-448)	266	65	410	1,021	87	70	423	451	202	508	38
Acute bronchitis and bronchiolitis (466)	3	-	13	34	2	2	22	8	4	11	-
Pneumonia and influenza (480-487)	765	302	1,559	3,562	331	143	1,422	1,198	594	1,432	116
Pneumonia (480-486)	730	290	1,513	3,487	314	140	1,396	1,106	583	1,375	105
Influenza (487)	35	12	46	75	17	3	26	92	11	57	11
Chronic obstructive pulmonary diseases and allied conditions (490-496)	765	231	1,671	3,733	345	220	1,516	1,589	812	1,289	156
Bronchitis, chronic and unspecified (490-491)	21	12	81	195	17	14	82	64	60	50	4
Emphysema (492)	136	58	262	770	54	20	231	293	117	254	14
Asthma (493)	62	6	68	197	22	5	94	74	36	63	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	546	155	1,260	2,571	252	181	1,109	1,158	599	922	134
Ulcer of stomach and duodenum (531-533)	74	23	126	322	35	19	115	113	48	116	14
Appendicitis (540-543)	2	2	8	36	3	1	9	7	6	9	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	60	22	103	309	27	20	110	79	45	123	8
Chronic liver disease and cirrhosis (571)	301	69	428	1,366	93	57	528	431	196	425	43
Cholelithiasis and other disorders of gallbladder (574-575)	28	11	90	164	27	6	89	46	36	64	13
Nephritis, nephrotic syndrome, and nephrosis (580-589)	259	51	486	1,341	98	46	473	291	203	401	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	6	18	1	-	4	7	4	4	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	41	9	57	71	9	1	30	30	12	41	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	213	42	423	1,252	88	45	439	254	187	356	32
Infections of kidney (590)	30	8	37	157	6	2	42	30	21	33	1
Hyperplasia of prostate (600)	6	2	15	22	3	3	9	12	4	12	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	3	7	30	4	-	5	4	2	4	1
Pregnancy with abortive outcome (630-638)	1	1	1	3	1	-	1	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	2	6	27	3	-	4	4	2	3	1
Congenital anomalies (740-759)	182	22	263	935	114	24	244	255	102	251	11
Certain conditions originating in the perinatal period (760-779)	387	38	459	1,392	164	24	520	304	137	268	22
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	82	11	125	398	58	9	99	106	50	80	-
Other conditions originating in the perinatal period (760-766,770-779)	305	27	334	994	106	15	421	198	87	188	22
Symptoms, signs, and ill-defined conditions (780-799)	204	66	1,172	4,765	188	27	442	333	191	216	65
All other diseases (Residual)	1,991	449	3,253	8,462	920	390	3,452	2,619	1,371	3,005	246
Accidents and adverse effects (E800-E949)	1,652	320	2,379	7,351	650	237	2,197	1,659	922	1,557	279
Motor vehicle accidents (E810-E825)	943	142	1,219	3,825	335	117	1,021	786	461	777	145
All other accidents and adverse effects (E800-E807,E826-E949)	709	178	1,160	3,526	315	120	1,176	873	461	780	134
Suicide (E950-E959)	393	79	605	2,217	214	84	766	606	252	614	115
Homicide and legal intervention (E960-E978)	314	17	448	2,251	47	18	425	231	91	154	24
All other external causes (E980-E999)	25	7	62	105	32	2	28	65	20	50	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						
	Total, 305 areas	Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N.Mex.	Alexandria, La.
All causes	1,519,024	1,316	5,991	890	7,903	3,355	1,405
Shigellosis and amebiasis (004,006)	21	-	-	-	-	-	-
Certain other intestinal infections (007-009)	227	-	2	-	2	-	-
Tuberculosis (010-018)	1,332	2	4	3	6	6	1
Tuberculosis of respiratory system (010-012)	1,035	2	4	3	4	6	-
Other tuberculosis (013-018)	297	-	-	-	2	-	1
Whooping cough (033)	2	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	-	-	-	-	-	-
Meningococcal infection (036)	168	-	2	-	1	-	-
Septicemia (038)	13,179	10	61	3	63	21	10
Acute poliomyelitis (045)	1	-	-	-	-	-	-
Measles (055)	3	-	-	-	-	-	-
Viral hepatitis (070)	757	-	1	-	2	3	1
Syphilis (090-097)	66	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6,073	8	9	5	16	14	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	343,283	262	1,300	211	1,843	679	280
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,330	4	26	8	42	8	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	87,602	60	349	56	506	179	60
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	94,511	70	361	52	530	149	78
Malignant neoplasm of breast (174-175)	30,954	22	124	12	172	77	18
Malignant neoplasms of genital organs (179-187)	38,107	27	131	30	183	68	28
Malignant neoplasms of urinary organs (188-189)	13,881	10	46	3	70	25	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	42,617	40	140	34	160	90	40
Leukemia (204-208)	12,628	8	45	7	78	43	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18,655	21	84	9	102	40	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,980	5	21	4	35	10	10
Diabetes mellitus (250)	27,085	25	132	16	134	71	22
Nutritional deficiencies (260-269)	1,969	1	15	5	6	12	4
Anemias (280-285)	2,672	3	10	3	12	6	3
Meningitis (320-322)	895	1	2	-	2	3	1
Major cardiovascular diseases (390-448)	703,992	629	2,729	306	3,937	1,225	701
Diseases of heart (390-398,402,404-429)	559,266	472	2,174	207	3,189	946	584
Rheumatic fever and rheumatic heart disease (390-398)	5,096	3	21	1	43	11	1
Hypertensive heart disease (402)	16,752	5	48	3	47	35	40
Hypertensive heart and renal disease (404)	1,966	-	6	2	5	1	4
Ischemic heart disease (410-414)	389,671	299	1,512	143	2,468	526	381
Acute myocardial infarction (410)	188,197	174	790	68	974	260	216
Other acute and subacute forms of ischemic heart disease (411)	2,773	1	4	-	16	3	1
Angina pectoris (413)	656	-	4	-	1	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	188,045	124	714	75	1,477	262	161
Other diseases of endocardium (424)	6,955	6	30	4	30	14	5
All other forms of heart disease (415-423,425-429)	138,826	159	557	54	596	359	153
Hypertension with or without renal disease (401,403)	5,662	11	15	8	22	10	8
Cerebrovascular diseases (430-438)	106,783	118	401	82	554	200	93
Intracerebral and other intracranial hemorrhage (431-432)	15,633	16	52	10	94	29	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18,024	16	68	10	100	16	9
Cerebral embolism (434.1)	512	-	1	1	4	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	72,614	86	280	61	358	154	74
Atherosclerosis (440)	16,390	16	77	5	81	29	7
Other diseases of arteries, arterioles, and capillaries (441-448)	15,891	12	62	4	91	40	9
Acute bronchitis and bronchiolitis (466)	439	-	1	-	3	-	-
Pneumonia and influenza (480-487)	48,612	33	161	44	252	101	44
Pneumonia (480-486)	47,403	33	160	43	252	99	41
Influenza (487)	1,209	-	1	1	-	2	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	53,784	43	213	32	316	173	52
Bronchitis, chronic and unspecified (490-491)	2,663	2	10	-	17	8	2
Emphysema (492)	10,362	10	29	9	65	39	11
Asthma (493)	2,885	-	13	2	18	12	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	37,874	31	161	21	216	114	36
Ulcer of stomach and duodenum (531-533)	4,815	4	17	4	32	12	5
Appendicitis (540-543)	364	-	2	-	5	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,808	5	12	4	21	16	9
Chronic liver disease and cirrhosis (571)	21,503	10	53	9	88	69	16
Cholelithiasis and other disorders of gallbladder (574-575)	1,995	1	7	2	10	9	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15,026	14	52	9	87	36	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	248	-	1	1	1	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,102	2	1	-	7	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13,676	12	50	8	79	36	17
Infections of kidney (590)	1,305	1	7	-	12	1	1
Hyperplasia of prostate (600)	326	2	-	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	227	-	1	-	-	1	-
Pregnancy with abortive outcome (630-638)	39	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	188	-	1	-	-	1	-
Congenital anomalies (740-759)	9,764	12	29	5	42	27	7
Certain conditions originating in the perinatal period (760-779)	15,117	15	49	19	64	45	12
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3,989	5	19	-	12	11	6
Other conditions originating in the perinatal period (760-766,770-779)	11,128	10	30	19	52	34	6
Symptoms, signs, and ill-defined conditions (780-799)	20,938	54	367	47	43	52	6
All other diseases (Residual)	110,485	75	455	71	512	363	101
Accidents and adverse effects (E800-E949)	63,700	68	130	57	284	229	62
Motor vehicle accidents (E810-E825)	30,810	30	57	34	136	131	32
All other accidents and adverse effects (E800-E807,E826-E949)	32,890	38	73	23	128	98	30
Suicide (E950-E959)	21,900	20	72	15	75	96	13
Homicide and legal intervention (E960-E978)	16,558	13	13	15	15	59	19
All other external causes (E980-E999)	2,228	-	2	1	4	14	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anchorage, Alaska	Anderson, Ind.	Anderson, S.C.	Ann Arbor, Mich.
All causes	6,346	1,550	1,436	13,550	739	1,274	1,125	1,462
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	4	-	1	-	-
Tuberculosis (010-018)	3	-	2	9	-	2	-	1
Tuberculosis of respiratory system (010-012)	3	-	-	6	-	1	-	1
Other tuberculosis (013-018)	-	-	2	3	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	-	-	-	-
Septicemia (038)	55	12	10	50	1	6	11	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	3	10	1	1	-	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	15	4	2	62	3	-	4	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,429	320	298	3,205	168	289	230	317
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	2	4	66	3	4	2	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	379	68	76	782	31	64	41	72
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	366	75	79	895	47	96	78	72
Malignant neoplasm of breast (174-175)	123	31	29	284	17	19	19	33
Malignant neoplasms of genital organs (179-187)	145	44	29	356	16	33	29	34
Malignant neoplasms of urinary organs (188-189)	70	19	11	115	10	14	7	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	192	52	41	385	23	33	32	49
Leukemia (204-208)	46	15	12	137	6	11	12	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	84	14	17	185	15	15	10	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	5	3	46	3	2	2	6
Diabetes mellitus (250)	125	35	14	148	16	33	21	27
Nutritional deficiencies (260-269)	6	4	2	6	-	-	2	5
Anemias (280-285)	6	1	4	18	-	3	2	4
Meningitis (320-322)	1	1	2	16	3	1	2	1
Major cardiovascular diseases (390-448)	3,218	867	714	6,030	203	636	496	665
Diseases of heart (390-398,402,404-429)	2,682	704	571	4,774	155	497	370	514
Rheumatic fever and rheumatic heart disease (390-398)	24	6	4	65	3	3	4	6
Hypertensive heart disease (402)	46	8	5	108	5	8	14	9
Hypertensive heart and renal disease (404)	10	1	1	15	-	1	3	1
Ischemic heart disease (410-414)	1,664	525	281	3,656	112	396	261	397
Acute myocardial infarction (410)	901	283	190	1,875	33	193	154	192
Other acute and subacute forms of ischemic heart disease (411)	4	3	2	8	-	1	-	-
Angina pectoris (413)	4	2	-	1	-	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	775	237	89	1,772	79	200	106	205
Other diseases of endocardium (424)	36	10	7	68	4	1	1	6
All other forms of heart disease (415-423,425-429)	882	154	273	862	31	88	87	95
Hypertension with or without renal disease (401,403)	26	4	3	43	-	4	14	7
Cerebrovascular diseases (430-438)	371	101	101	913	40	104	96	103
Intracerebral and other intracranial hemorrhage (431-432)	64	9	13	131	6	12	4	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	60	10	10	130	6	12	12	9
Cerebral embolism (434.1)	1	-	1	9	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	246	82	77	643	28	79	80	81
Atherosclerosis (440)	69	22	30	136	2	16	5	23
Other diseases of arteries, arterioles, and capillaries (441-448)	70	36	9	164	6	15	11	18
Acute bronchitis and bronchiolitis (466)	2	-	-	3	-	-	-	-
Pneumonia and influenza (480-487)	172	30	45	648	14	28	44	48
Pneumonia (480-486)	170	30	43	634	14	27	41	47
Influenza (487)	2	-	2	14	-	1	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	205	66	49	573	27	45	49	59
Bronchitis, chronic and unspecified (490-491)	4	1	3	32	-	1	3	6
Emphysema (492)	29	5	10	150	3	7	8	11
Asthma (493)	9	-	1	25	2	1	1	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	163	60	35	366	22	36	37	38
Ulcer of stomach and duodenum (531-533)	11	4	4	68	2	2	2	12
Appendicitis (540-543)	1	1	1	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	6	7	37	1	2	6	4
Chronic liver disease and cirrhosis (571)	62	7	9	269	23	15	13	11
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	1	16	-	1	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	91	13	6	67	1	17	7	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	1	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	11	-	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	88	13	5	55	1	15	6	11
Infections of kidney (590)	4	1	-	20	-	-	3	-
Hyperplasia of prostate (600)	-	2	1	3	1	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	2	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	2	-	-	-	-
Congenital anomalies (740-759)	32	5	10	121	12	7	7	15
Certain conditions originating in the perinatal period (760-779)	39	15	24	151	11	12	13	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	5	12	53	3	1	1	4
Other conditions originating in the perinatal period (760-766,770-779)	33	10	12	98	8	11	12	12
Symptoms, signs, and ill-defined conditions (780-799)	38	6	3	69	19	4	15	15
All other diseases (Residual)	441	86	91	775	49	88	92	107
Accidents and adverse effects (E800-E949)	216	39	68	696	125	54	72	67
Motor vehicle accidents (E810-E825)	102	14	51	385	60	31	43	35
All other accidents and adverse effects (E800-E807,E826-E949)	114	25	17	311	65	23	29	32
Suicide (E950-E959)	87	13	38	291	35	22	19	37
Homicide and legal intervention (E960-E978)	20	5	22	134	20	2	12	15
All other external causes (E980-E999)	2	2	2	4	1	1	1	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Anniston, Ala.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Athens, Ga.	Atlanta, Ga.	Atlantic City, N.J.	Augusta, Ga.-S.C.	Austin, Tex.
All causes	998	2,240	1,889	1,023	15,680	2,347	2,953	3,751
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	1
Certain other intestinal infections (007-009)	-	-	-	-	1	-	2	1
Tuberculosis (010-018)	1	1	2	-	24	5	3	4
Tuberculosis of respiratory system (010-012)	1	1	1	-	23	5	3	4
Other tuberculosis (013-018)	-	-	1	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	2	-	2	-	1	2
Septicemia (038)	5	15	16	5	204	21	24	47
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	3	-	1	9	-	-	3
Syphilis (090-097)	-	-	-	-	2	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	4	5	4	72	9	11	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	205	523	428	220	3,315	535	645	782
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	10	6	8	62	16	8	15
Malignant neoplasms of digestive organs and peritoneum (150-159)	43	144	88	52	704	169	162	175
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	58	104	142	73	970	149	179	214
Malignant neoplasm of breast (174-175)	18	43	40	24	311	38	45	77
Malignant neoplasms of genital organs (179-187)	19	57	52	23	357	46	63	81
Malignant neoplasms of urinary organs (188-189)	3	32	15	2	118	24	29	24
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	37	71	43	26	475	55	91	107
Leukemia (204-208)	5	26	21	3	130	13	35	42
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	36	21	9	188	25	33	47
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	9	5	4	53	9	7	9
Diabetes mellitus (250)	17	35	26	12	240	39	44	57
Nutritional deficiencies (260-269)	3	2	2	1	32	2	6	5
Anemias (280-285)	-	6	1	6	26	6	4	6
Meningitis (320-322)	1	-	-	-	7	2	4	2
Major cardiovascular diseases (390-448)	489	1,122	900	494	6,548	1,148	1,324	1,538
Diseases of heart (390-398,402,404-429)	369	875	655	385	5,049	940	991	1,173
Rheumatic fever and rheumatic heart disease (390-398)	-	3	13	-	23	11	5	10
Hypertensive heart disease (402)	16	7	12	5	269	30	54	24
Hypertensive heart and renal disease (404)	1	2	1	-	16	3	14	1
Ischemic heart disease (410-414)	201	572	486	221	3,046	681	633	658
Acute myocardial infarction (410)	146	345	250	150	1,901	302	361	390
Other acute and subacute forms of ischemic heart disease (411)	1	-	3	-	10	1	-	6
Angina pectoris (413)	1	1	1	-	10	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	53	326	232	71	1,125	378	251	260
Other diseases of endocardium (424)	5	16	12	1	61	11	15	18
All other forms of heart disease (415-423,425-429)	146	175	131	158	1,612	204	270	462
Hypertension with or without renal disease (401,403)	4	10	12	1	69	7	14	15
Cerebrovascular diseases (430-438)	102	182	191	90	1,169	143	268	258
Intracerebral and other intracranial hemorrhage (431-432)	15	20	20	12	194	19	55	39
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	34	20	26	16	171	33	53	27
Cerebral embolism (434.1)	-	-	1	-	5	2	1	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	53	142	144	62	799	89	159	187
Atherosclerosis (440)	4	19	30	8	119	26	28	58
Other diseases of arteries, arterioles, and capillaries (441-448)	10	36	12	10	142	32	23	32
Acute bronchitis and bronchiolitis (466)	1	1	1	-	4	1	1	1
Pneumonia and influenza (480-487)	25	75	91	28	487	78	80	105
Pneumonia (480-486)	24	73	89	26	482	77	78	100
Influenza (487)	1	2	2	2	5	1	2	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	46	48	68	37	548	75	102	109
Bronchitis, chronic and unspecified (490-491)	-	1	3	1	45	1	4	4
Emphysema (492)	5	5	10	2	102	10	24	23
Asthma (493)	2	2	6	6	39	9	3	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	39	40	49	28	362	55	71	71
Ulcer of stomach and duodenum (531-533)	5	8	7	4	46	9	11	8
Appendicitis (540-543)	-	-	-	-	3	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	6	5	3	46	4	8	8
Chronic liver disease and cirrhosis (571)	11	22	13	14	211	39	37	54
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	2	1	28	3	6	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	18	14	14	201	28	21	33
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	3	1	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	2	-	1	13	-	2	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	16	14	13	185	27	19	28
Infections of kidney (590)	3	2	1	3	16	2	3	4
Hyperplasia of prostate (600)	-	2	-	-	5	-	2	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	4	-	-	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	2	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	2	-	-	2
Congenital anomalies (740-759)	6	18	13	8	120	12	29	40
Certain conditions originating in the perinatal period (760-779)	13	10	5	8	215	21	54	49
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	4	1	2	61	6	11	19
Other conditions originating in the perinatal period (760-766,770-779)	10	6	4	6	154	15	43	30
Symptoms, signs, and ill-defined conditions (780-799)	9	12	7	5	159	49	22	59
All other diseases (Residual)	62	148	163	72	1,455	115	264	315
Accidents and adverse effects (E800-E949)	49	100	71	60	974	96	156	305
Motor vehicle accidents (E810-E825)	25	42	26	40	478	43	86	181
All other accidents and adverse effects (E800-E807,E826-E949)	24	58	45	20	496	53	70	124
Suicide (E950-E959)	16	38	26	10	301	26	34	103
Homicide and legal intervention (E960-E978)	11	7	12	7	289	12	46	73
All other external causes (E980-E999)	-	1	3	2	33	1	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Bakersfield, Calif.	Baltimore, Md.	Bangor, Maine	Baton Rouge, La.	Battle Creek, Mich.	Bay City, Mich.	Beaumont-Port Arthur-Orange, Tex.	Bellingham, Wash.
All causes	3,718	20,750	1,166	3,461	1,689	992	3,367	857
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	1	1	1	-	-	-
Tuberculosis (010-018)	5	14	-	6	-	-	3	-
Tuberculosis of respiratory system (010-012)	5	12	-	6	-	-	3	-
Other tuberculosis (013-018)	-	2	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	1	1	1	-	1	-
Septicemia (038)	32	379	7	43	11	7	27	3
Acute poliomyelitis (045)	-	1	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	8	1	1	1	-	3	-
Syphilis (090-097)	-	3	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	12	70	3	5	5	3	5	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	773	4,981	262	825	402	224	756	208
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	86	6	20	12	3	20	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	206	1,193	73	195	93	51	206	61
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	220	1,456	54	243	108	57	218	46
Malignant neoplasm of breast (174-175)	54	421	30	65	44	21	48	20
Malignant neoplasms of genital organs (179-187)	84	469	24	76	32	21	61	28
Malignant neoplasms of urinary organs (188-189)	33	202	13	36	26	15	35	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	86	734	38	99	52	31	112	15
Leukemia (204-208)	40	155	12	36	16	8	32	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	245	12	55	19	17	24	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	78	2	20	4	3	15	3
Diabetes mellitus (250)	56	370	13	60	39	22	65	14
Nutritional deficiencies (260-269)	5	26	2	-	2	5	7	1
Anemias (280-285)	4	46	1	8	9	3	7	1
Meningitis (320-322)	5	18	-	7	-	-	1	-
Major cardiovascular diseases (390-448)	1,576	9,052	547	1,470	752	536	1,509	403
Diseases of heart (390-398,402,404-429)	1,261	7,480	440	1,117	599	401	1,176	297
Rheumatic fever and rheumatic heart disease (390-398)	9	44	3	5	6	2	5	4
Hypertensive heart disease (402)	48	313	7	66	11	1	19	6
Hypertensive heart and renal disease (404)	3	28	-	2	1	-	1	2
Ischemic heart disease (410-414)	949	3,449	308	598	434	342	691	220
Acute myocardial infarction (410)	410	2,257	170	342	227	135	303	105
Other acute and subacute forms of ischemic heart disease (411)	2	28	2	-	-	-	3	-
Angina pectoris (413)	2	16	-	2	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	585	1,148	136	254	206	207	325	115
Other diseases of endocardium (424)	18	75	4	11	10	4	5	8
All other forms of heart disease (415-423,425-429)	234	3,571	118	435	137	52	515	57
Hypertension with or without renal disease (401,403)	8	84	3	24	4	2	13	3
Cerebrovascular diseases (430-438)	241	1,154	75	212	102	86	263	80
Intracerebral and other intracranial hemorrhage (431-432)	33	207	11	16	12	5	39	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	49	115	7	22	11	28	39	9
Cerebral embolism (434.1)	2	1	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	157	831	57	174	79	53	185	60
Atherosclerosis (440)	37	110	12	95	28	38	27	11
Other diseases of arteries, arterioles, and capillaries (441-448)	31	224	17	22	19	9	30	12
Acute bronchitis and bronchiolitis (466)	1	5	-	-	1	-	-	-
Pneumonia and influenza (480-487)	145	555	49	82	55	12	84	32
Pneumonia (480-486)	144	537	49	81	52	12	84	30
Influenza (487)	1	18	-	1	3	-	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	174	633	49	90	64	35	95	38
Bronchitis, chronic and unspecified (490-491)	6	21	5	3	1	4	7	2
Emphysema (492)	55	81	7	19	10	11	21	4
Asthma (493)	9	29	-	6	1	2	4	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	104	502	37	62	52	18	63	30
Ulcer of stomach and duodenum (531-533)	10	61	2	11	5	1	6	2
Appendicitis (540-543)	2	4	-	4	-	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	68	2	6	4	3	5	1
Chronic liver disease and cirrhosis (571)	62	242	14	47	14	17	42	4
Cholelithiasis and other disorders of gallbladder (574-575)	4	16	2	5	3	-	7	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	303	8	49	18	12	38	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	3	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	12	-	1	1	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	36	288	8	48	17	12	37	9
Infections of kidney (590)	8	6	-	4	-	-	9	1
Hyperplasia of prostate (600)	-	5	-	-	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	-	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	-	-	1	-	-	-
Congenital anomalies (740-759)	31	114	12	38	8	6	20	5
Certain conditions originating in the perinatal period (760-779)	53	232	11	75	15	10	32	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	14	40	5	12	8	2	16	-
Other conditions originating in the perinatal period (760-766,770-779)	39	192	6	63	7	8	16	3
Symptoms, signs, and ill-defined conditions (780-799)	16	205	3	25	15	2	139	7
All other diseases (Residual)	248	1,868	90	232	118	39	226	61
Accidents and adverse effects (E800-E949)	281	816	58	207	87	35	156	40
Motor vehicle accidents (E810-E825)	147	357	31	105	50	16	80	24
All other accidents and adverse effects (E800-E807,E826-E949)	134	459	27	102	37	19	76	16
Suicide (E950-E959)	85	251	22	60	19	12	62	14
Homicide and legal intervention (E960-E978)	54	259	3	56	14	4	41	4
All other external causes (E980-E999)	2	34	1	2	1	-	4	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Benton Harbor, Mich.	Billings, Mont.	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bismarck, N.Dak.	Bloomington, Ind.	Bloomington-Normal, Ill.
All causes	1,699	837	1,729	2,800	8,425	525	566	912
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	2	1	7	-	1	-
Tuberculosis of respiratory system (010-012)	-	-	2	-	6	-	1	-
Other tuberculosis (013-018)	-	-	-	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	1	2	-	-	-
Septicemia (038)	13	9	13	23	70	2	2	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	2	2	4	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	1	2	9	25	4	-	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	386	201	376	662	1,827	118	126	203
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	4	8	19	32	1	1	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	107	48	100	171	483	36	32	50
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	102	46	104	167	556	27	40	56
Malignant neoplasm of breast (174-175)	32	16	29	62	139	14	7	12
Malignant neoplasms of genital organs (179-187)	37	29	48	81	190	15	10	16
Malignant neoplasms of urinary organs (188-189)	17	10	19	23	58	8	6	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	51	24	39	67	214	12	19	31
Leukemia (204-208)	15	9	9	30	67	3	2	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	15	20	42	88	2	9	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	1	4	15	25	-	-	2
Diabetes mellitus (250)	17	19	17	56	166	12	14	19
Nutritional deficiencies (260-269)	7	1	5	2	13	4	1	-
Anemias (280-285)	2	2	4	5	18	-	-	1
Meningitis (320-322)	-	-	1	1	3	1	-	-
Major cardiovascular diseases (390-448)	818	350	833	1,403	3,611	236	263	447
Diseases of heart (390-398,402,404-429)	637	272	704	1,128	2,748	189	194	345
Rheumatic fever and rheumatic heart disease (390-398)	6	9	5	10	13	4	3	6
Hypertensive heart disease (402)	11	7	14	29	96	6	2	8
Hypertensive heart and renal disease (404)	3	-	1	2	17	-	5	2
Ischemic heart disease (410-414)	486	183	426	914	1,708	129	145	259
Acute myocardial infarction (410)	212	79	285	442	948	69	89	128
Other acute and subacute forms of ischemic heart disease (411)	1	1	1	-	13	-	-	-
Angina pectoris (413)	-	-	1	-	3	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	273	103	139	472	744	60	55	130
Other diseases of endocardium (424)	7	3	4	18	38	3	2	1
All other forms of heart disease (415-423,425-429)	124	70	254	155	876	47	37	69
Hypertension with or without renal disease (401,403)	7	-	5	11	68	-	-	3
Cerebrovascular diseases (430-438)	134	55	94	202	670	37	52	73
Intracerebral and other intracranial hemorrhage (431-432)	21	4	14	17	106	1	6	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	15	13	42	89	6	7	12
Cerebral embolism (434.1)	-	-	3	2	3	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	80	36	64	141	472	30	39	58
Atherosclerosis (440)	28	12	10	32	59	1	12	15
Other diseases of arteries, arterioles, and capillaries (441-448)	12	11	20	30	66	9	5	11
Acute bronchitis and bronchiolitis (466)	1	1	-	1	4	-	-	-
Pneumonia and influenza (480-487)	44	22	44	78	267	10	16	38
Pneumonia (480-486)	44	22	41	75	260	10	16	35
Influenza (487)	-	-	3	3	7	-	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	78	47	65	101	339	23	26	27
Bronchitis, chronic and unspecified (490-491)	3	1	1	4	19	1	3	1
Emphysema (492)	31	8	6	29	61	3	6	7
Asthma (493)	3	2	6	6	10	-	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	41	36	52	62	249	19	16	18
Ulcer of stomach and duodenum (531-533)	6	3	2	16	37	2	-	3
Appendicitis (540-543)	-	-	2	-	2	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	1	7	7	15	1	1	2
Chronic liver disease and cirrhosis (571)	22	17	23	28	97	4	5	9
Cholelithiasis and other disorders of gallbladder (574-575)	5	1	2	4	13	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	3	22	28	90	9	12	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	4	4	7	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	3	17	24	81	9	11	5
Infections of kidney (590)	4	-	-	-	23	4	1	-
Hyperplasia of prostate (600)	1	-	-	-	3	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	-	-
Congenital anomalies (740-759)	9	5	14	10	53	5	1	9
Certain conditions originating in the perinatal period (760-779)	15	5	15	18	107	7	6	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	7	3	28	2	2	4
Other conditions originating in the perinatal period (760-766,770-779)	12	2	8	15	79	5	4	13
Symptoms, signs, and ill-defined conditions (780-799)	3	16	27	15	217	4	6	3
All other diseases (Residual)	118	52	128	184	742	49	37	59
Accidents and adverse effects (E800-E949)	83	48	71	97	364	14	23	42
Motor vehicle accidents (E810-E825)	46	26	40	50	181	4	14	28
All other accidents and adverse effects (E800-E807,E826-E949)	37	22	31	47	183	10	9	14
Suicide (E950-E959)	24	21	30	29	105	14	21	13
Homicide and legal intervention (E960-E978)	9	5	13	4	154	2	2	-
All other external causes (E980-E999)	-	6	4	-	21	-	1	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Boise City, Idaho	Boston-Lowell-Brockton-Lawrence-Haverhill, Mass.	Bradenton, Fla.	Bremerton, Wash.	Bridgeport-Stamford-Norwalk-Danbury, Conn.	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.
All causes	1,211	34,627	2,616	1,109	7,148	1,420	553	12,864
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	1
Certain other intestinal infections (007-009)	-	2	-	-	1	1	-	-
Tuberculosis (010-018)	-	22	4	1	2	2	-	4
Tuberculosis of respiratory system (010-012)	-	18	3	1	-	2	-	3
Other tuberculosis (013-018)	-	4	1	-	2	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	-	-	3	-	-	-
Septicemia (038)	6	344	15	7	61	12	3	91
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	1	-	-	-	-	-	-
Viral hepatitis (070)	1	15	1	1	4	1	-	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	119	5	5	26	2	1	34
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	259	8,208	611	273	1,751	250	111	2,933
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	158	11	4	30	5	-	62
Malignant neoplasms of digestive organs and peritoneum (150-159)	64	2,237	173	68	450	60	25	795
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	50	2,064	171	93	447	74	36	825
Malignant neoplasm of breast (174-175)	21	836	45	23	175	12	11	300
Malignant neoplasms of genital organs (179-187)	41	791	62	35	182	24	14	278
Malignant neoplasms of urinary organs (188-189)	16	302	32	5	77	9	5	129
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	1,117	57	26	229	44	13	247
Leukemia (204-208)	13	296	21	9	57	12	3	111
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	407	39	10	104	10	4	186
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	117	6	4	28	2	3	46
Diabetes mellitus (250)	12	559	43	18	140	35	15	248
Nutritional deficiencies (260-269)	6	59	1	2	4	1	-	11
Anemias (280-285)	1	55	3	2	14	2	-	11
Meningitis (320-322)	-	18	1	2	2	-	-	9
Major cardiovascular diseases (390-448)	547	16,166	1,226	500	3,356	565	216	6,772
Diseases of heart (390-398,402,404-429)	419	13,111	962	399	2,721	427	157	5,260
Rheumatic fever and rheumatic heart disease (390-398)	8	111	9	2	29	3	2	46
Hypertensive heart disease (402)	5	367	20	16	57	3	3	104
Hypertensive heart and renal disease (404)	-	25	3	1	3	-	1	26
Ischemic heart disease (410-414)	315	9,752	676	244	1,951	272	81	4,281
Acute myocardial infarction (410)	180	4,657	314	157	847	168	38	2,226
Other acute and subacute forms of ischemic heart disease (411)	3	29	4	-	4	-	1	19
Angina pectoris (413)	-	10	-	-	3	-	6	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	132	5,056	358	87	1,097	104	36	2,035
Other diseases of endocardium (424)	9	167	9	4	32	6	2	48
All other forms of heart disease (415-423,425-429)	82	2,689	245	133	849	141	68	755
Hypertension with or without renal disease (401,403)	13	92	7	2	28	1	5	27
Cerebrovascular diseases (430-438)	86	2,232	217	76	470	109	41	1,198
Intracerebral and other intracranial hemorrhage (431-432)	6	352	29	7	82	17	4	160
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	456	62	4	73	10	7	357
Cerebral embolism (434.1)	-	17	1	-	2	-	-	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	73	1,407	125	65	313	82	30	677
Atherosclerosis (440)	9	304	21	9	59	18	9	151
Other diseases of arteries, arterioles, and capillaries (441-448)	20	427	19	14	80	10	4	136
Acute bronchitis and bronchiolitis (466)	-	8	-	1	2	-	-	4
Pneumonia and influenza (480-487)	29	1,449	46	32	250	41	11	320
Pneumonia (480-486)	29	1,429	46	27	246	40	11	318
Influenza (487)	-	20	-	5	4	1	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	57	1,122	120	50	219	37	18	450
Bronchitis, chronic and unspecified (490-491)	1	81	2	2	13	2	2	28
Emphysema (492)	13	190	22	7	31	8	4	88
Asthma (493)	3	55	4	3	12	-	1	25
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	40	796	92	38	163	27	9	309
Ulcer of stomach and duodenum (531-533)	4	102	12	5	21	5	-	56
Appendicitis (540-543)	1	9	-	1	1	2	-	9
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	89	6	4	21	4	1	28
Chronic liver disease and cirrhosis (571)	8	495	30	8	82	15	7	165
Cholelithiasis and other disorders of gallbladder (574-575)	2	47	4	3	6	2	1	16
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	377	17	4	60	18	2	97
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	4	-	-	1	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	23	2	-	5	-	-	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	350	15	4	54	18	2	90
Infections of kidney (590)	2	26	3	-	3	1	1	11
Hyperplasia of prostate (600)	-	4	-	-	2	-	-	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	-	-	1	1	-	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	-	-	1	1	-	-
Congenital anomalies (740-759)	6	184	8	7	28	7	5	66
Certain conditions originating in the perinatal period (760-779)	11	248	14	18	55	21	8	82
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	64	2	6	23	11	-	12
Other conditions originating in the perinatal period (760-766,770-779)	10	184	12	12	32	10	6	70
Symptoms, signs, and ill-defined conditions (780-799)	28	317	135	10	91	180	51	78
All other diseases (Residual)	93	2,774	173	86	521	90	46	772
Accidents and adverse effects (E800-E949)	72	1,158	87	44	252	78	36	351
Motor vehicle accidents (E810-E825)	41	486	55	27	114	46	22	168
All other accidents and adverse effects (E800-E807,E826-E949)	31	672	32	17	138	32	14	183
Suicide (E950-E959)	38	316	26	18	85	18	12	103
Homicide and legal intervention (E960-E978)	7	144	19	3	54	26	7	53
All other external causes (E980-E999)	-	68	-	-	2	1	-	38

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Burlington, N.C.	Burlington, Vt.	Canton, Ohio	Casper, Wyo.	Cedar Rapids, Iowa	Champaign-Urbana-Rantoul, Ill.	Charleston-North Charleston, S.C.	Charleston, W. Va.
All causes	944	777	3,879	422	1,244	957	3,155	2,607
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	1	-	-	4	1	1
Tuberculosis of respiratory system (010-012)	-	-	1	-	-	4	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-
Septicemia (038)	8	6	21	1	6	6	28	18
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	5	3
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	3	6	3	2	1	24	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	217	170	875	84	307	203	679	607
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	3	13	4	6	3	12	15
Malignant neoplasms of digestive organs and peritoneum (150-159)	55	38	223	14	89	43	166	134
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	58	40	224	22	88	63	203	213
Malignant neoplasm of breast (174-175)	23	17	77	9	25	19	52	47
Malignant neoplasms of genital organs (179-187)	20	20	100	8	34	23	82	50
Malignant neoplasms of urinary organs (188-189)	7	8	39	1	11	9	30	28
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	24	104	20	23	29	77	79
Leukemia (204-208)	8	9	45	1	14	4	20	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	11	50	5	17	10	37	23
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	3	7	3	1	3	10	9
Diabetes mellitus (250)	22	8	100	2	20	29	54	44
Nutritional deficiencies (260-269)	1	1	8	-	1	5	5	3
Anemias (280-285)	2	3	12	-	1	3	11	6
Meningitis (320-322)	-	1	2	-	-	1	3	1
Major cardiovascular diseases (390-448)	439	378	1,894	149	588	431	1,983	1,214
Diseases of heart (390-398,402,404-429)	347	295	1,503	126	447	322	1,050	1,024
Rheumatic fever and rheumatic heart disease (390-398)	3	2	14	3	1	2	9	5
Hypertensive heart disease (402)	10	10	45	1	20	5	42	45
Hypertensive heart and renal disease (404)	2	1	5	1	1	2	3	7
Ischemic heart disease (410-414)	263	164	1,127	80	310	229	716	526
Acute myocardial infarction (410)	142	84	519	36	130	119	418	273
Other acute and subacute forms of ischemic heart disease (411)	-	2	1	-	1	1	75	-
Angina pectoris (413)	1	1	1	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	77	606	44	179	109	222	253
Other diseases of endocardium (424)	6	6	33	5	13	5	13	5
All other forms of heart disease (415-423,425-429)	63	112	279	36	102	79	267	436
Hypertension with or without renal disease (401,403)	3	1	29	-	8	12	16	3
Cerebrovascular diseases (430-438)	72	62	275	17	93	57	253	148
Intracerebral and other intracranial hemorrhage (431-432)	8	7	42	3	9	8	42	19
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	16	6	30	3	6	4	43	14
Cerebral embolism (434.1)	-	-	2	-	-	1	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	48	49	201	11	78	44	166	115
Atherosclerosis (440)	11	7	42	2	23	29	29	17
Other diseases of arteries, arterioles, and capillaries (441-448)	6	13	45	4	17	11	35	22
Acute bronchitis and bronchiolitis (466)	-	-	1	-	-	-	-	1
Pneumonia and influenza (480-487)	23	20	124	13	34	28	81	97
Pneumonia (480-486)	23	20	122	8	34	27	78	97
Influenza (487)	-	-	2	5	-	1	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	29	37	167	25	59	54	94	119
Bronchitis, chronic and unspecified (490-491)	1	2	2	1	-	4	1	5
Emphysema (492)	3	5	29	4	7	19	18	18
Asthma (493)	3	1	10	-	2	1	9	13
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	22	29	126	20	50	30	66	83
Ulcer of stomach and duodenum (531-533)	2	-	20	4	11	3	9	8
Appendicitis (540-543)	-	-	2	-	-	-	1	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	11	-	4	3	8	7
Chronic liver disease and cirrhosis (571)	7	12	37	10	9	15	42	38
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	10	-	1	2	3	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	4	37	4	14	7	32	26
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	3	-	2	2	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	4	32	4	12	5	28	25
Infections of kidney (590)	3	-	2	-	5	-	3	1
Hyperplasia of prostate (600)	1	1	-	-	1	1	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	1	-
Congenital anomalies (740-759)	6	7	18	6	7	5	20	18
Certain conditions originating in the perinatal period (760-779)	5	7	22	7	16	9	59	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	3	6	-	2	3	10	5
Other conditions originating in the perinatal period (760-766,770-779)	3	4	16	7	14	6	49	12
Symptoms, signs, and ill-defined conditions (780-799)	7	6	45	7	7	6	30	32
All other diseases (Residual)	82	55	259	39	87	74	266	181
Accidents and adverse effects (E800-E949)	42	40	133	40	43	40	201	102
Motor vehicle accidents (E810-E825)	24	20	79	15	20	19	118	53
All other accidents and adverse effects (E800-E807,E826-E949)	18	20	54	25	23	21	83	49
Suicide (E950-E959)	20	10	49	19	16	13	51	28
Homicide and legal intervention (E960-E978)	5	4	16	2	2	10	48	11
All other external causes (E980-E999)	-	-	-	4	2	1	1	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte-Gastonia, N.C.	Charlottesville, Va.	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Chico, Calif.	Cincinnati, Ohio-Ky.-Ind.	Clarksville-Hopkinsville, Tenn.-Ky.	Cleveland, Ohio
All causes	5,233	920	3,892	60,682	1,662	13,155	1,066	18,515
Shigellosis and amebiasis (004,006)	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	-	-	2	12	-	-	-	2
Tuberculosis (010-018)	5	-	2	46	1	10	2	10
Tuberculosis of respiratory system (010-012)	3	-	2	30	1	8	1	10
Other tuberculosis (013-018)	2	-	-	16	-	2	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	4	1	2	-	2
Septicemia (038)	45	6	26	662	12	101	9	176
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	1	22	-	2	-	4
Syphilis (090-097)	-	1	-	1	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	14	2	5	218	4	26	1	39
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,190	187	860	13,756	357	3,143	221	4,414
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	4	15	284	11	54	1	101
Malignant neoplasms of digestive organs and peritoneum (150-159)	276	40	194	3,675	80	776	52	1,210
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	349	61	287	3,724	107	1,019	64	1,180
Malignant neoplasm of breast (174-175)	116	18	60	1,351	32	291	18	356
Malignant neoplasms of genital organs (179-187)	141	12	100	1,414	40	312	33	493
Malignant neoplasms of urinary organs (188-189)	43	7	27	550	14	108	10	184
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	147	25	112	1,578	41	337	24	528
Leukemia (204-208)	45	8	27	470	10	100	6	149
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	12	38	710	22	146	11	213
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	2	16	205	3	41	3	64
Diabetes mellitus (250)	83	7	61	1,008	29	285	22	412
Nutritional deficiencies (260-269)	11	-	4	68	1	10	3	35
Anemias (280-285)	6	1	9	121	2	25	1	43
Meningitis (320-322)	5	1	2	33	1	5	1	9
Major cardiovascular diseases (390-448)	2,443	449	1,937	29,051	694	6,132	486	8,883
Diseases of heart (390-398,402,404-429)	1,852	314	1,594	24,010	524	4,948	381	7,297
Rheumatic fever and rheumatic heart disease (390-398)	9	1	5	182	6	42	3	65
Hypertensive heart disease (402)	64	3	28	1,004	9	227	12	217
Hypertensive heart and renal disease (404)	11	-	8	92	-	23	1	23
Ischemic heart disease (410-414)	1,288	198	1,169	15,795	369	3,449	278	5,443
Acute myocardial infarction (410)	650	96	428	7,490	166	1,407	185	1,956
Other acute and subacute forms of ischemic heart disease (411)	5	5	2	151	2	12	-	10
Angina pectoris (413)	1	1	-	16	1	4	-	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	632	96	739	8,128	200	2,026	93	3,471
Other diseases of endocardium (424)	26	6	13	229	19	59	6	94
All other forms of heart disease (415-423,425-429)	454	106	371	6,718	121	1,148	81	1,395
Hypertension with or without renal disease (401,403)	26	7	14	256	3	47	-	60
Cerebrovascular diseases (430-438)	460	97	268	3,749	119	857	84	1,202
Intracerebral and other intracranial hemorrhage (431-432)	62	9	35	688	14	108	10	182
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	61	10	30	762	14	145	5	236
Cerebral embolism (434.1)	1	-	1	26	-	3	-	6
All other and late effects of cerebrovascular diseases (430,433,435-438)	336	78	202	2,273	91	601	69	778
Atherosclerosis (440)	53	23	25	486	25	124	6	163
Other diseases of arteries, arterioles, and capillaries (441-448)	52	8	36	550	23	156	15	221
Acute bronchitis and bronchiolitis (466)	2	-	1	13	2	7	1	4
Pneumonia and influenza (480-487)	157	38	149	1,971	94	459	24	541
Pneumonia (480-486)	152	38	144	1,953	85	447	23	524
Influenza (487)	5	-	5	18	9	12	1	17
Chronic obstructive pulmonary diseases and allied conditions (490-496)	157	30	132	1,731	102	536	39	589
Bronchitis, chronic and unspecified (490-491)	6	4	11	77	5	38	5	33
Emphysema (492)	31	3	17	316	12	56	8	124
Asthma (493)	14	3	4	122	-	41	1	33
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	106	20	100	1,216	85	401	25	399
Ulcer of stomach and duodenum (531-533)	10	3	10	195	7	36	5	57
Appendicitis (540-543)	3	-	-	16	-	4	-	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	1	8	141	3	42	3	50
Chronic liver disease and cirrhosis (571)	65	10	39	944	24	143	11	223
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	9	79	5	23	3	28
Nephritis, nephrotic syndrome, and nephrosis (580-589)	58	16	39	769	15	117	11	245
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	13	-	2	-	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	1	2	36	2	12	-	24
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	51	15	37	720	13	103	11	217
Infections of kidney (590)	4	-	4	39	-	19	2	13
Hyperplasia of prostate (600)	1	-	1	18	-	2	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	7	1	2	1	3
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	7	1	2	1	2
Congenital anomalies (740-759)	42	4	13	394	10	90	6	77
Certain conditions originating in the perinatal period (760-779)	64	3	30	607	8	122	20	146
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	2	2	219	2	33	7	36
Other conditions originating in the perinatal period (760-766,770-779)	49	1	28	588	6	89	13	110
Symptoms, signs, and ill-defined conditions (780-799)	27	9	30	464	17	89	21	78
All other diseases (Residual)	414	85	235	4,001	125	947	75	1,272
Accidents and adverse effects (E800-E949)	224	43	184	2,113	105	461	59	624
Motor vehicle accidents (E810-E825)	107	17	82	960	40	189	36	269
All other accidents and adverse effects (E800-E807,E826-E949)	117	26	102	1,153	65	272	23	355
Suicide (E950-E959)	76	12	47	767	35	172	24	265
Homicide and legal intervention (E960-E978)	75	8	29	868	4	85	10	184
All other external causes (E980-E999)	6	2	7	97	-	17	2	17

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Colorado Springs, Colo.	Columbia, Mo.	Columbia, S.C.	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex.	Cumberland, Md.-W. Va.	Dallas-Fort Worth, Tex.
All causes	1,913	580	3,177	2,210	8,603	2,393	1,271	23,912
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	3	-	-	-	-	4
Tuberculosis (010-018)	-	-	3	9	5	6	1	21
Tuberculosis of respiratory system (010-012)	-	-	2	9	3	6	1	15
Other tuberculosis (013-018)	-	-	1	-	2	-	-	6
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	1	1	-	5
Septicemia (038)	12	11	32	23	118	20	10	210
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	2	1	1	2	-	13
Syphilis (090-097)	-	-	1	-	3	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	12	3	15	6	21	9	3	97
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	389	122	659	449	2,038	497	264	4,894
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	1	24	15	24	11	3	84
Malignant neoplasms of digestive organs and peritoneum (150-159)	93	25	171	94	460	129	74	1,103
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	92	29	175	124	679	150	78	1,361
Malignant neoplasm of breast (174-175)	48	9	56	43	192	33	22	441
Malignant neoplasms of genital organs (179-187)	39	11	69	56	208	49	22	512
Malignant neoplasms of urinary organs (188-189)	16	8	31	19	82	22	12	198
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	60	22	72	61	221	61	35	897
Leukemia (204-208)	17	6	24	17	76	10	8	208
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	11	37	20	96	32	12	290
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	3	10	5	36	7	7	77
Diabetes mellitus (250)	29	14	61	51	168	68	13	368
Nutritional deficiencies (260-269)	2	2	1	1	16	7	1	40
Anemias (280-285)	1	-	7	8	17	5	3	45
Meningitis (320-322)	4	-	2	2	2	6	-	20
Major cardiovascular diseases (390-448)	782	241	1,319	1,008	3,838	1,016	662	10,495
Diseases of heart (390-398,402,404-429)	578	188	1,007	739	3,043	810	546	8,065
Rheumatic fever and rheumatic heart disease (390-398)	9	-	2	1	21	4	2	55
Hypertensive heart disease (402)	18	9	30	26	88	28	11	493
Hypertensive heart and renal disease (404)	-	-	5	-	37	10	1	27
Ischemic heart disease (410-414)	442	105	688	487	1,852	477	358	4,675
Acute myocardial infarction (410)	174	48	425	247	934	257	166	2,544
Other acute and subacute forms of ischemic heart disease (411)	43	-	3	76	6	10	1	16
Angina pectoris (413)	-	-	2	2	6	2	2	16
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	225	57	258	162	906	208	189	2,099
Other diseases of endocardium (424)	11	5	9	6	37	18	5	70
All other forms of heart disease (415-423,425-429)	96	69	273	219	1,008	280	169	2,745
Hypertension with or without renal disease (401,403)	7	-	14	9	23	5	5	81
Cerebrovascular diseases (430-438)	151	38	250	213	607	158	80	1,772
Intracerebral and other intracranial hemorrhage (431-432)	19	5	26	34	92	20	12	244
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	23	5	22	48	91	12	6	204
Cerebral embolism (434.1)	-	-	-	-	2	1	-	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	109	28	202	131	422	125	62	1,320
Atherosclerosis (440)	30	7	14	31	87	22	18	370
Other diseases of arteries, arterioles, and capillaries (441-448)	18	8	34	16	78	21	13	207
Acute bronchitis and bronchiolitis (466)	-	1	2	1	2	-	-	7
Pneumonia and influenza (480-487)	84	20	139	68	235	67	44	692
Pneumonia (480-486)	81	20	138	68	227	65	43	680
Influenza (487)	3	-	1	-	8	2	1	12
Chronic obstructive pulmonary diseases and allied conditions (490-496)	91	15	109	65	309	84	57	836
Bronchitis, chronic and unspecified (490-491)	3	-	1	1	12	5	3	61
Emphysema (492)	19	2	15	13	53	23	5	140
Asthma (493)	8	-	8	7	12	4	1	63
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	13	85	44	232	52	48	572
Ulcer of stomach and duodenum (531-533)	5	2	10	8	28	7	7	63
Appendicitis (540-543)	-	-	-	1	1	-	-	11
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	3	6	8	22	6	2	63
Chronic liver disease and cirrhosis (571)	31	4	38	45	72	33	16	307
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	5	3	8	3	2	28
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	6	35	26	121	26	20	228
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	3	2	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	6	2	5	5	2	18
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	6	29	24	113	19	18	209
Infections of kidney (590)	1	1	5	4	5	2	-	29
Hyperplasia of prostate (600)	2	-	1	-	2	-	1	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	4	-	3	-	6
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	3	-	3	-	5
Congenital anomalies (740-759)	18	4	31	14	58	23	3	213
Certain conditions originating in the perinatal period (760-779)	24	4	52	25	80	29	4	354
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	1	13	3	8	14	-	75
Other conditions originating in the perinatal period (760-766,770-779)	18	3	39	22	72	15	4	279
Symptoms, signs, and ill-defined conditions (780-799)	19	14	24	26	309	48	5	501
All other diseases (Residual)	166	63	328	171	658	211	77	1,731
Accidents and adverse effects (E800-E949)	124	33	168	117	286	123	49	1,417
Motor vehicle accidents (E810-E825)	74	11	96	57	130	75	27	751
All other accidents and adverse effects (E800-E807,E826-E949)	50	22	72	60	156	48	22	666
Suicide (E950-E959)	55	10	57	29	101	39	18	531
Homicide and legal intervention (E960-E978)	21	2	46	29	38	42	-	585
All other external causes (E980-E999)	4	2	5	3	4	3	2	16

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Danville, Va.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Daytona Beach, Fla.	Decatur, Ill.	Denver-Boulder, Colo.	Des Moines, Iowa	Detroit, Mich.
All causes	1,166	3,229	7,029	4,206	1,125	10,839	2,775	38,322
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	4	-	-	-	-	1
Tuberculosis (010-018)	2	1	4	4	-	7	1	31
Tuberculosis of respiratory system (010-012)	2	1	3	4	-	5	1	24
Other tuberculosis (013-018)	-	-	1	-	-	2	-	7
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	1	4	-	3
Septicemia (038)	12	20	60	29	8	98	26	389
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	3	2	-	5	-	8
Syphilis (090-097)	-	-	1	-	-	1	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	4	21	8	2	58	7	103
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	243	755	1,653	981	245	2,231	656	8,304
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	9	22	30	7	35	14	142
Malignant neoplasms of digestive organs and peritoneum (150-159)	61	183	405	241	65	569	172	2,128
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	82	195	500	302	76	523	202	2,374
Malignant neoplasm of breast (174-175)	21	58	153	69	16	228	60	764
Malignant neoplasms of genital organs (179-187)	19	89	157	117	31	235	60	893
Malignant neoplasms of urinary organs (188-189)	7	34	63	42	6	77	27	313
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	99	217	98	29	296	67	936
Leukemia (204-208)	13	32	55	32	4	88	19	316
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	56	81	50	11	160	35	438
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	12	23	18	2	28	9	71
Diabetes mellitus (250)	27	73	131	60	26	170	40	671
Nutritional deficiencies (260-269)	5	12	9	9	-	26	8	40
Anemias (280-285)	2	6	13	7	2	25	1	66
Meningitis (320-322)	-	2	2	3	-	8	-	7
Major cardiovascular diseases (390-448)	573	1,589	3,338	2,075	597	4,335	1,252	18,695
Diseases of heart (390-398,402,404-429)	459	1,249	2,647	1,597	436	3,349	1,008	15,290
Rheumatic fever and rheumatic heart disease (390-398)	2	10	20	15	3	68	7	124
Hypertensive heart disease (402)	8	25	50	81	4	52	20	391
Hypertensive heart and renal disease (404)	5	1	12	9	1	8	2	40
Ischemic heart disease (410-414)	326	913	1,772	1,164	260	2,355	597	10,427
Acute myocardial infarction (410)	205	487	925	553	118	1,172	411	5,269
Other acute and subacute forms of ischemic heart disease (411)	16	1	7	-	2	21	9	21
Angina pectoris (413)	1	-	-	2	-	3	-	15
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	104	425	840	609	140	1,159	177	5,122
Other diseases of endocardium (424)	1	12	29	26	7	55	14	134
All other forms of heart disease (415-423,425-429)	117	288	764	302	161	811	368	4,174
Hypertension with or without renal disease (401,403)	-	9	27	22	6	44	7	127
Cerebrovascular diseases (430-438)	101	248	508	339	115	618	170	2,444
Intracerebral and other intracranial hemorrhage (431-432)	6	30	97	41	17	72	22	368
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	28	82	74	29	62	23	584
Cerebral embolism (434.1)	-	1	2	2	1	-	1	10
All other and late effects of cerebrovascular diseases (430,433,435-438)	84	189	327	222	68	484	124	1,482
Atherosclerosis (440)	7	48	67	57	18	207	30	443
Other diseases of arteries, arterioles, and capillaries (441-448)	6	35	89	60	12	117	37	391
Acute bronchitis and bronchiolitis (466)	-	1	2	1	-	8	1	6
Pneumonia and influenza (480-487)	34	80	208	116	25	447	118	959
Pneumonia (480-486)	33	76	205	111	25	438	117	951
Influenza (487)	1	4	3	5	-	9	1	8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	36	147	233	171	57	624	99	1,253
Bronchitis, chronic and unspecified (490-491)	1	9	15	7	2	32	3	45
Emphysema (492)	6	51	44	40	7	102	30	271
Asthma (493)	3	4	16	3	4	38	2	73
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	26	83	158	121	44	452	64	864
Ulcer of stomach and duodenum (531-533)	2	6	20	22	5	36	5	122
Appendicitis (540-543)	-	1	2	-	-	-	-	6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	8	14	12	1	32	9	99
Chronic liver disease and cirrhosis (571)	17	39	79	58	5	156	32	816
Cholelithiasis and other disorders of gallbladder (574-575)	3	9	13	8	3	13	2	36
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	38	76	27	8	114	18	350
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	3	-	-	3	2	6
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	6	7	2	-	10	1	21
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	32	66	25	8	101	15	323
Infections of kidney (590)	-	3	6	3	-	10	6	12
Hyperplasia of prostate (600)	-	1	1	1	1	2	-	9
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	3	-	4
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	2	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	-	-	1	-	4
Congenital anomalies (740-759)	2	21	46	10	6	95	23	246
Certain conditions originating in the perinatal period (760-779)	13	9	61	19	10	116	37	430
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	13	4	1	21	8	107
Other conditions originating in the perinatal period (760-766,770-779)	10	6	48	15	9	95	29	323
Symptoms, signs, and ill-defined conditions (780-799)	4	22	170	21	16	112	32	191
All other diseases (Residual)	97	210	499	302	68	939	200	2,639
Accidents and adverse effects (E800-E949)	54	102	214	151	23	625	121	1,284
Motor vehicle accidents (E810-E825)	26	40	112	84	12	279	53	684
All other accidents and adverse effects (E800-E807,E826-E949)	28	62	102	67	11	346	68	600
Suicide (E950-E959)	15	47	70	64	14	361	55	531
Homicide and legal intervention (E960-E978)	6	7	52	19	9	119	14	849
All other external causes (E980-E999)	-	2	1	4	1	31	3	90

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Eau Claire, Wis.	El Paso, Tex.	Elkhart, Ind.	Elmira, N.Y.	Enid, Okla.	Erie, Pa.
All causes	801	2,617	1,114	2,922	1,178	975	639	2,611
Shigellosis and amebiasis (004,006)	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	1	-	-	-	-
Tuberculosis (010-018)	1	-	-	6	2	-	1	1
Tuberculosis of respiratory system (010-012)	-	-	-	5	2	-	-	1
Other tuberculosis (013-018)	1	-	-	1	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	3
Septicemia (038)	7	11	8	38	6	7	8	19
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	1	2	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	5	5	6	1	-	2	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	199	606	244	628	284	226	125	647
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	1	6	15	2	3	1	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	52	186	65	159	77	58	38	164
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	46	138	56	144	68	68	30	175
Malignant neoplasm of breast (174-175)	23	73	19	68	30	13	9	51
Malignant neoplasms of genital organs (179-187)	23	60	33	64	37	25	12	73
Malignant neoplasms of urinary organs (188-189)	8	30	11	31	9	14	4	22
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	16	65	35	92	17	22	16	96
Leukemia (204-208)	10	20	10	33	16	9	7	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	35	9	22	8	14	8	37
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	6	2	9	4	5	2	8
Diabetes mellitus (250)	20	40	16	63	26	15	13	47
Nutritional deficiencies (260-269)	1	5	2	5	-	1	2	5
Anemias (280-285)	2	7	3	3	-	-	4	4
Meningitis (320-322)	-	3	-	3	1	-	1	2
Major cardiovascular diseases (390-448)	389	1,262	544	1,157	602	475	319	1,246
Diseases of heart (390-398,402,404-429)	294	960	427	906	458	385	240	960
Rheumatic fever and rheumatic heart disease (390-398)	2	6	4	9	6	1	1	11
Hypertensive heart disease (402)	15	21	4	47	10	10	2	21
Hypertensive heart and renal disease (404)	4	3	6	4	2	3	2	1
Ischemic heart disease (410-414)	197	637	308	603	315	304	159	722
Acute myocardial infarction (410)	76	285	136	230	178	129	107	383
Other acute and subacute forms of ischemic heart disease (411)	-	1	1	2	-	-	1	4
Angina pectoris (413)	1	3	1	2	-	-	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	348	170	369	137	175	51	333
Other diseases of endocardium (424)	6	13	5	6	9	12	2	18
All other forms of heart disease (415-423,425-429)	70	280	100	237	116	55	74	187
Hypertension with or without renal disease (401,403)	5	9	3	10	4	1	-	5
Cerebrovascular diseases (430-438)	75	210	83	195	108	67	60	234
Intracerebral and other intracranial hemorrhage (431-432)	9	22	10	36	15	4	2	30
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	23	17	26	22	14	9	45
Cerebral embolism (434.1)	-	3	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	45	162	56	133	71	48	49	159
Atherosclerosis (440)	9	44	15	21	22	8	13	24
Other diseases of arteries, arterioles, and capillaries (441-448)	6	39	16	25	10	14	6	23
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	2	-	1
Pneumonia and influenza (480-487)	20	101	37	76	23	36	27	75
Pneumonia (480-486)	19	94	35	75	23	36	25	70
Influenza (487)	1	7	2	1	-	-	2	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	35	86	48	122	39	59	27	97
Bronchitis, chronic and unspecified (490-491)	3	2	1	3	2	2	1	2
Emphysema (492)	8	18	13	35	11	9	5	12
Asthma (493)	1	5	2	8	-	3	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	61	32	76	26	45	21	83
Ulcer of stomach and duodenum (531-533)	4	10	4	6	3	7	4	8
Appendicitis (540-543)	-	1	-	2	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	6	6	12	3	3	-	8
Chronic liver disease and cirrhosis (571)	7	22	16	49	7	13	3	32
Cholelithiasis and other disorders of gallbladder (574-575)	-	6	4	4	3	-	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	20	14	50	6	9	7	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	1	-	1	1	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	17	13	50	5	8	7	31
Infections of kidney (590)	2	-	-	2	-	2	1	3
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	-	-	-	-
Congenital anomalies (740-759)	5	15	6	25	16	4	4	13
Certain conditions originating in the perinatal period (760-779)	6	9	7	40	13	8	4	26
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	3	1	12	5	4	-	15
Other conditions originating in the perinatal period (760-766,770-779)	5	6	6	28	8	4	4	13
Symptoms, signs, and ill-defined conditions (780-799)	1	61	8	30	7	9	8	14
All other diseases (Residual)	46	167	76	266	73	58	34	155
Accidents and adverse effects (E800-E949)	35	97	42	236	60	24	24	112
Motor vehicle accidents (E810-E825)	15	45	17	122	40	11	14	48
All other accidents and adverse effects (E800-E807,E826-E949)	20	52	25	114	20	13	10	64
Suicide (E950-E959)	9	41	16	52	13	9	11	33
Homicide and legal intervention (E960-E978)	1	6	1	26	5	2	7	8
All other external causes (E980-E999)	-	3	3	1	1	-	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Eugene-Springfield, Oreg.	Evansville, Ind.-Ky.	Fargo-Moorhead, N.Dak.-Minn.	Fayetteville, N.C.	Fayetteville-Springdale, Ark.	Flint, Mich.	Florence, Ala.	Florence, S.C.
All causes	2,188	3,074	981	1,433	1,719	3,842	1,201	1,097
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	1	-	-	-	1
Tuberculosis (010-018)	1	3	-	1	-	4	1	1
Tuberculosis of respiratory system (010-012)	-	3	-	-	-	2	1	-
Other tuberculosis (013-018)	1	-	-	1	-	2	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	4	20	4	9	18	25	5	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	4	-	1	-	1	1	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	6	2	6	4	11	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	499	742	218	288	364	806	261	236
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	6	3	2	10	15	1	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	129	176	53	62	75	197	59	45
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	132	219	57	105	94	246	91	79
Malignant neoplasm of breast (174-175)	39	57	17	27	33	61	14	22
Malignant neoplasms of genital organs (179-187)	60	80	24	29	37	79	20	42
Malignant neoplasms of urinary organs (188-189)	24	32	7	9	14	37	11	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	51	93	31	38	66	90	41	25
Leukemia (204-208)	30	37	12	5	16	37	8	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	38	14	19	19	44	16	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	7	4	4	7	6	4	3
Diabetes mellitus (250)	41	63	11	20	18	87	17	28
Nutritional deficiencies (260-269)	5	5	2	1	2	5	1	-
Anemias (280-285)	4	4	4	1	-	8	1	3
Meningitis (320-322)	1	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	1,018	1,457	477	589	817	1,885	539	560
Diseases of heart (390-398,402,404-429)	743	1,182	337	452	643	1,472	390	424
Rheumatic fever and rheumatic heart disease (390-398)	7	9	2	2	3	12	5	1
Hypertensive heart disease (402)	15	19	7	34	8	20	9	31
Hypertensive heart and renal disease (404)	1	18	-	3	-	4	-	2
Ischemic heart disease (410-414)	566	763	228	313	438	1,076	256	222
Acute myocardial infarction (410)	227	440	127	166	258	607	178	128
Other acute and subacute forms of ischemic heart disease (411)	2	3	1	2	-	1	-	3
Angina pectoris (413)	-	2	-	1	1	1	-	6
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	357	318	100	144	179	467	78	85
Other diseases of endocardium (424)	13	17	7	3	6	25	8	5
All other forms of heart disease (415-423,425-429)	121	356	93	97	188	335	112	163
Hypertension with or without renal disease (401,403)	11	8	6	5	1	15	2	6
Cerebrovascular diseases (430-438)	177	212	99	114	135	302	127	114
Intracerebral and other intracranial hemorrhage (431-432)	20	29	6	20	17	43	14	53
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	42	31	19	19	18	50	55	10
Cerebral embolism (434.1)	-	1	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	115	151	74	75	100	208	58	51
Atherosclerosis (440)	51	29	22	6	21	69	3	4
Other diseases of arteries, arterioles, and capillaries (441-448)	38	26	13	10	17	27	17	12
Acute bronchitis and bronchiolitis (466)	-	2	-	-	-	2	-	-
Pneumonia and influenza (480-487)	80	95	35	30	62	98	34	28
Pneumonia (480-486)	73	94	30	30	62	98	33	25
Influenza (487)	7	1	5	-	-	-	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	103	118	32	46	65	126	43	31
Bronchitis, chronic and unspecified (490-491)	4	8	1	4	4	6	-	-
Emphysema (492)	39	34	6	9	11	28	8	5
Asthma (493)	8	4	1	4	3	9	2	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	72	24	29	47	83	33	23
Ulcer of stomach and duodenum (531-533)	5	5	3	6	2	12	2	-
Appendicitis (540-543)	-	-	-	1	1	2	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	9	5	1	4	12	1	-
Chronic liver disease and cirrhosis (571)	27	36	5	24	13	50	10	11
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	3	-	4	6	-	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	35	8	16	20	50	14	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	1	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	-	-	2	3	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	34	8	15	17	47	13	9
Infections of kidney (590)	2	2	-	3	5	5	5	-
Hyperplasia of prostate (600)	-	1	1	-	-	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	-	-
Congenital anomalies (740-759)	18	10	5	10	13	22	9	9
Certain conditions originating in the perinatal period (760-779)	15	17	17	26	8	60	10	19
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	4	4	8	5	26	3	3
Other conditions originating in the perinatal period (760-766,770-779)	14	13	13	18	3	34	7	16
Symptoms, signs, and ill-defined conditions (780-799)	29	30	13	15	38	17	84	4
All other diseases (Residual)	148	242	79	113	111	237	89	58
Accidents and adverse effects (E800-E949)	114	105	32	149	98	184	49	62
Motor vehicle accidents (E810-E825)	56	51	10	84	54	99	27	30
All other accidents and adverse effects (E800-E807,E826-E949)	58	54	22	65	44	85	22	32
Suicide (E950-E959)	39	41	18	32	32	60	11	11
Homicide and legal intervention (E960-E978)	6	11	2	37	11	57	7	10
All other external causes (E980-E999)	6	2	-	2	2	2	1	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Collins, Colo.	Fort Lauderdale-Hollywood, Fla.	Fort Myers-Cape Coral, Fla.	Fort Smith, Ark.-Okla.	Fort Walton Beach, Fla.	Fort Wayne, Ind.	Fresno, Calif.	Gadsden, Ala.
All causes	960	13,333	3,106	2,041	773	3,099	4,300	1,139
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	-	1	-	-	-	1	1	1
Tuberculosis (010-018)	1	10	-	-	-	2	10	3
Tuberculosis of respiratory system (010-012)	-	8	-	-	-	2	9	2
Other tuberculosis (013-018)	1	2	-	-	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-
Septicemia (038)	6	58	11	10	3	13	27	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	5	3	1	-	-	-	-
Syphilis (090-097)	-	2	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	41	9	3	2	6	11	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	184	3,220	805	400	188	671	904	266
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	66	13	7	6	15	10	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	841	215	94	33	148	227	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	33	921	226	135	65	198	246	97
Malignant neoplasm of breast (174-175)	21	266	52	18	20	56	80	9
Malignant neoplasms of genital organs (179-187)	23	319	86	40	20	81	95	30
Malignant neoplasms of urinary organs (188-189)	8	149	38	20	5	23	31	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	382	98	48	29	83	115	41
Leukemia (204-208)	13	100	32	18	3	22	38	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	176	45	20	7	45	62	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	48	11	5	3	14	11	2
Diabetes mellitus (250)	13	206	69	29	15	67	79	15
Nutritional deficiencies (260-269)	4	12	2	1	-	8	7	2
Anemias (280-285)	-	25	9	4	-	4	4	3
Meningitis (320-322)	1	6	-	2	2	2	3	-
Major cardiovascular diseases (390-448)	444	6,480	1,494	1,086	345	1,522	1,831	560
Diseases of heart (390-398,402,404-429)	347	5,261	1,187	901	297	1,115	1,430	450
Rheumatic fever and rheumatic heart disease (390-398)	5	66	13	3	3	10	14	-
Hypertensive heart disease (402)	2	80	33	11	3	16	80	5
Hypertensive heart and renal disease (404)	5	17	2	1	7	16	3	4
Ischemic heart disease (410-414)	232	4,110	857	514	195	828	1,085	304
Acute myocardial infarction (410)	97	2,009	391	296	98	383	456	191
Other acute and subacute forms of ischemic heart disease (411)	6	35	3	2	-	4	12	-
Angina pectoris (413)	-	5	5	-	1	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	129	2,061	458	216	96	440	616	113
Other diseases of endocardium (424)	8	63	17	2	1	19	19	5
All other forms of heart disease (415-423,425-429)	97	925	265	370	88	226	229	132
Hypertension with or without renal disease (401,403)	4	62	13	5	3	16	16	-
Cerebrovascular diseases (430-438)	71	885	231	145	36	304	287	88
Intracerebral and other intracranial hemorrhage (431-432)	10	152	30	16	6	35	46	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	149	26	13	2	44	43	24
Cerebral embolism (434.1)	1	5	2	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	54	579	173	116	28	224	198	48
Atherosclerosis (440)	11	96	22	15	3	48	59	6
Other diseases of arteries, arterioles, and capillaries (441-448)	11	176	41	20	6	39	39	16
Acute bronchitis and bronchiolitis (466)	-	4	-	-	-	-	3	-
Pneumonia and influenza (480-487)	33	315	55	61	13	77	159	40
Pneumonia (480-486)	30	310	55	61	12	77	148	38
Influenza (487)	3	5	-	-	1	-	11	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58	466	117	81	26	99	187	30
Bronchitis, chronic and unspecified (490-491)	3	27	6	2	3	5	4	1
Emphysema (492)	18	98	17	17	3	21	35	5
Asthma (493)	1	23	4	4	1	1	12	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	36	318	90	58	19	72	136	23
Ulcer of stomach and duodenum (531-533)	3	38	11	2	3	8	18	4
Appendicitis (540-543)	-	3	2	2	-	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	30	6	5	1	14	14	1
Chronic liver disease and cirrhosis (571)	7	182	43	20	13	30	82	7
Cholelithiasis and other disorders of gallbladder (574-575)	-	22	4	6	2	5	7	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	140	14	16	4	38	51	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	8	4	1	2	4	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	130	10	15	2	34	46	13
Infections of kidney (590)	-	7	5	1	-	2	-	4
Hyperplasia of prostate (600)	-	-	-	1	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	1	-	-	-	-
Congenital anomalies (740-759)	6	64	15	13	8	31	38	3
Certain conditions originating in the perinatal period (760-779)	6	87	20	13	7	30	50	18
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	30	4	6	1	9	13	5
Other conditions originating in the perinatal period (760-766,770-779)	4	57	16	7	6	21	37	13
Symptoms, signs, and ill-defined conditions (780-799)	1	78	25	24	7	28	42	12
All other diseases (Residual)	86	970	178	95	46	188	298	74
Accidents and adverse effects (E800-E949)	52	486	113	115	51	158	303	45
Motor vehicle accidents (E810-E825)	27	243	66	64	27	83	181	22
All other accidents and adverse effects (E800-E807,E826-E949)	25	243	47	51	24	73	122	23
Suicide (E950-E959)	28	190	58	21	24	52	70	13
Homicide and legal intervention (E960-E978)	11	133	24	19	6	28	86	10
All other external causes (E980-E999)	1	-	3	4	4	1	3	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Gainesville, Fla.	Galveston-Texas City, Tex.	Gary-Hammond-East Chicago, Ind.	Glens Falls, N.Y.	Grand Forks, N.Dak.-Minn.	Grand Rapids, Mich.	Great Falls, Mont.	Greeley, Colo.
All causes	1,083	1,736	5,143	1,180	767	4,527	618	831
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	1	2	5	-	-	1	-	1
Tuberculosis of respiratory system (010-012)	1	2	4	-	-	1	-	1
Other tuberculosis (013-018)	-	-	1	-	-	-	-	-
Whooping cough (033)	1	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	1	-	-	-	-	-
Septicemia (038)	9	16	38	7	7	22	3	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	1	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	6	17	5	1	11	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	255	424	1,201	279	160	1,016	139	151
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	9	18	1	3	22	4	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	114	321	72	40	248	42	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	73	142	337	75	29	231	39	35
Malignant neoplasm of breast (174-175)	25	30	105	28	8	93	7	14
Malignant neoplasms of genital organs (179-187)	26	35	114	34	23	103	12	11
Malignant neoplasms of urinary organs (188-189)	12	20	49	10	9	47	9	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	38	41	164	31	26	152	14	23
Leukemia (204-208)	12	13	39	14	12	54	7	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	20	54	14	10	66	5	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	5	25	-	3	14	2	1
Diabetes mellitus (250)	34	48	145	24	15	50	8	18
Nutritional deficiencies (260-269)	1	2	9	2	3	7	-	-
Anemias (280-285)	1	7	14	-	4	9	1	1
Meningitis (320-322)	1	4	2	-	1	3	1	-
Major cardiovascular diseases (390-448)	422	781	2,465	591	389	2,257	282	355
Diseases of heart (390-398,402,404-429)	298	645	1,944	465	305	1,709	207	266
Rheumatic fever and rheumatic heart disease (390-398)	3	4	21	2	2	15	3	2
Hypertensive heart disease (402)	6	12	47	11	7	63	2	2
Hypertensive heart and renal disease (404)	1	3	5	2	1	17	-	1
Ischemic heart disease (410-414)	217	429	1,512	366	214	1,159	160	193
Acute myocardial infarction (410)	106	189	621	188	109	590	85	116
Other acute and subacute forms of ischemic heart disease (411)	2	2	5	1	1	2	-	1
Angina pectoris (413)	-	-	1	1	-	3	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	109	238	885	176	104	564	75	76
Other diseases of endocardium (424)	5	8	11	6	2	15	5	5
All other forms of heart disease (415-423,425-429)	66	189	348	78	79	440	37	63
Hypertension with or without renal disease (401,403)	6	4	22	6	3	14	6	3
Cerebrovascular diseases (430-438)	90	97	412	77	57	373	44	70
Intracerebral and other intracranial hemorrhage (431-432)	15	16	59	13	4	38	7	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	8	69	14	7	77	3	10
Cerebral embolism (434.1)	-	-	3	-	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	67	73	281	50	46	257	34	51
Atherosclerosis (440)	19	16	45	21	17	101	17	10
Other diseases of arteries, arterioles, and capillaries (441-448)	9	19	42	22	7	60	8	6
Acute bronchitis and bronchiolitis (466)	-	-	1	-	1	-	-	-
Pneumonia and influenza (460-487)	19	43	91	42	33	166	21	42
Pneumonia (480-486)	18	42	91	41	32	164	20	32
Influenza (487)	1	1	-	1	1	2	1	10
Chronic obstructive pulmonary diseases and allied conditions (490-496)	36	39	147	40	20	137	22	48
Bronchitis, chronic and unspecified (490-491)	3	2	5	4	-	15	2	3
Emphysema (492)	8	9	50	10	3	25	4	12
Asthma (493)	1	1	9	-	1	8	1	8
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	24	27	83	26	16	89	15	25
Ulcer of stomach and duodenum (531-533)	5	5	12	2	2	14	3	1
Appendicitis (540-543)	-	1	3	-	-	4	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	2	14	2	3	4	1	3
Chronic liver disease and cirrhosis (571)	19	22	71	14	4	35	9	14
Cholelithiasis and other disorders of gallbladder (574-575)	-	5	7	-	-	7	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	17	54	10	6	37	4	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	1	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	1	5	-	-	5	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	15	48	10	6	32	2	6
Infections of kidney (590)	3	1	4	-	-	2	-	2
Hyperplasia of prostate (600)	1	-	1	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	12	7	36	6	3	25	5	10
Certain conditions originating in the perinatal period (760-779)	10	18	51	6	4	51	4	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	18	3	1	12	-	2
Other conditions originating in the perinatal period (760-766,770-779)	6	14	33	3	3	39	4	9
Symptoms, signs, and ill-defined conditions (780-799)	29	12	55	5	9	33	10	9
All other diseases (Residual)	103	108	316	69	51	331	51	52
Accidents and adverse effects (E800-E949)	61	99	218	47	35	214	28	70
Motor vehicle accidents (E810-E825)	36	41	98	23	12	98	15	40
All other accidents and adverse effects (E800-E807,E826-E949)	25	58	120	24	23	116	13	30
Suicide (E950-E959)	25	36	52	7	10	53	11	19
Homicide and legal intervention (E960-E978)	25	24	86	-	1	22	9	6
All other external causes (E980-E999)	-	1	1	1	2	-	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro-Winston-Salem-High Point, N.C.	Greenville-Spartanburg, S.C.	Hagerstown, Md.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Hickory, N.C.
All causes	1,314	7,209	4,948	1,113	2,134	4,253	9,101	1,105
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	-	1	-	-	1	-
Tuberculosis (010-018)	-	7	1	1	2	3	3	-
Tuberculosis of respiratory system (010-012)	-	7	1	-	1	3	2	-
Other tuberculosis (013-018)	-	-	-	1	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	3	-
Septicemia (038)	11	77	39	10	16	53	85	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	3	3	2	2	4	3	-
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	15	12	1	4	8	25	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	299	1,570	1,054	212	461	1,002	2,261	239
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	23	27	5	10	10	50	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	77	371	243	64	116	259	581	49
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	68	436	293	52	146	247	563	77
Malignant neoplasm of breast (174-175)	29	150	94	10	37	83	217	24
Malignant neoplasms of genital organs (179-187)	33	193	155	25	47	98	237	29
Malignant neoplasms of urinary organs (188-189)	15	67	34	15	21	43	106	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	43	188	115	22	50	145	305	24
Leukemia (204-208)	9	50	30	7	18	49	70	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	92	63	12	16	68	132	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	32	10	3	7	20	38	4
Diabetes mellitus (250)	24	120	84	34	42	89	135	21
Nutritional deficiencies (260-269)	1	8	4	4	1	2	10	2
Anemias (280-285)	2	16	6	-	1	7	19	3
Meningitis (320-322)	1	6	2	2	1	5	4	-
Major cardiovascular diseases (390-448)	652	3,369	2,382	608	986	2,127	4,243	518
Diseases of heart (390-398,402,404-429)	473	2,576	1,834	491	756	1,698	3,433	399
Rheumatic fever and rheumatic heart disease (390-398)	3	22	12	5	9	14	32	3
Hypertensive heart disease (402)	2	71	49	20	26	39	82	5
Hypertensive heart and renal disease (404)	2	13	12	2	5	2	11	1
Ischemic heart disease (410-414)	365	1,820	1,235	311	528	1,051	2,446	281
Acute myocardial infarction (410)	241	1,056	806	173	300	534	995	197
Other acute and subacute forms of ischemic heart disease (411)	2	1	2	1	-	1	3	-
Angina pectoris (413)	2	3	3	-	-	2	3	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	120	760	424	137	228	514	1,445	82
Other diseases of endocardium (424)	8	36	23	8	5	12	44	7
All other forms of heart disease (415-423,425-429)	93	614	503	145	193	580	818	102
Hypertension with or without renal disease (401,403)	8	29	27	8	8	15	27	6
Cerebrovascular diseases (430-438)	129	617	429	68	160	317	588	89
Intracerebral and other intracranial hemorrhage (431-432)	12	54	64	13	22	39	84	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	29	120	45	11	22	97	119	20
Cerebral embolism (434.1)	-	2	5	-	-	-	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	86	441	315	44	116	241	382	57
Atherosclerosis (440)	23	73	38	14	35	56	97	11
Other diseases of arteries, arterioles, and capillaries (441-448)	19	74	54	27	27	41	98	13
Acute bronchitis and bronchiolitis (466)	-	1	-	-	2	-	2	-
Pneumonia and influenza (480-487)	43	256	155	34	76	108	335	41
Pneumonia (480-488)	36	249	146	30	72	105	331	41
Influenza (487)	7	7	9	4	4	3	4	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	33	246	146	37	115	152	281	26
Bronchitis, chronic and unspecified (490-491)	-	12	3	1	10	2	14	-
Emphysema (492)	13	39	29	7	23	18	51	2
Asthma (493)	3	13	12	-	4	1	17	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	17	182	102	29	78	131	199	22
Ulcer of stomach and duodenum (531-533)	3	28	18	6	6	11	32	7
Appendicitis (540-543)	-	2	-	-	-	1	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	21	11	1	6	9	17	2
Chronic liver disease and cirrhosis (571)	13	81	61	14	12	22	98	7
Cholelithiasis and other disorders of gallbladder (574-575)	1	7	8	2	5	5	11	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	81	40	9	25	55	96	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	4	4	-	3	2	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	77	34	9	21	52	93	9
Infections of kidney (590)	-	10	6	-	-	1	6	-
Hyperplasia of prostate (600)	-	1	2	-	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	1	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	1	-	-	-
Congenital anomalies (740-759)	17	30	25	5	21	24	50	6
Certain conditions originating in the perinatal period (760-779)	9	83	64	5	18	33	101	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	18	14	1	4	17	25	7
Other conditions originating in the perinatal period (760-766,770-779)	5	65	50	4	14	16	76	9
Symptoms, signs, and ill-defined conditions (780-799)	5	34	40	4	32	34	162	7
All other diseases (Residual)	99	569	378	83	139	280	635	84
Accidents and adverse effects (E800-E949)	48	357	285	40	103	136	320	66
Motor vehicle accidents (E810-E825)	30	178	151	20	58	76	163	43
All other accidents and adverse effects (E800-E807,E826-E949)	18	181	114	20	45	60	157	23
Suicide (E950-E959)	31	99	83	12	36	45	83	20
Homicide and legal intervention (E960-E978)	2	76	44	2	13	15	33	5
All other external causes (E980-E999)	3	3	3	1	-	2	5	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Honolulu, Hawaii	Houston, Tex.	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Iowa City, Iowa	Jackson, Mich.	Jackson, Miss.
All causes	4,352	19,273	3,047	2,576	9,911	484	1,228	2,665
Shigellosis and amebiasis (004,006)	-	-	1	-	-	-	-	1
Certain other intestinal infections (007-009)	-	3	1	-	2	-	-	1
Tuberculosis (010-018)	4	24	2	8	9	1	1	2
Tuberculosis of respiratory system (010-012)	2	19	2	8	5	1	1	2
Other tuberculosis (013-018)	2	5	-	-	4	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	1	1	-	-	-
Septicemia (038)	34	240	24	14	126	2	14	18
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	16	-	1	10	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	22	146	5	6	25	2	5	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,105	4,167	690	544	2,259	110	270	569
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	79	9	14	30	1	4	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	349	930	134	110	514	34	69	131
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	271	1,274	216	184	760	24	86	172
Malignant neoplasm of breast (174-175)	81	373	58	51	201	11	22	44
Malignant neoplasms of genital organs (179-187)	103	415	82	55	230	15	24	58
Malignant neoplasms of urinary organs (188-189)	32	118	23	16	81	5	9	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	137	575	109	72	262	14	31	83
Leukemia (204-208)	48	170	21	16	74	1	10	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	59	233	38	26	107	5	15	34
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	40	9	9	17	1	3	8
Diabetes mellitus (250)	86	317	59	60	230	12	17	57
Nutritional deficiencies (260-269)	12	19	5	4	17	1	1	5
Anemias (280-285)	11	38	3	5	21	1	3	2
Meningitis (320-322)	4	16	2	1	8	-	2	1
Major cardiovascular diseases (390-448)	1,760	7,842	1,568	1,283	4,431	203	596	1,174
Diseases of heart (390-398,402,404-429)	1,365	6,221	1,239	1,011	3,382	159	466	956
Rheumatic fever and rheumatic heart disease (390-398)	16	25	11	5	30	1	7	6
Hypertensive heart disease (402)	40	229	30	21	92	6	40	58
Hypertensive heart and renal disease (404)	4	23	1	6	16	1	2	7
Ischemic heart disease (410-414)	798	3,555	841	650	2,477	127	292	541
Acute myocardial infarction (410)	411	1,832	484	465	1,138	45	151	379
Other acute and subacute forms of ischemic heart disease (411)	2	12	-	2	3	1	1	1
Angina pectoris (413)	1	4	2	-	5	1	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	384	1,707	355	183	1,331	80	139	159
Other diseases of endocardium (424)	30	83	12	2	43	3	2	17
All other forms of heart disease (415-423,425-429)	477	2,306	344	327	724	21	123	327
Hypertension with or without renal disease (401,403)	11	54	7	16	32	1	6	9
Cerebrovascular diseases (430-438)	308	1,286	262	213	753	30	82	172
Intracerebral and other intracranial hemorrhage (431-432)	84	232	22	28	125	6	14	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	198	36	35	70	9	5	28
Cerebral embolism (434.1)	-	5	2	2	-	-	-	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	197	851	202	148	558	13	63	115
Atherosclerosis (440)	31	133	34	21	145	8	28	16
Other diseases of arteries, arterioles, and capillaries (441-448)	45	148	26	22	119	5	14	21
Acute bronchitis and bronchiolitis (466)	1	6	1	3	2	-	-	-
Pneumonia and influenza (480-487)	184	486	80	57	275	24	35	81
Pneumonia (480-486)	174	472	76	54	269	19	34	80
Influenza (487)	10	14	4	3	6	5	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	148	539	122	80	456	19	54	77
Bronchitis, chronic and unspecified (490-491)	7	20	12	2	17	1	3	2
Emphysema (492)	27	118	23	21	68	4	17	15
Asthma (493)	16	21	2	3	22	1	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	88	380	85	54	349	13	33	58
Ulcer of stomach and duodenum (531-533)	7	53	9	9	32	2	10	2
Appendicitis (540-543)	-	4	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	47	5	6	28	1	3	13
Chronic liver disease and cirrhosis (571)	59	261	28	21	124	2	15	42
Cholelithiasis and other disorders of gallbladder (574-575)	7	26	6	3	13	2	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	212	26	22	121	1	11	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	2	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	7	1	2	7	-	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	39	203	25	20	113	1	10	15
Infections of kidney (590)	3	16	5	3	3	1	-	5
Hyperplasia of prostate (600)	2	2	1	-	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	6	-	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	6	-	-	1	-	-	-
Congenital anomalies (740-759)	55	213	10	18	87	4	7	27
Certain conditions originating in the perinatal period (760-779)	53	277	15	26	123	7	14	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	51	6	5	39	3	6	13
Other conditions originating in the perinatal period (760-766,770-779)	40	226	9	21	84	4	8	12
Symptoms, signs, and ill-defined conditions (780-799)	55	380	38	17	64	5	4	70
All other diseases (Residual)	329	1,359	189	157	757	37	75	239
Accidents and adverse effects (E800-E949)	206	1,359	93	140	383	28	64	130
Motor vehicle accidents (E810-E825)	90	727	43	73	198	22	31	70
All other accidents and adverse effects (E800-E807,E826-E949)	116	632	50	67	185	6	33	60
Suicide (E950-E959)	79	490	33	48	160	14	11	32
Homicide and legal intervention (E960-E978)	34	639	15	22	94	4	9	51
All other external causes (E980-E999)	17	26	2	7	30	-	-	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Jacksonville, Fla.	Jacksonville, N.C.	Janesville-Beloit, Wis.	Jersey City, N.J.	Johnson City-Kingsport-Bristol, Tenn.-Va.	Johnstown, Pa.	Joplin, Mo.	Kalamazoo-Portage, Mich.
All causes	7,115	518	1,206	5,791	4,132	2,792	1,445	2,152
Shigellosis and amebiasis (004,006)	-	-	-	-	2	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	1
Tuberculosis (010-018)	10	-	-	9	3	3	3	1
Tuberculosis of respiratory system (010-012)	9	-	-	7	3	3	3	-
Other tuberculosis (013-018)	1	-	-	2	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	-	2	-	-	-	-
Septicemia (038)	68	5	7	70	26	19	8	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	1	-	1	1
Syphilis (090-097)	-	-	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	19	1	6	43	10	8	3	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,606	120	285	1,266	886	605	283	460
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	3	2	24	14	13	5	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	350	29	70	391	203	175	56	122
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	560	38	84	322	254	134	91	111
Malignant neoplasm of breast (174-175)	120	7	23	114	75	37	27	41
Malignant neoplasms of genital organs (179-187)	177	16	32	127	66	61	32	44
Malignant neoplasms of urinary organs (188-189)	49	5	19	47	39	35	7	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	184	11	31	134	124	64	37	67
Leukemia (204-208)	56	7	10	47	31	28	10	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	67	4	14	60	60	38	18	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	23	1	5	18	12	7	5	1
Diabetes mellitus (250)	147	4	15	143	68	80	18	42
Nutritional deficiencies (260-269)	8	-	5	3	1	5	13	8
Anemias (280-285)	16	2	2	12	7	1	3	4
Meningitis (320-322)	10	2	-	4	-	1	-	1
Major cardiovascular diseases (390-448)	3,002	192	590	2,743	1,915	1,479	693	1,014
Diseases of heart (390-398,402,404-429)	2,282	138	442	2,271	1,536	1,215	549	796
Rheumatic fever and rheumatic heart disease (390-398)	19	4	4	32	15	19	9	11
Hypertensive heart disease (402)	115	-	5	41	40	29	15	17
Hypertensive heart and renal disease (404)	10	-	-	5	2	9	3	2
Ischemic heart disease (410-414)	1,412	103	359	1,810	1,054	905	372	609
Acute myocardial infarction (410)	616	50	175	689	618	437	221	244
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	6	7	3	2	2
Angina pectoris (413)	3	1	-	4	5	3	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	791	52	184	1,111	424	462	149	363
Other diseases of endocardium (424)	25	1	6	28	17	12	10	11
All other forms of heart disease (415-423,425-429)	701	30	68	355	408	241	140	146
Hypertension with or without renal disease (401,403)	38	2	2	17	11	10	7	13
Cerebrovascular diseases (430-438)	510	41	102	376	280	178	110	155
Intracerebral and other intracranial hemorrhage (431-432)	82	8	9	83	37	22	13	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	81	1	25	63	36	35	16	34
Cerebral embolism (434.1)	1	-	2	2	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	346	32	66	228	207	121	80	106
Atherosclerosis (440)	116	7	35	28	39	30	15	22
Other diseases of arteries, arterioles, and capillaries (441-448)	58	4	9	51	49	46	12	28
Acute bronchitis and bronchiolitis (466)	4	-	1	1	-	2	-	1
Pneumonia and influenza (480-487)	167	16	42	140	158	77	45	74
Pneumonia (480-486)	182	15	40	140	157	76	44	68
Influenza (487)	5	1	2	-	1	1	1	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	326	21	46	171	176	93	56	87
Bronchitis, chronic and unspecified (490-491)	11	4	1	6	8	9	3	4
Emphysema (492)	49	1	11	33	26	16	6	16
Asthma (493)	8	2	3	6	5	1	-	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	258	14	31	126	137	67	47	63
Ulcer of stomach and duodenum (531-533)	26	-	-	18	13	6	1	8
Appendicitis (540-543)	1	-	-	2	-	2	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	2	3	10	13	4	4	6
Chronic liver disease and cirrhosis (571)	150	7	14	132	47	26	15	26
Cholelithiasis and other disorders of gallbladder (574-575)	10	1	-	8	7	10	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	55	8	9	74	46	33	14	24
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	1	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	3	1	3	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	50	8	9	70	45	30	13	24
Infections of kidney (590)	6	-	-	-	4	2	3	2
Hyperplasia of prostate (600)	2	-	1	-	2	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	4	-	-	1	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	-	-	1	-	1	-	-
Congenital anomalies (740-759)	52	10	11	29	22	12	8	15
Certain conditions originating in the perinatal period (760-779)	85	14	8	46	25	12	7	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	23	2	4	25	12	4	2	11
Other conditions originating in the perinatal period (760-766,770-779)	62	12	4	21	13	8	5	14
Symptoms, signs, and ill-defined conditions (780-799)	110	5	8	67	112	6	59	7
All other diseases (Residual)	533	32	75	478	298	185	106	166
Accidents and adverse effects (E800-E949)	375	52	48	179	193	81	71	104
Motor vehicle accidents (E810-E825)	196	24	32	77	109	41	33	53
All other accidents and adverse effects (E800-E807,E826-E949)	179	28	16	102	84	40	38	51
Suicide (E950-E959)	124	12	21	57	58	28	18	39
Homicide and legal intervention (E960-E978)	115	8	3	57	22	2	6	9
All other external causes (E980-E999)	14	2	1	7	5	1	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kankakee, Ill.	Kansas City, Mo.-Kans.	Kenosha, Wis.	Killeen-Temple, Tex.	Knoxville, Tenn.	Kokomo, Ind.	La Crosse, Wis.	Lafayette, La.
All causes	907	11,480	1,035	1,418	4,373	826	800	1,030
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	1	8	1	2	2	-	-	-
Tuberculosis of respiratory system (010-012)	-	5	1	2	-	-	-	-
Other tuberculosis (013-018)	1	3	-	-	2	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	-	-	-	-	-	-
Septicemia (038)	8	137	8	26	24	9	5	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	6	-	2	4	-	-	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	40	1	2	11	-	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	194	2,503	239	262	942	177	182	248
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	33	2	6	16	2	3	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	57	586	71	50	214	31	48	64
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	62	751	60	67	316	62	44	74
Malignant neoplasm of breast (174-175)	9	234	27	15	61	15	17	19
Malignant neoplasms of genital organs (179-187)	12	238	18	29	94	23	19	16
Malignant neoplasms of urinary organs (188-189)	10	89	8	7	50	7	11	13
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	343	39	68	103	22	21	33
Leukemia (204-208)	8	95	3	12	33	7	7	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	134	11	6	55	8	12	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	26	-	6	15	5	1	1
Diabetes mellitus (250)	21	209	20	11	56	16	13	15
Nutritional deficiencies (260-269)	-	19	3	-	6	-	2	1
Anemias (280-285)	-	24	3	1	8	2	1	1
Meningitis (320-322)	-	3	1	3	1	-	-	-
Major cardiovascular diseases (390-448)	427	5,103	516	586	1,790	417	369	448
Diseases of heart (390-398,402,404-429)	341	3,996	411	515	1,311	331	294	352
Rheumatic fever and rheumatic heart disease (390-398)	2	28	2	1	10	3	5	3
Hypertensive heart disease (402)	9	103	1	3	27	4	5	27
Hypertensive heart and renal disease (404)	-	17	3	1	2	1	2	-
Ischemic heart disease (410-414)	256	2,672	328	263	940	230	220	151
Acute myocardial infarction (410)	116	1,108	139	195	527	117	86	86
Other acute and subacute forms of ischemic heart disease (411)	3	8	-	-	4	-	-	-
Angina pectoris (413)	2	5	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	135	1,551	189	68	408	113	134	65
Other diseases of endocardium (424)	7	50	3	6	24	1	8	3
All other forms of heart disease (415-423,425-429)	67	1,126	74	241	308	92	54	168
Hypertension with or without renal disease (401,403)	13	41	7	1	17	2	-	-
Cerebrovascular diseases (430-438)	56	830	72	54	365	62	58	76
Intracerebral and other intracranial hemorrhage (431-432)	10	106	12	11	41	7	9	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	102	12	5	53	4	-	10
Cerebral embolism (434.1)	-	3	-	-	3	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	41	619	48	38	288	51	49	53
Atherosclerosis (440)	10	145	9	8	62	13	4	8
Other diseases of arteries, arterioles, and capillaries (441-448)	7	91	17	8	35	9	13	12
Acute bronchitis and bronchiolitis (466)	4	8	-	2	2	-	-	1
Pneumonia and influenza (480-487)	23	351	29	42	122	16	32	28
Pneumonia (480-486)	23	345	26	42	118	16	32	27
Influenza (487)	-	6	3	-	4	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	40	548	37	41	162	35	38	34
Bronchitis, chronic and unspecified (490-491)	-	24	-	-	11	1	1	5
Emphysema (492)	7	85	3	9	27	10	2	18
Asthma (493)	3	19	4	6	7	1	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	30	420	30	26	117	23	32	9
Ulcer of stomach and duodenum (531-533)	4	36	1	2	8	1	2	1
Appendicitis (540-543)	-	1	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	34	2	3	9	2	-	2
Chronic liver disease and cirrhosis (571)	9	104	14	6	53	6	7	10
Cholelithiasis and other disorders of gallbladder (574-575)	1	12	3	2	7	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	140	12	10	34	6	2	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	9	2	-	3	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	2	131	10	10	31	5	2	9
Infections of kidney (590)	1	12	-	-	3	-	-	1
Hyperplasia of prostate (600)	-	1	-	-	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	-	-	-	-	-	-
Congenital anomalies (740-759)	7	73	8	12	19	6	7	14
Certain conditions originating in the perinatal period (760-779)	16	95	3	38	39	3	2	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	26	-	10	8	1	-	4
Other conditions originating in the perinatal period (760-766,770-779)	12	69	3	28	31	2	2	12
Symptoms, signs, and ill-defined conditions (780-799)	5	289	7	123	415	24	3	6
All other diseases (Residual)	68	880	58	85	332	49	81	85
Accidents and adverse effects (E800-E949)	47	479	44	94	211	35	28	59
Motor vehicle accidents (E810-E825)	23	254	27	43	109	21	12	28
All other accidents and adverse effects (E800-E807,E826-E949)	24	225	17	51	102	14	16	31
Suicide (E950-E959)	13	190	15	28	58	12	14	29
Homicide and legal intervention (E960-E978)	6	130	9	23	34	3	7	7
All other external causes (E980-E999)	1	15	1	3	8	1	-	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lafayette-West Lafayette, Ind.	Lake Charles, La.	Lakeland-Winter Haven, Fla.	Lancaster, Pa.	Lansing-East Lansing, Mich.	Laredo, Tex.	Las Cruces, N.Mex.	Las Vegas, Nev.
All causes	886	1,438	3,743	3,290	3,068	610	626	4,136
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	2	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	4	-	1	2	2	5
Tuberculosis of respiratory system (010-012)	-	1	4	-	1	2	2	4
Other tuberculosis (013-018)	1	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	6	14	15	37	20	8	4	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	3	-	-	-	1	1
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	2	8	7	7	2	1	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	186	336	868	743	667	112	142	967
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	11	18	5	7	2	1	16
Malignant neoplasms of digestive organs and peritoneum (150-159)	40	95	203	181	152	33	34	229
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	65	99	293	189	167	16	41	323
Malignant neoplasm of breast (174-175)	13	19	55	67	60	8	11	76
Malignant neoplasms of genital organs (179-187)	24	33	94	79	71	14	22	84
Malignant neoplasms of urinary organs (188-189)	10	8	25	27	35	5	4	51
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	12	43	102	111	108	17	17	120
Leukemia (204-208)	9	14	28	34	28	4	5	28
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	14	50	50	39	13	7	40
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	3	12	7	7	6	-	15
Diabetes mellitus (250)	19	20	64	63	78	12	15	65
Nutritional deficiencies (260-269)	-	4	6	7	8	1	1	10
Anemias (280-285)	-	4	7	4	8	-	1	7
Meningitis (320-322)	-	-	2	1	3	1	-	1
Major cardiovascular diseases (390-448)	430	682	1,682	1,688	1,406	251	229	1,772
Diseases of heart (390-398,402,404-429)	320	552	1,263	1,337	1,105	201	176	1,467
Rheumatic fever and rheumatic heart disease (390-398)	3	3	6	4	8	1	2	17
Hypertensive heart disease (402)	5	13	38	33	18	8	4	71
Hypertensive heart and renal disease (404)	-	1	9	1	4	1	1	4
Ischemic heart disease (410-414)	272	418	983	805	778	128	92	863
Acute myocardial infarction (410)	123	266	455	391	396	81	43	487
Other acute and subacute forms of ischemic heart disease (411)	-	-	5	4	4	-	-	6
Angina pectoris (413)	-	1	-	-	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	149	151	523	410	377	47	49	369
Other diseases of endocardium (424)	6	6	26	22	10	1	-	12
All other forms of heart disease (415-423,425-429)	34	111	201	472	287	62	77	500
Hypertension with or without renal disease (401,403)	1	7	18	11	11	-	4	11
Cerebrovascular diseases (430-438)	81	90	300	234	227	47	40	220
Intracerebral and other intracranial hemorrhage (431-432)	13	10	39	34	38	15	7	53
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	12	60	28	32	14	4	21
Cerebral embolism (434.1)	-	-	-	-	1	1	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	60	68	201	172	156	17	28	143
Atherosclerosis (440)	11	20	61	60	34	1	5	26
Other diseases of arteries, arterioles, and capillaries (441-448)	17	13	40	46	29	2	4	48
Acute bronchitis and bronchiolitis (466)	-	-	3	1	-	1	-	-
Pneumonia and influenza (480-487)	31	20	83	89	98	13	18	102
Pneumonia (480-486)	31	19	82	85	96	13	17	99
Influenza (487)	-	1	1	4	2	-	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	54	47	130	126	113	11	23	183
Bronchitis, chronic and unspecified (490-491)	3	1	7	3	4	-	-	6
Emphysema (492)	15	11	25	8	27	6	7	53
Asthma (493)	1	-	6	6	6	-	1	11
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	35	35	92	109	76	5	15	113
Ulcer of stomach and duodenum (531-533)	3	2	19	6	13	2	1	21
Appendicitis (540-543)	-	-	-	1	2	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	6	9	16	10	1	-	7
Chronic liver disease and cirrhosis (571)	11	16	57	29	27	20	14	62
Cholelithiasis and other disorders of gallbladder (574-575)	1	5	3	1	4	2	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	17	29	32	20	9	5	60
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	1	-	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	4	2	2	1	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	16	23	29	18	8	4	56
Infections of kidney (590)	-	4	3	-	1	-	-	4
Hyperplasia of prostate (600)	1	-	1	1	-	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	2	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	1	-	-	-
Congenital anomalies (740-759)	7	8	19	13	25	5	11	22
Certain conditions originating in the perinatal period (760-779)	9	23	44	18	44	8	5	34
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	9	16	5	20	3	1	7
Other conditions originating in the perinatal period (760-766,770-779)	7	14	28	13	24	5	4	27
Symptoms, signs, and ill-defined conditions (780-799)	17	8	118	19	23	31	11	58
All other diseases (Residual)	47	99	245	226	235	54	60	253
Accidents and adverse effects (E800-E949)	30	81	191	111	194	37	51	240
Motor vehicle accidents (E810-E825)	16	35	109	59	107	14	29	119
All other accidents and adverse effects (E800-E807,E826-E949)	14	46	82	52	87	23	22	121
Suicide (E950-E959)	16	25	61	33	39	5	14	117
Homicide and legal intervention (E960-E978)	2	8	50	8	14	15	14	70
All other external causes (E980-E999)	1	-	6	1	-	-	1	15

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lawrence, Kans.	Lawton, Okla.	Lewiston-Auburn, Maine	Lexington-Fayette, Ky.	Lima, Ohio	Lincoln, Nebr.	Little Rock-North Little Rock, Ark.	Long Branch-Asbury Park, N.J.
All causes	430	683	1,022	2,590	1,975	1,433	3,347	5,118
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	-	-	-	1	2	1	2	4
Tuberculosis of respiratory system (010-012)	-	-	-	1	2	-	1	3
Other tuberculosis (013-018)	-	-	-	-	-	1	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	-	-	-	1
Septicemia (038)	2	6	12	36	12	7	43	81
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	1	2	-	-	2	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	2	-	3	11	7	3	10	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	91	145	247	605	429	311	711	1,217
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	2	4	5	12	1	10	24
Malignant neoplasms of digestive organs and peritoneum (150-159)	29	37	62	147	134	80	162	340
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	20	44	67	199	103	71	217	313
Malignant neoplasm of breast (174-175)	6	9	21	57	29	41	49	124
Malignant neoplasms of genital organs (179-187)	15	17	36	59	48	33	78	129
Malignant neoplasms of urinary organs (188-189)	2	5	10	28	21	12	37	54
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	5	15	25	69	45	51	84	135
Leukemia (204-208)	2	3	8	18	22	6	25	42
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	13	14	23	15	16	49	56
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	4	3	7	10	7	7	27
Diabetes mellitus (250)	7	11	21	39	42	26	47	97
Nutritional deficiencies (260-269)	3	1	1	2	1	1	5	5
Anemias (280-285)	5	1	2	4	2	2	5	6
Meningitis (320-322)	-	-	-	-	1	1	1	3
Major cardiovascular diseases (390-448)	174	272	472	1,158	987	683	1,596	2,529
Diseases of heart (390-398,402,404-429)	129	206	339	947	781	508	1,187	2,014
Rheumatic fever and rheumatic heart disease (390-398)	3	2	2	5	13	7	7	15
Hypertensive heart disease (402)	1	3	7	26	22	9	20	38
Hypertensive heart and renal disease (404)	1	-	2	1	2	1	2	13
Ischemic heart disease (410-414)	86	169	243	586	511	330	669	1,614
Acute myocardial infarction (410)	32	100	117	422	228	118	357	790
Other acute and subacute forms of ischemic heart disease (411)	-	7	26	1	3	4	1	2
Angina pectoris (413)	2	-	-	-	-	1	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	52	62	100	163	280	207	309	821
Other diseases of endocardium (424)	1	3	4	8	10	8	8	23
All other forms of heart disease (415-423,425-429)	37	29	81	321	223	153	461	311
Hypertension with or without renal disease (401,403)	1	6	1	6	1	3	12	21
Cerebrovascular diseases (430-438)	25	48	80	164	140	118	331	328
Intracerebral and other intracranial hemorrhage (431-432)	3	10	13	20	27	14	28	50
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2	4	9	33	18	9	85	73
Cerebral embolism (434.1)	-	-	-	1	1	1	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	20	34	58	110	94	94	217	202
Atherosclerosis (440)	10	4	40	15	35	33	38	113
Other diseases of arteries, arterioles, and capillaries (441-448)	9	8	12	26	30	21	28	53
Acute bronchitis and bronchiolitis (466)	-	-	3	1	-	1	-	2
Pneumonia and influenza (480-487)	18	24	30	80	56	49	93	147
Pneumonia (480-486)	16	24	26	80	53	43	90	142
Influenza (487)	-	-	4	-	3	6	3	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	15	44	43	76	80	65	102	148
Bronchitis, chronic and unspecified (490-491)	2	-	3	3	3	3	9	5
Emphysema (492)	2	9	11	13	12	14	15	48
Asthma (493)	1	-	2	4	-	2	5	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	10	35	27	56	65	46	73	88
Ulcer of stomach and duodenum (531-533)	3	1	5	7	7	2	9	6
Appendicitis (540-543)	1	1	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	3	5	7	5	6	16
Chronic liver disease and cirrhosis (571)	3	10	18	31	18	9	24	76
Cholelithiasis and other disorders of gallbladder (574-575)	-	2	2	2	7	4	5	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	4	10	35	11	13	40	70
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	1	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	1	-	2	5	5
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	4	9	33	11	11	35	64
Infections of kidney (590)	-	4	3	6	1	1	-	5
Hyperplasia of prostate (600)	1	-	-	-	2	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	-	2	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	2	-
Congenital anomalies (740-759)	-	4	6	20	10	18	26	24
Certain conditions originating in the perinatal period (760-779)	4	14	10	28	7	17	49	34
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	3	5	9	-	3	20	15
Other conditions originating in the perinatal period (760-766,770-779)	3	11	5	19	7	14	29	19
Symptoms, signs, and ill-defined conditions (780-799)	22	7	6	21	21	31	53	26
All other diseases (Residual)	36	62	73	233	151	93	243	351
Accidents and adverse effects (E800-E949)	26	41	33	109	75	42	164	165
Motor vehicle accidents (E810-E825)	8	17	13	57	49	19	73	70
All other accidents and adverse effects (E800-E807,E826-E949)	18	24	20	52	26	23	91	95
Suicide (E950-E959)	3	15	11	54	24	25	56	42
Homicide and legal intervention (E960-E978)	3	9	3	14	4	5	45	8
All other external causes (E980-E999)	2	-	-	3	-	9	1	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Longview-Marshall, Tex.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	1,594	2,033	62,206	8,369	1,423	1,409	2,278	2,110
Shigellosis and amebiasis (004,006)	-	-	3	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	21	2	-	-	-	-
Tuberculosis (010-018)	-	3	88	8	-	-	1	-
Tuberculosis of respiratory system (010-012)	-	1	74	6	-	-	1	-
Other tuberculosis (013-018)	-	2	14	2	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	8	1	-	-	1	-
Septicemia (038)	9	14	151	73	13	14	31	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	60	3	1	-	1	1
Syphilis (090-097)	-	-	6	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	7	435	23	6	4	11	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	304	457	13,585	2,016	285	307	468	491
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	20	261	36	-	7	14	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	84	95	3,519	496	70	78	111	114
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	91	131	3,565	669	67	82	135	124
Malignant neoplasm of breast (174-175)	21	59	1,229	186	22	24	30	47
Malignant neoplasms of genital organs (179-187)	26	46	1,508	184	34	34	53	63
Malignant neoplasms of urinary organs (188-189)	7	24	510	76	10	9	14	23
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	47	56	1,670	207	54	34	72	65
Leukemia (204-208)	15	12	561	57	13	9	14	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	14	762	105	15	30	25	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	9	186	22	4	4	10	2
Diabetes mellitus (250)	24	47	972	161	22	15	58	39
Nutritional deficiencies (260-269)	2	9	20	8	3	2	4	2
Anemias (280-285)	2	5	80	24	-	3	7	4
Meningitis (320-322)	-	1	40	4	3	1	2	3
Major cardiovascular diseases (390-448)	702	942	29,262	3,770	651	662	1,037	976
Diseases of heart (390-398,402,404-429)	509	761	23,114	2,956	555	498	706	727
Rheumatic fever and rheumatic heart disease (390-398)	3	3	252	22	5	4	10	11
Hypertensive heart disease (402)	9	18	1,329	100	8	17	18	8
Hypertensive heart and renal disease (404)	3	4	89	13	-	4	13	5
Ischemic heart disease (410-414)	311	590	14,929	1,877	261	319	468	540
Acute myocardial infarction (410)	174	286	6,549	1,106	138	201	317	257
Other acute and subacute forms of ischemic heart disease (411)	2	4	73	2	5	14	3	-
Angina pectoris (413)	1	1	18	4	-	-	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	134	299	8,289	765	118	104	145	283
Other diseases of endocardium (424)	9	10	250	22	6	3	3	13
All other forms of heart disease (415-423,425-429)	174	136	6,265	922	275	151	194	150
Hypertension with or without renal disease (401,403)	8	4	246	47	2	3	45	14
Cerebrovascular diseases (430-438)	154	137	4,544	609	68	133	204	178
Intracerebral and other intracranial hemorrhage (431-432)	17	22	664	74	13	15	38	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	23	864	104	11	30	11	38
Cerebral embolism (434.1)	-	-	24	4	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	98	92	2,992	427	43	88	155	117
Atherosclerosis (440)	13	16	807	83	17	9	54	30
Other diseases of arteries, arterioles, and capillaries (441-448)	18	24	551	75	9	19	28	27
Acute bronchitis and bronchiolitis (466)	1	-	24	3	1	1	-	-
Pneumonia and influenza (480-487)	41	58	2,253	246	45	44	74	86
Pneumonia (480-486)	41	53	2,208	240	43	43	72	61
Influenza (487)	-	5	45	6	2	1	2	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	47	79	2,181	382	45	43	70	70
Bronchitis, chronic and unspecified (490-491)	3	3	123	8	2	5	1	6
Emphysema (492)	6	14	495	73	8	5	24	20
Asthma (493)	-	2	130	9	3	3	3	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38	60	1,433	292	32	30	42	41
Ulcer of stomach and duodenum (531-533)	1	5	237	23	8	4	11	3
Appendicitis (540-543)	1	1	16	4	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	5	125	13	4	8	7	8
Chronic liver disease and cirrhosis (571)	11	26	1,333	98	10	17	30	27
Cholelithiasis and other disorders of gallbladder (574-575)	-	2	78	19	5	2	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	34	413	90	10	10	30	28
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	15	2	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	43	9	-	-	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	32	355	79	9	10	26	27
Infections of kidney (590)	5	1	60	12	4	1	1	3
Hyperplasia of prostate (600)	-	-	15	2	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	14	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	4	-	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	10	-	-	-	-	-
Congenital anomalies (740-759)	6	9	538	44	11	11	13	16
Certain conditions originating in the perinatal period (760-779)	12	26	810	67	22	15	35	19
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	7	226	13	10	5	8	8
Other conditions originating in the perinatal period (760-766,770-779)	7	19	584	54	12	10	27	11
Symptoms, signs, and ill-defined conditions (780-799)	128	26	321	71	34	15	7	7
All other diseases (Residual)	124	130	3,621	674	105	124	169	164
Accidents and adverse effects (E800-E949)	91	87	2,746	317	76	65	98	108
Motor vehicle accidents (E810-E825)	48	35	1,323	131	35	26	49	54
All other accidents and adverse effects (E800-E807,E826-E949)	43	52	1,423	186	41	39	49	54
Suicide (E950-E959)	27	35	1,047	124	33	26	41	42
Homicide and legal intervention (E960-E978)	28	10	1,422	58	21	9	33	7
All other external causes (E980-E999)	-	3	35	7	-	-	5	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester-Nashua, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Medford, Oreg.	Melbourne-Titusville-Cocoa, Fla.	Memphis, Tenn.-Ark.-Miss.	Miami, Fla.	Midland, Tex.
All causes	2,433	1,138	1,853	1,233	3,014	8,163	17,350	588
Shigellosis and amebiasis (004,006)	-	-	1	-	-	-	1	-
Certain other intestinal infections (007-009)	2	-	-	-	2	3	3	-
Tuberculosis (010-018)	1	-	3	-	3	11	25	-
Tuberculosis of respiratory system (010-012)	1	-	3	-	3	10	19	-
Other tuberculosis (013-018)	-	-	-	-	-	1	6	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	2	1	-
Septicemia (038)	12	4	21	1	20	120	105	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	2	1	1	7	11	-
Syphilis (090-097)	-	1	-	-	-	-	4	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	4	9	3	10	29	107	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	626	239	315	272	797	1,748	3,918	129
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	2	6	4	20	26	72	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	184	64	76	62	192	400	1,109	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	154	54	89	86	265	482	983	29
Malignant neoplasm of breast (174-175)	66	16	19	15	82	157	343	14
Malignant neoplasms of genital organs (179-187)	68	18	43	41	87	195	440	13
Malignant neoplasms of urinary organs (188-189)	24	16	11	9	30	60	182	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	75	29	36	32	73	277	425	16
Leukemia (204-208)	20	6	16	9	22	64	144	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	22	14	17	14	26	87	220	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	7	4	2	4	18	56	1
Diabetes mellitus (250)	55	29	30	19	84	127	353	6
Nutritional deficiencies (260-269)	1	3	2	1	4	4	26	3
Anemias (280-285)	4	2	3	3	4	15	35	1
Meningitis (320-322)	1	-	1	1	1	11	8	1
Major cardiovascular diseases (390-448)	1,109	589	661	563	1,362	3,731	7,977	230
Diseases of heart (390-398,402,404-429)	843	454	536	417	1,078	2,915	6,475	182
Rheumatic fever and rheumatic heart disease (390-398)	10	3	3	3	15	17	77	1
Hypertensive heart disease (402)	19	13	4	4	23	162	246	2
Hypertensive heart and renal disease (404)	4	2	-	2	2	17	26	1
Ischemic heart disease (410-414)	586	357	348	304	815	1,676	4,677	141
Acute myocardial infarction (410)	316	188	203	105	377	813	2,134	86
Other acute and subacute forms of ischemic heart disease (411)	-	1	1	1	1	1	20	-
Angina pectoris (413)	-	1	-	1	1	3	5	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	270	167	144	197	436	859	2,516	55
Other diseases of endocardium (424)	17	7	9	10	18	30	86	2
All other forms of heart disease (415-423,425-429)	213	72	172	94	205	1,013	1,363	35
Hypertension with or without renal disease (401,403)	9	5	1	4	11	35	80	3
Cerebrovascular diseases (430-438)	174	100	100	103	187	659	1,133	30
Intracerebral and other intracranial hemorrhage (431-432)	26	15	16	11	32	102	165	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	35	11	20	21	32	108	261	4
Cerebral embolism (434.1)	-	-	2	-	3	3	4	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	113	74	62	71	120	446	703	20
Atherosclerosis (440)	47	21	14	21	41	71	98	9
Other diseases of arteries, arterioles, and capillaries (441-448)	36	9	10	18	45	51	191	6
Acute bronchitis and bronchiolitis (466)	-	1	-	2	-	1	7	-
Pneumonia and influenza (480-487)	68	17	76	39	63	230	467	14
Pneumonia (480-486)	65	16	74	31	61	225	461	14
Influenza (487)	3	1	2	8	2	5	6	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	101	43	70	57	141	270	517	27
Bronchitis, chronic and unspecified (490-491)	4	5	3	7	5	15	36	1
Emphysema (492)	13	9	7	14	29	56	111	8
Asthma (493)	4	3	2	2	6	22	24	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	80	26	58	34	101	177	346	17
Ulcer of stomach and duodenum (531-533)	8	2	4	5	8	15	53	2
Appendicitis (540-543)	-	-	-	-	-	2	3	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	3	4	-	4	25	46	2
Chronic liver disease and cirrhosis (571)	23	13	27	14	43	71	244	8
Cholelithiasis and other disorders of gallbladder (574-575)	6	2	5	-	3	12	24	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	16	26	4	19	91	143	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	2	4	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	2	1	-	5	13	11	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	13	25	4	14	76	128	2
Infections of kidney (590)	2	1	-	-	4	3	12	-
Hyperplasia of prostate (600)	2	-	-	-	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	2	9	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	2	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	7	-
Congenital anomalies (740-759)	21	3	21	4	23	62	106	4
Certain conditions originating in the perinatal period (760-779)	20	10	40	12	20	149	143	12
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	1	20	3	2	22	44	2
Other conditions originating in the perinatal period (760-766,770-779)	12	9	20	9	18	127	99	10
Symptoms, signs, and ill-defined conditions (780-799)	20	12	233	42	12	183	195	22
All other diseases (Residual)	176	67	142	80	195	561	1,371	50
Accidents and adverse effects (E800-E949)	85	41	108	84	130	397	664	42
Motor vehicle accidents (E810-E825)	43	21	61	33	85	196	346	26
All other accidents and adverse effects (E800-E807,E826-E949)	42	20	47	51	45	201	318	16
Suicide (E950-E959)	40	19	21	16	48	114	291	12
Homicide and legal intervention (E960-E978)	6	9	22	6	23	144	423	13
All other external causes (E980-E999)	3	1	2	2	5	3	2	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.-Wis.	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Norton Shores-Muskegon Heights, Mich.
All causes	11,973	15,938	4,093	2,649	1,222	2,460	1,029	1,606
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	3	1	-	-	-	1	-
Tuberculosis (010-018)	15	11	8	1	2	3	-	-
Tuberculosis of respiratory system (010-012)	12	8	7	1	2	2	-	-
Other tuberculosis (013-018)	3	3	1	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	1	-	-	-
Septicemia (038)	92	84	33	7	11	31	15	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	3	4	3	1	4	-	1
Syphilis (090-097)	-	3	2	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	35	48	15	4	3	4	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,764	3,542	931	553	254	556	226	336
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	62	71	13	5	7	14	2	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	703	924	198	115	52	112	39	80
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	644	827	308	188	69	167	76	106
Malignant neoplasm of breast (174-175)	269	361	82	35	25	52	20	21
Malignant neoplasms of genital organs (179-187)	298	383	89	56	21	60	27	42
Malignant neoplasms of urinary organs (188-189)	142	184	41	18	12	16	11	13
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	385	441	116	80	45	84	24	42
Leukemia (204-208)	110	155	27	25	9	19	9	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	151	216	47	31	14	32	18	20
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	56	15	9	7	7	5	4
Diabetes mellitus (250)	219	268	88	39	33	49	19	31
Nutritional deficiencies (260-269)	19	30	4	3	-	3	2	1
Anemias (280-285)	13	36	7	3	1	5	3	3
Meningitis (320-322)	5	5	1	6	2	-	-	2
Major cardiovascular diseases (390-448)	5,864	7,180	1,865	1,175	574	1,068	493	818
Diseases of heart (390-398,402,404-429)	4,674	5,331	1,283	856	470	789	389	632
Rheumatic fever and rheumatic heart disease (390-398)	40	53	1	12	3	2	6	11
Hypertensive heart disease (402)	141	84	80	24	7	14	12	13
Hypertensive heart and renal disease (404)	12	6	6	6	-	3	-	1
Ischemic heart disease (410-414)	3,541	3,941	815	620	195	467	281	529
Acute myocardial infarction (410)	1,509	1,577	467	332	79	308	121	212
Other acute and subacute forms of ischemic heart disease (411)	33	17	1	-	64	-	-	-
Angina pectoris (413)	2	10	5	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,997	2,337	342	288	52	159	160	317
Other diseases of endocardium (424)	49	110	18	19	4	9	5	5
All other forms of heart disease (415-423,425-429)	891	1,137	363	175	261	294	85	73
Hypertension with or without renal disease (401,403)	39	93	20	12	18	13	5	4
Cerebrovascular diseases (430-438)	888	1,348	311	234	63	221	76	135
Intracerebral and other intracranial hemorrhage (431-432)	111	161	51	20	15	43	11	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	120	141	47	79	2	13	9	25
Cerebral embolism (434.1)	5	3	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	652	1,043	213	135	46	165	56	95
Atherosclerosis (440)	140	192	220	33	16	23	13	30
Other diseases of arteries, arterioles, and capillaries (441-448)	123	216	31	40	7	22	10	17
Acute bronchitis and bronchiolitis (466)	3	3	1	4	-	1	-	1
Pneumonia and influenza (480-487)	456	603	76	138	34	67	24	52
Pneumonia (480-486)	450	586	73	131	32	61	23	50
Influenza (487)	6	17	3	7	2	6	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	364	548	154	126	32	90	45	68
Bronchitis, chronic and unspecified (490-491)	17	25	5	7	3	2	2	4
Emphysema (492)	65	90	16	40	8	22	6	28
Asthma (493)	15	35	13	3	1	2	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	267	398	120	76	20	64	35	34
Ulcer of stomach and duodenum (531-533)	28	54	13	17	4	5	2	6
Appendicitis (540-543)	2	3	1	-	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	29	67	8	20	5	9	2	3
Chronic liver disease and cirrhosis (571)	145	189	52	36	16	37	10	23
Cholelithiasis and other disorders of gallbladder (574-575)	19	18	1	8	-	2	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	104	140	38	21	19	22	8	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	8	6	6	-	3	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	89	130	30	15	18	19	8	5
Infections of kidney (590)	7	7	7	6	-	2	1	1
Hyperplasia of prostate (600)	3	5	-	1	1	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	2	2	1	-	3	-	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	2	1	-	2	-	-
Congenital anomalies (740-759)	79	112	17	19	3	6	8	11
Certain conditions originating in the perinatal period (760-779)	92	137	46	21	23	30	8	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	38	15	6	5	18	4	2
Other conditions originating in the perinatal period (760-766,770-779)	66	99	31	15	18	12	4	6
Symptoms, signs, and ill-defined conditions (780-799)	84	473	53	5	9	47	11	6
All other diseases (Residual)	897	1,257	326	178	99	228	84	112
Accidents and adverse effects (E800-E949)	323	706	205	184	53	115	38	76
Motor vehicle accidents (E810-E825)	141	276	101	73	22	57	19	35
All other accidents and adverse effects (E800-E807,E826-E949)	182	430	104	111	31	58	19	40
Suicide (E950-E959)	171	255	44	41	21	27	6	16
Homicide and legal intervention (E960-E978)	84	59	59	17	13	38	11	9
All other external causes (E980-E999)	23	28	18	3	1	-	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Nashville-Davidson, Tenn.	Nassau-Suffolk, N.Y.	New Bedford-Fall River, Mass.	New Brunswick-Perth Amboy-Sayreville, N.J.	New Haven-Waterbury-Meriden, Conn.	New London-Norwich, Conn.	New Orleans, La.	New York, N.Y.-N.J.
All causes	7,486	22,219	4,747	5,017	7,561	1,985	10,761	93,889
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	3
Certain other intestinal infections (007-009)	1	2	2	-	-	1	3	15
Tuberculosis (010-018)	13	11	2	1	3	2	20	171
Tuberculosis of respiratory system (010-012)	11	9	1	-	2	2	13	122
Other tuberculosis (013-018)	2	2	1	1	1	-	7	49
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	1	-	-	-	-
Meningococcal infection (036)	-	2	-	-	-	-	1	13
Septicemia (038)	48	194	28	66	90	11	150	681
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	6	1	5	6	1	7	55
Syphilis (090-097)	1	1	-	-	-	-	1	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	27	66	11	21	31	7	38	797
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,678	5,536	1,145	1,312	1,841	452	2,519	19,779
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	36	85	11	26	32	10	63	383
Malignant neoplasms of digestive organs and peritoneum (150-159)	369	1,548	329	332	521	124	594	5,730
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	514	1,482	293	379	460	124	758	4,672
Malignant neoplasm of breast (174-175)	146	579	109	131	180	48	203	1,969
Malignant neoplasms of genital organs (179-187)	165	560	133	143	193	51	250	2,068
Malignant neoplasms of urinary organs (188-189)	54	227	48	53	89	11	110	806
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	221	562	132	154	215	47	359	2,311
Leukemia (204-208)	62	181	37	37	62	15	74	671
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	111	312	53	57	89	22	108	1,169
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	20	91	12	22	28	10	25	318
Diabetes mellitus (250)	104	386	94	106	123	46	283	1,750
Nutritional deficiencies (260-269)	5	9	-	4	7	2	21	30
Anemias (280-285)	17	35	9	6	14	4	27	144
Meningitis (320-322)	4	10	1	2	2	-	8	79
Major cardiovascular diseases (390-448)	3,458	11,107	2,368	2,361	3,614	935	4,590	46,590
Diseases of heart (390-398,402,404-429)	2,721	9,331	1,795	1,920	2,906	715	3,648	40,296
Rheumatic fever and rheumatic heart disease (390-398)	21	131	16	22	28	4	19	271
Hypertensive heart disease (402)	140	288	24	50	85	14	250	730
Hypertensive heart and renal disease (404)	14	21	7	5	7	1	26	68
Ischemic heart disease (410-414)	1,565	7,455	1,489	1,504	1,831	543	2,316	34,282
Acute myocardial infarction (410)	869	2,687	934	665	740	235	1,160	14,136
Other acute and subacute forms of ischemic heart disease (411)	109	14	2	8	1	-	3	49
Angina pectoris (413)	3	7	4	2	11	1	3	25
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	584	4,747	549	829	1,079	307	1,150	20,072
Other diseases of endocardium (424)	22	78	20	26	32	9	43	288
All other forms of heart disease (415-423,425-429)	959	1,358	239	313	923	144	982	4,657
Hypertension with or without renal disease (401,403)	20	50	17	7	27	13	43	356
Cerebrovascular diseases (430-438)	618	1,292	420	267	510	159	714	4,553
Intracerebral and other intracranial hemorrhage (431-432)	75	216	84	49	71	18	121	917
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	97	298	97	39	79	28	113	671
Cerebral embolism (434.1)	5	6	3	5	4	2	4	22
All other and late effects of cerebrovascular diseases (430,433,435-438)	441	772	236	174	356	111	476	2,943
Atherosclerosis (440)	32	171	78	114	96	27	90	641
Other diseases of arteries, arterioles, and capillaries (441-448)	65	263	58	53	75	21	97	744
Acute bronchitis and bronchiolitis (466)	4	5	-	2	-	2	5	13
Pneumonia and influenza (480-487)	239	640	153	155	255	76	219	3,685
Pneumonia (480-486)	231	628	148	154	253	71	216	3,663
Influenza (487)	8	12	5	1	2	5	3	22
Chronic obstructive pulmonary diseases and allied conditions (490-496)	264	652	159	152	207	78	280	2,081
Bronchitis, chronic and unspecified (490-491)	10	36	6	3	17	2	13	74
Emphysema (492)	42	135	44	31	30	8	66	398
Asthma (493)	9	42	8	4	11	2	24	262
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	203	439	101	114	149	64	177	1,347
Ulcer of stomach and duodenum (531-533)	25	88	10	14	17	5	42	351
Appendicitis (540-543)	3	5	3	1	-	1	4	22
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	22	52	13	6	14	5	25	176
Chronic liver disease and cirrhosis (571)	71	319	69	63	83	23	168	2,072
Cholelithiasis and other disorders of gallbladder (574-575)	12	18	8	3	9	1	15	103
Nephritis, nephrotic syndrome, and nephrosis (580-589)	70	218	47	41	102	19	168	767
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	6	1	1	-	1	1	13
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	10	2	2	3	-	20	65
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	56	202	44	38	99	18	147	689
Infections of kidney (590)	8	15	3	2	3	-	6	50
Hyperplasia of prostate (600)	2	5	2	1	-	-	1	23
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	1	-	1	-	4	25
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	6
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	1	-	1	-	4	19
Congenital anomalies (740-759)	61	119	32	28	32	10	98	456
Certain conditions originating in the perinatal period (760-779)	50	176	28	41	61	24	134	915
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	17	60	3	10	8	5	32	263
Other conditions originating in the perinatal period (760-766,770-779)	33	116	25	31	53	19	102	652
Symptoms, signs, and ill-defined conditions (780-799)	66	172	43	51	119	24	85	1,203
All other diseases (Residual)	607	1,272	301	319	577	131	916	6,597
Accidents and adverse effects (E800-E949)	382	665	138	167	238	79	488	2,633
Motor vehicle accidents (E810-E825)	206	337	61	78	102	41	213	811
All other accidents and adverse effects (E800-E807,E826-E949)	176	328	75	89	136	38	275	1,822
Suicide (E950-E959)	120	214	41	40	55	32	189	419
Homicide and legal intervention (E960-E978)	96	86	13	22	29	4	207	1,462
All other external causes (E980-E999)	5	40	12	1	-	2	14	409

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Newark, N.J.	Newark, Ohio	Newburgh-Middletown, N.Y.	Newport News-Hampton, Va.	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	Northeast Pennsylvania	Ocala, Fla.	Odessa, Tex.
All causes	17,858	1,097	2,372	2,768	6,471	7,791	1,840	818
Shigellosis and ameblasis (004,006)	1	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	1	2	-	-
Tuberculosis (010-018)	24	1	-	1	5	3	-	1
Tuberculosis of respiratory system (010-012)	17	1	-	1	5	3	-	1
Other tuberculosis (013-018)	7	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	2	-	-
Septicemia (038)	246	7	12	30	70	74	4	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	1	4	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	108	-	6	11	20	11	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,188	235	594	713	1,544	1,656	460	165
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	68	7	15	8	28	25	8	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,140	58	162	155	383	482	109	36
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,076	65	170	222	470	417	170	58
Malignant neoplasm of breast (174-175)	443	23	45	61	120	127	36	15
Malignant neoplasms of genital organs (179-187)	472	29	52	72	144	177	60	7
Malignant neoplasms of urinary organs (188-189)	155	10	31	38	47	74	17	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	498	16	68	95	227	206	43	19
Leukemia (204-208)	132	12	17	28	53	71	13	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	204	15	34	34	72	77	24	13
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	71	6	4	7	21	23	6	4
Diabetes mellitus (250)	379	22	46	44	95	166	25	11
Nutritional deficiencies (260-269)	20	2	4	7	8	8	3	1
Anemias (280-285)	48	2	3	4	11	19	2	1
Meningitis (320-322)	11	1	3	4	4	-	-	1
Major cardiovascular diseases (390-448)	8,176	553	1,113	1,172	2,779	4,161	874	245
Diseases of heart (390-398,402,404-429)	6,671	443	929	958	2,192	3,528	671	191
Rheumatic fever and rheumatic heart disease (390-398)	101	5	6	3	10	44	7	3
Hypertensive heart disease (402)	218	9	17	26	92	70	14	1
Hypertensive heart and renal disease (404)	22	1	1	6	14	12	3	-
Ischemic heart disease (410-414)	4,829	331	750	577	1,362	2,084	546	121
Acute myocardial infarction (410)	2,514	172	349	305	672	1,186	207	60
Other acute and subacute forms of ischemic heart disease (411)	10	-	4	58	115	10	2	-
Angina pectoris (413)	12	2	1	2	5	5	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,283	157	396	212	570	883	336	41
Other diseases of endocardium (424)	96	6	14	8	17	48	9	-
All other forms of heart disease (415-423,425-429)	1,405	91	141	338	697	1,270	92	66
Hypertension with or without renal disease (401,403)	59	7	8	11	22	24	10	1
Cerebrovascular diseases (430-438)	1,176	69	117	162	466	471	168	46
Intracerebral and other intracranial hemorrhage (431-432)	207	6	14	27	103	71	17	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	205	18	27	23	63	87	59	7
Cerebral embolism (434.1)	3	1	2	-	2	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	761	44	74	112	298	312	92	29
Atherosclerosis (440)	101	15	24	19	42	61	7	4
Other diseases of arteries, arterioles, and capillaries (441-448)	169	19	35	22	57	77	18	3
Acute bronchitis and bronchiolitis (466)	5	-	-	2	5	1	2	-
Pneumonia and influenza (480-487)	607	40	76	96	191	159	25	32
Pneumonia (480-486)	595	39	75	94	190	154	24	32
Influenza (487)	12	1	1	2	1	5	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	512	37	82	90	221	231	83	33
Bronchitis, chronic and unspecified (490-491)	26	6	-	1	7	10	3	-
Emphysema (492)	100	9	18	7	30	33	7	-
Asthma (493)	27	1	8	2	19	9	3	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	359	21	56	80	165	179	70	29
Ulcer of stomach and duodenum (531-533)	51	1	7	7	19	16	2	-
Appendicitis (540-543)	5	-	1	-	1	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	44	3	9	6	19	7	5	2
Chronic liver disease and cirrhosis (571)	314	6	28	38	73	94	22	14
Cholelithiasis and other disorders of gallbladder (574-575)	22	3	1	6	9	14	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	208	8	30	32	73	77	9	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	-	-	1	3	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	-	-	4	6	3	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	184	7	30	28	66	71	8	8
Infections of kidney (590)	7	1	-	2	4	9	2	-
Hyperplasia of prostate (600)	1	-	-	-	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	2	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	2	-	-	-
Congenital anomalies (740-759)	95	8	12	26	59	23	8	4
Certain conditions originating in the perinatal period (760-779)	181	6	25	43	145	24	12	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	61	4	6	8	23	10	4	3
Other conditions originating in the perinatal period (760-766,770-779)	120	2	19	35	122	14	8	6
Symptoms, signs, and ill-defined conditions (780-799)	142	14	28	16	81	40	9	100
All other diseases (Residual)	1,457	81	151	203	498	685	137	67
Accidents and adverse effects (E800-E949)	576	46	95	124	299	195	81	69
Motor vehicle accidents (E810-E825)	206	27	56	53	124	100	45	30
All other accidents and adverse effects (E800-E807,E826-E949)	370	19	39	71	175	95	36	39
Suicide (E950-E959)	152	11	32	51	112	67	29	23
Homicide and legal intervention (E960-E978)	179	2	8	27	93	16	15	17
All other external causes (E980-E999)	11	-	2	5	5	3	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Oklahoma City, Okla.	Olympia, Wash.	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Simi Valley-Ventura, Calif.	Panama City, Fla.	Parkersburg-Marietta, W. Va.-Ohio
All causes	7,152	935	4,689	6,759	746	3,601	901	1,506
Shigellosis and amebiasis (004,006)	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	2	-	1
Tuberculosis (010-018)	8	-	3	8	-	4	-	2
Tuberculosis of respiratory system (010-012)	6	-	3	7	-	3	-	1
Other tuberculosis (013-018)	2	-	-	1	-	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	1	2	-	-	-	1
Septicemia (038)	70	6	37	43	3	14	7	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	1	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	27	1	14	26	1	9	4	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,558	218	1,046	1,569	156	881	223	333
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	7	16	35	2	21	3	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	358	45	257	354	41	223	49	86
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	475	63	303	484	48	246	76	95
Malignant neoplasm of breast (174-175)	130	22	92	142	10	82	22	21
Malignant neoplasms of genital organs (179-187)	185	28	85	161	22	95	19	33
Malignant neoplasms of urinary organs (188-189)	68	11	45	82	3	35	8	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	161	30	119	179	14	99	25	46
Leukemia (204-208)	59	7	55	57	2	37	7	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	81	7	74	75	14	43	14	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	2	16	17	2	10	1	4
Diabetes mellitus (250)	97	21	97	106	38	65	11	47
Nutritional deficiencies (260-269)	15	2	6	7	-	3	1	2
Anemias (280-285)	15	-	2	8	1	8	-	4
Meningitis (320-322)	6	1	5	1	1	3	1	-
Major cardiovascular diseases (390-448)	3,230	439	2,165	3,094	325	1,548	357	716
Diseases of heart (390-398,402,404-429)	2,457	345	1,709	2,446	242	1,186	291	564
Rheumatic fever and rheumatic heart disease (390-398)	18	2	19	20	-	16	-	3
Hypertensive heart disease (402)	56	16	28	57	5	38	5	5
Hypertensive heart and renal disease (404)	4	2	6	6	2	3	1	4
Ischemic heart disease (410-414)	1,594	221	1,306	1,655	146	769	176	399
Acute myocardial infarction (410)	826	102	587	782	71	337	97	253
Other acute and subacute forms of ischemic heart disease (411)	182	-	6	71	1	1	-	2
Angina pectoris (413)	2	1	-	3	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	584	118	713	799	74	431	79	144
Other diseases of endocardium (424)	45	6	13	28	-	24	4	5
All other forms of heart disease (415-423,425-429)	740	98	337	680	89	336	105	148
Hypertension with or without renal disease (401,403)	23	2	17	35	4	15	2	3
Cerebrovascular diseases (430-438)	594	71	307	468	65	258	55	98
Intracerebral and other intracranial hemorrhage (431-432)	59	11	48	74	3	36	8	17
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	83	5	56	73	10	43	6	11
Cerebral embolism (434.1)	1	-	-	2	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	451	55	203	319	52	179	41	69
Atherosclerosis (440)	99	5	67	55	5	51	5	27
Other diseases of arteries, arterioles, and capillaries (441-448)	57	16	65	90	9	38	4	24
Acute bronchitis and bronchiolitis (466)	-	-	1	-	-	1	1	-
Pneumonia and influenza (480-487)	253	23	187	186	30	119	21	48
Pneumonia (480-486)	246	23	178	184	30	115	21	48
Influenza (487)	7	-	9	2	-	4	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	252	43	203	278	32	140	26	49
Bronchitis, chronic and unspecified (490-491)	7	-	10	11	3	7	3	3
Emphysema (492)	62	11	26	59	6	51	1	10
Asthma (493)	11	2	22	6	2	12	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	172	30	145	200	21	70	19	35
Ulcer of stomach and duodenum (531-533)	20	1	17	16	2	8	1	3
Appendicitis (540-543)	1	-	2	2	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	4	15	17	-	6	1	3
Chronic liver disease and cirrhosis (571)	66	15	62	103	15	61	18	13
Cholelithiasis and other disorders of gallbladder (574-575)	7	2	7	11	3	5	-	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	66	7	44	49	9	25	10	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	3	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	3	7	-	5	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	61	7	41	39	9	20	9	21
Infections of kidney (590)	8	4	4	5	1	4	4	2
Hyperplasia of prostate (600)	-	-	3	3	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	-	-	-	1	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	-	1	-	-
Congenital anomalies (740-759)	64	6	34	45	4	36	6	13
Certain conditions originating in the perinatal period (760-779)	95	8	57	68	9	35	9	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	4	22	14	2	9	1	4
Other conditions originating in the perinatal period (760-766,770-779)	79	4	35	54	7	27	8	10
Symptoms, signs, and ill-defined conditions (780-799)	91	7	57	64	2	35	45	24
All other diseases (Residual)	515	75	336	471	74	263	74	113
Accidents and adverse effects (E800-E949)	371	32	174	356	27	203	52	50
Motor vehicle accidents (E810-E825)	179	16	74	218	14	116	28	20
All other accidents and adverse effects (E800-E807,E826-E949)	192	16	100	138	13	87	26	30
Suicide (E950-E959)	158	16	61	121	10	73	17	18
Homicide and legal intervention (E960-E978)	104	1	24	78	-	27	10	5
All other external causes (E980-E999)	15	1	9	4	1	8	1	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pascagoula-Moss Point, Miss.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights-Hopewell, Va.	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.
All causes	790	4,385	2,400	2,993	1,139	48,222	13,687	919
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	5	5	-
Tuberculosis (010-018)	-	5	5	-	1	32	14	1
Tuberculosis of respiratory system (010-012)	-	4	5	-	1	26	11	-
Other tuberculosis (013-018)	-	1	-	-	-	6	3	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	-	6	3	-
Septicemia (038)	3	49	14	14	18	900	76	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	1	-
Viral hepatitis (070)	1	-	2	-	-	17	11	-
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139)	2	29	5	4	2	147	77	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	215	1,011	541	704	241	11,282	3,129	189
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	20	15	4	4	209	43	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	313	120	182	65	2,915	754	37
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	80	249	189	179	79	3,050	870	48
Malignant neoplasm of breast (174-175)	12	99	40	62	21	1,052	268	14
Malignant neoplasms of genital organs (179-187)	13	91	56	72	19	1,175	299	19
Malignant neoplasms of urinary organs (188-189)	7	39	26	35	7	451	143	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	22	113	54	85	31	1,478	453	52
Leukemia (204-208)	10	30	17	37	6	375	128	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	57	24	48	9	577	171	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	21	5	8	2	166	59	6
Diabetes mellitus (250)	6	101	48	32	15	873	235	18
Nutritional deficiencies (260-269)	1	5	3	6	5	86	20	3
Anemias (280-285)	-	13	4	3	5	84	18	2
Meningitis (320-322)	-	1	1	4	1	29	10	2
Major cardiovascular diseases (390-448)	313	2,089	1,088	1,492	524	21,219	5,718	442
Diseases of heart (390-398,402,404-429)	251	1,734	832	1,079	430	17,091	4,578	336
Rheumatic fever and rheumatic heart disease (390-398)	1	15	6	8	2	156	54	-
Hypertensive heart disease (402)	6	31	29	22	9	448	56	7
Hypertensive heart and renal disease (404)	1	7	4	2	3	54	6	3
Ischemic heart disease (410-414)	173	1,402	583	794	288	10,507	3,402	224
Acute myocardial infarction (410)	90	648	298	453	123	6,283	1,413	116
Other acute and subacute forms of ischemic heart disease (411)	2	1	-	1	35	67	273	-
Angina pectoris (413)	-	1	5	3	-	20	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	81	752	280	337	130	4,137	1,713	108
Other diseases of endocardium (424)	2	30	12	12	6	224	77	5
All other forms of heart disease (415-423,425-429)	68	249	199	241	122	5,692	983	97
Hypertension with or without renal disease (401,403)	4	17	14	10	3	156	37	2
Cerebrovascular diseases (430-438)	43	275	194	318	75	3,107	853	86
Intracerebral and other intracranial hemorrhage (431-432)	4	34	21	37	9	451	121	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	69	29	28	9	525	119	11
Cerebral embolism (434.1)	1	2	3	2	-	16	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	33	170	141	251	57	2,115	611	71
Atherosclerosis (440)	6	23	18	23	2	385	112	12
Other diseases of arteries, arterioles, and capillaries (441-448)	9	40	30	32	14	480	138	6
Acute bronchitis and bronchiolitis (466)	-	1	-	1	-	19	1	-
Pneumonia and influenza (480-487)	21	142	49	117	34	1,388	436	20
Pneumonia (480-486)	20	140	48	116	31	1,360	434	19
Influenza (487)	1	2	1	1	3	28	4	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	21	119	102	116	28	1,529	757	35
Bronchitis, chronic and unspecified (490-491)	1	7	8	8	1	79	26	1
Emphysema (492)	3	31	13	29	4	198	182	5
Asthma (493)	1	7	4	3	2	57	47	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	16	74	77	76	21	1,195	502	27
Ulcer of stomach and duodenum (531-533)	1	14	8	14	2	132	40	1
Appendicitis (540-543)	-	4	-	-	-	9	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	9	5	9	4	118	36	2
Chronic liver disease and cirrhosis (571)	5	104	43	36	16	555	211	6
Cholelithiasis and other disorders of gallbladder (574-575)	1	9	2	2	-	53	18	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	52	15	28	12	594	145	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	6	4	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	5	1	3	-	30	11	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	47	12	25	12	558	130	12
Infections of kidney (590)	1	1	2	3	1	25	6	1
Hyperplasia of prostate (600)	-	2	3	1	-	8	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	5	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	-	-	4	-	-
Congenital anomalies (740-759)	11	28	17	18	8	264	125	5
Certain conditions originating in the perinatal period (760-779)	16	41	22	24	13	475	132	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	5	7	4	3	88	31	2
Other conditions originating in the perinatal period (760-766,770-779)	7	36	15	20	10	387	101	3
Symptoms, signs, and ill-defined conditions (780-799)	51	39	14	23	7	2,068	124	17
All other diseases (Residual)	46	288	184	210	112	3,581	1,078	66
Accidents and adverse effects (E800-E949)	48	137	146	108	55	1,533	738	51
Motor vehicle accidents (E810-E825)	21	60	73	46	20	630	438	22
All other accidents and adverse effects (E800-E807,E826-E949)	27	77	73	62	35	903	300	29
Suicide (E950-E959)	16	30	43	37	22	524	304	6
Homicide and legal intervention (E960-E978)	5	39	26	8	11	419	141	10
All other external causes (E980-E999)	1	1	2	1	-	97	14	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pittsburgh, Pa.	Pittsfield, Mass.	Portland, Maine	Portland, Oreg.-Wash.	Portsmouth-Dover-Rochester, N.H.-Maine	Poughkeepsie, N.Y.	Providence-Warwick-Pawtucket, R.I.	Provo-Orem, Utah
All causes	23,919	1,472	2,529	10,810	3,631	2,051	8,947	1,111
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	1	-	-	1
Tuberculosis (010-018)	13	1	2	8	-	1	4	-
Tuberculosis of respiratory system (010-012)	10	-	2	7	-	1	3	-
Other tuberculosis (013-018)	3	1	-	1	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	6	-	-	-	1
Septicemia (038)	205	16	15	64	26	24	102	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	1	-	-	-	-	-
Viral hepatitis (070)	2	1	1	8	1	1	7	1
Syphilis (090-097)	1	-	-	2	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	46	4	11	43	11	6	27	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,597	366	591	2,428	867	490	2,180	160
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	99	6	11	44	13	7	43	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,451	87	158	559	247	117	618	37
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,583	91	178	729	213	143	575	24
Malignant neoplasm of breast (174-175)	469	35	45	202	81	43	211	17
Malignant neoplasms of genital organs (179-187)	565	42	53	260	88	53	199	30
Malignant neoplasms of urinary organs (188-189)	216	17	23	93	31	25	92	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	692	47	73	298	108	54	276	24
Leukemia (204-208)	216	14	20	92	35	21	65	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	306	27	30	131	51	27	101	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	87	3	7	37	16	6	33	2
Diabetes mellitus (250)	550	24	27	133	94	43	208	18
Nutritional deficiencies (260-269)	29	2	5	12	6	5	18	3
Anemias (280-285)	44	3	5	15	5	4	19	3
Meningitis (320-322)	9	2	2	7	2	-	3	1
Major cardiovascular diseases (390-448)	12,045	674	1,242	5,011	1,714	1,008	4,281	496
Diseases of heart (390-398,402,404-429)	9,924	521	975	3,763	1,358	817	3,442	387
Rheumatic fever and rheumatic heart disease (390-398)	104	2	12	50	12	9	30	9
Hypertensive heart disease (402)	178	11	12	105	30	10	82	2
Hypertensive heart and renal disease (404)	18	-	2	30	5	-	8	-
Ischemic heart disease (410-414)	7,079	355	718	2,871	967	662	2,759	232
Acute myocardial infarction (410)	3,511	155	356	977	558	367	1,426	121
Other acute and subacute forms of ischemic heart disease (411)	20	1	8	3	1	2	10	-
Angina pectoris (413)	10	1	-	6	2	-	5	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,538	198	354	1,885	406	293	1,318	111
Other diseases of endocardium (424)	104	17	14	71	23	9	39	4
All other forms of heart disease (415-423,425-429)	2,441	136	217	636	321	127	524	140
Hypertension with or without renal disease (401,403)	61	7	6	42	13	14	28	1
Cerebrovascular diseases (430-438)	1,574	106	170	902	247	145	589	75
Intracerebral and other intracranial hemorrhage (431-432)	257	13	18	99	33	20	100	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	305	6	28	141	30	20	100	6
Cerebral embolism (434.1)	9	-	1	10	1	3	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,003	87	123	652	183	102	386	59
Atherosclerosis (440)	200	21	55	196	49	11	126	22
Other diseases of arteries, arterioles, and capillaries (441-448)	286	19	36	108	47	19	96	11
Acute bronchitis and bronchiolitis (466)	3	-	1	5	2	-	2	-
Pneumonia and influenza (480-487)	635	57	68	384	98	56	256	45
Pneumonia (480-486)	625	55	65	367	91	54	251	43
Influenza (487)	10	2	3	17	7	2	5	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	791	65	117	476	150	74	328	56
Bronchitis, chronic and unspecified (490-491)	17	1	16	13	7	4	20	2
Emphysema (492)	123	7	21	119	28	13	52	6
Asthma (493)	26	1	5	37	7	5	11	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	625	56	75	307	107	52	245	45
Ulcer of stomach and duodenum (531-533)	52	4	10	33	8	5	32	4
Appendicitis (540-543)	1	-	-	3	1	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	57	4	5	20	4	9	24	4
Chronic liver disease and cirrhosis (571)	254	18	25	147	45	30	101	5
Cholelithiasis and other disorders of gallbladder (574-575)	17	1	1	11	5	4	16	8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	275	5	21	73	18	27	126	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	1	2	-	1	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	1	11	2	-	4	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	255	5	19	60	16	26	119	10
Infections of kidney (590)	11	1	3	10	3	1	4	-
Hyperplasia of prostate (600)	5	-	-	2	-	-	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	4	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	4	1	-	-	-
Congenital anomalies (740-759)	98	7	12	60	20	12	42	18
Certain conditions originating in the perinatal period (760-779)	168	6	23	60	28	11	44	26
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	44	2	8	14	6	2	15	12
Other conditions originating in the perinatal period (760-766,770-779)	144	4	15	46	22	9	29	14
Symptoms, signs, and ill-defined conditions (780-799)	258	3	19	139	27	7	31	19
All other diseases (Residual)	1,549	127	208	812	268	120	679	97
Accidents and adverse effects (E800-E949)	717	64	67	517	139	77	245	85
Motor vehicle accidents (E810-E825)	261	29	34	251	68	47	99	45
All other accidents and adverse effects (E800-E807,E826-E949)	456	35	33	266	71	30	146	40
Suicide (E950-E959)	252	12	32	172	61	24	90	18
Homicide and legal intervention (E960-E978)	79	1	7	71	7	7	34	4
All other external causes (E980-E999)	53	1	1	37	3	1	7	8

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pueblo, Colo.	Racine, Wis.	Raleigh-Durham, N.C.	Reading, Pa.	Redding, Calif.	Reno, Nev.	Richland-Kennewick-Pasco, Wash.	Richmond, Va.
All causes	1,126	1,329	4,207	3,233	1,134	1,646	888	5,875
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	8	-	-	1	-	6
Tuberculosis of respiratory system (010-012)	1	-	7	-	-	-	-	6
Other tuberculosis (013-018)	-	-	1	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	1	-	-	2
Septicemia (038)	11	7	65	30	9	17	-	88
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	9	-	1	1	-	2
Syphilis (090-097)	1	-	-	1	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,058-068,071-088,098-139)	3	4	22	7	2	3	2	23
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	217	298	958	724	284	407	207	1,366
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	-	7	25	7	8	12	3	28
Malignant neoplasms of digestive organs and peritoneum (150-159)	60	79	212	212	65	100	46	334
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	64	80	290	202	98	127	52	428
Malignant neoplasm of breast (174-175)	16	14	98	53	20	23	19	132
Malignant neoplasms of genital organs (179-187)	17	34	110	55	34	36	26	143
Malignant neoplasms of urinary organs (188-189)	12	20	25	32	11	20	7	55
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	36	119	98	30	62	36	155
Leukemia (204-208)	9	9	33	29	10	10	7	35
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	17	46	36	8	17	9	56
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	5	15	10	8	9	1	19
Diabetes mellitus (250)	20	18	73	69	16	19	12	79
Nutritional deficiencies (260-269)	3	5	4	4	2	-	2	8
Anemias (280-285)	3	2	11	6	2	3	-	13
Meningitis (320-322)	1	-	2	3	1	4	-	2
Major cardiovascular diseases (390-448)	500	670	1,821	1,650	415	676	350	2,590
Diseases of heart (390-398,402,404-429)	373	546	1,404	1,369	309	551	269	1,966
Rheumatic fever and rheumatic heart disease (390-398)	13	7	13	7	4	7	5	19
Hypertensive heart disease (402)	6	12	42	42	7	64	9	44
Hypertensive heart and renal disease (404)	-	1	7	8	-	3	-	7
Ischemic heart disease (410-414)	252	430	867	744	183	362	188	1,233
Acute myocardial infarction (410)	119	178	433	422	83	148	102	603
Other acute and subacute forms of ischemic heart disease (411)	5	-	2	2	1	-	-	37
Angina pectoris (413)	-	1	7	4	-	-	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	128	251	425	316	99	214	85	590
Other diseases of endocardium (424)	6	5	24	14	3	7	6	28
All other forms of heart disease (415-423,425-429)	96	91	451	548	112	108	61	635
Hypertension with or without renal disease (401,403)	10	4	21	8	1	1	5	17
Cerebrovascular diseases (430-438)	91	94	317	214	84	94	58	469
Intracerebral and other intracranial hemorrhage (431-432)	15	11	38	41	14	11	7	53
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	16	28	28	16	10	6	54
Cerebral embolism (434.1)	1	-	2	2	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	57	67	249	143	54	72	45	361
Atherosclerosis (440)	11	17	51	31	6	9	5	83
Other diseases of arteries, arterioles, and capillaries (441-448)	15	9	28	34	15	21	13	55
Acute bronchitis and bronchiolitis (466)	-	1	5	-	1	-	-	1
Pneumonia and influenza (480-487)	33	43	138	87	51	55	36	181
Pneumonia (480-486)	31	43	132	85	43	55	26	179
Influenza (487)	2	-	6	2	8	-	10	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	68	44	114	105	88	113	56	198
Bronchitis, chronic and unspecified (490-491)	5	-	7	8	13	3	6	12
Emphysema (492)	8	17	28	18	22	9	10	30
Asthma (493)	3	1	5	9	7	1	1	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	52	26	74	70	46	100	39	147
Ulcer of stomach and duodenum (531-533)	5	3	8	22	6	9	2	15
Appendicitis (540-543)	1	-	-	1	1	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	6	13	11	4	4	-	13
Chronic liver disease and cirrhosis (571)	22	14	42	35	13	38	15	80
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	3	3	-	1	-	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	9	47	34	3	12	6	57
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	-	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	1	-	-	1	-	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	6	44	34	3	11	5	48
Infections of kidney (590)	1	1	4	4	2	1	2	9
Hyperplasia of prostate (600)	-	-	1	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	-	-	-	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	-	-	-	2
Congenital anomalies (740-759)	11	8	31	10	-	12	12	28
Certain conditions originating in the perinatal period (760-779)	10	11	61	20	6	12	14	87
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	1	12	4	1	4	4	16
Other conditions originating in the perinatal period (760-768,770-779)	5	10	49	16	5	8	10	71
Symptoms, signs, and ill-defined conditions (780-799)	22	9	21	33	17	13	7	80
All other diseases (Residual)	87	100	388	180	78	103	68	482
Accidents and adverse effects (E800-E949)	54	39	218	107	76	64	62	238
Motor vehicle accidents (E810-E825)	34	21	105	65	45	31	30	104
All other accidents and adverse effects (E800-E807,E826-E949)	20	18	113	42	31	33	32	134
Suicide (E950-E959)	20	19	63	63	29	48	23	87
Homicide and legal intervention (E960-E978)	7	7	64	14	13	19	10	105
All other external causes (E980-E999)	5	3	3	-	5	4	1	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Riverside-San Bernardino-Ontario, Calif.	Roanoke, Va.	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Rock Hill, S.C.	Sacramento, Calif.	Saginaw, Mich.
All causes	15,961	2,532	605	8,224	2,338	926	8,932	1,727
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	1	-	-	1	1
Tuberculosis (010-018)	12	2	-	3	-	1	8	1
Tuberculosis of respiratory system (010-012)	8	1	-	3	-	1	8	1
Other tuberculosis (013-018)	4	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	2	-
Septicemia (038)	36	24	-	108	17	5	53	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	15	-	-	3	-	-	7	-
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	68	7	2	22	12	5	36	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,423	539	135	1,891	550	186	2,073	390
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	55	9	-	30	10	5	38	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	861	133	34	511	150	49	505	120
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	874	163	27	473	137	57	573	93
Malignant neoplasm of breast (174-175)	276	37	22	201	52	23	185	26
Malignant neoplasms of genital organs (179-187)	359	46	14	228	59	12	197	30
Malignant neoplasms of urinary organs (188-189)	133	18	6	98	29	6	78	16
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	438	67	11	195	61	13	287	62
Leukemia (204-208)	137	25	10	57	18	10	93	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	190	41	11	98	34	13	117	27
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	55	7	2	29	8	2	32	4
Diabetes mellitus (250)	221	29	13	137	39	21	138	27
Nutritional deficiencies (260-269)	15	3	1	8	3	1	9	1
Anemias (280-285)	20	6	1	17	-	-	10	4
Meningitis (320-322)	8	2	-	3	-	1	2	3
Major cardiovascular diseases (390-448)	7,171	1,217	274	3,903	1,160	459	3,797	841
Diseases of heart (390-398,402,404-429)	5,508	954	200	3,064	902	340	2,883	649
Rheumatic fever and rheumatic heart disease (390-398)	73	7	3	34	8	1	40	3
Hypertensive heart disease (402)	94	22	2	52	20	2	83	8
Hypertensive heart and renal disease (404)	14	3	-	10	-	5	14	2
Ischemic heart disease (410-414)	4,449	638	152	2,257	728	250	2,071	513
Acute myocardial infarction (410)	2,017	266	69	1,181	296	166	927	259
Other acute and subacute forms of ischemic heart disease (411)	9	82	1	68	1	3	8	1
Angina pectoris (413)	8	3	-	8	1	2	5	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,415	287	82	1,000	430	79	1,131	251
Other diseases of endocardium (424)	81	11	7	57	10	-	60	4
All other forms of heart disease (415-423,425-429)	797	273	36	654	136	82	615	119
Hypertension with or without renal disease (401,403)	44	6	2	21	12	4	30	5
Cerebrovascular diseases (430-438)	1,211	208	61	628	186	88	688	130
Intracerebral and other intracranial hemorrhage (431-432)	154	23	10	87	15	19	82	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	239	42	12	78	25	10	94	32
Cerebral embolism (434.1)	8	2	-	5	-	1	2	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	810	141	39	458	146	58	490	83
Atherosclerosis (440)	178	30	3	96	28	18	106	31
Other diseases of arteries, arterioles, and capillaries (441-448)	230	19	8	94	32	9	110	26
Acute bronchitis and bronchiolitis (466)	6	-	-	4	-	-	-	1
Pneumonia and influenza (480-487)	699	82	18	300	54	18	338	45
Pneumonia (480-486)	691	80	15	298	50	14	314	45
Influenza (487)	8	2	3	2	4	4	24	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	715	93	23	310	73	32	482	66
Bronchitis, chronic and unspecified (490-491)	50	5	-	13	5	2	32	7
Emphysema (492)	158	12	1	35	18	3	89	10
Asthma (493)	29	5	2	11	3	6	19	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	480	71	20	251	47	21	342	45
Ulcer of stomach and duodenum (531-533)	70	7	3	30	6	2	46	5
Appendicitis (540-543)	6	-	-	1	1	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	33	5	2	27	8	2	19	4
Chronic liver disease and cirrhosis (571)	312	36	7	86	24	15	152	27
Cholelithiasis and other disorders of gallbladder (574-575)	23	3	2	9	5	3	10	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	98	21	4	84	20	12	73	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	2	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	17	1	-	3	2	1	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	78	20	4	81	18	11	69	16
Infections of kidney (590)	15	2	1	5	2	-	14	2
Hyperplasia of prostate (600)	5	-	-	1	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	5	-	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	5	-	-	-	-	-	-	-
Congenital anomalies (740-759)	142	11	8	38	17	5	45	16
Certain conditions originating in the perinatal period (760-779)	157	18	11	57	18	11	71	31
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	49	3	3	5	7	-	11	2
Other conditions originating in the perinatal period (760-766,770-779)	108	15	8	52	11	11	60	29
Symptoms, signs, and ill-defined conditions (780-799)	94	32	5	48	11	3	78	4
All other diseases (Residual)	1,044	207	43	709	164	65	640	94
Accidents and adverse effects (E800-E949)	992	118	38	256	86	54	494	75
Motor vehicle accidents (E810-E825)	585	50	19	120	43	29	255	33
All other accidents and adverse effects (E800-E807,E826-E949)	407	68	19	136	43	25	239	42
Suicide (E950-E959)	302	39	8	86	44	8	182	23
Homicide and legal intervention (E960-E978)	185	22	4	39	12	12	98	24
All other external causes (E980-E999)	11	-	-	7	4	1	22	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	St. Cloud, Minn.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.	Salinas-Seaside-Monterey, Calif.	Salisbury-Concord, N.C.	Salt Lake City-Ogden, Utah	San Angelo, Tex.
All causes	1,138	1,155	22,794	2,319	2,208	1,827	5,723	880
Shigellosis and ameblasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	4	1	1	-	-	-
Tuberculosis (010-018)	-	-	9	-	-	2	3	-
Tuberculosis of respiratory system (010-012)	-	-	8	-	-	2	1	-
Other tuberculosis (013-018)	-	-	1	-	-	-	2	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	5	-	1	-	-	-
Septicemia (038)	2	9	197	9	11	15	43	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	7	1	1	-	4	-
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	6	78	7	4	3	23	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	227	224	5,245	513	518	382	1,003	177
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	6	84	8	5	6	18	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	54	1,303	110	140	94	262	38
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	57	60	1,463	154	142	108	162	49
Malignant neoplasm of breast (174-175)	24	12	476	38	45	36	100	11
Malignant neoplasms of genital organs (179-187)	23	22	583	66	61	42	144	11
Malignant neoplasms of urinary organs (188-189)	7	13	239	22	14	14	37	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31	32	684	55	57	48	148	44
Leukemia (204-208)	11	7	169	31	16	12	48	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	18	244	29	38	22	84	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	1	62	5	8	5	28	5
Diabetes mellitus (250)	16	16	426	29	26	25	145	12
Nutritional deficiencies (260-269)	1	-	38	2	2	2	8	1
Anemias (280-285)	-	3	52	4	2	2	10	3
Meningitis (320-322)	1	-	7	1	5	1	4	-
Major cardiovascular diseases (390-448)	573	518	10,852	1,141	947	866	2,478	404
Diseases of heart (390-398,402,404-429)	423	379	8,708	854	695	639	1,964	271
Rheumatic fever and rheumatic heart disease (390-398)	4	1	85	17	5	3	46	5
Hypertensive heart disease (402)	4	6	305	21	10	20	86	5
Hypertensive heart and renal disease (404)	1	-	47	7	-	3	4	2
Ischemic heart disease (410-414)	295	285	6,549	644	525	441	1,135	125
Acute myocardial infarction (410)	132	131	3,137	240	265	305	530	85
Other acute and subacute forms of ischemic heart disease (411)	3	-	15	-	-	1	4	-
Angina pectoris (413)	-	-	5	2	1	6	4	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	160	154	3,392	402	259	129	597	39
Other diseases of endocardium (424)	9	2	97	10	18	2	30	-
All other forms of heart disease (415-423,425-429)	110	85	1,625	155	137	170	683	134
Hypertension with or without renal disease (401,403)	6	4	99	8	4	10	25	5
Cerebrovascular diseases (430-438)	101	91	1,598	211	200	178	394	104
Intracerebral and other intracranial hemorrhage (431-432)	7	12	276	17	20	31	42	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	9	334	41	49	23	36	5
Cerebral embolism (434.1)	-	-	12	-	-	1	8	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	79	70	976	153	131	123	310	95
Atherosclerosis (440)	34	36	222	40	24	19	41	18
Other diseases of arteries, arterioles, and capillaries (441-448)	9	8	225	28	24	20	54	8
Acute bronchitis and bronchiolitis (466)	-	-	4	-	-	-	1	-
Pneumonia and influenza (480-487)	32	47	761	69	85	66	182	20
Pneumonia (480-486)	31	47	764	65	77	66	172	19
Influenza (487)	1	-	17	4	8	-	10	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	41	50	782	95	68	56	207	44
Bronchitis, chronic and unspecified (490-491)	1	-	29	11	3	1	7	1
Emphysema (492)	3	3	122	16	12	10	38	6
Asthma (493)	6	3	34	7	1	5	15	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	44	577	61	72	40	147	35
Ulcer of stomach and duodenum (531-533)	4	7	65	5	10	2	16	1
Appendicitis (540-543)	-	-	8	-	1	2	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	2	72	3	4	6	14	1
Chronic liver disease and cirrhosis (571)	7	5	205	22	45	19	56	14
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	31	6	2	3	14	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	14	222	19	13	19	55	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	3	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	10	-	2	3	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	11	14	209	19	11	15	50	6
Infections of kidney (590)	-	-	18	3	8	2	4	2
Hyperplasia of prostate (600)	-	-	-	-	2	-	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	4	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	3	-
Congenital anomalies (740-759)	14	10	123	21	25	9	65	4
Certain conditions originating in the perinatal period (760-779)	9	9	205	12	33	10	61	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	3	60	2	4	1	24	3
Other conditions originating in the perinatal period (760-766,770-779)	4	6	145	10	29	9	57	2
Symptoms, signs, and ill-defined conditions (780-799)	12	90	286	37	4	12	118	12
All other diseases (Residual)	88	75	1,601	163	158	180	589	45
Accidents and adverse effects (E800-E949)	69	44	843	95	138	116	364	56
Motor vehicle accidents (E810-E825)	36	22	378	54	66	57	184	22
All other accidents and adverse effects (E800-E807,E826-E949)	33	22	465	41	72	59	180	34
Suicide (E950-E959)	16	18	283	43	45	27	148	21
Homicide and legal intervention (E960-E978)	1	5	275	12	21	13	33	15
All other external causes (E980-E999)	3	1	26	1	-	2	19	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	San Antonio, Tex.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.	Santa Barbara-Santa Maria-Lompoc, Calif.	Santa Cruz, Calif.	Santa Rosa, Calif.	Sarasota, Fla.
All causes	8,670	15,259	29,760	8,270	2,612	1,785	3,026	3,697
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	5	1	1	-	1	-
Tuberculosis (010-018)	17	10	29	5	1	3	-	2
Tuberculosis of respiratory system (010-012)	10	8	23	3	1	3	-	2
Other tuberculosis (013-018)	7	2	6	2	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	3	5	-	-	-	-
Septicemia (038)	170	65	174	39	13	7	23	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	12	26	9	1	1	4	2
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	31	65	353	39	14	7	16	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,753	3,712	7,005	1,940	558	358	731	928
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	24	73	154	30	8	4	16	16
Malignant neoplasms of digestive organs and peritoneum (150-159)	439	862	1,864	490	122	104	184	248
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	426	1,079	1,608	485	126	90	189	272
Malignant neoplasm of breast (174-175)	170	362	648	192	53	34	65	44
Malignant neoplasms of genital organs (179-187)	169	401	671	200	80	37	90	118
Malignant neoplasms of urinary organs (188-189)	69	124	249	67	30	14	33	46
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	259	470	953	279	84	36	83	84
Leukemia (204-208)	92	160	258	70	21	17	22	36
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	106	181	400	127	34	22	49	66
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	14	63	120	44	8	13	11	17
Diabetes mellitus (250)	141	198	416	142	36	21	40	46
Nutritional deficiencies (260-269)	10	15	46	2	1	1	7	6
Anemias (280-285)	16	17	33	12	5	1	1	7
Meningitis (320-322)	4	13	9	6	1	2	2	2
Major cardiovascular diseases (390-448)	3,698	6,502	12,798	3,465	1,196	783	1,321	1,727
Diseases of heart (390-398,402,404-429)	2,940	4,931	9,629	2,680	915	589	947	1,243
Rheumatic fever and rheumatic heart disease (390-398)	25	55	107	33	15	9	10	14
Hypertensive heart disease (402)	108	164	414	142	47	24	34	20
Hypertensive heart and renal disease (404)	10	14	38	9	1	2	2	2
Ischemic heart disease (410-414)	1,623	3,694	6,911	1,707	533	368	679	923
Acute myocardial infarction (410)	956	1,732	2,657	808	239	175	264	488
Other acute and subacute forms of ischemic heart disease (411)	2	14	18	1	-	-	2	2
Angina pectoris (413)	2	10	9	6	2	-	5	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	661	1,938	4,227	892	292	193	408	430
Other diseases of endocardium (424)	32	94	203	42	27	18	24	21
All other forms of heart disease (415-423,425-429)	1,142	910	1,956	747	292	168	198	263
Hypertension with or without renal disease (401,403)	25	48	112	26	8	5	8	19
Cerebrovascular diseases (430-438)	592	1,160	2,397	592	219	146	286	366
Intracerebral and other intracranial hemorrhage (431-432)	114	168	327	70	25	17	34	40
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	82	201	442	92	53	25	34	68
Cerebral embolism (434.1)	4	8	13	5	-	-	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	392	783	1,615	425	141	104	217	255
Atherosclerosis (440)	56	180	305	71	29	31	35	45
Other diseases of arteries, arterioles, and capillaries (441-448)	85	193	355	96	25	12	45	54
Acute bronchitis and bronchiolitis (466)	1	7	20	2	2	2	1	2
Pneumonia and influenza (480-487)	323	562	1,180	347	92	97	151	95
Pneumonia (480-486)	320	536	1,147	327	88	88	144	94
Influenza (487)	3	26	33	20	4	9	7	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	289	803	1,211	326	120	97	109	136
Bronchitis, chronic and unspecified (490-491)	11	47	69	35	9	3	9	3
Emphysema (492)	56	155	321	78	31	15	31	20
Asthma (493)	11	42	68	15	8	4	11	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	211	559	753	198	72	75	58	113
Ulcer of stomach and duodenum (531-533)	28	77	100	39	6	2	9	5
Appendicitis (540-543)	1	2	8	2	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	41	77	27	10	2	8	7
Chronic liver disease and cirrhosis (571)	126	262	654	175	35	45	34	43
Cholelithiasis and other disorders of gallbladder (574-575)	18	24	34	9	2	4	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	113	87	217	61	23	17	36	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	2	1	-	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	11	17	2	3	2	-	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	109	75	198	59	20	15	36	16
Infections of kidney (590)	15	20	32	10	4	1	2	2
Hyperplasia of prostate (600)	-	1	19	2	4	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	4	4	2	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	1	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	3	3	2	-	-	-	-
Congenital anomalies (740-759)	62	104	191	74	25	10	15	15
Certain conditions originating in the perinatal period (760-779)	120	135	186	81	16	11	11	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	38	41	16	5	4	4	2
Other conditions originating in the perinatal period (760-766,770-779)	85	97	145	63	11	7	7	14
Symptoms, signs, and ill-defined conditions (780-799)	197	89	198	52	14	13	16	116
All other diseases (Residual)	651	1,123	2,482	608	221	137	238	285
Accidents and adverse effects (E800-E949)	432	734	1,273	457	118	101	154	129
Motor vehicle accidents (E810-E825)	241	399	471	233	61	64	86	58
All other accidents and adverse effects (E800-E807,E826-E949)	191	335	802	224	57	37	68	71
Suicide (E950-E959)	169	324	507	188	70	29	63	39
Homicide and legal intervention (E960-E978)	234	154	288	95	14	16	15	12
All other external causes (E980-E999)	7	31	62	5	1	3	3	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Savannah, Ga.	Seattle-Everett, Wash.	Sharon, Pa.	Sheboygan, Wis.	Sherman-Denison, Tex.	Shreveport, La.	Sioux City, Iowa-Nebr.	Sioux Falls, S.Dak.
All causes	2,238	12,966	1,284	983	1,071	3,588	1,101	920
Shigellosis and amoebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	5	-	-	-	4	-	-
Tuberculosis (010-018)	2	8	2	1	-	6	-	1
Tuberculosis of respiratory system (010-012)	1	5	2	1	-	6	-	1
Other tuberculosis (013-018)	1	3	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-
Septicemia (038)	24	85	7	7	5	70	8	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	7	-	-	1	3	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	9	64	1	1	3	12	3	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	491	3,092	272	213	198	815	248	209
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	14	52	5	3	2	9	8	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	115	800	93	69	38	208	71	58
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	160	849	58	28	50	244	68	46
Malignant neoplasm of breast (174-175)	36	277	17	26	8	58	21	17
Malignant neoplasms of genital organs (179-187)	59	327	29	19	19	89	22	26
Malignant neoplasms of urinary organs (188-189)	18	118	14	18	12	36	12	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	64	356	28	35	46	104	21	22
Leukemia (204-208)	12	93	14	7	10	29	14	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	220	16	8	13	28	11	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	36	2	1	2	10	3	-
Diabetes mellitus (250)	43	211	28	28	16	57	19	10
Nutritional deficiencies (260-269)	4	28	2	2	1	4	1	2
Anemias (280-285)	5	23	3	3	1	9	-	-
Meningitis (320-322)	2	6	1	-	1	-	1	-
Major cardiovascular diseases (390-448)	973	5,605	684	522	559	1,675	521	387
Diseases of heart (390-398,402,404-429)	724	4,271	563	395	455	1,347	416	306
Rheumatic fever and rheumatic heart disease (390-398)	1	56	7	1	3	2	4	2
Hypertensive heart disease (402)	19	102	17	11	8	17	13	1
Hypertensive heart and renal disease (404)	6	15	5	1	-	4	4	-
Ischemic heart disease (410-414)	478	2,647	433	304	251	912	324	232
Acute myocardial infarction (410)	294	1,185	229	111	145	479	159	103
Other acute and subacute forms of ischemic heart disease (411)	1	4	1	-	3	1	-	-
Angina pectoris (413)	-	12	-	1	1	-	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	183	1,446	203	192	102	432	163	129
Other diseases of endocardium (424)	10	92	8	3	2	13	5	2
All other forms of heart disease (415-423,425-429)	210	1,359	93	75	191	399	66	69
Hypertension with or without renal disease (401,403)	17	51	3	6	-	17	5	5
Cerebrovascular diseases (430-438)	185	1,000	88	83	75	253	74	56
Intracerebral and other intracranial hemorrhage (431-432)	30	126	15	7	15	37	6	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	152	22	9	9	33	20	6
Cerebral embolism (434.1)	1	3	-	1	1	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	123	719	51	66	50	181	48	38
Atherosclerosis (440)	12	128	17	27	18	15	14	11
Other diseases of arteries, arterioles, and capillaries (441-448)	35	155	13	11	11	43	12	9
Acute bronchitis and bronchiolitis (466)	1	1	1	-	-	2	-	-
Pneumonia and influenza (480-487)	61	475	37	29	42	88	65	54
Pneumonia (480-486)	59	454	35	28	41	88	63	53
Influenza (487)	2	21	2	1	1	-	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	82	509	38	29	35	92	48	48
Bronchitis, chronic and unspecified (490-491)	12	23	2	1	1	4	1	3
Emphysema (492)	17	86	4	6	4	16	2	9
Asthma (493)	3	29	2	1	2	7	3	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	50	371	30	21	28	65	42	32
Ulcer of stomach and duodenum (531-533)	8	41	5	4	1	7	4	1
Appendicitis (540-543)	1	1	-	-	1	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	31	6	4	3	10	4	2
Chronic liver disease and cirrhosis (571)	43	173	12	5	6	32	7	7
Cholelithiasis and other disorders of gallbladder (574-575)	4	18	3	2	1	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	111	19	7	9	55	2	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	3	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	12	1	-	-	3	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	86	18	7	8	52	2	-
Infections of kidney (590)	-	15	2	1	1	9	-	2
Hyperplasia of prostate (600)	-	1	-	2	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	1	-	1	3	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	1	-	1	2	-	-
Congenital anomalies (740-759)	9	102	2	7	8	24	18	13
Certain conditions originating in the perinatal period (760-779)	35	100	11	3	1	42	11	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	35	3	-	1	28	3	4
Other conditions originating in the perinatal period (760-766,770-779)	28	65	8	3	-	14	8	5
Symptoms, signs, and ill-defined conditions (780-799)	28	130	2	8	26	22	11	20
All other diseases (Residual)	180	1,113	78	63	75	241	68	84
Accidents and adverse effects (E800-E949)	120	593	51	33	53	168	44	41
Motor vehicle accidents (E810-E825)	50	266	29	18	32	77	25	19
All other accidents and adverse effects (E800-E807,E826-E949)	70	327	22	15	21	91	19	22
Suicide (E950-E959)	21	243	11	6	14	54	12	13
Homicide and legal intervention (E960-E978)	59	97	2	2	7	70	-	2
All other external causes (E980-E999)	1	40	1	-	-	1	2	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	South Bend, Ind.	Spokane, Wash.	Springfield, Ill.	Springfield, Mo.	Springfield, Ohio	Springfield-Chicopee-Holyoke, Mass.	State College, Pa.	Steubenville-Weirton, Ohio-W. Va.
All causes	2,591	2,963	1,794	1,899	1,862	5,583	688	1,565
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	1	-	-	-	-
Tuberculosis (010-018)	2	2	2	1	1	5	-	-
Tuberculosis of respiratory system (010-012)	1	1	1	-	1	5	-	-
Other tuberculosis (013-018)	1	1	1	1	-	-	-	-
Whooping cough (033)	-	1	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	-	-	-	-
Septicemia (038)	15	18	7	12	9	57	3	19
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	1	-	3	-	5	1	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	10	13	7	5	2	9	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	600	641	436	424	423	1,257	157	326
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	9	13	3	9	20	3	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	157	150	114	86	110	334	41	75
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	143	164	117	125	115	320	28	101
Malignant neoplasm of breast (174-175)	47	61	42	34	31	141	11	22
Malignant neoplasms of genital organs (179-187)	65	88	45	42	42	130	24	38
Malignant neoplasms of urinary organs (188-189)	33	24	20	17	15	42	5	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	79	80	45	66	63	160	30	46
Leukemia (204-208)	30	29	15	22	11	49	6	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	36	25	19	27	61	9	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	8	12	5	9	18	5	5
Diabetes mellitus (250)	63	62	40	19	45	88	12	31
Nutritional deficiencies (260-269)	6	7	4	2	6	1	-	1
Anemias (280-285)	4	4	2	2	4	7	1	2
Meningitis (320-322)	2	3	-	1	2	1	-	1
Major cardiovascular diseases (390-448)	1,280	1,370	819	817	831	2,712	347	835
Diseases of heart (390-398,402,404-429)	930	1,020	625	592	596	2,139	295	676
Rheumatic fever and rheumatic heart disease (390-398)	6	14	3	10	3	14	5	7
Hypertensive heart disease (402)	24	18	22	12	9	54	2	13
Hypertensive heart and renal disease (404)	1	3	5	-	3	5	-	4
Ischemic heart disease (410-414)	674	630	451	404	508	1,531	201	443
Acute myocardial infarction (410)	344	319	204	212	274	729	105	245
Other acute and subacute forms of ischemic heart disease (411)	-	1	-	-	1	7	-	1
Angina pectoris (413)	-	2	1	-	-	4	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	330	308	246	192	233	791	95	195
Other diseases of endocardium (424)	13	36	4	8	11	23	5	9
All other forms of heart disease (415-423,425-429)	212	319	140	158	162	512	82	200
Hypertension with or without renal disease (401,403)	15	13	9	3	10	18	1	4
Cerebrovascular diseases (430-438)	250	239	136	182	184	426	34	122
Intracerebral and other intracranial hemorrhage (431-432)	27	26	18	10	19	66	6	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	19	27	30	70	59	2	21
Cerebral embolism (434.1)	2	1	1	2	2	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	194	183	90	140	93	299	26	92
Atherosclerosis (440)	54	55	30	24	23	66	6	13
Other diseases of arteries, arterioles, and capillaries (441-448)	31	43	19	16	18	63	11	20
Acute bronchitis and bronchiolitis (466)	-	-	-	-	1	1	-	-
Pneumonia and influenza (480-487)	68	103	57	50	49	218	15	41
Pneumonia (480-486)	67	94	56	48	49	212	15	39
Influenza (487)	1	9	1	2	-	6	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	83	176	77	83	85	210	30	59
Bronchitis, chronic and unspecified (490-491)	3	5	4	6	4	15	1	4
Emphysema (492)	20	56	30	11	16	39	6	10
Asthma (493)	3	4	1	1	3	11	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	57	111	42	65	62	145	23	44
Ulcer of stomach and duodenum (531-533)	9	11	6	3	5	19	-	7
Appendicitis (540-543)	1	-	-	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	9	6	7	-	12	1	4
Chronic liver disease and cirrhosis (571)	18	33	12	17	12	64	3	18
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	4	3	3	9	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	26	25	12	24	26	68	11	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	3	1	1	3	-	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	25	22	8	23	25	63	11	16
Infections of kidney (590)	3	2	4	3	2	4	-	-
Hyperplasia of prostate (600)	-	1	2	-	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	8	25	8	9	8	25	7	5
Certain conditions originating in the perinatal period (760-779)	17	30	18	16	11	34	5	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	7	13	3	5	6	1	2
Other conditions originating in the perinatal period (760-766,770-779)	14	23	5	13	6	28	4	8
Symptoms, signs, and ill-defined conditions (780-799)	19	26	20	169	11	64	1	12
All other diseases (Residual)	186	193	137	124	133	426	38	89
Accidents and adverse effects (E800-E949)	107	130	67	63	55	183	30	55
Motor vehicle accidents (E810-E825)	46	53	28	32	25	78	22	24
All other accidents and adverse effects (E800-E807,E826-E949)	61	77	38	31	30	105	8	31
Suicide (E950-E959)	30	50	18	26	28	48	12	18
Homicide and legal intervention (E960-E978)	13	13	12	9	1	28	3	1
All other external causes (E980-E999)	-	3	5	-	-	7	1	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif.	Syracuse, N.Y.	Tacoma, Wash.	Tallahassee, Fla.	Tampa-St. Petersburg, Fla.	Terre Haute, Ind.	Texarkana, Tex.-Texarkana, Ark.	Toledo, Ohio-Mich.
All causes	3,562	5,563	3,953	1,032	22,704	1,943	1,326	7,192
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	1	-	1	-
Tuberculosis (010-018)	4	-	-	4	14	1	-	2
Tuberculosis of respiratory system (010-012)	4	-	-	3	11	-	-	1
Other tuberculosis (013-018)	-	-	-	1	3	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	1	-	1	-	-	-
Septicemia (038)	28	52	18	8	122	20	23	30
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	2	-	-	12	-	1	1
Syphilis (090-097)	1	-	-	-	1	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	17	16	19	3	60	4	1	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	731	1,264	930	257	5,101	466	306	1,576
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	20	21	7	107	7	8	30
Malignant neoplasms of digestive organs and peritoneum (150-159)	184	314	234	62	1,310	110	61	372
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	220	375	256	70	1,548	126	77	494
Malignant neoplasm of breast (174-175)	55	123	76	16	406	39	18	158
Malignant neoplasms of genital organs (179-187)	74	127	102	31	540	52	24	178
Malignant neoplasms of urinary organs (188-189)	24	57	46	7	235	29	12	74
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	93	143	95	41	530	52	80	133
Leukemia (204-208)	25	38	43	10	170	14	14	57
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	67	57	13	255	37	14	80
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	29	17	5	66	4	5	19
Diabetes mellitus (250)	73	83	83	16	341	42	17	146
Nutritional deficiencies (260-269)	3	4	3	2	23	10	2	12
Anemias (280-285)	6	12	9	3	42	7	4	16
Meningitis (320-322)	-	3	2	-	10	1	1	3
Major cardiovascular diseases (390-448)	1,528	2,656	1,764	402	10,936	970	611	3,618
Diseases of heart (390-398,402,404-429)	1,144	2,056	1,354	305	8,459	719	491	2,870
Rheumatic fever and rheumatic heart disease (390-398)	12	25	16	2	74	5	3	31
Hypertensive heart disease (402)	36	45	55	22	227	4	23	130
Hypertensive heart and renal disease (404)	1	3	6	1	28	11	1	18
Ischemic heart disease (410-414)	871	1,479	833	195	6,024	534	297	1,974
Acute myocardial infarction (410)	317	679	374	133	2,873	289	209	959
Other acute and subacute forms of ischemic heart disease (411)	5	1	3	1	16	-	-	9
Angina pectoris (413)	1	1	2	-	13	1	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	548	798	454	81	3,122	244	88	1,005
Other diseases of endocardium (424)	29	26	21	11	118	6	4	29
All other forms of heart disease (415-423,425-429)	195	478	423	74	1,988	159	163	686
Hypertension with or without renal disease (401,403)	10	16	13	7	100	8	3	32
Cerebrovascular diseases (430-438)	268	424	278	72	1,824	162	104	554
Intracerebral and other intracranial hemorrhage (431-432)	44	60	33	4	241	19	15	46
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	25	68	29	11	441	35	11	132
Cerebral embolism (434.1)	1	2	-	-	7	-	-	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	198	296	216	57	1,135	108	78	370
Atherosclerosis (440)	54	86	66	8	295	57	7	82
Other diseases of arteries, arterioles, and capillaries (441-448)	52	74	53	10	258	24	6	80
Acute bronchitis and bronchiolitis (466)	1	2	2	-	2	-	-	2
Pneumonia and influenza (480-487)	143	168	112	22	567	68	44	193
Pneumonia (480-486)	136	165	102	20	564	66	44	191
Influenza (487)	7	3	10	2	3	2	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	174	220	196	34	933	55	42	295
Bronchitis, chronic and unspecified (490-491)	11	13	5	5	58	1	5	19
Emphysema (492)	32	30	21	9	186	3	3	61
Asthma (493)	13	7	5	2	37	1	1	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	118	170	165	18	652	50	33	208
Ulcer of stomach and duodenum (531-533)	13	25	8	-	63	4	3	13
Appendicitis (540-543)	-	2	2	-	8	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	17	8	2	41	6	-	21
Chronic liver disease and cirrhosis (571)	65	70	63	12	272	20	7	69
Cholelithiasis and other disorders of gallbladder (574-575)	4	11	7	3	30	1	-	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	61	39	7	154	14	11	71
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	1	-	3	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	7	5	2	27	1	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	39	53	33	5	124	13	10	66
Infections of kidney (590)	4	6	2	-	17	4	1	11
Hyperplasia of prostate (600)	2	1	2	-	5	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	2	-	1	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	2	-	1	-	-	1
Congenital anomalies (740-759)	25	29	31	6	74	4	6	43
Certain conditions originating in the perinatal period (760-779)	32	43	54	15	149	12	11	58
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	-	24	4	51	2	3	23
Other conditions originating in the perinatal period (760-766,770-779)	26	43	30	11	98	10	8	35
Symptoms, signs, and ill-defined conditions (780-799)	34	60	38	53	765	19	72	29
All other diseases (Residual)	292	424	245	102	1,616	112	65	419
Accidents and adverse effects (E800-E949)	215	206	162	52	768	66	54	295
Motor vehicle accidents (E810-E825)	109	105	90	34	427	40	29	147
All other accidents and adverse effects (E800-E807,E826-E949)	106	101	72	18	341	26	25	148
Suicide (E950-E959)	61	57	80	16	313	18	26	116
Homicide and legal intervention (E960-E978)	35	26	43	6	178	11	11	38
All other external causes (E980-E999)	3	2	11	2	17	2	1	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Fairfield-Napa, Calif.	Victoria, Tex.
All causes	1,741	2,896	4,870	5,936	1,074	1,319	3,325	2,755	572
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	-	-	-	-	2	-
Tuberculosis (010-018)	-	2	2	1	1	-	1	2	-
Tuberculosis of respiratory system (010-012)	-	2	1	1	-	-	1	1	-
Other tuberculosis (013-018)	-	-	1	-	1	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	3	-	-	-	-	-
Septicemia (038)	15	26	47	45	11	10	23	16	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	5	2	-	-	1	2	1
Syphilis (090-097)	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	12	31	15	3	5	10	12	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	348	681	1,104	1,298	247	323	757	694	103
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	28	14	22	3	2	16	15	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	90	174	294	268	64	75	219	171	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	86	181	318	418	59	90	174	210	32
Malignant neoplasm of breast (174-175)	32	72	78	89	20	30	72	52	9
Malignant neoplasms of genital organs (179-187)	44	76	105	151	31	36	86	68	13
Malignant neoplasms of urinary organs (188-189)	22	29	56	44	11	10	58	33	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41	64	131	167	43	54	89	90	10
Leukemia (204-208)	12	19	51	57	9	16	29	18	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	36	57	82	7	10	34	37	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	8	13	17	6	5	6	9	2
Diabetes mellitus (250)	37	64	82	95	24	13	64	29	10
Nutritional deficiencies (260-269)	8	4	9	8	3	1	5	7	1
Anemias (280-285)	5	5	8	9	4	6	8	3	1
Meningitis (320-322)	2	3	4	4	-	1	2	5	-
Major cardiovascular diseases (390-448)	857	1,444	1,980	2,870	451	608	1,693	1,126	271
Diseases of heart (390-398,402,404-429)	657	1,189	1,519	2,235	347	482	1,320	840	211
Rheumatic fever and rheumatic heart disease (390-398)	3	9	15	9	2	2	9	10	1
Hypertensive heart disease (402)	24	56	43	36	6	14	29	25	6
Hypertensive heart and renal disease (404)	1	5	2	7	3	2	7	2	-
Ischemic heart disease (410-414)	451	826	1,046	1,666	212	294	1,015	607	159
Acute myocardial infarction (410)	208	370	468	869	151	187	569	257	85
Other acute and subacute forms of ischemic heart disease (411)	-	67	-	27	1	-	3	-	-
Angina pectoris (413)	-	3	-	1	-	-	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	243	386	578	769	60	107	441	349	68
Other diseases of endocardium (424)	12	17	30	18	-	7	13	32	3
All other forms of heart disease (415-423,425-429)	166	276	383	499	124	163	247	164	48
Hypertension with or without renal disease (401,403)	3	16	18	21	3	6	14	7	3
Cerebrovascular diseases (430-438)	141	189	277	496	81	100	259	210	47
Intracerebral and other intracranial hemorrhage (431-432)	17	29	33	56	13	12	28	26	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	37	35	58	13	18	76	31	8
Cerebral embolism (434.1)	2	3	3	2	-	-	2	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	102	120	206	380	55	70	153	152	33
Atherosclerosis (440)	35	20	107	61	9	10	50	38	7
Other diseases of arteries, arterioles, and capillaries (441-448)	21	30	59	57	11	10	50	31	3
Acute bronchitis and bronchiolitis (466)	-	1	1	-	-	1	1	1	-
Pneumonia and influenza (480-487)	52	100	177	171	25	32	109	118	22
Pneumonia (480-486)	50	97	167	170	25	32	109	111	22
Influenza (487)	2	3	10	1	-	-	-	7	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	70	104	272	210	39	27	140	134	20
Bronchitis, chronic and unspecified (490-491)	1	8	15	4	1	3	13	6	-
Emphysema (492)	6	23	65	48	5	6	31	35	5
Asthma (493)	2	5	19	11	6	-	3	9	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	68	173	147	27	18	93	84	15
Ulcer of stomach and duodenum (531-533)	7	9	12	19	4	2	9	17	2
Appendicitis (540-543)	-	-	1	3	-	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	13	17	17	3	5	10	7	1
Chronic liver disease and cirrhosis (571)	15	48	74	50	14	7	38	37	6
Cholelithiasis and other disorders of gallbladder (574-575)	5	4	5	10	-	1	6	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	20	44	63	11	16	40	34	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	3	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	6	8	-	1	-	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	19	38	52	11	15	40	31	3
Infections of kidney (590)	3	1	4	10	3	8	3	2	1
Hyperplasia of prostate (600)	-	1	3	6	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	2	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	2	-	1	-	-	-
Congenital anomalies (740-759)	13	12	31	38	7	10	11	19	5
Certain conditions originating in the perinatal period (760-779)	14	27	51	49	13	7	19	25	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	3	20	11	4	3	1	4	-
Other conditions originating in the perinatal period (760-766,770-779)	12	24	31	38	9	4	18	21	4
Symptoms, signs, and ill-defined conditions (780-799)	29	37	47	83	44	22	9	17	5
All other diseases (Residual)	115	228	414	400	81	93	195	213	45
Accidents and adverse effects (E800-E949)	85	104	262	260	60	72	117	139	47
Motor vehicle accidents (E810-E825)	41	32	135	139	34	39	55	68	25
All other accidents and adverse effects (E800-E807,E826-E949)	44	72	127	121	26	33	62	71	22
Suicide (E950-E959)	24	22	115	102	11	24	36	62	8
Homicide and legal intervention (E960-E978)	7	9	50	62	8	18	6	15	6
All other external causes (E980-E999)	-	3	4	4	1	1	5	4	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Vineland-Millville-Bridgeton, N.J.	Visalia-Tulare-Porterville, Calif.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo-Cedar Falls, Iowa	Wausau, Wis.	West Palm Beach-Boca Raton, Fla.	Wheeling, W. Va.-Ohio	Wichita, Kans.
All causes	1,385	2,127	1,757	21,733	1,083	828	8,858	2,107	3,374
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	-	9	-	-	-	-	-
Tuberculosis (010-018)	1	2	1	31	-	-	9	1	-
Tuberculosis of respiratory system (010-012)	1	2	-	22	-	-	7	1	-
Other tuberculosis (013-018)	-	-	1	9	-	-	2	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	3	-	-	2	-	-
Septicemia (038)	25	11	13	286	5	5	44	11	30
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	1	12	1	-	9	1	2
Syphilis (090-097)	-	-	-	2	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	9	3	128	1	2	33	2	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	259	409	373	5,444	282	176	2,213	471	788
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	12	6	134	7	3	40	8	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	75	87	85	1,391	73	53	579	147	178
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69	121	99	1,408	72	29	615	126	229
Malignant neoplasm of breast (174-175)	19	38	26	522	31	22	210	42	68
Malignant neoplasms of genital organs (179-187)	20	51	43	574	24	25	244	48	86
Malignant neoplasms of urinary organs (188-189)	16	14	9	175	15	12	85	15	40
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	31	50	67	750	25	16	244	51	83
Leukemia (204-208)	13	19	15	188	13	4	78	18	30
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	17	23	302	22	11	118	16	49
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	8	7	78	4	1	28	10	14
Diabetes mellitus (250)	21	29	25	373	17	16	131	47	69
Nutritional deficiencies (260-269)	7	4	4	31	-	-	10	3	15
Anemias (280-285)	-	4	5	29	1	2	19	4	4
Meningitis (320-322)	1	1	2	22	-	-	2	1	3
Major cardiovascular diseases (390-448)	716	910	880	8,861	525	410	4,364	1,084	1,512
Diseases of heart (390-398,402,404-429)	567	707	693	6,904	401	308	3,532	897	1,199
Rheumatic fever and rheumatic heart disease (390-398)	5	4	4	71	2	3	36	15	9
Hypertensive heart disease (402)	19	24	13	367	8	1	95	8	20
Hypertensive heart and renal disease (404)	8	2	2	44	1	-	6	-	2
Ischemic heart disease (410-414)	395	545	514	3,474	307	225	2,558	691	835
Acute myocardial infarction (410)	243	222	337	1,614	168	111	1,139	363	449
Other acute and subacute forms of ischemic heart disease (411)	2	3	2	53	-	-	20	2	2
Angina pectoris (413)	1	2	-	7	-	-	6	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	149	318	175	1,800	139	114	1,393	325	363
Other diseases of endocardium (424)	6	12	1	83	5	6	27	7	18
All other forms of heart disease (415-423,425-429)	154	120	159	2,865	78	73	820	176	315
Hypertension with or without renal disease (401,403)	5	3	4	69	7	4	32	10	9
Cerebrovascular diseases (430-438)	99	157	157	1,473	89	77	604	137	225
Intracerebral and other intracranial hemorrhage (431-432)	15	12	14	302	6	12	71	20	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	28	36	224	13	8	152	22	48
Cerebral embolism (434.1)	2	2	-	4	-	-	1	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	60	115	107	943	70	57	380	94	148
Atherosclerosis (440)	10	24	14	203	15	12	82	20	37
Other diseases of arteries, arterioles, and capillaries (441-448)	15	19	12	192	13	9	114	20	42
Acute bronchitis and bronchiolitis (466)	-	2	-	9	-	-	6	-	-
Pneumonia and influenza (480-487)	45	97	52	595	31	27	171	74	105
Pneumonia (480-486)	43	92	52	577	30	25	171	74	90
Influenza (487)	2	5	-	18	1	2	-	-	15
Chronic obstructive pulmonary diseases and allied conditions (490-496)	46	118	41	621	51	32	305	73	139
Bronchitis, chronic and unspecified (490-491)	-	4	6	30	2	-	15	10	7
Emphysema (492)	8	20	6	140	13	6	79	6	22
Asthma (493)	-	3	2	38	3	1	8	2	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38	91	27	413	33	25	203	55	107
Ulcer of stomach and duodenum (531-533)	2	8	7	73	5	3	14	5	8
Appendicitis (540-543)	-	-	1	6	-	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	10	6	63	2	3	19	9	9
Chronic liver disease and cirrhosis (571)	11	43	17	363	9	12	102	19	36
Cholelithiasis and other disorders of gallbladder (574-575)	1	2	1	19	1	-	6	7	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	23	16	270	8	12	57	22	36
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	4	-	-	5	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	3	13	1	1	2	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	19	13	253	7	11	50	20	30
Infections of kidney (590)	1	8	1	23	1	1	5	3	10
Hyperplasia of prostate (600)	-	1	-	6	1	-	3	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	3	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	3	-	-	-	-	1
Congenital anomalies (740-759)	9	24	6	168	5	2	34	8	23
Certain conditions originating in the perinatal period (760-779)	11	16	10	349	1	10	60	16	36
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	2	73	-	3	13	3	8
Other conditions originating in the perinatal period (760-766,770-779)	7	14	8	276	1	7	47	13	28
Symptoms, signs, and ill-defined conditions (780-799)	10	16	39	405	6	4	64	24	36
All other diseases (Residual)	109	137	131	1,869	75	65	603	128	239
Accidents and adverse effects (E800-E949)	65	185	83	954	31	35	377	61	152
Motor vehicle accidents (E810-E825)	36	123	37	455	17	20	178	24	79
All other accidents and adverse effects (E800-E807,E826-E949)	29	62	46	499	14	15	199	37	73
Suicide (E950-E959)	12	23	18	321	16	8	103	17	51
Homicide and legal intervention (E960-E978)	5	22	13	258	3	3	61	3	32
All other external causes (E980-E999)	-	-	-	51	2	-	4	1	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Wichita Falls, Tex.	Williamsport, Pa.	Wilmington, Del.-N.J.-Md.	Wilmington, N.C.	Worcester-Fitchburg-Leominster, Mass.	Yakima, Wash.	York, Pa.	Youngstown-Warren, Ohio	Yuba City, Calif.
All causes	1,237	1,146	4,474	1,362	6,275	1,612	3,490	5,203	956
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	-	7	-	1	2	-
Tuberculosis (010-018)	1	-	2	3	3	-	1	6	-
Tuberculosis of respiratory system (010-012)	-	-	-	1	2	-	1	5	-
Other tuberculosis (013-018)	1	-	2	2	1	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	1	1	-	1	-	-
Septicemia (038)	9	10	42	10	87	14	34	34	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	3	-	4	1	1	2	-
Syphilis (090-097)	-	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	4	21	-	18	5	9	15	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	258	267	1,062	318	1,361	303	810	1,140	184
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	3	24	9	19	5	6	24	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	69	276	73	348	67	197	304	38
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69	70	327	100	331	101	197	333	72
Malignant neoplasm of breast (174-175)	22	25	90	30	135	31	92	99	15
Malignant neoplasms of genital organs (179-187)	30	34	97	30	143	35	92	110	17
Malignant neoplasms of urinary organs (188-189)	9	11	38	5	47	13	37	45	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	41	33	121	44	203	25	116	121	22
Leukemia (204-208)	6	6	39	15	58	11	27	37	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	16	51	12	77	15	46	67	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	3	17	6	25	3	20	18	4
Diabetes mellitus (250)	22	26	133	22	111	27	75	151	22
Nutritional deficiencies (260-269)	1	5	6	-	6	3	3	23	-
Anemias (280-285)	4	1	8	5	10	3	7	7	1
Meningitis (320-322)	-	-	6	-	4	-	-	-	-
Major cardiovascular diseases (390-448)	595	581	2,036	671	3,000	786	1,752	2,629	436
Diseases of heart (390-398,402,404-429)	464	455	1,674	476	2,451	576	1,431	2,042	338
Rheumatic fever and rheumatic heart disease (390-398)	2	4	10	-	16	7	12	18	6
Hypertensive heart disease (402)	7	7	107	14	24	9	29	35	2
Hypertensive heart and renal disease (404)	-	2	2	3	4	1	4	17	-
Ischemic heart disease (410-414)	238	284	945	305	1,836	430	904	1,498	243
Acute myocardial infarction (410)	141	175	526	152	813	225	639	881	129
Other acute and subacute forms of ischemic heart disease (411)	-	-	12	-	3	2	5	11	1
Angina pectoris (413)	2	2	3	2	2	1	2	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	95	107	404	151	1,018	202	258	604	113
Other diseases of endocardium (424)	4	3	26	9	47	8	26	22	4
All other forms of heart disease (415-423,425-429)	213	155	584	145	524	121	456	452	83
Hypertension with or without renal disease (401,403)	2	1	15	6	40	7	7	31	1
Cerebrovascular diseases (430-438)	108	106	249	162	367	162	232	371	83
Intracerebral and other intracranial hemorrhage (431-432)	13	8	33	15	50	24	32	53	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	23	54	41	71	21	33	65	21
Cerebral embolism (434.1)	-	-	1	-	2	2	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	68	75	161	106	244	115	166	252	48
Atherosclerosis (440)	13	8	43	14	73	20	49	113	6
Other diseases of arteries, arterioles, and capillaries (441-448)	8	11	55	13	69	21	33	72	8
Acute bronchitis and bronchiolitis (466)	1	-	-	-	3	2	4	5	2
Pneumonia and influenza (480-487)	34	20	97	50	243	62	78	131	41
Pneumonia (480-486)	34	19	89	48	231	56	77	128	40
Influenza (487)	-	1	8	2	12	6	1	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	37	46	158	35	204	92	110	147	41
Bronchitis, chronic and unspecified (490-491)	1	-	10	1	11	2	3	3	3
Emphysema (492)	9	8	33	9	29	16	14	31	9
Asthma (493)	2	5	5	-	9	5	3	9	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	25	35	110	25	155	69	80	104	28
Ulcer of stomach and duodenum (531-533)	7	1	16	3	16	6	18	9	5
Appendicitis (540-543)	1	-	3	-	2	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	3	11	3	22	2	6	10	2
Chronic liver disease and cirrhosis (571)	13	10	60	11	76	24	18	64	11
Cholelithiasis and other disorders of gallbladder (574-575)	1	2	7	4	9	2	3	7	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	10	91	17	74	9	17	70	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	4	-	2	-	-	1	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	6	1	2	2	-	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	10	81	16	70	7	17	64	8
Infections of kidney (590)	2	-	2	-	4	1	-	7	-
Hyperplasia of prostate (600)	-	-	2	-	2	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	-	-
Pregnancy with abortive outcome (630-639)	-	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	8	4	35	6	44	7	20	25	11
Certain conditions originating in the perinatal period (760-779)	11	4	67	7	37	10	27	37	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	2	10	3	8	3	5	16	2
Other conditions originating in the perinatal period (760-766,770-779)	7	2	57	4	29	7	22	21	4
Symptoms, signs, and ill-defined conditions (780-799)	16	9	33	9	40	20	19	42	4
All other diseases (Residual)	101	77	311	79	536	98	229	327	78
Accidents and adverse effects (E800-E949)	64	50	165	71	212	96	155	185	58
Motor vehicle accidents (E810-E825)	29	24	100	37	105	48	63	79	33
All other accidents and adverse effects (E800-E807,E826-E949)	35	26	65	34	107	48	92	106	25
Suicide (E950-E959)	18	11	49	17	82	23	59	68	19
Homicide and legal intervention (E960-E978)	13	1	23	13	21	12	12	38	13
All other external causes (E980-E999)	1	-	5	1	11	2	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	2,086,440	1,752	80	26,171	461,563	116,609	127,311	40,383	49,690	18,897	17,319	91,354	36,969	977,879	771,169	6,593	23,682	536,805	204,089
Urban places	1,191,218	1,176	51	18,724	263,414	67,948	71,681	23,795	28,000	10,646	9,563	51,781	21,448	554,065	436,136	3,861	15,413	303,890	114,974
Balance of area	895,222	576	29	9,447	198,149	48,661	55,630	16,588	21,690	8,251	7,756	39,573	15,521	423,814	333,031	2,732	8,269	232,915	89,115
Metropolitan counties	1,519,024	1,332	66	20,456	343,283	87,602	94,511	30,954	36,107	13,881	12,626	67,602	27,085	703,992	559,266	5,096	18,718	389,871	145,781
Urban places	1,069,578	1,097	46	15,438	238,017	61,711	64,757	21,617	25,129	9,508	8,577	46,720	19,193	495,180	393,421	3,536	14,249	272,856	102,780
Balance of area	449,446	235	20	5,020	105,266	25,891	29,754	9,337	10,978	4,375	4,049	20,882	7,892	208,812	165,845	1,560	4,469	116,815	43,001
Nonmetropolitan counties	567,418	420	14	5,715	118,280	29,007	32,800	9,429	13,583	5,016	4,693	23,752	9,884	273,887	211,903	1,497	4,964	147,134	58,308
Urban places	121,640	79	5	1,288	25,397	6,237	6,924	2,178	2,871	1,140	986	5,061	2,255	58,885	44,717	325	1,164	31,034	12,194
Balance of area	445,776	341	9	4,427	92,883	22,770	25,876	7,251	10,712	3,876	3,707	18,691	7,629	215,002	167,186	1,172	3,800	116,100	46,114
Alabama	37,603	49	3	410	7,963	1,794	2,372	604	872	277	279	1,765	704	17,399	13,094	47	458	8,203	4,386
Urban places	16,461	23	2	193	3,645	854	1,088	318	407	128	117	735	343	7,374	5,414	19	233	3,272	1,890
Balance of area	21,142	26	1	217	4,318	940	1,284	288	465	149	162	1,030	361	10,025	7,680	28	225	4,931	2,496
Metropolitan counties	22,538	32	3	259	4,951	1,148	1,545	397	524	172	159	1,008	450	10,157	7,595	28	297	4,742	2,528
Urban places	13,135	20	2	161	2,911	717	865	252	326	103	86	562	279	5,828	4,250	16	194	2,544	1,496
Balance of area	9,403	12	1	98	2,040	429	680	145	198	69	73	446	171	4,329	3,345	12	103	2,198	1,032
Nonmetropolitan counties	15,065	17	-	151	3,012	648	827	207	348	105	120	757	254	7,242	5,499	19	161	3,461	1,858
Urban places	3,326	3	-	32	734	137	223	64	81	25	31	173	64	1,546	1,164	3	39	728	394
Balance of area	11,739	14	-	119	2,278	511	604	143	267	80	89	584	190	5,696	4,335	16	122	2,733	1,464
Autauga	260	-	-	2	49	9	20	6	4	1	2	7	5	124	93	-	2	71	20
Prattville, part	142	-	-	2	28	5	12	5	3	1	-	2	2	69	53	-	2	39	12
Prattville, total	143	-	-	2	28	5	12	5	3	1	-	2	2	70	54	-	2	39	13
Balance of county	118	-	-	-	21	4	8	1	1	-	2	5	3	55	40	-	-	32	8
Baldwin	800	-	1	10	172	44	50	8	14	7	7	42	13	393	318	-	20	204	94
Barbour	272	-	-	4	55	13	13	3	6	2	1	17	2	121	99	-	1	32	66
Eufaula	135	-	-	2	29	6	9	2	3	-	-	9	2	57	47	-	-	15	32
Balance of county	137	-	-	2	26	7	4	1	3	2	1	8	-	64	52	-	1	17	34
Bibb	195	-	-	5	38	8	17	2	2	2	3	4	2	79	66	-	1	45	20
Blount	332	-	-	3	76	20	23	1	11	5	3	13	6	152	120	-	1	91	28
Bullock	152	-	-	1	22	5	9	2	3	1	-	2	2	98	83	-	6	42	35
Butler	268	2	-	3	49	11	11	4	8	2	3	10	4	138	108	-	-	42	66
Calhoun	998	1	-	8	205	43	58	18	19	3	5	59	17	489	369	-	17	201	151
Anniston	453	-	-	6	102	25	23	10	14	1	3	26	9	213	158	-	12	70	76
Balance of county	545	1	-	2	103	18	35	8	5	2	2	33	8	276	211	-	5	131	75
Chambers	472	1	-	8	97	16	28	7	10	3	3	30	7	217	158	-	1	97	60
Cherokee	174	-	-	2	39	12	12	-	2	1	1	11	1	80	62	-	2	47	13
Chilton	312	-	-	4	55	14	13	1	4	1	2	20	7	167	128	-	2	90	36
Choctaw	181	1	-	1	36	11	7	2	10	-	-	6	1	92	76	-	1	44	31
Clarke	292	1	-	5	53	13	11	5	2	3	2	17	4	138	104	3	1	62	38
Clay	169	-	-	-	32	6	8	1	2	2	-	13	7	77	60	-	-	42	18
Cleburne	143	-	-	1	31	5	8	-	3	1	2	12	-	50	42	-	2	19	21
Coffee	345	-	-	1	65	7	22	6	10	2	3	15	10	158	131	1	8	68	34
Enterprise, part	160	-	-	-	28	3	10	3	5	1	2	4	5	72	57	1	7	40	9
Enterprise, total	162	-	-	-	29	3	10	3	5	1	2	5	5	72	57	1	7	40	9
Balance of county	185	-	-	1	37	4	12	3	5	1	1	11	5	86	74	-	1	48	25
Colbert	529	-	-	2	102	16	37	7	10	7	2	23	7	235	157	2	7	119	29
Sheffield	154	-	-	1	26	4	10	2	3	-	-	7	2	75	55	1	2	43	9
Balance of county	375	-	-	1	76	12	27	5	7	7	2	16	5	160	102	1	5	76	20
Conecuh	174	-	-	1	19	5	6	2	1	2	-	3	3	105	86	-	-	61	25
Coosa	127	-	-	4	20	2	9	1	5	-	1	2	3	48	31	-	1	18	12
Covington	449	-	-	3	88	14	29	8	8	3	7	19	8	186	140	-	4	88	48
Andalusia	141	-	-	-	30	3	10	4	2	-	4	7	5	57	47	-	-	31	16
Balance of county	308	-	-	3	58	11	19	4	6	3	3	12	1	129	93	-	4	57	32
Crenshaw	175	-	-	3	27	10	3	1	2	1	2	8	2	100	63	-	3	34	28
Cullman	631	-	-	8	130	28	35	11	12	5	5	34	6	293	203	1	1	125	76
Cullman	155	-	-	2	38	6	11	4	4	2	1	10	1	74	56	-	-	34	22
Balance of county	476	-	-	6	92	22	24	7	8	3	4	24	5	219	147	1	1	91	54
Dale	316	-	-	1	74	9	29	7	6	5	2	16	5	184	133	-	4	77	52
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Ozark	118	-	-	-	33	2	11	7	2	5	2	4	1	62	50	-	2	27	21
Balance of county	196	-	-	1	40	7	18	-	4	-	-	11	4	102	83	-	2	50	31
Dallas	569	3	-	10	123	23	33	10	16	4	3	34	6	233	153	1	9	84	59
Selma	342	1	-	8	72	16	20	5	9	2	3	17	3	135	88	1	3	48	36
Balance of county	227	2	-	2	51	7	13	5	7	2	-	17	3	98	65	-	6	36	23
De Kalb	610	-	-	6	130	27	35	5	17	3	2	41	11	304	232	1	2	156	63
Fort Payne	150	-	-	-	35	7	12	1	6	1	2	6	2	75	60	-	1	39	20
Balance of county	460	-	-	6	95	20	23	4	11	2	-	35	9	229	172	1	1	127	43
Elmore	423	-	-	9	95	15	28	9	11	2	2	28	11	185	145	-	2	82	51
Prattville, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	422	-	-	9	95	15	28	9	11	2	2	28	11	184	144	-	2	82	50
Escambia	396	1	-	9	87	31	12	9	7	3	6	19	9	186	148	1	5	87	55
Etowah	1,139	3	1	9	266	48	97	9	30	11	5	66	15	560	450	-	9	304	137
Gadsden	689	-	1	3	165	26	60	4	21	8	2	44	9	335	269	-	6	171	92
Balance of county	450	3	-	6	101	22	37	5	9	3	3	22	6	225	181	-	3	133	45
Fayette	188	-	-	2	38	10	8	2	5	4	3	6	-	89	66	-	3	42	21
Franklin	297	-	-	1	57	7	24	6	8	1	2	9	3	135	100	1	5	76	18
Geneva	297	-	-	2	72	17	21	6	13	1	-	14	3	142	114	-	12	72	30
Greene	141	1	-	4	15	2	1	2	4	2	-	4	3	85	69	1	5	14	49
Hale	178	-	-	4	33	6	11	1	7	-	-	8	4	99	67	-	-	37	30
Henry	193	-	-	-	33	10	9	1	5	2	1	5	4	103	68	-	1	54	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	7,751	153,050	23,926	21,983	67,615	74,662	6,645	26,767	21,349	295	12,783	19,248	30,960	176,056	45,901	47,556	29,453	19,893	2,845
Urban places	4,661	85,850	13,195	12,221	39,485	41,796	3,816	17,686	12,203	202	7,497	12,445	16,722	103,660	20,539	25,783	16,231	14,409	1,866
Balance of area	3,090	67,200	10,731	9,762	28,130	32,866	2,829	9,081	9,146	93	5,286	6,801	14,238	72,396	25,362	21,773	13,222	5,484	979
Metropolitan counties	5,662	106,783	16,390	15,891	48,612	53,784	4,815	21,503	15,028	227	9,764	15,117	20,339	129,238	30,810	32,890	21,900	16,558	2,226
Urban places	4,175	75,217	11,505	10,862	35,505	37,208	3,419	16,357	10,906	187	6,847	11,436	14,532	93,027	18,183	22,982	14,671	13,619	1,730
Balance of area	1,487	31,566	4,885	5,029	13,107	16,576	1,396	5,146	4,120	40	2,917	3,681	5,806	36,211	12,627	9,908	7,229	2,939	496
Nonmetropolitan counties	2,089	46,267	7,536	6,092	19,003	20,878	1,830	5,264	6,323	68	3,019	4,129	10,622	46,818	15,091	14,666	7,553	3,335	617
Urban places	486	10,633	1,690	1,359	3,980	4,588	397	1,329	1,297	15	650	1,009	2,190	10,633	2,356	2,801	1,560	790	136
Balance of area	1,603	35,634	5,846	4,733	15,023	16,290	1,433	3,935	5,026	53	2,369	3,120	8,432	36,185	12,735	11,865	5,993	2,545	481
Alabama	206	3,288	458	353	1,011	1,324	122	387	429	9	211	379	916	3,352	1,013	961	430	455	76
Urban places	116	1,422	263	157	412	575	58	188	183	6	87	203	351	1,657	315	383	171	263	29
Balance of area	88	1,866	195	196	599	749	64	199	246	3	124	176	565	1,695	698	578	259	192	47
Metropolitan counties	129	1,884	351	198	601	835	80	260	228	6	121	267	491	2,092	533	524	262	317	49
Urban places	94	1,124	243	117	346	466	49	152	133	4	60	179	266	1,356	231	300	143	223	26
Balance of area	35	760	108	81	255	369	31	108	95	2	61	88	225	736	302	224	139	94	23
Nonmetropolitan counties	77	1,404	107	155	410	489	42	127	201	3	90	112	425	1,260	460	437	148	138	27
Urban places	24	298	20	40	66	109	9	36	50	2	27	24	85	301	84	83	28	40	3
Balance of area	53	1,106	87	115	344	380	33	91	151	1	63	88	340	959	396	354	120	98	24
Autauga	-	27	2	2	7	6	-	5	3	-	2	4	2	25	11	7	7	1	-
Prattville, part	-	14	1	1	6	3	-	3	2	-	1	2	-	12	4	3	4	1	-
Prattville, total	-	14	1	1	6	3	-	3	2	-	1	2	-	12	4	3	4	1	-
Balance of county	-	13	1	1	1	3	-	2	1	-	1	2	2	13	7	4	3	-	-
Baldwin	-	61	7	7	11	30	1	17	4	-	2	3	4	76	22	16	17	5	3
Barbour	2	18	-	2	4	10	1	2	6	-	4	3	18	19	8	9	3	3	-
Eufaula	1	7	-	2	1	5	-	1	1	-	1	2	11	16	3	2	1	1	-
Balance of county	1	11	-	-	3	5	1	1	5	-	3	1	7	3	5	7	2	2	-
Bibb	-	13	-	-	6	6	-	1	2	-	1	2	2	32	9	7	1	2	-
Blount	1	28	3	-	11	11	3	5	1	-	1	1	2	31	9	12	5	3	-
Bullock	1	12	-	2	4	4	-	-	-	-	-	2	1	9	5	2	2	-	-
Butler	1	29	-	-	11	6	-	1	8	-	-	2	4	23	8	4	3	2	-
Calhoun	4	102	4	10	25	46	5	11	9	-	6	13	9	78	25	24	16	11	-
Anniston	1	48	2	4	9	24	2	5	3	-	4	7	-	41	8	10	4	6	-
Balance of county	3	54	2	6	16	22	3	6	6	-	2	6	9	37	17	14	12	5	-
Chambers	7	42	2	8	10	21	5	-	8	-	3	2	6	43	7	21	9	7	-
Cherokee	1	15	1	1	5	4	1	2	-	-	1	-	16	15	3	1	2	1	1
Chilton	-	37	1	1	13	4	1	3	3	-	1	3	2	14	14	11	8	1	1
Choctaw	1	12	2	1	5	6	1	2	3	-	1	3	3	5	8	8	-	4	1
Clarke	2	26	3	3	7	15	-	2	6	-	1	1	1	27	15	10	3	3	-
Clay	-	12	3	2	2	9	2	-	2	-	-	4	12	14	4	-	4	-	-
Cleburne	4	13	-	-	5	8	-	-	2	-	-	-	5	12	7	8	3	2	-
Coffee	-	20	-	7	6	18	1	3	11	1	3	2	2	30	17	10	-	5	2
Enterprise, part	-	11	-	4	5	9	1	-	7	1	2	-	1	11	6	8	-	3	1
Enterprise, total	-	11	-	4	5	9	1	-	7	1	2	1	1	11	6	8	-	3	1
Balance of county	-	9	-	3	1	9	-	3	4	-	1	2	1	19	11	2	-	2	1
Colbert	2	65	3	8	9	19	1	8	4	-	3	5	72	40	9	5	6	2	-
Sheffield	1	17	1	1	2	6	-	2	-	-	-	2	21	14	1	1	1	-	-
Balance of county	1	48	2	7	7	13	1	6	4	-	3	3	51	26	8	4	5	2	-
Conecuh	2	16	-	1	6	3	-	1	2	-	3	1	1	15	4	6	1	2	1
Coosa	1	12	1	3	3	7	-	-	1	-	-	-	18	12	4	3	3	1	-
Covington	-	40	1	5	15	14	1	8	3	-	2	1	56	33	10	15	5	3	-
Andalusia	-	9	-	1	5	2	1	2	-	-	-	1	14	12	1	6	3	2	-
Balance of county	-	31	1	4	10	12	-	6	3	-	2	-	42	21	9	9	2	1	-
Crenshaw	1	30	4	2	6	7	-	3	1	-	-	1	-	11	6	5	1	1	1
Cullman	2	62	19	7	9	27	5	6	3	-	3	3	22	70	27	10	7	1	1
Cullman	-	11	4	3	-	8	1	3	1	-	1	-	4	13	6	1	2	-	-
Balance of county	2	51	15	4	9	19	4	3	2	-	2	3	18	57	21	9	5	1	1
Dale	1	22	4	4	5	11	-	4	1	-	-	3	8	13	10	8	4	4	1
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Ozark	1	8	2	1	2	5	-	2	-	-	-	-	1	5	4	3	2	1	-
Balance of county	-	14	2	3	3	6	-	2	1	-	-	2	7	8	9	5	2	3	1
Dallas	11	59	2	8	14	16	2	4	12	-	2	7	8	75	14	26	4	10	-
Selma	8	33	2	4	6	10	1	3	8	-	1	4	7	57	5	11	2	8	-
Balance of county	3	26	-	4	8	6	1	1	4	-	1	3	1	18	9	15	2	2	-
De Kalb	-	57	7	8	17	18	1	8	6	-	6	-	6	52	14	19	6	4	2
Fort Payne	-	13	2	-	2	7	-	3	1	-	2	-	-	15	3	4	1	-	-
Balance of county	-	44	5	8	15	11	1	5	5	-	4	-	6	37	11	15	5	4	2
Elmore	1	31	3	5	9	21	-	4	2	1	1	5	13	29	12	10	7	9	-
Prattville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	31	3	5	9	21	-	4	2	1	1	5	13	29	12	10	7	9	-
Escambia	1	34	1	2	7	10	1	3	1	-	3	4	4	42	11	9	5	4	-
Etowah	-	88	6	16	40	30	4	7	13	-	3	18	12	89	22	23	13	10	1
Gadsden	-	52	3	11	24	20	2	6	8	-	1	14	7	55	7	14	9	9	-
Balance of county	-	36	3	5	16	10	2	1	5	-	2	4	5	34	15	9	4	1	1
Fayette	1	19	2	1	8	7	-	1	2	-	1	-	6	17	6	9	1	1	-
Franklin	-	29	4	2	10	17	-	2	4	-	3	1	18	19	9	6	8	1	3
Geneva	2	23	1	2	3	14	2	6	4	-	1	2	3	23	7	7	2	4	-
Greene	-	14	-	2	2	3	1	1	1	-	-	3	5	9	1	7	-	-	-
Hale	-	27	2	3	4	3	1	-	3	-	-	1	2	12	4	5	1	2	-
Henry	2	26	-	7	5	5	-	3	2	-	2	1	2	21	6	3	1	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Houston	683	-	-	2	148	19	38	8	17	4	9	53	17	301	229	-	6	153	70
Dothan, part	456	-	-	1	105	12	32	8	11	4	6	32	6	198	153	-	5	98	50
Dothan, total	456	-	-	1	105	12	32	8	11	4	6	32	6	198	153	-	5	98	50
Balance of county	227	-	-	1	43	7	6	-	6	-	3	21	11	103	76	-	1	55	20
Jackson	446	2	-	4	116	28	27	12	10	6	7	26	13	193	154	1	5	104	44
Scottsboro	135	1	-	3	43	10	11	6	1	2	2	11	4	58	48	1	-	33	14
Balance of county	311	1	-	1	73	18	16	6	9	4	5	15	9	135	106	-	5	71	30
Jefferson	6,901	6	-	80	1,500	417	441	119	161	49	51	262	144	2,960	2,219	12	106	1,368	733
Bessemer	393	1	-	6	75	26	15	-	5	6	3	20	11	165	129	-	9	78	42
Birmingham	3,464	4	-	44	731	209	207	64	80	22	23	126	80	1,478	1,083	8	64	628	385
Fairfield	159	-	-	1	20	5	4	1	2	1	-	7	2	78	66	-	2	34	30
Homewood	180	-	-	3	45	14	10	3	6	1	1	10	3	74	47	-	3	28	16
Hoover, part	118	-	-	1	26	10	5	4	4	-	-	3	-	61	52	-	-	32	20
Hoover, total	118	-	-	1	26	10	5	4	4	-	-	3	-	61	52	-	-	32	20
Hueytown	135	-	-	2	32	8	8	2	6	-	4	4	1	60	47	-	1	37	9
Mountain Brook	138	-	-	-	36	10	11	-	4	2	1	8	1	51	37	-	-	29	8
Vestavia Hills	121	-	-	1	33	12	9	4	5	1	-	2	2	49	34	-	1	23	10
Balance of county	2,193	1	-	22	502	123	172	41	49	16	19	82	44	944	724	4	26	481	213
Lamar	189	-	-	2	51	14	13	4	4	3	1	12	-	90	69	-	1	51	17
Lauderdale	672	1	-	5	159	43	54	7	10	4	6	35	10	304	233	3	2	137	91
Florence	379	1	-	4	90	29	27	3	7	1	5	18	7	162	122	2	1	71	48
Balance of county	293	-	-	1	69	14	27	4	3	3	1	17	3	142	111	1	1	66	43
Lawrence	294	-	-	1	47	15	9	5	7	2	2	7	4	146	105	1	-	79	26
Lee	533	2	-	4	96	23	26	6	5	4	3	28	11	261	199	-	5	127	67
Auburn	107	-	-	1	13	3	2	-	1	1	-	6	2	57	36	-	1	20	15
Opelika	218	1	-	3	42	10	11	3	3	1	1	13	5	105	80	-	2	53	25
Phenix City, part	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Balance of county	205	1	-	-	40	10	13	3	1	2	2	9	4	99	83	-	2	54	27
Limestone	429	1	-	3	89	21	33	8	5	1	2	19	15	212	169	-	3	127	39
Athens	164	-	-	-	35	12	12	2	3	-	1	5	8	73	55	-	2	41	12
Balance of county	265	1	-	3	54	9	21	6	2	1	1	14	7	139	114	-	1	86	27
Lowndes	130	-	-	3	20	3	7	2	3	-	1	4	2	62	32	-	2	18	12
Macon	259	1	-	1	47	12	15	5	6	-	-	9	5	148	115	-	15	54	46
Tuskegee	117	-	-	-	22	5	5	3	4	-	-	5	3	64	46	-	6	21	19
Balance of county	142	1	-	1	25	7	10	2	2	-	-	4	2	84	69	-	9	33	27
Madison	1,439	4	-	15	329	60	116	36	32	13	12	60	33	674	534	3	20	322	189
Huntsville	1,081	3	-	12	259	43	94	34	24	11	11	42	22	497	392	2	11	248	131
Balance of county	358	1	-	3	70	17	22	2	8	2	1	18	11	177	142	1	9	74	56
Marengo	301	-	-	2	52	13	11	3	3	1	3	18	8	158	97	1	5	61	30
Marion	306	1	-	3	59	15	21	3	8	-	2	9	6	139	125	-	7	69	49
Marshall	708	3	-	4	126	29	35	7	18	2	2	33	12	397	308	2	4	201	101
Albertville	108	1	-	-	20	10	4	-	3	-	-	3	1	62	52	-	-	30	22
Balance of county	600	2	-	4	106	19	31	7	15	2	2	30	11	335	256	2	4	171	79
Mobile	3,293	6	1	43	759	154	258	74	65	34	20	134	75	1,472	965	1	66	611	287
Mobile	2,005	6	1	27	450	89	155	47	49	16	10	84	48	894	590	-	42	382	186
Prichard	366	-	-	4	77	24	21	5	10	5	2	10	9	173	91	-	9	58	24
Balance of county	922	2	-	12	232	41	82	22	26	13	8	40	18	405	284	1	15	191	77
Monroe	242	-	-	2	55	10	8	5	11	2	2	17	4	115	98	-	1	62	35
Montgomery	1,777	3	-	28	412	88	119	37	45	13	15	95	33	759	551	2	13	304	232
Montgomery	1,619	3	-	23	378	80	111	35	41	13	14	84	31	693	503	2	13	281	207
Balance of county	158	-	-	5	34	8	8	2	4	-	1	11	2	66	48	-	-	23	25
Morgan	797	-	-	10	179	36	57	9	13	9	8	47	9	378	297	-	2	217	78
Decatur	388	-	-	7	100	19	34	7	7	4	5	24	7	180	139	-	1	100	38
Balance of county	409	-	-	3	79	17	23	2	6	5	3	23	2	198	158	-	1	117	40
Perry	142	-	-	3	34	2	8	3	5	1	4	11	3	62	48	-	1	34	13
Pickens	247	-	-	4	45	6	15	2	6	1	1	12	2	110	82	1	2	46	33
Pike	275	-	-	-	59	15	20	5	8	1	1	9	7	136	93	1	5	57	30
Troy	127	-	-	-	21	5	8	1	4	-	-	3	3	68	43	-	4	28	13
Balance of county	148	-	-	-	38	10	12	4	4	1	1	6	4	68	50	1	1	31	17
Randolph	260	-	-	1	41	7	12	5	5	2	3	7	4	138	102	-	1	79	22
Russell	572	-	-	6	114	29	25	12	20	5	3	20	14	291	208	-	10	129	69
Phenix City, part	390	-	-	5	78	20	18	8	11	3	2	16	11	199	137	-	7	84	46
Phenix City, total	393	-	-	5	79	20	18	8	11	3	2	17	11	199	137	-	7	84	46
Balance of county	182	-	-	1	36	9	7	4	9	2	1	4	3	92	71	-	3	45	23
St. Clair	369	-	-	4	83	13	30	4	7	2	5	22	6	152	118	-	1	87	30
Shelby	474	1	-	8	102	26	37	4	8	2	4	21	5	191	160	1	1	101	57
Hoover, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	474	1	-	8	102	26	37	4	8	2	4	21	5	191	160	1	1	101	57
Sumter	183	-	-	2	30	2	7	2	4	1	2	12	6	84	60	2	2	36	18
Talladega	686	-	-	6	143	30	44	12	23	1	3	30	17	315	240	-	5	160	75
Sylacauga	194	-	-	3	35	10	7	2	6	-	1	9	4	99	74	-	4	60	10
Talladega	205	-	-	2	48	12	18	4	8	-	1	5	7	92	70	-	-	39	31
Balance of county	287	-	-	1	60	8	19	6	9	1	1	16	6	124	96	-	1	61	34
Tallapoosa	483	-	-	2	99	27	26	5	10	2	6	23	7	255	202	2	4	127	69
Alexander City	173	-	-	-	38	8	12	4	5	2	1	6	4	93	70	-	3	44	23
Balance of county	310	-	-	2	61	19	14	1	5	-	5	17	3	162	132	2	1	83	46
Tuscaloosa	1,074	1	-	14	247	64	59	20	31	11	9	53	24	451	347	2	9	212	124
Northport	175	-	-	2	28	5	7	4	4	3	1	4	3	87	64	-	2	42	20
Tuscaloosa	589	1	-	9	156	46	37	10	20	6	3	34	15	230	173	1	5	97	70
Balance of county	310	-	-	3	63	13	15	6	7	2	5	15	6	134	110	1	2	73	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E976)	All other external causes (E980-E999)
Alabama—Con.																			
Houston	5	61	1	5	14	22	1	9	9	-	10	4	22	69	27	12	7	8	1
Dothan, part	4	38	-	3	8	13	1	6	7	-	8	2	14	51	14	7	6	8	1
Dothan, total	4	38	-	3	8	13	1	6	7	-	8	2	14	51	14	7	6	8	1
Balance of county	1	23	1	2	6	9	-	3	2	-	2	2	8	18	13	5	1	-	-
Jackson	1	35	2	1	11	22	-	2	10	-	1	2	4	32	19	8	2	5	-
Scottsboro	-	10	-	-	2	12	-	1	1	-	-	1	1	4	2	1	-	1	-
Balance of county	1	25	2	1	9	10	-	1	9	-	1	1	3	28	17	7	2	4	-
Jefferson	64	569	53	55	210	274	30	83	68	1	42	89	167	742	125	142	86	138	14
Bessemer	4	27	2	3	14	21	-	1	8	-	9	6	8	48	4	5	2	7	2
Birmingham	43	306	24	22	103	111	17	40	32	1	13	52	106	391	50	68	38	101	4
Fairfield	1	9	-	2	7	7	-	3	3	-	2	2	7	15	2	7	2	1	-
Homewood	1	22	2	2	3	8	2	4	2	-	1	2	3	19	3	3	3	1	1
Hoover, part	1	6	-	2	1	4	1	3	-	-	-	3	2	12	1	1	1	1	-
Hoover, total	1	6	-	2	1	4	1	3	-	-	-	3	2	12	1	1	1	1	-
Hueytown	2	7	3	1	4	6	1	1	-	-	-	1	1	15	1	4	3	2	1
Mountain Brook	1	9	1	3	2	9	1	3	2	-	1	2	1	20	-	6	3	-	-
Vestavia Hills	-	12	2	1	3	7	2	-	2	-	-	-	-	19	-	1	2	-	-
Balance of county	11	171	19	19	73	101	6	28	19	-	16	21	39	203	64	47	32	25	6
Lamar	-	16	4	1	7	2	-	1	7	-	-	1	1	18	3	5	1	-	-
Lauderdale	-	62	-	9	25	24	1	2	10	-	6	5	12	62	18	17	5	5	1
Florence	-	36	-	4	18	12	1	2	5	-	3	4	4	45	7	9	1	3	1
Balance of county	-	26	-	5	7	12	-	-	5	-	3	1	8	17	11	8	4	2	-
Lawrence	1	29	2	9	19	10	-	1	4	-	3	2	12	15	11	12	4	3	-
Lee	2	47	7	6	10	13	3	6	12	1	4	7	7	54	15	17	4	5	1
Auburn	-	17	3	1	2	2	-	1	6	-	1	1	1	11	2	3	3	1	-
Opelika	2	19	1	3	4	5	3	2	5	1	3	2	2	22	2	7	1	3	-
Phenix City, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	-	11	3	2	4	5	-	3	1	-	-	4	4	21	10	7	-	1	1
Limestone	5	39	7	1	8	11	-	1	4	-	5	-	3	35	11	17	9	2	3
Athens	2	13	3	-	-	7	-	1	2	-	-	-	2	18	2	11	3	2	-
Balance of county	3	17	4	1	8	4	-	-	2	-	5	-	1	17	9	6	6	-	3
Lowndes	5	24	-	1	6	3	1	-	1	-	-	1	12	9	3	4	-	3	-
Macon	4	26	-	3	5	1	-	-	5	-	3	2	1	22	4	8	-	6	-
Tuskegee	2	14	-	2	2	-	-	-	2	-	2	2	-	9	1	6	-	4	-
Balance of county	2	12	-	1	3	1	-	-	3	-	1	-	1	13	3	2	-	2	-
Madison	8	111	8	13	29	44	7	14	12	-	8	21	8	115	47	36	28	13	2
Huntsville	6	83	5	11	24	30	4	12	9	-	7	15	1	93	35	27	20	10	1
Balance of county	2	28	3	2	5	14	3	2	3	-	1	6	7	22	12	9	8	3	1
Marengo	2	48	10	1	11	10	-	3	5	-	1	2	5	20	13	10	-	1	-
Marion	-	12	1	1	11	9	1	2	16	-	2	1	3	19	14	16	4	-	1
Marshall	3	72	6	8	20	25	2	6	6	-	5	5	6	42	15	14	11	7	2
Albertville	-	8	1	1	5	3	-	1	-	-	-	-	1	5	5	2	1	1	-
Balance of county	3	64	5	7	15	22	2	5	6	-	5	5	5	37	10	12	10	6	2
Mobile	20	250	213	24	65	124	12	35	32	2	15	43	49	295	79	88	27	54	15
Mobile	10	152	125	17	48	75	9	17	19	2	10	26	30	195	40	51	16	29	12
Prichard	5	35	39	3	4	16	1	5	-	-	2	7	9	27	8	10	2	11	1
Balance of county	5	63	49	4	13	33	2	13	13	-	3	10	10	73	31	27	9	14	2
Monroe	1	13	2	1	5	6	-	3	-	1	2	5	6	19	5	5	1	5	3
Montgomery	12	163	18	15	51	63	5	28	17	2	3	21	32	204	34	41	13	28	-
Montgomery	12	147	16	15	44	57	3	26	15	1	3	19	27	195	27	36	11	27	-
Balance of county	-	16	2	-	7	6	2	2	2	1	-	2	5	9	7	5	2	1	-
Morgan	-	62	2	17	31	26	3	5	7	-	5	10	15	59	24	19	6	11	-
Decatur	-	29	2	10	13	11	1	4	5	-	3	3	5	23	12	8	2	4	-
Balance of county	-	33	-	7	18	15	2	1	2	-	2	7	10	36	12	11	4	7	-
Perry	-	14	-	-	4	5	-	-	1	-	1	-	7	11	1	8	-	2	-
Pickens	-	25	-	3	13	4	-	-	7	-	-	3	23	21	7	6	2	-	-
Pike	2	32	3	6	7	9	1	6	1	-	3	1	2	23	10	7	-	3	-
Troy	2	18	2	3	4	6	-	3	-	-	2	-	-	11	4	3	-	2	-
Balance of county	-	14	1	3	3	3	1	3	1	-	1	1	2	12	6	4	-	1	-
Randolph	-	32	1	3	9	10	1	1	4	-	2	2	2	23	10	8	2	1	1
Russell	3	71	6	3	10	14	1	11	11	-	2	4	8	41	13	17	7	8	-
Phenix City, part	2	54	4	2	8	11	-	7	8	-	1	4	6	28	3	9	7	5	-
Phenix City, total	2	54	4	2	8	12	-	7	8	-	1	4	6	28	4	9	7	5	-
Balance of county	1	17	2	1	2	3	1	4	3	-	1	-	2	13	10	8	-	3	-
St. Clair	2	29	-	3	10	22	1	2	5	-	5	7	6	33	14	10	4	4	1
Shelby	2	26	2	1	19	12	3	4	5	-	4	7	35	24	20	19	7	7	1
Hoover, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	26	2	1	19	12	3	4	5	-	4	7	35	24	20	19	7	7	1
Sumter	-	21	2	1	5	5	-	-	1	-	2	-	15	18	6	4	-	3	2
Talladega	4	67	2	2	14	15	1	7	5	-	2	3	41	57	23	19	12	4	2
Sylacauga	2	22	-	1	3	2	-	-	3	-	-	2	16	15	8	1	2	-	1
Talladega	1	21	-	-	4	7	-	2	1	-	-	-	8	17	7	7	1	2	-
Balance of county	1	24	2	1	7	6	1	5	1	-	2	1	17	25	8	11	9	2	1
Tallapoosa	4	41	3	5	10	20	-	5	2	-	3	5	4	30	16	17	6	1	1
Alexander City	1	18	2	2	3	4	-	3	2	-	1	3	-	9	6	5	2	-	-
Balance of county	3	23	1	3	7	16	-	2	-	-	2	2	4	21	10	12	4	1	1
Tuscaloosa	3	81	9	11	25	39	4	14	11	-	7	13	44	100	34	26	11	8	1
Northport	-	20	3	-	6	6	1	3	3	-	-	-	2	19	5	6	3	1	-
Tuscaloosa	2	40	6	9	9	20	2	6	6	-	2	9	27	54	17	14	6	5	1
Balance of county	1	21	-	2	10	13	1	5	2	-	5	4	15	27	12	6	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Walker	681	-	-	9	142	27	48	12	14	5	7	29	11	308	251	-	5	152	94
Jasper	112	-	-	5	21	5	5	5	1	2	-	3	2	49	40	-	-	20	20
Balance of county	569	-	-	4	121	22	43	7	13	3	7	26	9	259	211	-	5	132	74
Washington	175	-	-	1	30	6	4	3	5	-	1	11	2	93	75	-	1	62	12
Wilcox	158	1	-	1	23	6	6	1	4	1	-	5	5	80	52	-	2	19	31
Winston	228	-	-	1	45	15	6	1	2	3	4	14	1	130	115	-	8	69	38
Alaska	2,068	1	-	23	398	92	119	35	39	18	12	83	25	543	419	8	11	290	110
Urban places	1,045	-	-	9	229	48	88	21	21	13	8	50	18	300	229	5	7	158	59
Balance of area	1,023	1	-	14	169	44	51	14	18	5	4	33	7	243	190	3	4	132	51
Metropolitan census areas [1]	739	-	-	5	168	31	47	17	16	10	6	41	16	203	155	3	5	112	35
Urban places	739	-	-	5	168	31	47	17	16	10	6	41	16	203	155	3	5	112	35
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	1,329	1	-	18	230	61	72	18	23	8	6	42	9	340	264	5	6	178	75
Urban places	306	-	-	4	61	17	21	4	5	3	2	9	2	97	74	2	2	46	24
Balance of area	1,023	1	-	14	169	44	51	14	18	5	4	33	7	243	190	3	4	132	51
Aleutian Islands	33	-	-	-	2	1	1	-	-	-	-	-	-	12	11	-	-	7	4
Anchorage, coext. with Anchorage city	739	-	-	5	168	31	47	17	16	10	6	41	16	203	155	3	5	112	35
Bethel	67	-	-	-	9	2	3	2	-	-	-	2	-	13	11	-	-	3	8
Bristol Bay borough	6	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1
Dillingham	28	-	-	-	6	1	4	1	-	-	-	-	-	3	3	-	-	3	-
Fairbanks North Star borough	235	-	-	2	40	12	15	2	4	-	-	7	1	74	57	2	2	32	21
Fairbanks	197	-	-	1	31	12	11	2	3	-	-	3	1	66	49	2	2	28	17
Balance of area	38	-	-	1	9	-	4	-	1	-	-	4	-	8	8	-	-	4	4
Haines borough	8	-	-	-	2	-	1	-	-	-	-	1	-	1	1	-	-	1	-
Juneau, coext. with Juneau city	109	-	-	3	30	5	10	2	2	3	2	6	1	31	25	-	-	18	7
Kenai Peninsula borough	160	-	-	2	32	4	6	6	4	2	1	9	2	40	25	-	-	22	3
Ketchikan Gateway borough	80	-	-	1	8	1	3	1	2	-	1	-	-	34	23	1	2	16	4
Kobuk	39	1	-	-	6	4	1	1	-	-	-	-	-	5	4	-	-	1	3
Kodiak Island borough	49	-	-	-	5	1	3	-	1	-	-	-	-	14	9	1	-	8	-
Matanuska-Susitna borough	115	-	-	-	20	4	6	-	3	2	1	4	-	33	28	-	1	21	6
Nome	61	-	-	-	5	2	1	-	1	-	-	1	-	12	9	-	-	5	4
North Slope borough	30	-	-	1	4	2	1	-	-	1	-	-	-	1	1	-	-	1	-
Prince of Wales-Outer Ketchikan	27	-	-	1	3	2	1	-	-	-	-	-	-	4	4	-	-	4	-
Sitka borough	40	-	-	1	7	2	2	1	1	-	1	-	1	8	7	1	-	5	1
Skagway-Yakutat-Angoon	34	-	-	1	3	-	-	1	-	-	-	2	2	9	8	-	-	6	2
Southeast Fairbanks	24	-	-	3	7	2	2	-	2	-	-	1	-	5	4	-	-	3	1
Valdez-Cordova	42	-	-	1	10	5	4	-	-	-	-	1	-	9	7	-	-	5	2
Wade Hampton	54	-	-	1	11	5	2	-	1	-	-	3	-	9	7	-	1	4	2
Wrangell-Petersburg	38	-	-	1	11	3	4	1	1	-	-	2	1	12	9	-	-	6	3
Yukon-Koyukuk	50	-	-	-	8	3	2	-	-	-	-	3	1	10	10	-	-	7	3
Arizona	24,619	22	1	339	5,545	1,376	1,530	442	536	264	225	1,172	459	10,056	7,971	101	129	5,722	2,019
Urban places	15,911	13	1	214	3,577	880	1,016	310	319	161	160	731	286	6,505	5,152	62	90	3,699	1,301
Balance of area	8,708	9	-	125	1,968	496	514	132	217	103	65	441	173	3,551	2,819	39	39	2,023	718
Metropolitan counties	18,557	16	1	257	4,233	1,048	1,188	346	404	199	179	869	317	7,698	6,097	69	107	4,448	1,473
Urban places	14,304	12	1	200	3,227	795	924	277	284	144	144	659	248	5,852	4,643	57	78	3,357	1,151
Balance of area	4,253	4	-	57	1,006	253	264	69	120	55	35	210	69	1,846	1,454	12	29	1,091	322
Nonmetropolitan counties	6,062	6	-	82	1,312	328	342	96	132	65	46	303	142	2,358	1,874	32	22	1,274	546
Urban places	1,607	1	-	14	350	85	92	33	35	17	16	72	38	653	509	5	12	342	150
Balance of area	4,455	5	-	68	962	243	250	63	97	48	30	231	104	1,705	1,365	27	10	932	396
Apache	333	3	-	3	40	15	4	1	4	2	3	11	9	56	43	3	-	16	24
Cochise	690	1	-	3	174	50	47	9	18	9	4	37	22	300	230	5	3	132	90
Douglas	110	1	-	-	24	8	6	-	4	-	-	6	7	44	29	-	-	22	7
Sierra Vista	139	-	-	2	34	12	5	4	2	2	3	6	6	55	43	-	2	20	21
Balance of county	441	-	-	1	116	30	36	5	12	7	1	25	9	201	158	5	1	90	62
Coconino	377	-	-	8	75	20	8	5	7	8	7	20	14	112	84	1	1	43	39
Flagstaff	152	-	-	3	24	5	5	2	2	2	3	5	3	50	37	1	1	16	19
Balance of county	225	-	-	5	51	15	3	3	5	6	4	15	11	62	47	-	-	27	20
Gila	382	1	-	8	91	25	23	10	4	3	2	24	6	161	124	3	3	85	33
Graham	171	-	-	6	38	4	13	3	8	5	-	5	3	65	47	2	-	32	13
Greenlee	48	-	-	1	10	2	4	1	1	-	-	2	3	16	13	-	-	10	3
Maricopa	13,687	14	1	173	3,129	754	870	268	299	143	128	667	235	5,718	4,578	54	62	3,402	1,060
Chandler	259	-	-	6	62	14	19	5	5	3	4	12	2	84	68	2	1	46	19
Glendale	868	-	-	14	206	46	56	23	13	3	10	55	11	361	303	1	4	211	87
Mesa	1,600	-	-	21	353	79	88	35	31	21	17	82	22	690	546	6	2	409	129
Paradise Valley	84	-	-	-	22	6	4	3	2	1	-	6	-	35	28	-	-	20	8
Peoria	263	1	-	1	58	14	17	5	4	4	1	13	10	120	99	2	1	72	24
Phoenix	6,271	11	1	81	1,384	344	401	115	122	63	67	272	117	2,514	2,013	26	36	1,479	472
Scottsdale	981	-	-	13	279	76	78	30	27	8	4	56	13	397	317	6	4	221	86
Tempe	536	-	-	5	115	25	28	9	14	5	3	31	8	229	185	1	2	144	36
Balance of county	2,815	2	-	32	650	150	179	43	61	35	22	140	52	1,288	1,019	10	12	800	197
Mohave	753	-	-	7	184	34	55	13	21	7	3	51	15	332	267	5	1	176	85
Lake Havasu City	162	-	-	1	38	9	13	3	3	2	-	8	2	75	53	1	-	38	14
Balance of county	591	-	-	6	146	25	42	10	18	5	3	43	13	257	214	4	1	138	71
Navajo	459	1	-	10	70	18	15	4	6	5	2	20	15	161	132	3	2	79	48
Pima	4,870	2	-	84	1,104	294	318	78	105	56	51	202	82	1,980	1,519	15	45	1,046	413
Tucson	3,432	-	-	59	748	191	233	52	66	36	38	132	65	1,422	1,084	13	28	755	288
Balance of county	1,438	2	-	25	356	103	85	26	39	20	13	70	17	558	435	2	17	291	125

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Walker	-	46	4	7	28	31	3	8	12	-	2	4	9	62	22	12	8	5	5
Jasper	-	7	-	2	2	3	-	1	4	-	-	2	1	16	1	2	1	-	2
Balance of county	-	39	4	5	26	28	3	7	8	-	2	2	8	46	21	10	7	5	3
Washington	1	16	-	1	6	6	-	2	1	-	3	2	1	11	11	4	1	1	-
Wilcox	1	22	2	3	2	1	1	3	1	-	1	2	7	17	6	4	-	3	-
Winston	-	14	-	1	7	6	-	-	4	-	-	4	2	15	5	3	4	1	-
Alaska	1	94	16	13	42	63	7	39	5	1	31	37	68	191	126	312	79	45	99
Urban places	-	58	5	8	22	32	4	29	3	-	18	16	29	88	83	88	37	27	13
Balance of area	1	36	11	5	20	31	3	10	2	1	13	21	39	103	43	224	36	18	25
Metropolitan census areas [1]	-	40	2	6	14	27	2	23	1	-	12	11	19	57	60	65	35	20	1
Urban places	-	40	2	6	14	27	2	23	1	-	12	11	19	57	60	65	35	20	1
Balance of area	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Nonmetropolitan census areas [1]	1	54	14	7	28	36	5	16	4	1	19	26	49	134	66	247	38	25	37
Urban places	-	18	3	2	8	5	2	6	2	-	6	5	10	31	23	23	2	7	12
Balance of area	1	36	11	5	20	31	3	10	2	1	13	21	39	103	43	224	36	18	25
Aleutian Islands	-	-	-	1	-	1	-	2	-	-	1	1	1	2	-	5	5	1	-
Anchorage, coext. with Anchorage city	-	40	2	6	14	27	2	23	1	-	12	11	19	57	60	65	35	20	1
Bethel	-	-	2	-	1	2	-	-	-	-	1	1	1	7	3	22	4	3	-
Bristol Bay borough	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-
Dillingham	-	-	-	-	1	-	-	-	-	-	-	1	1	4	2	7	-	-	3
Fairbanks North Star borough	-	12	3	2	4	4	1	6	-	-	5	2	10	24	20	21	-	8	13
Fairbanks	-	12	3	2	4	2	1	6	-	-	5	-	8	21	18	16	-	5	12
Balance of area	-	-	-	-	-	2	-	-	-	-	-	2	2	3	2	5	-	3	1
Haines borough	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-
Juneau, coext. with Juneau city	-	6	-	-	4	3	1	-	2	-	1	5	2	10	5	7	2	2	-
Kenai Peninsula borough	-	9	3	3	2	2	-	2	1	-	2	1	5	14	8	43	3	1	-
Ketchikan Gateway borough	-	10	1	-	2	7	-	1	-	-	1	-	1	12	-	9	3	1	-
Kobuk	-	1	-	-	1	1	-	-	-	-	-	-	4	3	-	16	-	1	1
Kodiak Island borough	1	4	-	-	-	-	-	1	-	-	-	3	-	5	-	20	1	-	-
Matanuska-Susitna borough	-	2	2	1	3	3	2	-	1	1	5	1	6	12	10	10	5	3	-
Nome	-	2	1	-	4	4	-	-	-	-	1	1	1	4	2	26	1	-	-
North Slope borough	-	-	-	-	1	2	-	1	-	-	-	-	5	2	4	2	3	-	4
Prince of Wales-Outer Ketchikan	-	-	-	-	-	2	-	1	-	-	-	-	2	3	-	9	1	-	1
Sitka borough	-	1	-	-	1	1	-	-	-	-	-	1	1	6	1	10	1	1	-
Skagway-Yakutat-Angoon	-	1	-	-	-	1	-	-	-	-	-	1	4	4	2	5	2	-	-
Southeast Fairbanks	-	1	-	-	2	-	-	-	-	-	1	2	-	-	1	2	-	-	1
Valdez-Cordova	-	2	-	-	1	1	-	1	-	-	-	1	-	6	2	8	2	-	-
Wade Hampton	-	2	-	-	1	1	1	-	-	-	-	4	2	6	3	9	2	2	2
Wrangell-Petersburg	-	1	2	-	-	1	-	-	-	-	1	1	1	4	-	3	1	1	-
Yukon-Koyukuk	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	10	1	1	12
Arizona	68	1,467	287	263	773	1,322	74	410	249	1	206	241	318	2,230	869	657	560	257	29
Urban places	48	946	197	162	524	870	54	247	166	1	146	170	160	1,481	525	384	402	168	17
Balance of area	20	521	90	101	249	452	20	163	83	-	60	71	158	749	344	273	158	89	12
Metropolitan counties	55	1,130	219	197	615	1,029	52	285	189	1	156	183	171	1,726	573	427	419	191	18
Urban places	44	854	173	138	484	780	45	222	149	1	133	157	130	1,331	474	326	361	156	15
Balance of area	11	276	46	59	131	249	7	63	40	-	23	26	41	395	99	101	58	35	3
Nonmetropolitan counties	13	337	68	66	158	293	22	125	60	-	50	58	148	504	296	230	141	66	11
Urban places	4	92	24	24	40	90	9	25	17	-	13	13	30	150	51	58	41	12	2
Balance of area	9	245	44	42	118	203	13	100	43	-	37	45	118	354	245	172	100	54	9
Apache	-	11	-	2	11	3	1	8	1	-	5	10	28	48	53	34	9	8	2
Cochise	1	46	13	10	15	28	5	15	7	-	7	3	10	58	14	10	12	2	4
Douglas	-	10	2	3	4	2	1	2	3	-	1	-	1	11	3	2	1	1	2
Sierra Vista	-	5	3	4	3	5	2	4	1	-	1	-	3	13	5	1	4	-	-
Balance of county	1	31	8	3	8	21	2	9	3	-	5	3	6	34	6	7	7	1	2
Coconino	-	24	2	2	8	11	1	14	4	-	3	8	13	34	29	23	14	6	-
Flagstaff	-	10	2	1	4	5	1	5	2	-	2	5	5	19	7	8	7	2	-
Balance of county	-	14	-	1	4	6	-	9	2	-	1	3	8	15	22	15	7	4	-
Gila	2	24	7	4	14	13	1	9	6	-	-	3	3	30	17	6	8	5	-
Graham	-	12	3	3	6	5	-	6	4	-	-	2	4	15	7	5	1	3	1
Greenlee	-	2	1	-	4	1	-	2	1	-	3	1	2	-	1	2	1	-	-
Maricopa	37	853	112	138	438	757	40	211	145	1	125	132	124	1,247	438	300	304	141	14
Chandler	1	10	1	4	6	11	1	2	3	-	10	4	4	26	12	11	13	2	-
Glendale	3	51	-	4	25	41	5	12	12	-	8	11	7	77	30	18	18	12	-
Mesa	4	108	13	19	58	91	3	13	20	-	15	14	11	145	67	34	35	7	1
Paradise Valley	1	5	1	-	5	2	-	-	1	-	1	-	-	5	5	5	3	-	-
Peoria	1	15	3	2	10	13	1	5	3	-	2	1	3	15	9	7	1	2	1
Phoenix	19	364	55	63	207	358	19	111	63	1	58	79	66	596	206	139	166	88	8
Scottsdale	2	63	7	8	30	44	3	20	10	-	5	5	7	86	29	16	23	10	1
Tempe	1	33	9	1	11	35	4	8	2	-	12	6	5	50	18	15	13	-	-
Balance of county	5	204	23	37	86	162	4	40	31	-	18	12	21	247	62	55	32	20	3
Mohave	3	39	14	9	17	33	4	19	8	-	4	2	6	42	29	23	23	5	-
Lake Havasu City	3	9	7	3	5	10	1	3	-	-	2	-	-	6	5	6	7	1	-
Balance of county	-	30	7	6	12	23	3	16	8	-	2	2	6	36	24	17	16	4	-
Navajo	1	23	2	3	16	15	1	11	3	-	7	11	15	46	34	22	13	8	-
Pima	18	277	107	59	177	272	12	74	44	-	31	51	47	479	135	127	115	50	4
Tucson	12	205	84	37	132	185	9	51	35	-	24	37	27	331	98	81	89	35	4
Balance of county	6	72	23	22	45	87	3	23	9	-	7	14	20	148	37	46	26	15	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arizona—Con.																			
Pinal	787	-	-	12	167	41	37	15	17	9	9	39	18	306	255	1	1	193	60
Casa Grande	116	-	-	1	25	6	3	1	3	2	3	7	4	45	37	-	-	26	11
Balance of county	671	-	-	11	142	35	34	14	14	7	6	32	14	261	218	1	1	167	49
Santa Cruz	149	-	-	3	36	12	10	3	1	1	-	9	5	52	43	1	1	33	8
Nogales	91	-	-	3	19	5	5	2	1	-	-	6	4	30	25	-	1	22	2
Balance of county	58	-	-	-	17	7	5	1	-	1	-	3	1	22	18	1	-	11	6
Yavapai	1,059	-	-	11	249	67	65	15	28	9	8	57	10	485	383	5	2	305	71
Prescott	341	-	-	1	72	25	15	7	6	3	1	15	1	158	121	2	1	92	26
Balance of county	718	-	-	10	177	42	50	8	22	6	7	42	9	329	262	3	1	213	45
Yuma [2]	854	-	-	10	178	40	61	17	17	7	8	28	22	312	253	3	8	170	72
Yuma	496	-	-	3	114	15	40	14	14	6	6	19	11	198	164	1	7	106	50
Balance of county	358	-	-	7	64	25	21	3	3	1	2	9	11	114	89	2	1	64	22
Arkansas	24,137	21	1	343	5,019	1,157	1,455	339	489	169	209	1,171	344	11,635	9,041	40	151	5,434	3,416
Urban places	9,258	6	1	150	1,926	431	536	142	195	78	77	467	132	4,541	3,506	18	72	2,072	1,344
Balance of area	14,879	15	-	193	3,093	726	919	197	294	121	132	704	212	7,094	5,535	22	79	3,362	2,072
Metropolitan counties	8,314	3	-	127	1,735	372	497	122	178	76	60	430	117	4,014	3,110	13	67	1,837	1,193
Urban places	5,770	3	-	91	1,200	259	349	87	125	52	42	286	76	2,618	2,162	11	52	1,261	838
Balance of area	2,544	-	-	36	535	113	148	35	53	24	18	144	41	1,196	948	2	15	576	355
Nonmetropolitan counties	15,823	18	1	216	3,284	785	958	217	311	123	149	741	227	7,621	5,931	27	84	3,597	2,223
Urban places	3,488	3	1	59	726	172	187	55	70	26	35	181	56	1,723	1,344	7	20	811	508
Balance of area	12,335	15	-	157	2,558	613	771	162	241	97	114	560	171	5,898	4,587	20	64	2,786	1,717
Arkansas	309	-	-	5	56	16	17	1	4	2	3	13	2	150	97	1	-	66	30
Stuttgart	140	-	-	4	27	10	4	-	1	2	3	7	1	61	42	1	-	25	16
Balance of county	169	-	-	1	29	6	13	1	3	-	-	6	1	89	55	-	-	41	14
Ashley	246	-	-	4	51	12	16	2	7	1	3	10	7	102	73	-	2	44	27
Baxter	439	-	-	2	102	24	32	6	9	6	8	17	10	213	152	1	1	107	43
Benton	870	-	-	14	186	40	54	21	14	9	7	41	9	431	337	1	3	247	86
Rogers	251	-	-	8	53	8	19	9	4	2	1	10	2	120	94	1	2	63	28
Springdale, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	618	-	-	6	133	32	35	12	10	7	6	31	7	310	242	-	1	184	57
Boone	277	1	-	4	56	14	17	7	5	4	3	6	6	129	100	1	2	71	26
Bradley	194	-	-	2	29	8	10	2	3	1	1	4	6	106	87	-	-	71	16
Calhoun	76	-	-	1	15	3	2	-	3	-	-	7	2	36	23	-	1	9	13
Carroll	197	-	-	4	46	6	15	3	10	1	-	11	3	89	66	1	1	42	22
Chicot	232	-	-	3	38	11	8	2	9	1	1	6	7	90	66	-	2	42	22
Clark	221	1	-	7	45	7	14	1	6	4	3	10	5	90	73	-	1	54	18
Arkadelphia	103	-	-	3	21	3	6	1	2	3	-	6	2	47	39	-	-	29	10
Balance of county	118	1	-	4	24	4	8	-	4	1	3	4	3	43	34	-	1	25	8
Clay	265	-	-	3	50	15	16	3	6	3	1	6	3	129	109	-	-	56	53
Cleburne	235	-	-	3	49	11	18	2	6	1	4	7	2	90	66	1	1	40	24
Cleveland	84	-	-	-	21	3	10	-	1	2	3	2	1	36	31	-	-	16	15
Columbia	343	-	-	4	55	7	15	4	5	4	1	19	6	204	159	1	1	101	56
Magnolia	150	-	-	3	25	2	6	3	2	1	-	11	3	94	77	-	-	50	27
Balance of county	193	-	-	1	30	5	9	1	3	3	1	8	3	110	82	1	1	51	29
Conway	209	-	-	2	44	18	10	3	2	-	4	7	1	110	97	-	-	51	46
Craighead	577	-	-	9	133	42	27	10	9	4	5	36	7	283	215	-	1	138	76
Jonesboro	302	-	-	7	67	23	10	6	8	-	-	20	4	148	108	-	-	61	47
Balance of county	275	-	-	2	66	19	17	4	1	4	5	16	3	135	107	-	1	77	29
Crawford	334	-	-	-	65	21	14	2	7	5	3	13	6	188	146	1	1	55	89
Van Buren	137	-	-	-	24	7	5	1	1	3	2	5	1	85	64	-	1	20	43
Balance of county	197	-	-	-	41	14	9	1	6	2	1	8	5	103	82	1	-	35	46
Crittenden	521	-	-	10	109	22	24	6	10	2	2	43	7	209	170	-	7	115	48
West Memphis	294	-	-	5	66	16	17	6	5	1	1	20	5	125	100	-	3	63	34
Balance of county	227	-	-	5	43	6	7	-	5	1	1	23	2	84	70	-	4	52	14
Cross	204	1	-	5	38	15	14	2	2	-	-	5	1	113	86	-	2	56	28
Dallas	155	1	-	2	32	5	12	4	1	1	1	8	2	64	56	-	1	34	21
Desha	201	-	-	-	41	8	10	5	5	2	1	10	1	92	70	1	2	44	23
Drew	164	-	-	-	35	10	7	2	2	2	2	10	3	87	72	-	3	49	20
Faulkner	391	-	-	5	81	13	34	10	3	2	3	16	3	174	145	2	-	114	29
Conway	182	-	-	2	37	6	14	6	2	1	3	5	2	84	73	1	-	59	13
Balance of county	209	-	-	3	44	7	20	4	1	1	-	11	1	90	72	1	-	55	16
Franklin	170	1	-	-	43	7	18	2	4	2	-	10	3	64	47	-	-	31	16
Fulton	117	-	-	1	20	3	9	1	4	-	2	1	-	61	47	-	1	29	17
Garland	989	-	1	25	231	40	71	13	23	7	16	61	14	511	444	1	3	176	264
Hot Springs	702	-	1	17	158	30	50	10	15	4	11	38	13	374	327	-	2	136	189
Balance of county	287	-	-	8	73	10	21	3	8	3	5	23	1	137	117	1	1	40	75
Grant	131	-	-	1	28	11	10	-	1	-	-	6	-	61	49	-	1	40	8
Greene	340	1	-	3	72	14	29	5	2	1	2	19	2	168	137	-	-	97	40
Paragould	206	-	-	2	42	10	17	3	2	1	1	8	2	103	81	-	-	56	25
Balance of county	134	1	-	1	30	4	12	2	-	-	1	11	-	65	56	-	-	41	15
Hempstead	257	-	-	6	60	11	18	3	8	3	3	14	5	133	87	-	5	59	23
Hope	149	-	-	2	31	6	8	2	4	2	1	8	5	61	50	-	4	34	12
Balance of county	108	-	-	4	29	5	10	1	4	1	2	6	-	52	37	-	1	25	11
Hot Spring	269	1	-	7	58	21	13	7	2	3	3	9	7	117	86	-	1	59	26
Malvern	149	1	-	5	25	8	6	3	1	2	2	3	5	69	52	-	1	36	15
Balance of county	120	-	-	2	33	13	7	4	1	1	1	6	2	48	34	-	-	23	11
Howard	187	-	-	1	24	8	3	1	1	-	3	8	4	94	66	-	1	40	25
Independence	303	-	-	4	56	11	12	6	4	5	2	16	4	165	138	1	-	46	91

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	3	36	5	7	15	55	4	15	7	-	8	4	9	70	43	23	16	12	3
Casa Grande	-	6	1	1	2	9	1	1	-	-	1	1	-	13	5	4	4	-	-
Balance of county	3	30	4	6	13	46	3	14	7	-	7	3	9	57	38	19	12	12	3
Santa Cruz	-	8	1	-	4	2	-	3	2	-	2	3	4	16	8	4	5	-	-
Nogales	-	5	-	-	4	1	-	1	2	-	-	3	3	12	4	2	3	-	-
Balance of county	-	3	1	-	-	1	-	2	-	-	2	-	1	4	4	2	2	-	-
Yavapai	2	68	14	18	25	63	-	10	11	-	2	4	9	92	34	27	21	6	-
Prescott	1	23	5	6	6	16	-	4	6	-	-	-	3	45	12	7	8	2	-
Balance of county	1	45	9	12	19	45	-	6	5	-	2	4	6	47	22	20	13	4	-
Yuma [2]	1	44	6	8	23	64	5	13	6	-	9	7	44	53	27	51	18	11	1
Yuma	-	24	4	6	12	40	3	5	3	-	6	4	15	31	10	28	7	6	-
Balance of county	1	20	2	2	11	24	2	8	3	-	3	3	29	22	17	23	11	5	1
Arkansas	71	2,071	248	204	753	772	44	159	332	7	111	169	914	1,769	583	615	316	212	18
Urban places	28	842	91	74	266	310	18	65	113	3	49	86	252	718	173	229	117	96	7
Balance of area	43	1,229	157	130	487	462	26	94	219	4	62	83	662	1,051	410	386	199	116	11
Metropolitan counties	22	726	85	71	231	284	17	59	94	4	59	78	189	630	213	234	119	98	9
Urban places	16	529	58	53	156	202	15	41	68	3	41	62	128	441	117	154	79	69	6
Balance of area	6	197	27	18	75	82	2	18	26	1	18	16	61	189	96	80	40	29	3
Nonmetropolitan counties	49	1,345	163	133	522	488	27	100	238	3	52	91	725	1,139	370	381	197	114	9
Urban places	12	313	33	21	110	108	3	24	45	-	8	24	124	277	56	75	38	27	1
Balance of area	37	1,032	130	112	412	380	24	76	193	3	44	67	601	862	314	306	159	87	8
Arkansas	1	35	16	1	10	6	-	2	3	-	-	4	33	17	6	10	4	-	1
Stuttgart	-	18	-	1	8	2	-	2	3	-	-	1	15	10	1	4	1	-	-
Balance of county	1	17	16	-	2	4	-	-	-	-	-	3	18	7	5	6	3	-	1
Ashley	-	23	3	3	13	10	1	3	2	-	-	1	14	18	4	5	3	8	-
Baxter	1	55	4	1	9	12	-	3	4	-	-	1	21	39	6	9	8	-	-
Benton	1	78	9	6	33	32	1	7	9	-	7	3	11	66	24	18	13	5	1
Rogers	-	21	3	2	9	13	1	4	3	-	3	1	6	16	3	5	3	1	-
Springdale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	57	6	4	24	19	-	3	6	-	4	2	5	50	21	13	10	4	1
Boone	2	23	2	2	15	10	-	1	4	-	-	4	2	26	9	8	2	-	-
Bradley	1	15	1	2	11	7	-	-	5	1	-	-	2	14	4	3	2	2	-
Calhoun	-	10	2	1	3	4	-	-	2	-	-	-	2	7	-	2	-	2	-
Carroll	-	18	4	1	5	6	1	2	3	-	1	1	2	23	4	5	1	1	-
Chicot	-	17	3	4	13	6	-	-	4	-	-	1	33	15	6	8	3	5	-
Clark	1	8	8	-	3	8	-	1	4	-	1	2	31	15	3	4	-	1	-
Arkadelphia	1	2	5	-	3	2	-	1	1	-	-	2	9	8	2	1	-	1	-
Balance of county	-	6	3	-	-	6	-	-	3	-	1	-	22	7	1	3	-	-	-
Clay	1	16	1	-	8	8	1	3	7	-	-	2	9	21	15	5	6	1	-
Cleburne	-	19	1	4	11	3	1	2	3	-	1	1	41	17	4	4	3	-	-
Cleveland	-	3	1	1	2	4	1	-	1	-	-	-	5	5	2	5	1	-	-
Columbia	1	38	2	4	4	10	2	2	6	-	2	4	-	23	10	2	4	5	-
Magnolia	-	16	1	-	-	4	1	1	2	-	1	-	-	8	4	-	2	2	-
Balance of county	1	22	1	4	4	6	1	1	4	-	1	4	-	15	6	2	2	3	-
Conway	-	10	2	1	7	7	-	1	2	-	1	2	4	10	8	3	6	1	-
Craighead	3	56	2	7	17	24	1	1	7	-	3	7	13	33	19	9	8	2	1
Jonesboro	2	32	-	6	8	17	-	-	3	-	1	6	5	21	5	5	3	2	-
Balance of county	1	24	2	1	9	7	1	1	4	-	2	1	8	12	14	4	5	-	1
Crawford	1	32	3	6	3	19	-	2	4	1	2	1	3	13	16	7	2	1	1
Van Buren	-	18	1	2	2	8	-	2	1	-	1	-	2	7	1	2	1	-	-
Balance of county	1	14	2	4	1	11	-	-	3	1	1	1	1	6	15	5	1	1	1
Crittenden	1	32	2	4	8	15	-	5	2	1	3	7	52	32	17	24	8	12	-
West Memphis	-	21	2	2	5	10	-	1	1	1	1	4	30	15	7	4	5	9	-
Balance of county	1	11	-	2	3	5	-	4	1	-	2	3	22	17	10	20	3	3	-
Cross	1	23	3	-	6	4	-	-	2	-	1	2	11	1	8	7	3	1	-
Dallas	-	6	1	1	3	4	-	-	5	-	-	-	18	13	5	5	-	1	-
Desha	1	18	1	2	7	4	1	2	2	-	2	1	14	21	5	2	2	4	-
Drew	1	9	3	2	3	5	-	-	2	-	1	-	5	13	4	2	1	3	-
Faulkner	-	25	1	3	15	12	-	3	5	-	2	5	35	26	9	7	8	1	-
Conway	-	10	1	-	8	6	-	1	2	-	-	4	16	15	1	2	2	-	-
Balance of county	-	15	-	3	7	6	-	2	3	-	2	1	19	11	8	5	6	1	-
Franklin	-	15	1	1	6	3	-	1	8	1	1	2	17	6	3	3	5	1	-
Fulton	-	12	2	-	6	7	-	1	3	-	1	-	4	10	1	1	1	-	-
Garland	2	52	8	5	31	25	1	5	12	-	2	1	7	74	13	19	10	7	-
Hot Springs	1	36	8	2	24	14	-	3	10	-	1	-	3	49	10	13	8	4	-
Balance of county	1	16	-	3	7	11	1	2	2	-	1	1	4	25	3	6	2	3	-
Grant	1	8	2	1	12	2	-	-	-	-	-	1	-	11	5	6	4	-	-
Greene	-	27	1	3	10	20	-	4	2	-	1	4	6	28	6	5	5	3	-
Paragould	-	20	1	1	6	11	-	3	2	-	-	1	5	19	2	1	4	3	-
Balance of county	-	7	-	2	4	9	-	1	-	-	1	3	1	9	4	4	1	-	-
Hempstead	3	37	3	3	8	5	-	2	3	-	1	-	6	12	5	7	2	2	-
Hope	2	27	1	1	5	1	-	1	1	-	-	-	5	8	2	6	-	1	-
Balance of county	1	10	2	2	3	4	-	1	2	-	1	-	1	4	3	1	2	1	-
Hot Spring	-	24	5	2	14	7	3	2	2	-	-	2	10	24	2	5	4	4	-
Malvern	-	13	3	1	9	3	1	1	2	-	-	-	5	17	1	2	1	2	-
Balance of county	-	11	2	1	5	4	2	1	-	-	-	2	5	7	1	3	3	2	-
Howard	2	19	3	4	8	6	1	-	5	-	1	2	9	18	3	9	4	-	-
Independence	1	21	1	4	10	11	1	-	4	-	1	-	6	16	4	15	5	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Izard	147	-	-	1	25	8	5	4	1	1	-	6	-	96	73	-	2	43	28
Jackson	250	-	-	3	48	18	13	2	3	1	1	10	6	122	99	-	2	48	49
Jefferson	919	1	-	15	189	37	48	14	19	7	2	62	18	442	336	-	10	224	102
Pine Bluff	692	1	-	9	147	31	36	7	15	6	2	50	12	336	252	-	10	172	70
Balance of county	227	-	-	6	42	6	12	7	4	1	-	12	6	106	84	-	-	52	32
Johnson	189	-	-	-	35	7	13	1	3	4	1	6	2	103	87	1	-	64	22
Lafayette	145	-	-	1	30	11	3	2	3	1	-	10	2	72	46	-	-	27	19
Lawrence	244	2	-	4	51	11	12	1	7	2	5	13	3	109	93	-	3	51	39
Lee	193	-	-	2	38	11	9	3	3	2	1	9	2	107	90	-	2	45	43
Lincoln	124	-	-	-	20	2	6	-	2	-	2	8	5	68	56	-	1	29	26
Little River	151	-	-	4	33	8	7	3	1	3	1	10	2	68	57	-	-	35	22
Logan	226	1	-	5	43	12	7	2	4	1	5	12	3	124	110	-	1	66	43
Lonoke	337	-	-	6	61	16	19	5	2	3	-	16	10	155	95	-	-	59	36
Madison	136	-	-	1	34	11	7	2	4	2	-	8	2	48	36	3	-	25	8
Marion	138	-	-	3	29	8	9	3	2	-	1	6	-	56	46	-	-	23	23
Miller	409	-	-	10	86	15	21	2	8	2	4	34	7	200	159	-	13	92	54
Texarkana [3]	278	-	-	8	59	12	15	1	6	2	3	20	6	135	109	-	8	69	32
Balance of county	130	-	-	2	27	3	6	1	2	-	1	14	1	65	50	-	5	23	22
Mississippi	617	-	-	7	129	19	45	11	12	3	4	35	11	292	237	1	3	168	65
Blytheville	268	-	-	2	55	12	14	7	3	3	3	13	6	121	97	1	2	74	20
Balance of county	348	-	-	5	74	7	31	4	9	-	1	22	5	171	140	-	1	94	45
Monroe	171	-	-	1	33	9	14	2	2	-	2	4	2	79	60	1	5	30	24
Montgomery	95	-	-	1	22	4	10	-	3	-	-	5	1	48	35	-	-	23	12
Nevada	131	-	-	2	29	7	10	-	4	-	1	7	1	59	45	-	1	15	29
Newton	60	1	-	1	12	3	4	1	-	-	-	4	-	31	27	1	-	14	12
Ouachita	394	2	-	1	69	17	23	4	5	-	3	17	5	181	135	-	1	93	41
Camden	219	-	-	-	39	9	11	2	4	-	2	11	1	106	79	-	1	56	22
Balance of county	175	2	-	1	30	8	12	2	1	-	1	6	4	75	56	-	-	37	19
Perry	100	-	-	-	28	4	11	-	5	1	-	7	2	44	29	-	-	19	10
Phillips	431	-	-	9	85	25	19	2	16	4	1	18	9	214	168	1	5	101	61
West Helena	122	-	-	2	30	9	5	-	6	2	1	7	3	56	40	-	2	24	14
Balance of county	309	-	-	7	55	16	14	2	10	2	-	11	6	158	128	1	3	77	47
Pike	131	-	-	1	28	6	8	2	3	-	2	7	2	68	52	1	2	31	18
Poinsett	268	-	-	6	63	15	23	4	6	2	1	12	2	120	96	-	2	60	34
Polk	212	-	-	2	45	8	14	6	4	3	4	6	4	115	95	-	-	46	49
Pope	375	-	-	3	79	25	19	4	7	3	6	15	6	178	130	1	4	93	32
Russellville	174	-	-	1	36	11	9	2	5	1	2	6	3	89	65	1	1	49	14
Balance of county	201	-	-	2	43	14	10	2	2	2	4	9	3	89	65	-	3	44	18
Prairie	118	-	-	1	26	4	6	3	4	1	2	6	2	50	36	-	1	22	13
Pulaski	2,950	2	-	53	628	141	184	44	74	32	24	129	44	1,393	1,021	7	18	584	412
Jacksonville	172	1	-	3	32	3	14	1	4	-	4	6	1	79	64	-	-	33	31
Little Rock	1,659	1	-	32	351	82	92	27	41	22	12	75	14	790	581	4	11	959	219
North Little Rock	753	-	-	10	164	39	46	13	20	4	8	34	19	366	261	2	4	140	115
Sherwood	53	-	-	1	13	2	7	1	-	1	-	2	2	18	15	-	-	7	8
Balance of county	313	-	-	7	68	15	25	2	9	5	-	12	8	140	100	1	3	51	45
Randolph	182	-	-	4	41	10	9	2	3	-	3	14	2	82	67	-	-	40	27
St. Francis	342	1	-	2	71	22	13	10	4	4	3	15	9	179	145	-	3	92	50
Forrest City	164	-	-	2	34	10	5	2	2	1	2	12	5	89	77	-	1	47	29
Balance of county	178	1	-	-	37	12	8	8	2	3	1	3	4	90	68	-	2	45	21
Saline	397	-	-	2	83	21	33	5	4	5	1	14	3	203	166	-	4	85	77
Benton	226	-	-	1	47	10	22	1	2	4	-	8	1	118	95	-	3	53	39
Balance of county	171	-	-	1	36	11	11	4	2	1	1	6	2	85	71	-	1	32	38
Scott	102	-	-	-	29	6	11	1	3	-	2	6	1	41	31	-	-	21	10
Searcy	105	-	-	1	19	7	4	1	1	-	2	4	-	35	31	1	2	21	7
Sebastian	914	-	-	11	178	32	72	13	18	6	7	30	12	494	412	2	6	209	195
Fort Smith	721	-	-	7	143	26	55	12	16	6	5	23	7	394	328	2	6	164	154
Balance of county	193	-	-	4	35	6	17	1	2	-	2	7	5	100	86	-	-	45	41
Sevier	149	1	-	1	23	2	5	2	-	4	-	10	3	81	69	-	-	33	36
Sharp	199	-	-	8	49	12	17	3	8	2	2	5	2	107	94	-	-	47	47
Stone	117	-	-	1	27	6	9	2	1	-	1	8	-	67	56	-	-	28	28
Union	557	1	-	14	134	30	38	10	17	8	6	25	3	266	195	2	6	111	76
El Dorado	316	1	-	5	73	16	17	7	10	3	3	17	1	149	111	2	6	60	43
Balance of county	241	-	-	9	61	14	21	3	7	5	3	8	2	117	84	-	-	51	33
Van Buren	164	-	-	1	31	8	9	1	3	1	2	7	-	87	66	-	1	47	18
Washington	849	-	-	8	178	35	40	12	23	5	9	54	9	386	306	2	5	191	108
Fayetteville	307	-	-	4	57	15	15	4	7	1	1	14	4	146	112	1	2	69	40
Springdale, part	225	-	-	3	44	8	6	4	4	-	3	19	2	105	88	1	2	55	30
Springdale, total	226	-	-	3	44	8	6	4	4	-	3	19	2	106	89	1	2	55	31
Balance of county	317	-	-	1	77	12	19	4	12	4	5	21	3	135	106	-	1	67	38
White	542	1	-	7	107	25	25	11	10	4	2	30	3	212	130	3	3	82	42
Searcy	141	1	-	2	28	7	5	1	3	-	1	9	-	52	28	1	-	15	10
Balance of county	401	-	-	5	81	18	20	10	7	4	1	21	3	160	104	2	3	67	32
Woodruff	134	-	-	1	31	7	8	-	5	1	4	8	3	55	48	-	-	30	18
Yell	206	1	-	2	51	15	14	3	4	3	2	10	2	109	79	-	1	68	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	-	21	-	2	6	1	-	2	-	-	-	-	1	5	1	6	3	-	-
Jackson	-	18	-	5	9	4	-	2	5	-	2	1	3	24	7	7	4	3	-
Jefferson	2	86	12	8	20	35	1	6	13	-	5	5	17	84	22	29	6	10	1
Pine Bluff	2	68	10	4	16	30	1	4	10	-	3	3	13	66	11	22	2	6	-
Balance of county	-	18	2	2	4	5	-	2	3	-	2	2	4	18	11	7	4	4	1
Johnson	1	11	1	3	9	10	2	1	2	-	1	1	6	15	4	4	3	1	-
Lafayette	-	19	6	1	5	8	-	-	3	-	-	-	5	7	7	4	-	1	-
Lawrence	-	13	-	3	10	9	1	1	1	-	2	1	11	24	4	8	2	1	-
Lee	1	12	-	4	7	3	-	1	3	-	-	1	6	11	4	3	2	3	-
Lincoln	-	8	1	3	4	6	-	1	2	-	-	-	4	10	1	3	-	-	-
Little River	-	10	1	-	9	4	1	-	2	-	-	-	7	13	4	1	1	2	-
Logan	1	11	2	-	6	6	-	-	2	-	3	-	3	15	4	7	2	1	1
Lonoke	2	48	3	7	12	4	-	1	5	-	1	3	29	28	5	10	5	2	-
Madison	1	4	7	-	4	2	-	-	4	-	1	-	23	6	3	5	3	-	-
Marion	1	7	-	2	4	-	-	2	2	-	1	-	23	8	4	5	1	-	-
Miller	2	35	4	-	14	15	2	3	7	-	2	3	8	22	7	13	4	5	1
Texarkana [3]	1	23	2	-	8	12	1	2	5	-	-	1	6	15	4	10	4	2	1
Balance of county	1	12	2	-	6	3	1	1	2	-	2	2	2	7	3	3	-	3	-
Mississippi	3	42	6	4	17	17	-	3	11	1	1	8	16	51	17	19	8	6	2
Blytheville	1	19	2	2	5	9	-	3	5	-	1	3	3	30	8	8	6	3	1
Balance of county	2	23	4	2	12	8	-	-	6	1	-	6	13	21	9	11	2	3	1
Monroe	-	15	3	1	8	7	1	1	2	-	1	-	5	18	4	6	1	1	1
Montgomery	2	9	2	-	3	4	-	-	-	-	-	-	1	7	4	4	-	-	-
Nevada	1	12	-	1	2	7	-	2	4	-	2	1	4	9	2	5	2	-	-
Newton	-	4	-	-	2	3	1	1	-	-	-	-	1	4	1	1	-	1	-
Ouachita	1	40	4	1	16	13	-	4	7	-	2	2	27	38	11	10	3	3	-
Camden	1	25	-	1	11	4	-	1	3	-	2	1	15	24	2	7	2	1	-
Balance of county	-	15	4	-	5	9	-	3	4	-	-	1	12	14	9	3	1	2	-
Perry	-	12	1	2	3	3	-	-	-	-	-	-	1	8	4	1	5	1	-
Phillips	3	42	-	1	9	14	-	4	25	-	-	1	11	21	6	13	2	8	-
West Helena	1	15	-	-	-	6	-	-	4	-	-	-	2	8	2	5	-	4	-
Balance of county	2	27	-	1	9	8	-	4	21	-	-	1	9	13	4	8	2	4	-
Pike	2	11	1	2	3	8	1	-	3	-	-	1	-	9	3	2	2	-	-
Poinsett	-	21	2	1	12	8	-	4	4	-	-	-	7	25	8	9	-	-	-
Polk	1	15	-	4	6	5	-	-	3	-	-	2	1	15	7	5	-	2	-
Pope	-	40	6	2	8	15	2	4	5	-	2	4	13	27	15	9	3	2	-
Russellville	-	19	4	1	5	9	1	-	1	-	1	1	6	10	4	4	2	1	-
Balance of county	-	21	2	1	3	6	1	4	4	-	1	3	7	17	11	5	1	1	-
Prairie	-	12	2	-	6	-	1	2	2	-	-	-	10	10	3	4	-	1	-
Pulaski	12	300	33	27	80	89	9	22	34	2	24	48	47	234	62	84	52	42	1
Jacksonville	1	11	2	1	9	6	-	-	2	-	4	4	7	9	6	3	5	1	-
Little Rock	7	163	25	14	49	55	5	13	20	1	11	34	25	131	33	39	29	27	-
North Little Rock	2	90	3	10	19	15	4	7	8	1	5	5	12	65	13	20	10	9	1
Sherwood	-	3	-	-	-	2	-	1	-	-	3	-	-	7	1	5	-	-	-
Balance of county	2	33	3	2	4	11	-	1	4	-	1	5	3	22	9	17	8	5	-
Randolph	1	11	1	2	9	5	-	-	-	-	-	-	8	14	4	6	7	-	-
St. Francis	-	27	4	3	9	11	-	5	6	-	1	3	9	18	9	5	3	1	-
Forrest City	-	8	3	1	3	5	-	3	3	-	-	-	6	7	4	3	-	-	-
Balance of county	-	19	1	2	6	6	-	2	3	-	1	3	3	11	5	2	3	1	-
Saline	-	31	5	1	13	13	-	2	6	-	2	1	6	38	11	7	4	3	-
Benton	-	20	2	1	7	7	-	-	4	-	2	1	5	22	5	6	-	-	-
Balance of county	-	11	3	-	6	6	-	2	2	-	-	-	1	16	6	1	4	3	-
Scott	-	8	2	-	3	5	1	1	1	-	-	-	9	3	4	3	1	-	-
Searcy	-	3	-	1	7	2	-	1	1	-	-	-	28	5	2	1	2	1	-
Sebastian	3	65	4	10	22	29	2	6	6	-	8	5	11	60	20	25	10	12	3
Fort Smith	3	52	3	10	15	21	2	4	6	-	5	4	8	49	14	21	8	10	3
Balance of county	-	13	1	-	7	8	-	2	-	-	3	1	3	11	6	4	2	2	-
Sevier	-	12	-	-	5	5	-	1	2	-	3	-	2	10	3	2	4	3	-
Sharp	-	12	-	1	2	3	-	3	-	-	-	-	3	14	4	1	3	-	-
Stone	-	10	1	-	1	2	-	1	2	-	1	-	3	8	2	1	1	-	-
Union	3	57	6	5	11	14	-	6	2	-	1	6	5	51	15	13	6	9	-
El Dorado	3	30	3	2	7	10	-	4	1	-	1	5	3	33	5	10	5	3	-
Balance of county	-	27	3	3	4	4	-	2	1	-	-	1	2	18	10	3	1	6	-
Van Buren	-	18	2	1	4	4	-	1	-	-	-	-	12	9	4	4	4	4	-
Washington	-	57	12	11	29	33	1	6	11	-	6	5	27	68	30	26	19	6	1
Fayetteville	-	26	5	3	8	12	1	3	4	-	2	4	5	29	11	10	6	1	-
Springdale, part	-	13	-	4	10	11	-	-	4	-	1	1	9	10	8	7	6	3	1
Springdale, total	-	13	-	4	10	11	-	-	4	-	1	1	9	10	8	7	6	3	1
Balance of county	-	18	7	4	11	10	-	3	3	-	3	-	13	29	11	9	7	2	-
White	1	64	12	5	20	22	2	3	13	-	3	4	68	39	12	13	8	3	2
Searcy	-	23	1	2	8	5	-	-	2	-	-	-	26	10	3	4	2	-	-
Balance of county	1	41	11	3	12	17	2	3	11	-	3	4	42	29	9	9	6	3	2
Woodruff	-	6	-	1	5	5	-	-	4	-	1	-	10	9	3	5	1	-	1
Yell	1	26	1	2	5	13	-	1	-	-	-	1	3	9	6	2	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California	201,911	200	8	2,292	45,556	11,405	12,499	4,065	4,843	1,694	1,807	9,243	2,995	89,558	69,062	797	3,055	48,553	16,657
Urban places	165,694	171	7	1,965	37,086	9,387	10,006	3,365	3,928	1,371	1,486	7,543	2,510	74,022	57,128	651	2,695	39,777	14,005
Balance of area	36,217	29	1	327	8,470	2,018	2,493	700	915	323	321	1,700	485	15,536	11,934	146	360	8,776	2,652
Metropolitan counties	190,033	194	8	2,199	42,878	10,829	11,654	3,836	4,574	1,585	1,718	8,682	2,797	84,513	65,260	757	2,960	45,763	15,780
Urban places	162,113	168	7	1,941	36,300	9,217	9,773	3,293	3,842	1,340	1,457	7,378	2,425	72,516	55,989	642	2,659	38,931	13,757
Balance of area	27,920	26	1	258	6,578	1,612	1,881	543	732	245	261	1,304	372	11,997	9,271	115	301	6,832	2,023
Nonmetropolitan counties	11,878	6	-	93	2,678	576	845	229	289	109	89	561	198	5,045	3,802	40	95	2,790	877
Urban places	3,581	3	-	24	786	170	233	72	86	31	29	165	85	1,506	1,139	9	36	846	248
Balance of area	8,297	3	-	69	1,892	406	612	157	183	78	60	396	113	3,539	2,663	31	59	1,944	629
Alameda	9,733	10	-	126	2,228	601	596	195	223	81	84	448	149	4,302	3,261	37	263	2,151	810
Alameda	624	-	-	4	147	36	41	13	13	6	4	34	3	290	209	-	23	149	37
Albany	144	-	-	-	39	11	10	3	3	1	2	9	1	67	55	2	3	38	14
Berkeley	843	-	-	20	177	54	41	17	17	5	5	38	17	372	284	5	19	192	68
Fremont	751	1	-	7	195	43	64	15	13	4	12	44	17	299	222	1	7	160	54
Hayward	1,153	-	-	19	259	57	75	23	24	10	11	59	16	504	397	6	29	273	89
Livermore	306	-	-	1	70	19	18	4	9	4	1	15	5	136	101	1	5	75	20
Newark	137	-	-	2	36	8	13	2	2	1	1	9	1	60	51	-	4	33	14
Oakland	3,734	8	-	53	777	227	187	73	89	23	25	143	64	1,650	1,248	14	134	781	339
Piedmont	100	-	-	1	25	8	2	4	3	2	1	5	2	43	28	2	2	17	7
Pleasanton	179	-	-	1	53	13	15	2	5	3	3	12	-	63	43	-	2	27	14
San Leandro	901	-	-	9	219	62	58	19	21	12	10	37	12	429	323	4	19	214	86
Union City	194	-	-	3	52	18	14	7	-	1	4	8	1	79	59	1	5	42	11
Balance of county	867	1	-	6	179	45	58	13	14	9	5	35	10	310	241	1	11	172	57
Alpine	6	-	-	-	2	-	1	-	1	-	-	-	-	2	1	-	-	-	1
Amador	235	-	-	2	57	12	17	3	6	1	1	17	5	92	65	-	-	52	13
Butte	1,662	1	-	17	357	80	107	32	40	14	10	74	29	694	524	6	9	369	140
Chico	483	-	-	7	108	25	34	10	7	4	3	25	9	196	154	-	4	107	43
Paradise	413	-	-	2	91	19	26	14	12	5	2	13	6	187	134	2	2	105	25
Balance of county	766	1	-	8	158	36	47	8	21	5	5	36	14	311	236	4	3	157	72
Calaveras	303	-	-	-	82	17	26	8	5	2	4	20	2	128	108	2	1	76	29
Colusa	135	-	-	1	33	7	8	2	4	1	2	9	-	67	47	-	-	38	9
Contra Costa	5,359	3	-	70	1,306	323	366	132	120	35	42	288	93	2,243	1,719	21	88	1,223	387
Antioch	325	-	-	3	86	20	28	6	5	2	4	21	5	123	91	1	4	70	18
Concord	714	1	-	6	194	47	56	12	19	6	5	49	12	313	244	1	14	174	55
El Cerrito	266	-	-	3	77	19	23	8	13	2	1	11	5	113	82	1	2	63	18
Lafayette	172	-	-	4	48	11	11	4	4	1	3	14	4	71	51	-	4	34	13
Martinez	239	-	-	-	55	14	10	6	-	2	2	21	4	103	79	2	4	55	18
Moraga Town	70	-	-	1	20	7	2	5	2	1	-	3	-	31	27	-	1	19	7
Pinole	91	-	-	-	25	7	7	4	1	1	-	5	2	36	27	-	-	20	7
Pittsburg	365	1	-	6	81	17	28	5	5	2	2	22	10	139	109	1	8	72	28
Pleasant Hill	234	-	-	3	53	8	14	2	6	2	2	19	3	93	67	-	3	47	17
Richmond	795	-	-	11	152	48	37	17	18	3	2	29	25	341	270	2	20	189	59
San Pablo	298	-	-	3	65	14	24	10	3	1	1	12	9	121	95	1	5	70	19
Walnut Creek	834	-	-	18	198	50	49	26	21	6	11	35	8	379	276	6	13	189	68
Balance of county	956	1	-	12	252	63	77	27	23	6	9	47	6	380	301	6	10	221	64
Del Norte	196	-	-	3	37	6	6	3	3	1	2	16	5	95	72	-	-	47	25
El Dorado	787	-	-	6	190	35	67	17	18	6	7	40	8	294	232	2	4	165	61
South Lake Tahoe	134	-	-	1	30	4	10	3	3	1	1	8	4	42	36	-	2	21	13
Balance of county	653	-	-	5	160	31	57	14	15	5	6	32	4	252	196	2	2	144	48
Fresno	4,300	10	-	40	904	227	246	80	95	31	38	187	79	1,831	1,430	14	83	1,085	248
Clovis	240	-	-	-	67	16	27	5	3	4	-	12	5	113	87	1	6	62	18
Fresno	2,898	8	-	31	604	146	160	53	69	22	28	126	46	1,229	958	12	55	737	154
Reedley	149	-	-	1	36	13	3	4	5	-	-	11	3	71	53	-	2	42	9
Sanger	168	-	-	2	31	9	9	5	2	1	1	4	3	71	49	-	2	41	6
Selma	186	-	-	-	34	8	9	1	2	1	3	10	5	78	62	-	5	42	15
Balance of county	659	2	-	6	132	35	38	12	14	3	6	24	17	269	221	1	13	161	46
Glenn	218	-	-	-	45	9	20	5	3	-	1	7	2	88	62	1	-	51	10
Humboldt	1,074	1	-	9	246	48	72	17	26	10	8	65	28	442	332	3	7	247	75
Arcata	120	-	-	2	32	6	9	1	6	2	3	5	5	50	36	1	-	26	9
Eureka	450	-	-	4	97	18	23	10	9	3	5	29	14	190	142	1	5	106	30
Balance of county	504	1	-	3	117	24	40	6	11	5	-	31	9	202	154	1	2	115	36
Imperial	738	3	-	12	127	22	49	6	20	3	5	22	15	294	220	1	4	158	57
Brawley	157	1	-	3	25	4	12	-	3	-	2	4	8	60	42	-	2	28	12
Calexico	81	-	-	1	16	4	5	1	3	1	-	2	2	33	22	1	1	11	9
El Centro	184	1	-	1	40	8	15	2	6	1	-	8	1	73	58	-	1	46	11
Balance of county	316	1	-	7	46	6	17	3	8	1	3	8	4	128	98	-	-	73	25
Inyo	209	-	-	1	39	14	11	2	2	2	2	6	4	93	67	1	2	48	16
Kern	3,718	5	-	47	773	206	220	54	84	33	40	136	58	1,578	1,261	9	51	949	252
Bakersfield	2,158	4	-	33	429	103	116	26	57	19	24	84	28	895	699	5	33	515	146
Delano	183	-	-	6	40	13	11	3	5	3	1	4	5	92	71	-	5	59	7
Ridgecrest	151	-	-	-	36	9	11	6	1	1	1	7	4	56	47	1	1	36	9
Balance of county	1,226	1	-	8	268	81	82	19	21	10	14	41	21	535	444	3	12	339	90
Kings	580	1	-	5	117	28	35	8	13	8	7	18	17	279	197	2	8	137	50
Hanford	312	-	-	1	61	13	18	4	9	4	6	7	8	155	111	2	5	79	25
Balance of county	268	1	-	4	56	15	17	4	4	4	1	11	9	124	86	-	3	58	25
Lake	672	-	-	5	164	28	64	10	12	8	5	37	6	298	218	2	2	163	51
Lassen	187	-	-	2	38	9	10	6	4	-	2	7	6	80	67	-	4	46	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
California	695	15,159	2,387	2,265	8,018	8,564	828	3,941	1,481	37	1,573	2,007	1,264	16,332	5,291	5,133	3,760	2,835	218
Urban places	600	12,510	1,980	1,804	6,615	6,897	678	3,314	1,225	31	1,338	1,730	995	13,428	3,888	4,156	3,041	2,473	184
Balance of area	85	2,649	407	461	1,403	1,727	150	627	256	6	235	277	269	2,904	1,403	977	719	362	34
Metropolitan counties	650	14,277	2,235	2,091	7,557	7,989	769	3,750	1,367	35	1,503	1,916	1,153	15,274	4,863	4,769	3,546	2,728	205
Urban places	586	12,256	1,934	1,751	6,513	6,670	659	3,245	1,181	30	1,314	1,694	967	13,070	3,771	4,048	2,975	2,440	179
Balance of area	64	2,021	301	340	1,044	1,319	110	505	186	5	189	222	186	2,204	1,092	741	571	288	26
Nonmetropolitan counties	35	882	152	174	461	575	59	191	114	2	70	91	111	1,058	428	344	234	107	13
Urban places	14	254	46	53	102	167	19	69	44	1	24	36	28	358	117	108	66	33	5
Balance of area	21	628	106	121	359	408	40	122	70	1	46	55	83	700	311	236	168	74	8
Alameda	35	787	125	94	374	400	31	179	77	1	78	86	79	902	164	272	160	97	18
Alameda	1	65	8	7	25	22	-	15	4	-	1	5	3	62	10	12	11	9	1
Albany	-	11	1	-	5	6	-	1	2	-	1	-	1	15	1	1	3	1	-
Berkeley	6	71	5	6	28	24	5	14	6	-	6	8	7	95	15	25	11	11	2
Fremont	3	57	8	9	34	32	-	16	6	-	6	9	4	73	18	15	17	2	-
Hayward	1	73	18	15	42	64	2	26	8	-	3	10	8	110	20	26	28	6	2
Livermore	3	26	3	3	15	19	1	8	1	-	5	3	2	19	8	7	5	1	-
Newark	-	9	-	-	5	5	-	5	1	-	3	1	-	5	6	4	2	1	-
Oakland	12	311	51	28	138	136	19	60	32	-	34	40	40	371	48	145	51	58	10
Piedmont	-	14	1	-	4	3	1	2	1	-	-	-	1	12	3	2	-	-	-
Pleasanton	1	14	2	3	7	15	-	2	1	-	2	-	2	14	8	6	4	-	1
San Leandro	4	73	20	9	41	41	2	17	9	-	5	4	5	64	14	15	10	3	2
Union City	2	17	-	1	5	6	-	6	3	-	3	2	3	14	2	4	6	5	-
Balance of county	2	46	8	13	25	27	1	7	3	1	9	4	3	48	11	10	12	-	-
Alpine	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Amador	2	17	5	3	11	13	1	2	1	-	1	-	1	19	13	5	9	3	-
Butte	3	119	25	23	94	102	7	24	15	1	10	8	17	142	40	65	35	4	-
Chico	2	21	9	10	25	24	3	3	4	1	4	3	3	51	13	18	11	-	-
Paradise	-	45	2	6	25	26	3	4	6	-	1	1	1	30	9	12	9	-	-
Balance of county	1	53	14	7	44	52	1	17	5	-	5	4	13	61	18	35	15	4	-
Calaveras	-	16	3	1	11	21	-	3	1	-	3	-	1	25	12	6	4	3	1
Colusa	1	15	-	4	4	7	-	2	3	-	-	1	-	8	2	3	3	1	-
Contra Costa	35	394	39	56	222	222	21	121	44	2	47	27	25	507	123	122	98	58	5
Antioch	2	22	4	4	11	13	-	11	7	-	7	3	3	30	7	5	5	6	-
Concord	11	51	4	3	16	35	1	9	4	-	9	3	6	58	15	17	10	4	1
El Cerrito	-	23	2	6	13	12	1	7	-	-	3	1	2	17	3	5	3	1	-
Lafayette	-	9	4	7	11	5	-	2	1	-	-	-	1	19	1	3	3	-	-
Martinez	4	16	2	2	11	9	-	5	2	-	4	2	1	26	4	8	4	1	-
Moraga Town	-	3	-	1	3	1	-	3	-	-	-	-	-	5	2	2	2	-	-
Pinole	-	7	2	-	5	3	1	4	1	-	1	2	1	3	1	1	4	1	-
Pittsburg	2	22	5	1	13	7	1	8	8	-	3	3	2	40	17	8	11	6	1
Pleasant Hill	1	23	-	2	20	5	1	2	1	-	-	3	-	35	3	4	7	1	-
Richmond	8	50	5	8	28	25	8	31	7	1	9	7	5	68	16	27	16	18	2
San Pablo	2	20	1	3	8	24	-	8	3	-	2	1	1	22	11	8	4	8	-
Walnut Creek	3	67	4	9	39	34	4	7	4	-	4	1	1	101	7	15	12	2	-
Balance of county	2	61	6	10	44	49	6	24	6	1	5	1	3	83	36	19	17	10	1
Del Norte	1	19	1	2	5	9	3	-	1	-	1	1	3	21	4	3	2	3	-
El Dorado	2	36	12	12	34	42	8	13	2	-	7	12	8	65	34	35	19	8	2
South Lake Tahoe	-	3	-	3	4	4	4	5	1	-	1	2	5	13	2	6	7	2	1
Balance of county	2	33	12	9	30	38	4	8	1	-	6	10	3	52	32	29	12	6	1
Fresno	16	287	59	39	159	187	16	82	51	-	38	50	42	349	181	122	70	86	3
Clovis	1	13	7	5	6	8	-	1	1	-	5	3	1	13	8	4	4	1	-
Fresno	14	195	36	26	113	127	12	52	39	-	26	36	27	254	105	77	49	60	3
Reedley	-	15	1	2	8	3	-	2	-	-	-	1	-	12	5	2	1	4	-
Sanger	-	18	4	-	2	9	-	7	2	-	2	2	1	15	10	4	6	1	-
Selma	-	8	6	2	13	11	1	6	2	-	-	4	3	14	6	3	3	3	-
Balance of county	1	38	5	4	17	29	3	14	7	-	5	4	10	41	47	32	7	17	-
Glenn	1	22	1	2	10	11	-	6	2	-	-	3	5	29	9	5	2	1	-
Humboldt	3	84	10	13	22	45	10	24	8	-	10	9	9	124	31	29	15	9	3
Arcata	-	13	1	-	1	4	-	4	-	-	1	2	1	11	3	2	1	1	-
Eureka	-	36	6	6	8	24	6	11	4	-	3	4	2	53	8	9	7	4	2
Balance of county	3	35	3	7	13	17	4	9	4	-	6	3	6	60	20	18	7	4	1
Imperial	1	58	3	12	26	37	4	27	12	-	2	8	12	60	33	47	15	6	-
Brawley	1	15	1	1	8	9	-	5	4	-	-	3	3	12	6	6	2	2	-
Calexico	-	8	-	3	3	3	-	4	4	-	-	1	1	6	4	2	-	1	-
El Centro	-	12	-	3	9	8	1	7	1	-	-	1	2	21	4	8	6	-	-
Balance of county	-	23	2	5	6	17	3	11	3	-	2	1	6	21	19	31	7	3	-
Inyo	-	23	1	2	14	8	2	4	3	-	2	-	1	14	15	3	5	1	-
Kern	8	241	37	31	145	174	10	62	39	1	31	53	16	304	147	134	85	54	2
Bakersfield	6	148	26	16	98	104	7	36	27	1	22	35	8	187	80	78	50	34	2
Delano	-	16	1	4	3	2	-	2	4	-	1	1	1	12	7	6	-	1	-
Ridgecrest	1	4	1	3	8	9	1	2	1	-	1	-	-	15	7	4	5	2	-
Balance of county	1	73	9	8	36	59	2	22	7	-	7	17	7	90	53	46	30	17	-
Kings	2	52	20	8	6	23	2	7	11	-	5	4	1	50	24	18	1	9	-
Hanford	2	29	8	5	4	15	1	5	9	-	1	1	-	32	10	8	-	1	-
Balance of county	-	23	12	3	2	8	1	2	2	-	4	3	1	18	14	10	1	8	-
Lake	2	56	4	18	38	44	2	12	4	-	2	-	7	47	17	11	14	1	-
Lassen	1	11	-	1	10	10	3	-	2	-	1	1	1	17	7	1	7	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Los Angeles	62,206	88	6	676	13,585	3,519	3,565	1,229	1,508	510	561	2,693	972	29,262	23,114	252	1,418	14,929	6,515
Alhambra	695	1	-	3	153	54	38	9	11	7	7	27	7	361	289	3	16	214	58
Arcadia	546	-	-	8	137	33	39	10	18	9	5	23	8	278	210	7	8	142	53
Artesia	102	-	-	-	24	5	7	2	2	-	2	6	-	56	53	-	6	34	13
Azusa	239	-	-	5	54	12	18	5	3	4	-	12	3	105	83	-	2	63	18
Baldwin Park	323	-	-	3	64	18	18	7	6	1	1	13	8	148	120	4	5	72	39
Bell	198	1	-	1	32	10	7	2	4	1	1	7	2	97	79	1	10	53	15
Bellflower	493	-	-	2	111	28	31	3	15	6	3	25	3	245	205	1	5	139	60
Bell Gardens	238	-	-	3	39	8	9	3	5	6	2	6	1	113	95	1	3	58	33
Beverly Hills	372	-	-	2	94	26	20	9	8	2	5	24	4	207	160	2	10	111	37
Burbank	929	-	-	14	214	46	49	23	41	8	7	40	15	448	349	3	25	210	111
Carson	541	-	-	3	137	34	32	17	14	7	4	29	13	224	169	2	18	97	52
Cerritos	168	-	-	-	50	8	18	7	8	-	-	9	3	63	43	-	2	31	10
Claremont	272	-	-	2	55	8	10	5	9	3	5	15	4	150	112	-	3	75	34
Commerce	53	1	-	-	10	4	2	-	1	1	1	1	1	22	16	-	1	10	5
Compton	749	-	-	10	136	35	41	15	11	3	6	25	21	284	225	5	27	116	77
Covina	465	-	-	3	88	16	27	5	9	4	4	23	6	207	166	1	8	119	38
Cudahy	108	-	-	1	24	4	6	4	2	3	2	3	1	42	29	-	2	14	13
Culver City	339	-	-	4	86	19	21	9	8	1	2	26	5	143	110	-	7	70	33
Downey	769	-	-	5	178	36	57	21	13	7	5	39	6	366	280	7	19	178	76
Duarte	204	-	-	1	43	15	12	1	8	1	3	3	3	100	79	1	6	50	22
El Monte	619	2	-	6	100	27	28	9	16	4	2	14	14	291	243	1	14	148	80
El Segundo	92	-	-	-	18	6	6	1	-	-	2	3	3	47	40	-	3	31	6
Gardena	594	-	-	4	119	37	25	13	13	8	3	20	9	293	238	2	13	162	59
Glendale	1,396	2	-	15	278	74	67	36	24	10	14	53	9	763	588	4	27	392	163
Glendora	333	-	-	3	47	10	12	4	7	1	1	12	9	193	161	1	7	109	44
Hawaiian Gardens	76	-	-	1	21	9	5	-	1	-	-	6	2	30	24	-	2	16	6
Hawthorne	464	1	-	4	102	29	35	10	7	2	3	16	7	230	184	4	16	111	53
Hermosa Beach	91	-	-	2	22	9	1	2	4	-	1	5	-	44	36	1	-	21	14
Huntington Park	376	1	-	1	69	16	15	3	17	4	1	13	6	173	136	2	9	81	44
Inglewood	810	1	-	8	132	36	31	14	16	7	5	23	11	393	327	5	26	198	98
La Canada Flintridge	141	-	-	-	35	7	8	6	5	2	1	6	1	71	47	2	1	34	10
Lakewood	542	-	-	4	137	22	52	8	10	3	5	37	8	236	189	3	4	141	41
La Mirada	287	-	-	3	71	15	18	6	12	4	6	10	9	121	102	1	3	70	28
Lancaster	544	1	-	5	121	25	43	10	20	4	2	17	8	246	196	2	7	132	55
La Puente	374	-	-	3	79	14	14	6	11	5	4	25	9	162	132	4	10	81	37
La Verne	239	-	-	1	54	12	14	6	8	4	-	10	2	135	102	1	5	77	19
Lawndale	167	-	-	2	42	13	13	3	-	3	2	8	4	71	58	1	-	36	21
Lomita	182	-	-	1	59	10	16	7	7	3	3	13	1	75	61	-	7	42	12
Long Beach	4,017	4	-	62	853	210	240	72	82	36	36	177	41	1,951	1,540	11	83	930	516
Los Angeles	27,721	57	5	356	5,994	1,626	1,520	541	660	215	245	1,187	470	12,806	10,173	113	704	6,435	2,921
Lynwood	343	1	-	3	60	17	13	6	8	2	1	13	5	160	125	-	5	84	36
Manhattan Beach	154	-	-	1	50	18	9	4	6	1	5	7	-	63	51	-	6	31	14
Maywood	118	1	-	-	15	4	6	1	-	1	1	2	4	64	53	-	1	33	19
Monrovia	325	-	-	4	63	14	16	9	8	5	2	9	1	168	140	1	8	96	35
Montebello	416	-	-	5	83	32	24	5	8	3	5	16	8	198	154	-	11	103	40
Monterey Park	410	1	-	6	101	25	19	7	17	5	7	21	7	185	143	2	6	94	39
Norwalk	586	1	-	4	131	42	35	10	9	4	5	26	8	273	216	2	13	149	52
Palmdale	238	1	-	1	47	11	16	2	6	-	-	12	1	107	92	3	3	57	29
Palos Verdes Estates	91	-	-	-	25	6	9	1	2	1	-	6	3	48	31	-	1	22	8
Paramount	276	-	-	2	48	13	18	5	1	2	1	8	4	130	105	-	4	80	21
Pasadena	1,427	-	-	10	302	67	89	32	37	7	13	57	17	744	531	2	20	369	140
Pico Rivera	400	2	-	3	76	20	24	9	7	-	5	11	11	188	140	1	7	99	33
Pomona	867	-	1	8	164	35	41	14	24	3	12	35	14	410	321	-	22	220	79
Rancho Palos Verdes	225	-	-	1	63	18	12	11	7	1	3	11	3	101	78	3	3	51	21
Redondo Beach	420	-	-	4	112	23	37	7	12	7	1	25	6	189	144	-	9	102	33
Rosemead	372	-	-	7	89	33	22	6	7	3	2	16	6	161	153	2	7	110	34
San Dimas	190	-	-	-	43	13	7	7	5	-	2	9	7	96	85	5	3	57	20
San Fernando	224	-	-	2	50	14	17	2	5	3	2	7	7	86	75	-	4	43	28
San Gabriel	479	1	-	4	99	29	24	6	14	1	5	20	7	231	180	4	7	126	43
San Marino	96	-	-	-	28	5	5	4	4	1	1	8	1	43	29	-	-	21	8
Santa Fe Springs	86	-	-	-	26	9	5	4	2	1	3	2	3	29	20	-	1	15	4
Santa Monica	959	1	-	9	218	67	52	18	28	8	7	38	10	494	369	3	17	246	103
Sierra Madre	94	-	-	-	23	5	4	4	3	2	2	3	1	51	38	1	4	25	8
South El Monte	82	1	-	-	16	3	5	3	2	1	1	1	2	31	23	-	1	16	6
South Gate	550	-	-	5	119	25	36	11	14	6	6	21	8	246	205	1	9	142	53
South Pasadena	171	-	-	-	40	9	13	1	5	1	1	10	1	80	70	1	1	50	18
Temple City	275	-	-	2	73	18	15	10	10	7	3	10	6	145	117	2	4	81	30
Torrance	1,151	2	-	7	267	56	98	20	22	5	15	51	17	544	406	3	18	261	124
West Covina	511	1	-	1	119	33	38	9	9	3	3	24	4	242	195	1	15	135	44
Whittier	1,155	-	-	8	272	66	61	31	39	9	15	51	22	558	455	6	30	289	130
Balance of county	2,647	3	-	30	671	163	170	56	71	28	31	152	41	1,177	925	13	52	619	241
Madera	586	-	-	6	140	30	44	14	12	5	3	32	15	245	208	1	5	151	41
Madera	344	-	-	3	75	23	19	8	5	2	3	15	11	135	113	-	1	92	20
Balance of county	242	-	-	3	65	7	25	6	7	3	-	17	4	110	95	1	4	59	21
Marin	1,753	1	-	23	459	123	130	40	36	11	16	103	21	751	552	7	13	402	130
Larkspur	33	-	-	1	12	4	5	-	-	-	-	3	1	11	8	-	-	5	3
Mill Valley	192	-	-	1	54	10	17	5	5	1	2	14	-	80	55	1	-	41	13
Novato	335	-	-	6	80	21	24	8	4	2	3	18	6	133	98	-	2	78	18
San Anselmo	118	-	-	1	34	12	8	3	5	-	1	5	2	55	41	-	1	27	13
San Rafael	544	1	-	3	130	41	28	13	11	4	7	26	6	250	182	2	5	135	40
Balance of county	531	-	-	11	149	35	48	11	11	4	3	37	6	222	168	4	5	116	43

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Los Angeles	246	4,544	807	551	2,253	2,181	237	1,333	413	14	538	810	321	4,265	1,323	1,423	1,047	1,422	35
Alhambra	4	52	11	5	35	27	3	11	4	-	3	9	2	48	8	11	3	6	-
Arcadia	2	55	4	7	13	21	5	5	3	-	3	2	2	37	6	8	8	2	-
Artesia	-	3	-	-	1	8	-	-	2	-	-	1	-	2	1	2	2	3	-
Azusa	1	12	2	7	6	8	1	5	1	-	1	7	2	23	8	2	4	4	-
Baldwin Park	1	23	1	3	12	13	-	11	3	-	2	4	1	20	9	11	3	9	2
Bell	1	12	3	2	7	6	-	10	1	-	1	4	-	18	6	7	4	1	-
Bellflower	4	26	4	6	15	23	3	13	4	-	2	6	1	26	17	7	9	6	-
Bell Gardens	-	16	2	-	6	12	-	5	-	-	4	4	5	16	10	9	3	8	-
Beverly Hills	1	42	2	2	14	5	2	3	4	-	1	1	-	20	-	8	6	1	-
Burbank	6	64	21	8	37	53	4	19	4	-	5	8	1	63	10	18	10	6	-
Carson	4	35	10	6	16	24	1	12	3	2	5	7	3	37	14	18	8	14	-
Cerritos	-	16	3	2	12	9	3	4	1	-	2	3	-	12	3	-	5	4	-
Claremont	-	35	1	2	14	7	-	5	2	-	-	-	-	15	11	3	2	2	-
Commerce	-	3	2	1	2	1	-	2	-	-	-	1	1	5	4	-	1	2	-
Compton	4	47	5	3	14	9	4	21	7	-	12	32	8	75	23	29	6	58	-
Covina	1	33	1	6	24	28	-	11	-	-	6	4	3	38	17	12	15	3	-
Cudahy	-	9	1	3	7	2	1	2	1	-	5	3	1	4	5	2	2	5	-
Culver City	1	22	5	5	5	12	-	10	1	1	1	3	3	25	12	7	7	13	1
Downey	4	67	7	8	35	32	2	18	5	-	4	5	2	61	13	15	17	4	1
Duarte	1	15	2	3	15	4	1	3	2	-	1	3	-	12	4	7	2	3	-
El Monte	2	36	6	4	19	20	2	18	4	-	7	23	8	44	23	20	10	7	1
El Segundo	-	6	-	1	3	4	-	4	1	-	1	-	-	5	2	2	2	-	-
Gardena	4	40	10	3	14	27	2	11	1	-	6	14	2	41	10	15	14	12	-
Glendale	3	116	41	17	76	43	11	19	8	-	6	5	5	69	24	35	23	4	1
Glendora	2	25	2	3	15	12	1	3	3	-	2	3	1	21	7	7	4	2	-
Hawaiian Gardens	-	6	-	-	2	1	-	1	1	-	2	2	-	4	2	2	1	4	-
Hawthorne	2	33	4	7	7	12	1	16	3	-	3	11	4	33	4	10	8	8	-
Hermosa Beach	-	5	2	1	2	6	-	-	-	-	-	-	-	6	3	4	2	-	-
Huntington Park	1	26	5	5	16	13	3	16	2	-	6	5	1	28	9	9	5	12	1
Inglewood	2	51	11	2	20	31	4	19	4	-	4	18	7	55	25	22	13	42	1
La Canada Flintridge	-	16	6	2	5	7	-	1	-	-	-	1	3	13	1	-	2	1	-
Lakewood	1	36	3	7	26	28	2	11	4	-	6	6	1	28	11	13	11	7	1
La Mirada	-	14	3	2	12	13	-	7	3	-	2	-	1	28	-	11	4	2	-
Lancaster	3	36	5	6	20	26	3	9	7	-	7	9	2	30	16	11	13	8	2
La Puente	1	22	3	4	5	16	3	15	2	1	3	7	3	22	22	8	5	9	-
La Verne	3	27	-	3	10	7	-	5	2	-	1	2	-	8	3	5	3	1	-
Lawndale	1	7	3	2	3	6	-	6	-	-	4	1	-	14	7	3	4	-	-
Lomita	-	7	7	-	7	8	-	2	1	-	3	-	-	16	3	2	4	-	-
Long Beach	17	303	63	28	203	159	12	82	17	3	33	41	21	274	69	83	60	68	1
Los Angeles	120	1,978	315	220	943	860	107	605	208	4	241	391	158	2,007	504	660	476	854	15
Lynwood	1	22	7	5	17	15	-	10	2	-	5	6	1	23	5	9	5	16	-
Manhattan Beach	-	8	3	1	3	7	-	2	-	-	-	-	1	11	3	5	7	1	-
Maywood	-	6	3	2	6	4	2	2	1	-	4	-	-	7	1	4	1	2	-
Monrovia	-	20	2	6	11	17	-	9	1	-	3	2	2	23	5	10	1	5	-
Montebello	1	38	1	4	10	19	-	7	2	-	5	9	1	34	12	7	1	5	-
Monterey Park	1	30	8	3	15	15	2	8	3	-	7	5	5	21	4	8	6	11	-
Norwalk	2	42	4	9	23	24	2	17	5	-	9	10	1	31	21	13	8	7	-
Palmdale	-	14	-	1	9	19	-	5	3	-	-	3	3	6	17	4	12	-	-
Palos Verdes Estates	1	7	5	4	4	3	1	-	1	-	-	-	-	4	-	1	1	-	-
Paramount	1	18	5	1	21	14	2	4	2	-	1	2	3	14	5	5	7	12	-
Pasadena	5	167	28	13	63	50	9	21	10	1	6	14	5	85	18	17	24	30	1
Pico Rivera	2	40	5	1	11	18	1	23	4	-	4	3	1	15	14	14	7	4	1
Pomona	3	70	7	9	45	24	3	16	-	-	15	14	8	64	20	23	13	25	-
Rancho Palos Verdes	-	18	3	2	3	6	-	4	1	-	-	1	1	21	9	7	3	1	-
Redondo Beach	2	32	7	4	13	14	-	13	4	-	1	3	1	27	9	10	11	3	-
Rosemead	-	21	2	5	10	8	1	10	-	-	6	3	2	24	10	7	5	3	-
San Dimas	-	9	1	1	11	8	-	3	-	-	1	-	1	9	6	-	5	-	-
San Fernando	-	11	-	-	5	11	1	8	7	-	-	4	1	22	8	6	2	4	-
San Gabriel	1	41	5	4	23	16	-	14	4	-	5	9	3	35	10	8	5	5	-
San Marino	-	10	2	2	4	6	1	-	1	-	1	-	-	7	1	2	1	-	-
Santa Fe Springs	1	8	-	-	3	2	-	4	1	-	1	3	-	4	4	4	1	1	-
Santa Monica	3	94	17	11	29	39	5	21	6	-	3	8	1	59	15	13	17	9	2
Sierra Madre	-	9	2	2	4	3	-	2	-	-	1	1	-	8	-	1	2	2	-
South El Monte	-	6	1	1	3	3	-	6	-	-	1	3	3	6	-	2	1	2	2
South Gate	2	33	2	4	24	28	3	11	3	-	2	9	6	35	14	19	6	12	-
South Pasadena	1	15	2	2	9	5	-	1	-	-	1	3	-	11	3	3	2	2	-
Temple City	-	20	4	4	10	9	1	8	-	-	2	2	-	9	1	3	4	-	-
Torrance	8	73	51	6	51	48	2	20	5	-	12	6	6	88	26	16	28	6	-
West Covina	1	96	9	7	14	16	3	12	2	1	10	5	-	39	14	14	9	5	-
Whittier	3	70	13	17	35	37	6	29	9	-	11	9	2	63	26	32	17	18	1
Balance of county	10	180	38	24	65	96	11	43	17	1	24	27	11	162	116	58	56	36	1
Madera	1	25	7	4	18	20	2	10	7	-	5	7	9	43	25	22	6	5	1
Madera	1	14	6	1	5	11	1	7	5	-	5	5	3	31	20	15	6	5	1
Balance of county	-	11	1	3	13	9	1	3	2	-	-	2	6	12	5	7	-	-	-
Marin	3	147	25	24	79	62	7	34	8	-	9	4	5	160	28	41	39	9	13
Larkspur	-	3	-	-	1	2	-	4	-	-	-	-	-	1	-	-	-	-	-
Mill Valley	-	21	1	3	13	5	1	2	-	-	1	-	-	19	2	7	6	-	1
Novato	1	28	3	3	14	18	1	2	3	-	2	-	1	42	8	8	5	1	5
San Anselmo	1	7	2	4	2	5	-	-	-	-	-	-	1	11	2	3	2	-	-
San Rafael	1	48	11	8	33	13	4	14	2	-	3	2	1	50	8	11	10	1	2
Balance of county	-	40	8	6	16	19	1	12	3	-	3	2	2	37	8	12	16	7	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Mariposa	127	-	-	3	32	9	7	4	2	2	1	7	-	61	44	3	1	28	12
Mendocino	777	-	-	5	173	44	49	15	22	6	6	31	12	319	238	2	15	180	41
Ukiah	304	-	-	-	66	14	23	8	8	1	2	10	6	133	107	-	5	84	18
Balance of county	473	-	-	5	107	30	26	7	14	5	4	21	6	186	131	2	10	96	23
Merced	1,064	-	-	7	229	44	75	25	22	14	7	42	26	422	316	4	7	238	67
Atwater	110	-	-	1	34	4	17	3	4	1	2	3	1	43	36	2	1	20	13
Los Banos	92	-	-	2	14	3	6	1	1	1	-	2	7	35	24	-	-	19	5
Merced	466	-	-	2	101	24	23	13	10	5	2	24	6	190	140	1	3	117	19
Balance of county	396	-	-	2	80	13	29	8	7	7	3	13	12	154	116	1	3	82	30
Modoc	102	-	-	-	11	3	3	1	-	1	1	2	1	45	34	-	2	19	13
Mono	30	-	-	1	5	-	3	-	-	-	-	2	1	17	12	-	-	9	3
Monterey	2,208	-	-	18	518	140	142	45	61	14	16	100	26	947	695	5	10	525	155
Marina	72	-	-	1	21	5	10	-	-	-	-	6	1	27	23	-	1	14	8
Monterey	243	-	-	2	55	15	14	5	7	-	-	14	8	111	87	1	2	70	14
Pacific Grove	183	-	-	1	41	15	2	5	5	-	3	11	1	66	56	2	-	36	18
Salinas	840	-	-	12	191	50	64	15	20	5	6	31	12	332	238	2	4	197	45
Seaside	200	-	-	-	48	10	11	4	7	2	2	12	1	80	57	-	1	41	15
Balance of county	670	-	-	2	162	45	41	16	22	7	5	26	5	311	234	-	2	177	55
Napa	992	-	-	7	247	56	72	17	27	15	7	53	10	435	332	5	13	231	83
Napa	648	-	-	4	160	36	50	13	16	7	6	32	7	284	216	4	8	157	47
Balance of county	344	-	-	3	87	20	22	4	11	8	1	21	3	151	118	1	5	74	36
Nevada	594	-	-	2	131	37	30	11	15	4	4	30	9	268	211	4	4	155	48
Orange	13,550	9	-	127	3,205	782	895	284	356	115	137	636	148	6,030	4,774	65	123	3,658	930
Anaheim	1,639	1	-	10	371	91	111	24	44	18	11	72	25	722	573	6	15	446	106
Brea	205	-	-	2	59	19	16	4	6	-	4	10	1	93	76	1	3	58	14
Buena Park	412	-	-	3	113	22	32	15	13	4	6	21	2	167	147	-	3	119	25
Costa Mesa	584	1	-	5	140	31	38	13	7	6	7	38	7	249	191	4	7	143	37
Cypress	208	-	-	2	44	6	13	7	4	4	-	8	-	85	75	3	3	53	16
Fountain Valley	229	-	-	2	64	16	16	7	2	-	1	22	4	86	68	-	2	49	17
Fullerton	663	-	-	4	176	42	47	18	19	9	7	34	4	290	214	6	6	168	36
Garden Grove	1,005	1	-	6	222	44	79	19	21	7	10	42	10	450	360	8	11	257	84
Huntington Beach	1,019	1	-	12	260	61	75	17	35	7	14	51	12	405	322	5	9	227	81
Irvine	278	1	-	4	82	23	22	12	7	2	2	14	1	106	89	2	3	70	14
Laguna Beach	190	-	-	7	42	12	11	3	4	-	3	9	4	79	61	1	2	44	14
La Habra	340	-	-	1	80	21	22	7	5	2	6	17	6	170	142	2	3	109	28
La Palma	54	-	-	-	20	7	3	2	1	1	1	5	-	12	11	-	-	10	1
Los Alamitos	174	-	-	3	43	4	12	4	8	2	1	12	3	72	58	2	2	45	9
Newport Beach	537	-	-	3	136	25	40	14	17	3	10	28	6	255	185	4	6	132	43
Orange	660	-	-	9	141	34	35	13	18	5	6	30	5	276	228	3	4	176	45
Placentia	188	-	-	4	47	9	13	6	3	2	3	11	2	81	69	-	2	58	9
San Clemente	248	-	-	-	47	8	13	3	7	4	1	11	3	125	81	-	-	68	13
San Juan Capistrano	162	-	-	2	48	14	13	4	6	-	2	9	-	69	55	1	1	43	10
Santa Ana	1,515	1	-	21	321	106	88	25	22	12	12	56	24	660	522	2	12	408	100
Seal Beach	515	-	-	1	89	21	27	5	11	4	1	20	4	297	238	-	6	182	50
Stanton	170	1	-	1	38	8	16	3	5	-	-	4	3	84	64	1	2	48	13
Tustin	266	-	-	4	60	13	14	6	6	2	7	12	1	126	99	2	3	80	14
Westminster	478	-	-	5	102	21	33	11	10	4	5	18	7	224	183	3	4	138	38
Yorba Linda	130	-	-	2	36	9	9	4	6	2	-	6	3	52	36	-	-	29	7
Balance of county	1,683	2	-	14	426	112	97	38	69	15	17	78	11	795	627	9	14	498	106
Placer	1,094	-	-	18	263	70	75	21	25	12	9	51	16	466	329	6	5	236	82
Roseville	324	-	-	5	73	15	20	5	7	4	6	16	6	147	108	-	1	87	20
Balance of county	770	-	-	13	190	55	55	16	18	8	3	35	10	319	221	6	4	149	62
Plumas	149	-	-	4	43	10	14	3	2	1	2	11	-	53	38	2	3	24	9
Riverside	7,838	5	-	63	1,695	432	468	126	191	72	54	352	95	3,541	2,695	32	55	2,161	447
Banning	226	-	-	1	43	11	12	4	7	2	-	7	5	120	91	-	3	74	14
Corona	343	-	-	3	73	21	16	3	9	1	4	19	6	144	104	2	3	83	16
Hemet	1,220	-	-	7	260	77	64	18	22	16	9	54	13	642	488	3	6	412	67
Indio	215	-	-	2	40	10	19	3	3	1	-	4	4	76	64	1	2	54	7
Norco	106	-	-	-	26	7	9	2	5	-	1	2	-	42	29	1	1	21	6
Palm Desert	223	-	-	2	68	16	25	4	7	3	3	10	3	78	60	1	2	40	17
Palm Springs	545	-	-	11	114	25	29	15	13	2	6	24	7	261	199	3	1	165	30
Riverside	1,684	1	-	13	338	82	79	33	37	16	11	80	21	737	547	7	11	425	104
Balance of county	3,274	4	-	24	733	183	215	44	88	31	20	152	36	1,441	1,113	14	26	887	186
Sacramento	6,921	7	-	70	1,610	381	437	150	156	59	75	352	104	2,926	2,251	32	84	1,617	518
Folsom	131	-	-	-	34	7	11	4	2	-	2	8	1	50	41	-	1	30	10
Sacramento	4,712	5	-	53	1,083	253	281	100	108	49	48	246	68	2,027	1,556	22	68	1,106	360
Balance of county	2,078	2	-	17	493	121	145	48	48	10	25	98	35	849	654	10	15	481	148
San Benito	219	-	-	2	52	12	13	3	7	2	2	13	4	87	63	1	2	45	15
Hollister	185	-	-	2	45	10	13	3	6	1	1	11	4	74	52	-	2	37	13
Balance of county	34	-	-	-	7	2	-	-	1	1	1	2	-	13	11	1	-	8	2
San Bernardino	8,125	7	1	58	1,728	429	506	150	168	61	83	331	126	3,630	2,819	41	53	2,288	431
Barstow	188	-	-	1	42	10	10	4	4	2	2	10	3	65	52	2	-	38	12
Chino	240	-	-	3	59	14	15	2	5	2	2	19	1	104	85	-	-	73	12
Colton	245	1	-	2	53	11	17	4	10	1	2	8	6	104	84	1	3	69	11
Fontana	575	-	-	2	128	31	42	16	10	6	4	19	8	261	209	4	6	176	23
Loma Linda	121	-	-	1	21	8	4	3	2	-	1	3	1	64	37	1	-	28	8
Montclair	159	-	-	1	30	7	8	5	1	1	3	5	1	71	60	-	1	51	8
Ontario	684	-	-	4	154	38	42	16	13	6	8	31	6	289	217	5	2	175	35
Rancho Cucamonga	174	-	-	-	41	10	10	6	8	-	1	6	4	83	62	-	-	47	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	-	13	2	2	6	3	-	-	1	-	-	2	-	10	7	2	-	-	-
Mendocino	2	61	10	8	39	33	1	15	4	-	4	7	10	71	37	22	18	6	1
Ukiah	-	21	2	3	16	14	-	5	2	-	1	2	1	25	18	8	6	1	-
Balance of county	2	40	8	5	23	19	1	10	2	-	3	5	9	46	19	14	12	5	1
Merced	6	71	12	17	35	47	2	15	16	-	9	12	14	103	43	43	28	13	-
Atwater	-	5	1	1	1	3	1	1	2	-	1	2	-	10	1	4	3	2	-
Los Banos	-	8	1	2	3	2	-	1	2	-	1	1	2	12	6	2	-	2	-
Merced	6	31	6	7	11	25	1	4	5	-	6	6	7	56	14	21	8	3	-
Balance of county	-	27	4	7	20	17	-	9	7	-	1	3	5	25	22	16	17	6	-
Modoc	-	9	-	2	9	6	1	2	-	-	-	-	3	13	4	4	2	1	-
Mono	1	4	-	-	-	1	-	-	-	-	1	-	-	1	1	-	2	-	-
Monterey	4	200	24	24	85	88	10	45	13	-	25	33	4	192	66	72	45	21	-
Marina	-	1	1	2	1	5	-	4	-	-	1	-	-	6	3	1	1	-	-
Monterey	-	20	1	3	11	14	4	3	1	-	-	2	-	15	4	5	6	4	-
Pacific Grove	-	26	2	2	16	10	1	5	1	-	1	-	1	6	1	7	5	-	-
Salinas	2	75	11	6	29	30	3	19	7	-	12	12	-	96	24	33	17	11	-
Seaside	-	17	3	3	5	6	1	5	1	-	3	9	1	22	4	7	6	1	-
Balance of county	2	61	6	8	23	23	1	9	3	-	8	10	2	47	30	19	10	5	-
Napa	2	70	19	12	53	46	9	14	15	-	4	8	5	73	20	21	21	3	1
Napa	-	47	12	9	30	30	5	7	11	-	3	6	4	52	14	13	15	2	1
Balance of county	2	23	7	3	23	16	4	7	4	-	1	2	1	21	6	8	6	1	-
Nevada	-	38	8	13	31	26	2	7	4	-	2	7	2	47	21	13	15	7	-
Orange	43	913	136	164	648	573	66	269	67	2	121	151	69	940	385	311	291	134	4
Anaheim	5	117	14	13	88	70	12	37	8	1	16	22	8	106	49	42	34	15	2
Brea	2	13	-	2	4	9	-	6	1	-	2	1	-	9	7	6	3	2	-
Buena Park	-	17	-	3	19	17	2	9	2	-	5	5	2	28	16	10	9	3	-
Costa Mesa	2	39	9	8	31	24	2	16	4	-	8	3	1	42	16	19	14	2	-
Cypress	-	6	4	-	13	9	1	12	-	-	3	1	-	13	9	8	5	1	-
Fountain Valley	-	12	-	6	14	17	-	4	1	1	3	1	1	16	2	3	8	2	-
Fullerton	2	56	9	9	32	25	7	10	6	-	6	10	5	41	13	14	12	8	-
Garden Grove	3	65	10	12	62	53	2	19	5	-	12	10	4	76	29	15	18	11	-
Huntington Beach	6	54	9	14	40	41	10	23	3	-	9	11	6	88	32	29	27	10	-
Irvine	1	15	-	1	10	8	1	4	2	-	2	3	3	14	11	10	14	2	-
Laguna Beach	-	12	4	2	7	6	1	1	3	-	2	-	2	18	4	9	3	1	1
La Habra	-	21	3	4	8	10	2	9	1	-	2	1	2	18	10	8	10	2	-
La Palma	-	-	-	1	3	7	-	1	-	-	1	-	1	6	1	-	1	1	-
Los Alamitos	-	11	1	2	13	14	-	5	1	-	-	1	1	10	3	3	2	-	-
Newport Beach	1	53	4	12	23	18	2	10	1	-	2	4	2	43	8	12	11	1	-
Orange	1	39	3	5	40	35	2	21	2	-	8	13	2	48	23	11	16	8	-
Placentia	1	6	2	3	14	6	1	2	-	-	-	1	-	10	8	4	4	4	-
San Clemente	2	37	2	3	9	9	1	5	1	-	-	3	-	20	9	9	6	1	-
San Juan Capistrano	1	8	1	4	5	6	1	3	-	-	-	2	1	12	4	3	5	1	-
Santa Ana	4	87	24	23	53	70	5	31	9	-	21	36	11	100	47	34	30	40	1
Seal Beach	-	48	5	6	43	14	5	6	7	-	-	1	1	33	-	10	4	-	-
Stanton	-	11	8	1	8	11	-	3	1	-	1	1	-	8	3	4	2	3	-
Tustin	2	20	2	3	14	10	1	3	-	-	2	2	-	22	7	3	9	2	-
Westminster	3	27	7	4	15	20	1	11	3	-	6	12	2	28	19	10	7	6	-
Yorba Linda	1	11	3	1	6	7	2	2	1	-	1	1	-	4	4	1	7	1	-
Balance of county	6	128	12	22	74	57	5	16	5	-	9	6	14	127	51	34	30	7	-
Placer	3	98	19	19	42	61	8	11	6	-	5	3	7	94	41	26	19	7	1
Roseville	-	32	3	4	13	15	4	1	2	-	1	1	-	31	11	10	2	1	1
Balance of county	3	64	16	15	29	46	4	10	4	-	4	2	7	63	30	16	17	6	-
Plumas	1	12	1	1	5	8	-	2	2	-	3	-	2	11	8	5	3	-	-
Riverside	19	610	96	121	380	363	46	141	46	2	53	68	32	603	266	209	142	84	2
Banning	2	18	4	5	8	9	1	3	-	-	1	3	-	13	5	5	6	3	-
Corona	1	23	11	5	9	14	1	5	1	1	5	4	2	36	20	6	9	4	-
Hemet	3	115	12	24	56	69	5	10	9	-	4	-	1	83	23	19	13	6	-
Indio	-	10	-	2	8	15	1	7	1	-	3	2	3	14	12	17	3	6	1
Norco	-	11	1	1	4	4	1	-	-	-	1	2	1	5	11	7	1	1	-
Palm Desert	1	15	-	2	8	16	2	7	2	-	-	4	-	18	6	8	1	-	-
Palm Springs	-	56	2	4	30	19	2	7	4	-	1	2	1	54	6	13	11	1	1
Riverside	1	130	35	24	119	62	14	40	13	-	16	20	4	129	60	51	29	17	-
Balance of county	11	232	31	54	138	155	19	62	16	1	22	31	20	251	123	83	69	46	-
Sacramento	25	499	76	75	251	376	36	124	56	-	36	65	67	569	190	186	144	84	20
Folsom	-	3	-	6	8	9	-	1	2	-	2	-	-	11	5	4	3	1	-
Sacramento	19	348	56	48	170	234	25	91	41	-	23	43	53	389	96	136	96	62	17
Balance of county	6	148	20	21	73	133	11	32	13	-	11	22	14	169	89	46	45	21	3
San Benito	-	13	5	6	11	13	1	2	-	-	1	4	1	21	10	5	5	-	-
Hollister	-	11	5	6	8	10	1	2	-	-	-	3	1	16	10	4	5	-	-
Balance of county	-	2	-	-	3	3	-	-	-	-	1	1	-	5	-	1	-	-	-
San Bernardino	25	601	82	109	319	352	24	171	52	3	89	89	62	627	319	198	160	101	9
Barstow	-	8	-	5	6	7	-	5	1	1	3	4	2	19	18	3	4	4	-
Chino	-	13	4	2	10	5	-	1	3	-	4	4	3	20	9	4	8	2	-
Colton	2	14	2	2	9	7	3	9	3	-	3	1	2	24	11	3	2	2	-
Fontana	3	36	7	6	22	29	1	9	2	-	8	4	7	39	29	10	12	4	-
Loma Linda	2	23	2	-	12	2	1	-	-	-	2	1	2	9	2	1	1	-	1
Montclair	1	9	-	1	7	6	1	4	2	-	2	-	2	15	3	7	2	5	-
Ontario	2	57	6	7	28	28	-	14	5	-	11	13	7	49	27	21	14	14	-
Rancho Cucamonga	1	15	-	5	2	8	1	1	2	-	1	1	1	9	7	6	4	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Redlands	464	–	–	4	101	32	25	15	8	1	3	17	9	215	158	3	1	124	30
Rialto	363	–	–	3	69	19	21	4	4	–	5	16	10	168	117	1	–	94	22
San Bernardino	1,518	3	–	14	292	72	82	21	26	14	14	63	35	701	536	7	9	429	91
Upland	387	–	–	3	73	21	23	1	8	3	5	12	3	186	149	1	4	126	16
Victorville	263	–	–	3	53	14	11	3	8	3	3	11	2	114	80	2	1	67	10
Balance of county	2,744	3	1	17	612	142	196	50	61	22	30	111	37	1,205	967	14	26	791	136
San Diego	15,259	10	–	145	3,712	862	1,079	382	401	124	160	724	198	6,502	4,931	55	178	3,694	1,004
Carlsbad	271	–	–	2	58	18	14	3	5	2	1	15	2	130	112	2	1	74	35
Chula Vista	687	1	–	10	216	48	72	21	15	8	9	43	13	379	289	4	10	217	58
Coronado	149	–	–	1	45	7	10	3	8	1	4	12	1	59	45	1	3	37	4
El Cajon	1,065	1	–	8	237	51	76	27	24	4	8	47	28	491	368	4	18	283	63
Escondido	937	–	–	9	200	56	46	17	22	8	14	39	13	427	316	4	10	242	60
Imperial Beach	130	–	–	1	37	9	10	2	1	–	2	13	2	46	35	–	2	31	2
La Mesa	599	–	–	3	148	30	38	18	15	4	9	36	9	279	196	1	8	146	41
Lemon Grove	246	–	–	–	61	11	17	7	9	3	–	14	5	106	82	–	1	67	14
National City	360	–	–	6	84	21	28	7	6	4	2	16	6	139	106	3	5	79	19
Oceanside	750	–	–	7	183	48	58	17	20	4	8	28	7	294	216	3	11	146	56
San Diego	6,830	6	–	75	1,646	402	472	154	181	54	68	315	80	2,928	2,254	27	82	1,679	468
San Marcos	288	–	–	–	77	17	23	10	10	1	6	10	4	116	93	–	2	60	31
Vista	529	–	–	7	123	23	39	9	12	6	4	30	6	221	151	1	4	121	25
Balance of county	2,218	2	–	16	597	121	178	67	73	27	25	106	22	887	668	5	21	512	130
San Francisco, coext. with San Francisco city	8,234	14	–	288	1,810	507	409	165	160	68	62	445	109	3,463	2,634	25	58	1,999	552
San Joaquin	3,562	4	1	51	731	184	220	55	74	24	25	149	73	1,528	1,144	12	37	871	224
Lodi	530	–	1	5	114	30	32	7	11	5	6	23	15	249	172	3	2	145	22
Manteca	292	–	–	5	67	18	22	6	1	2	1	17	5	117	97	–	4	73	20
Stockton	2,184	3	–	34	436	101	135	33	54	16	14	83	45	924	703	8	27	521	147
Tracy	241	–	–	4	55	17	18	3	3	1	1	12	4	98	64	1	–	51	12
Balance of county	315	1	–	3	59	16	13	6	5	–	3	14	4	140	108	–	4	81	23
San Luis Obispo	1,512	1	–	11	370	86	110	38	36	16	8	76	14	678	504	3	13	380	108
Arroyo Grande	181	–	–	–	41	9	12	5	3	3	1	8	3	84	69	–	1	55	13
Atascadero	152	–	–	–	32	8	11	3	2	2	–	6	2	64	49	–	3	33	13
San Luis Obispo	309	1	–	1	77	18	17	7	8	3	1	23	3	145	102	1	4	72	25
Balance of county	870	–	–	10	220	51	70	23	23	8	6	39	6	385	284	2	5	220	57
San Mateo	4,681	1	–	44	1,202	310	313	116	132	54	54	223	44	2,019	1,463	17	30	1,136	280
Belmont	159	–	–	2	30	14	7	2	2	–	1	4	2	77	55	–	–	46	9
Burlingame	300	–	–	1	76	18	14	11	8	4	4	17	5	126	85	2	1	69	13
Daly City	532	–	–	5	136	35	43	7	12	7	9	23	4	225	165	2	5	130	28
Foster City	113	–	–	2	39	8	12	–	8	3	1	7	3	35	24	1	–	19	4
Hillsborough	75	–	–	1	20	5	4	–	3	1	1	6	–	33	24	1	1	20	2
Menlo Park	372	–	–	2	101	33	21	10	16	3	6	12	2	173	124	1	5	84	34
Millbrae	191	–	–	2	48	17	11	3	7	–	3	7	–	101	69	–	–	58	11
Pacifica	211	–	–	1	54	8	23	7	5	–	1	10	1	100	81	1	–	62	18
Redwood City	606	–	–	8	155	31	46	17	15	11	7	28	2	248	172	1	5	138	28
San Bruno	229	–	–	1	60	15	16	3	3	2	4	17	3	85	67	–	2	56	9
San Carlos	194	–	–	–	55	14	16	6	5	2	2	10	1	91	67	3	–	52	12
San Mateo	818	1	–	9	205	54	55	27	16	13	8	32	10	364	260	4	3	205	48
South San Francisco	401	–	–	7	108	33	23	9	12	4	1	26	4	164	127	1	1	106	19
Balance of county	480	–	–	3	115	25	22	14	20	4	6	24	7	197	143	–	7	91	45
Santa Barbara	2,612	1	–	29	558	122	126	53	80	30	21	126	36	1,196	915	15	48	533	319
Carpinteria	126	–	–	2	28	10	3	1	7	3	–	4	–	58	44	1	1	32	10
Lompoc	244	–	–	3	55	12	11	7	6	4	–	15	2	107	80	–	7	51	22
Santa Barbara	1,290	–	–	19	258	55	55	31	41	13	9	54	19	604	449	9	15	258	167
Santa Maria	558	1	–	3	132	29	34	11	16	5	7	30	10	252	210	2	18	118	72
Balance of county	394	–	–	2	85	16	23	3	10	5	5	23	5	175	132	3	7	74	48
Santa Clara	8,270	5	–	92	1,940	490	485	192	200	67	70	436	142	3,465	2,880	33	151	1,707	789
Campbell	285	–	–	2	61	11	18	11	5	3	1	12	5	138	109	2	6	67	34
Cupertino	235	–	–	2	56	16	9	5	7	2	2	15	2	98	73	1	7	51	14
Gilroy	220	–	–	1	44	13	14	5	4	–	2	6	4	99	78	–	2	56	20
Los Altos	281	–	–	2	76	21	19	7	8	2	1	18	2	121	88	2	5	59	22
Los Gatos	303	–	–	4	66	20	18	6	4	7	2	9	2	154	114	1	9	66	38
Milpitas	167	1	–	4	38	10	12	4	4	1	1	6	2	65	54	–	3	40	11
Morgan Hill	177	–	–	3	48	10	10	6	7	2	1	12	2	80	47	–	3	29	15
Mountain View	482	1	–	4	118	27	32	11	12	1	5	30	3	222	154	2	5	93	54
Palo Alto	548	–	–	4	130	34	32	11	18	2	7	26	9	254	184	2	7	123	52
San Jose	3,994	2	–	46	882	230	214	86	77	27	33	215	78	1,610	1,267	18	80	799	370
Santa Clara	564	1	–	7	149	36	38	17	18	8	5	27	9	234	187	1	8	127	51
Saratoga	220	–	–	4	50	7	14	3	9	3	3	11	4	91	81	1	2	44	34
Sunnyvale	676	–	–	7	193	47	52	18	24	7	7	38	19	277	210	3	12	127	68
Balance of county	118	–	–	2	29	8	3	2	3	2	–	11	1	42	34	–	2	26	6
Santa Cruz	1,785	3	–	15	358	104	90	34	37	14	17	62	21	783	589	9	26	368	186
Santa Cruz	789	–	–	5	148	40	35	16	20	6	8	23	10	370	275	4	9	179	83
Watsonville	387	1	–	4	82	27	21	9	5	4	3	13	7	166	136	1	7	84	44
Balance of county	609	2	–	6	128	37	34	9	12	4	6	26	4	247	178	4	10	105	59
Shasta	1,134	–	–	13	284	65	98	20	34	11	10	46	16	415	309	4	7	183	115
Redding	660	–	–	6	161	40	58	11	21	7	4	20	9	251	191	2	2	110	77
Balance of county	474	–	–	7	123	25	40	9	13	4	6	26	7	164	118	2	5	73	38
Sierra	35	–	–	–	10	2	1	–	2	–	–	5	–	14	11	–	–	8	3
Siskiyou	375	–	–	3	83	21	31	7	11	2	2	9	4	165	136	1	2	96	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Redlands	–	46	7	4	25	20	3	9	4	–	2	–	5	40	9	10	7	1	–
Rialto	2	37	3	9	14	15	1	9	4	–	4	6	1	23	12	11	7	6	–
San Bernardino	7	124	13	21	61	52	6	31	7	2	17	24	8	121	46	39	28	28	5
Upland	–	31	3	3	18	16	–	11	2	–	2	3	1	33	9	10	7	9	1
Victorville	1	21	3	9	10	15	–	4	4	–	5	3	1	22	14	9	2	1	1
Balance of county	4	167	32	35	95	142	7	64	19	–	25	25	20	204	123	64	64	22	1
San Diego	48	1,160	180	183	562	803	77	262	87	4	104	135	89	1,326	399	335	324	154	31
Carlsbad	–	12	4	2	12	15	1	8	–	–	2	1	1	20	9	3	5	2	–
Chula Vista	2	64	8	16	34	40	5	11	9	–	8	10	6	73	20	17	27	5	3
Coronado	–	9	1	4	7	6	–	4	1	–	1	–	1	16	2	2	2	1	–
El Cajon	1	93	17	12	43	62	7	15	3	1	5	8	12	76	18	15	24	9	2
Escondido	2	85	12	12	40	51	8	18	4	–	7	3	5	89	21	25	13	4	–
Imperial Beach	–	9	–	2	–	8	–	4	–	–	1	1	–	9	7	4	5	4	1
La Mesa	3	65	6	9	30	28	2	7	5	–	3	1	–	47	11	13	9	3	1
Lemon Grove	3	19	2	–	16	13	4	1	1	–	1	2	–	24	–	5	5	1	1
National City	6	24	2	1	24	25	2	8	4	1	5	–	–	25	7	16	5	3	–
Oceanside	2	57	9	10	25	54	7	15	4	–	8	14	6	70	20	17	9	3	7
San Diego	26	477	87	84	240	340	30	116	39	1	48	72	34	604	175	150	152	84	10
San Marcos	–	18	3	2	10	20	1	4	3	–	–	1	3	33	5	4	6	1	–
Vista	1	55	9	5	18	29	2	8	2	1	4	4	5	64	12	11	10	4	–
Balance of county	2	173	20	24	65	112	8	43	12	–	11	18	16	176	92	53	52	30	6
San Francisco, coext. with San Francisco city	25	656	76	91	336	341	26	209	56	1	28	29	56	875	90	237	128	88	20
San Joaquin	10	268	54	52	143	174	13	65	40	–	25	32	34	334	109	106	61	35	3
Lodi	–	56	11	10	23	27	1	7	8	–	1	2	6	46	15	4	4	1	1
Manteca	1	15	–	4	21	14	–	4	5	–	3	4	3	17	13	9	4	1	–
Stockton	6	152	36	27	73	104	11	44	21	–	21	23	22	213	62	75	45	27	1
Tracy	3	22	4	5	8	12	–	5	2	–	–	2	2	27	8	6	5	2	1
Balance of county	–	23	3	6	16	17	1	5	4	–	–	1	1	31	11	12	3	4	–
San Luis Obispo	4	124	24	22	51	75	8	19	12	2	8	8	3	140	35	26	35	15	1
Arroyo Grande	–	10	2	3	4	11	1	3	–	–	–	3	–	17	3	3	3	5	–
Atascadero	2	10	3	–	7	6	–	3	2	–	3	–	–	18	2	7	4	–	1
San Luis Obispo	2	28	4	9	10	18	2	2	3	1	1	–	–	24	6	3	8	4	–
Balance of county	–	76	15	10	30	40	5	11	7	1	4	5	3	80	24	13	20	6	–
San Mateo	13	413	40	90	169	186	15	111	32	–	29	40	33	436	68	130	82	36	6
Belmont	–	17	–	5	7	8	2	4	–	–	–	–	–	17	1	5	3	1	–
Burlingame	1	32	4	4	15	13	–	5	3	–	2	2	1	31	4	11	3	1	1
Daly City	1	40	4	15	15	26	1	13	7	–	7	7	4	48	9	12	8	5	–
Foster City	1	8	1	1	3	2	–	–	2	–	–	2	1	11	5	6	2	–	–
Hillsborough	–	6	–	1	7	3	–	1	–	–	–	–	–	4	1	3	2	–	–
Menlo Park	1	37	4	7	16	9	–	2	3	–	1	–	4	40	3	8	7	1	–
Millbrae	2	21	4	5	7	2	–	2	–	–	–	2	–	19	–	3	4	1	–
Pacifica	1	13	–	5	10	6	–	4	2	–	3	2	2	15	4	5	1	1	–
Redwood City	2	58	9	9	16	27	4	16	2	–	5	7	7	57	8	21	16	6	1
San Bruno	–	15	–	3	10	16	–	8	3	–	–	2	1	24	3	6	2	3	2
San Carlos	–	19	1	4	6	9	–	4	1	–	2	3	1	10	–	6	5	–	–
San Mateo	2	77	8	17	36	30	3	22	5	–	3	6	2	78	11	14	14	4	1
South San Francisco	1	25	2	9	6	17	2	13	–	–	1	3	4	45	5	9	8	5	–
Balance of county	1	45	3	5	15	18	3	17	4	–	5	4	6	37	12	21	7	8	1
Santa Barbara	8	219	29	25	92	120	6	35	23	–	25	16	14	258	61	57	70	14	1
Carpinteria	–	13	–	1	2	7	–	1	2	–	4	2	–	8	3	4	5	–	–
Lompoc	1	17	4	5	8	14	–	7	–	–	2	2	–	23	6	6	7	2	–
Santa Barbara	4	123	20	8	55	55	2	16	9	–	7	5	9	151	23	25	25	8	–
Santa Maria	3	28	4	7	15	31	1	6	8	–	8	3	4	35	18	12	17	1	1
Balance of county	–	38	1	4	12	13	3	5	4	–	4	4	1	41	11	10	16	3	–
Santa Clara	26	592	71	96	347	326	39	175	61	2	74	81	52	724	233	224	189	95	5
Campbell	1	22	4	2	9	10	–	8	1	–	–	1	–	26	6	9	8	1	–
Cupertino	1	18	2	4	12	9	3	4	1	–	1	2	1	22	4	10	7	1	–
Gilroy	1	15	–	5	7	7	1	3	1	–	1	1	–	26	10	7	5	3	–
Los Altos	–	20	11	2	15	8	–	2	1	–	2	–	–	33	2	10	6	1	–
Los Gatos	2	30	5	3	8	6	2	2	2	–	1	1	–	34	7	5	6	1	1
Milpitas	1	8	1	1	2	7	–	2	–	–	6	2	4	11	5	5	6	7	–
Morgan Hill	–	11	–	2	12	8	3	5	–	–	1	1	–	11	10	5	7	1	–
Mountain View	2	51	5	10	16	23	–	5	1	–	1	9	5	35	10	14	13	2	–
Palo Alto	–	52	5	13	25	23	1	3	6	–	4	3	–	50	7	16	11	1	1
San Jose	13	260	30	40	164	161	23	102	36	1	44	50	37	352	138	108	86	71	3
Santa Clara	–	38	7	2	17	19	2	12	3	–	4	5	3	55	17	12	14	1	–
Saratoga	–	9	1	–	20	10	1	6	3	–	2	1	–	15	3	6	4	–	–
Sunnyvale	4	51	–	12	35	32	3	15	5	1	6	2	1	43	7	13	13	4	–
Balance of county	1	7	–	–	4	3	–	6	1	–	1	3	1	11	7	4	2	1	–
Santa Cruz	5	146	31	12	97	97	2	45	17	–	10	11	13	164	64	37	29	16	3
Santa Cruz	4	76	11	4	46	49	2	22	7	–	3	1	4	67	17	11	17	8	2
Watsonville	–	23	8	1	24	14	–	8	7	–	4	7	2	28	21	7	2	2	1
Balance of county	1	47	14	7	27	34	–	15	3	–	3	3	7	69	26	19	10	6	–
Shasta	1	84	6	15	51	88	6	13	3	–	–	6	17	99	45	31	29	13	5
Redding	–	50	4	6	30	59	3	7	1	–	–	3	7	57	24	15	16	8	3
Balance of county	1	34	2	9	21	29	3	6	2	–	–	3	10	42	21	16	13	5	2
Sierra	–	2	–	1	–	2	–	–	–	–	–	1	1	3	1	2	1	–	–
Siskiyou	–	17	7	5	16	15	1	4	8	–	–	2	5	37	14	11	3	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Solano	1,763	2	-	25	447	115	138	35	41	18	11	89	19	691	508	5	14	376	113
Benicia	113	-	-	3	30	11	7	1	2	3	-	6	3	48	40	1	-	33	6
Fairfield	327	1	-	2	68	17	18	5	7	3	2	16	1	143	104	1	2	74	27
Suisun City	86	-	-	2	21	4	6	2	5	1	1	2	2	28	24	-	1	17	6
Vacaville	323	-	-	1	92	24	30	7	7	3	2	19	5	125	92	1	1	72	18
Vallejo	787	1	-	13	206	51	69	18	16	7	4	41	7	311	222	2	7	160	53
Balance of county	127	-	-	4	30	8	8	2	4	1	2	5	1	36	26	-	3	20	3
Sonoma	3,026	-	-	44	731	184	189	65	90	33	22	148	40	1,321	947	10	36	679	222
Petaluma	418	-	-	7	118	23	29	16	13	7	2	28	3	175	123	-	6	91	26
Rohnert Park	168	-	-	2	39	13	10	-	5	1	-	10	4	72	64	-	1	44	19
Santa Rosa	1,252	-	-	18	288	70	78	25	42	13	6	54	17	553	397	5	15	285	92
Balance of county	1,188	-	-	17	286	76	72	24	30	12	14	56	16	521	363	5	14	259	85
Stanislaus	2,649	1	-	14	553	115	188	35	56	16	25	116	39	1,175	856	12	30	620	194
Ceres	209	-	-	-	52	15	16	3	6	2	-	10	2	86	68	1	2	46	19
Modesto	1,495	-	-	9	302	61	100	22	27	11	17	64	21	607	418	8	12	315	83
Turlock	404	1	-	3	82	12	34	1	9	3	5	16	6	215	167	1	9	107	50
Balance of county	601	-	-	2	117	27	38	9	14	2	3	24	10	267	203	2	7	152	42
Sutter	499	-	-	4	91	25	33	8	6	1	2	16	9	235	175	4	1	122	48
Yuba City	392	-	-	3	67	18	24	6	4	1	1	13	8	186	139	3	1	101	34
Balance of county	107	-	-	1	24	7	9	2	2	-	1	3	1	49	36	1	-	21	14
Tehama	473	-	-	1	111	23	41	11	10	4	5	17	9	204	149	2	6	107	34
Trinity	103	-	-	-	24	5	6	2	3	2	-	6	1	43	30	-	1	21	8
Tulare	2,127	2	-	23	409	87	121	38	51	14	19	79	29	910	707	4	26	545	132
Porterville	411	-	-	5	66	13	23	4	8	5	3	10	5	174	130	-	6	105	19
Tulare	293	-	-	-	62	16	24	3	4	2	2	11	5	136	107	-	4	78	25
Visalia	547	2	-	7	104	17	26	13	18	2	6	22	8	233	171	1	6	125	39
Balance of county	876	-	-	11	177	41	48	18	21	5	8	36	11	367	299	3	10	237	49
Tuolumne	392	-	-	2	87	15	32	8	8	8	2	14	4	172	120	3	2	91	24
Ventura	3,601	4	-	27	881	223	246	82	95	35	37	163	65	1,548	1,186	16	41	769	360
Camarillo	413	-	-	2	96	19	25	16	7	4	3	22	4	169	151	2	2	95	52
Oxnard	753	-	-	5	193	55	48	15	19	6	8	42	26	295	216	5	7	134	70
Port Hueneme	117	-	-	1	31	5	12	2	4	1	1	6	2	46	34	1	1	24	8
San Buenaventura (Ventura)	748	2	-	9	174	44	53	16	23	7	6	25	11	329	241	2	8	159	72
Santa Paula	202	-	-	1	46	16	13	3	4	1	2	7	2	92	75	1	3	50	21
Simi Valley	365	1	-	1	96	24	26	8	11	4	6	17	6	137	109	1	2	80	26
Thousand Oaks	495	1	-	3	134	31	39	14	15	6	7	22	9	221	174	3	10	120	41
Balance of county	508	-	-	5	111	29	30	8	12	6	4	22	5	239	186	1	8	107	70
Yolo	917	1	-	11	200	54	61	14	16	7	9	39	18	405	303	2	8	218	75
Davis	178	-	-	2	36	10	9	6	2	1	1	7	1	76	55	-	2	34	19
Woodland	306	-	-	3	72	21	19	5	4	3	6	14	4	139	102	1	2	73	26
Balance of county	433	1	-	6	92	23	33	3	10	3	2	16	13	190	146	1	4	111	30
Yuba	457	-	-	2	93	13	39	7	11	4	2	17	13	201	163	2	1	121	39
Colorado	20,236	13	2	283	4,024	1,080	955	386	431	161	165	846	339	8,371	6,416	123	123	4,545	1,625
Urban places	13,958	9	1	214	2,805	763	628	297	308	102	123	584	214	5,763	4,371	82	88	3,111	1,090
Balance of area	6,278	4	1	69	1,219	317	327	89	123	59	42	262	125	2,608	2,045	41	35	1,434	535
Metropolitan counties	15,669	10	2	230	3,172	830	748	327	325	122	130	690	250	6,416	4,911	97	94	3,474	1,246
Urban places	13,177	9	1	201	2,645	712	598	284	283	94	118	556	204	5,432	4,122	80	85	2,939	1,018
Balance of area	2,492	1	1	29	527	118	150	43	42	28	12	134	46	984	789	17	9	535	228
Nonmetropolitan counties	4,567	3	-	53	852	250	207	59	106	39	35	156	89	1,955	1,505	26	29	1,071	379
Urban places	781	-	-	13	160	51	30	13	25	8	5	28	10	331	249	2	3	172	72
Balance of area	3,786	3	-	40	692	199	177	46	81	31	30	128	79	1,624	1,256	24	26	899	307
Adams	1,300	1	-	17	253	66	66	23	22	10	8	58	23	500	410	4	3	296	107
Arvada, part	6	-	-	-	3	1	1	-	-	-	-	1	-	1	-	-	-	-	-
Aurora, part	161	-	-	1	22	7	4	1	4	1	-	5	1	63	57	-	1	44	12
Brighton, part	102	-	-	2	15	5	4	-	2	-	1	3	2	39	32	-	-	20	12
Brighton, total	105	-	-	2	16	6	4	-	2	-	1	3	2	39	32	-	-	20	12
Broomfield, part	14	-	-	-	1	-	1	-	-	-	-	-	-	5	5	-	-	4	1
Commerce City	156	-	-	3	35	14	8	2	1	2	-	8	2	53	45	-	-	37	8
Northglenn	126	-	-	1	24	3	8	5	1	1	1	5	4	49	40	1	-	30	9
Thornton	148	-	-	1	27	4	8	4	4	2	1	4	-	68	50	-	1	31	18
Westminster, part	213	1	-	3	43	12	11	5	3	-	1	11	3	78	54	-	-	35	19
Westminster, total	233	1	-	3	52	15	12	7	3	-	1	14	3	77	55	-	-	35	20
Balance of county	374	-	-	6	83	20	21	6	7	4	4	21	11	146	127	3	1	95	28
Alamosa	80	-	-	1	14	3	2	2	1	1	-	5	1	40	29	-	1	14	14
Arapahoe	1,607	1	-	26	352	83	85	40	37	13	12	82	20	635	474	6	7	348	113
Aurora, part	723	1	-	13	162	39	39	17	16	6	7	38	8	268	197	3	2	132	60
Aurora, total	884	1	-	14	184	46	43	18	20	7	7	43	7	331	254	3	3	176	72
Englewood	378	-	-	6	76	14	21	9	7	4	2	19	7	162	122	-	2	97	23
Littleton, part	284	-	-	3	65	20	11	9	10	2	2	11	4	119	83	1	1	63	18
Littleton, total	286	-	-	3	65	20	11	9	10	2	2	11	4	120	83	1	1	63	18
Balance of county	222	-	-	4	49	10	14	5	4	1	1	14	3	86	72	2	2	56	12
Archuleta	22	-	-	-	5	1	2	-	-	-	1	1	1	8	7	-	-	7	-
Baca	62	-	-	1	8	4	1	-	1	1	1	-	-	32	23	-	1	20	2
Bent	64	-	-	-	10	4	-	-	3	-	-	3	1	26	22	-	-	18	4
Boulder	1,062	-	-	15	211	56	38	18	31	11	8	49	12	426	326	9	11	200	106
Boulder	469	-	-	8	84	18	20	11	14	2	3	16	5	175	130	2	4	80	44
Broomfield, part	49	-	-	2	8	2	-	2	3	-	-	1	-	20	14	-	-	9	5
Broomfield, total	74	-	-	2	12	4	2	2	3	-	-	1	-	29	22	-	-	14	8
Longmont	309	-	-	3	69	22	9	3	9	5	2	19	6	199	112	5	6	60	32
Balance of county	235	-	-	2	50	14	9	2	5	4	3	13	1	92	70	2	1	42	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Solano	5	140	19	19	65	88	8	23	19	-	15	17	12	178	48	50	41	12	3
Benicia	-	7	-	1	3	4	-	2	1	-	1	2	1	10	4	-	1	-	-
Fairfield	1	32	1	5	14	14	1	3	4	-	5	1	2	36	8	9	9	5	1
Suisun City	-	3	1	-	4	5	-	1	2	-	1	-	-	5	4	4	4	2	1
Vacaville	1	27	1	4	15	17	-	4	3	-	4	2	-	28	9	8	10	-	-
Vallejo	1	64	16	8	22	43	7	13	8	-	1	8	5	83	16	24	14	5	-
Balance of county	2	7	-	1	7	5	-	-	1	-	3	4	4	16	7	5	3	-	1
Sonoma	8	286	35	45	151	109	9	34	36	-	15	11	18	272	86	68	63	15	3
Petaluma	1	40	5	6	25	12	2	7	3	-	-	2	3	32	12	9	6	1	1
Rohnert Park	-	7	-	1	4	11	1	3	1	-	1	-	2	12	2	3	6	4	1
Santa Rosa	7	121	9	19	73	41	3	11	14	-	12	4	12	109	33	32	27	5	-
Balance of county	-	118	21	19	49	45	3	13	18	-	2	5	1	119	39	24	24	5	1
Stanislaus	12	234	33	40	138	126	17	36	21	1	19	21	5	238	73	111	41	17	3
Ceres	-	16	1	1	12	12	2	2	1	-	-	-	2	17	11	6	3	1	-
Modesto	8	137	20	24	78	82	8	16	13	1	16	16	1	130	40	63	20	10	2
Turlock	3	33	7	5	25	8	1	5	-	-	2	-	-	26	9	15	4	1	1
Balance of county	1	48	5	10	23	24	6	13	7	-	1	5	2	65	13	27	14	5	-
Sutter	1	50	3	6	21	18	3	8	6	-	5	3	2	47	16	13	12	6	-
Yuba City	-	39	3	5	17	13	3	8	5	-	4	3	2	36	14	9	9	5	-
Balance of county	1	11	-	1	4	5	-	-	1	-	1	-	-	11	2	4	3	1	-
Tehama	2	40	7	6	24	33	3	4	6	-	1	2	6	35	12	9	8	4	1
Trinity	1	5	5	2	4	3	2	3	-	-	-	-	2	6	1	6	3	3	2
Tulare	3	157	24	19	97	118	8	43	23	-	24	18	16	177	123	62	23	22	-
Porterville	-	39	4	1	30	26	1	4	5	-	4	2	7	34	27	12	5	4	-
Tulare	1	20	5	3	8	10	1	10	3	-	4	4	4	22	16	7	-	1	-
Visalia	1	45	9	7	19	29	3	9	5	-	8	8	3	50	23	16	10	10	-
Balance of county	1	53	6	8	40	53	3	20	10	-	8	4	2	71	57	27	8	7	-
Tuolumne	1	38	6	7	21	20	1	8	4	-	2	2	4	36	8	8	9	4	-
Ventura	15	258	51	38	119	140	8	61	25	1	36	35	35	305	116	87	73	27	8
Camarillo	-	29	7	2	9	17	1	3	2	-	8	1	3	51	7	10	9	-	1
Oxnard	6	49	16	8	26	31	1	19	10	-	10	14	10	54	23	18	8	9	1
Port Hueneme	-	8	2	2	4	6	1	2	1	-	2	-	-	9	3	3	5	-	1
San Buenaventura (Ventura)	5	66	6	11	32	32	1	12	5	-	2	8	7	63	20	15	21	5	-
Santa Paula	-	9	5	3	9	8	-	5	-	-	1	2	1	16	7	8	4	-	-
Simi Valley	-	18	8	2	11	18	1	5	2	-	4	4	7	32	18	7	11	3	1
Thousand Oaks	4	37	1	5	13	13	2	8	1	-	4	-	3	43	14	11	8	6	1
Balance of county	-	42	6	5	15	15	1	7	4	1	5	6	4	37	24	15	7	4	3
Yolo	2	73	11	16	45	45	2	17	11	-	4	3	4	73	24	27	19	7	1
Davis	-	16	1	4	11	7	-	2	2	-	2	-	2	22	2	4	6	3	-
Woodland	-	28	5	3	13	18	1	2	5	-	1	1	-	18	10	13	5	1	-
Balance of county	2	26	5	9	21	20	1	13	4	-	1	2	2	33	12	10	8	3	1
Yuba	-	33	3	2	20	23	2	3	5	-	6	3	2	41	17	12	7	7	-
Colorado	81	1,297	349	228	863	1,130	71	279	197	4	167	196	202	2,006	619	655	581	190	44
Urban places	67	910	260	155	607	799	45	193	141	4	117	148	145	1,414	345	400	411	147	36
Balance of area	14	387	89	73	256	331	26	86	56	-	50	48	57	592	274	255	170	43	8
Metropolitan counties	68	1,001	269	167	639	889	50	230	151	4	140	167	163	1,543	454	471	483	164	41
Urban places	63	864	241	142	568	754	44	188	133	4	113	141	139	1,338	324	371	390	142	36
Balance of area	5	137	28	25	71	135	6	42	18	-	27	26	24	205	130	100	93	22	5
Nonmetropolitan counties	13	296	80	61	224	241	21	49	46	-	27	29	39	463	165	184	98	26	3
Urban places	4	46	19	13	39	45	1	5	8	-	4	7	6	76	21	29	21	5	-
Balance of area	9	250	61	48	185	196	20	44	38	-	23	22	33	387	144	155	77	21	3
Adams	1	65	10	14	68	82	5	20	12	1	10	20	15	128	46	41	45	12	3
Arvada, part	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Aurora, part	-	5	-	1	7	17	1	4	-	1	2	6	3	14	3	4	6	4	2
Brighton, part	-	6	-	1	8	3	-	1	2	-	-	3	1	17	4	4	2	1	-
Brighton, total	-	6	-	1	8	3	-	1	2	-	-	3	1	17	4	6	2	1	-
Broomfield, part	-	-	-	-	1	1	-	-	-	-	2	-	-	3	-	1	-	-	-
Commerce City	-	6	1	1	14	10	1	2	2	-	1	2	-	15	4	5	6	1	-
Northglenn	-	6	-	3	9	7	1	2	-	-	-	1	2	16	2	3	2	3	-
Thornton	-	16	-	2	4	8	1	2	3	-	-	2	3	12	5	4	8	-	-
Westminster, part	1	11	7	3	13	9	-	1	4	-	1	2	4	22	11	9	10	1	-
Westminster, total	1	11	7	3	15	9	-	1	4	-	2	3	5	23	11	9	13	1	1
Balance of county	-	14	2	3	11	27	1	8	1	-	4	4	2	28	17	11	11	2	1
Alamosa	2	9	-	-	2	4	-	1	1	-	-	1	-	6	2	3	3	1	-
Arapahoe	8	103	31	19	64	94	6	18	9	-	19	19	11	150	37	55	65	14	12
Aurora, part	5	42	16	8	30	44	2	8	5	-	11	14	9	61	17	25	32	10	5
Aurora, total	5	47	16	9	37	61	3	12	5	1	13	20	12	75	20	29	38	14	7
Englewood	-	27	8	5	14	20	2	5	1	-	2	1	-	43	8	13	13	1	4
Littleton, part	2	26	5	3	12	17	1	2	2	-	3	1	2	25	5	8	11	2	2
Littleton, total	2	27	5	3	12	17	1	2	2	-	3	1	2	25	5	8	12	2	2
Balance of county	1	8	2	3	8	13	1	3	1	-	3	3	-	21	7	9	9	1	1
Archuleta	-	1	-	-	-	1	-	-	1	-	-	-	-	1	4	1	-	-	-
Baca	-	8	-	1	3	3	-	-	1	-	-	-	-	7	4	1	1	1	-
Bent	-	4	-	-	7	-	-	1	1	-	-	-	1	11	2	2	1	1	-
Boulder	2	75	15	8	37	46	4	14	13	-	13	9	17	109	43	39	40	13	1
Boulder	1	32	8	4	25	21	2	4	6	-	4	5	7	53	25	20	19	6	1
Broomfield, part	-	6	-	-	-	2	1	2	1	-	-	-	-	9	2	2	-	-	-
Broomfield, total	-	7	-	-	1	3	1	2	2	-	2	-	-	12	2	4	2	-	-
Longmont	1	19	5	2	8	10	1	3	2	-	5	3	6	20	11	10	11	2	-
Balance of county	-	18	2	2	4	13	-	5	5	-	4	1	4	27	5	7	10	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Chaffee	107	1	-	1	16	4	5	2	1	2	-	2	3	44	36	1	5	25	5
Cheyenne	21	-	-	-	3	2	1	-	-	-	-	-	-	11	8	-	-	7	1
Clear Creek	41	-	-	-	9	2	4	-	-	-	-	3	-	14	10	-	-	5	5
Conejos	59	-	-	1	5	2	1	1	-	-	-	1	1	33	31	2	-	19	10
Costilla	20	-	-	-	3	1	-	-	-	-	1	1	-	9	6	-	1	5	-
Crowley	36	-	-	2	12	5	2	-	1	-	1	3	1	8	8	-	-	5	1
Custer	22	-	-	-	3	1	1	1	-	-	-	-	-	9	8	-	-	6	2
Delta	245	-	-	5	55	13	19	4	5	3	-	11	7	106	85	1	4	65	15
Denver, coext. with Denver city	4,540	4	-	82	939	263	213	95	96	32	44	196	74	1,825	1,412	36	35	1,009	332
Dolores	9	-	-	-	1	-	1	-	-	-	-	-	1	3	2	-	-	1	1
Douglas	130	-	1	1	20	5	5	1	1	1	-	7	1	44	31	1	-	13	17
Littleton, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	128	-	1	1	20	5	5	1	1	1	-	7	1	43	31	1	-	13	17
Eagle	41	-	-	1	10	5	3	-	1	-	-	1	-	10	9	-	-	7	2
Elbert	42	-	-	1	6	2	1	-	1	-	-	2	1	10	8	-	-	4	4
El Paso	1,850	-	-	28	371	88	84	48	38	15	17	81	28	768	566	9	18	436	103
Colorado Springs	1,558	-	-	26	307	75	61	42	33	10	17	69	22	653	473	9	17	371	78
Balance of county	292	-	-	2	64	13	23	6	5	5	-	12	6	115	93	-	1	65	27
Fremont	376	-	-	5	66	27	13	7	6	2	5	6	2	178	127	-	-	91	36
Canon City	217	-	-	4	34	14	4	3	5	1	3	4	-	100	74	-	-	46	28
Balance of county	159	-	-	1	32	13	9	4	1	1	2	2	2	78	53	-	-	45	8
Garfield	173	-	-	3	25	2	9	-	3	2	3	6	2	70	60	5	-	41	14
Gilpin	17	-	-	-	1	-	1	-	-	-	-	-	-	6	5	-	-	3	2
Grand	41	-	-	-	7	2	3	-	1	1	-	-	-	19	16	1	-	13	2
Gunnison	50	-	-	-	11	6	2	1	-	-	1	1	1	20	13	-	-	6	7
Hinsdale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Huerfano	81	-	-	-	13	5	3	-	-	-	1	4	1	43	32	-	1	24	7
Jackson	7	-	-	-	2	-	-	-	-	-	-	2	-	2	2	-	-	2	-
Jefferson	2,183	1	-	24	455	118	115	51	48	10	16	99	40	899	691	12	4	488	189
Arvada, part	424	-	-	6	99	29	22	11	7	3	4	23	7	166	130	2	1	93	34
Arvada, total	430	-	-	6	102	30	23	11	7	3	4	24	7	167	130	2	1	93	34
Broomfield, part	11	-	-	-	3	2	1	-	-	-	-	-	-	4	3	-	-	1	2
Golden	181	1	-	2	35	11	10	1	4	-	2	7	2	62	51	1	-	39	11
Lakewood	839	-	-	7	174	46	48	21	20	4	6	31	13	365	279	6	3	193	77
Westminster, part	20	-	-	-	9	3	1	2	-	-	-	3	-	1	1	-	-	-	1
Wheat Ridge	345	-	-	4	54	11	12	6	9	-	2	14	11	164	121	-	-	87	34
Balance of county	363	-	-	5	81	14	23	10	8	3	2	21	7	137	106	3	-	73	30
Kiowa	12	-	-	-	4	1	2	-	-	-	-	1	1	2	1	-	-	1	-
Kit Carson	69	-	-	1	16	3	5	2	1	-	-	5	-	33	18	-	-	14	4
Lake	33	-	-	-	5	2	1	1	-	-	-	1	2	16	14	1	-	9	4
La Plata	182	-	-	1	37	10	8	2	7	3	3	4	4	67	52	1	2	34	15
Durango	92	-	-	-	18	5	3	2	3	1	1	3	1	32	25	-	1	18	6
Balance of county	90	-	-	1	19	5	5	-	4	2	2	1	3	35	27	1	1	16	9
Larimer	960	1	-	12	184	48	33	21	23	8	13	38	13	444	347	5	7	232	103
Fort Collins	413	-	-	6	78	18	15	8	8	4	8	17	5	201	148	1	3	104	40
Loveland	279	-	-	3	48	14	8	6	9	1	4	6	3	124	99	1	2	88	28
Balance of county	268	1	-	3	58	16	10	7	6	3	1	15	5	119	100	3	2	60	35
Las Animas	163	-	-	1	26	10	5	1	4	1	-	5	6	77	59	-	-	47	12
Lincoln	51	-	-	-	6	1	2	1	1	-	-	1	1	35	34	-	-	20	14
Logan	163	-	-	1	35	10	4	-	9	1	1	10	8	75	52	1	-	41	10
Sterling	130	-	-	1	28	9	3	-	7	1	-	8	6	62	42	1	-	31	10
Balance of county	33	-	-	-	7	1	1	-	2	-	1	2	2	13	10	-	-	10	-
Mesa	682	2	-	12	150	48	33	14	17	10	3	25	9	275	220	2	6	153	59
Grand Junction	342	-	-	8	80	23	20	8	10	5	1	13	3	137	108	1	2	77	28
Balance of county	340	2	-	4	70	25	13	6	7	5	2	12	6	138	112	1	4	76	31
Mineral	4	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	1	-
Moffat	63	-	-	-	11	1	5	-	2	1	1	1	1	20	16	1	-	10	5
Montezuma	108	-	-	-	16	7	1	1	3	-	-	4	2	41	34	-	1	25	8
Montrose	239	-	-	5	42	15	13	2	4	1	-	7	3	107	86	4	-	53	29
Morgan	217	-	-	1	42	9	13	4	9	1	1	5	9	97	63	3	-	45	15
Otero	255	-	-	4	49	11	12	4	2	5	6	9	7	101	86	-	3	62	21
Ouray	10	-	-	-	2	1	-	-	-	-	-	1	-	3	1	-	-	1	-
Park	32	-	-	1	6	3	-	1	1	-	-	1	-	14	12	-	-	11	1
Phillips	60	-	-	-	9	2	2	-	3	-	1	1	2	33	26	-	-	16	10
Pitkin	27	-	-	1	8	1	-	2	1	-	1	3	-	3	2	-	-	2	-
Prowers	120	-	-	-	25	8	8	1	7	1	-	-	2	50	37	1	1	31	4
Pueblo	1,126	1	1	14	217	60	64	16	17	12	9	39	20	500	373	13	6	252	102
Pueblo	997	1	1	12	192	58	51	16	16	10	9	32	17	444	328	10	5	225	88
Balance of county	129	-	-	2	25	2	13	-	1	2	-	7	3	56	45	3	1	27	14
Rio Blanco	37	-	-	-	12	2	4	-	2	2	-	2	-	10	9	-	-	7	2
Rio Grande	114	-	-	2	11	1	3	2	1	-	-	4	3	59	35	-	-	29	6
Routt	62	-	-	1	12	3	1	1	1	-	1	5	1	27	19	1	1	6	11
Saguache	34	-	-	-	4	1	1	-	-	-	-	2	-	15	11	1	-	8	2
San Juan	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
San Miguel	5	-	-	-	2	1	-	-	1	-	-	-	-	1	1	-	-	1	-
Sedgwick	39	-	-	-	8	2	4	-	-	-	1	1	2	12	11	-	-	8	3
Summit	25	-	-	-	1	-	1	-	-	-	-	-	-	5	5	-	-	3	2
Teller	63	-	-	1	18	5	8	-	1	1	-	3	1	14	10	-	-	6	4
Washington	61	-	-	1	9	3	2	-	2	-	-	2	-	32	25	-	-	18	7
Weld	831	1	-	10	151	40	36	14	11	9	3	38	18	355	266	2	3	193	68
Brighton, part	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greeley	427	1	-	7	72	20	13	8	7	5	2	17	10	185	136	2	2	98	34
Balance of county	401	-	-	3	78	19	23	6	4	4	1	21	8	170	130	-	1	95	34
Yuma	96	-	-	-	18	3	4	2	4	1	2	3	3	46	33	-	2	28	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	-	3	2	3	1	9	-	4	1	-	1	-	1	11	4	7	3	-	-
Cheyenne	-	2	-	1	-	3	-	-	-	-	-	-	-	2	-	2	-	-	-
Clear Creek	-	2	2	-	1	3	-	1	-	-	-	-	1	4	4	2	2	-	-
Conejos	-	2	-	-	4	4	-	-	-	-	1	-	-	2	4	2	2	-	-
Costilla	-	2	1	-	-	1	-	1	1	-	-	-	-	3	1	1	-	-	-
Crowley	-	2	-	-	4	1	-	-	-	-	-	-	-	5	2	-	1	-	-
Custer	-	1	-	-	-	2	-	1	-	-	-	-	1	3	-	2	1	-	-
Delta	-	13	5	3	21	6	1	-	1	-	2	-	2	23	7	5	2	1	1
Denver, coext. with Denver city	25	247	90	51	186	268	13	80	62	2	33	45	45	462	84	130	105	69	12
Dolores	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-
Douglas	1	7	3	2	3	10	-	1	1	-	-	4	4	8	11	7	10	4	-
Littleton, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	1	6	3	2	3	10	-	1	1	-	-	4	4	8	11	7	9	4	-
Eagle	-	1	-	-	-	1	-	2	-	-	1	-	1	3	3	6	2	-	1
Elbert	-	1	1	-	2	3	1	3	1	-	-	-	-	10	1	2	-	1	-
El Paso	7	146	29	18	79	89	5	30	13	-	18	24	19	189	67	46	52	20	4
Colorado Springs	7	133	25	15	70	77	4	23	11	-	16	19	15	169	45	38	41	18	4
Balance of county	-	15	4	3	9	12	1	7	2	-	2	5	4	20	22	8	11	2	-
Fremont	3	23	21	4	17	27	-	-	3	-	1	1	2	38	11	13	8	4	-
Canon City	1	12	11	2	9	17	-	-	1	-	1	-	1	27	8	9	4	2	-
Balance of county	2	11	10	2	8	10	-	-	2	-	-	1	1	11	3	4	4	2	-
Garfield	1	6	3	-	3	12	1	1	1	-	2	3	-	16	10	19	4	1	-
Gilpin	-	-	-	1	1	2	-	-	-	-	-	-	-	2	2	1	2	-	-
Grand	-	3	-	-	-	-	-	-	-	-	-	-	-	6	7	1	1	-	-
Gunnison	-	5	1	1	2	2	-	-	1	-	-	-	-	7	4	1	1	-	-
Hinsdale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Huerfano	1	10	-	-	4	6	1	1	-	-	-	1	-	7	1	2	1	-	-
Jackson	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Jefferson	7	121	58	22	90	122	8	23	17	-	20	19	20	212	56	73	94	7	3
Arvada, part	1	22	6	7	16	25	2	5	-	-	2	6	6	37	17	12	16	2	-
Arvada, total	1	23	6	7	17	25	2	5	-	-	2	6	6	38	17	12	16	2	-
Broomfield, part	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-
Golden	-	8	2	1	9	19	-	3	1	-	3	1	2	21	6	6	8	-	-
Lakewood	5	46	29	6	41	49	2	10	9	-	4	7	6	76	13	25	35	3	-
Westminster, part	-	-	-	-	2	-	-	-	-	-	1	1	1	1	-	-	3	-	1
Wheat Ridge	1	26	12	4	15	13	3	2	3	-	3	1	3	47	4	8	8	2	-
Balance of county	-	18	9	4	7	16	1	3	3	-	7	3	2	30	16	21	22	-	2
Kiowa	-	1	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-
Kit Carson	-	10	3	2	2	4	-	1	1	-	-	-	-	8	2	-	1	-	-
Lake	-	2	-	-	-	1	-	-	-	-	-	-	-	6	1	2	-	-	-
La Plata	1	9	2	3	13	6	-	3	1	-	1	7	2	17	6	7	6	4	-
Durango	1	5	-	1	9	3	-	-	-	-	1	4	1	10	2	4	5	2	-
Balance of county	-	4	2	2	4	3	-	3	1	-	-	3	1	7	4	3	1	2	-
Larimer	4	71	11	11	33	58	3	7	4	-	6	6	1	96	27	25	28	11	1
Fort Collins	1	38	6	8	16	20	-	2	-	-	4	2	-	39	8	12	14	6	-
Loveland	3	18	2	2	11	23	1	1	3	-	2	3	-	32	8	6	8	3	-
Balance of county	-	15	3	1	6	15	2	4	1	-	-	1	1	25	11	7	6	2	1
Las Animas	-	15	1	2	11	9	2	6	2	-	1	-	1	11	4	5	1	-	-
Lincoln	-	1	-	-	2	2	-	1	1	-	-	-	-	-	2	-	1	-	-
Logan	2	14	2	5	7	7	1	1	2	-	-	2	-	11	5	6	2	-	-
Sterling	2	11	2	5	2	6	1	1	1	-	-	2	-	11	2	5	2	-	-
Balance of county	-	3	-	-	5	1	-	-	1	-	-	-	-	-	3	1	-	-	-
Mesa	-	35	8	12	36	36	1	6	9	-	4	5	7	64	15	28	19	4	-
Grand Junction	-	18	6	5	19	19	-	4	6	-	2	1	4	28	9	11	10	1	-
Balance of county	-	17	2	7	17	17	1	2	3	-	2	4	3	36	6	17	9	3	-
Mineral	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Moffat	-	2	1	1	3	4	1	1	2	-	1	1	2	7	4	1	2	2	-
Montezuma	-	6	-	1	7	8	2	-	1	-	2	1	1	11	8	7	2	1	-
Montrose	-	15	3	3	15	16	-	2	-	-	-	-	7	27	2	10	3	-	-
Morgan	-	23	5	6	13	4	-	4	3	-	1	2	2	18	10	7	3	1	-
Otero	-	12	-	3	12	19	3	3	1	-	2	1	-	36	8	4	4	1	-
Ouray	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	3	-	-	-
Park	-	2	-	-	3	-	-	-	-	-	-	-	-	2	5	-	1	-	-
Phillips	-	5	-	2	3	4	-	-	3	-	-	-	-	5	1	-	-	-	-
Pitkin	-	1	-	-	-	-	-	-	-	-	1	1	1	2	1	5	3	1	-
Prowers	-	6	7	-	3	7	1	-	2	-	1	1	1	18	1	5	3	-	-
Pueblo	10	91	11	15	33	68	5	22	14	1	11	10	22	101	34	20	20	7	5
Pueblo	9	84	10	13	26	64	5	20	12	1	9	10	19	92	26	18	18	5	5
Balance of county	1	7	1	2	7	4	-	2	2	-	2	-	3	9	8	2	2	2	-
Rio Blanco	-	-	-	1	3	2	-	1	-	-	-	-	1	4	3	1	-	-	-
Rio Grande	2	19	1	2	6	9	1	2	1	-	1	-	-	9	3	5	1	1	-
Routt	1	4	2	1	3	2	1	-	-	-	1	-	-	5	4	3	2	-	-
Saguache	-	2	1	1	1	5	-	-	-	-	-	-	-	2	5	1	-	-	1
San Juan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
San Miguel	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Sedgwick	-	1	-	-	-	3	-	1	2	-	1	-	-	7	1	2	-	-	-
Summit	-	-	-	-	1	-	-	1	-	-	1	-	2	4	2	4	4	-	-
Teller	-	3	1	-	5	2	-	1	-	-	-	-	-	6	7	4	3	1	-
Washington	-	5	1	1	3	1	2	-	2	-	-	1	1	6	-	2	1	-	-
Weld	3	70	10	6	42	48	1	14	6	-	10	11	9	60	40	30	19	8	-
Brighton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Greeley	1	37	9	2	32	27	1	6	4	-	5	6	5	31	16	5	11	3	-
Balance of county	2	33	1	4	10	21	-	8	2	-	5	5	4	29	24	23	8	3	-
Yuma	-	4	7	2	6	3	2	-	-	-	-	-	-	14	-	2	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut	28,170	10	-	384	6,829	1,829	1,721	664	717	307	219	1,372	485	13,331	10,739	101	282	7,458	2,898
Urban places	20,418	9	-	306	4,978	1,332	1,282	477	532	222	155	978	368	9,636	7,807	68	211	5,432	2,096
Balance of area	7,752	1	-	78	1,851	497	439	187	185	85	64	394	117	3,695	2,932	33	71	2,026	802
Metropolitan counties	25,795	10	-	359	6,305	1,676	1,594	620	663	283	204	1,265	444	12,148	9,775	93	260	6,771	2,651
Urban places	20,039	9	-	303	4,892	1,310	1,262	457	522	218	151	962	359	9,446	7,643	65	211	5,314	2,053
Balance of area	5,756	1	-	56	1,413	366	332	153	141	65	53	303	85	2,702	2,132	28	49	1,457	598
Nonmetropolitan counties	2,375	-	-	25	524	153	127	44	54	24	15	107	41	1,183	964	8	22	687	247
Urban places	379	-	-	3	86	22	20	10	10	4	4	16	9	190	164	3	-	118	43
Balance of area	1,996	-	-	22	438	131	107	34	44	20	11	91	32	993	800	5	22	569	204
Fairfield	7,148	2	-	95	1,751	450	447	175	182	77	57	363	140	3,356	2,721	29	60	1,951	661
Bridgeport	1,631	2	-	26	345	101	83	31	36	9	9	76	40	784	632	5	19	497	111
Danbury	486	-	-	4	115	30	32	11	10	5	5	22	10	225	182	2	6	128	48
Darien town#	148	-	-	1	36	7	9	5	7	1	1	6	3	70	59	-	-	31	28
Fairfield town#	570	-	-	4	169	47	40	17	9	8	4	38	12	261	214	-	4	165	45
Greenwich town#	488	-	-	11	118	37	25	11	16	4	4	21	7	231	177	1	3	127	46
Norwalk	651	-	-	14	145	27	43	20	12	8	4	31	16	311	262	1	5	189	67
Shelton	299	-	-	4	69	16	20	6	11	4	2	10	3	157	127	1	-	98	28
Stamford	911	-	-	11	226	48	69	18	19	13	4	55	16	433	347	3	6	217	121
Stratford town#	552	-	-	4	149	42	39	10	13	9	6	30	14	247	208	1	5	153	49
Trumbull town#	261	-	-	1	73	14	24	9	13	2	-	11	4	126	102	2	1	79	20
Westport town#	187	-	-	2	58	16	12	9	5	2	2	12	4	77	59	5	1	33	20
Balance of county	964	-	-	13	254	65	51	28	31	12	16	51	11	434	352	8	10	234	100
Hartford	7,220	3	-	104	1,779	462	436	174	187	78	52	390	107	3,370	2,742	28	74	1,941	699
Bristol	444	-	-	6	105	32	27	8	5	7	2	24	3	193	154	3	1	121	29
East Hartford town#	514	-	-	8	132	33	38	14	13	5	1	28	11	216	176	3	1	129	43
Enfield town#	333	-	-	4	87	27	19	7	11	4	3	16	8	137	114	-	2	82	30
Hartford	1,308	-	-	29	286	70	75	25	35	5	12	64	26	601	494	2	16	351	125
Manchester town#	454	-	-	7	116	25	26	13	11	10	7	24	12	217	161	-	4	124	33
New Britain	817	-	-	5	185	45	50	13	20	15	3	39	17	422	358	2	16	231	109
Newington town#	236	-	-	6	68	21	15	8	7	1	3	13	1	109	92	3	1	66	22
Plainville town#	139	-	-	2	40	12	15	2	4	2	1	4	3	57	50	2	-	40	8
Rocky Hill town#	108	-	-	2	32	5	9	2	6	1	1	8	-	43	31	-	-	20	11
Southington town#	273	1	-	5	81	22	26	8	8	3	1	13	4	113	93	1	3	61	28
West Hartford town#	703	1	-	8	177	57	31	17	18	8	6	40	3	361	287	1	10	212	64
Wethersfield town#	300	-	-	8	78	24	22	8	11	-	1	14	1	141	121	-	4	82	35
Windsor town#	210	-	-	2	43	11	7	5	3	4	2	11	3	109	86	1	3	65	17
Windsor Locks town#	92	-	-	1	28	12	5	-	1	3	1	6	2	38	34	2	1	25	6
Balance of county	1,289	1	-	11	321	66	71	46	34	10	8	86	13	613	491	8	12	332	139
Litchfield	1,528	-	-	10	359	101	88	34	30	19	8	79	26	772	632	5	14	431	182
Torrington	378	-	-	3	86	22	20	10	10	4	4	16	9	189	163	3	-	117	43
Balance of county	1,150	-	-	7	273	79	68	24	20	15	4	63	17	583	469	2	14	314	139
Middlesex	1,141	-	-	8	290	68	88	26	30	19	10	49	10	538	428	4	16	304	104
Middletown	364	-	-	6	84	20	23	12	11	1	5	12	2	171	134	-	8	95	31
Balance of county	777	-	-	2	206	48	65	14	19	18	5	37	8	367	294	4	8	209	73
New Haven	7,561	3	-	127	1,841	521	460	180	193	89	62	336	123	3,614	2,906	28	92	1,831	955
Ansonia	197	-	-	5	52	13	11	5	7	2	3	11	3	86	74	-	-	57	17
Branford town#	222	-	-	6	67	15	13	8	9	4	3	15	1	102	78	-	6	36	34
Derby	125	1	-	1	34	9	8	2	9	1	-	5	2	62	53	-	-	42	11
East Haven town#	227	-	-	2	50	14	11	4	6	2	2	11	5	116	99	1	3	55	40
Hamden town#	607	-	-	14	170	52	41	13	21	7	4	32	13	280	211	5	7	131	68
Meriden	588	1	-	6	152	39	33	19	16	6	3	36	10	272	215	4	6	142	63
Milford	430	-	-	5	125	30	41	8	13	6	2	25	9	192	155	1	1	105	48
Naugatuck	244	-	-	2	59	27	12	5	1	3	1	10	8	119	94	-	4	64	26
New Haven	1,307	1	-	30	274	74	64	30	31	16	11	48	23	595	474	1	22	289	162
North Haven town#	222	-	-	1	68	19	22	5	5	3	2	12	1	102	83	-	4	45	34
Orange town#	105	-	-	1	27	8	8	3	1	1	2	4	2	53	40	2	1	21	16
Wallingford town#	361	-	-	4	82	25	21	12	5	2	5	12	7	175	136	1	4	102	29
Waterbury	1,200	-	-	23	277	84	68	25	37	15	8	40	15	614	503	4	15	316	168
West Haven	553	-	-	9	132	31	40	13	11	7	5	25	10	272	238	3	8	155	72
Balance of county	1,173	-	-	18	272	81	67	28	21	14	11	50	14	574	453	6	11	269	167
New London	1,985	2	-	20	452	124	124	48	51	11	15	79	46	935	715	4	15	543	153
Groton	257	-	-	3	57	14	19	6	4	1	2	11	2	125	99	1	4	73	21
New London	280	2	-	7	71	21	19	10	9	1	1	10	6	115	91	-	-	68	23
Norwich	420	-	-	2	96	20	37	6	13	3	3	14	12	213	167	1	5	129	32
Balance of county	1,028	-	-	8	228	69	49	26	25	6	9	44	26	482	358	2	6	273	77
Tolland	740	-	-	5	192	51	39	17	20	9	8	48	18	335	263	-	3	201	59
Vernon town#	215	-	-	1	60	14	10	6	9	4	4	13	5	103	79	-	1	61	17
Balance of county	525	-	-	4	132	37	29	11	11	5	4	35	13	232	184	-	2	140	42
Windham	847	-	-	15	165	52	39	10	24	5	7	28	15	411	332	3	8	256	65
Willimantic [4]	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	846	-	-	15	165	52	39	10	24	5	7	28	15	410	331	3	8	255	65
Delaware	5,475	3	-	84	1,303	322	389	111	140	51	48	242	150	2,487	2,080	12	127	1,151	770
Urban places	1,419	1	-	28	314	80	96	21	36	17	11	53	44	644	510	3	50	276	181
Balance of area	4,056	2	-	56	989	242	293	90	104	34	37	189	106	1,843	1,550	9	77	875	589
Metropolitan counties	3,400	2	-	50	816	202	251	77	73	30	28	155	106	1,528	1,253	8	102	646	497
Urban places	1,212	1	-	21	259	68	79	18	29	14	10	41	43	556	438	3	45	229	161
Balance of area	2,188	1	-	29	557	134	172	59	44	16	18	114	63	972	815	5	57	417	336
Nonmetropolitan counties	2,075	1	-	34	487	120	138	34	67	21	20	87	44	959	807	4	25	505	273
Urban places	207	-	-	7	55	12	17	3	7	3	1	12	1	88	72	-	5	47	20
Balance of area	1,868	1	-	27	432	108	121	31	60	18	19	75	43	871	735	4	20	458	253

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	101	1,867	317	307	1,003	856	84	313	295	3	134	253	425	2,355	481	509	284	126	10
Urban places	74	1,332	218	205	714	586	57	238	240	2	99	206	317	1,732	268	362	180	114	6
Balance of area	27	535	99	102	289	270	27	75	55	1	35	47	108	623	213	147	104	12	4
Metropolitan counties	93	1,727	279	274	916	783	75	286	277	3	120	241	396	2,159	420	469	255	120	9
Urban places	73	1,313	215	202	704	578	56	230	236	2	98	203	311	1,701	259	356	177	114	5
Balance of area	20	414	64	72	212	205	19	56	41	1	22	38	85	458	161	113	78	6	4
Nonmetropolitan counties	8	140	38	33	87	73	9	27	18	-	14	12	29	196	61	40	29	6	1
Urban places	1	19	3	3	10	8	1	8	4	-	1	3	6	31	9	6	3	-	1
Balance of area	7	121	35	30	77	65	8	19	14	-	13	9	23	165	52	34	26	6	-
Fairfield	26	470	59	80	250	219	21	82	60	1	28	55	91	604	114	138	85	54	2
Bridgeport	8	111	13	20	52	40	5	24	16	-	8	23	26	145	14	37	17	27	-
Danbury	4	27	5	7	16	21	-	5	4	-	1	1	6	38	13	17	6	4	-
Darien town#	-	10	1	-	6	4	-	3	1	-	-	-	2	12	1	4	3	2	-
Fairfield town#	-	38	5	4	19	16	-	7	1	-	2	9	4	51	7	6	4	4	-
Greenwich town#	1	44	3	6	27	12	3	2	3	-	1	3	8	44	6	7	4	1	-
Norwalk	3	37	5	4	22	20	2	7	5	1	5	3	11	55	9	11	10	4	-
Shelton	1	22	6	1	11	11	2	1	2	-	1	2	1	21	4	6	2	1	1
Stamford	5	67	6	8	28	22	-	10	13	-	2	7	20	80	11	17	8	6	-
Stratford town#	-	30	2	7	20	29	3	10	3	-	4	2	4	43	10	7	5	3	1
Trumbull town#	-	13	5	6	6	12	1	1	2	-	-	1	1	24	2	4	3	-	-
Westport town#	-	11	2	5	8	5	-	3	1	-	-	1	4	13	4	3	3	1	-
Balance of county	4	60	6	12	34	33	5	9	9	-	4	3	4	78	33	19	20	1	-
Hartford	23	448	81	76	266	225	28	84	70	1	40	81	128	601	117	125	61	29	3
Bristol	-	27	8	4	10	19	2	9	6	-	4	2	24	40	15	9	1	2	-
East Hartford town#	-	30	4	6	24	22	6	8	8	-	2	4	6	38	13	9	6	1	-
Enfield town#	1	15	1	6	17	10	1	4	5	-	4	1	6	24	9	5	7	3	1
Hartford	6	73	16	12	44	31	4	20	15	-	12	37	30	112	17	21	9	13	1
Manchester town#	1	36	13	6	18	8	2	3	3	-	4	4	6	39	3	5	5	2	-
New Britain	4	47	4	9	27	20	2	8	11	-	4	11	10	64	5	15	5	6	-
Newington town#	-	13	1	3	6	7	1	3	1	-	-	3	4	18	2	5	2	-	-
Plainville town#	1	4	-	2	2	3	-	1	-	-	2	3	1	16	5	2	1	1	-
Rocky Hill town#	1	9	1	1	11	6	-	1	-	-	-	1	-	8	2	2	-	-	-
Southington town#	-	15	1	4	10	12	1	2	4	-	-	2	3	24	6	4	1	-	-
West Hartford town#	3	54	10	7	27	24	1	7	5	-	3	4	6	55	6	12	2	1	-
Wethersfield town#	-	17	3	-	16	4	1	4	3	-	-	1	2	30	1	6	4	-	-
Windsor town#	1	19	3	-	7	10	2	1	1	-	-	3	5	16	3	4	1	-	-
Windsor Locks town#	-	2	-	2	1	4	-	-	1	-	-	-	1	12	2	1	1	-	-
Balance of county	5	87	16	14	46	51	5	13	7	1	5	5	22	105	28	25	16	-	1
Litchfield	5	92	20	23	42	46	5	17	10	-	6	7	18	130	33	27	16	3	1
Torrington	1	19	3	3	10	8	1	8	4	-	1	3	6	31	9	6	3	-	1
Balance of county	4	73	17	20	32	38	4	9	6	-	5	4	12	99	24	21	13	3	-
Middlesex	-	89	10	11	39	30	3	9	16	-	6	6	29	97	25	24	9	2	-
Middletown	-	32	2	3	13	4	1	4	9	-	4	2	8	34	8	10	3	1	-
Balance of county	-	57	8	8	26	26	2	5	7	-	2	4	21	63	17	14	6	1	-
New Haven	27	510	96	75	255	207	17	83	102	1	32	61	119	654	102	136	55	29	-
Ansonia	-	9	2	1	13	8	-	2	1	-	-	-	2	14	1	9	1	-	-
Branford town#	1	19	-	4	5	4	-	1	2	-	1	1	2	19	2	7	2	-	-
Derby	1	4	3	1	2	4	1	1	-	-	-	1	3	7	2	3	1	-	-
East Haven town#	1	13	1	2	7	5	1	2	8	-	-	1	3	21	1	1	3	1	-
Hamden town#	-	53	11	5	17	11	-	5	12	-	2	2	7	63	1	4	3	3	-
Meriden	-	40	8	9	23	21	2	9	8	-	3	1	7	49	6	11	5	2	-
Milford	3	30	1	3	12	13	3	7	6	-	1	3	4	36	8	5	1	-	-
Naugatuck	-	22	2	1	4	9	-	3	1	-	1	1	5	24	1	5	1	1	-
New Haven	10	81	23	7	59	33	1	13	21	1	10	22	28	136	11	29	8	12	-
North Haven town#	-	13	4	2	5	5	2	1	6	-	-	1	2	19	2	4	3	-	-
Orange town#	-	10	1	2	6	5	-	-	1	-	-	-	2	3	1	2	1	1	-
Wallingford town#	1	32	4	2	12	13	1	5	4	-	1	1	4	34	7	7	4	-	-
Waterbury	4	74	17	16	32	30	2	12	19	-	9	12	18	86	16	12	14	9	-
West Haven	-	26	6	2	12	14	1	7	7	-	2	7	11	51	5	10	3	-	-
Balance of county	6	84	13	18	46	32	3	15	6	-	2	8	21	92	38	27	5	-	-
New London	13	159	27	21	76	76	5	23	19	-	10	24	24	156	41	38	32	4	2
Groton	1	21	1	3	13	9	1	2	3	-	2	9	2	18	3	5	3	-	-
New London	2	16	2	2	13	10	1	3	3	-	1	2	7	24	3	6	3	2	1
Norwich	7	29	8	2	15	14	-	7	6	-	1	5	4	28	6	6	5	-	-
Balance of county	3	91	16	14	35	43	3	11	7	-	6	8	11	88	29	21	21	2	1
Tolland	4	51	6	11	30	26	1	5	10	-	4	14	7	47	21	8	13	2	2
Vernon town#	2	16	1	5	5	6	-	2	5	-	1	4	1	13	5	1	3	-	-
Balance of county	2	35	5	6	25	20	1	3	5	-	3	10	6	34	16	7	10	2	2
Windham	3	48	18	10	45	27	4	10	8	-	8	5	11	66	28	13	13	3	-
Willimantic [4]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	48	18	10	45	27	4	10	8	-	8	5	11	66	28	13	13	3	-
Delaware	17	290	54	66	122	192	27	64	97	1	39	77	38	477	119	99	59	34	3
Urban places	9	88	16	21	29	40	6	21	37	-	13	23	11	137	26	20	12	10	3
Balance of area	8	202	38	45	93	152	21	43	60	1	26	54	27	340	93	79	47	24	-
Metropolitan counties	11	183	39	42	67	109	16	43	78	1	28	51	27	303	68	48	37	20	2
Urban places	7	78	14	19	24	35	6	20	35	-	11	18	10	116	20	19	9	7	2
Balance of area	4	105	25	23	43	74	10	23	43	1	17	33	17	187	48	29	28	13	-
Nonmetropolitan counties	6	107	15	24	55	83	11	21	19	-	11	26	11	174	51	51	22	14	1
Urban places	2	10	2	2	5	5	-	1	2	-	2	5	1	21	6	1	3	3	1
Balance of area	4	97	13	22	50	78	11	20	17	-	9	21	10	153	45	50	19	11	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Delaware—Con.																			
Kent	864	1	-	18	187	45	47	13	24	9	8	41	16	425	356	2	14	218	122
Dover	207	-	-	7	55	12	17	3	7	3	1	12	1	88	72	-	5	47	20
Balance of county	657	1	-	11	132	33	30	10	17	6	7	29	15	337	284	2	9	171	102
New Castle	3,400	2	-	50	816	202	251	77	79	30	28	155	106	1,528	1,253	8	102	646	497
Newark	142	-	-	5	26	8	8	2	3	2	1	2	7	64	52	1	4	25	22
Wilmington	1,070	1	-	16	233	60	71	16	26	12	9	39	36	492	386	2	41	204	139
Balance of county	2,188	1	-	29	557	134	172	59	44	16	18	114	63	972	815	5	57	417	336
Sussex	1,211	-	-	16	300	75	91	21	43	12	12	46	28	534	451	2	11	287	151
District of Columbia	6,981	22	1	206	1,593	440	410	134	188	38	40	343	117	2,720	2,120	17	235	851	1,017
Florida	121,108	123	8	1,168	28,532	7,185	8,559	2,271	3,092	1,229	972	5,224	2,064	58,465	44,402	429	1,393	32,274	10,306
Urban places	63,318	71	4	677	14,346	3,714	4,147	1,151	1,612	619	474	2,629	1,093	29,990	23,465	232	776	16,810	5,647
Balance of area	57,790	52	4	491	14,186	3,471	4,412	1,120	1,480	610	498	2,595	971	28,475	20,937	197	617	15,464	4,659
Metropolitan counties	104,530	103	8	1,028	24,561	6,234	7,283	1,993	2,657	1,070	838	4,486	1,779	48,907	38,479	385	1,240	27,786	9,088
Urban places	61,139	70	4	650	13,823	3,587	3,980	1,122	1,558	599	457	2,520	1,054	28,993	22,680	222	761	16,183	5,514
Balance of area	43,391	33	4	378	10,738	2,647	3,303	871	1,099	471	381	1,966	725	19,914	15,799	163	479	11,583	3,574
Nonmetropolitan counties	16,578	20	-	140	3,971	951	1,276	278	435	159	134	738	285	7,558	5,923	44	153	4,508	1,218
Urban places	2,179	1	-	27	523	127	167	29	54	20	17	109	39	997	785	10	15	627	133
Balance of area	14,399	19	-	113	3,448	824	1,109	249	381	139	117	629	246	6,561	5,138	34	138	3,881	1,085
Alachua	1,083	1	-	12	255	48	73	25	26	12	12	59	34	422	298	3	7	217	71
Gainesville	610	-	-	5	155	31	41	16	15	6	8	38	19	226	161	1	5	115	40
Balance of county	473	1	-	7	100	17	32	9	11	6	4	21	15	196	137	2	2	102	31
Baker	125	-	-	3	20	3	7	-	3	-	-	7	5	62	55	-	1	36	18
Bay	901	-	-	11	223	49	76	22	19	8	7	42	11	357	291	-	6	176	109
Panama City	482	-	-	8	115	22	44	10	9	3	7	20	8	190	153	-	3	85	65
Balance of county	419	-	-	3	108	27	32	12	10	5	-	22	3	167	138	-	3	91	44
Bradford	221	-	-	2	37	3	16	2	5	1	1	9	6	88	64	-	-	55	9
Brevard	3,014	3	-	34	797	192	265	82	87	30	22	119	64	1,362	1,078	16	25	815	223
Cocoa	212	-	-	7	47	13	20	5	3	1	1	4	6	86	70	1	4	53	12
Cocoa Beach	193	-	-	-	50	12	15	7	4	1	2	9	-	52	39	-	3	26	10
Melbourne	541	1	-	3	139	34	48	8	19	6	6	18	12	249	195	1	6	155	33
Palm Bay	211	-	-	1	57	14	17	7	3	-	2	14	7	87	71	2	-	58	13
Rockledge	139	1	-	1	35	7	9	5	4	2	2	6	6	63	49	-	1	38	10
Titusville	423	-	-	9	102	30	33	8	17	3	-	11	7	201	151	3	3	108	37
Balance of county	1,355	1	-	13	367	82	123	42	37	17	9	57	26	624	503	8	8	379	108
Broward	13,333	10	2	107	3,220	841	921	266	319	149	100	624	206	6,480	5,261	66	97	4,110	988
Cooper City	76	-	-	-	23	6	5	2	1	3	3	3	1	27	24	1	-	18	5
Coral Springs	247	-	-	2	69	15	20	10	9	3	-	12	3	113	91	-	1	78	12
Dania	185	1	-	1	40	10	14	4	3	-	-	9	2	106	84	2	3	59	20
Davie	180	-	-	-	47	9	19	5	5	-	-	9	5	78	58	1	-	41	16
Deerfield Beach	683	-	-	7	176	54	52	8	19	6	5	32	12	339	284	4	4	221	55
Fort Lauderdale	2,411	3	-	19	552	125	179	39	60	29	13	107	28	1,161	897	14	20	667	196
Hallandale, part	756	-	-	6	156	48	39	15	17	5	4	28	15	400	333	8	3	271	51
Hallandale, total	757	-	-	6	156	48	39	15	17	5	4	28	15	401	334	8	3	271	52
Hollywood	1,812	1	1	10	433	119	117	34	44	20	12	87	21	905	728	9	13	573	133
Lauderdale Lakes	432	1	-	6	105	34	26	12	12	1	2	18	4	226	181	1	1	150	29
Lauderhill	403	-	-	3	90	19	25	10	8	5	5	18	8	203	170	1	5	129	35
Lighthouse Point	178	-	-	1	49	16	13	2	7	1	3	7	-	89	70	2	-	60	8
Margate	553	1	-	6	132	36	39	11	10	8	4	24	10	287	250	7	6	198	39
Miramar	296	-	1	4	71	13	22	3	4	3	6	20	4	124	106	-	3	79	24
North Lauderdale	108	-	-	1	27	6	11	1	1	-	2	6	1	60	52	-	-	45	7
Oakland Park	167	-	-	1	39	7	18	4	3	1	1	5	-	84	67	1	2	53	11
Pembroke Pines	380	-	-	2	86	26	23	12	10	5	3	17	7	181	151	2	4	122	23
Plantation	435	-	-	1	114	31	29	12	3	5	3	31	4	203	159	2	2	125	30
Pompano Beach	1,194	2	-	12	274	73	72	30	30	17	6	48	24	561	447	5	9	348	85
Sunrise	539	-	-	4	136	32	35	13	19	9	9	19	12	263	233	2	1	191	39
Tamarac	658	-	-	8	192	61	41	12	17	12	8	41	16	308	263	1	4	209	49
Wilton Manors	170	-	-	2	39	6	18	3	2	-	1	9	2	79	63	-	3	46	14
Balance of county	1,470	1	-	11	360	95	104	24	35	16	10	76	27	683	550	3	13	427	107
Calhoun	116	-	-	3	18	3	2	1	4	2	1	5	2	58	43	-	1	29	13
Charlotte	1,231	-	-	4	315	70	98	27	24	17	16	63	24	598	490	5	12	350	123
Citrus	1,160	2	-	6	312	85	106	25	31	12	8	45	22	573	452	6	6	356	84
Clay	616	-	-	3	146	26	55	6	14	4	7	34	11	266	213	1	6	161	45
Collier	1,150	-	-	11	323	71	107	19	35	14	13	64	32	464	369	5	5	284	75
Naples	386	-	-	3	110	28	34	5	12	5	6	20	8	171	131	3	-	110	18
Balance of county	764	-	-	8	213	43	73	14	23	9	7	44	24	293	238	2	5	174	57
Columbia	367	1	-	3	70	9	24	7	9	3	-	18	10	160	114	-	4	83	27
Dade	17,350	25	4	228	3,818	1,109	983	343	440	182	144	717	353	7,977	6,475	77	272	4,677	1,449
Coral Gables	407	-	-	5	102	29	18	13	13	2	5	22	8	162	131	-	8	101	22
Hallandale, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Hialeah	1,296	-	-	14	281	74	76	17	33	19	10	52	32	610	491	8	12	372	99
Homestead	220	-	-	-	59	25	13	6	5	2	1	7	4	85	68	1	5	42	20
Miami	4,907	15	-	75	1,038	294	249	82	138	48	26	201	114	2,101	1,667	10	105	1,155	397
Miami Beach	2,296	1	-	33	428	139	95	37	37	26	13	81	37	1,301	1,091	18	28	843	202
Miami Springs	142	-	-	2	34	10	10	3	2	2	1	6	1	64	46	-	1	31	14
North Miami	742	-	-	10	155	41	45	12	22	8	3	24	12	373	311	4	8	222	77
North Miami Beach	1,107	-	1	14	251	71	59	22	24	13	14	48	17	590	512	8	10	391	103
Opa-locka	126	-	-	2	27	7	11	-	4	-	-	5	5	56	41	-	5	19	17
South Miami	68	-	-	1	16	9	3	2	-	-	-	2	2	30	21	-	1	14	6
Balance of county	6,038	9	3	72	1,527	410	404	149	162	62	71	269	121	2,584	2,095	28	89	1,487	491
De Soto	222	1	-	2	51	11	17	2	2	2	3	14	2	108	92	1	2	78	11
Dixie	79	-	-	2	15	1	7	1	3	1	1	1	5	24	21	-	2	13	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	3	50	9	7	24	26	4	6	7	-	6	17	6	56	27	19	11	7	1
Dover	2	10	2	2	5	5	-	1	2	-	2	5	1	21	6	1	3	3	1
Balance of county	1	40	7	5	19	21	4	5	5	-	4	12	5	35	21	18	8	4	-
New Castle	11	183	39	42	67	109	16	43	78	1	28	51	27	303	68	49	37	20	2
Newark	-	8	2	2	3	3	1	-	4	-	2	2	3	13	5	2	2	-	-
Wilmington	7	70	12	17	21	32	5	20	31	-	9	16	7	103	15	17	7	7	2
Balance of county	4	105	25	23	43	74	10	23	43	1	17	33	17	187	48	29	28	13	-
Sussex	3	57	6	17	31	57	7	15	12	-	5	9	5	118	24	32	11	7	-
District of Columbia	47	441	63	49	231	138	28	160	97	3	43	127	238	812	56	170	39	146	34
Florida	557	8,860	1,236	1,410	2,876	4,605	367	1,703	907	18	601	893	2,194	10,178	2,805	2,305	1,838	1,355	103
Urban places	305	4,838	646	736	1,623	2,325	178	919	512	12	278	507	1,114	5,675	1,184	1,173	929	761	47
Balance of area	252	4,022	590	674	1,253	2,280	189	784	395	6	323	386	1,080	4,603	1,621	1,132	909	594	56
Metropolitan counties	477	7,679	1,049	1,223	2,500	3,947	306	1,454	777	16	522	800	1,860	8,803	2,306	1,964	1,592	1,223	74
Urban places	292	4,674	629	718	1,565	2,247	171	883	493	12	270	492	1,083	5,376	1,143	1,127	900	742	41
Balance of area	185	3,005	420	505	935	1,700	135	571	284	4	252	308	777	3,427	1,163	837	692	481	33
Nonmetropolitan counties	80	1,181	167	187	376	658	61	249	130	2	79	93	334	1,375	499	341	246	132	29
Urban places	13	164	17	18	58	78	7	36	19	-	8	15	31	199	41	46	29	19	6
Balance of area	67	1,017	170	169	318	580	54	213	111	2	71	78	303	1,176	458	295	217	113	23
Alachua	6	90	19	9	19	36	5	19	7	-	12	10	29	111	38	25	25	25	-
Gainesville	3	48	8	6	10	19	2	8	3	-	7	6	22	62	18	21	13	14	-
Balance of county	3	42	11	3	9	17	3	11	4	-	5	4	7	49	18	4	12	11	-
Baker	-	4	3	-	2	6	1	2	2	-	3	1	2	8	4	2	2	-	-
Bay	2	55	5	4	21	26	1	18	10	-	6	9	45	83	26	26	17	10	1
Panama City	1	32	2	2	16	16	-	10	6	-	5	3	20	45	13	12	7	7	1
Balance of county	1	23	3	2	5	10	1	8	4	-	1	6	25	38	13	14	10	3	-
Bradford	1	20	1	2	5	20	-	4	3	-	2	3	5	28	7	1	5	5	-
Brevard	11	187	41	45	63	141	8	43	19	-	23	20	12	219	85	45	48	23	5
Cocoa	-	11	2	3	3	11	2	2	2	-	2	2	2	16	5	7	3	7	2
Cocoa Beach	-	9	4	-	2	8	-	4	2	-	1	-	1	7	1	4	-	1	-
Melbourne	2	36	8	8	14	24	-	8	3	-	4	4	3	45	12	3	12	5	-
Palm Bay	-	10	4	2	3	8	2	3	3	-	4	1	1	17	6	4	4	3	-
Rockledge	2	11	-	1	5	4	-	1	1	-	-	3	2	11	2	1	2	1	-
Titusville	2	35	5	8	9	21	1	4	2	-	2	2	2	36	11	7	6	-	1
Balance of county	5	75	18	23	27	65	3	21	6	-	10	8	1	87	48	19	21	6	2
Broward	62	885	96	176	315	466	38	182	140	2	64	87	78	1,127	243	243	190	133	-
Cooper City	-	3	-	-	3	1	-	2	1	-	-	-	2	5	4	3	3	1	-
Coral Springs	1	15	-	6	2	7	-	3	2	-	4	2	2	14	6	10	6	2	-
Dania	2	16	1	3	3	5	-	5	1	-	1	3	1	5	3	4	3	1	-
Davie	3	14	2	1	2	7	-	4	1	-	2	1	1	13	9	5	4	1	-
Deerfield Beach	5	38	4	8	11	26	2	6	13	-	1	5	3	43	13	12	6	8	-
Fort Lauderdale	9	203	22	30	57	70	6	48	21	-	11	20	24	221	41	50	39	40	-
Hallandale, part	3	42	4	18	20	32	2	12	9	-	1	2	3	69	6	12	9	2	-
Hallandale, total	3	42	4	18	20	32	2	12	9	-	1	2	3	69	6	12	9	2	-
Hollywood	14	115	24	24	46	61	12	24	20	1	6	12	12	141	37	34	25	10	-
Lauderdale Lakes	1	40	-	4	7	13	1	1	6	-	-	3	1	38	8	6	4	2	-
Lauderhill	1	24	2	6	8	15	2	3	7	-	2	4	-	36	4	9	7	2	-
Lighthouse Point	-	16	1	2	6	9	-	1	-	-	-	-	-	22	-	-	1	-	-
Margate	1	26	2	8	14	23	-	7	4	-	1	1	2	45	7	7	4	2	-
Miramar	1	14	1	2	11	8	-	4	3	-	4	3	-	33	10	4	10	2	-
North Lauderdale	1	6	1	-	1	-	-	-	-	-	2	1	-	7	-	4	2	2	-
Oakland Park	-	10	5	2	3	8	-	3	4	-	1	1	1	14	4	3	1	-	-
Pembroke Pines	1	23	3	3	11	12	-	4	3	-	2	6	3	28	9	3	7	6	-
Plantation	4	34	5	1	10	14	1	5	2	-	3	1	-	50	8	8	9	2	-
Pompano Beach	7	90	3	14	34	49	1	14	13	-	6	15	14	98	19	19	20	19	-
Sunrise	3	15	3	9	13	20	2	6	7	-	3	-	1	48	10	10	4	-	-
Tamarac	2	32	1	10	12	24	-	9	10	-	-	-	-	58	10	4	7	-	-
Wilton Manors	1	11	4	-	6	6	-	3	2	-	-	1	3	24	-	1	1	1	-
Balance of county	2	98	8	25	35	56	9	18	11	1	14	6	5	115	35	35	18	30	-
Calhoun	-	12	-	1	2	3	-	-	2	-	-	-	6	6	7	4	3	2	2
Charlotte	5	77	10	16	32	48	6	17	7	-	2	1	33	95	14	15	18	3	1
Citrus	3	98	12	8	13	42	2	17	6	-	4	5	7	80	25	19	19	5	1
Clay	1	41	10	1	23	26	3	6	1	-	5	2	13	40	37	13	14	5	2
Collier	6	69	7	13	21	56	4	21	3	-	7	7	7	83	38	25	28	19	1
Naples	4	33	-	3	11	21	1	6	2	-	1	1	2	29	5	8	6	1	-
Balance of county	2	36	7	10	10	35	3	15	1	-	6	6	5	54	33	17	22	18	1
Columbia	2	28	11	7	3	23	3	4	3	-	2	2	13	36	16	8	6	2	2
Dade	80	1,133	98	191	467	517	53	244	143	9	106	143	195	1,586	346	318	291	423	2
Coral Gables	3	34	8	6	13	20	1	5	2	-	-	1	4	41	4	7	8	4	-
Hallandale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hialeah	8	75	14	22	41	41	3	22	6	2	10	8	8	110	39	15	24	30	-
Homestead	-	9	3	5	3	8	-	2	1	-	1	2	5	19	14	6	7	4	-
Miami	19	329	28	58	142	139	12	101	41	4	31	51	55	517	112	97	92	169	1
Miami Beach	5	160	12	33	68	57	6	21	19	-	2	4	22	196	21	31	26	22	1
Miami Springs	-	15	2	1	5	7	1	3	-	-	1	-	1	17	1	4	-	1	-
North Miami	4	47	3	8	26	30	2	5	5	-	1	4	9	76	8	11	11	4	-
North Miami Beach	2	61	2	13	26	33	2	9	14	1	5	4	6	86	11	12	15	8	-
Opa-locka	-	14	-	1	5	3	-	1	-	-	2	-	5	10	1	3	1	5	-
South Miami	3	6	-	-	1	2	-	-	1	-	-	-	-	8	1	5	1	-	-
Balance of county	36	383	26	44	137	177	26	75	54	2	53	69	80	506	134	127	106	176	-
De Soto	1	13	1	1	5	3	2	1	1	-	2	1	5	27	1	3	4	2	1
Dixie	-	1	2	-	9	5	1	1	1	-	1	-	4	6	3	-	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places; 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Duval	5,374	10	-	81	1,198	268	418	102	132	36	43	199	109	2,238	1,673	12	109	980	572
Jacksonville	5,021	9	-	75	1,113	240	389	97	125	35	40	187	100	2,092	1,560	12	99	922	527
Jacksonville Beach	182	1	-	1	46	16	14	3	4	1	2	6	4	84	64	-	5	29	30
Balance of county	171	-	-	5	39	12	15	2	3	-	1	6	5	62	49	-	5	29	15
Escambia	1,983	5	-	21	457	103	154	28	47	23	16	86	40	879	658	6	23	460	169
Pensacola	716	2	-	12	164	30	46	17	19	8	7	37	10	323	226	1	8	158	59
Balance of county	1,267	3	-	9	293	73	108	11	28	15	9	49	30	556	432	5	15	302	110
Flagler	164	1	-	2	46	11	18	1	5	2	2	7	-	76	65	-	2	56	7
Franklin	88	-	-	-	18	2	12	-	2	1	-	1	2	35	28	-	-	19	9
Gadsden	396	-	-	4	89	28	25	9	6	4	5	14	4	162	150	1	10	89	50
Gilchrist	79	-	-	-	24	7	9	-	4	-	-	4	1	34	25	-	-	18	7
Glades	69	-	-	1	11	4	4	2	-	-	-	1	4	20	13	-	-	11	2
Gulf	115	1	-	1	30	4	15	2	2	-	1	6	-	44	34	-	2	22	10
Hamilton	100	-	-	-	25	2	7	-	8	3	-	4	1	39	32	-	3	22	7
Hardee	185	2	-	1	34	6	14	3	4	3	2	2	6	82	63	-	2	50	11
Hendry	153	-	-	1	28	7	8	1	1	2	-	9	1	62	48	-	-	40	8
Hernando	965	-	-	13	217	49	64	14	30	12	5	43	15	434	327	1	4	248	74
Highlands	816	1	-	6	207	64	60	13	22	6	9	33	15	392	289	4	5	232	48
Hillsborough	6,659	5	1	77	1,540	365	498	117	147	73	61	279	135	2,918	2,263	15	90	1,444	714
Plant City	240	-	1	3	39	9	14	4	3	3	2	4	3	116	88	1	4	47	36
Tampa	3,447	3	-	47	768	197	238	59	78	34	32	130	77	1,534	1,172	7	51	736	378
Temple Terrace	49	-	-	-	15	3	4	2	1	3	-	2	-	23	18	1	-	9	8
Balance of county	2,923	2	-	27	718	156	242	52	65	33	27	143	55	1,245	985	6	35	652	292
Holmes	164	-	-	-	28	7	8	3	1	2	2	5	2	77	65	-	5	49	11
Indian River	910	1	-	6	237	44	81	18	24	7	7	56	6	424	342	3	8	253	78
Vero Beach	339	-	-	4	90	18	26	8	5	2	5	26	-	154	121	3	4	81	33
Balance of county	571	1	-	2	147	26	55	10	19	5	2	30	6	270	221	-	4	172	45
Jackson	427	1	-	3	74	20	25	3	11	-	5	10	5	198	149	-	5	107	37
Jefferson	100	-	-	2	19	5	6	1	-	-	2	5	1	47	32	-	2	18	12
Lafayette	28	1	-	-	6	3	2	-	-	-	-	1	1	10	10	-	-	6	4
Lake	1,631	2	-	15	388	101	113	25	53	20	13	63	26	778	566	4	12	416	134
Leesburg	215	-	-	1	47	12	13	-	11	4	-	7	4	103	76	1	4	54	17
Balance of county	1,416	2	-	14	341	89	100	25	42	16	13	56	22	675	490	3	8	362	117
Lee	3,106	-	-	23	805	215	226	52	86	38	32	158	69	1,494	1,187	13	35	857	282
Cape Coral	498	-	-	1	144	30	40	11	22	9	7	25	5	241	194	-	5	133	56
Fort Myers	583	-	-	7	112	35	35	4	10	6	2	20	15	283	221	3	10	158	50
Balance of county	2,025	-	-	15	549	150	151	37	54	23	23	111	49	970	772	10	20	566	176
Leon	918	3	-	11	232	56	64	15	26	7	8	58	14	346	260	1	19	157	83
Tallahassee	651	2	-	8	161	36	41	13	24	4	5	38	12	255	190	1	15	104	70
Balance of county	267	1	-	3	71	20	23	2	2	3	3	18	2	91	70	-	4	53	13
Levy	291	-	-	-	65	22	17	5	7	1	2	11	7	121	92	1	1	71	19
Liberty	49	-	-	-	8	1	4	-	1	-	-	2	1	22	14	-	2	10	2
Madison	164	-	-	1	36	6	6	1	8	2	1	12	4	83	73	-	9	40	24
Manatee	2,616	4	-	21	611	173	171	45	62	32	21	107	43	1,226	962	9	23	676	254
Bradenton	790	1	-	9	158	52	28	16	21	5	6	30	8	413	313	2	6	216	89
Balance of county	1,826	3	-	12	453	121	143	29	41	27	15	77	35	813	649	7	17	460	165
Marion	1,840	-	-	6	480	109	170	36	60	17	13	75	25	874	671	7	17	546	101
Ocala	591	-	-	3	144	28	56	11	16	6	4	22	10	280	195	-	7	156	32
Balance of county	1,249	-	-	3	336	80	114	25	44	11	9	53	15	594	476	7	10	390	69
Martin	1,044	-	-	8	274	70	82	25	37	8	9	43	8	495	364	2	10	266	86
Monroe	633	1	-	6	168	48	52	9	19	5	3	34	8	240	199	1	4	154	40
Key West	245	-	-	5	51	13	13	4	9	3	-	9	5	104	86	1	-	66	19
Balance of county	388	1	-	1	117	33	39	5	10	2	3	25	3	136	113	-	4	88	21
Nassau	273	-	-	3	72	16	30	5	6	2	1	12	6	117	90	3	2	63	22
Okaloosa	773	-	-	5	188	33	65	20	20	5	3	42	15	345	297	3	10	195	89
Fort Walton Beach	194	-	-	3	49	7	13	3	4	3	2	17	2	91	76	-	2	41	33
Balance of county	579	-	-	2	139	26	52	17	16	2	1	25	13	254	221	3	8	154	56
Okeechobee	278	-	-	3	61	11	22	5	4	6	3	10	4	115	90	-	5	72	13
Orange	4,409	4	-	46	1,018	218	336	93	112	51	36	172	73	1,970	1,546	16	42	998	490
Orlando	1,652	3	-	13	359	81	114	30	41	19	13	61	28	742	577	4	19	385	189
Winter Park	449	-	-	4	89	20	25	9	12	3	3	17	5	236	175	3	4	114	54
Balance of county	2,308	1	-	29	570	117	197	54	59	29	20	94	40	992	794	9	19	519	247
Osceola	718	1	-	2	153	32	39	16	20	9	5	32	12	366	309	1	6	222	80
Kissimmee	212	-	-	1	41	7	14	5	7	2	-	6	5	101	85	-	2	58	27
Balance of county	506	1	-	1	112	25	25	11	13	7	5	26	7	265	224	1	4	168	53
Palm Beach	8,858	9	-	88	2,213	579	615	210	244	85	78	402	131	4,364	3,592	36	91	2,558	847
Belle Glade	141	4	-	3	19	4	5	2	2	1	-	5	1	59	52	-	4	22	26
Boca Raton	808	-	-	8	238	61	63	23	26	13	7	45	15	359	278	3	3	205	66
Boynton Beach	707	1	-	6	170	48	45	15	22	8	8	24	8	360	278	3	8	200	67
Delray Beach	770	1	-	6	205	61	58	18	20	10	8	30	11	369	297	2	8	226	61
Lake Worth	671	-	-	-	142	38	30	13	18	6	7	30	13	369	295	2	6	221	66
North Palm Beach	152	-	-	3	54	9	14	7	10	3	1	10	-	64	54	1	-	43	10
Palm Beach Gardens	139	-	-	1	35	8	11	2	4	1	1	8	-	71	61	2	2	39	18
Riviera Beach	294	1	-	5	66	19	22	6	5	4	-	10	6	120	91	2	10	52	27
West Palm Beach	1,166	-	-	12	252	72	76	19	30	3	7	45	17	602	491	4	12	336	139
Balance of county	4,012	2	-	44	1,032	259	291	105	107	36	39	195	60	1,991	1,635	17	38	1,213	387
Pasco	3,660	1	-	20	918	251	280	81	92	51	26	137	48	1,725	1,338	8	34	1,050	246
New Port Richey	363	-	-	4	88	23	21	9	10	7	4	14	4	172	121	1	2	91	27
Balance of county	3,297	1	-	16	830	228	259	72	82	44	22	123	44	1,553	1,217	7	32	959	219

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Duval	31	390	98	46	147	252	21	124	42	4	40	77	75	492	128	130	94	100	12
Jacksonville	31	369	90	42	137	230	20	114	41	3	37	70	72	468	118	126	89	96	11
Jacksonville Beach	-	14	2	4	4	15	1	5	1	-	1	1	1	9	4	1	2	1	-
Balance of county	-	7	6	-	6	7	-	5	-	1	2	6	2	15	6	3	3	3	1
Escambia	9	172	13	27	41	87	7	42	14	-	15	20	12	170	57	59	36	20	1
Pensacola	4	79	4	10	14	31	6	13	4	-	3	5	6	74	12	22	9	5	1
Balance of county	5	93	9	17	27	56	1	29	10	-	12	15	6	96	45	37	27	15	-
Flagler	-	7	-	4	3	4	-	7	1	-	-	-	4	10	3	3	3	-	1
Franklin	1	5	-	1	1	4	1	2	2	-	-	1	4	8	2	6	2	-	-
Gadsden	2	27	2	1	9	10	1	1	4	1	3	4	11	39	15	10	4	5	-
Gilchrist	-	7	2	-	1	5	-	1	-	-	-	-	1	7	3	1	1	-	-
Glades	-	5	2	-	2	7	1	1	2	-	-	-	1	8	8	-	1	2	-
Gulf	-	9	-	1	1	3	1	4	1	-	-	-	7	9	6	4	2	1	-
Hamilton	1	6	-	-	3	6	-	2	-	-	2	3	3	8	2	4	-	1	1
Hardee	-	14	2	3	6	5	-	1	2	-	2	5	2	13	14	8	1	3	-
Hendry	1	10	1	2	2	5	-	3	1	-	1	3	1	16	16	6	3	4	-
Hernando	6	75	15	11	27	45	2	22	11	-	2	2	43	78	28	13	12	2	1
Highlands	5	63	16	9	14	32	5	9	4	-	6	4	9	64	26	21	9	1	1
Hillsborough	35	461	85	74	178	283	14	89	58	1	44	91	92	575	215	114	117	108	4
Plant City	1	14	9	4	4	16	1	4	-	-	2	2	2	25	6	10	2	3	1
Tampa	22	260	51	29	85	133	10	54	38	1	18	44	54	323	81	56	56	65	-
Temple Terrace	-	4	-	1	2	-	-	-	-	-	-	-	-	4	1	2	2	-	-
Balance of county	12	183	25	40	87	134	3	31	20	-	24	45	38	223	127	46	57	40	3
Holmes	-	9	-	3	7	6	-	2	1	-	1	1	10	16	6	2	3	2	-
Indian River	4	55	14	9	18	28	2	15	8	-	6	4	12	77	23	24	10	8	1
Vero Beach	2	24	6	1	7	14	1	6	3	-	1	1	5	30	8	7	5	2	1
Balance of county	2	31	8	8	11	14	1	9	5	-	5	3	7	47	15	17	5	6	-
Jackson	2	36	6	5	12	17	1	9	4	1	2	1	32	36	14	10	5	2	-
Jefferson	2	11	1	1	1	3	1	2	-	-	-	2	2	15	3	2	-	-	-
Lafayette	-	-	-	-	-	1	1	1	1	-	-	-	-	-	3	-	3	-	-
Lake	5	149	41	17	42	60	11	26	17	-	10	8	13	144	32	31	22	5	1
Leesburg	-	25	1	1	4	8	1	1	3	-	2	2	2	28	2	3	4	-	-
Balance of county	5	124	40	16	38	52	10	25	14	-	8	6	11	116	30	28	18	5	1
Lee	13	231	22	41	55	117	11	43	14	-	15	20	25	217	66	47	58	24	3
Cape Coral	1	39	-	7	11	22	1	8	1	-	3	2	5	28	11	7	9	-	1
Fort Myers	2	52	5	3	14	21	2	6	6	-	3	12	7	44	12	10	18	11	-
Balance of county	10	140	17	31	30	74	8	29	7	-	9	6	13	147	43	30	31	13	2
Leon	6	63	8	9	21	29	-	10	6	-	6	15	48	111	27	17	15	5	2
Tallahassee	5	48	6	6	18	19	-	9	4	-	3	10	32	81	12	12	9	3	1
Balance of county	1	15	2	3	3	10	-	1	2	-	3	5	16	30	15	5	6	2	1
Levy	4	23	2	-	4	10	3	5	2	-	2	3	12	29	9	8	9	2	-
Liberty	1	6	-	1	1	6	-	-	-	-	-	-	1	3	6	-	-	1	-
Madison	2	6	1	1	4	6	-	-	4	-	-	1	4	12	3	3	2	1	-
Manatee	7	217	21	19	46	120	12	30	17	-	8	14	135	197	55	32	26	19	-
Bradenton	2	82	11	5	17	31	1	5	3	-	2	5	44	62	15	9	1	6	-
Balance of county	5	135	10	14	29	89	11	25	14	-	6	9	91	135	40	23	25	13	-
Marion	10	168	7	18	25	83	2	22	9	-	8	12	9	159	45	36	29	15	1
Ocala	3	74	2	6	9	25	1	8	3	-	3	6	4	60	14	10	5	6	-
Balance of county	7	94	5	12	16	58	1	14	6	-	5	6	5	99	31	26	24	9	1
Martin	5	98	13	15	18	38	1	12	5	-	4	3	8	100	27	18	16	6	3
Monroe	1	29	5	6	15	23	5	20	3	-	2	5	10	51	27	22	12	10	5
Key West	1	13	3	1	8	7	2	9	1	-	-	1	5	28	5	7	2	2	3
Balance of county	-	16	2	5	7	16	3	11	2	-	2	4	5	23	22	15	10	8	2
Nassau	2	21	2	2	4	12	-	5	5	-	2	1	3	14	9	12	3	5	-
Okaloosa	3	36	3	6	13	28	3	13	4	-	8	7	7	54	27	24	24	6	4
Fort Walton Beach	-	10	2	3	6	9	2	5	1	-	-	2	1	13	1	4	4	-	1
Balance of county	3	26	1	3	7	17	1	8	3	-	8	5	6	41	26	20	20	6	3
Okeechobee	1	19	-	5	11	8	1	5	7	-	1	5	3	25	10	8	-	9	2
Orange	20	317	34	53	131	161	10	77	31	-	33	55	52	357	151	78	84	58	-
Orlando	10	131	6	18	51	75	5	39	13	-	13	27	25	138	41	24	28	28	-
Winter Park	4	43	7	7	18	18	2	6	2	-	1	2	4	42	7	5	7	1	-
Balance of county	6	143	21	28	62	68	3	32	16	-	19	28	23	177	103	49	49	29	-
Osceola	1	36	4	14	13	36	3	7	3	-	3	2	3	50	22	21	12	8	1
Kissimmee	1	12	2	1	5	12	-	2	2	-	2	2	-	12	10	8	4	4	1
Balance of county	-	26	2	13	8	24	3	5	1	-	1	-	3	38	12	13	8	4	-
Palm Beach	32	604	82	114	171	305	14	102	57	-	34	60	64	701	178	199	103	61	4
Belle Glade	-	6	1	-	4	3	-	-	-	-	1	3	3	23	8	4	3	3	-
Boca Raton	3	55	10	13	20	24	1	14	4	-	-	3	9	67	13	20	10	1	-
Boynton Beach	2	61	6	13	19	34	2	8	6	-	-	5	5	47	15	10	7	4	-
Delray Beach	3	55	5	9	13	20	1	8	4	-	1	7	7	73	13	22	5	4	-
Lake Worth	1	56	7	10	15	29	1	6	6	-	3	4	4	46	10	14	8	1	-
North Palm Beach	-	5	2	3	3	5	-	-	2	-	1	-	1	11	-	3	4	1	-
Palm Beach Gardens	-	7	3	-	-	6	1	1	1	-	1	1	3	9	3	4	2	-	-
Riviera Beach	1	21	4	3	4	14	1	3	1	-	1	9	3	30	8	9	5	7	1
West Palm Beach	3	92	5	11	24	27	2	11	5	-	6	12	3	104	17	36	14	21	1
Balance of county	19	246	39	52	69	143	5	51	28	-	20	16	26	291	91	77	45	19	2
Pasco	9	282	73	43	87	160	9	41	25	-	1	15	126	298	69	47	50	18	2
New Port Richey	-	31	15	5	8	14	2	3	3	-	-	1	10	36	4	9	5	-	-
Balance of county	9	231	58	38	79	146	7	38	22	-	1	14	116	262	65	38	45	18	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Pinellas	12,385	8	–	100	2,643	694	770	208	301	111	83	478	158	6,293	4,958	51	131	3,590	1,146
Clearwater	1,703	1	–	20	407	119	117	29	54	13	11	64	25	834	604	4	17	458	125
Dunedin	547	–	–	2	136	36	41	11	13	5	6	24	2	274	203	3	5	163	32
Gulfport	260	–	–	4	42	14	10	3	7	–	1	7	2	151	110	–	5	75	30
Largo	951	–	–	9	195	48	61	14	28	12	8	26	17	471	360	3	10	278	69
Pinellas Park	486	1	–	3	113	29	39	7	8	1	5	24	9	235	178	1	9	124	44
St. Petersburg	4,401	5	–	35	828	240	237	66	91	37	18	139	54	2,321	1,815	18	45	1,274	478
Tarpon Springs	219	–	–	1	58	13	16	1	4	3	3	16	6	104	86	–	3	62	21
Balance of county	3,818	1	–	26	866	197	249	77	96	40	31	176	43	1,903	1,502	22	37	1,096	347
Polk	3,743	4	1	26	868	203	293	55	94	25	28	170	64	1,682	1,263	6	47	983	227
Bartow	160	1	–	–	40	7	14	3	4	2	1	9	1	71	48	–	5	39	4
Haines City	115	–	–	–	22	4	6	2	4	–	2	4	2	58	41	–	2	26	13
Lakeland	743	–	–	4	184	42	58	13	24	6	4	37	14	321	249	3	6	186	54
Winter Haven	360	1	–	4	77	22	20	5	10	–	2	18	6	176	123	–	4	90	29
Balance of county	2,365	2	1	18	545	128	195	32	52	17	19	102	41	1,056	802	3	30	642	127
Putnam	638	1	–	1	140	39	42	7	8	4	6	33	17	290	225	2	8	164	51
Palatka	157	–	–	–	35	10	9	3	2	2	1	8	7	74	58	1	1	44	12
Balance of county	481	1	–	1	105	29	33	4	7	2	5	25	10	216	167	1	7	120	39
St. Johns	727	–	–	7	170	37	50	7	22	7	5	42	16	319	251	3	7	172	69
St. Augustine	223	–	–	1	44	11	8	3	8	–	3	11	12	103	80	1	4	58	17
Balance of county	504	–	–	6	126	26	42	4	14	7	2	31	4	216	171	2	3	114	52
St. Lucie	1,244	1	–	21	288	66	108	23	22	8	7	54	23	577	476	2	7	417	50
Fort Pierce	538	1	–	11	106	22	41	5	10	1	5	22	11	259	202	–	2	178	22
Port St. Lucie	299	–	–	3	84	24	31	4	5	3	–	17	4	132	111	1	4	94	12
Balance of county	407	–	–	7	98	20	36	14	7	4	2	15	8	186	163	1	1	145	16
Santa Rosa	417	–	–	1	84	17	35	12	9	3	1	7	8	209	174	–	9	123	42
Sarasota	3,697	2	–	28	928	246	272	44	118	46	36	166	46	1,727	1,243	14	22	923	284
Sarasota	934	2	–	7	184	56	53	8	28	10	6	33	13	430	289	1	7	200	81
Venice	369	–	–	3	93	20	25	2	17	6	2	21	2	194	145	2	3	115	25
Balance of county	2,994	–	–	18	641	170	194	34	73	30	28	112	31	1,103	809	11	12	608	178
Seminole	1,632	3	–	24	398	104	109	33	29	22	16	85	21	758	591	3	15	435	138
Altamonte Springs	191	–	–	2	43	17	10	6	1	3	2	4	2	98	75	–	1	57	17
Casselberry	149	1	–	2	39	13	15	2	–	–	–	9	1	66	52	–	–	40	12
Longwood	107	–	–	3	28	3	3	5	2	1	2	12	–	41	32	–	3	19	10
Sanford	345	1	–	8	88	20	19	3	3	5	3	15	7	172	132	–	3	91	36
Winter Springs	76	1	–	2	27	6	6	2	3	2	–	8	3	29	23	–	–	19	4
Balance of county	764	–	–	7	193	45	56	15	20	11	9	37	8	352	277	3	8	209	57
Sumter	332	2	–	2	93	24	24	7	14	2	3	19	2	157	127	2	1	97	27
Suwannee	291	1	–	2	67	12	24	7	9	2	1	12	9	124	94	3	2	76	13
Taylor	167	–	–	1	39	12	12	2	6	1	1	5	4	75	55	1	6	40	8
Union	78	–	–	4	17	3	7	1	1	2	–	3	1	30	25	–	–	20	5
Volusia	4,206	4	–	40	981	241	302	69	117	42	32	178	60	2,075	1,597	15	90	1,164	328
Daytona Beach	927	–	–	6	210	47	73	17	28	8	8	29	14	456	345	4	21	233	87
De Land	308	1	–	3	75	24	13	3	15	3	2	15	8	149	126	–	11	93	22
New Smyrna Beach	260	–	–	2	61	15	23	4	6	1	2	10	2	122	93	1	3	68	21
Ormond Beach	473	–	–	5	110	18	38	8	17	5	3	21	7	227	174	4	5	117	48
Port Orange	282	–	–	3	68	10	22	2	11	3	2	18	7	126	96	2	3	73	18
South Daytona	140	–	–	–	41	12	14	3	2	1	2	7	3	61	49	–	2	36	11
Balance of county	1,816	3	–	21	416	115	119	32	38	21	13	78	19	934	714	4	45	544	121
Wakulla	114	1	–	–	25	6	6	1	5	–	2	5	2	56	45	1	4	38	2
Walton	255	–	–	1	59	14	18	7	6	3	1	10	2	141	128	–	4	112	12
Washington	178	–	–	2	34	10	10	–	5	1	1	7	2	93	78	–	2	65	11
Georgia	48,657	80	3	695	10,040	2,184	2,990	825	1,175	358	380	2,128	849	21,961	16,558	65	674	10,563	5,256
Urban places	18,334	36	2	328	3,712	848	1,071	293	444	139	117	800	357	8,065	6,015	22	385	3,564	2,044
Balance of area	30,323	44	1	367	6,328	1,336	1,919	532	731	219	263	1,328	492	13,896	10,543	43	289	6,999	3,212
Metropolitan counties	26,626	42	2	442	5,655	1,236	1,685	491	611	197	204	1,229	461	11,374	8,591	40	444	5,365	2,742
Urban places	13,798	32	2	264	2,812	637	816	220	330	101	83	625	271	5,846	4,360	16	323	2,541	1,480
Balance of area	12,828	10	–	178	2,843	601	869	271	281	96	121	604	190	5,528	4,231	24	121	2,824	1,262
Nonmetropolitan counties	22,031	38	1	253	4,385	946	1,305	334	564	161	176	899	388	10,587	7,967	25	230	5,198	2,514
Urban places	4,536	4	–	64	900	211	255	73	114	38	34	175	86	2,219	1,655	6	62	1,023	564
Balance of area	17,495	34	1	189	3,485	735	1,050	261	450	123	142	724	302	8,368	6,312	19	168	4,175	1,950
Appling	143	–	–	1	30	7	7	2	3	2	5	4	3	67	47	–	3	36	8
Atkinson	60	–	–	2	11	1	6	1	–	–	–	3	3	22	18	–	–	14	4
Bacon	86	1	–	2	20	4	8	1	4	–	1	2	4	40	31	–	–	28	3
Baker	37	–	–	2	3	1	1	–	–	–	–	1	3	19	14	–	–	9	5
Baldwin	284	1	–	5	69	14	20	7	11	6	2	9	6	128	108	–	5	83	20
Milledgeville	146	–	–	2	28	5	10	4	2	2	–	5	3	70	59	–	4	41	14
Balance of county	148	1	–	3	41	9	10	3	9	4	2	4	3	58	49	–	1	42	6
Banks	61	–	–	1	9	3	2	1	2	–	–	1	4	32	25	1	1	14	9
Barrow	245	–	–	3	45	8	13	2	6	1	4	11	5	115	88	–	1	46	41
Bartow	375	2	–	4	89	14	32	8	6	3	1	25	3	159	132	–	3	80	49
Ben Hill	199	1	–	3	48	13	18	2	5	2	1	7	2	85	71	–	–	37	34
Fitzgerald, part	125	1	–	3	28	12	6	1	3	2	1	3	2	53	41	–	–	19	22
Fitzgerald, total	125	1	–	3	28	12	6	1	3	2	1	3	2	53	41	–	–	19	22
Balance of county	74	–	–	–	20	1	12	1	2	–	–	4	–	32	30	–	–	18	12
Berrien	157	–	–	–	28	9	10	1	3	–	–	5	3	82	71	–	3	43	25
Bibb	1,575	1	–	35	321	79	92	22	40	8	6	74	41	720	487	9	22	322	134
Macon, part	1,375	1	–	31	275	69	80	18	35	7	4	62	32	639	432	8	16	282	124
Macon, total	1,378	1	–	32	276	69	80	18	35	7	4	63	32	640	432	8	16	282	124
Balance of county	200	–	–	4	46	10	12	4	5	1	2	12	9	81	55	1	4	40	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Pinellas	56	1,101	137	141	302	490	40	142	71	-	29	43	547	987	143	180	146	52	11
Clearwater	14	175	21	20	28	65	6	10	8	-	-	5	73	151	22	27	17	2	2
Dunedin	3	51	7	10	9	22	-	3	4	-	1	1	21	51	3	4	10	3	1
Gulfport	3	33	3	2	6	11	-	4	1	-	2	-	13	16	4	2	1	1	-
Largo	5	90	9	7	16	42	3	16	9	-	1	2	37	88	18	13	10	4	-
Pinellas Park	-	36	10	11	16	19	1	6	4	-	3	4	21	30	5	7	6	3	-
St. Petersburg	17	395	52	42	133	160	16	57	28	-	14	23	233	300	39	67	61	23	4
Tarpon Springs	1	13	2	2	2	9	2	-	2	-	2	-	4	23	3	3	1	1	-
Balance of county	13	308	33	47	92	162	12	46	15	-	6	8	145	328	49	57	40	15	4
Polk	18	300	61	40	83	130	19	57	29	-	19	44	118	291	109	82	61	50	8
Bartow	1	18	3	1	3	7	1	2	3	-	-	3	1	13	4	2	4	2	2
Haines City	-	13	1	3	2	3	-	2	1	-	1	2	4	9	1	4	-	4	-
Lakeland	4	58	8	2	22	21	3	16	7	-	2	6	38	62	19	9	8	9	-
Winter Haven	3	37	7	6	7	10	1	2	3	-	-	4	7	37	8	5	9	3	-
Balance of county	10	174	42	28	49	89	14	35	15	-	16	29	68	170	77	62	42	32	4
Putnam	6	41	4	14	22	30	1	9	5	-	3	3	16	45	30	13	7	4	1
Palatka	1	12	1	2	4	3	-	2	1	-	2	1	7	14	4	1	-	2	-
Balance of county	5	29	3	12	18	27	1	7	4	-	1	2	9	31	26	12	7	2	1
St. Johns	2	54	3	9	11	30	1	13	5	-	2	4	17	76	18	22	11	5	-
St. Augustine	-	18	2	3	7	7	-	3	1	-	-	2	10	19	4	7	2	1	-
Balance of county	2	36	1	6	4	23	1	10	4	-	2	2	7	57	14	15	9	4	-
St. Lucie	5	75	7	14	33	45	3	16	10	-	7	11	15	100	30	29	17	15	3
Fort Pierce	3	42	6	6	18	15	2	11	6	-	2	6	8	37	9	15	9	10	2
Port St. Lucie	2	15	-	4	6	10	-	1	3	-	-	3	2	33	8	5	3	2	-
Balance of county	-	18	1	4	9	20	1	4	1	-	5	2	5	30	13	9	5	3	1
Santa Rosa	5	22	5	3	8	15	1	1	1	-	2	2	2	39	16	14	7	6	1
Sarasota	19	366	45	54	95	136	5	43	21	-	15	16	116	334	58	71	39	12	5
Sarasota	7	106	15	13	31	36	-	9	3	-	5	9	45	89	15	26	11	9	-
Venice	-	38	7	4	12	11	-	-	3	-	-	-	12	32	5	1	1	-	-
Balance of county	12	222	23	37	52	89	5	34	15	-	10	7	59	213	38	44	27	3	5
Seminole	14	113	17	23	42	61	3	19	15	-	9	11	9	135	45	39	25	12	3
Altamonte Springs	2	18	2	1	5	9	-	2	2	-	1	1	2	12	4	3	5	-	-
Casselberry	3	7	2	2	3	10	-	-	1	-	-	-	2	19	-	2	2	-	1
Longwood	1	5	-	3	4	4	1	3	1	-	2	1	-	5	6	5	1	1	1
Sanford	1	30	4	5	12	11	1	4	3	-	2	3	3	27	13	4	2	3	1
Winter Springs	-	3	-	3	1	2	-	-	1	-	-	-	-	5	2	1	2	-	-
Balance of county	7	50	9	9	17	25	1	10	7	-	4	6	2	67	20	24	13	8	-
Sumter	2	21	2	5	8	12	2	2	5	-	-	1	2	25	10	3	5	1	-
Suwannee	3	18	2	7	9	14	-	3	1	-	1	3	7	28	8	3	6	5	-
Taylor	-	15	3	2	6	11	-	1	-	-	-	-	2	12	5	4	5	2	-
Union	1	4	-	-	-	6	-	3	1	-	2	-	1	5	5	1	2	-	-
Volusia	22	339	57	60	116	171	22	58	27	-	10	19	21	364	84	67	64	19	4
Daytona Beach	5	78	12	18	17	40	5	16	7	-	-	11	4	88	10	21	12	9	1
De Land	1	18	2	2	20	10	1	2	-	-	-	-	2	24	8	4	1	2	-
New Smyrna Beach	2	20	3	4	5	11	1	6	1	-	-	-	1	34	3	4	6	-	1
Ormond Beach	3	38	3	9	14	17	2	10	4	-	-	-	1	45	11	6	11	1	2
Port Orange	3	20	4	3	8	11	1	2	4	-	-	4	3	27	8	3	5	2	-
South Daytona	-	7	2	3	5	5	-	3	1	-	1	-	-	10	6	2	2	-	-
Balance of county	8	158	31	23	47	77	12	19	10	-	9	4	10	136	40	27	27	5	-
Wakulla	1	9	-	1	1	5	-	2	1	-	-	-	5	6	7	1	1	1	-
Walton	1	10	1	1	2	5	-	-	1	-	2	1	1	20	12	6	2	-	-
Washington	1	12	1	1	4	3	-	-	1	-	-	-	17	11	4	5	-	1	1
Georgia	251	4,249	447	456	1,559	1,680	153	601	569	15	321	641	506	4,620	1,440	1,401	734	710	79
Urban places	125	1,580	168	177	592	600	58	281	237	10	113	259	236	1,921	381	520	219	385	22
Balance of area	126	2,669	279	279	967	1,080	95	320	332	5	208	382	270	2,699	1,059	881	515	325	57
Metropolitan counties	159	2,121	249	254	849	927	89	379	313	9	183	379	285	2,728	777	781	440	464	47
Urban places	110	1,112	130	134	452	448	49	222	189	8	85	212	191	1,532	290	397	164	315	17
Balance of area	49	1,009	119	120	397	479	40	157	124	1	98	167	94	1,196	487	384	276	149	30
Nonmetropolitan counties	92	2,128	198	202	710	753	64	222	256	6	138	262	221	1,892	663	620	294	246	32
Urban places	15	468	38	43	140	152	9	59	48	2	28	47	45	369	91	123	55	70	5
Balance of area	77	1,660	160	159	570	601	55	163	208	4	110	215	176	1,503	572	497	239	176	27
Appling	1	17	-	2	2	5	1	1	2	-	-	2	2	13	5	2	3	4	-
Atkinson	-	2	1	1	1	1	-	-	2	-	-	2	-	5	4	5	1	1	-
Bacon	-	9	-	-	4	2	-	1	2	-	-	-	1	8	-	1	-	-	-
Baker	-	4	1	-	1	1	-	-	2	-	-	-	-	2	3	1	-	-	-
Baldwin	1	15	2	2	11	6	2	2	5	-	3	1	1	30	5	6	6	5	2
Milledgeville	-	9	1	1	5	3	-	2	3	-	2	-	1	16	2	3	3	3	-
Balance of county	1	6	1	1	6	3	2	-	2	-	1	1	-	14	3	3	3	2	2
Banks	-	4	1	2	3	1	-	-	-	-	-	-	1	4	4	1	-	-	1
Barrow	-	21	2	4	11	10	1	3	2	-	2	1	1	18	11	9	5	3	-
Bartow	1	24	1	-	7	8	2	3	8	-	4	5	1	42	15	11	6	5	2
Ben Hill	-	12	1	1	4	12	1	4	4	-	3	2	-	18	4	3	4	1	-
Fitzgerald, part	-	11	1	-	2	10	-	2	2	-	3	1	-	11	3	2	2	-	-
Fitzgerald, total	-	11	1	-	2	10	-	2	2	-	3	1	-	11	3	2	2	-	-
Balance of county	-	1	-	1	2	2	1	2	2	-	-	1	-	7	1	1	2	1	-
Berrien	-	11	-	-	6	9	1	3	1	-	1	-	1	8	4	6	2	2	-
Bibb	37	139	37	20	57	45	10	20	21	-	7	24	7	157	26	31	26	24	2
Macon, part	33	125	32	17	48	34	10	20	19	-	4	24	5	140	23	25	20	23	2
Macon, total	33	126	32	17	48	34	10	20	19	-	4	24	5	140	23	25	20	23	2
Balance of county	4	14	5	3	9	11	-	-	2	-	3	-	2	17	3	6	6	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bleckley	106	-	-	2	21	7	8	1	1	-	1	3	-	63	50	-	1	41	8
Brantley	95	-	-	-	13	1	2	1	1	-	1	7	2	42	37	-	1	27	9
Brooks	158	1	-	-	26	10	6	4	2	-	1	3	1	80	72	-	1	47	24
Bryan	85	-	-	-	23	4	6	5	1	1	-	6	2	26	14	-	-	10	4
Bulloch	285	-	-	1	47	8	14	6	6	2	-	11	4	154	104	1	2	53	48
Statesboro	151	-	-	1	19	3	7	3	1	-	-	5	3	91	58	1	-	34	23
Balance of county	134	-	-	-	28	5	7	3	5	2	-	6	1	63	46	-	2	19	25
Burke	193	-	-	3	42	9	10	1	11	-	1	10	2	96	64	-	2	38	24
Butts	131	-	-	1	18	6	3	4	1	-	2	2	2	60	50	-	2	23	25
Calhoun	71	-	-	-	19	6	5	2	1	-	1	4	-	35	17	-	-	16	1
Camden	118	-	-	1	28	8	9	3	5	-	2	1	-	48	40	-	2	24	14
Candler	91	-	-	2	14	2	5	3	1	-	1	2	2	46	31	-	3	23	5
Carroll	465	-	-	6	106	27	20	19	9	7	2	22	7	237	166	1	4	125	36
Carrollton	131	-	-	1	26	6	5	7	2	-	1	5	2	68	47	-	1	37	9
Balance of county	354	-	-	5	80	21	15	12	7	7	1	17	5	169	119	1	3	88	27
Catoosa	292	-	-	1	66	10	27	5	6	3	1	14	6	141	112	1	-	85	26
Charlton	68	-	-	1	25	4	9	2	3	1	1	5	2	23	11	-	1	8	2
Chatham	2,003	2	-	32	445	106	144	31	55	15	11	83	40	872	661	1	23	437	200
Savannah	1,635	1	-	27	354	90	109	24	45	11	6	69	33	716	546	1	23	357	165
Balance of county	368	1	-	5	91	16	35	7	10	4	5	14	7	156	115	-	-	80	35
Chattahoochee	41	-	-	-	8	3	4	-	-	-	1	-	-	11	10	-	-	2	8
Chattooga	238	-	-	3	51	13	12	3	10	-	3	10	2	121	88	-	-	66	22
Cherokee	410	-	-	5	72	11	28	9	7	4	-	13	3	186	139	3	1	104	31
Clarke	507	-	-	4	102	23	38	12	9	2	1	17	8	243	178	-	5	90	81
Athens	344	-	-	1	70	16	28	8	6	-	1	11	6	164	111	-	4	56	51
Balance of county	163	-	-	3	32	7	10	4	3	2	-	6	2	79	65	-	1	34	30
Clay	45	-	-	2	9	1	4	-	1	1	-	2	1	24	9	-	-	6	3
Clayton	879	1	-	13	188	40	62	17	12	3	7	47	11	389	320	-	10	258	52
College Park, part	26	-	-	-	5	1	2	-	-	-	-	2	-	11	7	-	1	6	-
Forest Park	172	1	-	5	41	6	18	1	2	-	1	13	3	81	66	-	1	55	10
Balance of county	681	-	-	8	142	33	42	16	10	3	6	32	8	297	247	-	8	197	42
Clinch	64	-	-	-	14	2	5	1	5	-	-	1	2	22	18	-	1	12	5
Cobb	1,956	2	-	22	455	95	146	47	48	13	21	85	32	834	649	6	15	417	211
Marietta	388	-	-	2	96	14	34	7	13	2	6	20	4	154	123	1	4	75	43
Smyrna	218	1	-	-	50	14	16	1	5	2	1	11	3	108	78	2	1	46	29
Balance of county	1,350	1	-	20	309	67	96	39	30	9	14	54	25	572	448	3	10	296	139
Coffee	268	1	-	5	53	13	16	5	13	2	1	3	8	111	77	-	1	59	17
Douglas	128	-	-	3	23	6	9	2	6	-	-	-	5	48	31	-	-	19	12
Balance of county	142	1	-	2	30	7	7	3	7	2	1	3	3	63	46	-	1	40	5
Colquitt	372	1	-	5	76	18	22	3	11	1	5	16	11	154	113	-	7	69	37
Moultrie	179	-	-	2	44	11	10	1	7	-	4	11	7	65	43	-	5	25	13
Balance of county	193	1	-	3	32	7	12	2	4	1	1	5	4	89	70	-	2	44	24
Columbia	270	-	-	3	55	9	19	5	5	3	5	9	2	114	84	-	6	57	21
Cook	149	-	-	1	24	9	9	1	2	-	-	3	3	77	63	-	1	27	35
Coweta	365	2	-	4	70	14	25	10	4	2	-	15	4	184	144	-	1	110	33
Newnan	146	1	-	2	24	4	9	4	3	1	-	3	1	88	67	-	-	49	18
Balance of county	239	1	-	2	46	10	16	6	1	1	-	12	3	106	77	-	1	61	15
Crawford	86	-	-	1	22	6	4	1	2	1	2	6	1	45	35	-	3	20	12
Crisp	244	1	-	2	54	18	20	2	1	2	1	10	2	111	76	1	-	57	18
Cordele	148	-	-	2	32	14	8	1	-	2	1	6	1	71	49	1	-	37	11
Balance of county	96	1	-	-	22	4	12	1	1	-	-	4	1	40	27	-	-	20	7
Dade	97	-	-	-	28	3	10	5	2	-	2	6	4	41	33	1	1	21	10
Dawson	62	-	-	3	12	1	2	-	4	-	1	4	-	28	22	1	-	14	7
Decatur	264	-	-	5	73	14	16	9	9	1	5	19	10	92	68	1	1	37	29
Bainbridge	145	-	-	2	35	8	8	5	4	-	2	8	5	62	45	1	1	24	19
Balance of county	119	-	-	3	38	6	8	4	5	1	3	11	5	30	23	-	-	13	10
De Kalb	3,196	1	-	52	692	141	202	62	83	24	29	151	51	1,324	1,016	5	54	545	412
Atlanta, part	538	-	-	18	91	20	28	6	15	3	3	16	8	223	178	-	22	60	98
Decatur	518	-	-	4	90	8	25	10	12	7	5	23	12	209	156	1	11	72	72
Balance of county	2,140	1	-	30	511	113	149	46	56	14	21	112	31	892	682	4	21	413	244
Dodge	190	2	-	4	32	5	12	2	3	2	2	6	7	79	62	-	3	44	15
Dooly	111	-	-	1	21	2	5	5	2	1	1	5	1	56	42	-	-	34	8
Dougherty	802	3	-	7	185	51	46	11	24	3	5	45	15	275	186	1	5	128	52
Albany	726	3	-	7	168	49	41	10	21	3	4	40	15	243	160	-	4	111	45
Balance of county	76	-	-	-	17	2	5	1	3	-	1	5	-	32	26	1	1	17	7
Douglas	377	1	-	6	76	22	25	4	8	3	6	8	2	166	128	1	1	100	26
Early	138	-	-	-	31	7	10	3	6	2	-	3	1	69	48	-	3	43	2
Echols	15	-	-	-	4	2	1	-	1	-	-	-	-	7	6	-	-	5	1
Effingham	150	-	-	2	23	5	10	-	3	2	1	2	1	75	49	-	2	31	16
Elbert	196	-	1	3	33	5	10	2	2	3	2	9	1	109	77	-	3	52	22
Emanuel	239	-	-	2	41	13	12	4	2	2	1	7	4	118	88	2	-	42	44
Evans	96	-	-	-	17	4	9	-	1	-	-	3	1	49	40	-	-	34	6
Fannin	191	1	-	-	37	12	13	2	4	2	1	3	1	94	74	-	-	52	22
Fayette	201	-	-	5	41	7	12	2	8	1	2	9	2	91	68	1	3	47	17
Floyd	793	3	-	17	167	29	47	13	24	5	8	41	16	379	271	-	7	195	69
Rome	429	2	-	10	93	15	27	8	18	4	3	18	8	204	141	-	7	103	31
Balance of county	364	1	-	7	74	14	20	5	6	1	5	23	8	175	130	-	-	92	38
Forsyth	290	-	-	1	45	10	14	4	5	3	1	8	2	119	89	-	1	54	34
Franklin	162	-	-	3	31	8	4	1	4	-	1	13	3	83	64	-	3	36	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	-	11	-	2	2	4	-	-	-	-	-	1	-	5	5	2	-	1	-
Brantley	-	5	-	-	2	7	-	3	1	-	-	2	2	8	5	5	1	2	-
Brooks	1	5	1	1	5	5	1	-	3	-	-	4	1	19	4	2	4	1	1
Bryan	1	8	-	3	-	1	-	1	2	-	1	2	6	3	10	6	-	2	-
Bulloch	6	35	2	7	13	7	1	-	2	-	1	1	4	31	9	4	3	2	1
Statesboro	1	28	1	3	9	4	-	-	1	-	-	1	4	13	4	1	-	-	-
Balance of county	5	7	1	4	4	3	1	-	1	-	1	-	-	18	5	3	3	2	1
Burke	2	17	9	4	2	4	1	2	3	-	-	-	1	16	12	4	2	3	-
Butts	1	8	1	-	4	2	-	4	1	-	-	2	2	20	4	7	2	1	1
Calhoun	1	17	-	-	2	2	-	-	1	-	1	2	-	5	2	2	-	-	-
Camden	2	5	1	-	2	4	-	-	1	-	1	1	2	9	9	8	-	4	-
Candler	2	12	-	1	2	1	-	3	2	-	-	1	-	14	1	3	-	-	-
Carroll	1	59	2	9	19	26	1	8	1	1	4	5	2	27	13	12	5	4	1
Carrollton	-	17	1	3	6	5	-	5	-	1	1	1	1	4	5	4	1	-	-
Balance of county	1	42	1	6	13	21	1	3	1	-	3	4	1	23	8	8	4	4	1
Catoosa	-	23	4	2	9	8	1	4	3	-	-	1	-	23	8	13	6	1	1
Charlton	4	6	1	1	-	3	1	-	1	-	-	1	-	5	3	2	1	-	-
Chatham	15	154	11	31	58	75	7	40	18	1	8	31	20	189	34	56	19	55	1
Savannah	15	122	9	24	53	61	7	27	17	1	6	30	17	158	22	43	13	49	-
Balance of county	-	32	2	7	5	14	-	13	1	-	2	1	3	31	12	13	6	6	1
Chattahoochee	-	1	-	-	5	2	-	-	-	-	1	1	1	2	5	3	1	-	1
Chattooga	2	27	4	-	7	10	1	3	2	-	1	1	-	23	2	4	4	1	2
Cherokee	-	42	2	3	17	14	4	4	2	-	3	10	6	42	19	8	7	8	-
Clarke	-	54	6	7	9	19	3	5	6	-	7	4	4	54	18	11	5	3	2
Athens	-	43	5	5	7	13	2	4	5	-	3	4	4	38	8	9	2	2	2
Balance of county	-	11	1	2	2	6	1	1	1	-	4	-	-	16	10	2	3	1	-
Clay	-	14	1	-	2	-	-	1	-	-	1	-	-	1	1	3	-	-	-
Clayton	-	63	3	3	17	29	1	11	8	-	6	19	5	81	34	28	21	15	2
College Park, part	-	3	1	-	-	-	-	1	-	-	-	3	1	2	1	1	-	1	-
Forest Park	-	14	-	1	2	8	-	3	2	-	1	1	-	10	3	5	3	2	1
Balance of county	-	46	2	2	15	21	1	7	6	-	5	15	4	69	30	22	18	12	1
Clinch	-	4	-	-	6	4	-	-	1	-	1	1	-	8	1	3	-	1	-
Cobb	7	139	17	22	47	82	4	32	11	-	21	28	7	176	87	53	40	19	4
Marietta	2	24	2	3	11	12	-	14	5	-	4	12	2	36	8	17	2	7	2
Smyrna	-	23	2	5	5	10	-	3	1	-	2	-	-	17	9	5	3	1	-
Balance of county	5	92	13	14	31	60	4	15	5	-	15	16	5	123	70	31	35	11	2
Coffee	2	27	4	1	11	10	-	3	3	-	2	3	3	27	9	13	5	1	-
Douglas	1	14	2	-	3	6	-	2	1	-	1	3	2	18	1	8	1	1	-
Balance of county	1	13	2	1	8	4	-	1	2	-	1	-	1	9	8	5	4	-	-
Colquitt	2	33	1	5	11	16	1	3	2	1	5	9	2	43	12	14	4	2	-
Moultrie	1	19	-	2	3	9	-	3	2	1	2	4	1	21	6	5	3	1	-
Balance of county	1	14	1	3	8	7	1	-	-	-	3	5	1	22	6	9	1	1	-
Columbia	2	22	3	3	8	16	-	5	1	-	5	6	-	25	13	9	8	-	-
Cook	-	12	1	1	4	1	2	2	2	-	1	3	2	12	8	4	2	1	-
Coweta	3	47	-	-	6	10	1	5	4	-	4	3	-	32	19	10	6	11	-
Newnan	1	20	-	-	2	2	1	2	1	-	2	-	-	6	4	3	2	5	-
Balance of county	2	27	-	-	4	8	-	3	3	-	2	3	-	26	15	7	4	6	-
Crawford	-	8	1	1	1	2	1	-	-	-	-	-	1	3	4	3	1	1	-
Crisp	-	32	-	3	6	9	2	5	4	-	1	3	1	24	7	7	3	2	-
Cordele	-	21	-	1	3	6	2	5	3	-	1	1	-	13	3	3	1	1	-
Balance of county	-	11	-	2	3	3	-	-	1	-	-	2	1	11	4	4	2	1	-
Dade	-	5	2	1	8	-	-	-	-	-	-	3	-	5	7	-	-	1	-
Dawson	-	6	-	-	2	3	-	-	2	-	-	1	1	6	2	1	-	1	-
Decatur	2	17	1	4	6	12	-	2	4	-	1	7	3	30	5	9	3	2	-
Bainbridge	1	11	1	4	4	6	-	2	3	-	-	3	-	15	2	3	1	2	-
Balance of county	1	6	-	-	2	6	-	-	1	-	1	4	3	15	3	6	2	-	-
De Kalb	11	240	25	32	106	114	7	41	43	-	26	58	17	381	80	103	69	43	6
Atlanta, part	5	34	3	3	18	18	-	7	14	-	6	13	3	65	13	18	10	12	1
Decatur	-	41	5	7	16	13	1	6	9	-	5	13	3	67	25	20	8	17	-
Balance of county	6	165	17	22	72	83	6	28	20	-	15	32	11	229	42	65	51	14	7
Dodge	-	14	1	2	6	16	-	1	1	-	1	4	1	17	6	7	2	4	-
Dooly	1	10	2	1	7	2	-	1	2	-	-	1	-	15	1	2	-	1	-
Dougherty	5	76	4	4	42	29	3	9	8	-	5	17	45	79	30	20	15	14	1
Albany	5	70	4	4	38	28	3	8	8	-	3	17	43	74	27	17	10	13	1
Balance of county	-	6	-	-	4	1	-	1	-	-	2	-	2	5	3	3	5	1	-
Douglas	1	26	6	5	14	14	1	2	6	-	1	7	2	35	17	9	9	8	1
Early	-	20	-	1	7	7	2	2	1	-	-	1	1	9	4	3	-	-	-
Echols	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-
Effingham	1	23	1	1	3	6	1	2	-	-	-	2	2	15	6	8	2	2	-
Elbert	-	25	5	2	5	8	-	1	3	-	2	1	1	12	10	3	1	2	-
Emanuel	1	21	4	4	9	7	1	2	6	2	3	3	-	20	9	7	3	2	-
Evans	-	8	-	1	-	4	1	-	-	-	-	1	1	10	5	4	2	1	-
Fannin	1	18	-	1	9	7	2	-	3	-	3	-	1	25	6	-	1	1	-
Fayette	1	14	3	5	5	7	-	2	4	-	1	3	2	16	11	4	6	1	-
Floyd	-	91	7	10	31	25	3	6	6	-	4	7	8	68	15	16	12	8	2
Rome	-	52	6	5	17	15	1	2	1	-	1	3	4	39	5	9	7	6	2
Balance of county	-	39	1	5	14	10	2	4	5	-	3	4	4	29	10	7	5	2	-
Forsyth	-	25	4	1	2	6	-	2	3	-	-	2	4	20	7	5	9	2	1
Franklin	-	14	3	2	6	7	2	1	1	-	1	3	1	11	3	2	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 096-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Fulton	5,834	16	2	138	1,190	262	327	101	135	41	44	280	104	2,371	1,827	2	195	998	632
Atlanta, part	4,312	11	2	114	850	194	231	74	99	26	28	188	84	1,732	1,343	1	173	684	485
Atlanta, total	4,650	11	2	132	941	214	259	80	114	29	31	214	92	1,955	1,521	1	195	744	581
College Park, part	194	2	-	4	36	9	6	5	4	1	1	10	5	70	50	-	6	23	21
College Park, total	220	2	-	4	41	10	8	5	4	1	1	12	5	81	57	-	7	29	21
East Point	328	1	-	5	64	12	19	7	7	7	1	11	6	149	111	-	9	68	34
Roswell	146	1	-	-	32	3	12	4	3	2	2	6	-	61	51	-	1	38	12
Balance of county	854	1	-	15	208	44	59	11	22	5	12	55	9	359	272	1	6	185	80
Gilmer	111	-	-	-	18	6	7	1	2	1	-	1	2	50	41	-	1	34	6
Glascock	39	-	-	1	7	1	2	-	1	-	-	3	-	23	19	-	-	16	3
Glynn	542	-	-	5	129	30	40	7	16	3	5	28	6	248	191	-	6	92	93
Brunswick	250	-	-	5	60	15	13	4	5	2	3	18	3	112	82	-	4	31	47
Balance of county	292	-	-	-	69	15	27	3	11	1	2	10	3	137	109	-	2	61	46
Gordon	261	1	-	4	52	11	15	4	8	1	2	11	8	130	103	-	1	55	46
Grady	193	-	-	5	22	4	9	2	1	1	-	5	3	97	78	-	2	59	17
Greene	136	-	-	3	27	3	10	-	7	3	1	3	-	73	53	-	3	24	26
Gwinnett	1,031	1	-	14	246	45	69	33	20	11	11	57	15	401	292	1	7	182	102
Habersham	244	-	-	3	47	11	16	2	6	2	4	6	6	131	96	1	1	69	25
Hall	640	-	-	4	118	20	35	5	18	4	3	33	13	333	272	1	5	181	85
Gainesville	194	-	-	2	36	5	13	-	5	1	1	11	1	109	90	1	2	54	33
Balance of county	446	-	-	2	82	15	22	5	13	3	2	22	12	224	182	-	3	127	52
Hancock	119	-	-	2	15	2	3	-	5	-	-	5	1	67	62	-	1	31	30
Haralson	201	-	-	1	32	9	6	1	3	1	3	9	3	104	75	-	1	52	22
Harris	156	-	-	-	40	6	15	6	4	1	1	7	4	65	54	-	8	20	26
Hart	205	-	-	-	42	10	12	3	5	3	2	7	4	110	81	-	2	58	21
Heard	82	-	-	-	17	4	1	-	2	-	2	8	1	39	31	-	-	16	15
Henry	311	1	-	4	67	12	18	8	6	5	2	16	3	128	103	1	7	76	19
Houston	488	-	-	4	118	27	35	7	8	5	8	28	9	211	154	1	4	99	50
Warner Robins	276	-	-	2	68	16	18	4	5	3	6	16	5	114	85	1	1	59	30
Balance of county	212	-	-	2	50	11	17	3	3	2	2	12	4	97	69	-	3	46	20
Irwin	95	-	-	2	25	7	6	1	2	-	2	7	-	44	31	-	1	16	14
Fitzgerald, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	95	-	-	2	25	7	6	1	2	-	2	7	-	44	31	-	1	16	14
Jackson	268	-	-	4	60	16	19	6	6	-	1	12	2	130	103	-	-	65	38
Jasper	72	1	-	-	18	5	2	2	2	1	1	5	2	27	21	-	-	13	8
Jeff Davis	132	-	-	2	29	7	5	1	2	1	3	10	2	54	44	1	1	29	13
Jefferson	197	-	-	3	31	7	12	4	2	1	2	3	14	79	59	-	1	49	9
Jenkins	99	-	-	2	19	7	5	2	3	-	-	2	1	49	34	-	1	25	8
Johnson	82	-	-	1	20	2	4	1	4	3	2	4	1	38	32	-	1	24	7
Jones	127	-	-	3	14	2	5	-	2	1	-	4	5	60	42	-	2	33	7
Macon, part	3	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Balance of county	124	-	-	2	13	2	5	-	2	1	-	3	5	59	42	-	2	33	7
Lamar	128	-	-	3	19	6	7	1	1	-	2	2	1	73	43	-	-	30	13
Lanier	52	1	-	1	10	2	3	-	1	1	1	2	-	20	16	-	-	9	7
Laurens	415	2	-	3	69	14	18	6	10	4	1	16	5	215	169	-	10	94	65
Dublin	202	-	-	2	32	6	10	2	7	1	-	6	2	107	78	-	5	36	37
Balance of county	213	2	-	1	37	8	8	4	3	3	1	10	3	108	91	-	5	58	28
Lee	88	-	-	1	26	5	6	1	6	-	2	6	1	31	21	-	-	15	6
Liberty	169	1	-	1	30	7	15	2	-	-	2	4	1	68	58	-	-	36	22
Hinesville	69	-	-	1	11	2	6	1	-	-	1	1	-	28	25	-	-	16	9
Balance of county	100	1	-	-	19	5	9	1	-	-	1	3	1	40	33	-	-	20	13
Lincoln	76	-	-	1	17	3	7	-	1	-	1	5	-	35	25	-	2	16	7
Long	44	-	-	2	9	1	3	2	-	-	1	2	1	17	11	-	-	5	6
Lowndes	542	-	-	8	113	28	30	8	8	6	6	27	20	244	201	2	3	106	90
Valdosta	368	-	-	7	76	20	19	7	7	4	5	14	17	169	139	1	3	75	60
Balance of county	174	-	-	1	37	8	11	1	1	2	1	13	3	75	62	1	-	31	30
Lumpkin	94	-	-	-	24	6	4	4	3	1	2	4	2	44	36	-	-	23	13
McDuffie	204	-	-	2	55	14	17	6	9	-	-	9	4	58	51	-	2	24	25
McIntosh	93	-	-	1	22	4	8	-	4	-	1	5	2	43	36	-	3	14	19
Macon	133	1	-	2	24	9	6	3	2	-	-	4	1	72	54	-	2	35	17
Madison	158	-	-	1	38	7	13	4	4	-	1	9	-	81	72	-	-	50	22
Marion	60	1	-	-	14	5	3	1	1	1	-	3	1	24	14	-	-	9	5
Meriwether	232	1	-	-	38	10	9	2	4	2	2	9	7	130	104	1	1	78	24
Miller	75	-	-	1	14	-	4	2	3	-	-	5	3	34	20	-	2	12	6
Mitchell	231	-	-	2	51	8	19	1	14	1	1	7	2	108	78	-	-	65	13
Monroe	145	-	-	1	20	5	9	-	2	1	-	3	4	77	50	-	-	43	7
Montgomery	82	-	-	2	9	4	1	-	2	1	1	-	4	40	32	-	1	21	10
Vidalia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	82	-	-	2	9	4	1	-	2	1	1	-	4	40	32	-	1	21	10
Morgan	109	-	-	1	25	5	4	3	7	1	-	5	-	56	45	-	2	30	13
Murray	153	-	-	2	24	2	8	2	8	1	1	4	3	66	50	1	2	35	12
Muscogee	1,630	9	-	24	332	63	96	31	36	15	13	78	37	715	530	1	18	360	151
Columbus	1,597	9	-	24	327	62	95	31	36	14	13	76	37	706	521	1	16	356	148
Balance of county	33	-	-	-	5	1	1	-	-	1	-	2	-	9	9	-	2	4	3
Newton	333	-	-	10	68	12	21	5	7	6	2	15	5	143	102	-	3	51	48
Covington	167	-	-	6	29	8	8	1	4	2	-	6	2	78	54	-	1	20	33
Balance of county	166	-	-	4	39	4	13	4	3	4	2	9	3	65	48	-	2	31	15
Oconee	90	-	-	1	20	6	3	2	4	-	-	5	2	40	34	-	-	16	18
Oglethorpe	73	-	-	1	17	3	9	-	-	-	1	4	1	30	24	-	-	11	13
Paulding	235	1	-	7	47	12	14	7	6	1	-	7	3	89	67	2	1	38	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Fulton	32	420	41	51	167	199	19	83	90	3	35	66	90	712	118	191	83	152	5
Atlanta, part	29	300	24	36	128	135	12	62	74	1	26	49	77	558	75	149	50	121	2
Atlanta, total	34	334	27	39	146	153	12	69	88	1	32	62	80	623	88	167	60	133	3
College Park, part	-	16	2	-	8	4	1	5	3	1	3	4	2	24	10	3	3	6	-
College Park, total	-	21	3	-	8	4	1	6	3	1	3	7	3	26	11	4	3	7	-
East Point	2	27	6	3	8	17	-	4	3	1	1	4	3	31	7	12	3	9	-
Roswell	-	8	-	2	5	3	2	1	2	-	3	-	1	14	4	7	6	3	1
Balance of county	1	67	9	10	18	40	4	11	8	-	2	9	7	85	22	20	21	13	2
Gilmer	-	8	1	-	8	4	1	-	-	-	-	2	1	13	4	8	-	-	-
Glascock	-	2	2	-	3	-	-	-	1	-	-	1	-	1	-	2	-	-	-
Glynn	1	46	4	7	14	23	-	8	4	-	3	6	4	47	16	12	6	8	2
Brunswick	1	23	2	4	10	11	-	6	2	-	1	1	4	20	5	5	-	5	-
Balance of county	-	23	2	3	4	12	-	2	2	-	2	5	-	27	11	7	6	3	2
Gordon	1	25	1	-	4	7	1	2	3	-	2	2	2	20	7	7	6	3	-
Grady	-	17	2	-	8	10	1	1	3	-	4	5	3	15	12	1	3	-	-
Greene	-	17	2	1	1	5	-	2	2	-	-	5	3	6	1	5	2	1	-
Gwinnett	5	88	7	9	42	26	1	10	9	-	19	10	15	87	41	40	30	15	9
Habersham	-	34	-	1	14	5	1	2	-	-	1	2	-	13	9	5	3	2	-
Hall	1	53	4	3	21	34	-	12	6	-	3	1	4	47	20	15	4	5	-
Gainesville	-	15	2	2	5	9	-	2	2	-	-	1	1	15	3	2	2	4	-
Balance of county	1	38	2	1	16	25	-	10	4	-	3	-	3	32	17	13	2	1	-
Hancock	-	4	-	1	-	4	1	2	1	-	1	2	2	8	3	7	1	2	-
Haralson	1	19	8	1	2	6	-	4	3	-	2	3	3	21	6	8	2	1	-
Harris	-	9	-	2	5	2	-	1	1	-	-	3	5	16	7	1	4	2	-
Hart	-	21	5	3	7	6	2	1	7	-	1	3	-	13	2	4	3	-	-
Heard	-	7	-	1	1	1	-	2	1	-	-	2	1	7	4	3	3	-	-
Henry	-	23	-	2	13	17	1	1	3	-	3	2	1	26	13	12	9	5	2
Houston	3	39	10	5	14	16	1	9	7	-	6	6	-	40	10	15	11	8	3
Warner Robins	2	20	5	2	11	10	1	5	3	-	5	2	-	25	4	5	8	6	2
Balance of county	1	19	6	3	3	6	-	4	4	-	1	4	-	15	6	10	3	2	1
Irwin	1	10	1	1	2	3	-	2	2	-	-	1	-	6	2	4	-	2	-
Fitzgerald, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	10	1	1	2	3	-	2	2	-	-	1	-	6	2	4	-	2	-
Jackson	-	25	1	1	10	13	-	4	2	-	1	2	1	16	15	2	3	3	-
Jasper	-	3	1	2	2	2	-	1	1	-	1	1	1	10	-	3	-	1	1
Jeff Davis	-	9	-	1	2	4	-	1	5	-	1	3	-	14	5	3	4	2	1
Jefferson	-	15	3	2	8	5	-	2	5	-	4	3	-	31	5	5	1	1	-
Jenkins	1	10	2	2	3	6	-	-	1	-	1	3	2	7	2	2	1	-	-
Johnson	-	5	-	1	4	3	1	-	1	-	-	1	-	7	2	-	1	2	-
Jones	-	11	5	2	1	7	-	1	1	-	-	2	-	18	9	2	3	1	-
Macon, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	10	5	2	1	7	-	1	1	-	-	2	-	18	9	2	3	1	-
Lamar	2	26	1	1	3	4	1	-	1	-	3	2	-	11	2	3	1	1	-
Lanier	-	3	-	1	2	4	-	1	-	-	1	-	-	5	1	3	1	2	-
Laurens	2	39	2	3	22	7	1	2	5	-	4	4	2	40	15	9	5	5	-
Dublin	2	24	1	2	11	4	-	2	4	-	1	3	-	20	6	3	2	3	-
Balance of county	-	15	1	1	11	3	1	-	1	-	3	1	2	20	9	6	3	2	-
Lee	3	6	1	-	2	3	1	-	1	-	-	2	2	10	4	3	-	1	-
Liberty	-	10	-	-	4	4	1	-	3	-	5	7	5	8	14	4	6	5	2
Hinesville	-	3	-	-	2	2	1	-	1	-	2	2	4	3	5	-	3	3	1
Balance of county	-	7	-	-	2	2	-	-	2	-	3	5	1	5	9	4	3	2	1
Lincoln	-	8	-	2	2	5	-	-	2	-	-	-	4	4	-	5	-	1	-
Long	2	4	-	-	1	2	-	1	-	-	-	-	-	2	1	4	-	4	-
Lowndes	3	37	-	3	10	21	-	10	8	-	2	8	6	41	10	21	7	13	-
Valdosta	2	27	-	1	6	12	-	3	3	-	2	8	5	26	8	16	1	9	-
Balance of county	1	10	-	2	4	9	-	7	5	-	-	-	1	15	2	5	6	4	-
Lumpkin	-	7	1	-	3	6	1	-	-	-	-	-	1	7	-	4	1	-	1
McDuffie	-	5	-	2	10	7	1	1	4	1	1	5	19	21	5	6	3	1	-
McIntosh	-	7	-	-	6	1	-	-	-	-	1	1	-	6	3	4	2	1	-
Macon	-	16	-	2	5	6	-	-	2	-	-	1	1	9	2	4	-	1	2
Madison	1	6	-	2	5	2	1	5	3	-	-	1	-	12	3	5	-	1	-
Marion	-	8	2	-	1	1	-	1	2	-	1	3	1	6	2	2	-	-	-
Meriwether	-	20	4	2	8	10	-	3	2	-	-	5	2	11	8	4	-	3	-
Miller	-	11	2	1	2	1	1	-	-	-	-	1	1	9	4	4	-	-	-
Mitchell	2	26	-	2	7	10	-	2	2	-	2	1	8	22	4	5	1	3	1
Monroe	1	20	2	4	9	6	1	1	2	-	1	2	1	8	4	6	1	1	-
Montgomery	-	8	-	-	6	1	-	1	2	-	1	1	1	4	4	5	-	1	-
Vidalia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	8	-	-	6	1	-	1	2	-	1	1	1	4	4	5	-	1	-
Morgan	-	8	1	2	5	3	-	4	1	-	-	1	-	5	1	3	1	2	1
Murray	-	13	1	2	8	11	1	3	2	-	2	1	2	12	3	4	7	1	1
Muscogee	6	141	25	13	54	49	7	34	15	4	13	21	19	165	44	42	22	22	2
Columbus	6	141	25	13	53	49	7	34	15	4	11	20	17	161	39	40	21	21	2
Balance of county	-	-	-	-	1	-	-	-	-	-	2	1	2	4	5	2	1	1	-
Newton	11	25	1	4	18	7	3	4	4	-	1	4	2	31	9	12	4	8	-
Covington	7	13	-	4	10	2	-	4	2	-	-	3	1	16	2	6	2	4	-
Balance of county	4	12	1	-	8	5	3	-	2	-	1	1	1	15	7	6	2	4	-
Oconee	-	5	1	-	4	3	-	-	3	-	-	1	-	8	4	2	2	-	-
Oglethorpe	-	5	-	1	1	3	2	1	-	-	1	-	-	7	4	1	2	1	1
Paulding	-	17	4	1	6	9	3	8	5	-	1	-	3	20	12	11	2	8	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Peach	157	-	-	-	39	9	9	-	8	4	1	8	4	62	43	-	9	22	12
Pickens	132	-	-	1	27	6	7	4	1	1	1	7	3	70	52	-	1	34	17
Pierce	108	-	-	1	14	2	4	-	2	-	2	4	3	60	37	-	1	30	6
Pike	89	1	-	1	13	3	4	-	1	2	1	2	1	46	33	-	3	19	11
Polk	370	3	-	7	76	20	21	6	7	-	-	22	3	180	148	-	2	96	50
Pulaski	115	-	-	2	23	5	6	2	4	1	2	3	2	55	38	-	4	26	8
Putnam	95	-	-	1	23	3	6	3	1	2	1	5	1	49	40	-	1	30	9
Quitman	34	1	-	2	8	1	2	-	-	1	1	3	1	13	11	-	-	8	3
Rabun	120	-	-	2	28	5	8	2	3	2	2	6	2	64	50	-	-	43	7
Randolph	111	-	-	2	16	5	6	-	1	1	1	2	1	62	38	-	1	22	15
Richmond	1,671	3	-	25	366	93	102	25	29	21	12	84	30	744	556	-	46	347	163
Augusta	835	1	-	13	165	46	46	9	18	11	1	34	16	387	288	-	27	179	82
Balance of county	836	2	-	12	201	47	56	16	11	10	11	50	14	357	268	-	19	168	81
Rockdale	275	-	-	5	60	16	18	4	8	3	1	10	3	109	92	-	4	73	15
Schley	35	-	-	3	6	-	3	1	1	1	-	-	3	11	9	-	-	6	3
Screven	166	-	-	-	28	7	4	1	4	4	2	6	2	93	61	-	-	35	26
Seminole	112	-	-	1	27	3	13	2	1	-	-	8	-	58	42	-	-	30	12
Spalding	467	-	-	7	82	20	23	3	9	4	5	18	7	221	157	-	12	112	33
Griffin	309	-	-	4	60	16	16	3	4	3	4	14	4	146	104	-	12	71	21
Balance of county	158	-	-	3	22	4	7	-	5	1	1	4	3	75	53	-	-	41	12
Stephens	215	-	-	1	47	9	12	7	7	3	1	8	3	112	87	-	4	69	14
Stewart	70	-	-	-	10	5	1	-	1	-	1	2	1	33	21	-	1	13	7
Sumter	312	-	-	1	62	12	20	1	11	3	1	14	6	158	121	1	2	62	56
Americus	191	-	-	-	30	7	7	1	7	2	1	5	3	105	77	-	1	36	40
Balance of county	121	-	-	1	32	5	13	-	4	1	-	9	3	53	44	1	1	26	16
Talbot	71	-	-	2	17	3	2	-	4	-	-	8	1	36	21	-	-	14	7
Taliaferro	28	-	-	-	6	2	1	-	1	-	-	2	-	16	8	-	-	5	3
Tattnall	202	2	-	-	32	4	9	3	5	-	2	9	3	100	79	1	1	64	13
Taylor	103	1	-	1	18	1	7	2	4	-	-	4	1	56	33	-	-	22	11
Telfair	152	2	-	2	25	5	8	2	4	-	2	4	7	81	68	1	2	47	18
Terrell	121	1	-	1	25	1	6	4	5	2	4	3	2	49	38	-	-	20	18
Thomas	400	-	-	4	75	18	26	6	8	2	1	14	5	194	133	1	5	85	42
Thomasville	204	-	-	3	39	12	9	3	4	2	-	9	3	101	74	-	3	48	23
Balance of county	196	-	-	1	36	6	17	3	4	-	1	5	2	93	59	1	2	37	19
Tift	326	-	-	2	69	15	24	5	7	2	4	12	5	153	101	-	1	79	21
Tifton	162	-	-	1	29	10	9	3	1	-	2	4	4	79	52	-	-	44	8
Balance of county	164	-	-	1	40	5	15	2	6	2	2	8	1	74	49	-	1	35	13
Toombs	245	-	-	1	42	11	8	3	10	3	-	7	3	125	96	-	3	51	42
Vidalia, part	101	-	-	-	18	3	5	-	6	-	-	4	1	52	43	-	3	22	18
Vidalia, total	101	-	-	-	18	3	5	-	6	-	-	4	1	52	43	-	3	22	18
Balance of county	144	-	-	1	24	8	3	3	4	3	-	3	2	73	53	-	-	29	24
Towns	67	-	-	1	19	2	9	-	-	-	2	6	-	33	29	-	-	16	13
Treutlen	79	-	-	-	11	1	2	1	2	-	1	4	-	42	32	1	2	9	20
Troup	581	-	-	6	108	19	37	7	17	8	5	15	9	284	224	2	8	146	68
La Grange	301	-	-	4	59	10	19	6	9	6	1	8	5	151	126	1	3	82	40
Balance of county	280	-	-	2	49	9	18	1	8	2	4	7	4	133	98	1	5	64	28
Turner	89	-	-	-	12	2	5	-	1	1	1	2	2	52	40	-	1	31	8
Twiggs	88	-	-	2	15	3	3	1	3	-	-	5	3	46	23	-	3	14	6
Union	121	-	-	2	27	6	5	2	8	-	2	4	-	59	50	-	1	33	16
Upson	302	-	-	2	62	9	23	8	10	1	1	10	3	158	109	-	1	67	41
Walker	549	-	-	5	100	20	38	7	11	1	4	19	13	259	204	2	2	141	59
Walton	281	-	-	5	50	13	11	4	3	-	2	17	2	138	107	1	3	80	23
Ware	375	1	-	4	83	22	19	10	12	4	3	13	3	190	152	-	6	102	44
Waycross	232	-	-	3	41	13	9	2	7	3	1	6	1	126	97	-	4	61	32
Balance of county	143	1	-	1	42	9	10	8	5	1	2	7	2	64	55	-	2	41	12
Warren	76	-	-	1	19	4	5	-	2	1	-	7	1	34	26	-	1	12	13
Washington	227	-	-	5	27	10	7	2	4	1	-	3	9	121	85	-	5	58	22
Wayne	192	-	-	2	51	10	10	4	7	4	3	13	2	86	56	-	6	35	15
Webster	32	-	-	-	3	-	1	1	1	-	-	-	-	16	12	-	-	5	7
Wheeler	54	-	-	1	7	2	2	-	1	-	-	2	1	36	23	-	-	16	7
White	105	-	-	1	25	6	5	4	3	-	2	5	1	48	37	1	-	19	17
Whitfield	519	-	-	6	127	20	52	13	14	4	3	21	11	240	174	-	4	118	52
Dalton	227	-	-	4	57	8	21	5	6	3	3	11	5	114	87	-	4	59	24
Balance of county	292	-	-	2	70	12	31	8	8	1	-	10	6	126	87	-	-	59	28
Wilcox	82	-	-	1	11	1	3	1	1	-	2	3	1	39	33	-	-	27	6
Wilkes	114	-	-	1	22	7	3	3	4	-	1	4	5	53	35	1	3	24	7
Wilkinson	105	-	-	1	19	3	10	2	-	-	-	4	1	53	37	1	4	27	5
Worth	169	-	-	2	32	6	12	-	5	1	-	8	1	79	63	-	-	39	24
Hawaii	5,825	6	-	74	1,444	466	334	109	143	43	59	290	141	2,423	1,669	23	66	1,121	659
Urban places	4,258	5	-	57	1,080	366	257	80	98	34	45	200	92	1,768	1,362	17	44	808	493
Balance of area	1,567	1	-	17	364	100	77	29	45	9	14	90	49	655	507	6	22	313	166
Metropolitan counties	4,352	4	-	62	1,105	349	271	81	103	32	48	221	86	1,760	1,365	16	44	798	507
Urban places	3,797	4	-	54	983	322	243	72	92	30	40	184	72	1,549	1,195	13	36	699	447
Balance of area	555	-	-	8	122	27	28	9	11	2	8	37	14	211	170	3	8	99	60
Nonmetropolitan counties	1,473	2	-	12	339	117	63	28	40	11	11	69	55	663	504	7	22	323	152
Urban places	461	1	-	3	97	44	14	8	6	4	5	16	20	219	167	4	8	109	46
Balance of area	1,012	1	-	9	242	73	49	20	34	7	6	53	35	444	337	3	14	214	106

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Peach	4	11	3	1	6	2	-	4	2	-	-	2	6	11	6	6	3	4	-
Pickens	-	12	3	3	2	3	1	1	2	-	1	4	2	7	4	2	2	-	-
Pierce	-	18	3	2	7	4	-	-	-	-	1	1	1	9	3	2	2	-	-
Pike	1	10	-	2	4	3	-	1	2	-	-	-	1	7	4	1	3	1	-
Polk	2	27	1	2	14	6	-	3	5	-	1	2	2	37	13	7	9	2	-
Pulaski	1	14	2	-	2	4	-	-	3	-	-	-	3	12	1	2	4	2	-
Putnam	1	6	1	1	3	1	-	1	-	-	-	-	2	5	3	4	1	-	1
Quitman	-	2	-	-	1	-	-	1	-	-	1	-	1	1	3	1	-	-	-
Rabun	-	12	2	-	4	3	-	1	1	-	-	-	-	10	1	1	2	1	-
Randolph	2	17	3	2	6	4	-	1	4	-	-	2	-	5	1	5	-	2	-
Richmond	7	156	13	12	52	58	6	23	10	-	10	30	17	172	42	38	9	35	1
Augusta	4	85	5	5	31	31	3	14	7	-	2	13	12	96	10	15	-	18	1
Balance of county	3	71	8	7	21	27	3	9	3	-	8	17	5	76	32	23	9	17	-
Rockdale	-	15	1	1	18	15	-	4	5	-	3	3	1	22	13	8	3	3	-
Schley	-	2	-	-	-	5	-	-	-	-	-	-	-	3	-	1	3	-	-
Screven	-	19	3	-	4	9	1	-	3	-	-	1	2	10	10	9	3	1	-
Seminole	-	13	1	-	3	3	-	1	2	-	-	-	1	10	3	3	1	1	-
Spalding	4	54	2	4	19	16	6	9	4	-	1	7	4	38	10	15	13	8	-
Griffin	1	36	1	4	14	11	3	4	4	-	1	3	2	29	2	11	7	4	-
Balance of county	3	18	1	-	5	5	3	5	-	-	-	4	2	9	8	4	6	4	-
Stephens	1	18	1	5	5	7	-	2	1	-	-	3	2	12	7	6	5	2	-
Stewart	-	11	1	-	2	4	-	-	1	-	-	2	4	8	-	3	1	1	-
Sumter	1	28	5	3	2	5	-	6	3	-	4	1	4	34	9	10	2	5	-
Americus	1	20	5	2	1	2	-	4	2	-	2	-	2	24	4	7	1	4	-
Balance of county	-	8	-	1	1	3	-	2	1	-	2	1	2	10	5	3	1	1	-
Talbot	1	11	2	1	2	3	-	1	1	-	-	-	-	3	3	2	-	-	-
Taliaferro	1	5	1	1	-	1	-	-	-	-	-	-	-	1	2	2	-	-	-
Tattnall	2	18	-	1	12	3	1	1	-	-	2	4	1	14	13	6	7	1	-
Taylor	-	20	2	1	2	7	-	2	2	-	-	1	1	6	2	2	-	1	-
Telfair	2	10	-	1	3	5	-	-	1	-	-	3	-	7	5	6	-	4	1
Terrell	1	10	-	-	2	4	-	-	3	1	2	2	4	15	2	5	-	3	-
Thomas	2	50	4	5	13	9	-	2	2	-	2	4	2	55	11	13	4	5	-
Thomasville	-	23	1	3	5	6	-	1	2	-	1	1	1	24	1	8	3	5	-
Balance of county	2	27	3	2	8	3	-	1	-	-	1	3	1	31	10	5	1	-	-
Tift	-	38	8	6	13	13	-	1	2	-	3	6	5	28	7	12	2	4	1
Tifton	-	19	7	1	8	7	-	-	1	-	1	2	4	14	2	5	2	2	1
Balance of county	-	19	1	5	5	6	-	1	1	-	2	4	1	14	5	7	-	2	-
Toombs	-	25	2	2	10	8	-	3	3	-	2	3	6	19	5	8	3	4	-
Vidalia, part	-	9	-	-	4	3	-	-	1	-	1	2	3	7	3	2	3	1	-
Vidalia, total	-	9	-	-	4	3	-	-	1	-	1	2	3	7	3	2	3	1	-
Balance of county	-	16	2	2	6	5	-	3	2	-	1	1	3	12	2	6	-	3	-
Towns	-	4	-	-	3	-	-	1	-	-	-	1	-	3	2	3	-	-	1
Treutlen	-	8	-	2	5	2	1	-	1	-	-	2	-	6	2	2	-	5	-
Troup	-	45	6	9	16	9	-	6	9	-	1	3	9	64	15	20	12	6	2
La Grange	-	20	3	2	7	5	-	4	6	-	1	1	4	31	6	9	3	5	-
Balance of county	-	25	3	7	9	4	-	4	3	-	-	2	5	33	9	11	9	1	2
Turner	-	12	-	-	2	4	-	1	-	-	2	2	2	3	3	1	1	2	-
Twiggs	5	15	2	1	2	2	-	-	1	-	-	3	-	8	4	1	1	-	-
Union	-	8	-	1	7	-	1	1	1	-	-	1	3	13	4	-	2	-	-
Upson	2	40	4	3	6	14	-	1	5	-	1	2	-	30	6	7	5	-	-
Walker	4	43	4	4	20	25	2	6	10	-	1	6	4	58	12	20	7	3	-
Walton	-	24	4	3	11	7	2	3	7	1	-	1	2	26	13	5	7	1	-
Ware	3	28	3	4	9	16	1	6	3	-	2	8	1	22	10	8	6	2	-
Waycross	2	22	2	3	5	8	1	6	2	-	2	6	1	11	5	7	5	2	-
Balance of county	1	6	1	1	4	8	-	-	1	-	-	2	-	11	5	1	1	-	-
Warren	-	4	3	1	4	1	-	-	2	-	-	1	2	9	3	1	-	-	-
Washington	3	26	6	1	4	7	-	1	3	-	-	4	2	22	8	7	4	3	-
Wayne	-	26	4	-	4	5	-	2	1	-	2	5	-	20	4	4	1	3	-
Webster	-	4	-	-	2	2	-	3	-	-	-	-	-	4	-	-	1	1	-
Wheeler	1	9	1	2	2	1	1	-	-	-	-	-	-	4	1	-	-	-	-
White	-	8	2	1	4	2	-	1	-	-	3	3	-	10	3	3	-	1	-
Whitfield	2	61	1	2	17	17	-	6	3	-	2	1	5	37	19	14	9	4	1
Dalton	1	25	1	-	8	6	-	2	1	-	-	-	1	9	6	7	2	4	1
Balance of county	1	36	-	2	9	11	-	4	2	-	2	1	4	28	13	7	7	-	-
Wilcox	-	6	-	-	6	3	-	-	-	-	-	1	2	11	-	5	-	2	-
Wilkes	1	15	2	-	3	8	1	-	2	-	1	-	1	9	2	2	3	1	-
Wilkinson	-	15	1	-	4	5	-	3	1	-	-	-	1	11	2	4	-	-	-
Worth	-	13	3	-	5	4	-	2	3	-	2	4	5	18	5	3	2	2	-
Hawaii	12	434	43	65	235	185	11	76	66	1	62	67	71	528	129	151	94	37	22
Urban places	10	314	32	50	186	138	7	57	42	1	45	49	43	385	73	113	73	28	16
Balance of area	2	120	11	15	49	47	4	19	26	-	17	18	28	143	56	38	21	9	6
Metropolitan counties	11	308	31	45	184	148	7	59	44	1	55	53	55	393	90	116	79	34	17
Urban places	10	271	29	44	169	123	6	52	33	1	44	44	37	348	64	101	70	27	16
Balance of area	1	37	2	1	15	25	1	7	11	-	11	9	18	45	26	15	9	7	1
Nonmetropolitan counties	1	126	12	20	51	37	4	17	24	-	7	14	16	135	39	35	15	3	5
Urban places	-	43	3	6	17	15	1	5	9	-	1	5	6	37	9	12	3	1	-
Balance of area	1	83	9	14	34	22	3	12	15	-	6	9	10	98	30	23	12	2	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Hawaii	722	2	-	3	162	57	30	8	18	5	6	38	26	323	234	1	9	165	59
Hilo#	271	1	-	-	55	25	11	2	5	1	3	8	10	127	98	1	5	71	21
Balance of county	451	1	-	3	107	32	19	6	13	4	3	30	16	196	136	-	4	94	38
Honolulu	4,352	4	-	62	1,105	349	271	81	103	32	48	221	86	1,760	1,365	16	44	798	507
Aiea#	129	-	-	2	35	9	9	1	3	2	2	9	3	42	33	1	1	19	12
Ewa Beach#	105	1	-	1	25	10	5	3	1	1	-	5	1	42	33	1	1	20	11
Honolulu#	2,536	2	-	36	644	217	157	47	59	20	25	120	46	1,078	823	8	23	485	307
Kailua#	213	-	-	1	74	21	27	7	7	1	-	11	5	66	56	1	-	31	24
Kaneohe#	281	1	-	4	73	24	16	7	9	2	5	10	9	109	84	1	3	52	28
Mililani Town#	41	-	-	-	14	3	4	-	2	-	1	4	-	12	8	-	-	2	6
Mokapu#	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pearl City#	132	-	-	2	35	15	7	3	1	1	1	7	3	53	42	-	2	21	19
Schofield Barracks#	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Wahiawa#	155	-	-	3	36	11	8	1	8	2	3	3	3	70	57	-	3	36	18
Waipahu#	180	-	-	5	47	12	10	3	3	1	3	15	2	76	56	1	3	32	22
Balance of county	555	-	-	8	122	27	28	9	11	2	9	37	14	211	170	3	8	99	60
Kalawao	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kauai	258	-	-	3	64	15	20	7	11	2	2	7	9	107	93	2	9	55	27
Maui	493	-	-	6	113	45	13	13	11	4	3	24	20	233	177	4	4	103	66
Kahului#	103	-	-	1	21	9	1	1	1	2	2	5	5	52	39	2	2	22	13
Wailuku#	87	-	-	2	21	10	2	5	-	1	-	3	5	40	30	1	1	16	12
Balance of county	303	-	-	3	71	26	10	7	10	1	1	16	10	141	108	1	1	65	41
Idaho	7,115	6	-	66	1,418	329	334	126	198	55	60	316	134	3,280	2,440	34	35	1,618	753
Urban places	3,038	3	-	29	580	149	137	47	77	29	24	117	54	1,428	1,060	11	15	696	338
Balance of area	4,077	3	-	37	838	180	197	79	121	26	36	199	80	1,852	1,380	23	20	922	415
Metropolitan counties	1,211	-	-	12	259	64	50	21	41	16	13	54	12	547	419	8	5	315	91
Urban places	919	-	-	12	201	52	41	15	32	12	8	41	5	418	321	3	5	243	70
Balance of area	292	-	-	-	58	12	9	6	9	4	5	13	7	129	98	5	-	72	21
Nonmetropolitan counties	5,904	6	-	54	1,159	265	284	105	157	39	47	262	122	2,733	2,021	26	30	1,303	662
Urban places	2,119	3	-	17	379	97	96	32	45	17	16	76	49	1,010	739	8	10	453	268
Balance of area	3,785	3	-	37	780	168	188	73	112	22	31	186	73	1,723	1,282	18	20	850	394
Ada	1,211	-	-	12	259	64	50	21	41	16	13	54	12	547	419	8	5	315	91
Boise City	919	-	-	12	201	52	41	15	32	12	8	41	5	418	321	3	5	243	70
Balance of county	292	-	-	-	58	12	9	6	9	4	5	13	7	129	98	5	-	72	21
Adams	23	-	-	-	6	-	2	2	1	1	-	-	-	14	11	-	-	7	4
Bannock	439	-	-	6	69	17	15	9	10	2	1	15	7	208	161	4	1	104	52
Pocatello	340	-	-	5	53	13	11	7	8	2	1	11	6	168	134	3	1	87	43
Balance of county	99	-	-	1	16	4	4	2	2	-	-	4	1	40	27	1	-	17	9
Bear Lake	78	-	-	1	13	2	3	2	1	-	-	5	5	35	19	-	-	16	3
Benewah	77	-	-	1	16	6	5	-	3	-	-	2	2	38	30	1	-	18	11
Bingham	222	-	-	-	34	6	9	3	6	2	-	8	7	107	78	-	-	57	21
Blackfoot	79	-	-	-	13	3	4	1	1	1	-	3	2	41	29	-	-	21	8
Balance of county	143	-	-	-	21	3	5	2	5	1	-	5	5	66	49	-	-	36	13
Blaine	57	-	-	3	8	2	-	2	2	-	-	2	1	17	13	-	-	8	5
Boise	19	-	-	-	4	1	2	-	1	-	-	-	-	8	8	-	-	3	5
Bonner	201	-	-	1	44	8	12	3	6	2	5	8	1	96	69	2	5	38	24
Bonneville	392	1	-	3	73	16	9	7	14	4	6	17	17	161	109	2	-	55	52
Idaho Falls	304	1	-	1	57	10	7	7	10	4	4	15	16	130	84	1	-	43	40
Balance of county	88	-	-	2	16	6	2	-	4	-	2	2	1	31	25	1	-	12	12
Boundary	63	-	-	-	17	4	3	1	2	2	1	4	-	26	16	-	-	9	7
Butte	31	-	-	-	5	-	2	-	1	1	-	1	-	18	14	-	-	11	3
Camas	8	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	3	-
Canyon	696	-	-	9	140	34	35	17	19	3	3	29	12	322	228	1	8	116	103
Caldwell	180	-	-	2	30	8	10	-	5	2	-	5	5	92	62	-	5	33	24
Nampa	276	-	-	2	49	13	12	8	4	1	1	12	4	138	103	1	-	50	52
Balance of county	240	-	-	5	61	13	13	11	10	-	2	12	3	92	63	-	3	33	27
Caribou	52	-	-	2	6	2	-	1	1	-	-	2	1	27	18	-	-	11	7
Cassia	134	-	-	-	26	5	9	2	5	-	-	5	4	62	49	1	1	26	21
Clark	2	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Clearwater	72	1	-	1	15	-	7	1	-	3	-	4	3	38	27	-	-	17	10
Custer	36	-	-	-	8	-	2	1	-	-	1	4	2	18	14	-	-	7	7
Elmore	100	-	-	4	18	4	4	1	2	3	1	3	2	44	32	-	-	13	19
Franklin	70	-	-	1	6	-	2	-	2	-	1	1	2	37	28	-	1	19	8
Fremont	89	-	-	1	23	4	4	2	3	-	2	8	1	36	27	-	-	20	7
Gem	109	1	-	-	23	2	7	3	3	-	3	5	2	64	44	2	-	33	9
Gooding	111	-	-	1	24	6	9	1	3	-	1	4	2	55	39	-	-	24	15
Idaho	125	-	-	1	29	8	6	-	6	1	-	8	3	50	43	-	-	33	10
Jefferson	102	-	-	-	22	3	4	2	8	-	-	5	3	46	38	-	-	24	14
Jerome	120	-	-	1	26	6	4	3	2	-	2	9	1	54	43	1	2	28	12
Kootenai	518	2	-	4	107	31	31	9	7	1	7	21	8	247	192	4	5	116	67
Coeur d'Alene	276	1	-	1	45	13	13	4	2	1	4	8	6	144	113	2	1	66	44
Balance of county	242	1	-	3	62	18	18	5	5	-	3	13	2	103	79	2	4	50	23
Latah	198	-	-	1	33	9	6	2	7	-	3	6	10	94	64	1	1	51	11
Moscow	100	-	-	1	15	4	3	1	4	-	-	3	6	48	32	-	-	26	4
Balance of county	98	-	-	-	18	5	3	1	3	-	3	3	4	46	32	1	1	23	7
Lemhi	67	-	-	1	9	3	3	2	-	-	-	1	1	32	26	1	-	16	9
Lewis	39	-	-	1	7	1	2	2	1	-	-	1	-	21	16	-	-	10	6
Lincoln	37	-	-	-	9	3	-	2	-	1	-	3	-	18	15	-	-	11	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Hawaii—Con.																			
Hawaii	1	70	8	10	26	18	2	10	15	-	5	3	9	70	21	13	9	3	2
Hilo#	-	24	3	2	10	10	1	4	6	-	1	1	3	25	7	6	3	1	-
Balance of county	1	46	5	8	16	8	1	6	9	-	4	2	6	45	14	7	6	2	2
Honolulu	11	308	31	45	184	148	7	58	44	1	55	53	55	393	90	116	79	34	17
Aiea#	1	8	-	-	8	1	1	4	3	-	1	1	3	12	4	5	4	-	-
Ewa Beach#	-	7	-	2	4	4	-	1	1	-	4	1	1	6	5	4	1	1	2
Honolulu#	8	196	20	31	120	86	4	29	21	-	25	15	27	231	29	66	48	18	11
Kailua#	-	7	2	1	6	6	-	5	2	-	-	5	4	24	7	2	2	2	2
Kaneohe#	1	15	6	3	14	12	-	3	3	1	1	1	-	30	7	8	4	-	1
Mililani Town#	-	3	-	1	3	1	-	-	-	-	-	3	-	3	-	1	2	2	-
Mokapu#	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-
Pearl City#	-	8	1	2	6	3	-	4	-	-	2	2	-	10	2	6	2	2	-
Schofield Barracks#	-	-	-	-	-	-	-	-	-	-	3	5	-	-	5	1	4	1	-
Wahiawa#	-	12	-	1	1	3	1	-	-	-	5	7	-	16	2	6	2	-	-
Waipahu#	-	15	-	3	7	7	-	6	2	-	2	4	1	15	3	2	-	1	-
Balance of county	1	37	2	1	15	25	1	7	11	-	11	9	18	45	26	15	9	7	1
Kalawao	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kauai	-	10	3	1	5	9	-	3	2	-	2	5	2	27	9	6	4	-	1
Maui	-	46	1	9	20	10	2	4	7	-	-	6	5	38	9	16	2	-	2
Kahului#	-	11	-	2	6	3	-	-	2	-	-	1	1	6	2	3	-	-	-
Wailuku#	-	8	-	2	1	2	-	1	1	-	-	3	2	6	-	3	-	-	-
Balance of county	-	27	1	5	13	5	2	3	4	-	-	2	2	26	7	10	2	-	2
Idaho	34	590	96	120	225	355	22	54	53	2	57	73	99	617	257	229	195	26	7
Urban places	17	256	45	50	108	161	6	25	19	-	26	27	49	286	84	77	61	10	5
Balance of area	17	334	51	70	117	194	16	29	34	2	31	46	50	331	173	152	74	16	2
Metropolitan counties	13	86	9	20	29	57	4	8	10	1	6	11	26	112	41	31	38	7	-
Urban places	9	69	5	14	21	43	3	7	9	-	2	5	23	88	26	20	30	6	-
Balance of area	4	17	4	6	8	14	1	1	1	1	4	6	3	24	15	11	8	1	-
Nonmetropolitan counties	21	504	87	100	196	298	18	46	43	1	51	62	73	505	216	198	97	19	7
Urban places	8	187	40	36	87	116	3	18	10	-	24	22	26	198	58	57	31	4	5
Balance of area	13	317	47	64	109	180	15	28	33	1	27	40	47	307	158	141	66	15	2
Ada	13	86	9	20	29	57	4	8	10	1	6	11	26	112	41	31	38	7	-
Boise City	9	69	5	14	21	43	3	7	9	-	2	5	23	88	26	20	30	6	-
Balance of county	4	17	4	6	8	14	1	1	1	1	4	6	3	24	15	11	8	1	-
Adams	-	2	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
Bannock	-	32	4	11	11	16	-	5	4	-	6	1	1	54	30	10	7	1	3
Pocatello	-	22	3	9	9	12	-	4	4	-	6	1	1	43	13	5	6	1	3
Balance of county	-	10	1	2	2	4	-	1	-	-	-	-	-	11	17	5	1	-	-
Bear Lake	1	6	8	1	5	4	1	-	-	-	-	1	2	4	3	3	1	-	-
Benewah	1	6	-	1	1	4	-	-	-	-	-	2	1	7	4	1	-	-	-
Bingham	-	23	2	4	13	9	1	2	1	-	2	5	5	20	9	5	2	-	-
Blackfoot	-	9	2	1	5	4	-	1	1	-	-	2	-	7	1	1	1	-	-
Balance of county	-	14	-	3	8	5	1	1	-	-	2	3	5	13	8	4	1	-	-
Blaine	-	2	-	2	2	5	-	1	-	-	-	-	-	9	5	4	2	-	-
Boise	-	-	-	-	-	2	-	-	-	-	-	-	-	2	1	-	-	2	-
Bonner	1	21	2	3	5	10	-	1	3	-	1	-	1	14	8	11	5	-	-
Bonneville	2	37	7	6	11	21	-	2	-	-	2	5	21	36	18	10	10	1	-
Idaho Falls	2	33	6	5	7	13	-	2	-	-	1	3	17	29	12	9	6	-	-
Balance of county	-	4	1	1	4	8	-	-	-	-	1	2	4	7	6	1	4	1	-
Boundary	-	7	2	1	1	2	-	-	1	-	-	-	-	5	2	7	2	-	-
Butte	-	4	-	-	2	2	-	-	1	-	-	-	-	2	1	-	-	-	-
Camas	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Canyon	3	72	9	10	31	33	4	5	4	-	3	6	5	63	25	24	9	1	-
Caldwell	1	21	4	4	3	10	-	3	-	-	-	2	2	19	8	4	-	-	-
Nampa	1	29	2	3	17	13	2	2	1	-	1	2	1	21	6	10	4	1	-
Balance of county	1	22	3	3	11	10	2	-	3	-	2	2	2	23	9	10	5	-	-
Caribou	1	7	-	1	2	1	-	-	-	-	-	1	3	6	1	2	-	-	-
Cassia	1	10	1	1	3	6	1	1	-	-	-	2	4	12	5	4	1	3	-
Clark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	9	-	2	3	2	-	1	1	-	-	1	1	1	1	1	2	-	-
Custer	1	3	-	-	-	1	-	1	2	-	-	-	-	1	1	2	-	-	-
Elmore	-	7	3	2	1	4	-	2	1	-	1	3	-	6	8	2	3	1	-
Franklin	-	7	2	-	4	1	-	-	1	-	-	-	2	10	2	3	1	-	-
Fremont	1	7	-	1	1	5	1	-	-	-	-	1	2	8	4	3	3	-	-
Gem	-	13	3	4	-	5	-	-	-	-	-	-	1	11	1	1	-	-	-
Gooding	-	13	-	3	3	5	-	2	-	-	1	1	-	7	5	2	3	-	-
Idaho	-	5	1	1	5	6	-	-	1	-	2	1	2	11	3	7	3	1	-
Jefferson	-	4	3	1	2	7	-	1	-	-	-	3	1	5	4	7	1	-	-
Jerome	-	5	-	6	3	8	-	-	1	-	1	4	-	11	3	2	3	2	-
Kootenai	3	33	12	7	22	35	-	3	3	-	5	3	2	35	10	21	9	1	1
Coeur d'Alene	1	18	9	3	15	22	-	1	-	-	3	2	-	21	2	8	4	-	1
Balance of county	2	15	3	4	7	13	-	2	3	-	2	1	2	14	8	13	5	1	-
Latah	1	20	2	7	12	9	2	3	-	-	6	1	2	11	6	6	1	1	-
Moscow	1	11	1	3	9	6	-	1	-	-	2	1	1	4	4	1	1	-	-
Balance of county	-	9	1	4	3	3	2	2	-	-	4	-	1	7	2	5	-	1	-
Lemhi	-	4	1	1	1	5	-	-	2	-	-	1	1	7	2	4	1	-	-
Lewis	-	4	1	-	-	2	-	-	-	-	1	-	-	3	2	1	1	-	-
Lincoln	-	3	-	-	-	3	-	-	-	-	-	-	-	2	2	1	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Idaho—Con.																			
Madison	97	-	-	-	20	7	1	4	2	-	-	6	1	40	34	-	-	18	16
Rexburg	43	-	-	-	9	3	-	3	2	-	-	1	-	18	14	-	-	7	7
Balance of county	54	-	-	-	11	4	1	1	-	-	-	5	1	22	20	-	-	11	9
Minidoka	134	-	-	2	32	8	4	4	3	-	-	13	7	49	42	1	-	26	15
Nez Perce	303	-	-	2	67	20	21	2	6	3	4	11	1	136	96	1	1	63	31
Lewiston	256	-	-	2	57	18	19	1	6	2	4	9	-	117	83	-	1	56	26
Balance of county	47	-	-	-	10	4	2	1	-	1	-	2	1	19	13	1	-	7	5
Oneida	40	-	-	-	10	2	-	1	1	1	-	5	1	18	14	-	-	4	10
Owyhee	65	-	-	1	17	7	2	-	2	-	1	5	-	30	18	-	1	11	6
Payette	139	-	-	2	29	4	6	1	9	-	2	7	1	72	55	-	-	40	15
Power	48	-	-	1	8	1	3	1	1	1	-	1	-	21	14	-	-	9	5
Shoshone	163	-	-	-	35	8	15	6	3	1	-	4	-	80	55	-	-	52	3
Teton	18	-	-	-	2	1	-	-	-	-	-	1	-	12	7	-	-	5	2
Twin Falls	471	1	-	3	89	20	28	5	9	6	2	19	10	208	154	2	2	121	29
Twin Falls	265	1	-	3	51	14	17	2	3	4	2	9	4	114	85	1	2	62	20
Balance of county	206	-	-	-	38	6	11	3	6	2	-	10	6	94	69	1	-	59	9
Valley	48	-	-	-	10	1	3	-	2	-	1	3	3	21	13	1	-	11	1
Washington	91	-	-	-	18	4	4	1	3	1	-	5	1	49	45	1	2	39	3
Illinois	102,279	64	1	1,260	22,845	6,031	6,262	2,069	2,385	962	816	4,320	1,740	50,220	40,502	298	1,481	28,263	10,460
Urban places	71,528	59	1	1,015	15,990	4,269	4,340	1,463	1,668	667	562	3,021	1,226	34,550	28,101	208	1,166	18,883	7,844
Balance of area	30,751	5	-	245	6,855	1,762	1,922	606	717	295	254	1,299	514	15,670	12,401	90	315	9,380	2,616
Metropolitan counties	79,384	56	1	1,094	17,968	4,753	4,890	1,696	1,879	743	622	3,385	1,368	38,212	31,078	241	1,271	21,034	8,532
Urban places	65,706	54	1	963	14,734	3,927	3,987	1,378	1,538	613	519	2,772	1,131	31,576	25,797	191	1,120	17,116	7,370
Balance of area	13,676	2	-	131	3,234	826	903	318	341	130	103	613	237	6,636	5,281	50	151	3,918	1,162
Nonmetropolitan counties	22,895	8	-	166	4,877	1,278	1,372	373	506	219	194	935	372	12,008	9,424	57	210	7,229	1,928
Urban places	5,820	5	-	52	1,256	342	353	85	130	54	43	249	95	2,974	2,304	17	46	1,767	474
Balance of area	17,075	3	-	114	3,621	936	1,019	288	376	165	151	686	277	9,034	7,120	40	164	5,462	1,454
Adams	844	-	-	8	159	39	48	13	24	7	4	24	20	439	349	4	9	261	75
Quincy	622	-	-	7	117	27	36	11	17	6	2	18	16	309	251	3	7	181	60
Balance of county	222	-	-	1	42	12	12	2	7	1	2	6	4	130	98	1	2	80	15
Alexander	185	-	-	1	51	14	18	3	2	1	1	12	2	86	68	-	-	50	16
Bond	176	-	-	1	29	7	5	4	3	1	2	7	3	122	87	-	5	56	26
Boone	241	-	-	-	63	17	14	7	6	3	1	15	5	127	104	1	1	83	19
Belvidere	143	-	-	-	41	13	8	5	3	2	1	9	3	73	61	1	1	50	9
Balance of county	98	-	-	-	22	4	6	2	3	1	-	6	2	54	43	-	-	33	10
Brown	75	-	-	-	15	2	4	1	1	1	1	5	3	46	38	-	5	15	18
Bureau	453	-	-	3	94	28	24	7	13	3	4	15	7	264	200	-	5	154	41
Calhoun	68	-	-	-	11	1	2	-	3	2	-	3	1	41	36	-	1	27	8
Carroll	204	-	-	4	39	12	8	4	6	1	-	8	2	119	95	-	-	74	21
Cass	186	-	-	-	36	8	14	2	2	3	3	4	-	106	84	-	2	60	22
Champaign	957	4	-	7	203	43	63	19	23	9	4	42	29	431	322	2	7	229	84
Champaign	368	3	-	2	74	12	24	7	10	3	2	16	15	155	113	1	2	84	26
Rantoul	57	-	-	-	15	3	3	1	-	1	1	6	3	26	20	-	-	13	7
Urbana	243	1	-	3	47	11	11	5	8	2	1	9	5	122	82	-	2	53	27
Balance of county	289	-	-	2	67	17	25	6	5	3	-	11	6	128	107	1	3	79	24
Christian	410	-	-	1	78	21	17	4	7	2	6	21	5	206	169	1	3	145	20
Taylorville	147	-	-	1	28	9	5	2	2	1	1	8	2	68	55	1	-	47	7
Balance of county	263	-	-	-	50	12	12	2	5	1	5	13	3	138	114	-	3	98	13
Clark	218	-	-	-	43	14	10	5	5	3	2	4	4	116	88	1	10	60	17
Clay	215	-	-	-	30	10	2	1	2	4	3	8	3	137	110	-	1	91	18
Clinton	320	-	-	4	66	20	21	7	10	1	4	3	5	172	145	-	2	121	22
Centralia, part	43	-	-	1	5	2	2	-	1	-	-	-	1	27	25	-	-	20	5
Balance of county	277	-	-	3	61	18	19	7	9	1	4	3	4	145	120	-	2	101	17
Coles	497	-	-	4	108	30	35	9	8	5	-	21	8	256	167	5	1	136	25
Charleston	124	-	-	3	25	9	7	-	3	2	-	4	3	55	42	-	-	38	4
Mattoon	270	-	-	1	57	14	17	7	4	2	-	13	3	150	92	2	-	74	16
Balance of county	103	-	-	-	26	7	11	2	1	1	-	4	2	51	33	3	1	24	5
Cook	48,261	44	1	767	10,944	2,976	2,996	1,037	1,122	452	361	2,000	811	23,050	19,303	147	985	12,127	6,044
Alsip	103	-	-	1	23	7	7	1	-	1	2	5	1	46	36	-	3	22	11
Arlington Heights, part	485	-	-	9	123	41	23	13	12	6	2	26	10	246	196	-	4	134	58
Arlington Heights, total	486	-	-	9	123	41	23	13	12	6	2	26	10	246	196	-	4	134	58
Bartlett, part	34	-	-	-	8	-	2	2	1	1	-	2	-	19	13	-	-	12	1
Bellwood	159	-	-	2	37	11	8	2	4	2	3	7	3	66	54	-	1	42	11
Bensenville, part	3	-	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	1	1
Berwyn	656	1	-	13	159	46	40	12	15	12	5	29	14	344	282	3	14	207	58
Blue Island	222	-	-	5	55	14	21	1	5	1	2	11	6	112	92	2	6	53	31
Bridgeview	164	-	-	4	43	8	18	3	3	3	2	6	-	81	73	-	1	53	19
Brookfield	211	-	-	-	57	20	16	3	5	-	2	11	3	105	77	2	1	54	20
Buffalo Grove, part	62	-	-	2	18	5	5	4	-	1	-	3	-	21	19	-	2	11	6
Buffalo Grove, total	94	-	-	2	31	5	8	5	2	1	-	10	-	32	27	2	2	15	8
Burbank	199	-	-	3	53	10	14	5	9	2	2	11	7	94	79	2	2	50	25
Calumet City	344	-	-	9	82	20	24	13	9	3	3	10	9	161	138	-	3	110	25
Chicago, part	28,023	32	-	477	6,354	1,774	1,751	573	666	247	206	1,137	490	13,667	11,616	82	723	6,723	4,088
Chicago, total	28,023	32	-	477	6,354	1,774	1,751	573	666	247	206	1,137	490	13,667	11,616	82	723	6,723	4,088
Chicago Heights	333	-	-	4	73	17	24	7	5	3	2	15	9	164	133	-	3	90	40
Chicago Ridge	112	-	-	-	24	4	9	4	2	1	-	4	1	51	43	-	1	29	13
Cicero	768	1	-	12	197	49	59	16	22	5	8	38	13	388	299	2	13	197	87
Country Club Hills	58	-	-	2	14	5	4	1	-	-	2	2	2	26	24	1	4	13	6
Crestwood	138	-	-	2	20	6	7	1	2	-	-	4	4	76	65	-	2	45	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Idaho—Con.																			
Madison	-	5	1	-	4	2	-	-	-	-	5	3	4	8	3	6	1	-	-
Rexburg	-	3	1	-	2	1	-	-	-	-	3	-	1	5	1	2	1	-	-
Balance of county	-	2	-	-	2	1	-	-	-	-	2	3	3	3	2	4	-	-	-
Minidoka	2	4	-	1	3	10	2	2	4	-	2	1	1	9	5	1	4	-	-
Nez Perce	2	20	12	6	10	20	-	4	1	-	3	6	2	27	9	9	6	-	-
Lewiston	2	15	11	6	10	18	-	2	1	-	3	5	2	21	7	7	3	-	-
Balance of county	-	5	1	-	-	2	-	2	-	-	-	-	-	6	2	2	3	-	-
Oneida	-	4	-	-	1	2	-	-	-	-	-	-	2	1	3	2	-	-	-
Owyhee	-	8	-	4	-	2	-	1	-	1	-	-	1	6	1	3	1	1	-
Payette	-	16	1	-	4	4	-	-	5	-	2	1	-	12	1	2	2	2	-
Power	1	4	1	1	1	2	-	-	1	-	-	-	1	3	4	2	3	-	1
Shoshone	-	21	1	3	8	8	1	3	1	-	1	1	1	10	5	7	1	-	1
Teton	-	5	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-
Twin Falls	-	42	5	7	19	28	3	3	3	-	6	6	3	52	10	17	7	2	1
Twin Falls	-	26	1	2	10	19	1	2	3	-	5	3	1	28	2	10	5	2	1
Balance of county	-	16	4	5	9	9	2	1	-	-	1	3	2	24	8	7	2	-	-
Valley	-	6	1	1	-	1	1	1	1	-	-	1	1	3	4	1	-	-	-
Washington	-	2	1	1	1	5	1	1	1	-	1	-	-	7	3	3	-	-	-
Illinois	472	7,169	1,091	986	3,341	3,302	346	1,263	1,149	13	608	1,113	795	7,986	1,752	2,023	1,281	1,044	135
Urban places	329	4,809	635	676	2,421	2,219	238	1,015	865	12	441	909	571	5,689	1,037	1,361	876	829	104
Balance of area	143	2,360	456	310	920	1,083	108	249	284	1	165	204	224	2,297	715	662	405	115	31
Metropolitan counties	356	5,300	724	754	2,558	2,487	260	1,124	927	10	507	967	623	6,252	1,297	1,547	1,030	982	114
Urban places	292	4,326	556	605	2,187	2,007	214	976	812	10	418	862	531	5,211	953	1,249	811	909	99
Balance of area	64	974	168	149	371	480	46	148	115	-	89	105	92	1,041	344	298	219	73	15
Nonmetropolitan counties	116	1,869	367	232	783	815	86	139	222	3	99	146	172	1,734	455	476	251	62	21
Urban places	37	483	79	71	234	212	24	39	53	2	23	47	40	478	84	112	65	20	5
Balance of area	79	1,386	288	161	549	603	62	100	169	1	76	99	132	1,256	371	364	186	42	16
Adams	4	76	8	2	52	34	3	3	6	-	2	4	8	57	13	22	10	1	3
Quincy	2	48	6	2	46	27	3	2	4	-	2	4	7	45	7	15	8	1	2
Balance of county	2	28	2	-	6	7	-	1	2	-	-	-	1	12	6	7	2	-	1
Alexander	1	17	-	2	4	4	2	-	2	-	-	1	4	15	4	7	1	1	-
Bond	-	15	19	1	2	2	-	-	-	-	-	1	1	8	3	3	1	-	-
Boone	1	16	-	6	4	6	1	1	3	-	3	3	-	18	1	4	2	-	-
Belvidere	-	10	-	2	1	5	1	1	3	-	2	-	-	10	-	1	2	-	-
Balance of county	1	6	-	4	3	1	-	-	-	-	1	3	-	8	1	3	-	-	-
Brown	-	3	1	4	3	2	-	1	1	-	-	-	-	2	1	-	1	-	-
Bureau	3	50	8	3	13	5	2	3	3	-	1	4	3	25	7	10	7	1	1
Calhoun	-	5	-	-	1	1	-	-	1	-	-	-	1	4	4	2	1	-	-
Carroll	2	17	4	1	9	5	1	1	1	-	-	2	1	11	4	3	2	-	-
Cass	2	16	2	2	11	8	-	1	2	-	2	-	-	13	3	3	1	-	-
Champaign	12	57	29	11	28	54	3	15	7	-	5	9	6	92	19	21	13	10	1
Champaign	3	22	13	4	10	23	1	8	3	-	2	4	5	35	6	11	4	6	1
Rantoul	1	3	1	1	2	1	-	-	-	-	-	-	-	4	5	-	1	-	-
Urbana	2	22	13	3	7	14	1	3	3	-	1	-	-	26	3	3	2	2	-
Balance of county	6	10	2	3	9	16	1	4	1	-	2	5	1	27	5	7	6	2	-
Christian	3	24	5	5	20	33	2	3	3	-	-	1	2	36	8	9	2	-	1
Taylorville	1	7	1	4	6	13	2	2	2	-	-	1	1	18	1	3	-	-	1
Balance of county	2	17	4	1	14	20	-	1	1	-	-	-	1	20	7	6	2	-	-
Clark	-	23	2	3	5	10	-	1	1	-	-	2	3	18	9	4	2	-	-
Clay	-	21	5	1	2	13	2	2	4	-	2	2	2	12	2	2	-	-	-
Clinton	1	17	6	3	12	9	-	2	3	-	1	1	1	30	3	8	3	-	-
Centralia, part	-	2	-	-	1	1	-	-	-	-	-	-	-	5	1	1	-	-	-
Balance of county	1	15	6	3	11	8	-	2	3	-	1	1	1	25	2	7	3	-	-
Coles	1	78	6	4	22	25	3	-	4	-	2	4	2	46	4	5	3	1	-
Charleston	1	11	-	1	5	6	2	-	2	-	-	4	-	16	-	2	-	1	-
Mattoon	-	54	2	2	14	14	1	-	2	-	1	-	1	20	1	3	2	-	-
Balance of county	-	13	4	1	3	5	-	-	-	-	1	-	1	10	3	-	1	-	-
Cook	191	2,820	320	416	1,615	1,315	146	794	653	4	298	645	405	3,768	639	925	555	805	77
Alsip	1	7	-	2	3	3	-	1	1	-	4	4	-	10	1	2	3	-	-
Arlington Heights, part	-	37	3	10	16	10	1	10	6	-	2	2	5	25	8	10	2	-	-
Arlington Heights, total	-	37	3	10	16	10	1	11	6	-	2	2	5	25	8	10	2	-	-
Bartlett, part	-	5	-	1	-	1	1	-	-	-	-	1	-	2	1	1	-	-	-
Bellwood	-	9	1	2	-	1	1	2	3	-	-	5	1	20	5	3	4	5	1
Bensenville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berwyn	1	51	5	5	15	17	4	7	12	-	3	-	5	37	4	13	7	1	-
Blue Island	2	16	1	1	7	7	-	4	1	-	-	2	1	13	1	5	1	2	-
Bridgeview	1	5	1	1	7	6	2	1	2	-	-	-	2	13	1	1	1	-	-
Brookfield	2	19	2	5	4	6	-	1	3	-	1	-	-	14	5	5	5	1	1
Buffalo Grove, part	-	2	-	-	1	1	-	1	-	-	2	4	-	7	3	1	1	-	-
Buffalo Grove, total	-	4	-	1	2	2	-	1	-	-	2	4	-	11	3	1	3	-	-
Burbank	-	12	1	2	2	5	1	3	1	-	3	-	2	13	2	3	5	2	-
Calumet City	2	14	3	4	7	15	-	8	5	-	2	2	5	29	5	2	2	1	-
Chicago, part	121	1,589	129	212	960	745	84	555	433	4	183	478	275	2,226	358	640	302	698	62
Chicago, total	121	1,589	129	212	960	745	84	555	433	4	183	478	275	2,226	358	640	302	698	62
Chicago Heights	-	23	4	4	8	9	2	6	3	-	5	10	3	25	9	4	2	3	-
Chicago Ridge	-	5	1	2	12	2	1	2	2	-	1	1	2	8	2	-	2	1	-
Cicero	-	46	12	11	16	24	1	16	6	-	4	6	5	48	7	17	11	15	1
Country Club Hills	-	1	-	1	1	1	1	2	1	-	-	2	-	6	-	-	-	-	-
Crestwood	3	7	-	1	5	5	1	3	1	-	-	-	1	15	3	1	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Deerfield, part	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Des Plaines	703	-	-	7	143	31	42	17	25	5	3	20	15	363	284	3	9	210	72
Dolton	221	-	1	1	47	13	16	6	4	1	1	6	4	123	104	-	4	73	27
Elgin, part	52	-	-	-	11	1	2	-	2	2	-	4	3	26	19	-	-	17	2
Elk Grove Village, part	152	1	-	3	39	9	13	1	5	2	2	7	2	74	59	-	1	44	14
Elk Grove Village, total	152	1	-	3	39	9	13	1	5	2	2	7	2	74	59	-	1	44	14
Elmwood Park	294	-	-	4	67	24	17	4	6	5	1	10	5	175	146	1	6	105	34
Evanston	716	-	-	16	135	32	37	21	13	4	6	22	7	376	298	3	7	206	82
Evergreen Park	288	-	-	5	62	23	15	2	7	1	2	12	5	164	136	2	2	102	30
Forest Park	182	-	-	1	42	11	11	4	8	2	-	6	4	92	77	-	4	52	21
Franklin Park	207	-	-	3	55	15	19	5	2	1	1	12	4	98	77	-	2	50	25
Glenview	320	-	-	7	80	20	13	8	11	7	5	16	1	148	115	1	3	81	30
Glenwood	70	-	-	-	17	5	5	4	1	-	-	2	2	37	34	1	1	28	4
Hanover Park, part	75	1	-	1	17	2	7	1	1	-	3	3	1	22	20	-	-	13	7
Hanover Park, total	95	1	-	1	21	3	8	1	2	-	4	3	1	29	25	-	-	16	9
Harvey	311	-	-	11	62	19	17	3	8	1	1	13	4	136	112	1	7	72	32
Hazel Crest	109	-	-	3	25	9	5	4	-	1	1	5	4	51	42	-	-	26	16
Hickory Hills	73	-	-	1	27	6	8	4	2	1	2	4	1	24	23	-	-	19	4
Hinsdale, part	19	-	-	1	10	2	4	-	-	1	1	2	1	3	1	-	-	1	-
Hoffman Estates	136	-	-	1	34	12	9	-	2	2	2	7	2	59	48	-	1	34	13
Homewood	188	1	-	2	39	8	9	5	2	2	2	11	1	97	82	2	2	54	24
Justice	79	-	-	1	20	3	10	-	-	1	-	6	2	32	25	-	1	18	6
La Grange	181	-	-	1	40	9	9	4	7	1	2	8	2	86	65	2	1	48	13
La Grange Park	174	-	-	3	40	9	6	5	5	1	5	9	6	95	73	1	1	59	12
Lansing	250	-	-	5	83	18	15	4	9	5	1	11	6	124	104	-	3	78	23
Lincolnwood	115	1	-	-	33	11	9	5	1	3	1	3	3	57	44	-	3	32	9
Markham	92	-	-	-	27	6	8	2	2	3	-	6	2	35	29	1	3	16	9
Matteson	75	-	-	3	19	7	3	2	3	-	-	4	1	35	31	-	1	21	9
Maywood	218	1	-	6	43	14	15	2	3	1	2	6	1	100	83	-	5	59	19
Melrose Park	200	-	-	4	50	12	9	11	5	2	2	9	4	98	75	-	2	52	21
Midlothian	99	-	-	1	26	6	6	4	3	2	2	3	1	50	43	-	-	30	13
Morton Grove	213	-	-	-	56	12	13	5	8	6	3	9	4	113	99	-	-	74	25
Mount Prospect	350	-	-	6	89	20	22	11	13	2	5	16	3	155	134	1	6	94	33
Niles	425	-	-	11	84	16	17	9	9	7	3	23	11	214	174	3	3	134	34
Norridge	215	-	-	2	35	9	9	4	5	1	2	5	2	134	118	-	1	85	32
Northbrook	291	-	-	4	62	17	13	7	6	2	2	15	4	141	109	-	3	78	28
Northlake	162	-	-	1	27	7	14	-	3	-	1	2	1	92	82	-	4	52	26
Oak Forest	151	-	-	2	30	7	8	-	2	2	-	11	2	76	59	1	1	46	11
Oak Lawn	598	-	-	8	146	28	37	19	21	7	4	30	8	313	263	2	9	175	77
Oak Park	473	-	-	9	111	33	33	8	9	2	4	22	5	218	172	1	8	123	40
Orland Park	177	-	-	1	38	10	10	3	2	1	1	9	2	94	81	4	2	54	21
Palatine	253	-	-	2	48	14	16	3	5	2	1	7	6	121	97	1	2	67	27
Palos Heights	140	-	-	2	45	17	6	8	5	1	-	8	2	65	56	1	2	43	10
Palos Hills	162	-	-	-	42	16	10	2	5	1	-	8	5	72	63	-	2	45	16
Park Forest, part	140	-	-	2	34	7	14	2	2	2	1	6	-	63	52	1	4	33	14
Park Forest, total	150	-	-	2	36	8	14	2	2	2	1	7	-	69	56	1	4	35	16
Park Ridge	381	-	-	5	92	22	18	12	10	5	3	22	7	189	152	-	10	107	35
Prospect Heights	60	-	-	1	15	2	8	-	3	-	-	2	-	29	20	2	-	14	4
Riverdale	171	-	-	2	37	11	8	1	7	2	2	6	3	87	71	-	4	45	22
River Forest	112	-	-	-	29	10	6	3	4	-	-	6	-	58	51	-	2	36	13
River Grove	104	-	-	-	35	15	4	5	2	1	1	7	3	48	39	-	2	31	6
Rolling Meadows	110	-	-	1	34	10	10	2	1	3	1	7	1	45	37	-	1	27	9
Roselle, part	18	-	-	-	8	2	3	-	1	-	1	1	-	6	6	1	-	4	1
Sauk Village	41	-	-	1	13	1	5	5	-	-	1	1	-	12	10	-	-	7	3
Schaumburg, part	262	-	-	4	57	15	14	8	4	5	1	10	3	123	101	-	3	75	23
Schaumburg, total	264	-	-	4	57	15	14	8	4	5	1	10	3	124	102	-	4	75	23
Schiller Park	63	-	-	2	15	6	6	1	-	1	-	1	1	28	25	-	1	18	6
Skokie	660	-	-	14	181	46	42	21	20	10	3	39	12	316	261	1	8	198	54
South Holland	249	-	-	1	48	12	7	5	2	4	3	15	1	139	116	1	1	86	28
Streamwood	89	-	-	4	22	7	8	3	1	-	-	3	3	32	27	1	2	19	5
Summit	76	-	-	-	17	6	4	1	1	-	-	5	3	36	27	-	2	14	11
Tinley Park, part	208	-	-	5	56	9	22	7	-	1	4	13	3	89	75	2	3	58	12
Tinley Park, total	208	-	-	5	56	9	22	7	-	1	4	13	3	89	75	2	3	58	12
Westchester	180	-	-	3	51	16	14	4	3	5	1	8	4	92	75	1	2	52	20
Western Springs	79	-	-	2	25	6	8	3	2	2	1	3	1	35	28	-	1	16	11
Wheeling, part	146	3	-	1	40	10	14	6	-	2	1	7	4	64	58	1	2	39	16
Wheeling, total	146	3	-	1	40	10	14	6	-	2	1	7	4	64	58	1	2	39	16
Wilmette	195	-	-	3	45	9	12	8	4	4	2	6	2	102	77	-	4	56	17
Winnetka	82	-	-	1	23	4	5	4	3	1	2	4	1	33	24	-	1	18	5
Worth	105	2	-	1	26	5	12	-	2	1	2	4	5	46	39	1	2	23	13
Balance of county	2,423	-	-	30	616	165	172	68	60	24	16	111	39	1,139	923	9	35	632	247
Crawford	232	-	-	-	41	6	13	2	7	-	1	12	2	127	92	-	-	66	26
Cumberland	125	-	-	2	27	5	13	1	2	-	1	5	1	64	45	2	1	36	6
De Kalb	475	-	-	7	101	26	22	12	16	5	4	16	9	233	176	3	7	135	31
De Kalb	133	-	-	2	33	9	7	1	5	2	1	8	2	65	48	1	1	36	10
Balance of county	342	-	-	5	68	17	15	11	11	3	3	8	7	168	128	2	6	99	21
De Witt	194	-	-	3	43	12	16	1	3	4	1	6	2	100	58	-	1	43	14
Douglas	196	-	-	-	43	9	8	7	7	1	2	9	4	106	73	-	3	56	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Deerfield, part	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Des Plaines	1	48	12	8	28	20	5	4	7	-	4	5	3	62	10	16	7	3	1
Dolton	-	14	3	2	7	10	-	2	3	-	2	1	-	10	3	3	4	-	-
Elgin, part	-	6	1	-	1	1	-	2	-	-	1	3	1	2	-	-	1	-	-
Elk Grove Village, part	-	11	2	2	1	5	-	2	2	-	3	1	2	11	2	-	4	-	-
Elk Grove Village, total	-	11	2	2	1	5	-	2	2	-	3	1	2	11	2	-	4	-	-
Elmwood Park	-	25	2	2	14	3	-	2	3	-	1	-	1	13	3	2	1	-	-
Evanston	6	52	11	9	26	23	2	7	7	-	3	4	5	72	9	10	11	3	-
Evergreen Park	1	20	2	5	13	5	-	3	3	-	2	1	1	24	2	3	4	1	-
Forest Park	-	13	-	2	6	5	1	4	5	-	1	-	2	15	1	2	1	-	-
Franklin Park	2	16	2	1	7	9	1	2	5	-	-	-	1	12	3	2	4	1	-
Glenview	2	26	4	1	20	8	-	6	2	-	2	5	1	32	3	3	2	-	-
Glenwood	-	1	-	2	1	3	-	-	4	-	-	1	-	3	-	2	-	-	-
Hanover Park, part	-	2	-	-	5	4	-	2	1	-	1	3	2	3	9	2	1	-	-
Hanover Park, total	-	3	1	-	6	4	-	2	1	-	1	3	3	5	11	2	4	-	-
Harvey	2	19	-	3	15	7	-	7	4	-	2	11	4	27	2	6	2	10	1
Hazel Crest	-	6	-	3	3	3	-	-	1	-	-	1	2	11	2	2	-	1	-
Hickory Hills	-	1	-	-	3	2	-	2	-	-	-	1	2	2	2	2	3	-	1
Hinsdale, part	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Hoffman Estates	3	7	-	1	4	1	-	2	1	-	1	2	-	15	2	7	4	1	-
Homewood	-	13	-	2	6	13	-	1	2	-	2	2	4	16	2	-	-	-	-
Justice	-	6	-	1	2	3	-	1	-	-	3	-	-	7	1	4	1	2	-
La Grange	-	18	2	1	5	3	1	2	1	-	1	3	1	23	4	3	2	3	-
La Grange Park	3	11	5	3	4	4	-	1	-	-	1	-	1	16	-	1	1	-	1
Lansing	-	16	-	4	2	6	-	2	2	-	2	4	4	16	2	5	5	-	-
Lincolnwood	-	11	1	1	4	3	-	-	3	-	-	-	-	5	2	1	2	1	-
Markham	-	4	1	1	1	3	-	-	2	-	1	3	-	13	3	1	1	-	-
Matteson	-	2	-	2	-	4	-	1	-	-	-	1	-	10	-	-	-	1	-
Maywood	3	10	1	3	11	8	-	3	3	-	-	6	2	20	4	5	-	4	1
Melrose Park	1	13	6	3	2	3	1	5	3	-	1	3	1	18	2	2	1	2	-
Midlothian	1	3	2	1	4	3	1	1	1	-	1	-	-	5	2	-	2	1	-
Morton Grove	1	12	-	1	7	1	-	2	2	-	1	2	-	21	1	1	2	-	-
Mount Prospect	-	17	2	2	16	13	-	3	4	-	2	1	2	30	8	9	9	-	-
Niles	1	27	8	3	23	12	2	4	4	-	-	-	2	46	2	5	5	-	-
Norridge	2	11	2	1	7	6	1	2	4	-	-	2	1	13	2	2	2	-	-
Northbrook	3	24	4	1	18	11	-	2	3	-	2	1	1	30	5	5	2	-	-
Northlake	-	8	2	-	4	8	1	2	2	-	2	-	1	11	-	3	7	-	-
Oak Forest	1	14	1	1	9	5	-	2	2	-	2	2	-	9	6	2	2	-	-
Oak Lawn	3	29	7	11	16	16	5	5	4	-	4	-	1	52	3	8	6	2	1
Oak Park	2	34	7	3	24	22	2	7	10	-	1	5	-	35	5	9	8	2	-
Orland Park	1	7	2	3	7	8	-	-	-	-	1	1	-	15	3	4	5	-	-
Palatine	1	17	3	3	12	12	-	5	1	-	5	3	1	16	7	7	7	-	-
Palos Heights	2	6	-	1	3	4	-	-	-	-	-	1	1	13	1	-	-	3	-
Palos Hills	-	6	1	2	9	10	-	2	2	-	-	-	1	10	3	1	4	-	1
Park Forest, part	-	8	2	1	6	-	1	-	3	-	4	1	2	15	3	3	2	1	-
Park Forest, total	-	9	2	2	6	1	1	-	4	-	4	1	2	15	3	3	2	1	-
Park Ridge	1	32	1	3	23	7	1	7	3	-	1	-	1	34	1	3	6	1	-
Prospect Heights	1	8	2	-	1	2	-	-	-	-	1	-	1	4	2	1	2	1	-
Riverdale	-	15	-	1	4	6	1	1	4	-	1	5	2	11	3	2	2	-	-
River Forest	-	7	-	-	3	1	-	2	1	-	-	2	-	10	1	1	2	2	-
River Grove	1	6	1	1	1	3	-	2	-	-	-	-	-	8	2	1	1	-	-
Rolling Meadows	-	4	1	3	2	1	-	3	-	-	2	1	2	9	6	2	-	1	-
Roselle, part	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-
Sauk Village	-	1	-	1	-	2	-	-	1	-	-	1	2	5	1	1	2	-	-
Schaumburg, part	-	19	1	2	9	8	1	4	2	-	-	5	1	33	6	3	3	-	-
Schaumburg, total	-	19	1	2	9	8	1	4	2	-	-	5	1	33	6	4	3	-	-
Schiller Park	-	3	-	-	1	1	2	-	1	-	-	2	1	4	2	-	3	-	-
Skokie	1	39	6	9	31	16	3	1	8	-	2	-	3	59	6	5	3	-	-
South Holland	1	17	2	3	14	5	3	1	2	-	1	1	2	21	4	3	2	1	-
Streamwood	-	4	-	1	1	1	-	2	-	-	-	3	2	8	3	3	4	1	-
Summit	1	7	-	1	2	2	-	-	1	-	-	1	-	7	4	1	1	1	-
Tinley Park, part	1	7	3	3	11	5	2	3	6	-	1	4	1	18	1	2	1	-	-
Tinley Park, total	1	7	3	3	11	5	2	3	6	-	1	4	1	18	1	2	1	-	-
Westchester	1	14	-	2	6	8	-	3	1	-	1	-	1	16	1	1	2	-	-
Western Springs	1	3	3	-	2	2	1	1	1	-	1	1	-	2	1	4	-	-	-
Wheeling, part	-	4	-	2	4	5	-	-	1	-	-	3	1	7	6	-	5	1	1
Wheeling, total	-	4	-	2	4	5	-	-	1	-	-	3	1	7	6	-	5	1	1
Wilmette	1	22	1	1	6	7	1	4	1	-	-	2	2	13	1	2	4	-	-
Winnetka	-	9	-	-	6	3	-	1	1	-	-	-	-	8	-	1	3	1	-
Worth	-	5	2	-	6	1	-	3	1	-	1	1	1	8	1	-	2	-	-
Balance of county	6	153	34	23	59	80	7	34	32	-	17	15	22	191	46	36	32	24	4
Crawford	1	30	1	3	11	6	-	1	9	-	-	3	-	16	6	4	6	-	-
Cumberland	-	18	-	1	6	7	-	-	-	-	-	-	2	11	2	1	1	-	1
De Kalb	2	33	13	9	15	13	4	1	2	-	3	8	-	43	11	15	9	1	-
De Kalb	2	12	-	3	2	5	-	-	-	-	2	2	-	8	4	5	3	-	-
Balance of county	-	21	13	6	13	8	4	1	2	-	1	6	-	35	7	10	6	1	-
De Witt	1	35	3	3	4	7	1	-	3	-	1	1	-	12	7	5	4	-	1
Douglas	2	14	16	1	2	14	2	-	1	-	-	1	-	8	7	7	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Du Page	4,071	-	-	62	996	238	240	129	99	49	99	208	51	1,940	1,531	11	15	1,208	297
Addison	118	-	-	3	32	8	7	4	5	-	3	5	-	58	48	2	-	37	9
Aurora, part	8	-	-	-	2	-	-	-	-	1	-	1	1	2	2	-	-	2	-
Bartlett, part	27	-	-	1	5	2	1	1	-	-	1	1	-	14	14	-	-	12	2
Bartlett, total	61	-	-	1	14	2	3	3	1	1	1	3	-	33	27	-	-	24	3
Batavia, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Bensenville, part	126	-	-	1	38	7	13	4	5	3	-	6	1	49	36	-	-	29	7
Bensenville, total	129	-	-	1	39	7	14	4	5	3	-	6	1	51	38	-	-	30	8
Bloomingdale	126	-	-	2	23	6	5	1	5	1	1	4	5	67	54	-	-	46	8
Bolingbrook, part	13	-	-	1	-	-	-	-	-	-	-	-	-	5	5	-	-	3	2
Carol Stream	55	-	-	3	14	2	3	2	2	1	1	3	1	23	18	-	-	17	1
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	74	-	-	2	19	5	5	3	1	1	-	4	-	34	30	-	2	23	5
Downers Grove	372	-	-	2	88	21	20	11	10	3	4	19	4	189	152	1	2	117	32
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	394	-	-	7	89	18	18	15	4	8	4	22	3	193	144	1	1	109	33
Glendale Heights	77	-	-	1	18	8	5	1	1	-	-	3	2	28	23	-	-	19	4
Glen Ellyn	128	-	-	1	41	7	10	7	4	1	4	8	3	63	49	-	-	44	5
Hanover Park, part	20	-	-	-	4	1	1	-	1	-	1	-	-	7	5	-	-	3	2
Hinsdale, part	120	-	-	1	27	9	8	4	2	-	1	3	2	54	33	-	-	28	5
Hinsdale, total	139	-	-	2	37	11	12	4	2	1	2	5	3	57	34	-	-	29	5
Lisle	75	-	-	2	14	2	7	1	1	1	1	1	1	36	30	1	-	23	6
Lombard	264	-	-	2	71	16	18	13	10	2	1	11	1	121	100	1	1	86	12
Naperville, part	277	-	-	6	72	18	9	9	6	5	4	21	3	128	104	-	1	77	26
Naperville, total	279	-	-	6	72	18	9	9	6	5	4	21	3	130	106	-	1	78	27
Roselle, part	65	-	-	2	15	4	2	1	2	1	2	3	-	31	27	-	-	20	7
Roselle, total	83	-	-	2	23	6	5	1	3	1	3	4	-	37	33	1	-	24	8
St. Charles, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Villa Park	161	-	-	1	42	11	9	3	3	1	2	13	2	73	60	-	-	45	15
West Chicago	94	-	-	-	19	3	7	3	2	1	2	1	1	44	33	-	-	25	8
Westmont	189	-	-	5	41	9	15	2	5	-	-	10	8	81	64	-	1	54	9
Wheaton	311	-	-	2	66	22	9	8	6	3	2	16	3	170	126	1	2	97	26
Wood Dale	59	-	-	2	14	3	5	1	1	1	-	3	-	24	17	-	1	11	5
Woodridge	64	-	-	1	17	2	8	1	1	-	1	4	1	31	25	2	-	20	3
Balance of county	850	-	-	14	224	54	55	34	22	9	4	46	9	412	330	2	3	260	65
Edgar	260	-	-	-	46	11	15	5	1	4	2	8	3	166	113	1	3	80	29
Edwards	82	-	-	4	20	5	5	1	1	5	1	2	-	41	34	-	-	26	8
Effingham	287	-	-	3	66	26	17	4	7	2	2	8	3	146	100	1	-	83	16
Effingham	140	-	-	1	37	16	9	2	3	2	-	5	1	62	38	-	-	31	7
Balance of county	147	-	-	2	29	10	8	2	4	-	2	3	2	84	62	1	-	52	9
Fayette	263	-	-	1	58	17	17	3	5	5	2	9	8	150	122	1	1	110	10
Ford	185	-	-	2	39	10	11	3	2	2	2	9	4	96	88	-	3	55	30
Franklin	602	-	-	1	146	31	50	10	9	5	-	41	11	302	256	2	11	209	34
Fulton	502	-	-	3	113	33	23	14	6	3	4	30	16	274	232	1	7	186	38
Canton	203	-	-	-	49	13	12	7	1	1	1	14	7	106	89	1	2	72	14
Balance of county	299	-	-	3	64	20	11	7	5	2	3	16	9	168	143	-	5	114	24
Gallatin	93	-	-	-	18	7	7	1	2	-	-	1	3	48	41	-	-	29	12
Greene	204	-	-	1	34	6	15	-	4	1	4	4	4	123	99	1	13	62	23
Grundy	233	-	-	4	61	11	21	6	7	2	1	13	2	114	91	-	2	77	12
Hamilton	115	-	-	1	28	6	9	1	3	3	2	4	-	66	58	-	-	47	11
Hancock	234	-	-	-	50	11	13	6	8	1	3	7	4	113	84	1	-	63	20
Hardin	80	-	-	1	17	7	1	-	2	1	-	6	1	35	29	-	-	22	7
Henderson	93	-	-	-	21	6	4	2	2	1	-	6	2	45	38	1	1	27	9
Henry	535	-	-	3	127	19	28	9	19	8	11	33	11	272	210	1	7	148	54
Kewanee	181	-	-	-	41	6	12	4	3	2	2	12	6	91	65	-	3	46	16
Balance of county	354	-	-	3	86	13	16	5	16	6	9	21	5	181	145	1	4	102	38
Iroquois	368	-	-	4	84	16	25	10	9	2	7	15	6	192	145	-	2	126	17
Jackson	433	-	-	5	87	25	22	4	8	2	6	20	5	210	156	2	1	121	32
Carbondale	124	-	-	1	28	9	8	1	2	1	1	6	1	58	41	1	-	33	7
Balance of county	309	-	-	4	59	16	14	3	6	1	5	14	4	152	115	1	1	88	25
Jasper	129	-	-	-	19	4	4	1	3	-	1	6	-	88	63	-	2	45	16
Jefferson	410	1	-	7	88	24	23	5	7	5	5	19	1	205	170	-	3	131	36
Mount Vernon	259	1	-	5	55	19	14	2	5	3	3	9	1	128	104	-	-	82	22
Balance of county	151	-	-	2	33	5	9	3	2	2	2	10	-	77	66	-	3	49	14
Jersey	189	-	-	3	42	6	12	3	7	4	1	9	3	98	82	1	-	70	11
Jo Daviess	205	-	-	-	41	11	8	4	3	2	1	12	2	105	80	1	4	53	22
Johnson	109	-	-	-	25	5	7	1	6	-	-	6	2	52	44	-	1	35	8
Kane	2,198	-	-	26	454	105	124	46	53	9	24	93	35	1,083	824	7	23	682	132
Aurora, part	700	-	-	10	151	29	51	19	16	2	9	25	12	326	248	3	5	203	37
Aurora, total	708	-	-	10	153	29	51	19	16	3	9	26	13	328	250	3	5	205	37
Batavia, part	135	-	-	1	24	3	5	1	5	-	2	8	-	71	57	1	2	47	7
Batavia, total	137	-	-	1	24	3	5	1	5	-	2	8	-	73	58	1	2	48	7
Carpentersville	134	-	-	3	29	10	6	-	3	2	-	8	4	61	48	-	1	37	10
Elgin, part	547	-	-	8	98	24	28	11	13	-	6	16	11	286	215	1	9	171	34
Elgin, total	599	-	-	8	109	25	30	11	15	2	6	20	14	312	234	1	9	188	36
St. Charles, part	138	-	-	1	33	7	7	5	3	1	1	9	-	65	48	-	-	44	4
St. Charles, total	138	-	-	1	33	7	7	5	3	1	1	9	-	65	48	-	-	44	4
Balance of county	544	-	-	3	119	32	27	10	13	4	6	27	8	274	208	2	6	160	40
Kankakee	907	1	-	10	194	57	62	9	12	10	8	36	21	427	341	2	9	256	74
Bourbonnais	81	-	-	2	17	6	7	1	-	1	-	2	2	40	33	-	1	22	10
Bradley	106	-	-	1	21	8	5	-	2	3	1	2	4	58	48	-	4	30	14
Kankakee	377	1	-	4	78	20	20	5	7	4	4	18	9	167	133	1	2	103	27
Balance of county	343	-	-	3	78	23	30	3	3	2	3	14	6	162	127	1	2	101	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	20	291	58	40	133	144	11	49	37	1	31	46	27	311	75	58	79	11	9
Addison	-	9	1	-	1	3	-	2	-	-	2	3	1	7	3	1	1	1	-
Aurora, part	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
Bartlett, part	-	-	-	-	1	1	-	-	1	-	-	1	-	1	1	-	-	-	-
Bartlett, total	-	5	-	1	1	2	1	-	1	-	-	2	-	3	2	1	-	-	-
Batavia, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bensenville, part	2	9	2	-	3	5	-	5	3	-	4	-	-	9	5	2	1	-	-
Bensenville, total	2	9	2	-	3	5	-	5	3	-	4	-	-	9	5	2	1	-	-
Bloomingdale	-	10	2	1	8	1	-	-	2	-	-	4	-	10	1	-	1	2	-
Bolingbrook, part	-	-	-	-	2	-	-	-	-	1	1	1	-	-	1	1	-	-	-
Carol Stream	-	3	1	1	-	2	-	-	-	-	1	1	-	6	2	-	2	-	-
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	-	3	-	1	-	3	-	-	-	-	-	1	-	9	2	2	-	2	-
Downers Grove	-	23	9	5	13	20	-	1	1	-	2	3	-	32	3	4	9	1	-
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	2	41	2	4	10	21	-	5	2	-	5	3	4	37	6	2	5	-	2
Glendale Heights	-	2	2	1	4	1	-	1	-	-	3	4	1	5	6	1	2	-	-
Glen Ellyn	-	8	4	2	2	4	-	1	2	-	-	-	2	4	-	3	1	-	1
Hanover Park, part	-	1	1	-	1	-	-	-	-	-	-	-	1	2	2	-	3	-	-
Hinsdale, part	2	14	5	-	4	8	-	-	1	-	-	-	-	10	3	7	3	-	-
Hinsdale, total	2	15	6	-	5	8	-	-	1	-	-	-	-	10	4	8	4	-	-
Lisle	1	3	-	2	3	2	-	2	-	-	-	-	-	10	1	-	3	-	1
Lombard	-	16	4	1	10	11	3	7	3	-	-	4	1	19	1	1	7	2	-
Naperville, part	1	17	3	3	8	7	-	4	7	-	1	4	1	23	5	6	2	-	-
Naperville, total	1	17	3	3	8	7	-	4	7	-	1	4	1	23	5	6	2	-	-
Roselle, part	-	2	-	2	4	1	-	-	-	-	-	1	-	2	5	1	3	-	-
Roselle, total	-	2	-	2	5	2	-	-	-	-	-	2	-	2	6	1	3	-	-
St. Charles, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Villa Park	2	9	1	1	5	4	1	3	3	-	1	-	3	8	4	4	7	-	-
West Chicago	-	8	1	2	5	5	-	-	-	-	2	2	1	6	4	1	3	-	1
Westmont	-	11	5	1	10	8	-	1	4	-	1	2	2	20	3	-	2	-	1
Wheaton	1	34	7	2	17	5	1	-	2	-	2	4	2	25	3	5	2	1	1
Wood Dale	1	5	1	-	1	3	1	3	-	-	-	-	-	8	2	1	-	-	-
Woodridge	1	5	-	-	1	-	-	-	1	-	1	3	-	3	3	1	1	-	-
Balance of county	7	58	7	10	20	29	4	14	5	-	4	5	7	55	9	14	21	2	2
Edgar	-	46	5	2	4	13	1	2	2	-	1	2	1	9	5	4	1	-	-
Edwards	-	4	2	1	3	2	1	-	1	-	1	-	-	7	2	-	-	-	-
Effingham	2	28	11	5	16	10	1	1	1	-	-	1	2	17	8	8	3	-	1
Effingham	2	14	5	3	10	3	1	1	1	-	-	1	2	6	6	5	2	-	1
Balance of county	-	14	6	2	6	7	-	-	-	-	-	-	-	11	2	3	1	-	-
Fayette	1	20	4	3	8	4	1	-	3	-	1	1	1	14	7	2	3	-	1
Ford	-	6	2	-	11	11	1	5	2	-	1	-	1	8	1	2	1	-	-
Franklin	3	37	-	6	15	14	-	9	5	-	1	5	2	52	12	15	6	5	1
Fulton	2	35	4	1	12	15	3	1	3	-	3	1	1	37	7	7	3	3	-
Canton	1	14	2	-	4	7	3	-	-	-	1	1	-	18	4	3	-	-	-
Balance of county	1	21	2	1	8	8	-	1	3	-	2	-	1	19	3	4	3	3	-
Gallatin	-	4	-	3	1	3	-	2	2	-	2	1	-	8	2	2	1	-	-
Greene	3	15	4	2	6	7	1	-	2	-	1	1	5	10	6	1	1	1	-
Grundy	2	19	1	1	5	9	2	4	-	-	-	6	-	13	5	6	2	-	-
Hamilton	-	7	1	-	-	3	1	-	5	-	-	2	-	8	-	1	-	-	-
Hancock	-	19	7	3	7	11	-	1	2	-	1	3	1	25	6	8	1	1	-
Hardin	-	6	-	-	5	5	-	-	-	-	-	-	-	10	1	2	2	1	-
Henderson	-	5	2	-	4	4	1	1	-	-	1	1	-	9	1	2	1	-	-
Henry	4	47	6	5	15	18	2	4	7	-	2	-	5	49	6	8	6	-	-
Kewanee	3	21	-	2	8	6	1	1	2	-	1	-	2	16	2	3	1	-	-
Balance of county	1	28	6	3	7	12	1	3	5	-	1	-	3	33	4	5	5	-	-
Iroquois	-	41	5	1	13	9	1	-	3	-	1	5	3	22	11	11	2	-	1
Jackson	4	32	10	8	15	28	1	3	3	-	2	4	1	47	7	9	3	2	1
Carbondale	-	11	3	3	2	3	1	2	-	-	2	3	-	15	2	3	1	1	1
Balance of county	4	21	7	5	13	25	-	1	3	-	-	1	1	32	5	6	2	1	-
Jasper	2	17	6	-	1	2	-	1	4	-	-	-	1	3	4	4	2	-	-
Jefferson	2	30	1	2	13	16	1	-	3	-	1	1	2	44	4	12	3	7	1
Mount Vernon	1	22	-	1	10	10	1	-	2	-	-	1	1	28	1	8	-	7	-
Balance of county	1	8	1	1	3	6	-	-	1	-	1	-	1	16	3	4	3	-	1
Jersey	-	9	6	1	1	3	1	1	1	-	1	-	8	10	3	8	5	1	-
Jo Daviess	-	20	3	2	7	10	2	1	3	-	2	2	1	17	4	5	2	1	-
Johnson	-	5	1	2	4	5	1	2	1	-	-	-	1	11	-	4	-	1	-
Kane	14	194	37	14	74	69	9	25	18	1	12	32	8	186	61	50	43	10	2
Aurora, part	5	55	12	6	26	29	3	6	10	-	3	13	2	69	14	10	10	5	1
Aurora, total	5	55	12	6	26	29	4	6	10	-	4	13	3	69	14	10	10	5	1
Batavia, part	1	10	2	1	3	5	1	4	2	1	1	-	1	8	3	2	8	-	-
Batavia, total	1	10	2	2	3	5	1	4	2	1	1	-	1	8	3	2	8	-	-
Carpentersville	1	10	1	1	4	4	-	3	-	-	1	3	1	11	4	3	2	-	1
Elgin, part	2	60	8	1	15	14	4	5	2	-	2	8	2	50	14	16	10	2	-
Elgin, total	2	66	9	1	16	15	4	7	2	-	3	11	3	52	14	16	11	2	-
St. Charles, part	3	11	2	1	3	1	-	2	2	-	2	6	-	10	5	4	3	1	-
St. Charles, total	3	11	2	1	3	1	-	2	2	-	2	6	-	10	5	4	3	1	-
Balance of county	2	48	12	4	23	16	1	5	2	-	3	2	2	38	21	15	10	2	-
Kankakee	13	56	10	7	23	40	4	9	3	1	7	16	5	79	23	24	13	6	1
Bourbonnais	-	6	1	-	3	3	-	-	-	-	2	1	1	6	2	1	1	-	-
Bradley	2	5	3	-	-	3	-	-	-	-	-	3	1	8	3	2	2	-	-
Kankakee	5	21	5	3	19	20	3	5	3	1	3	8	2	30	5	10	6	3	-
Balance of county	6	24	1	4	1	14	1	4	-	-	2	4	1	35	13	11	4	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kendall	226	-	-	1	57	16	16	2	4	2	5	12	2	103	80	-	3	64	13
Knox	698	-	-	5	124	33	35	10	10	7	2	27	8	344	267	2	9	204	52
Galesburg	382	-	-	4	76	23	22	5	6	6	1	13	3	204	159	1	6	118	34
Balance of county	256	-	-	1	48	10	13	5	4	1	1	14	5	140	108	1	3	86	18
Lake	2,826	1	-	33	663	168	178	68	62	21	23	143	44	1,278	1,014	8	28	776	202
Arlington Heights, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	32	-	-	-	13	-	3	1	2	-	-	7	-	11	8	2	-	4	2
Deerfield, part	115	-	-	2	26	9	5	2	3	1	1	5	2	48	39	-	1	32	6
Deerfield, total	119	-	-	2	26	9	5	2	3	1	1	5	2	50	41	-	1	34	6
Highland Park	168	-	-	-	46	10	11	9	4	1	2	9	1	76	55	-	1	45	9
Lake Forest	110	-	-	-	31	10	3	5	2	-	1	10	1	60	38	-	1	29	8
Libertyville	115	-	-	4	33	11	2	5	5	2	1	7	3	43	35	-	1	24	10
Mundelein	93	-	-	1	23	1	14	2	1	2	-	3	1	38	28	-	1	21	6
North Chicago	134	1	-	3	28	11	4	5	2	1	-	5	5	55	44	-	1	33	10
Round Lake Beach	67	-	-	-	15	2	4	3	-	2	1	3	1	34	25	-	-	21	4
Waukegan	567	-	-	8	125	43	34	12	7	5	3	21	7	248	203	1	5	164	33
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zion	152	-	-	2	32	9	8	3	3	-	4	5	2	72	56	-	-	41	15
Balance of county	1,272	-	-	13	291	82	90	21	33	7	10	68	21	593	483	5	17	362	99
La Salle	1,154	-	-	4	290	88	80	18	25	15	10	54	16	649	509	4	9	431	65
La Salle	125	-	-	-	34	11	7	2	2	2	1	9	2	64	45	-	2	33	10
Ottawa	239	-	-	-	47	21	11	3	3	-	4	5	4	147	129	-	2	110	17
Peru	123	-	-	-	29	8	9	1	5	1	-	5	-	77	60	-	1	56	3
Streator, part	166	-	-	2	49	12	14	2	6	2	2	11	3	89	65	2	1	54	8
Streator, total	167	-	-	2	50	13	14	2	6	2	2	11	3	89	65	2	1	54	8
Balance of county	501	-	-	2	131	36	39	10	9	10	3	24	7	272	210	2	3	178	27
Lawrence	216	-	-	5	50	10	17	1	8	3	2	9	6	112	86	1	-	72	13
Lee	308	-	-	1	81	29	11	10	14	3	-	14	4	147	101	-	1	86	14
Dixon	153	-	-	1	41	13	3	5	11	1	-	8	1	65	40	-	-	34	6
Balance of county	155	-	-	-	40	18	8	5	3	2	-	6	3	82	61	-	1	52	8
Livingston	392	-	-	1	85	27	21	9	11	7	6	14	8	201	163	-	3	112	48
Pontiac	102	-	-	-	30	9	10	1	3	2	1	4	3	40	37	-	1	25	11
Streator, part	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	289	-	-	1	84	17	11	8	8	5	5	10	5	161	126	-	2	87	37
Logan	348	1	-	2	80	20	23	8	9	5	3	12	5	189	146	1	3	83	59
Lincoln	193	1	-	1	38	12	10	2	4	2	3	5	4	108	84	1	3	41	39
Balance of county	155	-	-	1	42	8	13	6	5	3	-	7	1	81	62	-	-	42	20
McDonough	325	1	-	2	68	11	23	4	6	2	4	18	7	164	131	-	-	117	14
Macomb	173	1	-	1	35	6	11	1	3	1	2	11	4	86	64	-	-	57	7
Balance of county	152	-	-	1	33	5	12	3	3	1	2	7	3	78	67	-	-	60	7
McHenry	1,137	-	-	6	244	67	55	27	26	6	11	52	22	580	432	6	8	344	74
Crystal Lake	151	-	-	1	27	5	5	3	5	-	-	9	6	77	55	2	-	46	5
McHenry	151	-	-	-	35	11	9	1	7	2	2	3	2	76	52	-	2	39	11
Woodstock	131	-	-	-	18	8	1	3	2	-	1	3	1	82	66	-	1	57	8
Balance of county	704	-	-	5	164	43	40	20	12	4	8	37	13	345	259	4	5	200	50
McLean	912	-	-	11	203	50	58	12	16	10	9	50	19	447	345	6	10	259	70
Bloomington	483	-	-	4	109	28	33	2	9	5	6	26	11	240	177	2	7	125	43
Normal	161	-	-	6	28	8	4	5	-	4	-	7	1	73	55	-	-	47	8
Balance of county	268	-	-	1	66	14	19	5	7	1	3	17	7	134	113	4	3	87	19
Macon	1,125	-	-	11	245	65	76	16	31	6	4	47	26	587	436	3	5	260	168
Decatur	962	-	-	11	205	54	64	12	28	5	4	38	22	508	377	3	3	221	150
Balance of county	163	-	-	-	40	11	12	4	3	1	-	9	4	79	59	-	2	39	18
Macoupin	575	-	-	5	120	39	32	9	11	7	1	21	17	274	212	1	11	164	36
Madison	2,411	3	-	27	516	138	147	42	57	24	12	96	45	1,171	953	8	15	772	158
Alton	396	-	-	4	80	19	23	10	7	4	2	15	9	198	158	-	4	128	26
Collinsville, part	237	-	-	2	47	8	14	4	7	-	2	12	3	132	102	-	-	86	16
Collinsville, total	252	-	-	2	50	9	15	4	7	1	2	12	4	139	107	-	-	90	17
Edwardsville	154	-	-	2	34	8	8	3	7	-	3	5	4	75	53	1	1	39	12
Granite City	415	2	-	4	85	23	19	7	7	1	1	27	8	206	172	2	3	138	29
Wood River	105	-	-	2	30	10	8	1	1	3	1	6	1	43	35	-	1	31	3
Balance of county	1,104	1	-	13	240	70	75	17	28	16	3	31	20	517	433	5	6	350	72
Marion	538	-	-	7	105	23	36	6	11	3	3	23	5	269	231	2	4	193	32
Centralia, part	185	-	-	4	32	6	10	1	4	1	2	8	1	100	83	-	2	74	7
Centralia, total	238	-	-	5	37	8	12	1	5	1	2	8	2	127	106	-	2	94	12
Balance of county	343	-	-	3	73	17	26	5	7	2	1	15	4	169	148	2	2	119	25
Marshall	152	1	-	1	25	10	5	1	1	2	1	5	2	93	84	-	1	74	9
Mason	174	-	-	1	43	15	12	6	6	-	1	3	1	85	74	-	-	50	24
Massac	160	-	-	1	34	8	14	4	4	1	1	2	2	68	52	1	3	34	14
Menard	126	-	-	-	32	13	5	4	5	-	2	3	3	48	36	-	1	26	9
Mercer	188	-	-	1	37	9	14	2	2	2	-	8	4	101	71	-	1	49	21
Monroe	203	-	-	2	38	8	12	6	3	1	-	8	4	111	91	1	10	67	13
Montgomery	387	-	-	-	73	21	19	7	7	1	6	12	10	200	142	1	4	113	24
Morgan	402	-	-	3	87	15	26	5	10	5	7	19	6	206	165	3	5	109	48
Jacksonville	288	-	-	3	54	7	17	4	5	4	4	13	5	150	122	2	5	78	39
Balance of county	114	-	-	-	33	8	9	1	5	1	3	6	1	56	43	1	-	33	9
Moultrie	185	-	-	1	34	10	9	2	3	4	-	6	1	108	83	1	-	71	11
Ogle	415	-	-	2	86	31	22	4	10	2	2	15	7	208	157	1	1	123	32
Peoria	1,794	-	-	10	426	102	110	37	45	25	17	90	17	855	612	8	19	444	143
Pekin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peoria	1,208	-	-	6	298	69	77	23	36	18	12	63	13	535	375	4	11	272	88
Balance of county	586	-	-	4	128	33	33	14	9	7	5	27	4	320	237	2	8	172	55

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	-	19	4	-	4	8	-	3	-	1	2	4	5	19	10	5	3	1	-
Knox	4	50	13	10	17	24	3	9	6	-	4	2	6	52	12	10	9	1	-
Galesburg	1	31	6	7	11	14	2	7	5	-	3	2	5	33	3	5	4	1	-
Balance of county	3	19	7	3	6	10	1	2	3	-	1	-	1	19	9	5	5	-	-
Lake	10	208	14	32	71	100	16	44	29	1	24	45	25	229	83	59	54	22	5
Arlington Heights, part	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	-	2	-	1	1	1	-	-	-	-	-	-	-	4	-	-	2	-	-
Deerfield, part	-	9	-	-	3	6	-	3	2	1	1	7	3	5	-	3	3	-	-
Deerfield, total	-	9	-	-	4	6	-	3	2	1	1	7	3	5	-	4	3	-	-
Highland Park	1	14	4	2	1	7	1	2	1	-	2	2	-	17	5	4	3	-	-
Lake Forest	2	18	-	2	1	3	-	-	2	-	-	-	-	9	-	3	-	-	-
Libertyville	-	5	1	2	8	3	-	2	1	-	1	2	1	9	1	2	2	-	-
Mundelein	1	9	-	-	3	7	1	2	-	-	-	3	-	4	5	3	2	-	-
North Chicago	2	6	-	1	5	4	2	2	2	-	1	3	-	11	5	2	1	3	1
Round Lake Beach	-	7	-	2	4	1	1	-	-	-	2	-	1	3	1	1	2	1	-
Waukegan	1	36	1	7	14	23	3	6	9	-	6	15	9	55	3	15	11	8	2
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zion	-	13	2	1	6	3	2	3	-	-	1	4	1	10	6	2	2	3	1
Balance of county	3	87	6	14	25	42	6	23	12	-	10	9	10	102	57	24	26	7	1
La Salle	6	96	25	13	35	20	3	5	8	-	6	4	4	63	17	14	12	3	1
La Salle	1	11	3	4	6	4	-	-	1	-	-	1	-	7	2	1	2	1	-
Ottawa	1	14	2	1	4	5	1	1	-	-	-	1	2	14	5	5	2	1	-
Peru	1	9	6	1	5	1	-	1	2	-	4	1	-	2	1	-	-	-	-
Streator, part	1	18	4	1	4	1	1	1	1	-	1	-	-	9	2	2	1	-	-
Streator, total	1	18	4	1	4	1	1	1	1	-	1	-	-	9	2	2	1	-	-
Balance of county	2	44	10	6	16	9	1	2	4	-	1	1	2	31	7	6	7	1	1
Lawrence	2	23	1	-	8	6	1	1	-	-	-	-	2	10	6	8	1	-	-
Lee	7	27	7	5	9	10	1	4	3	-	-	2	1	26	8	7	3	1	-
Dixon	4	15	4	2	8	8	-	1	2	-	-	-	1	17	2	4	2	-	-
Balance of county	3	12	3	3	1	2	1	3	1	-	-	2	-	9	6	3	1	1	-
Livingston	3	28	5	2	13	14	1	-	3	-	1	1	3	27	12	7	4	1	-
Pontiac	1	2	-	-	3	7	-	-	1	-	1	1	2	8	2	1	2	1	-
Streator, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	26	5	2	10	7	1	-	2	-	-	-	1	19	10	6	2	-	-
Logan	5	20	16	2	10	10	-	1	2	-	1	4	3	29	-	9	2	-	-
Lincoln	3	10	11	-	7	6	-	-	-	-	-	3	2	16	-	5	2	-	-
Balance of county	2	10	5	2	3	4	-	1	2	-	1	1	1	13	-	4	-	-	-
McDonough	-	25	5	3	8	11	1	2	3	-	2	5	4	29	5	7	4	1	1
Macomb	-	17	2	3	5	6	-	-	3	-	-	3	4	17	4	3	-	1	-
Balance of county	-	8	3	-	3	5	1	2	-	-	2	2	-	12	1	4	4	-	1
McHenry	13	101	16	18	35	40	6	10	4	-	9	10	6	83	47	17	17	1	-
Crystal Lake	4	15	2	1	2	8	-	-	-	-	1	4	2	9	9	-	5	-	-
McHenry	1	16	4	3	7	5	1	3	1	-	2	-	1	10	3	3	2	-	-
Woodstock	1	13	1	1	4	4	1	1	-	-	-	-	-	13	2	4	1	-	-
Balance of county	7	57	9	13	22	23	4	6	3	-	6	6	3	51	33	10	9	1	-
McLean	3	73	15	11	38	27	3	9	6	-	9	17	3	65	28	14	13	-	-
Bloomington	3	46	7	7	18	12	1	6	4	-	6	10	-	32	18	8	8	-	-
Normal	-	15	2	1	10	5	-	1	1	-	-	6	3	17	5	2	3	-	-
Balance of county	-	12	6	3	10	10	2	2	1	-	3	1	-	16	7	6	2	-	-
Macon	6	115	18	12	25	57	5	5	8	-	6	10	16	77	12	11	14	9	1
Decatur	5	101	16	9	21	51	4	5	8	-	1	10	15	63	11	9	9	8	1
Balance of county	1	14	2	3	4	6	1	-	-	-	5	-	1	14	1	2	5	1	-
Macoupin	1	46	9	6	26	18	4	6	9	-	5	3	6	49	10	19	4	-	-
Madison	11	153	24	30	82	98	13	23	26	-	15	17	12	201	59	62	28	11	2
Alton	3	27	3	7	13	15	2	2	3	-	2	2	2	36	10	13	2	2	1
Collinsville, part	4	21	1	4	3	10	3	2	3	-	2	2	1	16	6	3	2	-	-
Collinsville, total	4	23	1	4	4	11	3	2	3	-	2	2	1	16	6	4	3	-	-
Edwardsville	-	17	2	3	6	6	-	2	-	-	-	-	-	15	5	1	2	2	-
Granite City	1	23	3	7	19	20	1	2	4	-	4	2	1	40	3	9	4	1	-
Wood River	-	3	3	2	6	2	1	4	1	-	2	-	-	8	3	1	1	-	-
Balance of county	3	62	12	7	35	45	6	11	15	-	5	11	8	86	32	35	17	6	1
Marion	2	28	3	5	26	30	1	2	3	-	3	4	5	44	7	14	11	2	-
Centralia, part	2	13	-	2	9	11	-	2	3	-	1	1	2	16	3	5	4	1	-
Centralia, total	2	15	-	2	10	12	-	2	3	-	1	1	2	21	4	6	4	1	-
Balance of county	-	15	3	3	17	19	1	-	-	-	2	3	3	28	4	9	7	1	-
Marshall	-	8	-	1	3	5	1	1	1	-	3	-	-	9	1	2	3	-	1
Mason	-	9	2	-	6	9	-	3	4	-	-	-	1	17	1	2	-	1	-
Massac	1	13	-	2	8	6	-	1	4	-	1	-	2	28	2	3	-	-	-
Menard	-	11	1	-	9	5	-	-	-	-	-	4	2	16	2	9	1	1	-
Mercer	2	21	7	-	5	9	-	1	7	-	1	-	4	12	3	1	1	1	-
Monroe	2	11	6	1	9	8	-	2	-	-	1	2	2	16	3	2	3	-	-
Montgomery	1	47	5	5	16	11	2	3	2	-	-	3	9	28	12	6	10	2	-
Morgan	2	27	5	7	21	9	1	5	6	-	3	4	5	31	6	5	4	-	-
Jacksonville	1	19	5	3	15	5	1	3	5	-	1	3	5	26	4	4	4	-	-
Balance of county	1	8	-	4	6	4	-	2	1	-	2	1	-	5	2	1	-	-	-
Moultrie	2	20	3	-	12	5	1	2	-	-	1	2	1	10	-	6	1	-	-
Ogle	3	29	8	11	14	13	3	5	5	-	3	2	2	34	13	9	7	1	1
Peoria	6	213	5	19	74	69	10	27	20	-	10	17	15	150	18	39	28	8	1
Pekin, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peoria	4	142	1	13	55	53	8	18	16	-	6	13	13	112	11	24	19	7	1
Balance of county	2	71	4	6	19	16	2	9	4	-	4	4	2	38	7	15	9	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Perry	246	-	-	3	51	13	6	5	10	3	2	12	1	125	108	1	2	83	22
Piatt	148	-	-	-	27	10	9	2	2	1	-	3	3	92	70	1	-	58	11
Pike	256	-	-	3	54	12	13	6	6	5	-	12	2	129	104	-	-	78	26
Pope	52	-	-	-	16	2	5	-	3	1	-	5	-	24	22	-	1	14	7
Pulaski	125	-	-	1	25	7	8	1	3	2	1	3	2	58	43	-	-	30	13
Putnam	48	-	-	1	5	3	1	-	-	-	1	-	1	25	21	-	-	21	-
Randolph	427	-	-	5	93	21	33	6	13	3	2	15	10	210	169	-	2	136	31
Richland	193	-	-	1	46	9	9	8	3	3	5	9	2	101	76	1	-	63	12
Rock Island	1,520	-	-	6	358	88	95	30	40	13	9	63	41	777	617	4	7	483	123
East Moline	202	-	-	2	47	11	11	2	8	2	2	11	4	96	83	-	1	63	19
Moline	435	-	-	1	98	22	31	9	8	5	4	19	13	234	191	1	4	158	28
Rock Island	503	-	-	2	116	25	33	11	14	4	1	28	11	259	194	2	-	143	49
Balance of county	380	-	-	1	97	30	20	8	10	2	2	25	13	188	149	1	2	119	27
St. Clair	2,687	-	-	33	572	144	173	39	78	27	21	90	48	1,325	1,002	13	32	661	276
Belleville	645	-	-	6	136	32	37	9	20	9	4	25	9	361	264	2	8	199	61
Cahokia	171	-	-	2	44	12	20	1	3	2	2	4	3	80	69	3	2	54	10
Collinsville, part	15	-	-	-	3	1	1	-	-	1	-	-	1	7	5	-	-	4	1
East St. Louis	575	-	-	14	94	27	30	7	13	3	5	9	12	249	182	-	10	105	67
Fairview Heights	111	-	-	-	32	9	11	2	2	1	1	6	3	50	41	-	1	28	12
O'Fallon	104	-	-	2	23	7	4	1	2	-	2	7	2	49	39	2	-	21	16
Balance of county	1,066	-	-	9	240	55	70	19	38	11	7	39	18	529	402	6	11	276	109
Saline	422	-	-	4	69	14	23	7	5	3	6	11	6	251	193	1	10	139	43
Harrisburg	152	-	-	1	23	5	10	1	3	1	1	2	1	83	68	-	2	48	18
Balance of county	270	-	-	3	46	9	13	6	2	2	5	9	5	168	125	1	8	91	25
Sangamon	1,668	2	-	14	404	101	112	38	40	20	13	80	37	771	589	3	26	425	135
Springfield	1,200	1	-	12	274	71	79	21	30	10	12	51	28	556	428	3	17	316	92
Balance of county	468	1	-	2	130	30	33	17	10	10	1	29	11	215	161	-	9	109	43
Schuyler	109	-	-	-	29	13	7	1	2	-	2	4	1	65	64	-	3	27	34
Scott	72	1	-	1	13	3	4	1	1	-	2	2	1	45	41	-	2	24	15
Shelby	225	-	-	-	48	7	18	4	5	-	4	10	-	122	93	-	1	66	26
Stark	69	-	-	1	13	3	4	2	-	-	1	3	-	34	27	-	-	21	6
Stephenson	444	-	-	4	112	32	26	8	14	8	4	20	12	221	182	1	1	136	44
Freeport	290	-	-	3	69	21	17	6	8	3	4	10	10	152	123	1	1	94	27
Balance of county	154	-	-	1	43	11	9	2	6	5	-	10	2	69	59	-	-	42	17
Tazewell	939	-	-	6	217	55	57	17	21	10	17	40	12	473	358	1	4	268	85
East Peoria	151	-	-	-	39	14	9	3	4	1	2	6	3	73	53	-	1	41	11
Morton	124	-	-	2	31	12	4	5	-	-	2	8	-	66	48	-	-	29	19
Pekin, part	315	-	-	1	70	17	24	3	5	5	6	10	5	158	123	1	2	99	21
Pekin, total	315	-	-	1	70	17	24	3	5	5	6	10	5	158	123	1	2	99	21
Washington	74	-	-	1	21	6	4	1	5	-	2	3	-	40	27	-	1	20	6
Balance of county	275	-	-	2	56	6	16	5	7	4	5	13	4	136	107	-	-	79	28
Union	214	-	-	-	45	9	9	4	7	2	3	11	9	101	82	1	1	69	11
Vermilion	995	-	-	10	216	60	70	17	16	8	11	34	19	481	376	1	4	282	69
Danville	470	-	-	5	113	29	43	8	10	3	2	18	4	217	164	1	1	124	38
Balance of county	525	-	-	5	103	31	27	9	6	5	9	16	9	264	212	-	3	158	51
Wabash	135	-	-	1	31	3	16	4	1	-	2	5	2	74	50	-	-	36	14
Warren	229	1	-	1	57	14	14	4	10	4	2	9	3	115	92	2	2	70	18
Monmouth	114	1	-	-	30	7	6	1	5	3	2	6	2	54	43	-	1	35	7
Balance of county	115	-	-	1	27	7	8	3	5	1	-	3	1	61	49	2	1	35	11
Washington	203	-	-	-	47	18	13	-	7	3	-	6	5	111	98	-	1	89	8
Wayne	192	1	-	3	36	12	12	1	3	2	-	6	1	106	91	-	1	63	27
White	251	-	-	1	54	15	13	5	9	1	2	9	5	130	115	1	1	86	27
Whiteside	550	-	-	3	116	23	32	10	9	1	7	34	9	273	215	-	1	164	50
Rock Falls	94	-	-	1	22	3	5	3	4	-	-	7	1	49	40	-	1	33	6
Sterling	197	-	-	1	36	5	9	1	2	-	3	16	3	110	85	-	-	64	21
Balance of county	259	-	-	1	58	15	18	6	3	1	4	11	5	114	90	-	-	67	23
Will	2,189	1	-	25	455	121	131	44	52	19	12	76	45	1,120	906	3	37	666	198
Bolingbrook, part	115	-	-	4	24	4	8	2	3	2	1	4	3	43	35	-	-	27	8
Bolingbrook, total	128	-	-	5	24	4	8	2	3	2	1	4	3	48	40	-	-	30	10
Joliet	909	1	-	8	169	46	45	15	24	8	4	27	17	505	407	-	18	310	79
Naperville, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Park Forest, part	10	-	-	-	2	1	-	-	-	-	-	1	-	6	4	-	-	2	2
Romeoville	57	-	-	-	21	5	5	5	1	-	-	5	-	22	19	-	2	13	4
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1,096	-	-	13	239	65	73	22	24	9	7	39	25	542	439	3	17	315	104
Williamson	676	1	-	6	134	38	44	9	11	5	4	23	17	357	280	-	11	203	66
Herrin	166	-	-	2	32	9	12	3	2	2	1	3	3	87	63	-	4	51	8
Marion	175	1	-	2	36	9	12	2	2	-	1	10	5	91	70	-	3	46	21
Balance of county	335	-	-	2	66	20	20	4	7	3	2	10	9	179	147	-	4	106	37
Winnebago	2,097	-	-	29	487	133	123	45	53	26	17	90	34	1,033	798	7	19	645	127
Loves Park	99	-	-	4	14	2	5	1	1	1	-	4	3	46	34	1	2	26	5
Rockford	1,471	-	-	19	334	97	75	31	37	18	12	64	23	737	564	4	13	452	95
Balance of county	527	-	-	6	139	34	43	13	15	7	5	22	8	250	200	2	4	167	27
Woodford	260	-	-	2	61	25	12	8	6	-	3	7	3	134	109	1	1	82	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	-	11	1	5	11	8	1	-	3	-	3	3	3	20	5	6	3	-	-
Piatt	2	16	1	3	1	4	-	-	1	-	1	-	1	8	1	5	4	-	-
Pike	3	14	8	-	7	9	2	1	3	-	1	-	11	19	2	9	2	1	1
Pope	-	1	-	1	-	2	-	1	1	-	-	-	1	5	-	1	1	-	-
Pulaski	-	12	2	1	6	4	-	1	3	-	1	-	4	10	3	3	2	1	1
Putnam	1	3	-	-	2	1	-	-	-	-	-	-	-	6	2	5	-	-	-
Randolph	2	29	5	5	14	17	2	3	6	-	2	1	4	29	13	7	9	2	-
Richland	-	13	9	3	1	2	1	-	2	-	1	2	-	19	5	9	-	-	1
Rock Island	2	120	20	18	32	72	2	18	18	1	9	3	12	94	20	34	21	1	1
East Moline	-	11	1	1	9	8	1	2	2	-	1	-	-	17	5	5	3	-	-
Moline	1	33	3	6	5	21	1	6	6	1	2	1	3	25	5	10	3	-	-
Rock Island	1	48	10	6	14	27	-	6	8	-	4	-	5	33	3	9	6	-	-
Balance of county	-	28	6	5	4	16	-	4	2	-	2	2	4	19	7	10	9	1	1
St. Clair	15	262	23	23	95	107	7	21	20	1	15	25	23	206	46	67	30	45	1
Belleville	8	74	10	5	22	28	4	5	4	1	1	2	3	42	10	6	4	1	-
Cahokia	-	6	2	3	4	7	3	1	-	-	1	4	-	12	7	1	2	-	-
Collinsville, part	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
East St. Louis	1	62	2	2	27	17	-	7	7	-	4	13	8	53	7	25	6	31	1
Fairview Heights	-	9	-	-	3	7	-	-	2	-	1	-	2	5	2	2	1	1	-
O'Fallon	-	8	-	2	1	6	-	1	-	-	-	-	3	11	1	2	2	1	-
Balance of county	6	101	9	11	37	41	-	7	7	-	8	6	7	89	19	30	14	11	-
Saline	5	34	15	4	15	16	-	2	3	-	1	4	1	33	4	9	3	1	-
Harrisburg	1	11	1	2	4	7	-	1	2	-	-	2	1	19	-	5	2	1	-
Balance of county	4	23	14	2	11	9	-	1	1	-	1	2	-	14	4	4	1	-	-
Sangamon	9	125	29	19	48	72	6	12	12	-	8	14	18	155	27	35	17	11	5
Springfield	4	87	22	15	38	61	4	9	8	-	6	11	15	117	16	21	12	10	3
Balance of county	5	38	7	4	10	11	2	3	4	-	2	3	3	38	11	14	5	1	2
Schuyler	-	1	-	-	1	4	-	2	-	-	-	-	1	4	-	1	1	-	-
Scott	-	3	-	1	4	3	-	-	1	-	-	-	-	2	1	-	-	-	-
Shelby	3	19	6	1	10	12	1	-	2	-	3	4	1	12	5	4	1	-	-
Stark	-	6	-	1	5	3	-	1	-	-	-	-	-	10	-	-	1	-	1
Stephenson	3	25	5	6	10	14	3	3	2	-	2	1	3	39	7	6	4	1	-
Freeport	3	18	3	5	7	6	1	2	2	-	1	1	-	26	2	3	4	1	-
Balance of county	-	7	2	1	3	8	2	1	-	-	1	-	3	13	5	3	-	-	-
Tazewell	4	89	12	10	34	36	4	8	7	-	8	5	7	73	22	18	9	-	-
East Peoria	1	15	1	3	3	7	-	-	1	-	1	1	-	15	2	3	3	-	-
Morton	1	13	2	2	1	4	-	1	-	-	1	-	2	10	3	3	-	-	-
Pekin, part	1	28	3	3	15	8	2	6	3	-	5	2	2	24	5	5	4	-	-
Pekin, total	1	28	3	3	15	8	2	6	3	-	5	2	2	24	5	5	4	-	-
Washington	-	9	4	-	-	2	1	1	-	-	-	-	-	5	2	1	-	-	-
Balance of county	1	24	2	2	15	15	1	-	3	-	1	2	3	19	10	6	2	-	-
Union	1	15	1	2	6	11	-	1	3	-	1	-	-	21	11	4	1	-	-
Vermilion	3	72	13	17	39	53	4	9	16	2	2	9	3	85	21	15	14	3	-
Danville	3	35	6	9	19	25	3	8	7	2	-	6	1	38	6	7	8	1	-
Balance of county	-	37	7	8	20	28	1	1	9	-	2	3	2	47	15	8	6	2	-
Wabash	2	17	2	3	4	4	1	1	2	-	1	-	1	7	1	3	1	1	-
Warren	-	20	1	2	8	5	2	-	2	-	1	-	-	17	4	6	7	-	-
Monmouth	-	8	1	2	7	1	-	-	-	-	1	-	-	8	2	4	4	-	-
Balance of county	-	12	-	-	1	4	2	-	2	-	-	-	-	9	2	2	3	-	-
Washington	-	11	1	1	10	4	-	-	-	-	2	1	-	12	7	4	-	-	-
Wayne	1	12	1	1	7	8	-	1	3	-	1	-	1	12	5	4	3	-	-
White	-	14	-	1	10	10	1	-	2	-	1	1	-	27	4	2	1	2	-
Whiteside	2	45	8	3	22	12	3	6	3	-	4	4	8	44	18	16	8	1	-
Rock Falls	2	5	1	1	4	2	-	1	-	-	-	1	2	7	-	4	-	-	-
Sterling	-	20	5	-	7	5	1	3	1	-	1	2	-	12	9	2	4	-	-
Balance of county	-	20	2	2	11	5	2	2	2	-	3	1	6	25	9	10	4	1	-
Will	8	135	41	30	43	63	7	22	28	-	20	29	13	157	55	44	39	19	4
Bolingbrook, part	-	4	1	3	1	3	-	1	3	-	6	4	-	8	6	2	4	1	2
Bolingbrook, total	-	4	1	3	3	3	-	1	3	1	7	5	-	8	7	3	4	1	2
Joliet	6	59	26	7	18	20	2	11	11	-	6	11	5	75	17	15	7	11	-
Naperville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Park Forest, part	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Romeoville	-	-	1	2	1	3	-	1	-	-	-	-	1	1	2	2	3	-	-
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	71	13	17	23	36	5	9	13	-	8	14	7	73	30	25	25	7	2
Williamson	4	60	2	11	16	18	-	2	7	-	2	6	6	58	20	8	12	6	-
Herrin	2	15	-	7	4	6	-	1	3	-	1	1	-	13	6	4	3	-	-
Marion	-	19	-	2	6	4	-	-	2	-	-	1	1	18	5	1	1	1	-
Balance of county	2	26	2	2	6	8	-	1	2	-	1	4	5	27	9	3	8	5	-
Winnebago	11	170	28	26	50	67	5	23	17	-	14	15	11	173	42	39	42	12	4
Loves Park	1	7	3	1	5	5	-	1	1	-	1	2	-	12	1	3	1	-	-
Rockford	8	132	14	19	38	43	3	17	14	-	10	9	9	127	23	23	30	9	3
Balance of county	2	31	11	6	7	19	2	5	2	-	3	4	2	34	18	13	11	3	1
Woodford	-	16	6	3	9	11	-	1	1	-	-	2	1	24	6	5	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	48,195	37	1	526	10,858	2,590	3,235	897	1,203	454	437	2,042	1,025	23,340	17,776	157	502	13,029	4,068
Urban places	27,405	22	1	322	6,178	1,437	1,927	543	656	247	223	1,145	614	13,089	9,978	93	320	7,266	2,279
Balance of area	20,790	15	-	204	4,680	1,153	1,308	354	547	207	214	897	411	10,251	7,798	64	182	5,743	1,809
Metropolitan counties	32,808	29	-	381	7,513	1,788	2,300	630	801	308	266	1,402	747	15,604	11,940	110	340	8,767	2,723
Urban places	22,869	21	-	279	5,201	1,214	1,625	455	549	210	183	965	529	10,811	8,272	82	263	6,039	1,868
Balance of area	9,939	8	-	102	2,312	572	675	175	252	98	103	437	218	4,793	3,668	28	77	2,728	835
Nonmetropolitan counties	15,387	8	1	145	3,345	804	935	267	402	146	151	640	278	7,736	5,836	47	162	4,262	1,365
Urban places	4,536	1	1	43	977	223	302	88	107	37	40	180	85	2,278	1,706	11	57	1,247	391
Balance of area	10,851	7	-	102	2,368	581	633	179	295	109	111	460	193	5,458	4,130	36	105	3,015	974
Adams	269	1	-	2	57	16	15	6	8	1	2	9	4	137	95	-	-	84	11
Allen	2,282	-	-	15	509	107	156	44	56	19	16	111	51	1,101	811	9	19	608	175
Fort Wayne	1,857	-	-	13	410	88	130	32	45	16	12	87	42	887	655	6	17	487	145
Balance of county	425	-	-	2	99	19	26	12	11	3	4	24	9	214	156	3	2	121	30
Bartholomew	454	-	-	3	92	21	29	9	4	3	2	24	9	222	170	3	1	117	49
Columbus	274	-	-	2	53	11	19	6	4	2	2	9	5	133	100	-	1	66	33
Balance of county	180	-	-	1	39	10	10	3	-	1	-	15	4	89	70	3	-	51	16
Benton	101	-	-	-	19	5	6	2	2	2	1	1	-	54	41	-	3	34	4
Blackford	155	-	-	1	32	4	7	4	7	-	4	6	5	83	63	-	-	50	13
Boone	339	1	-	8	77	20	18	10	9	2	1	17	7	163	126	-	1	80	45
Lebanon	128	1	-	3	28	6	6	3	4	1	-	8	2	64	53	-	1	31	21
Balance of county	211	-	-	5	49	14	12	7	5	1	1	9	5	99	73	-	-	49	24
Brown	86	-	-	-	22	3	7	1	5	1	2	3	-	40	30	-	1	20	9
Carroll	181	-	-	-	37	14	7	3	4	3	2	4	2	97	67	-	1	52	14
Cass	366	-	-	3	83	27	20	9	8	4	6	9	3	193	144	-	5	107	32
Logansport	225	-	-	-	50	13	14	4	6	3	5	5	2	117	83	-	3	63	17
Balance of county	141	-	-	3	33	14	6	5	2	1	1	4	1	76	61	-	2	44	15
Clark	603	1	-	7	177	42	71	10	16	5	8	25	12	383	293	1	9	227	56
Clarksville	180	-	-	2	46	11	21	3	5	-	1	5	2	87	67	1	1	52	13
Jeffersonville	298	1	-	4	68	20	24	2	3	4	3	12	7	195	101	-	5	81	15
Balance of county	325	-	-	1	63	11	26	5	8	1	4	8	3	161	125	-	3	94	28
Clay	299	-	-	2	65	14	19	2	13	3	2	12	8	150	100	2	3	67	28
Clinton	335	-	-	6	59	9	18	5	6	1	7	13	8	172	118	1	-	90	27
Frankfort	192	-	-	3	35	5	9	2	5	1	4	9	2	96	63	-	-	46	17
Balance of county	143	-	-	3	24	4	9	3	1	-	3	4	6	76	55	1	-	44	10
Crawford	110	-	-	1	23	3	5	2	3	3	2	5	1	51	43	2	7	30	4
Daviess	265	-	-	-	69	21	10	10	7	1	3	17	8	135	94	1	1	61	31
Washington	137	-	-	-	37	10	8	4	4	-	2	9	5	67	44	-	-	30	14
Balance of county	128	-	-	-	32	11	2	6	3	1	1	8	3	68	50	1	1	31	17
Dearborn	345	-	-	3	69	21	21	3	8	2	2	12	8	162	121	1	8	84	30
Decatur	225	-	-	2	45	12	13	3	3	5	-	9	7	120	88	-	2	69	17
De Kalb	312	-	-	3	50	12	13	1	12	2	2	8	6	174	126	-	13	79	34
Delaware	1,029	-	-	17	228	39	76	20	27	11	9	44	19	493	389	6	12	281	90
Muncie	736	-	-	11	150	23	57	10	20	10	6	24	15	363	281	5	11	197	68
Balance of county	293	-	-	6	76	16	19	10	7	1	3	20	4	130	108	1	1	84	22
Dubois	297	-	-	-	48	11	9	6	8	4	1	9	5	163	133	1	2	93	37
Elkhart	1,176	2	-	7	264	77	68	30	37	9	16	27	26	602	458	6	12	315	125
Elkhart	491	-	-	2	100	32	29	14	6	3	4	12	10	250	190	4	10	135	41
Goshen	209	2	-	3	37	7	10	2	11	-	3	4	5	122	94	-	1	47	46
Balance of county	478	-	-	2	127	38	29	14	20	6	9	11	11	230	174	2	1	133	38
Fayette	265	-	-	2	72	12	24	4	7	4	4	17	6	130	96	-	1	78	17
Connersville	201	-	-	2	53	6	19	4	7	2	3	12	6	103	75	-	-	60	15
Balance of county	64	-	-	-	19	6	5	-	-	2	1	5	-	27	21	-	1	18	2
Floyd	542	-	-	4	145	28	47	16	9	4	7	34	5	275	208	3	10	140	55
New Albany	431	-	-	3	111	23	37	11	9	2	6	23	4	224	168	2	10	107	49
Balance of county	111	-	-	1	34	5	10	5	-	2	1	11	1	51	40	1	-	33	6
Fountain	207	-	-	2	37	6	6	1	5	3	5	11	2	110	79	-	1	63	15
Franklin	154	-	-	1	29	11	6	1	1	2	1	7	5	83	69	-	1	41	27
Fulton	207	-	-	9	43	11	17	1	7	-	1	6	3	101	75	-	1	59	15
Gibson	320	-	-	5	74	22	22	3	6	2	7	12	5	143	114	1	1	76	36
Grant	692	-	1	7	146	34	36	15	19	4	3	35	14	343	267	1	24	170	72
Marion	437	-	1	3	92	18	23	7	13	3	2	26	10	215	172	1	21	102	48
Balance of county	255	-	-	4	54	16	13	8	6	1	1	9	4	128	95	-	3	68	24
Greene	350	-	-	5	67	15	20	7	9	3	3	10	14	187	150	-	9	99	42
Hamilton	494	-	-	3	99	17	31	13	7	4	3	24	12	234	170	3	6	96	65
Carmel	130	-	-	1	30	4	8	5	4	-	-	9	2	57	37	1	1	22	13
Noblesville	130	-	-	1	24	5	5	2	1	2	1	8	3	62	52	1	4	24	23
Balance of county	234	-	-	1	45	8	18	6	2	2	2	7	7	115	81	1	1	50	29
Hancock	335	-	-	2	73	15	21	7	8	4	-	18	8	156	117	-	4	99	14
Greenfield	145	-	-	1	33	5	9	4	5	1	-	9	2	66	47	-	2	39	6
Balance of county	190	-	-	1	40	10	12	3	3	3	-	9	6	90	70	-	2	60	8
Harrison	232	-	-	2	55	14	15	3	6	3	5	9	7	107	79	-	3	63	13
Hendricks	475	1	-	8	100	24	33	7	6	7	6	17	12	226	163	1	1	123	38
Henry	496	2	-	2	102	24	37	10	7	5	3	16	9	251	175	2	4	142	27
New Castle	246	1	-	1	43	9	19	7	2	2	-	4	4	127	94	1	3	75	15
Balance of county	250	1	-	1	59	15	18	3	5	3	3	12	5	124	81	1	1	67	12
Howard	656	-	-	5	152	26	54	14	19	5	6	28	12	319	257	3	3	167	84
Kokomo	518	-	-	5	119	19	46	9	16	3	5	21	9	250	198	3	3	129	63
Balance of county	138	-	-	-	33	7	8	5	3	2	1	7	3	69	59	-	-	38	21
Huntington	372	-	-	3	83	15	19	11	10	8	5	15	5	204	141	1	3	94	43
Huntington	209	-	-	3	50	10	14	6	5	4	3	8	3	103	71	1	3	41	26
Balance of county	163	-	-	-	33	5	5	5	5	4	2	7	2	101	70	-	-	53	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana	166	4,138	721	539	1,294	1,858	128	498	544	4	315	418	420	3,876	1,066	951	651	329	56
Urban places	105	2,291	398	317	728	1,101	71	330	294	1	178	272	250	2,296	470	513	377	256	44
Balance of area	61	1,847	323	222	568	757	57	168	250	3	137	146	170	1,580	596	438	274	73	12
Metropolitan counties	122	2,704	477	361	835	1,258	83	369	358	2	231	304	288	2,687	683	651	464	276	45
Urban places	88	1,852	340	259	585	907	56	288	239	1	153	238	210	1,927	385	444	318	237	40
Balance of area	34	852	137	102	250	351	27	81	119	1	78	66	78	760	298	207	146	39	5
Nonmetropolitan counties	44	1,434	244	178	459	600	45	129	186	2	84	114	132	1,189	383	300	187	53	11
Urban places	17	439	58	58	141	194	15	42	55	-	25	34	40	369	85	69	59	19	4
Balance of area	27	995	186	120	318	406	30	87	131	2	59	80	92	820	298	231	128	34	7
Adams	2	37	2	1	4	6	-	3	4	-	4	1	2	22	15	4	3	-	-
Allen	13	209	37	31	60	78	7	25	23	-	22	25	24	172	53	48	41	27	1
Fort Wayne	13	161	32	26	49	68	5	24	16	-	18	24	21	148	35	37	33	24	1
Balance of county	-	48	5	5	11	10	2	1	5	-	4	1	3	24	18	11	8	3	-
Bartholomew	-	42	6	4	16	27	-	-	7	-	4	3	9	40	8	7	4	2	1
Columbus	-	28	3	2	13	16	-	-	5	-	3	1	8	24	6	2	1	1	1
Balance of county	-	14	3	2	3	11	-	-	2	-	1	2	1	16	2	5	3	1	-
Benton	1	7	4	1	8	8	-	-	2	-	1	-	1	6	2	-	-	-	-
Blackford	-	15	1	4	4	8	-	2	1	-	1	-	1	10	3	1	2	1	-
Boone	-	29	3	5	13	9	4	1	10	-	4	3	-	24	3	7	2	1	2
Lebanon	-	8	2	1	5	5	-	-	5	-	1	2	-	8	1	1	-	-	2
Balance of county	-	21	1	4	8	4	4	1	5	-	3	1	-	16	2	6	2	1	-
Brown	-	8	1	1	2	3	-	-	1	-	-	1	-	10	5	1	1	-	-
Carroll	-	21	8	1	2	8	1	1	3	-	-	1	3	17	3	1	3	2	-
Cass	1	31	11	6	7	10	2	2	4	-	1	2	1	31	13	5	2	3	1
Logansport	1	21	7	5	5	7	1	2	2	-	1	1	1	22	7	2	2	2	1
Balance of county	-	10	4	1	2	3	1	-	2	-	-	1	-	9	6	3	-	1	-
Clark	2	72	11	5	16	40	1	12	8	-	8	4	3	77	16	17	15	4	2
Clarksville	2	12	5	1	2	9	-	3	-	-	1	-	1	19	4	-	3	1	-
Jeffersonville	-	30	3	1	6	15	1	5	4	-	3	2	2	30	2	4	5	2	2
Balance of county	-	30	3	3	8	16	-	4	4	-	4	2	-	28	10	13	7	1	-
Clay	1	39	3	7	12	12	1	3	2	-	-	3	5	20	7	5	2	1	1
Clinton	1	43	8	2	13	19	1	2	3	-	-	5	5	27	7	5	2	-	1
Frankfort	-	27	4	2	7	14	1	1	3	-	-	2	3	18	3	3	1	-	-
Balance of county	1	16	4	-	6	5	-	1	-	-	-	3	2	9	4	2	1	-	1
Crawford	1	6	1	-	10	2	-	1	-	-	-	1	1	7	5	2	3	2	-
Daviess	-	31	6	4	4	8	-	3	2	-	1	-	-	15	9	7	3	1	-
Washington	-	20	1	2	4	5	-	1	2	-	1	-	-	7	3	4	-	1	-
Balance of county	-	11	5	2	-	3	-	2	-	-	-	-	-	8	6	3	3	-	-
Dearborn	2	29	3	7	17	26	1	6	2	-	3	3	-	22	10	7	5	1	-
Decatur	-	26	4	2	5	7	-	3	1	-	3	3	1	17	5	4	1	-	1
De Kalb	1	38	7	2	8	10	1	2	6	-	1	-	1	28	8	10	3	1	-
Delaware	5	76	13	10	24	45	2	10	6	-	8	8	11	101	19	19	6	11	2
Muncie	3	59	13	7	19	39	1	5	6	-	5	8	9	68	12	15	2	10	-
Balance of county	2	17	-	3	5	6	1	5	2	-	3	2	2	33	7	4	4	1	2
Dubois	2	17	8	3	8	6	1	8	4	-	3	1	5	24	14	4	3	-	-
Elkhart	4	108	22	10	23	39	3	7	6	-	16	13	7	84	40	20	13	5	1
Elkhart	2	51	3	4	13	19	2	3	5	-	7	7	3	37	19	5	6	2	1
Goshen	1	19	7	1	2	4	-	1	-	-	-	1	-	17	6	5	2	2	-
Balance of county	1	38	12	5	8	16	1	3	1	-	9	5	4	30	15	10	5	1	-
Fayette	2	29	1	2	6	9	-	2	1	-	2	2	3	14	5	4	5	-	2
Connersville	2	23	1	2	5	4	-	2	1	-	2	2	2	9	2	4	4	-	-
Balance of county	-	6	-	-	1	5	-	-	-	-	-	-	1	5	3	-	1	-	2
Floyd	3	57	3	4	13	10	1	3	7	-	-	-	3	41	7	18	7	3	-
New Albany	2	48	2	4	10	10	-	2	6	-	-	-	2	32	6	13	5	3	-
Balance of county	1	9	1	-	3	-	1	1	1	-	-	-	1	9	1	5	2	-	-
Fountain	2	22	3	4	7	8	-	1	3	1	1	1	3	19	5	4	2	1	-
Franklin	-	13	-	1	7	5	-	1	5	-	2	-	1	7	3	4	1	-	-
Fulton	2	21	2	1	7	8	2	4	-	-	3	1	1	14	5	3	3	-	-
Gibson	1	22	4	2	8	10	-	4	9	-	1	2	5	37	8	5	4	-	-
Grant	1	66	2	7	19	34	1	9	11	-	1	3	9	53	19	8	9	5	-
Marion	1	38	2	2	16	20	1	6	8	-	-	2	4	35	9	6	5	4	-
Balance of county	-	28	-	5	3	14	-	3	3	-	1	1	5	18	10	2	4	1	-
Greene	-	26	6	5	6	11	2	3	8	-	-	3	2	22	10	4	3	2	1
Hamilton	2	39	17	6	13	25	3	3	4	-	7	5	7	46	10	13	7	3	-
Carmel	-	12	6	2	5	5	2	-	1	-	1	-	4	16	2	2	2	-	-
Noblesville	-	7	2	1	4	10	-	1	1	-	2	2	-	13	2	4	1	-	-
Balance of county	2	20	9	3	4	10	1	2	2	-	4	3	3	17	6	7	4	3	-
Hancock	1	24	11	3	7	18	-	2	5	-	4	2	4	27	12	8	7	-	-
Greenfield	-	14	5	-	6	11	-	1	1	-	2	-	-	12	2	4	4	-	-
Balance of county	1	10	6	3	1	7	-	1	4	-	2	2	4	15	10	4	3	-	-
Harrison	-	15	7	6	6	4	1	-	2	-	3	-	5	19	9	7	4	-	1
Hendricks	3	48	8	6	18	21	1	5	6	-	6	5	2	31	14	8	10	1	-
Henry	7	54	6	9	14	28	1	6	7	-	2	2	3	40	7	10	6	6	-
New Castle	4	22	2	5	8	12	1	4	2	-	2	2	1	24	2	5	4	3	-
Balance of county	3	32	4	4	6	14	-	2	5	-	-	-	2	16	5	5	2	3	-
Howard	2	42	11	7	14	30	1	6	6	-	3	3	18	43	17	13	10	3	1
Kokomo	2	34	9	7	8	22	1	6	6	-	1	2	18	37	9	13	9	2	1
Balance of county	-	8	2	-	6	8	-	-	-	-	2	1	-	6	8	-	1	1	-
Huntington	-	52	9	2	6	9	1	4	8	-	3	3	2	26	6	7	1	1	-
Huntington	-	25	7	-	2	5	1	3	6	-	2	3	2	17	6	2	1	-	-
Balance of county	-	27	2	2	4	4	-	1	2	-	1	-	-	9	-	5	-	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (186-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jackson	368	–	–	4	74	14	18	5	14	5	3	15	6	189	154	1	3	120	30
Seymour	200	–	–	3	33	6	5	4	7	2	2	7	2	107	88	1	1	73	13
Balance of county	168	–	–	1	41	8	13	1	7	3	1	8	4	82	66	–	2	47	17
Jasper	192	–	–	2	37	9	9	4	1	3	4	7	5	97	74	2	1	56	15
Jay	220	–	–	–	42	5	17	3	7	2	1	7	5	114	79	–	2	64	13
Jefferson	282	–	–	3	54	16	13	–	11	5	1	8	1	140	108	2	2	83	21
Madison	164	–	–	1	31	13	7	–	3	2	–	6	1	82	64	–	–	51	13
Balance of county	118	–	–	2	23	3	6	–	8	3	1	2	–	58	44	2	2	32	8
Jennings	188	–	–	5	35	6	7	1	5	4	3	9	2	77	49	–	–	34	15
Johnson	612	1	–	12	136	29	48	10	13	2	4	30	16	285	209	3	3	171	32
Franklin	168	–	–	3	32	8	7	4	4	1	2	6	6	85	56	–	1	45	10
Greenwood	226	–	–	7	52	12	21	4	4	1	–	10	6	104	78	3	1	67	7
Balance of county	218	1	–	2	52	9	20	2	5	–	2	14	4	96	75	–	1	59	15
Knox	460	–	–	3	90	22	34	6	10	1	1	16	8	266	203	2	4	139	58
Vincennes	265	–	–	2	52	12	22	5	6	1	1	5	3	154	111	1	3	71	36
Balance of county	195	–	–	1	38	10	12	1	4	–	–	11	5	112	92	1	1	88	22
Kosciusko	489	–	–	2	118	27	33	13	16	6	5	18	9	225	161	2	5	117	37
Warsaw	118	–	–	–	25	6	8	4	–	3	1	3	2	64	52	–	2	37	13
Balance of county	371	–	–	2	93	21	25	9	16	3	4	15	7	161	109	2	3	80	24
Lagrange	188	–	–	2	44	13	9	3	3	3	2	11	3	76	57	–	–	42	15
Lake	4,367	4	–	44	1,015	269	291	93	95	39	33	195	128	2,103	1,855	18	48	1,282	297
Crown Point	219	–	–	1	48	15	11	4	6	–	2	10	4	119	90	2	1	72	15
East Chicago	350	2	–	1	68	20	20	5	6	2	1	14	20	172	144	–	5	111	28
Gary	1,329	–	–	16	297	83	76	28	37	14	12	47	41	603	457	2	18	327	110
Griffith	130	–	–	1	36	11	8	4	1	1	2	9	6	52	44	1	1	36	6
Hammond	807	1	–	8	178	55	54	16	12	6	8	27	24	400	329	5	15	261	48
Highland	182	–	–	–	51	14	15	4	5	2	–	11	2	85	67	–	1	56	10
Hobart	188	–	–	–	50	9	20	5	2	4	1	9	7	106	88	2	–	66	20
Lake Station	89	–	–	2	19	3	5	1	1	–	1	8	3	41	36	–	2	27	7
Merrillville	240	1	–	3	56	10	9	12	6	4	1	14	4	130	99	2	–	86	11
Munster	150	–	–	3	41	8	13	5	4	1	2	8	4	73	58	1	2	48	7
Schererville	70	–	–	2	15	5	3	1	1	1	1	3	–	31	27	2	–	21	4
Balance of county	613	–	–	7	156	36	57	8	14	4	2	35	13	291	216	1	3	181	31
La Porte	990	–	–	10	241	65	73	21	24	7	10	41	20	493	388	6	8	304	70
La Porte	284	–	–	7	66	17	19	6	5	3	1	15	7	148	113	2	1	100	10
Michigan City	398	–	–	–	93	23	30	11	13	2	2	12	7	193	151	1	4	109	37
Balance of county	308	–	–	3	82	25	24	4	6	2	7	14	6	152	124	3	3	95	23
Lawrence	424	–	–	4	103	15	35	8	14	3	4	24	9	184	125	–	3	92	30
Bedford	193	–	–	2	45	9	15	3	5	1	1	11	5	80	53	–	2	38	13
Balance of county	231	–	–	2	58	6	20	5	9	2	3	13	4	104	72	–	1	54	17
Madison	1,274	2	–	8	289	64	96	19	33	14	11	52	33	636	497	3	9	396	89
Anderson	731	2	–	6	156	33	52	10	21	5	8	27	17	366	277	2	9	221	45
Elwood, part	125	–	–	–	28	3	8	–	5	–	–	12	4	65	52	–	–	39	13
Elwood, total	126	–	–	–	28	3	8	–	5	–	–	12	4	66	53	–	–	40	13
Balance of county	418	–	–	2	105	28	36	9	7	9	3	13	12	205	168	1	–	136	31
Marion	6,887	6	–	121	1,590	366	553	136	173	54	48	260	164	3,015	2,316	20	87	1,690	519
Beech Grove	146	–	–	1	31	10	9	4	3	–	1	4	6	76	67	–	2	51	14
Indianapolis	6,558	6	–	110	1,523	349	531	130	161	52	46	254	155	2,855	2,181	20	84	1,586	491
Lawrence	30	–	–	2	4	1	2	–	1	–	–	–	1	14	12	–	–	9	3
Speedway	44	–	–	–	10	2	3	1	3	1	–	–	–	25	18	–	–	14	4
Balance of county	109	–	–	8	22	4	8	1	5	1	1	2	2	45	38	–	1	30	7
Marshall	343	–	–	4	75	22	17	6	14	2	3	11	12	185	127	1	1	86	39
Martin	113	1	–	1	35	9	9	4	3	1	2	7	2	47	41	2	1	28	10
Miami	305	–	–	3	74	23	16	7	7	3	2	16	5	150	115	1	2	85	27
Peru	162	–	–	2	38	13	9	4	4	2	–	6	3	74	60	1	–	44	15
Balance of county	143	–	–	1	36	10	7	3	3	1	2	10	2	76	55	–	2	41	12
Monroe	566	1	–	2	126	32	40	7	10	6	2	29	14	263	194	3	7	145	39
Bloomington	340	–	–	1	78	20	26	5	5	5	1	16	6	161	118	2	6	86	22
Balance of county	226	1	–	1	48	12	14	2	5	1	1	13	8	102	78	1	1	59	17
Montgomery	358	–	–	10	73	16	21	6	9	3	3	15	4	175	118	3	1	86	28
Crawfordsville	191	–	–	7	33	6	7	4	3	1	2	10	4	97	68	2	–	51	15
Balance of county	167	–	–	3	40	10	14	2	6	2	1	5	–	78	50	1	1	35	13
Morgan	414	–	–	5	103	22	38	5	4	4	8	22	9	183	143	3	1	109	30
Martinsville	145	–	–	3	25	4	10	2	2	–	2	5	4	68	51	–	–	36	15
Balance of county	269	–	–	2	78	18	28	3	2	4	6	17	5	115	92	3	1	73	15
Newton	125	–	–	1	26	5	6	4	5	2	–	4	1	72	54	1	–	41	12
Noble	308	–	–	1	69	18	11	5	11	5	2	17	5	164	129	1	2	88	38
Ohio	69	–	–	1	23	8	10	1	1	–	–	3	–	31	25	–	1	17	7
Orange	183	–	–	2	34	7	7	2	7	2	1	8	3	90	65	1	1	47	16
Owen	148	–	–	1	41	10	10	–	9	1	2	9	–	88	52	–	1	45	6
Parke	173	–	–	–	31	5	12	4	2	1	1	6	4	91	76	–	16	43	17
Perry	211	–	–	8	45	11	10	2	5	3	2	12	2	106	81	1	–	62	18
Pike	153	–	–	4	32	7	11	2	8	–	1	5	3	81	63	–	2	45	16
Porter	776	1	–	13	186	52	46	12	19	10	6	41	17	382	289	3	4	220	62
Portage	173	–	–	2	46	14	11	5	6	1	–	9	9	81	64	1	–	48	15
Valparaiso	241	1	–	5	58	10	12	5	7	3	1	18	4	113	86	–	–	67	19
Balance of county	362	–	–	6	84	28	23	2	6	6	5	14	4	168	139	2	4	105	28
Posey	227	–	–	–	58	16	12	6	6	1	6	11	7	112	99	–	2	57	40
Pulaski	133	–	–	–	39	10	10	2	8	–	2	7	4	69	54	–	–	41	13
Putnam	268	–	–	2	71	15	21	7	14	1	2	11	8	129	89	2	3	62	22
Randolph	270	–	–	3	58	14	20	4	5	2	2	11	6	133	104	1	5	73	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Jackson	1	32	-	2	12	13	-	-	3	-	4	3	4	30	6	12	8	-	-
Seymour	-	17	-	2	8	7	-	-	2	-	3	2	1	18	2	6	6	-	-
Balance of county	1	15	-	-	4	6	-	-	1	-	1	1	3	12	4	6	2	-	-
Jasper	-	22	-	1	4	9	-	-	5	-	1	-	1	19	3	8	1	-	-
Jay	-	24	11	-	5	12	1	1	2	-	2	1	3	14	8	5	4	1	-
Jefferson	2	22	6	2	18	14	2	4	4	-	2	-	-	30	6	1	2	1	-
Madison	1	13	3	1	11	10	2	2	2	-	-	-	-	17	2	1	1	1	-
Balance of county	1	9	3	1	7	4	-	2	2	-	2	-	-	13	4	-	1	-	-
Jennings	-	25	1	2	6	6	1	1	3	-	1	1	3	28	4	9	4	-	-
Johnson	2	52	15	7	19	29	4	5	6	-	8	6	3	51	10	6	10	3	2
Franklin	-	16	9	4	8	6	1	1	-	-	2	5	1	15	-	2	1	-	-
Greenwood	1	20	3	2	6	11	-	4	1	-	2	1	1	16	6	3	4	2	-
Balance of county	1	16	3	1	5	12	3	-	5	-	4	-	1	20	4	1	5	1	2
Knox	1	47	8	7	9	19	-	1	3	-	2	1	-	40	8	5	4	-	1
Vincennes	1	35	5	2	6	10	-	1	2	-	-	1	-	25	3	3	2	-	1
Balance of county	-	12	3	5	3	9	-	-	1	-	2	-	-	15	5	2	2	-	-
Kosciusko	3	46	8	7	14	18	-	6	7	-	4	13	3	35	17	8	8	1	1
Warsaw	-	10	-	2	1	4	-	2	2	-	-	1	1	13	-	2	1	-	-
Balance of county	3	36	8	5	13	14	-	4	5	-	4	12	2	22	17	6	7	1	1
Lagrange	-	19	-	-	6	9	-	2	4	-	3	1	4	19	7	4	2	2	-
Lake	19	362	34	33	76	116	12	68	47	-	33	43	49	334	74	100	37	83	1
Crown Point	-	23	4	2	8	5	1	-	4	-	2	-	1	18	1	5	2	-	-
East Chicago	2	26	-	-	4	4	1	7	5	-	2	6	4	35	1	8	3	7	-
Gary	7	112	13	14	19	21	3	29	18	-	10	12	18	105	27	42	11	56	1
Griffith	-	8	-	-	1	7	1	1	1	-	1	3	3	6	3	4	2	2	-
Hammond	3	58	4	6	14	34	-	13	13	-	5	12	12	54	17	16	2	4	-
Highland	1	14	2	1	7	7	2	6	-	-	1	2	1	11	2	2	3	-	-
Hobart	2	14	1	1	1	5	1	-	-	-	-	-	-	11	2	2	2	1	-
Lake Station	-	4	-	1	-	5	-	1	1	-	2	1	1	7	-	-	4	2	-
Merrillville	1	27	2	1	5	6	1	-	2	-	3	1	2	16	5	4	1	-	-
Munster	2	12	1	-	1	6	-	-	-	-	1	-	-	14	3	2	1	1	-
Schererville	-	4	-	-	2	3	-	1	1	-	2	1	2	7	2	-	-	1	-
Balance of county	1	60	7	7	14	13	2	10	2	-	4	5	5	50	11	15	6	9	-
La Porte	2	75	17	11	25	40	8	10	6	-	3	13	8	53	22	13	20	3	-
La Porte	-	25	7	3	6	12	1	4	1	-	-	1	3	9	5	7	7	-	-
Michigan City	2	31	4	5	14	16	4	5	7	-	2	8	3	23	8	5	7	3	-
Balance of county	-	19	6	3	5	12	3	1	-	-	1	4	2	21	9	1	6	-	-
Lawrence	1	50	5	3	12	25	1	2	7	-	3	2	1	42	11	14	4	-	-
Bedford	-	24	-	3	10	11	-	1	2	-	1	-	1	25	6	1	3	-	-
Balance of county	1	26	5	-	2	14	1	1	5	-	2	2	-	17	5	13	1	-	-
Madison	4	104	16	15	28	45	2	15	17	-	7	12	4	97	31	23	22	2	1
Anderson	3	68	10	8	16	25	-	11	8	-	3	7	3	59	19	14	16	2	1
Elwood, part	-	6	4	3	3	5	1	1	2	-	1	1	-	9	2	1	2	-	-
Elwood, total	-	6	4	3	3	5	1	1	2	-	1	1	-	9	2	1	2	-	-
Balance of county	1	30	2	4	9	15	1	3	7	-	3	4	1	29	10	8	4	-	-
Marion	24	514	77	84	168	321	18	99	74	1	55	99	44	627	122	125	109	83	26
Beech Grove	-	8	1	-	2	4	1	3	2	-	1	2	1	11	1	4	-	-	-
Indianapolis	24	494	74	82	166	307	17	94	69	1	51	95	42	602	117	116	105	81	26
Lawrence	-	1	1	-	-	3	-	-	-	-	1	1	-	1	1	-	1	1	-
Speedway	-	6	-	1	-	1	-	-	-	-	-	-	-	4	2	-	1	1	-
Balance of county	-	5	1	1	-	6	-	2	3	-	2	1	1	9	1	5	2	-	-
Marshall	-	42	10	6	9	11	2	-	4	-	1	-	3	19	10	5	3	-	-
Martin	-	3	1	2	5	4	-	1	-	-	1	-	-	4	3	5	3	1	-
Miami	3	17	5	10	4	11	-	4	-	-	2	2	6	24	9	5	6	-	-
Peru	2	6	1	5	2	7	-	3	-	-	2	2	4	17	2	3	3	-	-
Balance of county	1	11	4	5	2	4	-	1	-	-	-	-	2	7	7	2	3	-	-
Monroe	-	52	12	5	16	26	-	5	12	1	1	6	6	40	14	9	21	2	1
Bloomington	-	33	8	4	12	10	-	5	6	-	-	3	2	25	9	6	13	2	1
Balance of county	-	19	4	1	4	16	-	-	6	1	1	3	4	15	5	3	8	-	-
Montgomery	2	39	8	8	13	12	3	4	6	-	2	3	3	25	7	11	4	3	-
Crawfordsville	1	22	3	3	7	7	2	1	2	-	2	1	2	14	4	5	3	-	-
Balance of county	1	17	5	5	6	5	1	3	4	-	-	2	1	11	3	6	1	3	-
Morgan	-	31	3	6	12	18	1	3	10	-	2	3	2	35	9	11	5	3	-
Martinsville	-	16	-	1	3	9	-	3	10	-	2	-	-	10	-	5	3	-	-
Balance of county	-	15	3	5	9	9	1	-	-	-	-	3	2	25	9	6	2	3	-
Newton	-	11	6	1	3	2	1	-	1	-	-	1	1	8	2	4	2	-	-
Noble	-	31	2	2	9	9	1	5	5	-	2	1	2	26	6	1	2	-	-
Ohio	-	4	1	1	4	1	-	-	-	-	-	1	-	6	-	1	1	-	-
Orange	-	23	2	-	7	4	2	1	4	-	1	-	-	19	5	8	3	-	-
Owen	-	10	4	2	10	5	-	1	2	-	1	1	-	8	3	6	1	-	-
Parke	-	8	4	3	1	9	2	2	1	-	2	1	-	14	7	4	4	-	-
Perry	-	18	7	-	3	9	-	3	2	-	2	3	-	18	3	2	6	1	-
Pike	-	15	2	1	5	3	1	1	3	-	-	-	3	10	3	2	2	-	-
Porter	3	50	11	9	15	31	-	3	7	-	3	8	6	62	24	20	15	3	-
Portage	-	11	3	3	2	5	-	1	-	-	-	4	1	10	2	6	3	1	-
Valparaiso	1	22	2	2	10	11	-	-	2	-	2	2	3	23	4	4	-	1	-
Balance of county	2	17	6	4	3	15	-	2	5	-	1	2	2	29	16	10	12	1	-
Posey	1	11	-	1	2	7	-	1	3	-	-	1	-	26	5	3	2	-	-
Pulaski	-	13	1	1	2	3	-	-	-	-	1	1	3	7	2	1	1	-	-
Putnam	-	32	5	3	15	11	1	1	3	-	2	4	-	13	2	5	1	-	-
Randolph	1	22	3	3	7	11	1	2	4	-	1	-	5	26	5	4	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Ripley	230	-	-	1	48	10	11	3	4	3	4	13	3	126	103	1	2	67	33
Rush	194	2	-	-	48	7	12	3	11	1	1	13	1	96	78	1	-	54	13
St. Joseph	2,248	2	-	23	525	135	126	41	51	31	27	114	51	1,095	803	5	24	588	186
Mishawaka	417	-	-	5	98	21	29	6	9	8	2	21	7	220	156	-	2	119	35
South Bend	1,231	2	-	11	288	81	59	27	27	15	18	61	30	581	430	4	15	305	106
Balance of county	600	-	-	7	141	33	38	8	15	8	7	32	14	294	217	1	7	184	45
Scott	149	-	-	-	37	11	14	1	2	2	-	7	-	66	54	-	-	43	11
Shelby	355	-	-	5	81	21	18	13	10	4	4	11	2	169	138	-	5	109	24
Shelbyville	176	-	-	-	41	9	10	9	5	4	2	2	1	84	65	-	3	52	10
Balance of county	179	-	-	5	40	12	8	4	5	-	2	9	1	85	73	-	2	57	14
Spencer	182	1	-	-	49	9	14	4	5	2	4	11	1	90	69	3	1	44	21
Starke	243	-	-	3	54	16	15	3	5	2	2	11	1	128	101	1	1	60	39
Steuben	209	-	-	4	33	7	8	5	1	3	1	8	5	115	93	-	-	55	38
Sullivan	253	-	-	6	53	15	17	4	3	3	1	10	3	131	103	-	2	88	13
Switzerland	73	1	-	1	15	4	4	-	2	1	1	3	2	31	21	1	1	16	3
Tippecanoe	886	1	-	8	186	40	65	13	24	10	9	25	19	430	320	3	5	272	40
Lafayette	481	-	-	4	100	21	43	6	9	4	4	13	9	229	174	2	3	146	23
West Lafayette	161	-	-	2	35	6	10	2	6	4	1	6	3	82	60	-	1	50	9
Balance of county	244	1	-	2	51	13	12	5	9	2	4	6	7	119	86	1	1	76	8
Tipton	170	-	-	4	25	5	8	1	4	2	1	4	4	98	74	-	2	63	9
Elwood, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	169	-	-	4	25	5	8	1	4	2	1	4	4	97	73	-	2	62	9
Union	75	1	-	1	15	5	4	2	1	-	1	2	4	25	19	-	-	16	3
Vanderburgh	1,795	2	-	18	437	104	127	34	47	19	20	86	30	860	708	7	26	446	229
Evansville	1,654	2	-	18	400	93	117	33	41	18	17	81	27	811	647	7	23	411	206
Balance of county	141	-	-	-	37	11	10	1	6	1	3	5	3	89	61	-	3	35	23
Vermillion	225	1	-	1	68	22	15	4	6	3	2	18	7	106	79	-	7	52	20
Vigo	1,166	-	-	15	280	59	75	29	30	20	9	58	24	583	437	3	3	327	104
Terre Haute	814	-	-	13	185	41	49	20	20	11	6	38	16	411	299	1	2	224	72
Balance of county	352	-	-	2	95	18	26	9	10	9	3	20	8	172	138	2	1	103	32
Wabash	353	-	-	5	63	19	21	6	6	-	5	6	6	191	137	-	2	108	29
Wabash	136	-	-	3	27	7	10	4	1	-	2	3	3	69	46	-	-	37	9
Balance of county	217	-	-	2	36	12	11	2	5	-	3	3	3	122	91	-	2	69	20
Warren	77	-	-	1	10	3	2	3	1	-	1	-	4	35	32	-	-	24	8
Warrick	330	1	-	1	88	20	29	6	13	3	3	14	6	140	118	1	4	73	40
Washington	221	-	-	2	45	19	11	-	1	-	1	13	2	111	88	-	4	78	8
Wayne	727	-	-	4	176	46	63	7	20	5	8	27	13	359	276	-	15	207	54
Richmond	504	-	-	2	121	29	45	3	14	3	7	20	11	249	198	-	13	153	32
Balance of county	223	-	-	2	55	17	18	4	6	2	1	7	2	110	78	-	2	54	22
Wells	236	1	-	-	55	13	14	5	5	1	2	15	6	110	83	1	-	57	25
White	249	-	-	3	52	16	11	5	9	3	3	5	4	124	95	-	-	72	23
Whitley	239	-	-	1	48	10	12	4	9	2	3	8	4	126	84	-	3	64	17
Iowa	27,834	10	-	241	6,125	1,699	1,522	542	769	273	263	1,057	458	13,962	10,677	77	275	7,676	2,649
Urban places	11,013	3	-	97	2,536	679	691	223	283	117	109	434	186	5,298	4,081	32	130	2,846	1,073
Balance of area	16,821	7	-	144	3,589	1,020	831	319	486	156	154	623	272	8,664	6,596	45	145	4,830	1,576
Metropolitan counties	9,313	4	-	92	2,202	600	614	202	222	96	91	377	164	4,378	3,449	26	119	2,396	908
Urban places	7,632	3	-	70	1,821	499	518	163	175	78	75	313	133	3,608	2,845	23	103	1,953	766
Balance of area	1,681	1	-	22	381	101	96	39	47	18	16	64	31	770	604	3	16	443	142
Nonmetropolitan counties	18,521	6	-	149	3,923	1,099	908	340	547	177	172	660	294	9,584	7,228	51	156	5,280	1,741
Urban places	3,381	-	-	27	715	180	173	60	108	39	34	121	53	1,890	1,236	9	27	893	307
Balance of area	15,140	6	-	122	3,208	919	735	280	439	138	138	559	241	7,894	5,992	42	129	4,387	1,434
Adair	103	-	-	1	28	8	5	2	4	4	1	4	1	56	45	-	-	28	17
Adams	54	-	-	-	15	2	3	1	5	-	-	4	-	24	14	-	-	9	5
Allamakee	182	-	-	2	43	12	9	4	8	1	3	6	3	83	50	1	-	36	13
Appanoose	223	-	-	2	44	12	5	3	10	2	-	12	6	123	98	1	9	73	15
Audubon	112	-	-	-	26	5	3	3	2	2	2	9	5	46	38	-	-	25	13
Benton	218	-	-	4	49	16	20	1	4	3	2	3	1	111	80	1	2	64	13
Black Hawk	1,083	-	-	7	282	73	72	31	24	15	13	54	17	525	401	2	9	307	83
Cedar Falls	234	-	-	2	55	18	12	8	4	1	2	10	2	128	98	-	3	78	17
Waterloo	684	-	-	3	182	43	47	17	19	12	8	37	9	320	244	2	6	180	56
Balance of county	165	-	-	2	45	12	13	6	2	2	3	7	6	77	59	-	-	49	10
Boone	280	-	-	1	69	18	14	5	10	3	4	15	5	135	94	-	3	70	21
Boone	166	-	-	-	46	9	10	3	10	3	3	8	1	75	47	-	1	35	11
Balance of county	114	-	-	1	23	9	4	2	-	-	1	7	4	60	47	-	2	35	10
Bremer	207	-	-	-	50	14	9	3	11	-	5	8	4	120	96	-	2	67	27
Buchanan	180	-	-	2	31	8	12	-	2	1	1	7	4	96	76	1	1	57	17
Buena Vista	262	-	-	1	54	14	14	3	10	1	1	11	5	149	116	1	1	86	28
Butler	161	-	-	-	38	12	5	4	9	2	-	4	4	88	68	-	2	53	13
Calhoun	211	1	-	1	39	13	7	4	7	2	1	5	5	113	80	1	3	54	22
Carroll	216	-	-	1	51	22	10	1	6	2	3	7	3	113	74	-	5	53	16
Cass	243	-	-	1	48	9	10	5	10	1	4	9	4	135	89	-	1	73	15
Cedar	171	-	-	4	45	12	10	2	10	-	-	11	1	80	61	-	1	49	11
Cerro Gordo	470	-	-	2	110	29	29	6	20	5	1	20	2	227	171	1	2	129	39
Mason City	332	-	-	1	74	23	21	5	11	4	1	9	2	160	123	1	2	98	22
Balance of county	138	-	-	1	36	6	8	1	9	1	-	11	-	67	48	-	-	31	17
Cherokee	184	1	-	2	43	13	11	4	5	2	2	6	2	102	80	-	1	60	19
Chickasaw	150	-	-	1	30	13	6	2	-	-	2	7	-	88	66	-	-	58	8
Clarke	112	-	-	-	25	7	5	2	4	-	2	5	-	61	53	1	5	32	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Ripley	-	16	5	2	8	8	2	2	1	-	1	2	-	17	3	8	-	-	-
Rush	-	14	2	2	7	5	1	-	1	-	-	1	1	12	11	4	3	1	-
St. Joseph	15	208	44	25	59	72	7	18	22	-	7	17	16	202	36	56	27	13	-
Mishawaka	2	49	8	5	6	13	1	4	5	-	1	1	2	34	4	8	9	1	-
South Bend	8	102	27	14	34	39	5	10	10	-	3	13	10	121	15	37	13	9	-
Balance of county	5	57	9	6	19	20	1	4	7	-	3	3	4	47	17	11	5	3	-
Scott	-	11	-	1	10	10	-	1	2	1	1	3	2	4	3	5	3	1	-
Shelby	-	16	13	2	5	15	1	6	6	-	1	-	2	27	18	7	10	-	-
Shelbyville	-	9	8	2	4	9	1	3	-	-	-	-	1	18	6	3	5	-	-
Balance of county	-	7	5	-	1	6	-	3	6	-	1	-	1	9	12	4	5	-	-
Spencer	1	18	2	-	5	6	-	-	3	-	-	-	4	14	6	3	-	-	-
Starke	-	26	1	-	15	8	-	1	2	-	-	5	-	17	4	3	1	1	-
Steuben	-	18	1	3	-	11	-	3	4	-	1	2	-	15	3	9	3	1	-
Sullivan	-	19	9	-	12	7	-	2	4	-	-	-	-	17	6	6	5	1	-
Switzerland	-	7	1	2	5	3	1	-	3	-	-	2	-	5	-	3	1	-	-
Tippecanoe	1	81	11	17	31	54	3	11	5	-	7	9	17	56	16	14	16	2	1
Lafayette	1	36	6	12	17	37	2	7	4	-	3	5	11	33	3	7	8	1	1
West Lafayette	-	16	3	3	7	8	1	1	-	-	1	-	2	10	3	2	4	-	-
Balance of county	-	29	2	2	7	9	-	3	1	-	3	4	4	13	10	5	4	1	-
Tipton	-	20	2	2	2	5	-	-	-	-	3	-	6	16	4	1	2	-	-
Elwood, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	20	2	2	2	5	-	-	-	-	3	-	6	16	4	1	2	-	-
Union	-	5	-	1	2	2	-	1	1	-	1	-	-	16	1	3	2	-	-
Vanderburgh	2	130	20	20	49	70	3	22	17	-	6	9	20	148	18	31	24	9	2
Evansville	2	122	20	20	48	64	3	19	16	-	6	9	18	136	14	31	21	9	2
Balance of county	-	8	-	-	1	6	-	3	1	-	-	-	2	12	4	-	3	-	-
Vermillion	1	21	2	3	6	7	2	2	1	-	-	1	-	13	5	3	-	2	-
Vigo	6	63	43	14	38	29	1	13	7	-	4	8	14	97	22	12	11	7	1
Terre Haute	3	60	37	12	30	20	1	12	6	-	4	5	8	69	14	7	6	6	1
Balance of county	3	23	6	2	8	9	-	1	1	-	-	3	6	28	8	5	5	1	-
Wabash	3	42	5	4	9	11	1	-	3	-	3	-	6	30	12	7	4	2	-
Wabash	1	20	2	-	5	5	-	-	1	-	2	-	3	10	6	1	1	-	-
Balance of county	2	22	3	4	4	6	1	-	2	-	1	-	3	20	6	6	3	2	-
Warren	-	2	-	1	3	3	-	1	2	-	-	1	2	11	4	-	-	-	-
Warrick	2	19	-	1	13	11	1	4	5	-	2	1	3	28	13	6	5	2	-
Washington	1	19	-	3	8	3	-	3	1	-	-	2	1	27	8	4	3	1	-
Wayne	2	53	12	16	18	32	2	6	6	-	2	5	2	55	21	11	9	5	1
Richmond	1	32	6	12	11	22	1	4	5	-	2	5	1	42	9	7	7	4	1
Balance of county	1	21	6	4	7	10	1	2	1	-	-	-	1	13	12	4	2	1	-
Wells	-	20	2	5	5	5	-	-	5	-	4	4	1	17	7	11	5	-	-
White	1	20	4	4	8	15	-	3	2	-	1	3	5	12	4	9	4	-	-
Whitley	-	30	10	2	5	4	-	4	5	-	1	3	3	16	11	5	1	-	-
Iowa	131	2,306	524	324	1,162	1,047	108	217	217	1	153	174	159	2,273	523	581	335	59	29
Urban places	55	858	159	135	424	437	45	101	89	-	76	94	75	974	179	203	149	31	16
Balance of area	76	1,438	365	189	738	610	63	116	128	1	77	80	84	1,299	344	378	186	28	13
Metropolitan counties	41	649	128	111	336	397	37	91	66	-	72	90	72	762	174	184	149	30	13
Urban places	34	534	103	92	272	324	29	78	54	-	57	71	61	640	126	132	118	23	12
Balance of area	7	115	25	19	64	73	8	13	12	-	15	19	11	122	48	52	31	7	1
Nonmetropolitan counties	90	1,657	396	213	826	650	71	126	151	1	81	84	87	1,511	349	397	186	29	16
Urban places	21	334	56	43	152	113	16	23	35	-	19	23	14	334	53	71	31	8	4
Balance of area	69	1,323	340	170	674	537	55	103	116	1	62	61	73	1,177	296	326	155	21	12
Adair	-	9	2	-	5	1	1	-	3	-	1	-	-	4	-	1	-	-	1
Adams	1	5	3	1	2	4	-	1	-	-	-	-	1	4	1	2	-	-	-
Allamakee	-	26	6	1	10	2	1	2	2	-	-	1	3	24	1	2	3	-	-
Appanoose	-	22	3	-	8	9	1	1	1	-	1	-	2	18	1	6	-	-	-
Audubon	-	3	2	3	8	3	1	-	-	-	-	-	-	19	1	2	1	-	-
Benton	-	26	2	3	6	12	1	-	2	-	1	-	2	16	3	5	5	-	-
Black Hawk	7	89	15	13	31	51	5	9	8	-	5	1	5	85	17	14	16	3	2
Cedar Falls	2	24	1	3	9	7	1	1	3	-	1	-	-	16	4	3	1	1	-
Waterloo	5	50	13	8	21	33	4	8	4	-	3	-	3	59	9	10	12	2	2
Balance of county	-	15	1	2	1	11	-	-	1	-	1	1	2	10	4	1	3	-	-
Boone	1	33	4	3	12	5	-	3	2	-	2	2	1	27	5	7	4	-	-
Boone	1	21	3	3	9	3	-	1	2	-	1	2	1	17	3	4	1	-	-
Balance of county	-	12	1	-	3	2	-	2	-	-	1	-	-	10	2	3	3	-	-
Bremer	2	16	3	3	2	7	-	1	4	-	1	-	-	10	4	2	2	-	-
Buchanan	2	8	4	6	4	6	2	1	3	-	2	2	-	18	2	5	2	-	-
Buena Vista	-	22	4	7	12	9	-	-	3	-	-	-	-	20	2	4	3	-	-
Butler	1	15	3	1	9	9	4	2	3	-	1	-	1	19	1	2	2	-	-
Calhoun	2	21	10	-	19	5	2	-	1	-	2	-	1	14	5	2	-	-	1
Carroll	4	27	5	3	6	15	-	1	-	-	1	-	-	16	3	5	1	-	-
Cass	-	18	23	5	4	12	1	1	-	-	1	2	-	21	4	8	1	-	-
Cedar	1	16	2	-	5	5	-	2	2	-	-	-	-	12	7	6	2	-	-
Cerro Gordo	5	42	6	3	25	22	-	2	5	-	3	3	1	41	8	10	9	-	-
Mason City	4	29	2	2	20	12	-	2	3	-	3	2	1	33	5	7	7	-	-
Balance of county	1	13	4	1	5	10	-	-	2	-	-	1	-	8	3	3	2	-	-
Cherokee	1	14	6	1	4	5	1	4	1	-	1	-	-	9	4	3	2	-	-
Chickasaw	1	14	6	1	7	3	-	1	1	-	-	1	2	12	1	1	2	-	-
Clarke	-	7	-	1	4	5	-	1	1	-	-	-	1	8	3	3	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Clay	169	-	-	-	39	11	13	3	3	-	1	8	2	95	74	-	1	54	19
Spencer	117	-	-	-	19	5	7	-	3	-	1	3	-	77	58	-	-	43	15
Balance of county	52	-	-	-	20	6	6	3	-	-	-	5	2	18	16	-	1	11	4
Clayton	261	-	-	4	46	12	11	3	8	2	2	8	1	147	94	1	-	66	27
Clinton	492	-	-	7	106	21	25	10	18	5	8	19	10	241	174	-	1	131	42
Clinton	303	-	-	4	64	13	14	6	12	3	4	12	6	145	101	-	1	75	25
Balance of county	189	-	-	3	42	8	11	4	6	2	4	7	4	96	73	-	-	56	17
Crawford	213	-	-	3	55	22	15	2	5	4	1	6	13	93	84	1	1	64	18
Dallas	269	1	-	2	51	17	11	2	7	2	6	6	2	126	91	2	-	72	17
Davis	108	-	-	1	12	5	2	-	2	-	1	2	-	66	57	-	12	27	18
Decatur	121	-	-	1	23	6	6	2	3	2	1	3	-	63	34	-	-	24	10
Delaware	177	-	-	3	44	12	8	5	4	4	2	9	2	97	76	2	-	64	10
Des Moines	522	-	-	7	115	29	21	9	15	9	7	25	7	249	193	1	2	154	36
Burlington	386	-	-	5	79	17	17	6	12	6	4	17	4	185	146	1	2	117	26
Balance of county	136	-	-	2	36	12	4	3	3	3	3	8	3	64	47	-	-	37	10
Dickinson	183	-	-	1	41	9	10	4	7	2	2	7	2	78	59	-	2	41	16
Dubuque	801	1	-	8	199	52	46	23	33	8	10	37	20	388	294	2	19	197	76
Dubuque	638	1	-	5	156	42	37	17	20	5	8	27	15	322	246	2	18	160	66
Balance of county	163	-	-	3	43	10	9	6	3	3	2	10	5	67	48	-	1	37	10
Emmet	143	-	-	-	24	5	4	4	3	-	-	8	3	75	59	-	1	39	19
Fayette	296	-	-	3	62	17	16	3	8	4	2	12	4	161	116	1	3	79	33
Floyd	247	-	-	1	52	11	14	8	10	-	1	8	3	137	116	-	2	92	22
Franklin	142	-	-	2	27	4	1	6	5	1	-	10	1	86	63	-	1	40	22
Fremont	111	-	-	4	21	5	5	1	5	1	2	2	1	60	49	-	3	29	17
Greene	159	-	-	3	31	9	6	2	6	4	-	4	4	98	77	-	1	59	17
Grundy	139	-	-	-	33	6	7	5	5	-	2	8	2	75	67	-	7	43	17
Guthrie	153	-	-	1	33	15	6	2	3	1	1	5	4	84	62	-	3	47	12
Hamilton	167	-	-	1	39	18	2	7	5	-	2	5	5	83	57	-	1	40	16
Hancock	142	-	-	-	28	8	6	5	3	-	1	5	1	80	64	-	-	57	7
Hardin	244	-	-	-	42	10	10	4	6	1	2	9	3	155	121	-	2	98	21
Harrison	204	-	-	2	33	15	5	4	4	-	1	4	3	122	105	-	-	50	55
Henry	208	-	-	2	44	11	12	2	7	2	5	5	7	116	95	1	1	73	20
Howard	144	-	-	-	28	9	7	1	1	2	1	7	2	78	66	2	-	56	8
Humboldt	130	-	-	1	31	11	8	3	1	1	1	6	1	69	53	-	-	37	16
Ida	103	-	-	1	21	7	4	2	4	-	-	4	-	50	44	-	-	37	7
Iowa	164	-	-	2	31	9	7	3	4	-	1	7	5	82	68	1	4	47	16
Jackson	228	-	-	1	39	8	13	2	4	2	3	7	1	125	78	-	1	67	10
Jasper	328	-	-	1	74	17	18	6	11	4	4	14	7	165	124	1	2	92	29
Newton	173	-	-	-	40	10	11	3	4	3	1	8	2	85	59	1	1	49	8
Balance of county	155	-	-	1	34	7	7	3	7	1	3	6	5	80	65	-	1	43	21
Jefferson	166	-	-	1	45	11	18	7	4	1	1	3	2	89	56	-	2	36	18
Johnson	484	1	-	4	110	34	24	11	15	5	1	20	12	203	159	1	7	127	24
Iowa City	282	-	-	3	59	22	12	6	6	2	1	10	8	127	94	-	2	78	14
Balance of county	202	1	-	1	51	12	12	5	9	3	-	10	4	76	65	1	5	49	10
Jones	184	-	-	3	37	12	9	5	4	1	-	6	2	89	65	-	4	57	4
Keokuk	168	-	-	3	30	9	9	1	3	1	2	5	3	84	70	-	3	57	10
Kossuth	205	-	-	-	50	13	9	2	5	7	1	13	-	100	72	1	2	49	20
Lee	456	-	-	3	99	32	26	9	7	7	2	16	14	222	166	1	5	118	42
Fort Madison	166	-	-	1	36	15	8	3	4	3	-	3	5	90	73	-	2	59	12
Keokuk	157	-	-	1	32	10	10	3	1	2	1	5	4	72	45	-	3	24	18
Balance of county	133	-	-	1	31	7	8	3	2	2	1	8	5	60	48	1	-	35	12
Linn	1,244	-	-	8	307	89	88	25	34	11	14	46	20	588	447	1	21	310	115
Cedar Rapids	918	-	-	7	241	67	75	20	24	10	11	34	16	430	330	1	18	231	80
Marion	133	-	-	-	22	10	5	1	2	-	-	4	2	68	47	-	-	31	16
Balance of county	193	-	-	1	44	12	8	4	8	1	3	8	2	90	70	-	3	48	19
Louisa	101	2	-	1	17	5	4	1	3	-	1	3	1	56	41	-	2	33	6
Lucas	153	-	-	-	31	9	7	4	7	1	1	2	2	86	74	1	-	63	10
Lyon	122	-	-	1	31	13	5	1	1	4	1	6	2	63	54	-	-	32	22
Madison	152	-	-	-	38	12	7	4	5	1	1	8	3	65	49	-	2	38	9
Mahaska	268	-	-	3	58	12	18	9	5	3	3	8	4	148	98	-	2	76	20
Oskaloosa	159	-	-	1	36	10	9	6	4	2	1	4	2	91	58	-	1	47	10
Balance of county	109	-	-	2	22	2	9	3	1	1	2	4	2	57	40	-	1	29	10
Marion	288	-	-	2	54	15	13	2	11	3	4	6	6	131	97	5	1	69	22
Marshall	437	-	-	6	94	17	24	9	10	10	5	19	11	202	141	2	5	107	27
Marshalltown	311	-	-	5	67	13	18	8	7	7	2	12	8	140	99	1	2	72	24
Balance of county	126	-	-	1	27	4	6	1	3	3	3	7	3	62	42	1	3	35	3
Mills	138	-	-	1	27	9	12	-	3	2	-	1	1	76	70	-	-	64	6
Mitchell	154	-	-	1	27	9	6	1	2	1	1	7	3	91	76	1	1	65	9
Monona	177	-	-	1	41	15	6	7	2	3	2	6	2	104	75	2	-	51	22
Monroe	113	-	-	2	25	8	7	3	3	-	2	2	1	54	40	1	1	30	8
Montgomery	165	-	-	-	42	11	12	3	5	-	2	9	-	86	52	-	-	44	8
Muscatine	378	1	-	6	69	12	16	9	12	3	-	15	5	172	120	1	5	79	35
Muscatine	235	-	-	3	41	6	11	3	11	2	-	8	2	112	84	1	4	54	25
Balance of county	143	1	-	3	28	6	7	6	1	1	-	7	3	60	36	-	1	25	10
O'Brien	194	-	-	-	43	12	7	5	7	2	5	5	1	82	61	1	-	54	6
Osceola	96	-	-	-	21	3	5	4	3	2	2	2	1	48	42	-	-	22	20
Page	255	-	-	2	41	18	9	1	3	2	2	6	5	136	111	1	2	70	38
Palo Alto	149	-	-	-	30	10	7	3	3	2	2	3	3	81	55	-	2	33	20
Plymouth	246	-	-	2	54	13	15	5	10	3	1	7	2	124	95	-	-	80	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Clay	-	16	2	3	4	5	-	-	1	-	1	1	-	16	4	-	1	-	-
Spencer	-	14	2	3	2	2	-	-	-	-	-	1	-	13	2	-	1	-	-
Balance of county	-	2	-	-	2	3	-	-	1	-	1	-	-	3	2	-	-	-	-
Clayton	1	38	7	7	9	4	2	2	2	-	1	2	1	26	4	6	4	-	-
Clinton	2	50	5	10	28	17	1	1	8	-	2	3	4	33	8	13	6	3	1
Clinton	2	33	3	6	20	13	-	-	7	-	2	2	3	20	6	6	3	1	1
Balance of county	-	17	2	4	8	4	1	1	1	-	-	1	1	13	2	7	3	2	-
Crawford	-	6	-	3	5	8	-	1	3	-	1	2	-	12	10	5	2	-	-
Dallas	3	25	3	4	20	14	2	2	2	-	1	1	1	25	7	8	4	-	-
Davis	-	5	2	2	6	4	-	-	1	-	1	1	2	9	3	2	-	-	-
Decatur	-	17	9	3	7	6	-	1	1	-	-	-	-	11	2	3	3	-	-
Delaware	-	20	1	-	4	4	-	4	1	-	-	1	-	5	4	6	2	-	-
Des Moines	4	39	10	3	16	27	5	3	9	-	2	5	1	52	4	14	2	-	2
Burlington	4	29	4	2	14	22	4	2	8	-	2	5	1	41	3	7	2	-	2
Balance of county	-	10	6	1	4	5	1	1	1	-	-	-	-	11	1	7	-	-	-
Dickinson	-	15	3	1	9	7	-	4	-	-	-	-	1	12	2	3	3	-	-
Dubuque	5	75	9	6	20	35	4	7	5	-	5	6	1	56	15	20	9	1	-
Dubuque	3	63	6	4	19	25	2	6	3	-	5	6	-	42	10	12	8	1	-
Balance of county	2	12	3	2	1	10	2	1	2	-	-	-	1	14	5	8	1	-	-
Emmet	3	12	1	-	9	9	-	1	-	-	-	1	-	8	8	4	1	-	-
Fayette	1	31	10	3	8	9	-	1	3	-	3	-	3	24	6	6	3	-	-
Floyd	-	16	2	3	12	8	-	-	1	-	3	3	1	18	3	2	3	-	-
Franklin	-	13	7	3	7	4	-	1	-	-	-	-	-	7	1	5	1	-	-
Fremont	-	9	1	1	3	4	2	2	1	-	-	-	1	6	4	-	1	-	1
Greene	1	12	7	1	4	2	-	1	-	-	-	-	1	8	-	5	2	-	-
Grundy	2	4	-	2	4	6	-	-	1	-	-	1	1	9	2	2	3	-	-
Guthrie	1	10	9	2	6	3	2	-	1	-	1	-	-	8	3	4	3	-	-
Hamilton	2	17	4	3	8	5	-	2	3	-	-	-	-	15	-	2	3	1	-
Hancock	-	15	1	-	14	3	1	-	1	-	-	1	1	8	1	-	1	2	-
Hardin	-	30	3	1	11	3	1	2	2	-	2	1	-	14	3	3	2	-	-
Harrison	-	12	2	3	4	10	-	1	1	-	2	4	-	12	2	7	1	-	-
Henry	2	16	2	1	6	4	1	1	1	-	-	2	1	16	-	7	1	-	-
Howard	-	11	-	1	13	5	-	1	-	-	1	-	-	11	1	2	1	-	1
Humboldt	-	14	2	-	9	6	1	1	-	-	1	-	-	7	2	-	1	-	-
Ida	-	5	-	1	8	5	-	2	-	-	-	1	-	10	5	-	-	-	-
Iowa	-	13	-	1	11	3	-	-	2	-	1	-	-	16	8	2	1	-	-
Jackson	1	39	4	3	14	11	-	3	1	-	-	1	3	17	7	2	2	1	-
Jasper	1	28	8	4	9	7	2	4	6	-	4	1	1	30	3	8	4	1	1
Newton	1	17	7	1	3	2	1	2	5	-	3	1	-	19	2	6	-	1	1
Balance of county	-	11	1	3	6	5	1	2	1	-	1	-	1	11	1	2	4	-	-
Jefferson	1	29	3	-	4	7	1	-	-	-	-	1	-	9	2	4	1	-	-
Johnson	1	30	8	5	24	19	2	2	1	-	4	7	5	44	22	6	14	4	-
Iowa City	1	25	4	3	14	10	2	2	-	-	2	2	5	29	9	3	6	1	-
Balance of county	-	5	4	2	10	9	-	-	1	-	2	5	-	15	13	3	8	3	-
Jones	-	20	2	2	3	8	1	1	3	-	-	1	2	20	4	5	4	-	1
Keokuk	1	8	4	1	10	5	-	-	-	-	1	2	1	18	3	6	2	-	-
Kossuth	1	20	6	1	6	12	2	3	1	-	3	1	1	10	10	3	1	1	1
Lee	3	43	6	4	18	11	6	3	5	-	1	2	1	43	10	8	7	2	1
Fort Madison	1	10	3	3	6	2	1	1	2	-	-	-	-	10	5	3	3	1	-
Keokuk	2	22	2	1	8	8	3	2	2	-	1	1	-	16	2	2	3	-	-
Balance of county	-	11	1	-	4	1	2	-	1	-	-	1	1	17	3	3	1	1	1
Linn	8	93	23	17	34	59	11	9	14	-	7	16	7	101	20	23	16	2	2
Cedar Rapids	7	64	17	12	25	40	9	5	10	-	5	8	6	79	13	9	12	2	1
Marion	-	15	2	4	3	10	1	2	2	-	1	6	1	8	1	5	-	-	1
Balance of county	1	14	4	1	6	9	1	2	2	-	1	2	-	14	6	9	4	-	-
Louisa	-	11	3	1	2	3	-	1	1	-	2	-	-	7	-	5	3	-	-
Lucas	1	8	2	1	11	4	-	1	1	-	-	-	1	10	3	3	-	-	-
Lyon	1	7	1	-	7	1	1	-	1	-	2	-	-	9	3	1	-	-	-
Madison	-	13	3	-	15	4	1	-	2	-	-	1	-	13	3	5	1	1	-
Mahaska	-	42	3	5	10	7	1	2	2	-	2	1	2	17	4	4	2	1	-
Oskaloosa	-	30	1	2	7	3	1	-	-	-	2	-	-	10	1	3	2	-	-
Balance of county	-	12	2	3	3	4	-	2	2	-	-	1	2	7	3	1	-	1	-
Marion	1	26	2	5	20	10	2	3	2	-	-	2	1	36	6	7	3	1	-
Marshall	2	36	12	11	18	15	2	9	1	-	4	2	5	45	9	9	5	-	-
Marshalltown	1	22	9	9	14	8	2	6	1	-	2	2	4	35	6	7	4	-	-
Balance of county	1	14	3	2	4	7	-	3	-	-	2	-	1	10	3	2	1	-	-
Mills	1	5	-	-	9	7	1	-	1	-	1	-	1	7	3	2	1	-	-
Mitchell	2	7	4	2	9	4	-	1	6	1	1	-	1	5	1	3	1	-	-
Monona	8	17	2	2	4	13	1	-	-	-	-	-	-	7	-	3	1	-	-
Monroe	-	9	2	3	3	4	-	-	1	-	-	-	1	11	3	6	-	2	-
Montgomery	3	18	13	-	4	7	-	1	-	-	-	1	1	15	2	4	2	-	-
Muscatine	3	32	9	8	15	18	-	4	3	-	2	1	3	41	17	12	4	5	-
Muscatine	3	19	2	4	12	9	-	3	2	-	1	-	2	29	8	7	1	3	-
Balance of county	-	13	7	4	3	9	-	1	1	-	1	1	1	12	9	5	3	2	-
O'Brien	1	12	4	4	14	13	-	2	3	-	-	-	2	23	1	6	3	1	-
Osceola	-	4	2	-	2	1	1	3	-	-	-	-	1	9	2	5	2	-	-
Page	-	21	2	2	13	15	1	3	1	-	-	-	2	27	2	7	-	-	-
Palo Alto	-	7	17	2	7	5	2	1	1	-	-	-	1	9	7	2	-	-	-
Plymouth	-	24	3	2	18	9	-	1	4	-	-	1	3	14	9	2	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa-Con.																			
Pocahontas	151	-	-	2	33	8	6	6	5	1	1	6	2	70	56	-	-	51	5
Polk	2,531	1	-	29	612	159	190	56	56	24	19	108	36	1,141	929	6	21	539	363
Ankeny	66	-	-	-	7	1	2	-	-	1	1	2	-	31	22	-	-	17	5
Des Moines	1,934	1	-	20	498	125	154	45	46	20	18	90	23	883	714	4	17	428	265
Urbandale	53	-	-	-	8	3	2	1	1	-	-	1	1	21	17	1	-	4	12
West Des Moines	194	-	-	3	39	14	11	6	2	-	-	6	7	94	73	-	2	30	41
Balance of county	284	-	-	6	60	16	21	4	7	3	-	9	5	132	103	1	2	60	40
Pottawattamie	801	-	-	6	174	40	55	13	18	8	10	30	15	409	344	5	13	269	43
Council Bluffs	589	-	-	4	127	29	43	9	10	7	6	23	12	297	254	5	12	209	28
Balance of county	212	-	-	2	47	11	12	4	8	1	4	7	3	112	90	-	1	74	15
Poweshiek	197	-	-	2	54	8	16	7	10	-	-	13	7	90	71	1	-	39	31
Ringgold	89	-	-	-	19	6	7	2	2	1	-	1	3	50	38	-	-	29	9
Sac	176	-	-	-	26	5	7	5	4	-	1	4	1	101	66	-	4	48	14
Scott	1,174	1	-	16	270	76	72	19	30	13	12	48	21	540	422	5	12	282	123
Bettendorf	175	-	-	4	46	11	7	1	8	2	3	14	1	76	42	-	1	32	9
Davenport	874	1	-	10	193	57	59	15	16	9	8	29	19	415	340	5	10	222	103
Balance of county	125	-	-	2	31	8	6	3	6	2	1	5	1	49	40	-	1	28	11
Shelby	155	-	-	-	33	13	7	1	2	4	3	3	2	87	69	-	-	37	32
Sioux	278	-	-	2	67	24	14	2	7	3	2	15	7	136	111	1	2	87	21
Story	426	-	-	5	86	22	23	7	14	5	4	11	9	215	167	-	2	109	56
Ames	168	-	-	2	34	8	8	2	7	1	4	4	7	81	58	-	-	37	21
Balance of county	258	-	-	3	52	14	15	5	7	4	-	7	2	134	109	-	2	72	35
Tama	232	-	-	3	54	22	9	7	4	2	3	7	3	114	84	1	2	55	26
Taylor	98	-	-	1	17	5	3	1	5	1	-	2	1	52	32	-	-	22	10
Union	166	-	-	-	32	6	9	2	6	2	4	3	3	82	73	-	4	49	20
Van Buren	117	-	-	3	26	9	7	1	2	2	-	5	2	59	46	-	-	26	20
Wapello	443	-	-	1	88	29	20	7	15	-	4	13	5	227	165	3	9	106	47
Ottumwa	349	-	-	1	71	23	14	5	14	-	4	11	5	181	132	3	8	84	37
Balance of county	94	-	-	-	17	6	6	2	1	-	-	2	-	46	33	-	1	22	10
Warren	244	-	-	4	44	13	12	4	4	3	-	8	4	111	79	1	1	58	19
Indianola	82	-	-	3	16	4	5	3	1	1	-	2	1	40	27	-	-	20	7
Balance of county	162	-	-	1	28	9	7	1	3	2	-	6	3	71	52	1	1	38	12
Washington	235	-	-	3	49	13	13	2	7	3	3	8	5	121	102	2	2	71	27
Wayne	138	-	-	1	27	9	6	1	6	1	-	4	2	75	46	-	-	36	10
Webster	473	-	-	4	104	29	17	15	10	4	8	21	5	248	189	2	1	122	64
Fort Dodge	359	-	-	3	76	18	15	7	8	3	8	17	5	196	153	1	-	99	53
Balance of county	114	-	-	1	28	11	2	8	2	1	-	4	-	52	36	1	1	23	11
Winnebago	139	-	-	2	28	5	5	2	7	-	-	9	-	82	60	-	1	55	4
Winneshiek	229	-	-	2	41	8	9	6	6	1	-	11	7	113	82	1	-	66	15
Woodbury	951	-	-	10	204	64	55	20	18	9	12	26	19	472	374	3	16	293	62
Sioux City	776	-	-	6	172	53	47	14	17	8	9	24	17	376	297	3	14	233	47
Balance of county	175	-	-	4	32	11	8	6	1	1	3	2	2	96	77	-	2	60	15
Worth	108	-	-	-	25	8	3	1	6	1	1	5	2	62	60	-	-	41	9
Wright	189	-	-	1	49	12	14	5	7	3	3	5	3	95	72	2	1	49	20
Kansas	22,057	6	1	249	4,507	1,132	1,199	420	528	220	200	808	415	10,616	8,294	66	180	5,886	2,152
Urban places	11,230	4	1	135	2,399	576	649	248	291	116	99	420	221	5,161	4,039	36	110	2,821	1,072
Balance of area	10,827	2	-	114	2,108	556	550	172	237	104	101	388	194	5,455	4,255	30	80	3,065	1,080
Metropolitan counties	8,904	3	-	118	1,959	470	550	204	222	93	76	344	182	4,000	3,141	26	77	2,157	881
Urban places	7,151	3	-	94	1,549	369	440	168	178	67	63	264	150	3,179	2,500	25	67	1,692	716
Balance of area	1,753	-	-	24	410	101	110	36	44	26	13	80	32	821	641	1	10	465	165
Nonmetropolitan counties	13,153	3	1	131	2,548	662	649	216	306	127	124	464	233	6,616	5,153	40	113	3,729	1,271
Urban places	4,079	1	1	41	850	207	209	80	113	49	36	156	71	1,982	1,539	11	43	1,129	356
Balance of area	9,074	2	-	90	1,698	455	440	136	193	78	88	308	162	4,634	3,614	29	70	2,600	915
Allen	198	-	-	2	34	8	13	6	-	2	1	4	4	114	92	-	2	44	46
Anderson	123	-	-	2	26	9	8	1	1	2	-	4	-	69	57	-	1	42	14
Atchison	217	-	-	1	47	17	11	3	2	2	1	11	2	121	98	1	2	74	21
Atchison	163	-	-	1	31	10	6	3	2	1	1	8	2	90	72	-	2	55	15
Balance of county	54	-	-	-	16	7	5	-	-	1	-	3	-	31	26	1	-	19	6
Barber	67	-	-	-	12	5	4	1	1	1	-	-	-	29	22	-	-	19	3
Barton	314	-	-	3	72	19	14	7	13	6	1	12	7	160	132	-	3	106	23
Great Bend	152	-	-	2	37	7	7	5	8	4	1	5	4	71	59	-	1	43	15
Balance of county	162	-	-	1	35	12	7	2	5	2	-	7	3	89	73	-	2	63	8
Bourbon	190	1	-	1	32	7	8	1	4	2	1	9	3	99	74	1	-	61	12
Brown	156	-	-	1	30	7	9	3	1	3	2	5	2	79	57	-	-	47	10
Butler	371	-	-	6	87	17	26	6	13	8	1	16	10	178	131	-	2	87	32
El Dorado	137	-	-	3	30	8	7	3	6	2	-	4	4	62	43	-	2	35	8
Balance of county	234	-	-	3	57	9	19	3	7	6	1	12	6	116	88	-	-	62	26
Chase	54	-	-	1	10	5	4	-	-	1	-	-	3	26	16	-	-	13	3
Chautauqua	101	-	-	1	19	3	3	3	1	3	2	4	4	43	33	-	1	27	5
Cherokee	229	-	-	1	40	12	14	2	1	1	1	9	3	123	94	2	3	64	25
Cheyenne	41	-	-	-	6	1	4	1	-	-	-	-	-	26	21	1	5	13	2
Clark	38	-	-	-	7	2	2	1	-	-	1	1	2	20	15	1	-	9	5
Clay	120	-	-	-	24	2	11	3	4	-	-	4	1	65	51	-	2	26	23
Cloud	163	-	-	1	30	7	4	2	3	-	3	11	3	89	74	1	5	55	13
Coffey	115	-	-	3	23	10	5	-	1	-	1	6	2	58	41	-	1	28	12
Comanche	38	-	-	1	3	1	-	2	-	-	-	-	-	22	18	1	-	14	3
Cowley	399	-	-	7	84	18	24	9	10	3	2	18	10	178	139	1	3	111	24
Arkansas City	166	-	-	3	31	7	9	3	5	-	-	7	6	79	59	1	1	43	14
Winfield	121	-	-	3	31	6	9	5	1	2	2	6	4	48	39	-	1	34	4
Balance of county	112	-	-	1	22	5	6	1	4	1	-	5	-	51	41	-	1	34	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa-Con.																			
Pocahontas	-	13	1	-	18	3	1	-	2	-	-	2	-	15	1	-	2	-	-
Polk	7	148	23	34	109	88	4	28	17	-	22	33	32	212	46	61	50	13	3
Ankeny	-	6	2	1	3	4	-	1	-	-	2	1	1	9	2	2	3	-	-
Des Moines	6	99	17	27	75	69	3	22	15	-	15	25	24	154	36	41	39	9	2
Urbandale	-	4	-	-	2	2	-	1	1	-	-	1	1	7	4	2	2	-	-
West Des Moines	-	16	2	3	10	4	-	2	-	-	1	2	3	16	1	7	3	2	-
Balance of county	1	23	2	3	13	9	1	2	1	-	4	4	3	26	3	9	3	2	1
Pottawattamie	5	40	11	9	24	37	4	8	6	-	5	9	8	50	14	17	12	-	3
Council Bluffs	5	30	3	5	15	32	3	6	3	-	4	8	5	39	11	12	8	-	3
Balance of county	-	10	8	4	9	5	1	2	3	-	1	1	3	11	3	5	4	-	-
Poweshiek	-	13	5	1	4	6	-	1	2	-	1	-	1	20	3	5	-	1	-
Ringgold	-	12	-	-	2	1	-	-	-	-	-	1	-	7	2	2	1	-	1
Sac	-	16	15	4	13	3	-	-	1	-	-	1	-	19	7	4	-	-	-
Scott	3	81	22	12	33	57	2	17	13	-	10	6	5	122	14	20	20	6	1
Bettendorf	1	21	7	5	7	8	-	3	2	-	-	1	-	21	3	1	2	-	-
Davenport	2	54	14	5	24	43	1	12	9	-	7	4	3	94	6	12	15	5	1
Balance of county	-	6	1	2	2	6	1	2	2	-	3	1	2	7	5	7	3	1	-
Shelby	1	12	2	3	2	7	1	-	2	-	1	-	-	11	2	4	2	-	1
Sioux	-	17	6	2	12	8	1	3	2	-	2	4	3	18	5	4	3	1	-
Story	2	36	7	3	13	9	3	6	3	-	1	7	1	41	6	13	6	1	1
Ames	-	20	3	-	4	3	2	1	-	-	-	5	-	18	2	7	1	1	-
Balance of county	2	16	4	3	9	6	1	5	3	-	1	2	1	23	4	6	5	-	1
Tama	1	18	7	4	12	4	1	2	2	-	1	2	-	21	5	5	3	-	-
Taylor	3	7	9	1	3	2	1	1	3	-	1	2	1	7	2	1	2	1	-
Union	1	15	1	2	7	8	-	-	-	-	-	-	-	17	3	3	1	-	-
Van Buren	-	8	1	4	3	4	-	-	-	-	1	-	3	10	1	2	3	-	-
Wapello	2	49	8	3	23	17	2	1	3	-	2	1	1	54	8	4	5	-	1
Ottumwa	2	39	6	2	17	14	1	1	3	-	1	1	-	46	3	3	1	-	-
Balance of county	-	10	2	1	6	3	1	-	-	-	1	-	1	8	5	1	4	-	1
Warren	-	22	7	3	15	11	1	4	1	-	1	4	-	24	7	7	5	1	-
Indianola	-	8	5	-	4	2	-	1	1	-	-	-	-	8	3	1	2	-	-
Balance of county	-	14	2	3	11	9	1	3	-	-	1	4	-	16	4	6	3	1	-
Washington	1	12	2	4	11	6	-	1	-	-	2	-	2	15	10	6	3	-	1
Wayne	1	22	4	2	5	7	-	-	2	-	-	-	1	9	3	4	1	1	-
Webster	-	41	11	7	22	14	1	3	-	-	2	2	3	38	12	11	3	1	-
Fort Dodge	-	29	9	5	16	12	1	2	-	-	1	1	2	27	5	9	2	1	-
Balance of county	-	12	2	2	6	2	-	1	-	-	1	1	1	11	7	2	1	-	-
Winnebago	-	17	3	2	7	4	1	1	1	-	-	1	2	5	1	2	2	-	-
Winneshiek	2	20	6	3	10	11	-	2	2	-	2	-	1	22	2	11	3	-	-
Woodbury	5	71	10	12	52	40	4	7	1	-	13	8	9	68	19	16	7	-	2
Sioux City	2	55	10	12	41	35	3	6	1	-	11	7	9	59	14	12	5	-	2
Balance of county	3	16	-	-	11	5	1	1	-	-	2	1	-	9	5	4	2	-	-
Worth	-	11	1	-	3	6	-	1	-	-	-	-	-	5	2	1	-	1	-
Wright	2	17	3	1	12	5	1	1	2	-	2	2	-	13	7	6	-	-	-
Kansas	67	1,689	337	229	807	849	80	169	253	3	130	162	404	1,967	518	495	292	113	21
Urban places	27	829	146	120	356	487	44	104	130	2	77	107	252	1,019	223	254	155	84	15
Balance of area	40	860	191	109	451	362	38	65	123	1	53	55	152	948	295	241	137	29	6
Metropolitan counties	25	602	132	100	267	391	29	83	95	2	57	81	213	797	201	205	134	73	14
Urban places	20	473	99	87	207	320	26	69	80	2	48	73	188	662	142	174	107	65	13
Balance of area	5	129	33	13	60	71	3	14	15	-	9	8	25	135	59	31	27	8	1
Nonmetropolitan counties	42	1,087	205	129	540	458	51	86	158	1	73	81	191	1,170	317	280	158	40	7
Urban places	7	356	47	33	149	167	18	35	50	-	29	34	64	357	81	80	48	19	2
Balance of area	35	731	158	96	391	291	33	51	108	1	44	47	127	813	236	210	110	21	5
Allen	-	15	5	2	5	8	-	4	4	-	-	-	2	13	1	5	2	-	-
Anderson	1	11	-	-	4	2	-	1	1	-	-	-	1	9	5	1	3	-	-
Atchison	-	21	1	1	7	8	-	-	6	-	-	1	3	11	4	4	2	-	-
Atchison	-	16	1	1	6	8	-	-	5	-	-	1	1	10	3	3	2	-	-
Balance of county	-	5	-	-	1	-	-	-	1	-	-	-	2	1	1	1	-	-	-
Barber	-	5	1	1	3	2	-	1	2	-	-	-	2	8	5	2	-	-	1
Barton	-	21	4	3	6	7	2	2	-	-	3	1	2	29	9	3	8	-	-
Great Bend	-	8	2	2	4	6	1	1	-	-	1	-	2	14	3	-	6	-	-
Balance of county	-	13	2	1	2	1	1	1	-	-	2	1	-	15	6	3	2	-	-
Bourbon	1	22	1	1	9	4	1	1	1	-	1	1	7	19	6	1	2	1	-
Brown	2	3	15	2	7	5	-	-	3	-	2	1	-	15	4	4	1	2	-
Butler	-	38	5	3	16	16	-	3	4	-	3	3	3	19	10	8	4	1	-
El Dorado	-	17	2	-	4	8	-	1	3	-	1	2	3	9	2	4	1	-	-
Balance of county	-	22	3	3	12	8	-	2	1	-	2	1	-	10	8	4	3	1	-
Chase	-	7	3	-	2	3	-	-	-	-	-	-	-	7	2	-	-	-	-
Chautauqua	-	5	4	1	6	-	1	1	1	-	-	1	-	18	1	2	2	1	-
Cherokee	3	20	4	2	11	9	2	2	1	-	3	1	3	18	3	5	3	1	-
Cheyenne	-	5	-	-	-	3	-	1	2	-	1	-	-	1	1	-	-	-	-
Clark	1	4	-	-	6	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Clay	-	8	5	1	12	2	1	1	-	-	-	-	4	7	2	1	-	-	-
Cloud	-	12	2	1	11	6	-	-	2	-	1	-	1	11	3	2	3	-	-
Coffey	-	12	1	4	7	4	1	-	-	-	1	-	2	7	1	4	2	-	-
Comanche	1	2	-	1	4	-	-	-	1	-	-	-	1	1	-	4	-	1	-
Cowley	-	27	7	5	16	17	2	3	6	-	4	1	13	30	13	11	4	-	-
Arkansas City	-	13	5	2	5	8	1	1	2	-	1	-	4	10	6	7	2	-	-
Winfield	-	7	-	2	6	5	-	1	2	-	3	1	4	10	2	1	-	-	-
Balance of county	-	7	2	1	5	4	1	1	2	-	-	-	5	10	5	3	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Crawford	486	-	-	5	100	22	32	8	10	7	5	16	5	254	198	-	5	167	26
Pittsburg	239	-	-	1	45	8	13	4	4	6	3	7	1	130	101	-	4	85	12
Balance of county	247	-	-	4	55	14	19	4	6	1	2	9	4	124	97	-	1	82	14
Decatur	63	-	-	1	8	3	2	1	1	-	-	1	2	31	26	2	-	18	6
Dickinson	248	-	-	4	49	13	14	2	4	1	7	8	3	123	98	-	4	70	24
Doniphan	99	-	-	2	20	5	6	1	3	2	-	3	3	48	36	-	-	26	10
Douglas	430	-	-	4	91	29	20	6	15	2	2	17	7	174	129	3	2	86	38
Lawrence	320	-	-	4	61	18	14	5	11	2	1	10	3	126	91	3	2	59	27
Balance of county	110	-	-	-	30	11	6	1	4	-	1	7	4	48	38	-	-	27	11
Edwards	64	-	-	1	10	4	1	1	-	1	1	2	1	35	31	-	-	20	11
Elk	55	-	-	-	11	2	3	1	-	1	-	4	1	23	19	-	-	15	4
Ellis	188	-	-	4	40	7	10	6	7	1	3	6	3	79	66	-	-	49	17
Hays	105	-	-	1	23	6	6	2	5	1	1	2	-	48	41	-	-	29	12
Balance of county	83	-	-	3	17	1	4	4	2	-	2	4	3	31	25	-	-	20	5
Ellsworth	86	-	-	2	19	8	5	1	1	1	-	3	-	41	27	-	-	21	6
Finney	175	-	-	1	22	5	8	2	1	2	2	2	4	87	57	-	-	42	15
Garden City	142	-	-	1	19	4	7	2	1	2	2	1	3	75	48	-	-	36	12
Balance of county	33	-	-	-	3	1	1	-	-	-	-	1	1	12	9	-	-	6	3
Ford	211	-	-	1	43	10	11	5	6	-	4	7	7	101	74	-	1	59	14
Dodge City	158	-	-	-	33	6	7	5	5	-	4	6	7	71	53	-	1	40	12
Balance of county	53	-	-	1	10	4	4	-	1	-	-	1	-	30	21	-	-	19	2
Franklin	231	-	-	3	57	12	17	4	7	3	3	11	-	107	86	-	2	65	19
Ottawa	140	-	-	3	32	7	10	3	2	2	1	7	-	67	52	-	1	43	8
Balance of county	91	-	-	-	25	5	7	1	5	1	2	4	-	40	34	-	1	22	11
Geary	203	-	-	2	42	10	12	6	5	3	2	5	4	94	71	-	3	52	16
Junction City	154	-	-	2	35	9	9	5	4	3	1	4	2	80	62	-	3	46	13
Balance of county	49	-	-	-	7	1	3	-	1	-	1	1	2	14	9	-	-	6	3
Gove	43	-	-	-	6	3	-	-	1	-	1	1	3	26	21	-	1	11	9
Graham	40	-	-	2	11	1	5	1	1	-	-	3	-	19	17	-	-	14	3
Grant	54	-	-	-	12	5	3	1	1	1	-	1	-	26	22	-	-	19	3
Gray	38	-	-	1	11	2	2	-	2	1	2	2	-	15	12	-	-	8	4
Greeley	14	-	-	-	1	-	1	-	-	-	-	-	-	9	9	-	-	8	1
Greenwood	113	-	-	1	16	3	4	-	3	2	3	1	2	66	51	1	-	40	10
Hamilton	33	-	-	-	4	-	1	1	2	-	-	-	-	12	11	-	-	9	2
Harper	95	-	-	2	12	6	4	2	-	-	-	-	1	57	40	-	-	24	16
Harvey	323	-	-	1	57	14	12	5	6	5	6	9	8	174	134	1	9	102	22
Newton	203	-	-	1	24	6	4	2	3	1	4	4	4	114	88	1	6	65	14
Balance of county	120	-	-	-	33	8	8	3	3	4	2	5	4	60	48	-	3	37	8
Haskell	26	-	-	-	5	4	1	-	-	-	-	-	1	15	13	-	-	10	3
Hodgeman	20	-	-	-	7	3	2	-	-	-	1	1	1	10	9	1	-	8	-
Jackson	138	-	-	-	14	5	1	1	1	1	1	4	6	80	66	-	1	55	10
Jefferson	159	-	-	3	34	6	9	2	8	3	1	5	4	78	53	-	1	34	18
Jewell	67	-	-	-	11	2	2	1	3	2	-	1	2	37	21	-	-	14	7
Johnson	1,691	-	-	18	401	99	105	49	41	16	21	70	27	747	586	6	10	428	142
Leawood	57	-	-	1	14	3	4	-	2	1	1	3	-	21	15	-	-	12	3
Lenexa	120	-	-	-	22	3	5	4	-	1	3	6	3	56	42	-	1	29	12
Merriam	94	-	-	1	28	4	12	2	5	2	-	3	2	41	34	-	-	25	9
Olathe	197	-	-	3	35	11	7	7	1	-	3	6	4	78	62	1	-	43	18
Overland Park	494	-	-	5	122	27	30	18	10	5	7	25	9	225	171	3	2	121	45
Prairie Village	174	-	-	2	45	12	8	6	7	1	3	8	3	73	59	1	3	48	9
Shawnee	152	-	-	1	40	12	13	1	5	-	1	8	-	66	47	-	3	34	10
Balance of county	403	-	-	5	95	27	26	11	11	6	3	11	6	187	156	1	1	118	38
Kearny	29	-	-	-	6	2	2	-	1	-	-	1	-	15	13	-	-	9	4
Kingman	105	-	-	3	19	5	5	1	3	-	2	3	2	55	38	-	1	31	6
Kiowa	49	-	-	1	11	1	3	1	3	-	1	2	1	27	21	-	1	17	3
Labette	330	-	-	1	67	20	13	7	11	2	2	12	5	164	126	-	2	84	40
Parsons	165	-	-	1	38	12	8	3	8	1	-	6	1	81	63	-	2	38	23
Balance of county	165	-	-	-	29	8	5	4	3	1	2	6	4	83	63	-	-	46	17
Lane	27	-	-	1	3	1	-	1	1	-	-	-	-	14	9	-	-	5	4
Leavenworth	415	-	-	2	90	29	26	5	10	3	1	16	12	185	158	2	6	104	46
Leavenworth	302	-	-	1	67	23	18	3	8	3	1	11	11	129	111	1	6	73	31
Balance of county	113	-	-	1	23	6	8	2	2	-	-	5	1	56	47	1	-	31	15
Lincoln	71	-	-	2	15	3	1	1	3	1	1	5	1	38	34	-	-	22	12
Linn	109	-	-	-	18	5	3	1	3	1	2	3	2	56	43	1	-	32	10
Logan	37	-	-	-	3	2	-	-	-	1	-	-	1	22	19	-	-	15	4
Lyon	287	-	-	1	57	12	13	2	8	3	2	17	6	135	106	-	4	70	32
Emporia	200	-	-	1	43	10	9	2	8	2	2	10	2	98	75	-	2	45	28
Balance of county	87	-	-	-	14	2	4	-	-	1	-	7	4	37	31	-	2	25	4
McPherson	268	-	-	4	56	7	13	7	10	2	5	12	4	134	108	2	6	72	28
McPherson	104	-	-	1	25	2	6	3	4	2	2	6	2	43	32	2	2	20	8
Balance of county	164	-	-	3	31	5	7	4	6	-	3	6	2	91	76	-	4	52	20
Marion	180	-	-	1	35	10	5	5	5	2	3	5	2	82	65	-	6	27	32
Marshall	170	-	-	1	40	6	11	2	9	3	1	8	-	69	67	1	-	52	14
Meade	58	-	-	-	11	2	3	-	2	-	1	3	3	21	17	-	-	12	5
Miami	206	-	-	2	33	5	9	6	7	2	1	3	2	110	84	-	-	69	15
Mitchell	101	-	-	-	14	1	5	3	1	-	1	3	-	57	32	-	-	22	10
Montgomery	582	-	-	7	103	26	31	8	10	4	4	20	8	260	194	3	3	130	58
Coffeyville	212	-	-	1	42	10	10	2	5	1	3	11	3	84	68	2	1	37	28
Independence	149	-	-	3	26	6	8	3	4	1	-	4	3	83	58	1	2	48	7
Balance of county	201	-	-	3	35	10	13	3	1	2	1	5	2	83	68	-	-	45	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (460-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Crawford	4	42	5	5	8	20	1	9	4	1	2	2	7	40	15	8	5	-	-
Pittsburg	2	24	2	1	5	11	1	6	2	-	1	-	3	22	7	2	2	-	-
Balance of county	2	18	3	4	3	9	-	3	2	1	1	2	4	18	8	6	3	-	-
Decatur	-	3	-	2	4	4	1	-	1	-	-	-	1	6	-	3	1	-	-
Dickinson	1	13	7	4	14	6	-	3	3	-	1	-	4	22	6	7	2	1	-
Doniphan	1	10	1	-	1	5	-	1	1	-	-	1	2	6	-	5	2	-	-
Douglas	1	25	10	9	18	15	3	3	5	-	-	4	22	50	8	18	3	3	2
Lawrence	1	18	9	7	13	12	2	3	5	-	-	4	20	36	7	16	3	3	2
Balance of county	-	7	1	2	5	3	1	-	-	-	-	-	2	14	1	2	-	-	-
Edwards	-	3	1	-	2	3	-	1	1	-	-	-	-	5	1	3	1	-	-
Elk	-	4	-	-	4	1	-	1	3	-	-	-	1	7	1	2	-	-	-
Ellis	1	10	1	1	8	5	-	1	4	-	1	4	1	30	2	5	1	-	-
Hays	-	5	1	1	4	4	-	-	3	-	1	3	-	15	1	2	-	-	-
Balance of county	1	5	-	-	4	1	-	1	1	-	-	1	1	15	1	3	1	-	-
Ellsworth	-	13	-	1	5	2	-	-	1	-	-	-	1	11	3	1	-	-	-
Finney	-	24	5	1	5	8	1	5	-	-	1	6	1	14	10	3	5	1	1
Garden City	-	22	5	-	5	8	1	4	-	-	-	3	-	12	5	2	3	1	-
Balance of county	-	2	-	1	-	-	-	1	-	-	1	3	1	2	5	1	2	-	1
Ford	-	20	4	3	6	10	-	2	2	-	3	2	-	15	8	5	4	2	-
Dodge City	-	13	3	2	6	8	-	2	1	-	3	2	-	10	7	4	3	1	-
Balance of county	-	7	1	1	-	2	-	-	1	-	-	-	-	5	1	1	1	1	-
Franklin	1	16	4	-	11	9	-	-	2	-	1	2	7	15	8	4	5	-	-
Ottawa	-	12	3	-	9	7	-	-	2	-	-	1	5	6	2	3	3	-	-
Balance of county	1	4	1	-	2	2	-	-	-	-	1	1	2	9	6	1	2	-	-
Geary	1	16	3	3	2	5	-	1	3	-	4	4	2	17	8	5	8	2	-
Junction City	1	13	3	1	2	4	-	1	3	-	3	3	1	11	3	2	1	1	-
Balance of county	-	3	-	2	-	1	-	-	-	-	1	1	1	6	5	3	7	1	-
Gove	-	4	-	1	1	1	-	-	-	-	-	-	-	3	2	-	-	1	-
Graham	1	1	-	-	1	-	-	-	-	-	-	-	-	5	1	1	-	-	-
Grant	-	2	-	2	4	3	-	1	1	-	-	-	-	1	-	3	2	1	-
Gray	-	2	1	-	1	3	-	-	-	-	-	2	-	2	2	-	1	-	-
Greeley	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-
Greenwood	1	12	1	1	5	1	-	1	3	-	-	-	2	8	4	3	1	-	-
Hamilton	-	1	-	-	1	5	-	-	-	-	-	-	-	5	3	2	-	1	-
Harper	-	15	2	-	3	1	-	-	1	-	1	-	1	12	1	3	-	-	-
Harvey	1	35	2	2	20	9	2	-	4	-	5	1	2	30	8	2	-	-	-
Newton	1	24	2	1	16	7	1	-	2	-	5	1	1	24	3	-	-	-	-
Balance of county	-	11	-	1	4	2	1	-	2	-	-	-	1	6	5	2	-	-	-
Haskell	-	1	-	1	1	-	-	-	-	-	1	-	1	2	-	-	-	-	-
Hodgeman	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Jackson	1	11	2	-	4	5	-	1	2	-	-	3	1	14	5	2	1	-	-
Jefferson	-	18	7	-	4	6	1	-	4	-	2	-	-	14	6	2	-	1	-
Jewell	1	10	4	1	3	4	-	-	-	-	-	-	1	5	2	1	1	-	-
Johnson	7	110	31	13	48	87	4	15	19	1	14	13	25	151	39	33	35	10	4
Leawood	-	5	1	-	-	4	-	1	-	-	-	-	-	8	4	2	1	1	-
Lenexa	-	12	2	-	1	5	1	1	1	-	1	1	2	15	3	4	2	1	1
Merriam	-	5	2	-	2	2	-	-	1	-	-	2	-	12	1	-	2	-	-
Olathe	1	11	1	3	10	9	2	-	2	-	4	6	3	22	3	6	7	2	1
Overland Park	-	38	13	3	11	19	-	4	7	1	6	1	7	39	13	11	11	2	1
Prairie Village	-	12	1	1	4	13	1	2	1	-	-	2	2	18	-	3	4	1	-
Shawnee	2	12	1	4	7	10	-	5	2	-	-	-	4	13	1	1	2	-	-
Balance of county	4	15	10	2	13	25	-	2	5	-	3	1	7	24	14	6	6	3	1
Kearny	-	2	-	-	-	1	-	1	-	-	-	2	-	2	2	-	-	-	-
Kingman	-	17	-	-	5	2	-	-	1	-	1	-	-	12	3	1	1	-	-
Kiowa	-	5	1	-	2	-	-	-	-	-	-	-	-	5	2	-	-	-	-
Labette	1	30	2	5	11	12	3	-	3	-	3	-	6	36	9	6	1	3	-
Parsons	-	14	1	3	6	5	1	-	1	-	2	-	2	17	2	6	1	1	-
Balance of county	1	16	1	2	5	7	2	-	2	-	1	-	4	19	7	-	-	2	-
Lane	-	5	-	-	-	2	-	-	-	-	-	-	-	4	3	-	-	-	-
Leavenworth	1	20	4	2	18	21	3	10	6	-	1	6	4	32	3	13	5	2	-
Leavenworth	-	14	2	2	12	14	2	8	8	-	-	3	3	28	2	9	3	2	-
Balance of county	1	6	2	-	6	7	1	2	-	-	1	3	1	4	1	4	2	-	-
Lincoln	-	3	1	-	3	3	1	-	2	-	-	-	-	4	1	1	-	-	-
Linn	1	10	2	-	12	4	-	-	2	-	-	1	4	7	1	2	-	-	-
Logan	-	3	-	-	3	2	-	-	2	-	-	-	-	3	-	-	1	-	-
Lyon	1	25	2	1	14	10	1	3	3	-	1	4	2	34	7	5	1	2	1
Emporia	1	20	1	1	6	6	1	3	2	-	-	3	-	25	2	4	1	2	1
Balance of county	-	5	1	-	8	4	-	-	1	-	1	1	2	9	5	1	-	-	-
McPherson	-	22	1	3	8	5	-	-	2	-	-	2	1	35	3	9	5	-	-
McPherson	-	8	1	2	3	3	-	-	1	-	-	-	1	17	1	4	3	-	-
Balance of county	-	14	-	1	5	2	-	-	1	-	-	2	-	18	2	5	2	-	-
Marion	-	12	5	-	12	5	2	-	5	-	1	-	3	18	6	7	1	-	-
Marshall	-	14	3	5	7	5	2	1	2	-	1	-	2	14	1	4	1	-	-
Meade	-	3	1	-	5	-	-	-	-	-	-	-	1	9	3	4	1	-	-
Miami	3	18	5	-	8	12	1	1	5	-	1	3	-	13	5	3	6	-	1
Mitchell	-	8	16	1	7	2	-	1	3	-	-	-	1	12	2	1	1	-	-
Montgomery	3	55	3	5	27	22	2	4	14	-	1	1	40	48	8	8	6	3	-
Coffeyville	1	13	1	1	14	7	1	-	5	-	1	-	28	20	-	3	3	-	-
Independence	-	24	-	1	4	5	-	1	5	-	-	1	1	8	3	2	1	3	-
Balance of county	2	18	2	3	9	10	1	3	4	-	-	-	11	20	5	3	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Morris	93	-	-	1	18	5	2	1	3	2	-	5	2	48	35	-	1	25	9
Morton	41	-	-	-	13	1	7	1	3	-	-	1	-	19	14	-	-	14	-
Nemaha	131	-	-	2	24	4	4	6	2	3	1	4	5	56	36	-	-	23	13
Neosho	206	-	-	2	40	12	9	3	3	2	2	9	-	109	88	-	1	59	28
Chanute	123	-	-	-	26	7	7	1	1	2	1	7	-	67	52	-	1	36	15
Balance of county	83	-	-	2	14	5	2	2	2	-	1	2	-	42	36	-	-	23	13
Ness	47	-	-	1	9	5	2	-	-	-	-	2	-	25	20	-	-	11	9
Norton	97	-	-	1	25	10	5	-	3	4	-	3	1	50	39	1	-	33	5
Osage	154	-	-	1	29	8	5	1	2	1	4	8	6	83	62	-	2	42	18
Osborne	89	1	-	-	13	5	4	-	2	-	-	2	1	53	50	-	1	16	31
Ottawa	81	-	-	1	14	3	4	1	2	-	1	3	1	53	35	-	-	16	19
Pawnee	108	-	-	-	17	5	4	1	2	-	1	4	1	58	47	-	1	39	7
Phillips	127	-	-	3	25	7	5	3	2	1	2	5	1	64	51	-	-	37	14
Pottawatomie	141	-	-	1	26	6	10	-	7	2	-	1	5	77	58	-	1	46	11
Manhattan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	141	-	-	1	26	6	10	-	7	2	-	1	5	77	58	-	1	46	11
Pratt	115	-	-	-	15	4	6	-	-	-	1	4	5	55	39	-	5	25	9
Rawlins	43	-	-	1	6	3	1	-	-	-	1	1	2	19	16	-	-	10	6
Reno	636	1	1	5	147	33	31	16	27	10	3	27	8	314	244	1	1	196	46
Hutchinson	435	1	1	5	113	24	23	13	21	9	2	21	5	204	156	-	1	124	31
Balance of county	201	-	-	-	34	9	8	3	6	1	1	6	3	110	88	1	-	72	15
Republic	100	-	-	1	18	7	2	-	3	1	1	4	1	57	42	-	-	37	5
Rice	140	-	-	3	31	9	7	4	4	1	3	3	7	66	51	-	-	40	11
Riley	240	-	-	3	49	16	9	4	5	2	3	10	1	122	101	2	1	66	12
Manhattan, part	176	-	-	2	37	16	7	3	3	1	2	5	1	94	76	1	1	67	7
Manhattan, total	176	-	-	2	37	16	7	3	3	1	2	5	1	94	76	1	1	67	7
Balance of county	64	-	-	1	12	-	2	1	2	1	1	5	-	28	25	1	-	19	5
Rooks	78	-	-	-	17	6	2	2	2	-	-	5	1	39	33	1	3	22	7
Rush	63	-	-	-	14	6	1	1	-	-	1	5	1	31	21	1	-	16	2
Russell	107	-	-	1	23	8	5	2	2	-	3	3	1	66	60	-	1	44	15
Saline	421	-	-	8	74	17	26	4	6	4	4	13	5	211	167	2	4	119	42
Salina	359	-	-	7	63	14	22	4	6	3	1	13	5	181	141	2	3	97	39
Balance of county	62	-	-	1	11	3	4	-	-	1	3	-	-	30	26	-	1	22	3
Scott	43	-	-	-	5	3	1	-	-	-	-	1	1	25	19	1	-	11	7
Sedgwick	3,003	-	-	36	701	161	203	82	73	32	29	121	59	1,334	1,068	9	20	738	301
Wichita	2,600	-	-	30	598	141	175	71	64	25	27	95	58	1,156	923	9	19	631	264
Balance of county	403	-	-	6	103	20	28	11	9	7	2	26	1	178	145	-	1	107	37
Seward	127	-	-	1	34	10	4	4	6	2	2	6	6	49	39	-	2	29	8
Liberal	111	-	-	1	29	7	4	4	5	2	2	5	5	45	35	-	2	25	8
Balance of county	16	-	-	-	5	3	-	-	1	-	-	1	1	4	4	-	-	4	-
Shawnee	1,428	-	-	16	285	76	72	29	34	18	7	49	27	696	542	3	22	375	142
Topeka	1,238	-	-	13	239	62	59	25	31	15	6	41	25	606	470	3	18	318	131
Balance of county	190	-	-	3	46	14	13	4	3	3	1	8	2	90	72	-	4	57	11
Sheridan	24	-	-	-	2	1	-	-	-	-	-	1	1	17	14	-	-	8	6
Sherman	95	-	-	-	15	2	3	1	6	1	1	1	1	49	41	1	-	21	19
Smith	91	-	-	1	19	2	5	2	2	-	2	6	1	54	38	-	-	20	16
Stafford	69	-	-	-	9	3	3	-	-	1	2	-	1	40	33	-	1	22	10
Stanton	23	-	-	-	3	-	2	-	-	-	1	-	1	10	10	1	-	4	5
Stevens	43	-	-	-	12	2	2	2	1	2	-	3	-	20	13	-	-	11	2
Sumner	284	-	-	5	58	15	16	4	7	2	-	14	10	133	104	2	3	67	32
Thomas	69	-	-	1	16	9	2	2	2	1	-	-	-	29	23	-	-	22	1
Trego	54	-	-	-	14	5	3	-	2	1	1	2	-	29	22	1	-	19	2
Wabaunsee	80	-	-	1	15	6	2	2	1	-	1	3	4	34	28	1	-	21	6
Wallace	15	-	-	-	3	2	1	-	-	-	-	-	1	5	4	-	-	4	-
Washington	119	-	-	1	12	2	2	2	2	-	2	2	3	68	51	2	1	32	16
Wichita	18	-	-	-	3	1	1	-	-	-	-	1	-	9	7	-	1	6	-
Wilson	153	-	-	3	27	4	12	1	2	1	1	6	2	74	60	-	2	53	5
Woodson	62	-	-	-	16	4	4	3	3	-	-	2	-	25	19	-	-	9	10
Wyandotte	1,668	3	-	34	331	74	110	29	36	13	11	58	42	710	570	5	18	357	190
Kansas City	1,568	3	-	31	315	68	106	26	36	13	11	55	39	669	543	5	17	339	182
Balance of county	100	-	-	3	16	6	4	3	-	-	-	3	3	41	27	-	1	18	8
Kentucky	34,865	33	-	404	7,495	1,774	2,437	615	749	311	251	1,358	691	16,535	13,082	68	299	8,752	3,943
Urban places	11,824	9	-	166	2,703	666	870	235	265	106	77	484	265	5,465	4,311	25	131	2,765	1,390
Balance of area	23,041	24	-	238	4,792	1,108	1,567	380	484	205	174	874	426	11,070	8,751	43	168	5,987	2,553
Metropolitan counties	14,686	13	-	189	3,431	855	1,108	312	331	138	91	596	338	6,636	5,230	30	156	3,373	1,671
Urban places	9,166	6	-	138	2,108	549	678	183	196	78	55	369	221	4,150	3,304	19	112	2,096	1,077
Balance of area	5,520	7	-	51	1,323	306	430	129	135	60	36	227	117	2,486	1,926	11	44	1,277	594
Nonmetropolitan counties	20,179	20	-	215	4,064	919	1,329	303	418	173	160	762	353	9,899	7,832	38	143	5,379	2,272
Urban places	2,658	3	-	28	595	117	192	52	69	28	22	115	44	1,315	1,007	6	19	669	313
Balance of area	17,521	17	-	187	3,469	802	1,137	251	349	145	138	647	309	8,584	6,825	32	124	4,710	1,959
Adair	161	2	-	3	30	7	13	-	5	-	2	3	1	85	70	-	2	44	24
Allen	185	-	-	3	31	11	12	1	2	2	1	2	1	83	57	-	-	28	29
Anderson	125	-	-	1	22	7	6	-	2	1	-	6	2	60	43	-	-	32	11
Ballard	113	-	-	-	24	7	11	-	2	-	-	4	1	57	40	-	-	31	9
Barren	408	1	-	4	90	24	27	10	9	3	4	13	6	213	167	-	18	90	59
Glasgow	176	1	-	2	40	10	13	5	6	1	1	4	2	91	72	-	6	42	24
Balance of county	232	-	-	2	50	14	14	5	3	2	3	9	4	122	95	-	12	48	35
Bath	101	-	-	1	31	8	8	3	3	2	1	6	2	47	42	-	-	17	25

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Morris	2	8	-	3	7	2	-	-	2	-	-	-	2	9	1	1	-	-	-
Morton	-	4	1	-	-	1	-	-	-	-	-	1	-	3	3	1	-	-	-
Nemaha	-	16	2	2	7	4	-	-	1	-	-	-	3	21	1	4	2	1	-
Neosho	-	17	2	2	9	4	2	-	1	-	2	-	3	18	13	2	1	-	-
Chanute	-	13	2	-	5	2	2	-	1	-	1	-	2	10	5	2	-	-	-
Balance of county	-	4	-	2	4	2	-	-	-	-	1	-	1	8	8	-	1	-	-
Ness	-	4	-	1	1	3	-	-	1	-	1	-	-	5	1	-	-	-	-
Norton	-	5	5	1	7	1	2	-	1	-	-	1	1	1	2	3	1	-	-
Osage	-	16	5	-	6	5	-	1	-	-	-	1	1	12	5	1	3	-	-
Osborne	-	2	1	-	3	-	-	-	-	-	-	2	1	6	1	3	4	1	-
Ottawa	-	17	-	1	2	-	-	-	1	-	-	2	-	3	3	-	1	-	-
Pawnee	-	9	1	1	6	5	-	1	1	-	1	1	1	11	-	3	1	-	1
Phillips	-	4	5	4	9	3	1	-	4	-	-	1	-	12	-	1	3	-	-
Pottawatomie	-	16	3	-	3	2	-	1	1	-	3	1	2	11	3	2	3	-	-
Manhattan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	16	3	-	3	2	-	1	1	-	3	1	2	11	3	2	3	-	-
Pratt	1	10	4	1	4	4	-	1	1	-	-	-	8	13	-	8	-	1	-
Rawlins	-	2	-	1	2	2	-	-	-	-	-	-	-	9	1	-	1	-	-
Reno	1	54	6	9	18	30	3	6	3	-	4	4	2	56	15	11	7	1	-
Hutchinson	1	38	4	5	11	19	3	5	1	-	4	3	2	39	10	5	3	1	-
Balance of county	-	16	2	4	7	11	-	1	2	-	-	1	-	17	5	6	4	-	-
Republic	-	13	-	2	3	5	-	-	1	-	1	-	1	6	2	3	1	-	-
Rice	-	13	1	1	4	6	-	1	3	-	-	-	2	8	4	4	1	-	-
Riley	-	18	2	1	15	4	-	-	2	-	1	5	5	17	5	7	4	-	-
Manhattan, part	-	15	2	1	12	4	-	-	2	-	1	5	1	7	2	5	3	-	-
Manhattan, total	-	15	2	1	12	4	-	-	2	-	1	5	1	7	2	5	3	-	-
Balance of county	-	3	-	-	3	-	-	-	-	-	-	-	4	10	3	2	1	-	-
Rooks	-	3	3	-	5	6	1	1	-	-	-	-	-	3	4	1	-	-	-
Rush	-	5	5	-	3	1	1	-	-	-	-	-	-	8	2	2	-	-	-
Russell	-	4	1	1	-	2	1	-	1	-	1	1	1	8	1	-	-	-	-
Saline	-	35	5	4	10	21	2	3	3	-	3	4	2	45	13	9	6	1	1
Salina	-	33	3	4	8	20	2	2	1	-	2	4	2	39	8	8	5	1	1
Balance of county	-	2	2	-	2	1	-	1	2	-	1	-	-	6	5	1	1	-	-
Scott	-	6	-	-	1	2	1	1	-	-	-	-	1	5	1	-	-	-	-
Sedgwick	9	166	32	39	89	123	8	33	32	1	20	33	33	282	69	65	47	31	7
Wichita	9	159	29	36	73	113	7	27	27	1	18	30	30	251	53	57	36	28	7
Balance of county	-	27	3	3	16	10	1	6	5	-	2	3	3	31	16	8	11	3	-
Seward	-	7	3	-	-	7	1	-	1	-	-	-	2	3	5	7	4	7	-
Liberal	-	7	3	-	-	6	1	-	1	-	-	-	1	3	4	6	3	6	-
Balance of county	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	1	-
Shawnee	3	107	23	21	42	59	6	14	11	-	11	13	28	122	30	41	21	6	-
Topeka	2	94	21	19	39	49	6	12	11	-	11	12	23	108	23	35	20	6	-
Balance of county	1	13	2	2	3	10	-	2	-	-	-	1	5	14	7	6	1	-	-
Sheridan	-	3	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-
Sherman	1	6	-	1	2	5	1	2	1	-	-	-	1	10	4	3	1	-	-
Smith	-	15	2	1	3	1	-	-	-	-	-	-	1	8	2	-	1	-	-
Stafford	2	5	-	-	5	1	1	-	1	-	-	-	-	10	-	1	-	-	-
Stanton	-	-	-	-	2	-	-	-	-	-	-	-	-	4	-	2	1	-	-
Stevens	-	5	-	2	-	-	-	-	1	-	-	1	-	8	1	-	-	-	-
Sumner	-	20	4	5	7	9	1	2	3	-	3	2	4	24	6	9	7	-	1
Thomas	-	2	1	3	3	3	-	1	1	-	1	-	3	6	1	2	-	2	-
Trego	-	6	1	-	3	-	-	-	-	-	1	-	-	4	2	1	-	-	-
Wabaunsee	-	3	2	1	4	5	-	1	1	-	1	-	2	6	2	3	1	-	-
Wallace	-	-	-	1	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
Washington	-	13	1	3	11	1	-	-	1	-	1	1	-	13	1	3	3	-	-
Wichita	-	2	-	-	1	1	-	-	-	-	-	-	-	1	1	2	-	-	-
Wilson	1	10	1	2	3	13	2	-	2	-	2	1	1	9	4	7	2	1	-
Woodson	1	5	-	-	1	4	1	-	1	-	-	-	2	8	3	1	-	-	-
Wyandotte	5	101	19	15	44	80	7	14	20	-	7	14	101	147	34	37	21	21	1
Kansas City	5	90	17	14	43	76	7	13	20	-	7	13	94	131	32	35	18	21	1
Balance of county	-	11	2	1	1	4	-	1	-	-	-	1	7	16	2	2	3	-	-
Kentucky	130	2,680	337	326	1,257	1,440	108	338	376	1	186	297	243	3,105	791	866	482	252	25
Urban places	55	871	111	117	399	463	38	151	135	-	62	104	85	1,152	144	252	150	72	9
Balance of area	75	1,809	226	209	858	977	70	187	241	1	124	193	158	1,953	587	614	332	180	16
Metropolitan counties	69	1,062	135	140	492	610	41	189	147	1	76	146	119	1,374	260	309	218	84	15
Urban places	43	649	75	79	313	376	27	127	104	-	48	84	71	914	110	184	124	52	9
Balance of area	26	413	60	61	179	234	14	62	43	1	28	62	48	460	150	125	92	32	6
Nonmetropolitan counties	61	1,618	202	186	765	830	67	149	229	-	110	151	124	1,731	471	557	266	168	10
Urban places	12	222	36	38	86	87	11	24	31	-	14	20	14	238	34	68	26	20	-
Balance of area	49	1,396	166	148	679	743	56	125	198	-	96	131	110	1,493	437	489	240	148	10
Adair	-	11	2	2	10	5	-	1	4	-	-	1	-	9	3	4	2	1	-
Allen	-	23	2	1	9	7	1	1	2	-	-	-	2	19	1	4	1	-	-
Anderson	-	16	1	-	7	6	-	-	1	-	2	1	2	10	5	3	1	2	-
Ballard	-	12	2	3	5	5	1	-	1	-	-	-	-	12	2	3	2	-	-
Barren	-	39	3	4	13	19	-	1	4	-	3	1	-	32	7	7	5	2	-
Glasgow	-	13	2	4	6	7	-	-	3	-	2	1	-	13	1	3	2	2	-
Balance of county	-	26	1	-	7	12	-	1	1	-	1	-	-	19	6	4	3	-	-
Bath	-	3	1	1	3	-	-	-	4	-	1	-	3	5	-	2	-	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Bell	335	-	-	4	66	9	24	5	6	3	5	14	6	152	130	-	3	78	49
Middlesborough	154	-	-	2	32	6	13	1	2	1	3	6	4	75	62	-	-	34	28
Balance of county	181	-	-	2	34	3	11	4	4	2	2	8	2	77	68	-	3	44	21
Boone	335	-	-	3	95	24	35	9	3	1	4	19	5	144	102	1	-	85	16
Florence	169	-	-	3	50	15	18	5	1	-	1	10	1	76	55	-	-	46	9
Balance of county	166	-	-	-	45	9	17	4	2	1	3	9	4	68	47	1	-	39	7
Bourbon	187	-	-	5	45	7	21	5	5	-	1	6	7	78	64	-	-	48	16
Boyd	564	1	-	4	152	30	48	10	20	8	2	34	8	282	228	-	1	137	90
Ashland	381	-	-	3	102	19	36	6	10	4	2	25	8	182	147	-	1	89	57
Balance of county	183	1	-	1	50	11	12	4	10	4	-	9	-	100	81	-	-	48	33
Boyle	280	1	-	6	68	15	17	7	10	3	1	15	6	131	103	2	2	75	24
Danville	162	1	-	4	36	12	6	5	4	-	1	8	3	79	61	1	1	46	13
Balance of county	118	-	-	2	32	3	11	2	6	3	-	7	3	52	42	1	1	29	11
Bracken	96	-	-	-	16	6	5	-	4	-	1	-	-	54	37	-	-	27	10
Breathitt	153	-	-	2	22	4	10	1	-	-	2	5	2	80	67	-	2	57	8
Breckinridge	200	-	-	-	43	13	17	2	3	1	1	6	5	110	81	-	1	70	10
Bullitt	252	-	-	4	59	12	22	10	7	-	1	7	2	112	94	1	-	63	30
Butler	137	2	-	4	25	6	7	3	1	2	-	6	3	60	51	-	-	36	15
Caldwell	207	-	-	4	28	5	11	2	2	-	1	7	2	114	91	-	-	72	19
Calloway	303	-	-	1	44	12	14	2	10	1	-	5	3	173	128	1	1	72	54
Murray	137	-	-	1	23	7	7	1	6	-	-	2	1	75	53	1	-	30	22
Balance of county	166	-	-	-	21	5	7	1	4	1	-	3	2	98	75	-	1	42	32
Campbell	880	-	-	6	206	58	60	21	18	8	10	31	42	384	293	-	5	202	86
Fort Thomas	172	-	-	1	42	13	11	6	4	1	2	5	4	71	57	-	1	44	12
Newport	258	-	-	3	47	15	16	2	5	1	2	6	16	124	100	-	3	79	18
Balance of county	450	-	-	2	117	30	33	13	9	6	6	20	22	189	136	-	1	79	56
Carlisle	78	-	-	-	16	3	3	1	2	-	-	7	1	38	24	-	1	12	11
Carroll	95	-	-	-	18	7	3	2	1	-	1	4	2	46	37	1	2	25	9
Carter	231	-	-	2	50	15	10	2	13	3	1	6	4	113	85	1	-	52	32
Casey	159	-	-	4	30	5	15	1	4	1	1	3	3	76	64	-	-	36	28
Christian	510	-	-	6	99	24	30	11	12	4	5	13	9	245	197	-	7	144	46
Hopkinsville	318	-	-	4	58	13	21	10	5	2	2	5	6	156	127	-	5	90	32
Balance of county	192	-	-	2	41	11	9	1	7	2	3	8	3	89	70	-	2	54	14
Clark	253	-	-	4	49	16	16	3	7	1	-	6	4	128	102	-	7	57	38
Winchester	182	-	-	4	42	14	14	2	6	1	-	5	4	83	65	-	4	39	22
Balance of county	71	-	-	-	7	2	2	1	1	-	-	1	-	45	37	-	3	18	16
Clay	185	-	-	3	42	8	15	4	3	-	1	11	3	78	65	1	1	36	27
Clinton	107	-	-	3	22	4	10	3	1	-	1	3	-	45	37	-	-	26	11
Crittenden	128	-	-	2	20	5	7	-	3	-	1	4	4	75	60	-	-	51	9
Cumberland	95	-	-	1	22	4	5	3	4	1	1	4	1	43	36	-	-	30	6
Daviess	746	-	-	4	156	41	48	10	22	3	2	30	38	325	242	-	7	146	89
Owensboro	548	-	-	2	109	31	36	6	15	2	1	18	27	246	185	-	6	112	67
Balance of county	198	-	-	2	47	10	12	4	7	1	1	12	11	79	57	-	1	34	22
Edmonson	93	-	-	3	19	3	8	1	3	2	-	2	-	48	36	1	-	26	9
Elliott	56	-	-	-	17	4	5	1	1	1	2	3	-	27	23	1	-	11	11
Estill	192	-	-	2	29	7	9	3	1	2	-	7	2	62	51	-	2	37	12
Fayette, coext. with Lexington-Fayette	1,613	-	-	32	393	94	123	39	34	20	15	68	22	709	593	4	18	366	205
Fleming	144	-	-	2	27	6	11	1	3	3	1	2	7	61	50	1	1	36	12
Floyd	444	-	-	2	78	15	27	10	10	1	8	9	9	212	178	1	3	123	51
Franklin	377	-	-	2	83	17	28	12	12	-	2	12	9	194	149	-	5	98	46
Frankfort	266	-	-	2	59	13	19	9	7	-	1	10	9	137	101	-	2	64	35
Balance of county	111	-	-	-	24	4	9	3	5	-	1	2	-	57	48	-	3	34	11
Fulton	132	-	-	2	25	13	4	1	2	-	-	5	1	69	52	-	1	37	14
Gallatin	61	-	-	1	22	4	6	2	1	-	2	7	1	24	22	-	-	13	9
Garrard	142	-	-	1	26	7	6	1	5	-	1	6	4	58	44	-	-	27	17
Grant	133	-	-	2	36	9	9	2	4	-	2	10	3	58	49	-	2	35	12
Graves	459	-	-	4	98	25	30	9	8	7	4	15	3	233	188	1	2	119	66
Mayfield	178	-	-	2	44	7	12	3	6	4	4	8	2	79	67	1	1	38	27
Balance of county	281	-	-	2	54	18	18	6	2	3	-	7	1	154	121	-	1	81	39
Grayson	224	-	-	3	54	15	20	3	2	4	-	10	1	116	97	-	2	67	28
Green	118	-	-	2	19	4	4	4	2	-	-	5	1	61	46	-	1	29	16
Greenup	293	1	-	4	56	14	17	6	6	-	1	12	9	164	114	1	1	65	47
Hancock	57	-	-	-	4	-	-	2	-	1	-	1	-	33	27	-	1	14	12
Hardin	465	-	-	4	112	34	31	8	15	5	3	16	6	203	167	-	10	110	47
Elizabethtown	156	-	-	1	38	8	11	1	7	1	2	8	1	74	60	-	5	40	15
Radcliff	63	-	-	-	15	3	6	1	0	1	-	1	1	25	20	-	1	13	6
Balance of county	246	-	-	3	59	23	14	6	5	3	1	7	4	104	87	-	4	57	26
Harlan	365	-	-	1	82	18	29	6	7	5	2	17	15	173	139	-	2	107	30
Harrison	168	-	-	2	25	9	5	3	2	1	1	4	5	109	76	-	-	55	21
Hart	186	-	-	3	44	8	20	4	3	2	1	6	2	82	63	1	2	35	25
Henderson	402	-	-	7	85	16	29	8	8	7	1	16	15	182	149	-	4	111	28
Henderson	322	-	-	7	70	13	25	8	8	5	-	11	14	143	112	-	4	83	25
Balance of county	80	-	-	-	15	3	4	-	-	2	1	5	1	39	31	-	-	28	3
Henry	163	-	-	1	38	9	12	4	4	1	2	8	3	69	48	-	1	32	15
Hickman	76	-	-	1	10	2	2	1	-	1	-	4	1	40	33	-	-	24	9
Hopkins	502	1	-	7	109	17	34	7	16	5	5	25	10	240	194	1	3	139	51
Madisonville	209	1	-	3	53	8	18	5	8	3	2	9	5	101	84	-	1	61	22
Balance of county	293	-	-	4	56	9	16	2	8	2	3	16	5	139	110	1	2	78	29
Jackson	118	-	-	1	20	3	8	-	3	1	1	4	1	54	42	-	1	27	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401-403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	-	16	5	1	6	16	1	7	2	-	2	2	5	36	13	11	2	4	-
Middlesborough	-	9	4	-	3	5	1	2	1	-	1	1	1	15	6	5	-	-	-
Balance of county	-	7	1	1	3	11	-	5	1	-	1	1	4	21	7	6	2	4	-
Boone	1	37	1	3	10	13	1	3	2	-	-	3	4	28	14	2	7	-	1
Florence	-	17	1	3	5	7	-	2	1	-	-	2	2	12	4	1	3	-	-
Balance of county	1	20	-	-	5	6	1	1	1	-	-	1	2	16	10	1	4	-	1
Bourbon	-	11	2	1	7	4	-	-	1	-	-	2	-	15	11	3	6	3	-
Boyd	1	44	6	3	11	20	2	6	4	-	-	4	2	38	9	14	4	3	-
Ashland	1	29	3	2	9	13	2	6	2	-	-	1	2	30	7	11	2	1	-
Balance of county	-	15	3	1	2	7	-	-	2	-	-	3	-	8	2	3	2	2	-
Boyle	1	21	2	4	4	7	-	2	4	-	1	2	2	28	7	6	2	3	-
Danville	1	13	2	2	-	6	-	1	2	-	1	1	2	15	5	3	1	2	-
Balance of county	-	8	-	2	4	1	-	1	2	-	-	1	-	13	2	3	1	1	-
Bracken	-	12	3	2	3	5	-	-	1	-	1	1	2	5	2	4	2	-	-
Breathitt	-	8	1	4	7	10	-	2	-	-	1	1	1	11	7	4	1	2	-
Breckinridge	-	25	1	3	4	9	1	-	1	-	1	4	-	9	6	3	2	2	-
Bullitt	-	12	4	2	4	13	-	5	3	-	1	2	1	15	12	10	7	2	-
Butler	-	8	-	1	7	7	-	2	3	-	-	2	1	11	6	3	1	-	-
Caldwell	1	20	1	1	12	5	-	2	-	-	1	1	-	26	3	6	1	2	-
Calloway	-	40	4	1	14	12	-	-	5	-	-	-	1	33	2	7	7	1	-
Murray	-	20	1	1	8	4	-	-	1	-	-	-	-	17	1	4	1	1	-
Balance of county	-	20	3	-	6	8	-	-	4	-	-	-	1	16	1	3	6	-	-
Campbell	5	71	8	7	41	29	1	16	3	-	3	7	6	83	14	22	7	4	4
Fort Thomas	-	11	2	1	18	3	-	6	1	-	-	2	1	19	-	4	-	-	-
Newport	2	19	3	-	9	9	-	6	1	-	1	-	5	19	3	7	5	2	1
Balance of county	3	41	3	6	14	17	1	4	1	-	2	5	2	45	11	11	2	2	3
Carlisle	-	11	1	2	3	5	-	-	-	-	-	3	1	5	3	-	1	-	-
Carroll	-	7	1	1	5	3	-	1	-	-	-	1	1	9	3	3	1	2	-
Carter	1	24	-	3	5	13	1	1	2	-	2	2	4	19	3	5	3	2	-
Casey	-	11	-	1	6	8	1	1	2	-	2	1	2	17	2	2	2	-	-
Christian	-	39	4	5	15	16	4	8	7	1	3	8	3	54	11	11	4	6	-
Hopkinsville	-	22	2	5	9	9	3	6	6	-	-	4	2	44	2	6	-	3	-
Balance of county	-	17	2	-	6	7	1	2	1	1	3	4	1	10	9	5	4	3	-
Clark	-	20	1	5	9	5	-	4	6	-	1	-	5	20	4	7	6	1	-
Winchester	-	15	-	3	7	3	-	4	6	-	1	-	4	13	2	4	4	1	-
Balance of county	-	5	1	2	2	2	-	-	-	-	-	-	1	7	2	3	2	-	-
Clay	1	11	-	1	6	13	-	2	-	-	3	-	3	9	10	10	2	-	1
Clinton	-	5	1	2	9	5	-	-	1	-	-	1	-	8	7	3	1	1	1
Crittenden	-	14	1	-	2	4	1	-	2	-	-	-	1	13	1	3	-	-	-
Cumberland	-	6	-	1	3	2	-	1	3	-	1	-	1	8	5	1	2	1	-
Daviess	4	65	5	9	30	32	2	15	9	-	4	9	2	82	14	13	10	-	1
Owensboro	4	48	2	7	24	24	2	14	8	-	3	7	2	57	5	9	8	-	1
Balance of county	-	17	3	2	6	8	-	1	1	-	1	2	-	25	9	4	2	-	-
Edmonson	-	10	1	1	4	4	-	1	-	-	-	2	1	5	2	2	2	-	-
Elliott	-	4	-	-	-	4	-	3	1	-	-	-	-	3	1	-	-	-	-
Estill	-	10	-	1	6	6	-	1	-	-	1	-	2	9	4	1	3	4	-
Fayette, cooxt. with Lexington-Fayette	3	89	9	15	46	49	6	18	22	-	17	17	8	176	27	27	35	7	2
Fleming	-	9	2	-	4	8	-	1	5	-	-	6	1	9	8	2	2	1	-
Floyd	2	20	5	7	10	19	2	1	3	-	2	4	2	63	17	12	4	4	-
Franklin	2	36	2	5	11	5	2	4	2	-	3	3	3	25	10	13	3	5	-
Frankfort	2	27	2	5	10	2	2	3	2	-	2	2	3	14	6	10	1	2	-
Balance of county	-	9	-	-	1	3	-	1	-	-	1	1	-	11	4	3	2	3	-
Fulton	1	14	2	-	7	5	-	-	3	-	-	1	-	12	1	2	-	4	-
Gallatin	-	2	-	-	3	2	-	-	-	-	-	-	-	5	-	2	1	-	-
Garrard	-	11	2	1	7	6	1	1	5	-	1	-	2	22	2	4	2	-	-
Grant	-	6	1	2	4	12	1	1	2	-	2	-	-	7	2	3	-	-	-
Graves	2	34	2	7	23	17	2	4	8	-	1	2	3	34	3	10	11	2	1
Mayfield	-	7	1	4	15	4	1	1	3	-	-	2	2	18	1	2	2	-	-
Balance of county	2	27	1	3	8	13	1	3	5	-	1	-	1	16	2	8	9	2	1
Grayson	-	13	3	3	8	5	-	-	2	-	-	3	-	15	10	3	4	-	-
Green	-	11	3	1	12	5	-	1	2	-	-	-	-	11	-	1	1	2	-
Greenup	3	38	2	7	6	16	1	3	2	-	-	1	1	19	5	2	3	-	-
Hancock	-	6	-	-	4	2	-	1	-	-	-	3	-	7	-	2	-	1	-
Hardin	1	31	1	3	12	16	3	7	4	-	4	10	2	35	16	16	10	5	-
Elizabethtown	-	11	-	3	7	6	1	2	1	-	1	2	1	13	2	-	4	2	-
Radcliff	1	4	-	-	-	-	-	-	-	-	3	1	-	6	2	8	1	1	-
Balance of county	-	16	1	-	5	10	2	5	3	-	-	7	1	16	12	8	5	2	-
Harlan	1	28	3	2	16	16	1	5	4	-	3	2	1	38	3	12	7	6	-
Harrison	3	17	10	3	10	9	-	3	3	-	2	1	-	10	2	5	2	-	-
Hart	-	16	2	1	10	7	-	2	1	-	1	-	2	15	7	8	2	-	-
Henderson	2	30	5	2	23	20	1	5	1	-	1	4	2	34	7	9	6	-	-
Henderson	1	26	4	-	18	16	1	4	1	-	1	4	1	28	3	6	5	-	-
Balance of county	1	4	1	2	5	4	-	1	-	-	-	-	1	6	4	3	1	-	-
Henry	1	17	2	1	11	3	1	2	4	-	2	-	1	17	5	5	-	1	-
Hickman	-	6	1	-	4	3	-	-	2	-	-	2	1	3	2	3	2	2	-
Hopkins	2	35	6	3	17	23	1	2	4	-	2	3	1	43	9	22	7	-	1
Madisonville	-	14	1	2	4	6	-	1	-	-	1	3	-	19	-	11	1	-	-
Balance of county	2	21	5	1	13	17	1	1	4	-	1	-	1	24	9	11	6	-	1
Jackson	1	11	-	-	8	3	-	2	3	-	1	-	1	10	5	3	2	4	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Jefferson	6,607	7	-	66	1,595	402	514	149	149	65	40	276	139	2,926	2,307	17	93	1,408	789
Jeffersontown	86	-	-	2	21	6	5	-	3	2	-	5	1	39	30	1	-	12	17
Louisville	3,803	4	-	60	877	236	276	74	88	29	25	149	93	1,718	1,352	7	58	802	485
St. Matthews	169	-	-	2	57	12	24	9	1	2	-	9	1	73	56	2	2	36	18
Shively	164	-	-	2	43	12	8	2	3	2	2	14	3	80	66	1	-	40	25
Balance of county	2,385	3	-	20	597	136	201	64	54	30	13	99	41	1,016	803	6	33	518	246
Jessamine	192	-	-	-	36	11	12	5	2	-	-	6	1	82	65	1	2	36	28
Nicholasville	103	-	-	-	15	4	6	4	-	-	-	1	1	43	34	-	1	17	16
Balance of county	89	-	-	-	21	7	6	1	2	-	-	5	-	39	31	1	1	19	10
Johnson	231	-	-	5	47	7	15	3	3	2	4	13	1	116	106	3	-	77	26
Kenton	1,342	3	-	15	283	75	91	20	24	12	6	55	29	640	509	5	10	387	107
Covington	667	1	-	7	132	41	39	8	11	3	2	28	17	311	249	4	8	187	50
Erlanger	99	1	-	2	28	5	13	2	1	1	-	6	2	38	31	-	1	24	6
Balance of county	576	1	-	6	123	29	39	10	12	8	4	21	10	291	229	1	1	176	51
Knott	170	1	-	2	31	3	13	4	3	2	2	4	4	83	71	1	-	58	12
Knox	322	-	-	3	53	9	17	7	5	6	-	9	7	171	143	-	5	96	42
Larue	140	-	-	-	31	9	12	1	4	1	2	2	4	63	52	1	-	31	20
Laurel	361	-	-	2	73	16	25	6	5	2	3	16	3	177	138	-	-	102	36
Lawrence	172	1	-	-	31	7	12	-	3	3	2	4	4	90	74	1	3	51	19
Lee	98	-	-	2	15	1	5	2	3	1	-	3	1	57	49	1	1	37	10
Leslie	106	-	-	2	24	3	10	2	1	1	1	6	-	43	36	1	-	25	10
Letcher	279	-	-	2	49	11	21	3	5	1	1	7	4	129	113	-	1	84	28
Lewis	120	-	-	1	22	5	7	1	2	-	2	5	4	70	60	1	-	33	26
Lincoln	204	1	-	4	42	9	12	3	4	1	1	12	5	71	54	-	-	37	17
Livingston	99	-	-	2	23	3	9	1	4	-	1	5	6	38	31	-	1	25	5
Logan	265	-	-	1	57	12	18	4	9	2	3	9	2	132	97	-	8	64	25
Lyon	70	-	-	-	12	2	3	2	2	1	1	1	-	39	27	-	1	19	7
McCracken	698	-	-	7	176	35	60	12	20	6	4	39	11	334	254	2	3	175	74
Paducah	445	-	-	6	106	15	38	9	13	5	3	23	8	226	174	2	-	118	54
Balance of county	253	-	-	1	70	20	22	3	7	1	1	16	3	108	80	-	3	57	20
McCreary	139	-	-	-	39	7	14	2	1	1	2	6	3	67	57	-	1	39	17
McLean	118	-	-	4	25	4	7	3	1	-	4	6	4	63	46	-	-	40	6
Madison	366	-	-	5	78	15	21	7	10	4	1	20	6	171	142	-	3	117	22
Richmond	136	-	-	3	23	1	8	3	1	2	1	7	1	70	62	-	-	55	7
Balance of county	230	-	-	2	55	14	13	4	9	2	-	13	5	101	80	-	3	62	15
Magoffin	113	1	-	2	15	4	6	1	-	1	-	4	2	47	41	1	-	17	23
Marion	150	-	-	1	32	12	12	1	2	1	-	4	2	82	64	-	3	40	21
Marshall	286	-	-	3	56	14	17	3	3	4	2	13	4	158	127	-	1	95	31
Martin	102	-	-	1	15	4	6	1	2	-	-	2	3	46	42	-	-	29	13
Mason	209	-	-	3	36	7	10	2	6	2	1	6	3	121	105	-	1	73	31
Meade	190	1	-	1	34	9	9	3	2	1	2	8	1	58	46	-	1	36	9
Menifee	54	-	-	-	9	2	3	1	-	-	-	3	1	27	24	1	-	14	9
Mercer	166	-	-	4	40	11	18	2	2	1	1	7	-	83	70	-	2	53	15
Metcalfe	111	-	-	-	16	7	3	-	1	1	-	4	2	66	58	-	-	34	24
Monroe	163	2	-	5	37	7	14	2	3	3	2	6	2	74	57	-	1	42	14
Montgomery	185	-	-	3	40	9	17	-	2	1	2	9	6	76	58	-	-	41	17
Morgan	122	-	-	2	17	1	2	1	5	1	1	6	3	62	51	1	1	38	11
Muhlenberg	367	1	-	4	59	20	21	1	3	3	2	9	7	197	142	2	3	108	29
Nelson	224	-	-	3	45	13	13	1	2	1	3	12	4	114	85	1	1	62	21
Nicholas	70	-	-	1	13	1	5	2	1	1	-	3	2	32	26	1	-	18	7
Ohio	236	-	-	2	44	8	15	2	6	5	4	4	5	119	105	-	4	81	20
Oldham	165	-	-	1	40	12	15	1	3	2	1	6	3	74	54	-	1	39	14
Owen	115	-	-	1	31	8	9	5	2	-	-	7	2	49	39	-	-	36	3
Owsley	62	-	-	-	13	1	6	-	-	2	1	3	2	30	22	-	-	16	6
Pendleton	110	-	-	3	18	6	5	-	1	3	1	2	2	54	42	-	-	27	15
Perry	304	-	-	2	60	17	28	3	3	1	1	7	4	152	137	1	-	60	76
Pike	684	-	-	5	136	31	49	10	15	2	10	21	14	338	267	-	4	188	75
Powell	87	-	-	-	16	4	5	-	3	1	-	3	1	48	38	-	-	24	14
Pulaski	539	2	-	3	122	37	36	13	9	8	2	17	13	270	206	1	5	148	52
Somerset	177	-	-	1	41	14	13	3	1	2	-	8	4	85	64	1	-	42	21
Balance of county	362	2	-	2	81	23	23	10	8	6	2	9	9	185	142	-	5	106	31
Robertson	21	-	-	-	5	1	1	1	1	-	-	1	-	10	7	-	-	5	2
Rockcastle	137	-	-	2	29	8	7	2	7	-	-	5	1	61	47	-	-	31	16
Rowan	151	-	-	-	32	7	9	-	2	-	3	11	7	58	44	1	1	30	12
Russell	160	1	-	3	31	4	13	-	3	2	-	9	3	76	53	1	1	26	25
Scott	188	-	-	5	44	11	13	3	3	4	2	8	2	89	68	-	-	47	21
Georgetown	112	-	-	4	22	6	7	-	1	3	1	4	1	58	45	-	-	30	15
Balance of county	76	-	-	1	22	5	6	3	2	1	1	4	1	31	23	-	-	17	6
Shelby	240	-	-	2	50	10	15	2	8	6	-	9	1	125	92	-	1	76	15
Simpson	168	-	-	2	31	10	9	1	1	1	3	6	3	80	61	-	-	44	17
Spencer	41	-	-	1	9	3	4	1	-	-	-	1	-	21	19	1	2	11	5
Taylor	195	-	-	-	33	4	11	1	6	-	5	6	3	108	81	-	-	65	16
Todd	159	-	-	-	31	7	8	3	2	1	1	9	7	86	72	-	2	47	23
Trigg	121	-	-	1	35	6	8	4	7	1	2	7	1	50	41	-	-	27	14
Trimble	48	-	-	-	9	-	3	3	2	-	-	1	1	28	17	-	1	8	8
Union	157	-	-	3	21	3	6	2	-	4	-	6	3	82	66	-	1	45	20
Warren	615	-	-	2	121	22	39	10	6	9	6	29	7	308	192	-	3	130	59
Bowling Green	399	-	-	1	85	13	28	6	5	8	4	21	3	198	127	-	2	86	39
Balance of county	216	-	-	1	36	9	11	4	1	1	2	8	4	110	65	-	1	44	20
Washington	113	-	-	2	19	4	6	2	3	1	-	3	3	51	38	1	-	34	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Jefferson	41	451	65	62	210	309	20	76	71	-	34	60	64	639	87	138	92	49	5
Jeffersontown	-	6	1	2	3	4	-	-	1	-	-	1	-	14	-	-	-	-	-
Louisville	26	276	36	28	117	177	13	39	45	-	18	28	36	382	41	77	43	31	4
St. Matthews	-	14	-	3	4	7	-	-	-	-	-	-	1	14	1	4	4	1	-
Shively	3	9	1	1	3	7	-	4	1	-	2	-	-	15	1	2	-	1	-
Balance of county	12	146	27	28	83	114	7	33	24	-	14	31	27	214	44	55	45	16	1
Jessamine	1	14	1	1	8	9	-	5	2	-	1	3	1	23	8	9	2	2	-
Nicholasville	-	8	1	-	5	5	-	5	2	-	1	3	-	14	4	4	1	-	-
Balance of county	1	6	-	1	3	4	-	-	-	-	-	-	1	9	4	5	1	2	-
Johnson	-	9	-	1	6	14	1	4	2	-	-	1	1	18	4	5	2	4	-
Kenton	5	94	20	12	59	56	1	19	9	-	9	19	11	109	21	33	19	6	1
Covington	1	45	7	9	29	37	-	11	5	-	4	12	6	59	5	20	8	3	-
Erlanger	-	6	1	-	4	4	-	1	-	-	-	1	-	8	4	1	3	2	-
Balance of county	4	43	12	3	26	15	1	7	4	-	5	6	5	42	12	12	8	1	1
Knott	-	11	-	1	8	5	1	1	1	-	-	2	1	14	4	6	4	2	-
Knox	-	23	3	2	3	21	4	2	4	-	1	1	2	30	2	9	3	6	-
Larue	-	7	3	1	14	7	1	1	-	-	1	-	1	13	2	1	-	1	-
Laurel	1	34	4	-	8	19	2	3	7	-	3	4	2	34	8	9	3	4	-
Lawrence	-	14	1	1	5	9	2	1	1	-	-	3	2	12	3	4	4	-	-
Lee	-	8	-	-	3	1	-	-	-	-	-	1	-	9	3	2	1	3	-
Leslie	1	2	1	3	5	9	-	2	-	-	2	1	-	5	5	3	2	3	-
Letcher	-	12	1	3	10	20	-	1	5	-	2	2	1	26	5	11	6	6	-
Lewis	-	8	2	-	-	5	1	1	1	-	-	-	1	9	1	1	3	-	-
Lincoln	-	15	2	-	17	8	1	1	5	-	4	2	6	22	4	6	2	2	1
Livingston	1	4	2	-	7	3	-	-	-	-	-	-	-	13	1	2	4	-	-
Logan	2	28	2	3	18	13	1	-	3	-	4	1	-	14	6	9	2	2	-
Lyon	3	7	-	2	1	3	-	-	-	-	-	-	2	8	-	2	3	-	-
McCracken	2	64	7	7	27	35	1	7	11	-	1	6	1	44	9	18	6	4	-
Paducah	1	39	6	6	12	25	1	6	9	-	-	1	-	28	2	10	3	2	-
Balance of county	1	25	1	1	15	10	-	1	2	-	1	5	1	16	7	8	3	2	-
McCreary	-	6	1	3	4	7	-	2	-	-	1	-	3	7	4	5	3	-	-
McLean	-	14	2	1	5	2	-	-	-	-	-	1	1	6	2	5	-	-	-
Madison	-	19	5	5	17	12	1	1	4	-	3	1	3	45	6	8	4	1	-
Richmond	-	5	1	2	5	4	1	1	-	-	1	-	1	20	1	3	2	-	-
Balance of county	-	14	4	3	12	8	-	-	4	-	2	1	2	25	5	5	2	1	-
Magoffin	1	4	-	1	5	10	-	-	-	-	-	1	2	15	7	5	1	-	-
Marion	-	17	1	-	7	-	2	-	-	-	2	-	2	13	-	6	-	1	-
Marshall	-	25	5	1	14	10	-	5	2	-	-	1	-	19	3	4	4	3	-
Martin	-	3	-	1	1	7	1	-	2	-	3	3	1	7	4	7	1	-	-
Mason	-	12	1	3	3	6	1	2	2	-	1	1	1	20	3	4	1	-	1
Meade	1	9	1	1	2	11	1	2	-	-	2	1	1	4	6	1	1	3	-
Menifee	-	3	-	-	2	3	-	1	1	-	-	1	-	4	1	2	1	1	-
Mercer	1	7	-	5	10	9	-	2	2	-	1	3	3	21	3	3	2	-	-
Metcalfe	-	7	-	1	4	6	-	-	2	-	1	-	-	2	4	5	3	-	-
Monroe	-	13	4	-	6	6	-	-	3	-	1	1	-	11	6	8	1	-	-
Montgomery	1	15	1	1	6	8	-	2	6	-	-	2	1	17	8	7	2	1	-
Morgan	-	9	-	2	6	2	-	2	2	-	2	-	-	18	1	5	-	-	-
Muhlenberg	1	45	7	2	12	10	1	3	2	-	3	4	-	33	6	16	6	3	-
Nelson	1	27	1	-	10	8	1	1	1	-	2	-	1	16	7	3	6	2	-
Nicholas	-	6	-	-	1	6	1	-	1	-	-	1	-	5	4	2	1	-	-
Ohio	-	13	-	1	11	4	1	1	3	-	1	2	1	25	4	5	7	1	-
Oldham	1	17	-	2	3	10	1	2	1	-	1	1	-	13	9	3	3	-	-
Owen	2	6	1	1	5	4	-	-	1	-	-	1	2	7	1	7	4	-	-
Owsley	-	5	2	1	2	3	-	-	1	-	1	2	-	4	2	1	1	-	-
Pendleton	-	8	1	3	7	2	-	1	-	-	1	3	-	11	5	1	1	1	-
Perry	-	12	-	3	9	13	1	2	1	-	1	2	5	18	6	16	5	6	1
Pike	1	62	1	7	17	26	1	8	9	-	1	2	2	54	18	30	13	7	1
Powell	1	6	-	3	2	2	1	1	-	-	-	1	-	9	1	1	2	1	1
Pulaski	-	45	16	3	14	18	1	4	5	-	2	4	3	41	19	10	6	1	1
Somerset	-	17	3	1	6	5	1	2	3	-	-	1	-	21	1	2	3	1	-
Balance of county	-	28	13	2	8	13	-	2	2	-	2	3	3	20	18	8	3	-	1
Robertson	-	2	1	-	1	3	-	1	-	-	-	-	-	1	-	-	-	-	-
Rockcastle	-	12	1	1	11	8	-	-	-	-	-	-	1	14	4	2	2	2	-
Rowan	1	11	2	-	4	8	1	1	3	-	3	2	-	20	6	4	2	-	-
Russell	1	18	1	3	5	6	-	-	2	-	-	-	2	21	2	4	2	2	-
Scott	2	17	2	-	5	5	1	3	2	-	1	5	2	14	2	3	3	1	1
Georgetown	2	9	2	-	3	2	-	1	2	-	-	2	1	10	1	1	3	-	1
Balance of county	-	8	-	-	2	3	1	2	-	-	1	3	1	4	1	2	-	1	-
Shelby	-	30	2	1	11	4	1	-	3	-	-	1	-	25	6	7	3	1	-
Simpson	-	16	3	-	2	7	4	1	2	-	1	2	-	19	8	5	1	-	-
Spencer	-	1	-	1	5	1	-	-	-	-	1	1	-	2	-	-	-	-	-
Taylor	-	19	3	5	11	4	-	-	2	-	1	1	-	19	3	6	3	1	-
Todd	1	12	1	-	5	6	-	-	-	-	-	-	-	12	3	4	4	1	-
Trigg	-	7	2	-	3	3	1	2	4	-	1	-	2	13	1	4	-	-	-
Trimble	1	9	1	-	4	1	-	-	1	-	-	-	-	3	-	1	-	-	-
Union	1	11	2	2	6	8	1	-	-	-	1	1	2	16	3	3	6	1	-
Warren	14	72	18	12	13	22	5	7	9	-	5	9	5	60	13	11	7	11	-
Bowling Green	7	43	13	8	10	13	3	5	6	-	2	5	4	39	6	7	5	7	-
Balance of county	7	29	5	4	3	9	2	2	3	-	3	4	1	21	7	4	2	4	-
Washington	-	13	-	-	11	2	-	1	2	-	-	1	2	12	3	2	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Wayne	168	1	-	1	37	8	9	4	4	2	1	9	8	75	69	-	3	39	21
Webster	166	-	-	5	27	7	12	2	1	-	1	4	5	83	68	-	2	42	24
Whitley	361	1	-	4	69	9	21	11	11	4	5	8	4	185	152	1	-	108	43
Wolfe	76	-	-	2	10	3	3	-	-	-	3	1	-	38	28	-	-	23	5
Woodford	157	1	-	3	38	8	14	2	8	3	-	3	3	72	55	-	-	32	23
Louisiana	37,029	53	3	617	3,232	1,992	2,445	594	870	349	269	1,713	838	16,803	13,179	54	630	8,243	4,252
Urban places	18,334	31	2	329	4,107	1,061	1,182	316	433	163	120	832	446	8,252	6,457	25	405	3,912	2,115
Balance of area	18,695	22	1	288	4,125	931	1,263	278	437	186	149	881	392	8,551	6,722	29	225	4,331	2,137
Metropolitan parishes [5]	22,905	36	2	400	5,277	1,288	1,565	407	523	223	174	1,097	510	10,140	8,068	36	457	4,971	2,604
Urban places	15,426	27	2	293	3,500	904	1,026	276	362	136	103	693	370	6,828	5,406	22	361	3,186	1,897
Balance of area	7,479	9	-	107	1,777	384	539	131	161	87	71	404	140	3,312	2,662	14	96	1,785	767
Nonmetropolitan parishes [6]	14,124	17	1	217	2,955	704	880	187	347	126	95	616	328	6,663	5,111	18	173	3,272	1,646
Urban places	2,908	4	-	36	607	157	156	40	71	27	17	139	76	1,424	1,051	3	44	726	278
Balance of area	11,216	13	1	181	2,348	547	724	147	276	99	78	477	252	5,239	4,060	15	129	2,546	1,370
Acadia	575	2	-	7	115	25	40	4	12	11	1	22	8	280	210	1	4	129	76
Crowley	198	1	-	1	37	11	10	-	5	1	1	9	1	91	69	-	2	50	17
Eunice, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Balance of parish	375	1	-	6	78	14	30	4	7	10	-	13	7	187	139	1	2	77	59
Allen	237	-	-	5	41	6	19	1	5	1	2	7	1	134	115	1	4	85	25
Ascension	384	-	-	8	98	17	29	9	7	8	3	25	4	162	122	-	6	86	30
Assumption	183	-	-	4	35	8	12	1	3	-	2	9	3	92	70	1	2	48	19
Avoyelles	458	-	-	6	80	23	23	8	12	2	2	10	12	232	181	1	1	132	47
Beauregard	270	-	-	1	57	9	19	3	8	1	4	13	8	148	106	-	6	80	20
De Ridder, part	118	-	-	1	23	5	7	2	4	1	1	3	4	66	48	-	5	36	7
De Ridder, total	118	-	-	1	23	5	7	2	4	1	1	3	4	66	48	-	5	36	7
Balance of parish	152	-	-	-	34	4	12	1	4	-	3	10	4	80	58	-	1	44	13
Bienville	201	-	-	5	56	13	12	5	9	2	1	14	4	82	58	-	1	22	35
Bossier	536	-	-	15	140	24	49	12	13	7	5	30	11	233	193	-	2	155	36
Bossier City	307	-	-	11	79	15	23	8	5	4	3	21	9	127	110	-	2	95	13
Shreveport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	229	-	-	4	61	9	26	4	8	3	2	9	2	106	83	-	-	60	23
Caddo	2,549	5	-	65	553	165	154	41	71	24	17	81	32	1,209	975	2	14	636	321
Shreveport, part	2,180	4	-	56	476	140	132	35	65	18	16	70	25	1,046	837	2	14	546	275
Shreveport, total	2,180	4	-	56	476	140	132	35	65	18	16	70	25	1,046	837	2	14	546	275
Balance of parish	369	1	-	9	77	25	22	6	6	6	1	11	7	163	138	-	-	92	46
Calcasieu	1,438	1	-	19	336	95	99	19	33	8	14	68	20	682	552	3	14	418	117
Lake Charles	775	1	-	14	184	56	55	10	14	2	8	39	12	371	284	2	7	213	62
Sulphur	189	-	-	3	41	13	13	2	6	-	-	7	2	93	85	-	3	65	17
Balance of parish	474	-	-	2	111	26	31	7	13	6	6	22	6	218	183	1	4	140	38
Caldwell	125	1	-	4	18	4	3	-	2	-	2	7	-	80	69	-	-	50	19
Cameron	74	-	-	2	20	4	7	1	3	-	-	5	-	28	20	-	-	14	6
Catahoula	119	-	-	-	26	8	6	1	2	1	5	3	-	62	50	-	-	19	31
Claiborne	227	1	-	1	48	13	13	2	6	4	1	9	2	121	97	-	3	65	29
Concordia	219	1	-	4	51	14	9	5	11	1	1	10	4	100	71	1	3	45	22
De Soto	306	1	-	6	63	8	25	3	11	5	4	7	5	151	96	1	5	58	32
East Baton Rouge	2,539	6	1	36	609	159	173	50	55	25	29	118	65	1,087	821	4	53	414	350
Baker	78	1	-	-	20	9	5	-	1	-	1	4	1	31	24	-	-	15	9
Baton Rouge	2,128	5	1	32	513	135	145	42	51	20	24	96	53	909	681	4	48	331	298
Balance of parish	333	-	-	4	76	15	23	8	3	5	4	18	11	147	116	-	5	88	43
East Carroll	142	1	-	1	26	7	7	2	4	2	-	4	11	67	38	-	6	23	7
East Feliciana	156	-	-	4	37	7	8	1	6	1	-	14	1	79	64	-	2	48	14
Evangeline	360	-	-	8	70	19	19	6	10	1	2	13	4	166	133	-	2	80	51
Franklin	281	1	-	4	48	21	13	4	4	-	-	6	6	147	112	-	4	69	39
Grant	198	1	-	2	40	11	12	2	2	2	1	10	7	104	82	-	2	67	13
Iberia	507	1	-	8	122	31	40	10	9	5	1	26	10	224	158	-	11	81	66
New Iberia	287	-	-	2	68	19	20	6	4	3	1	15	6	131	90	-	5	56	29
Balance of parish	220	1	-	6	54	12	20	4	5	2	-	11	4	93	68	-	6	25	37
Iberville	296	-	-	7	58	15	15	4	10	5	1	8	10	128	92	1	5	57	29
Jackson	195	-	-	4	48	10	17	2	4	2	2	11	7	89	61	-	-	45	16
Jefferson	3,248	6	-	55	827	179	231	89	74	43	30	201	66	1,368	1,093	7	47	739	300
Gretna	373	1	-	9	94	21	28	6	6	9	3	21	12	156	128	-	4	80	44
Harahan	80	-	-	2	19	-	6	3	-	-	1	9	2	43	32	-	-	22	10
Kenner	355	-	-	4	94	21	27	9	9	3	1	24	10	135	110	1	8	74	27
Westwego	146	-	-	4	36	9	9	4	2	1	-	11	3	68	54	1	2	36	15
Balance of parish	2,294	5	-	36	584	128	161	47	57	30	25	136	39	966	769	5	33	527	204
Jefferson Davis	313	1	-	3	82	19	22	2	6	6	3	24	13	127	102	2	-	71	29
Jennings	119	1	-	1	34	7	10	1	1	3	-	12	6	45	36	1	-	22	13
Balance of parish	194	-	-	2	48	12	12	1	5	3	3	12	7	82	66	1	-	49	16
Lafayette	1,030	-	-	12	248	64	74	19	16	13	6	56	15	448	352	3	27	151	171
Lafayette	702	-	-	8	160	43	50	9	10	7	3	38	9	314	250	1	20	106	123
Balance of parish	328	-	-	4	88	21	24	10	6	6	3	18	6	134	102	2	7	45	48
Lafourche	563	1	-	8	121	26	36	9	11	7	5	27	11	277	212	1	8	124	79
Thibodaux	140	-	-	2	28	8	3	3	5	3	-	6	3	77	57	-	3	38	16
Balance of parish	423	1	-	6	93	18	33	6	6	4	5	21	8	200	155	1	5	86	63
La Salle	169	-	-	3	34	6	13	5	3	1	-	6	1	91	63	-	-	44	19
Lincoln	310	-	-	5	70	20	16	7	9	1	3	14	5	150	101	-	3	71	27
Ruston	146	-	-	2	29	9	7	4	2	1	1	5	2	74	49	-	1	36	12
Balance of parish	164	-	-	3	41	11	9	3	7	-	2	9	3	76	52	-	2	35	15
Livingston	398	-	-	5	87	13	32	4	11	3	3	21	6	163	132	1	4	77	50

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Wayne	-	7	3	2	4	8	2	-	5	-	-	-	1	11	7	3	1	4	-
Webster	1	9	1	4	4	6	1	1	1	-	2	-	-	17	5	3	5	1	-
Whitley	1	27	3	2	9	19	1	4	4	-	2	2	2	26	10	13	2	4	-
Wolfe	-	8	-	-	8	1	-	1	1	-	-	3	-	5	2	5	-	2	-
Woodford	-	13	-	4	5	4	-	1	2	-	-	1	5	12	5	3	2	-	-
Louisiana	155	2,646	505	318	887	1,048	111	386	573	9	276	473	291	3,222	991	1,083	586	525	22
Urban places	94	1,294	246	161	426	486	57	233	267	7	142	275	120	1,730	325	474	288	348	9
Balance of area	61	1,352	259	157	461	562	54	153	306	2	134	198	171	1,492	666	609	318	177	13
Metropolitan parishes [5]	117	1,601	251	203	515	627	72	304	337	7	192	325	161	2,091	512	606	391	380	20
Urban places	85	1,025	174	138	354	397	50	211	224	7	130	246	100	1,476	264	386	242	310	9
Balance of area	32	476	77	65	161	230	22	93	113	-	62	79	61	615	248	220	149	70	11
Nonmetropolitan parishes [5]	38	1,145	254	115	372	421	39	82	236	2	84	148	130	1,131	479	477	195	145	2
Urban places	9	269	72	23	72	89	7	22	43	-	12	29	20	254	61	88	26	38	-
Balance of area	29	876	182	92	300	332	32	60	193	2	72	119	110	877	418	389	169	107	2
Acadia	1	55	11	3	17	25	6	6	8	-	3	6	3	50	11	16	8	4	-
Crowley	1	18	3	-	6	11	4	5	4	-	2	3	1	19	5	5	1	1	-
Eunice, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	-	37	8	3	11	14	2	1	4	-	1	3	2	31	6	11	7	3	-
Allen	1	15	2	1	7	8	1	-	1	-	-	2	1	19	3	8	1	5	-
Ascension	-	33	5	2	7	9	2	2	8	-	6	6	1	38	14	10	3	6	-
Assumption	-	15	6	1	3	7	1	1	-	-	2	2	-	10	8	11	-	4	-
Avoyelles	-	24	17	10	13	14	4	2	13	-	3	3	2	35	17	10	6	6	-
Beauregard	-	27	10	3	5	6	1	2	2	-	-	4	4	14	9	4	3	4	-
De Ridder, part	-	11	6	1	-	4	1	-	1	-	-	-	2	8	3	3	-	2	-
De Ridder, total	-	11	6	1	-	4	1	-	1	-	-	-	2	8	3	3	-	2	-
Balance of parish	-	16	4	2	5	2	-	2	1	-	-	4	2	6	6	1	3	2	-
Bienville	1	18	3	2	6	4	1	-	6	-	2	1	8	13	5	3	4	1	-
Bossier	-	33	2	5	15	11	-	2	10	-	4	3	2	36	24	17	5	8	-
Bossier City	-	10	2	5	9	9	-	2	8	-	3	2	-	18	10	11	4	5	-
Shreveport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	-	23	-	-	6	2	-	-	2	-	1	1	2	18	14	6	1	3	-
Caddo	9	189	6	30	54	69	6	29	40	3	18	32	18	207	44	59	46	59	1
Shreveport, part	8	168	5	28	44	57	6	24	27	3	17	29	15	178	32	48	38	54	1
Shreveport, total	8	168	5	28	44	57	6	24	27	3	17	29	15	178	32	48	38	54	1
Balance of parish	1	21	1	2	10	12	-	5	13	-	1	3	3	29	12	11	8	5	-
Calcasieu	7	90	20	13	20	47	2	16	17	-	8	23	8	125	35	46	25	8	-
Lake Charles	6	57	12	12	18	18	2	10	9	-	5	14	1	69	17	15	9	6	-
Sulphur	-	6	2	-	-	6	-	2	2	-	-	2	4	17	7	4	5	1	-
Balance of parish	1	27	6	1	2	23	-	4	6	-	3	7	3	39	11	27	11	1	-
Caldwell	-	10	-	1	-	4	-	1	2	-	1	2	1	3	4	2	2	-	-
Cameron	-	8	-	-	4	-	-	1	3	-	2	2	-	5	4	2	1	-	-
Catahoula	-	11	-	1	2	1	-	2	2	-	1	1	-	10	5	5	2	-	-
Claiborne	-	18	3	3	14	4	-	-	2	-	2	2	-	19	4	4	1	2	-
Concordia	-	25	3	1	4	4	-	1	7	-	2	4	-	20	5	7	-	5	-
De Soto	1	36	13	5	4	7	-	1	5	-	-	2	1	27	8	16	3	6	-
East Baton Rouge	22	140	88	16	64	57	6	35	35	-	26	60	10	214	62	73	49	42	2
Baker	1	4	2	-	-	3	-	1	1	-	1	2	-	6	4	3	4	-	-
Baton Rouge	19	120	75	14	51	46	5	32	30	-	22	54	8	163	46	59	39	38	2
Balance of parish	2	16	11	2	13	8	1	2	4	-	3	4	2	25	12	11	6	4	-
East Carroll	4	18	9	-	3	2	-	-	3	-	1	3	1	11	3	7	1	1	-
East Feliciana	-	12	1	2	6	2	-	1	4	-	-	-	1	8	4	6	2	1	-
Evangeline	-	24	3	6	10	15	3	4	6	-	3	4	-	27	13	12	14	1	-
Franklin	1	31	2	1	9	7	4	1	3	-	1	3	1	18	8	8	6	4	-
Grant	2	15	2	3	6	5	1	3	-	-	-	1	2	14	6	2	2	1	1
Iberia	2	33	28	3	11	12	-	3	12	-	3	4	4	45	19	14	9	6	-
New Iberia	2	23	15	1	7	10	-	2	7	-	1	3	2	25	7	7	4	5	-
Balance of parish	-	10	13	2	4	2	-	1	5	-	2	1	2	20	12	7	5	1	-
Iberville	1	27	5	1	11	9	-	3	7	-	2	4	-	30	11	14	2	2	-
Jackson	2	21	2	3	5	4	2	-	2	-	-	1	2	20	2	8	1	-	-
Jefferson	7	217	24	27	64	95	7	48	60	-	26	34	26	260	82	86	67	40	11
Gretna	1	25	-	2	13	14	1	6	2	-	2	1	2	21	5	8	14	12	-
Harahan	-	10	-	1	1	3	-	-	1	-	-	-	-	3	-	4	2	-	-
Kenner	-	22	2	1	8	6	-	7	8	-	3	4	2	31	15	7	10	8	3
Westwego	1	9	2	2	2	4	-	-	3	-	2	3	2	12	3	1	3	-	-
Balance of parish	5	151	20	21	40	68	6	35	46	-	19	26	20	193	59	66	58	20	8
Jefferson Davis	-	15	8	2	12	11	-	-	3	1	-	4	3	30	8	9	5	1	-
Jennings	-	5	2	2	7	4	-	-	-	-	-	2	2	14	2	1	-	-	-
Balance of parish	-	10	6	-	5	7	-	-	3	1	-	2	1	16	6	8	5	1	-
Lafayette	-	76	8	12	28	34	1	10	9	-	14	16	6	93	28	31	29	7	1
Lafayette	-	54	3	7	22	25	1	7	7	-	10	12	6	69	11	22	14	5	-
Balance of parish	-	22	5	5	6	9	-	3	2	-	4	4	-	24	17	9	15	2	1
Lafourche	1	47	14	3	7	9	3	2	11	-	5	3	2	50	25	16	6	6	-
Thibodaux	-	14	5	1	1	1	-	2	2	-	1	-	-	14	5	2	-	2	-
Balance of parish	1	33	9	2	6	8	3	-	9	-	4	3	2	36	20	14	6	4	-
La Salle	2	20	3	3	7	3	-	3	5	-	2	-	2	9	3	4	1	1	-
Lincoln	-	48	-	1	10	6	-	2	6	-	2	4	1	31	7	9	1	1	-
Ruston	-	25	-	-	5	1	-	1	2	-	1	2	-	18	4	4	1	-	-
Balance of parish	-	23	-	1	5	5	-	1	4	-	1	2	1	13	3	5	-	1	-
Livingston	1	26	2	2	10	16	2	6	4	-	3	6	12	29	22	15	7	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Madison	177	–	–	1	35	10	8	1	12	–	–	4	1	106	89	–	2	41	46
Tallulah	144	–	–	1	27	8	5	–	10	–	–	3	1	83	68	–	2	28	38
Balance of parish	33	–	–	–	8	2	2	1	2	–	–	1	–	23	21	–	–	13	8
Morehouse	354	1	–	3	75	17	17	1	14	4	3	19	9	178	126	–	7	79	40
Bastrop	192	1	–	2	43	13	6	1	6	4	2	11	4	99	65	–	5	41	19
Balance of parish	162	–	–	1	32	4	11	–	8	–	1	8	5	79	61	–	2	38	21
Natchitoches	395	–	–	2	83	25	21	7	8	3	2	17	11	209	157	–	2	131	24
Natchitoches	175	–	–	1	37	12	9	3	4	1	1	7	4	99	72	–	1	63	8
Balance of parish	220	–	–	1	46	13	12	4	4	2	1	10	7	110	85	–	1	68	16
Orleans, coext. with New Orleans city	6,075	14	–	129	1,372	345	415	110	154	57	34	257	192	2,555	2,014	9	218	1,186	601
Ouachita	1,222	2	–	16	254	52	69	25	21	12	9	66	33	574	470	3	7	195	265
Monroe	654	1	–	9	127	26	37	14	8	7	4	31	12	312	246	1	5	96	144
West Monroe	231	–	–	3	45	8	12	5	5	2	2	11	6	120	107	1	1	52	53
Balance of parish	337	1	–	4	82	18	20	6	8	3	3	24	15	142	117	1	1	47	68
Plaquemines	181	–	–	3	40	7	11	1	3	4	2	12	8	68	51	–	9	30	12
Pointe Coupee	228	–	–	3	46	13	13	3	6	4	1	6	6	108	88	–	2	64	22
Rapides	1,207	–	–	12	240	69	66	18	26	6	5	52	15	597	502	1	42	314	145
Alexandria	576	–	–	4	109	30	28	9	14	4	2	22	11	290	236	–	23	142	71
Pineville	184	–	–	3	40	13	11	3	5	–	–	8	2	82	72	–	4	46	22
Balance of parish	447	–	–	5	91	26	27	4	7	2	3	22	2	225	194	1	15	126	52
Red River	130	–	–	2	26	5	8	2	5	–	1	5	1	69	57	–	–	12	45
Richland	258	–	–	3	51	15	14	2	4	1	2	13	6	125	103	–	11	73	19
Sabine	247	–	–	2	38	4	11	3	5	1	1	13	3	144	121	–	4	37	60
St. Bernard	530	–	–	7	112	25	41	14	5	4	4	19	13	254	218	3	4	178	33
St. Charles	247	–	–	5	56	16	14	4	5	4	1	12	7	101	86	–	3	61	22
St. Helena	77	–	–	1	11	2	3	2	2	–	1	1	5	36	26	–	2	19	5
St. James	164	–	–	3	34	12	10	2	4	2	–	4	5	73	58	1	3	37	17
St. John the Baptist	214	–	–	1	50	8	23	2	2	4	–	11	2	80	62	–	–	30	32
St. Landry	910	–	–	13	190	42	62	11	18	5	5	47	41	416	328	2	19	211	96
Eunice, part	149	–	–	3	29	5	8	1	3	1	1	10	12	59	44	–	5	29	10
Eunice, total	151	–	–	3	29	5	8	1	3	1	1	10	12	61	46	–	5	31	10
Opelousas	254	–	–	4	51	7	17	4	6	1	3	13	11	130	101	1	7	56	37
Balance of parish	507	–	–	6	110	30	37	6	9	3	1	24	18	227	183	1	7	126	49
St. Martin	314	–	–	2	75	24	16	8	10	3	4	10	2	147	114	–	–	64	50
St. Mary	492	–	–	6	113	29	35	9	8	4	3	25	10	211	171	1	9	121	40
Morgan City	150	–	–	1	25	6	9	1	–	–	2	7	3	82	62	–	1	52	9
Balance of parish	342	–	–	5	88	23	26	8	8	4	1	18	7	129	109	1	8	69	31
St. Tammany	908	–	1	8	208	45	71	10	17	6	6	53	12	413	321	–	7	213	101
Slidell	216	–	1	–	48	12	17	5	2	1	1	10	3	92	72	–	1	44	27
Balance of parish	692	–	–	8	160	33	54	5	15	5	5	43	9	321	249	–	6	169	74
Tangipahoa	734	1	1	14	159	43	54	6	22	5	9	20	28	324	253	–	8	171	74
Hammond	148	–	–	3	38	12	12	1	5	1	1	6	7	59	40	–	1	28	11
Balance of parish	586	1	1	11	121	31	42	5	17	4	8	14	21	265	213	–	7	143	63
Tensas	103	–	–	1	15	2	4	2	1	–	1	5	1	53	37	–	1	13	23
Terrebonne	641	2	–	15	129	34	43	5	9	10	2	26	15	282	219	2	5	154	58
Houma	290	1	–	8	57	17	16	1	4	3	1	15	8	127	99	1	2	75	21
Balance of parish	351	1	–	7	72	17	27	4	5	7	1	11	7	155	120	1	3	79	37
Union	259	–	–	6	54	10	15	5	7	2	3	12	11	113	97	–	2	72	23
Vermilion	435	–	–	6	109	26	28	10	13	7	3	22	7	203	183	–	3	112	48
Abbeville	149	–	–	2	33	9	4	4	5	2	1	8	1	73	57	–	1	42	14
Balance of parish	286	–	–	4	76	17	24	6	8	5	2	14	6	130	106	–	2	70	34
Vernon	345	–	–	6	64	14	16	2	6	1	2	23	2	122	91	1	1	53	36
De Ridder, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of parish	345	–	–	6	64	14	16	2	6	1	2	23	2	122	91	1	1	53	36
Washington	513	1	–	12	101	19	31	10	14	2	6	19	9	251	185	1	4	141	39
Bogalusa	247	–	–	2	48	9	12	8	7	2	1	9	3	127	92	–	3	72	17
Balance of parish	266	1	–	10	53	10	19	2	7	–	5	10	6	124	93	1	1	69	22
Webster	503	1	–	9	122	19	41	5	15	5	7	30	14	233	179	–	5	119	55
Minden	177	–	–	2	43	8	13	2	5	1	–	14	6	84	64	–	1	37	26
Balance of parish	326	1	–	7	79	11	28	3	10	4	7	16	8	149	115	–	4	82	29
West Baton Rouge	140	–	–	2	31	6	9	2	3	–	1	10	5	58	42	–	5	21	16
West Carroll	156	1	–	3	29	5	10	–	3	1	–	10	2	71	53	–	–	28	25
West Feliciana	55	–	–	–	11	3	4	1	1	–	–	2	2	19	15	–	–	10	5
Winn	209	–	–	4	35	3	15	2	5	–	1	9	6	101	84	–	6	48	30
Maine	11,420	7	–	120	2,592	689	690	221	280	112	105	495	191	5,485	4,305	46	80	3,152	1,027
Urban places	3,478	2	–	37	734	215	188	53	84	30	35	129	52	1,725	1,330	15	34	958	323
Balance of area	7,942	5	–	83	1,858	474	502	168	196	82	70	366	139	3,760	2,975	31	46	2,194	704
Metropolitan counties	6,120	2	–	70	1,411	392	376	122	144	56	50	271	91	2,951	2,289	23	40	1,649	577
Urban places	2,843	1	–	31	611	181	158	42	69	26	26	109	37	1,405	1,064	12	24	757	271
Balance of area	3,277	1	–	39	800	211	218	80	75	30	24	162	54	1,546	1,225	11	16	892	306
Nonmetropolitan counties	5,300	5	–	50	1,181	297	314	99	136	56	55	224	100	2,534	2,016	23	40	1,503	450
Urban places	635	1	–	6	123	34	30	11	15	4	9	20	15	320	266	3	10	201	52
Balance of area	4,665	4	–	44	1,058	263	284	88	121	52	46	204	85	2,214	1,750	20	30	1,302	398
Androscoggin	1,022	–	–	17	247	62	67	21	38	10	8	43	21	472	339	2	9	243	85
Auburn	267	–	–	3	55	8	13	5	9	5	5	10	6	115	92	1	1	65	25
Lewiston	490	–	–	8	120	37	31	10	18	2	2	20	7	246	167	1	5	124	37
Balance of county	265	–	–	6	72	17	23	6	9	3	1	13	8	111	80	–	3	54	23

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Madison	-	14	1	2	6	2	-	1	2	-	1	2	1	6	2	7	-	4	-
Tallulah	-	12	1	2	6	2	-	1	2	-	-	2	1	5	2	7	-	4	-
Balance of parish	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Morehouse	2	38	10	2	9	12	1	3	9	-	2	4	2	27	4	11	2	2	-
Bastrop	1	26	8	1	3	4	-	2	5	-	2	-	1	17	3	4	-	2	-
Balance of parish	1	12	4	1	6	8	1	1	4	-	-	4	1	10	1	7	2	-	-
Natchitoches	-	43	8	1	10	13	-	3	3	-	1	2	3	29	9	8	2	5	2
Natchitoches	-	22	5	-	3	6	-	1	-	-	-	1	2	11	4	2	1	1	-
Balance of parish	-	21	3	1	7	5	-	2	3	-	1	1	1	18	5	6	1	4	2
Orleans, coext. with New Orleans city	33	411	46	51	125	143	25	96	95	4	55	88	49	676	83	149	72	151	2
Ouachita	18	63	16	7	34	32	4	16	19	-	3	23	9	115	22	31	21	13	1
Monroe	10	41	11	4	21	22	1	11	11	-	2	16	5	60	3	18	13	9	1
West Monroe	1	11	1	-	6	4	3	1	5	-	-	2	2	21	6	2	3	2	-
Balance of parish	7	11	4	3	7	6	-	4	3	-	1	5	2	34	13	11	5	2	-
Plaquemines	-	14	-	3	1	4	-	2	1	-	1	-	2	21	10	11	6	3	-
Pointe Coupee	-	17	3	-	8	7	-	2	6	-	1	-	1	18	10	4	5	3	-
Rapides	6	78	5	6	38	47	4	12	20	-	7	11	4	117	26	28	11	18	-
Alexandria	4	44	1	5	16	19	4	6	6	-	3	8	1	57	9	13	5	13	-
Pineville	-	10	-	-	6	9	-	2	4	-	2	3	2	18	6	2	1	2	-
Balance of parish	2	24	4	1	16	19	-	4	8	-	2	-	1	42	11	13	5	3	-
Red River	-	10	2	-	4	3	-	-	-	-	-	1	1	8	6	6	3	-	-
Richland	-	20	1	1	6	15	-	-	4	-	4	2	1	19	4	9	5	4	-
Sabine	-	16	5	2	6	9	1	4	4	-	3	1	1	13	15	3	-	-	-
St. Bernard	2	28	1	5	13	16	4	9	5	-	4	4	2	50	13	12	7	4	1
St. Charles	-	12	-	3	8	9	-	2	6	1	2	5	4	22	7	8	3	1	-
St. Helena	3	5	2	2	2	3	-	1	1	-	-	2	1	5	4	3	-	-	-
St. James	-	11	4	-	7	9	-	-	4	-	3	1	-	12	9	3	1	-	-
St. John the Baptist	1	14	2	1	4	7	-	2	1	-	4	9	2	23	12	9	5	3	-
St. Landry	1	65	16	6	22	32	3	2	19	-	4	7	4	74	23	38	19	9	-
Eunice, part	-	11	3	1	6	2	-	1	1	-	2	1	-	16	3	9	5	-	-
Eunice, total	-	11	3	1	6	2	-	1	1	-	2	1	-	16	3	9	5	-	-
Opelousas	1	23	4	1	3	7	1	1	6	-	-	1	1	25	2	10	1	-	-
Balance of parish	-	31	9	4	13	23	2	-	6	-	2	5	3	33	18	19	13	9	-
St. Martin	1	25	3	4	9	9	-	1	3	-	2	4	4	27	9	11	5	4	-
St. Mary	1	27	6	6	14	11	2	2	11	-	2	6	2	36	26	30	7	3	-
Morgan City	-	16	2	2	6	5	-	1	4	-	-	-	-	13	2	6	-	2	-
Balance of parish	1	11	4	4	8	6	2	1	7	-	2	6	2	23	24	24	7	1	-
St. Tammany	1	58	19	14	17	26	6	15	8	-	13	8	8	67	35	28	23	12	-
Slidell	-	14	4	2	4	5	1	3	3	-	3	4	1	19	7	13	5	4	-
Balance of parish	1	44	15	12	13	21	5	12	5	-	10	4	7	48	28	15	18	8	-
Tangipahoa	4	60	-	7	18	25	2	9	10	-	2	8	1	68	20	19	15	10	-
Hammond	2	14	-	3	2	6	-	1	1	-	1	2	1	10	2	7	3	5	-
Balance of parish	2	46	-	4	16	19	2	8	9	-	1	6	-	58	18	12	12	5	-
Tensas	-	12	-	4	5	4	-	-	6	-	1	-	2	9	-	3	1	2	-
Terrebonne	1	38	19	7	9	19	-	3	8	-	1	14	5	58	37	23	11	10	-
Houma	-	12	11	5	7	10	-	2	2	-	1	9	2	28	8	9	6	5	-
Balance of parish	1	24	8	2	2	9	-	1	6	-	-	5	3	30	29	14	5	5	-
Union	1	14	1	-	11	11	-	1	2	-	1	4	-	18	11	11	3	2	-
Vermilion	-	34	3	3	6	11	1	-	4	-	4	4	3	34	13	23	4	3	-
Abbeville	-	13	1	2	4	4	-	-	2	-	-	3	2	14	2	6	1	2	-
Balance of parish	-	21	2	1	2	7	1	-	2	-	4	1	1	20	11	17	3	1	-
Vernon	1	24	6	-	1	11	1	2	6	-	3	6	46	17	33	13	7	5	-
De Ridder, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	1	24	6	-	1	11	1	2	6	-	3	6	46	17	33	13	7	5	-
Washington	4	42	16	4	18	16	1	3	10	-	2	1	4	38	18	16	5	9	-
Bogalusa	2	24	8	1	6	10	1	2	4	-	1	-	3	17	7	6	3	7	-
Balance of parish	2	18	8	3	12	6	-	1	6	-	1	1	1	19	11	10	2	2	-
Webster	8	31	7	8	19	12	1	1	5	-	2	7	2	45	9	15	3	3	-
Minden	1	9	6	4	8	4	1	1	-	-	-	2	-	18	-	7	1	-	-
Balance of parish	7	22	1	4	11	8	-	-	5	-	2	5	2	27	9	8	2	3	-
West Baton Rouge	1	13	-	2	1	8	1	4	2	-	3	3	2	5	7	4	1	3	-
West Carroll	1	16	1	-	9	5	-	1	1	-	-	2	3	20	5	2	1	1	-
West Feliciana	-	4	-	-	3	3	-	-	-	-	1	1	-	9	1	1	3	1	-
Winn	-	14	2	1	6	7	1	2	8	-	2	1	-	18	5	10	3	-	-
Maine	39	786	196	159	350	524	33	134	87	-	60	80	75	1,044	211	225	165	32	5
Urban places	8	256	67	44	105	164	11	41	32	-	20	34	27	329	49	59	48	8	1
Balance of area	31	530	109	115	245	360	22	93	55	-	40	46	48	715	162	166	117	24	4
Metropolitan counties	15	422	138	87	181	278	22	72	46	-	34	54	38	552	109	106	82	18	3
Urban places	6	213	85	37	88	135	11	36	26	-	17	30	20	252	42	46	37	7	1
Balance of area	9	209	53	50	93	143	11	36	20	-	17	24	18	290	67	60	45	11	2
Nonmetropolitan counties	24	364	58	72	169	246	11	62	41	-	26	26	37	492	102	119	83	14	2
Urban places	2	43	2	7	17	29	-	5	6	-	3	4	7	67	7	13	11	1	-
Balance of area	22	321	56	65	152	217	11	57	35	-	23	22	30	425	95	106	72	13	2
Androscoggin	1	80	40	12	30	43	5	18	10	-	6	10	6	90	13	20	11	3	-
Auburn	-	16	6	1	16	14	2	3	4	-	2	5	3	28	3	6	2	-	-
Lewiston	-	43	29	7	9	15	2	10	3	-	1	3	1	44	7	6	6	2	-
Balance of county	1	21	5	4	5	14	1	5	3	-	3	2	2	18	3	8	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maine—Con.																			
Aroostook	818	–	–	5	175	47	50	12	18	8	12	28	14	420	338	2	3	281	52
Presque Isle	112	–	–	1	25	6	8	1	3	–	3	4	1	57	47	–	–	34	13
Balance of county	706	–	–	4	150	41	42	11	15	8	9	24	13	363	291	2	3	247	39
Cumberland	2,250	1	–	28	519	140	157	39	46	22	19	98	22	1,093	861	8	13	639	201
Portland	852	1	–	8	164	44	52	8	14	10	7	29	10	447	351	5	9	261	76
South Portland	254	–	–	5	54	19	11	7	7	1	3	6	–	119	94	–	1	64	29
Westbrook	150	–	–	3	45	21	9	1	1	1	1	11	2	83	49	–	–	36	13
Balance of county	994	–	–	12	256	58	85	23	24	10	8	50	10	464	367	3	3	278	83
Franklin	240	–	–	–	37	11	7	4	4	2	–	9	5	136	112	–	1	83	28
Hancock	481	–	–	8	111	28	26	12	18	2	1	24	10	207	161	1	1	115	44
Kennebec	1,148	2	–	11	259	70	62	20	32	10	15	50	23	553	447	7	16	338	86
Augusta	325	–	–	5	85	21	14	8	6	3	3	10	7	151	121	1	5	93	22
Waterville	198	1	–	–	33	7	8	2	6	1	3	6	7	112	98	2	5	74	17
Balance of county	625	1	–	6	161	42	40	10	20	6	9	34	9	290	228	4	6	171	47
Knox	376	1	–	3	70	19	14	6	9	3	4	15	9	188	136	1	4	104	27
Lincoln	319	–	–	4	92	21	25	7	15	6	5	13	9	135	106	6	2	78	20
Oxford	560	1	–	5	125	28	44	11	9	7	10	16	11	261	183	2	1	150	40
Penobscot	1,166	–	–	13	262	73	54	30	24	13	12	56	13	547	440	3	7	308	122
Bangor	306	–	–	3	60	18	15	4	5	5	5	8	1	142	109	1	3	71	34
Balance of county	860	–	–	10	202	55	39	26	19	8	7	48	12	405	331	2	4	237	88
Piscataquis	179	–	–	5	49	12	14	4	5	1	2	11	–	83	74	2	1	45	26
Sagadahoc	279	1	–	–	72	18	21	6	7	1	1	18	5	149	114	4	1	79	30
Bath	125	–	–	–	34	7	10	3	3	1	1	9	1	68	52	3	1	36	12
Balance of county	154	1	–	–	38	11	11	3	4	–	–	9	4	81	62	1	–	43	18
Somerset	467	1	–	3	109	20	35	8	16	8	2	20	7	231	186	1	3	123	59
Waldo	311	–	–	4	70	17	14	10	5	4	2	18	4	142	111	1	3	84	23
Washington	401	–	–	4	84	24	23	5	5	5	2	20	8	180	152	–	5	102	45
York	1,403	–	–	12	311	99	77	26	31	10	10	58	30	690	535	6	10	380	139
Biddeford	241	–	–	1	49	17	10	3	8	–	1	10	9	121	91	–	3	59	29
Saco	158	–	–	–	30	10	7	1	4	1	1	6	1	84	59	1	1	41	15
Balance of county	1,004	–	–	11	232	72	60	22	19	9	8	42	20	485	385	5	6	280	94
Maryland	36,620	29	3	691	8,764	2,108	2,496	742	889	348	286	1,895	693	16,237	13,120	92	585	8,516	5,947
Urban places	14,116	14	–	309	3,217	798	925	256	321	138	97	682	251	6,261	5,149	34	257	2,381	2,497
Balance of area	22,504	15	3	382	5,547	1,310	1,571	486	568	210	189	1,213	442	9,976	7,971	58	308	4,155	3,450
Metropolitan counties	31,954	21	3	645	7,673	1,876	2,171	653	756	305	259	1,653	607	14,017	11,414	77	507	5,557	5,273
Urban places	13,272	11	–	306	3,028	753	875	237	301	130	94	638	237	5,844	4,826	30	245	2,177	2,374
Balance of area	18,682	10	3	339	4,645	1,123	1,296	416	455	175	165	1,015	370	8,173	6,588	47	262	3,380	2,899
Nonmetropolitan counties	4,666	8	–	46	1,091	232	325	89	133	43	27	242	86	2,220	1,706	15	58	959	674
Urban places	844	3	–	3	189	45	50	19	20	8	3	44	14	417	323	4	12	184	123
Balance of area	3,822	5	–	43	902	187	275	70	113	35	24	198	72	1,803	1,383	11	46	775	551
Allegany	1,016	1	–	12	210	58	65	18	19	8	5	37	10	522	427	2	9	285	131
Cumberland	486	1	–	8	102	27	29	10	10	4	1	21	4	255	205	–	5	144	56
Balance of county	530	–	–	4	108	31	36	8	9	4	4	16	6	267	222	2	4	141	75
Anne Arundel	2,573	2	–	42	665	144	222	55	71	24	19	130	58	1,052	858	6	25	412	415
Annapolis	364	–	–	6	95	21	25	12	6	5	4	22	9	149	118	–	3	55	60
Balance of county	2,209	2	–	36	570	123	197	43	65	19	15	108	49	903	740	6	22	357	355
Baltimore	5,897	3	–	125	1,488	354	420	144	127	57	50	336	101	2,679	2,219	16	80	1,106	1,017
Baltimore city	9,744	9	–	254	2,196	537	649	168	228	96	65	453	166	4,202	3,499	19	193	1,425	1,862
Calvert	302	1	–	2	78	12	20	5	10	2	–	29	4	140	115	1	2	73	39
Caroline	273	1	–	3	48	12	19	3	6	1	1	6	5	144	113	–	2	81	30
Carroll	794	–	2	14	179	50	41	18	20	7	7	36	11	376	303	3	12	164	124
Cecil	447	–	–	6	102	33	28	3	13	2	5	18	14	217	184	1	4	112	67
Charles	473	–	–	8	120	37	38	10	10	3	2	22	13	161	131	2	7	72	50
Dorchester	399	–	–	3	91	28	26	12	9	–	1	15	4	187	137	–	11	88	38
Cambridge	170	–	–	1	32	8	9	5	3	–	–	7	2	91	69	–	5	41	23
Balance of county	229	–	–	2	59	20	17	7	6	–	1	8	2	96	68	–	6	47	15
Frederick	958	1	–	6	246	53	55	25	27	14	8	64	19	433	353	5	8	192	146
Frederick	363	1	–	–	97	24	23	10	10	5	1	24	6	169	136	3	2	80	51
Balance of county	595	–	–	6	149	29	32	15	17	9	7	40	13	264	217	2	6	112	97
Garrett	257	–	–	3	44	8	11	7	4	3	–	11	5	130	96	–	1	68	27
Harford	1,055	–	1	15	271	65	78	23	28	11	8	57	18	469	367	–	10	225	144
Aberdeen	93	–	–	3	19	6	7	–	1	1	1	3	1	38	30	–	–	23	7
Balance of county	962	–	1	12	252	59	72	23	27	10	7	54	17	431	357	–	18	202	137
Howard	687	–	–	13	182	43	45	13	15	7	6	53	16	274	214	–	13	117	84
Kent	209	–	–	4	44	11	14	4	8	2	1	4	6	108	92	2	3	30	57
Montgomery	4,128	1	–	72	1,074	276	266	116	104	41	40	231	57	1,849	1,413	12	42	791	568
Gaithersburg	250	1	–	3	66	20	11	3	11	4	2	15	5	95	71	2	3	47	19
Rockville	635	–	–	9	166	42	50	15	11	4	4	40	10	279	225	1	7	147	70
Takoma Park, part	128	–	–	2	29	13	4	3	3	1	–	5	1	66	52	1	3	20	28
Takoma Park, total	178	–	–	2	43	15	9	3	4	2	–	10	4	84	64	1	3	25	35
Balance of county	3,115	–	–	58	813	201	201	95	79	32	34	171	41	1,409	1,065	8	29	577	451
Prince George's	4,027	4	–	70	974	215	268	75	96	34	45	241	109	1,600	1,288	11	82	697	859
Bowie	163	–	–	2	33	7	11	4	2	1	2	6	5	73	62	–	4	25	33
College Park	128	–	–	–	35	11	4	2	6	1	2	9	–	60	52	1	1	22	28
Greenbelt	99	–	–	2	22	5	8	–	4	1	–	4	2	43	37	–	2	20	15
Hyattsville	431	–	–	9	107	21	35	8	9	4	3	27	13	191	153	2	9	60	82
Laurel	123	–	–	–	35	8	10	4	1	1	5	6	1	49	39	–	–	10	29
New Carrollton	45	–	–	2	12	4	2	2	–	–	–	4	–	21	20	–	3	11	6
Takoma Park, part	50	–	–	–	14	2	5	–	1	1	–	5	3	18	12	–	–	5	7
Balance of county	2,988	4	–	55	716	157	193	55	73	25	33	180	85	1,153	913	8	63	384	458

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maine—Con.																			
Aroostook	4	63	8	7	23	29	1	14	6	–	5	2	3	72	16	19	9	3	–
Presque Isle	1	5	1	3	5	4	–	–	1	–	1	1	–	11	2	1	2	–	–
Balance of county	3	58	7	4	18	25	1	14	7	–	4	1	3	61	14	18	7	3	–
Cumberland	5	149	47	31	64	109	10	23	20	–	11	18	19	220	31	29	26	6	1
Portland	3	63	19	11	29	38	4	10	12	–	5	7	3	88	7	12	3	3	1
South Portland	–	16	5	4	4	16	–	3	3	–	2	5	5	25	4	2	7	–	–
Westbrook	–	10	3	1	4	6	2	–	–	–	–	–	3	10	4	4	4	–	–
Balance of county	2	60	20	15	27	49	4	10	5	–	4	6	8	97	16	11	12	3	–
Franklin	–	10	6	8	9	11	–	2	1	–	2	3	1	19	7	4	3	–	–
Hancock	3	29	3	11	20	32	–	7	4	–	1	2	2	51	8	11	9	–	–
Kennebec	5	77	9	15	31	56	1	17	8	–	6	5	10	98	17	30	20	1	2
Augusta	1	26	1	2	9	16	–	5	1	–	–	2	6	39	5	8	5	1	–
Waterville	–	12	–	2	3	9	–	–	4	–	2	1	1	17	–	4	4	–	–
Balance of county	4	39	8	11	19	31	1	12	3	–	4	2	3	40	12	18	11	–	2
Knox	–	38	7	5	19	16	–	5	4	–	2	1	2	44	2	8	3	1	–
Lincoln	–	26	2	1	10	13	–	2	2	–	1	1	1	28	5	10	6	–	–
Oxford	10	40	9	9	14	30	3	7	1	–	6	3	4	40	21	14	13	1	–
Penobscot	3	75	12	17	49	49	2	14	8	–	12	11	3	99	31	27	22	3	1
Bangor	1	21	4	7	16	14	–	4	2	–	5	3	–	32	9	7	7	1	–
Balance of county	2	54	8	10	33	35	2	10	6	–	7	8	3	67	22	20	15	2	1
Piscataquis	–	6	–	3	8	5	1	1	–	–	–	1	3	16	3	3	1	–	–
Sagadahoc	1	21	8	5	4	8	–	2	1	–	1	5	–	17	3	4	6	1	–
Bath	–	12	4	–	1	6	–	1	–	–	1	2	–	4	1	3	3	–	–
Balance of county	1	9	4	5	3	2	–	1	1	–	–	3	–	13	2	1	3	1	–
Somerset	–	32	7	6	12	15	3	2	6	–	–	3	5	45	6	11	7	1	–
Waldo	1	24	3	3	9	14	–	2	4	–	3	1	2	29	12	7	5	3	–
Washington	1	19	4	4	14	25	2	3	3	–	–	4	4	52	5	2	7	4	–
York	5	97	31	22	34	69	5	15	7	–	4	10	10	126	31	26	17	5	1
Biddeford	1	18	8	3	6	16	–	–	1	–	1	4	2	20	4	4	2	1	–
Saco	1	14	7	3	3	10	1	5	1	–	–	1	3	11	3	2	3	–	–
Balance of county	3	65	16	16	25	43	4	10	5	–	3	5	5	95	24	20	12	4	1
Maryland	146	2,276	288	407	954	1,167	113	425	476	2	226	437	349	3,561	766	804	497	370	56
Urban places	60	828	78	146	398	406	43	188	214	2	78	176	146	1,543	160	305	145	233	27
Balance of area	86	1,448	210	261	556	761	70	237	262	–	148	261	203	2,018	606	499	352	137	29
Metropolitan counties	127	1,924	207	345	842	1,010	97	380	433	2	193	388	317	3,160	660	688	429	341	48
Urban places	58	759	68	133	376	382	43	182	202	2	75	167	137	1,455	152	286	135	226	26
Balance of area	69	1,165	139	212	466	628	54	198	231	–	118	221	180	1,705	508	402	294	115	22
Nonmetropolitan counties	19	352	81	62	112	157	16	45	43	–	33	49	32	401	106	116	68	29	8
Urban places	2	69	10	13	22	24	–	6	12	–	3	9	9	88	8	19	10	7	1
Balance of area	17	283	71	49	90	133	16	39	31	–	30	40	23	313	98	97	58	22	7
Allegany	5	69	12	9	36	47	6	12	16	–	3	3	4	75	22	19	16	–	2
Cumberland	2	34	9	5	22	18	2	2	9	–	2	1	3	37	3	12	3	–	2
Balance of county	3	35	3	4	14	29	4	10	7	–	1	2	1	38	19	7	13	–	–
Anne Arundel	8	137	21	28	52	116	10	34	35	1	20	31	28	238	70	62	36	17	6
Annapolis	1	22	7	1	7	22	1	6	8	1	1	4	3	35	4	8	3	3	1
Balance of county	7	115	14	27	45	94	9	28	29	–	19	27	23	203	66	54	33	14	5
Baltimore	19	333	35	73	164	189	17	55	65	–	25	45	41	559	109	126	73	27	6
Baltimore city	44	532	31	96	271	252	31	136	166	1	51	131	110	1,133	90	221	97	207	20
Calvert	1	11	11	2	3	13	1	5	5	–	4	3	2	21	8	7	3	2	–
Caroline	–	23	6	2	7	8	3	–	1	–	1	2	1	24	12	7	3	3	–
Carroll	4	57	6	6	22	25	1	6	10	–	4	8	7	70	26	21	10	–	2
Cecil	3	22	2	6	13	21	–	7	5	–	3	6	1	28	13	4	6	1	–
Charles	–	23	4	3	10	21	–	6	10	–	4	5	6	47	34	11	12	4	1
Dorchester	4	28	7	11	10	20	1	3	1	–	3	2	–	47	8	7	7	4	1
Cambridge	2	11	3	6	2	6	–	2	–	–	2	1	–	21	2	4	2	2	–
Balance of county	2	17	4	5	8	14	1	1	1	–	1	1	–	26	6	3	5	2	1
Frederick	3	52	10	15	21	29	3	5	9	–	8	10	6	92	17	28	20	4	1
Frederick	–	25	4	4	11	7	–	2	5	–	1	4	4	40	2	7	3	3	1
Balance of county	3	27	6	11	10	22	3	3	4	–	7	6	2	52	15	21	17	1	–
Garrett	3	24	6	1	14	13	–	1	2	–	3	1	2	18	4	7	6	3	1
Harford	3	58	10	11	26	29	–	5	18	–	6	9	11	90	42	19	23	3	–
Aberdeen	–	8	–	–	3	3	–	2	2	–	–	–	2	10	4	4	1	1	–
Balance of county	3	50	10	11	23	26	–	3	16	–	6	9	9	80	38	15	22	2	–
Howard	6	37	7	10	20	22	2	6	9	–	8	8	10	70	20	10	12	5	–
Kent	–	10	3	3	5	6	–	3	–	–	2	–	2	16	2	9	2	–	–
Montgomery	16	340	41	39	117	133	12	44	33	–	31	36	36	381	92	70	67	20	3
Gaithersburg	–	21	2	1	4	6	1	5	–	–	3	2	6	26	12	5	4	5	1
Rockville	3	38	7	6	24	25	2	5	2	–	8	5	3	66	12	8	8	3	–
Takoma Park, part	–	12	1	1	5	2	–	–	2	–	–	1	–	10	3	4	3	–	–
Takoma Park, total	–	17	2	1	8	4	–	–	3	–	1	1	–	14	4	6	4	–	–
Balance of county	13	269	31	31	84	100	9	34	29	–	20	28	27	279	65	53	52	12	2
Prince George's	11	248	24	37	77	118	12	55	57	–	33	101	61	394	122	105	65	55	7
Bowie	1	9	–	1	3	5	1	4	–	–	2	1	2	19	7	3	1	2	–
College Park	–	5	1	2	6	2	–	2	2	–	1	–	1	15	–	2	2	–	–
Greenbelt	–	5	–	1	4	8	–	1	–	–	1	2	–	8	1	1	4	–	–
Hyattsville	2	28	2	6	7	14	–	7	5	–	2	13	3	42	4	4	4	4	2
Laurel	1	6	1	2	1	5	1	–	2	–	–	2	–	17	5	3	1	1	–
New Carrollton	–	1	–	–	1	1	–	2	–	–	1	1	1	3	–	–	–	–	–
Takoma Park, part	–	5	1	–	3	2	–	–	1	–	1	–	–	4	1	2	1	–	–
Balance of county	7	189	19	25	52	81	10	39	47	–	25	82	54	286	104	90	52	48	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Queen Anne's	241	1	-	1	54	14	16	2	4	3	1	14	8	114	96	-	-	36	60
St. Mary's	360	-	-	2	89	16	31	6	11	4	1	20	6	152	99	-	-	64	35
Somerset	276	-	-	6	75	12	31	2	9	3	3	15	10	126	83	2	3	44	44
Talbot	351	-	-	2	85	19	23	6	14	2	4	17	6	174	132	-	6	75	51
Washington	1,113	1	-	14	212	64	52	10	25	15	7	39	34	608	491	5	22	311	153
Hagerstown	533	-	-	6	97	29	25	6	8	6	5	18	17	305	251	4	12	163	72
Balance of county	580	1	-	8	115	35	27	4	17	9	2	21	17	303	240	1	10	148	81
Wicomico	701	3	-	5	169	32	56	13	22	8	3	35	9	343	255	3	12	138	102
Salisbury	311	2	-	2	60	13	18	4	7	3	2	13	6	157	118	1	5	63	49
Balance of county	390	1	-	3	109	19	38	9	15	5	1	22	3	186	137	2	7	75	53
Worcester	339	1	-	9	88	15	23	4	9	1	4	12	4	169	125	2	10	70	43
Massachusetts	55,593	33	-	761	13,058	3,535	3,292	1,325	1,312	474	472	2,648	933	26,287	21,002	183	552	15,674	4,613
Urban places	42,108	32	-	610	9,735	2,643	2,439	977	978	370	350	1,978	712	19,993	16,096	133	450	12,028	3,485
Balance of area	13,485	1	-	151	3,323	892	853	348	334	104	122	670	221	6,274	4,906	30	102	3,646	1,128
Metropolitan counties	52,704	33	-	734	12,337	3,335	3,099	1,256	1,239	456	454	2,498	876	24,920	20,017	159	521	14,963	4,374
Urban places	41,682	32	-	605	9,643	2,622	2,413	969	964	368	349	1,958	705	19,793	15,946	132	448	11,924	3,442
Balance of area	11,022	1	-	129	2,694	713	686	287	275	88	105	540	171	5,127	4,071	27	73	3,039	932
Nonmetropolitan counties	2,889	-	-	27	721	200	193	69	73	18	18	150	57	1,347	985	4	31	711	239
Urban places	426	-	-	5	92	21	26	8	14	2	1	20	7	200	150	1	2	104	43
Balance of area	2,463	-	-	22	629	179	167	61	59	16	17	130	50	1,147	835	3	29	607	196
Barnstable	2,113	-	-	18	524	134	144	52	53	15	15	111	47	1,007	732	2	21	552	157
Barnstable town#	426	-	-	5	92	21	26	8	14	2	1	20	7	200	150	1	2	104	43
Balance of county	1,687	-	-	13	432	113	118	44	39	13	14	91	40	807	582	1	19	448	114
Berkshire	1,472	1	-	21	366	87	91	35	42	17	14	80	24	674	521	2	11	355	153
North Adams	190	-	-	2	53	14	11	3	6	3	2	14	1	92	66	-	1	54	11
Pittsfield	552	1	-	10	126	31	30	11	14	10	5	25	9	257	212	2	5	114	91
Balance of county	730	-	-	9	187	42	50	21	22	4	7	41	14	325	243	-	5	187	51
Bristol	4,747	2	-	42	1,145	329	293	109	133	48	37	196	94	2,368	1,795	16	31	1,489	259
Attleboro	316	-	-	1	73	14	23	9	11	1	3	12	7	149	111	1	3	87	20
Fairhaven town#	188	-	-	1	51	11	11	4	7	1	2	15	3	96	78	1	-	68	9
Fall River	1,128	-	-	11	286	69	77	26	24	17	7	46	22	617	463	2	8	392	61
New Bedford	1,171	1	-	13	282	98	62	31	34	6	11	40	24	570	437	4	8	356	69
North Attleborough town#	151	-	-	1	29	7	8	1	3	3	1	6	5	69	51	-	-	43	8
Somerset town#	200	1	-	-	52	13	17	4	8	-	3	7	2	110	87	-	1	71	15
Taunton	458	-	-	4	100	32	25	4	5	11	4	19	9	222	164	2	3	133	26
Balance of county	1,137	-	-	11	292	85	70	30	41	9	6	51	22	535	404	6	8	339	51
Dukes	98	-	-	1	30	6	8	3	3	-	2	8	-	40	27	-	1	17	9
Essex	6,371	3	-	78	1,459	416	402	150	126	55	49	261	109	3,118	2,525	24	72	1,914	515
Amesbury town#	145	-	-	1	24	8	6	2	1	2	2	3	1	83	70	3	1	54	12
Andover town#	215	-	-	3	44	13	10	4	2	2	5	8	3	102	80	1	2	67	10
Beverly	362	-	-	4	88	23	25	12	9	-	4	15	10	158	118	6	2	89	21
Danvers town#	239	-	-	7	49	13	13	6	3	4	1	9	2	128	100	-	1	56	43
Gloucester	271	-	-	2	69	21	21	5	5	3	2	12	3	117	95	-	6	69	20
Haverhill	593	-	-	9	141	44	39	9	18	4	3	24	4	303	237	2	12	196	27
Lawrence	708	-	-	11	121	32	31	15	5	7	4	27	23	363	297	2	5	231	59
Lynn	946	2	-	11	182	47	57	17	19	10	4	28	14	463	368	9	14	313	38
Lynnfield town#	78	-	-	1	23	10	3	2	1	-	1	6	2	35	30	-	1	19	10
Marblehead town#	165	-	-	-	59	13	15	9	6	3	1	12	2	75	55	1	1	50	3
Methuen town#	414	-	-	4	103	31	27	8	11	4	2	20	9	191	163	1	-	122	40
Newburyport	179	1	-	2	45	19	8	4	3	3	2	6	6	81	65	1	2	49	13
Peabody	379	-	-	5	88	23	29	7	7	3	3	16	2	202	172	1	4	95	72
Salem	404	-	-	5	95	24	30	10	10	4	2	15	7	201	170	-	13	127	30
Saugus town#	236	-	-	1	57	17	19	6	2	1	4	8	5	124	102	2	3	81	16
Swampscott town#	145	-	-	-	37	11	3	6	5	2	1	9	5	80	67	-	-	61	6
Balance of county	892	-	-	12	234	67	66	28	19	3	8	43	11	412	336	1	5	235	95
Franklin	609	-	-	7	148	56	34	12	15	2	1	28	9	275	207	2	8	134	63
Hampden	4,566	4	-	61	1,035	279	268	124	103	35	37	189	72	2,220	1,742	11	50	1,239	442
Agawam town#	238	1	-	4	53	16	15	6	4	2	-	10	6	114	91	-	2	53	36
Chicopee	623	1	-	9	159	42	37	27	15	4	11	23	10	295	239	1	4	193	41
Holyoke	593	-	-	4	117	31	29	18	12	7	3	17	9	302	235	2	4	181	48
Longmeadow town#	141	1	-	4	26	8	8	4	1	-	-	5	2	86	61	-	-	51	10
Springfield	1,666	1	-	25	363	98	99	41	39	11	9	66	29	796	622	7	26	414	175
Westfield	327	-	-	4	70	13	18	4	9	5	3	18	5	176	142	-	4	105	33
West Springfield town#	275	-	-	1	75	18	20	8	9	3	2	15	3	122	99	-	4	62	33
Balance of county	703	-	-	10	172	53	42	16	14	3	9	35	8	329	253	1	6	180	66
Hampshire	1,017	1	-	10	222	55	52	17	27	7	12	52	16	492	397	3	9	292	93
Amherst town#	105	-	-	2	28	6	5	3	3	1	2	8	-	45	34	-	2	23	9
Easthampton town#	148	-	-	1	33	7	9	4	4	1	-	8	-	80	65	1	1	44	19
Northampton	279	-	-	4	59	13	15	4	9	1	3	14	8	124	97	2	2	69	24
Balance of county	485	1	-	3	102	29	23	6	11	4	7	22	8	243	201	-	4	156	41
Middlesex	12,250	9	-	134	2,951	816	697	312	287	108	116	615	230	5,648	4,579	39	73	3,694	773
Arlington town#	549	1	-	6	135	40	23	16	14	4	5	33	5	255	193	-	6	160	27
Belmont town#	314	-	-	4	68	18	13	8	9	4	4	12	8	133	107	1	1	93	12
Billerica town#	215	-	-	3	53	12	18	3	4	3	3	10	4	103	80	-	-	65	15
Burlington town#	140	-	-	2	39	12	14	4	2	-	-	7	1	61	42	-	1	28	13
Cambridge	802	1	-	7	190	50	42	24	20	5	5	44	31	296	249	1	5	212	31
Chelmsford town#	233	-	-	-	65	16	9	7	13	2	3	15	6	105	80	-	2	68	10
Dracut town#	162	-	-	1	35	11	7	1	6	2	1	7	6	83	68	1	-	59	8
Everett	457	1	-	10	112	37	31	12	9	2	1	20	6	203	176	1	2	144	29
Framingham town#	535	3	-	4	137	38	26	17	7	7	6	36	5	229	183	3	4	148	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Queen Anne's	1	13	3	1	5	10	3	3	4	-	1	2	-	22	6	4	2	1	-
St. Mary's	2	40	3	8	3	11	3	4	4	-	3	11	7	28	12	12	8	4	1
Somerset	-	23	7	3	10	7	1	7	3	-	-	2	-	17	7	4	-	-	1
Talbot	3	33	2	4	10	10	-	4	4	-	2	3	1	28	8	9	3	3	1
Washington	8	68	14	27	34	37	6	14	9	-	5	5	4	75	20	20	12	2	1
Hagerstown	4	33	6	11	15	17	4	10	5	-	2	4	3	30	6	9	3	-	-
Balance of county	4	35	8	16	19	20	2	4	4	-	3	1	1	45	14	11	9	2	1
Wicomico	2	72	8	6	16	16	-	7	10	-	3	9	6	61	11	17	6	3	1
Salisbury	-	33	3	3	9	11	-	2	7	-	-	4	5	27	4	8	5	2	-
Balance of county	2	39	5	3	7	7	-	5	3	-	3	5	3	34	7	9	3	1	1
Worcester	-	23	15	6	8	12	1	3	-	-	3	4	3	29	11	5	6	2	1
Massachusetts	188	3,785	601	691	2,231	1,862	163	755	580	4	304	363	494	5,080	810	1,046	530	210	99
Urban places	128	2,844	432	493	1,736	1,388	110	580	475	3	220	309	380	3,862	517	803	377	177	89
Balance of area	60	941	169	198	495	474	53	175	115	1	84	54	114	1,218	293	243	153	33	10
Metropolitan counties	174	3,551	542	636	2,120	1,760	151	722	571	4	292	353	467	4,806	759	994	499	207	99
Urban places	126	2,813	425	483	1,715	1,368	109	577	472	3	216	309	377	3,814	513	790	373	177	89
Balance of area	48	738	117	153	405	392	42	145	99	1	74	44	90	992	246	204	126	30	10
Nonmetropolitan counties	14	234	59	55	111	102	12	33	19	-	12	10	27	274	51	52	31	3	-
Urban places	2	31	7	10	21	20	1	3	3	-	2	-	3	48	4	13	4	-	-
Balance of area	12	203	52	45	90	82	11	30	16	-	10	10	24	226	47	39	27	3	-
Barnstable	11	177	45	42	79	75	7	26	16	-	7	6	19	189	30	41	21	1	-
Barnstable town#	2	31	7	10	21	20	1	3	3	-	2	-	3	48	4	13	4	-	-
Balance of county	9	146	38	32	58	55	6	23	13	-	5	6	16	141	26	28	17	1	-
Berkshire	7	106	21	19	57	65	4	18	5	-	7	6	3	143	29	35	12	1	1
North Adams	-	22	2	2	9	6	-	4	2	-	-	1	-	14	3	2	1	-	-
Pittsfield	4	31	3	7	25	30	2	8	1	-	3	4	-	49	10	12	3	1	1
Balance of county	3	53	16	10	23	29	2	6	2	-	4	1	3	80	16	21	8	-	-
Bristol	17	420	78	58	153	159	10	69	47	1	32	28	43	352	61	75	41	13	12
Attleboro	2	28	4	4	13	13	-	3	2	-	6	1	2	26	5	11	3	1	-
Fairhaven town#	1	15	1	1	8	10	-	-	-	-	-	-	-	12	-	2	2	1	-
Fall River	3	118	24	9	20	23	-	17	13	-	4	7	16	82	4	16	8	-	2
New Bedford	7	87	19	20	35	40	1	20	12	1	9	6	10	90	16	14	11	7	9
North Attleborough town#	-	10	3	5	11	7	-	3	1	-	-	3	2	14	1	2	2	1	-
Somerset town#	1	18	4	-	2	7	-	3	1	-	2	-	3	11	2	2	2	-	-
Taunton	-	47	6	5	23	21	2	7	6	-	3	4	1	33	7	13	3	-	-
Balance of county	3	97	17	14	41	38	7	16	12	-	8	7	9	84	26	15	10	3	1
Dukes	-	7	4	2	-	2	-	1	-	-	-	-	1	18	2	3	-	-	-
Essex	11	413	96	73	266	209	19	90	71	-	30	48	47	528	83	122	65	15	11
Amesbury town#	-	10	1	2	7	4	-	5	3	-	-	3	2	6	3	2	1	-	-
Andover town#	1	10	10	1	13	8	1	4	1	-	2	1	1	21	5	5	1	-	-
Beverly	1	28	8	3	18	13	-	7	2	-	1	1	2	40	3	13	2	-	-
Danvers town#	2	24	-	2	13	11	-	-	2	-	1	-	-	15	4	5	2	-	-
Gloucester	-	13	5	4	10	7	1	2	4	-	1	2	1	37	3	9	2	1	-
Haverhill	1	35	23	7	21	16	2	8	10	-	1	3	2	51	11	7	5	1	-
Lawrence	1	49	9	7	21	27	1	14	10	-	2	11	12	47	12	12	12	6	3
Lynn	2	75	9	9	42	43	4	16	14	-	4	9	11	81	8	24	12	3	3
Lynnfield town#	-	4	-	1	3	1	-	-	-	-	-	-	-	8	1	-	2	2	-
Marblehead town#	-	14	3	3	8	4	-	4	-	-	-	1	-	9	-	1	1	-	1
Methuen town#	2	20	4	2	19	9	1	8	5	-	4	3	4	31	10	10	3	-	-
Newburyport	-	11	2	3	9	4	-	-	3	-	1	-	-	21	2	3	1	-	-
Peabody	-	26	2	2	16	8	-	5	3	-	4	6	1	31	4	2	2	-	-
Salem	-	24	2	5	19	11	1	5	2	-	2	4	2	36	3	5	4	1	1
Saugus town#	-	15	2	5	11	6	2	3	3	-	1	1	2	12	3	3	1	-	1
Swampscott town#	-	9	1	3	2	4	-	2	2	-	-	-	-	9	1	2	1	-	-
Balance of county	1	46	15	14	34	33	6	9	7	-	6	3	7	73	10	19	13	1	2
Franklin	3	45	9	11	28	21	5	5	3	-	5	3	5	59	16	8	10	2	-
Hampden	17	347	58	56	168	165	15	54	57	-	19	25	57	392	60	91	37	27	7
Agawam town#	2	11	7	3	12	6	1	2	2	-	-	-	4	19	2	9	2	1	-
Chicopee	2	43	6	5	21	19	3	4	11	-	1	4	4	53	6	12	6	3	2
Holyoke	2	51	8	6	34	29	1	10	5	-	2	2	8	53	3	10	1	2	1
Longmeadow town#	-	17	4	4	3	4	-	1	1	-	1	-	-	9	1	1	-	1	-
Springfield	7	127	20	20	60	65	6	24	23	-	10	14	25	147	12	35	11	16	4
Westfield	2	25	4	3	5	8	1	6	3	-	-	2	3	22	7	4	11	-	-
West Springfield town#	1	18	-	4	12	11	-	1	3	-	-	1	2	30	3	7	2	2	-
Balance of county	1	55	9	11	21	23	3	6	9	-	5	2	11	59	26	13	4	2	-
Hampshire	1	79	8	7	50	45	4	10	11	-	6	9	7	90	18	14	11	1	-
Amherst town#	-	9	1	1	6	5	-	1	1	-	1	1	1	8	4	1	1	-	-
Easthampton town#	1	13	-	1	5	5	1	1	2	-	1	2	-	11	1	1	3	1	-
Northampton	-	23	2	2	17	12	2	1	5	-	1	4	2	28	5	5	2	-	-
Balance of county	-	34	5	3	22	23	1	7	3	-	3	2	4	43	8	7	5	-	-
Middlesex	29	753	128	159	513	453	34	179	130	1	74	66	107	1,181	172	221	106	29	18
Arlington town#	2	50	4	6	27	19	3	6	5	-	4	3	5	53	4	14	2	-	2
Belmont town#	1	19	6	-	16	15	-	5	5	-	1	2	2	38	5	7	4	-	1
Billerica town#	-	18	3	2	7	5	-	3	3	-	3	-	3	17	6	-	4	1	-
Burlington town#	1	14	2	2	4	8	-	1	3	-	1	1	2	11	3	2	1	-	-
Cambridge	-	28	8	11	54	33	5	15	13	-	5	7	7	105	4	18	10	-	1
Chelmsford town#	-	21	1	3	6	7	1	3	-	-	1	1	3	23	8	3	1	-	-
Dracut town#	2	7	4	2	4	6	-	3	-	-	-	4	1	12	3	1	2	1	-
Everett	-	18	1	8	20	19	2	10	7	-	2	3	1	47	3	7	1	2	1
Framingham town#	-	37	1	8	30	12	1	6	1	-	5	4	3	60	11	18	4	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic* fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Hudson town#	104	-	-	1	31	7	6	3	2	1	3	9	2	53	43	-	1	38	6
Lexington town#	248	-	-	3	52	8	16	3	6	-	4	15	3	103	86	-	2	68	16
Lowell	1,106	1	-	9	235	71	56	20	28	13	5	42	31	528	421	1	2	353	65
Malden	643	-	-	8	147	45	32	10	12	9	3	36	9	332	270	3	7	213	47
Marlborough	316	-	-	3	62	11	13	7	11	3	5	12	4	149	126	1	1	111	13
Medford	620	-	-	8	159	49	36	21	17	4	4	28	7	297	254	3	1	218	32
Melrose	290	-	-	3	72	20	15	12	4	2	4	15	1	158	125	1	2	98	24
Natick town#	276	-	-	4	62	19	14	6	5	2	4	12	2	133	112	-	2	85	25
Newton	743	-	-	6	177	45	33	21	16	9	10	43	18	369	298	2	6	225	65
Reading town#	168	-	-	3	51	7	9	5	9	1	2	18	5	80	65	-	1	57	7
Somerville	812	-	-	13	183	55	51	24	13	6	6	28	14	381	328	4	4	262	58
Stoneham town#	172	-	-	2	41	10	14	4	4	3	-	6	2	91	79	2	1	68	8
Tewksbury town#	158	-	-	1	47	9	19	1	1	2	1	14	3	72	59	1	-	51	7
Wakefield town#	245	-	-	4	45	11	12	4	4	1	2	11	5	130	112	1	3	83	25
Waltham	516	1	-	7	152	40	43	18	11	-	6	34	5	208	159	-	3	123	33
Watertown town#	345	1	-	1	85	26	21	5	3	3	4	23	9	162	127	2	2	98	25
Wilmington town#	119	-	-	-	27	7	12	2	2	-	-	4	1	56	48	-	-	42	6
Winchester town#	168	-	-	2	43	15	7	2	6	2	5	6	1	78	64	1	-	50	13
Woburn	305	-	-	2	85	23	26	7	11	2	2	14	10	140	116	1	-	93	22
Balance of county	1,489	-	-	17	361	104	79	45	38	16	18	61	26	660	509	9	14	383	103
Nantucket	69	-	-	1	19	4	7	2	2	1	-	3	1	25	19	-	1	8	10
Norfolk	5,779	2	-	94	1,432	373	351	174	131	57	50	296	63	2,781	2,208	17	62	1,669	460
Braintree town#	410	-	-	7	86	18	20	11	11	2	3	21	3	225	176	2	10	131	33
Brookline town#	550	1	-	11	153	42	23	22	13	4	5	44	6	247	206	3	5	136	60
Dedham town#	259	1	-	4	74	25	19	10	2	3	1	14	4	117	96	-	2	69	25
Holbrook town#	99	-	-	2	12	3	3	1	2	-	1	2	1	57	45	1	3	33	8
Milton town#	292	-	-	4	63	17	14	5	9	5	4	9	5	144	113	1	5	93	14
Needham town#	271	-	-	8	59	7	13	6	3	4	3	23	2	128	88	1	1	59	27
Norwood town#	299	-	-	4	68	14	21	9	7	4	4	9	1	146	119	-	4	85	30
Quincy	1,036	-	-	16	277	83	68	26	23	8	11	58	12	505	387	3	11	313	60
Randolph town#	269	-	-	1	69	25	13	6	10	3	4	8	2	137	117	-	3	97	17
Stoughton town#	231	-	-	6	51	10	17	5	6	4	-	9	4	115	97	-	2	82	13
Wellesley town#	190	-	-	2	53	14	9	6	5	3	4	12	5	85	66	1	-	52	13
Westwood town#	108	-	-	1	27	8	8	2	2	1	1	5	1	52	43	-	-	36	7
Weymouth town#	565	-	-	10	140	36	33	19	12	7	3	30	5	284	232	2	9	186	35
Balance of county	1,200	-	-	18	300	71	90	46	26	9	6	52	12	539	423	3	7	295	118
Plymouth	3,478	-	-	34	836	224	219	60	94	35	33	171	53	1,670	1,334	6	39	1,013	276
Abington town#	126	-	-	1	33	10	9	-	6	-	1	7	1	60	50	1	2	40	7
Brockton	929	-	-	13	207	58	54	17	24	7	4	43	12	438	351	1	15	280	55
Plymouth town#	361	-	-	6	82	27	17	4	11	1	4	18	5	181	156	-	1	115	40
Rockland town#	123	-	-	1	25	5	9	4	2	2	-	3	3	57	42	-	-	38	4
Scituate town#	154	-	-	-	37	14	9	2	3	2	-	7	3	73	59	1	4	38	18
Whitman town#	103	-	-	1	24	5	9	3	1	2	4	-	-	52	35	-	3	29	3
Balance of county	1,682	-	-	12	428	105	112	30	47	21	20	93	29	809	641	3	14	475	149
Suffolk	6,749	8	-	143	1,530	408	395	140	159	47	48	339	104	2,949	2,465	25	146	1,462	832
Boston	5,756	8	-	130	1,317	350	339	126	131	37	38	296	83	2,453	2,032	21	133	1,169	709
Chelsea	340	-	-	6	70	22	17	1	7	4	4	15	11	157	136	3	3	89	41
Revere	432	-	-	6	103	30	29	10	9	4	3	18	7	220	192	1	6	131	54
Winthrop town#	221	-	-	1	40	6	10	3	6	2	3	10	3	119	105	-	4	73	28
Worcester	8,275	3	-	117	1,361	348	331	135	143	47	58	299	111	3,000	2,451	16	28	1,836	571
Clinton town#	148	-	-	2	30	7	9	1	3	1	1	8	3	60	54	1	-	42	11
Fitchburg	440	1	-	7	84	22	19	7	13	1	4	18	9	240	186	1	3	127	55
Gardner	217	-	-	4	51	15	12	7	3	-	3	11	8	93	75	-	3	60	12
Leominster	300	-	-	2	62	17	18	3	5	4	2	13	7	150	128	1	2	101	24
Milford town#	185	1	-	2	41	18	10	3	3	1	-	6	2	84	71	1	-	55	15
Shrewsbury town#	188	-	-	4	44	9	7	8	3	2	4	11	1	76	54	-	-	40	14
Webster town#	169	-	-	7	29	7	8	3	4	2	-	5	8	82	69	1	1	60	7
Worcester	1,944	1	-	52	402	96	94	38	52	17	20	85	32	940	753	7	9	562	175
Balance of county	2,704	-	-	37	618	157	154	65	57	19	24	142	41	1,275	1,061	4	10	789	258
Michigan	78,722	47	3	850	17,306	4,390	4,757	1,524	1,844	728	702	3,361	1,388	38,481	30,650	271	780	21,962	7,637
Urban places	46,932	38	2	584	10,188	2,589	2,836	936	1,076	417	385	1,949	822	22,837	18,316	188	532	12,531	5,085
Balance of area	31,790	9	1	266	7,118	1,801	1,921	588	768	311	317	1,412	566	15,644	12,334	103	248	9,431	2,552
Metropolitan counties	63,287	42	2	735	13,815	3,485	3,830	1,245	1,429	580	548	2,698	1,129	30,748	24,650	218	687	17,320	6,425
Urban places	45,077	38	2	565	9,770	2,484	2,736	891	1,031	396	370	1,862	789	21,939	17,648	156	525	12,018	4,949
Balance of area	18,210	4	-	171	4,045	1,001	1,094	354	398	184	178	836	340	8,809	7,002	62	162	5,302	1,476
Nonmetropolitan counties	15,435	5	1	114	3,491	905	927	279	415	148	154	663	259	7,733	6,000	53	93	4,642	1,212
Urban places	1,855	-	-	19	418	105	100	45	45	21	15	87	33	898	668	12	7	513	136
Balance of area	13,580	5	1	95	3,073	800	827	234	370	127	139	576	226	6,835	5,332	41	86	4,129	1,076
Alcona	145	-	-	-	37	13	13	-	4	2	1	4	4	83	71	-	3	50	18
Alger	102	-	-	-	19	4	4	2	3	-	2	4	-	54	41	-	-	37	4
Allegan	634	-	-	8	144	39	30	16	14	4	10	31	7	295	224	1	3	159	61
Holland, part	36	-	-	-	11	2	3	2	1	-	-	3	-	15	11	-	-	8	3
Balance of county	598	-	-	8	133	37	27	14	13	4	10	28	7	280	213	1	3	151	58
Alpena	317	-	-	4	80	19	20	6	10	1	1	23	2	154	127	2	1	103	21
Alpena	153	-	-	1	39	9	7	2	8	1	1	11	1	73	60	1	-	47	12
Balance of county	164	-	-	3	41	10	13	4	2	-	-	12	1	81	67	1	1	56	9
Antrim	201	-	-	1	43	9	10	1	8	-	1	14	2	110	85	-	-	68	17
Arenac	159	-	-	2	37	12	9	1	5	2	-	8	7	73	54	-	-	47	7
Baraga	108	-	-	-	24	6	9	3	-	-	-	6	2	59	40	2	-	33	5
Barry	399	-	-	4	100	30	27	10	7	4	4	18	9	173	148	2	-	110	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Hudson town#	-	3	3	4	3	2	-	2	2	-	-	2	1	3	1	1	-	-	-
Lexington town#	1	12	1	3	12	13	1	5	2	-	3	-	3	34	6	6	-	2	-
Lowell	2	66	27	12	33	48	3	15	16	-	10	14	14	97	16	18	13	5	-
Malden	4	39	9	10	27	32	2	5	5	-	2	3	5	50	4	4	5	1	2
Marlborough	1	18	1	3	11	14	-	9	6	-	1	1	1	36	6	7	5	1	-
Medford	1	32	3	7	19	26	-	7	3	-	2	1	8	60	8	12	1	-	1
Melrose	2	29	-	2	8	10	-	2	6	-	-	1	-	17	3	6	2	-	1
Natick town#	1	16	1	3	10	4	1	4	3	-	1	2	1	32	7	5	3	1	1
Newton	4	43	8	18	35	14	3	4	10	-	2	2	5	74	6	8	7	2	1
Reading town#	-	7	4	4	2	7	-	2	1	-	1	-	-	10	1	4	1	-	-
Somerville	-	38	8	7	39	35	4	21	8	-	3	3	7	69	6	17	8	-	1
Stoneham town#	-	10	1	1	9	4	1	1	-	-	1	-	-	16	-	2	2	-	-
Tewksbury town#	-	6	7	-	2	6	-	2	2	-	1	1	1	14	3	1	1	1	-
Wakefield town#	2	12	1	3	12	10	-	6	-	-	1	1	2	20	2	4	2	-	1
Waltham	1	34	4	10	27	18	2	10	6	-	3	3	4	49	7	7	5	1	1
Watertown town#	1	24	4	6	12	7	-	6	6	-	5	1	-	32	3	9	4	1	1
Wilmington town#	-	7	-	1	5	3	-	3	2	-	2	-	-	10	4	1	3	1	1
Winchester town#	-	13	1	-	10	7	-	-	2	-	-	-	4	16	2	1	2	-	-
Woburn	-	22	2	-	11	9	2	8	3	-	3	-	4	16	6	5	-	-	-
Balance of county	3	110	13	25	58	60	3	14	10	1	11	6	19	160	34	33	13	2	1
Nantucket	-	5	1	-	4	4	-	1	-	-	-	1	2	8	3	-	-	-	-
Norfolk	21	449	25	79	231	172	18	58	62	1	29	26	34	515	94	107	46	11	3
Braintree town#	-	42	3	4	11	12	-	5	5	-	-	4	2	34	8	5	3	-	-
Brookline town#	1	29	1	10	21	13	2	2	8	-	1	1	2	60	4	13	3	2	-
Dedham town#	-	13	1	7	13	6	1	1	4	-	-	1	1	22	5	5	-	-	-
Holbrook town#	-	9	1	2	3	3	-	2	-	-	3	-	1	6	5	3	1	-	-
Milton town#	1	27	1	2	9	7	-	6	8	-	3	-	2	30	6	2	2	-	1
Needham town#	-	32	2	6	19	10	1	2	2	-	1	-	2	22	5	9	1	-	-
Norwood town#	1	24	1	1	17	8	1	-	2	-	1	1	1	34	1	7	6	1	-
Quincy	1	98	3	16	34	36	6	9	16	-	5	2	5	79	9	16	8	1	-
Randolph town#	1	15	1	3	11	5	-	3	4	-	3	3	1	22	4	3	-	1	-
Stoughton town#	1	12	1	4	6	11	-	3	-	-	-	2	2	20	5	3	2	-	1
Wellesley town#	2	15	-	2	8	5	2	1	-	-	-	-	3	21	1	1	3	-	-
Westwood town#	1	7	1	-	6	-	-	1	1	-	-	2	1	15	-	-	1	-	-
Weymouth town#	3	43	1	5	21	18	2	6	5	1	4	2	1	45	4	12	3	1	1
Balance of county	9	82	8	17	52	38	3	17	7	-	8	8	10	105	37	28	13	5	-
Plymouth	12	250	23	51	131	108	17	51	32	-	21	18	38	269	64	86	33	12	5
Abington town#	-	8	1	1	4	6	1	2	5	-	-	-	-	8	2	2	1	-	-
Brockton	1	71	4	11	51	33	5	10	7	-	6	11	16	68	10	28	7	6	1
Plymouth town#	2	15	2	6	15	1	1	4	1	-	2	2	6	32	5	12	4	1	1
Rockland town#	-	12	3	-	8	5	-	-	3	-	1	-	2	8	3	6	1	-	-
Scituate town#	1	10	1	2	6	9	1	4	-	-	-	-	1	12	2	5	1	-	-
Whitman town#	1	12	-	4	3	2	-	2	1	-	2	1	-	8	3	2	2	-	-
Balance of county	7	122	12	27	44	52	9	29	15	-	10	4	13	133	39	31	17	5	3
Suffolk	19	368	32	65	308	160	14	117	82	1	30	90	91	713	73	136	66	83	31
Boston	17	319	27	58	270	155	12	92	70	1	28	84	87	622	65	117	54	82	26
Chelsea	-	18	2	1	14	12	1	9	6	-	-	-	3	32	1	7	6	1	4
Revere	2	19	2	5	14	7	-	9	3	-	2	5	-	36	7	7	5	-	1
Winthrop town#	-	12	1	1	10	6	1	7	3	-	-	1	1	23	-	5	1	-	-
Worcester	40	367	73	69	249	204	16	76	74	-	44	37	40	623	105	107	82	21	11
Clinton town#	-	4	-	2	3	4	-	3	3	-	1	4	9	17	5	3	-	1	-
Fitchburg	3	38	10	3	10	14	-	2	8	-	6	1	4	39	5	5	4	1	-
Gardner	4	10	2	2	7	6	2	2	4	-	-	2	-	22	8	3	5	-	-
Leominster	2	17	1	2	8	9	1	6	2	-	4	2	3	27	5	6	6	-	-
Milford town#	2	10	-	1	4	5	-	-	4	-	1	2	2	25	1	5	4	1	1
Shrewsbury town#	-	11	8	3	5	8	-	-	2	-	-	-	-	19	4	3	2	-	-
Webster town#	3	8	1	1	6	5	2	3	1	-	1	1	2	16	3	2	1	-	-
Worcester	5	130	29	28	90	57	3	10	16	-	12	14	6	203	24	43	17	6	7
Balance of county	21	139	22	32	110	96	8	41	34	-	19	11	14	255	50	37	43	12	3
Michigan	266	5,536	1,173	856	2,228	2,769	280	1,259	726	9	494	824	392	6,189	1,684	1,536	1,090	1,067	100
Urban places	168	3,250	648	455	1,285	1,537	152	891	450	5	290	582	241	3,817	697	821	640	967	86
Balance of area	98	2,286	525	401	943	1,232	128	368	276	4	204	242	151	2,372	987	715	450	100	14
Metropolitan counties	215	4,341	862	660	1,715	2,197	215	1,089	568	6	411	725	322	5,013	1,316	1,202	881	1,038	97
Urban places	160	3,100	593	438	1,212	1,470	143	878	429	5	279	566	237	3,650	671	780	606	963	85
Balance of area	55	1,241	269	222	503	727	72	211	159	1	132	159	85	1,363	645	422	275	75	12
Nonmetropolitan counties	51	1,195	291	196	513	572	65	170	138	3	83	99	70	1,176	368	334	209	29	3
Urban places	8	150	55	17	73	67	9	13	21	-	11	16	4	167	26	41	34	4	1
Balance of area	43	1,045	236	179	440	505	56	157	117	3	72	83	66	1,009	342	293	175	25	2
Alcona	1	7	1	3	5	4	-	-	-	-	-	-	2	4	1	3	-	2	-
Alger	2	7	3	1	6	5	-	-	1	-	1	-	-	7	3	4	1	-	1
Allegan	5	44	13	9	28	27	2	11	4	-	4	2	12	41	30	18	1	-	-
Holland, part	2	1	1	-	1	2	-	-	1	-	-	-	1	5	-	-	-	-	-
Balance of county	3	43	12	9	27	25	2	11	3	-	4	2	11	36	30	18	1	-	-
Alpena	1	18	1	7	14	8	3	4	2	-	1	2	-	22	7	8	6	-	-
Alpena	-	10	-	3	11	3	3	1	-	-	1	-	-	10	3	4	3	-	-
Balance of county	1	8	1	4	3	5	-	3	2	-	-	2	-	12	4	4	3	-	-
Antrim	1	15	6	3	10	6	1	-	2	-	-	1	1	10	7	3	3	1	-
Arenac	-	13	4	2	3	11	-	4	1	-	-	1	-	1	6	8	5	-	-
Baraga	2	15	-	2	6	-	-	3	-	-	-	-	-	4	6	4	-	-	-
Barry	1	17	5	2	13	17	1	3	5	-	2	2	4	32	20	11	1	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Bay	892	-	-	10	224	51	57	21	21	15	8	51	22	536	401	2	1	342	56
Bangor township#	117	-	-	3	24	5	4	3	3	2	-	7	4	59	41	-	-	34	7
Bay City	472	-	-	3	111	23	34	9	8	9	5	23	6	259	193	1	1	171	20
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	403	-	-	4	89	23	19	9	10	4	3	21	12	218	167	1	-	137	29
Benzie	146	-	-	-	31	5	8	4	3	2	4	5	4	73	45	1	-	34	10
Berrien	1,699	-	-	16	386	107	102	32	37	17	15	76	17	818	637	6	14	486	131
Benton Harbor	150	-	-	-	30	10	10	3	4	-	-	3	-	73	50	-	4	33	13
Niles	190	-	-	3	47	12	13	4	8	2	2	6	2	84	70	1	2	57	10
Balance of county	1,359	-	-	13	309	85	79	25	25	15	13	67	15	661	517	5	8	396	108
Branch	385	-	-	2	88	19	26	10	9	6	5	11	8	180	140	3	2	105	30
Calhoun	1,270	-	-	15	302	83	81	34	25	22	12	65	30	579	451	4	12	324	111
Albion	78	-	-	1	18	2	6	2	4	-	-	4	2	39	30	-	1	20	9
Battle Creek	601	-	-	6	134	31	31	18	10	10	6	28	17	283	214	3	6	151	54
Balance of county	591	-	-	8	150	30	44	14	11	12	6	33	11	257	207	1	5	153	48
Cass	443	-	-	2	103	29	29	8	11	5	8	13	4	210	177	2	4	142	29
Charlevoix	226	-	-	1	50	15	15	4	7	1	-	8	2	118	104	2	-	77	25
Cheboygan	245	-	-	2	66	26	21	4	6	1	1	7	4	124	103	-	1	80	22
Chippewa	280	-	-	4	62	14	15	4	10	3	1	15	11	149	127	2	2	109	14
Sault Ste. Marie	142	-	-	4	30	7	5	2	5	2	-	9	7	69	59	1	-	53	5
Balance of county	138	-	-	-	32	7	10	2	5	1	1	6	4	80	68	1	2	56	9
Clare	288	-	-	6	56	10	16	3	7	1	5	14	2	163	141	1	2	115	23
Clinton	380	-	-	1	92	21	21	7	4	8	7	24	8	179	136	2	2	110	22
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	380	-	-	1	92	21	21	7	4	8	7	24	8	179	136	2	2	110	22
Crawford	107	-	-	1	28	5	8	1	8	-	2	4	-	46	36	-	-	30	6
Delta	407	-	-	3	113	29	35	7	14	6	4	18	4	182	138	3	4	104	27
Escanaba	207	-	-	3	57	13	19	4	7	3	3	8	2	95	71	2	3	53	13
Balance of county	200	-	-	-	56	16	16	3	7	3	1	10	2	87	67	1	1	51	14
Dickinson	289	-	-	1	70	21	20	3	8	4	-	14	3	152	108	3	1	82	22
Eaton	557	-	-	5	112	24	29	12	16	2	5	24	12	232	181	-	2	142	37
Lansing, part	4	-	-	-	2	-	1	1	-	-	-	-	1	1	1	-	-	1	-
Balance of county	553	-	-	5	110	24	28	11	16	2	5	24	11	231	180	-	2	141	37
Emmet	250	-	-	1	52	16	15	4	2	3	2	10	2	124	102	2	1	82	17
Genesee	3,353	3	-	34	706	177	216	51	69	33	32	128	71	1,651	1,299	11	21	949	318
Burton	226	-	-	1	48	9	13	5	4	3	2	12	4	113	92	2	-	72	18
Flint	1,498	3	-	17	318	90	96	21	34	10	11	56	28	726	556	2	10	404	140
Flint township#	260	-	-	3	52	10	20	2	3	8	2	7	7	141	115	1	1	91	22
Genesee township#	117	-	-	1	25	8	5	1	2	-	3	6	4	57	45	-	2	29	14
Mount Morris township#	120	-	-	1	27	8	6	2	2	3	2	4	1	52	43	-	-	34	9
Balance of county	1,132	-	-	11	236	52	76	20	24	9	12	43	27	562	448	6	8	319	115
Gladwin	239	1	-	2	51	15	13	3	8	3	-	9	3	142	113	-	-	97	16
Gogebic	254	-	-	6	55	14	16	5	6	1	2	11	5	128	109	-	-	80	29
Grand Traverse	497	-	-	3	120	33	27	10	10	9	8	23	9	217	149	2	1	119	27
Traverse City	191	-	-	1	47	15	9	4	2	3	5	9	1	91	64	1	-	50	13
Balance of county	296	-	-	2	73	18	18	6	8	6	3	14	8	126	85	1	1	69	14
Gratiot	404	1	-	-	69	20	10	7	6	2	7	17	4	230	165	1	2	138	24
Hillsdale	381	-	-	4	68	13	22	7	10	5	2	9	13	186	151	3	5	110	33
Houghton	441	1	1	4	102	26	20	5	16	4	10	21	9	220	171	-	7	135	29
Huron	383	-	-	1	93	26	18	8	13	4	8	16	11	191	145	1	5	119	20
Ingham	1,713	1	-	20	369	83	94	35	41	22	12	82	53	805	646	6	14	420	206
East Lansing	140	1	-	1	25	7	6	2	2	1	1	6	3	68	55	1	-	36	18
Lansing, part	966	-	-	13	211	40	59	19	22	16	5	50	34	443	352	3	9	233	107
Lansing, total	970	-	-	13	213	40	60	20	22	16	5	50	35	444	353	3	9	234	107
Meridian township#	186	-	-	3	39	13	7	4	3	-	3	9	4	88	68	1	2	35	30
Balance of county	421	-	-	3	94	23	22	10	14	5	3	17	12	206	171	1	3	116	51
Ionia	418	-	-	1	94	24	23	6	10	3	4	24	5	190	142	-	4	106	32
Iosco	287	-	-	2	61	19	12	5	8	3	4	10	1	156	117	1	2	92	22
Iron	209	-	-	1	46	7	13	3	7	1	2	13	1	97	84	-	1	59	24
Isabella	337	-	-	6	72	22	17	2	6	1	5	19	8	181	144	1	-	126	17
Mount Pleasant	111	-	-	2	17	5	2	2	1	-	1	6	5	62	51	1	-	44	6
Balance of county	226	-	-	4	55	17	15	-	5	1	4	13	3	119	93	-	-	82	11
Jackson	1,228	1	-	20	270	69	86	22	24	9	10	50	17	596	466	7	42	292	125
Jackson	424	-	-	11	87	13	31	10	8	2	3	20	6	201	151	2	15	91	43
Balance of county	804	1	-	9	183	56	55	12	16	7	7	30	11	395	315	5	27	201	82
Kalamazoo	1,542	1	-	15	333	82	78	34	34	13	14	78	24	713	561	6	13	428	114
Kalamazoo	661	1	-	6	114	29	25	13	13	5	4	25	11	332	257	2	4	201	50
Kalamazoo township#	163	-	-	3	31	6	5	6	3	1	-	10	1	75	58	-	2	46	10
Portage	175	-	-	2	45	10	9	7	3	1	2	13	5	72	64	2	1	47	14
Balance of county	543	-	-	4	143	37	39	8	15	6	8	30	7	234	182	2	6	134	40
Kalkaska	98	-	-	1	25	5	8	2	4	-	2	4	3	44	30	-	-	23	7
Kent	3,453	1	1	24	782	199	185	78	77	33	42	170	38	1,726	1,321	13	74	853	381
East Grand Rapids	50	-	-	1	23	6	7	6	2	-	-	2	-	18	14	-	1	9	4
Grand Rapids	1,897	1	1	14	389	103	97	31	38	16	22	82	26	973	725	7	38	475	205
Grandville	60	-	-	-	19	4	2	3	6	-	1	3	-	32	23	-	2	16	5
Kentwood	130	-	-	-	39	7	7	7	4	2	3	9	2	63	46	-	4	27	15
Walker	88	-	-	-	21	8	6	1	2	1	2	1	1	37	30	-	-	22	8
Wyoming	323	-	-	4	92	24	25	9	8	4	3	19	2	148	116	1	9	70	36
Balance of county	905	-	-	5	199	47	41	19	17	10	11	54	7	455	367	5	20	234	108
Keweenaw	39	-	-	-	6	-	2	-	1	1	-	2	1	20	15	-	-	14	1
Lake	129	-	-	4	29	6	10	4	3	-	1	5	3	62	48	1	5	25	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Bay	2	86	38	9	12	35	1	17	12	-	6	10	2	54	16	19	12	4	-
Bangor township#	-	13	4	1	2	4	1	2	3	-	1	-	-	9	-	5	-	-	-
Bay City	2	40	20	4	5	19	-	10	7	-	3	5	1	22	3	9	5	4	-
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	33	14	4	5	12	-	5	2	-	2	8	1	23	13	5	7	-	-
Benzie	-	24	4	-	3	7	1	1	1	-	-	1	-	14	2	3	3	2	-
Berrien	7	134	28	12	44	78	6	22	22	-	9	15	3	147	46	37	24	9	-
Benton Harbor	2	16	4	1	5	4	-	4	1	-	1	6	1	10	4	5	2	4	-
Niles	-	11	3	-	8	13	1	2	3	-	-	1	-	20	4	1	-	1	-
Balance of county	5	107	21	11	31	61	5	16	18	-	8	8	2	117	38	31	22	4	-
Branch	3	29	4	4	17	14	-	10	3	-	4	-	3	28	15	9	4	-	-
Calhoun	3	85	23	17	42	47	4	11	13	1	6	13	11	109	30	26	18	12	1
Albion	-	8	-	1	5	2	-	-	1	-	1	2	1	4	1	-	1	-	-
Battle Creek	2	40	17	10	15	18	2	5	7	1	1	7	6	57	13	10	10	8	1
Balance of county	1	37	6	6	22	27	2	6	5	-	4	4	4	48	16	16	7	4	-
Cass	-	22	5	6	18	19	1	4	2	-	2	5	3	41	11	9	7	2	-
Charlevoix	1	9	-	4	3	10	1	-	-	-	1	1	3	25	4	5	1	1	-
Cheboygan	-	16	3	2	10	4	1	3	3	-	-	-	-	14	3	6	4	1	-
Chippewa	1	17	-	4	6	10	-	3	1	-	1	1	-	15	4	9	4	-	-
Sault Ste. Marie	-	10	-	-	2	6	-	2	1	-	-	1	-	12	-	5	3	-	-
Balance of county	1	7	-	4	4	4	-	1	-	-	1	-	-	3	4	4	1	-	-
Clare	1	14	2	5	5	13	1	7	3	-	-	1	3	16	7	4	1	-	-
Clinton	2	35	2	4	13	17	2	5	1	-	1	7	4	20	18	7	4	1	-
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	35	2	4	13	17	2	5	1	-	1	7	4	20	18	7	4	1	-
Crawford	-	8	1	1	4	5	2	1	2	-	-	-	-	12	3	2	1	-	-
Delta	-	31	6	7	16	11	2	7	2	-	7	4	2	33	7	8	6	-	-
Escanaba	-	19	2	3	10	7	1	1	2	-	3	2	1	17	1	2	3	-	-
Balance of county	-	12	4	4	6	4	1	6	-	-	4	2	1	16	6	6	3	-	-
Dickinson	1	32	5	6	12	7	2	3	5	-	2	-	2	20	4	3	3	-	-
Eaton	2	39	8	2	21	21	2	4	4	1	3	6	4	68	27	21	9	5	-
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	39	8	2	21	21	2	4	4	1	3	6	4	68	27	21	9	5	-
Emmet	-	20	-	2	9	9	1	4	1	-	3	1	-	21	9	7	6	-	-
Genesee	13	252	62	25	80	103	9	45	44	-	19	57	16	251	81	77	49	55	2
Burton	-	17	2	2	7	8	1	3	5	-	-	1	1	18	6	4	3	2	1
Flint	8	126	27	9	30	44	4	22	22	-	10	36	9	110	25	38	12	44	-
Flint township#	-	17	8	1	9	9	-	3	1	-	1	3	1	17	3	9	1	-	-
Genesee township#	-	7	5	-	3	5	1	2	1	-	1	2	1	8	2	1	2	1	-
Mount Morris township#	-	7	1	1	1	4	-	3	1	-	1	2	-	18	1	2	4	2	-
Balance of county	5	78	19	12	30	33	3	12	14	-	6	13	4	80	44	23	27	6	1
Gladwin	-	24	1	4	7	10	-	3	1	-	1	2	1	8	2	3	1	1	-
Gogebic	1	14	1	3	14	4	-	-	4	-	-	1	1	24	1	8	3	-	-
Grand Traverse	3	38	17	10	21	23	2	6	4	-	4	2	3	42	14	8	9	-	-
Traverse City	2	11	11	3	10	7	1	-	1	-	2	1	-	21	3	2	3	-	-
Balance of county	1	27	6	7	11	16	1	6	3	-	2	1	3	21	11	6	6	-	-
Gratiot	1	48	13	3	11	17	-	1	5	-	4	7	4	26	8	10	7	-	-
Hillsdale	1	24	6	4	17	21	3	4	1	-	1	4	2	25	10	15	6	1	-
Houghton	2	26	10	11	21	11	1	8	1	-	4	1	-	36	7	10	4	-	-
Huron	1	37	6	2	13	10	4	2	5	-	-	-	1	27	13	5	5	2	-
Ingham	6	122	17	14	56	52	4	13	10	-	16	28	10	154	46	46	23	7	-
East Lansing	-	12	-	1	6	2	1	2	2	-	1	1	-	16	5	4	1	1	-
Lansing, part	2	69	13	7	27	31	2	9	5	-	11	20	9	87	20	24	14	6	-
Lansing, total	2	69	13	7	27	31	2	9	5	-	11	20	9	87	20	24	14	6	-
Meridian township#	1	18	1	-	5	6	-	1	2	-	2	2	-	26	2	3	3	-	-
Balance of county	3	23	3	6	18	13	1	1	1	-	2	5	1	25	19	15	5	-	-
Ionia	1	31	7	9	8	23	5	5	5	-	5	3	5	36	16	13	3	1	-
Iosco	1	26	5	7	8	9	2	5	3	-	1	2	5	16	6	4	4	2	-
Iron	-	9	3	1	14	10	1	3	2	-	1	2	-	25	-	3	3	-	-
Isabella	3	23	7	4	4	8	2	3	5	-	4	1	2	21	11	5	3	1	-
Mount Pleasant	1	6	2	2	2	3	1	-	2	-	1	1	-	7	4	3	1	-	-
Balance of county	2	17	5	2	2	5	1	3	3	-	3	-	2	14	7	2	2	1	-
Jackson	6	92	28	14	35	54	10	15	11	-	7	14	4	90	31	33	11	9	-
Jackson	3	29	13	5	12	18	1	6	8	-	3	8	-	38	10	9	3	3	-
Balance of county	3	53	15	9	23	36	9	9	3	-	4	6	4	52	21	24	8	6	-
Kalamazoo	11	109	16	16	58	66	6	20	20	-	9	21	6	145	37	35	27	6	-
Kalamazoo	6	56	6	7	20	28	3	14	13	-	-	9	2	66	13	17	9	3	-
Kalamazoo township#	1	13	1	2	8	10	1	-	2	-	2	1	-	19	2	3	5	-	-
Portage	-	6	1	1	6	6	-	2	1	-	1	3	-	13	4	6	7	2	-
Balance of county	4	34	8	6	24	22	2	4	4	-	6	8	4	47	18	9	6	1	-
Kalkaska	-	8	5	3	3	4	-	-	-	-	-	1	1	11	3	1	1	-	-
Kent	10	279	71	45	129	113	10	24	31	-	18	42	23	281	69	85	41	21	-
East Grand Rapids	-	3	1	-	3	-	-	-	-	-	-	-	-	2	-	2	1	-	-
Grand Rapids	5	183	39	21	82	47	9	13	15	-	8	28	16	170	16	49	20	20	-
Grandville	-	5	1	3	2	1	-	-	1	-	-	-	-	4	-	1	-	-	-
Kentwood	-	13	3	1	2	4	-	2	1	-	-	-	1	9	2	3	2	-	-
Walker	-	3	2	2	4	8	1	-	1	-	-	2	-	7	4	1	1	-	-
Wyoming	2	23	5	2	8	17	-	2	6	-	5	1	1	21	7	5	4	-	-
Balance of county	3	49	20	16	22	36	-	7	7	-	5	11	5	68	40	24	13	1	-
Keweenaw	-	2	2	1	1	-	-	-	1	1	1	1	-	5	-	-	2	-	-
Lake	1	11	2	-	9	2	-	-	2	1	-	-	-	9	1	5	1	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Lapeer	460	-	-	8	106	22	25	8	16	2	4	29	13	215	174	1	1	132	40
Leelanau	146	-	-	1	32	9	12	1	3	2	3	2	4	73	64	-	1	48	15
Lenawee	706	-	-	9	180	35	63	16	16	9	7	34	12	335	248	3	1	185	59
Adrian	241	-	-	2	58	10	21	8	7	2	3	7	3	122	82	2	-	64	16
Balance of county	465	-	-	7	122	25	42	8	9	7	4	27	9	213	166	1	1	121	43
Livingston	675	1	-	7	132	25	42	14	18	8	4	21	7	363	319	2	3	256	59
Luce	94	-	-	-	16	3	5	-	2	-	2	4	4	49	39	-	-	32	7
Mackinac	118	-	-	-	23	9	3	4	5	1	-	1	3	62	50	-	2	43	5
Macomb	5,423	1	1	56	1,289	331	363	114	112	51	51	267	82	2,770	2,227	20	29	1,790	388
Clinton township#	354	-	-	7	76	20	25	7	3	4	2	15	8	174	137	-	1	113	23
East Detroit	357	-	-	7	84	26	19	5	8	3	5	18	6	197	152	2	3	116	31
Fraser	122	-	-	-	27	7	8	-	2	-	1	9	2	73	59	1	1	52	5
Harrison township#	145	-	-	2	35	5	15	1	2	-	1	11	2	79	65	1	-	50	14
Mount Clemens	393	-	-	2	84	27	26	3	11	2	2	13	1	200	162	1	3	127	31
Roseville	456	-	-	5	118	19	41	16	10	10	3	19	5	227	192	-	-	161	31
St. Clair Shores	766	1	1	6	185	56	46	22	12	7	9	33	10	411	327	6	7	256	58
Shelby township#	159	-	-	2	35	7	11	2	1	-	-	14	2	73	53	-	1	42	10
Sterling Heights	599	-	-	5	181	49	40	18	15	4	8	47	10	260	220	1	2	174	43
Warren	1,425	-	-	11	332	76	97	33	40	16	13	57	18	753	608	5	7	491	105
Balance of county	847	-	-	9	132	39	35	7	8	5	7	31	18	323	252	3	4	208	37
Manistee	249	-	-	-	50	14	12	4	6	1	2	11	2	136	96	-	2	76	18
Marquette	534	-	-	7	112	28	35	9	13	4	3	20	8	273	210	1	8	172	29
Marquette	194	-	-	3	43	14	9	5	4	2	1	8	4	87	61	1	-	48	12
Balance of county	340	-	-	4	69	14	26	4	9	2	2	12	4	186	149	-	8	124	17
Mason	322	-	-	1	72	21	14	7	11	2	4	13	4	168	128	2	2	102	22
Mecosta	272	-	-	3	63	18	20	2	8	2	1	12	2	137	111	1	2	78	30
Big Rapids	70	-	-	-	12	5	4	1	1	-	-	1	1	34	30	1	1	18	10
Balance of county	202	-	-	3	51	13	16	1	7	2	1	11	1	103	81	-	1	60	20
Menominee	269	2	-	-	58	12	19	2	6	3	1	15	11	130	97	1	3	64	29
Menominee	122	-	-	-	28	6	6	1	5	2	-	8	6	55	42	-	2	28	12
Balance of county	147	2	-	-	30	6	13	1	1	1	1	7	5	75	55	1	1	36	17
Midland	453	-	-	3	107	24	28	15	10	3	2	25	5	215	166	3	-	123	40
Midland, part	257	-	-	2	58	13	12	11	4	3	1	14	3	124	94	2	-	71	21
Midland, total	257	-	-	2	58	13	12	11	4	3	1	14	3	124	94	2	-	71	21
Balance of county	196	-	-	1	49	11	16	4	6	-	1	11	2	91	72	1	-	52	19
Missaukee	95	-	-	-	17	2	6	1	3	-	2	3	1	60	53	1	-	38	14
Monroe	993	1	-	9	237	46	77	27	19	10	10	48	21	465	380	7	8	278	87
Monroe	251	-	-	2	68	12	17	8	6	4	4	17	9	114	97	2	1	72	22
Balance of county	742	1	-	7	169	34	60	19	13	6	6	31	12	351	283	5	7	206	65
Montcalm	404	-	-	1	82	15	18	6	11	5	1	26	12	185	145	1	2	112	30
Montmorency	128	-	-	2	28	6	7	3	2	1	1	8	2	58	43	-	3	29	11
Muskegon	1,421	-	-	10	300	70	101	21	36	8	7	57	25	731	560	10	8	474	68
Muskegon	497	-	-	4	94	17	35	5	9	4	1	23	11	257	188	6	4	156	22
Muskegon Heights	157	-	-	-	37	11	15	-	3	-	1	7	2	86	74	-	2	61	11
Norton Shores	125	-	-	3	32	6	9	7	2	-	2	6	2	55	42	1	-	38	5
Balance of county	642	-	-	3	137	36	42	9	22	4	3	21	10	333	256	3	2	221	30
Newaygo	319	-	-	3	70	17	20	5	12	6	1	9	3	163	123	-	-	92	31
Oakland	7,761	5	-	89	1,752	413	478	178	188	68	80	349	137	3,883	3,143	31	62	2,398	652
Avon township#	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berkley	160	-	-	3	45	11	14	3	3	2	1	11	3	77	66	2	-	51	13
Beverly Hills	76	1	-	1	21	6	5	1	3	-	2	4	1	35	29	-	1	21	7
Birmingham	244	-	-	4	59	14	9	4	8	2	4	12	5	129	100	2	2	75	21
Bloomfield township#	236	-	-	2	57	14	13	10	4	3	1	12	4	102	86	-	3	61	22
Clawson	125	-	-	1	34	6	10	6	3	-	1	8	1	62	51	-	1	42	8
Farmington	167	1	-	1	34	14	10	3	1	1	3	2	4	93	80	1	1	56	20
Farmington Hills	451	-	-	6	101	27	28	8	10	7	3	18	10	238	194	4	2	146	42
Ferndale	296	-	-	-	70	18	19	7	6	3	3	14	6	136	110	1	2	73	34
Hazel Park	203	-	-	3	53	5	23	5	5	1	1	13	1	98	82	4	1	55	22
Madison Heights	249	-	-	2	61	9	17	7	9	3	4	12	7	117	102	1	4	86	11
Novi	141	-	-	2	26	6	6	2	4	1	-	7	-	77	64	-	-	43	21
Oak Park	302	1	-	2	77	26	17	7	9	2	6	10	7	146	124	3	2	95	24
Pontiac	678	1	-	8	130	33	33	9	19	6	5	25	14	314	244	-	6	185	53
Royal Oak	645	-	-	8	148	41	42	10	13	3	5	34	11	331	258	4	7	190	57
Southfield	848	-	-	16	169	38	39	26	23	4	7	32	14	482	375	5	6	281	83
Troy	379	-	-	7	94	17	26	9	11	4	6	21	4	191	158	-	3	128	29
West Bloomfield township#	204	-	-	-	60	16	13	9	4	2	2	14	-	90	75	-	2	61	12
Balance of county	2,356	1	-	23	519	112	154	52	53	22	26	100	45	1,165	945	4	19	749	173
Oceana	185	-	-	-	38	10	5	-	6	5	2	8	6	87	72	1	6	55	10
Ogemaw	196	-	-	-	40	9	10	4	5	2	2	8	3	114	79	-	2	69	8
Ontonagon	127	-	-	-	31	11	9	2	-	2	1	6	2	67	46	-	-	42	4
Osceola	188	-	-	-	37	9	8	5	8	2	-	5	2	102	81	-	-	73	8
Oscoda	86	-	-	-	20	8	4	-	5	2	-	1	3	44	32	1	2	24	5
Otsego	167	-	-	-	53	16	16	3	10	-	2	6	-	78	66	1	2	29	34
Ottawa	1,074	-	-	10	234	49	46	17	26	14	12	70	12	531	388	2	6	306	74
Georgetown township#	78	-	-	-	20	2	6	-	2	-	1	9	-	37	24	1	-	17	6
Grand Haven	155	-	-	1	29	3	8	1	3	3	2	9	-	85	67	-	2	45	20
Holland, part	222	-	-	2	47	16	8	2	3	4	1	13	3	114	82	1	1	62	18
Holland, total	258	-	-	2	58	18	11	4	4	4	1	16	3	129	93	1	1	70	21
Balance of county	619	-	-	7	138	28	24	14	18	7	8	39	9	295	215	-	3	182	30

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix].

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
Michigan—Con.																			
Lapeer	2	29	6	4	4	17	-	1	6	-	4	4	3	40	23	7	8	1	-
Leelanau	1	5	1	2	1	5	-	-	1	-	-	-	2	15	6	2	2	2	-
Lenawee	3	59	17	8	23	29	6	1	4	-	3	5	1	54	15	14	15	-	-
Adrian	1	25	11	3	7	9	-	-	1	-	1	1	-	19	4	7	7	-	-
Balance of county	2	34	6	5	16	20	6	1	3	-	2	4	1	35	11	7	8	-	-
Livingston	3	30	4	7	12	16	4	9	2	-	5	5	1	46	37	13	10	5	-
Luce	-	3	4	3	4	3	-	2	3	-	1	2	-	7	-	1	2	-	-
Mackinac	-	9	-	3	3	6	-	1	1	-	-	-	-	10	5	3	1	-	-
Macomb	23	372	86	62	141	180	18	108	45	-	44	40	17	362	81	64	89	32	3
Clinton township#	2	29	1	5	8	15	1	9	1	-	4	1	-	27	11	3	6	3	-
East Detroit	1	31	4	8	8	7	1	7	4	-	3	1	1	19	5	2	4	1	-
Fraser	1	9	3	1	3	3	1	1	1	-	1	-	-	4	1	2	1	2	-
Harrison township#	-	10	3	1	2	2	-	3	-	-	-	1	1	10	2	4	2	-	-
Mount Clemens	1	30	5	2	11	12	2	7	4	-	4	5	1	39	9	4	6	2	-
Roseville	2	22	5	6	14	14	1	7	5	-	3	1	1	34	4	5	11	1	-
St. Clair Shores	2	61	11	10	19	38	5	13	4	-	4	4	2	38	5	4	12	3	1
Shelby township#	2	14	2	2	6	3	-	3	-	-	-	1	1	13	8	4	6	1	1
Sterling Heights	2	27	5	6	14	16	1	12	6	-	6	7	3	43	8	11	9	7	-
Warren	5	90	35	15	41	44	2	31	14	-	13	10	1	97	14	9	28	9	-
Balance of county	5	49	12	5	15	26	4	15	6	-	6	9	6	38	14	16	6	3	1
Manistee	-	27	11	2	8	6	2	3	2	-	2	4	-	25	4	3	2	-	-
Marquette	2	45	14	2	16	8	1	7	6	-	5	7	-	47	12	10	10	4	1
Marquette	1	17	8	-	6	3	1	-	5	-	2	2	-	18	5	5	6	3	1
Balance of county	1	28	6	2	10	5	-	7	1	-	3	5	-	29	7	5	4	1	-
Mason	2	27	7	4	11	15	1	2	4	-	3	1	-	27	4	5	2	2	-
Mecosta	-	16	5	5	7	8	1	2	1	-	4	5	1	22	3	7	6	-	-
Big Rapids	-	3	1	-	4	4	-	-	1	-	-	2	-	8	1	2	1	-	-
Balance of county	-	13	4	5	3	4	1	2	-	-	4	3	1	14	2	5	5	-	-
Menominee	2	19	11	1	3	14	1	2	2	-	-	2	3	24	2	9	5	1	-
Menominee	-	10	3	-	2	6	1	2	1	-	-	2	1	10	-	5	2	1	-
Balance of county	2	9	8	1	1	8	-	-	1	-	-	-	2	14	2	4	3	-	-
Midland	-	31	12	6	9	18	1	8	8	-	1	2	-	45	13	6	12	-	-
Midland, part	-	20	7	3	6	12	-	5	3	-	1	2	-	30	3	3	5	-	-
Midland, total	-	20	7	3	6	12	-	5	3	-	1	2	-	30	3	3	5	-	-
Balance of county	-	11	5	3	3	6	1	3	5	-	-	-	-	15	10	3	7	-	-
Missaukee	-	3	4	-	3	1	-	-	1	1	-	-	-	9	-	-	2	-	-
Monroe	-	68	7	10	29	57	1	6	7	-	6	6	2	73	29	23	17	3	1
Monroe	-	17	-	-	8	11	-	4	1	-	1	2	-	20	3	6	2	-	-
Balance of county	-	51	7	10	21	46	1	2	6	-	5	4	2	53	26	17	15	3	1
Montcalm	1	34	3	2	20	17	4	5	2	-	8	3	4	37	9	9	6	-	-
Montmorency	-	9	-	6	4	8	-	1	2	-	-	1	-	10	6	3	3	-	-
Muskegon	4	127	26	14	43	62	6	18	4	-	8	8	5	118	30	33	12	7	1
Muskegon	3	52	11	3	17	22	1	10	2	-	1	6	3	44	7	8	4	5	1
Muskegon Heights	1	9	-	2	3	7	1	3	-	-	2	1	-	8	4	3	-	-	-
Norton Shores	-	9	2	2	4	5	-	1	-	-	1	-	1	13	1	3	3	1	-
Balance of county	-	57	13	7	19	28	4	4	2	-	4	1	1	53	18	19	5	1	-
Newaygo	1	34	1	4	6	17	3	2	3	-	1	3	-	25	11	5	4	-	-
Oakland	21	524	103	92	161	269	30	103	64	2	52	85	34	553	182	135	134	65	26
Avon township#	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Berkley	-	8	3	-	1	4	1	1	-	-	1	1	2	13	3	2	1	-	2
Beverly Hills	-	6	-	-	5	-	-	2	-	-	-	-	-	8	-	1	1	-	-
Birmingham	-	18	3	8	4	8	-	3	1	-	2	-	1	22	3	7	-	-	2
Bloomfield township#	-	13	2	1	15	9	2	4	2	-	-	4	-	21	2	5	5	1	1
Clawson	-	10	1	-	2	3	1	3	-	-	-	1	1	6	4	1	5	-	-
Farmington	-	9	3	1	6	4	-	1	2	-	1	-	2	14	1	1	1	1	-
Farmington Hills	-	30	4	10	7	10	3	8	5	-	2	7	-	29	6	6	10	2	1
Ferndale	-	19	1	6	2	13	3	4	3	-	5	5	1	27	6	8	4	3	-
Hazel Park	2	12	2	-	2	5	-	4	2	-	2	3	4	14	2	3	4	3	-
Madison Heights	1	5	5	4	5	7	-	3	1	1	-	4	-	18	5	8	6	3	1
Novi	-	8	4	1	4	5	1	2	-	-	1	1	1	11	4	-	3	2	1
Oak Park	-	20	2	-	8	4	2	3	1	1	4	4	1	21	2	6	6	3	2
Pontiac	4	47	12	7	17	31	3	9	8	-	5	19	4	42	18	13	16	19	7
Royal Oak	-	54	8	11	13	31	2	9	2	-	4	5	3	51	6	10	5	5	1
Southfield	3	88	8	8	20	20	2	6	8	-	5	6	1	60	11	10	9	7	2
Troy	3	22	5	3	7	13	1	3	2	-	1	6	2	22	14	3	6	3	-
West Bloomfield township#	-	11	2	2	2	7	1	-	-	-	-	1	-	16	10	8	9	2	-
Balance of county	8	144	38	30	40	95	8	38	27	-	19	18	10	158	85	45	43	11	6
Oceana	-	8	4	3	9	6	-	5	2	-	3	-	1	12	5	7	4	2	-
Ogemaw	1	23	10	1	5	5	-	2	-	-	1	-	-	14	5	3	3	1	-
Ontonagon	-	10	7	4	3	8	-	4	-	-	-	-	-	9	1	-	1	1	-
Osceola	-	13	5	3	4	8	2	3	2	-	-	-	1	20	1	2	4	-	-
Oscoda	-	9	2	1	3	1	-	2	1	-	-	1	1	6	1	2	1	-	-
Otsego	-	9	2	1	6	5	1	1	2	-	-	2	-	12	3	1	3	-	-
Ottawa	4	94	30	15	43	24	4	11	6	-	7	9	10	100	29	31	12	1	-
Georgetown township#	-	8	3	2	3	3	-	1	-	-	1	-	1	9	1	2	-	-	-
Grand Haven	-	15	1	2	6	4	2	1	-	-	1	-	1	20	-	4	1	-	-
Holland, part	3	19	7	3	11	5	1	2	-	-	-	1	3	23	5	2	2	1	-
Holland, total	5	20	8	3	12	7	1	2	1	-	-	1	4	28	5	2	2	1	-
Balance of county	1	52	19	8	23	12	1	7	6	-	5	8	5	48	23	23	9	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Presque Isle	143	-	-	1	22	7	6	3	2	-	2	2	-	60	66	1	3	56	8
Roscommon	222	-	-	2	70	16	26	6	9	3	2	8	5	109	80	-	-	60	20
Saginaw	1,727	1	-	15	390	120	93	26	30	18	12	93	27	841	649	3	10	513	123
Saginaw	723	1	-	4	153	49	38	9	12	9	6	30	13	339	267	2	7	210	48
Saginaw township#	313	-	-	3	80	23	19	7	7	5	-	19	6	148	115	1	3	90	21
Balance of county	691	-	-	8	157	48	36	10	11	2	6	44	8	354	267	-	-	213	54
St. Clair	1,265	1	-	14	291	82	84	26	29	10	11	49	99	581	455	5	25	335	90
Port Huron	348	1	-	3	74	21	23	2	11	3	-	14	14	161	126	2	12	92	20
Balance of county	917	-	-	11	217	61	61	24	18	7	11	35	25	420	329	3	13	243	70
St. Joseph	523	-	-	4	121	27	26	11	17	7	3	30	10	232	177	3	2	143	29
Sanilac	431	-	-	2	103	27	20	12	11	8	6	19	9	233	192	-	-	150	42
Schoolcraft	113	-	-	-	30	13	6	3	3	-	-	5	5	51	41	-	-	39	8
Shiawassee	489	1	-	3	100	20	30	10	10	4	5	21	16	234	173	1	3	127	42
Owosso	170	1	-	2	38	11	12	3	4	3	1	4	5	86	62	-	1	44	17
Balance of county	319	-	-	1	62	9	18	7	6	1	4	17	11	148	111	1	2	83	25
Tuscola	434	-	-	2	102	36	25	8	7	2	7	17	7	214	168	-	1	112	55
Van Buren	610	-	-	8	127	40	33	7	10	8	7	22	18	301	235	5	6	181	43
Washtenaw	1,462	1	-	12	317	72	72	33	34	21	12	73	27	665	514	6	10	397	101
Ann Arbor	478	1	-	5	110	23	24	12	11	8	4	28	14	213	155	3	4	114	34
Ypsilanti	181	-	-	1	41	10	12	4	3	1	6	5	2	79	62	1	2	50	9
Ypsilanti township#	225	-	-	2	46	8	8	5	7	5	1	12	3	100	84	1	1	67	15
Balance of county	578	-	-	4	120	31	28	12	13	7	1	28	8	273	213	1	3	166	43
Wayne	22,738	23	-	330	4,734	1,255	1,382	424	530	176	166	801	393	10,883	8,872	65	311	5,516	3,080
Allen Park	342	-	-	4	83	29	20	8	9	1	3	13	6	183	148	2	2	103	41
Canton township#	185	1	-	3	47	11	18	3	6	-	2	7	2	79	66	-	1	45	20
Dearborn	1,035	-	-	12	231	62	61	20	25	12	6	45	18	557	463	5	8	338	112
Dearborn Heights	590	-	-	3	174	42	55	18	14	5	9	31	8	269	219	-	12	135	72
Detroit	13,080	19	-	219	2,513	708	732	212	305	77	85	394	249	6,035	4,966	36	213	2,732	1,985
Ecorse	146	-	-	1	34	10	12	3	2	-	1	6	3	69	55	-	-	39	16
Garden City	219	-	-	5	62	16	23	7	3	2	2	9	4	99	83	-	2	52	29
Grosse Pointe Farms	105	-	-	1	29	5	10	5	4	-	1	4	-	52	40	-	-	30	10
Grosse Pointe Park	128	-	-	2	35	4	12	4	4	1	2	8	2	61	43	1	2	30	10
Grosse Pointe Woods	182	-	-	1	58	13	11	6	8	4	2	12	1	89	71	-	1	52	18
Hamtramck	319	-	-	3	64	18	22	5	5	1	1	12	5	161	120	3	2	81	34
Harper Woods	252	-	-	2	66	19	16	4	9	4	1	13	4	139	111	1	2	86	22
Highland Park	342	-	-	6	56	13	16	7	5	2	1	12	7	148	118	-	5	59	54
Inkster	313	-	-	4	59	13	15	7	7	1	1	15	6	141	123	-	5	70	48
Lincoln Park	433	-	-	-	100	28	29	11	6	4	3	19	7	229	184	1	2	140	41
Livonia	819	-	-	10	167	40	55	19	17	7	3	26	6	449	386	4	11	275	96
Melvindale	110	-	-	1	31	9	5	3	4	2	1	7	1	50	41	-	2	28	11
Plymouth township#	119	-	-	-	33	7	6	2	5	3	2	8	2	62	52	1	1	33	17
Redford township#	545	-	-	5	112	28	35	5	12	9	7	16	6	311	272	1	6	202	63
River Rouge	150	-	-	4	30	5	7	3	8	1	2	4	5	61	50	-	2	29	19
Riverview	129	-	-	3	25	6	9	-	4	1	-	5	-	72	61	1	-	51	9
Romulus	174	-	-	2	39	8	15	3	2	1	2	8	7	80	71	1	1	48	21
Southgate	237	-	-	4	67	17	17	6	6	6	2	13	4	117	95	-	3	68	24
Taylor	487	2	-	9	105	22	28	9	10	7	5	24	7	201	160	-	6	108	46
Trenton	180	1	-	2	46	7	13	9	8	-	2	7	-	90	67	1	-	54	12
Wayne	190	-	-	4	38	5	11	5	2	3	4	8	3	102	89	-	1	58	30
Westland	634	-	-	8	134	27	41	12	12	5	8	29	10	335	289	2	12	199	76
Woodhaven	46	-	-	-	14	2	2	5	2	-	1	2	-	18	15	1	-	6	8
Wyandotte	384	-	-	5	88	27	29	1	9	2	1	19	5	203	163	1	1	115	46
Balance of county	861	-	-	7	194	54	57	20	17	15	6	25	15	420	351	3	8	250	90
Wexford	276	-	-	1	52	16	16	5	3	6	1	5	1	142	93	-	3	63	27
Cadillac	131	-	-	1	18	6	3	3	-	3	-	3	-	71	43	-	1	29	13
Balance of county	145	-	-	-	34	10	13	2	3	3	1	2	1	71	50	-	2	34	14
Minnesota	34,801	15	3	283	7,563	2,034	1,673	759	870	350	353	1,524	560	16,463	12,160	100	169	8,741	3,150
Urban places	18,186	10	2	158	4,008	1,082	894	432	427	191	185	797	310	8,405	6,175	64	105	4,505	1,501
Balance of area	16,615	5	1	125	3,555	952	779	327	443	159	168	727	250	8,058	5,985	36	64	4,236	1,649
Metropolitan counties	20,253	11	3	168	4,486	1,197	1,031	471	480	207	202	898	340	9,251	6,841	66	123	4,963	1,689
Urban places	15,416	10	2	135	3,412	916	768	370	356	165	150	687	269	7,025	5,165	55	87	3,794	1,219
Balance of area	4,837	1	1	31	1,074	281	263	101	124	42	52	211	72	2,226	1,676	11	26	1,169	470
Nonmetropolitan counties	14,548	4	-	117	3,077	837	642	288	390	143	151	626	220	7,212	5,319	34	46	3,778	1,461
Urban places	2,770	-	-	23	596	166	126	62	71	26	35	110	42	1,380	1,010	9	6	711	282
Balance of area	11,778	4	-	94	2,481	671	516	226	319	117	116	516	178	5,832	4,309	25	38	3,067	1,179
Aitkin	201	-	-	-	49	18	11	5	6	3	1	7	1	95	72	-	2	60	10
Anoka	922	-	-	7	231	55	61	22	29	6	8	50	13	398	307	1	6	232	68
Anoka	113	-	-	-	29	5	4	6	5	2	-	7	2	50	42	1	1	30	10
Blaine, part	80	-	-	1	23	6	10	1	1	-	2	3	3	34	26	-	-	21	5
Blaine, total	80	-	-	1	23	6	10	1	1	-	2	3	3	34	26	-	-	21	5
Columbia Heights	174	-	-	2	39	10	10	3	3	1	3	9	4	82	71	-	3	54	14
Coon Rapids	175	-	-	1	46	9	13	4	8	2	1	9	1	79	57	-	2	42	13
Fridley	157	-	-	2	43	11	12	3	6	1	1	9	2	71	52	-	-	42	10
Ramsey	19	-	-	-	4	1	1	1	-	-	-	1	-	5	3	-	-	1	2
Balance of county	204	-	-	1	47	13	11	4	6	-	1	12	1	77	56	-	-	42	14
Becker	275	-	-	3	59	16	7	8	11	3	3	11	1	135	101	-	-	86	15
Beltrami	245	1	-	3	60	20	15	2	8	2	3	10	1	126	88	-	1	76	11
Bemidji	116	-	-	2	28	10	8	-	5	1	2	2	1	61	44	-	-	39	5
Balance of county	129	1	-	1	32	10	7	2	3	1	1	8	-	65	44	-	1	37	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Presque Isle	-	8	3	1	4	4	1	3	2	-	-	1	-	18	2	5	-	-	-
Roscommon	-	25	2	2	7	8	-	2	2	-	-	-	-	9	2	3	3	-	-
Saginaw	5	130	31	26	45	66	5	27	18	-	16	31	4	119	33	42	23	24	-
Saginaw	4	53	5	10	19	22	2	15	8	-	9	22	2	59	8	22	7	18	-
Saginaw township#	1	23	3	6	11	22	2	1	2	-	1	2	-	21	4	5	3	2	-
Balance of county	-	54	23	10	15	22	1	11	8	-	6	7	2	39	21	15	13	4	-
St. Clair	1	92	9	24	54	57	2	18	7	-	9	12	4	109	33	18	12	3	1
Port Huron	1	28	1	5	11	13	1	5	1	-	1	6	2	34	5	9	5	1	1
Balance of county	-	64	8	19	43	44	1	13	6	-	8	6	2	75	28	9	7	2	-
St. Joseph	4	37	14	-	8	30	5	5	6	-	2	4	2	50	19	16	7	2	-
Sanilac	-	34	1	8	6	18	2	5	6	-	-	-	-	23	12	11	1	-	-
Schoolcraft	-	7	-	3	6	4	-	1	1	-	-	-	-	10	-	5	-	-	-
Shiawassee	2	50	7	2	18	23	3	5	6	-	3	3	1	34	18	8	11	2	-
Owosso	1	22	1	-	6	5	1	2	2	-	2	1	1	10	3	1	3	1	-
Balance of county	1	28	6	2	12	18	2	3	4	-	1	2	-	24	15	7	8	1	-
Tuscola	-	37	6	3	8	14	-	2	5	-	4	8	2	27	19	15	5	-	-
Van Buren	2	46	6	12	16	21	2	6	4	-	6	4	1	49	16	16	12	3	-
Washtenaw	7	103	23	18	48	59	12	11	13	-	15	16	15	130	35	32	37	15	2
Ann Arbor	4	40	8	6	11	23	5	1	4	-	8	9	3	34	7	8	15	6	1
Ypsilanti	1	13	1	2	2	5	2	4	2	-	2	2	3	22	1	4	5	3	1
Ypsilanti township#	1	11	3	1	6	13	2	1	3	-	1	1	4	18	7	8	7	3	-
Balance of county	1	39	11	9	29	18	3	5	4	-	4	4	5	56	20	12	10	3	-
Wayne	77	1,397	235	202	587	714	68	577	226	2	132	284	132	1,861	328	363	278	743	60
Allen Park	1	28	3	3	9	12	-	6	2	-	-	1	1	26	4	-	5	-	-
Canton township#	1	11	1	-	4	8	1	2	-	-	3	5	2	13	6	5	5	-	1
Dearborn	2	67	10	15	30	37	6	19	5	-	1	2	-	73	8	11	12	10	3
Dearborn Heights	3	35	6	6	16	24	3	6	2	-	2	1	1	49	6	9	8	8	1
Detroit	50	795	143	81	341	358	28	397	150	2	86	205	87	1,164	188	226	139	632	42
Ecorse	1	9	2	2	1	9	-	5	2	-	-	-	-	15	1	3	3	2	-
Garden City	-	14	1	1	4	7	-	3	-	-	-	1	1	18	5	4	3	2	1
Grosse Pointe Farms	-	10	-	2	2	2	-	-	1	-	-	-	-	8	1	1	4	3	1
Grosse Pointe Park	-	14	3	1	4	1	1	5	-	-	1	3	-	10	1	1	-	1	-
Grosse Pointe Woods	1	10	3	4	6	6	-	-	2	-	1	-	1	11	1	1	2	2	-
Hamtramck	1	30	6	4	8	11	2	7	5	-	1	4	2	27	4	7	3	5	-
Harper Woods	-	21	3	4	5	3	-	2	1	-	1	2	2	14	-	7	3	-	1
Highland Park	2	22	2	4	12	8	-	8	1	-	2	8	3	43	4	3	7	26	-
Inkster	-	15	-	3	8	13	1	13	6	-	-	4	4	24	7	8	6	9	-
Lincoln Park	-	32	6	7	10	16	3	9	4	-	4	6	2	23	3	7	5	4	1
Livonia	-	49	7	7	35	23	-	9	5	-	3	3	3	75	7	6	18	2	-
Melvindale	-	4	1	4	3	3	1	3	2	-	1	-	-	7	-	5	-	-	2
Plymouth township#	-	8	-	2	1	4	-	1	-	-	-	-	2	9	3	1	1	-	-
Redford township#	3	25	2	9	9	23	2	8	6	-	4	2	1	34	7	5	6	4	-
River Rouge	-	10	1	-	3	10	1	7	4	-	1	3	1	8	3	1	4	4	-
Riverview	-	8	1	2	2	3	1	3	2	-	3	1	-	12	1	-	1	-	-
Romulus	-	8	-	1	2	6	-	1	1	-	1	3	4	13	9	2	2	2	-
Southgate	1	13	1	7	4	5	1	6	3	-	-	2	-	12	2	4	4	1	1
Taylor	5	17	11	8	13	33	4	11	4	-	2	10	8	41	10	9	10	7	1
Trenton	-	15	7	1	5	7	1	2	4	-	2	-	-	8	3	5	3	1	-
Wayne	-	9	1	3	6	7	2	3	-	-	-	2	-	11	7	1	2	2	-
Westland	3	36	2	5	21	21	1	11	5	-	4	3	1	51	7	8	7	6	1
Woodhaven	-	2	2	-	-	1	-	1	-	-	1	1	1	4	3	-	-	1	-
Wyandotte	1	26	6	7	8	15	-	14	2	-	-	3	1	22	3	6	4	4	1
Balance of county	2	54	4	9	15	40	9	15	7	-	8	9	4	56	24	17	13	5	3
Wexford	1	33	13	2	17	13	1	4	4	-	1	4	2	18	8	4	4	-	-
Cadillac	1	18	9	-	12	5	1	2	3	-	-	2	1	10	2	3	-	-	-
Balance of county	-	15	4	2	5	8	-	2	1	-	1	2	1	8	6	1	4	-	-
Minnesota	171	3,152	542	438	1,413	1,195	114	333	307	3	216	241	809	3,138	676	671	458	88	51
Urban places	109	1,620	259	242	739	648	57	203	144	2	118	141	491	1,697	247	437	265	71	33
Balance of area	62	1,532	283	196	674	547	57	130	163	1	98	100	318	1,441	429	434	194	17	18
Metropolitan counties	114	1,733	287	276	762	694	71	225	178	2	148	167	554	1,868	370	536	315	69	37
Urban places	92	1,345	211	212	596	545	51	181	131	2	106	124	440	1,441	225	393	236	64	29
Balance of area	22	388	76	64	166	149	20	44	47	-	42	43	114	427	145	143	79	5	8
Nonmetropolitan counties	57	1,419	255	162	651	501	43	108	129	1	68	74	255	1,270	306	335	144	19	14
Urban places	17	275	48	30	143	103	6	22	13	-	12	17	51	256	22	44	29	7	4
Balance of area	40	1,144	207	132	508	398	37	86	116	1	56	57	204	1,014	284	291	115	12	10
Aitkin	-	16	6	1	8	10	1	-	-	-	-	-	1	16	8	9	3	-	-
Anoka	4	59	13	15	32	32	1	14	5	-	6	25	12	69	29	22	23	1	2
Anoka	-	4	1	3	3	3	-	-	2	-	1	2	1	11	2	6	-	-	1
Blaine, part	-	6	1	1	-	4	-	-	-	-	1	4	-	3	3	1	3	-	-
Blaine, total	-	6	1	1	-	4	-	-	-	-	1	4	-	3	3	1	3	-	-
Columbia Heights	1	8	-	2	8	5	1	4	1	-	1	-	3	20	-	3	1	-	-
Coon Rapids	1	13	5	3	7	6	-	6	-	-	1	5	1	12	4	2	3	1	-
Fridley	1	12	5	1	6	5	-	2	1	-	1	2	1	9	3	3	5	-	1
Ramsey	1	-	1	-	1	2	-	-	-	-	1	-	1	1	3	-	1	-	-
Balance of county	-	16	-	5	7	7	-	2	1	-	-	12	5	13	14	7	10	-	-
Becker	-	28	5	1	12	6	-	2	2	-	-	1	2	30	16	4	2	-	-
Beltrami	4	28	6	-	4	9	1	3	2	-	1	-	3	16	5	7	2	1	-
Bemidji	1	11	5	-	3	6	-	1	-	-	-	-	1	9	1	2	-	1	-
Balance of county	3	17	1	-	1	3	1	2	2	-	1	-	2	7	4	5	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Benton	215	-	-	-	34	9	9	3	5	-	-	8	8	123	98	2	2	71	23
St. Cloud, part	38	-	-	-	7	5	1	-	-	-	-	1	2	21	15	1	-	11	3
Balance of county	177	-	-	-	27	4	8	3	5	-	-	7	6	102	83	1	2	60	20
Big Stone	110	-	-	1	22	2	2	1	4	3	4	6	1	55	39	1	-	26	12
Blue Earth	390	-	-	5	97	30	19	11	11	5	5	16	9	179	128	-	-	103	25
Mankato, part	213	-	-	1	62	21	14	6	4	3	4	10	5	98	68	-	-	55	13
Mankato, total	215	-	-	1	63	22	14	6	4	3	4	10	5	99	68	-	-	55	13
Balance of county	177	-	-	4	35	9	5	5	7	2	1	6	4	81	60	-	-	48	12
Brown	299	-	-	1	67	19	18	10	6	2	2	12	3	146	107	1	-	88	18
New Ulm	116	-	-	1	25	10	6	3	1	1	1	3	1	59	44	1	-	35	8
Balance of county	183	-	-	-	42	9	10	7	5	1	1	9	2	87	63	-	-	53	10
Carlton	282	-	-	1	58	11	16	6	7	4	4	10	4	140	88	-	-	69	19
Cloquet	115	-	-	1	26	6	4	5	4	3	1	3	1	62	40	-	-	33	7
Balance of county	167	-	-	-	32	5	12	1	3	1	3	7	3	78	48	-	-	36	12
Carver	263	-	-	1	46	13	10	5	5	1	1	11	10	126	92	1	1	73	17
Cass	301	-	-	3	56	16	15	1	4	3	4	13	5	137	101	-	1	66	34
Chippewa	172	-	-	1	32	13	7	4	5	-	1	2	3	63	57	-	1	36	20
Chisago	227	-	-	-	54	13	18	2	2	1	7	11	2	101	73	-	1	42	30
Clay	371	-	-	3	85	23	18	7	7	5	5	20	4	181	130	1	1	78	50
Moorhead	206	-	-	2	45	14	9	4	1	3	4	10	-	99	68	1	1	36	30
Balance of county	165	-	-	1	40	9	9	3	6	2	1	10	4	82	62	-	-	42	20
Clearwater	104	-	-	-	18	2	4	1	3	2	-	6	1	61	47	1	-	41	5
Cook	37	-	-	-	7	4	-	-	2	-	-	1	-	20	15	-	-	10	5
Cottonwood	162	-	-	2	33	8	7	3	4	2	4	5	-	84	74	-	2	57	15
Crow Wing	428	-	-	3	96	29	23	6	7	3	7	21	4	219	165	-	1	112	52
Brainerd	180	-	-	-	26	9	6	2	2	-	3	4	2	109	82	-	1	54	27
Balance of county	248	-	-	3	70	20	17	4	5	3	4	17	2	110	83	-	-	58	25
Dakota	1,077	-	-	5	266	61	61	36	27	12	11	58	17	448	333	4	5	245	79
Apple Valley	70	-	-	-	16	3	4	3	1	-	2	3	1	28	17	-	1	7	9
Burnsville	111	-	-	-	34	10	8	2	1	3	1	9	2	31	22	-	-	12	10
Eagan	70	-	-	2	19	2	7	1	3	1	1	4	1	21	17	-	-	10	7
Hastings, part	125	-	-	-	27	7	4	3	7	-	1	5	2	46	32	-	-	27	5
Hastings, total	126	-	-	-	27	7	4	3	7	-	1	5	2	47	33	-	-	28	5
Inver Grove Heights	88	-	-	-	17	1	6	4	1	1	1	3	3	46	41	-	-	35	6
Lakeville	42	-	-	-	11	4	2	4	-	-	1	-	-	14	9	1	1	4	3
Northfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South St. Paul	178	-	-	1	44	9	7	3	4	5	2	14	5	75	58	-	-	46	12
West St. Paul	238	-	-	1	53	10	16	7	4	1	2	13	2	120	95	2	3	75	15
Balance of county	155	-	-	1	45	15	7	9	6	1	-	7	1	67	42	1	-	29	12
Dodge	125	-	-	-	23	5	4	2	1	3	1	7	1	56	45	1	-	31	13
Douglas	314	-	-	2	80	19	19	13	10	-	3	16	3	156	113	-	-	90	23
Faribault	226	-	-	2	39	12	8	3	4	-	-	12	2	124	87	-	1	63	23
Fillmore	244	-	-	-	57	16	10	8	7	6	2	8	6	132	95	-	-	65	30
Freeborn	357	-	-	5	66	14	19	7	4	4	6	12	3	189	145	2	2	88	53
Albert Lea	207	-	-	3	37	4	14	4	2	4	2	7	1	111	89	1	2	53	33
Balance of county	150	-	-	2	29	10	5	3	2	-	4	5	2	78	56	1	-	35	20
Goodhue	408	-	-	2	87	23	23	5	12	1	8	15	10	190	124	-	1	87	36
Red Wing	171	-	-	2	35	11	13	2	2	1	3	3	5	69	47	-	1	34	12
Balance of county	237	-	-	-	52	12	10	3	10	-	5	12	5	121	77	-	-	53	24
Grant	98	-	-	1	18	3	2	5	4	1	-	3	1	56	44	1	1	30	12
Hennepin	7,731	6	1	76	1,649	442	375	168	182	85	56	331	137	3,519	2,567	29	42	1,942	554
Bloomington	503	1	-	3	105	29	25	13	11	1	4	22	8	252	161	3	4	124	30
Brooklyn Center	212	-	-	2	53	10	11	8	6	3	8	7	6	87	80	2	3	59	16
Brooklyn Park	128	-	-	2	25	5	5	1	3	2	2	7	2	48	36	1	2	27	6
Crystal	167	-	-	1	48	9	15	9	7	1	-	7	1	73	50	2	-	39	9
Eden Prairie	75	-	-	1	20	3	3	4	3	-	2	5	-	28	17	1	1	12	3
Edina	398	1	-	2	78	21	16	9	6	2	3	21	12	199	148	2	2	120	24
Golden Valley	194	-	1	2	39	7	7	6	5	5	-	9	1	104	74	-	-	61	13
Hopkins	168	-	-	1	42	10	8	5	3	-	4	12	3	78	56	-	-	40	16
Maple Grove	49	-	-	1	11	4	4	-	3	-	-	-	1	10	9	-	-	8	1
Minneapolis	3,949	4	-	48	807	245	162	78	90	49	25	160	67	1,751	1,293	12	10	948	329
Minnetonka	201	-	-	1	52	10	19	6	3	2	2	10	5	86	60	3	2	47	8
New Hope	223	-	-	1	39	7	7	1	5	4	2	13	8	109	75	-	4	49	22
Plymouth	122	-	-	1	31	6	6	4	1	-	2	12	3	49	32	-	1	25	6
Richfield	271	-	-	1	65	17	16	7	8	2	-	15	2	133	95	-	2	76	17
Robbinsdale	154	-	-	-	31	7	6	3	4	5	1	5	2	83	62	-	-	53	9
St. Louis Park	431	-	-	5	86	28	26	7	14	4	-	9	8	223	164	2	5	132	25
Balance of county	486	-	-	4	117	26	39	9	20	5	1	17	8	206	155	1	6	122	26
Houston	194	-	-	2	47	11	10	5	7	3	1	10	1	100	67	-	1	49	17
Hubbard	141	-	-	4	28	5	8	1	3	2	-	9	-	59	40	-	-	33	7
Isanti	169	-	-	-	45	11	10	4	1	2	3	14	2	76	46	-	-	36	10
Itasca	387	1	-	2	94	26	31	5	9	4	2	17	3	172	116	1	-	93	22
Jackson	142	-	-	-	24	4	3	2	3	2	2	8	2	72	58	-	-	39	19
Kanabec	117	-	-	3	29	3	6	2	4	2	-	6	3	59	41	1	-	27	13
Kandiyohi	313	-	-	3	64	18	12	6	10	2	3	13	1	147	119	-	-	82	37
Willmar	145	-	-	-	23	7	3	2	4	2	1	4	-	79	59	-	-	42	17
Balance of county	168	-	-	3	41	11	9	4	6	-	2	9	1	68	60	-	-	40	20
Kittson	107	-	-	-	18	5	2	2	5	-	-	4	1	60	36	-	-	20	18
Koochiching	166	-	-	-	42	5	15	3	6	3	2	8	1	73	60	-	-	44	16
Lac qui Parle	137	-	-	-	26	10	4	2	3	2	3	2	2	73	62	-	1	39	22
Lake	92	-	-	-	19	5	7	2	2	1	-	2	2	45	28	-	-	16	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Benton	2	17	5	1	8	4	-	1	1	-	1	1	4	13	7	6	3	-	1
St. Cloud, part	1	3	2	-	1	-	-	1	-	-	-	-	1	1	1	2	1	-	-
Balance of county	1	14	3	1	7	4	-	-	1	-	1	1	3	12	6	4	2	-	1
Big Stone	1	14	1	-	4	3	-	1	1	-	-	1	-	11	2	8	-	-	-
Blue Earth	3	43	2	3	19	18	1	-	-	-	5	4	4	31	7	7	4	-	-
Mankato, part	3	23	2	2	7	12	-	-	-	-	1	1	2	15	3	4	2	-	-
Mankato, total	3	24	2	2	7	12	-	-	-	-	1	1	2	15	3	4	2	-	-
Balance of county	-	20	-	1	12	6	1	-	-	-	4	3	2	16	4	3	2	-	-
Brown	1	29	8	1	19	8	1	2	2	-	1	4	1	24	7	7	5	-	1
New Ulm	-	12	2	1	9	1	-	1	1	-	1	1	1	9	2	3	1	-	-
Balance of county	1	17	6	-	10	7	1	1	1	-	-	3	-	15	5	4	4	-	1
Carlton	-	27	18	7	30	10	-	3	-	-	-	2	2	23	1	6	2	-	-
Cloquet	-	14	7	1	7	4	-	1	-	-	-	2	1	8	1	1	-	-	-
Balance of county	-	13	11	6	23	6	-	2	-	-	-	-	1	15	-	5	2	-	-
Carver	-	25	4	5	14	7	1	4	1	-	2	3	4	23	5	10	6	-	-
Cass	4	27	2	3	21	13	-	3	1	-	1	2	5	35	8	5	5	-	-
Chippewa	-	21	5	-	15	3	1	2	3	-	-	-	3	18	3	3	2	-	-
Chisago	-	20	4	4	13	8	-	4	3	-	3	-	3	21	1	11	2	1	-
Clay	2	32	11	6	16	7	2	1	5	-	2	2	4	43	1	13	2	-	-
Moorhead	2	19	7	3	10	4	1	-	4	-	2	2	4	25	1	6	1	-	-
Balance of county	-	13	4	3	6	3	1	1	1	-	-	-	-	18	-	7	1	-	-
Clearwater	1	11	1	1	5	4	-	-	2	-	-	-	-	7	3	3	-	-	-
Cook	-	5	-	-	3	-	-	-	-	-	1	-	-	5	-	-	1	-	-
Cottonwood	1	5	2	2	5	9	1	1	2	-	-	2	1	16	3	3	-	-	-
Crow Wing	3	35	3	13	23	17	1	4	3	-	1	1	7	28	6	4	10	1	-
Brainerd	1	18	2	6	9	10	-	2	2	-	1	1	5	9	-	2	1	1	-
Balance of county	2	17	1	7	14	7	1	2	1	-	-	-	2	19	6	2	9	-	-
Dakota	4	78	19	14	38	33	2	8	2	-	11	18	50	104	31	22	20	3	1
Apple Valley	-	7	3	1	2	3	-	-	-	-	2	2	1	7	2	2	4	-	-
Burnsville	1	5	3	-	6	4	-	1	-	-	2	1	7	9	6	-	6	2	-
Eagan	-	2	-	2	1	1	-	-	-	-	4	2	2	8	4	2	2	1	-
Hastings, part	-	8	4	2	3	3	1	1	1	-	1	-	16	17	1	5	1	-	-
Hastings, total	-	8	4	2	3	3	1	1	1	-	1	-	16	17	1	5	1	-	-
Inver Grove Heights	-	5	-	-	3	-	-	-	-	-	1	3	2	10	2	-	1	-	-
Lakeville	-	2	2	1	-	-	-	-	-	-	-	4	6	4	-	2	1	-	-
Northfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South St. Paul	-	13	3	1	7	10	-	-	-	-	-	3	8	17	2	3	3	-	-
West St. Paul	1	19	2	3	12	8	-	4	-	-	-	-	7	24	4	2	1	-	-
Balance of county	2	17	2	4	2	4	1	2	1	-	1	3	1	8	10	6	1	-	1
Dodge	-	8	-	3	2	8	-	-	2	-	2	5	9	6	6	4	1	-	-
Douglas	-	36	6	1	17	12	-	3	2	-	1	-	3	28	2	2	3	-	-
Faribault	-	30	3	4	6	7	-	1	2	-	2	1	1	19	10	9	1	-	-
Fillmore	-	23	10	4	10	9	1	2	1	-	1	2	3	7	6	5	1	-	1
Freeborn	3	35	5	1	18	21	-	1	2	-	1	3	4	32	4	4	3	1	-
Albert Lea	2	19	1	-	12	13	-	-	1	-	-	3	3	18	1	-	3	1	-
Balance of county	1	16	4	1	6	8	-	1	1	-	1	-	1	14	3	4	-	-	-
Goodhue	-	53	9	4	23	11	2	4	5	-	4	2	5	39	8	13	3	-	-
Red Wing	-	17	2	3	17	5	1	4	1	-	1	1	4	21	1	3	1	-	-
Balance of county	-	36	7	1	6	6	1	-	4	-	3	1	1	18	7	10	2	-	-
Grant	-	8	-	4	3	8	-	-	-	-	-	-	-	9	1	1	-	-	-
Hennepin	55	711	86	100	289	282	25	100	74	1	55	52	215	751	101	228	123	34	15
Bloomington	3	75	5	8	28	20	1	8	2	-	3	2	7	36	8	11	6	2	-
Brooklyn Center	1	8	-	-	6	10	-	6	3	-	2	2	4	23	1	4	3	-	-
Brooklyn Park	-	8	1	3	-	2	-	4	-	-	4	4	4	12	7	6	7	1	-
Crystal	-	16	2	5	7	3	-	1	-	-	4	1	3	10	5	5	5	-	-
Eden Prairie	-	8	1	2	2	3	-	1	-	-	-	2	-	9	6	1	2	-	-
Edina	1	36	8	6	16	13	5	2	3	-	5	1	12	29	1	14	5	-	-
Golden Valley	1	23	3	3	8	3	-	1	-	-	-	-	4	10	1	6	5	-	-
Hopkins	-	20	1	1	2	8	1	3	1	-	1	2	2	14	2	6	2	-	-
Maple Grove	-	1	-	-	-	-	-	-	2	-	3	6	-	4	2	5	4	-	-
Minneapolis	37	333	47	41	159	150	12	56	42	1	19	25	138	418	44	118	52	27	11
Minnetonka	-	17	4	5	7	11	-	4	1	-	2	1	2	17	5	3	4	-	-
New Hope	2	28	3	1	6	12	1	3	2	-	-	-	9	22	2	6	2	1	-
Plymouth	-	16	-	1	3	3	-	-	4	-	2	-	4	8	5	4	5	-	-
Richfield	1	29	2	6	12	11	2	1	2	-	1	2	3	21	2	6	5	-	2
Robbinsdale	1	17	-	3	7	-	-	2	6	-	-	-	2	14	1	4	1	1	-
St. Louis Park	3	39	6	11	9	13	1	4	5	-	3	1	8	44	2	12	5	1	1
Balance of county	5	39	3	4	17	20	2	4	1	-	6	3	13	51	7	15	10	1	1
Houston	-	24	6	3	11	5	1	5	-	-	-	-	1	11	5	4	1	-	-
Hubbard	1	12	3	3	5	8	-	1	2	-	1	-	7	15	4	7	-	-	-
Isanti	-	22	6	2	7	6	1	-	2	-	3	1	-	13	7	5	1	-	-
Itasca	3	43	7	3	11	12	1	5	1	-	2	2	12	40	12	10	7	-	-
Jackson	1	5	5	3	11	6	-	2	1	-	-	-	5	16	1	2	-	-	-
Kanabec	1	12	5	-	3	8	-	-	-	-	2	1	4	6	2	2	1	-	-
Kandiyohi	1	21	5	1	20	6	2	1	4	-	1	-	9	32	9	10	2	1	1
Willmar	1	16	3	-	12	4	1	-	1	-	1	-	2	13	1	4	2	1	1
Balance of county	-	5	2	1	8	2	1	1	3	-	-	-	7	19	8	6	-	-	-
Kittson	1	17	2	2	5	3	1	-	2	-	1	-	-	8	3	3	1	1	-
Koochiching	-	10	-	3	10	7	1	2	-	-	1	1	3	12	2	5	6	-	-
Lac qui Parle	-	11	-	-	5	3	-	-	3	-	1	1	-	15	2	4	2	-	-
Lake	-	14	2	1	3	-	-	2	1	-	2	-	-	11	1	5	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Lake of the Woods	41	-	-	-	9	2	3	1	-	1	1	1	2	15	10	-	2	7	1
Le Sueur	226	-	-	3	37	12	8	4	4	2	-	7	5	133	104	1	1	77	25
Lincoln	79	-	-	1	20	5	4	-	3	2	2	4	1	41	28	1	-	24	3
Lyon	227	-	-	-	46	10	8	4	6	3	4	11	4	112	84	1	1	66	16
Marshall	83	-	-	-	16	5	4	1	1	1	1	3	2	44	32	-	-	29	3
Balance of county	144	-	-	-	30	5	4	3	5	2	3	8	2	68	52	1	1	37	13
McLeod	329	-	-	2	64	22	9	11	8	1	3	10	4	178	141	2	1	106	32
Mahnomen	63	-	-	-	13	5	3	1	1	1	1	1	-	30	24	-	-	16	8
Marshall	128	-	-	-	26	6	6	1	5	1	1	6	1	71	56	-	1	23	32
Martin	302	-	-	2	63	25	10	13	4	1	3	7	13	147	111	-	3	86	22
Fairmont	157	-	-	2	30	10	4	8	3	1	1	3	4	81	63	-	1	49	13
Balance of county	145	-	-	-	33	15	6	5	1	-	2	4	9	66	48	-	2	37	9
Meeker	232	-	-	3	48	8	9	7	5	5	1	13	6	130	79	2	-	62	15
Mille Lacs	188	1	-	-	46	16	6	3	4	2	1	14	-	81	58	-	-	37	21
Morrison	270	-	-	-	45	12	10	2	5	4	2	10	2	145	118	3	4	69	42
Mower	421	-	-	6	88	25	17	12	8	8	4	14	9	203	168	-	1	89	78
Austin	291	-	-	4	65	19	16	10	5	4	3	8	8	136	109	-	1	58	50
Balance of county	130	-	-	2	23	6	1	2	3	4	1	6	1	67	59	-	-	31	28
Murray	133	-	-	3	24	6	6	1	3	1	2	5	1	63	41	1	-	35	5
Nicollet	181	-	-	2	38	10	7	2	12	-	1	6	2	73	55	1	3	40	11
Mankato, part	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	179	-	-	2	37	9	7	2	12	-	1	6	2	72	55	1	3	40	11
Nobles	239	-	-	1	64	21	8	7	7	2	6	13	6	99	77	-	-	56	21
Worthington	116	-	-	-	33	6	4	4	6	-	4	9	2	40	30	-	-	23	7
Balance of county	123	-	-	1	31	15	4	3	1	2	2	4	4	59	47	-	-	33	14
Norman	121	-	-	4	18	3	4	3	3	1	1	3	1	61	49	1	-	42	6
Olmsted	605	-	-	2	135	34	27	22	14	6	10	22	13	274	200	3	2	152	43
Rochester	476	-	-	1	109	25	23	19	10	6	7	19	13	211	148	3	1	109	35
Balance of county	129	-	-	1	26	9	4	3	4	-	3	3	-	63	52	-	1	43	8
Otter Tail	592	-	-	3	143	39	24	10	23	2	8	37	12	295	226	1	1	166	58
Fergus Falls	171	-	-	1	40	7	4	3	10	-	6	10	3	87	55	-	-	48	7
Balance of county	421	-	-	2	103	32	20	7	13	2	2	27	9	208	171	1	1	118	51
Pennington	152	-	-	2	37	7	10	2	8	4	2	6	3	71	46	-	-	35	11
Pine	210	-	-	2	38	18	9	2	4	-	1	4	2	100	75	1	1	41	32
Pipestone	150	-	-	2	29	11	3	4	4	-	1	6	6	78	54	-	-	37	17
Polk	344	-	-	3	60	15	7	5	9	2	7	15	5	184	128	-	2	94	32
Pope	141	-	-	2	25	10	6	-	3	-	1	5	2	62	51	-	-	36	15
Ramsey	4,021	4	1	35	921	238	225	87	86	44	53	188	69	1,813	1,349	13	30	980	326
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	229	1	-	-	53	17	13	8	3	1	1	10	5	107	81	1	4	61	15
Mounds View	31	-	-	-	8	4	3	-	1	-	-	-	1	10	8	-	-	8	-
New Brighton	156	-	-	2	30	10	7	-	1	2	2	8	1	62	42	-	2	29	11
North St. Paul	69	-	-	2	13	6	-	1	1	2	-	3	-	31	26	1	-	16	9
Roseville	267	1	-	5	64	13	14	7	9	1	5	15	4	125	96	1	2	71	22
St. Paul	2,797	1	1	23	618	160	148	61	61	34	36	118	45	1,285	957	10	17	703	227
Shoreview	59	-	-	-	24	7	8	2	3	-	1	3	3	15	13	-	-	10	3
White Bear Lake, part	171	-	-	1	49	10	9	4	3	3	3	17	4	70	51	-	3	32	16
White Bear Lake, total	171	-	-	1	49	10	9	4	3	3	3	17	4	70	51	-	3	32	16
Balance of county	242	1	-	2	62	11	23	4	4	1	5	14	6	108	75	-	2	50	23
Red Lake	51	-	-	-	14	1	4	3	3	1	-	2	-	28	18	-	2	11	5
Redwood	208	-	-	2	47	11	10	4	9	-	1	12	6	106	84	-	1	61	22
Renville	241	-	-	1	46	11	7	2	6	5	2	13	2	128	91	1	6	65	19
Rice	359	-	-	8	77	22	9	7	10	5	3	21	5	173	123	2	1	81	39
Faribault	180	-	-	3	41	9	6	3	5	3	1	14	3	84	57	1	1	35	20
Northfield, part	97	-	-	2	17	5	1	2	4	1	-	4	2	50	32	1	-	20	11
Northfield, total	97	-	-	2	17	5	1	2	4	1	-	4	2	50	32	1	-	20	11
Balance of county	82	-	-	3	19	8	2	2	1	1	2	3	-	39	34	-	-	26	8
Rock	121	-	-	1	23	10	4	2	-	1	3	3	1	69	53	-	-	45	8
Roseau	137	-	-	2	20	8	4	2	-	1	1	4	6	74	58	-	-	43	15
St. Louis	2,195	-	-	16	511	161	108	65	55	25	17	80	36	1,039	783	6	24	511	242
Duluth	1,088	-	-	9	262	79	46	39	29	13	10	46	17	496	354	2	15	242	95
Hibbing	232	-	-	3	43	18	10	6	4	1	-	4	7	121	98	2	-	73	23
Virginia	147	-	-	-	29	10	8	4	3	1	-	3	2	85	65	-	3	35	27
Balance of county	728	-	-	4	177	54	44	16	19	10	7	27	10	337	266	2	6	161	97
Scott	312	-	1	6	76	19	7	9	7	7	5	22	4	123	98	1	-	76	21
Sherburne	232	-	-	-	40	8	8	5	7	3	1	8	3	112	75	1	1	50	23
St. Cloud, part	67	-	-	-	9	1	-	-	3	-	1	4	2	34	15	-	-	12	3
Balance of county	165	-	-	-	31	7	8	5	4	3	-	4	1	78	60	1	1	38	20
Sibley	140	1	-	2	24	6	3	2	4	1	3	5	6	61	41	-	-	32	9
Stearns	691	-	-	4	153	41	40	16	11	4	10	31	5	338	250	1	2	174	73
St. Cloud, part	205	-	-	3	56	13	16	8	3	1	3	12	2	98	74	-	2	48	24
St. Cloud, total	310	-	-	3	72	19	17	8	6	1	4	17	6	153	104	1	2	71	30
Balance of county	486	-	-	1	97	28	24	8	8	3	7	19	3	240	176	1	-	126	49
Steele	226	-	-	3	47	14	9	5	8	-	-	11	3	109	83	2	-	57	24
Owatonna	135	-	-	1	30	10	4	3	5	-	-	8	2	73	58	2	-	39	15
Balance of county	91	-	-	2	17	4	5	2	3	-	-	3	1	36	27	-	-	18	9
Stevens	110	-	-	-	27	7	7	2	3	1	1	6	5	50	42	-	-	35	7
Swift	142	-	-	2	38	5	8	3	6	1	1	14	2	65	44	-	-	25	19
Todd	248	-	-	2	57	13	10	7	11	3	2	11	4	113	83	-	-	45	38
Traverse	77	-	-	1	13	5	3	1	1	-	2	1	2	43	27	1	-	16	10
Wabasha	206	-	-	-	49	12	12	5	6	2	4	8	3	106	81	1	-	46	32

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Lake of the Woods	1	4	-	-	4	-	-	-	1	-	-	-	-	4	2	2	2	-	-
Le Sueur	2	17	6	4	6	5	2	-	2	-	2	1	1	18	4	1	2	3	1
Lincoln	1	10	1	1	2	3	-	-	-	-	-	-	-	8	-	3	-	-	-
Lyon	-	23	2	3	13	8	-	3	-	-	1	2	1	21	3	4	8	-	1
Marshall	-	10	1	1	3	1	-	1	-	-	1	2	-	3	1	4	4	-	1
Balance of county	-	13	1	2	10	7	-	2	-	-	-	-	1	18	2	-	4	-	-
McLeod	-	31	3	3	10	8	1	1	5	-	3	2	-	29	8	10	4	-	-
Mahnomen	-	5	1	-	2	2	1	-	2	-	1	-	8	2	1	-	-	1	-
Marshall	-	14	-	1	7	4	1	-	-	-	-	2	3	8	2	2	1	-	-
Martin	1	27	2	6	10	17	-	-	3	-	3	-	2	31	6	5	-	-	-
Fairmont	-	14	1	3	7	6	-	-	-	-	2	-	2	19	1	3	-	-	-
Balance of county	1	13	1	3	3	11	-	-	3	-	1	-	-	12	5	2	-	-	-
Meeker	1	43	5	2	2	2	1	2	1	-	3	1	13	15	3	1	-	-	1
Mille Lacs	-	19	2	2	13	14	-	1	-	-	-	1	5	17	4	4	-	1	-
Morrison	2	22	1	2	8	6	-	3	3	-	2	3	4	32	5	9	2	1	-
Mower	1	32	1	1	17	13	-	3	1	-	1	1	26	39	5	4	4	1	-
Austin	1	25	1	-	11	10	-	2	1	-	1	1	20	26	1	1	2	-	-
Balance of county	-	7	-	1	6	3	-	1	-	-	-	-	6	11	4	3	2	1	-
Murray	-	19	3	-	13	3	-	-	3	-	-	-	1	9	3	4	4	-	2
Nicollet	-	16	1	1	10	6	1	3	2	-	1	-	5	21	9	5	3	-	-
Mankato, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	15	1	1	10	6	1	3	2	-	1	-	5	21	9	5	3	-	-
Nobles	2	17	-	3	9	5	2	2	4	1	-	1	4	25	9	4	3	-	-
Worthington	1	7	-	2	8	4	1	2	3	-	-	-	2	16	1	1	3	-	-
Balance of county	1	10	-	1	1	1	1	-	1	1	-	1	2	9	8	3	-	-	-
Norman	-	10	2	-	3	10	-	2	1	-	-	-	-	13	5	2	1	-	-
Olmsted	2	61	3	8	18	23	3	7	4	-	8	11	5	52	19	19	8	4	-
Rochester	2	52	2	7	13	16	3	5	3	-	6	11	4	47	12	12	7	3	-
Balance of county	-	9	1	1	5	7	-	2	1	-	2	-	1	5	7	7	1	1	-
Otter Tail	1	49	14	5	17	22	2	5	11	-	1	2	6	43	13	13	3	1	-
Fergus Falls	-	24	5	3	8	6	-	-	-	-	1	2	-	13	4	5	1	-	-
Balance of county	1	25	9	2	9	16	2	5	11	-	-	-	6	30	9	8	2	1	-
Pennington	-	18	4	3	4	4	-	1	2	-	-	1	4	14	4	4	1	-	-
Pine	1	20	1	3	12	8	-	2	2	-	2	3	11	14	4	7	3	-	-
Pipestone	-	12	12	-	5	6	1	1	-	-	1	-	3	12	3	1	2	-	-
Polk	2	36	12	6	18	9	2	2	4	-	1	2	4	29	5	10	2	1	2
Pope	-	10	-	1	10	5	1	-	2	-	-	1	2	16	4	9	-	-	-
Ramsey	25	333	46	60	162	138	18	46	35	1	22	24	134	369	54	97	53	18	9
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	1	20	4	1	10	7	1	1	2	-	2	-	7	20	5	7	1	-	-
Mounds View	-	1	-	1	-	2	-	-	-	-	1	-	2	5	-	1	-	-	1
New Brighton	1	13	4	2	18	3	-	2	4	-	1	2	5	15	1	3	5	-	2
North St. Paul	-	4	1	-	-	1	1	-	2	-	1	-	3	7	4	3	1	-	-
Roseville	1	19	5	4	11	6	1	2	2	-	-	1	8	18	4	8	6	-	1
St. Paul	19	241	24	44	103	108	12	39	22	1	13	19	99	260	29	63	34	17	5
Shoreview	-	2	-	-	1	2	-	-	-	-	-	1	1	3	1	4	3	1	-
White Bear Lake, part	1	13	2	3	7	6	1	-	2	-	1	1	2	18	4	5	-	-	-
White Bear Lake, total	1	13	2	3	7	6	1	-	2	-	1	1	2	18	4	5	-	-	-
Balance of county	2	20	6	5	12	1	2	2	1	-	3	-	7	23	6	3	3	-	-
Red Lake	-	6	4	-	2	1	1	2	-	-	-	-	-	3	-	-	-	-	-
Redwood	-	17	2	3	11	5	-	-	3	-	1	1	2	14	4	4	2	-	-
Renville	-	31	4	2	12	6	-	2	1	-	-	2	2	23	5	6	5	-	-
Rice	3	32	13	2	15	18	2	1	2	-	-	2	4	31	5	6	7	2	1
Faribault	2	18	5	2	10	10	1	-	-	-	-	1	3	19	1	1	3	-	-
Northfield, part	1	11	6	-	4	5	-	-	-	-	-	-	1	9	1	1	2	2	1
Northfield, total	1	11	6	-	4	5	-	-	-	-	-	-	1	9	1	1	2	2	1
Balance of county	-	3	2	-	1	3	1	1	2	-	-	1	-	3	3	4	2	-	-
Rock	-	13	-	3	2	5	1	1	-	-	2	-	-	12	1	2	-	-	1
Roseau	-	11	3	2	10	3	-	-	2	-	-	-	1	10	4	2	2	-	1
St. Louis	9	178	37	32	86	72	8	19	16	-	13	8	60	189	40	40	35	4	3
Duluth	4	99	19	20	51	36	2	9	3	-	9	4	37	105	13	17	15	2	1
Hibbing	-	15	6	2	12	8	3	3	2	-	-	-	2	12	4	3	7	2	-
Virginia	2	13	3	2	6	5	-	1	2	-	1	-	1	8	2	3	2	-	-
Balance of county	3	51	9	8	17	23	3	6	9	-	3	4	20	64	21	17	11	-	2
Scott	2	18	4	1	6	3	2	2	5	-	4	2	12	41	8	14	3	-	-
Sherburne	1	28	7	1	11	8	-	5	1	-	3	2	-	23	8	10	6	-	-
St. Cloud, part	-	12	7	-	9	1	-	-	1	-	1	-	-	9	-	1	-	-	-
Balance of county	1	16	-	1	2	7	-	5	-	-	2	2	-	14	8	9	6	-	-
Sibley	-	15	2	3	6	3	-	-	2	-	1	1	13	13	5	1	-	-	1
Stearns	3	56	22	7	13	29	4	1	10	-	10	6	8	62	21	17	7	1	2
St. Cloud, part	1	15	6	2	2	7	-	-	2	-	2	3	1	13	5	7	2	1	1
St. Cloud, total	2	30	15	2	12	8	-	1	3	-	3	3	2	23	6	10	3	1	1
Balance of county	2	41	16	5	11	22	4	1	8	-	8	3	7	49	16	10	5	-	1
Steele	-	20	4	2	5	9	3	4	1	-	1	1	5	26	2	4	3	-	-
Owatonna	-	14	3	-	2	2	1	1	1	-	1	1	1	13	2	1	3	-	-
Balance of county	-	6	1	2	3	7	2	3	-	-	-	-	4	13	-	3	-	-	-
Stevens	1	7	-	-	10	3	-	1	-	-	-	-	4	8	-	2	-	-	-
Swift	1	11	5	4	2	3	-	1	2	-	-	1	2	15	-	5	3	-	1
Todd	3	23	4	-	8	5	1	1	3	-	1	2	10	24	9	5	2	1	-
Traverse	-	16	-	-	1	3	-	-	3	-	-	-	1	8	-	2	-	-	-
Wabasha	-	19	4	2	6	6	-	3	4	-	-	-	2	14	7	6	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-089, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Wadena	184	-	-	2	35	5	6	4	6	1	2	11	3	97	70	-	-	60	10
Waseca	161	-	-	1	28	8	6	2	8	2	1	1	7	91	66	-	-	44	22
Washington	616	1	-	4	140	39	36	12	14	2	8	29	6	277	210	2	2	147	59
Cottage Grove	43	-	-	1	10	3	3	2	-	-	1	1	-	17	13	-	-	13	-
Hastings, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Oakdale	48	-	-	1	9	3	3	-	1	-	-	2	1	21	18	-	-	11	7
Stillwater	153	1	-	-	27	11	3	1	4	-	3	5	1	80	59	1	-	40	17
White Bear Lake, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbury	48	-	-	-	10	3	4	-	-	-	-	3	1	21	10	-	-	7	3
Balance of county	323	-	-	2	84	19	23	9	9	2	4	18	3	137	110	1	2	75	32
Watonwan	140	-	-	-	27	8	6	1	6	2	1	5	-	74	59	-	1	49	9
Wilkin	84	-	-	1	14	6	1	2	1	1	-	3	2	52	38	-	-	31	7
Winona	392	-	-	-	89	25	22	6	8	4	2	22	2	195	145	3	1	91	50
Winona	275	-	-	-	61	16	15	4	8	1	2	15	-	136	103	3	1	65	34
Balance of county	117	-	-	-	28	9	7	2	-	3	-	7	2	59	42	-	-	26	16
Wright	431	-	-	4	85	26	21	7	10	4	3	14	8	195	148	1	2	96	49
Yellow Medicine	153	-	-	2	27	8	6	3	3	1	2	4	2	71	48	-	-	27	21
Mississippi	24,591	22	1	270	4,728	1,085	1,428	353	557	177	168	942	428	11,300	8,776	36	395	5,384	2,061
Urban places	8,367	9	-	98	1,660	403	501	130	168	75	55	328	150	3,964	3,046	13	211	1,703	1,119
Balance of area	16,324	13	1	172	3,068	682	925	223	389	102	133	614	278	7,336	5,730	23	184	3,681	1,842
Metropolitan counties	5,559	4	1	62	1,227	294	373	91	126	50	42	251	81	2,450	2,021	13	91	1,221	696
Urban places	3,271	3	-	36	734	187	224	57	75	30	21	140	52	1,516	1,233	8	75	897	453
Balance of area	2,288	1	1	26	493	107	149	34	51	20	21	111	29	934	788	5	16	524	243
Nonmetropolitan counties	19,132	18	-	208	3,501	791	1,053	262	431	127	146	691	347	8,850	6,755	23	304	4,163	2,265
Urban places	5,096	6	-	62	926	216	277	73	93	45	34	188	98	2,448	1,813	5	136	1,006	666
Balance of area	14,036	12	-	146	2,575	575	776	189	338	82	112	503	249	6,402	4,942	18	168	3,157	1,599
Adams	427	1	-	3	93	19	31	8	14	3	1	17	6	192	143	1	15	61	66
Natchez	312	1	-	3	58	14	19	5	9	-	-	11	5	151	110	1	15	40	54
Balance of county	115	-	-	-	35	5	12	3	5	3	1	6	1	41	33	-	-	21	12
Alcorn	318	1	-	8	64	21	13	4	7	5	2	12	-	147	121	-	-	73	48
Corinth	155	1	-	4	26	7	5	1	3	4	1	5	-	69	58	-	-	35	23
Balance of county	163	-	-	4	38	14	8	3	4	1	1	7	-	78	63	-	-	38	25
Amite	140	-	-	2	22	4	6	2	3	2	4	1	3	49	39	1	2	24	12
Attala	240	-	-	3	55	14	14	5	8	4	-	10	7	118	93	-	-	43	50
Benton	76	-	-	1	14	4	1	2	4	-	1	2	-	29	22	-	-	17	5
Bolivar	488	-	-	5	82	18	28	7	12	-	4	13	5	238	188	-	4	139	45
Cleveland	154	-	-	2	32	7	15	2	3	-	-	5	-	74	55	-	-	39	16
Balance of county	334	-	-	3	50	11	13	5	9	-	4	8	5	164	133	-	4	100	29
Calhoun	170	-	-	1	26	5	11	1	4	-	2	3	3	91	70	1	2	39	28
Carroll	98	-	-	1	17	3	5	1	3	2	1	2	1	52	42	-	3	30	9
Chickasaw	197	-	-	2	31	6	8	1	8	-	1	7	1	98	83	-	1	59	23
Choctaw	108	-	-	-	14	3	4	2	3	-	1	1	2	56	43	-	5	26	12
Claiborne	106	-	-	-	17	3	6	1	4	-	-	3	-	63	49	-	3	27	19
Clarke	189	-	-	2	31	8	10	1	4	-	3	5	4	86	60	-	2	35	23
Clay	181	-	-	1	27	6	7	1	3	-	1	9	3	109	94	1	2	52	39
Coahoma	337	2	-	-	60	14	15	6	2	6	1	16	4	158	115	1	14	71	29
Clarksdale	207	2	-	-	38	8	10	4	1	5	-	10	2	101	71	1	7	45	18
Balance of county	130	-	-	-	22	6	5	2	1	1	1	6	2	57	44	-	7	26	11
Copiah	275	-	-	-	51	13	16	2	5	1	1	13	6	125	92	-	2	66	24
Covington	170	-	-	5	28	4	9	1	2	2	1	9	6	74	59	-	1	41	17
De Soto	375	-	-	7	67	15	17	6	9	3	2	15	1	130	110	1	4	81	24
Forrest	679	-	-	11	121	26	44	10	8	4	7	22	16	311	218	-	9	131	78
Hattiesburg, part	488	-	-	7	75	20	22	6	3	3	4	17	13	237	161	-	8	97	56
Hattiesburg, total	493	-	-	7	75	20	22	6	3	3	4	17	13	240	162	-	8	98	56
Balance of county	191	-	-	4	48	6	22	4	5	1	3	5	3	74	57	-	1	34	22
Franklin	96	-	-	-	14	3	3	1	2	-	-	5	4	53	39	-	-	32	7
George	157	-	-	-	24	6	13	-	-	-	1	4	5	65	56	-	3	42	11
Greene	120	-	-	2	15	4	7	1	1	-	-	2	5	54	43	-	-	37	6
Grenada	245	-	-	5	41	9	9	6	8	-	2	7	2	118	84	1	2	60	21
Grenada	161	-	-	4	24	6	3	5	4	-	1	5	1	86	58	-	1	41	16
Balance of county	84	-	-	1	17	3	6	1	4	-	1	2	1	32	26	1	1	19	5
Hancock	250	-	-	3	58	12	24	1	8	2	-	11	2	127	107	1	-	74	32
Harrison	1,362	2	-	15	300	83	77	27	36	17	8	52	13	651	548	4	15	314	215
Biloxi	378	-	-	6	96	21	21	13	14	6	4	17	3	177	148	1	8	88	53
Gulfport	458	1	-	5	97	37	26	6	9	5	2	12	6	226	189	1	4	104	80
Balance of county	526	1	-	4	107	25	30	8	13	6	2	23	4	248	211	2	5	122	82
Hinds	2,100	2	-	23	452	110	137	36	49	16	17	87	44	983	787	5	63	427	292
Clinton	144	-	-	1	21	7	7	1	2	-	2	2	3	80	71	-	6	33	32
Jackson, part	1,686	2	-	17	372	89	117	32	41	13	10	70	35	783	612	5	51	332	224
Jackson, total	1,689	2	-	17	372	89	117	32	41	13	10	70	35	783	612	5	51	332	224
Balance of county	270	-	-	5	59	14	13	3	6	3	5	15	6	120	104	-	6	62	36
Holmes	283	-	-	1	55	17	11	4	11	1	1	10	1	87	63	-	2	42	19
Humphreys	144	1	-	1	31	6	8	1	9	1	1	5	2	69	54	-	3	39	12
Issaquena	17	-	-	-	2	-	2	-	-	-	-	-	-	9	6	-	-	4	2
Itawamba	179	1	-	-	33	5	10	2	5	-	1	10	1	102	58	-	-	43	15
Jackson	790	-	-	7	215	48	80	12	13	7	10	45	6	313	251	1	7	173	70
Moss Point	133	-	-	1	37	12	14	1	4	-	-	6	1	58	50	-	2	35	13
Ocean Springs	135	-	-	2	26	6	4	2	1	1	1	11	-	66	49	-	-	33	16
Pascagoula	246	-	-	1	61	12	24	2	3	3	2	15	4	114	86	1	4	56	25
Balance of county	276	-	-	3	91	18	38	7	5	3	7	13	1	75	66	-	1	49	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Wadena	1	21	2	3	6	6	-	1	2	-	1	-	7	13	3	5	1	2	-
Waseca	-	18	2	5	3	3	1	3	4	-	3	2	1	7	1	4	2	-	-
Washington	1	48	9	9	19	31	3	5	5	-	4	8	17	49	19	10	15	1	2
Cottage Grove	-	3	1	-	-	1	1	1	-	-	-	-	1	5	3	1	1	1	-
Hastings, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oakdale	-	3	-	-	-	3	-	1	1	-	-	2	1	2	2	1	1	-	2
Stillwater	1	15	5	1	9	8	-	2	1	-	1	1	3	12	3	2	2	-	-
White Bear Lake, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodbury	-	7	-	4	2	5	-	-	-	-	-	-	-	4	1	2	2	-	-
Balance of county	-	20	3	4	8	14	2	1	3	-	3	5	12	26	10	4	9	-	-
Watonwan	-	8	3	3	3	6	1	-	4	-	-	1	2	9	2	10	1	-	-
Wilkin	-	12	1	1	7	1	-	-	-	-	1	-	1	5	-	-	-	-	-
Winona	6	31	6	7	16	8	2	8	2	-	1	3	3	42	4	13	2	1	1
Winona	4	21	2	6	14	4	1	7	2	-	1	1	3	34	-	8	1	1	1
Balance of county	2	10	4	1	2	4	1	1	-	-	-	2	-	8	4	5	1	-	-
Wright	2	33	5	7	20	10	-	6	7	-	3	3	22	30	21	9	7	1	-
Yellow Medicine	-	16	2	5	11	6	1	1	1	-	-	1	1	23	2	3	1	-	-
Mississippi	107	1,993	224	200	867	692	47	214	313	4	159	262	1,495	1,991	686	765	273	308	44
Urban places	34	724	87	73	208	233	18	115	80	-	62	108	350	734	143	220	87	118	10
Balance of area	73	1,269	137	127	459	459	29	99	233	4	97	174	1,145	1,257	545	545	186	190	34
Metropolitan counties	20	326	33	50	157	179	5	71	48	-	58	63	207	509	146	130	83	72	6
Urban places	9	217	23	34	86	94	4	49	24	-	38	43	76	293	61	77	41	45	1
Balance of area	11	109	10	16	71	85	1	22	24	-	22	20	131	216	85	53	42	27	5
Nonmetropolitan counties	87	1,667	191	150	510	513	42	143	265	4	101	219	1,288	1,482	542	635	190	236	38
Urban places	25	507	64	39	122	139	14	66	56	-	26	65	274	441	82	143	46	73	9
Balance of area	62	1,160	127	111	388	374	28	77	209	4	75	154	1,014	1,041	460	492	144	163	29
Adams	2	41	5	1	10	15	1	3	6	-	4	6	17	35	9	17	4	5	-
Natchez	2	33	5	1	5	11	1	2	5	-	3	4	12	31	5	12	-	3	-
Balance of county	-	8	-	-	5	4	-	1	1	-	1	2	5	4	4	5	4	2	-
Alcorn	-	22	-	4	10	7	1	1	3	-	-	-	3	40	7	12	6	7	1
Corinth	-	9	-	2	6	4	1	1	1	-	-	-	-	26	4	5	2	5	-
Balance of county	-	13	-	2	4	3	-	-	2	-	-	-	3	14	3	7	4	2	1
Amite	1	7	1	1	1	3	-	1	1	-	1	-	37	8	5	4	-	3	-
Attala	1	20	3	1	11	6	3	2	5	-	-	2	1	10	8	3	2	2	2
Benton	-	6	-	1	4	5	-	-	1	-	-	-	14	2	4	1	-	-	1
Bolivar	2	40	8	-	13	15	4	-	6	-	2	1	39	32	15	18	5	7	1
Cleveland	1	14	4	-	5	4	2	-	-	-	-	-	11	10	5	4	3	2	-
Balance of county	1	26	4	-	8	11	2	-	6	-	2	1	28	22	10	14	2	5	1
Calhoun	2	16	1	2	5	3	-	2	5	-	-	1	6	14	6	3	2	2	-
Carroll	1	8	-	1	3	3	-	-	1	-	-	2	3	7	1	6	-	-	1
Chickasaw	1	13	1	-	13	4	-	-	6	-	1	3	1	10	6	8	2	3	-
Choctaw	1	8	2	2	3	3	1	-	1	-	-	3	3	8	5	5	1	1	-
Claiborne	2	10	1	1	1	3	1	-	2	-	1	1	5	7	1	3	-	1	-
Clarke	-	14	7	5	9	3	-	2	1	-	1	-	21	11	9	8	-	-	1
Clay	1	12	2	-	3	2	1	1	4	-	-	2	3	13	3	5	2	-	2
Coahoma	2	36	1	2	8	10	1	3	3	-	2	6	25	27	7	10	1	9	1
Clarksdale	1	26	1	-	7	8	-	3	1	-	1	4	9	17	2	4	-	7	1
Balance of county	1	10	-	2	1	2	1	-	2	-	1	2	16	10	5	6	1	2	-
Copiah	2	27	3	1	10	1	-	2	4	-	-	1	31	21	7	11	4	1	-
Covington	2	12	-	1	3	4	-	1	1	-	-	2	17	17	6	5	1	-	-
De Soto	2	17	1	-	11	16	-	1	4	-	6	7	59	31	15	12	5	3	-
Forrest	2	71	15	5	20	16	2	8	7	-	2	11	48	51	20	20	8	6	1
Hattiesburg, part	1	59	14	2	14	13	1	5	6	-	2	8	35	34	12	15	5	5	1
Hattiesburg, total	1	60	14	3	14	13	1	5	6	-	2	8	35	34	13	15	5	5	2
Balance of county	1	12	1	3	6	3	1	3	1	-	-	3	13	17	8	5	3	1	-
Franklin	1	10	2	1	3	1	-	-	2	-	-	2	2	4	4	5	1	1	-
George	-	6	1	2	4	5	1	-	2	1	3	4	3	13	8	13	4	2	-
Greene	-	5	5	1	1	1	-	1	3	-	2	1	12	11	7	2	3	-	-
Grenada	1	32	1	-	3	3	1	4	3	-	-	3	22	10	5	16	4	5	-
Grenada	1	26	1	-	1	2	1	3	2	-	-	3	12	8	1	6	3	4	-
Balance of county	-	6	-	-	2	1	-	1	1	-	-	-	10	2	4	10	1	1	-
Hancock	2	13	2	3	8	10	-	3	3	-	2	3	4	15	4	1	2	1	4
Harrison	2	76	8	17	32	50	2	19	15	-	11	12	16	124	32	29	27	12	-
Biloxi	-	21	4	4	7	16	1	7	1	-	4	6	1	37	6	7	2	1	-
Gulfport	1	28	1	7	12	15	1	7	8	-	4	3	6	48	3	6	9	1	-
Balance of county	1	27	3	6	13	19	-	5	6	-	3	3	9	39	23	16	16	10	-
Hinds	6	142	12	16	60	58	2	35	16	-	21	23	45	188	44	52	28	43	1
Clinton	1	7	-	1	8	-	-	3	1	-	1	-	1	14	4	3	3	1	-
Jackson, part	3	122	11	15	42	48	2	27	12	-	19	23	38	149	31	43	23	39	1
Jackson, total	3	122	11	15	42	49	2	27	12	-	19	23	40	149	31	43	23	39	1
Balance of county	2	13	1	-	10	10	-	5	3	-	1	-	6	25	9	6	2	3	-
Holmes	3	19	1	1	3	6	1	2	5	-	4	4	65	24	12	9	1	3	-
Humphreys	1	11	-	2	2	1	-	-	2	-	2	6	2	10	10	3	1	2	-
Issaquena	1	2	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	-
Itawamba	-	39	2	3	7	6	-	2	-	-	-	-	1	13	8	1	3	1	-
Jackson	4	43	6	9	21	21	1	5	3	-	11	16	51	50	21	27	16	5	1
Moss Point	-	6	1	1	1	3	-	1	1	-	2	8	8	5	2	4	1	-	-
Ocean Springs	1	14	1	1	4	4	-	1	1	-	4	1	5	13	2	3	1	2	-
Pascagoula	3	16	4	5	9	5	-	2	-	-	2	2	12	16	6	11	1	-	-
Balance of county	-	7	-	2	7	9	1	1	1	-	3	5	26	16	11	9	13	3	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Jasper	176	1	-	6	29	5	5	2	5	2	1	9	6	75	57	-	1	36	20
Jefferson	104	-	-	3	14	5	-	-	5	1	-	3	2	41	38	-	5	23	10
Jefferson Davis	139	-	-	5	35	8	12	1	2	3	1	8	-	65	50	-	1	35	14
Jones	682	1	-	3	145	33	47	7	12	2	6	38	20	303	238	-	3	125	110
Laurel	332	1	-	3	69	20	22	2	5	2	3	15	13	145	111	-	2	46	63
Balance of county	350	-	-	-	76	13	25	5	7	-	3	23	7	158	127	-	1	79	47
Kemper	125	-	-	-	22	2	11	1	2	1	1	4	2	60	48	2	9	27	10
Lafayette	209	-	-	3	42	6	10	8	3	1	2	12	4	99	72	-	3	31	38
Lamar	184	-	-	1	41	13	16	1	4	2	1	4	1	73	55	1	1	43	10
Hattiesburg, part	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-
Balance of county	179	-	-	1	41	13	16	1	4	2	1	4	1	70	54	1	1	42	10
Lauderdale	837	1	-	11	122	25	36	10	17	4	6	24	8	471	382	2	60	162	158
Meridian	581	1	-	6	87	16	23	5	12	4	6	21	6	319	263	1	41	114	107
Balance of county	256	-	-	5	35	9	13	5	5	-	-	3	2	152	119	1	19	48	51
Lawrence	120	-	-	5	21	4	8	2	2	-	-	5	2	64	51	-	-	21	30
Leake	238	-	-	2	41	11	13	1	4	2	2	8	5	87	65	-	2	35	26
Lee	542	1	-	6	98	24	38	6	7	2	4	17	5	293	235	-	11	112	112
Tupelo	242	-	-	4	42	12	12	4	4	2	-	8	2	137	99	-	8	45	46
Balance of county	300	1	-	2	56	12	26	2	3	-	4	9	3	156	136	-	3	67	66
Leflore	481	-	-	5	94	25	19	6	14	1	5	24	9	256	203	-	6	142	55
Greenwood	297	-	-	5	64	19	14	4	7	1	3	16	6	150	121	-	4	82	35
Balance of county	184	-	-	-	30	6	5	2	7	-	2	8	3	106	82	-	2	60	20
Lincoln	321	1	-	1	48	9	11	2	8	2	3	13	7	127	108	1	7	76	24
Brookhaven	169	-	-	-	26	5	4	2	3	2	2	8	3	84	69	-	5	46	18
Balance of county	132	1	-	1	22	4	7	-	5	-	1	5	4	43	39	1	2	30	6
Lowndes	432	-	-	6	89	22	28	7	8	5	7	12	8	198	145	1	5	103	38
Columbus	262	-	-	4	48	11	16	5	6	3	3	4	4	127	92	1	4	59	28
Balance of county	170	-	-	2	41	11	12	2	2	2	4	8	4	71	53	-	1	44	8
Madison	365	-	-	3	68	8	22	10	6	6	4	12	3	115	72	-	2	43	27
Canton	170	-	-	2	35	4	12	6	2	4	1	6	2	55	33	-	-	18	15
Balance of county	195	-	-	1	33	4	10	4	4	2	3	6	1	60	39	-	2	25	12
Marion	318	1	-	1	50	15	13	6	5	3	-	8	1	142	104	-	-	81	23
Marshall	286	-	-	5	61	13	21	4	3	2	2	16	5	130	108	1	1	65	41
Monroe	409	2	-	2	65	18	23	2	8	1	3	10	2	206	159	-	4	98	57
Montgomery	166	-	-	-	37	5	11	6	3	1	2	9	1	74	54	-	1	46	7
Neshoba	260	-	-	3	49	12	11	5	8	2	2	9	6	86	65	-	3	45	17
Newton	234	-	-	3	39	10	14	1	6	1	1	6	17	103	81	-	4	49	28
Noxubee	124	-	-	1	20	7	3	1	3	2	-	4	2	53	40	-	3	33	4
Oktibbeha	248	-	-	5	42	13	14	5	2	1	3	4	9	106	83	-	6	42	35
Starkville	139	-	-	3	26	7	10	3	1	1	2	2	9	58	43	-	4	20	19
Balance of county	109	-	-	2	16	6	4	2	1	-	1	2	-	48	40	-	2	22	16
Panola	344	-	-	5	63	15	18	5	9	2	3	11	9	160	120	3	4	77	36
Pearl River	343	-	-	5	85	16	31	7	6	9	4	12	7	158	128	1	8	76	43
Picayune	126	-	-	2	29	2	14	1	1	4	3	4	2	62	50	-	6	31	13
Balance of county	217	-	-	3	56	14	17	6	5	5	1	8	5	96	78	1	2	45	30
Perry	85	-	-	-	15	3	3	1	2	1	1	4	-	46	31	-	-	24	7
Pike	446	-	-	5	83	24	20	7	9	4	5	14	11	228	172	2	5	86	70
McComb	200	-	-	2	35	11	11	1	2	2	-	8	6	106	69	1	1	42	25
Balance of county	246	-	-	3	48	13	9	6	7	2	5	6	5	122	103	1	4	44	54
Pontotoc	219	-	-	1	39	11	12	4	5	-	2	5	6	126	103	-	-	51	52
Prentiss	261	-	-	8	38	6	9	3	7	2	2	9	4	104	75	1	1	49	24
Quitman	129	-	-	-	20	3	6	-	5	2	-	4	1	59	43	-	2	26	15
Rankin	565	-	1	7	117	21	35	8	7	5	4	37	13	211	169	1	2	114	52
Jackson, part	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pearl	88	-	-	3	24	3	11	-	1	2	-	7	-	32	28	-	2	18	10
Balance of county	474	-	1	4	93	18	24	8	6	3	4	30	13	179	141	1	-	98	42
Scott	264	-	-	1	41	6	17	5	7	1	3	2	3	133	93	-	4	60	29
Sharkey	102	-	-	3	15	2	4	-	3	1	1	4	1	47	38	-	1	19	18
Simpson	259	-	-	2	56	13	16	5	5	-	3	14	5	116	87	1	1	68	17
Smith	156	-	-	2	31	2	7	3	6	2	2	9	6	68	58	1	1	39	17
Stone	117	-	-	-	18	5	3	1	4	-	1	4	2	55	49	-	-	38	11
Sunflower	369	1	-	3	69	16	17	6	7	2	4	17	6	192	150	-	8	96	46
Tallahatchie	191	-	-	4	30	11	6	2	2	-	3	6	4	94	69	-	5	52	12
Tate	203	-	-	1	33	4	9	4	6	1	-	9	5	83	62	-	2	37	23
Tippah	195	-	-	3	30	4	12	3	4	2	-	5	1	88	59	-	-	48	11
Tishomingo	224	-	-	3	37	10	13	2	5	1	1	5	3	99	79	-	2	63	14
Tunica	99	-	-	2	13	4	4	-	2	-	-	3	-	37	32	-	-	13	19
Union	208	-	-	2	45	10	7	3	12	-	4	9	3	91	62	-	-	43	19
Walthall	171	1	-	1	22	4	7	2	3	1	-	5	7	71	49	-	-	35	14
Warren	492	-	-	4	106	19	31	7	11	6	4	26	8	241	186	-	8	98	80
Vicksburg	335	-	-	4	72	13	22	4	7	5	3	18	5	165	125	-	8	66	51
Balance of county	157	-	-	-	34	6	9	3	4	1	1	10	3	76	61	-	-	32	29
Washington	797	-	-	11	151	42	47	15	19	3	3	22	16	306	226	-	22	144	60
Greenville	546	-	-	6	104	25	36	10	15	2	2	14	10	214	158	-	16	100	42
Balance of county	251	-	-	5	47	17	11	5	4	1	1	8	6	92	68	-	6	44	18
Wayne	198	1	-	1	43	8	15	2	6	3	2	7	3	85	69	-	1	48	20
Webster	123	1	-	2	21	7	9	1	1	-	1	2	2	55	46	-	-	34	12
Wilkinson	125	-	-	1	20	6	5	2	2	2	-	3	3	61	40	-	2	17	21
Winston	209	-	-	-	57	10	23	1	7	3	5	8	5	84	59	-	3	40	16
Yalobusha	171	-	-	3	37	9	14	3	2	-	-	9	3	74	56	-	-	41	15
Yazoo	321	-	-	1	61	12	14	5	11	1	-	18	13	185	116	-	11	73	32
Yazoo City	195	-	-	1	36	9	7	3	5	1	-	11	9	105	66	-	8	39	21
Balance of county	126	-	-	-	25	3	7	2	6	-	-	7	4	60	50	-	5	34	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Jasper	-	16	1	1	4	5	-	2	1	-	1	5	9	15	6	9	1	1	-
Jefferson	1	-	1	1	3	3	-	-	-	-	-	2	16	9	6	2	-	3	-
Jefferson Davis	-	10	3	2	3	2	-	-	6	-	1	-	1	10	4	4	-	3	-
Jones	4	55	3	3	22	15	2	10	6	-	4	7	28	65	17	19	6	9	-
Laurel	3	29	2	-	11	6	1	7	3	-	1	4	12	33	6	10	1	6	-
Balance of county	1	26	1	3	11	9	1	3	3	-	3	3	16	32	11	9	5	3	-
Kemper	-	11	1	-	4	2	-	-	3	-	-	4	11	10	3	2	-	2	-
Lafayette	-	24	-	3	5	8	1	3	1	-	1	-	7	16	6	5	4	3	1
Lamar	-	17	-	1	3	6	-	1	2	-	1	-	12	18	11	7	1	3	3
Hattiesburg, part	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Balance of county	-	16	-	-	3	6	-	1	2	-	1	-	12	18	10	7	1	3	2
Lauderdale	1	73	7	8	12	22	1	12	10	-	7	7	12	68	24	27	10	9	3
Meridian	1	47	4	4	10	17	1	11	9	-	5	6	10	53	10	14	8	6	2
Balance of county	-	26	3	4	2	5	-	1	1	-	2	1	2	15	14	13	2	3	1
Lawrence	-	13	-	-	1	3	-	-	2	-	-	-	2	8	8	3	1	-	-
Leake	2	19	-	1	9	9	-	1	5	-	1	3	34	19	8	12	-	2	-
Lee	1	44	11	2	13	14	1	6	7	-	4	5	5	38	10	21	7	7	1
Tupelo	1	27	8	2	7	4	1	4	5	-	1	1	2	17	2	10	1	2	-
Balance of county	-	17	3	-	6	10	-	2	2	-	3	4	3	21	8	11	6	5	1
Leflore	1	46	2	4	13	13	-	4	2	-	3	7	4	38	8	12	5	8	-
Greenwood	-	25	1	3	10	6	-	3	1	-	3	5	4	25	3	4	4	4	-
Balance of county	1	21	1	1	3	7	-	1	1	-	-	2	-	13	5	8	1	4	-
Lincoln	-	15	1	3	7	7	2	4	2	-	2	5	51	25	13	12	5	2	-
Brookhaven	-	12	-	3	6	5	2	2	-	-	-	2	30	18	1	7	2	1	-
Balance of county	-	3	1	-	1	2	-	2	2	-	2	3	21	7	12	5	3	1	-
Lowndes	6	33	9	5	7	15	-	6	2	-	3	3	20	34	12	12	9	8	-
Columbus	3	23	6	3	5	10	-	4	2	-	-	3	8	22	7	8	5	5	-
Balance of county	3	10	3	2	2	5	-	2	-	-	3	-	12	12	5	4	4	3	-
Madison	2	33	2	6	3	8	1	5	6	-	2	8	77	30	6	14	5	9	2
Canton	-	16	2	4	1	6	-	1	5	-	2	4	24	22	1	3	2	4	1
Balance of county	2	17	-	2	2	2	1	4	1	-	-	4	53	8	5	11	3	5	1
Marion	-	28	8	2	15	9	1	2	5	-	4	2	41	17	9	7	2	7	2
Marshall	1	21	-	-	10	6	-	-	4	-	-	8	9	21	10	10	2	4	1
Monroe	-	39	3	5	18	10	2	1	5	-	3	3	18	34	13	18	4	2	1
Montgomery	-	19	1	-	5	3	-	1	3	-	1	2	18	10	2	3	-	6	-
Neshoba	-	19	-	2	4	9	-	3	2	-	2	4	39	18	7	10	4	3	1
Newton	1	15	4	2	6	6	-	-	1	-	-	-	13	21	9	5	3	7	1
Noxubee	1	10	-	2	5	4	-	-	1	-	-	2	13	13	1	6	-	2	1
Oktibbeha	3	15	2	3	3	10	-	7	6	-	-	3	2	28	8	11	5	3	-
Starkville	2	10	1	2	2	3	-	4	3	-	-	3	-	19	2	4	1	2	-
Balance of county	1	5	1	1	1	7	-	3	3	-	-	-	2	9	6	7	4	1	-
Panola	2	30	6	2	12	7	1	-	6	1	2	4	14	41	7	9	-	3	-
Pearl River	3	23	1	3	11	6	1	1	7	-	-	5	5	22	5	15	8	2	-
Picayune	-	10	1	1	6	2	1	-	1	-	-	1	3	6	-	7	3	1	-
Balance of county	3	13	-	2	5	4	-	1	6	-	-	4	2	16	5	8	5	1	-
Perry	-	10	4	1	3	3	-	-	1	-	-	-	7	4	5	-	1	-	-
Pike	2	49	1	4	8	17	-	6	4	-	1	4	14	34	8	14	4	5	-
McComb	1	32	1	3	4	9	-	3	1	-	-	2	5	20	2	4	-	1	-
Balance of county	1	17	-	1	4	8	-	3	3	-	1	2	9	14	6	10	4	4	-
Pontotoc	-	17	5	1	8	6	1	-	3	-	2	1	3	11	3	7	2	-	-
Prentiss	-	24	2	3	4	12	2	1	5	-	-	-	35	21	14	7	5	1	-
Quitman	-	15	-	1	6	6	-	2	4	-	1	1	3	12	4	7	1	2	-
Rankin	3	30	4	5	21	19	-	7	3	-	6	2	25	87	26	8	4	8	-
Jackson, part	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
Pearl	-	3	1	-	3	2	-	1	-	-	-	-	3	11	7	-	1	1	-
Balance of county	3	27	3	5	18	16	-	6	3	-	6	2	20	76	19	8	3	7	-
Scott	2	27	9	2	8	12	-	2	2	-	2	4	10	18	11	10	2	5	-
Sharkey	-	5	1	3	2	3	-	1	1	-	2	-	5	16	1	3	1	1	-
Simpson	1	21	2	5	8	12	-	2	3	-	1	3	8	23	7	10	2	1	-
Smith	-	8	2	-	4	2	-	2	4	-	1	3	12	11	6	3	1	-	-
Stone	1	5	-	-	4	5	-	1	4	-	1	-	7	14	4	1	1	-	-
Sunflower	-	39	1	2	4	10	1	-	5	-	1	11	25	16	10	6	2	6	1
Tallahatchie	1	22	-	2	2	4	-	-	4	-	1	1	16	11	7	11	-	2	-
Tate	2	15	2	2	11	2	-	1	7	-	1	3	28	12	8	4	1	3	-
Tippah	-	24	2	3	12	3	-	2	5	-	-	1	22	15	6	4	1	1	1
Tishomingo	-	18	1	1	13	13	1	-	6	-	-	2	7	14	14	9	-	3	-
Tunica	-	5	-	-	1	-	1	-	6	-	2	1	17	5	3	5	1	4	1
Union	1	24	2	2	7	12	-	-	3	-	1	1	13	18	1	7	-	3	1
Walthall	1	17	2	2	4	3	-	1	3	1	3	-	20	17	5	9	2	1	-
Warren	3	42	6	4	13	16	1	2	6	-	2	6	13	43	9	8	5	9	-
Vicksburg	3	28	5	4	7	10	1	1	4	-	1	4	10	33	4	5	3	6	-
Balance of county	-	14	1	-	6	6	-	1	2	-	1	2	3	10	5	3	2	3	-
Washington	3	70	3	4	16	21	1	10	9	-	6	14	135	47	14	23	7	7	3
Greenville	1	51	2	2	11	15	1	8	6	-	6	9	86	32	9	16	3	7	3
Balance of county	2	19	1	2	5	6	-	2	3	-	-	5	49	15	5	7	4	-	-
Wayne	1	10	4	1	6	4	-	3	5	-	4	1	8	20	4	5	4	1	-
Webster	1	8	-	-	4	2	-	-	2	-	-	-	1	21	3	5	4	-	-
Wilkinson	1	16	2	2	3	3	1	-	1	-	-	2	6	13	4	5	-	2	-
Winston	3	17	4	1	5	5	-	-	4	-	1	2	15	15	3	6	1	4	2
Yalobusha	-	14	1	3	5	8	1	-	1	1	-	2	16	7	-	9	1	4	1
Yazoo	7	33	7	2	5	8	1	4	2	-	2	6	5	23	6	13	4	2	-
Yazoo City	4	27	6	2	4	4	-	4	1	-	1	2	1	15	5	5	-	2	-
Balance of county	3	6	1	-	1	4	1	-	1	-	1	4	4	8	1	8	4	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri	50,368	26	1	620	10,779	2,577	3,061	913	1,140	449	396	2,243	797	23,617	18,521	147	595	13,148	4,631
Urban places	23,347	13	1	358	5,085	1,204	1,452	444	526	218	179	1,062	390	10,774	8,441	72	369	5,950	2,050
Balance of area	27,021	13	-	262	5,694	1,373	1,609	469	614	231	217	1,181	407	12,843	10,080	75	226	7,198	2,581
Metropolitan counties	30,373	15	1	422	6,877	1,637	1,951	620	703	291	240	1,435	531	13,988	11,065	100	430	7,961	2,574
Urban places	20,446	11	1	314	4,535	1,083	1,283	405	462	192	161	949	346	9,355	7,373	65	349	5,233	1,726
Balance of area	9,927	4	-	108	2,342	554	668	215	241	99	79	486	185	4,633	3,692	35	81	2,728	848
Nonmetropolitan counties	19,995	11	-	198	3,902	940	1,110	293	437	158	156	808	266	9,629	7,456	47	165	5,187	2,057
Urban places	2,901	2	-	44	550	121	169	39	64	26	18	113	44	1,419	1,068	7	20	717	324
Balance of area	17,094	9	-	154	3,352	819	941	254	373	132	138	695	222	8,210	6,388	40	145	4,470	1,733
Adair	237	-	-	4	42	8	13	2	6	1	2	10	2	115	87	-	-	52	35
Kirksville	173	-	-	3	31	8	10	2	3	1	1	6	2	83	63	-	-	39	24
Balance of county	64	-	-	1	11	-	3	-	3	-	1	4	-	32	24	-	-	13	11
Andrew	134	-	-	1	27	8	4	1	4	2	3	5	2	60	43	-	1	34	8
Atchison	108	-	-	-	26	10	2	1	3	1	-	9	-	60	45	-	-	34	11
Audrain	300	-	-	5	67	16	19	4	9	5	2	12	1	126	88	1	2	58	27
Mexico	163	-	-	3	33	8	10	1	2	3	1	8	1	74	50	1	1	33	15
Balance of county	137	-	-	2	34	8	9	3	7	2	1	4	-	52	38	-	1	25	12
Barry	310	-	-	2	58	14	17	4	4	4	4	11	2	158	117	1	3	90	23
Barton	135	-	-	3	25	5	6	1	3	1	2	7	2	68	56	-	4	39	13
Bates	205	-	-	-	43	6	15	3	7	2	3	7	2	90	76	-	-	60	16
Benton	186	-	-	2	46	12	15	4	5	-	2	8	2	87	70	1	-	43	26
Bollinger	144	-	-	-	25	6	8	3	1	1	-	6	1	70	45	-	1	36	8
Boone	580	-	-	14	122	25	29	9	11	8	6	34	14	241	188	-	9	105	74
Columbia	376	-	-	10	68	18	16	6	5	5	3	15	13	156	125	-	8	66	51
Balance of county	204	-	-	4	54	7	13	3	6	3	3	19	1	85	63	-	1	39	23
Buchanan	1,021	-	-	15	197	46	56	11	18	11	4	51	14	458	336	1	5	251	79
St. Joseph	915	-	-	13	183	41	50	11	17	11	3	50	12	406	300	1	5	220	74
Balance of county	106	-	-	2	14	5	6	-	1	-	1	1	2	52	36	-	-	31	5
Butler	469	-	-	8	91	21	28	7	8	3	1	25	12	176	147	-	4	106	37
Poplar Bluff	256	-	-	6	51	12	17	4	5	1	1	11	8	98	81	-	3	60	18
Balance of county	213	-	-	2	40	9	11	3	1	2	-	14	4	78	66	-	1	46	19
Caldwell	133	-	-	1	28	7	5	3	1	2	2	8	1	63	52	1	3	32	16
Callaway	249	-	-	6	53	10	17	3	7	-	1	15	6	106	85	-	3	58	24
Fulton	111	-	-	3	20	3	5	1	4	-	1	6	4	50	43	-	1	28	14
Jefferson City, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	137	-	-	3	33	7	12	2	3	-	-	9	2	56	42	-	2	30	10
Camden	233	1	-	7	55	14	15	4	3	6	3	10	2	103	76	1	-	61	14
Cape Girardeau	575	-	-	4	114	29	38	6	17	2	6	18	6	309	236	-	6	165	65
Cape Girardeau	340	-	-	3	68	15	27	4	8	1	3	10	3	182	129	-	3	86	40
Balance of county	235	-	-	1	46	14	11	2	9	1	3	8	3	127	107	-	3	79	25
Carroll	158	-	-	4	31	10	9	1	1	-	2	8	5	74	61	-	5	39	17
Carter	66	-	-	-	8	1	4	1	-	-	1	1	-	11	9	-	-	4	5
Cass	433	-	-	-	91	22	28	7	11	1	1	21	6	205	157	-	1	103	53
Belton	93	-	-	-	30	9	7	2	4	-	1	7	-	33	24	-	-	19	5
Lee's Summit, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	340	-	-	-	61	13	21	5	7	1	-	14	6	172	133	-	1	84	48
Cedar	204	-	-	2	26	3	10	2	4	-	2	5	7	113	90	-	-	47	43
Chariton	144	-	-	2	24	7	6	1	3	1	1	5	3	78	54	1	-	42	11
Christian	208	-	-	1	40	7	10	2	4	1	3	13	2	100	70	1	2	44	23
Clark	86	-	-	1	19	2	6	2	1	-	-	8	1	28	22	-	1	16	5
Clay	1,044	1	-	13	255	59	74	21	27	7	12	55	26	467	373	-	8	277	88
Excelsior Springs, part	124	-	-	1	27	10	8	4	1	-	-	4	3	57	46	-	-	31	15
Excelsior Springs, total	128	-	-	1	28	10	8	4	1	-	-	5	3	57	46	-	-	31	15
Gladstone	159	-	-	2	35	7	10	3	6	-	1	8	3	72	59	-	1	51	7
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	399	1	-	7	110	20	32	7	10	5	6	30	7	158	124	-	-	85	39
Liberty	130	-	-	1	30	9	9	2	2	1	3	4	4	65	47	-	3	36	8
Balance of county	232	-	-	2	53	13	15	5	8	1	2	9	9	115	97	-	4	74	19
Clinton	189	-	-	3	25	6	6	1	4	-	-	8	4	95	73	-	1	48	24
Cole	479	-	-	6	89	26	19	5	11	4	5	19	3	245	179	1	5	132	41
Jefferson City, part	358	-	-	6	68	19	13	5	11	4	3	13	1	186	136	1	3	99	33
Jefferson City, total	359	-	-	6	68	19	13	5	11	4	3	13	1	186	136	1	3	99	33
Balance of county	120	-	-	-	21	7	6	-	-	-	2	6	2	59	43	-	2	33	8
Cooper	168	-	-	4	38	8	9	3	9	1	-	8	-	86	72	-	1	61	10
Crawford	208	-	-	2	58	12	21	2	1	2	2	18	1	89	75	1	2	55	17
Dade	127	-	-	2	23	4	4	2	2	2	3	6	2	68	55	-	-	39	16
Dallas	149	-	-	3	36	9	11	1	2	3	2	8	-	59	43	-	-	36	7
Daviess	125	-	-	1	22	2	7	-	5	-	-	8	1	65	47	1	2	34	10
De Kalb	114	-	-	1	17	3	1	3	1	1	-	8	4	52	32	-	1	18	13
Dent	174	-	-	1	27	9	6	4	3	1	1	3	-	75	55	-	4	29	22
Douglas	109	-	-	2	18	4	7	2	2	1	1	1	1	43	31	-	-	19	12
Dunklin	481	-	-	5	101	25	31	7	9	5	3	21	10	236	188	2	5	125	56
Kennett	128	-	-	1	30	6	8	3	2	2	2	7	3	69	57	-	2	40	15
Balance of county	353	-	-	4	71	19	23	4	7	3	1	14	7	167	131	2	3	85	41
Franklin	686	-	-	4	159	43	45	17	17	6	4	27	11	298	241	3	4	183	51
Gasconade	194	-	-	1	27	5	5	2	4	2	1	8	1	108	81	2	-	59	20
Gentry	131	-	-	-	21	6	8	-	3	1	-	3	-	79	55	1	-	43	11
Greene	1,691	1	-	21	384	89	115	32	38	16	19	75	17	717	522	9	10	360	143
Springfield	1,370	1	-	16	305	71	96	24	28	10	17	59	15	585	417	8	9	292	108
Balance of county	321	-	-	5	79	18	19	8	10	6	2	16	2	132	105	1	1	68	35
Grundy	161	-	-	1	41	9	8	10	5	1	1	7	2	75	59	-	11	33	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and Influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri	165	3,835	605	491	1,736	1,923	139	394	591	3	256	349	1,836	4,133	945	1,067	671	432	53
Urban places	87	1,752	267	227	829	901	73	218	266	1	118	189	596	2,076	351	447	315	308	28
Balance of area	78	2,083	338	264	907	1,022	66	176	325	2	138	150	1,240	2,057	594	620	356	124	25
Metropolitan counties	113	2,195	340	275	1,004	1,125	83	273	332	1	174	264	743	2,599	546	594	425	340	36
Urban places	78	1,482	231	191	710	786	64	192	234	1	108	169	491	1,817	316	384	277	293	22
Balance of area	35	713	109	84	294	339	19	81	98	-	66	75	252	782	230	210	148	47	14
Nonmetropolitan counties	52	1,640	265	216	732	796	56	121	259	2	92	95	1,093	1,534	399	473	246	92	17
Urban places	9	270	36	36	119	115	9	26	32	-	10	10	105	259	35	63	38	15	6
Balance of area	43	1,370	229	180	613	683	47	95	227	2	72	75	988	1,275	364	410	208	77	11
Adair	-	24	1	3	10	13	1	-	5	-	1	-	13	22	2	4	3	-	-
Kirksville	-	16	1	3	8	10	1	-	3	-	1	-	6	17	2	4	2	-	-
Balance of county	-	8	-	-	2	3	-	-	2	-	-	-	7	5	-	-	1	-	-
Andrew	-	13	4	-	9	7	-	-	4	-	2	1	6	6	3	3	3	-	-
Atchison	-	12	1	2	3	1	-	-	-	-	-	1	1	7	3	5	-	1	-
Audrain	-	26	9	3	12	13	1	4	4	-	4	-	15	32	4	8	4	-	-
Mexico	-	17	5	2	7	8	1	2	1	-	-	-	6	18	3	5	1	-	-
Balance of county	-	9	4	1	5	5	-	2	3	-	4	-	9	14	1	3	3	-	-
Barry	2	27	5	7	10	9	1	1	4	-	-	2	18	23	8	11	3	-	-
Barton	-	8	2	2	6	5	1	2	3	-	1	-	4	9	1	3	1	1	-
Bates	1	8	3	2	5	7	-	1	6	-	-	2	19	16	4	5	4	1	-
Benton	-	16	1	-	10	5	-	1	6	-	-	2	9	9	3	1	3	-	-
Bollinger	1	17	2	5	4	8	1	1	3	-	-	1	7	15	6	1	-	-	1
Boone	-	38	7	8	20	15	2	4	6	-	4	4	14	73	11	22	10	2	2
Columbia	-	23	4	4	12	12	2	3	5	-	4	3	6	59	8	10	4	1	-
Balance of county	-	15	3	4	8	3	-	1	1	-	-	1	8	14	3	12	6	1	2
Buchanan	4	78	32	8	38	43	7	5	10	-	8	8	84	75	19	19	15	5	1
St. Joseph	4	67	28	7	35	37	6	5	9	-	7	8	74	72	16	14	12	5	1
Balance of county	-	11	4	1	3	6	1	-	1	-	1	-	10	3	3	5	3	-	-
Butler	-	25	1	3	11	15	1	10	9	-	1	1	55	51	13	10	3	1	1
Poplar Bluff	-	16	-	1	11	6	1	4	3	-	-	-	30	23	5	6	3	-	1
Balance of county	-	9	1	2	-	9	-	6	6	-	1	1	25	28	8	4	-	1	-
Caldwell	1	8	2	-	6	4	-	1	2	-	-	-	6	12	2	3	4	-	-
Callaway	2	17	1	1	9	4	1	1	2	-	2	3	7	26	5	4	11	2	1
Fulton	-	7	-	-	3	1	1	-	1	-	-	1	3	17	-	1	3	2	1
Jefferson City, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	10	1	1	6	2	-	1	1	-	2	2	4	9	5	3	8	-	-
Camden	4	15	6	2	14	12	1	2	1	-	-	-	1	11	8	9	5	1	-
Cape Girardeau	1	50	15	7	13	21	1	2	4	-	2	5	32	38	10	6	5	2	1
Cape Girardeau	1	33	13	6	10	19	1	2	4	-	1	2	15	23	3	2	1	1	1
Balance of county	-	17	2	1	3	3	-	-	-	-	1	3	17	15	7	4	4	1	-
Carroll	-	13	-	-	3	1	-	2	3	-	-	-	12	14	3	4	-	1	1
Carter	-	2	-	-	3	1	-	-	1	-	-	1	24	6	5	5	1	-	-
Cass	-	44	3	1	12	14	3	3	4	-	3	4	17	34	18	3	11	5	-
Belton	-	8	1	-	2	7	1	1	-	-	-	2	2	7	1	-	5	2	-
Lee's Summit, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	36	2	1	10	7	2	2	4	-	3	2	15	27	17	3	6	3	-
Cedar	1	18	3	1	12	3	-	-	7	-	1	1	11	6	4	4	6	1	-
Charlton	-	16	6	2	12	3	1	-	1	-	-	-	4	10	2	3	1	-	-
Christian	-	26	4	-	2	15	-	1	3	-	1	2	8	12	8	6	5	2	-
Clark	1	5	-	-	3	3	1	-	1	-	-	-	15	9	1	4	-	-	-
Clay	3	67	10	14	23	56	1	12	4	-	12	6	7	76	30	32	19	4	-
Excelsior Springs, part	-	9	2	-	6	7	-	-	-	-	2	1	1	8	2	6	3	-	-
Excelsior Springs, total	-	9	2	-	6	8	-	1	-	-	2	1	1	9	2	6	3	-	-
Gladstone	1	10	1	1	2	10	-	1	-	-	3	1	1	20	2	3	3	1	-
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	1	25	1	7	12	21	-	4	1	-	6	2	3	27	14	14	9	3	-
Liberty	-	12	4	2	-	9	-	3	1	-	-	1	1	7	3	4	1	-	-
Balance of county	1	11	2	4	3	9	1	4	2	-	1	1	1	14	9	5	3	-	-
Clinton	-	12	9	1	6	6	1	2	4	-	-	-	9	17	5	7	1	4	-
Cole	2	51	1	12	11	18	-	6	-	-	4	1	7	45	11	12	13	6	1
Jefferson City, part	2	38	-	10	11	13	-	5	-	-	3	1	5	29	4	10	9	6	1
Jefferson City, total	2	38	-	10	11	14	-	5	-	-	3	1	5	29	4	10	9	6	1
Balance of county	-	13	1	2	-	5	-	1	-	-	1	-	2	16	7	2	4	-	-
Cooper	-	11	3	-	8	5	1	1	1	-	-	-	2	14	3	3	1	-	1
Crawford	-	10	1	3	4	14	2	2	2	-	-	-	9	13	5	3	2	2	-
Dade	-	9	2	-	3	8	-	-	-	-	1	-	9	10	1	2	-	-	-
Dallas	-	13	2	1	4	7	1	-	1	-	3	-	8	17	2	3	4	1	-
Daviess	-	13	4	1	3	6	-	-	3	-	-	1	4	15	2	1	1	-	-
De Kalb	-	15	1	4	9	5	2	-	1	-	-	-	9	10	1	3	-	-	-
Dent	-	15	3	2	4	5	-	1	3	-	2	-	30	14	4	6	2	-	-
Douglas	-	11	-	1	8	6	-	-	1	-	-	-	7	11	3	3	2	3	1
Dunklin	-	44	1	3	7	16	1	2	6	-	-	-	33	32	6	15	6	2	2
Kennett	-	11	-	1	1	4	-	-	1	-	-	-	6	5	1	5	2	-	-
Balance of county	-	33	1	2	6	11	1	2	7	-	-	-	27	27	5	10	4	2	2
Franklin	2	40	2	13	15	20	-	3	6	-	4	8	49	46	39	15	8	-	1
Gasconade	-	21	1	5	10	3	-	-	5	-	1	1	13	18	5	1	-	-	-
Gentry	-	21	1	2	5	6	-	-	1	-	-	-	4	12	1	2	-	-	-
Greene	3	156	20	16	48	68	3	16	21	-	8	14	161	135	24	25	21	7	-
Springfield	3	135	17	13	42	57	3	11	15	-	5	10	126	120	16	19	17	7	-
Balance of county	-	21	3	3	6	11	-	5	6	-	3	4	35	15	8	6	4	-	-
Grundy	-	12	4	-	8	8	1	1	1	-	-	-	4	12	2	4	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Harrison	150	-	-	-	32	9	7	6	3	1	1	5	1	75	61	-	1	41	19
Henry	309	-	-	1	58	10	23	5	6	-	2	12	3	161	122	-	1	67	54
Hickory	101	-	-	-	30	9	9	3	2	-	3	4	2	40	27	1	-	20	6
Holt	97	-	-	-	14	4	2	1	2	1	-	4	1	52	38	-	1	23	14
Howard	122	-	-	-	23	7	5	1	3	3	1	3	1	62	43	1	-	36	6
Howell	351	-	-	2	84	30	21	4	5	3	-	21	6	171	133	1	3	95	34
Iron	142	-	-	1	24	8	6	4	1	-	-	5	3	72	60	-	-	52	8
Jackson	6,172	4	-	111	1,340	308	411	121	118	49	48	285	98	2,766	2,155	16	77	1,398	664
Blue Springs	118	-	-	2	27	4	7	4	3	-	-	9	3	47	38	-	1	24	14
Grandview	106	-	-	1	26	2	10	5	2	2	1	4	4	47	34	-	-	28	6
Independence, part	995	-	-	12	225	53	73	22	19	13	9	36	19	473	400	2	24	241	133
Independence, total	995	-	-	12	225	53	73	22	19	13	9	36	19	473	400	2	24	241	133
Kansas City, part	4,076	4	-	85	882	201	278	69	79	31	32	192	66	1,786	1,376	10	47	919	400
Kansas City, total	4,555	5	-	96	1,009	223	315	77	90	37	38	229	73	1,979	1,530	10	50	1,027	443
Lee's Summit, part	332	-	-	4	60	17	14	6	4	1	1	17	2	165	119	1	1	56	61
Lee's Summit, total	332	-	-	4	60	17	14	6	4	1	1	17	2	165	119	1	1	56	61
Raytown	297	-	-	3	66	20	15	7	7	2	4	11	2	143	107	2	2	77	26
Balance of county	248	-	-	4	54	11	14	8	4	-	1	16	2	105	80	1	2	53	24
Jasper	1,036	3	-	7	200	33	69	21	21	3	8	45	14	509	404	4	17	269	114
Carthage	168	-	-	2	32	8	6	4	6	-	1	7	3	82	66	-	3	53	10
Joplin, part	461	1	-	3	98	15	30	11	12	2	5	23	1	237	191	3	10	122	56
Joplin, total	527	1	-	4	105	16	31	12	14	2	5	25	1	258	204	5	10	131	58
Balance of county	387	2	-	2	70	10	33	6	3	1	2	15	10	190	147	1	4	94	48
Jefferson	1,007	-	-	10	240	55	72	19	23	13	7	51	18	498	391	4	10	255	122
Arnold	102	-	-	2	29	7	10	3	2	-	-	7	-	44	39	-	2	23	14
Balance of county	905	-	-	8	211	48	62	16	21	13	7	44	18	454	352	4	8	232	108
Johnson	276	-	-	1	45	11	17	2	4	2	1	8	-	147	113	-	3	85	25
Warrensburg	86	-	-	1	12	3	5	-	1	1	-	2	-	49	35	-	-	27	8
Balance of county	190	-	-	-	33	8	12	2	3	1	1	6	-	98	78	-	3	58	17
Knox	80	-	-	1	11	5	2	-	1	1	-	2	-	52	44	-	-	24	20
Laclede	281	-	-	2	51	12	15	2	9	2	3	8	1	140	118	1	3	73	41
Lafayette	356	1	-	3	62	12	19	5	6	3	4	13	9	169	126	-	1	97	28
Lawrence	340	-	-	3	67	21	15	4	13	4	2	8	3	178	152	1	-	105	46
Lewis	107	1	-	1	20	2	4	2	4	1	-	7	2	53	40	-	2	20	18
Lincoln	246	-	-	-	44	8	11	5	7	1	3	9	4	75	56	2	-	39	15
Linn	206	-	-	2	34	9	12	1	5	-	1	6	6	127	89	1	1	71	16
Livingston	207	-	-	1	40	8	6	6	8	1	1	10	3	113	83	-	4	57	22
McDonald	171	1	-	-	44	12	10	2	6	2	3	9	1	74	57	2	1	28	26
Macon	233	1	-	2	45	12	13	3	3	2	3	9	2	134	120	-	2	84	34
Madison	168	-	-	2	29	8	6	4	3	3	2	3	1	80	68	1	1	40	26
Maries	68	1	-	2	19	3	8	1	3	-	1	3	-	29	23	-	-	15	8
Marion	381	-	-	2	73	14	22	5	12	6	3	11	6	176	138	1	3	81	53
Hannibal, part	264	-	-	2	54	8	18	3	9	5	2	9	5	115	85	1	-	57	27
Hannibal, total	265	-	-	2	55	8	19	3	9	5	2	9	5	115	85	1	-	57	27
Balance of county	117	-	-	-	19	6	4	2	3	1	1	2	1	61	53	-	3	24	26
Mercer	58	-	-	-	11	5	2	1	1	-	-	2	1	36	30	-	2	16	12
Miller	223	-	-	3	34	6	8	3	6	2	1	8	2	105	75	2	2	57	14
Mississippi	205	1	-	1	45	13	15	-	7	1	2	7	3	100	85	-	4	50	31
Moniteau	160	-	-	4	25	6	9	2	1	1	-	6	-	94	69	-	2	53	14
Monroe	129	-	-	1	24	2	5	1	5	4	1	6	1	51	41	-	1	21	19
Montgomery	136	-	-	2	25	2	6	3	3	1	3	7	1	60	44	-	-	35	9
Morgan	211	-	-	1	47	15	8	3	6	-	1	14	4	110	82	1	1	62	18
New Madrid	242	-	-	1	50	11	14	3	5	2	2	13	3	102	86	1	4	57	24
Sikeston, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Balance of county	240	-	-	1	50	11	14	3	5	2	2	13	3	100	84	1	4	56	23
Newton	409	-	-	5	83	23	22	6	11	4	2	15	4	184	145	5	1	103	36
Joplin, part	46	-	-	1	7	1	1	1	2	-	-	2	-	19	13	2	-	9	2
Balance of county	363	-	-	4	76	22	21	5	9	4	2	13	4	165	132	3	1	94	34
Nodaway	189	-	-	3	35	8	9	4	5	-	3	8	2	99	76	2	1	50	23
Oregon	138	-	-	-	28	8	8	4	3	1	-	4	2	59	49	-	-	37	12
Osage	107	-	-	-	18	7	2	1	2	1	2	3	1	60	50	1	2	39	8
Ozark	105	-	-	-	21	5	6	1	1	1	-	7	1	45	30	-	-	23	7
Pemiscot	310	-	-	3	58	16	21	4	1	1	4	11	6	143	94	-	1	71	22
Perry	181	-	-	1	37	7	12	3	5	3	1	6	3	98	83	-	7	62	14
Pettis	446	-	-	7	95	18	32	5	11	4	5	20	13	201	140	2	1	94	43
Sedalia	315	-	-	4	63	13	20	3	7	2	3	15	10	141	98	2	-	68	28
Balance of county	131	-	-	3	32	5	12	2	4	2	2	5	3	60	42	-	1	26	15
Phelps	343	1	-	4	58	20	11	3	7	4	2	11	4	169	126	-	2	93	33
Rolla	115	1	-	3	19	6	5	2	2	2	-	2	1	62	48	-	-	30	18
Balance of county	228	-	-	1	39	14	6	1	5	2	2	9	3	107	80	-	2	63	15
Pike	216	-	-	1	44	10	16	6	4	2	1	5	2	113	80	1	-	55	24
Platte	254	-	-	6	46	12	12	3	5	1	1	12	3	114	93	-	6	66	21
Kansas City, part	80	-	-	4	17	2	5	1	1	1	-	7	-	35	30	-	3	23	4
Balance of county	174	-	-	2	29	10	7	2	4	-	1	5	3	79	63	-	3	43	17
Polk	231	-	-	2	44	15	7	4	6	3	5	4	4	104	79	-	-	63	16
Pulaski	243	-	-	5	45	12	11	6	4	1	-	11	2	101	78	-	2	52	24
Putnam	81	-	-	1	14	3	5	1	-	-	-	5	1	36	26	-	-	17	9
Ralls	84	-	-	1	25	7	8	2	3	-	2	3	-	44	39	-	-	26	13
Hannibal, part	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	83	-	-	1	24	7	7	2	3	-	2	3	-	44	39	-	-	26	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	–	12	–	2	9	4	–	–	4	–	1	–	6	13	–	5	–	–	–
Henry	–	31	7	1	8	12	1	1	2	–	1	2	21	18	5	11	2	2	–
Hickory	–	11	1	1	1	9	–	–	2	–	–	–	2	6	3	3	3	–	–
Holt	1	11	–	2	9	4	2	1	–	–	1	–	–	6	4	2	–	1	–
Howard	1	9	8	1	8	3	1	2	3	–	–	–	1	13	–	3	1	–	1
Howell	2	27	4	5	9	14	–	3	2	–	1	5	10	25	2	10	5	2	–
Iron	1	10	1	–	6	10	–	–	3	–	–	1	11	4	3	–	2	2	–
Jackson	23	465	78	45	213	292	20	53	86	1	32	54	119	568	112	108	95	90	10
Blue Springs	–	7	1	–	7	5	1	1	1	–	2	2	4	9	3	2	2	–	–
Grandview	–	10	3	–	2	6	2	–	1	–	2	1	3	8	–	1	1	1	–
Independence, part	3	55	9	6	29	51	1	8	9	–	3	9	11	80	26	17	17	5	–
Independence, total	3	55	9	6	29	51	1	8	9	–	3	9	11	80	26	17	17	5	–
Kansas City, part	19	303	55	33	140	177	14	39	63	1	14	38	92	388	64	73	58	82	10
Kansas City, total	20	332	56	41	153	202	14	45	65	1	21	42	96	419	83	88	69	85	10
Lee's Summit, part	–	43	1	2	20	14	–	2	5	–	4	3	6	33	7	2	4	1	–
Lee's Summit, total	–	43	1	2	20	14	–	2	5	–	4	3	6	33	7	2	4	1	–
Raytown	–	28	5	3	9	25	–	2	3	–	5	–	1	20	6	4	7	1	–
Balance of county	1	19	4	1	6	14	2	1	4	–	2	1	2	30	6	9	6	–	–
Jasper	7	82	10	6	31	41	1	12	9	–	3	6	25	107	23	28	12	5	–
Carthage	1	14	–	1	7	8	–	2	1	–	1	–	2	19	5	4	–	–	–
Joplin, part	2	36	5	3	13	19	1	7	4	–	2	4	13	53	9	9	7	–	–
Joplin, total	2	39	7	4	16	24	1	7	4	–	2	4	16	58	10	9	9	–	–
Balance of county	4	32	5	2	11	14	–	3	4	–	–	2	10	35	9	15	5	5	–
Jefferson	5	92	4	6	31	36	2	12	5	–	10	5	11	58	25	24	17	5	–
Arnold	–	3	–	2	2	5	1	2	1	–	2	–	2	2	1	6	3	–	–
Balance of county	5	89	4	4	29	31	1	10	4	–	8	5	9	56	24	18	14	5	–
Johnson	2	22	8	2	16	14	2	1	2	–	–	7	7	17	3	9	2	3	–
Warrensburg	1	11	2	–	5	3	–	1	–	–	–	3	1	8	–	4	–	1	–
Balance of county	1	11	6	2	11	11	2	–	2	–	–	4	6	11	3	5	2	2	–
Knox	–	7	–	1	–	2	–	–	3	–	1	–	7	10	1	1	1	–	–
Laclede	–	19	1	2	9	12	–	–	3	–	–	1	28	14	5	7	6	1	1
Lafayette	2	26	8	7	17	13	1	2	3	–	2	–	18	30	9	13	4	2	–
Lawrence	1	18	3	4	13	16	–	2	5	–	3	1	6	27	7	6	3	–	–
Lewis	–	12	1	–	4	3	–	–	2	–	1	1	12	5	2	–	–	–	–
Lincoln	1	16	1	1	13	4	–	–	1	–	3	3	50	22	13	10	1	2	1
Linn	1	33	–	4	3	9	–	1	5	–	1	1	–	13	–	2	1	1	–
Livingston	–	22	4	4	10	3	2	1	2	–	2	3	8	15	1	1	4	–	–
McDonald	–	16	–	1	1	5	–	1	3	–	1	1	9	14	11	1	4	–	–
Macon	1	9	4	–	10	11	–	–	2	–	1	–	2	14	1	4	4	–	–
Madison	–	8	1	3	–	7	–	1	4	1	–	–	16	19	3	3	2	–	–
Maries	–	4	2	–	2	1	–	2	–	–	–	–	1	3	2	2	2	2	–
Marion	3	23	7	5	19	19	1	5	6	–	2	–	6	42	5	12	5	–	2
Hannibal, part	3	18	5	4	15	11	1	4	6	–	2	–	3	25	4	10	5	–	2
Hannibal, total	3	18	5	4	15	11	1	4	6	–	2	–	3	25	4	10	5	–	2
Balance of county	–	5	2	1	4	8	–	1	–	–	–	–	3	17	1	2	–	–	–
Mercer	–	3	2	1	1	1	–	–	1	–	–	–	1	2	1	2	1	–	–
Miller	1	26	3	–	6	13	–	1	3	–	2	1	7	25	6	6	7	2	–
Mississippi	–	11	2	2	5	17	1	–	2	–	2	2	4	14	4	4	–	–	–
Moniteau	1	12	10	2	1	6	1	1	–	–	2	–	3	12	4	4	2	1	–
Monroe	–	8	1	1	13	8	–	1	2	–	1	1	5	10	3	1	5	2	–
Montgomery	1	8	5	2	8	3	–	3	–	–	–	–	13	8	2	7	4	–	–
Morgan	–	23	4	4	7	11	1	1	1	–	1	–	2	16	3	5	1	–	–
New Madrid	–	15	–	1	4	12	–	–	3	–	–	1	39	13	4	5	1	4	–
Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	15	–	1	4	12	–	–	3	–	–	1	39	13	4	5	1	4	–
Newton	–	28	5	6	14	15	–	3	5	–	5	1	34	29	10	10	6	1	–
Joplin, part	–	3	2	1	3	5	–	–	–	–	–	–	3	5	1	–	2	–	–
Balance of county	–	25	3	5	11	10	–	3	5	–	5	1	31	24	9	10	4	1	–
Nodaway	–	16	4	3	10	8	–	1	3	–	–	–	1	16	3	4	4	–	–
Oregon	–	7	1	2	5	4	–	1	3	–	–	1	17	9	3	5	–	1	–
Osage	–	8	–	2	2	2	1	2	–	–	1	2	5	4	3	6	–	–	–
Ozark	–	9	3	3	2	7	1	–	–	–	1	1	10	8	1	2	4	1	–
Pemiscot	2	46	1	–	9	10	1	2	7	1	–	2	35	16	7	4	3	3	–
Perry	–	12	2	1	6	2	1	–	1	–	–	–	–	16	3	10	–	3	–
Pettis	1	44	10	6	22	18	5	2	5	–	3	–	4	47	6	11	4	3	–
Sedalia	1	33	5	4	18	13	3	2	1	–	2	–	2	40	2	8	3	3	–
Balance of county	–	11	5	2	4	5	2	–	4	–	1	–	2	7	4	3	1	–	–
Phelps	2	31	1	7	12	19	1	1	6	–	–	–	23	24	6	10	4	1	–
Rolla	–	13	–	1	5	2	–	–	2	–	–	–	4	8	4	2	2	–	–
Balance of county	2	18	1	6	7	17	1	1	4	–	–	–	19	16	2	8	2	1	–
Pike	1	18	8	6	2	10	1	1	–	–	1	–	18	9	5	4	4	1	–
Platte	1	17	1	2	5	11	–	5	3	–	3	3	6	25	12	5	7	–	–
Kansas City, part	–	4	–	1	1	4	–	2	1	–	1	2	1	4	5	1	2	–	–
Balance of county	1	13	1	1	4	7	–	3	2	–	2	1	5	21	7	4	5	–	–
Polk	–	23	2	–	8	8	1	1	4	–	3	2	16	18	3	7	3	2	1
Pulaski	2	14	4	3	10	12	1	2	1	–	4	3	15	19	6	12	3	1	1
Putnam	–	5	4	1	4	3	–	–	4	–	–	1	2	7	1	7	–	–	–
Ralls	–	5	–	–	2	2	1	–	–	–	–	–	5	2	1	–	1	–	–
Hannibal, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	–	5	–	–	2	2	1	–	–	–	–	–	5	2	1	–	1	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Randolph	324	–	–	4	49	11	13	5	5	2	–	13	3	155	121	1	2	65	53
Moberly	226	–	–	2	31	7	8	3	3	2	–	8	2	111	87	1	2	41	43
Balance of county	98	–	–	2	18	4	5	2	2	–	–	5	1	44	34	–	–	24	10
Ray	218	–	–	3	39	12	11	4	–	2	1	9	7	94	62	1	–	43	18
Excelsior Springs, part	4	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Balance of county	214	–	–	3	38	12	11	4	–	2	1	8	7	94	62	1	–	43	18
Reynolds	92	–	–	1	12	1	4	2	1	1	1	2	1	37	24	–	–	20	4
Ripley	155	–	–	2	31	5	9	4	5	–	1	7	6	56	52	–	–	37	15
St. Charles	881	1	–	9	209	48	61	24	12	8	7	49	17	407	328	4	5	248	71
St. Charles	369	–	–	5	79	13	26	8	3	1	3	25	4	175	136	2	2	103	29
St. Peters	68	–	–	–	17	5	6	1	–	2	–	3	5	29	24	–	2	19	3
Balance of county	444	1	–	4	113	30	29	15	9	5	4	21	8	203	168	2	1	126	39
St. Clair	137	–	–	–	27	8	8	4	1	1	–	5	1	83	69	–	–	35	34
Ste. Genevieve	134	–	–	–	25	5	8	2	2	3	–	5	6	64	53	1	2	45	5
St. Francois	516	1	–	6	88	17	30	4	11	3	2	22	10	256	205	1	6	166	32
St. Louis	8,230	1	–	109	2,071	492	572	190	229	87	65	426	158	3,891	3,144	34	111	2,426	573
Ballwin	64	–	–	1	17	2	7	1	5	–	1	1	2	29	23	–	–	18	5
Bellefontaine Neighbors	156	–	–	–	39	10	12	2	4	3	–	8	2	86	68	1	3	54	10
Berkeley	100	–	–	1	26	8	7	1	1	–	1	8	2	38	35	–	1	28	6
Bridgeton	138	–	–	2	36	8	11	5	2	3	–	7	1	73	60	–	5	43	12
Clayton	107	–	–	3	36	11	8	4	3	2	2	6	1	51	39	1	2	32	4
Crestwood	107	–	–	–	32	6	9	2	6	1	3	5	2	49	38	–	1	31	6
Creve Coeur	125	–	–	2	31	8	4	1	–	3	–	15	1	65	50	2	1	41	6
Ferguson	268	–	–	2	59	13	14	9	7	3	2	11	6	132	111	2	6	79	24
Florissant	423	–	–	3	108	22	36	11	9	4	–	26	5	207	165	2	7	117	39
Hazelwood	103	–	–	–	23	6	6	1	2	2	2	4	3	52	41	–	1	32	8
Jennings	202	–	–	5	49	12	15	1	6	4	1	10	5	92	75	–	5	55	15
Kirkwood	297	–	–	6	70	18	19	6	10	3	1	13	4	136	114	2	9	87	16
Maplewood	119	–	–	2	22	8	5	1	3	1	1	3	2	54	38	1	–	33	4
Overland	183	–	–	2	40	6	12	4	4	–	2	12	3	85	73	1	5	57	10
Richmond Heights	120	–	–	3	32	13	4	3	1	4	–	7	2	62	47	–	1	38	8
St. Ann	135	–	–	1	43	13	11	4	3	4	4	4	5	61	44	–	–	32	12
University City	377	–	–	8	83	16	18	11	17	4	2	15	11	168	145	3	13	106	21
Webster Groves	245	–	–	6	61	15	16	5	12	2	–	11	3	102	78	1	3	55	19
Balance of county	4,861	1	–	62	1,264	297	358	118	134	54	43	260	98	2,329	1,900	18	48	1,486	348
St. Louis city	6,369	4	1	93	1,374	355	360	132	154	62	49	262	120	2,979	2,413	18	163	1,796	436
Saline	339	1	–	4	71	22	15	8	9	1	1	15	3	177	138	–	4	107	27
Marshall	169	1	–	4	32	3	10	5	4	1	–	9	1	93	69	–	3	58	8
Balance of county	170	–	–	–	39	19	5	3	5	–	1	6	2	84	69	–	1	49	19
Schuyler	58	–	–	1	7	3	2	–	2	–	–	–	1	36	31	–	–	14	17
Scotland	96	–	–	2	16	6	4	1	2	1	1	1	–	55	33	1	–	25	7
Scott	378	–	–	8	77	17	29	3	8	2	3	15	5	187	151	2	3	91	55
Sikeston, part	193	–	–	3	37	10	12	3	3	1	1	7	3	104	85	1	2	50	32
Sikeston, total	195	–	–	3	37	10	12	3	3	1	1	7	3	106	87	1	2	51	33
Balance of county	185	–	–	5	40	7	17	–	5	1	2	8	2	83	66	1	1	41	23
Shannon	92	–	–	–	21	5	3	1	4	–	1	7	2	44	35	–	3	20	12
Shelby	104	–	–	–	30	9	6	2	3	2	–	8	–	52	38	–	12	18	8
Stoddard	358	1	–	2	73	13	22	8	6	4	2	18	3	175	134	1	3	98	32
Stone	197	–	–	3	49	12	19	1	3	3	4	7	2	71	59	–	–	40	19
Sullivan	88	–	–	1	11	2	4	–	1	1	–	3	–	42	38	–	–	27	11
Taney	323	–	–	2	74	19	24	5	7	2	6	11	7	144	112	1	–	81	30
Texas	235	–	–	3	56	13	21	1	6	3	3	9	4	98	78	–	1	53	24
Vernon	257	–	–	1	41	14	16	2	3	1	4	1	4	122	88	–	1	60	27
Warren	140	–	–	–	30	6	6	5	–	2	2	9	3	59	45	1	–	39	5
Washington	189	–	–	1	40	9	12	4	7	2	1	5	3	99	82	1	3	67	11
Wayne	149	–	–	4	37	5	8	3	6	2	1	12	–	69	54	–	1	42	11
Webster	188	–	–	2	32	5	14	3	3	–	–	7	5	89	69	–	1	54	14
Worth	41	–	–	–	4	–	–	1	–	–	–	3	2	28	21	–	–	17	4
Wright	215	–	–	1	44	14	9	4	8	1	1	7	–	113	90	1	–	67	22
Montana	6,724	3	–	54	1,443	373	351	111	192	77	58	281	124	2,932	2,215	43	34	1,450	688
Urban places	2,656	–	–	22	536	140	144	36	65	32	18	101	44	1,212	907	23	15	587	282
Balance of area	4,068	3	–	32	907	233	207	75	127	45	40	180	80	1,720	1,308	20	19	863	406
Metropolitan counties	1,455	–	–	16	340	90	85	23	41	19	16	66	27	632	479	12	9	343	115
Urban places	1,102	–	–	11	255	66	66	16	33	15	10	49	19	485	364	10	9	252	93
Balance of area	353	–	–	5	85	24	19	7	8	4	6	17	8	147	115	2	–	91	22
Nonmetropolitan counties	5,269	3	–	38	1,103	283	266	88	151	58	42	215	97	2,300	1,736	31	25	1,107	573
Urban places	1,554	–	–	11	281	74	78	20	32	17	8	52	25	727	543	13	6	335	189
Balance of area	3,715	3	–	27	822	209	188	68	119	41	34	163	72	1,573	1,193	18	19	772	384
Beaverhead	70	–	–	–	13	3	3	1	3	1	1	1	–	31	23	2	2	6	13
Big Horn	99	–	–	1	19	5	6	1	–	2	1	4	5	31	27	1	–	14	12
Blaine	59	–	–	–	10	2	1	–	1	2	–	4	1	26	21	1	2	16	2
Broadwater	38	–	–	1	9	2	3	–	2	–	–	2	1	13	10	–	–	7	3
Carbon	101	–	–	1	27	1	9	4	5	2	–	6	2	48	32	–	–	19	13
Carter	17	–	–	–	1	–	–	–	–	–	–	1	–	11	10	–	1	8	1
Cascade	618	–	–	6	139	42	39	7	12	9	7	23	8	282	207	3	2	160	42
Great Falls	509	–	–	3	111	34	28	6	10	8	7	18	8	240	169	2	2	129	36
Balance of county	109	–	–	3	28	8	11	1	2	1	–	5	–	42	38	1	–	31	6
Chouteau	49	–	–	–	9	–	3	2	1	1	1	1	1	24	18	–	–	12	6
Custer	130	–	–	2	24	6	8	1	1	1	3	4	1	63	55	–	1	51	3
Daniels	36	–	–	–	11	4	3	–	3	1	–	–	1	19	12	–	–	9	3
Dawson	85	–	–	–	22	2	4	2	2	2	2	8	–	44	33	1	–	29	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Randolph	1	28	6	2	16	12	-	3	5	-	-	2	21	33	5	5	9	2	-
Moberly	1	18	4	1	11	7	-	3	5	-	-	2	13	23	4	4	6	2	-
Balance of county	-	8	1	1	5	5	-	-	-	-	-	-	8	10	1	1	3	-	-
Ray	2	26	3	1	6	8	1	2	4	-	2	1	14	19	9	7	2	-	-
Excelsior Springs, part	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Balance of county	2	26	3	1	6	7	1	1	4	-	2	1	14	18	9	7	2	-	-
Reynolds	-	9	-	4	9	2	-	-	2	-	-	-	16	6	1	4	1	-	-
Ripley	-	4	-	-	2	6	1	2	5	-	-	-	16	16	4	2	3	3	-
St. Charles	4	52	15	8	33	31	2	6	7	-	9	13	15	59	27	12	19	4	1
St. Charles	1	29	6	3	15	18	1	3	4	-	4	7	8	21	11	5	6	3	-
St. Peters	-	1	2	2	3	-	-	-	1	-	1	1	-	8	2	-	2	-	1
Balance of county	3	22	7	3	15	13	1	3	2	-	4	5	7	32	14	7	11	1	-
St. Clair	1	12	1	-	5	4	-	-	1	-	1	-	1	5	3	6	-	-	-
Ste. Genevieve	-	7	2	2	5	3	2	1	2	-	1	-	8	10	4	2	1	-	-
St. Francois	3	33	7	8	23	23	1	4	9	-	4	2	20	38	16	8	4	2	-
St. Louis	35	545	89	78	281	271	18	69	66	-	43	66	72	705	103	148	99	48	11
Ballwin	-	3	3	-	5	1	-	3	-	-	-	-	1	2	1	2	-	-	-
Bellefontaine Neighbors	-	15	1	2	2	5	-	1	-	-	-	-	-	16	2	2	1	-	-
Berkeley	-	3	-	-	4	4	-	-	1	-	1	4	5	9	1	-	1	3	-
Bridgeton	1	10	1	1	4	3	-	3	-	-	-	4	-	7	2	3	-	-	-
Clayton	1	8	-	3	2	-	-	1	1	-	-	-	1	7	1	2	-	1	-
Crestwood	-	10	-	1	2	6	1	-	-	-	-	1	-	9	2	3	-	-	-
Creve Coeur	1	9	3	2	2	1	1	2	-	-	-	-	1	13	1	-	4	1	-
Ferguson	-	17	2	2	18	7	1	2	4	-	1	1	1	21	3	5	5	-	-
Florissant	3	31	5	3	15	14	-	3	2	-	1	1	3	35	9	11	4	2	-
Hazelwood	-	8	1	2	4	4	1	1	-	-	-	2	-	7	2	2	1	1	-
Jennings	3	12	1	1	10	10	-	3	-	-	1	1	-	21	1	3	1	-	-
Kirkwood	-	14	4	4	12	11	-	3	1	-	1	-	9	32	1	4	5	2	-
Maplewood	1	12	1	2	6	6	1	-	-	-	1	-	4	14	1	3	1	2	-
Overland	1	7	2	2	7	10	1	-	2	-	3	4	1	11	4	4	5	1	-
Richmond Heights	1	9	2	3	3	3	-	-	4	-	-	1	-	8	-	1	1	-	-
St. Ann	1	14	1	1	3	2	1	1	-	-	2	3	-	3	4	4	1	1	-
University City	3	33	2	5	13	9	1	4	3	-	3	1	3	31	3	6	5	5	-
Webster Groves	3	16	2	3	13	10	-	1	2	-	1	3	1	30	3	8	1	-	-
Balance of county	16	314	58	41	156	165	10	41	46	-	28	40	42	429	62	85	63	29	11
St. Louis city	24	426	53	63	223	182	23	67	89	-	25	68	101	572	73	127	76	162	10
Saline	-	33	3	3	20	12	-	2	4	-	-	-	5	27	4	5	3	1	-
Marshall	-	23	-	1	10	8	-	1	1	-	-	-	1	12	3	1	1	-	-
Balance of county	-	10	3	2	10	4	-	1	3	-	-	-	4	15	1	4	2	1	-
Schuyler	-	4	1	-	-	-	-	-	3	-	-	-	-	5	2	2	1	-	-
Scotland	-	17	3	2	4	5	-	-	-	-	1	-	-	5	2	6	-	-	-
Scott	-	32	2	2	11	21	1	3	4	-	1	3	17	30	2	4	3	1	-
Sikeston, part	-	16	1	2	4	10	-	2	4	-	1	1	10	13	-	1	-	-	-
Sikeston, total	-	16	1	2	4	10	-	2	4	-	1	1	10	13	-	1	-	-	-
Balance of county	-	16	1	-	7	11	1	1	-	-	-	2	7	17	2	3	3	1	-
Shannon	-	7	1	1	4	2	-	-	3	-	-	-	4	9	3	-	-	-	-
Shelby	-	11	2	1	1	4	-	-	2	-	1	-	4	7	2	1	-	-	-
Stoddard	2	31	3	5	11	12	1	5	3	-	3	-	22	33	8	2	3	1	-
Stone	1	8	2	1	8	16	-	3	2	-	-	1	28	8	2	2	1	1	-
Sullivan	-	4	-	-	6	3	-	1	1	-	-	-	1	16	-	3	-	1	-
Taney	-	22	2	8	7	12	1	2	5	-	-	4	8	24	14	12	5	2	-
Texas	-	17	2	1	6	13	1	2	3	-	-	-	20	14	5	6	4	-	-
Vernon	-	27	3	4	11	16	-	2	3	-	1	1	16	17	8	5	7	2	-
Warren	-	10	4	-	9	8	-	1	1	-	1	2	10	6	5	4	1	-	-
Washington	1	14	1	1	5	9	-	3	2	-	-	-	4	10	4	4	2	3	-
Wayne	-	13	1	1	5	6	-	-	2	-	1	-	11	6	4	3	1	-	-
Webster	-	18	-	2	9	7	1	-	-	-	2	1	11	14	6	5	4	-	-
Worth	-	6	1	-	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Wright	-	20	-	3	9	10	-	-	1	-	-	4	7	12	5	6	2	1	-
Montana	22	512	112	71	235	344	18	85	61	-	46	44	111	602	210	208	144	46	14
Urban places	10	210	61	24	94	150	8	44	17	-	23	14	46	234	59	66	59	18	10
Balance of area	12	302	51	47	141	194	10	41	44	-	23	30	65	368	151	142	85	28	4
Metropolitan counties	6	99	29	18	43	69	6	26	7	-	10	9	26	116	41	35	32	14	6
Urban places	5	78	25	13	36	52	4	23	6	-	9	8	22	82	28	25	24	10	3
Balance of area	1	21	4	6	7	17	2	3	1	-	1	1	4	34	13	10	8	4	3
Nonmetropolitan counties	16	413	83	52	192	275	12	59	54	-	36	35	85	486	169	173	112	32	8
Urban places	5	132	36	11	58	98	4	21	11	-	14	6	24	152	31	41	35	8	7
Balance of area	11	281	47	41	134	177	8	38	43	-	22	29	61	334	138	132	77	24	1
Beaverhead	-	5	-	3	1	5	1	-	1	-	1	-	2	11	2	1	1	-	-
Big Horn	-	3	1	-	2	14	-	-	-	-	2	3	3	8	6	2	3	-	-
Blaine	-	5	-	-	-	2	-	-	1	-	-	-	3	10	2	3	-	1	-
Broadwater	-	3	-	-	-	4	2	-	-	-	-	-	-	3	3	2	-	-	-
Carbon	1	13	-	2	2	5	-	-	1	-	-	-	1	7	2	1	4	-	-
Carter	-	-	-	1	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-
Cascade	6	44	17	8	21	22	3	9	4	-	5	4	10	57	15	13	11	9	-
Great Falls	5	43	17	6	20	19	3	8	3	-	5	3	9	41	10	10	10	6	-
Balance of county	1	1	-	2	1	3	-	1	1	-	-	1	1	16	5	3	1	3	-
Chouteau	-	5	-	1	7	4	-	-	-	-	-	-	-	3	1	-	-	-	-
Custer	-	6	1	1	7	6	-	1	-	-	2	1	1	15	3	3	1	-	-
Daniels	-	4	3	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-
Dawson	-	8	-	3	1	3	-	-	2	-	-	2	1	7	2	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	137	-	-	-	26	7	5	1	4	-	-	9	2	66	48	1	2	24	21
Fallon	36	-	-	-	7	6	1	-	-	-	-	-	1	17	8	-	-	4	4
Fergus	146	-	-	1	30	12	2	1	8	2	1	4	2	64	49	3	1	23	22
Flathead	460	-	-	3	98	26	26	9	9	3	1	24	8	213	148	1	3	86	58
Kalispell	153	-	-	1	25	6	9	2	2	1	-	5	2	84	60	1	2	29	28
Balance of county	307	-	-	2	73	20	17	7	7	2	1	19	6	129	88	-	1	57	30
Gallatin	256	-	-	2	49	16	13	3	5	3	1	8	6	113	81	4	-	43	34
Bozeman	148	-	-	1	31	10	8	1	2	2	1	7	-	74	55	-	-	29	26
Balance of county	108	-	-	1	18	6	5	2	3	1	-	1	6	39	26	4	-	14	8
Garfield	12	-	-	1	1	-	-	-	-	-	-	1	-	5	4	-	-	3	1
Glacier	109	-	-	2	23	4	8	2	5	-	-	4	1	32	25	-	-	15	10
Golden Valley	12	-	-	-	6	1	1	-	2	-	1	1	-	2	1	-	-	-	1
Granite	24	-	-	-	3	-	2	-	1	-	-	-	-	10	6	-	-	2	4
Hill	130	-	-	2	26	8	7	1	3	1	1	5	2	48	40	-	-	30	10
Havre	100	-	-	2	20	4	7	1	2	1	1	4	1	37	31	-	-	23	8
Balance of county	30	-	-	-	6	4	-	-	1	-	-	1	1	11	9	-	-	7	2
Jefferson	64	-	-	2	14	4	3	2	-	1	2	2	2	25	16	-	-	10	6
Judith Basin	14	-	-	-	7	4	1	-	1	-	-	1	2	2	2	-	-	1	1
Lake	183	-	-	-	44	9	7	4	9	5	1	9	6	71	58	1	-	38	19
Lewis and Clark	365	-	-	-	79	21	22	2	9	5	4	16	8	151	113	-	-	70	43
Helena	248	-	-	-	47	12	13	-	7	4	2	9	7	106	75	-	-	45	30
Balance of county	117	-	-	-	32	9	9	2	2	1	2	7	1	45	38	-	-	25	13
Liberty	19	-	-	-	4	2	-	-	-	-	-	2	1	10	8	-	-	4	4
Lincoln	146	-	-	1	40	4	11	5	7	-	1	12	1	69	51	1	1	37	12
McCone	23	-	-	-	8	2	2	2	1	-	-	1	2	8	4	-	-	4	-
Madison	61	2	-	-	7	1	1	1	1	1	-	2	1	30	15	1	1	8	5
Meagher	13	-	-	-	-	-	-	-	-	-	-	-	-	7	6	-	-	1	5
Mineral	19	-	-	-	5	1	1	-	1	-	-	2	1	5	4	-	-	1	3
Missoula	480	-	-	4	98	26	24	10	10	10	5	13	6	187	138	6	4	90	38
Missoula	308	-	-	3	56	15	14	7	6	6	2	6	3	125	92	6	2	62	22
Balance of county	172	-	-	1	42	11	10	3	4	4	3	7	3	62	46	-	2	28	16
Musselshell	53	-	-	1	14	2	6	1	1	1	1	2	-	24	22	-	-	17	5
Park	138	1	-	-	32	5	10	2	9	-	-	6	1	63	51	-	1	28	22
Petroleum	4	-	-	-	1	-	1	-	-	-	-	-	-	3	3	-	-	2	1
Phillips	58	-	-	-	12	3	3	-	2	1	1	2	1	24	20	-	-	17	3
Pondera	53	-	-	-	9	-	3	2	2	-	1	1	-	27	23	-	-	12	11
Powder River	17	-	-	-	1	-	-	-	-	-	-	1	-	8	8	-	-	5	3
Powell	60	-	-	-	11	1	-	3	3	-	2	2	1	23	20	1	2	14	3
Prairie	19	-	-	-	4	-	1	-	-	-	-	3	-	12	10	-	1	8	1
Ravalli	248	-	-	1	63	21	16	4	8	2	2	10	7	103	77	-	-	48	29
Richland	96	-	-	2	21	7	2	1	1	3	1	6	3	39	34	-	1	22	11
Roosevelt	114	-	-	3	12	4	2	1	2	1	-	2	3	49	37	-	-	27	10
Rosebud	84	-	-	-	10	3	1	2	1	-	1	2	2	27	21	-	-	12	9
Sanders	74	-	-	-	18	5	3	1	3	2	1	3	-	33	24	-	-	13	11
Sheridan	50	-	-	1	18	6	2	3	3	-	-	4	1	21	18	-	-	12	6
Silver Bow	475	-	-	4	81	23	24	8	9	3	2	12	10	240	186	5	-	127	54
Butte-Silver Bow	460	-	-	4	76	20	22	8	9	3	2	12	10	235	182	5	-	123	54
Balance of county	15	-	-	-	5	3	2	-	-	-	-	-	-	5	4	-	-	4	-
Stillwater	79	-	-	-	11	-	3	1	1	-	-	6	2	41	31	-	1	20	10
Sweet Grass	43	-	-	1	12	6	2	-	3	-	1	-	-	15	11	-	-	9	2
Teton	62	-	-	-	17	9	2	1	4	-	-	1	1	32	20	-	-	13	7
Toole	36	-	-	-	8	2	3	-	1	-	-	2	-	17	14	1	1	4	8
Treasure	11	-	-	-	3	-	-	1	2	-	-	-	-	1	1	-	-	1	-
Valley	91	-	-	1	21	6	4	3	2	2	1	3	1	37	28	1	-	25	2
Wheatland	18	-	-	-	2	1	1	-	-	-	-	-	-	9	6	-	-	1	5
Wibaux	13	-	-	1	2	-	-	-	-	-	2	-	-	7	5	-	-	5	-
Yellowstone	837	-	-	10	201	48	46	16	29	10	9	43	19	350	272	9	7	183	73
Billings	593	-	-	8	144	32	38	10	23	7	3	31	11	245	195	8	7	123	57
Balance of county	244	-	-	2	57	16	8	6	6	3	6	12	8	105	77	1	-	60	16
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	14,903	6	-	117	3,110	821	771	295	340	137	132	613	237	7,229	5,580	45	87	3,938	1,512
Urban places	6,786	3	-	57	1,490	388	405	150	136	64	58	269	135	3,181	2,421	24	40	1,715	642
Balance of area	8,117	3	-	60	1,620	433	366	146	204	73	74	324	102	4,048	3,159	21	47	2,221	870
Metropolitan counties	5,471	4	-	58	1,227	304	332	121	104	52	53	261	108	2,488	1,915	22	32	1,384	477
Urban places	4,758	3	-	48	1,059	268	291	108	90	43	44	215	101	2,191	1,668	20	30	1,197	421
Balance of area	713	1	-	10	168	36	41	13	14	9	9	46	7	297	247	2	2	187	56
Nonmetropolitan counties	9,432	2	-	59	1,883	517	439	175	236	85	79	352	129	4,741	3,665	23	55	2,552	1,035
Urban places	2,028	-	-	9	431	120	114	42	46	21	14	74	34	990	753	4	10	518	221
Balance of area	7,404	2	-	50	1,452	397	325	133	190	64	65	278	95	3,751	2,912	19	45	2,034	814
Adams	344	-	-	4	70	14	29	8	3	7	1	8	8	174	141	1	-	107	33
Hastings	284	-	-	2	61	13	22	8	3	6	1	8	5	138	111	1	-	84	26
Balance of county	60	-	-	2	9	1	7	-	-	1	-	-	3	36	30	-	-	23	7
Antelope	81	-	-	-	16	5	3	2	2	-	1	3	-	44	27	-	-	20	7
Arthur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banner	8	-	-	-	2	-	1	-	-	-	1	-	-	4	2	-	-	2	-
Blaine	7	-	-	-	2	-	-	-	1	-	-	1	-	2	1	-	-	1	-
Boone	77	-	-	1	14	3	8	2	-	-	-	1	-	34	27	-	-	18	9
Box Butte	101	1	-	-	19	4	2	2	5	2	2	2	2	48	42	-	-	28	14
Boyd	48	-	-	-	10	4	1	1	-	1	-	3	-	28	21	-	-	11	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	-	14	4	-	5	9	1	1	1	-	-	-	3	13	1	4	3	2	-
Fallon	-	7	-	2	2	3	-	-	-	-	1	-	-	3	-	1	-	-	1
Fergus	-	11	4	-	3	9	-	1	3	-	-	1	3	24	1	3	1	-	-
Flathead	1	33	24	7	18	27	-	2	1	-	4	2	7	30	15	20	11	-	1
Kalispell	-	13	11	-	6	6	-	1	-	-	4	-	2	10	2	6	3	-	1
Balance of county	1	20	13	7	12	21	-	1	1	-	-	2	5	20	13	14	8	-	-
Gallatin	1	26	4	1	7	12	1	5	4	-	3	4	5	17	10	10	5	2	1
Bozeman	1	17	1	-	4	7	1	2	1	-	1	1	2	12	2	4	2	2	1
Balance of county	-	9	3	1	3	5	-	3	3	-	2	3	3	5	8	6	3	-	-
Garfield	-	1	-	-	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-
Glacier	-	6	-	1	5	4	-	3	3	-	1	1	2	10	7	7	4	4	-
Golden Valley	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-
Granite	-	3	-	1	1	1	-	1	-	-	-	-	1	3	3	1	-	-	-
Hill	-	6	1	1	12	6	-	1	1	-	2	-	4	12	2	6	4	2	-
Havre	-	4	1	1	11	6	-	-	-	-	2	-	4	9	1	2	4	1	-
Balance of county	-	2	-	-	1	-	-	1	1	-	-	-	-	3	1	4	-	1	-
Jefferson	2	6	1	-	1	2	1	-	-	-	-	1	2	8	2	3	1	-	-
Judith Basin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Lake	-	11	1	1	11	9	-	2	-	-	-	1	2	19	9	7	1	1	-
Lewis and Clark	2	29	4	3	10	26	1	7	3	-	5	2	8	29	9	7	19	-	1
Helena	1	24	3	3	10	21	-	5	2	-	3	1	7	22	4	3	9	-	1
Balance of county	1	5	1	-	-	5	1	2	1	-	2	1	1	7	5	4	10	-	-
Liberty	-	2	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-
Lincoln	-	16	1	1	5	5	-	1	1	-	1	-	1	9	5	3	3	1	-
McCone	-	4	-	-	-	1	-	-	-	-	-	-	1	2	-	-	1	-	-
Madison	3	10	-	2	3	2	-	1	-	-	-	-	2	5	3	3	2	-	-
Meagher	-	-	1	-	1	2	-	-	-	-	-	-	-	2	1	-	-	-	-
Mineral	-	1	-	-	-	1	-	1	-	-	-	-	3	1	1	1	-	-	-
Missoula	5	35	4	5	15	25	1	10	4	-	3	5	3	59	25	14	14	7	-
Missoula	3	25	2	3	10	19	-	8	3	-	2	4	2	39	9	12	10	3	-
Balance of county	2	10	2	2	5	6	1	2	1	-	1	1	1	20	16	2	4	4	-
Musselshell	-	1	-	1	-	2	-	1	1	-	-	-	1	5	1	2	1	-	-
Park	-	9	1	2	6	8	-	-	4	-	-	-	-	13	4	4	2	-	-
Petroleum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phillips	-	4	-	-	8	2	-	1	-	-	-	1	-	4	2	1	1	-	-
Pondera	-	3	1	-	4	2	-	1	1	-	1	-	-	3	1	3	1	-	-
Powder River	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1	1	2	-	-
Powell	-	3	-	-	3	4	-	1	1	-	-	2	1	5	2	2	4	-	-
Prairie	-	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Ravalli	-	23	-	3	4	12	1	1	4	-	3	1	6	17	8	8	5	4	-
Richland	1	4	-	-	3	6	-	-	1	-	1	-	-	9	5	4	2	-	-
Roosevelt	-	11	1	-	5	3	-	5	2	-	2	3	-	9	5	7	2	4	-
Rosebud	-	3	3	-	7	1	-	1	-	-	1	1	1	7	1	5	-	-	-
Sanders	-	6	3	-	1	5	-	1	3	-	-	-	2	4	-	5	1	1	-
Sheridan	-	2	1	-	2	-	-	1	1	-	-	-	1	2	1	-	-	1	-
Silver Bow	-	36	14	4	18	30	2	4	4	-	2	-	5	49	12	10	5	-	4
Butte-Silver Bow	-	35	14	4	12	30	2	4	4	-	2	-	4	47	12	10	4	-	4
Balance of county	-	1	-	-	1	-	-	-	-	-	-	-	1	2	-	-	1	-	-
Stillwater	-	8	2	-	2	3	1	-	-	-	-	-	1	10	3	4	1	-	-
Sweet Grass	-	4	-	-	4	1	-	1	-	-	-	-	2	4	-	1	2	-	-
Teton	-	9	1	2	1	1	-	2	-	-	-	2	-	3	-	3	-	-	-
Toole	-	2	1	-	-	3	-	1	1	-	-	-	1	2	-	1	1	1	-
Treasure	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	1	-	1	-
Valley	-	7	-	2	4	2	-	1	2	-	-	1	3	11	3	4	-	-	-
Wheatland	-	1	1	1	1	-	-	-	1	-	-	-	-	2	1	1	1	-	-
Wibaux	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Yellowstone	-	55	12	11	22	47	3	17	3	-	5	5	16	59	26	22	21	5	6
Billings	-	35	8	7	16	33	1	15	3	-	4	5	13	41	18	15	14	4	3
Balance of county	-	20	4	4	6	14	2	2	-	-	1	-	3	18	8	7	7	1	3
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	52	1,147	263	187	673	600	55	117	147	1	96	111	292	1,272	261	328	178	46	27
Urban places	26	527	111	96	289	314	20	75	62	-	52	69	107	565	95	137	90	30	15
Balance of area	26	620	152	91	384	286	35	42	85	1	44	42	185	707	166	191	88	16	12
Metropolitan counties	15	388	93	77	225	239	15	63	52	-	52	68	82	473	85	109	79	29	15
Urban places	13	356	87	67	189	208	15	55	48	-	40	55	68	418	68	94	61	26	11
Balance of area	2	32	6	10	36	31	-	8	4	-	12	13	14	55	17	15	18	3	4
Nonmetropolitan counties	37	759	170	110	448	361	40	54	95	1	44	43	210	799	176	219	99	17	12
Urban places	13	171	24	29	100	106	5	20	14	-	12	14	39	147	27	43	29	4	4
Balance of area	24	588	146	81	348	255	35	34	81	1	32	29	171	652	149	176	70	13	8
Adams	3	27	2	1	20	9	-	2	4	-	1	2	6	24	4	8	7	-	1
Hastings	3	22	2	-	17	9	-	2	3	-	1	2	4	23	3	7	7	-	-
Balance of county	-	5	-	1	3	-	-	-	1	-	-	-	2	1	1	1	-	-	1
Antelope	2	10	3	2	2	4	2	-	3	-	1	1	-	6	1	-	-	1	-
Arthur	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banner	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Blaine	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
Boone	-	5	-	2	3	2	1	-	3	-	-	1	2	12	1	3	-	-	-
Box Butte	-	5	-	1	3	3	-	1	-	-	-	2	3	14	-	3	1	-	1
Boyd	-	6	1	-	-	1	-	-	-	-	1	-	2	4	1	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Brown	54	-	-	1	9	1	3	3	1	1	-	-	1	29	22	-	-	10	12
Buffalo	302	-	-	1	58	13	17	7	2	3	4	12	3	158	119	-	-	91	28
Kearney	192	-	-	-	39	8	12	5	1	2	2	9	2	96	66	-	-	55	11
Balance of county	110	-	-	1	19	5	5	2	1	1	2	3	1	62	53	-	-	36	17
Burt	128	-	-	-	26	7	9	-	2	1	-	7	1	68	52	-	-	35	17
Butler	118	-	-	-	29	9	3	2	5	1	1	8	-	54	40	-	-	32	8
Cass	203	-	-	3	38	12	7	2	3	3	3	8	-	93	76	2	1	44	29
Cedar	111	-	-	-	28	7	8	3	3	1	1	5	1	58	43	-	-	31	12
Chase	55	-	-	-	9	3	-	1	3	-	-	2	-	33	28	-	7	16	5
Cherry	73	-	-	1	9	1	2	-	3	-	1	2	-	43	29	-	1	22	6
Cheyenne	121	-	-	-	24	8	4	1	4	2	-	5	1	64	57	1	7	40	9
Clay	95	-	-	-	20	3	9	-	3	1	-	4	1	47	38	1	-	29	8
Colfax	110	-	-	-	23	4	6	3	3	1	3	3	1	52	36	1	-	23	12
Cuming	114	1	-	-	26	5	12	1	2	1	1	4	3	50	45	-	-	37	8
Custer	189	-	-	2	37	15	5	2	8	3	1	3	-	103	89	1	1	67	20
Dakota	150	-	-	1	44	7	13	1	4	3	2	14	-	49	42	1	1	31	9
Dawes	93	-	-	-	18	4	7	2	2	-	-	3	2	45	37	-	1	22	14
Dawson	224	-	-	1	28	9	7	4	1	2	-	5	1	125	98	1	-	78	19
Deuel	28	-	-	-	4	2	-	-	1	-	-	1	-	15	13	-	-	8	5
Dixon	71	-	-	1	18	6	4	1	2	-	-	5	2	35	33	-	-	12	21
Dodge	391	-	-	1	75	17	20	6	9	6	3	14	3	194	142	1	2	102	37
Fremont	270	-	-	-	50	13	11	4	6	4	1	11	2	138	96	1	1	69	25
Balance of county	121	-	-	1	25	4	9	2	3	2	2	3	1	56	46	-	1	33	12
Douglas	3,541	2	-	39	789	198	228	74	60	33	39	157	76	1,602	1,235	12	19	950	254
Omaha	3,287	2	-	36	734	183	213	71	58	30	34	145	74	1,495	1,151	12	18	876	245
Balance of county	254	-	-	3	55	15	15	3	2	3	5	12	2	107	84	-	1	74	9
Dundy	44	-	-	-	4	-	2	1	-	-	-	1	-	25	22	-	1	16	5
Fillmore	115	-	-	1	25	4	3	4	3	1	1	9	5	56	46	-	-	39	7
Franklin	68	-	-	1	14	7	2	1	3	1	-	-	-	29	26	-	-	19	7
Frontier	47	-	-	-	8	2	1	1	1	-	2	1	-	32	23	-	-	17	6
Furnas	89	-	-	2	14	5	3	3	-	1	-	2	-	54	43	-	-	32	11
Gage	281	-	-	3	64	17	10	6	6	3	5	17	7	150	125	-	1	88	36
Beatrice	160	-	-	1	41	16	5	4	4	1	3	8	5	76	62	-	1	41	20
Balance of county	121	-	-	2	23	1	5	2	2	2	2	9	2	74	63	-	-	47	16
Garden	32	-	-	-	3	-	2	-	-	-	-	1	-	19	13	-	2	9	2
Garfield	37	-	-	-	9	2	1	2	3	-	1	-	-	21	15	1	-	8	6
Gosper	20	-	-	1	4	-	1	-	1	-	2	-	-	14	13	-	-	12	1
Grant	7	-	-	-	2	-	-	1	-	-	-	1	1	2	1	-	-	-	1
Greeley	53	-	-	1	11	5	1	-	1	-	1	3	-	25	14	-	-	7	7
Hall	437	-	-	1	97	29	24	10	10	2	2	20	8	202	162	-	6	95	61
Grand Island	360	-	-	-	73	20	21	7	9	2	2	12	8	165	133	-	6	75	52
Balance of county	77	-	-	1	24	9	3	3	1	-	-	8	-	37	29	-	-	20	9
Hamilton	80	-	-	1	10	1	3	-	1	-	2	3	1	47	37	-	1	22	14
Harlan	46	-	-	-	13	5	1	1	2	1	2	1	-	24	21	-	-	16	5
Hayes	8	-	-	-	1	-	-	-	-	-	-	1	-	3	3	-	-	2	1
Hitchcock	44	-	-	1	3	-	-	-	1	-	-	2	1	27	20	-	1	14	5
Holt	141	-	-	-	25	5	6	5	1	1	2	5	-	83	62	1	-	38	25
Hooker	21	-	-	-	7	1	4	1	-	-	-	1	-	8	7	-	-	6	1
Howard	68	-	-	1	12	-	2	3	3	1	-	3	2	47	36	1	1	23	11
Jefferson	127	-	-	-	31	7	4	2	6	1	2	8	1	64	51	-	-	32	19
Johnson	57	-	-	2	11	3	3	-	1	1	1	2	-	34	10	-	-	8	2
Kearney	69	-	-	-	20	6	3	1	4	1	-	5	-	27	23	-	1	19	3
Keith	101	-	-	1	19	6	6	-	1	2	2	2	1	54	40	-	-	36	4
Keya Paha	8	-	-	-	2	-	1	-	-	-	-	1	-	4	3	-	-	2	1
Kimball	47	-	-	-	6	4	1	-	-	-	-	1	-	12	10	-	-	6	4
Knox	137	-	-	1	19	8	1	3	2	2	-	3	3	82	68	-	-	64	4
Lancaster	1,433	1	-	11	311	80	71	41	33	12	6	68	26	683	508	7	10	330	161
Lincoln	1,329	1	-	11	287	75	67	35	30	11	6	63	25	629	461	7	10	297	147
Balance of county	104	-	-	-	24	5	4	6	3	1	-	5	1	54	47	-	-	33	14
Lincoln	323	-	-	2	67	17	19	5	12	2	2	10	5	167	121	-	1	78	42
North Platte	245	-	-	2	54	15	15	4	7	2	2	9	4	121	87	-	-	55	32
Balance of county	78	-	-	-	13	2	4	1	5	-	-	1	1	46	34	-	1	23	10
Logan	3	-	-	-	2	1	-	1	-	-	-	-	-	1	1	-	-	1	-
Loup	9	-	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	2	2
McPherson	6	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	1	3
Madison	347	-	-	3	69	19	18	6	7	1	4	14	6	186	145	1	1	120	23
Norfolk	204	-	-	2	41	11	12	3	6	-	-	9	5	102	81	1	-	70	10
Balance of county	143	-	-	1	28	8	6	3	1	1	4	5	1	86	64	-	1	50	13
Merrick	98	-	-	1	22	7	5	2	2	-	1	5	-	46	35	-	-	27	8
Morrill	77	-	-	-	11	1	3	1	4	-	-	2	-	47	36	2	2	19	13
Nance	73	-	-	1	20	8	3	3	1	2	-	3	2	35	29	1	-	21	7
Nemaha	87	-	-	-	16	4	5	3	1	-	-	3	1	47	35	-	1	19	15
Nuckolls	81	-	-	-	22	6	6	3	1	1	-	5	3	38	26	1	-	14	11
Otoe	228	-	-	1	46	17	11	2	3	1	3	9	5	103	79	-	2	59	16
Pawnee	57	-	-	-	11	1	3	1	1	2	-	3	1	20	14	-	1	6	7
Perkins	39	-	-	-	10	1	5	-	1	1	-	2	-	14	6	-	-	5	1
Phelps	109	-	-	-	22	12	5	-	2	-	-	3	5	54	48	1	-	25	22
Pierce	94	-	-	2	21	8	1	5	4	-	-	3	-	52	37	-	2	31	4
Platte	208	-	-	1	59	20	10	2	7	7	3	10	2	104	77	-	-	50	27
Columbus	158	-	-	1	43	17	7	2	5	4	2	6	1	84	63	-	-	39	24
Balance of county	50	-	-	-	16	3	3	-	2	3	1	4	1	20	14	-	-	11	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown	-	6	-	1	1	3	-	3	-	-	2	-	-	3	-	2	-	-	-
Buffalo	1	31	2	5	12	9	-	1	2	-	-	4	-	31	8	8	6	-	1
Kearney	1	23	2	4	10	7	-	1	1	-	-	3	-	19	4	5	4	-	1
Balance of county	-	8	-	1	2	2	-	-	1	-	-	1	-	12	4	3	2	-	-
Burt	1	12	3	-	10	5	1	1	1	-	1	-	1	8	2	2	1	-	-
Butler	-	11	2	1	10	8	-	-	-	-	4	1	-	10	2	-	-	-	-
Cass	2	12	2	1	13	5	1	-	4	-	1	1	9	22	4	7	1	1	-
Cedar	1	6	5	3	3	-	1	-	1	-	-	-	5	8	2	2	1	1	-
Chase	-	5	-	-	3	4	-	-	-	-	-	-	-	5	1	-	-	-	-
Cherry	-	10	2	2	4	5	1	-	2	-	1	-	1	3	1	1	1	-	-
Cheyenne	-	5	2	-	4	3	-	1	1	-	-	-	1	11	5	4	1	-	1
Clay	-	7	1	1	6	2	-	-	-	-	1	-	1	9	3	2	1	-	-
Colfax	-	14	-	2	7	2	1	1	-	-	1	-	7	8	1	4	2	-	-
Cuming	-	5	-	-	3	4	4	2	1	-	-	-	2	13	2	1	2	-	-
Custer	2	9	1	2	13	3	-	1	1	-	1	-	-	21	1	6	-	-	-
Dakota	-	3	4	-	13	8	-	-	1	-	5	3	2	10	6	3	5	-	-
Dawes	-	7	1	-	3	6	-	1	1	-	-	-	1	12	2	1	1	-	-
Dawson	1	16	7	3	10	15	2	-	4	-	-	2	4	15	3	8	4	1	1
Deuel	-	1	1	-	1	1	-	-	-	-	-	1	-	4	1	-	1	-	-
Dixon	-	2	-	-	3	3	-	-	2	-	-	1	2	1	-	3	-	-	-
Dodge	3	36	7	6	27	25	-	2	2	-	4	-	8	35	6	4	4	-	1
Fremont	3	29	6	4	17	20	-	2	2	-	3	-	7	20	2	3	3	-	1
Balance of county	-	7	1	2	10	5	-	-	-	-	1	-	1	15	4	1	1	-	-
Douglas	10	251	56	50	153	159	13	50	36	-	28	44	40	317	49	78	42	22	2
Omaha	8	235	55	46	138	145	13	47	34	-	23	37	39	293	46	74	34	21	2
Balance of county	2	16	1	4	15	14	-	3	2	-	5	7	1	24	3	4	8	1	-
Dundy	-	2	-	1	7	3	-	-	-	-	-	-	-	2	1	1	1	-	-
Fillmore	-	9	-	1	4	-	-	2	1	-	-	1	2	12	4	2	-	-	-
Franklin	-	2	1	-	4	4	-	-	1	-	-	-	-	9	1	3	2	-	-
Frontier	-	3	6	-	-	1	1	-	1	-	-	-	1	2	-	-	-	1	-
Furnas	1	7	2	1	4	4	1	-	3	-	-	-	-	5	-	-	2	-	-
Gage	2	16	5	2	9	9	-	2	-	-	-	-	4	17	6	6	1	2	1
Beatrice	2	8	3	1	4	7	-	2	-	-	-	-	2	12	4	2	1	2	1
Balance of county	-	8	2	1	5	2	-	-	-	-	-	-	2	5	2	4	-	-	-
Garden	1	4	1	-	1	3	-	-	-	-	-	-	-	4	-	1	1	-	-
Garfield	-	6	-	-	3	1	-	-	-	-	-	-	-	1	-	2	-	-	-
Gosper	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Grant	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Greeley	-	9	1	1	3	1	-	-	-	-	-	-	1	5	2	4	-	-	-
Hall	-	30	2	8	28	28	2	3	3	-	2	2	9	29	3	9	8	2	1
Grand Island	-	24	1	7	27	26	1	3	1	-	2	2	8	23	3	8	7	2	1
Balance of county	-	6	1	1	1	2	1	-	2	-	-	-	1	6	-	1	1	-	-
Hamilton	-	7	2	1	5	3	-	-	2	-	1	1	-	4	3	2	-	-	-
Harlan	-	3	-	-	-	1	-	1	-	-	-	-	3	2	-	-	2	-	-
Hayes	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Hitchcock	-	4	2	1	3	2	-	-	-	-	1	-	-	3	1	2	-	-	-
Holt	-	18	2	1	4	6	1	-	4	-	2	-	-	10	2	2	1	1	-
Hooker	-	1	-	-	-	1	-	-	-	-	1	-	-	3	-	-	1	-	-
Howard	-	9	2	-	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-
Jefferson	-	10	3	-	4	3	-	-	-	-	1	-	2	16	1	2	2	-	-
Johnson	-	7	16	1	1	1	1	-	-	-	-	-	1	3	-	2	1	-	-
Kearney	-	4	-	-	4	2	-	2	1	1	-	-	-	6	1	3	2	-	-
Keith	-	11	1	2	3	2	-	1	1	-	-	1	2	9	4	1	2	-	-
Keya Paha	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kimball	-	1	1	-	3	2	-	-	2	-	1	-	12	2	3	3	1	-	-
Knox	-	12	1	1	7	5	1	2	2	-	-	-	3	7	-	4	1	-	-
Lancaster	3	118	33	21	49	65	2	9	13	-	18	17	31	116	19	23	25	5	9
Lincoln	3	115	32	18	48	57	2	7	13	-	17	16	29	113	18	19	23	5	9
Balance of county	-	3	1	3	1	8	-	2	-	-	1	1	2	3	1	4	2	-	-
Lincoln	2	29	9	6	12	18	1	3	3	-	1	1	2	21	2	11	6	1	-
North Platte	1	24	4	5	9	14	1	2	3	-	1	1	2	18	1	9	3	-	-
Balance of county	1	5	5	1	3	4	-	1	-	-	-	-	-	3	1	2	3	1	-
Logan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Loup	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-
McPherson	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Madison	-	33	7	3	10	12	2	2	3	-	3	1	10	18	11	6	3	-	-
Norfolk	-	18	1	2	5	6	2	2	2	-	3	1	8	13	6	4	2	-	-
Balance of county	-	15	6	1	5	6	-	-	1	-	-	-	2	5	5	2	1	-	-
Merrick	1	7	1	2	6	4	-	-	-	-	1	-	-	8	5	4	1	-	-
Morrill	1	6	3	1	-	3	1	-	2	-	1	-	-	6	3	2	1	-	-
Nance	-	5	1	-	3	2	-	-	-	-	-	-	2	5	1	2	-	-	-
Nemaha	-	9	2	1	3	3	-	-	-	-	1	-	2	10	3	1	-	-	-
Nuckolls	-	11	-	1	1	4	-	1	-	-	-	1	1	10	-	-	-	-	-
Otoe	-	18	3	3	10	5	1	1	3	-	2	1	17	20	7	2	2	-	-
Pawnee	1	3	1	1	2	3	1	-	-	-	-	-	-	15	-	3	1	-	-
Perkins	-	4	1	3	-	-	-	-	-	-	-	-	3	7	4	-	1	-	-
Phelps	-	6	-	-	4	3	2	-	-	-	1	-	1	7	2	7	1	-	-
Pierce	-	8	4	3	2	2	1	-	-	-	-	1	-	8	1	3	1	-	-
Platte	1	22	2	2	6	8	1	1	-	-	-	3	1	10	4	6	2	-	-
Columbus	1	18	1	1	5	6	-	1	-	-	-	3	-	7	2	3	2	-	-
Balance of county	-	4	1	1	1	2	1	-	-	-	-	-	1	3	2	3	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Polk	83	-	-	1	13	5	-	3	2	-	1	2	-	46	30	-	-	24	6
Red Willow	136	-	-	-	35	9	9	2	8	1	1	5	1	55	32	1	-	23	8
Richardson	184	-	-	3	28	7	4	5	1	1	4	8	1	88	63	-	2	45	16
Rock	27	-	-	-	5	2	2	-	1	-	-	-	3	15	10	-	-	7	3
Saline	148	-	-	2	28	10	4	4	6	-	2	2	2	77	53	-	2	29	22
Sarpy	347	1	-	7	83	19	20	5	7	4	6	22	6	154	130	2	2	73	53
Bellevue	142	-	-	1	38	10	11	2	2	2	4	7	2	67	56	1	2	24	29
Balance of county	205	1	-	6	45	9	9	3	5	2	2	15	4	87	74	1	-	49	24
Saunders	210	-	-	2	42	15	4	3	9	1	1	9	2	105	73	-	1	46	26
Scotts Bluff	375	-	-	2	77	16	17	10	12	3	4	15	8	154	124	2	2	79	41
Scottsbluff	155	-	-	1	29	7	9	5	5	-	1	2	2	70	54	1	2	30	21
Balance of county	220	-	-	1	48	9	8	5	7	3	3	13	6	84	70	1	-	49	20
Seward	156	-	-	-	29	9	6	3	5	2	-	4	2	89	74	-	1	52	21
Sheridan	91	-	-	-	14	3	3	2	4	-	-	2	2	38	30	-	-	21	9
Sherman	53	-	-	-	8	4	2	-	1	-	-	1	2	30	29	-	-	21	8
Sioux	12	-	-	-	1	-	-	-	-	-	-	1	-	5	1	-	-	-	1
Stanton	44	-	-	1	10	1	2	1	4	2	-	-	-	14	12	-	-	11	1
Thayer	109	-	-	1	24	7	6	1	4	1	1	4	2	48	35	-	-	19	16
Thomas	9	-	-	-	2	-	1	-	-	-	-	1	1	5	5	-	-	5	-
Thurston	92	-	-	1	18	1	8	2	2	-	-	5	2	37	31	-	1	22	8
Valley	73	-	-	1	16	3	3	2	1	1	-	6	-	37	23	-	-	19	4
Washington	145	-	-	-	29	7	11	2	3	-	1	5	3	72	61	2	2	47	10
Wayne	82	-	-	-	9	3	-	-	1	-	-	5	2	46	39	-	-	33	6
Webster	85	-	-	1	9	2	3	-	-	-	1	3	2	41	34	-	-	28	8
Wheeler	7	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-
York	146	-	-	-	37	14	8	3	7	2	2	1	4	70	57	-	-	31	26
Nevada	7,236	7	-	72	1,690	401	535	120	145	86	53	350	102	3,024	2,495	28	156	1,515	796
Urban places	4,171	6	-	47	960	224	310	67	79	51	28	201	58	1,747	1,437	18	104	869	446
Balance of area	3,065	1	-	25	730	177	225	53	66	35	25	149	44	1,277	1,058	10	52	646	350
Metropolitan counties	5,784	6	-	61	1,374	329	450	99	120	71	38	267	84	2,448	2,018	24	142	1,225	627
Urban places	3,823	6	-	44	877	208	290	60	72	47	25	175	56	1,606	1,323	18	102	793	410
Balance of area	1,961	-	-	17	497	121	160	39	48	24	13	92	28	842	695	6	40	432	217
Nonmetropolitan counties	1,452	1	-	11	316	72	85	21	25	15	15	83	18	576	477	4	14	290	169
Urban places	348	-	-	3	83	16	20	7	7	4	3	26	2	141	114	-	2	76	36
Balance of area	1,104	1	-	8	233	56	65	14	18	11	12	57	16	435	363	4	12	214	133
Carson City city	348	-	-	3	83	16	20	7	7	4	3	26	2	141	114	-	2	76	36
Churchill	170	1	-	1	37	10	8	1	4	4	2	8	1	67	60	-	3	38	19
Clark	4,138	5	-	40	967	229	323	76	84	51	28	176	65	1,772	1,467	17	75	863	512
Henderson	240	-	-	1	56	11	24	3	4	1	2	11	7	108	91	1	5	56	29
Las Vegas	1,914	4	-	21	437	106	141	32	36	27	13	82	29	794	663	9	33	364	257
North Las Vegas	249	1	-	5	43	12	16	4	3	3	-	5	2	112	82	1	3	53	25
Balance of county	1,733	-	-	13	431	100	142	37	41	20	13	78	27	758	631	6	34	390	201
Douglas	143	-	-	-	42	7	13	3	3	2	1	13	-	60	51	1	4	33	13
Elko	164	-	-	1	39	8	13	1	5	2	2	8	3	56	47	-	-	29	18
Esmeralda	10	-	-	-	2	1	-	-	-	1	-	-	-	3	3	-	1	1	1
Eureka	7	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	2	-
Humboldt	82	-	-	3	14	2	4	1	-	-	2	5	2	33	30	-	1	19	10
Lander	31	-	-	-	5	1	2	-	-	-	-	2	1	11	10	1	-	5	4
Lincoln	34	-	-	-	2	-	-	1	1	-	-	-	-	19	15	-	-	9	6
Lyon	165	-	-	1	32	11	11	2	3	1	-	4	2	78	62	2	-	40	20
Mineral	72	-	-	2	14	3	3	1	1	1	1	4	1	26	18	-	-	6	12
Nye	91	-	-	-	20	6	5	3	-	-	1	5	-	39	32	-	2	17	13
Pershing	38	-	-	-	9	2	2	-	-	-	-	5	1	12	10	-	1	5	4
Storey	10	-	-	-	2	1	-	-	-	-	1	-	1	2	2	-	-	-	2
Washoe	1,648	1	-	21	407	100	127	23	36	20	10	91	19	676	551	7	67	362	115
Reno	1,096	1	-	16	256	65	77	14	20	13	7	60	14	451	366	4	52	237	73
Sparks	324	-	-	1	85	14	32	7	9	3	3	17	4	141	121	3	9	83	26
Balance of county	228	-	-	4	66	21	18	2	7	4	-	14	1	84	64	-	6	42	16
White Pine	87	-	-	-	15	4	4	1	1	-	2	3	3	27	21	-	-	10	11
New Hampshire	8,483	3	-	90	2,105	575	532	207	217	85	80	409	196	3,888	3,041	34	77	2,153	777
Urban places	3,558	-	-	32	891	242	221	102	85	36	33	172	92	1,702	1,328	14	39	918	357
Balance of area	4,925	3	-	58	1,214	333	311	105	132	49	47	237	104	2,186	1,713	20	38	1,235	420
Metropolitan counties	4,661	1	-	50	1,182	332	290	121	125	45	45	224	119	2,133	1,666	16	42	1,173	435
Urban places	2,341	-	-	19	596	169	138	66	62	21	24	116	67	1,103	858	6	27	583	242
Balance of area	2,320	1	-	31	586	163	152	55	63	24	21	108	52	1,030	808	10	15	590	193
Nonmetropolitan counties	3,822	2	-	40	923	243	242	86	92	40	35	185	77	1,755	1,375	18	35	980	342
Urban places	1,217	-	-	13	295	73	83	36	23	15	9	56	25	599	470	8	12	335	115
Balance of area	2,605	2	-	27	628	170	159	50	69	25	26	129	52	1,156	905	10	23	645	227
Belknap	453	-	-	2	106	24	28	7	13	5	4	25	12	221	167	4	5	118	40
Laconia	161	-	-	1	30	6	8	2	4	2	2	6	3	88	67	4	2	50	11
Balance of county	292	-	-	1	76	18	20	5	9	3	2	19	9	133	100	-	3	68	29
Carroll	372	1	-	2	85	22	24	7	8	3	2	19	1	175	128	-	2	70	56
Cheshire	615	-	-	8	149	48	35	12	13	5	6	30	11	264	207	1	13	138	55
Keene	235	-	-	3	60	16	18	4	8	2	2	10	2	107	84	1	6	47	30
Balance of county	380	-	-	5	89	32	17	8	5	3	4	20	9	157	123	-	7	91	25
Coos	424	-	-	4	118	31	33	15	9	7	4	19	8	203	162	4	2	126	30
Berlin	156	-	-	2	55	15	17	9	1	4	1	8	3	70	54	1	1	38	14
Balance of county	268	-	-	2	63	16	16	6	8	3	3	11	5	133	108	3	1	88	16

Table 8-9. Deaths From 34 Selected Causes; United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Polk	1	12	1	2	2	5	1	-	-	-	-	-	-	8	2	2	3	-	-
Red Willow	1	11	7	4	8	10	-	1	1	-	-	-	4	7	7	5	2	-	-
Richardson	2	17	4	2	19	6	-	-	5	-	2	-	10	13	4	2	-	1	2
Rock	-	5	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Saline	-	18	6	-	15	3	-	1	2	-	-	-	3	12	1	-	1	1	-
Sarpy	2	16	-	6	10	7	-	4	2	-	1	4	9	30	11	5	7	2	4
Bellevue	2	6	-	3	3	6	-	1	1	-	-	2	-	12	4	1	4	-	-
Balance of county	-	10	-	3	7	1	-	3	1	-	1	2	9	18	7	4	3	2	4
Saunders	2	18	10	2	10	3	1	1	3	-	-	2	14	17	4	2	2	-	-
Scotts Bluff	2	15	4	9	13	21	2	8	5	-	3	7	15	42	7	8	2	1	-
Scottsbluff	2	5	4	5	6	11	1	5	2	-	2	2	8	12	2	2	-	-	-
Balance of county	-	10	-	4	7	10	1	3	3	-	1	5	7	30	5	6	2	1	-
Seward	-	9	5	1	11	5	1	1	2	-	-	1	1	12	-	2	-	-	-
Sheridan	-	5	3	-	6	2	-	-	1	-	-	-	-	19	3	5	-	1	-
Sherman	-	-	-	1	5	1	-	-	-	-	-	-	-	6	-	-	1	-	-
Sioux	1	2	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-
Stanton	-	2	-	-	1	-	-	1	-	-	-	-	6	7	2	1	1	-	-
Thayer	-	7	3	3	7	5	-	1	3	-	-	-	4	6	3	5	-	-	-
Thomas	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Thurston	-	6	-	-	5	1	-	2	2	-	-	2	5	10	2	2	-	2	1
Valley	-	12	1	1	2	2	2	-	-	-	-	-	-	8	1	3	1	-	-
Washington	-	10	-	1	9	5	-	-	3	-	-	-	5	14	1	3	1	-	-
Wayne	1	5	-	1	1	2	1	-	1	-	-	-	-	11	4	4	1	-	-
Webster	-	7	-	-	6	6	-	-	2	-	-	-	1	12	2	3	-	-	-
Wheeler	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
York	1	10	1	1	3	4	1	-	-	-	1	2	7	10	1	5	1	-	-
Nevada	17	379	43	90	215	369	42	125	82	1	41	49	117	556	214	197	210	102	21
Urban places	9	217	28	56	119	217	26	98	49	1	32	38	52	324	107	118	106	65	11
Balance of area	8	162	15	34	96	152	16	37	33	-	9	11	65	232	107	79	104	37	10
Metropolitan counties	12	314	35	69	157	296	30	100	72	-	34	46	71	428	150	154	165	89	19
Urban places	9	202	26	46	108	207	25	75	47	-	28	36	46	289	98	110	92	62	11
Balance of area	3	112	9	23	49	89	5	25	25	-	6	10	25	139	52	44	73	27	8
Nonmetropolitan counties	5	65	8	21	58	73	12	25	10	1	7	3	46	128	64	43	45	13	2
Urban places	-	15	2	10	11	10	1	13	2	1	4	2	6	35	9	8	14	3	-
Balance of area	5	50	6	11	47	63	11	12	8	-	3	1	40	93	55	35	31	10	2
Carson City city	-	15	2	10	11	10	1	13	2	1	4	2	6	35	9	8	14	3	-
Churchill	-	7	-	-	10	18	-	3	-	-	1	1	5	9	9	6	1	-	-
Clark	11	220	26	48	102	183	21	62	60	-	22	34	58	303	119	121	117	70	15
Henderson	1	12	-	4	2	8	2	2	2	-	3	2	2	19	12	7	2	5	-
Las Vegas	6	92	15	18	56	91	14	36	27	-	9	19	28	145	49	61	50	36	8
North Las Vegas	1	20	2	7	3	8	-	5	6	-	4	5	5	16	10	12	4	8	-
Balance of county	3	96	9	19	41	76	5	19	25	-	6	8	23	123	48	41	61	21	7
Douglas	-	7	-	2	5	3	3	-	2	-	-	-	1	14	5	4	3	1	-
Elko	-	6	3	-	8	5	2	2	1	-	-	-	6	17	7	6	8	2	1
Esmeralda	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-
Eureka	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1
Humboldt	1	2	-	-	4	2	1	1	-	-	-	-	1	5	7	3	5	1	-
Lander	-	-	-	1	4	2	1	-	-	-	-	-	3	-	3	-	1	-	-
Lincoln	-	3	-	1	4	1	-	-	-	-	-	-	-	2	2	2	1	1	-
Lyon	-	13	2	1	2	10	-	1	1	-	1	-	2	15	9	8	2	1	-
Mineral	2	5	-	1	4	9	-	-	2	-	-	-	2	7	1	-	2	2	-
Nye	1	3	1	2	3	5	1	3	1	-	-	-	1	7	5	1	3	2	-
Pershing	-	1	-	1	1	2	2	-	-	-	1	-	-	5	4	-	1	-	-
Storey	-	-	-	-	-	1	-	1	-	-	-	-	1	2	-	-	-	-	-
Washoe	1	94	9	21	55	113	9	38	12	-	12	12	13	125	31	33	48	19	4
Reno	1	60	9	15	41	76	8	27	8	-	8	7	8	84	20	26	29	11	3
Sparks	-	18	-	2	6	22	1	5	4	-	4	3	3	25	7	4	7	2	-
Balance of county	-	16	-	4	8	13	-	6	-	-	-	2	2	16	4	3	12	6	1
White Pine	1	3	-	2	2	5	1	1	1	-	-	-	16	10	1	2	3	-	-
New Hampshire	35	595	107	110	251	361	27	88	58	2	56	69	58	717	176	178	135	17	8
Urban places	16	249	63	46	94	132	7	34	24	1	24	31	32	299	46	57	47	11	2
Balance of area	19	346	44	64	157	229	20	54	34	1	32	38	26	418	130	121	88	6	6
Metropolitan counties	17	324	65	61	132	182	11	53	24	1	37	38	37	397	80	87	84	8	5
Urban places	10	159	44	32	61	85	5	23	13	1	19	21	21	206	27	35	31	6	2
Balance of area	7	165	21	29	71	97	6	30	11	-	18	17	16	191	53	52	53	2	3
Nonmetropolitan counties	18	271	42	49	119	179	16	35	34	1	19	31	21	320	96	91	51	9	3
Urban places	6	90	19	14	33	47	2	11	11	-	5	10	11	93	19	22	16	5	-
Balance of area	12	181	23	35	86	132	14	24	23	1	14	21	10	227	77	69	35	4	3
Belknap	4	36	6	8	17	20	-	4	4	-	2	1	2	36	11	12	2	1	-
Laconia	2	12	4	3	4	8	-	-	1	-	-	-	1	18	2	4	-	1	-
Balance of county	2	24	2	5	13	12	-	4	3	-	2	1	1	18	9	8	2	-	-
Carroll	4	35	2	6	11	18	2	3	4	-	-	3	-	38	10	11	3	3	2
Cheshire	3	38	5	11	25	23	4	6	5	-	6	12	5	52	20	15	8	2	-
Keene	1	15	3	4	8	9	1	2	1	-	3	6	2	18	5	2	4	2	-
Balance of county	2	23	2	7	17	14	3	4	4	-	3	6	3	34	15	13	4	-	-
Coos	-	28	5	8	11	16	1	1	2	-	1	3	2	30	7	10	7	-	-
Berlin	-	9	3	4	4	3	-	1	1	-	-	1	1	7	3	4	1	-	-
Balance of county	-	19	2	4	7	13	1	-	1	-	1	2	1	23	4	6	6	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Hampshire—Con.																			
Grafton	604	-	-	5	161	34	43	16	21	9	7	31	20	239	188	1	4	128	55
Lebanon	97	-	-	-	26	6	8	2	2	1	2	5	7	44	36	-	1	21	14
Balance of county	507	-	-	5	135	28	35	14	19	8	5	26	13	195	152	1	3	107	41
Hillsborough	2,433	1	-	23	626	184	154	66	68	24	20	110	55	1,109	843	10	17	586	230
Manchester	1,057	-	-	11	274	79	59	36	37	8	10	45	25	505	387	3	8	239	137
Nashua	539	-	-	4	148	43	36	13	9	9	5	33	11	237	174	3	4	132	35
Balance of county	837	1	-	8	204	62	59	17	22	7	5	32	19	367	282	4	5	215	58
Merrimack	979	1	-	14	221	57	57	24	21	7	8	47	22	479	376	6	7	297	68
Concord	399	-	-	4	89	22	19	14	6	4	1	23	8	205	160	2	1	125	32
Balance of county	580	1	-	10	132	35	38	10	15	3	7	24	14	274	216	4	6	172	36
Rockingham	1,507	-	-	22	391	110	98	37	44	17	15	72	35	674	536	6	14	373	143
Portsmouth	209	-	-	2	52	15	12	5	5	1	3	11	7	93	76	-	4	51	21
Balance of county	1,298	-	-	20	339	95	84	32	39	16	12	61	28	581	460	6	10	322	122
Strafford	721	-	-	5	165	38	40	18	13	4	10	42	29	350	287	-	11	214	62
Dover	221	-	-	1	50	13	18	3	4	2	3	7	11	102	76	-	3	51	22
Rochester	222	-	-	1	41	10	6	7	4	1	3	10	9	123	107	-	6	77	24
Somersworth	93	-	-	-	31	9	7	2	3	-	-	10	4	43	38	-	2	33	3
Balance of county	185	-	-	3	43	6	9	6	2	1	4	15	5	82	66	-	-	53	13
Sullivan	375	-	-	5	83	27	22	5	7	4	4	14	3	174	145	2	2	103	38
Claremont	169	-	-	3	35	8	13	5	2	2	1	4	2	85	69	-	1	54	14
Balance of county	206	-	-	2	48	19	9	-	5	2	3	10	1	89	76	2	1	49	24
New Jersey	71,128	62	3	1,276	17,070	4,672	4,521	1,700	1,764	701	566	3,146	1,427	34,051	27,883	310	868	20,843	5,864
Urban places	51,373	55	2	974	12,151	3,369	3,192	1,243	1,247	496	380	2,224	1,075	24,564	20,160	219	654	15,137	4,140
Balance of area	19,755	7	1	302	4,919	1,303	1,329	457	517	205	186	922	352	9,487	7,723	91	202	5,706	1,724
Metropolitan counties	63,168	59	2	1,159	15,050	4,142	3,974	1,501	1,547	600	495	2,791	1,296	30,034	24,595	273	756	18,266	5,300
Urban places	47,721	53	2	920	11,216	3,114	2,951	1,134	1,148	443	349	2,077	1,008	22,663	18,604	206	609	13,860	3,929
Balance of area	15,447	6	-	239	3,834	1,028	1,023	367	399	157	146	714	288	7,371	5,991	67	147	4,406	1,371
Nonmetropolitan counties	7,960	3	1	117	2,020	530	547	199	217	101	71	355	131	4,017	3,288	37	110	2,577	564
Urban places	3,652	2	-	54	935	255	241	109	99	53	31	147	67	1,901	1,556	13	55	1,277	211
Balance of area	4,308	1	1	63	1,085	275	306	90	118	48	40	208	64	2,116	1,732	24	55	1,300	353
Atlantic	2,347	5	-	30	535	169	149	38	46	24	13	96	39	1,148	940	11	33	681	215
Atlantic City	721	3	-	15	137	48	39	7	7	4	4	28	14	347	281	2	13	198	68
Hammonton	137	-	-	3	30	8	9	2	3	2	-	6	5	69	60	1	1	46	12
Pleasantville	225	-	-	1	44	13	14	4	4	1	1	7	5	116	98	4	3	66	25
Somers Point	154	-	-	-	41	13	10	2	4	3	2	7	4	75	57	-	-	40	17
Ventnor City	145	-	-	1	45	14	9	6	3	2	2	9	1	75	58	1	3	46	8
Balance of county	965	2	-	10	238	73	68	17	25	12	4	39	10	466	386	3	13	285	85
Bergen	7,888	3	-	121	2,067	555	505	216	211	93	80	407	148	3,935	3,260	27	73	2,621	539
Bergenfield	211	-	-	5	60	17	17	3	7	3	5	8	3	110	95	-	1	80	14
Cliffside Park	247	-	-	4	62	19	17	5	4	5	4	8	4	122	107	2	3	86	16
Dumont	136	-	-	3	44	13	12	7	3	2	2	5	1	65	51	-	-	43	8
Elmwood Park	202	-	-	1	50	12	16	6	4	2	3	7	8	107	89	-	2	78	11
Englewood	256	1	-	4	72	23	13	8	10	2	2	14	4	124	99	1	5	79	14
Fair Lawn	340	1	-	4	100	22	30	9	8	3	7	21	9	184	159	2	1	131	25
Fairview	111	-	-	1	28	7	9	1	1	1	1	8	-	89	57	1	2	41	13
Fort Lee	277	-	-	5	82	20	19	13	7	4	1	18	4	127	111	-	-	86	25
Garfield	301	-	-	8	67	20	17	3	6	5	3	13	12	159	135	1	3	110	21
Glen Rock	105	-	-	-	33	10	4	3	5	1	2	8	3	46	37	-	1	31	5
Hackensack	390	-	-	9	98	27	25	7	11	4	5	19	7	186	157	-	5	118	34
Hasbrouck Heights	143	-	-	4	25	11	2	7	2	-	-	3	11	65	49	-	-	43	6
Hillsdale	64	-	-	1	18	5	-	2	1	-	2	8	-	27	17	-	-	15	2
Lodi	201	-	-	3	39	11	11	4	5	2	-	6	8	104	87	2	2	68	15
Lyndhurst township#	237	-	-	4	57	12	17	8	6	3	2	9	5	118	102	1	4	79	16
New Milford	165	-	-	2	49	11	12	6	8	3	-	9	4	79	68	2	2	61	3
North Arlington	193	-	-	3	59	16	18	5	4	2	2	12	4	88	73	-	3	58	12
Oakland	76	-	-	3	15	4	2	-	-	3	-	6	1	39	31	3	-	20	8
Palisades Park	128	-	-	-	31	7	6	3	3	2	1	9	2	71	50	1	2	41	6
Paramus	231	-	-	5	55	13	16	8	4	2	3	9	5	108	93	-	1	78	14
Ramsey	82	-	-	-	20	8	6	1	4	-	-	1	-	43	39	-	-	30	9
Ridgefield	153	-	-	3	40	11	8	8	6	1	-	6	1	81	66	-	1	46	19
Ridgefield Park	143	-	-	4	29	7	10	2	3	2	1	4	1	77	63	1	1	50	11
Ridgewood	180	-	-	1	39	10	8	5	5	-	-	11	2	90	71	-	2	56	13
River Edge	107	-	-	2	29	12	6	1	3	2	1	4	2	61	50	-	-	44	6
Rutherford	220	-	-	3	57	12	10	7	6	2	2	18	6	109	91	-	6	66	19
Saddle Brook township#	137	1	-	-	37	8	13	3	4	1	1	7	1	69	59	-	-	48	11
Teaneck township#	357	-	-	8	105	38	17	12	11	4	3	20	5	159	131	1	5	99	26
Tenafly	137	-	-	1	36	11	8	6	2	-	-	9	-	79	62	-	1	52	9
Waldwick	60	-	-	1	15	5	1	4	1	-	1	3	1	32	27	-	1	22	4
Wallington	113	-	-	1	29	9	4	1	5	3	-	7	3	62	51	-	1	48	2
Westwood	115	-	-	-	28	8	6	2	1	2	-	9	2	57	43	1	-	37	5
Wyckoff township#	118	-	-	2	26	8	6	2	2	-	1	7	-	71	52	-	1	38	13
Balance of county	1,952	-	-	26	533	128	139	54	59	27	25	101	29	947	788	8	17	641	122
Burlington	2,603	1	-	43	697	176	212	77	52	28	26	126	42	1,302	1,069	6	24	723	316
Burlington	157	-	-	3	41	14	8	5	5	1	1	7	2	76	61	-	2	43	16
Cinnaminson township#	111	-	-	1	25	6	8	6	1	1	-	3	4	52	43	-	-	30	13
Delran township#	88	-	-	2	23	5	7	3	2	1	-	5	-	42	34	-	-	27	7
Maple Shade township#	226	-	-	4	55	16	16	5	6	1	1	10	4	113	89	1	3	46	39
Moorestown township#	179	-	-	-	41	8	12	4	6	2	2	7	2	81	59	1	1	37	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Hampshire—Con.																			
Grafton	2	34	7	8	13	39	3	5	5	1	3	2	8	62	16	12	10	1	1
Lebanon	1	4	2	1	-	7	-	-	-	-	-	-	3	4	2	1	3	-	-
Balance of county	1	30	5	7	13	32	3	5	5	1	3	2	3	58	14	11	7	1	1
Hillsborough	9	174	47	36	68	101	8	23	13	-	21	20	20	211	43	42	40	6	3
Manchester	3	68	30	17	23	41	2	11	6	-	7	10	8	84	9	17	17	5	2
Nashua	5	42	7	9	13	23	1	7	2	-	9	6	7	50	9	6	6	-	-
Balance of county	1	64	10	10	32	37	5	5	5	-	5	4	5	77	25	19	17	1	1
Merrimack	4	78	15	4	25	34	4	12	10	-	7	7	5	72	26	23	15	2	-
Concord	2	37	6	-	10	10	1	6	5	-	2	3	4	30	7	7	6	2	-
Balance of county	2	41	9	4	15	24	3	6	5	-	5	4	1	42	19	16	9	-	-
Rockingham	5	104	12	17	44	50	2	23	6	1	12	10	13	133	26	31	31	1	2
Portsmouth	-	14	2	1	10	4	1	1	2	1	-	-	3	29	2	1	1	-	-
Balance of county	5	90	10	16	34	46	1	22	4	-	12	10	10	104	24	30	30	1	2
Strafford	3	46	6	8	20	31	1	7	5	-	4	8	4	53	11	14	13	1	-
Dover	1	19	3	3	8	8	1	3	1	-	2	1	-	23	1	6	2	1	-
Rochester	-	14	1	1	4	6	-	-	2	-	1	3	3	16	5	4	4	-	-
Somersworth	1	2	1	1	3	3	-	1	-	-	-	1	-	4	1	1	1	-	-
Balance of county	1	11	1	3	5	14	-	3	2	-	1	3	1	10	4	3	6	-	-
Sullivan	1	22	2	4	17	29	2	4	4	-	-	3	1	30	6	6	6	-	-
Claremont	-	13	1	2	7	10	-	2	3	-	-	-	-	16	-	4	2	-	-
Balance of county	1	9	1	2	10	19	2	2	1	-	-	3	1	14	6	4	4	-	-
New Jersey	219	4,532	682	735	2,114	2,196	204	1,151	769	5	370	584	698	5,813	1,015	1,251	600	418	51
Urban places	163	3,249	467	525	1,541	1,519	141	874	575	4	280	441	528	4,311	626	910	402	364	36
Balance of area	56	1,283	215	210	573	677	63	277	194	1	90	143	170	1,502	389	341	198	54	15
Metropolitan counties	196	3,998	601	644	1,928	1,898	172	1,041	680	5	339	543	627	5,292	883	1,161	546	408	45
Urban places	153	2,994	432	480	1,474	1,397	130	818	541	4	269	427	504	4,078	577	871	377	358	34
Balance of area	43	1,004	169	164	454	501	42	223	139	1	70	116	123	1,214	306	290	169	50	11
Nonmetropolitan counties	23	534	81	91	186	298	32	110	89	-	31	41	71	521	132	90	54	10	6
Urban places	10	255	35	45	67	122	11	56	34	-	11	14	24	233	49	39	25	6	2
Balance of area	13	279	46	46	119	176	21	54	55	-	20	27	47	288	83	51	29	4	4
Atlantic	7	143	26	32	78	75	9	39	28	-	12	21	49	144	43	53	26	12	1
Atlantic City	3	49	4	10	32	23	4	15	11	-	3	7	23	43	7	22	5	9	1
Hammonton	-	7	1	1	3	1	1	4	3	-	2	1	1	8	5	1	-	-	-
Pleasantville	2	10	3	3	12	11	-	3	2	-	2	4	5	13	3	2	2	-	-
Somers Point	-	11	2	5	3	6	1	1	-	-	-	3	1	14	2	2	1	-	-
Ventnor City	-	12	3	2	2	3	-	1	1	-	1	1	2	6	1	4	1	-	-
Balance of county	2	54	13	11	26	31	3	15	11	-	4	5	17	60	25	22	17	3	-
Bergen	25	488	62	100	233	176	24	117	64	-	34	31	110	542	77	105	61	31	9
Bergenfield	1	9	3	2	6	3	-	6	-	-	2	-	3	10	1	1	1	-	-
Cliffside Park	-	13	1	1	9	8	1	3	2	-	-	3	2	18	3	3	2	1	-
Dumont	-	11	1	2	4	3	-	1	1	-	-	1	2	7	1	-	3	-	-
Elmwood Park	-	14	1	3	7	4	1	1	1	-	-	-	1	11	2	6	-	-	2
Englewood	-	23	1	1	10	5	-	3	3	-	-	1	3	11	-	3	2	10	-
Fair Lawn	1	20	-	4	5	4	1	4	3	-	1	1	1	19	-	2	1	-	-
Fairview	1	9	-	2	1	2	-	2	2	-	-	-	-	4	1	1	-	-	-
Fort Lee	-	12	2	2	11	4	1	6	-	-	1	1	6	14	4	4	3	1	1
Garfield	-	19	1	4	4	6	1	3	3	-	1	-	7	22	2	2	2	2	-
Glen Rock	-	8	-	1	1	1	-	3	-	-	1	-	4	6	1	2	1	1	-
Hackensack	-	20	5	4	17	12	-	9	4	-	3	4	7	22	4	6	-	-	2
Hasbrouck Heights	2	10	1	3	8	1	1	2	1	-	-	-	3	17	1	4	-	-	-
Hillsdale	1	7	2	-	5	3	-	2	-	-	-	-	2	3	-	2	1	-	-
Lodi	1	13	1	2	5	7	1	3	3	-	-	1	2	18	2	4	1	-	-
Lyndhurst township#	2	10	3	1	8	8	2	4	1	-	2	-	4	17	1	4	1	-	1
New Milford	-	8	1	2	5	3	-	2	2	-	1	-	2	13	1	1	1	-	-
North Arlington	1	11	1	2	2	7	-	4	-	-	-	-	2	15	3	3	3	-	-
Oakland	-	5	1	2	5	2	-	1	-	-	-	-	-	3	5	1	1	-	-
Palisades Park	1	17	1	2	4	2	-	1	-	-	-	1	3	7	-	5	-	1	-
Paramus	2	11	1	1	11	6	1	2	4	-	-	3	4	20	3	2	2	-	-
Ramsey	-	3	-	1	2	3	1	1	-	-	1	2	1	4	3	1	-	-	-
Ridgefield	1	10	1	3	2	3	-	3	4	-	1	-	1	11	1	1	-	-	1
Ridgefield Park	-	12	-	2	4	3	-	3	1	-	1	1	3	12	1	3	-	-	-
Ridgewood	-	13	2	4	4	5	2	2	1	-	2	2	1	19	1	3	1	3	2
River Edge	-	8	-	3	2	2	-	-	1	-	-	-	2	4	-	1	1	-	-
Rutherford	-	12	3	3	9	3	-	2	2	-	1	2	2	18	2	3	1	-	-
Saddle Brook township#	1	6	2	1	4	1	-	3	2	-	2	-	3	8	2	2	2	-	-
Teaneck township#	1	21	-	6	9	7	3	5	6	-	2	3	4	23	1	10	5	2	-
Tenafly	-	13	3	1	3	3	2	-	-	-	1	-	1	8	1	-	2	-	-
Waldwick	-	3	-	2	4	1	-	-	-	-	-	-	1	5	-	-	-	-	-
Wallington	3	5	3	-	-	3	-	4	-	-	2	-	1	5	1	1	-	1	-
Westwood	1	8	1	4	5	2	-	3	2	-	-	-	3	11	1	-	1	-	-
Wyckoff township#	2	15	1	1	3	3	-	-	-	-	-	-	1	9	1	-	2	-	-
Balance of county	3	109	19	28	54	46	6	29	15	-	9	5	26	146	27	24	21	9	-
Burlington	9	176	21	25	95	113	9	47	30	-	20	31	18	205	59	44	32	14	1
Burlington	1	12	2	-	3	6	1	-	3	-	-	-	1	12	5	2	1	1	-
Cinnaminson township#	-	9	-	-	4	4	1	4	1	-	-	1	1	6	3	1	3	-	-
Delran township#	1	7	-	-	4	2	-	3	-	-	-	-	2	4	-	2	1	1	-
Maple Shade township#	-	16	6	2	11	7	-	1	1	-	1	2	-	17	3	5	1	1	-
Moorestown township#	-	18	2	2	11	6	1	1	3	-	2	-	-	20	3	-	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	162	-	-	2	45	11	19	1	4	4	-	6	1	67	53	-	1	34	18
Pemberton township#	165	-	-	3	29	5	13	5	1	1	1	3	2	72	61	-	1	46	14
Willingboro township#	190	-	-	6	43	14	12	5	1	1	1	9	5	89	74	-	1	57	16
Balance of county	1,533	1	-	22	395	97	117	43	26	16	20	76	22	710	595	4	15	403	173
Camden	4,496	2	-	85	1,096	288	300	103	106	37	32	230	94	2,111	1,751	18	69	1,111	553
Bellmawr	119	-	-	1	32	10	15	3	3	-	-	1	3	62	55	1	4	35	15
Camden	865	-	-	21	196	48	61	24	21	2	6	34	20	357	304	1	16	178	109
Cherry Hill township#	623	1	-	12	164	31	41	20	15	4	5	48	11	305	253	1	5	170	77
Collingswood	187	-	-	4	42	14	6	2	8	2	4	6	1	97	76	-	1	52	23
Gloucester township#	260	-	-	7	73	17	20	12	3	6	3	12	5	118	103	3	2	70	28
Gloucester City	143	-	-	2	32	9	10	5	2	2	1	3	2	72	65	-	3	36	26
Haddon township#	203	-	-	3	49	10	15	9	4	3	-	8	-	113	95	2	5	62	26
Haddonfield	118	-	-	3	28	8	5	5	3	2	-	5	1	57	41	1	2	21	17
Lindenwold	118	-	-	3	20	5	5	3	3	1	-	3	4	51	43	1	1	23	18
Pennsauken township#	386	-	-	5	97	27	30	3	8	3	2	24	8	185	168	3	6	104	55
Voorhees township#	83	-	-	-	26	11	6	-	1	1	1	6	1	32	29	-	-	21	8
Balance of county	1,391	1	-	24	337	98	86	17	35	11	10	80	38	662	519	5	24	339	151
Cape May	1,260	-	-	21	318	77	95	25	39	15	13	54	16	642	526	7	24	373	122
Ocean City	239	-	-	2	53	17	13	3	6	3	2	9	1	134	106	2	10	74	20
Balance of county	1,021	-	-	19	265	60	82	22	33	12	11	45	15	508	420	5	14	299	102
Cumberland	1,385	1	-	28	259	75	69	19	20	16	13	47	21	716	587	5	27	395	160
Bridgeton	283	-	-	5	42	14	9	4	3	1	2	9	8	154	125	-	4	85	36
Millville	343	1	-	11	71	19	22	4	5	5	3	13	4	168	136	1	11	79	45
Vineland	482	-	-	9	88	27	20	8	7	4	7	15	7	261	217	4	9	160	44
Balance of county	277	-	-	4	58	15	18	3	5	6	1	10	2	133	109	-	3	71	35
Essex	8,413	18	1	196	1,846	498	481	199	216	59	52	343	183	3,673	2,990	47	150	2,096	697
Belleville	359	-	-	6	86	22	28	12	9	2	1	12	9	172	139	1	3	117	18
Bloomfield	518	-	-	8	116	25	35	14	11	5	4	21	11	266	219	4	7	162	46
Cedar Grove township#	120	-	-	2	30	5	7	5	4	1	3	5	3	54	39	-	-	22	17
East Orange	742	3	-	18	138	49	34	13	10	1	1	30	18	310	248	5	9	180	54
Irvington	686	-	-	18	159	38	44	17	25	6	3	26	12	315	267	5	13	189	60
Livingston township#	194	-	-	1	55	12	8	7	6	1	3	18	2	105	84	2	-	72	10
Maplewood township#	238	-	-	3	50	14	10	8	5	4	3	6	2	126	108	1	4	94	9
Millburn township#	184	-	-	5	47	14	11	13	5	2	-	2	4	88	69	3	2	57	7
Montclair	426	1	-	9	89	25	20	13	12	2	1	16	7	210	155	2	6	103	44
Newark	3,113	14	1	94	633	176	170	54	76	17	17	123	75	1,170	964	16	76	569	303
Nutley	293	-	-	5	84	23	24	12	4	2	4	15	5	136	111	1	3	86	21
Orange	356	-	-	4	81	29	26	6	5	2	2	11	7	156	123	3	8	86	26
South Orange Village township#	155	-	-	4	34	8	7	4	7	-	1	7	3	75	58	-	6	40	12
Verona	145	-	-	3	30	8	7	4	3	1	2	5	5	63	54	1	3	36	14
West Caldwell	94	-	-	1	17	5	5	1	2	1	-	3	3	52	42	-	1	33	8
West Orange	462	-	-	8	106	21	25	10	17	5	4	24	13	232	196	2	5	162	27
Balance of county	328	-	-	7	91	21	20	6	15	7	3	19	4	143	114	1	4	88	21
Gloucester	1,681	2	-	26	407	107	116	39	48	11	13	71	40	813	648	7	30	349	282
Deptford township#	159	1	-	2	41	9	11	3	3	2	-	13	3	69	56	1	5	30	20
Glassboro	129	-	-	1	33	8	11	4	7	-	-	3	1	68	56	-	3	28	25
Washington township#	101	-	-	-	26	9	9	1	2	-	1	4	3	54	46	1	1	28	16
West Deptford township#	95	1	-	2	25	7	9	2	2	-	-	5	1	45	32	-	1	22	9
Woodbury	180	-	-	2	44	9	11	3	8	2	4	7	3	91	73	-	5	38	30
Balance of county	1,017	-	-	19	238	65	67	26	26	7	8	39	29	486	385	5	15	203	162
Hudson	5,791	9	1	115	1,266	391	322	114	127	47	47	218	143	2,743	2,271	32	46	1,810	383
Bayonne	795	1	-	15	192	57	51	11	21	8	6	38	22	392	316	8	7	257	44
Harrison	123	-	-	1	26	9	6	2	1	2	1	5	2	62	56	2	2	45	7
Hoboken	332	-	-	7	62	18	17	3	5	2	5	12	9	172	146	1	1	103	41
Jersey City	2,444	4	1	68	504	167	122	47	51	19	19	79	59	1,082	881	11	24	694	152
Kearny	402	-	-	2	95	27	18	17	10	3	5	15	5	197	168	4	2	130	32
North Bergen township#	516	2	-	2	127	34	32	8	15	5	5	28	13	268	216	2	1	182	31
Secaucus	163	1	-	2	38	13	13	4	1	2	1	4	5	84	75	-	-	57	18
Union City	464	-	-	10	110	35	30	11	12	3	1	18	15	213	179	1	3	151	24
Weehawken township#	127	-	-	3	31	12	6	2	4	1	1	5	4	53	45	1	1	31	12
West New York	329	1	-	1	62	16	19	5	7	2	1	12	7	179	145	2	3	121	19
Balance of county	96	-	-	4	19	3	8	4	-	-	2	2	2	51	44	-	2	39	3
Hunterdon	675	-	-	8	148	34	37	12	17	4	4	40	15	322	257	6	13	171	67
Mercer	2,996	2	-	42	681	174	181	72	78	29	19	128	64	1,444	1,189	9	61	826	293
East Windsor township#	69	-	-	-	16	6	3	2	1	1	-	3	1	30	24	-	1	18	5
Ewing township#	348	-	-	6	80	17	17	15	5	5	3	18	7	174	139	1	7	101	30
Hamilton township#	769	-	-	12	167	56	52	13	15	5	5	21	16	381	311	5	11	204	91
Princeton	148	-	-	1	38	4	11	4	5	3	2	9	1	73	57	-	7	44	6
Trenton	1,172	2	-	16	263	57	71	26	35	11	4	59	25	549	455	3	28	300	124
Balance of county	490	-	-	7	117	34	27	12	17	4	5	18	14	237	203	-	7	159	37
Middlesex	5,017	1	-	93	1,312	332	379	131	143	53	37	237	106	2,361	1,920	22	55	1,504	339
Carteret	210	-	-	3	62	19	15	3	10	4	1	10	3	104	82	2	10	58	12
East Brunswick township#	221	-	-	6	62	15	17	8	9	3	1	9	3	97	79	1	3	60	15
Edison township#	564	-	-	9	144	38	33	11	24	4	10	24	12	272	218	1	6	174	37
Highland Park	99	-	-	1	21	5	5	2	2	-	2	5	4	47	38	2	-	27	9
Metuchen	158	-	-	2	53	14	13	8	3	4	2	9	1	78	63	1	6	41	15
Middlesex	156	-	-	-	42	12	17	3	1	2	1	6	3	83	60	1	3	40	16
New Brunswick	327	1	-	9	70	17	16	11	9	-	-	17	7	137	107	1	2	71	33
North Brunswick township#	159	-	-	2	36	9	13	4	3	1	1	5	5	81	71	3	2	52	14
Old Bridge township#	349	-	-	3	85	28	25	7	10	5	1	9	8	160	121	-	5	97	19
Perth Amboy	438	-	-	9	87	24	19	9	7	2	1	25	8	236	197	1	1	174	21

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	2	10	1	1	8	10	-	2	5	-	2	-	1	10	6	2	1	-	-
Pemberton township#	-	9	1	1	9	8	1	3	3	-	3	4	3	19	3	2	1	-	-
Willingboro township#	-	10	-	5	1	5	-	3	2	-	3	1	4	11	3	9	1	4	-
Balance of county	5	87	9	14	44	65	5	30	12	-	9	23	6	106	33	21	21	7	1
Camden	8	282	35	35	102	152	7	56	49	-	24	49	56	401	67	74	44	22	5
Bellmawr	1	6	-	-	-	2	-	2	2	-	1	-	1	8	1	2	2	-	-
Camden	3	43	4	3	22	28	-	12	12	-	9	29	27	82	7	24	5	12	2
Cherry Hill township#	1	40	4	7	23	15	1	4	6	-	1	1	2	50	9	5	11	1	1
Collingswood	-	17	2	2	6	3	1	1	2	-	-	1	1	20	1	5	1	1	-
Gloucester township#	-	12	-	3	2	9	-	3	1	-	1	-	1	28	1	4	5	2	-
Gloucester City	-	5	1	1	1	9	1	-	1	-	2	1	1	14	3	1	1	-	-
Haddon township#	-	13	1	4	1	3	-	2	1	-	3	1	1	21	-	3	1	1	-
Haddonfield	-	14	2	-	5	10	-	4	-	-	-	-	1	7	-	1	1	-	-
Lindenwold	-	6	-	2	3	8	-	2	2	-	-	2	2	10	3	4	3	1	-
Pennsauken township#	-	11	5	1	8	14	1	4	6	-	1	2	2	38	7	3	3	2	-
Voorhees township#	1	1	1	-	2	2	-	2	2	-	2	-	-	6	3	2	3	-	-
Balance of county	2	114	15	12	29	49	3	20	14	-	4	12	17	117	32	20	8	2	2
Cape May	4	79	15	18	22	36	6	16	20	-	4	3	14	90	24	17	10	1	-
Ocean City	2	15	8	3	5	5	-	4	3	-	-	-	3	20	1	6	1	1	-
Balance of county	2	64	7	15	17	31	6	12	17	-	4	3	11	70	23	11	9	-	-
Cumberland	5	99	10	15	45	46	2	11	17	1	9	11	10	125	36	29	12	5	-
Bridgeton	-	23	2	4	15	6	-	1	5	-	2	5	-	25	10	2	-	3	-
Millville	1	25	2	4	9	12	-	3	6	-	3	2	5	36	1	7	3	1	-
Vineland	3	31	4	6	13	17	1	4	5	-	3	3	3	36	18	9	5	-	-
Balance of county	1	20	2	1	8	11	1	3	1	1	1	1	2	28	7	11	4	1	-
Essex	28	546	47	62	277	220	28	153	122	1	48	113	95	939	105	184	63	140	8
Belleville	-	28	3	4	6	14	2	2	2	-	3	-	2	34	6	9	3	3	-
Bloomfield	2	34	6	5	19	16	2	13	5	-	2	2	2	35	4	7	6	1	3
Cedar Grove township#	1	12	1	1	4	5	1	2	-	-	1	1	1	10	-	3	2	-	1
East Orange	2	49	5	6	26	24	3	10	10	-	2	16	14	97	12	10	7	23	1
Irvington	1	41	1	5	26	16	1	10	11	1	4	7	3	73	5	9	5	10	1
Livingston township#	1	14	5	1	2	2	-	1	1	-	-	3	-	11	7	1	3	-	-
Maplewood township#	-	14	-	4	5	5	1	3	2	-	-	-	2	29	4	2	2	2	-
Millburn township#	1	15	-	3	6	2	-	3	-	-	-	-	3	16	1	6	3	-	-
Montclair	2	45	2	6	10	10	1	7	8	-	1	2	1	56	1	7	4	2	-
Newark	9	168	11	18	108	71	10	81	67	-	22	70	47	394	48	96	18	92	2
Nutley	2	18	3	2	13	7	1	3	3	-	2	1	2	26	2	3	-	-	-
Orange	1	31	1	-	10	12	1	6	5	-	3	2	7	47	4	5	2	4	-
South Orange Village township#	1	11	4	1	8	4	1	3	1	-	2	-	3	12	2	3	-	-	-
Verona	1	6	1	1	8	3	1	4	2	-	-	-	2	19	1	3	1	-	-
West Caldwell	-	9	-	1	2	4	-	1	-	-	2	-	-	8	2	2	-	-	-
West Orange	4	28	3	1	10	17	2	2	3	-	3	7	3	43	2	7	3	1	-
Balance of county	-	25	1	3	14	8	1	2	2	-	1	2	3	29	4	11	4	2	-
Gloucester	1	102	41	21	37	67	7	17	12	1	12	14	13	130	40	25	9	8	1
Deptford township#	-	5	6	2	4	11	-	1	4	1	2	3	2	9	3	2	1	-	-
Glassboro	-	9	2	1	2	4	-	1	1	-	1	3	-	10	3	1	-	-	-
Washington township#	-	5	1	2	2	3	-	2	1	-	1	-	1	6	1	1	-	-	-
West Deptford township#	-	8	4	1	3	5	1	1	2	-	-	-	-	6	3	-	-	-	-
Woodbury	-	13	4	1	5	9	1	3	1	-	1	-	2	9	3	3	1	2	-
Balance of county	1	62	24	14	21	35	5	9	3	-	7	8	8	90	27	18	7	6	1
Hudson	17	376	28	51	140	171	18	132	74	1	29	46	67	536	77	102	57	57	7
Bayonne	3	47	3	13	23	31	3	21	13	-	3	5	6	50	9	9	7	2	1
Harrison	-	5	-	1	3	4	-	5	1	-	-	-	-	12	5	1	1	-	-
Hoboken	1	20	-	5	8	10	3	3	4	-	2	3	4	34	1	5	3	-	1
Jersey City	10	157	16	18	53	71	5	55	34	1	13	32	31	278	35	54	21	40	3
Kearny	1	26	1	1	9	13	1	14	6	-	5	1	2	37	4	8	1	2	-
North Bergen township#	1	43	3	5	10	11	1	12	2	-	-	4	7	30	8	8	8	2	1
Secaucus	-	6	2	1	8	5	2	2	-	-	-	-	1	10	1	2	1	-	1
Union City	1	29	-	4	12	10	1	8	6	-	5	1	4	39	9	7	5	9	-
Weehawken township#	-	7	1	-	3	4	-	2	1	-	-	-	5	13	2	1	5	-	-
West New York	-	30	2	2	8	10	1	8	6	-	1	-	7	25	1	5	5	2	-
Balance of county	-	6	-	1	2	2	1	2	1	-	-	-	-	8	2	2	-	-	-
Hunterdon	3	45	11	6	29	26	2	2	6	-	6	9	12	60	18	8	4	-	-
Mercer	16	189	20	30	100	104	9	48	20	-	12	27	37	268	32	72	22	9	3
East Windsor township#	-	4	-	2	2	5	-	-	1	-	-	1	1	6	5	1	-	-	-
Ewing township#	-	27	3	5	15	10	1	3	3	-	-	2	4	27	2	13	1	-	-
Hamilton township#	4	55	5	6	24	35	3	14	3	-	1	6	5	67	9	16	8	2	-
Princeton	2	11	2	1	9	5	1	2	1	-	-	1	1	11	1	3	-	-	-
Trenton	7	70	5	12	29	38	4	24	8	-	11	13	23	112	9	29	8	7	2
Balance of county	3	22	5	4	21	11	-	5	4	-	-	4	3	45	6	10	5	-	1
Middlesex	7	267	114	53	155	152	14	69	41	-	29	41	51	368	78	89	40	22	1
Carteret	-	15	5	2	3	3	-	2	1	-	-	3	1	15	2	4	2	2	-
East Brunswick township#	-	6	7	5	7	2	2	2	5	-	4	3	1	12	8	3	4	-	-
Edison township#	-	29	15	10	22	23	-	10	3	-	-	3	5	41	5	8	4	1	1
Highland Park	-	7	-	2	2	4	1	-	3	-	1	-	-	11	1	1	2	-	-
Metuchen	-	8	5	2	3	3	1	1	1	-	-	2	1	8	2	1	1	-	-
Middlesex	-	17	5	1	1	3	-	4	-	-	1	-	1	13	-	5	2	-	-
New Brunswick	1	21	6	2	16	10	-	3	3	-	2	8	9	34	2	8	2	6	-
North Brunswick township#	-	7	1	2	6	5	-	1	-	-	1	1	-	14	1	3	3	-	-
Old Bridge township#	-	19	14	6	5	12	1	3	3	-	2	3	2	38	15	3	4	1	-
Perth Amboy	-	26	10	3	13	8	2	15	1	-	5	6	6	26	3	8	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Piscataway township#	241	-	-	7	76	17	23	11	9	5	-	11	5	100	82	-	1	68	13
Sayreville	275	-	-	5	81	21	28	4	8	3	3	14	4	130	109	-	2	96	11
South Plainfield	161	-	-	3	53	12	20	5	4	3	2	7	2	61	48	-	1	37	10
South River	132	-	-	3	39	10	11	5	3	3	1	6	3	69	56	-	4	42	10
Woodbridge township#	760	-	-	13	213	48	72	19	22	5	3	44	16	358	296	3	3	243	47
Balance of county	765	-	-	18	188	43	52	21	19	9	8	36	20	350	293	6	6	224	57
Monmouth	5,118	4	-	100	1,217	340	313	124	129	54	42	215	97	2,529	2,014	15	51	1,614	334
Aberdeen township#	111	1	-	2	31	10	8	5	2	1	-	5	3	52	40	1	1	33	5
Asbury Park	307	1	-	8	60	14	13	9	9	5	1	9	6	150	119	-	7	82	30
Eatontown	118	-	-	4	29	7	13	-	2	1	3	3	5	50	46	1	1	43	1
Freehold	166	-	-	4	39	8	8	4	1	4	1	13	5	74	61	-	2	50	9
Hazlet township#	168	-	-	-	36	5	12	4	9	1	1	4	6	93	71	-	1	62	8
Howell township#	208	-	-	3	53	13	17	6	5	-	1	11	2	103	79	1	4	59	15
Keansburg	137	-	-	2	34	9	14	2	-	4	-	5	2	65	59	-	1	54	4
Long Branch	363	1	-	8	73	21	24	6	7	1	5	9	6	183	159	2	4	128	25
Middletown township#	495	-	-	9	132	40	34	13	14	6	2	23	9	251	193	-	5	164	24
Neptune township#	403	-	-	12	91	26	24	9	11	3	2	16	9	181	139	1	4	102	32
Ocean township#	181	-	-	2	59	13	13	2	8	3	6	14	2	81	63	-	1	55	7
Red Bank	211	-	-	1	39	12	8	2	6	2	-	9	4	126	86	1	-	71	14
Balance of county	2,250	1	-	45	541	162	125	52	55	23	20	94	36	1,120	899	8	20	711	160
Morris	2,982	2	-	37	758	225	197	85	65	28	26	132	56	1,397	1,118	14	13	840	251
Denville township#	113	-	-	1	26	9	6	2	4	2	-	3	3	50	38	-	-	28	10
Dover	167	-	-	2	33	10	4	3	9	3	1	3	3	82	64	1	2	49	12
Hanover township#	85	-	-	2	21	12	5	1	-	1	-	2	2	40	31	1	-	22	8
Madison	116	1	-	-	32	5	12	3	1	1	2	8	2	56	39	-	-	30	9
Morris township#	109	-	-	2	31	8	12	2	2	1	1	5	1	40	30	-	-	21	9
Morristown	237	-	-	4	46	16	4	9	3	3	3	8	2	118	98	-	1	69	26
Parsippany-Troy Hills township#	246	1	-	4	57	18	19	7	1	1	2	9	9	112	94	1	1	75	17
Pequannock township#	136	-	-	2	46	15	16	5	-	1	-	9	3	72	60	1	1	54	4
Balance of county	1,773	-	-	20	466	132	119	53	45	15	17	85	31	827	666	10	8	492	156
Ocean	5,179	2	-	79	1,334	364	352	139	140	69	46	224	85	2,663	2,202	20	64	1,805	313
Brick township#	646	-	-	9	176	42	41	27	16	10	6	34	19	309	247	-	9	210	28
Dover township#	940	-	-	15	244	71	65	27	26	12	6	37	18	495	418	2	12	349	55
Jackson township#	233	-	-	4	50	9	18	6	5	3	1	8	5	117	100	-	5	90	5
Lakewood township#	625	-	-	13	141	35	33	21	14	11	8	19	8	338	267	3	3	222	39
Manchester township#	642	-	-	6	180	52	45	14	23	10	7	29	10	350	298	3	14	229	50
Point Pleasant	252	1	-	5	68	23	17	9	8	3	1	7	6	121	92	2	1	79	10
Balance of county	1,841	1	-	27	475	132	133	35	48	20	17	90	21	933	782	10	20	626	126
Passaic	4,385	5	-	78	1,011	313	249	99	91	39	30	190	101	2,089	1,734	15	38	1,402	279
Clifton	954	2	-	9	240	73	51	27	23	12	12	42	24	467	393	2	6	315	70
Hawthorne	209	-	-	2	51	17	9	7	6	3	1	8	4	113	89	1	5	72	11
Little Falls township#	109	-	-	2	29	6	8	5	2	2	-	6	1	49	38	1	2	28	7
Passaic	549	-	-	8	116	47	29	7	6	3	3	21	18	273	240	2	7	197	34
Paterson	1,287	2	-	38	282	90	80	27	27	7	4	47	35	533	430	-	13	336	81
Pompton Lakes	87	-	-	1	19	4	4	-	4	3	-	4	2	43	35	-	-	33	2
Ringwood	72	-	-	2	17	6	4	1	2	1	-	3	-	35	30	-	-	24	6
Totowa	141	-	-	2	29	7	9	2	1	2	1	7	3	78	71	1	1	61	8
Wanaque	85	-	-	1	18	8	5	-	-	1	-	4	1	39	32	2	1	25	4
Wayne township#	389	1	-	11	87	24	17	13	8	2	3	20	7	209	176	3	2	148	23
West Paterson	91	-	-	-	22	5	2	4	3	1	1	6	-	51	40	-	1	33	6
Balance of county	412	-	-	4	101	26	31	6	9	2	5	22	6	199	160	3	-	130	27
Salem	627	-	-	12	144	41	46	10	11	6	5	23	13	291	237	1	3	187	46
Somerset	1,519	1	-	25	373	103	85	39	44	13	13	76	37	723	608	15	11	456	126
Bridgewater township#	161	-	-	2	40	16	8	4	2	3	-	7	1	87	79	1	3	66	9
Franklin township#	173	-	-	4	44	10	10	7	5	2	1	9	3	79	66	4	-	38	24
Manville	110	-	-	1	30	11	6	3	1	1	1	7	6	52	49	-	2	42	5
North Plainfield	172	-	-	5	41	11	10	5	3	1	3	8	6	79	67	-	2	51	14
Somerville	200	-	-	7	49	16	7	5	5	1	2	13	5	93	81	1	-	63	17
Balance of county	703	1	-	6	169	39	44	15	28	5	6	32	16	333	266	9	4	196	57
Sussex	846	1	1	9	220	55	63	23	21	13	8	37	15	390	303	4	9	228	62
Hopatcong	75	1	-	-	23	6	9	2	1	1	-	4	2	37	30	1	1	24	4
Balance of county	771	-	1	9	197	49	54	21	20	12	8	33	13	353	273	3	8	204	58
Union	4,944	3	-	113	1,211	316	313	120	147	55	41	219	103	2,383	1,955	25	66	1,437	427
Berkeley Heights township#	73	-	-	1	21	3	6	3	2	2	1	4	3	35	31	-	-	21	10
Clark township#	144	-	-	3	33	9	10	4	5	1	-	4	2	76	67	-	-	50	17
Cranford township#	210	-	-	3	45	10	12	8	2	4	3	6	5	116	102	-	3	76	23
Elizabeth	1,091	-	-	28	248	61	64	21	30	10	11	51	22	523	423	7	18	305	93
Hillside township#	181	-	-	3	50	14	13	6	3	4	3	7	2	86	67	2	2	45	18
Linden	441	-	-	8	109	30	22	8	19	6	5	19	8	223	177	6	4	137	30
New Providence	77	-	-	2	16	4	6	2	2	-	-	2	-	34	29	-	1	23	5
Plainfield	424	2	-	9	93	26	35	6	5	1	1	19	9	188	155	-	8	110	37
Rahway	273	-	-	9	62	17	17	3	10	3	2	10	7	131	112	1	3	93	15
Roselle	233	1	-	7	59	18	17	5	8	3	-	8	8	110	86	1	4	64	17
Roselle Park	113	-	-	4	33	9	10	4	2	2	1	5	2	49	45	1	2	30	12
Scotch Plains township#	131	-	-	1	31	5	12	5	4	-	1	4	2	70	55	1	-	41	13
Springfield township#	169	-	-	4	40	11	10	6	3	2	1	7	2	88	74	-	3	57	14
Summit	196	-	-	5	59	16	13	8	6	4	1	11	3	96	79	2	4	56	17
Union township#	635	-	-	18	176	47	36	20	24	8	6	35	15	299	244	3	7	174	60
Westfield	233	-	-	5	51	14	11	4	7	2	2	11	6	113	95	-	4	73	18
Balance of county	320	-	-	3	85	22	19	7	15	3	3	16	7	146	114	1	3	82	28
Warren	776	-	-	14	170	41	53	16	13	8	6	33	9	376	304	4	6	214	80
Phillipsburg	228	-	-	6	56	12	18	5	4	4	2	11	2	106	91	1	3	58	29
Balance of county	548	-	-	8	114	29	35	11	9	4	4	22	7	270	213	3	3	156	51

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	2	11	4	1	8	7	3	2	4	-	2	5	4	9	3	5	-	1	-
Sayreville	1	13	6	1	7	11	1	4	2	-	2	-	4	13	6	3	2	-	-
South Plainfield	-	8	2	3	6	7	-	-	2	-	2	-	1	15	1	2	4	2	-
South River	-	7	5	1	2	1	-	2	-	-	2	2	-	4	1	3	1	-	-
Woodbridge township#	1	34	20	5	29	23	3	9	6	-	5	2	7	53	8	15	2	-	-
Balance of county	2	39	9	7	25	30	-	5	7	-	-	3	9	62	20	16	4	8	-
Monmouth	21	328	113	53	147	148	6	76	70	-	24	34	26	423	70	95	42	8	2
Aberdeen township#	-	7	1	4	1	2	-	2	1	-	1	-	2	11	1	1	-	-	-
Asbury Park	2	20	5	4	17	6	-	7	4	-	4	2	2	29	1	9	1	-	-
Eatontown	-	4	-	-	2	3	-	2	2	-	1	2	1	13	1	1	1	1	-
Freehold	-	11	1	1	2	4	-	2	2	-	-	2	3	17	5	3	1	2	1
Hazlet township#	1	13	5	3	1	7	-	3	2	-	2	-	-	10	-	7	1	-	-
Howell township#	3	13	4	4	2	7	-	3	4	-	1	1	2	11	12	-	3	1	-
Keansburg	-	2	3	1	4	3	-	4	3	-	1	3	-	13	-	3	-	-	-
Long Branch	-	14	8	2	12	12	-	5	5	-	1	2	5	32	6	11	1	-	-
Middletown township#	-	31	24	3	10	14	-	6	6	-	3	1	2	37	7	3	2	2	1
Neptune township#	3	32	4	3	17	10	2	8	6	-	1	5	1	39	5	8	7	1	-
Ocean township#	1	9	3	5	5	7	-	1	3	-	-	2	-	11	4	1	3	-	-
Red Bank	2	21	16	1	7	7	-	2	2	-	1	-	-	14	2	5	1	-	-
Balance of county	9	151	39	22	67	66	4	31	30	-	8	14	8	186	26	43	21	1	-
Morris	9	221	21	28	122	109	11	52	18	-	19	26	17	220	39	57	36	6	-
Denville township#	1	8	3	-	6	6	2	5	-	-	-	-	1	5	1	4	3	-	-
Dover	-	14	1	3	10	9	-	3	1	-	2	1	1	14	2	2	2	-	-
Hanover township#	-	7	1	1	1	5	-	1	-	-	1	-	-	10	-	1	1	-	-
Madison	1	11	2	3	2	4	1	1	-	-	-	1	-	8	2	5	1	-	-
Morris township#	-	9	-	1	5	2	-	2	3	-	2	4	1	12	1	2	1	-	-
Morristown	-	17	-	5	15	11	2	3	-	-	2	2	1	24	2	3	1	1	-
Parsippany-Troy Hills township#	1	15	-	2	10	18	-	5	-	-	2	2	1	17	4	3	1	-	-
Pequannock township#	-	11	1	-	-	1	-	1	-	-	2	-	-	9	-	-	-	-	-
Balance of county	6	129	13	13	73	53	6	31	14	-	8	16	12	121	27	37	26	5	-
Ocean	12	348	40	61	105	194	19	85	54	-	19	21	37	310	71	56	33	7	5
Brick township#	-	52	2	8	9	28	2	13	9	-	3	3	8	33	12	7	5	1	-
Dover township#	5	50	10	12	16	36	2	15	5	-	4	5	4	61	9	8	3	1	1
Jackson township#	-	13	1	3	8	7	2	6	-	-	1	1	2	20	6	2	1	1	-
Lakewood township#	2	55	5	9	15	15	2	4	7	-	3	2	4	42	9	11	9	2	-
Manchester township#	1	41	4	8	11	21	2	11	6	-	-	-	1	33	6	1	3	-	1
Point Pleasant	-	23	5	1	3	10	1	2	4	-	-	2	1	18	5	3	2	-	-
Balance of county	4	114	13	20	43	77	8	34	23	-	8	8	17	103	24	24	10	2	3
Passaic	17	275	23	40	142	119	14	104	52	1	28	41	39	354	60	77	30	39	1
Clifton	3	61	4	6	23	30	1	17	13	-	3	3	8	74	11	18	11	-	-
Hawthorne	-	21	-	3	10	7	-	2	1	-	-	4	-	8	4	1	1	1	-
Little Falls township#	1	6	4	-	5	6	1	3	1	-	-	3	-	8	1	-	-	-	-
Passaic	3	27	1	2	14	14	1	25	9	-	3	9	7	28	8	10	3	3	-
Paterson	3	82	5	13	55	31	6	37	14	1	12	18	17	133	13	27	6	29	-
Pompton Lakes	-	5	-	3	-	3	-	1	1	-	2	-	2	9	1	1	1	1	-
Ringwood	-	5	-	-	4	2	-	2	1	-	1	-	-	5	2	1	-	-	-
Totowa	2	4	1	-	5	1	-	2	3	-	1	1	1	11	1	2	-	1	-
Wanaque	1	4	1	1	6	2	-	1	2	-	1	-	2	6	3	1	2	-	-
Wayne township#	2	19	3	9	9	13	2	2	3	-	1	1	2	27	5	5	2	2	-
West Paterson	-	11	-	-	3	1	1	3	2	-	1	-	-	5	-	2	-	-	-
Balance of county	2	30	4	3	8	9	2	9	2	-	3	2	-	40	11	9	4	2	1
Salem	1	44	2	7	17	28	-	10	8	-	4	10	5	42	19	13	6	2	3
Somerset	2	85	11	17	46	41	3	25	10	-	8	6	8	131	27	34	17	2	1
Bridgewater township#	-	7	-	1	5	2	-	1	-	-	-	1	1	13	4	3	1	-	-
Franklin township#	-	11	-	2	8	4	-	1	1	-	-	2	3	16	-	4	3	1	-
Manville	-	2	-	1	1	2	1	5	1	-	-	-	2	6	1	2	-	-	-
North Plainfield	-	9	1	2	8	7	-	3	2	-	-	-	-	13	2	4	1	1	-
Somerville	-	9	1	2	6	4	-	5	1	-	2	-	1	20	4	2	1	-	-
Balance of county	2	47	9	9	18	22	2	10	5	-	6	3	2	63	16	19	11	-	1
Sussex	4	62	15	6	30	42	5	7	9	-	2	8	8	61	19	9	7	2	1
Hopatcong	-	6	-	1	-	-	-	1	-	-	-	1	1	6	1	1	1	-	-
Balance of county	4	56	15	5	30	42	5	6	9	-	2	7	7	55	16	8	6	2	1
Union	20	324	22	62	162	142	9	84	58	-	20	36	21	401	35	95	36	30	2
Berkeley Heights township#	-	2	1	1	2	-	-	-	1	-	-	-	-	8	-	2	-	-	-
Clark township#	2	5	-	2	2	4	-	3	1	-	1	-	-	15	1	3	-	-	-
Cranford township#	-	10	1	3	10	6	-	2	1	-	2	1	-	10	3	4	2	-	-
Elizabeth	5	79	4	12	39	33	2	18	7	-	5	12	8	99	6	26	6	9	-
Hillside township#	-	13	1	5	5	8	-	2	2	-	2	3	1	13	1	2	1	-	-
Linden	2	31	2	11	16	9	1	8	7	-	1	1	-	32	3	11	3	1	-
New Providence	-	3	-	2	4	3	-	3	1	-	-	1	1	6	2	3	1	-	-
Plainfield	4	24	1	4	17	14	-	9	5	-	2	8	3	41	-	8	5	10	1
Rahway	1	17	-	1	7	11	-	6	4	-	3	3	2	23	-	3	2	-	-
Roselle	-	17	3	4	7	5	2	6	-	-	-	1	2	20	2	2	-	1	-
Roselle Park	-	4	-	-	4	2	-	2	1	-	-	-	-	13	1	1	-	1	-
Scotch Plains township#	-	15	-	-	1	3	-	3	1	-	1	1	1	10	1	4	1	-	-
Springfield township#	-	12	-	2	7	3	-	1	2	-	2	-	-	13	2	4	1	-	-
Summit	2	10	2	3	5	3	-	5	3	-	-	-	-	11	2	1	2	1	-
Union township#	1	44	6	4	16	19	2	7	15	-	-	2	-	42	1	14	5	4	-
Westfield	2	11	1	4	14	7	1	4	1	-	-	-	1	18	2	4	4	2	-
Balance of county	1	27	-	4	6	12	1	5	6	-	1	3	2	27	8	3	3	1	1
Warren	3	51	5	13	30	35	2	7	7	-	7	6	4	63	19	13	13	1	-
Phillipsburg	-	13	-	2	9	12	-	-	3	-	2	1	1	19	3	2	6	-	-
Balance of county	3	38	5	11	21	23	2	7	4	-	5	5	3	44	16	11	7	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	9,763	14	-	105	1,911	488	467	175	211	74	98	398	227	3,611	2,798	32	84	1,581	1,101
Urban places	5,592	8	-	52	1,139	294	270	117	130	41	65	222	112	2,155	1,649	20	58	952	610
Balance of area	4,171	6	-	53	772	194	197	58	81	33	33	176	115	1,456	1,149	12	26	629	482
Metropolitan counties	3,981	8	-	44	821	213	190	88	90	29	48	163	86	1,454	1,122	13	41	618	450
Urban places	3,225	6	-	32	654	160	161	71	75	21	40	126	70	1,215	939	12	39	519	369
Balance of area	756	2	-	12	167	53	29	17	15	8	8	37	16	239	183	1	2	99	81
Nonmetropolitan counties	5,782	6	-	61	1,090	275	277	87	121	45	50	235	141	2,157	1,676	19	43	963	651
Urban places	2,367	2	-	20	485	134	109	46	55	20	25	96	42	940	710	8	19	433	250
Balance of area	3,415	4	-	41	605	141	168	41	66	25	25	139	99	1,217	966	11	24	530	401
Bernalillo	3,039	6	-	31	608	156	140	69	62	21	37	123	64	1,128	871	11	35	483	342
Albuquerque	2,852	6	-	30	569	142	132	62	62	20	37	114	61	1,068	824	10	34	455	325
Balance of county	187	-	-	1	39	14	8	7	-	1	-	9	3	60	47	1	1	28	17
Catron	26	-	-	-	6	1	3	-	-	-	-	2	-	13	7	-	-	4	3
Chaves	539	-	-	4	105	25	25	10	14	5	7	19	7	230	178	3	5	105	65
Roswell	455	-	-	2	91	23	21	8	12	4	6	17	6	196	148	2	5	89	52
Balance of county	84	-	-	2	14	2	4	2	2	1	1	2	1	34	30	1	-	16	13
Cibola	130	-	-	3	25	6	9	1	3	1	-	5	3	46	34	-	-	16	18
Colfax	125	-	-	2	21	2	6	4	1	1	1	6	2	56	47	1	4	33	9
Curry	285	-	-	3	45	13	7	6	7	3	1	8	3	141	95	1	2	62	30
Clovis	255	-	-	3	43	12	7	6	6	3	1	8	2	127	86	-	2	55	29
Balance of county	30	-	-	-	2	1	-	-	1	-	-	-	1	14	9	1	-	7	1
De Baca	44	-	-	-	11	3	5	-	-	-	1	2	-	14	12	-	-	9	3
Dona Ana	626	2	-	6	142	34	41	11	22	4	5	25	15	229	176	2	5	92	77
Las Cruces	373	-	-	2	85	18	29	9	13	1	3	12	9	147	115	2	5	64	44
Balance of county	253	2	-	4	57	16	12	2	9	3	2	13	6	82	61	-	-	28	33
Eddy	489	-	-	2	119	37	31	6	7	3	8	27	12	182	143	1	5	88	49
Artesia	110	-	-	2	27	11	8	1	1	1	2	3	2	43	33	1	1	21	10
Carlsbad	296	-	-	-	76	21	19	5	5	2	6	18	8	119	95	-	3	57	35
Balance of county	63	-	-	-	16	5	4	-	1	-	-	6	2	20	15	-	1	10	4
Grant	193	-	-	-	36	11	12	3	4	2	1	3	5	76	61	1	9	95	22
Guadalupe	37	-	-	1	3	1	2	-	-	-	-	-	-	17	16	1	-	7	8
Harding	15	-	-	-	3	1	-	-	-	-	1	1	-	5	4	-	-	1	3
Hidalgo	44	-	-	1	11	2	4	-	-	1	-	4	2	17	12	-	-	7	5
Lea	414	-	-	7	76	19	22	6	4	4	2	19	8	173	129	3	1	92	33
Hobbs	253	-	-	5	52	16	12	4	3	3	1	13	4	111	79	2	1	57	19
Balance of county	161	-	-	2	24	3	10	2	1	1	1	6	4	62	50	1	-	35	14
Lincoln	108	-	-	3	22	4	8	-	3	1	1	5	2	45	37	1	-	22	14
Los Alamos	72	-	-	3	14	3	6	1	1	1	1	1	4	23	10	-	-	8	2
Luna	217	-	-	1	39	6	12	3	5	2	-	11	16	99	74	1	-	36	37
McKinley	358	3	-	2	47	14	5	3	7	5	3	10	13	74	65	2	2	34	27
Gallup	133	-	-	1	23	7	3	1	4	2	2	4	3	35	32	1	1	18	12
Balance of county	225	3	-	1	24	7	2	2	3	3	1	6	10	39	33	1	1	16	15
Mora	31	-	-	1	8	4	2	-	2	-	-	-	-	10	7	-	1	1	5
Otero	277	-	-	3	56	13	15	9	6	-	3	10	6	103	78	1	1	50	26
Alamogordo	182	-	-	3	37	10	11	7	2	-	-	7	3	74	55	1	1	38	15
Balance of county	95	-	-	-	19	3	4	2	4	-	3	3	3	29	23	-	-	12	11
Quay	116	-	-	-	23	7	4	2	5	1	2	2	4	64	58	-	-	19	39
Rio Arriba	268	-	-	2	41	10	6	3	7	1	6	8	6	79	64	-	2	32	30
Roosevelt	118	1	-	-	14	6	2	2	1	-	-	3	2	55	42	-	2	31	9
Sandoval	316	-	-	7	71	23	9	8	6	4	6	15	7	97	75	-	1	43	31
San Juan	432	1	-	6	89	23	22	9	12	5	2	16	12	112	88	-	2	43	43
Farmington	164	1	-	1	38	10	11	4	4	2	2	5	4	49	36	-	-	20	16
Balance of county	268	-	-	5	51	13	11	5	8	3	-	11	8	63	52	-	2	23	27
San Miguel	187	-	-	2	25	8	1	3	4	1	2	6	5	70	56	-	2	30	24
Las Vegas	127	-	-	2	16	3	-	2	4	1	2	4	-	50	39	-	2	25	12
Balance of county	60	-	-	-	9	5	1	1	-	-	-	2	5	20	17	-	-	5	12
Santa Fe	503	1	-	6	105	28	22	11	15	3	3	23	12	169	134	2	3	68	61
Santa Fe	392	1	-	1	82	21	17	8	14	2	3	17	10	136	107	1	3	53	50
Balance of county	111	-	-	5	23	7	5	3	1	1	-	6	2	33	27	1	-	15	11
Sierra	162	-	-	1	23	2	8	-	1	3	-	9	-	86	72	-	3	48	21
Socorro	65	-	-	-	16	5	3	1	2	1	-	4	-	13	7	-	-	3	4
Taos	151	-	-	2	21	6	4	3	1	-	2	5	4	48	34	-	1	14	19
Torrance	69	-	-	-	14	-	4	1	2	1	1	5	3	25	21	1	-	12	8
Union	60	-	-	1	13	3	4	-	3	-	-	3	-	29	23	-	-	18	5
Valencia	267	-	-	5	59	12	23	-	4	-	2	18	10	83	68	-	4	35	29
New York	172,117	199	3	2,426	37,940	10,661	9,695	3,739	3,971	1,639	1,320	6,915	3,153	85,654	71,512	626	1,604	58,661	10,621
Urban places	113,219	177	2	1,786	23,676	6,831	5,857	2,304	2,472	975	793	4,444	2,122	56,536	47,975	352	994	40,074	6,555
Balance of area	58,898	22	1	640	14,264	3,830	3,838	1,435	1,499	664	527	2,471	1,031	28,118	23,537	274	610	18,587	4,066
Metropolitan counties	155,069	194	3	2,267	34,107	9,633	8,628	3,386	3,554	1,453	1,171	6,282	2,836	77,117	64,815	559	1,441	53,501	9,314
Urban places	109,219	175	2	1,747	22,796	6,583	5,605	2,221	2,384	939	761	4,303	2,038	54,456	46,387	336	954	38,640	6,257
Balance of area	45,850	19	1	520	11,311	3,050	3,023	1,165	1,170	514	410	1,979	800	22,661	18,428	223	487	14,661	3,057
Nonmetropolitan counties	17,048	5	-	159	3,833	1,028	1,067	353	417	186	149	633	317	8,537	6,697	67	163	5,160	1,307
Urban places	4,000	2	-	39	880	248	252	83	88	36	32	141	86	2,080	1,588	16	40	1,234	298
Balance of area	13,048	3	-	120	2,953	780	815	270	329	150	117	492	231	6,457	5,109	51	123	3,926	1,009
Albany	2,988	3	-	32	696	179	192	78	65	27	29	126	42	1,493	1,224	15	21	912	278
Albany	1,325	2	-	11	292	77	84	33	20	15	6	57	19	676	548	6	11	415	118
Cohoes	232	-	-	6	43	13	14	3	6	1	-	6	4	123	96	-	3	62	31
Watervliet	143	1	-	3	32	8	13	-	3	1	3	4	3	82	66	1	1	52	12
Balance of county	1,288	-	-	12	329	81	81	42	36	10	20	59	16	612	514	8	6	383	117
Allegany	450	-	-	4	83	24	23	3	9	4	6	14	6	225	175	1	4	122	48

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	36	587	91	99	281	477	38	200	107	3	106	125	159	1,120	504	321	254	159	41
Urban places	22	367	55	62	157	297	25	118	55	1	55	68	79	645	214	163	134	88	27
Balance of area	14	220	36	37	124	180	13	82	52	2	51	57	80	475	290	158	120	71	14
Metropolitan counties	14	240	34	44	119	196	13	83	41	1	38	50	63	486	160	120	110	73	15
Urban places	12	195	30	39	92	178	12	68	32	1	28	40	43	395	106	89	91	58	15
Balance of area	2	45	4	5	27	18	1	15	9	-	10	10	20	91	54	31	19	15	-
Nonmetropolitan counties	22	347	57	55	162	281	25	117	66	2	68	75	96	634	344	201	144	86	26
Urban places	10	172	25	23	65	119	13	50	23	-	27	28	38	250	108	74	43	30	12
Balance of area	12	175	32	32	97	162	12	67	43	2	41	47	60	384	236	127	101	56	14
Bernalillo	10	184	27	36	95	165	12	63	33	1	23	42	39	381	104	88	87	55	14
Albuquerque	9	173	26	36	85	160	12	60	30	1	21	39	35	356	94	81	81	49	14
Balance of county	1	11	1	-	10	5	-	3	3	-	2	3	4	25	10	7	6	6	-
Catron	-	5	1	-	-	-	-	-	1	-	1	2	-	1	-	1	1	-	-
Chaves	4	40	4	4	14	32	1	9	8	-	3	8	10	57	21	11	6	8	5
Roswell	3	37	4	4	11	25	1	9	7	-	3	6	9	45	17	11	4	7	5
Balance of county	1	3	-	-	3	7	-	-	1	-	-	2	1	12	4	-	2	1	-
Cibola	-	9	2	1	1	4	-	4	1	1	2	3	1	12	8	5	3	7	1
Colfax	-	3	2	4	3	8	-	2	2	-	1	-	-	13	4	4	4	2	1
Curry	2	29	7	8	6	10	1	2	1	-	5	2	8	36	11	4	3	4	-
Clovis	2	28	6	5	6	10	1	2	-	-	5	2	4	31	9	4	3	3	-
Balance of county	-	1	1	3	-	-	-	-	1	-	-	-	4	5	2	-	-	1	-
De Baca	-	1	1	-	-	3	-	3	-	-	-	-	-	7	1	3	2	-	-
Dona Ana	4	40	5	4	18	23	1	14	5	-	11	5	11	64	29	22	14	14	1
Las Cruces	3	22	4	3	7	18	-	8	2	-	7	1	8	39	12	8	10	9	1
Balance of county	1	18	1	1	11	5	1	6	3	-	4	4	3	25	17	14	4	5	-
Eddy	1	30	3	5	21	25	3	5	6	-	-	8	4	38	21	13	7	3	-
Artesia	1	7	-	2	4	4	2	1	1	-	-	3	1	7	6	4	2	1	-
Carlsbad	-	20	2	2	14	18	1	3	4	-	-	3	3	28	11	5	3	2	-
Balance of county	-	3	1	1	3	3	-	1	1	-	-	2	-	5	4	4	2	-	-
Grant	-	11	-	4	8	14	1	2	1	-	3	3	7	19	5	6	6	-	1
Guadalupe	-	1	-	-	5	1	-	1	-	-	1	1	1	3	-	1	-	2	-
Harding	-	-	1	-	1	-	-	-	-	-	-	-	1	4	-	1	-	-	-
Hidalgo	-	4	-	1	2	2	-	-	-	-	-	-	1	4	2	1	-	1	-
Lea	1	33	9	1	10	27	2	6	5	-	5	5	1	44	16	14	10	5	-
Hobbs	1	25	5	1	4	12	1	6	4	-	4	2	1	23	8	8	3	5	-
Balance of county	-	8	4	-	6	15	1	-	1	-	1	3	-	21	8	6	7	-	-
Lincoln	-	5	2	1	-	9	-	3	1	-	-	-	-	13	4	5	1	-	-
Los Alamos	-	8	1	4	1	3	-	1	2	-	-	1	2	10	1	3	3	-	1
Luna	-	23	1	1	8	14	1	1	4	-	1	1	-	19	5	-	7	-	1
McKinley	2	5	1	1	14	8	3	17	4	-	9	8	10	47	49	26	11	11	2
Gallup	-	1	1	1	5	5	2	4	2	-	3	3	2	18	12	8	4	2	1
Balance of county	2	4	-	-	9	3	1	13	2	-	6	5	8	29	37	18	7	9	1
Mora	1	-	1	1	2	1	-	-	-	-	-	3	-	5	-	1	-	-	-
Otero	3	16	3	3	5	15	2	4	1	-	4	4	2	30	18	12	7	3	2
Alamogordo	3	13	2	1	2	11	1	2	-	-	2	3	2	24	4	9	3	1	1
Balance of county	-	3	1	2	3	4	1	2	1	-	2	1	-	6	14	3	4	2	1
Quay	-	6	-	-	2	5	1	1	-	-	-	-	2	7	4	1	1	1	-
Rio Arriba	1	12	2	-	7	8	3	11	3	1	4	4	1	36	35	11	8	7	1
Roosevelt	1	9	2	1	3	5	-	1	2	-	2	1	1	16	10	4	-	-	1
Sandoval	-	16	2	4	6	8	-	6	3	-	4	3	13	41	27	10	9	4	-
San Juan	2	14	1	7	7	21	-	6	3	-	9	6	12	41	43	33	17	10	4
Farmington	-	8	-	5	3	8	-	5	2	-	6	3	3	13	12	8	6	1	1
Balance of county	2	6	1	2	4	13	-	1	1	-	3	3	9	28	31	25	11	9	3
San Miguel	-	10	3	1	6	12	-	8	-	-	2	1	3	24	9	7	7	5	1
Las Vegas	-	7	3	1	4	9	-	7	-	-	1	-	3	16	6	7	3	2	1
Balance of county	-	3	-	-	2	3	-	1	-	-	1	1	-	8	3	-	4	3	-
Santa Fe	-	32	2	1	15	19	4	13	5	-	5	3	9	60	33	14	20	7	3
Santa Fe	-	26	2	1	12	17	4	11	3	-	3	3	8	47	23	10	12	6	3
Balance of county	-	6	-	-	3	2	-	2	2	-	2	-	1	13	10	4	8	1	-
Sierra	1	9	3	1	5	7	3	5	3	-	1	-	2	11	6	4	4	1	-
Socorro	1	5	-	-	2	5	-	-	3	-	-	1	8	8	5	3	1	-	-
Taos	1	10	2	1	7	4	-	5	1	-	1	4	3	28	13	3	4	1	2
Torrance	-	2	1	1	-	3	-	2	2	-	2	2	3	6	1	1	1	4	-
Union	-	5	1	-	1	3	-	1	-	-	-	1	-	7	-	1	2	1	-
Valencia	1	10	1	3	6	13	-	4	7	-	7	3	4	28	19	8	8	3	-
New York	577	10,326	1,533	1,706	6,019	5,100	662	3,022	1,568	29	857	1,491	1,628	13,617	2,176	3,157	1,200	1,708	508
Urban places	419	6,251	905	986	4,256	2,923	427	2,302	1,016	26	530	1,115	1,280	9,256	1,014	2,188	591	1,547	449
Balance of area	158	4,075	628	720	1,763	2,177	235	720	552	3	327	376	348	4,361	1,162	969	609	161	59
Metropolitan counties	521	9,006	1,306	1,469	5,518	4,330	601	2,829	1,392	28	769	1,393	1,565	12,288	1,822	2,809	1,025	1,676	500
Urban places	404	5,909	833	923	4,152	2,756	414	2,260	963	26	510	1,089	1,252	8,946	972	2,113	555	1,542	447
Balance of area	117	3,097	473	546	1,366	1,574	187	569	429	2	259	304	303	3,342	850	696	470	134	53
Nonmetropolitan counties	56	1,320	227	237	501	770	61	193	176	1	88	98	63	1,329	354	348	175	32	8
Urban places	15	342	72	63	104	167	13	42	53	-	20	26	18	310	42	75	36	5	2
Balance of area	41	978	155	174	397	603	48	151	123	1	68	72	45	1,019	312	273	139	27	6
Albany	5	205	31	28	99	110	13	31	32	-	15	17	23	259	40	55	21	6	1
Albany	1	98	15	14	54	56	5	10	14	-	3	9	11	114	8	25	9	6	1
Cohoes	-	20	6	1	5	10	1	4	5	-	1	-	3	18	3	3	3	-	-
Watervliet	1	12	1	2	1	4	1	2	3	-	-	-	-	6	2	3	-	-	-
Balance of county	3	75	9	11	39	40	6	15	10	-	11	6	9	121	27	24	9	-	-
Allegany	1	36	5	8	21	21	3	3	4	-	2	2	1	46	7	15	5	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Broome	2,046	-	-	26	498	138	121	48	60	18	20	93	41	1,038	831	7	24	700	100
Binghamton	764	-	-	9	182	52	41	15	25	6	3	40	13	386	308	1	9	259	37
Endicott	166	-	-	4	42	12	12	6	6	2	2	2	7	79	67	-	-	56	11
Johnson City	236	-	-	5	57	14	15	6	8	-	5	9	5	126	99	-	1	89	9
Vestal town#	189	-	-	1	44	20	6	2	3	2	3	8	6	90	74	2	2	64	6
Balance of county	691	-	-	7	173	40	47	19	18	8	7	34	10	347	285	4	12	232	37
Cattaraugus	826	-	-	5	173	46	54	15	19	9	8	22	15	401	309	3	6	239	61
Olean	206	-	-	1	40	13	16	4	3	1	1	2	2	91	76	1	2	59	14
Balance of county	620	-	-	4	133	33	38	11	16	8	7	20	13	310	233	2	4	180	47
Cayuga	804	-	-	6	201	62	50	14	23	9	5	38	20	377	283	3	9	206	65
Auburn	415	-	-	2	108	29	28	9	11	2	3	26	13	199	149	2	5	105	37
Balance of county	389	-	-	4	93	33	22	5	12	7	2	12	7	178	134	1	4	101	28
Chautauqua	1,538	1	-	16	323	88	68	39	45	16	14	53	37	811	628	5	11	506	106
Dunkirk	204	-	-	1	45	10	11	2	9	4	3	6	7	109	84	-	1	76	7
Fredonia	71	-	-	-	20	3	7	3	-	3	-	4	2	37	31	-	-	28	3
Jamestown	476	-	-	4	91	27	18	15	11	1	3	16	12	261	198	3	4	153	38
Balance of county	787	1	-	11	167	48	32	19	25	8	8	27	16	404	315	2	6	249	58
Chemung	975	-	-	7	226	58	68	13	25	14	9	39	15	475	385	1	13	304	67
Elmira	415	-	-	2	92	22	31	5	9	4	4	17	5	208	174	-	8	144	22
Balance of county	560	-	-	5	134	36	37	8	16	10	5	22	10	267	211	1	5	160	45
Chenango	504	-	-	2	118	31	30	7	21	9	5	16	4	268	231	1	11	173	46
Clinton	585	2	-	7	133	32	35	14	15	6	7	24	5	293	229	2	9	183	35
Plattsburgh	220	1	-	4	50	12	12	5	9	1	2	9	3	108	83	1	3	64	15
Balance of county	365	1	-	3	83	20	23	9	6	5	5	15	2	165	146	1	6	119	20
Columbia	688	-	-	4	171	50	48	16	18	10	5	24	8	343	268	3	8	228	29
Cortland	431	-	-	3	81	25	20	3	9	6	5	13	5	230	181	2	3	143	33
Cortland	198	-	-	1	36	13	8	3	2	3	2	5	2	99	77	2	-	61	14
Balance of county	233	-	-	2	45	12	12	-	7	3	3	8	3	131	104	-	3	82	19
Delaware	546	-	-	9	117	36	31	2	16	9	5	18	8	281	228	2	6	151	69
Dutchess	2,051	1	-	31	490	117	143	43	53	25	21	88	43	1,006	817	9	10	662	136
Beacon	138	-	-	1	26	2	7	1	4	4	1	7	2	79	68	-	1	53	14
Poughkeepsie	433	-	-	5	112	26	33	10	13	5	7	18	9	215	166	3	2	135	26
Balance of county	1,480	1	-	25	352	89	103	32	36	16	13	63	32	712	583	6	7	474	96
Erie	10,574	3	-	113	2,425	660	682	257	225	106	76	419	199	5,566	4,328	40	115	3,467	706
Buffalo	4,502	2	-	54	980	282	279	94	81	48	30	166	101	2,294	1,792	19	57	1,397	319
Depew	167	-	-	3	40	7	16	6	2	2	1	6	2	88	75	-	1	58	16
Hamburg	73	-	-	-	19	5	4	1	3	1	-	5	-	43	32	-	2	25	5
Kenmore	213	-	-	3	54	12	14	7	9	2	-	10	5	111	88	1	1	80	26
Lackawanna	244	-	-	2	51	14	12	6	6	3	1	9	4	141	118	-	2	95	21
Lancaster	138	-	-	1	37	6	10	5	7	-	2	7	-	69	65	1	-	52	12
Tonawanda	203	-	-	2	50	18	15	8	3	1	2	3	6	99	80	-	1	64	15
West Seneca town#	407	1	-	3	99	28	30	8	4	6	5	18	7	233	177	1	3	153	20
Balance of county	4,627	-	-	45	1,095	288	302	122	110	43	35	195	74	2,488	1,901	18	48	1,563	272
Essex	429	-	-	3	110	31	31	12	10	2	5	19	3	190	139	1	5	107	26
Franklin	466	-	-	7	98	26	36	10	8	4	2	12	6	246	188	1	2	149	36
Fulton	619	-	-	8	150	50	44	14	11	9	4	16	12	304	242	3	12	190	37
Gloversville	262	-	-	5	54	21	15	4	2	5	2	5	2	137	105	1	3	78	23
Balance of county	357	-	-	3	96	29	29	10	9	4	2	13	10	167	137	2	9	112	14
Genesee	552	-	-	4	125	32	37	18	13	6	3	16	8	294	226	2	4	179	41
Batavia	212	-	-	2	53	14	17	5	8	3	1	5	2	117	89	-	-	73	16
Balance of county	340	-	-	2	72	18	20	13	5	3	2	11	6	177	137	2	4	106	25
Greene	528	1	-	5	133	26	41	15	18	3	7	23	12	264	220	3	8	179	30
Hamilton	67	-	-	1	17	3	6	3	1	1	-	3	-	26	21	-	-	14	7
Herkimer	689	-	-	4	160	46	32	14	13	16	5	34	10	375	285	4	9	210	62
Jefferson	933	-	-	7	210	52	75	14	17	9	5	38	9	492	366	3	8	298	59
Watertown	386	-	-	3	86	24	32	4	4	2	3	17	5	218	158	2	2	134	20
Balance of county	547	-	-	4	124	28	43	10	13	7	2	21	4	274	208	1	4	164	39
Lewis	233	-	-	1	59	20	12	4	7	6	-	10	8	103	88	1	2	68	17
Livingston	439	-	-	5	104	30	29	8	11	5	3	18	9	229	186	-	3	144	39
Madison	490	-	-	5	122	32	36	11	9	3	5	26	10	227	170	2	6	138	24
Oneida	114	-	-	1	24	6	6	2	4	-	-	6	1	68	49	-	2	41	6
Balance of county	376	-	-	4	98	26	30	9	5	3	5	20	9	159	121	2	4	97	18
Monroe	5,852	3	-	107	1,369	376	341	142	160	76	41	233	99	2,716	2,146	29	30	1,564	523
Brighton town#	339	1	-	5	84	25	19	10	8	6	3	13	7	162	116	2	4	80	30
Gates town#	206	1	-	4	53	15	16	4	11	3	1	3	2	95	76	1	2	52	21
Greece town#	600	-	-	12	167	50	40	19	19	9	6	24	13	268	207	2	2	165	38
Henrietta town#	142	-	-	6	39	12	9	5	5	1	-	7	4	56	45	-	1	32	12
Irondequoit town#	611	-	-	12	146	37	34	13	19	9	3	31	17	292	238	3	1	174	60
Penfield town#	170	-	-	2	38	9	8	5	7	3	-	6	1	86	70	1	1	50	18
Rochester	2,674	1	-	52	554	139	153	55	62	32	21	92	39	1,247	967	16	11	886	254
Balance of county	1,110	-	-	14	288	89	62	31	29	13	7	57	16	510	427	4	8	325	90
Montgomery	631	1	-	6	133	39	34	7	19	9	8	17	14	338	272	4	6	230	32
Amsterdam	296	-	-	2	67	24	12	4	9	7	2	9	6	157	123	2	2	107	12
Balance of county	335	1	-	4	66	15	22	3	10	2	6	8	8	181	149	2	4	123	20
Nassau	11,867	5	1	167	2,990	861	763	320	292	127	108	519	168	6,032	5,129	66	119	4,151	793
East Rockaway	87	-	-	1	16	5	3	1	1	2	1	3	2	49	37	-	2	30	5
Floral Park	188	-	-	1	44	13	10	7	4	1	4	5	3	95	78	1	1	61	15
Freeport	352	-	-	7	82	27	26	6	6	4	1	12	3	175	148	2	5	112	29
Garden City	207	-	-	-	56	18	13	4	5	-	-	16	-	109	91	2	2	75	12
Glen Cove	241	-	-	4	43	14	13	4	3	2	2	5	5	136	113	1	4	92	16
Hempstead	423	1	-	2	94	40	22	6	4	4	1	17	5	201	174	2	7	131	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	10	151	23	23	51	69	9	21	24	-	4	17	11	153	32	31	19	3	-
Binghamton	3	70	12	5	14	28	3	9	6	-	1	9	6	60	10	12	5	1	-
Endicott	-	9	1	2	5	3	-	1	2	-	-	1	1	11	3	3	4	-	-
Johnson City	2	20	1	4	7	9	1	3	4	-	-	2	1	13	1	1	1	-	-
Vestal town#	3	10	1	2	8	10	-	2	2	-	-	2	-	17	5	1	1	-	-
Balance of county	2	42	8	10	17	18	5	6	10	-	3	3	3	52	13	14	8	2	-
Cattaraugus	3	61	19	9	23	43	3	6	14	-	3	4	5	81	24	19	6	-	1
Olean	1	11	-	3	7	19	-	-	6	-	1	1	1	27	6	4	-	-	-
Balance of county	2	50	19	6	16	24	3	6	8	-	2	3	4	54	18	15	6	-	1
Cayuga	2	69	14	9	18	41	1	9	6	-	3	4	-	73	24	9	8	2	2
Auburn	2	34	10	4	7	22	-	6	3	-	-	4	-	35	4	7	4	1	-
Balance of county	-	35	4	5	11	19	1	3	3	-	3	-	-	38	20	2	4	1	2
Chautauqua	7	140	14	22	35	64	8	15	23	-	9	8	4	119	16	24	21	9	1
Dunkirk	1	20	-	4	1	4	3	4	1	-	2	-	-	21	1	2	3	-	-
Fredonia	-	5	1	-	1	2	-	-	3	-	-	-	-	5	1	-	-	-	-
Jamestown	4	45	7	7	12	23	2	4	10	-	1	2	1	32	4	8	6	2	1
Balance of county	2	70	6	11	21	35	3	7	9	-	6	6	3	61	10	14	12	1	-
Chemung	1	67	8	14	36	59	7	13	9	-	4	8	9	72	11	13	9	2	-
Elmira	1	23	3	7	11	32	2	5	4	-	2	3	6	31	2	7	1	2	-
Balance of county	-	44	5	7	25	27	5	8	5	-	2	5	3	41	9	6	8	-	-
Chenango	-	32	1	4	14	28	2	9	3	-	1	1	3	23	15	5	5	1	1
Clinton	2	41	13	8	16	20	-	9	6	-	4	7	4	52	11	8	8	-	-
Plattsburgh	-	17	4	4	6	4	-	1	3	-	2	3	4	26	-	3	2	-	-
Balance of county	2	24	9	4	10	16	-	8	3	-	2	4	-	26	11	5	6	-	-
Columbia	5	53	8	9	24	30	2	10	4	-	3	3	3	51	12	13	5	2	-
Cortland	-	38	4	7	22	15	5	3	1	-	2	1	3	31	5	20	3	-	1
Cortland	-	16	1	5	15	7	3	2	1	-	-	-	3	18	1	7	2	-	1
Balance of county	-	22	3	2	7	8	2	1	-	-	2	1	-	13	4	13	1	-	-
Delaware	2	39	5	7	15	21	2	4	4	-	1	4	3	39	17	16	5	-	-
Dutchess	14	145	11	19	56	74	5	30	27	-	12	11	7	149	47	30	24	7	1
Beacon	1	9	-	1	4	6	1	1	3	-	1	1	-	8	2	3	-	-	-
Poughkeepsie	4	38	2	5	7	14	-	4	3	-	3	3	4	36	7	5	1	5	-
Balance of county	9	98	9	13	45	54	4	25	21	-	8	7	3	105	38	22	23	2	1
Erie	18	976	127	117	257	358	48	142	83	-	59	75	58	741	122	162	77	49	37
Buffalo	9	397	51	45	126	158	21	72	45	-	21	41	29	351	30	87	30	36	24
Depew	1	7	3	2	3	6	-	2	1	-	-	1	-	12	4	3	2	-	-
Hamburg	-	10	-	1	-	1	-	1	-	-	-	-	2	6	-	-	-	1	-
Kenmore	-	17	6	-	4	8	-	4	-	-	-	-	1	10	2	4	3	4	-
Lackawanna	-	21	-	2	3	5	2	2	1	-	1	5	1	21	1	3	1	-	-
Lancaster	-	2	-	2	3	3	2	1	2	-	-	1	1	12	2	3	-	-	1
Tonawanda	-	15	2	2	4	13	-	6	3	-	2	3	2	5	3	4	1	-	-
West Seneca town#	2	42	5	7	4	8	1	5	2	-	1	-	2	30	3	4	3	-	1
Balance of county	6	465	60	56	110	156	22	49	29	-	34	24	20	294	77	54	37	8	11
Essex	5	38	4	4	14	31	2	5	4	-	1	2	2	38	8	7	8	1	-
Franklin	-	47	5	6	12	23	5	5	2	-	3	3	3	34	7	5	4	3	-
Fulton	1	42	11	8	17	28	1	2	7	-	3	9	2	49	12	17	4	-	-
Gloversville	1	20	6	5	5	8	1	1	6	-	1	1	-	27	5	7	2	-	-
Balance of county	-	22	5	3	12	20	-	1	1	-	2	2	2	22	7	10	2	-	-
Genesee	3	50	4	11	10	24	-	8	6	1	3	3	1	37	12	11	5	-	-
Batavia	1	23	1	3	2	11	-	4	3	-	-	1	1	11	-	4	1	-	-
Balance of county	2	27	3	8	8	13	-	4	3	1	3	2	-	26	12	7	4	-	-
Greene	1	38	1	4	7	25	2	6	7	-	1	3	1	38	16	7	2	-	-
Hamilton	-	5	-	-	2	7	-	2	-	-	-	-	-	5	3	2	1	1	-
Herkimer	3	59	16	12	14	34	4	7	7	-	3	6	-	39	9	9	7	1	-
Jefferson	2	100	16	8	30	43	2	5	8	-	6	8	1	72	16	11	9	4	-
Watertown	-	48	8	4	13	13	1	2	3	-	3	5	1	22	3	3	5	-	-
Balance of county	2	52	8	4	17	30	1	3	5	-	3	3	-	50	13	8	4	4	-
Lewis	-	10	2	3	3	11	1	3	4	-	1	2	-	21	8	8	-	-	-
Livingston	2	28	6	7	9	19	1	2	4	-	-	1	1	30	14	4	7	-	-
Madison	-	48	4	5	18	28	5	2	3	-	2	3	4	31	14	13	3	1	1
Oneida	-	17	1	1	1	5	-	-	1	-	-	-	-	8	1	3	1	-	-
Balance of county	-	31	3	4	17	21	5	2	2	-	2	3	4	23	13	10	2	1	1
Monroe	12	426	69	63	222	214	16	65	60	1	28	46	39	600	53	108	64	38	6
Brighton town#	-	34	9	3	5	14	3	3	1	-	1	2	3	39	1	2	6	-	-
Gates town#	-	15	3	1	4	11	-	4	2	-	-	2	-	13	2	4	3	6	-
Greece town#	6	42	5	8	20	21	1	6	2	-	5	3	1	58	3	12	6	1	1
Henrietta town#	-	8	2	1	3	3	1	2	1	-	2	1	2	13	-	6	2	-	1
Irondequoit town#	1	46	2	5	23	17	1	7	8	-	1	1	3	59	3	17	4	-	-
Penfield town#	-	15	-	1	9	10	-	-	2	-	-	2	-	13	3	3	1	-	-
Rochester	3	207	39	31	118	93	10	30	32	1	11	26	20	310	28	49	25	25	3
Balance of county	2	59	9	13	40	45	-	13	12	-	8	9	10	95	13	15	17	4	1
Montgomery	3	50	7	6	15	31	2	7	12	-	2	5	1	38	15	6	4	-	1
Amsterdam	3	28	1	2	10	15	1	5	5	-	1	-	-	16	5	4	2	-	-
Balance of county	-	22	6	4	5	16	1	2	7	-	1	5	1	22	10	2	2	-	1
Nassau	28	631	113	131	384	282	41	152	110	1	55	71	94	828	149	167	100	42	28
East Rockaway	1	7	3	1	6	1	-	-	1	-	-	-	2	6	-	3	-	-	-
Floral Park	-	12	3	2	9	6	-	5	1	-	1	-	-	17	3	1	-	-	-
Freeport	1	20	2	4	10	8	-	9	3	-	2	5	5	24	6	4	4	5	-
Garden City	-	14	3	1	7	4	2	1	3	-	-	-	1	16	3	3	1	1	-
Glen Cove	-	14	1	10	8	5	1	4	3	-	-	-	-	15	6	4	3	1	1
Hempstead	1	19	3	4	11	12	-	8	8	-	2	11	6	37	8	7	1	6	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Long Beach	567	–	–	8	109	27	32	9	10	5	2	24	12	341	295	3	4	251	37
Lynbrook	217	–	–	1	46	13	13	3	2	3	3	9	2	118	102	–	3	83	16
Massapequa Park	151	1	–	3	34	6	13	7	1	2	–	5	5	79	69	1	1	62	5
Mineola	186	–	–	4	49	17	10	8	5	3	1	5	2	83	70	1	4	50	15
Rockville Centre	258	–	–	5	60	15	19	10	2	1	2	11	5	133	114	1	–	101	12
Valley Stream	375	–	–	4	98	34	22	6	9	3	5	19	3	198	183	5	3	121	34
Westbury	162	–	–	4	42	11	12	2	7	1	2	7	3	68	63	2	2	47	12
Balance of county	8,455	3	1	123	2,217	621	555	247	233	96	84	381	118	4,245	3,612	45	81	2,935	551
New York city	75,191	160	2	1,306	15,052	4,401	3,529	1,450	1,594	589	495	2,994	1,378	37,395	32,776	205	587	28,250	3,734
Bronx bor., Bronx co	12,922	21	1	215	2,266	695	554	230	245	80	89	392	211	6,531	5,775	21	72	5,056	626
Brooklyn bor., Kings co	22,766	45	–	374	4,354	1,310	965	410	468	172	135	894	496	11,489	10,165	62	173	9,762	1,168
Manhattan bor., New York co	16,367	66	1	471	3,458	960	804	323	380	134	114	743	300	6,895	5,850	42	139	4,727	942
Queens bor., Queens co	19,898	28	–	209	4,232	1,254	992	418	497	173	136	822	316	10,795	9,504	69	186	8,426	823
Staten Island bor., Richmond co	3,238	–	–	37	722	182	214	69	63	30	21	143	55	1,685	1,482	11	17	1,279	175
Niagara	2,290	1	–	15	508	135	143	43	53	23	35	76	49	1,206	932	6	15	814	97
Lockport	316	–	–	4	52	15	16	2	7	2	3	7	11	173	125	1	5	105	14
Niagara Falls	852	1	–	5	191	45	57	17	17	10	14	31	19	450	350	1	5	307	37
North Tonawanda	318	–	–	3	77	25	15	8	8	6	4	11	6	169	122	–	3	106	13
Balance of county	804	–	–	3	188	50	55	16	21	5	14	27	13	414	335	4	2	296	33
Oneida	2,636	1	–	30	597	173	142	58	73	42	24	85	54	1,318	1,035	5	27	805	198
Rome	363	–	–	3	96	28	21	11	14	5	4	13	7	173	139	1	7	109	22
Utica	1,119	–	–	17	229	78	62	19	26	14	7	33	20	573	443	2	14	317	110
Balance of county	1,154	1	–	10	272	67	69	28	33	23	13	39	27	572	453	2	6	379	66
Onondaga	4,108	–	–	59	938	236	277	93	93	43	30	166	60	1,958	1,534	20	36	1,062	416
Syracuse	1,971	–	–	35	418	111	119	46	40	17	13	72	34	935	727	8	22	480	217
Balance of county	2,137	–	–	24	520	125	158	47	53	26	17	94	26	1,023	807	12	14	582	199
Ontario	779	–	–	8	178	44	34	26	29	8	6	31	15	385	295	1	7	216	71
Canandaigua	151	–	–	1	33	6	7	7	5	3	2	3	3	66	46	–	3	34	9
Geneva, part	147	–	–	1	39	12	11	1	8	1	2	4	1	80	62	1	–	43	18
Geneva, total	147	–	–	1	39	12	11	1	8	1	2	4	1	80	62	1	–	43	18
Balance of county	481	–	–	6	106	26	16	18	16	4	2	24	11	239	187	–	4	139	44
Orange	2,372	–	–	18	594	162	170	45	52	31	17	117	46	1,113	929	6	18	750	155
Middletown	276	–	–	3	77	25	13	10	7	4	1	17	7	111	92	–	2	75	15
Newburgh	327	–	–	3	64	13	21	8	5	3	3	11	8	170	143	–	3	113	27
Balance of county	1,767	–	–	12	453	124	136	27	40	24	13	89	31	832	694	6	13	562	113
Orleans	424	–	–	4	82	20	28	8	9	4	2	11	6	230	155	2	8	123	22
Oswego	985	–	–	7	204	46	62	19	25	11	3	38	23	471	352	3	6	279	64
Fulton	156	–	–	2	39	9	8	3	6	3	1	9	1	69	58	–	1	45	12
Oswego	247	–	–	–	50	11	14	5	7	–	–	13	10	123	80	1	2	61	16
Balance of county	582	–	–	5	115	26	40	11	12	8	2	16	12	279	214	2	3	173	36
Otsego	606	–	–	5	140	26	41	13	17	6	3	34	13	301	242	4	7	140	91
Oneonta	138	–	–	2	32	8	8	2	7	–	2	5	5	73	54	–	3	29	22
Balance of county	468	–	–	3	108	18	33	11	10	6	1	29	8	228	188	4	4	111	69
Putnam	579	1	–	6	150	44	37	13	11	8	5	32	17	272	219	2	4	179	34
Carmel town#	229	–	–	3	65	15	19	4	8	3	1	15	9	109	87	1	2	70	14
Balance of county	350	1	–	3	85	29	18	9	3	5	4	17	8	163	132	1	2	109	20
Rensselaer	1,452	1	–	15	342	103	92	26	35	14	11	61	24	741	597	8	5	478	106
Troy	618	–	–	4	144	47	44	6	14	5	6	22	14	316	255	4	2	212	37
Balance of county	834	1	–	11	198	56	48	20	21	9	5	39	10	425	342	4	3	266	69
Rockland	1,981	3	–	22	472	136	117	53	39	28	24	75	42	926	780	8	14	651	107
Spring Valley	183	1	–	1	43	13	9	4	5	–	3	9	6	75	71	–	2	58	11
Suffern	100	–	–	–	22	8	3	2	3	1	1	4	–	55	48	–	1	41	6
Balance of county	1,698	2	–	21	407	115	105	47	31	27	20	62	36	796	661	8	11	552	90
St. Lawrence	1,005	–	–	4	224	65	67	16	18	13	12	33	24	511	394	3	13	313	65
Massena	157	–	–	1	35	9	11	1	2	2	4	6	7	88	68	2	2	57	7
Ogdensburg	129	–	–	–	32	11	9	5	2	2	–	3	2	62	45	–	3	36	6
Potsdam	65	–	–	–	11	5	4	–	–	–	1	1	2	35	31	–	2	21	8
Balance of county	654	–	–	3	146	40	43	10	14	9	7	23	13	326	250	1	6	199	44
Saratoga	1,212	1	–	15	287	78	98	27	25	6	10	43	22	561	443	13	12	339	79
Saratoga Springs	290	–	–	3	70	22	20	7	7	1	2	11	5	128	90	4	1	70	15
Balance of county	922	1	–	12	217	56	78	20	18	5	8	32	17	433	353	9	11	269	64
Schenectady	1,620	–	–	16	385	107	114	34	39	14	20	57	32	804	653	3	6	509	139
Niskayuna town#	126	–	–	2	34	11	7	2	5	4	3	2	2	66	57	–	2	45	10
Rotterdam town#	294	–	–	3	79	22	25	10	6	4	3	9	5	137	114	–	1	93	20
Schenectady	875	–	–	9	190	55	61	15	18	4	9	28	17	449	351	3	5	276	67
Balance of county	325	–	–	2	82	19	21	7	10	2	5	18	8	152	131	–	–	95	36
Schoharie	281	–	–	4	67	15	23	8	6	2	5	8	7	124	96	2	–	71	23
Schuyler	192	–	–	3	40	10	11	4	4	2	3	6	6	93	71	–	1	58	12
Seneca	315	–	–	3	72	18	28	9	8	–	–	9	10	146	111	2	3	81	25
Geneva, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	315	–	–	3	72	18	28	9	8	–	–	9	10	146	111	2	3	81	25
Steuben	1,071	–	–	13	245	62	69	25	25	11	12	41	25	544	433	9	13	330	81
Corning	189	–	–	1	39	9	12	4	4	–	1	9	6	112	82	1	2	63	16
Hornell	139	–	–	3	29	7	13	1	3	–	1	4	2	69	52	1	3	38	10
Balance of county	743	–	–	9	177	46	44	20	18	11	10	28	17	363	299	7	8	229	55
Suffolk	10,352	6	–	104	2,546	687	719	259	268	100	73	440	218	5,075	4,202	65	190	3,304	643
Babylon	115	–	–	2	19	12	2	1	1	1	1	1	3	60	55	–	3	47	5
Lindenhurst	243	–	–	2	50	9	16	5	5	–	2	13	6	134	117	2	8	96	11
Patchogue	125	–	–	–	21	4	6	2	3	1	–	5	1	71	58	–	5	45	8
Balance of county	9,889	6	–	100	2,456	662	695	251	259	98	70	421	208	4,810	3,972	63	174	3,116	619

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	1	40	1	4	29	9	1	3	2	-	-	1	2	30	4	10	2	2	2
Lynbrook	-	12	2	2	7	8	-	7	1	-	-	2	2	14	1	5	3	-	-
Massapequa Park	1	8	-	1	-	9	-	4	-	-	-	2	1	10	3	-	-	-	-
Mineola	-	6	4	3	6	8	1	2	1	-	3	-	2	18	1	2	2	-	2
Rockville Centre	-	13	5	1	5	7	3	3	2	-	3	3	2	16	3	4	3	-	1
Valley Stream	2	25	3	5	11	12	3	5	5	-	1	1	1	23	3	4	2	-	1
Westbury	-	4	-	1	9	4	-	3	-	-	2	5	2	11	3	1	3	2	-
Balance of county	21	437	83	92	266	189	30	98	80	1	41	41	68	591	107	119	76	25	16
New York city	292	3,327	460	540	3,085	1,599	279	1,772	607	24	368	807	1,027	6,186	617	1,520	264	1,361	382
Bronx bor., Bronx co	49	552	68	87	523	316	43	310	97	2	73	158	175	1,131	116	268	29	330	86
Brooklyn bor., Kings co	107	940	130	147	805	432	79	569	185	11	124	345	353	1,800	198	481	47	486	93
Manhattan bor., New York co	75	748	89	133	632	331	78	496	136	7	74	121	247	1,833	104	425	54	317	121
Queens bor., Queens co	56	929	159	147	761	429	71	353	158	4	83	150	230	1,216	168	289	132	201	73
Staten Island bor., Richmond co	5	158	14	26	164	91	8	44	31	-	14	33	22	206	31	57	2	27	9
Niagara	9	222	24	19	63	82	8	23	14	-	7	7	20	179	36	31	26	4	1
Lockport	1	41	3	3	6	13	1	2	5	-	-	1	2	28	6	7	4	1	-
Niagara Falls	4	81	8	7	28	32	1	10	2	-	4	4	7	71	7	10	8	3	1
North Tonawanda	1	41	3	2	8	6	2	4	2	-	2	1	3	22	4	3	6	-	-
Balance of county	3	59	10	7	23	41	4	7	5	-	1	1	8	58	19	11	8	-	-
Oneida	11	200	34	38	95	106	5	31	33	-	8	13	9	198	46	53	29	5	5
Rome	5	22	2	5	10	13	-	5	3	-	2	1	2	24	12	6	6	-	-
Utica	4	101	10	15	54	96	4	17	18	-	4	7	2	89	11	21	10	3	4
Balance of county	2	77	22	18	31	57	1	9	12	-	2	5	5	85	23	26	13	2	1
Onondaga	12	303	55	54	132	149	17	55	45	1	21	37	45	400	55	71	41	23	1
Syracuse	6	148	25	29	62	72	6	25	28	-	9	24	22	215	19	39	18	8	-
Balance of county	6	155	30	25	70	77	9	30	17	1	12	13	23	185	36	32	23	15	1
Ontario	5	64	10	11	29	28	4	8	8	-	5	4	4	66	20	12	4	1	-
Canandaigua	1	12	3	4	7	11	1	-	3	-	1	2	1	16	2	2	1	1	-
Geneva, part	1	12	2	3	6	2	-	3	-	-	-	-	2	8	3	2	-	-	-
Geneva, total	1	12	2	3	6	2	-	3	-	-	-	-	2	8	3	2	-	-	-
Balance of county	3	40	5	4	16	15	3	5	5	-	4	2	1	42	15	8	3	-	-
Orange	8	117	24	35	76	82	7	28	30	-	12	25	28	176	56	39	32	8	2
Middletown	1	8	3	7	16	8	3	4	3	-	4	4	3	23	3	4	4	-	1
Newburgh	2	17	2	6	3	12	2	4	5	-	4	8	7	24	4	3	2	3	-
Balance of county	5	92	19	22	57	62	2	20	22	-	4	12	18	129	49	32	26	5	1
Orleans	-	61	9	5	8	23	3	7	4	-	3	3	1	35	7	3	4	-	1
Oswego	4	73	27	15	18	45	3	13	13	-	6	3	11	80	36	17	13	2	-
Fulton	1	4	4	2	4	9	-	2	3	-	-	-	1	20	2	1	3	-	-
Oswego	1	29	9	4	4	11	1	6	7	-	-	-	2	19	5	6	3	-	-
Balance of county	2	40	14	9	10	25	2	5	3	-	6	3	8	41	29	10	7	2	-
Otsego	2	31	13	13	25	22	2	3	9	-	4	1	2	48	9	11	10	1	-
Oneonta	-	7	10	2	3	8	2	-	3	-	1	-	-	7	1	1	-	-	-
Balance of county	2	24	3	11	22	14	-	3	6	-	3	1	2	41	8	10	10	1	-
Putnam	2	42	4	5	26	12	4	7	5	-	4	1	4	36	15	9	6	4	-
Carmel town#	-	17	2	3	13	3	1	1	1	-	2	-	1	12	5	2	1	1	-
Balance of county	2	25	2	2	13	9	3	6	4	-	2	1	3	24	10	7	5	3	-
Rensselaer	4	108	17	15	33	67	7	10	16	-	6	13	6	101	28	26	12	3	1
Troy	1	45	8	7	12	29	4	4	6	-	2	10	1	44	11	11	4	2	-
Balance of county	3	63	9	8	21	38	3	6	10	-	4	3	5	57	17	15	8	1	1
Rockland	6	108	11	21	96	69	14	22	19	-	8	18	13	166	27	36	15	10	3
Spring Valley	1	3	-	-	7	9	4	2	2	-	2	5	2	16	6	6	-	1	1
Suffern	-	6	-	1	8	3	1	1	1	-	-	1	2	3	1	1	-	1	-
Balance of county	5	99	11	20	81	63	9	19	16	-	6	12	9	147	20	29	15	8	2
St. Lawrence	3	70	23	21	32	33	3	19	14	-	5	5	3	69	18	30	11	-	-
Massena	1	17	-	2	2	2	-	2	-	-	1	-	-	10	1	8	-	-	-
Ogdensburg	-	7	9	1	6	3	-	6	2	-	1	-	-	7	3	3	2	-	-
Potsdam	-	3	-	1	2	-	-	1	1	-	1	-	1	3	3	4	1	-	-
Balance of county	2	43	14	17	22	28	3	10	11	-	2	5	2	49	11	15	8	-	-
Saratoga	1	85	17	15	49	52	7	22	12	-	9	12	6	88	36	17	12	4	-
Saratoga Springs	-	24	8	6	12	18	2	5	4	-	1	3	-	26	6	3	3	1	-
Balance of county	1	61	9	9	37	34	5	17	8	-	8	9	6	62	30	14	9	3	-
Schenectady	9	106	9	27	56	66	3	16	15	-	10	17	7	133	17	24	26	2	1
Niskayuna town#	1	8	-	-	2	5	-	1	-	-	1	-	-	8	1	1	2	1	-
Rotterdam town#	2	20	-	1	10	11	-	3	4	-	2	3	1	29	3	1	2	1	-
Schenectady	5	66	7	20	24	28	2	11	8	-	2	13	6	71	10	18	16	-	1
Balance of county	1	12	2	6	20	12	1	1	3	-	5	1	-	25	3	4	6	-	-
Schoharie	1	24	1	2	9	17	2	-	1	-	-	3	-	25	9	11	2	-	-
Schuyler	1	13	2	6	8	8	1	5	2	-	3	-	-	11	6	5	1	-	-
Seneca	1	27	1	6	10	8	1	3	4	-	2	1	-	38	7	6	3	1	-
Geneva, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	27	1	6	10	8	1	3	4	-	2	1	-	38	7	6	3	1	-
Steuben	5	83	6	17	34	52	3	12	6	-	6	8	4	71	16	15	14	3	-
Corning	3	20	1	6	2	4	-	2	2	-	2	2	-	10	1	4	2	-	-
Hornell	-	15	-	2	5	9	-	-	-	-	1	1	3	12	2	-	3	-	-
Balance of county	2	48	5	9	27	39	3	10	4	-	3	5	1	49	13	11	9	3	-
Suffolk	22	661	58	132	256	370	47	167	108	-	64	105	78	689	188	161	114	44	12
Babylon	-	5	-	-	4	8	-	2	2	-	1	1	1	5	3	2	2	-	-
Lindenhurst	1	12	-	4	6	9	2	6	2	-	1	1	-	13	3	2	5	1	-
Patchogue	1	9	-	3	2	7	1	1	3	-	-	2	1	10	2	3	-	-	-
Balance of county	20	635	58	125	244	346	44	158	101	-	62	101	76	661	180	154	107	43	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
Sullivan	769	-	-	6	179	39	54	13	19	9	11	34	12	394	324	3	1	263	57
Tioga	366	-	-	6	84	18	25	9	11	3	5	13	3	171	132	2	1	103	26
Tompkins	516	-	-	5	108	31	26	11	10	5	5	20	16	248	162	2	4	123	33
Ithaca	177	-	-	3	33	7	10	5	2	2	3	4	6	87	58	-	-	43	15
Balance of county	339	-	-	2	75	24	16	6	8	3	2	16	10	161	104	2	4	80	18
Ulster	1,532	1	-	15	339	95	79	40	36	14	8	67	20	769	647	5	12	503	127
Kingston	356	1	-	6	86	26	21	11	9	5	-	14	6	178	148	-	5	116	27
Balance of county	1,176	-	-	9	253	69	58	29	27	9	8	53	14	591	499	5	7	387	100
Warren	575	-	-	9	151	35	44	15	15	3	8	31	12	279	222	1	4	176	41
Glens Falls	199	-	-	-	48	12	10	9	2	1	1	13	2	106	83	-	2	68	13
Balance of county	376	-	-	9	103	23	34	6	13	2	7	18	10	173	139	1	2	108	28
Washington	585	-	-	4	128	37	31	13	19	7	6	15	12	312	243	1	9	190	43
Wayne	730	-	-	11	156	41	41	17	19	5	5	30	8	343	282	2	14	210	56
Newark	105	-	-	3	19	4	8	4	1	-	-	2	1	50	40	-	4	28	8
Balance of county	625	-	-	8	139	37	33	13	18	5	5	28	7	293	242	2	10	182	48
Westchester	8,250	4	-	109	2,038	594	484	237	213	68	67	355	165	4,062	3,261	29	120	2,581	531
Dobbs Ferry	61	-	-	-	16	6	9	1	2	-	1	3	-	25	20	-	-	16	4
Harrison	163	-	-	-	48	9	10	1	7	3	5	13	2	70	54	-	2	46	6
Mamaroneck	164	-	-	2	50	14	14	4	5	2	-	11	6	76	60	-	1	49	10
Mount Vernon	691	1	-	9	143	36	44	19	13	4	4	23	22	325	284	4	18	208	54
New Rochelle	809	1	-	8	209	68	62	22	17	8	5	29	17	421	333	3	19	248	63
Ossining	190	-	-	3	41	12	13	4	1	2	1	8	2	103	73	1	3	55	14
Peekskill	240	-	-	4	60	17	12	10	7	2	3	9	5	110	82	2	6	60	12
Port Chester	259	-	-	3	51	15	12	5	8	1	1	9	3	142	110	-	4	92	14
Rye	119	-	-	-	31	6	8	5	5	-	2	5	2	59	44	-	-	34	10
Scarsdale	161	-	-	3	41	11	11	8	4	2	3	2	4	85	73	1	-	56	16
Tarrytown	118	-	-	3	30	13	6	4	3	2	-	2	2	56	44	-	2	37	5
White Plains	528	-	-	6	144	43	30	20	16	4	5	28	14	259	203	2	10	156	35
Yonkers	2,000	-	-	32	452	128	110	47	54	18	15	80	35	1,009	839	6	24	692	117
Yorktown town#	226	-	-	4	62	19	16	7	5	5	-	10	8	103	80	-	2	61	17
Balance of county	2,521	2	-	32	660	199	133	80	66	35	22	125	43	1,219	962	10	27	771	154
Wyoming	348	-	-	8	73	17	20	9	7	5	3	12	8	156	116	-	1	92	23
Yates	214	-	-	3	43	16	8	2	7	1	1	8	10	103	79	1	2	51	25
North Carolina	52,988	69	1	728	11,161	2,590	3,214	1,045	1,300	421	395	2,196	870	24,920	19,066	145	707	13,004	5,210
Urban places	18,646	27	-	271	4,082	1,008	1,187	380	470	142	140	755	334	8,573	6,457	42	279	4,264	1,872
Balance of area	34,342	42	1	457	7,079	1,582	2,027	665	830	279	255	1,441	536	16,347	12,609	103	428	8,740	3,338
Metropolitan counties	25,857	29	-	358	5,740	1,315	1,714	551	668	200	205	1,087	419	11,860	8,974	72	318	6,191	2,393
Urban places	14,118	20	-	211	3,166	776	932	294	360	113	108	583	251	6,412	4,785	34	202	3,155	1,394
Balance of area	11,739	9	-	147	2,574	539	782	257	308	87	97	504	168	5,448	4,189	38	116	3,036	999
Nonmetropolitan counties	27,131	40	1	370	5,421	1,275	1,500	494	632	221	190	1,109	451	13,060	10,092	73	389	6,813	2,817
Urban places	4,528	7	-	60	916	232	255	86	110	29	32	172	83	2,161	1,672	8	77	1,109	478
Balance of area	22,603	33	1	310	4,505	1,043	1,245	408	522	192	158	937	368	10,899	8,420	65	312	5,704	2,339
Alamance	944	1	-	16	217	55	58	23	20	7	8	46	22	439	347	3	12	263	69
Burlington	399	1	-	9	105	32	24	9	12	2	3	23	7	173	133	2	1	99	31
Balance of county	545	-	-	7	112	23	34	14	8	5	5	23	15	266	214	1	11	164	38
Alexander	177	-	-	4	34	9	11	4	4	1	2	3	1	83	66	-	4	56	6
Alleghany	114	-	-	-	27	5	9	2	2	1	1	7	-	50	36	-	2	26	8
Anson	256	1	-	1	60	16	13	10	8	2	1	10	2	123	100	1	-	78	21
Ashe	219	1	-	4	53	17	11	5	8	2	4	6	1	114	91	1	7	63	20
Avery	125	-	-	-	20	2	8	2	-	2	-	6	1	62	58	1	-	34	23
Beaufort	471	-	-	8	82	21	16	8	13	4	3	17	8	230	171	1	9	100	61
Bertie	245	1	-	3	46	15	11	7	6	1	-	6	3	123	94	1	3	69	21
Bladen	282	-	-	6	54	14	15	3	8	-	2	12	9	152	120	-	5	93	22
Brunswick	372	1	-	1	90	19	33	9	6	2	5	16	8	175	138	-	4	89	45
Buncombe	1,711	2	-	16	392	83	132	37	43	14	18	65	24	607	592	10	12	441	129
Asheville	862	1	-	11	199	50	67	16	21	6	6	33	13	395	293	2	6	219	68
Balance of county	849	1	-	7	193	33	65	21	22	8	12	32	11	412	299	8	6	222	63
Burke	631	2	-	4	114	25	43	7	10	4	7	18	7	314	269	3	1	206	59
Hickory, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Morganton	145	2	-	-	26	4	6	3	6	1	3	3	3	72	57	-	1	37	19
Balance of county	485	-	-	4	88	21	37	4	4	3	4	15	4	241	211	3	-	168	40
Cabarrus	805	-	-	8	163	36	48	19	14	5	5	36	6	383	277	-	6	186	85
Concord	242	-	-	5	47	13	12	5	6	-	1	10	2	108	81	-	1	54	28
Balance of county	563	-	-	3	116	23	36	14	8	5	4	26	4	275	196	-	5	132	59
Caldwell	526	-	-	5	123	28	35	13	12	3	4	28	10	236	190	1	8	140	41
Lenoir	180	-	-	2	38	9	8	5	5	-	1	10	5	89	70	-	4	57	9
Balance of county	346	-	-	3	85	19	27	8	7	3	3	18	5	147	120	1	4	83	32
Camden	65	-	-	1	16	5	4	1	1	-	1	4	3	29	19	-	1	10	8
Elizabeth City, part	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Balance of county	64	-	-	1	15	5	4	-	1	-	1	4	3	29	19	-	1	10	8
Carteret	445	-	-	7	103	31	32	6	10	6	2	16	9	208	174	1	5	103	65
Caswell	189	-	-	1	32	5	4	2	10	1	2	8	3	91	67	-	2	46	19
Catawba	928	-	-	13	205	40	66	20	25	8	7	39	20	435	333	3	2	225	103
Hickory, part	334	-	-	7	63	15	18	5	6	4	3	12	8	164	120	1	1	75	43
Hickory, total	335	-	-	7	63	15	18	5	6	4	3	12	8	165	121	1	1	76	43
Balance of county	594	-	-	6	142	25	48	15	19	4	4	27	12	271	213	2	1	150	60
Chatham	327	1	-	7	57	15	16	6	7	-	3	10	2	155	127	1	3	93	30
Cherokee	190	-	-	3	31	6	8	2	3	3	1	8	1	93	77	1	1	46	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Sullivan	4	56	1	9	17	35	2	9	15	-	8	4	3	47	13	21	2	2	-
Tioga	1	29	5	4	16	14	4	4	2	-	4	1	2	35	8	7	5	-	-
Tompkins	-	43	33	10	12	26	2	6	2	-	2	5	3	48	12	8	12	1	-
Ithaca	-	13	13	3	5	10	-	4	1	-	2	2	-	14	2	5	2	1	-
Balance of county	-	30	20	7	7	16	2	2	1	-	-	3	3	34	10	3	10	-	-
Ulster	2	91	8	21	49	66	3	25	15	-	7	12	11	114	35	34	12	3	2
Kingston	1	21	1	7	10	18	1	3	5	-	1	4	3	23	4	5	1	1	-
Balance of county	1	70	7	14	39	48	2	22	10	-	6	8	8	91	31	29	11	2	2
Warren	4	38	6	9	26	9	1	8	4	-	3	5	3	39	12	11	2	-	1
Glens Falls	1	15	3	4	14	2	1	4	1	-	2	1	-	11	2	4	-	-	1
Balance of county	3	23	3	5	12	7	-	4	3	-	1	4	3	28	10	7	2	-	-
Washington	2	39	15	13	16	31	1	6	6	-	3	1	2	34	11	13	5	-	-
Wayne	2	49	2	8	32	26	6	4	8	-	2	3	3	82	26	9	7	2	-
Newark	1	7	-	2	9	4	-	2	1	-	-	-	1	11	2	2	-	-	-
Balance of county	1	42	2	6	23	22	6	2	7	-	2	3	2	71	24	7	7	2	-
Westchester	31	588	104	78	245	225	30	154	72	1	42	58	49	625	75	152	73	56	15
Dobbs Ferry	-	4	-	1	4	5	-	2	-	-	-	-	-	8	-	1	-	-	-
Harrison	-	15	-	1	8	1	-	3	1	-	-	1	4	15	5	4	1	-	-
Mamaroneck	-	12	3	1	5	3	-	2	-	-	1	-	-	8	2	2	4	3	-
Mount Vernon	3	23	5	10	25	21	3	20	10	1	4	10	8	61	4	12	3	9	-
New Rochelle	6	62	12	8	31	13	5	13	2	-	2	3	4	58	3	10	5	2	2
Ossining	2	22	3	3	11	6	-	2	-	-	1	1	2	12	1	3	1	-	1
Peekskill	1	22	2	3	7	5	2	7	3	-	4	2	2	19	3	4	2	-	1
Port Chester	-	21	6	5	9	11	2	8	5	-	-	1	1	16	1	1	4	3	-
Rye	-	13	2	-	6	4	1	2	1	-	-	-	1	8	1	3	-	-	-
Scarsdale	-	12	-	-	3	4	1	1	3	-	1	-	-	7	-	2	6	-	-
Tarrytown	1	10	1	-	1	4	-	3	2	-	1	-	1	6	1	5	2	-	1
White Plains	-	43	8	5	11	17	1	5	7	-	3	2	4	37	5	9	1	3	-
Yonkers	7	131	22	10	40	47	10	51	21	-	7	20	12	147	15	47	20	29	6
Yorktown town#	2	13	6	2	3	5	1	1	3	-	1	1	1	13	5	11	3	-	1
Balance of county	9	185	34	29	81	79	4	36	14	-	17	17	9	210	29	38	21	7	3
Wyoming	2	24	13	1	12	18	1	4	4	-	4	1	1	34	13	3	8	2	-
Yates	1	19	-	4	10	10	2	3	1	-	1	-	-	17	3	7	1	-	-
North Carolina	232	4,630	528	464	1,767	1,677	158	567	617	4	335	531	289	4,932	1,516	1,442	782	568	52
Urban places	94	1,657	209	156	627	603	52	230	207	2	116	235	108	1,845	360	486	227	245	16
Balance of area	138	2,973	319	308	1,140	1,074	106	337	410	2	219	296	181	3,087	1,158	956	555	323	36
Metropolitan counties	121	2,252	279	234	879	799	74	276	278	1	165	291	146	2,441	686	686	395	310	24
Urban places	78	1,258	167	124	486	469	34	165	160	1	87	184	77	1,406	253	369	167	188	12
Balance of area	43	994	112	110	393	330	40	111	118	-	78	107	69	1,035	433	317	228	122	12
Nonmetropolitan counties	111	2,378	249	230	888	878	84	291	339	3	170	240	143	2,491	832	756	387	258	28
Urban places	16	399	42	32	141	134	18	65	47	1	29	51	31	439	107	117	60	57	4
Balance of area	95	1,979	207	198	747	744	66	226	292	2	141	189	112	2,052	725	639	327	201	24
Alamance	3	72	11	6	23	29	2	7	8	-	6	5	7	95	24	18	20	5	-
Burlington	1	31	4	4	9	13	1	3	3	-	6	4	3	42	7	4	6	3	-
Balance of county	2	41	7	2	14	16	1	4	5	-	-	1	4	53	17	14	14	2	-
Alexander	2	12	1	2	9	2	-	3	-	-	1	2	2	15	13	2	4	1	1
Alleghany	-	10	2	2	9	5	-	1	2	-	-	-	-	12	-	3	4	1	-
Anson	-	21	-	2	11	2	1	1	2	-	2	2	1	19	5	9	7	7	-
Ashe	2	12	4	5	5	11	1	-	5	-	2	2	-	13	2	5	-	-	-
Avery	-	3	1	-	10	6	1	-	-	-	-	-	-	18	2	4	-	-	1
Beaufort	3	49	-	7	24	17	-	10	3	-	3	3	1	49	9	14	7	3	-
Bertie	1	20	3	5	9	6	-	4	4	-	2	4	1	20	8	8	2	1	-
Bladen	2	29	-	1	14	2	1	1	3	-	1	-	3	21	6	5	2	2	-
Brunswick	-	29	3	5	22	7	-	2	5	-	3	2	-	22	15	7	5	6	1
Buncombe	12	162	29	12	62	67	7	12	12	-	11	5	7	167	23	39	24	9	3
Asheville	8	74	15	5	46	37	3	7	6	-	8	3	5	89	9	14	14	3	1
Balance of county	4	88	14	7	36	30	4	5	6	-	5	2	2	78	14	25	10	6	2
Burke	1	36	4	4	18	28	2	10	5	-	8	3	2	57	21	20	8	6	2
Hickory, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morganton	-	11	3	1	2	5	1	3	4	-	2	2	1	16	2	4	-	-	-
Balance of county	1	25	1	3	16	23	1	7	1	-	6	1	1	41	19	16	8	6	2
Cabarrus	5	86	4	11	27	33	-	11	7	-	5	3	6	90	24	22	11	5	1
Concord	-	22	2	3	7	10	-	4	4	-	2	1	1	34	4	7	3	3	-
Balance of county	5	64	2	8	20	23	-	7	3	-	3	2	5	56	20	15	8	2	1
Caldwell	-	33	6	7	17	17	1	2	4	-	8	2	4	48	18	15	10	6	-
Lenoir	-	15	2	2	8	5	-	-	1	-	-	1	1	16	6	5	1	2	-
Balance of county	-	18	4	5	9	12	1	2	3	-	8	1	3	32	12	10	9	4	-
Camden	-	6	1	3	4	1	1	1	1	-	-	-	-	2	2	4	-	-	-
Elizabeth City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	6	1	3	4	1	1	1	1	-	-	-	-	2	2	4	-	-	-
Carteret	2	28	-	4	14	17	1	8	6	-	6	1	4	39	5	14	2	1	-
Caswell	2	19	2	1	7	9	-	2	3	-	2	-	1	18	8	6	2	2	1
Catawba	4	77	10	11	32	24	7	4	10	-	5	14	5	82	30	21	16	4	1
Hickory, part	1	35	7	1	12	7	2	2	1	-	1	6	4	34	9	5	6	2	1
Hickory, total	1	35	7	1	12	7	2	2	1	-	1	6	4	34	9	5	6	2	1
Balance of county	3	42	3	10	20	17	5	2	9	-	4	8	1	48	21	16	10	2	-
Chatham	-	24	3	1	7	11	-	-	6	-	3	2	1	40	11	16	1	7	-
Cherokee	-	13	1	2	6	9	1	5	2	-	-	1	1	24	4	2	5	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Chowan	157	–	–	3	40	14	8	4	7	–	–	7	3	65	44	1	2	20	21
Clay	81	–	–	–	19	6	2	4	–	2	–	5	1	35	31	–	–	23	8
Cleveland	768	–	–	8	140	33	41	13	14	7	7	25	16	406	320	1	11	174	134
Shelby	211	–	–	3	44	13	13	3	4	1	2	8	4	102	79	–	3	40	36
Balance of county	557	–	–	5	96	20	28	10	10	6	5	17	12	304	241	1	8	134	98
Columbus	530	–	–	11	85	13	27	6	9	7	2	21	6	283	219	3	4	137	75
Craven	538	–	–	9	121	31	31	10	12	9	2	26	7	242	182	–	15	122	45
Havelock	44	–	–	–	9	2	3	–	1	–	–	3	–	17	13	–	–	9	4
New Bern	202	–	–	5	45	11	12	6	4	3	1	8	3	87	63	–	8	43	12
Balance of county	292	–	–	4	67	18	16	4	7	6	1	15	4	138	106	–	7	70	29
Cumberland	1,433	1	–	17	288	62	105	27	29	9	5	51	20	589	452	2	37	313	100
Fayetteville	683	1	–	4	148	36	55	13	13	5	1	25	10	313	242	1	22	161	58
Balance of county	750	–	–	13	140	26	50	14	16	4	4	26	10	276	210	1	15	152	42
Currituck	130	–	–	1	30	6	11	–	6	1	–	6	3	52	36	–	2	24	10
Dare	147	–	–	4	28	9	7	1	5	1	–	5	1	66	53	–	2	32	19
Davidson	961	2	–	9	214	47	68	23	26	7	6	37	15	449	365	2	9	257	97
High Point, part	2	–	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Lexington	181	–	–	–	33	5	10	4	5	1	2	6	2	94	82	–	5	42	35
Thomasville	190	1	–	3	38	9	10	7	3	1	3	5	3	92	66	1	1	45	19
Balance of county	588	1	–	5	143	33	48	12	18	5	1	26	10	262	216	1	3	169	43
Davie	227	–	–	3	50	10	9	8	9	2	–	12	4	109	88	–	1	70	17
Duplin	452	2	–	4	103	22	33	8	9	4	4	23	14	198	156	–	7	102	47
Durham	1,425	5	–	25	326	82	101	24	34	8	10	67	20	648	516	1	18	310	187
Chapel Hill, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Durham	1,165	4	–	21	258	72	74	20	23	6	9	54	17	532	424	1	16	242	165
Balance of county	260	1	–	4	68	10	27	4	11	2	1	13	3	116	92	–	2	68	22
Edgecombe	536	1	–	11	103	29	26	9	16	3	–	20	4	242	173	1	8	120	44
Rocky Mount, part	191	1	–	6	42	15	10	3	5	–	–	9	2	90	64	–	3	42	19
Balance of county	345	–	–	5	61	14	16	6	11	3	–	11	2	152	109	1	5	78	25
Forsyth	2,139	–	–	31	470	104	135	50	59	20	13	89	41	963	734	7	25	508	194
Winston-Salem	1,400	–	–	25	311	68	88	27	43	15	8	62	31	627	482	4	22	322	134
Balance of county	739	–	–	6	159	36	47	23	16	5	5	27	10	336	252	3	3	186	60
Franklin	299	–	–	2	62	12	17	6	9	–	1	17	2	142	114	1	9	70	34
Gaston	1,481	2	–	11	280	73	71	29	34	11	12	60	19	784	623	–	16	476	131
Gastonia	586	1	–	4	116	31	29	10	9	5	7	25	10	299	228	–	9	171	48
Balance of county	895	1	–	7	174	42	42	19	25	6	5	35	9	485	395	–	7	305	83
Gates	109	–	–	2	26	3	11	1	3	1	1	6	2	43	36	–	–	19	17
Graham	66	–	–	1	12	2	5	–	1	1	1	2	–	29	23	–	2	12	9
Granville	336	1	–	4	64	17	19	3	4	5	5	11	3	143	107	–	–	77	30
Greene	151	1	–	4	28	9	11	1	1	1	1	2	5	77	61	–	2	47	12
Guilford	2,800	5	–	39	605	152	167	52	72	28	25	109	48	1,298	974	9	38	668	259
Greensboro	1,490	4	–	17	328	83	86	25	39	14	15	66	26	685	528	5	17	370	136
High Point, part	735	1	–	11	150	40	46	11	20	8	4	20	17	350	251	1	12	168	70
High Point, total	739	1	–	12	151	41	46	11	20	9	4	20	17	352	253	1	12	169	71
Balance of county	575	–	–	11	127	29	35	16	13	5	6	23	5	263	195	3	9	130	53
Halifax	608	3	–	16	109	26	33	11	15	4	1	19	15	294	226	1	16	161	50
Roanoke Rapids	169	–	–	4	28	6	13	2	3	1	1	2	2	92	72	–	6	52	14
Balance of county	439	3	–	12	81	20	20	9	12	3	–	17	13	202	156	1	10	109	36
Harnett	506	1	–	10	97	16	27	8	14	1	2	29	8	238	194	2	16	127	49
Haywood	497	–	–	4	108	25	34	11	11	5	5	17	8	248	193	1	–	150	42
Henderson	741	–	–	3	164	42	37	14	25	4	7	35	14	358	270	4	4	178	84
Hertford	256	–	–	5	56	16	12	3	11	3	1	10	5	116	90	–	3	64	23
Hoke	147	3	–	–	28	6	9	3	–	–	1	9	2	74	62	–	2	48	12
Hyde	63	–	–	2	14	4	4	1	2	–	–	3	–	28	20	–	–	13	7
Iredell	772	1	–	8	161	35	43	19	16	4	9	35	18	365	271	2	5	200	64
Statesville	231	–	–	2	47	8	12	3	8	3	3	10	5	107	83	1	–	63	19
Balance of county	541	1	–	6	114	27	31	16	8	1	6	25	13	258	188	1	5	137	45
Jackson	218	–	–	–	45	6	16	4	6	2	2	9	1	105	80	1	1	60	18
Johnston	694	2	–	5	125	25	35	7	17	4	7	30	9	357	293	3	11	199	80
Jones	92	1	–	1	22	5	8	2	3	–	–	4	3	45	34	–	2	24	8
Lee	413	–	–	7	70	15	18	7	7	3	5	15	2	193	182	1	9	96	56
Sanford	207	–	–	6	38	7	9	3	4	2	4	9	2	90	78	1	4	48	25
Balance of county	206	–	–	1	32	8	9	4	3	1	1	6	–	103	84	–	5	48	31
Lenoir	618	1	–	4	116	37	38	12	7	8	1	13	3	315	235	–	12	153	70
Kinston	342	–	–	2	60	20	18	9	3	2	1	7	2	175	130	–	6	80	44
Balance of county	276	1	–	2	56	17	20	3	4	6	–	6	1	140	105	–	6	73	26
Lincoln	391	–	–	2	81	18	16	7	6	8	3	23	8	185	133	1	3	87	42
McDowell	317	–	–	3	65	25	21	–	5	1	3	10	5	165	119	1	4	85	29
Macon	247	–	–	–	47	16	8	4	6	3	–	10	4	124	103	–	3	72	28
Madison	178	–	–	5	36	5	10	3	9	1	3	5	2	93	63	3	1	45	14
Martin	283	–	–	1	52	13	18	–	6	4	4	7	5	136	103	1	5	68	29
Mecklenburg	3,202	2	–	41	782	177	241	80	88	29	28	138	53	1,388	1,014	5	54	662	293
Charlotte	2,627	2	–	36	637	149	197	61	72	24	24	110	41	1,138	824	4	47	524	249
Balance of county	575	–	–	5	145	28	44	19	16	5	5	28	12	250	190	1	7	138	44
Mitchell	150	–	–	4	34	7	9	1	7	–	3	7	2	66	53	5	–	25	23
Montgomery	224	–	–	2	43	6	11	10	7	1	2	6	3	114	81	1	–	65	15
Moore	567	1	–	8	124	26	35	15	14	6	6	22	15	263	196	–	15	116	65
Nash	698	1	–	9	131	27	43	13	15	4	2	27	15	314	256	1	10	167	78
Rocky Mount, part	299	–	–	4	57	11	17	4	8	2	2	13	7	139	116	–	4	74	38
Rocky Mount, total	490	1	–	10	99	26	27	7	13	2	2	22	9	229	180	–	7	116	57
Balance of county	399	1	–	5	74	16	26	9	7	2	–	14	8	175	140	1	6	93	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	1	18	2	-	10	9	1	-	-	-	2	1	-	14	5	2	2	-	-
Clay	-	3	-	1	4	5	2	1	-	-	-	1	-	9	3	1	-	-	-
Cleveland	5	65	7	9	20	21	2	4	9	-	1	9	5	69	18	16	12	10	2
Shelby	1	18	2	2	10	2	1	1	3	-	-	4	2	20	3	3	4	4	1
Balance of county	4	47	5	7	10	19	1	3	6	-	1	5	3	49	15	13	8	6	1
Columbus	3	53	3	5	14	13	-	5	11	-	6	2	2	41	20	17	9	5	-
Craven	4	43	6	5	11	23	-	7	10	-	12	8	4	41	19	9	9	6	-
Havelock	-	4	-	-	-	2	-	-	-	-	3	4	2	1	3	1	2	-	-
New Bern	1	14	6	3	4	8	-	3	2	-	6	2	-	20	6	4	3	4	-
Balance of county	3	25	2	2	7	13	-	4	8	-	3	2	2	20	10	4	4	2	-
Cumberland	5	114	8	10	30	48	6	24	16	-	10	26	15	125	84	65	32	37	2
Fayetteville	5	60	3	3	15	21	1	9	8	-	3	13	5	58	27	22	9	15	1
Balance of county	-	54	5	7	15	25	5	15	8	-	7	13	10	67	57	43	23	22	1
Currituck	1	11	2	2	11	1	1	-	-	-	2	-	2	17	3	3	3	1	-
Dare	-	7	4	2	7	1	-	3	1	-	1	-	2	17	4	9	2	1	-
Davidson	2	63	10	9	36	37	6	10	15	-	2	6	5	80	35	20	14	6	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	2	9	-	1	3	9	-	5	3	-	-	2	-	14	8	4	2	2	-
Thomasville	-	18	4	4	10	11	-	1	5	-	-	1	1	12	7	5	-	-	-
Balance of county	-	36	6	4	23	17	6	4	7	-	2	3	4	54	20	11	12	4	-
Davie	1	16	2	2	6	4	-	2	1	-	1	2	-	23	12	5	4	-	1
Duplin	4	29	5	4	18	15	-	5	9	-	4	5	2	41	15	11	5	1	-
Durham	7	93	20	12	44	33	2	15	21	-	11	12	6	149	26	44	17	21	-
Chapel Hill, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	7	74	18	9	34	26	2	13	15	-	9	12	6	125	21	39	12	19	-
Balance of county	-	19	2	3	10	7	-	2	6	-	2	-	-	24	5	5	5	2	-
Edgecombe	-	60	6	3	29	14	3	8	9	-	2	9	4	53	16	17	7	4	-
Rocky Mount, part	-	22	2	2	7	6	1	5	2	-	-	2	2	17	2	2	2	2	-
Balance of county	-	38	4	1	22	8	2	3	7	-	2	7	2	36	14	15	5	2	-
Forsyth	14	179	11	25	66	70	8	35	30	-	12	27	12	228	29	55	34	27	1
Winston-Salem	10	116	6	13	39	44	4	25	27	-	5	15	11	149	10	44	14	18	1
Balance of county	4	63	5	12	27	26	4	10	3	-	7	12	1	79	19	11	20	9	-
Franklin	-	27	1	-	10	6	-	5	2	-	2	3	2	32	9	12	2	4	-
Gaston	5	135	10	11	38	39	5	20	18	-	11	12	13	118	33	38	14	14	2
Gastonia	3	59	5	4	18	16	3	8	9	-	3	7	7	46	10	16	2	10	1
Balance of county	2	76	5	7	20	23	2	12	9	-	8	5	6	72	23	22	12	4	1
Gates	2	5	-	-	4	2	-	1	2	-	3	-	1	13	4	3	1	2	-
Graham	-	3	1	2	2	3	-	1	3	-	1	-	-	6	4	2	-	2	-
Granville	-	34	-	2	19	16	1	1	6	-	5	3	2	36	12	12	6	1	1
Greene	1	14	-	1	1	6	-	1	2	-	-	2	-	11	11	1	3	-	-
Guilford	10	244	41	29	111	104	9	24	21	-	12	40	10	268	64	71	36	34	1
Greensboro	5	114	26	12	64	51	6	9	11	-	6	27	7	136	27	40	19	24	1
High Point, part	3	78	9	9	27	38	2	9	8	-	2	11	2	72	7	14	7	7	-
High Point, total	3	78	9	9	27	38	2	9	8	-	2	11	2	72	7	14	7	7	-
Balance of county	2	52	6	8	20	15	1	6	2	-	4	2	1	56	30	17	10	3	-
Halifax	3	51	7	5	16	22	-	7	5	1	2	8	3	53	20	23	7	4	-
Roanoke Rapids	-	17	2	1	4	8	-	3	-	-	-	1	-	13	5	6	3	-	-
Balance of county	3	34	5	4	12	14	-	4	5	1	2	7	3	40	15	17	4	4	-
Harnett	2	35	3	4	16	11	-	3	8	1	1	6	1	54	22	14	8	7	-
Haywood	5	40	6	4	24	25	2	2	4	-	2	5	2	34	11	9	4	4	1
Henderson	2	64	8	14	22	25	6	4	7	-	-	7	2	73	18	16	16	6	-
Hertford	-	18	1	7	6	9	-	4	4	-	1	2	1	25	5	10	4	3	-
Hoke	-	11	1	-	6	5	-	-	1	-	1	-	1	15	2	4	1	4	-
Hyde	-	8	-	-	2	3	-	-	2	-	-	1	2	3	4	-	2	-	-
Iredell	2	77	9	6	25	21	2	10	16	-	5	1	3	67	26	25	9	9	-
Statesville	1	21	-	2	11	5	-	2	5	-	1	1	1	25	4	11	-	4	-
Balance of county	1	56	9	4	14	16	2	8	11	-	4	-	2	42	22	14	9	5	-
Jackson	-	18	4	3	6	8	2	2	6	-	2	2	-	22	2	9	3	1	-
Johnston	3	52	5	4	15	21	2	8	6	-	3	5	2	63	27	24	12	8	-
Jones	1	9	1	-	1	5	-	-	1	-	1	-	-	7	-	3	1	1	-
Lee	2	21	4	4	13	10	-	7	15	-	4	6	5	40	12	9	12	6	2
Sanford	1	9	-	2	4	4	-	3	7	-	4	3	5	24	6	6	3	2	-
Balance of county	1	12	4	2	9	6	-	4	8	-	-	3	-	16	6	3	9	4	2
Lenoir	1	67	10	2	16	19	3	10	7	-	3	10	2	60	15	17	7	9	1
Kinston	1	38	6	1	8	6	3	8	5	-	2	2	-	39	7	12	3	7	1
Balance of county	-	29	5	1	8	13	-	2	2	-	1	8	2	21	8	5	4	2	-
Lincoln	-	39	7	6	14	15	2	1	5	-	2	5	2	24	18	14	8	4	1
McDowell	2	33	5	8	10	12	-	3	3	-	2	1	1	23	11	5	4	4	-
Macon	1	15	1	4	7	11	1	1	2	-	-	3	-	33	4	8	1	1	-
Madison	-	29	1	-	9	1	-	1	2	-	2	-	-	13	3	6	2	3	-
Martin	1	32	-	-	8	12	2	4	9	-	1	2	1	25	11	8	3	3	-
Mecklenburg	18	281	40	35	96	106	4	42	34	1	26	43	12	328	62	67	52	59	4
Charlotte	17	237	32	28	78	86	3	37	22	1	20	35	10	275	44	61	43	54	4
Balance of county	1	44	8	7	18	20	1	5	12	-	6	8	2	53	18	6	9	5	-
Mitchell	-	11	1	1	7	6	-	3	3	-	1	-	1	14	5	1	2	1	-
Montgomery	4	25	4	-	6	8	-	-	4	-	-	6	1	12	9	10	4	2	-
Moore	5	52	9	1	12	30	2	10	8	-	1	1	3	51	24	8	3	3	-
Nash	-	54	1	3	26	30	1	5	6	1	6	12	2	69	24	24	11	7	2
Rocky Mount, part	-	22	1	-	9	15	-	3	3	1	3	4	1	26	7	11	6	3	-
Rocky Mount, total	-	44	3	2	16	21	1	8	5	1	3	6	3	43	9	13	8	5	-
Balance of county	-	32	-	3	19	15	1	2	3	-	3	8	1	43	17	13	5	4	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
New Hanover	990	2	-	10	228	54	67	21	24	3	10	49	14	496	338	-	13	218	109
Wilmington	664	2	-	9	158	36	49	17	14	3	5	34	11	321	221	-	10	132	79
Balance of county	326	-	-	1	70	18	18	4	10	-	5	15	3	175	117	-	3	84	30
Northampton	262	1	-	6	58	10	12	6	5	5	2	18	3	120	82	-	8	51	23
Onslow	518	-	-	6	120	29	38	7	16	5	7	18	4	192	138	4	-	103	31
Jacksonville	174	-	-	2	41	10	12	2	7	3	2	5	1	71	49	-	-	40	9
Balance of county	344	-	-	4	79	19	26	5	9	2	5	13	3	121	89	4	-	63	22
Orange	506	1	-	15	116	32	28	15	9	5	5	22	3	217	162	3	8	99	52
Chapel Hill, part	176	-	-	6	44	13	11	5	3	2	-	10	1	72	45	2	2	25	16
Chapel Hill, total	176	-	-	6	44	13	11	5	3	2	-	10	1	72	45	2	2	25	16
Balance of county	330	1	-	9	72	19	17	10	6	3	5	12	2	145	117	1	6	74	36
Pamlico	103	-	-	-	20	6	10	-	1	-	-	3	3	49	35	-	2	27	6
Pasquotank	260	-	-	1	60	11	19	4	4	3	2	17	6	132	110	1	8	69	32
Elizabeth City, part	165	-	-	1	37	5	11	3	2	2	1	13	6	84	67	-	5	42	20
Elizabeth City, total	166	-	-	1	38	5	11	4	2	2	1	13	6	84	67	-	5	42	20
Balance of county	95	-	-	-	23	6	8	1	2	1	1	4	-	48	43	1	3	27	12
Pender	224	-	-	2	46	10	11	5	7	3	2	8	1	113	83	-	-	54	29
Perquimans	101	-	-	3	25	7	8	2	4	1	1	2	-	48	39	-	1	29	9
Person	249	-	-	4	48	11	13	5	6	5	-	8	3	122	89	-	3	42	44
Pitt	785	2	-	13	163	44	39	17	20	7	5	31	16	357	280	2	20	161	97
Greenville	274	1	-	5	63	17	17	4	9	4	1	11	4	118	96	1	6	54	35
Balance of county	511	1	-	8	100	27	22	13	11	3	4	20	12	239	184	1	14	107	62
Polk	175	-	-	3	44	7	12	2	2	3	3	15	4	72	57	-	2	44	11
Randolph	737	-	-	3	167	41	34	18	24	8	3	39	9	376	274	2	10	218	44
Asheboro	191	-	-	-	43	12	10	4	5	1	1	10	3	100	65	2	1	51	11
High Point, part	2	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	544	-	-	3	123	28	24	14	19	7	2	29	6	275	208	-	9	167	32
Richmond	446	-	-	4	90	13	34	7	15	3	3	15	8	206	150	-	3	104	43
Robeson	932	3	-	11	171	42	54	12	20	5	10	28	21	452	329	3	13	255	58
Lumberton	203	2	-	1	37	10	10	2	7	-	3	5	6	103	80	1	4	65	10
Balance of county	729	1	-	10	134	32	44	10	13	5	7	23	15	349	249	2	9	190	48
Rockingham	779	-	-	9	153	43	39	13	18	4	8	28	11	381	297	1	8	201	87
Eden	164	-	-	2	32	9	7	2	2	2	-	10	1	84	69	-	3	36	30
Reidsville	177	-	-	3	36	14	11	1	4	-	1	5	5	86	62	-	1	48	13
Balance of county	438	-	-	4	85	20	21	10	12	2	7	13	5	211	166	1	4	117	44
Rowan	1,022	2	-	10	219	58	60	17	28	9	7	40	19	483	362	3	17	255	87
Salisbury	370	2	-	4	82	25	25	9	10	3	3	7	8	169	125	-	9	84	32
Balance of county	652	-	-	6	137	33	35	8	18	6	4	33	11	314	237	3	8	171	55
Rutherford	491	1	-	8	86	11	20	8	13	5	3	26	11	249	183	-	1	119	63
Sampson	521	1	-	14	97	23	23	10	12	4	2	23	8	288	212	1	4	156	51
Scotland	308	-	-	6	64	15	11	8	9	2	2	17	5	155	109	1	6	75	27
Laurinburg	153	-	-	2	33	10	6	2	5	1	1	8	1	81	57	1	3	32	21
Balance of county	155	-	-	4	31	5	5	6	4	1	1	9	4	74	52	-	3	43	6
Stanly	434	-	-	5	88	21	25	11	11	6	1	13	8	225	176	1	5	141	29
Albemarle	135	-	-	3	36	8	12	4	5	2	1	4	3	61	48	-	2	38	8
Balance of county	299	-	-	2	52	13	13	7	6	4	-	9	5	164	128	1	3	103	21
Stokes	280	-	-	7	58	8	18	4	6	3	2	17	4	142	114	1	-	84	19
Surry	560	2	-	13	97	22	30	4	7	2	4	28	12	276	214	4	6	163	41
Swain	143	-	-	1	22	9	5	2	1	2	-	3	1	82	64	2	5	30	27
Transylvania	207	1	-	1	53	12	12	8	7	2	-	12	3	93	76	2	5	50	19
Tyrrell	45	-	-	-	9	-	4	2	-	-	-	3	-	29	25	-	1	17	7
Union	550	1	-	10	118	26	37	7	19	3	4	22	11	271	215	4	5	150	56
Monroe	161	-	-	3	31	7	9	3	3	2	1	6	5	81	61	2	3	42	14
Balance of county	389	1	-	7	87	19	28	4	16	1	3	16	6	190	154	2	2	108	42
Vance	422	1	-	13	79	14	21	11	11	2	2	18	6	188	155	2	13	87	53
Henderson	234	1	-	3	40	6	10	9	7	-	-	8	4	108	89	2	5	55	27
Balance of county	188	-	-	10	39	8	11	2	4	2	2	10	2	80	66	-	8	32	26
Wake	2,276	2	-	51	516	98	161	59	67	12	18	101	50	956	726	9	23	458	236
Cary	103	-	-	1	22	3	13	1	-	-	2	3	1	48	38	1	2	25	10
Garner	74	-	-	1	18	5	5	1	3	1	-	3	1	35	26	-	-	18	8
Raleigh	1,307	-	-	31	293	61	82	39	43	6	8	54	33	543	399	5	15	245	134
Balance of county	792	2	-	18	183	29	61	18	21	5	8	41	15	330	263	3	6	170	84
Warren	194	-	-	9	42	12	6	4	6	1	4	9	1	92	66	-	1	44	21
Washington	141	-	-	2	37	8	7	4	2	1	3	12	1	62	47	1	5	27	14
Watauga	204	1	-	4	42	10	8	4	6	-	3	11	4	95	78	-	1	50	27
Boone	55	-	-	-	11	3	3	1	2	-	1	1	-	29	25	-	-	15	10
Balance of county	149	1	-	4	31	7	5	3	4	-	2	10	4	66	53	-	1	35	17
Wayne	888	-	-	9	183	49	54	19	14	8	5	34	20	435	319	4	13	213	89
Goldsboro	365	-	-	3	69	19	22	6	6	2	3	11	10	182	135	1	4	91	39
Balance of county	523	-	-	6	114	30	32	13	8	6	2	23	10	253	184	3	9	122	50
Wilkes	479	-	-	11	87	18	26	6	11	6	2	18	4	231	184	2	8	140	34
Wilson	648	2	1	7	131	30	43	15	17	2	3	21	16	281	208	2	14	145	47
Wilson	380	-	-	3	87	25	25	10	10	1	2	14	8	164	118	-	5	87	26
Balance of county	268	2	1	4	44	5	18	5	7	1	1	7	8	117	90	2	9	58	21
Yadkin	292	-	-	7	56	19	14	3	6	1	1	12	3	141	115	1	2	75	37
Yancey	148	-	-	1	37	6	7	5	6	2	1	10	3	64	49	-	2	29	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
New Hanover	6	133	11	8	28	28	3	9	12	-	3	5	9	75	22	27	12	7	-
Wilmington	4	85	5	6	20	22	2	6	9	-	3	4	7	51	10	20	3	6	-
Balance of county	2	48	6	2	8	6	1	3	3	-	-	1	2	24	12	7	9	1	-
Northampton	2	32	4	-	1	5	-	2	2	-	2	4	-	35	11	7	1	4	-
Onslow	2	41	7	4	16	21	-	7	8	-	10	14	5	40	24	28	12	9	2
Jacksonville	-	16	3	3	7	9	-	2	1	-	4	7	2	16	4	3	2	2	-
Balance of county	2	25	4	1	9	12	-	5	7	-	6	7	3	24	20	25	10	7	2
Orange	5	37	9	4	18	13	1	4	5	-	2	5	4	49	16	18	9	9	1
Chapel Hill, part	2	21	2	2	8	7	1	1	2	-	1	-	-	15	4	9	1	3	1
Chapel Hill, total	2	21	2	2	8	7	1	1	2	-	1	-	-	15	4	9	1	3	1
Balance of county	3	16	7	2	10	6	-	3	3	-	1	5	4	34	12	9	8	6	-
Pamlico	-	14	-	-	8	-	-	3	1	-	1	-	1	9	4	4	-	-	-
Pasquotank	1	20	-	1	11	2	2	4	2	-	-	2	1	27	2	6	-	1	1
Elizabeth City, part	1	15	-	1	8	1	1	3	1	-	-	-	1	15	2	3	-	1	1
Elizabeth City, total	1	15	-	1	8	1	1	3	1	-	-	-	1	15	2	3	-	1	1
Balance of county	-	5	-	-	3	1	1	1	1	-	-	2	-	12	-	3	-	-	-
Pender	1	24	1	4	11	4	-	2	1	-	1	3	1	26	5	4	2	2	-
Perquimans	1	3	5	-	3	2	-	3	2	-	-	1	1	7	2	1	2	1	-
Person	1	30	1	1	4	8	-	4	4	-	2	3	-	24	9	4	8	2	-
Pitt	3	64	5	5	30	30	2	8	5	-	5	7	1	85	22	17	17	5	-
Greenville	-	19	2	1	10	15	1	3	2	-	1	3	-	28	7	5	6	2	-
Balance of county	3	45	3	4	20	15	1	5	3	-	4	4	1	57	15	12	11	3	-
Polk	-	15	-	-	5	4	2	1	3	-	-	-	1	27	5	3	1	-	-
Randolph	2	88	3	9	21	19	3	8	10	-	3	6	5	48	25	24	6	4	-
Asheboro	1	31	-	3	5	4	-	4	5	-	-	1	1	14	2	8	1	-	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	57	3	6	16	15	3	4	5	-	3	5	4	34	23	16	5	4	-
Richmond	-	47	5	4	12	17	1	9	8	-	3	4	3	41	16	17	3	2	2
Robeson	10	92	13	8	15	25	1	11	11	-	12	11	6	73	37	43	10	18	1
Lumberton	3	14	5	1	2	11	-	3	-	-	2	1	-	20	5	7	1	2	-
Balance of county	7	78	8	7	13	14	1	8	11	-	10	10	6	53	32	36	9	16	1
Rockingham	4	66	2	12	34	21	4	6	7	-	3	4	8	58	34	21	17	7	1
Eden	1	9	-	5	9	5	-	2	1	-	1	-	-	9	8	4	3	2	1
Reidsville	-	21	-	3	8	5	1	2	1	-	-	2	5	13	3	4	1	2	-
Balance of county	3	36	2	4	17	11	3	2	5	-	2	2	3	36	23	13	13	3	-
Rowan	5	92	15	9	39	23	2	8	12	-	4	7	6	93	33	37	16	8	1
Salisbury	2	29	11	2	22	10	1	1	6	-	3	1	1	38	8	12	2	-	-
Balance of county	3	63	4	7	17	13	1	7	6	-	1	6	5	55	25	25	14	8	1
Rutherford	1	53	8	4	19	19	3	5	7	-	-	4	3	40	16	11	6	3	-
Sampson	5	63	2	6	16	15	2	4	4	-	2	2	1	39	10	8	5	4	1
Scotland	1	42	3	-	6	5	-	7	3	-	2	2	3	22	12	6	5	5	-
Laurinburg	1	22	1	-	3	1	-	4	1	-	-	2	1	10	6	1	4	3	-
Balance of county	-	20	2	-	3	4	-	3	2	-	2	-	2	12	6	5	1	2	-
Stanly	2	35	5	7	11	11	3	5	3	-	2	1	3	39	7	12	9	2	-
Albemarle	2	9	2	-	1	2	2	2	1	-	-	1	1	15	1	2	3	1	-
Balance of county	-	26	3	7	10	9	1	3	2	-	2	-	2	24	6	10	6	1	-
Stokes	1	21	6	-	10	7	2	-	2	-	1	2	2	21	14	2	1	4	1
Surry	3	46	8	5	26	15	2	5	7	-	3	3	1	55	10	11	15	4	1
Swain	1	14	-	3	1	7	-	-	2	-	1	1	1	12	2	4	3	3	-
Transylvania	-	12	5	-	9	5	-	-	4	-	-	1	1	24	8	2	2	-	-
Tyrrell	-	3	-	1	1	-	-	-	-	-	1	-	-	2	1	-	1	-	1
Union	3	44	3	6	23	12	1	3	6	-	5	9	2	42	12	12	10	2	-
Monroe	-	18	-	2	10	2	-	1	1	-	2	4	-	10	3	6	1	1	-
Balance of county	3	26	3	4	13	10	1	2	5	-	3	5	2	32	9	6	9	1	-
Vance	-	30	-	3	9	17	1	6	4	-	3	7	1	46	11	22	3	3	2
Henderson	-	16	-	3	7	9	-	3	2	-	2	5	1	28	6	11	2	2	-
Balance of county	-	14	-	-	2	8	1	3	2	-	1	2	-	18	5	11	1	1	2
Wake	9	187	22	12	76	68	5	23	21	-	18	44	11	248	63	51	37	34	2
Cary	-	9	-	1	5	5	-	1	-	-	-	5	-	6	5	-	3	1	-
Garner	-	6	3	-	4	1	-	-	-	-	1	2	-	5	2	2	1	1	-
Raleigh	7	116	12	9	43	40	3	17	14	-	10	23	4	163	25	34	16	14	1
Balance of county	2	56	7	2	24	22	2	5	7	-	7	14	7	74	31	15	17	18	1
Warren	2	22	2	-	10	4	-	-	2	-	2	5	3	13	7	3	-	1	-
Washington	-	13	1	1	6	6	1	2	1	-	-	3	-	7	5	8	-	-	-
Watauga	1	14	2	-	5	2	2	2	2	-	1	2	1	28	5	6	2	-	-
Boone	-	2	2	-	2	-	1	-	-	-	-	-	1	9	1	-	1	-	-
Balance of county	1	12	-	-	3	2	1	2	2	-	1	2	-	19	4	6	1	-	-
Wayne	2	97	12	5	22	19	8	14	8	-	3	13	10	65	23	25	12	17	2
Goldsboro	2	42	2	1	10	5	4	8	3	-	1	7	4	31	7	9	5	7	-
Balance of county	-	55	10	4	12	14	4	8	5	-	2	6	6	34	16	16	7	10	2
Wilkes	1	41	2	3	16	19	-	4	8	-	5	3	7	45	13	14	8	3	1
Wilson	1	64	7	1	21	23	5	8	5	-	1	6	4	70	29	9	19	10	-
Wilson	1	39	5	1	14	14	2	4	3	-	1	4	2	44	10	6	7	7	-
Balance of county	-	25	2	-	7	9	3	4	2	-	-	2	2	26	19	3	12	3	-
Yadkin	-	22	2	2	12	9	-	4	3	-	-	2	-	28	9	9	8	1	-
Yancey	-	10	3	2	4	4	1	3	-	-	-	-	3	18	3	5	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota	5,628	1	-	42	1,216	325	266	113	180	49	58	225	115	2,792	2,154	17	40	1,551	546
Urban places	1,932	-	-	18	433	104	122	49	53	18	17	70	38	901	686	8	19	454	205
Balance of area	3,696	1	-	24	783	221	144	64	127	31	41	155	79	1,891	1,468	9	21	1,097	341
Metropolitan counties	1,558	-	-	14	351	91	88	27	46	17	15	67	29	737	573	7	18	399	149
Urban places	1,222	-	-	12	274	61	77	25	36	13	13	49	21	572	441	7	14	300	120
Balance of area	336	-	-	2	77	30	11	2	10	4	2	18	8	165	132	-	4	99	29
Nonmetropolitan counties	4,070	1	-	28	865	234	178	86	134	32	43	158	86	2,055	1,581	10	22	1,152	397
Urban places	710	-	-	6	159	43	45	24	17	5	4	21	15	329	245	1	5	154	85
Balance of area	3,360	1	-	22	706	191	133	62	117	27	39	137	71	1,726	1,336	9	17	998	312
Adams	39	-	-	-	7	3	1	1	2	-	-	-	1	18	16	-	-	12	4
Barnes	160	-	-	1	33	11	6	6	4	-	2	4	3	80	56	1	5	38	12
Benson	66	-	-	1	6	1	1	-	2	-	2	-	-	38	36	-	-	27	9
Billings	5	-	-	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-
Bottineau	92	-	-	-	19	3	7	1	4	-	1	3	5	47	42	-	-	36	6
Bowman	48	-	-	2	13	2	4	3	1	-	2	1	2	22	14	-	-	14	-
Burke	41	-	-	-	13	2	4	1	3	1	1	1	1	16	12	-	-	10	2
Burleigh	337	-	-	5	71	21	14	12	9	6	1	8	7	152	119	3	3	79	34
Bismarck	297	-	-	4	60	14	12	12	8	6	1	7	6	135	105	3	3	69	30
Balance of county	40	-	-	1	11	7	2	-	1	-	-	1	1	17	14	-	-	10	4
Cass	610	-	-	3	133	30	39	10	17	2	7	28	7	296	207	1	6	150	50
Fargo	458	-	-	3	97	20	29	8	12	1	5	22	5	220	151	1	6	105	39
West Fargo	42	-	-	-	15	5	6	1	2	-	-	1	-	18	14	-	-	9	5
Balance of county	110	-	-	-	21	5	4	1	3	1	2	5	2	58	42	-	-	36	6
Cavalier	87	-	-	-	14	5	1	-	2	-	1	5	1	57	44	-	-	38	6
Dickey	87	-	-	1	19	3	6	2	1	2	-	5	1	40	30	-	-	20	10
Divide	45	-	-	-	10	3	2	-	2	-	1	2	1	24	19	-	-	17	2
Dunn	36	-	-	-	6	1	2	-	1	-	-	2	1	17	13	-	1	10	2
Eddy	52	-	-	1	11	2	1	1	1	-	-	6	1	18	12	-	-	5	7
Emmons	67	-	-	-	14	5	1	1	3	-	-	4	2	34	28	-	1	21	4
Foster	52	-	-	1	8	2	3	-	3	-	-	-	-	31	16	-	-	9	7
Golden Valley	32	-	-	-	9	4	1	1	-	2	-	1	-	17	13	-	-	9	4
Grand Forks	423	-	-	5	100	25	22	3	14	7	5	24	10	205	177	2	6	120	49
Grand Forks	313	-	-	4	75	16	19	3	10	5	5	17	7	151	130	2	3	89	36
Balance of county	110	-	-	1	25	9	3	-	4	2	-	7	3	54	47	-	3	31	13
Grant	41	-	-	-	5	-	1	1	-	1	1	1	-	22	18	-	-	12	6
Griggs	41	-	-	-	8	1	3	-	1	-	-	3	-	27	23	-	-	11	12
Hettinger	33	-	-	-	9	4	1	-	1	-	-	3	3	16	12	-	-	7	5
Kidder	24	-	-	-	5	1	1	1	-	1	1	-	1	13	12	-	-	6	6
La Moure	60	-	-	-	11	4	-	2	2	1	-	2	-	36	30	-	1	20	9
Logan	29	-	-	-	13	2	1	1	5	-	1	3	2	11	7	-	-	4	3
McHenry	77	-	-	-	21	6	3	2	4	1	-	5	-	39	29	2	-	21	6
McIntosh	67	-	-	-	16	2	1	2	3	1	1	8	2	30	24	-	-	9	15
McKenzie	66	-	-	-	14	2	3	2	2	-	1	4	4	28	22	-	-	17	5
McLean	117	-	-	1	29	10	5	3	3	2	1	5	1	68	58	1	-	53	4
Mercer	71	-	-	1	11	4	-	-	2	1	1	3	4	41	33	-	-	26	7
Morton	188	-	-	1	47	15	13	2	6	2	2	7	5	84	70	1	3	50	16
Mandan	112	-	-	1	27	6	11	1	4	1	2	2	3	48	41	1	2	28	10
Balance of county	76	-	-	-	20	9	2	1	2	1	-	5	2	36	29	-	1	22	6
Mountrail	109	-	-	-	26	6	3	1	6	2	-	8	7	35	23	1	2	13	7
Nelson	82	-	-	-	17	3	6	1	2	-	1	4	2	49	38	-	-	27	11
Oliver	16	-	-	-	6	-	1	-	1	2	-	2	-	7	6	-	-	5	1
Pembina	142	-	-	-	39	9	11	4	6	-	4	5	-	92	54	1	-	43	10
Pierce	77	-	-	3	23	6	6	1	2	1	1	6	-	34	23	-	1	16	6
Ramsey	149	-	-	2	27	12	4	-	6	-	3	2	2	84	65	-	1	47	17
Ransom	71	-	-	2	12	3	3	1	1	-	1	3	3	32	30	-	-	25	5
Renville	41	-	-	-	7	-	3	1	1	1	-	1	-	23	21	-	-	14	7
Richland	165	-	-	-	37	9	5	4	8	1	3	7	1	94	64	-	2	52	10
Rolette	125	-	-	1	23	11	5	1	4	-	-	2	6	59	52	1	1	35	15
Sargent	64	-	-	2	7	2	1	-	-	-	-	4	-	37	31	-	-	20	11
Sheridan	30	-	-	-	6	2	-	-	1	1	-	2	-	14	11	-	-	9	2
Sioux	28	1	-	-	4	1	-	1	1	-	1	-	1	5	5	-	-	4	1
Slope	9	-	-	-	-	-	-	-	-	-	-	-	-	6	4	-	-	3	1
Stark	154	-	-	-	29	6	9	4	3	1	1	5	3	71	54	1	1	32	20
Dickinson	108	-	-	-	23	4	8	4	2	1	1	3	2	52	39	1	-	23	15
Balance of county	46	-	-	-	6	2	1	-	1	-	-	2	1	19	15	-	1	9	5
Steele	29	-	-	-	6	2	2	1	1	-	-	-	3	12	11	-	-	9	2
Stutsman	232	-	-	2	56	14	13	9	6	1	2	11	5	119	93	-	3	64	26
Jamestown	176	-	-	2	38	11	11	7	3	-	2	4	4	90	66	-	3	40	23
Balance of county	56	-	-	-	18	3	2	2	3	1	-	7	1	29	27	-	-	24	3
Towner	47	-	-	-	5	1	-	2	-	-	1	1	-	31	29	-	-	16	13
Traill	132	-	-	1	28	12	4	-	5	-	1	6	-	63	63	-	-	55	8
Walsh	179	-	-	-	35	9	9	4	5	2	3	3	2	84	68	1	-	62	5
Ward	379	-	-	3	85	24	20	12	13	3	1	12	8	164	129	1	2	80	46
Minot	287	-	-	2	69	18	19	11	9	2	-	10	6	121	93	-	2	55	36
Balance of county	92	-	-	1	16	6	1	1	4	1	1	2	2	43	36	1	-	25	10
Wells	86	-	-	-	22	4	5	4	5	2	2	-	2	40	28	-	1	23	4
Williams	189	-	-	2	39	14	8	4	5	2	1	5	5	89	62	-	-	46	16
Williston	139	-	-	2	29	10	7	2	3	2	1	4	3	66	47	-	-	36	11
Balance of county	50	-	-	-	10	4	1	2	2	-	-	1	2	23	15	-	-	10	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota	14	460	109	55	215	182	19	49	59	1	26	46	83	456	103	124	84	12	3
Urban places	4	156	38	17	56	66	4	14	15	1	12	26	43	190	30	36	47	4	-
Balance of area	10	304	71	38	159	116	15	35	44	-	14	20	40	266	73	88	37	8	3
Metropolitan counties	5	125	17	17	43	59	3	10	14	1	10	24	18	151	20	32	38	4	-
Urban places	3	100	15	13	34	44	3	8	13	1	9	22	12	123	16	21	33	4	-
Balance of area	2	25	2	4	9	15	-	2	1	-	1	2	6	28	4	11	5	-	-
Nonmetropolitan counties	9	335	92	36	172	123	16	39	45	-	16	22	65	305	83	92	46	8	3
Urban places	1	56	23	4	22	22	1	6	2	-	3	4	31	67	14	15	14	-	-
Balance of area	8	279	69	34	150	101	15	33	43	-	13	18	34	238	69	77	32	8	3
Adams	-	1	1	-	4	2	-	-	-	-	1	-	-	4	1	-	1	-	-
Barnes	-	16	6	2	8	9	1	-	2	-	1	-	-	15	3	3	1	-	-
Benson	-	2	-	-	3	2	-	2	-	-	-	-	1	6	4	1	1	1	-
Billings	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bottineau	-	3	2	-	9	3	-	1	-	-	-	1	-	3	-	3	1	-	-
Bowman	-	3	5	-	1	1	-	-	-	-	1	-	-	5	1	-	-	-	-
Burke	-	3	-	1	4	-	-	-	-	-	-	-	-	4	-	3	-	-	-
Burleigh	-	27	1	5	5	16	2	2	8	-	3	5	3	38	3	6	9	2	-
Bismarck	-	25	1	4	5	13	2	2	7	-	3	5	3	33	3	5	9	2	-
Balance of county	-	2	-	1	-	3	-	-	1	-	-	-	-	5	-	1	-	-	-
Cass	4	67	11	7	19	25	1	4	3	1	3	15	9	55	9	9	16	2	-
Fargo	2	54	8	5	13	18	1	4	3	1	3	12	6	44	8	6	12	2	-
West Fargo	-	3	1	-	3	2	-	-	-	-	-	1	-	1	1	1	-	-	-
Balance of county	2	10	2	2	3	5	-	-	-	-	-	2	3	10	-	2	4	-	-
Cavalier	-	11	2	-	2	1	-	1	2	-	1	-	3	3	1	1	-	-	-
Dickey	-	5	3	2	5	4	-	2	2	-	1	1	-	5	3	3	-	-	-
Divide	-	5	-	-	3	3	-	-	1	-	-	-	-	2	-	1	-	-	-
Dunn	-	1	-	3	1	1	-	1	1	-	1	2	-	3	-	1	1	-	-
Eddy	-	3	1	2	9	4	-	-	1	-	-	1	-	5	-	1	-	-	-
Emmons	1	5	1	1	5	1	-	-	1	-	-	-	-	4	3	2	1	-	-
Foster	-	8	7	-	2	2	-	1	-	-	-	-	-	3	1	1	2	-	-
Golden Valley	1	2	-	1	-	2	-	-	-	-	-	1	-	1	2	-	-	-	-
Grand Forks	1	21	5	1	14	11	-	2	2	-	2	2	5	37	7	13	8	-	-
Grand Forks	1	15	5	-	10	8	-	1	2	-	2	2	3	29	4	8	7	-	-
Balance of county	-	6	-	1	4	3	-	1	-	-	-	-	2	8	3	5	1	-	-
Grant	1	2	-	1	1	-	-	-	1	-	-	-	-	7	1	4	-	-	-
Griggs	-	3	-	1	1	2	-	-	-	-	-	-	1	2	-	-	-	-	-
Hettinger	1	1	1	1	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-
Kidder	-	1	-	-	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-
La Moure	1	3	2	-	4	2	-	-	-	-	-	-	-	4	2	1	-	-	-
Logan	-	2	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
McHenry	-	7	1	2	3	4	1	2	-	-	-	-	1	4	-	1	1	-	-
McIntosh	1	5	-	-	2	3	-	-	3	-	-	-	1	3	-	4	2	1	-
McKenzie	-	5	-	1	4	1	-	1	1	-	-	-	2	9	1	1	-	-	-
McLean	-	10	-	-	-	1	2	-	-	-	1	-	3	7	-	1	1	1	1
Mercer	-	5	2	1	1	2	-	-	2	-	-	1	-	4	-	1	3	-	-
Morton	-	10	-	4	5	7	-	2	1	-	2	2	1	21	1	4	5	-	-
Mandan	-	3	-	4	3	3	-	1	1	-	1	2	-	16	-	1	5	-	-
Balance of county	-	7	-	-	2	4	-	1	-	-	1	-	1	5	1	3	-	-	-
Mountrail	-	10	2	-	11	5	-	2	1	-	2	-	4	7	5	3	-	-	1
Nelson	1	9	1	-	3	3	-	-	2	-	-	-	-	4	1	1	-	-	-
Oliver	-	1	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
Pembina	-	27	9	2	-	2	-	-	3	-	-	-	-	5	-	1	-	-	-
Pierce	-	7	3	1	1	1	1	-	2	-	-	1	-	7	3	-	1	-	-
Ramsey	-	19	-	-	7	4	1	4	-	-	-	-	-	9	3	4	2	-	-
Ransom	-	2	-	-	4	4	-	-	2	-	-	1	-	6	2	2	1	-	-
Renville	-	2	-	-	4	-	-	-	-	-	-	-	2	4	-	-	1	-	-
Richland	-	25	5	-	9	4	2	-	1	-	-	1	-	9	4	3	-	-	-
Rolette	-	5	-	2	4	2	-	5	-	-	1	1	3	5	4	7	1	2	1
Sargent	-	5	-	1	4	4	1	-	-	-	-	-	-	6	1	1	1	-	-
Sheridan	-	3	-	-	1	1	-	1	2	-	1	-	1	1	2	-	-	-	-
Sioux	-	-	-	-	1	-	-	2	-	-	-	1	3	4	4	2	-	-	-
Slope	-	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Stark	-	11	5	1	8	5	2	3	1	-	2	1	1	12	5	6	5	-	-
Dickinson	-	9	4	-	5	5	1	2	1	-	1	-	1	8	2	3	2	-	-
Balance of county	-	2	1	1	3	-	1	1	-	-	1	1	-	4	3	3	3	-	-
Steele	-	-	-	1	-	1	-	-	1	-	-	-	-	3	1	2	-	-	-
Stutsman	1	12	11	2	2	6	1	1	-	-	-	1	2	25	2	4	6	-	-
Jamestown	1	12	9	2	2	5	-	1	-	-	-	1	2	23	2	2	4	-	-
Balance of county	-	-	2	-	-	1	1	-	-	-	-	-	-	2	-	2	2	-	-
Towner	-	2	-	-	-	1	-	-	-	-	-	-	-	8	-	1	1	-	-
Traill	-	13	6	1	9	1	-	-	2	-	1	-	-	4	2	1	-	-	-
Walsh	-	14	2	-	9	7	1	2	2	-	-	2	3	21	3	4	3	1	-
Ward	-	29	3	3	13	10	-	4	2	-	1	3	27	31	13	7	6	2	-
Minot	-	24	3	1	8	7	-	3	-	-	1	-	24	28	7	6	5	-	-
Balance of county	-	5	-	2	5	3	-	1	2	-	-	3	3	3	6	1	1	2	-
Wells	1	10	1	-	2	4	1	1	1	-	-	-	-	12	1	-	-	-	-
Williams	-	15	9	3	8	6	1	-	2	-	1	3	7	12	4	7	3	-	-
Williston	-	11	7	1	7	5	-	-	1	-	1	3	4	8	3	4	3	-	-
Balance of county	-	4	2	2	1	1	1	-	1	-	-	-	3	4	1	3	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio	98,941	53	9	1,064	22,352	5,654	6,485	1,968	2,374	940	802	4,129	2,115	48,076	38,245	322	1,284	27,181	9,478
Urban places	58,757	41	5	678	13,330	3,407	3,886	1,152	1,435	569	467	2,414	1,314	28,240	22,479	194	855	15,924	5,506
Balance of area	40,184	12	4	386	9,022	2,247	2,599	816	939	371	335	1,715	801	19,836	15,766	128	409	11,257	3,972
Metropolitan counties	78,917	47	7	872	18,126	4,646	5,288	1,618	1,914	739	628	3,293	1,724	37,882	30,270	268	1,092	21,373	7,537
Urban places	52,340	39	5	613	11,998	3,099	3,512	1,048	1,295	497	413	2,134	1,176	24,932	19,933	179	797	14,054	4,903
Balance of area	26,577	8	2	259	6,128	1,547	1,776	570	619	242	215	1,159	548	12,950	10,337	89	295	7,319	2,634
Nonmetropolitan counties	20,024	6	2	192	4,226	1,008	1,197	350	460	201	174	836	391	10,194	7,975	54	172	5,808	1,941
Urban places	6,417	2	-	65	1,332	308	374	104	140	72	54	280	138	3,308	2,546	15	58	1,870	603
Balance of area	13,607	4	2	127	2,894	700	823	246	320	129	120	556	253	6,886	5,429	39	114	3,938	1,338
Adams	233	-	-	1	57	9	20	5	4	4	4	11	4	116	97	-	2	66	29
Allen	998	2	-	6	228	74	54	17	29	11	13	30	20	500	403	7	10	250	136
Lima	588	2	-	3	136	49	35	7	16	7	5	17	10	294	240	6	7	136	89
Balance of county	410	-	-	3	92	25	19	10	13	4	8	13	10	206	163	1	3	112	47
Ashland	437	-	-	2	101	21	34	7	11	5	7	16	10	219	165	1	5	111	46
Ashland	232	-	-	2	50	12	15	5	5	3	2	8	7	118	89	-	4	61	24
Balance of county	205	-	-	-	51	9	19	2	6	2	5	8	3	101	76	1	1	50	24
Ashtabula	1,032	-	-	14	221	56	57	19	32	8	5	44	31	515	436	2	6	331	97
Ashtabula	268	-	-	2	51	17	7	2	10	3	1	11	12	142	120	-	1	95	24
Conneaut	176	-	-	4	42	10	12	5	3	2	1	9	5	85	71	1	3	53	14
Balance of county	588	-	-	8	128	29	38	12	19	3	3	24	14	288	245	1	2	183	59
Athens	427	-	-	8	95	28	21	12	7	7	4	16	2	213	147	1	1	114	31
Athens	85	-	-	1	22	6	5	4	1	4	-	2	1	42	28	-	1	18	9
Balance of county	342	-	-	7	73	22	16	8	6	3	4	14	1	171	119	1	-	96	22
Auglaize	423	-	-	4	86	21	22	6	9	4	2	22	10	210	150	2	7	111	30
Belmont	987	-	-	5	192	74	46	17	15	6	4	30	24	511	421	5	4	342	70
Brown	285	-	-	3	74	17	19	6	8	3	4	17	4	147	114	-	2	85	27
Butler	2,134	2	-	22	461	116	146	37	47	21	18	76	42	986	756	9	31	528	188
Fairfield	171	-	-	3	39	14	10	1	4	-	4	6	5	82	58	-	2	46	10
Hamilton	705	2	-	8	131	26	44	8	13	10	4	26	14	350	275	3	17	189	66
Middletown	514	-	-	4	116	30	38	10	14	4	6	14	9	230	168	1	6	117	44
Oxford	75	-	-	1	11	2	5	2	1	1	-	-	2	39	28	3	2	10	13
Balance of county	669	-	-	6	164	44	49	16	15	6	4	30	12	285	227	2	4	166	55
Carroll	214	-	-	2	52	16	11	4	9	1	4	7	2	99	79	1	5	56	17
Champaign	309	-	-	1	73	18	20	5	6	6	2	16	7	166	133	-	3	110	20
Urbana	118	-	-	1	33	7	11	1	3	4	1	6	2	63	50	-	-	42	8
Balance of county	191	-	-	-	40	11	9	4	3	2	1	10	5	103	83	-	3	68	12
Clark	1,553	1	-	10	350	92	95	28	36	9	9	83	38	765	563	3	9	398	153
Springfield	895	-	-	7	194	46	46	12	25	4	3	58	23	425	326	3	6	238	79
Balance of county	658	1	-	3	156	46	49	14	11	5	6	25	15	340	237	-	3	160	74
Clermont	953	1	-	10	256	62	95	26	17	5	11	40	14	408	337	1	14	232	90
Clinton	314	-	-	3	72	13	27	2	9	5	3	13	4	156	124	-	2	83	39
Wilmington	120	-	-	-	28	4	8	1	4	2	1	8	1	61	50	-	-	32	18
Balance of county	194	-	-	3	44	9	19	1	5	3	2	5	3	95	74	-	2	51	21
Columbiana	1,160	-	-	11	232	52	71	21	22	10	12	44	21	630	519	2	16	430	71
East Liverpool	238	-	-	4	41	9	16	3	2	3	3	5	1	130	111	1	4	95	11
Salem	172	-	-	3	34	8	6	4	3	3	2	8	3	102	78	-	2	68	8
Balance of county	750	-	-	4	157	35	49	14	17	4	7	31	17	398	330	1	10	267	52
Coshocton	331	-	-	3	62	17	11	4	7	5	4	14	12	181	141	1	2	103	35
Coshocton	157	-	-	2	28	10	2	3	4	1	2	6	7	89	61	-	1	42	18
Balance of county	174	-	-	1	34	7	9	1	3	4	2	8	5	92	80	1	1	61	17
Crawford	512	1	-	4	113	23	36	7	12	6	7	22	8	249	188	-	5	148	35
Bucyrus	164	-	-	2	42	7	14	4	6	3	1	7	2	77	57	-	1	45	11
Galion	157	-	-	-	32	6	8	3	3	-	6	6	2	76	52	-	-	43	9
Balance of county	191	1	-	2	39	10	14	-	3	3	-	9	4	96	79	-	4	60	15
Cuyahoga	15,690	9	1	204	3,725	1,030	981	315	415	149	125	710	341	7,544	6,166	54	208	4,694	1,210
Bay Village	129	-	-	-	35	9	8	3	5	2	2	6	3	81	44	2	2	32	8
Bedford	139	-	-	2	28	3	9	4	-	-	1	11	3	76	64	-	1	51	12
Bedford Heights	105	-	-	-	28	12	8	-	3	2	2	1	1	52	43	1	-	31	11
Berea	153	-	-	-	26	7	7	1	3	-	2	6	5	93	75	2	6	55	12
Brecksville	90	-	-	2	25	4	5	3	4	1	2	6	4	42	33	-	1	24	8
Broadview Heights	92	-	-	-	25	9	5	3	2	-	1	5	5	42	33	-	-	24	9
Brooklyn	149	-	-	1	37	13	9	-	3	4	-	8	4	85	64	-	3	49	12
Brook Park	147	-	-	2	42	9	15	3	2	3	1	9	7	68	58	1	3	45	9
Cleveland	6,683	2	-	110	1,521	437	444	109	165	56	45	265	149	3,050	2,523	20	103	1,890	510
Cleveland Heights	523	-	-	3	106	28	30	10	8	6	3	21	7	262	211	-	4	149	58
East Cleveland	368	2	1	6	92	24	20	8	9	5	3	23	11	159	123	-	6	84	23
Euclid	745	-	-	5	183	54	49	19	16	10	7	28	6	374	308	4	9	232	63
Fairview Park	217	-	-	2	58	14	12	7	11	5	2	7	5	102	84	2	1	69	12
Garfield Heights	408	1	-	9	111	30	28	15	10	2	3	23	11	206	177	-	2	126	47
Lakewood	661	2	-	6	131	40	37	15	12	3	4	20	8	344	281	4	8	234	35
Lyndhurst	178	1	-	2	47	14	9	3	8	2	2	9	4	83	72	1	1	58	12
Maple Heights	319	1	-	2	73	20	21	7	7	3	3	12	9	148	115	-	4	90	21
Mayfield Heights	303	-	-	7	78	18	17	10	7	5	3	18	3	160	127	-	6	102	19
Middleburg Heights	111	-	-	1	25	9	6	3	2	2	1	3	2	66	55	-	3	47	5
North Olmsted	260	-	-	1	72	12	20	7	14	4	3	12	8	121	105	2	3	83	17
North Royalton	147	-	-	1	40	11	12	4	2	1	1	9	1	75	56	-	2	42	12
Parma	894	-	-	6	232	68	53	17	35	6	8	45	30	443	369	5	12	274	78
Parma Heights	273	-	-	4	66	17	18	4	10	1	2	14	6	130	104	-	2	81	21
Richmond Heights	96	-	-	1	30	8	9	2	4	-	1	6	1	41	36	-	2	27	7
Rocky River	249	-	-	4	66	22	14	3	8	3	2	14	2	133	98	-	2	79	16
Seven Hills	130	-	-	2	33	11	3	5	4	-	1	9	4	65	58	-	2	45	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio	370	7,081	1,198	1,182	2,926	3,619	285	975	1,116	12	542	781	1,487	8,132	1,657	1,939	1,284	551	66
Urban places	240	4,141	699	681	1,707	2,134	170	672	712	9	302	496	963	4,983	749	1,064	716	428	44
Balance of area	130	2,940	499	501	1,219	1,485	115	303	404	3	240	285	524	3,149	908	775	568	123	22
Metropolitan counties	295	5,499	891	927	2,289	2,865	232	617	919	10	440	643	1,263	6,558	1,216	1,423	1,043	492	49
Urban places	215	3,603	579	602	1,501	1,902	152	604	645	8	276	447	896	4,448	654	946	654	404	40
Balance of area	80	1,896	312	325	788	963	80	213	274	2	164	196	367	2,110	562	477	389	88	9
Nonmetropolitan counties	75	1,582	307	255	637	754	53	158	197	2	102	138	224	1,574	441	416	241	59	17
Urban places	25	538	120	79	206	232	18	68	67	1	26	49	67	535	95	118	62	24	4
Balance of area	50	1,044	187	176	431	522	35	90	130	1	76	89	157	1,039	346	298	179	35	13
Adams	1	14	2	2	9	6	2	-	3	-	2	-	4	9	8	7	4	-	1
Allen	-	65	17	15	33	41	4	10	6	-	2	5	9	86	15	15	14	2	-
Lima	-	37	10	7	17	29	1	7	5	-	1	3	6	50	11	7	5	1	-
Balance of county	-	28	7	8	16	12	3	3	1	-	1	2	3	36	4	8	9	1	-
Ashland	6	33	8	7	14	9	-	2	6	-	5	5	1	36	9	15	3	-	-
Ashland	2	18	5	4	9	6	-	1	2	-	3	2	-	21	2	8	1	-	-
Balance of county	4	15	3	3	5	3	-	1	4	-	2	3	1	15	7	7	2	-	-
Ashtabula	1	61	8	9	16	32	5	7	8	-	6	7	6	98	28	18	13	7	-
Ashtabula	-	16	4	2	4	5	3	3	1	-	1	3	1	23	7	6	2	2	-
Conneaut	-	11	1	2	2	6	-	-	4	-	1	2	1	18	2	4	-	-	-
Balance of county	1	34	3	5	10	21	2	4	3	-	4	2	4	57	19	8	11	5	-
Athens	2	48	12	4	15	15	1	7	3	-	1	3	9	24	11	14	5	1	-
Athens	-	12	2	-	4	1	-	3	1	-	-	-	2	4	2	1	1	-	-
Balance of county	2	36	10	4	11	14	1	4	2	-	1	3	7	20	9	13	4	1	-
Auglaize	1	37	14	8	12	21	2	4	3	-	4	1	9	42	9	4	1	1	-
Belmont	5	76	3	6	42	37	2	10	9	-	5	12	20	91	3	16	5	2	1
Brown	-	28	1	4	7	11	-	1	2	-	2	1	1	17	6	4	4	1	-
Butler	8	160	35	27	76	115	6	12	25	1	21	18	32	163	58	45	36	13	-
Fairfield	-	22	1	1	2	10	1	-	1	1	2	1	2	11	4	2	4	1	-
Hamilton	4	55	9	7	26	41	1	5	12	-	5	2	6	54	13	18	12	5	-
Middletown	2	34	13	19	18	27	-	3	9	-	4	9	15	42	9	7	8	4	-
Oxford	-	8	2	1	6	3	-	-	-	-	-	-	-	8	3	1	1	-	-
Balance of county	2	41	10	5	24	34	4	4	3	-	10	6	9	48	29	17	11	3	-
Carroll	1	13	3	3	9	9	2	-	4	-	4	1	2	21	5	2	-	-	-
Champaign	1	25	4	3	5	10	-	-	3	-	2	2	1	24	6	7	2	-	-
Urbana	1	9	3	-	1	3	-	-	-	-	1	-	-	10	2	1	1	-	-
Balance of county	-	16	1	3	4	7	-	-	3	-	1	2	1	14	4	6	1	-	-
Clark	9	159	19	15	44	75	5	12	23	-	6	9	10	136	19	23	26	1	-
Springfield	6	74	9	10	32	49	3	7	14	-	2	7	7	93	9	12	10	1	-
Balance of county	3	85	10	5	12	26	2	5	9	-	4	2	3	43	10	11	16	-	-
Clermont	3	58	4	6	38	39	2	3	10	-	9	5	5	76	30	22	18	6	1
Clinton	5	19	4	4	9	11	1	3	1	-	2	3	3	36	6	3	-	1	-
Wilmington	2	6	-	3	7	3	-	1	-	-	1	1	1	13	3	-	-	-	-
Balance of county	3	13	4	1	2	8	1	2	1	-	1	2	2	23	3	3	-	1	-
Columbiana	5	82	9	15	37	42	4	12	11	-	7	11	4	75	23	23	10	6	1
East Liverpool	1	14	-	4	13	6	1	2	5	-	2	3	-	18	2	3	1	5	1
Salem	2	17	1	4	4	5	-	2	-	-	2	1	-	9	2	3	2	-	-
Balance of county	2	51	8	7	20	31	3	8	6	-	3	7	4	46	19	17	7	1	-
Coshocton	1	31	7	1	3	11	-	4	2	-	1	3	3	22	9	9	5	-	1
Coshocton	1	22	4	1	2	8	-	2	-	-	1	-	1	9	1	3	4	-	-
Balance of county	-	9	3	-	1	3	-	2	2	-	-	3	2	13	8	6	1	-	1
Crawford	1	48	9	3	18	15	2	6	4	1	1	2	4	61	6	12	5	-	-
Bucyrus	-	17	2	1	5	5	1	-	1	-	-	2	1	18	3	3	2	-	-
Galion	1	18	5	-	6	5	-	2	1	1	-	-	1	24	1	5	1	-	-
Balance of county	-	13	2	2	7	5	1	4	2	-	1	-	2	19	2	4	2	-	-
Cuyahoga	53	998	132	195	452	484	54	204	203	3	60	132	54	1,311	191	318	208	178	14
Bay Village	2	6	6	3	4	7	1	1	-	-	-	1	1	8	1	2	2	2	-
Bedford	-	7	4	1	1	2	1	3	1	-	2	-	-	13	3	2	1	1	-
Bedford Heights	-	6	-	3	3	1	1	3	1	-	-	-	-	10	2	1	1	-	1
Berea	1	12	2	3	3	2	-	2	2	-	1	1	2	9	1	4	2	-	-
Brecksville	-	6	1	2	3	5	-	-	-	-	1	-	-	5	-	3	-	-	-
Broadview Heights	1	8	-	-	1	1	-	1	2	-	-	-	-	5	6	2	2	-	-
Brooklyn	1	18	-	2	2	1	-	2	-	-	3	-	-	8	2	1	3	-	-
Brook Park	1	7	-	2	2	4	-	1	-	-	1	1	-	6	5	4	4	-	-
Cleveland	20	390	44	73	198	210	28	113	105	3	24	81	18	595	94	156	85	131	10
Cleveland Heights	2	38	5	6	25	16	1	4	5	-	2	6	2	56	3	12	10	3	-
East Cleveland	3	23	3	7	10	9	3	2	4	-	3	4	2	34	1	6	2	16	2
Euclid	1	43	8	14	25	21	1	5	9	-	1	9	2	65	9	13	13	4	-
Fairview Park	2	13	-	3	7	10	-	1	3	-	2	-	2	12	7	5	1	-	-
Garfield Heights	-	26	3	-	7	6	2	3	7	-	1	2	-	20	7	3	5	5	-
Lakewood	3	54	2	4	18	30	3	8	4	-	4	3	1	60	5	17	13	4	-
Lyndhurst	-	6	1	4	2	6	1	2	1	-	1	1	1	17	2	4	3	-	-
Maple Heights	2	23	3	5	12	7	1	7	5	-	3	2	3	35	2	4	4	1	-
Mayfield Heights	1	26	2	4	7	11	2	3	4	-	-	-	2	19	1	6	-	-	-
Middleburg Heights	1	8	2	2	3	3	-	1	-	-	-	-	1	5	1	1	2	-	-
North Olmsted	1	12	-	3	3	13	-	2	4	-	-	2	1	18	1	7	7	-	-
North Royalton	-	11	7	1	1	5	-	3	1	-	-	1	1	12	5	-	1	-	-
Parma	3	51	8	12	36	24	3	13	14	-	2	3	2	59	11	5	8	2	1
Parma Heights	-	21	2	3	9	6	1	1	3	-	2	-	2	34	1	6	2	-	-
Richmond Heights	1	3	-	1	2	1	1	1	-	-	1	-	-	12	1	1	3	-	-
Rocky River	2	24	4	7	4	8	-	2	2	-	-	-	1	18	-	8	1	-	-
Seven Hills	-	7	1	1	4	5	-	-	2	-	-	1	-	10	-	2	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Shaker Heights	287	-	-	4	78	21	18	7	11	4	3	14	4	195	105	1	3	81	20
Solon	102	-	-	1	29	4	4	7	1	-	2	11	3	48	38	3	-	31	4
South Euclid	266	-	-	2	76	20	12	7	8	6	6	17	7	129	106	1	3	81	21
Strongsville	148	-	-	4	27	5	9	4	1	-	2	6	7	79	66	1	2	56	7
University Heights	130	-	-	2	34	9	5	3	5	1	2	9	4	61	52	-	-	42	10
Warrensville Heights	139	-	-	1	33	14	5	9	5	-	2	4	3	59	44	-	2	28	14
Westlake	239	-	-	3	43	11	14	3	3	2	1	9	4	125	92	2	1	72	17
Balance of county	810	-	-	8	195	43	47	16	27	10	2	50	10	427	351	2	9	269	71
Darke	526	1	-	4	121	26	38	12	8	8	5	24	7	279	219	1	4	159	55
Greenville	205	1	-	2	36	12	11	1	1	1	1	9	4	116	88	1	-	56	31
Balance of county	321	-	-	2	85	14	27	11	7	7	4	15	3	163	131	-	4	103	24
Defiance	308	-	-	2	67	20	12	5	9	1	5	15	13	134	107	-	2	59	46
Defiance	140	-	-	1	31	6	7	3	4	1	3	7	6	60	45	-	2	24	19
Balance of county	168	-	-	1	38	14	5	2	5	-	2	8	7	74	62	-	-	35	27
Delaware	385	-	-	7	87	19	25	8	8	8	5	14	8	180	150	-	3	95	52
Delaware	142	-	-	2	30	6	9	2	3	4	1	5	2	65	51	-	2	32	17
Westerville, part	10	-	-	-	-	-	-	-	-	-	-	-	1	8	7	-	1	4	2
Balance of county	233	-	-	5	57	13	16	6	5	4	4	9	5	107	92	-	-	59	33
Erie	686	1	-	4	155	29	42	16	19	10	3	36	15	290	217	2	2	150	63
Sandusky	329	1	-	2	71	12	22	7	6	5	1	18	9	135	97	-	1	67	29
Vermilion, part	49	-	-	-	9	1	1	2	2	1	-	2	-	26	22	-	-	18	4
Vermilion, total	69	-	-	-	12	1	1	3	3	1	-	3	-	37	31	-	-	25	6
Balance of county	308	-	-	2	75	16	19	7	11	4	2	16	6	129	98	2	1	65	30
Fairfield	733	-	-	13	172	37	57	10	17	8	5	38	9	334	254	1	6	161	86
Columbus, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Lancaster	348	-	-	6	78	24	23	4	9	4	1	13	2	161	121	-	2	80	39
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	384	-	-	7	94	13	34	6	8	4	4	25	7	172	132	1	4	80	47
Fayette	283	-	-	3	58	15	16	3	8	2	3	11	8	162	117	-	3	87	27
Washington	182	-	-	3	36	10	10	1	5	2	2	6	5	112	81	-	3	65	13
Balance of county	101	-	-	-	22	5	6	2	3	-	1	5	3	50	36	-	-	22	14
Franklin	6,857	5	3	112	1,629	363	554	159	171	62	62	258	138	3,013	2,412	18	112	1,439	843
Bexley	113	-	-	4	36	9	8	8	4	1	1	5	2	41	32	-	-	21	11
Columbus, part	4,698	4	3	80	1,089	244	378	100	117	42	42	166	96	2,028	1,630	16	88	939	587
Columbus, total	4,699	4	3	80	1,089	244	378	100	117	42	42	166	96	2,029	1,631	16	88	940	587
Gahanna	111	-	-	-	33	10	11	1	3	1	-	7	1	56	47	-	1	36	10
Grove City	117	-	-	2	26	4	7	2	4	3	2	4	2	57	45	-	1	27	17
Reynoldsburg, part	105	-	-	3	32	9	10	3	1	1	2	6	-	45	39	-	1	24	14
Reynoldsburg, total	108	-	-	3	33	9	10	4	1	1	2	6	-	47	41	-	1	25	15
Upper Arlington	323	-	-	5	75	17	23	5	7	3	4	16	7	147	107	1	4	74	28
Westerville, part	169	-	-	2	25	7	4	4	2	3	1	4	1	90	74	-	1	57	16
Westerville, total	179	-	-	2	25	7	4	4	2	3	1	4	2	98	81	-	2	61	18
Whitehall	149	-	-	-	37	7	12	6	5	1	3	3	7	63	58	-	1	36	21
Worthington	111	-	-	2	22	5	3	2	5	2	-	5	4	58	44	-	4	29	11
Balance of county	961	1	-	14	254	51	98	28	23	5	7	42	18	428	336	1	11	196	128
Fulton	314	1	-	4	63	13	11	11	10	3	1	14	2	178	139	1	4	107	27
Gallia	304	-	-	1	43	16	7	2	6	2	1	9	4	176	144	1	3	106	32
Geauga	491	-	-	7	110	33	21	5	18	6	4	23	8	238	186	3	5	140	38
Greene	891	-	1	9	237	53	74	20	21	10	13	46	13	393	301	4	9	224	64
Beavercreek	136	-	-	3	35	2	10	3	5	3	3	9	2	59	45	2	-	36	7
Dayton, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2
Fairborn	202	-	-	2	62	15	22	7	3	-	4	11	1	85	68	2	4	46	16
Xenia	256	-	1	-	59	13	16	7	5	4	1	13	8	128	92	-	2	73	17
Balance of county	295	-	-	4	81	23	26	3	8	3	5	13	2	119	94	-	3	69	22
Guernsey	451	-	-	5	84	21	22	1	10	2	5	23	15	230	192	1	1	147	43
Cambridge	188	-	-	3	36	10	12	1	4	1	3	5	7	91	73	1	-	55	17
Balance of county	263	-	-	2	48	11	10	-	6	1	2	18	8	139	119	-	1	92	26
Hamilton	8,517	6	-	88	2,069	508	661	192	233	73	58	344	172	4,022	3,261	32	207	2,263	779
Cincinnati	4,580	5	-	51	1,066	267	339	93	130	32	29	176	88	2,159	1,766	16	122	1,196	432
Forest Park	74	-	-	2	19	3	10	2	-	-	-	4	1	34	28	-	2	16	10
Montgomery	73	-	-	1	15	3	2	4	2	-	-	4	2	38	30	-	3	19	8
North College Hill	148	-	-	2	36	11	12	3	3	2	1	4	2	76	62	1	5	47	9
Norwood	269	-	-	1	78	16	35	6	7	4	3	7	6	124	101	-	9	76	16
Reading	95	-	-	2	28	8	10	2	3	-	-	5	1	40	37	-	3	24	10
Sharonville	80	-	-	1	21	3	7	1	3	3	1	3	2	31	24	1	2	16	5
Springdale	104	-	-	1	26	4	10	1	2	1	1	7	3	52	37	1	1	28	7
Balance of county	3,096	1	-	27	780	193	236	80	83	31	23	134	67	1,468	1,196	13	60	841	282
Hancock	527	-	-	5	121	29	31	8	14	6	4	29	19	257	191	2	1	146	42
Findlay	314	-	-	3	74	13	23	4	9	2	3	20	9	150	106	2	-	80	24
Fostoria, part	26	-	-	-	7	4	-	-	-	2	-	1	1	14	13	-	-	12	1
Balance of county	187	-	-	2	40	12	8	4	5	2	1	8	9	93	72	-	1	54	17
Hardin	326	-	1	1	54	2	26	3	5	2	3	13	4	183	144	-	4	108	32
Harrison	188	-	-	1	32	8	8	7	1	3	1	4	6	102	77	-	1	56	20
Henry	268	-	-	2	60	12	24	4	10	1	5	4	3	127	97	1	3	73	20
Highland	382	-	-	2	85	19	26	6	9	3	4	18	6	201	143	-	5	88	50
Hocking	225	-	-	5	51	10	19	3	3	4	3	9	5	102	87	1	3	55	28
Holmes	217	-	-	-	44	16	8	4	7	1	2	6	5	103	79	1	4	47	27
Huron	497	1	-	8	109	27	22	17	11	4	3	25	13	238	202	1	5	145	51
Norwalk	146	-	-	2	42	11	11	6	2	1	-	11	5	56	43	1	1	35	8
Balance of county	351	1	-	4	67	16	11	11	9	3	3	14	8	182	159	-	4	110	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Shaker Heights	1	22	1	6	7	16	2	4	1	-	-	1	1	20	4	4	3	3	-
Solon	-	7	2	1	5	1	1	1	1	-	1	-	-	5	-	5	1	-	-
South Euclid	2	19	1	2	4	7	1	3	3	-	2	1	-	20	2	6	2	1	-
Strongsville	-	10	1	2	3	3	-	1	1	-	-	3	1	13	2	2	2	-	-
University Heights	-	7	1	1	4	3	-	-	3	-	-	-	1	13	-	2	2	1	-
Warrensville Heights	1	11	2	1	4	8	-	5	3	-	1	-	2	11	2	4	1	2	-
Westlake	-	22	8	3	5	7	-	3	6	-	-	1	1	25	6	7	3	-	-
Balance of county	1	54	8	13	28	23	-	3	6	-	2	8	4	59	4	13	17	3	-
Darke	-	49	6	5	12	14	1	4	7	-	2	1	7	48	9	3	6	-	-
Greenville	-	24	2	2	10	6	1	4	3	-	-	-	-	19	-	1	2	-	-
Balance of county	-	25	4	3	2	8	-	-	4	-	2	1	7	29	9	2	4	-	-
Defiance	1	22	2	2	7	20	3	3	6	-	7	-	1	21	10	10	4	-	-
Defiance	1	12	-	2	2	10	3	2	1	-	4	-	1	7	5	5	2	-	-
Balance of county	-	10	2	-	5	10	-	1	5	-	3	-	-	14	5	5	2	-	-
Delaware	-	18	10	2	18	17	2	1	7	-	3	5	3	24	17	4	2	-	-
Delaware	-	7	7	-	6	6	1	-	5	-	1	2	1	13	6	2	-	-	-
Westerville, part	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	-	10	3	2	12	11	1	1	2	-	2	3	2	10	11	2	2	-	-
Erie	4	44	16	9	21	21	1	7	10	-	2	2	49	61	19	15	11	-	2
Sandusky	4	21	6	7	9	11	-	3	6	-	1	2	26	34	5	6	4	-	2
Vermilion, part	-	4	-	-	-	-	-	1	-	-	-	-	2	5	1	1	4	-	-
Vermilion, total	-	6	-	-	-	2	-	2	-	-	-	-	2	6	2	2	4	-	-
Balance of county	-	19	10	2	12	10	1	3	4	-	1	-	21	22	13	6	3	-	-
Fairfield	6	60	4	10	25	31	3	5	9	-	4	5	8	73	15	11	9	3	3
Columbus, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	6	28	-	8	11	18	1	2	6	-	1	3	4	40	6	3	3	1	2
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	32	4	4	15	13	2	3	3	-	3	2	4	33	9	8	6	2	1
Fayette	1	34	4	8	9	3	1	3	2	-	2	1	4	14	5	6	2	-	-
Washington	1	25	2	3	5	2	1	2	1	-	-	1	3	8	-	2	1	-	-
Balance of county	-	9	2	3	4	1	-	1	1	-	2	-	1	6	5	4	1	-	-
Franklin	17	464	63	57	179	247	22	61	101	-	49	64	288	618	83	128	82	34	1
Bexley	-	7	-	2	3	4	1	1	3	-	1	-	4	9	-	3	1	-	-
Columbus, part	12	306	40	40	116	164	14	44	79	-	40	58	218	431	51	98	56	30	1
Columbus, total	12	306	40	40	116	164	14	44	79	-	40	58	218	431	51	98	56	30	1
Gahanna	-	4	3	2	3	4	-	-	1	-	-	-	4	4	2	2	1	-	-
Grove City	-	11	-	1	7	2	1	-	3	-	-	-	4	8	-	1	4	-	-
Reynoldsburg, part	1	5	-	-	6	3	-	-	-	-	-	-	1	8	3	1	3	-	-
Reynoldsburg, total	1	5	-	-	6	3	-	-	-	-	-	-	1	8	3	1	3	-	-
Upper Arlington	1	28	6	5	12	12	1	5	2	-	2	1	12	34	2	2	4	-	-
Westerville, part	-	11	4	1	4	8	-	1	1	-	2	2	5	22	2	4	-	-	-
Westerville, total	-	12	4	1	4	8	-	1	1	-	2	2	5	23	2	4	-	-	-
Whitehall	-	5	-	-	1	10	-	3	1	-	-	1	9	11	2	2	1	1	-
Worthington	-	10	3	1	3	2	1	-	1	-	-	-	2	12	1	2	1	-	-
Balance of county	3	77	7	5	24	38	4	7	10	-	4	4	29	79	20	13	11	3	-
Fulton	-	31	4	4	6	8	2	-	2	-	1	3	-	22	10	5	6	1	-
Gallia	-	22	4	6	10	14	-	4	1	-	3	2	2	21	7	10	5	1	-
Geauga	2	38	5	5	17	21	-	6	1	-	3	3	4	44	17	6	6	1	1
Greene	4	75	6	7	35	35	5	7	6	-	10	11	21	63	12	15	14	4	-
Beavercreek	1	11	1	1	2	4	-	1	1	-	2	-	4	16	2	4	1	-	-
Dayton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairborn	1	14	1	1	8	9	2	1	3	-	2	5	4	14	1	-	3	-	-
Xenia	-	31	3	2	12	9	1	3	1	-	3	1	6	9	3	6	3	3	-
Balance of county	2	19	1	3	13	13	2	2	1	-	3	5	7	24	6	5	7	1	-
Guernsey	-	27	3	8	21	15	1	2	3	-	-	4	3	46	11	8	3	-	-
Cambridge	-	13	3	2	8	5	-	2	-	-	-	3	2	24	3	3	1	-	-
Balance of county	-	14	-	6	13	10	1	-	3	-	-	1	1	22	8	5	2	-	-
Hamilton	28	525	74	114	269	340	29	89	81	2	59	78	48	736	83	170	103	63	10
Cincinnati	20	280	41	52	152	187	15	41	46	2	28	50	32	413	38	100	51	49	7
Forest Park	-	5	-	1	1	5	-	2	-	-	-	-	1	4	-	4	-	1	-
Montgomery	-	4	2	2	-	-	-	2	2	-	-	-	-	10	1	1	1	-	-
North College Hill	-	9	4	1	5	6	-	2	2	-	3	-	-	6	-	1	4	1	-
Norwood	1	17	1	4	5	8	1	4	1	-	3	-	3	25	3	4	-	2	1
Reading	-	2	-	1	3	9	-	-	2	-	1	-	-	5	1	2	1	-	-
Sharonville	-	6	-	1	3	3	2	-	1	-	1	1	-	7	1	2	4	-	-
Springdale	-	10	-	5	3	3	1	-	-	-	-	-	-	11	1	1	1	1	-
Balance of county	7	192	26	47	97	119	10	38	27	-	23	27	12	255	38	55	41	9	2
Hancock	2	56	5	3	17	18	1	5	6	-	1	5	1	38	11	11	10	1	-
Findlay	1	38	3	2	11	13	1	4	4	-	1	3	1	26	3	5	5	1	-
Fostoria, part	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
Balance of county	1	17	2	1	6	5	-	1	2	-	-	2	-	11	7	5	4	-	-
Hardin	4	28	2	5	11	15	1	-	3	-	4	2	2	31	5	3	5	-	1
Harrison	1	18	4	2	5	4	2	1	8	-	-	-	3	18	1	3	2	-	-
Henry	1	19	7	3	8	10	-	1	5	-	1	3	2	21	16	7	2	-	-
Highland	-	43	8	7	18	16	1	1	3	-	-	1	2	33	4	3	6	-	-
Hocking	-	14	-	1	2	8	-	2	6	-	1	4	11	15	3	6	4	-	-
Holmes	1	16	4	3	10	5	-	-	3	-	2	1	6	17	5	9	7	-	-
Huron	-	30	5	1	14	12	1	8	7	-	3	10	4	35	17	11	7	-	1
Norwalk	-	10	2	1	5	5	1	2	5	-	1	2	1	12	3	2	2	-	-
Balance of county	-	20	3	-	9	7	-	6	2	-	2	8	3	23	14	9	5	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Jackson	327	-	-	2	61	11	15	5	8	1	3	18	4	160	124	-	2	98	24
Jefferson	929	-	-	12	193	48	57	14	24	9	2	39	18	509	412	4	6	269	133
Steubenville	325	-	-	3	76	18	23	4	11	3	1	16	5	180	149	2	1	96	50
Balance of county	604	-	-	9	117	30	34	10	13	6	1	23	13	329	263	2	5	173	83
Knox	473	-	-	7	96	28	26	8	11	2	4	17	4	260	181	2	4	141	34
Mount Vernon	213	-	-	2	46	13	13	3	7	1	-	9	2	118	86	-	3	70	13
Balance of county	260	-	-	5	50	15	13	5	4	1	4	8	2	142	95	2	1	71	21
Lake	1,605	-	-	9	400	89	131	22	34	20	13	81	45	754	612	6	17	439	150
Eastlake	129	-	-	-	31	5	13	1	1	1	1	9	2	66	57	1	2	42	12
Mentor	260	-	-	3	75	21	26	3	6	4	1	14	11	114	89	-	6	52	31
Painesville	178	-	-	2	29	4	14	3	2	1	1	4	9	89	70	1	2	52	15
Wickliffe	155	-	-	-	54	17	15	1	5	4	2	10	3	63	48	-	1	32	15
Willoughby	210	-	-	1	41	8	12	4	4	3	1	9	5	109	95	2	1	74	18
Willowick	171	-	-	-	56	16	16	6	4	2	1	11	5	73	60	1	2	40	17
Balance of county	502	-	-	3	114	28	35	4	12	5	6	24	10	240	193	1	3	147	42
Lawrence	846	-	-	9	127	25	37	10	16	4	6	29	16	338	284	3	11	200	70
Ironton	232	-	-	3	44	13	8	4	6	2	2	9	8	126	111	1	5	76	29
Balance of county	414	-	-	6	83	12	29	6	10	2	4	20	8	212	173	2	6	124	41
Licking	1,097	1	-	8	235	58	65	23	29	10	12	38	22	553	443	5	10	331	97
Newark	511	-	-	4	113	33	33	6	12	5	3	21	9	257	205	3	5	155	42
Reynoldsburg, part	3	-	-	-	1	-	-	1	-	-	-	-	-	2	2	-	-	1	1
Balance of county	583	1	-	4	121	25	32	16	17	5	9	17	13	294	236	2	5	175	54
Logan	419	-	-	7	84	21	25	5	6	4	2	21	6	216	160	3	-	120	37
Bellefontaine	137	-	-	3	21	2	9	-	-	2	-	8	1	77	53	-	-	44	9
Balance of county	282	-	-	4	63	19	16	5	6	2	2	13	5	139	107	3	-	76	28
Lorain	2,033	3	-	23	457	95	131	59	46	24	12	90	47	942	761	3	22	590	146
Amherst	114	-	-	2	24	5	8	4	1	-	1	5	2	61	51	-	4	35	12
Avon Lake	94	-	-	3	19	2	4	6	2	1	1	3	2	40	30	1	-	25	4
Elyria	477	-	-	4	95	14	27	15	12	6	2	19	10	222	175	1	7	130	37
Lorain	639	2	-	8	151	35	40	20	17	7	1	31	17	297	245	1	8	191	45
North Ridgeville	93	1	-	-	19	5	8	-	-	1	2	3	4	32	26	-	-	23	3
Sheffield Lake	62	-	-	2	26	3	7	4	4	2	1	5	1	24	21	-	-	14	7
Vermilion, part	20	-	-	-	3	-	-	1	1	-	-	1	-	11	9	-	-	7	2
Balance of county	534	-	-	4	120	31	37	9	9	7	4	23	11	255	204	-	3	165	36
Lucas	4,631	-	-	23	1,002	246	321	102	111	47	41	134	103	2,355	1,869	18	115	1,266	470
Maumee	122	-	-	-	41	10	14	3	6	2	2	4	5	49	40	-	2	27	11
Oregon	186	-	-	-	44	5	15	4	9	1	5	5	3	99	82	-	2	68	12
Sylvania	128	-	-	-	31	6	12	4	1	-	-	8	2	58	49	-	1	40	8
Toledo	3,768	-	-	22	815	212	257	85	91	39	28	103	88	1,922	1,516	15	104	990	407
Balance of county	429	-	-	1	71	13	23	6	4	5	6	14	5	227	182	3	6	141	32
Madison	301	-	-	1	68	18	21	8	5	2	3	11	6	158	113	1	3	90	19
Mahoning	3,069	2	-	33	650	166	191	59	61	30	20	123	92	1,562	1,193	13	27	885	268
Alliance, part	2	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Campbell	123	-	-	1	23	6	8	1	1	1	-	6	8	62	51	-	1	40	10
Struthers	152	-	-	1	43	17	13	2	4	-	3	4	7	74	59	1	2	42	14
Youngstown, part	1,428	2	-	16	300	74	85	27	27	16	10	61	45	694	498	6	13	374	105
Youngstown, total	1,427	2	-	16	301	74	85	28	27	16	10	61	45	694	498	6	13	374	105
Balance of county	1,366	-	-	15	282	69	85	29	29	13	6	51	32	732	585	6	11	429	139
Marion	622	-	-	5	129	28	40	14	12	6	9	20	20	299	229	1	5	179	44
Marion	373	-	-	3	75	16	20	10	4	4	6	15	14	184	145	1	3	115	26
Balance of county	249	-	-	2	54	12	20	4	8	2	3	5	6	115	84	-	2	64	18
Medina	729	1	-	3	179	48	47	14	26	9	7	28	18	349	273	2	10	170	91
Brunswick	135	-	-	2	28	3	6	3	5	2	1	6	3	65	51	2	-	36	13
Medina	131	-	-	-	25	8	8	1	2	1	2	3	5	68	46	-	2	27	17
Wadsworth	132	1	-	-	37	13	11	1	7	2	1	2	3	66	51	-	3	31	17
Balance of county	331	-	-	1	91	24	22	9	12	4	3	17	7	150	125	-	5	76	44
Meigs	267	-	-	4	65	15	17	3	7	6	3	14	3	131	98	-	-	84	14
Mercer	311	-	-	3	66	20	15	8	7	3	2	11	7	142	105	1	3	78	23
Miami	796	-	-	9	198	59	48	11	23	8	6	43	18	385	314	-	5	228	83
Piqua	229	-	-	2	47	11	13	-	6	3	1	13	9	123	101	-	3	75	23
Troy	188	-	-	1	55	17	14	4	4	1	3	12	3	76	59	-	-	36	23
Balance of county	379	-	-	6	96	31	21	7	13	4	2	18	6	196	154	-	2	115	37
Monroe	158	-	-	3	20	3	6	1	4	-	1	5	2	86	68	-	-	60	8
Montgomery	5,008	4	-	67	1,147	271	355	116	106	43	34	222	91	2,379	1,887	13	44	1,232	598
Centerville	126	-	-	1	36	8	10	5	2	-	2	9	-	58	50	-	-	34	16
Dayton, part	2,186	2	-	31	437	107	147	35	40	16	10	82	50	1,032	801	4	23	500	274
Dayton, total	2,188	2	-	31	437	107	147	35	40	16	10	82	50	1,034	803	4	23	500	276
Englewood	80	-	-	3	20	4	4	3	2	2	-	5	2	35	27	-	-	18	9
Huber Heights	146	-	-	3	43	7	15	1	7	1	2	10	-	64	49	1	-	33	15
Kettering	527	1	-	5	130	35	30	16	19	8	4	24	12	242	195	2	3	131	59
Miamisburg	138	-	-	4	34	10	11	2	4	-	3	4	2	65	52	1	-	38	13
Vandalia	82	-	-	1	18	5	6	1	2	1	-	3	1	41	34	-	-	22	12
West Carrollton	91	-	-	-	24	4	8	1	3	2	1	5	-	47	38	-	2	29	7
Balance of county	1,630	1	-	19	405	91	124	52	33	13	12	80	24	795	641	5	18	427	193
Morgan	153	-	-	2	36	9	12	6	4	1	-	4	4	81	62	1	1	42	18
Morrow	216	-	-	3	42	7	12	4	6	2	1	10	3	113	83	1	1	63	18
Muskingum	887	1	-	9	194	55	61	12	16	8	6	36	11	445	354	6	6	210	132
Zanesville	406	-	-	4	71	18	29	5	5	3	1	10	6	225	172	2	2	109	59
Balance of county	481	1	-	5	123	37	32	7	11	5	5	26	5	220	182	4	4	101	73
Noble	134	-	-	1	31	9	10	1	2	2	-	7	2	68	55	-	1	43	11
Ottawa	409	-	1	7	90	18	29	5	20	5	2	11	7	214	168	1	5	100	62
Paulding	180	-	-	3	39	12	6	4	4	3	1	9	4	86	74	1	2	53	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	-	27	4	5	15	22	1	1	2	-	3	2	4	26	7	13	3	1	-
Jefferson	3	73	8	13	18	37	4	12	9	-	1	6	10	61	10	16	13	-	-
Steubenville	1	24	2	4	3	13	2	7	5	-	1	3	4	15	3	2	3	-	-
Balance of county	2	49	6	9	15	24	2	5	4	-	-	3	6	46	7	14	10	-	-
Knox	2	55	11	11	22	12	1	5	-	-	3	-	2	33	8	13	7	-	-
Mount Vernon	1	22	6	3	11	5	-	1	-	-	-	-	2	15	2	8	1	-	-
Balance of county	1	33	5	8	11	7	1	4	-	-	3	-	-	18	6	5	6	-	-
Lake	1	112	16	13	48	64	2	8	23	-	9	6	13	121	45	22	31	3	2
Eastlake	-	4	1	4	5	4	-	-	1	-	1	-	1	10	2	2	3	1	-
Mentor	-	16	3	6	6	11	-	1	6	-	2	1	1	16	8	4	-	-	1
Painesville	1	15	2	1	8	6	-	1	4	-	-	2	1	14	4	3	5	1	-
Wickliffe	-	13	2	-	7	7	-	-	1	-	1	-	3	9	4	1	2	-	-
Willoughby	-	13	1	-	7	7	-	3	3	-	1	-	-	23	5	2	3	-	-
Willowick	-	12	1	-	2	7	1	1	1	-	1	1	2	12	2	1	5	1	-
Balance of county	-	39	6	2	13	22	1	2	7	-	3	2	5	37	20	9	13	-	1
Lawrence	-	46	6	2	15	29	3	9	7	-	5	6	10	47	8	7	8	2	-
Ironton	-	12	1	2	6	8	1	4	1	-	2	-	6	16	2	2	2	1	-
Balance of county	-	34	5	-	9	21	2	5	6	-	3	6	4	31	6	5	6	1	-
Licking	7	69	15	19	40	37	1	6	8	-	8	6	14	99	27	19	11	2	-
Newark	3	32	9	8	17	23	1	4	3	-	2	3	8	44	9	7	6	1	-
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	4	37	6	11	23	14	-	2	5	-	6	3	6	55	18	12	5	1	-
Logan	3	42	3	8	18	20	1	5	5	-	2	1	5	31	11	4	2	1	-
Bellefontaine	-	21	1	2	7	7	1	2	2	-	-	-	1	6	6	2	1	-	-
Balance of county	3	21	2	6	11	13	-	3	3	-	2	1	4	25	5	2	1	1	-
Lorain	4	137	16	24	58	79	5	26	34	-	9	26	26	163	35	52	35	10	3
Amherst	-	8	2	-	2	3	-	1	3	-	-	2	-	8	2	1	3	-	-
Avon Lake	-	5	1	4	1	1	-	-	1	-	-	1	5	8	4	6	2	1	-
Elyria	1	35	5	6	24	20	2	9	4	-	1	5	9	42	7	13	7	2	1
Lorain	2	43	3	4	10	25	1	12	12	-	4	6	6	47	7	21	9	3	1
North Ridgeville	1	5	-	-	6	6	-	2	-	-	1	-	2	8	3	1	6	1	1
Sheffield Lake	-	3	-	-	-	1	-	-	-	-	-	1	-	6	1	-	-	-	-
Vermilion, part	-	2	-	-	-	2	-	1	-	-	-	-	-	1	1	1	-	-	-
Balance of county	-	36	5	10	15	21	2	1	14	-	3	11	4	43	10	9	8	3	-
Lucas	27	383	53	43	130	188	6	55	51	1	27	39	15	344	80	94	80	32	6
Maumee	1	6	1	1	-	3	-	2	2	-	1	-	1	11	1	1	5	-	-
Oregon	1	14	2	-	6	8	-	1	1	-	1	-	-	20	1	-	2	-	-
Sylvania	-	8	1	-	7	7	-	-	1	-	-	-	-	10	6	2	1	1	-
Toledo	25	304	44	33	101	145	6	50	40	1	25	37	13	273	58	79	60	28	5
Balance of county	-	31	5	9	16	25	-	2	7	-	-	2	1	30	14	12	12	3	1
Madison	-	37	4	4	6	3	1	1	2	-	-	4	5	29	8	6	3	-	-
Mahoning	23	226	78	42	81	92	8	36	47	-	14	21	25	259	43	66	31	27	-
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	1	7	3	-	2	1	-	1	3	-	1	1	1	11	1	5	2	-	-
Struthers	2	8	4	1	2	7	-	1	1	-	-	-	-	8	3	2	1	2	-
Youngstown, part	12	128	37	19	42	41	4	23	20	-	6	18	16	127	14	28	9	21	-
Youngstown, total	12	128	37	19	42	41	4	23	20	-	6	18	16	127	14	28	9	21	-
Balance of county	8	83	34	22	35	43	4	11	23	-	7	2	8	113	25	31	19	4	-
Marion	1	55	8	6	16	20	2	3	6	-	2	6	7	69	11	15	6	5	1
Marion	1	32	3	3	7	12	1	1	5	-	-	5	1	43	5	9	4	3	1
Balance of county	-	23	5	3	9	8	1	2	1	-	2	1	6	26	6	6	2	2	-
Medina	4	54	10	8	24	20	1	5	18	-	5	5	7	47	18	9	20	2	-
Brunswick	1	10	1	2	6	4	-	2	2	-	-	-	2	8	4	3	6	2	-
Medina	-	16	5	1	3	4	-	1	5	-	3	1	2	6	2	3	3	-	-
Wadsworth	2	11	2	-	2	4	1	1	5	-	1	-	2	7	1	-	1	-	-
Balance of county	1	17	2	5	13	8	-	1	6	-	1	4	1	26	9	3	10	-	-
Meigs	1	21	8	3	11	9	-	4	1	-	2	3	3	17	4	7	1	1	1
Mercer	1	26	2	8	13	12	-	5	4	-	2	1	3	35	5	7	2	3	1
Miami	1	61	8	11	13	31	5	5	8	-	3	5	9	57	18	13	7	2	-
Piqua	1	15	4	2	9	8	1	2	3	-	2	3	1	10	2	3	3	1	-
Troy	-	12	2	3	2	8	2	2	-	-	1	-	3	21	8	5	-	1	-
Balance of county	-	34	2	6	2	15	2	1	5	-	-	2	5	26	8	5	4	-	-
Monroe	1	14	2	1	7	9	-	1	1	-	-	-	1	12	4	5	5	2	-
Montgomery	21	350	52	69	152	162	10	62	54	-	31	44	139	435	71	68	44	45	1
Centerville	-	6	2	-	2	3	-	2	1	-	1	1	3	14	2	1	1	-	-
Dayton, part	11	159	26	35	72	73	6	34	23	-	9	26	73	211	27	34	15	31	-
Dayton, total	11	159	26	35	72	73	6	34	23	-	9	26	73	211	27	34	15	31	-
Englewood	-	7	-	1	2	1	-	-	1	-	-	-	2	8	2	2	2	-	-
Huber Heights	2	10	3	-	1	1	-	2	2	-	2	1	6	14	2	2	3	-	-
Kettering	2	33	2	10	14	25	1	10	3	-	3	3	9	51	4	5	6	3	-
Miamisburg	3	8	1	1	4	5	-	2	1	-	-	2	2	10	2	2	2	-	1
Vandalia	-	6	1	-	5	4	-	-	-	-	-	-	4	6	-	1	-	1	-
West Carrollton	1	5	1	2	3	6	-	1	2	-	1	-	1	6	-	-	-	-	-
Balance of county	2	116	16	20	49	44	3	11	21	-	15	11	39	115	32	21	15	10	-
Morgan	1	13	-	5	5	4	-	-	-	-	-	-	-	15	1	2	2	-	1
Morrow	2	24	1	3	8	7	2	-	4	-	2	2	1	13	3	11	1	-	1
Muskingum	6	55	18	12	33	56	-	10	6	-	5	10	3	54	12	20	12	8	-
Zanesville	4	28	13	8	15	28	-	6	4	-	4	4	2	20	2	8	3	4	-
Balance of county	2	27	5	4	18	28	-	4	2	-	1	6	1	34	10	12	9	2	-
Noble	2	8	-	3	6	2	-	1	1	-	1	-	1	11	2	5	1	-	1
Ottawa	2	30	2	12	13	16	3	1	2	-	1	-	6	25	10	8	4	1	-
Paulding	1	8	-	3	10	9	-	-	4	-	1	1	-	10	6	4	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Perry	307	-	-	5	72	16	25	5	4	5	6	11	5	153	123	-	5	89	29
Pickaway	327	-	-	8	82	23	22	7	7	2	1	20	7	153	114	1	1	67	45
Circleville	135	-	-	5	38	6	11	4	4	-	1	12	4	61	37	-	1	24	12
Balance of county	192	-	-	3	44	17	11	3	3	2	-	8	3	92	77	1	-	43	33
Pike	216	-	-	4	39	11	8	3	2	2	1	12	2	119	107	1	3	87	16
Portage	910	-	-	12	208	60	62	18	18	8	8	34	21	440	354	1	4	278	71
Kent	154	-	-	1	23	5	5	3	3	-	-	7	7	89	75	-	2	59	14
Ravenna	159	-	-	-	53	19	16	4	5	1	3	5	1	73	52	-	-	48	4
Balance of county	597	-	-	11	132	36	41	11	10	7	5	22	13	278	227	1	2	171	53
Preble	336	-	-	3	71	22	23	6	7	2	2	9	9	171	145	3	4	90	48
Putnam	269	-	-	4	54	17	13	3	5	2	4	10	6	128	111	2	6	73	30
Richland	1,138	-	1	8	239	84	54	16	18	16	6	45	29	589	454	3	15	357	79
Mansfield	603	-	-	5	115	38	30	6	4	9	4	24	13	310	241	1	10	198	34
Balance of county	535	-	1	3	124	46	24	10	14	7	2	21	16	279	213	2	5	161	45
Ross	624	-	-	8	129	29	29	9	13	6	2	41	10	308	255	2	6	175	72
Chillicothe	332	-	-	5	71	14	17	5	7	4	-	24	6	161	133	1	4	93	35
Balance of county	292	-	-	3	58	15	12	4	6	2	2	17	4	147	122	1	2	82	37
Sandusky	534	-	-	2	125	27	34	9	13	9	5	28	9	265	206	5	5	148	48
Fremont	187	-	-	-	37	5	12	2	3	4	3	8	3	93	78	4	1	58	15
Balance of county	347	-	-	2	88	22	22	7	10	5	2	20	6	172	128	1	4	90	33
Scioto	932	-	-	4	206	64	61	15	26	7	2	31	21	484	388	1	6	245	136
Portsmouth	368	-	-	2	82	30	23	6	12	2	-	10	5	190	152	-	1	99	52
Balance of county	564	-	-	2	124	34	38	10	14	5	2	21	16	294	236	1	5	146	84
Seneca	521	-	-	5	107	26	28	8	13	7	4	21	4	301	250	3	2	199	46
Fostoria, part	144	-	-	-	25	6	5	2	1	3	1	7	2	88	69	-	-	63	6
Fostoria, total	183	-	-	-	36	11	6	2	2	5	1	9	3	108	87	-	1	79	7
Tiffin	185	-	-	3	41	7	11	1	9	3	3	7	1	107	94	-	2	63	29
Balance of county	192	-	-	2	41	13	12	5	3	1	-	7	1	106	87	3	-	73	11
Shelby	310	-	1	1	75	15	22	5	12	4	8	9	4	162	102	-	3	75	24
Sidney	159	-	-	-	39	6	14	3	5	2	3	6	1	85	58	-	3	39	16
Balance of county	151	-	1	1	36	9	8	2	7	2	5	3	3	77	44	-	-	36	8
Stark	3,665	1	-	25	823	207	213	73	91	38	41	160	98	1,795	1,424	13	45	1,071	295
Alliance, part	915	-	-	1	73	17	18	8	8	2	4	16	11	145	107	1	1	85	20
Alliance, total	317	-	-	1	75	17	18	8	8	2	5	17	11	145	107	1	1	85	20
Canton	1,135	-	-	8	253	70	68	24	28	12	16	37	32	557	452	-	15	381	76
Massillon	379	-	-	8	84	24	21	7	10	4	3	15	5	192	154	1	9	104	40
North Canton	157	-	-	-	40	10	10	3	2	2	1	12	3	82	57	2	-	42	13
Balance of county	1,679	1	-	8	373	86	98	31	43	18	17	80	47	819	654	9	20	479	146
Summit	5,021	4	-	63	1,092	283	299	106	113	38	37	216	111	2,289	1,820	20	50	1,234	516
Akron	2,645	3	-	30	564	140	169	54	65	22	16	98	53	1,200	951	9	28	648	266
Barberton	340	-	-	3	68	16	18	8	5	3	2	14	12	165	142	3	2	87	50
Cuyahoga Falls	419	1	-	6	99	31	22	10	11	4	6	15	8	194	152	1	3	102	46
Norton	7	-	-	-	2	1	-	-	-	-	1	-	-	4	4	-	-	3	1
Stow	17	-	-	-	1	-	1	-	-	-	-	-	-	11	9	-	-	7	2
Tallmadge	28	-	-	1	3	-	1	1	-	-	-	1	1	9	7	-	-	7	-
Balance of county	1,565	-	-	23	357	95	88	33	32	9	12	88	37	706	555	7	17	380	151
Trumbull	2,114	4	-	20	490	138	142	40	49	15	17	89	59	1,067	849	5	25	613	206
Girard	136	1	-	-	35	6	15	2	2	2	1	7	5	57	37	-	3	21	13
Niles	251	-	-	6	53	13	18	4	6	-	1	11	2	146	113	1	3	85	24
Warren	656	3	-	10	144	49	32	12	21	2	5	23	21	342	267	2	9	192	64
Youngstown, part	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1,070	-	-	4	257	70	77	21	20	11	10	48	31	522	432	2	10	315	105
Tuscarawas	916	-	-	9	170	38	58	12	20	9	5	28	19	487	359	3	18	265	73
Dover	177	-	-	3	27	5	7	3	3	-	1	8	2	102	72	-	8	51	15
New Philadelphia	198	-	-	1	42	9	15	2	5	2	1	8	6	103	76	-	6	55	15
Balance of county	541	-	-	5	101	24	36	7	12	7	3	12	11	282	211	3	6	159	43
Union	231	-	-	2	49	9	10	7	4	7	2	10	3	116	91	3	3	58	27
Van Wert	285	-	-	5	61	22	14	3	5	4	3	10	6	149	117	2	1	77	37
Van Wert	115	-	-	2	22	5	8	-	1	3	1	4	3	57	44	1	-	30	13
Balance of county	170	-	-	3	39	17	6	3	4	1	2	6	3	92	73	1	1	47	24
Vinton	95	-	-	1	22	10	8	-	1	-	-	5	1	44	34	-	1	21	12
Warren	783	-	-	6	165	28	56	20	9	7	9	36	15	372	305	2	8	196	99
Franklin	133	-	-	-	28	6	8	3	-	1	-	10	3	62	53	1	3	38	11
Balance of county	650	-	-	6	137	22	48	17	9	6	9	26	12	310	252	1	5	158	88
Washington	564	-	-	7	121	33	28	12	12	5	3	28	19	270	203	2	5	146	50
Marietta	191	-	-	4	44	17	6	2	2	4	1	12	10	95	75	-	1	58	16
Balance of county	373	-	-	3	77	16	22	10	10	1	2	16	9	175	128	2	4	88	34
Wayne	742	-	-	6	167	41	47	17	19	3	8	32	12	360	279	-	12	189	78
Wooster	190	-	-	3	43	9	9	4	5	2	3	11	2	93	73	-	3	47	23
Balance of county	552	-	-	3	124	32	38	13	14	1	5	21	10	267	206	-	9	142	55
Williams	330	1	-	6	55	12	17	9	4	1	2	10	10	185	154	2	1	128	25
Wood	785	-	-	3	184	49	56	13	18	9	3	36	13	406	314	4	16	223	71
Bowling Green	130	-	-	-	23	9	5	1	2	2	1	3	1	74	61	2	1	45	13
Fostoria, part	13	-	-	-	4	1	1	-	1	-	-	1	-	6	5	-	1	4	-
Perrysburg	92	-	-	-	24	7	6	3	4	1	-	3	3	47	38	-	2	30	6
Balance of county	550	-	-	3	133	32	44	9	11	6	2	29	9	279	210	2	12	144	52
Wyandot	200	-	-	-	36	6	10	6	10	1	-	3	2	113	87	-	-	61	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	4	15	3	8	8	12	-	1	1	-	3	2	9	28	5	-	2	-	1
Pickaway	-	28	6	5	6	11	-	4	2	-	2	2	5	25	7	7	5	1	-
Circleville	-	18	3	3	1	7	-	3	1	-	1	-	-	11	-	2	1	-	-
Balance of county	-	10	3	2	5	4	-	1	1	-	1	2	5	14	7	5	4	1	-
Pike	1	7	2	2	5	6	-	1	1	-	1	3	5	12	9	7	2	-	-
Portage	3	56	7	10	26	26	1	9	5	-	4	4	21	65	27	20	17	4	-
Kent	-	13	1	-	5	3	-	1	-	-	1	-	3	14	3	2	2	-	-
Ravenna	1	12	2	6	2	4	-	1	1	-	-	-	3	13	2	2	4	-	-
Balance of county	2	41	4	4	19	19	1	7	4	-	3	4	15	38	22	16	11	4	-
Preble	1	22	1	2	8	5	-	5	8	-	2	1	1	29	11	6	5	1	-
Putnam	-	15	-	2	4	9	-	2	1	1	4	-	2	31	14	5	4	-	-
Richland	5	100	21	9	17	43	2	13	16	-	3	10	12	86	21	20	19	9	1
Mansfield	1	49	13	6	9	25	1	7	10	-	3	5	11	54	9	12	8	5	1
Balance of county	4	51	8	3	8	18	1	6	6	-	-	5	1	32	12	8	11	4	-
Ross	2	35	10	6	25	32	1	7	8	-	1	8	11	50	13	3	9	1	-
Chillicothe	-	16	8	4	13	19	1	4	5	-	-	4	6	28	2	2	4	1	-
Balance of county	2	19	2	2	12	13	-	3	3	-	1	4	5	22	11	1	5	-	-
Sandusky	-	39	9	11	14	24	1	7	5	-	1	3	3	45	19	7	2	2	-
Fremont	-	8	5	2	5	10	-	5	4	-	-	2	1	18	5	2	-	2	-
Balance of county	-	31	4	9	9	14	1	2	1	-	1	1	2	27	14	5	2	-	-
Scioto	2	73	13	8	24	54	2	8	11	-	4	7	5	56	11	16	13	6	-
Portsmouth	1	26	7	4	7	17	-	5	7	-	2	2	2	28	5	7	6	1	-
Balance of county	1	47	6	4	17	37	2	3	4	-	2	5	3	28	6	9	7	5	-
Seneca	-	39	9	3	8	14	1	2	3	-	2	2	3	32	16	14	4	3	-
Fostoria, part	-	15	3	1	2	3	-	-	-	-	1	1	1	10	6	3	1	1	-
Fostoria, total	1	16	3	1	2	3	-	-	-	-	2	1	1	12	8	4	2	1	-
Tiffin	-	9	3	1	4	5	-	2	3	-	-	1	1	9	5	3	-	-	-
Balance of county	-	15	3	1	2	6	1	-	-	-	1	-	1	13	5	8	3	2	-
Shelby	-	24	32	4	5	12	1	-	1	-	1	1	3	24	9	3	4	3	-
Sidney	-	7	18	2	2	6	-	-	-	-	-	-	2	13	3	2	3	3	-
Balance of county	-	17	14	2	3	6	1	-	1	-	1	1	1	11	6	1	1	-	-
Stark	28	262	39	42	115	158	18	37	33	1	14	21	43	293	74	52	49	15	-
Alliance, part	6	24	4	4	13	15	2	4	2	-	-	2	3	26	8	7	3	-	-
Alliance, total	6	24	4	4	13	15	2	4	2	-	-	2	3	26	8	7	3	-	-
Canton	10	81	6	8	32	43	7	12	11	-	8	6	16	91	18	17	18	6	-
Massillon	1	30	3	4	12	23	1	4	3	-	1	2	1	26	5	4	6	2	-
North Canton	-	21	2	2	4	2	-	1	1	-	-	-	2	18	-	2	2	-	-
Balance of county	11	106	24	24	54	75	8	16	16	1	5	11	21	132	43	22	20	7	-
Summit	12	335	70	52	135	187	16	44	47	1	25	45	348	467	30	53	55	9	2
Akron	8	178	34	29	71	104	7	23	29	1	12	23	199	256	18	23	23	5	1
Barberton	-	15	4	4	9	17	1	7	1	-	1	2	25	23	2	2	3	1	-
Cuyahoga Falls	-	26	10	6	12	7	1	5	4	-	1	5	26	41	-	4	4	1	-
Norton	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Stow	-	2	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	-
Tallmadge	-	2	-	-	4	-	-	-	1	-	-	-	-	8	-	-	1	-	-
Balance of county	4	112	22	13	39	58	7	9	11	-	11	15	95	137	10	23	24	2	1
Trumbull	8	145	35	30	50	55	1	28	23	-	11	16	17	147	36	40	37	11	2
Girard	1	12	2	5	5	6	-	3	-	-	-	3	-	11	1	6	3	-	-
Niles	-	21	7	5	6	4	-	3	3	-	-	1	-	15	5	3	3	1	-
Warren	3	50	12	10	12	13	-	10	9	-	5	4	11	41	7	8	12	2	2
Youngstown, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	4	62	14	10	27	32	1	12	11	-	6	8	6	80	23	23	19	8	-
Tuscarawas	4	86	23	15	25	36	4	10	5	-	3	4	8	86	14	17	15	4	-
Dover	1	17	8	4	6	8	1	4	1	-	-	2	-	14	2	4	1	-	-
New Philadelphia	1	20	3	3	7	5	1	2	-	-	-	-	4	22	2	2	1	-	-
Balance of county	2	49	12	8	12	23	2	4	4	-	3	2	4	50	10	11	13	4	-
Union	-	16	7	2	8	14	1	1	3	-	1	1	1	16	6	5	4	-	-
Van Wert	-	23	4	5	7	9	1	2	1	-	-	1	1	23	11	2	5	1	-
Van Wert	-	9	2	2	3	7	-	1	1	-	-	-	-	10	2	2	4	1	-
Balance of county	-	14	2	3	4	2	1	1	-	-	-	1	1	13	9	-	1	-	-
Vinton	1	7	1	1	3	5	-	-	3	-	-	-	1	5	6	1	3	-	-
Warren	3	49	14	7	25	33	1	7	10	-	7	7	13	71	17	16	13	5	-
Franklin	1	3	4	1	9	6	-	-	2	-	1	2	4	10	1	2	2	1	-
Balance of county	2	40	10	6	16	27	1	7	8	-	6	5	9	61	16	14	11	4	-
Washington	1	39	13	15	22	15	2	9	8	-	5	4	3	53	6	13	6	-	1
Marietta	-	11	5	4	4	4	1	1	3	-	3	1	-	18	2	-	-	-	1
Balance of county	1	27	8	11	18	11	1	8	5	-	2	3	3	35	4	13	6	-	-
Wayne	-	65	9	7	34	25	5	2	6	-	6	8	8	57	17	15	11	1	2
Wooster	-	18	-	2	14	5	1	-	1	-	1	3	-	16	4	2	1	1	-
Balance of county	-	47	9	5	20	20	4	2	5	-	5	5	8	41	13	13	10	-	2
Williams	3	20	2	6	12	5	1	1	4	1	1	1	3	25	10	7	1	-	1
Wood	3	62	16	11	15	26	1	7	9	-	8	10	6	51	18	18	9	1	-
Bowling Green	-	8	2	3	5	6	-	-	-	-	1	4	2	8	1	4	1	-	-
Fostoria, part	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
Perrysburg	-	8	1	-	2	4	-	-	2	-	-	1	-	7	1	-	1	-	-
Balance of county	2	46	13	8	8	16	1	7	7	-	6	5	4	35	15	14	7	1	-
Wyandot	-	22	-	4	9	6	1	-	2	-	-	1	2	15	3	5	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma	29,782	20	1	363	6,132	1,381	1,871	465	732	238	240	1,205	441	14,492	11,236	56	199	7,905	3,076
Urban places	15,133	12	1	202	3,191	710	971	259	374	112	117	648	235	7,204	5,423	28	108	3,810	1,477
Balance of area	14,649	8	-	161	2,941	671	900	206	358	126	123	557	206	7,288	5,813	28	91	4,095	1,599
Metropolitan counties	15,203	10	1	189	3,283	742	1,016	240	380	130	134	641	227	7,095	5,481	30	115	3,838	1,498
Urban places	11,315	10	1	143	2,462	565	744	197	286	86	93	491	170	5,251	4,003	23	86	2,784	1,110
Balance of area	3,888	-	-	46	821	177	272	43	94	44	41	150	57	1,844	1,478	7	29	1,054	388
Nonmetropolitan counties	14,579	10	-	174	2,849	639	855	225	352	108	106	564	214	7,397	5,755	26	84	4,067	1,578
Urban places	3,818	2	-	59	729	145	227	62	88	26	24	157	65	1,953	1,420	5	22	1,026	367
Balance of area	10,761	8	-	115	2,120	494	628	163	264	82	82	407	149	5,444	4,335	21	62	3,041	1,211
Adair	224	-	-	1	48	7	14	4	5	6	2	10	7	107	80	3	-	50	27
Alfalfa	114	-	-	1	17	5	6	2	2	-	-	2	4	62	48	-	1	32	15
Atoka	133	-	-	1	24	6	5	4	4	-	1	4	-	78	67	-	-	37	30
Beaver	63	-	-	1	12	4	2	1	3	1	-	1	1	33	31	1	-	21	9
Beckham	232	1	-	3	42	10	7	5	8	2	6	4	3	110	85	-	3	43	39
Blaine	193	1	-	4	27	7	10	1	5	3	-	1	3	94	71	2	1	47	21
Bryan	383	-	-	7	78	13	26	4	12	4	3	18	8	198	144	-	2	112	30
Durant	177	-	-	4	32	7	12	2	4	1	2	4	6	95	68	-	1	55	12
Balance of county	206	-	-	3	46	6	14	2	8	3	1	12	2	103	76	-	1	57	18
Caddo	382	-	-	5	82	17	28	6	9	6	3	13	11	166	127	1	3	92	31
Canadian	430	1	-	6	80	14	21	9	12	6	5	13	5	193	141	1	4	89	47
El Reno	186	-	-	1	27	7	4	6	5	3	1	1	2	98	68	1	2	40	25
Oklahoma City, part	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Yukon	133	1	-	2	27	4	5	1	2	2	3	10	1	52	39	-	-	22	17
Balance of county	109	-	-	3	25	3	11	2	5	1	1	2	2	43	34	-	2	27	5
Carter	515	1	-	4	99	16	28	11	12	2	3	27	6	266	201	2	5	142	52
Ardmore	345	1	-	4	66	9	23	8	6	1	1	18	5	179	129	2	3	86	38
Balance of county	170	-	-	-	33	7	5	3	6	1	2	9	1	87	72	-	2	56	14
Cherokee	301	-	-	3	56	17	17	1	4	1	2	14	6	135	98	-	1	69	28
Choctaw	188	-	-	3	38	8	11	1	4	1	-	13	7	88	77	-	4	54	19
Cimarron	43	-	-	-	11	4	1	-	3	1	-	2	-	18	16	-	1	9	6
Cleveland	752	1	-	12	162	41	45	17	18	10	4	27	10	327	259	3	5	186	65
Moore	172	-	-	5	44	7	16	1	10	1	2	7	5	64	56	1	-	35	20
Norman	438	1	-	5	86	25	22	14	3	6	2	14	4	198	156	2	2	120	32
Oklahoma City, part	22	-	-	-	5	2	-	1	-	1	-	1	-	9	5	-	-	4	1
Balance of county	120	-	-	2	27	7	7	1	5	2	-	5	1	56	42	-	3	27	12
Coal	91	-	-	2	13	4	3	-	2	1	-	3	1	45	43	1	1	22	19
Comanche	683	-	-	6	145	37	44	9	17	5	3	30	11	272	206	2	3	169	32
Lawton	548	-	-	4	121	30	37	7	14	5	3	25	9	217	166	1	2	139	24
Balance of county	135	-	-	2	24	7	7	2	3	-	-	5	2	55	40	1	1	30	8
Cotton	99	1	-	1	22	5	6	2	2	-	1	6	2	50	39	-	-	16	23
Craig	205	-	-	2	42	11	15	4	4	-	-	8	2	109	81	1	-	56	14
Creek	564	-	-	5	113	17	48	7	9	7	5	20	10	288	225	3	2	169	57
Sapulpa	215	-	-	2	41	6	16	3	4	5	1	6	5	116	85	-	1	69	15
Balance of county	349	-	-	3	72	11	32	4	5	2	4	14	5	172	140	3	1	94	42
Custer	266	-	-	9	41	9	14	2	4	1	2	9	7	121	100	-	4	75	21
Delaware	293	-	-	1	68	21	20	5	5	4	2	11	4	154	120	-	-	90	30
Dewey	90	-	-	2	14	3	6	1	2	-	-	2	-	44	31	1	-	23	7
Ellis	67	-	-	1	17	1	4	2	3	2	1	4	-	37	27	-	-	17	10
Garfield	639	1	-	10	125	38	30	9	12	4	7	25	13	319	240	1	4	159	76
Enid	526	1	-	7	105	34	26	8	10	3	4	20	10	262	201	1	4	133	63
Balance of county	113	-	-	3	20	4	4	1	2	1	3	5	3	57	39	-	-	26	13
Garvin	392	1	-	9	78	15	27	5	11	1	1	18	1	209	157	-	1	92	64
Grady	399	-	-	4	68	20	21	2	8	2	1	14	4	217	157	2	6	117	32
Chickasha	208	-	-	4	30	12	9	1	2	-	1	5	1	130	101	1	4	74	22
Balance of county	191	-	-	-	38	8	12	1	6	2	-	9	3	87	56	1	2	43	10
Grant	90	-	-	1	26	7	9	3	2	-	2	3	3	38	31	-	1	24	6
Greer	114	-	-	-	16	3	7	-	2	-	1	3	2	56	44	-	-	27	17
Harmon	68	-	-	-	14	6	-	1	4	-	1	2	-	39	30	1	-	24	5
Harper	61	-	-	-	9	2	3	1	-	1	1	1	-	40	26	-	1	17	8
Haskell	134	-	-	-	35	9	8	6	3	-	3	6	2	66	53	-	-	41	12
Hughes	222	-	-	4	44	12	11	5	4	-	2	10	2	126	107	2	-	83	22
Jackson	247	-	-	3	31	5	13	2	4	-	-	7	4	136	95	1	1	59	34
Altus	187	-	-	3	21	5	9	1	3	-	-	3	4	94	63	1	1	34	27
Balance of county	60	-	-	-	10	-	4	1	1	-	-	4	-	42	32	-	-	25	7
Jefferson	130	-	-	1	19	4	5	2	3	-	1	4	1	87	69	2	1	48	18
Johnston	148	-	-	2	26	7	8	3	3	-	-	5	2	86	71	-	-	59	12
Kay	607	-	-	5	141	30	49	10	17	7	4	24	12	314	231	-	-	175	56
Ponca City	328	-	-	5	78	15	29	3	10	4	1	16	8	163	118	-	-	87	31
Balance of county	279	-	-	-	63	15	20	7	7	3	3	8	4	151	113	-	-	88	25
Kingfisher	154	-	-	1	25	5	6	2	4	1	-	7	2	82	70	-	1	51	18
Kiowa	192	-	-	4	29	6	12	2	2	-	2	5	4	99	85	2	-	66	17
Latimer	114	-	-	-	23	1	9	2	2	2	3	4	1	68	57	1	-	32	24
Le Flore	496	-	-	1	93	29	26	1	11	2	2	22	6	261	220	-	4	173	43
Lincoln	303	-	-	4	63	10	23	7	7	3	7	6	9	165	138	-	4	105	29
Logan	304	-	-	2	59	14	14	8	7	2	1	13	3	172	114	-	2	92	20
Guthrie	207	-	-	1	39	10	10	3	6	2	1	7	2	120	75	-	2	58	15
Balance of county	97	-	-	1	20	4	4	5	1	-	-	6	1	52	39	-	-	34	5
Love	73	-	-	-	16	5	3	-	1	1	1	5	1	35	28	-	1	18	9
McClain	195	-	-	3	33	3	13	4	4	2	3	4	2	100	76	1	2	61	12
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	195	-	-	3	33	3	13	4	4	2	3	4	2	100	76	1	2	61	12
McCurtain	420	1	-	6	75	26	21	4	6	2	2	14	4	200	173	1	2	125	45

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma	93	2,489	411	263	1,033	1,074	86	252	374	4	175	267	401	2,342	775	759	478	280	33
Urban places	56	1,377	214	134	478	575	49	145	153	3	108	181	219	1,269	293	365	267	167	16
Balance of area	37	1,112	197	129	555	499	37	107	221	1	67	86	182	1,073	482	394	211	113	17
Metropolitan counties	51	1,246	185	132	511	566	44	143	146	4	113	169	209	1,248	377	368	295	188	19
Urban places	43	953	151	101	361	436	34	115	101	3	92	151	163	964	222	264	212	144	16
Balance of area	8	293	34	31	150	130	10	28	45	1	21	18	46	284	155	102	83	44	3
Nonmetropolitan counties	42	1,243	226	131	522	508	42	109	228	-	62	98	192	1,094	398	393	183	92	14
Urban places	13	424	63	33	117	139	15	30	52	-	16	30	56	305	71	101	55	23	-
Balance of area	29	819	163	98	405	369	27	79	176	-	46	68	136	789	327	292	128	69	14
Adair	1	23	3	-	6	7	1	2	4	-	1	1	1	17	12	5	-	2	2
Alfalfa	1	10	2	1	6	2	1	1	5	-	-	-	-	11	1	2	1	-	-
Atoka	-	9	1	1	2	5	1	3	2	-	1	-	4	6	2	3	-	1	-
Beaver	-	2	-	-	2	3	1	-	-	-	-	1	-	2	5	1	-	1	-
Beckham	-	20	3	2	12	1	-	2	4	-	1	1	18	17	5	7	3	2	-
Blaine	2	15	2	4	12	9	-	2	3	-	-	1	4	20	8	3	2	-	-
Bryan	1	33	16	4	5	10	-	2	5	-	3	-	4	27	14	14	3	3	2
Durant	1	16	8	2	1	7	-	-	2	-	2	-	1	12	6	8	1	-	-
Balance of county	-	17	8	2	4	3	-	2	3	-	1	-	3	15	8	6	2	3	2
Caddo	4	26	2	7	13	18	2	7	5	-	1	2	11	31	17	7	4	-	-
Canadian	1	48	2	1	24	15	1	4	3	1	4	4	5	30	22	12	12	6	2
El Reno	-	27	2	1	10	8	-	4	1	1	1	1	3	16	6	3	2	2	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Yukon	1	12	-	-	8	4	-	-	1	-	3	3	2	9	9	5	5	1	-
Balance of county	-	9	-	-	6	3	1	-	1	-	-	-	-	4	7	4	5	3	2
Carter	3	49	10	3	17	16	2	3	7	-	2	1	12	45	9	13	5	6	1
Ardmore	3	40	7	-	10	12	2	3	3	-	1	1	11	29	3	8	2	5	-
Balance of county	-	9	3	3	7	4	-	-	4	-	1	-	1	16	6	5	3	1	1
Cherokee	-	26	8	3	14	9	3	3	4	-	2	-	3	36	8	10	4	5	-
Choctaw	-	10	-	1	7	10	-	1	5	-	1	-	5	10	4	7	1	1	-
Cimarron	-	2	-	-	4	-	-	-	1	-	-	1	-	5	2	1	-	-	-
Cleveland	2	56	6	4	32	29	1	4	5	-	6	11	14	68	27	19	21	3	-
Moore	-	7	-	1	5	8	-	-	2	-	1	3	4	18	5	2	6	-	-
Norman	2	34	4	2	20	17	1	4	3	-	5	8	6	37	18	13	10	2	-
Oklahoma City, part	-	4	-	-	-	1	-	-	-	-	-	-	1	3	3	-	-	-	-
Balance of county	-	11	2	1	7	3	-	-	-	-	-	-	3	10	1	4	5	1	-
Coal	-	2	-	-	4	4	-	-	1	-	-	-	5	9	2	-	5	-	-
Comanche	6	48	4	8	24	44	1	10	4	-	4	14	7	76	17	24	15	9	-
Lawton	5	35	4	7	15	38	1	9	4	-	4	13	6	61	9	17	12	8	-
Balance of county	1	13	-	1	9	6	-	1	-	-	-	1	1	15	8	7	3	1	-
Cotton	-	9	1	1	3	2	1	-	1	-	-	1	2	9	1	1	-	2	-
Craig	1	20	5	2	9	5	-	4	3	-	1	-	3	11	6	5	3	-	-
Creek	1	55	2	5	15	20	1	5	8	1	3	2	7	37	16	20	8	5	-
Sapulpa	-	26	1	4	3	10	-	2	3	1	1	2	1	17	1	6	3	1	-
Balance of county	1	29	1	1	12	10	1	3	5	-	2	-	6	20	15	14	5	4	-
Custer	-	12	4	5	14	8	1	4	6	-	4	2	4	17	12	11	3	2	-
Delaware	1	27	4	2	11	9	-	3	5	-	-	2	2	17	5	6	4	2	-
Dewey	-	12	-	1	4	6	-	-	-	-	1	1	-	9	2	4	2	1	-
Ellis	-	9	-	1	1	2	-	-	1	-	-	-	-	4	2	2	-	-	-
Garfield	-	60	13	6	27	27	4	3	7	-	4	4	8	45	14	10	11	7	-
Enid	-	46	11	4	20	25	3	2	3	-	4	2	7	40	11	7	11	6	-
Balance of county	-	14	2	2	7	2	1	1	4	-	-	2	1	5	3	3	-	1	-
Garvin	-	29	20	3	17	10	1	2	7	-	2	4	1	23	13	8	5	1	-
Grady	2	41	14	3	12	17	1	-	4	-	2	3	1	29	17	12	6	2	-
Chickasha	1	21	7	-	9	6	-	-	2	-	-	1	1	12	4	7	1	-	-
Balance of county	1	20	7	3	3	11	1	-	2	-	2	2	-	17	13	5	5	2	-
Grant	-	5	1	1	5	2	-	-	2	-	-	-	-	8	3	1	1	-	-
Greer	-	7	5	-	6	2	-	1	6	-	-	3	3	13	2	2	1	1	-
Harmon	-	9	-	-	1	1	-	-	1	-	1	-	1	6	2	1	1	-	-
Harper	1	12	-	1	-	6	-	-	1	-	-	-	-	3	1	1	-	-	-
Haskell	-	12	1	-	5	5	-	1	5	-	-	2	3	4	3	3	-	-	-
Hughes	-	16	2	1	7	9	1	-	7	-	-	-	-	16	-	1	2	1	-
Jackson	-	39	-	2	-	10	-	3	5	-	1	3	10	21	6	8	3	1	-
Altus	-	30	-	1	-	8	-	2	5	-	1	3	10	18	7	8	3	-	-
Balance of county	-	9	-	1	-	2	-	1	-	-	-	-	-	3	1	-	-	1	-
Jefferson	-	12	5	1	2	3	-	-	2	-	1	-	1	8	1	3	-	1	-
Johnston	-	14	-	1	3	6	-	-	1	-	-	2	-	9	5	2	2	1	1
Kay	4	62	9	8	15	24	-	3	4	-	-	4	8	36	10	20	9	2	-
Ponca City	2	38	4	3	5	13	-	1	2	-	-	4	6	24	3	12	3	1	-
Balance of county	2	26	5	5	10	11	-	2	2	-	-	-	2	12	7	8	6	1	-
Kingfisher	-	5	6	1	10	6	1	-	2	-	1	-	3	5	6	6	3	-	1
Kiowa	-	11	1	2	11	7	-	1	3	-	-	-	6	18	4	4	2	-	-
Latimer	-	8	2	1	3	2	-	2	1	-	-	1	-	5	2	3	1	2	-
Le Flore	-	31	6	4	25	22	-	12	5	-	2	4	4	26	16	11	5	3	-
Lincoln	-	23	1	3	13	9	-	-	3	-	-	2	1	14	7	8	5	-	-
Logan	1	54	3	-	14	11	1	2	3	-	1	1	3	15	6	4	5	2	-
Guthrie	-	45	-	-	7	8	1	2	2	-	1	1	2	11	3	4	2	1	-
Balance of county	1	9	3	-	7	3	-	-	1	-	-	-	1	4	3	-	3	1	-
Love	-	5	2	-	-	4	-	-	1	-	-	-	-	11	1	2	1	1	-
McClain	1	17	3	3	10	5	-	1	1	-	4	1	2	18	9	3	3	-	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	17	3	3	10	5	-	1	1	-	4	1	2	18	9	3	3	-	-
McCurtain	4	19	1	3	12	18	-	10	8	-	2	1	6	35	12	18	5	7	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
McIntosh	239	-	-	1	50	11	16	2	11	3	1	6	4	126	108	-	1	55	52
Major	84	-	-	-	13	1	2	3	2	1	-	4	4	47	39	-	1	18	20
Marshall	153	-	-	1	36	4	9	2	7	3	-	11	-	77	66	-	-	37	29
Mayes	367	-	-	7	74	21	28	-	10	2	4	9	5	191	142	-	-	113	29
Murray	156	-	-	2	26	3	7	4	3	1	1	7	1	89	74	-	-	50	24
Muskogee	815	1	-	14	175	36	57	16	22	2	7	35	10	400	303	1	6	226	70
Muskogee	564	-	-	11	113	20	34	13	15	2	3	26	7	291	216	1	4	170	41
Balance of county	251	1	-	3	62	16	23	3	7	-	4	9	3	109	87	-	2	56	29
Noble	149	1	-	1	25	5	9	1	4	-	1	5	1	80	60	-	1	37	22
Nowata	147	-	-	-	32	10	6	1	5	3	2	5	2	77	59	-	-	39	20
Okfuskee	154	1	-	1	21	3	6	4	2	-	-	6	4	87	80	-	2	73	5
Oklahoma	5,157	5	1	75	1,155	271	359	92	136	44	39	214	73	2,301	1,756	11	45	1,102	598
Bethany	175	-	-	1	32	6	18	2	3	-	1	2	3	92	76	-	2	51	23
Del City	181	-	-	-	51	12	18	5	7	-	5	6	-	70	60	-	2	30	28
Edmond	262	-	-	2	54	12	15	4	7	5	1	10	3	131	94	1	1	61	31
Midwest City	332	-	-	6	84	26	26	5	5	5	2	15	1	147	114	-	-	69	45
Oklahoma City, part	3,918	5	1	64	866	201	263	70	104	33	26	169	62	1,741	1,316	9	34	837	436
Oklahoma City, total	3,942	5	1	64	872	203	264	71	104	34	26	170	62	1,750	1,321	9	34	841	437
The Village	4	-	-	-	2	-	2	-	-	-	-	-	-	2	1	-	-	1	-
Balance of county	285	-	-	2	66	14	19	6	10	1	4	12	4	118	95	1	6	53	35
Okmulgee	497	-	-	11	106	22	34	9	16	5	3	17	4	236	188	-	1	164	23
Okmulgee	224	-	-	5	51	7	18	4	7	3	-	12	3	99	80	-	1	70	9
Balance of county	273	-	-	6	55	15	16	5	9	2	3	5	1	137	108	-	-	94	14
Osage	322	-	-	2	67	12	25	3	4	5	1	17	2	182	135	-	1	92	42
Bartlesville, part	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Sand Springs, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Tulsa, part	10	-	-	-	1	-	-	-	-	-	-	1	-	8	7	-	-	6	1
Balance of county	308	-	-	2	66	12	25	3	4	5	1	16	2	152	127	-	1	86	40
Ottawa	377	-	-	2	71	12	28	5	8	1	2	17	7	193	138	-	-	93	45
Miami	170	-	-	1	29	2	11	3	3	-	1	9	6	80	49	-	-	32	17
Balance of county	207	-	-	1	42	10	17	2	3	1	1	8	1	113	89	-	-	61	28
Pawnee	194	-	-	3	34	12	12	2	2	-	-	6	2	79	61	-	-	40	21
Payne	441	-	-	5	85	18	20	15	10	4	3	15	6	228	165	-	4	126	35
Stillwater	197	-	-	1	33	6	7	10	2	1	1	6	3	108	75	-	2	53	20
Balance of county	244	-	-	4	52	12	13	5	8	3	2	9	3	120	90	-	2	73	15
Pittsburg	471	-	-	3	98	24	26	6	7	5	5	25	4	233	182	-	1	122	59
McAlester	232	-	-	3	40	9	12	1	2	2	4	10	2	117	91	-	1	56	34
Balance of county	239	-	-	-	58	15	14	5	5	3	1	15	2	116	91	-	-	66	25
Pontotoc	397	1	-	6	78	16	20	8	13	3	5	13	7	190	131	-	1	97	33
Ada	245	1	-	6	47	13	9	3	9	3	2	8	3	116	75	-	-	56	19
Balance of county	152	-	-	-	31	3	11	5	4	-	3	5	4	74	56	-	1	41	14
Pottawatomie	618	1	-	9	128	29	37	8	15	6	8	25	7	309	225	2	4	156	63
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	363	1	-	5	75	20	17	4	8	3	5	18	5	193	140	2	2	94	42
Balance of county	255	-	-	4	53	9	20	4	7	3	3	7	2	116	85	-	2	62	21
Pushmataha	154	-	-	2	36	8	8	2	7	4	1	6	2	67	46	-	1	38	7
Roger Mills	58	-	-	1	12	5	4	-	-	-	-	3	-	27	27	-	-	21	6
Rogers	332	-	-	4	83	15	30	4	6	5	3	20	6	161	128	-	1	95	32
Claremore	155	-	-	2	33	6	11	-	3	1	1	11	2	82	60	-	-	50	10
Balance of county	177	-	-	2	50	9	19	4	3	4	2	9	4	79	68	-	1	45	22
Seminole	351	-	-	6	62	19	17	2	7	1	2	14	4	193	162	-	5	123	34
Sequoyah	297	-	-	2	64	12	23	2	4	7	6	10	5	143	123	-	1	77	45
Stephens	489	-	-	7	108	17	33	9	20	8	3	18	4	234	190	-	5	127	58
Duncan	269	-	-	5	83	8	22	6	11	4	2	10	2	128	97	-	1	68	28
Balance of county	220	-	-	2	45	9	11	3	9	4	1	8	2	106	93	-	4	59	30
Texas	136	-	-	-	25	3	9	2	3	1	1	6	-	57	44	-	1	24	19
Tillman	128	-	-	-	27	8	8	1	6	-	1	3	1	67	54	1	2	47	4
Tulsa	4,066	1	-	43	906	193	271	72	114	20	40	196	66	1,929	1,486	6	38	1,117	325
Broken Arrow, part	232	-	-	1	47	8	12	6	9	1	2	9	2	114	86	1	2	66	17
Broken Arrow, total	249	-	-	1	52	8	14	6	9	1	3	11	2	122	94	1	2	71	20
Sand Springs, part	165	1	-	6	34	6	12	1	2	1	2	10	2	92	71	-	3	56	12
Sand Springs, total	166	1	-	6	34	6	12	1	2	1	2	10	2	93	72	-	3	56	13
Tulsa, part	3,255	-	-	30	721	153	223	59	90	11	31	154	54	1,553	1,193	4	29	896	264
Tulsa, total	3,265	-	-	30	722	153	223	59	90	11	31	155	54	1,561	1,200	4	29	902	265
Balance of county	414	-	-	6	184	26	24	6	13	7	5	23	8	170	136	1	4	99	32
Wagoner	285	-	-	4	55	10	16	3	8	5	4	9	6	139	119	-	1	86	32
Broken Arrow, part	17	-	-	-	5	-	2	-	-	-	1	2	-	8	8	-	-	5	3
Balance of county	268	-	-	4	50	10	14	3	8	5	3	7	6	131	111	-	1	81	29
Washington	471	-	-	7	97	24	28	4	10	4	5	22	11	230	173	-	3	124	46
Bartlesville, part	335	-	-	5	62	14	17	3	7	2	3	16	10	189	129	-	2	91	36
Bartlesville, total	338	-	-	5	62	14	17	3	7	2	3	16	10	170	129	-	2	91	36
Balance of county	138	-	-	2	35	10	11	1	3	2	2	6	1	61	44	-	1	33	10
Washita	133	-	-	1	19	8	6	2	2	-	-	1	1	79	62	-	-	39	23
Woods	157	-	-	1	24	4	8	1	1	1	2	7	3	70	55	-	1	33	21
Woodward	174	-	-	2	41	11	10	3	3	1	2	11	3	81	66	-	1	42	23
Woodward	130	-	-	1	25	8	5	1	1	1	2	7	3	64	54	-	-	36	18
Balance of county	44	-	-	1	16	3	5	2	2	-	-	4	-	17	12	-	1	6	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
McIntosh	-	16	1	1	3	9	-	1	4	-	1	3	2	12	8	8	2	3	2
Major	-	6	1	1	1	1	-	1	1	-	-	-	1	11	4	-	-	-	-
Marshall	-	6	5	-	9	5	-	-	2	-	-	3	1	12	3	2	-	1	1
Mayes	1	41	4	3	11	12	-	2	7	-	1	1	2	32	13	3	2	4	-
Murray	1	9	4	1	5	6	1	2	1	-	-	3	2	12	1	2	3	-	-
Muskogee	1	78	12	6	25	33	5	6	13	-	6	5	12	48	19	20	13	9	1
Muskogee	1	61	7	6	17	27	5	4	9	-	5	4	8	29	5	12	11	6	-
Balance of county	-	17	5	-	8	6	-	2	4	-	1	1	4	19	14	8	2	3	1
Noble	-	19	1	-	7	9	-	-	-	-	2	1	1	14	3	3	1	-	-
Nowata	-	16	1	1	3	7	1	-	-	-	-	1	1	9	5	7	-	2	-
Okfuskee	-	1	3	3	7	4	-	-	1	-	1	4	-	15	4	3	1	-	-
Oklahoma	18	401	85	41	151	179	14	55	52	1	48	77	60	441	109	144	112	91	13
Bethany	-	15	1	-	3	5	-	-	2	-	1	-	2	19	1	6	5	2	1
Del City	-	9	1	-	4	9	-	5	2	-	3	4	2	17	3	5	4	2	-
Edmond	-	29	7	1	7	11	-	2	1	-	2	3	1	17	13	3	4	7	1
Midwest City	1	23	5	4	14	10	-	4	1	-	4	8	4	28	4	9	4	3	1
Oklahoma City, part	16	309	68	32	119	129	13	43	43	1	34	62	46	340	74	113	80	72	10
Oklahoma City, total	16	313	68	32	119	130	13	43	43	1	34	62	47	344	77	113	80	72	10
The Village	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	15	3	4	4	15	1	1	3	-	4	-	5	20	14	8	15	5	-
Okmulgee	3	35	4	6	20	20	2	8	10	-	2	2	6	33	13	14	7	3	-
Okmulgee	3	13	2	1	9	9	-	4	5	-	-	1	2	22	6	4	4	-	-
Balance of county	-	22	2	5	11	11	2	4	5	-	2	1	4	11	7	10	3	3	-
Osage	2	16	4	5	12	8	-	4	6	-	-	2	2	29	10	7	5	4	-
Bartlesville, part	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sand Springs, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tulsa, part	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	1	16	3	5	10	8	-	4	6	-	-	2	2	29	9	7	5	4	-
Ottawa	1	44	5	5	14	12	2	3	4	-	2	3	4	35	15	8	2	-	-
Miami	-	26	4	1	7	8	1	2	4	-	-	1	1	24	3	3	-	-	-
Balance of county	1	18	1	4	7	4	1	1	-	-	2	2	3	11	12	5	2	-	-
Pawnee	1	13	1	3	5	4	1	2	5	-	-	3	-	18	4	27	6	1	-
Payne	2	55	2	4	19	10	1	3	6	-	3	4	3	46	2	10	7	3	-
Stillwater	1	27	2	3	9	2	-	2	2	-	2	4	1	19	2	2	7	-	-
Balance of county	1	28	-	1	10	8	1	1	4	-	1	-	2	27	-	8	-	3	-
Pittsburg	1	35	12	3	19	19	2	6	8	-	1	-	4	34	18	7	11	4	-
McAlester	-	17	8	1	11	8	1	3	2	-	1	-	2	19	7	5	8	3	-
Balance of county	1	18	4	2	8	11	1	3	6	-	-	-	2	15	11	2	3	1	-
Pontotoc	-	49	4	6	23	14	1	3	5	-	2	3	1	37	9	9	4	3	1
Ada	-	33	3	5	16	9	-	2	2	-	2	1	1	26	2	7	2	2	-
Balance of county	-	16	1	1	7	5	1	1	3	-	-	2	-	11	7	2	2	1	1
Pottawatomie	1	72	3	8	36	24	4	4	5	-	2	2	10	37	12	14	10	4	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	1	44	2	6	23	13	-	4	4	-	2	2	6	16	3	4	4	3	-
Balance of county	-	28	1	2	13	11	4	-	1	-	-	-	4	21	9	10	6	1	-
Pushmataha	-	19	-	2	5	3	1	3	2	-	3	3	-	11	7	3	3	2	1
Roger Mills	-	-	-	-	2	3	-	-	-	-	-	-	1	3	5	1	3	-	-
Rogers	-	24	5	4	11	8	1	-	3	-	1	1	2	21	13	9	4	4	-
Claremore	-	14	4	4	6	6	-	-	-	-	1	-	1	14	4	3	1	-	-
Balance of county	-	10	1	-	5	2	1	-	3	-	-	1	1	7	9	6	3	4	-
Seminole	1	23	4	3	14	6	1	1	6	-	1	2	4	25	5	13	4	1	1
Sequoyah	1	17	2	-	11	11	-	-	1	-	1	3	6	23	12	8	4	3	-
Stephens	2	31	7	4	18	26	-	1	7	-	1	-	7	40	17	10	5	4	-
Duncan	1	21	5	4	9	12	-	-	2	-	-	-	5	25	9	6	1	2	-
Balance of county	1	10	2	-	9	14	-	1	5	-	1	-	2	15	8	4	4	2	-
Texas	1	6	4	2	7	8	1	1	-	-	3	5	2	13	6	4	4	-	-
Tillman	1	8	4	-	2	2	-	-	2	-	-	2	3	13	2	2	2	3	-
Tulsa	16	346	43	38	112	156	17	38	36	1	31	43	76	340	72	76	75	44	4
Broken Arrow, part	-	21	4	3	5	10	-	-	3	-	2	6	3	23	5	3	6	1	1
Broken Arrow, total	-	21	4	3	5	11	-	1	3	-	2	6	3	25	5	3	6	1	1
Sand Springs, part	1	17	2	1	2	2	-	-	3	-	1	-	1	13	1	5	2	-	-
Sand Springs, total	1	17	2	1	2	2	-	-	3	-	1	-	1	13	1	5	2	-	-
Tulsa, part	15	280	34	31	95	129	16	35	25	-	23	34	67	273	51	60	53	34	2
Tulsa, total	15	280	35	31	95	129	16	35	25	-	23	34	67	273	52	60	53	34	2
Balance of county	-	28	3	3	10	15	1	3	5	1	5	3	5	31	15	8	14	9	1
Wagoner	1	14	3	2	10	6	-	1	3	-	2	-	4	25	15	6	8	1	-
Broken Arrow, part	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-
Balance of county	1	14	3	2	10	5	-	-	3	-	2	-	4	23	15	6	8	1	-
Washington	-	41	8	8	12	11	2	4	8	-	2	4	8	34	13	19	7	2	-
Bartlesville, part	-	29	5	6	6	6	2	4	5	-	1	4	4	27	8	13	7	2	-
Bartlesville, total	1	29	5	6	8	6	2	4	5	-	1	4	4	27	8	13	7	2	-
Balance of county	-	12	3	2	6	5	-	-	3	-	1	-	4	7	5	6	-	-	-
Washita	-	11	5	1	3	5	-	-	8	-	-	1	1	5	4	5	1	-	-
Woods	1	10	3	1	15	7	-	1	1	-	3	1	2	20	4	4	1	-	-
Woodward	-	13	1	1	2	4	3	1	6	-	-	5	1	10	7	3	4	1	-
Woodward	-	9	1	-	1	4	3	1	5	-	-	5	1	8	3	2	3	1	-
Balance of county	-	4	-	1	1	-	-	-	1	-	-	-	-	2	4	1	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon	23,896	13	2	200	5,389	1,274	1,538	424	655	226	235	1,037	322	11,089	8,294	103	226	6,256	1,709
Urban places	11,178	7	1	103	2,432	564	664	209	285	98	108	484	156	5,236	3,840	45	117	2,893	785
Balance of area	12,718	6	1	97	2,957	690	874	215	370	128	127	553	166	5,833	4,454	58	109	3,363	924
Metropolitan counties	15,088	8	1	140	3,375	782	994	268	412	132	151	636	194	7,070	5,257	71	160	3,990	1,036
Urban places	8,727	6	-	84	1,904	443	537	164	219	75	90	376	117	4,118	3,022	40	94	2,305	563
Balance of area	6,361	2	1	56	1,471	339	457	104	193	57	61	260	77	2,952	2,235	31	66	1,685	453
Nonmetropolitan counties	8,808	5	1	60	2,014	492	544	156	243	94	84	401	128	3,999	3,037	32	66	2,266	673
Urban places	2,451	1	1	19	528	141	127	45	66	23	18	108	39	1,118	818	5	23	588	202
Balance of area	6,357	4	-	41	1,486	351	417	111	177	71	66	293	89	2,881	2,219	27	43	1,678	471
Baker	175	-	-	3	32	12	7	-	1	2	2	8	1	83	70	-	1	56	13
Benton	403	-	-	4	82	21	16	6	12	4	2	21	8	196	145	1	4	95	45
Albany, part	5	-	-	-	2	1	-	-	-	-	-	1	-	2	2	-	-	1	1
Corvallis	244	-	-	2	44	14	8	4	5	2	-	11	6	129	100	1	3	66	30
Balance of county	154	-	-	2	36	6	8	2	7	2	2	9	2	65	43	-	1	28	14
Clackamas	1,934	1	-	22	423	85	123	39	56	20	15	85	19	917	696	8	30	539	119
Lake Oswego, part	155	-	-	2	46	10	10	10	5	2	2	7	1	75	61	2	1	51	7
Lake Oswego, total	161	-	-	2	46	10	10	10	5	2	2	7	1	78	63	2	1	52	8
Milwaukie, part	226	-	-	3	46	8	13	4	7	2	2	10	2	109	85	2	3	63	17
Milwaukie, total	226	-	-	3	46	9	13	4	7	2	2	10	2	109	85	2	3	63	17
Oregon City	144	-	-	2	25	4	6	3	4	1	-	7	1	65	45	-	2	32	11
Portland, part	19	-	-	-	4	1	2	-	-	1	-	-	-	8	7	-	-	4	3
West Linn	78	-	-	-	20	5	3	2	3	1	2	4	1	34	29	-	-	28	1
Balance of county	1,312	1	-	15	282	57	89	20	37	13	9	57	14	626	469	4	24	361	80
Clatsop	356	1	-	1	91	14	34	7	11	4	2	19	2	158	115	-	1	97	17
Columbia	291	-	-	2	64	16	19	5	11	3	2	8	5	143	115	1	1	89	24
Coos	631	-	-	3	125	34	40	8	9	8	5	21	8	289	220	4	1	168	47
Coos Bay	172	-	-	1	37	11	13	3	2	3	2	3	2	71	55	-	1	46	8
Balance of county	459	-	-	2	88	23	27	5	7	5	3	18	6	218	165	4	-	122	39
Crook	138	-	-	1	29	3	10	1	5	-	-	10	-	70	47	1	-	39	7
Curry	214	-	-	-	68	13	24	4	6	5	4	12	3	83	65	-	1	30	34
Deschutes	562	-	-	8	126	37	32	17	14	4	3	19	4	224	166	1	1	122	42
Bend	193	-	-	2	41	12	8	7	5	2	-	7	2	78	58	-	1	40	17
Balance of county	369	-	-	6	85	25	24	10	9	2	3	12	2	146	108	1	-	82	25
Douglas	907	-	-	3	204	57	65	14	21	11	3	33	19	431	331	3	6	219	103
Roseburg	273	-	-	-	55	16	20	2	9	-	-	8	5	135	99	-	2	68	29
Balance of county	634	-	-	3	149	41	45	12	12	11	3	25	14	296	232	3	4	151	74
Gilliam	18	-	-	-	3	2	-	-	-	1	-	-	-	10	9	-	1	8	-
Grant	78	-	-	-	17	2	5	6	1	1	1	1	-	42	37	-	-	30	7
Harney	81	-	-	1	18	3	8	-	1	-	2	4	-	32	27	-	1	17	9
Hood River	165	-	-	1	50	9	14	5	8	2	1	11	2	64	48	1	2	31	14
Jackson	1,233	-	-	5	272	62	86	15	41	9	9	50	19	563	417	3	6	304	104
Ashland	102	-	-	1	26	5	6	-	8	-	1	6	-	43	30	-	-	23	7
Medford	455	-	-	1	90	22	23	7	10	5	3	20	9	228	161	2	2	114	43
Balance of county	676	-	-	3	156	35	57	8	23	4	5	24	10	292	226	1	4	167	54
Jefferson	97	-	-	1	15	4	5	-	1	-	-	5	1	44	30	-	1	24	5
Josephine	689	-	-	7	164	29	41	15	27	13	9	30	7	315	231	1	10	174	46
Grants Pass	238	-	-	4	65	16	13	6	11	7	2	10	3	111	67	1	5	42	19
Balance of county	451	-	-	3	99	13	28	9	16	6	7	20	4	204	164	-	5	132	27
Klamath	541	-	-	4	131	28	34	11	19	5	7	27	10	245	184	2	3	139	40
Klamath Falls	222	-	-	2	55	11	14	4	10	1	1	14	3	90	68	1	-	49	18
Balance of county	319	-	-	2	76	17	20	7	9	4	6	13	7	155	116	1	3	90	22
Lake	57	-	-	-	13	4	6	1	2	-	-	-	-	27	23	-	-	19	4
Lane	2,198	1	-	10	499	129	132	39	60	24	30	85	41	1,018	743	7	18	586	134
Eugene	926	-	-	2	210	49	46	18	28	15	16	38	17	419	306	2	10	243	51
Springfield	362	1	-	3	60	15	22	5	6	1	3	8	8	184	122	-	1	99	22
Balance of county	910	-	-	5	229	65	64	16	26	8	11	39	16	415	315	5	5	244	61
Lincoln	467	2	-	-	108	32	29	6	13	-	6	22	5	220	169	3	5	136	25
Linn	778	-	-	4	201	55	53	15	20	5	9	44	17	348	279	5	6	210	58
Albany, part	252	-	-	2	70	20	17	5	7	2	2	17	6	101	80	-	3	63	14
Albany, total	257	-	-	2	72	21	17	5	7	2	2	18	6	103	82	-	3	64	15
Lebanon	128	-	-	2	26	5	10	3	2	-	3	3	1	66	53	-	-	38	15
Balance of county	398	-	-	-	105	30	26	7	11	3	4	24	10	181	146	5	3	109	29
Malheur	242	1	-	1	52	14	9	3	6	5	4	11	2	130	104	3	1	84	16
Marion	1,912	-	-	16	420	86	124	34	57	18	27	74	21	936	699	15	25	516	143
Salem, part	916	-	-	9	196	37	61	18	22	5	15	38	13	441	331	5	11	252	63
Salem, total	1,034	-	-	9	229	45	71	19	26	7	17	44	14	498	377	5	12	294	66
Woodburn	167	-	-	-	43	9	11	1	7	5	3	7	1	91	67	3	3	39	22
Balance of county	829	-	-	7	181	40	52	15	28	8	9	29	7	404	301	7	11	225	56
Morrow	54	-	-	-	13	4	6	-	1	-	-	2	1	23	16	-	4	9	3
Multnomah	5,745	6	1	67	1,275	299	400	98	138	46	48	246	64	2,583	1,992	30	71	1,474	417
Gresham	255	1	-	2	42	9	14	4	4	3	2	6	1	141	102	2	2	75	23
Lake Oswego, part	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	4,003	4	-	51	900	220	271	71	93	28	30	187	50	1,833	1,353	20	56	1,011	268
Portland, total	4,050	4	-	51	913	222	275	72	95	29	31	189	50	1,851	1,368	20	56	1,023	269
Balance of county	1,483	1	1	14	333	70	115	23	41	15	16	53	13	707	536	8	13	388	127
Polk	407	-	-	2	93	24	30	4	9	4	4	18	8	205	155	2	3	128	22
Salem, part	118	-	-	-	33	8	10	1	4	2	2	6	1	57	46	-	1	42	3
Balance of county	289	-	-	2	60	16	20	3	5	2	2	12	7	148	109	2	2	86	19
Sherman	13	-	-	-	2	1	1	-	-	-	-	-	-	9	8	-	-	6	2
Tillamook	221	-	-	2	63	16	18	4	7	3	-	15	2	82	59	1	-	52	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	83	1,995	424	273	849	1,089	75	280	160	5	150	130	368	1,966	610	624	418	122	55
Urban places	45	1,015	217	119	407	492	31	149	83	4	82	60	179	963	233	287	173	70	30
Balance of area	38	980	207	154	442	597	44	131	77	1	68	70	189	1,003	377	337	245	52	25
Metropolitan counties	61	1,290	284	168	525	663	42	182	102	4	92	92	232	1,252	350	381	247	83	43
Urban places	36	783	184	93	307	371	26	121	67	3	60	48	142	735	172	227	133	56	30
Balance of area	25	507	110	75	218	292	16	71	35	1	32	44	90	517	178	154	114	27	13
Nonmetropolitan counties	22	705	130	105	324	426	33	88	58	1	58	38	136	714	260	243	171	39	12
Urban places	9	232	33	26	100	121	5	28	16	1	22	12	37	228	61	60	40	14	-
Balance of area	13	473	97	79	224	305	28	60	42	-	36	26	99	486	199	183	131	25	12
Baker	1	8	2	2	12	16	1	-	2	-	2	-	1	13	2	4	3	-	-
Benton	-	38	8	5	18	21	-	6	2	-	1	6	2	30	9	7	6	3	2
Albany, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Corvallis	-	25	3	1	11	10	-	4	2	-	1	5	2	16	3	3	3	3	-
Balance of county	-	13	5	4	7	11	-	2	-	-	-	1	-	14	6	3	3	-	2
Clackamas	7	158	37	19	83	90	5	16	10	1	13	13	16	157	60	46	34	5	3
Lake Oswego, part	1	10	3	-	7	5	-	2	1	-	-	-	-	6	5	1	3	-	1
Lake Oswego, total	1	11	3	-	7	6	-	2	1	-	-	-	1	6	6	1	3	-	1
Milwaukie, part	1	19	3	1	11	7	-	2	1	-	3	1	3	25	6	4	2	-	1
Milwaukie, total	1	19	3	1	11	7	-	2	1	-	3	1	3	25	6	4	2	-	1
Oregon City	-	10	10	-	6	9	1	1	4	-	-	-	-	17	4	7	1	1	-
Portland, part	-	1	-	-	-	2	-	-	-	-	-	-	-	3	1	-	1	-	-
West Linn	-	3	1	1	3	4	1	-	-	-	1	1	-	7	2	1	3	-	-
Balance of county	5	115	20	17	56	63	3	11	4	1	9	11	13	99	42	33	24	4	1
Clatsop	-	32	8	3	12	13	2	6	3	-	1	1	7	31	5	14	8	-	-
Columbia	1	23	2	2	11	13	1	-	2	-	-	4	3	17	11	12	2	1	-
Coos	2	49	6	12	24	30	2	8	8	-	4	4	17	55	16	20	12	2	4
Coos Bay	1	12	1	2	4	11	1	1	-	-	2	1	6	22	1	5	5	2	-
Balance of county	1	37	5	10	20	19	1	7	8	-	2	3	11	33	15	15	7	-	4
Crook	1	5	17	-	9	3	-	1	-	-	2	1	-	5	3	5	8	1	-
Curry	-	13	6	-	1	11	-	2	1	-	1	1	2	21	9	6	5	-	-
Deschutes	2	43	9	4	20	31	4	7	5	-	6	1	8	61	23	17	16	1	-
Bend	1	15	2	2	10	10	-	5	2	-	4	1	1	17	9	7	3	1	-
Balance of county	1	28	7	2	10	21	4	2	3	-	2	-	7	44	14	10	13	-	-
Douglas	5	65	9	21	37	57	4	6	2	-	6	4	8	52	28	23	16	4	3
Roseburg	2	26	3	5	13	18	1	3	-	-	4	2	3	19	8	4	3	-	-
Balance of county	3	39	6	16	24	39	3	3	2	-	2	2	5	33	20	19	13	4	3
Gilliam	-	1	-	-	-	1	-	1	-	-	-	-	1	-	2	-	-	-	-
Grant	-	4	-	1	4	2	2	-	1	-	1	-	2	3	1	3	-	-	-
Harney	-	5	-	-	2	2	-	1	1	-	-	-	2	11	4	3	3	1	-
Hood River	1	13	1	1	1	7	-	2	1	-	-	1	5	21	2	5	2	1	-
Jackson	4	103	21	18	39	57	5	14	4	-	4	12	42	89	33	51	16	6	2
Ashland	-	11	2	-	4	4	-	2	1	-	-	1	2	10	2	4	2	-	-
Medford	1	47	8	11	14	17	4	2	3	-	3	5	14	34	4	17	6	3	1
Balance of county	3	45	11	7	21	36	1	10	-	-	1	6	26	45	27	30	8	3	1
Jefferson	-	10	1	3	4	5	1	1	-	-	-	2	1	6	4	7	4	1	-
Josephine	2	66	11	5	25	35	1	9	2	-	2	3	14	57	11	21	13	3	-
Grants Pass	2	33	6	3	11	6	-	1	-	-	1	-	4	21	2	6	3	-	-
Balance of county	-	33	5	2	14	29	1	8	2	-	1	3	10	36	9	15	10	3	-
Klamath	1	46	9	5	14	20	2	5	-	-	8	2	4	43	25	14	9	5	-
Klamath Falls	-	16	4	2	4	11	-	4	-	-	2	1	1	20	13	8	6	2	-
Balance of county	1	30	5	3	10	9	2	1	-	-	6	1	3	23	12	6	3	3	-
Lake	-	4	-	-	2	5	-	-	-	-	-	-	1	5	2	-	2	-	-
Lane	11	177	51	38	80	103	5	27	14	-	18	15	29	173	56	58	39	6	6
Eugene	3	69	25	16	42	42	4	10	7	-	8	10	18	73	16	23	19	3	3
Springfield	1	46	8	7	11	17	-	5	1	-	7	2	3	26	15	13	4	2	-
Balance of county	7	62	18	13	27	44	1	12	6	-	3	3	8	74	25	22	16	1	3
Lincoln	-	35	10	6	25	19	1	7	3	-	2	2	7	36	10	13	5	-	2
Linn	-	59	5	5	31	30	1	9	5	-	8	1	6	63	26	12	11	5	-
Albany, part	-	18	1	2	11	12	-	4	2	-	4	1	2	19	6	5	4	3	-
Albany, total	-	18	1	2	11	12	-	4	2	-	4	1	2	19	6	6	4	3	-
Lebanon	-	10	2	1	4	6	-	1	2	-	-	-	2	13	4	-	-	1	-
Balance of county	-	31	2	2	16	12	1	4	1	-	4	-	2	31	16	7	7	1	-
Malheur	-	17	4	5	8	11	1	-	5	-	1	-	2	12	6	5	5	-	-
Marion	8	171	34	24	59	79	4	19	15	-	16	11	35	152	48	34	37	9	1
Salem, part	2	84	13	11	23	46	-	13	7	-	8	5	17	73	21	18	19	6	1
Salem, total	2	94	14	11	28	50	-	14	10	-	9	5	18	80	23	20	20	8	1
Woodburn	1	20	2	1	7	5	-	1	-	-	1	-	2	13	1	1	1	-	-
Balance of county	5	67	19	12	29	28	4	5	8	-	7	6	16	66	26	15	17	3	-
Morrow	-	4	3	-	1	3	-	1	-	-	2	1	1	4	1	-	2	1	-
Multnomah	25	499	117	50	206	245	21	96	43	3	32	28	82	495	107	142	77	45	27
Gresham	2	32	5	-	7	6	1	3	3	-	2	-	5	20	14	7	-	-	-
Lake Oswego, part	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	19	341	85	35	142	170	15	70	31	3	23	18	62	344	62	110	57	36	22
Portland, total	19	344	85	35	142	173	15	70	31	3	24	18	62	352	63	110	59	36	23
Balance of county	4	125	27	15	57	68	5	23	9	-	7	10	14	131	31	25	20	9	5
Polk	-	40	6	4	10	16	1	3	4	-	5	1	2	35	6	7	6	3	-
Salem, part	-	10	1	-	3	4	-	1	3	-	1	-	1	7	2	2	1	2	-
Balance of county	-	30	5	4	7	12	1	2	1	-	4	1	1	28	4	5	5	1	-
Sherman	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tillamook	-	16	3	4	5	14	3	5	-	-	-	1	5	18	9	5	7	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-068, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Umatilla	593	-	-	4	119	22	23	13	16	12	7	26	15	254	192	1	5	154	32
Pendleton	158	-	-	-	34	6	5	4	4	5	2	8	1	61	44	-	2	29	13
Balance of county	435	-	-	4	85	16	18	9	12	7	5	18	14	193	148	1	3	125	19
Union	205	1	-	1	40	12	8	3	5	-	1	11	4	85	59	1	1	45	12
La Grande	112	1	-	-	19	5	3	3	1	-	1	6	1	49	35	1	1	28	5
Balance of county	93	-	-	1	21	7	5	-	4	-	-	5	3	36	24	-	-	17	7
Wallowa	60	-	-	1	17	4	1	3	3	1	1	4	1	24	18	-	1	13	4
Wasco	228	-	1	2	52	12	11	1	5	2	5	16	3	105	87	2	9	58	20
City of the Dalles	150	-	1	1	31	9	5	1	3	1	2	10	3	72	58	1	5	40	12
Balance of county	78	-	-	1	21	3	6	-	2	1	3	6	-	33	29	1	4	16	8
Washington	1,659	-	-	18	393	97	99	39	51	11	18	78	22	748	555	6	9	443	97
Beaverton	257	-	-	2	58	15	12	10	5	2	3	11	3	113	82	-	-	68	14
Forest Grove	127	-	-	1	22	9	5	1	2	-	-	5	1	74	52	1	1	42	8
Hillsboro	201	-	-	4	37	8	9	4	3	-	4	9	5	93	68	-	1	56	11
Lake Oswego, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Portland, part	28	-	-	-	9	1	2	1	2	-	1	2	-	10	8	-	-	8	-
Tigard	182	-	-	1	37	8	11	4	6	2	1	5	3	97	65	1	-	54	10
Balance of county	862	-	-	10	230	56	60	19	33	7	9	46	10	360	279	4	7	214	54
Wheeler	21	-	-	1	3	2	-	-	1	-	-	-	-	12	9	-	-	8	1
Yamhill	523	-	-	5	112	30	25	8	17	3	8	21	8	251	174	1	-	136	37
McMinnville	185	-	-	1	32	9	7	2	6	-	2	6	5	93	54	-	-	42	12
Newberg	119	-	-	2	17	6	4	1	1	-	1	4	1	60	45	-	-	36	9
Balance of county	219	-	-	2	63	15	14	5	10	3	5	11	2	98	75	1	-	58	16
Pennsylvania	123,854	68	3	1,818	28,019	7,335	7,296	2,455	2,957	1,192	1,047	5,737	2,613	60,149	48,936	459	1,137	32,322	15,018
Urban places	64,608	45	2	1,235	14,878	3,873	3,985	1,343	1,576	610	494	2,997	1,263	30,205	24,484	242	616	15,691	7,935
Balance of area	59,246	23	1	583	13,141	3,462	3,311	1,112	1,381	582	553	2,740	1,350	29,944	24,452	217	521	16,631	7,083
Metropolitan counties	101,247	57	3	1,619	23,221	6,089	6,127	2,008	2,442	974	864	4,717	2,065	48,656	39,639	393	973	25,642	12,631
Urban places	61,131	43	2	1,206	14,138	3,682	3,821	1,275	1,492	576	460	2,832	1,178	28,386	23,031	233	591	14,642	7,585
Balance of area	40,116	14	1	413	9,083	2,407	2,306	733	950	398	404	1,885	887	20,270	16,608	160	382	11,000	5,066
Nonmetropolitan counties	22,607	11	-	199	4,798	1,246	1,169	447	515	218	183	1,020	548	11,493	9,297	66	164	6,680	2,387
Urban places	3,477	2	-	29	740	191	164	68	84	34	34	165	85	1,819	1,453	9	25	1,049	370
Balance of area	19,130	9	-	170	4,058	1,055	1,005	379	431	184	149	855	463	9,674	7,844	57	139	5,631	2,017
Adams	670	-	-	10	134	28	33	22	12	4	7	28	26	353	282	3	13	144	122
Allegheny	15,668	9	-	174	3,709	969	1,048	319	373	137	133	730	364	7,863	6,489	71	154	4,531	1,733
Baldwin	206	-	-	2	51	9	20	6	1	4	1	10	4	104	92	2	2	66	22
Bellevue	140	-	-	4	31	13	8	-	1	2	-	7	3	71	57	-	2	47	8
Bethel Park	242	-	-	1	60	10	17	9	5	3	2	14	3	128	97	2	1	77	17
Brentwood	111	-	-	3	16	3	8	-	1	-	1	3	2	63	53	-	2	44	7
Carnegie	170	1	-	2	38	11	8	5	8	-	1	5	3	94	83	-	-	63	20
Castle Shannon	99	-	-	-	22	4	7	2	5	-	2	2	3	53	45	-	1	32	12
Clairton	193	-	-	3	33	13	7	2	2	2	1	6	2	99	73	1	1	51	20
Dormont	102	-	-	1	28	9	9	-	4	-	1	5	1	56	43	3	-	25	15
Duquesne	150	-	-	2	35	12	7	4	4	1	2	5	6	73	60	1	3	43	13
Elizabeth township#	128	-	-	3	33	7	8	2	4	2	1	9	7	65	47	1	1	29	16
Harrison township#	163	-	-	3	34	12	10	2	1	2	-	7	1	88	74	-	1	61	12
McCandless township#	207	-	-	1	55	16	14	9	8	2	2	4	7	104	84	3	1	65	15
McKeesport	531	-	-	4	124	40	39	9	12	5	3	16	10	256	222	2	4	157	59
Monroeville	251	-	-	2	67	15	17	9	7	2	5	12	5	115	94	1	-	69	24
Mount Lebanon township#	342	-	-	4	80	17	19	11	10	4	-	19	8	182	147	2	7	121	17
Munhall	165	-	-	2	35	12	9	5	1	2	-	6	2	86	68	1	-	55	12
North Versailles township#	147	-	-	3	34	7	10	4	5	3	-	5	7	75	62	1	1	49	11
Penn Hills township#	423	1	-	4	115	30	37	5	7	11	3	22	10	195	158	3	3	108	44
Pittsburgh	5,436	5	-	74	1,295	335	391	97	129	41	45	257	125	2,668	2,203	18	57	1,435	693
Plum	126	-	-	1	38	13	9	4	3	-	3	6	2	50	33	2	-	23	8
Ross township#	397	-	-	4	91	20	24	11	11	3	4	16	8	183	149	1	3	113	32
Scott township#	177	-	-	2	45	7	15	7	5	2	4	5	3	87	74	1	2	59	12
Shaler township#	260	-	-	1	64	15	11	3	11	2	1	21	6	131	106	1	3	71	31
South Park township#	61	-	-	1	13	4	4	1	2	-	-	2	4	31	25	-	1	16	8
Swissvale	143	-	-	2	45	11	11	6	2	2	3	10	3	68	57	-	1	42	14
Upper St. Clair township#	103	-	-	-	24	6	3	4	4	1	1	5	2	55	45	2	-	34	9
West Mifflin	261	-	-	3	61	22	14	6	5	-	5	9	5	134	106	-	2	78	26
Whitehall	146	-	-	1	41	10	9	4	4	1	1	12	1	69	55	2	1	39	13
Wilkinsburg	259	-	-	1	63	11	17	10	8	2	3	12	6	128	109	1	1	77	30
Balance of county	4,589	2	-	40	1,038	275	286	82	103	38	38	216	115	2,352	1,968	20	53	1,382	513
Armstrong	859	-	-	6	172	37	43	14	22	11	5	40	12	453	389	1	8	307	79
Beaver	1,933	-	-	9	465	117	126	35	46	31	24	86	51	969	791	7	19	580	185
Aliquippa	213	-	-	1	56	18	18	3	6	5	2	4	6	108	83	-	1	72	10
Beaver Falls	191	-	-	3	33	7	9	4	4	-	1	8	3	102	83	-	6	57	20
Balance of county	1,529	-	-	5	376	92	99	28	36	26	21	74	42	759	625	7	12	451	155
Bedford	484	-	-	1	110	29	17	11	16	6	6	26	5	245	191	2	2	147	40
Berks	3,233	-	1	37	724	212	202	53	55	32	29	141	69	1,650	1,363	7	50	744	562
Muhlenberg township#	136	-	-	-	35	11	13	3	2	-	-	6	5	63	52	-	-	32	20
Reading	1,058	-	1	13	240	68	84	9	21	9	11	38	23	530	439	1	18	241	179
Balance of county	2,039	-	-	24	449	133	105	41	32	23	18	97	41	1,057	872	6	32	471	363
Blair	1,550	-	-	16	320	68	75	31	44	19	15	68	35	867	704	6	9	525	164
Altoona	747	-	-	7	145	29	40	18	17	11	5	25	14	427	350	3	6	265	76
Balance of county	803	-	-	9	175	39	35	13	27	8	10	43	21	440	354	3	3	260	88
Bradford	601	-	-	3	119	24	31	11	16	6	5	28	16	281	206	1	5	139	61

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con.																			
Umatilla	2	49	5	6	27	27	3	4	10	-	4	1	18	50	24	16	11	6	-
Pendleton	1	14	-	2	8	9	-	1	5	-	2	-	9	18	3	5	1	1	-
Balance of county	1	35	5	4	19	18	3	3	5	-	2	1	9	32	21	11	10	5	-
Union	-	25	1	-	7	11	1	-	2	-	3	-	5	27	5	6	6	1	-
La Grande	-	13	1	-	5	6	1	-	1	-	-	-	2	16	2	5	3	1	-
Balance of county	-	12	-	-	2	5	-	-	1	-	3	-	3	11	3	1	3	-	-
Wallowa	1	4	-	1	2	4	1	-	1	-	-	-	-	5	-	3	1	-	-
Wasco	1	12	1	4	5	10	1	3	-	-	2	-	2	23	7	9	3	-	-
City of the Dalles	-	10	1	3	5	6	1	1	-	-	-	-	1	14	4	7	3	-	-
Balance of county	1	2	-	1	-	4	-	2	-	-	2	-	1	9	3	2	-	-	-
Washington	6	142	28	17	48	73	1	17	12	-	4	12	26	151	40	43	38	9	4
Beaverton	2	21	5	3	10	7	-	3	2	-	-	2	2	34	6	6	6	3	-
Forest Grove	-	18	3	1	4	5	-	1	1	-	-	-	2	10	3	3	-	-	-
Hillsboro	1	16	4	4	9	13	-	3	2	-	1	2	7	14	4	4	3	-	-
Lake Oswego, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Portland, part	-	2	-	-	-	1	-	-	-	-	1	-	-	5	-	-	1	-	1
Tigard	2	22	6	2	4	6	-	2	-	-	1	1	3	14	3	6	4	-	-
Balance of county	1	63	10	7	21	41	1	8	7	-	1	7	12	74	23	24	24	6	3
Wheeler	-	2	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-
Yamhill	2	56	10	9	16	23	1	3	2	1	2	2	12	44	15	13	10	2	1
McMinnville	2	26	8	3	7	11	-	2	1	-	2	1	1	20	2	4	3	-	-
Newberg	-	14	1	-	7	5	1	1	1	1	-	-	3	13	4	-	3	-	-
Balance of county	-	16	1	6	2	7	-	-	-	-	-	1	8	11	9	9	4	2	1
Pennsylvania	395	8,223	1,238	1,357	3,375	4,069	336	1,248	1,469	11	582	927	2,607	10,193	1,823	2,337	1,438	596	173
Urban places	206	4,293	538	684	1,754	2,033	170	729	835	6	289	594	2,072	5,384	651	1,190	689	466	118
Balance of area	189	3,930	700	673	1,621	2,036	166	519	634	5	293	333	535	4,809	1,172	1,147	749	130	55
Metropolitan counties	311	6,670	920	1,116	2,717	3,271	268	1,035	1,199	9	466	799	2,458	8,335	1,359	1,852	1,145	554	159
Urban places	192	4,021	496	646	1,653	1,894	152	681	796	6	278	563	2,058	5,132	614	1,134	640	461	116
Balance of area	119	2,649	424	470	1,064	1,377	116	354	403	3	188	236	400	3,203	745	718	505	93	43
Nonmetropolitan counties	84	1,553	318	241	658	798	68	213	270	2	116	128	149	1,858	464	485	293	42	14
Urban places	14	272	42	38	101	139	18	48	39	-	11	31	14	252	37	56	49	5	2
Balance of area	70	1,281	276	203	557	659	50	165	231	2	105	97	135	1,606	427	429	244	37	12
Adams	1	44	21	5	12	18	4	4	2	-	3	4	1	45	18	19	13	2	2
Allegheny	41	1,020	125	188	434	502	38	171	199	1	58	138	108	1,207	140	282	171	56	44
Baldwin	-	8	-	4	7	11	1	-	1	-	-	1	1	14	3	4	2	-	-
Bellevue	-	12	-	2	8	5	-	-	2	-	-	1	1	12	1	-	1	-	-
Bethel Park	1	23	5	2	9	10	2	3	1	-	1	1	1	14	-	3	4	1	-
Brentwood	1	8	-	1	3	11	-	2	3	-	-	-	1	3	-	1	1	-	2
Carnegie	-	7	2	2	4	6	-	1	2	-	1	2	-	8	-	4	2	1	1
Castle Shannon	1	4	2	1	3	2	-	3	-	-	1	-	-	10	-	2	-	-	-
Clairton	-	18	4	4	6	4	-	2	7	-	-	1	1	23	2	4	3	1	2
Dormont	-	9	1	3	3	3	-	1	2	-	-	-	-	6	-	-	-	-	1
Duquesne	-	11	-	2	2	3	-	2	3	-	1	3	4	10	1	1	4	-	-
Elizabeth township#	-	14	2	2	-	7	-	1	3	-	-	-	1	6	-	2	-	-	-
Harrison township#	-	10	3	1	2	4	1	2	4	-	1	4	-	11	4	2	2	-	-
McCandless township#	1	16	2	1	5	3	-	2	-	-	1	4	-	18	2	4	1	-	-
McKeesport	2	24	6	2	18	17	2	4	13	-	1	3	10	46	1	11	7	2	2
Monroeville	-	14	1	6	1	13	-	2	4	-	3	4	4	18	4	7	2	-	-
Mount Lebanon township#	1	29	2	3	10	12	1	3	3	-	-	1	-	23	2	9	4	-	-
Munhall	-	16	1	1	2	7	-	-	4	-	1	2	-	14	5	2	2	-	1
North Versailles township#	-	10	1	2	2	2	-	1	1	-	2	1	-	12	4	1	2	-	-
Penn Hills township#	3	24	2	8	12	15	-	4	8	-	-	4	2	33	7	8	3	1	1
Pittsburgh	16	341	40	68	180	158	13	79	67	-	19	49	33	424	42	105	44	35	21
Plum	-	14	1	2	1	4	-	3	-	-	-	6	1	11	2	5	2	-	-
Ross township#	-	26	5	3	7	9	-	2	4	1	1	-	-	18	1	5	3	-	-
Scott township#	-	8	3	2	6	6	1	-	-	-	-	1	2	16	-	5	3	-	-
Shaler township#	3	15	3	4	3	9	2	3	3	-	2	3	-	21	1	7	2	2	-
South Park township#	1	3	2	-	-	3	-	-	1	-	-	1	-	3	-	3	1	-	-
Swissvale	-	9	1	1	-	10	-	-	2	-	1	-	-	4	-	4	2	1	1
Upper St. Clair township#	-	8	-	2	-	6	2	-	1	-	-	2	-	8	1	-	2	1	-
West Mifflin	1	22	2	3	3	8	1	2	2	-	-	3	6	18	2	6	7	-	-
Whitehall	1	12	1	-	1	9	-	1	2	-	1	2	1	10	1	4	2	-	-
Wilkinsburg	1	14	2	2	9	11	-	3	1	-	1	8	1	20	1	2	2	1	1
Balance of county	8	291	31	54	127	135	12	45	55	-	20	31	38	373	53	71	61	10	11
Armstrong	2	46	12	4	21	37	3	6	11	-	3	5	2	85	12	20	7	3	1
Beaver	5	127	19	27	40	76	2	23	23	-	14	16	15	143	21	42	20	1	3
Aliquippa	-	18	2	5	2	4	-	-	1	-	3	2	-	23	3	3	-	1	-
Beaver Falls	2	13	2	2	5	6	1	4	3	-	1	2	5	13	-	7	2	-	1
Balance of county	3	96	15	20	33	66	1	19	19	-	10	12	10	107	18	32	18	-	2
Bedford	-	40	10	4	13	24	2	4	9	-	4	1	5	29	15	13	4	-	-
Berks	8	214	31	34	87	105	22	35	34	-	10	20	33	222	65	42	63	14	-
Muhlenberg township#	1	8	2	-	4	4	2	3	1	-	-	-	2	10	2	4	1	-	-
Reading	1	67	4	19	25	38	8	19	9	-	5	11	12	66	15	13	20	10	-
Balance of county	6	139	25	15	58	63	12	13	24	-	5	9	19	146	48	25	42	4	-
Blair	4	101	22	36	30	66	4	7	13	-	5	15	6	107	14	25	13	5	2
Altoona	3	49	8	17	11	26	2	4	7	-	4	6	5	58	7	12	7	4	1
Balance of county	1	52	14	19	19	40	2	3	6	-	1	9	1	49	7	13	6	1	1
Bradford	2	34	31	8	23	23	3	7	5	-	9	4	24	45	19	10	8	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bucks	3,885	-	-	50	874	209	227	83	92	45	37	181	67	1,836	1,418	15	32	862	509
Bensalem township#	374	-	-	8	84	21	21	8	10	7	1	16	8	185	134	2	4	73	55
Bristol	122	-	-	3	27	6	6	1	2	2	-	10	1	68	56	1	-	42	13
Bristol township#	381	-	-	6	94	25	26	9	9	4	-	21	3	181	157	3	5	97	52
Falls township#	261	-	-	5	68	12	23	9	3	2	3	16	7	110	94	2	3	61	28
Lower Southampton township#	144	-	-	2	39	10	11	4	5	1	1	7	3	62	54	-	1	33	20
Middletown township#	223	-	-	2	36	7	14	7	2	-	4	2	6	113	86	-	2	46	36
Northampton township#	161	-	-	4	35	7	7	8	4	3	1	5	2	83	62	-	1	41	20
Upper Southampton township#	149	-	-	2	42	7	5	5	6	5	1	13	2	69	49	-	1	24	24
Warminster township#	239	-	-	5	44	12	13	5	4	1	3	6	4	110	83	2	2	52	27
Balance of county	1,831	-	-	13	405	102	101	27	47	20	23	85	31	865	643	5	13	391	234
Butler	1,371	-	-	12	309	79	78	24	32	14	11	71	23	687	573	4	6	442	121
Butler	238	-	-	1	53	10	13	4	8	3	-	15	4	121	103	2	1	68	32
Balance of county	1,133	-	-	11	256	69	65	20	24	11	11	56	19	566	470	2	5	374	89
Cambria	1,986	2	-	24	418	120	88	21	41	22	23	103	63	1,039	853	16	20	629	186
Johnstown	558	-	-	6	128	42	31	3	11	5	5	31	19	291	241	4	5	181	51
Balance of county	1,428	2	-	18	290	78	57	18	30	17	18	72	44	748	612	12	15	448	137
Cameron	77	-	-	-	18	4	7	2	1	-	2	2	4	40	26	1	-	16	9
Carbon	698	-	-	3	131	43	39	12	6	3	5	23	17	367	309	4	7	215	83
Centre	688	-	-	7	157	41	28	11	24	5	6	42	12	347	295	5	2	201	87
State College	122	-	-	2	24	9	3	2	1	1	-	8	2	67	54	-	-	38	16
Balance of county	566	-	-	5	133	32	25	9	23	4	6	34	10	280	241	5	2	163	71
Chester	2,548	1	-	36	575	158	148	45	61	19	15	129	35	1,189	957	5	12	613	327
Coatesville	191	-	-	5	41	15	11	1	4	2	-	8	2	81	61	-	-	46	15
Phoenixville	169	-	-	3	35	12	12	2	2	1	1	5	-	83	62	2	2	33	25
Tredyffrin township#	168	-	-	1	49	13	12	7	8	-	2	7	-	81	63	-	1	42	20
West Chester	233	-	-	2	43	11	11	4	3	1	1	12	2	117	93	-	2	55	36
West Goshen township#	125	-	-	2	43	14	10	1	6	1	-	11	2	50	43	-	2	29	12
Balance of county	1,662	1	-	23	364	93	92	30	38	14	11	86	29	787	635	3	5	408	219
Clarion	404	-	-	-	87	27	17	7	6	5	5	20	7	208	168	-	2	130	38
Clearfield	820	1	-	9	173	48	43	17	17	7	4	37	22	405	329	3	2	236	88
Clinton	395	-	-	1	91	28	23	6	7	3	4	20	10	192	147	1	10	98	38
Columbia	686	1	-	4	152	34	34	21	18	6	9	30	25	355	281	1	3	178	101
Berwick	157	1	-	1	39	7	11	4	5	-	4	8	8	72	55	-	1	35	19
Bloomsburg	136	-	-	1	24	6	3	5	2	1	-	7	4	85	61	-	-	38	23
Balance of county	393	-	-	2	89	21	20	12	11	5	5	15	13	198	165	1	2	103	59
Crawford	902	1	-	14	198	50	55	13	24	9	7	40	10	434	333	4	5	244	80
Meadville	220	-	-	3	43	14	9	2	3	3	5	7	2	104	83	1	3	57	22
Balance of county	682	1	-	11	155	36	46	11	21	6	2	33	8	330	250	3	2	187	58
Cumberland	1,509	1	-	28	354	94	84	27	36	15	22	76	28	749	575	9	17	395	154
Carlisle	237	-	-	5	39	15	6	4	2	2	1	9	4	132	96	1	3	72	20
East Pennsboro township#	155	1	-	3	30	7	9	4	-	1	4	5	5	74	58	2	1	34	21
Lower Allen township#	107	-	-	2	37	-	11	5	7	1	1	12	-	49	40	2	3	23	12
Balance of county	1,010	-	-	16	248	72	58	14	27	11	16	50	19	494	381	4	10	266	101
Dauphin	2,414	2	-	38	570	146	146	49	54	25	23	127	48	1,224	1,003	4	19	576	404
Harrisburg	683	1	-	14	150	38	44	16	14	8	7	23	13	336	268	2	6	168	92
Lower Paxton township#	320	-	-	3	80	22	20	4	6	4	1	23	5	175	142	1	1	80	60
Middletown	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Susquehanna township#	166	-	-	1	60	17	15	5	7	3	4	9	2	79	69	-	3	43	23
Swatara township#	231	-	-	1	57	13	21	3	5	-	3	12	6	113	93	-	1	46	46
Balance of county	1,012	1	-	17	222	56	46	21	22	10	7	60	22	521	431	1	8	239	183
Delaware	5,922	2	-	107	1,409	378	364	126	147	52	56	266	92	2,869	2,309	24	103	1,418	764
Aston township#	150	-	-	1	38	7	12	4	3	2	1	9	2	72	59	-	1	39	19
Chester	560	1	-	15	121	39	39	4	11	3	2	23	8	241	206	3	14	128	61
Darby	168	-	-	1	18	7	3	2	2	1	2	1	5	93	75	1	2	40	32
Darby township#	70	-	-	3	16	6	2	2	2	1	2	1	3	30	28	1	1	16	10
Haverford township#	560	-	-	8	135	31	36	17	13	7	4	27	10	291	245	3	7	153	82
Lansdowne	138	-	-	2	36	9	7	5	5	2	-	8	2	73	60	1	1	29	29
Marple township#	304	-	-	7	75	25	16	10	14	3	-	7	6	150	114	2	5	61	48
Middletown township#	227	-	-	5	33	6	8	1	5	1	2	10	2	134	95	1	6	50	38
Nether Providence township#	108	-	-	2	21	7	7	1	1	-	-	5	4	55	37	-	4	24	9
Newtown township#	117	-	-	2	19	8	3	-	2	1	-	5	2	69	57	-	1	37	19
Radnor township#	203	-	-	3	44	12	10	2	6	2	3	9	2	93	72	1	3	47	21
Ridley township#	246	-	-	4	60	19	16	5	4	2	4	10	3	116	89	-	3	73	23
Springfield township#	273	1	-	8	63	14	14	5	8	2	3	17	5	138	114	1	6	70	37
Upper Chichester township#	122	-	-	7	27	5	9	4	3	2	1	3	-	58	41	-	-	24	17
Upper Darby township#	904	-	-	13	260	70	73	19	21	8	11	58	8	420	327	3	22	177	125
Yeadon	128	-	-	3	23	7	4	1	5	-	-	6	3	69	57	-	5	26	26
Balance of county	1,644	-	-	23	420	106	105	44	42	15	21	87	27	767	623	7	22	424	170
Elk	341	-	-	4	68	21	20	7	8	2	-	10	9	180	144	2	3	115	24
Erie	2,611	1	-	27	647	164	175	51	73	22	20	142	47	1,246	960	11	22	722	205
Erie	1,326	1	-	15	328	85	95	20	37	9	6	76	17	646	494	6	12	369	107
Millcreek township#	359	-	-	4	95	25	16	14	13	4	6	17	9	166	125	1	6	87	31
Balance of county	926	-	-	8	224	54	64	17	23	9	8	49	21	434	341	4	4	266	67
Fayette	1,839	1	-	17	388	112	91	32	41	17	19	76	35	960	794	3	9	578	204
Connellsville	145	-	-	1	29	6	7	1	3	1	2	9	4	70	54	-	-	34	20
Uniontown	251	-	-	2	49	11	11	6	6	5	4	6	2	138	117	-	-	86	31
Balance of county	1,443	1	-	14	310	95	73	25	32	11	13	61	29	752	623	3	9	458	153
Forest	63	-	-	1	19	2	9	1	1	1	-	5	3	27	24	-	2	18	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bucks	14	302	52	50	101	118	14	44	43	-	23	20	182	292	77	66	53	17	8
Bensalem township#	1	20	2	8	7	13	-	3	1	-	4	2	22	27	10	13	2	2	3
Bristol	1	10	1	-	2	2	-	1	2	-	-	1	3	5	2	3	2	-	-
Bristol township#	-	28	2	4	6	6	-	8	4	-	1	3	21	16	6	9	3	4	-
Falls township#	-	11	1	4	5	7	2	3	4	-	-	1	19	21	1	3	4	1	-
Lower Southampton township#	-	7	-	1	1	1	1	1	1	-	1	-	13	12	1	5	-	1	-
Middletown township#	-	22	2	3	6	8	-	-	6	-	5	4	8	16	7	2	1	3	-
Northampton township#	1	13	3	4	2	6	-	-	1	-	1	2	6	10	4	1	4	-	-
Upper Southampton township#	-	16	-	4	5	6	-	1	2	-	1	-	2	7	3	2	4	1	-
Warminster township#	-	19	7	1	7	9	-	6	3	-	1	-	12	22	7	3	6	-	-
Balance of county	11	156	34	21	60	60	11	21	19	-	9	7	76	156	36	25	27	5	5
Butler	3	84	14	13	53	52	3	13	23	-	15	6	5	86	29	30	21	4	-
Butler	1	13	1	3	11	11	1	6	2	-	-	1	-	13	2	2	8	2	-
Balance of county	2	71	13	10	42	41	2	7	21	-	15	5	5	73	27	28	13	2	-
Cambria	7	123	22	34	62	65	5	22	23	1	9	11	4	166	26	27	18	1	-
Johnstown	1	39	2	8	17	16	2	10	4	1	3	2	3	44	5	6	1	-	-
Balance of county	6	84	20	26	45	49	3	12	19	-	6	9	1	122	21	21	17	1	-
Cameron	3	6	4	1	1	3	-	1	-	-	-	-	1	3	1	4	1	-	-
Carbon	2	38	6	12	17	20	1	6	12	-	6	2	1	83	17	6	8	1	-
Centre	1	34	6	11	15	30	-	3	11	-	7	5	1	47	22	8	12	3	1
State College	-	10	2	1	4	3	-	1	5	-	1	-	-	9	3	1	-	-	-
Balance of county	1	24	4	10	11	27	-	2	6	-	6	5	1	38	19	7	12	3	1
Chester	15	175	28	26	79	97	10	34	23	1	22	20	61	188	63	53	35	9	7
Coatesville	-	18	-	2	10	6	1	3	1	-	4	3	8	18	3	2	2	1	-
Phoenixville	1	14	3	3	4	9	-	5	1	-	-	2	5	13	1	4	3	-	1
Tredyffrin township#	2	9	5	2	2	7	-	6	2	-	1	1	1	11	2	3	1	-	-
West Chester	-	19	5	-	6	8	-	1	3	-	3	4	9	17	3	4	8	2	1
West Goshen township#	-	6	-	1	3	1	-	-	-	-	-	1	7	8	1	3	3	-	1
Balance of county	12	109	13	18	54	66	9	19	16	1	14	9	31	121	53	37	18	6	4
Clarion	3	27	5	5	12	12	1	2	9	-	2	2	2	37	6	7	7	2	1
Clearfield	2	52	7	15	24	27	1	11	18	-	7	7	5	71	17	16	5	1	-
Clinton	1	33	6	5	5	17	-	3	3	-	3	1	2	35	12	14	6	-	-
Columbia	5	55	6	8	15	24	1	8	8	-	-	-	3	50	17	9	14	-	-
Berwick	1	12	2	2	2	9	-	4	3	-	-	-	1	10	1	2	4	-	-
Bloomsburg	2	20	1	1	3	5	-	1	1	-	-	-	1	5	2	3	1	-	-
Balance of county	2	23	3	5	10	10	1	3	4	-	-	-	1	35	14	4	9	-	-
Crawford	2	67	22	10	36	36	2	5	5	-	3	9	2	83	20	29	13	2	-
Meadville	-	16	3	2	12	7	2	3	4	-	1	2	-	29	1	4	2	1	-
Balance of county	2	51	19	8	24	29	-	2	1	-	2	7	2	54	19	25	11	1	-
Cumberland	3	129	27	15	45	53	3	7	21	-	4	12	18	122	31	16	16	3	-
Carlisle	-	28	7	1	10	4	1	-	7	-	1	-	7	17	4	1	3	2	-
East Pennsboro township#	-	13	3	-	5	12	-	1	2	-	-	3	-	16	1	2	-	-	-
Lower Allen township#	-	8	1	-	-	5	-	-	-	-	-	-	1	11	1	-	1	-	-
Balance of county	3	80	16	14	30	32	2	6	12	-	3	9	10	78	25	13	12	1	-
Dauphin	12	163	24	22	53	86	8	12	32	-	17	19	14	179	35	42	26	9	2
Harrisburg	1	54	6	7	17	30	4	4	11	-	2	6	5	54	11	8	7	8	2
Lower Paxton township#	3	22	4	4	3	8	2	2	2	-	1	3	-	28	2	5	2	1	-
Middletown	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Susquehanna township#	1	7	-	2	4	6	-	-	-	-	-	1	1	10	1	1	-	-	-
Swatara township#	1	13	5	1	6	5	-	2	7	-	2	1	1	20	2	6	2	-	-
Balance of county	6	67	9	8	23	37	2	4	12	-	12	8	7	68	19	22	15	-	-
Delaware	17	425	53	65	206	228	18	61	60	-	31	44	53	473	65	99	68	24	15
Aston township#	-	11	-	2	4	7	1	1	3	-	1	-	3	11	1	1	3	-	1
Chester	3	30	1	1	21	20	-	15	13	-	6	9	9	45	7	13	3	9	4
Darby	2	13	3	-	7	10	2	2	1	-	-	4	1	18	1	2	-	3	-
Darby township#	-	1	1	-	2	-	-	2	1	-	1	-	1	6	2	1	-	2	-
Haverford township#	-	39	5	2	17	16	1	6	4	-	2	3	3	43	4	10	7	-	-
Lansdowne	-	10	1	2	1	5	-	-	2	-	1	-	1	9	3	1	2	-	-
Marple township#	1	28	4	3	8	8	3	2	5	-	-	-	6	28	1	4	1	-	-
Middletown township#	3	29	6	1	17	14	1	-	1	-	-	-	-	17	1	2	-	-	-
Nether Providence township#	-	16	1	1	5	3	-	-	-	-	1	-	-	14	-	1	1	-	1
Newtown township#	-	10	-	2	4	4	-	-	1	-	-	-	-	12	1	-	3	-	-
Radnor township#	-	18	2	1	9	12	-	2	1	-	-	2	3	22	3	3	3	1	-
Ridley township#	-	14	2	1	12	7	1	2	1	-	1	-	1	22	6	6	1	1	2
Springfield township#	1	19	1	3	13	9	-	1	3	-	1	-	3	20	2	3	3	-	-
Upper Chichester township#	1	12	1	3	3	6	-	2	-	-	1	-	2	6	3	4	2	2	-
Upper Darby township#	1	67	7	18	31	38	2	9	7	-	4	6	8	61	6	13	13	2	3
Yeadon	-	9	2	1	2	2	-	3	3	-	1	-	-	16	-	2	-	1	-
Balance of county	5	99	16	24	50	67	7	14	14	-	11	20	12	124	24	33	24	3	4
Elk	2	35	3	6	10	9	2	4	3	-	2	1	3	23	5	4	2	1	1
Erie	5	234	24	23	75	97	8	32	34	-	13	28	14	189	48	64	33	8	-
Erie	4	132	7	9	36	44	3	18	17	-	8	18	3	105	14	29	17	7	-
Millcreek township#	-	31	5	5	10	15	1	5	4	-	1	2	4	20	8	7	8	-	-
Balance of county	1	71	12	9	29	38	4	9	13	-	4	8	7	64	26	28	8	1	-
Fayette	5	126	16	19	51	59	2	22	24	-	6	15	16	153	24	31	26	8	1
Connellsville	1	11	2	2	5	8	-	3	1	-	-	4	1	15	-	1	2	1	-
Uniontown	1	16	1	1	7	9	-	2	3	-	-	7	2	19	1	7	3	-	-
Balance of county	3	97	13	16	39	42	2	17	20	-	6	4	13	119	23	23	21	7	1
Forest	-	3	-	-	1	1	-	-	-	-	-	-	-	3	-	6	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Franklin	1,104	1	-	10	245	72	52	14	26	17	13	51	31	558	414	5	9	266	132
Chambersburg	270	-	-	1	63	23	12	5	5	2	3	13	9	136	97	-	4	68	25
Balance of county	834	1	-	9	182	49	40	9	21	15	10	38	22	422	317	5	5	200	107
Fulton	113	-	-	2	24	3	8	1	4	1	-	7	3	64	45	-	3	34	8
Greene	477	1	-	3	89	22	23	8	13	3	3	17	7	253	222	-	1	144	77
Huntingdon	370	-	-	5	84	17	25	7	9	5	1	20	7	178	151	2	4	108	37
Indiana	797	1	-	4	181	51	40	21	19	9	2	39	24	406	304	3	8	217	76
Indiana	112	-	-	-	27	6	8	4	2	-	-	7	2	67	51	1	3	35	12
Balance of county	685	1	-	4	154	45	32	17	17	9	2	32	22	339	253	2	5	182	64
Jefferson	500	-	-	6	93	23	20	11	3	1	6	29	7	254	205	3	2	162	38
Juniata	200	-	-	2	47	9	13	5	5	2	-	13	6	89	69	1	2	52	14
Lackawanna	2,826	-	-	37	631	176	171	52	56	30	26	120	49	1,533	1,307	20	40	773	474
Carbondale	168	-	-	3	28	5	11	1	4	1	-	6	4	88	77	1	1	53	22
Dunmore	202	-	-	2	51	16	20	2	2	2	1	8	2	112	87	-	3	54	30
Scranton	1,356	-	-	21	311	88	75	29	23	21	10	65	20	720	619	11	18	346	244
Balance of county	1,100	-	-	11	241	67	65	20	27	6	15	41	23	613	524	8	18	320	178
Lancaster	3,290	-	-	44	743	181	189	67	79	27	34	166	63	1,688	1,337	4	34	805	494
Columbia	134	-	-	2	25	10	5	1	1	-	2	6	6	81	65	-	1	49	15
Ephrata	96	-	-	3	24	4	4	4	5	1	1	5	3	47	34	-	-	21	13
Lancaster	647	-	-	11	128	34	43	4	12	4	2	29	14	328	266	1	6	164	95
Lancaster township#	182	-	-	1	34	7	10	2	4	1	-	10	8	102	80	-	-	49	31
Manheim township#	301	-	-	4	73	19	19	11	8	1	4	11	4	160	118	-	1	66	51
Balance of county	1,930	-	-	23	459	107	108	45	49	20	25	105	28	970	774	3	26	456	289
Lawrence	1,142	1	-	8	244	66	61	18	31	17	12	39	21	603	502	4	8	418	72
New Castle	504	1	-	3	99	24	24	6	14	7	7	17	15	270	230	1	3	199	27
Balance of county	638	-	-	5	145	42	37	12	17	10	5	22	6	333	272	3	5	219	45
Lebanon	1,070	1	-	7	233	52	69	20	25	13	11	43	39	573	484	3	14	299	168
Lebanon	323	-	-	4	80	22	22	4	11	4	3	14	10	158	129	2	4	81	42
Balance of county	747	1	-	3	153	30	47	16	14	9	8	29	29	415	355	1	10	218	126
Lehigh	2,709	1	-	35	642	164	157	53	74	26	17	149	57	1,379	1,159	11	22	729	397
Allentown	1,221	1	-	18	286	70	67	27	38	12	7	65	32	626	523	6	13	313	191
Bethlehem, part	240	-	-	6	43	10	12	6	2	-	2	11	4	138	115	1	2	75	37
Emmaus	118	-	-	2	29	5	5	5	2	3	1	8	1	59	51	1	-	37	13
Salisbury township#	64	-	-	-	13	4	5	1	2	1	-	-	1	36	32	-	-	22	10
Whitehall township#	184	-	-	2	58	12	20	3	3	3	1	16	1	77	68	-	-	41	27
Balance of county	882	-	-	7	213	63	48	11	27	9	8	49	18	443	370	3	7	241	119
Luzerne	4,254	3	-	42	863	266	205	63	102	35	39	153	102	2,268	1,919	21	42	1,177	679
Hazleton	382	-	-	5	94	24	20	6	13	6	4	21	8	189	158	1	4	102	51
Kingston	244	1	-	-	46	19	9	3	3	2	1	9	5	154	136	2	5	89	40
Nanticoke	207	-	-	2	39	7	12	3	6	-	4	7	4	105	85	-	1	60	24
Wilkes-Barre	768	-	-	11	163	48	35	20	19	6	3	32	12	407	335	2	9	197	127
Balance of county	2,653	2	-	24	521	168	129	31	61	21	27	84	73	1,413	1,205	16	23	729	437
Lycoming	1,146	-	1	14	267	69	70	25	34	11	6	52	26	581	455	4	9	284	158
Williamsport	306	-	-	8	73	16	17	8	10	5	1	16	4	157	120	2	2	73	43
Balance of county	840	-	1	6	194	53	53	17	24	6	5	36	22	424	335	2	7	211	115
McKean	588	-	-	5	101	28	25	8	11	5	5	19	11	340	285	2	3	155	125
Bradford	162	-	-	-	35	11	8	2	4	1	2	7	1	98	78	1	1	41	35
Balance of county	426	-	-	5	66	17	17	6	7	4	3	12	10	244	207	1	2	114	90
Mercer	1,284	2	-	8	272	93	56	17	29	14	14	49	28	684	563	7	22	433	101
Sharon	202	1	-	1	40	18	7	2	3	2	2	6	9	106	91	2	10	71	8
Balance of county	1,082	1	-	7	232	75	49	15	26	12	12	43	19	578	472	5	12	362	93
Mifflin	492	-	-	6	110	28	31	4	9	5	1	32	17	240	194	-	2	137	55
Monroe	711	-	-	11	162	40	41	12	19	9	6	35	15	360	302	3	-	134	165
Montgomery	6,269	3	-	100	1,526	375	392	146	158	60	66	329	103	3,011	2,425	24	66	1,539	796
Abington township#	609	-	-	10	156	36	41	20	15	6	4	34	8	302	225	1	6	146	72
Cheltenham township#	413	-	-	9	101	24	26	14	8	4	5	20	9	220	168	1	4	99	64
East Norriton township#	93	-	-	3	25	6	10	1	2	-	1	5	1	43	35	2	4	18	11
Hatfield township#	69	-	-	-	21	5	3	3	5	1	1	3	1	21	17	-	-	15	2
Lansdale	243	-	-	7	63	19	14	8	4	-	3	15	3	102	74	1	3	50	20
Lower Merion township#	602	1	-	8	148	29	47	15	11	2	4	40	6	294	236	-	4	142	90
Lower Moreland township#	99	-	-	3	29	8	6	3	2	1	1	8	5	48	41	1	2	20	16
Lower Providence township#	109	-	-	-	25	3	5	5	4	2	2	4	2	46	41	-	-	29	12
Norristown	485	1	-	9	98	26	32	3	11	5	6	15	9	232	206	5	8	115	78
Plymouth township#	127	-	-	1	30	9	6	4	4	2	-	5	3	58	50	1	1	34	14
Pottstown	294	-	-	2	64	17	13	6	9	3	-	16	6	140	116	1	3	65	47
Springfield township#	291	-	-	8	58	19	9	9	4	3	1	13	6	148	126	3	1	73	49
Towamencin township#	60	-	-	1	17	7	2	-	-	1	2	5	1	31	23	-	1	11	11
Upper Dublin township#	151	-	-	5	42	8	11	4	5	3	1	10	7	56	43	1	-	30	12
Upper Merion township#	168	-	-	2	41	7	14	2	3	2	3	10	4	85	74	-	3	51	20
Upper Moreland township#	204	-	-	5	70	23	14	3	11	3	1	15	3	74	65	1	-	43	21
West Norriton township#	93	-	-	1	24	5	5	2	1	-	2	9	3	42	37	-	1	27	9
Whitemarsh township#	135	-	-	-	30	4	9	3	6	-	2	6	1	78	63	-	2	47	14
Balance of county	2,024	1	-	26	484	120	125	41	53	22	27	96	25	991	785	6	23	524	232
Montour	222	-	-	5	51	16	7	6	5	-	5	12	4	98	81	1	2	56	22
Northampton	2,163	2	-	22	486	131	117	42	52	31	18	95	42	1,096	910	5	21	526	358
Bethlehem, part	528	2	-	8	122	30	29	15	13	4	6	25	7	273	213	2	5	121	85
Bethlehem, total	768	2	-	14	165	40	41	21	15	4	8	36	11	411	328	3	7	196	122
Easton	302	-	-	2	67	22	18	5	9	3	3	7	2	161	132	1	4	78	49
Palmer township#	117	-	-	2	29	6	7	3	1	1	4	7	2	60	50	-	-	31	19
Balance of county	1,216	-	-	10	268	73	63	19	29	23	5	56	31	602	515	2	12	296	205

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Franklin	16	84	32	12	36	44	1	9	17	-	6	4	6	90	16	19	11	-	-
Chambersburg	3	25	8	3	11	19	1	2	4	-	-	-	1	17	3	-	3	-	-
Balance of county	13	59	24	9	25	25	-	7	13	-	6	4	5	73	13	19	8	-	-
Fulton	2	6	10	1	-	5	1	-	2	-	-	1	1	3	2	3	2	-	-
Greene	-	26	-	5	20	19	1	6	7	-	1	3	1	37	9	15	2	1	2
Huntingdon	2	13	5	7	9	14	1	5	4	-	2	-	5	27	7	11	11	-	-
Indiana	1	65	32	4	22	26	-	7	7	-	4	7	3	45	20	24	13	2	1
Indiana	-	10	5	1	2	2	-	1	1	-	-	-	-	4	-	2	3	-	1
Balance of county	1	55	27	3	20	24	-	6	6	-	4	7	3	41	20	22	10	2	-
Jefferson	2	33	11	3	20	27	1	3	4	1	-	4	5	48	10	13	4	-	-
Juniata	2	15	1	2	3	9	1	2	2	-	-	2	-	13	16	4	4	-	-
Lackawanna	10	160	26	30	58	83	8	41	31	-	12	8	17	232	30	33	19	4	-
Carbondale	-	9	-	2	4	5	-	3	6	-	-	-	1	20	1	2	1	2	-
Dunmore	2	18	3	2	2	3	1	1	4	-	1	2	1	15	1	2	2	-	-
Scranton	3	73	13	12	34	46	3	17	19	-	7	5	10	102	17	14	8	2	-
Balance of county	5	60	10	14	18	29	4	20	2	-	4	1	5	95	11	15	8	-	-
Lancaster	11	234	60	45	89	126	6	29	32	2	13	18	19	265	59	52	33	8	1
Columbia	2	7	4	3	3	4	-	3	-	-	-	1	-	6	2	-	1	-	-
Ephrata	-	9	3	1	2	3	-	3	1	-	-	-	-	8	1	1	-	-	-
Lancaster	-	47	7	8	11	27	1	7	4	1	-	8	4	65	10	14	8	6	-
Lancaster township#	1	13	5	3	4	12	-	2	2	-	-	-	2	13	-	-	2	-	-
Manheim township#	1	27	8	6	4	8	1	3	6	-	1	-	1	29	3	3	1	-	-
Balance of county	7	191	33	25	65	72	4	11	19	1	12	9	12	144	43	34	21	2	1
Lawrence	1	78	9	13	39	38	10	12	19	-	5	5	3	83	16	17	15	1	2
New Castle	1	31	4	4	17	21	6	4	8	-	3	2	2	35	3	9	5	-	1
Balance of county	-	47	5	9	22	17	4	8	11	-	2	3	1	48	13	8	10	1	1
Lebanon	2	70	6	11	33	34	3	8	8	1	4	9	4	65	19	15	11	2	1
Lebanon	1	19	2	7	11	11	1	5	5	-	-	6	2	19	4	4	3	-	-
Balance of county	1	51	4	4	22	23	2	3	3	1	4	3	2	46	15	11	8	2	1
Lehigh	10	155	34	21	65	81	6	22	43	-	12	18	19	207	36	44	31	10	1
Allentown	6	78	10	9	28	36	4	7	24	-	5	5	9	92	11	17	15	5	-
Bethlehem, part	1	17	5	-	5	7	-	1	2	-	-	2	5	16	3	5	3	-	-
Emmaus	1	6	-	1	5	1	1	3	2	-	-	1	-	10	1	1	2	-	-
Salisbury township#	-	3	1	-	-	3	-	-	1	-	-	1	-	6	-	3	-	-	-
Whitehall township#	1	5	2	1	4	3	-	3	1	-	3	1	1	16	4	5	3	1	1
Balance of county	1	46	16	10	23	31	1	8	13	-	4	8	4	67	17	13	8	4	-
Luzerne	12	266	33	38	83	122	5	46	40	-	6	15	22	488	51	51	38	9	2
Hazleton	-	27	-	4	16	20	-	7	6	-	-	1	1	29	2	2	2	-	-
Kingston	-	13	3	2	2	2	-	5	1	-	-	-	2	22	3	1	-	-	-
Nanticoke	1	17	-	2	2	7	-	2	3	-	-	-	2	30	5	3	3	-	-
Wilkes-Barre	2	57	7	6	17	18	1	12	8	-	1	3	4	84	8	8	9	-	1
Balance of county	9	152	23	24	46	75	4	20	21	-	5	11	13	321	33	37	24	9	1
Lycoming	1	106	8	11	20	48	1	10	10	-	4	4	9	91	24	26	11	1	-
Williamsport	-	31	1	5	4	15	1	1	1	-	-	1	3	24	9	4	1	-	-
Balance of county	1	75	7	6	16	31	-	9	9	-	4	3	6	67	15	22	10	1	-
McKean	1	41	6	7	13	15	2	10	1	-	5	-	2	41	23	8	11	-	-
Bradford	-	16	-	2	2	3	-	5	-	-	3	-	-	10	4	1	2	-	-
Balance of county	1	25	6	5	11	12	2	5	1	-	2	-	2	31	19	7	9	-	-
Mercer	3	88	17	13	37	38	5	12	19	1	2	11	2	88	29	22	11	2	1
Sharon	1	10	3	1	10	4	-	3	2	-	1	2	-	15	4	3	1	-	-
Balance of county	2	78	14	12	27	34	5	9	17	1	1	9	2	83	25	19	10	2	1
Mifflin	1	37	4	4	13	16	2	1	7	-	5	1	8	42	3	12	9	-	-
Monroe	2	45	2	9	18	26	3	7	6	-	5	1	1	52	19	11	10	3	1
Montgomery	17	448	48	73	203	186	21	74	59	-	33	44	102	521	87	90	72	22	12
Abington township#	1	64	4	8	13	10	4	4	9	-	6	4	12	48	3	4	10	3	3
Cheltenham township#	3	39	5	5	8	6	-	-	5	-	-	-	3	40	3	4	4	1	-
East Norriton township#	-	8	-	-	5	3	1	-	1	-	-	1	1	6	-	1	2	-	-
Hatfield township#	-	2	1	1	5	4	1	1	-	-	-	-	1	6	2	2	4	-	-
Lansdale	2	17	2	7	11	7	1	1	1	-	4	3	5	26	3	3	2	-	1
Lower Merion township#	1	43	6	8	23	22	-	5	5	-	-	6	9	53	3	13	4	2	-
Lower Moreland township#	-	5	1	1	-	1	-	1	1	-	2	-	-	6	2	-	-	1	-
Lower Providence township#	-	5	-	-	1	2	1	5	-	-	1	2	1	10	4	3	2	4	-
Norristown	1	21	1	3	21	17	3	11	4	-	6	4	8	33	6	12	4	4	3
Plymouth township#	-	6	1	1	-	2	-	1	1	-	1	1	4	18	2	2	1	1	1
Pottstown	1	17	2	4	10	13	-	4	3	-	1	3	7	29	5	4	2	-	1
Springfield township#	1	17	-	4	14	10	-	2	4	-	-	1	-	30	2	5	3	-	-
Towamencin township#	1	3	1	3	2	2	-	1	-	-	-	2	-	3	-	-	-	-	-
Upper Dublin township#	-	9	3	1	9	4	1	2	2	-	3	-	-	16	1	-	3	-	-
Upper Merion township#	-	9	-	2	6	4	-	5	3	-	-	-	2	9	4	2	1	-	-
Upper Moreland township#	-	8	-	1	9	4	1	2	3	-	-	1	4	19	2	2	5	-	-
West Norriton township#	-	4	-	1	2	1	-	1	-	-	-	3	3	7	4	1	-	1	-
Whitemarsh township#	-	12	2	1	5	2	1	4	-	-	-	-	1	7	1	4	1	-	-
Balance of county	6	159	19	22	59	72	7	24	17	-	9	13	41	155	40	28	24	5	3
Montour	1	13	1	2	12	3	4	3	4	-	2	1	-	23	3	4	2	2	1
Northampton	11	127	24	24	60	69	2	27	29	-	7	13	14	169	30	51	35	8	1
Bethlehem, part	4	37	13	6	10	18	1	8	6	-	2	5	3	37	5	12	7	1	1
Bethlehem, total	5	54	18	8	15	25	1	9	8	-	2	7	8	53	8	17	10	1	1
Easton	2	19	4	4	6	11	-	4	1	-	1	3	2	26	5	7	3	1	-
Palmer township#	-	7	2	1	5	4	-	1	3	-	-	-	1	5	-	2	3	-	-
Balance of county	5	64	5	13	39	36	1	14	19	-	4	5	8	101	20	30	22	6	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Northumberland	1,270	-	-	13	265	66	62	39	24	9	5	60	40	665	533	1	4	382	146
Shamokin	160	-	-	1	43	13	8	5	4	-	-	13	3	72	59	-	-	44	15
Sunbury	196	-	-	2	38	10	6	4	3	1	-	14	2	113	81	-	1	60	20
Balance of county	914	-	-	10	184	43	48	30	17	8	5	33	35	480	393	1	3	278	111
Perry	330	-	-	9	78	19	17	7	8	3	4	20	13	154	120	1	5	80	34
Philadelphia, coext. with Philadelphia city	20,618	21	-	628	4,698	1,224	1,289	433	511	199	130	912	400	8,078	6,514	67	168	3,892	2,389
Pike	249	-	-	3	54	15	19	3	5	2	3	7	2	132	112	-	1	82	29
Potter	164	-	-	1	34	8	9	4	2	3	1	7	4	80	63	3	1	38	23
Schuylkill	2,100	1	-	19	449	133	100	44	39	22	17	94	44	1,026	860	6	15	684	155
Pottsville	253	-	-	4	55	13	13	5	4	5	4	11	5	135	112	-	1	95	16
Balance of county	1,847	1	-	15	394	120	87	39	35	17	13	83	39	891	748	6	14	589	139
Snyder	298	-	-	2	64	13	8	6	8	-	5	24	14	147	134	-	5	95	34
Somerset	806	1	-	3	187	55	46	16	20	13	5	32	17	440	362	3	18	276	65
Sullivan	76	-	-	2	20	9	5	1	-	1	-	4	-	32	25	-	-	14	11
Susquehanna	388	1	-	3	80	15	21	5	10	2	5	22	12	194	165	1	6	111	47
Tioga	413	-	-	8	89	24	24	8	13	4	6	10	18	203	155	1	4	92	58
Union	301	-	-	2	71	16	21	7	4	3	2	18	5	148	113	1	3	72	37
Venango	649	-	-	7	125	26	28	15	23	1	2	30	28	327	261	3	4	203	51
Oil City	167	-	-	3	29	5	4	4	4	1	-	11	10	94	77	1	3	59	14
Balance of county	482	-	-	4	96	21	24	11	19	-	2	19	18	233	184	2	1	144	37
Warren	515	-	-	4	93	20	23	13	15	3	1	18	16	247	199	1	3	145	50
Warren	183	-	-	2	34	10	5	7	6	-	-	6	4	88	66	-	-	49	17
Balance of county	332	-	-	2	59	10	18	6	9	3	1	12	12	159	133	1	3	96	33
Washington	2,372	1	-	26	522	147	158	30	51	12	29	95	59	1,203	1,002	12	4	733	253
Canonsburg	141	-	-	1	28	7	6	1	5	-	1	8	3	63	55	2	-	38	15
Washington	257	1	-	2	47	8	20	3	4	-	3	9	7	125	99	1	-	70	28
Balance of county	1,974	-	-	23	447	132	132	26	42	12	25	78	49	1,015	848	9	4	625	210
Wayne	433	-	-	3	86	23	21	13	7	3	5	14	13	228	194	3	7	128	56
Westmoreland	3,946	3	1	45	901	218	251	85	95	36	30	186	76	2,010	1,642	14	19	1,235	374
Greensburg	219	-	-	3	43	14	9	4	5	4	1	6	3	131	104	1	-	77	26
Hempfield township#	381	-	-	4	80	25	16	7	7	5	4	16	3	215	178	-	1	138	39
Jeannette	203	1	-	3	44	19	7	1	5	1	1	10	3	96	79	1	1	54	23
Latrobe	147	-	-	2	39	8	11	1	4	-	2	13	4	68	55	-	-	38	17
Lower Burrell	122	-	-	-	36	6	10	2	5	2	1	10	3	59	43	1	-	32	10
Monessen	167	-	-	3	36	6	10	2	7	-	1	10	2	85	73	1	2	59	11
Municipality of Murrysville	80	-	-	2	23	5	7	2	1	1	-	7	-	36	28	-	1	19	8
New Kensington	266	-	1	3	55	10	14	7	6	3	1	14	3	138	108	1	2	74	31
North Huntingdon township#	226	-	-	1	41	10	7	6	9	1	2	6	6	123	105	-	1	87	17
Balance of county	2,135	2	-	24	504	115	160	53	46	19	17	94	49	1,059	869	9	11	657	192
Wyoming	222	1	-	-	42	11	7	5	6	2	1	10	6	125	87	-	2	51	34
York	2,820	1	-	36	676	169	164	70	80	33	20	140	49	1,399	1,149	9	20	760	360
Hanover	210	-	-	3	54	10	10	9	11	2	3	9	8	109	86	-	2	47	37
Springettsbury township#	276	-	-	4	51	10	8	6	6	3	5	13	1	155	131	1	1	68	61
Spring Garden township#	130	-	-	2	35	9	6	9	6	1	-	4	-	67	58	1	1	36	20
York	566	1	-	9	132	38	36	9	16	8	1	24	12	278	229	2	5	159	63
Balance of county	1,638	-	-	18	404	102	104	37	41	19	11	90	28	790	645	5	11	450	179
Rhode Island	9,647	4	1	146	2,345	663	621	226	215	104	70	446	225	4,615	3,699	32	93	2,966	608
Urban places	7,762	4	1	128	1,862	533	492	178	167	78	61	353	185	3,721	2,997	26	82	2,396	493
Balance of area	1,885	-	-	18	483	130	129	48	48	26	9	93	40	894	702	6	11	570	115
Metropolitan counties	8,947	4	1	138	2,180	618	575	211	199	92	65	420	208	4,281	3,442	30	90	2,759	563
Urban places	7,368	4	1	120	1,772	506	468	170	158	72	58	340	174	3,540	2,866	24	81	2,286	475
Balance of area	1,579	-	-	16	408	112	107	41	41	20	7	80	34	741	576	6	9	473	88
Nonmetropolitan counties	700	-	-	10	165	45	46	15	16	12	5	26	17	334	257	2	3	207	45
Urban places	394	-	-	8	90	27	24	8	9	6	3	13	11	181	131	2	1	110	18
Balance of area	306	-	-	2	75	18	22	7	7	6	2	13	6	153	126	-	2	97	27
Bristol	445	1	-	9	126	40	33	13	10	3	6	21	11	188	143	-	2	117	24
Barrington town#	113	-	-	5	39	7	12	5	4	2	3	6	2	41	28	-	-	26	2
Bristol town#	188	1	-	2	46	14	11	5	3	-	3	10	7	82	69	-	1	60	8
Warren town#	144	-	-	2	41	19	10	3	3	1	-	5	2	65	46	-	1	31	14
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	1,517	1	1	14	406	120	119	38	34	14	14	67	36	753	615	3	21	502	89
Coventry town#	221	-	-	2	55	16	9	6	6	3	2	13	6	105	83	1	5	65	12
Warwick	922	1	1	11	241	71	77	22	21	7	8	35	22	460	372	2	12	304	54
West Warwick town#	261	-	-	1	76	23	24	7	3	2	4	13	6	134	118	-	4	94	20
Balance of county	113	-	-	-	34	10	9	3	4	2	-	6	2	54	42	-	-	39	3
Newport	700	-	-	10	165	45	46	15	16	12	5	26	17	334	257	2	3	207	45
Middletown town#	119	-	-	1	28	6	10	5	1	2	-	4	6	52	40	2	-	31	7
Newport	275	-	-	7	62	21	14	3	8	4	3	9	5	129	91	-	1	79	11
Balance of county	306	-	-	2	75	18	22	7	7	6	2	13	6	153	126	-	2	97	27
Providence	6,259	2	-	105	1,468	405	373	141	138	66	45	300	138	3,012	2,436	23	63	1,939	411
Central Falls	231	-	-	5	40	9	7	5	5	-	2	12	9	120	98	2	7	76	11
Cranston	771	-	-	10	199	53	52	18	21	14	5	36	10	381	305	1	5	241	58
Cumberland town#	232	-	-	6	59	28	14	4	2	1	1	9	1	115	92	2	2	72	16
East Providence	544	1	-	12	105	26	21	16	11	6	3	22	11	270	226	3	7	171	45
Johnston town#	271	-	-	5	76	25	21	5	3	3	4	15	4	113	93	-	3	68	22
North Providence town#	320	-	-	6	82	25	20	7	10	2	3	15	9	155	129	-	5	91	33
Pawtucket	871	1	-	14	202	41	58	24	24	8	5	42	19	443	359	4	8	303	44
Providence	1,754	-	-	38	388	112	101	34	35	13	11	82	52	786	623	8	18	504	95
Woonsocket	525	-	-	3	123	37	31	9	7	10	4	25	14	270	225	3	3	178	41
Balance of county	740	-	-	8	194	49	48	19	20	9	7	42	9	359	286	2	5	233	46
Washington	726	-	-	8	180	53	50	19	17	9	-	32	23	328	248	4	4	201	39

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	2	106	12	12	32	40	3	12	19	-	3	7	7	101	20	22	20	1	-
Shamokin	-	10	2	1	1	8	1	3	1	-	-	1	1	15	3	1	5	1	-
Sunbury	-	24	5	3	4	8	1	1	3	-	-	1	1	12	2	4	4	-	-
Balance of county	2	72	5	8	27	24	1	8	15	-	3	5	5	74	15	17	11	-	-
Perry	-	25	5	4	10	13	-	3	2	-	3	2	2	28	10	2	3	3	-
Philadelphia, coext. with Philadelphia city	75	1,195	109	185	565	568	46	222	318	3	99	253	1,583	1,948	172	452	213	303	48
Pike	1	11	2	6	6	7	1	4	2	-	1	4	12	10	6	3	1	1	-
Potter	1	15	-	1	3	6	-	1	3	-	1	-	-	15	2	6	3	5	-
Schuylkill	9	127	12	18	50	54	9	26	21	-	10	10	8	271	40	36	23	1	2
Pottsville	1	17	1	4	3	7	3	3	2	-	2	3	-	18	6	6	1	-	-
Balance of county	8	110	11	14	47	47	6	23	19	-	8	7	8	253	34	30	22	1	2
Snyder	-	10	2	1	4	13	2	2	1	-	1	3	-	26	10	6	3	-	-
Somerset	3	55	8	12	15	28	1	4	10	-	3	1	2	54	15	13	10	1	1
Sullivan	-	4	2	1	2	3	-	1	3	-	-	1	1	6	2	2	1	-	-
Susquehanna	-	22	4	3	11	19	3	3	2	-	2	-	2	31	10	9	5	1	-
Tioga	2	40	2	4	17	19	1	-	2	-	-	3	-	31	13	3	6	-	-
Union	3	21	5	6	6	14	-	-	2	-	1	-	3	23	9	11	3	2	1
Venango	1	47	8	10	15	26	3	4	7	-	2	8	1	53	12	24	7	-	-
Oil City	1	15	1	-	3	7	1	1	1	-	-	2	1	9	2	4	-	-	-
Balance of county	-	32	7	10	12	19	2	3	6	-	2	6	-	44	10	20	7	-	-
Warren	1	39	6	2	23	18	2	5	5	-	4	3	7	50	11	22	5	-	-
Warren	1	15	4	2	7	4	1	4	-	-	2	2	1	22	3	6	3	-	-
Balance of county	-	24	2	-	16	14	1	1	5	-	2	1	6	28	8	16	2	-	-
Washington	6	150	18	27	78	86	6	22	26	-	11	13	9	188	34	50	29	9	-
Canonsburg	-	7	1	-	5	7	-	3	2	-	3	1	1	15	2	3	4	-	-
Washington	1	20	5	-	10	9	1	2	4	-	2	3	1	32	-	5	5	1	-
Balance of county	5	123	12	27	63	70	5	17	20	-	6	9	7	141	32	42	20	8	-
Wayne	1	24	4	5	11	14	-	3	5	-	3	1	1	37	11	11	6	-	-
Westmoreland	9	277	38	44	83	127	6	38	27	-	15	21	126	274	66	82	32	7	6
Greensburg	-	22	3	2	1	6	-	1	2	-	3	1	4	14	3	3	-	1	-
Hempfield township#	-	28	3	6	4	10	1	6	4	-	1	2	5	23	7	9	4	2	1
Jeannette	-	14	1	2	5	7	-	2	-	-	2	1	9	15	3	9	3	-	-
Latrobe	1	7	2	3	2	4	-	2	1	-	1	1	4	10	3	5	1	-	-
Lower Burrell	-	13	2	1	3	2	1	1	1	-	1	2	4	7	1	-	1	-	-
Monessen	1	7	3	1	4	2	-	2	2	-	1	-	3	22	-	4	1	-	-
Municipality of Murrysville	1	5	1	1	1	4	-	-	2	-	-	-	2	6	3	-	1	-	-
New Kensington	-	24	3	3	5	10	1	4	1	-	1	4	16	15	1	5	2	-	1
North Huntingdon township#	1	10	3	4	4	9	-	1	5	-	-	1	7	13	7	2	5	1	-
Balance of county	5	147	17	21	54	73	3	19	9	-	5	9	72	149	38	45	14	3	4
Wyoming	2	20	10	6	4	10	-	3	-	-	2	-	1	15	7	1	4	1	-
York	6	188	28	28	68	92	12	14	15	-	17	23	18	227	45	73	46	10	1
Hanover	1	16	2	4	1	12	2	-	-	-	-	4	-	10	-	5	2	-	-
Springettsbury township#	1	15	5	3	15	5	1	-	1	-	-	-	4	27	4	6	2	-	-
Spring Garden township#	-	9	-	-	2	5	-	1	1	-	2	-	2	12	-	-	-	1	-
York	2	31	8	8	16	20	4	4	5	-	4	6	4	38	8	16	7	2	-
Balance of county	2	117	13	13	32	50	5	9	8	-	11	13	8	140	33	46	35	7	1
Rhode Island	31	637	141	107	271	352	36	107	128	-	46	48	32	879	112	156	97	39	8
Urban places	22	505	116	81	219	277	29	89	113	-	30	38	27	727	79	120	71	34	8
Balance of area	9	132	25	26	52	75	7	18	15	-	16	10	5	152	33	36	26	5	-
Metropolitan counties	28	589	126	96	256	328	32	101	126	-	42	44	31	801	89	146	90	34	7
Urban places	20	475	103	76	212	262	28	85	112	-	30	34	26	674	75	114	67	31	7
Balance of area	8	114	23	20	44	66	4	16	14	-	12	10	5	127	24	32	23	3	-
Nonmetropolitan counties	3	48	15	11	15	24	4	6	2	-	4	4	1	78	13	10	7	5	1
Urban places	2	30	13	5	7	15	1	4	1	-	-	4	1	53	4	6	4	3	1
Balance of area	1	18	2	6	8	9	3	2	1	-	4	-	-	25	9	4	3	2	-
Bristol	3	24	15	3	13	21	3	5	7	-	2	-	1	35	6	11	5	1	-
Barrington town#	2	7	2	2	4	4	1	2	-	-	-	-	-	11	-	2	1	1	-
Bristol town#	-	8	4	1	6	11	1	3	4	-	1	-	1	13	4	4	2	-	-
Warren town#	1	9	9	-	3	6	1	-	3	-	1	-	-	11	2	5	2	-	-
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	2	105	17	14	45	54	4	14	21	-	4	5	5	94	21	18	17	4	-
Coventry town#	-	15	5	2	9	6	2	3	2	-	-	-	1	17	5	2	5	1	-
Warwick	2	69	7	10	31	33	1	10	14	-	2	2	3	56	13	12	5	2	-
West Warwick town#	-	13	2	1	1	11	-	1	3	-	1	3	1	10	3	3	6	1	-
Balance of county	-	8	3	1	4	4	1	-	2	-	1	-	-	9	-	1	1	-	-
Newport	3	48	15	11	15	24	4	6	2	-	4	4	1	78	13	10	7	5	1
Middletown town#	-	9	1	2	2	5	1	3	-	-	-	2	-	11	3	2	1	1	1
Newport	2	21	12	3	5	10	-	1	1	-	-	2	1	42	1	4	3	2	-
Balance of county	1	18	2	6	8	9	3	2	1	-	4	-	-	25	9	4	3	2	-
Providence	21	401	85	69	176	217	23	75	93	-	30	32	21	615	60	99	56	28	7
Central Falls	-	13	3	6	4	7	1	3	3	-	-	2	-	22	2	9	3	1	-
Cranston	2	52	13	9	28	29	2	8	5	-	4	4	4	69	3	7	8	-	-
Cumberland town#	1	16	3	3	8	9	2	3	2	-	1	1	1	19	-	3	2	-	-
East Providence	1	29	9	5	18	21	6	8	5	-	2	3	-	62	4	8	4	3	1
Johnston town#	3	12	2	3	7	10	-	1	6	-	-	2	-	33	6	5	2	1	-
North Providence town#	2	15	5	4	6	5	-	5	4	-	2	2	1	33	4	4	1	-	1
Pawtucket	1	61	12	10	15	31	2	10	18	-	1	7	2	80	7	14	2	2	1
Providence	5	128	15	15	63	56	7	28	37	-	11	7	7	190	17	29	21	18	3
Woonsocket	-	28	12	5	9	23	2	2	6	-	4	1	5	46	5	7	3	1	1
Balance of county	6	47	11	9	18	28	1	9	7	-	5	3	1	61	12	13	12	2	-
Washington	2	59	9	10	22	36	2	7	5	-	6	7	4	57	12	18	10	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina	27,099	29	2	346	5,646	1,360	1,599	452	736	233	206	1,060	506	12,652	9,526	49	383	6,274	2,820
Urban places	7,809	8	1	104	1,650	401	419	151	229	65	57	328	156	3,636	2,640	13	112	1,742	773
Balance of area	19,290	21	1	242	3,996	959	1,180	301	507	168	149	732	350	9,016	6,886	36	271	4,532	2,047
Metropolitan counties	15,440	7	2	210	3,270	775	943	281	418	120	124	609	281	7,065	5,376	34	214	3,801	1,527
Urban places	6,112	5	1	88	1,314	326	333	121	184	48	48	254	122	2,771	2,055	11	98	1,331	617
Balance of area	9,328	2	1	122	1,956	449	610	160	234	72	76	355	159	4,294	3,321	23	118	2,270	910
Nonmetropolitan counties	11,659	22	-	136	2,376	585	656	171	318	113	82	451	225	5,587	4,150	15	169	2,673	1,293
Urban places	1,697	3	-	16	336	75	86	30	45	17	9	74	34	865	585	2	16	411	156
Balance of area	9,962	19	-	120	2,040	510	570	141	273	96	73	377	191	4,722	3,565	13	153	2,262	1,137
Abbeville	199	1	-	2	45	9	9	5	3	4	3	13	4	90	77	1	2	54	20
Aiken	1,012	-	-	10	224	60	58	15	29	5	18	39	12	466	351	5	16	229	101
Aiken	252	-	-	1	73	24	18	5	8	-	7	11	7	100	71	2	1	48	20
North Augusta	212	-	-	2	50	12	15	3	8	1	-	11	-	103	82	-	5	57	20
Balance of county	548	-	-	7	101	24	25	7	13	4	11	17	5	263	198	3	10	124	61
Allendale	125	-	-	2	16	4	5	1	2	1	-	3	2	66	43	-	2	28	13
Anderson	1,125	-	-	15	230	41	78	19	29	7	12	44	21	496	370	4	17	261	88
Anderson	407	-	-	6	83	13	27	3	15	4	5	16	7	195	137	-	10	103	24
Balance of county	718	-	-	9	147	28	51	16	14	3	7	28	14	301	233	4	7	158	64
Bamberg	163	-	-	3	29	10	6	1	8	2	-	2	5	83	64	-	6	36	22
Barnwell	200	1	-	4	35	5	9	1	8	1	4	7	6	97	77	-	1	50	26
Beaufort	506	-	-	9	119	36	28	6	12	6	8	23	9	206	145	-	5	95	45
Berkeley	588	-	-	7	120	27	32	9	17	6	4	25	7	276	224	2	3	149	70
Goose Creek	67	-	-	-	23	6	3	4	3	-	-	7	1	24	23	-	-	13	10
Hanahan	51	-	-	-	13	2	6	-	2	3	-	-	-	21	18	-	-	14	4
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	470	-	-	7	84	19	23	5	12	3	4	18	6	231	183	2	3	122	56
Calhoun	107	-	-	1	19	3	6	2	5	-	-	3	1	48	38	-	3	27	8
Charleston	2,133	-	-	45	482	116	145	38	54	22	14	93	42	904	671	6	36	467	182
Charleston	841	-	-	16	192	43	52	17	24	10	5	41	19	372	276	2	13	199	62
Mount Pleasant	174	-	-	2	34	6	9	2	5	2	2	8	2	86	60	-	4	33	23
North Charleston, part	277	-	-	5	59	13	21	7	4	1	2	11	4	120	91	2	5	60	24
North Charleston, total	277	-	-	5	59	13	21	7	4	1	2	11	4	120	91	2	5	60	24
Balance of county	841	-	-	22	197	54	63	12	21	9	5	33	17	326	244	2	14	175	53
Cherokee	353	-	-	2	69	13	28	5	5	5	-	13	14	151	119	-	3	82	34
Gaffney	168	-	-	-	30	2	15	2	1	3	-	7	8	74	58	-	1	33	24
Balance of county	185	-	-	2	39	11	13	3	4	2	-	6	6	77	61	-	2	49	10
Chester	329	1	-	4	61	14	17	3	8	5	4	10	6	164	124	1	4	71	48
Chesterfield	372	-	-	5	77	19	17	7	10	2	3	19	12	153	106	-	2	71	33
Clarendon	255	-	-	3	50	12	13	4	8	2	1	10	7	132	92	-	4	51	37
Colleton	342	1	-	2	75	20	19	3	14	1	2	16	10	154	116	-	4	95	17
Darlington	591	4	-	6	115	25	41	13	11	6	2	17	8	273	198	1	24	119	54
Dillon	310	2	-	8	55	11	20	8	4	2	1	9	3	148	103	1	2	62	38
Dorchester	434	1	-	5	77	23	26	5	11	2	2	8	5	203	155	1	6	100	48
Edgefield	131	1	-	1	22	6	8	1	1	1	-	5	2	59	43	1	7	19	16
Fairfield	239	-	-	2	52	15	13	2	5	3	1	13	6	111	93	-	2	45	46
Florence	1,097	1	-	11	236	45	79	22	42	7	10	31	28	560	424	1	33	222	168
Florence	420	1	-	5	83	20	18	11	11	5	4	14	8	224	164	1	13	82	68
Balance of county	677	-	-	6	153	25	61	11	31	2	6	17	20	336	260	-	20	140	100
Georgetown	346	-	-	5	82	25	20	2	12	4	1	18	5	154	111	-	7	72	32
Georgetown	128	-	-	2	25	9	4	1	1	1	-	9	4	59	39	-	5	24	10
Balance of county	218	-	-	3	57	16	16	1	11	3	1	9	1	95	72	-	2	48	22
Greenville	2,439	1	-	30	530	115	138	55	81	18	19	104	41	1,151	888	7	31	574	276
Greenville	731	1	-	12	150	38	35	10	36	4	5	22	14	324	255	1	12	145	97
Greer, part	142	-	-	1	19	5	2	3	3	-	2	4	2	82	52	1	3	35	13
Greer, total	175	-	1	2	21	6	2	3	3	-	2	5	4	100	69	1	4	48	16
Balance of county	1,566	-	-	17	361	72	101	42	42	14	12	78	25	745	581	5	16	394	186
Greenwood	534	-	-	4	115	29	36	10	15	5	3	17	13	242	168	-	8	126	34
Greenwood	276	-	-	-	59	14	15	7	9	3	1	10	4	131	89	-	3	69	17
Balance of county	258	-	-	4	56	15	21	3	6	2	2	7	9	111	79	-	5	57	17
Hampton	156	2	-	1	28	8	11	-	1	-	1	7	5	70	55	1	3	42	9
Horry	950	2	-	10	217	54	60	21	27	12	9	34	11	470	370	4	7	249	110
Conway	124	-	-	-	22	3	6	2	5	1	-	5	1	68	41	-	-	29	12
Myrtle Beach	173	1	-	4	42	8	14	5	3	1	2	9	3	86	66	1	1	43	21
Balance of county	653	1	-	6	153	43	40	14	19	10	7	20	7	318	263	3	6	177	77
Jasper	131	-	-	1	19	4	6	-	6	1	-	2	3	67	51	-	-	38	13
Kershaw	311	1	-	2	75	18	19	7	8	4	2	17	4	145	117	-	7	77	33
Lancaster	430	-	-	2	86	23	25	9	5	7	3	14	10	212	177	3	4	105	65
Laurens	531	-	-	8	101	29	29	5	14	4	5	15	13	270	201	1	12	143	45
Laurens	143	-	-	1	31	12	6	1	4	1	1	6	3	75	48	-	2	37	9
Balance of county	388	-	-	7	70	17	23	4	10	3	4	9	10	195	153	1	10	106	36
Lee	148	-	-	1	38	13	9	3	4	1	3	5	1	62	50	-	-	28	22
Lexington	997	2	-	18	210	40	61	19	18	11	12	49	14	427	323	1	10	249	63
Cayce	92	1	-	3	27	6	7	4	-	-	2	8	1	35	22	-	1	18	3
West Columbia	162	-	-	1	40	3	8	8	6	2	2	11	1	65	53	-	-	40	13
Balance of county	743	1	-	14	143	31	46	7	12	9	8	30	12	327	248	1	9	191	47
McCormick	68	-	-	1	12	4	5	-	3	-	-	-	-	37	29	-	1	19	9
Marion	330	-	-	6	59	16	14	4	9	5	3	8	13	150	109	-	5	63	41
Marlboro	306	1	-	4	49	11	14	4	11	3	-	6	5	165	114	-	3	86	25
Newberry	330	-	-	-	81	23	22	5	11	-	4	16	2	167	125	-	4	54	67
Oconee	473	-	-	3	100	20	25	10	12	8	2	23	7	236	172	-	9	111	52
Orangeburg	847	2	-	13	185	36	47	6	29	2	1	44	16	422	303	1	15	193	94
Orangeburg	216	1	-	2	36	5	8	2	7	1	-	13	4	122	80	1	1	59	19
Balance of county	631	1	-	11	129	31	39	4	22	1	1	31	12	300	223	-	14	134	75

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina	173	2,436	224	293	791	769	80	325	271	4	199	411	213	2,428	924	739	393	322	29
Urban places	45	810	69	72	248	241	18	89	80	-	51	145	60	809	138	174	109	86	6
Balance of area	128	1,626	155	221	543	548	62	236	191	4	148	266	153	1,619	786	565	284	236	23
Metropolitan counties	86	1,320	120	163	485	489	46	189	146	2	111	236	121	1,463	498	378	246	183	12
Urban places	29	586	49	52	200	197	14	69	58	-	44	113	51	658	106	136	88	72	5
Balance of area	57	734	71	111	285	292	32	120	88	2	67	123	70	805	392	242	158	111	7
Nonmetropolitan counties	87	1,116	104	130	306	300	34	136	125	2	88	175	92	965	426	361	147	139	17
Urban places	16	224	20	20	48	44	4	20	22	-	7	32	9	151	32	38	21	14	1
Balance of area	71	892	84	110	258	256	30	116	103	2	81	143	83	814	394	323	126	125	16
Abbeville	-	11	2	-	8	9	1	3	1	-	-	1	-	13	8	5	4	2	1
Aiken	5	90	12	8	20	28	5	9	10	-	14	18	5	108	31	23	17	11	1
Aiken	-	26	3	-	8	6	1	-	3	-	2	6	-	26	7	5	4	3	-
North Augusta	-	17	4	-	2	4	1	1	1	-	3	6	-	31	4	1	1	1	1
Balance of county	5	47	5	8	10	18	3	8	6	-	9	6	5	51	20	17	12	7	-
Allendale	-	20	2	1	9	3	-	4	1	-	2	1	1	8	4	2	2	2	-
Anderson	14	96	5	11	44	49	2	13	7	-	7	13	15	109	43	29	19	12	1
Anderson	3	50	1	4	21	17	1	2	3	-	2	4	4	40	4	12	3	3	-
Balance of county	11	46	4	7	23	32	1	11	4	-	5	9	11	69	39	17	16	9	1
Bamberg	-	17	-	2	3	-	-	3	3	-	1	1	3	15	3	7	2	2	-
Barnwell	-	19	-	1	5	3	1	3	2	-	2	4	1	21	6	4	-	4	1
Beaufort	4	47	4	6	15	11	1	6	5	-	7	6	4	47	28	12	9	9	3
Berkeley	1	35	12	4	11	10	-	6	6	1	6	13	4	50	40	12	9	10	-
Goose Creek	-	1	-	-	-	1	-	-	-	-	1	4	1	5	4	-	3	-	-
Hanahan	-	3	-	-	1	-	-	-	-	-	1	-	1	7	2	3	1	1	-
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	31	12	4	10	9	-	6	6	1	4	9	2	38	34	9	5	9	-
Calhoun	2	6	-	2	2	2	1	2	3	-	-	2	-	18	3	3	2	-	-
Charleston	11	184	12	26	59	69	6	30	21	-	12	36	23	225	55	60	33	30	1
Charleston	4	80	8	4	27	26	1	5	12	-	4	15	10	92	7	24	11	8	-
Mount Pleasant	1	20	2	3	3	7	-	3	1	-	1	2	1	18	2	5	4	2	-
North Charleston, part	1	24	-	4	6	10	2	3	2	-	1	6	5	19	10	13	3	8	1
North Charleston, total	1	24	-	4	6	10	2	3	2	-	1	6	5	19	10	13	3	8	1
Balance of county	5	60	2	15	23	26	3	19	6	-	6	13	7	95	36	18	15	12	-
Cherokee	3	19	5	5	20	14	-	3	6	-	-	5	5	28	14	9	8	5	-
Gaffney	2	12	1	1	12	6	-	1	5	-	-	2	4	16	2	3	4	1	-
Balance of county	1	7	4	4	6	8	-	2	1	-	-	3	1	12	12	6	4	4	-
Chester	5	30	2	3	9	8	1	2	2	-	1	7	3	25	9	16	6	4	-
Chesterfield	2	38	3	4	5	13	-	6	4	1	4	6	27	34	7	7	5	5	1
Clarendon	2	35	1	2	4	1	1	-	5	-	2	3	2	16	15	8	2	3	1
Colleton	-	34	2	2	8	17	-	3	4	-	1	5	-	33	12	9	-	8	-
Darlington	1	62	2	10	24	16	1	5	7	-	4	4	5	60	18	21	6	14	-
Dillon	9	29	2	5	9	11	-	3	7	-	3	3	2	29	12	9	3	3	-
Dorchester	4	34	5	5	11	15	3	6	5	-	2	10	3	37	23	11	9	8	-
Edgefield	1	10	1	4	5	4	-	2	3	-	-	5	2	12	3	6	1	3	-
Fairfield	2	15	-	1	3	9	-	1	4	-	-	4	1	22	12	9	2	1	-
Florence	6	114	4	12	28	31	-	11	10	-	9	19	4	66	30	32	11	10	-
Florence	2	56	-	2	11	11	-	6	4	-	4	11	1	31	8	4	7	1	-
Balance of county	4	58	4	10	17	20	-	5	6	-	5	8	3	35	22	28	4	9	-
Georgetown	2	37	4	-	7	7	1	4	2	-	4	7	4	32	12	14	1	5	-
Georgetown	1	19	-	-	5	3	-	1	1	-	1	2	1	15	3	4	-	2	-
Balance of county	1	18	4	-	2	4	1	3	1	-	3	5	3	17	9	10	1	3	-
Greenville	20	192	22	29	89	66	7	30	18	-	15	43	28	200	69	58	39	23	1
Greenville	7	46	6	10	24	21	1	16	5	-	5	24	8	86	9	13	12	6	-
Greer, part	-	25	4	1	2	4	1	3	1	-	-	2	-	16	3	3	2	1	-
Greer, total	-	26	4	1	2	5	1	3	1	-	-	2	1	17	5	6	2	2	-
Balance of county	13	121	12	18	63	41	5	11	12	-	10	17	20	98	57	42	25	16	1
Greenwood	6	57	4	7	12	12	6	9	7	-	1	12	2	60	8	14	11	4	2
Greenwood	3	33	3	3	6	6	1	6	4	-	1	8	1	33	5	3	5	2	1
Balance of county	3	24	1	4	6	6	5	3	3	-	-	4	1	27	3	11	6	2	1
Hampton	-	11	1	3	1	4	-	4	1	-	3	3	1	11	10	8	3	1	-
Horry	2	65	15	18	29	20	-	12	8	-	5	8	3	64	43	25	10	12	1
Conway	-	14	9	2	4	2	-	3	2	-	-	2	1	14	1	4	1	1	-
Myrtle Beach	1	12	3	4	2	3	-	2	1	-	-	3	-	9	7	4	3	3	-
Balance of county	1	39	3	12	23	15	-	7	5	-	5	3	2	41	35	17	6	8	1
Jasper	-	14	1	1	5	2	1	-	4	-	-	2	2	11	4	2	2	5	1
Kershaw	4	13	7	4	7	10	1	2	3	-	2	-	2	23	14	8	7	1	4
Lancaster	2	24	1	8	10	9	1	5	5	-	5	3	1	45	19	7	7	3	-
Laurens	3	55	6	5	22	9	4	4	4	-	6	4	-	40	23	14	7	2	-
Laurens	1	22	2	2	5	4	2	-	3	-	-	2	-	12	1	3	1	-	-
Balance of county	2	33	4	3	17	5	2	4	1	-	6	2	-	28	22	11	6	2	-
Lee	2	10	-	-	4	4	-	3	1	-	1	6	2	10	5	6	1	2	1
Lexington	5	84	3	12	40	40	2	16	11	-	7	19	6	107	31	18	16	11	2
Cayce	-	12	-	1	3	8	-	1	-	-	-	3	-	7	1	1	1	-	-
West Columbia	1	11	-	-	11	5	-	2	4	-	-	2	1	21	2	3	1	3	-
Balance of county	4	61	3	11	26	27	2	13	7	-	7	14	5	79	28	14	14	8	2
McCormick	-	7	1	-	1	4	-	1	-	-	1	1	-	4	2	3	-	1	-
Marion	5	32	3	1	11	8	-	6	5	-	3	6	4	23	11	10	5	10	-
Marlboro	1	49	-	1	7	9	-	5	2	-	3	9	2	18	8	9	6	4	-
Newberry	1	28	5	8	5	7	2	6	1	-	1	10	3	24	14	6	1	-	-
Oconee	6	44	11	3	12	21	3	4	2	-	3	3	-	43	15	10	10	-	1
Orangeburg	11	95	6	7	23	23	4	9	9	1	7	12	6	58	32	32	7	6	-
Orangeburg	2	35	2	3	5	8	-	4	1	-	2	2	2	11	5	6	3	2	-
Balance of county	9	60	4	4	18	15	4	5	8	1	5	10	4	47	27	26	4	4	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con.																			
Pickens	568	-	-	6	131	35	36	5	22	1	2	30	10	280	213	-	5	162	46
Easley	125	-	-	3	32	9	9	1	8	-	-	5	2	60	40	-	1	31	8
Balance of county	443	-	-	3	99	26	27	4	14	1	2	25	8	220	173	-	4	131	38
Richland	2,180	1	1	35	449	131	114	37	51	20	12	84	47	892	684	1	25	439	219
Columbia	1,183	1	-	20	246	71	54	22	31	10	6	52	30	474	354	-	13	231	110
Balance of county	997	-	1	15	203	60	60	15	20	10	6	32	17	418	330	1	12	208	109
Saluda	159	-	-	2	31	4	6	-	5	1	3	12	1	80	48	-	3	34	11
Spartanburg	1,941	-	1	16	393	93	119	34	52	15	9	71	33	951	733	5	25	499	204
Greer, part	33	-	1	1	2	1	-	-	-	-	-	1	2	18	17	-	1	13	3
Spartanburg	565	-	-	7	111	33	27	7	17	3	3	21	10	287	210	1	11	117	81
Balance of county	1,343	-	-	10	280	59	92	27	35	12	6	49	21	646	506	4	13	369	120
Sumter	741	-	-	11	146	37	27	16	21	9	8	28	15	347	236	-	2	145	89
Sumter	348	-	-	6	69	19	11	9	11	3	5	11	6	176	107	-	1	73	33
Balance of county	393	-	-	5	77	18	16	7	10	6	3	17	9	169	129	-	1	72	56
Union	301	2	-	3	55	11	17	5	9	4	-	9	4	187	151	-	7	118	26
Union	121	1	-	1	22	3	7	1	4	3	-	4	1	74	57	-	2	44	11
Balance of county	180	1	-	2	33	8	10	4	5	1	-	5	3	113	94	-	5	74	15
Williamsburg	345	1	-	5	77	18	25	2	12	2	5	13	2	169	125	-	1	65	59
York	926	1	-	10	188	49	57	23	12	6	10	31	21	459	340	1	7	250	82
Rock Hill	378	1	-	3	77	21	22	14	3	3	3	11	12	181	130	1	3	92	34
Balance of county	548	-	-	7	111	28	35	9	9	3	7	20	9	278	210	-	4	158	48
South Dakota	6,603	3	-	57	1,363	362	335	122	149	63	62	270	102	3,282	2,581	13	39	1,765	764
Urban places	2,220	-	-	18	503	134	118	51	57	25	22	96	32	1,035	802	7	10	591	194
Balance of area	4,383	3	-	39	860	228	217	71	92	38	40	174	70	2,247	1,779	6	29	1,174	570
Metropolitan counties	920	1	-	13	209	58	46	17	26	12	14	36	10	387	306	2	1	232	71
Urban places	730	-	-	13	172	48	39	17	19	10	9	30	9	303	245	2	-	184	59
Balance of area	190	1	-	-	37	10	7	-	7	2	5	6	1	84	61	-	1	48	12
Nonmetropolitan counties	5,683	2	-	44	1,154	304	289	105	123	51	48	234	92	2,895	2,275	11	38	1,533	693
Urban places	1,490	-	-	5	331	86	79	34	38	15	13	66	23	732	557	5	10	407	135
Balance of area	4,193	2	-	39	823	218	210	71	85	36	35	168	69	2,163	1,718	6	28	1,126	558
Aurora	47	-	-	2	9	1	1	-	3	-	1	3	-	24	20	-	-	13	7
Beadle	186	-	-	-	44	14	9	4	8	-	1	8	2	99	68	1	-	58	11
Huron	128	-	-	-	32	12	4	4	6	-	-	6	2	67	46	1	-	39	6
Balance of county	58	-	-	-	12	2	5	-	2	-	1	2	-	32	22	-	-	17	5
Bennett	32	-	-	-	10	3	1	-	3	1	-	2	3	16	15	-	-	7	8
Bon Homme	78	-	-	-	10	2	4	1	-	-	1	2	-	50	34	-	-	20	14
Brookings	179	-	-	2	43	10	9	3	5	2	3	11	5	84	61	-	-	45	16
Brookings	99	-	-	2	23	6	5	2	1	2	1	6	1	49	36	-	-	30	6
Balance of county	80	-	-	-	20	4	4	1	4	-	2	5	4	35	25	-	-	15	10
Brown	356	-	-	1	73	18	21	9	8	2	3	14	8	206	157	-	2	127	28
Aberdeen	257	-	-	1	55	10	19	6	5	2	2	11	7	142	108	-	2	88	18
Balance of county	99	-	-	-	18	8	2	3	3	-	1	3	1	64	49	-	-	39	10
Brule	47	-	-	-	7	3	2	-	-	1	-	1	-	28	23	-	1	17	5
Buffalo	13	-	-	-	3	-	1	-	-	-	-	2	-	4	2	-	-	-	2
Butte	90	-	-	2	18	6	5	2	1	2	-	2	-	56	45	-	1	35	9
Campbell	15	-	-	-	2	-	1	-	1	-	-	-	-	9	6	-	-	6	-
Charles Mix	99	-	-	-	20	8	7	2	-	-	-	3	2	48	40	-	-	21	19
Clark	59	-	-	1	5	2	-	-	1	-	-	2	2	32	26	-	-	19	7
Clay	103	-	-	1	23	4	5	-	5	3	-	6	2	56	43	1	1	31	10
Vermillion	48	-	-	-	6	1	1	-	1	1	-	2	1	32	23	1	1	15	6
Balance of county	55	-	-	1	17	3	4	-	4	2	-	4	1	24	20	-	-	16	4
Codington	200	-	-	-	53	16	9	5	3	3	1	16	1	89	73	1	1	48	23
Watertown	157	-	-	-	41	14	9	4	2	2	1	9	1	70	58	1	1	38	18
Balance of county	43	-	-	-	12	2	-	1	1	1	-	7	-	19	15	-	-	10	5
Corson	50	-	-	3	5	2	1	-	-	-	1	1	2	20	14	-	1	10	3
Custer	69	-	-	2	11	3	5	-	1	1	-	1	-	34	28	-	-	16	12
Davison	204	-	-	-	40	12	9	2	8	2	-	7	-	98	76	-	-	55	21
Mitchell	177	-	-	-	33	9	8	2	7	1	-	6	-	86	67	-	-	50	17
Balance of county	27	-	-	-	7	3	1	-	1	1	-	1	-	12	9	-	-	5	4
Day	112	-	-	3	18	4	4	2	4	-	-	4	3	66	51	-	-	42	9
Deuel	47	-	-	-	16	3	3	1	-	2	1	6	-	24	19	-	-	14	5
Dewey	39	-	-	-	12	1	6	1	-	-	-	4	-	16	13	-	1	8	4
Douglas	51	-	-	-	11	4	3	2	-	-	-	2	1	24	19	-	-	12	7
Edmunds	58	-	-	-	13	4	3	3	2	-	-	1	1	37	25	-	-	23	2
Fall River	111	-	-	3	22	9	5	3	1	-	-	4	2	54	48	-	1	32	15
Faulk	30	-	-	-	5	1	-	-	-	-	1	3	-	21	15	-	-	5	10
Grant	96	-	-	-	17	3	1	-	5	1	2	5	-	49	43	-	-	24	19
Gregory	74	-	-	-	11	2	4	1	-	1	2	1	-	48	41	-	-	20	21
Haakon	27	-	-	1	3	2	-	-	-	-	-	1	-	18	15	-	3	8	4
Hamlin	74	-	-	1	11	5	2	-	1	-	-	3	3	40	33	-	1	22	10
Hand	54	-	-	1	7	2	1	1	1	1	-	1	-	32	14	-	-	11	3
Hanson	29	-	-	-	6	1	3	-	-	1	-	1	-	14	12	-	-	8	4
Harding	13	-	-	-	5	1	1	-	1	-	1	1	-	4	3	-	-	1	2
Hughes	100	-	-	2	23	5	6	2	3	2	2	3	2	42	33	1	-	28	4
Pierre	84	-	-	1	22	5	5	2	3	2	2	3	1	38	29	1	-	24	4
Balance of county	16	-	-	1	1	-	1	-	-	-	-	-	1	4	4	-	-	4	-
Hutchinson	124	-	-	-	25	9	3	2	2	-	3	6	3	57	38	-	-	28	10
Hyde	25	-	-	-	3	1	-	1	-	-	-	1	-	15	12	-	-	8	4
Jackson	35	-	-	-	5	1	-	1	1	-	-	2	-	18	16	-	1	13	2
Jerauld	34	-	-	-	5	2	1	-	-	-	-	2	-	18	15	-	1	8	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	-	59	5	3	19	11	-	9	4	-	2	5	2	42	25	9	11	2	-
Easley	-	17	3	-	5	3	-	4	-	-	-	1	-	10	3	-	2	-	-
Balance of county	-	42	2	3	14	8	-	5	4	-	2	4	2	32	22	9	9	2	-
Richland	9	166	11	22	99	69	8	22	24	-	24	33	18	260	65	54	41	35	3
Columbia	3	100	6	11	44	38	3	14	11	-	16	17	13	157	25	32	21	19	2
Balance of county	6	66	5	11	55	31	5	8	13	-	8	16	5	103	40	22	20	16	1
Saluda	2	19	10	1	3	2	1	3	-	-	-	3	1	14	6	7	3	2	-
Spartanburg	7	178	11	22	47	69	11	22	18	1	8	16	10	185	57	47	33	19	2
Greer, part	-	1	-	-	-	1	-	-	-	-	-	-	1	1	2	3	-	1	-
Spartanburg	4	63	4	6	21	22	3	2	5	-	1	5	3	56	9	6	9	7	1
Balance of county	3	114	7	16	26	46	8	20	13	1	7	11	6	128	46	38	24	11	1
Sumter	7	95	2	7	10	19	2	11	9	-	10	22	-	68	21	34	6	10	-
Sumter	5	63	-	3	6	10	1	3	3	-	3	10	-	35	5	7	4	2	-
Balance of county	2	32	2	4	4	9	1	8	6	-	7	12	-	33	16	27	2	8	-
Union	1	31	-	4	5	3	-	-	3	-	-	3	-	16	9	8	1	2	-
Union	1	14	-	2	3	2	-	-	2	-	-	1	-	6	3	4	-	1	-
Balance of county	-	17	-	2	2	1	-	-	1	-	-	2	-	10	6	4	1	1	-
Williamsburg	1	38	1	4	3	6	1	2	2	-	6	4	3	20	16	17	7	4	-
York	4	88	18	9	18	32	2	15	12	-	5	11	3	74	29	25	8	12	1
Rock Hill	3	34	8	6	11	13	-	7	6	-	3	5	2	34	4	8	3	8	-
Balance of county	1	54	10	3	7	19	2	8	6	-	2	6	1	40	25	17	5	4	1
South Dakota	20	524	96	61	289	235	21	61	53	2	31	48	69	550	147	181	81	21	7
Urban places	8	162	37	26	95	93	4	17	12	1	14	22	22	221	38	51	36	3	3
Balance of area	12	362	59	35	194	142	17	44	41	1	17	26	47	329	109	130	45	18	4
Metropolitan counties	5	56	11	9	54	48	1	7	1	-	13	9	20	91	19	22	13	2	-
Urban places	4	38	9	7	44	38	-	5	1	-	8	8	14	73	12	17	12	1	-
Balance of area	1	18	2	2	10	10	1	2	-	-	5	1	6	18	7	5	1	1	-
Nonmetropolitan counties	15	468	85	52	235	187	20	54	52	2	18	39	49	459	128	159	68	19	7
Urban places	4	124	28	19	51	55	4	12	11	1	6	14	8	148	26	34	24	2	3
Balance of area	11	344	57	33	184	132	16	42	41	1	12	25	41	311	102	125	44	17	4
Aurora	-	3	1	-	1	2	-	-	1	-	-	-	1	3	3	-	1	-	-
Beadle	3	22	5	1	9	4	-	2	1	-	-	2	1	9	4	5	4	-	-
Huron	1	16	3	1	8	3	-	2	-	-	-	-	-	7	1	4	2	-	-
Balance of county	2	6	2	-	1	1	-	-	1	-	-	2	1	2	3	1	2	-	-
Bennett	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Bon Homme	1	12	2	1	1	5	2	-	-	-	1	2	-	6	1	-	-	-	-
Brookings	-	19	2	2	5	2	-	-	1	-	1	-	2	22	3	5	4	-	-
Brookings	-	12	-	1	3	1	-	-	1	-	1	-	1	13	-	2	2	-	-
Balance of county	-	7	2	1	2	1	-	-	-	-	-	-	1	9	3	3	2	-	-
Brown	2	37	5	5	5	10	-	3	3	1	-	1	-	27	7	6	4	1	-
Aberdeen	1	25	3	5	5	6	-	2	-	1	-	1	-	23	6	4	4	-	-
Balance of county	1	12	2	-	-	4	-	1	3	-	-	-	-	4	1	2	-	1	-
Brule	-	1	3	1	3	1	-	-	1	-	-	1	1	2	-	3	-	-	-
Buffalo	-	2	-	-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-
Butte	-	7	2	2	2	3	-	1	2	-	1	-	-	1	2	2	-	-	-
Campbell	-	1	-	2	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Charles Mix	-	8	-	-	4	5	1	1	1	-	-	1	2	7	3	3	1	-	-
Clark	-	5	1	-	3	7	1	1	1	-	1	-	-	3	1	1	-	-	-
Clay	-	9	3	1	5	1	1	-	-	-	-	1	1	9	1	1	1	-	-
Vermillion	-	5	3	1	-	-	-	-	-	-	-	1	-	7	-	-	1	-	-
Balance of county	-	4	-	-	5	1	1	-	-	-	-	-	1	2	1	1	-	-	-
Codington	1	13	1	1	4	4	5	1	3	-	1	-	2	19	1	8	8	1	-
Watertown	1	10	-	1	4	4	3	1	3	-	1	-	2	15	1	5	5	1	-
Balance of county	-	3	1	-	-	-	2	-	-	-	-	-	-	4	-	3	3	-	-
Corson	-	5	1	-	4	-	-	-	-	-	2	1	2	2	5	2	1	1	-
Custer	-	4	2	-	5	3	-	-	3	-	-	-	-	9	-	2	-	-	-
Davison	-	11	7	4	14	11	-	1	2	-	1	1	1	20	5	8	1	1	-
Mitchell	-	9	6	4	14	9	-	1	2	-	1	-	1	20	4	5	-	1	-
Balance of county	-	2	1	-	-	2	-	-	-	-	-	1	-	-	1	3	1	-	-
Day	-	14	1	-	8	3	-	1	1	-	-	-	2	5	-	2	-	-	-
Deuel	1	4	-	-	3	-	-	-	-	-	1	-	-	2	-	1	-	-	-
Dewey	-	2	-	1	1	-	-	2	-	-	-	-	-	2	1	2	1	2	-
Douglas	-	4	1	-	2	2	-	-	-	-	-	-	-	8	2	-	-	1	-
Edmunds	-	11	-	1	-	-	-	1	1	-	-	-	-	4	1	-	-	-	-
Fall River	-	4	1	1	3	7	1	-	-	-	-	-	3	8	1	2	5	-	-
Faulk	-	4	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
Grant	-	6	-	-	6	8	-	1	1	-	1	1	-	5	2	4	1	-	-
Gregory	-	6	1	-	4	3	-	-	-	-	-	1	-	3	3	1	-	-	-
Haakon	-	2	-	1	1	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Hamlin	-	5	-	2	4	-	-	2	-	-	-	-	2	5	3	3	-	-	-
Hand	-	12	6	-	5	2	-	-	-	-	-	2	-	3	1	1	-	-	-
Hanson	-	1	-	1	4	-	-	-	-	-	-	-	-	4	1	-	-	-	-
Harding	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
Hughes	-	7	2	-	1	2	2	-	2	-	1	3	-	10	-	6	4	-	-
Pierre	-	7	2	-	1	2	1	-	1	-	-	3	-	8	-	3	3	-	-
Balance of county	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	3	1	-	-
Hutchinson	1	15	2	1	7	4	-	-	5	-	-	-	-	16	2	5	-	-	-
Hyde	-	3	-	-	-	1	2	-	-	-	1	-	-	2	-	1	-	-	-
Jackson	-	2	-	-	4	1	-	-	-	-	1	-	-	9	1	2	-	-	-
Jerauld	-	2	1	-	4	3	-	-	-	-	-	1	-	3	-	-	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-016)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Jones	21	-	-	-	5	-	1	-	1	-	-	3	-	13	11	-	-	9	2
Kingsbury	101	-	-	2	9	3	3	-	-	1	1	1	3	66	58	1	-	40	17
Lake	122	1	-	-	26	7	8	1	3	2	2	3	3	59	49	1	2	25	21
Lawrence	190	-	-	1	45	13	13	8	3	-	-	8	2	100	82	2	-	39	41
Lincoln	128	-	-	2	26	8	5	1	3	3	2	4	-	75	66	-	-	44	22
Sioux Falls, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	127	-	-	2	26	8	5	1	3	3	2	4	-	74	65	-	-	43	22
Lyman	36	-	-	-	9	1	5	1	2	-	-	-	1	19	17	-	-	10	7
McCook	74	-	-	-	21	7	3	2	1	2	2	4	1	36	29	-	3	16	10
McPherson	45	-	-	-	6	1	2	-	-	-	-	3	1	31	26	-	2	20	4
Marshall	62	-	-	-	13	6	2	-	1	-	1	3	-	37	30	-	-	25	5
Meade	136	-	-	-	30	5	14	3	2	2	1	3	-	66	50	-	-	37	13
Mellette	27	-	-	-	5	1	2	1	-	-	-	1	2	13	10	-	-	2	8
Miner	49	-	-	-	10	4	3	1	-	1	-	1	2	23	16	-	-	12	4
Minnehaha	920	1	-	13	209	58	46	17	26	12	14	35	10	387	306	2	1	232	71
Sioux Falls, part	730	-	-	13	172	48	39	17	19	10	9	30	9	303	245	2	-	184	59
Sioux Falls, total	731	-	-	13	172	48	39	17	19	10	9	30	9	304	246	2	-	185	59
Balance of county	190	1	-	-	37	10	7	-	7	2	5	5	1	84	61	-	1	46	12
Moody	63	-	-	-	12	2	3	3	1	-	2	1	1	38	32	-	1	14	17
Pennington	500	-	-	1	112	28	32	8	14	4	6	20	9	220	167	1	7	97	62
Rapid City	398	-	-	1	92	22	23	8	11	4	5	19	9	168	128	1	6	75	46
Balance of county	102	-	-	-	20	6	9	-	3	-	1	1	-	52	39	-	1	22	16
Perkins	44	-	-	1	13	3	3	2	2	1	-	2	1	15	12	-	-	9	3
Potter	44	-	-	1	11	4	3	-	1	-	1	2	1	16	15	-	-	11	4
Roberts	126	-	-	1	23	5	7	2	1	2	1	5	1	61	53	1	-	27	25
Sanborn	44	-	-	1	10	3	1	-	1	1	-	4	2	21	16	-	1	12	3
Shannon	102	1	-	-	9	2	3	-	1	-	-	3	3	31	25	-	-	12	13
Spink	110	-	-	2	26	10	7	2	1	1	-	5	2	54	34	-	-	27	7
Stanley	19	-	-	-	4	3	1	-	-	-	-	-	1	10	7	-	-	6	1
Sully	8	-	-	-	1	-	-	-	1	-	-	-	2	4	2	-	-	-	2
Todd	49	-	-	1	7	-	3	-	1	-	-	3	2	12	11	1	-	8	2
Tripp	86	-	-	-	10	6	1	-	1	-	-	2	2	47	35	-	-	19	16
Turner	100	-	-	3	23	5	5	5	4	-	1	3	1	46	35	-	-	25	10
Union	130	-	-	1	39	5	9	7	3	5	2	8	5	56	46	-	-	37	8
Walworth	105	-	-	2	17	2	6	2	5	-	1	1	-	59	50	-	7	34	9
Yankton	185	-	-	-	34	8	5	8	2	1	2	8	2	111	90	-	-	71	19
Yankton	141	-	-	-	27	7	5	6	2	1	2	4	1	79	61	-	-	47	14
Balance of county	44	-	-	-	7	1	-	2	-	-	-	4	1	32	29	-	-	24	5
Ziebach	17	-	-	-	4	-	3	-	-	-	-	1	-	6	5	-	-	4	1
Tennessee	43,226	50	1	472	9,206	2,110	2,833	719	974	356	341	1,873	617	20,315	15,781	100	566	10,643	4,472
Urban places	21,521	26	1	291	4,688	1,127	1,392	387	521	182	155	924	340	9,875	7,649	49	380	4,753	2,467
Balance of area	21,705	24	-	181	4,518	983	1,441	332	453	174	186	949	277	10,440	8,132	51	186	5,890	2,005
Metropolitan counties	25,800	33	1	327	5,663	1,294	1,712	462	598	219	199	1,179	384	11,806	9,242	60	415	5,829	2,938
Urban places	18,365	24	1	257	4,016	982	1,176	337	444	155	135	807	293	8,404	6,583	41	351	3,948	2,223
Balance of area	7,435	9	-	70	1,647	332	536	125	154	64	64	372	91	3,402	2,679	19	64	1,881	715
Nonmetropolitan counties	17,426	17	-	145	3,543	816	1,121	257	376	137	142	694	233	8,509	6,539	40	151	4,814	1,534
Urban places	3,156	2	-	34	672	165	216	50	77	27	20	117	47	1,471	1,086	8	29	805	244
Balance of area	14,270	15	-	111	2,871	651	905	207	299	110	122	577	186	7,038	5,453	32	122	4,009	1,290
Anderson	603	-	-	5	143	31	41	10	17	3	3	38	11	266	196	1	1	137	57
Oak Ridge, part	238	-	-	3	62	20	15	4	8	1	1	13	8	93	82	-	-	47	15
Oak Ridge, total	244	-	-	3	63	20	16	4	8	1	1	13	8	94	63	-	-	48	15
Balance of county	365	-	-	2	81	11	26	6	9	2	2	25	3	173	134	1	1	90	42
Bedford	301	-	-	2	69	12	26	4	9	5	3	10	3	141	94	-	2	69	23
Shelbyville	156	-	-	1	39	6	13	1	5	5	3	6	1	77	45	-	2	35	8
Balance of county	145	-	-	1	30	6	13	3	4	-	-	4	2	64	49	-	-	34	15
Benton	167	-	-	-	39	8	14	3	3	1	2	8	2	113	103	-	2	78	23
Bledsoe	98	-	-	-	24	5	4	-	1	1	3	10	2	42	27	-	-	22	5
Blount	674	-	-	9	156	34	52	8	13	7	8	34	5	319	219	1	10	163	45
Maryville	230	-	-	4	45	12	11	2	3	4	2	11	3	109	80	-	4	61	15
Balance of county	444	-	-	5	111	22	41	6	10	3	6	23	2	210	139	1	6	102	30
Bradley	564	1	-	3	125	30	49	8	12	5	2	19	7	255	181	4	4	142	31
Cleveland	328	-	-	3	73	21	24	4	9	4	1	10	5	145	100	3	1	82	14
Balance of county	236	1	-	-	52	9	25	4	3	1	1	9	2	110	81	1	3	60	17
Campbell	370	-	-	-	94	20	33	4	8	6	5	18	12	159	127	-	1	89	37
Cannon	91	-	-	-	18	5	5	1	1	2	-	4	3	46	41	-	2	26	11
Carroll	377	-	-	3	68	18	15	6	8	3	4	14	1	216	165	-	1	134	30
Carter	516	-	-	3	101	19	31	7	8	6	5	25	9	222	173	1	3	114	55
Elizabethton	179	-	-	2	39	12	11	4	2	2	-	8	1	75	62	-	-	37	25
Johnson City, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	336	-	-	1	62	7	20	3	6	4	5	17	8	146	110	1	3	76	30
Cheatham	169	-	-	1	22	4	8	1	1	2	1	5	-	91	81	-	4	67	10
Chester	126	-	-	-	23	4	8	1	5	-	-	5	3	70	52	-	1	44	7
Claiborne	255	-	-	3	60	19	17	5	4	2	3	10	2	113	103	1	1	80	21
Clay	75	-	-	1	9	2	-	1	-	1	1	4	3	32	27	-	-	22	5
Cocke	318	1	-	4	63	13	20	5	6	4	3	12	4	163	126	-	1	109	16
Coffee	361	-	-	2	72	19	22	7	8	2	1	13	5	163	133	-	6	89	38
Tullahoma, part	150	-	-	1	39	11	11	3	4	2	1	7	3	57	46	-	1	31	14
Tullahoma, total	153	-	-	1	40	11	11	4	4	2	1	7	3	59	47	-	1	32	14
Balance of county	211	-	-	1	33	8	11	4	4	-	-	6	2	106	87	-	5	58	24

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Jones	-	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Kingsbury	1	6	-	1	4	1	-	-	-	-	-	-	1	7	1	6	1	-	-
Lake	-	9	-	1	4	6	-	3	3	-	-	-	2	10	-	3	2	-	-
Lawrence	1	14	2	1	5	5	-	2	2	-	1	-	-	17	2	4	4	-	-
Lincoln	-	7	2	-	4	2	-	2	1	-	-	-	-	8	4	3	1	-	-
Sioux Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	7	2	-	4	2	-	2	1	-	-	-	-	8	4	3	1	-	-
Lyman	-	1	-	1	1	-	-	-	-	-	-	-	1	2	-	2	-	-	1
McCook	-	5	-	2	3	2	-	1	1	-	-	-	-	5	3	1	-	-	-
McPherson	-	5	-	-	4	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Marshall	-	5	2	-	4	1	-	1	-	-	-	1	1	3	-	1	-	-	-
Meade	1	12	2	1	9	5	-	1	1	-	-	-	-	12	3	5	2	1	1
Mellette	-	2	-	1	1	-	1	-	-	-	-	-	1	2	-	2	-	-	-
Miner	-	7	-	-	2	-	-	2	1	-	-	-	4	3	-	1	1	-	-
Minnehaha	5	56	11	9	54	48	1	7	1	-	13	9	20	91	19	22	13	2	-
Sioux Falls, part	4	38	9	7	44	38	-	5	1	-	8	8	14	73	12	17	12	1	-
Sioux Falls, total	4	38	9	7	44	38	-	5	1	-	8	8	14	73	12	17	12	1	-
Balance of county	1	18	2	2	10	10	1	2	-	-	5	1	6	18	7	5	1	1	-
Moody	-	6	-	-	3	2	-	-	-	-	-	-	-	3	2	1	1	-	-
Pennington	1	32	13	7	18	27	-	6	4	-	3	10	5	42	20	13	5	-	3
Rapid City	1	23	11	5	15	25	-	6	3	-	3	8	4	36	12	9	4	-	3
Balance of county	-	9	2	2	3	2	-	2	1	-	-	2	1	6	8	4	1	-	-
Perkins	-	3	-	-	2	2	1	-	-	-	-	-	-	6	1	2	-	-	-
Potter	-	1	-	-	2	1	1	-	2	-	-	-	1	3	-	3	2	-	-
Roberts	-	6	1	1	4	-	1	3	-	-	1	1	1	16	3	7	2	1	-
Sanborn	-	3	2	-	2	3	-	-	-	-	-	-	1	3	-	-	1	-	-
Shannon	-	5	-	1	5	2	-	5	3	1	-	3	5	11	12	4	1	6	-
Spink	1	15	4	-	4	4	-	1	1	-	-	2	1	7	5	1	-	-	-
Stanley	-	2	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
Sully	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Todd	-	1	-	-	1	3	-	1	1	-	-	1	2	4	5	2	3	3	1
Tripp	-	12	-	-	7	5	-	3	1	-	-	-	-	6	3	2	-	-	-
Turner	1	6	3	1	6	6	-	1	-	-	-	-	-	8	-	6	-	-	-
Union	-	8	1	1	5	5	-	1	1	-	-	1	-	9	1	5	1	-	-
Walworth	-	9	-	-	6	4	1	-	-	-	-	-	1	12	-	2	-	-	1
Yankton	-	19	-	2	2	5	-	-	1	-	-	1	-	22	2	2	3	-	-
Yankton	-	17	-	1	1	5	-	-	1	-	-	1	-	19	2	2	3	-	-
Balance of county	-	2	-	1	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Ziebach	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-
Tennessee	149	3,573	439	373	1,484	1,576	113	388	444	4	242	373	1,147	3,529	1,137	1,070	590	432	56
Urban places	79	1,801	177	169	688	750	60	220	224	1	129	249	527	1,885	482	493	286	286	20
Balance of area	70	1,772	262	204	776	826	53	168	220	3	113	124	620	1,644	655	577	304	146	36
Metropolitan counties	89	2,041	210	224	807	919	63	259	254	1	165	278	705	2,186	655	592	375	303	24
Urban places	71	1,492	135	143	580	619	46	183	189	1	116	225	456	1,611	411	410	250	257	16
Balance of area	18	549	75	81	227	300	17	76	65	-	49	53	249	575	244	182	125	46	8
Nonmetropolitan counties	60	1,532	229	149	657	657	50	129	190	3	77	95	442	1,343	482	478	215	129	32
Urban places	8	309	42	26	108	131	14	37	35	-	13	24	71	274	71	83	36	29	4
Balance of area	52	1,223	187	123	549	526	36	92	155	3	64	71	371	1,069	411	395	179	100	28
Anderson	5	48	13	4	17	25	1	7	4	-	1	3	36	46	17	11	9	1	-
Oak Ridge, part	3	23	3	2	3	6	1	4	1	-	1	2	15	23	6	6	4	-	-
Oak Ridge, total	3	23	3	2	3	6	2	4	1	-	1	3	16	24	6	6	4	-	-
Balance of county	2	25	10	2	14	19	-	3	3	-	-	1	21	23	11	5	5	1	-
Bedford	1	42	1	3	5	16	2	4	3	-	-	2	4	27	10	4	7	2	-
Shelbyville	1	30	-	1	1	9	-	3	1	-	-	1	1	12	5	1	3	1	-
Balance of county	-	12	1	2	4	7	2	1	2	-	-	1	3	15	5	3	4	1	-
Benton	-	10	-	-	8	3	2	-	-	-	-	-	7	9	1	1	2	-	-
Bledsoe	2	7	4	2	5	2	-	-	5	-	1	2	1	10	2	1	-	1	-
Blount	1	68	22	9	17	23	1	7	5	-	2	6	21	60	13	17	9	4	-
Maryville	1	17	7	4	7	8	-	4	3	-	1	2	9	21	8	3	2	1	-
Balance of county	-	51	15	5	10	15	1	3	2	-	1	4	12	39	5	14	7	3	-
Bradley	-	56	7	11	13	25	1	7	11	-	4	4	15	49	16	15	6	7	-
Cleveland	-	36	4	5	8	13	1	5	7	-	3	2	8	33	8	7	3	4	-
Balance of county	-	20	3	6	5	12	-	2	4	-	1	2	7	16	8	8	3	3	-
Campbell	1	29	1	1	30	12	1	1	4	-	1	2	7	26	2	10	6	3	-
Cannon	-	5	-	-	2	5	-	-	2	-	-	-	1	3	6	3	1	1	-
Carroll	2	38	9	4	10	11	1	2	5	-	3	2	5	29	9	5	5	2	-
Carter	2	36	4	7	22	22	1	4	9	-	2	2	33	49	12	20	4	1	-
Elizabethton	1	9	1	2	6	6	1	4	2	-	-	2	9	20	3	7	2	-	-
Johnson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	27	3	5	16	16	-	-	7	-	2	-	24	29	9	13	2	1	-
Cheatham	1	8	-	1	1	13	-	2	3	-	2	1	3	16	4	4	6	-	-
Chester	-	16	1	1	6	5	1	-	1	1	-	1	-	5	3	3	3	1	-
Claiborne	-	7	3	-	10	9	-	-	3	-	1	-	4	27	12	9	2	-	-
Clay	-	4	1	-	7	2	-	-	2	-	-	-	-	8	3	4	2	2	-
Cocke	1	31	4	1	11	11	-	-	5	1	1	-	4	18	10	13	5	2	2
Coffee	3	22	1	4	15	14	1	5	5	-	1	2	4	33	14	13	7	1	4
Tullahoma, part	-	10	-	1	2	3	1	3	3	-	-	1	1	17	6	5	5	-	3
Tullahoma, total	-	11	-	1	2	3	1	3	3	-	-	1	1	17	6	5	5	-	3
Balance of county	3	12	1	3	13	11	-	2	2	-	1	1	3	16	8	8	2	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Crockett	188	-	-	1	32	6	5	4	4	-	3	10	4	106	78	-	-	62	16
Cumberland	288	2	-	3	73	13	20	3	11	5	2	19	2	142	102	1	1	76	24
Davidson	4,466	9	1	50	1,019	243	320	81	103	37	35	200	69	2,051	1,638	15	129	846	548
Nashville-Davidson	4,372	9	1	50	993	235	315	80	101	35	34	193	68	2,006	1,598	15	128	828	529
Balance of county	94	-	-	-	26	8	5	1	2	2	1	7	1	45	40	-	1	20	19
Decatur	121	-	-	-	26	8	6	2	1	2	2	5	4	61	54	-	1	38	15
De Kalb	161	-	-	2	25	6	9	1	3	1	2	3	2	90	62	-	2	43	17
Dickson	293	2	-	3	57	16	10	6	5	2	3	15	2	141	97	1	1	74	21
Dyer	365	-	-	5	79	19	34	8	6	2	3	7	4	150	114	3	4	92	15
Dyersburg	187	-	-	4	43	11	18	5	2	-	2	5	2	69	55	2	2	42	9
Balance of county	178	-	-	1	36	8	16	3	4	2	1	2	2	81	59	1	2	50	6
Fayette	234	-	-	4	55	14	18	6	4	4	1	8	1	96	73	-	1	55	17
Fentress	150	-	-	1	26	5	7	2	3	2	1	6	-	73	54	-	-	46	8
Franklin	334	1	-	3	68	13	23	6	7	1	5	13	5	158	120	2	6	76	36
Tullahoma, part	3	-	-	-	1	-	-	1	-	-	-	-	-	2	1	-	-	1	-
Balance of county	331	1	-	3	67	13	23	5	7	1	5	13	5	156	119	2	6	75	36
Gibson	620	-	-	7	131	42	28	13	16	4	3	25	4	326	238	3	4	167	64
Humboldt	138	-	-	2	29	11	4	5	5	2	-	2	1	71	46	1	1	24	20
Balance of county	482	-	-	5	102	31	24	8	11	2	3	23	3	255	192	2	3	143	44
Giles	271	-	-	5	43	12	13	1	4	2	2	9	5	126	101	3	1	75	22
Grainger	169	-	-	1	31	8	9	2	2	-	1	9	-	77	57	1	2	36	18
Greene	494	1	-	4	80	15	22	6	10	7	1	19	7	256	183	-	6	126	51
Greeneville	170	-	-	1	23	3	4	2	3	1	-	10	4	81	61	-	3	36	22
Balance of county	324	1	-	3	57	12	18	4	7	6	1	9	3	175	122	-	3	90	29
Grundy	116	-	-	-	27	4	5	2	4	2	2	8	2	47	33	-	1	21	11
Hamblen	454	1	-	4	88	18	30	10	11	2	4	13	7	241	166	-	1	140	25
Morristown	273	1	-	2	45	11	17	3	5	2	2	5	5	147	102	-	1	87	14
Balance of county	181	-	-	2	43	7	13	7	6	-	2	8	2	94	64	-	-	53	11
Hamilton	2,623	2	-	27	606	152	187	42	74	21	19	111	33	1,330	1,105	-	30	622	253
Chattanooga	1,796	1	-	16	399	97	126	23	57	11	12	73	24	919	764	-	25	559	180
East Ridge	190	-	-	-	45	10	16	2	4	3	-	10	4	85	63	-	-	55	8
Red Bank	76	-	-	4	19	8	5	1	1	2	-	2	3	39	33	-	-	28	5
Balance of county	561	1	-	7	143	37	40	16	12	5	7	26	2	287	245	-	5	180	60
Hancock	74	-	-	1	13	2	4	3	1	1	-	2	1	45	31	-	1	24	6
Hardeman	282	-	-	2	56	17	14	3	6	1	5	10	4	125	93	1	-	71	21
Hardin	198	1	-	1	45	5	15	6	6	2	5	6	2	101	77	-	4	48	25
Hawkins	424	1	-	4	92	24	37	6	5	4	1	15	10	188	167	1	6	121	39
Kingsport, part	8	-	-	-	2	1	-	-	-	-	-	1	1	4	4	1	-	3	-
Balance of county	416	1	-	4	90	23	37	6	5	4	1	14	9	184	163	-	6	118	39
Haywood	195	-	-	-	31	8	11	-	3	-	-	9	2	121	94	1	5	66	22
Henderson	244	1	-	3	48	13	21	1	1	4	-	8	4	133	104	-	-	81	23
Henry	349	-	-	3	65	15	25	5	2	4	4	10	7	196	150	-	9	110	31
Paris	169	-	-	1	30	8	11	1	1	2	1	6	4	96	75	-	5	56	14
Balance of county	180	-	-	2	35	7	14	4	1	2	3	4	3	100	75	-	4	54	17
Hickman	157	-	-	3	25	3	7	2	5	-	1	7	1	80	65	-	-	39	26
Houston	69	-	-	-	12	4	7	-	-	-	1	-	-	38	36	-	-	14	22
Humphreys	171	-	-	2	36	6	11	-	6	1	-	12	6	80	65	1	1	43	20
Jackson	107	-	-	4	15	2	4	2	2	-	1	4	-	59	46	-	-	38	8
Jefferson	249	-	-	1	50	14	14	6	3	2	-	11	5	118	89	1	2	68	18
Johnson	123	-	-	2	39	12	8	2	6	1	4	6	-	46	35	1	-	16	18
Knox	3,001	2	-	26	621	145	215	41	63	37	21	99	39	1,160	865	7	18	617	223
Knoxville	2,021	2	-	19	403	108	130	28	42	25	14	56	25	767	563	5	10	403	145
Balance of county	980	-	-	7	218	37	85	13	21	12	7	43	14	393	302	2	8	214	78
Lake	97	-	-	1	17	2	7	-	5	-	1	2	1	39	29	-	2	22	5
Lauderdale	314	3	-	3	59	17	14	3	12	2	-	11	2	151	115	-	8	86	21
Lawrence	376	-	-	2	81	21	25	7	9	1	1	17	6	192	163	-	3	127	33
Lawrenceburg	152	-	-	-	28	7	7	3	5	1	1	4	3	76	65	-	1	52	12
Balance of county	226	-	-	2	53	14	18	4	4	-	-	13	3	116	98	-	2	75	21
Lewis	99	-	-	1	14	1	7	-	2	-	-	4	1	46	37	-	1	21	15
Lincoln	318	1	-	3	70	13	21	7	7	1	5	16	5	147	124	1	4	90	29
Loudon	308	1	-	1	69	16	26	2	6	3	1	13	1	136	117	1	6	87	23
McMinn	397	-	-	5	76	18	22	10	9	3	-	16	8	196	154	1	1	135	27
Athens	132	-	-	3	30	7	7	5	4	-	-	7	3	59	46	-	-	37	9
Balance of county	265	-	-	2	48	11	15	5	5	3	-	9	5	137	118	1	1	98	18
McNairy	237	-	-	2	45	9	20	3	5	2	1	5	2	131	107	1	1	97	8
Macon	172	-	-	4	30	7	6	3	4	1	1	8	3	76	60	-	1	28	31
Madison	761	1	-	11	174	54	52	11	21	4	7	25	8	332	244	1	9	177	57
Jackson	565	1	-	10	137	42	42	8	17	2	3	23	7	238	176	-	7	130	39
Balance of county	196	-	-	1	37	12	10	3	4	2	4	2	1	94	68	1	2	47	18
Marion	249	-	-	1	47	6	19	1	7	2	1	11	4	121	100	1	2	67	30
Marshall	218	-	-	3	36	8	12	-	4	1	-	11	7	113	90	-	1	77	12
Maury	524	-	-	3	113	17	46	4	12	3	7	24	4	254	203	1	3	139	60
Columbia	285	-	-	2	59	11	22	1	6	1	3	15	3	144	120	1	1	83	35
Balance of county	239	-	-	1	54	6	24	3	6	2	4	9	1	110	83	-	2	56	25
Meigs	60	-	-	-	11	3	3	-	-	1	1	3	-	30	19	2	2	14	1
Monroe	249	-	-	2	52	11	13	3	3	3	6	13	2	120	94	1	1	78	14
Montgomery	556	2	-	4	122	28	34	7	21	6	3	23	13	241	184	3	6	134	41
Clarksville	376	1	-	3	78	19	20	6	12	5	2	14	12	167	127	1	4	91	31
Balance of county	180	1	-	1	44	9	14	1	9	1	1	9	1	74	57	2	2	43	10
Moore	43	-	-	-	9	4	1	1	2	-	-	1	3	17	14	-	-	11	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	1	17	10	-	4	10	-	-	2	-	1	1	-	16	2	7	1	1	-
Cumberland	1	31	4	4	7	10	1	3	3	-	2	1	3	16	7	6	3	2	-
Davidson	11	361	13	28	142	154	11	49	36	-	29	29	39	438	97	98	68	79	2
Nashville-Davidson	11	356	13	28	140	151	11	47	35	-	29	29	39	430	93	94	66	79	2
Balance of county	-	5	-	-	2	3	-	2	1	-	-	-	-	6	4	4	-	-	-
Decatur	-	5	1	1	4	3	-	3	1	-	-	-	1	13	2	2	-	1	-
De Kalb	-	24	3	1	3	7	2	-	1	-	-	-	2	10	6	8	2	1	-
Dickson	-	39	-	5	6	12	2	3	3	-	3	2	9	25	16	1	3	3	-
Dyer	1	28	3	4	6	10	-	5	8	-	3	3	43	23	8	10	4	3	1
Dyersburg	-	11	1	2	3	3	-	2	7	-	1	3	25	11	5	6	2	1	-
Balance of county	1	17	2	2	3	7	-	3	1	-	2	-	18	12	3	4	2	2	1
Fayette	1	21	-	1	6	10	-	-	1	-	1	1	20	18	5	11	4	1	-
Fentress	-	15	3	1	12	5	1	1	2	-	1	-	10	6	2	6	3	-	1
Franklin	-	28	3	7	15	12	1	2	6	-	-	4	1	36	9	7	3	2	1
Tullahoma, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	27	3	7	15	12	1	2	6	-	-	4	1	36	9	7	3	2	1
Gibson	3	71	12	2	25	21	-	1	12	-	3	5	9	43	11	13	4	5	-
Humboldt	1	22	2	-	3	3	-	1	2	-	1	2	1	10	4	4	2	2	-
Balance of county	2	49	10	2	22	18	-	-	10	-	2	3	8	33	7	9	2	3	-
Giles	1	20	1	3	12	7	-	-	7	-	1	1	4	35	6	12	3	3	1
Grainger	-	15	1	4	4	7	-	1	2	-	1	-	19	11	9	2	2	2	-
Greene	2	55	13	3	29	22	2	5	-	-	1	3	1	37	15	19	6	1	5
Greeneville	-	16	3	1	12	11	1	2	-	-	-	1	-	21	2	7	2	1	1
Balance of county	2	39	10	2	17	11	1	3	-	-	1	2	1	16	13	12	4	-	4
Grundy	1	7	3	3	3	7	-	1	-	-	2	-	5	9	3	8	-	1	1
Hamblen	2	64	3	6	11	17	4	5	3	-	-	2	7	28	23	10	3	2	-
Morristown	2	36	3	4	9	12	4	3	2	-	-	2	4	15	12	7	1	2	-
Balance of county	-	28	-	2	2	5	-	2	1	-	-	-	3	11	11	3	2	-	-
Hamilton	9	179	13	24	105	88	5	27	24	-	10	16	18	174	43	56	31	22	6
Chattanooga	9	121	10	15	68	66	1	18	19	-	6	12	16	124	29	42	15	19	2
East Ridge	-	17	2	3	10	9	1	2	1	-	-	2	1	17	1	5	4	1	2
Red Bank	-	5	-	1	2	2	1	-	-	-	-	-	1	4	-	-	1	-	-
Balance of county	-	36	1	5	25	11	2	7	4	-	4	2	-	29	13	9	11	2	2
Hancock	-	14	-	-	-	2	-	1	-	-	-	1	-	3	3	2	1	-	1
Hardeman	2	26	3	1	16	11	1	2	3	-	3	3	15	18	6	9	3	4	1
Hardin	-	22	-	2	7	3	1	1	1	-	1	-	1	15	8	5	-	4	1
Hawkins	1	13	4	3	12	22	1	10	4	-	-	1	4	39	16	9	9	1	1
Kingsport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	1	13	4	3	12	22	1	10	4	-	-	1	4	38	16	9	9	1	1
Haywood	2	20	2	3	4	8	-	2	1	-	1	-	3	12	3	2	1	2	2
Henderson	1	26	1	1	5	12	-	1	2	-	1	-	1	16	10	3	4	-	-
Henry	1	38	5	2	12	6	-	5	6	-	1	1	3	22	4	11	3	4	-
Paris	-	18	2	1	10	1	-	2	-	-	-	1	1	9	1	9	2	2	-
Balance of county	1	20	3	1	2	5	-	3	6	-	1	-	2	13	3	2	1	2	-
Hickman	4	9	1	1	4	6	-	2	1	-	1	2	2	11	7	5	4	2	1
Houston	-	2	-	-	5	4	-	1	-	-	-	-	-	4	1	2	1	-	1
Humphreys	-	14	1	-	6	2	-	2	1	-	-	3	3	16	8	4	2	-	-
Jackson	1	7	5	-	1	5	-	-	2	-	-	-	5	8	2	4	-	2	-
Jefferson	-	24	3	2	11	7	2	6	2	-	-	-	7	17	14	6	1	2	-
Johnson	-	8	2	1	6	5	-	-	1	-	1	-	1	12	1	5	2	1	1
Knox	11	240	23	21	83	108	6	38	25	-	15	30	356	275	76	71	39	28	3
Knoxville	7	170	16	11	63	74	5	22	19	-	12	20	250	189	53	48	26	21	3
Balance of county	4	70	7	10	20	34	1	16	6	-	3	10	106	86	23	23	13	7	-
Lake	-	6	2	2	2	4	2	-	-	-	-	-	12	5	9	4	-	-	1
Lauderdale	-	29	2	5	10	20	-	1	4	1	1	4	8	27	6	10	2	2	-
Lawrence	1	25	1	2	11	17	1	8	1	-	5	-	1	28	6	10	8	1	-
Lawrenceburg	-	10	1	-	5	8	1	3	1	-	-	-	1	15	2	7	2	-	-
Balance of county	1	15	-	2	6	9	-	5	-	-	5	-	-	13	4	3	6	1	-
Lewis	-	5	2	2	5	7	-	-	5	-	2	-	-	10	-	7	1	-	-
Lincoln	2	17	1	3	15	12	1	3	6	-	1	1	10	22	8	6	6	-	1
Loudon	-	12	1	6	13	6	3	2	4	-	4	1	4	38	9	10	6	-	-
McMinn	2	25	3	2	30	20	-	3	-	-	1	3	3	25	8	10	4	3	-
Athens	1	9	2	1	10	4	-	3	-	-	1	1	1	9	2	4	-	2	-
Balance of county	1	16	1	1	20	16	-	-	-	-	-	2	2	16	6	6	4	1	-
McNairy	1	21	1	1	7	8	1	3	1	-	-	2	2	18	6	5	1	3	-
Macon	-	14	2	-	9	4	-	1	2	-	1	3	6	11	8	5	4	5	-
Madison	3	68	11	6	18	29	1	6	10	-	5	9	15	85	18	25	5	8	1
Jackson	-	47	10	5	13	25	1	4	6	-	4	6	11	68	10	12	4	8	-
Balance of county	3	21	1	1	5	4	-	2	4	-	1	3	4	17	8	13	1	-	1
Marion	-	16	1	4	4	10	2	1	2	-	2	4	8	24	9	8	2	-	-
Marshall	-	20	1	2	12	4	1	-	-	-	1	-	1	20	4	5	7	4	-
Maury	2	45	2	2	20	18	2	3	3	-	4	5	9	49	16	12	5	3	1
Columbia	1	20	1	2	11	10	2	2	3	-	3	2	4	25	4	6	2	3	-
Balance of county	1	25	1	-	9	8	-	1	-	-	1	3	5	24	12	6	3	-	1
Meigs	-	11	-	-	2	1	-	-	1	-	1	-	2	6	3	2	-	1	-
Monroe	3	18	3	2	7	7	1	4	1	-	2	-	17	21	6	5	2	-	-
Montgomery	-	45	2	10	9	23	1	3	4	-	3	12	18	38	25	12	20	4	2
Clarksville	-	30	2	8	6	12	-	2	3	-	1	10	10	26	17	10	13	3	2
Balance of county	-	15	-	2	3	11	1	1	1	-	2	2	8	12	8	2	7	1	-
Moore	-	3	-	-	1	2	-	-	2	-	-	-	1	4	1	-	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee-Con.																			
Morgan	145	-	-	2	29	7	11	3	3	1	1	3	1	71	59	-	1	35	23
Obion	355	-	-	2	66	15	24	4	6	2	2	13	5	185	124	-	2	89	23
Union City	140	-	-	2	20	2	7	3	2	1	1	4	1	79	54	-	1	41	12
Balance of county	215	-	-	-	46	13	17	1	4	1	1	9	4	106	70	-	1	58	11
Overton	168	-	-	-	37	10	6	4	3	1	3	10	-	83	63	-	3	47	13
Perry	72	-	-	-	14	2	5	2	2	-	-	3	2	36	29	-	3	18	8
Pickett	43	-	-	-	10	1	5	-	-	3	-	1	1	23	18	-	-	10	8
Polk	143	-	-	3	25	10	8	2	2	-	1	2	-	66	55	-	3	38	14
Putnam	443	-	-	1	80	23	29	7	7	3	3	18	7	197	139	-	6	104	29
Cookeville	161	-	-	-	37	9	12	3	3	3	1	8	2	75	50	-	3	36	11
Balance of county	282	-	-	1	53	14	17	4	4	-	2	12	5	122	89	-	3	68	18
Rhea	239	1	-	1	45	8	10	5	5	1	5	11	4	121	93	1	1	67	24
Roane	421	-	-	3	92	12	39	4	8	3	5	21	5	209	158	1	2	105	50
Oak Ridge, part	6	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	415	-	-	3	91	12	38	4	8	3	5	21	5	208	157	1	2	104	50
Robertson	355	-	-	3	82	13	28	5	8	3	4	21	7	171	134	2	5	104	23
Springfield	142	-	-	1	29	4	13	3	3	-	2	4	5	76	58	-	4	45	9
Balance of county	213	-	-	2	53	9	15	2	5	3	2	17	2	95	76	2	1	59	14
Rutherford	608	2	-	7	124	23	35	12	10	3	7	34	7	262	196	2	4	135	55
Murfreesboro	290	1	-	4	59	9	14	5	5	2	4	20	2	130	92	2	2	68	20
Balance of county	318	1	-	3	65	14	21	7	5	1	3	14	5	132	104	-	2	67	35
Scott	181	-	-	-	31	7	9	1	3	1	1	9	2	90	65	-	-	52	13
Sequatchie	82	-	-	-	13	3	6	-	-	-	-	4	1	45	40	-	1	33	6
Sevier	360	-	-	2	89	22	26	3	12	3	4	19	3	157	112	2	-	81	19
Shelby	6,964	11	-	143	1,517	351	424	143	169	53	57	320	115	3,224	2,492	14	164	1,372	942
Bartlett	43	-	-	1	10	4	4	-	1	-	-	1	1	16	10	-	-	8	2
Germantown	75	-	-	1	22	6	-	7	3	3	-	3	1	24	17	-	1	12	4
Memphis	6,460	9	-	134	1,403	317	400	131	156	48	54	297	106	3,026	2,340	13	155	1,267	905
Millington	65	-	-	-	18	6	4	2	1	-	1	4	2	36	28	-	2	16	10
Balance of county	301	2	-	7	64	18	16	3	8	2	2	15	5	122	97	1	6	69	21
Smith	126	-	-	1	23	3	7	1	5	4	1	2	3	68	57	-	-	47	10
Stewart	111	-	-	-	26	4	8	2	1	3	-	8	1	55	48	-	1	30	17
Sullivan	1,221	1	-	12	268	61	81	22	22	9	11	62	19	593	472	5	12	342	113
Bristol *	226	-	-	1	43	13	11	3	2	5	1	8	3	112	89	1	2	64	22
Kingsport, part	354	-	-	3	75	15	23	5	11	1	4	16	8	173	146	3	6	104	33
Kingsport, total	362	-	-	3	77	16	23	5	11	1	4	17	9	177	150	4	6	107	33
Balance of county	641	1	-	8	150	33	47	14	9	3	6	38	8	308	237	1	4	174	58
Sumner	684	-	-	7	161	29	48	16	13	5	5	45	2	341	283	-	5	149	129
Gallatin	207	-	-	3	55	11	14	7	5	-	1	17	-	106	94	-	1	41	52
Hendersonville	165	-	-	-	39	9	10	4	3	2	-	11	2	77	65	-	3	40	22
Balance of county	312	-	-	4	67	9	24	5	5	3	4	17	-	158	124	-	1	68	55
Tipton	303	-	-	1	55	12	17	2	7	2	3	12	4	168	143	2	4	108	29
Trousdale	68	-	-	-	13	4	5	1	1	-	-	2	3	38	24	-	1	17	6
Unicoi	164	-	-	2	41	10	10	3	6	2	1	9	4	80	61	-	-	41	20
Union	95	-	-	-	22	4	8	2	1	3	1	3	1	45	31	1	-	23	7
Van Buren	42	-	-	-	8	1	3	1	-	-	-	3	4	13	11	-	-	4	7
Warren	306	1	-	3	68	11	25	4	11	3	2	12	3	126	108	1	1	67	39
McMinnville	141	-	-	2	38	5	16	2	6	1	1	7	3	54	43	1	-	31	11
Balance of county	165	1	-	1	30	6	9	2	5	2	1	5	-	72	65	-	1	36	28
Washington	839	1	-	9	181	45	36	22	20	10	3	45	12	348	273	2	4	170	97
Johnson City, part	478	1	-	7	107	28	18	11	12	6	2	30	7	194	150	-	3	90	57
Johnson City, total	479	1	-	7	107	28	18	11	12	6	2	30	7	195	151	-	3	91	57
Balance of county	361	-	-	2	74	17	18	11	8	4	1	15	5	154	123	2	1	80	40
Wayne	140	-	-	2	24	3	8	2	3	1	1	6	2	77	56	1	1	32	22
Weakley	382	-	-	3	68	18	23	7	7	-	2	11	2	206	166	2	8	135	21
White	204	-	-	1	44	13	12	9	4	1	-	5	6	104	75	-	2	50	23
Williamson	436	-	-	4	100	19	27	13	10	1	4	26	8	188	141	-	4	94	43
Franklin	156	-	-	1	30	8	7	3	5	-	-	7	4	70	50	-	1	39	10
Balance of county	278	-	-	3	70	11	20	10	5	1	4	19	4	118	91	-	3	55	33
Wilson	475	-	-	6	113	22	38	12	15	1	3	22	9	211	151	1	2	96	52
Lebanon	195	-	-	-	41	10	9	6	7	-	1	8	3	99	67	-	-	43	24
Balance of county	280	-	-	6	72	12	29	6	8	1	2	14	6	112	84	1	2	53	28
Texas	118,936	114	3	1,797	23,896	5,593	6,727	1,928	2,474	883	1,039	5,352	1,919	51,735	40,297	231	1,357	23,760	14,949
Urban places	75,528	88	3	1,268	15,478	3,726	4,269	1,321	1,561	588	657	3,356	1,275	32,774	25,437	152	1,047	14,739	9,499
Balance of area	42,608	26	-	529	8,518	1,867	2,458	607	913	295	382	1,996	644	18,961	14,860	79	310	9,021	5,450
Metropolitan counties	86,637	99	2	1,416	16,013	4,208	5,043	1,545	1,813	689	777	3,958	1,438	37,144	29,103	186	1,163	16,902	10,852
Urban places	68,092	86	2	1,171	14,083	3,400	3,881	1,229	1,402	534	584	3,053	1,164	29,445	22,929	142	1,001	13,172	8,614
Balance of area	18,545	13	-	245	3,930	808	1,162	316	411	155	193	905	274	7,699	6,174	44	162	3,730	2,238
Nonmetropolitan counties	31,699	15	1	381	5,983	1,385	1,684	383	661	214	262	1,394	481	14,591	11,194	45	194	6,858	4,097
Urban places	7,436	2	1	97	1,395	326	388	92	159	54	73	303	111	3,329	2,508	10	46	1,567	885
Balance of area	24,263	13	-	284	4,588	1,059	1,296	291	502	160	189	1,091	370	11,262	8,686	35	148	5,291	3,212
Anderson	427	-	-	7	90	22	25	4	12	6	2	19	7	174	130	-	2	80	48
Palestine	238	-	-	5	43	11	11	4	5	4	1	7	3	101	77	-	2	51	24
Balance of county	189	-	-	2	47	11	14	-	7	2	1	12	4	73	53	-	-	29	24
Andrews	86	-	-	1	14	2	3	2	1	1	2	3	-	32	26	-	1	16	9
Andrews	72	-	-	1	12	2	3	2	-	1	2	2	-	29	23	-	1	15	7
Balance of county	14	-	-	-	2	-	-	-	1	-	-	1	-	3	3	-	-	1	2
Angelina	604	-	-	4	128	27	35	4	16	4	7	35	5	315	260	2	3	108	147
Lufkin	319	-	-	3	73	18	19	3	8	-	6	19	3	167	133	1	1	57	74
Balance of county	285	-	-	1	55	9	16	1	8	4	1	16	2	148	127	1	2	51	73

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee-Con.																			
Morgan	1	11	-	-	2	5	-	1	3	-	-	-	3	16	5	4	3	-	-
Obion	1	26	31	3	11	23	2	2	1	-	-	2	6	27	8	7	5	3	-
Union City	1	14	10	-	5	12	1	-	-	-	-	1	2	11	3	2	-	1	-
Balance of county	-	12	21	3	6	11	1	2	1	-	-	1	4	16	5	5	5	2	-
Overton	1	18	1	-	10	8	-	-	3	-	-	3	3	9	4	5	2	-	1
Perry	-	5	1	1	2	7	1	-	1	-	-	-	1	3	1	4	-	-	-
Pickett	1	2	1	1	4	-	-	-	1	-	-	-	-	2	-	2	-	-	-
Polk	-	10	-	1	6	3	-	1	-	-	1	1	4	13	9	7	3	1	-
Putnam	1	45	10	2	18	15	1	3	3	-	2	4	35	30	21	5	6	5	-
Cookeville	1	21	3	-	7	6	1	3	-	-	-	-	7	12	5	1	3	2	-
Balance of county	-	24	7	2	11	9	-	-	3	-	2	4	28	18	16	4	3	3	-
Rhea	2	19	4	3	6	5	1	1	2	-	2	1	5	15	10	9	4	5	1
Roane	2	40	8	3	16	16	2	4	2	-	1	1	12	30	8	12	3	4	1
Oak Ridge, part	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
Balance of county	2	40	6	3	16	16	1	4	2	-	1	-	11	29	8	12	3	4	1
Robertson	-	29	4	4	13	6	2	1	4	-	4	2	2	31	11	10	5	1	-
Springfield	-	15	1	2	7	1	1	-	1	-	-	2	-	11	3	3	2	-	-
Balance of county	-	14	3	2	6	5	1	1	3	-	4	-	2	20	8	7	3	1	-
Rutherford	4	51	6	5	30	27	4	4	15	-	10	6	3	50	15	18	18	5	1
Murfreesboro	3	30	2	3	12	11	2	2	10	-	5	3	2	24	6	8	7	1	1
Balance of county	1	21	4	2	18	16	2	2	5	-	5	3	1	26	9	10	11	4	-
Scott	-	23	2	-	9	13	-	4	1	-	1	2	7	10	2	8	1	-	-
Sequatchie	1	2	1	1	3	1	-	1	-	-	-	-	-	7	3	5	1	2	-
Sevier	-	34	6	5	17	7	2	1	-	-	1	3	32	20	11	10	3	2	-
Shelby	32	591	63	46	198	230	15	62	82	1	53	128	71	570	156	159	98	128	3
Bartlett	-	6	-	-	1	2	-	-	-	-	-	-	1	4	2	2	1	2	-
Germantown	-	7	-	-	5	5	-	-	1	-	1	1	-	7	4	1	2	-	-
Memphis	32	549	61	44	182	206	15	60	78	1	49	124	65	522	130	143	83	122	2
Millington	-	8	-	-	2	4	-	1	1	-	-	-	-	11	6	1	1	2	-
Balance of county	-	21	2	2	8	13	-	1	2	-	3	3	5	26	14	12	11	2	1
Smith	-	9	1	1	2	4	-	3	3	-	-	-	3	11	3	1	-	1	-
Stewart	-	7	-	-	3	5	-	-	3	-	1	-	2	5	3	5	2	-	-
Sullivan	4	99	8	10	37	57	2	15	11	-	11	12	6	91	37	24	14	9	2
Bristol	-	19	2	2	11	8	-	2	1	-	2	4	-	26	6	5	2	-	-
Kingsport, part	2	21	2	2	9	19	1	4	4	-	3	3	1	25	11	8	4	2	1
Kingsport, total	2	21	2	2	9	19	1	4	4	-	3	3	1	26	11	8	4	2	1
Balance of county	2	59	4	6	17	30	1	9	6	-	8	5	5	40	20	11	8	7	1
Sumner	2	41	5	10	26	17	3	6	3	-	7	3	1	52	23	20	7	3	2
Gallatin	-	10	1	1	6	4	2	1	2	-	-	-	-	15	6	3	3	1	-
Hendersonville	-	6	2	4	5	5	-	1	-	-	3	-	-	16	9	6	2	-	-
Balance of county	2	25	2	5	15	8	1	4	1	-	4	3	1	21	8	11	2	2	2
Tipton	-	19	5	1	13	9	-	3	3	-	-	7	1	21	8	6	3	1	-
Trousdale	1	12	-	1	1	2	1	1	-	-	-	-	2	5	1	-	1	-	-
Unicoi	-	15	-	4	3	7	-	-	1	-	1	1	2	12	7	2	-	-	1
Union	-	9	4	1	5	6	-	1	-	-	1	-	2	4	3	3	1	1	-
Van Buren	-	2	-	-	2	4	-	-	-	-	1	1	2	3	-	-	1	2	1
Warren	1	12	1	4	18	22	-	2	7	-	1	1	8	25	6	8	6	1	-
McMinnville	-	8	-	3	9	11	-	1	3	-	-	-	3	5	2	5	5	-	-
Balance of county	1	4	1	1	9	11	-	1	4	-	1	1	5	20	4	3	1	1	-
Washington	3	43	15	14	40	24	3	9	10	-	3	6	63	72	24	13	15	5	1
Johnson City, part	1	27	9	7	25	12	3	6	6	-	-	5	34	50	8	6	4	2	1
Johnson City, total	1	27	9	7	25	12	3	6	6	-	-	5	34	50	8	6	4	2	1
Balance of county	2	16	6	7	15	12	-	3	4	-	3	1	29	22	16	7	11	3	-
Wayne	1	13	7	-	6	3	2	1	-	-	-	-	1	11	4	4	2	1	-
Weakley	-	30	7	3	12	16	1	1	4	-	1	2	5	32	8	6	10	5	-
White	-	19	4	6	10	6	-	1	2	-	-	-	2	12	7	5	3	1	-
Williamson	-	36	2	9	11	18	1	3	1	-	3	5	2	50	14	13	11	4	-
Franklin	-	15	1	4	6	4	1	1	-	-	1	4	-	19	5	6	5	1	-
Balance of county	-	21	1	5	5	14	-	2	1	-	2	1	2	31	9	7	6	3	-
Wilson	2	53	2	3	10	17	2	3	5	-	3	2	7	44	26	12	4	1	-
Lebanon	1	31	-	-	4	4	-	2	2	-	2	-	3	26	5	3	1	-	-
Balance of county	1	22	2	3	6	13	2	1	3	-	1	2	4	18	21	9	3	1	-
Texas	369	8,781	1,311	977	3,540	3,717	316	1,348	1,320	29	907	1,383	4,704	9,857	3,799	3,330	2,216	2,198	108
Urban places	252	5,589	852	634	2,249	2,411	211	987	822	19	633	1,019	2,125	6,689	2,190	2,045	1,480	1,703	59
Balance of area	117	3,182	459	343	1,291	1,306	105	361	498	10	274	364	2,579	3,168	1,609	1,285	736	495	49
Metropolitan counties	264	6,139	922	716	2,492	2,759	228	1,098	900	25	745	1,172	2,502	7,444	2,826	2,472	1,843	1,947	72
Urban places	229	4,974	742	571	1,997	2,169	186	921	730	19	595	955	1,566	6,088	1,981	1,852	1,390	1,641	51
Balance of area	35	1,165	180	145	495	590	42	177	170	6	150	217	936	1,356	845	620	453	306	21
Nonmetropolitan counties	105	2,642	389	261	1,048	958	88	250	420	4	162	211	2,202	2,413	973	858	373	251	36
Urban places	23	615	110	63	252	242	25	66	92	-	38	64	559	601	209	193	90	62	8
Balance of area	82	2,017	279	198	796	716	63	184	328	4	124	147	1,643	1,812	764	665	283	189	28
Anderson	-	25	13	6	18	15	3	7	10	-	3	2	5	44	17	13	7	5	-
Palestine	-	14	9	1	11	9	3	4	7	-	1	1	2	23	9	7	6	3	-
Balance of county	-	11	4	5	7	6	-	3	3	-	2	1	3	21	8	6	1	2	-
Andrews	1	4	1	-	7	4	-	-	1	-	-	2	7	9	2	5	2	-	-
Andrews	1	4	1	-	5	4	-	-	1	-	-	1	4	8	2	3	2	-	-
Balance of county	-	-	-	-	2	-	-	-	-	-	-	1	3	1	-	2	-	-	-
Angelina	1	39	10	5	18	14	1	4	4	-	4	3	14	43	17	14	9	7	-
Lufkin	1	22	7	4	7	6	-	4	1	-	1	3	7	21	9	9	3	2	-
Balance of county	-	17	3	1	11	8	1	-	3	-	3	-	7	22	8	5	6	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Aransas	122	-	-	1	28	3	9	2	2	3	-	9	2	45	37	-	-	23	14
Archer	62	-	-	-	8	1	1	1	-	1	-	4	-	35	21	-	-	18	3
Wichita Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	62	-	-	-	8	1	1	1	-	1	-	4	-	35	21	-	-	18	3
Armstrong	19	-	-	-	3	1	-	-	-	1	-	1	-	14	10	-	-	6	4
Atascosa	254	-	-	3	41	7	11	5	8	2	1	7	5	115	95	1	-	57	37
Austin	255	-	-	4	44	14	11	4	3	2	2	8	1	145	104	-	-	46	58
Bailey	58	-	-	1	6	1	1	-	1	-	1	2	1	28	22	-	-	9	13
Bandera	91	-	-	2	21	3	11	-	1	1	1	4	1	43	35	-	2	17	16
Bastrop	283	-	-	3	61	16	16	3	5	1	2	18	7	114	84	-	3	33	48
Baylor	79	-	-	-	10	4	2	1	-	-	1	2	3	43	34	-	-	27	7
Bee	220	-	-	2	39	8	13	1	5	3	-	9	5	106	75	-	-	42	33
Beeville	139	-	-	2	20	1	7	1	4	1	-	6	4	68	50	-	-	28	22
Balance of county	81	-	-	-	19	7	6	-	1	2	-	3	1	38	25	-	-	14	11
Bell	1,166	2	-	29	218	45	51	13	26	4	10	69	10	454	403	1	2	211	189
Belton	120	-	-	3	16	4	6	-	1	-	1	4	2	54	48	-	1	21	26
Killeen	253	-	-	3	64	15	15	4	3	-	2	25	1	81	70	-	1	40	29
Temple	475	1	-	18	78	17	12	7	13	1	3	25	4	207	186	1	-	98	87
Balance of county	318	1	-	5	60	9	19	2	9	3	4	15	3	112	99	-	-	52	47
Bexar	7,631	15	1	195	1,583	404	383	150	152	60	87	347	133	3,313	2,645	23	110	1,443	1,069
San Antonio	6,552	14	1	177	1,285	338	308	113	124	52	69	283	112	2,798	2,229	19	91	1,216	903
Universal City	46	-	-	-	13	6	5	-	-	-	-	2	-	19	13	-	-	10	3
Balance of county	1,233	1	-	18	285	62	70	37	28	8	18	62	21	496	403	4	19	217	163
Blanco	62	-	-	2	17	6	2	3	2	-	1	3	-	27	21	-	-	2	19
Borden	6	-	-	-	2	1	1	-	-	-	-	-	-	2	1	-	-	1	-
Bosque	235	-	-	2	55	13	15	2	6	3	2	14	8	114	77	-	-	49	28
Bowie	766	-	-	12	187	38	49	11	15	7	9	58	8	343	275	3	11	170	91
Texarkana	310	-	-	5	68	14	19	3	3	1	4	24	1	144	119	2	6	81	30
Balance of county	456	-	-	7	119	24	30	8	12	6	5	34	7	199	156	1	5	89	61
Brazoria	1,078	-	-	19	202	36	64	14	21	1	7	59	26	435	350	-	6	178	166
Alvin	140	-	-	-	36	10	13	1	5	-	1	6	4	51	38	-	-	26	12
Angleton	110	-	-	3	14	2	4	-	-	-	2	6	5	53	43	-	-	20	23
Freeport	105	-	-	3	15	6	2	1	-	-	-	6	1	46	39	-	-	15	24
Lake Jackson	104	-	-	2	25	3	8	2	3	-	-	9	1	40	31	-	-	15	16
Pearland, part	106	-	-	3	14	4	5	1	1	-	-	3	3	54	40	-	3	27	10
Pearland, total	109	-	-	3	14	4	5	1	1	-	-	3	3	54	40	-	3	27	10
Balance of county	513	-	-	8	98	11	32	9	12	1	4	29	12	191	159	-	3	75	81
Brazos	553	-	-	4	111	25	36	11	14	5	3	17	15	216	157	2	4	81	70
Bryan	392	-	-	4	78	18	25	8	9	3	3	11	13	167	120	1	3	59	57
College Station	88	-	-	-	16	3	5	1	3	1	-	3	1	23	17	-	-	14	3
Balance of county	73	-	-	-	17	3	6	2	2	1	-	3	1	26	20	1	1	8	10
Brewster	63	-	-	-	14	4	2	3	2	1	-	2	1	22	16	-	-	13	3
Briscoe	34	-	-	1	6	1	3	-	-	1	-	1	2	17	12	-	-	8	4
Brooks	77	-	-	-	10	2	5	-	-	-	-	3	2	41	29	-	1	13	15
Brown	417	-	-	5	80	16	28	5	8	-	4	19	5	202	153	-	-	91	62
Brownwood	252	-	-	5	44	10	13	4	5	-	1	11	2	124	90	-	-	62	28
Balance of county	165	-	-	-	36	6	15	1	3	-	3	8	3	78	63	-	-	29	34
Burleson	176	-	-	1	32	8	6	3	1	-	3	11	4	78	64	1	2	35	26
Burnet	254	-	-	4	56	10	18	3	12	-	4	9	5	87	63	1	1	41	20
Caldwell	238	1	-	2	45	7	16	5	7	2	-	8	3	123	100	1	4	56	39
Calhoun	166	-	-	2	37	6	14	5	5	1	1	5	6	73	55	-	1	29	25
Port Lavaca	100	-	-	2	26	3	11	4	3	-	1	4	4	42	33	-	-	18	15
Balance of county	66	-	-	-	11	3	3	1	2	1	-	1	2	31	22	-	1	11	10
Callahan	146	-	-	3	25	6	5	2	3	1	-	8	5	83	69	-	1	41	27
Cameron	1,420	2	-	16	250	60	74	12	24	9	12	59	35	565	427	3	3	272	149
Brownsville	538	1	-	2	86	17	27	5	10	3	4	20	17	192	143	1	1	105	36
Harlingen	357	1	-	3	75	22	21	4	7	-	5	16	10	166	126	1	-	79	46
San Benito	113	-	-	1	17	2	7	2	1	-	-	5	2	52	38	-	-	20	18
Balance of county	412	-	-	10	72	19	19	1	6	6	3	18	6	155	120	1	2	68	49
Camp	91	-	-	3	16	1	7	1	-	-	-	7	1	43	31	-	-	18	13
Carson	50	-	-	-	9	2	1	-	3	1	-	2	1	21	15	-	1	7	7
Cass	386	-	-	8	73	14	19	5	7	1	4	23	3	183	146	-	1	61	84
Castro	75	-	-	1	11	4	2	-	1	-	2	2	-	36	20	-	-	14	6
Chambers	131	-	-	3	27	4	11	2	3	1	1	5	1	60	46	-	1	29	16
Baytown, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	131	-	-	3	27	4	11	2	3	1	1	5	1	60	46	-	1	29	16
Cherokee	529	-	-	3	88	23	25	4	15	4	4	13	5	243	170	1	3	100	66
Jacksonville	191	-	-	2	38	5	12	2	6	3	1	7	3	88	60	-	1	36	23
Balance of county	338	-	-	1	52	18	13	2	9	1	3	6	2	155	110	1	2	64	43
Childress	113	-	-	-	18	2	7	-	3	-	2	4	2	60	53	-	-	46	7
Clay	104	-	-	2	18	4	3	1	2	2	-	6	1	58	50	-	1	25	24
Cochran	42	-	-	-	7	3	-	-	2	1	-	1	-	16	14	-	-	13	1
Coke	54	-	-	1	7	-	1	1	1	1	1	2	-	22	16	-	1	8	7
Coleman	158	-	-	-	30	11	7	2	4	1	-	5	1	89	67	-	-	46	21
Collin	893	1	-	8	195	41	60	14	21	6	10	43	23	404	320	2	7	194	117
Carrollton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas, part	15	-	-	-	4	1	1	1	-	-	-	1	-	4	3	-	1	1	1
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McKinney	194	-	-	4	39	8	7	4	3	2	1	14	7	96	76	-	1	50	25
Plano, part	299	1	-	2	72	11	27	6	8	2	4	14	5	119	88	1	3	44	40
Plano, total	299	1	-	2	72	11	27	6	8	2	4	14	5	119	88	1	3	44	40
Richardson, part	18	-	-	-	9	4	1	-	1	1	-	2	1	6	6	1	-	1	4
Balance of county	367	-	-	2	71	17	24	3	9	1	5	12	10	179	147	-	2	98	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	-	7	-	1	5	6	-	1	4	-	1	-	10	11	1	1	6	-	-
Archer	-	12	1	1	-	2	-	1	-	-	-	-	-	7	4	1	2	2	-
Wichita Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	12	1	1	-	2	-	1	-	-	-	-	-	7	4	1	2	2	-
Armstrong	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Atascosa	1	14	3	2	8	6	-	1	1	1	4	3	26	16	9	5	6	3	1
Austin	5	33	1	2	12	4	1	1	1	-	-	1	11	16	9	4	1	-	-
Bailey	-	6	-	-	3	2	-	-	1	-	1	-	7	-	-	4	1	1	-
Bandera	-	4	4	-	3	5	-	1	-	-	-	-	-	7	6	2	-	-	-
Bastrop	2	19	7	2	4	8	2	2	5	-	1	1	29	23	17	7	4	4	1
Baylor	-	8	1	-	2	6	-	1	2	-	1	-	-	7	2	2	-	-	-
Bee	2	24	4	1	6	6	-	4	1	-	1	-	8	18	10	8	5	1	-
Beeville	-	14	3	1	4	3	-	3	1	-	1	-	5	10	9	5	3	1	-
Balance of county	2	10	1	-	2	3	-	1	-	-	-	-	3	8	1	3	2	-	-
Bell	-	38	6	7	32	32	1	5	10	1	10	32	120	86	37	41	22	21	3
Belton	-	5	1	-	4	7	-	-	-	-	-	1	17	7	5	1	1	2	-
Killeen	-	8	3	-	3	3	1	2	3	1	5	14	7	25	12	10	9	8	1
Temple	-	18	-	3	18	17	-	1	4	-	-	5	62	36	8	8	1	6	1
Balance of county	-	7	2	4	7	5	-	2	3	-	5	12	34	16	12	22	11	5	1
Bexar	21	531	43	73	296	266	26	116	107	1	59	115	143	688	222	173	147	226	6
San Antonio	17	451	36	65	256	218	22	97	97	1	50	93	112	582	175	141	118	201	4
Universal City	1	4	-	1	-	2	1	1	1	-	2	-	3	1	1	1	1	-	-
Balance of county	3	76	7	7	40	46	3	18	9	-	7	22	28	105	46	31	30	25	2
Blanco	-	3	2	1	4	1	-	-	2	-	-	-	1	4	2	1	1	-	-
Borden	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Bosque	-	27	8	2	9	4	-	2	1	-	1	2	5	21	-	4	2	3	2
Bowie	1	59	2	6	21	23	-	4	2	-	4	8	57	43	18	11	21	4	-
Texarkana †	1	23	-	1	8	10	-	4	-	-	-	1	31	18	5	4	8	3	-
Balance of county	-	36	2	5	13	13	-	-	2	-	4	7	26	25	13	7	13	1	-
Brazoria	3	67	5	10	33	28	3	11	8	-	6	10	64	94	54	47	21	16	1
Alvin	-	11	-	2	4	3	1	1	2	-	2	3	2	15	7	6	1	2	-
Angleton	-	6	1	3	6	2	-	1	-	-	-	1	1	11	5	5	2	-	1
Freeport	1	5	-	1	3	2	-	2	-	-	1	-	7	12	4	4	2	3	-
Lake Jackson	-	7	-	2	4	3	1	2	1	-	-	1	1	12	4	3	3	1	-
Pearland, part	2	10	1	1	1	2	-	-	-	-	3	2	1	10	6	4	1	2	-
Pearland, total	2	10	1	1	1	2	-	-	-	-	3	2	1	10	8	4	2	2	-
Balance of county	-	28	3	1	15	16	1	5	5	-	-	3	52	34	28	25	12	8	-
Brazos	5	41	9	4	11	16	-	7	2	-	5	6	51	54	22	14	12	7	-
Bryan	4	34	7	2	7	13	-	6	2	-	5	-	29	31	11	12	9	5	-
College Station	-	4	1	1	3	3	-	1	-	-	-	5	14	15	6	-	-	1	-
Balance of county	1	3	1	1	1	-	-	-	-	-	-	1	8	8	5	2	3	1	-
Brewster	-	4	1	1	3	3	-	-	-	-	-	-	5	10	2	1	1	1	-
Briscoe	-	4	1	-	-	2	-	-	-	-	-	-	4	1	1	-	-	-	-
Brooks	1	4	5	2	-	4	-	3	1	-	-	1	3	4	1	4	2	1	-
Brown	1	41	3	4	9	14	2	4	3	-	4	1	44	19	8	8	3	5	1
Brownwood	-	29	3	2	6	10	2	2	2	-	2	-	30	12	1	4	2	3	1
Balance of county	1	12	-	2	3	4	-	2	1	-	2	1	14	7	7	4	1	2	-
Burleson	1	10	1	-	11	6	1	-	1	-	2	-	15	11	11	2	1	1	-
Burnet	-	18	4	2	9	11	1	1	3	-	3	-	42	15	4	9	3	1	-
Caldwell	-	15	3	6	-	3	1	5	5	-	1	2	7	22	6	8	2	2	-
Calhoun	2	10	2	4	5	6	2	2	6	-	-	2	3	9	6	4	2	1	-
Port Lavaca	1	6	-	2	2	3	-	2	4	-	-	2	1	6	3	3	-	-	-
Balance of county	1	4	2	2	3	3	2	-	2	-	-	-	2	3	3	1	2	1	-
Callahan	-	6	3	5	1	3	1	1	-	-	-	2	2	10	4	3	3	-	-
Cameron	1	109	18	10	41	37	5	15	18	1	7	21	180	104	46	32	18	26	1
Brownsville	1	43	2	3	21	11	3	9	10	-	4	11	91	38	18	6	7	11	-
Harlingen	-	28	8	4	9	10	-	2	2	-	2	5	20	27	12	6	4	3	-
San Benito	-	12	2	-	3	4	-	1	2	-	1	2	11	8	4	2	-	2	1
Balance of county	-	26	6	3	8	12	2	3	4	1	-	3	58	31	12	18	7	10	-
Camp	-	7	4	1	2	7	1	-	1	-	1	-	1	9	3	1	2	-	-
Carson	-	1	5	-	1	2	-	-	1	-	-	1	5	4	2	1	2	-	-
Cass	-	32	4	1	16	8	-	3	5	-	1	4	31	20	12	13	5	1	-
Castro	1	14	-	1	5	1	-	1	1	-	-	-	5	6	3	2	1	2	-
Chambers	-	13	-	1	4	4	-	2	3	-	1	-	-	10	8	4	2	2	-
Baytown, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	13	-	1	4	4	-	2	3	-	1	-	-	10	8	4	2	2	-
Cherokee	-	52	17	4	10	16	-	2	21	-	2	3	58	43	17	8	6	4	-
Jacksonville	-	19	9	-	4	7	-	1	6	-	-	1	22	11	5	2	2	1	-
Balance of county	-	33	8	4	6	9	-	1	15	-	2	2	36	32	12	6	4	3	-
Childress	1	5	-	1	6	4	-	-	4	-	-	-	-	12	3	2	1	-	1
Clay	-	6	1	1	4	3	-	-	-	-	1	1	5	5	2	3	-	1	-
Cochran	-	2	-	-	2	1	-	-	1	-	-	-	3	6	1	5	-	-	-
Coke	-	6	-	-	4	4	-	-	2	-	-	-	2	7	2	2	1	-	-
Coleman	-	21	-	1	9	5	1	-	1	-	-	-	-	14	3	3	2	-	-
Collin	4	81	10	9	18	19	-	7	8	-	11	15	14	62	43	28	28	9	-
Carrollton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas, part	-	1	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McKinney	1	14	3	2	3	5	-	1	1	-	2	2	1	16	3	6	4	4	-
Plano, part	1	22	3	6	9	7	-	4	2	-	5	8	4	18	16	12	13	2	-
Plano, total	1	22	3	5	9	7	-	4	2	-	5	8	4	18	16	12	13	2	-
Richardson, part	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Balance of county	2	24	4	2	6	7	-	2	5	-	4	5	7	27	21	9	9	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Collingsworth	60	-	-	-	11	6	1	2	1	-	-	1	1	36	17	-	-	11	6
Colorado	256	2	-	7	53	17	14	5	7	1	2	7	3	110	87	2	2	43	40
Comal	413	-	-	3	90	16	25	10	10	5	1	23	3	168	136	1	4	83	48
New Braunfels, part	285	-	-	2	52	11	15	7	7	1	1	10	3	141	102	1	3	59	39
New Braunfels, total	288	-	-	2	53	11	15	8	7	1	1	10	3	142	102	1	3	59	39
Balance of county	128	-	-	1	38	5	10	3	3	4	-	13	-	47	34	-	1	24	9
Comanche	212	1	-	3	33	12	10	1	3	-	-	7	1	105	76	-	-	40	36
Concho	40	-	-	1	7	1	3	-	2	-	-	1	-	21	18	-	-	14	4
Cooke	292	-	-	1	63	15	21	3	7	1	2	14	2	147	114	-	3	87	24
Gainesville	191	-	-	1	37	11	12	-	5	1	1	7	1	104	75	-	2	54	19
Balance of county	101	-	-	-	26	4	9	3	2	-	1	7	1	43	39	-	1	33	5
Coryell	252	-	-	1	44	5	16	2	3	3	2	13	1	132	112	-	2	52	58
Copperas Cove	88	-	-	1	19	-	8	2	2	1	-	6	-	43	34	-	2	13	19
Balance of county	164	-	-	-	25	5	8	-	1	2	2	7	1	89	78	-	-	39	39
Cottle	29	-	-	-	5	3	1	-	-	-	-	1	1	14	10	-	-	9	1
Crane	42	-	-	3	12	3	2	-	2	-	1	4	1	15	10	-	-	8	2
Crockett	35	-	-	-	5	1	1	-	-	-	1	2	-	15	13	-	1	8	4
Crosby	78	-	-	1	12	3	2	-	2	-	1	4	-	37	30	-	-	16	14
Culberson	24	-	-	-	5	1	-	1	-	1	-	2	1	9	6	-	-	5	1
Dallam	67	-	-	-	8	2	1	-	1	-	-	4	-	37	28	1	-	20	7
Dallas	11,960	13	1	195	2,432	551	680	232	246	99	103	521	180	5,211	4,024	30	358	2,188	1,448
Balch Springs	97	1	-	2	11	3	3	2	-	-	-	3	-	50	45	-	3	23	19
Carrollton, part	173	-	-	4	34	9	8	3	2	1	3	8	2	75	61	-	2	41	18
Carrollton, total	210	-	-	6	42	11	8	5	2	2	3	11	2	89	74	1	2	48	23
Dallas, part	7,957	8	1	141	1,562	380	412	147	168	59	63	335	123	3,464	2,681	20	290	1,343	1,028
Dallas, total	7,975	8	1	141	1,566	381	413	148	168	59	63	336	123	3,468	2,684	20	291	1,344	1,029
De Soto	123	-	-	1	29	5	10	4	3	-	1	6	3	51	42	1	4	28	9
Duncanville	142	1	-	4	38	6	11	4	5	2	2	8	1	49	36	-	2	25	9
Farmers Branch	138	-	-	-	28	4	7	4	7	1	1	4	4	67	55	1	5	37	12
Garland, part	713	1	-	6	166	37	55	13	13	9	15	44	9	292	230	-	10	152	68
Garland, total	713	1	-	6	166	37	55	13	13	9	15	44	9	292	230	-	10	152	68
Grand Prairie, part	468	1	-	8	93	19	37	9	4	4	2	18	8	221	147	4	6	87	50
Grand Prairie, total	518	1	-	8	99	21	39	9	5	4	2	19	9	246	155	4	6	94	51
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irving	622	-	-	10	127	25	40	11	9	8	3	31	9	266	204	1	13	124	56
Lancaster	142	-	-	1	25	6	8	1	2	1	1	6	2	74	57	-	2	35	20
Mesquite	446	-	-	3	94	16	29	9	7	4	6	23	4	186	147	-	7	91	49
Richardson, part	314	-	-	1	80	15	19	16	13	2	1	14	2	135	103	-	2	70	31
Richardson, total	332	-	-	1	89	19	20	16	14	3	1	16	3	141	109	1	2	71	35
University Park	160	-	-	3	33	6	11	1	3	1	2	9	3	83	60	-	3	38	19
Balance of county	465	1	-	11	92	20	30	8	12	7	3	12	10	198	158	3	9	94	50
Dawson	129	-	-	1	21	4	10	3	1	-	-	3	-	48	33	2	-	18	13
Lamesa	118	-	-	1	17	4	8	2	1	-	-	2	-	45	30	2	-	17	11
Balance of county	11	-	-	-	4	-	2	1	-	-	-	1	-	3	3	-	-	1	2
Deaf Smith	113	-	-	-	22	6	4	3	2	-	3	4	4	55	42	-	1	29	12
Hereford	94	-	-	-	21	6	4	3	2	-	2	4	4	43	31	-	1	22	8
Balance of county	19	-	-	-	1	-	-	-	-	-	1	-	-	12	11	-	-	7	4
Delta	85	-	-	2	21	1	5	-	3	1	-	11	2	38	33	-	-	19	14
Denton	929	-	-	12	194	29	44	15	16	7	11	72	16	373	310	3	7	188	112
Carrollton, part	37	-	-	2	8	2	-	2	-	1	-	3	-	14	13	1	-	7	5
Dallas, part	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Denton	358	-	-	3	69	11	18	6	8	1	4	21	9	159	125	-	2	79	50
Lewisville	168	-	-	2	44	8	9	3	1	1	3	19	3	56	44	-	-	31	13
Plano, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
The Colony	38	-	-	2	5	-	1	-	1	1	-	2	-	10	8	-	1	4	3
Balance of county	325	-	-	3	68	8	16	4	6	3	4	27	4	134	120	2	4	73	41
De Witt	259	-	-	3	37	12	13	2	3	2	1	4	4	149	111	-	4	49	58
Dickens	47	-	-	-	5	1	2	-	-	-	-	2	1	24	22	1	-	14	7
Dimmit	84	-	-	-	18	5	3	3	2	2	1	2	2	37	28	-	-	21	7
Donley	54	-	-	1	10	3	5	-	-	-	-	2	-	32	22	1	-	16	5
Duval	135	-	-	2	16	4	3	1	1	-	-	7	3	73	62	-	-	43	19
Eastland	274	-	-	7	49	8	13	3	6	-	5	14	2	155	115	-	-	75	40
Ector	818	1	-	10	165	36	58	15	7	10	5	34	11	245	191	3	1	121	66
Odessa	637	1	-	8	115	24	42	9	5	5	5	25	10	208	161	3	1	98	59
Balance of county	181	-	-	2	50	12	16	6	2	5	-	9	1	37	30	-	-	23	7
Edwards	16	-	-	1	5	-	1	1	-	-	2	1	1	7	7	-	-	7	-
Ellis	657	1	-	7	125	21	28	14	17	6	6	33	7	277	215	-	5	138	74
Ennis	163	1	-	1	26	4	4	5	1	3	2	7	3	67	52	-	1	29	22
Grand Prairie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waxahachie	191	-	-	2	39	10	9	2	8	1	2	9	3	79	58	-	2	36	20
Balance of county	303	-	-	4	60	7	15	7	10	2	2	17	1	131	105	-	2	71	32
El Paso	2,922	6	-	48	628	159	144	68	64	31	33	129	63	1,157	906	9	51	603	243
El Paso	2,777	6	-	48	599	152	134	65	60	30	31	127	57	1,100	864	8	49	578	229
Balance of county	145	-	-	-	29	7	10	3	4	1	2	2	6	57	42	1	2	25	14
Erath	262	-	-	3	51	11	18	2	10	2	2	6	-	128	101	1	-	75	25
Stephenville	130	-	-	1	19	5	5	1	4	1	1	2	-	66	54	1	-	45	8
Balance of county	132	-	-	2	32	6	13	1	6	1	1	4	-	62	47	-	-	30	17
Falls	263	-	-	2	46	12	14	7	3	-	3	7	1	144	100	-	-	76	24
Fannin	361	-	-	5	61	17	18	4	7	-	1	14	9	142	113	-	3	77	33
Fayette	292	-	-	2	66	21	13	5	7	2	3	15	2	150	116	-	3	56	57
Fisher	59	-	-	1	14	4	4	2	1	2	-	1	-	32	26	-	-	23	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	1	16	1	1	-	1	-	1	-	-	-	-	3	3	2	2	-	-	-
Colorado	-	18	3	2	6	8	-	4	4	-	2	8	13	20	5	3	4	2	2
Comal	4	34	9	5	14	7	1	5	3	-	1	2	33	28	10	10	10	4	1
New Braunfels, part	4	26	5	4	11	6	1	5	3	-	-	1	18	18	4	8	9	2	1
New Braunfels, total	4	27	5	4	11	6	1	5	3	-	-	1	18	18	4	8	10	2	1
Balance of county	-	8	4	1	3	1	-	-	-	-	1	1	15	10	6	2	1	2	-
Comanche	-	27	2	-	6	6	2	1	2	-	-	-	20	20	4	5	3	-	-
Concho	-	3	-	-	5	-	1	-	1	-	-	-	-	-	2	2	-	-	-
Cooke	1	30	-	2	6	7	-	-	2	-	-	4	19	24	3	5	6	2	1
Gainesville	-	27	-	2	4	5	-	-	-	-	-	3	13	16	-	3	1	2	1
Balance of county	1	3	-	-	2	2	-	-	2	-	-	1	6	8	3	2	5	-	-
Coryell	1	16	2	1	10	9	1	3	-	-	2	6	3	16	6	10	6	2	-
Copperas Cove	1	8	-	-	3	3	-	-	-	-	1	1	1	5	3	4	4	-	-
Balance of county	-	8	2	1	7	6	1	3	-	-	1	5	2	11	3	6	2	2	-
Cottle	-	3	-	1	1	-	-	1	1	-	-	-	3	2	-	1	-	-	-
Crane	-	4	1	-	-	1	-	-	-	-	-	-	-	7	1	1	1	-	-
Crockett	-	2	-	-	1	2	-	-	1	-	-	-	-	1	7	3	-	-	-
Crosby	-	7	-	-	7	-	-	-	1	-	-	1	3	10	1	-	3	2	-
Culberson	-	3	-	-	1	-	-	3	1	-	-	1	-	2	1	-	-	-	-
Dallam	1	5	1	2	2	2	2	-	-	-	-	2	-	9	2	2	-	1	-
Dallas	32	889	179	67	353	440	30	160	93	5	101	185	186	1,022	346	347	296	357	7
Balch Springs	-	4	-	1	1	1	-	1	2	-	1	1	3	9	4	3	2	5	-
Carrollton, part	-	11	2	1	-	10	-	4	1	-	2	5	1	17	2	10	4	2	-
Carrollton, total	-	12	2	1	-	10	-	4	1	-	6	5	1	20	4	11	6	3	-
Dallas, part	20	610	89	64	261	288	19	119	75	5	57	115	118	688	209	231	177	290	6
Dallas, total	20	611	89	64	261	288	19	119	75	5	57	115	119	690	212	232	179	291	6
De Soto	-	6	3	-	2	4	-	1	-	-	1	3	2	7	8	4	5	2	-
Duncanville	-	10	2	1	6	3	1	-	-	-	4	4	4	7	7	3	7	3	-
Farmers Branch	-	8	3	1	2	2	-	-	-	-	-	2	1	18	7	3	3	1	-
Garland, part	4	47	6	5	14	31	-	6	2	-	11	13	11	51	26	20	21	12	1
Garland, total	4	47	6	5	14	31	-	6	2	-	11	13	11	51	26	20	21	12	1
Grand Prairie, part	1	36	33	4	9	15	1	2	1	-	3	10	13	31	16	15	12	9	-
Grand Prairie, total	2	44	41	4	10	17	1	4	2	-	3	10	14	32	19	17	14	12	-
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irving	3	38	20	1	14	26	1	13	1	-	10	9	14	52	26	14	16	14	-
Lancaster	1	15	-	1	6	1	1	1	3	-	1	1	1	13	5	4	1	2	-
Mesquite	-	29	7	3	13	28	2	5	3	-	4	9	5	45	16	14	12	3	-
Richardson, part	1	23	6	2	8	9	3	5	2	-	1	3	4	27	7	9	15	3	-
Richardson, total	1	23	6	2	8	9	3	5	2	-	1	3	5	27	7	10	15	3	-
University Park	1	18	2	2	4	7	-	2	1	-	2	-	2	14	-	2	2	2	-
Balance of county	1	34	6	1	13	15	2	1	2	-	4	10	7	43	13	15	19	9	-
Dawson	1	13	1	-	2	7	1	2	1	-	1	2	18	14	1	7	1	2	-
Lamesa	1	13	1	-	2	6	1	2	1	-	1	1	17	14	1	6	1	2	-
Balance of county	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-
Deaf Smith	-	10	1	2	4	5	-	-	1	-	4	-	-	6	3	5	2	2	-
Hereford	-	9	1	2	4	4	-	-	1	-	3	-	-	4	2	4	2	2	-
Balance of county	-	1	-	-	-	1	-	-	-	-	1	-	-	2	1	1	-	-	-
Delta	1	3	-	1	2	4	-	-	1	-	-	1	7	4	1	2	-	-	-
Denton	1	44	10	8	27	31	3	11	9	-	16	7	43	75	45	32	26	8	1
Carrollton, part	-	1	-	-	-	-	-	-	-	-	4	-	-	3	2	1	2	1	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Denton	-	21	8	5	11	13	3	6	5	-	1	1	18	29	10	12	8	1	-
Lewisville	1	10	1	-	5	9	-	1	1	-	5	3	5	16	8	7	2	1	-
Plano, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
The Colony	-	2	-	-	-	1	-	-	1	-	1	-	2	3	3	4	5	1	-
Balance of county	-	10	1	3	11	8	-	4	2	-	5	3	18	23	22	7	9	3	1
De Witt	-	22	13	3	8	6	1	1	3	-	1	1	12	18	5	6	3	-	1
Dickens	-	2	-	-	2	2	-	-	-	-	3	-	7	2	-	1	-	-	-
Dimmit	1	6	-	-	5	2	-	1	1	-	1	-	3	10	2	2	-	-	-
Donley	-	9	-	1	1	4	1	1	-	-	-	-	-	2	-	2	-	-	-
Duval	1	7	3	-	4	1	-	1	1	-	2	-	6	13	4	7	-	2	-
Eastland	-	36	2	2	12	4	2	2	3	-	1	1	9	15	3	7	1	1	-
Ector	1	46	4	3	32	33	-	14	8	-	4	9	100	76	30	39	23	17	1
Odessa	1	41	3	2	23	25	-	13	7	-	2	8	81	62	21	28	12	12	1
Balance of county	-	5	1	1	9	8	-	1	1	-	2	1	19	14	9	11	11	5	-
Edwards	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Ellis	1	46	7	8	23	14	2	3	16	-	2	3	78	51	17	21	6	4	-
Ennis	1	9	3	2	6	3	-	3	5	-	1	2	17	17	6	3	1	1	-
Grand Prairie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waxahachie	-	18	2	1	7	4	2	-	5	-	-	-	29	14	2	3	1	1	-
Balance of county	-	19	2	5	10	7	-	-	6	-	1	1	32	20	9	15	4	2	-
El Paso	10	195	21	25	76	122	6	49	50	1	25	40	30	306	122	114	52	26	1
El Paso	10	183	20	23	75	117	6	48	48	1	23	36	30	297	104	108	50	23	1
Balance of county	-	12	1	2	1	5	-	1	2	-	2	4	-	9	18	6	2	3	-
Erath	-	22	-	5	6	6	-	1	6	-	1	1	24	24	8	3	-	-	-
Stephenville	-	10	-	2	3	5	-	-	1	-	1	-	17	12	4	1	-	-	-
Balance of county	-	12	-	3	3	1	-	1	5	-	-	1	7	12	4	2	-	-	-
Falls	1	37	1	5	7	6	1	-	3	-	2	1	14	21	5	10	-	-	-
Fannin	-	23	3	3	13	6	-	3	4	-	1	5	49	37	12	8	4	1	1
Fayette	1	28	5	-	15	3	-	3	3	-	-	2	8	16	9	8	3	2	-
Fisher	-	5	1	-	2	1	-	-	1	-	-	1	2	2	2	-	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Floyd	87	1	-	1	9	4	1	-	-	-	1	3	-	41	33	-	-	27	6
Foard	45	-	-	-	10	3	2	2	1	1	-	1	-	22	18	-	-	17	1
Fort Bend	728	-	-	13	159	31	44	15	15	7	10	37	19	295	227	1	5	122	99
Houston, part	13	-	-	-	2	-	1	-	-	-	-	1	-	2	2	-	-	1	1
Missouri City, part	91	-	-	2	32	6	8	5	3	-	2	8	1	21	16	-	-	10	6
Missouri City, total	96	-	-	2	33	6	8	5	4	-	2	8	1	23	18	-	-	12	6
Rosenberg	136	-	-	1	23	4	7	2	1	1	2	6	5	61	44	-	-	22	22
Balance of county	488	-	-	10	102	21	28	8	11	6	6	22	13	211	165	1	5	89	70
Franklin	99	-	-	-	18	1	8	2	1	-	1	5	-	58	42	-	1	38	3
Freestone	177	-	-	-	37	7	10	6	4	2	-	8	2	84	68	-	2	41	25
Frio	103	-	-	1	13	5	4	-	-	1	-	3	4	54	44	-	3	36	5
Gaines	92	-	-	-	13	3	5	1	1	-	1	2	2	43	37	-	-	25	12
Galveston	1,738	2	-	25	424	114	142	30	35	20	13	70	48	781	645	4	15	429	197
Friendswood, part	55	-	-	1	13	3	5	1	-	-	-	4	1	27	22	-	-	15	7
Friendswood, total	83	-	-	2	19	4	8	1	-	-	-	6	1	36	29	-	-	21	8
Galveston	686	1	-	13	155	42	47	13	14	9	4	26	16	306	259	1	7	170	81
La Marque	135	-	-	2	34	7	11	1	4	2	1	8	2	63	54	1	-	32	21
League City	88	-	-	-	25	6	7	2	3	-	1	6	3	39	27	2	1	17	7
Texas City	377	1	-	3	92	28	31	7	5	5	6	10	15	177	144	-	6	95	43
Balance of county	397	-	-	6	105	28	41	6	9	4	1	16	11	169	139	-	1	100	38
Garza	55	-	-	-	14	1	8	-	1	-	-	4	-	24	19	-	1	9	9
Gillespie	217	-	-	5	49	8	16	3	8	6	1	7	3	92	75	1	1	38	35
Glasscock	4	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1
Goliad	62	-	-	-	15	5	3	-	3	1	-	3	3	35	30	-	-	18	12
Gonzales	212	-	-	3	29	3	8	5	3	4	1	5	3	107	83	1	4	58	20
Gray	267	-	-	4	52	13	14	3	3	-	4	15	2	129	104	-	1	65	38
Pampa	233	-	-	4	45	12	13	2	3	-	4	11	1	114	94	-	1	57	36
Balance of county	34	-	-	-	7	1	1	1	-	-	-	4	1	15	10	-	-	8	2
Grayson	1,071	-	-	9	198	38	50	8	19	12	10	61	16	559	455	3	8	251	193
Denison	305	-	-	4	48	3	15	1	4	6	2	17	5	164	134	1	1	63	89
Sherman	348	-	-	4	73	16	16	5	7	4	4	21	2	189	168	1	5	98	64
Balance of county	418	-	-	1	77	19	19	2	8	2	4	23	9	206	153	1	2	90	60
Gregg	1,021	-	-	7	194	54	62	14	17	4	9	34	13	461	343	2	7	191	143
Kilgore, part	107	-	-	1	25	8	7	1	4	-	1	4	1	47	34	-	1	23	10
Kilgore, total	144	-	-	1	35	11	10	2	5	-	3	4	1	62	46	-	2	32	12
Longview, part	625	-	-	5	112	28	36	10	11	4	4	19	9	286	216	2	2	114	98
Longview, total	630	-	-	5	113	28	36	11	11	4	4	19	9	286	218	2	2	114	100
Balance of county	289	-	-	1	57	18	19	3	2	-	4	11	3	128	93	-	4	54	35
Grimes	224	-	-	3	52	9	12	1	4	2	2	22	7	109	90	1	3	53	33
Guadalupe	426	2	-	7	80	19	18	10	7	4	4	18	5	197	159	1	4	97	57
New Braunfels, part	3	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Seguin	194	2	-	2	36	12	7	4	3	-	1	9	3	98	78	1	3	49	25
Balance of county	229	-	-	5	43	7	11	5	4	4	3	9	2	98	81	-	1	48	32
Hale	321	-	-	3	47	12	11	5	3	2	3	11	6	144	95	-	2	72	21
Plainview	232	-	-	1	32	9	8	3	3	-	2	7	2	106	65	-	1	51	13
Balance of county	89	-	-	2	15	3	3	2	-	2	1	4	4	38	30	-	1	21	8
Hall	64	-	-	-	16	3	4	-	5	-	1	3	1	33	23	-	-	15	8
Hamilton	155	-	-	2	20	5	7	1	-	1	-	6	1	91	84	-	-	68	16
Hansford	56	-	-	2	8	3	2	1	-	-	-	2	1	30	24	-	1	18	5
Hardeman	102	-	-	1	20	7	4	2	2	-	1	4	-	50	36	-	1	27	8
Hardin	318	-	-	5	64	14	27	4	5	2	-	12	4	122	89	-	-	62	27
Harris	15,704	24	-	346	3,415	796	1,029	307	342	99	144	698	254	6,445	5,107	19	225	2,969	1,894
Baytown, part	453	-	-	9	99	19	33	7	9	7	3	21	5	213	170	-	2	125	43
Baytown, total	453	-	-	9	99	19	33	7	9	7	3	21	5	213	170	-	2	125	43
Bellaire	119	1	-	2	34	7	11	2	2	-	1	11	4	48	42	-	1	25	16
Deer Park	88	-	-	1	25	6	5	1	3	1	1	8	1	37	30	1	2	20	7
Friendswood, part	28	-	-	1	6	1	3	-	-	-	-	2	-	9	7	-	-	6	1
Houston, part	11,787	16	-	286	2,526	622	723	229	256	78	96	522	197	4,872	3,799	14	174	2,153	1,458
Houston, total	11,800	16	-	286	2,528	622	724	229	256	78	96	523	197	4,874	3,801	14	174	2,154	1,459
La Porte	144	-	-	1	43	8	13	2	4	-	4	12	-	61	53	-	3	34	16
Missouri City, part	5	-	-	-	1	-	-	-	1	-	-	-	-	2	2	-	-	2	-
Pasadena	680	1	-	10	147	27	60	14	12	1	7	26	13	284	237	-	10	150	77
Pearland, part	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Houston	59	1	-	1	15	7	1	1	2	1	2	1	1	23	19	-	3	12	4
West University Place	28	-	-	1	4	2	-	-	-	-	-	2	-	15	12	-	2	7	3
Balance of county	2,310	5	-	34	515	97	180	51	53	11	30	93	33	881	736	4	28	435	269
Harrison	573	-	-	8	110	30	29	7	9	3	6	26	11	241	166	1	5	120	40
Longview, part	5	-	-	-	1	-	-	1	-	-	-	-	-	2	2	-	-	-	2
Marshall	335	-	-	4	56	18	14	3	3	3	4	11	8	147	102	-	3	80	19
Balance of county	233	-	-	4	53	12	15	3	6	-	2	15	3	92	62	1	2	40	19
Hartley	30	-	-	1	6	2	2	-	-	-	-	2	-	12	11	-	-	9	2
Haskell	115	-	-	3	25	6	7	2	4	-	1	5	1	57	23	-	-	19	4
Hays	279	1	-	5	55	13	10	4	5	2	5	16	3	114	86	1	-	49	36
San Marcos	148	1	-	3	21	6	4	1	3	2	1	4	1	64	46	1	-	28	17
Balance of county	131	-	-	2	34	7	6	3	2	-	4	12	2	50	40	-	-	21	19
Hemphill	38	-	-	-	6	1	3	-	1	-	-	1	-	22	16	-	1	10	5
Henderson	562	-	-	4	111	24	42	4	9	1	4	27	4	218	173	2	3	104	64
Athens	141	-	-	-	21	5	10	1	-	-	2	3	1	68	48	-	-	35	13
Balance of county	421	-	-	4	90	19	32	3	9	1	2	24	3	150	125	2	3	69	51

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-446)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	-	8	-	-	5	1	-	-	1	-	1	1	18	2	2	1	2	1	-
Foard	-	3	-	1	-	2	-	-	1	-	-	-	6	2	-	1	1	-	-
Fort Bend	4	54	7	3	18	17	5	6	12	-	11	13	14	43	39	22	17	22	1
Houston, part	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	5	-
Missouri City, part	1	3	-	1	2	3	2	2	1	-	1	4	1	9	4	2	1	3	-
Missouri City, total	1	3	-	1	2	3	2	2	1	-	1	4	1	9	4	3	1	4	-
Rosenberg	-	13	3	1	5	5	-	1	3	-	2	1	3	8	8	3	2	5	-
Balance of county	3	38	4	1	11	9	3	5	8	-	8	7	10	26	25	17	13	9	1
Franklin	-	10	4	2	1	5	-	-	-	-	-	-	6	6	2	3	-	-	-
Freestone	1	7	3	5	6	2	1	1	6	-	-	1	9	12	5	7	2	2	-
Frio	-	9	1	-	4	3	-	-	3	-	2	1	1	4	5	5	-	3	-
Gaines	-	5	-	1	2	1	-	-	2	-	-	-	11	5	4	6	1	2	-
Galveston	4	97	16	19	43	39	5	22	17	-	7	18	12	135	41	58	36	24	1
Friendswood, part	-	3	-	2	6	-	-	-	1	-	1	1	-	2	-	1	1	-	-
Friendswood, total	-	4	-	3	7	-	-	-	1	-	2	2	1	6	2	3	1	-	-
Galveston	2	36	3	6	12	14	3	15	7	-	3	8	6	64	9	32	9	12	1
La Marque	-	4	2	3	7	3	-	-	-	-	-	1	-	11	1	3	5	3	-
League City	-	9	2	1	-	-	-	-	-	-	2	2	-	5	5	3	3	1	-
Texas City	2	24	4	3	8	9	1	4	5	-	-	6	4	29	6	6	8	3	-
Balance of county	-	21	5	4	10	13	1	3	4	-	1	-	2	24	20	13	10	5	-
Garza	-	3	2	-	2	1	-	-	-	-	-	-	4	4	2	1	2	1	-
Gillespie	-	13	2	2	8	8	-	-	2	-	-	1	19	18	4	6	2	-	-
Glasscock	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Goliad	-	5	-	-	2	-	-	-	-	-	-	-	1	6	-	-	-	-	-
Gonzales	-	23	1	-	9	5	-	2	1	-	-	1	19	15	7	6	4	1	-
Gray	-	16	6	3	5	11	1	4	6	-	3	4	7	16	8	6	6	3	-
Pampa	-	13	6	1	4	9	1	4	6	-	2	4	4	15	7	4	6	3	-
Balance of county	-	3	-	2	1	2	-	-	-	-	1	-	3	1	1	2	-	-	-
Grayson	-	75	18	11	42	35	1	6	9	1	8	1	26	86	32	21	14	7	-
Denison	-	22	7	1	8	15	1	4	2	-	3	-	-	29	10	5	3	4	-
Sherman	-	14	5	2	18	6	-	1	4	1	2	1	5	28	4	7	2	1	-
Balance of county	-	39	6	8	16	14	-	1	3	-	3	-	21	29	18	9	9	2	-
Gregg	6	93	9	10	29	30	1	6	6	-	4	6	69	91	33	32	20	19	-
Kilgore, part	-	8	2	3	3	2	-	1	-	-	-	1	7	7	2	6	2	2	-
Kilgore, total	-	10	3	3	4	6	-	1	-	-	1	1	7	11	2	8	2	2	-
Longview, part	6	55	3	6	19	22	1	4	4	-	3	5	27	62	23	18	14	11	-
Longview, total	6	55	3	6	19	23	1	4	4	-	3	5	27	62	24	18	14	11	-
Balance of county	-	30	4	1	7	6	-	1	2	-	1	-	35	22	8	8	4	6	-
Grimes	1	16	1	1	4	4	-	1	3	-	-	1	7	17	10	2	3	1	-
Guadalupe	-	27	4	7	13	16	1	5	3	-	2	3	21	38	9	8	12	4	-
New Braunfels, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Seguin	-	15	3	2	4	10	-	4	-	-	1	1	6	17	2	2	3	3	-
Balance of county	-	11	1	5	9	6	1	1	3	-	1	2	15	21	7	6	8	1	-
Hale	-	43	2	4	16	15	4	-	1	-	-	2	32	21	9	12	6	3	-
Plainview	-	36	2	3	15	12	2	-	-	-	-	2	21	16	7	9	5	2	-
Balance of county	-	7	-	1	1	3	2	-	1	-	-	-	11	5	2	3	1	1	-
Hall	-	9	-	1	1	2	-	3	-	-	-	-	-	5	3	-	-	-	-
Hamilton	-	5	1	1	10	8	-	1	-	-	2	1	-	8	3	4	3	1	-
Hansford	1	3	2	-	2	-	-	1	1	-	-	-	-	5	4	2	-	-	-
Hardeman	-	13	-	1	6	4	-	-	2	-	-	2	5	5	4	3	-	-	-
Hardin	2	24	6	1	9	4	2	5	5	-	2	3	47	18	8	6	4	10	-
Harris	45	1,062	105	126	389	420	40	229	177	6	188	237	171	1,306	549	501	415	569	23
Baytown, part	2	35	3	3	8	15	1	5	7	-	1	7	4	33	10	16	13	6	1
Baytown, total	2	35	3	3	8	15	1	5	7	-	1	7	4	33	10	16	13	6	1
Bellaire	-	5	-	1	3	6	2	3	2	-	-	1	1	5	-	3	3	1	-
Deer Park	-	6	1	-	2	2	-	1	3	-	-	-	-	10	3	3	-	-	-
Friendswood, part	-	1	-	1	1	-	-	-	-	-	1	1	1	4	2	2	-	-	-
Houston, part	41	855	74	103	307	284	32	181	136	3	142	184	129	1,015	348	365	275	472	17
Houston, total	41	855	74	103	307	284	32	181	136	3	142	185	129	1,015	350	365	276	477	17
La Porte	-	6	1	1	3	4	1	3	3	-	1	1	2	12	3	1	3	2	-
Missouri City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Pasadena	1	34	6	6	17	25	-	6	7	-	10	8	9	59	25	23	18	18	-
Pearland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
South Houston	-	4	-	-	-	-	-	-	1	-	-	-	1	5	6	2	1	2	-
West University Place	-	2	1	-	1	2	-	-	-	-	-	-	-	3	-	-	2	-	-
Balance of county	1	114	19	11	47	82	4	30	18	3	33	35	24	160	150	85	99	67	5
Harrison	2	61	4	8	12	17	-	5	4	-	2	6	59	56	15	11	7	9	-
Longview, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Marshall	1	37	4	3	8	9	-	1	4	-	1	5	32	40	8	6	4	2	-
Balance of county	1	24	-	5	4	7	-	4	-	-	1	1	27	16	6	5	3	7	-
Hartley	-	1	-	-	6	1	-	-	1	-	-	-	-	-	-	3	-	-	-
Haskell	-	28	5	1	1	4	-	-	5	-	-	-	9	5	1	1	1	2	-
Hays	-	19	3	6	14	6	-	4	-	-	2	3	4	40	11	5	10	2	-
San Marcos	-	14	1	3	10	3	-	3	-	-	1	-	2	27	2	3	6	1	-
Balance of county	-	5	2	3	4	3	-	1	-	-	1	3	2	13	9	2	4	1	-
Hemphill	-	6	-	-	-	1	1	-	1	-	1	2	-	3	-	1	-	-	-
Henderson	2	30	4	9	20	22	4	8	4	-	2	2	69	48	26	7	7	6	-
Athens	-	15	2	3	7	7	2	3	-	-	-	-	5	16	6	3	2	-	-
Balance of county	2	15	2	6	13	15	2	5	4	-	2	2	64	32	20	4	5	6	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Hidalgo	1,859	3	-	33	315	78	69	19	43	11	16	59	30	661	536	3	4	348	181
Edinburg	152	-	-	1	28	9	5	1	7	1	2	3	5	58	48	-	-	31	17
McAllen	484	-	-	11	96	23	20	9	13	5	5	21	7	170	140	2	3	88	47
Mercedes	99	-	-	1	24	10	8	-	2	2	-	2	2	26	18	-	-	13	5
Mission	179	-	-	5	20	2	8	-	2	1	-	7	4	73	58	1	-	39	18
Pharr	119	1	-	1	25	5	9	3	3	-	1	4	2	40	33	-	-	28	5
Weslaco	222	1	-	4	38	9	14	1	5	1	1	7	1	95	76	-	1	44	31
Balance of county	598	1	-	10	84	20	25	5	11	1	7	15	9	199	163	-	-	105	58
Hill	415	-	-	3	65	21	14	2	10	1	4	13	5	216	138	-	4	82	52
Hockley	183	-	-	5	30	3	9	2	4	2	-	10	4	64	51	1	2	35	13
Levelland	121	-	-	3	17	2	8	1	2	1	-	3	3	44	33	1	2	21	9
Balance of county	62	-	-	2	13	1	1	1	2	1	-	7	1	20	18	-	-	14	4
Hood	215	1	-	3	58	14	15	2	10	3	-	14	3	80	58	-	1	36	21
Hopkins	343	-	-	3	59	17	11	2	7	1	6	15	7	179	134	-	3	82	49
Sulphur Springs	211	-	-	2	38	13	6	1	2	1	5	10	4	113	84	-	2	49	33
Balance of county	132	-	-	1	21	4	5	1	5	-	1	5	3	66	50	-	1	33	16
Houston	286	-	-	3	45	10	17	-	7	1	-	10	5	124	96	1	-	42	53
Howard	311	-	-	4	51	10	16	3	2	1	2	17	12	115	78	-	-	61	17
Big Spring	244	-	-	4	39	9	12	2	2	-	1	13	11	93	62	-	-	49	13
Balance of county	67	-	-	-	12	1	4	1	-	1	1	4	1	22	16	-	-	12	4
Hudspeth	14	-	-	-	3	2	-	-	-	-	-	1	-	8	5	-	-	5	-
Hunt	605	-	-	4	131	25	31	5	13	3	7	47	11	262	204	1	2	130	71
Greenville	273	-	-	1	59	7	15	4	6	2	5	20	8	117	86	1	1	52	32
Balance of county	332	-	-	3	72	18	16	1	7	1	2	27	3	145	118	-	1	78	39
Hutchinson	237	-	-	1	45	7	11	5	5	1	4	12	3	112	85	-	5	51	29
Borger	169	-	-	-	33	4	9	3	5	1	4	7	1	78	60	-	2	37	21
Balance of county	68	-	-	1	12	3	2	2	-	-	-	5	2	34	25	-	3	14	8
Irion	12	-	-	-	3	1	-	1	-	-	-	1	-	5	2	-	-	1	1
Jack	103	-	-	2	21	7	3	-	4	-	2	5	1	47	38	-	-	23	15
Jackson	150	1	-	4	31	10	9	3	1	-	-	8	3	66	56	1	-	38	17
Jasper	339	-	-	3	69	20	22	6	10	1	1	9	8	144	107	2	2	69	34
Jeff Davis	11	-	-	-	2	1	-	-	-	-	-	1	-	8	8	-	-	6	2
Jefferson	2,462	2	-	27	583	166	162	39	44	27	22	123	49	1,140	886	4	16	445	421
Beaumont	1,227	1	-	18	279	70	84	23	24	11	12	55	27	574	451	1	12	222	216
Groves	142	-	-	1	36	10	9	1	2	3	-	11	3	64	44	1	-	24	19
Nederland	113	1	-	2	37	9	13	3	2	3	2	5	2	45	38	-	-	25	13
Port Arthur	756	-	-	4	186	65	43	12	13	8	4	41	15	349	289	2	3	131	133
Port Neches	95	-	-	1	20	6	7	-	-	1	1	5	1	49	43	-	-	26	17
Balance of county	129	-	-	1	25	6	6	-	3	1	3	6	1	59	41	-	1	17	23
Jim Hogg	35	-	-	1	7	1	1	-	1	1	-	3	1	17	15	-	-	11	4
Jim Wells	291	-	-	3	60	12	14	1	8	5	-	20	8	143	103	-	2	69	32
Alice	177	-	-	1	39	8	11	1	4	3	-	12	4	92	67	-	-	49	18
Balance of county	114	-	-	2	21	4	3	-	4	2	-	8	4	51	36	-	2	20	14
Johnson	736	-	-	5	136	38	38	9	17	2	7	25	19	350	275	1	17	181	76
Burleson, part	121	-	-	-	23	5	11	-	3	1	-	3	2	62	44	-	1	29	14
Burleson, total	135	-	-	-	26	6	13	-	3	1	-	3	2	67	49	-	1	92	16
Cleburne	272	-	-	2	54	22	11	4	6	1	2	8	10	127	97	1	9	62	25
Balance of county	343	-	-	3	59	11	16	5	8	-	5	14	7	161	134	-	7	90	37
Jones	212	-	-	5	45	9	8	6	6	1	2	13	4	99	82	1	-	55	26
Abilene, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	212	-	-	5	45	9	8	6	6	1	2	13	4	99	82	1	-	55	26
Karnes	158	-	-	4	32	7	9	2	4	3	2	5	5	66	54	-	1	29	24
Kaufman	464	-	-	7	57	10	20	3	5	4	3	12	3	178	134	-	1	89	44
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	146	-	-	1	14	4	3	1	2	1	-	3	-	60	43	-	1	32	10
Balance of county	318	-	-	6	43	6	17	2	3	3	3	9	3	118	91	-	-	57	34
Kendall	138	-	-	-	22	3	9	-	4	-	1	5	3	77	63	-	-	46	17
Kenedy	3	-	-	-	2	1	-	-	1	-	-	-	-	1	1	-	-	1	-
Kent	18	-	-	-	4	1	1	-	-	-	-	2	-	7	5	-	-	3	2
Kerr	472	-	-	8	108	24	25	10	17	4	4	24	4	206	156	-	3	118	35
Kerrville	324	-	-	6	64	15	11	7	12	2	3	14	3	142	106	-	3	80	23
Balance of county	148	-	-	2	44	9	14	3	5	2	1	10	1	64	50	-	-	38	12
Kimble	54	-	-	2	12	-	6	-	1	-	-	5	-	26	26	-	1	18	7
King	2	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Kinney	32	-	-	1	6	2	1	-	1	1	-	1	1	11	9	-	-	6	3
Kleberg	214	-	-	2	46	15	9	-	2	3	2	15	6	65	48	-	-	28	20
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	184	-	-	1	39	13	8	-	1	3	2	12	6	58	42	-	-	23	19
Balance of county	30	-	-	1	7	2	1	-	1	-	-	3	-	7	6	-	-	5	1
Knox	63	-	-	-	13	2	4	1	1	1	-	4	-	28	24	-	-	15	9
Lamar	529	-	-	8	102	34	23	8	11	5	2	19	1	192	152	-	1	105	46
Paris	369	-	-	5	70	21	15	4	10	3	1	16	1	133	101	-	1	70	30
Balance of county	160	-	-	3	32	13	8	4	1	2	1	3	-	59	51	-	-	35	16
Lamb	184	-	-	3	40	9	8	5	3	1	3	11	4	81	67	-	-	49	18
Lampasas	138	-	-	3	26	8	4	1	4	2	1	6	1	69	57	-	2	45	10
La Salle	48	-	-	2	8	1	3	1	-	-	-	3	2	24	21	-	2	6	13
Lavaca	283	1	-	6	67	20	12	5	11	2	2	15	4	140	110	-	7	58	45
Lee	138	1	-	1	15	6	1	-	-	3	1	4	1	78	60	-	2	32	26
Leon	197	-	-	3	30	5	7	3	2	2	2	9	5	83	67	-	2	40	25
Liberty	542	-	-	4	91	15	38	5	6	3	1	23	5	210	165	1	6	82	66
Limestone	299	-	-	3	43	10	14	1	7	2	1	8	7	144	109	1	1	70	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	1	100	14	10	76	70	4	27	26	-	21	40	233	161	61	47	21	22	2
Edinburg	-	6	3	1	10	9	-	1	2	-	2	4	10	14	3	-	4	1	-
McAllen	1	21	4	4	23	16	1	5	8	-	6	8	55	47	15	7	3	6	-
Mercedes	-	6	-	2	4	-	1	3	1	-	2	1	11	13	1	6	1	2	-
Mission	-	13	2	-	4	10	-	4	3	-	1	1	31	14	3	2	3	1	-
Pharr	-	7	-	-	6	3	-	3	2	-	1	2	12	12	2	3	3	1	-
Weslaco	-	17	1	1	8	9	1	2	2	-	-	5	21	18	7	7	2	1	-
Balance of county	-	30	4	2	21	23	1	9	8	-	9	19	93	43	30	22	5	10	2
Hill	4	56	15	3	12	14	1	3	4	-	2	4	27	36	7	12	3	1	-
Hockley	1	7	3	2	6	2	-	1	3	-	1	1	34	11	10	8	2	1	-
Levelland	1	5	3	2	3	1	-	-	2	-	1	1	27	8	5	5	1	-	-
Balance of county	-	2	-	-	3	1	-	1	1	-	-	-	7	3	5	3	1	1	-
Hood	1	15	2	4	7	10	1	3	2	-	-	1	9	18	11	2	5	1	-
Hopkins	3	39	3	-	9	13	2	3	3	-	3	-	19	23	5	8	6	-	1
Sulphur Springs	2	25	2	-	5	10	2	2	3	-	2	-	9	12	2	3	3	-	1
Balance of county	1	14	1	-	4	3	-	1	-	-	1	-	10	11	3	5	3	-	-
Houston	-	24	2	2	13	5	1	2	3	-	2	-	40	16	12	9	2	3	1
Howard	2	25	6	4	5	15	2	2	4	-	1	4	38	21	12	16	6	3	-
Big Spring	2	21	4	4	4	11	2	2	4	-	-	4	25	17	11	12	2	3	-
Balance of county	-	4	2	-	1	4	-	-	-	-	1	-	13	4	1	4	4	-	-
Hudspeth	-	2	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Hunt	1	51	2	4	14	13	1	4	10	-	3	2	53	38	27	15	4	10	3
Greenville	-	26	2	3	6	5	1	2	5	-	2	2	25	19	5	8	1	5	2
Balance of county	1	25	-	1	8	8	-	2	5	-	1	-	28	19	22	7	3	5	1
Hutchinson	-	18	6	3	6	17	1	1	2	-	3	7	3	17	4	6	7	2	-
Borger	-	11	4	3	4	11	1	1	2	-	2	6	2	15	1	6	4	2	-
Balance of county	-	7	2	-	2	6	-	-	-	-	1	1	1	2	3	-	3	-	-
Irion	-	2	1	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Jack	-	7	-	2	4	4	-	1	1	-	-	1	7	10	-	3	-	-	1
Jackson	-	8	2	-	5	8	1	-	3	-	-	-	2	16	2	5	2	1	-
Jasper	2	31	2	2	9	14	1	3	3	-	2	2	35	18	13	7	4	4	-
Jeff Davis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Jefferson	9	208	16	21	63	70	4	35	28	-	11	27	30	216	53	56	42	23	3
Beaumont	5	96	13	9	38	34	-	20	11	-	8	21	22	105	17	24	19	9	-
Groves	1	17	-	2	3	4	-	1	3	-	-	-	3	11	3	3	3	4	-
Nederland	-	4	-	3	1	2	-	1	1	-	1	-	-	12	6	-	2	-	-
Port Arthur	2	70	2	6	15	28	3	10	10	-	-	4	3	67	16	20	14	7	3
Port Neches	-	5	1	-	2	2	1	1	-	-	-	-	1	8	-	4	3	2	-
Balance of county	1	16	-	1	4	-	-	2	3	-	2	2	1	13	9	5	1	1	-
Jim Hogg	-	1	-	1	-	-	-	-	2	1	-	1	1	3	-	1	-	-	-
Jim Wells	2	14	18	6	4	8	-	5	3	-	3	5	8	17	10	8	2	2	2
Alice	1	7	14	3	2	2	-	3	3	-	-	4	4	10	3	4	2	2	2
Balance of county	1	7	4	3	2	6	-	2	-	-	3	1	4	7	7	4	-	-	-
Johnson	1	55	9	10	34	26	5	8	6	-	4	6	10	55	31	22	14	5	-
Burleson, part	-	13	4	1	6	2	1	1	1	-	-	1	1	11	5	4	1	-	-
Burleson, total	-	13	4	1	7	4	1	1	1	-	-	1	1	12	5	4	2	1	-
Cleburne	1	22	1	6	12	10	2	4	-	-	1	1	5	24	7	9	3	1	-
Balance of county	-	20	4	3	16	14	2	3	5	-	3	4	4	20	19	9	10	4	-
Jones	-	16	1	-	4	13	1	-	2	-	3	1	6	12	6	5	2	4	-
Abilene, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	16	1	-	4	13	1	-	2	-	3	1	6	12	6	5	2	4	-
Kames	-	11	1	-	7	2	1	5	2	-	-	2	2	19	6	4	-	1	-
Kaufman	1	42	1	-	16	17	-	4	7	1	3	6	72	44	11	20	8	9	1
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	-	16	1	-	6	5	-	1	4	-	-	-	20	18	3	6	4	4	-
Balance of county	1	26	-	-	10	12	-	3	3	1	3	6	52	26	8	14	4	5	1
Kendall	-	9	2	3	3	4	-	1	3	-	1	1	2	8	8	5	-	-	-
Kenedy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	-	2	-	-	-	-	-	-	-	-	-	1	5	1	-	-	-	-	-
Kerr	2	38	5	5	29	33	-	7	2	-	2	2	4	32	19	8	7	1	-
Kerrville	2	29	2	3	27	24	-	3	2	-	2	1	3	23	14	6	4	-	-
Balance of county	-	9	3	2	2	9	-	4	-	-	-	1	1	9	5	2	3	1	-
Kimble	-	-	-	-	3	2	-	-	1	-	-	-	-	3	-	3	2	-	-
King	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kinney	1	1	-	-	-	1	-	-	-	-	-	-	7	1	3	-	-	1	-
Kleberg	1	10	4	2	2	5	-	5	-	-	-	2	44	20	5	6	2	4	-
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	1	10	4	1	2	2	-	3	-	-	-	2	36	20	4	6	1	4	-
Balance of county	-	-	-	1	-	3	-	2	-	-	-	-	8	-	1	-	1	-	-
Knox	-	3	-	1	5	4	-	-	-	-	-	-	3	7	1	1	1	-	-
Lamar	2	27	5	6	26	10	2	3	10	-	-	3	98	37	13	12	7	4	1
Paris	1	22	4	5	17	9	2	2	8	-	-	3	69	29	7	9	3	2	-
Balance of county	1	5	1	1	9	1	-	1	2	-	-	-	29	8	6	3	4	2	1
Lamb	1	11	-	2	7	4	-	1	1	-	3	1	12	17	2	3	3	2	-
Lampasas	-	11	-	1	2	3	-	1	2	-	1	-	8	8	2	7	4	1	-
La Salle	-	3	-	-	1	1	-	-	1	-	-	-	1	1	1	4	-	2	-
Lavaca	2	19	6	3	7	7	-	3	6	-	1	1	5	19	4	9	2	1	-
Lee	1	13	3	1	5	4	3	2	1	-	-	-	3	12	5	3	2	2	-
Leon	-	14	1	1	10	4	1	3	2	1	-	2	19	17	6	5	3	2	1
Liberty	1	32	10	2	21	20	-	3	6	-	4	5	69	49	21	20	9	10	1
Limestone	6	29	-	-	5	7	1	4	12	-	-	3	17	29	7	11	6	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lipscomb	27	-	-	-	6	2	1	-	1	-	-	2	1	10	6	-	-	4	2
Live Oak	87	-	-	-	16	2	5	-	1	-	1	7	1	52	32	-	-	23	9
Llano	220	-	-	-	39	9	13	1	3	2	1	10	6	84	65	-	-	50	15
Loving	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Lubbock	1,423	-	-	20	285	70	67	22	34	10	13	69	22	651	555	5	8	261	281
Lubbock	1,187	-	-	17	229	52	54	16	29	9	8	61	21	549	473	3	8	209	253
Balance of county	236	-	-	3	56	18	13	6	5	1	5	8	1	102	82	2	-	52	28
Lynn	59	1	-	-	10	3	1	3	2	-	1	-	1	21	16	-	-	7	9
McCulloch	150	-	-	2	27	8	8	2	1	2	1	5	3	80	59	1	1	37	20
McLennan	1,757	1	-	18	373	85	99	26	43	9	15	96	25	880	693	4	15	514	160
Waco	1,224	1	-	16	247	57	70	18	25	7	9	61	15	630	488	2	10	353	123
Balance of county	533	-	-	2	126	28	29	8	18	2	6	35	10	250	205	2	5	161	37
McMullen	8	-	-	-	2	-	1	-	-	-	-	1	-	4	3	-	-	2	1
Madison	153	-	-	2	28	4	8	1	2	3	2	8	1	68	49	-	1	29	19
Marion	121	-	-	-	32	5	14	-	4	1	1	7	3	46	38	-	-	20	18
Martin	37	-	-	1	5	-	-	2	-	-	1	2	-	18	13	-	-	12	1
Mason	63	-	-	-	12	1	2	2	2	-	2	3	-	31	23	-	1	12	10
Matagorda	339	-	-	3	68	12	24	5	6	5	2	14	2	178	149	-	1	55	93
Bay City	173	-	-	1	30	3	9	3	5	2	-	8	2	93	74	-	1	26	47
Balance of county	166	-	-	2	38	9	15	2	1	3	2	6	-	85	75	-	-	29	46
Maverick	165	1	1	7	25	6	8	4	4	-	2	1	3	65	55	-	1	37	17
Eagle Pass	133	1	1	3	23	5	7	4	4	-	2	1	3	55	46	-	1	33	12
Balance of county	32	-	-	4	2	1	1	-	-	-	-	-	-	10	9	-	-	4	5
Medina	218	1	-	3	39	8	11	2	4	3	1	10	4	96	76	-	1	47	28
Menard	29	-	-	1	10	3	2	-	3	-	-	2	-	9	7	-	1	4	2
Midland	588	-	-	4	129	25	29	14	13	6	9	33	6	230	182	1	3	141	37
Midland	521	-	-	4	113	24	26	12	13	4	6	28	5	209	162	1	3	124	34
Balance of county	67	-	-	-	16	1	3	2	-	2	3	5	1	21	20	-	-	17	3
Milam	303	-	-	3	57	20	14	-	4	-	1	18	6	161	130	2	2	50	76
Mills	64	-	-	-	17	2	6	-	3	1	-	5	-	28	23	-	-	19	4
Mitchell	159	-	-	2	22	3	5	3	2	2	1	6	3	70	56	-	3	29	24
Montague	251	-	-	3	41	8	14	2	5	1	4	7	3	125	95	-	-	74	21
Montgomery	1,027	-	-	22	252	43	83	28	25	7	7	59	12	379	306	3	9	162	132
Conroe	213	-	-	6	44	9	9	5	5	2	1	13	3	81	65	-	1	31	33
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	814	-	-	16	208	34	74	23	20	5	6	46	9	298	241	3	8	131	99
Moore	104	-	-	2	21	6	2	2	1	1	2	7	4	46	38	-	2	30	6
Dumas	74	-	-	2	14	4	1	2	1	1	2	3	-	37	29	-	1	23	5
Balance of county	30	-	-	-	7	2	1	-	-	-	-	4	4	9	9	-	1	7	1
Morris	150	-	-	2	31	10	8	1	4	3	-	5	-	76	60	-	1	41	18
Motley	29	-	-	-	3	-	2	-	1	-	-	-	1	19	13	-	-	7	6
Nacogdoches	426	-	-	8	77	15	25	6	8	2	3	18	6	172	143	-	2	90	51
Nacogdoches	239	-	-	6	51	10	20	2	4	2	2	11	5	95	79	-	2	55	22
Balance of county	187	-	-	2	26	5	5	4	4	-	1	7	1	77	64	-	-	35	29
Navarro	498	-	-	7	84	25	21	7	14	2	3	12	6	198	134	2	6	93	33
Corsicana	328	-	-	5	55	15	15	3	13	2	1	6	5	127	88	1	5	58	24
Balance of county	170	-	-	2	29	10	6	4	1	-	2	6	1	71	46	1	1	35	9
Newton	156	-	-	1	34	5	15	2	3	-	1	8	3	56	39	-	-	21	18
Nolan	186	-	-	1	36	5	12	5	3	3	2	6	1	72	51	-	-	35	16
Sweetwater	147	-	-	1	29	4	9	4	3	2	2	5	1	58	39	-	-	26	13
Balance of county	39	-	-	-	7	1	3	1	-	1	-	1	-	14	12	-	-	9	3
Nueces	1,923	3	-	23	408	99	129	28	42	18	7	85	56	825	651	4	31	375	241
Corpus Christi, part	1,685	2	-	20	357	81	115	22	37	16	6	80	54	723	574	3	25	325	221
Corpus Christi, total	1,685	2	-	20	357	81	115	22	37	16	6	80	54	723	574	3	25	325	221
Portland, part	4	-	-	-	1	-	-	-	1	-	-	-	-	2	2	-	-	2	-
Robstown	105	-	-	1	19	5	8	3	1	1	-	1	2	43	31	-	4	22	5
Balance of county	129	1	-	2	31	13	6	3	3	1	1	4	-	57	44	1	2	26	15
Ochiltree	78	-	-	1	14	6	2	3	-	-	-	3	4	33	25	-	-	17	8
Oldham	14	-	-	-	4	1	1	-	1	1	-	-	-	7	5	-	-	3	2
Orange	587	1	-	4	109	26	29	5	12	6	10	21	12	247	201	1	4	124	72
Orange	195	1	-	1	41	13	9	1	4	3	4	7	3	83	69	-	1	43	25
Vidor	122	-	-	1	19	4	7	1	1	1	1	4	6	53	39	-	-	32	7
Balance of county	270	-	-	2	49	9	13	3	7	2	5	10	3	111	93	1	3	49	40
Palo Pinto	314	1	-	5	62	15	16	7	7	3	4	10	-	111	81	-	2	50	29
Mineral Wells, part	180	1	-	4	35	5	10	5	4	2	1	8	-	67	45	-	1	26	18
Mineral Wells, total	180	1	-	4	35	5	10	5	4	2	1	8	-	67	45	-	1	26	18
Balance of county	134	-	-	1	27	10	6	2	3	1	3	2	-	44	36	-	1	24	11
Panola	228	-	-	-	53	7	14	7	10	1	1	13	4	109	71	-	-	45	26
Parker	464	-	-	8	86	19	20	13	7	3	2	22	5	223	164	2	3	111	48
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	213	-	-	4	35	11	8	3	3	2	1	7	2	108	76	2	2	50	22
Balance of county	251	-	-	4	51	8	12	10	4	1	1	15	3	115	88	-	1	61	26
Parmer	72	-	-	1	8	-	3	1	-	1	-	3	1	33	22	-	-	17	5
Pecos	82	-	-	2	14	3	2	2	1	-	2	4	2	26	20	-	1	12	7
Polk	338	-	-	2	76	9	21	7	4	2	3	30	4	159	133	1	5	41	86
Potter	964	2	-	12	195	54	47	20	19	6	12	37	9	486	386	4	5	161	216
Amarillo, part	932	2	-	11	184	54	45	18	17	4	12	34	9	474	376	4	5	156	211
Amarillo, total	1,296	2	-	13	262	68	69	25	25	8	12	55	13	647	516	4	6	248	256
Balance of county	32	-	-	1	11	-	2	2	2	2	-	3	-	12	10	-	-	5	5
Presidio	43	-	-	-	9	2	2	3	2	-	-	-	2	14	9	-	-	2	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lipscomb	-	4	-	-	1	1	1	-	-	-	-	1	2	-	1	2	1	-	-
Live Oak	-	17	2	1	-	-	-	1	1	-	1	-	5	6	3	1	-	-	-
Llano	1	13	3	2	11	10	-	1	1	-	-	3	34	19	5	5	2	-	-
Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lubbock	2	68	17	9	45	45	8	10	10	1	11	22	34	129	35	41	33	21	-
Lubbock	2	52	15	7	38	40	5	9	8	1	8	18	27	112	29	30	28	18	-
Balance of county	-	16	2	2	7	5	3	1	2	-	3	4	7	17	6	11	5	3	-
Lynn	1	4	-	-	2	-	-	-	1	-	-	1	9	5	4	2	2	-	-
McCulloch	1	20	-	-	2	9	1	1	2	-	1	-	1	15	5	1	-	-	-
McLennan	4	157	14	12	52	41	7	17	16	-	6	10	39	158	37	46	18	13	-
Waco	3	120	12	7	41	29	5	14	10	-	5	8	17	116	21	28	11	10	-
Balance of county	1	37	2	5	11	12	2	3	6	-	1	2	22	42	16	18	7	3	-
McMullen	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Madison	-	16	1	2	8	7	-	-	1	-	2	-	21	6	3	3	1	2	-
Marion	-	4	2	2	3	3	-	1	1	-	-	-	7	16	4	2	1	2	-
Martin	1	3	1	-	3	5	-	-	-	-	-	-	-	2	-	1	2	-	-
Mason	-	7	1	-	1	-	1	1	4	-	-	-	2	9	1	1	-	-	-
Matagorda	-	27	1	1	7	7	1	5	2	-	3	5	7	21	15	7	3	5	-
Bay City	-	19	-	-	5	1	-	3	1	-	2	3	2	12	10	4	2	2	-
Balance of county	-	8	1	1	2	6	1	2	1	-	1	2	5	9	5	3	1	3	-
Maverick	-	7	3	-	3	4	1	1	2	-	1	1	15	16	5	11	1	2	-
Eagle Pass	-	6	3	-	3	4	1	1	1	-	1	1	9	14	3	7	-	2	-
Balance of county	-	1	-	-	-	-	-	-	1	-	-	-	6	2	2	4	1	-	-
Medina	1	16	-	3	12	7	-	2	1	-	3	3	4	24	8	4	4	2	1
Menard	-	2	-	-	1	1	-	-	1	-	-	-	2	1	1	1	1	-	-
Midland	3	30	9	6	14	27	2	6	4	-	4	12	22	61	26	16	12	13	-
Midland	3	29	9	6	14	25	2	5	4	-	4	10	20	55	20	12	10	9	-
Balance of county	-	1	-	-	-	2	-	1	-	-	-	2	2	6	6	4	2	4	-
Milam	-	26	2	3	12	7	1	1	7	-	2	1	12	18	4	7	1	3	-
Mills	1	3	1	-	4	1	-	-	-	-	-	-	4	3	2	4	1	-	-
Mitchell	-	12	1	1	6	5	1	1	-	-	1	1	28	11	3	5	-	-	-
Montague	2	25	2	1	7	7	-	7	8	-	-	-	9	20	6	11	2	1	1
Montgomery	-	63	4	6	23	50	3	9	9	-	3	10	57	72	51	32	27	16	-
Conroe	-	13	1	2	4	9	2	2	5	-	-	2	5	20	14	7	6	3	-
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	50	3	4	19	41	1	7	4	-	3	8	52	52	37	25	21	13	-
Moore	-	5	3	-	4	1	-	-	2	-	1	1	-	5	3	9	3	2	-
Dumas	-	5	3	-	3	1	-	-	1	-	1	1	-	3	2	5	2	2	-
Balance of county	-	-	-	-	1	-	-	-	1	-	-	-	-	2	1	4	1	-	-
Morris	-	13	2	1	4	2	-	2	3	-	1	1	5	6	7	4	4	-	-
Motley	-	6	-	-	1	-	-	-	-	-	-	-	4	1	-	-	-	-	-
Nacogdoches	-	25	2	2	15	11	-	1	2	-	5	2	50	43	13	6	8	6	1
Nacogdoches	-	13	2	1	7	3	-	-	2	-	3	1	19	25	8	3	8	4	1
Balance of county	-	12	-	1	8	8	-	1	-	-	2	1	31	18	5	3	2	2	-
Navarro	4	50	5	5	15	14	3	5	4	-	3	2	79	45	11	10	8	4	-
Corsicana	3	34	2	-	11	9	2	5	2	-	2	1	51	33	6	5	7	2	-
Balance of county	1	16	3	5	4	5	1	-	2	-	1	1	28	12	5	5	1	2	-
Newton	1	14	2	-	3	3	1	2	3	-	1	-	10	13	6	10	4	6	-
Nolan	1	19	-	1	11	3	-	-	-	-	-	3	25	17	10	3	2	1	1
Sweetwater	1	17	-	1	10	2	-	-	-	-	-	3	16	15	8	3	1	-	-
Balance of county	-	2	-	-	1	1	-	-	-	-	-	-	9	2	2	-	1	1	1
Nueces	5	131	20	18	48	67	4	28	19	2	21	25	20	208	61	33	37	34	1
Corpus Christi, part	5	112	14	18	41	60	2	22	14	2	20	23	13	167	51	29	36	29	-
Corpus Christi, total	5	112	14	18	41	60	2	22	14	2	20	23	13	167	51	29	36	29	-
Portland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Robstown	-	11	1	-	4	1	1	4	3	-	1	1	5	13	5	-	-	2	-
Balance of county	-	8	5	-	3	6	1	2	2	-	-	1	2	8	5	3	1	3	1
Ochiltree	2	5	-	1	3	-	-	-	-	-	-	2	7	4	5	4	1	-	-
Oldham	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
Orange	2	31	5	8	12	21	-	2	5	-	7	2	62	45	19	14	16	8	1
Orange	1	8	4	1	7	5	-	-	-	-	-	-	26	11	5	5	1	6	-
Vidor	1	8	1	4	1	7	-	-	2	-	4	-	8	10	3	1	7	-	-
Balance of county	-	15	-	3	4	9	-	2	3	-	3	2	28	24	11	8	8	2	1
Palo Pinto	-	26	3	1	10	15	-	3	5	-	-	-	41	37	11	9	2	2	-
Mineral Wells, part	-	20	2	-	4	8	-	2	2	-	-	-	24	24	3	5	1	-	-
Mineral Wells, total	-	20	2	-	4	8	-	2	2	-	-	-	24	24	3	5	1	-	-
Balance of county	-	6	1	1	6	7	-	1	3	-	-	-	17	13	8	4	1	2	-
Panola	-	30	5	3	4	5	1	3	3	-	-	1	2	19	8	6	5	5	-
Parker	4	41	7	7	16	21	1	7	5	-	4	2	8	40	14	12	5	6	1
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	2	22	4	4	10	12	1	5	3	-	2	1	2	18	3	5	1	1	-
Balance of county	2	19	3	3	6	9	-	2	2	-	2	1	6	22	11	7	4	5	1
Parmer	1	8	2	-	1	1	1	2	-	-	-	1	10	6	5	1	1	-	-
Pecos	1	4	-	1	1	3	-	1	-	-	1	1	11	7	7	5	-	1	-
Polk	1	21	1	3	11	11	1	3	4	-	3	1	19	21	9	8	1	3	-
Potter	2	71	22	5	31	32	2	4	3	-	8	17	1	83	28	10	26	15	-
Amarillo, part	2	69	22	5	29	32	2	4	3	-	8	17	1	79	27	10	26	14	-
Amarillo, total	2	91	29	9	40	47	4	8	5	-	9	22	2	106	42	16	38	20	-
Balance of county	-	2	-	-	2	-	-	-	-	-	-	-	-	4	1	-	-	1	-
Presidio	-	5	-	-	4	-	-	2	1	-	-	-	1	6	1	1	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Rains	75	-	-	-	9	3	2	-	-	-	-	4	1	36	27	-	-	11	16
Randall	472	-	-	3	103	22	32	9	10	5	-	25	5	228	185	-	1	120	64
Amarillo, part	364	-	-	2	78	14	24	7	8	4	-	21	4	173	140	-	1	92	47
Canyon	59	-	-	1	11	3	3	1	2	1	-	1	1	32	24	-	-	15	9
Balance of county	49	-	-	-	14	5	5	1	-	-	-	3	-	23	21	-	-	13	8
Reagan	15	-	-	-	6	-	2	2	1	-	-	1	-	2	2	-	-	2	-
Real	33	-	-	1	5	1	2	-	-	-	-	2	-	15	11	-	1	3	7
Red River	230	-	-	-	26	6	8	1	-	3	1	7	4	111	72	-	6	52	14
Reeves	114	-	-	1	26	7	8	2	1	1	2	5	1	40	33	-	1	23	9
Pecos	97	-	-	1	23	6	7	2	1	1	2	4	1	31	25	-	1	18	6
Balance of county	17	-	-	-	3	1	1	-	-	-	-	1	-	9	8	-	-	5	3
Refugio	93	-	-	4	15	2	5	-	3	1	1	3	2	42	36	-	1	21	14
Roberts	10	-	-	-	2	-	1	-	-	-	-	1	-	5	2	-	-	1	1
Robertson	217	-	-	2	50	17	4	3	8	2	2	14	3	103	77	-	4	38	35
Rockwall	126	-	-	2	24	5	4	3	4	1	1	6	-	57	43	-	1	24	18
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	126	-	-	2	24	5	4	3	4	1	1	6	-	57	43	-	1	24	18
Runnels	163	-	-	1	41	7	11	6	6	-	2	9	2	68	50	-	-	35	15
Rusk	501	-	-	3	92	22	32	6	13	1	5	13	6	243	176	2	2	116	56
Henderson	160	-	-	3	28	9	10	1	3	-	2	3	3	87	70	1	1	38	30
Kilgore, part	37	-	-	-	10	3	3	1	1	-	2	-	-	15	12	-	1	9	2
Balance of county	304	-	-	-	54	10	19	4	9	1	1	10	3	141	94	1	-	69	24
Sabine	122	1	-	1	22	5	10	-	1	2	-	4	-	58	46	-	-	29	17
San Augustine	124	-	-	2	31	5	9	1	4	-	3	9	4	56	49	-	5	27	17
San Jacinto	132	-	-	3	34	8	9	2	3	2	-	10	1	52	39	-	-	25	14
San Patricio	470	3	-	9	89	30	21	5	7	4	3	19	12	191	159	-	2	102	55
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	53	1	-	1	7	4	1	1	-	-	-	1	-	22	18	-	1	10	7
Portland, total	57	1	-	1	8	4	1	1	1	-	-	1	-	24	20	-	1	12	7
Balance of county	417	2	-	8	82	26	20	4	7	4	3	18	12	169	141	-	1	92	48
San Saba	89	-	-	-	18	7	3	-	-	1	2	5	1	30	27	-	-	16	11
Schleicher	16	-	-	-	2	1	1	-	-	-	-	-	1	9	6	-	1	5	-
Scurry	162	-	-	3	34	7	13	1	5	3	3	2	2	63	44	-	-	32	12
Snyder	121	-	-	2	26	3	11	1	4	3	3	1	2	51	35	-	-	26	9
Balance of county	41	-	-	1	8	4	2	-	1	-	-	1	-	12	9	-	-	6	3
Shackelford	44	-	-	1	4	1	1	-	-	-	-	2	-	29	21	-	3	13	5
Shelby	302	-	-	5	53	12	13	3	5	2	9	9	8	134	94	-	1	72	21
Sherman	29	-	-	-	6	-	3	-	2	-	-	1	1	18	16	-	-	13	3
Smith	1,319	-	-	15	323	75	90	30	36	10	16	66	13	608	482	2	16	294	170
Tyler	768	-	-	11	181	46	52	22	19	5	6	31	9	359	279	-	13	167	99
Balance of county	551	-	-	4	142	29	38	8	17	5	10	35	4	249	203	2	3	127	71
Somervell	48	-	-	-	9	1	2	2	1	-	-	3	1	19	12	-	-	9	3
Starr	189	-	-	4	29	8	7	3	3	-	2	6	6	71	60	1	1	31	27
Stephens	119	-	-	1	25	8	6	2	5	1	1	4	1	64	49	-	1	39	9
Sterling	10	-	-	-	-	-	-	-	-	-	-	-	-	6	3	-	-	3	-
Stonewall	38	-	-	1	5	1	1	-	-	-	-	3	-	15	11	1	-	7	3
Sutton	41	-	-	2	7	3	2	-	1	-	-	1	1	19	16	-	1	13	2
Swisher	97	-	-	1	21	3	9	-	3	-	3	3	2	50	40	-	-	36	4
Tarrant	7,203	5	-	82	1,536	366	438	134	165	66	60	307	110	3,213	2,431	17	119	1,466	829
Arlington	935	1	-	12	183	48	55	21	18	8	9	26	13	392	301	3	13	192	99
Bedford	121	-	-	5	27	4	7	3	4	1	-	8	1	48	40	-	-	29	11
Benbrook	89	-	-	-	31	8	11	5	1	1	-	5	-	36	25	-	1	17	7
Burleson, part	14	-	-	-	3	1	2	-	-	-	-	-	-	5	5	-	-	3	2
Euless	135	-	-	2	32	9	8	2	3	2	2	6	3	53	42	-	-	23	19
Forest Hill	72	-	-	2	16	2	5	2	1	1	1	4	-	29	20	-	2	12	6
Fort Worth	4,083	4	-	52	862	212	231	67	106	32	34	180	68	1,835	1,384	10	78	789	507
Grand Prairie, part	50	-	-	-	6	2	2	-	1	-	-	1	1	25	8	-	-	7	1
Grapevine, part	106	-	-	-	18	2	5	2	-	2	2	5	1	50	42	-	1	25	16
Grapevine, total	106	-	-	-	18	2	5	2	-	2	2	5	1	50	42	-	1	25	16
Haltom City	220	-	-	3	48	13	12	5	5	3	2	8	6	98	79	1	2	51	25
Hurst	199	-	-	-	48	12	16	4	5	2	-	9	3	89	73	-	3	46	24
North Richland Hills	177	-	-	1	38	10	14	2	1	4	2	5	3	83	59	1	1	50	7
Watauga	34	-	-	-	10	2	3	1	1	-	-	3	-	10	9	-	1	7	1
White Settlement	106	-	-	1	28	4	10	3	1	2	2	6	1	44	33	-	-	22	11
Balance of county	862	-	-	4	186	37	57	17	20	8	6	41	10	416	311	2	17	193	99
Taylor	958	2	-	10	192	45	57	14	18	8	6	44	16	447	321	2	4	203	112
Abilene, part	834	2	-	10	169	39	50	14	16	8	6	36	15	399	282	1	3	178	100
Abilene, total	834	2	-	10	169	39	50	14	16	8	6	36	15	399	282	1	3	178	100
Balance of county	124	-	-	-	23	6	7	-	2	-	-	8	1	48	39	1	1	25	12
Terrell	14	-	-	-	3	1	1	-	-	-	-	1	1	6	5	-	-	3	2
Terry	126	-	-	2	24	5	5	2	3	2	1	6	2	63	54	-	-	34	20
Brownfield	108	-	-	2	19	4	4	2	2	2	-	5	2	52	45	-	-	29	16
Balance of county	18	-	-	-	5	1	1	-	1	-	1	1	-	11	9	-	-	5	4
Throckmorton	30	-	-	1	5	-	3	-	1	-	-	1	-	14	12	-	-	10	2
Titus	255	-	-	1	52	10	23	1	1	4	1	12	4	112	82	-	3	42	37
Mount Pleasant	158	-	-	1	31	6	11	1	1	4	1	7	4	73	53	-	1	24	28
Balance of county	97	-	-	-	21	4	12	-	-	-	-	5	-	39	29	-	2	18	9
Tom Green	860	-	-	9	177	38	49	11	11	10	7	51	12	404	271	5	7	125	134
San Angelo	781	-	-	8	168	35	48	11	10	9	7	48	12	367	241	5	6	114	116
Balance of county	79	-	-	1	9	3	1	-	1	1	-	3	-	37	30	-	1	11	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E880-E999)
Texas—Con.																			
Rains	-	6	1	2	3	3	-	2	1	-	-	-	8	4	7	-	1	-	-
Randall	1	30	8	4	14	17	2	5	3	1	2	7	2	29	23	7	12	7	2
Amarillo, part	-	22	7	4	11	15	2	4	2	-	1	5	1	27	15	6	12	6	-
Canyon	1	6	1	-	2	1	-	-	1	1	-	2	1	1	3	-	-	-	2
Balance of county	-	2	-	-	1	1	-	1	-	-	1	-	-	1	5	1	-	1	-
Reagan	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	2	-	-	-
Real	-	3	1	-	1	2	1	-	-	-	-	-	1	3	2	2	-	-	-
Red River	-	31	3	5	5	8	-	-	-	1	2	1	47	10	7	6	-	2	-
Reeves	-	6	1	-	8	3	-	3	-	-	-	1	2	10	7	5	3	4	-
Pecos	-	5	1	-	7	2	-	3	-	-	-	1	2	8	7	5	3	3	-
Balance of county	-	1	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	1	-
Refugio	1	2	2	1	2	2	-	-	2	-	-	-	10	6	3	4	1	-	-
Roberts	-	2	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Robertson	1	13	11	1	8	5	-	1	3	-	-	1	20	7	7	2	3	1	1
Rockwall	1	8	2	3	4	4	-	-	1	-	1	1	1	12	6	8	3	2	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	8	2	3	4	4	-	-	1	-	1	1	1	12	6	8	3	2	-
Runnels	-	13	2	3	10	10	-	-	2	-	1	2	4	11	5	4	1	1	-
Rusk	1	62	3	1	11	13	1	3	5	-	2	2	46	30	20	12	4	8	-
Henderson	-	16	-	1	4	3	-	-	1	-	1	1	8	11	5	3	-	1	-
Kilgore, part	-	2	1	-	1	4	-	-	-	-	1	-	-	4	-	2	-	-	-
Balance of county	1	44	2	-	6	6	1	3	4	-	-	1	37	15	15	7	4	7	-
Sabine	-	12	-	-	5	4	1	1	1	-	-	-	5	12	6	3	-	-	2
San Augustine	-	7	-	-	6	3	-	-	-	-	-	-	3	11	6	2	-	-	-
San Jacinto	1	10	-	2	2	4	-	2	1	-	-	1	9	9	4	7	-	2	1
San Patricio	-	27	2	3	19	17	3	5	7	1	2	4	28	39	14	15	2	8	2
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	-	1	1	2	2	4	1	-	2	-	2	1	4	4	1	-	-	1	-
Portland, total	-	1	1	2	2	4	1	-	2	-	2	1	4	4	1	1	-	1	-
Balance of county	-	26	1	1	17	13	2	5	5	1	-	3	24	35	13	15	2	7	2
San Saba	-	3	-	-	3	5	1	-	-	-	-	-	13	7	3	6	2	-	-
Schleicher	-	3	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Scurry	-	14	3	2	3	7	-	-	1	-	2	-	15	15	10	2	2	2	1
Snyder	-	13	1	2	2	7	-	-	1	-	1	-	10	12	5	-	-	2	-
Balance of county	-	1	2	-	1	-	-	-	-	-	1	-	5	3	5	2	2	-	1
Shackelford	-	7	1	-	3	-	-	-	-	-	-	-	-	1	1	5	-	-	-
Shelby	-	38	2	-	11	6	1	4	3	-	-	2	26	32	12	2	-	2	1
Sherman	-	2	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-
Smith	6	100	10	10	32	27	2	7	16	1	10	7	22	121	39	33	24	18	1
Tyler	5	61	9	5	21	14	1	4	3	1	6	5	10	89	17	15	11	10	1
Balance of county	1	39	1	5	11	13	1	3	13	-	4	2	12	32	22	18	13	8	-
Somervell	-	7	-	-	3	2	-	-	2	-	1	2	-	4	1	3	1	-	-
Starr	1	5	4	1	6	3	1	1	2	-	6	4	17	14	7	9	4	5	-
Stephens	-	15	-	-	1	6	-	-	1	-	1	2	3	8	2	4	1	1	-
Sterling	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-
Stonewall	1	3	-	-	4	4	-	-	2	-	-	-	2	5	-	-	-	-	-
Sutton	-	3	-	-	2	-	-	-	-	-	-	-	1	2	2	3	1	1	-
Swisher	-	8	1	1	-	2	1	-	1	-	-	2	3	5	2	4	3	-	-
Tarrant	34	542	137	69	186	243	20	101	79	-	69	126	71	658	214	168	136	182	6
Arlington	1	64	19	7	20	32	4	6	10	-	14	21	7	91	35	34	36	23	1
Bedford	1	6	-	1	2	3	-	-	-	-	1	2	1	9	6	4	8	4	-
Benbrook	-	9	2	-	2	3	-	1	-	-	1	2	-	4	3	-	5	1	-
Burleson, part	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1	1	-
Euless	1	9	-	1	2	5	-	1	1	-	1	5	2	9	7	5	7	-	-
Forest Hill	1	6	1	1	2	1	-	-	1	-	1	1	-	13	5	1	-	-	-
Fort Worth	20	328	67	36	114	134	13	72	46	-	34	70	42	379	93	84	46	130	5
Grand Prairie, part	1	8	8	-	1	2	-	2	1	-	-	-	1	1	3	2	2	3	-
Grapevine, part	-	4	2	2	3	6	-	1	1	-	1	2	1	10	5	2	1	4	-
Grapevine, total	-	4	2	2	3	6	-	1	1	-	1	2	1	10	5	2	1	4	-
Haltom City	2	10	4	3	7	10	-	-	4	-	2	7	-	19	10	-	4	2	-
Hurst	-	10	2	4	5	11	1	-	2	-	1	5	4	19	4	3	1	3	-
North Richland Hills	1	15	5	3	1	5	-	3	1	-	5	3	2	9	11	8	4	-	-
Watauga	-	1	-	-	1	2	-	-	-	-	-	-	1	5	1	1	3	-	-
White Settlement	-	7	3	1	1	4	-	1	1	-	2	3	1	13	1	3	2	-	-
Balance of county	6	65	24	10	24	23	2	14	11	-	6	5	9	76	30	19	16	11	-
Taylor	11	96	12	7	28	27	2	9	12	-	9	12	46	72	20	30	15	9	-
Abilene, part	10	90	10	7	27	27	2	4	10	-	7	8	32	64	18	22	9	9	-
Abilene, total	10	90	10	7	27	27	2	4	10	-	7	8	32	64	18	22	9	9	-
Balance of county	1	6	2	-	1	-	-	5	2	-	2	4	14	8	2	8	6	-	-
Terrell	-	1	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
Terry	-	7	-	2	3	2	-	1	1	-	-	1	2	10	7	5	2	1	-
Brownfield	-	5	-	2	3	2	-	1	1	-	-	1	2	10	7	3	2	1	-
Balance of county	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Throckmorton	-	2	-	-	1	1	-	-	-	-	-	-	6	-	1	-	1	-	-
Titus	2	17	7	4	8	9	-	1	4	-	-	1	16	25	8	8	3	3	-
Mount Pleasant	2	9	6	3	5	5	-	1	4	-	-	1	8	15	3	5	2	-	-
Balance of county	-	8	1	1	3	4	-	-	-	-	-	-	8	10	5	3	1	3	-
Tom Green	5	104	16	8	20	44	1	14	7	-	4	5	12	58	22	34	21	15	1
San Angelo	4	99	16	7	16	38	1	14	6	-	3	4	12	52	18	26	21	14	1
Balance of county	1	5	-	1	4	6	-	-	1	-	1	1	-	6	4	8	-	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Travis	2,838	3	-	65	606	141	173	61	59	21	28	123	48	1,093	840	5	21	462	362
Austin, part	2,458	3	-	57	524	122	148	56	52	19	23	104	43	953	725	3	19	392	311
Austin, total	2,461	3	-	57	524	122	148	56	52	19	23	104	43	954	726	3	19	393	311
Round Rock, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1
Balance of county	379	-	-	8	82	19	25	5	7	2	5	19	5	139	114	2	2	70	40
Trinity	144	-	-	-	26	3	8	1	4	2	2	6	-	72	59	-	-	25	34
Tyler	205	-	-	4	33	6	11	1	6	-	-	9	6	103	68	1	1	39	27
Upshur	334	1	-	6	57	12	17	3	10	1	1	13	10	145	122	1	1	62	38
Upton	32	-	-	-	3	-	1	-	-	-	1	1	1	15	9	-	-	6	3
Uvalde	183	-	-	3	36	10	12	3	3	-	-	8	3	73	57	1	3	34	19
Uvalde	120	-	-	1	25	7	8	3	2	-	-	5	2	46	34	-	2	21	11
Balance of county	63	-	-	2	11	3	4	-	1	-	-	3	1	27	23	1	1	13	8
Val Verde	237	-	-	2	45	13	10	3	3	1	4	11	5	88	64	-	2	39	23
Del Rio	207	-	-	2	36	12	7	1	2	1	3	10	5	79	56	-	2	33	21
Balance of county	30	-	-	-	9	1	3	2	1	-	1	1	-	9	8	-	-	6	2
Van Zandt	437	-	-	5	85	22	29	4	7	1	3	19	8	221	184	-	1	103	80
Victoria	572	-	-	8	103	24	32	9	13	4	5	16	10	271	211	1	6	153	51
Victoria	450	-	-	5	82	17	25	8	11	3	5	13	6	222	170	1	6	119	44
Balance of county	122	-	-	3	21	7	7	1	2	1	-	3	4	49	41	-	-	34	7
Walker	287	-	-	5	49	13	10	1	4	5	3	13	3	133	106	-	2	45	59
Huntsville	143	-	-	2	22	7	5	-	2	2	1	5	3	65	49	-	2	19	28
Balance of county	144	-	-	3	27	6	5	1	2	3	2	8	-	68	57	-	-	26	31
Waller	194	-	-	5	48	9	16	4	6	1	1	11	1	78	66	1	1	32	32
Ward	125	-	-	2	28	5	13	-	1	1	2	6	1	52	46	-	1	30	15
Washington	307	-	-	7	48	18	6	3	5	2	3	11	3	193	149	2	2	82	63
Brenham	176	-	-	5	24	9	4	-	4	1	2	4	1	119	96	2	2	50	42
Balance of county	131	-	-	2	24	9	2	3	1	1	1	7	2	74	53	-	-	32	21
Webb	610	2	-	10	112	33	16	8	14	5	4	32	12	251	201	1	9	128	83
Laredo	582	2	-	10	105	31	14	8	14	5	4	29	11	241	192	1	7	123	81
Balance of county	28	-	-	-	7	2	2	-	-	-	-	3	1	10	9	-	2	5	2
Wharton	386	-	-	9	84	25	16	6	12	4	3	18	10	168	130	1	4	72	53
El Campo	121	-	-	4	27	11	5	-	5	-	1	5	1	49	46	-	1	22	23
Balance of county	265	-	-	5	57	14	11	6	7	4	2	13	9	117	84	1	3	50	30
Wheeler	84	-	-	-	22	4	5	2	2	1	1	7	-	44	41	-	-	30	11
Wichita	1,133	1	-	9	240	54	66	21	28	7	6	58	21	537	414	2	6	219	193
Burkburnett	77	-	-	-	15	5	3	1	1	-	-	5	1	39	34	-	-	19	15
Wichita Falls, part	919	1	-	6	191	42	53	20	22	7	4	43	19	436	331	1	5	161	164
Wichita Falls, total	919	1	-	6	191	42	53	20	22	7	4	43	19	436	331	1	5	161	164
Balance of county	137	-	-	3	34	7	10	-	5	-	2	10	1	62	49	1	1	33	14
Wilbarger	223	-	-	1	45	11	11	2	5	2	1	13	2	113	98	-	2	63	33
Vernon	192	-	-	1	43	9	11	2	5	2	1	13	2	95	83	-	1	53	29
Balance of county	31	-	-	-	2	2	-	-	-	-	-	-	-	18	15	-	1	10	4
Willacy	127	-	-	-	20	4	8	2	3	-	-	3	6	63	59	1	-	31	27
Williamson	634	-	-	5	121	21	31	12	17	1	9	30	6	329	247	4	4	147	92
Austin, part	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Round Rock, part	107	-	-	4	23	5	7	4	3	-	2	2	-	45	36	-	-	15	21
Round Rock, total	108	-	-	4	23	5	7	4	3	-	2	2	-	46	37	-	-	15	22
Taylor	147	-	-	-	21	6	3	-	5	-	1	6	1	91	57	-	2	37	18
Balance of county	377	-	-	1	77	10	21	8	9	1	6	22	5	192	153	4	2	94	53
Wilson	134	-	-	2	34	8	12	1	3	1	3	6	1	65	53	-	2	30	21
Winkler	100	-	-	1	16	1	5	2	2	-	1	5	-	42	34	-	1	19	14
Wise	265	-	-	-	51	9	14	2	4	1	5	16	2	129	91	-	1	62	28
Wood	369	-	-	5	67	18	23	1	3	2	4	16	4	193	147	-	-	106	41
Yoakum	57	-	-	1	14	4	5	1	1	-	1	2	-	17	15	-	-	12	3
Young	279	1	-	2	50	6	20	2	8	1	4	9	5	108	70	-	-	38	32
Zapata	75	-	-	-	10	2	4	2	-	2	-	-	-	36	31	1	-	17	13
Zavala	82	-	-	-	12	4	2	2	1	-	-	3	3	28	21	-	-	17	4
Utah	9,049	3	-	123	1,523	387	249	149	219	61	81	377	205	3,919	3,082	81	85	1,813	1,103
Urban places	4,949	3	-	54	802	216	125	75	122	31	45	188	112	2,229	1,773	47	55	1,026	645
Balance of area	4,100	-	-	69	721	171	124	74	97	30	36	189	93	1,690	1,309	34	30	787	458
Metropolitan counties	6,834	3	-	90	1,163	299	186	117	174	40	58	289	163	2,974	2,351	55	72	1,367	857
Urban places	4,434	3	-	50	726	194	111	69	117	25	40	170	105	1,986	1,596	41	53	917	585
Balance of area	2,400	-	-	40	437	105	75	48	57	15	18	119	58	988	755	14	19	450	272
Nonmetropolitan counties	2,215	-	-	33	360	88	63	32	45	21	23	88	42	945	731	26	13	446	246
Urban places	515	-	-	4	76	22	14	6	5	6	5	18	7	243	177	6	2	109	60
Balance of area	1,700	-	-	29	284	66	49	26	40	15	18	70	35	702	554	20	11	337	186
Beaver	45	-	-	1	1	-	1	-	-	-	-	-	2	19	15	-	-	8	7
Box Elder	229	-	-	1	26	4	6	1	6	4	2	3	4	107	83	2	1	58	22
Brigham City	118	-	-	-	12	2	4	-	1	3	1	1	2	57	39	-	-	29	10
Balance of county	111	-	-	1	14	2	2	1	5	1	1	2	2	50	44	2	1	29	12
Cache	329	-	-	3	44	11	8	6	5	1	4	9	5	156	105	9	2	69	25
Logan	171	-	-	1	22	6	6	1	2	1	1	5	2	90	63	6	1	37	19
Balance of county	158	-	-	2	22	5	2	5	3	-	3	4	3	66	42	3	1	32	6
Carbon	160	-	-	3	19	9	2	2	3	-	1	2	8	70	51	1	-	38	12
Daggett	3	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1
Davis	611	-	-	6	122	30	20	14	22	3	5	28	13	240	180	7	6	112	55
Bountiful	194	-	-	3	32	7	6	4	7	1	3	4	3	82	62	1	4	38	19
Clearfield	75	-	-	1	11	6	1	-	2	-	-	2	2	26	23	2	-	14	7
Layton	107	-	-	-	24	8	5	2	6	-	-	5	4	43	30	1	1	18	10
Balance of county	235	-	-	2	55	11	8	8	7	2	2	17	4	89	65	3	1	42	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	14	179	41	19	77	67	7	45	27	1	32	42	40	282	137	99	81	66	-
Austin, part	12	165	38	13	68	68	7	37	25	1	29	38	38	251	110	87	61	58	-
Austin, total	12	165	38	13	68	68	7	37	25	1	29	38	39	251	110	87	62	58	-
Round Rock, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	14	3	6	9	19	-	8	2	-	3	4	2	31	27	12	20	8	-
Trinity	-	12	-	1	5	-	1	-	6	-	-	2	9	16	-	6	-	1	-
Tyler	4	27	-	4	5	11	2	2	6	-	-	1	8	19	1	2	1	1	-
Upshur	-	17	3	3	12	12	2	-	7	-	4	3	6	33	8	19	5	3	1
Upton	1	5	1	-	1	1	1	-	-	-	-	-	1	3	3	2	-	-	-
Uvalde	-	10	4	2	9	4	-	1	3	-	1	-	15	22	6	6	1	-	-
Uvalde	-	7	4	1	8	1	-	1	3	-	-	-	12	13	4	4	-	-	-
Balance of county	-	3	-	1	1	3	-	-	-	-	1	-	3	9	2	2	1	-	-
Val Verde	1	22	-	1	10	10	-	-	5	-	-	9	34	18	3	6	-	2	-
Del Rio	1	22	-	-	8	9	-	-	4	-	-	7	32	17	3	4	-	1	-
Balance of county	-	-	-	1	2	1	-	-	1	-	-	2	2	1	-	2	-	1	-
Van Zandt	1	29	5	2	12	16	-	-	8	-	1	3	21	28	13	6	6	3	1
Victoria	3	47	7	3	22	20	2	6	3	-	5	4	5	51	25	22	8	6	1
Victoria	3	39	7	3	19	14	2	6	3	-	4	4	3	39	17	16	2	6	-
Balance of county	-	8	-	-	3	6	-	-	-	-	1	-	2	12	8	6	6	-	1
Walker	-	25	1	1	8	13	1	6	7	-	4	1	1	24	18	6	5	3	-
Huntsville	-	15	1	-	6	5	1	4	5	-	2	1	1	12	8	2	4	-	-
Balance of county	-	10	-	1	2	8	-	2	2	-	2	-	-	12	10	4	1	3	-
Waller	1	8	2	1	2	4	2	1	-	-	1	2	5	15	13	10	1	6	-
Ward	-	6	-	-	5	5	-	-	4	-	1	1	9	11	2	4	2	3	1
Washington	2	35	2	5	3	6	1	3	3	-	5	3	8	10	5	4	3	2	-
Brenham	2	18	1	2	1	5	1	1	-	-	2	1	2	5	4	1	2	2	-
Balance of county	-	17	1	3	2	1	-	2	3	-	3	2	6	5	1	3	1	-	-
Webb	-	47	1	2	13	11	2	20	9	-	5	8	31	67	14	23	5	15	-
Laredo	-	46	1	2	12	11	2	19	9	-	5	8	30	66	11	20	5	15	-
Balance of county	-	1	-	-	1	-	-	1	-	-	-	-	1	1	3	3	-	-	-
Wharton	-	30	5	1	17	5	-	4	5	-	-	2	23	35	14	7	1	4	-
El Campo	-	3	-	-	4	4	-	1	2	-	-	-	6	15	4	3	1	-	-
Balance of county	-	27	5	1	13	1	-	3	3	-	-	2	17	20	10	4	-	4	-
Wheeler	-	3	-	-	-	4	-	-	3	-	-	-	-	7	2	-	1	1	-
Wichita	2	102	12	7	30	34	7	13	13	-	7	10	11	110	27	32	18	12	1
Burkburnett	-	5	-	-	3	1	1	-	1	-	1	1	-	9	2	2	1	-	-
Wichita Falls, part	2	86	12	5	25	31	5	11	12	-	6	8	10	86	19	24	16	12	1
Wichita Falls, total	2	86	12	5	25	31	5	11	12	-	6	8	10	88	19	24	16	12	1
Balance of county	-	11	-	2	2	2	1	2	-	-	-	1	1	15	6	6	1	-	-
Wilbarger	-	12	-	3	15	2	1	-	2	-	1	-	8	19	3	9	1	1	-
Vernon	-	9	-	3	12	2	1	-	2	-	1	-	6	16	2	7	1	1	-
Balance of county	-	3	-	-	3	-	-	-	-	-	-	-	2	3	1	2	-	-	-
Willacy	-	3	-	1	2	2	1	-	1	-	-	-	14	9	2	6	-	1	-
Williamson	1	60	14	7	14	16	1	5	6	1	6	4	15	34	33	20	12	5	1
Austin, part	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Round Rock, part	1	4	2	2	1	-	-	2	1	-	2	2	4	5	8	5	4	1	-
Round Rock, total	1	4	2	2	1	-	-	2	1	-	2	2	4	5	8	5	4	1	-
Taylor	-	30	2	2	6	3	1	2	4	1	-	-	3	7	3	3	-	1	-
Balance of county	-	26	10	3	7	13	-	1	1	-	4	2	7	22	22	12	7	3	1
Wilson	1	10	-	1	7	4	-	-	-	-	1	1	-	7	6	2	4	-	-
Winkler	-	8	1	1	5	7	-	2	2	-	-	-	1	11	4	3	4	1	1
Wise	1	29	6	2	8	11	1	3	2	-	2	2	9	18	13	8	4	2	-
Wood	-	39	4	3	10	14	-	3	6	-	2	2	16	27	10	3	5	2	-
Yoakum	-	1	1	-	2	2	-	1	-	-	-	1	6	4	3	4	2	-	-
Young	3	25	7	3	7	10	1	2	1	-	6	2	30	31	9	11	3	-	-
Zapata	-	4	1	-	3	2	-	3	-	-	-	-	3	8	4	4	-	2	-
Zavala	1	4	-	2	4	2	-	3	1	-	2	2	11	6	4	1	1	1	1
Utah	29	646	82	80	321	348	32	91	94	4	99	147	183	1,034	342	293	215	43	30
Urban places	18	340	46	52	185	200	17	41	43	3	54	81	102	570	153	147	113	22	18
Balance of area	11	306	36	28	136	148	15	50	51	1	45	66	81	464	189	146	102	21	12
Metropolitan counties	26	469	63	65	227	263	20	61	65	4	83	107	137	795	229	220	166	37	27
Urban places	18	289	36	47	165	179	14	33	38	3	50	71	92	506	137	192	104	22	16
Balance of area	8	180	27	18	62	84	6	28	27	1	33	36	45	287	92	88	62	15	11
Nonmetropolitan counties	3	177	19	15	94	85	12	30	29	-	16	40	46	239	113	73	49	6	3
Urban places	-	51	10	5	20	21	3	8	5	-	4	10	10	62	16	15	9	-	2
Balance of area	3	126	9	10	74	64	9	22	24	-	12	30	36	177	97	58	40	6	1
Beaver	-	4	-	-	5	3	-	-	-	-	-	-	3	9	-	-	2	-	-
Box Elder	-	15	7	2	13	9	3	3	6	-	2	7	2	28	8	7	2	-	1
Brigham City	-	12	4	2	7	5	1	2	2	-	1	-	2	18	2	4	2	-	1
Balance of county	-	3	3	-	6	4	2	1	4	-	1	7	-	10	6	3	-	-	-
Cache	2	44	2	3	13	9	-	2	4	-	6	6	6	34	12	15	11	-	1
Logan	-	24	1	2	6	7	-	1	1	-	3	4	2	18	6	4	3	-	1
Balance of county	2	20	1	1	7	2	-	1	3	-	3	2	6	16	6	11	8	-	-
Carbon	-	17	1	1	6	10	1	2	1	-	1	-	1	15	11	9	3	-	-
Daggett	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Davis	-	45	7	8	21	27	3	5	7	1	9	9	10	80	24	19	13	1	1
Bountiful	-	16	3	1	8	8	1	2	2	-	2	-	-	37	6	6	2	-	-
Clearfield	-	2	1	-	3	2	-	1	-	-	-	3	6	12	5	1	2	-	-
Layton	-	5	2	6	3	6	-	-	1	-	1	1	2	12	5	2	3	-	-
Balance of county	-	22	1	1	7	11	2	2	4	1	6	5	2	19	8	10	6	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (178-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Utah—Con.																			
Duchesne	86	-	-	2	14	3	3	2	1	1	1	3	1	33	28	-	1	14	13
Emery	50	-	-	2	10	-	1	2	1	1	1	4	3	24	15	1	-	9	5
Garfield	35	-	-	-	7	-	3	1	3	-	-	-	-	17	15	-	-	10	5
Grand	65	-	-	-	15	4	8	-	1	-	-	2	-	20	15	1	1	8	5
Iron	108	-	-	1	16	1	3	2	1	2	2	5	1	43	37	-	-	16	21
Cedar City	70	-	-	1	12	1	1	2	1	1	1	5	-	23	17	-	-	8	9
Balance of county	38	-	-	-	4	-	2	-	-	1	1	-	1	20	20	-	-	8	12
Juab	47	-	-	-	14	3	4	1	1	1	-	4	-	17	15	-	-	11	4
Kane	35	-	-	-	5	2	-	-	1	-	-	2	-	12	8	-	-	5	3
Millard	85	-	-	1	20	6	2	-	1	4	1	6	2	31	23	-	-	14	9
Morgan	34	-	-	1	10	1	1	1	1	-	1	5	-	10	8	1	-	6	1
Piute	17	-	-	1	5	-	1	1	-	-	1	2	-	8	7	-	-	4	3
Rich	12	-	-	-	2	1	-	-	-	1	-	-	-	3	2	-	-	2	-
Salt Lake	3,843	2	-	47	670	186	109	68	90	22	31	164	94	1,676	1,331	19	53	738	521
Midvale	75	1	-	1	18	8	2	3	3	-	-	2	1	31	26	-	-	13	13
Murray	189	-	-	-	29	9	6	1	5	1	-	7	5	102	94	-	3	54	27
Salt Lake City	1,660	-	-	22	273	78	36	27	39	10	21	62	44	784	619	12	30	343	234
Sandy City	162	1	-	-	22	3	6	4	2	-	1	6	-	59	51	3	1	22	25
South Salt Lake	119	-	-	1	20	9	2	1	1	-	-	7	4	48	37	-	1	22	14
West Jordan	93	-	-	1	15	4	2	1	1	1	-	6	5	35	29	-	3	15	11
Balance of county	1,545	-	-	22	293	75	55	31	39	10	9	74	35	637	485	4	15	269	197
San Juan	72	-	-	2	10	2	-	1	4	-	1	2	-	21	14	2	1	7	4
Sanpete	138	-	-	3	20	1	4	3	7	-	1	4	2	65	49	5	1	27	16
Sevier	141	-	-	2	25	5	4	-	5	-	2	9	1	81	68	-	2	33	33
Summit	51	-	-	1	8	2	-	1	1	1	-	3	3	16	13	-	-	11	2
Tooele	180	-	-	5	28	4	3	3	5	3	2	8	8	72	60	1	3	45	11
Tooele	114	-	-	1	22	4	2	2	4	3	2	5	5	47	38	-	2	28	8
Balance of county	66	-	-	4	6	-	1	1	1	-	-	3	3	25	22	1	1	17	3
Uintah	143	-	-	4	26	9	5	3	-	3	2	4	5	40	34	1	1	22	10
Utah	1,111	-	-	20	160	37	24	17	30	3	10	39	18	496	387	9	2	232	144
American Fork	98	-	-	2	20	3	4	1	5	1	1	5	1	38	28	1	-	16	11
Orem	226	-	-	2	34	12	4	4	7	-	3	4	7	78	67	1	-	40	26
Pleasant Grove	62	-	-	2	7	1	-	1	-	-	-	5	1	31	21	-	-	10	11
Provo	332	-	-	4	46	8	7	7	8	-	2	14	2	171	132	5	1	78	48
Springville	97	-	-	1	14	3	2	2	2	1	1	3	-	47	37	-	-	24	13
Balance of county	296	-	-	9	39	10	7	2	8	1	3	8	7	131	102	2	1	64	35
Wasatch	64	-	-	1	14	3	2	1	2	-	1	5	-	21	13	-	1	8	4
Washington	251	-	-	4	47	19	5	4	1	2	2	14	5	119	101	3	2	63	33
St. George	156	-	-	2	30	13	3	3	1	1	2	7	3	73	58	-	1	35	22
Balance of county	95	-	-	2	17	6	2	1	-	1	-	7	2	46	43	3	1	28	11
Wayne	15	-	-	-	1	1	-	-	-	-	-	-	-	11	11	-	-	3	8
Weber	1,089	1	-	12	183	42	30	15	27	9	10	50	30	490	393	19	8	240	126
Ogden	643	1	-	8	99	26	21	6	16	4	4	22	17	303	244	11	6	144	83
Roy	107	-	-	1	23	5	3	1	5	3	1	5	1	43	36	2	-	20	14
South Ogden	81	-	-	-	17	2	2	2	4	-	1	6	3	38	32	2	1	18	11
Balance of county	258	-	-	3	44	9	4	6	2	2	4	17	9	106	81	4	1	58	18
Vermont	4,662	-	-	49	1,012	248	261	88	132	48	31	206	77	2,208	1,740	21	48	1,116	555
Urban places	689	-	-	9	123	23	37	8	15	5	8	27	10	381	289	2	13	166	108
Balance of area	3,973	-	-	40	889	225	224	80	117	41	23	179	67	1,847	1,451	19	35	950	447
Metropolitan counties	777	-	-	10	170	38	40	17	20	8	9	38	8	378	295	2	11	164	118
Urban places	403	-	-	3	76	14	21	4	11	2	5	19	6	200	164	1	5	88	70
Balance of area	374	-	-	7	94	24	19	13	9	6	4	19	2	178	131	1	6	76	48
Nonmetropolitan counties	3,885	-	-	39	842	210	221	71	112	38	22	168	69	1,830	1,445	19	37	952	437
Urban places	286	-	-	6	47	9	16	4	4	3	3	8	4	161	125	1	8	78	38
Balance of area	3,599	-	-	33	795	201	205	67	108	35	19	160	65	1,669	1,320	18	29	874	399
Addison	246	-	-	1	52	21	14	3	4	5	-	5	9	105	92	-	2	56	24
Bennington	330	-	-	2	84	16	24	6	10	4	4	20	3	150	121	1	2	93	25
Caledonia	274	-	-	1	54	12	15	2	10	1	1	13	3	130	102	2	2	72	26
Chittenden	777	-	-	10	170	38	40	17	20	8	9	38	8	378	295	2	11	164	118
Burlington	334	-	-	2	56	11	17	2	7	2	3	14	6	172	138	1	3	71	63
South Burlington	69	-	-	1	20	3	4	2	4	-	2	5	-	28	26	-	2	17	7
Balance of county	374	-	-	7	94	24	19	13	9	6	4	19	2	178	131	1	6	76	48
Essex	64	-	-	-	19	4	3	1	2	1	2	6	-	23	18	-	-	14	4
Franklin	333	-	-	11	73	12	25	5	10	1	1	19	6	163	131	1	5	59	68
Grand Isle	49	-	-	1	9	1	3	1	1	-	-	3	2	20	14	-	1	5	8
Lamoille	153	-	-	1	38	11	6	3	6	2	1	9	3	61	46	1	3	22	20
Orange	181	-	-	1	38	7	11	3	5	2	1	9	3	88	65	2	-	42	21
Orleans	217	-	-	3	45	13	11	4	6	1	1	9	9	106	94	1	2	65	26
Rutland	640	-	-	10	130	28	36	11	22	8	4	21	8	319	244	2	12	148	82
Rutland	286	-	-	6	47	9	16	4	4	3	3	8	4	161	125	1	8	78	38
Balance of county	354	-	-	4	83	19	20	7	18	5	1	13	4	158	119	1	4	70	44
Washington	523	-	-	2	121	43	29	12	14	7	2	14	7	254	193	4	1	134	54
Windham	347	-	-	2	73	18	18	7	10	3	1	16	7	164	133	1	2	102	28
Windsor	528	-	-	4	106	24	26	13	12	3	4	24	9	247	192	4	5	130	53

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	-	4	1	-	1	4	-	1	2	-	-	-	3	8	5	5	5	2	-
Emery	-	8	-	1	-	2	-	-	-	-	-	2	-	4	2	1	-	-	-
Garfield	-	2	-	-	1	2	-	-	1	-	-	-	-	4	1	1	1	-	-
Grand	-	5	-	-	-	4	-	2	-	-	-	1	2	11	6	2	2	-	-
Iron	-	4	1	1	6	3	2	3	1	-	-	4	6	13	5	1	3	-	-
Cedar City	-	4	1	1	4	2	1	3	1	-	-	4	4	9	3	1	2	-	-
Balance of county	-	-	-	-	2	1	1	-	-	-	-	-	2	4	2	-	1	-	-
Juab	-	2	-	-	3	2	-	1	-	-	-	2	2	2	1	2	1	-	-
Kane	-	4	-	-	2	1	-	-	1	-	-	2	-	9	2	-	1	-	-
Millard	-	6	1	1	4	3	2	-	1	-	-	2	2	9	6	2	-	-	-
Morgan	-	1	-	1	1	3	1	-	-	-	-	1	-	1	2	3	1	-	-
Piute	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Rich	-	1	-	-	2	1	1	-	-	-	-	1	1	-	1	-	-	-	-
Salt Lake	18	268	26	33	104	129	12	40	38	1	46	55	86	459	114	128	106	24	12
Midvale	1	4	-	-	2	2	-	-	-	-	-	1	3	7	3	3	1	1	-
Murray	1	15	-	2	5	8	-	3	1	-	2	2	2	21	3	3	2	1	-
Salt Lake City	10	114	9	12	54	65	10	14	16	-	12	17	37	193	41	49	41	11	3
Sandy City	1	7	-	-	3	2	1	1	1	-	6	8	6	20	12	11	8	-	1
South Salt Lake	-	10	1	-	3	10	-	2	2	1	-	1	4	14	1	5	2	-	1
West Jordan	-	3	-	3	2	1	-	-	1	-	3	4	2	8	4	8	3	-	1
Balance of county	5	115	16	16	35	41	1	20	17	-	23	22	32	196	50	55	49	11	6
San Juan	-	6	-	1	6	3	-	3	1	-	1	2	3	6	9	2	3	-	-
Sanpete	1	13	1	1	8	2	-	1	2	-	1	2	2	14	7	6	3	-	-
Sevier	-	13	-	-	2	5	-	1	3	-	-	2	-	14	2	1	2	-	-
Summit	-	3	-	-	-	3	1	-	1	-	-	1	3	5	7	2	-	-	-
Tooele	1	9	-	2	6	8	-	3	2	-	1	3	2	15	13	1	12	1	-
Tooele	1	6	-	2	3	3	-	2	2	-	1	1	2	7	8	-	10	-	-
Balance of county	-	3	-	-	3	5	-	1	-	-	-	2	-	8	5	1	2	1	-
Uintah	-	5	-	1	4	2	-	8	1	-	4	1	2	18	15	4	5	3	1
Utah	1	75	22	11	45	56	4	5	10	-	18	26	19	119	45	40	18	4	8
American Fork	-	6	2	2	5	4	-	1	-	-	2	1	2	11	1	6	2	-	2
Orem	-	7	2	2	6	19	-	2	2	-	7	9	8	23	11	6	8	2	2
Pleasant Grove	-	4	5	1	7	2	-	-	-	-	1	1	-	4	2	3	-	-	1
Provo	-	32	3	4	14	7	1	1	4	-	3	7	5	37	11	12	5	1	1
Springville	-	7	2	1	4	3	1	-	-	-	1	4	1	13	5	2	1	-	-
Balance of county	1	19	8	1	9	21	2	1	4	-	4	4	3	31	15	11	2	1	2
Wasatch	-	6	1	1	5	3	-	1	-	-	-	-	1	12	4	1	1	-	-
Washington	-	13	4	1	10	9	1	2	4	-	1	4	5	22	6	8	3	1	-
St. George	-	11	4	-	3	7	1	2	1	-	-	2	2	17	5	6	2	-	-
Balance of county	-	2	-	1	7	2	-	-	3	-	1	2	3	5	1	2	1	1	-
Wayne	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Weber	6	72	8	11	51	43	1	8	8	2	9	14	20	122	33	32	17	7	6
Ogden	2	44	4	9	28	32	-	3	5	1	8	9	11	68	14	17	10	6	3
Roy	-	4	2	1	9	3	-	1	1	1	-	2	1	13	2	2	3	-	1
South Ogden	2	3	-	1	6	2	-	-	-	-	1	-	-	8	3	2	1	-	-
Balance of county	2	21	2	-	8	6	1	4	2	-	-	3	8	33	14	11	3	1	2
Vermont	11	335	54	68	139	229	16	58	46	-	27	27	28	439	108	102	76	19	2
Urban places	-	59	4	9	15	34	-	9	7	-	4	7	6	68	4	14	12	6	-
Balance of area	11	276	50	59	124	195	16	49	39	-	23	20	22	371	104	88	64	13	2
Metropolitan counties	1	62	7	13	20	37	-	12	4	-	7	7	6	64	20	20	10	4	-
Urban places	-	27	3	6	9	20	-	8	4	-	3	6	3	39	4	12	7	3	-
Balance of area	1	35	4	7	11	17	-	4	-	-	4	1	3	25	16	8	3	1	-
Nonmetropolitan counties	10	273	47	55	119	192	16	46	42	-	20	20	22	375	88	82	66	15	2
Urban places	-	32	1	3	6	14	-	1	3	-	1	1	3	29	-	2	5	3	-
Balance of area	10	241	46	52	113	178	16	45	39	-	19	19	19	346	88	80	61	12	2
Addison	-	9	1	3	11	13	1	2	1	-	3	-	-	24	11	8	4	1	-
Bennington	-	17	4	8	10	15	2	4	3	-	1	4	-	29	3	7	12	1	-
Caledonia	1	16	4	7	7	21	1	2	2	-	1	2	1	33	3	7	6	-	-
Chittenden	1	62	7	13	20	37	-	12	4	-	7	7	6	64	20	20	10	4	-
Burlington	-	25	3	6	7	18	-	6	4	-	2	5	3	30	4	11	6	2	-
South Burlington	-	2	-	-	2	2	-	2	-	-	1	1	-	9	-	1	1	1	-
Balance of county	1	35	4	7	11	17	-	4	-	-	4	1	3	25	16	8	3	1	-
Essex	-	4	-	1	3	5	-	-	1	-	-	-	2	6	1	3	1	-	-
Franklin	1	20	8	3	7	20	3	4	1	-	2	1	1	23	8	6	2	2	-
Grand Isle	-	5	1	-	2	4	-	1	2	-	-	-	-	2	2	2	1	1	-
Lamoille	1	12	1	1	4	6	-	3	3	-	-	-	3	17	9	2	3	-	-
Orange	1	15	1	6	4	10	1	2	1	-	1	2	-	14	5	4	6	-	1
Orleans	-	11	-	1	11	9	-	1	6	-	-	-	-	12	9	9	2	1	-
Rutland	-	62	7	6	11	29	2	6	13	-	2	3	6	64	10	11	8	7	1
Rutland	-	32	1	3	6	14	-	1	3	-	1	1	3	29	-	2	5	3	-
Balance of county	-	30	6	3	5	15	2	5	10	-	1	2	3	35	10	9	3	4	1
Washington	6	46	6	3	17	19	3	5	3	-	3	3	1	55	11	14	5	-	-
Windham	-	21	5	5	8	14	-	9	4	-	3	3	2	43	4	4	6	-	-
Windsor	-	35	9	11	23	27	3	7	2	-	4	2	6	53	12	11	10	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia	45,277	33	4	633	10,463	2,500	3,107	927	1,072	388	378	2,091	627	20,601	16,046	113	502	10,327	5,104
Urban places	19,594	17	2	287	4,562	1,116	1,358	396	460	157	161	914	282	8,741	6,835	51	217	4,337	2,230
Balance of area	25,683	16	2	346	5,901	1,384	1,749	531	612	231	217	1,177	345	11,860	9,211	62	285	5,990	2,874
Metropolitan counties	29,242	21	3	433	6,996	1,710	2,063	636	684	254	248	1,401	399	12,921	10,077	83	323	6,406	3,265
Urban places	17,861	15	2	272	4,193	1,025	1,251	364	420	141	150	842	253	7,876	6,182	47	209	3,926	2,000
Balance of area	11,381	6	1	161	2,803	685	812	272	264	113	98	559	146	5,045	3,895	36	114	2,480	1,265
Nonmetropolitan counties	16,035	12	1	200	3,467	790	1,044	291	388	134	130	690	228	7,680	5,969	30	179	3,921	1,839
Urban places	1,733	2	-	15	369	91	107	32	40	16	11	72	29	865	653	4	8	411	230
Balance of area	14,302	10	1	185	3,098	699	937	259	348	118	119	618	199	6,815	5,316	26	171	3,510	1,609
Accomack	461	1	-	3	96	15	38	10	14	1	2	18	6	229	171	1	33	93	44
Albemarle	370	-	-	2	79	19	30	5	3	3	4	15	2	171	124	-	1	78	45
Alexandria city	877	1	1	9	223	63	56	19	24	7	10	44	9	387	319	4	7	184	124
Alleghany	144	-	-	3	30	6	12	2	1	1	1	7	1	76	66	-	-	50	16
Amelia	86	-	1	3	24	5	7	1	3	1	1	6	1	33	25	-	4	13	8
Amherst	238	-	-	5	57	7	17	4	7	1	1	20	3	118	85	2	3	63	17
Appomattox	103	-	-	1	17	4	3	2	2	1	2	3	2	52	37	-	2	28	7
Arlington#	1,156	2	-	24	319	81	83	36	42	8	7	62	18	483	373	11	6	281	95
Augusta	437	-	-	4	95	19	23	15	15	3	4	16	3	219	164	-	-	123	41
Bath	57	-	-	-	9	1	4	1	1	-	-	2	2	33	28	-	-	14	14
Bedford	326	-	-	3	59	14	23	2	2	2	3	13	3	161	117	1	9	70	37
Bedford city *	117	-	-	-	24	8	5	1	3	1	-	6	1	71	52	-	-	30	22
Bland	60	-	-	1	12	4	3	3	-	-	1	1	2	26	20	-	-	16	2
Botetourt	200	-	-	3	48	11	17	4	8	2	-	6	3	94	73	-	1	52	20
Bristol city *	262	-	-	4	61	13	18	3	10	2	3	12	3	130	109	2	6	72	29
Brunswick	164	-	-	4	32	8	10	3	3	1	1	6	4	81	65	-	1	42	22
Buchanan	246	-	-	1	48	12	15	6	4	1	1	9	7	107	92	1	3	80	8
Buckingham	149	-	-	4	38	13	9	3	2	-	-	11	1	74	55	-	1	37	17
Buena Vista city *	68	-	-	1	17	3	3	-	4	-	-	7	-	34	21	-	-	15	6
Campbell	328	-	-	3	84	26	26	4	7	2	3	16	5	155	126	-	5	67	54
Caroline	189	-	-	2	50	9	22	3	6	-	1	9	4	84	64	-	6	39	19
Carroll	242	-	-	4	45	15	13	4	4	3	1	5	2	133	101	-	1	71	29
Charles City	65	-	-	3	8	2	2	-	1	1	-	2	2	26	19	-	1	14	4
Charlotte	134	-	-	1	30	7	9	2	2	1	2	7	3	66	53	-	1	40	12
Charlottesville city	373	-	1	4	76	12	24	9	5	3	3	20	3	189	118	1	2	79	36
Chesapeake city	919	1	-	12	226	56	55	21	24	15	8	47	16	393	314	1	16	201	96
Chesterfield	788	1	-	14	199	49	57	23	21	8	5	36	10	316	248	5	4	155	84
Clarke	108	-	-	1	29	9	8	3	2	1	-	6	5	46	43	1	2	19	21
Clifton Forge city *	93	-	-	2	13	3	4	1	2	1	-	2	2	61	49	-	2	32	15
Colonial Heights city	139	-	-	4	32	3	15	4	3	-	2	5	1	61	49	-	-	28	21
Covington city *	112	-	-	1	27	5	9	2	5	3	-	3	1	58	47	-	-	41	6
Craig	33	-	-	-	6	2	2	-	-	-	-	2	1	15	12	-	-	9	3
Culpeper	237	-	-	3	47	16	11	3	6	3	3	5	1	122	103	1	1	75	26
Cumberland	77	-	-	3	15	4	1	1	3	-	2	4	2	35	27	-	-	19	8
Danville city	591	1	-	2	124	23	45	12	10	5	7	22	19	288	216	-	2	161	53
Dickenson	182	2	-	4	38	3	13	8	5	1	1	7	2	77	63	1	1	45	16
Dinwiddie	196	-	-	2	34	12	9	1	3	2	1	6	6	90	74	1	3	44	26
Emporia city *	76	-	-	1	12	3	6	1	-	-	-	2	2	47	43	-	1	33	9
Essex	86	-	-	6	10	2	7	-	-	1	-	-	-	51	39	1	3	28	7
Fairfax	2,835	1	-	39	792	204	189	88	83	32	34	162	36	1,171	888	10	21	551	306
Herndon	35	-	-	-	10	3	2	-	-	3	-	2	2	11	8	-	-	8	-
Vienna	113	-	-	2	32	11	10	3	1	-	1	6	2	49	40	-	-	26	14
Balance of county	2,686	1	-	37	750	190	177	85	82	29	33	154	32	1,111	840	10	21	517	292
Fairfax city	144	-	-	-	49	12	11	8	4	-	5	9	-	49	38	-	-	26	11
Falls Church city *	73	-	-	2	31	8	9	6	-	1	-	7	1	22	18	-	1	8	9
Fauquier	346	-	-	4	76	15	30	6	6	4	4	11	6	163	130	1	1	77	51
Floyd	128	-	-	4	24	6	6	1	4	1	-	6	1	64	52	-	-	31	21
Fluvanna	114	-	-	2	26	8	4	4	3	1	1	5	1	57	45	-	-	27	18
Franklin	310	1	-	3	55	12	15	4	7	3	3	11	3	146	118	-	2	80	36
Franklin city *	98	1	-	5	23	7	4	3	5	1	1	2	2	45	32	-	-	21	11
Frederick	274	-	-	1	76	16	27	7	10	3	4	9	6	118	94	1	3	51	39
Fredericksburg city	208	-	-	5	46	10	14	4	5	2	2	9	2	100	70	-	-	40	30
Galax city *	93	-	-	1	20	4	7	-	2	1	-	6	1	48	28	-	-	24	4
Giles	177	-	-	2	35	5	7	4	7	2	2	8	4	81	67	-	2	46	19
Gloucester	187	-	-	2	46	8	12	3	1	7	3	12	2	84	69	-	1	45	23
Goochland	107	-	-	2	28	7	9	1	6	1	-	4	2	46	35	-	1	26	8
Grayson	188	-	-	1	42	11	9	1	6	1	2	12	-	97	82	1	1	61	19
Greene	63	-	-	-	6	1	3	-	1	-	-	1	1	32	27	-	-	14	13
Greensville	106	-	-	2	19	1	10	-	-	-	1	7	3	42	36	-	1	21	14
Halifax	257	-	-	4	52	12	15	5	3	1	3	13	3	128	102	1	7	74	20
Hampton city	920	-	-	23	234	51	77	18	22	9	9	48	16	389	326	3	8	195	120
Hanover	467	1	-	5	111	27	40	8	8	4	3	21	4	206	159	1	3	108	47
Harrisonburg city	197	-	-	1	49	8	14	8	3	3	1	12	4	97	69	-	1	34	34
Henrico	1,720	1	1	35	424	105	145	47	36	19	8	64	27	787	589	4	22	378	184
Henry	458	-	-	4	114	21	20	13	17	7	5	31	4	195	147	1	5	80	61
Highland	35	-	-	-	5	1	1	-	1	-	1	1	-	19	14	-	-	13	1
Hopewell city	218	-	-	2	44	16	11	4	1	2	1	9	-	116	94	1	2	72	19
Isle of Wight	177	-	-	-	49	5	13	7	7	2	6	9	1	71	52	-	3	33	16
James City	153	-	-	4	46	9	14	6	5	4	2	8	-	63	49	-	2	26	21
King and Queen	50	-	-	2	12	5	3	-	-	1	1	2	1	24	15	-	-	10	5
King George	102	-	-	2	26	7	6	1	2	2	1	7	-	34	27	-	-	21	6
King William	92	-	-	2	22	4	7	2	1	3	-	5	1	39	32	-	1	22	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia	136	3,511	474	434	1,450	1,546	128	547	485	5	272	535	462	4,100	998	1,179	751	426	32
Urban places	60	1,468	175	163	603	644	61	278	214	4	193	297	219	1,845	321	503	297	268	16
Balance of area	76	2,023	299	251	847	902	67	269	271	1	139	238	243	2,255	677	676	454	158	16
Metropolitan counties	84	2,195	292	273	893	993	85	394	319	4	207	420	310	2,674	581	732	515	319	23
Urban places	56	1,323	159	156	539	588	56	260	198	4	128	286	204	1,702	287	454	272	256	16
Balance of area	28	872	133	117	354	405	29	134	121	–	79	134	106	972	294	278	243	63	7
Nonmetropolitan counties	52	1,316	182	161	557	553	43	153	166	1	65	115	152	1,426	417	447	236	107	9
Urban places	4	165	16	27	64	56	5	18	16	–	5	11	15	143	34	49	25	12	–
Balance of area	48	1,151	166	134	493	497	38	135	150	1	60	104	137	1,283	383	398	211	95	9
Accomack	5	44	4	5	16	15	–	2	4	–	–	4	3	52	10	11	5	3	1
Albemarle	1	37	8	1	17	17	1	2	2	–	1	1	3	37	10	11	7	5	2
Alexandria city	3	53	7	5	24	27	5	20	13	–	4	16	12	63	12	27	14	8	2
Alleghany	–	10	–	–	3	6	–	–	3	–	2	–	1	10	2	4	2	1	–
Amelia	–	6	2	–	3	1	–	–	3	–	–	1	–	5	4	1	4	2	–
Amherst	–	26	3	4	5	9	–	3	1	–	4	3	–	17	4	6	3	–	–
Appomattox	–	10	1	4	3	3	–	–	2	–	1	3	–	14	1	3	1	–	–
Arlington#	6	76	14	14	32	41	6	23	13	–	6	12	6	109	12	25	20	5	–
Augusta	1	45	4	5	20	15	1	3	2	–	2	1	–	41	14	12	4	1	–
Bath	–	5	–	–	1	3	1	–	–	–	–	–	1	6	1	–	–	–	–
Bedford	–	35	6	3	11	9	–	–	3	–	3	1	4	39	6	9	8	7	–
Bedford city *	–	16	–	3	2	3	1	–	2	–	–	–	2	6	2	1	1	1	–
Bland	–	4	1	1	2	3	–	1	4	–	–	–	1	5	2	1	–	–	–
Botetourt	–	20	–	1	7	9	1	–	3	–	1	1	1	18	3	4	3	1	–
Bristol city *	1	12	4	4	10	7	3	2	3	–	1	–	1	25	2	6	2	2	–
Brunswick	2	13	1	–	5	2	–	1	–	–	–	7	1	12	8	5	–	2	–
Buchanan	–	10	2	3	10	8	–	3	2	–	4	3	3	22	7	13	6	2	–
Buckingham	2	14	3	–	7	5	1	2	–	–	1	2	3	5	1	3	1	1	–
Buena Vista city *	–	10	2	1	–	3	–	2	–	–	–	–	2	6	1	1	1	–	–
Campbell	1	24	2	2	5	10	1	1	3	–	1	5	3	22	8	11	10	1	–
Caroline	–	17	2	1	5	5	–	1	2	–	2	–	–	19	4	7	3	1	–
Carroll	2	19	8	3	10	6	–	1	2	–	1	2	2	15	2	8	8	–	1
Charles City	1	5	–	1	3	1	–	–	–	–	1	–	–	12	4	4	1	–	–
Charlotte	1	10	2	–	7	5	–	1	1	–	–	1	–	10	5	2	2	–	–
Charlottesville city	5	46	14	6	14	10	1	7	9	–	2	1	2	41	1	8	2	2	–
Chesapeake city	1	65	5	8	21	41	1	14	13	–	13	14	8	75	12	25	21	13	–
Chesterfield	1	52	6	8	19	22	3	10	10	–	7	20	8	74	25	24	22	4	–
Clarke	–	3	–	–	6	4	–	2	2	–	–	–	–	5	5	2	–	1	–
Clifton Forge city *	–	7	–	5	2	2	1	–	2	–	–	–	–	6	–	2	–	–	–
Colonial Heights city	–	9	–	3	3	3	–	4	1	–	2	1	2	21	–	4	–	–	–
Covington city *	3	7	–	1	2	2	–	2	1	–	–	–	1	7	1	4	3	2	–
Craig	–	3	–	–	2	1	–	–	–	–	–	–	1	5	–	1	1	–	–
Culpeper	1	15	2	1	8	9	1	1	3	–	–	–	2	18	5	12	4	1	–
Cumberland	–	5	–	3	3	1	1	1	1	–	–	3	1	7	1	1	2	–	–
Danville city	–	64	2	6	18	19	1	9	6	–	2	2	1	67	9	12	7	4	–
Dickenson	–	12	–	2	1	10	2	–	3	–	–	3	3	20	6	7	4	–	–
Dinwiddie	–	14	–	2	8	5	–	–	4	–	–	2	1	20	8	9	3	4	–
Emporia city *	–	3	–	1	–	3	–	–	1	–	–	–	–	6	2	2	–	–	–
Essex	–	9	2	1	2	–	–	–	1	–	–	1	1	7	3	4	–	–	–
Fairfax	5	204	42	32	63	88	7	41	38	–	28	28	29	249	76	53	83	10	3
Herndon	–	2	–	1	1	2	–	–	–	–	1	2	–	3	1	–	1	2	–
Vienna	–	6	2	1	2	1	–	1	1	–	1	1	–	10	4	5	2	–	–
Balance of county	5	196	40	30	60	85	7	40	37	–	26	25	29	236	71	48	80	8	3
Fairfax city	–	10	2	1	7	7	–	2	–	–	2	–	1	14	6	2	4	1	–
Falls Church city *	–	3	1	–	2	3	–	–	1	–	–	–	1	7	1	–	2	–	–
Fauquier	1	23	5	4	9	9	2	6	2	–	1	5	9	30	15	6	2	1	–
Floyd	–	9	2	1	4	6	–	1	–	–	–	–	3	9	4	5	3	–	–
Fluvanna	1	9	1	1	3	2	–	1	4	–	1	1	3	7	1	3	1	1	–
Franklin	1	23	3	1	13	11	–	5	7	–	1	–	8	30	12	7	6	2	–
Franklin city *	1	7	5	–	–	3	–	–	1	–	–	2	–	7	3	3	2	1	–
Frederick	–	20	3	1	5	12	–	4	1	–	5	–	8	21	4	9	2	2	–
Fredericksburg city	–	24	3	3	6	3	1	4	2	–	–	4	1	17	6	5	3	3	–
Galax city *	–	10	8	2	2	4	–	–	3	–	–	1	–	8	2	1	2	–	–
Giles	–	9	2	3	2	7	–	4	–	–	–	2	2	27	6	2	2	1	–
Gloucester	3	8	1	3	7	4	1	5	2	–	–	4	1	12	8	3	2	4	–
Goochland	–	9	2	–	2	4	–	1	–	–	1	–	–	9	6	2	2	2	–
Grayson	–	11	3	1	11	7	–	1	–	–	–	1	1	17	4	3	1	2	–
Greene	–	5	–	–	4	1	1	–	1	–	–	–	1	5	5	4	2	–	–
Greensville	–	4	–	2	2	6	1	1	3	–	–	1	2	12	6	4	–	2	–
Halifax	2	18	4	2	15	5	1	2	2	–	2	1	3	22	7	7	2	1	–
Hampton city	2	47	7	7	30	31	2	13	11	–	9	14	6	78	16	23	15	7	3
Hanover	1	33	10	3	17	14	1	3	2	–	3	4	8	53	9	13	10	2	1
Harrisonburg city	–	20	4	4	6	11	–	–	1	–	–	2	1	15	2	5	3	–	–
Henrico	7	138	32	23	57	71	3	19	15	–	8	20	23	148	26	26	23	6	–
Henry	2	36	7	3	20	6	2	4	6	–	2	4	6	41	17	13	10	10	–
Highland	–	5	–	–	–	2	–	2	–	–	–	–	–	3	–	2	1	1	–
Hopewell city	–	17	–	5	11	4	1	2	1	–	2	1	1	18	5	6	4	–	–
Isle of Wight	3	14	2	–	8	9	–	2	2	1	–	6	–	15	4	7	2	–	–
James City	2	10	–	2	3	2	1	3	1	–	–	1	1	13	4	6	5	–	–
King and Queen	1	7	1	–	3	2	–	–	–	–	–	–	–	4	–	2	–	–	–
King George	–	4	1	2	3	7	1	1	2	–	–	1	1	11	4	2	7	–	–
King William	–	5	2	–	3	4	–	–	1	–	–	1	1	13	3	1	–	–	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Lancaster	160	1	-	1	35	8	12	4	4	1	4	2	-	86	60	-	1	40	19
Lee	299	-	-	6	55	14	12	5	11	3	2	8	4	157	131	1	1	100	29
Lexington city [8]	71	-	-	-	8	1	4	-	1	1	-	1	1	45	33	-	1	21	11
Loudoun	358	-	-	6	80	21	18	8	8	3	1	21	3	159	124	4	5	75	40
Louisa	208	-	-	3	53	12	13	6	6	1	2	13	6	83	64	-	2	34	28
Lunenburg	130	-	-	1	21	2	8	4	1	1	-	5	3	72	53	-	3	38	14
Lynchburg city	740	-	-	9	149	41	36	14	18	5	3	32	5	337	250	2	11	161	76
Madison	104	1	-	1	25	7	6	-	6	1	1	4	1	42	26	-	2	15	9
Manassas city	93	-	-	-	22	2	8	6	-	1	-	5	-	31	27	-	-	15	12
Manassas Park city [8]	19	-	-	-	6	1	3	-	1	-	-	1	1	3	3	-	-	-	3
Martinsville city	204	-	-	2	37	10	8	4	5	1	1	8	2	103	81	-	-	52	29
Mathews	106	-	-	1	24	7	5	2	4	1	1	4	-	56	46	-	-	33	13
Mecklenburg	375	-	-	11	76	18	24	3	11	2	4	14	5	179	152	1	5	97	49
Middlesex	106	-	-	1	28	8	12	4	-	-	2	2	3	44	37	-	2	24	11
Montgomery	396	1	-	5	67	20	11	4	5	5	5	17	9	210	169	1	4	91	73
Blacksburg	90	-	-	4	21	6	3	1	1	3	1	6	-	39	33	-	-	19	14
Christiansburg	97	1	-	-	9	4	1	-	1	-	-	3	5	54	44	-	2	23	19
Balance of county	209	-	-	1	37	10	7	3	3	2	4	8	4	117	92	1	2	49	40
Nelson	169	-	-	1	38	10	10	2	7	1	-	8	1	82	59	2	1	28	28
New Kent	65	-	-	1	16	6	5	2	3	-	-	-	1	26	21	-	-	14	7
Newport News city	1,154	-	-	10	297	71	85	28	39	17	8	49	24	477	392	-	15	231	146
Norfolk city	2,307	1	-	36	505	138	145	41	57	11	17	96	26	1,040	843	5	37	508	293
Northampton	228	-	-	5	56	17	17	2	6	1	1	12	7	81	58	1	2	35	20
Northumberland	150	-	-	2	38	10	9	5	6	2	-	8	2	81	66	-	1	41	24
Norton city [8]	54	-	-	1	14	1	5	2	2	2	-	2	-	28	22	-	-	17	5
Nottoway	212	-	-	4	34	8	14	1	2	1	2	6	3	97	79	-	2	47	30
Orange	233	-	-	4	77	21	17	7	6	5	2	19	3	92	72	-	8	38	26
Page	215	-	-	3	43	5	12	3	5	1	2	15	1	119	97	-	1	62	34
Patrick	158	-	-	3	32	6	6	3	8	1	1	9	4	64	46	-	1	31	14
Petersburg city	475	1	-	9	109	29	41	8	12	2	2	15	7	212	175	-	6	121	48
Pittsylvania	575	1	-	12	119	38	37	9	9	2	6	18	8	285	243	2	11	165	65
Poquoson city [8]	60	-	-	1	20	3	5	1	-	-	1	10	-	29	25	-	-	15	10
Portsmouth city	1,114	-	-	25	279	76	94	11	13	8	8	67	12	476	375	1	21	230	123
Powhatan	78	-	-	1	23	3	6	2	5	2	1	4	-	34	22	-	-	14	8
Prince Edward	171	-	-	2	38	9	16	3	5	1	-	4	1	83	56	1	2	33	20
Prince George	111	-	-	3	22	5	3	4	-	1	-	9	1	45	38	-	1	23	14
Prince William	569	-	-	2	161	31	51	16	14	7	4	38	9	218	164	-	5	104	55
Pulaski	195	-	-	-	49	5	13	4	4	3	3	17	3	86	65	-	1	44	20
Pulaski	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	192	-	-	-	49	5	13	4	4	3	3	17	3	85	64	-	1	43	20
Radford city	96	-	-	-	17	5	7	1	1	1	-	2	2	53	40	-	-	24	16
Rappahannock	63	-	-	-	13	1	6	1	2	-	1	2	2	32	22	-	2	13	7
Richmond	102	-	-	1	23	4	6	2	2	3	1	5	1	46	38	2	3	23	10
Richmond city	2,585	3	-	54	557	135	164	49	63	20	18	108	33	1,149	873	9	20	523	321
Roanoke	655	-	-	6	144	38	38	10	10	5	7	36	8	317	248	3	4	151	90
Roanoke city	1,255	2	-	15	266	65	89	19	24	7	13	49	13	593	464	3	15	324	122
Rockbridge	165	-	-	2	39	8	12	3	7	-	1	8	1	77	56	-	1	40	15
Rockingham	441	-	-	2	84	20	19	8	8	3	2	24	6	229	171	1	3	107	60
Russell	246	-	-	4	55	15	20	4	5	2	2	7	-	104	79	-	-	47	32
Salem city	389	-	-	7	75	17	17	4	4	4	5	24	6	198	157	1	5	102	49
Scott	271	-	-	-	52	8	18	6	4	3	3	10	2	135	108	2	2	85	19
Shenandoah	351	1	-	3	87	15	28	9	10	4	2	19	7	159	113	-	5	69	39
Smyth	380	-	-	4	68	12	26	6	6	2	4	12	7	193	161	-	1	111	49
Southampton	160	1	-	1	36	13	5	5	7	-	-	6	2	79	57	-	2	46	9
South Boston city [8]	73	-	-	-	13	4	3	1	1	1	-	3	1	42	28	-	2	14	12
Spotsylvania	219	-	-	7	56	14	27	4	4	-	-	7	2	90	72	1	-	52	19
Stafford	241	-	-	2	55	13	20	4	3	1	2	12	3	105	80	2	-	52	26
Staunton city	276	-	-	1	56	19	12	3	5	4	2	11	3	132	90	2	2	65	21
Suffolk city	537	1	-	5	117	30	34	9	13	1	3	27	18	239	173	1	15	103	54
Surry	80	-	-	-	14	2	5	-	3	-	1	3	1	40	31	-	1	19	11
Sussex	117	1	-	3	20	6	3	-	4	1	-	6	4	57	47	-	1	30	16
Tazewell	456	-	-	4	108	32	38	7	7	4	7	13	6	210	167	-	7	124	36
Virginia Beach city	1,464	2	-	16	387	75	131	38	31	11	17	84	20	579	451	2	15	296	138
Warren	226	-	-	2	56	9	21	2	11	2	3	8	4	114	88	-	3	54	31
Front Royal	128	-	-	1	37	5	17	1	7	-	2	5	1	62	46	-	2	27	17
Balance of county	98	-	-	1	19	4	4	1	4	2	1	3	3	52	42	-	1	27	14
Washington	435	-	-	5	90	23	23	6	11	3	4	20	9	219	173	2	9	109	53
Waynesboro city	187	-	-	1	43	11	10	4	7	2	-	9	3	97	72	1	-	60	11
Westmoreland	190	-	-	1	42	14	18	-	2	2	-	6	2	93	74	1	4	50	19
Williamsburg city [8]	113	-	-	1	24	5	7	3	1	-	2	6	-	47	34	-	4	22	8
Winchester city	247	1	-	-	54	13	21	6	5	-	2	7	7	127	107	1	1	66	39
Wise	391	-	-	4	93	16	25	10	8	3	4	27	5	163	137	-	4	96	37
Wythe	237	-	-	3	42	11	15	2	4	2	2	6	3	113	92	-	1	74	17
York	181	1	-	1	46	8	22	2	4	1	3	6	2	83	63	-	2	49	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	-	21	4	1	2	4	-	4	4	-	1	1	-	10	1	6	1	2	1
Lee	-	22	3	1	13	7	1	1	4	-	1	1	2	27	7	7	4	2	-
Lexington city [a]	-	6	2	4	3	3	-	-	1	-	-	1	-	6	1	1	1	-	-
Loudoun	1	27	2	5	15	15	-	4	3	-	4	7	3	27	15	12	3	2	-
Louisa	-	18	1	-	6	10	2	1	2	-	1	-	2	17	10	4	5	3	-
Lunenburg	1	15	-	3	6	3	-	-	1	-	-	1	2	13	4	2	-	1	-
Lynchburg city	2	73	3	9	31	21	3	13	4	-	5	4	12	95	13	19	12	8	-
Madison	1	11	4	-	4	2	-	1	1	-	2	-	-	14	6	2	2	-	-
Manassas city	-	4	-	-	5	6	1	-	1	-	3	3	4	9	4	1	1	2	-
Manassas Park city [a]	-	-	-	-	1	2	-	-	1	-	1	-	-	2	1	1	-	-	-
Martinsville city	1	18	1	2	9	7	-	1	6	-	-	2	1	20	2	6	4	2	-
Mathews	2	6	1	1	5	4	1	1	1	-	-	-	-	5	1	5	2	-	-
Mecklenburg	1	23	1	2	9	8	1	6	3	-	-	2	2	41	9	13	6	4	-
Middlesex	-	6	-	1	4	1	-	-	4	-	-	2	2	12	1	2	2	-	-
Montgomery	-	35	1	5	11	13	1	2	3	-	2	2	4	40	12	4	7	3	-
Blacksburg	-	6	-	-	2	2	-	1	1	-	-	-	2	10	2	2	4	-	-
Christiansburg	-	8	-	2	2	3	1	-	1	-	1	-	1	10	5	1	1	2	-
Balance of county	-	21	1	3	7	8	-	1	1	-	1	2	1	20	5	1	2	1	-
Nelson	1	17	4	1	8	4	-	2	1	-	1	-	1	18	2	6	3	1	-
New Kent	-	4	-	1	2	-	-	1	-	-	-	-	-	6	6	1	4	1	-
Newport News city	3	67	8	7	43	41	3	11	14	-	13	22	8	113	19	25	21	12	2
Norfolk city	8	163	12	14	77	64	5	19	22	-	16	54	34	212	32	75	42	42	5
Northampton	1	19	-	3	8	14	-	2	1	-	3	2	3	33	3	3	2	5	-
Northumberland	-	8	2	5	3	3	-	1	1	-	1	-	-	19	-	4	1	-	-
Norton city [a]	1	4	-	1	-	1	-	1	-	-	-	1	1	3	2	1	1	-	-
Nottoway	1	16	1	-	14	9	-	2	2	-	-	-	2	27	7	10	-	1	-
Orange	1	15	-	4	6	3	-	2	2	-	1	2	-	20	8	5	5	3	-
Page	-	22	-	-	5	7	-	3	3	-	1	1	2	20	2	2	2	1	-
Patrick	1	14	2	1	5	5	1	4	2	-	1	4	2	17	4	4	5	1	-
Petersburg city	2	29	2	4	11	12	1	8	6	-	3	7	3	58	5	11	7	5	-
Pittsylvania	-	37	5	-	16	17	1	8	8	-	-	11	3	43	17	16	8	2	-
Poquoson city [a]	-	3	1	-	3	2	-	-	-	-	-	-	-	2	1	-	1	1	-
Portsmouth city	5	81	2	13	26	38	8	11	19	-	6	20	17	101	24	22	17	13	-
Powhatan	-	9	3	-	4	2	-	1	1	-	-	-	-	6	2	3	1	-	-
Prince Edward	-	20	4	3	12	2	-	1	-	-	3	-	-	10	5	10	2	2	-
Prince George	1	6	-	-	1	4	-	2	-	-	1	2	-	13	2	5	8	2	-
Prince William	-	44	3	7	11	22	2	8	3	-	7	14	8	41	24	22	11	5	1
Pulaski	-	16	3	2	6	8	-	-	2	-	1	4	2	14	6	7	6	1	-
Pulaski	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Balance of county	-	16	3	2	5	8	-	-	2	-	1	4	2	14	6	7	6	-	-
Radford city	1	8	-	4	5	3	-	2	2	-	1	-	-	4	3	2	2	-	-
Rappahannock	-	5	3	2	2	1	1	-	-	-	-	-	1	7	2	2	-	-	-
Richmond	-	7	-	1	1	6	1	1	1	-	-	1	1	11	3	3	2	-	-
Richmond city	7	221	30	18	77	84	8	45	29	2	8	43	41	247	26	61	24	30	4
Roanoke	2	53	6	8	33	31	3	9	5	-	3	5	5	44	15	16	8	5	-
Roanoke city	3	98	18	10	29	43	3	18	11	-	6	9	20	126	25	41	21	14	-
Rockbridge	2	16	-	3	5	5	1	3	1	-	1	-	1	18	3	4	3	1	-
Rockingham	1	47	7	3	14	15	1	4	4	-	1	2	1	50	11	13	4	-	-
Russell	2	19	1	3	8	17	2	2	4	-	2	-	3	28	5	6	4	1	1
Salem city	1	34	6	-	11	9	-	9	2	-	1	3	5	42	7	6	6	2	-
Scott	-	23	1	3	19	22	1	3	2	-	2	1	-	21	3	1	5	2	-
Shenandoah	-	35	10	1	15	14	1	3	3	-	4	1	3	33	7	9	1	-	-
Smyth	-	21	4	7	20	22	2	3	4	-	-	3	3	23	7	7	10	4	-
Southampton	-	17	4	1	9	4	-	1	3	-	3	-	-	13	3	2	1	2	-
South Boston city [a]	-	14	-	-	6	1	-	1	1	-	-	-	-	4	1	2	-	1	-
Spotsylvania	-	14	1	3	3	10	1	2	1	-	2	2	4	15	12	6	3	2	1
Stafford	-	18	3	4	4	7	1	4	3	-	-	6	1	18	14	8	8	2	-
Staunton city	-	30	5	7	16	9	2	4	2	-	1	1	2	22	3	17	4	1	-
Suffolk city	2	52	6	6	10	19	1	10	6	2	2	9	6	57	10	16	3	6	-
Surry	1	8	-	-	2	2	-	-	2	-	-	2	-	8	5	3	1	-	-
Sussex	1	8	-	1	5	4	1	1	1	-	1	2	2	7	5	2	1	-	-
Tazewell	1	34	2	6	13	26	3	6	5	-	2	1	3	35	11	11	10	2	-
Virginia Beach city	5	94	15	14	46	58	3	19	13	-	20	48	14	118	43	34	26	18	-
Warren	-	24	-	2	2	6	-	5	-	-	-	3	1	18	5	3	3	1	3
Front Royal	-	14	-	2	1	5	-	1	-	-	-	2	1	11	3	1	1	1	-
Balance of county	-	10	-	-	1	1	-	4	-	-	-	1	-	7	2	2	2	-	3
Washington	-	39	3	4	15	15	2	4	6	-	2	2	3	35	8	9	9	2	-
Waynesboro city	1	18	3	3	4	3	-	2	1	-	1	-	1	18	3	7	1	2	-
Westmoreland	-	13	6	-	5	5	-	2	3	-	-	1	-	19	6	4	4	3	-
Williamsburg city [a]	-	11	1	1	6	5	-	1	4	-	4	1	-	12	3	3	2	-	-
Winchester city	1	19	-	-	12	10	1	3	-	-	1	-	5	16	5	3	2	-	-
Wise	-	22	2	2	17	20	-	5	1	-	-	4	2	31	15	26	4	1	-
Wythe	1	19	1	-	12	11	1	4	5	-	-	-	13	17	4	7	1	1	-
York	1	16	1	2	4	5	-	5	-	-	-	1	-	11	3	11	5	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington	34,504	13	2	348	7,934	1,975	2,264	684	921	324	266	1,498	627	15,448	11,799	137	323	7,735	3,604
Urban places	17,620	9	-	209	3,917	975	1,116	354	453	147	131	741	326	7,997	6,027	59	192	3,885	1,891
Balance of area	16,884	4	2	139	4,017	1,000	1,148	330	468	177	137	757	301	7,451	5,772	78	131	3,850	1,713
Metropolitan counties	26,755	12	1	294	6,209	1,549	1,731	555	704	247	223	1,200	476	11,880	9,051	112	285	5,828	2,826
Urban places	15,425	9	-	189	3,450	865	989	310	393	125	121	667	276	6,977	5,245	55	176	3,348	1,668
Balance of area	11,330	3	1	105	2,759	684	782	245	311	122	102	533	200	4,903	3,806	57	109	2,482	1,158
Nonmetropolitan counties	7,749	1	1	54	1,725	426	533	129	217	77	45	298	151	3,568	2,748	25	38	1,907	778
Urban places	2,195	-	-	20	467	110	147	44	60	22	10	74	50	1,020	782	4	16	539	223
Balance of area	5,554	1	1	34	1,258	316	386	85	157	55	35	224	101	2,548	1,966	21	22	1,368	555
Adams	110	-	-	1	27	8	2	1	2	-	2	12	2	46	35	-	-	18	17
Asotin	196	-	1	-	42	7	14	5	5	1	1	9	4	77	52	1	3	33	15
Benton	642	-	-	2	162	30	40	16	23	6	7	40	6	252	189	4	7	130	48
Kennewick	263	-	-	1	62	10	17	6	7	3	4	15	3	94	70	3	5	45	17
Richland	221	-	-	1	65	14	14	9	11	3	2	12	-	92	71	1	2	51	17
Balance of county	158	-	-	-	35	6	9	1	5	-	1	13	3	66	48	-	-	34	14
Chelan	503	-	-	2	106	20	41	4	18	6	3	14	11	236	181	4	1	142	34
Wenatchee	261	-	-	2	54	12	21	2	8	2	-	9	8	120	90	2	1	70	17
Balance of county	242	-	-	-	52	8	20	2	10	4	3	5	3	116	91	2	-	72	17
Clallam	533	-	-	6	114	25	43	8	13	7	2	16	6	244	192	-	3	136	53
Port Angeles	210	-	-	3	46	10	18	2	4	5	1	6	1	91	72	-	3	47	22
Balance of county	323	-	-	3	68	15	25	6	9	2	1	10	5	153	120	-	-	89	31
Clark	1,472	1	1	14	337	78	107	26	35	16	11	64	28	663	520	6	25	415	74
Vancouver	654	-	-	10	141	38	44	10	11	9	4	25	12	309	237	2	9	192	34
Balance of county	818	1	1	4	196	40	63	16	24	7	7	39	16	355	283	4	16	223	40
Columbia	63	-	-	1	15	3	2	2	4	-	-	4	2	27	16	-	-	12	4
Cowlitz	687	-	-	3	158	47	40	12	24	4	8	23	12	342	280	-	5	196	79
Kelso	125	-	-	-	30	7	11	2	4	1	1	4	2	59	51	-	-	34	17
Longview	345	-	-	2	76	19	18	7	15	2	5	10	7	184	150	-	5	107	38
Balance of county	217	-	-	1	52	21	11	3	5	1	2	9	3	99	79	-	-	55	24
Douglas	165	-	-	1	42	10	11	4	5	3	2	7	4	66	51	1	-	44	6
Ferry	38	-	-	-	9	2	2	1	-	-	-	4	1	20	17	-	-	8	9
Franklin	246	-	-	-	45	16	12	3	5	1	-	8	6	98	80	1	2	58	19
Pasco	169	-	-	-	30	13	8	-	4	-	-	5	6	69	58	1	-	43	14
Balance of county	77	-	-	-	15	3	4	3	1	1	-	3	-	29	22	-	2	15	5
Garfield	28	-	-	1	6	-	1	1	1	-	1	2	-	10	7	-	-	6	1
Grant	383	-	-	3	104	27	31	6	10	7	3	20	9	142	109	-	3	90	16
Moses Lake	88	-	-	-	31	8	12	1	3	2	-	5	1	31	21	-	2	17	2
Balance of county	295	-	-	3	73	19	19	5	7	5	3	15	8	111	88	-	1	73	14
Grays Harbor	692	-	-	7	146	42	53	4	19	3	3	22	6	339	279	2	3	196	78
Aberdeen	223	-	-	3	43	12	14	1	6	1	2	7	2	111	88	1	1	58	28
Balance of county	469	-	-	4	103	30	39	3	13	2	1	15	4	228	191	1	2	138	50
Island	376	-	-	1	90	19	33	6	8	8	2	14	5	159	119	2	4	60	53
Oak Harbor	74	-	-	-	13	1	8	1	-	-	1	2	2	33	28	-	1	15	12
Balance of county	302	-	-	1	77	18	25	5	8	8	1	12	3	126	91	2	3	45	41
Jefferson	148	-	-	2	39	9	17	3	5	1	-	4	3	64	48	-	-	35	13
King	10,365	7	-	134	2,433	639	664	199	250	99	72	510	166	4,477	3,413	46	91	2,094	1,182
Auburn	207	-	-	1	48	8	15	2	4	4	3	12	3	89	71	-	2	44	25
Bellevue	513	2	-	6	156	49	38	14	18	7	3	27	8	194	146	-	2	99	45
Kent	156	-	-	2	44	9	17	3	3	5	1	6	5	62	51	-	-	32	19
Kirkland	198	-	-	3	52	9	17	6	7	1	-	12	6	79	60	1	1	37	21
Mercer Island	140	-	-	-	38	9	5	4	6	-	2	12	2	56	44	-	-	35	9
Redmond	119	-	-	3	31	6	9	-	4	4	1	7	1	49	33	-	-	25	8
Renton	316	-	-	3	77	17	29	7	5	2	2	15	1	148	119	1	1	74	43
Seattle	5,397	5	-	79	1,171	323	321	95	115	36	30	251	86	2,380	1,782	20	62	1,082	618
Balance of county	3,381	-	-	37	816	209	213	68	88	40	30	168	54	1,420	1,107	24	23	666	394
Kitsap	1,109	1	-	13	273	68	93	23	35	5	9	40	16	500	399	2	16	244	137
Bremerton	383	-	-	2	89	24	31	7	8	-	3	16	5	179	137	-	6	87	44
Balance of county	726	1	-	11	184	44	62	16	27	5	6	24	13	321	262	2	10	157	93
Kittitas	238	-	-	-	52	15	12	5	4	5	-	11	5	107	80	1	-	53	26
Ellensburg	123	-	-	-	23	5	7	4	1	3	-	3	2	60	46	-	-	30	16
Balance of county	115	-	-	-	29	10	5	1	3	2	-	8	3	47	34	1	-	23	10
Klickitat	197	-	-	-	35	14	11	1	1	1	2	5	2	54	45	2	-	28	15
Lewis	595	-	-	3	134	27	48	15	16	5	2	21	12	288	216	2	4	118	92
Centralia	196	-	-	1	39	7	11	10	4	1	-	6	5	92	67	-	2	35	30
Balance of county	399	-	-	2	95	20	37	5	12	4	2	15	7	197	149	2	2	83	62
Lincoln	108	-	-	-	22	4	9	2	-	-	1	6	3	50	35	-	1	25	9
Mason	314	-	-	-	81	22	24	6	7	2	3	17	6	150	117	1	4	90	22
Okanogan	314	-	-	3	67	16	19	6	9	8	1	8	7	154	128	-	-	96	32
Pacific	230	-	-	-	47	8	17	1	9	4	1	7	6	116	87	1	1	53	32
Pend Oreille	88	-	-	2	21	3	9	2	1	2	-	4	-	44	33	-	2	21	10
Pierce	3,953	-	-	38	930	234	256	76	102	46	43	173	83	1,764	1,354	16	61	833	444
Puyallup	239	-	-	2	48	15	9	2	9	4	3	6	7	121	89	2	3	60	24
Tacoma	1,778	-	-	20	389	103	110	38	39	14	17	68	37	816	620	9	31	383	197
Balance of county	1,936	-	-	16	493	116	137	36	54	28	23	99	39	827	645	5	27	390	223
San Juan	94	-	-	-	19	5	5	2	3	-	1	3	1	41	34	1	1	21	11
Skagit	656	-	-	8	132	35	38	7	24	2	2	24	18	320	238	4	2	175	57
Mount Vernon	155	-	-	4	28	7	8	2	6	-	-	5	6	77	53	1	1	44	7
Balance of county	501	-	-	4	104	28	30	5	18	2	2	19	12	243	185	3	1	131	50
Skamania	47	-	-	-	10	6	2	1	-	-	-	1	-	21	20	-	-	16	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington	126	2,659	413	451	1,195	1,576	111	441	289	3	250	301	342	3,028	797	874	615	241	69
Urban places	63	1,454	228	225	637	833	50	254	148	2	100	158	170	1,609	322	413	299	129	38
Balance of area	63	1,205	185	226	558	743	61	187	141	1	150	143	172	1,419	475	461	316	112	31
Metropolitan counties	100	2,067	313	349	922	1,228	82	353	218	3	206	244	280	2,383	598	640	490	195	61
Urban places	56	1,279	199	198	552	729	44	224	133	2	89	140	143	1,417	268	362	267	116	38
Balance of area	44	788	114	151	370	499	38	129	85	1	117	104	117	966	330	278	223	79	23
Nonmetropolitan counties	26	592	100	102	273	348	29	88	71	-	44	57	82	645	199	234	125	46	8
Urban places	7	175	29	27	85	104	6	30	15	-	11	18	27	192	54	51	32	13	-
Balance of area	19	417	71	75	188	244	23	58	56	-	33	39	55	453	145	183	93	33	8
Adams	1	7	2	1	5	5	-	1	1	-	1	-	1	8	5	2	2	2	1
Asotin	1	17	4	3	10	7	2	2	-	-	3	3	4	20	6	9	4	1	1
Benton	4	47	3	9	33	35	2	9	3	-	8	9	5	58	17	23	13	5	-
Kennewick	1	18	1	4	17	15	1	2	-	-	3	5	4	35	5	8	4	4	-
Richland	1	16	1	3	11	11	-	3	3	-	2	1	1	10	7	8	5	1	-
Balance of county	2	13	1	2	5	9	1	4	-	-	3	3	-	13	5	7	4	-	-
Chelan	4	38	4	9	6	29	3	5	5	-	5	6	5	43	17	11	6	7	-
Wenatchee	3	22	1	4	5	16	2	2	4	-	2	1	5	21	10	1	4	4	-
Balance of county	1	16	3	5	1	13	1	3	1	-	3	5	-	22	7	10	2	3	-
Clallam	1	41	4	6	24	31	4	10	6	-	2	3	5	39	18	13	7	1	-
Port Angeles	-	12	4	3	8	13	-	5	3	-	1	-	4	18	6	8	3	-	-
Balance of county	1	29	-	3	16	18	4	5	3	-	1	3	1	21	12	5	4	1	-
Clark	4	103	14	22	47	68	6	18	8	-	11	7	15	131	44	35	23	12	3
Vancouver	3	49	8	11	22	34	2	7	4	-	2	4	9	60	14	13	6	4	2
Balance of county	1	54	6	11	25	34	4	11	4	-	9	3	6	71	30	22	17	8	1
Columbia	-	8	-	3	4	2	-	2	-	-	-	-	-	3	1	4	1	-	1
Cowlitz	2	47	7	6	22	25	4	12	1	-	3	3	5	50	11	20	11	5	-
Kelso	-	8	-	-	3	3	-	6	-	-	2	-	2	10	1	1	4	2	-
Longview	1	25	4	4	13	15	2	4	-	-	-	1	1	16	6	12	4	2	-
Balance of county	1	14	3	2	6	7	2	2	1	-	1	2	2	24	4	7	3	1	-
Douglas	-	13	-	2	4	8	2	2	-	-	2	-	2	14	7	8	3	-	-
Ferry	-	3	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-
Franklin	1	11	2	4	3	21	-	6	3	-	4	5	2	15	13	9	10	5	1
Pasco	-	9	-	2	3	14	-	5	2	-	2	5	-	10	4	6	7	5	1
Balance of county	1	2	2	2	-	7	-	1	1	-	2	-	2	5	9	3	3	-	-
Garfield	-	1	1	1	-	1	-	-	1	-	-	-	-	7	1	-	-	-	1
Grant	-	22	3	8	11	19	2	5	3	-	4	9	4	33	8	13	7	6	1
Moses Lake	-	8	-	2	2	2	-	3	-	-	1	5	-	6	2	3	-	1	-
Balance of county	-	14	3	6	9	17	2	2	3	-	3	4	4	27	6	10	7	5	1
Grays Harbor	2	37	9	12	30	34	1	7	7	-	4	5	10	48	13	20	12	3	-
Aberdeen	-	13	4	6	11	11	-	3	1	-	2	1	4	18	5	2	4	2	-
Balance of county	2	24	5	6	19	23	1	4	6	-	2	4	6	30	8	18	8	1	-
Island	-	24	11	5	15	24	-	6	2	-	1	2	4	36	10	13	6	1	1
Oak Harbor	-	2	1	2	3	3	-	1	-	-	-	2	2	10	3	-	2	-	-
Balance of county	-	22	10	3	12	21	-	5	2	-	1	-	2	26	7	13	4	1	1
Jefferson	2	11	3	-	6	4	-	3	4	-	1	-	1	8	5	2	4	-	-
King	45	790	102	127	386	418	32	145	95	1	75	75	96	1,045	206	261	193	85	35
Auburn	-	13	2	3	6	14	2	3	4	-	4	2	2	16	4	5	3	-	1
Bellevue	1	38	3	6	21	19	-	6	4	-	1	2	5	51	12	11	11	4	-
Kent	-	8	2	1	2	7	-	1	1	-	2	6	1	11	5	4	2	1	-
Kirkland	-	12	4	3	10	6	-	1	-	-	4	3	4	19	2	6	2	-	-
Mercer Island	2	6	3	1	9	5	-	-	3	-	-	1	1	17	5	-	3	-	-
Redmond	-	11	3	2	2	2	1	1	-	-	3	1	4	11	3	2	4	1	-
Renton	-	20	5	4	14	8	-	4	3	-	1	3	5	27	12	7	3	-	-
Seattle	26	451	50	71	199	230	18	89	55	1	27	32	42	559	58	130	96	61	19
Balance of county	16	231	30	36	123	128	11	40	25	-	33	25	32	334	105	86	69	18	15
Kitsap	2	76	9	14	32	50	5	8	4	-	7	18	10	105	27	17	18	3	-
Bremerton	1	35	4	2	15	18	3	2	2	-	1	7	4	33	9	8	3	3	-
Balance of county	1	41	5	12	17	32	2	6	2	-	6	11	6	72	18	9	15	-	-
Kittitas	-	24	2	1	5	15	-	4	-	-	-	1	2	26	6	8	5	-	2
Ellensburg	-	14	-	-	4	8	-	-	-	-	-	1	1	14	2	4	4	-	-
Balance of county	-	10	2	1	1	7	-	4	-	-	-	-	1	12	4	4	1	-	2
Klickitat	-	6	2	1	7	6	-	1	2	-	-	3	2	14	4	6	1	-	-
Lewis	3	57	9	4	10	19	2	6	7	-	2	3	6	46	17	27	5	7	-
Centralia	1	22	2	-	5	9	2	1	4	-	-	1	3	17	4	9	3	1	-
Balance of county	2	35	7	4	5	10	-	5	3	-	2	2	3	29	13	18	2	6	-
Lincoln	-	14	-	1	5	4	-	1	2	-	-	-	3	12	5	1	-	-	-
Mason	3	25	1	4	11	10	1	2	1	-	2	2	3	25	3	6	10	1	-
Okanogan	-	20	4	2	11	17	2	4	5	-	2	3	3	15	7	7	6	1	-
Pacific	1	17	3	8	7	7	-	2	1	-	-	1	7	20	6	6	4	-	-
Pend Oreille	-	9	1	1	2	5	-	-	1	-	-	1	2	6	1	2	1	-	-
Pierce	13	278	66	53	112	196	8	63	39	2	31	54	38	299	90	72	80	43	11
Puyallup	-	19	9	4	12	9	-	2	-	-	2	3	4	17	6	2	3	-	1
Tacoma	9	132	36	19	46	97	4	41	16	1	11	19	14	134	37	36	38	14	6
Balance of county	4	127	21	30	54	90	4	20	21	1	18	32	20	148	47	34	39	29	4
San Juan	-	2	1	4	6	2	-	2	-	-	-	-	1	12	-	3	3	4	-
Skagit	3	60	9	10	31	32	3	2	4	-	7	3	2	51	8	20	12	3	-
Mount Vernon	-	17	3	4	12	4	-	-	1	-	2	1	1	12	2	4	1	-	-
Balance of county	3	43	6	6	19	28	3	2	3	-	5	2	1	39	6	16	11	3	-
Skamania	-	1	-	-	-	4	-	-	-	-	-	-	3	3	4	-	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con.																			
Snohomish	2,601	1	-	28	659	161	185	78	77	19	21	118	45	1,128	858	10	26	553	269
Edmonds	272	-	-	2	63	12	15	11	7	1	1	16	3	124	95	-	2	51	42
Everett	662	-	-	8	170	39	49	18	26	5	7	26	12	300	207	1	9	136	61
Lynnwood	193	-	-	4	39	10	10	2	5	1	3	8	6	70	58	2	-	39	17
Mountlake Terrace	63	-	-	2	16	4	3	2	2	-	2	3	3	20	20	-	-	8	12
Balance of county	1,411	1	-	12	371	96	108	45	37	12	8	65	21	614	476	7	15	319	137
Spokane	2,963	2	-	33	641	150	164	61	88	24	29	125	62	1,370	1,020	14	21	630	355
Spokane	1,952	2	-	23	402	96	110	34	57	14	16	75	43	930	687	8	17	426	236
Balance of county	1,011	-	-	10	239	54	54	27	31	10	13	50	19	440	333	6	4	204	119
Stevens	229	-	-	1	42	11	16	3	5	-	2	5	2	106	81	3	-	52	26
Thurston	935	-	-	7	218	45	63	22	26	11	7	44	21	439	345	2	18	221	104
Lacey	153	-	-	-	31	8	4	4	5	2	1	7	4	89	72	-	8	37	27
Olympia	323	-	-	4	69	6	23	11	10	3	2	14	3	151	122	1	5	76	40
Balance of county	459	-	-	3	118	31	36	7	11	6	4	23	14	199	151	1	5	108	37
Wahkiakum	39	-	-	-	4	1	2	-	1	-	-	-	-	21	19	-	-	15	4
Walla Walla	500	-	-	6	111	25	21	13	16	6	2	28	21	218	153	-	-	106	47
Walla Walla	328	-	-	4	68	15	17	9	8	3	-	16	14	141	102	-	-	72	30
Balance of county	172	-	-	2	43	10	4	4	8	3	2	12	7	77	51	-	-	34	17
Whatcom	857	-	-	5	208	61	46	20	28	7	13	33	14	403	297	4	8	220	65
Bellingham	437	-	-	2	103	21	25	15	16	3	9	14	8	211	151	2	7	99	43
Balance of county	420	-	-	3	105	40	21	5	12	4	4	19	6	192	146	2	1	121	22
Whitman	242	1	-	3	50	15	10	8	7	2	1	7	3	105	76	-	1	62	13
Pullman	67	-	-	1	16	7	2	3	1	2	-	1	-	21	14	-	-	10	4
Balance of county	175	1	-	2	34	8	8	5	6	-	1	6	3	84	62	-	1	52	9
Yakima	1,612	-	-	20	303	67	101	31	35	13	11	45	27	786	576	7	10	430	129
Yakima	679	-	-	11	116	22	46	10	14	4	5	15	12	346	245	1	4	185	55
Balance of county	933	-	-	9	187	45	55	21	21	9	6	30	15	440	331	6	6	245	74
West Virginia	19,444	19	-	187	4,136	931	1,356	295	387	162	151	856	351	9,602	7,774	80	192	4,982	2,520
Urban places	5,486	6	-	49	1,200	279	360	88	122	46	36	269	95	2,766	2,231	21	61	1,431	718
Balance of area	13,958	13	-	138	2,936	652	996	207	265	116	115	587	256	6,836	5,543	59	131	3,551	1,802
Metropolitan counties	7,104	4	-	71	1,640	368	531	125	161	64	57	334	137	3,483	2,857	26	92	1,814	925
Urban places	3,733	3	-	36	854	205	270	62	83	28	24	181	62	1,860	1,507	13	49	963	482
Balance of area	3,371	1	-	35	786	162	261	63	78	36	33	153	75	1,623	1,350	13	43	851	443
Nonmetropolitan counties	12,340	15	-	116	2,496	563	825	170	226	98	94	522	214	6,119	4,917	54	100	3,168	1,595
Urban places	1,753	3	-	13	346	73	90	26	39	18	12	88	33	906	724	8	12	468	236
Balance of area	10,587	12	-	103	2,152	490	735	144	187	80	82	434	181	5,213	4,193	46	88	2,700	1,359
Barbour	176	-	-	1	34	8	10	1	4	1	3	7	-	93	68	1	1	42	24
Berkeley	520	-	-	2	117	26	41	8	15	5	2	20	6	265	218	2	2	111	103
Martinsburg	252	-	-	2	44	8	11	5	7	3	2	8	2	144	118	-	-	64	54
Balance of county	268	-	-	-	73	18	30	3	8	2	-	12	4	121	100	2	2	47	49
Boone	266	-	-	2	55	5	24	4	5	-	4	13	4	117	96	2	6	54	34
Braxton	159	-	-	1	42	17	5	7	2	1	2	8	3	67	51	1	1	33	16
Brooke	268	-	-	6	55	11	14	5	6	6	2	11	7	129	109	2	4	75	28
Weirton, part	49	-	-	-	11	4	3	-	-	-	-	4	-	27	23	-	1	17	5
Balance of county	219	-	-	6	44	7	11	5	6	6	2	7	7	102	86	2	3	58	23
Cabell	1,160	-	-	10	275	52	90	23	29	10	6	65	16	593	465	5	14	335	111
Huntington, part	807	-	-	6	181	40	60	14	19	6	2	40	11	422	330	3	9	237	81
Huntington, total	856	-	-	6	194	41	63	14	22	6	4	44	11	448	348	3	10	247	88
Balance of county	353	-	-	4	94	12	30	9	10	4	4	25	5	171	135	2	5	98	30
Calhoun	97	-	-	-	16	2	7	3	1	-	1	2	-	60	52	-	-	31	21
Clay	94	-	-	1	20	4	12	-	1	-	-	3	1	46	35	3	2	16	14
Doddridge	68	-	-	1	18	4	7	1	1	-	3	2	-	31	21	-	1	14	6
Fayette	662	1	-	6	140	37	50	9	14	1	3	26	10	347	301	5	5	205	86
Gilmer	69	-	-	-	17	1	1	2	5	2	3	3	1	33	27	-	-	21	6
Grant	105	2	-	2	18	4	4	2	1	1	3	3	3	51	44	-	-	31	13
Greenbrier	415	1	-	4	82	15	30	2	7	6	2	20	9	212	164	2	2	98	62
Hampshire	143	-	-	1	34	11	14	-	1	2	3	3	1	71	58	-	1	43	14
Hancock	368	-	-	5	78	16	30	3	8	2	3	16	6	197	155	1	7	99	48
Weirton, part	217	-	-	5	41	9	15	3	3	1	1	9	4	111	87	1	2	52	32
Weirton, total	266	-	-	5	52	13	18	3	3	1	1	13	4	138	110	1	3	69	37
Balance of county	151	-	-	-	37	7	15	-	5	1	2	7	2	86	68	-	5	47	16
Hardy	127	-	-	2	17	3	5	3	1	1	-	4	1	59	49	2	-	34	13
Harrison	878	-	-	7	206	58	57	16	15	5	4	51	12	423	336	3	18	216	97
Clarksburg	346	-	-	3	79	24	18	6	4	4	1	22	6	169	137	1	5	91	40
Balance of county	532	-	-	4	127	34	39	10	11	1	3	29	6	254	199	2	13	127	57
Jackson	205	-	-	3	40	10	9	2	6	5	2	6	10	103	78	-	2	44	32
Jefferson	293	-	-	3	51	16	22	3	3	2	1	4	4	154	127	1	2	90	34
Kanawha	2,302	1	-	24	530	115	186	40	44	24	17	104	41	1,075	912	5	50	469	388
Charleston	633	-	-	11	174	38	56	13	17	9	7	36	12	396	342	2	22	172	146
St. Albans	186	-	-	1	53	12	21	6	3	2	1	8	6	77	57	-	5	28	24
South Charleston	141	-	-	-	35	12	10	2	2	-	1	8	1	71	60	-	3	32	25
Balance of county	1,142	1	-	12	268	55	99	19	22	13	8	52	22	531	453	3	20	237	193
Lewis	218	-	-	3	43	10	14	3	4	4	-	8	6	123	102	1	2	58	43
Lincoln	223	1	-	3	44	13	16	4	1	1	3	6	7	110	95	-	-	63	32
Logan	460	2	-	1	110	25	45	9	7	4	4	16	10	198	164	2	3	109	50
McDowell	476	1	-	9	67	21	21	5	3	3	-	14	5	229	200	2	2	101	95
Marion	751	1	-	9	169	41	62	13	15	4	5	29	9	378	286	6	2	218	60
Fairmont	346	1	-	3	78	18	25	6	7	2	2	18	4	174	132	5	2	101	24
Balance of county	405	-	-	6	91	23	37	7	8	2	3	11	5	204	154	1	-	117	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Snohomish	6	210	26	28	89	91	9	28	16	-	27	25	34	228	60	66	50	12	5
Edmonds	-	25	2	2	12	9	1	7	1	-	2	2	2	28	3	10	2	1	-
Everett	2	74	8	9	16	23	1	10	2	-	2	8	11	71	6	12	6	2	-
Lynnwood	-	11	1	-	9	7	-	1	4	-	4	3	1	26	6	4	6	1	2
Mountlake Terrace	-	-	-	-	-	3	-	1	-	-	-	1	1	4	6	2	2	1	1
Balance of county	4	100	15	17	50	49	7	9	9	-	19	11	19	99	39	38	34	7	2
Spokane	13	239	55	43	103	176	11	33	25	-	25	30	26	230	53	77	50	13	3
Spokane	6	171	36	30	70	118	8	24	15	-	7	20	16	146	35	48	33	9	3
Balance of county	7	68	19	13	33	58	3	9	10	-	18	10	10	84	18	29	17	4	-
Stevens	-	20	2	3	3	10	-	1	9	-	2	3	2	21	10	10	6	1	-
Thurston	2	71	5	16	23	43	1	15	7	-	6	8	7	80	16	16	16	1	1
Lacey	-	12	2	3	1	4	-	1	1	-	2	1	2	11	1	1	4	-	-
Olympia	1	24	-	4	12	15	-	6	3	-	1	4	1	34	5	7	7	-	1
Balance of county	1	35	3	9	10	24	1	8	3	-	3	3	4	45	10	8	5	1	-
Wahkiakum	-	2	-	-	2	-	-	-	2	-	1	-	1	4	1	1	1	1	-
Walla Walla	3	45	14	3	21	19	1	5	2	-	2	2	3	57	12	14	4	2	-
Walla Walla	2	27	8	2	14	16	-	4	-	-	1	2	3	42	8	7	3	1	-
Balance of county	1	18	6	1	7	3	1	1	2	-	1	-	-	15	4	7	1	1	-
Whatcom	3	80	11	12	32	38	2	4	9	-	5	3	7	69	24	16	14	4	-
Bellingham	-	45	9	6	12	18	2	1	3	-	3	1	1	41	12	10	8	1	-
Balance of county	3	35	2	6	20	20	-	3	6	-	2	2	6	28	12	6	6	3	-
Whitman	-	21	4	4	15	9	2	3	5	-	-	4	1	21	12	7	1	-	-
Pullman	-	5	2	-	5	4	-	1	2	-	-	9	1	9	5	-	-	-	-
Balance of county	-	16	2	4	10	5	2	2	3	-	-	1	-	13	7	7	1	-	-
Yakima	7	162	20	21	62	92	6	24	9	-	7	10	20	113	48	48	23	12	2
Yakima	3	80	10	8	29	44	1	6	5	-	3	6	8	46	11	22	9	3	1
Balance of county	4	82	10	13	33	48	5	18	4	-	4	4	12	67	37	26	14	9	1
West Virginia	57	1,364	192	215	599	815	47	195	217	2	104	122	176	1,615	443	453	253	87	19
Urban places	18	394	63	60	181	208	16	54	74	-	22	28	63	456	70	110	67	17	4
Balance of area	39	970	129	155	418	607	31	141	143	2	82	94	113	1,159	373	343	186	70	15
Metropolitan counties	14	463	79	70	234	278	19	71	79	-	38	40	85	554	128	132	77	28	6
Urban places	12	259	46	36	119	148	11	39	48	-	15	17	47	294	51	71	43	12	3
Balance of area	2	204	33	34	115	130	8	32	31	-	23	23	38	260	77	61	34	16	3
Nonmetropolitan counties	43	901	113	145	365	537	28	124	138	2	66	82	91	1,061	315	321	176	59	13
Urban places	6	135	17	24	62	60	5	15	26	-	7	11	16	162	19	39	24	5	1
Balance of area	37	766	96	121	303	477	23	109	112	2	59	71	75	899	296	282	152	54	12
Barbour	-	19	3	3	9	8	1	1	2	-	-	1	2	18	1	3	2	-	-
Berkeley	1	34	6	6	19	21	-	9	-	-	4	1	5	31	17	15	8	-	-
Martinsburg	-	19	2	5	13	9	-	4	-	-	1	-	1	18	5	8	1	-	-
Balance of county	1	15	4	1	6	12	-	5	-	-	3	1	4	13	12	7	7	-	-
Boone	2	15	1	3	6	14	-	2	2	-	2	1	1	29	12	10	5	3	1
Braxton	-	14	-	2	3	6	-	-	3	-	1	-	3	16	5	5	4	-	-
Brooke	-	15	3	2	13	11	2	-	5	-	2	3	-	17	10	5	3	-	-
Weirton, part	-	3	-	1	2	3	1	-	1	-	-	-	-	3	-	-	1	-	-
Balance of county	-	12	3	1	11	8	1	-	4	-	2	3	-	14	10	5	2	-	-
Cabell	2	101	15	10	39	36	3	6	9	-	5	2	15	91	14	21	17	6	2
Huntington, part	1	76	10	5	24	30	3	6	6	-	2	1	11	67	8	12	10	5	2
Huntington, total	2	80	13	5	25	33	3	6	6	-	2	1	13	70	8	13	10	5	2
Balance of county	1	25	5	5	15	6	-	-	3	-	3	1	4	24	6	9	7	1	-
Calhoun	-	7	-	1	3	3	-	-	1	-	1	1	-	10	1	1	-	-	-
Clay	-	9	1	1	4	2	1	-	1	-	1	-	1	7	3	3	2	1	-
Doddridge	1	8	-	1	2	4	-	-	-	-	1	-	-	8	-	2	-	1	-
Fayette	3	34	3	6	19	21	3	5	11	-	3	3	1	62	12	10	8	-	-
Gilmer	-	6	-	-	-	3	-	-	1	-	1	-	-	5	1	3	4	-	-
Grant	-	2	2	3	3	2	-	3	2	-	3	-	1	5	5	4	1	-	-
Greenbrier	-	33	3	12	17	13	1	4	2	-	1	1	3	40	7	9	8	1	-
Hampshire	1	8	1	3	6	2	-	5	1	-	-	2	-	8	5	2	4	1	-
Hancock	1	34	2	5	10	11	1	6	5	-	2	1	2	27	4	10	2	1	-
Weirton, part	1	18	2	3	8	7	1	3	3	-	1	1	2	19	4	6	1	-	-
Weirton, total	1	21	2	4	10	10	2	3	4	-	1	1	2	22	4	6	2	-	-
Balance of county	-	16	-	2	2	4	-	3	2	-	1	-	-	8	-	4	1	1	-
Hardy	-	7	-	3	8	7	1	1	3	-	-	1	-	11	2	7	5	2	-
Harrison	5	65	9	8	17	35	3	12	19	-	4	4	8	89	13	13	12	1	-
Clarksburg	2	25	3	2	8	17	1	2	7	-	2	2	6	35	3	3	3	-	-
Balance of county	3	40	6	6	9	18	2	10	12	-	2	2	2	54	10	10	9	1	-
Jackson	7	14	2	2	3	10	1	-	3	-	1	1	2	12	6	6	3	1	-
Jefferson	-	22	2	3	10	4	1	4	2	-	2	3	1	18	19	7	7	1	2
Kanawha	3	126	16	18	84	111	7	35	25	-	17	14	23	185	44	48	25	11	2
Charleston	2	42	4	6	26	44	3	9	14	-	3	5	9	80	16	19	10	2	-
St. Albans	-	14	3	3	11	-	-	9	2	-	3	1	3	10	3	6	1	-	-
South Charleston	-	10	-	1	6	8	-	2	-	-	-	-	1	10	1	2	3	1	-
Balance of county	1	60	9	8	41	59	4	15	9	-	11	8	10	85	24	21	11	8	2
Lewis	-	14	4	3	4	7	-	-	-	-	1	2	3	19	2	1	1	2	1
Lincoln	-	14	1	-	5	17	2	3	1	-	1	2	2	18	2	2	2	1	-
Logan	1	25	2	6	16	24	-	5	2	1	2	3	7	37	13	18	5	6	-
McDowell	2	22	1	4	13	22	2	4	4	-	2	8	3	57	13	18	11	8	-
Marion	2	73	6	11	16	25	3	9	14	-	1	5	2	66	9	16	16	3	-
Fairmont	1	33	9	5	8	6	2	5	6	-	1	4	1	33	3	8	7	2	-
Balance of county	1	40	3	6	8	19	1	4	8	-	-	1	1	33	6	8	9	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Marshall	358	-	-	1	94	27	25	6	12	6	4	14	12	163	138	6	2	96	34
Moundsville	145	-	-	1	37	10	10	2	4	3	1	7	5	61	51	2	1	31	17
Wheeling, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
Balance of county	211	-	-	-	57	17	15	4	8	3	3	7	7	100	86	4	1	65	16
Mason	247	-	-	4	51	7	13	4	5	4	1	17	2	126	91	1	2	59	29
Mercer	790	1	-	5	150	35	43	5	13	12	9	33	12	402	336	2	3	234	97
Bluefield [20]	205	1	-	-	30	5	7	2	4	4	2	6	4	122	103	1	1	72	29
Balance of county	585	-	-	5	120	30	36	3	9	8	7	27	8	280	233	1	2	162	68
Mineral	255	-	-	1	54	16	13	4	3	4	1	13	3	140	119	-	3	73	43
Mingo	349	1	-	3	73	12	27	5	9	2	5	13	9	171	144	-	1	90	53
Monongalia	558	-	-	3	113	24	35	7	12	2	3	30	16	281	230	3	5	119	103
Morgantown	248	-	-	1	50	9	14	3	8	1	2	13	10	120	101	-	1	49	51
Balance of county	310	-	-	2	63	15	21	4	4	1	1	17	6	161	129	3	4	70	52
Monroe	135	-	-	1	27	4	8	3	3	2	1	6	3	73	59	1	1	37	20
Morgan	128	-	-	-	29	4	11	4	2	-	-	8	3	68	54	-	1	22	31
Nicholas	250	-	-	1	52	11	17	4	5	1	-	14	8	110	92	1	-	67	24
Ohio	762	1	-	8	185	46	55	19	21	3	10	31	11	410	338	4	2	253	79
Wheeling, part	648	1	-	6	161	41	47	16	16	3	8	30	6	346	284	4	2	213	65
Wheeling, total	650	1	-	6	161	41	47	16	16	3	8	30	6	348	285	4	2	213	66
Balance of county	114	-	-	2	24	5	8	3	5	-	2	1	5	64	54	-	-	40	14
Pendleton	106	-	-	1	14	4	5	-	1	1	-	3	1	53	44	-	-	31	13
Pleasants	90	1	-	-	11	2	3	1	1	-	-	4	2	50	34	-	2	22	10
Pocahontas	131	-	-	4	23	11	8	-	2	-	1	1	3	69	53	-	2	38	13
Preston	298	-	-	6	45	10	11	4	7	1	2	10	5	153	116	1	4	75	36
Putnam	305	-	-	2	77	19	27	7	6	2	3	13	3	139	112	-	2	57	53
Raleigh	866	1	-	11	165	28	46	10	19	8	8	46	11	425	328	3	10	236	79
Beckley	358	1	-	4	65	9	15	4	9	4	3	21	7	177	133	1	3	91	38
Balance of county	508	-	-	7	100	19	31	6	10	4	5	25	4	248	195	2	7	145	41
Randolph	271	-	-	4	48	10	25	2	3	2	-	6	7	130	99	1	5	64	29
Ritchie	126	-	-	2	22	3	7	1	1	1	2	7	3	60	43	-	1	33	9
Roane	171	-	-	-	42	13	16	-	3	1	2	7	1	85	58	-	1	42	15
Summers	156	-	-	2	36	3	13	2	5	2	2	9	5	68	56	2	-	44	10
Taylor	167	-	-	-	39	10	12	5	2	1	1	8	-	91	68	-	1	36	31
Tucker	102	-	-	2	16	4	5	1	2	-	-	4	5	48	39	-	1	31	7
Tyler	116	-	-	2	20	7	5	2	3	-	-	3	2	57	42	-	1	31	10
Upshur	241	1	-	2	57	9	13	5	7	5	2	16	3	123	105	1	3	48	53
Wayne	384	-	-	4	80	13	24	9	11	1	6	16	10	191	148	2	4	104	38
Huntington, part	49	-	-	-	13	1	3	-	3	-	2	4	-	26	18	-	1	10	7
Balance of county	335	-	-	4	67	12	21	9	8	1	4	12	10	165	130	2	3	94	31
Webster	146	1	-	-	31	8	13	-	2	1	-	7	4	72	55	3	-	25	27
Wetzel	211	-	-	-	47	8	13	3	4	1	5	13	4	117	91	-	2	64	25
Wirt	54	-	-	1	19	4	6	1	3	-	1	4	1	22	21	-	1	12	8
Wood	888	2	-	9	193	49	61	8	18	6	4	47	27	424	340	1	3	241	95
Parkersburg	536	1	-	6	118	35	37	5	11	4	-	26	16	266	213	-	3	145	65
Vienna	120	1	-	-	30	6	8	1	5	-	1	9	1	55	41	1	-	26	14
Balance of county	232	-	-	3	45	8	16	2	2	2	3	12	10	103	86	-	-	70	16
Wyoming	282	-	-	2	47	5	20	5	3	3	2	9	3	123	108	2	2	88	16
Wisconsin	41,492	27	1	367	9,290	2,498	2,115	838	1,044	487	366	1,942	758	20,717	16,110	130	343	12,139	3,496
Urban places	20,996	19	1	224	4,751	1,260	1,083	439	520	263	187	999	367	10,334	8,072	71	210	6,143	1,648
Balance of area	20,496	8	-	143	4,539	1,238	1,032	399	524	224	179	943	391	10,383	8,038	59	133	5,996	1,850
Metropolitan counties	25,692	18	1	260	5,882	1,536	1,362	557	647	318	226	1,236	449	12,638	9,903	84	232	7,526	2,061
Urban places	18,600	17	1	205	4,243	1,124	982	395	458	232	161	891	320	9,096	7,147	64	195	5,456	1,432
Balance of area	7,092	1	-	55	1,639	412	380	162	189	86	65	345	129	3,542	2,756	20	37	2,070	629
Nonmetropolitan counties	15,800	9	-	107	3,408	962	753	281	397	169	140	706	309	8,079	6,207	46	111	4,613	1,437
Urban places	2,398	2	-	19	508	136	101	44	62	31	26	108	47	1,238	925	7	15	687	216
Balance of area	13,404	7	-	88	2,900	826	652	237	335	138	114	598	262	6,841	5,282	39	96	3,926	1,221
Adams	180	-	-	2	36	12	12	3	1	2	-	6	4	98	66	-	2	48	16
Ashland	197	-	-	2	46	9	19	2	5	4	-	7	5	96	65	-	3	32	30
Barron	431	-	-	3	85	27	20	7	15	3	-	13	8	231	176	2	4	125	45
Bayfield	161	-	-	3	32	10	11	3	3	2	-	3	4	82	62	1	1	42	18
Brown	1,314	-	-	12	299	77	68	29	33	15	9	68	24	652	473	3	4	365	101
Allouez town#	102	-	-	-	23	5	7	3	1	1	-	6	1	56	35	-	-	30	5
Ashwaubenon	99	-	-	-	19	6	1	2	3	2	1	4	1	56	38	1	-	30	7
De Pere	108	-	-	2	17	3	3	-	3	2	1	5	3	57	40	-	1	32	7
Green Bay	795	-	-	10	187	47	47	21	21	8	5	38	12	380	284	1	2	218	63
Balance of county	212	-	-	-	53	16	10	3	5	2	2	15	7	103	76	1	1	55	19
Buffalo	147	-	-	-	25	9	6	3	4	1	-	2	-	78	60	-	3	43	14
Burnett	128	-	-	1	35	7	10	5	3	4	-	6	2	66	47	1	-	38	8
Calumet	221	-	-	3	55	17	6	5	11	3	2	11	5	113	92	-	1	79	12
Appleton, part	19	-	-	-	4	-	-	-	2	2	-	-	1	11	6	-	-	4	2
Balance of county	202	-	-	3	51	17	6	5	9	1	2	11	4	102	86	-	1	75	10
Chippewa	496	-	-	7	101	26	27	5	14	3	4	22	12	252	198	4	5	155	34
Chippewa Falls	132	-	-	4	21	5	5	1	2	-	-	8	2	68	55	3	2	44	6
Eau Claire, part	2	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1
Balance of county	362	-	-	3	79	21	22	4	11	3	4	14	10	183	142	1	3	111	27
Clark	345	-	-	2	66	22	13	2	7	2	2	18	10	176	152	-	1	120	31
Columbia	441	-	-	4	107	35	23	8	10	7	2	22	11	208	168	2	1	104	61
Crawford	178	-	-	2	46	8	15	3	10	1	3	6	2	85	66	-	1	49	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	-	15	6	4	9	13	2	4	7	-	1	-	1	30	6	10	5	-	-
Moundsville	-	5	3	2	5	8	1	1	6	-	1	-	1	11	2	2	3	-	-
Wheeling, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	10	3	1	4	5	1	3	1	-	-	-	-	19	4	8	2	-	-
Mason	-	26	2	7	5	15	-	1	-	-	2	2	2	19	11	4	1	-	2
Mercer	4	51	5	6	24	47	3	7	9	-	3	5	4	60	13	24	14	7	-
Bluefield [10]	2	14	1	2	3	8	1	-	3	-	1	2	1	19	-	4	4	2	-
Balance of county	2	37	4	4	21	39	2	7	6	-	2	3	3	41	13	20	10	5	-
Mineral	-	11	6	4	8	10	1	4	4	-	-	1	1	18	5	3	2	-	-
Mingo	-	24	1	2	5	19	-	2	4	-	7	5	2	22	13	7	3	2	1
Monongalia	4	30	13	4	13	17	-	6	10	-	4	5	8	43	10	18	7	2	-
Morgantown	1	10	6	2	7	5	-	1	6	-	1	1	3	26	3	9	2	1	-
Balance of county	3	20	7	2	6	12	-	5	4	-	3	4	5	17	7	9	5	1	-
Monroe	1	11	-	2	2	5	-	-	1	-	-	2	1	10	5	4	1	-	-
Morgan	1	11	1	1	6	4	-	1	1	-	-	-	-	7	6	2	1	-	-
Nicholas	-	15	3	-	11	10	1	4	4	-	2	2	-	23	11	7	3	-	1
Ohio	5	46	11	10	23	23	1	5	6	-	2	4	3	46	15	11	7	1	-
Wheeling, part	5	38	11	8	21	21	1	5	6	-	1	3	3	40	11	9	6	1	-
Wheeling, total	5	38	11	9	21	21	1	5	6	-	1	3	3	40	11	9	6	1	-
Balance of county	-	8	-	2	2	2	-	-	-	-	1	1	-	6	4	2	1	-	-
Pendleton	-	9	-	-	4	5	1	1	-	-	-	1	-	4	3	17	1	-	-
Pleasants	-	13	1	2	5	3	-	1	1	-	-	-	3	10	1	1	1	-	-
Pocahontas	-	8	1	1	9	5	-	1	3	-	1	-	-	9	3	5	2	-	-
Preston	-	28	7	2	7	14	-	3	4	-	1	1	1	29	16	11	1	1	-
Putnam	-	22	1	4	13	8	1	3	1	-	1	3	9	31	9	1	3	-	1
Raleigh	2	74	4	17	43	43	2	16	5	-	6	3	7	79	15	18	11	2	3
Beckley	-	34	2	8	23	15	1	3	4	-	1	2	4	31	5	7	7	-	1
Balance of county	2	40	2	9	20	28	1	13	1	-	5	1	3	48	10	11	4	2	2
Randolph	2	24	3	2	5	20	1	4	1	-	1	3	1	25	7	7	5	1	1
Ritchie	-	9	7	1	2	5	-	1	1	-	2	3	4	13	2	5	-	1	-
Roane	-	25	1	1	5	4	-	-	2	-	-	1	2	14	4	7	2	2	-
Summers	1	10	-	1	3	10	-	2	3	-	-	-	1	24	1	-	1	-	-
Taylor	2	17	4	-	5	5	1	1	3	-	-	-	2	13	4	3	-	-	-
Tucker	-	3	5	1	4	3	-	-	-	-	-	1	-	13	4	6	-	-	-
Tyler	-	12	2	1	4	5	-	1	3	-	-	-	1	14	4	2	-	1	-
Upshur	-	14	1	3	2	12	-	1	2	-	-	4	1	13	11	5	3	1	-
Wayne	1	33	5	4	9	21	-	4	4	-	-	2	10	31	7	6	1	4	-
Huntington, part	1	4	3	-	1	3	-	-	-	-	-	-	2	3	-	1	-	-	-
Balance of county	-	29	2	4	8	18	-	4	4	-	-	2	8	28	7	5	1	4	-
Webster	-	12	1	4	2	3	-	2	2	-	1	-	-	13	9	4	1	1	-
Wetzel	1	19	2	4	6	7	-	1	1	-	2	2	4	12	5	2	1	-	-
Wirt	-	-	-	1	1	4	-	-	-	-	-	-	1	4	-	1	-	-	-
Wood	2	60	14	8	25	30	1	4	13	-	8	10	20	74	14	16	12	5	1
Parkersburg	1	37	9	6	10	23	-	3	9	-	1	4	10	40	5	12	8	3	1
Vienna	1	12	1	-	5	1	1	1	1	-	3	2	5	11	1	2	-	-	-
Balance of county	-	11	4	2	10	6	-	-	3	-	4	4	5	23	8	2	4	2	-
Wyoming	-	11	2	2	10	26	-	1	4	1	2	3	2	26	9	7	9	6	1
Wisconsin	159	3,334	588	526	1,442	1,300	116	429	397	4	264	278	228	3,511	773	769	611	160	50
Urban places	72	1,669	275	246	749	695	56	239	194	4	155	150	140	1,814	285	364	323	110	28
Balance of area	87	1,665	313	280	699	605	60	190	203	-	109	128	88	1,697	488	405	288	50	22
Metropolitan counties	97	2,001	340	297	906	809	63	282	232	3	183	177	160	2,174	426	455	390	134	40
Urban places	65	1,437	234	213	673	617	50	217	172	3	141	138	130	1,581	244	328	289	109	26
Balance of area	32	564	106	84	233	192	13	75	60	-	42	39	30	593	182	127	101	25	14
Nonmetropolitan counties	62	1,333	248	229	536	491	53	137	165	1	81	101	68	1,337	347	314	221	26	10
Urban places	7	232	41	33	70	78	6	22	22	1	14	12	10	233	41	36	34	1	2
Balance of area	55	1,101	207	196	466	413	47	115	143	-	67	89	58	1,104	306	278	187	25	8
Adams	1	16	9	6	3	4	-	4	6	-	-	1	1	10	4	4	3	-	-
Ashland	2	23	5	1	6	5	1	2	2	-	1	1	2	16	5	4	3	-	-
Barron	2	23	18	12	15	16	-	1	5	-	4	1	2	34	5	12	8	1	-
Bayfield	-	14	4	2	1	11	1	3	1	-	-	-	1	16	4	2	-	-	-
Brown	8	129	23	19	43	33	3	13	10	-	17	9	5	110	30	18	31	2	3
Allouez town#	-	15	3	3	3	3	-	-	-	-	1	1	-	12	1	-	1	-	-
Ashwaubenon	-	10	5	3	4	4	-	-	1	-	-	-	-	9	1	-	3	1	-
De Pere	-	13	2	2	2	4	1	1	1	-	1	1	1	5	5	3	2	-	-
Green Bay	6	70	12	8	31	20	2	8	8	-	12	5	4	68	15	12	18	1	2
Balance of county	2	21	1	3	3	2	-	4	-	-	3	2	-	16	8	3	7	-	1
Buffalo	2	12	1	3	6	4	1	1	1	-	3	3	1	15	2	5	1	1	-
Burnett	2	15	1	1	2	2	-	-	1	-	-	-	-	6	6	4	3	-	-
Calumet	3	15	2	1	5	4	-	-	2	-	-	-	2	19	5	6	2	-	-
Appleton, part	-	4	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
Balance of county	3	11	2	-	5	4	-	-	2	-	-	-	2	17	5	5	2	-	-
Chippewa	2	40	6	6	13	20	2	4	7	-	2	2	3	47	9	9	3	1	2
Chippewa Falls	-	9	1	3	5	8	1	-	1	-	2	-	-	17	-	3	-	-	-
Eau Claire, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	31	5	3	8	12	1	4	6	-	-	2	3	30	9	6	3	1	2
Clark	1	21	1	1	10	7	1	1	5	-	-	3	2	32	8	11	10	-	1
Columbia	1	35	1	3	10	13	2	6	8	-	2	1	1	44	14	4	5	1	-
Crawford	-	13	2	4	4	9	1	3	2	-	-	1	-	13	2	6	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Dane	2,110	-	1	18	491	114	124	47	63	23	25	95	39	976	727	11	13	540	163
Madison	1,173	-	1	10	265	67	72	21	36	12	14	43	17	529	391	5	7	307	72
Middleton	79	-	-	-	24	6	5	3	1	3	1	5	2	34	29	-	1	17	11
Sun Prairie	66	-	-	1	19	9	3	2	-	1	2	2	2	45	27	-	1	15	11
Balance of county	772	-	-	7	183	32	44	21	26	7	8	45	18	368	280	6	4	201	69
Dodge	711	-	-	8	151	52	31	14	17	9	3	25	14	382	297	3	5	216	73
Beaver Dam	181	-	-	5	47	15	10	3	7	5	-	7	1	89	72	1	1	48	22
Watertown, part	71	-	-	-	11	2	1	2	2	-	1	3	2	35	23	-	-	15	8
Balance of county	459	-	-	3	93	35	20	9	8	4	2	15	11	258	202	2	4	153	43
Door	246	-	-	1	52	12	8	8	5	1	1	17	9	127	88	1	-	69	16
Douglas	422	-	-	-	95	25	28	8	5	5	3	21	4	223	177	-	-	126	51
Superior	313	-	-	-	72	17	20	7	4	5	3	16	4	157	125	-	-	91	34
Balance of county	109	-	-	-	23	8	8	1	1	-	-	5	-	66	52	-	-	35	17
Dunn	305	-	-	2	74	16	11	2	12	3	5	25	8	146	111	1	1	84	25
Menomonie	123	-	-	1	28	6	5	1	3	2	1	10	3	56	41	-	1	35	5
Balance of county	182	-	-	1	46	10	6	1	9	1	4	15	5	90	70	1	-	49	20
Eau Claire	618	-	-	8	143	39	29	14	19	8	6	28	4	292	229	-	5	153	71
Eau Claire, part	427	-	-	7	98	26	23	9	9	3	6	22	2	199	155	-	3	102	50
Eau Claire, total	429	-	-	7	99	26	23	9	10	3	6	22	2	200	156	-	3	102	51
Balance of county	191	-	-	1	45	13	6	5	10	5	-	6	2	93	74	-	2	51	21
Florence	41	-	-	-	7	3	2	-	1	1	-	-	1	19	16	-	-	12	4
Fond du Lac	806	1	-	3	172	39	38	17	20	11	11	36	16	422	309	2	8	234	65
Fond du Lac	427	-	-	1	95	20	20	9	11	10	9	16	12	225	157	1	6	114	36
Balance of county	379	1	-	2	77	19	18	8	9	1	2	20	4	197	152	1	2	120	29
Forest	119	-	-	1	29	9	7	3	2	-	2	6	6	53	44	-	-	38	6
Grant	477	-	-	4	88	27	18	6	8	6	2	21	9	254	177	-	3	133	41
Green	300	-	-	-	77	27	17	9	5	3	1	15	7	139	118	1	4	67	46
Monroe	128	-	-	-	30	9	5	3	3	2	-	8	2	64	53	-	4	30	19
Balance of county	172	-	-	-	47	18	12	6	2	1	1	7	5	75	65	1	-	37	27
Green Lake	204	1	-	1	48	16	11	1	6	2	2	10	6	109	74	1	2	46	25
Iowa	205	-	-	2	59	13	14	5	6	-	4	11	1	103	64	-	-	52	12
Iron	80	-	-	-	24	6	8	2	5	-	-	3	1	42	28	-	-	25	3
Jackson	177	-	-	1	30	8	9	4	5	1	-	3	1	97	79	-	1	56	22
Jefferson	579	1	-	7	122	31	30	12	9	8	8	24	10	286	224	-	3	172	49
Watertown, part	132	1	-	3	28	8	7	-	3	-	4	6	2	59	42	-	1	39	2
Watertown, total	203	1	-	3	39	10	8	2	5	-	5	9	4	94	65	-	1	54	10
Whitewater, part	9	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
Balance of county	444	-	-	4	94	23	23	12	6	8	4	18	8	224	179	-	2	130	47
Juneau	226	-	-	1	47	17	11	4	4	-	2	9	4	115	88	2	2	67	17
Kenosha	1,035	1	-	9	239	71	60	27	18	8	3	52	20	516	411	2	4	328	77
Kenosha	739	1	-	8	160	50	37	18	14	7	2	32	13	381	306	1	4	237	64
Balance of county	296	-	-	1	79	21	23	9	4	1	1	20	7	135	105	1	-	91	13
Kewaunee	179	-	-	-	41	15	7	1	5	1	1	11	2	97	67	-	3	39	25
La Crosse	800	-	-	8	182	48	44	17	19	11	7	36	13	369	294	5	7	220	62
La Crosse	541	-	-	6	114	28	24	8	14	8	5	27	8	252	196	5	5	153	33
Balance of county	259	-	-	2	68	20	20	9	5	3	2	9	5	117	98	-	2	67	29
Lafayette	147	-	-	-	29	5	7	1	5	5	-	6	3	85	60	-	1	41	18
Langlade	234	-	-	2	52	15	8	3	2	3	2	19	4	127	99	2	1	81	15
Lincoln	278	-	-	1	62	24	7	8	10	2	3	8	10	137	105	-	1	82	22
Manitowoc	779	-	-	6	165	44	26	13	27	12	11	32	18	405	314	4	2	244	64
Manitowoc	420	-	-	5	84	19	14	7	13	6	4	21	8	228	167	1	-	130	36
Two Rivers	140	-	-	-	28	10	6	2	5	1	1	3	6	78	68	1	-	54	13
Balance of county	219	-	-	1	53	15	6	4	9	5	6	8	4	99	79	2	2	60	15
Marathon	828	-	-	7	175	53	29	22	25	12	4	30	16	410	306	3	1	225	79
Marshfield, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Wausau	376	-	-	4	75	24	11	10	10	6	1	13	9	180	136	3	-	100	33
Balance of county	451	-	-	3	100	29	18	12	15	6	3	17	7	229	171	-	1	124	46
Marinette	434	-	-	3	73	23	12	10	7	-	4	17	11	245	189	2	-	148	39
Marinette	169	-	-	2	27	12	6	4	3	-	-	2	7	90	67	1	-	57	9
Balance of county	265	-	-	1	46	11	6	6	4	-	4	15	4	155	122	1	-	91	30
Marquette	150	-	-	1	30	14	3	2	3	-	2	6	5	80	61	2	2	40	17
Menominee	37	-	-	-	4	1	1	-	-	1	-	1	4	14	14	-	3	7	4
Milwaukee	9,157	13	-	111	2,105	529	486	209	226	105	81	467	172	4,464	3,576	32	138	2,695	711
Brown Deer	66	-	-	-	19	5	2	2	1	-	1	8	-	32	26	-	1	22	5
Cudahy	147	-	-	-	33	10	5	1	7	1	1	8	4	80	67	3	2	55	7
Franklin	102	-	-	-	29	7	7	3	-	2	1	9	3	45	33	-	3	20	10
Glendale	265	-	-	2	56	13	4	4	6	4	3	22	4	135	110	-	4	70	36
Greendale	104	-	-	2	28	6	4	4	3	1	1	9	4	48	35	-	1	31	3
Greenfield	299	-	-	5	76	25	17	7	9	2	1	15	6	142	114	-	2	84	28
Milwaukee, part	6,036	11	-	75	1,349	352	328	128	142	69	50	280	111	2,856	2,338	19	103	1,759	457
Milwaukee, total	6,036	11	-	75	1,349	352	328	128	142	69	50	280	111	2,856	2,338	19	103	1,759	457
Oak Creek	104	-	-	2	28	6	6	5	3	1	2	5	4	55	46	-	1	39	6
St. Francis	88	-	-	1	21	4	4	2	5	1	-	5	1	47	36	1	3	27	5
Shorewood	172	-	-	5	46	7	12	9	6	-	2	10	4	79	68	-	1	49	18
South Milwaukee	159	-	-	1	45	10	12	3	5	4	-	11	1	81	60	-	3	42	15
Wauwatosa	550	-	-	6	120	26	26	11	16	5	7	29	10	307	221	3	3	163	52
West Allis	714	2	-	8	159	37	39	21	10	11	8	33	11	381	280	5	9	224	42
Whitefish Bay	106	-	-	2	35	6	8	2	7	2	2	8	4	48	40	1	2	31	6
Balance of county	245	-	-	2	61	15	12	7	8	2	2	15	5	128	100	-	-	79	21
Monroe	377	-	-	3	81	23	16	9	10	6	2	15	7	180	142	-	5	103	34

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Dane	14	178	30	27	66	70	3	27	28	-	16	19	7	187	54	54	42	7	5
Madison	9	100	14	15	37	52	1	19	15	-	12	15	3	102	28	33	28	4	4
Middleton	-	5	-	-	2	2	-	1	1	-	1	-	-	7	2	1	2	-	-
Sun Prairie	1	14	1	2	4	1	-	1	-	-	-	1	1	8	-	1	2	-	-
Balance of county	4	59	15	10	23	15	2	6	12	-	3	3	3	70	26	19	10	3	1
Dodge	5	64	8	8	19	26	1	7	3	1	6	2	1	55	17	9	9	-	-
Beaver Dam	2	11	-	4	2	12	-	1	2	1	-	1	-	11	6	1	2	-	-
Watertown, part	-	10	2	-	7	3	-	3	1	-	2	-	-	7	-	-	-	-	-
Balance of county	3	43	6	4	10	11	1	3	-	-	4	1	1	37	11	8	7	-	-
Door	-	26	7	8	9	4	2	1	4	-	2	3	4	19	3	3	2	1	-
Douglas	-	32	7	7	15	14	2	3	4	1	2	1	1	32	5	12	6	2	-
Superior	-	22	4	6	11	13	2	1	3	1	2	1	1	28	3	9	3	2	-
Balance of county	-	10	3	1	4	1	-	2	1	-	-	-	-	4	2	3	3	-	-
Dunn	1	26	4	4	8	10	1	-	5	-	-	1	-	30	6	7	7	-	-
Menomonie	-	13	1	1	4	3	1	-	2	-	-	-	-	18	2	3	2	-	-
Balance of county	1	13	3	3	4	7	-	-	3	-	-	1	-	12	4	4	5	-	-
Eau Claire	1	43	9	10	24	28	2	12	7	-	4	5	5	46	8	16	13	-	1
Eau Claire, part	-	30	7	7	16	20	-	7	5	-	2	2	5	35	5	15	8	-	1
Eau Claire, total	-	30	7	7	16	20	-	7	5	-	2	2	5	35	5	15	8	-	1
Balance of county	1	13	2	3	8	8	2	5	2	-	2	3	-	11	3	1	5	-	-
Florence	-	1	1	1	2	-	-	2	2	-	-	-	1	4	1	2	-	-	-
Fond du Lac	6	86	9	12	25	25	3	5	9	-	3	6	7	66	11	21	10	1	-
Fond du Lac	4	55	4	5	10	18	-	1	5	-	3	1	4	36	3	7	6	-	-
Balance of county	2	31	5	7	15	7	3	4	4	-	-	5	3	30	8	14	4	1	-
Forest	-	7	1	1	5	6	-	2	3	-	-	-	-	5	4	4	1	-	-
Grant	4	62	7	4	25	14	1	2	2	-	3	3	1	40	13	9	9	-	-
Green	-	16	1	4	11	9	1	4	4	-	2	-	2	30	9	3	1	-	1
Monroe	-	8	1	2	3	4	1	3	2	-	1	-	-	12	4	2	-	-	-
Balance of county	-	8	-	2	8	5	-	1	2	-	1	-	2	18	5	1	1	-	1
Green Lake	-	20	5	10	10	5	1	1	1	-	-	-	-	12	4	3	2	-	-
Iowa	-	34	3	2	9	11	-	-	-	-	-	-	-	9	6	8	3	-	-
Iron	-	12	-	2	4	2	-	-	-	-	-	-	-	2	2	3	-	-	-
Jackson	3	12	1	2	11	5	-	3	1	-	2	1	-	13	6	2	3	1	-
Jefferson	2	42	8	10	17	9	2	12	6	-	1	5	2	60	20	8	10	1	-
Watertown, part	-	8	8	3	4	3	-	5	-	-	-	2	-	12	10	1	2	-	-
Watertown, total	-	18	8	3	11	6	-	8	1	-	2	2	-	19	10	1	2	-	-
Whitewater, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	34	2	7	13	6	2	7	6	-	1	3	2	48	10	7	8	1	-
Juneau	1	21	3	2	7	8	1	2	4	-	2	2	1	20	4	5	2	-	1
Kenosha	7	72	9	17	29	37	1	14	12	-	8	3	7	70	27	17	15	9	1
Kenosha	4	53	7	11	25	25	1	6	11	-	5	2	6	50	14	11	12	7	1
Balance of county	3	19	2	6	4	12	-	8	1	-	3	1	1	20	13	6	3	2	-
Kewaunee	3	16	5	6	8	6	-	-	3	-	2	-	-	8	4	4	4	-	-
La Crosse	-	58	4	13	32	38	2	7	2	-	7	2	3	86	12	16	14	7	-
La Crosse	-	42	4	10	21	32	2	5	2	-	5	-	2	66	7	9	10	-	-
Balance of county	-	16	-	3	11	6	-	2	-	-	2	2	1	20	5	7	4	7	-
Lafayette	-	16	8	1	4	3	1	1	3	-	-	1	-	13	1	1	-	2	-
Langlade	2	22	2	2	8	9	-	-	1	-	-	-	1	18	6	5	1	-	-
Lincoln	-	25	5	2	6	13	2	3	1	-	2	5	1	18	8	3	4	1	1
Manitowoc	-	68	13	10	22	18	4	5	6	-	8	6	3	69	14	14	14	-	2
Manitowoc	-	48	8	5	18	12	2	2	2	-	3	2	2	37	3	7	5	-	-
Two Rivers	-	5	2	3	2	3	-	-	1	-	2	1	-	12	2	1	3	-	1
Balance of county	-	15	3	2	2	3	2	3	3	-	3	3	1	20	9	6	6	-	1
Marathon	4	77	12	9	27	32	3	12	12	-	2	10	4	72	20	15	8	3	-
Marshfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wausau	1	32	8	3	17	19	3	5	7	-	1	6	2	32	4	6	3	3	-
Balance of county	3	45	4	6	10	13	-	7	5	-	1	4	2	40	16	9	5	-	-
Marinette	1	42	5	8	8	12	2	5	3	-	-	3	1	47	7	7	6	1	-
Marinette	-	19	2	2	3	4	2	2	-	-	-	-	-	25	3	2	2	-	-
Balance of county	1	23	3	6	5	8	-	3	3	-	-	3	1	22	4	5	4	1	-
Marquette	2	12	1	4	6	6	-	2	-	-	-	1	1	11	4	1	2	-	-
Menominee	-	-	-	-	1	-	-	2	-	-	1	-	1	1	3	1	3	2	-
Milwaukee	29	673	96	90	344	284	23	114	82	2	62	76	76	805	79	135	121	76	13
Brown Deer	1	3	-	-	2	2	1	-	-	-	3	-	-	3	-	2	1	1	-
Cudahy	-	12	-	1	7	4	-	1	-	1	-	1	1	7	4	1	3	-	-
Franklin	-	5	-	7	4	2	1	2	1	-	-	-	-	8	1	1	4	1	-
Glendale	1	17	4	3	15	13	1	2	1	-	2	-	-	30	1	-	3	-	-
Greendale	-	11	-	2	2	1	-	4	-	-	2	-	-	5	3	1	4	-	-
Greenfield	-	22	2	4	16	11	-	3	5	-	1	-	-	23	3	2	6	-	-
Milwaukee, part	15	392	55	56	224	196	17	71	64	-	42	70	68	570	49	105	75	71	12
Milwaukee, total	15	392	55	56	224	196	17	71	64	-	42	70	68	570	49	105	75	71	12
Oak Creek	1	6	2	-	2	1	-	1	-	-	1	-	-	6	2	-	2	-	-
St. Francis	-	7	4	-	3	4	-	1	-	-	-	-	-	4	3	2	-	1	-
Shorewood	1	9	-	1	2	2	1	5	2	-	-	-	2	17	-	2	5	-	-
South Milwaukee	1	14	6	-	5	6	-	2	-	-	1	1	-	7	3	1	5	-	-
Wauwatosa	3	66	11	6	24	16	1	4	2	-	3	-	3	45	2	3	3	1	-
West Allis	2	84	11	4	25	21	1	14	4	1	3	4	2	50	6	13	8	1	-
Whitefish Bay	2	4	-	2	3	4	-	1	-	-	1	-	-	5	2	1	-	-	-
Balance of county	2	21	1	4	10	1	-	3	3	-	3	-	-	25	-	1	2	-	1
Monroe	1	27	6	4	15	13	-	2	5	-	3	6	2	33	7	12	6	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-209)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Oconto	305	–	–	–	49	13	10	4	9	–	2	11	3	168	125	2	–	105	18
Oneida	348	–	–	2	79	21	23	7	10	–	3	15	5	175	142	1	1	113	27
Outagamie	924	1	–	12	220	64	31	23	27	14	12	49	13	449	349	1	4	273	71
Appleton, part	465	1	–	5	117	36	11	12	18	2	9	29	4	224	174	1	2	135	36
Appleton, total	484	1	–	5	121	36	11	12	20	4	9	29	5	235	180	1	2	139	38
Kaukauna	89	–	–	2	29	9	2	2	3	5	–	8	–	36	29	–	–	21	8
Balance of county	370	–	–	5	74	19	18	9	6	7	3	12	9	189	146	–	2	117	27
Ozaukee	436	1	–	3	105	25	27	9	10	6	5	23	8	216	158	1	–	114	43
Mequon	113	–	–	2	25	8	6	2	3	2	1	3	2	54	37	–	–	23	14
Balance of county	323	1	–	1	80	17	21	7	7	4	4	20	6	162	121	1	–	91	29
Pepin	82	–	–	–	19	5	4	3	4	–	–	3	–	36	24	–	–	21	3
Pierce	224	–	–	–	50	9	13	4	5	2	4	13	2	122	93	2	5	65	21
Polk	360	1	–	2	72	20	14	4	10	2	5	17	7	187	141	1	–	92	48
Portage	375	1	–	2	75	27	9	5	9	1	4	20	1	188	142	–	1	86	55
Stevens Point	172	–	–	–	25	10	1	–	3	1	–	10	–	94	66	–	1	32	33
Balance of county	203	1	–	2	50	17	8	5	6	–	4	10	1	94	76	–	–	54	22
Price	220	–	–	1	47	11	14	7	2	3	–	10	6	97	78	–	–	48	30
Racine	1,329	–	–	11	298	79	80	14	34	20	9	62	18	670	546	7	13	430	96
Racine	781	–	–	5	176	53	47	8	19	9	4	36	10	394	328	4	7	264	53
Balance of county	548	–	–	6	122	26	33	6	15	11	5	26	8	276	218	3	6	166	43
Richland	189	–	–	2	50	16	8	3	7	2	–	14	3	85	66	–	1	49	16
Rock	1,206	–	–	13	285	70	84	23	32	19	10	47	15	590	442	4	5	359	74
Beloit	321	–	–	4	64	14	22	4	11	4	1	8	7	171	129	–	–	108	21
Janesville	379	–	–	3	93	26	28	8	9	8	3	11	2	187	129	2	2	106	19
Balance of county	506	–	–	6	128	30	34	11	12	7	6	28	6	232	184	2	3	145	34
Rusk	172	–	–	–	47	16	8	4	3	2	3	11	1	76	57	–	–	51	6
St. Croix	338	–	–	2	74	18	13	13	11	2	3	14	2	180	154	1	1	108	44
Sauk	459	1	–	3	101	29	17	10	12	5	4	24	14	229	186	2	–	143	41
Sawyer	138	1	–	–	35	14	9	2	2	3	1	4	4	57	47	–	2	34	11
Shawano	398	–	–	2	72	14	20	4	14	3	3	14	9	224	169	–	6	131	32
Sheboygan	983	1	–	8	213	69	28	26	19	18	7	46	28	522	395	1	12	304	78
Sheboygan	586	1	–	5	126	46	15	15	11	15	4	20	17	312	241	–	9	184	48
Balance of county	397	–	–	3	87	23	13	11	8	3	3	26	11	210	154	1	3	120	30
Taylor	143	–	–	1	33	5	9	5	4	5	1	4	4	66	52	1	3	35	13
Trempealeau	296	–	–	5	62	10	10	3	13	1	3	12	8	162	128	–	3	89	36
Vernon	289	–	–	1	51	17	13	2	5	3	1	10	3	170	129	2	5	102	20
Vilas	216	–	–	2	49	14	13	3	3	2	4	10	3	104	85	–	2	68	15
Walworth	667	–	–	6	140	44	35	12	10	9	8	22	10	356	289	4	1	229	55
Whitewater, part	77	–	–	–	16	5	4	2	2	1	–	2	–	47	34	–	–	25	9
Whitewater, total	80	–	–	–	16	5	4	2	2	1	–	2	–	50	37	–	–	28	9
Balance of county	590	–	–	6	124	39	31	10	8	8	8	20	10	309	255	4	1	204	46
Washburn	174	–	–	–	47	10	15	1	3	5	–	13	4	83	60	–	2	45	13
Washington	581	–	–	3	122	35	26	12	19	5	4	21	13	295	225	1	6	180	38
Germantown	48	–	–	–	9	3	3	1	–	1	–	1	2	20	18	–	–	15	3
Milwaukee, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
West Bend	170	–	–	2	38	11	8	6	7	–	–	6	3	85	72	–	4	59	9
Balance of county	363	–	–	1	75	21	15	5	12	4	4	14	8	190	135	1	2	106	26
Waukesha	1,799	1	–	17	432	114	105	39	41	26	20	87	26	889	715	6	9	552	148
Brookfield	234	–	–	2	62	16	11	4	7	4	1	19	3	117	94	2	1	78	13
Menomonee Falls	163	–	–	3	38	8	11	5	2	2	4	6	5	73	58	–	–	41	15
Muskego	100	–	–	1	22	3	6	1	2	2	3	5	1	48	42	–	–	33	9
New Berlin	141	–	–	2	42	16	11	2	3	–	2	8	4	64	54	–	2	45	7
Waukesha	357	1	–	2	91	24	24	8	10	5	2	18	3	179	149	3	3	118	25
Balance of county	804	–	–	7	177	47	42	19	17	13	8	31	10	408	320	1	3	237	79
Waupaca	610	1	–	6	144	36	31	6	19	9	8	35	4	305	246	–	11	188	47
Waushara	237	–	–	3	60	13	16	7	6	5	4	9	8	113	96	–	1	84	11
Winnebago	1,095	–	–	8	248	63	67	15	19	15	12	57	17	560	434	2	4	320	108
Appleton, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Menasha	116	–	–	3	27	8	6	2	1	–	2	8	1	56	44	–	–	35	9
Neenah	164	–	–	1	35	4	14	3	1	2	4	7	2	76	59	–	–	43	16
Oshkosh	471	–	–	2	106	32	25	5	10	8	1	25	10	257	191	1	1	151	38
Balance of county	344	–	–	2	80	19	22	5	7	5	5	17	4	171	140	1	3	91	45
Wood	599	1	–	3	147	39	31	15	15	6	9	32	7	292	224	4	4	178	38
Marshfield, part	170	1	–	–	43	11	9	5	5	1	3	9	2	85	56	1	–	40	15
Marshfield, total	171	1	–	–	43	11	9	5	5	1	3	9	2	86	57	1	–	41	15
Wisconsin Rapids	183	–	–	2	46	9	13	6	2	2	3	11	2	85	76	1	1	65	9
Balance of county	246	–	–	1	58	19	9	4	8	3	3	12	3	122	92	2	3	73	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	-	32	6	5	9	7	1	6	2	-	-	3	6	36	3	8	4	-	-
Oneida	1	24	2	6	8	15	2	3	3	-	1	1	1	27	11	7	7	1	-
Outagamie	5	72	7	16	23	20	3	10	5	-	9	6	8	74	22	19	25	5	-
Appleton, part	3	34	3	10	10	10	2	3	1	-	6	4	3	38	10	11	13	3	-
Appleton, total	3	38	3	11	10	10	2	3	1	-	6	4	3	40	10	12	13	3	-
Kaukauna	-	6	-	1	2	2	1	2	1	-	-	1	1	8	1	1	1	1	-
Balance of county	2	32	4	5	11	8	-	5	3	-	3	1	4	28	11	7	11	1	-
Ozaukee	2	38	13	5	23	12	-	5	3	-	6	-	1	29	6	10	5	2	1
Mequon	1	12	2	2	13	2	-	3	1	-	2	-	-	7	-	1	1	-	-
Balance of county	1	26	11	3	10	10	-	2	2	-	4	-	1	22	6	9	4	2	1
Pepin	1	7	4	-	6	6	1	1	-	-	-	1	-	5	2	3	2	-	-
Pierce	1	19	3	6	8	5	-	1	3	-	4	1	1	18	4	5	-	-	-
Polk	1	31	12	2	7	18	1	4	4	-	4	1	2	27	7	8	4	4	-
Portage	-	35	5	6	7	10	1	5	5	-	2	-	1	48	12	10	5	1	1
Stevens Point	-	20	4	4	2	5	-	5	2	-	-	-	1	27	3	5	2	-	1
Balance of county	-	15	1	2	5	5	1	-	3	-	2	-	-	21	9	5	3	1	-
Price	2	9	5	3	12	9	1	3	3	-	4	1	2	21	5	2	5	-	1
Racine	4	94	17	9	43	44	3	14	9	-	8	11	9	123	21	18	19	7	3
Racine	2	53	10	1	30	26	2	7	5	-	4	6	7	74	10	11	7	5	2
Balance of county	2	41	7	8	13	18	1	7	4	-	4	5	2	49	11	7	12	2	1
Richland	-	15	3	1	11	4	2	2	1	-	1	1	-	19	2	3	1	1	1
Rock	2	102	35	9	42	46	-	14	9	-	11	8	8	92	32	16	21	3	1
Beloit	1	35	2	4	11	14	-	6	3	-	2	6	2	20	5	2	3	1	-
Janesville	-	28	27	3	12	10	-	4	2	-	7	1	3	25	14	4	11	-	1
Balance of county	1	39	6	2	19	22	-	4	4	-	2	1	3	47	13	10	7	2	-
Rusk	-	15	2	2	2	4	2	3	4	-	-	-	1	21	-	8	3	-	-
St. Croix	-	23	2	1	12	6	2	-	3	-	2	2	4	30	7	9	3	-	-
Sauk	-	33	2	8	19	10	1	4	3	-	1	2	2	41	14	7	7	-	-
Sawyer	-	6	2	2	10	5	-	1	-	-	1	-	-	13	6	4	1	-	-
Shawano	1	37	8	9	12	10	2	3	3	-	1	6	1	31	10	9	3	-	-
Sheboygan	6	83	27	11	29	29	4	5	7	-	7	3	8	78	18	15	6	2	-
Sheboygan	4	50	12	5	20	15	1	3	2	-	5	3	6	50	5	9	5	1	-
Balance of county	2	33	15	6	9	14	3	2	5	-	2	-	2	28	13	6	1	1	-
Taylor	-	8	4	2	7	5	-	-	1	-	1	3	-	17	2	1	1	1	-
Trempealeau	-	23	8	3	13	11	1	3	5	-	-	1	-	22	6	4	3	-	-
Vernon	1	29	4	7	10	7	1	1	1	-	2	-	-	29	7	5	1	-	-
Vilas	2	10	3	4	11	11	1	3	-	-	-	1	1	22	2	2	4	-	-
Walworth	6	46	11	4	19	19	2	6	7	-	2	7	4	52	12	12	13	-	-
Whitewater, part	1	7	5	-	4	1	-	-	1	-	-	-	-	4	1	-	3	-	-
Whitewater, total	1	7	5	-	4	1	-	-	1	-	-	-	-	4	1	-	3	-	-
Balance of county	5	39	6	4	15	18	2	6	6	-	2	7	4	48	11	12	10	-	-
Washburn	-	19	3	1	2	10	-	2	1	-	-	4	-	15	4	-	2	-	-
Washington	3	42	13	12	18	11	2	9	5	-	4	5	2	46	18	9	17	2	-
Germantown	-	-	1	1	1	2	1	1	1	-	1	-	1	4	1	2	2	-	-
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Bend	1	11	-	1	4	4	1	4	4	-	1	2	-	10	3	3	6	-	-
Balance of county	2	31	12	10	13	5	-	4	-	-	2	3	1	32	14	4	9	2	-
Waukesha	5	135	18	16	71	57	3	17	14	-	7	11	5	142	38	28	28	4	9
Brookfield	-	18	1	4	7	10	1	2	2	-	1	-	1	17	3	3	3	-	-
Menomonee Falls	-	15	-	2	4	3	1	2	1	-	1	-	2	17	6	3	4	-	-
Muskego	-	5	1	-	1	5	-	1	1	-	1	-	-	9	3	4	2	1	-
New Berlin	1	8	1	-	6	5	-	-	1	-	1	-	-	3	4	2	3	2	2
Waukesha	2	21	4	3	12	9	1	4	4	-	-	3	2	26	6	6	8	-	-
Balance of county	2	68	11	7	41	25	-	8	5	-	3	8	-	70	16	10	8	1	7
Waupaca	1	46	4	8	43	13	5	3	11	-	5	6	3	33	11	10	6	1	-
Waushara	-	12	2	3	7	10	-	1	3	-	1	-	-	15	7	4	4	-	1
Winnebago	2	95	10	19	47	24	5	12	11	-	9	4	2	86	15	33	11	2	1
Appleton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Menasha	-	9	1	2	1	2	1	-	2	-	1	-	-	7	1	9	5	-	-
Neenah	1	10	3	3	9	5	-	5	3	-	1	1	-	14	5	5	1	1	-
Oshkosh	1	51	3	11	18	7	2	5	4	-	4	1	1	31	5	14	3	-	1
Balance of county	-	25	3	3	19	10	2	2	2	-	3	2	1	34	4	5	2	1	-
Wood	3	48	10	7	16	17	-	-	8	-	4	6	4	56	10	15	11	2	-
Marshfield, part	-	23	3	3	3	7	-	-	2	-	1	5	1	16	1	1	2	-	-
Marshfield, total	-	23	3	3	3	7	-	-	2	-	1	5	1	16	1	1	2	-	-
Wisconsin Rapids	-	5	3	1	8	3	-	-	2	-	2	-	2	16	3	6	5	1	-
Balance of county	3	20	4	3	5	7	-	-	4	-	1	1	1	24	6	8	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wyoming	3,279	1	-	32	593	137	140	52	70	24	29	141	50	1,343	1,064	14	18	718	314
Urban places	1,474	-	-	12	276	70	62	26	25	9	12	74	19	610	481	9	5	318	149
Balance of area	1,805	1	-	20	315	67	78	26	45	15	17	67	31	733	583	5	13	400	165
Metropolitan counties	422	-	-	4	84	14	22	9	8	1	1	29	2	149	126	3	2	80	41
Urban places	331	-	-	4	63	12	13	8	5	1	1	23	2	126	107	3	1	69	34
Balance of area	91	-	-	-	21	2	9	1	3	-	-	6	-	23	19	-	1	11	7
Nonmetropolitan counties	2,857	1	-	28	509	123	118	43	62	23	28	112	48	1,194	938	11	16	638	273
Urban places	1,143	-	-	8	215	58	49	18	20	8	11	51	17	464	374	6	4	249	115
Balance of area	1,714	1	-	20	294	65	69	25	42	15	17	61	31	710	564	5	12	389	158
Albany	149	-	-	4	34	13	5	4	2	2	3	5	3	63	54	3	-	36	15
Laramie	125	-	-	3	29	11	5	3	2	1	3	4	3	51	44	3	-	29	12
Balance of county	24	-	-	1	5	2	-	1	-	1	-	1	-	12	10	-	-	7	3
Big Horn	100	-	-	2	10	2	4	2	1	-	-	1	2	55	44	-	-	32	12
Campbell	108	-	-	-	23	10	3	-	2	-	1	7	-	36	29	-	-	17	12
Gillette	77	-	-	-	19	9	3	-	1	-	1	5	-	27	20	-	-	11	9
Balance of county	31	-	-	-	4	1	-	-	1	-	-	2	-	9	9	-	-	6	3
Carbon	150	-	-	1	29	6	4	3	3	1	-	12	2	50	38	-	1	32	5
Rawlins	91	-	-	-	16	3	2	1	2	-	-	8	1	31	22	-	-	17	5
Balance of county	59	-	-	1	13	3	2	2	1	1	-	4	1	19	16	-	1	15	-
Converse	76	-	-	1	13	3	4	-	-	-	1	5	2	33	27	-	-	21	6
Crook	42	-	-	-	15	2	4	1	6	-	2	-	1	17	14	1	-	9	4
Fremont	279	1	-	4	45	4	11	2	6	5	6	11	5	102	81	2	2	58	19
Goshen	134	-	-	-	23	10	1	3	2	-	1	6	1	75	59	-	-	37	22
Hot Springs	53	-	-	-	10	1	4	-	3	1	-	1	-	23	20	1	-	15	4
Johnson	78	-	-	1	9	2	2	-	-	-	-	5	1	37	28	-	-	17	11
Laramie	584	-	-	6	112	28	25	12	14	6	5	22	11	232	176	1	4	105	66
Cheyenne	503	-	-	4	95	22	23	8	12	6	5	19	10	219	163	1	4	97	61
Balance of county	81	-	-	2	17	6	2	4	2	-	-	3	1	13	13	-	-	8	5
Lincoln	93	-	-	1	12	2	2	1	3	-	-	4	1	43	35	-	1	23	11
Natrona	422	-	-	4	84	14	22	9	8	1	1	29	2	149	126	3	2	80	41
Casper	331	-	-	4	63	12	13	8	5	1	1	23	2	126	107	3	1	69	34
Balance of county	91	-	-	-	21	2	9	1	3	-	-	6	-	23	19	-	1	11	7
Niobrara	40	-	-	-	11	3	2	-	1	-	2	3	-	12	10	-	-	8	2
Park	184	-	-	2	32	5	10	1	5	1	3	7	6	83	83	-	3	45	15
Platte	85	-	-	1	17	5	7	1	2	1	-	1	4	35	24	1	-	15	8
Sheridan	235	-	-	-	44	11	11	4	2	2	2	12	3	103	84	-	-	66	18
Sheridan	173	-	-	-	32	7	8	3	1	1	2	10	1	78	65	-	-	52	13
Balance of county	62	-	-	-	12	4	3	1	1	1	-	2	2	25	19	-	-	14	5
Sublette	32	-	-	-	3	-	-	-	1	2	-	-	-	13	9	-	1	4	4
Sweetwater	190	-	-	1	28	6	10	4	2	1	-	5	2	85	67	2	-	48	17
Green River	55	-	-	-	9	1	3	1	-	-	-	4	-	29	24	-	-	15	9
Rock Springs	119	-	-	1	15	5	5	2	2	-	-	1	2	49	36	2	-	28	6
Balance of county	16	-	-	-	4	-	2	1	-	1	-	-	-	7	7	-	-	5	2
Teton	54	-	-	1	10	5	-	1	1	-	2	1	1	23	20	-	1	13	6
Uinta	87	-	-	3	8	1	1	3	1	-	-	2	-	28	23	-	-	14	9
Washakie	71	-	-	-	15	3	4	1	4	1	-	2	-	25	17	-	2	12	3
Weston	53	-	-	-	6	1	4	-	1	-	-	-	3	21	16	-	1	11	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wyoming	12	196	28	43	123	160	16	47	37	2	23	45	62	336	130	135	115	23	6
Urban places	7	87	11	24	62	74	10	28	13	2	13	22	29	147	37	59	46	12	2
Balance of area	5	109	17	19	61	86	6	19	24	-	10	23	33	189	93	77	69	11	4
Metropolitan counties	-	17	2	4	13	25	4	10	4	-	6	7	7	42	15	25	19	2	4
Urban places	-	14	2	3	13	21	4	8	3	-	4	5	5	32	5	17	15	2	2
Balance of area	-	3	-	1	-	4	-	2	1	-	2	2	2	10	10	8	4	-	2
Nonmetropolitan counties	12	179	26	39	110	135	12	37	33	2	17	38	55	294	115	110	96	21	2
Urban places	7	73	9	21	49	53	6	20	10	2	9	17	24	115	32	41	31	10	-
Balance of area	5	106	17	18	61	82	6	17	23	-	8	21	31	179	83	69	65	11	2
Albany	-	4	-	5	7	5	1	-	1	-	-	2	4	14	4	3	3	1	-
Laramie	-	3	-	4	6	5	1	-	1	-	-	2	4	11	4	2	2	1	-
Balance of county	-	1	-	1	1	-	-	-	-	-	-	-	-	3	-	1	1	-	-
Big Horn	-	11	-	-	5	4	1	1	1	-	-	1	-	10	4	3	-	1	-
Campbell	-	5	1	1	3	6	-	-	-	-	2	4	4	3	11	8	4	4	-
Gillette	-	5	1	1	3	3	-	-	-	-	1	4	3	2	7	5	2	1	-
Balance of county	-	-	-	-	-	3	-	-	-	-	1	-	1	1	4	3	2	3	-
Carbon	-	7	5	-	1	8	2	3	1	-	2	4	3	24	9	5	6	-	-
Rawlins	-	5	4	-	-	6	1	1	1	-	2	2	1	17	5	3	4	-	-
Balance of county	-	2	1	-	1	2	1	2	-	-	-	2	2	7	4	2	2	-	-
Converse	-	5	1	-	-	2	-	1	1	-	-	1	2	10	2	4	4	-	-
Crook	-	2	-	1	2	2	-	-	-	-	-	-	-	2	-	3	-	-	-
Fremont	-	14	5	2	4	12	-	3	8	-	2	4	5	34	17	12	19	1	1
Goshen	-	10	2	4	6	5	-	1	-	-	-	-	-	13	4	3	3	-	-
Hot Springs	1	2	-	-	4	3	-	-	-	-	-	-	-	7	-	3	3	-	-
Johnson	-	5	2	2	5	5	-	-	3	-	-	1	-	5	5	3	2	-	1
Laramie	3	40	1	12	17	24	3	18	4	2	5	6	10	61	12	21	14	6	-
Cheyenne	3	40	1	12	17	22	3	16	4	2	5	3	8	53	9	17	11	5	-
Balance of county	-	-	-	-	-	2	-	2	-	-	-	3	2	8	3	4	3	1	-
Lincoln	1	6	-	1	5	5	-	-	1	-	-	2	2	12	3	2	2	2	-
Natrona	-	17	2	4	13	25	4	10	4	-	6	7	7	42	15	25	19	2	4
Casper	-	14	2	3	13	21	4	8	3	-	4	5	5	32	5	17	15	2	2
Balance of county	-	3	-	1	-	4	-	2	1	-	2	2	2	10	10	8	4	-	2
Niobrara	-	1	1	-	3	4	-	-	1	-	1	-	1	2	3	1	1	-	-
Park	2	15	1	2	3	14	2	1	3	-	1	1	3	15	7	4	6	1	-
Platte	-	7	-	4	1	3	1	1	1	-	-	-	2	12	2	2	2	1	-
Sheridan	3	12	1	3	17	14	-	1	2	-	-	3	13	21	5	6	3	-	-
Sheridan	2	8	-	3	16	11	-	1	2	-	-	2	7	15	2	3	3	-	-
Balance of county	1	4	1	-	1	3	-	-	-	-	-	1	6	6	3	3	-	-	-
Sublette	-	4	-	-	4	3	-	-	-	-	-	1	-	2	1	1	4	-	-
Sweetwater	2	12	3	1	7	7	1	4	2	-	2	4	1	17	6	11	9	3	-
Green River	1	4	-	-	2	1	1	-	-	-	-	1	1	2	2	4	2	1	-
Rock Springs	1	8	3	1	5	5	-	2	2	-	1	3	-	15	3	7	7	2	-
Balance of county	-	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-	-
Teton	-	3	-	-	2	1	-	1	-	-	-	-	-	3	5	5	2	-	-
Uinta	-	3	1	1	3	4	1	1	2	-	1	2	3	10	7	7	6	1	-
Washakie	-	7	1	-	9	-	-	-	2	-	1	2	-	10	3	2	2	-	-
Weston	-	4	1	-	2	4	-	1	-	-	-	-	2	7	5	1	1	-	-

1 Areas shown are census areas, the nearest equivalent of counties.
2 Includes data for La Paz which became a new county on January 1, 1983.
3 Includes data for Texarkana, Ark., only.
4 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
5 Areas shown are parishes, the equivalent of counties.
6 Includes data for Bristol, Tenn., only.
7 Includes data for Texarkana, Tex., only.
8 Independent city having population of less than 10,000 according to the 1980 census.
9 Includes data for Bristol, Va., only.
10 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table		Page
9–1.	Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940–85	1
9–2.	Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1985	2
9–3.	Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1985	3
9–4.	Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1985	4
9–5.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1985	8
9–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1985	15
9–7.	Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1985	22
9–8.	Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1985	23
9–9.	Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1985	24
9–10.	Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1985	25
9–11.	Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1985	26
9–12.	Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1985	27
9–13.	Deaths under 1 year, under 28 days, and 28 days–11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1985	29

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	–
Quantity more than zero but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1985*—discusses other factors concerning these mortality statistics.

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-85

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1985	23,071	7.0	506	4.6	415	3.4
1984	21,618	6.6	471	4.4	409	3.4
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.6	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	23,071	2,196	1,950	1,907	1,839	1,952	1,902	1,882	1,870	1,808	1,951	1,765	2,049
Male	13,368	1,226	1,134	1,146	1,044	1,150	1,045	1,064	1,082	1,066	1,174	1,049	1,188
Female	9,703	970	816	761	795	802	857	818	788	742	777	716	861
Virgin Islands	506	51	43	43	51	36	31	48	35	44	46	42	36
Male	272	28	29	22	25	15	16	23	22	29	21	20	22
Female	234	23	14	21	26	21	15	25	13	15	25	22	14
White	135	15	10	9	13	8	9	12	10	13	10	12	14
Male	90	11	8	6	5	5	6	6	9	11	6	9	8
Female	45	4	2	3	8	3	3	6	1	2	4	3	6
All other	371	36	33	34	38	28	22	36	25	31	36	30	22
Male	182	17	21	16	20	10	10	17	13	18	15	11	14
Female	189	19	12	18	18	18	12	19	12	13	21	19	8
Black	367	35	33	33	38	28	21	36	25	31	35	30	22
Male	178	16	21	15	20	10	9	17	13	18	14	11	14
Female	189	19	12	18	18	18	12	19	12	13	21	19	8
Guam	415	20	30	28	44	37	33	42	46	44	27	34	30
Male	271	16	20	17	30	21	23	29	29	23	15	21	27
Female	144	4	10	11	14	16	10	13	17	21	12	13	3
White	37	5	1	–	4	2	3	7	4	3	1	3	4
Male	34	4	1	–	4	1	3	7	4	2	1	3	4
Female	3	1	–	–	–	1	–	–	–	1	–	–	–
All other	378	15	29	28	40	35	30	35	42	41	26	31	26
Male	237	12	19	17	26	20	20	22	25	21	14	18	23
Female	141	3	10	11	14	15	10	13	17	20	12	13	3
Guamanian	265	12	18	17	29	26	27	25	26	24	20	23	18
Male	159	10	12	10	19	14	17	13	14	11	11	13	15
Female	106	2	6	7	10	12	10	12	12	13	9	10	3

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1985

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	506	42	8	4	11	19	35	59	59	105	89	73	2
Male	272	27	5	4	9	14	23	35	33	63	38	20	1
Female	234	15	3	-	2	5	12	24	26	42	51	53	1
White	135	7	1	1	3	5	12	14	16	34	25	17	-
Male	90	4	-	1	3	4	8	9	12	25	15	9	-
Female	45	3	1	-	-	1	4	5	4	9	10	8	-
All other	371	35	7	3	8	14	23	45	43	71	64	56	2
Male	182	23	5	3	6	10	15	26	21	38	23	11	1
Female	189	12	2	-	2	4	8	19	22	33	41	45	1
Black	367	35	7	3	8	13	23	44	42	71	63	56	2
Male	178	23	5	3	6	9	15	25	20	38	22	11	1
Female	189	12	2	-	2	4	8	19	22	33	41	45	1
Guam	415	35	8	6	24	20	26	42	74	87	63	29	1
Male	271	23	5	4	22	16	19	28	56	51	34	12	1
Female	144	12	3	2	2	4	7	14	18	36	29	17	-
White	37	4	-	1	4	2	2	4	10	8	1	1	-
Male	34	3	-	1	4	2	2	4	9	7	1	1	-
Female	3	1	-	-	-	-	-	-	1	1	-	-	-
All other	378	31	8	5	20	18	24	38	64	79	62	28	1
Male	237	20	5	3	18	14	17	24	47	44	33	11	1
Female	141	11	3	2	2	4	7	14	17	35	29	17	-
Guamanian	265	23	6	4	15	14	12	26	35	56	48	22	-
Male	159	16	3	2	14	11	9	17	22	32	23	10	-
Female	106	7	3	2	1	3	3	11	13	26	25	12	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	23,071	944	122	174	552	803	1,103	1,579	2,862	4,902	5,598	4,385	47
Male	13,368	515	76	113	430	604	810	1,097	1,835	2,901	3,001	1,944	42
Female	9,703	429	46	61	122	199	293	482	1,027	2,001	2,597	2,441	5
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (010-018)	72	-	-	-	-	6	8	9	12	12	17	8	-
Male	46	-	-	-	-	3	6	3	11	8	11	4	-
Female	26	-	-	-	-	3	2	6	1	4	6	4	-
Tuberculosis of respiratory system (010-012)	62	-	-	-	-	4	5	8	12	12	15	6	-
Male	40	-	-	-	-	2	4	2	11	8	10	3	-
Female	22	-	-	-	-	2	1	6	1	4	5	3	-
Other tuberculosis (013-018)	10	-	-	-	-	2	3	1	-	-	2	2	-
Male	6	-	-	-	-	1	2	1	-	-	1	1	-
Female	4	-	-	-	-	1	1	-	-	-	1	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-
Septicemia (038)	294	9	1	-	5	10	10	12	29	62	84	72	-
Male	154	4	1	-	1	8	6	7	18	31	47	31	-
Female	140	5	-	-	4	2	4	5	11	31	37	41	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	18	-	1	-	2	2	3	3	2	2	2	1	-
Male	8	-	1	-	1	2	2	1	-	-	1	-	-
Female	10	-	-	-	1	-	1	2	2	2	1	1	-
Syphilis (090-097)	2	1	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	51	3	1	1	5	7	4	6	5	8	5	6	-
Male	31	2	1	1	2	3	3	5	3	6	3	2	-
Female	20	1	-	-	3	4	1	1	2	2	2	4	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,599	2	13	21	28	44	128	334	721	1,018	848	441	1
Male	2,149	-	5	11	19	17	54	179	440	635	515	273	1
Female	1,450	2	8	10	9	27	74	155	281	383	333	168	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	183	-	-	-	-	-	7	23	50	52	34	17	-
Male	155	-	-	-	-	-	7	22	43	42	27	14	-
Female	28	-	-	-	-	-	-	1	7	10	7	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,287	-	-	-	1	7	23	97	268	402	320	169	-
Male	791	-	-	-	-	3	13	63	177	263	185	87	-
Female	496	-	-	-	1	4	10	34	91	139	135	82	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	499	-	1	1	-	3	15	45	115	157	123	39	-
Male	353	-	-	1	-	2	11	28	92	113	80	26	-
Female	146	-	1	-	-	1	4	17	23	44	43	13	-
Malignant neoplasm of breast (174-175)	221	-	-	-	-	8	29	52	64	45	16	7	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	219	-	-	-	-	8	29	52	63	45	15	7	-
Malignant neoplasms of genital organs (179-187)	527	-	-	-	1	5	12	36	70	146	156	101	-
Male	345	-	-	-	-	2	2	8	32	93	129	79	-
Female	182	-	-	-	1	3	10	28	38	53	27	22	-
Malignant neoplasms of urinary organs (188-189)	115	-	-	1	-	-	1	7	20	27	33	26	-
Male	71	-	-	-	-	-	-	5	15	17	15	19	-
Female	44	-	-	1	-	-	1	2	5	10	18	7	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	426	1	5	7	6	6	13	43	83	117	99	45	1
Male	239	-	2	2	5	4	7	33	52	68	43	22	1
Female	187	1	3	5	1	2	6	10	31	49	56	23	-
Leukemia (204-208)	150	-	6	11	12	8	16	13	20	23	22	19	-
Male	75	-	3	7	10	2	5	7	10	6	11	14	-
Female	75	-	3	4	2	6	11	6	10	17	11	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	191	1	1	1	8	7	12	18	31	49	45	18	-
Male	118	-	-	1	4	4	9	13	18	33	24	12	-
Female	73	1	1	-	4	3	3	5	13	16	21	6	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	90	1	-	3	-	1	4	14	10	22	27	8	-
Male	49	1	-	1	-	-	2	7	7	10	17	4	-
Female	41	-	-	2	-	1	2	7	3	12	10	4	-
Diabetes mellitus (250)	1,103	-	-	-	5	13	21	73	154	349	349	139	-
Male	464	-	-	-	3	3	13	46	60	149	141	49	-
Female	639	-	-	-	2	10	8	27	94	200	208	90	-
Nutritional deficiencies (260-269)	46	-	-	-	-	-	1	-	-	5	15	25	-
Male	20	-	-	-	-	-	1	-	-	3	8	8	-
Female	26	-	-	-	-	-	-	-	-	2	7	17	-
Anemias (280-285)	100	1	1	-	2	1	7	1	9	13	33	32	-
Male	44	-	-	-	1	1	3	1	4	8	15	11	-
Female	56	1	1	-	1	-	4	-	5	5	18	21	-
Meningitis (320-322)	31	9	2	-	4	3	-	3	6	-	1	2	1
Male	18	4	1	-	1	2	-	2	4	-	1	2	1
Female	13	5	1	-	3	1	-	1	2	-	-	-	-
Major cardiovascular diseases (390-448)	9,149	20	7	10	26	68	185	464	1,058	2,109	2,773	2,413	16
Male	4,819	12	5	5	19	40	123	322	687	1,191	1,410	991	14
Female	4,330	8	2	5	7	28	62	142	371	918	1,363	1,422	2
Diseases of heart (390-398,402,404-429)	6,775	16	5	7	18	48	142	369	874	1,627	1,986	1,667	16
Male	3,631	8	3	3	12	25	99	262	577	933	1,005	690	14
Female	3,144	8	2	4	6	23	43	107	297	694	981	977	2
Rheumatic fever and rheumatic heart disease (390-398)	34	-	-	3	2	4	3	9	6	1	5	1	-
Male	17	-	-	2	1	2	2	6	2	-	2	-	-
Female	17	-	-	1	1	2	1	3	4	1	3	1	-
Hypertensive heart disease (402)	225	-	-	-	1	1	8	2	23	61	72	57	-
Male	104	-	-	-	-	-	6	1	11	29	40	17	-
Female	121	-	-	-	1	1	2	1	12	32	32	40	-
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	1	1	2	3	4	3	-
Male	6	-	-	-	-	-	1	-	1	2	1	1	-
Female	8	-	-	-	-	-	-	1	1	1	3	2	-
Ischemic heart disease (410-414)	4,593	1	-	-	4	9	76	270	638	1,165	1,373	1,043	14
Male	2,537	-	-	-	4	7	59	203	440	663	694	434	13
Female	2,056	1	-	-	-	2	17	67	198	482	679	609	1
Acute myocardial infarction (410)	3,204	1	-	-	3	8	64	223	517	904	954	518	12
Male	1,851	-	-	-	3	6	50	171	359	538	486	227	11
Female	1,353	1	-	-	-	2	14	52	158	366	468	291	1
Other acute and subacute forms of ischemic heart disease (411)	58	-	-	-	1	-	-	5	1	12	13	25	1
Male	27	-	-	-	1	-	-	5	1	6	5	8	1
Female	31	-	-	-	-	-	-	-	-	6	8	17	-
Angina pectoris (413)	24	-	-	-	-	-	-	1	4	4	9	6	-
Male	14	-	-	-	-	-	-	1	2	1	5	5	-
Female	10	-	-	-	-	-	-	-	2	3	4	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,307	-	-	-	-	1	12	41	116	245	397	494	1
Male	645	-	-	-	-	1	9	26	78	138	198	194	1
Female	662	-	-	-	-	-	3	15	38	107	199	300	-
Other diseases of endocardium (424)	39	-	-	-	1	2	1	2	9	10	9	5	-
Male	24	-	-	-	1	1	1	1	4	6	7	3	-
Female	15	-	-	-	-	1	-	1	5	4	2	2	-
All other forms of heart disease (415-423,425-429)	1,870	15	5	4	10	32	53	85	196	387	523	558	2
Male	943	8	3	1	6	15	30	51	119	213	261	235	1
Female	927	7	2	3	4	17	23	34	77	174	262	323	1
Hypertension with or without renal disease (401,403)	145	-	-	1	-	4	4	13	18	41	45	19	-
Male	74	-	-	-	-	4	2	11	12	20	19	6	-
Female	71	-	-	1	-	-	2	2	6	21	26	13	-
Cerebrovascular diseases (430-438)	1,772	4	2	2	8	11	39	76	152	370	596	512	-
Male	887	4	2	2	7	7	22	47	89	194	316	197	-
Female	885	-	-	-	1	4	17	29	63	176	280	315	-
Intracerebral and other intracranial hemorrhage (431-432)	293	4	-	-	1	3	16	39	43	71	66	50	-
Male	162	4	-	-	1	2	11	26	23	40	31	24	-
Female	131	-	-	-	-	1	5	13	20	31	35	26	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	281	-	2	1	-	-	5	9	23	57	103	81	-
Male	136	-	2	1	-	-	3	4	11	34	48	33	-
Female	145	-	-	-	-	-	2	5	12	23	55	48	-
Cerebral embolism (434.1)	11	-	-	-	-	1	-	-	3	1	3	3	-
Male	2	-	-	-	-	-	-	-	1	-	1	-	-
Female	9	-	-	-	-	1	-	-	2	1	2	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,187	-	-	1	7	7	18	28	83	241	424	378	-
Male	587	-	-	1	6	5	8	17	54	120	236	140	-
Female	600	-	-	-	1	2	10	11	29	121	188	238	-
Atherosclerosis (440)	340	-	-	-	-	-	-	2	4	41	108	185	-
Male	155	-	-	-	-	-	-	1	1	25	51	77	-
Female	185	-	-	-	-	-	-	1	3	16	57	108	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other diseases of arteries, arterioles, and capillaries (441-448)	117	-	-	-	-	5	-	4	10	30	38	30	-
Male	72	-	-	-	-	4	-	1	8	19	19	21	-
Female	45	-	-	-	-	1	-	3	2	11	19	9	-
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	-	1	3	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-
Pneumonia and influenza (480-487)	1,264	69	11	4	16	39	49	48	95	202	323	406	2
Male	750	42	8	3	10	30	34	33	63	130	203	192	2
Female	514	27	3	1	6	9	15	15	32	72	120	214	-
Pneumonia (480-486)	1,260	69	11	4	16	39	49	48	94	202	321	405	2
Male	748	42	8	3	10	30	34	33	63	130	201	192	2
Female	512	27	3	1	6	9	15	15	31	72	120	213	-
Influenza (487)	4	-	-	-	-	-	-	-	1	-	2	1	-
Male	2	-	-	-	-	-	-	-	-	-	2	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	696	1	1	1	1	5	16	23	73	193	236	146	-
Male	387	1	1	1	1	1	12	11	38	119	131	71	-
Female	309	-	-	-	-	4	4	12	35	74	105	75	-
Bronchitis, chronic and unspecified (490-491)	31	-	1	-	-	-	3	-	1	6	8	12	-
Male	20	-	1	-	-	-	2	-	1	1	6	9	-
Female	11	-	-	-	-	-	1	-	-	5	2	3	-
Emphysema (492)	146	-	-	-	-	-	1	4	15	37	57	32	-
Male	100	-	-	-	-	-	1	4	9	27	40	19	-
Female	46	-	-	-	-	-	-	-	6	10	17	13	-
Asthma (493)	152	-	-	1	1	4	10	13	33	46	33	11	-
Male	76	-	-	1	1	1	7	4	15	29	14	4	-
Female	76	-	-	-	-	3	3	9	18	17	19	7	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	367	1	-	-	-	1	2	6	24	104	138	91	-
Male	191	1	-	-	-	-	2	3	13	62	71	39	-
Female	176	-	-	-	-	1	-	3	11	42	67	52	-
Ulcer of stomach and duodenum (531-533)	83	-	-	1	-	1	4	9	8	21	27	12	-
Male	53	-	-	-	-	1	4	8	7	16	13	4	-
Female	30	-	-	1	-	-	-	1	1	5	14	8	-
Appendicitis (540-543)	10	-	1	1	2	-	2	-	-	1	2	1	-
Male	8	-	-	1	2	-	2	-	-	-	2	1	-
Female	2	-	1	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	67	5	-	-	2	1	1	4	11	14	16	13	-
Male	35	2	-	-	-	1	1	3	6	6	11	5	-
Female	32	3	-	-	2	-	-	1	5	8	5	8	-
Chronic liver disease and cirrhosis (571)	764	1	-	-	2	27	98	165	178	179	86	25	3
Male	611	-	-	-	-	25	88	142	148	139	54	12	3
Female	153	1	-	-	2	2	10	23	30	40	32	13	-
Cholelithiasis and other disorders of gallbladder (574-575)	29	-	-	-	-	-	-	-	4	9	10	6	-
Male	9	-	-	-	-	-	-	-	2	2	4	1	-
Female	20	-	-	-	-	-	-	-	2	7	6	5	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	303	5	-	-	3	6	14	19	38	68	94	56	-
Male	175	3	-	-	2	4	11	15	23	43	50	24	-
Female	128	2	-	-	1	2	3	4	15	25	44	32	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	2	-	-	-	-	1	1	2	-	3	2	-
Male	8	2	-	-	-	-	1	1	2	-	1	1	-
Female	3	-	-	-	-	-	-	-	-	-	2	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	40	-	-	-	-	-	5	-	10	7	8	10	-
Male	21	-	-	-	-	-	4	-	5	4	3	5	-
Female	19	-	-	-	-	-	1	-	5	3	5	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	252	3	-	-	3	6	8	18	26	61	83	44	-
Male	146	1	-	-	2	4	6	14	16	39	46	18	-
Female	106	2	-	-	1	2	2	4	10	22	37	26	-
Infections of kidney (590)	19	-	-	1	-	1	1	-	1	8	3	4	-
Male	11	-	-	-	-	1	-	-	-	6	2	2	-
Female	8	-	-	1	-	-	1	-	1	2	1	2	-
Hyperplasia of prostate (600)	14	-	-	-	-	-	-	-	-	3	7	4	-
Male	14	-	-	-	-	-	-	-	-	3	7	4	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	...	...	-	2	5	2	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	9	...	...	-	2	5	2	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	1	...	...	-	-	1	-	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	...	...	-	-	1	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	8	...	...	-	2	4	2	-	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	...	...	-	2	4	2	-	...	...	...	...	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies (740-759)	235	174	12	11	9	10	6	1	4	3	4	1	-
Male	116	81	5	8	4	9	2	1	3	1	2	-	-
Female	119	93	7	3	5	1	4	-	1	2	2	1	-
Certain conditions originating in the perinatal period (760-779)	550	550	-	-	-	-	-	-	-	-	-	-	-
Male	309	309	-	-	-	-	-	-	-	-	-	-	-
Female	241	241	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	250	250	-	-	-	-	-	-	-	-	-	-	-
Male	142	142	-	-	-	-	-	-	-	-	-	-	-
Female	108	108	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	300	300	-	-	-	-	-	-	-	-	-	-	-
Male	167	167	-	-	-	-	-	-	-	-	-	-	-
Female	133	133	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	166	11	2	1	2	4	8	8	14	16	25	73	2
Male	88	6	1	1	2	2	6	8	8	10	18	24	2
Female	78	5	1	-	-	2	2	-	6	6	7	49	-
All other diseases (Residual)	2,163	58	27	18	44	132	173	163	250	416	482	398	2
Male	1,285	36	21	10	26	100	133	113	164	252	245	183	2
Female	878	22	6	8	18	32	40	50	86	164	237	215	-
Accidents and adverse effects (E800-E949)	1,277	23	41	90	204	194	179	130	108	117	98	80	13
Male	953	12	25	65	164	156	144	111	78	87	64	36	11
Female	324	11	16	25	40	38	35	19	30	30	34	44	2
Motor vehicle accidents (E810-E825)	578	5	13	47	122	111	89	62	52	38	24	6	9
Male	460	2	7	35	100	85	74	54	40	30	19	5	9
Female	118	3	6	12	22	26	15	8	12	8	5	1	-
All other accidents and adverse effects (E800-E807,E826-E949)	699	18	28	43	82	83	90	68	56	79	74	74	4
Male	493	10	18	30	64	71	70	57	38	57	45	31	2
Female	206	8	10	13	18	12	20	11	18	22	29	43	2
Suicide (E950-E959)	266	...	...	3	31	51	45	33	41	34	22	6	-
Male	233	...	...	2	28	44	42	28	34	30	21	4	-
Female	33	...	...	1	3	7	3	5	7	4	1	2	-
Homicide and legal intervention (E960-E978)	575	-	1	8	156	169	129	55	30	15	7	1	4
Male	510	-	1	4	144	150	114	49	26	14	4	1	3
Female	65	-	-	4	12	19	15	6	4	1	3	-	1
All other external causes (E980-E999)	19	-	-	-	1	2	5	2	1	2	1	2	3
Male	16	-	-	-	-	1	4	2	1	2	1	2	3
Female	3	-	-	-	1	1	1	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	506	42	8	4	11	19	35	59	59	105	89	73	2
White, male	90	4	-	1	3	4	8	9	12	25	15	9	-
White, female	45	3	1	-	-	1	4	5	4	9	10	8	-
All other, male	182	23	5	3	6	10	15	26	21	38	23	11	1
All other, female	189	12	2	-	2	4	8	19	22	33	41	45	1
Black, male	178	23	5	3	6	9	15	25	20	38	22	11	1
Black, female	189	12	2	-	2	4	8	19	22	33	41	45	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	3	-	-	-	-	-	-	1	-	1	-	1	-
White, male	2	-	-	-	-	-	-	-	-	1	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	1	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	1	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	89	-	1	2	-	2	4	12	17	30	15	6	-
White, male	17	-	-	-	-	1	1	2	1	8	3	1	-
White, female	8	-	-	-	-	-	-	3	1	2	1	1	-
All other, male	33	-	-	2	-	1	-	4	6	12	5	3	-
All other, female	31	-	1	-	-	-	3	3	9	8	6	1	-
Black, male	33	-	-	2	-	1	-	4	6	12	5	3	-
Black, female	31	-	1	-	-	-	3	3	9	8	6	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	33	-	-	-	-	1	1	7	4	12	6	2	-
White, male	5	-	-	-	-	1	-	2	-	1	1	-	-
White, female	3	-	-	-	-	-	-	1	-	1	1	-	-
All other, male	12	-	-	-	-	-	-	3	1	6	1	1	-
All other, female	13	-	-	-	-	-	1	1	3	4	3	1	-
Black, male	12	-	-	-	-	-	-	3	1	6	1	1	-
Black, female	13	-	-	-	-	-	1	1	3	4	3	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	9	-	-	-	-	-	1	2	4	2	-	-	-
White, male	3	-	-	-	-	-	1	-	1	1	-	-	-
White, female	2	-	-	-	-	-	-	1	1	-	-	-	-
All other, male	4	-	-	-	-	-	-	1	2	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	4	-	-	-	-	-	-	1	2	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	1	3	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	5	-	-	-	-	-	1	-	3	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	5	-	-	-	-	-	1	-	3	-	1	-	-
Malignant neoplasms of genital organs (179-187)	20	-	-	-	-	-	1	1	4	7	6	1	-
White, male	5	-	-	-	-	-	-	-	-	4	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	-	-	2	2	4	1	-
All other, female	6	-	-	-	-	-	1	1	2	1	1	-	-
Black, male	9	-	-	-	-	-	-	-	2	2	4	1	-
Black, female	6	-	-	-	-	-	1	1	2	1	1	-	-
Malignant neoplasms of urinary organs (188-189)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	14	-	1	1	-	1	-	1	2	6	1	1	-
White, male	3	-	-	-	-	-	-	-	-	2	1	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	5	-	-	1	-	1	-	-	1	2	-	-	-
All other, female	5	-	1	-	-	-	-	1	1	2	-	-	-
Black, male	5	-	-	1	-	1	-	-	1	2	-	-	-
Black, female	5	-	1	-	-	-	-	1	1	2	-	-	-
Leukemia (204-208)	3	-	-	1	-	-	-	-	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	1	-	-	1	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	2	-	-	-	-	-	-	-	-	1	-	1	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	21	-	-	-	-	-	-	3	3	8	4	3	-
White, male	2	-	-	-	-	-	-	-	-	1	1	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	8	-	-	-	-	-	-	1	1	4	1	1	-
All other, female	10	-	-	-	-	-	-	2	2	3	2	1	-
Black, male	8	-	-	-	-	-	-	1	1	4	1	1	-
Black, female	10	-	-	-	-	-	-	2	2	3	2	1	-
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	2	2	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	-	2	1	-	-
All other, female	2	-	-	-	-	-	-	-	-	-	1	1	-
Black, male	3	-	-	-	-	-	-	-	-	2	1	-	-
Black, female	2	-	-	-	-	-	-	-	-	-	1	1	-
Anemias (280-285)	2	-	-	-	-	-	-	1	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	205	-	-	-	-	2	7	21	23	48	50	52	2
White, male	32	-	-	-	-	-	2	3	5	9	9	4	-
White, female	21	-	-	-	-	-	1	1	1	5	7	6	-
All other, male	59	-	-	-	-	1	3	7	11	18	12	6	1
All other, female	93	-	-	-	-	1	1	10	6	16	22	36	1
Black, male	57	-	-	-	-	1	3	7	10	18	11	6	1
Black, female	93	-	-	-	-	1	1	10	6	16	22	36	1
Diseases of heart (390-398,402,404-429)	166	-	-	-	-	2	4	14	18	41	40	45	2
White, male	27	-	-	-	-	-	2	2	5	8	7	3	-
White, female	18	-	-	-	-	-	-	1	1	4	7	5	-
All other, male	47	-	-	-	-	1	2	6	9	15	8	5	1
All other, female	74	-	-	-	-	1	-	5	3	14	18	32	1
Black, male	45	-	-	-	-	1	2	6	8	15	7	5	1
Black, female	74	-	-	-	-	1	-	5	3	14	18	32	1
Rheumatic fever and rheumatic heart disease (390-398)	1	-	-	-	-	-	-	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	30	-	-	-	-	-	-	3	2	11	6	8	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	10	-	-	-	-	-	-	1	2	5	2	-	-
All other, female	18	-	-	-	-	-	-	2	-	4	4	8	-
Black, male	10	-	-	-	-	-	-	1	2	5	2	-	-
Black, female	18	-	-	-	-	-	-	2	-	4	4	8	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	113	-	-	-	-	-	3	9	13	26	31	29	2
White, male	23	-	-	-	-	-	2	2	4	6	6	3	-
White, female	17	-	-	-	-	-	-	1	1	3	7	5	-
All other, male	28	-	-	-	-	-	1	3	6	9	5	3	1
All other, female	45	-	-	-	-	-	-	3	2	8	13	18	1
Black, male	26	-	-	-	-	-	1	3	5	9	4	3	1
Black, female	45	-	-	-	-	-	-	3	2	8	13	18	1
Acute myocardial infarction (410)	37	-	-	-	-	-	1	3	7	11	9	5	1
White, male	12	-	-	-	-	-	-	1	2	4	3	2	-
White, female	5	-	-	-	-	-	-	1	1	-	2	1	-
All other, male	12	-	-	-	-	-	1	1	3	4	2	1	-
All other, female	8	-	-	-	-	-	-	-	1	3	2	1	1
Black, male	11	-	-	-	-	-	1	1	2	4	2	1	-
Black, female	8	-	-	-	-	-	-	-	1	3	2	1	1
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	76	-	-	-	-	-	2	6	6	15	22	24	1
White, male	11	-	-	-	-	-	2	1	2	2	3	1	-
White, female	12	-	-	-	-	-	-	-	-	3	5	4	-
All other, male	16	-	-	-	-	-	-	2	3	5	3	2	1
All other, female	37	-	-	-	-	-	-	3	1	5	11	17	-
Black, male	15	-	-	-	-	-	-	2	3	5	2	2	1
Black, female	37	-	-	-	-	-	-	3	1	5	11	17	-
Other diseases of endocardium (424)	2	-	-	-	-	1	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	1	-	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	1	-	-	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	20	-	-	-	-	1	1	1	2	4	3	8	-
White, male	3	-	-	-	-	-	-	-	1	1	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	-	-	1	1	-	1	1	2	-
All other, female	11	-	-	-	-	1	-	-	1	2	1	6	-
Black, male	6	-	-	-	-	-	1	1	-	1	1	2	-
Black, female	11	-	-	-	-	1	-	-	1	2	1	6	-
Hypertension with or without renal disease (401,403)	4	-	-	-	-	-	-	2	1	-	1	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	1	-	-	-	-
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Cerebrovascular diseases (430-438)	30	-	-	-	-	-	3	4	4	7	8	4	-
White, male	3	-	-	-	-	-	-	-	-	1	1	1	-
White, female	3	-	-	-	-	-	1	-	-	1	-	1	-
All other, male	8	-	-	-	-	-	1	-	1	3	3	-	-
All other, female	16	-	-	-	-	-	1	4	3	2	4	2	-
Black, male	8	-	-	-	-	-	1	-	1	3	3	-	-
Black, female	16	-	-	-	-	-	1	4	3	2	4	2	-
Intracerebral and other intracranial hemorrhage (431-432)	6	-	-	-	-	-	1	1	2	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	4	-	-	-	-	-	-	1	2	-	1	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	4	-	-	-	-	-	-	1	2	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	-	-	-	-	-	-	1	-	2	2	1	-
White, male	2	-	-	-	-	-	-	-	-	1	1	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	2	-	-	-	-	-	-	1	-	-	1	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	18	-	-	-	-	-	2	2	2	4	5	3	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	6	-	-	-	-	-	1	-	1	1	3	-	-
All other, female	10	-	-	-	-	-	1	2	1	2	2	2	-
Black, male	6	-	-	-	-	-	1	-	1	1	3	-	-
Black, female	10	-	-	-	-	-	1	2	1	2	2	2	-
Atherosclerosis (440)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	4	-	-	-	-	-	-	1	-	-	1	2	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	-	1	1	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	2	-	-	-	-	-	-	-	-	-	1	1	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	11	-	1	-	-	-	1	3	-	-	3	3	-
White, male	2	-	-	-	-	-	-	1	-	-	-	1	-
White, female	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	1	2	-	-	1	1	-
All other, female	3	-	-	-	-	-	-	-	-	-	2	1	-
Black, male	5	-	-	-	-	-	1	2	-	-	1	1	-
Black, female	3	-	-	-	-	-	-	-	-	-	2	1	-
Pneumonia (480-486)	11	-	1	-	-	-	1	3	-	-	3	3	-
White, male	2	-	-	-	-	-	-	1	-	-	-	1	-
White, female	1	-	1	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	-	-	1	2	-	-	1	1	-
All other, female	3	-	-	-	-	-	-	-	-	-	2	1	-
Black, male	5	-	-	-	-	-	1	2	-	-	1	1	-
Black, female	3	-	-	-	-	-	-	-	-	-	2	1	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4	-	-	-	-	-	1	2	1	-	-	-	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Emphysema (492)	2	-	-	-	-	-	-	1	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1	-	-	-	-	-	-	1	-	-	-	-	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Chronic liver disease and cirrhosis (571)	20	-	-	-	-	1	6	4	5	4	-	-	-
White, male	6	-	-	-	-	1	-	-	4	1	-	-	-
White, female	2	-	-	-	-	-	-	1	-	1	-	-	-
All other, male	9	-	-	-	-	-	5	3	-	1	-	-	-
All other, female	3	-	-	-	-	-	1	-	1	1	-	-	-
Black, male	8	-	-	-	-	-	5	2	-	1	-	-	-
Black, female	3	-	-	-	-	-	1	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	-	-	-	-	1	-	1	3	3	2	-	-
White, male	3	-	-	-	-	-	-	-	-	2	1	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	4	-	-	-	-	1	-	-	1	1	1	-	-
All other, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, male	4	-	-	-	-	1	-	-	1	1	1	-	-
Black, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	1	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	1	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	1	-	-	-	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	-	-	-	-	-	-	1	3	2	2	-	-
White, male	3	-	-	-	-	-	-	-	-	2	1	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	-	1	-	-
All other, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	1	-	1	-	-
Black, female	2	-	-	-	-	-	-	1	1	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Black, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Black, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Congenital anomalies (740-759)	8	6	-	1	-	-	-	-	1	-	-	-	-
White, male	2	1	-	1	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	4	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	1	-	-	-	-	-	-	1	-	-	-	-
Black, male	4	4	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	1	-	-	-	-	-	-	1	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period (760-779)	32	32	-	-	-	-	-	-	-	-	-	-	-
White, male	3	3	-	-	-	-	-	-	-	-	-	-	-
White, female	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, male	19	19	-	-	-	-	-	-	-	-	-	-	-
All other, female	8	8	-	-	-	-	-	-	-	-	-	-	-
Black, male	19	19	-	-	-	-	-	-	-	-	-	-	-
Black, female	8	8	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	4	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Black, male	4	4	-	-	-	-	-	-	-	-	-	-	-
Black, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	22	22	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, male	15	15	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Black, male	15	15	-	-	-	-	-	-	-	-	-	-	-
Black, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	-	-	-	-	1	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	1	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other diseases (Residual)	35	2	4	-	2	1	3	4	2	7	8	2	-
White, male	5	-	-	-	-	-	1	-	1	2	1	-	-
White, female	2	1	-	-	-	-	-	-	-	-	1	-	-
All other, male	8	-	3	-	1	-	-	3	-	-	1	-	-
All other, female	20	1	1	-	1	1	2	1	1	5	5	2	-
Black, male	8	-	3	-	1	-	-	3	-	-	1	-	-
Black, female	20	1	1	-	1	1	2	1	1	5	5	2	-
Accidents and adverse effects (E800-E949)	27	1	2	1	3	4	4	3	1	1	3	4	-
White, male	6	-	-	-	1	1	2	1	-	-	-	1	-
White, female	3	-	-	-	-	-	1	-	-	1	1	-	-
All other, male	12	-	2	1	2	2	1	2	1	-	1	-	-
All other, female	6	1	-	-	-	1	-	-	-	-	1	3	-
Black, male	12	-	2	1	2	2	1	2	1	-	1	-	-
Black, female	6	1	-	-	-	1	-	-	-	-	1	3	-
Motor vehicle accidents (E810-E825)	7	-	1	-	-	3	1	2	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, male	5	-	1	-	-	2	-	2	-	-	-	-	-
All other, female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, male	5	-	1	-	-	2	-	2	-	-	-	-	-
Black, female	1	-	-	-	-	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	20	1	1	1	3	1	3	1	1	1	3	4	-
White, male	6	-	-	-	1	1	2	1	-	-	-	1	-
White, female	2	-	-	-	-	-	-	-	-	1	1	-	-
All other, male	7	-	1	1	2	-	1	-	1	-	1	-	-
All other, female	5	1	-	-	-	-	-	-	-	-	1	3	-
Black, male	7	-	1	1	2	-	1	-	1	-	1	-	-
Black, female	5	1	-	-	-	-	-	-	-	-	1	3	-
Suicide (E950-E959)	6	...	...	-	1	2	1	2	-	-	-	-	-
White, male	3	...	...	-	1	1	-	1	-	-	-	-	-
White, female	-	...	...	-	-	-	-	-	-	-	-	-	-
All other, male	3	...	...	-	-	1	1	1	-	-	-	-	-
All other, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Black, male	3	...	...	-	-	1	1	1	-	-	-	-	-
Black, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	19	-	-	-	5	4	7	-	3	-	-	-	-
White, male	4	-	-	-	1	-	2	-	1	-	-	-	-
White, female	2	-	-	-	-	1	1	-	-	-	-	-	-
All other, male	10	-	-	-	3	2	4	-	1	-	-	-	-
All other, female	3	-	-	-	1	1	-	-	1	-	-	-	-
Black, male	9	-	-	-	3	1	4	-	1	-	-	-	-
Black, female	3	-	-	-	1	1	-	-	1	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	-	1	1	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	415	35	8	6	24	20	26	42	74	87	63	29	1
White, male	34	3	-	1	4	2	2	4	9	7	1	1	-
White, female	3	1	-	-	-	-	-	-	1	1	-	-	-
All other, male	237	20	5	3	18	14	17	24	47	44	33	11	1
All other, female	141	11	3	2	2	4	7	14	17	35	29	17	-
Guamanian, male	159	16	3	2	14	11	9	17	22	32	23	10	-
Guamanian, female	106	7	3	2	1	3	3	11	13	26	25	12	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	1	-	-	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	3	-	-	-	-	-	-	-	1	-	-	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	-	-	1	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, male	2	-	-	-	-	-	-	-	1	-	-	1	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041,046-054,056-066,071-088,098-139)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	57	-	2	1	-	-	6	11	13	18	5	1	-
White, male	6	-	-	-	-	-	1	-	2	3	-	-	-
White, female	2	-	-	-	-	-	-	-	1	1	-	-	-
All other, male	33	-	2	-	-	-	3	6	6	11	4	1	-
All other, female	16	-	-	1	-	-	2	5	4	3	1	-	-
Guamanian, male	17	-	-	-	-	-	2	3	2	6	4	-	-
Guamanian, female	8	-	-	1	-	-	2	3	1	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	-	-	-	-	-	-	1	2	1	-	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	12	-	-	-	-	-	-	1	3	4	3	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	-	-	-	-	-	-	1	1	2	2	1	-
All other, female	4	-	-	-	-	-	-	-	1	2	1	-	-
Guamanian, male	2	-	-	-	-	-	-	-	-	-	2	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	21	-	-	-	-	-	1	6	4	9	1	-	-
White, male	2	-	-	-	-	-	-	-	1	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	16	-	-	-	-	-	1	4	3	7	1	-	-
All other, female	3	-	-	-	-	-	-	2	-	1	-	-	-
Guamanian, male	11	-	-	-	-	-	1	2	2	5	1	-	-
Guamanian, female	2	-	-	-	-	-	-	2	-	-	-	-	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	1	3	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	-	-	-	-	-	1	3	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	-	-	1	1	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	6	-	-	-	-	-	1	-	3	1	1	-	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	4	-	-	-	-	-	1	-	3	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	2	-	-	-	-	-	1	-	1	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	3	-	-	-	-	-	2	-	-	1	-	-	-
White, male	1	-	-	-	-	-	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	1	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	-	-	-	-	-	1	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2	-	-	-	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	4	-	2	1	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	2	-	-	-	1	-	-	-	-	-	-
All other, female	1	-	-	1	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	1	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	-	-	-	-	-	1	-	-	-	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	-	2	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	22	-	-	-	-	-	1	-	2	10	8	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	-	-	-	-	-	1	-	1	4	4	-	-
All other, female	12	-	-	-	-	-	-	-	1	6	4	1	-
Guamanian, male	8	-	-	-	-	-	1	-	1	3	3	-	-
Guamanian, female	8	-	-	-	-	-	-	-	1	4	2	1	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	137	1	-	1	3	2	5	18	30	32	31	14	-
White, male	8	-	-	-	-	-	1	2	1	2	1	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	76	-	-	1	2	1	3	12	19	19	15	4	-
All other, female	53	1	-	-	1	1	1	4	10	11	15	9	-
Guamanian, male	50	-	-	-	2	1	1	8	8	15	11	4	-
Guamanian, female	45	1	-	-	1	1	1	4	9	9	13	6	-
Diseases of heart (390-398,402,404-429)	105	1	-	1	2	1	4	15	20	27	23	11	-
White, male	8	-	-	-	-	-	1	2	1	2	1	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	52	-	-	1	1	-	2	9	12	14	10	3	-
All other, female	45	1	-	-	1	1	1	4	7	11	12	7	-
Guamanian, male	37	-	-	-	1	-	1	7	7	11	7	3	-
Guamanian, female	39	1	-	-	1	1	1	4	7	9	10	5	-
Rheumatic fever and rheumatic heart disease (390-398)	3	-	-	1	1	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	1	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	1	-	1	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	1	-	1	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	1	1	3	1	1	-
White, male	2	-	-	-	-	-	-	-	-	1	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	-	1	2	1	-	-
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Guamanian, male	3	-	-	-	-	-	-	-	1	2	-	-	-
Guamanian, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	82	-	-	-	-	1	3	13	18	22	17	8	-
White, male	6	-	-	-	-	-	1	2	1	1	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	40	-	-	-	-	-	2	8	10	11	7	2	-
All other, female	36	-	-	-	-	1	-	3	7	10	9	6	-
Guamanian, male	28	-	-	-	-	-	1	7	5	8	5	2	-
Guamanian, female	32	-	-	-	-	1	-	3	7	8	8	5	-
Acute myocardial infarction (410)	28	-	-	-	-	-	1	4	8	9	5	1	-
White, male	3	-	-	-	-	-	-	1	-	1	1	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	16	-	-	-	-	-	1	3	5	4	3	-	-
All other, female	9	-	-	-	-	-	-	-	3	4	1	1	-
Guamanian, male	12	-	-	-	-	-	1	3	3	3	2	-	-
Guamanian, female	8	-	-	-	-	-	-	-	3	4	-	1	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	1	1	1	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	1	1	-	-
All other, female	3	-	-	-	-	-	-	1	1	-	-	1	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	3	-	-	-	-	-	-	1	1	-	-	1	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	49	-	-	-	-	1	2	8	9	12	11	6	-
White, male	3	-	-	-	-	-	1	1	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	22	-	-	-	-	-	1	5	5	6	3	2	-
All other, female	24	-	-	-	-	1	-	2	3	6	8	4	-
Guamanian, male	15	-	-	-	-	-	-	4	2	5	2	2	-
Guamanian, female	21	-	-	-	-	1	-	2	3	4	8	3	-
Other diseases of endocardium (424)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	13	1	-	-	1	-	-	1	1	2	5	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	-	-	-	1	-	-	1	1	1	2	1	-
All other, female	6	1	-	-	-	-	-	-	-	1	3	1	-
Guamanian, male	6	-	-	-	1	-	-	-	1	1	2	1	-
Guamanian, female	4	1	-	-	-	-	-	-	-	1	2	-	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Cerebrovascular diseases (430-438)	28	-	-	-	1	1	1	3	8	5	7	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	21	-	-	-	1	1	1	3	6	5	4	-	-
All other, female	7	-	-	-	-	-	-	-	2	-	3	2	-
Guamanian, male	11	-	-	-	1	1	-	1	1	4	3	-	-
Guamanian, female	5	-	-	-	-	-	-	-	1	-	3	1	-
Intracerebral and other intracranial hemorrhage (431-432)	16	-	-	-	-	1	1	2	5	1	4	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	-	-	-	-	1	1	2	4	1	1	-	-
All other, female	6	-	-	-	-	-	-	-	1	-	3	2	-
Guamanian, male	5	-	-	-	-	1	-	1	1	1	1	-	-
Guamanian, female	4	-	-	-	-	-	-	-	-	-	3	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	11	-	-	-	1	-	-	1	3	4	2	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	-	-	-	1	-	-	1	2	4	2	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	5	-	-	-	1	-	-	-	-	3	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Atherosclerosis (440)	1	-	-	-	-	-	-	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other diseases of arteries, arterioles, and capillaries (441-448)	2	-	-	-	-	-	-	-	1	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	22	1	1	-	1	-	-	1	3	3	6	6	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	1	-	-	1	-	-	-	2	-	2	2	-
All other, female	14	-	1	-	-	-	-	1	1	3	4	4	-
Guamanian, male	6	1	-	-	1	-	-	-	2	-	-	2	-
Guamanian, female	11	-	1	-	-	-	-	1	1	2	4	2	-
Pneumonia (480-486)	21	1	1	-	1	-	-	1	3	3	5	6	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	7	1	-	-	1	-	-	-	2	-	1	2	-
All other, female	14	-	1	-	-	-	-	1	1	3	4	4	-
Guamanian, male	6	1	-	-	1	-	-	-	2	-	-	2	-
Guamanian, female	11	-	1	-	-	-	-	1	1	2	4	2	-
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	6	-	-	-	-	-	1	-	1	4	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	2	-	-	-
All other, female	3	-	-	-	-	-	1	-	-	2	-	-	-
Guamanian, male	2	-	-	-	-	-	-	-	-	2	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	1	-	-	-	-	-	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3	-	-	-	-	-	-	-	1	2	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	10	-	-	-	-	-	1	2	4	3	-	-	-
White, male	3	-	-	-	-	-	-	1	2	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	-	-	1	1	2	2	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	5	-	-	-	-	-	1	1	1	2	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	-	-	-	-	-	-	1	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	1	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	2	1	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	1	-	-	-	-	-	-	1	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	1	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, male	2	1	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	...	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	...	...	-	-	-	2	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	2	...	...	-	-	-	2	-	...	...	...	...	-
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	-	...	...	-	-	-	-	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	-	...	...	-	-	-	-	-	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	...	...	-	-	-	2	-	...	...	...	...	-
White, male	...	...	...	...	...	...	...	...	...	...	...	...	...
White, female	-	...	...	-	-	-	-	-	...	...	...	...	-
All other, male	...	...	...	...	...	...	...	...	...	...	...	...	...
All other, female	2	...	...	-	-	-	2	-	...	...	...	...	-
Guamanian, male	...	...	...	...	...	...	...	...	...	...	...	...	...
Guamanian, female	-	...	...	-	-	-	-	-	...	...	...	...	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies (740-759)	10	9	-	-	1	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	5	-	-	1	-	-	-	-	-	-	-	-
All other, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	6	5	-	-	1	-	-	-	-	-	-	-	-
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	14	14	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	6	-	-	-	-	-	-	-	-	-	-	-
All other, female	6	6	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	7	7	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	4	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	7	7	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	2	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	5	4	-	1	-	-	-	-	-	-	-	-	-
White, male	2	1	-	1	-	-	-	-	-	-	-	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	2	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	58	2	1	2	2	3	3	8	13	11	9	4	-
White, male	5	-	-	-	-	1	-	1	2	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	33	2	1	1	1	-	3	3	11	3	5	3	-
All other, female	20	-	-	1	1	2	-	4	-	7	4	1	-
Guamanian, male	26	2	1	1	-	-	3	3	6	3	4	3	-
Guamanian, female	18	-	-	1	-	2	-	3	-	7	4	1	-
Accidents and adverse effects (E800-E949)	40	1	4	1	12	7	4	2	4	3	-	1	1
White, male	4	-	-	-	3	1	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	31	1	2	1	9	5	4	2	4	2	-	-	1
All other, female	5	-	2	-	-	1	-	-	-	1	-	1	-
Guamanian, male	16	-	2	1	6	4	1	2	-	-	-	-	-
Guamanian, female	4	-	2	-	-	-	-	-	-	1	-	1	-
Motor vehicle accidents (E810-E825)	22	-	3	1	5	5	2	-	3	2	-	-	1
White, male	2	-	-	-	2	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	18	-	2	1	3	4	2	-	3	2	-	-	1
All other, female	2	-	1	-	-	1	-	-	-	-	-	-	-
Guamanian, male	8	-	2	1	2	3	-	-	-	-	-	-	-
Guamanian, female	1	-	1	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	18	1	1	-	7	2	2	2	1	1	-	1	-
White, male	2	-	-	-	1	1	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	13	1	-	-	6	1	2	2	1	-	-	-	-
All other, female	3	-	1	-	-	-	-	-	-	1	-	1	-
Guamanian, male	8	-	-	-	4	1	1	2	-	-	-	-	-
Guamanian, female	3	-	1	-	-	-	-	-	-	1	-	1	-
Suicide (E950-E959)	7	...	...	-	3	4	-	-	-	-	-	-	-
White, male	1	...	...	-	1	-	-	-	-	-	-	-	-
White, female	-	...	...	-	-	-	-	-	-	-	-	-	-
All other, male	6	...	...	-	2	4	-	-	-	-	-	-	-
All other, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Guamanian, male	5	...	...	-	2	3	-	-	-	-	-	-	-
Guamanian, female	-	...	...	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	9	1	-	-	2	4	1	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	1	-	-	2	4	1	-	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	7	1	-	-	2	3	-	-	-	1	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	578	159	115	12	1	-	-	13	184	3	91
Male	460	143	71	12	-	-	-	12	143	3	76
Female	118	16	44	-	1	-	-	1	41	-	15
Virgin Islands	7	-	-	-	-	-	-	-	6	-	1
White, male	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-
All other, male	5	-	-	-	-	-	-	-	4	-	1
All other, female	1	-	-	-	-	-	-	-	1	-	-
Black, male	5	-	-	-	-	-	-	-	4	-	1
Black, female	1	-	-	-	-	-	-	-	1	-	-
Guam	22	2	1	-	-	-	-	-	-	-	19
White, male	2	-	-	-	-	-	-	-	-	-	2
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	18	2	1	-	-	-	-	-	-	-	15
All other, female	2	-	-	-	-	-	-	-	-	-	2
Guamanian, male	8	1	1	-	-	-	-	-	-	-	6
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1] (0)	Farm [2] (1)	Mine and quarry (2)	Industrial place and premises (3)	Place for recreation and sport (4)	Street and highway (5)	Public building (6)	Residential institution (7)	Other specified places (8)	Unspecified place (9)
Puerto Rico	595	183	3	1	8	3	23	6	10	147	211
Male	416	110	3	1	7	2	19	6	8	134	126
Female	179	73	–	–	1	1	4	–	2	13	85
Virgin Islands	15	2	–	–	–	1	–	1	–	4	7
White, male	4	1	–	–	–	1	–	1	–	–	1
White, female	2	1	–	–	–	–	–	–	–	–	1
All other, male	7	–	–	–	–	–	–	–	–	4	3
All other, female	2	–	–	–	–	–	–	–	–	–	2
Black, male	7	–	–	–	–	–	–	–	–	4	3
Black, female	2	–	–	–	–	–	–	–	–	–	2
Guam	17	–	–	–	–	1	–	–	1	8	7
White, male	2	–	–	–	–	1	–	–	–	–	1
White, female	–	–	–	–	–	–	–	–	–	–	–
All other, male	12	–	–	–	–	–	–	–	1	7	4
All other, female	3	–	–	–	–	–	–	–	–	1	2
Guamanian, male	7	–	–	–	–	–	–	–	1	4	2
Guamanian, female	3	–	–	–	–	–	–	–	–	1	2

[1] Including home premises and any noninstitutional place of residence.
[2] Including buildings and land under cultivation, but excluding farm home and home premises.

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1985

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	23,194	23,071	944	767	643
Adjuntas	65	138	5	4	5
Aguada	74	177	8	6	4
Aguadilla	482	434	17	12	16
Aguas Buenas	79	140	6	3	5
Aibonito	140	160	9	7	3
Añasco	53	164	8	7	9
Arecibo	1,105	740	32	29	19
Arroyo	51	126	8	7	3
Barceloneta	53	130	3	2	2
Barranquitas	78	140	2	–	4
Bayamon	1,799	1,219	40	30	30
Cabo Rojo	116	251	9	6	5
Caguas	1,182	827	35	30	31
Camuy	66	150	7	7	4
Canovanas	58	179	10	7	20
Carolina	703	922	50	41	6
Catano	67	203	9	8	12
Cayey	165	331	16	15	4
Ceiba	35	89	3	2	2
Ciales	47	111	9	8	7
Cidra	69	158	7	7	8
Coamo	112	241	9	7	3
Comerio	60	110	2	2	5
Corozal	68	156	3	2	1
Culebra	2	7	–	–	4
Dorado	56	172	6	6	15
Fajardo	438	264	5	3	4
Florida	25	56	4	4	8
Guanica	79	170	5	4	5
Guayama	436	310	20	17	10
Guayanilla	66	150	7	5	5
Guaynabo	204	522	17	13	6
Gurabo	66	168	8	7	4
Hatillo	102	199	7	3	12
Hormigueros	54	107	5	5	5
Humacao	598	343	19	19	2
Isabela	154	290	10	10	11
Jayuya	56	116	4	3	2
Juana Diaz	106	275	11	7	–
Juncos	91	200	3	2	5
Lajas	65	155	3	2	1
Lares	118	223	7	6	8
Las Marias	17	48	–	–	8
Las Piedras	46	127	5	5	2
Loiza	40	106	8	6	5
Luquillo	50	119	6	5	–
Manati	301	279	13	12	1
Maricao	16	28	2	2	21
Maunabo	36	97	6	4	6
Mayaguez	1,493	790	31	23	8
Moca	185	164	5	5	7
Morovis	62	119	3	3	2
Naguabo	68	153	4	4	1
Naranjito	71	130	5	4	5
Orocovis	47	97	6	3	7
Patillas	59	139	5	3	46
Penuelas	51	127	9	6	8
Ponce	2,383	1,509	76	59	2
Quebradillas	56	131	11	10	6
Rincon	45	94	3	3	5
Rio Grande	106	247	7	5	7
Sabana Grande	55	156	6	5	8
Salinas	88	210	12	10	80
San German	372	237	8	6	10
San Juan	6,610	4,005	130	108	7
San Lorenzo	99	218	11	11	7
San Sebastian	149	290	8	5	6
Santa Isabel	80	141	12	12	14
Toa Alta	66	174	9	7	9
Toa Baja	162	419	20	17	9
Trujillo Alto	133	271	7	7	8
Utuado	144	245	11	10	8
Vega Alta	88	174	5	3	2
Vega Baja	153	293	10	7	6
Vieques	31	62	3	2	1
Villalba	61	131	10	7	6
Yabucoa	111	227	10	7	–
Yauco	217	291	19	16	–

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1985

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virgin Islands	544	506	42	37	40
White	167	135	7	6	11
All other	377	371	35	31	29
Black	372	367	35	31	28
St. Croix Island	267	264	23	21	26
White	91	84	6	5	9
All other	176	180	17	16	17
Black	173	178	17	16	16
St. John Island	7	12	-	-	-
White	3	3	-	-	-
All other	4	9	-	-	-
Black	4	9	-	-	-
St. Thomas Island	270	230	19	16	14
White	73	48	1	1	2
All other	197	182	18	15	12
Black	195	180	18	15	12
Charlotte Amalie	---	154	15	14	1
White	---	26	1	1	-
All other	---	128	14	13	1
Black	---	126	14	13	1
Balance of area	---	76	4	2	13
White	---	22	-	-	2
All other	---	54	4	2	11
Black	---	54	4	2	11
Guam	441	415	35	27	28
White	39	37	4	2	4
All other	402	378	31	25	24
Guamanian	265	265	23	18	13

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	944	76	76	74	75	74	74	95	76	79	98	73	74
Under 28 days	767	61	63	57	56	58	63	80	64	69	78	55	63
VIRGIN ISLANDS													
Under 1 year	42	3	4	5	4	2	4	5	1	1	2	5	6
White	7	1	1	1	-	-	-	1	-	-	-	1	2
All other	35	2	3	4	4	2	4	4	1	1	2	4	4
Black	35	2	3	4	4	2	4	4	1	1	2	4	4
Under 28 days	37	3	4	3	4	2	2	5	1	1	2	4	6
White	6	1	1	-	-	-	-	1	-	-	-	1	2
All other	31	2	3	3	4	2	2	4	1	1	2	3	4
Black	31	2	3	3	4	2	2	4	1	1	2	3	4
GUAM													
Under 1 year	35	5	1	1	5	2	3	2	5	5	2	3	1
White	4	1	-	-	1	-	-	1	-	-	1	-	-
All other	31	4	1	1	4	2	3	1	5	5	1	3	1
Guamanian	23	4	1	1	3	2	3	1	2	2	1	2	1
Under 28 days	27	3	1	1	5	2	2	2	4	5	-	2	-
White	2	-	-	-	1	-	-	1	-	-	-	-	-
All other	25	3	1	1	4	2	2	1	4	5	-	2	-
Guamanian	18	3	1	1	3	2	2	1	2	2	-	1	-

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	944	515	429	42	27	15	7	4	3	35	23	12	35	23	12
Under 28 days	767	422	345	37	26	11	6	4	2	31	22	9	31	22	9
Under 7 days	618	347	271	36	25	11	6	4	2	30	21	9	30	21	9
Under 1 hour	92	50	42	13	9	4	4	3	1	9	6	3	9	6	3
1-23 hours	214	122	92	14	12	2	-	-	-	14	12	2	14	12	2
1 day	74	36	38	4	2	2	2	1	1	2	1	1	2	1	1
2 days	92	59	33	3	1	2	-	-	-	3	1	2	3	1	2
3 days	59	27	32	1	1	-	-	-	-	1	1	-	1	1	-
4 days	50	31	19	1	-	1	-	-	-	1	-	1	1	-	1
5 days	23	10	13	-	-	-	-	-	-	-	-	-	-	-	-
6 days	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	78	41	37	-	-	-	-	-	-	-	-	-	-	-	-
14-20 days	41	17	24	-	-	-	-	-	-	-	-	-	-	-	-
21-27 days	30	17	13	1	1	-	-	-	-	1	1	-	1	1	-
28-59 days	55	28	27	2	1	1	1	-	1	1	1	-	1	1	-
2 months	21	13	8	-	-	-	-	-	-	-	-	-	-	-	-
3 months	23	12	11	-	-	-	-	-	-	-	-	-	-	-	-
4 months	15	6	9	-	-	-	-	-	-	-	-	-	-	-	-
5 months	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-
6 months	13	6	7	1	-	1	-	-	-	1	-	1	1	-	1
7 months	11	4	7	1	-	1	-	-	-	1	-	1	1	-	1
8 months	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
9 months	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
10 months	13	5	8	1	-	1	-	-	-	1	-	1	1	-	1
11 months	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	35	23	12	4	3	1	31	20	11	23	16	7
Under 28 days	27	17	10	2	2	-	25	15	10	18	12	6
Under 7 days	24	14	10	2	2	-	22	12	10	15	9	6
Under 1 hour	1	1	-	-	-	-	1	1	-	1	1	-
1-23 hours	15	8	7	2	2	-	13	6	7	10	5	5
1 day	7	5	2	-	-	-	7	5	2	4	3	1
2 days	1	-	1	-	-	-	1	-	1	-	-	-
3 days	-	-	-	-	-	-	-	-	-	-	-	-
4 days	-	-	-	-	-	-	-	-	-	-	-	-
5 days	-	-	-	-	-	-	-	-	-	-	-	-
6 days	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	1	1	-	-	-	-	1	1	-	1	1	-
14-20 days	-	-	-	-	-	-	-	-	-	-	-	-
21-27 days	2	2	-	-	-	-	2	2	-	2	2	-
28-59 days	2	1	1	-	-	-	2	1	1	2	1	1
2 months	2	2	-	1	1	-	1	1	-	1	1	-
3 months	2	1	1	1	-	1	1	1	-	1	1	-
4 months	1	1	-	-	-	-	1	1	-	-	-	-
5 months	-	-	-	-	-	-	-	-	-	-	-	-
6 months	-	-	-	-	-	-	-	-	-	-	-	-
7 months	-	-	-	-	-	-	-	-	-	-	-	-
8 months	-	-	-	-	-	-	-	-	-	-	-	-
9 months	-	-	-	-	-	-	-	-	-	-	-	-
10 months	-	-	-	-	-	-	-	-	-	-	-	-
11 months	1	1	-	-	-	-	1	1	-	1	1	-

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	944	767	177	42	6	31	31	1	4	4	35	2	25	18	2	6	5
Certain intestinal infections (008-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Septicemia (038)	9	...	9	-	...	...	...	-	-	-	-	...	...	...	-	-	-
Viral diseases (045-079)	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088,091-139)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-280)	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	9	7	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	10	1	9	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	69	39	30	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Pneumonia (480-486)	69	39	30	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	14	5	9	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	8	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	174	138	36	6	1	4	4	-	1	1	9	-	8	6	-	1	1
Anencephalus and similar anomalies (740)	17	17	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Spina bifida (741)	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	11	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Congenital anomalies of heart (745-746)	48	33	15	1	-	-	-	-	1	1	1	-	1	1	-	-	-
Other congenital anomalies of circulatory system (747)	15	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of respiratory system (748)	11	10	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Congenital anomalies of digestive system (749-751)	3	2	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Congenital anomalies of genitourinary system (752-753)	11	11	-	2	-	2	2	-	-	-	1	-	1	1	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	14	14	-	2	1	1	1	-	-	-	2	-	2	1	-	-	-
Down's syndrome (758.0)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	10	6	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1
All other and unspecified congenital anomalies (744,757,759)	20	17	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	550	543	7	32	5	27	27	-	-	-	14	2	12	7	-	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	9	9	-	3	-	3	3	-	-	-	1	-	1	1	-	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	47	47	-	6	-	6	6	-	-	-	2	1	1	1	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	40	40	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Birth asphyxia (768.5-768.9)	38	38	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Respiratory distress syndrome (769)	193	192	1	10	2	8	8	-	-	-	5	-	5	3	-	-	-
Other respiratory conditions of newborn (770)	101	100	1	3	-	3	3	-	-	-	4	1	3	2	-	-	-
Infections specific to the perinatal period (771)	42	41	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	50	49	1	9	3	6	6	-	-	-	-	-	-	-	-	-	-

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1985—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
Symptoms, signs, and ill-defined conditions (780-799)	11	5	6	-	-	-	-	-	-	-	4	-	1	1	2	1	1
Sudden infant death syndrome (798.0)	2	-	2	-	-	-	-	-	-	-	4	-	1	1	2	1	1
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	9	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	23	2	21	1	-	-	-	-	1	1	1	-	-	-	-	1	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	9	1	8	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Accidental mechanical suffocation (E913)	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	10	1	9	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Homicide (E960-E969)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
All other causes (Residual)	40	13	27	1	-	-	-	1	-	-	3	-	2	2	-	1	1

☆U. S. GOVERNMENT PRINTING OFFICE : 1987 O - 196-342